



QAD Enterprise Applications
Enterprise Edition

User Guide

QAD Purchasing

Introduction to Purchasing
Global Requisition System (GRS)
Purchasing
Supplier Consignment Inventory
Supplier Performance
Legal Documents
Reports, Browsers, and Inquiries for .NET UI

70-3175-2018EE
QAD Enterprise Applications 2018
Enterprise Edition
September 2018

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

This document contains trademarks owned by QAD Inc. and other companies.

Copyright ©2018 by QAD Inc.

Purchasing_UG_v2018EE.pdf/mat/mat

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<https://www.qad.com>

Contents

Purchasing Change Summary	vii
Chapter 1 Introduction to Purchasing	1
Chapter 2 Global Requisition System (GRS)	3
Introduction to GRS	4
Features of GRS	4
GRS Work Flow	5
Implementing GRS	7
Planning the Approval Process	9
Define Control Settings	11
Setting Up Automated E-Mail (Optional)	14
Defining Approval Levels	15
Setting Up Categories	15
Setting Up Jobs	17
Setting Up Buyers	17
Setting Up Approvers	18
Creating Purchase Requisitions	21
Creating a Requisition with Requisition Maintenance	21
Approving MRP Planned Orders	33
Reviewing and Approving Requisitions	33
Reviewing and Approving a Requisition Using Requisition Approval Maintenance	34
Reviewing and Approving a Requisition Using .NET UI Requisition Queue	
Browse	38
Using Requisitions to Build POs	42
Creating a Purchase Order	42
Modifying the Purchase Order	46
Viewing GRS Data	48
Chapter 3 Purchasing	51
Introduction to Purchasing	52
Effect of Optional Features	52
Purchasing	52
Types of Purchase Orders	54

Creating Purchase Orders	55
PO Header	56
PO Line Items	57
PO Trailer	61
Updating Purchase Order Costs	62
Using Temporary Pricing for Purchase Orders	63
Overview	63
Setting Up Temporary PO Pricing	64
Adjusting Temporary Prices	66
Creating Blanket Orders	70
Creating Receivers	72
Control Settings	72
History Records	72
Shipment Information	73
Subcontract Information	73
PO Receipt Packing Slip Inquiry	73
PO Containers and Shippers	74
PO Shippers Combined with Invoices	75
PO Fiscal Receiving	78
Creating Returns	81
Deleting Expired Orders	82
Calculating Purchase Price Variances	82
Subcontract Purchasing	83
Subcontract Pricing	84
Inventory and Cost Control	84
Subcontract Lead Time	84
Routings and Work Centers	84
Triggering Purchase Orders	84
Specifying Subcontract Suppliers for a Routing	85
Supplier Capacity	85
Material Requirements Planning	85
Work Order and Routing Comments	86
Subcontract Work Flow	86
Special Purchasing Topics	86
Multisite Purchasing	86
Purchasing Memo Items	87
Purchasing Miscellaneous Items	87

Chapter 4 Supplier Consignment Inventory 89

Overview of Supplier Consignment Inventory	90
Supplier Consignment Inventory Business Workflow	91
Supplier Consignment Programs	92
Consignment Process Summary	93

Planning and Setup	94
Update Control Settings	94
Create Supplier/Item Control Records	96
Set Up Consignment Accounts	97
Update Tax Rates	98
Update Settings for Sites and Locations	100
Managing Consigned Inventory	101
Creating Inventory Transaction History	101
Ordering Consigned Inventory	106
Receiving Consigned Inventory	108
Using Supplier Consigned Inventory	109
Making Inventory Adjustments	111
Processing Returns, Rejects, and Corrections	112
Managing Aged Inventory	113
Tracking Consigned Inventory During Inventory Counts	115
Reporting Supplier Consignment Inventory Data	116
Chapter 5 Supplier Performance	119
Overview of Supplier Performance	120
Features	120
Supplier Performance Workflow	122
Setting Up Supplier Performance	124
Planning a Supplier Performance System	124
Configuring Control Program Settings	124
Defining Performance Categories	129
Defining Performance Events	131
Creating Category and Event Relationships	132
Defining Weight Factors	132
Creating Registrations	133
Collecting Data Without Reporting	134
Collecting Performance Data	134
Collecting Data Automatically	134
User-Assisted Data Collection	136
Reporting and Managing Data	139
Performance Reports	140
Consolidating Data from Multiple Sites	141
Delete/Archive Functions	144
Chapter 6 Legal Documents	145
Legal Documents Overview	146
Legal Document Formats	146
Legal Documents Menu Listing	147

Fiscal Receiving	148
Configure Fiscal Receiving Control Settings	148
Configure Validation Settings	149
Using Configured Messages to Segregate Fiscal Receiving Duties ..	150
Conduct Receiving Transactions	151
Run ERS (Evaluated Receipt Settlement)	162
Print Legal Document	162
Unconfirm or Cancel Received Legal Document	162
Canceling Legal Documents with PO Returns	164
 Chapter 7 Reports, Browsers, and Inquiries for .NET UI	167
Introduction	168
Using Enhanced Reports	168
Running a Report	169
Running Reports Directly From Browsers	170
List of Modified Reports, Browsers, and Inquiries	170
 Product Information Resources	173
 Index.....	175

Purchasing Change Summary

The following table summarizes significant differences between this document and previous versions.

Date/Version	Description	Reference
September 2018/2018 EE	Updated information about Transfer Ownership field	page 100
September 2017/2017 EE	Updated description of End User field	page 23
	Added topic on using temporary purchase order pricing	page 63
	Removed reference to a limitation in Fiscal Receiving (mixed transactions) that no longer exists	page 156
March 2016/2016 EE	Updated description of Use Consigned First field	page 95
	Added note on the Receiving Date field	page 153
	Removed references to non-GRS requisitions	various
March 2015/2015 EE	Rebranded for QAD 2015 EE	--
March 2014/2014 EE	Clarified how GRS uses the value of Approval Level for product line approvers.	page 19
September 2013/2013.1 EE	Added topic on using configured messages to support segregation of duties in fiscal receiving	page 150
	Added information about unconfirming or canceling a received legal document	page 162
	Added information about canceling legal documents with PO returns	page 164
March 2013/2013 EE	In GRS chapter, changed name of Requisition Approval to Requisition Queue Browse	page 3
	Added description of Price by Requisition Line Due Date field	page 14
September 2012/2012.1 EE	Rebranded for QAD 2012.1 EE	--
March 2012/2012 EE	New .NET UI Requisition Approval function	page 38
	Additional enhanced .NET UI reports	page 170
September 2011/2011.1 EE	Rebranded for QAD 2011.1 EE	--

Introduction to Purchasing

Global Requisition System (GRS) 3

Global Requisition System (GRS) lets you create multiple-line purchase requisitions and route them through the approval process. Based on the type of purchase, the cost, and the requestor's department, the system determines which individuals are authorized to approve the requisition. Requisitions can include both manually entered lines and lines created when MRP planned purchase orders are approved. Optionally, GRS sends e-mail messages throughout the requisition life cycle to communicate status and required actions to originators, end users, reviewers, approvers, and buyers.

Purchasing 51

Purchasing provides comprehensive support for procuring components, materials, and supplies in a centralized or distributed environment. Features include:

- Creation and management of requisitions and purchase orders
- Integrated receiving and supplier invoice matching
- Seamless integration with Inventory Accounting Control, Materials Requirements Planning (MRP), Quality Management, and Accounts Payable

Supplier Consignment Inventory 89

Supplier Consignment Inventory extends the purchase order process by providing new transactions to receive material and identify it as consigned. The Supplier Consignment Inventory module lets you plan, order, receive, stock, track, and report supplier-consigned inventory using an automated system that reconciles inventories between suppliers and customers. Receiver matching and accounts payable (AP) transactions are deferred until the inventory is used. Customer use includes transfer, shipping, manufacturing, or distribution to its own customers.

Supplier Performance 119

The Supplier Performance module enables manufacturers to monitor the performance of their internal and external suppliers. Depending on your manufacturing environment, you can customize the way your system collects performance data as well as how you report performance metrics. You can create your own data collection points or use the ones predefined in the system.

Legal Documents 145

Use purchasing legal documents functions to support various inventory movement documents that are legally required in different countries.

Global Requisition System (GRS)

Introduction to GRS 4

Introduces GRS and explains some of the features.

Implementing GRS 7

Discusses how to set up GRS appropriately, use it to plan for approvals, define required settings, and set up specific roles, tasks, and functions.

Creating Purchase Requisitions 21

Describes Requisition Maintenance and explains how to create a requisition and approve MRP Planned Orders.

Reviewing and Approving Requisitions 33

Describes the procedures for approving, denying, or rerouting purchase requisitions using Requisition Approval Maintenance or Requisition Queue Browse.

Using Requisitions to Build POs 42

Explains how to build POs, create and modify purchase orders, and view GRS data.


Introduction to GRS

The Global Requisition System (GRS) lets you create multiple-line purchase requisitions and route them through the approval process. Based on the type of purchase, the cost, and the requestor's department, the system determines which individuals are authorized to approve the requisition. Optionally, GRS sends e-mail messages throughout the requisition life cycle to communicate status and required actions to originators, end users, reviewers, approvers, and buyers.

Reviewers and approvers can use the features of GRS to modify, approve, deny, or cancel entire requisitions or individual line items. When a requisition has been approved at the specified final level, a buyer can use approved requisition lines to build purchase orders (POs).

Figure 2.1 is a simplified flow diagram of the requisition process.

Fig. 2.1
Requisition Process



Features of GRS

Flexible Approval Process

You can set up approval levels based on the way you assign responsibilities within your company.

- Approvers can be defined *vertically* through your organization, relating the approval levels to entities, sub-accounts, and cost centers.
- You can also set up approvers *horizontally* based on the categories of items they are approving.
- If an individual is responsible for a project that crosses different organizations, you can set that person up as a *job* approver.
- Or, a person who is responsible for replenishing inventory used for manufacturing can be a *product line* approver.

Multiple-Line Requisitions

GRS features multiple-line entry. You set up default information, such as the supplier, the requesting site, and the need date, in a header applying to the whole requisition. If you need to change any of this information for a single line item, you can override much of it on a line-by-line basis while you are entering individual requisition items.

You can also create a multiple-line requisition by approving a group of MRP planned orders.

System-Generated E-mail

From the time a requisition begins the approval process until the last line item is referenced on a purchase order, GRS can use your e-mail system to advise end users, reviewers, and approvers of the requisition's status. Messages include notifications that a requisition is waiting for an approval and notifications to buyers when requisitions are approved.

If you use these features, you have two choices of e-mail mode. In regular mode, a minimum number of messages are generated, mainly to inform approvers that their inputs are needed. If you select extended mode, the system also sends status messages to the requestor and end user.

PO Build from Requisitions

GRS reduces repetitive data entry by letting you generate a purchase order directly from approved requisitions. Common data from the requisition header is copied into the purchase order header. You can then copy approved requisition line items to build the detailed line items on the purchase order.

GRS Work Flow

Table 2.1 shows the functions available in the GRS module.

Table 2.1
Global Requisition Programs

Menu Number	Description	Program Name
5.2.1	Setup Menu	
5.2.1.1	Approval Level Maintenance	rqlmt.p
5.2.1.2	Approval Level Browse	rqliq.p
5.2.1.4	Category Maintenance	rqcmt.p
5.2.1.5	Category Report	rqcrp.p
5.2.1.7	Job Maintenance	rjmt.p
5.2.1.8	Job Browse	rjliq.p
5.2.1.13	Horizontal Approver Maintenance	rqaht.p
5.2.1.14	Vertical Approver Maintenance	rqaht.p
5.2.1.15	Job Approver Maintenance	rjaht.p
5.2.1.16	Product Line Approver Maint	rqaht.p
5.2.1.17;	Approver Report	rqaht.p
5.2.1.41	Enhanced .NET UI version	
5.2.1.20	Buyer Maintenance	rbmt.p


Menu Number	Description	Program Name
5.2.1.24	Requisition Control	rqpm.p
5.2.3	Requisition Maintenance	rqrqmt.p
5.2.4	Requisition Inquiry	rqrqi1.p
5.2.5	Requisition Browse	rqrqi5.p
5.2.6	Requisition Report	rqrqp5.p
5.2.8	Requisition History Log	rqrqp4.p
5.2.10	Requisition Queue Browse	rqbr161.p
5.2.13	Requisition Approval Maintenance	rqapmt.p
5.2.14	Requisition Routing Maintenance	rqrtmt.p
5.2.15	Approval Status Inquiry	rqrqi2.p
5.2.16	Approver's Open Req. Browse	rqbr001.p
5.2.17	PO and Req. Cross Reference	rqpoi.p
5.2.18	Build PO from Requisitions	rqpobld.p
5.2.19	Requisition to PO Report	rqrqp6.p
5.2.43	Requisition to PO Report	Enhanced .NET UI version
5.2.21	Out of Tolerance Browse	rqbr003.p
5.2.23	Requisition Delete/Archive	rqrqup.p
36.9.3	Requisition Accounting Control	firqpm.p

GRS programs fall into five groups. The programs you use depend on your role in the requisition process.

- GRS setup (system administrator)
- Requisition creation (requestors)
- Requisition approval (reviewers and approvers)
- PO build (buyers)
- Reports and inquiries (as needed)

Figure 2.2 shows the overall flow of GRS tasks. Subsequent sections describe each step in the requisition process.

Fig. 2.2
GRS Task Flow



Implementing GRS

This section describes how to set up GRS based on the specific way your company wants to use the requisition approval process. This section is designed for the system administrator responsible for preparing GRS for use. Topics include:

- Planning the best way to set up GRS for your company.
- Establishing data for the system to use during the requisition process.
 - Requisition Control and Requisition Accounting Control: default and control settings for the system to use.
 - E-mail: If your company wants to use system-generated e-mail, define the e-mail system you use and specify user e-mail addresses.
 - Approval Levels: two-digit codes related to maximum amounts of a specified approval currency.
 - Categories: sets of related general ledger (GL) accounts with a single approver or group of approvers across organization structures; used when establishing horizontal approvers for types of items.
 - Jobs: limited-duration tasks, such as projects. Used to allow approval authority over a range of organizational structures, but only if associated with a specific job.
 - Buyers: individuals responsible for referencing approved requisition items on purchase orders.
 - Approvers: horizontal, vertical, job, and product line, depending on how your company wants to authorize purchases. Can be defined using various combinations of levels, categories, jobs, entities, sub-accounts, and cost centers.


Most of the functions used to implement the purchase requisition process are on the Implementation Setup Menu (5.2.1). An additional function, Requisition Accounting Control (36.9.3), includes control parameters for financial areas.

Table 2.2
Global Requisition Setup Functions

Menu Number	Description	Program Name
5.2.1.1	Approval Level Maintenance	rqlmt.p
5.2.1.2	Approval Level Browse	rqliq.p
5.2.1.4	Category Maintenance	rqcmt.p
5.2.1.5	Category Report	rqcrp.p
5.2.1.7	Job Maintenance	rjmt.p
5.2.1.8	Job Browse	rjliq.p
5.2.1.13	Horizontal Approver Maintenance	rqahmt.p
5.2.1.14	Vertical Approver Maintenance	rqavmt.p
5.2.1.15	Job Approver Maintenance	rqajmt.p
5.2.1.16	Product Line Approver Maint	rqaplmt.p
5.2.1.17; 5.2.1.41	Approver Report Enhanced .NET UI version	rqarp.p
5.2.1.20	Buyer Maintenance	rbmt.p
5.2.1.24	Requisition Control	rqpm.p
36.9.3	Requisition Accounting Control	frqpm.p

Figure 2.3 summarizes the tasks required to set up GRS. These tasks are described in detail in the following sections.

Fig. 2.3
GRS Setup Tasks



Planning the Approval Process

Before starting to set up GRS, you should consider the way you want the approval process for your company to flow. Use the following questions as a guideline:

- Will you operate more efficiently if GRS generates e-mail messages to the people involved in the approval cycle?
- Should only the next approver be notified of approval-related events, or would a wider distribution be better?
- Are most of your requisitions approved by department heads or supervisors?
- Do you want to prohibit changes to an approved requisition?
- Are the types of purchases you make monitored across departments by certain reviewers, regardless of which department generates the requisition?
- Do you want the buyer to be able to change the cost specified on a requisition when placing a purchase order? And, if so, do you want to set parameters to identify a cost variance as out of tolerance?

System-Generated E-Mail

One element to consider in the planning process is whether your company wants to use the automated e-mail notification features of GRS. If so, you must establish a record in E-mail Definition Maintenance (36.4.20) for each e-mail system your company uses. You must also enter e-mail addresses for all GRS users in User Maintenance (36.3.1).

If you decide to use automatic e-mail, you can send e-mail in regular or extended mode. Table 2.3 summarizes GRS events and the resulting e-mail recipients for these modes.

Table 2.3
E-mail Modes

GRS event	Regular mode notifies:	Extended mode also notifies:
Route requisition	New route-to	Requested by, end user
Reverse route requisition	Current route-to	Requested by, end user
Modify or delete requisition	Current route-to	Requested by, end user
Mark out of tolerance	Requested by, end user	

A system-generated e-mail message includes the following:

- Action
- Requisition number
- Requisition date
- Need date
- Due date
- Requested by
- Entered by
- End user
- Route to
- Reason
- Remarks
- Approval status
- Database
- Extended cost total
- Maximum extended cost total
- Approval comments (up to 15 lines)

Approver Types

Before you begin using the setup programs, consider how your company manages requisition approvals. GRS provides the flexibility to set up approvers based on the way your company wants to manage the approval process. You can set up four types of approvers—horizontal, vertical, job, and product line—using approver maintenance programs (5.2.1.13 through 5.2.1.16).

Once you have decided which types of approvers are best suited to the way you want to use GRS, you are ready to set up levels, categories, and jobs—the building blocks used to define approvers.

See “Setting Up Approvers” on page 18.

Note Because GRS is flexible, you can change or add to the approver profiles at any time. For example, when you go through the initial setup process, your company might not need to use job approvers. However, later it may be convenient to isolate some purchase approval authority to a specific project. You can then define the job and add a job approver for it.

Horizontal Approvers

Approvers can be set up *horizontally* based on the categories of items they are approving. For example, one manager in your company might approve all computer purchases, regardless of which department creates the requisition. You use Category Maintenance (5.2.1.4) to assign a range of accounts to a category such as Computers. You can then require all computer requisitions to be sent to the approver named for this category, regardless of the requestor’s sub-account or department.

See “Setting Up Categories” on page 15.

Vertical Approvers

Many companies approve purchases on a group or department basis. Normally, a department manager or supervisor approves requisitions for the department. If this is the way your company works, you can define approvers *vertically* through the organization; the approval levels can be related to combinations of entities, sub-accounts, and cost centers.

Even if you use vertical approvers, you might want to have someone else review specific types of purchases across all organizations to make sure purchases conform to company policy. Then, you can also define categories and set up horizontal approvers with different ranges of account authorizations.

Figure 2.4 is a simplified overview of the difference between horizontal and vertical approvers. It also illustrates how a requisition might require both types of approval.

Fig. 2.4
Vertical versus Horizontal Approvers

General Ledger		Sub-Account/Cost Center				
		100 Fin.	200 HR	300 R&D	400 Mat'l's	500 IS
Account						
1000 Rent				x		
2000 Utilities				x		
3000 Telephone				x		
4000 Hardware		x	x	x	x	x
5000 Software		x	x	x	x	x
6000 Insurance				x		
7000 Indirect Mat'l's				x		
8000 Outside Serv.				x		
9000 etc.				x		

Category = Computers

Vertical Approver:
The department head approves all requisitions, regardless of account, for this sub-account/cost center combination.

Horizontal Approver:
Computer category reviewer/approver approves all requisitions, regardless of sub-account/cost center combination, for these account ranges.

Job Approvers

Sometimes, you might need to set up projects or other relatively short-term tasks that do not require long-term approval authority. In this case, you can set up one person—usually the program manager—as a *job* approver.

This approver can authorize requisitions within specified ranges of sub-accounts and cost centers—but only if the requisitions are associated with a specific job. This way, a single approver can authorize project-specific purchases originated by several departments (multiple sub-accounts).

Product Line Approvers

Product lines group items for reporting, planning, and accounting purposes. A product line approver authorizes inventory purchases for direct materials associated with specific sites and product lines. A person who approves MRP-planned material purchases must be defined as a product line approver.

Define Control Settings

Use two programs to define general controls, as well as to establish default values for new requisitions:

- In Requisition Control (5.2.1.24), enable GRS functionality and define other operational control settings.
- In Requisition Accounting Control (36.9.3), specify operational settings that have an impact on financial activities, such as approval routing options.

Fig. 2.5
Requisition Control (5.2.1.24)

The screenshot shows a window titled "Requisition Control" with a standard toolbar (Go To, Actions, Copy, Print, Preview). The main area contains the following fields and controls:

- Using GRS:** A checkbox that is checked.
- Requisition Prefix:** A text box containing "GRS".
- Next Requisition Number:** A text box containing "00004021".
- Approval Sequence:** A label with no input field.
- Ln Format (S/M):** A dropdown menu set to "single".
- Header Comments:** A checkbox that is unchecked.
- Line Comments:** A checkbox that is unchecked.

Using GRS. Enter Yes to activate GRS.

Requisition Prefix. Enter an optional one- to three-character prefix for purchase requisition numbers. For example, you might want to make your purchase requisitions easy to identify by adding a prefix of RQ. When you add a new requisition and leave Requisition Number blank, it is automatically set to the prefix code followed by the next sequential number.

Note Prefix codes restrict the size of the numeric portion of the ID. The combined length cannot exceed eight characters.

Next Requisition Number. This field displays the next automatic purchase requisition number for system-assigned numbers. When setting a default starting number, remember that purchase requisition numbers are alphanumeric and sort in that sequence: requisitions 10, 20, and 100 sort in the sequence 10, 100, 20. Start with a large number (such as 10000) so that requisitions sort in sequence.

Approval Sequence. This field is included for future use.

Ln Format (S/M). Specify the default method for entering purchase requisition line items—single-line or multiple-line. Multiple-line mode displays several lines on a single screen, but only allows input or modification of basic data. Single-line mode displays all data fields for one line per screen. This value can be changed at any time on individual requisitions.

Header Comments. Enter Yes if comments are normally entered on each requisition header. Information associated with the header usually applies to the entire requisition and prints at the top of the requisition. The field can be changed manually on a requisition. If you do not normally use header comments, set this field to No to avoid being prompted each time with the comment entry screen.

Line Comments. Enter Yes if comments are normally entered on each requisition line. The field can be changed manually on a requisition. If you normally do not use comments, set this field to No to avoid being prompted each time with the comment entry screen.

Fig. 2.6
Requisition Accounting Control (36.9.3)

Approval Currency. Specify a valid, active currency to be used in defining approval levels. The default is the domain base currency.

Requisitions can be created in more than one currency. GRS converts other currencies to the approval currency as part of the approval process. A valid exchange rate must exist for this currency during approval.

Product Line Approvals Required. Specify the minimum number of approvers needed to approve direct material requisitions before they can be placed on a purchase order.

Horizontal Approvals Required. Specify the minimum number of category-oriented approvers needed to approve each category within a requisition before it can be placed on a purchase order.

Vertical Approvals Required. Specify the minimum number of organization-oriented approvers needed to approve requisitions before they can be placed on a purchase order. Job approvers are included in this number.

Use Tolerance Percent. Enter Yes if you want the system to check the cost of an item shown on the requisition against the actual cost specified on the purchase order. If this field is Yes and you enter a value in Tolerance Percent, the system compares the requisition maximum cost to the PO cost if the buyer increases the cost after copying the approved line to the PO. If the percentage is exceeded when the requisition line is added to the PO, GRS prompts the buyer to mark the line out of tolerance. See “Out-of-Tolerance Conditions” on page 46.

Tolerance Percent. Specify the default allowable percentage difference between the maximum cost shown on a requisition line item and the cost entered on the purchase order.

Use Tolerance Value. Indicate whether you want to use Tolerance Value. Processing works similarly to Use Tolerance Percent.

Note If you set both Use Tolerance Percent and Use Tolerance Value to Yes, GRS uses the smaller of the two to determine if lines are out of tolerance.

Tolerance Value. Specify the default allowable cost difference between the maximum cost shown on a requisition line item and the cost entered on the purchase order. Processing works similarly to Tolerance Percent.

E-mail Option. Enter the default e-mail mode. Valid settings are N, R, and E.

- Set to N (none), the default, if you do not want to use the system-generated e-mail features of GRS. Users cannot override this setting on individual requisitions. See “System-Generated E-Mail” on page 9.
- Set to R (regular) or E (extended) to make this the default e-mail mode for all requisitions. Users can change the default setting on individual requisitions.

Out of Tolerance Routing. When Use Tolerance Percent or Use Tolerance Value is Yes, enter the code indicating the default routing for requisitions when the buyer chooses to route an out-of-tolerance line:

- R (requestor)
- L (last approver)
- F (first approver)
- N (none)

If you set the field to None, the Route To field on the out-of-tolerance routing screen defaults to blank.

Prohibit Changes to Approved Requisitions. Enter Yes to prohibit changes to an approved requisition. When Yes, only buyers can edit a requisition. If you are not a buyer, an error message displays if you attempt to edit any requisition fields.

Reset Approvals Upon Denial. Enter Yes to reset the approval status for all approvers upon denial. When one approver denies the requisition, the status of all other existing approvers is reset, regardless of their original approval status. The system routes the requisition back to the requester or originator. Approval Status Inquiry (5.2.15) displays the reset approval status as a blank status for all existing approvers.

Price by Requisition Line Due Date. Specify how the requisition line pricing date is determined.

Yes: Pricing is based on the requisition line due date (rqd_due_date).

No: Pricing is based on the requisition date, which is found only in the header (rqm_req_date).

Note For consistent Requisition and Purchasing pricing, Price By Requisition Line Due Date should have the same setting as Price By PO Line Due Date in Purchasing Accounting Control.

Setting Up Automated E-Mail (Optional)

If you want GRS to send automatic e-mail notifications during the requisition approval cycle, use E-mail Definition Maintenance (36.4.20) to establish information about how GRS communicates with your e-mail system. You must also add e-mail information for each user in User Maintenance (36.3.1).

See “System-Generated E-Mail” on page 9.

These functions are described in *QAD System Administration User Guide*.

Defining Approval Levels

An approval level within GRS is defined as the maximum amount of approval currency a person assigned that level is authorized to approve. You define approval levels in Approval Level Maintenance (5.2.1.1). To view existing approval levels, use Approval Level Browse (5.2.1.2).

Fig. 2.7

Approval Level Maintenance (5.2.1.1)

Approval Level. Enter a two-digit number defining a level. At initial system setup, you should consider establishing these in increments of 5 or 10 so that you can later insert intermediate levels. These codes are also used in the Review Level field in approver maintenance programs (5.2.1.13 through 5.2.1.16).

Approval Level 00 is reserved by the system and indicates that a person is not an approver or reviewer. Individuals with this level are not included when reports are generated. Although you can route requisitions to zero-level approvers, their approvals do not count toward the number of required approvals specified in Requisition Accounting Control (36.9.3).

See “Setting Up Approvers” on page 18.

Description. Optionally enter a text description of the approval level. This description appears on various inquiries and reports.

Approval Amount. Enter the amount a person assigned this level is authorized to approve or required to review. This amount is expressed in the approval currency defined in Requisition Accounting Control.

This amount can represent either a maximum or minimum, depending on where it is used.

- In the approver maintenance programs, Approval Level is the *maximum* authorized level. When Approval Required is Yes in one of these programs, the associated individual must approve all requisitions *up to* this amount.
- But when Review Required is Yes, Review Level is a *minimum*—this individual must review all requisitions *above* this amount.

Approval Currency. The system displays the currency defined in Requisition Accounting Control (36.9.3). You cannot update this field here.

Setting Up Categories

A category is a logical grouping of accounts related to specific approvers. For example, you might have one person in your organization review all computer purchases.

Depending on the way your company wants to manage the requisition approval process, you can establish a set of categories with Category Maintenance (5.2.1.4). The center frame displays ranges of accounts and sub-accounts already associated with the category; use the bottom frame to add, modify, or delete records.

The same account numbers can be included in more than one category. Each account and sub-account you enter must be valid on its own and in combination with each other.

Use Category Report (5.2.1.5) to view descriptions and ranges of accounts associated with existing categories.

Fig. 2.8
Category Maintenance (5.2.1.4)

The screenshot shows the 'Category Maintenance' window. At the top, there's a title bar 'Category Maintenance' with a close button. Below it is a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. The main area is divided into sections. The first section shows 'Category: ALL' and 'Description: All accounts'. Below this is a table titled 'Account Ranges'. The table has columns: 'From Account', 'From Sub-Acct', 'Description', 'To Account', 'To Sub-Acct', and 'Description'. There are three rows of data: 1) '1040' in 'From Account', 'Cash' in 'Description', '1040' in 'To Account', and 'Cash' in 'Description'. 2) '5101A' in 'From Account', 'Purchases' in 'Description', '5101A' in 'To Account', and 'Purchases' in 'Description'. 3) 'rthPD' in 'From Account', 'rthPD' in 'To Account', and 'Purchases' in 'Description'. At the bottom of the window, there's a summary bar showing '1040' in 'From Account', 'Cash' in 'Description', a search icon, and 'Cash' in 'Description'. Below this are three buttons: 'Delete', 'Back', and 'Next'.

From Account	From Sub-Acct	Description	To Account	To Sub-Acct	Description
1040		Cash	1040		Cash
5101A		Purchases	5101A		Purchases
rthPD			rthPD		Purchases

Category. Enter a one- to four-character alphanumeric code identifying a category.

Description. Enter a brief description of the items in the category, such as computer equipment or communications. This description appears on various inquiries and reports.

From Account. Specify the beginning of a range of accounts to be included in this category. The same account numbers can be included in more than one category. The accounts must be of GL type Standard.

From Sub-Acct. Specify the beginning of a range of sub-accounts to be included in this category. Leave blank to include all sub-accounts up to the value specified in To Sub-Acct. This field can be left blank.

To Account. Specify the end of a range of accounts to be included in this category. To Account defaults to same value as From Account. Leave the default if you want only one account included. This field cannot be left blank.

To Sub-Acct. Specify the end of a range of sub-accounts to be included in this category. To Sub-Acct defaults to same value as From Sub-Acct. Leave the default if you want only one sub-account included. This field can be left blank.

Setting Up Jobs

A job is a relatively short-term set of tasks, such as a limited-duration project. People from many different sub-accounts or cost centers often issue requisitions for the same job. To keep purchase accountability with one person—usually the project manager—you can set up a job code. Use Job Maintenance (5.2.1.7) to define jobs. Job Browse (5.2.1.8) lets you view existing job definitions.

Note While job and project are used for the same type of activity, projects are actually a component of an account and track expenses in the GL. Job is used only to determine an approver for a requisition.

Fig. 2.9
Job Maintenance (5.2.1.7)

Job. Specify an alphanumeric code identifying a job. When an approved requisition line is copied to a purchase order, this information is added to the Sales/Job field on the PO line. The job code is not validated against any system data. Consider establishing naming standards for your company to make the codes easy to recognize on reports and inquiries.

Description. Enter a brief description of the project or activity for this job. This description appears on various inquiries and reports.

Start Effective. Specify the first date this job can be used on a requisition. The default is blank. Effective dates are optional. If you leave the date fields blank, the job is effective indefinitely.

End Effective. Specify the last date this job can be used on a requisition. The default is blank.

Setting Up Buyers

The buyer—an individual who places purchase orders with suppliers—is the last person in the requisition process. After a requisition has passed through final approval, it is routed to the buyer, who references approved requisition line items on purchase orders. Use Buyer Maintenance (5.2.1.20) to add and delete buyers.

Fig. 2.10
Buyer Maintenance (5.2.1.20)

Buyer. Specify the ID of a user previously defined in User Maintenance that is designated as a buyer. During the approval process, the buyer named on the requisition is notified by system-generated e-mail when the requisition is approved and ready to be moved onto a purchase order.

Delete. Enter Yes to remove the user's status as a buyer. The default is No.

Important If you use generalized codes for the Buyer field (po_buyer) in Purchase Order Maintenance (5.7), you must first use Generalized Codes Maintenance (36.2.13) to establish any user you want to define in Buyer Maintenance as a valid entry. Otherwise, an error displays in Buyer Maintenance.

Setting Up Approvers

GRS provides four programs for defining the approvers most appropriate to your company. These programs use combinations of the level, category, and job data you established earlier in the setup process, along with entity, sub-account, and cost center data, to define an approver profile.

See “Planning the Approval Process” on page 9 for information about approver types.

Use Approver Report (5.2.1.17; 5.2.1.41 for the enhanced .NET UI version) to view information on existing approvers.

This section describes the four GRS approver maintenance programs. These programs include many common fields. Descriptions of these fields are provided only once and are not repeated for each program.

Fig. 2.11
Horizontal Approver Maintenance (5.2.1.13)

Horizontal Approver Maintenance

User Id: ncr Nirajan Ranka

Entity: 1000 Test Company Primary

Category: mfg

Sub-Account From: 0002

Cost Ctr From:

Start Effective:

End Effective:

Sub-Account To: 0002

Cost Ctr To:

Review Level: 00 Amount: 0 Review Required: ☐

Approval Level: 00 Amount: 0 Approval Required: ☒

Alternate Approver[1]: mat

Alternate Approver[2]:

Administrative Approver:

Start Effective: 5/6/2015

End Effective:

User ID. Enter the ID of an individual assigned an expenditure authorization limit within a defined set of GL account, sub-account, cost center, and entity ranges. This can also be a reviewer—a person who may not have a high enough level to approve a purchase, but still reviews it from a policy or compliance standpoint.

Note When you enter a valid value, the system displays the full description of the selected entry.

Entity. Enter the entity code for which an approver can authorize requisitions. Entity codes are used to process the GL transactions of a specific part of your company—an office or region, for example. Leave blank if this approver can authorize requisitions for all entities in the current domain.

Category. Enter the alphanumeric code for the selected category. This field applies to Horizontal Approver Maintenance only. See page 15.

From Sub-Account and Cost Center. Specify the beginning of the range of sub-accounts and cost centers for which this approver is authorized to approve requisitions. If there are values in To Sub-Account and Cost Center, these fields cannot be blank.

To Sub-Account and Cost Center. Specify the end of the sub-account and cost center approval ranges. These default from the values in the From fields, if any. If there are values in From Sub-Account and Cost Center, these fields cannot be blank.

Review Level. Enter the two-digit code representing the minimum amount of specified currency an individual is required to review on a requisition. This field is used with the Review Required field to indicate that this person must review all requisitions at or above the level shown here—even if the person’s approval authority is insufficient to make final approval.

Review Required. Enter Yes if all requisitions at or above the level specified in Review Level must be reviewed by this individual. Default is No. This applies only to requisitions requiring this person’s approval type—horizontal, vertical, job, or product line.

Approval Level. Enter the two-digit code representing the maximum amount of specified currency an individual is authorized to approve on a requisition.

The way GRS uses this level varies by the type of approver. For example, for vertical and job approvers, the system determines approvers based on the total maximum cost of the requisition. This is because all the line items use the same sub-account and cost center combination. For horizontal approvers, GRS selects approvers based on the total maximum cost of all the line items for each category included on the requisition. For product line approvers, GRS determines approvers based on the total value of requisition lines having the same site and product line (product line is specified in Item Data Maintenance). Note that the total requisition value is used *only* if the same site and product line apply to all requisition lines.

Approval Required. Enter Yes if all requisitions at or below the level specified in Approval Level must be approved by this individual. Default is No. This applies only to requisitions requiring this person’s approval type—horizontal, vertical, job, or product line.

Alternate Approver 1, Alternate Approver 2. Enter the ID of another approver with the same or greater expenditure authorization limit who is allowed to authorize requisitions on behalf of a regular approver when that person is not available. You can designate up to two alternate approvers. An alternate must be defined as the same type of approver as the primary.

Administrative Approver. Enter the ID of an individual authorized to approve purchase requisitions on behalf of this approver. Completing this field allows routine requisition activities to continue during a manager’s absence.

Important The person specified should not be defined as an approver in any of the Approver Maintenance programs.

Start Effective. Enter the first date this approver is authorized to approve requisitions. The default is blank. Effective dates are optional; you can use start and end dates to assign approvers for short-term tasks or as temporary alternates.

End Effective. Enter the last date this approver is authorized to approve requisitions. The default is blank; effective period is open-ended.

Fig. 2.12
Vertical Approver Maintenance (5.2.1.14)

Similar to
Horizontal
Approver
Maintenance;
does not
include
Category field

Vertical Approver Maintenance

Go To Actions Copy Print Preview

User ID: ncr Niranjan Ranka
Entity: PetPal Pet Supply Company

Sub-Account From:
Cost Ctr From:
Start Effective:
End Effective:

Sub-Account To:
Cost Ctr To:

Review Level: 02 Amount: 0 Review Required: ☐
Approval Level: 00 Amount: 0 Approval Required: ☐

Alternate Approver[1]:
Alternate Approver[2]:
Administrative Approver:

Start Effective: 5/6/2015
End Effective:

Fig. 2.13
Job Approver Maintenance (5.2.1.15)

Includes
Job Name
field

Job Approver Maintenance

Go To Actions Copy Print Preview

User ID: qni CFD
Entity: 10CORPCONS USA CORP. CONSOLIDATION

Job Name: UPGRADE

From Sub-Account:
From Cost Center:
Start Effective:
End Effective:

To Sub-Account:
To Cost Center:

Review Level: 00 Amount: 0 Review Required: ☐
Approval Level: 06 Amount: 25,000 Approval Required: ☒

Alternate Approver 1:
Alternate Approver 2:
Administrative Approver:

Start Effective:
End Effective:

Job Name. The job code assigned to this project or activity. This field applies to Job Approver Maintenance only. See “Setting Up Jobs” on page 17.

Fig. 2.14
Product Line Approver Maintenance (5.2.1.16)

Does not include account information; adds Site and Product Line fields

Product Line Approver Maint X

Go To Actions Copy Print Preview

User ID: QMI CFI
Site: 10-100 Ultrasound Mfg Site
Product Line: 30 Mfg Sub Assemblies
Start Effective: End Effective:

Review Level: 00 Amount: 0 Review Required: ☐
Approval Level: 06 Amount: 0 Approval Required: ☒
Alternate Approver 1:
Alternate Approver 2:
Administrative Approver:
Start Effective:
End Effective:

Site. Enter the site code for which this person is authorized to approve requisitions for inventory items. This field applies to Product Line Approver Maintenance only.

Product Line. Enter the code of the product line for which this person can approve requisitions. This field applies to Product Line Approver Maintenance only.

Creating Purchase Requisitions

This section describes Requisition Maintenance (5.2.3), the main function you use to create a requisition and move it into the review and approval cycle.

Purchase requisitions come from two sources:


- Manually entered requisitions built in Requisition Maintenance (5.2.3)
- Requisitions created by approving MRP planned orders with Planned Purchase Order Approval (23.11)

This section describes the structure of a requisition and discusses how to create a requisition using both of these sources.

Creating a Requisition with Requisition Maintenance

With Requisition Maintenance (5.2.3), you build a requisition in three sections: the header, the line-item detail, and the trailer, as shown in Figure 2.15.

Fig. 2.15
Requisition Entry Flow



This section provides a field-by-field description of each part of the requisition.

Creating the Purchase Requisition Header

Data items you enter in the requisition header become defaults for each line of the purchase requisition. Header information is divided between two frames. You enter most of the data in the first frame; the second includes optional detailed supplier information.

When you begin entering detailed line-item data, you can modify some of these entries on individual lines.

Note Some fields are *required*; valid data must be entered in them or the system does not create the requisition. Other fields are *optional*; they do not require data for the system to create the requisition. Information in optional fields, such as Comments, can be used as follows:

- Explain the purpose of the requisition.
- When applicable, describe why the item being requested does not follow standards.
- Provide other information that might be needed during the approval or purchasing process.

Fig. 2.16
Requisition Maintenance (5.2.3)

The screenshot displays the 'Requisition Maintenance' window with the following data:

Req Number: G1010015		Supplier: 10-300		Ship To: 10-100	
Supplier			Ship To		
QMI -USA Division 30 Ridgedale Avenue East Hanover NJ 07950 USA - TAX PURPOSE			QMI -USA Division 30 Ridgedale Avenue East Hanover NJ 07950 USA - TAX PURPOSE		
Reqn Date: 5/21/2015	Sub-Account:	Currency: USD	Lang: us		
Need Date: 5/21/2015	Cost Center:	Direct Mails:			
Due Date: 5/21/2015	Site: 10-100	E-mail Option: R			
Entered By: mfg	Daybook Set: 10PURCH	Entity: 10USACD			
Requested By: mfg	Job Name: 30	Status:			
End User: 10-EMP01	Project:	Comments:			
Reason:	Appl Status: Unapproved				
Remarks:					

Req Number. Required. A unique control number must be assigned to each purchase requisition. You can enter a number of your own or let the system assign a number based on settings in Requisition Control (5.2.1.24). On a new requisition, leave this field blank and press Enter for a system-assigned number. To modify an existing requisition, enter its number.

Supplier. Optional. If you know the supplier, specify the code here. If the supplier has not yet been defined, you can enter the supplier name, address, phone number, and name of contact in header comments.

If you do not specify a supplier, an approver or the buyer will complete this field during the approval process. If you enter a supplier code in the header, that supplier becomes the default for the entire requisition; you can change it at the line-item level.

Ship To. Optional. Enter your company address to which the supplier is to send the goods. The default Ship To is set in Purchasing Control (5.24). If the default is not correct for this order, enter another company address code.

Requisition Date. Required. Enter the date the requisition is created. The default is the current system date.

Need Date. Required. Enter the date the items are required at the end-user's site. Default is the system date. Need date is used on the purchase order generated from the requisition. It can be later than the due date to allow time for such activities as inspection or transportation from the receiving area to the end user. This date prints on most reports and inquiries. The need date can be changed for each line item. It cannot be earlier than the current date.

Due Date. Required. Enter the date the items are due to be received at the end user's site. Default is the system date. The system uses this date as the default for all line items on this requisition. However, you can change the due date when entering line-item data. It cannot be earlier than the current date.

Entered By. This reference field displays the login ID of the individual entering the requisition.

Requested By. Required. Enter the ID of the person requesting the items; this must be a valid, active user defined in User Maintenance (36.3.1). The system default is the login ID of the person completing the requisition. If you are using system-generated e-mail in the extended mode, the requestor receives requisition status e-mail.

End User. Required. Enter the employee code of the person for whom the requisitioned items are intended. This person can be either external employee—a user external to QAD ERP and included in the system license count—or an internal employee—a valid user with a user ID, specified in User Maintenance, and not included in the system license count.

When your company uses automatic e-mail notification, this user, either internal or external, can receive e-mail regarding the status of the requisition. If you are using system-generated e-mail in the extended mode, the end user receives requisition status e-mail.

Reason. Optional. Enter a brief explanation of the requisition for the approvers or purchase reviewers who authorize or deny the request. This field does not appear on the purchase order.

Remarks. Optional. Enter any remarks related to the requisition or to the supplier. This information applies to the entire requisition. It appears on system-generated e-mail messages and is also printed on the purchase order. When a supplier is specified in the header, and remarks for that supplier have been added in Supplier Data Maintenance (2.3.1), those remarks display here.

Sub-Account. Enter the alphanumeric code that identifies the sub-account to be charged with the cost. This field may be required before final approval, depending on the GL setup of your company. It applies to all lines of the requisition.

Cost Center. Enter the alphanumeric code designating the cost center for which the items are being purchased. This field may be required before final approval, depending on the GL setup of your company. It applies to all lines of the requisition.

Site. Required. Enter the site from which the order is being placed. This becomes the default for the line items and can be changed at that level.

Daybook Set. Specify the daybook set that will be used to number supplier invoices that originate from the purchase order associated with this requisition. The default daybook set is copied from the supplier record in Supplier Data Maintenance if the requisition specifies a supplier; otherwise it is blank. You can overwrite this field with a new value.

Entity. Required. Enter the entity code for the requisition. This value is used to determine the list of eligible approvers or reviewers for requisitions for MRO items; that is, requisitions with the Direct Matls field set to No.

The field defaults from Domain/Account Control (36.9.24).

Job Name. Optional. Enter the eight-digit alphanumeric code used to track expenses for a specific event or activity. If the items on this requisition are for a specific job, enter the job name. Otherwise, leave it blank.

The system uses jobs to determine appropriate reviewers and approvers for requisitions. When an approved requisition is copied onto a purchase order, the entry in this field is copied into the Sales/Job field.

Project. Optional. Enter the eight-digit alphanumeric code used to track expenses for a specific event or activity to a GL account. Project is not the same as the Job field, which is used to assign approval authority for requisitions and is not tied to the GL. This value defaults to each line of the requisition.

The system verifies that the project exists and is active and that it is valid with the other account components. When an approved requisition is copied onto a purchase order, the entry in this field is copied into the Project field.

Currency. Required. Enter the currency in which the purchase order will be created. Defaults from the supplier, if specified; otherwise, from the domain base currency.

Requisitions can be created using any currency with a valid exchange rate. Exchange rates are set at the time the requisition is created, then recalculated when the buyer enters the PO price.

Fluctuations in exchange rates can create an out-of-tolerance condition; that is, the purchase price exceeds the maximum cost shown on the requisition line item by more than the out-of-tolerance parameters set in Requisition Accounting Control (36.9.3). See “Out-of-Tolerance Conditions” on page 46.

Language. Optional. Enter a language code if you want to use a language other than the default language for a requisition. A master comment, created in Master Comment Maintenance (1.12), can be stored in multiple languages using the same master reference code. The system uses language code to select comments in the appropriate language.

Direct Materials. Required. Specify whether this requisition applies to direct (MRP) materials items. The field defaults to No for all maintenance, repair, and operating supplies (MRO) purchases. GRS uses this field to determine whether a product line approval is required.

E-mail Option. Enter an optional e-mail mode: None, Regular, or Extended. This setting defaults from Requisition Accounting Control. If the system administrator has set this field to None, GRS is not using your company e-mail system. See “System-Generated E-Mail” on page 9.

If it is set to regular or extended, you can specify the extent to which you want GRS to generate e-mail messages during the approval process. The regular mode (R) sends a minimum number of messages—mainly to the user to whom the requisition is being routed. In the extended mode (E), status messages are sent to the requestor and end user.

Status. Optional. Enter the code identifying the status of the requisition. The system uses this code to determine whether a requisition is to be included on some reports and inquiries:

- Blank indicates the requisition is open.
- X indicates the requisition is canceled. No further activity can be entered against a requisition with this status.

If a requisition or line item has been canceled, it can be reopened by changing the status.

Comments. Optional. Indicate whether you want to add header comments. The default is set in the Header Comments field of Requisition Control. Enter Yes if you want to enter additional information for approvers, purchase reviewers, and buyers to read when processing the requisition. Use comments for such things as new supplier data, item specifications, or special packaging or delivery requirements.

Apvrl Status. This reference field indicates whether the entire requisition is approved, not approved, or out of tolerance. At the header level, this field does not change to Approved until all lines have been approved. If at least one line item is out of tolerance, this field reads Out of Tolerance. If an out-of-tolerance line is changed on an approved requisition, this field reverts to Unapproved.

When you have completed the first frame of the header, click Next; the second frame displays.

Fig. 2.17
Requisition Maintenance, Second Header Frame

Requisition Maintenance

Go To Actions Copy Print Preview Attach

Req Number: G1010015 Supplier: 10-300 Ship To: 10-100

Supplier

QMI -USA Division
30 Ridgedale Avenue
East Hanover NJ 07950
USA - TAX PURPOSE

Ship To

QMI -USA Division
30 Ridgedale Avenue
East Hanover NJ 07950
USA - TAX PURPOSE

Disc Pct: 0.00% Price Table: Discount Table:

Discount %. Optional. Enter the discount percentage the supplier is allowing for the requisitioned items. This discount percentage is the default for line items; you can change the discount at the line-item level if it varies by item. If a supplier is specified, this defaults from Supplier Data Maintenance (2.3.1).

Price Table. Optional. Specify the price table GRS uses to find the item's price. If a supplier is specified, this defaults from the supplier record. The entry in this field becomes the default value for the line items.

Disc Table. Specify the discount table GRS uses to look up the discount associated with this item. If a supplier is specified, this defaults from the supplier record. The entry in this field becomes the default value for line items.

You cannot leave this field blank if Discrete Discount Table Req is Yes in Purchasing Control (5.24). If you do, the system displays a warning if Disc Tbl is blank in the requisition header, and at the line level, you cannot complete line-item entry without entering a valid discount table.

Note When you update the Price Tbl or Disc Tbl field on the header, the system prompts you to update line items. If you choose to make the updates, the system follows these rules:

- If the header specifies a supplier, the system updates the price or discount table only on line items that match the header supplier.
- If Supplier is blank in the header, the system updates only lines with a blank Supplier field.

In addition, these fields are validated against the Price Table Required field in Purchasing Control.

Entering Line Items

You can enter line-item data in two modes—single-line or multiple-line—based on the setting of the Ln Format (S/M) field in Requisition Control (5.2.1.24). You can alternate between Single and Multi when you are entering line items.

In multiple-line mode, you can enter just the basic data for from 8 to 16 items—depending on your computer system—on a single screen. This basic data includes supplier data, site, item number, quantity, unit of measure, unit cost, and discount percentage. All other information defaults from the header.

Note If you need to change any of the other header information for a line item, you must use single-line mode, which displays detailed data for only one line on each screen. To change from multiple- to single-line mode, click Back until the cursor appears in the Ln Format field; then enter S and click Next.

Fig. 2.18
Requisition Maintenance, Line Frame

Line	Site	Item Number	Supplier	Req Qty	UM	Unit Cost	Disc%
1	10-100	TT-100	10-300	350.0	EA	0.00	0.00%

Due Date: 5/21/2015
Need Date: 5/21/2015
Type:
Category:
Pur Acct: 6610
Supplier Item:
Manufacturer:
Description: Wiring harness, small

Supplier	Pr Tbl	Disc Tbl
	1.0000	
	350.0	
	0.0	
	0.00	
	0.00	
	0.00	

Line. Required. Enter a unique identifier for each line of the requisition. Press Enter to create a new line number. The line number is used to identify individual requisition lines during the review, approval, and purchase order process. To view or modify an existing line item, enter the number of the line or use Next/Previous to scroll through the list of line items.

Site. This value defaults from the header, but can be changed for each line item.

Item Number. Optional. Enter the catalog or stock identifier used for the inventory system. For memo item purchases, enter a brief description of the item being purchased. For other purchases, enter the item number from the item master. You can enter additional information in line-item comments, if needed.

Note Memo items are not defined in Item Master Maintenance.

Supplier. This value defaults from the header, but can be changed for each line item. When you advance to this field, a pop-up window prompts you for an optional price table and discount table.

Fig. 2.19
Requisition Maintenance, Supplier Detail Frame

Supplier

QMI -USA Division
30 Ridgedale Avenue

East Hanover NJ 07950
USA - TAX PURPOSE

Pr Tbl Disc Tbl

Pr Tbl. Optional. This value defaults from the header, but can be changed for each line item.

Disc Tbl. Optional. This value defaults from the header, but can be changed for each line item.

Note Line-item price and discount tables may be updated automatically based on changes to the associated fields in the requisition header. See page 25.

Fig. 2.20
Requisition Maintenance, Line Details

Requisition Maintenance

Go To Actions Copy Print Preview Attach

Req Nbr: G1010015 Supplier: 10-300 Ln Format (S/M): Single

Line	Site	Item Number	Supplier	Req Qty	UM	Unit Cost	Disc%
1	10-100	TT-100	10-300	350.0	EA	1.00	0.00%

Due Date: 5/21/2015 Single Lot: ☐ UM Conversion: 1.0000
 Need Date: 5/21/2015 Item Revision: Stock UM Quantity: 350.0
 Type: Item Rev Date: Qty Ordered: 0.0
 Category: Maximum Unit Cost: 0.00
 Pur Acct: 6610 Extended Cost: 0.00
 Max Ext Cost: 0.00
 Supplier Item: Status:
 Manufacturer: Comments: ☐
 Description: Wiring harness, small Approval Status: Unapproved

Req Qty. Required. Enter the quantity of the item needed.

UM. Optional. Enter the unit of measure in which goods or services are priced, ordered, and received; for example, EA (each), BX (box), DZ (dozen), LT (lot), or HR (hour). UM is used in the search for a price on the associated price list or discount table. For inventory items, UM defaults from Item Master Maintenance (1.4.1).

The system validates this field against entries in Generalized Codes Maintenance (36.2.13) for field pod_um. If you enter a value different from the one in Item Master Maintenance, the system looks for a conversion factor defined in Unit of Measure Maintenance (1.13). If one is not defined, a warning displays and the UM Conversion field is set to 1.0.

Note When you add an approved requisition line to a purchase order, a valid conversion must exist or an error displays.

Unit Cost. Optional. Enter the price from the associated price list or discount table. The system uses this information to calculate the extended cost of the line item.

Disc %. This value defaults from the header, but can be changed for each line item.

Fig. 2.21
Requisition Maintenance, Line Details

Requisition Maintenance

Go To Actions Copy Print Preview Attach

Req Nbr: G1010015 Supplier: 10-300 Ln Format (S/M): Single

Line	Site	Item Number	Supplier	Req Qty	UM	Unit Cost	Disc%
1	10-100	TT-100	10-300	350.0	EA	1.00	0.00%

Due Date: 5/21/2015 Single Lot: ☒ UM Conversion: 1.0000

Need Date: 5/21/2015 Item Revision: Item Rev Date: Stock UM Quantity: 350.0

Type: Category: Pur Acct: 6610 Qty Ordered: 0.0

Maximum Unit Cost: 1.00

Extended Cost: 350.00

Max Ext Cost: 350.00

Supplier Item: Manufacturer: Status: Comments: Approval Status: Unapproved

Description: Wiring harness, small

Due Date. This value defaults from the header, but can be changed for each line item.

Need Date. This value defaults from the header, but can be changed for each line item.

Type. This field determines the type of the requisition line item. When an approved line item is placed on a purchase order, the value in this field determines whether this item is to be received into inventory and considered by planning.

Type defaults from Memo Order Type in Item-Site Inventory Data Maintenance (1.4.16) if defined for the order line site; otherwise, it defaults from Item Master Maintenance (1.4.1).

Blank: This line item is received into inventory. When the receipt is processed, inventory balances are increased and a GL transaction debits the Inventory account. Inventory items are considered supply by MRP.

Non-blank: This item does not affect inventory and does not create a GL transaction. For a non-inventory item, type defaults to M (memo). Memo items are expensed or capitalized upon receipt, depending on the Purchases account for the item. Memo items have no effect on MRP.

Category. Optional. Enter the code specifying a logical grouping of related items by GL account number. Category is used to determine the type of approval required for the item. If you enter an account code in Pur Acct. or if one defaults from the supplier, the system attempts to determine the category. You can override this entry.

Pur Acct. Required before final approval. Enter the GL account code used to record non-inventory purchases. This must be a valid, active account of type Standard. The Purchases account is a combination of the GL account, sub-account, cost center, and project. It defaults from the Purchases account for the supplier when a supplier is specified. The entry in this field depends on the way your company's GL is set up.

Project. This value defaults from the header, but can be changed for each line item.

Supplier Item. Optional. If the item has been defined in Supplier Item Maintenance (1.19), the system displays the supplier's item number in this field so it can be referenced on the purchase order.

Manufacturer. Reference field. If the supplier item master includes a manufacturer, it displays in this field.

Description. Optional. If you enter an inventory line item, Description defaults from the item master. If you enter a non-inventory item, "Item Not In Inventory" displays. Clear the field and enter a brief description of the item. This description prints on formal documents such as POs.

Single Lot. Optional. Specify whether each receipt requires a unique lot number. This information is copied onto the purchase order with the approved line item. It defaults from Regulatory Attributes Control (1.22.24). See [QAD Master Data User Guide](#).

Item Revision. Optionally, enter a code representing the revision level of the line item. This field is validated against predefined values entered in Generalized Codes Maintenance for field `pdq_rev`.

Revision defaults from item master data, but you can change it as needed.

The entry in this field is copied from the approved requisition line into the same named field on the purchase order.

Note Do not confuse the item revision with the purchase order revision. Purchase order revision indicates whether changes have been made to the purchase order. Item revision indicates changes have been made to the engineering version of the item; the level defaults from either Item-Site Planning Maintenance or Item Master Maintenance.

Revision codes are usually associated with a particular engineering drawing or process. When a change is made, the revision code usually changes. The current revision for an item can be entered manually using Item Master Maintenance or automatically using ECO Maintenance or features of the option Product Change Control module.

Entering a specific revision code on a requisition specifies that the supplier is to deliver a particular version of the item. Usually this is the current revision, but in some cases you might need an earlier or later one.

Item Revision Date. Optionally, specify the date the line item revision level is effective. The default is blank.

UM Conversion. Optional. Enter the factor used to calculate the equivalent amount or value from purchase unit to stock unit of measure (default is 1). This value defaults from the value defined in Unit of Measure Maintenance (1.13), if available.

This field determines correct conversion of both the items and their currency value. For example, your company might control pencils as individual items; however, the supplier might sell them only by boxes containing 24 pencils. In that case, set the value of UM Conversion to 24.

Stock UM Quantity. This reference field displays the requisition quantity converted from the supplier's unit of measure to the unit of measure in which your company stocks this item.

Quantity Ordered. This reference field displays the actual quantity ordered. The default is zero. When all or part of a requisition line-item quantity is placed on a purchase order, that quantity is reflected in this field.

Maximum Unit Cost. Required. This field lets you specify a higher purchase cost than entered in the Unit Cost field. The default is Unit Cost regardless of the discount percentage, but you can change it manually. The (optionally) higher cost by line item is used to calculate the total cost for which the requisition is approved. The system uses this cost when calculating whether the requisition is within tolerance parameters set in Requisition Accounting Control (36.9.3).

Ext Cost. This reference field displays a calculation using the quantity ordered, unit cost, and discount to determine total extended cost.

Max Ext Cost. This reference field displays a calculation using the quantity ordered and maximum unit cost to determine total maximum extended cost.

Status. Optional. This value identifies the status of the individual requisition line.

- Blank indicates the line item is open.
- X indicates the line item is canceled. No further activity can be entered against a line item with this status.

If a line item has been canceled, it can be reopened by changing the status. When a requisition is canceled at the header level, X displays on all line items.

Comments. Optional. Indicate whether you want to enter comments for this line. This is not the same field as header comments; you can add different comments for each line item if you choose.

- Enter No if you do not want to enter comments.
- Enter Yes if you want to enter additional information about this line item—for example, item specifications or special packaging or delivery requirements.

The system maintains a minimum audit trail of changes to purchase requisitions, so you can use comments to record changes to line items that might be important later for informational or tracking purposes. Line item comments can be copied into the PO in Build PO from Requisitions (5.2.18); the buyer can then choose to print them on the PO.

Subcontract Data Frame

In some manufacturing environments, specific operations or processes may be outsourced to a supplier or subcontractor. Enter a requisition for this type of service by setting the line item type to S. When you click Next, an additional frame lets you access fields related to subcontract operations.

When you reference the requisition on a purchase order or copy the line using Build PO from Requisitions (5.2.18), the system sets the Type field on the PO line to S and copies the subcontract-related fields from the requisition line.

“Type” on page 60 describes how the fields in this frame are used in the purchase order.

Fig. 2.22
Requisition Maintenance, Subcontract Data Frame

Work Order:

ID:

Operation:

Subcontract Type:

Lot/Serial:

Completing the Trailer

In the final section of Requisition Maintenance, the trailer, you decide whether the requisition is ready to enter the approval process. The first trailer screen displays the total extended cost and maximum extended cost in both the requisition currency (left column) and the approval currency (right column).

Fig. 2.23
Requisition Maintenance, Summary Frame

Req Number: G1010015 Supplier: Ship To: 10-100

Requisition Totals				
Ext Cost Total:	350.00	USD	350.00	USD
Max Ext Cost Total:	350.00	USD	350.00	USD

Route this requisition

If you are satisfied that the requisition is correct, choose Yes. A routing frame lets you send the requisition into the approval process.

If you choose not to route the requisition at this time—for example, if you want to wait for additional information on a line item—then exit without adding any routing information. The requisition remains in your queue. You can return to it later by entering its number on the first screen of Requisition Maintenance, or you can use Requisition Routing Maintenance (5.2.14) if the requisition is ready to route. The approval process does not start until you route the requisition to the first approver or reviewer.

Fig. 2.24
Requisition Maintenance, Routing Frame

Requisition Maintenance

Go To Actions Copy Print Preview Attach

Req Number: G1010015 Supplier: Ship To: 10-100

Requisition Totals				
Ext Cost Total:	350.00	USD	350.00	USD
Max Ext Cost Total:	350.00	USD	350.00	USD

Action: 1 1=Route To 2=Reverse Route To

Currently Routed To: mfg mfg

Requisition Number: G1010015

Maintain Aprvl Comments: ☐

Route To: Buyer:

Action. Specify the routing action you want to take. For new requisitions entering the approval process, select 1 to route the requisition to the first approver. See “Requisition Routing Maintenance” on page 38.

Currently Routed To. Enter the code for the user in whose queue the requisition resides. You can change this only if you are an alternate or administrative approver for the current routed-to user.

Requisition Number. Enter the requisition you want to route. This defaults from the requisition you have just completed.

Maintain Aprvl Comments. Enter Yes if you want to add comments for the next person on the routing to read.

Route To. Enter the code for the first person in the approval process. Use the lookup/browse to view the list of appropriate approvers determined by the system based on sub-account, cost center, category, and job information. On MRP orders, this is a product-line approver.

Buyer. Enter the employee responsible for issuing a purchase order for approved requisition items. You can leave this field blank. However, a purchase reviewer or approver must complete the field before final approval.


If your company uses the system-generated e-mail feature, the buyer is informed by e-mail when the requisition has been approved. If a default supplier was entered for the requisition, and if a buyer was defined for that supplier in Supplier Data Maintenance (2.3.1), the user ID for the buyer appears in this field. It can be changed to any valid buyer.

When you have completed the routing frame and added approval comments (if any), you are prompted to confirm your actions. This routes the requisition into the approval process.

Approving MRP Planned Orders

You can also create a purchase requisition by approving MRP planned orders using Planned Purchase Order Approval (23.11).

Fig. 2.25
Planned Purchase Order Approval (23.11)



In the first screen of Planned Purchase Order Approval, you set selection criteria for MRP planned orders. You then set the Approve field to Yes or No for each planned order, as appropriate. The system creates one multiple-line requisition that includes all the approved planned orders. The new requisition number appears on all approved lines.

Use Requisition Maintenance (5.2.3) to make any required changes to the new requisition before beginning the approval process.

Reviewing and Approving Requisitions

This section describes the procedures for approving, denying, or rerouting purchase requisitions.

As a requisition reviewer or approver, you are informed by system-generated e-mail—assuming your company is using that feature—that a requisition is awaiting action. You use either Requisition Approval Maintenance (5.2.13) or the .NET UI-only Requisition Queue Browse (5.2.10) to review the requisition and then approve, deny, or reroute it. If you find incorrect or incomplete information, you can go from the approval screen directly into Requisition Maintenance (5.2.3) to make corrections and additions.

When you have completed your review, if you have a high enough approval level, you can approve the requisition for release and forward it to Purchasing. Or you can deny the requisition, reroute it to the originator for additional work, or reroute it to another approver.

This section describes the procedures used for approving and routing requisitions. Two alternative methods are covered in the following topics:

- “Reviewing and Approving a Requisition Using Requisition Approval Maintenance” on page 34
- “Reviewing and Approving a Requisition Using .NET UI Requisition Queue Browse” on page 38

Reviewing and Approving a Requisition Using Requisition Approval Maintenance

Requisition Approval Maintenance (5.2.13) is used to review and approve or deny a requisition. It also provides tools for viewing and modifying the requisition.

When Prohibit Changes to Approved Requisitions is Yes in Requisition Accounting Control (36.9.3), the system prohibits anyone other than the buyer from editing an approved requisition.

See “Define Control Settings” on page 11.

When you have completed your approval, you use the program to forward the requisition to the next person in the approval process; additional routing options are provided by Requisition Routing Maintenance. (5.2.14)

Requisition Approval Maintenance

When a requisition is ready to be reviewed, the originator begins the approval process as described in Reviewing and Approving Requisitions. If your company uses automated e-mail, the first person in the approval process receives a message that a requisition is awaiting action. The approver then uses Requisition Approval Maintenance (5.2.13) to look at the requisition. To see a list of requisitions waiting for an approver’s disposition, use Approver’s Open Req. Browse (5.2.16).

Use the View Queue/Dispositioned field in Requisition Approval Maintenance to select a requisition from the queue of items awaiting your attention.

Fig. 2.26
Requisition Approval Maintenance (5.2.13)

View Queue/Dispositioned. Specify which list of requisitions you want to select from. The setting in this field determines which list you see when you use the arrow keys or the lookup/browse.

Queue: The list of requisitions that are currently routed to you

Dispositioned: The list of requisitions that you have already acted on

User ID. Displays the user ID of the reviewer or approver. This field defaults to the individual logged on to the system. You can change this to another person's ID only if you have been designated as this person's alternate or administrative approver in an approver maintenance program.

Requisition Number. Enter the number of the requisition you want to approve. Use the arrow keys to select from the Queue or Dispositioned list.

View Requisition. Indicate whether the system should display the requisition in read-only mode, as shown in Figure 2.27. If you select Yes, the requisition is immediately displayed. At the line level, you can then choose the line to display details.

Fig. 2.27
Requisition Approval Maintenance, View Requisition Screen

Requisition Approval Maintena... X		
Go To Actions Copy Print Preview		
Req Number: G1010017 Supplier: Ship To: 10-100		
Supplier Ship To		
QMI -USA Division 30 Ridgedale Avenue East Hanover NJ 07950 USA - TAX PURPOSE		
Rqstn Date: 5/22/2015	Sub-Account: Mech	Currency: USD
Need Date: 5/22/2015	Cost Center: ADM	Language:
Due Date: 5/22/2015	Site: 10-100	Direct Mtl's: ☒
Entered By: mfg	Daybook Set: 10PURCH	Entity: 10USACO
Requested By: mfg	Job Name:	Status:
End User: 10-EMP01	Project:	Comments: ☐
Reason:	Remarks: MRP planned order	Aprvl Status: Unapproved
E-mail Option: R		

When you are finished viewing the requisition, press Exit to return to the Requisition Approval Maintenance screen.

Modify Requisition. Indicate whether you want to change the requisition. If you select Yes, the requisition is immediately displayed, as shown in Figure 2.28. Although the screen label still says Requisition Approval Maintenance, the program can perform all the functions of Requisition Maintenance. Modify the requisition as needed.

If Prohibit Changes to Approved Requisitions is Yes in Requisition Accounting Control (36.9.3), only the buyer can modify an approved requisition. The system displays an error message if you attempt to edit any requisition fields.

See “Creating a Requisition with Requisition Maintenance” on page 21.

Fig. 2.28
Requisition Approval Maintenance, Modify Requisition Screen

Requisition Approval Maintena... X

Go To Actions Copy Print Preview Attach

Req Number: G1010017 Supplier: Ship To: 10-100

Supplier Ship To
QMI -USA Division
30 Ridgedale Avenue
East Hanover NJ 07950
USA - TAX PURPOSE

Rqstn Date: 5/22/2015 Sub-Account: Mech Currency: USD Lang:
Need Date: 5/22/2015 Cost Center: ADM Direct Mats: ☒
Due Date: 5/22/2015 Site: 10-100 E-mail Option: R
Entered By: mfg Daybook Set: 10PURCH Entity: 10USACO
Requested By: mfg Job Name: Status:
End User: 10-EMP01 Project: Comments:
Reason: Aprvl Status: Unapproved
Remarks: MRP planned order

When you have completed the changes, press Exit to return to the Requisition Approval Maintenance screen (Figure 2.26).

Maintain Aprvl Comments. Indicate whether you want to add comments for subsequent approvers to read. If you select Yes, you can enter comments.

Action. Enter the code for one of three possible actions. Enter 1 to approve the requisition, 2 to deny it, or 3 to reverse an earlier action.

If Reset Approvals Upon Denial is Yes in Requisition Accounting Control (36.9.3) and you deny the requisition, the status of all other existing approvers is reset, regardless of their original approval status. The system routes the requisition back to the requester or originator.

After you review, modify, and take action on the requisition, you are prompted to confirm that all the information is correct; if you select Yes, you are prompted to route the requisition. No returns you to the Requisition Approval Maintenance screen.

If you select Yes on the routing prompt, a routing screen (Figure 2.29) lets you route the requisition to the next reviewer. If you select No, the action you indicated takes effect, but the requisition stays in your queue until you route it.

Fig. 2.29
Requisition Approval Maintenance, Routing Screen

Action. Specify the routing action you want to take.

- Select 1 to route the requisition to the person whose user ID you enter in Route To.
- If you change your mind or route the requisition to the wrong person, select 2 to return the requisition to your queue.

Currently Routed To. This field displays the ID of the user in whose queue the requisition resides. You can change this only if you are an alternate or administrative approver for the current routed-to user.

Requisition Number. Enter the number of the requisition you want to route. This defaults to the requisition you have just reviewed.

Maintain Aprvl Comments. Enter Yes if you want to add comments for the next person on the routing to read. The default is No.

Route To. Enter the ID of the next person in the approval process. Use the lookup browse to view the list of appropriate approvers determined by the system based on sub-account, category, and job information.

Buyer. Enter the ID of the person responsible for issuing a purchase order for approved requisition items. Buyers are defined with Buyer Maintenance (5.2.1.20). Unless you are the final person to approve the requisition, you can leave this field blank. However, a reviewer or approver must complete the field before final approval. The buyer is informed by system-generated e-mail when the requisition has been approved.

Final Approval

If your approval is the last one needed, the system displays a message that the requisition is approved and prompts you to route the requisition to Purchasing. If you choose Yes and the Buyer field has not been completed, the cursor advances to Buyer. When you enter the user ID of a valid buyer, the approval process is finished.

However, you can override this system action. If you want another person to review the requisition, choose No. The cursor then moves to the Route To field, and you can specify another user.

Requisition Routing Maintenance

Requisition Routing Maintenance (5.2.14) can be used instead of Requisition Approval Maintenance to route a requisition to another user. It also offers the ability to reverse a previous routing. For example, you, as a reviewer or approver, might accidentally route a requisition to the wrong person, or you might change your mind about the routing after it has been completed. When you reverse a previous routing, the recipient receives a second e-mail with the message that the requisition is no longer awaiting action.

If Reset Approvals Upon Denial is Yes in Requisition Accounting Control and one approver denies the requisition, the system routes the requisition back to the requester or originator.

Fig. 2.30
Requisition Routing Maintenance (5.2.14)

The fields in Requisition Routing Maintenance are the same as those in the routing screen of Requisition Approval Maintenance.

This completes the approval process. In the next step, the buyer creates a purchase order from the approved requisition lines, as described in “Using Requisitions to Build POs” on page 42.

Reviewing and Approving a Requisition Using .NET UI Requisition Queue Browse

As an alternative to Requisition Approval Maintenance, QAD .NET UI users can use a special browse, Requisition Queue Browse.

The following topics describe highlights of this function in these areas:


- Record Filtering
- Browse Information Grid
- Context-Sensitive Tool Bar Buttons
- Right-Click Access to Related Functions
- Enhanced Commenting Functionality
- Alternate Approvers

Record Filtering

In the initial browse view, use .NET UI filtering tools to select the requisitions you are interested in. For example, you can limit the display to only those requisitions that are currently in your queue. This is a standard .NET UI browse filter; click the Add icon (+) to create more filter criteria that reduce the list of requisitions.

Note Requisition Queue Browse also includes the ability to filter based on whether the logged-in user is defined as an alternate or administrative approver. See “Alternate Approvers” on page 41 for information.

Fig. 2.31
Requisition Queue Browse, Browse Screen



Define as many filter criteria as you need.

Browse Information Grid

The system displays information about selected requisitions in the browse view. Without using an additional program, you can determine the following requisition details by scrolling horizontally:


- Requisition Number
- Queue
- Requisition Date
- Need Date
- Due Date
- Extended Cost Total
- Currency
- Approvals Completed
- Routed to Purchasing
- Previous Route To
- Requested By
- Entered By
- End User
- Remarks
- Category
- Project
- Job Name
- Days in Queue

Note You can use standard .NET UI browse functionality to customize the display. For example, drag and drop a column heading to resequence columns, or right-click on the heading row to select other options.

Context-Sensitive Tool Bar Buttons

Context-sensitive tool bar buttons indicate which actions are available for the requisition in focus.

Fig. 2.32
Requisition Queue Browse, Buttons




Buttons display in color when they represent available actions. For example, if you highlight a requisition and click the green Approve button, the button turns gray, since approval is no longer an appropriate action. However, the Reverse button, which was previously gray, changes to green to show that reversal is now a potential part of the work flow.

Right-Click Access to Related Functions

In some cases, you might want to view the approval history of a requisition, or modify it before approving.

You can access such functions directly from Requisition Queue Browse by right-clicking on a requisition in the browse view.

Fig. 2.33
Requisition Queue Browse, Right-Click Menu



The selected function displays at the bottom of the screen. The key field is already populated with the selected requisition number. Click Next to launch the program.

Enhanced Commenting Functionality

When you approve, deny, reverse, or route a requisition, you are prompted to enter optional comments.

Requisition Queue Browse offers enhanced commenting capabilities compared with the standard approval and routing programs:

- You can enter comments of unlimited length.

- You can cut and paste text into the comments field. For example, after denying a requisition, you might paste in the manufacturer's description of an item that you feel is a better alternative before routing the requisition back to the originator.
- The look-up on the Route To field sorts with required approvers at the top of the list.

Note The comments history for the requisition displays in the top field of the comments window.

Fig. 2.34
Requisition Queue Browse, Comments Window

The screenshot shows a window titled "Reverse: matr03". It contains a "Comments" section with two text areas. The first text area contains the text: "[Approve] 1-02 9/7/2011 1:48:39 PM I'm going to provisionally approve this, pending more information." The second text area contains the text: "[Reverse] 1-02 9/7/2011 1:49:15 PM After further consideration, I think we need to do some more research before buying this item." Below the comments, there are two dropdown menus: "Route To" and "Buyer". The "Route To" dropdown is currently set to "1-02". Below these dropdowns is a table with the following columns: "Userid", "User Name", "Approver", and "Required". The table has one row with the following values: "1-02", "1-02", a checkbox (unchecked), and a checkbox (checked). At the bottom of the window are "OK" and "Cancel" buttons.

Userid	User Name	Approver	Required
1-02	1-02	☐	☒

Route To lookup sorts with required approvers at top of list.

Alternate Approvers

An additional form of filtering is available that is related to alternate and administrative approvers, who can optionally be associated with primary approvers in the following programs:

- Horizontal Approver Maintenance
- Job Approver Maintenance
- Product Line Approver Maint
- Vertical Approver Maintenance

If you are the logged-in user and are defined as an alternate or admin, click on Alternate on the Actions menu. The system displays a list of approvers for whom you are an alternate or admin. When you select one, the browse lists only requisitions for those approvers.


Note If your user ID is not associated as an alternate or admin with any approvers that match the requisitions shown in the browse, the Alternate item does not display on the Actions menu.

After you have selected an ID from Actions|Alternate, an additional button displays on the tool bar. Use it to toggle between the full list of requisitions (subject to other filter criteria) and the list based on your status as alternate or admin for the selected primary approver.

Fig. 2.35
Requisition Queue Browse, Alternate Approver Navigation Tools

Use icon to toggle filters based on logged-in user's status as alternate or administrative approver.

Select primary approver from Actions menu.



Using Requisitions to Build POs


This section describes how to select requisition line items and use them to create a purchase order.

When a requisition has been approved, you can reference the requisition line items on a purchase order in two ways:

- On a new or existing purchase order, use Purchase Order Maintenance (5.7) to reference each individual requisition line on a PO line. See “Modifying the Purchase Order” on page 46.
- Copy requisition lines directly to a new or existing purchase order using Build PO from Requisitions (5.2.18).

This section discusses the second option. Figure 2.36 summarizes the task flow.

Fig. 2.36
Build PO from Requisitions Task Flow



Creating a Purchase Order

Build PO from Requisitions (5.2.18) consists of a series of frames that lead you through the build process:

- 1 Set the criteria you want to use for selecting appropriate requisition lines.
- 2 Select the lines you want to copy to the purchase order.

- 3 Open a purchase order; either create a new PO or open an existing one where you want to append the requisition lines.
- 4 Generate a report on the copy process. This report displays the lines that you copied, as well as any warning messages GRS has generated.

Establishing Selection Criteria

The first screen lets you specify a number of selection criteria for the system to use in displaying approved requisition line items. You do not have to use all the criteria; use only the fields appropriate to the selection you want to make. You also specify on this screen whether you want the default setting for copying line items to the new PO to be Yes or No.

Fig. 2.37
Build PO from Requisitions (5.2.18)

Requisition Number. Enter the first of the range of requisition numbers you want to include in the selection. Enter the same number in the To field to limit the selection to one requisition.

Supplier. Enter the first of the range of supplier numbers you want to include in the selection. Enter the same number in the To field to limit the selection to requisitions including only that supplier. To include only requisitions that do not have a supplier specified, set Blank Suppliers Only to Yes.

Item Number. Enter the first of the range of item numbers you want to include in the selection. Enter the same number in the To field to limit the selection to requisitions including only that item.

Need Date. Enter the first in the range of need dates you want to include in the selection. Enter the same date in the To field to limit the selection to requisitions including only that need date.

Buyer. Enter the user ID of the buyer. This defaults to the user who logged on. You can also enter another buyer's user ID.

Note Clear this field to display the selection list for all buyers. Otherwise, if you are not a buyer yourself, the program does not find any requisitions.

Site. Enter a specific site code to be included in the selection criteria.

Requested By. Enter the user ID of a specific requestor to be included in the selection criteria.

Job Name. Enter a specific job code to be included in the selection criteria.

Ship-To. Enter a specific ship-to address to be included in the selection criteria.

Currency. Enter a specific requisition currency to be included in the selection criteria.

Blank Suppliers Only. Indicate whether you want to view only those requisitions that *do not* have a supplier specified; the default is No.

Note If you have also made an entry in the Supplier field, changing Blank Suppliers Only to Yes takes precedence—only requisitions without a supplier are selected.

Include MRP Items. Indicate whether you want to include direct materials items in the selection criteria; defaults to Yes. If you do not want to include requisitions for direct materials in the selection criteria, change this field to No. If you set this to No and leave Include MRO Items set to Yes, the selection screen includes only MRO items.

Note MRP items are received into inventory and considered by MRP as a source of supply.

Include MRO Items. Indicate whether you want to include MRO items in the selection criteria; defaults to Yes. MRO items include maintenance, repair, and operating supplies. If you do not want to include requisitions for MRO items in the selection criteria, change this field to No. If you set this to No and leave Include MRP Items set to Yes, the selection screen includes only direct-materials items.

Copy Header Comments. Indicate whether to copy header comments onto a new PO; defaults to Yes. If set to Yes and you are creating a new purchase order, the header comments from the first requisition you selected for copying become the header comments on the PO. This only applies the first time you copy lines to a new purchase order. If you are appending lines to an existing PO, the field is ignored. Once you have copied the header comments, you can modify them in Purchase Order Maintenance (5.7).

Copy Line Comments. Indicate whether to copy requisition line comments into PO line comments; defaults to Yes.

Default Copy. Indicate the default value for the Copy field on the line items listed on the next screen as a result of the criteria selection; defaults to Yes.

Selecting Purchase Requisition Line Items

After you have completed the first screen, GRS shows a list of approved, open requisition line items that meet your selection criteria. Set the Copy field to Yes for lines you want to copy. The Copy field is the only field on this screen that can be changed.

Fig. 2.38
Build PO from Requisitions, Selection Screen

Select a line for copying.

Req Nbr	Line	Item Number	Open Qty	Need	Supplier	Buyer	Copy
51010017	1	TT-100	3,650.0	5/22/2015		1-01	☒

When you have selected the lines you want to copy to the PO, you are prompted to confirm that all the information is correct. Select Yes to advance to the next screen; No returns the cursor to the selection screen.

Adding Requisition Lines to the Purchase Order

After you select the approved requisition lines you want to copy, a purchase order header frame appears. If you want to copy the requisition items to a new purchase order, press Enter and the system assigns a new PO number. To append the copied requisition lines to an existing purchase order, enter the PO number.

Fig. 2.39

Build PO from Requisitions, First Header Frame

Order: P1010004 Supplier: Ship-To: 10-100 Bill To: 10-100

Output:

Supplier

Ship To

QMI -USA Division
30 Ridgedale Avenue

East Hanover NJ 07950

USA - TAX PURPOSE

Message indicates a new PO. — Adding new record

Back Next

A message at the bottom of the screen indicates whether this PO is new or existing. If it is a new purchase order, the Supplier and Ship-To fields default from the first requisition line you selected on the previous screen; the Bill-To value defaults from Purchasing Accounting Control (36.9.5). You can change them. If you are adding lines to an existing PO, these fields are displayed from the header of that PO. You can update the ship-to and bill-to address codes, but not the supplier.

Use the Output field to select the way you want to display the PO report.

Note Sending this report to a printer is *not* the same as printing the PO for the supplier. When you are ready to issue the PO, print it with Purchase Order Maintenance (5.7) or Purchase Order Print (5.10; 5.9.5 for the enhanced .NET UI-only version).

For the new purchase order:

- Header order revision levels and order revision dates default to blank.
- The system uses the Fixed Price setting from the supplier on the requisition to populate the header and line Fixed Price fields.

- The system copies the requisition line discount table to the order line discount table when no discount table was specified on the requisition header.

Using the PO Report

The PO report shows a line-by-line summary of all the requisition items you copied to the purchase order. Warnings, if any, are displayed after each line item. Review the report and make changes as needed in Purchase Order Maintenance (5.7).

Among other things, the report indicates conflicts between the header supplier and line-item supplier.

Modifying the Purchase Order

Use Purchase Order Maintenance (5.7) to make any changes required to the new purchase order and continue the purchasing process. When GRS is active, a requisition line field displays to accommodate the multiple-line requisitions built in GRS (see Figure 2.40).

See “Creating Purchase Orders” on page 55 for details on Purchase Order Maintenance.

A lookup browse on the Req field lists the approved requisitions currently routed to Purchasing so that they can be added directly to the PO without using Build PO from Requisitions (5.2.18).

Fig. 2.40
Purchase Order Maintenance (5.7), Line Item Frame

Purchase Order Maintenance

Purchase Order: P1132 Go To ACTIONS

Header

Purchase Order: P1132 Supplier: TT-1000 Ln Format S/M: Single

Ln	Site	Req	Item Number	Qty Ordered	UM	Unit Cost	Disc%
4	10000			0.0		0.00	0.00%

Lines

Site	Req	Ln	Item Number	Qty Ordered	UM	Unit Cost	Disc%
10000				0.0		0.00	0.00%

GRS Req Line field

Single Lot: ☐ Performance Date: Project: Type: Taxable: ☐ Inspect Req: ☐ Cmmts: ☐

Location: Need Date: Sales/Job: Fixed Price: ☐ UM Conversion: Stock UM Quantity: Update Avg/Last Cost: ☐ Extended Net Cost:

Item Revision: Status: Supplier Item: Manufacturer: Description:

Out-of-Tolerance Conditions

Your company defines the way it wants to deal with out-of-tolerance conditions in Requisition Accounting Control (36.9.3). Two fields—Use Tolerance Value and Use Tolerance Percent—enable the system administrator to control if and how GRS calculates out of tolerance. Out-of-tolerance processing works only if one of those fields is set to Yes.

A requisition line becomes out of tolerance when it is being added to a PO if the buyer changes the Unit Cost field on the PO line to exceed the requisition maximum cost by more than the tolerance percent or tolerance value. When this happens, GRS displays the out-of-tolerance cost along with a Mark Requisition Line Out of Tolerance field.

Control settings for out of tolerance are described beginning on page 13.

Note This occurs only when the requisition line is being added to a PO in Build PO from Requisitions or Purchase Order Maintenance. On an existing line that references a requisition, Purchase Order Maintenance lets you update the cost within the tolerance parameters. However, if you attempt to change it to more than the specified tolerance, an error message displays.

Fig. 2.41
Purchase Order Maintenance, Out-of-Tolerance Frame

Purchase Order Maintenance

Go To Actions Copy Print Preview Attach

Header Lines Trailer

Lines Line Details Tax Info Comments

Header

Purchase Order: malpo-5 Supplier: 10-300 Ln Format S/M: Single

Ln	Site	Req	Item Number	Qty Ordered	UM	Unit Cost	Disc Pct
1	10-100	G1010020	TT-100	1,500.0	EA	2.50	0.00

Requisition: G1010020 Req Ln: 1

Field	Value	Unit	EA
PO Net Unit Cost:	2.50000	USD	EA
Maximum Unit Cost:	2.00000	USD	EA

Mark Requisition Line Out Of Tolerance: ☐

Reroute Requisition: ☐

Back Next

WARNING: PO line net unit cost is out of tolerance.

If the buyer selects No, the cursor returns to the Unit Cost field—offering the buyer a chance to enter a lower value to bring the line back into tolerance. The line cannot be placed on a PO if its cost is higher than the maximum approved cost plus the tolerance value or percent, if one has been assigned.

When the buyer selects Yes, the cursor advances to the Reroute Requisition field. If the buyer sets the field to Yes, a Routing Maintenance screen appears. The Route To defaults from the setting in the Out of Tolerance Routing field in Requisition Accounting Control. The buyer can change this to any valid user. If the buyer chooses not to route the out-of-tolerance requisition at this time, it stays in the buyer's queue.

Note When the buyer marks a line out of tolerance, the Aprvl Status fields in the requisition header and the requisition line detail change from Approved to Out of Tolerance. If the requisition maximum cost is changed to bring the line back into tolerance, the status changes to Unapproved, and the requisition must repeat the approval process for that line before it can be placed on a purchase order. While the status is Out of Tolerance, the line can still be placed on a PO if the buyer enters a cost that is within the tolerance parameters.

Viewing GRS Data

Table 2.4 lists the reports that can be used with GRS.

Table 2.4
GRS Reports

Menu No.	Description	Report Content
5.2.1.2	Approval Level Browse	Displays the approval currency amounts and descriptions associated with approval codes.
5.2.1.5	Category Report (5.2.1.5)	Displays summary or detail information about the categories defined in Category Maintenance (5.2.1.4). The summary report shows category description as well as the accounts included in the category and their descriptions. The detail report also includes numbers and descriptions of assigned accounts.
5.2.1.8	Job Browse	Displays job codes and descriptions.
5.2.1.17 5.2.1.41	Approver Report Enhanced .NET UI version	Displays summary or detail information about approvers, grouped by approver type (horizontal, vertical, job, product line) and name. The summary report includes approval and review levels, sub-account and cost center ranges, categories, jobs, sites, product lines, and effective dates. The detail report adds the names of alternate and administrative approvers.
5.2.4	Requisition Inquiry	Displays the Requisition Maintenance (5.2.3) frames for a selected requisition in read-only mode.
5.2.5	Requisition Browse	Displays various data about requisitions, including supplier, requisition date, entered by, requested by, and end user.
5.2.6	Requisition Report	Displays one or more requisitions based on selection criteria. Options let you include only open requisitions, include header and line comments in the report, output the report in single- or multiple-line format, or start each requisition on a new page.
5.2.8	Requisition History Log	Tracks the routing and action history of a single requisition or range of requisitions. You can optionally include the IDs of users receiving e-mail.
5.2.15	Approval Status Inquiry	Displays the current routing and approval status of a requisition, approvals still needed, and any approval comments.
5.2.16	Approver's Open Req. Browse	Displays which requisitions are currently routed to an approver's queue.
5.2.17	PO and Req Cross Reference	Displays the requisition numbers associated with a purchase order or the purchase orders where requisition lines have been placed.

Menu No.	Description	Report Content
5.2.19; 5.2.43	Requisition to PO Report Enhanced .NET UI version	Displays approved purchase requisitions and their associated purchase orders by cost center and/or by project letting you track purchasing costs.
5.2.21	Out of Tolerance Browse	Displays out-of-tolerance requisition lines, including both PO cost and requisition cost and unit of measure.

Purchasing

Purchasing provides comprehensive support for procuring components, materials, and supplies in a centralized or distributed environment.

***Introduction to Purchasing* 52**

Explains purchasing and the impact it has on products, ordering, and receiving materials and services, and lists types of purchase orders.

***Creating Purchase Orders* 55**

Describes how to use Purchase Order Maintenance to create a purchase order in three sections.

***Updating Purchase Order Costs* 62**

Explains how Purchase Order Update is used.

***Using Temporary Pricing for Purchase Orders* 63**

Describes how to set up and use temporary prices for purchase orders and supplier scheduled orders.

***Creating Blanket Orders* 70**

Explains why blanket orders are effective in certain situations and the types of deliveries for which blanket orders can be created.

***Creating Receivers* 72**

Outlines the process of creating receipts and their control settings, history records, shipment and subcontract information, PO receipt packing slip inquiry, PO containers and shippers with and without invoices, and PO fiscal receiving.

***Creating Returns* 81**

Illustrates how goods can be returned to a supplier.

***Deleting Expired Orders* 82**

Outlines four programs that allow expired orders to be deleted.

***Calculating Purchase Price Variances* 82**

Lists and describes the two types of variances that can be calculated when purchasing materials.

***Subcontract Purchasing* 83**

Describes how subcontract services can be set up and monitored as well as illustrating specific subcontractor functions.

***Special Purchasing Topics* 86**

Covers multisite purchasing, purchasing memo items, and purchasing miscellaneous items.

Introduction to Purchasing

Purchasing lets you manage all aspects of ordering and receiving materials and services—requisitions, approvals, purchase orders, receipts, and returns. It supports purchasing of products as well as non-product materials and services—such as subcontracting services—and gives you the means to support discrete, process, and just-in-time (JIT) manufacturing.

Note The QAD Document Library includes related training material. See [QAD Purchase Order Management Training Guide](#).

Effect of Optional Features


A number of optional features and modules affect the processing of purchase orders and PO receipts. Many of these options add additional pop-up windows that display during header or line-item entry. This chapter describes standard purchase orders. If you are using optional features, the following list indicates where you can find additional information when:

- If you are using the optional Supplier Consignment Inventory module, see Chapter 4, “Supplier Consignment Inventory,” on page 89.
- If you are monitoring supplier performance, see Chapter 5, “Supplier Performance,” on page 119.
- If you are using the optional Logistics Accounting module, see [QAD Master Data User Guide](#).
- If you are using the optional Enterprise Material Transfer (EMT) module, EMT automatically translates sales orders into purchase orders, which cannot be processed using standard purchase order features. EMT is described in [QAD Sales User Guide](#).
- If you are using purchase orders to manage subcontract receipts and are also using the WIP Lot/Trace module, additional pop-ups display. These are described in [QAD Manufacturing User Guide](#).

Purchasing

A purchase involves several steps. Often the first step is a requisition, which is the result of demands recognized by material requirements planning (MRP) or entered manually. An order is next, either a purchase order, a blanket order, or a supplier schedule. When the ordered goods arrive, a record is made called a receiver. If the goods are returned to the supplier, another record is made. The system keeps a record of each step.

Fig. 3.1
Overview of Purchasing Activities



Requisitions

A requisition is a record stating that an item is needed. Requisitions specify quantity, date needed, and place to be delivered. A requisition is often the first step of a purchase, although you can issue a purchase order without it. Create requisitions manually or by approving a planned order from MRP. Some companies also require approvals before requisitions become orders. The requisition's information is then transferred to a purchase order or a blanket order, and the requisition is deleted.

See Chapter 2, “Global Requisition System (GRS),” on page 3.

Purchase Orders

A purchase order is a contract with a supplier for items to be delivered on specified dates. It includes the delivery address, the terms of the agreement, tax data, and shipping costs.

Receivers and Supplier Invoices

A receiver is a record that goods have been received into inventory. Receivers update inventory balances and allow accounts payable to verify quantities and prices before paying suppliers.

As items are received into inventory, an invoice for the items is typically received in accounts payable. Information from the invoice is recorded in the system. After verifying that no discrepancies exist among the supplier invoice, the purchase order, and the receiver, accounts payable approves the invoice for payment.

Optionally, use Evaluated Receipts Settlement (ERS) to record a pending payment to a supplier without an invoice.

See *QAD Financials User Guide*.

Returns

A return is a record of purchased items returned to a supplier. If items are returned for exchange, a return transaction tracks the items. If they are returned for credit, a purchase order with a negative quantity adjusts supplier balances.

Types of Purchase Orders

The system supports three kinds of purchase orders:

- Discrete purchase orders
- Blanket purchase orders
- Supplier schedules

Discrete Purchase Orders

Use discrete POs for single transactions with a supplier, when there is no assumption that further transactions will occur. Purchase orders contain a single delivery date for each line item. MRP treats purchase order items as supply, and assumes that ordered amounts will be available on the delivery date. Receipts can be processed against these purchase orders.

Blanket Orders

Use blanket POs for multiple deliveries of stock items, where an ongoing relationship with the supplier is assumed, but exact delivery dates are yet to be determined. Quantities and due dates can be entered up to the time when a blanket order becomes a purchase order.

MRP ignores blanket orders, and receipts cannot be processed against them.

The system uses the blanket order as a template to create a purchase order when a release is made. However, once a blanket order is released, the resulting purchase order is treated like any other. Blanket orders can be released at specified intervals.

Example A manufacturer of circuit boards buys solder at irregular intervals, but always from the same supplier. A blanket order for 12 months is created. Each month an order for solder is released to the supplier, each order specifying a particular quantity.

Supplier Schedules

A supplier schedule is an agreement with a supplier that guarantees a specified order level. Supplier schedules specify dates and even hours of delivery for the near term, and inform MRP and the supplier about long-term plans.

The header and trailer of a supplier schedule resemble those of a discrete purchase order for a single line item with multiple delivery dates. However, the line item section of a supplier schedule has two parts:

- A short-term shipping schedule with exact quantities and delivery instructions
- A long-term planning schedule showing upcoming orders and authorizing the supplier to buy raw materials or make subassemblies

See [QAD Scheduled Order Management User Guide](#) for more information on supplier schedules.

Note Standard supplier schedules support a single schedule that combines short- and long-term requirements. If you are using the Supplier Shipping Schedules module, you can generate separate planning and shipping schedules.

Items listed in supplier schedules are seen by MRP as supply, and receipts can be processed against them. Supplier schedules are also used for multiple orders from a supplier who may need to adjust production to accommodate the orders. For ongoing, irregular demands, use a blanket purchase order.

Example A manufacturer of circuit boards needs circuit board blanks supplied each week. The manufacturer knows its exact needs for the next four weeks and its approximate needs for the next 12 months. The supplier of the blanks uses the information in the supplier schedule to plan orders for raw materials and to plan production and deliveries.

Creating Purchase Orders

Use Purchase Order Maintenance (5.7) to create a purchase order, which includes three sections:

- **PO Header.** The header contains the general terms of a contract, such as supplier name, ship-to address, currency (but not price), and delivery date. Some values can be updated during line-item entry.
- **PO Line Items.** Each line specifies a particular item being ordered, its order quantity, and price. Line details include any exceptions to header information, such as a delivery date or receiving site, that apply to the line item only and not the whole order.
- **PO Trailer.** The trailer contains tax, shipping, and order status information for all line items.

Purchase orders take their item revision levels from Item-Site Planning Maintenance (1.4.17), so the wrong item will be ordered if this revision level is not the same as that set for an item in Item Planning Maintenance (1.4.7). Use the Item Revision No Variation Rpt (1.5.19) to review purchase orders for mismatches between the revision levels for items.

Fig. 3.2
Purchase Order Maintenance (5.7)

The screenshot displays the 'Purchase Order Maintenance' window with the 'Details' tab selected. The window shows the following information:

- Header Section:**
 - Purchase Order: P01047
 - Supplier: 5000
 - Ship-To: 10000
- Supplier Information:**
 - Supplier: Acme Supply Co
 - Address: 1 Claridge Drive, Verona, NJ 07044, United States
- Ship To Information:**
 - Ship To: Quality Products Div 1000
 - Address: Distribution Division, One World Way, Morristown, NJ 07960, United States
- Order Details Section:**
 - Order Date: 7/16/2009
 - Due Date: 7/16/2009
 - Buyer: [Dropdown]
 - Bill To: 10000000
 - Sales/Job: [Dropdown]
 - Contract: [Text]
 - Contact: [Text]
 - Remarks: [Text]
- Financial and Logistics Section:**
 - Price Tbt: [Text]
 - Disc Tbt: [Text]
 - Ln Disc: 2.00%
 - Site: [Text]
 - Daybook Set: AP2DB
 - Project: [Text]
 - Confirming: ☒
 - Imp/Exp: ☐
 - Currency: USD
 - Language: us
 - Taxable: ☒ 004
 - Fixed Price: ☒
 - Consign: ☐
 - Credit Terms: 2/40PROX
 - Entered By: mfg
 - Requested By: [Text]
 - Comments: [Text]

PO Header

Some header elements, such as Site, Due Date, and Sales/Job, become default values for the lines and can be changed during line item entry. Others, such as Supplier, apply to the entire purchase order and cannot be changed on the line level.

Header fields with special significance to the PO include the following:

Site. This site entered on the header may or may not be the site where items are received. This site code displays as the default for each line item, but you can change it manually. If you leave the site code blank on the header, you must enter a site manually for each line item.

When you enter the supplier invoice for this order, the system posts accounts payable amounts to the entity associated with the site entered on the header, regardless of the site receiving the shipments. All inventory transactions use the site entered on the line item receipt.

Daybook Set. Specify the daybook set that will be used to number supplier invoices that originate from this purchase order. The default daybook set is copied from the supplier record in Supplier Data Maintenance (2.3.1), but you can overwrite it with a new value.

See [QAD Financials User Guide](#) for further information on daybook sets.

Currency. Specify the domain base currency or an alternate currency. An order entered in an alternate currency can be paid in the alternate or the base currency.

When a non-base currency is entered, the system displays the effective exchange rate relationship and lets you override it.

Price Tbl. Enter a price list defined in the PO/Sched/RMA Rcpt Price Menu (1.10.2). These lists differ from those used for sales orders. Default price lists for purchase orders can be specified in Supplier Data Maintenance (2.3.1). When a price list is referenced on an order, the system uses it to calculate the item's unit cost. See [QAD Master Data User Guide](#) for more information on pricing.

Discount Table. Enter the discount table for this order. Validation of this field depends on the setting of Discrete Discount Table Req in Purchasing Control (5.24):

- If Yes, the system verifies that the discount table you enter is valid. If you do not specify a discount table on the header, you can continue, but an error displays during line-item entry.
- If No, you can leave the Discount Table field blank. If you enter a discount table that is not valid, you can continue, but the discount table has no effect on the unit cost.

Discount table defaults from Supplier Data Maintenance. Create supplier discount tables using the functions on the PO/Sched/RMA Rcpt Price Menu.

Discount tables identify pricing structures that define specific costs, discounts, and markups for different quantity levels of items purchased. Discount tables are used in conjunction with an item base cost, determined either from a price table or the general ledger (GL) material cost specified in Item-Site Cost Maintenance or Item Cost Maintenance.

The discount table you specify in this field must be one of the following types:

- Type P (price): The discount percentage is computed from the difference between the base unit cost and the fixed cost specified on the discount table.
- Type D (discount percent): Represents a percentage taken from the item base cost.
- Type M (markup percent): Represents a percentage added to the item base cost.

The system checks the following to determine if a discount table is valid for an order item.

- The line-item due date must be within the start and expiration dates. The due date used for pricing purposes is always the header due date unless Price by PO Line Due Date is Yes in Purchasing Accounting Control (36.9.5).
- The item number or product line (or both) must match the discount table.
- The item unit of measure must match the discount table unit of measure. Blank is not considered a match unless both the discount table unit of measure and the item unit of measure are blank.
- The currency of the discount table must match order currency.

Credit Terms. Specify the credit terms that apply to this requisition.

Entered By. If this order was created by releasing a blanket order, the ID of the user who performed the release displays; otherwise, the ID of the person creating the order displays.

PO Line Items

Enter line items in single or multiple entry format. Single entry lets you customize due dates, sites, tax statuses, and other information for each line item. Multiple entry lets you enter basic information such as item number, quantity, and price for several lines on a single screen. The default format is specified in Purchasing Control (5.24).

Fig. 3.3
Purchase Order Line Items

The screenshot shows the 'Purchase Order Maintenance' window for Purchase Order P1132. The header section displays 'Purchase Order: P1132', 'Supplier: TT-1000', and 'Ln Format S/M: Single'. Below the header is a table with columns: Ln, Site, Req, Item Number, Qty Ordered, UM, Unit Cost, and Disc%. The table contains one line item (Ln 1) with Site 10000, Req CPR104, Item Number SW1500-1, Qty Ordered 2.0, UM EA, Unit Cost 250.00, and Disc% 0.00%.

Below the table is the 'Line Details' section, which includes various fields for customization:

- Qty Received: 0.0, Qty to Rel: 0.0
- Single Lot: ☐
- Location:
- Item Revision:
- Status:
- Supplier Item:
- Manufacturer:
- Description: ViewWriter
- Due Date: 05/29/2007
- Performance Date: 05/29/2007
- Need Date: 05/29/2007
- Sales/Job: UPGRADE
- Fixed Price: ☒
- UM Conversion: 1.0000
- Stock UM Quantity: 2.0
- Update Avg/Last Cost: ☒
- Extended Net Cost: 500.00
- Pur Acct: 5100
- CRT Int: 0.00
- Project:
- Type:
- Taxable: ☐
- Inspect Req: ☐
- Cmnts:

Site. Enter the site where the item is to be delivered. If requirements change, you can modify individual line items to redirect delivery to another site. You cannot change the site after receipts have been recorded against the line item.

Item Number. Enter the number of the item to be ordered. The item number determines whether the item is an inventory item, memo item, or supplier item. If the item number you enter is not in the item master, the system automatically treats the line as a memo purchase. See "Type" on page 60 for details about memo items.

Set up supplier items in Supplier Item Maintenance (1.19).

When you enter a supplier item, the system displays the inventory item number, the default purchasing unit of measure, and quote cost.

Qty Ordered. Enter an order quantity. When you print a purchase order, it reflects the open order quantity. You can change the order quantity as needed. If receipts have already been recorded against the order, the printed order no longer shows the original order quantity.

Unit of Measure. Enter a unit of measure for the item. This value can differ from the standard unit of measure specified in the item master. The system can process receipts in either the standard or alternate unit of measure. When entering alternate UMs, use conversion factors to simplify line item entry and retain accurate planning and reporting. If a conversion factor exists, the system automatically accesses it to update the item unit cost for the alternate UM. If no conversion factor exists, an error message displays. Enter a value in UM Conversion; the default is 1.000.

Example A company buys steel rods in boxes of 100 but maintains inventory and planning records for each unit. The conversion is set up for EA to BX, and the conversion factor is 100.

Unit Cost. If a price table or discount table is specified in the header, the system checks the line item against that list. If a match in the order currency is found, the default unit cost is calculated using the listed value. If a price list is not specified in the header, the system determines the unit cost of an item to be one of the following:

- Supplier item price, if one exists
- Item master GL cost, if one exists
- Requisition cost

If you specify a minimum and/or maximum price in a price list, the system verifies the calculated (or user-entered) net cost against it. If the net cost is outside the minimum/maximum range, the system displays an error message and replaces the line item net cost with either the maximum or minimum price from the price list, as appropriate. You can also use price lists to define specific discounts or markups at different quantity levels. The purchase order prints the unit cost after discount.

Note You can apply quantity-based pricing to both discrete purchase orders and scheduled purchase orders.

Disc %. Enter the percentage, if any, by which the unit price is decreased.

Location. Enter the location where the item is to be received. The default location depends on whether Inspection Required is Yes in Item-Site Planning Maintenance (1.4.17) or Item Master Maintenance (1.4.1). When it is Yes, the location defaults in this order:

- The inspection location specified for the site and item in Item-Site Planning Maintenance.
- The inspection location defined for the site in Site Maintenance (1.1.13).
- The inspection location defined in Purchasing Control (5.24).

When Inspection Required is No, location defaults in this order:

- The default item-site location defined in Item-Site Inventory Data Maintenance (1.4.16).
- The default item location defined in Item Master Maintenance.

Note If you manually change Inspection Required to Yes, you must re-enter the location afterwards.

Item Revision, Item Revision Date. Enter the code representing the revision level of the item. This field is validated against predefined values entered in Generalized Codes Maintenance (36.2.3) for field `pod_rev`. This field defaults from the Revision field in Item-Site Planning Maintenance (1.4.17). If no revision level exists there, it defaults from the Revision field in Item Master Maintenance (1.4.1).

Optionally, specify the date the line item revision level is effective. The default is blank. If blank, no revision date prints in Purchase Order Print (5.10; 5.9.5 for the enhanced .NET UI-only version) or Blanket Order Print (5.3.5).

Note Do not confuse the item revision with the order revision. Order revision indicates whether changes have been made to the order; it has no default. Item revision indicates changes have been made to the engineering version of the item; the level defaults from either Item-Site Planning Maintenance or Item Master Maintenance.

Status. This code indicates whether an item or order is open (blank), canceled (X), or closed (C). Even if individual items are closed or canceled, the order can remain open.

When a line item is completely received, the system changes its status to closed. Once all line items are closed, the system changes the order status to closed.

Manually close an order or line item by changing the status to C or X. Line items and purchase orders that have been canceled or closed can be reinstated by changing the status code. However, it is not necessary to reopen items or orders to process returns.

When you cancel an order or line item, the system retains a record of unreceived quantities but excludes them from open order reports and MRP.

Note To have the system automatically cancel an ordered item if the quantity received is less than ordered, set Cancel Back Orders to Yes in Purchasing Control (5.24).

Supplier Item. Some suppliers require their item numbers to be on orders. In such cases, enter the supplier's item number here.

Note If a supplier needs more information, use line item comments.

You can set up cross-references between items defined with Item Master Maintenance (1.4.1) and a supplier's item numbers. This lets you enter either your item number or the supplier's, and enables both numbers to be printed on orders.

Enter supplier items in Supplier Item Maintenance (1.19). For each supplier item, you can specify the unit of measure, lead time, quote price and quantity, currency, and references for its manufacturer and manufacturer item number.

Supplier items appear on printed purchase requisitions and purchase requisition reports. The buyer can review requirements for an item and compare lead times and prices for various suppliers.

The system uses the supplier number to set the default unit of measure. It also sets the default unit cost to supplier quote cost when a price is not found on a price list and:

- Currency for the order is the same as for the supplier item.
- Order quantity is at least as great as the quote quantity.
- Unit of measure is the same as for the supplier item.

Due Date. Enter the date when items are due to be received at the specified site. Defaults from the header.

Perform Date. Enter the supplier's promised delivery date, or leave blank to default to the due date.

Need Date. Enter the date items must be available for shipping or issuing to manufacturing. Need date should equal the due date plus any inspection lead time. If the line item references a requisition, the need date defaults from the requisition need date. If no requisition number is entered and need date is left blank, the need date defaults from the line item due date.

Sales/Job Number. Enter an optional code associating the purchase order with a specific sales or job number. If entered on the header, the number displays on each order line, but can be overridden there.

Purchases Account. Specify an expense or asset account used for memo purchases only, although the field also displays when entering inventory and subcontract line items. This must be a valid, active account of type Standard. This account defaults from the Purchases account for the supplier.

When a quantity is received against a memo item, a GL transaction is created to debit Purchases and credit Expensed Item Receipts.

Project. Enter an optional code identifying the default GL project associated with the purchase order. If you specify a value, it defaults to each line item and can be changed as needed.

Type. This field determines the effect on inventory, planning, and cost accounting when the item is received in a purchase order. Type defaults from Memo Order Type in Item-Site Inventory Data Maintenance (1.4.16), if defined for the order line site; otherwise, it defaults from Item Master Maintenance (1.4.1).

Blank: This line item is received into inventory. When the receipt is processed, inventory balances are increased and a GL transaction debits the Inventory account. Inventory items are considered supply by MRP.

Non-blank: This item does not affect inventory and does not create an Inventory GL transaction. For a non-inventory item, type defaults to M (memo). Memo items are expensed or capitalized upon receipt, depending on the Purchases account for the item. Memo items have no effect on MRP.

S: Subcontract. This line item is for a subcontract operation. A work order number, lot ID, and operation are specified on the order and on the receipt. When the receipt is processed, work order operation status is updated and a GL transaction debits the WIP account from the work order.

B: Blanket. This line item is for a blanket order. The system sets the line type to B in Blanket Order Maintenance and you cannot change it. You cannot specify B on any other type of order. This field is validated against values defined in Generalized Codes Maintenance for field name `pod_type`.

Although subcontract items are in the item master, they are received to work orders rather than to inventory. As a result, MRP does not consider them a source of supply since these quantities are already included in the work order. You can enter the work order number, the lot ID, and operation for the subcontractor or leave them blank. If left blank, a warning message displays to remind you that a work order ID is required when you receive subcontract items. The system needs the work order ID to obtain shipper information during the receipt. You can still create the purchase order.

The system automatically updates the work order number and operation if:

- A new cumulative ID is created through an Advanced Repetitive transaction.
- You specify a subcontract routing and operation for this purchase order in Subcontract Routing/Op PO Maintenance (5.11) or in Subcontract Order MRP % Maint (5.5.1.21). See “Specifying Subcontract Suppliers for a Routing” on page 85.

Taxable. Indicate whether the item is taxable. Items purchased for resale are normally not taxable. The taxable status on the purchase order header displays as the default for each line item, but it can be changed.

Inspection Required. Indicate if the item is to be inspected after receipt. This field defaults from item master data. If Yes, the system searches for an inspection location in this order:

- The inspection location specified for the site and item in Item-Site Planning Maintenance (1.4.17)
- The inspection location defined for the site in Site Maintenance (1.1.13)
- The inspection location defined in Purchasing Control (5.24)

If No, the location defaults to the item location specified in the item inventory data.

Update Average/Last Cost. Indicate whether the purchase order is to be reflected in the current cost of the item. The update will set the cost to the last cost (that is, this purchase) or to a weighted average cost depending on the setting in Inventory Accounting Control (36.9.2).

If you use the Cost Management module and select average cost for GL as well as current costs, the system updates both current and GL costs.

Note In a distributed purchasing environment, costs are updated in both the inventory and purchasing databases.

PO Trailer

The trailer section contains financial information for the entire order. Major fields include the following:

View/Edit Tax Detail. Set this field to Yes to update or review tax amounts. See [QAD Global Tax Management User Guide](#) for more information on taxes.

Order Revision. Optionally specify the revision level of the purchase order. This value should not be confused with the item revision, which identifies the item’s engineering drawing revision. Each time a purchase order is changed, you may want to increase the number by 1 to show how many times the order was changed. You may also want to add comments describing the change and reasons for making it. A new copy of the order can be printed to document the change.

Order Rev Date. Optionally, specify the date the order revision level is effective. The default is blank.

Print PO. Only open order quantities appear on printed purchase orders. If you print the order after receiving line items, it is not reflected in the original order quantity.

To prevent you from accidentally reprinting an order, the system automatically resets Print PO to No. If you reprint the order without resetting Print PO to Yes, the word DUPLICATE appears on the order.

Under most circumstances, this field defaults to Yes for new orders. However, if you use EDI eCommerce to transmit purchase orders to your suppliers in electronic data interchange (EDI) format, you probably do not print the orders as well. The system uses the logical parameter Send EDI PO in the supplier's record in Trading Partner Parameter Maintenance (35.13.10) to determine the default setting of Print PO. When Send EDI PO is Yes, Print PO defaults to No.

See [QAD EDI eCommerce User Guide](#) for details on EDI trading partner setup.

The revision level or change order number printed on the purchase order must be maintained manually on the purchase order trailer.

EDI PO. This field controls whether the purchase order can be selected for export using EDI eCommerce Purchase Order Export (35.4.9). The field defaults from the logical parameter Send EDI PO in the supplier's record in Trading Partner Parameter Maintenance, if one is defined. If it is not, the default is No.

Amount Prepaid. Enter the amount of deposit sent with this purchase order. The amount does not update the GL or supplier account balance. A payment must be created in Accounts Payable, entered as a prepayment. When the invoice finally arrives, you can use Open Item Adjustment to match the prepayment record to the invoice.

FOB Point. Free on Board. Identifies where title passes to the buyer and often is used to indicate who pays shipping charges.

Ship Via. This field defaults from the carrier name specified in Supplier Data Maintenance (2.3.1), which identifies the preferred carrier for a supplier's orders. This value can be overridden.

Updating Purchase Order Costs

Use Purchase Order Cost Update (5.19) to update the unit cost of items. This program uses the same logic as Purchase Order Maintenance (5.7) to recalculate the price of eligible lines on the selected purchase orders.

Enter Yes in the Fixed Price field on the PO line to exclude individual order lines from automatic cost recalculation or No to include them. Lines that are closed, canceled, or returned are automatically excluded from the update. Set the default value for each supplier in Supplier Data Maintenance (2.3.1). The header value defaults to each of the line items.

Note Scheduled orders can have prices fixed; however, scheduled orders typically do not have an order quantity to determine a price, so even though scheduled orders are not explicitly excluded in the update, PO costs on scheduled orders are not affected.

Orders are selected for update based on selection criteria you specify. Leave selection criteria blank to have all orders selected for processing. If Fixed Price for a line item is No, all available pricing information is used to determine the item's new cost, including item master cost, and the price list specified in the purchase order if applicable.

Example Enter a price list of type list. All purchase orders specifying that price list in the header are selected. Line items eligible for cost recalculation have their new costs calculated.

The update report shows both old and new costs and the discount for all lines changed. Net cost after discount is determined by the quantity ordered, but the open quantity is printed on the report.

If Keep Booking History is Yes in Purchasing Control (5.24), Purchase Order Cost Update creates transaction history records for all lines changed.

Using Temporary Pricing for Purchase Orders

Overview

New products are often introduced at a faster pace than contracts can be finalized. Some companies need to define price lists that do not represent final prices. For example, they may want to issue purchase orders and supplier schedules while prices are still being negotiated with the supplier. In some cases, companies may be legally prohibited from issuing POs without prices.

In that scenario, a temporary price is assigned to the purchasing contract, which can be a discrete purchase order or a supplier scheduled order. This enables the newly sourced product to be ordered using the temporary price. Once the price has been agreed on between company and supplier, any purchase orders/supplier scheduled orders or receipts that were processed using the temporary price can be repriced.

This is a widely accepted business practice in Asia. Additionally, repricing an order retroactively—that is, renegotiating a price after it has been agreed on—is common in the automotive industry.

When you set the Temporary Price field to Yes in the supplier price list record, you are defining a price list that is considered temporary. When a purchase order or supplier scheduled order references such a price list, the temporary price applies. After the final price is negotiated and you update the price list, the process depends on the status of the order cycle:


- If the price list is updated with the negotiated price before the order is received, the system updates the purchase order or supplier schedule with the new price.
- If the price is updated after the order is received but before invoicing, the system creates receipts based on the temporary price, then adjusts the order with the new price when it is available.
- If the price is updated after invoicing, the system creates supplier invoices and pays the supplier based on the temporary (receipt) price.

Note The system only selects order receipts with temporary prices for receiver matching (that is, invoicing) when Match Receipts with Temporary Price in Supplier Invoice Control is Yes.

When the price is finalized, the system reprices the order, then generates price adjustments for the invoiced receipts, creates supplier invoices for the difference between the receipt price and the final price, and pays the supplier as needed. The example in Figure 3.4 illustrates this scenario.

Important Temporary Price Enabled must be Yes in Purchasing Control for this feature to be available.

Fig. 3.4
Example Temporary Pricing Process Flow (Price Negotiated After Invoicing)



Setting Up Temporary PO Pricing

The following tasks are required to use temporary prices on purchase orders and supplier schedules:

- Enable the functionality
- Determine whether invoicing functions consider orders with temporary prices
- Define temporary price lists

Enabling Temporary Pricing

Use the Temporary Price Enabled field in Purchasing Control (5.24) to enable the functionality.

Fig. 3.5
Purchasing Control

Purchasing Control

Require Acknowledgment: ☒

Convert Container/Items for Sales: ☐

Fiscal Confirm Required: ☐

Temporary Price Enabled: ☒

Temporary Price Enabled. Specify whether temporary purchase price functionality is enabled. The default is No. When the field is Yes, you can set up supplier price list to be temporary to indicate that the price has not been agreed to by the supplier.

If you reset the field from Yes to No, the system looks for supplier price lists with Temporary Price set to Yes. If any are found, the system displays the message All Supplier Price lists will be updated to use an agreed price, continue? If you choose Yes, the system sets Temporary Price to No on all supplier price lists.

Important If you inadvertently set the Purchasing Control field back to No, you cannot undo the changes to individual prices list. You would be required to set the Temporary Price field to Yes on each individual record.

Note Temporary PO Pricing features are not available if you use Legal Documents functionality. Both Temporary Price Enabled and Fiscal Confirm Required cannot be Yes.

Controlling Invoicing with Temporary Prices

Use the Match Receipts with Temporary Price field in Supplier Invoice Control (1.10.2.1) to indicate whether purchase receipts with temporary prices are selected for receiver matching during supplier invoice processing.

Fig. 3.6
Supplier Invoice Control

Match Receipts with Temporary Price. Specify whether the system should allow receiver matching for receipts with prices that are based on temporary price lists.

Defining Temporary Price Lists

Use the Temporary Price field in Supplier Price List Maintenance (1.10.2.1) to define prices that are still being negotiated.

Fig. 3.7
Supplier Price List Maintenance

Min Qty	Price	Min Qty	Price	Min Qty	Price
1	2,000.0	20	1,850.0	0	0.0
2	1,980.0	0	0.0	0	0.0
3	1,975.0	0	0.0	0	0.0
5	1,950.0	0	0.0	0	0.0
10	1,900.0	0	0.0	0	0.0

Temporary Price. Use this field to control whether purchase order and supplier schedule lines that reference this price list can be selected for system-generated updates after the price list is modified. For example, your company might set this field to Yes when the prices on the list are still being negotiated with the supplier. After the terms are agreed to, you can update the prices on the list, then use Purchase Order Cost Update to update the order lines. If there are invoiced receipts that use temporary prices, use Retroactive Purchase Price Adj to create price adjustments.

If you change this field on an existing price list record, the system displays a warning message.

Note Changing this setting from No to Yes does not update order line prices until you run Purchase Order Cost Update.

Adjusting Temporary Prices

After you and your supplier have agreed on the final price of an item, you can use Temporary Price Order Report to list purchase order lines, supplier schedule lines, and receipts that use temporary prices.

Then, use Retroactive Purchase Price Adj to generate price adjustments for invoiced receipts of a purchase order/supplier scheduled order line, as well as to create invoices to reflect the updated price.

Important The function does not work when either of the following is true:

- The receipt is partially matched on one invoice and marked as finished.
- The receipt is matched on multiple invoices.

In such cases, you must handle retroactive price changes manually.

Note This function is disabled when Fiscal Receiving is in use.

This function identifies the purchase order/supplier scheduled order lines that have had price changes. If a supplier invoice has been created for a purchase receipt, and the supplier invoice price is different from the new price, this function creates price adjustments to the receipt.

You can use Retroactive Price Adjustment Report to view order lines that either have had a price adjustment have had receipts adjusted. The report shows original purchase receipt and all price adjustments after the receipt is invoiced.

Fig. 3.8
Retroactive Purchase Price Adj

Retroactive Purchase Price Adj includes several selection criteria fields that let you select one or more purchase order lines to be adjusted.

System Processing Flow

Get Latest Price

The system gets the latest price for each order line matching the selection criteria based on the following rules:

- Order lines with Type set to R are not considered for price adjustment.
- When Fixed Price is Yes, system always gets the latest price from the order line.
- When Fixed Price is No, but no supplier price list is used, the system searches the following records until it finds a price: Supplier Item Maintenance, then Item-Site Cost Maintenance, then Item Maintenance.
- When Fixed Price is No and a supplier price list is used, the system uses the date found by the following logic to get the latest price based on the price list effective date range:

Consigned	ERS Price List Option	PO Cost Point	Date Used for Price Adjustment
No	No	N/A	Effective Date on receipt
No	Order Date	N/A	Order Date
No	Ship Date	N/A	Ship Date

Consigned	ERS Price List Option	PO Cost Point	Date Used for Price Adjustment
No	Receipt Date	N/A	Effective Date on receipt
Yes	No	Receipt	Effective Date on receipt
Yes	No	Usage	Effective Date on usage
Yes	Order Date	Receipt/Usage	Order Date
Yes	Ship Date	Receipt/Usage	Ship Date
Yes	Receipt Date	Receipt	Effective Date on receipt
Yes	Receipt Date	Usage	Effective Date on usage

Calculate Variances

The system next calculates the price variance:

Price Variance = Latest price - [invoice price on original price + sum (invoice price on price adjustments) + sum (price on price adjustments that are not vouchered)]

- If price variance is zero, no new price adjustment is created.
- For non-ERS lines, if the price variance is not zero, but the receipt price on the original receipt is equal to the latest price and no price adjustment was created, the system does not create a new price adjustment.
- For all other scenarios, the system create a new price adjustment based on the price variance.

Create Transactions

The system then creates an ADJ-PO inventory transaction to record the price adjustment and posts to the GL as follows.

Note The amount posted to the GL is Price Variance * Quantity.

If Standard Cost is used:

- DR: PO Price Variance; CR: PO Receipt (Post to the entity linked to the PO line site)

If Average Cost is used:

- DR: Inventory; CR: PO Receipt (Post to the entity linked to the PO line site)
- DR: Inventory Discrepancy; CR: PO Receipts (Post to the entity linked to the PO line site)

When the adjusted inventory quantity is less than Quantity on Hand of PO line site, the entire price variance amount is posted to Inventory.

When the adjusted inventory quantity is greater than Quantity on Hand, Quantity on Hand/adjusted inventory quantity as a percentage is used as a percentage to determine the price variance amount to be posted to Inventory. All other price variance amounts are posted to Inventory Discrepancy.

If Inventory on PO line site is located in multiple locations that refer to different Inventory accounts, the systems splits the posting to the corresponding Inventory account based on the percentage of the location inventory QOH to site inventory QOH.

For Subcontract PO lines—depending on the status of the work order—the system creates transactions as follows:

Scenario	Transaction	Debit/Credit	Account	Notes
No Work Order/WO closed	ADJ-PO	DR	Cost of Production	
		CR	PO Receipts	
With Work Order	ADJ-PO	DR	Cost of Production	
		CR	PO Receipts	
	SUBCNT	DR/CR	WIP	DR when Price Adj > 0. Otherwise CR.
		CR/DR	Cost of Production	
		DR/CR	Subcontract Rate Variance from work order	Not created for AVG. DR when Price Adj > 0. Otherwise CR.
		CR/DR	WIP	

If cross-company is involved (for inventory item and subcontract):

- DR: PO Receipt Acct; CR: Cross-Company Inventory Control account for entity of the PO line (Post to the entity linked to the PO line site)
- DR: Cross-Company Inventory Control account for entity of PO header site; DR: PO Receipt Acct (Post to the entity linked to the PO header site)

For memo items:

- DR: Purchase Account
- CR: Expensed Item Receipts

If cross-company is involved for memo items:

- DR: Expensed Item Receipts; CR: Cross-Company Inventory Control account for entity of the PO line (Post to the entity linked to the PO line site)
- DR: Cross-Company Inventory Control account for entity of PO header site; DR: Expensed Item Receipts

Cost Integration

Note If a tax amount needs to be included in the new item cost, the system adds the non-recoverable tax amount to the current cost adjustment.

- When GL cost method is AVG. Assume that the original inventory is as below. Original inventory cost is cost1.

Location	Original Qty	Inventory Acct
Loc1	Qty1	Inv1
Loc2	Qty2	Inv2

Scenario 1: The price is adjusted for Quantity Qty3 which is less than Qty1 + Qty2. The new cost cost2 would be $(Qty3 * Price\ Variance + cost1 * (Qty1 + Qty2)) / (Qty1 + Qty2)$

Scenario 2: The price is adjusted for Quantity Qty3 which is greater than Qty1 + Qty2. The new cost cost2 would be $(Price\ Variance + cost1)$.

Scenario 3: The cost is not updated when Qty1 + Qty 2 <= 0.

Note Cost is not updated when Qty3 < 0.

- When current cost method is AVG, the cost calculation is the same as with GL cost.
- When current cost method is Last, system does not update cost.
- The system supports Update Avg/Last Cost on PO line.

Tax Integration


For recoverable tax amount:

- DR: AP Inv Tax Acct
- CR: PO Receipts

Creating Blanket Orders

Blanket orders save time when placing periodic or recurring orders for the same item because they let you preapprove purchase orders. Blanket orders are templates for purchase orders. You cannot receive items against them and MRP does not include them as supply.

Fig. 3.9
Blanket Order Flow



Use Blanket Order Maintenance (5.3.1) to record and modify blanket orders.

Fig. 3.10
Blanket Order Maintenance (5.3.1)

You can create blanket orders for two types of deliveries:

- **Recurring.** Deliveries are regular, recurring, and of the same size. In the order header, set Recurring and Release to Yes. For deliveries that take place on a regular cycle, such as weekly or monthly, specify a cycle code. Set up values in Generalized Codes Maintenance (36.2.13) for field po_cycl to standardize input. You do not have to specify order and line item due dates during order entry. Leave these fields blank to have the system assign them automatically when the blanket order is released. Set Quantity to Release to the normal delivery size.
- **Irregular.** Delivery dates or item quantities vary with each PO. In the order header, set Recurring and Release to No. To release an irregular blanket order to a purchase order, set Release to Yes and enter the delivery due date and order quantity for each item.

The daybook set is used to number supplier invoices that originate from this blanket order. The default daybook set is copied from the supplier record in Supplier Data Maintenance (2.3.1), but you can overwrite it with a new value. See [QAD Financials User Guide](#) for further information on daybook sets.

Release the blanket order in Blanket Order Release to PO (5.3.6). You can set selection criteria for any combination of cycle code, order number, supplier, blanket order date, or due date. The system assigns a PO number by appending a release number to the blanket order number. For example, the first purchase order for blanket order 12004 would be 1200401, the second would be 1200402, and so on. If the appended number would exceed eight characters, the system assigns a new number. The ID of the user performing the release is recorded in the Entered By field. A report is produced of the orders successfully released to POs.

If you release an item by mistake, use Purchase Order Maintenance (5.7) to cancel or delete the line. When a purchase order line item is canceled or deleted, the open quantity on the corresponding blanket PO is automatically adjusted. You can also use Purchase Order Maintenance to change the site or quantity ordered for a line item on a released PO. The quantity

open on the blanket order is automatically adjusted. The PO quantity cannot exceed the open line item quantity on the blanket order. Changing the delivery site on the PO does not update the blanket order. You cannot delete a PO line item or change its site or quantity when receipts are posted against it.

When a receipt is posted against a PO released from a blanket PO, the corresponding blanket order receipt quantity (if any) is also updated. The system closes blanket orders when the order is fully released or when all the lines are closed or canceled.


To delete or archive closed blanket orders, use Closed PO Delete/Archive (5.23). You cannot delete a blanket order when purchase orders created from it exist in the system.

Creating Receivers

Record receipts against purchase orders, supplier schedules, and shippers in Purchase Order Receipts (5.13.1). More than one line item can be processed in a single transaction. You can correct errors made in receiving by entering negative quantities in Purchase Order Receipts. However, you may have to reopen a purchase order line to do this.

You cannot create receipts when the transaction date is outside the order line effective date range for the order line being received. If you try, the system displays a warning. You can return items, but a warning displays when the transaction date is outside of the order line effective date range, and you are prompted to continue.

Fig. 3.11
Receiving Flow



Control Settings

Several settings in Purchasing Control (5.24) affect purchase receipts.

- The Receiver Type field determines whether receivers are created for each order or for each item on the order, or not printed at all.
- Tolerance Percent and Tolerance Cost determine how the system manages receipts that exceed the order quantity.

History Records

When recording a receipt, the system updates several kinds of history records:

- Purchase receipts
- Inventory transactions
- Inventory GL costs

- Tax transactions

These records are used for accounts payable, variance reporting, tax reporting, and supplier performance reports. If you receive more than one delivery from a supplier on the same day for the same order, enter separate receipts to simplify receiver matching in accounts payable.

Shipment Information

If Shipment Info for Receipts is Yes in Container/Shipper Control (7.9.24), you can specify additional shipment information during receipt entry. A Shipment Information frame displays for input of data in:

- PO Shipper Receipt (5.5.5.11, 5.13.20)
- Purchase Order Receipts (5.13.1)

Subcontract Information

You can specify additional subcontract information and transact additional subcontract operations if you have control options set in the Advanced Repetitive module. In PO Shipper Maintenance (5.5.5.5 and 5.13.14) and Purchase Order Receipts (5.13.1), the Subcontract Shippers frame displays when you set Manual Shipper Update to Yes in Subcontract Shipping Control (18.22.5.24) in the Advanced Repetitive module. In the Subcontract Shippers frame, you can connect subcontract shippers and other subcontract data with the purchase order you are receiving items against, thereby allowing more subcontract operation visibility.

See *QAD Manufacturing User Guide*.

Additionally, if you use the WIP Lot/Trace function, you can use Purchase Order Receipts to place received WIP lot- or serial-controlled subcontractor items into finished goods automatically. To do this, you must set Move to Next Operation to Yes.

When the subcontract operation is the last routing operation, the system displays an additional frame to edit received WIP lot- or serial-controlled item information before an inventory record is created.

PO Receipt Packing Slip Inquiry

PO Receipt Packing Slip Inquiry (5.13.4) lets you review information by packing slip number and PO receipt number. Select records using one or more of the following selection criteria:

- Item number
- Purchase order
- Receiver
- Packing slip number

You can reconcile shipments by matching the supplier's packing slip number or fiscal document number against your PO receipt. This is useful for supplier schedules and fiscal receiving.

Fig. 3.12
PO Receipt Packing Slip Inquiry (5.13.4)

PO Containers and Shippers

You can receive items for one purchase order at a time. However, purchased items are often grouped in containers and managed with shippers. The Purchasing Receipts/Returns menu (5.13) provides support for recording, confirming, and deleting/archiving container and shipper information.

Use PO Container Maintenance (5.13.13) to record information on racks, boxes, crates, bags, or other conveyances used by a supplier to enclose and transport items or other containers. Containers must be defined in the item master before they can be used in PO Container Maintenance.

Use PO Shipper Maintenance (5.13.14) to record item numbers and quantities from formal shipping documents or supplier packing lists. In contrast to Purchase Order Receipts (5.13.1), PO Shipper Maintenance does not immediately update inventory balances or create GL transactions for PO receipts and Inventory accounts. Rather, it lets you record a receipt and take time to verify it. PO Shipper Maintenance also lets you receive consolidated packing lists, as when a supplier consolidates several purchase orders in one shipment.

Use PO Shipper Receipt (5.13.20) to update inventory and the GL after manually verifying received items and quantities.

Note Scheduled orders have both header and line start and end effective dates. When processing an order, the system uses the line start date and the later of the header or line end date as the active order line date range. If you specify a scheduled PO and line in PO Container Maintenance, PO Shipper Maintenance, or PO Shipper Receipt, and the system date is outside of the order line effective date range, the system displays a warning and prompts you to continue. If you specify Yes, you can continue processing.

Tracking Subcontract Shippers

When Manual Shipper Update is set to Yes in Subcontract Shipping Control (18.22.5.24), the system displays the Subcontract Shippers frame in Purchase Order Receipts (5.13.1), Purchase Order Returns (5.13.7), and PO Shipper Maintenance (5.5.5.5 and 5.13.14). Use the frame to:

- View and associate multiple subcontract shippers with the receipt or return.
- View WIP lot/serial numbers of items being received or returned.
- Indicate whether the subcontract shipper is fully received even when the quantity received does not match the original quantity shipped.
- Scrap unreturned material.

Converting Containers for Reuse

When prompted, you can convert containers for reuse on sales order shipments when:

- PO containers were created manually in PO Container Maintenance
- Order type is TRANSHIP, if using EMT
- Convert Container/Items for Sales is Yes in Purchasing Control (5.24)

Note If you use EDI eCommerce, importing an advance ship notice (ASN) automatically creates a shipper. You do not need to do it manually. You can edit the shipper using PO Shipper Maintenance if changes are needed, or simply receive the items in PO Shipper Receipt.

Deleting Shippers/Containers

Use PO Shipper Delete/Archive (5.13.23) to permanently remove shipper records from the system.

You can delete containers one at a time in PO Container Maintenance. To remove all unused container records by range of site and container number, use Container Delete/Archive (7.7.23).

See “Deleting Unused Containers” in the Shipping chapter of *QAD Sales User Guide*.

PO Shippers Combined with Invoices

While PO Shipper Maintenance lets you create records of shipment details, PO Shipper/Invoice Maintenance (5.13.18) lets you create a single record that combines shipment details with details from supplier invoices. The supplier’s invoice number can later be used as a reference in Receiver Matching to identify the lines on the shipper.

Shipper/invoices are used to partially automate the processing of supplier payments. When goods on the shipper/invoice are received using PO Shipper Receipt (5.13.20), pending supplier invoices referencing the supplier, ship-to, and supplier invoice number are created automatically for each invoice line item received. Pending supplier invoices are used to track the amounts owed to suppliers.

PO Shipper/Invoice Maintenance lets you:

- Combine a record of item numbers and quantities from formal shipping documents with details from associated supplier invoices.
- Link multiple invoices from the same supplier to one shipper.
- Associate open purchase orders with supplier invoices.
- Simultaneously update invoice lines and shipper lines to ensure that shipper quantities always correspond to their associated invoice quantities.
- When Logistics Accounting is used, optionally receive the items on the PO shipper into a transit location in order to pay for the goods before they arrive. You use PO Shipper Receipt into Transit (5.13.19) to perform the receipt. See *QAD Master Data User Guide* for details on Logistics Accounting.

Important Shipper/invoices are a unique type of shipper and cannot be accessed or updated by PO Shipper Maintenance or PO Fiscal Receiving. They can be maintained only in the program that creates them—PO Shipper/Invoice Maintenance—and that program cannot update standard shippers.

Shipper/Invoice Number Assignment

Combined shippers use a unique numbering sequence for the shipper IDs. Use Purchase Shipper Control (5.13.24) to specify the Number Range Management (NRM) sequence to optionally assign a shipper identifier when a new PO shipper/invoice is created in PO Shipper/Invoice Maintenance. The target dataset for this NRM sequence is `abs_id.poshipper`.

Creating Shipper/Invoices

PO Shipper/Invoice Maintenance has three sections:

- The header contains general shipping information, such as the item supplier name, shipper ID, ship-to site, ship date, and status of the shipment as well as shipment details.
- The invoice frame lets you record the supplier invoice information and associate one or more purchase orders with the specified invoice. Multiple supplier invoices can be recorded for the same PO shipper.
- Detail lines specify the particular items listed on each invoice and included in the shipper. The PO Line Selection frame displays the open PO lines associated with the invoice. The PO Line Matching Maintenance frame lets you select and modify individual PO line item quantities and costs.

When Logistics Accounting is used, additional frames display that let you specify suppliers for logistics charges such as freight and duty and, optionally, receive the goods on the shipper into a transit location. See *QAD Master Data User Guide* for details on Logistics Accounting.

Header

PO Shipper/Invoice Maintenance and PO Shipper Maintenance use the same header frames. Many of the shipping elements in the header are for reference only.

Header fields with special significance include the following:

Supplier. Enter a valid item supplier. This field cannot be blank.

Shipper ID. Enter the ID of a combined shipper or leave blank to create a new shipper using the NRM sequence specified in Purchase Shipper Control.

Ship-To ID. Enter the site code or address code of the company accepting the goods. This site cannot be changed after detail lines are added to the shipper.

Carrier Shipment Ref. Enter the shipment reference number from the carrier, such as a bill of lading number, carrier tracking number, or packing slip number.

Note When Logistics Accounting is used, the shipment reference is used during receiver matching to help match pending supplier invoices to invoices from logistics suppliers.

Carrier Shipment Ref2. Optionally, enter another shipment reference number supplied by the carrier, such as a waybill number.

Status. Displays the status of this shipper.

Ship Date. Enter the date the goods were shipped. Defaults to the system date. This field is used by the system when calculating the open quantity on a scheduled order line. This date is also used to determine if the quantity invoiced on a scheduled order line will cause the receipt quantity or cost tolerance specified in Purchasing Control (5.24) to be exceeded.

Arrive Date. Reference only. The date the shipment is due at the port of arrival.

Due Date. Reference only. The date the items on the shipment are due to be received at the destination.

Invoice Frame

After the first screen, a frame displays for recording supplier invoices and their associated POs. You can then select open line items to include on the shipper. The shipper/invoice is not recorded in the system until at least one supplier invoice and one associated PO are recorded.

Invoice. Enter an invoice identifier for the specified supplier.

Currency. Enter a valid, active currency for the invoice. Defaults from the currency of the supplier.

Invoice Date. Enter the invoice date. Defaults to the system date.

Invoice Amount. Enter the invoice amount.

Total. This field displays the total amount already invoiced. When a new invoice is entered, this field defaults to zero.

Order. Enter an open PO for the selected supplier invoice. More than one PO can be specified for a single invoice. Only open purchase orders that match the supplier and ship-to site in the header can be associated with this shipper.

Auto Select. Indicate whether you want to automatically select all open line items on the specified purchase orders for invoicing. If Yes, the Invoice Open Qty/Amt and Select All fields become available.

Invoice Open Qty/Amt. When Auto Select is Yes, indicate whether you want to invoice the open quantities on each PO line.

No (default): Invoice Quantity and Invoice Cost default to zero.

Yes: Invoice Quantity and Invoice Cost in the PO Line Matching Maintenance frame default to the PO line uninvoiced open quantity and PO line net unit cost respectively.

Select All. When Auto Select is Yes, indicate whether you want to select all open PO lines for invoicing. Default is No.

Sort By. Specify whether PO lines are sorted by PO number and line sequence or by PO and item number sequence.

Line Items

The PO Line Selection frame displays the open PO line items grouped by PO number for the specified supplier invoice. If you specified Yes to Select All, an asterisk (*) appears next to each open PO line in the Sel column. You can select line items to include on the shipper and optionally update line item quantities and costs.

Processing PO Shipper Supplier Invoices

When PO Shipper Receipt (5.5.5.11 or 5.13.20) is used to receive shipper/invoice line items, a pending supplier invoice is created for each invoice line item referencing the supplier, ship-to site, and invoice identifier. Use Supplier Invoice Create (28.1.1) to partially automate the processing of payments for these supplier invoices.

See [QAD Financials User Guide](#) for details on receiver matching.

To process supplier invoices for shipper/invoices, you enter the supplier code for the shipper and then specify the identifier of the supplier invoice created in PO Shipper/Invoice Maintenance. After entering a daybook, you can click Matching to access the Receiver Matching frame. In the Purchase Order Shipper tab, the supplier's invoice number is filled in. When you click Apply, the lines from the pending invoices associated with the PO shipper/invoice are populated in read-only mode.

When you click Save, the system matches the purchase receipt with the invoice lines.

PO Fiscal Receiving

PO Fiscal Receiving (5.13.16) lets you:


- Record item numbers, quantities, costs, and taxes from shipping documents.
- Update inventory and GL accounts.
- Process multiple POs per receipt.
- Calculate and register applicable taxes.

Fiscal receiving supports companies where:

- PO receipts are registered for fiscal and/or tax purposes.
- PO receipts are tracked and audited by fiscal shipping documents.
- Multiple POs are frequently consolidated by the supplier into one fiscal shipment for the same ship-to address.
- It is necessary to update purchase costs at PO receipt.

Fig. 3.13

Fiscal Receiving Processing Flow



If the fiscal total does not match the PO total, a warning displays. However, PO Fiscal Receiving does not change the purchase order. This leaves a basis for comparison. PO Fiscal Receiving updates purchasing and tax records but does not affect physical inventory or GL balances.

Important PO Fiscal Receiving cannot be used to access or update shippers combined with invoices created in PO Shipper/Invoice Maintenance.

After verifying received items and financial information, use PO Shipper Receipt (5.5.5.11 or 5.13.20) to finalize receipt and create inventory and GL transactions.

Fig. 3.14

Header, PO Fiscal Receiving (5.13.16)

The screenshot shows a software window titled "PO Fiscal Receiving". Inside, there's a header section with the following fields and values:

- Supplier: TT-1000
- Shipper ID: PS052907-0029
- Ship-To: 10000
- Control Lines: 1
- Control Total: 500.000
- Credit Terms: 2-10/30
- Issue Date: 5/29/2007
- Due Date: 5/31/2007

Supplier. Specify the code identifying an active, valid supplier who sent you the goods.

Shipper ID. This field is mandatory, and is usually used to record the fiscal document number, Nota Fiscal, or other shipping document number. It can also be used to record the bill of lading number.

Ship-To. Specify the site code or address code of the company address accepting the goods.

Control Lines. Specify the total number of lines on the fiscal document.

Control Total. Specify the total monetary amount shown on the shipping document, including tax amounts. Used as a control total for the fiscal receipt. If the sum of all lines received does not equal this total, a warning displays.

Credit Terms. Enter the credit terms listed on the shipping document. These should be the same terms as on the purchase order. Credit terms are especially important in hyperinflationary environments or if a credit terms interest percentage is specified on the purchase order.

Issue Date. Specify the date the supplier generated the shipment document. Becomes the start date for credit terms calculations.

Payment Due Date. Specify the date the supplier is expecting payment for the shipment. Leave blank to have the system calculate the date based on credit terms and issue date. If you enter the due date printed on the supplier document, a warning displays if this due date is inconsistent with the credit terms and issue date.

For example, if the credit terms are 2% Net 30 Days and the Issue Date is April 1, and you enter a Due Date of April 15, a warning displays because the credit terms specify a due date of May 1.

Fig. 3.15
Line Item Screen, PO Fiscal Receiving (5.13.16)

After the first screen, you see a frame for recording the PO, quantity, cost, and receiving information for each line item.

Item. Enter the item number as specified in the purchase order. This can be a memo item.

Purchase Order. Enter a valid purchase order number for the received line. You can reference multiple purchase order numbers on the same receipt, but only one per line item.

Line. Enter the purchase order line number. An error displays if you reference a line number that is not on the original purchase order or that corresponds to an item different from the item entered previously.

Fiscal Line. Enter the line item number from the shipping document. If only one purchase order is involved, this is normally the same as the PO line. If you are referencing an existing fiscal receipt, you can retrieve the remaining item information in this screen by using Next/Previous in either of the line fields.

After entering the item, PO, PO line, and fiscal line, you are prompted to review and optionally edit the default Tax Usage, Tax Environment, and Tax In settings from the PO for the fiscal receipt. These settings determine how taxes are calculated for the fiscal receipt.

See [QAD Global Tax Management User Guide](#) for more information on taxes.

Most fields in this screen function the same way as their counterparts in Purchase Order Receipts (5.13.1) and PO Shipper Maintenance (5.13.14). If you receive items into a different site or location than specified on the PO, update them here. You can always go back to PO Fiscal Receiving and update this information before processing the receipt using PO Shipper Receipt.

Note Changing the site can cause the taxes to be recalculated, if the new site is in a different tax zone.

Quantity. The actual received item quantity for this line.

UM. The unit of measure for the shipped items.

Conversion. The conversion factor to use if the shipping unit of measure is not the same as the inventory stocking unit of measure. For example, if the shipping UM is cases, the stocking UM is pallets, and there are 10 cases per pallet, the conversion factor is .1.

Packing Quantity. The packing list quantity printed on the supplier's packing list, or the official fiscal quantity printed on the supplier's fiscal document.

Received Cost. The line item cost from the fiscal document for the received quantity. This cost includes any taxes included in the line cost. The value entered is the amount used for the received PO cost calculation, which overrides the cost entered in the PO line. For average cost users, this is the beginning basis for the average cost calculation.

PO Net Cost. Output only. Net line item cost from the purchase order. When you exit the screen, a warning displays if the received cost does not equal the PO cost. The system does not maintain an audit trail of variances, but variances are marked with an asterisk (*) in PO Fiscal Receipt Inquiry (5.13.17).

Site. The company site that receives the items.

Location. The company location that receives the items.

Lot/Serial. Optional. Used only if items are tracked by lot or serial number.

Reference. An optional lot reference number for the received items.

Supplier Lot. Enter an optional supplier lot number for reference.

Multi Entry. Indicates whether the item was received into multiple sites and locations, or whether multiple lot/serial numbers or lot reference numbers were received. Enter Yes to display the multiple-entry screen.

PO Comments. Enter Yes to enter transaction comments for the fiscal receipt. The reference code for PO comments defaults to RCPT: followed by the purchase order number; for example, RCPT: PO1000.

PO Ln Cmnts. Enter Yes to enter comments for individual line items. The reference code for line-item comments defaults to RCPT: followed by the purchase order number, a slash (/), and the line-item number; for example, RCPT: PO1000/1.

The trailer screen displays line item and tax totals. Use the View/Edit Tax Detail option to review and change tax amounts.

Use PO Fiscal Receipt Inquiry (5.13.17) to review fiscal receipts. Supplier code and shipper ID are mandatory. You can display either quantity or cost information. Variances for calculated due date, quantities, and costs are marked with an asterisk (*). Where possible, investigate and resolve any discrepancies before processing the actual receipt using PO Shipper Receipt (5.5.5.11 or 5.13.20).

Creating Returns

There are two ways to return goods to a supplier. If the purchase order still exists, use Purchase Order Returns (5.13.7). Or use Purchase Order Maintenance (5.7) to enter a new line or order for the items to be returned. Use negative numbers to indicate returned quantities. Receive items in Purchase Order Receipts (5.13.1).

If you are using the Service/Support Management module, the Return to Supplier functions (11.7.3) are used to return items to the supplier for service.

See *QAD Service/Support Management User Guide* for details.

Note If you are not using purchasing, you can use Issues–Return to Supplier (3.8). This program is disabled once purchasing is installed.

The Return to Replace field in Purchase Order Returns defaults to No, indicating a return for credit. If Yes, the system automatically adds a new line to the original PO for the returned quantity.

Note The Return to Replace option reopens a closed PO, but does not work if the original PO has been deleted.

All fields on the new line default to values for the returned line item except order quantity, which shows that quantity returned, cumulative quantity received, last quantity received, last quantity returned, and last quantity changed are all zero. The date received field for the new line is set to unknown, and the line number is set to the highest line on the PO plus one. The new line updates quantity on order, MRP, and transaction history just like any other PO line.

When you process a purchase receipt against the supplier invoice with Supplier Invoice Maintenance (28.1.1), the quantity returned appears in the receiver window as a negative quantity offset against the original PO line.

Purchase Order Returns supports reverse tax accruals and re-averages cost (return goods at the original received value). For returns of subcontracted material, you can specify whether the return should update the appropriate work order operation queues.

Many countries require that formal shipping documents accompany any movement of goods, even when goods are merely transferred, not sold. You can record shipping information and generate shipping documents for issue transactions in Purchase Order Returns.

See “Purchase Order Returns” in the Shipping chapter of [QAD Sales User Guide](#).

Deleting Expired Orders

Deleting expired blanket orders, purchase orders, supplier schedules, and receivers helps conserve database space. Use the following programs:

- Closed PO Receipt Delete/Archive (5.22)
- Closed PO Delete/Archive (5.23)
- Schedule Delete/Archive (5.5.3.23)
- PO Shipper Delete/Archive (5.5.5.23)

Calculating Purchase Price Variances

Two types of variances can be calculated when purchasing materials:

- Purchase price variance
- Accounts payable variance

Purchase price variance is the difference between the purchase order cost and the GL cost and is calculated when purchase orders are received.

Accounts payable variance is the difference between the invoice price and the purchase order cost and is calculated when the supplier invoice is matched with the supplier invoice in accounts payable. When a supplier invoice is confirmed, rate variances update inventory cost. In a multiple database environment, costs are updated in both the inventory and purchasing databases.

Note A third type of variance is caused by exchange rate fluctuations between the time a foreign currency order is received and when the purchase receipt is matched with the supplier invoice.

Subcontract Purchasing

Instead of materials, suppliers sometimes provide services for completing manufacturing operations. Companies subcontract operations when there is insufficient manufacturing capacity or when operations require specialized equipment.

Like inventory items, subcontract services are set up in Item Master Maintenance (1.4.1). However, they are received to work orders rather than to inventory. As a result, MRP does not consider them a source of supply since these quantities are already included in the work order.

During order entry, the system prompts you to enter the work order number, work order ID, and operation for the subcontract item. This information is needed by the receiving process.

Subcontract purchase orders can be used with the Work Orders module, or with Repetitive and Advanced Repetitive functions. Advanced Repetitive subcontracting supports additional features of subcontract shipping. For example, when receiving subcontracted items, you can connect subcontract shippers to the receipt for more subcontract visibility.

See the Advanced Repetitive information in [QAD Manufacturing User Guide](#).

To receive against a subcontract shipper, set Manual Shipper Update to Yes in Subcontract Shipping Control (18.22.5.24). When you set this field to Yes, the Subcontract Shippers frame displays in Purchase Order Receipts (5.13.1), PO Shipper Maintenance (5.5.5.5 or 5.13.14), and Purchase Order Returns (5.13.7).

When you connect a subcontract shipper ID to purchase order lines you are receiving against, you can also:

- Place the items into finished goods automatically if the subcontract operation is the last operation and the items are lot- or serial- controlled.

Note If WIP item components are lot/serial controlled, you must use the Advanced Repetitive Move Transaction (18.22.19) to record the WIP item placement into inventory. If only the WIP item is lot/serial controlled, then the placement into inventory occurs during receipt.

- Optionally scrap unreturned subcontracted items.
- Optionally close the subcontract shipper.

A number of accounting and cost issues in subcontract purchasing influence use and implementation of other modules.

The following sections discuss subcontracting with work orders.

Subcontract Pricing

In Items/Sites, supplier items should be set up with quote prices and quote quantities so that the unit cost on subcontract purchase orders defaults correctly. The order of precedence for determining the correct price is as follows:

- Price list
- Quote
- GL cost

Inventory and Cost Control

There are several ways of tracking components provided by you or the subcontractor. When components are supplied in kits for individual work orders, they should be handled as regular work order components.

Sometimes a manufacturer provides components to the supplier, who stores these as consignment inventory until used. In this case, set up a separate inventory site and location for supplier inventory since the supplier site is functioning as an extension of your company's inventory.

See Chapter 4, "Supplier Consignment Inventory," on page 89.

A supplier may provide components that are added during subcontract operations. Since there is no requirement to track supplier inventory, the cost of the components is usually included in the subcontract purchase cost. Normally, the components are not planned by MRP, and do not appear on work order picklists. To have them appear on product structures, you must exclude them from MRP and work order picklists. Also, the component costs must not be included in cost rollups for the parent product. One way to ensure this is to assign a structure code of D (document) to the components.

Subcontract Lead Time

Use Routing Maintenance (14.13.1) to enter subcontract lead time. A subcontract lead time applies to an entire lot, not to individual units. The lead time for a work order operation is the same whether the quantity ordered is 1 or 10,000.

Routings and Work Centers

Consider setting up separate departments (and possibly work centers) for outside processing to distinguish them from internal operations. Define departments and work centers for individual suppliers if more than one supplier can perform a particular operation.

Example Have all subcontract work center codes begin with the letter S to easily identify them on reports such as the Work Order Dispatch Report (16.18).

Triggering Purchase Orders

If work order operations are used with work orders, determine when to release purchase orders for subcontract operations with Work Order Dispatch Report. This report lists upcoming operations by work center, then by item.

Specifying Subcontract Suppliers for a Routing

Typically, you select subcontractors to process items based upon agreed processes. You can associate a subcontract service with the subcontracted items and the supplying subcontractor.

Use Subcontract Routing/Op PO Maint (5.11) to specify subcontract suppliers for a specific routing and operation. You can specify multiple suppliers for a single routing and operation.

When you specify a subcontract supplier for a routing operation, the system connects purchase orders to a routing and operation via the supplier. If you use the Advanced Repetitive module, the system updates the subcontract purchase orders with a cumulative ID or work order ID when an Advanced Repetitive transaction occurs that creates a cumulative ID. Additionally, in Advanced Repetitive programs, the system:

- Populates subcontract order-processing fields and browses with subcontractor default data.
- Accumulates subcontract data for reports.

Companies that use scheduled orders for subcontract work can use Subcontract Order MRP % Maintenance (5.5.1.21) to specify a purchase order and line for a subcontract routing and operation.

Specify the ship-to site, item number, effective date, routing, and operation in the header. This key information uniquely identifies a subcontract operation. Specify the supplier and the purchase order and line in the Purchase Orders frame. If you enter both the purchase order and line, the system adds the supplier.

Fig. 3.16
Subcontract Routing/Op PO Maintenance (5.11)

Subcontract Routing/Op PO Maint: Go To ACTIONS		
Site: 10000	Item Number: 1-BB	Effective: 05/29/2007
Routing: 1001	Op: 10	
Purchase Orders		
Supplier	Order	Line
TT-1000	P1132	1

Supplier Capacity

The Resource Planning and Capacity Requirements Planning (CRP) modules can be used to evaluate supplier capacity. Resource planning is set up and implemented in the same way as the planning of internal resources. However, there are special requirements for CRP:

- Set up one work center for each supplier.
- Give each work center its own shop calendar.
- Set up subcontract operations with queue, setup, run, wait, and move times.

Material Requirements Planning

Open purchase order lines for subcontract items are not recognized as supply records by MRP. Supply for subcontract assemblies is represented by their corresponding work orders.

Work Order and Routing Comments

To display work order and routing comments for subcontract orders on printed purchase orders, set Print WO Comment to Yes in Print Purchase Order (5.10). Any relevant comments are printed below each subcontract line item.

Subcontract Work Flow

If all of the modules are used, the subcontract cycle includes the following steps:

- 1 Work Order Maintenance (16.1) or Planned Work Order Approval (23.10)
- 2 Work Order Component Check (16.5)
- 3 Work Order Release/Print (16.6)
- 4 Work Order Component Issue (16.10)
- 5 Work Order Dispatch Report (16.18)
- 6 Purchase Order Maintenance (5.7)
- 7 Subcontract Routing/Op PO Maint (5.11) or Subcontract Order MRP% Maintenance (5.5.1.21)
- 8 Purchase Order Receipts (5.13.1)
- 9 Shop Floor Control labor feedback functions
- 10 Work Order Receipt (16.11)
- 11 Work Order Accounting Close (16.21)

Special Purchasing Topics

This section discusses issues related to purchasing in a multiple database environment, processing memo items, and special purchase needs.

Multisite Purchasing

Often in multisite companies, inventory items are purchased from one site only, although each site buys its own non-inventory items, such as supplies, floor stock, and expensed items. Purchasing initiated from multiple sites or databases is supported.

Example Site Singapore creates a requisition for an item, specifying that the item be bought by Site Chicago because of price considerations. Because Singapore specifies Chicago in the PO Site field of Purchase Requisition Maintenance (5.1.4), Chicago sees the requisition when reviewing its requisition reports. Chicago creates a purchase order, taking information from the requisition and specifying that the item be delivered to Singapore. Receiver and supplier invoice information is processed at Chicago. MRP information is processed at Singapore.

When generating reports in a multi-database environment, if the current database is not the originating database for a particular PO, that PO does not appear on the PO reports (by order, by supplier, commitment, or supply schedule). This happens even if line items on the PO are received into sites at the current database. To see these POs, switch to the originating database, which also contains the supplier address table.

Purchasing Memo Items

Memo purchases are for items not in the item master, such as office supplies and equipment. Memo items do not update inventory. Rather, they are expensed or capitalized upon receipt, depending on the purchases account for the line item. Memo items have no effect on MRP.

See “Type” on page 60 for details.

Note To process an inventory item as a memo item, you can change the Type field from blank to M in PO Maintenance. However, if you always want an item defined in Item Master Maintenance to be treated as a memo item, you can specify the appropriate value in the Memo Order Type field, which sets the default for purchasing activities.

Even if an item is not defined as a memo item, it may be preferable in some cases to process it as a memo purchase. Such cases might include procurement of as-needed production materials and inventory items for non-production departments. Production materials, such as adhesives and solvents, are used as needed, and it is often impractical to maintain inventory balances and to process transactions for such materials.

Inventory items are items ordered for a non-production department, such as engineering or marketing. If these are handled as memo purchases, they can be charged to these departments upon receipt. Another way of transferring materials to non-production departments is by unplanned inventory issues.

Purchasing Miscellaneous Items

Purchases for items not directly related to manufacturing or inventory and not delivered to a receiving department, such as airline tickets or seminar fees, are sometimes easier to handle with external purchase orders—that is, purchase orders outside the system. This is because when invoices are matched in Accounts Payable, the system lets you verify a purchase by matching an order, a receiver, and an invoice. Items that have not been delivered to a receiving department have no associated receivers. To have each purchase accounted for in a purchase order, use manual purchase orders for items not delivered to a receiving department.

Supplier Consignment Inventory

The Supplier Consignment Inventory module lets you plan, order, receive, stock, track, and report supplier-consigned inventory using an automated system that reconciles inventories between suppliers and customers. Receiver matching and accounts payable (AP) transactions are deferred until the inventory is used. Customer use includes transfer, shipping, manufacturing, or distribution to its own customers.

This chapter describes how to set up and manage consigned inventory. It also gives an overview of the reporting tools available for reviewing and tracking consignment activity.

Note The QAD Document Library includes related training material. See [QAD Supplier Consignment Inventory Training Guide](#).

Overview of Supplier Consignment Inventory 90

Introduces the Supplier Consignment Inventory module and describes many of its functions.

Planning and Setup 94

Details the setup and prerequisite data and processes necessary to use the module.

Managing Consigned Inventory 101

Lists and describes the key management functions of the module and illustrates how to create transaction history, order, receive, and use consigned inventory, make inventory adjustments, process returns, rejects, and corrections, track, and manage consigned and aged inventory.

Reporting Supplier Consignment Inventory Data 116

Describes the reports and inquiries that allow evaluation and management of accounts and inventory.

Overview of Supplier Consignment Inventory

The Supplier Consignment Inventory module lets you plan, order, receive, stock, track, and report supplier-consigned material while at the same time deferring receiver matching and accounts payable (AP) transactions. A company using consigned inventory pays for only what they use, not for what they receive.

The module extends the purchase order process by providing new transactions to receive material and identify it as consigned. These transactions also delay the standard AP process until material is consumed but allow the consigned items to be visible for planning. When items are consumed, such as in a manufacturing process, the receiver becomes available for receiver matching.

When consumption is reported back to the supplier, the supplier can transfer liability for the material in their system and issue an invoice if self-billing is not being used.

Using consigned inventory alleviates the need for the supplier to buy back the excess sent to the customer or remaining at the end of the consignment period. Because the supplier still owns the inventory, any excess is simply returned.


Using key features of Supplier Consignment Inventory, you can:

- Create PO consigned inventory and inventory offset accounts at the domain level, for product lines, or for combinations of sites and product lines.
- Delay the transfer of ownership of consigned inventory by deferring AP transactions until you use the inventory.
- Determine at the domain level whether consigned inventory should be consumed first or only after non-consigned inventory is exhausted.
- Set up consignment defaults for the majority of your purchase orders and supplier scheduled orders and tailor defaults for individual supplier addresses and items.
- Create supplier invoices for payment of shipping charges immediately, while delaying receiver matching for material until it is actually used.
- Indicate for selected sites and locations that inventory transfers should initiate a change in ownership.
- Determine the tax point for consigned inventory based on settings in the associated tax rate. The tax point can be either at receiver matching or consumption.
- Create a purchase order or scheduled order with both non-consigned and consigned items.
- Manually adjust consigned inventory if needed.
- Include or exclude consigned inventory during physical inventory or cycle count.
- Export EDI transmissions to inform suppliers of item usage, or create records to send manually.
- Retain visibility of consigned inventory information including its location, status, age, and order details.
- Manage and update aging dates.
- Generate reports and inquiries that sort and display details according to your needs:
 - Identify unconsumed inventory that exceeds its maximum aging date.
 - Compare inventory received with inventory consumed.

Supplier Consignment Inventory Business Workflow

Figure 2.1 shows the complete consignment inventory workflow beginning with the contract and ending with accounts payable.

Fig. 4.1
Consignment Inventory Business Flow



Creating a Purchase Order

A contract is created between a customer and a supplier that dictates the items to be sold on consignment (step 1 in Figure 4.1). The contract is either a standard purchase order, a blanket purchase order, or a scheduled purchase order. It includes clauses on deferring liability. The contract may also include a maximum number of aging days that a customer is permitted to hold items without liability of payment. This ensures that inventory will be consumed in a timely manner.

Receiving Inventory

As consigned inventory arrives, it is handled by the standard receiving process (step 2 in Figure 4.1). The inventory is immediately nettable to MRP and available for allocation according to the inventory status of the stock location.

Cumulative receipt quantities are automatically updated for scheduled purchase orders. Because the consigned inventory is not yet available for receiver matching, any supplier invoice process selecting open receipts bypasses receipts of consigned inventory until it is consumed.

Only shipping-related charges (trailer and freight) can be matched with the supplier invoice at the time of receipt.

Consuming the Inventory

The consigned inventory is eventually consumed by the customer (step 3 in Figure 4.1). Consumption occurs in the following ways:

- Issues to a manufacturing order such as a work order, repetitive order, or flow schedule
- Unplanned issues
- Issues to a configured item final assembly order
- Transfers to another location within a site
- Shipment of consigned parts (sales order shipments or shipper confirm)
- Manual consumption of aged inventory

See “Using Supplier Consigned Inventory” on page 109.

Consumption activity is logged (step 4 in Figure 4.1) for audit purposes and for batch processing. When reported to the supplier (step 5 in Figure 4.1), it triggers the transfer of liability. Consumption can be reported manually or using EDI eCommerce.

Once the inventory is consumed, the receiver is available for receiver matching, but only for the amount consumed. This can be a partial amount and may not always be the total amount on the receiver. The system tracks how much of the receiver is available for receiver matching. A cumulative quantity is kept to track the total material consumed on the contract.

Paying for the Inventory

Supplier Invoices are created either manually using functions in Accounts Payable (AP) or automatically by Evaluated Receipts Settlement (ERS). Both distinguish between receipt of consigned inventory that has been consumed and receipt of consigned inventory that has not been consumed; for example, when only a portion of an order has been consumed.

Because receiver matching follows standard processing, it is not discussed in this chapter.

See *QAD Financials User Guide* for details on AP processing.

Using Supplier Consignment Inventory with EMT

Enterprise Material Transfer (EMT) lets you translate sales orders into purchase orders automatically and transmit those purchase orders to secondary business units (SBU) electronically using EDI eCommerce. By definition, the system creates all lines of EMT purchase orders as non-consigned. You cannot change the consignment setting on these system-maintained orders.

See *QAD Sales User Guide* for information on EMT.

Supplier Consignment Programs

Table 4.1 lists programs included in Supplier Consignment Inventory.


Table 4.1
Supplier Consignment Inventory Programs

Menu Number	Description	Program Name
5.18	Supplier Consignment Inventory...	
5.18.1	Supplier/Item Controls Maintenance	pocnvdm.t.p
5.18.2	Supplier/Item Controls Browse	pobr014.p
5.18.6	Consignment Inventory Report	ppptrp10.p
5.18.7	Consignment Inventory By Order	pocnrp01.p
5.18.8	Consignment Usage Report	pocnrp02.p
5.18.9	Consignment Usage Summary Report	pocnrp03.p
5.18.10	Consignment Usage Export Report	pocnrp04.p
5.18.13	Aging Inventory Update	pocnaimt.p
5.18.14	Aging Inventory Batch Update	pocnaiup.p
5.18.15	Aging Inventory Report by Order	pocnairp.p
5.18.16	Aging Inventory Report by Part	pocnair1.p
5.18.24	Supplier Consignment Control	pocnspm.p
5.18.25.1	Consignment Inventory Adjustment	pocnadj.p
36.9.4	Supplier Consignment Accounting Control	fipocnsp.p

Consignment Process Summary

Figure 2.2 shows the sequence in which the Supplier Consignment Inventory module processes data.

Fig. 4.2
Consignment Overview




Planning and Setup

Before using the Supplier Consignment Inventory module, you must set up different kinds of data:

- Base data standard to the system such as items, addresses, and general ledger (GL) accounts. These activities are not discussed in this chapter.
- Base data specific to the Supplier Consignment Inventory module.
- Supplier consignment control settings that determine defaults and processing options.

Figure 2.3 illustrates the typical workflow for setting up Supplier Consignment Inventory.

Fig. 4.3
Supplier Consignment Setup Flow



Update Control Settings

Use two programs to define domain-level controls, as well as to establish default values for managing consignment functions:

- In Supplier Consignment Control (5.18.24), activate the Supplier Consignment Inventory module and define other operational control values.
- In Supplier Consignment Accounting Control (36.9.4), specify operational settings that have an impact on financial activities, such as the PO cost point.

All values default to Supplier/Item Controls Maintenance (5.18.1) where you can modify them for specific combinations of suppliers and items.

Fig. 4.4
Supplier Consignment Control (5.18.24)

Using Consignment Inventory. This is the single place where you can activate the Supplier Consignment Inventory module. The default is No.

No: Enter No to display standard purchase order programs. The system bypasses all consignment screens.

Yes: The Supplier Consignment Inventory module is active. You can use Supplier Consignment Inventory programs.

Once you have activated the module, created consigned items, or performed transactions, entering No to deactivate the module displays a warning message. Unless all consigned items are consumed, the system warns you that non-invoiced consigned items exist and prompts you to confirm your action.

Consignment Orders. Specify the default value for the Consignment Orders field in the header of new purchase orders, scheduled orders, and blanket purchase orders:

No: Enter No if most of your inventory transactions are for non-consigned items.

Yes: The Consignment Orders field on the header of new orders is Yes.

In either case, you can combine lines for both consigned and non-consigned inventory on one order.

Note The value defined here is used on new orders only if the system does not find a more specific match in Supplier/Item Controls Maintenance.

Maximum Aging Days. Enter the maximum number of days consigned inventory is allowed to reside at your facility.

The default value is 0 (zero), which indicates no scheduled aging deadline exists. See “Managing Aged Inventory” on page 113.

Use Consigned First. When Supplier Consignment is enabled, this value determines which inventory is processed first.

Yes: Use consigned inventory first.

No (default): Use non-consigned inventory first, letting the system select inventory based on the picking logic specified in Inventory Control. See [QAD Master Data User Guide](#) for details.

The system checks this setting during various usage transactions, such as when items are issued to a manufacturing order, distribution order, or sales order. It also affects cycle count adjustments created by Cycle Count Results Entry.

This field is associated with reversal functionality when Supplier Consignment is enabled. When a negative quantity is issued, if the field is Yes, the system checks for usage records. When it is No, the system only checks for owned material when processing the negative quantity issue.

Fig. 4.5
Supplier Consignment Accounting Control (36.9.4)

Transfer Ownership. Specify Issue/Backflush. Transfer of ownership (consumption) is allowed only at the time items are issued or backflushed. No other value is currently supported.

PO Cost Point. Specify which purchase order cost you want the system to use to calculate the purchase price variance. This is the cost at which the usage is paid/invoiced.

Usage: Use purchase order cost at time of usage.

Receipt: Use purchase order cost at time of physical receipt.

The value in this field defaults to Supplier/Item Controls Maintenance. When no record for a supplier exists, the field defaults to PO Maintenance (5.7).

Create Supplier/Item Control Records

Use Supplier/Item Controls Maintenance (5.18.1) to define specific default values for suppliers or for combinations of suppliers and items. The values entered here override the settings in Supplier Consignment Control or Supplier Consignment Accounting Control only for the specified supplier. When new orders are created for a specific supplier, the system looks for the most specific record first to determine the defaults to use. Orders previously entered into the system remain unchanged.

Fig. 4.6
Supplier/Item Controls Maintenance (5.18.1)

The settings in this program apply either to the supplier alone or to the supplier/item number combination specified in the header frame. Only the supplier is required.

Supplier. Enter a valid, active supplier code to identify this control record. This code represents the company that supplies consigned items.

This is a required field. Associated control values apply to this supplier only.

Item Number. Optionally enter an item number to use as part of the unique identifier for this control record. This item number represents the consigned item being received into inventory.

When you enter an item number, this control record applies to purchase order lines for this item only.

Items must be previously defined in Item Master Maintenance (1.4.1).

Leave this value blank to indicate that this control record applies to all items from this supplier without a specific control record.

Note Do not specify a supplier item defined with Supplier Item Maintenance (1.19) in this field. When you specify a supplier item on an order line, the system converts it to the internal item before looking for defaults defined with this program.

PO Cost Point. Specify which purchase order cost you want the system to use to calculate the purchase price variance. This is the cost at which the usage is paid/invoiced.

Usage: Use purchase order cost at time of usage.

Receipt: Use purchase order cost at time of physical receipt.

Initially, this field defaults from Supplier Consignment Accounting Control. The value you specify defaults to Purchase Order Maintenance. Each item record created for a particular supplier must have the same PO cost point.

When you try to change the value for a supplier/item combination and other records for that supplier exist, you are prompted to change the PO Cost Point value for all instances of that supplier in this program.

Important Responding Yes updates the PO cost point for all records for the specified supplier including supplier/item combination records. No returns you to the PO Cost Point field and no updates are made.

Set Up Consignment Accounts

Use three programs to identify accounts for tracking supplier consignment inventory:

- Domain/Account Control (36.9.24)
- Product Line Maintenance (1.2.1)
- Purchasing Account Maintenance (1.2.5)

Create accounts first in Account Create (25.3.13.1). These accounts must be of GL type Inventory Control. Use Domain/Account Control to set up defaults. Codes entered in Domain/Account Control default to Product Line Maintenance. Product Line Maintenance accounts default to Purchasing Account Maintenance.

Note One of the Consignment Inventory modules must be activated to access the Consignment Accounts frame.

Fig. 4.7
Domain/Account Control (36.9.24)

Supplier	Consignment Inventory module fields	Consignment Accounts
		SO Consigned In-Transit Acct: [] [] []
		SO Consigned Inventory Acct: [] [] []
		SO Consigned Offset Acct: [] [] []
		PO Consigned Inventory Acct: 1102 [] []
		PO Consigned Offset Acct: 1511 [] []

PO Consigned Inventory Acct. Enter the GL account, sub-account, and cost center codes used to track consigned inventory that has been received into inventory.

PO Consigned Offset Acct. Enter the GL account, sub-account, and cost center codes used to track deferred payable amounts for consigned receipts.

The PO Consigned Inventory and PO Consigned Offset accounts are updated simultaneously to record consigned activity and do not affect the balance sheet. Other accounts are not updated until inventory is used.

The remaining account fields in this frame are used by the Customer Consignment Inventory module.

Customer Consignment Inventory is described in [QAD Sales User Guide](#).

Set Up Product Line Accounts

Use Product Line Maintenance (1.2.1) to tailor consignment accounts for items that belong to a particular product line. If you do not define specific product line accounts, the system uses the default GL accounts from Domain/Account Control.

Fig. 4.8
Consignment Accounts in Product Line Maintenance (1.2.1)

The screenshot shows the 'Product Line Maintenance' window. The title bar is 'Product Line Maintenance'. Below the title bar, there is a 'Go To' dropdown and an 'ACTIONS' dropdown. The main content area displays the following information:

- Product Line: 1000
- Description: Home Product
- Taxable: ☒
- Tax Class:
- Default Sub-Account: Override: ☐
- Default Cost Center: Override: ☐

Below this information, there is a section titled 'Consignment Accounts' with a table of accounts:

Consignment Account	Value	Icon
SO Consigned In-Transit Acct:		
SO Consigned Inventory Acct:		
SO Consigned Offset Acct:		
PO Consigned Inventory Acct:	1102	
PO Consigned Offset Acct:	1511	

Optionally use Purchasing Account Maintenance (1.2.5) to further define GL accounts designated for consignment. By setting up accounts for combinations of product line, site, and supplier type, you can separately track accounts for multiple sites and types of suppliers.

Set Up Purchasing Detail Accounts

Purchasing detail accounts default from Product Line Maintenance. Often, these are used to associate cost centers with different sites and supplier locations.

Fig. 4.9
Consignment Accounts in Purchasing Account Maintenance (1.2.5)

The screenshot shows the 'Purchasing Account Maintenance' window. The title bar is 'Purchasing Account Maintenance'. Below the title bar, there is a 'Go To' dropdown and an 'ACTIONS' dropdown. The main content area displays the following information:

- Product Line: ic01 IC product line 1
- Site: icsite1 IC Site 1
- Supplier Type: imp1
- Default Sub-Account: Override: ☐
- Default Cost Center: Override: ☐

Below this information, there is a table of accounts:

Account	Value	Icon
Purchases Acct: 5100	icsub01	ic01
PO Receipts Acct: 2200	icsub01	ic01
Overhead Appl Acct: 6490	icsub01	ic01
PO Price Var Acct: 5001	icsub01	ic01
AP Usage Var Acct: 5010	icsub01	ic01
AP Rate Var Acct: 5021	icsub01	ic01

Below the table, there is a section titled 'Consignment Accounts' with a table of accounts:

Consignment Account	Value	Icon
PO Consigned Inventory Acct:	1102	
PO Consigned Offset Acct:	1511	

Update Tax Rates

When the Supplier Consignment Inventory module is active, you have an additional option for determining when the system creates GL transactions for tax amounts on consigned purchases. The tax point is determined by settings defined for the tax rate in effect in Tax Rate Maintenance (29.4.1).

Fig. 4.10
Setting Tax Accrual in Tax Rate Maintenance (29.4.1)

Tax Rate Maintenance

Tax Type: 10074 Tax Rate: 8%

Item Tax Class: C74 Description: automotive

Tax Usage: Tax-By-Line: ☒

Effective Date: 06/20/2006 Expiration Date:

Tax Code: 10074 Tax Base:

Minimum Taxable Amount: 0.00

Maximum Taxable Amount: 999,999,999,999.99

Percent Recoverable: 0.00%

Tax Method: 01

Update Tax Allowed: ☐

Allow Tax Included: ☐

Discount Tax at Payment: ☐

Discount Tax at Invoice: ☐

Accrue Tax at Receipt: ☐

Accrue Tax at Usage: ☒ Taxes accrue when inventory is used.

Sales Tax Absorbed: ☐

AP Tax Retained: ☐

Comments:

The Accrue Tax at Receipt setting normally determines the tax point for purchased items. This field is ignored when using this module.

For consigned items, the Accrue Tax at Usage setting lets you accrue taxes when consigned items are used. Items can be used in a variety of ways, including:

- Issue to a work order, distribution order, sales order, repetitive order, or configured item final assembly work order
- Unplanned issue
- Transfer to another location or site

When Accrue Tax at Usage is No, the system creates tax transactions for consigned items at receiver matching.

See “Using Supplier Consigned Inventory” on page 109.

Update Settings for Sites and Locations

When the Supplier Consignment Inventory module is active, you can use the Transfer Ownership field to indicate how consigned inventory should be managed when it is transferred to a specific site.

Fig. 4.11

Transferring Ownership in Site Maintenance (1.1.13)

The screenshot shows the 'Site Maintenance' window with the following fields and values:

- Site: 10000
- Description: NJ Plant
- Domain: st92bmfg
- Entity: 1000
- Declarant:
- Default Inventory Status: 10
- Automatic Locations: ☒
- Inspection Location:
- EMT Supplier: EMTS01
- External Supplier: ☐
- Transfer Variance Acct: 5030
- Transfer Ownership: ☒ (This field is highlighted by a callout line from the text 'Ownership is transferred for locations in this site.'
- PO Transit Location:

The value you specify for a site determines the default value for new locations created in the site. This default applies both to locations created in Location Maintenance (1.1.18) and any locations created by the system when Automatic Locations is Yes. You can modify the default in Location Maintenance as needed.

The same field exists in Location Maintenance. At the location level, this field has the following effect:

No: Inventory received into the location retains its consigned status.

Yes: Receiving inventory transfers into the location initiates a transfer of ownership (usage). To track the ownership change, RCT-PO and CN-ISS transactions occur in addition to the inventory transfer and receipt. The supplier can now invoice you for the inventory, and GL accounts are updated.

Important When receiving inventory through a PO receipt into an initial location, the Transfer Ownership field is not considered. In this case, the system does not record usage, and only a CN-RCT is generated even when Transfer Ownership is Yes. Only location transfers check this setting and generate usage transactions if appropriate.

When the Supplier Consignment Inventory module is not active, the Transfer Ownership field is disabled.

Transfer of ownership occurs automatically when consigned inventory is issued to work orders, sales orders, or final assembly orders and when unplanned issues occur. Ownership transfer is optional only during inventory transfers and receipts.

See “Using Supplier Consigned Inventory” on page 109.

Note Distribution order issues are a type of transfer.

Managing Consigned Inventory

Key management functions of the Supplier Consignment Inventory module are to:

- Manage inventory quantities.
- Provide inventory valuation and update GL accounts.
- Defer AP transactions until consumption.

When you activate the Supplier Consignment Inventory module and begin receiving inventory, the system automatically tracks consigned inventory ownership, quantities, age, use, receiver matching, and payment.

It does this by first identifying which purchase order lines are consignment lines. The system then manages the receipt of consignment line items with special consignment transactions. Information associated with consigned receipts is maintained in a cross-reference table, in addition to the standard inventory information.

The inventory references the PO line on the receipt. These inventory cross-reference records are visible for usage and aging analysis.

Creating Inventory Transaction History

Every inventory transaction creates a record in inventory transaction history. Each record has a unique, sequential transaction number and a transaction type. Transactions include the following information:

- Transaction data
- Inventory data
- Cost data
- GL transaction data
- User ID of the person entering the transaction

Supplier Consignment Inventory Transaction Types

The transaction type code identifies the function used to initiate the inventory change. Table 4.2 lists the supplier consignment transaction type codes included in inventory history records with a brief description of each type and some of the programs that create the transactions. Any other programs that create similar transactions (ISS-SO, ISS-WO, RCT-TR, ISS-UNP) for consigned inventory would also create the special consigned transactions.

Table 4.2
Consignment Transaction Types

Transaction Type	Menu Number	Program that Creates the Transaction/Description
CN-RCT	5.13.1 5.5.5.11 5.13.20	Purchase Order Receipts PO Shipper Receipt Receives consigned inventory into a location. Credits PO Consigned Inventory, debits PO Consigned Offset.
CN-ADJ, RCT-PO	5.18.13	Aging Inventory Update Adjusts balances of consigned inventory. Instead of extending the aging date of consigned inventory, enter Yes in the Use field to indicate consumption. Initiates receipt transactions.
CN-ADJ	5.18.25.21	Consignment Inventory Adjustment Adjusts locations, quantities, and other details of consigned inventory. Debits or credits PO Consigned Inventory account and credits or debits PO Consigned Offset account.
ISS-TR, RCT-TR RCT-PO, CN-ISS	3.4.1 3.4.2 3.4.3 3.4.4 10.5.13 11.1.1.13 11.11.6 18.3.6 18.22.3.6 18.22.5.11 19.26.7 19.26.11	Transfer Single Item Transfer Multiple Item (positive quantities only) Transfer with Lot/Serial Change Batchload Transfer with Lot/Serial Change Project Activity Recording Call Activity Recording Material Order Shipments Repetitive Picklist Transfer Sub-Shipper Issue QM Quality Order Maintenance QM Quality Order Results Entry Moves inventory from one location to another. Note: Consignment transactions occur only when Transfer Ownership is Yes for the receiving location.
RCT-DO, ISS-GIT	12.15.20	Distributed Order Receipt Note: Consignment transactions occur only when Transfer Ownership is Yes for the receiving location.
ISS-DO, RCT-GIT RCT-PO, CN-ISS	12.17.21 12.17.22	Distribution Order Processing Distribution Order Shipments Note: Consignment transactions occur only when Transfer Ownership is Yes for the receiving location.

Transaction Type	Menu Number	Program that Creates the Transaction/Description
ISS-WO, RCT-PO, CN-ISS	3.12 16.10 16.12 16.19 17.13.7 17.6.5 18.14 18.17 18.22.13 18.22.17	Receipts–Backward Exploded Work Order Component Issue Work Order Receipt Backflush Work Order Operation Backflush Flow Schedule Receipts Kanban Fill/Receive Repetitive Labor Transaction (manual backflush) Receipts–Backward Exploded (manual backflush) Backflush Transaction Rework Transaction (manual backflush)
CYC-CNT, RCT-PO, CN-ISS	3.13.2	Cycle Count Results Entry
ISS-SO, RCT-PO, CN-ISS	7.9.5 7.9.7 7.9.15 7.9.21 7.13.1 7.25.3 11.7.1.16 7.18.13 7.18.14 7.18.15 7.18.19 7.18.22	Pre-Shipper/Shipper Confirm Pre-Shipper/Shipper Auto Confirm Sales Order Shipments Shipper Unconfirm Pending Invoice Maintenance SO Batch Shipment Processor RMA Shipments When using Supplier Consignment as Customer Consignment: Inventory Usage Create Authorization Usage Create Sequenced Usage Create Shipper Usage Create Usage Create Undo
ISS-FAS, RCT-PO, CN-ISS	8.13	Sales Order Release to Work Order
ISS-UNP, RCT-PO, CN-ISS	3.7 19.26.7 19.26.11	Issues–Unplanned QM Quality Order Maintenance QM Quality Order Results Entry
CN-ISS	All	Credits PO Consigned Offset, debits PO Consigned Inventory

Reviewing Transaction History

Use Transactions Detail Inquiry (3.21.1) to display detailed inventory transaction history records sorted by transaction number. Enter the transaction number to display all the information about that transaction.

When consigned inventory is used, multiple inventory transactions are processed and corresponding transaction history records created. For the consigned transaction, the system records the number of the standard transaction initiating it in the Remarks field.

The transactions for purchasing, receiving, and using consigned inventory are shown sequentially in the following figures.

Figure 4.12 shows a purchase order (P1136) for 100 consigned items.

Fig. 4.12
Purchasing Consigned Inventory

Purchase Order Maintenance

Purchase Order: P1136 Go To ACTIONS

Header

Purchase Order: P1136 Supplier: TT-1000 Ln Format S/M: Single

Ln	Site	Req	Item Number	Qty Ordered	UM	Unit Cost	Disc%
1	10000		TT-500S	100.0	EA	5.00	0.00%

Line Details

Qty Received: 0.0 Due Date: 05/29/2007 CRT Int: 0.00

Qty to Rel: 0.0

Single Lot: ☐

Location: **Consignment** ☒

Item Revision: Sales/Job: Project: Type:

Status: Fixed Price: ☒ Inspect Req: ☒ Cmmts: ☒

Supplier Item: UM Conversion: 1.0000

Manufacturer: Stock UM Quantity: 100.0

Description: wiring harness, custom Update Avg/Last Cost: ☒ EA

Extended Net Cost: 500.00

Figure 4.13 shows the transaction created when 10 of those items are received into the consignment location, which generates a CN-RCT transaction type. The Remarks field identifies this as a consignment transaction.

Fig. 4.13
Receiving Consigned Inventory (CN-RCT)

Transactions Detail Inquiry

Transactions Detail Inquiry: Go To ACTIONS

Transaction: 919 Output: PAGE

Tran Nbr: 919 Order: P1136 R1227

Trans Type: CN-RCT Revision: 0

Date: 05/29/2007 Item Number: TT-500S

Time: 14:06 Description: wiring harness, custom

Effective Date: 05/29/2007 Unit of Measure: EA

Remarks: Consigned Address: TT-1000

User ID: mat Name: Central Manufacturin

Program: poporc.p SO/Job:

Currency: USD Ship Type:

Qty Change: 100.0 Price: 5.00

Shipper Number: Inv Mov:

Ship Date: 05/29/2007

Transaction is Consigned.

Figure 4.14 represents the usage of consigned inventory from the consigned location using an unplanned issue. The ISS-UNP transaction balances against the CN-RCT transaction to credit the consignment GL accounts that were debited at CN-RCT.

Fig. 4.14
Issuing Consigned Inventory (ISS-UNP)

The screenshot shows a window titled "Transactions Detail Inquiry" with a search bar containing "920" and "Output: PAGE". The transaction details are as follows:

Tran Nbr: 920	Order: 128
Trans Type: ISS-UNP	Revision: 0
Date: 05/29/2007	Item Number: TT-500S
Time: 14:12	Description: wiring harness, custom
Effective Date: 05/29/2007	Unit of Measure: EA
Remarks: Consigned	Address:
User ID: mat	Name:
Program: icunis.p	SO/Job:
Currency: USD	Ship Type:
Qty Change: -10.0	Price: 0.00
Shipper Number:	Inv Mov:
Ship Date:	

The unplanned issue creates two additional transactions: RCT-PO and CN-ISS. When consigned inventory is used/consumed, it changes ownership and becomes non-consigned. Figure 4.15 shows transaction type RCT-PO that was generated from the usage in Figure 4.14. The RCT-PO balances the ISS-UNP. The Remarks field references the transaction number.

Fig. 4.15
Receiving Regular Inventory (RCT-PO)

The screenshot shows a window titled "Transactions Detail Inquiry" with a search bar containing "921" and "Output: PAGE". The transaction details are as follows:

Tran Nbr: 921	Order: P1135	R1226
Trans Type: RCT-PO	Revision: 0	
Date: 05/29/2007	Item Number: TT-500S	
Time: 14:12	Description: wiring harness, custom	
Effective Date: 05/29/2007	Unit of Measure: EA	
Remarks: 920	Address: TT-1000	
User ID: mat	Name: Central Manufacturin	
Program: icunis.p	SO/Job:	
Currency: USD	Ship Type:	
Qty Change: 10.0	Price: 10.00	
Shipper Number:	Inv Mov: yes	
Ship Date:		

References the ISS-UNP transaction that generated this RCT-PO transaction.

Figure 4.16 shows the CN-ISS transaction created during a usage. The RCT-PO transaction generates a CN-ISS transaction, which represents the change in inventory status from consigned to non-consigned. This balances the original CN-RCT transaction.

Fig. 4.16

Transaction History for Issuing Consigned Inventory (CN-ISS)

References the ISS-UNP transaction that generated the CN-ISS transaction.

Transactions Detail Inquiry	
Transaction: 922	Output: PAGE
Tran Nbr: 922	Order:
Trans Type: CN-ISS	Revision: 0
Date: 05/29/2007	Item Number: TT-500S
Time: 14:12	Description: wiring harness, custom
Effective Date: 05/29/2007	Unit of Measure: EA
Remarks: 920	Address:
User ID: mat	Name:
Program: icunis.p	SO/Job:
Currency: USD	Ship Type:
Qty Change: -10.0	Price: 10.00
Shipper Number:	Inv Mov:
Ship Date:	

Ordering Consigned Inventory

When the Supplier Consignment Inventory module is active, additional frames and fields display for user input during order entry in:

- Blanket Order Maintenance (5.3.1)
- Supplier Scheduled Order Maintenance (5.5.1.13)
- Purchase Order Maintenance (5.7)

In all three programs, the system uses a hierarchical approach to retrieve previously entered default data that applies to specific suppliers and items.

- When entering a new order, the system uses default values for the supplier defined in Supplier/Item Controls Maintenance. If a record does not exist for the supplier and a blank item, the system uses defaults defined in Supplier Consignment Control or Supplier Consignment Accounting Control.
- At the purchase order line, the system first uses defaults defined in Supplier/Item Controls Maintenance for the order supplier and line item. If a record does not exist, values default from the order header.

Purchase Order Maintenance

Specify Yes in the Consign field in the purchase order header to indicate that the order includes consigned items.

Note Scheduled orders and blanket orders are processed the same way using similar fields and frames. They are not illustrated here.

Fig. 4.17
Consign Field in Purchase Order Maintenance (5.7)

The screenshot shows the 'Purchase Order Maintenance' window for Purchase Order P1135. The 'Header' section displays 'Purchase Order: P1135', 'Supplier: TT-1000', and 'Ship-To: 10000'. The 'Supplier' section lists 'Central Manufacturing' and '1 Penn Plaza'. The 'Ship To' section lists 'Quality Products Div 1000', 'Distribution Division', 'One World Way', 'Morristown', 'NJ 07960', and 'X United States'. The 'Details' section includes fields for 'Order Date', 'Due Date', 'Buyer', 'Bill To', 'Sales/Job', 'Contract', 'Remarks', 'Price Tbl', 'Disc Tbl', 'Ln Disc', 'Site', 'Project', 'Confirming', 'Currency', 'Taxable', 'Fixed Price', 'Credit Terms', 'Entered By', 'Requested By', 'Imp/Exp', 'Language', and 'Consign'. The 'Consign' field is checked, indicating 'Yes'.

Set Consign field to Yes for consigned orders.

Consign. Enter Yes if most items on this purchase order are received from the supplier as consigned inventory.

Enter No if most items purchased from this supplier are non-consigned.

When you specify Yes in the header Consign field, a Supplier Consignment frame displays, illustrated in Figure 4.18. Scheduled orders and blanket orders are processed the same way using similar fields and frames.

Fig. 4.18
Consignment Frame in Purchase Order Maintenance (5.7)

The screenshot shows the 'Purchase Order Maintenance' window for Purchase Order P1135. The 'Header' section displays 'Purchase Order: P1135', 'Supplier: TT-1000', and 'Ship-To: 10000'. The 'Supplier' section lists 'Central Manufacturing' and '1 Penn Plaza'. The 'Ship To' section lists 'Quality Products Div 1000', 'Distribution Division', 'One World Way', 'Morristown', 'NJ 07960', and 'X United States'. The 'Details' section includes fields for 'Order Date', 'Due Date', 'Buyer', 'Bill To', 'Sales/Job', 'Contract', 'Remarks', 'Price Tbl', 'Disc Tbl', 'Ln Disc', 'Site', 'Project', 'Confirming', 'Currency', 'Taxable', 'Fixed Price', 'Credit Terms', 'Entered By', 'Requested By', 'Imp/Exp', 'Language', and 'Consign'. The 'Consign' field is checked, indicating 'Yes'. A 'Supplier Consignment' frame is displayed over the 'Details' section, showing 'Maximum Aging Days: 90' and 'PO Cost Point: Usage'.

Maximum Aging Days. Optionally enter the maximum number of days consigned inventory on this order is allowed to reside at your facility. Enter 0 (zero) to indicate that no scheduled aging deadline exists.

The system automatically adds the number of days entered here to the receipt date to determine the maximum aging date. The calculated date is used by reports to determine how long inventory has been at your facility.

You can extend the maximum aging date as many times as required using Aging Inventory Update (5.18.13) or Aging Inventory Batch Update (5.18.14). An extension automatically updates each receipt.

PO Cost Point. Specify which purchase order cost you want the system to use to calculate the purchase price variance.

Usage: Use purchase order cost at time of usage.

Receipt: Use purchase order cost at time of physical receipt.

The value defaults from Supplier/Item Controls Maintenance or Supplier Consignment Accounting Control. Once a consigned receipt is processed, this field cannot be updated.

When Usage is specified on scheduled purchase orders, the system looks for the current price in the following order:

- Price list associated with the scheduled order
- Supplier/item price
- Cost of the purchase order

When Usage is specified on discrete purchase orders, the system always uses the cost on the purchase order.

Regardless of what you enter on the header, you are prompted during line-item entry to specify whether the particular line is consigned. If you specify Yes, you can also specify the maximum aging date for the line. Figure 4.19 illustrates the Consignment field for a PO line.

Fig. 4.19
Consignment Line Item Frame in Purchase Order Maintenance

The screenshot shows the 'Purchase Order Maintenance' window for Purchase Order P1135. The 'Header' section displays 'Purchase Order: P1135', 'Supplier: TT-1000', and 'Ln Format S/M: Single'. The 'Lines' table shows one line item with the following details:

Ln	Site	Req	Item Number	Qty Ordered	UM	Unit Cost	Disc%
1	10000		TT-500S	500.0	EA	10.00	0.00%

The 'Line Details' section shows various fields including 'Qty Received: 0.0', 'Due Date: 05/29/2007', 'CRT Int: 0.00', 'Single Lot: ☐', 'Location:', 'Consignment: ☒', 'Sales/Job:', 'Fixed Price: ☒', 'Inspect Req: ☐', 'Cmmts: ☐', 'Item Revision:', 'Status:', 'Supplier Item:', 'Manufacturer:', 'Description: wiring harness, custom', 'UM Conversion: 1.0000', 'Stock UM Quantity: 500.0', 'Update Avg/Last Cost: ☒', and 'Extended Net Cost: 5,000.00'.

Receiving Consigned Inventory

You can receive items purchased on consignment using either:

- Purchase Order Receipts (5.13.1)
- PO Shipper Receipts (5.13.20)

Instead of a standard RCT-PO, which makes the purchase order available for receiver matching, a CN-RCT transaction records the receipt of consigned inventory. The RCT-PO occurs when items are used, causing transfer of ownership from the supplier and making the items available for receiver matching.

Receiving consigned items creates the following GL transactions:

- Debits the PO Consigned Inventory account defined in Purchasing Account Maintenance for the product line, site, and supplier type, if available. Otherwise, the account from Product Line Maintenance is used.
- Credits the PO Consigned Offset account defined in Purchasing Account Maintenance for the product line, site, and supplier type if available. Otherwise, the account from Product Line Maintenance is used.

See “Using Supplier Consigned Inventory” on page 109.

Using Supplier Consigned Inventory

The system records the receipt of consigned inventory with a CN-RCT transaction instead of a standard RCT-PO. The RCT-PO occurs when items are used, causing transfer of ownership from the supplier and making the items available for receiver matching.

Inventory can be consumed at various points in the manufacturing process, initiating the transfer of ownership. Some examples include the following:

- Issue to a manufacturing order, such as a work order, repetitive order, flow schedule, or final assembly work order.
- Issue to a sales order.
- Backflush in a manufacturing process.
- Manually use in a consignment aging program.
- Transfer to a location that is defined as initiating an ownership transfer, either an inventory transfer or issue to a distribution order.

For inventory transfers (ISS-TR) and issues to distribution orders (ISS-DO), transfer of ownership depends on the value of the Transfer Ownership field associated with the receiving location. When this is Yes, usage transactions occur.

Other types of issues always transfer ownership. These include ISS-SO, ISS-WO, ISS-FAS, ISS-UNP.

See “Update Settings for Sites and Locations” on page 100.

The value of Use Consigned First in Supplier Consignment Control determines how the system processes inventory when consigned and non-consigned items are located together.

See “Use Consigned First” on page 95.

GL Effects of Usage

Issuing items with an ownership transfer updates the following consignment accounts:

- Credits the PO Consigned Inventory account defined in Purchasing Account Maintenance for the product line, site, and supplier type
- Debits the PO Consigned Offset account defined in Purchasing Account Maintenance for the product line, site, and supplier type

In addition, transactions are created for all of the accounts normally updated during a PO receipt.

Once a usage transaction (RCT-PO, CN-ISS) occurs, the quantity associated with the receiver is available to be matched with the supplier invoice. Receiver matching of receipts for consigned items occurs in the same way as standard items. Re-averaging of costs takes place when consigned inventory is consumed.

Average costing occurs upon transfer of ownership or at usage of supplier-consigned inventory. Re-averaging of the item cost for non-consigned on-hand inventory is initiated at the time of receipt.

Notifying Suppliers of Usage

You can use two methods to notify your suppliers that you have used consigned inventory:

- Generate a report to send to them.
- Use EDI eCommerce to export usage data.

Generating a Usage Export Report

Use Consignment Usage Export Report (5.18.10) to notify your supplier about consigned items you have used. This is useful if you are not using EDI eCommerce transmissions to communicate usage records.

When run in update mode, the system marks selected records as having been reported. These records are not included the next time the report is run.

Use Consignment Usage Report to see all inventory that has been used regardless of whether it has been reported to the supplier.

Exporting EDI Files

Use Consignment Usage Export (35.4.2) to notify your trading partners, defined in EDI eCommerce, of inventory transactions (RCT-PO, CN-ISS) initiating a transfer of ownership.

Enter ranges of selection criteria for purchase order, item number, supplier, site, and transaction usage dates that apply to the records you want to export. When your supplier imports this information, they can then invoice you for the items used.

See *QAD EDI eCommerce User Guide*.

Using Supplier Consignment and Customer Consignment

If you have both consignment modules active, you can ship items received from a supplier on consignment to one of your customers to be kept on consignment at the customer facility. This type of consignment activity is called a pass through.

Example Your company manufactures printers and ships to large distributors. You receive ink cartridges from one of your suppliers on consignment. When you ship printers to your distributors, you send ink cartridge kits with them on consignment.

In this kind of business scenario, the receiver matching of the items received from your supplier is delayed until your customer uses the items and you receive the usage information from them. To manage this delay, shipping the items does not create an ISS-SO transaction, but a CN-SHIP. When your customer uses the item, the CN-USE transaction triggers the RCT-PO and CN-ISS on the supplier consignment side.

See “Shipping Consigned Inventory” in the Customer Consignment Inventory chapter of *QAD Sales User Guide*.

Using Supplier Consignment with Kanban

When you use Kanban Fill/Receive (17.6.5) to receive and transfer kanban-controlled items, three types of kanban transactions can occur: purchase receipt, item movement, and production receipt.

See *QAD Lean Manufacturing User Guide*.

Inventory balances are updated depending on the setting of Impact Inventory in Kanban Master Maintenance (17.1.1). When Impact Inventory is Yes for a kanban card and the items involved are consigned, additional consignment transactions also occur.

- Executing a purchase receipt transaction records a CN-RCT instead of the standard PO-RCT.
- Executing an item movement transaction creates PO-RCT, CN-ISS transactions if the receiving location is set up for ownership transfer.
- Executing a production receipt transaction creates PO-RCT, CN-ISS transactions as well as the WO-ISS transaction.

Making Inventory Adjustments

Use Consignment Inventory Adjustment (5.18.25.21) to manually modify consigned inventory information such as quantities and locations.

Fig. 4.20
Consignment Inventory Adjustment (5.18.25.21)

The screenshot shows the 'Consignment Inventory Adjustment' window. The title bar reads 'Consignment Inventory Adjustment'. Below the title bar is a menu bar with 'Go To' and 'ACTIONS'. The main area contains the following fields:

- Item Number: TT-500S
- Description: wiring harness, custom
- Lot/Serial Control:
- UM: EA
- Quantity: 80.0
- Unit of Measure: EA
- Conversion: 1.0000
- Site: 10000
- Location: TTLOC
- Lot/Serial:
- Reference:
- Multi Entry: ☐
- Total Qty: 80.0
- Total Cost:
- Receiver: R1227
- Order: P1136
- Line: 1
- Remarks: adjust qty
- Project:
- Effective Date: 05/29/2007
- DR Acct:
- Cr Acct:

Purchase order and line number are required. The system validates that the items on the order line were consigned. A warning displays if there are no consigned items in the location specified.

You might use this program after doing a physical inventory to indicate that surplus items are consigned.

See “Tracking Consigned Inventory During Inventory Counts” on page 115.

Adjustment generates records of type CN-ADJ to record consignment adjustment.

A negative quantity adjustment:

- Credits the PO Consigned Inventory account
- Debits the PO Consigned Offset account

A positive quantity adjustment:

- Debits the PO Consigned Inventory account
- Credits the PO Consigned Offset account

Important Consignment Inventory Adjustment is designed only to update the consignment quantity. It does not adjust any other elements of the regular consignment business cycle. Before using it, be aware that:

- This function does not make any changes to the quantity on hand. This can lead to possible discrepancies between inventory valuation reports and the inventory GL balance. You should make appropriate adjustments to quantity-on-hand balances, as needed.
- Pending supplier invoices are not updated based on this adjustment. Changes to the amount due the supplier must be made manually.

Processing Returns, Rejects, and Corrections

Rejects and Returns

If no usage has occurred against the PO, consigned inventory being rejected is returned to the supplier using:

- Purchase Order Returns (5.13.7)
- Purchase Order Receipts (5.13.1)
- PO Shipper Receipt (5.13.20) with a negative line item quantity

No transfer of ownership occurs during inventory returns to the supplier because the supplier already owns the material.

Corrections and Returns

When Use Consigned First is Yes in Supplier Consignment Control, consigned inventory being returned as a correction is returned to consignment by processing a reversal for a negative quantity using standard programs. The system returns inventory to its consigned site and location to the extent that it has *not* been reported to the supplier as used.

When Use Consigned First is No (the default), consigned inventory is returned as non-consigned.

If usage against the PO has been reported to the supplier, consigned inventory being returned as a correction is returned to the designated site and location as non-consigned.

The system excludes reported usage records for reversals, thus eliminating the risk of double payment for consigned inventory when original usage was reported and paid prior to a reversal transaction. Usage records created due to the aging of consigned inventory are also excluded from reversal transactions.

In addition to a standard issue transaction for the negative quantity, negative quantities processed as consigned reversals create RCT-PO and CN-ISS transactions. The quantity is transferred back to consigned inventory.

When reversals of consigned inventory occur, the system creates a GL transaction that debits the Consigned Inventory account and credits the Consigned Inventory Offset account.

The system automatically adjusts the existing unpaid pending supplier invoice that was created when the material was first consumed.

Managing Aged Inventory

In the Supplier Consignment Inventory module, you can track inventory by receipt date or by how long it has been in a consignment location. By assigning maximum aging days to the purchase order line, you can:

- Identify inventory on a particular purchase order receipt that exceeds the maximum aging date without being consumed.
- Extend the aging date by number of days or date on items received on individual or multiple purchase orders.
- Transfer ownership of the consigned inventory from a supplier to yourself.

When you have not consumed or returned consigned inventory by the maximum aging date, ownership can be transferred to you. The transfer of ownership does not occur automatically, however, allowing you and your supplier to negotiate a compromise.

Note The aging date is separate from the expiration date.

To determine the date that maximum aging occurs, the system uses the following calculation:

$$\text{receipt date} + \text{maximum aging days} = \text{maximum aging date}$$

- Receipt date is the date recorded in Purchase Order Receipts (5.13.1) or PO Shipper Receipt (5.13.20).
- Maximum aging days is taken from the consignment purchase order line data in Purchase Order Maintenance (5.7) or Supplier Scheduled Order Maintenance (5.5.1.13).

The calculated maximum aging date for each shipment is shown in various aging reports.

Identifying Aged Inventory

Use Aging Inventory Report by Order (5.18.15) to determine how long unused inventory has been consigned for ranges of PO or scheduled order numbers. You can make daily, weekly, or monthly determinations for six periods, such as six calendar weeks.

Fig. 4.21
Aging Inventory Report by Order (5.18.15)

Use Aging Inventory Report by Part (5.18.16) to identify consigned inventory by item number.

Extending the Aging Date

Use Aging Inventory Update (5.18.13) to extend the allowed time of consignment by setting a new aging date or adding days to the existing date. You can extend the maximum aging date as many times as required. An extension automatically updates each purchase order receipt.

Enter selection criteria in the first frame. The system displays matching order lines in the Cross Reference Details frame. Select a record for update and modify it as required in the Max Age Date frame.

Fig. 4.22
Aging Inventory Update (5.18.13), Cross Reference Details and Max Age Date Frames

ID	Item Number	Order	Line	Receiver	Age Date	New Date	Use
1	TT-500S	P1135	1	R1226	08/27/2007		
2	TT-500S	P1136	1	R1227	08/27/2007		

Max Age Date							
ID: 1	TT-500S	P1135	1	R1226	08/27/2007		
Quantity: 563.0		EA	Effective Date: 05/29/2007				
Use: ☐	New Date: 5/29/2007		Days: 0				

Values default from receipt data. You can update the following fields in the Max Age Date frame:

Use. Enter Yes to designate this inventory as used. Entering Yes generates transaction history records of type CN-ADJ to record the transfer of consigned inventory and RCT-PO to record receipt from the supplier.

New Date. Enter the new maximum age date you want to assign to this inventory, unless you enter the number of calendar days you want to add to the age date.

Days. If New Date is blank, enter the number of calendar days you want to add to the maximum age date. The system automatically calculates the new date.

Use Aging Inventory Batch Update (5.18.14) to revise aging dates for items received on multiple purchase orders. When you extend the aging date, the system automatically updates the age date on each PO receipt.

See “Using Supplier Consigned Inventory” on page 109.

Tracking Consigned Inventory During Inventory Counts

During cycle count and physical inventory count processes, you must determine procedures for managing consigned inventory. Typically, you include supplier consigned inventory during a count because it is physically present at your site.

Various cycle count and physical inventory programs let you manage supplier consigned inventory according to your needs. You can count:

- Only consigned inventory
- Only non-consigned inventory
- Both consigned and non-consigned inventory

For example, you can use consignment fields in Cycle Count Worksheet Print (3.13.1) to select inventory to count.

Fig. 4.23
Tracking Consigned Inventory Using Cycle Count Worksheet Print (3.13.1)

Similarly, when you use Item Tag Create (3.16.1), you can choose to update tags for only consigned, only non-consigned, or both types of inventory.

Fig. 4.24
Tracking Consigned Inventory Using Item Tag Create (3.16.1)

When you exclude consigned inventory, any inventory adjustments affect non-consigned inventory only. If you choose to include consigned inventory or do a count of consigned inventory only, the system uses special transactions when adjusting inventory downward.

These transactions occur in Cycle Count Results Entry (3.13.2) and Inventory Balance Update (3.16.21).

The system checks the value of Use Consigned First in Supplier Consignment Control to determine how to manage adjustments. Downward adjustments to supplier consigned inventory create the standard CYC-CNT or TAG-CNT transaction, followed by RCT-PO and CN-ISS transactions to track the inventory changes and transfer ownership of material.

The various possibilities are shown in Table 4.3.

Table 4.3
Balancing Consigned Inventory After Cycle or Physical Counts

Option Entered	Results	Action	Transactions
Only consigned	Shortage	Shortage is reduction of consigned inventory.	CYC-CNT or TAG-CNT RCT-PO, CN-ISS
	Surplus	Surplus is non-consigned.	CYC-CNT or TAG-CNT
Include consigned and non-consigned	Shortage	Depends on value of Use Consigned First in Supplier Consignment Control	If Yes: CYC-CNT or TAG-CNT RCT-PO, CN-ISS If No: CYC-CNT or TAG-CNT
	Surplus	Surplus is non-consigned.	CYC-CNT or TAG-CNT
Exclude consigned	Shortage	Shortage is reduction of non-consigned.	CYC-CNT or TAG-CNT
	Surplus	Surplus is non-consigned.	CYC-CNT or TAG-CNT

Use Consignment Inventory Adjustment (5.18.25.21) to associate the surplus (non-consigned) inventory to a consignment order, if needed.

See “Using Supplier Consigned Inventory” on page 109.

Reporting Supplier Consignment Inventory Data

The system automatically collects consigned inventory data during transactions. The Supplier Consignment Inventory module provides several reports for collecting, locating, tracking, and reviewing consigned inventory. These reports are designed to clearly show data for consigned and consumed inventory.

A number of reports let you evaluate accounts and track inventory movement from its initial receipt to ownership transfer or consumption. Table 4.4 shows reporting tools available in Supplier Consignment Inventory and a brief explanation of the data that each provides.

Consigned inventory data is also shown in many standard inventory reports and inquiries. For a list of these reports, see the Customer Consignment Inventory chapter in [QAD Sales User Guide](#).

Table 4.4
Reports and Inquiries in the Supplier Consignment Inventory Module

Menu	Report	Function/Purpose
5.18.2	Supplier/Item Controls Browse	Displays data defined for consigned inventory items and suppliers.
5.18.6	Consignment Inventory Report	Displays consigned inventory items of a product line by selected criteria including site, location, lot/serial number, ABC class, grade, assay %, status, expiration date, and other details.
5.18.7	Consignment Inventory by Order	Displays selected consigned inventory receipts sorted by PO. Displays with or without quantities and is sorted by: (1) Site, customer, supplier, item, PO, (2) Item, site, supplier, PO, or (3) PO, item.
5.18.8	Consignment Usage Report	Displays detailed inventory usage by selected criteria including PO, item, supplier, site, and usage date. Is sorted by: (1) Site, supplier, item, PO, (2) Item, site, supplier, PO, or (3) PO, item.
5.18.9	Consignment Usage Summary Report	Displays inventory usage by selected criteria including PO, item, supplier, site, and date. Is sorted by: (1) Site, supplier, item, PO, (2) Item, site, supplier, PO, or (3) PO, item.
5.18.10	Consignment Usage Export Report	Displays inventory usage with the option to mark usage records as reported.
5.18.15	Aging Inventory Report by Order	Displays inventory quantities and aging dates by purchase order.
5.18.16	Aging Inventory by Part	Displays inventory quantities and aging dates by item number.

Supplier Performance

Overview of Supplier Performance 120

Introduces the Supplier Performance module and its features and workflow.

Setting Up Supplier Performance 124

Details the steps that must be taken to set up the module.

Collecting Performance Data 134

Describes how and where performance data is collected.

Reporting and Managing Data 139

Details the reporting, data consolidation, and delete/archive functions of the module.

Overview of Supplier Performance

The Supplier Performance module enables manufacturers to monitor the performance of their internal and external suppliers. Depending on your manufacturing environment, you can customize the way your system collects performance data as well as how you report performance metrics. You can create your own data collection points or use the ones predefined in the system.

This module provides flexible automatic and manual data collection. You can optionally record any nonroutine events or modify or add to any existing event with the maintenance functions. Finally, you can tailor performance reports—both internal and external—to meet your needs.

Note Supplier Performance is an element of the QAD PRO/PLUS functionality. Other PRO/PLUS elements include:

- AR Self-Billing; see [QAD Financials User Guide](#)
- Container and Line Charges; see [QAD Sales User Guide](#)
- Customer Sequence Schedules; see [QAD Scheduled Order Management User Guide](#)
- Shipment Performance Reporting; see [QAD Sales User Guide](#)
- Supplier Shipping Schedules; see [QAD Scheduled Order Management User Guide](#)

Features

Flexible Registration

With the Supplier Performance module, you can enable or disable data collection for any registration. A *registration* in Supplier Performance is the record used to specify the supplier, site, item, corporate commodity code, date, or combination of these for which performance data is collected.

You can explicitly define when, where, and for what registration you want data to be collected. You can further define the data you want to collect by specifying a date or date range when the data collection should occur or be disabled.

Flexible Event/Category Definitions

This module gives you broad control of the performance activities you want to count, where you want to count them, and for which registration you want to collect data. You can use system events as measurements, or you can define the specific nonsystem events to be counted. Supplier Performance automatically collects data during the following transactions:

- Schedule Update from MRP (5.5.3.1)
- Purchase Order Receipts (5.13.1)
- PO Shipper Receipt (5.13.20)
- RTS Receipts (11.7.3.13)
- Distributed Order Receipt (12.15.20)
- Document Import (35.1)

Using category and event definitions, tell the system what data you want reported, and how you want that data to be reported. Although the system has predefined categories and events, you must create corresponding category and event definitions. Your category and event definitions tell the system how much each system category and event is worth, whether to report data for that event or category, and how to report that data.

Use Performance Category Maintenance (5.15.1) and Performance Event Maintenance (5.15.5) to create category and event definitions for each system category and event. Use System Category/Event Maint (5.15.22) to link system categories and events with the category and event definitions you create.


When you create category and event definitions, you can specify if you want optional data collection to occur during the following system transactions:

- Inventory Transfers
 - Transfer–Single Item (3.4.1)
 - Transfer–Multi Item (3.4.2)
 - Transfer with Lot/Serial Change (3.4.3)
 - Batchload Transfer with Lot/Serial Change (3.4.4)
- Purchase Order Returns (5.13.7)
- RTS Shipments (11.7.3.16)

Figure 5.1 shows some events you can track. You can create nonsystem event definitions that you can manually enter into the system. For example, you can define events to track supplier performance by:

- Freight type or cost
- Product quality
- Service quality
- On-time scheduled-order delivery

Fig. 5.1
Sample Supplier Performance Data Collection Points



Multiple Rating Systems

Supplier Performance offers three performance calculation and rating methods.

Discrete method. Counts points associated with each performance event; for example, 100 points earned for 100 on-time deliveries.

Proportional method. Assigns a percentage rating based on the actual number of satisfactory events completed divided by the total possible number of events.

Parts-per method. Similar to the proportional method, but uses a large factoring number to assign a rating.


You are not limited to using only one method in your system. Apply any method to each of the registrations you are tracking.

See “Using the Computational Methods” on page 130 for more details.

Supplier Performance Workflow

Figure 5.2 shows a typical Supplier Performance workflow.

Fig. 5.2
Supplier Performance Workflow



Supplier Performance Programs

The Supplier Performance module uses the programs listed in Table 5.1.

Table 5.1
Supplier Performance Programs

Menu Number	Description	Program Name
5.15.1	Performance Category Maintenance	povecmt.p
5.15.2	Performance Category Browse	pobr026.p
5.15.3	Supplier/Category Maintenance	povescmt.p

Menu Number	Description	Program Name
5.15.4	Supplier/Category Browse	pobr023.p
5.15.5	Performance Event Maintenance	poveemt.p
5.15.6	Performance Event Browse	pobr024.p
5.15.7	Performance Weight Factor Maint	povewmt.p
5.15.8	Performance Weight Factor Browse	pobr025.p
5.15.10	Registration Maintenance	povesimt.p
5.15.11	Registration Report	povesirp.p
5.15.13	Performance Data Maintenance	povepmt.p
5.15.14	Performance Data Report	povedrp.p
5.15.38	Performance Data Report	.NET UI only
5.15.15	Performance Report Card	povedrp2.p
5.15.17	Missed Shipment Event Generator	povemsrq.p
5.15.19	Summary Data Extract	povesmex.p
5.15.20	Summary Data Report	povesmrp.p
5.15.22	System Category/Event Maint	poveecmt.p
5.15.23	Delete/Archive Menu ...	
5.15.23.1	Performance Data Delete/Archive	poveup.p
5.15.23.2	Summary Data Delete/Archive	povesup.p
5.15.23.3	Supplier Cross-Reference Maint	povexmt.p
5.15.23.4	Supplier Cross-Reference Report	povexp.p
5.15.23.5	PO Supplier Cross-Reference Browse	pobr034.p
5.15.23.6	DO Cross-Reference Browse	dobr002.p
5.15.24	Supplier Performance Control	povepm.p

Supplier Performance Program Types

The Supplier Performance module consists of four program types:

- Setup programs
- Registration programs
- Data collection and maintenance programs
- Reports and inquiries

Each step of the supplier performance process is detailed in the following sections.

Setting Up Supplier Performance

This section details the steps you must take when setting up your Supplier Performance system:

- Planning a Supplier Performance System
- Configuring Control Program Settings
- Defining Performance Categories
- Defining Performance Events
- Creating Category and Event Relationships
- Defining Weight Factors
- Creating Registrations
- Collecting Data Without Reporting

Planning a Supplier Performance System

Before you begin the supplier performance setup, you should first plan your system. Basic information you should decide and plan before setting up a supplier performance system includes:

- The categories and events to monitor
- The impact or value of events
- The suppliers, items, sites, and/or commodity codes to monitor
- The impact or value of events for specific registrations

For example, does registration A in another country receive the same late penalties as registration B, located across town?

- The computational system to use for each category
- Which suppliers should receive e-mail performance reports

Configuring Control Program Settings

To set up the supplier performance system, you must first activate it and define default information in Supplier Performance Control (5.15.24).

Fig. 5.3
Supplier Performance Control (5.15.24)

Use the following field descriptions to guide you through the control program setup.

Use Supplier Performance. Enter Yes or No (the default) to indicate whether Supplier Performance is enabled.

When disabled, information related to supplier performance is not captured by the system. This field overrides all other Supplier Performance fields.

Acceptable Days Early. Enter the acceptable number of days a shipment can be early without generating an early shipment event.

This value sets the default for the same field in Registration Maintenance (5.15.10).

Acceptable Days Late. Enter the acceptable number of days a shipment can be late without generating a late shipment event.

This value sets the default for the same field in Registration Maintenance.

Use Shipment Percent. Specify whether the system should evaluate the incoming receipts against a user-specified value.

No: Evaluation does not occur. The values in the corresponding Acceptable Over Shipment and Acceptable Under Shipment fields are not used.

Yes: The system evaluates whether incoming receipts are over or under a user-specified percentage value. The evaluation is based on a comparison of quantity received to quantity expected.

This value sets the default for the same field in Registration Maintenance.

Acceptable Over Shipment. When Use Shipment Percent is Yes, enter the maximum percentage by which an incoming shipment can be over the expected quantity without generating an overshipment event.

This value sets the default for the same field in Registration Maintenance.

Acceptable Under Shipment. When Use Shipment Percent is Yes, enter the maximum percentage by which an incoming shipment can be under the expected quantity without generating an undershipment event.

This value sets the default for the same field in Registration Maintenance.

Use Shipment Quantity. Specify whether to use the shipment quantity to calculate supplier performance.

No: Evaluation does not occur. The values in the corresponding Acceptable Over Shipment and Acceptable Under Shipment fields are not used.

Yes: The system evaluates whether incoming receipts are over or under the user-specified quantity.

This value sets the default for the same field in Registration Maintenance.

Acceptable Over Shipment. When Use Shipment Quantity is Yes, enter the maximum quantity by which an incoming shipment can be over the expected quantity without generating an overshipment event.

This value sets the default for the same field in Registration Maintenance.

Acceptable Under Shipment. When Use Shipment Quantity is Yes, enter the maximum quantity by which an incoming shipment can be under the expected quantity without generating an undershipment event.

This value sets the default for the same field in Registration Maintenance.

Use Shipment Percent Cost. Specify whether the system should evaluate the incoming receipts based on the percentage of item cost.

No: Evaluation does not occur. The value in the corresponding Acceptable Over Shipment field is not used.

Yes: The system evaluates whether incoming receipts are over or under the specified percentage value. The evaluation is based on a comparison of quantity received to quantity expected.

Example An item might cost \$1,000 each, and you receive 12 instead of 10. The overshipment based on quantity might not generate a supplier performance event, but if the percent of cost is 10%, then an overshipment is recorded.

This value sets the default for the same field in Registration Maintenance.

Acceptable Over Shipment. When Use Shipment Percent Cost is Yes, enter the maximum cost by which an incoming shipment can be over the expected cost based on a percentage.

This value sets the default for the same field in Registration Maintenance.

Use Shipment Quantity Cost. Specify whether to use the total value of the shipment quantity to calculate supplier performance.

No: Evaluation does not occur. The value in the corresponding Acceptable Over Shipment field is not used.

Yes: The system evaluates whether incoming receipts are over a specified cost based on quantity. The evaluation is based on a comparison of the cost of the quantity received and the cost of the quantity expected.

This value sets the default for the same field in Registration Maintenance.

Acceptable Over Shipment. When Use Shipment Quantity Cost is Yes, enter the maximum cost by which an incoming shipment can be over the expected cost based on quantity.

This value sets the default for the same field in Registration Maintenance.

Default Points. Enter the default point value to use when creating events in Performance Event Maintenance (5.15.5).

This value sets the default for the Points field in Performance Event Maintenance.

Parts-Per Counter. Enter the parts-per calculation method:

Quantity: The parts-per calculation is based on the total quantity ordered.

Events: The calculation is based on the number of events a receipt has generated.

This value sets the default for the same field in Performance Category Maintenance (5.15.1).

Parts-Per Factor. Enter the factor used to calculate supplier performance rank when the parts-per rating method is used. The default is 1,000,000.

This value sets the default for the same field in Performance Category Maintenance.

Missed Shipment As Of Date. This field displays the date entered for the same field in the Missed Shipment Event Generator (5.15.17) when that program was last executed. This is the beginning date the system uses when searching for missed shipments. This field is for reference only and is not editable.

Last Missed Shipment Run. This field displays the last date the Missed Shipment Event Generator was run. This field is for reference only and is set by the system each time Missed Shipment Event Generator is run.

Include Purchase Orders. Enter Yes or No to specify whether the Missed Shipment Event Generator should consider purchase orders. This value sets the default for the same field in Missed Shipment Event Generator.

Include DRP Orders. Enter Yes or No to specify whether the Missed Shipment Event Generator should consider distribution orders. This value sets the default for the same field in Missed Shipment Event Generator.

Include Scheduled Orders. Enter Yes or No to specify whether the Missed Shipment Event Generator should consider scheduled orders. This value sets the default for the same field in Missed Shipment Event Generator.

Net Same Day Receipts. Specify whether multiple same-day receipts should be netted as one receipt when calculating the supplier's overall report card score.

Note This setting applies only to over- or under-quantity performance events. It has no effect on events related to early or late receipt dates.

No (the default): Supplier Performance considers each individual receipt that does not equal the open quantity to be an under- or overshipment, and generates the related performance event.

Yes: Total receipts for the day are compared against what is expected. If the supplier delivers the expected quantity during the day, no events are generated. Otherwise, the system generates a single under- or overshipment event for the day, as appropriate.

Enable Inv Transfer. Enter Yes or No (the default) to specify whether the system should prompt the user for supplier performance data during inventory transfers.

Yes: A supplier performance data pop-up appears in the inventory transfer programs when transferring material from the inspection location.

Transfer programs are:

- Transfer–Single Item (3.4.1)
- Transfer–Multi Item (3.4.2)
- Transfer with Lot/Serial Change (3.4.3)
- Batchload Transfer with Lot/Serial Change (3.4.4)

Enable PO Return. Enter Yes or No (the default) to specify whether the system should prompt the user for supplier performance data during purchase order returns.

Yes: A supplier performance data pop-up appears in Purchase Order Returns (5.13.7) and RTS Shipments (11.7.3.16).

Maximum ASN Lead-Time. Enter the maximum lead time for advance ship notices (ASN). You must use the standard hour and minute time format (HH:MM).

This field determines the amount of time allowed between the time a shipment leaves the supplier's dock and the time the ASN for that shipment is created and sent to the customer. This field also controls the RTS pop-up.

Example The maximum ASN lead time is 00:20. If a shipment leaves the supplier's dock at 9:00 AM, the supplier must create and send the ASN for that shipment before 9:20. If the supplier sends the ASN after 9:20, the lead time has been exceeded and a late-ASN event is recorded.

This value sets the default for the same field in Registration Maintenance.

Defining Supplier Interval Ratings

Use the Supplier Interval Ratings frame to create a reference table that appears on the supplier's performance report card. The table shows performance levels and is used as a guide for interpreting supplier ratings.

See "Reporting and Managing Data" on page 139.

Fig. 5.4
Supplier Performance Control, Supplier Interval Ratings Frame

Supplier Interval Ratings		
First Interval Title:	Excellent	Min: 91 - Max: 100
Second Interval Title:	Good	Min: 81 - Max: 90
Third Interval Title:	Acceptable	Min: 71 - Max: 80
Fourth Interval Title:	Fair	Min: 61 - Max: 70
Fifth Interval Title:	Unacceptable	Min: - Max: 60

To set up the interval ratings table, enter the interval titles with their corresponding maximum score. The system generates the appropriate minimum score numbers for each level and displays the results in descending order.

Defining Performance Categories

The next step in setting up Supplier Performance is to define categories in Performance Category Maintenance (5.15.1). Supplier performance uses four predefined system categories to capture and associate event data.

- ASN Information
- PO Receipts
- DO Receipts
- RTS Receipts

You must create category definitions to use the data captured by system categories. The system uses the details from the category definitions you create to sort, calculate, and report on data captured by the corresponding system categories.

Fig. 5.5
Performance Category Maintenance (5.15.1)

Aspects of the category you can customize include:

- Naming the category
You can use the predefined system category names or create names to fit your environment.
- Activating or deactivating categories
You can have multiple categories in your system but use only a subset of these. If you want to stop using a category without deleting it from your system, deactivate it in the Use Category field. If you want to stop reporting for a category without stopping data collection, use Supplier/Category Maintenance (5.15.3).
- Defining point values
Use Maximum Points to indicate the maximum allowable points for the category. Use Threshold Points to define the minimum number of points a supplier can have in the category before that supplier is considered deficient.
- Defining computational methods
Use Computational Method to indicate how performance points are calculated for the category.
- Setting lookup table ranges when applicable. See “Understanding the Lookup Table” on page 130.

Use Performance Category Browse (5.15.2) to view the categories you create using Performance Category Maintenance.

Using the Computational Methods

Categories are scored using one of three computational methods, each with its own attributes and purpose.

Discrete method. This method involves adding or deducting points from a category's starting value or maximum points. The Discrete Type field determines if the event adds to or deducts from the supplier's score. This method is commonly used with subjective categories, but can be used by all categories.

Proportion method. This method distributes the total points based on a number of occurrences captured. It takes into account the number of occurrences captured and the number of events captured. This supports manufacturers who, for example, determine that the number of deliveries should be factored into the rating on delivery.

Parts-per method. This method uses a factoring value (typically 1 million) to extrapolate the points awarded and produces a result that helps differentiate suppliers having almost perfect scores. The parts-per method includes a lookup table. The table contains the range of values for lookup and an associated percentage of category points.

Understanding the Lookup Table

When you are using the parts-per computational method you can create a reference lookup table. Set Use Lookup Table to Yes to create and use a lookup table for a supplier. The values you set up in this table are used by the Performance Report Card (5.15.15) to calculate the supplier's score percentage.

Fig. 5.6
Performance Category Maintenance, Lookup Table Ranges Frame

Value From	Value To	Percent
0.0	250.0	99.00
251.0	500.0	97.00
501.0	1,000.0	95.00
1,001.0	1,200.0	93.00
Value From	Value To	Percent
1,201.0	250.0	91.00

Many manufacturing companies set specific performance guidelines for their suppliers. The lookup table is used when these guidelines indicate a parts per number.

One example of the lookup table's use is:

- A company requires a supplier to have no more than 50 defective parts per million.
- For that company, the category Quality is worth 50 points on the report card.
- To manually calculate the parts per number, you take the actual number of defective parts and the total number of parts and put them into terms of the Part-per value (in this case a million) using the following formula:

$$[\text{part per number} = (\text{defective parts} / \text{total parts ordered}) * 1,000,000]$$

With 100,000 parts ordered and 34 defective, the supplier's part per number is 340, calculated as:

$$[\text{parts per} = (34 / 100,000) * 1,000,000]$$

This part per number (340) still needs to be related to the points the supplier should receive for the category. This is the purpose of the lookup table.

In Figure 5.6, the 340 part per number fits into the interval of 251–500, so the Quality category would receive 97% of 50 points, or 48.5 points.

Defining Performance Events


After setting up category definitions, create event definitions in Performance Event Maintenance (5.15.5). Events are actions—positive or negative—that the system records and uses as supplier performance data. Examples of events are on-time delivery, quality of items, undershipment, or overshipment.

Event points are used by the discrete computational method only. The proportional and parts-per computational methods use ratios to rate suppliers based on activity.

As events occur, points are awarded to the supplier. These events are termed *system events* because the system can automatically recognize and count them. You must create event definitions to use the data captured by the system events. The details from the event definitions you create are used to sort, calculate, and report on data captured by the corresponding system events.

Fig. 5.7

Performance Event Maintenance (5.15.5)



The screenshot shows a window titled "Performance Event Maintenance...". Inside, there's a header bar with "Performance Event Maintenance:" and a "Go To" dropdown. Below this, there's a section for "Event Code: Late". The "Name" field contains "Rcvd Late", the "Description" field contains "Rcvd after due date", and the "Points" field contains "4.00".

You define the points corresponding to the events during setup. Once your system is active, it automatically recognizes the event, and the event definition indicates how to award point values. This reduces the amount of manual data entry needed during the normal business flow.

See “Creating Category and Event Relationships” on page 132.

Events of a subjective nature are termed *subjective events*, since it takes a user decision to determine the event. These user-interpreted events are captured manually using the various Supplier Performance pop-up windows or using Performance Data Maintenance (5.15.13).

System events are negative events such as late shipment, overshipment, or duplicate ASNs. Subjective events can be positive, such as good phone support or sharing research costs. They can also be negative, such as wrong labeling or excess freight charges.

You can update the definition of both system and subjective events at any time. Changes take effect immediately.

Use Performance Event Browse (5.15.6) to view the event definitions you create using this program.

Creating Category and Event Relationships

After defining categories and events, use System Category/Event Maint (5.15.22) to relate system categories and events with the category and event definitions you created in Performance Event Maintenance and Performance Category Maintenance.

As automatic data collection takes place, these category and event code cross-references are used to relate the system activities to the supplier report card using your category and event definitions. The category and event definition codes tell the system where to place the data.

Fig. 5.8
System Category/Event Maint (5.15.22)

In some situations, not all system categories and events are used; leave these references blank. Entries in all fields are optional. When you leave a field blank, the automatic data collection process does not create events for that system category or event. If you modify a field and remove the value, the system stops collecting data for these categories and or events.

Defining Weight Factors

After relating categories and events, define weight factors for your system using Performance Weight Factor Maint (5.15.7).

Weight factors are multipliers used to affect the value of an event by compounding its severity. Weight factors are only applied to discrete categories. The weight factors you create should reflect the type of impacts you want to have on your suppliers' ratings. Some examples of weight factors you can apply to the quality of a commodity delivered to you are normal, excellent, and poor.

Weights are typically used for negative events to indicate the level of disruption to a normal routine. You predefine weight factors in order to provide consistency in their use. Applying a weight to an event is a manual task and is done in Performance Data Maintenance (5.15.13). The system is designed to allow weights to be applied to events at any point after the events have been recorded.

Fig. 5.9
Performance Weight Factor Maintenance (5.15.7)

Weight factors are optional measurements, but can be an important part of the performance measurement system. The weight factors you create will vary depending on your manufacturing environment.

Example A supplier provides you with uncommonly poor-quality goods. The associated Poor Quality event code is worth 1 point. However, you apply the Extremely Poor weight factor, which has a value of 3.00. The system calculates the new weighted performance event score as 3 (1 x 3.00). The weighted performance event score displays on the supplier's report card.

Use Performance Weight Factor Browse (5.15.8) to view the weight factors created using this program.

Creating Registrations

The final step in setting up the Supplier Performance system is to register the suppliers, items, commodity codes, or sites to be monitored. Use Registration Maintenance (5.15.10) to create registrations that indicate the items, suppliers, commodity codes, sites, or combination of these to track and rate. You can also use Registration Maintenance to exclude any registration from performance tracking by setting Use Supplier Performance to No.

Fig. 5.10
Registration Maintenance (5.15.10)

To create a registration, enter identifying information in the first frame. You can fill in all of the fields to measure performance for very specific suppliers that meet the criteria. A very specific registration could be for a certain item, from a specific supplier, at a specific site.

You can specify only one field to collect data for a broader range. If you specify a commodity code only, for example, performance data is collected for both PO and DO suppliers from all sites that supply any item belonging to the commodity code you specify.

The data in the second frame defaults from Supplier Performance Control (5.15.24). Modify the default information according to the specific need of the registration you are creating.

Use Registration Report (5.15.11) to view all details associated with the registrations you create in this program.

See “Configuring Control Program Settings” on page 124 for details.


Collecting Data Without Reporting

Use Supplier/Category Maintenance (5.15.3) to disable the reporting of data for a particular supplier, site, or any site and supplier combination.

This program can create exceptions to the normal registration. By turning off a category for a supplier, the category is still registered, but the information gathered is not used in the score calculation. In effect, you give the category full points on the supplier's report card.

You can disable category data reporting for a supplier and all the sites it serves by leaving the Site field blank. You can disable data reporting for a site regardless of the supplier that serves it by leaving the Supplier field blank.

Fig. 5.11
Supplier/Category Maintenance (5.15.3)



The screenshot shows a window titled "Supplier/Category Maintenance...". Inside, there is a form with the following fields and values:

Supplier Source: PO	
Supplier: TT-1000	Central Manufacturing
Site: 10000	NJ Plant
Category: 90	PO Receipts
Use Category In Scoring: ☒	

Collecting Performance Data

This section reviews how and where performance data is captured. The following topics are discussed:

- Automatic data collection
- User-assisted data collection
- Manual data collection
- Updating captured data with comments, weights, and other information
- Finding missed shipments and how they are handled

Collecting Data Automatically


Performance data can be collected automatically during the following transactions:

- Schedule Update from MRP (5.5.3.1)
- Purchase Order Receipts (5.13.1)

- PO Shipper Receipt (5.23.20)
- RTS Receipts (11.7.3.13)
- Distributed Order Receipt (12.15.20)
- Document Import (35.1)

Each time a measurable transaction occurs, the system checks for associated registrations. Once a registration is confirmed, the performance data is recorded. Figure 5.12 shows the automatic data collection cycle.

Fig. 5.12
Automatic Data Collection Cycle



When receipts and imports are processed for valid registrations, the system evaluates each receipt and EDI document import to determine if a performance event should be recorded.

Table 5.2 shows all the automatically created performance events and where they are generated. As events are recorded and stored in the your database, you can run the Performance Report Card (5.15.15) or the Performance Data Report (5.15.14) to gauge the supplier's performance against the system-defined categories used during automatic data capture.

Note An enhanced .NET UI version of Performance Data Report is available on menu 5.15.38.

Table 5.2
Automatic Data Collection Events and Where They Are Captured

Captured During	Possible Events	
PO Receipts	Early Receipt	Overshipment
	Late Receipt	Undershipment
DO Receipts	Early Receipt	Overshipment
	Late Receipt	Undershipment
RTS Receipts	Early Receipt	Overshipment
	Late Receipt	Undershipment
ASN Import	Late ASN	Duplicate ASN
Schedule Update From MRP	Missed Shipment	

Understanding Automatic Data Collection

Several types of events are automatically generated during various transactions, as shown in Table 5.2 on page 135. These transactions, the possible events, and how the events are captured are discussed here.

PO, DO, and RTS Receipts

During a PO receipt, DO receipt, or RTS receipt, an early, late, overshipment, or undershipment event can be automatically generated, based on the following calculations:

- 1 The receipt date is compared with the planned receipt date. If the receipt is early or late, that number of days is compared with the values specified in Acceptable Days Early or Acceptable Days Late in the control program. When an acceptable value is exceeded, a late or early event is automatically created.
- 2 The receipt quantity is compared with the open quantity. If the receipt quantity is under or over the open quantity, that quantity is converted to a percent. The difference and difference percent are compared with the values in Acceptable Over Shipment (quantity), Acceptable Under Shipment (quantity), Acceptable Over Shipment (percent), and Acceptable Under Shipment (percent) in the control program. When one of these values is exceeded, an event is automatically created.
- 3 The cost of the quantity received is compared with the cost of the open quantity. If the quantity-received cost is more than the open-quantity cost, the cost difference is converted to a percent. The cost difference and cost difference percent are compared with the values in Acceptable Over Shipment (cost) and Acceptable Under Shipment (percentage). When one of these values is exceeded, an event is automatically created.

For field information, see “Configuring Control Program Settings” on page 124.

Advance Ship Notice

Late ASN events are recorded when the lead time for ASNs specified in Maximum ASN Lead-Time in Supplier Performance Control is exceeded. ASN lead time is the amount of time allowed between the time a shipment leaves the supplier’s dock and the time the ASN for that shipment is created and sent to the customer. Both of these times are contained within the EDI transaction.

Schedule Update from MRP

During Schedule Update from MRP only missed shipment events are generated. If any overdue quantity exists on the prior schedule as a new schedule release is being generated, that quantity is moved to the cumulative required portion of the schedules, and is seen as a missed shipment. A missed shipment event is automatically created. When the missed shipment arrives it is netted against the schedule and the missed shipment event is replaced with a late shipment event.

User-Assisted Data Collection

User-assisted data collection can happen in five areas:

- Inventory Transfers (3.4 menu)
- Purchase Order Returns (5.13.7)

- Performance Data Maintenance (5.15.13)
- Missed Shipment Event Generator (5.15.17)
- RTS Shipments (11.7.3.16)

Purchase Order Returns and RTS Shipments

When material is returned, a pop-up window lets you enter a performance event. This pop-up appears only if Supplier Performance is activated in Supplier Performance Control (5.15.24) and Enable PO Returns is Yes.

Note RTS shipments are handled in the same way as PO Returns. The same control program field controls both the PO Returns and RTS pop-up windows.

The vendor and order information defaults to the pop-up but cannot be changed. The Category, Event, Quantity, and Reason fields can be updated. Recording of the event is optional. The pop-up is intended to capture information regarding material quality. To continue without entering an event, click Next.

Fig. 5.13
Supplier Performance Data in PO Returns

Supplier Performance Data	
Site: 10000	Item Number: SW1500-1
Supplier Source: PO	Supplier: TT-1000
Receiver: R1229	Purchase Order: P1132
PO Line: 1	Quantity: 2.0
Category: 80	Event: QUAL
Reason: Quality	Document Number:
	Comments:

To correct an incorrectly entered receipt that creates a performance event, reverse the entire receipt. Reversing the entire receipt also removes all other performance events associated with that receipt. If you do not reverse the entire receipt, then you must remove any performance events manually. To remove a performance event manually, use Performance Data Maintenance (5.15.13).

Inventory Transfer

The Supplier Performance Data pop-up lets you capture data when using any of the three inventory transfer programs:

- Transfer–Single Item (3.4.1)
- Transfer–Multi Item (3.4.2)
- Transfer with Lot/Serial Change (3.4.3)

This pop-up appears only if Supplier Performance is activated in Supplier Performance Control, Enable Inv Transfer is Yes, and the inventory is being moved from the inspection location:

- Defined for the site and item in Item-Site Planning Maintenance
- Defined for the site in Site Maintenance (1.1.13)
- Defined in Purchasing Control (5.24)

You can use the pop-up to create a performance event. The pop-up screen works similarly in the three inventory transactions. Because the inventory transactions are generic and not PO/DO related, you must enter the supplier, order, and receiver numbers manually.

See “Configuring Control Program Settings” on page 124.

Creating and Modifying Performance Data

When performance data is generated for any registration, that data is saved for future reporting. The data is identified by a system-generated transaction ID.

Use Performance Data Maintenance (5.15.13) to access, add, and modify details of the captured performance data. Use this program to manually create performance data.

Fig. 5.14

Performance Data Maintenance (5.15.13)

The system-generated transaction ID identifies specific events associated with the corresponding registrations and the particular performance details. You can use this program to search for specific performance records. Each time this program is accessed, the first screen appears without data. Enter the transaction ID, or browse existing IDs using the up and down arrows. Pertinent performance data is also displayed.

Modify captured performance data by adding performance weight factors or updating other fields.

- 1 Identify and select the corresponding transaction ID.
- 2 Navigate to the fields you need to edit.
- 3 Enter any new information or comments, or add the appropriate performance weight factor codes.

You can manually create new performance data—for example, add a note about performance that is not captured by the system, such as bad telephone service or lack of professionalism.

- 1 Leave Transaction ID blank.
- 2 Enter the new data in the appropriate fields.
- 3 Save the new record.

A new transaction ID is generated and assigned to the new data.

Missed Shipment Event Generator

Use Missed Shipment Event Generator (5.15.17) prior to generating performance reports. This program updates performance data with the most current results. It evaluates open POs, DOs, and scheduled orders, then creates missed shipment events for any orders not fully reconciled by the missed shipment as of date indicated.

Indicate the type of orders evaluated by specifying defaults in the control program or making changes in this program. Missed shipment events are created for valid registrations only.

See “Configuring Control Program Settings” on page 124.

Note Missed shipment events do not remain in the system. They are removed upon receipt of the associated late shipment.

Fig. 5.15
Missed Shipment Event Generator (5.15.17)



Reporting and Managing Data

The output of a successful supplier performance system is a detailed supplier performance report. This section discusses the reporting, data consolidation, and delete/archive functions of Supplier Performance.

The performance reports are:

- Performance Category Browse (5.15.2)
- Registration Report (5.15.11)
- Performance Data Report (5.15.14)

Note An enhanced version of Performance Data Report for .NET UI is available on menu 5.15.38.

- Performance Report Card (5.15.15)
- Summary Data Report (5.15.20)

The data consolidation programs and reports are:

- Summary Data Extract (5.15.19)
- Performance Data Delete/Archive (5.15.23.1)
- Summary Data Delete/Archive (5.15.23.2)
- Supplier Cross-Reference Maint (5.15.23.3)
- Supplier Cross-Reference Report (5.15.23.4)

- PO Supplier Cross-Reference Browse (5.15.23.5)
- DO Supplier Cross-Reference Browse (5.15.23.6)

Performance Reports

Table 5.3 summarizes Supplier Performance reports and inquiries.

Table 5.3
Supplier Performance Reports

Report/Inquiry	Menu No.	Description
Performance Category Browse	5.15.2	Displays the category definition details you create using Performance Category Maintenance (5.15.1). When a lookup table has been defined for a category, its values also display
Performance Event Browse	5.15.6	Displays the event definitions you create using Performance Event Maintenance (5.15.5). This browse displays the indicated event definition followed by subsequent definitions that reside on the system.
Registration Report	5.15.11	Displays all details associated with the registrations you create in Registration Maintenance (5.15.10). When you enter a value in a selection criteria field, the report finds and reports the complete details of any registration that has that value.
Performance Data Report	5.15.14	Use this report to examine raw performance data, view data in multiple detail and summary formats, select data by multiple selection criteria, and view event comments. Note An enhanced version of Performance Data Report for .NET UI is available on menu 5.15.38.
Performance Report Card	5.15.15	Ideally, this is the report you give to your suppliers to indicate their performance as measured by your system. You can automatically e-mail this report to your suppliers. This report is a snapshot in time of a supplier's overall rating. The program generates supplier ratings by examining performance data based on selection criteria you enter. This data is then scored based on categories, events, and weights. This report can be produced with various information. Set Inactive Categories to Yes to include all categories in the system, even those not currently being used. You can indicate what other types of items to include, and the report is printable with three levels of detail. Each report option displays a new level of information detail for the report card: • Category • Category and Event • Category, Event, and Detail

Report/Inquiry	Menu No.	Description
Summary Data Report	5.15.20	Displays a supplier's overall rating for the date range originally extracted using the Summary Data Extract (5.15.19). The format is the same as that of the Performance Report Card (5.15.15). The date range determines which sets of summary records are included in the report. Each set of records produces a separate report card for the date range indicated. You can run this report with two levels of detail: • Category only • Category and event You can also include or exclude inventory, subcontract, or memo items from the report.
Supplier Cross-Reference Report	5.15.23.4	Displays the cross-references created in Supplier Cross-Reference Maint (5.15.23.3).
PO Supplier Cross-Reference Browse	5.15.23.5	Similar to report; specific to purchase order suppliers.
DO Supplier Cross-Reference Browse	5.15.23.6	Similar to report; specific to distribution order suppliers.

Consolidating Data from Multiple Sites

You can consolidate performance data from multiple sites to one central database using Archive File Reload (36.16.5) to load files produced by Performance Data Delete/Archive and Summary Data Delete/Archive.

See “Delete/Archive Functions” on page 144.

The data consolidation programs and reports are:

- Summary Data Extract (5.15.19)
- Performance Data Delete/Archive (5.15.23.1)
- Summary Data Delete/Archive (5.15.23.2)
- Supplier Cross-Reference Maint (5.15.23.3)
- Supplier Cross-Reference Report (5.15.23.4)
- PO Supplier Cross-Reference Browse (5.15.23.5)
- DO Supplier Cross-Reference Browse (5.15.23.6)

Supplier Cross-Reference Maintenance

When you consolidate performance data or summary performance data from multiple sites to one local database, performance data labeling variations may occur. Use Supplier Cross-Reference Maint (5.15.23.3) at each reporting site to help you resolve any supplier name inconsistencies.

In this program, you indicate:

- The supplier source and name you gave the supplier, and
- The supplier source and name that is used at the corporate site

When data is archived using these cross-references, the archive data is saved with the correct corporate name, instead of the name used at the reporting site.

Fig. 5.16
Supplier Cross-Reference Maint (5.15.23.3)

Site: 10000	NJ Plant
Supplier Source: PO	To Supplier Source: PO
Supplier: TT-1000	To Supplier: 6001000

Supplier Source. Enter DO or PO to differentiate the type of source supplier being referenced.

PO: Only valid, active suppliers can be specified in the Supplier field.

DO: Only sites previously defined in Site Maintenance can be specified in the Supplier field.

Supplier. Enter the supplier name as recognized at the local site.

To Supplier. Enter the corporate name for the local supplier.

When performance data or performance summary data is archived and Use Cross-Reference is Yes, the local site name is changed to this corporate site name in the archive file only.


Example Site 2000, 3000, and 4000 all track performance for their suppliers. ABC Inc. is a supplier for all three sites, but each site identifies ABC Inc. with a different supplier code (001, 505, and 100).

These three sites must produce monthly supplier performance data for their corporate headquarters. The corporate headquarters uses the name ABC Inc. to consolidate the monthly data. To resolve the supplier name inconsistencies when consolidating data from these sites, each site uses Supplier Cross-Reference Maintenance to map their supplier names (001, 505, and 100) to the corporate name (ABC Inc.).

When the archive functions are used at site 2000, 3000, and 4000, the performance data is archived using the defined supplier cross-references. The archive files with the corporate supplier name are then sent to the corporate headquarters where they are consolidated into one database using Archive File Reload (36.16.5).

Use Supplier Cross-Reference Report (5.15.23.4) to view the cross-references created in Supplier Cross-Reference Maint.

Fig. 5.17
Cross-Reference Example



Summary Data Extract

Use the Summary Data Extract (5.15.19) to collapse and compress supplier performance data for the purpose of historical reporting. A date range is used for the selection criteria of the extract. The summarized data retains enough information to match the criteria used in the Performance Report Card (5.15.15).

Fig. 5.18
Summary Data Extract (5.15.19)

Summary Data Extract

Summary Data Extract: Go To ACTIONS

Transaction Date: 05/30/2007 To: 05/30/2007 Output: Batch ID:

Summary Data Extract takes the information in your database and, based on the selection criteria, summarizes and saves the data as a separate record in the database. After you run this program multiple times, you can use these individual records for data reports.

Example If you run this program every month for six months and retain the information in your system, at the end of the six-month period you can run the Summary Data Report (5.15.20) to view the six summary reports you created during the reporting period.

Depending on reporting policies in your environment, you can use the summarized data as the basis for your long-term reports. When combining data from multiple reporting sites, use Supplier Cross-Reference Maint (5.15.23.3) at each site to solve supplier name inconsistencies between sites.

See “Supplier Cross-Reference Maintenance” on page 141.

Delete/Archive Functions

Supplier Performance delete and archive functions are similar to other delete/archive functions. The archive file produced by the delete/archive functions is also used for data consolidation from multiple sites.

Performance Data Delete/Archive

Use Performance Data Delete/Archive (5.15.23.1) to delete and archive performance data. You cannot delete performance data in any other Supplier Performance program. You can also archive performance data without deleting it from your system.

For data consolidation purposes, the archive file produced can be reloaded using Archive File Reload (36.16.5). You can also archive performance data using the corporate standardized supplier names you defined in Supplier Cross-Reference Maintenance (5.15.23.3).

Fig. 5.19
Performance Data Delete/Archive (5.15.23.1)

Summary Data Delete/Archive

Use Summary Data Delete/Archive (5.15.23.2) to delete and/or archive summary performance data created by Summary Data Extract. You can also archive summary data without deleting it from your system. For data consolidation purposes, the archive file produced can be reloaded using Archive File Reload (36.16.5). You can also archive summary data using the corporate standardized supplier names you defined in Supplier Cross-Reference Maintenance (5.15.23.3).

Fig. 5.20
Summary Data Delete/Archive (5.15.23.2)

Legal Documents

This chapter covers the following topics:

***Legal Documents Overview* 146**

Introduces legal documents concepts, features, and workflow.

***Fiscal Receiving* 148**

Describes the steps for performing the fiscal receiving process for received legal documents.

Legal Documents Overview

In some countries, transportation of merchandise requires a document with specific numbering rules, information, format, and layout to prove legality and possession of the inventory being shipped, received, or moved. Typically, the content of this legal document includes shipping information such as ship-from address, ship-to address, item number and description, quantity, and so on. The legal document may also contain tax, freight, or other additional information. The legal document is commonly generated along with the shipper.

The generic term *legal document* is used to refer to various inventory movement documents that are legally required in different countries. However, when it comes to specific countries, the legal document is called different names, and its purpose, scope, content, and format may all vary from country to country. Here are some examples of country-specific legal documents:

- In Brazil, *Nota Fiscal* is a legal document mandatory for shipping and receiving of any material shipment, including non-sales inventory such as service material orders and purchase order returns. The legal document not only contains complete shipping information, but also tax information, values, and accounts receivable (during shipping) or accounts payable (during receiving) details, such as customer invoice number, due dates, and installments if applicable. *Nota Fiscal* virtually replaces the invoice as a debt instrument in the shipping process and is used to calculate related taxes.
- In Argentina, a document called *Remito* is legally required for shipping transactions as a proof of legality of inventory movement for transportation purposes. The legal document contains shipping information (ship-to address, freight carrier, and shipped items) that supports calculations of retained tax.
- In Poland, the *Dokumenty magazynowe* legal document is required not only for shipping and receiving transactions, but also for all inventory movements within the company.

The system provides a common framework for you to implement appropriate legal documents specific to your country, if required. The system also ships with standardized country-specific legal document features that can be turned on if they apply to your country.

Legal Document Formats


Similar to document formats for shippers and master bills of lading, document formats for legal documents also identify special processing and printing requirements. Specific information in a legal document is usually related to whether the document supports an issuing transaction or a receiving transaction and depends on detailed local legal requirements.

A combination of the following factors determines the exact print output of a legal document:

- Transaction type
- Inventory movement code (transaction flow)
- Legal document form code identifying country-specific document formats

The following diagram illustrates the above-mentioned three elements as the input and the legal document in a particular format as the output.

Fig. 6.1
Legal Document Format



Since legal document content, format, and layout vary by country and sometimes by company, the system provides a number of country-specific legal document templates that can be readily tailored to meet unique customer-specific formatting and printing requirements.

Currently, QAD provides legal document templates for these countries: Brazil, Poland, Chile, Argentina, Turkey, and Thailand.

Legal Documents Menu Listing

Table 6.1 lists the functions available for setting up and using the legal documents features.

Table 6.1
Legal Documents Programs

Number	Menu Label	Program
7.10.2	Legal Document Report	soldrpt.p
7.10.3	Legal Document Browse	ldbr001.p
7.10.4	Legal Document Print	gpldprt.p
7.10.9	Stock Card by Location	soldstel.p
7.10.10	Stock Card with Cost	soldstcc.p
7.10.11	Stock Card	soldsted.p
7.10.13	Simultaneous Operation Maint	soldopmt.p
7.10.23	Legal Document Delete/Archive	gpdaldis.p
7.10.24	Legal Document Control	soldpm.p
5.20.1	Fiscal Receiving	poldnfmt.p
5.20.24	Received Legal Document Control	poldpm.p
5.20.4	Received Legal Document Report	soldrcrp.p

Most legal documents functions are grouped under the Legal Documents Menu (7.10), while other functions specific to received legal documents are grouped under the Received Legal Documents Menu (5.20). However, some legal documents fields and options are scattered among other related functions.

Fiscal Receiving

Use Fiscal Receiving (5.20.1) to process the recording and the confirmation of received fiscal documents (legal documents). Fiscal Receiving supports scenarios where it is necessary to use a legal document as an invoice. Fiscal Receiving lets you:


- Record fiscal document information effectively, such as item numbers, quantities, costs, and taxes from shipping documents.
- Process verification of the physical amount against the amount described on the fiscal document.

The verification process is regarded as a receiver-matching process performed in the operational module; thus, Fiscal Receiving is used to partially automate the processing of supplier payments in the financial module.

Important If Fiscal Receiving is enabled, Fiscal Receiving becomes mandatory for the standard receiving process. You must perform both the physical and fiscal receiving, and successfully go through the confirmation process to complete the receiving.

The general receiving steps are depicted in the following figure.

Fig. 6.2
Receiving Process of Legal Documents



Note In a normal receiving process, you only perform physical receiving to have the pending supplier invoice created. However, in a fiscal receiving process, pending supplier invoice is created only after both the physical and the fiscal receiving are completed.

Configure Fiscal Receiving Control Settings

Before processing fiscal receiving, you must first activate the feature. Use Purchasing Control (5.24) to enable fiscal receiving by setting the Fiscal Confirm Required field to Yes.

Fig. 6.3
Purchasing Control (5.24)

Fiscal Confirm Required. Use this field to enable or disable the fiscal receiving process.

Yes: Fiscal Receiving (5.20.1) is enabled. You can process fiscal receiving in addition to physical receiving.

No: You cannot use Fiscal Receiving. The receiving process is regarded as complete when the inventory receipt is conducted; a pending supplier invoice is also created without checking whether the fiscal receiving is confirmed or not.

Configure Validation Settings

The fiscal confirm validation rules are the values the system complies with to verify and confirm a legal document. Use Received Legal Document Control (5.20.24) to configure the validation rules.

Enter values in the following fields:

- Tolerance
- Fiscal Confirm with Discrepancies
- Percent on Quantity Counted

Use these fields to limit the allowable variance of price and quantity between fiscal and physical receiving information. For more details on this function, see “Fiscal Confirm Validation Rules” on page 159.

Fig. 6.4
Received Legal Document Control (5.20.24)

Tolerance. During the fiscal confirm process, a series of validation rules determine the success or failure of the fiscal confirm. The value of Tolerance is applied to the validation rules to compare the variance between the legal document declared total and the calculated line total price amount. The value should be a number instead of a percentage.

Fiscal Confirm with Discrepancies. If the field is set to Yes, the system does not perform a variance check between the fiscal and physical quantities. If the field is set to No, the system checks whether the variance between the fiscal and the physical quantities is acceptable, and compare the fiscal unit (including the discount) price with PO price.

Percent on Quantity Counted. Specify the maximum quantity discrepancy in percentage between declared and counted numbers. Enter a value for Percent on Quantity Counted to control the variance allowed between the physical received quantity and declared quantity when processing the fiscal confirm.

Using Configured Messages to Segregate Fiscal Receiving Duties

In some organizations, segregation of duties (SOD) requirements prevent users who perform routine fiscal receiving tasks from confirming fiscal receiving for orders on which the original PO amount does not match the receiving legal document amount. A user in a different role is required to complete the confirmation. Enterprise Edition supports this scenario through role permissions and configured messaging.

Example An AP Accounting Clerk typically uses Fiscal Receiving (5.20.1) to record the fiscal aspects of legal documents related to PO receipts. Under regular circumstances, the value of the receiving legal document matches the original PO, so the AP Accounting Clerk confirms the legal document during fiscal receiving. However, if there is a discrepancy in the amounts, the company's SOD policy requires someone in the role of AP Supervisor to complete fiscal confirm.

When there is a discrepancy, the system uses the setting of Fiscal Confirm with Discrepancies in Receiving Legal Document Control:

- If Fiscal Confirm with Discrepancies is Yes, the system confirms the document in Fiscal Receiving even if the amounts do not match. No SOD control applies.
- If Fiscal Confirm with Discrepancies is No, the system displays a message in this format during the line check and confirmation steps if the amounts do not match:

Price variance found: PO price nnnnn, legal document price nnnnn

Records set up in Configured Message Maintenance determine (based on the Severity Level value) whether the user can confirm the fiscal receiving when there is a discrepancy.

Setting Up the Feature in Enterprise Edition

In Enterprise Edition, Fiscal Confirmation (5.20.2) is similar to the confirmation portion of Fiscal Receiving. However, you can use a configured message to have the confirmation process behave differently, depending on how confirmation functionality is accessed.

- 1 Use Configured Message Maintenance (36.4.6.13) to set up a record associated with the line check step in Fiscal Receiving.

Note Optionally, you can create records specific to site/address combinations, or leave those fields blank to make generic records.

- a Enter poldnfmt.p as the Calling Program.
- b Enter 11134 as the Message Number.
- c Enter 2 as the Severity Level. This value displays the message as a warning and allows the user to continue with the line check step.


- 2 Use Configured Message Maintenance to set up a record associated with the confirmation step in Fiscal Receiving.
 - a Enter poldnfmt.p as the Calling Program.
 - b Enter 12936 as the Message Number.
 - c Enter 3 as the Severity Level. This value displays the message as an error and does not allow the user to confirm the legal document.
- 3 Use Configured Message Maintenance to set up a record for Fiscal Confirmation.
 - a Enter poldconf.p as the Calling Program.
 - b Enter 12936 as the Message Number.
 - c Enter 2 as the Severity Level. This value displays the message as a warning; the user can continue to confirm the legal document.
- 4 In Receiving Legal Document Control, set Fiscal Confirm with Discrepancies to No.
- 5 In Role Permissions Maintain, using the example roles explained earlier, be sure that the AP Account Clerk has access to Fiscal Receiving, but not to Fiscal Confirmation. Give the AP Supervisor access to both programs.

With this setup, the AP Accounting Clerk uses Fiscal Receiving to complete the receiving/confirmation tasks in most cases. However, when there is a discrepancy, the AP Accounting Clerk receives the error message and cannot complete the confirmation action (note that the discrepancy causes a warning to display during the line check, but the user can continue). The AP Supervisor then uses Fiscal Confirmation to confirm the receiving legal document. Although the AP Supervisor sees the same message, this time it is only a warning.

Conduct Receiving Transactions

After the control settings are configured, the next step is to conduct the receiving transactions. You must process both the physical receiving and the fiscal receiving.

Fig. 6.5
Receiving Transactions Process



Physical Receiving

You can use one of the following programs to perform physical receiving.

Table 6.2
Programs for Physical Receiving

Menu	Label	Program
5.13.1	Purchase Order Receipts	poporc.p
5.13.14	PO Shipper Maintenance	rsshtmt.p
5.13.16	PO Fiscal Receiving	posmrc.p
5.13.18	PO Shipper Invoice Maint	poshivmt.p
5.13.20	PO Shipper Receipt	rsporc.p
3.9	Receipt - Unplanned	icunrc.p
12.15.20	Distributed Order Receipt	dsdorc.p
12.17.21	Distribution Order Processing	dsdomt02.p
12.17.22	Distribution Order Shipment	dsdois.p
3.4.1	Transfer - Single Item	iclotr02.p
3.4.2	Transfer - Multi Item	iclotr01.p
3.4.3	Transfer With Lot/Serial Change	iclotr03.p
3.4.4	Batchload Transfer with Lot/Seri	iclotr04.p

Note PO Fiscal Receiving (5.13.16) and PO Shipper Invoice Maint (5.13.18) cannot be used together with Fiscal Receiving.

Use the Issuing Legal Document field to select the process type, either issuing or receiving. Effective Issue Date and Legal Document Number are enabled when Issuing Legal Document is set to No.

You can set up a linkage between the physical receiving and the fiscal receiving by entering the received legal document number in the Legal Document Number field .

Fig. 6.6
Pop-up Frame in the Physical Receiving Process

Issuing Legal Document. Specify the type of the current transaction.

For inventory transfers:

- Yes: Issuing (ISS-TR) operation
- No: Receiving (RCT-TR) operation

For purchase order (PO) receipts:

- Yes: PO return
- No: Normal PO receiving process

This option does not apply to distributed order (DO) transactions, since DO transactions for issuing and receiving are separately handled by different menus.

Effective Issue Date. Enter the date on which the legal document is issued by the supplier.

This date is displayed on the received legal document. Ship-from, legal document number, and effective date combined uniquely identify a received legal document. The date must not be later than today.

The Effective Issue Date cannot be:

- Later than today
- Later than the Effective Date of the receiver

Legal Document Number. Enter the legal document number issued by the supplier. You can use an open legal document, but you cannot use a confirmed/cancelled legal document.

Note For DO and inventory transfers, the issuing legal document for ISS-DO and ISS-TR transactions can be used as a received one during RCT-DO and RCT-TR. After entering the legal document number, you can use the automatic legal document copy function to copy the related issuing legal document as a received legal document. In other words, you do not need to enter the received legal document manually during fiscal receiving.

Fiscal Receiving

Use Fiscal Receiving (5.20.1) to process the fiscal receiving. You can use this program to record fiscal information. After you complete recording the information, the system automatically confirms the fiscal information according to the settings you have configured in Received Legal Document Control (5.20.24).

If the confirmation is:

- Unsuccessful: You must go back to either the physical receiving or the fiscal receiving process to correct the data.
- Successful: The system creates a pending supplier invoice, which you can later use to create confirmed or non-confirmed supplier invoices by using the ERS processor.

Use the following steps to complete the fiscal receiving process:

- 1 Enter the legal document number.
- 2 Enter the legal document header total and line details.
- 3 View/Edit Tax Detail.
- 4 Confirm the legal document.

Fig. 6.7

Fiscal Receiving (5.20.1), Enter Legal Document Number



Legal Document Number: ldtest
Ship-From: 3000 Acme Supply Co.
Effective Issue Date: 8/4/2010
Ship-To: site11

Legal Document Number. Enter the legal document number issued by the supplier.

You can use an open legal document, but you cannot use a confirmed/cancelled legal document.

Note For DO and inventory transfers, the issuing legal document for ISS-DO and ISS-TR transactions can be used as a received one during RCT-DO and RCT-TR. After entering the legal document number, you can use the automatic legal document copy function to copy the related issuing legal document as a received legal document. In other words, you do not need to enter the received legal document manually during fiscal receiving.

Effective Issue Date. Enter the date on which the legal document is issued by the supplier.

This date is displayed on the received legal document. Ship-from, legal document number, and effective date combined uniquely identify a received legal document.

The date must not be later than today.

Ship-From. Enter the site from which the inventory is shipped.

Ship-To. Enter the site to which this inventory is to be delivered.

You can optionally enter the legal document header totals. You can get the values for these fields on the legal document. Later there is a verification process between these header values and the calculated line totals.

Fig. 6.8
Fiscal Receiving, Header Information

Legal Doc Currency: USD	
Transaction Currency: USD	
Legal Doc Total Amount:	0.00
Goods Total Amount:	0.00
Trailer Total Amount:	0.00
Discounts Total Amount:	0.00
Receiving Date: 8/9/2010	
Credit Terms:	
Due Date:	
Tax Date:	
Document Model:	Volume: 0.0
Carrier:	Volume UM:
Original Legal Doc:	Total Weight: 0.0
FOB Point:	Weight UM:

Legal Doc Currency. Display only. This is the base currency. All the total amounts on the fiscal document header and lines must be in base currency (legal document currency).

Transaction Currency. User input field. It must be the same as the PO Currencies on the fiscal lines.

Exchange Rate. This value defaults from system settings and can be updated. It is used to convert the PO price from transaction currency to base currency, to compare the PO price with the fiscal price to get the rate variance. It is also used for the ERS processor.

Legal Doc Total Amount. This is the total invoice amount from the received legal document.

Goods Total Amount. This is the goods total amount from the received legal document. Goods amount means the extended price of the lines shipped in this legal document.

Trailer Total Amount. This is the trailer total amount from the received legal document.

Discounts Total Amount. This is the discount total amount from the received legal document.

Receiving Date. This is the date on which the physical goods are received by the company. The receiving date cannot be earlier than the effective issue date and must be exactly the same as the Effective date of the receiver.

Note When receiving a memo item as a result of an unplanned transaction, you do not have to run Receipts - Unplanned (3.9) to physically receive the items. The items are received on the date in the additional Receiving Date field in the trailer section frame.

Credit Terms. Enter the appropriate credit terms for this receipt. Credit terms initially default from the specified project or subproject.

Credit terms codes identify specific types of payment terms. They print on project invoices and credit notes and determine the payment due date and any discount allowed for early payment.

The system checks the PO related credit terms entered in the fiscal line level and compare it with the header level credit terms entered here. If they are different, an error occurs.

Due Date. This is the first due date of the payment. It is calculated according to the credit terms and must not be earlier than the receiving date. ERS will use this due date to create a supplier invoice.

Tax Date. Enter the tax date.

The system calculates taxes using the tax rate in effect on the transaction tax date. This date is normally the date the transaction is effective in company financial records.

Document Model. Specify the kind of legal document as defined by the tax authority. The value is set up in Generalized Codes Maintenance. This field is fiscal information and does not affect fiscal receiving.

Carrier. Enter the carrier address.

Original Legal Doc. This field is currently not implemented.

FOB Point. Enter the free on board (FOB) point for the shipment. The FOB point identifies when title transfers from the seller to the buyer. This field is for reference only.

Volume. Enter a code indicating the amount of space the inventory occupies.

Volume UM. Enter a unit of measure in which the net weight is expressed, such as CF, SF, CM. This field is validated against predefined values entered in Generalized Codes Maintenance for field `pt_size_um`, if any.

Weight UM. Enter the unit of measurement for the item's weight.

After entering the header information, you enter the line details. Enter an order number for which you want to process the quantity of goods.

Fig. 6.9
Fiscal Receiving, Fiscal Line

Fiscal Line: 1		Associated Doc: PO	
Order: potest00	Line/Req: 1	Type:	
Item Number: 1-bb			
Quantity: 10.00	UM: EA	Unit Price: 2.00	
Item Total: 20.00		Item Discount: 0.00	
Net Weight: 0.0		Gross Weight: 0.0	
Origin Code:		CFDP:	
Fiscal Class:		ICMS CST:	
Comments:		IPI CST:	
		EX Code:	

Fiscal Line. Enter the legal document line number.

Order. Enter a purchase order number (including supplier scheduled order) or a distribution order number. You cannot enter a cancelled order.

Line/Req. Enter the line number for an open PO or DO requisition number.

Associated Doc. Enter a value identifying the type of this process.

You can enter the following values:

- 1: PO (Purchase Order)
- 2: DO (Distribution Order)
- 3: TRANSFER
- 4: UNP (Unplanned)

Type. This field is not currently implemented.

Item Number. This code identifies the end-item number associated with the quantity to be processed.

The system can use the data you load for this item to calculate the family plan, operations plan, and performance measurement reports. Before you include this data in subsequent planning calculations, you must run Item-Site Data Consolidation.

Quantity. The total quantity required of this item at this site, expressed in terms of the item unit of measure.

The order quantity is the total number of units of the item that the receiving site has requested from its sources of supply, to be delivered as of the specified due date. This quantity can be supplied from more than one site.

Unit Price. The price displayed on the legal document line for the current item.

The system compares the fiscal line price with the PO price. If any variance is found, it displays a configured message “Price variance found: PO price #, legal doc price #.” This validation is also done during Fiscal Confirm. For more details, see “Fiscal Confirm Validation Rules” on page 159

Item Total. Enter the total price of the items. The default value for this field is calculated by multiplying the invoiced quantity of the item by the unit price of the item.

Net Weight. Enter the net weight per unit for this item. Net weight represents the item weight without packaging.

When you use containers and shippers to ship items on sales orders, the shipping programs calculate tare weight as the difference between the item ship weight and net weight.

If net weight and ship weight are expressed in different units of measure, be sure to set up unit of measure conversions.

Item Discount. Enter the amount of discount price for this line. This amount will be deducted from the item total/goods total amount.

Gross Weight. Enter the total weight of the item; the sum of the net weight and the package weight.

Origin Code. This field indicates the origin of the goods.

You can enter the following values:

- 0: National
- 1: Direct importation
- 2: Imported acquired from the domestic market

Fiscal Class. This field is specific to legal documents implementation for Brazil.

Enter a mandatory tax code defined by the Brazilian government to help identify materials and determine their corresponding tax rates. Currently, this Brazil-specific field is used as supplementary information of an item for reference only and does not affect tax calculation in GTM.

Fiscal classes are defined in Generalized Codes Maintenance.

Comments. Specify if you want to enter or update comments.

- Yes: You can review and enter comment information in the comment transaction screen.

- No: The comment screen does not display.

Comments are useful for describing additional information related to the record you are processing, such as special restrictions or requirements.

CFOP. Enter a fiscal code identifying the operation.

The code denotes the type of business transaction and contains information on the origin of the goods as well as the type of the operation.

ICMS CST. Enter a tax status code for ICMS to identify the operation. The code contains information on the origin of the goods and tax policy for the goods. It consists of three digits. The first digit denotes the origin of the goods and the last two digits denote the ICMS taxation.

IPI CST. Enter a tax status code for IPI to identify the origin of the goods and the tax policy for the goods.

EX Code. Enter an exception code for IPI taxation table. The code is maintained in Generalized Codes Maintenance.

Note After this frame, the system once again displays a pop-up frame for the line tax information input. The field values default from the header tax information.

Set the View/Edit Tax Detail to Yes to view details of taxes.

Fig. 6.10
Fiscal Receiving, Tax Detail Record

Tax Detail Record			
Line: 1	Number: potest00	Total Amount:	20.00
Tax Trf:	Tax In: ☐	Non-Taxable:	0.00
Tax By: Line	Tax Env: US/NJ	Taxable Base:	20.00
Edited: ☐	Tax Type: NJ	Tax:	1.20
Tax Date: 8/4/2010	TxC:	Recoverable:	0.00
Tax Rate: 6.00%	Tax Usage: IN-TR	Non-Recover Tax:	1.20
Tax Code: 25	25	Absorbed/Reta:	0.00
Total Tax Amounts			
NJ:	1.20		0.00
NJ-1:	0.05		0.00
	0.00		0.00
	0.00		0.00
			1.25

Figure 6.11 illustrates a verification that compares the values between the header total values and the calculated line totals. The Tolerance value specified in Received Legal Document Control is used for this comparison. If the variance exceeds the Tolerance value, the system displays an error message: "Variance between declared and counted quantity exceeds #."

Fig. 6.11
Fiscal Receiving, Verification

Goods Total Amount:	20.00	20.00
Trailer Total Amount:	0.00	0.00
Discounts Total Amount:	0.00	0.00
Legal Doc Total Amount:	21.25	21.25
Total Weight:	0.00	0.00

The system displays the physical and fiscal details. This frame is for reference only.

Fig. 6.12
Fiscal Receiving, Physical/Fiscal Details

Item	UM	Physical Qty	Fiscal Qty	Order	Line/Req
1-bb	EA	0.0	5.0	potest01	1

Fiscal Confirm

During or after recording the fiscal information, the system performs validation checks to confirm the information. There are two main validations performed by the system, Fiscal Confirm Validation and Overship Validation.

Fiscal Confirm Validation takes place after you complete the recording of the received legal document. The system confirms whether the records you entered are valid. The configured settings in Received Legal Document Control (5.20.24) form the basis for this confirmation.

Overship Validation takes place during the recording process. When you enter a value in the Quantity field, the system instantly performs the validation.

When both of the validations are successful, the confirmation is successful.

Note There is also a separate Fiscal Confirmation menu function (5.20.2). This can be used to support a segregation of duties scenario when there is a discrepancy between the physical quantity and the fiscal quantity. See “Using Configured Messages to Segregate Fiscal Receiving Duties” on page 150.

Fiscal Confirm Validation Rules

The system checks the value of the Fiscal Confirm with Discrepancies field in Received Legal Document Control.

- Yes: The system does not perform the quantity and the price variance checks.
- No: The system performs the quantity and the price variance checks.
 - Quantity variance check: The system compares the declared (fiscal) quantity and the counted (physical) quantity. If the variance exceeds the value you entered in the Percent on Quantity Counted field, the confirmation fails and the system displays an error message.
 - Price variance check: The system compares the fiscal unit price with the PO price. If any variance is found, the system displays a warning or error message. (You can configure this event to be a warning or an error.)

Table 6.3
Fiscal Confirm Validation Rules

Number	Message	Description	Setup
11130	Pending physical receiving	When physical receiving has not been done	
11126	Pending fiscal receiving	When fiscal receiving has not been done	

Number	Message	Description	Setup
11133	Variance between declared and counted quantity exceeds #%	Compare actual received qty and fiscal receiving qty (received legal document qty), if variance has exceeded the "Percent on Qty counted"	"Fiscal Confirm with Discrepancies" in 5.20.24. If Yes, confirms without considering Percent on Qty Counted. If No, check the field.
3128	Invalid Project	Check if project code in fiscal receiving line is valid	
11132	Different currency	Compare PO currency with Transaction Currency in Fiscal Receiving	
11131	Different credit terms	Compare PO Credit Terms with Fiscal Receiving Credit Terms	
	Purchase Order cancelled	PO cannot be cancelled before fiscal confirm	
11134	Price variance found: PO price #, legal doc price #	The difference between PO line price and Fiscal line price	A configured message "Fiscal Confirm with Discrepancies" in 5.20.24. If Yes, no need to check. If No, need to check. No tolerance needed.
6790	Requisition Closed. Cannot process Distribution Order #	When DO Requisition status = "C", fiscal confirm is not allowed.	
11145	Discount Tax at Payment for all taxes must be the same		Tax Rate Maintenance
11146	Discount Tax at Invoice for all taxes must be the same		Tax Rate Maintenance

Here is an example of warning/error messages:

Fig. 6.13
Error Messages

Nbr Error Message	Level
11130 Pending physical receiving	3
8310 Order potest00 Line 1	1
11133 Variance between declared and counted qty exceeds 20%	3
11134 Price variance found: PO price 1.96, legal doc price 2	2

Overship Validation

The system performs Overship Validation when you enter a value in the Quantity field during fiscal receiving.

The key point of the overship validation is that the system displays a warning/error message during the receiving process when the record of received quantity exceeds the PO quantity.

In the fiscal receiving, if a fiscal clerk records the received legal document with a quantity exceeding the PO quantity, the validation fails and the system displays a warning/error. Use Tolerance Percent and Tolerance Cost fields in Purchasing Control (5.24) to configure the overship controls. For more details, see the following field help descriptions.

Tolerance Percent. Enter the tolerance percentage allowed for overshipments.

Tolerance Cost and Tolerance Percent, in conjunction with Purchase Order Receipts, determine whether an overshipment is accepted. For example, on an order for 100 units of an item having a standard cost of 5 USD, if your supplier sends you 150 units, do you want to accept the extra 50 units? (Extra cost is 250 USD and percent over is 50%.) This overshipment amount is compared with the tolerances to determine if you will accept it.

If the overshipment is over the defined cost or percentage allowed, an error displays and the receipt cannot be processed. To receive the additional quantity, go back and increase the quantity on the purchase order or temporarily change the tolerance.

PO Shipper Maintenance and PO Container Maintenance check these fields to determine if a shipper receipt quantity or cost is out of tolerance. Warning messages are displayed both at the item level and for the cumulative item quantity on the shipper/container. This is true for both discrete and scheduled POs, with scheduled POs calculating the cumulative qty received for the order plus the quantity being received against the Max Order Qty for the PO line. If the shipper is being imported as an advance ship notice (ASN) using EDI eCommerce, the messages are printed on the report for that line.

When setting the overshipment tolerance fields, determine a value and quantity that stop overshipments that effect your cash flow and planning, but do not require daily attention from supervision to override the tolerance quantity.

Tolerance Cost. Enter the tolerance cost amount allowed for overshipments.

Tolerance Cost and Tolerance Percent, in conjunction with Purchase Order Receipts, determine whether an overshipment is accepted. For example, on an order for 100 units of an item having a standard cost of 5 USD, if your supplier sends you 150 units, do you want to accept the extra 50 units? (Extra cost is 250 USD and percent over is 50%.) This overshipment amount is compared with the tolerances to determine if you will accept it.

If the overshipment is over the defined cost or percentage allowed, an error displays and the receipt cannot be processed. To receive the additional quantity, go back and increase the quantity on the purchase order or temporarily change the tolerance.

PO Shipper Maintenance and PO Container Maintenance checks these fields to determine if a shipper receipt quantity or cost is out of tolerance. Warning messages are issued both at the item level and for the cumulative item quantity on the shipper/container. This is true for both discrete and scheduled POs, with scheduled POs calculating the cumulative qty received for the order plus the quantity being received against the Max Order Qty for the PO line. If the shipper is being imported as an advance ship notice (ASN) using EDI eCommerce, the messages are printed on the report for that line.

When setting the overshipment tolerance fields, determine a value and quantity that stop overshipments that effect your cash flow and planning, but do not require daily attention from supervision to override the tolerance quantity.

Important If the validation is successful in the physical receiving, the system does not perform the overship validation in the fiscal receiving.

Fig. 6.14

Fiscal Receiving, Quantity

Fiscal Line:	1	Associated Doc:	PO
Order:	testpo01	Line/Req:	1
Type:			
Item Number:	1-BB		
Quantity:	100.00	UM:	EA
Unit Price:			5.000

Run ERS (Evaluated Receipt Settlement)

Once the fiscal receiving and the physical receiving have both been successfully confirmed, ERS Processor (28.10.13) can be separately used to automatically create matched supplier invoices as confirmed (non-initial status) or non-confirmed (initial status) supplier invoices, depending on the ERS option specified.

There is a precondition for ERS processor to run successfully: The fiscal confirmation must be completed when Fiscal Confirm Required is Yes.

When Fiscal Confirm Required is No, ERS runs without checking the Fiscal Confirm (legal doc status) and creates SI (Supplier Invoice) and RM (Receiver Matching) when the physical receiving is completed; Fiscal Confirm is not mandatory.

When ERS runs successfully, an invoice/credit note is created based on the fiscal receipt lines. Related AP and taxes amounts are posted to related accounts; the variance between PO prices and fiscal price (legal document price) is posted to the variance account accordingly.

Print Legal Document

Use Received Legal Document Report (5.20.4) or Legal Document Print (7.10.4) to print a received legal document. You can view detailed information such as AP amount, taxes, and so on. This is optional.

Unconfirm or Cancel Received Legal Document

Use Received LD Unconfirm/Cancel (5.20.23) to unconfirm or cancel a received legal document.

Unconfirm

The system sets the legal document status from Confirmed back to Open and deletes any associated pending supplier invoice. Use this method when you need to modify the original confirmed fiscal document for some reason; for example, to correct fiscal data, item details, price, tax, or other incorrect information. After making the changes, reconfirm the legal document and send it to AP using ERS if it is a standard PO receiving transaction. The legal document number remains the same.

If the legal document has already been posted to AP by the ERS processor (Posted is Yes), you must manually reverse the related supplier invoice in the Financials module before unconfirming the legal document.

Cancel

The system cancels the legal document. Use this method when you want to discard the previous received legal document, which might be an entirely wrong one. You then start a new transaction from scratch. The canceled legal document number cannot be reused, and the canceled document can no longer be printed. (For historical purposes, canceled legal documents are still visible to some reporting and browse functions.)

There are two preconditions before you can cancel an inbound legal document:

- The legal document must in Open status, which means that to cancel a legal document you must reverse the supplier invoice and unconfirm the legal document if the confirm/post has already been done.
- The previous physical receiving transactions must be reversed first by using return functions.

Special Cases

- Non-purchase receiving transactions. It is possible to unconfirm/cancel such transactions. However, if the original legal document has been posted with taxes, you must reverse the posted taxes before unconfirming or canceling the document.
- PO receipt has been done with both fiscal and physical receiving, related AP has been posted, and a PO return creates an issuing legal document linking to the original legal document. In this case, the system assumes that goods were received and then returned to the supplier (partially or not). The legal document cannot be canceled because it is considered to represent a completed receiving action. The physical quantity cannot be reverted as the PO was reopened. If you want to cancel any legal document that involves a return, cancel the PO return first, and then you can cancel the legal document.

Program Fields

Fig. 6.15
Received LD Unconfirm/Cancel (5.20.23)

The screenshot shows a software window titled "Received LD Unconfirm/Cancel". It has a menu bar with "Go To", "Actions", "Copy", "Print", and "Preview". The main area contains the following fields:

Legal Document Number: 041801	
Ship-From: s11	S11
Effective Date: 4/17/2013	
Ship-To: site12	Site12
Receiving Date: 4/17/2013	
Status: Confirmed	
Supplier Invoice: 2013/APINVFin/00000000	
Posted: ☒	
Unconfirm/Cancel: Unconfirm	Output:

Legal Document Number. Enter the number of the received legal document that you want to unconfirm or cancel.

Ship-From. Enter the ship-from address of the supplier associated with the selected legal document.

Effective Date. Enter the effective date of the specified legal document.

The default is the receiving date.

Ship-To. The system displays the ship-to address from the purchase order. You cannot update this field.

Receiving Date. The system displays the date when physical receiving took place. It must be exactly the same as the effective date of the receiver. You cannot update this field.

Status. The system displays the status of the received legal document. You cannot update this field.

The status determines which action you can take with this received legal document:

Confirmed: You can unconfirm the legal document, but not cancel it until it is unconfirmed.

Open: You can cancel the legal document, but not unconfirm it.

Supplier Invoice. If the invoice has been posted, the system displays the supplier invoice number. You cannot update this field.

Posted. The system displays the posting status of the supplier invoice associated with the legal document.

Yes: The associated supplier invoice has been created/posted to AP by running ERS. The system displays the invoice number.

No: A supplier invoice has not been posted in AP. (Either ERS has not been run yet or it is a non-purchase receiving activity.)

You cannot update this field.

Unconfirm/Cancel. Specify which action to take for the selected received legal document:

Unconfirm (default): The system changes the status of the document from Confirmed back to Open.

Cancel: The system discards the received legal document. The document can no longer be printed, and the legal document number cannot be reused.

Canceling Legal Documents with PO Returns

In some cases, you are required to cancel a legal document associated with a PO return. For example, cancellation is required when:

- The return included an incorrect quantity.
- The return should not have been recorded at all.
- Fiscal data associated with the legal document is incorrect.

In such cases, first use Non-Sales Shipper Unconfirm (3.15.2) to unconfirm the PO shipper and cancel the legal document. Then, depending on the type of correction, use additional programs to reprocess the return:

- To change an incorrect quantity, create a PO return for the difference between the incorrect and correct quantities, which corrects the shipper and creates a new legal document. Then, run ERS Processor to create a credit note for the difference.

- To reverse a return that should not have been recorded, create a PO return for a negative quantity, which sets the quantity to 0 without creating a new legal document. Then, run ERS Processor to create a credit note for the negative quantity.
- To correct fiscal data on a return that has a correct quantity, use Non-Sales Shipper Confirm to reconfirm the shipper and create a new legal document. You can correct the fiscal data at this time. Note that ERS Processor is not required in this case.

Sample Scenarios

These scenarios illustrate each type of cancellation and correction. Basic information for the scenarios is as follows:

- Original PO Receipt
 - Standard PO with legal documents was received for item01, quantity of 10, physically confirmed.
 - Inbound legal document was recorded in Fiscal Receiving, quantity of 10, fiscally confirmed.
 - ERS Processor was run to create a supplier invoice for a quantity of 10.
- Original Return
 - Recorded in Purchase Order Returns, return quantity of 10
 - Created shipper #1, quantity of 10
 - Created legal document #1, quantity of 10
 - ERS created credit note for negative quantity of 10

Scenario 1: Incorrect quantity recorded on return; only 8 items were actually returned

- 1 In Non-Sales Shipper Unconfirm, unconfirm shipper #1. The system cancels legal document #1.
- 2 In Purchase Order Returns, record quantity of -2 for shipper #1. The system adjusts the return quantity to 8 and creates legal document #2 for a quantity of 8.
- 3 Run ERS Processor to create a credit note for a quantity of -2.

Scenario 2: Return should not have been recorded at all and must be reversed

- 1 In Non-Sales Shipper Unconfirm, unconfirm shipper #1. The system cancels legal document #1.
- 2 In Purchase Order Returns, record quantity of -10 for shipper #1. The system adjusts the return quantity to 0. No new legal document is created.
- 3 Run ERS Processor to create a credit note for a quantity of -10.

Scenario 3: Return quantity is correct, but legal document fiscal data requires correction

- 1 In Non-Sales Shipper Unconfirm, unconfirm shipper #1. The system cancels legal document #1.
- 2 In Non-Sales Shipper Confirm, reconfirm shipper #1. The system creates legal document #2. You can modify the fiscal data so that it is correct.
- 3 ERS Processor is not needed in this scenario.

Reports, Browsers, and Inquiries for .NET UI

This chapter discusses enhanced functionality that is available to QAD .NET UI users of reports, browsers, and inquiries in the purchasing modules.

***Introduction* 168**

Introduces the concept of enhanced reports and describes how to access them.

***Using Enhanced Reports* 168**

Summarizes the steps required to set up filters and select the output medium for the report.

***List of Modified Reports, Browsers, and Inquiries* 170**

Includes a cross-reference between standard programs and their equivalent enhanced versions.

Introduction

QAD has rewritten numerous reports throughout the purchasing modules to take advantage of the enhanced functionality available through Reporting Framework. These reports provide a significantly improved reporting capability to users of the QAD .NET UI.

For information on the tools used to write the enhanced reports, see [QAD Reporting Framework User Guide](#).


In some cases, reports have been redesigned as browses (or browses as reports) or broken into multiple menu items, as shown in Table 7.1. For example, Supplier Cross-Ref Report is now two browses, one for purchase orders and the other for distribution orders.

Note The standard versions of the programs are still available in their original menu locations. You can use them in both character UI and .NET UI.

You can access the new programs in several ways:

- By entering the title in the menu search field. For reports, the search result lists two occurrences. Menu icons differentiate the enhanced reports from the standard versions.

Fig. 7.1
Report Icons in .NET UI



- By entering the enhanced report menu number in the menu search field (Table 7.1). The menu positions are always 25 or greater, so the .NET UI-only reports do not display on the character UI menus.

Note You cannot access a new report by entering a Progress program name.

- By navigating in the menu tree to the related functionality area. The enhanced reports are in the same directories as their standard report counterparts.

Using Enhanced Reports

This topic includes a brief overview of the basic steps used to generate a report. For more information on filters, output options, and so on, see [QAD Reporting Framework User Guide](#).

Running a Report

- 1 Access the report. The Report Filter screen is displayed in the application area.

Fig. 7.2
Report Filter

Field	Operator	Value	Unit
Routing Code	equals	0211	
As of Date	equals	12/9/2010	
Work Center	equals	0410	
Order Quantity	equals	10	

- 2 By default, a report displays all the records available in the source data. However, you may want to retrieve just a certain range of records in the report; for example, routing costs for an item at one specific work center. You do this by setting search conditions to filter data in the report for one or more of the available criteria.
 - a Configurable filter capabilities let you create both simple and complex queries. Choose a search operator from the drop-down list: equals, not equals, and so on.
 - b If you choose the Range operator, enter a beginning value of the range in the first search box. Optionally, enter an ending value of the range in the second search box.
 - c To refine your search further, click the plus (+) icon to add another search row. You can add as many rows as needed, each with different search values and operators. When you specify several criteria, note that multiple criteria for the same field are treated as a logical AND condition.
 - d To remove a search criteria row, click on the delete (X) icon.
 - e Optionally, click Save As to save the new search conditions as a filter for future reuse.
- 3 On the toolbar, select a layout from the Layout pull-down list. (This feature is available only for a report resource with multiple report definitions.) The default layout is listed in bold text.
- 4 On the toolbar, select an output format from the pull-down list before the Run button. You can choose from several output formats when the report is run:
 - Document — The report is displayed in the Report Viewer window.
 - PDF — The report is rendered as a PDF file. You can save the file and open it in the Report Viewer window.
 - PDF Read-only — The report is rendered as a read-only PDF file. It has a random password that prevents tampering with the document.
 - TIFF — The report is rendered as a Tagged Image File Format (TIFF) file.
 - RTF — The report is rendered as a Rich Text Format (RTF) file. You can open this file in Microsoft Word and save it in .doc format.
 - Excel — The report is rendered as a Microsoft Excel (.xls) file. You can save the file and open it in the Report Viewer window.
 - Plain Text — The report is rendered as a plain text (.txt) file.

- 5 On the toolbar, click Run. A report generation progress bar appears. When report generation is complete, the report is displayed in the Report Viewer window directly or opened as a PDF or Excel file depending on which output format you selected. For some formats, you can click Save to create a file of the specified type in a directory on your file system.

Running Reports Directly From Browsers

You can directly run reports from browsers by selecting Report from the Action menu in the browse screen. The sorting, grouping, and search criteria in the browse are all carried over to the report, which uses the browse as its data source. You can further filter data in the report by defining new search criteria in the Filter screen. Just as in reports, click the plus (+) icon to add search rows.

List of Modified Reports, Browsers, and Inquiries

Table 7.1
Reporting Updates for Purchasing Functions

Standard Menu Number	Standard Program Title	Standard Program	Enhanced Menu Number	Enhanced Program Title
5.2.1.5	Category Report	rqcrp.p	N/A	Category Collection
5.2.1.17	Approver Report	rqarp.p	5.2.1.41	Same
5.2.16	Approver's Open Req. Inquiry	rqrqi3.p	5.2.16	Approver's Open Req. Browse
5.2.17	PO and Req. Cross Reference	rqpoi.p	5.2.17	Same
5.2.19	Requisition to PO Report	rqqr6.p	5.2.43	Same
5.2.21	Out of Tolerance Inquiry	rqri4.p	5.2.21	Out of Tolerance Browse
5.5.5.8	PO Shipper Unconfirmed Report	rsrp12.p	5.5.5.32	Same
5.5.7.2	Ship Delivery Time Inquiry	rssdti.p	5.5.7.3	Ship Delivery Time Browse
5.10	Purchase Order Print	popor03.p	5.9.5	Purchase Order Print
5.13.2	Purchase Receipt Document Print	porcrp.p	5.13.6	Purchase Receipt Document Print
5.13.17	PO Fiscal Receipt Inquiry	posmrci.p	5.13.41	PO Fiscal Receipt Report
5.15.2	Performance Category Inquiry	poveci.p	5.15.2	Performance Category Browse
5.15.4	Supplier/Category Inquiry	povesci.p	5.15.4	Supplier/Category Browse
5.15.6	Performance Event Inquiry	poveei.p	5.15.6	Performance Event Browse
5.15.8	Perform Weight Factor Inquiry	povewi.p	5.15.8	Perform Weight Factor Browse
5.15.14	Performance Data Report	povedr.p	5.15.38	Same
5.15.23.4	Supplier Cross-Reference Report	povexr.p	5.15.23.5	PO Supplier Cross-Reference Browse
			5.15.23.6	DO Supplier Cross-Reference Browse

Product Information Resources

QAD offers a number of online resources to help you get more information about using QAD products.

[QAD Forums \(community.qad.com\)](https://community.qad.com)

Ask questions and share information with other members of the user community, including QAD experts.

[QAD Knowledgebase \(knowledgebase.qad.com\)*](https://knowledgebase.qad.com)

Search for answers, tips, or solutions related to any QAD product or topic.

[QAD Document Library \(documentlibrary.qad.com\)](https://documentlibrary.qad.com)

Get browser-based access to user guides, release notes, training guides, and so on; use powerful search features to find the document you want, then read online, or download and print PDF.

[QAD Learning Center \(learning.qad.com\)*](https://learning.qad.com)

Visit QAD's one-stop destination for all courses and training materials.

*Log-in required

Index

Numerics

- 1.2.5 98
- 2.3.1 62
- 5.2.1.1 15
- 5.2.1.4 16
- 5.2.1.7 17
- 5.2.1.13 18
- 5.2.1.14 20
- 5.2.1.15 20
- 5.2.1.16 21
- 5.2.1.20 17
- 5.2.1.24 11
- 5.2.3 21
- 5.2.13 33
- 5.2.14 31
- 5.2.18 42
- 5.3.1 71
- 5.3.6 71
- 5.5.1.21 61
- 5.5.5.5 83
- 5.11 61, 85
- 5.13.1 74, 81, 83, 108
- 5.13.7 74
- 5.13.7) 83
- 5.13.13 74
- 5.13.14 74, 83
- 5.13.18 75
- 5.13.20 74
- 5.15.1 129
- 5.15.2 130
- 5.15.5 131
- 5.15.6 131
- 5.15.7 132
- 5.15.8 133
- 5.15.10 133
- 5.15.11 134
- 5.15.13 138
- 5.15.17 139
- 5.15.19 143
- 5.15.22 132
- 5.15.23.1 144
- 5.15.23.2 144
- 5.15.23.3 141
- 5.18.1 96
- 5.18.13 114
- 5.18.14 114
- 5.18.15 113
- 5.18.16 114
- 5.18.24 94
- 5.18.25.21 111
- 5.19 62

- 5.23 82
- 5.24 57
- 15.5.24 125
- 17.22.19.5 111
- 18.22.5.24 83
- 35.4.2 110
- 36.9.5.3 11
- 36.9.5.4 94

A

- accounts
 - product line
 - supplier consignment 97
 - supplier consignment 97
- accounts payable (AP)
 - purchase variance 82
- Accrue Tax at Receipt 99
- Accrue Tax at Usage field 99
- adjustments
 - supplier consigned inventory 111
- aged inventory
 - supplier consignment 113
- Aging Inventory Batch Update 114
- Aging Inventory by Part 117
- Aging Inventory Report by Order 113, 117
- Aging Inventory Report by Part 114
- Aging Inventory Update 114
- approval currency 13
- Approval Level Maintenance 15
- Approver Maintenance
 - horizontal 18
 - job 20
 - product line 21
 - vertical 20
- approvers for GRS
 - administrative 19
 - alternate 19
 - horizontal 10
 - job approvers 11
 - product line 11
 - types 10
 - vertical 10
- archive/delete
 - blanket orders 72
 - closed PO receipts 82
 - closed purchase orders 82
 - supplier performance data 144

B

- blanket
 - purchase orders 70

- Blanket Order Maintenance 71
- Blanket Order Release to PO 71
- Build PO from Requisitions 42
 - PO header frame 45
 - Selection frame 44
- Buyer Maintenance 17
- buyers
 - Global Requisition System (GRS) 17

C

- capacity requirements planning (CRP)
 - supplier capacity 85
- categories
 - Global Requisition System (GRS) 15
- category
 - supplier performance 129
- Category Maintenance (GRS) 16
- Closed PO Delete/Archive 72, 82
- Closed PO Receipt Delete/Archive 82
- CN-ADJ 102
- CN-ISS 102
- CN-RCT 102
- configured messages
 - in Fiscal Receiving 150
- connecting shippers to received items 83
- consignment control settings
 - supplier 94
- Consignment Inventory Adjustment 111
- Consignment Inventory by Order 117
- Consignment Inventory Report 117
- Consignment Orders field
 - purchase orders 107
 - Supplier Consignment Control 95
- Consignment Usage Export 110
- consolidation
 - supplier performance data 141
- containers
 - purchase order 74
- control program
 - Requisition (GRS) 11
 - Supplier Performance 124
- CRP. *See* capacity requirements planning (CRP)
- currency
 - approval for requisitions 13
- CYC-CNT transaction 116
- cycle count
 - supplier consigned inventory 115
- Cycle Count Results Entry 116
- Cycle Count Worksheet Print 115

D

- delete/archive
 - blanket orders 72
 - closed PO receipts 82
 - closed purchase orders 82
 - purchase order shippers 75
 - supplier performance data 144
- discount table 56
- discount tables
 - requisitions 25

E

- EDI eCommerce
 - export consignment data 110

- effective dates, scheduled orders 74
- e-mail
 - message content for GRS 9
 - setup for GRS 9, 14
- Enterprise Material Transfer (EMT)
 - supplier consigned inventory 92
- events
 - subjective 131
 - supplier performance 131
 - system 131
- expired
 - purchase orders
 - removing 82

F

- fiscal receipts
 - processing flow 78

G

- Generalized Codes Maintenance
 - buyers 18
- Global Requisition System (GRS)
 - activating 12
 - building the PO 42–47
 - creating purchase requisitions 21–33
 - features 4
 - overview 3–7
 - review and approval process 33–41
 - setting up 7–21

H

- Horizontal Approver Maintenance 18

I

- inspection location
 - purchase orders 58
 - supplier performance 137
- inventory adjustments
 - supplier consigned inventory 111
- Inventory Balance Update 116
- Item Revision field 29
- Item Tag Create 115
- item types 60

J

- Job Approver Maintenance 20
- Job Maintenance 17

K

- Kanban Fill/Receive 111
- kanban transactions
 - item movement 111
 - production receipt 111
 - purchase receipt 111

L

- legal document
 - format 146
 - implementing 148
 - menu listing 147
- line item revision level 29
- Location Maintenance
 - transferring ownership 100
- Look-Up Table 130

M

- material requirements planning (MRP)
 - approving purchase orders 33
 - PO subcontract items 85
- maximum aging date
 - calculation (supplier) 113
- maximum aging days
 - purchase order 107
 - Supplier Consignment Control 95
- memo items
 - purchases 87
- Missed Shipment Event Generator 139
- multiple sites
 - purchase orders 86

O

- out of tolerance
 - global requisitions 13
 - requisitions 46

P

- parts per million
 - formula 130
- Perform Weight Factory Browse 133
- Performance Category Browse 130
- Performance Category Maintenance 129
- Performance Data Delete/Archive 144
- Performance Data Maintenance 138
- Performance Event Browse 131
- Performance Event Maintenance 131
- Performance Weight Factor Maint 132
- physical inventory
 - supplier consigned inventory 115
- planned orders
 - creating requisitions from 33
- Planned Purchase Order Approval
 - creating requisitions 33
- PO Container Maintenance 74
- PO Fiscal Receiving 78
 - header fields 79
 - line item screen 80
- PO Receipt Packing Slip Inquiry 73, 74
- PO Shipper Delete/Archive 75, 82
- PO Shipper Maintenance 74, 83
- PO Shipper Receipt 74, 79
 - shipment information 73
- PO Shipper Receipts 108
- PO Shipper/Invoice Maintenance 75
 - numbering sequence 76
- price table
 - requisitions 25
- pricing, temporary 63
- printing
 - purchase orders 61
 - WO comments 86
- PRO/PLUS 120
- Product Line Approver Maintenance 21
- Product Line Maintenance
 - supplier consignment accounts 97
- Purchase Order Cost Update 62
- Purchase Order Maintenance 55
 - adding requisition lines 42
 - modifying requisition data 46
 - returns from 81

- supplier consignment 106
- Purchase Order Print 45
- Purchase Order Receipts 72, 74, 81, 83, 108
 - shipment information 73
- Purchase Order Returns 74, 81, 83
- purchase orders 55
 - adding requisition lines to 45
 - amount prepaid 62
 - blanket orders 54
 - cancellation 71
 - cost update 62
 - currency 56
 - deletion 71
 - discrete 54
 - FOB point 62
 - header 56
 - Inspection Required field 61
 - line items 57
 - multi-database operations and 87
 - order header 55
 - price lists 58
 - printing 61
 - receipts 72
 - revision level, item 61
 - ship via 62
 - supplier item field 59
 - supplier schedules 54
 - trailers 61
 - triggering 84
 - Type field 60
 - unit costs 58
 - Update Average/Last Cost field 61
- purchase price variance 82
- purchasing 51–87
 - blanket orders 70
 - fiscal receipts 78
 - memo purchases 87
 - MRP 85
 - multisite processing 86
 - orders headers 55
 - outside the system 87
 - overview 52
 - purchase orders 53
 - receivers 53
 - requisitions 53
 - returns 53
 - subcontracts 83
 - supplier invoices 53
 - supplier schedules 54
- Purchasing Account Maintenance 98
- Purchasing Control 57
 - Inspection Location 137
 - ship-to for requisitions 22

R

- receipts 72
- receiver matching
 - supplier consigned inventory 92
- registration
 - supplier performance 120
- Registration Maintenance 133
- reports
 - supplier consignment 116
- Requisition Accounting Control 11

- Requisition Approval Maintenance 33, 34
- Requisition Control 11
- Requisition Maintenance 21
- Requisition Queue Browse 38
- Requisition Routing Maintenance 31, 38
- requisitions 53
 - canceled 25
 - final approval 37
 - line items 26
 - number 12, 22
 - planned orders 33
 - routing 37
 - trailer frame 31
- Retroactive Purchase Price Adjustment 67
- returns 53
- revision level, line item 29
- routing
 - approval for requisitions 31
- Routing Maintenance
 - subcontract lead time 84

S

- sales analysis 145–146
- scheduled orders
 - purchase orders 54
- segregation of duties
 - in Fiscal Receiving 150
- shippers
 - purchase order 74
- shippers, connecting to items 83
- Ship-To/Item Controls Report 117
- Site Maintenance
 - transferring ownership 100
- start effective dates, scheduled orders 74
- status
 - requisition 25
- subcontract items 60
 - connecting shippers to received items 83
 - viewing subcontractors during receipt 74
- Subcontract Order MRP % Maint 61
- Subcontract Routing/Op PO Maint 85
- Subcontract Routing/Op PO Maintenance 61
- Subcontract Shippers frame 74, 83
- Subcontract Shipping Control 83
- subcontract supplier, specifying 85
- subcontracts
 - inventory and cost control 84
 - lead time 84
 - pricing 84
 - print WO comments 86
 - purchases 83
 - routings and work centers 84
- subjective events 131
- Summary Data Delete/Archive 144
- Summary Data Report 143
- supplier consignment 89–117
 - adjusting inventory 111
 - aged inventory 113
 - managing 101
 - ordering items 106
 - overview 90
 - receiving inventory 108
 - reports 116
 - returns 112

- setup 94
 - using inventory 109
 - work flow 91
- Supplier Consignment Accounting Control 94
- Supplier Consignment Control 94
- Supplier Cross-Reference Maintenance 141
- Supplier Cross-Reference Report 143
- Supplier Data Maintenance 62
- Supplier Item Maintenance 59
- Supplier Performance
 - activating 124
 - automatic data collection cycle 135
 - computational methods 130
 - data consolidation 141
 - defining performance categories 129
 - features 120
 - lookup table 130
 - manual data capture 136
 - inventory transfer 137
 - PO Returns 137
 - planning 124
 - rating systems 122
 - work flow 122
- Supplier Performance Control 124
- supplier performance data
 - manually creating 138
- supplier schedules
 - purchasing 54
- Supplier/Category Maintenance 134
- Supplier/Item Controls Maintenance 96
- suppliers
 - capacity 85
 - measuring performance 119
 - Requisition Maintenance 22, 27
- System Category/Event Maint 132
- system events 131
- System/Account Control
 - supplier consignment accounts 97

T

- TAG-CNT transaction 116
- Tax Rate Maintenance 98
- temporary purchase order pricing 63
- tolerance
 - requisition values 46
- tolerance percent
 - global requisitions 13
- transaction types 101
 - supplier consigned 101
- Transactions Detail Inquiry 103
- Transfer Ownership field 100
- triggering purchase orders 84

U

- Use Registration Report 134

V

- Vertical Approver Maintenance 20
- view multiple subcontractors during receipt 74

W

- weight factors
 - supplier performance 132
- WIP Lot Serial

viewing items during receipt 74
work flow

supplier consignment 91
Work Order Dispatch Report 84

