



QAD Enterprise Applications
Enterprise Edition

Technical Reference Database Definitions

70-3158-2012EE
QAD Enterprise Applications 2012
Enterprise Edition
March 2012

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2012 by QAD Inc.

DatabaseDefinitions_TR_v2012EE.pdf/mat/mat

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<http://www.qad.com>

Contents

Change Summary	xxv

About This Guide	1

Introduction	2
How This Book Is Organized	2
Symbols and Conventions	3

Database Definitions	5

AAA_qadfinance_20111219	DB Time Stamp	6
absc_det	Sales Order Detail Container Charges.....	6
absc_det	Shipment Carrier Detail	7
absd_det	Shipment Line Item Detail	7
absi_mstr	Shipper Information Master	7
absl_det	Shipment Detail Line Charges.....	8
abspli_ref	Purchase Order Shipper/Invoice Cross Reference	9
absp_det	Subshipper PO Cross Reference	9
absr_det	Shipment Requirement Detail	9
abssc_det	Shipper Validation Error Log	10
abss_det	Shipment Sequence Detail.....	11
absw_det	ABS Lot/Serial Detail.....	12
absx_det	Subcontract Shipper PO Shipper Cross Reference	13
abs_mstr	ASN/BOL/Shipper Master	13
AcctIF	Chinese Accounting Interface	16
AcctIFFilter	Chinese Accounting Interface Filter	16
acdf_mstr	Account Default Master	17
acm_mstr	Co-product/By-product Average Cost Master	18
acod_mstr	Application Code Master	18
actf_mstr	Info on table and related account, sub-account, & cc field names	19
act_mstr	Alternate Container Master	19
ac_mstr	Account Master	20
adc_ctrl	Address Control.....	20
Address	Address	21
AddressType	Address Type	22
adx_det	External Address Cross-Reference Detail.....	23
ad_mstr	Address Master	24
Agent	Salesperson	26
AIMW	Warehousing Work Table.....	26
ald_det	Allocation Account Detail.....	27
AlgoAssD	Warehousing Algorithm Assignment Detail.....	28
AlgoAssM	Warehousing Algorithm Assignment Master	29
AlgoM	Warehousing Algorithm Master	30
AlgoTypeM	Warehousing Algorithm Type Master	30
Allocation	Allocation Definition.....	31
AllocationBatch	Allocation Batch.....	32
AllocationBatchLine	Allocation Batch Line.....	32

AllocationLayer	Allocation Layer.....	33
AllocationPosting	Allocation Posting.....	33
AllocationProportional	Proportional Allocation	33
alm_mstr	Automatic Lot Master	34
AltCOAGroup	Alternate COA Group	34
AltCOAStruct	Alternate COA Structure.....	35
AltCOAStructDet	Alternate COA	36
AltTaskM	Warehousing Alternate Task Master	37
AltUMD	Warehousing Alternate Unit of Measure Detail	39
AltUMM	Warehousing Alternate Unit of Measure Master	39
al_mstr	Allocation Account Master.....	40
anl_det	Analysis Code Link Detail.....	41
ans_det	Analysis Code Selection Detail	41
anx_det	Analysis Code Exploded Detail	41
an_mstr	Analysis Code Master	42
apc_ctrl	Accounts Payable Control.....	42
APMatching	Accounts Payable Matching	43
APmatchingLn	Accounts Payable Matching Line	45
APMatchingLnRevTax	Accounts Payable Matching Line Rev Tax.....	47
APMatchingLnTax	Accounts Payable Matching Line Tax Detai.....	47
APMatchingLnWHT	Accounts Payable Matching Line Tax Detail	48
apmr_mstr	Advanced Pricing Management Customer Relationship Master	49
apm_ctrl	Advanced Pricing Management Control.....	50
ApproveStatusTrans	Approve Status Transition.....	50
aprm_mstr	Application Parameter Master	51
apr_mstr	Application Registry.....	51
arc_ctrl	Accounts Receivable Control	53
art_mstr	Application Return Code Master	54
atdcd_det	Audit Trail Database Connection Detail	55
atdc_mstr	Audit Trail Database Connection Master.....	55
atg_mstr	Audit Trail Group Master	55
atp_det	Available-to-Promise Detail	56
att_mstr	Audit Trail Table Master	56
aud_det	Audit Detail	57
AutoNumber	Automatic Numbering.....	57
BankAccFormat	Bank Account Format.....	58
BankAccFormatSect	Bank Account Format Section.....	58
BankFileFormat	Bank File Format	58
BankFileFormatTransType	Bank File Format Transaction Type	59
BankImp	Bank Statement Import.....	59
BankImpLine	Bank Statement Import Line	60
BankImpLineLog	Bank Statement Import Line Log	61
BankNumber	Bank Number	61
BankNumberPayCode	Bank Number Payment Format Code	62
BankPayFormat	Bank Payment Format.....	63
BankState	Bank Statement.....	63
BankStateAlloc	Bank Statement Allocation	64
BankStateAllocColl	Bank Statement Selection Allocation	65
BankStateImport	Import Bank Statements.....	66
BankStateLine	Bank Statement Line	66
BankStateStageAlloc	Bank Statement Stage Allocation.....	68
BatchPickC	Warehousing Batch Picking Control.....	69
BatchPickD	Warehousing Batch Picking Detail	70
BatchPickM	Warehousing Batch Picking Master	71
bcd_det	Batch Control Detail	73
bc_mstr	Batch Control Master.....	73
bdld_det	Batch Data Load Detail	74
bdl_mstr	Batch Data Load Master.....	74
bdp_det	Bank Driver Payment Detail	75

bic_ctrl	Service/Support Contract Billing Control	75
BLWIGroup	BLWI Group.....	76
bl_ctrl	Master Bill of Lading Control	76
bom_mstr	Product Structure (Bill of Material) Master	76
Box1099	1099 Box	77
Box1099PurchaseTypeLink	1099 Box Purchase Type Link	77
btb_det	Enterprise Material Transfer Primary Business Unit Detail	78
btrd_det	Blocked Transaction Detail.....	79
btr_mstr	Blocked Transaction Master	79
Budget	Budget.....	79
BudgetCompany	Budget Entity	81
BudgetFDS	Budget COA	81
BudgetGroup	Budget Group.....	81
BudgetLink	Budget Posting Commitment Link.....	82
BudgetLinkAcc	Budget Accumulation by Period	82
BudgetLinkAccDet	Budget Accumulation by Sub-ledger	83
BudgetLinkActual	Budget Posting Link	83
BudgetLinkCommit	Budget Commitment Link	84
BudgetPeriod	Budget Period.....	85
BudgetReport	Budget Report	86
BudgetReportDetail	Budget Report Detail	86
BudgetVersion	Budget Version.....	87
BudgetVersionFig	Budget Version Figures.....	88
BudgetVersionGLFig	Budget Version GL Figures.....	92
BudgetWBS	Budget Topic	96
BudgetWBSBusComponent	Budget Topic Component Link.....	98
BudgetWBSRoster	Budget Topic Forecast	98
BulkPickC	Warehousing Bulk Pick Control.....	99
BulkPickD	Warehousing Bulk Pick Detail	100
BulkPickDH	Warehousing Bulk Pick Detail History	101
BulkPickM	Warehousing Bulk Pick Master	102
BusArea	Business Area	104
BusAreaComponent	Business Area - Business Component Link	104
BusinessRelation	Business Relation.....	104
BusRelationSafDefault	Business Relation Saf Default.....	106
cac_ctrl	Service/Support Call Master Control	106
cah_hist	Service/Support Call History	107
cald_det	Calendar Detail.....	108
CalendarD	Warehousing Calendar Detail	109
CalendarM	Warehousing Calendar Master.....	109
calh_det	Calendar Holiday Detail.....	110
calm_mstr	Calendar Master.....	110
cals_det	Shift Detail.....	111
cal_det	Calendar Detail.....	112
caq_mstr	Service/Support Call Queue Master	112
CashGroup	Cash Group	113
CashReport	Cash Report	113
CashReportGL	Cash Report Account	114
CashReportGLLine	Cash Report Account Line	114
cas_mstr	Service/Support Call Status Master	115
ca_mstr	Service/Support Call Master.....	115
CBalance	Supplier Balance	118
ccc_ctrl	Credit Card Control	119
ccd_mstr	Service/Support Call Fault Code Master	120
cclscd_det	Ship-To/Container Price List Detail	120
cclsc_mstr	Ship-To/Container Master	121
ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master	121
ccl_ctrl	Container/Line Charge Control.....	122
CCollection	Supplier PaymentSelection	122

cctr_hist	Credit Card Transaction History	124
cct_mstr	Container Charge Type Master	125
cc_mstr	Cost Center Master	125
cdf_mstr	Service/Support Call Default Master	125
CDocInvoiceXrefStage	Supplier Payment Invoice Xref Stage	126
CDocument	Supplier Payment	127
CDocumentInvoiceXref	Supplier Payment Invoice Xref	128
CDocumentPostingLine	Supplier Payment Posting Line	129
CDocumentStatus	Supplier Payment Status	129
cd_det	Master Comments	130
ChargesD	Warehousing Shipment Detail Charges	130
chg_mstr	Line Changeover Master	131
CHist	Supplier Balance History	132
chm_mstr	Service/Support Call History Master	133
cild_det	Correction Invoice Link Detail	135
cil_mstr	Correction Invoice Link Master	136
CInvoice	Supplier Invoice	137
CInvoiceBank	Supplier Invoice Bank Records	140
CInvoiceBankPayCode	Supplier invoice Bank Payment Code	140
CInvoiceMovement	Supplier Invoice Movements	141
CInvoicePO	Supplier Invoice PO Matching Link	142
CInvoicePosting	Supplier Invoice Posting Link	142
CInvoiceStage	Supplier Invoice Stage Payment	143
CInvoiceVat	Supplier Invoice Tax Records	143
CInvoiceWHT	Supplier Invoice Withholding Tax	144
clatd_det	UDF Attribute Value Detail	145
clat_mstr	UDF Attribute Master	146
clc_ctrl	Compliance Control	146
ClientCache	client cache	147
clsd_det	UDF Class Table Detail	147
clsf_mstr	Classification Master	147
cmc_ctrl	Customer Control	148
cmd_det	Enterprise Material Transfer Change Management Detail	148
cmf_mstr	Enterprise Material Transfer Change Management Master	149
cmh_hist	Customer Sales History	149
cmt_det	Transaction Comments	150
cm_mstr	Customer Master	150
cncix_mstr	Consigned Shipment Inventory Cross-Reference Master	153
cncs_mstr	Customer Consignment Ship-To/Item Master	154
cncud_det	Customer Consignment Shipment Usage Detail	154
cncu_mstr	Customer Consignment Shipment Usage Master	155
cnc_ctrl	Customer Consignment Control	156
cnsix_mstr	Supplier Consignment Receipt Inventory Master	157
cnss_mstr	Supplier Consignment Supplier/Item Master	157
cnsud_det	Supplier Consignment Receipt Usage Detail	158
cnsu_mstr	Supplier Consignment Receipt Usage Master	158
cns_ctrl	Supplier Consignment Control	159
CnvXref	Temporary Table used for converting SCBA	159
COACrossRef	COA Cross Reference	160
COACrossRefDet	Cross Reference Detail	160
COAMaskCC	COA Mask Cost Center	161
COAMaskCCDiv	COA Mask Cost Center Range GL	162
COAMaskCCGL	COA Mask Cost Center Range GL	162
COAMaskDiv	COA Mask Sub-Account	162
COAMaskDivGL	COA Mask Sub-Account Range GL Account	163
COAMaskProj	COA Mask Project	163
COAMaskProjCC	COA Mask Project Range Cost Center	164
COAMaskProjDiv	COA Mask Project Range Sub-Account	164
COAMaskProjGL	COA Mask Project Range GL	164

code_mstr	Generalized Code Master	165
comd_det	Commodity Code Detail	165
Company	Entity	167
CompanyProperty	Entity Property	167
CompanySharedSet	Company Shared Set	169
com_mstr	Commodity Code Master	169
ConCheck	Consistency Check	170
ConCheckLine	Consistency Check Line	171
ConCheckLineDet	Consistency Check Line Detail	172
Consolid	Consolidation	173
ConsolidCycle	Consolidation Cycle	173
ConsolidCycleCompany	Entity Consolidation Cycle	174
ConsolidCycleSaf	Consolidation Cycle Saf	174
ConsolidDump	Consolidation Export	175
ConsolidLayer	Consolidation Layer	175
ConsolidPeriodXref	Consolidation Period Cross-reference	176
ConsolidPostingXref	Consolidation Posting Cross-Reference	176
Contact	Contact	177
cont_mstr	Container Type Master	178
CorporateGroup	Corporate Group	178
CostCentre	Cost Center	179
CostCentreSafDefault	Cost Center SAF Default	180
cost_cal	Cost Set Calendar	181
Country	Country	182
CountryVatFormat	Country Tax Format	183
County	County	183
co_ctrl	General Ledger (Company) Control	183
CPay	Supplier Payment	184
cpcd_det	Customer Period Calendar Detail	185
cpc_mstr	Customer Period Calendar Master	185
cph_hist	Customer/Item Sales History	186
cp_mstr	Customer Item Master	187
crc_ctrl	Carrier Control	187
crd_det	Call Reminder Detail Table	187
Creditor	Supplier	188
CreditorSafDefault	Supplier SAF Default	190
CreditorType	Supplier Type	190
CreditorVat	Supplier Tax	190
cref_mstr	Service/Support Cross-Reference Master	191
csa_mstr	Controlled Substance Authority Master	191
cscp_det	Link table between Period, currency, cost set for Periodic Costing ..	192
csc_mstr	Controlled Substance Customer Master	192
csd_det	Service/Support Call Skill Detail	193
csid_det	Controlled Substance Item Detail	193
csil_mstr	Controlled Substance Individual License Master	194
csim_mstr	Controlled Substance Item Master	194
csld_det	Controlled Substance Individual License Detail	196
cslm_mstr	Controlled Substance General License Master	196
cssi_det	Site Cost Detail	197
css_mstr	Controlled Substance Site Master	197
cst_mstr	Fixed Asset Custodian Master	198
cs_mstr	Cost Set Master	198
ctd_det	Credit Terms Detail	198
ctg_mstr	Category Master	199
ctry_mstr	Country Master	199
ct_mstr	Credit Terms Master	200
Currency	Currency	200
CustInventM	Warehousing Customer/Inventory Status Master	201
CustPartM	Warehousing Customer/Item Master	202

cu_mstr	Currency Master.....	203
dald_det	Destination Application List Detail.....	203
dal_mstr	Destination Application List Master.....	204
DBalance	Customer Balance.....	205
dbm_mstr	Database Revision Control Master.....	205
DCollection	Customer Payment Selection.....	205
DCollectionExport	Customer Payment Selection Export	207
dc_mstr	Database Connection Master.....	207
DDocInvoiceXrefStage	Customer Payment Invoice Xref Stage	208
DDocument	Customer Payment.....	209
DDocumentInvoiceXref	Customer Payment Invoice Cross-Reference	210
DDocumentPayCode	Customer Payment Payment Code.....	211
DDocumentPostingLine	Customer Payment Posting Line.....	211
DDocumentStatus	Customer Payment Status	211
Debtor	Customer.....	212
DebtorCreditRating	Customer Credit Rating.....	214
DebtorEndUser	Customer End User.....	214
DebtorSafDefault	Customer SAF Default	215
DebtorShipTo	Customer Ship-To	216
DebtorType	Customer Type.....	217
decl_mstr	Declarant Master	217
DeductionCat	Deduction Category.....	217
DeductionCatLine	Deduction Category Line.....	219
DeductionCatLineSaf	Deduction Category Line Saf	220
ded_det	Data Entry Detail	221
deed_det	Data Entry Extension Detail	221
dee_mstr	Data Entry Extension Master.....	221
defc_det	Data Entry Frame Sequence Condition Detail	222
defd_det	Data Entry Frame Detail.....	222
deff_det	Data Entry Frame Field Detail	223
defl_det	Data Entry Field Detail	223
defr_det	Service Contract Deferred/Accrued Revenue Detail	224
defs_det	Data Entry Frame Sequence Detail.....	225
DeliveryCond	Delivery Condition	226
delt_mstr	Delivery Time Master	227
dep_mstr	Data Entry Profile Master	227
deu_det	Data Entry User Detail.....	228
de_mstr	Data Entry Master	228
df_mstr	Document Print Format Master	229
DHist	Customer Balance History.....	229
DInvoice	Customer Invoice	230
DInvoiceBank	Customer Invoice Bank Records.....	233
DInvoiceBankPayCode	Customer Invoice Bank Payment Code	234
DInvoiceDeduction	Deduction of Invoice.....	234
DInvoiceMovement	Customer Invoice Movements.....	235
DInvoiceOpInfo	Customer Invoice Operational Info.....	236
DInvoicePosting	Customer Invoice Posting Link.....	237
DInvoiceShipper	Customer Invoice Shipper References.....	238
DInvoiceStage	Customer Invoice Stage Payment.....	238
DInvoiceVat	Customer Invoice Tax Records	239
Division	Sub-Account.....	240
dmw_wkfl	Draft Management Work Table	241
DomainProperty	Domain Property	241
Domains	Domain.....	242
DomainSharedSet	Domain Shared Set.....	243
dom_mstr	Domain Master.....	243
dosr_det	Depot Order Shipment/Receipt Table	243
DPay	Customer Payment.....	244
DPaySel	Customer Payment Selection.....	244

DPaySellLine	Customer Payment Selection Payment Code	245
DPaySellLineStg	Customer Payment Selection Payment Code	246
DPaySelPayCode	Customer Payment Selection Payment Code	246
DPaySelPayRef	Customer Payment Selection Payment Code	247
dpt_mstr	Department Master	247
drp_ctrl	Distribution Requirements Planning Control	248
dsd_det	Distributed Site Requisition Detail	248
dsr_mstr	Distributed Site Requisition Master	249
dss_mstr	Distributed Site Order Master	250
ds_det	Distributed Site Order Detail	251
dvfv_det	Data Validation Field Value Detail	252
dvf_det	Data Validation Field Detail	253
dvshx_ref	Data Validation Rule Cross Reference	253
dv_mstr	Data Validation Master	254
dybs_mstr	Daybook Set Master	254
dyd_mstr	General Ledger Default Daybook Master	255
dy_mstr	General Ledger Daybook Master	256
ea_mstr	Earnings Master	256
eca_mstr	Engineering Change Approval Master	257
ecd1_det	Engineering Change Product Structure Detail	257
ecd2_det	Engineering Change Routing Detail	258
ecd3_det	Engineering Change Text File Detail	259
ecd4_det	Product Change Control Test Results Detail	259
ecd5_det	Product Change Control Item Routing Detail	260
ecd9_det	Engineering Change Approval Detail	260
ecd_det	Engineering Change Item Detail	261
ecl_list	Engineering Change Master Lists	262
ecm_mstr	Engineering Change Master	262
ect_mstr	Engineering Change Type Master	263
ecx_ref	External Order Cross-Reference	264
edlg_hist	Export Delivery Log	264
ega_mstr	Service/Support Engineer Availability Master	265
egc_ctrl	Service/Support Engineer Schedule Control	265
egd_det	Service/Support Engineer Schedule Detail	266
egs_det	Service/Support Engineer Problem/Skills Detail	267
egt_mstr	Service/Support Engineer Tracking Master	268
egw_wkfl	Service/Support Engineer Selection Work Table	269
elg_hist	Export Document Log	270
emap_det	Mapped Export Document Detail	272
emg_msg	Export Document Message	272
Employee	Employee	274
emp_mstr	Employee Master	275
emsg_mstr	Service/Support Engineer Message Master	276
em_mstr	E-mail Master	277
EngineC	Warehousing Engine Processing Control	278
EngineH	Warehousing Engine Processing History	279
EngineW	Warehousing Engine Work Table	280
eng_mstr	Service/Support Engineer Master	282
en_mstr	Entity Master	283
ERAssD	Warehousing External Routing Assignment Detail	284
eraw_det	Raw Export Document Detail	285
ERD	Warehousing External Routing Detail	285
ERM	Warehousing External Routing Master	286
ERS	Evaluated Receipt Settlement History	287
ERSLine	Evaluated Receipts Settlement History De	288
ers_mstr	Evaluated Receipts Settlement Master	288
esapfc_det	E-Signature Activated Profile Filter Criteria	288
esapfil_det	E-Signature Activated Profile Filter	289
esapfs_det	E-Signature Activated Profile Filter Set	289

esapf_det	E-Signature Activated Profile Field.....	290
esamp_ref	E-Signature Activated Profile Menu Program Cross-Reference	290
esaps_det	E-Signature Activated Profile Structure.....	290
esap_mstr	E-Signature Activated Profile	291
escat_mstr	E-Signature Category Master.....	291
escd_det	E-Signature Category Detail.....	292
escf_ref	E-Signature Category Filter Cross-Reference.....	292
escx_det	E-Signature Category XML Detail	292
esc_ctrl	Service/Support Escalation Control.....	293
esfil_mstr	E-Signature Filter	293
esgc_ref	E-Signature Group Category Cross-Reference.....	294
esh_mstr	Service/Support Engineer Schedule Master	294
esig_mstr	E-Signature Master	295
esp_mstr	Export Document Specification Master	295
esrec_det	E-Signature Record List	297
ess_mstr	Service/Support Engineer Status Master	297
eswpfc_det	E-Signature Workbench Profile Filter Criteria	298
eswpfil_det	E-Signature Workbench Profile Filter	298
eswpfs_det	E-Signature Workbench Profile Filter Set.....	298
eswpf_det	E-Signature Workbench Profile Field	299
eswpmp_ref	E-Signature Workbench Profile Menu Program Cross-Reference ...	299
eswps_det	E-Signature Workbench Profile Structure	300
eswp_mstr	E-Signature Workbench Profile	300
es_mstr	Service/Support Escalation and Repair Master.....	301
et_ctrl	EMU Control.....	302
euc_ctrl	Service/Support End User Control	303
eud_det	Service/Support End User Detail.....	303
eus_mstr	Service/Support End User Schedule Master.....	304
eu_mstr	Service/Support End User Master.....	304
EventDaemon	Event daemon	307
ExchangeRate	Exchange Rate.....	307
ExchangeRateType	Exchange Rate Type.....	308
ExpenseCode	Expense Code.....	309
ExpenseGLMatrix	Expense GL Matrix.....	309
ExpNoteCInvoice	Expense Note Supplier Invoice	309
ExpNoteLineSaf	Expense Note Line Saf.....	310
exr_rate	Exchange Rate Master.....	310
faadj_mstr	Fixed Asset Adjustment Master.....	311
FAAssetBookDeprec	Asset Book Depreciations	311
FAAssetGLSaf	Asset Book Account SAF	312
FAAssetSaf	Asset Saf	312
FAAssetTypeFABook	Fixed Asset Type-Book Cross-Reference	313
faba_det	Fixed Asset Account Detail	314
fabchd_det	Fixed Asset Batch Detail	314
fabch_mstr	Fixed Asset Batch Master	315
fabdy_det	FA Book and Daybook link detail table.....	315
fabd_det	Fixed Asset Book Depreciation Detail	316
fabk_mstr	Fixed Asset Book Master	317
fab_det	Fixed Asset Book Detail	318
FACapitalAssetBook	Fixed Asset Capitalization Asset Book.....	319
facd_det	Fixed Asset Class Account Detail	319
facld_det	Fixed Asset Calendar Detail.....	320
facIs_mstr	Fixed Asset Class Master.....	320
fac_cal	Fixed Asset Calendar Master	321
fact_ctrl	Fixed Asset Control.....	321
fac_ctrl	Final Assembly Control	322
FADepreciationDetSaf	Depreciation Detail SAF.....	322
FADepreciationPosting	Depreciation Posting	323
fadf_mstr	Fixed Asset Book Default Master	323

FADisposalDetSaf	Fixed Asset Disposal Detail Saf	323
fad_det	Fixed Asset Component Detail	325
faloc_mstr	Fixed Asset Location Master	325
fal_mstr	Fixed Asset Location Code Master	326
famtd_det	Fixed Asset Custom Table Detail	326
famtrd_det	Fixed Asset Meter Detail	327
famtr_mstr	Fixed Asset Meter Master	327
famt_mstr	Fixed Asset Method Master	328
FARevalDetSaf	Fixed Asset Revaluation Detail SAF	328
FARevalPosting	Fixed Asset Revaluation Posting	329
fas_ctrl	Fixed Asset System Control	329
fauop_det	Fixed Assets UOP Forecast Detail	329
FavBusComponent	Favorites	330
fa_mstr	Fixed Asset Master	330
fcc_mstr	Service/Support Charge Code Product Line Master	332
fcDraftInstanceData	draft instance	333
fcd_mstr	Service/Support Default Charge Code Master	333
fcg_mstr	Service/Support Charge Code Master	333
fcldmObject	IDOM document	334
fcInstance	State	336
fcl_mstr	Item Fiscal Class Master	336
fcs_sum	Forecast Summary	336
fct_mstr	Service/Support Call Type Master	337
fc_det	Seasonal Build Detail	337
ff_mstr	Simulated Forecast Master	338
fh_mstr	Family Hierarchy Master	338
fis_mstr	Invoice Sort Master	339
fkt_mstr	Service/Support Kit Master	340
flcrh_hist	Flow Line Capacity Rate History	341
flcr_mstr	Flow Line Capacity Rate Master	341
fldattr_mstr	Field Attribute Master	342
fldf_mstr	Field Default Master	342
flff_mstr	Flow Flex Fence Master	343
flh_mstr	Field Help Program Master	343
flpw_mstr	Field Security Master	344
flp_plan	Family Line Plan	344
flscd_det	Flow Schedule Code Detail	344
flsc_mstr	Flow Schedule Code Master	345
flsd_det	Flow Schedule Detail	346
fnd_det	Service/Support Field Notification Detail	348
fnh_hist	Service/Support Field Notification History	348
fn_mstr	Service/Support Field Notification Master	350
fp1_plan	Family Production Backlog and Cost Plan	351
fp2_plan	Family Production Inventory and Order Plan	352
fp3_plan	Family Production and Shipment Plan	352
fpci_mstr	Service/Support Price Indexing Master	353
fpc_mstr	Service/Support Pricing Master	354
fpd_cost	Family Item Cost Detail	355
fpst_mstr	Return Status Master	355
frcd_det	Freight Charge Detail	356
frd_det	Freight Rate Detail	357
frm_mstr	Freight Rate Master	357
FRWAnCode	Report Analysis Code	357
FRWAnCodeElem	Analysis Code COA Element	359
FRWAnCodeElemDet	Analysis Code COA Element Detail	360
FRWBuildLog	Cube Build Log	360
FRWChart	Report Chart	362
FRWCol	Report Column Group	363
FRWColDet	Financial Report Writer Column GroupDetail	364

FRWCompany	Report Chart Entity.....	365
FRWCrossRef	Report Chart Linked COA Cross Ref	366
FRWCube	Report Cube	367
FRWCubeCy	Report Cube Entity	368
FRWCubeDim	Report Cube Dimension	370
FRWCubeGLPd	GL Period Linked to Report Period	373
FRWCubeHistLink	Report Cube Balance link to GL History.....	374
FRWCubeLayer	Cube Layer Relation table.....	375
FRWCubeMeas	Report Cube Balance	376
FRWCubePeriod	Report Cube Period.....	378
FRWRepMstr	Financial Report Writer Column Group	379
FRWRepMstrRole	Financial Report Writer Security Roles for Report	380
FRWShSetComb	Report Chart Combination of Shared Sets.....	380
FRWTreeNode	Supplementary Analysis Field	382
FRWUsrDefault	Financial Report Writer User Default Settings.....	383
frzd_det	Freight Zone Detail.....	383
fr_mstr	Freight List Master.....	384
fsc_mstr	Service Category Master.....	385
fsd_det	Service/Support Call Activity Detail.....	386
fsh_mstr	Service/Support Holiday Master.....	386
fslp_pln	Simulation Line Plan.....	387
fsp1_pln	Family Simulation Backlog and Cost Plan.....	387
fsp2_pln	Family Simulation Inventory and Order Plan.....	388
fsp3_pln	Family Simulation Production and Shipment Plan	389
fspd_det	Service/Support Parts List Detail.....	389
fsu_mstr	Service/Support User Preference Master.....	390
ftch_hist	Service/Support Trace History	390
ft_mstr	Freight Terms Master.....	391
fwk_mstr	Service/Support Work Code Master.....	391
genfldd_det	Generic Field Detail.....	393
giap_mstr	Application Definition Master.....	393
gimd_mstr	Model Definition Master.....	393
gip_det	Table Attribute Detail.....	394
gisi_mstr	Site/Item Model Definition Master	394
GL	GL Account.....	395
GLCalendar	GL Calendar	397
glccp_detglcd_det	General Ledger Calendar Detail.....	398
glcor_ctrl	GL Correction Control File.....	399
glc_cal	General Ledger Calendar.....	399
GLMirror	GL Account Mirror	400
GLOpenItem	GL Open Item.....	400
GLOpenItemMovement	GL Open Item Movement.....	401
GLReportLink	GL Report Link	401
GLSafDefault	GL Account SAF Default	402
GLSystemType	GL Account System Type.....	402
gltw_wkfl	General Ledger Work Table	403
GLType	GL Account Type.....	403
glt_det	General Ledger Unposted Transaction Detail	404
gl_ctrl	System/Account Control.....	405
grac_det	GL Report Writer Account Balances	409
grad_det	GL Report Writer Analysis Code Detail	411
gral_det	GL Report Writer Analysis Code Link-File Detail	411
gras_det	GL Report Writer Selection Detail	412
gra_mstr	GL Report Writer Analysis Code Master	412
grbg_det	GL Report Writer Budgeted Account Balance Detail.....	413
grcd_det	GL Report Writer Column Group Detail.....	414
grc_mstr	GL Report Writer Column Group Master.....	415
grdf_mtx	GL Report Writer Definition Matrix	415
grhd_det	GL Report Writer Group Row/Column Sequence Detail	416

grib_det	GL Report Writer Break Group Detail.....	416
gric_det	GL Report Writer Image Column Detail.....	417
grid_det	GL Report Writer Report Image Detail.....	417
grig_mtx	GL Report Writer Report Image Matrix.....	418
grit_wkf	GL Report Writer Analysis Code and Item Type Work Table.....	419
gri_mstr	GL Report Writer Report Image Master.....	419
GrossIncAcc	Gross Income Accounting.....	420
grqd_det	GL Report Writer Fiscal Quarter Calendar.....	421
grrd_det	GL Report Writer Row Group Detail.....	421
grr_mstr	GL Report Writer Row Group Master.....	423
grtx_det	GL Report Writer Text String Detail.....	423
grv_det	GL Report Writer Account Balance Detail.....	423
grx1_wkfl	GL Report Writer Analysis Code Explosion Work Table.....	424
grx2_wkfl	GL Report Writer Row/Column Explosion (Separate) Work Table...	425
grx3_wkfl	GL Report Writer Row/Column Expl (Hierarchical) Work Table.....	425
grx_mstr	GL Report Writer Report Content Master.....	426
gr_ctrl	GL Report Writer Control.....	427
gtidh_hist	Golden Tax Invoice History Detail.....	427
gtih_hist	Golden Tax Invoice History Master.....	428
gtnbr_det	Golden Tax Invoice Cross Reference.....	429
gt_ctrl	Golden Tax Control.....	429
hd_mstr	Holiday Master.....	430
hlp_mstr	Help Master.....	430
HoldM	Warehousing Hold Master.....	430
iach_hist	Inventory Consumption History.....	431
iac_ctrl	Obsolete Inventory Control Parameters.....	432
iad_mstr	Obsolete Inventory Depreciation Rate Master.....	432
iaod_det	Output File Field Detail.....	433
iao_mstr	Output File Master.....	433
iasd_det	Obsolete Inventory Control Site Detail.....	434
iatd_det	Inventory Type Field Detail.....	434
iat_mstr	Inventory Type Master.....	434
ibh_hist	Sales Order Configuration Bill History.....	435
ib_det	Service/Support Installed Configuration Detail.....	436
icc_ctrl	Inventory Control.....	436
idhlc_hist	Invoice History Line Charge Detail.....	437
idhr_hist	Invoice History Relationship Detail.....	438
idh_hist	Invoice History Detail.....	439
iec_ctrl	Import/Export Control.....	442
ied_det	Import/Export Detail.....	443
ieh_hist	Import/Export History.....	444
iepl_ctrl	Poland Intrastat Declaration Control.....	446
ie_mstr	Import/Export Master.....	446
ifs_mstr	Interface Session Master.....	447
ihcc_hist	Invoice History Credit Card Master.....	448
ihr_hist	Invoice History Relationship Master.....	449
ih_hist	Invoice History Master.....	449
ild_det	Item Location Detail.....	452
ilg_hist	Import Document Log.....	452
imap_det	Import Document Map Detail.....	454
img_msg	Import Document Message.....	455
im_mstr	Inventory Movement Code Master.....	456
Industry	Industry.....	456
ind_det	Independent Demand Detail.....	457
insd_det	Invoice Schedule Detail.....	458
InspC	Warehousing Inspection Control.....	458
InspH	Warehousing Inspection History.....	459
InspInvD	Warehousing Inspected Inventory Detail.....	461
InstallNetImport	Install Net Import.....	463

ins_mstr	Invoice Schedule Master	463
InterWLGm	Warehousing Inter Work Location Group Master	464
InventHM	Warehousing Inventory History Master	464
InventM	Warehousing Inventory Master	465
in_mstr	Inventory Master.....	466
ipd_det	Item Specification Detail.....	467
iph_hist	Pricing History	468
ip_mstr	Master Specification Test Results	469
IRAssD	Warehousing Internal Routing Assignment Detail.....	470
iraw_det	Raw Import Document Detail	471
IRD	Warehousing Internal Routing Detail.....	472
IRGroupM	Warehousing Internal Routing Group Master.....	473
IRM	Warehousing Internal Routing Master.....	474
iro_det	Item Routing Cost Detail	475
isb_mstr	Service/Support Installed Base Item Master	475
isd_det	Inventory Status Detail	477
isp_mstr	Import Document Specification Master	478
iss_mstr	Service/Support Installed Base Structure.....	479
isvc_mstr	Statistical Value Calculation Master	480
is_mstr	Inventory Status Master	480
itmhist	Service/Support Call Item History	481
itm_det	Service/Support Call Item Detail	483
itsd_det	Item Site Load Detail.....	485
its_mstr	Item Site Load Master	485
ivs_ctrl	Invoice Schedule Control	487
Journal	Daybook	487
JournalGroup	Daybook Group	488
JournalType	Daybook Type	489
kbc_ctrl	Kanban Control	489
kbd_mstr	Kanban Demand Template Master	490
kbmd_mstr	Kanban Maximum Demand Master.....	491
kbpp_mstr	Kanban Planning Period Master.....	491
kbtrd_det	Kanban Transaction History Detail.....	492
kbtrr_det	Kanban Transaction Reject Detail.....	492
kbtr_hist	Kanban Transaction History	493
kenb_det	Ending Inventory Balance and Cost by Location.....	495
kia_mstr	Inventory Account Change Master	495
knbadc_hist	Kanban Average Demand Calculation History.....	496
knbcd_det	Kanban Cards Dispatch History	496
knbdd_mstr	Kanban Document Definition Master.....	498
knbd_det	Kanban Card Detail.....	499
knbfd_det	Kanban FIFO Process Detail.....	500
knbism_det	Kanban Item Supermarket Detail	500
knbi_mstr	Kanban Item Master	501
knble_det	Kanban Loop Event Detail.....	502
knbl_det	Kanban Loop Detail.....	502
knbrs_mstr	Kanban Dispatch Release Schedule.....	504
knbsm_mstr	Kanban Supermarket Master	504
knbs_det	Kanban Source Detail	505
knb_mstr	Kanban Master.....	506
knpd_det	Kanban Process Item Detail.....	506
knpm_mstr	Kanban Process Master	507
kstc_det	Ending Inventory Balance by Site	508
LabourC	Warehousing Labour Management Control	508
lacd_det	Logistics Accounting Charge Detail.....	509
lacod_det	Logistic Accounting Charge Detail by Order Line.....	510
lac_ctrl	Logistics Accounting Control	510
lad_det	Location Allocation Detail	511
LaneAssD	Warehousing Lane Assignment Detail	511

LaneAssM	Warehousing Lane Assignment Master	512
LaneGroupD	Warehousing Lane Group Detail	513
LaneGroupM	Warehousing Lane Group Master	514
LaneM	Warehousing Lane Master	515
Layer	Layer	516
lblc_ctrl	Label Control	517
lcpr_mstr	Logistics Charge Price List	517
lc_mstr	Logistics Accounting Charge Code Master	518
ld_det	Location Detail	518
lgdc_ctrl	Legal Document Control	519
lgddl_det	This is a link table between two legal document detail	520
lgdd_det	Legal Document Detail Table	520
lgdfcb_det	Legal Document Fiscal Control Balance Detail	522
lgdfcd_det	Fiscal Control Definition Detail	522
lgdfc_mstr	Fiscal Control Definition Master	524
lgdnr_det	Legal Document Address and Sequence ID Detail	524
lgdtx_det	Legal Document Tax Usage of Simultaneous Op Setup Detail	525
lgd_mstr	Legal Document Master	525
lgsi_det	Logistics Site Detail	527
lgs_mstr	Logistics Master	528
lna_det	Production Line Allocation Detail	529
ln_det	Production Line Detail	529
lnf_det	Flow Production Line Preference Detail	530
Lng	Language	531
lngd_det	Language Detail	531
lng_mstr	Language Master	532
ln_mstr	Line Master	532
LoadD	Warehousing Load Detail	533
LoadM	Warehousing Load Master	534
LoadMasterM	Warehousing Load Master Master	535
LoadSAddrD	Warehousing Load Setup Address Detail	536
LoadSetupM	Warehousing Load Setup Master	537
LoadSItemD	Warehousing Load Setup Item Detail	538
LocalExitC	Warehousing Local Exit Routine Control	538
locc_det	Reserved Locations Detail	539
LocDefD	Warehousing Location Definition Detail	540
LocDefM	Warehousing Location Definition Master	541
locd_det	Ending Inventory Balance of a cost calculation period	542
LocForD	Warehousing Location Forecast Detail	542
LocM	Warehousing Location Master	544
locpd_det	FiFo/LiFo history of unconsumed quantity onhand per period.	545
LocUMM	Warehousing Location Unit of Measure Master	545
LocW	Warehousing Location Work Table	546
loc_mstr	Location Master	547
lotw_wkfl	Lot Number Work Table	548
lot_mstr	Lot Master	548
ls_mstr	Address List Detail	549
ltrenvd_det	Logistics Trade Environment Detail	550
ltrenv_mstr	Logistics Trade Environment	550
ltrznd_det	Logistics Trade Zones Detail	551
ltrzn_mstr	Logistics Trade Zones	551
maxt_det	Maximum Table Detail	552
max_mstr	Maximums Master	552
ma_mirror	Mirror Account Master	553
MessageD	Warehousing Messaging Detail	553
MessageM	Warehousing Messaging Master	554
mfc_ctrl	Control Work Table	555
mfrel_mstr	Master Table Relationships	555
mfscf_mstr	used for logging the changes made for MFS related tables	556

mfsc_ctrl	QAD Mobile Field Service Control.....	557
mfslsd_det	QAD Mobile Field Service User Detail	558
mfslsd_det	MFS Last Sync Detail.....	558
mfssld_det	MFS Sync Log Detail.....	559
mfsu_mstr	MFS User Master	559
MirroringGL	Mirror Account.....	560
MirroringJournal	Mirror Daybook.....	561
mnd_det	Menu Detail	561
mnp_det	Service/Support Custom Program Detail	561
mnt_det	Menu Title Detail	562
mpd_det	Master Specification Detail.....	562
mph_hist	Master Specification Test History.....	563
mpp_det	Service/Support Custom Program Parameter Detail.....	563
mps_mstr	Master Production Schedule	564
mp_mstr	Master Specification	564
mrpc_ctrl	Material Requirements Planning Control.....	565
mrpp_det	Material Requirements Planning Pegging Detail.....	565
mrp_det	Material Requirements Planning Detail	566
MsgBrokerSetting	Message Broker Setting.....	566
msg_mstr	Message Master.....	567
mu_mstr	Monetary Union Master	567
ncc_ctrl	Net Commerce Control.....	568
nfd_det	Nota Fiscal Detail	568
nfecs_det	Electronic Nota Fiscal Configuration by Site	569
nfelg_hist	Electronic Nota Fiscal Log.....	570
nfews_mstr	Electronic Nota Fiscal Web Service Master	570
nf_mstr	Nota Fiscal Master	570
Nomenclature	Nomenclature.....	571
nrh_hist	Number Range History.....	572
nr_mstr	Number Range Master.....	573
nsoc_ctrl	Non-Sales Order Control.....	573
oa_det	Action Message Detail.....	574
ObjectStatus	Object Status.....	574
ocm_mstr	Service/Support On Call Master.....	575
OIAdjust	Open Item Adjustment.....	575
OIAdjustLn	Open Item Adjustment Line.....	576
opc_ctrl	Shop Floor Operation History Control	578
opgl_det	Shop Floor Operation General Ledger Detail.....	578
opm_mstr	Standard Operation Master.....	579
ops_ctrl	Operations Plan Control.....	580
op_hist	Operation Transaction History.....	580
OrdAllocD	Warehousing Order Allocation Detail	583
OrdAllocH	Warehousing Order Allocation History	584
OrderD	Warehousing Order Detail.....	585
OrderM	Warehousing Order Master.....	587
OrderSelD	Warehousing Order Batch Selection Detail.....	588
OrderSelM	Warehousing Order Batch Selection Master	590
pac_mstr	Purchase Approval Code Master	591
pald_det	Pallet Detail	591
pal_mstr	Pallet Master	592
PartSLGM	Warehousing Item/Storage Location Group Master	592
PartWhseM	Warehousing Item/Warehouse Master.....	593
PayFormatCode	Payment Format Code	594
PayFormatGroup	Payment Format Group.....	595
PayFormatType	Payment Format Type.....	595
PaymentCondition	Credit Terms.....	596
PaymentConditionStaged	Staged Payment.....	597
PaymentGroup	Payment Group	597
PaySel	Payment Selection	598

PaySelHistory	Payment Selection History	599
PaySelLine	Payment Selection Line.....	599
PaySelLineStage	Payment Selection Line Stage	600
PaySelPayCode	Payment Selection Payment Code.....	600
PaySelPrepay	Payment Selection Prepayment.....	601
pcc_ctrl	Product Change Control.....	601
pcd_det	Purchase Order Line Cost Element Detail	602
pcl_det	Product Change Control Group Detail.....	602
pcl_mstr	Product Change Control Group Master.....	602
pcsc_ctrl	Control file to help setup parameters for Periodic Costing.....	603
pctrop_detpct_mstr	Product Change Control Type Master.....	604
pc_mstr	Price List Master.....	605
Period	GL Period	605
PeriodMark	Period Mark.....	607
pfc_det	Production Forecast Detail	607
pfd_det	Service/Support Item-Site Detail	608
pgc_ctrl	Service/Support Paging Control.....	609
pgh_hist	Service/Support Paging History	609
pgm_det	Program Detail	610
pic_ctrl	Pricing Control.....	610
pid_det	Price List Detail	611
pigc_det	Price List Group Customer Detail.....	611
pigp_det	Price List Group Item Detail	612
pig_mstr	Price List Group Master.....	613
pih_hist	Pricing History	614
pi_mstr	Price List Master.....	615
pjc_ctrl	Project Realization Control.....	617
pjd_det	Project Realization Subproject Detail	618
pjsh_hist	Project Realization Transaction History	619
pjsx_det	Project Structure Cross-Reference Detail	620
pjs_mstr	Project Realization Structure Master.....	620
pjt_mstr	Project Realization Project Type Master	622
pj_mstr	Project Master	622
pk_det	Pick List Work Table.....	623
pld_det	Product Line Detail	624
pliabs_ref	Legal Document Cross-Reference	624
plid_det	Purchase Ledger Invoice Detail	625
pli_mstr	Purchase Ledger Invoice Master.....	625
plsd_det	Product Line Sales Detail	626
plt_det	Product Line Tax Detail	627
pl_mstr	Product Line Master	627
poad_det	Purchase Order Allocation Detail	630
poa_mstr	Purchase Order Allocation Master	630
poc_ctrl	Purchase Order Control	631
pod_det	Purchase Order Detail.....	632
Posting	Posting	635
PostingHist	Posting History	637
PostingLine	Posting Line.....	638
PostingSaf	Posting Saf.....	640
PostingSafCombined	Posting Saf Combined.....	641
PostingSafHist	Posting History SAF	642
PostingTemplate	Posting Template	642
PostingVat	Posting Tax	643
PostingVatDelay	Posting Tax Delayed	645
pould_det	Point of Use Location Detail	646
poul_mstr	Point of Use Location Master	646
pou_mstr	Point of Use Code Master	647
po_mstr	Purchase Order Master	647
pp_plan	Product Line Plan	649

pq_mstr	Product Line Requirements Master.....	651
prd_det	Printer Detail.....	651
PrefixC	Warehousing Prefix Set Control.....	652
prh_hist	Purchase Order Receipt History.....	652
prj_mstr	Project Realization Project Master	654
Profile	Profile	656
ProfileLink	Profile Link.....	656
ProfileType	Profile Type	657
Project	Project	657
ProjectGroup	Project Group	659
ProjectSafDefault	Project Saf Default	659
ProjectStatus	Project Status.....	659
prsd_det	Production Scheduler Resource Detail	660
prs_mstr	Production Scheduler Resource Master.....	661
pr_mstr	Printer Master.....	661
pshc_ctrl	Purchase Shipper Control	662
ps_mstr	Product Structure Master	662
pta_det	Associated Item Detail.....	663
ptc_det	Container Item Detail.....	664
pth_hist	Products Sales History	665
pti_det	Item Inventory Data	665
ptls_det	Item Lot/Serial Detail	666
ptp_det	Item Planning Detail	667
ptqa_det	Item Quantitative Analysis Detail.....	668
ptre_det	Item Replacement Detail	669
ptr_det	Item Routing Detail.....	671
pts_det	Item Substitute Detail	671
ptt_det	Item Tax Detail	672
ptv_det	Item Statistical Value Detail.....	672
pt_mstr	Item Master	673
PurchaseCode	Purchase Code.....	677
PurchaseGLMatrix	Purchase GL Matrix.....	678
PurchaseType	Purchase Type	679
pvod_det	Pending Voucher Detail.....	679
pvo_mstr	Pending Voucher Master.....	680
qaddb_ctrl	Database Control for QADDB	681
qaddb_ver	Table name identifies the database type.....	682
qad_wkfl	QAD Work Table	682
qcc_ctrl	Quality Order Control	682
qcd_det	Quality Control Order Detail	683
qcs_mstr	Quality Sampling Pattern Master.....	683
qc_mstr	Quality Control Order Master	684
QFRWCube	Financial Report Writer.....	685
QFRWCubeSaf	Financial Report Writer.....	686
QFRWCubeSkip	Financial Report Writer.....	686
qob_det	Sales Quotation Configuration Bill Detail	687
qoc_ctrl	Sales Quotation Control	687
qodr_det	Sales Quotation Relationship Detail	688
qod_det	Sales Quotation Detail.....	688
qor_mstr	Sales Quotation Relationship Master	690
qo_mstr	Sales Quotation Master.....	690
QPostingSaf	Posting SAF Daemon Queue	692
qps_det	Quality Test Bill Detail	693
qqc_ctrl	Q/LinQ Control	693
qro_det	Quality Inspection Routing Detail	694
qr_test	Quality Order Test Steps.....	695
qtbl_ext	QAD Table Extension.....	696
QueryCache	Query Cache	696
rbm_mstr	Retrobill Master	697

rcc_mstr	Customer Sequence Schedule Master.....	697
rcf_ctrl	Customer Sequence Schedule Control	698
rcsd_det	Customer Sequence Schedule Detail	698
rcsx_ref	Customer Sequence Schedule Cross-Reference	700
rcc_mstr	Customer Schedule Master.....	701
rdf_mstr	Service/Support Return Defaults Master	702
Reason	Invoice Status Code	703
ReceiptD	Warehousing Receipts Detail	704
RecEntry	Recurring Entry	705
RecEntryLine	Recurring Entry Line.....	706
reg_mstr	Service/Support Region Master	707
RelStatM	Warehousing Release Status Master.....	707
ReplenC	Warehousing Replenishment Control.....	708
ReplListD	Warehousing Replenishment List Detail	709
ReplListM	Warehousing Replenishment List Master.....	710
RepLocM	Warehousing Replenishment Location Master.....	710
ReportPeriod	Reporting Period	711
RepSLGM	Warehousing Replenishment SLG Master	712
req_det	Requisition Detail	714
Resources	Resource	714
Reval	Revaluation	715
RevalDet	Revaluation Detail	716
RevalGL	Revaluation Account	716
RevalGLSafCombined	Revaluation Saf Combined.....	717
RevalHeader	Revaluation Header.....	718
RevalRate	Revaluation Rate.....	718
RGD	Warehousing Release Group Detail.....	719
RGM	Warehousing Release Group Master	720
rhd_hist	Return Material Authorization Detail History	721
rma_mstr	Return Material Authorization Master	722
rmc_ctrl	Return Material Authorization Control	724
rmd_det	Return Material Authorization Detail.....	725
rndc_mstr	Country Code and Currency with Rounding Method.....	728
rnd_mstr	Rounding Method Master	728
Role	Role	728
RoleResource	Link Role-Resource.....	729
RoundingMethod	Rounding Method	730
ro_det	Routing Operation Detail	730
rpc_ctrl	Repetitive Control.....	731
rps_mstr	Repetitive Production Schedule Master	732
rqa_mstr	Requisition Approver Master	733
rqcd_det	Requisition Category Detail.....	734
rqc_mstr	Requisition Category Master	734
rqda_det	Requisition Approval Detail	734
rqd_det	Requisition Detail	735
rqf_ctrl	Requisition Control	736
rqh_hist	Requisition History	737
rqj_mstr	Requisition Job Master.....	738
rql_mstr	Requisition Approval Level Master	738
rqm_det	Requirement Detail.....	739
rqm_mstr	Requisition Master.....	739
rqpo_ref	Requisition/PO Cross-Reference	741
rqr_mstr	Role Master	741
rq_mstr	Requirement Master	742
rsc_ctrl	Shipping Schedule Control.....	742
rsd_det	Resource Requirements Detail	743
rsn_ref	Reason Code Master	743
rstd_det	Product Change Control Routing Slip Template Detail	744
rst_mstr	Product Change Control Routing Slip Template Master	744

rsud_det	Product Change Control Routing Slip Detail	745
rsu_mstr	Product Change Control Routing Slip Master	745
rs_mstr	Resource Master	746
RunD	Warehousing Program Execution Detail	746
sab_det	Service Contract Billing Detail	747
sac_ctrl	Service Contract Control	748
sadh_hist	Service Contract Detail History	749
sad_det	Service Contract Detail.....	751
Saf	Supplementary Analysis Field	754
SafConcept	Saf Concept.....	755
SafStructure	Saf Structure	755
SafStructureLine	Saf Structure Line.....	756
SafStructureLink	Saf Structure Link.....	757
sah_hist	Service Contract History.....	758
SalesCode	Sales Code.....	760
SalesGLMatrix	Sales GL Matrix.....	762
salh_hist	Service/Support Contract Limits History.....	762
sal_mstr	Service/Support Contract Limits Master.....	764
sap_det	Service Contract Preventive Maintenance Detail	765
sar_mstr	Service Contract Serial Number Master.....	766
sa_mstr	Service Contract Master.....	767
sbc_mstr	Service/Support Billing Cycle Master	770
sbd_det	Sub-Account/Account Validation Detail.....	770
sbic_ctl	Self-Bill Control.....	770
sbid_det	Self-Bill Detail.....	771
sbi_mstr	Self-Bill Master	772
sb_mstr	Sub-Account Master.....	773
sca_mstr	Service Contract Additional Charge Master	774
scc_mstr	Customer/Ship-To Shipment Controls Master.....	774
sched_det	Release Management Schedule Detail	775
sch_mstr	Release Management Schedule Master	776
scs_ctrl	Subcontract Shipping Control.....	777
sct_det	Cost Simulation Total Detail	777
scx_ref	Scheduled Order Cross-Reference	778
sc_mstr	Cost Simulation Master	779
sdt_det	Shipping Delivery Time Detail	779
sdt_mstr	Shipping Delivery Time Master	780
sd_mstr	Sales Order Discount Master	781
seoc_ctrl	Material Order Control.....	781
seq_mstr	Production Line Schedule Sequence Master	783
sfb_det	Service/Support Billing Detail	783
sfh_hist	Service/Support Billing History.....	785
sgad_det	Shipping Group Address Detail	786
sgcd_det	Shipping Group Carrier Detail	786
sgid_det	Shipping Group and Inventory Movement Code Detail	787
sg_mstr	Shipping Group Master	787
SharedSet	Shared Set	788
SharedSetMergeLog	Shared Set Merge Log	788
SharedSetProp	Shared Set Property.....	789
SharedSetType	Shared Set Type	789
shcd_det	Shipper Control Detail Default Export Directories	789
shc_ctrl	Shipper Control	790
shd_det	Shipping Schedule Detail	790
shft_det	Shift Detail.....	791
ShipViaM	Warehousing Ship Via/Service Master.....	791
shm_mstr	Shipping Schedule Master	792
shop_cal	Shop Calendar	793
ShortcutAct	shortcut key	793
shpc_ctrl	Shipment Performance Control	794

shpd_hist	Shipment Performance Detail History	794
shphr_det	Data Validation Rule Master.....	795
shphvd_det	Field Validation Allowed Value Detail.....	795
shphvpv_det	Validation/Prompt Location Detail	796
shphv_det	Rule Field Validation Detail	796
shp_hist	Shipment Performance History	797
shtr_det	Shipment Trailer Detail.....	798
shv_mstr	Ship Via Master	798
sigd_det	Site grouping for linked sites.	799
sim_det	Inventory Movement Site Detail	799
six_ref	Shipment Detail/Invoice Number Cross-Reference.....	800
si_mstr	Site Master	801
SLGListD	Warehousing Storage Location Group List Detail	802
SLGListM	Warehousing Storage Location Group List Master	803
SLGM	Warehousing Storage Location Group Master.....	804
SLGUMD	Warehousing Storage Location Group/Unit of Measure Detail	805
slrd_det	Site Linking Rules Detail	806
slr_mstr	Site Linking Rules Master.....	806
sm_mstr	Source Matrix Master	807
sob_det	Sales Order Configuration Bill Detail.....	807
socc_mstr	Sales Order Credit Card Master.....	808
soc_ctrl	Sales Order Control.....	808
SODAudit	SOD Audit Log	810
SODCategory	SOD category.....	810
sodctg_mstr	Segregation Of Duties Category Master	811
SODException	SOD policy exception	812
SODExceptionLn	SOD policy exception line	812
SODExclusion	SOD category exclusion.....	812
sodlc_det	Sales Order Detail Line Charges.....	813
SODLog	SOD Violations Log.....	813
sodm_det	Segregation Of Duties Category Matrix.....	815
sodped_det	Segregation Of Duties Policy Exception Detail	815
sodpe_mstr	Segregation Of Duties Policy Exception Master.....	815
sodrc_det	Required Ship Schedule Order Line Detail	816
sodr_det	Sales Order Relationship Detail	816
SODViolation1	Violation to SOD rule 1.....	817
SODViolation1R	Resource in violation to SOD rule 1	817
SODViolation2	Violation to SOD rule 2.....	817
SODViolation2R	Resource in violation to SOD rule 2	818
sodv_hist	Segregation Of Duties Violation Log	818
sod_det	Sales Order Detail.....	819
sop_det	Cost Simulation Operation Detail	822
sor_mstr	Sales Order Relationship Master	823
sosrd_det	Sales Order Shipment Reason Detail	824
sosr_mstr	Sales Order Shipment Reason Master.....	824
so_mstr	Sales Order Master	825
spc_ctrl	Salesperson Control.....	828
spd_det	Salesperson Commission Detail	828
sph_hist	Salesperson Sales History	829
spt_det	Cost Simulation Item Detail.....	829
sp_mstr	Salesperson Master	830
src_ctrl	Service Request Control	830
sroc_ctrl	Service/Repair Order Control.....	830
sro_mstr	Service/Repair Order Master.....	831
srr_mstr	Service Request Master	832
sr_wkfl	Serial Number Work Table	834
ssd_det	Source of Supply Detail.....	834
ssm_mstr	Source of Supply Master	835
State	State	835

Statistic	Statistical Code	836
sttqd_det	Time-Based/Quantity-Based Status Code Detail	837
sttq_mstr	Time-Based/Quantity-Based Status Code Master	837
stx_mstr	Suspended Tax Master	838
sufd_det	Shipper User Field Detail	838
suf_mstr	Shipper User Field Master.....	839
svc_ctrl	Service/Support Management Control	839
sv_mstr	Service Agreement Terms and Conditions Master.....	842
swc_det	Cost Simulation Work Center Detail	843
sypd_det	Synch Profile Detail	844
sypj_det	Sync Profile Join Detail	844
syps_det	Synch Profile Subscription Detail	845
syp_mstr	Synch Profile Master	846
SysProperty	System Property	847
Syst	System	848
SystemC	Warehousing System Control.....	848
sytf_mstr	Synchronization Table-Field Master	849
tag_mstr	Physical Inventory Tag Master	850
TaskAssD	Warehousing Task Assignment Detail	852
TaskAssM	Warehousing Task Assignment Master.....	852
TaskD	Warehousing Task Detail	853
TaskM	Warehousing Task Master	854
TaxReg	Tax Register	855
TaxRegCompany	Tax Register Company.....	855
TaxRegJournal	Tax Register Journal	856
tblcd_det	Table Change Detail.....	856
tblc_mstr	Table Change Master.....	857
tbl_mstr	Service/Support Parent/Child Relationship Master	857
TemplateD	Warehousing Printer Template Detail	858
TemplateM	Warehousing Printer Template Master.....	859
te_mstr	Transaction Export Master	859
tm_mstr	Transportation Master	860
totd_det	Terms of Trade Detail.....	861
tot_mstr	Terms of Trade Master.....	861
TrackingD	Warehousing Packaging Tracking Detail	862
TranD	Warehousing Transaction Detail	863
TranH	Warehousing Transaction History	866
TransactionType	Transaction Type.....	869
TransportMeans	Means Of Transport	870
TranTypeM	Warehousing Transaction Type Master	871
TranW	Warehousing Transaction Work Table.....	873
trcs_det	Transaction Cost Detail	873
trgl_det	Inventory Transaction and General Ledger Cross-Reference.....	874
trld_det	Trailer Tax Detail	875
trl_mstr	Trailer Master	875
trq_mstr	Transmission Date Reference Master	876
tr_hist	Inventory Transaction History.....	876
tx2d_det	Tax Detail	878
tx2_mstr	Tax Master	880
txbd_det	Tax Base Detail	882
txcl_mstr	Tax Class Master	882
txc_ctrl	Tax Control.....	882
txed_det	Tax Environment Detail	883
txenv_mstr	Tax Class Master	883
txe_mstr	Tax Environment Master	884
txhd_det	Tax History Detail	884
txty_mstr	Tax Type Master	886
txud_det	Tax Usage Detail	886
txu_mstr	Tax Usage Master	886

txz_mstr	Tax Zone Master	887
typ_mstr	Fixed Asset Type Master.....	887
tzod_det	Service/Support Time Zone Detail	888
tzo_mstr	Service/Support Time Zone Master.....	888
UDCConfig	User-Defined Component configuration	890
udd_det	User Domain Detail	890
udfcls_mstr	UDF Class Master.....	890
udfclud_det	UDF Class Use Table.....	891
ufd_det	User Function Key Detail.....	891
UMGroupD	Warehousing Unit of Measure Group Detail.....	892
UMGroupM	Warehousing Unit of Measure Group Master	892
umsg_det	User Message Detail	893
um_mstr	Unit of Measure Conversion Master	894
upd_det	Printer/User Detail	895
urd_det	Update Restriction Detail.....	895
url_mstr	URL Master	896
ursc_det	Update Status Code Detail.....	896
ur_mstr	Update Restriction Master.....	897
UserD	Warehousing RF User Detail.....	897
UserGroupD	Warehousing RF User Group Detail.....	898
UserGroupM	Warehousing RF User Group Master.....	899
UserM	Warehousing RF User Master.....	899
UserSysM	Warehousing User System Code Security Master	900
UserWLGm	Warehousing User/Work Location Group Master.....	901
usg_det	Application Usage Detail	902
uslh_hist	User Logon History.....	903
uspw_hist	User Password History.....	903
Ustr	User	904
UstrCompany	Link User-Company.....	905
ustr_ctrl	User Control	905
UstrDomain	Link User-Domain.....	906
ustrgd_det	User Role Detail	906
ustrgm_det	Role Compatibility Matrix.....	906
ustrg_mstr	User Role Master	907
usrl_det	User Licensed Application Detail.....	907
UstrProperty	User Property	907
UstrRole	Link User-Role.....	908
UstrRoleCompany	Link User-Role-Company	909
UstrRoleDomain	Link User-Role-Domain	909
UstrRoleScope	Link User-Role Scope	910
usrw_wkfl	User Work Table	910
usr_mstr	User Master.....	911
Vat	Tax Rate.....	911
VatBox	Tax Box	913
VatExport	Tax Export.....	913
VatGroup	Tax Group	913
VatGroupBoxLink	Tax Group Box Link.....	914
VatNumber	Tax Number.....	914
VatPercent	Tax Percent.....	915
VatPercentLine	Tax Percent Line	916
VatPeriod	Tax Period.....	916
VatRule	Tax Rule	918
vdf_mstr	Supplier Fiscal Data Master	920
vd_mstr	Supplier Master	920
vecd_det	Supplier Performance Category Detail.....	922
vec_mstr	Supplier Performance Category Master	923
vee_mstr	Supplier Performance Event Master	923
vef_ctrl	Supplier Performance Control	924
VendPartM	Warehousing Supplier/Item Master	925

vepd_det	Supplier Performance Detail	926
vep_mstr	Supplier Performance Master.....	927
VerbH	Warehousing Verbosity History	929
verd_det	Supplier Performance Registration Detail	930
VerifyStatusTrans	Verify Status Transition	930
ver_mstr	Supplier Performance Registration Master	931
vesd_det	Supplier Performance Summary Detail	932
ves_mstr	Supplier Performance Summary Master	933
vew_mstr	Supplier Performance Weighting Factor Master	934
vex_mstr	Supplier Performance Cross-Reference Master	934
vph_hist	Voucher Invoice History	935
vpo_det	Voucher Purchase Order Detail	936
vp_mstr	Supplier Item Master	936
vrc_ctrl	Version Control.....	937
catcvw_mstr	Viewer Enabled Fields Master.....	938
WaveC	Warehousing Wave Control	938
WaveD	Warehousing Wave Detail.....	940
WaveLoadD	Warehousing Wave Load Detail.....	941
WaveM	Warehousing Wave Master	943
WaveMasterM	Warehousing Wave Master Master	944
WaveTranspC	Warehousing Wave Transportation Control	945
wcr_route	Work Center Routing Standards	947
wc_mstr	Work Center Master	948
whl_mstr	Warehouse Location Master	949
WhseC	Warehouse Control	950
WhseListD	Warehouse Master List Detail	952
WhseListM	Warehouse Master List Master	953
WhseM	Warehouse Master	954
WhseTferOrdD	Warehouse Transfer Order Detail	956
WhseTferOrdM	Warehouse Transfer Order Master	957
WhseTrTypeM	Warehouse/Transaction Type Master	958
WHT	Withholding Tax.....	959
WHTCertFormat	WHTCertFormat	961
wlbd_det	WIP Lot Trace BOM Control Detail	962
wlbm_mstr	WIP Lot Trace BOM Control Master.....	963
wlc_ctrl	WIP Lot Trace Control.....	963
wld_det	WIP Lot Inventory Detail.....	964
WLGM	Work Location Group Master	965
wlrd_det	WIP Lot Trace Routing Control Detail	968
wlrm_mstr	WIP Lot Trace Routing Control Master	968
wlt_mstr	WIP Lot Trace Master	969
wl_mstr	WIP Lot Master.....	970
woc_ctrl	Work Order Control	971
wod_det	Work Order Detail.....	972
wopd_det	Periodwise(Cost calculation) components details	973
wopm_det	Periodwise(Cost calculation) WO master WIP information	974
wopr_det	Periodwise(Cost calculation) WO Routing (WIP) information	974
WorkLoadD	Warehousing Work Load Group Details.....	975
WorkLoadM	Warehousing Work Load Group Master.....	975
wo_mstr	Work Order Master	976
wr_route	Work Order Routing	979
wtx_mstr	Withholding Tax Master.....	982
YearClosing	Year Closing.....	983

Index of Table Descriptions 985

Change Summary

The following table summarizes significant differences between this document and the version released with QAD 2011 Enterprise Edition.

Date/Version	Description	Reference
March 2012/2012 EE	Updated to include schema changes since 2011.1 EE	--
	Added ad_mstr table definition, incorrectly omitted from previous version	page 24
September 2011/2011.1 EE	Rebranded for QAD 2011.1 EE	--
	Parts 1 and 2 consolidated into single book	--

About This Guide

Introduction 2

How This Book Is Organized 2

Symbols and Conventions 3

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming.

How This Book Is Organized

See “Symbols and Conventions” for symbols.

Database tables are grouped by module and listed alphabetically, with the following information.

ad_mstr Address Master				
Field Name	Label	Col-Label	Format	Dec
ad_addr	Address		x(8)	
ad_address_id	Business Relation Address		9999999999	
ad_alt_um	Alternate UM	UM	x(2)	

- *Field Name*. The name of the field.
- *Label*. The field label as it appears on screens.
- *Col-Label*. The column label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- User definable for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

Index-Name	Uni	Field-Name	Asc	Abbr
* ad_addr	yes	ad_domain	yes	no
		ad_addr	yes	no
ad_address_id	no	ad_address_id	yes	no
ad_edt_tpid	no	ad_domain	yes	no
		ad_edt_tpid	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don’t specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book.

Symbol	Meaning
*	Primary Index
◇	New table, field, index
Δ	Changed field/index
!	Shows where a column label wraps to next line

The following conventions are used in this book.

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>__user<number>	User field (ac__user1)
<prefix>__dec<number>	User decimal data field (ac__dec01)
<prefix>__chr<number>	User character field (ac__chr01)
<prefix>__qad<number>	QAD reserved field (ac__qad01)
<prefix>_x<number>	Obsolete field (ac_xctr)

Database Definitions

The following pages contain an alphabetical listing of database definitions used in QAD Enterprise Applications Enterprise Edition.

AAA_gadfinance_20111219DB Time Stamp

Field Name	Label	Col-Label	Format	Dec
aaa_id			>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	aaa_idx	yes	aaa_id	yes	no

abscc det Sales Order Detail Container Charges

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* abscc_id	yes	abscc_domain	yes	no
		abscc_abs_id	yes	no
		abscc_abs_shipfrom	yes	no
abscc_inv_nbr	no	abscc_domain	yes	no
		abscc_inv_nbr	yes	no
		abscc_order	yes	no
abscc_ordln	no	abscc_domain	yes	no
		abscc_order	yes	no
		abscc_ord_line	yes	no
		abscc_inv_post	yes	no
abscc_shipto	no	abscc_domain	yes	no
		abscc_shipto	yes	no
		abscc_shp_date	yes	no
		abscc_container	yes	no
oid_abscc_det	yes	oid_abscc_det	yes	no

absc_det

Shipment Carrier Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absc_abs_id	yes	absc_domain	yes	no
		absc_abs_id	yes	no
		absc_seq	yes	no
absc_carrier	no	absc_domain	yes	no
		absc_carrier	yes	no
oid_absc_det	yes	oid_absc_det	yes	no

absd_det

Shipment Line Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absd_fld_name	yes	absd_domain	yes	no
		absd_shipfrom	yes	no
		absd_abs_id	yes	no
		absd_fld_name	yes	no
absd_shipper_id	no	absd_domain	yes	no
		absd_shipfrom	yes	no
		absd_shipper_id	yes	no
		absd_fld_name	yes	no
oid_absd_det	yes	oid_absd_det	yes	no

absi_mstr

Shipper Information Master

Field Name	Label	Col-Label	Format	Dec
absi__qadc01			x(24)	
absi__qadc02			x(24)	
absi_abs_id	Shipper ID	Shipper	x(20)	
absi_carrier_ref2	Carrier Reference 2		x(20)	
absi_contents	Contents		x(60)	
absi_domain	Domain		x(8)	
absi_due_date	Due Date	Due	99/99/99	

8

Field Name	Label	Col-Label	Format	Dec
absi_mod_date	Modified Date	Mod Date	99/99/99	
absi_mod_userid	User ID		x(8)	
absi_origin	Origin		x(30)	
absi_port_arrive	Port of Arrival		x(30)	
absi_port_depart	Port of Departure		x(30)	
absi_shipfrom	Ship-From		x(8)	
absi_user1	User Field Character 1		x(24)	
absi_user2	User Field Character 2		x(24)	
absi_voyage	Voyage		x(20)	
oid_absi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* absi_abs_id	yes	absi_domain	yes	no
		absi_shipfrom	yes	no
		absi_abs_id	yes	no
oid absi mstr	yes	oid absi mstr	yes	no

absl det Shipment Detail Line Charges[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absl_abs_id	yes	absl_domain	yes	no
		absl_abs_id	yes	no
		absl_abs_shipfrom	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_lc_line	yes	no
absl_order	no	absl_domain	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_inv_post	yes	no
oid_absl_det	yes	oid_absl_det	yes	no

abspli_ref

Purchase Order Shipper/Invoice Cross Reference

Field Name	Label	Col-Label	Format	Dec
abspli__qadc01			x(24)	
abspli__qadc02			x(24)	
abspli_abs_id	Shipper ID	Shipper ID	x(20)	
abspli_domain	Domain		x(8)	
abspli_mod_date	Modified Date	Mod Date	99/99/99	
abspli_mod_userid	User ID		x(8)	
abspli_pli_keyid	Key ID		>>>>>>>	
abspli_supplier	Supplier		x(8)	
abspli_user1	User Field Character 1		x(24)	
abspli_user2	User Field Character 2		x(24)	
oid_abspli_ref			>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* abspli_primary	yes	abspli_domain	yes	no
		abspli_supplier	yes	no
		abspli_abs_id	yes	no
		abspli_pli_keyid	yes	no
oid_abspli_ref	yes	oid_abspli_ref	yes	no

absp_det

Subshipper PO Cross Reference

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absp_oid_abs_mstr	yes	oid_abs_mstr	yes	no
		absp_po_nbr	yes	no
		absp_pod_line	yes	no
oid_absp_det	yes	oid_absp_det	yes	no

absr_det

Shipment Requirement Detail

Field Name	Label	Col-Label	Format	Dec
absr_qadc01			x(8)	
absr_cnfrmd	Confirmed		yes/no	
absr_date	Date		99/99/99	
absr_domain	Domain		x(8)	
absr_id	Id		x(8)	
absr_interval	Interval		x(1)	
absr_line	Line	Ln	>>9	
absr_nbr	Order	Sls Order	x(8)	
absr_qty	Qty Pegged		>,>>>,>>9.9<<<<	10
absr_reference	Reference		x(24)	
absr_rlse_id	Release ID		x(30)	
absr_ship_id	ID		x(8)	
absr_shipfrom	Ship-from Id		x(8)	

10 abssc_det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absr_dtl	yes	absr_domain	yes	no
		absr_shipfrom	yes	no
		absr_id	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
absr_nbr	no	absr_domain	yes	no
		absr_cnfrmd	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
oid absr det	yes	oid absr det	yes	no

abssc_det Shipper Validation Error Log

Field Name	Label	Col-Label	Format	Dec
abssc__qadc01			x(24)	
abssc__qadc02			x(24)	
abssc_abs_id	Shipper ID		x(20)	
abssc_abs_item	Item		x(18)	
abssc_abs_shipfrom	Ship-From		x(8)	
abssc_container_id	Container ID		x(8)	
abssc_create_date	Create Date		99/99/99	
abssc_create_time	Create Time		>>>>>>9	
abssc_create_userid	User ID		x(8)	
abssc_domain	Domain		x(8)	
abssc_fld_value	Field Value		x(30)	
abssc_flddesc	Field Description		x(40)	
abssc_fldname	Fieldname		x(30)	
abssc_line	Line		x(8)	
abssc_line_abs_id	Line Abs Id		x(20)	
abssc_mod_date	Modified Date	Mod Date	99/99/99	
abssc_mod_userid	User ID		x(8)	
abssc_msglevel	Message Level		9	
abssc_msgnum	Message Number		>>>>9	
abssc_order	Order		x(8)	
abssc_resolved	Resolved		yes/no	
abssc_resolved_date	Resolved Date		99/99/99	
abssc_resolved_time	Resolved Time		>>>>>>9	
abssc_resolved_userid	User ID		x(8)	
abssc_shphv_val_arg1	Message Argument		x(22)	
abssc_shphvpv_location	Location		x(22)	
abssc_user1	User Field Character 1		x(24)	
abssc_user2	User Field Character 2		x(24)	

Field Name	Label	Col-Label	Format	Dec
abssc_val_msg1	Message		x(45)	
abssc_val_msg2	Message		x(75)	
oid_abssc_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* abssc_abs_id	yes	abssc_domain	yes	no
		abssc_abs_shipfrom	yes	no
		abssc_abs_id	yes	no
		abssc_line_abs_id	yes	no
		abssc_fldname	yes	no
		abssc_msgnum	yes	no
		abssc_msglevel	yes	no
abssc_resolved	no	abssc_domain	yes	no
		abssc_resolved	yes	no
		abssc_abs_shipfrom	yes	no
		abssc_create_date	yes	no
		abssc_abs_id	yes	no
oid_abssc_det	yes	oid_abssc_det	yes	no

Shipment Sequence Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* abss_index1	yes	abss_domain	yes	no
		abss_abs_id	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_ref	yes	no
		abss_dock	yes	no
		abss_line_feed	yes	no
abss_index2	no	abss_domain	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_ref	yes	no
		abss_part	yes	no
abss_index3	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_part	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
abss_index4	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
abss_index5	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_order	yes	no
		abss_line	yes	no
abss_index6	no	abss_domain	yes	no
		abss_invoice	yes	no
		abss_order	yes	no
		abss_line	yes	no
abss_index7	no	abss_domain	yes	no
		abss_invoice	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
oid_abss_det	yes	oid_abss_det	yes	no

absw_det

ABS Lot/Serial Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absw_oid_abs_mstr	yes	oid_abs_mstr	yes	no
		absw_lotser	yes	no
		absw_ref	yes	no
oid_absw_det	yes	oid_absw_det	yes	no

absx_det Subcontract Shipper PO Shipper Cross Reference

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absx_oid_abs_mstr	yes	oid_abs_subcontract	yes	no
		absx_domain	yes	no
		absx_part	yes	no
		absx_lotser	yes	no
		absx_ref	yes	no
		absx_po_shipper	yes	no
absx_po	no	absx_domain	yes	no
		absx_po_shipper	yes	no
		absx_po_nbr	yes	no
		absx_pod_line	yes	no
		absx_lotser	yes	no
		absx_ref	yes	no
oid_absx_det	yes	oid_absx_det	yes	no

abs_mstr ASN/BOL/Shipper Master

Field Name	Label	Col-Label	Format	Dec
abs_chr01			x(8)	
abs_chr02			x(8)	
abs_chr03			x(8)	
abs_chr04			x(8)	
abs_chr05			x(8)	
abs_chr06			x(8)	
abs_chr07			x(8)	
abs_chr08			x(8)	
abs_chr09			x(8)	
abs_chr10			x(8)	
abs_dec01			>>>,>>>,>>9.99	10
abs_dec02			>>>,>>>,>>9.99	10

14 abs_mstr

Field Name	Label	Col-Label	Format	Dec
abs__dec03			>>>, >>>, >>9.99	10
abs__dec04			>>>, >>>, >>9.99	10
abs__dec05			>>>, >>>, >>9.99	10
abs__dec06			>>>, >>>, >>9.99	10
abs__dec07			>>>, >>>, >>9.99	10
abs__dec08			>>>, >>>, >>9.99	10
abs__dec09			>>>, >>>, >>9.99	10
abs__dec10			>>>, >>>, >>9.99	10
abs__qad01			x(8)	
abs__qad02			x(8)	
abs__qad03			x(8)	
abs__qad04			x(8)	
abs__qad05			x(8)	
abs__qad06			x(8)	
abs__qad07			x(8)	
abs__qad08			x(8)	
abs__qad09			x(8)	
abs__qad10			x(8)	
abs__qadc01			x(8)	
abs__qadc02			x(24)	
abs__qadc03			x(24)	
abs__qadd01			>, >>>, >>9.9<<<<<<<<<	10
abs__qadi01			->>>>>>9	
abs__qadl01			yes/no	
abs__qadt01			99/99/99	
abs__acct	Account	Acct	x(8)	
abs__act_fcst	Act Frt Cost		>>>, >>>, >>9.99	10
abs__act_qty	Actual Qty		->, >>>, >>9.9<<<<<<<<<	10
abs__apr_date	Approval Date		99/99/99	
abs__apr_time	Approval Time		>>>>>>9	
abs__apr_userid	Approved By		x(8)	
abs__arr_date	Arrive Date		99/99/99	
abs__arr_time	Arrive Time		>>>>>>9	
abs__asn_crt_date	ASN Create Date		99/99/99	
abs__asn_crt_time	ASN Create Time		>>>>>>9	
abs__bom_code	BOM/Formula		x(18)	
abs__bulk_qty	Actual Bulk Qty		->, >>>, >>9.9<<<<<<<<<	10
abs__cancel_date	Cancel Date		99/99/99	
abs__canceled	Canceled		Yes/No	
abs__cc	Cost Center	CC	x(4)	
abs__charge_type	Charge Type	Charge! Type	x(8)	
abs__cmtindx	Comment Index		>>>>>>9	
abs__combined_invoice	Combined Invoice		yes/no	
abs__complete	Complete		yes/no	
abs__cons_ship	Consolidate		x(8)	
abs__consigned_return	Consigned Return		yes/no	
abs__crt_date	Create Date		99/99/99	
abs__crt_time	Create Time		>>>>>>9	
abs__cum_qty	Cum Ship Qty		>, >>>, >>9.9<<<<<<<<<	10
abs__cust_ref	Customer Ref		x(24)	
abs__dataset	Data Set		x(12)	
abs__desc	Description		x(48)	
abs__dim_um	Dimensions UM		x(2)	
abs__doc_data[5]			x(8)	
abs__domain	Domain		x(8)	
abs__eff_date	Effective		99/99/99	
abs__est_fcst	Est Frt Cost		>>>, >>>, >>9.99	10
abs__export_batch	Batch		>>>>>>9	
abs__export_date	Export Date		99/99/99	
abs__export_time	Export Time		>>>>>>9	
abs__fa_lot	Final Assembly ID	ID	x(8)	
abs__format	Document Format	Format	x(8)	
abs__fr_class	Frt Class		x(8)	
abs__fr_curr	Currency		x(3)	
abs__gwt	Gross Weight		>, >>>, >>9.9<<<<<<<<<	10
abs__id	Id		x(20)	
abs__inv_mov	Inventory Movement Code	Inv Mov	x(8)	
abs__inv_nbr	Invoice Number		x(22)	
abs__item	Container Item		x(18)	
abs__lang	Language		x(2)	
abs__line	Order Line		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
abs_export_batch	no	abs_domain	yes	no
		abs_export_batch	yes	no
abs_format	no	abs_domain	yes	no
		abs_format	yes	no
* abs_id	yes	abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_id	yes	no
abs_inv_mov	no	abs_domain	yes	no
		abs_inv_mov	yes	no
abs_inv_nbr	no	abs_domain	yes	no
		abs_inv_nbr	yes	no
		abs_shipfrom	yes	no
		abs_id	yes	no
abs_item	no	abs_domain	yes	no
		abs_item	yes	no
		abs_shipfrom	yes	no
abs_master_id	no	abs_domain	yes	no
		abs_master_id	yes	no
		abs_master_shipfrom	yes	no
		abs_shipfrom	yes	no
abs_order	no	abs_domain	yes	no
		abs_order	yes	no
abs_par_id	yes	abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_par_id	yes	no

16 AcctIF

Index-Name	Uni	Field-Name	Asc	Abbr
abs_shipto	yes	abs_id	yes	no
		abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_shipto	yes	no
		abs_id	yes	no
oid_abs_mstr	yes	oid_abs_mstr	yes	no

AcctIF Chinese Accounting Interface

Field Name	Label	Col-Label	Format	Dec
AcctIF_ID	Record ID		9999999999	
AcctIFCode	Code		x(20)	
AcctIFExportFileName	Export File Name		x(40)	
AcctIFIsExport	Export		yes/no	
AcctIFLastExportDate	Last Export Date		99/99/9999	
AcctIFName	Report Name		x(40)	
AcctIFStatus	Status		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User Name		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AcctIF_ID	yes	no
◇ UniqueIdx	yes	AcctIFCode	yes	no

AcctIFFilter Chinese Accounting Interface Filter

Field Name	Label	Col-Label	Format	Dec
AcctIFFilter_ID	Record ID		9999999999	
AcctIFFilterAcctBookNo	Accounting Book No	Book No	x(40)	
AcctIFFilterAcctFromDate	Measure1 from Date		99/99/9999	
AcctIFFilterAcctFromDate2	Measure2 from Date		99/99/9999	
AcctIFFilterAcctLevel	Account Code Structure	Acc Code Structure	x(40)	
AcctIFFilterAcctToDate	Measure1 to Date		99/99/9999	
AcctIFFilterAcctToDate2	Measure2 to Date		99/99/9999	
AcctIFFilterAltCOALevel	Alternate COA Level		->,>>>,>>9	
AcctIFFilterBudgetLevel	Budget Level		9	
AcctIFFilterCOACrossRef	COA Cross Reference		x(20)	
AcctIFFilterFiscalYear	Fiscal Year		x(4)	
AcctIFFilterIndustry	Industry		x(40)	
AcctIFFilterLayerCode	Layer Code		x(200)	
AcctIFFilterOrgCode	Organization Code	Org Code	x(40)	
AcctIFFilterStructCodeBS	Balance Sheet Structure Code	Balance Sheet	x(40)	
AcctIFFilterStructCodeIS	Income statement Structure Code	Income Statement	x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AcctIFFilter_ID	yes	no
◇ UniqueIdx	yes	AcctIFFilterAcctLevel	yes	no
		AcctIFFilterIndustry	yes	no
		AcctIFFilterOrgCode	yes	no
		AcctIFFilterFiscalYear	yes	no
		AcctIFFilterAcctBookNo	yes	no
		AcctIFFilterAcctFromDate	yes	no
		AcctIFFilterAcctToDate	yes	no
		AcctIFFilterAcctFromDate2	yes	no
		AcctIFFilterAcctToDate2	yes	no
		AcctIFFilterBudgetLevel	yes	no
		AcctIFFilterStructCodeIS	yes	no
		AcctIFFilterStructCodeBS	yes	no
		AcctIFFilterLayerCode	yes	no

acdf_mstr	Account Default Master

Field Name	Label	Col-Label	Format	Dec
acdf__qadc01			x(24)	
acdf__qadd01			->>>>,>>>, >>9.99<<<<<<<<	10
acdf__qadi01			->>>>>>>9	
acdf__qadi01			yes/no	
acdf__qadt01			99/99/99	
acdf_acct	Account Number	Account	x(8)	
acdf_cc	Cost Center	CC	x(4)	
acdf_domain	Domain		x(8)	
acdf_key1			x(20)	
acdf_key2			x(8)	
acdf_key3			x(8)	
acdf_key4			x(8)	
acdf_key5			x(8)	
acdf_key6			x(8)	
acdf_mod_date	Modified Date	Mod Date	99/99/99	
acdf_mod_userid	User ID		x(8)	
acdf_module	Module		x(2)	
acdf_sub	Sub Account	Sub Acct	x(8)	
acdf_type	Account Type		x(24)	
acdf_userc01	User field Character 1		x(24)	
acdf_userc02	User field character 2		x(24)	
acdf_userd01	User field Decimal		->>>>,>>>, >>9.99<<<<<<<	10
acdf_useri01	User field integer		->>>>>>>9	
acdf_userl01	User field logical		yes/no	
acdf_usert01	User field Date		99/99/99	
oid_acdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* acdf_index1	yes	acdf_domain	yes	no
		acdf_module	yes	no
		acdf_type	yes	no
		acdf_key1	yes	no
		acdf_key2	yes	no
		acdf_key3	yes	no
		acdf_key4	yes	no
		acdf_key5	yes	no
		acdf_key6	yes	no
oid_acdf_mstr	yes	oid_acdf_mstr	yes	no

acm_mstr Co-product/By-product Average Cost Master

Field Name	Label	Col-Label	Format	Dec
acm__qadc01			x(8)	
acm_domain	Domain		x(8)	
acm_method	Method		x(14)	
acm_part	Base Process		x(18)	
acm_prod_line	Product Line		x(4)	
acm_site	Site		x(8)	
acm_user1	Ufld1		x(8)	
acm_user2	Ufld2		x(8)	
oid_acm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* acm_index	no	acm_domain	yes	no
		acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
acm_unique	yes	acm_domain	yes	no
		acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
		acm_method	yes	no
oid acm_mstr	yes	oid acm_mstr	yes	no

acod mstr Application Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_acod_mstr	yes	oid_acod_mstr	yes	no
* SourceValue	yes	acod_domain	yes	no
		acod_app_id	yes	no
		acod_doc_std	yes	no
		acod_doc_typ	yes	no
		acod_doc_rev	yes	no
		acod_tradptr_id	yes	no
		acod_fldname	yes	no
		acod_src_val	yes	no

Info on table and related account, sub-account, & cc field names

Field Name	Label	Col-Label	Format	Dec
actf__qadc01			x(24)	
actf__qadc02			x(24)	
actf_acct fldname	Account Field Name	Account! Field Name	x(32)	
actf_cc fldname	Cost Center Field Name	Cost Center! Field Name	x(32)	
actf_exec	Execution File	Exec File	x(16)	
actf_mod_date	Modified Date	Mod Date	99/99/99	
actf_mod_userid	User ID		x(8)	
actf_proj fldname	Project Field Name	Project! Field Name	x(32)	
actf_sub fldname	Sub-Account Field Name	Sub-Account! Field Name	x(32)	
actf_tblname	Table Name	Table! Name	x(16)	
actf_user1	User Field Character 1		x(24)	
actf_user2	User Field Character 2		x(24)	
oid_actf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 2 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* acct_tbl_acctfld	yes	acct_tblname	yes	no
		acct_exec	yes	no
		acct_acct_fldname	yes	no
oid_acct_mstr	yes	oid_acct_mstr	yes	no

Alternate Container Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* act_order	yes	act_domain	yes	no
		act_nbr	yes	no
		act_line	yes	no
		act_cont_part	yes	no
oid_act_mstr	yes	oid_act_mstr	yes	no

Account Master

Index-Name	Uni	Field-Name	Asc	Abbr
ac_active	no	ac_domain	yes	no
		ac_active	yes	no
		ac_code	yes	no
* ac_code	yes	ac_domain	yes	no
		ac_code	yes	no
ac_curr	no	ac_domain	yes	no
		ac_curr	yes	no
ac_desc	no	ac_domain	yes	no
		ac_desc	yes	no
		ac_code	yes	no
ac_fpos	no	ac_domain	yes	no
		ac_fpos	yes	no
		ac_code	yes	no
ac_type	no	ac_domain	yes	no
		ac_type	yes	no
		ac_code	yes	no
oid_ac_mstr	yes	oid_ac_mstr	yes	no

Address Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* adc_index1	yes	adc_domain	yes	no
oid_adc_ctrl	yes	oid_adc_ctrl	yes	no

Address

Address

Field Name	Label	Col-Label	Format	Dec
Address_ID	Record ID		9999999999	
AddressCity	City		x(20)	
AddressCityCode	City Code		x(20)	
AddressCounty	County		x(40)	
AddressEMail	E-Mail		x(40)	
AddressFax	Fax		x(40)	
AddressFormat	Format		->, >>>, >>9	
AddressIsSendToPostal	Send Documents		yes/no	
AddressIsTaxable	Taxable Address		yes/no	
AddressIsTaxInCity	Tax in City		yes/no	
AddressIsTaxIncluded	Tax Is Included		yes/no	
AddressIsTemporary	Temporary	Temp	yes/no	
AddressLogicKeyString	Logic Key String		x(40)	
AddressName	Name		x(36)	
AddressPostalAddress1	Postal Address		x(40)	
AddressPostalAddress2	Postal Address		x(40)	
AddressPostalCity	City		x(20)	
AddressPostalZip	Zip/City	Zip Code	x(40)	
AddressSearchName	Search Name		x(28)	
AddressState	State		x(20)	
AddressStreet1	Address		x(36)	
AddressStreet2	Address		x(36)	
AddressStreet3	Address		x(36)	
AddressTaxDeclaration	Tax Declaration		->, >>>, >>9	
AddressTaxIDFederal	Federal Tax		x(18)	
AddressTaxIDMisc1	Miscellaneous Tax 1		x(18)	
AddressTaxIDMisc2	Miscellaneous Tax 2		x(18)	
AddressTaxIDMisc3	Miscellaneous Tax 3		x(18)	
AddressTaxIDState	State Tax		x(18)	
AddressTelephone	Telephone		x(40)	
AddressType_ID	Address Type	Type	9999999999	
AddressWebSite	Internet		x(60)	
AddressZip	Zip/City	Zip Code	x(10)	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
Country_ID	Country Format		9999999999	
County_ID	Description		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	

22 AddressType

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
State_ID	Description		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
AddressType	no	AddressType_ID	yes	no
BusinessRelation	no	BusinessRelation_ID	yes	no
City	no	AddressCity	yes	no
◇ Country	no	Country_ID	yes	no
PostalCode	no	AddressZip	yes	no
◇* Prim	yes	Address_ID	yes	no
TaxIDs	no	AddressTaxIDFederal	yes	no
		AddressTaxIDState	yes	no
TaxZone	no	TxzTaxZone	yes	no
◇ UniqueKey	yes	BusinessRelation_ID	yes	no
		AddressType_ID	yes	no
		AddressLogicKeyString	yes	no
UniqueKeyAddress	yes	AddressStreet1	yes	no
		AddressStreet2	yes	no
		AddressStreet3	yes	no
		AddressZip	yes	no
		AddressCity	yes	no
		BusinessRelation_ID	yes	no
		AddressType_ID	yes	no

AddressTypeAddress Type

Field Name	Label	Col-Label	Format	Dec
AddressType_ID	Record ID		9999999999	
AddressTypeCode	Address Type	Type	x(20)	
AddressTypeDescription	Description		x(40)	
AddressTypeIsActive	Active	Act	yes/no	
AddressTypeIsSystemDefined	System-Owned	System	yes/no	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	AddressTypeCode	yes	no
◇* Prim	yes	AddressType_ID	yes	no
◇ ViewIndex	no	AddressTypesActive	yes	no
		AddressTypeCode	yes	no

adx_det

External Address Cross-Reference Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* adx_det	yes	adx_domain	yes	no
		adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_ext_refs	no	adx_domain	yes	no
		adx_ext_appl	yes	no
		adx_mfg_addr	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_mfg_addr	no	adx_domain	yes	no
		adx_mfg_addr	yes	no
		adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
oid_adx_det	yes	oid_adx_det	yes	no

ad_mstr

Address Master

Field Name	Label	Col-Label	Format	Dec
ad_chr01			x(8)	
ad_chr02			x(8)	
ad_chr03			x(8)	
ad_chr04			x(8)	
ad_chr05			x(8)	
ad_qad01			x(8)	
ad_qad02			x(8)	
ad_qad03			x(8)	
ad_qad04			x(8)	
ad_qad05			x(8)	
ad_addr	Address		x(8)	
ad_address_id	Business Relation Address		9999999999	
ad_alt_um	Alternate UM	UM	x(2)	
ad_asn_data	ASN Default Data		x(8)	
ad_attn	Attention		x(24)	
ad_attn2	Attention		x(24)	
ad_barlbl_prt	Barcode Label Print Program		x(10)	
ad_barlbl_val	Barcode Validation Program		x(10)	
ad_bk_acct1	Bank Acct 1		x(24)	
ad_bk_acct2	Bank Acct 2		x(24)	
ad_bus_relation	Business Relation		x(20)	
ad_calendar	Calendar		x(8)	
ad_city	City		x(20)	
ad_city_code	City Code		x(20)	
ad_coc_reg	CoC Number	CoC	x(8)	
ad_conrep	Netting Logic	C/R	x(1)	
ad_country	Country		x(28)	
ad_county	County		x(20)	
ad_ctry	Country Code	Ctry	x(3)	
ad_date	Added		99/99/99	
ad_domain	Domain		x(8)	
ad_edi_ctrl[5]	EDI Control		x(50)	
ad_edi_id	Trading Prtnr EDI ID		x(24)	
ad_edi_level	EDI Standard Level		x(8)	
ad_edi_std	EDI Standard		x(8)	
ad_edi_tpid	Trading Prtnr Interface ID		x(24)	
ad_email	Email		x(48)	
ad_email2	Email		x(48)	
ad_ext	Ext		x(4)	
ad_ext2	Ext		x(4)	
ad_fax	Fax/Telex		x(20)	
ad_fax2	Fax/Telex		x(20)	
ad_format	Format		>9	
ad_gst_id	Tax ID - Federal		x(18)	
ad_intr_division	IntraStat Division		x(3)	
ad_inv_mthd	Invoices Via		x(1)	
ad_lang	Language		x(2)	
ad_last_file	Last Filing		yes/no	

Agent

Salesperson

Field Name	Label	Col-Label	Format	Dec
Agent_ID	Record ID		9999999999	
AgentCalculationBase	Calculation Base		x(20)	
AgentCode	Code		x(20)	
AgentCommisionMode	Calculation Mode		x(20)	
AgentDescription	Description		x(40)	
AgentIsActive	Active		yes/no	
BusinessRelation_ID	Business Relation		9999999999	
Company_ID	Entity		9999999999	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	AgentIsActive	yes	no
◇ CodeIdx	yes	AgentCode	yes	no
◇* Prim	yes	Agent_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AgentIsActive	yes	no
		AgentCode	yes	no

AIMW

Warehousing Work Table

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadL04	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QadT04	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AlMIndex1	yes	Domain	yes	no
			AlMKey1	yes	no
			AlMKey2	yes	no
	AlMIndex2	no	Domain	yes	no
			AlMKey3	yes	no
			AlMKey4	yes	no
	AlMIndex3	no	Domain	yes	no
			AlMKey5	yes	no
			AlMKey6	yes	no
	oid_AIMW	yes	oid_AIMW	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

ald_det

Allocation Account Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ald_index	yes	ald_domain	yes	no
		ald_code	yes	no
		ald_acc	yes	no
		ald_sub	yes	no
		ald_cc	yes	no
		ald_project	yes	no
oid_ald_det	yes	oid_ald_det	yes	no

AlgoAssD

Warehousing Algorithm Assignment Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AlgIdx	yes	Domain	yes	no
			AlgoType	yes	no
			TrType	yes	no
			Site	yes	no
			Whse	yes	no
			Part	yes	no
			PartType	yes	no
			Addr	yes	no
			AlgoSeq	yes	no
			AlgoNbr	yes	no
	oid_AlgoAssD	yes	oid_AlgoAssD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

AlgoM

Warehousing Algorithm Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AlgoNbr	yes	Domain	yes	no
			AlgoType	yes	no
			AlgoNbr	yes	no
	oid_AlgoM	yes	oid_AlgoM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

AlgoTypeM

Warehousing Algorithm Type Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Verbosity	Verbosity Level	Verb	>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* AlgoType	yes	Domain	yes	no
		AlgoType	yes	no
oid_AlgoTypeM	yes	oid_AlgoTypeM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Allocation Allocation Definition

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Record ID		9999999999	
AllocationCode	Allocation Code	Alloc Code	x(20)	
AllocationDenominAmountBy	Amt By		x(20)	
AllocationDenominAmountFr	From Amt		x(20)	
AllocationDenominatorLcQty	Value Of		x(20)	
AllocationDescription	Description	Alloc Desc	x(40)	
AllocationFractionConstant	Constant Fraction		->>>, >>>, >>9.99999	10
AllocationFractionType	Fraction Type		x(20)	
AllocationIsActive	Active	Act	yes/no	
AllocationNumeratorAmountBy	Amt By		x(20)	
AllocationNumeratorAmountFr	From Amt		x(20)	
AllocationNumeratorLcQty	Value Of		x(20)	
AllocationSourceAmountBy	Amt By		x(20)	
AllocationSourceAmountFrom	From Amt		x(20)	
AllocationSourceAmountLC	BC Amount		->>>, >>>, >>9.99	4
AllocationSourceLcQty	Value Of		x(20)	
AllocationSourcePRICE	BC Price		->>>, >>>, >>9.99999	10
AllocationSourceQTY	Quantity	Qty	->>>, >>>, >>9.99	4
AllocationSourceType	Source Type		x(20)	
Company_ID	Link to Company		9999999999	
DenominatorBudgetWBS_ID	Denominator WBS		9999999999	
Journal_ID	Daybook Code		9999999999	
NumeratorBudgetWBS_ID	WBS Seq		9999999999	
PostingTemplate_ID	Template Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceBudgetWBS_ID	WBS Seq		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	AllocationIsActive	yes	no
◇ Company	no	Company_ID	yes	no
DenomBudgetWBS	no	DenominatorBudgetWBS_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
NumeratorBudgetWBS	no	NumeratorBudgetWBS_ID	yes	no
◇ PostingTemplate	no	PostingTemplate_ID	yes	no
◇* Prim	yes	Allocation_ID	yes	no
SourceBudgetWBS	no	SourceBudgetWBS_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		AllocationCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AllocationIsActive	yes	no
		AllocationCode	yes	no

AllocationBatchAllocation Batch

Field Name	Label	Col-Label	Format	Dec
AllocationBatch_ID	Record ID		9999999999	
AllocationBatchCode	Allocation Batch Code		x(20)	
AllocationBatchDescription	Description		x(40)	
AllocationBatchIsActive	Active		yes/no	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	AllocationBatchIsActive	yes	no
◇* Prim	yes	AllocationBatch_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		AllocationBatchCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AllocationBatchIsActive	yes	no
		AllocationBatchCode	yes	no

AllocationBatchLineAllocation Batch Line

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Allocation Code	Alloc Code	9999999999	
AllocationBatch_ID	Link to AllocationBatch		9999999999	
AllocationBatchLine_ID	Record ID		9999999999	
AllocationBatchLineGroup	JE Group		x(20)	
AllocationBatchLineSeq	Seq		->,>>>,>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	Allocation_ID	yes	no
AllocBat	no	AllocationBatch_ID	yes	no
◇* Prim	yes	AllocationBatchLine_ID	yes	no
◇ UniqueIdx	yes	AllocationBatch_ID	yes	no
		AllocationBatchLineSeq	yes	no

AllocationLayerAllocation Layer

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Link to Allocation		9999999999	
AllocationLayer_ID	Record ID		9999999999	
AllocationLayerFor	Layer of	Layer linked to	x(20)	
Layer_ID	Layer Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AllocationLayer_ID	yes	no
◇ UniqueIdx	yes	Allocation_ID	yes	no
		AllocationLayerFor	yes	no
		Layer_ID	yes	no

AllocationPostingAllocation Posting

Field Name	Label	Col-Label	Format	Dec
AllocationBatchLine_ID	Link to AllocationBatchLine		9999999999	
AllocationPosting_ID	Record ID		9999999999	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SourcePeriod_ID	Link to Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocBatLn	no	AllocationBatchLine_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	AllocationPosting_ID	yes	no
SourcePd	no	SourcePeriod_ID	yes	no
◇ UniqueIdx	yes	SourcePeriod_ID	yes	no
		AllocationBatchLine_ID	yes	no
		Posting_ID	yes	no

AllocationProportionalProportional Allocation

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Link to Allocation		9999999999	
AllocationProportional_ID	Record ID		9999999999	
CostCentre_ID	Cost Center Code		9999999999	
Division_ID	Sub-Account Code	Sub-Acct	9999999999	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Concept Code		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	Allocation_ID	yes	no
◇ CostC	no	CostCentre_ID	yes	no
◇ Div	no	Division_ID	yes	no
◇* Prim	yes	AllocationProportional_ID	yes	no
Proj	no	Project_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Saf	no	Saf_ID	yes	no
SafC	no	SafConcept_ID	yes	no
◇ SafStr	no	SafStructure_ID	yes	no
◇ Unildx	yes	Allocation_ID	yes	no
		Division_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Saf_ID	yes	no

alm mstr Automatic Lot Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* alm_lot_grp	yes	alm_domain	yes	no
		alm_lot_grp	yes	no
		alm_site	yes	no
oid alm_mstr	yes	oid alm_mstr	yes	no

AltCOAGroup Alternate COA Group

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group ID		9999999999	
AltCOAGroupCode	Alternate COA Group Code		x(20)	
AltCOAGroupDescription	Description		x(40)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAGroup_ID	yes	no
◇ Uniqueldx	no	AltCOAGroupCode	yes	no

AltCOAStructAlternate COA Structure

Field Name	Label	Col-Label	Format	Dec
AltCOAStruct_ID	Alternate COA Structure		9999999999	
AltCOAStructCode	Code		x(20)	
AltCOAStructDescription	Description		x(40)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	99999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAStruct_ID	yes	no
◇ Uniquelidx	yes	AltCOAStructCode	yes	no

AltCOAStructDetAlternate COA

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group		9999999999	
AltCOAStruct_ID	Alternate COA Structure		9999999999	
AltCOAStructDet_ID	Alternate COA		9999999999	
AltCOAStructDetCode	Alternate COA		x(20)	
AltCOAStructDetColLabel	Column Label		x(20)	
AltCOAStructDetDescription	Description		x(40)	
AltCOAStructDetIsLeaf	Leaf		yes/no	
AltCOAStructDetLevel	Level		->, >>>, >>9	
AltCOAStructDetSeq	Sequence		x(60)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAStructDet_ID	yes	no
◇ Uniqueldx	yes	AltCOAStruct_ID	yes	no
		AltCOAStructDetCode	yes	no

AltTaskM

Index-Name	Uni	Field-Name	Asc	Abbr
* AltTask	yes	Domain	yes	no
		AltTask	yes	no
		TaskSeq	yes	no
oid_AltTaskM	yes	oid_AltTaskM	yes	no
TaskSeq	no	Domain	yes	no
		Task	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ UsrIdx	no	TaskSeq	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Alternate Unit of Measure Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AltUMD	yes	Domain	yes	no
			UM	yes	no
			NewUM	yes	no
	oid_AltUMD	yes	oid_AltUMD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing Alternate Unit of Measure Master

Field Name	Label	Col-Label	Format	Dec
AllowSplit	Allow Split	Split	yes/no	
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(64)	
Domain	Domain		x(8)	
IDQty	ID Quantity	ID! Qty	>>>9	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_AIRUMM	yes	oid_AIRUMM	yes	no
*	UM	yes	Domain	yes	no
			UM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

al mstr

Index-Name	Uni	Field-Name	Asc	Abbr
* al_code	yes	al_domain	yes	no
		al_code	yes	no
al_desc	no	al_domain	yes	no
		al_desc	yes	no
		al_code	yes	no
oid al_mstr	yes	oid al_mstr	yes	no

Analysis Code Link Detail

Index-Name	Uni	Field-Name	Asc	Abbr
anl_link_code	no	anl_domain	yes	no
		anl_type	yes	no
		anl_link_code	yes	no
* anl_type_code	yes	anl_domain	yes	no
		anl_type	yes	no
		anl_code	yes	no
		anl_link_code	yes	no
oid_anl_det	yes	oid_anl_det	yes	no

Analysis Code Selection Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* ans_type_code	yes	ans_domain	yes	no
		ans_type	yes	no
		ans_code	yes	no
		ans_field	yes	no
		ans_sel_low	yes	no
oid_ans_det	yes	oid_ans_det	yes	no

Analysis Code Exploded Detail

Field Name	Label	Col-Label	Format	Dec
anx__qadc01			x(8)	
anx__qadd01			->>>,>>>,>>9.9<<<	10
anx_active	Active		yes/no	
anx_code	Code		x(18)	
anx_domain	Domain		x(8)	
anx_node	Node		x(18)	

Field Name	Label	Col-Label	Format	Dec
anx_type	Type		x(24)	
anx_user1	Ufld1		x(8)	
anx_user2	Ufld2		x(8)	
oid_anx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
anx_active	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_node	yes	no
		anx_active	yes	no
		anx_code	yes	no
anx_node	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_node	yes	no
		anx_code	yes	no
* anx_type_code	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_code	yes	no
		anx_node	yes	no
oid anx det	yes	oid anx det	yes	no

an_mstr Analysis Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
an_code_type	yes	an_domain	yes	no
		an_code	yes	no
		an_type	yes	no
* an_type_code	yes	an_domain	yes	no
		an_type	yes	no
		an_code	yes	no
oid_an_mstr	yes	oid_an_mstr	yes	no

apc_ctrl	Accounts Payable Control

Field Name	Label	Col-Label	Format	Dec
apc__qad01			>>>>>9	
apc__qad02			99/99/99	
apc__qad03			x(8)	
apc__qad04	External Memo References Allowed		yes/no	
apc__qadc01			x(8)	
apc__qadc02			x(4)	
apc__qadc03			x(24)	
apc__qadc04			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	apc_index1	yes	apc_domain	yes	no
	oid_apc_ctrl	yes	oid_apc_ctrl	yes	no

APMatching Accounts Payable Matching

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Period	GL Pd	9999999999	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CirecPostingLine	no	CirecPostingLine_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
MatchingDate	no	Company_ID	yes	no
APMatchingDate			yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇* Prim	yes	APMatching_ID	yes	no
Reason	no	Reason_ID	yes	no
◇ StatusIdx	no	APMatchingStatus	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
CInvoice_ID			yes	no

APmatchingLnAccounts Payable Matching Line

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APmatchingLn_ID	Record ID		9999999999	
APmatchingLnIsPvodFinished	Finished		yes/no	
APMatchingLnIsTaxable	Taxable		yes/no	
APMatchingLnIsVarGLPosting	Use GL Var Account		yes/no	
APMatchingLnMatchAmtCC	SC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtLC	BC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtTC	TC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtTxInTC	TC Matched Amount (incl Tax)		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchIsTaxIncl	Tax Included		yes/no	
APMatchingLnMatchQty	Matched Quantity		->>>, >>>, >>9.99	4
APMatchingLnMatchUnitPrice	Matched Unit Price		->>>, >>>, >>9.99999	10
APMatchingLnMatchUnitPrNT	Matched Unit Price (excl Tax)		->>>, >>>, >>9.99999	10
APMatchingLnPvodAccruedTC	TC Accrued Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodCCCode	Cost Center (Pinv)		x(20)	
APMatchingLnPvodCCRate	Exchange Rate (CC)	Exch Rate (CC)	->, >>>, >>9.99	10
APMatchingLnPvodCCScale	Rate Scale (CC)		->, >>>, >>9.99	10
APMatchingLnPvodCompCode	Entity Code		x(20)	
APMatchingLnPvodCompID	Entity ID		9999999999	
APMatchingLnPvodConvFactor	Conv Factor (UM)		->, >>>, >>9.99	8
APMatchingLnPvodCostMtdCur	Current Cost Method		x(20)	
APMatchingLnPvodCostMtdGL	GL Cost Method		x(20)	
APMatchingLnPvodCurrency	Currency	Curr	x(20)	
APMatchingLnPvodDivCode	Sub-Account (Pinv)	Sub-Acct (Pinv)	x(20)	
APMatchingLnPvodExchRate	Exchange Rate	Exch Rate	->, >>>, >>9.99	10
APMatchingLnPvodExchRate2	Exchange Rate 2	Exch Rate 2	->, >>>, >>9.99	10
APMatchingLnPvodExtRef	External Ref	Ext Ref	x(20)	
APMatchingLnPvodGLCode	Account (Pinv)		x(20)	
APMatchingLnPvodIntRef	Internal Ref		x(20)	
APMatchingLnPvodInvoicedTC	TC Invoiced Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodIsLgCharge	Log Charge		yes/no	
APMatchingLnPvodIsTaxable	Taxable (pvo)		yes/no	
APMatchingLnPvodIsTaxIncl	Tax Included		yes/no	
APMatchingLnPvodItem	Item		x(20)	
APMatchingLnPvodItemDescr1	Item Description	Item Desc	x(24)	
APMatchingLnPvodItemDescr2	Item Description (2)	Item Desc (2)	x(24)	
APMatchingLnPvodItemType	Item Type		x(20)	
APMatchingLnPvodLgCharge	Logistic Charge		x(20)	
APMatchingLnPvodOpenAmtTC	TC Open Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodOpenQty	Open Quantity		->>>, >>>, >>9.99	4
APMatchingLnPvodOrder	Order		x(20)	
APMatchingLnPvodOrderLnNbr	Order Line Nbr		->, >>>, >>9	
APMatchingLnPvodOrderType	Order Type		x(20)	
APMatchingLnPvodPackingQty	Packing Slip Qty		->, >>>, >>9.9<<<<<<<<<	9
APMatchingLnPvodPayCond	Credit Terms		x(8)	
APMatchingLnPvodPLIDLine	PLI Line		->, >>>, >>9	
APMatchingLnPvodPLIKeyID	PLI Key		->, >>>, >>9	
APMatchingLnPvodPrjCode	Project (Pinv)		x(20)	
APMatchingLnPvodReceiptQty	Receipt Quantity	Receipt Qty	->>>, >>>, >>9.99	4
APMatchingLnPvodSite	Site		x(20)	
APMatchingLnPvodSupplier	Supplier		x(8)	
APMatchingLnPvodSupplItem	Supplier Item		x(30)	
APMatchingLnPvodTaxClass	Tax Class (pvo)		x(3)	
APMatchingLnPvodTaxEnv	Tax Env (pvo)		x(16)	

Field Name	Label	Col-Label	Format	Dec
APMatchingLnPvodTaxUsage	Tax Usage (pvo)		x(8)	
APMatchingLnPvodTransDate	Transaction Date		99/99/9999	
APMatchingLnPvodUnitPrice	Unit Price		->>>, >>>, >>9.99999	10
APMatchingLnPvodUnitPrNT	Unit Price (excl Tax)		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodUoM	GL Unit of Measure	UM	x(20)	
APMatchingLnPvodUoMConv	UM Conversion factor		->, >>>, >>9.99	0
APMatchingLnReceiptAmtCC	SC Receipt Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnReceiptAmtLC	BC Receipt Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnReceiptAmtTC	TC Receipt Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxClass	Tax Class		x(3)	
APMatchingLnTaxEnv	Tax Env		x(16)	
APMatchingLnTaxUsage	Tax Usage		x(8)	
APMatchingLnVarExchRateC	SC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarExchRateLC	BC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateCC	SC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateLC	BC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateTC	TC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageCC	SC Usage Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageLC	BC Usage Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageTC	TC Usage Variance		->>>, >>>, >>>, >>9.99	4
CostCentre_ID	Cost Center		9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
GL_ID	Account		9999999999	
NewExpensePostingLine_ID	Link to PostingLine		9999999999	
Project_ID	Project Code		9999999999	
PvodLineID	Pinv Line ID	Pvo Line ID	9999999999	
PvoDomain	Domain		x(8)	
PvoID	Pinv ID	Pvo ID	9999999999	
PvoPostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RevExpensePostingLine_ID	Link To PostingLine		9999999999	
VarExchRatCCPostingLine_ID	SC Exch Rate Posting Line		9999999999	
VarExchRatePostingLine_ID	Exch Rate Posting Line		9999999999	
VarRatePostingLine_ID	Link to PostingLine		9999999999	
VarUsagePostingLine_ID	Link to PostingLine		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatching	no	APMatching_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Division	no	Division_ID	yes	no
DomainPvodLine	no	PvoDomain	yes	no
		PvoID	yes	no
		PvodLineID	yes	no
ExRateCCPL	no	VarExchRatCCPostingLine_ID	yes	no
ExRateLCPL	no	VarExchRatePostingLine_ID	yes	no
◇ GL	no	GL_ID	yes	no
NewExpPL	no	NewExpensePostingLine_ID	yes	no
◇* Prim	yes	APmatchingLn_ID	yes	no
◇ Project	no	Project_ID	yes	no
PvoPL	no	PvoPostingLine_ID	yes	no
RatePL	no	VarRatePostingLine_ID	yes	no
RevExpPL	no	RevExpensePostingLine_ID	yes	no
◇ UniqueIdx	yes	APMatching_ID	yes	no
		PvoID	yes	no
		PvodLineID	yes	no
UsagePL	no	VarUsagePostingLine_ID	yes	no

APMatchingLnRevTaxAccounts Payable Matching Line Rev Tax

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnRevTax_ID	Record ID		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
APMatch	no	APMatching_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	APMatchingLnRevTax_ID	yes	no
◇ Uniqldx	yes	APMatchingLn_ID	yes	no
		PostingLine_ID	yes	no

APMatchingLnTaxAccounts Payable Matching Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Retained Tax Sub-Account	Retained Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Retained Tax Account		9999999999	
AbsRetTaxPostingLine_ID	Link to PostingLine		9999999999	
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnTax_ID	Record ID		9999999999	
APMatchingLnTaxAINRecTaxTC	TC Non Recov Tax Accrued at Invoice		->>>, >>>, >>>9.99	4
APMatchingLnTaxAIRRecTaxTC	TC Recoverable Tax Accrued at Invoice		->>>, >>>, >>>9.99	4
APMatchingLnTaxARNRecTaxTC	TC Non Recov Tax Accrued at Receipt		->>>, >>>, >>>9.99	4
APMatchingLnTaxARRecTaxTC	TC Recov Tax Accrued at Receipt		->>>, >>>, >>>9.99	4
APMatchingLnTaxBaseLC	LC Tax Base		->>>, >>>, >>>9.99	4
APMatchingLnTaxBaseTC	TC Tax Base		->>>, >>>, >>>9.99	4
APMatchingLnTaxIsAbsRet	Absorbed or Retained Tax		yes/no	
APMatchingLnTaxIsAccrRcp	Accrue at Receipt or Usage		yes/no	
APMatchingLnTaxIsDiscAtInv	Discount Tax at Invoice		yes/no	
APMatchingLnTaxIsRevCharge	Reverse Charge		yes/no	
APMatchingLnTaxIsSuspDel	Delayed Tax	Delay Tax	yes/no	
APMatchingLnTaxIsTaxIncl	Tax Incl		yes/no	
APMatchingLnTaxIsTIAAllowed	Allow Tax Included		yes/no	
APMatchingLnTaxIsUpdAllow	Update Tax Allowed		yes/no	
APMatchingLnTaxRecovTaxPct	Recoverable Tax Percentage		->>9.99	2
APMatchingLnTaxTaxLC	LC Tax		->>>, >>>, >>>9.99	4
APMatchingLnTaxTaxPct	Tax Percentage		->>9.99	2
APMatchingLnTaxTaxTC	TC Tax		->>>, >>>, >>>9.99	4
APMatchingLnTaxTaxTrType	Transaction Type		x(2)	
APMatchingLnTaxTaxType	Tax Type		x(16)	
APRatePostingLine_ID	Link to PostingLine		9999999999	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account	Tax Account	9999999999	
NormalTaxPostingLine_ID	Link to PostingLine		9999999999	
PPVPostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Delayed Tax Sub-Account	Delay Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Delayed Tax Account	Delay Tax Acct	9999999999	
Vat_ID	Tax Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AbsRetPL	no	AbsRetTaxPostingLine_ID	yes	no
AbsRetTaxDiv	no	AbsRetTaxDivision_ID	yes	no
AbsRetTaxGL	no	AbsRetTaxGL_ID	yes	no
◊ APMatching	no	APMatching_ID	yes	no
◊ APMatchingLn	no	APMatchingLn_ID	yes	no
APRatePL	no	APRatePostingLine_ID	yes	no
NormalTaxDiv	no	NormalTaxDivision_ID	yes	no
NormalTaxGL	no	NormalTaxGL_ID	yes	no
NormalTaxPL	no	NormalTaxPostingLine_ID	yes	no
PPVPL	no	PPVPostingLine_ID	yes	no
◊* Prim	yes	APMatchingLnTax_ID	yes	no
◊ Vat	no	Vat_ID	yes	no

APMatchingLnWHTAccounts Payable Matching Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnTax_ID	Link To APMatchingLnTax		9999999999	
APMatchingLnWHT_ID	Record ID		9999999999	
APMatchingLnWHTAmtCredL C	BC WHT Amt (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtCredT C	TC WHT Amt (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtDebLC C	BC WHT Amt (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtDebTC C	TC WHT Amt (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTBaseTaxP ct	Tax Base Percentage		->>9.99	2
APMatchingLnWHTExpCredT C	TC Expense (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTExpDebT C	TC Expense (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTFeeCredT C	TC Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTFeeDebT C	TC Fee (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTIsUpdAllo w	Update Tax Allowed		yes/no	
APMatchingLnWHTRecovTax Pct	Recoverable Tax Percentage		->>9.99	2
APMatchingLnWHTTaxPct	Tax Percentage		->>9.99	2
APMatchingLnWHTTaxTrType	Transaction Type		x(2)	
APMatchingLnWHTTaxType	Tax Type		x(20)	
APMatchingLnWHTTxFeeCre dLC	BC Taxable Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeCre dTC	TC Taxable Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeDeb LC	BC Taxable Fee (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeDeb TC	TC Taxable Fee (DR)		->>>, >>>, >>>, >>9.99	4
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatching	no	APMatching_ID	yes	no
◇ APMatchingLn	no	APMatchingLn_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	APMatchingLnWHT_ID	yes	no
◇ Uniq	no	APMatchingLn_ID	yes	no
		APMatchingLnTax_ID	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

apmr_mstr Advanced Pricing Management Customer Relationship Master

Index-Name	Uni	Field-Name	Asc	Abbr
* apmr_seq	yes	apmr_domain	yes	no
		apmr_seq	yes	no
apmr_type	yes	apmr_domain	yes	no
		apmr_type	yes	no
oid apmr mstr	yes	oid apmr mstr	yes	no

apm_ctrl

Advanced Pricing Management Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* apm_index1	yes	apm_domain	yes	no
oid apm ctrl	yes	oid apm ctrl	yes	no

ApproveStatusTrans

Approve Status Transition

Field Name	Label	Col-Label	Format	Dec
ApproveStatusTrans_ID	Record ID		9999999999	
ApproveStatusTransFrStatus	From Status		x(40)	
ApproveStatusTransToStatus	To Status		x(40)	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	ApproveStatusTrans_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		ApproveStatusTransFrStatus	yes	no
		ApproveStatusTransToStatu	yes	no
		S		

aprm mstr Application Parameter Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* AppParmSeq	yes	aprm_domain	yes	no
		aprm_app_id	yes	no
		aprm_doc_std	yes	no
		aprm_mthd_name	yes	no
		aprm_seq	yes	no
oid_aprm_mstr	yes	oid_aprm_mstr	yes	no

apr_mstr	Application Registry

Field Name	Label	Col-Label	Format	Dec
apr__dec01			->>>, >>>, >>9.99<	10
apr__dec02			->>>, >>>, >>9.99<	10
apr__dte01			99/99/99	
apr__dte02			99/99/99	
apr__int01			->>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
apr__int02			->>>, >>>, >>9	
apr__log01			yes/no	
apr__log02			yes/no	
apr__qadc01			x(8)	
apr__qadc02			x(8)	
apr__qadc03			x(8)	
apr__qadc04			x(8)	
apr__qadd01			->>>, >>>, >>9.99<	10
apr__qadd02			->>>, >>>, >>9.99<	10
apr__qadi01			->>>, >>>, >>9	
apr__qadi02			->>>, >>>, >>9	
apr__qadi01			yes/no	
apr__qadi02			yes/no	
apr__qadt01			99/99/99	
apr__qadt02			99/99/99	
apr__access_code	Access Code		x(60)	
apr__ack_doc_rev	Document Revision		x(8)	
apr__ack_doc_std	Document Standard		x(8)	
apr__ack_doc_typ	Document Type		x(21)	
apr__ack_lvl_reqd	Autoacknowledgment Level		x(1)	
apr__adapt_cmd	Adapter Start Command		X(65)	
apr__adapt_start	Start when Connecting		yes/no	
apr__adapter_env	Adapter Type		x(1)	
apr__adapter_proc	PROGRESS Adapter Program		x(24)	
apr__app_id	Application ID		x(12)	
apr__app_ver	Version		x(8)	
apr__cim_proc	CIM/API Process		yes/no	
apr__code_pg	Code Page		X(15)	
apr__date_form	Date Format		X(3)	
apr__del_err_det	Delete Error Detail		x(1)	
apr__desc	Description		x(60)	
apr__doc_lng	Document Language		x(3)	
apr__domain	Domain		x(8)	
apr__dtd_dir_url	DTD Directory URL		x(65)	
apr__email_notvl	E-mail Level		x(1)	
apr__email_userid	Default E-mail User ID		x(8)	
apr__eol_delim	End of Line Delimiter for Export		yes/no	
apr__ex_arch_dir	Export File Archive Directory		x(65)	
apr__ex_delim	ASCII Delimiter for Export		>>>9	
apr__ex_dest_mthd	Method		x(24)	
apr__ex_dest_proc	In Registered Application		x(24)	
apr__ex_init_conn	Initiate Export Connection		yes/no	
apr__ex_ip_addr	IP Address For Export		x(16)	
apr__ex_map_flg	Map Exports		yes/no	
apr__ex_port_nbr	Port Number For Export		>>>>9	
apr__ex_prc_typ	Process Type		x(8)	
apr__ex_xml	XML Exported		x(1)	
apr__im_arch_dir	Import File Archive Directory		x(65)	
apr__im_delim	ASCII Delimiter for Import		>>>9	
apr__im_dest_mthd	Method		x(24)	
apr__im_dest_proc	In MFG/PRO		x(24)	
apr__im_doc_std	Document Standard for Import		X(8)	
apr__im_init_conn	Initiate Import Connection		yes/no	
apr__im_ip_addr	IP Address For Import		x(16)	
apr__im_map_flg	Map Imports		yes/no	
apr__im_port_nbr	Port Number For Import		>>>>9	
apr__im_prc_typ	Process Type		x(8)	
apr__im_xml	XML Imported		x(1)	
apr__map_parm[10]	Mapper Parameter Codes		X(8)	
apr__map_parm_val[10]	Mapper Parameter Code Values		x(12)	
apr__map_spec	Mapping Specification ID		x(24)	
apr__mapper_proc	Data Mapper Procedure		x(24)	
apr__mod_date	Modified Date	Mod Date	99/99/99	
apr__mod_userid	User ID		x(8)	
apr__msg_ack_lvl	Acknowledgment Level		x(8)	
apr__msg_clnt_ord	Message Ordering		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	arc_index1	yes	arc_domain	yes	no
	oid_arc_ctrl	yes	oid_arc_ctrl	yes	no

art_mstr

Application Return Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* AppRetCode	yes	art_domain	yes	no
		art_app_id	yes	no
		art_mthd_name	yes	no
		art_return_code	yes	no
oid_art_mstr	yes	oid_art_mstr	yes	no

Audit Trail Database Connection Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* atdc_d_begin_date	yes	atdc_d_type	yes	no
		atdc_d_begin_date	no	no
atdc_d_oid_atdc_mstr	yes	oid_atdc_mstr	yes	no
		atdc_d_type	yes	no
oid_atdc_d_det	yes	oid_atdc_d_det	yes	no

Audit Trail Database Connection Master

	Index-Name	Uni	Field-Name	Asc	Abbr
*	atdc_name	yes	atdc_name	yes	no
	oid_atdc_mstr	yes	oid_atdc_mstr	yes	no

Audit Trail Group Master

Field Name	Label	Col-Label	Format	Dec
atg__qadc01			x(24)	
atg__qadc02			x(24)	
atg_group_desc	Description		X(24)	
atg_group_name	Group Name	Group	X(8)	
atg_group_type	Group Type	Type	X(2)	
atg_mod_date	Modified Date	Mod Date	99/99/99	
atg_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
atg_origin	Origin		X(2)	
atg_user1	User Field Character 1		x(24)	
atg_user2	User Field Character 2		x(24)	
oid_atg_mstr			#####9 10	

Index-Name	Uni	Field-Name	Asc	Abbr
* atg_type_name	yes	atg_group_type	yes	no
		atg_group_name	yes	no
oid atg_mstr	yes	oid_atg_mstr	yes	no

atp_det

Available-to-Promise Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
atp_id_num	yes	atp_domain	yes	no
		atp_id_num	yes	no
* atp_part	yes	atp_domain	yes	no
		atp_part	yes	no
		atp_site	yes	no
		atp_date	yes	no
		atp_id_num	yes	no
oid_atp_det	yes	oid_atp_det	yes	no

att_mstr

Audit Trail Table Master

Field Name	Label	Col-Label	Format	Dec
att__qadc01			x(24)	
att__qadc02			x(24)	
att_audit_enabled	Audit Trail Enabled	Enabled	yes/no	
att_mod_date	Modified Date	Mod Date	99/99/99	
att_mod_userid	User ID		x(8)	
att_table_name	Table Name		X(32)	
att_user1	User Field Character 1		x(24)	
att_user2	User Field Character 2		x(24)	
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
	att_audit_enabled	yes	att_audit_enabled	yes	no
			att_table_name	yes	no
*	att_table_name	yes	att_table_name	yes	no
	oid_att_mstr	yes	oid_att_mstr	yes	no

Audit Detail

Index-Name	Uni	Field-Name	Asc	Abbr
aud_dataset	yes	aud_domain	yes	no
		aud_dataset	yes	no
		aud_key1	yes	no
		aud_key2	yes	no
		aud_key3	yes	no
		aud_key4	yes	no
		aud_key5	yes	no
		aud_key6	yes	no
		aud_key7	yes	no
		aud_date	yes	no
		aud_entry	yes	no
		* aud_entry	yes	aud_domain
aud_user	no	aud_entry	yes	no
		aud_domain	yes	no
		aud_userid	yes	no
		aud_dataset	yes	no
oid_aud_det	yes	aud_date	yes	no
		oid_aud_det	yes	no

Automatic Numbering

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DomainIdx	no	Domain_ID	yes	no
◇* Prim	yes	AutoNumber_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ Uniqueldx	yes	Domain_ID	yes	no
		SharedSet_ID	yes	no
		AutoNumberType	yes	no

BankAccFormatBank Account Format

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Record ID		9999999999	
BankAccFormatCode	Bank Account Format		x(20)	
BankAccFormatDescription	Description		x(40)	
BankAccFormatIsSystDefined	System Defined		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankAccFormat_ID	yes	no
◇ Uniqueldx	yes	BankAccFormatCode	yes	no

BankAccFormatSectBank Account Format Section

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Link to BankAccFormat		9999999999	
BankAccFormatSect_ID	Record ID		9999999999	
BankAccFormatSectDelimiter	Delimiter		x(1)	
BankAccFormatSectIsLdZero	Leading Zeros		yes/no	
BankAccFormatSectIsMandat	Mandatory		yes/no	
BankAccFormatSectLabel	Label		x(40)	
BankAccFormatSectLength	Length		->, >>>, >>9	
BankAccFormatSectSequence	Sequence		->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankAccFormatSect_ID	yes	no
◇ Uniqueldx	yes	BankAccFormat_ID	yes	no
		BankAccFormatSectSequence	yes	no

BankFileFormatBank File Format

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Record ID		9999999999	
BankFileFormatCode	Format Code		x(20)	
BankFileFormatDescript	Description		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankFileFormat_ID	yes	no
◇ UniqueIdx	yes	BankFileFormatCode	yes	no

BankFileFormatTransType Bank File Format Transaction Type

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Link to BankFileFormat		9999999999	
BankFileFormatTransType_ID	Record ID		9999999999	
BankFileFormatTransTypeAct	Trans Type Activity	Activity	x(20)	
BankFileFormatTransTypeCod	Transaction Type Code	Trans Type	x(20)	
BankFileFormatTransTypeTSt	Trans Type Status		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankFileFormatTransType_ID	yes	no
◇ Uniq	yes	BankFileFormat_ID	yes	no
		BankFileFormatTransTypeCode	yes	no

BankImp Bank Statement Import

Field Name	Label	Col-Label	Format	Dec
BankImp_ID	Record ID		9999999999	
BankImpCurrencyCode	Bank Currency Code		x(3)	
BankImpFileName	Bank File Name		x(255)	
BankImpFileType	File Type		x(20)	
BankImpLinesCount	Numbers of Detail Lines		->, >>>, >>9	
BankImpLoadedDate	Upload Date		99/99/9999	
BankImpLoadedTime	Time Loaded		99999	
BankImpTotalAmountInTC	Total Amount In		->>>, >>>, >>>9.99	4
BankImpTotalAmountOutTC	Total Amount Out		->>>, >>>, >>>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankImp_ID	yes	no
◇ UniqueIdx	yes	BankImpLoadedDate	yes	no
		BankImpLoadedTime	yes	no

BankImpLine Bank Statement Import Line

Field Name	Label	Col-Label	Format	Dec
BankImp_ID	Link to BankImp		9999999999	
BankImpLine_ID	Record ID		9999999999	
BankImpLineAction	Action		x(20)	
BankImpLineAddressCity	Address City		x(20)	
BankImpLineAddressCountry	Address Country		x(3)	
BankImpLineAddressLine	Address Line		x(40)	
BankImpLineAddressZip	Address Zip		x(10)	
BankImpLineAmountTC	Amount TC		->>>, >>>, >>>, >>9.99	4
BankImpLineBankNumber	Bank Number		x(40)	
BankImpLineBatchNbr	Batch Number		->, >>>, >>9	
BankImpLineBusRelType	Business Relation Type		x(20)	
BankImpLineCost	Cost		x(20)	
BankImpLineCreditorCode	Supplier Code		x(20)	
BankImpLineCreditorName	Supplier Name		x(40)	
BankImpLineCurrencyCode	Currency		x(3)	
BankImpLineDebtorCode	Customer Code		x(20)	
BankImpLineDebtorName	Customer Name		x(40)	
BankImpLineDescription	Description		x(40)	
BankImpLineDiscAmtTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
BankImpLineExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
BankImpLineFileFormatCode	Format Code		x(20)	
BankImpLineInfo	Info		x(2000)	
BankImpLineInOut	Direction		x(3)	
BankImpLineIntAmtTC	TC Interest Amount		->>>, >>>, >>>, >>9.99	4
BankImpLineInvRefList	Invoices		x(2000)	
BankImpLineOrigAmountTC	Original Amount TC		->>>, >>>, >>>, >>9.99	4
BankImpLineOrigCurrCode	Original Currency		x(3)	
BankImpLineOrigTransDate	Original Transaction Date		99/99/9999	
BankImpLineOwnBankNumber	Account Number		x(40)	
BankImpLinePaymentNbr	Payment Number		x(20)	
BankImpLinePaymentRef	Payment Reference		x(40)	
BankImpLineProcessedStatus	Process Status		x(20)	
BankImpLineRateScale	Exchange Scale		->, >>>, >>9.9999999999	10
BankImpLineReference	Reference		x(50)	
BankImpLineSeq	Sequence	Seq	->, >>>, >>9	
BankImpLineStatNumber	Statement Number		x(10)	
BankImpLineTransType	Transaction Type		x(20)	
BankImpLineValueDate	Value Date		99/99/9999	
BankState_ID	Link to BankState		9999999999	
CDocument_ID	Link to CDocument		9999999999	
Creditor_ID	Link to Creditor		9999999999	
DDocument_ID	Link to DDocument		9999999999	
Debtor_ID	Link to Debtor		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankImp	no	BankImp_ID	yes	no
◇ BankState	no	BankState_ID	yes	no
BatchNbr	no	BankImpLineBatchNbr	yes	no
◇ CDoc	no	CDocument_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ DDoc	no	DDocument_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
PayFormat	no	PayFormatCode_ID	yes	no
◇* Prim	yes	BankImpLine_ID	yes	no
ProcessedStatIdx	no	BankImpLineProcessedStatus	yes	no
◇ UniqueIdx	yes	BankImpLineSeq	yes	no
		BankImp_ID	yes	no

BankImpLineLog Bank Statement Import Line Log

Field Name	Label	Col-Label	Format	Dec
BankImpLine_ID	Link to BankImpLine		9999999999	
BankImpLineLog_ID	Record ID		9999999999	
BankImpLineLogFieldLabel	Field Label		x(80)	
BankImpLineLogFieldName	Field Name		x(80)	
BankImpLineLogFieldValue	Field Value		x(2000)	
BankImpLineLogLog	Log		x(4000)	
BankImpLineLogMessage	Message		x(2000)	
BankImpLineLogRowid	Row ID		x(20)	
BankImpLineLogSeverity	Severity		->,>>>,>>9	
BankImpLineLogType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Line	no	BankImpLine_ID	yes	no
◇* Prim	yes	BankImpLineLog_ID	yes	no

BankNumber Bank Number

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Bank Account Format		9999999999	
BankBusinessRelation_ID	Business Relation		9999999999	
BankNumber	Bank Number		x(40)	
BankNumber_ID	Record ID		9999999999	
BankNumberBranch	Branch		x(8)	
BankNumberExtension	Bank Extension	Extension	x(20)	
BankNumberFormatted	Formatted Bank Account No	Formatted Number	x(40)	
BankNumberIsActive	Active		yes/no	
BankNumberIsDefault	Default		yes/no	
BankNumberIsSBDef	Self-Bill Default		yes/no	
BankNumberParentType	Type		x(20)	
BankNumberSwiftCode	SWIFT Code		x(40)	
BankNumberValidation	Validation		x(20)	
BankPayFormat_ID	Link to BankPayFormat		9999999999	
CompanySharedSet_ID	Link to CompanySharedSet		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	

62 BankNumberPayCode

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DDocumentStatus_ID	Payment Status		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentObject_ID	Parent Object		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankNumberFormat	no	BankNumberFormatted	yes	no
BankNumberIdx	no	BankNumber	yes	no
BankPayFormat	no	BankPayFormat_ID	yes	no
◇ BusinessRelation	no	BankBusinessRelation_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
KeyParentObject_id	no	ParentObject_ID	yes	no
KeyParentType	no	BankNumberParentType	yes	no
◇* Prim	yes	BankNumber_ID	yes	no
UniqueLogicalKey	yes	BankNumber	yes	no
		BankNumberExtension	yes	no
		BankNumberValidation	yes	no
		ParentObject_ID	yes	no
		BankPayFormat_ID	yes	no
◇ ViewIndex	no	BankNumberIsActive	yes	no
		BankNumber	yes	no

BankNumberPayCodeBank Number Payment Format Code

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
BankNumberPayCode_ID	Record ID		9999999999	
BankNumberPayCodeSequence	Sequence	Seq	->, >>>, >>9	
BankNumberPayCodeValue	Attribute Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Description		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
KeySequence	no	BankNumberPayCodeSequence	yes	no
◇* Prim	yes	BankNumberPayCode_ID	yes	no
◇ UniqueIdx	yes	BankNumber_ID	yes	no
		PayFormatGroup_ID	yes	no

BankPayFormatBank Payment Format

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Bank File Format Code	Bank File Format	9999999999	
BankNumber_ID	Bank Number	Bank Account No	9999999999	
BankPayFormat_ID	Record ID		9999999999	
BankPayFormatIsActive	Active		yes/no	
BankPayFormatNextCheckNumber	Next Pre-Printed Number	Next Pre-Printed No	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Payment Format		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
FileFormat	no	BankFileFormat_ID	yes	no
◇* Prim	yes	BankPayFormat_ID	yes	no
◇ Type	no	PayFormatTypeCode	yes	no
◇ UniqueIdx	yes	BankNumber_ID	yes	no
		PayFormatTypeCode	yes	no

BankState Bank Statement

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Record ID		9999999999	
BankStateBankImpRef	Bank Importing Reference		x(255)	
BankStateClosingBalance	Closing Balance		->, >>>, >>>9.99	4
BankStateInfo	Information	Info	x(2000)	
BankStateMovement	Activity		->, >>>, >>>9.99	4
BankStateNumber	Bank Statement No		x(20)	
BankStateOpeningBalance	Opening Balance		->, >>>, >>>9.99	4
BankStatePostingDate	Posting Date		99/99/9999	
BankStateStatus	Status		x(20)	
BankStateTransactionType	Transaction Type		x(20)	
BankStateYear	Bank Statement Year		9999	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Calendar Year	GL Cal Year	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankStateStatus	no	BankStateStatus	yes	no
BankStateTransType	no	BankStateTransactionType	yes	no
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLStatementNumYear	yes	Company_ID	yes	no
		GL_ID	yes	no
		BankStateYear	yes	no
		BankStateNumber	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BankState_ID	yes	no

BankStateAlloc Bank Statement Allocation

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateAlloc_ID	Record ID		9999999999	
BankStateAllocAmountLC	BC Amount		->>>, >>>, >>9.99	4
BankStateAllocAmountTC	TC Allocated		->>>, >>>, >>9.99	4
BankStateAllocBankAmountLC	BC Bank Amount		->>>, >>>, >>9.99	4
BankStateAllocBankAmountTC	TC Bank Amt		->>>, >>>, >>9.99	4
BankStateAllocBankDiscLC	BC Bank Discount		->>>, >>>, >>9.99	4
BankStateAllocBankDiscTC	TC Bank Discount		->>>, >>>, >>9.99	4
BankStateAllocBankImpRef	Bank Importing Reference		x(255)	
BankStateAllocBankRate	Accounting Rate		->, >>>, >>9.9999999999	10
BankStateAllocBankRteScale	Scale Factor		->, >>>, >>9.99	10
BankStateAllocBankValDate	Rate Date		99/99/9999	
BankStateAllocCCRate	SC Rate		->, >>>, >>9.9999999999	10
BankStateAllocCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10

Field Name	Label	Col-Label	Format	Dec
BankStateAllocDifferenceCC	SC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
BankStateAllocDifferenceLC	BC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocDifferenceTC	TC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocDiscountTC	TC Discount		->>>, >>>, >>>, >>9.99	4
BankStateAllocOpenBalTC	Open Balance TC		->>>, >>>, >>>, >>9.99	4
BankStateAllocPaidAmtTC	TC Paid Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocType	Allocation Type		x(20)	
BankStateAllocWHTAmtCC	SC WHT Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocWHTAmtLC	BC WHT Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocWHTAmtTC	TC WHT Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocWHTCCRate	WHT SC Rate		->, >>>, >>9.9999999999	10
BankStateAllocWHTCCScale	WHT SC Scale		->, >>>, >>9.9999999999	10
BankStateAllocWHTLCRate	WHT BC Rate		->, >>>, >>9.9999999999	10
BankStateAllocWHTLCScale	WHT BC Scale		->, >>>, >>9.9999999999	10
BankStateAllocWHTPerc	WHT Percentage		->>9.99	2
BankStateAllocWHTTxFeeTC	TC WHT Taxable Fee		->>>, >>>, >>>, >>9.99	4
BankStateLine_ID	Link to BankStateLine		9999999999	
CCollection_ID	Link to CCollection		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
DCollection_ID	Link to DCollection		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocType	no	BankStateAllocType	yes	no
BankStateLine	no	BankStateLine_ID	yes	no
BankStIdx	no	BankState_ID	yes	no
CCollection	no	CCollection_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ DCollection	no	DCollection_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	BankStateAlloc_ID	yes	no

BankStateAllocColl Bank Statement Selection Allocation

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateAlloc_ID	Link to BankStateAlloc		9999999999	
BankStateAllocColl_ID	Record ID		9999999999	
BankStateAllocCollBankAmLC	BC Bank Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollBankAmTC	TC Bank Amt		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollBankDate	Value Date		99/99/9999	
BankStateAllocCollBankRate	Accounting Rate		->, >>>, >>9.9999999999	10
BankStateAllocCollCCRate	SC Rate		->, >>>, >>9.9999999999	10
BankStateAllocCollCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
BankStateAllocCollDiffCC	SC Exch Rate Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollDiffLC	BC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollDiffTC	TC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollIsAlloc	Allocated		yes/no	
BankStateAllocCollRteScale	Scale Factor		->, >>>, >>9.99	10
CDocument_ID	Supplier Payment Type	Supplier Pay Type	9999999999	
Company_ID	Link to Company		9999999999	
DDocument_ID	Supplier Payment Type	Supplier Pay Type	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	BankStateAlloc_ID	yes	no
BankStdX	no	BankState_ID	yes	no
◇ CDocument	no	CDocument_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ DDocument	no	DDocument_ID	yes	no
◇* Prim	yes	BankStateAllocColl_ID	yes	no

BankStateImport Import Bank Statements

Field Name	Label	Col-Label	Format	Dec
BankStateImport_ID	Record ID		9999999999	
BankStateImportDate	Date		99/99/9999	
BankStateImportFile	Source File Name		x(255)	
BankStateImportFolder	Source Folder Path		x(255)	
BankStateImportTime	Time		->, >>>, >>9	
BankStateImportType	Import File Format	Format	x(20)	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	yes	Company_ID	yes	no
◇* Prim	yes	BankStateImport_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

BankStateLine Bank Statement Line

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateLine_ID	Record ID		9999999999	
BankStateLineAmountTC	TC Amount		->>>, >>>, >>>9.99	4
BankStateLineBankImpRef	Bank Importing Reference		x(255)	
BankStateLineDescription	Description		x(40)	
BankStateLineExtAddress	Address (Ext)		x(40)	
BankStateLineExtBankNumber	Bank Number (Ext)		x(40)	
BankStateLineExtBankRate	Bank Rate (Ext)		->, >>>, >>>9.9999999999	10
BankStateLineExtCity	City (Ext)		x(40)	
BankStateLineExtCostCode	Cost Code (Ext)		x(20)	
BankStateLineExtCountry	Country (Ext)		x(20)	
BankStateLineExtCurrency	Currency (Ext)		x(20)	
BankStateLineExtDebCred	Customer/Supplier (Ext)		x(20)	
BankStateLineExtName	Name (Ext)		x(40)	
BankStateLineExtOriginalTC	TC Original (Ext)		->>>, >>>, >>>9.99	4
BankStateLineExtRateScale	Scale Factor		->, >>>, >>>9.9999999999	10
BankStateLineExtReference	Reference (Ext)		x(40)	
BankStateLineExtSwiftCode	SWIFT Code (Ext)		x(40)	
BankStateLineExtTSM	TSM (Ext)		x(40)	

Field Name	Label	Col-Label	Format	Dec
BankStateLineExtZip	Zip Code (Ext)		x(20)	
BankStateLineInformation	Information		x(2000)	
BankStateLineInOut	In/Out		x(20)	
BankStateLineNumber	Number		->,>>>,>>9	
BankStateLinePostingDate	Posting Date		99/99/9999	
BankStateLineStatus	Status		x(20)	
BankStateLineValueDate	Value Date		99/99/9999	
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Calendar Year	GL Cal Year	9999999999	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankState	no	BankState_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	BankStateLine_ID	yes	no
◇ Status	no	BankStateLineStatus	yes	no
◇ Uniqueldx	yes	BankState_ID	yes	no
		BankStateLineNumber	yes	no

BankStateStageAlloc Bank Statement Stage Allocation

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateAlloc_ID	Link to BankStateAlloc		9999999999	
BankStateStageAlloc_ID	Record ID		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocAmntTC	Stage Allocation		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocDiscTC	Stage Discount		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocPaidTC	Stage Paid		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocWHTTC	TCWHT Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankStAll	no	BankStateAlloc_ID	yes	no
◇ BankState	no	BankState_ID	yes	no
◇ CInvoiceStage	no	CInvoiceStage_ID	yes	no
◇ DInvoiceStage	no	DInvoiceStage_ID	yes	no
◇* Prim	yes	BankStateStageAlloc_ID	yes	no
◇ UniqueIdx	yes	BankStateAlloc_ID	yes	no
		CInvoiceStage_ID	yes	no
		DInvoiceStage_ID	yes	no

BatchPickC

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_BatchPickC	yes	oid_BatchPickC	yes	no
◊* SiteWhse	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no

BatchPickD Warehousing Batch Picking Detail

Field Name	Label	Col-Label	Format	Dec
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToWhse	To Whse		x(8)	
TrNbr	Transaction	Trans	>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_BatchPickD	yes	oid_BatchPickD	yes	no
◇ StartUserID	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
◇ ToLoc	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ToLoc	yes	no
ToRef	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ToRef	yes	no
◇* TrNbr	yes	Domain	yes	no
		TrNbr	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
		ToRef	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BatchPickM Warehousing Batch Picking Master

Field Name	Label	Col-Label	Format	Dec
BatchStatus	Status	St	x(12)	
Complete	Complete		yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Distance	Travel Sequence	Travel! Sequence	->, >>>, >>9	
Domain	Domain		x(8)	
Fail	Fail		yes/no	
FromAltUM	From UM	Fr! UM	x(2)	
FromDigit	From Digit	From! Digit	x(8)	
FromLoc	From Location	From! Location	x(8)	
FromLot	From Lot/Serial		x(18)	
FromPart	From Item Number		x(18)	
FromQty	Actual		->, >>>, >>9.9<<<<<<<	10
FromRef	From Reference	From! Reference	x(8)	
FromSite	From Site	From! Site	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_BatchPickM			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
OldUserID	Old User		x(8)	
OPCAItUM	OPC UM	OPC! UM	x(2)	
OPCQty	OPC Qty		->, >>>, >>9.9<<<<<<<<	10
Priority	Priority		->, >>>, >>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		x(8)	0
QadC06	QAD Field		x(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadI04	QAD Field	QAD Field	->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadL03	QAD Field		yes/no	
QadL04	QAD Field		yes/no	
QadL05	QAD Field		yes/no	
QadL06	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Repick	Repick		yes/no	
ScanField	Scan Field		x(12)	
Sequence	Sequence		->, >>>, >>9	
Site	Site		x(8)	
StartDate	Start Date		99/99/99	
StartTime	Start Time		>>>>>>>>9	
StartUserID	Start User		x(8)	
ToAltUM	To UM	To! UM	x(2)	
ToDigit	To Digit		x(8)	
ToLoc	To Location	To Loc	x(8)	
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
Tote	Tote Number		x(12)	
ToteAction	Action		->, >>>, >>9	
ToWhse	To Whse		x(8)	
TrNbr	Transaction	Trans	>>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Distance	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		Distance	yes	no
		FromLoc	yes	no
		Priority	no	no
◇ FromLoc	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
oid_BatchPickM	yes	oid_BatchPickM	yes	no
Sequence	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		Sequence	yes	no
◇ StartUserID	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		BatchStatus	yes	no
◇* TrNbr	yes	Domain	yes	no
		TrNbr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

bcd_det

Batch Control Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bcd_id	yes	bcd_domain	yes	no
		bcd_batch	yes	no
		bcd_date_sub	yes	no
		bcd_time_sub	yes	no
		bcd_userid	yes	no
oid_bcd_det	yes	oid_bcd_det	yes	no

bc_mstr

Batch Control Master

Field Name	Label	Col-Label	Format	Dec
bc__qadc01			x(8)	
bc_batch	Batch ID		x(8)	
bc_canrun	Users/Roles		x(189)	
bc_cmtindx	Comment Index	Comment	>>>>>>9	
bc_desc	Description		x(24)	
bc_domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bc_batch	yes	bc_domain	yes	no
		bc_batch	yes	no
oid bc_mstr	yes	oid bc_mstr	yes	no

bld det

Batch Data Load Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bddl_id	yes	bddl_domain	yes	no
		bddl_source	yes	no
		bddl_id	yes	no
		bddl_line	yes	no
oid bddl det	yes	oid bddl det	yes	no

bdl_mstr

Batch Data Load Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bdl_id	yes	bdl_domain	yes	no
		bdl_source	yes	no
		bdl_id	yes	no
oid bdl mstr	yes	oid bdl mstr	yes	no

Bank Driver Payment Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* bdp_pay_seq	yes	bdp_domain	yes	no
		bdp_program	yes	no
		bdp_addr	yes	no
		bdp_bank	yes	no
		bdp_pay_method	yes	no
		bdp_ref	yes	no
		bdp_seq	yes	no
oid_bdp_det	yes	oid_bdp_det	yes	no

Service/Support Contract Billing Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	bic_index1	yes	bic_domain	yes	no
	oid_bic_ctrl	yes	oid_bic_ctrl	yes	no

BLWIGroup

BLWI Group

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	Record ID		9999999999	
BLWIGroupCode	BLWI Group Code	BLWI Group	x(20)	
BLWIGroupDescription	Description		x(40)	
BLWIGroupsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	BLWIGroupsActive	yes	no
◇ Code	yes	BLWIGroupCode	yes	no
◇* Prim	yes	BLWIGroup_ID	yes	no
◇ ViewIndex	no	BLWIGroupsActive	yes	no
		BLWIGroupCode	yes	no

bl ctrl

Master Bill of Lading Control

Field Name	Label	Col-Label	Format	Dec
bl__qadc01			x(8)	
bl_domain	Domain		x(8)	
bl_master_id	Next Master Bill ID		x(8)	
bl_user1	Ufld1		x(8)	
bl_user2	Ufld2		x(8)	
oid_bl_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* bl_master	yes	bl_domain	yes	no
		bl_master_id	yes	no
oid bl_ctrl	yes	oid bl_ctrl	yes	no

bom_mstr

Product Structure (Bill of Material) Master

Field Name	Label	Col-Label	Format	Dec
bom__chr01			x(8)	
bom__chr02			x(8)	
bom__chr03			x(8)	
bom__chr04			x(8)	
bom__chr05			x(8)	
bom__dec01			>>>,>>>,>>9.99	10
bom__dec02			>>>,>>>,>>9.99	10
bom__dte01			99/99/99	
bom__dte02			99/99/99	
bom__log01			yes/no	
bom__qadc01	QAD Character Field		X(8)	0
bom__qadc02	QAD Character Field		X(8)	0
bom__qadc03	QAD Character field		X(8)	0
bom__qadd01	QAD Decimal Field		->,>>9.99	10
bom__qadi01	QAD Integer Field		->,>>>,>>9	
bom__qadi02	QAD Integer Field		->,>>>,>>9	
bom__qadi01	QAD Logical Field		yes/no	
bom__qadi02	QAD Logical Field		yes/no	
bom__qadt01	QAD Date Field		99/99/99	
bom__qadt02	QAD Date Field		99/99/99	
bom_batch	Batch Size		>>>,>>>,>>9.9<<<<<<<<<	10
bom_batch_um	UM		x(2)	

Field Name	Label	Col-Label	Format	Dec
PurchaseType_ID	Purchase Type		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
	Box	no	Box1099_ID	yes	no
◇*	Prim	yes	Box1099PurchaseTypeLink_ID	yes	no
	PurTp	no	PurchaseType_ID	yes	no
◇	Uniq	yes	Box1099_ID	yes	no
			PurchaseType_ID	yes	no

btb det Enterprise Material Transfer Primary Business Unit Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* btb_so	yes	btb_domain	yes	no
		btb_so	yes	no
		btb_sod_line	yes	no
oid btb_det	yes	oid btb_det	yes	no

Blocked Transaction Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* btrd_oid_btr_mstr	yes	oid_btr_mstr	yes	no
		oid_btrd_det	yes	no
oid_btrd_det	yes	oid_btrd_det	yes	no

Blocked Transaction Master

Index-Name	Uni	Field-Name	Asc	Abbr
* btr_blocked_code	yes	btr_domain	yes	no
		btr_blocked_trans_code	yes	no
oid_btr_mstr	yes	oid_btr_mstr	yes	no

Budget

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Record ID		9999999999	
BudgetCheckReportPeriod	Report Period Check		x(20)	
BudgetCode	Budget Code		x(20)	
BudgetDescription	Description	Budget Description	x(40)	
BudgetForecastType	Forecast Type		x(20)	
BudgetGroupCategory	Budget Group Category		9	
BudgetInputLevelBudget	Input Level (Budget)		9	
BudgetInputLevelEAC	Input Level (PM)		9	
BudgetInputLevelFin	Input Level (Fin)		9	
BudgetIsAutoRollUp	Auto Roll-Up		yes/no	
BudgetIsCheckActualOnLine	Check Actuals Online		yes/no	
BudgetIsCheckCommitOnLine	Check Commitments Online		yes/no	
BudgetIsCompanyDependent	Entity Dependent		yes/no	
BudgetIsReportStruct	Use as Report		yes/no	
BudgetIsSendError	Send E-Mail on Errors	Error E-Mails	yes/no	
BudgetIsSendWarning	Send E-Mail on Warnings	Warning E-Mails	yes/no	
BudgetIsUsedForAllocation	Used for Allocation		yes/no	
BudgetIsWithQuantityData	Use Quantity Info		yes/no	
BudgetOverrunPeriod	GL Period Overrun		x(20)	

Field Name	Label	Col-Label	Format	Dec
BudgetOverrunTotal	Total Overrun		x(20)	
BudgetOverrunYTD	Overrun (YTD)		x(20)	
BudgetStatus	Status		x(20)	
BudgetType	Budget Type		x(20)	
CostCentre_ID	Cost Center Code		9999999999	
CostCentreSharedSet_ID	Link to SharedSet		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionSharedSet_ID	Link to SharedSet		9999999999	
GLSharedSet_ID	Link to SharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project Code		9999999999	
ProjectSharedSet_ID	Link to SharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Budget Administrator		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetCode	yes	BudgetCode	yes	no
BudgetIsCheckActualOnLine	no	BudgetIsCheckActualOnLine	yes	no
BudgetIsCheckCommitOnLine	no	BudgetIsCheckCommitOnLine	yes	no
BudgetTypeIdx	no	BudgetType	yes	no
CostCentre	no	CostCentre_ID	yes	no
CostCentreSharedSet	no	CostCentreSharedSet_ID	yes	no
Currency	no	Currency_ID	yes	no
DivisionSharedSet	no	DivisionSharedSet_ID	yes	no
GLSharedSet	no	GLSharedSet_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	Budget_ID	yes	no
◇ Project	no	Project_ID	yes	no
ProjectSharedSet	no	ProjectSharedSet_ID	yes	no
◇ StatusIdx	no	BudgetStatus	yes	no
UsedForAllocation	no	BudgetIsUsedForAllocation	yes	no

BudgetCompany Budget Entity

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetCompany_ID	Record ID		9999999999	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetIdx	no	Budget_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇* Prim	yes	BudgetCompany_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		Budget_ID	yes	no

BudgetFDS Budget COA

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetFDS_ID	Record ID		9999999999	
BudgetFDSIsAllocationTotal	Used for Proportional Allocation		yes/no	
BudgetFDSSeq	WBS Level		->,>>>,>>9	
BudgetFDSType	COA Element		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
BudgetFDSSeqIdx	no	BudgetFDSSeq	yes	no
◇* Prim	yes	BudgetFDS_ID	yes	no
◇ UniqueIdx	yes	Budget_ID	yes	no
		BudgetFDSSeq	yes	no

BudgetGroup Budget Group

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Record ID		9999999999	
BudgetGroupCategory	Budget Group Category		9	
BudgetGroupCode	Budget Group		x(20)	
BudgetGroupDescription	Description		x(40)	
BudgetGroupIsActive	Active		yes/no	

82 BudgetLink

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetGroupActive	no	BudgetGroupsActive	yes	no
◇* Prim	yes	BudgetGroup_ID	yes	no
◇ Uniqueldx	yes	BudgetGroupCode	yes	no
		BudgetGroupCategory	yes	no
◇ ViewIndex	no	BudgetGroupsActive	yes	no
		BudgetGroupCode	yes	no

BudgetLink Budget Posting Commitment Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLink_ID	Record ID		9999999999	
BudgetLinkActualQTY	Quantity	Qty	->>>, >>>, >>9.99	4
BudgetLinkActualSalesQTY	Sales Quantity		->>>, >>>, >>9.99	4
BudgetLinkActualSalesTC	Sales Amount		->>>, >>>, >>9.99	4
BudgetLinkActualTC	Amount		->>>, >>>, >>9.99	4
BudgetLinkCommitQTY	Commitment Quantity		->>>, >>>, >>9.99	4
BudgetLinkCommitTC	Commitment Amount		->>>, >>>, >>9.99	4
BudgetPeriod_ID	Link to BudgetPeriod		9999999999	
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetIdx	no	Budget_ID	yes	no
BudgetPeriodIdx	no	BudgetPeriod_ID	yes	no
BudgetWBSBudgetIdx	yes	BudgetWBS_ID	yes	no
		BudgetPeriod_ID	yes	no
BudgetWBSId	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetLink_ID	yes	no

BudgetLinkAccBudget Accumulation by Period

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLinkAcc_ID	Record ID		9999999999	
BudgetLinkAccCreditLC	BC Credit		->>>, >>>, >>9.99	4
BudgetLinkAccDebitLC	BC Debit		->>>, >>>, >>9.99	4
BudgetLinkAccQTY	Qty		->>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
Layer_ID	Link to Layer		9999999999	
Period_ID	Link to Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BudgetLinkAcc_ID	yes	no
◇ UniqueIdx	yes	Period_ID	yes	no
		BudgetWBS_ID	yes	no
		Layer_ID	yes	no

BudgetLinkAccDet Budget Accumulation by Sub-ledger

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLinkAccDet_ID	Record ID		9999999999	
BudgetLinkAccDetCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
BudgetLinkAccDetDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
BudgetLinkAccDetQTY	Qty		->>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Division_ID	Link to Division		9999999999	
Layer_ID	Link to Layer		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BudgetLinkAccDet_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	BudgetWBS_ID	yes	no
		Period_ID	yes	no
		Saf_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Division_ID	yes	no
		Layer_ID	yes	no

BudgetLinkActual Budget Posting Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Budget		9999999999	
BudgetLinkActual_ID	Record ID		9999999999	
BudgetLinkActualCCCode	Cost Center		x(20)	
BudgetLinkActualDate	Posting Date		99/99/9999	
BudgetLinkActualDivCode	Sub-Account	Sub-Acct	x(20)	
BudgetLinkActualGLCode	GL Account	GL	x(20)	
BudgetLinkActualInfo	Info		x(40)	
BudgetLinkActualIsAfterRep	After Reporting		yes/no	
BudgetLinkActualPrjCode	Project Code	Project	x(20)	
BudgetLinkActualQTY	Quantity	Qty	->>>, >>>, >>9.99	4
BudgetLinkActualSaf1Code	SAF 1		x(20)	
BudgetLinkActualSaf1Concpt	SAF Concept 1		x(20)	

84 BudgetLinkCommit

Field Name	Label	Col-Label	Format	Dec
BudgetLinkActualSaf2Code	SAF 2		x(20)	
BudgetLinkActualSaf2Concpt	SAF Concept 2		x(20)	
BudgetLinkActualSaf3Code	SAF 3		x(20)	
BudgetLinkActualSaf3Concpt	SAF Concept 3		x(20)	
BudgetLinkActualSaf4Code	SAF 4		x(20)	
BudgetLinkActualSaf4Concpt	SAF Concept 4		x(20)	
BudgetLinkActualSaf5Code	SAF 5		x(20)	
BudgetLinkActualSaf5Concpt	SAF Concept 5		x(20)	
BudgetLinkActualSafStruct	SAF Structure		x(20)	
BudgetLinkActualSalesQTY	Sales Quantity		->>>, >>>, >>9.99	4
BudgetLinkActualSalesTC	Sales Amount		->>>, >>>, >>>, >>9.99	4
BudgetLinkActualTC	Amount		->>>, >>>, >>>, >>9.99	4
BudgetPeriod_ID	Budget Period		9999999999	
BudgetWBS_ID	Budget WBS		9999999999	
Company_ID	Link to Company		9999999999	
Journal_ID	Link to Journal		9999999999	
Layer_ID	Link to Layer		9999999999	
LayerTypeCode	Layer Type Code		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportPeriod_ID	Link to ReportPeriod		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetDate	no	Budget_ID	yes	no
		BudgetLinkActualDate	yes	no
◇ BudgetPeriod	no	BudgetPeriod_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CostCentre	no	BudgetLinkActualCCCode	yes	no
◇ Dateldx	no	BudgetLinkActualDate	yes	no
◇ Divldx	no	BudgetLinkActualDivCode	yes	no
◇ GLldx	no	BudgetLinkActualGLCode	yes	no
	no	Layer_ID	yes	no
	no	LayerTpCode	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	BudgetLinkActual_ID	yes	no
◇ ProjectIdx	no	BudgetLinkActualPrjCode	yes	no
◇ SafStructure	no	BudgetLinkActualSafStruct	yes	no

BudgetLinkCommit Budget Commitment Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Budget		9999999999	
BudgetLinkCommit_ID	Record ID		9999999999	
BudgetLinkCommitCCCode	Cost Center		x(20)	
BudgetLinkCommitDate	Commitment Date		99/99/9999	
BudgetLinkCommitDivCode	Sub-Account	Sub-Acct	x(20)	
BudgetLinkCommitExternKey	External Key		x(20)	
BudgetLinkCommitGLCode	GL Account	GL	x(20)	
BudgetLinkCommitInfo	Info		x(40)	
BudgetLinkCommitIsExternal	External		yes/no	
BudgetLinkCommitPrjCode	Project		x(20)	
BudgetLinkCommitQTY	Qty		->>>, >>>, >>9.99	4
BudgetLinkCommitSaf1Code	SAF 1		x(20)	
BudgetLinkCommitSaf1Concp	SAF Concept 1		x(20)	
t				
BudgetLinkCommitSaf2Code	SAF 2		x(20)	
BudgetLinkCommitSaf2Concp	SAF Concept 2		x(20)	
t				
BudgetLinkCommitSaf3Code	SAF 3		x(20)	
BudgetLinkCommitSaf3Concp	SAF Concept 3		x(20)	
t				
BudgetLinkCommitSaf4Code	SAF 4		x(20)	

Field Name	Label	Col-Label	Format	Dec
BudgetLinkCommitSaf4Concpt	SAF Concept 4		x(20)	
t				
BudgetLinkCommitSaf5Code	SAF 5		x(20)	
BudgetLinkCommitSaf5Concpt	SAF Concept 5		x(20)	
t				
BudgetLinkCommitSafStruct	SAF Structure		x(20)	
BudgetLinkCommitTC	TC Amount		->>>, >>>, >>>, >>9.99	4
BudgetPeriod_ID	Budget Period		9999999999	
BudgetWBS_ID	BudgetWBS		9999999999	
Company_ID	Link to Company		9999999999	
POLine_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetDate	no	Budget_ID	yes	no
		BudgetLinkCommitDate	yes	no
◇ BudgetIdx	no	Budget_ID	yes	no
◇ BudgetPeriod	no	BudgetPeriod_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ DateIdx	no	BudgetLinkCommitDate	yes	no
ExternalKey	no	BudgetLinkCommitIsExternal	yes	no
		BudgetLinkCommitExternalKey	yes	no
POLine	no	POLine_ID	yes	no
◇* Prim	yes	BudgetLinkCommit_ID	yes	no
◇ UniqueKey	no	BudgetLinkCommitExternalKey	yes	no

BudgetPeriod Budget Period

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetPeriod_ID	Record ID		9999999999	
BudgetPeriodCode	Period Code		x(20)	
BudgetPeriodFromDate	Start Date		99/99/9999	
BudgetPeriodSeq	GL Period Seq		->, >>>, >>9	
BudgetPeriodTillDate	End Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
BudgetPeriodSeq	yes	Budget_ID	yes	no
		BudgetPeriodSeq	yes	no
◇ Code	yes	Budget_ID	yes	no
		BudgetPeriodCode	yes	no
FromDate	no	Budget_ID	yes	no
		BudgetPeriodFromDate	yes	no
◇* Prim	yes	BudgetPeriod_ID	yes	no
TillDate	no	Budget_ID	yes	no
		BudgetPeriodTillDate	yes	no

BudgetReportBudget Report

Field Name	Label	Col-Label	Format	Dec
BudgetProjectCode	Project Code		x(20)	
BudgetProjectDescription	Project Description		x(40)	
BudgetTopicAct1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCode1			x(20)	
BudgetTopicCode2			x(20)	
BudgetTopicCode3			x(20)	
BudgetTopicCode4			x(20)	
BudgetTopicCom1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicDescription1			x(40)	
BudgetTopicDescription2			x(40)	
BudgetTopicDescription3			x(40)	
BudgetTopicDescription4			x(40)	
BudgetTopicEtc1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicSequence1			->, >>>, >>9	
BudgetTopicSequence2			->, >>>, >>9	
BudgetTopicSequence3			->, >>>, >>9	
BudgetTopicSequence4			->, >>>, >>9	
BudgetVersionNumber	Version		->, >>>, >>9	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* DummyPrim	yes	BudgetProjectCode	yes	no
		BudgetVersionNumber	yes	no
		BudgetTopicCode1	yes	no
		BudgetTopicCode2	yes	no
		BudgetTopicCode3	yes	no
		BudgetTopicCode4	yes	no
◇ Project	no	BudgetProjectCode	yes	no
◇ Sequence1	no	BudgetTopicSequence1	yes	no
◇ Sequence2	no	BudgetTopicSequence2	yes	no
◇ Sequence3	no	BudgetTopicSequence3	yes	no
◇ Sequence4	no	BudgetTopicSequence4	yes	no
◇ Topic1	no	BudgetTopicCode1	yes	no
◇ Topic2	no	BudgetTopicCode2	yes	no
◇ Topic3	no	BudgetTopicCode3	yes	no
◇ Topic4	no	BudgetTopicCode4	yes	no

BudgetReportDetailBudget Report Detail

Field Name	Label	Col-Label	Format	Dec
BudgetProjectCode	Project Code		x(20)	
BudgetProjectDescription	Project Description		x(40)	
BudgetTopicAct1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct3LC			->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportPeriod_ID	From Report Pd		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ Code	yes	BudgetVersionCode	yes	no
		Budget_ID	yes	no
◇* Prim	yes	BudgetVersion_ID	yes	no
◇ ReportPeriodIdx	no	ReportPeriod_ID	yes	no
◇ ViewIndex	no	BudgetVersionIsActive	yes	no
		BudgetVersionCode	yes	no

BudgetVersionFig Budget Version Figures

Field Name	Label	Col-Label	Format	Dec
BudgetVersion_ID	Link to BudgetVersion		9999999999	
BudgetVersionFig_ID	Record ID		9999999999	
BudgetVersionFig01EacETC	PM Forecast Cost ETC (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01EacQTY	PM Forecast Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01EacTC	PM Forecast Cost LTE (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FctPR	Forecast Price (01)		->>>, >>>, >>9.99999	10
BudgetVersionFig01FinETC	Contr Forecast Cost ETC (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FinQTY	Contr Forecast Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FinTC	Contr Forecast Cost LTE (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01PR	Budget Price (01)		->>>, >>>, >>9.99999	10
BudgetVersionFig01QTY	Budget Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01SEacTC	PM Forecast Revenue (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01SFinTC	Contr Forecast Rev (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01STC	Budget Rev (01)		->>>, >>>, >>9.99	4

[illegible]



92 BudgetVersionGLFig

Field Name	Label	Col-Label	Format	Dec
BudgetVersionFig23FinQTY	Contr Forecast Qty (23)		->>>, >>>, >>9.99	4
BudgetVersionFig23FinTC	Contr Forecast Cost LTE (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23QTY	Budget Qty (23)		->>>, >>>, >>9.99	4
BudgetVersionFig23SEacTC	PM Frc Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23SFinTC	Contr Forecast Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23STC	Budget Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23TC	Budget Cost (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24EacQTY	PM Frc Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24EacTC	PM Forecast Cost LTE (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24FinQTY	Contr Forecast Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24FinTC	Contr Forecast Cost LTE (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24QTY	Budget Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24SEacTC	PM Frc Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24SFinTC	Contr Forecast Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24STC	Budget Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24TC	Budget Cost (24)		->>>, >>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetV	no	BudgetVersion_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetVersionFig_ID	yes	no
◇ Uniqueldx	yes	BudgetWBS_ID	yes	no
		BudgetVersion_ID	yes	no

BudgetVersionGLFig Budget Version GL Figures

Field Name	Label	Col-Label	Format	Dec
BudgetVersion_ID	Link to BudgetVersion		9999999999	
BudgetVersionGLFig_ID	Record ID		9999999999	
BudgetVersionGLFig01EacQTY	Forecast Qty (01)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig01EacTC	Forecast Cost (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig01QTY	Qty (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig01TC	TC Amt (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02EacQTY	Forecast Qty (02)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig02EacTC	Forecast Cost (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02QTY	Qty (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02TC	TC Amt (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03EacQTY	Forecast Qty (03)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig03EacTC	Forecast Cost (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03QTY	Qty (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03TC	TC Amt (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04EacQTY	Forecast Qty (04)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig04EacTC	Forecast Cost (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04QTY	Qty (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04TC	TC Amt (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05EacQTY	Forecast Qty (05)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig05EacTC	Forecast Cost (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05QTY	Qty (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05TC	TC Amt (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig06EacQTY	Forecast Qty (06)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig06EacTC	Forecast Cost (06)		->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
BudgetVersionGLFig49TC	TC Amount (49)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50EacQT Y	Forecast Qty (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50EacTC	Forecast Cost (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50QTY	Qty (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50TC	TC Amount (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51EacQT Y	Forecast Qty (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51EacTC	Forecast Cost (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51QTY	Qty (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51TC	TC Amount (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52EacQT Y	Forecast Qty (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52EacTC	Forecast Cost (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52QTY	Qty (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52TC	TC Amount (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53EacQT Y	Forecast Qty (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53EacTC	Forecast Cost (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53QTY	Qty (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53TC	TC Amount (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54EacQT Y	Forecast Qty (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54EacTC	Forecast Cost (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54QTY	Qty (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54TC	TC Amount (54)		->>>, >>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetV	no	BudgetVersion_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetVersionGLFig_ID	yes	no
◇ UniqueIdx	yes	BudgetWBS_ID	yes	no
		BudgetVersion_ID	yes	no

BudgetWBS Budget Topic

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group		9999999999	
Budget_ID	Link to Budget		9999999999	
BudgetFDS_ID	Link to BudgetFDS		9999999999	
BudgetFDSSeq	COA Sequence		->, >>>, >>9	
BudgetFDSType	COA Type		x(20)	
BudgetGroup_ID	Budget Group		9999999999	
BudgetWBS_ID	Record ID		9999999999	
BudgetWBSCategory	Category		x(20)	
BudgetWBSCode	WBS Code		x(40)	
BudgetWBSComment	Comment		x(2000)	
BudgetWBSCostRevenue	Cost/Revenue		x(20)	
BudgetWBSCostType	Cost Type		x(20)	
BudgetWBSFDSCode	COA Code		x(20)	
BudgetWBSFDSDefault	COA Default		x(20)	
BudgetWBSFDSFromCode	From COA		x(20)	
BudgetWBSFDSLink	Link by Level		x(1024)	
BudgetWBSFDSList	COA List		x(1024)	
BudgetWBSFDSToCode	To COA		x(20)	
BudgetWBSIsHideOnReport	Hide On Reporting		yes/no	
BudgetWBSIsInvertBase	Invert Base Sign		yes/no	
BudgetWBSIsPrintDesc	Print Description		yes/no	
BudgetWBSIsRollUp	Roll Up Amount		yes/no	

Field Name	Label	Col-Label	Format	Dec
BudgetWBSIsWithSumLine	Print Sum Line		yes/no	
BudgetWBSLineNumber	Class		->,>>>,>>9	
BudgetWBSOverrunPeriod	GL Period Overrun		x(20)	
BudgetWBSOverrunTotal	Total Overrun		x(20)	
BudgetWBSOverrunYTD	Overrun (YTD)		x(20)	
BudgetWBSPerComp	Percentage (ETC)		->,>>>,>>9.99	3
BudgetWBSSeq	WBS Seq		->,>>>,>>9.99	0
BudgetWBSStatus	Status		x(20)	
BudgetWBSTopicDescription	Topic Description		x(120)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentBudgetWBS_ID	Link to BudgetWBS		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	SAF Concept Code		9999999999	
SafStructure_ID	SAF Structure		9999999999	
Unit_ID	GL Account Unit of Measure UM		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltCOAGroup	no	AltCOAGroup_ID	yes	no
◇ Budget	no	Budget_ID	yes	no
BudgetFDS	no	BudgetFDS_ID	yes	no
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
BudgetIDBudgetWBS	no	Budget_ID	yes	no
Sq		BudgetWBSSeq	yes	no
BudgetWBSCode	no	BudgetWBSCode	yes	no
BudgetWBSFDSFrom	no	BudgetWBSFDSFromCode	yes	no
BudgetWBSFDSTo	no	BudgetWBSFDSToCode	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetWBSSeq	no	BudgetWBSSeq	yes	no
OverrunPeriodIdx	no	BudgetWBSOverrunPeriod	yes	no
OverrunTotalIdx	no	BudgetWBSOverrunTotal	yes	no
OverrunYTDIdx	no	BudgetWBSOverrunYTD	yes	no
ParentBudgetWBS	no	ParentBudgetWBS_ID	yes	no
◇* Prim	yes	BudgetWBS_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	Budget_ID	yes	no
		BudgetFDS_ID	yes	no
		BudgetWBSSeq	yes	no

BudgetWBSBusComponent Budget Topic Component Link

Field Name	Label	Col-Label	Format	Dec
BudgetWBS_ID	Link to BudgetWBS		9999999999	
BudgetWBSBusComponent_ID	Record ID		9999999999	
BusComponent_ID	Component		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgWBS	no	BudgetWBS_ID	yes	no
BusComp	no	BusComponent_ID	yes	no
◇* Prim	yes	BudgetWBSBusComponent_ID	yes	no
◇ UnilIdx	yes	BusComponent_ID	yes	no
		BudgetWBS_ID	yes	no

BudgetWBSRoster Budget Topic Forecast

Field Name	Label	Col-Label	Format	Dec
BudgetWBS_ID	Link to BudgetWBS		9999999999	
BudgetWBSRoster_ID	Record ID		9999999999	
BudgetWBSRosterDate	Date		99/99/9999	
BudgetWBSRosterPercOfComp	Percentage (ETC)		->>>,>>>,>>9.99	3
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetWBSDate	yes	BudgetWBSRosterDate	yes	no
		BudgetWBS_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇* prim	yes	BudgetWBSRoster_ID	yes	no

BulkPickC

Warehousing Bulk Pick Control

Field Name	Label	Col-Label	Format	Dec
AutoApprove	Auto Approve	Auto! Appr	yes/no	
AutoReselect	Automatically Reselect BPs	Auto BP	yes/no	
BPNRID	Bulk Pick NR ID	BP NR ID	X(8)	
BulkPickHistory	Bulk Pick History	Hist	yes/no	
CompAlloc	Compon Alloc		yes/no	
CreateBP	Create Bulk Picking Orders	Create! BP	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LoadNRID	Load NR ID		X(8)	
MinWOStatus	Min Status for WO Selection		x(1)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
NetWtUM	Net Weight UM	Net! UM	x(2)	
oid_BulkPickC			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OVPPartial	Overwrite Partial		yes/no	
PickSheets	Bulk Pick-Sheets	Pick! Sheet	yes/no	
PreShippers	Pre-Shippers	PreShip	yes/no	
PreShipSeqID	Preshipper Sequence ID		X(8)	
PrintPSList	Print Pre-Ship List		yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QuantityUM	Quantity UM	Qty! UM	x(2)	
SelByCode	Select By	Sel	x(1)	
SelByPri	Select by Priority	Pri! Sel	yes/no	
SelectAll	Select All	Sel! All	yes/no	
ShipWtUM	Ship Weight UM	Ship! UM	x(2)	
SOAutoAlloc	Auto All Sales Orders		yes/no	
UniquelD			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VolumeUM	Volume UM	Vol! UM	x(2)	
WORelease	Release Work Orders	Rel! WO	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_BulkPickC	yes	oid_BulkPickC	yes	no
◇*	UniqueID	yes	Domain	yes	no
			UniqueID	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

BulkPickD Warehousing Bulk Pick Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
AllocNbr	Allocation Order		x(18)	
BPStatus	Status		x(8)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
FailRmks	Fail Remarks		x(24)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_BulkPickD			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
PreShipper	PreShipper		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyPick	Quantity Picked	Quantity! Picked	->, >>>, >>9.9<<<<<<<<	10
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
ShipData	Shipping Data	Ship Data	x(8)	
Shipper	Shipper	Shipper	x(8)	
Site	Site		x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Weight	Weight	Wt	>>, >>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* BPDidx	yes	Domain	yes	no
		BulkPick	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Line	yes	no
		TrNbr	yes	no
◊ LoadID	no	Domain	yes	no
		LoadID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		DSet	yes	no
		Addr	yes	no
		Site	yes	no
		BulkPick	yes	no
oid_BulkPickD	yes	oid_BulkPickD	yes	no
◇ OrderIdx	yes	Domain	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Line	yes	no
		TrNbr	yes	no
◇ PreShipper	no	Domain	yes	no
		PreShipper	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ Shipper	no	Domain	yes	no
		Shipper	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ TrNbr	no	Domain	yes	no
		TrNbr	yes	no
		BulkPick	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BulkPickDH Warehousing Bulk Pick Detail History

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
BPSStatus	Status		x(8)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
CloseUserID	Closed		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DNbr	Order Nbr		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
FailRmks	Fail Remarks		x(24)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_BulkPickDH			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
PreShipper	PreShipper		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QtyPick	Quantity Picked	Quantity! Picked	->, >>>, >>>9.<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
ShipData	Shipping Data	Ship Data	x(8)	
Shipper	Shipper	Shipper	x(8)	
Site	Site		x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* BPDHIdx	no	Domain	yes	no
		BulkPick	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		TrNbr	yes	no
BPDOrder	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		TrNbr	yes	no
◇ LoadID	no	Domain	yes	no
		LoadID	yes	no
		DSet	yes	no
		Addr	yes	no
		Site	yes	no
		BulkPick	yes	no
oid_BulkPickDH	yes	oid_BulkPickDH	yes	no
◇ PreShipper	no	Domain	yes	no
		PreShipper	yes	no
		DSet	yes	no
		Nbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ Shipper	no	Domain	yes	no
		Shipper	yes	no
		DSet	yes	no
		Nbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ TrNbr	no	Domain	yes	no
		TrNbr	yes	no
		BulkPick	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BulkPickM Warehousing Bulk Pick Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadD03	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Rmks	Remarks		x(24)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* BulkPick	yes	Domain	yes	no
		BulkPick	yes	no
oid_BulkPickM	yes	oid_BulkPickM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BusArea Business Area

Field Name	Label	Col-Label	Format	Dec
BusArea_ID	Record ID		9999999999	
BusAreaAccelerator	Accelerator		>>>9	
BusAreaCode	Code		x(40)	
BusArealsActive	Active		yes/no	
BusArealsCustomised	Customised		yes/no	
BusArealsSysDef	System Defined		yes/no	
BusAreaLabel	Label		x(40)	
BusAreaSequence	Sequence	Seq	>>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	BusAreaCode	yes	no
◇ LabelIdx	yes	BusAreaLabel	yes	no
◇* Prim	yes	BusArea_ID	yes	no

BusAreaComponent Business Area - Business Component Link

Field Name	Label	Col-Label	Format	Dec
BusArea_ID	Business Area		9999999999	
BusAreaComplsCustomised	Customised		yes/no	
BusAreaComponent_ID	Record ID		9999999999	
BusAreaComponentSequence	Sequence	Seq	>>>9	
BusComponent_ID	Business Component		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Arera	no	BusArea_ID	yes	no
◇ Component	no	BusComponent_ID	yes	no
◇* Prim	yes	BusAreaComponent_ID	yes	no

BusinessRelation Business Relation

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Record ID		9999999999	
BusinessRelationAVRCode	AVR Code		x(20)	
BusinessRelationCode	Business Relation	Business Relation Code	x(20)	
BusinessRelationComRegister Nbr	Commercial Register ID		x(20)	
BusinessRelationEANCode	EAN Code		x(20)	
BusinessRelationICCode	Intercompany Code		x(20)	
BusinessRelationInstCode	Institution Code		x(20)	
BusinessRelationInstNbr	Institution ID		x(20)	
BusinessRelationIsActive	Active	Act	yes/no	
BusinessRelationIsCompens	Customer/Supplier Compensation Allowed	DR/CR Compensation	yes/no	
BusinessRelationIsDomRestr	Domain Restricted		yes/no	
BusinessRelationIsInComp	Internal Entity		yes/no	
BusinessRelationIsInterco	Intercompany		yes/no	

Field Name	Label	Col-Label	Format	Dec
BusinessRelationIsLastFill	Last Filing		yes/no	
BusinessRelationIsTaxRep	Tax Report		yes/no	
BusinessRelationName1	Name	Business Relation Name	x(36)	
BusinessRelationName2	Second Name		x(36)	
BusinessRelationName3	Third Name		x(60)	
BusinessRelationNameCtrl	Name Control		x(5)	
BusinessRelationOrgType	Organization Type		x(20)	
BusinessRelationSearchName	Search Name		x(28)	
CorporateGroup_ID	Group Name		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link to Domains		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
ObsoleteCostPriceList_ID	Costing Price List		9999999999	
ObsoletePurchPriceList_ID	Purchase Price List		9999999999	
ObsoleteSalesPriceList_ID	Sales Price List		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ActName1	no	BusinessRelationIsActive	yes	no
		BusinessRelationName1	yes	no
ActName2	no	BusinessRelationIsActive	yes	no
		BusinessRelationName2	yes	no
ActName3	no	BusinessRelationIsActive	yes	no
		BusinessRelationName3	yes	no
ActSearch	no	BusinessRelationIsActive	yes	no
		BusinessRelationSearchName	yes	no

◆

BusRelationSafDefault

BusinessRelation_ID	Link to BusinessRelation	9999999999	
BusRelationSafDefault_ID	Record ID	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999
LastModifiedTime	Last Modified Time	Mod Time	999999
LastModifiedUser	Last Modified User	Mod User	x(20)
QADC01			x(40)
QADC02			x(255)
QADD01			->, >>>, >>> 9.9999
QADT01			99/99/9999
Saf_ID	SAF Code		9999999999
SafConcept_ID	SAF Concept Code		9999999999

 $\diamond^*$ **cac ctrl**[illegible]

✻

cah_hist

Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_chr01			x(8)	
cah_chr02			x(8)	
cah_chr03			x(8)	
cah_chr04			x(8)	
cah_chr05			x(8)	
cah_chr06			x(8)	
cah_chr07			x(8)	
cah_chr08			x(8)	
cah_chr09			x(8)	
cah_chr10			x(8)	
cah_chr11	User Field #11		x(8)	
cah_dec01			->>, >>9.99	10
cah_dec02			->>, >>9.99	10
cah_dec03			->>, >>9.99	10
cah_dte01			99/99/99	
cah_dte02			99/99/99	
cah_dte03			99/99/99	
cah_dte04			99/99/99	
cah_dte05			99/99/99	
cah_log01			yes/no	
cah_log02			yes/no	
cah_log03			yes/no	
cah_log04			yes/no	
cah_log05			yes/no	
cah_qadc01			x(8)	
cah_qadc02			x(8)	
cah_qadc03			x(8)	
cah_qadd01			->>, >>9.99	10
cah_qadd02			->>, >>9.99	10
cah_qadd03			->>, >>9.99	10
cah_qadi01			->, >>>, >>9	
cah_qadi02			->, >>>, >>9	
cah_qadi03			->, >>>, >>9	
cah_qadi01			yes/no	
cah_qadi02			yes/no	
cah_qadi03			yes/no	
cah_qadt01			99/99/99	
cah_qadt02			99/99/99	
cah_qadt03			99/99/99	
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmmt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
cah_domain	Domain		x(8)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	
cah_escalate	Escalate	Esc	x(2)	
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cah_nbr	yes	cah_domain	yes	no
		cah_nbr	yes	no
		cah_opn_date	yes	no
		cah_seq	yes	no
cah_part	no	cah_domain	yes	no
		cah_part	yes	no
oid_cah_hist	yes	oid_cah_hist	yes	no

cald_det

Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cald_oid_calm_mstr	yes	cald_oid_calm_mstr	yes	no
		cald_ref	yes	no
		cald_start	yes	no
oid cald det	yes	oid cald det	yes	no

CalendarD

Warehousing Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Calendar	yes	Domain	yes	no
		Calendar	yes	no
		Seq	yes	no
		DayID	yes	no
oid_CalendarD	yes	oid_CalendarD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

CalendarM

Warehousing Calendar Master

Field Name	Label	Col-Label	Format	Dec
Calendar	Calendar	Calendar	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
EndDate	End Date	End	99/99/99	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_CalendarM			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Calendar	yes	Domain	yes	no
		Calendar	yes	no
oid_CalendarM	yes	oid_CalendarM	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

calh_det Calendar Holiday Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* calh_oid_calm_mstr	yes	oid_calm_mstr	yes	no
		calh_date	yes	no
oid_calh_det	yes	oid_calh_det	yes	no

calm_mstr Calendar Master

Index-Name	Uni	Field-Name	Asc	Abbr
* cals_oid_calm_mstr	yes	oid_calm_mstr	yes	no
		cals_day	yes	no
oid_cals_det	yes	oid_cals_det	yes	no

Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cal_det	yes	cal_domain	yes	no
		cal_site	yes	no
		cal_wkctr	yes	no
		cal_mch	yes	no
		cal_ref	yes	no
		cal_start	yes	no
oid_cal_det	yes	oid_cal_det	yes	no

Service/Support Call Queue Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* caq_que	yes	caq_domain	yes	no
		caq_que	yes	no
		caq_file_type	yes	no
oid_caq_mstr	yes	oid_caq_mstr	yes	no

CashGroup Cash Group

Field Name	Label	Col-Label	Format	Dec
CashGroup_ID	Record ID		9999999999	
CashGroupCode	Cash Group		x(20)	
CashGroupDescription	Description		x(40)	
CashGroupsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CashGroupsActive	yes	no
◇ Code	yes	CashGroupCode	yes	no
◇* Prim	yes	CashGroup_ID	yes	no
◇ ViewIndex	no	CashGroupsActive	yes	no
		CashGroupCode	yes	no

CashReport Cash Report

Field Name	Label	Col-Label	Format	Dec
CashReport_ID	Record ID		9999999999	
CashReportActualsDate	Actuals to		99/99/9999	
CashReportCode	Code		x(20)	
CashReportCurrencyView	Currency View		x(40)	
CashReportDaysInterval	Days Interval		>>>9	
CashReportDescription	Description		x(40)	
CashReportLastSavedDate	Last Saved Date		99/99/9999	
CashReportNumberOfPeriods	Number of GL Periods		>9	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
Division_ID	Sub-Account Code	Sub-Acct	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TillPeriod_ID	GL Period	GL Pd	9999999999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	CashReportCode	yes	no
◇ Company	no	Company_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇* Prim	yes	CashReport_ID	yes	no
TillPeriod	no	TillPeriod_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		CashReportCode	yes	no
◇ Usr	no	Usr_ID	yes	no

CashReportGLCash Report Account

Field Name	Label	Col-Label	Format	Dec
CashReport_ID	Link to CashReport		9999999999	
CashReportGL_ID	Record ID		9999999999	
CashReportGLActualAmountC	SC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLActualAmountL	BC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLActualAmountT	TC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountCC	SC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountLC	BC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountTC	TC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountType	Amount Type		x(20)	
CashReportGLCorrAmountCC	SC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCorrAmountLC	BC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCorrAmountTC	TC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCurrencyView	GL Currency View		x(40)	
CashReportGLDescription	Description		x(40)	
CashReportGLIsAccount	GL Account		yes/no	
CashReportGLIsCumul	Cumul		yes/no	
Currency_ID	Link to Currency		9999999999	
GL_ID	Cash Group		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CashReport	no	CashReport_ID	yes	no
◇ GL	no	GL_ID	yes	no
NonUniquKey	no	CashReport_ID	yes	no
		GL_ID	yes	no
◇* Prim	yes	CashReportGL_ID	yes	no

CashReportGLLineCash Report Account Line

Field Name	Label	Col-Label	Format	Dec
CashReportGL_ID	Link to CashReportGL		9999999999	
CashReportGLLine_ID	Record ID		9999999999	
CashReportGLLineCC	Line SC		->>>, >>>, >>>, >>9.99	4
CashReportGLLineCurrView	Line Curr View		x(40)	
CashReportGLLineDate	GL Line Date		99/99/9999	
CashReportGLLineLC	BC Line GL		->>>, >>>, >>>, >>9.99	4
CashReportGLLinePerc	GL Line %		->>9.99	2
CashReportGLLineSeq	GL Line Seq		>>>9	
CashReportGLLineTC	Line SC	TC Line GL	->>>, >>>, >>>, >>9.99	4
Currency_ID	Link to Currency		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CashReportGL	no	CashReportGL_ID	yes	no
LineDate	no	CashReportGLLineDate	yes	no
LineSeq	no	CashReportGLLineSeq	yes	no
◇* Prim	yes	CashReportGLLine_ID	yes	no
◇ UniqueKey	yes	CashReportGL_ID	yes	no
		CashReportGLLineSeq	yes	no

Service/Support Call Status Master

Index-Name	Uni	Field-Name	Asc	Abbr
cas_id	yes	cas_domain	yes	no
		cas_id	yes	no
		cas_file_type	yes	no
* cas_status	yes	cas_domain	yes	no
		cas_status	yes	no
		cas_file_type	yes	no
oid_cas_mstr	yes	oid_cas_mstr	yes	no

Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca__chr01			x(8)	
ca__chr02			x(8)	
ca__chr03			x(8)	
ca__chr04			x(8)	
ca__chr05			x(8)	
ca__chr06			x(8)	
ca__chr07			x(8)	
ca__chr08			x(8)	
ca__chr09			x(8)	
ca__chr10			x(8)	
ca__dec01			->>, >>9.99	10
ca__dec02			->>, >>9.99	10
ca__dec03			->>, >>9.99	10
ca__dte01			99/99/99	
ca__dte02			99/99/99	
ca__dte03			99/99/99	
ca__dte04			99/99/99	
ca__dte05			99/99/99	
ca__log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
ca__log02			yes/no	
ca__log03			yes/no	
ca__log04			yes/no	
ca__log05			yes/no	
ca__qadc03	QAD Character Field 3		X(8)	
ca__qadc04	QAD Character Field 4		x(8)	
ca__qadc05	QAD Character Field 5		x(8)	
ca__qadc06	QAD Character Field 6		x(8)	
ca__qadd01	QAD Decimal Field 1		->>, >>9.99	10
ca__qadd02	QAD Decimal Field 2		->>, >>9.99	10
ca__qadd03	QAD Decimal Field 3		->>, >>9.99	10
ca__qadi01			>>>>>>>9	
ca__qadi02	QAD Integer Field 2		->, >>>, >>9	
ca__qadi03	QAD Integer Field 3		->, >>>, >>9	
ca__qadi02	QAD Logical Field 2		yes/no	
ca__qadi03	QAD Logical Field 3		yes/no	
ca__qadi04	QAD Logical Field 4		yes/no	
ca__qadt01	QAD Date Field 1		99/99/99	
ca__qadt02	QAD Date Field 2		99/99/99	
ca__qadt03	QAD Date Field 3		99/99/99	
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0
ca_cline	Contract Line		>>>>>>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmnt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	
ca_comp_time	Complete Time		99:99	
ca_contract	Contract		x(8)	
ca_cr_terms	Terms		x(8)	
ca_created	Created	Cr	x(1)	0
ca_curr	Currency	Cur	x(3)	
ca_customer	Customer		X(8)	
ca_date_stmp	Date		99/99/99	
ca_daybookset	Daybook Set	Dybk Set	x(8)	
ca_def_ws	Default Worksheet		x(8)	
ca_desc	Description		x(60)	
ca_domain	Domain		x(8)	
ca_ecmtindx			>>>>>>>9	
ca_end_date	End Date		99/99/99	
ca_eng_area	Engineer Area	Eng Area	x(8)	
ca_eng_group	Engineer Group		x(8)	
ca_ent_ex	Exch Rate		>>, >>9.99999<<<	10
ca_enter_by	Entered by		x(8)	
ca_es_nbr	Escalation	Esc	x(8)	
ca_es_seq	Sequence	Seq	>>9	
ca_est_time	Estimated Length		999:99	
ca_eu_changed	End User Changed		yes/no	
ca_eu_date	End User Date		99/99/99	
ca_eu_nbr	End User		x(8)	
ca_eu_time	End User Time		99:99	
ca_evt_date	Event Date	Evt Date	99/99/99	
ca_evt_tim	Event Time	Evt Time	>>>>>>9	
ca_evt_time	Event Time	Evt Time	99:99	
ca_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_ratetype	Rate Type		x(8)	
ca_exru_seq	Sequence		>>>>>>>>9	
ca_fix_rate	Fixed Rate	Fixed	yes/no	
ca_fn_nbr	Field Notification		x(8)	

Field Name	Label	Col-Label	Format	Dec
ca_from_que	From Que	Fr Que	x(8)	
ca_inc_stats	Include in Stats		yes/no	
ca_int_type	Work Code	WK Code	x(8)	
ca_inv_draft			yes/no	
ca_lang	Language		x(2)	
ca_mod_date	Modified Date	Mod Date	99/99/99	
ca_mod_userid	User ID		X(8)	
ca_model	Model		x(18)	
ca_name	Caller		x(24)	
ca_nbr	Call ID		x(8)	
ca_nxt_act	Next Status	Nxt Sts	x(8)	0
ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>9	
ca_nxt_time	Next Status Time	Time	99:99	
ca_opn_date	Call Date	CL Date	99/99/99	
ca_opn_time	Time Opened	Tm Open	x(8)	
ca_part	Item Number		x(18)	
ca_phone	Phone		x(20)	
ca_po_nbr	PO		x(22)	
ca_pr_list	Price List		x(8)	0
ca_pri	Priority	Pri	>>>9	
ca_printed	Call Printed		yes/no	
ca_prj_nbr	Project		x(8)	
ca_problem	Prob/Skill	Prob	x(8)	
ca_qo_cmtindx			>>>>>>>>9	
ca_que	Queue		x(8)	
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>>9	
ca_repair_ctr			yes/no	
ca_res_cmtidx			>>>>>9	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->, >>>, >>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_start_date	Start Date		99/99/99	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_svc_type			x(1)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	10
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_time_log	Time Spent		>>9.99	10
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->, >>>, >>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	

Field Name	Label	Col-Label	Format	Dec
ca_type	Type		x(8)	
ca_upd_isb	Update ISB		yes/no	
ca_user1	Ufld1		x(8)	
ca_user2	Ufld2		x(8)	
ca_waiting_parts	Awaiting Items		yes/no	
oid_ca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
ca_area	no	ca_domain	yes	no
		ca_category	yes	no
		ca_area	yes	no
		ca_eu_nbr	yes	no
ca_assign	no	ca_domain	yes	no
		ca_assign	yes	no
		ca_category	yes	no
ca_contract	no	ca_domain	yes	no
		ca_contract	yes	no
		ca_opn_date	yes	no
ca_customer	no	ca_domain	yes	no
		ca_category	yes	no
		ca_customer	yes	no
ca_eu_nbr	no	ca_domain	yes	no
		ca_eu_nbr	yes	no
		ca_category	yes	no
		ca_nbr	yes	no
* ca_nbr	yes	ca_domain	yes	no
		ca_category	yes	no
		ca_nbr	yes	no
ca_nbr_only	no	ca_domain	yes	no
		ca_nbr	yes	no
ca_nxt_date	no	ca_domain	yes	no
		ca_category	yes	no
		ca_nxt_date	yes	no
		ca_nxt_tim	yes	no
ca_part	no	ca_domain	yes	no
		ca_part	yes	no
ca_que	no	ca_domain	yes	no
		ca_category	yes	no
		ca_que	yes	no
		ca_pri	yes	no
ca_serial	no	ca_domain	yes	no
		ca_serial	yes	no
		ca_ref	yes	no
ca_sr	no	ca_domain	yes	no
		ca_sr	yes	no
oid ca mstr	yes	oid ca mstr	yes	no

CBalance Supplier Balance

Field Name	Label	Col-Label	Format	Dec
CBalance_ID	Record ID		9999999999	
CBalanceCC	SC Balance		->>>,>>>,>>>,>>9.99	4
CBalanceLC	BC Balance		->>>,>>>,>>>,>>9.99	4
CBalanceTC	TC Balance		->>>,>>>,>>>,>>9.99	4
Company_ID	Link to Company		99999999999	
Creditor_ID	Link to Creditor		99999999999	
Currency_ID	Link to Currency		99999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CreditorCurrComp	yes	Company_ID	yes	no
		Creditor_ID	yes	no
		Currency_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇* Prim	yes	CBalance_ID	yes	no

Credit Card Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccc_index1	yes	ccc_domain	yes	no
	oid_ccc_ctrl	yes	oid_ccc_ctrl	yes	no

ccd_mstr Service/Support Call Fault Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd_ca_nbr	yes	ccd_domain	yes	no
		ccd_ca_nbr	yes	no
		ccd_opn_date	yes	no
		ccd_itm_line	yes	no
		ccd_part	yes	no
		ccd_line	yes	no
ccd_part	no	ccd_domain	yes	no
		ccd_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
ccd_sys_part	no	ccd_domain	yes	no
		ccd_sys_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
oid ccd mstr	yes	oid ccd mstr	yes	no

cclscd_det Ship-To/Container Price List Detail

Field Name	Label	Col-Label	Format	Dec
cclscd__qadc01			x(24)	
cclscd__qadc02			x(24)	
cclscd_curr	Currency	Cur	x(3)	
cclscd_domain	Domain		x(8)	
cclscd_expire	Expire		99/99/99	
cclscd_mod_date	Modified Date	Mod Date	99/99/99	
cclscd_mod_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
cclscd_shipto	yes	cclscd_domain	yes	no
		cclscd_shipto	yes	no
		cclscd_part	yes	no
		cclscd_curr	yes	no
		cclscd_start	yes	no
oid cclscd det	yes	oid cclscd det	yes	no

Field Name	Label	Col-Label	Format	Dec
cclsc__qadc01			x(24)	
cclsc__qadc02			x(24)	
cclsc_charge_type	Charge Type	Charge! Type	x(8)	
cclsc_curr	Currency	Cur	x(3)	
cclsc_domain	Domain		x(8)	
cclsc_mod_date	Modified Date	Mod Date	99/99/99	
cclsc_mod_userid	User ID		x(8)	
cclsc_part	Container		x(18)	
cclsc_shipto	Ship-To/Dock		x(8)	
cclsc_userc01	User Field Character 1		x(24)	
cclsc_userc02	User Field Character 2		x(24)	
oid_cclsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

ccls mstr Container/Line Charge Ship-From/Ship-To Control Master

Field Name	Label	Col-Label	Format	Dec
ccls_shipto	Ship-To/Dock		x(8)	
ccls_userc01	User Field Character 1		x(24)	
ccls_userc02	User Field Character 2		x(24)	
oid_ccls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ccls_shipfrom	yes	ccls_domain	yes	no
		ccls_shipfrom	yes	no
		ccls_shipto	yes	no
oid ccls mstr	yes	oid ccls mstr	yes	no

```
cc| ctrl
```

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccl_index1	yes	ccl_domain	yes	no
	oid_ccl_ctrl	yes	oid_ccl_ctrl	yes	no

CCollection

Field Name	Label	Col-Label	Format	Dec
CCollection_ID	Record ID		9999999999	
CCollectionBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditLC	BC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitLC	BC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionCreationDate	Creation Date		99/99/9999	
CCollectionCreationTime	Creation Time		999999	
CCollectionIsAutomatic	Automatic		yes/no	
CCollectionIsExecuted	Executed		yes/no	
CCollectionIsOpen	Is Open		yes/no	
CCollectionName	Name		x(40)	

Field Name	Label	Col-Label	Format	Dec
CCollectionNumber	Number		999999999999	
CCollectionOrigCreditCC	SC Original Credit		->>>,>>>,>>>,>>9.99	4
CCollectionOrigCreditLC	BC Original Credit		->>>,>>>,>>>,>>9.99	4
CCollectionOrigCreditTC	TC Original Credit		->>>,>>>,>>>,>>9.99	4
CCollectionOrigDebitCC	SC Original Debit		->>>,>>>,>>>,>>9.99	4
CCollectionOrigDebitLC	BC Original Debit		->>>,>>>,>>>,>>9.99	4
CCollectionOrigDebitTC	TC Original Debit		->>>,>>>,>>>,>>9.99	4
CCollectionPaySelCodeList	Payment Selection List		x(40)	
CCollectionReference	Reference		x(40)	
CCollectionRequestedDate	Requested Date		99/99/9999	
CCollectionYear	Year		->,>>>,>>9	
Company_ID	Link to Company		999999999999	
CreationUsr_ID	Link to Usr		999999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	GL Account		999999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Link to PaySel		999999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
	CCollRef	no	CCollectionReference	yes	no
◇	CompanyIdx	no	Company_ID	yes	no
◇	CreationUsr	no	CreationUsr_ID	yes	no
◇	GL	no	GL_ID	yes	no
◇	IsOpen	no	CCollectionsOpen	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	CCollection_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		CCollectionYear	yes	no
		CCollectionNumber	yes	no

cctr_hist

Credit Card Transaction History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cctr_auth_nbr	no	cctr_domain	yes	no
		cctr_auth_nbr	yes	no
		cctr_tx_date	yes	no
cctr_date_time	no	cctr_domain	yes	no
		cctr_tx_date	yes	no
		cctr_tx_time	yes	no
cctr_inv_nbr	no	cctr_domain	yes	no
		cctr_inv_nbr	yes	no
cctr_nbr	no	cctr_domain	yes	no
		cctr_nbr	yes	no
		cctr_tx_date	yes	no
* cctr_trnbr	yes	cctr_domain	yes	no
		cctr_trnbr	yes	no
oid_cctr_hist	yes	oid_cctr_hist	yes	no

cct_mstr

Field Name	Label	Col-Label	Format	Dec
cct__qadc01			x(24)	
cct__qadc02			x(24)	
cct_charge_type	Charge Type		x(8)	
cct_container_type	Applies To		Container/Line	
cct_desc1	Description		x(32)	
cct_desc2	Description		x(32)	
cct_desc3	Description		x(32)	
cct_desc4	Description		x(32)	
cct_domain	Domain		x(8)	
cct_mod_date	Modified Date	Mod Date	99/99/99	
cct_mod_userid	User ID		x(8)	
cct_prgrm	Run Program		x(12)	
cct_userc01	User Field Character 1		x(24)	
cct_userc02	User Field Character 2		x(24)	
oid_cct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cct_charge_type	yes	cct_domain	yes	no
		cct_charge_type	yes	no
oid_cct_mstr	yes	oid_cct_mstr	yes	no

cc_mstr

Field Name	Label	Col-Label	Format	Dec
cc_qadc01			x(8)	
cc_active	Active	Act	yes/no	
cc_ctr	Cost Ctr	CC	x(4)	
cc_desc	Description		x(24)	
cc_domain	Domain		x(8)	
cc_user1	Ufld1		x(8)	
cc_user2	Ufld2		x(8)	
oid_cc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* cc_ctr	yes	cc_domain	yes	no
		cc_ctr	yes	no
cc_desc	no	cc_domain	yes	no
		cc_desc	yes	no
oid_cc_mstr	yes	oid_cc_mstr	yes	no

cdf_mstr

Field Name	Label	Col-Label	Format	Dec
cdf__chr01	User Field #1		x(8)	0
cdf__chr02	User Field #2		x(8)	
cdf__chr03	User Field #3		x(8)	
cdf__chr04	User Field #4		x(8)	
cdf__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
cdf__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
cdf__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
cdf__dte01	User Date #1		99/99/99	
cdf__dte02	User Date #2		99/99/99	
cdf__dte03	User Date #3		99/99/99	
cdf__log01	User Logical #1		yes/no	
cdf__log02	User Logical #2		yes/no	
cdf__log03	User Logical #3		yes/no	
cdf__qadc01	Qad Field #1		x(8)	
cdf__qadc02	Qad Field #2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cdf_gpmdd	yes	cdf_domain	yes	no
		cdf_ca_category	yes	no
		cdf_ca_int_type	yes	no
		cdf_model	yes	no
		cdf_group	yes	no
		cdf_status_type	yes	no
oid cdf mstr	yes	oid cdf mstr	yes	no

CDocInvoiceXrefStage

Field Name	Label	Col-Label	Format	Dec
CDocInvoiceXrefStage_ID	Record ID		9999999999	
CDocInvoiceXrefStageAlloTC	TC Stage Allocation		-->>,-->>,-->>,-->9.99	4
CDocInvoiceXrefStageDiscTC	TC Stage Discount		-->>,-->>,-->>,-->9.99	4
CDocInvoiceXRefStagePaidAmtTC	TC Paid Amount		-->>,-->>,-->>,-->9.99	4
CDocInvoiceXRefStageWHTTC	TC WHT Amount		-->>,-->>,-->>,-->9.99	4
CDocumentInvoiceXref_ID	Link to CDocumentInvoiceXref		9999999999	
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CIStage	no	CInvoiceStage_ID	yes	no
◇ InvXref	no	CDocumentInvoiceXref_ID	yes	no
◇* Prim	yes	CDocInvoiceXrefStage_ID	yes	no
◇ Uniqueld	yes	CDocumentInvoiceXref_ID	yes	no
		CInvoiceStage_ID	yes	no

CDocument Supplier Payment

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
CCollection_ID	Link to CCollection		9999999999	
CDocument_ID	Record ID		9999999999	
CDocumentBankImpRef	Bank Importing Reference		x(255)	
CDocumentCCRate	SC Rate		->, >>>, >>9.9999999999	10
CDocumentCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
CDocumentClosingDate	Closing Date		99/99/9999	
CDocumentCreationDate	Creation Date		99/99/9999	
CDocumentCreationTime	Creation Time		999999	
CDocumentDueDate	Due Date		99/99/9999	
CDocumentExchangeRate	Exchange Rate		->, >>>, >>9.99	10
CDocumentIsOpen	Open		yes/no	
CDocumentLastPrintDate	Last Printed Date		99/99/9999	
CDocumentNumber	Document Number	Pay No	9999999999	
CDocumentOriginalCreditBC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalCreditLC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalCreditTC	Amount		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalDebitBC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
CDocumentOriginalDebitTC	TC Original Debit		->>>, >>>, >>>, >>9.99	4
CDocumentPrePrintedNumber	Preprinted Number		>>>>>>>>>>9	
CDocumentRateScale	Scale Factor		->, >>>, >>9.99	10
CDocumentReference	Reference		x(40)	
CDocumentStatus	Status		x(20)	
CDocumentSubType	Subtype		x(20)	
CDocumentTimesPrinted	Times Printed		>>9	
CDocumentTransTpStat	Transaction Type Status		->>>, >>>, >>>, >>9.99	
CDocumentType	Payment Instrument		x(20)	
CDocumentValueDays	Value Days		>>9	
CDocumentYear	Year/Number	Year	9999	
Company_ID	Link to Company		9999999999	
CreationUsr_ID	Link to Usr		9999999999	
Creditor_ID	Supplier		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	Bank Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CDocRef	no	CDocumentReference	yes	no
◇ ClosingDate	no	CDocumentClosingDate	yes	no
◇ CollectionIdx	no	CCollection_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ CreditorIdx	no	Creditor_ID	yes	no
CyCredDateldx	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CDocumentClosingDate	yes	no
◇ CyDateldx	no	Company_ID	yes	no
		CDocumentClosingDate	yes	no
◇ IsOpenIdx	no	CDocumentIsOpen	yes	no
◇* Prim	yes	CDocument_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		CDocumentType	yes	no
		CDocumentYear	yes	no
		CDocumentNumber	yes	no

CDocumentInvoiceXrefSupplier Payment Invoice Xref

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CDocumentInvoiceXref_ID	Record ID		9999999999	
CDocumentInvoiceXrefAlloTC	TC Allocated Amount		->>>,>>>,>>>,>>9.99	4
CDocumentInvoiceXrefDiscTC	TC Discount Amount		->>>,>>>,>>>,>>9.99	4
CDocumentInvoiceXrefIntTC	TC Interest Amount		->>>,>>>,>>>,>>9.99	4
CDocumentInvoiceXrefPaidA	TC Paid Amount		->>>,>>>,>>>,>>9.99	4
mtTC				
CDocumentInvoiceXrefWHTA	SC WHT Amount		->>>,>>>,>>>,>>9.99	4
mtCC				
CDocumentInvoiceXrefWHTA	BC WHT Amount		->>>,>>>,>>>,>>9.99	4
mtLC				
CDocumentInvoiceXrefWHTA	TC WHT Amount		->>>,>>>,>>>,>>9.99	4
mtTC				
CDocumentInvoiceXrefWHT	WHT SC Rate		->,>>>,>>9.9999999999	10
CCRate				
CDocumentInvoiceXrefWHT	WHT SC Scale		->,>>>,>>9.9999999999	10
CCScale				
CDocumentInvoiceXrefWHTL	WHT BC Rate		->,>>>,>>9.9999999999	10
CRate				

Field Name	Label	Col-Label	Format	Dec
CDocumentInvoiceXRefWHTL WHT BC Scale			->, >>>, >>>9.9999999999	10
CScale				
CDocumentInvoiceXRefWHTP WHT Percentage			->>9.99	2
erc				
CDocumentInvoiceXRefWHTT TC WHT Taxable Fee			->>>, >>>, >>>, >>>9.99	4
xFeeTC				
CInvoice_ID	Link to CInvoice		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySelLine_ID	Link to PaySelLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Document	no	CDocument_ID	yes	no
◇ Invoice	no	CInvoice_ID	yes	no
PaySelLn	no	PaySelLine_ID	yes	no
◇* Prim	yes	CDocumentInvoiceXref_ID	yes	no

CDocumentPostingLineSupplier Payment Posting Line

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CDocumentPostingLine_ID	Record ID		9999999999	
CDocumentStatus	Supplier Payment Status		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDoc	no	CDocument_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CDocumentPostingLine_ID	yes	no
◇ Unilidx	yes	CDocument_ID	yes	no
		PostingLine_ID	yes	no

CDocumentStatusSupplier Payment Status

Field Name	Label	Col-Label	Format	Dec
BankGL_ID	Bank Account Code		9999999999	
CDocumentStatus_ID	Record ID		9999999999	
CDocumentStatusDefValDays	Default Value Days		>>>9	
CDocumentStatusDocType	Payment Instrument	Pay Inst	x(20)	
CDocumentStatusStatus	Status		x(20)	
Company_ID	Link to Company		9999999999	
GL_ID	GL Account		9999999999	
Journal_ID	Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankGL	no	BankGL_ID	yes	no
Company	no	Company_ID	yes	no
GL	no	GL_ID	yes	no
Journal	no	Journal_ID	yes	no
Prim	yes	CDocumentStatus_ID	yes	no
Uniqueldx	yes	Company_ID	yes	no
		CDocumentStatusDocType	yes	no
		CDocumentStatusStatus	yes	no
		BankGL_ID	yes	no

cd_det

Master Comments

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cd_ref_type	yes	cd_domain	yes	no
		cd_ref	yes	no
		cd_type	yes	no
		cd_lang	yes	no
		cd_seq	yes	no
oid cd_det	yes	oid cd_det	yes	no

ChargesD

Warehousing Shipment Detail Charges

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT03	QAD Field		99/99/99	
SellAmount	Charge Amount		->>>>,>>>,>>9.99<<<	10
SellCurrency	Currency		x(3)	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ABSID	yes	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
		ChargeCode	yes	no
oid_ChargesD	yes	oid_ChargesD	yes	no
◇ ShipVia	no	Domain	yes	no
		ShipVia	yes	no
		ChargeCode	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

chg_mstr Line Changeover Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* chg_line	yes	chg_domain	yes	no
		chg_site	yes	no
		chg_line	yes	no
		chg_from	yes	no
		chg_to	yes	no
oid_chg_mstr	yes	oid_chg_mstr	yes	no

CHist

Supplier Balance History

Field Name	Label	Col-Label	Format	Dec
CBalance_ID	Link to CBalance		9999999999	
CHist_ID	Record ID		9999999999	
CHistBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CHistBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CHistBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteCC	SC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteLC	BC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteTC	TC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossInvoiceCC	SC Gross Invoice		->>>, >>>, >>>, >>9.99	4
CHistGrossInvoiceLC	BC Gross Invoice		->>>, >>>, >>>, >>9.99	4
CHistGrossInvoiceTC	TC Gross Invoice		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditCC	SC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditLC	BC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditTC	TC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitCC	SC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitLC	BC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitTC	TC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteCC	SC Net Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteLC	BC Net to Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteTC	TC Net Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceCC	SC Net Invoice		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceLC	BC Net to Invoice		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceTC	TC Net Invoice		->>>, >>>, >>>, >>9.99	4
CHistYearPeriodFrom	From Year GL Period		->, >>>, >>9	
CHistYearPeriodTill	To Year GL Period		->, >>>, >>9	
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Creditor_ID	Link to Creditor		9999999999	
Currency_ID	Link to Currency		9999999999	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
Journal_ID	Link to Journal		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CBalance	no	CBalance_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyCreditorYearPdFrom	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CHistYearPeriodFrom	yes	no
CyCreditorYearPdTill	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CHistYearPeriodTill	yes	no
◇ CyYearPeriodFrom	no	Company_ID	yes	no
		CHistYearPeriodFrom	yes	no
◇ CyYearPeriodTill	no	Company_ID	yes	no
		CHistYearPeriodTill	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	CHist_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		CHistYearPeriodFrom	yes	no
		Creditor_ID	yes	no
		Currency_ID	yes	no
		GL_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Division_ID	yes	no
		Project_ID	yes	no
		Journal_ID	yes	no
		CostCentre_ID	yes	no

chm_mstr Service/Support Call History Master

Field Name	Label	Col-Label	Format	Dec
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>>, >>>, >>9.99	10
chm__dec02			->>>>, >>>, >>9.99	10
chm__dec03			->>>>, >>>, >>9.99	10
chm__dte01			99/99/99	
chm__dte02			99/99/99	
chm__dte03			99/99/99	
chm__dte04			99/99/99	
chm__dte05			99/99/99	
chm__log01			yes/no	
chm__log02			yes/no	
chm__log03			yes/no	
chm__log04			yes/no	
chm__log05			yes/no	
chm__qadc03	QAD Character Field 3		X(8)	
chm__qadc04	QAD Character Field 4		x(8)	
chm__qadc05	QAD Character Field 5		x(8)	
chm__qadc06	QAD Character Field 6		x(8)	
chm__qadd01	QAD Date Field 1		99/99/99	
chm__qadd02	QAD Date Field 2		99/99/99	
chm__qadd03	QAD Date Field 3		99/99/99	
chm__qadde01	QAD Decimal Field 1		->>, >>9.99	10
chm__qadde02	QAD Decimal Field 2		->>, >>9.99	10
chm__qadde03	QAD Decimal Field 3		->>, >>9.99	10
chm__qadi01	QAD Integer Field 1		>>>>>>9	
chm__qadi02	QAD Integer Field 2		->, >>>, >>9	
chm__qadi03	QAD Integer Field 3		->, >>>, >>9	
chm__qadi02	QAD Logical Field 2		yes/no	
chm__qadi03	QAD Logical Field 3		yes/no	
chm__qadi04	QAD Logical Field 4		yes/no	
chm_3rd_party	Third Party Service		yes/no	
chm_3rd_party_id	Third Party ID		x(12)	
chm_ack_cmtindx			>>>>>>>>9	
chm_ack_letter	Send Ack Letter		yes/no	
chm_area	Area		x(8)	
chm_assign	Assigned		x(8)	
chm_bill	Bill-To		x(8)	
chm_category	Category		x(8)	
chm_channel	Channel		X(8)	0
chm_cline	Contract Line		>>>>>>9	
chm_cls_date	Closed Date	Cls Date	99/99/99	
chm_cls_time	Closed Time	Cls Time	99:99	
chm_cmtindx	Index		>>>>>>9	
chm_code			x(8)	
chm_comp_date	Complete Date		99/99/99	
chm_comp_time	Complete Time		99:99	
chm_contract	Contract		x(8)	
chm_cr_terms	Terms		x(8)	
chm_created	Created	Cr	x(3)	
chm_curr	Currency	Cur	x(3)	
chm_customer	Customer		X(8)	

Field Name	Label	Col-Label	Format	Dec
chm_date_stmp	Date		99/99/99	
chm_desc	Description		x(60)	
chm_domain	Domain		x(8)	
chm_ecmtindx			>>>>>>9	
chm_enddown_date	End Down		99/99/99	
chm_enddown_time	Time		99:99	
chm_eng_area	Engineer Area		x(8)	
chm_eng_group	Group		x(8)	
chm_ent_ex	Exchange Rate		>>, >>9.99999<<<	10
chm_enter_by	Entered by		x(8)	
chm_es_nbr	Escalation	Esc	x(8)	
chm_es_seq	Sequence	Seq	>>9	
chm_est_time	Estimated Length		999:99	
chm_eu_date	End User Date		99/99/99	
chm_eu_nbr	End User		x(8)	
chm_eu_time	End User Time		99:99	
chm_eu_timezone	End User Time Zone		X(8)	
chm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
chm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
chm_ex_ratetype	Rate Type		x(8)	
chm_exru_seq	Sequence		>>>>>>>>9	
chm_fix_rate	Fixed Rate		yes/no	
chm_fn_nbr	Field Notification		x(8)	
chm_from_que	From Que	Fr Que	x(8)	
chm_inc_stats	Include in Stats		yes/no	
chm_int_type	Work Code	WK Code	x(8)	
chm_inv_draft			yes/no	
chm_lang	Language		X(2)	
chm_model	Model		x(18)	
chm_name	Caller Name	Name	x(24)	
chm_nbr	Call Id		x(8)	
chm_opn_date	Call Date	Opn Date	99/99/99	
chm_opn_time	Time Opened	Tm Open	x(8)	
chm_part	Part No		x(18)	
chm_phone	Phone		x(16)	
chm_po_nbr	PO		x(22)	
chm_pr_list	Price List		x(8)	
chm_printed	Call Printed		yes/no	
chm_problem	Prob/Skill		x(8)	
chm_qo_cmtindx			>>>>>>>>9	
chm_queue	Queue		x(8)	
chm_quote	Quote Required		yes/no	
chm_quote_curr	Currency	Cur	x(3)	
chm_quote_exp	Quote Expires		99/99/99	
chm_quote_nbr	Quote Number	Quote	X(8)	
chm_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>9	
chm_repair_ctr			yes/no	
chm_res_cmtidx			>>>>>>9	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_rev	Rev Level	Rev	x(10)	
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdwn_date	Start Down		99/99/99	
chm_stdwn_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cild_cor_line	yes	cild_domain	yes	no
		cild_cor_inv	yes	no
		cild_cor_so_nbr	yes	no
		cild_cor_line	yes	no
		cild_line_type	yes	no
cild_prev_inv	no	cild_domain	yes	no
		cild_prev_inv	yes	no
		cild_prev_so_nbr	yes	no
		cild_prev_line	yes	no
oid_cild_det	yes	oid_cild_det	yes	no

cil mstr Correction Invoice Link Master

Field Name	Label	Col-Label	Format	Dec
cil__qadc01			x(24)	
cil__qadc02			x(24)	
cil_cor_inv	Correction Invoice Number		x(22)	
cil_cor_rsn	Reason For Correction		x(8)	
cil_cor_so_nbr	Correction Invoice Sales Order		x(8)	
cil_domain	Domain		x(8)	
cil_mod_date	Modified Date	Mod Date	99/99/99	
cil_mod_userid	User ID		x(8)	
cil_mstr_inv	Original Invoice		x(8)	
cil_prev_inv	Corrected Invoice		x(22)	
cil_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
cil_user1	User Field Character 1		x(24)	
cil_user2	User Field Character 2		x(24)	
oid_cil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cil_cor_inv	yes	cil_domain	yes	no
		cil_cor_inv	yes	no
		cil_cor_so_nbr	yes	no
cil_cor_nbr	no	cil_domain	yes	no
		cil_cor_so_nbr	yes	no
cil_mstr_inv	no	cil_domain	yes	no
		cil_mstr_inv	yes	no
cil_prev_inv	no	cil_domain	yes	no
		cil_prev_inv	yes	no
		cil_prev_so_nbr	yes	no
oid_cil_mstr	yes	oid_cil_mstr	yes	no

CInvoice

Supplier Invoice

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	BLWI Group Code	BLWI Group	9999999999	
CInvoice_ID	Record ID		9999999999	
CInvoiceAllocationStatus	Allocation Status		x(20)	
CInvoiceBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditCC	SC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditLC	BC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditTC	TC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitCC	SC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitLC	BC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitTC	TC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBatchNumber	Batch Number		x(8)	
CInvoiceCCRate	SC Rate		->, >>>, >>9.9999999999	10
CInvoiceCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
CInvoiceCircClosingDate	SIREC Closing Date		99/99/9999	
CInvoiceCIText	Description		x(40)	
CInvoiceClosingDate	Closing Date		99/99/9999	
CInvoiceCommentNote	Comment		x(2000)	
CInvoiceContact	Contact		x(40)	
CInvoiceCreationDate	Creation Date		99/99/9999	
CInvoiceCreditorVatNumber	Supplier Tax Number		x(40)	
CInvoiceCurrency_ID	Currency Code	Curr	9999999999	
CInvoiceDate	Invoice Date	Inv Date	99/99/9999	
CInvoiceDayBookSetCode	Supplier Daybook Set Code	Supplier Dybk Set Code	x(8)	
CInvoiceDescription	Description		x(40)	
CInvoiceDiscountDueDate	Discount Due Date		99/99/9999	
CInvoiceDueDate	Due Date		99/99/9999	
CInvoiceExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
CInvoiceHoldAmountTC	TC Hold Amount		->>>, >>>, >>>, >>9.99	4
CInvoicesDiscTaxAtInv	Discount Tax at Invoice	Disc Tax at Inv	yes/no	
CInvoicesDiscTaxAtPaym	Discount Tax at Payment	Disc Tax at Paym	yes/no	
CInvoicesERS	ERS		yes/no	
CInvoicesExternal	External	External Invoice	yes/no	
CInvoicesInitialStatus	Initial Status		yes/no	
CInvoicesInvoiceApproved	Approved		yes/no	
CInvoicesLockPayment	Lock Payment	Lock Paym	yes/no	
CInvoicesLogisticMatching	Receiver Matching		yes/no	
CInvoicesOpen	Open		yes/no	
CInvoicesSelected	Selected	Sel	yes/no	
CInvoicesTaxable	Taxable	Tax	yes/no	
CInvoicesTaxConfirmed	Tax Confirmed		yes/no	
CInvoicesTaxExcluded	Tax Excluded	Tax Excl	yes/no	
CInvoicesVatDelay	Tax Delay		yes/no	
CInvoicesWHT	Withholding Tax		yes/no	
CInvoicesWithBank	With Bank		yes/no	
CInvoiceMFText	Description		x(40)	
CInvoiceNonDiscAmtCC	SC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonDiscAmtLC	BC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonDiscAmtTC	TC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonRecTaxAmtTC	Non-Recoverable Tax Amount	Non-Recov Tax Amt	->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditCC	SC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditLC	BC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditTC	TC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitCC	SC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitLC	BC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitTC	TC AP Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceOwnVatNumber	Own Tax Number		x(40)	
CInvoicePoDomain	PO Domain		x(8)	
CInvoicePoNbr	PO Number		x(8)	
CInvoicePostingDate	Posting Date		99/99/9999	
CInvoicePostingPeriod	GL Period		99	
CInvoicePostingYear	Year		9999	
CInvoicePostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
CInvoiceRateScale	Scale Factor		->, >>>, >>9.9999999999	10
CInvoiceReference	Reference		x(22)	
CInvoiceRegistrationNr	Registration Number		9999999999	
CInvoiceSiteCode	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
CInvoiceTaxPointDate	Tax Point Date		99/99/9999	
CInvoiceTSMNumber	Payment Reference		x(60)	
CInvoiceType	Invoice Type		x(20)	
CInvoiceVatBaseCreditCC	SC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseCreditLC	BC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseCreditTC	TC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitCC	SC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitLC	BC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitTC	TC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatExchangeRate	Tax Exchange Rate		->, >>>, >>9.9999999999	10
CInvoiceVatRateScale	Tax Rate Scale		->, >>>, >>9.9999999999	10
CInvoiceVoucher	Voucher		9999999999	
CInvoiceWHTBaseAmtCreditC	SC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtCreditL	BC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtCreditT	TC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitC	SC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitL	BC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitT	TC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditCC	SC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditLC	BC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditTC	TC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitCC	SC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitLC	BC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitTC	TC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
Company_ID	Link to Company		9999999999	
ControlGL_ID	Account		9999999999	
CostCentre_ID	Cost Center		9999999999	
Creditor_ID	Link to Creditor		9999999999	
CreditorVatNumber_ID	Link to VatNumber		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Sub-Account	Sub-Acct	9999999999	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LinkedCInvoice_ID	Reference		9999999999	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
OwnVatNumber_ID	Link to VatNumber		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Project		9999999999	
PurchaseType_ID	Purchase Type		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
ReplacedCInvoice_ID	Link to CInvoice		9999999999	
Role_ID	Role Name		9999999999	
ShipToAddress_ID	City		9999999999	
TransactionEndCountry_ID	Country Code	Country	9999999999	
TransactionStartCountry_ID	Country Code	Country	9999999999	
VatCurrency_ID	Currency Code	Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocStatus	no	CInvoiceAllocationStatus	yes	no
CInvoiceCurrency	no	CInvoiceCurrency_ID	yes	no
CInvoicesInvAppr	no	CInvoicesInvoiceApproved	yes	no
CInvoicesLockPaym	no	CInvoicesLockPayment	yes	no
CirecClosingDate	no	Company_ID	yes	no
		CInvoiceCirecClosingDate	yes	no
◇ Company	no	Company_ID	yes	no
◇ CompanyClosingDate	no	Company_ID	yes	no
		CInvoiceClosingDate	yes	no
◇ ControlGL	no	ControlGL_ID	yes	no
CreationDate	no	CInvoiceCreationDate	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CyCredClosingDate	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CInvoiceClosingDate	yes	no
CyCredInvDate	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CInvoiceDate	yes	no
◇ CyPeriodYearPeriod	no	Company_ID	yes	no
		CInvoicePostingYearPeriod	yes	no
CyYearJrnVoucher	no	Company_ID	yes	no
		CInvoicePostingYear	yes	no
		Journal_ID	yes	no
		CInvoiceVoucher	yes	no
◇ Division	no	Division_ID	yes	no
◇ InvoiceDateIDX	no	CInvoiceDate	yes	no
◇ IsInitialStatus	no	CInvoicesInitialStatus	yes	no
IsLogisticMatching	no	CInvoicesLogisticMatching	yes	no
◇ IsOpen	no	CInvoicesOpen	yes	no
◇ IsSelected	no	CInvoicesSelected	yes	no
◇ IsWithBank	no	CInvoicesWithBank	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDateIDX	no	CInvoicePostingDate	yes	no
◇ PostingYear	no	CInvoicePostingYear	yes	no
◇* Prim	yes	CInvoice_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ PurchaseType	no	PurchaseType_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ReferencIdx	no	CInvoiceReference	yes	no
RegistrationNr	no	CInvoiceRegistrationNr	yes	no
ReplacedCI	no	ReplacedCInvoice_ID	yes	no
◇ UniquelIdx	yes	Company_ID	yes	no
		CInvoiceRegistrationNr	yes	no
◇ VatCurrency	no	VatCurrency_ID	yes	no
◇ VatNumber	no	OwnVatNumber_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		CInvoicePostingYear	yes	no
		CInvoicePostingPeriod	yes	no
		Journal_ID	yes	no
		CInvoiceVoucher	yes	no
◇ Voucher	no	CInvoiceVoucher	yes	no

CInvoiceBankSupplier Invoice Bank Records

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Bank Number	Bank Account No	9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceBank_ID	Record ID		9999999999	
CInvoiceBankToPayTC	TC Payment Amount		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇* Prim	yes	CInvoiceBank_ID	yes	no
◇ UniquelIdx	yes	CInvoice_ID	yes	no
		BankNumber_ID	yes	no

CInvoiceBankPayCodeSupplier invoice Bank Payment Code

Field Name	Label	Col-Label	Format	Dec
CInvoiceBank_ID	Link to CInvoiceBank		9999999999	
CInvoiceBankPayCode_ID	Record ID		9999999999	
CInvoiceBankPayCodeValue	Attribute Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CIBank	no	CInvoiceBank_ID	yes	no
◇* Prim	yes	CInvoiceBankPayCode_ID	yes	no

CInvoiceMovement Supplier Invoice Movements

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceMovement_ID	Record ID		9999999999	
CInvoiceMovementDiscountTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceMovementIsForDraft	For Draft		yes/no	
CInvoiceMovementPostDate	Posting Date		99/99/9999	
CInvoiceMovementType	Type		x(20)	
CInvoiceMovementYearPeriod	Year/GL Period		999999	
Company_ID	Link to Company		9999999999	
Creditor_ID	Link to Creditor		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CIMovYearPd	no	CInvoiceMovementYearPeriod	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CyCredDate	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CInvoiceMovementPostDate	yes	no
CyCredYearPd	no	Company_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Creditor_ID	yes	no
		CInvoiceMovementYearPeriod	yes	no
◇ CyDate	no	Company_ID	yes	no
		CInvoiceMovementPostDate	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CInvoiceMovement_ID	yes	no
◇ Uniqueldx	yes	CInvoice_ID	yes	no
		PostingLine_ID	yes	no

CInvoicePO Supplier Invoice PO Matching Link

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoicePO_ID	Record ID		9999999999	
CInvoicePOPoDomain	PO Domain		x(8)	
CInvoicePOPoNbr	PO Number		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CInvoiceIdx	no	CInvoice_ID	yes	no
POIdx	no	CInvoicePOPoDomain	yes	no
		CInvoicePOPoNbr	yes	no
◇* Prim	yes	CInvoicePO_ID	yes	no

CInvoicePosting Supplier Invoice Posting Link

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoicePosting_ID	Record ID		9999999999	
CInvoicePostingType	Invoice Type	Invoice Type	x(20)	
CIRECPostingLine_ID	Link to PostingLine		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CIRECPostLine	no	CIRECPostingLine_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	CInvoicePosting_ID	yes	no
◇ Uniqueldx	yes	CInvoice_ID	yes	no
		Posting_ID	yes	no

CInvoiceStage Supplier Invoice Stage Payment

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceStage_ID	Record ID		9999999999	
CInvoiceStageAmountCC	SC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmountLC	BC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmountTC	TC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmtAppliedTC	TC Applied Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageDiscDate	Discount Date	Disc Date	99/99/9999	
CInvoiceStageDiscPerc	Discount Percentage	Disc Perc	->>9.99	3
CInvoiceStageDueDate	Due Date		99/99/9999	
CInvoiceStagePercent	Percent	%	->, >>>, >>9.99	2
CInvoiceStageTSMNumber	Payment Reference		x(60)	
PaymentConditionStaged_ID	Discount Percentage	Percent	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇ DueDate	no	CInvoiceStageDueDate	yes	no
◇* Prim	yes	CInvoiceStage_ID	yes	no
◇ Uniqueldx	yes	CInvoiceStageDueDate	yes	no
		CInvoice_ID	yes	no

CInvoiceVat Supplier Invoice Tax Records

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Retained Tax Sub-Account	Retained Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Retained Tax Account		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceVat_ID	Record ID		9999999999	
CInvoiceVatIsAbsRet	Retained		yes/no	
CInvoiceVatIsAccrRcpUs	Accrue at Receipt/Usage		yes/no	
CInvoiceVatIsRevCharge	Reverse Charge	Rev Charge	yes/no	
CInvoiceVatIsSuspDel	Delayed Tax	Delay Tax	yes/no	
CInvoiceVatIsTaxable	Taxable		yes/no	
CInvoiceVatIsUpdAllow	Update Allow	Upd Allow	yes/no	
CInvoiceVatNonRecTaxAmtTC	Non-Recoverable Tax Amount	Non-Rev Tax Amt	->>>, >>>, >>>, >>9.99	4
CInvoiceVatNTBaseCreditTC	TC Base Credit Non-taxable		->>>, >>>, >>>, >>9.99	4
CInvoiceVatNTBaseDebitTC	TC Base Debit Non-taxable		->>>, >>>, >>>, >>9.99	4
CInvoiceVatSequence	Sequence		9999999999	
CInvoiceVatSuspDelTaxAmtTC	Tax Amount on Delayed Account (TC)	Tax Amount on Delay Acct (TC)	->>>, >>>, >>>, >>9.99	4
CInvoiceVatTaxTrType	Tax Transaction Type		x(2)	
CInvoiceVatUILinkedRowID	Linked Row		x(30)	
CInvoiceVatVatBaseCreditCC	SC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseCreditLC	BC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseCreditTC	TC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitCC	SC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitLC	BC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitTC	TC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account		9999999999	
PostingVat_ID	Link to PostingVat		9999999999	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Delayed Tax Sub-Account	Delay Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Delayed Tax Account	Delay Tax Acct	9999999999	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment		x(16)	
TxtyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇* Prim	yes	CInvoiceVat_ID	yes	no
◇ UniqueTax	yes	CInvoice_ID	yes	no
		TxuTaxUsage	yes	no
		TxclTaxCls	yes	no
		TxenvTaxEnv	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

CInvoiceWHT Supplier Invoice Withholding Tax

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceVat_ID	Link To CInvoiceVat		9999999999	
CInvoiceWHT_ID	Record ID		9999999999	
CInvoiceWHTAmtCreditCC	SC WHT Amount (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTAmtCreditLC	BC WHT Amount (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTAmtCreditTC	TC WHT Amount (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTAmtDebitCC	SC WHT Amount (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTAmtDebitLC	BC WHT Amount (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTAmtDebitTC	TC WHT Amount (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTBaseTaxPct	Tax Base Percentage		->>9.99	2
CInvoiceWHTExpenseCreditTC	TC Expense (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTExpenseDebitTC	TC Expense (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTFeeCreditTC	TC Fee (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTFeeDebitTC	TC Fee (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTIsOrigFromAPM	Originated From Receiver Matching		yes/no	
CInvoiceWHTIsUpdAllow	Update Tax Allowed		yes/no	
CInvoiceWHTRecovTaxPct	Obsolete - Recoverable Tax Percentage		->>9.99	2
CInvoiceWHTTaxFeeCreditCC	SC Taxable Fee (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxFeeCreditLC	BC Taxable Fee (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxFeeCreditTC	TC Taxable Fee (CR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxFeeDebitCC	SC Taxable Fee (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxFeeDebitLC	BC Taxable Fee (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxFeeDebitTC	TC Taxable Fee (DR)		->>>,>>>,>>>,>>9.99	4
CInvoiceWHTTaxPct	Tax Percentage		->>9.99	2
CInvoiceWHTTaxTrType	Transaction Type		x(2)	
CInvoiceWHTTaxType	Tax Type		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Vat_ID	Link to Vat		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CInvoiceVat	no	CInvoiceVat_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	CInvoiceWHT_ID	yes	no
◇ Uniqueldx	yes	CInvoice_ID	yes	no
		CInvoiceVat_ID	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

clatd_det UDF Attribute Value Detail

Field Name	Label	Col-Label	Format	Dec
clatd_qadc01			x(24)	
clatd_qadc02			x(24)	
clatd_mod_date	Modified Date	Mod Date	99/99/99	
clatd_mod_userid	User ID		x(8)	
clatd_table_name	Table		x(14)	
clatd_user1	Ufld1		x(24)	
clatd_user2	Ufld2		x(24)	
clatd_value_char	Character		x(24)	
clatd_value_date	Date		99/99/99	
clatd_value_dec	Decimal		->>>, >>>, >>9.9999999999	10
clatd_value_int	Integer		->, >>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
clatd_value_log	Logical		yes/no	
oid_clat_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_clatd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_owning_record			>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
clatd_oid_clat_mst	no	oid_clat_mstr	yes	no
		oid_owning_record	yes	no
* clatd_oid_owning	yes	oid_owning_record	yes	no
		oid_clat_mstr	yes	no
oid clatd det	yes	oid clatd det	yes	no

clat mstr UDF Attribute Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* clat_oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
		clat_attribute_name	yes	no
oid clat mstr	yes	oid clat mstr	yes	no

clc_ctrl Compliance Control

Field Name	Label	Col-Label	Format	Dec
clc__qadc01			x(8)	
clc__qadi01			->>>>>>9	
clc_active	Compliance Active	Cmpl	yes/no	
clc_comp_issue	Modify Component Issue	Cmplss	yes/no	
clc_domain	Domain		x(8)	
clc_jp_rcpt	Modify Co/By Product Receipts	CT	yes/no	
clc_lotlevel	Lot Control Level	LCL	9	
clc_polot_rcpt	Single Lot Per PO Receipt	Lot/PO	yes/no	
clc_relot_rcpt	Single Lot per REPET Receipt	Lot/REP	yes/no	

Field Name	Label	Col-Label	Format	Dec
clic_user1	Ufld1		x(8)	
clic_user2	Ufld2		x(8)	
clic_wolot_rcpt	Single Lot per WO Receipt	Lot/WO	yes/no	
oid_clic_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	clc_index1	yes	clc_domain	yes	no
	oid_clc_ctrl	yes	oid_clc_ctrl	yes	no

ClientCache client cache

Field Name	Label	Col-Label	Format	Dec
CacheKeyPart	Cache Key Part		x(255)	
GUID	GUID		x(255)	
Host	Host		x(255)	
LastClearedDateUTC	Last Cleared Date		99/99/9999	
LastClearedTimeUTC	Last Cleared Time		>>>>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* ClientCachePK	yes	CacheKeyPart	yes	no

clsd det UDF Class Table Detail

Field Name	Label	Col-Label	Format	Dec
clsd__qadc01			x(24)	
clsd__qadc02			x(24)	
clsd_mod_date	Modified Date	Mod Date	99/99/99	
clsd_mod_userid	User ID		x(8)	
clsd_table_name	Table		x(14)	
clsd_user1	Ufld1		x(24)	
clsd_user2	Ufld2		x(24)	
oid_clsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
clsd_oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
		clsd_table_name	yes	no
* clsd_table_class	yes	clsd_table_name	yes	no
		oid_udfcls_mstr	yes	no
oid_clsd_det	yes	oid_clsd_det	yes	no

clsf mstr Classification Master

Field Name	Label	Col-Label	Format	Dec
clsf__qadc01			x(24)	
clsf__qadc02			x(24)	
clsf_classification	Classification		x(12)	
clsf_desc	Description		x(24)	
clsf_domain	Domain		x(8)	
clsf_mod_date	Modified Date	Mod Date	99/99/99	
clsf_mod_userid	User ID		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* clsf_tree_key	yes	clsf_domain	yes	no
		clsf_type	yes	no
		clsf_tree_key	yes	no
		clsf_classification	yes	no
oid clsf_mstr	yes	oid clsf_mstr	yes	no

cmc ctrl Customer Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cmc_index1	yes	cmc_domain	yes	no
oid cmc ctrl	yes	oid cmc ctrl	yes	no

cmd_det Enterprise Material Transfer Change Management Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cmd_trans_nbr	yes	cmd_domain	yes	no
		cmd trans nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_cmd_det	yes	cmd_file	yes	no
		cmd_field	yes	no
		cmd_key_val	yes	no
		oid_cmd_det	yes	no

cmf_mstr Enterprise Material Transfer Change Management Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cmf_doc	yes	cmf_domain	yes	no
		cmf_doc_type	yes	no
		cmf_doc_ref	yes	no
		cmf_status	yes	no
* cmf_trans_nbr	yes	cmf_domain	yes	no
		cmf_trans_nbr	yes	no
oid_cmf_mstr	yes	oid_cmf_mstr	yes	no

cmh_hist Customer Sales History[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cmh_custyear	yes	cmh_domain	yes	no
		cmh_cust	yes	no
		cmh_year	yes	no
* cmh_yearcust	yes	cmh_domain	yes	no
		cmh_year	yes	no
		cmh_cust	yes	no
oid cmh hist	yes	oid cmh hist	yes	no

cmt det

Transaction Comments

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cmt_ref	yes	cmt_domain	yes	no
		cmt_indx	yes	no
		cmt_seq	yes	no
oid cmt_det	yes	oid cmt_det	yes	no

cm mstr

Customer Master

Field Name	Label	Col-Label	Format	Dec
cm__chr01			x(8)	
cm__chr02			x(8)	
cm__chr03			x(8)	
cm__chr04			x(8)	
cm__chr05			x(8)	
cm__chr06			x(8)	
cm__chr07			x(8)	
cm__chr08			x(8)	
cm__chr09			x(8)	
cm__chr10			x(8)	
cm__dec01			>>>, >>>, >>9.99	10
cm__dec02			>>>, >>>, >>9.99	10
cm__dte01			99/99/99	
cm__dte02			99/99/99	
cm__log01			yes/no	
cm__qad04[3]			->9.99<%	10
cm__qad06			yes/no	
cm__qadc01			x(8)	
cm__qadc02			x(8)	
cm__qadc03			x(8)	
cm__qadc04			x(8)	
cm__qadc05			x(8)	
cm__qadc06			x(8)	
cm__qadc07			x(8)	
cm__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
cm__qadd02			->>>, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
cm_qadi01			->,>>>,>>9	
cm_qadi02			->,>>>,>>9	
cm_qadi03			>>>>>>9	
cm_qadi04			>>>>>>9	
cm_qadi01			yes/no	
cm_qadi02			yes/no	
cm_qadi03			yes/no	
cm_qadi04			yes/no	
cm_qadt01			99/99/99	
cm_qadt02			99/99/99	
cm_active	Active		yes/no	
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->,>>9	
cm_balance	Balance		->,>>>,>>>,>>9.99	10
cm_bank	Bank	Bk	x(2)	
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>,>>>,>>>,>>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_datacomplete	Data Complete		yes/no	
cm_daybookset	Daybook Set	Dybk Set	x(8)	
cm_db	DB Number		x(12)	
cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->>9.99%	10
cm_domain	Domain		x(8)	
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->,>>>,>>>,>>9.99	10
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>,>>>,>>9.99	10
cm_drft_min	Min Draft Amt		->>>>,>>>,>>9.99	10
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Fr List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_gst_id	Tax ID - Federal		x(18)	
cm_high_cr	High Credit		->,>>>,>>>,>>9	10
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>,>>>,>>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->,>>>,>>>,>>9.99	10
cm_misc1_id	Tax ID - Misc 1		x(18)	
cm_misc2_id	Tax ID - Misc 2		x(18)	
cm_misc3_id	Tax ID - Misc 3		x(18)	
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK	Partial	yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
cm_pay_method	Payment Method	PM	x(2)	
cm_po_reqd	PO Required	PO Reqd	yes/no	
cm_pr_list	Disc Tbl		x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_promo	Promotion Group		x(10)	
cm_pst	PST Taxable		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cm_active	no	cm_domain	yes	no
		cm_active	yes	no
* cm_addr	yes	cm_domain	yes	no
		cm_addr	yes	no
cm_datacomplete	no	cm_domain	yes	no
		cm_datacomplete	yes	no
cm_sort	no	cm_domain	yes	no
		cm_sort	yes	no
oid_cm_mstr	yes	oid_cm_mstr	yes	no

cncix_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cncix_loc_part	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_current_loc	yes	no
		cncix_part	yes	no
		cncix_ship_date	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
cncix_order_line	no	cncix_domain	yes	no
		cncix_so_nbr	yes	no
		cncix_sod_line	yes	no
		cncix_aged_date	yes	no
* cncix_primary_key	yes	cncix_domain	yes	no
		cncix_pkey	yes	no
cncix_shipper	no	cncix_domain	yes	no
		cncix_asn_shipper	yes	no
cncix_site_cust	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_part	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
cncix_site_part	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_part	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_po	yes	no
		cncix_modelyrlr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
oid cncix mstr	yes	oid cncix mstr	yes	no

cncs_mstr Customer Consignment Ship-To/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cncs_shipto_part	yes	cncs_domain	yes	no
		cncs_shipto	yes	no
		cncs_part	yes	no
oid cncs_mstr	yes	oid cncs_mstr	yes	no

cncud_det Customer Consignment Shipment Usage Detail

Field Name	Label	Col-Label	Format	Dec
cncud__qadc01			x(24)	
cncud__qadc02			x(24)	
cncud_aged_date	Aged Date	Aged	99/99/99	
cncud_asn_shipper	Shipper		x(20)	
cncud_cncix_pkey	Primary Key2		>>>>>>>>	
cncud_cncu_pkey	Primary Key1		>>>>>>>>	
cncud_curr	Currency	Cur	x(3)	
cncud_current_loc	Location		x(8)	
cncud_cust_dock	Customer Dock		x(30)	
cncud_domain	Domain		x(8)	
cncud_int_consignment	Internal Consignment		yes/no	
cncud_line_feed	Line Feed		x(30)	
cncud_mod_date	Modified Date	Mod Date	99/99/99	
cncud_mod_userid	User ID		x(8)	
cncud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
cncud_price	Price		>>, >>>, >>9.99<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr	
* cncud_primary_key	no	cncud_domain	yes	no	
		cncud_cncu_pkey	yes	no	
		cncud_cust_dock	yes	no	
		cncud_line_feed	yes	no	
	yes	cncud_domain	yes	no	
		cncud_cncu_pkey	yes	no	
		cncud_cncix_pkey	yes	no	
	cncud_reverse_key	no	cncud_domain	yes	no
			cncud_cncix_pkey	yes	no
			cncud_cncu_pkey	yes	no
oid_cncud_det	yes	oid_cncud_det	yes	no	

Field Name	Label	Col-Label	Format	Dec
cncu__qadc01			x(24)	
cncu__qadc02			x(24)	
cncu_auth	Authorization		x(24)	
cncu_batch	Batch		>>>>>>>>	
cncu_cum_qty	Cum Usage Qty	Cum Usage	->,>>>,>>9.9<<<<<<<<<<	10
cncu_cust	Sold-To		x(8)	
cncu_cust_job	Customer Job		x(30)	
cncu_cust_ref	Customer Reference		x(30)	
cncu_cust_seq	Customer Sequence		x(30)	
cncu_cust_usage_date	Customer Usage Date	Customer! Usage Date	99/99/99	
cncu_cust_usage_ref	Customer Usage Ref	Customer! Usage Ref	x(20)	
cncu_custpart	Customer Item		x(30)	
cncu_domain	Domain		x(8)	
cncu_eff_date	Effective Date	Effective	99/99/99	
cncu_invoice	Invoice		x(8)	
cncu_lotser	Lot/Serial		x(18)	
cncu_manual_qty	Manual Qty		->,>>>,>>9.9<<<<<<<<<<	10
cncu_mod_date	Modified Date	Mod Date	99/99/99	
cncu_mod_userid	User ID		x(8)	
cncu_modelyr	Model Year		x(4)	
cncu_origin	Origin		x(8)	
cncu_part	Item		x(18)	
cncu_pkey	Primary Key		>>>>>>>>	
cncu_po	Customer PO		x(22)	
cncu_ref	Reference	Ref	x(8)	
cncu_selfbill_auth	SelfBill Auth	Self-Bill Authorization	x(24)	
cncu_shipto	Ship-To		x(8)	
cncu_site	Ship-From		x(8)	
cncu_so_nbr	Sales Order	Order	x(8)	
cncu_sod_line	Line		>>>9	
cncu_trans_date	Transaction Date	Transaction	99/99/99	
cncu_trnbr	Trans Nbr		>>>>>>>>	
cncu_usage_qty	Usage Qty		->,>>>,>>9.9<<<<<<<<<<	10
cncu_usage_so_um_conv	Usage SO UM Conv		>>>>>9.9999<<<<	10
cncu_usage_um	Usage UM		x(2)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cncu_batch	no	cncu_domain	yes	no
		cncu_batch	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_lotser	yes	no
		cncu_ref	yes	no
cncu_auth	no	cncu_auth	yes	no
		cncu_domain	yes	no
cncu_invoice	no	cncu_invoice	yes	no
		cncu_domain	yes	no
cncu_order	no	cncu_domain	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
cncu_origin	no	cncu_domain	yes	no
		cncu_origin	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
* cncu_trans_date	yes	cncu_trans_date	yes	no
		cncu_domain	yes	no
cncu_pkey	no	cncu_pkey	yes	no
		cncu_domain	yes	no
cncu_shipfrom	no	cncu_domain	yes	no
		cncu_site	yes	no
cncu_shipto	no	cncu_shipto	yes	no
		cncu_cust_usage_ref	yes	no
cncu_cust_usage_date	no	cncu_cust_usage_date	yes	no
		cncu_so_nbr	yes	no
cncu_sod_line	no	cncu_sod_line	yes	no
		cncu_lotser	yes	no
cncu_ref	no	cncu_ref	yes	no
		cncu_auth	yes	no
cncu_trnbr	no	cncu_domain	yes	no
		cncu_trnbr	yes	no
oid cncu mstr	yes	oid cncu mstr	yes	no

cnc ctrl	Customer Consignment Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cnc_index1	yes	cnc_domain	yes	no
oid_cnc_ctrl	yes	oid_cnc_ctrl	yes	no

cnsix_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cnsix_item_order	no	cnsix_domain	yes	no
		cnsix_part	yes	no
		cnsix_site	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
cnsix_order_line	no	cnsix_domain	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_aged_date	yes	no
* cnsix_primary_key	yes	cnsix_domain	yes	no
		cnsix_pkey	yes	no
cnsix_receiver_ln	no	cnsix_domain	yes	no
		cnsix_receiver	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_lotser	yes	no
		cnsix_ref	yes	no
cnsix_shipper	no	cnsix_domain	yes	no
		cnsix_asn_shipper	yes	no
oid_cnsix_mstr	yes	oid_cnsix_mstr	yes	no

cnss_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cnss_supplier_part	yes	cnss_domain	yes	no
		cnss_supplier	yes	no
		cnss_part	yes	no
oid_cnss_mstr	yes	oid_cnss_mstr	yes	no

cnsud det Supplier Consignment Receipt Usage Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cnsud_cnsu_pkey	no	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_receiver	yes	no
* cnsud_primary_key	yes	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_cnsix_pkey	yes	no
cnsud_reverse_key	no	cnsud_domain	yes	no
		cnsud_cnsix_pkey	yes	no
		cnsud_cnsu_pkey	yes	no
oid cnsud det	yes	oid cnsud det	yes	no

cnsu mstr Supplier Consignment Receipt Usage Master

Field Name	Label	Col-Label	Format	Dec
cnsu__qadc01			x(24)	
cnsu__qadc02			x(24)	
cnsu_batch	Batch		>>>>>>>>	
cnsu_cum_qty	Cum Usage Qty	Cum Usage	->>, >>>, >>>9.9<<<<<<<<<<	10
cnsu_domain	Domain		x(8)	
cnsu_edt_batch	EDI Batch ID		x(24)	
cnsu_eff_date	Effective Date	Effective	99/99/99	
cnsu_export_flag	Exported		yes/no	
cnsu_lotser	Lot/Serial		x(18)	
cnsu_mod_date	Modified Date	Mod Date	99/99/99	
cnsu_mod_userid	User ID		x(8)	
cnsu_part	Item Number		x(18)	
cnsu_pkey	Primary Key		>>>>>>>>	
cnsu_po_nbr	Purchase Order	Order	x(8)	
cnsu_pod_line	Line		>>>9	
cnsu_print_flag	Printed		yes/no	
cnsu_qty_used	Usage Qty		->>, >>>, >>>9.9<<<<<<<<<<	10
cnsu_ref	Reference	Ref	x(8)	
cnsu_site	Site		x(8)	
cnsu_trans_date	Transaction Date	Transaction	99/99/99	

Field Name	Label	Col-Label	Format	Dec
cnsu_trnbr	Trans Nbr		>>>>>>	
cnsu_user1	User Field Character 1		x(24)	
cnsu_user2	User Field Character 2		x(24)	
oid_cnsu_mstr			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
cnsu_batch	no	cnsu_domain	yes	no
		cnsu_batch	yes	no
		cnsu_trnbr	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
		cnsu_lotser	yes	no
cnsu_ref	yes	cnsu_ref	yes	no
		cnsu_ref	yes	no
cnsu_edt_batch	no	cnsu_domain	yes	no
		cnsu_edt_batch	yes	no
cnsu_order	no	cnsu_domain	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
cnsu_part_site	no	cnsu_domain	yes	no
		cnsu_part	yes	no
		cnsu_site	yes	no
* cnsu_primary_key	yes	cnsu_domain	yes	no
		cnsu_pkey	yes	no
cnsu_trnbr	no	cnsu_domain	yes	no
		cnsu_trnbr	yes	no
oid_cnsu_mstr	yes	oid_cnsu_mstr	yes	no

cns_ctrl Supplier Consignment Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cns_index1	yes	cns_domain	yes	no
	oid_cns_ctrl	yes	oid_cns_ctrl	yes	no

CnvXref Temporary Table used for converting SCBA.

Field Name	Label	Col-Label	Format	Dec
CnvXref_ID	Record ID		9999999999	
efas_ID	EFAS ID		->,>>,>>9	
efas5_ID	EFAS ID (5)		->,>>,>>9	
EfasCoCode	Entity (EFAS)		->,>>,>>9	
EfasCode	Code (EFAS)		x(10)	
EfasType	Type (EFAS)		x(10)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	
Profile_ID	Profile		->, >>>, >>9	
ProfileLink_ID	Profile Link		->, >>>, >>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
key_efas_id	no	efas_ID	yes	no
key_efas5_ID	no	efas5_ID	yes	no
Key_efasType	no	EfasType	yes	no
key_log_key	no	EfasCoCode	yes	no
		EfasType	yes	no
		EfasCode	yes	no
Key_profile_id	no	Profile_ID	yes	no
key_profile_link_id	no	ProfileLink_ID	yes	no
◇* Prim	yes	CnvXref_ID	yes	no

COACrossRefCOA Cross Reference

Field Name	Label	Col-Label	Format	Dec
AltCOAStruct_ID	Alternate COA Structure		9999999999	
COACrossRef_ID	COA Cross Reference		9999999999	
COACrossRefCode	Code		x(20)	
COACrossRefDescription	Description		x(40)	
COACrossReflsActive	Active		yes/no	
COACrossRefType	Type		x(20)	
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	999999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceDomain_ID	Source Domain		9999999999	
TargetDomain_ID	Target Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AlternateCOA	no	AltCOAStruct_ID	yes	no
◇ IsActive	no	COACrossReflsActive	yes	no
◇* Prim	yes	COACrossRef_ID	yes	no
TargetDomain	no	TargetDomain_ID	yes	no
◇ Type	no	COACrossRefType	yes	no
◇ Uniq	yes	SourceDomain_ID	yes	no
		COACrossRefCode	yes	no

COACrossRefDetCross Reference Detail

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	Cross Reference		9999999999	
COACrossRefDet_ID	Cross Reference Detail		9999999999	
COACrossRefDetSrcCCFrom	Source Cost Center From		x(20)	
COACrossRefDetSrcCCTo	Source Cost Center To		x(20)	
COACrossRefDetSrcDivFrom	Source Sub-Account From		x(20)	
COACrossRefDetSrcDivTo	Source Sub-Account To		x(20)	
COACrossRefDetSrcGLFrom	Source GL Account From		x(20)	
COACrossRefDetSrcGLTo	Source GL Account To		x(20)	
COACrossRefDetSrcProjFrom	Source Project From		x(20)	
COACrossRefDetSrcProjTo	Source Project To		x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	99999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TargetAltCOAStructDet_ID	Target Alternate COA		9999999999	
TargetCostCentre_ID	Target Cost Center		9999999999	
TargetDivision_ID	Target Sub-Account		9999999999	
TargetGL_ID	Target GL Account		9999999999	
TargetProject_ID	Target Project		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COACrossRefDet_ID	yes	no
TargetAltCOA	no	TargetAltCOAStructDet_ID	yes	no
TargetCC	no	TargetCostCentre_ID	yes	no
TargetDiv	no	TargetDivision_ID	yes	no
TargetGL	no	TargetGL_ID	yes	no
TargetProj	no	TargetProject_ID	yes	no
◇ Uniq	yes	COACrossRef_ID	yes	no
		COACrossRefDetSrcGLFro	yes	no
		m		
		COACrossRefDetSrcGLTo	yes	no
		COACrossRefDetSrcDivFro	yes	no
		m		
		COACrossRefDetSrcDivTo	yes	no
		COACrossRefDetSrcCCFro	yes	no
		m		
		COACrossRefDetSrcCCTo	yes	no
		COACrossRefDetSrcProjFro	yes	no
		m		
		COACrossRefDetSrcProjTo	yes	no

COAMaskCC COA Mask Cost Center

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID	COA Mask Cost Center		9999999999	
COAMaskCCCode	Cost Center COA Mask Code		x(20)	
COAMaskCCDesc	Description		x(40)	
COAMaskCCIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCC_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskCCCode	yes	no

COAMaskCCDivCOA Mask Cost Center Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID	COA Mask CC		9999999999	
COAMaskCCDiv_ID	COA Mask CC Range GL		9999999999	
COAMaskCCDivDescr	Description		x(40)	
COAMaskCCDivFrom	From		x(8)	
COAMaskCCDivIsNeg	Disallowed Range		yes/no	
COAMaskCCDivTo	To		x(8)	
DivSharedSet_ID	Shared Set		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCCDiv_ID	yes	no
◇ SharedSetIdx	no	DivSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskCC_ID	yes	no
		DivSharedSet_ID	yes	no
		COAMaskCCDivFrom	yes	no
		COAMaskCCDivTo	yes	no
		COAMaskCCDivIsNeg	yes	no

COAMaskCCGLCOA Mask Cost Center Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID	COA Mask CC		9999999999	
COAMaskCCGL_ID	COA Mask CC Range GL		9999999999	
COAMaskCCGLDescr	Description		x(40)	
COAMaskCCGLFrom	From		x(8)	
COAMaskCCGLIsNeg	Disallowed Range		yes/no	
COAMaskCCGLTo	To		x(8)	
GLSharedSet_ID	Shared Set		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCCGL_ID	yes	no
◇ SharedSetIdx	no	GLSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskCC_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskCCGLFrom	yes	no
		COAMaskCCGLTo	yes	no
		COAMaskCCGLIsNeg	yes	no

COAMaskDivCOA Mask Sub-Account

Field Name	Label	Col-Label	Format	Dec
COAMaskDiv_ID	COA Mask Sub-Account		9999999999	
COAMaskDivCode	Sub-Account COA Mask Code		x(20)	
COAMaskDivDesc	Description		x(40)	
COAMaskDivIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskDiv_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskDivCode	yes	no

COAMaskDivGLCOA Mask Sub-Account Range GL Account

Field Name	Label	Col-Label	Format	Dec
COAMaskDiv_ID	COA Mask Sub-Account		9999999999	
COAMaskDivGL_ID	Record ID		9999999999	
COAMaskDivGLDescr	Description		x(40)	
COAMaskDivGLFrom	From		x(8)	
COAMaskDivGLIsNeg	Disallowed Range		yes/no	
COAMaskDivGLTo	To		x(8)	
GLSharedSet_ID	Shared Set		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskDivGL_ID	yes	no
◇ SharedSetIdx	no	GLSharedSet_ID	yes	no
◇ UniqueIdx	no	COAMaskDiv_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskDivGLFrom	yes	no
		COAMaskDivGLTo	yes	no
		COAMaskDivGLIsNeg	yes	no

COAMaskProjCOA Mask Project

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID	Record ID		9999999999	
COAMaskProjCode	Project COA Mask Code		x(20)	
COAMaskProjDesc	Description		x(40)	
COAMaskProjIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProj_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskProjCode	yes	no

COAMaskProjCCCOA Mask Project Range Cost Center

Field Name	Label	Col-Label	Format	Dec
CCSharedSet_ID	Shared Set		9999999999	
COAMaskProj_ID	COA Mask Project		9999999999	
COAMaskProjCC_ID	Record ID		9999999999	
COAMaskProjCCDescr	Description		x(40)	
COAMaskProjCCFrom	From		x(8)	
COAMaskProjCCIsNeg	Disallowed Range		yes/no	
COAMaskProjCCTo	To		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProjCC_ID	yes	no
◇ SharedSetIdx	no	CCSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskProj_ID	yes	no
		CCSharedSet_ID	yes	no
		COAMaskProjCCFrom	yes	no
		COAMaskProjCCTo	yes	no
		COAMaskProjCCIsNeg	yes	no

COAMaskProjDivCOA Mask Project Range Sub-Account

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID	COA Mask Project		9999999999	
COAMaskProjDiv_ID	Record ID		9999999999	
COAMaskProjDivDescr	Description		x(40)	
COAMaskProjDivFrom	From		x(8)	
COAMaskProjDivIsNeg	Disallowed Range		yes/no	
COAMaskProjDivTo	To		x(8)	
DivSharedSet_ID	Shared Set		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProjDiv_ID	yes	no
◇ SharedSetIdx	no	DivSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskProj_ID	yes	no
		DivSharedSet_ID	yes	no
		COAMaskProjDivFrom	yes	no
		COAMaskProjDivTo	yes	no
		COAMaskProjDivIsNeg	yes	no

COAMaskProjGLCOA Mask Project Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID	COA Mask Project		9999999999	
COAMaskProjGL_ID	Record ID		9999999999	
COAMaskProjGLDescr	Description		x(40)	
COAMaskProjGLFrom	From		x(8)	
COAMaskProjGLIsNeg	Disallowed Range		yes/no	
COAMaskProjGLTo	To		x(8)	

Field Name	Label	Col-Label	Format	Dec
GLSharedSet_ID	Shared Set		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	COAMaskProjGL_ID	yes	no
◊ SharedSetIdx	no	GLSharedSet_ID	yes	no
◊ Uniquelidx	yes	COAMaskProj_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskProjGLFrom	yes	no
		COAMaskProjGLTo	yes	no
		COAMaskProjGLIsNeg	yes	no

code_mstr Generalized Code Master

Field Name	Label	Col-Label	Format	Dec
code__qadc01			x(8)	
code_cmmt	Comments		x(40)	
code_desc	Description		x(24)	
code_domain	Domain		x(8)	
code_fldname	Field Name		x(32)	
code_group	Group		X(24)	
code_user1	Ufld1		x(8)	
code_user2	Ufld2		x(8)	
code_value	Value		x(8)	
oid_code_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* code_fidval	yes	code_domain	yes	no
		code_fidname	yes	no
		code_value	yes	no
code_group	no	code_group	yes	no
		code_domain	yes	no
		code_fidname	yes	no
		code_value	yes	no
oid_code_mstr	yes	oid_code_mstr	yes	no

comd_det Commodity Code Detail

Field Name	Label	Col-Label	Format	Dec
comd__qadc01	QAD Field		X(8)	0
comd__qadc02	QAD Field		X(8)	0
comd__qadc03	QAD Field		X(8)	0
comd__qadc04	QAD Field		X(8)	0
comd__qadd01			-->>>, >>>, >>9.9<<<<<<<<<	10
comd__qadd02			-->>>, >>>, >>9.9<<<<<<<<<	10
comd__qadi01			>>>>>9	
comd__qadi02			>>>>>>9	
comd__qadi01			yes/no	
comd__qadi02			yes/no	
comd__qadt01			99/99/99	
comd__qadt02			99/99/99	
comd__comm_code	Commodity Code		x(20)	
comd__domain	Domain		x(8)	
comd__part	Item Number		x(18)	
comd__user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
comd_user2	Ufid2		x(8)	
comd_user3			x(8)	
comd_user4			x(8)	
oid_comd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* comd_comm_code	yes	comd_domain	yes	no
		comd_comm_code	yes	no
		comd_part	yes	no
comd_part	yes	comd_domain	yes	no
		comd_part	yes	no
oid_comd_det	yes	oid_comd_det	yes	no

Company Entity

Field Name	Label	Col-Label	Format	Dec
Company_ID	Record ID		9999999999	
CompanyCode	Entity Code		x(20)	
CompanyDescription	Entity Description		x(24)	
CompanyDomain	Domain		x(40)	
CompanyIsActive	Active	Act	yes/no	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LocalisationCode	Localization Code		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CompanyIsActive	yes	no
◇ Code	yes	CompanyCode	yes	no
◇ Domain_FK	no	Domain_ID	yes	no
◇* Prim	yes	Company_ID	yes	no

CompanyPropertyEntity Property

Field Name	Label	Col-Label	Format	Dec
ActCostPostingJournal_ID	Daybook Code		9999999999	
ActSalaryPostingJournal_ID	Daybook Code		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
Company_ID	Link to Company		9999999999	
CompanyProperty_ID	Record ID		9999999999	
CompanyPropertyActCheckp	Activity Sheets Checkpoint		x(20)	
CompanyPropertyActConvFac	Conversion Factor to Minutes		->,>>>,>>9.99	8
CompanyPropertyAutoBalYEFailAc	Auto-balance Action		x(20)	
CompanyPropertyCode	Entity Code		x(20)	
CompanyPropertyDelTax	Delayed Tax		x(20)	
CompanyPropertyDelTaxDateType	Delayed Date Type		x(20)	
CompanyPropertyExchTolAP	AP Exchange Tolerance %		->,>>>,>>9.9999999999	10
CompanyPropertyExchTolAR	AR Exchange Tolerance %		->,>>>,>>9.9999999999	10
CompanyPropertyIsActDurat	Allow Duration		yes/no	
CompanyPropertyIsActive	Active	Act	yes/no	
CompanyPropertyIsAddGLNbr	Additional GL Numbering		yes/no	
CompanyPropertyIsAddNrYrly	Yearly Additional JE Numbering		yes/no	
CompanyPropertyIsAPTaxExcluded	AP Tax Excluded		yes/no	
CompanyPropertyIsARTaxExcluded	AR Tax Excluded		yes/no	
CompanyPropertyIsBudOverCheck	Check Budgets on Overlap		yes/no	
CompanyPropertyIsCompens	Customer/Supplier Compensation allowed		yes/no	
CompanyPropertyIsConsolid	Consolidation Entity		yes/no	
CompanyPropertyIsDelPaid	Delay Until Paid Status		yes/no	
CompanyPropertyIsDocPerInv	Create Payment per Invoice		yes/no	
CompanyPropertyIsGlobalTax	Global Tax		yes/no	
CompanyPropertyIsGrIncAcc	Gross Income Accounting		yes/no	
CompanyPropertyIsOICrossC	Open Item Cross Entity Allowed		yes/no	
CompanyPropertyIsPLReverse	Reverse P&L Revaluations		yes/no	
CompanyPropertyIsPrimary	Primary Entity		yes/no	
CompanyPropertyIsPrintRem	Print Remittance		yes/no	
CompanyPropertyIsSalPost	Salary Posting	Sal	yes/no	

Field Name	Label	Col-Label	Format	Dec
CompanyPropertyIsStockMgt	Stock Management	Stock Mgt	yes/no	
CompanyPropertyIsSuspPaid	Suspend Until Paid Status		yes/no	
CompanyPropertyIsWHT	Use Withholding Tax		yes/no	
CompanyPropertyMirrorSetup	Mirror Setup		x(20)	
CompanyPropertyOINetRestr	Open Item Netting Restriction		x(20)	
CompanyPropertyPriceNumDec	Decimals for Price		->,>>>,>>9	
CompanyPropertyQtyNumDec	Decimals for Qty		->,>>>,>>9	
CompanyPropertyRevRecMinimum	Minimum Percentage of Completion	Min % of Completion	>>9.99	2
CompanyPropertyRevRecThreshold	Forecasted Revenue Threshold		->>>,>>>,>>>,>>9.99	4
CompanyPropertySuspTax	Suspended Tax		x(20)	
CompanyPropertySusTaxDateType	Suspended Date Type		x(20)	
CompanyPropertyUpplimit	Invoice Upper Limit		->>>,>>>,>>>,>>9.99	4
CompanyPropertyWHTNextNb	Next WHT Number		999999999	
CompPropIntercoAPCrGL_ID	Link to GL		->,>>>,>>9	
CompPropIntercoAPDbGL_ID	Link to GL		->,>>>,>>9	
CompPropIntercoARCrCc_ID	Cost Center		9999999999	
CompPropIntercoARCrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoARCrGL_ID	Account		9999999999	
CompPropIntercoARDbCc_ID	Cost Center		9999999999	
CompPropIntercoARDbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoARDbGL_ID	Account		9999999999	
CompPropIntercoFACrCc_ID	Cost Center		9999999999	
CompPropIntercoFACrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoFACrGL_ID	Account		9999999999	
CompPropIntercoFADbCc_ID	Cost Center		9999999999	
CompPropIntercoFADbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoFADbGL_ID	Account		9999999999	
CompPropIntercoICCrCc_ID	Cost Center		9999999999	
CompPropIntercoICCrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoICCrGL_ID	Account		9999999999	
CompPropIntercoICDbCc_ID	Cost Center		9999999999	
CompPropIntercoICDbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoICDbGL_ID	Account		9999999999	
CostSafStructure_ID	Structure Code	Structure	9999999999	
Currency_ID	Base Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	SAF Concept Code		9999999999	
SalarySafStructure_ID	Structure Code	Structure	9999999999	
SharedAddNrCompany_ID	Entity Code		9999999999	
Unit_ID	Time Unit of Measure	Time UM	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CompanyPropertyIsActive	yes	no
BusRelIdx	no	BusinessRelation_ID	yes	no
◇ Code	no	CompanyPropertyCode	yes	no
◇ Company	yes	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ Journal	no	ActCostPostingJournal_ID	yes	no
◇* Prim	yes	CompanyProperty_ID	yes	no
◇ SafStructure	no	CostSafStructure_ID	yes	no
◇ Unit	no	Unit_ID	yes	no

CompanySharedSet Company Shared Set

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
CompanySharedSet_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	CompanySharedSet_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

com_mstr Commodity Code Master

Field Name	Label	Col-Label	Format	Dec
com__log01			yes/no	
com__qad01			x(8)	
com__qad02			x(8)	
com__qad03			yes/no	
com_comm_code	Commodity Code	Com Code	x(20)	
com_desc	Description		x(24)	
com_domain	Domain		x(8)	
com_suppl	Supplementary Units Required	S	yes/no	

Field Name	Label	Col-Label	Format	Dec
com_uom	Supplementary UOM	UOM	x(2)	
com_user1	Ufld1		x(8)	
com_user2	Ufld2		x(8)	
oid_com_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
			a<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* com_comm_code	yes	com_domain	yes	no
		com_comm_code	yes	no
oid com mstr	yes	oid com mstr	yes	no

ConCheck Consistency Check

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
ConCheck_ID	Record ID		9999999999	
ConCheckBatch	Batch Code		x(8)	
ConCheckDuration	Duration		99999	
ConCheckErrCount	Error Count		->,>>>,>>9	
ConCheckIsBatchRun	Execute In Batch		yes/no	
ConCheckIsUpToDate	Up To Date		yes/no	
ConCheckResult	Result		x(20)	
ConCheckSeq	Sequence		->,>>>,>>9	
ConCheckStartDate	Start Date		99/99/9999	
ConCheckStartTime	Start Time		99999	
ConCheckType	Type		x(20)	
ConCheckVersion	Version		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link To Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CyIdx	no	Company_ID	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* Prim	yes	ConCheck_ID	yes	no
◇ UniqIdx	yes	Company_ID	yes	no
		Period_ID	yes	no
		ConCheckType	yes	no
		ConCheckSeq	yes	no

ConCheckLine Consistency Check Line

Field Name	Label	Col-Label	Format	Dec
ConCheck_ID	Con Check		9999999999	
ConCheckLine_ID	Record ID		9999999999	
ConCheckLineDuration	Duration		99999	
ConCheckLineIsSel	Select		yes/no	
ConCheckLineIsUpToDate	Up To Date		yes/no	
ConCheckLineResult	Result		->,>>>,>>9	
ConCheckLineStartDate	Start Date		99/99/9999	
ConCheckLineStartTime	Start Time		99999	
ConCheckLineType	Type		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	

172 ConCheckLineDet

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConChldx	no	ConCheck_ID	yes	no
◇* Prim	yes	ConCheckLine_ID	yes	no
◇ Uniqldx	yes	ConCheck_ID	yes	no
		ConCheckLineType	yes	no

ConCheckLineDetConsistency Check Line Detail

Field Name	Label	Col-Label	Format	Dec
ConCheck_ID	Con Check		9999999999	
ConCheckLine_ID	Con Check Line		9999999999	
ConCheckLineDet_ID	Record ID		9999999999	
ConCheckLineDetDuration	Duration		99999	
ConCheckLineDetErrCount	Error Count		->,>>>,>>9	
ConCheckLineDetResult	Result		->,>>>,>>9	
ConCheckLineDetStartDate	Start Date		99/99/9999	
ConCheckLineDetStartTime	Start Time		99999	
ConCheckLineDetType	Type		x(20)	
ConCheckLineDetVersion	Version		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsChLnIdx	no	ConCheckLine_ID	yes	no
◇* Prim	yes	ConCheckLineDet_ID	yes	no
◇ UniqIdx	yes	ConCheckLine_ID	yes	no
		ConCheckLineDetType	yes	no

Consolid Consolidation

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Record ID		9999999999	
ConsolidCompany_ID	Entity Code		9999999999	
ConsolidDate	Date		99/99/9999	
ConsolidEndTime	End Time		->,>>>,>>9	
ConsolidNumber	Number		->,>>>,>>9	
ConsolidSourceLayerTypCode	Source Layer Type		x(20)	
ConsolidStartTime	Start Time		->,>>>,>>9	
ConsolidStatus	Status		x(20)	
ConsolidTargetLayerTypCode	Target Layer Type		x(20)	
FromPeriod_ID	GL Calendar Year	GL Cal Year	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SourceCompany_ID	Entity Code		9999999999	
ToPeriod_ID	GL Calendar Year	GL Cal Year	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsolidCompanyIdx	no	ConsolidCompany_ID	yes	no
FromPeriodIdx	no	FromPeriod_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇* Prim	yes	Consolid_ID	yes	no
SourceCompanyIdx	no	SourceCompany_ID	yes	no
ToPeriodIdx	no	ToPeriod_ID	yes	no

ConsolidCycleConsolidation Cycle

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity Code		9999999999	
ConsolidCycle_ID	Record ID		9999999999	
ConsolidCycleDefTaxCode	Default Tax Code		x(8)	
ConsolidCyclesWithCostCtr	Cost Center		yes/no	
ConsolidCyclesWithDiv	Sub-Account		yes/no	
ConsolidCyclesWithProject	Project		yes/no	
ConsolidCyclesWithSaf	SAF		yes/no	
ConsolidCycleStatus	Status		x(20)	
CostCentre_ID	Cost Center Code		9999999999	
Division_ID	Sub-Account		9999999999	
GL_ID	Rounding Diff Acc	Rounding Acc	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CompanyUnique	yes	Company_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇* Prim	yes	ConsolidCycle_ID	yes	no
Statusdx	no	ConsolidCycleStatus	yes	no

ConsolidCycleCompanyEntity Consolidation Cycle

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	COA Cross Reference		9999999999	
ConsolidCycle_ID	Link to ConsolidCycle		9999999999	
ConsolidCycleCompany_ID	Record ID		9999999999	
ConsolidCycleCompanyPerc	Percentage		>>9.99	0
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ManagementJournal_ID	Management Daybook Code		9999999999	
OfficialJournal_ID	Official Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SourceCompany_ID	Subsidiary Entity		9999999999	
TransientJournal_ID	Transient Daybook Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	SourceCompany_ID	yes	no
		ConsolidCycle_ID	yes	no
ConsCycl	no	ConsolidCycle_ID	yes	no
ManJrnl	no	ManagementJournal_ID	yes	no
OffJrnl	yes	OfficialJournal_ID	yes	no
◇* Prim	yes	ConsolidCycleCompany_ID	yes	no
SourceCy	no	SourceCompany_ID	yes	no
TranJrnl	no	TransientJournal_ID	yes	no

ConsolidCycleSafConsolidation Cycle Saf

Field Name	Label	Col-Label	Format	Dec
ConsolidCycle_ID	Link to ConsolidCycle		9999999999	
ConsolidCycleSaf_ID	Record ID		9999999999	
ConsolidCycleSafInputSeq	Sequence		->, >>>, >>>9	
ConsolidCycleSafParentType	SAF Parent Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsolidCycle	no	ConsolidCycle_ID	yes	no
◇* Prim	yes	ConsolidCycleSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	ConsolidCycleSafInputSeq	yes	no
		ConsolidCycleSafParentType	yes	no
		ConsolidCycle_ID	yes	no

ConsolidDumpConsolidation Export

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ConsolidDump_ID	Record ID		9999999999	
ConsolidDumpChunkSize	Chunk Size		->,>>>,>>9	
ConsolidDumpCode	Code		x(20)	
ConsolidDumpConsolCCRate	SC Rate		->,>>>,>>9.9999999999	10
ConsolidDumpConsolCCScale	SC Rate Scale		->,>>>,>>9.9999999999	10
ConsolidDumpConsolCompCode	Consolidation Entity	Consol Entity Code	x(20)	
ConsolidDumpConsolRate	Consolidation Rate	Consol Rate	->,>>>,>>9.9999999999	10
ConsolidDumpConsolRteScale	Consolid Scale Factor	Scale Fact	->,>>>,>>9.9999999999	10
ConsolidDumpDate	Export Date		99/99/9999	
ConsolidDumpDirectory	Export Directory		x(255)	
ConsolidDumpsOpeningBal	Include Opening Balance	Incl Opening Balance	yes/no	
ConsolidDumpsWithDetail	Include Detail	Incl Detail	yes/no	
Currency_ID	Statutory Currency	Mgmt Curr	9999999999	
FromPeriod_ID	From GL Period		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OpeningPeriod_ID	Opening GL Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
ToPeriod_ID	To GL Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
FromPeriod	no	FromPeriod_ID	yes	no
◇* Prim	yes	ConsolidDump_ID	yes	no
ToPeriod	no	ToPeriod_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		ConsolidDumpCode	yes	no

ConsolidLayerConsolidation Layer

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Link to Consolid		9999999999	
ConsolidLayer_ID	Record ID		9999999999	
Layer_ID	Source Layer Code	Source Layer	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Consolid	no	Consolid_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇* Prim	yes	ConsolidLayer_ID	yes	no
◇ Uniqueldx	yes	Consolid_ID	yes	no
		Layer_ID	yes	no

ConsolidPeriodXref Consolidation Period Cross-reference

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ConsolidationCompany_ID	Consolidation Entity		9999999999	
ConsolidationPeriod_ID	Consolidation Period	Cons Period	9999999999	
ConsolidPeriodXref_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Source GL Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	Company_ID	yes	no
		ConsolidationCompany_ID	yes	no
		Period_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
ConsolCy	no	ConsolidationCompany_ID	yes	no
ConsolPd	no	ConsolidationPeriod_ID	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* Prim	yes	ConsolidPeriodXref_ID	yes	no

ConsolidPostingXref Consolidation Posting Cross-Reference

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Link to Consolid		9999999999	
ConsolidPostingXref_ID	Record ID		9999999999	
PostingHist_ID	Link to PostingHist		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Consolid	no	Consolid_ID	yes	no
PostHist	no	PostingHist_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	ConsolidPostingXref_ID	yes	no
◇ Uniqueldx	yes	Consolid_ID	yes	no
		PostingLine_ID	yes	no
		PostingHist_ID	yes	no

Contact

Contact

Field Name	Label	Col-Label	Format	Dec
Address_ID	Link to Address		9999999999	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
Contact_ID	Record ID		9999999999	
ContactEmail	E-Mail		x(40)	
ContactFax	Fax		x(20)	
ContactFunction	Function		x(20)	
ContactGender	Gender		x(10)	
ContactInitials	Initials		x(20)	
ContactIsPrimary	Primary Contact	Primary	yes/no	
ContactIsSecondary	Secondary Contact	Secondary	yes/no	
ContactMobilePhone	Mobile Phone	Mobile	x(20)	
ContactName	Name		x(24)	
ContactTelephone	Telephone		x(20)	
ContactTitle	Title		x(10)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
AddressName	yes	Address_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ContactName	yes	no
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
ContactName	no	ContactName	yes	no
◇* Prim	yes	Contact_ID	yes	no

cont_mstr	Container Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cont_type	yes	cont_domain	yes	no
		cont_type	yes	no
oid_cont_mstr	yes	oid_cont_mstr	yes	no

CorporateGroupCorporate Group

Field Name	Label	Col-Label	Format	Dec
CorporateGroup_ID	Record ID		9999999999	
CorporateGroupCode	Group Name		x(20)	
CorporateGroupDescription	Description		x(40)	
CorporateGroupIsActive	Active	Act	yes/no	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	CorporateGroupCode	yes	no
◇* Prim	yes	CorporateGroup_ID	yes	no
◇ ViewIndex	no	CorporateGroupsActive	yes	no
		CorporateGroupCode	yes	no

CostCentre Cost Center

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Budget Group		9999999999	
COAMaskCCProfile_ID	COAMask Profile		9999999999	
CostCentre_ID	Record ID		9999999999	
CostCentreCode	Cost Center		x(4)	
CostCentreDescription	Description		x(24)	
CostCentreIsActive	Active		yes/no	
CostCentreIsStructFromGL	Retrieve SAF Structure from GL	Retrieve Structure from GL	yes/no	
CostCentresWithSaf	SAF Enabled	SAF	yes/no	
CostCentreSafSetOnByUsr_ID	Link to Usr		9999999999	
CostCentreSafSetOnOnDate	SAF Set on Date		99/99/9999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionProfile_ID	Link to Profile		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
Usr_ID	Cost Center Administrator		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskCCProfile_ID	yes	no
◇ Code	no	CostCentreCode	yes	no
◇ IsActive	no	CostCentreIsActive	yes	no
◇* Prim	yes	CostCentre_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		CostCentreCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		CostCentreIsActive	yes	no
		CostCentreCode	yes	no

CostCentreSafDefault Cost Center SAF Default

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Link to CostCentre		9999999999	
CostCentreSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
CostC	no	CostCentre_ID	yes	no
Prim	yes	CostCentreSafDefault_ID	yes	no
Saf	no	Saf_ID	yes	no
SafConc	no	SafConcept_ID	yes	no
Unildx	yes	CostCentre_ID	yes	no
		SafConcept_ID	yes	no

[illegible]

Country

Country

Field Name	Label	Col-Label	Format	Dec
BLWICountry_ID	BLWI Country Code	BLWI Country	9999999999	
Country_ID	Record ID		9999999999	
CountryBLWICode	BLWI Code		x(20)	
CountryCode	Country Code	Country	x(3)	
CountryDescription	Description		x(28)	
CountryFormat	Postal Format		9	
CountryIsActive	Active		yes/no	
CountryIsEUCountry	EU Member	EU	yes/no	
Currency_ID	Currency Code	Country	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CountryIsActive	yes	no
◇ Code	yes	CountryCode	yes	no
◇* Prim	yes	Country_ID	yes	no
◇ ViewIndex	no	CountryIsActive	yes	no
		CountryCode	yes	no

CountryVatFormatCountry Tax Format

Field Name	Label	Col-Label	Format	Dec
Country_ID	Link to Country		9999999999	
CountryVatFormat	Tax Format		x(20)	
CountryVatFormat_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltUniqueldx	yes	CountryVatFormat	yes	no
		Country_ID	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	CountryVatFormat_ID	yes	no

County County

Field Name	Label	Col-Label	Format	Dec
County_ID	Record ID		9999999999	
CountyCode	County Code	County	x(20)	
CountyDescription	Description		x(40)	
CountyIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	CountyCode	yes	no
◇ IsActive	no	CountyIsActive	yes	no
◇* Prim	yes	County_ID	yes	no
◇ ViewIndex	no	CountyIsActive	yes	no
		CountyCode	yes	no

co_ctrl General Ledger (Company) Control

Field Name	Label	Col-Label	Format	Dec
co__qad01	Primary Statement Version	Primary! Stmt Ver	x(8)	
co__qadi01			->>>>>>9	
co__qadl01			yes/no	
co_allow_mod	Allow Changes to Module Transactions	Allow! Mod	yes/no	
co_audglt	GL Transaction Audit Trail		yes/no	
co_bfb_acct	Brought Forward Balance Acct	BFB Acct	x(8)	
co_bfb_cc	Brought Forward Balance CC	BFB CC	x(4)	
co_bfb_desc	Brought Forward Balance Desc		x(20)	
co_bfb_sub	Brought Forward Balance Sub	BFB Sub	x(8)	
co_close_bs	Close Balance Sheet		yes/no	
co_cont_page	Continuous Page Numbers for Post Audit	Cont! Page	yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* co_index1	yes	co_domain	yes	no
oid co_ctrl	yes	oid co_ctrl	yes	no

CPay

Supplier Payment

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CPay_ID	Record ID		9999999999	
CPayConfirmType	Confirm Message Type		x(20)	
CPayTransTpStat	Transaction Type Status		x(20)	
CPayTypeCode	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySellLine_ID	Link to PaySellLine		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDocument	no	CDocument_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CPay_ID	yes	no
◇ TypeCode	no	CPayTypeCode	yes	no

cpcd_det Customer Period Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cpcd_per	yes	cpcd_domain	yes	no
		cpcd_cust	yes	no
		cpcd_year	yes	no
		cpcd_type	yes	no
		cpcd_per	yes	no
oid_cpcd_det	yes	oid_cpcd_det	yes	no

cpc_mstr Customer Period Calendar Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cpc_cust	yes	cpc_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_cpc_mstr	yes	cpc_cust	yes	no
		cpc_year	yes	no
		cpc_type	yes	no
		oid_cpc_mstr	yes	no

cph_hist

Customer/Item Sales History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cph_cust	yes	cph_domain	yes	no
		cph_cust	yes	no
		cph_ship	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
		cph_site	yes	no
cph_part	no	cph_domain	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
* cph_pl	no	cph_domain	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
oid_cph_hist	yes	oid_cph_hist	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* crd_nbrid	yes	crd_domain	yes	no
		crd_category	yes	no
		crd_ca_nbr	yes	no
		crd_itm_line	yes	no
		crd_id	yes	no
oid crd_det	yes	oid crd_det	yes	no

Creditor Supplier

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	BLWI Group		9999999999	
BusinessRelation_ID	Name		9999999999	
CnControlGLProfile_ID	Control GL Profile (Credit Note)		9999999999	
Creditor_ID	Record ID		9999999999	
CreditorBirthCity	Birth City		x(20)	
CreditorBirthDate	Birth Date		99/99/9999	
CreditorCocNumber	Chamber of Commerce Number		x(8)	
CreditorCode	Supplier Code	Supplier	x(8)	
CreditorCommentNote	Comment Note		x(2000)	
CreditorDBNumber	Credit Agency Reference		x(16)	
CreditorDebtorNumber	External Customer Number		x(10)	
CreditorForeignFiscalCode	Foreign Fiscal Code		x(18)	
CreditorIsActive	Active		yes/no	
CreditorIsIndividualPaymnt	Individual Payments		yes/no	
CreditorIsSendRemittance	Send Remittance		yes/no	
CreditorIsTaxable	Taxable Supplier		yes/no	
CreditorIsTaxConfirmed	Tax Confirmed		yes/no	
CreditorIsTaxInCity	Tax in City		yes/no	
CreditorIsTaxIncluded	Tax Is Included		yes/no	
CreditorIsTaxReport	Tax Report		yes/no	
CreditorIsWHT	Withholding Tax		yes/no	
CreditorTaxDeclaration	Tax Declaration		->,>>>,>>9	
CreditorTaxIDFederal	Federal Tax		x(18)	
CreditorTaxIDFiscalCode	Tax ID / Fiscal Code		x(18)	
CreditorTaxIDMisc1	Miscellaneous Tax 1		x(18)	
CreditorTaxIDMisc2	Miscellaneous Tax 2		x(18)	
CreditorTaxIDMisc3	Miscellaneous Tax 3		x(18)	
CreditorTaxIDState	State Tax		x(18)	
CreditorTIDNotice	TID Notice		x(1)	
CreditorType_ID	Supplier Type		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
FinChgGLProfile_ID	Finance Charge GL Profile ID		9999999999	
InvControlGLProfile_ID	Control GL Profile (Invoice)		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalPaymentCondition_ID	Credit Terms		9999999999	
PaymentGroup_ID	Payment Group		9999999999	
PrePayControlGLProfile_ID	Control GL Profile (Pre-payment)		9999999999	
PurchaseCode_ID	Link to PurchaseCode		9999999999	
PurchaseGLProfile_ID	Purchases Account GL Profile		9999999999	
PurchaseType_ID	Purchase Type		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	
VatDeliveryType	Tax Nature		x(20)	
VatPercentageLevel	Tax Level		x(20)	
WHTCertFormat_ID	Link to Withholding Tax Certificate Format		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CnGLControl	no	CnControlGLProfile_ID	yes	no
◇ Code	no	CreditorCode	yes	no
CreditorTax	no	CreditorTaxIDFederal	yes	no
		CreditorIsTaxReport	yes	no
CreditorType	no	CreditorType_ID	yes	no
◇ InvGLControl	no	InvControlGLProfile_ID	yes	no
IsWHT	no	CreditorIsWHT	yes	no
PaymentGroup	no	PaymentGroup_ID	yes	no
◇ PrePayProfile	no	PrePayControlGLProfile_ID	yes	no
◇* Prim	yes	Creditor_ID	yes	no
◇ Relation	no	BusinessRelation_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		CreditorCode	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ViewIndex	no	SharedSet_ID	yes	no
		CreditorIsActive	yes	no
		CreditorCode	yes	no
WHTCert	no	WHTCertFormat_ID	yes	no

CreditorSafDefault Supplier SAF Default

Field Name	Label	Col-Label	Format	Dec
Creditor_ID	Link to Creditor		9999999999	
CreditorSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Creditor	no	Creditor_ID	yes	no
◇* Prim	yes	CreditorSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	Creditor_ID	yes	no
		SafConcept_ID	yes	no

CreditorType Supplier Type

Field Name	Label	Col-Label	Format	Dec
CreditorType_ID	Record ID		9999999999	
CreditorTypeCode	Code		x(4)	
CreditorTypeDescription	Description		x(40)	
CreditorTypeIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	CreditorTypeIsActive	yes	no
◇* Prim	yes	CreditorType_ID	yes	no
◇ UniqueIdx	yes	CreditorTypeCode	yes	no
◇ ViewIndex	no	CreditorTypeIsActive	yes	no
		CreditorTypeCode	yes	no

CreditorVat Supplier Tax

Field Name	Label	Col-Label	Format	Dec
Creditor_ID	Link to Creditor		9999999999	
CreditorVat_ID	Record ID		9999999999	
QADC01			x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
Creditor	no	Creditor_ID	yes	no
Prim	yes	CreditorVat_ID	yes	no
Vat	no	Vat_ID	yes	no

cref_mstr Service/Support Cross-Reference Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cref_item12	yes	cref_domain	yes	no
		cref_ref_type	yes	no
		cref_item1	yes	no
		cref_item2	yes	no
oid_cref_mstr	yes	oid_cref_mstr	yes	no

csa_mstr	Controlled Substance Authority Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csa_auth	yes	csa_domain	yes	no
		csa_auth	yes	no
csa_group	no	csa_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
csa_name	no	csa_group	yes	no
		csa_domain	yes	no
		csa_name	yes	no
oid_csa_mstr	yes	oid_csa_mstr	yes	no

cscp_det

Link table between Period, currency, cost set for Periodic Costing

Field Name	Label	Col-Label	Format	Dec
cscp__qadc01			x(24)	
cscp__qadc02			x(24)	
cscp_mod_date	Modified Date	Mod Date	99/99/99	
cscp_mod_userid	User ID		x(8)	
cscp_user1	User Field Character 1		x(24)	
cscp_user2	User Field Character 2		x(24)	
oid_cs_mstr	Identifier Child Cost Set		>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_cscp_det	Identifier Cost Set Currency Period Link		>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_cu_mstr	Identifier Currency		>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_glccp_det	Identifier Cost Calculation Period		>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
cscp_cost_cal_pd	no	oid_glccp_det	yes	no
cscp_cs_cal_pd_curr	yes	oid_cs_mstr	yes	no
		oid_glccp_det	yes	no
		oid_cu_mstr	yes	no
cscp_currency	no	oid_cu_mstr	yes	no
* oid_cscp_det	yes	oid_cscp_det	yes	no

csc_mstr

Controlled Substance Customer Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
csc_addr_auth	no	csc_domain	yes	no
		csc_addr	yes	no
		csc_auth	yes	no
csc_ctrl_addr	no	csc_domain	yes	no
		csc_ctrl	yes	no
		csc_addr	yes	no
* csc_ctr_auth	yes	csc_domain	yes	no
		csc_ctr_code	yes	no
		csc_auth	yes	no
		csc_addr	yes	no
oid_csc_mstr	yes	oid_csc_mstr	yes	no

Service/Support Call Skill Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* csd_nbrprob	yes	csd_domain	yes	no
		csd_category	yes	no
		csd_ca_nbr	yes	no
		csd_line	yes	no
	yes	csd_domain	yes	no
		csd_category	yes	no
		csd_ca_nbr	yes	no
		csd_problem	yes	no
oid_csd_det	yes	oid_csd_det	yes	no

Controlled Substance Item Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* csid_	no	csid_domain	yes	no
		csid_ctrl	yes	no
		csid_part	yes	no
	yes	csid_domain	yes	no
		csid_ctype_code	yes	no
		csid_auth	yes	no
		csid_ctrl	yes	no
		csid_part	yes	no
csid_part_auth	yes	csid_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		csid_part	yes	no
		csid_ctry_code	yes	no
		csid_auth	yes	no
oid_csid_det	yes	oid_csid_det	yes	no

csil mstr Controlled Substance Individual License Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csil_ctype_auth	no	csil_domain	yes	no
		csil_addr4	yes	no
		csil_licen	yes	no
	yes	csil_domain	yes	no
		csil_ctype_code	yes	no
		csil_auth	yes	no
		csil_licen	yes	no
csil_licen	no	csil_domain	yes	no
		csil_licen	yes	no
oid csil mstr	yes	oid csil mstr	yes	no

csim mstr Controlled Substance Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csim_pty_auth	no	csim_domain	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no
	yes	csim_domain	yes	no
		csim_pty_code	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
csim_desc	no	csim_domain	yes	no
		csim_auth	yes	no
		csim_desc	yes	no
oid_csim_mstr	yes	oid_csim_mstr	yes	no

csld det

Controlled Substance Individual License Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csld_ctry_auth	yes	csld_domain	yes	no
		csld_ctry_code	yes	no
		csld_auth	yes	no
		csld_licen	yes	no
		csld_part	yes	no
csld_licen_part	no	csld_domain	yes	no
		csld_licen	yes	no
		csld_part	yes	no
csld_part_licen	no	csld_domain	yes	no
		csld_part	yes	no
		csld_licen	yes	no
oid_csld_det	yes	oid_csld_det	yes	no

cslm mstr

Controlled Substance General License Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	cslm_ctrl_licen	no	cslm_domain	yes	no
			cslm_ctrl	yes	no
			cslm_licen	yes	no
*	cslm_ctry_auth	yes	cslm_domain	yes	no
			cslm_ctry_code	yes	no
			cslm_auth	yes	no
			cslm_licen	yes	no

cssi_det

cst mstr

Fixed Asset Custodian Master

Field Name	Label	Col-Label	Format	Dec
cst__qad01			x(8)	
cst__qad02			x(8)	
cst_cust	Custodian		x(12)	
cst_desc	Description		x(30)	
cst_user1	Ufld1		x(8)	
cst_user2	Ufld2		x(8)	
oid_cst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cst_cust	yes	cst_cust	yes	no
cst_desc	no	cst_desc	yes	no
		cst_cust	yes	no
oid cst mstr	yes	oid cst mstr	yes	no

cs mstr

Cost Set Master

Field Name	Label	Col-Label	Format	Dec
cs_qadc01			x(8)	
cs_desc	Description		x(24)	
cs_domain	Domain		x(8)	
cs_method	Costing Method	Mthd	x(4)	
cs_pc_costset	Periodic Costing Default costset		yes/no	
cs_set	Cost Set		x(18)	
cs_set_isparent	Parent Costset		yes/no	
cs_type	Cost Set Type	Type	x(4)	
cs_user1	Ufld1		x(8)	
cs_user2	Ufld2		x(8)	
oid_cs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_cs_mstr_parent	Identifier of Parent Cost Set		>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cs_set	yes	cs_domain	yes	no
		cs_set	yes	no
cs_type	yes	cs_domain	yes	no
		cs_type	yes	no
		cs_set	yes	no
oid_cs_mstr	yes	oid_cs_mstr	yes	no

ctd det

Credit Terms Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ctd_cdseq	yes	ctd_domain	yes	no
		ctd_code	yes	no
		ctd_seq	yes	no
oid_ctd_det	yes	oid_ctd_det	yes	no

ctg_mstr Category Master

Field Name	Label	Col-Label	Format	Dec
ctg__qadc01			x(30)	
ctg__qadc02			x(30)	
ctg_category	Category		X(20)	
ctg_mod_date	Modified Date	Mod Date	99/99/99	
ctg_mod_userid	User ID		x(8)	
ctg_user1	User Field Character 1		x(24)	
ctg_user2	User Field Character 2		x(24)	
ctg_value	Value		X(24)	
oid_ctg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ctg_value	yes	ctg_category	yes	no
		ctg_value	yes	no
oid_ctg_mstr	yes	oid_ctg_mstr	yes	no

ctry_mstr	Country Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	ctry_code1	no	ctry_code1	yes	no
	ctry_country	yes	ctry_country	yes	no
*	ctry_ctry_code	yes	ctry_ctry_code	yes	no
	ctry_ec_flag	no	ctry_ec_flag	yes	no
	oid_ctry_mstr	yes	oid_ctry_mstr	yes	no

Credit Terms Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ct_code	yes	ct_domain	yes	no
		ct_code	yes	no
ct_desc	yes	ct_domain	yes	no
		ct_desc	yes	no
		ct_code	yes	no
oid ct_mstr	yes	oid ct_mstr	yes	no

Currency

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Record ID		9999999999	
CurrencyCode	Currency Code	Curr	x(3)	
CurrencyDecimalDescription	Decimals Description		x(24)	
CurrencyDescription	Currency Description	Curr Desc	x(24)	
CurrencyIsActive	Active	Act	yes/no	
CurrencyNumberOfDecimals	Number of Decimals	Decimals	->,>>>,>>9	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>,>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>,>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AddrStatus	yes	Domain	yes	no
			Addr	yes	no
			InvStatus	yes	no
	oid_CustInventM	yes	oid_CustInventM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

CustPartM Warehousing Customer/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AddrPart	yes	Domain	yes	no
		Addr	yes	no
		Part	yes	no
oid_CustPartM	yes	oid_CustPartM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Currency Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cu_curr	yes	cu_curr	yes	no
oid_cu_mstr	yes	oid_cu_mstr	yes	no

Destination Application List Detail

Field Name	Label	Col-Label	Format	Dec
dald_chr01			x(8)	
dald_chr02			x(8)	
dald_dec01			->>>, >>>, >>9.99<	10
dald_dec02			->>>, >>>, >>9.99<	10
dald_dte01			99/99/99	
dald_dte02			99/99/99	
dald_int01			->>>, >>>, >>9	
dald_int02			->>>, >>>, >>9	
dald_log01			yes/no	
dald_log02			yes/no	
dald_qadc01			x(8)	
dald_qadc02			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
dald_appid_dtin	no	dald_domain	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
* dald_list_appid_dtin	yes	dald_domain	yes	no
		dald_list_id	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
oid dald det	yes	oid dald det	yes	no

dal mstr

Destination Application List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dal_list_id	yes	dal_domain	yes	no
		dal_list_id	yes	no
oid_dal_mstr	yes	oid_dal_mstr	yes	no

DBalance Customer Balance

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Currency_ID	Link to Currency		9999999999	
DBalance_ID	Record ID		9999999999	
DBalanceCC	SC Balance		->>>,>>>,>>>,>>9.99	4
DBalanceLC	BC Balance		->>>,>>>,>>>,>>9.99	4
DBalanceTC	TC Balance		->>>,>>>,>>>,>>9.99	4
Debtor_ID	Link to Debtor		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
DebtorAndCurrAndCompany	yes	Company_ID	yes	no
		Debtor_ID	yes	no
		Currency_ID	yes	no
◇* Prim	yes	DBalance_ID	yes	no

dbm_mstr Database Revision Control Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dbs_rev	yes	dbs_major	no	no
		dbs_minor	no	no
oid dbs mstr	yes	oid dbs mstr	yes	no

DCollection Customer Payment Selection

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CreationUsr_ID	Link to Usr		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DCollection_ID	Record ID		9999999999	
DCollectionBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditLC	BC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitLC	BC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBankFileFormat	Bank File Format		x(20)	
DCollectionCreationDate	Creation Date		99/99/9999	
DCollectionCreationTime	Creation Time		999999	
DCollectionIncSelCodeList	Customer Payment Selection Code		X(2000)	
DCollectionIsAutomatic	Automatic		yes/no	
DCollectionIsExecuted	Executed		yes/no	
DCollectionIsOpen	Open		yes/no	
DCollectionName	Name		x(40)	
DCollectionNumber	Number		->, >>>, >>9	
DCollectionOrigCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigCreditLC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitTC	TC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionReference	1099 Box Reference	Reference	x(40)	
DCollectionRequestedDate	Requested Date		99/99/9999	
DCollectionYear	Year/Customer Payment Selection Code	Year	->, >>>, >>9	
DPaySel_ID	Link to DPaySel		9999999999	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ DCollRef	no	DCollectionReference	yes	no
◇ DPaySel	no	DPaySel_ID	yes	no
◇ GL	no	GL_ID	yes	no
IsExec	no	DCollectionIsExecuted	yes	no
◇ IsOpen	no	DCollectionIsOpen	yes	no
◇* Prim	yes	DCollection_ID	yes	no
◇ UniquelIdx	yes	Company_ID	yes	no
		DCollectionYear	yes	no
		DCollectionNumber	yes	no

DCollectionExportCustomer Payment Selection Export

Field Name	Label	Col-Label	Format	Dec
DCollection_ID	Link to DCollection		9999999999	
DCollectionExport_ID	Record ID		9999999999	
DCollectionExportDate	Export Date		99/99/9999	
DCollectionExportFile	File Name		x(255)	
DCollectionExportFolder	Folder		x(255)	
DCollectionExportIsDuplic	Duplicate		yes/no	
DCollectionExportSpilDate	Requested Date		99/99/9999	
DCollectionExportTime	Export Time		->,>>>,>>9	
DCollectionExportType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DCollection	no	DCollection_ID	yes	no
◇* Prim	yes	DCollectionExport_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

dc_mstr Database Connection Master

Field Name	Label	Col-Label	Format	Dec
dc__chr01			x(8)	
dc__chr02			x(8)	
dc__qadc01			x(8)	
dc__qadc02			x(8)	
dc__qadl01			yes/no	
dc__qadl02			yes/no	
dc_active	Active	Act	yes/no	
dc_cmindx	Comment Index	Comment	>>>>>>9	
dc_desc	Description		x(24)	
dc_dir	Database Directory		x(50)	
dc_host	Host		x(24)	
dc_name	Database Name	DB name	x(8)	
dc_network	Network		x(8)	
dc_parmfile	Parameter File	ParmFile	x(8)	
dc_phy_name	Physical Database Name	Phys DB Name	x(12)	

Field Name	Label	Col-Label	Format	Dec
dc_server	Server		x(24)	
dc_type	Type		x(8)	
dc_use_app	Use AppServer		yes/no	
dc_user1	Ufld1		x(8)	
dc_user2	Ufld2		x(8)	
oid_dc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dc_name	yes	dc_name	yes	no
	oid_dc_mstr	yes	oid_dc_mstr	yes	no

DDocInvoiceXrefStageCustomer Payment Invoice Xref Stage

Field Name	Label	Col-Label	Format	Dec
DDocInvoiceXrefStage_ID	Record ID		9999999999	
DDocInvoiceXrefStageAlloTC	Stage TC Allocated		->>>, >>>, >>>, >>9.99	4
DDocInvoiceXrefStageDiscTC	Stage TC Discount		->>>, >>>, >>>, >>9.99	4
DDocInvoiceXrefStagePaidAmtTC	TC Paid Amount		->>>, >>>, >>>, >>9.99	4
DDocumentInvoiceXref_ID	Link to DDocumentInvoiceXref		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DiStage	no	DInvoiceStage_ID	yes	no
◇ InvXref	no	DDocumentInvoiceXref_ID	yes	no
◇* Prim	yes	DDocInvoiceXrefStage_ID	yes	no
◇ UniqueId	yes	DDocumentInvoiceXref_ID	yes	no
		DInvoiceStage_ID	yes	no

DDocument Customer Payment

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
Company_ID	Link to Company		9999999999	
CreationUsr_ID	Login		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DCollection_ID	Link to DCollection		9999999999	
DDocument_ID	Record ID		9999999999	
DDocumentBankImpRef	Bank Importing Reference		x(255)	
DDocumentCCRate	SC Rate		->, >>>, >>9.9999999999	10
DDocumentCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
DDocumentClosingDate	Closing Date		99/99/9999	
DDocumentCreationDate	Creation Date		99/99/9999	
DDocumentCreationTime	Creation Time		999999	
DDocumentDueDate	Due Date		99/99/9999	
DDocumentExchangeRate	Exchange Rate		->, >>>, >>9.99	10
DDocumentIncassoSelectCode	Payment Selection Code		x(20)	
DDocumentIsOpen	Open		yes/no	
DDocumentLastPrintDate	Last Printed Date		99/99/9999	
DDocumentNumber	Document Number	Doc No	9999999999	
DDocumentOriginalCreditBC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditLC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitBC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitTC	Amount		->>>, >>>, >>>, >>9.99	4
DDocumentRateScale	Scale Factor		->, >>>, >>9.99	10
DDocumentReference	Reference		x(40)	
DDocumentStatus	Status		x(20)	
DDocumentSubType	Subtype		x(20)	

Field Name	Label	Col-Label	Format	Dec
DDocumentTimesPrinted	Times Printed		>>9	
DDocumentTransTpStat	Transaction Type Status		x(20)	
DDocumentType	Payment Instrument		x(20)	
DDocumentValueDays	Value Days		>>9	
DDocumentYear	Year/Number	Year	9999	
Debtor_ID	Customer		9999999999	
DPaySel_ID	Link to DPaySel		9999999999	
GL_ID	Bank Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ClosingDate	no	DDocumentClosingDate	yes	no
◇ CollectionIdx	no	DCollection_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ CyDateIdx	no	Company_ID	yes	no
		DDocumentClosingDate	yes	no
CyDebDateIdx	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DDocumentClosingDate	yes	no
DebtorIdx	no	Debtor_ID	yes	no
IncassoSelCode	no	DDocumentIncassoSelectCo	yes	no
		de		
◇ IsOpenIdx	no	DDocumentIsOpen	yes	no
◇* Prim	yes	DDocument_ID	yes	no
Reference	no	DDocumentReference	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		DDocumentType	yes	no
		DDocumentYear	yes	no
		DDocumentNumber	yes	no

DDocumentInvoiceXrefCustomer Payment Invoice Cross-Reference

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Link to DDocument		9999999999	
DDocumentInvoiceXref_ID	Record ID		9999999999	
DDocumentInvoiceXrefAlloTC	TC Allocated Amount		->>>,>>>,>>>,>>9.99	4
DDocumentInvoiceXrefDiscTC	TC Discount Amount		->>>,>>>,>>>,>>9.99	4
DDocumentInvoiceXrefIntTC	TC Interest Amount		->>>,>>>,>>>,>>9.99	4
DDocumentInvoiceXrefPaidAmtTC	TC Paid Amount		->>>,>>>,>>>,>>9.99	4
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Document	no	DDocument_ID	yes	no
◇ Invoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DDocumentInvoiceXref_ID	yes	no

DDocumentPayCodeCustomer Payment Payment Code

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Link To DDocument		9999999999	
DDocumentPayCode_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
PayFormatTypeCode	Payment Form Code		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DDocument	no	DDocument_ID	yes	no
◇* Prim	yes	DDocumentPayCode_ID	yes	no

DDocumentPostingLineCustomer Payment Posting Line

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Link to DDocument		9999999999	
DDocumentPostingLine_ID	Record ID		9999999999	
DDocumentStatus	Customer Payment Status		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DDoc	no	DDocument_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DDocumentPostingLine_ID	yes	no
◇ Unilidx	yes	DDocument_ID	yes	no
		PostingLine_ID	yes	no

DDocumentStatusCustomer Payment Status

Field Name	Label	Col-Label	Format	Dec
BankGL_ID	Bank Account Code		9999999999	
Company_ID	Link to Company		9999999999	
DDocumentStatus_ID	Record ID		9999999999	
DDocumentStatusDefValDays	Default Value Days		>>9	
DDocumentStatusDocType	Payment Instrument		x(20)	
DDocumentStatusStatus	Status		x(20)	
GL_ID	GL Account		9999999999	
Journal_ID	Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankGL	no	BankGL_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	DDocumentStatus_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Uniqueldx	yes	Company_ID	yes	no
		DDocumentStatusDocType	yes	no
		DDocumentStatusStatus	yes	no
		BankGL_ID	yes	no

Debtor

Customer

Field Name	Label	Col-Label	Format	Dec
BillToDebtor_ID	Bill-To Customer	Bill-To	9999999999	
BLWIGroup_ID	BLWI Group Code	BLWI Group	9999999999	
BusinessRelation_ID	Business Relation	Business Relation Code	9999999999	
CnControlGLProfile_ID	Control GL Profile (Credit Note)		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Record ID		9999999999	
DebtorCode	Customer Code		x(8)	
DebtorCommentNote	Comment Note		x(2000)	
DebtorCreditRating_ID	Credit Rating		9999999999	
DebtorDBNumber	Credit Agency Reference	Credit Agency Ref	x(12)	
DebtorFixedCredLimTC	Fixed Credit Limit		->>>,>>>,>>>,>>9.99	4
DebtorHighCredit	High Credit		->>>,>>>,>>>,>>9.99	4
DebtorHighCreditDate	High Credit Date		99/99/9999	
DebtorIsActive	Active		yes/no	
DebtorIsCheckAftDICredLim	Calculate after Invoice Entry		yes/no	
DebtorIsCheckAftSOCredLim	Calculate after Order Entry		yes/no	
DebtorIsCheckBefDICredLim	Calculate before Invoice Entry		yes/no	
DebtorIsCheckBefSOCredLim	Calculate before Order Entry		yes/no	
DebtorIsFinanceCharge	Finance Charge		yes/no	
DebtorIsFixedCredLim	Apply Fixed Ceiling		yes/no	

Field Name	Label	Col-Label	Format	Dec
DebtorIsInclDraftCredLim	Include Drafts		yes/no	
DebtorIsInclOpenItmCredLim	Include Open Items		yes/no	
DebtorIsInclSOCredLim	Include Sales Orders		yes/no	
DebtorIsInvoiceByAuth	Invoice by Authorization		yes/no	
DebtorIsLockedCredLim	Credit Hold		yes/no	
DebtorIsMaxDaysDueCredLim	Maximum Days Overdue		yes/no	
DebtorIsOverrideDICredLim	Override Allowed		yes/no	
DebtorIsOverrideSOCredLim	Override Allowed		yes/no	
DebtorIsPrintReminder	Print Reminder		yes/no	
DebtorIsPrintStatement	Print Statement		yes/no	
DebtorIsTaxable	Taxable Customer		yes/no	
DebtorIsTaxInCity	Tax in City		yes/no	
DebtorIsTaxIncluded	Tax Is Included		yes/no	
DebtorIsToBeLockedCredLim	Credit Hold on Overrun		yes/no	
DebtorIsTurnOverCredLim	Apply % of Turnover		yes/no	
DebtorIsWithPreInvGroup	Customer is Member of Pre-Invoice Group		yes/no	
DebtorLastCreditReview	Last Credit Review		99/99/9999	
DebtorLastCreditUpdate	Last Credit Update		99/99/9999	
DebtorLastFinChargeDate	Last Finance Charge Date		99/99/9999	
DebtorLastPayment	Last Payment Date		99/99/9999	
DebtorLastSale	Last Sale Date		99/99/9999	
DebtorMaxNumDaysCredLim	Maximum Number of Days		>>9	
DebtorPercTurnOverCredLim	Percentage of Turnover		->,>>>,>>9.99	2
DebtorPercWarningCredLim	Warning Ceiling %		->,>>>,>>9.99	2
DebtorSalesOrderBalance	Sales Order Balance		->>>,>>>,>>>,>>9.99	4
DebtorStatementCycle	Statement Cycle		x(4)	
DebtorTaxDeclaration	Tax Declaration		->,>>>,>>9	
DebtorTaxIDFederal	Federal Tax		x(18)	
DebtorTaxIDMisc1	Miscellaneous Tax 1		x(18)	
DebtorTaxIDMisc2	Miscellaneous Tax 2		x(18)	
DebtorTaxIDMisc3	Miscellaneous Tax 3		x(18)	
DebtorTaxIDState	State Tax		x(18)	
DebtorTotalDaysLate	Total Days Late		->,>>>,>>9	
DebtorTotalNbrOfInvoices	Nbr of Paid Invoices		->,>>>,>>9	
DebtorType_ID	Customer Type		9999999999	
DeductionCtrlGLProfile_ID	Link to Deduction Profile		9999999999	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
DomiciliationNumber	Domiciliation Number		999999999999	
FinChgGLProfile_ID	Finance Charge Profile		9999999999	
InvControlGLProfile_ID	Control GL Profile (Invoice)		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
ObsoleteCheckAftPICredLim	Check after Pre-Invoice Entry		yes/no	
ObsoleteCheckBefPICredLim	Check before Pre-Invoice Entry		yes/no	
ObsoleteGroupingSOOnPreInv	Group Customer's SO on Pre-Invoice	Group on Pre-Invoice	yes/no	
ObsoleteInclPreInvCredLim	Include Pre-Invoices		yes/no	
ObsoleteOverridePICredLim	Override Allowed		yes/no	
ObsoletePreInvGroup_ID	Link to PreInvGroup		9999999999	
PaymentGroup_ID	Payment Group		9999999999	
PrePayControlGLProfile_ID	Control GL Profile (Pre-payment)		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
SalesAccountGLProfile_ID	Sales Account GL Profile		9999999999	
SalesCode_ID	Link to SalesCode		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	
VatDeliveryType	Tax Nature		x(20)	
VatPercentageLevel	Tax Level		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CnGLControl	no	CnControlGLProfile_ID	yes	no
◇ Code	no	DebtorCode	yes	no
DebtorType	no	DebtorType_ID	yes	no
◇ DeductProfile	no	DeductionCtrlGLProfile_ID	yes	no
◇ InvGLControl	no	InvControlGLProfile_ID	yes	no
◇ PrepayProfile	no	PrePayControlGLProfile_ID	yes	no
◇* Prim	yes	Debtor_ID	yes	no
◇ Relation	no	BusinessRelation_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		DebtorCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		DebtorIsActive	yes	no
		DebtorCode	yes	no

DebtorCreditRatingCustomer Credit Rating

Field Name	Label	Col-Label	Format	Dec
DebtorCreditRating_ID	Record ID		9999999999	
DebtorCreditRatingCode	Code		x(8)	
DebtorCreditRatingDescript	Description		x(40)	
DebtorCreditRatingIsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	DebtorCreditRatingCode	yes	no
◇* Prim	yes	DebtorCreditRating_ID	yes	no

DebtorEndUserCustomer End User

Field Name	Label	Col-Label	Format	Dec
Address_ID	City		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer Code		9999999999	
DebtorEndUser_ID	Record ID		9999999999	
DebtorEndUserCode	End User Code		x(8)	
DebtorEndUserIsDebtor	Link to Customer		yes/no	
DebtorEndUserIsShipTo	Link to Ship-to Address		yes/no	
DebtorEndUserName	End User Name		x(36)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorEndUser_ID	yes	no
◇ UniqueIdx	yes	DebtorEndUserCode	yes	no
		SharedSet_ID	yes	no

DebtorSafDefaultCustomer SAF Default

Field Name	Label	Col-Label	Format	Dec
Debtor_ID	Link to Debtor		9999999999	
DebtorSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	Debtor_ID	yes	no
		SafConcept_ID	yes	no

DebtorShipToCustomer Ship-To

Field Name	Label	Col-Label	Format	Dec
Address_ID	City		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer Code		9999999999	
DebtorEndUser_ID	End User Code		9999999999	
DebtorShipTo_ID	Record ID		9999999999	
DebtorShipToCode	Ship-To Code		x(8)	
DebtorShipToIsDebtor	Link to Another Customer		yes/no	
DebtorShipToName	Ship-To Name		x(36)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorShipTo_ID	yes	no
◇ UniqueIdx	yes	DebtorShipToCode	yes	no
		SharedSet_ID	yes	no

Field Name	Label	Col-Label	Format	Dec
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
DeductionCat_ID	Record ID		9999999999	
DeductionCatCode	Deduction Category Code	County	x(20)	
DeductionCatDescription	Description		x(40)	
DeductionCatIsActive	Active		yes/no	
DeductionCatIsAllowCredit	Approve Credit		yes/no	
DeductionCatIsAllowWriteOff	Approve Write-off		yes/no	
DeductionCatType	Type	County	x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PendingDeductionReason_ID	Link to PendingDeductionReason		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RejectedDeductionReason_ID	Link to RejectedDeductionReason		9999999999	
Role_ID	Link to Role		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ApReason	no	ApprovedDeductionReason_ID	yes	no
◇ Code	yes	DeductionCatCode	yes	no
◇ IsActive	no	DeductionCatIsActive	yes	no
PeReason	no	PendingDeductionReason_ID	yes	no
◇* Prim	yes	DeductionCat_ID	yes	no
ReReason	no	RejectedDeductionReason_ID	yes	no
◇ RoleIdx	no	Role_ID	yes	no

DeductionCatLineDeduction Category Line

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Link to CostCentre		9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
DeductionCat_ID	Link to DeductionCat		9999999999	
DeductionCatLine_ID	Record ID		9999999999	
DeductionCatLineIsAutoWOff	Auto Write-off		yes/no	
DeductionCatLineWOffLimit	Write-off Limit	County	->, >>>, >>9.99	0
Division_ID	Link to Division		9999999999	
Domain_ID	Link to Doamin		9999999999	
ExpenseJournal_ID	Link to ExpenseJournal		9999999999	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RechargeJournal_ID	Link to RechargeJournal		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	
WriteOffCompany_ID	Link to WriteOff Company		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Cat	no	DeductionCat_ID	yes	no
CC	no	CostCentre_ID	yes	no
◇ Cy	no	WriteOffCompany_ID	yes	no
◇ Div	no	Division_ID	yes	no
Domain	no	Domain_ID	yes	no
ExpJrnl	no	ExpenseJournal_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	DeductionCatLine_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
RecJrnl	no	RechargeJournal_ID	yes	no
◇ SafStr	no	SafStructure_ID	yes	no
◇ Unildx	yes	Domain_ID	yes	no
		DeductionCat_ID	yes	no

DeductionCatLineSafDeduction Category Line Saf

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
DeductionCatLine_ID	Link to DeductionCatLine		9999999999	
DeductionCatLineSaf_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CLine	no	DeductionCatLine_ID	yes	no
◇* Prim	yes	DeductionCatLineSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ Unildx	yes	DeductionCatLine_ID	yes	no
		Saf_ID	yes	no

Data Entry Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* ded_keys_fld	yes	ded_domain	yes	no
		ded_document	yes	no
		ded_key1	yes	no
		ded_key2	yes	no
		ded_line_nbr1	yes	no
		ded_line_nbr2	yes	no
		ded_field_name	yes	no
oid_ded_det	yes	oid_ded_det	yes	no

Data Entry Extension Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* deed_ext_prof	yes	deed_domain	yes	no
		deed_document	yes	no
		deed_extension	yes	no
		deed_profile	yes	no
oid_deed_det	yes	oid_deed_det	yes	no

Data Entry Extension Master

Field Name	Label	Col-Label	Format	Dec
dee_mod_userid	User ID		x(8)	
dee_user1	User Field Character 1		x(24)	
dee_user2	User Field Character 2		x(24)	
oid_dee_mstr			>>>>>>>>>>>>>>>>>>>>>>>>9	10
			a<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dee_ext	yes	dee_domain	yes	no
		dee_document	yes	no
		dee_extension	yes	no
oid dee_mstr	yes	oid dee_mstr	yes	no

defc det

Data Entry Frame Sequence Condition Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* defc_cond	yes	defc_domain	yes	no
		defc_document	yes	no
		defc_profile	yes	no
		defc_frame_nbr	yes	no
		defc_direction	yes	no
		defc_cond_set_nbr	yes	no
		defc_cond_nbr	yes	no
oid defc det	yes	oid defc det	yes	no

defdet

Data Entry Frame Detail

Field Name	Label	Col-Label	Format	Dec
defd__qadc01			x(24)	
defd__qadc02			x(24)	
defd_document	Document		x(16)	
defd_domain	Domain		x(8)	
defd_frame_nbr	Frame Number	Frm	>>9	
defd_mod_date	Modified Date	Mod Date	99/99/99	
defd_mod_userid	User ID		x(8)	
defd_profile	Profile		x(16)	

Field Name	Label	Col-Label	Format	Dec
defd_title_term	Frame Title Term		x(40)	
defd_user1	User Field Character 1		x(24)	
defd_user2	User Field Character 2		x(24)	
oid_defd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* defd_prof_frm	yes	defd_domain	yes	no
		defd_document	yes	no
		defd_profile	yes	no
		defd_frame_nbr	yes	no
oid_defd_det	yes	oid_defd_det	yes	no

deff_det Data Entry Frame Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* deff_fld	yes	deff_domain	yes	no
		deff_document	yes	no
		deff_profile	yes	no
		deff_frame_nbr	yes	no
		deff_field_nbr	yes	no
oid deff_det	yes	oid deff_det	yes	no

defl_det	Data Entry Field Detail

Field Name	Label	Col-Label	Format	Dec
defl_qadc01			x(24)	
defl_qadc02			x(24)	
defl_active	Active		yes/no	
defl_default_value	Default Value		x(40)	
defl_document	Document		x(16)	
defl_domain	Domain		x(8)	
defl_extension	Extension		x(16)	
defl_field_name	Field Name		x(24)	
defl_format	Format		x(40)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
defl_ext_fld	no	defl_domain	yes	no
		defl_document	yes	no
		defl_extension	yes	no
		defl_field_name	yes	no
* defl_fld	yes	defl_domain	yes	no
		defl_document	yes	no
		defl_field_name	yes	no
oid_defl_det	yes	oid_defl_det	yes	no

defr det

Service Contract Deferred/Accrued Revenue Detail

Field Name	Label	Col-Label	Format	Dec
defr__qadc01			x(24)	
defr__qadc02			x(24)	
defr__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
defr__qadi01			->>>>>>>9	
defr__qadi01			yes/no	
defr__qadt01			99/99/99	
defr_accr_amt	Accrued Amount		->>>>, >>>, >>9.99<	10
defr_acct	Deferred Revenue	Deferred	x(8)	
defr_amt_type	Amount Type	AT	x(1)	
defr_bill_to	Bill To		x(8)	
defr_cc	Deferred Revenue CC		x(4)	
defr_curr	Currency	Cur	x(3)	
defr_cust	Customer		x(8)	
defr_domain	Domain		x(8)	
defr_dsc_acct	Discount Acct		x(8)	
defr_dsc_cc	Discount CC		x(4)	
defr_dsc_project	Project		x(8)	
defr_dsc_sub	Discount Sub-Acct		x(8)	
defr_eff_date	Effective Date	Eff Date	99/99/99	
defr_entity	Entity	Enty	x(20)	
defr_eu_nbr	End User		x(8)	
defr_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
defr_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
defr_ex_ratetype	Rate Type		x(8)	
defr_exru_seq	Sequence		>>>>>>>9	
defr_for	Supported Item	Item	x(18)	
defr_inv_amt	Invoiced Amount		->>>>, >>>, >>9.99<	10
defr_inv_nbr	Invoice		x(22)	
defr_line	Contract Line	Con Line	>>>>>>>9	
defr_mod date	Modified Date	Mod Date	99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
		defs_frame_nbr	yes	no
		defs_direction	yes	no
		defs_cond_set_nbr	yes	no
oid_defs_det	yes	oid_defs_det	yes	no

DeliveryCond Delivery Condition

Field Name	Label	Col-Label	Format	Dec
DeliveryCond_ID	Record ID		9999999999	
DeliveryCondCode	Code		x(20)	
DeliveryCondDescription	Description		x(40)	
DeliveryCondIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	DeliveryCondCode	yes	no
◇* Prim	yes	DeliveryCond_ID	yes	no
◇ ViewIndex	no	DeliveryCondIsActive	yes	no
		DeliveryCondCode	yes	no

delt_mstr

Delivery Time Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
delt_site	yes	delt_domain	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_use_category	yes	no
		delt_method	yes	no
* delt_use_category	yes	delt_domain	yes	no
		delt_use_category	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_method	yes	no
oid_delt_mstr	yes	oid_delt_mstr	yes	no

dep_mstr

Data Entry Profile Master

Field Name	Label	Col-Label	Format	Dec
dep__qadc01			x(24)	
dep__qadc02			x(24)	
dep_canrun[15]	Roles		x(60)	
dep_default	Default Profile		yes/no	
dep_desc	Description		x(40)	
dep_document	Document		x(16)	
dep_domain	Domain		x(8)	
dep_mod_date	Modified Date	Mod Date	99/99/99	
dep_mod_userid	User ID		x(8)	
dep_profile	Profile		x(16)	
dep_user1	User Field Character 1		x(24)	
dep_user2	User Field Character 2		x(24)	
oid_dep_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dep_prof	yes	dep_domain	yes	no
		dep_document	yes	no
		dep_profile	yes	no
oid_dep_mstr	yes	oid_dep_mstr	yes	no

deu det

Data Entry User Detail

Field Name	Label	Col-Label	Format	Description
deu_qadc01			x(24)	
deu_qadc02			x(24)	
deu_document	Document		x(16)	
deu_domain	Domain		x(8)	
deu_id_type	ID Type		Role/User	
deu_mod_date	Modified Date	Mod Date	99/99/99	
deu_mod_userid	User ID		x(8)	
deu_profile	Default Profile		x(16)	
deu_user1	User Field Character 1		x(24)	
deu_user2	User Field Character 2		x(24)	
deu_userid	User/Role ID		x(20)	
oid_deu_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
deu_profile	no	deu_domain	yes	no
		deu_document	yes	no
		deu_profile	yes	no
		deu_id_type	yes	no
		deu_userid	yes	no
* deu_user	yes	deu_domain	yes	no
		deu_document	yes	no
		deu_id_type	yes	no
		deu_userid	yes	no
oid deu det	yes	oid deu det	yes	no

de mstr

Data Entry Master

Field Name	Label	Col-Label	Format	Dec
de__qadc01			x(24)	
de__qadc02			x(24)	
de_create_date	Create Date		99/99/99	
de_create_duration	Create Duration		>>>>>>9	
de_create_time	Create Time		99:99:99	
de_create_userid	Created By		x(8)	
de_document	Document		x(16)	
de_domain	Domain		x(8)	
de_key1	Key 1		x(16)	
de_key2	Key 2		x(16)	
de_mod_count	Modified Count	Mod Count	>>>>>>9	
de_mod_date	Modified Date	Mod Date	99/99/99	
de_mod_duration	Modified Duration	Mod Duration	>>>>>>9	
de_mod_time	Modified Time	Mod Time	99:99:99	
de_mod_userid	Modified By	Mod By	x(8)	
de_status	Status		x(2)	
de_user1	User Field Character 1		x(24)	
de_user2	User Field Character 2		x(24)	
de_userc03	User Field Character 3		x(24)	
de_userc04	User Field Character 4		x(24)	
de_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
de_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
de_useri01	User Field Integer 1		->>>>>>9	
de_useri02	User Field Integer 2		->>>>>>>9	
de_userl01	User Field Logical 1		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* de_keys	yes	de_domain	yes	no
		de_document	yes	no
		de_key1	yes	no
		de_key2	yes	no
oid_de_mstr	yes	oid_de_mstr	yes	no

df mstr Document Print Format Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* df_format	yes	df_domain	yes	no
		df_type	yes	no
		df_format	yes	no
oid_df_mstr	yes	oid_df_mstr	yes	no

DHist Customer Balance History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Currency_ID	Link to Currency		9999999999	
DBalance_ID	Link to DBalance		9999999999	
Debtor_ID	Link to Debtor		9999999999	
DHist_ID	Record ID		9999999999	
DHistBalanceCC	SC Balance		->>>, >>>, >>>, >>>9.99	4
DHistBalanceLC	BC Balance		->>>, >>>, >>>, >>>9.99	4
DHistBalanceTC	TC Balance		->>>, >>>, >>>, >>>9.99	4
DHistGrossCredNoteCC	SC Gross Credit Note		->>>, >>>, >>>, >>>9.99	4
DHistGrossCredNoteLC	BC Gross Credit Note		->>>, >>>, >>>, >>>9.99	4
DHistGrossCredNoteTC	TC Gross Credit Note		->>>, >>>, >>>, >>>9.99	4
DHistGrossInvoiceCC	SC Gross Invoice		->>>, >>>, >>>, >>>9.99	4
DHistGrossInvoiceLC	BC Gross Invoice		->>>, >>>, >>>, >>>9.99	4
DHistGrossInvoiceTC	TC Gross Invoice		->>>, >>>, >>>, >>>9.99	4
DHistMovementCreditCC	SC Activity Credit		->>>, >>>, >>>, >>>9.99	4
DHistMovementCreditLC	BC Activity Credit		->>>, >>>, >>>, >>>9.99	4
DHistMovementCreditTC	TC Activity Credit		->>>, >>>, >>>, >>>9.99	4
DHistMovementDebitCC	SC Activity Debit		->>>, >>>, >>>, >>>9.99	4
DHistMovementDebitLC	BC Activity Debit		->>>, >>>, >>>, >>>9.99	4
DHistMovementDebitTC	TC Activity Debit		->>>, >>>, >>>, >>>9.99	4
DHistNettoCredNoteCC	SC Net Credit Note		->>>, >>>, >>>, >>>9.99	4
DHistNettoCredNoteLC	BC Net to Credit Note		->>>, >>>, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
DHistNettoCredNoteTC	TC Net Credit Note		->>>, >>>, >>>, >>9.99	4
DHistNettoInvoiceCC	SC Net Invoice		->>>, >>>, >>>, >>9.99	4
DHistNettoInvoiceLC	BC Net to Invoice		->>>, >>>, >>>, >>9.99	4
DHistNettoInvoiceTC	TC Net Invoice		->>>, >>>, >>>, >>9.99	4
DHistYearPeriodFrom	From Year GL Period		->, >>>, >>9	
DHistYearPeriodTill	To Year GL Period		->, >>>, >>9	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
Journal_ID	Link to Journal		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyDebtorYearPeriodFrom	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DHistYearPeriodFrom	yes	no
CyDebtorYearPeriodTill	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DHistYearPeriodTill	yes	no
◇ CyYearPeriodFrom	no	Company_ID	yes	no
		DHistYearPeriodFrom	yes	no
◇ CyYearPeriodTill	no	Company_ID	yes	no
		DHistYearPeriodTill	yes	no
DBalance	no	DBalance_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	DHist_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		DHistYearPeriodFrom	yes	no
		Currency_ID	yes	no
		Debtor_ID	yes	no
		GL_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Journal_ID	yes	no
		Division_ID	yes	no

DInvoice Customer Invoice

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ControlGL_ID	Account		9999999999	
CostCentre_ID	Cost Center		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Link to Debtor		9999999999	
DebtorVatNumber_ID	Link to VatNumber		9999999999	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DInvoice_ID	Record ID		9999999999	
DInvoiceBalanceCC	SC Balance		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceCreditCC	SC Balance Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceCreditLC	BC Balance Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceCreditTC	TC Balance Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceDebitCC	SC Balance Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceDebitLC	BC Balance Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceDebitTC	TC Balance Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceLC	BC Balance		->>>,>>>,>>>,>>9.99	4
DInvoiceBalanceTC	TC Balance		->>>,>>>,>>>,>>9.99	4
DInvoiceBatch	Batch Number		x(8)	
DInvoiceCCRate	SC Rate		->,>>>,>>9.9999999999	10
DInvoiceCCScale	SC Rate Scale		->,>>>,>>9.9999999999	10
DInvoiceClosingDate	Closing Date		99/99/9999	
DInvoiceCombinedStatus	Status		x(20)	
DInvoiceComm1	% Commission	% Commission 1	>>9.99	2
DInvoiceComm2	% Commission	% Commission 2	>>9.99	2
DInvoiceComm3	% Commission	% Commission 3	>>9.99	2
DInvoiceComm4	% Commission	% Commission 4	>>9.99	2
DInvoiceCommentNote	Comments		x(2000)	
DInvoiceContact	Contact		x(40)	
DInvoiceCreationDate	Creation Date		99/99/9999	
DInvoiceCreationTimeString	Creation Time		x(10)	
DInvoiceCurrency_ID	Currency Code	Curr	9999999999	
DInvoiceDate	Invoice Date	Inv Date	99/99/9999	
DInvoiceDebtorVatNumber	Customer Tax Number		x(40)	
DInvoiceDescription	Description		x(40)	
DInvoiceDiscountDueDate	Discount Due Date		99/99/9999	
DInvoiceDiscPercentage	Discount Percentage		->>9.99	2
DInvoiceDIText	Description		x(40)	
DInvoiceDueDate	Due Date		99/99/9999	
DInvoiceExchangeRate	Exchange Rate		->,>>>,>>9.9999999999	10
DInvoiceGraceDays	Grace Days		->,>>>,>>9	
DInvoiceInvCertCertificate	Invoice Certificate		x(16)	
DInvoiceInvCertKey	Invoice Certification Key		x(128)	
DInvoiceInvCertSignatureCurr	Signature Current Invoice		x(256)	
DInvoiceInvCertSignaturePrev	Signature Previous Invoice		x(256)	
DInvoiceInvCertSignatureShort	Signature		x(4)	
DInvoiceInvCertVersion	Version		x(8)	
DInvoicelsDiscTaxAtInv	Discount Tax at Invoice		yes/no	
DInvoicelsDiscTaxAtPaym	Discount Tax at Payment		yes/no	
DInvoicelsExternal	External	External Invoice	yes/no	

Field Name	Label	Col-Label	Format	Dec
DInvoicesOpen	Open		yes/no	
DInvoicesPaymentAllowed	CN Payment Allowed		yes/no	
DInvoicesSelected	Selected	Sel	yes/no	
DInvoicesTaxable	Taxable		yes/no	
DInvoicesTaxExcluded	Tax Excluded	Tax Excl	yes/no	
DInvoicesVatDelay	Tax Delay		yes/no	
DInvoicesWithBank	With Bank		yes/no	
DInvoicesWithDeduction	With Deduction		yes/no	
DInvoiceLastFinChargeDate	Last Finance Charge Date		99/99/9999	
DInvoiceLastReminderDate	Last Reminder Date		99/99/9999	
DInvoiceLateInt	Late Interest		->>9.99	2
DInvoiceMarginAmountTC	Margin Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtCC	SC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtLC	BC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtTC	TC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditCC	SC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditLC	BC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditTC	TC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitCC	SC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitLC	BC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitTC	TC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOwnVatNumber	Own Tax Number		x(40)	
DInvoicePaymentDate	Expected Payment Date		99/99/9999	
DInvoicePostingDate	Posting Date		99/99/9999	
DInvoicePostingPeriod	GL Period		99	
DInvoicePostingYear	Year		9999	
DInvoicePostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
DInvoicePurchaseOrder	Purchase Order		x(22)	
DInvoiceRateScale	Scale Factor		->, >>>, >>>9.9999999999	10
DInvoiceReminderCount	Reminder Counter		->, >>>, >>9	
DInvoiceSalesAmt	Sales Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceShipToCode	Ship-To Code		x(8)	
DInvoiceSlsPsn1	Salesperson 1		x(8)	
DInvoiceSlsPsn2	Salesperson 2		x(8)	
DInvoiceSlsPsn3	Salesperson 3		x(8)	
DInvoiceSlsPsn4	Salesperson 4		x(8)	
DInvoiceTaxPointDate	Tax Point Date		99/99/9999	
DInvoiceTSMNumber	Payment Reference		x(40)	
DInvoiceType	Type		x(20)	
DInvoiceVatBaseCreditCC	SC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatBaseCreditLC	BC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatBaseCreditTC	TC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatBaseDebitCC	SC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatBaseDebitLC	BC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatBaseDebitTC	TC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatExchangeRate	Tax Exchange Rate		->, >>>, >>>9.9999999999	10
DInvoiceVatRateScale	Tax Rate Scale		->, >>>, >>>9.9999999999	10
DInvoiceVoucher	Voucher		9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LinkedDInvoice_ID	Voucher		9999999999	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
OwnVatNumber_ID	Link to VatNumber		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
ShipFromAddress_ID	Address		9999999999	
ShipToAddress_ID	City		9999999999	

Field Name	Label	Col-Label	Format	Dec
SoldToDebtor_ID	Customer Code		9999999999	
TransactionEndCountry_ID	Country Code	Country	9999999999	
TransactionStartCountry_ID	Country Code	Country	9999999999	
VatCurrency_ID	Tax Declaration Currency	Tax Currency	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CombinedStatus	no	DInvoiceCombinedStatus	yes	no
◇ Company	no	Company_ID	yes	no
◇ CompanyClosingDate	no	Company_ID	yes	no
		DInvoiceClosingDate	yes	no
◇ ControlGL	no	ControlGL_ID	yes	no
CyDebInvDate	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceDate	yes	no
CyDebtorClosingDate	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceClosingDate	yes	no
◇ CyPeriodYearPeriod	no	Company_ID	yes	no
		DInvoicePostingYearPeriod	yes	no
◇ Debtor	no	Debtor_ID	yes	no
DebtorVatNumber	no	DebtorVatNumber_ID	yes	no
◇ Deduct	no	DInvoiceIsWithDeduction	yes	no
DInvoiceCurrency	no	DInvoiceCurrency_ID	yes	no
DInvoiceDITextIdx	no	DInvoiceDIText	yes	no
DInvoicePostingYear	no	DInvoicePostingYear	yes	no
◇ Division	no	Division_ID	yes	no
◇ InvoiceDateIDX	no	DInvoiceDate	yes	no
◇ IsOpen	no	DInvoiceIsOpen	yes	no
◇ IsSelected	no	DInvoiceIsSelected	yes	no
◇ IsWithBank	no	DInvoiceIsWithBank	yes	no
◇ Journal	no	Journal_ID	yes	no
LinkedDInvoice	no	LinkedDInvoice_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDateIDX	no	DInvoicePostingDate	yes	no
◇* Prim	yes	DInvoice_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		DInvoicePostingYear	yes	no
		Journal_ID	yes	no
		DInvoiceVoucher	yes	no
◇ VatCurrency	no	VatCurrency_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		DInvoicePostingYear	yes	no
		DInvoicePostingPeriod	yes	no
		Journal_ID	yes	no
		DInvoiceVoucher	yes	no
◇ Voucher	no	DInvoiceVoucher	yes	no

DInvoiceBank Customer Invoice Bank Records

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Formatted Bank Account No	Formatted Number	9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceBank_ID	Record ID		9999999999	
DInvoiceBankToPayTC	TC Payment Amount		->>>,>>>,>>>,>>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceBank_ID	yes	no
◇ Uniqueldx	yes	DInvoice_ID	yes	no
		BankNumber_ID	yes	no

DInvoiceBankPayCode Customer Invoice Bank Payment Code

Field Name	Label	Col-Label	Format	Dec
DInvoiceBank_ID	Link to DInvoiceBank		9999999999	
DInvoiceBankPayCode_ID	Record ID		9999999999	
DInvoiceBankPayCodeValue	Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
DIBank	no	DInvoiceBank_ID	yes	no
◇* Prim	yes	DInvoiceBankPayCode_ID	yes	no

DInvoiceDeduction Deduction of Invoice

Field Name	Label	Col-Label	Format	Dec
ApprovePosting_ID	Link to ApprovePosting		9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
DeductionCatLine_ID	Link to DeductionCatLine		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceDeduction_ID	Record ID		9999999999	
DInvoiceDeductionApRejCom	Approve/Reject Comment		x(80)	
DInvoiceDeductionApRejDate	Approve/Reject Date	Mod Date	99/99/9999	
DInvoiceDeductionCC	Deduction SC		->>>, >>>, >>>, >>9.99	4
DInvoiceDeductionComment	Comment		x(2000)	
DInvoiceDeductionCreateDate	Create Date	Mod Date	99/99/9999	
DInvoiceDeductionCustRef	Customer Reference		x(20)	
DInvoiceDeductionLC	Deduction BC		->>>, >>>, >>>, >>9.99	4
DInvoiceDeductionSequence	Sequence		9999999999	
DInvoiceDeductionStatus	Deduction Status		x(40)	
DInvoiceDeductionTC	Deduction TC		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaidDInvoice_ID	Link to PaidDInvoice		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RejectPosting_ID	Link to RejectPosting		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ApPost	no	ApprovePosting_ID	yes	no
◇ Deduct	no	DeductionCatLine_ID	yes	no
DI	no	DInvoice_ID	yes	no
PaidDI	no	PaidDInvoice_ID	yes	no
◇* Prim	yes	DInvoiceDeduction_ID	yes	no
RePost	no	RejectPosting_ID	yes	no
◇ Unildx	yes	DInvoice_ID	yes	no
		DeductionCatLine_ID	yes	no
		PaidDInvoice_ID	yes	no
		DInvoiceDeductionSequenc	yes	no
		e		

DInvoiceMovementCustomer Invoice Movements

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Link to Debtor		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceMovement_ID	Record ID		9999999999	
DInvoiceMovementDiscountT C	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceMovementIsForDraft	For Draft		yes/no	
DInvoiceMovementPostDate	Posting Date		99/99/9999	
DInvoiceMovementType	Type		x(20)	
DInvoiceMovementYearPeriod	Year/GL Period		999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ CyDate	no	Company_ID	yes	no
		DInvoiceMovementPostDate	yes	no
CyDebtDate	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceMovementPostDate	yes	no
CyDebYearPd	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceMovementYearPeri od	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇ IMovYearPd	no	DInvoiceMovementYearPeri od	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DInvoiceMovement_ID	yes	no

DInvoiceOpInfo Customer Invoice Operational Info

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceOpInfo_ID	Record ID		9999999999	
DInvoiceOpInfoCode	Identifier		x(20)	
DInvoiceOpInfoDescription	Description		x(40)	
DInvoiceOpInfoType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceOpInfo_ID	yes	no
◇ TypeCode	no	DInvoiceOpInfoType	yes	no
		DInvoiceOpInfoCode	yes	no
◇ UniqueIdx	yes	DInvoice_ID	yes	no
		DInvoiceOpInfoType	yes	no
		DInvoiceOpInfoCode	yes	no

DInvoicePosting Customer Invoice Posting Link

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID	Link to DInvoice		9999999999	
DInvoicePosting_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	DInvoicePosting_ID	yes	no

DInvoiceShipper Customer Invoice Shipper References

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceShipper_ID	Record ID		9999999999	
DInvoiceShipperCode	Shipper Code		x(20)	
DInvoiceShipperDescription	Shipper Description		x(40)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ ShipperCode	no	DInvoiceShipperCode	yes	no
◇* Prim	yes	DInvoiceShipper_ID	yes	no

DInvoiceStage Customer Invoice Stage Payment

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceStage_ID	Record ID		9999999999	
DInvoiceStageAmountCC	SC Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceStageAmountLC	BC Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceStageAmountTC	TC Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceStageAmtAppliedTC	TC Applied Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceStageDiscDate	Discount Date		99/99/9999	
DInvoiceStageDiscPerc	Discount Percentage		->, >>>, >>9.99	3
DInvoiceStageDueDate	Due Date		99/99/9999	
DInvoiceStageIsSelected	Selected		yes/no	
DInvoiceStagePercentage	Percentage	%	->, >>>, >>9.99	2
PaymentConditionStaged_ID	Credit Terms Code	Cred Trm	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ DueDate	no	DInvoiceStageDueDate	yes	no
◇* Prim	yes	DInvoiceStage_ID	yes	no
◇ UniqueIdx	yes	DInvoiceStageDueDate	yes	no
		DInvoice_ID	yes	no

DInvoiceVat Customer Invoice Tax Records

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Absorbed Tax Sub-Account	Abs Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Absorbed Tax Account	Abs Tax Account	9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceVat_ID	Record ID		9999999999	
DInvoiceVatIsAbsRet	Absorbed		yes/no	
DInvoiceVatIsAccrRcpUs	Accrue at Receipt/Usage		yes/no	
DInvoiceVatIsRevCharge	Reverse Charge	Rev Charge	yes/no	
DInvoiceVatIsSuspDel	Suspended Tax	Susp Tax	yes/no	
DInvoiceVatIsTaxable	Taxable		yes/no	
DInvoiceVatIsUpdAllow	Upd Allow		yes/no	
DInvoiceVatNTBaseCreditTC	Non-taxable Credit (TC)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatNTBaseDebitTC	Non-taxable Debit (TC)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatSequence	Sequence		9999999999	
DInvoiceVatSuspDelTaxAmtTC	Tax Amount on Suspended Account (TC)	Tax Amount on Susp Acct (TC)	->>>, >>>, >>>, >>9.99	4
DInvoiceVatTaxTrType	Tax Transaction Type	Tax Tr Type	x(2)	
DInvoiceVatUILinkedRowID	Linked Row		x(30)	
DInvoiceVatVatBaseCreditCC	SC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatBaseCreditLC	BC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatBaseCreditTC	TC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatBaseDebitCC	SC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatBaseDebitLC	BC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatBaseDebitTC	TC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceVatVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account		9999999999	
PostingVat_ID	Link to PostingVat		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Suspended Tax Sub-Account	Susp Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Suspended Tax Account	Susp Tax Acct	9999999999	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment	Tax Env	x(16)	
TxtyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceVat_ID	yes	no
◇ UniqueTax	yes	DInvoice_ID	yes	no
		TxuTaxUsage	yes	no
		TxclTaxCls	yes	no
		TxenvTaxEnv	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

Division

Sub-Account

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Link to BudgetGroup		9999999999	
COAMaskDivProfile_ID	COA Mask Profile		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Record ID		9999999999	
DivisionCode	Sub-Account	Sub-Acct	x(8)	
DivisionDescription	Description		x(24)	
DivisionIsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskDivProfile_ID	yes	no
◇* Prim	yes	Division_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		DivisionCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		DivisionIsActive	yes	no
		DivisionCode	yes	no

dmw_wkfl

Draft Management Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
dmw_bill	no	dmw_bill	yes	no
		dmw_entity	yes	no
		dmw_curr	yes	no
* dmw_nbr	yes	dmw_nbr	yes	no
		dmw_bill	yes	no
		dmw_sel	yes	no
oid_dmw_wkfl	yes	oid_dmw_wkfl	yes	no

DomainPropertyDomain Property

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Base Currency	Curr	9999999999	
DeductPaymentCondition_ID	Non-Staged Deduction Payment Condition		9999999999	
Domain_ID	Link to Domains		9999999999	
DomainProperty_ID	Record ID		9999999999	
DomainPropertyCodePage	Domain Code Page		x(16)	
DomainPropertyExceptList	Domain Exception List		x(100)	
DomainPropertyIsAddWHTNumbr	Additional WHT Numbering		yes/no	
DomainPropertyIsChronolNr	Chronological Invoice Numbering		yes/no	
DomainPropertyIsConsecutNr	Consecutive Invoice Numbering		yes/no	
DomainPropertyIsInvCertific	Invoice Certification		yes/no	
DomainPropertyIsMaskCC	Cost Center COA Mask		yes/no	
DomainPropertyIsMaskCCAll	Cost Center All-Range Mask By Default		yes/no	
DomainPropertyIsMaskDiv	Sub-Account COA Mask		yes/no	
DomainPropertyIsMaskDivAll	Sub-Account All-Range Mask By Default		yes/no	
DomainPropertyIsMaskPrjAll	Project All-Range Mask By Default		yes/no	
DomainPropertyIsMaskProj	Project COA Mask		yes/no	
DomainPropertyIsPopuPlnNr	Show Supplier Invoice Number in Pop-up After Save		yes/no	
DomainPropertyIsSetupCompl	Setup Complete		yes/no	
DomainPropertyIsStatutory	Statutory Currency Enabled		yes/no	
DomainPropertyIsTaxValid	Tax Validation		yes/no	

Field Name	Label	Col-Label	Format	Dec
DomainPropertyIsWHT	Use Withholding Tax		yes/no	
DomainPropertyName	Name		x(28)	
DomainPropertyNonChronErr	Action on Non-Chronological Number		x(20)	
DomainPropertySearchName	Search Name		x(14)	
IntercoAPGL_ID	Account Payable GL Account	AP Account	9999999999	
IntercoARGL_ID	Account Receivable GL Account	AR Account	9999999999	
IntercoFAGL_ID	Fixed Asset GL Account	FA Account	9999999999	
IntercoCGL_ID	Inter Company GL Account	IC Account	9999999999	
IntercoJEG_L_ID	Manual Journal Entry GL Account	JE Account	9999999999	
ObsoleteDomPropGLMaskGL	Account GL Mask		yes/no	
PrepayPaymentCondition_ID	Non-Staged Prepayment Payment Condition		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
StatutoryCurrency_ID	Statutory Currency		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DomainIdx	no	Domain_ID	yes	no
IdxStatCurr	no	StatutoryCurrency_ID	yes	no
◇ Name	yes	DomainPropertyName	yes	no
◇* Prim	yes	DomainProperty_ID	yes	no
SearchName	yes	DomainPropertySearchName	yes	no

Domains

Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Record ID		9999999999	
DomainCode	Domain		x(8)	
DomainDatabase	Database		x(8)	
DomainIsActive	Active		yes/no	
DomainPropath	Propath		x(500)	
DomainTimeZone	Time Zone		x(8)	
DomainType	Type		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language		9999999999	
PrimaryCompany_ID	Primary Entity		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* Domain_PK	yes	Domain_ID	yes	no
DomainCode	yes	DomainCode	yes	no
◇ Lng_FK	no	Lng_ID	yes	no
PrimaryCompany_FK	no	PrimaryCompany_ID	yes	no

DomainSharedSetDomain Shared Set

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Domain		9999999999	
DomainSharedSet_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DOMAINS	no	Domain_ID	yes	no
* DomainSS_PK	yes	DomainSharedSet_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

dom_mstr Domain Master

Field Name	Label	Col-Label	Format	Dec
dom__qadc01			x(24)	
dom__qadc02			x(24)	
dom_active	Active		yes/no	
dom_data_cpg	Domain Codepage	Domain Codepage	x(16)	
dom_db	Database		x(8)	
dom_domain	Domain		x(8)	
dom_expt_lst	Exceptional Domain List	Exceptional Domain List	x(100)	
dom_mod_date	Modified Date	Mod Date	99/99/99	
dom_mod_userid	User ID		x(8)	
dom_name	Name		x(28)	
dom_propath	Propath		x(2000)	
dom_sname	Short Name		x(14)	
dom_type	Domain Type		x(8)	
dom_tzdb	Time Zone DB		x(16)	
dom_user1	User Field Character 1		x(24)	
dom_user2	User Field Character 2		x(24)	
oid_dom_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dom_domain	yes	dom_domain	yes	no
dom_name	yes	dom_name	yes	no
oid dom mstr	yes	oid dom mstr	yes	no

dosr_det Depot Order Shipment/Receipt Table

Field Name	Label	Col-Label	Format	Dec
dosr_qadc01			x(24)	
dosr_qadc02			x(24)	
dosr_act_date	Actual Date		99/99/99	
dosr_domain	Domain		x(8)	
dosr_est_date	Estimated Date		99/99/99	
dosr_itm_line	Line		>>9	
dosr_itm_nbr	Depot Order	Order	x(8)	
dosr_line	Line		>>9	
dosr_loc	Location		x(8)	
dosr_mod_date	Modified Date	Mod Date	99/99/99	
dosr_mod_userid	User ID		x(8)	
dosr_qty	Quantity		>, >>>, >>9, 9<<<<<<<<	10
dosr_ref	Ref		>>>>>>>9	
dosr_serial	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
dosr_site	Site		x(8)	
dosr_trans_type	Transaction Type		x(20)	
dosr_user1	User Field Character 1		x(24)	
dosr_user2	User Field Character 2		x(24)	
oid_dosr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* dosr_itm_nbr	yes	dosr_domain	yes	no
		dosr_itm_nbr	yes	no
		dosr_itm_line	yes	no
		dosr_line	yes	no
oid dosr det	yes	oid dosr det	yes	no

DPay Customer Payment

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
DDocument_ID	Link to DDocument		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DPay_ID	Record ID		9999999999	
DPayConfirmType	Confirm Message Type		x(20)	
DPayTransTpStat	Transaction Type Status		x(20)	
DPayTypeCode	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySellLine_ID	Link to PaySellLine		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDocument	no	CDocument_ID	yes	no
◇ DDocument	no	DDocument_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇ PayTypeCode	no	DPayTypeCode	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DPay ID	yes	no

DPaySel Customer Payment Selection

Field Name	Label	Col-Label	Format	Dec
BankPayFormat_ID	Link to BankPayFormat		9999999999	
Company_ID	Link to Company		9999999999	
DPaySel_ID	Record ID		9999999999	
DPaySelCode	Payment Selection		x(20)	
DPaySelDate	Date		99/99/9999	
DPaySellsDocPerDueDate	Create Payment Per Due Date		yes/no	
DPaySelStatus	Status		x(20)	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	DPaySelCode	yes	no
◇ Company	no	Company_ID	yes	no
CyDPaySelDate	no	Company_ID	yes	no
		DPaySelDate	yes	no
CyGLDPaySelCode	no	Company_ID	yes	no
		GL_ID	yes	no
		DPaySelCode	yes	no
DPaySelDate	no	DPaySelDate	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	DPaySel_ID	yes	no
◇ UniqueIdx	yes	DPaySelCode	yes	no
		Company_ID	yes	no

DPaySelLine Customer Payment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to Bank Number		9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
DPaySel_ID	Link to DPaySel		9999999999	
DPaySelLine_ID	Record ID		9999999999	
DPaySelLineAmountTC	TC Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineDiscountTC	TC Discount		->>>, >>>, >>>, >>9.99	4
DPaySelLineIntAmtTC	TC Interest Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineIntRate	Interest Rate		->, >>>, >>9.9999999999	10
DPaySelLineRefInFile	Is contained in export file		yes/no	
DPaySelLineObjectType	Object Type		x(20)	
DPaySelLineParentObject_ID	Reference ID of the caller		9999999999	
DPaySelLineStatus	Status		x(20)	
DPaySelLineWHTAmtCC	SC WHT Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineWHTAmtLC	BC WHT Amount		->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
DPaySelLineWHTAmtTC	TC WHT Amount		->>>, >>>, >>>, >>9.99	4
DPaySelPayFormatTypeCode	Payment Format		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankNbr	no	BankNumber_ID	yes	no
◇ DPaySel	no	DPaySel_ID	yes	no
◇ ObjectType	no	DPaySelLineObjectType	yes	no
◇ Parent	no	DPaySelLineParentObject_ID	yes	no
◇* Prim	yes	DPaySelLine_ID	yes	no
◇ TypeCode	no	DPaySelPayFormatTypeCode	yes	no
◇ Unilidx	yes	DPaySel_ID	yes	no
		DPaySelLineParentObject_ID	yes	no

DPaySelLineStgCustomer Payment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
DPaySelLine_ID	Link to DPaySel		9999999999	
DPaySelLineStg_ID	Record ID		9999999999	
DPaySelLineStgDiscAmtTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineStgIntRate	Interest Rate		->, >>>, >>9.9999999999	10
DPaySelLineStgOpenAmtTC	TC Open Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineStgOrigAmtTC	TC Orig Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineStgPaymAmtTC	TC Payment Amount		->>>, >>>, >>>, >>9.99	4
DPaySelLineStgStatus	Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CInvoiceStg	no	CInvoiceStage_ID	yes	no
DInvoiceStg	no	DInvoiceStage_ID	yes	no
◇ DPaySelLine	no	DPaySelLine_ID	yes	no
◇* Prim	yes	DPaySelLineStg_ID	yes	no
◇ Unilidx	yes	DPaySelLine_ID	yes	no
		DInvoiceStage_ID	yes	no
		CInvoiceStage_ID	yes	no

DPaySelPayCodeCustomer Payment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
DPaySel_ID	Link to DPaySel		9999999999	
DPaySelPayCode_ID	Record ID		9999999999	
DPaySelPayCodeValue	Value		x(40)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DPaySel	no	DPaySel_ID	yes	no
◇* Prim	yes	DPaySelPayCode_ID	yes	no
◇ UniqueIdx	yes	DPaySel_ID	yes	no
		PayFormatGroup_ID	yes	no

DPaySelPayRefCustomer Payment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
DPaySelLine_ID	Link to DPaySelLine		9999999999	
DPaySelLineStg_ID	Link to DPaySelLineStage		9999999999	
DPaySelPayRef_ID	Record ID		9999999999	
DPaySelPayRefBankRef	Bank Reference		x(45)	
DPaySelPayRefCode	Payment Reference Code		x(10)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DPaySelLine	no	DPaySelLine_ID	yes	no
DPaySelLineStg	no	DPaySelLineStg_ID	yes	no
◇* Prim	yes	DPaySelPayRef_ID	yes	no
◇ UniqueIdx	yes	DPaySelPayRefCode	yes	no

dpt_mstr Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_chr01			x(8)	
dpt_chr02			x(8)	
dpt_chr03			x(8)	
dpt_chr04			x(8)	
dpt_chr05			x(8)	
dpt_dec01			>>>, >>>, >>>9.99	10
dpt_dec02			>>>, >>>, >>>9.99	10
dpt_dte01			99/99/99	
dpt_dte02			99/99/99	
dpt_log01			yes/no	
dpt_qadc01			x(8)	
dpt_qadc02			x(4)	
dpt_qadc03			x(8)	
dpt_qadc04			x(4)	
dpt_qadc05			x(8)	
dpt_qadc06			x(4)	
dpt_qadc07			x(8)	
dpt_qadc08			x(4)	
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_cop_sub	Cost of Production Sub	Sub-Acct	x(8)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
dpt_domain	Domain		x(8)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->, >>>, >>>9	

Field Name	Label	Col-Label	Format	Dec
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	
oid_dpt_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dpt_dept	yes	dpt_domain	yes	no
		dpt_dept	yes	no
dpt_desc	yes	dpt_domain	yes	no
		dpt_desc	yes	no
		dpt_dept	yes	no
oid_dpt_mstr	yes	oid_dpt_mstr	yes	no

drp_ctrl

Distribution Requirements Planning Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* drp_ctrl	yes	drp_domain	yes	no
oid_drp_ctrl	yes	oid_drp_ctrl	yes	no

dsd_det

Distributed Site Requisition Detail

Field Name	Label	Col-Label	Format	Dec
dsd_chr01			x(8)	
dsd_chr02			x(8)	
dsd_chr03			x(8)	
dsd_chr04			x(8)	
dsd_chr05			x(8)	
dsd_dec01			>>>,>>>,>>9.99	10
dsd_dec02			>>>,>>>,>>9.99	10
dsd_dte01			99/99/99	
dsd_dte02			99/99/99	
dsd_log01			yes/no	
dsd_cmtindx	Comment Index	Comment	>>>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dsr_mstr	yes	dsr_domain	yes	no
		dsr_site	yes	no
		dsr_req_nbr	yes	no
dsr_part	no	dsr_domain	yes	no
		dsr_part	yes	no
		dsr_site	yes	no
		dsr_due_date	yes	no
dsr_req_nbr	yes	dsr_domain	yes	no
		dsr_req_nbr	yes	no
		dsr_site	yes	no
oid dsr mstr	yes	oid dsr mstr	yes	no

dss mstr Distributed Site Order Master

Field Name	Label	Col-Label	Format	Dec
dss_chr01			x(8)	
dss_chr02			x(8)	
dss_chr03			x(8)	
dss_chr04			x(8)	
dss_chr05			x(8)	
dss_chr06			x(8)	
dss_chr07			x(8)	
dss_chr08			x(8)	
dss_chr09			x(8)	
dss_chr10			x(8)	
dss_dec01	PST		>>>,>>>,>>9.99	10
dss_dec02			>>>,>>>,>>9.99	10
dss_dte01			99/99/99	
dss_dte02			99/99/99	
dss_log01			yes/no	
dss_qad01			-Z,ZZZ,ZZZ,ZZ9.99	10
dss_qad02			-Z,ZZZ,ZZZ,ZZ9.99	10
dss_qad03			-Z,ZZZ,ZZZ,ZZ9.99	10
dss_qad04			>	
dss_qad05[2]			>>9.9<<	10
dss_app_owner	Owner Application		x(12)	
dss_bol	BOL		x(18)	
dss_cartons	Cartons		>,>>>,>>9	
dss_cmtindx	Comment Index	Comment	>>>>>>9	
dss_created	Date Created	Ord Date	99/99/99	
dss_domain	Domain		x(8)	
dss_due_date	Due Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* dss_nbr	yes	dss_domain	yes	no
		dss_nbr	yes	no
		dss_shipsite	yes	no
dss_rec_site	no	dss_domain	yes	no
		dss_rec_site	yes	no
		dss_shipsite	yes	no
		dss_nbr	yes	no
dss_shipsite	no	dss_domain	yes	no
		dss_shipsite	yes	no
		dss_rec_site	yes	no
		dss_nbr	yes	no
oid_dss_mstr	yes	oid_dss_mstr	yes	no

Distributed Site Order Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ds_det	yes	ds_domain	yes	no
		ds_shipsite	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
ds_fr_list	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_fr_list	yes	no
ds_nbr	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_line	yes	no
ds_part	no	ds_domain	yes	no
		ds_part	yes	no
		ds_shipsite	yes	no
		ds_shipdate	yes	no
* ds_req_nbr	yes	ds_domain	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
		ds_shipsite	yes	no
oid_ds_det	yes	oid_ds_det	yes	no

dvfv_det

Data Validation Field Value Detail

Field Name	Label	Col-Label	Format	Dec
dvvf__qadc01			x(24)	
dvvf__qadc02			x(24)	
dvvf_allow_import			yes/no	
dvvf_fldvalue	Field Value		x(22)	
dvvf_import_date			99/99/99	
dvvf_import_filename	Import Filename		x(18)	
dvvf_import_userid	Import Userid		x(8)	
dvvf_mod_date	Modified Date	Mod Date	99/99/99	
dvvf_mod_userid	User ID		x(8)	
dvvf_user1	User Field Character 1		x(24)	
dvvf_user2	User Field Character 2		x(24)	
oid_dvf_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_dvfv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_dvfv_parent	OID Parent		>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_dvf_det	yes	oid_dvf_det	yes	no
		oid_dvfv_parent	yes	no
		dvfv_fidvalue	yes	no
◇* oid_dvfv_det	yes	oid_dvfv_det	yes	no

dvf_det

Data Validation Field Detail

Field Name	Label	Col-Label	Format	Dec
dvf__qadc01			x(24)	
dvf__qadc02			x(24)	
dvf_fldname	Field Name		x(22)	
dvf_level	Field Level		99	
dvf_mod_date	Modified Date	Mod Date	99/99/99	
dvf_mod_userid	User ID		x(8)	
dvf_user1	User Field Character 1		x(24)	
dvf_user2	User Field Character 2		x(24)	
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
oid_dvf_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
	dvf_fidname	yes	oid_dv_mstr	yes	no
			dvf_fidname	yes	no
*	dvf_level	yes	oid_dv_mstr	yes	no
			dvf_level	yes	no
◇	oid_dvf_det	yes	oid_dvf_det	yes	no

dvshx_ref

Data Validation Rule Cross Reference

Field Name	Label	Col-Label	Format	Dec
dvshx__qadc01			x(24)	
dvshx__qadc02			x(24)	
dvshx_mod_date	Modified Date	Mod Date	99/99/99	
dvshx_mod_userid	User ID		x(8)	
dvshx_user1	User Field Character 1		x(24)	
dvshx_user2	User Field Character 2		x(24)	
oid_dvfv_det			>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_dvshx_ref			>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_shphr_det			>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_dvfv_det	no	oid_dvfv_det	yes	no
			oid_shphr_det	yes	no
*	oid_dvshx_ref	yes	oid_dvshx_ref	yes	no
◇	oid_shphr_det	no	oid_shphr_det	yes	no
			oid_dvfv_det	yes	no

dv mstr

Data Validation Master

Field Name	Label	Col-Label	Format	Dec
dv__qadc01			x(24)	
dv__qadc02			x(24)	
dv_data_category	Data Category		x(22)	
dv_domain	Domain		x(8)	
dv_mod_date	Modified Date	Mod Date	99/99/99	
dv_mod_userid	User ID		x(8)	
dv_user1	User Field Character 1		x(24)	
dv_user2	User Field Character 2		x(24)	
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 _9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dv_data_category	yes	dv_domain	yes	no
		dv_data_category	yes	no
oid dv_mstr	yes	oid dv_mstr	yes	no

dybs_mstr

Daybook Set Master

Field Name	Label	Col-Label	Format	Dec
dybs__qadc01			x(24)	
dybs__qadc02			x(24)	
dybs_active	Active		yes/no	
dybs_adjustment_dybk	Adjustment Daybook	Adj Dybk	x(8)	
dybs_by_site	By Site		yes/no	
dybs_code	Daybook Set		x(8)	
dybs_credit_dybk	Credit Note Daybook		x(8)	
dybs_desc	Description		x(24)	
dybs_domain	Domain		x(8)	
dybs_interco_dybk	Intercompany Daybook		x(8)	
dybs_invoices_dybk	Invoice Daybook		x(8)	
dybs_mod_date	Modified Date	Mod Date	99/99/99	
dybs_mod_userid	User ID		x(8)	
dybs_neg_crcn_dybk	Correction Credit Note (Negative)		x(8)	
dybs_neg_criv_dybk	Correction Invoice (Negative)		x(8)	
dybs_pos_crcn_dybk	Correction Credit Note (Positive)		x(8)	
dybs_pos_criv_dybk	Correction Invoice (Positive)		x(8)	
dybs_site	Site		x(8)	
dybs_site_from	Site From		x(8)	
dybs_site_to	Site To		x(8)	
dybs_type	Type		x(2)	
dybs_user1	User Field Character 1		x(24)	
dybs_user2	User Field Character 2		x(24)	
oid_dybs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 2 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
dybs_active	no	dybs_domain	yes	no
		dybs_code	yes	no
		dybs_active	yes	no
		dybs_by_site	yes	no
* dybs_code	yes	dybs_domain	yes	no
		dybs_code	yes	no
		dybs_site	yes	no
oid dybs mstr	yes	oid dybs mstr	yes	no

General Ledger Default Daybook Master

Field Name	Label	Col-Label	Format	Dec
dyd__qadc01			x(8)	
dyd_doc_type	Doc Type		x(8)	
dyd_domain	Domain		x(8)	
dyd_dy_code	Daybook		x(8)	
dyd_entity_fr	From Entity		x(20)	
dyd_entity_to	To Entity		x(20)	
dyd_tr_type	Trans Type	Trans	x(2)	
dyd_user1	Ufld1		x(8)	
dyd_user2	Ufld2		x(8)	
oid_dyd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dyd_type	yes	dyd_domain	yes	no
		dyd_tr_type	yes	no
		dyd_doc_type	yes	no
		dyd_entity_fr	yes	no
		dyd_entity_to	yes	no
oid_dyd_mstr	yes	oid_dyd_mstr	yes	no

dy_mstr

General Ledger Daybook Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dy_code	yes	dy_domain	yes	no
		dy_dy_code	yes	no
oid_dy_mstr	yes	oid_dy_mstr	yes	no

ea_mstr

Earnings Master

Field Name	Label	Col-Label	Format	Dec
ea__qad01			yes/no	
ea__qad02			yes/no	
ea__qad03			yes/no	
ea__qad04			yes/no	
ea__qad05			yes/no	
ea__qad06			yes/no	
ea_acc	Default Account	Account	x(8)	
ea_cc	Default Cost Ctr	CC	x(4)	
ea_desc	Description		x(24)	
ea_domain	Domain		x(8)	
ea_earn	Earnings Code	Earn	x(4)	
ea_fed_yn	Piece Rate		yes/no	
ea_mod_date	Modified Date	Mod Date	99/99/99	
ea_piece	Piece Rate	Pc	yes/no	
ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	10
ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
ea_sub	Default Sub-Account	Sub-Acct	x(8)	
ea_type	Earnings Type	Type	x(1)	
ea_user1	Ufld1		x(8)	
ea_user2	Ufld2		x(8)	
ea_userid	User ID		x(8)	
oid_ea_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
ea_desc	yes	ea_domain	yes	no
		ea_desc	yes	no
		ea_earn	yes	no
* ea_earn	yes	ea_domain	yes	no
		ea_earn	yes	no
oid_ea_mstr	yes	oid_ea_mstr	yes	no

eca_mstr

Engineering Change Approval Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* eca_code_group	yes	eca_domain	yes	no
		eca_code	yes	no
		eca_group	yes	no
oid_eca_mstr	yes	oid_eca_mstr	yes	no

ecd1_det

Engineering Change Product Structure Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd1_par_comp	no	ecd1_domain	yes	no
		ecd1_nbr	yes	no
		ecd1_comp	yes	no
		ecd1_par	yes	no
	yes	ecd1_domain	yes	no
		ecd1_nbr	yes	no
		ecd1_par	yes	no
		ecd1_comp	yes	no
oid ecd1 det	yes	ecd1_ref	yes	no
		oid ecd1 det	yes	no

ecd2 det

Engineering Change Routing Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd2_ro_op	yes	ecd2_domain	yes	no
		ecd2_nbr	yes	no
		ecd2_routing	yes	no
		ecd2_op	yes	no
oid_ecd2_det	yes	oid_ecd2_det	yes	no

Engineering Change Text File Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd3_cmt	yes	ecd3_domain	yes	no
		ecd3_nbr	yes	no
		ecd3_cmtindx	yes	no
oid_ecd3_det	yes	oid_ecd3_det	yes	no

Product Change Control Test Results Detail

Index-Name	Uni	Field-Name	Asc	Abbr
ecd4_nbr_specid	no	ecd4_domain	yes	no
		ecd4_nbr	yes	no
		ecd4_specid	yes	no
		ecd4_sequence	yes	no
* ecd4_part_seq	yes	ecd4_domain	yes	no
		ecd4_part	yes	no
		ecd4_routing	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ecd4_op	yes	no
		ecd4_nbr	yes	no
		ecd4_sequence	yes	no
oid ecd4 det	yes	oid ecd4 det	yes	no

ecd5_det Product Change Control Item Routing Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecd5_bom_code	no	ecd5_domain	yes	no
		ecd5_bom_code	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
* ecd5_part	yes	ecd5_domain	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
		ecd5_routing	yes	no
		ecd5_bom_code	yes	no
		ecd5_start	yes	no
ecd5_routing	no	ecd5_domain	yes	no
		ecd5_routing	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
oid_ecd5_det	yes	oid_ecd5_det	yes	no

ecd9 det Engineering Change Approval Detail

Field Name	Label	Col-Label	Format	Dec
ecd9__qad01	First Rec		yes/no	
ecd9__qad02			99/99/99	
ecd9__qad03	ReRoute Level	Re Lvl	x(8)	
ecd9__qad04	ReRoute		x(8)	
ecd9__qad05	Approver ID	Approver	x(8)	
ecd9_appr_date	Approved Date	Date! Approved	99/99/99	
ecd9_approved	Approved		yes/no	
ecd9_cmtindx	Comment Index	Comment	>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd9_group	yes	ecd9_domain	yes	no
		ecd9_nbr	yes	no
		ecd9_group	yes	no
oid_ecd9_det	yes	oid_ecd9_det	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd_det	yes	ecd_domain	yes	no
		ecd_nbr	yes	no
		ecd_part	yes	no
		ecd_new	yes	no
ecd_part_rev	no	ecd_domain	yes	no
		ecd_part	yes	no
		ecd_new_rev	yes	no
oid_ecd_det	yes	oid_ecd_det	yes	no

ecl list

Engineering Change Master Lists

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecl_id_type	yes	ecl_domain	yes	no
		ecl_id	yes	no
		ecl_group	yes	no
		ecl_type	yes	no
* ecl_type_id	yes	ecl_domain	yes	no
		ecl_type	yes	no
		ecl_group	yes	no
		ecl_id	yes	no
oid ecl list	yes	oid ecl list	yes	no

ecm_mstr

Engineering Change Master

Field Name	Label	Col-Label	Format	Dec
ecm__qad01			->>>, >>9.99	10
ecm__qad02			x(18)	
ecm__qad03	ECR/ECN		ECR/ECN	
ecm__qad04	Appr Date		99/99/99	
ecm__qad05	effect		->>, >>9.99	10
ecm__qad06	batched		x(8)	
ecm__qad07	reprocess		x(8)	
ecm_appr_date	Approved Date	AppDate	99/99/99	
ecm_approval	Approval Code	Approval	x(8)	
ecm_assign	Design Group	Dsgn Grp	x(8)	
ecm_batched	Batched	Batch	yes/no	
ecm_close_date	Closed		99/99/99	
ecm_cmmf[5]	Reason		x(60)	
ecm_cmtindx	Comment Index	Comment	>>>>>>9	
ecm_date	Date		99/99/99	
ecm_dist_date	Distributed		99/99/99	
ecm_distr	Distribution	Dstrbn	x(8)	
ecm_doc_type	Document Type	Doc Type	X(8)	
ecm_domain	Domain		x(8)	
ecm_ecr_dspn	Disposition	ECR Dspn	x(8)	
ecm_eff_date	Effective	Eff Date	99/99/99	
ecm_end_date	Implemented	Impl Date	99/99/99	
ecm_exp_cost	Expected Cost		->>>, >>>, >>9.99	10
ecm_init	ECN Created By	By	x(8)	
ecm_man_date	Mandatory	Man Date	99/99/99	
ecm_mod_date	Modified Date	Mod Date	99/99/99	
ecm_name	Originated By		x(28)	
ecm_nbr	Number		x(8)	
ecm_nbr_fr	From ECN		x(8)	
ecm_nbr_to	To ECN		x(8)	
ecm_open_date	Entered		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
ecm_approval	yes	ecm_domain	yes	no
		ecm_approval	yes	no
		ecm_rel_date	yes	no
		ecm_nbr	yes	no
ecm_eff_date	no	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_eff_date	yes	no
* ecm_mstr	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
ecm_nbrdoc	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_doc_type	yes	no
oid_ecm_mstr	yes	oid_ecm_mstr	yes	no

Engineering Change Type Master

Index-Name	Uni	Field-Name	Asc	Abbr
* ect_type	yes	ect_domain	yes	no
		ect_type	yes	no
		ect_dsgn_grp	yes	no
oid ect_mstr	yes	oid ect_mstr	yes	no

ecx ref

External Order Cross-Reference

Field Name	Label	Col-Label	Format	Dec
ecx_qadc01			x(24)	
ecx_qadc02			x(24)	
ecx_domain	Domain		x(8)	
ecx_ext_bill_to	Bill To		x(20)	
ecx_ext_line	External Line Reference		x(32)	
ecx_ext_part	Item Number		x(30)	
ecx_ext_ref	External Reference		x(32)	
ecx_ext_ship_to	Ship To		x(20)	
ecx_ext_um	UM		x(8)	
ecx_line	Line Number		x(8)	
ecx_line_site	Line Site		x(8)	
ecx_mod_date	Modified Date	Mod Date	99/99/99	
ecx_mod_userid	User Id		x(8)	
ecx_nbr	Order Number		x(8)	
ecx_order_type	Order Type		x(8)	
ecx_site	Site		x(8)	
ecx_user1	User Field Character 1		x(24)	
ecx_user2	User Field Character 2		x(24)	
oid_ecx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
ecx_ext_ref	no	ecx_domain	yes	no
		ecx_order_type	yes	no
		ecx_ext_ref	yes	no
		ecx_ext_line	yes	no
* ecx_nbr	yes	ecx_domain	yes	no
		ecx_order_type	yes	no
		ecx_nbr	yes	no
		ecx_line	yes	no
		ecx_site	yes	no
		ecx_line_site	yes	no
oid ecx_ref	yes	oid ecx_ref	yes	no

edlg_hist

Export Delivery Log

Field Name	Label	Col-Label	Format	Dec
edlg_chr01			x(8)	
edlg_chr02			x(8)	
edlg_dec01			->>>, >>>, >>9.99<	10
edlg_dec02			->>>, >>>, >>9.99<	10
edlg_dte01			99/99/99	
edlg_dte02			99/99/99	
edlg_int01			->>>, >>>, >>9	
edlg_int02			->>>, >>>, >>9	
edlg_log01			yes/no	
edlg_log02			yes/no	
edlg_qadc01			x(8)	
edlg_qadc02			x(8)	
edlg_qadc03			x(8)	
edlg_qadc04			x(8)	
edlg_qadd01			->>>, >>>, >>9.99<	10
edlg_qadd02			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* edlg_docid	yes	edlg_doc_id	yes	no
		edlg_doc_sufx	yes	no
		edlg_app_id	yes	no
		edlg_domain	yes	no
oid_edlg_hist	yes	oid_edlg_hist	yes	no

ega_mstr

Service/Support Engineer Availability Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ega_eng_code	yes	ega_domain	yes	no
		ega_eng_code	yes	no
		ega_week	yes	no
		ega_esh_schedule	yes	no
oid_ega_mstr	yes	oid_ega_mstr	yes	no

egc_ctrl

Service/Support Engineer Schedule Control

Field Name	Label	Col-Label	Format	Dec
egc_chr01	Character Field 1		X(8)	
egc_chr02	Character Field 2		X(8)	
egc_int01	Integer Field 1		->,>>,>>9	
egc_int02	Integer Field 2		->,>>,>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* egc_index	yes	egc_domain	yes	no
		egc_index	yes	no
oid egc ctrl	yes	oid egc ctrl	yes	no

Service/Support Engineer Schedule Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* egs_eng_code	yes	egs_domain	yes	no
		egs_eng_code	yes	no
		egs_type	yes	no
		egs_skill	yes	no
egs_skill	yes	egs_domain	yes	no
		egs_skill	yes	no
		egs_type	yes	no
		egs_area	yes	no
oid_egs_det	yes	egs_eng_code	yes	no
		oid_egs_det	yes	no

egt_mstr

Service/Support Engineer Tracking Master

Field Name	Label	Col-Label	Format	Dec
egt_chr01	User Field #1		x(8)	
egt_chr02	User Field #2		x(8)	
egt_chr03	User Field #3		x(8)	
egt_chr04	User Field #4		x(8)	
egt_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
egt_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
egt_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
egt_dte01	User Date #1		99/99/99	
egt_dte02	User Date #2		99/99/99	
egt_dte03	User Date #3		99/99/99	
egt_log01	User Logical #1		yes/no	
egt_log02	User Logical #2		yes/no	
egt_log03	User Logical #3		yes/no	
egt_qadc01	Qad Field #1		x(8)	
egt_qadc02	Qad Field #2		x(8)	
egt_qadc03	Qad Field #3		x(8)	
egt_qadc04	Qad Field #4		x(8)	
egt_qadd01	Qad Date #1		99/99/99	
egt_qadd02	Qad Date #2		99/99/99	
egt_qadd03	Qad Date #3		99/99/99	
egt_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
egt_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
egt_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
egt_qadl01	Qad Logical #1		yes/no	
egt_qadl02	Qad Logical #2		yes/no	
egt_qadl03	Qad Logical #3		yes/no	
egt_ca_nbr	Call ID		x(8)	
egt_close	Call Closed	Cls	yes/no	
egt_create_date	Creation Date		99/99/99	
egt_current	Engineer Status		x(8)	
egt_domain	Domain		x(8)	
egt_end_date	End Date		99/99/99	
egt_end_time	End Time	End	99:99	
egt_eng_code	Engineer		x(8)	
egt_esh_schedule			x(8)	
egt_hours	Hours		>>>, >>9.9<	10
egt_itm_itm_line	Sub Line		>>9	
egt_itm_line	Line		>>9	
egt_itm_prefix	Detail Type		X(3)	
egt_itm_type	Type		X(8)	
egt_multi	Multiple Schedule		yes/no	
egt_priority	Priority	Pri	>>>9	
egt_reschedule	Reschedulable	Res	yes/no	
egt_sched_date	Scheduled Date	St Date	99/99/99	
egt_start_time	Start Time	Start	99:99	
egt_trnbr	Tran		>>>>>>>9	
egt_trv_dist	Travel Distance		>>>, >>>, >>9.99<<<<	10
egt_trv_start_loc	Start Travel Location		x(8)	
egt_trv_time	Travel Time		999:99	
egt_trv_type_loc	Start Location Type		x(2)	
egt_trv_um	Travel UM		x(2)	

Field Name	Label	Col-Label	Format	Dec
egt_user1	Ufld1		x(8)	
egt_user2	Ufld2		x(8)	
egt_wo_lot	ID		x(8)	
oid_egt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
egt_ca_line	no	egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_itm_prefix	yes	no
		egt_itm_type	yes	no
		egt_itm_itm_line	yes	no
egt_ca_nbr	no	egt_itm_line	yes	no
		egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_eng_code	yes	no
egt_eng_ca	no	egt_trnbr	yes	no
		egt_domain	yes	no
		egt_eng_code	yes	no
egt_eng_code	no	egt_ca_nbr	yes	no
		egt_trnbr	yes	no
		egt_domain	yes	no
		egt_eng_code	yes	no
* egt_trnbr	yes	egt_sched_date	yes	no
		egt_start_time	yes	no
		egt_domain	yes	no
oid_egt_mstr	yes	egt_trnbr	yes	no
		oid_egt_mstr	yes	no

egw_wkfl Service/Support Engineer Selection Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
egw_area	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_area	yes	no
		egw_points	no	no
* egw_eng_code	yes	egw_domain	yes	no
		egw_userid	yes	no
		egw_eng_code	yes	no
		egw_points	yes	no
egw_points	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_points	no	no
		egw_eng_code	yes	no
oid_egw_wkfl	yes	oid_egw_wkfl	yes	no

elg_hist

Export Document Log

Field Name	Label	Col-Label	Format	Dec
elg_dec01			->>>, >>>, >>9.99<	10
elg_dec02			->>>, >>>, >>9.99<	10
elg_dte01			99/99/99	
elg_dte02			99/99/99	
elg_int01			->>>, >>>, >>9	
elg_int02			->>>, >>>, >>9	
elg_log01			yes/no	
elg_log02			yes/no	
elg_qadc01			x(8)	
elg_qadc02			x(8)	
elg_qadc03			x(8)	
elg_qadc04			x(8)	
elg_qadd01			->>>, >>>, >>9.99<	10
elg_qadd02			->>>, >>>, >>9.99<	10
elg_qadi01			->>>, >>>, >>9	
elg_qadi02			->>>, >>>, >>9	
elg_qadi01			yes/no	
elg_qadi02			yes/no	
elg_qadt01			99/99/99	
elg_qadt02			99/99/99	
elg_access_code	Access Code		x(60)	
elg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
elg_ack_rcvd	Autoacknowledgment Received		yes/no	
elg_ack_stat	Autoacknowledgment Status		X(1)	
elg_app_id	Application ID		x(12)	
elg_app_ver	Application Version		x(8)	
elg_archive_id	Archive ID		x(12)	
elg_code_pg	Code Page		X(15)	
elg_ctrl_tot_1	Control Total 1		>>>, >>9	
elg_ctrl_tot_2	Control Total 2		->>>, >>>, >>9.99<<<	10
elg_ctrl_tot_3	Control Total 3		->>>, >>>, >>9.99<<<	10
elg_date_ack	Date Acknowledged		99/99/9999	
elg_date_form	Date Format		X(3)	
elg_date_map	Date Mapped		99/99/9999	
elg_date_publ	Date Published		99/99/9999	
elg_date_sent	Date Sent		99/99/9999	
elg_dest_mthd	Destination Method		x(24)	
elg_dest_proc	Destination Procedure		x(24)	
elg_doc_id	Document ID		>>>>>>>9	
elg_doc_lng	Document Language		x(3)	
elg_doc_rev	Document Revision		x(8)	
elg_doc_std	Document Standard		x(8)	
elg_doc_sufx	Document Suffix		>>	
elg_doc_typ	Document Type		x(21)	
elg_domain	Domain		x(8)	
elg_email_notvl	E-mail Notification Level		x(1)	
elg_email_userid	E-mail Recipient User ID		x(8)	
elg_err_stat	Error Status		X(1)	
elg_ext_doc_key	External Document Key		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ApplD	no	elg_domain	yes	no
		elg_app_id	yes	no
		elg_prcg_stage	yes	no
◇* DocIDSufx	yes	elg_doc_id	yes	no
		elg_doc_sufx	yes	no
		elg_domain	yes	no
elg_date_time_publ	no	elg_date_publ	yes	no
		elg_time_publ	yes	no
		elg_domain	yes	no
elg_date_time_sent	no	elg_date_sent	yes	no
		elg_time_sent	yes	no
		elg_domain	yes	no
elg_orig_doc_id	no	elg_orig_doc_id	yes	no
		elg_domain	yes	no
elg_receiver_id	no	elg_app_id	yes	no
		elg_tradptr_id	yes	no
		elg_domain	yes	no
◇ ExtDocKey	no	elg_domain	yes	no
		elg_ext_doc_key	yes	no
◇ GroupID	no	elg_grp_id	yes	no
		elg_domain	yes	no
◇ MfgProKey	no	elg_domain	yes	no
		elg_mfgpro_key	yes	no
oid_elg_hist	yes	oid_elg_hist	yes	no
◇ Site	no	elg_domain	yes	no
		elg_mfgpro_site	yes	no

emap_det

Mapped Export Document Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* MappedExport	yes	emap_doc_id	yes	no
		emap_doc_sufx	yes	no
		emap_doc_line	yes	no
		emap_domain	yes	no
oid emap det	yes	oid emap det	yes	no

emg_msg

Export Document Message

Field Name	Label	Col-Label	Format	Dec
emg_dec01			->>>, >>>, >>9.99<	10
emg_dec02			->>>, >>>, >>9.99<	10
emg_dte01			99/99/99	
emg_dte02			99/99/99	
emg_int01			->>>, >>>, >>9	
emg_int02			->>>, >>>, >>9	
emg_log01			yes/no	
emg_log02			yes/no	
emg_qadc01			x(8)	
emg_qadc02			x(8)	
emg_qadc03			x(8)	
emg_qadc04			x(8)	
emg_qadd01			->>>, >>>, >>9.99<	10
emg_qadd02			->>>, >>>, >>9.99<	10
emg_qadi01			->>>, >>>, >>9	
emg_qadi02			->>>, >>>, >>9	
emg_qadi01			yes/no	
emg_qadi02			yes/no	
emg_qadt01			99/99/99	
emg_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ExpReturnCode	yes	emg_domain	yes	no
		emg_doc_id	yes	no
		emg_doc_sufx	yes	no
		emg_prcg_stage	yes	no
		emg_return_code	yes	no
oid_emg_msg	yes	oid_emg_msg	yes	no

Employee Employee

Field Name	Label	Col-Label	Format	Dec
ActivityCode_ID	Activity Code		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
Company_ID	Link to Company		9999999999	
CostCentre_ID	Default Cost Center Code	Cost Center Code	9999999999	
Creditor_ID	Supplier Code	Supplier	9999999999	
Currency_ID	Registration Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Default Sub-Account Code	Sub-Acct	9999999999	
Employee_ID	Record ID		9999999999	
EmployeeCode	Employee Code		x(8)	
EmployeeDepartmentCode	Department Code		x(8)	
EmployeeEndDate	End Date		99/99/9999	
EmployeeIsActive	Active		yes/no	
EmployeeIsActiveExpNotes	Active Expense Notes	Expense Notes	yes/no	
EmployeeIsActiveTimeReg	Active Activity Sheets	Activity Sheets	yes/no	
EmployeeIsExternal	External Employee		yes/no	
EmployeeIsTravelOverSalary	Include Travel Hours/ Overtime	Traveling Hours/Overtime	yes/no	
EmployeeIsUser	User		yes/no	
EmployeeJobTitle	Job Title		x(24)	
EmployeeStartDate	Start Date		99/99/9999	
ExpenseCode_ID	Expense Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObsoleteActCstPriceList_ID	Actual Costing Price List		9999999999	
ObsoleteClaimPriceList_ID	Claim Price List		9999999999	
Project_ID	Default Project		9999999999	
QADC01			x(40)	

Field Name	Label	Col-Label	Format	Dec
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	EmployeeIsActive	yes	no
◇ Code	no	EmployeeCode	yes	no
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	Employee_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		EmployeeCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		EmployeeIsActive	yes	no
		EmployeeCode	yes	no

emp_mstr Employee Master

Field Name	Label	Col-Label	Format	Dec
emp_chr01			x(8)	
emp_chr02			x(8)	
emp_chr03			x(8)	
emp_chr04			x(8)	
emp_chr05			x(8)	
emp_dec01			>>>, >>>, >>>9.99	10
emp_dec02			>>>, >>>, >>>9.99	10
emp_dte01			99/99/99	
emp_dte02			99/99/99	
emp_dte03			99/99/99	
emp_dte04			99/99/99	
emp_dte05			99/99/99	
emp_log01			yes/no	
emp_log02			yes/no	
emp_qad01			x(8)	
emp_qad02			x(4)	
emp_active	Active		yes/no	
emp_ad_acc1	Acct 1		x(20)	
emp_ad_acc2	Acct 2		x(20)	
emp_ad_amt1	Deposit Amount	Amount	>>>, >>>9.99	10
emp_ad_amt2	Deposit Amount	Amount	>>>, >>>9.99	10
emp_ad_bank	Auto Deposit Bank 1	Auto Bk1	x(8)	
emp_ad_bank2	Auto Deposit Bank 2	Auto Bk2	x(8)	
emp_ad_pct1	Percentage	Pct	>>>9.99	10
emp_ad_pct2	Percentage	Pct	>>>9.99	10
emp_ad_type1	Account 1 Type	Type1	x(1)	
emp_ad_type2	Account 2 Type	Type2	x(1)	
emp_addr	Employee		x(8)	
emp_bank	Bank	Bk	x(2)	
emp_birthday	Birth Date	Birth Dt	99/99/9999	
emp_bs_phone	Business Phone	Bus Phone	x(20)	
emp_city	City		x(20)	
emp_country	Country		x(28)	
emp_ctr	Country Code	Ctry	x(3)	
emp_dept	Department	Dept	x(8)	
emp_domain	Domain		x(8)	
emp_emp_date	Date Employed	Dt Empld	99/99/99	
emp_entity	Entity		x(20)	
emp_exempt	Personal Exemptions	Ex	>9	
emp_ext	Ext		x(4)	
emp_fname	First Name		x(16)	
emp_freq	Pay Frequency	Fr	x(2)	
emp_last_dt	Date of Last Pay Rate Change	Last Chg	99/99/99	
emp_last_pay	Prior Pay Rate	Prior Pay	->>>, >>>9.99	10
emp_line1	Address 1		x(36)	
emp_line2	Address 2		x(36)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* emp_addr	yes	emp_domain	yes	no
		emp_addr	yes	no
emp_bank	no	emp_domain	yes	no
		emp_bank	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_dept	no	emp_domain	yes	no
		emp_dept	yes	no
emp_frq_mar	no	emp_domain	yes	no
		emp_freq	yes	no
		emp_marital	yes	no
emp_name	no	emp_domain	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_ssn	no	emp_domain	yes	no
		emp_ssn	yes	no
emp_wc_ind	no	emp_domain	yes	no
		emp_wc_class	yes	no
		emp_wk_loc	yes	no
oid emp mstr	yes	oid emp mstr	yes	no

emsg_mstr Service/Support Engineer Message Master

Field Name	Label	Col-Label	Format	Dec
emsg_qadc01			x(8)	
emsg_act_date	Action Date		99/99/99	
emsg_act_time	Action Time		99:99	
emsg_action	Action		x(8)	
emsg_cmtdindx	Comment		>>>>>>9	
emsg_complete	Completed		yes/no	
emsg_date	Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
emsg_eng_code	no	emsg_domain	yes	no
		emsg_eng_code	yes	no
		emsg_date	yes	no
		emsg_time	yes	no
		emsg_trnbr	yes	no
oid_emsg_mstr	yes	oid_emsg_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
em__chr01			x(8)	
em__chr02			x(8)	
em__chr03			x(8)	
em__chr04			x(8)	
em__qadc01	QAD Field		X(8)	0
em__qadc02	QAD Field		X(8)	0
em__qadc03	QAD Field		X(8)	0
em__qadc04	QAD Field		X(8)	0
em__attach_parm	Attachments		x(8)	
em__attach_seq	Sequence		>	
em__cc_parm	cc		x(8)	
em__cc_seq	Sequence		>	
em__desc	Description		x(24)	
em__end	End Effective	End	99/99/99	
em__msg_parm	Message		x(8)	
em__msg_seq	Sequence		>	
em__opsys	Operating System		x(8)	
em__other_parm	Other		x(8)	
em__other_seq	Sequence		>	
em__program	Path and Program Name		x(70)	
em__pswd_parm	Password		x(8)	
em__pswd_seq	Sequence		>	
em__recip_parm	Recipient		x(8)	
em__recip_seq	Sequence		>	
em__sender_parm	Sender		x(8)	
em__sender_seq	Sequence		>	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* em_system_id	yes	em_system_id	yes	no
		em_opsys	yes	no
		em_start	yes	no
oid em_mstr	yes	oid em_mstr	yes	no

EngineC

Warehousing Engine Processing Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_EngineC	yes	oid_EngineC	yes	no
◇* UniqueID	yes	Domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ UsrIdx	no	UniqueID	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

EngineH

Warehousing Engine Processing History

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* DelTime	no	Domain	yes	no
		DelDate	yes	no
		DelTime	yes	no
◇ EngOrder	no	Domain	yes	no
		ModeM	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ EngPart	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Loc	yes	no
oid_EngineH	yes	oid_EngineH	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

EngineW

Warehousing Engine Work Table

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>>, >>9.9<<<<<<<	10
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
RunDate	Run		99/99/99	
RunTime	Run Time		->, >>>, >>9	
RunUserID	Run		x(8)	
Site	Site		x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
TrSeq	Sequence	Seq	>>>9	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
EngInternal	no	Domain	yes	no
		InternalID	yes	no
		ModeM	yes	no
		EngType	yes	no
◇ EngOrder	no	Domain	yes	no
		ModeM	yes	no
		DSet	yes	no
		Nbr	yes	no
◇ EngPart	no	Line	yes	no
		Domain	yes	no
		Part	yes	no
		Site	yes	no
EngPri	no	Loc	yes	no
		Domain	yes	no
		ModeM	yes	no
		EngPriority	yes	no
EngSite	no	CreateDate	yes	no
		CreateTime	yes	no
		Domain	yes	no
		ModeM	yes	no
* EngTime	no	Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
EngType	no	Ref	yes	no
		Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
EngWldx	no	Domain	yes	no
		ModeM	yes	no
		EngType	yes	no
		EngPriority	yes	no
	no	CreateDate	yes	no
		CreateTime	yes	no
		Domain	yes	no
		EngType	yes	no
		TrNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Ref	yes	no
		AltUM	yes	no
oid_EngineW	yes	oid_EngineW	yes	no
◇ Usrldx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

eng_mstr Service/Support Engineer Master

Field Name	Label	Col-Label	Format	Dec
eng_chr01			x(8)	
eng_chr02			x(8)	
eng_chr03			x(8)	
eng_chr04			x(8)	
eng_chr05			x(8)	
eng_chr06			x(8)	
eng_chr07			x(8)	
eng_chr08			x(8)	
eng_chr09			x(8)	
eng_chr10			x(8)	
eng_dec01			->>>, >>>, >>9.99	10
eng_dec02			->>>, >>>, >>9.99	10
eng_dec03			->>>, >>>, >>9.99	10
eng_dte01			99/99/99	
eng_dte02			99/99/99	
eng_dte03			99/99/99	
eng_dte04			99/99/99	
eng_log01			yes/no	
eng_log02			yes/no	
eng_log03			yes/no	
eng_log04			yes/no	
eng_log05			yes/no	
eng_qadc01	Engineer Address		X(8)	0
eng_qadc02	QAD Character Field 2		X(8)	
eng_qadd01	QAD Date Field 1		99/99/99	
eng_qadd02	QAD Date Field 2		99/99/99	
eng_qadde01	QAD Decimal Field 1		->>, >>9.99	10
eng_qadi01	QAD Integer Field 1		->, >>>, >>9	
eng_qadi02	QAD Integer Field 2		->, >>>, >>9	
eng_qadi01	QAD Logical Field 1		yes/no	
eng_qadi02	QAD Logical Field 2		yes/no	
eng_3rd_party	Third Party Engineer		yes/no	
eng_addr	Engineer		x(8)	
eng_address	Engineer Address		X(8)	0
eng_area	Service Area	Area	x(18)	
eng_avail_ot	Available for Overtime		yes/no	
eng_call_load	Calls per Day	Calls	>>9	
eng_code	Engineer Code	Eng Code	x(8)	
eng_cplt_dt	Completion Date	Comp Date	99/99/99	
eng_cplt_tm	Completion Time	Comp Time	>>>>>>>>>>>9	
eng_domain	Domain		x(8)	
eng_esh_schedule	Schedule		x(8)	
eng_field	Field Engineer		yes/no	
eng_group	Group		x(8)	
eng_labor	Labor Part		x(8)	
eng_loc	Location		x(8)	0
eng_loc_rtn	Return Location		x(8)	
eng_location	Current Location	Loc	x(8)	0
eng_mod_date	Modified Date	Mod Date	99/99/99	
eng_mod_userid	User ID		X(8)	
eng_pager	Pager		x(20)	
eng_site	Site		x(8)	0
eng_site_rtn	Return Site		x(8)	
eng_skills	Skills		x(8)	
eng_sort	Name		X(24)	
eng_status	Status		x(8)	

Field Name	Label	Col-Label	Format	Dec
eng_sub	Subcontractor		yes/no	
eng_user1	Ufld1		x(8)	
eng_user2	Ufld2		x(8)	
oid_eng_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eng_addr	yes	eng_domain	yes	no
		eng_addr	yes	no
eng_area	no	eng_domain	yes	no
		eng_area	yes	no
		eng_code	yes	no
eng_code	yes	eng_domain	yes	no
		eng_code	yes	no
eng_schedule	no	eng_domain	yes	no
		eng_esh_schedule	yes	no
		eng_area	yes	no
		eng_code	yes	no
eng_sort	no	eng_domain	yes	no
		eng_sort	yes	no
oid_eng_mstr	yes	oid_eng_mstr	yes	no

en_mstr Entity Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* en_entity	yes	en_domain	yes	no
		en_entity	yes	no
en_type	no	en_entity	yes	no
		en_type	yes	no
oid_en_mstr	yes	oid_en_mstr	yes	no

ERAssD

Warehousing External Routing Assignment Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ERADIdx	yes	Domain	yes	no
		TrType	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		Part	yes	no
		PartType	yes	no
		Addr	yes	no
oid_ERAssD	yes	oid_ERAssD	yes	no
PartFromWhse	no	Domain	yes	no
		Part	yes	no
		FromSite	yes	no
		FromWhse	yes	no
PartToWhse	no	Domain	yes	no
		Part	yes	no
		ToSite	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ UsrIdx	no	ToWhse	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

eraw_det

Raw Export Document Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_eraw_det	yes	oid_eraw_det	yes	no
*	RawExport	yes	eraw_doc_id	yes	no
			eraw_doc_line	yes	no
			eraw_domain	yes	no

ERD

Warehousing External Routing Detail

Field Name	Label	Col-Label	Format	Dec
AllowQtyDec	Allow Quantity Decrease	Qty Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty Inc	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExtRouteCode	External Routing	External! Routing	x(8)	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
ModDate	Modified		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ERDidx	yes	Domain	yes	no
			ExtRouteCode	yes	no
	oid_ERD	yes	oid_ERD	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing External Routing Master

Field Name	Label	Col-Label	Format	Dec
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ERMIdx	yes	Domain	yes	no
		ExtRouteCode	yes	no
oid_ERM	yes	oid_ERM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

ERS

Evaluated Receipt Settlement History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ERS_ID	Record ID		9999999999	
ERSEndDate	End Date		99/99/9999	
ERSEndTime	End Time		99999	
ERSIsCreateCInvAndRM	Create Supplier invoice and Receiver mat	Create Inv and Match	yes/no	
ERSIsPrintAuditReport	Print Audit Report		yes/no	
ERSSStartDate	Start Date		99/99/9999	
ERSSStartTime	Start Time		99999	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cy	no	Company_ID	yes	no
◇* prim	yes	ERS_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		ERSSStartDate	yes	no
		ERSSStartTime	yes	no

ERSLine

Evaluated Receipts Settlement History De

Field Name	Label	Col-Label	Format	Dec
APMatchingLn_ID	Link to APMatchingLn		9999999999	
ERS_ID	Link to ERS		9999999999	
ERSLine_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	
PvodLineID	Link to PvodDet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatchingLn	no	APMatchingLn_ID	yes	no
ERS	no	ERS_ID	yes	no
◇* prim	yes	ERSLine_ID	yes	no
◇ Uniqueidx	yes	ERS_ID	yes	no
		APMatchingLn_ID	yes	no

ers mstr

Evaluated Receipts Settlement Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ers_part	no	ers_domain	yes	no
		ers_part	yes	no
		ers_vend	yes	no
ers_si	no	ers_domain	yes	no
		ers_site	yes	no
		ers_vend	yes	no
		ers_part	yes	no
* ers_vd_si_pt	yes	ers_domain	yes	no
		ers_vend	yes	no
		ers_site	yes	no
		ers_part	yes	no
oid_ers_mstr	yes	oid_ers_mstr	yes	no

esapfc_det

E-Signature Activated Profile Filter Criteria

Field Name	Label	Col-Label	Format	Dec
esapfc__qadc01			x(24)	
esapfc__qadc02			x(24)	
esapfc_mod_date	Modified Date	Mod Date	99/99/99	
esapfc_mod_userid	User ID		x(8)	
esapfc_user1	User Field Character 1		x(24)	
esapfc_user2	User Field Character 2		x(24)	

esapf_det

E-Signature Activated Profile Field

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esapf_code	yes	oid_esapf_det	yes	no
		esapf_code	yes	no
* esapf_oid_esapf_det	yes	oid_esapf_det	yes	no
		esapf_field_order	yes	no
oid esapf det	yes	oid esapf det	yes	no

esapmp_ref

E-Signature Activated Profile Menu Program Cross-Reference

Field Name	Label	Col-Label	Format	Dec
esapmp__qadc01			x(24)	
esapmp__qadc02			x(24)	
esapmp_esig_active	Esig Active	Active	yes/no	
esapmp_exec	Execution File	Exec File	x(14)	
esapmp_mod_date	Modified Date	Mod Date	99/99/99	
esapmp_mod_userid	User ID		x(8)	
esapmp_user1	User Field Character 1		x(24)	
esapmp_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_esapmp_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
esapmp_exec	yes	esapmp_exec	yes	no
		oid_esap_mstr	yes	no
* esapmp_oid_esap_ms	yes	oid_esap_mstr	yes	no
		esapmp_exec	yes	no
oid_esapmp_ref	yes	oid_esapmp_ref	yes	no

esaps_det

E-Signature Activated Profile Structure

Field Name	Label	Col-Label	Format	Dec
esaps__qadc01			x(24)	
esaps__qadc02			x(24)	
esaps_code	Code		X(32)	
esaps_include	Include		yes/no	
esaps_mod_date	Modified Date	Mod Date	99/99/99	
esaps_mod_userid	User ID		x(8)	
esaps_multiple	Multiple		yes/no	
esaps_order	Order		>>>9	
esaps_table_name	Structure Table Name		X(32)	
esaps_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
esaps_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_esaps_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_esaps_det_parent			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
esaps_code	yes	oid_esap_mstr	yes	no
		esaps_code	yes	no
* esaps_oid_esap_mstr	yes	oid_esap_mstr	yes	no
		oid_esaps_det_parent	yes	no
		esaps_order	yes	no
oid_esaps_det	yes	oid_esaps_det	yes	no

esap_mstr	E-Signature Activated Profile

Field Name	Label	Col-Label	Format	Dec
esap__qadc01			x(24)	
esap__qadc02			x(24)	
esap_begin_date	Begin Date	Begin! Date	99/99/99	
esap_comment_prompt	Prompt For Comment	Prompt! Comment	yes/no	
esap_data_frame_opt	Data Frame Optional	Data! Opt	yes/no	
esap_esig_active	Esig Active	Active	yes/no	
esap_filter_mode	Filter Mode	Filter	X(2)	
esap_latest_display	Display Latest E-Sig	Display! Latest	yes/no	
esap_mod_date	Modified Date	Mod Date	99/99/99	
esap_mod_userid	User ID		x(8)	
esap_preview_prompt	Prompt For Preview E-Sig	Prompt! Preview	yes/no	
esap_user1	User Field Character 1		x(24)	
esap_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* esap_oid_escat_mstr	yes	oid_escat_mstr	yes	no
		esap_begin_date	no	no
oid_esap_mstr	yes	oid_esap_mstr	yes	no

escat_mstr E-Signature Category Master

Field Name	Label	Col-Label	Format	Dec
escat__qadc01			x(24)	
escat__qadc02			x(24)	
escat_category_code	Category Code	Category	X(8)	
escat_mod_date	Modified Date	Mod Date	99/99/99	
escat_mod_userid	User ID		x(8)	
escat_pplib	Procedure		x(14)	
escat_preview_prompt	Preview Prompt	Preview	yes/no	
escat_top_table_name	Table Name		X(32)	
escat_user1	User Field Character 1		x(24)	
escat_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	escat_categorycode	yes	escat_category_code	yes	no
	oid_escat_mstr	yes	oid_escat_mstr	yes	no

escd det

E-Signature Category Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* escd_oid_escat_mstr	no	oid_escat_mstr	yes	no
		oid_top_erecord	yes	no
		escd_date	no	no
		escd_time	no	no
oid escd det	yes	oid escd det	yes	no

escf ref

E-Signature Category Filter Cross-Reference

Field Name	Label	Col-Label	Format	Description
escf__qadc01			x(24)	
escf__qadc02			x(24)	
escf_mod_date	Modified Date	Mod Date	99/99/99	
escf_mod_userid	User ID		x(8)	
escf_user1	User Field Character 1		x(24)	
escf_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	
oid_escf_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* escf_oid_escat_mstr	yes	oid_escat_mstr	yes	no
		oid_esfil_mstr	yes	no
escf_oid_esfil_mstr	yes	oid_esfil_mstr	yes	no
		oid_escat_mstr	yes	no
oid escf ref	yes	oid_escf ref	yes	no

escx det

E-Signature Category XML Detail

Field Name	Label	Col-Label	Format	Dec
escx__qadc01			x(24)	
escx__qadc02			x(24)	
escx_mod_date	Modified Date	Mod Date	99/99/99	
escx_mod_userid	User ID		x(8)	
escx_record_order			>9	
escx_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
escx_user2	User Field Character 2		x(24)	
escx_xml_stamp	XML stamp		X(1450)	
oid_escd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_escx_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* escsc_oid_escsd_det	yes	oid_escsd_det	yes	no
		escsc_record_order	yes	no
oid_escsx_det	yes	oid_escsx_det	yes	no

esc_ctrl	Service/Support Escalation Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* esc_index	yes	esc_domain	yes	no
		esc_index	yes	no
oid_esc_ctrl	yes	oid_esc_ctrl	yes	no

esfil_mstr	E-Signature Filter

Field Name	Label	Col-Label	Format	Dec
esfil__qadc01			x(24)	
esfil__qadc02			x(24)	
esfil_field_name	Field Name		X(32)	
esfil_mod_date	Modified Date	Mod Date	99/99/99	
esfil_mod_userid	User ID		x(8)	
esfil_table_name	Table Name		X(32)	
esfil_user1	User Field Character 1		x(24)	
esfil_user2	User Field Character 2		x(24)	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* esfil_field_name	yes	esfil_field_name	yes	no
oid esfil mstr	yes	oid esfil mstr	yes	no

esgc_ref

E-Signature Group Category Cross-Reference

Field Name	Label	Col-Label	Format	Dec
esgc__qadc01			x(24)	
esgc__qadc02			x(24)	
esgc_mod_date	Modified Date	Mod Date	99/99/99	
esgc_mod_userid	User ID		x(8)	
esgc_user1	User Field Character 1		x(24)	
esgc_user2	User Field Character 2		x(24)	
oid_atg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_esgc_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
esgc_oid_atg_mstr	yes	oid_atg_mstr	yes	no
		oid_escat_mstr	yes	no
* esgc_oid_escat_mstr	yes	oid_escat_mstr	yes	no
		oid_atg_mstr	yes	no
oid esgc ref	yes	oid esgc ref	yes	no

esh mstr

Service/Support Engineer Schedule Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* esh_schedule	yes	esh_domain	yes	no
		esh_schedule	yes	no
		esh_start_eff	yes	no
oid_esh_mstr	yes	oid_esh_mstr	yes	no

esig_mstr E-Signature Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esig_archived	no	esig_archived	yes	no
		esig_date	yes	no
		esig_time	yes	no
* esig_date	no	esig_date	no	no
		esig_time	no	no
esig_userid	no	esig_userid	yes	no
		esig_date	no	no
		esig_time	no	no
oid_esig_mstr	yes	oid_esig_mstr	yes	no

esp_mstr Export Document Specification Master

Field Name	Label	Col-Label	Format	Dec
esp_dec01			->>>, >>>, >>9.99<	10
esp_dec02			->>>, >>>, >>9.99<	10
esp_dte01			99/99/99	
esp_dte02			99/99/99	
esp_int01			->>>, >>>, >>9	
esp_int02			->>>, >>>, >>9	
esp_log01			yes/no	
esp_log02			yes/no	
esp_qadc01			x(8)	
esp_qadc02			x(8)	
esp_qadc03			x(8)	
esp_qadc04			x(8)	
esp_qadd01			->>>, >>>, >>9.99<	10
esp_qadd02			->>>, >>>, >>9.99<	10
esp_qadi01			->>>, >>>, >>9	
esp_qadi02			->>>, >>>, >>9	
esp_qadi01			yes/no	
esp_qadi02			yes/no	
esp_qadt01			99/99/99	
esp_qadt02			99/99/99	
esp_access_code	Access Code		x(60)	
esp_ack_doc_rev	Document Revision		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ExportSpec	yes	esp_domain	yes	no
		esp_app_id	yes	no
		esp_doc_std	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_esp_mstr	yes	esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no
		oid_esp_mstr	yes	no

esrec_det E-Signature Record List

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esrec_oid_esig_mstr	no	oid_esig_mstr	yes	no
esrec_record_order	yes	oid_escd_det	yes	no
		esrec_record_order	yes	no
* esrec_table_name	no	esrec_table_name	yes	no
		oid_erecord	yes	no
	yes	oid_esrec_det	yes	no

ess_mstr Service/Support Engineer Status Master

Field Name	Label	Col-Label	Format	Dec
ess_chr01	User Character Field 1		X(8)	
ess_log01	User Logical Field 1		yes/no	
ess_qadc01	QAD Character Field 1		X(8)	
ess_qadl01	QAD Logical Field 1		yes/no	
ess_available	Available	Avl	yes/no	
ess_desc	Description		x(24)	
ess_domain	Domain		x(8)	
ess_mod_date	Modified Date	Mod Date	99/99/99	
ess_mod_userid	User ID		X(8)	
ess_status	Status		x(8)	
ess_user1	Ufld1		x(8)	
ess_user2	Ufld2		x(8)	
oid_ess_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ess_status	yes	ess_domain	yes	no
		ess_status	yes	no
ess_statusav	no	ess_domain	yes	no
		ess_status	yes	no
		ess_available	yes	no
oid_ess_mstr	yes	oid_ess_mstr	yes	no

eswpfc_det E-Signature Workbench Profile Filter Criteria

Field Name	Label	Col-Label	Format	Dec
eswpfc__qadc01			x(24)	
eswpfc__qadc02			x(24)	
eswpfc_mod_date	Modified Date	Mod Date	99/99/99	
eswpfc_mod_userid	User ID		x(8)	
eswpfc_user1	User Field Character 1		x(24)	
eswpfc_user2	User Field Character 2		x(24)	
eswpfc_value	Value		X(80)	
oid_eswpfc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_eswpcfildet			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_eswpfsdet			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eswpfc_set_value	yes	oid_eswpfil_det	yes	no
		eswpfc_value	yes	no
		oid_eswpfs_det	yes	no
		oid_eswpfs_det	yes	no
		oid_eswpfil_det	yes	no
oid_eswpfc_det	yes	eswpfc_value	yes	no
		oid_eswpfc_det	yes	no

eswpfil_det E-Signature Workbench Profile Filter

Field Name	Label	Col-Label	Format	Dec
eswpfil__qadc01			x(24)	
eswpfil__qadc02			x(24)	
eswpfil_mod_date	Modified Date	Mod Date	99/99/99	
eswpfil_mod_userid	User ID		x(8)	
eswpfil_user1	User Field Character 1		x(24)	
eswpfil_user2	User Field Character 2		x(24)	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_ewsp_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_ewspfil_det			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eswpfil_oid_esfil	yes	oid_esfil_mstr	yes	no
		oid_eswp_mstr	yes	no
eswpfil_oideswpfs	yes	oid_eswp_mstr	yes	no
		oid_esfil_mstr	yes	no
oid_eswpfil_det	yes	oid_eswpfil_det	yes	no

eswpfs det E-Signature Workbench Profile Filter Set

Field Name	Label	Col-Label	Format	Dec
eswfs__qadc01			x(24)	
eswfs__qadc02			x(24)	
eswfs_mod_date	Modified Date	Mod Date	99/99/99	
eswfs_mod_userid	User ID		x(8)	
eswfs_set_desc	Description		X(24)	
eswfs_set_name	Set Name		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
eswpfs_set_name	yes	oid_eswp_mstr	yes	no
		eswpfs_set_name	yes	no
oid_eswpfs_det	yes	oid_eswpfs_det	yes	no

[illegible]

Field Name	Label	Col-Label	Format	Dec
eswpmp__qadc01			x(24)	
eswpmp__qadc02			x(24)	
eswpmp_esig_active	Esig Active	Active	yes/no	
eswpmp_exec	Execution File	Exec File	x(14)	
eswpmp_mod_date	Modified Date	Mod Date	99/99/99	
eswpmp_mod_userid	User ID		x(8)	
eswpmp_user1	User Field Character 1		x(24)	
eswpmp_user2	User Field Character 2		x(24)	
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
oid_eswpmp_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

eswps_det E-Signature Workbench Profile Structure

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
eswps_code	yes	oid_eswp_mstr	yes	no
		eswps_code	yes	no
* eswps_oid_eswp_mstr	yes	oid_eswp_mstr	yes	no
		oid_eswps_det_parent	yes	no
		eswps_order	yes	no
oid eswps det	yes	oid eswps det	yes	no

eswp_mstr E-Signature Workbench Profile

Field Name	Label	Col-Label	Format	Dec
eswp__qadc01			x(24)	
eswp__qadc02			x(24)	
eswp_collection	Collection		X(16)	
eswp_comment_prompt	Prompt For Comment	Prompt! Comment	yes/no	
eswp_data_frame_opt	Data Frame Optional	Data! Opt	yes/no	
eswp_esig_active	Esig Active	Active	yes/no	
eswp_filter_mode	Filter Mode	Filter	X(2)	
eswp_latest_display	Display Latest E-Sig	Display! Latest	yes/no	
eswp_mod_date	Modified Date	Mod Date	99/99/99	
eswp_mod_userid	User ID		x(8)	
eswp_preview_prompt	Prompt For Preview E-Sig	Prompt! Preview	yes/no	
eswp_profile_type	Profile Type	Type	X(2)	
eswp_user1	User Field Character 1		x(24)	
eswp_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* eswp_oid_escat_mstr	yes	eswp_profile_type	yes	no
		eswp_collection	yes	no
		oid_escat_mstr	yes	no
oid_eswp_mstr	yes	oid_eswp_mstr	yes	no

Service/Support Escalation and Repair Master

0

Index-Name	Uni	Field-Name	Asc	Abbr
* es_nbr	yes	es_domain	yes	no
		es_nbr	yes	no
		es_prefix	yes	no
		es_itm_line	yes	no
		es_ca_status	yes	no
		es_ca_int_type	yes	no
		es_ca_type	yes	no
		es_ca_severity	yes	no
		es_ca_problem	yes	no
		es_seq	yes	no
oid es_mstr	yes	oid es_mstr	yes	no

et ctrl

EMU Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* et_index1	yes	et_domain	yes	no
oid_et_ctrl	yes	oid_et_ctrl	yes	no

Service/Support End User Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	euc_index1	yes	euc_domain	yes	no
	oid_euc_ctrl	yes	oid_euc_ctrl	yes	no

Service/Support End User Detail

Index-Name	Uni	Field-Name	Asc	Abbr
eud_addr	no	eud_domain	yes	no
		eud_addr	yes	no
		eud_ls_type	yes	no
		eud_sort	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* eud_addrsort	yes	eud_domain	yes	no
		eud_addr	yes	no
		eud_sort	yes	no
eud_nametype	no	eud_domain	yes	no
		eud_addr	yes	no
		eud_nametype	yes	no
		eud_sort	yes	no
eud_phone	no	eud_domain	yes	no
		eud_phone	yes	no
eud_sort	no	eud_domain	yes	no
		eud_sort	yes	no
oid_eud_det	yes	oid_eud_det	yes	no

eus mstr

Service/Support End User Schedule Master

Field Name	Label	Col-Label	Format	Dec
eus_qadc01			x(24)	
eus_qadc02			x(24)	
eus_days[7]	Days		yes/no	
eus_domain	Domain		x(8)	
eus_etime[7]	End Time		99:99	
eus_eu_nbr	End User		x(8)	
eus_mid_etime[7]	Stop Midday		99:99	
eus_mid_stime[7]	Start Midday		99:99	
eus_mod_date	Modified Date	Mod Date	99/99/99	
eus_mod_userid	User ID		x(8)	
eus_schedule	Operating Schedule		x(8)	
eus_stime[7]	Start Time		99:99	
eus_user1	User Field Character1		x(24)	
eus_user2	User Field Character2		x(24)	
oid_eus_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eus_schedule	yes	eus_domain	yes	no
		eus_schedule	yes	no
		eus_eu_nbr	yes	no
oid eus_mstr	yes	oid eus_mstr	yes	no

eu mstr

Service/Support End User Master

Field Name	Label	Col-Label	Format	Dec
eu__chr01			x(8)	
eu__chr02			x(8)	
eu__chr03			x(8)	
eu__chr04			x(8)	
eu__chr05			x(8)	
eu__chr06			x(8)	
eu__chr07			x(8)	
eu__chr08			x(8)	
eu__chr09			x(8)	
eu__chr10			x(8)	
eu__dec01			->>>, >>>, >>9.99	10
eu__dec02			->>>, >>>, >>9.99	10
eu__dec03			->>>, >>>, >>9.99	10
eu__dte01			99/99/99	
eu__dte02			99/99/99	
eu__dte03			99/99/99	
eu__dte04			99/99/99	
eu__log01			yes/no	
eu__log02			yes/no	
eu__log03			yes/no	
eu__log04			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* eu_addr	yes	eu_domain	yes	no
		eu_addr	yes	no
eu_cmeu_nbr	yes	eu_domain	yes	no
		eu_cm_nbr	yes	no
		eu_addr	yes	no
eu_sort_addr	yes	eu_domain	yes	no
		eu_sort	yes	no
		eu_addr	yes	no
eu_zip	no	eu_domain	yes	no
		eu_zip	yes	no
		eu_addr	yes	no
oid_eu_mstr	yes	oid_eu_mstr	yes	no

EventDaemonEvent daemon

Field Name	Label	Col-Label	Format	Dec
DaemonId	Daemon ID		9999999999	
EventDaemon_ID	Record ID		9999999999	
EventDaemonAdapter	Adapter		x(60)	
EventDaemonAdapterCnString	Connection String		x(40)	
EventDaemonBroker	Broker		x(60)	
EventDaemonBrokerPassword	Broker Password		x(40)	
EventDaemonBrokerUser	Broker User		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Daemon_FK	no	DaemonId	yes	no
* EventDaemon_PK	yes	EventDaemon_ID	yes	no

ExchangeRateExchange Rate

Field Name	Label	Col-Label	Format	Dec
ExchangeRate	Exchange Rate	Rate	->,>>>,>>9.9999999999	10
ExchangeRate_ID	Record ID		9999999999	
ExchangeRateScale	Scale Factor		->,>>>,>>9.99999999	10
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
ExchangeRateValidDateFrom	Valid from		99/99/9999	
ExchangeRateValidDateTill	Valid to		99/99/9999	
FromCurrency_ID	From Currency Code	From Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
ToCurrency_ID	To Currency Code	To Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
DateFrom	no	ExchangeRateValidDateFrom	yes	no
DateTill	no	ExchangeRateValidDateTill	yes	no
FromCurrency	no	FromCurrency_ID	yes	no
◇* Prim	yes	ExchangeRate_ID	yes	no
RateType	no	ExchangeRateType_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
ToCurrency	no	ToCurrency_ID	yes	no
UniqueIndex	yes	SharedSet_ID	yes	no
		ExchangeRateType_ID	yes	no
		FromCurrency_ID	yes	no
		ToCurrency_ID	yes	no
		ExchangeRateValidDateFrom	yes	no

ExchangeRateTypeExchange Rate Type

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
ExchangeRateType_ID	Record ID		9999999999	
ExchangeRateTypeCode	Exchange Rate Type	Rate Type	x(20)	
ExchangeRateTypeDescript	Description		x(40)	
ExchangeRateTypeIsActive	Active		yes/no	
ExchangeRateTypeIsExported	Exported		yes/no	
ExchangeRateTypeIsFallBack	Fall Back On Accounting Type		yes/no	
ExchangeRateTypeIsSystem	System-Owned	System	yes/no	
ExchangeRateTypeIsTillDate	With Valid Till Date		yes/no	
ExchangeRateTypeValidity	Default Validity (days)		>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ExchangeRateTypeCode	yes	no
◇* Prim	yes	ExchangeRateType_ID	yes	no
◇ ViewIndex	no	ExchangeRateTypeIsActive	yes	no
		ExchangeRateTypeCode	yes	no

ExpenseCodeExpense Code

Field Name	Label	Col-Label	Format	Dec
ExpenseCode	Expense Code		x(20)	
ExpenseCode_ID	Record ID		9999999999	
ExpenseCodeDescription	Description		x(40)	
ExpenseCodeIsActive	Active		yes/no	
ExpenseCodeType	Expense Type	Type	x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	ExpenseCode	yes	no
◇ CodeAndType	yes	ExpenseCode	yes	no
		ExpenseCodeType	yes	no
◇* Prim	yes	ExpenseCode_ID	yes	no
◇ ViewIndex	no	ExpenseCodeIsActive	yes	no
		ExpenseCode	yes	no

ExpenseGLMatrixExpense GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostCentreGL_ID	Expense Acc (CC)		9999999999	
EmployeeExpenseCode_ID	Employee Expense Code		9999999999	
ExpenseGLMatrix_ID	Record ID		9999999999	
ItemExpenseCode_ID	Item Expense Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NoAnalysisGL_ID	Expense Account (No Analysis)		9999999999	
ProjectGL_ID	Expense Acc (Pri)		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentreGL	no	CostCentreGL_ID	yes	no
EmployeeExp	no	EmployeeExpenseCode_ID	yes	no
ItemExp	no	ItemExpenseCode_ID	yes	no
◇ NoAnalysisGL	no	NoAnalysisGL_ID	yes	no
◇* Prim	yes	ExpenseGLMatrix_ID	yes	no
◇ ProjectGL	no	ProjectGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ UniqueKey	yes	SharedSet_ID	yes	no
		ItemExpenseCode_ID	yes	no
		EmployeeExpenseCode_ID	yes	no

ExpNoteCInvoiceExpense Note Supplier Invoice

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
ExpNote_ID	Link to ExpNote		9999999999	
ExpNoteCInvoice_ID	Record ID		9999999999	
ExpNoteCInvoiceDeductLC	BC Deductible		->>>,>>>,>>>,>>9.99	4
ExpNoteCInvoiceDeductTC	TC Deductible		->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
ExpNoteCInvoiceIsReturned	Is Returned	Returned	yes/no	
ExpNoteCInvoiceStatusCode	Status Code	Status	x(20)	
ExpNoteCInvoiceToReturnTC	TC To Return		->>>, >>>, >>>, >>9.99	4
ExpNoteCInvoiceTypeCode	Type Code	Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.99999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇ ExpNote	no	ExpNote_ID	yes	no
◇* Prim	yes	ExpNoteCInvoice_ID	yes	no
◇ UniqueIdx	yes	ExpNote_ID	yes	no
		CInvoice_ID	yes	no

ExpNoteLineSafExpense Note Line Saf

Field Name	Label	Col-Label	Format	Dec
ExpNoteLine_ID	Link to ExpNoteLine		9999999999	
ExpNoteLineSaf_ID	Record ID		9999999999	
ExpNoteLineSafInputSeq	Sequence	Seq	->,>>>,>>9	
ExpNoteLineSafParentType	Parent Type	Parent	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ExpNoteLine	no	ExpNoteLine_ID	yes	no
◇* Prim	yes	ExpNoteLineSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	ExpNoteLine_ID	yes	no
		ExpNoteLineSafParentType	yes	no
		ExpNoteLineSafInputSeq	yes	no

exr rate Exchange Rate Master

[illegible]

faadj_mstr Fixed Asset Adjustment Master

Index-Name	Uni	Field-Name	Asc	Abbr
* faadj_fa_id	yes	faadj_domain	yes	no
		faadj_fa_id	yes	no
		faadj_fabk_id	yes	no
		faadj_resrv	yes	no
oid_faadj_mstr	yes	oid_faadj_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
FAAssetBook_ID	Link to FAAssetBook		9999999999	
FAAssetBookDeprec_ID	Record ID		9999999999	
FAAssetBookDeprecAmountLC	BC Depreciation Amount	BC Depr Amount	->>>, >>>, >>>, >>9.99	4
FAAssetBookDeprecMonth	Depreciation Month	Depr Month	99	
FAAssetBookDeprecPRICE	Depreciation Price	Depr Price	->>>, >>>, >>9.99999	10
FAAssetBookDeprecQTY	Depreciation Quantity	Depr Quantity	->>>, >>>, >>9.99	4
FAAssetBookDeprecYear	Depreciation Year	Depr Year	9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
DeprecMonth	no	FAAssetBookDeprecMonth	yes	no
DeprecYear	no	FAAssetBookDeprecYear	yes	no
◇ FAAssetBook	no	FAAssetBook_ID	yes	no
◇* Prim	yes	FAAssetBookDeprec_ID	yes	no
◇ Uniqueldx	yes	FAAssetBook_ID	yes	no
		FAAssetBookDeprecYear	yes	no
		FAAssetBookDeprecMonth	yes	no

FAAssetGLSaf Asset Book Account SAF

Field Name	Label	Col-Label	Format	Dec
FAAssetGL_ID	Link to FAAssetGL		9999999999	
FAAssetGLSaf_ID	Record ID		9999999999	
FAAssetGLSafInputSeq	Seq		>>>9	
FAAssetGLSafParentType	Parent Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AssetGL	no	FAAssetGL_ID	yes	no
InputSequence	no	FAAssetGLSafInputSeq	yes	no
◇ ParentType	no	FAAssetGLSafParentType	yes	no
◇* Prim	yes	FAAssetGLSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ Uniqueldx	yes	FAAssetGL_ID	yes	no
		FAAssetGLSafInputSeq	yes	no
		FAAssetGLSafParentType	yes	no

FAAssetSaf Asset Saf

Field Name	Label	Col-Label	Format	Dec
FAAsset_ID	Link to FAAsset		9999999999	
FAAssetSaf_ID	Record ID		9999999999	
FAAssetSafInputSequence	Seq		999	
FAAssetSafParentType	Parent Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Asset	no	FAAsset_ID	yes	no
◇* Prim	yes	FAAssetSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueKey	yes	FAAsset_ID	yes	no
		FAAssetSafInputSequence	yes	no
		FAAssetSafParentType	yes	no

FAAssetTypeFABookFixed Asset Type-Book Cross-Reference

Field Name	Label	Col-Label	Format	Dec
FAAssetType_ID	Code		9999999999	
FAAssetTypeBookSequence	Sequence		99	
FAAssetTypeFABook_ID	Record ID		9999999999	
FABook_ID	Layer Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AssetTpBkSq	no	FAAssetTypeBookSequence	yes	no
◇ AssetType	no	FAAssetType_ID	yes	no
Book	no	FABook_ID	yes	no
◇* Prim	yes	FAAssetTypeFABook_ID	yes	no
◇ UniqueKey	yes	FAAssetType_ID	yes	no
		FAAssetTypeBookSequence	yes	no

Fixed Asset Account Detail

Index-Name	Uni	Field-Name	Asc	Abbr
faba_acctype	no	faba_domain	yes	no
		faba_acctype	yes	no
* faba_fa_id	yes	faba_domain	yes	no
		faba_fa_id	yes	no
		faba_fabk_id	yes	no
		faba_acctype	yes	no
		faba_glseq	yes	no
oid_faba_det	yes	oid_faba_det	yes	no

Fixed Asset Batch Detail

Field Name	Label	Col-Label	Format	Dec
fabchd__chr01			x(8)	
fabchd__dec01			->>>>,>>>,>>9.99<	10
fabchd__dte01			99/99/9999	
fabchd__int01			->,>>>,>>9	
fabchd__log01			yes/no	
fabchd__qadc01			x(20)	
fabchd__qadd01			->>>>,>>>,>>9.99<	10
fabchd__qadi01			->,>>>,>>9	
fabchd__qadl01			yes/no	
fabchd__qadt01			99/99/9999	
fabchd__desc	Asset Description		X(50)	
fabchd__domain	Domain		x(8)	
fabchd__fa_id	Asset		x(12)	
fabchd__fabch_id	Batch		x(12)	
fabchd__facfs_id	Class		x(8)	
fabchd__faloc_id	Location		x(8)	
fabchd__ins_co	Insurance Company		x(24)	
fabchd__ins_date	Insurance Date		99/99/9999	
fabchd__ins_nbr	Insurance Number		x(12)	
fabchd__insamt	Insurance Value		->>>>,>>>,>>9.99<	10
fabchd__mod_date	Modified Date	Mod Date	99/99/9999	
fabchd__mod_user	User ID		x(8)	
fabchd__puramt	Cost		->>>>,>>>,>>9.99<	10
fabchd__qty	Components		>>>9	
fabchd__salvamt	Salvage		->>>>,>>>,>>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
fabchd_fa_id	yes	fabchd_domain	yes	no
		fabchd_fabch_id	yes	no
		fabchd_fa_id	yes	no
oid_fabchd_det	yes	oid_fabchd_det	yes	no

fabch_mstr Fixed Asset Batch Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fabch_id	yes	fabch_domain	yes	no
		fabch_id	yes	no
oid_fabch_mstr	yes	oid_fabch_mstr	yes	no

fabdy_det FA Book and Daybook link detail table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabdy_bk_id	no	fabdy_bk_id	yes	no
fabdy_book	yes	fabdy_domain	yes	no
		fabdy_entity	yes	no
		fabdy_bk_id	yes	no
		fabdy_dy_code	yes	no
fabdy_dy_code	no	fabdy_dy_code	yes	no
		fabdy_entity	yes	no
		fabdy_bk_id	yes	no
fabdy_entity	no	fabdy_entity	yes	no
		fabdy_bk_id	yes	no
oid_fabdy_det	yes	oid_fabdy_det	yes	no

fabd det

Fixed Asset Book Depreciation Detail

Field Name	Label	Col-Label	Format	Dec
fabd__chr01			x(8)	
fabd__dec01			->>>>, >>>, >>9.99<	10
fabd__dte01			99/99/9999	
fabd__int01			->, >>>, >>9	
fabd__log01			yes/no	
fabd__qadc01			x(20)	
fabd__qadc02			x(20)	
fabd__qadd01			->>>>, >>>, >>9.99<	10
fabd__qadd02			->>>>, >>>, >>9.99<	10
fabd__qadi01			->, >>>, >>9	
fabd__qadi02			->, >>>, >>9	
fabd__qadi01			yes/no	
fabd__qadi02			yes/no	
fabd__qadi03			yes/no	
fabd__qadi04			yes/no	
fabd__qadt01			99/99/9999	
fabd__qadt02			99/99/9999	
fabd__accamt	Accumulated Depreciation		->>>>, >>>, >>9.99<	10
fabd__accup	Units Consumed		>, >>>, >>>, >>9	
fabd__adj_yrper	Adj Year/Period	Adj! Yr-Per	x(6)	
fabd__domain	Domain		x(8)	
fabd__entity	Entity	Enty	x(20)	
fabd__fa_id	Asset		x(12)	
fabd__fabk_id	Book		x(4)	
fabd__facts_id	Class		x(8)	
fabd__faloc_id	Location		x(8)	
fabd__glseq	GL Sequence		->>>>, >>>, >>9	
fabd__migrate	Migrated		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fabd_entity	no	fabd_domain	yes	no
		fabd_entity	yes	no
fabd_fa_id	no	fabd_domain	yes	no
		fabd_fa_id	yes	no
		fabd_fabk_id	yes	no
		fabd_yrper	yes	no
		fabd_resrv	yes	no
		fabd_seq	yes	no
fabd_glseq	no	fabd_domain	yes	no
		fabd_glseq	yes	no
fabd_post	no	fabd_domain	yes	no
		fabd_post	yes	no
fabd_resrv	no	fabd_domain	yes	no
		fabd_resrv	yes	no
fabd_rt_period	no	fabd_domain	yes	no
		fabd_rt_period	yes	no
* fabd_seq	yes	fabd_domain	yes	no
		fabd_seq	yes	no
fabd_suspend	no	fabd_domain	yes	no
		fabd_suspend	yes	no
fabd_trn_entity	no	fabd_domain	yes	no
		fabd_trn_entity	yes	no
fabd_yrper	no	fabd_domain	yes	no
		fabd_fabk_id	yes	no
		fabd_post	yes	no
		fabd_yrper	yes	no
oid_fabd_det	yes	oid_fabd_det	yes	no

Field Name	Label	Col-Label	Format	Dec
fabk__chr01			x(8)	
fabk__dec01			->>>>, >>>, >>9.99<	10
fabk__dte01			99/99/9999	
fabk__int01			->, >>>, >>9	
fabk__log01			yes/no	
fabk__qadc01			x(20)	
fabk__qadc02			x(20)	
fabk__qadd01			->>>>, >>>, >>9.99<	10
fabk__qadi01			->, >>>, >>9	
fabk__qadi01			yes/no	
fabk__qadt01			99/99/9999	
fabk__calendar	Calendar		x(8)	
fabk__desc	Description		x(35)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabk_id	yes	fabk_domain	yes	no
		fabk_id	yes	no
fabk_seq	no	fabk_domain	yes	no
		fabk_seq	yes	no
oid fabk mstr	yes	oid fabk mstr	yes	no

fab det

Fixed Asset Book Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fab_fa_id	yes	fab_domain	yes	no
		fab_fa_id	yes	no
		fab_fabk_seq	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
fab_meter	no	fab_domain	yes	no
		fab_famtr_id	yes	no
fab_resrv	no	fab_domain	yes	no
		fab_fa_id	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
oid_fab_det	yes	oid_fab_det	yes	no

FACapitalAssetBookFixed Asset Capitalization Asset Book

Field Name	Label	Col-Label	Format	Dec
FAAssetBook_ID	Code		9999999999	
FACapital_ID	Link to FACapital		9999999999	
FACapitalAssetBook_ID	Record ID		9999999999	
FACapitalAssetBookIsAddit	Addition		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
FAAssetBk	no	FAAssetBook_ID	yes	no
FACapital	no	FACapital_ID	yes	no
◇* Prim	yes	FACapitalAssetBook_ID	yes	no
◇ Uniqueidx	yes	FAAssetBook_ID	yes	no
		FACapital_ID	yes	no

facd_det Fixed Asset Class Account Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* facd_fac_id	yes	facd_domain	yes	no
		facd_facl_id	yes	no
		facd_fabk_id	yes	no
		facd_acctype	yes	no
oid facd det	yes	oid facd det	yes	no

facld det Fixed Asset Calendar Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* facld_facld_id	yes	facld_domain	yes	no
		facld_facld_id	yes	no
		facld_year	yes	no
		facld_per	yes	no
oid facld det	yes	oid facld det	yes	no

facsl mstr Fixed Asset Class Master

Field Name	Label	Col-Label	Format	Dec
facts__chr01			x(8)	
facts__dec01			->>>>, >>>, >>9.99<	10
facts__dte01			99/99/9999	
facts__int01			->, >>>, >>9	
facts__log01			yes/no	
facts__qadc01			x(20)	
facts__qadc02			x(20)	
facts__qadd01			->>>>, >>>, >>9.99<	10
facts__qadi01			->, >>>, >>9	
facts__qadl01			yes/no	
facts__qadt01			99/99/9999	
facts_dep	Depreciate Assets	Dep	yes/no	
facts_desc	Description		x(40)	
facts_domain	Domain		x(8)	
facts_id	Class		x(8)	
facts mod date	Modified Date	Mod Date	99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
facts_id	yes	facts_domain	yes	no
		facts_id	yes	no
oid_facts_mstr	yes	oid_facts_mstr	yes	no

faci_cal

Fixed Asset Calendar Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* facl_id	yes	facl_domain	yes	no
		facl_id	yes	no
		facl_year	yes	no
oid_fac1_cal	yes	oid_fac1_cal	yes	no

fact_ctrl

Fixed Asset Control

Field Name	Label	Col-Label	Format	Dec
fact__chr01			x(8)	
fact__dec01			->>>>,>>>,>>9.99<	10
fact__dte01			99/99/9999	
fact__int01			->,>>>,>>9	
fact__log01			yes/no	
fact__qadc01			x(20)	
fact__qadc02			x(20)	
fact__qadc03			x(24)	
fact__qadc04			x(24)	
fact__qadc05			x(24)	
fact__qadd01			->>>>,>>>,>>9.99<	10
fact__qadi01			->,>>>,>>9	
fact__qadi01			yes/no	
fact__qadt01			99/99/9999	
fact__auto	Auto Generate Asset	Auto	yes/no	
fact__delta	Book Depreciation Deviation		yes/no	
fact__domain	Domain		x(8)	
fact__gl_sum	Summarized Journal	Summ Jrnl	yes/no	
fact__index1	Index		>>>>>9	

Field Name	Label	Col-Label	Format	Dec
fact_mod_date	Modified Date	Mod Date	99/99/9999	
fact_mod_userid	User ID		x(8)	
fact_post_in_fa_maint	Post FA Acquisition in FA Maintenance		yes/no	
fact_post_to_gl	Post to GL		yes/no	
fact_seq_id	NRM Sequence		x(8)	
fact_user1	Ufid1		x(8)	
fact_user2	Ufid2		x(8)	
oid_fact_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fact_index1	yes	fact_domain	yes	no
	oid_fact_ctrl	yes	oid_fact_ctrl	yes	no

fac_ctrl Final Assembly Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fac_ctrl	yes	fac_domain	yes	no
	oid_fac_ctrl	yes	oid_fac_ctrl	yes	no

FADepreciationDetSafDepreciation Detail SAF

Field Name	Label	Col-Label	Format	Dec
FADepreciationDet_ID	Link to FADepreciationDet		9999999999	
FADepreciationDetSaf_ID	Record ID		9999999999	
FADepreciationDetSafSeq	Sequence	Seq	99	
FADepreciationDetSafType	Parent Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Concept Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltPrim	yes	FADepreciationDet_ID	yes	no
		FADepreciationDetSafType	yes	no
		FADepreciationDetSafSeq	yes	no
DeprDet	no	FADepreciationDet_ID	yes	no
* Prim	yes	FADepreciationDetSaf_ID	yes	no
SafIdx	no	Saf_ID	yes	no
SafStr	no	SafStructure_ID	yes	no

FADepreciationPostingDepreciation Posting

Field Name	Label	Col-Label	Format	Dec
FADepreciation_ID	Link to FADepreciation		9999999999	
FADepreciationPosting_ID	Record ID		9999999999	
FADepreciationPostingType	Posting Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Voucher		99999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
FADepr	no	FADepreciation_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	FADepreciationPosting_ID	yes	no
◇ Unlidx	yes	FADepreciation_ID	yes	no
		Posting_ID	yes	no

fadf_mstr	Fixed Asset Book Default Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fadf_fac_id	yes	fadf_domain	yes	no
		fadf_facts_id	yes	no
		fadf_fabk_id	yes	no
oid_fadf_mstr	yes	oid_fadf_mstr	yes	no

FADisposalDetSafFixed Asset Disposal Detail Saf

Field Name	Label	Col-Label	Format	Dec
FADisposalDet_ID	Link to FADisposalDet		9999999999	
FADisposalDetSaf_ID	Record ID		9999999999	
FADisposalDetSafParentType	Parent Type		x(20)	
FADisposalDetSafSeq	Sequence	Seq	->,>>>,>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

324 FADisposalDetSaf

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
FADispDet	no	FADisposalDet_ID	yes	no
◇* Prim	yes	FADisposalDetSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	FADisposalDetSafSeq	yes	no
		FADisposalDetSafParentType	yes	no
		e		
		FADisposalDet_ID	yes	no

Fixed Asset Component Detail

Index-Name	Uni	Field-Name	Asc	Abbr
fad_fa_id	no	fad_domain	yes	no
		fad_fa_id	yes	no
		fad_tag	yes	no
* fad_tag	yes	fad_domain	yes	no
		fad_tag	yes	no
oid_fad_det	yes	oid_fad_det	yes	no

Fixed Asset Location Master

Index-Name	Uni	Field-Name	Asc	Abbr
* faloc_id	yes	faloc_domain	yes	no
		faloc_id	yes	no
oid_faloc_mstr	yes	oid_faloc_mstr	yes	no

fal mstr

Fixed Asset Location Code Master

Field Name	Label	Col-Label	Format	Dec
fal__qad01			yes/no	
fal__qad02			x(8)	
fal__qad03			x(8)	
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Accout	Depr Exp! Sub-Aacct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Aacct	x(8)	
fal_user1	Ufld1		x(8)	
fal_user2	Ufld2		x(8)	
fal_userid	User ID		x(8)	
oid_fal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
fal_desc	no	fal_desc	yes	no
		fal_fa_loc	yes	no
* fal_fa_loc	yes	fal_fa_loc	yes	no
fal_ind1	no	fal_loc	yes	no
		fal_bldg	yes	no
		fal_dept	yes	no
		fal_fa_loc	yes	no
oid fal_mstr	yes	oid fal_mstr	yes	no

famtd det

Fixed Asset Custom Table Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtd_famtd_id	yes	famtd_domain	yes	no
		famtd_famtd_id	yes	no
		famtd_year	yes	no
		famtd_period	yes	no
oid_famtd_det	yes	oid_famtd_det	yes	no

famtrd_det Fixed Asset Meter Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtrd_famtr_id	yes	famtrd_domain	yes	no
		famtrd_famtr_id	yes	no
		famtrd_seq	no	no
oid_famtrd_det	yes	oid_famtrd_det	yes	no

famtr_mstr Fixed Asset Meter Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtr_id	yes	famtr_domain	yes	no
		famtr_id	yes	no
oid famtr mstr	yes	oid famtr mstr	yes	no

famt mstr

Fixed Asset Method Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famt_id	yes	famt_domain	yes	no
		famt_id	yes	no
oid_famt_mstr	yes	oid_famt_mstr	yes	no

FARevalDetSaf

Fixed Asset Revaluation Detail SAF

Field Name	Label	Col-Label	Format	Dec
FARevalDet_ID	Link to FAREvalDet		9999999999	
FARevalDetSaf_ID	Record ID		9999999999	
FARevalDetSafParentType	SAF Parent Type		x(20)	
FARevalDetSafSequence	Sequence	Seq	->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
FARevalDet	no	FARevalDet_ID	yes	no
◇* Prim	yes	FARevalDetSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	FARevalDetSafSequence	yes	no
		FARevalDetSafParentType	yes	no
		FARevalDet_ID	yes	no

FARevalPostingFixed Asset Revaluation Posting

Field Name	Label	Col-Label	Format	Dec
FAReval_ID	Link to FAREval		9999999999	
FARevalPosting_ID	Record ID		9999999999	
FARevalPostingType	Posting Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Voucher		999999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>>.>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ FAREval	no	FAReval_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	FARevalPosting_ID	yes	no
◇ Uniqueidx	yes	FAReval_ID	yes	no
		Posting_ID	yes	no

fas_ctrl	Fixed Asset System Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fas_index1	yes	fas_index1	yes	no
	oid_fas_ctrl	yes	oid_fas_ctrl	yes	no

fauop_det Fixed Assets UOP Forecast Detail

Field Name	Label	Col-Label	Format	Dec
fauop__chr01			x(8)	
fauop__dec01			->>>>,>>>,>>9.99<	10
fauop__dte01			99/99/9999	
fauop__int01			->,>>>,>>9	
fauop__log01			yes/no	
fauop__qadc01			x(20)	
fauop__qadd01			->>>>,>>>,>>9.99<	10
fauop__qadi01			->,>>>,>>9	
fauop__qadi01			yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fauop_fa_id	yes	fauop_domain	yes	no
		fauop_fa_id	yes	no
		fauop_fabk_id	yes	no
		fauop_yrper	yes	no
oid fauop det	yes	oid fauop det	yes	no

FavBusComponentFavorites

Field Name	Label	Col-Label	Format	Dec
BusArea_ID	Business Area		9999999999	
BusComponent_ID	Business Component		9999999999	
FavBusComponent_ID	Record ID		9999999999	
FavBusComponentSequence	Sequence	Seq	>>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr ID	User		9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
	BusArea	no	BusArea_ID	yes	no
◇	BusComponent	no	BusComponent_ID	yes	no
◇*	prim	yes	FavBusComponent_ID	yes	no
◇	Usr	no	Usr_ID	yes	no

fa_mstr	Fixed Asset Master

Field Name	Label	Col-Label	Format	Dec
fa_chr01			x(8)	
fa_chr02			x(8)	
fa_chr03			x(8)	
fa_chr04			x(8)	
fa_dec01			->>>, >>>, >>9.99	10
fa_dec02			->>>>, >>>, >>9.99<	10
fa_dec03			->>>>, >>>, >>9.99<	10
fa_dec04			->>>>, >>>, >>9.99<	10
fa_dte01			99/99/9999	
fa_dte02			99/99/9999	
fa_dte03			99/99/9999	
fa_dte04			99/99/9999	
fa_int01			->, >>>, >>9	
fa_int02			->, >>>, >>9	
fa_int03			->, >>>, >>9	
fa_int04			->, >>>, >>9	

Index-Name	Uni	Field-Name	Asc	Abbr
fa_code	no	fa_domain	yes	no
		fa_code	yes	no
fa_desc1	no	fa_domain	yes	no
		fa_desc1	yes	no
fa_fabch_id	no	fa_domain	yes	no
		fa_fabch_id	yes	no
fa_fac_id	no	fa_domain	yes	no
		fa_facts_id	yes	no
fa_faloc_id	no	fa_domain	yes	no
		fa_faloc_id	yes	no
* fa_id	yes	fa_domain	yes	no
		fa_id	yes	no
fa_post	no	fa_domain	yes	no
		fa_post	yes	no
oid_fa_mstr	yes	oid_fa_mstr	yes	no

Service/Support Charge Code Product Line Master

Index-Name	Uni	Field-Name	Asc	Abbr
fcc_ca_int_type	no	fcc_domain	yes	no
		fcc_type	yes	no
		fcc_ca_int_type	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
* fcc_fcg_code	yes	fcc_domain	yes	no
		fcc_type	yes	no
		fcc_fcg_code	yes	no
		fcc_ca_int_type	yes	no
		fcc_fsc_code	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
oid fcc mstr	yes	oid fcc mstr	yes	no

fcDraftInstanceData

Field Name	Label	Col-Label	Format	Dec
DraftInstance_ID	Instance ID		9999999999	
DraftInstanceData			x(8)	
DraftInstanceSeq	Sequence	Seq	9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>>.>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	DIData_PK	yes	DraftInstance_ID	yes	no
			DraftInstanceSeq	yes	no

fcd_mstr Service/Support Default Charge Code Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fcd_sv_code	yes	fcd_domain	yes	no
		fcd_sv_code	yes	no
		fcd_ca_int_type	yes	no
		fcd_fsc_code	yes	no
		fcd_eu_type	yes	no
oid_fcd_mstr	yes	oid_fcd_mstr	yes	no

fcg_mstr Service/Support Charge Code Master

Field Name	Label	Col-Label	Format	Dec
fcg__chr01	User Character Field #1		x(8)	0
fcg__chr02	User Character Field #2		x(8)	0
fcg__chr03	User Character Field #3		x(8)	0
fcg__chr04	User Character Field #4		x(8)	0
fcg__dec01	User Decimal #1		-->>, >>>, >>9.99<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fcg_billindex	yes	fcg_domain	yes	no
		fcg_code	yes	no
		fcg_fix_index	yes	no
* fcg_code	yes	fcg_domain	yes	no
		fcg_code	yes	no
oid fcg mstr	yes	oid fcg mstr	yes	no

fclmObject IDOM document

Field Name	Label	Col-Label	Format	Dec
IdmId	Object ID		x(64)	
IdmLibrary	Object Library		x(32)	
IdmObjectId	Internal id	Id	9999999999	
IdmType	Object Type		>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObjectId	Internal ID	ID	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
IdmoObjectidK	no	Objectid	yes	no
* IdmoPk	yes	IdmObjectid	yes	no

fclInstance

State

Field Name	Label	Col-Label	Format	Dec
Instance_ID	Record ID		9999999999	
InstanceClassName	Class Name		x(26)	
InstanceData			x(8)	
InstanceIsInUse	In Use		yes/no	
InstanceSeq	Sequence	Seq	9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	Instance_ID	yes	no
		InstanceSeq	yes	no

fcl mstr

Item Fiscal Class Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fcl_fiscal_class	yes	fcl_domain	yes	no
		fcl_fiscal_class	yes	no
oid fcl_mstr	yes	oid fcl_mstr	yes	no

fcs sum

Forecast Summary

[illegible]

* fcs_partyear	yes	fcs_domain	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
		fcs_year	yes	no
fcs_yearpart	yes	fcs_domain	yes	no
		fcs_year	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
oid_fcs_sum	yes	oid_fcs_sum	yes	no

Service/Support Call Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fct_type	yes	fct_domain	yes	no
		fct_type	yes	no
oid_fct_mstr	yes	oid_fct_mstr	yes	no

Seasonal Build Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_part	yes	fc_domain	yes	no
		fc_part	yes	no
		fc_site	yes	no
		fc_start	yes	no
fc_ref_part	no	fc_domain	yes	no
		fc_ref	yes	no
		fc_part	yes	no
fc_site	yes	fc_domain	yes	no
		fc_site	yes	no
		fc_part	yes	no
		fc_start	yes	no
oid_fc_det	yes	oid_fc_det	yes	no

ff mstr

Simulated Forecast Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_id	yes	ff_domain	yes	no
		ff_id	yes	no
		ff_user	yes	no
		ff_year	yes	no
		ff_method	yes	no
		ff_part	yes	no
		ff_site	yes	no
		ff_cust	yes	no
oid_ff_mstr	yes	oid_ff_mstr	yes	no

fh_mstr

Family Hierarchy Master

Field Name	Label	Col-Label	Format	Dec
fh_qadc01			x(8)	
fh_comp	Item		x(18)	
fh_domain	Domain		x(8)	
fh_fcst_pct	Forecast Percent	Fcst Pct	>>9.99%	10
fh_mod_date	Modified Date	Mod Date	99/99/99	
fh_mod_userid	User ID		x(8)	
fh_parent	Family Item		x(18)	
fh_rlup_pct[52]	Rollup Percent	Rlup Pct	>>9.99%	10
fh_rmks	Remarks		x(24)	
fh_site	Site		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fh_comp	no	fh_domain	yes	no
		fh_comp	yes	no
		fh_parent	yes	no
fh_compsite	no	fh_domain	yes	no
		fh_comp	yes	no
		fh_site	yes	no
fh_parsite	yes	fh_domain	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
		fh_site	yes	no
fh_sitecomp	no	fh_year	yes	no
		fh_domain	yes	no
		fh_site	yes	no
		fh_comp	yes	no
fh_sitepar	yes	fh_domain	yes	no
		fh_site	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
oid_fh_mstr	yes	fh_year	yes	no
		oid_fh_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
fis_order	no	fis_domain	yes	no
		fis_row_type	yes	no
		fis_order	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fis_sort_type	yes	fis_domain	yes	no
			fis_sort	yes	no
			fis_row_type	yes	no
	oid_fis_mstr	yes	oid_fis_mstr	yes	no

fkt_mstr

Service/Support Kit Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fkt_bom_code	no	fkt_domain	yes	no
		fkt_bom_code	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
fkt_part	no	fkt_domain	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
* fkt_serial	yes	fkt_domain	yes	no
		fkt_serial	yes	no

flcrh_hist Flow Line Capacity Rate History

Index-Name	Uni	Field-Name	Asc	Abbr
* flcrh_site	yes	flcrh_domain	yes	no
		flcrh_site	yes	no
		flcrh_production_line	yes	no
		flcrh_schedule_code	yes	no
		flcrh_start_date	yes	no
oid_flcrh_hist	yes	oid_flcrh_hist	yes	no

Field Name	Label	Col-Label	Format	Dec
flcr_qadc01			x(24)	
flcr_qadc02			x(24)	
flcr_qadc03			x(24)	
flcr_qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
flcr_qadi01			->>>>>>9	
flcr_qadi01			yes/no	
flcr_qadi01			99/99/99	
flcr_domain	Domain		x(8)	
flcr_mod_date	Modified Date	Mod Date	99/99/99	
flcr_mod_userid	User ID		x(8)	
flcr_production_line	Production Line	Line	x(8)	
flcr_rate	Hourly Rate	Rate	>>>, >>>, >>9.9<<<<<<<<<	10
flcr_rate_code	Rate Code	Code	x(8)	
flcr_schedule_code	Schedule code	Schedule	x(8)	
flcr_site	Site		x(8)	
flcr_type_code	Type		x(1)	

Field Name	Label	Coi-Label	Format	Dec
fldr_type_value	Value		x(18)	
fldr_user1	User Field Character 1		x(24)	
fldr_user2	User field character 2		x(24)	
fldr_userc03	User Field Character 3		x(24)	
fldr_userd01	User Field Decimal 1		->>>,>>, >9.9<<<<<<<	10
fldr_useri01	User Field Integer 1		->>>>>>9	
fldr_userl01	User Field Logical 1		yes/no	
fldr_ustert01	User Field Date 1		99/99/99	
oid_fldr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* fclr_rate_code	yes	fclr_domain	yes	no
		fclr_site	yes	no
		fclr_production_line	yes	no
		fclr_schedule_code	yes	no
		fclr_type_code	yes	no
		fclr_type_value	yes	no
		fclr_rate_code	yes	no
oid fclr_mstr	yes	oid fclr_mstr	yes	no

fldattr mstr Field Attribute Master

Field Name	Label	Col-Label	Format	Dec
fldattr__qadc01			x(24)	
fldattr__qadc02			x(24)	
fldattr_attrname	Attribute Name	Attribute! Name	x(32)	
fldattr_attrval	Attribute Value	Attribute! Value	x(60)	
fldattr_fldname	Field Name	Field! Name	x(32)	
fldattr_mod_date	Modified Date	Mod Date	99/99/99	
fldattr_mod_userid	User ID		x(8)	
fldattr_progname	Program Name	Program! Name	x(30)	
fldattr_user1	User Field Character 1		x(24)	
fldattr_user2	User Field Character 2		x(24)	
oid_fldattr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldattr_progattr	yes	fldattr_fidname	yes	no
		fldattr_progname	yes	no
		fldattr_attrname	yes	yes
oid fldattr_mstr	yes	oid fldattr_mstr	yes	no

fldf_mstr	Field Default Master

Field Name	Label	Col-Label	Format	Dec
fldf_qadc01			x(8)	
fldf_call_pg	Procedure		x(10)	
fldf_desc	Description		x(30)	
fldf_field	Field Name		x(32)	
fldf_user1	Ufld1		x(8)	
fldf_user2	Ufld2		x(8)	
fldf_userid	User ID		x(8)	
fldf_value	Default Value		x(24)	
oid_fldf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldf_field	yes	fldf_field	yes	no
		fldf_call_pg	yes	no
		fldf_userid	yes	no
oid_fldf_mstr	yes	oid_fldf_mstr	yes	no

flff_mstr	Flow Flex Fence Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flff_site_prod_line	yes	flff_domain	yes	no
		flff_site	yes	no
		flff_production_line	yes	no
		flff_schedule_code	yes	no
		flff_period_number	yes	no
oid flff_mstr	yes	oid flff_mstr	yes	no

flh_mstr	Field Help Program Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flh_field	yes	flh_field	yes	no
		flh_call_pgm	yes	no
oid flh_mstr	yes	oid flh_mstr	yes	no

flpw_mstr Field Security Master

Field Name	Label	Col-Label	Format	Dec
flpw_qadc01			x(8)	
flpw_cmmt	Comments		x(24)	
flpw_domain	Domain		x(8)	
flpw_field	Field		x(32)	
flpw_user1	Ufld1		x(8)	
flpw_user2	Ufld2		x(8)	
flpw_userid	User ID		x(8)	
oid_flpw_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* flpw_fid_usr	yes	flpw_domain	yes	no
		flpw_field	yes	no
		flpw_userid	yes	no
oid flpw_mstr	yes	oid flpw_mstr	yes	no

flp_plan Family Line Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flp_plan	yes	flp_domain	yes	no
		flp_part	yes	no
		flp_site	yes	no
		flp_line	yes	no
		flp_year	yes	no
oid flp plan	yes	oid flp plan	yes	no

flscd det Flow Schedule Code Detail

Field Name	Label	Col-Label	Format	Dec
flscd__qadc01			x(24)	
flscd__qadc02			x(24)	
flscd__qadc03			x(24)	
flscd__qadd01			->>>>,>>>, >>9.9<<<<<<<<	10
flscd__qadi01			->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
flsc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
flsc_useri01	User Field Integer 1		->>>>>>>9	
flsc_userl01	User Field Logical 1		yes/no	
flsc_usert01	User Field Date 1		99/99/99	
oid_flsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* flsc_schedule_code	yes	flsc_domain	yes	no
		flsc_schedule_code	yes	no
oid flsc mstr	yes	oid flsc mstr	yes	no

flsd det

Flow Schedule Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flsd_site_line_seq	yes	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_seq	yes	no
flsd_site_line_time	no	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_due_time	yes	no
flsd_wo_nbr	no	flsd_domain	yes	no
		flsd_flow_wo_nbr	yes	no
		flsd_flow_wo_lot	yes	no
oid_flsd_det	yes	oid_flsd_det	yes	no

fnd det

Service/Support Field Notification Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fnd_ca_nbr	no	fnd_domain	yes	no
		fnd_ca_nbr	yes	no
		fnd_nbr	yes	no
fnd_comp	no	fnd_domain	yes	no
		fnd_nbr	yes	no
		fnd_comp_date	yes	no
fnd_eco	no	fnd_domain	yes	no
		fnd_ecm_nbr	yes	no
		fnd_nbr	yes	no
* fnd_nbr	yes	fnd_domain	yes	no
		fnd_nbr	yes	no
		fnd_ca_nbr	yes	no
oid_fnd_det	yes	oid_fnd_det	yes	no

fnh hist

Service/Support Field Notification History

Field Name	Label	Col-Label	Format	Dec
fnh_chr01	User Character Field #1		x(8)	0
fnh_chr02	User Character Field #2		x(8)	0
fnh_chr03	User Character Field #3		x(8)	0
fnh_chr04	User Character Field #4		x(8)	0
fnh_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fnh_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fnh_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fnh_dte01	User Date #1		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fnh_document	no	fnh_domain	yes	no
		fnh_document	yes	no
		fnh_nbr	yes	no
fnh_effnbr	no	fnh_domain	yes	no
		fnh_eff_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* fnh_nbr	yes	fnh_nbr	yes	no
		fnh_domain	yes	no
		fnh_nbr	yes	no
		fnh_eff_date	yes	no
		fnh_sequence	yes	no
fnh_parteff	no	fnh_domain	yes	no
		fnh_from_part	yes	no
		fnh_eff_date	yes	no
oid_fnh_hist	yes	oid_fnh_hist	yes	no

fn_mstr

Service/Support Field Notification Master

Field Name	Label	Col-Label	Format	Dec
fn_chr01	User Character Field 1		X(8)	
fn_chr02	User Character Field 2		X(8)	
fn_chr03	User Character Field 3		X(8)	
fn_chr04	User Character Field 4		X(8)	
fn_dec01	User Decimal Field 1		->>>, >>>, >>9.99	10
fn_dec02	User Decimal Field 2		->>>, >>>, >>9.99	10
fn_dec03	User Decimal Field 3		->>>, >>>, >>9.99	10
fn_dte01	User Date Field 1		99/99/99	
fn_dte02	User Date Field 2		99/99/99	
fn_dte03	User Date Field 3		99/99/99	
fn_log01	User Logical Field 1		yes/no	
fn_log02	User Logical Field 2		yes/no	
fn_log03	User Logical Field 3		yes/no	
fn_qadc01	QAD Character Field 1		X(8)	
fn_qadc02	QAD Character Field 2		X(8)	
fn_qadc03	QAD Character Field 3		X(8)	
fn_qadc04	QAD Character Field 4		X(8)	
fn_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99	10
fn_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99	10
fn_qade03	QAD Decimal Field 3		->>>, >>>, >>9.99	10
fn_qadl01	QAD Logical Field 1		yes/no	
fn_qadl03	QAD Logical Field 3		yes/no	
fn_qadl04	QAD Logical Field 4		yes/no	
fn_qadt01	QAD Date Field 1		99/99/99	
fn_qadt02	QAD Date Field 2		99/99/99	
fn_qadt03	QAD Date Field 3		99/99/99	
fn_account_eng	Account Engineer		yes/no	
fn_ca_desc	Call Description		x(68)	
fn_ca_int_type	Work Code		x(8)	
fn_ca_opn_date	Call Open Date	Call Date	99/99/99	
fn_ca_pri	Priority		>>9	
fn_ca_problem	Problem		x(8)	
fn_ca_que	Queue		x(8)	
fn_ca_severity	Severity		x(8)	
fn_ca_status	Status		x(8)	
fn_ca_type	Call Type		x(8)	
fn_cmtindx	Comment Index		>>>>>>9	
fn_comb_date	Combine Date		99/99/99	
fn_combine	Combine with PM		yes/no	
fn_comp_date	Date Completed		99/99/99	
fn_complete	Completed		yes/no	
fn_copy_cmmts	Copy Comments to Call		yes/no	
fn_copy_eco_cmt	Copy ECO Comments		yes/no	
fn_desc	Description		x(24)	
fn_document	Reference Document	Reference	X(24)	
fn_domain	Domain		x(8)	
fn_eff_date	Effective Date		99/99/99	
fn_ent_date	Date Entered		99/99/99	
fn_ent_userid	Entered By		X(8)	
fn_es_nbr	Escalation		x(8)	
fn_fr_ship_date	From Ship Date		99/99/99	
fn_from_eu_nbr	From End User		x(8)	
fn_from_part	From Item		x(18)	
fn_from_serial	From Serial		x(18)	
fn_generated	Calls Generated		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fn_document	no	fn_domain	yes	no
		fn_document	yes	no
		fn_nbr	yes	no
fn_effnbr	no	fn_domain	yes	no
		fn_eff_date	yes	no
		fn_nbr	yes	no
* fn_nbr	yes	fn_domain	yes	no
		fn_nbr	yes	no
fn_parteff	no	fn_domain	yes	no
		fn_from_part	yes	no
		fn_eff_date	yes	no
oid_fn_mstr	yes	oid_fn_mstr	yes	no

Family Production Backlog and Cost Plan

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fp1_sitelyear	yes	fp1_domain	yes	no
			fp1_site	yes	no
			fp1_part	yes	no
			fp1_year	yes	no
	fp1_yearsite	yes	fp1_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		fp1_year	yes	no
		fp1_part	yes	no
		fp1_site	yes	no
oid fp1_plan	yes	oid fp1_plan	yes	no

fp2_plan

Family Production Inventory and Order Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fp2_sityear	yes	fp2_domain	yes	no
		fp2_site	yes	no
		fp2_part	yes	no
		fp2_year	yes	no
fp2_yearsite	yes	fp2_domain	yes	no
		fp2_year	yes	no
		fp2_part	yes	no
		fp2_site	yes	no
oid_fp2_plan	yes	oid_fp2_plan	yes	no

fp3_plan

Family Production and Shipment Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fpci_index	yes	fpci_domain	yes	no
		fpci_index	yes	no
		fpci_year	yes	no
oid fpci mstr	yes	oid fpci mstr	yes	no

fpc mstr

Service/Support Pricing Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fpc_list	yes	fpc_domain	yes	no
		fpc_list	yes	no
		fpc_list_type	yes	no
		fpc_curr	yes	no
		fpc_ca_int_type	yes	no
		fpc_svc_group	yes	no
		fpc_prod_line	yes	no
		fpc_fsc_code	yes	no
		fpc_part	yes	no
		fpc_um	yes	no
		fpc_start	yes	no
oid_fpc_mstr	yes	oid_fpc_mstr	yes	no

fpd_cost

Family Item Cost Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fpd_cost	yes	fpd_domain	yes	no
		fpd_sim	yes	no
		fpd_site	yes	no
		fpd_part	yes	no
oid_fpd_cost	yes	oid_fpd_cost	yes	no

fpst_mstr

Return Status Master

Field Name	Label	Col-Label	Format	Dec
fpst_chr01	User Character Field 1		X(8)	
fpst_chr02	User Character Field 2		X(8)	
fpst_dec01	User Decimal Field 1		->,>9.99	10
fpst_dte01	User Date Field 1		99/99/99	
fpst_log01	User Logical Field 1		yes/no	
fpst_log02	User Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* fpst_status	yes	fpst_domain	yes	no
		fpst_status	yes	no
oid fpst mstr	yes	oid fpst mstr	yes	no

Freight Charge Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* frcd_fr_list	yes	frcd_domain	yes	no
		frcd_fr_list	yes	no
		frcd_site	yes	no
		frcd_curr	yes	no
		frcd_zone	yes	no
		frcd_class	yes	no
		frcd_max_wt	yes	no
		frcd_start	yes	no
oid_frcd_det	yes	oid_frcd_det	yes	no

frd_det Freight Rate Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frd_rate	yes	frd_domain	yes	no
		frd_code	yes	no
		frd_weight	yes	no
oid_frd_det	yes	oid_frd_det	yes	no

frm_mstr Freight Rate Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frm_code	yes	frm_domain	yes	no
		frm_code	yes	no
oid_frm_mstr	yes	oid_frm_mstr	yes	no

FRWAnCode Report Analysis Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID	Record ID		9999999999	
FRWAnCodeAnalyseText	Analyse Text		x(60)	
FRWAnCodeAnalyseType	Analyse Type		x(40)	
FRWAnCodeCalcElement	Calculation Element		x(20)	
FRWAnCodeCalcType	Calculation Type		x(20)	
FRWAnCodeCode	Code		x(40)	
FRWAnCodeDescription	Description		x(80)	
FRWAnCodeELR	ELR		x(20)	
FRWAnCodeFRWChartCode	Chart		x(20)	
FRWAnCodeInfo	Summary Info		x(60)	
FRWAnCodeTaxoName	Taxonomy Name		x(20)	
FRWAnCodeVersion	Version		x(40)	
FRWAnCodeXBRElement	XBR Element		x(80)	
FRWChart_ID	Link to FRWChart		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Chart1dx	no	FRWAnCodeFRWChartCode	yes	no
Chart2lidx	no	FRWChart_ID	yes	no
◇* Prim	yes	FRWAnCode_ID	yes	no
◇ Uniqldx	yes	FRWAnCodeCode	yes	no
		FRWAnCodeFRWChartCode	yes	no

FRWAnCodeElem Analysis Code COA Element

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID	Link to FRWAnCode		9999999999	
FRWAnCodeElem_ID	Record ID		9999999999	
FRWAnCodeElemCOAType	COA Type		x(40)	
FRWAnCodeElemIsDetRowExp	Explode Detail-rows		yes/no	
pl				
FRWAnCodeElemMask	Element Mask		x(32)	
FRWAnCodeElemMaskRange	Mask Range 1		x(20)	
1				
FRWAnCodeElemMaskRange	Mask Range 2		x(40)	
2				
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AnCodeIdx	no	FRWAnCode_ID	yes	no
◇* Prim	yes	FRWAnCodeElem_ID	yes	no
◇ UniqueIdx	yes	FRWAnCode_ID	yes	no
		FRWAnCodeElemCOAType	yes	no

FRWAnCodeElemDet Analysis Code COA Element Detail

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCodeElem_ID	Link to FRWAnCodeElem		9999999999	
FRWAnCodeElemDet_ID	Record ID		9999999999	
FRWAnCodeElemDetCode	COA Element Code		x(20)	
FRWAnCodeElemDetValue	COA Type		->,>>>,>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ElemIdx	no	FRWAnCodeElem_ID	yes	no
◇* Prim	yes	FRWAnCodeElemDet_ID	yes	no
◇ UniqlIdx	yes	FRWAnCodeElem_ID	yes	no
		FRWAnCodeElemDetValue	yes	no

FRWBuildLog Cube Build Log

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWBuildLog_ID	Record ID		9999999999	
FRWBuildLogCubeCode	Cube Name		x(20)	
FRWBuildLogDate	Log Date		yes/no	
FRWBuildLogErrorNumber	Error Number		x(10)	
FRWBuildLogErrorText	Error Number		x(255)	
FRWBuildLogErrorType	Error Type		x(20)	
FRWBuildLogIsLastFailed	Last Failed		yes/no	
FRWBuildLogIsLastGood	Last Good		yes/no	
FRWBuildLogLogDate	Date of Logging		99/99/9999	
FRWBuildLogProgram	Program		x(20)	
FRWBuildLogTime	Log Time		x(20)	
FRWBuildLogTimeChar	Time		x(16)	
FRWBuildLogUser	User		x(8)	
FRWCube_ID	Link TO FRWCube		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Cube2dx	no	FRWCube_ID	yes	no
◇ Cubeldx	no	FRWBuildLogCubeCode	yes	no
FailedIdx	no	FRWBuildLogIsLastFailed	yes	no
GoodIdx	no	FRWBuildLogIsLastGood	yes	no
◇* Prim	yes	FRWBuildLog_ID	yes	no
◇ UniqIdx	yes	FRWBuildLogCubeCode	yes	no
		FRWBuildLogDate	yes	no
		FRWBuildLogTime	yes	no

FRWChart Report Chart

Field Name	Label	Col-Label	Format	Dec
CostCentreSharedSet_ID	Link To		9999999999	
	CostCentreSharedSet			
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionSharedSet_ID	Link To DivisionSharedSet		9999999999	
FRWChart_ID	Record ID		9999999999	
FRWChartCode	Chart		x(20)	
FRWChartCurrTransAdjGLCode	CTA GL Code		x(8)	
FRWChartDefaultCCCode	Default Cost Center Code		x(8)	
FRWChartDefaultDivCode	Default Sub-Account Code		x(8)	
FRWChartDefaultGLCode	Default GL Code		x(8)	
FRWChartDefaultPrjCode	Default Project Code		x(8)	
FRWChartDescription	Description		x(40)	
FRWChartSafConcept01	Saf Concept 1		x(20)	
FRWChartSafConcept02	Saf Concept 2		x(20)	
FRWChartSafConcept03	Saf Concept 3		x(20)	
FRWChartSafConcept04	Saf Concept 4		x(20)	
FRWChartSafConcept05	Saf Concept 5		x(20)	
FRWChartSafConcept06	Saf Concept 6		x(20)	
FRWChartSafConcept07	Saf Concept 7		x(20)	
FRWChartSafConcept08	Saf Concept 8		x(20)	
FRWChartSafConcept09	Saf Concept 9		x(20)	
FRWChartSafConcept10	Saf Concept 10		x(20)	
GLSharedSet_ID	Link To GLSharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProjectSharedSet_ID	Link To ProjectSharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCSS	no	CostCentreSharedSet_ID	yes	no
◊ ChartIdx	no	FRWChartCode	yes	no
DivSS	no	DivisionSharedSet_ID	yes	no
GLSS	no	GLSharedSet_ID	yes	no
◊* Prim	yes	FRWChart_ID	yes	no
PrjSS	no	ProjectSharedSet_ID	yes	no
◊ UniqlIdx	yes	FRWChartCode	yes	no

FRWCol

Report Column Group

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWChart_ID	Link To FRWChart		9999999999	
FRWCol_ID	Record ID		9999999999	
FRWColCode	Column Group Code		x(20)	
FRWColDescription	Column Group Description		x(40)	
FRWColInvertSign	Invert Sign		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartIdx	no	FRWChart_ID	yes	no
◇* Prim	yes	FRWCol_ID	yes	no
◇ UniqIdx	yes	FRWColCode	yes	no
		FRWChart_ID	yes	no

FRWColDet Financial Report Writer Column GroupDetail

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID	Link to FRWAnCode		9999999999	
FRWCol_ID	Link to FRWCol		9999999999	
FRWColDet_ID	Record ID		9999999999	
FRWColDetCalcFormula	Formula for Calculated Column		x(20)	
FRWColDetCompareOffset	Number Periods Offset		99	
FRWColDetCompareType	Period Compare Type		x(20)	
FRWColDetIsFullAmount	Print Full Amount		yes/no	
FRWColDetIsHiddenColumn	Hide On Report		yes/no	
FRWColDetIsWithCurrSign	Print Currency Sign		yes/no	
FRWColDetLabel	Column Label		x(20)	
FRWColDetLabelStyle	Column Label Style Tag		x(20)	
FRWColDetMeasureStyle	Measure Style Tag		x(20)	
FRWColDetMeasureType	Measure Type		x(20)	
FRWColDetPeriodType	Period Type		x(20)	
FRWColDetSeq	Column Sequence Number		9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AnCodeIdx	no	FRWAnCode_ID	yes	no
◇ CollIdx	no	FRWCol_ID	yes	no
◇* Prim	yes	FRWColDet_ID	yes	no
◇ UniqlIdx	yes	FRWColDetSeq	yes	no
		FRWCol_ID	yes	no

FRWCompanyReport Chart Entity

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWChart_ID	Link To FRWChart		9999999999	
FRWCompany_ID	Record ID		9999999999	
FRWCompanyCode	Entity Code		x(20)	
FRWCompanyFRWChartCode	Chart		x(20)	
FRWShSetComb_ID	Link To FRWShSetComb		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartID	no	FRWChart_ID	yes	no
◇ ChartIdx	no	FRWCompanyFRWChartCo de	yes	no
◇ CylIdx	no	FRWCompanyCode	yes	no
◇* Prim	yes	FRWCompany_ID	yes	no
◇ UniqlIdx	yes	FRWCompanyCode	yes	no
		FRWCompanyFRWChartCo de	yes	no

FRWCrossRefReport Chart Linked COA Cross Ref

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	Link to COACrossRef		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCrossRef_ID	Record ID		9999999999	
FRWCrossRefCOACode	COA Code		x(20)	
FRWCrossRefCOAType	COA Type		x(20)	
FRWCrossRefCode	Code		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SourceCCSharedSet_ID	Link to Source CC SharedSet		9999999999	
SourceDivSharedSet_ID	Link to Source Div SharedSet		9999999999	

Field Name	Label	Col-Label	Format	Dec
SourceGLSharedSet_ID	Link to Source GL SharedSet		9999999999	
SourcePrjSharedSet_ID	Link to Source Prj SharedSet		9999999999	
TargetCCSharedSet_ID	Link to Target CC SharedSet		9999999999	
TargetDivSharedSet_ID	Link to Target Div SharedSet		9999999999	
TargetGLSharedSet_ID	Link to Target GL SharedSet		9999999999	
TargetPrjSharedSet_ID	Link to Target Prj SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
COA1Idx	no	COACrossRef_ID	yes	no
COA2Idx	no	FRWCrossRefCOAType	yes	no
		FRWCrossRefCOACode	yes	no
COA3Idx	no	FRWCrossRefCOACode	yes	no
		FRWCrossRefCOAType	yes	no
◇ CodeIdx	no	FRWCrossRefCode	yes	no
◇* Prim	yes	FRWCrossRef_ID	yes	no
SS1	no	SourceGLSharedSet_ID	yes	no
SS2	no	TargetGLSharedSet_ID	yes	no
SS3	no	SourceDivSharedSet_ID	yes	no
SS4	no	TargetDivSharedSet_ID	yes	no
SS5	no	SourceCCSharedSet_ID	yes	no
SS6	no	TargetCCSharedSet_ID	yes	no
SS7	no	SourcePrjSharedSet_ID	yes	no
SS8	no	TargetPrjSharedSet_ID	yes	no

FRWCube Report Cube

Field Name	Label	Col-Label	Format	Dec
ChildFRWCube_ID	Link To Child FRWCube		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link to Domain		9999999999	
FRWChart_ID	Link to FRWChart		9999999999	
FRWCube_ID	Record ID		9999999999	
FRWCubeChildFRWCubeCode	Child Name		x(20)	
FRWCubeCode	Name		x(20)	
FRWCubeCurrencyCode	Presentation Currency		x(3)	
FRWCubeDescription	Description		x(40)	
FRWCubeFirstReportYear	First Report Year		->, >>>, >>9	
FRWCubeFromLCCC	Translate From BC/SC		x(20)	
FRWCubeFRWChartCode	Chart		x(20)	
FRWCubeGLPeriodFromDomain	GL Periods From Domain		x(8)	
FRWCubeIgnoreValidRate	Ignore Valid Rates		yes/no	
FRWCubePeriodFromDomain	Periods From Domain		yes/no	
FRWCubeISRateType	IS Rate Type		x(20)	
FRWCubeReportPerYear	Report per Year		yes/no	
FRWCubeSTransMethod	IS Translation Method		x(2)	
FRWCubeWithCostCentre	With Cost Centre		yes/no	
FRWCubeWithCurrency	With Currency		yes/no	
FRWCubeWithDivision	With Sub-account		yes/no	
FRWCubeWithElimination	With Elimination		yes/no	
FRWCubeWithGL	With GL		yes/no	
FRWCubeWithJournal	With Daybook		yes/no	
FRWCubeWithPrj	With Project		yes/no	
FRWCubeWithSAF	With SAF		yes/no	
FRWCubeLastUpdate	Last Updated		99/99/9999	
FRWCubePeriodsByReportingPeriod	By Reporting Period		99	
FRWCubePeriodsByReportingYear	By Reporting Year		9999	
FRWCubePeriodType	Period Type		x(20)	
FRWCubeRateSharedSetCode	Rate Shared Set		x(20)	
FRWCubeRateTypeBS	BS Rate Type		x(20)	
FRWCubeRebuildFromYP	Rebuild From YP		999999	
FRWCubeStatus	Status		x(20)	
FRWCubeTransMethodBS	BS Translation Method		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link To Rate Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartIdx	no	FRWChart_ID	yes	no
Chl21Idx	no	FRWCubeChildFRWCubeCode	yes	no
Chld1Idx	no	ChildFRWCube_ID	yes	no
◇ CodeIdx	no	FRWCubeCode	yes	no
◇ CurIdx	no	FRWCubeCurrencyCode	yes	no
◇ DomainIdx	no	Domain_ID	yes	no
◇* Prim	yes	FRWCube_ID	yes	no
SSIdx	no	SharedSet_ID	yes	no

FRWCubeCy Report Cube Entity

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	
FRWCubeCy_ID	Record ID		9999999999	
FRWCubeCyCompanyCode	Entity Code		x(40)	
FRWCubeCyFromLCCC	BC/SC		x(20)	
FRWCubeCyFRWCubeCode	Cube		x(20)	
FRWCubeCyISRateType	IS Rate Type		x(20)	
FRWCubeCyIsRebuildNeed	Needs Rebuild		yes/no	
FRWCubeCyISTransMethod	IS Translation		x(20)	
FRWCubeCyParticipPerc	Participation Percentage		>>9.99	
FRWCubeCyPartPercentage	Participation Percentage		->>9.99	2
FRWCubeCyRateSharedSetCode	Rate Shared Set Code		x(20)	
FRWCubeCyRateTypeBS	BS Rate Type		99/99/9999	
FRWCubeCyRateTypeIS	IS Rate Type		yes/no	
FRWCubeCyTransMethodBS	BS Translation Method		99/99/9999	
FRWCubeCyTransMethodIS	IS Translation Method		yes/no	
FRWShSetComb_ID	Link To FRWShSetComb		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CubeCy	no	FRWCube_ID	yes	no
		Company_ID	yes	no
◇ CubeID	no	FRWCube_ID	yes	no
◇ Cubeldx	no	FRWCubeCyFRWCubeCode	yes	no
◇ Cyldx	no	FRWCubeCyCompanyCode	yes	no
◇* Prim	yes	FRWCubeCy_ID	yes	no
◇ Uniqldx	yes	FRWCubeCyFRWCubeCode	yes	no
		FRWCubeCyCompanyCode	yes	no

FRWCubeDimReport Cube Dimension

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CostCentre_ID	Link To CostCentre		9999999999	
Currency_ID	Link To Currency		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Dim01Saf_ID	Link To SAF		9999999999	
Dim02Saf_ID	Link To SAF		9999999999	
Dim03Saf_ID	Link To SAF		9999999999	
Dim04Saf_ID	Link To SAF		9999999999	
Dim05Saf_ID	Link To SAF		9999999999	
Dim06Saf_ID	Link To SAF		9999999999	
Dim07Saf_ID	Link To SAF		9999999999	
Dim08Saf_ID	Link To SAF		9999999999	
Dim09Saf_ID	Link To SAF		9999999999	
Dim10Saf_ID	Link To SAF		9999999999	
Division_ID	Link To Division		9999999999	
Domain_ID	Link To Domain		9999999999	
FRWCube_ID	Link To FRWCube		9999999999	
FRWCubeDim_ID	Record ID		9999999999	
FRWCubeDimBSISGL	BS/IS GL		yes/no	
FRWCubeDimCombinedKey	Key		x(70)	
FRWCubeDimCompanyCode	Entity		x(20)	
FRWCubeDimCostCentreCode	Cost Center		x(8)	
FRWCubeDimCostCentreDescriptor	Cost Center Descr		x(40)	
FRWCubeDimCurrencyCode	Currency		x(3)	
FRWCubeDimDivisionCode	Sub-Account		x(8)	
FRWCubeDimDivisionDescr	Sub-Account Descr		x(40)	
FRWCubeDimDomainCode	Domain		x(8)	
FRWCubeDimFRWCubeCode	Cube Name		x(20)	
FRWCubeDimGLCategory	GL Account Category		x(20)	
FRWCubeDimGLCode	GL		x(8)	

Field Name	Label	Col-Label	Format	Dec
FRWCubeDimGLDescr	GL Descr		x(40)	
FRWCubeDimGLIsActive	GL account is Active		yes/no	
FRWCubeDimGLIsBalAccount	GL Account is Balance Sheet		yes/no	
FRWCubeDimGLISBS	BS/IS GL		x(2)	
FRWCubeDimGLType	GL Account Type Code		x(20)	
FRWCubeDimICCompanyCode	IC Entity		x(20)	
FRWCubeDimICInterco	IC Interco		x(20)	
FRWCubeDimIsBudget	Is Budget Dimension		yes/no	
FRWCubeDimJournalCode	Journal		x(8)	
FRWCubeDimJournalTypeCode	Daybook Type		x(40)	
FRWCubeDimLayerCode	Layer		x(20)	
FRWCubeDimLayerTypeCode	Layer Type		x(40)	
FRWCubeDimProjectCode	Project		x(8)	
FRWCubeDimProjectDescr	Project Descr		x(40)	
FRWCubeDimRateTypeCode	Rate Type		yes/no	
FRWCubeDimSafCode01	Saf 1		x(20)	
FRWCubeDimSafCode02	Saf 2		x(20)	
FRWCubeDimSafCode03	Saf 3		x(20)	
FRWCubeDimSafCode04	Saf 4		x(20)	
FRWCubeDimSafCode05	Saf 5		x(20)	
FRWCubeDimSafCode06	Saf 6		x(20)	
FRWCubeDimSafCode07	Saf 7		x(20)	
FRWCubeDimSafCode08	Saf 8		x(20)	
FRWCubeDimSafCode09	Saf 9		x(20)	
FRWCubeDimSafCode10	Saf 10		x(20)	
FRWCubeDimTransMethod	Translation Method		yes/no	
FRWCubeDimUsedRateType	Rate Type used for translation		x(20)	
FRWCubeDimUsedTransMethod	Rate Translation Method Used		x(2)	
GL_ID	Link To GL		9999999999	
ICBusinessRelation_ID	Link To Interco-BusinessRelation		9999999999	
ICCompany_ID	Link To Interco-Company		9999999999	
Journal_ID	Link To Journal		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link To Layer		9999999999	
Project_ID	Link To Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	FRWCubeDimIsBudget	yes	no
CCidx	no	FRWCubeDimCostCentreCode	yes	no
◇ CodeIdx	no	FRWCubeDimFRWCubeCode	yes	no
Combidx	no	FRWCubeDimCombinedKey	yes	no
Compidx	no	FRWCubeDimCompanyCode	yes	no
CubeCC	no	FRWCubeDimFRWCubeCode	yes	no
		FRWCubeDimCostCentreCode	yes	no
CubeCurr	no	FRWCubeDimFRWCubeCode	yes	no
		FRWCubeDimCurrencyCode	yes	no
◇ CubeCy	no	FRWCubeDimFRWCubeCode	yes	no
		FRWCubeDimCompanyCode	yes	no
CubeDiv	no	FRWCubeDimFRWCubeCode	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
CubeGL	no	FRWCubeDimDivisionCode	yes	no
		FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimGLCode	yes	no
CubeIC	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimICInterco	yes	no
◇ CubeID	no	FRWCube_ID	yes	no
CubeJrnl	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimJournalCode	yes	no
CubeLayer	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimLayerCode	yes	no
CubePrj	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimProjectCode	yes	no
CubeSaf01	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode01	yes	no
CubeSaf02	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode02	yes	no
CubeSaf03	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode03	yes	no
CubeSaf04	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode04	yes	no
CubeSaf05	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode05	yes	no
CubeSaf06	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode06	yes	no
CubeSaf07	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode07	yes	no
CubeSaf08	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode08	yes	no
CubeSaf09	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode09	yes	no
CubeSaf10	no	FRWCubeDimFRWCubeCode	yes	no
		de		
		FRWCubeDimSafCode10	yes	no
◇ CurrIdx	no	FRWCubeDimCurrencyCode	yes	no
		e		
◇ DivIdx	no	FRWCubeDimDivisionCode	yes	no
◇ DomainIdx	no	FRWCubeDimDomainCode	yes	no
◇ GLIdx	no	FRWCubeDimGLCode	yes	no
ICCompIdx	no	FRWCubeDimICCompanyCode	yes	no
		ode		
ICIdx	no	FRWCubeDimICInterco	yes	no
◇ JournalIdx	no	FRWCubeDimJournalCode	yes	no
◇ LayerIdx	no	FRWCubeDimLayerTypeCode	yes	no
		de		
◇* Prim	yes	FRWCubeDim_ID	yes	no
PrjIdx	no	FRWCubeDimProjectCode	yes	no
Saf10Idx	no	FRWCubeDimSafCode10	yes	no
Saf1Idx	no	FRWCubeDimSafCode01	yes	no
Saf2Idx	no	FRWCubeDimSafCode02	yes	no
Saf3Idx	no	FRWCubeDimSafCode03	yes	no
Saf4Idx	no	FRWCubeDimSafCode04	yes	no
Saf5Idx	no	FRWCubeDimSafCode05	yes	no
Saf6Idx	no	FRWCubeDimSafCode06	yes	no
Saf7Idx	no	FRWCubeDimSafCode07	yes	no
Saf8Idx	no	FRWCubeDimSafCode08	yes	no
Saf9Idx	no	FRWCubeDimSafCode09	yes	no

FRWCubeGLPdGL Period Linked to Report Period

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	
FRWCubeGLPd_ID	Record ID		9999999999	
FRWCubeGLPdCompanyCode	Entity Code		x(20)	
FRWCubeGLPdEndDate	End Date		99/99/9999	
FRWCubeGLPdFRWCubeCode	Cube Name		x(20)	
FRWCubeGLPdPeriodPeriod	GL Period		9999	
FRWCubeGLPdPeriodYearInt	GL Period Year		9999	
FRWCubeGLPdReportPeriodInt	Report Period		99	
FRWCubeGLPdReportYear	Report Year		9999	
FRWCubeGLPdStartDate	Start Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CubelD	no	FRWCube_ID	yes	no
◇ CubelDx	no	FRWCubeGLPdFRWCubeCode	yes	no
◇ Cyldx	no	FRWCubeGLPdCompanyCode	yes	no
◇ Endldx	no	FRWCubeGLPdEndDate	yes	no
PdID	no	FRWCubeGLPdPeriodYearInt	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		FRWCubeGLPdPeriodPeriod	yes	no
PdIdx	no	FRWCubeGLPdPeriodPeriod	yes	no
◇* Prim	yes	FRWCubeGLPd_ID	yes	no
◇ RepPd	no	FRWCubeGLPdReportYear	yes	no
		FRWCubeGLPdReportPeriod	yes	no
		dInt		
RepPdIdx	no	FRWCubeGLPdReportYear	yes	no
◇ StartIdx	no	FRWCubeGLPdStartDate	yes	no
◇ UniIdx	yes	FRWCubeGLPdFRWCubeCode	yes	no
		FRWCubeGLPdCompanyCode	yes	no
		FRWCubeGLPdPeriodYearInt	yes	no
		FRWCubeGLPdPeriodPeriod	yes	no

FRWCubeHistLinkReport Cube Balance link to GL History

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCubeHistLink_ID	Record ID		9999999999	
FRWCubeMeas_ID	Link to FRWCubeMeas		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingHist_ID	Link to PostingHist		9999999999	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Measure	no	FRWCubeMeas_ID	yes	no
◇* Prim	yes	FRWCubeHistLink_ID	yes	no
◇ Uniq	yes	PostingHist_ID	yes	no
		FRWCubeMeas_ID	yes	no

FRWCubeLayerCube Layer Relation table

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link to FRWCube		9999999999	
FRWCubeLayer_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link to Layer		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
FRWCubeldx	no	FRWCube_ID	yes	no
◇ LayerIdx	no	Layer_ID	yes	no
◇* Prim	yes	FRWCubeLayer_ID	yes	no
◇ UniqIdx	yes	FRWCube_ID	yes	no
		Layer_ID	yes	no

FRWCubeMeasReport Cube Balance

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRWCube		9999999999	
FRWCubeDim_ID	Link To FRWCubeDim		9999999999	
FRWCubeMeas_ID	Record ID		9999999999	
FRWCubeMeasActivityQTY	Qty Activity		->>>,>>>,>>9.99	4
FRWCubeMeasActivityCRLC	BC/SC Activity CR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityCRPC	PC Activity CR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityCRTC	TC Activity CR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityDiffPC	PC Activity Translation Difference		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityDRLC	BC/SC Activity DR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityDRPC	PC Activity DR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasActivityDRTC	TC Activity DR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasAverageRate	BC/SC->PC Weighted Av. Rate		->,>>>,>>9.9999999999	10
FRWCubeMeasCloseBalCRLC	BC/SC Closing Balance CR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasCloseBalCRPC	PC Closing Balance CR		->>>,>>>,>>>,>>9.99	4
FRWCubeMeasCloseBalCRTC	TC Closing Balance CR		->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
FRWCubeMeasCloseBalDRLC	BC/SC Closing Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasCloseBalDRPC	PC Closing Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasCloseBalDRTC	TC Closing Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLCLC	BC/SC Closing Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLPC	PC Closing Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLTC	TC Closing Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasClosingBalDifPC	PC Closing Translation Difference		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasClosingBalQTY	Qty Closing Balance		->>>, >>>, >>9.99	4
FRWCubeMeasFRWCubeCode	Cube Name		x(20)	
FRWCubeMeasHighRate	HI Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasLCCCCurCode	BC/SC Currency Code		x(3)	
FRWCubeMeasOpenBalCRLC	BC/SC Opening Balance CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalCRPC	PC Opening Balance CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalCRTC	TC Opening Balance CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDifPC	PC Opening Translation Difference		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRLC	BC/SC Opening Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRPC	PC Opening Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRTC	TC Opening Balance DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLCLC	BC/SC Opening Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLTC	TC Opening Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLPC	PC Opening Balance		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasOpenBalQTY	Qty Opening Balance		->>>, >>>, >>9.99	4
FRWCubeMeasOriOpenBalDifPC	PC Original Translation Difference		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPCCurCode	PC Currency Code		x(3)	
FRWCubeMeasPeriodEndRate	BC/SC->PC Period End Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasPeriodOpenRate	Exchange Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasPrevOpenBalCRLC	BC/SC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalCRPC	PC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalCRTC	TC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRLC	BC/SC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRPC	PC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRTC	TC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasReportPeriod	Period		99	
FRWCubeMeasReportYear	Year		9999	
FRWCubeMeasSimpAverageRate	BC/SC->PC Simple Av. Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasTCCurCode	TC Currency Code		x(3)	
FRWCubeMeasYCRate	Year Closing Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasYORate	Year Opening Rate		->, >>>, >>9.9999999999	10
FRWCubePeriod_ID	Link To FRWCubePeriod		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CubeID	no	FRWCube_ID	yes	no
◇ CubeIdx	no	FRWCubeMeasFRWCubeC ode	yes	no
DimIdx	no	FRWCubeDim_ID	yes	no
DimYrPd	no	FRWCubeDim_ID	yes	no
		FRWCubeMeasReportYear	yes	no
		FRWCubeMeasReportPerio d	yes	no
◇* Prim	yes	FRWCubeMeas_ID	yes	no
YrPdIdx	no	FRWCubeMeasReportYear	yes	no
		FRWCubeMeasReportPerio d	yes	no

FRWCubePeriodReport Cube Period

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	
FRWCubePeriod_ID	Record ID		9999999999	
FRWCubePeriodEndDate	End Date		99/99/9999	
FRWCubePeriodFRWCubeCo de	Cube Name		x(20)	
FRWCubePeriodIsRebuildNee d	Rebuild Needed		yes/no	
FRWCubePeriodReportPerInt	Period		->, >>>, >>9	
FRWCubePeriodReportYear	Report Year		9999	
FRWCubePeriodStartDate	Start Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CubelD	no	FRWCube_ID	yes	no
◇ CubelDx	no	FRWCubePeriodFRWCube Code	yes	no
◇ EndlDx	no	FRWCubePeriodEndDate	yes	no
◇* Prim	yes	FRWCubePeriod_ID	yes	no
◇ RepPd	no	FRWCubePeriodReportYear	yes	no
		FRWCubePeriodReportPerl nt	yes	no
◇ StartlDx	no	FRWCubePeriodStartDate	yes	no
◇ Uniqldx	yes	FRWCubePeriodFRWCube Code	yes	no
		FRWCubePeriodReportYear	yes	no
		FRWCubePeriodReportPerl nt	yes	no

FRWRepMstr Financial Report Writer Column Group

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID	Link to FRWAnCode		9999999999	
FRWChart_ID	Link to FRWChart		9999999999	
FRWCol_ID	Link to FRWCol		9999999999	
FRWCube_ID	Link to FRWCube		9999999999	
FRWRepMstr_ID	Record ID		9999999999	

Field Name	Label	Col-Label	Format	Dec
FRWRepMstrCOADetDef	COA Details Default		x(20)	
FRWRepMstrCode	Report Master Code		x(20)	
FRWRepMstrCodeDescOption	Code, Description or Both		x(20)	
FRWRepMstrDescription	Report MasterDescription		x(40)	
FRWRepMstrIndentPixels	Number of Pixels for Indent		->,>>>,>>9	
FRWRepMstrIsNegAmntBrack	Print negative with brackets		yes/no	
et				
FRWRepMstrLabelForCode	Label for Code and Description		x(40)	
FRWRepMstrThousandMillion	Print in Unitm, Thousand, Mio.		x(20)	
FRWRepMstrTitle	ReportTitle		x(255)	
FRWRepMstrTitleStyle	Report Title Style Tag		x(20)	
FRWRepMstrXBRLFileBase	XBRL output file base name		x(20)	
FRWTreeNode_ID	Link to FRWTree		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AnCodeIdx	no	FRWAnCode_ID	yes	no
◇ ChartIdx	no	FRWChart_ID	yes	no
◇ ColIdx	no	FRWCol_ID	yes	no
◇ CubeIdx	no	FRWCube_ID	yes	no
◇* Prim	yes	FRWRepMstr_ID	yes	no
TreeNodeIdx	no	FRWTreeNode_ID	yes	no
◇ UniqIdx	yes	FRWRepMstrCode	yes	no

FRWRepMstrRole Financial Report Writer Security Roles for Report

Field Name	Label	Col-Label	Format	Dec
FRWRepMstr_ID	Link to FRWRepMstr		9999999999	
FRWRepMstrRole_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	Link to Role		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	FRWRepMstrRole_ID	yes	no
RepMstrIdx	no	FRWRepMstr_ID	yes	no
◇ RoleIdx	no	Role_ID	yes	no
◇ UniqIdx	yes	FRWRepMstr_ID	yes	no
		Role_ID	yes	no

FRWShSetComb Report Chart Combination of Shared Sets

Field Name	Label	Col-Label	Format	Dec
CCCOACOACrossRef_ID	Link To CC COACrossRef		9999999999	
CombCOACOACrossRef_ID	Link To Combined COACrossRef		9999999999	
CostCentreSharedSet_ID	Link To CostCentreSharedSet		9999999999	
CustomCombo0	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivCOACCrossRef_ID	Link To Div COACrossRef		9999999999	
DivisionSharedSet_ID	Link To DivisionSharedSet		9999999999	
Domain_ID	Link To Domain		9999999999	
FRWChart_ID	Link To FRWChart		9999999999	
FRWShSetComb_ID	Record ID		9999999999	
FRWShSetCombAllSets	Sets		x(70)	
FRWShSetCombCCCOACRC	Cost Center Cross Ref		x(20)	
ode				
FRWShSetCombCCSSCode	Cost Center Shared Set		x(20)	
FRWShSetCombCombCOAC	Combined Cross Ref		x(20)	
RCode				
FRWShSetCombDivCOACRC	Sub-Account Cross Ref		x(20)	
ode				
FRWShSetCombDivSSCode	Sub-Account Shared Set		x(20)	
FRWShSetCombFRWChartCo	Chart		x(20)	
de				
FRWShSetCombGLCOACRC	GL Cross Ref		x(20)	
ode				
FRWShSetCombGLSSCode	GL Shared Set		x(20)	
FRWShSetCombPrjCOACRC	Project Cross Ref		x(20)	
ode				
FRWShSetCombPrjSSCode	Project Shared Set		x(20)	
GLCOACCrossRef_ID	Link To GL COACrossRef		9999999999	
GLSharedSet_ID	Link To GLSharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PrjCOACCrossRef_ID	Link To Prj COACrossRef		9999999999	
ProjectSharedSet_ID	Link To ProjectSharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ ChartID	no	FRWChart_ID	yes	no
◊ ChartIdx	no	FRWShSetCombFRWChart Code	yes	no
◊* Prim	yes	FRWShSetComb_ID	yes	no
◊ UniqIdx	yes	FRWShSetCombAllSets	yes	no
		FRWShSetCombFRWChart Code	yes	no

FRWTreeNodeSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link To Domain		9999999999	
FRWAnCode_ID	Link To FRWAnCode		9999999999	
FRWChart_ID	Link To FRWChart		9999999999	
FRWTreeNode_ID	Record ID		9999999999	
FRWTreeNodeCode	Name		x(40)	
FRWTreeNodeDescription	Description		x(80)	
FRWTreeNodeFRWChartCode	Chart		x(20)	
FRWTreeNodeIsBlankRowAfter	Insert Blank Row After		yes/no	
FRWTreeNodeIsBlankRowBefore	Insert Blank Row Before		yes/no	
FRWTreeNodeIsExplode	Explode		yes/no	
FRWTreeNodeIsFullAmount	Print the Full Amount		yes/no	
FRWTreeNodeIsHiddenRow	Hide Row on Report		yes/no	
FRWTreeNodeIsInvertActSign	Invert Activity Columns Sign		yes/no	
FRWTreeNodeIsInvertBalSign	Invert Balans Columns Sign		yes/no	
FRWTreeNodeIsTextOnly	Print Text Only		yes/no	

Field Name	Label	Col-Label	Format	Dec
FRWTreeNodeIsTotalAfter	Print Total After Detail		yes/no	
FRWTreeNodeIsUsed	Used		yes/no	
FRWTreeNodeParentCode	Parent Name		x(40)	
FRWTreeNodeRowStyle	Row Style		x(20)	
FRWTreeNodeSequence	Sequence		->,>>>,>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentFRWTreeNode_ID	Link To Parent FRWTreeNode		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AnCode	no	FRWAnCode_ID	yes	no
ChartCode	no	FRWTreeNodeFRWChartCo de	yes	no
◇ ChartID	no	FRWChart_ID	yes	no
◇ CodeIdx	no	FRWTreeNodeCode	yes	no
DomIdx	no	Domain_ID	yes	no
ParCode	no	FRWTreeNodeParentCode	yes	no
ParID	no	ParentFRWTreeNode_ID	yes	no
◇* Prim	yes	FRWTreeNode_ID	yes	no

FRWUsrDefault Financial Report Writer User Default Settings

Field Name	Label	Col-Label	Format	Dec
FRWChart_ID	Link to FRWChart		9999999999	
FRWCube_ID	Link to FRWCube		9999999999	
FRWUsrDefault_ID	Record ID		9999999999	
FRWUsrDefaultFilePath	Default Path for Load- Unload		x(255)	
FRWUsrDefaultUsrLogin	User Login		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Link to Usr		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartIdx	no	FRWChart_ID	yes	no
◇ CubeIdx	no	FRWCube_ID	yes	no
◇* Prim	yes	FRWUsrDefault_ID	yes	no
◇ UniqIdx	yes	FRWUsrDefaultUsrLogin	yes	no
◇ UsrIdx	no	Usr_ID	yes	no

frzd_det Freight Zone Detail

Field Name	Label	Col-Label	Format	Dec
frzd_chr01			x(8)	
frzd_chr02			x(8)	
frzd_chr03			x(8)	
frzd_chr04			x(8)	
frzd_chr05			x(8)	
frzd_chr06			x(8)	
frzd_chr07			x(8)	
frzd_chr08			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frzd_fr_list	yes	frzd_domain	yes	no
		frzd_fr_list	yes	no
		frzd_site	yes	no
		frzd_zone	yes	no
		frzd_post_st	yes	no
		frzd_start	yes	no
oid frzd det	yes	oid frzd det	yes	no

fr mstr Freight List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fr_list	yes	fr_domain	yes	no
		fr_list	yes	no
		fr_site	yes	no
		fr_curr	yes	no
oid_fr_mstr	yes	oid_fr_mstr	yes	no

Service Category Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fsc_code	yes	fsc_domain	yes	no
		fsc_code	yes	no
oid_fsc_mstr	yes	oid_fsc_mstr	yes	no

fsd det

Service/Support Call Activity Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsd_nbr	yes	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_line	yes	no
fsd_part	no	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_site	yes	no
		fsd_loc	yes	no
		fsd_lotser	yes	no
		fsd_ref	yes	no
oid fsd_det	yes	oid fsd_det	yes	no

fsh mstr

Service/Support Holiday Master

Field Name	Label	Col-Label	Format	Dec
fsh__qadc01			x(8)	
fsh_addr_line1	Address Line 1		x(36)	
fsh_addr_line2	Address Line 2		x(36)	
fsh_addr_line3	Address Line 3		x(36)	
fsh_city	City		x(20)	
fsh_code	Code		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsh_codefield	yes	fsh_domain	yes	no
		fsh_code	yes	no
		fsh_code_field	yes	no
		fsh_date	yes	no
		fsh_start_time	yes	no
oid_fsh_mstr	yes	oid_fsh_mstr	yes	no

fslp_pln Simulation Line Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fslp_pln	yes	fslp_domain	yes	no
		fslp_plan_id	yes	no
		fslp_part	yes	no
		fslp_site	yes	no
		fslp_line	yes	no
		fslp_year	yes	no
oid_fslp_pln	yes	oid_fslp_pln	yes	no

fsp1_pln Family Simulation Backlog and Cost Plan

Field Name	Label	Col-Label	Format	Dec
fsp1_qadc01			x(8)	
fsp1_beg_inv	Beginning Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<	10
fsp1_bklg_act[52]	Backlog Actual	Bklg Act	->>, >>>, >>9.9<<<<<<<<<	10
fsp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->>, >>>, >>9.9<<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp1_pln	yes	fsp1_domain	yes	no
		fsp1_plan_id	yes	no
		fsp1_site	yes	no
		fsp1_part	yes	no
		fsp1_year	yes	no
oid_fsp1_pln	yes	oid_fsp1_pln	yes	no

fsp2_pln

Family Simulation Inventory and Order Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp2_pln	yes	fsp2_domain	yes	no
		fsp2_plan_id	yes	no
		fsp2_site	yes	no
		fsp2_part	yes	no
		fsp2_year	yes	no
oid_fsp2_pln	yes	oid_fsp2_pln	yes	no

Family Simulation Production and Shipment Plan

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp3_pln	yes	fsp3_domain	yes	no
		fsp3_plan_id	yes	no
		fsp3_site	yes	no
		fsp3_part	yes	no
		fsp3_year	yes	no
oid_fsp3_pln	yes	oid_fsp3_pln	yes	no

Service/Support Parts List Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* fspd_oid_itm_det	yes	fspd_domain	yes	no
		oid_itm_det	yes	no
		fspd_part	yes	no
		fspd_so_nbr	yes	no
oid_fspd_det	yes	oid_fspd_det	yes	no

fsu mstr

Service/Support User Preference Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsu_userid	yes	fsu_domain	yes	no
		fsu_userid	yes	no
oid fsu mstr	yes	oid fsu mstr	yes	no

ftch_hist

Service/Support Trace History

Field Name	Label	Col-Label	Format	Dec
ftch_chr01	User Field #1		x(8)	
ftch_dte01	User Date #1		99/99/99	
ftch_log01	User Logical #1		yes/no	
ftch_qadc02	Qad Field #2		x(8)	
ftch_qadd01	Qad Decimal #1		->>, >>9.99	10
ftch_qadl01	Qad Logical #1		yes/no	
ftch_qadt01	Qad Date #1		99/99/99	
ftch_desc	Description		x(24)	
ftch_domain	Domain		x(8)	
ftch_eff_date	Effective Date		99/99/99	
ftch_eng_code	Engineer		x(8)	
ftch_ent_date	Create Date		99/99/99	
ftch_mod_date	Modified Date	Mod Date	99/99/99	
ftch_mod_userid	User ID		X(8)	
ftch_model			x(8)	
ftch_nbr	Order		x(8)	
ftch_part	Item		x(18)	
ftch_prior_value	Prior Value		x(18)	
ftch_serial	Serial		x(18)	
ftch_swapped	Model		yes/no	
ftch_trans	Transaction Type	TR Type	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ftch_engeff	no	ftch_domain	yes	no
		ftch_eng_code	yes	no
		ftch_eff_date	yes	no
ftch_parteff	no	ftch_domain	yes	no
		ftch_part	yes	no
		ftch_eff_date	yes	no
ftch_serialeff	no	ftch_domain	yes	no
		ftch_serial	yes	no
		ftch_eff_date	yes	no
ftch_trnbr	yes	ftch_domain	yes	no
		ftch_trnbr	yes	no
oid_ftch_hist	yes	oid_ftch_hist	yes	no

ft_mstr	Freight Terms Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ft_terms	yes	ft_domain	yes	no
		ft_terms	yes	no
oid_ft_mstr	yes	oid_ft_mstr	yes	no

fwk_mstr Service/Support Work Code Master

Field Name	Label	Col-Label	Format	Dec
fwk__chr01	User Character Field #1		x(8)	
fwk__chr02	User Character Field #2		x(8)	
fwk__chr03	User Character Field #3		x(8)	
fwk__chr04	User Character Field #4		x(8)	
fwk__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fwk__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* fwk_ca_int_type	yes	fwk_domain	yes	no
		fwk_ca_int_type	yes	no
oid fwk_mstr	yes	oid_fw_mstr	yes	no

genfldd_det Generic Field Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	genfidd_tablename	no	genfidd_tablename	yes	no
	oid_genfidd_det	yes	oid_genfidd_det	yes	no
*	oid_owning_record	yes	oid_owning_record	yes	no
			genfidd_sequence	yes	no

giap_mstr Application Definition Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* giap_app_code	yes	giap_domain	yes	no
		giap_app_code	yes	no
giap_ref_key	yes	giap_domain	yes	no
		giap_ref_key	yes	no
oid_giap_mstr	yes	oid_giap_mstr	yes	no

gimd_mstr Model Definition Master

Field Name	Label	Col-Label	Format	Dec
gimd__qadc01			x(24)	
gimd__qadc02			x(24)	
gimd_app_code	App Code		x(8)	
gimd_domain	Domain		x(8)	
gimd_mod_date	Modified Date	Mod Date	99/99/99	
gimd_mod_userid	User ID		x(8)	
gimd_model_desc	Description		x(24)	
gimd_model_name	Model Name		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gimd_model	yes	gimd_domain	yes	no
		gimd_app_code	yes	no
		gimd_model_name	yes	no
gimd_ref_key	yes	gimd_domain	yes	no
		gimd_ref_key	yes	no
oid gimd mstr	yes	oid gimd mstr	yes	no

gip det

Table Attribute Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
gip_app_table	no	gip_domain	yes	no
		gip_app_code	yes	no
		gip_table_name	yes	no
		gip_attribute	yes	no
		gip_ref_key	yes	no
* gip_ref_attribute	yes	gip_domain	yes	no
		gip_ref_key	yes	no
		gip_attribute	yes	no
oid_gip_det	yes	oid_gip_det	yes	no

gisi_mstr

Site/Item Model Definition Master

Field Name	Label	Col-Label	Format	Dec
gisi_qadc01			x(24)	
gisi_qadc02			x(24)	
gisi_app_code	App Code		x(8)	
gisi_domain	Domain		x(8)	
gisi_mod_date	Modified Date	Mod Date	99/99/99	
gisi_mod_userid	User ID		x(8)	
gisi_model_name	Model Name		x(8)	
gisi_part	Item Number		x(18)	
gisi_ref_key	Ref Key		>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
gisi_site	Site		x(8)	
gisi_user1	User Field Character 1		x(24)	
gisi_user2	User Field Character 2		x(24)	
oid_gisi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			a<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* gisi_model	yes	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_model_name	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
gisi_ref_key	yes	gisi_domain	yes	no
		gisi_ref_key	yes	no
gisi_site_part	no	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
oid gisi mstr	yes	oid gisi mstr	yes	no

GL

GL Account

Field Name	Label	Col-Label	Format	Dec
BankAPDiscountGL_ID	AP Discount Account	AP Discount	9999999999	
BankAPIInterestGL_ID	AP Interest Account		9999999999	
BankARDDiscountGL_ID	AR Discount Account	AR Discount	9999999999	
BankARInterestGL_ID	AR Interest Account		9999999999	
BankDiscountGL_ID	Discount Account		9999999999	
BankJournalProfile_ID	Banking Daybook Profile		9999999999	
BudgetGroup_ID	Budget Group 1		9999999999	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
CashGroup_ID	Cash Group		9999999999	
CashInJournalProfile_ID	Cash Received Daybook Profile		9999999999	
CashOutJournalProfile_ID	Cash Paid Daybook Profile		9999999999	
CostCentreProfile_ID	Link to Profile		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DeductionJournalProfile_ID	Deduction Daybook Profile		9999999999	
DivisionProfile_ID	Link to Profile		9999999999	
GL_ID	Record ID		9999999999	
GLAnalysisLimitation	Analysis Limitation	Analysis Limit	x(20)	
GLAnalysisSetOnByUsr_ID	Link to Usr		9999999999	
GLAnalysisSetOnOnDate	GL Analysis Set On Date		99/99/9999	
GLCategory	Category		x(20)	
GLCode	Account		x(8)	
GLDescription	Description		x(24)	
GLDivisionSetOnByUsr_ID	Link to Usr		9999999999	
GLDivisionSetOnOnDate	GL Sub-Account Set On Date		99/99/9999	
GLExchangeMethod	Consolidation Method		x(20)	
GLIsActive	Active		yes/no	
GLIsAutomaticAccount	Automatic Account	Auto	yes/no	
GLIsBalanceAccount	Balance Account		yes/no	
GLIsCostCentreAccount	Cost Center Account		yes/no	
GLIsDebitAccount	Debit/Credit		yes/no	
GLIsDivisionAccount	Sub-Account		yes/no	
GLIsFixedInterco	Fixed Intercompany	Fixed IC	yes/no	
GLIsIntercoAccount	Intercompany Account		yes/no	
GLIsLocalCurrency	Base Currency Only	Base Curr	yes/no	
GLIsProjectAccount	Project Analysis	Proj Analysis	yes/no	
GLIsQuantityAccount	Quantity		yes/no	
GLIsSafAccount	SAF Enabled	SAF	yes/no	
GLIsValueDate	Value Dates	Val Date	yes/no	
GLIsWithBudget	Budget Enabled		yes/no	
GLRevaluationCCMethod	SC Revaluation Method	SC Rev Method	x(20)	
GLRevaluationMethod	TC Revaluation Method	TC Rev Method	x(20)	
GLSystemTypeCode	System Type	Sys Type	x(20)	
GLTypeCode	GL Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProjectProfile_ID	Link to Profile		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Report2BudgetGroup_ID	Budget Group 2		9999999999	
Report3BudgetGroup_ID	Budget Group 3		9999999999	
Report4BudgetGroup_ID	Budget Group 4		9999999999	
RevalCCExchangeRateType_ID	Link to ExchangeRateType		9999999999	
RevalExchangeRateType_ID	Link to ExchangeRateType		9999999999	
RevaluationGL_ID	Link to GL		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
Unit_ID	GL Account Unit of Measure	UM	9999999999	
UsrDefExchangeRateType_ID	Consolidation Rate Type	Rate Type	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
◇ CashGroupIdx	no	CashGroup_ID	yes	no
◇ Code	no	GLCode	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ DeductProfile	no	DeductionJournalProfile_ID	yes	no
◇ GLDescription	no	GLDescription	yes	no
◇ GLIsWithBudgetIdx	no	GLIsWithBudget	yes	no
◇ GLSystemTypeIdx	no	GLSystemTypeCode	yes	no
◇ GLType	no	GLTypeCode	yes	no
◇ IsActive	no	GLIsActive	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	GL_ID	yes	no
RevaluationGL	no	RevaluationGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		GLCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		GLIsActive	yes	no
		GLCode	yes	no

GLCalendar GL Calendar

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Domain		9999999999	
GLCalendar_ID	Record ID		9999999999	
GLCalendarEndDate	End Date		99/99/9999	
GLCalendarPeriod	GL Period	GL Pd	99	
GLCalendarStartDate	Start Date		99/99/9999	
GLCalendarTypeCode	GL Period Type		x(20)	
GLCalendarYear	GL Calendar Year	Year	9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

◇* Prim

glccp_det Cost Calculation period, which can be a day, week, fortnight or monthly. Calculation period cannot have overlaps between GL period.

Field Name	Label	Col-Label	Format	Description
glccp__qadc01			x(24)	
glccp__qadc02			x(24)	
glccp_end	End		99/99/99	
glccp_mod_date	Modified Date	Mod Date	99/99/99	
glccp_mod_userid	User ID		x(8)	
glccp_start	Start		99/99/99	
glccp_user1	User Field Character 1		x(24)	
glccp_user2	User Field Character 2		x(24)	
oid_cs_mstr	Identifier Parent(Umbrella) Cost Set		>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_glc_cal	Identifier GL Calendar		>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_glccp_det	Identifier Cost Calculation Period		>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

alccr

glcd_det

General Ledger Calendar Detail

[illegible]

* alcd

GL Correction Control File

	Index-Name	Uni	Field-Name	Asc	Abbr
*	glcor_index1	yes	glcor_domain	yes	no
	oid_glcor_ctrl	yes	oid_glcor_ctrl	yes	no

General Ledger Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* glc_index	yes	glc_domain	yes	no
		glc_year	yes	no
		glc_per	yes	no
glc_start	no	glc_domain	yes	no
		glc_start	yes	no
oid_glc_cal	yes	oid_glc_cal	yes	no

GLMirror GL Account Mirror

Field Name	Label	Col-Label	Format	Dec
ControlGL_ID	Link to Control GL		9999999999	
GLMirror_ID	Record ID		9999999999	
MirrorGL_ID	Link to Mirror GL		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ControlGL	yes	ControlGL_ID	yes	no
MirrorGL	no	MirrorGL_ID	yes	no
◇* Prim	yes	GLMirror_ID	yes	no

GLOpenItem GL Open Item

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Currency_ID	Link To Currency		9999999999	
GL_ID	Link to GL		9999999999	
GLOpenItem_ID	Record ID		9999999999	
GLOpenItemBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditLC	BC Balance Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitLC	BC Balance Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemClosingDate	Closing Date		99/99/9999	
GLOpenItemIsOpen	Open		yes/no	
GLOpenItemKey	Allocation Key		x(40)	
GLOpenItemOriginalCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalCreditLC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitTC	TC Original Debit		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ClosingDate	no	GLOpenItemClosingDate	yes	no
CompanyGLClose	no	Company_ID	yes	no
		GL_ID	yes	no
		GLOpenItemClosingDate	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLClosingDate	no	GL_ID	yes	no
		GLOpenItemClosingDate	yes	no
GLOpenItemKey	yes	GL_ID	yes	no
		GLOpenItemKey	yes	no
◇ IsOpenIdx	no	GLOpenItemIsOpen	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* prim	yes	GLOpenItem_ID	yes	no

GLOpenItemMovementGL Open Item Movement

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Link To Currency		9999999999	
GLOpenItem_ID	Link to GLOpenItem		9999999999	
GLOpenItemMovement_ID	Record ID		9999999999	
GLOpenItemMovementPostDate	Posting Date		99/99/9999	
GLOpenItemMovementType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CurrencyIdx	no	Currency_ID	yes	no
GLOIMovDt	no	GLOpenItemMovementPostDate	yes	no
GLOIMovTp	no	GLOpenItemMovementType	yes	no
GLOpenItem	no	GLOpenItem_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* prim	yes	GLOpenItemMovement_ID	yes	no

GLReportLinkGL Report Link

Field Name	Label	Col-Label	Format	Dec
FromGL_ID	Link to GL		9999999999	
GLReportLink_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ToGL_ID	Link to GL		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	GLReportLink_ID	yes	no
◇ UniqueIdx	yes	FromGL_ID	yes	no
		ToGL_ID	yes	no

GLSafDefaultGL Account SAF Default

Field Name	Label	Col-Label	Format	Dec
GL_ID	Link to GL		9999999999	
GLSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	GLSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	SafConcept_ID	yes	no
		GL_ID	yes	no

GLSystemTypeGL Account System Type

Field Name	Label	Col-Label	Format	Dec
GLSystemTypeCode	GL System Type		x(20)	
GLSystemTypeIsActive	Active	Act	yes/no	
GLSystemTypeTranslated	GL System Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	GLSystemTypeIsActive	yes	no
◇* Prim	yes	GLSystemTypeCode	yes	no
◇ ViewIndex	no	GLSystemTypeIsActive	yes	no
		GLSystemTypeCode	yes	no

General Ledger Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
* gltw_ref	yes	gltw_domain	yes	no
		gltw_ref	yes	no
		gltw_line	yes	no
		gltw_rflag	yes	no
gltw_userid	no	gltw_domain	yes	no
		gltw_userid	yes	no
		gltw_acct	yes	no
		gltw_cc	yes	no
		gltw_project	yes	no
		gltw_effdate	yes	no
oid_gltw_wkfl	yes	oid_gltw_wkfl	yes	no

GL Account Type

Field Name	Label	Col-Label	Format	Dec
GLTypeCode	GL Type		x(20)	
GLTypesActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	GLTypeCode	yes	no
◇ ViewIndex	no	GLTypesActive	yes	no
		GLTypeCode	yes	no

glt_det

General Ledger Unposted Transaction Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
glt_acc	no	glt_domain	yes	no
		glt_acct	yes	no
glt_batch	no	glt_domain	yes	no
		glt_batch	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_costctr	no	glt_domain	yes	no
		glt_cc	yes	no
glt_dy_code	no	glt_domain	yes	no
		glt_dy_code	yes	no
		glt_dy_num	yes	no
glt_index	no	glt_domain	yes	no
		glt_entity	yes	no
		glt_acct	yes	no
		glt_sub	yes	no
		glt_cc	yes	no
		glt_effdate	yes	no
		glt_project	yes	no
		glt_ref	yes	no
glt_lgd_nbr	no	glt_domain	yes	no
		glt_lgd_nbr	yes	no
glt_project	no	glt_domain	yes	no
		glt_project	yes	no
* glt_ref	yes	glt_domain	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_subacct	no	glt_domain	yes	no
		glt_sub	yes	no
glt_tr_type	no	glt_domain	yes	no
		glt_tr_type	yes	no
		glt_ref	yes	no
		glt_line	yes	no
glt_unb	no	glt_domain	yes	no
		glt_unb	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
oid_glt_det	yes	oid_glt_det	yes	no

gl_ctrl

System/Account Control

Field Name	Label	Col-Label	Format	Dec
gl__qad01			>>>>>>9	
gl__qadc01			x(8)	
gl__qadc02			x(4)	
gl__qadc03			x(8)	
gl__qadc04			x(4)	
gl__qadc05			x(8)	
gl__qadc06			x(4)	
gl__qadc07			x(8)	
gl__qadc08			x(4)	
gl__qadc09	Bank Acct Validation		x(2)	
gl__qadl01			yes/no	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ap_sub	Payables Sub-Acct	Sub-Acct	x(8)	
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apds_sub	AP Discount Sub	Sub-Acct	x(8)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvr_sub	AP Rate Variance Sub	Sub-Acct	x(8)	
gl_apvr_x_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvr_x_cc	Expensed Items Rate Var	CC	x(4)	
	CC			

Field Name	Label	Col-Label	Format	Dec
gl_apvr_sub	Exp Item Rate Var Sub	Sub-Acct	x(8)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_apvu_sub	AP Usage Variance Sub	Sub-Acct	x(8)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvux_sub	Exp Item Usage Sub	Sub-Acct	x(8)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_ar_sub	Receivables Sub-Acct	Sub-Acct	x(8)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cmtl_sub	COGS Material Sub-Acct	Sub-Acct	x(8)	
gl_cog_acct	Cost of Goods	COGS	x(8)	
gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
gl_cog_sub	Cost of Goods Sub_Acct	Sub-Acct	x(8)	
gl_cop_acct	Cost Of Production	COP	x(8)	
gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
gl_cop_sub	Cost Of Production Sub	Sub-Acct	x(8)	
gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
gl_covh_cc	COGS Overhead CC	CC	x(4)	
gl_covh_sub	COGS Overhead Sub-Acct	Sub-Acct	x(8)	
gl_crterms_acct	Credit Terms Interest Account		x(8)	
gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
gl_crterms_sub	Credit Terms Int Sub	Sub-Acct	x(8)	
gl_cs_acct	Sales Cash	Cash	x(8)	
gl_cs_cc	Cash Cost Ctr	CC	x(4)	
gl_cs_sub	Sales Cash Sub-Acct	Sub-Acct	x(8)	
gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
gl_csub_cc	COGS Subcontract CC	CC	x(4)	
gl_csub_sub	COGS Subcontract Sub-Acct	Sub-Acct	x(8)	
gl_disc_acct	Sales Discount	Disc	x(8)	
gl_disc_cc	Disc Cost Ctr	CC	x(4)	
gl_disc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
gl_domain	Domain		x(8)	
gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
gl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
gl_entity	Entity	Enty	x(20)	
gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
gl_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
gl_ex_round	Round Factor		->9	
gl_fin_acct	Sales Finance	Finance	x(8)	
gl_fin_cc	Finance Cost Ctr	CC	x(4)	
gl_fin_sub	Sales Finance Sub	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_flr_acct	Floor Stock Account	Fir Acct	x(8)	
gl_flr_cc	Floor Stock CC	CC	x(4)	
gl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
gl_frtacc_acct	Sales Freight Accrued Account	Frt Acct	x(8)	
gl_frtacc_cc	Cost Center	CC	x(4)	
gl_frtacc_sub	Sales Frt Accrued Sub	Sub-Acct	x(8)	
gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
gl_frtapp_cc	Cost Center	CC	x(4)	
gl_frtapp_sub	Sales Frt Applied Sub	Sub-Acct	x(8)	
gl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
gl_fsaccr_cc	Accrued Revenue CC		x(4)	
gl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
gl_fsbdn_acct	Service Burden		X(8)	
gl_fsbdn_cc	Service Burden CC	CC	X(4)	
gl_fsbdn_sub	Service Burden Sub	Sub-Acct	x(8)	
gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	
gl_fscm_inv_sub	Customer Inv Sub	Sub-Acct	x(8)	
gl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
gl_fsdef_cc	Deferred Revenue CC		x(4)	
gl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexd_sub	Expense Due Emp Sub	Sub-Acct	x(8)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fsexp_sub	Service Expense Sub	Sub-Acct	x(8)	
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fslbr_sub	Service Labor Sub	Sub-Acct	x(8)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_fsrc_inv_sub	Repair Center Inv Sub	Sub-Acct	x(8)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_late_sub	Cr Terms Late Inte Sub	Sub-Acct	x(8)	
gl_lbr_acct	Labor		x(8)	
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
gl_lvr_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvr_cc	Labor Rate Variance CC	CC	x(4)	
gl_lvr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvar_sub	Material Usage Var Sub	Sub-Acct	x(8)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_mvrr_sub	Material Rate Var Sub	Sub-Acct	x(8)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ot_sub	Overtime Sub-Acct	Sub-Acct	x(8)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ovh_sub	Overhead Appl Sub-Acct	Sub-Acct	x(8)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_ppv_sub	PO Price Variance Sub	Sub-Acct	x(8)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
gl_pur_sub	Purchases Sub	Sub-Acct	x(8)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcptx_sub	Exp Item Receipts Sub	Sub-Acct	x(8)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
gl_rgain_cc	Realized Exchange Gain CC CC		x(4)	
gl_rgain_sub	Realized Exch Gain Sub	Sub-Acct	x(8)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC CC		x(4)	
gl_rloss_sub	Realized Exch Loss Sub	Sub-Acct	x(8)	
gl_rmar_acct	Service Returns	Returns	X(8)	
gl_rmar_cc	Service Returns CC	CC	X(4)	
gl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_rtns_sub	Sales Returns Sub	Sub-Acct	x(8)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_sls_sub	Sales Sub-Account	Sub-Acct	x(8)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
gl_symbol	Symbol		x(1)	
gl_tax_type	Tax Type		x(3)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_term_sub	Sales Terms Sub	Sub-Acct	x(8)	
gl_timezone	Server Time Zone		x(8)	
gl_txap_acct	AP Tax Account	AP Tax	x(8)	
gl_txap_cc	AP Tax Cost Center	CC	x(4)	
gl_txap_cn_acct	AP Tax CN Account	AP Tax CN Acct	x(8)	
gl_txap_cn_sub	AP Tax CN Sub-Account	AP Tax CN Sub-Acct	x(8)	
gl_txap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
gl_txapr_acct	AP Retained Tax Acct	Ret Tax	x(8)	
gl_txapr_cc	AP Retained Tax CC	CC	x(4)	
gl_txapr_cn_acct	AP Tax Ret CN Account	AP Tax Ret CN Acct	x(8)	
gl_txapr_cn_sub	AP Tax Ret CN Sub-Account	AP Tax Ret CN Sub-Acct	x(8)	
gl_txapr_sub	AP Retained Tax Sub-Account	Sub-Acct	x(8)	
gl_txar_acct	AR Sales Tax Account	AR Tax	x(8)	
gl_txar_cc	AR Sales Tax CC	CC	x(4)	
gl_txar_cn_acct	Sales Tax CN Acct		x(8)	
gl_txar_cn_sub	Sales Tax CN Sub-Account	Sales Tax CN Sub-Acct	x(8)	
gl_txar_sub	AR Sales Tax Sub-Account	Sub-Acct	x(8)	
gl_txara_acct	AR Absorbed Tax Acct	Abs Tax	x(8)	
gl_txara_cc	AR Absorbed Tax CC	CC	x(4)	
gl_txara_cn_acct	Sales Tax Abs CN Acct		x(8)	
gl_txara_cn_sub	Sales Tax Abs CN Sub-Acct		x(8)	

Field Name	Label	Col-Label	Format	Description
gl_txara_sub	AR Absorbed Tax Sub-Account	Sub-Acct	x(8)	
gl_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
gl_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
gl_ugain_sub	Unrealized Exchange Gain Sub	Sub-Acct	x(8)	
gl_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
gl_uloss_cc	Unrealized Exchange Loss CC	CC	x(4)	
gl_uloss_sub	Unrealized Exchange Loss Sub	Sub-Acct	x(8)	
gl_user_acct	Exempt Sales Acct		x(8)	
gl_user_cc	Exempt Sales Cost Ctr	CC	x(4)	
gl_user_sub	Exempt Sales Sub-Acct	Sub-Acct	x(8)	
gl_user1	Ufld1		x(8)	
gl_user2	Ufld2		x(8)	
gl_vat	Value Added Tax		yes/no	
gl_verify	Verify GL Accounts	Verify GL	yes/no	
gl_wip_acct	Work in Process	WIP	x(8)	
gl_wip_cc	Work in Process Cost Ctr	CC	x(4)	
gl_wip_sub	Work in Process Sub	Sub-Acct	x(8)	
gl_wvar_acct	Method Variance	Mthd Var	x(8)	
gl_wvar_cc	Method Variance CC	CC	x(4)	
gl_wvar_sub	Method Variance Sub	Sub-Acct	x(8)	
gl_xfer_acct	Transfer Variance	Transfer	x(8)	
gl_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
gl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
gl_xvar_acct	Mix Var	Mix	x(8)	
gl_xvar_cc	Mix Var CC	CC	x(4)	
gl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
oid_gl_ctrl			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* gl_index1	yes	gl_domain	yes	no
gl_verify	no	gl_domain	yes	no
		gl_verify	yes	no
oid_gl_ctrl	yes	oid_gl_ctrl	yes	no

grac_det

GL Report Writer Account Balances

Field Name	Label	Col-Label	Format	Dec
grac_qadc01			x(8)	
grac_acc	Account		x(8)	
grac_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
grac_beg_bal	Beginning Balance		->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cbal	Beginning Bal - Foreign Curr	Beg Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_bal	Beginning CR Balance		->>, >>>, >>>, >>>, >>9.99	10
grac_beg_cr_cbal	Beginning CR Currency Bal	Beg CR Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_bal	Beginning DR Balance		->>, >>>, >>>, >>>, >>9.99	10
grac_beg_dr_cbal	Beginning DR Currency Bal	Beg DR Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_cc	Cost Ctr	CC	x(4)	
grac_cr_amt	CR Activity		->>, >>>, >>>, >>9.99<	10
grac_cr_curr_amt	CR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_curr_amt	Activity - Foreign Currency	Activity - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_domain	Domain		x(8)	
grac_dr_amt	DR Activity		->>, >>>, >>>, >>9.99<	10
grac_dr_curr_amt	DR Currency Activity		->>, >>>, >>>, >>9.99<	10
grac_entity	Entity	Enty	x(20)	
grac_per	Period	Per	>>9	
grac_per_bal	Period Balance		->>, >>>, >>>, >>>, >>9.99	10
grac_per_cbal	Period Balance - Foreign	Per Bal - Foreign Curr	->>, >>>, >>>, >>>, >>9.99	10
grac_project	Project		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypace	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
grac_ypaes	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_entity	yes	no
		grac_sub	yes	no
* grac_ypascej	yes	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_project	yes	no
grac_ypceja	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_acc	yes	no
grac_ypcja	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
		grac_project	yes	no
		grac_acc	yes	no
grac_ypejas	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
grac_ypjasc	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
grac_ypscej	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
grac_ypsej	no	grac_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_entity	yes	no
grac_ypsjc	no	grac_project	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_project	yes	no
		grac_cc	yes	no
oid_grac_det	yes	oid_grac_det	yes	no

grad_det GL Report Writer Analysis Code Detail

Field Name	Label	Col-Label	Format	Dec
grad__qadc01			x(8)	
grad_an_code	Analysis Code		x(8)	
grad_domain	Domain		x(8)	
grad_gl_code	G/L Code		x(20)	
grad_gl_type	G/L Type		x(1)	
grad_user1	Ufld1		x(8)	
grad_user2	Ufld2		x(8)	
oid_grad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* grad_an_code	no	grad_domain	yes	no
		grad_an_code	yes	no
		grad_gl_type	yes	no
		grad_gl_code	yes	no
oid_grad_det	yes	oid_grad_det	yes	no

gral_det GL Report Writer Analysis Code Link-File Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gral_an_code	yes	gral_domain	yes	no
		gral_an_code	yes	no
		gral_link_code	yes	no
		gral_seq	yes	no
gral_link_code	no	gral_domain	yes	no
		gral_link_code	yes	no
gral_seq	yes	gral_domain	yes	no
		gral_an_code	yes	no
		gral_seq	yes	no
oid_gral_det	yes	oid_gral_det	yes	no

gras_det

GL Report Writer Selection Detail

Field Name	Label	Col-Label	Format	Dec
gras_qadc01			x(8)	
gras_an_code	Analysis Code	Code	x(8)	
gras_domain	Domain		x(8)	
gras_gl_type	G/L Type		x(1)	
gras_include	Include	Incl	yes/no	
gras_sel_high	To G/L Code	To Code	x(20)	
gras_sel_low	From G/L Code	From Code	x(20)	
gras_user1	Ufld1		x(8)	
gras_user2	Ufld2		x(8)	
oid_gras_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* gras_an_code	yes	gras_domain	yes	no
		gras_an_code	yes	no
		gras_gl_type	yes	no
		gras_include	yes	no
		gras_sel_low	yes	no
		gras_sel_high	yes	no
oid gras det	yes	oid gras det	yes	no

gra_mstr

GL Report Writer Analysis Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gra_an_code	yes	gra_domain	yes	no
		gra_an_code	yes	no
gra_desc	yes	gra_domain	yes	no
		gra_gl_type	yes	no
		gra_desc	yes	no
		gra_an_code	yes	no
gra_type	yes	gra_domain	yes	no
		gra_gl_type	yes	no
		gra_an_code	yes	no
oid_gra_mstr	yes	oid_gra_mstr	yes	no

GL Report Writer Budgeted Account Balance Detail

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypace	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
grbg_bypaes	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_entity	yes	no
		grbg_sub	yes	no
* grbg_bypascej	yes	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
grbg_bypceja	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no
grbg_bypcja	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
grbg_bypcjasc	no	grbg_cc	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
grbg_bypejas	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
grbg_bypjasc	no	grbg_domain	yes	no
		grbg_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypscej	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
grbg_bypsej	no	grbg_per	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
grbg_bypsjc	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no
		oid_grbg_det	yes	oid_grbg_det

grcd_det

GL Report Writer Column Group Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grcd_col_group	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col	yes	no
grcd_col_type	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col_type	yes	no
		grcd_col	yes	no
oid_grcd_det	yes	oid_grcd_det	yes	no

GL Report Writer Column Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grc_col_group	yes	grc_domain	yes	no
		grc_col_group	yes	no
oid_grc_mstr	yes	oid_grc_mstr	yes	no

GL Report Writer Definition Matrix

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grdf_row	yes	grdf_domain	yes	no
		grdf_run_id	yes	no
		grdf_col	yes	no
		grdf_row	yes	no
	yes	grdf_domain	yes	no
		grdf_run_id	yes	no
		grdf_row	yes	no
		grdf_col	yes	no
oid_grdf_mtx	yes	oid_grdf_mtx	yes	no

grhd_det

GL Report Writer Group Row/Column Sequence Detail

Field Name	Label	Col-Label	Format	Dec
grhd__qadc01			x(8)	
grhd_code	Code		x(20)	
grhd_domain	Domain		x(8)	
grhd_explode	Explode		yes/no	
grhd_group	Group		x(8)	
grhd_link	Link		CODE/ITEM	
grhd_link_type	Link Type	T	x(1)	
grhd_priority	Priority		z	
grhd_seq	Sequence	Seq	9999	
grhd_sub_indent	Sub Total Indent	SB Ind	zz	
grhd_type	Group Type	T	x(1)	
grhd_user1	Ufld1		x(8)	
grhd_user2	Ufld2		x(8)	
oid_grhd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
grhd_code	no	grhd_domain	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
* grhd_group	yes	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
grhd_link	yes	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_code	yes	no
grhd_link_type	no	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
grhd_priority	no	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_priority	yes	no
		grhd_explode	yes	no
		grhd_link	yes	no
grhd_type_link	no	grhd_domain	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
oid_grhd_det	yes	oid_grhd_det	yes	no

grib_det

GL Report Writer Break Group Detail

Field Name	Label	Col-Label	Format	Dec
grib_qadc01			x(8)	
grib_an_code	Analysis Code		x(8)	
grib_basepage	Base Page	B Pg	>>>>9	
grib_desc	Description		x(24)	
grib_domain	Domain		x(8)	
grib_level	Level		999999	
grib_link_code	Link Code		x(8)	
grib_link_type	G/L Type		x(1)	
grib_pages	Group Pages	G Pgs	>>>>9	
grib_run_id	Report Run ID		>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
grib_select	Sel		yes/no	
grib_user1	Ufld1		x(8)	
grib_user2	Ufld2		x(8)	
oid_grib_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* grib_an_code	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_an_code	yes	no
		grib_link_code	yes	no
grib_level	no	grib_domain	yes	no
		grib_run_id	no	no
		grib_level	no	no
		grib_an_code	no	no
grib_link	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_link_code	yes	no
		grib_an_code	yes	no
oid_grib_det	yes	oid_grib_det	yes	no

gric_det

GL Report Writer Image Column Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gric_col	yes	gric_domain	yes	no
		gric_run_id	yes	no
		gric_col	yes	no
oid_gric_det	yes	oid_gric_det	yes	no

grid_det

GL Report Writer Report Image Detail

Field Name	Label	Col-Label	Format	Dec
grid__qadc01			x(8)	
grid_allzero	AZ		yes/no	
grid_apply_sym	Apply Curr Symbol	Sym	yes/no	
grid_domain	Domain		x(8)	
grid_expl_line	Exploded Line	E Ln	-999	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grid_row	yes	grid_domain	yes	no
		grid_run_id	yes	no
		grid_row	yes	no
		grid_line	yes	no
		grid_stl	yes	no
oid grid det	yes	oid grid det	yes	no

grig_mtx

GL Report Writer Report Image Matrix

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grig_col	no	grig_domain	yes	no
		grig_run_id	yes	no
		grig_col	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
* grig_row	yes	grig_domain	yes	no
		grig_run_id	yes	no
		grig_brk_gp	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
		grig_col	yes	no
		oid_grig_mtx	yes	no

GL Report Writer Analysis Code and Item Type Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
grit_desc	no	grit_domain	yes	no
		grit_desc	yes	no
		grit_gl_code	yes	no
		grit_runid	yes	no
* grit_gl_code	yes	grit_domain	yes	no
		grit_runid	yes	no
		grit_gl_code	yes	no
oid_grit_wkf	yes	oid_grit_wkf	yes	no

GL Report Writer Report Image Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gri_report	yes	gri_domain	yes	no
		gri_report	yes	no
		gri_run_id	yes	no
gri_run_id	yes	gri_domain	yes	no
		gri_run_id	yes	no
oid_gri_mstr	yes	oid_gri_mstr	yes	no

GrossIncAcc Gross Income Accounting

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GrossIncAcc_ID	Record ID		9999999999	
GrossIncAcclsAllCostCentre	All Cost Centers		yes/no	
GrossIncAcclsAllDivision	All Sub-Accounts		yes/no	
GrossIncAcclsAllProject	All Projects		yes/no	
Journal_ID	Link To Journal		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SalesCostCentre_ID	Link To CostCentre (Sales)		9999999999	
SalesDivision_ID	Link To Division (Sales)		9999999999	
SalesGL_ID	Link To GL (Sales)		9999999999	
SalesProject_ID	Link To Project (Sales)		9999999999	
TaxExpenseCostCentre_ID	Link To CostCentre (Tax Expense)		9999999999	

Field Name	Label	Col-Label	Format	Dec
TaxExpenseDivision_ID	Link To Division (Tax Expense)		9999999999	
TaxExpenseGL_ID	Link To GL (Tax Expense)		9999999999	
TaxExpenseProject_ID	Link To Project (Tax Expense)		9999999999	
TaxPayableDivision_ID	Link To Division (Tax Payable)		9999999999	
TaxPayableGL_ID	Link To GL (Tax Payable)		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltUniqIdx	yes	Company_ID	yes	no
		SalesGL_ID	yes	no
		SalesDivision_ID	yes	no
		SalesCostCentre_ID	yes	no
		SalesProject_ID	yes	no
		TaxPayableGL_ID	yes	no
		TaxPayableDivision_ID	yes	no
◇ Cyldx	no	Company_ID	yes	no
◇ JournalIdx	no	Journal_ID	yes	no
◇* Prim	yes	GrossIncAcc_ID	yes	no
SalesCC	no	SalesCostCentre_ID	yes	no
SalesDiv	no	SalesDivision_ID	yes	no
◇ SalesGL	no	SalesGL_ID	yes	no
SalesPrj	no	SalesProject_ID	yes	no
TaxExpCC	no	TaxExpenseCostCentre_ID	yes	no
TaxExpDiv	no	TaxExpenseDivision_ID	yes	no
TaxExpGL	no	TaxExpenseGL_ID	yes	no
TaxExpPrj	no	TaxExpenseProject_ID	yes	no
TaxPayDiv	no	TaxPayableDivision_ID	yes	no
TaxPayGL	no	TaxPayableGL_ID	yes	no

grqd_det GL Report Writer Fiscal Quarter Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grqd_period	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_per_start	yes	no
		grqd_per_end	yes	no
* grqd_quarter	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_quarter	yes	no
oid_grqd_det	yes	oid_grqd_det	yes	no

grrd_det GL Report Writer Row Group Detail

Field Name	Label	Col-Label	Format	Dec
grrd__qadc01			x(8)	
grrd__apply_sym	Apply Curr Symbol	Sym	yes/no	
grrd__calc[5]	Formula		x(50)	
grrd__domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grdd_row_group	yes	grdd_domain	yes	no
		grdd_row_group	yes	no
		grdd_row	yes	no
grdd_row_type	yes	grdd_domain	yes	no
		grdd_row_group	yes	no
		grdd_row_type	yes	no
		grdd_row	yes	no
oid_grdd_det	yes	oid_grdd_det	yes	no


```
Field Name
grv_sub
grv_user1
grv_user2
oid grv_det
```

Index-Name	Uni	Field-Name	Asc	Abbr
grv_ace	no	grv_domain	yes	no
		grv_acc	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
grv_aes	no	grv_domain	yes	no
		grv_acc	yes	no
		grv_entity	yes	no
		grv_sub	yes	no
* grv_ascej	yes	grv_domain	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_ceja	no	grv_domain	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_cja	no	grv_domain	yes	no
		grv_cc	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_ejas	no	grv_domain	yes	no
		grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
grv_jasc	no	grv_domain	yes	no
		grv_project	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
grv_scej	no	grv_domain	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sej	no	grv_domain	yes	no
		grv_sub	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_sjc	no	grv_domain	yes	no
		grv_sub	yes	no
		grv_project	yes	no
		grv_cc	yes	no
oid_grv_det	yes	oid_grv_det	yes	no

grx1_wkfl

GL Report Writer Analysis Code Explosion Work Table

Field Name	Label	Col-Label	Format	Dec
grx1__qadc01			x(8)	
grx1__an_code	Analysis Code		x(8)	
grx1__domain	Domain		x(8)	
grx1__link_code	Link Code		x(8)	
grx1__link_type	G/L Type		x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
grx1_an_code	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_an_code	yes	no
		grx1_link_code	yes	no
grx1_link	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_link_code	yes	no
		grx1_an_code	yes	no
oid_grx1_wkfl	yes	oid_grx1_wkfl	yes	no

GL Report Writer Row/Column Explosion (Separate) Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
* grx2_level	no	grx2_domain	yes	no
		grx2_run_id	yes	no
		grx2_type	yes	no
		grx2_nbr	yes	no
		grx2_level	yes	no
oid_grx2_wkfl	yes	oid_grx2_wkfl	yes	no

GL Report Writer Row/Column Expl (Hierarchical) Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grx3_element	no	grx3_domain	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no
grx3_line	no	grx3_domain	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_line	yes	no
* grx3_row	no	grx3_domain	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no
oid grx3 wkfl	yes	oid grx3 wkfl	yes	no

grx mstr

GL Report Writer Report Content Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grx_col_group	no	grx_domain	yes	no
		grx_col_group	yes	no
grx_ctl_ac	no	grx_domain	yes	no
		grx_ctl_ac	yes	no
		grx_ctl_gl	yes	no
		grx_report	yes	no
* grx_report	yes	grx_domain	yes	no
		grx_report	yes	no
grx_row_group	no	grx_domain	yes	no
		grx_row_group	yes	no
oid_grx_mstr	yes	oid_grx_mstr	yes	no

GL Report Writer Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	gr_index1	yes	gr_domain	yes	no
	oid_gr_ctrl	yes	oid_gr_ctrl	yes	no

Golden Tax Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
gtidh__qadc01			x(24)	
gtidh__qadc02			x(24)	
gtidh_amt	Invoice Line Amount	Amount	->,>>>,>>>,>>9.99	2
gtidh_disc_amt	Discount Amount		->,>>>,>>>,>>9.99	2
gtidh_docnbr	Golden Tax Document Number	Document	x(20)	
gtidh_domain	Domain		x(8)	
gtidh_group	Product Group	Group	x(5)	
gtidh_gt_inv_nbr	Golden Tax Invoice Number	GT Invoice	x(8)	
gtidh_inv_nbr	Invoice Number		x(22)	
gtidh_line	Golden Tax Invoice Line	GT! Line	>>>9	
gtidh_mod_date	Modified Date	Mod Date	99/99/99	
gtidh_mod_userid	User ID		x(8)	
gtidh_price	Invoice Line Price		>,>>>,>>>,>>9.99	2

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gtidh_domain	yes	gtidh_domain	yes	no
		gtidh_line	yes	no
		gtidh_docnbr	yes	no
oid gtidh hist	yes	oid gtidh hist	yes	no

gtih hist

Golden Tax Invoice History Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gtih_domain	yes	gtih_domain	yes	no
		gtih_docnbr	yes	no
oid_gtih_hist	yes	oid_gtih_hist	yes	no

gtnbr_det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gtnbr_invnbr_gtnbr	no	gtnbr_invnbr	yes	no
		gtnbr_gtinvnbr	yes	no
		gtnbr_domain	yes	no
gtnbr_type_nbr	no	gtnbr_domain	yes	no
		gtnbr_type	yes	no
		gtnbr_invnbr	yes	no
		gtnbr_gtinvnbr	yes	no
oid_gtnbr_det	yes	oid_gtnbr_det	yes	no

gt_ctrl

Field Name	Label	Col-Label	Format	Dec
gt__qadc01			x(24)	
gt__qadc02			x(24)	
gt_domain	Domain		x(8)	
gt_gt_type	Golden Tax Invoice Type	Type	x(10)	
gt_gtfldg	Enable Golden Tax		yes/no	
gt_in_path	Input Path		x(60)	
gt_mod_date	Modified Date	Mod Date	99/99/99	
gt_mod_userid	User ID		x(8)	
gt_out_path	Output Path		x(60)	
gt_user1	User Field Character 1		x(24)	
gt_user2	User Field Character 2		x(24)	
oid_gt_ctrl	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* gt_domain	yes	gt_domain	yes	no
oid_gt_ctrl	yes	oid_gt_ctrl	yes	no

hd_mstr

Holiday Master

Field Name	Label	Col-Label	Format	Dec
hd_qadc01			x(8)	
hd_date	Date	Date	99/99/99	
hd_desc	Holiday		x(24)	
hd_domain	Domain		x(8)	
hd_site	Site		x(8)	
hd_user1	Ufld1		x(8)	
hd_user2	Ufld2		x(8)	
oid_hd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* hd_mstr	yes	hd_domain	yes	no
		hd_site	yes	no
		hd_date	yes	no
oid_hd_mstr	yes	oid_hd_mstr	yes	no

hlp_mstr

Help Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* hlp_primary	no	hlp_context_str	yes	no
oid hlp_mstr	yes	oid_hlp_mstr	yes	no

HoldM

Warehousing Hold Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Ref	Reference		x(8)	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
ToDate	To		99/99/99	
ToTime			->, >>>, >>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* HoMIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		WLocGp	yes	no
		Loc	yes	no
		Part	yes	no
		PartType	yes	no
		Lot	yes	no
		Ref	yes	no
oid_HoldM	yes	oid_HoldM	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

iach_hist Inventory Consumption History

Field Name	Label	Col-Label	Format	Dec
iach_qadc01			x(24)	
iach_qadc02			x(24)	
iach_domain	Domain		x(8)	
iach_mod_date	Modified Date	Mod Date	99/99/99	
iach_mod_userid	User ID		x(8)	
iach_part	Item Number		x(18)	
iach_period	Period		99	
iach_qty	Quantity		->>, >>>, >>9.9<<<<<<<<<<	10
iach_qty_oh	Qty On Hand		->>, >>>, >>9.9<<<<<<<<<<	10
iach_quarter	Quarter		9	
iach_site	Site		x(8)	
iach_um	Unit of Measure	UM	x(2)	

Field Name	Label	Col-Label	Format	Dec
iach_user1	User Field Character 1		x(24)	
iach_user2	User Field Character 2		x(24)	
iach_year	Year		9999	
oid_iach_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			a<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* iach_part	yes	iach_domain	yes	no
		iach_part	yes	no
		iach_site	yes	no
		iach_year	yes	no
		iach_period	yes	no
oid iach_hist	yes	oid iach_hist	yes	no

iac ctrl

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	iac_index1	yes	iac_domain	yes	no
	oid_iac_ctrl	yes	oid_iac_ctrl	yes	no

iad mstr Obsolete Inventory Depreciation Rate Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iad_inven_type	yes	iad_domain	yes	no
		iad_inven_type	yes	no
		iad_exception	yes	no
		iad_periods	yes	no
oid_iad_mstr	yes	oid_iad_mstr	yes	no

Output File Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iaod_file_type	yes	iaod_domain	yes	no
		iaod_file_type	yes	no
		iaod_field_nbr	yes	no
oid_iaod_det	yes	oid_iaod_det	yes	no

Output File Master

Field Name	Label	Col-Label	Format	Dec
iao__qadc01			x(24)	
iao__qadc02			x(24)	
iao_desc	Description		x(40)	
iao_domain	Domain		x(8)	
iao_file_type	Output File Type		x(8)	
iao_header_row	Header Row		yes/no	
iao_mod_date	Modified Date	Mod Date	99/99/99	
iao_mod_userid	User ID		x(8)	
iao_program_name	Program Name		x(12)	
iao_quote	Quote Character		x	
iao_separator	Separator Character		x	
iao_user1	User Field Character 1		x(24)	
iao_user2	User Field Character 2		x(24)	
oid_iao_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* iao_file_type	yes	iao_domain	yes	no
		iao_file_type	yes	no
oid_iao_mstr	yes	oid_iao_mstr	yes	no

iasd det

Obsolete Inventory Control Site Detail

Field Name	Label	Col-Label	Format	Dec
iasd_qadc01			x(24)	
iasd_qadc02			x(24)	
iasd_domain	Domain		x(8)	
iasd_mod_date	Modified Date	Mod Date	99/99/99	
iasd_mod_userid	User ID		x(8)	
iasd_site	Site		x(8)	
iasd_trans_types	Extract Issue Transactions		x(100)	
iasd_user1	User Field Character 1		x(24)	
iasd_user2	User Field Character 2		x(24)	
oid_iasd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* iasd_site	yes	iasd_domain	yes	no
		iasd_site	yes	no
oid iasd det	yes	oid iasd det	yes	no

iatd det

Inventory Type Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iatd_inven_type	yes	iatd_domain	yes	no
		iatd_inven_type	yes	no
		iatd_field_set	yes	no
		iatd_field_nbr	yes	no
		iatd_value_nbr	yes	no
oid iatd det	yes	oid iatd det	yes	no

iat_mstr

Inventory Type Master

Field Name	Label	Col-Label	Format	Dec
iat__qadc01			x(24)	
iat__qadc02			x(24)	
iat_desc	Description		x(40)	
iat_domain	Domain		x(8)	
iat_inven_type	Inventory Type		x(8)	
iat_mod_date	Modified Date	Mod Date	99/99/99	
iat_mod_userid	User ID		x(8)	
iat_user1	User Field Character 1		x(24)	
iat_user2	User Field Character 2		x(24)	
oid_iat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* iat_inven_type	yes	iat_domain	yes	no
		iat_inven_type	yes	no
oid_iat_mstr	yes	oid_iat_mstr	yes	no

Sales Order Configuration Bill History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ibd_inv_nbr	yes	ibh_domain	yes	no
		ibh_inv_nbr	yes	no
		ibh_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
		ibh_part	yes	no
ibh_part	yes	ibh_domain	yes	no
		ibh_part	yes	no
		ibh_inv_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
oid_ibh_hist	yes	oid_ibh_hist	yes	no

ib_det

Service/Support Installed Configuration Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ib_compser	yes	ib_domain	yes	no
		ib_comp	yes	no
		ib_comp_ser	yes	no
		ib_comp_ref	yes	no
ib_eu_comp	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_comp	yes	no
		ib_comp_ref	yes	no
		ib_comp_ser	yes	no
ib_eutag	no	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_tag	yes	no
		ib_sys_seq	yes	no
ib_serial	no	ib_domain	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
* ib_sys_seq	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_config	yes	no
		ib_sys_part	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_sys_seq	yes	no
		ib_comp	yes	no
oid_ib_det	yes	oid_ib_det	yes	no

icc_ctrl

Inventory Control

Field Name	Label	Col-Label	Format	Dec
icc__qad01			>>>>>9	
icc__qad02			9	
icc__qad03			9	
icc__qadc01			x(24)	
icc__qadc02			x(24)	
icc__qadc03			x(24)	
icc__qadi02			->>>>>>9	
icc__qadi04			>>>>>>9	
icc__ascend	Ascending or Descending		yes/no	
icc__cogs	Sum LL Costs Into Matl Cost COGS		yes/no	
icc__cur ap	Current Cost from AP		yes/no	

Field Name	Label	Col-Label	Format	Dec
idhlc_um	UM		x(2)	
idhlc_userc01	User Field Character 1		x(24)	
idhlc_userc02	User Field Character 2		x(24)	
oid_idhlc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* idhlc_invin	yes	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_sub_line	yes	no
idhlc_part	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_part	yes	no
		idhlc_charge_category	yes	no
		idhlc_price	yes	no
idhlc_trl	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_charge_category	yes	no
		idhlc_trl	yes	no
oid_idhlc_hist	yes	oid_idhlc_hist	yes	no

idhr_hist

Invoice History Relationship Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* idhr_invin_seq	yes	idhr_domain	yes	no
		idhr_inv_nbr	yes	no
		idhr_nbr	yes	no
		idhr_line	yes	no
		idhr_seq	yes	no
idhr_type	no	idhr_domain	yes	no
		idhr_type	yes	no
oid idhr hist	yes	oid idhr hist	yes	no

idh_hist

Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
idh_chr01			x(8)	
idh_chr02			x(8)	
idh_chr03			x(8)	
idh_chr04			x(8)	
idh_chr05			x(8)	
idh_chr06			x(8)	
idh_chr07			x(8)	
idh_chr08			x(8)	
idh_chr09			x(8)	
idh_chr10			x(8)	
idh_dec01			>>>,>>>,>>9.99	10
idh_dec02			>>>,>>>,>>9.99	10
idh_dec03			>>>,>>>,>>9.99	10
idh_dec04			>>>,>>>,>>9.99	10
idh_dec05			>>>,>>>,>>9.99	10
idh_dte01			99/99/99	
idh_dte02			99/99/99	
idh_dte03			99/99/99	
idh_log01			yes/no	
idh_qad01			>	
idh_qad02			yes/no	
idh_qadc01	QAD Field		X(8)	0
idh_qadc02	QAD Field		X(8)	0
idh_qadc03	QAD field		X(8)	0
idh_qadc04	QAD field		X(8)	0
idh_qadc05	QAD field		X(8)	0
idh_qadc06	QAD field		X(8)	0
idh_qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd04	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd05	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadi01	QAD Field		->,>>>,>>9	
idh_qadi02	QAD Field		->,>>>,>>9	
idh_qadi03	QAD Field		->,>>>,>>9	
idh_qadi04	QAD Field		->,>>>,>>9	
idh_qadi01	QAD Field		yes/no	
idh_qadi02	QAD Field		yes/no	
idh_qadi03	QAD Field		yes/no	
idh_qadi04	QAD Field		yes/no	
idh_qadi05	QAD Field		yes/no	
idh_qadt01	QAD Field		99/99/99	
idh_qadt02	QAD Field		99/99/99	
idh_qadt03	QAD Field		99/99/99	
idh_qadt04	QAD Field		99/99/99	
idh_qadt05	QAD Field		99/99/99	
idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>,>>>,>>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<<	10
idh_bonus	Bonus Stock Line		yes/no	
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>>9	
idh_comm_pct[4]	Commission	Comm%	>>9.99%	10
idh_comment[5]	Comments		x(40)	
idh_conrep	Netting Logic	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
idh_cum_date[4]	Cum Start		99/99/99	
idh_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<<	10
idh_curr_rlse_id[3]	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
idh_custref	Customer Ref		x(30)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	10
idh_div	Division		x(8)	
idh_dock	Dock		X(8)	
idh_domain	Domain		x(8)	
idh_drp_ref	DRP Ref		X(8)	
idh_dsc_acct	Disc Acct	?	x(8)	
idh_dsc_cc	Disc CC	CC	x(4)	
idh_dsc_project	Disc Project		x(8)	
idh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
idh_due_date	Due Date	Due	99/99/99	
idh_end_eff[4]	End Effective		99/99/99	
idh_enduser	End User		x(8)	
idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
idh_expire	Expires		99/99/99	
idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
idh_fab_days	Fab Auth Days		>, >>9	
idh_fix_pr	Fixed Price		yes/no	
idh_fixed_price	Fixed Price		>>>>, >>>, >>9.99<<<	10
idh_for	For		x(18)	
idh_for_serial	Parent Item Serial		X(18)	
idh_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
idh_fr_class	Freight Class		x(8)	
idh_fr_list	Freight List	Frt List	x(8)	
idh_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
idh_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<<	10
idh_fr_wt_um	UM		x(2)	
idh_fsm_type	FSM Type		x(8)	
idh_fst_list	FST on List		yes/no	
idh_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
idh_inv_nbr	Invoice		x(22)	
idh_isb_loc	Installed Base Location		x(22)	
idh_isb_ref	ISB Ref		>>>>>>>9	
idh_line	Line	Ln	>>9	
idh_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
idh_ln_ref	Line Ref		X(8)	
idh_loc	Location		x(8)	
idh_lot	ID		x(8)	
idh_mod_date	Modified Date	Mod Date	99/99/99	
idh_mod_userid	User ID		X(8)	
idh_modelyr	Model Year		x(4)	
idh_nbr	Sales Order	Order	x(8)	
idh_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
idh_out_po	Display PO Number		X(30)	
idh_override_lmt	Override Limits	Lmt	yes/no	
idh_owner	Ownership		x(8)	
idh_part	Item Number		x(18)	
idh_partial	Partial OK	Partial	yes/no	
idh_pastdue	Past Due Logic		X(1)	
idh_per_date	Perform Date	Perform	99/99/99	
idh_pickdate	Pick Date		99/99/99	
idh_pkg_code	Pkg Code		x(18)	
idh_pl_priority	P/L Priority		>9	
idh_pr_list	Price List		X(8)	
idh_price	Price		>>>>, >>>, >>9.99<<<	10
idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
idh_prig1	Pricing Group 1		x(8)	
idh_prig2	Pricing Group 2		x(8)	
idh_prodlne	Product Line	Line	x(4)	
idh_project	Project		x(8)	
idh_promise_date	Promise Date	Promise	99/99/99	
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<<	10
idh_qty_chg	Qty To Ship		->, >>>, >>9.9<<<<<<<<<	10
idh_qty_cons	Qty Consumed		->, >>>, >>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
idh_fsm_type	no	idh_domain	yes	no
		idh_fsm_type	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
* idh_invl	yes	idh_domain	yes	no
		idh_inv_nbr	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
idh_part	no	idh_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid idh_hist	yes	idh_part	yes	no
		idh_inv_nbr	yes	no
		idh_line	yes	no
		oid_idh_hist	yes	no

iec ctrl

Import/Export Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iec_index1	yes	iec_domain	yes	no
oid_iec_ctrl	yes	oid_iec_ctrl	yes	no

ied_det

Import/Export Detail

Field Name	Label	Col-Label	Format	Dec
ied_chr01			x(8)	
ied_chr02			x(8)	
ied_chr03			x(8)	
ied_chr04			x(8)	
ied_chr05			x(8)	
ied_dec01			->>>, >>>, >>9.99<	10
ied_dec02			->>>, >>>, >>9.99<	10
ied_dec03			->>>, >>>, >>9.99<	10
ied_dec04			->>>, >>>, >>9.99<	10
ied_dec05			->>>, >>>, >>9.99<	10
ied_dte01			99/99/99	
ied_dte02			99/99/99	
ied_dte03			99/99/99	
ied_dte04			99/99/99	
ied_dte05			99/99/99	
ied_log01			yes/no	
ied_log02			yes/no	
ied_log03			yes/no	
ied_log04			yes/no	
ied_log05			yes/no	
ied_log06			yes/no	
ied_qadc01			x(8)	
ied_qadc02			x(8)	
ied_qadc03			x(8)	
ied_qadc04			x(8)	
ied_qadc05			x(8)	
ied_qadd01			->>>, >>>, >>9.99<	10
ied_qadd02			->>>, >>>, >>9.99<	10
ied_qadd03			->>>, >>>, >>9.99<	10
ied_qadd04			->>>, >>>, >>9.99<	10
ied_qadd05			->>>, >>>, >>9.99<	10
ied_qadl01			yes/no	
ied_qadl02			yes/no	
ied_qadl03			yes/no	
ied_qadl04			yes/no	
ied_qadl05			yes/no	
ied_qadt01			99/99/99	
ied_qadt02			99/99/99	
ied_qadt03			99/99/99	
ied_affiliation	Affiliation		x(1)	
ied_com_code	Commodity Code	Com Code	x(20)	
ied_container	Container		yes/no	
ied_csa	CSA code		9	
ied_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ied_etry_origin	Country of Origin	CO	x(3)	
ied_decl_region	Declaration Region		x(3)	
ied_domain	Domain		x(8)	
ied_intrastat	Intrastat Item	Intrastat	yes/no	
ied_item_spec	Item Specification		x(2)	
ied_line	Order Line	Line	>>9	
ied_mod_date	Modified Date	Mod Date	99/99/99	
ied_mode_transp	Mode of Transport	T	x(1)	
ied_nat_trans	Nature of Transaction	NT	x(2)	
ied_nbr	Order Number	Order	x(8)	
ied_net_wt	Net Weight		->>>, >>>, >>9.99<	10
ied_net_wt_um	UM		x(2)	
ied_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ied_port_transh	Port of Transshipment	PT	x(8)	
ied_preference	Preference		999	
ied_region	Region of Origin/Dest	ROD	x(3)	
ied_req_nbr	Requisition Number		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ied_nbr	yes	ied_domain	yes	no
		ied_type	yes	no
		ied_nbr	yes	no
		ied_line	yes	no
oid ied_det	yes	oid ied_det	yes	no

ieh hist

Import/Export History

Field Name	Label	Col-Label	Format	Dec
ieh_chr01			x(8)	
ieh_chr02			x(8)	
ieh_chr03			x(8)	
ieh_chr04			x(8)	
ieh_chr05			x(8)	
ieh_dec01			->>>, >>>, >>9.99<	10
ieh_dec02			->>>, >>>, >>9.99<	10
ieh_dec03			->>>, >>>, >>9.99<	10
ieh_dec04			->>>, >>>, >>9.99<	10
ieh_dec05			->>>, >>>, >>9.99<	10
ieh_dte01			99/99/99	
ieh_dte02			99/99/99	
ieh_dte03			99/99/99	
ieh_dte04			99/99/99	
ieh_dte05			99/99/99	
ieh_qadc04			x(8)	
ieh_qadc05			x(8)	
ieh_qadc06			x(8)	
ieh_qadc07			x(8)	
ieh_qadc08			x(8)	
ieh_qadc09			x(8)	
ieh_qadc10			x(8)	
ieh_qadd01			->>>, >>>, >>9.99<	10
ieh_qadd02			->>>, >>>, >>9.99<	10
ieh_qadd03			->>>, >>>, >>9.99<	10
ieh_qadd04			->>>, >>>, >>9.99<	10
ieh_qadd05			->>>, >>>, >>9.99<	10
ieh_qadd06			->>>, >>>, >>9.99<	10
ieh_qadi01			>>>>>>>	
ieh_qadi01			yes/no	
ieh_qadi02			yes/no	
ieh_qadt01			99/99/99	
ieh_qadt02			99/99/99	
ieh_addr	Address		x(8)	
ieh_affiliation	Affiliation		x(1)	
ieh_agent	Agent		x(8)	
ieh_agent_id	Agent Branch ID		x(3)	
ieh_authority	Authority	Auth	x(8)	
ieh_cinvoice_id	Invoice ID		9999999999	
ieh_com_code	Commodity Code	Com Code	x(20)	
ieh_container	Container		yes/no	
ieh_correction	Correction		yes/no	
ieh_csa	CSA Code		9	
ieh_ctr_y_desdisp	Country of Dest/Disp	CDD	x(3)	
ieh_ctr_y_origin	Country of Origin	CO	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_declaration_id	no	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_declaration_id	yes	no
ieh_nbr	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_type	yes	no
		ieh_nbr	yes	no
		ieh_line	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_ref	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_type	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no
ieh_reported	no	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_reported	yes	no
* ieh_trans	yes	ieh_domain	yes	no
		ieh_trans_id	yes	no
ieh_voucher	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_voucher	yes	no
		ieh_trans_id	yes	no
oid_ieh_hist	yes	oid_ieh_hist	yes	no

iepl ctrl

Poland Intrastat Declaration Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iepl_arrdecl	yes	iepl_domain	yes	no
		iepl_decl_year	yes	no
		iepl_decl_period	yes	no
		iepl_arrdecl_id	yes	no
		iepl_dispdecl_id	yes	no
iepl_dispdecl	yes	iepl_domain	yes	no
		iepl_decl_year	yes	no
		iepl_decl_period	yes	no
		iepl_dispdecl_id	yes	no
		iepl_arrdecl_id	yes	no
oid_iepl_ctrl	yes	oid_iepl_ctrl	yes	no

ie mstr

Import/Export Master

Field Name	Label	Col-Label	Format	Dec
ie__chr01			x(8)	
ie__chr02			x(8)	
ie__chr03			x(8)	
ie__chr04			x(8)	
ie__chr05			x(8)	
ie__log01			yes/no	
ie__log02			yes/no	
ie__qadc01			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ifs_mstr	yes	oid_ifs_mstr	yes	no
◇* SessionID	yes	ifs_sess_id	yes	no
		ifs_app_id	yes	no
		ifs_domain	yes	no

ihcc hist

Invoice History Credit Card Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ihcc_inv_nbr	yes	ihcc_domain	yes	no
		ihcc_inv_nbr	yes	no
		ihcc_cc_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ihcc_nbr	no	ihcc_domain	yes	no
		ihcc_nbr	yes	no
		ihcc_cc_nbr	yes	no
oid_ihcc_hist	yes	oid_ihcc_hist	yes	no

ihr_hist Invoice History Relationship Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ihr_inv_seq	yes	ihr_domain	yes	no
		ihr_inv_nbr	yes	no
		ihr_nbr	yes	no
		ihr_seq	yes	no
ihr_type	no	ihr_domain	yes	no
		ihr_type	yes	no
oid_ihr_hist	yes	oid_ihr_hist	yes	no

ih_hist	Invoice History Master

Field Name	Label	Col-Label	Format	Dec
ih__chr01			x(8)	
ih__chr02			x(8)	
ih__chr03			x(8)	
ih__chr04			x(8)	
ih__chr05			x(8)	
ih__chr06			x(8)	
ih__chr07			x(8)	
ih__chr08			x(8)	
ih__chr09			x(8)	
ih__chr10			x(8)	
ih__dec01			>>>, >>>, >>9.99	10
ih__dec02			>>>, >>>, >>9.99	10
ih__dte01			99/99/99	
ih__dte02			99/99/99	
ih__log01			yes/no	
ih__qad01			-z,zzz,zzz,zz9.99	10
ih__qad02			-z,zzz,zzz,zz9.99	10
ih__qad03			-z,zzz,zzz,zz9.99	10
ih__qad04			>	

Field Name	Label	Col-Label	Format	Dec
ih__qad05[2]			>>9.9<<	10
ih__qadc01	QAD Field		X(8)	0
ih__qadc02	QAD Field		X(8)	0
ih__qadc03	QAD Field		X(8)	0
ih__qadc04	QAD Field		X(8)	0
ih__qadc05	QAD Field		X(8)	0
ih__qadd01	QAD Field		->>>>, >>>, >>9.99	10
ih__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
ih__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
ih__qadi01	QAD Field		->, >>>, >>9	
ih__qadi02	QAD Field		->, >>>, >>9	
ih__qadi03	QAD Field		->, >>>, >>9	
ih__qadl01	QAD Field		yes/no	
ih__qadl02	QAD Field		yes/no	
ih__qadl03	QAD Field		yes/no	
ih__qadt01	QAD Field		99/99/99	
ih__qadt02	QAD Field		99/99/99	
ih__qadt03	QAD Field		99/99/99	
ih_ar_acct	AR Account	AR	x(8)	
ih_ar_cc	Cost Ctr	CC	x(4)	
ih_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
ih_bank	Bank		x(2)	
ih_batch	Batch		x(8)	
ih_bill	Bill-To		x(8)	
ih_bol	BOL		x(18)	
ih_ca_nbr	Call		X(8)	
ih_cartons	Cartons		->, >>>, >>9	
ih_channel	Channel		x(8)	
ih_cmtindx	Comment Index	Comment	>>>>>>>9	
ih_cncl_date	Cancel Date		99/99/99	
ih_comm_pct[4]	Commission	Comm%	>>9.99%	10
ih_conf_date	Confirmed Date	Confirmed	99/99/99	
ih_conrep	Netting Logic		X(1)	
ih_cr_card	Credit Card	Card	x(2)	
ih_cr_init	Cr Initials	Initials	x(3)	
ih_cr_terms	Credit Terms	Terms	x(8)	
ih_credit	Credit	Cr	yes/no	
ih_crprlist	Credit Price List		X(8)	
ih_curr	Currency	Cur	x(3)	
ih_cust	Customer		x(8)	
ih_cust_po	End Customer PO	End Cust PO	x(22)	
ih_custref_val	Customer Ref Is Customer Item		yes/no	
ih_daybook	Daybook		x(8)	
ih_daybookset	Daybook Set	Dybk Set	x(8)	
ih_disc_pct	Disc %		->>9.99%	10
ih_div	Division		x(8)	
ih_domain	Domain		x(8)	
ih_due_date	Due Date	Due	99/99/99	
ih_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ih_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_ratetype	Rate Type		x(8)	
ih_export_batch	Batch		>>>>>>>9	
ih_export_date	Export Date		99/99/99	
ih_export_time	Export Time		>>>>>>>9	
ih_exru_seq	Sequence		>>>>>>>9	
ih_fcg_code	Charge Code		X(8)	
ih_fix_pr	Fixed Price		yes/no	
ih_fix_rate	Fixed Rate	Fixed	yes/no	
ih_fob	FOB Point		x(20)	
ih_fr_list	Freight List	Frt List	x(8)	
ih_fr_min_wt	Frt Min Wt		->>>, >>>, >>9	10
ih_fr_terms	Freight Terms	Fr Terms	x(8)	
ih_fsm_type	FSM Type		x(8)	
ih_fst_id	FST ID		x(18)	
ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ih_inv_date	Invoice Date	Inv Date	99/99/99	
ih_inv_mthd	Invoices Via		x(1)	
ih_inv_nbr	Invoice		x(22)	
ih_invoiced	Invoiced		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ih_batch	no	ih_domain	yes	no
		ih_batch	yes	no
ih_cust	no	ih_domain	yes	no
		ih_cust	yes	no
		ih_inv_date	yes	no
ih_export_batch	no	ih_domain	yes	no
		ih_export_batch	yes	no
ih_inv_date	no	ih_domain	yes	no
		ih_inv_date	yes	no
		ih_inv_nbr	yes	no
* ih_inv_nbr	yes	ih_domain	yes	no
		ih_inv_nbr	yes	no
		ih_nbr	yes	no
ih_nbr	no	ih_domain	yes	no
		ih_nbr	yes	no
		ih_inv_date	yes	no
ih_po	no	ih_domain	yes	no
		ih_po	yes	no
		ih_cust	yes	no
oid_ih_hist	yes	oid_ih_hist	yes	no

ild det

Item Location Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ild_part	yes	ild_domain	yes	no
		ild_part	yes	no
		ild_site	yes	no
		ild_loc	yes	no
oid_ild_det	yes	oid_ild_det	yes	no

ilg_hist

Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_dec01			->>>, >>>, >>9.99<	10
ilg_dec02			->>>, >>>, >>9.99<	10
ilg_dte01			99/99/99	
ilg_dte02			99/99/99	
ilg_int01			->>>, >>>, >>9	
ilg_int02			->>>, >>>, >>9	
ilg_log01			yes/no	
ilg_log02			yes/no	
ilg_qadc01			x(8)	
ilg_qadc02			x(8)	
ilg_qadc03			x(8)	
ilg_qadc04			x(8)	

Field Name	Label	Col-Label	Format	Dec
ilg__qadd01			->>>, >>>, >>9.99<	10
ilg__qadd02			->>>, >>>, >>9.99<	10
ilg__qadi01			->>>, >>>, >>9	
ilg__qadi02			->>>, >>>, >>9	
ilg__qadi01			yes/no	
ilg__qadi02			yes/no	
ilg__qadt01			99/99/99	
ilg__qadt02			99/99/99	
ilg_access_code	Access Code		x(60)	
ilg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>, >>>, >>9	
ilg_ctrl_tot_2	Control Total 2		->>>, >>>, >>9.99<<<	10
ilg_ctrl_tot_3	Control Total 3		->>>, >>>, >>9.99<<<	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	
ilg_date_proc	Date Processed		99/99/9999	
ilg_date_rcvd	Date Received		99/99/9999	
ilg_dest_app_id	Destination Application ID		x(12)	
ilg_dest_app_ver	Destination Application Version		x(8)	
ilg_dest_doc_rev	Destination Document Revision		x(8)	
ilg_dest_doc_std	Destination Document Standard		x(8)	
ilg_dest_doc_typ	Destination Document Type		x(21)	
ilg_dest_mthd	Destination Method		x(24)	
ilg_dest_proc	Destination Procedure		x(24)	
ilg_doc_id	Document ID		>>>>>>>9	
ilg_doc_lng	Document Language		x(3)	
ilg_doc_rev	Document Revision		x(8)	
ilg_doc_std	Document Standard		x(8)	
ilg_doc_sufx	Document Suffix		>>	
ilg_doc_typ	Document Type		x(21)	
ilg_domain	Domain		x(8)	
ilg_email_notlvl	E-mail Notification Level		x(1)	
ilg_email_userid	E-mail Recipient User ID		x(8)	
ilg_err_stat	Error Status		x(1)	
ilg_ext_doc_key	External Document Key		x(40)	
ilg_grp_id	Group ID		>>>>>>>9	
ilg_grp_seq	Sequence		>, >>>, >>9	
ilg_map_doc_now	Map Document Now		yes/no	
ilg_map_log_file	Mapper Error Log File		x(60)	
ilg_map_spec	Map Specification		x(12)	
ilg_mapper_proc	Data Mapper Procedure		x(24)	
ilg_mfgpro_key	MFG/PRO Key		X(18)	
ilg_mfgpro_site	MFG/PRO Site		X(8)	
ilg_mod_date	Modified Date	Mod Date	99/99/99	
ilg_mod_userid	User ID		x(8)	
ilg_num_form	Numeric Format		X(8)	
ilg_orig_doc_id	Original Document ID		>>>>>>>9	
ilg_prcg_stage	Processing Stage		x(1)	
ilg_process_typ	Process Type		x(8)	
ilg_sess_id	Session ID		>>>>>>>9	
ilg_src_comp	Source Component		x(10)	
ilg_src_proc	Source Procedure		x(24)	
ilg_src_task	Source Task		x(10)	
ilg_src_userid	Source User ID		x(16)	
ilg_time_ack	Time Acknowledged		x(8)	
ilg_time_create	Time Created		X(8)	
ilg_time_map	Time Mapped		x(8)	
ilg_time_proc	Time Processed		x(8)	
ilg_time_rcvd	Time Received		x(8)	
ilg_timezone	Creation Timezone		X(5)	

Field Name	Label	Col-Label	Format	Dec
ilg_tradptr_id	Trading Partner ID		x(32)	
ilg_unit_wrk_typ	Unit of Work Type		x(1)	
ilg_use_im_queue	Use Import Queue		yes/no	
ilg_user1	Ufld1		x(8)	
ilg_user2	Ufld2		x(8)	
oid_ilg_hist			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AppId	no	ilg_domain	yes	no
		ilg_app_id	yes	no
		ilg_prcg_stage	yes	no
◇* DocIDSufx	yes	ilg_doc_id	yes	no
		ilg_doc_sufx	yes	no
		ilg_domain	yes	no
◇ ExtDocKey	no	ilg_domain	yes	no
		ilg_ext_doc_key	yes	no
◇ GroupID	no	ilg_grp_id	yes	no
		ilg_domain	yes	no
ilg_date_time_proc	no	ilg_date_proc	yes	no
		ilg_time_proc	yes	no
		ilg_domain	yes	no
ilg_date_time_rcvd	no	ilg_date_rcvd	yes	no
		ilg_time_rcvd	yes	no
		ilg_domain	yes	no
ilg_orig_doc_id	no	ilg_orig_doc_id	yes	no
		ilg_domain	yes	no
ilg_sender_id	no	ilg_app_id	yes	no
		ilg_trapptr_id	yes	no
		ilg_domain	yes	no
◇ MfgProKey	no	ilg_domain	yes	no
		ilg_mfgpro_key	yes	no
oid_ilg_hist	yes	oid_ilg_hist	yes	no
◇ Site	no	ilg_domain	yes	no
		ilg_mfgpro site	yes	no

imap_det

Import Document Map Detail

Field Name	Label	Col-Label	Format	Dec
imap__dec01			->>>, >>>, >>9.99<	10
imap__dec02			->>>, >>>, >>9.99<	10
imap__dte01			99/99/99	
imap__dte02			99/99/99	
imap__int01			->>>, >>>, >>9	
imap__int02			->>>, >>>, >>9	
imap__log01			yes/no	
imap__log02			yes/no	
imap__qadc01			x(8)	
imap__qadc02			x(8)	
imap__qadc03			x(8)	
imap__qadc04			x(8)	
imap__qadd01			->>>, >>>, >>9.99<	10
imap__qadd02			->>>, >>>, >>9.99<	10
imap__qadi01			->>>, >>>, >>9	
imap__qadi02			->>>, >>>, >>9	
imap__qadi01			yes/no	
imap__qadi02			yes/no	
imap__qadt01			99/99/99	
imap__qadt02			99/99/99	
imap_data	Mapped Import Document Data		x(255)	
imap_doc_id	Document ID		>>>>>>>9	
imap_doc_line	Document Line Number		>>9	
imap_doc_sufx	Document Suffix		>>	
imap_domain	Domain		x(8)	
imap_line_cont	Line Continued		yes/no	
imap_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
imap_mod_userid	User ID		x(8)	
imap_user1	Ufld1		x(8)	
imap_user2	Ufld2		x(8)	
oid_imap_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* MappedImport	yes	imap_doc_id	yes	no
		imap_doc_sufx	yes	no
		imap_doc_line	yes	no
		imap_domain	yes	no
oid_imap_det	yes	oid_imap_det	yes	no

Import Document Message

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ImpReturnCode	yes	img_domain	yes	no
		img_doc_id	yes	no
		img_doc_sufx	yes	no
		img_prcg_stage	yes	no
		img_return_code	yes	no
oid_img_msg	yes	oid_img_msg	yes	no

Inventory Movement Code Master

Field Name	Label	Col-Label	Format	Dec
im_qadc01			x(8)	
im_desc	Description		x(30)	
im_domain	Domain		x(8)	
im_flow	Transaction Flow		9	
im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
im_tr_type	Transaction Type	Tr Type	x(8)	
im_unplanned_acct	Unplanned Account	Account	x(8)	
im_unplanned_cc	Unplanned Cost Center	CC	x(4)	
im_unplanned_sub	Unplanned Sub Account	Sub Acct	x(8)	
im_user1	Ufld1		x(8)	
im_user2	Ufld2		x(8)	
oid_im_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* im_inv_mov	yes	im_domain	yes	no
		im_inv_mov	yes	no
oid_im_mstr	yes	oid_im_mstr	yes	no

Industry

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Industry_ID	Record ID		9999999999	
IndustryCode	Code		x(20)	
IndustryDescription	Description		x(40)	
IndustryIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
		ind_part	yes	no
		ind_site	yes	no
		ind_nbr	yes	no
oid_ind_det	yes	oid_ind_det	yes	no

insd_det Invoice Schedule Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* insd_line	yes	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_sub_nbr	yes	no
		insd_sched_nbr	yes	no
		insd_pjs_line	yes	no
insd_nbrln	no	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_pjs_line	yes	no
oid_insd_det	yes	oid_insd_det	yes	no

InspC Warehousing Inspection Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_InspC	yes	oid_InspC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Inspection History

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyToInsp	Qty To Inspect	Insp Qty	->,>>>,>>9	
Receiver	Receiver		x(8)	
Ref	Reference		x(8)	
ReleaseStatus	Release Status	Rel Status	x(8)	
ReturnLoc	Return Location	Ret Loc	x(8)	
ReturnQty	Return Quantity	Ret! Qty	->,>>>,>>9.9<<<<<<<<<	2
ReturnSite	Return Site	Ret Site	x(8)	
ReturnWhse	Return Warehouse	Ret Whse	x(8)	
Rmks	Remarks		x(24)	
SampleID	Sample ID	ID	>>>>>>>9	
SamplePct	Sample %	Sample %	>>9	
SampleQty	Sample Quantity	Sample Qty	->,>>>,>>9	
Site	Site		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
AddrDate	no	Domain	yes	no
		Addr	yes	no
		CreateDate	yes	no
Fail	no	Domain	yes	no
		Fail	yes	no
		ReturnSite	yes	no
		ReturnWhse	yes	no
		ReturnLoc	yes	no
		Site	yes	no
		Whse	yes	no
InspDate	no	Part	yes	no
		Domain	yes	no
		InspDate	yes	no
		Site	yes	no
InspUserID	no	Whse	yes	no
		Domain	yes	no
		InspUserID	yes	no
		Site	yes	no
oid_InspH	yes	Whse	yes	no
		oid_InspH	yes	no
◇ OrderIdx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ PartAddr	no	Domain	yes	no
		Addr	yes	no
		Part	yes	no
		Site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
PartAddrDate	no	Whse	yes	no
		Lot	yes	no
		Ref	yes	no
		Domain	yes	no
		Part	yes	no
		Addr	yes	no
PartDate	no	CreateDate	yes	no
		Domain	yes	no
		Part	yes	no
PartLotRef	no	CreateDate	yes	no
		Domain	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
		Site	yes	no
◇* SampleID	yes	Whse	yes	no
		Domain	yes	no
		SampleID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Inspected Inventory Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Fail	Fail		yes/no	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_InspInvd			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Ref	Reference		x(8)	
SampleID	Sample ID	ID	>>>>>>>9	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Inv	no	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_InspInvD	yes	oid_InspInvD	yes	no
* SampleInv	yes	Domain	yes	no
		SampleID	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
◇ UsrIdx	no	Ref	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

InstallNetImport

Field Name	Label	Col-Label	Format	Dec
InstallNetImport_ID	Record ID		9999999999	
InstallNetImportFolder	Install Net Import Folder		x(255)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
♦* Prim	yes	InstallNetImport_ID	yes	no

ins_mstr Invoice Schedule Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ins_schedule	yes	ins_domain	yes	no
		ins_prj_nbr	yes	no
		ins_sub_nbr	yes	no
		ins_sched_nbr	yes	no
ins_so	no	ins_domain	yes	no
		ins_so_nbr	yes	no
oid ins mstr	yes	oid ins mstr	yes	no

InterWLG

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* IWLGMIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		FromWLocGp	yes	no
		ToWlocgp	yes	no
oid_InterWLGM	yes	oid_InterWLGM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

InventHM

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
InventNbr	Internal Inventory ID	Internal! Invent ID	99999999	
InventType	Type		x(1)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_InventHM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
ParentNbr	Parent ID	Parent ID	99999999	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Ref	Reference		x(8)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* InventNbr	no	Domain	yes	no
		InventNbr	yes	no
oid_InventHM	yes	oid_InventHM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

InventM Warehousing Inventory Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Ref	Reference		x(8)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* InventNbr	yes	Domain	yes	no
		InventNbr	yes	no
LocRef	no	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_InventM	yes	oid_InventM	yes	no
◇ Parent	no	Domain	yes	no
		ParentNbr	yes	no
RefLoc	no	Domain	yes	no
		Ref	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
		Lot	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

in_mstr Inventory Master

Field Name	Label	Col-Label	Format	Dec
in__qadc01			x(8)	
in__qadc02	?	?	x(24)	
in__qadc03	?	?	x(24)	
in__qadc04	?	?	x(24)	
in__qadi01	?	?	->>>>>>>9	
in__qadi02	?	?	->>>>>>>9	
in__qadi01	?	?	yes/no	
in__qadi02	?	?	yes/no	
in__assay	Assay %		>>9.99%	10
in__avg_date	Last Average	Last Avg	99/99/99	
in__avg_iss	Average Issues	Avg Iss	->, >>>, >>9.9<<<<<<<<<<	10
in__avg_sls	Average Sales	Avg Sales	->, >>>, >>9.9<<<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
in_gl_cost_site	no	in_domain	yes	no
		in_gl_cost_site	yes	no
		in_part	yes	no
in_level	no	in_domain	yes	no
		in_level	yes	no
		in_mrp	yes	no
		in_part	yes	no
		in_site	yes	no
* in_part	yes	in_domain	yes	no
		in_part	yes	no
		in_site	yes	no
in_site	yes	in_domain	yes	no
		in_site	yes	no
		in_part	yes	no
oid_in_mstr	yes	oid_in_mstr	yes	no

ipd_det Item Specification Detail

Field Name	Label	Col-Label	Format	Dec
ipd_chr01			x(8)	
ipd_chr02			x(8)	
ipd_chr03			x(8)	
ipd_chr04			x(8)	
ipd_chr05			x(8)	
ipd_dec01			>>>, >>>, >>9.99	10
ipd_dec02			>>>, >>>, >>9.99	10
ipd_attribute	Attribute		X(8)	0
ipd_cmtindx	Comment Index	Comment	>>>>>>>>9	
ipd_domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ipd_itemtype	yes	ipd_domain	yes	no
		ipd_part	yes	no
		ipd_routing	yes	no
		ipd_op	yes	no
		ipd_test	yes	no
		ipd_start	yes	no
* ipd_nbr	no	ipd_domain	yes	no
		ipd_nbr	yes	no
oid_ipd_det	yes	oid_ipd_det	yes	no

iph_hist

Pricing History

Field Name	Label	Col-Label	Format	Dec
iph_chr01			x(8)	
iph_chr02			x(8)	
iph_chr03			x(8)	
iph_chr04			x(8)	
iph_chr05			x(8)	
iph_chr06			x(8)	
iph_chr07			x(8)	
iph_chr08			x(8)	
iph_chr09			x(8)	
iph_chr10			x(8)	
iph_dec01			>>>, >>>, >>9.99	10
iph_dec02			>>>, >>>, >>9.99	10
iph_dte01			99/99/99	
iph_dte02			99/99/99	
iph_log01			yes/no	
iph_qadc01			x(8)	
iph_qadd01			->>>, >>>, >>9.9<<<	10
iph_accr_acct	Accrual Acct		x(8)	
iph_accr_cc	Accrual CC	CC	x(8)	
iph_accr_proj	Accrual Proj		x(8)	
iph_accr_sub	Accrual Sub	Sub-Acct	x(8)	
iph_amt	Amount		->>>>, >>>, >>9.99<<<	10
iph_amt_type	Amt Type		x(8)	
iph_bonus_line	Triggering Line Number		>>9	
iph_break_cat	Break Cat		x(18)	
iph_comb_type	Comb Type		x(24)	
iph_config_disc	Config Disc	Config	yes/no	
iph_cr_terms	Credit Terms	Terms	x(8)	
iph_disc_acct	Disc Acct		x(8)	
iph_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
iph_disc_cc	Cost Ctr	CC	x(4)	
iph_disc_proj	Project		x(8)	
iph_disc_seq	Disc Sequence		>>, >>9, <<<<<<	10
iph_disc_sub	Sub Acct	Sub-Acct	x(8)	
iph_domain	Domain		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
iph_comp	no	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
		iph_list	no	iph_domain
iph_list	yes			no
iph_nbr	yes			no
iph_line	yes			no
iph_list_id	no	iph_domain	yes	no
		iph_list_id	yes	no
* iph_nbr	yes	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_config_disc	yes	no
		iph_source	yes	no
		iph_list_id	yes	no
		iph_amt_type	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
		oid_iph_hist	yes	oid_iph_hist

Master Specification Test Results

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ip_itemtest	yes	ip_domain	yes	no
		ip_part	yes	no
		ip_routing	yes	no
		ip_op	yes	no
ip_test	no	ip_domain	yes	no
		ip_nbr	yes	no
oid ip_mstr	yes	oid ip_mstr	yes	no

IRAssD

Warehousing Internal Routing Assignment Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	IRADidx	yes	Domain	yes	no
			TrType	yes	no
			Site	yes	no
			Whse	yes	no
			Part	yes	no
			PartType	yes	no
			Addr	yes	no
	oid_IRAssD	yes	oid_IRAssD	yes	no
◇	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Raw Import Document Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_iraw_det	yes	oid_iraw_det	yes	no
* RawlImport	yes	iraw_doc_id	yes	no
		iraw_doc_line	yes	no
		iraw_domain	yes	no

Warehousing Internal Routing Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
IRDIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		IntRouteCode	yes	no
		IntRouteSeq	yes	no
oid_IRD	yes	oid_IRD	yes	no
UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

IRGroupM

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	IRGIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			IntRouteGroup	yes	no
	oid_IRGroupM	yes	oid_IRGroupM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

IRM

Warehousing Internal Routing Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	IRMIIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			IntRouteCode	yes	no
	oid_IRM	yes	oid_IRM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Item Routing Cost Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* iro_det	yes	iro_domain	yes	no
		iro_part	yes	no
		iro_site	yes	no
		iro_cost_set	yes	no
		iro_routing	yes	no
		iro_op	yes	no
oid_iro_det	yes	oid_iro_det	yes	no

Service/Support Installed Base Item Master

Field Name	Label	Col-Label	Format	Dec
isb__chr01			x(8)	
isb__chr02			x(8)	
isb__chr03			x(8)	
isb__chr04			x(8)	
isb__chr05			x(8)	
isb__chr06			x(8)	
isb__chr07			x(8)	
isb__chr08			x(8)	
isb__chr09			x(8)	
isb__chr10			x(8)	
isb__dec01			->>>, >>>, >>9.99	10
isb__dec02			->>>, >>>, >>9.99	10
isb__dec03			->>>, >>>, >>9.99	10
isb__dte01			99/99/99	
isb__dte02			99/99/99	
isb__dte03			99/99/99	
isb__dte04			99/99/99	
isb__log01			yes/no	
isb__log02			yes/no	
isb__log03			yes/no	
isb__log04			yes/no	
isb__log05			yes/no	

Field Name	Label	Col-Label	Format	Dec
isb__qadc01	QAD Character Field 1		X(8)	
isb__qadc02	QAD Character Field 2		X(8)	
isb__qadc03	QAD Character Field 3		X(8)	
isb__qadc04	QAD Character Field 4		x(8)	0
isb__qade01	QAD Decimal Field 1		->>>, >>>, >>9.99	10
isb__qade02	QAD Decimal Field 2		->>>, >>>, >>9.99	10
isb__qade03	QAD Decimal Field 3		->>>, >>>, >>9.99	10
isb__qadi01	QAD Integer Field 1		->, >>>, >>9	
isb__qadi02	QAD Integer Field 2		->, >>>, >>9	
isb__qadi03	QAD Field		>>>>>9	
isb__qadi04	QAD Integer Field 4		>>>>9	
isb__qadi01	QAD Logical Field 1		yes/no	
isb__qadi02	QAD Logical Field 2		yes/no	
isb__qadi03	QAD Logical Field 3		yes/no	
isb__qadt01	QAD Date Field 1		99/99/99	
isb__qadt02	QAD Date Field 2		99/99/99	
isb__qadt03	QAD Date Field 3		99/99/99	
isb_article	Article Number		x(18)	
isb_calib_date	Calibration Date		99/99/99	
isb_calibration	Calibration		->, >>>, >>9.9<<<<<<<<	10
isb_classification	Classification		x(12)	
isb_cmtindx	Comment Index	Comment	>>>>>>>9	
isb_comp	Component	Comp	yes/no	
isb_customer_id	Customer Id		x(18)	
isb_desc1	Description		x(24)	
isb_desc2	Description		x(24)	
isb_domain	Domain		x(8)	
isb_eco	ECO		x(8)	
isb_eng_code	Engineer		x(8)	
isb_eu_nbr	End User		x(8)	
isb_eud_trnbr	End User ID		>>>>>>>>>9	
isb_ic_ref	Inventory Ref		x(18)	
isb_ins_date	Install Date	Install	99/99/99	
isb_inv_nbr	Invoice		x(22)	
isb_last_pm	Last PM date	Last PM	99/99/99	
isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
isb_location	Location		x(24)	
isb_lst_upd	Last Updated		99/99/99	
isb_meter_date	Meter Reading Date		99/99/99	
isb_meter_interval	Meter Reading Interval	Interval	>>>>, >>>, >>9.99<<<	10
isb_meter_rdg	Latest Meter Reading	Meter	>>>>, >>>, >>9.99<<<	10
isb_meter_um	Meter Reading Units		X(2)	
isb_mod_date	Modified Date	Mod Date	99/99/99	
isb_mod_userid	User ID		X(8)	
isb_model	Model		x(18)	
isb_next_pm	Next PM Date	Next PM	99/99/99	
isb_orig_ins	Original Install		99/99/99	
isb_origin	Country of Origin		x(12)	
isb_owner	Ownership		x(8)	
isb_parent	Parent		yes/no	
isb_part	Item Number	Item	x(18)	
isb_plant_maint	Internal Plant Maint		yes/no	
isb_pm_days	PM days		>>>>>9	
isb_pm_um	UM		x(2)	
isb_price_sold	Price Sold		>>>>, >>>, >>9.99<<<	10
isb_qty	Qty		>, >>>, >>>, >>9.9<<	10
isb_rebuild	Rebuild ISB		yes/no	
isb_ref	Ref		>>>>>>>9	
isb_rev	Rev Level	Rev	x(10)	
isb_seq	Seq		>>>>>>>9	
isb_serial	Serial		x(18)	
isb_ship_date	Ship Date		99/99/99	
isb_so_line	Sales Order Line	SO Line	>>>>9	
isb_so_nbr	Sales Order	Order	x(8)	
isb_sold_to	Sold to		x(8)	
isb_status	Status		x(8)	
isb_sys_type	Item Type		x(2)	
isb_tarrif	Tariff		x(8)	
isb_updates	Updates		x(8)	
isb_user1	Ufld1		x(8)	
isb_user2	Ufld2		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
isb_classification	no	isb_domain	yes	no
		isb_classification	yes	no
		isb_part	yes	no
isb_eu_ser	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_serial	yes	no
		isb_part	yes	no
* isb_eupartsr	yes	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_model	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_model	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_part_ser	yes	isb_domain	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_serial	no	isb_domain	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_sys_bld	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_rebuild	yes	no
		isb_sys_type	yes	no
oid_isb_mstr	yes	oid_isb_mstr	yes	no

isd_det Inventory Status Detail

Field Name	Label	Col-Label	Format	Dec
isd_qadc01			x(8)	
isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
isd_domain	Domain		x(8)	
isd_status	Status		x(8)	
isd_tr_type	Restricted Trans		x(8)	
isd_type	Type		x(8)	
isd_user1	Ufld1		x(8)	
isd_user2	Ufld2		x(8)	
oid_isd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* isd_status	yes	isd_domain	yes	no
		isd_status	yes	no
		isd_tr_type	yes	no
		isd_type	yes	no
oid_isd_det	yes	oid_isd_det	yes	no

isp_mstr

Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp_dec01			->>>, >>>, >>9.99<	10
isp_dec02			->>>, >>>, >>9.99<	10
isp_dte01			99/99/99	
isp_dte02			99/99/99	
isp_int01			->>>, >>>, >>9	
isp_int02			->>>, >>>, >>9	
isp_log01			yes/no	
isp_log02			yes/no	
isp_qadc01			x(8)	
isp_qadc02			x(8)	
isp_qadc03			x(8)	
isp_qadc04			x(8)	
isp_qadd01			->>>, >>>, >>9.99<	10
isp_qadd02			->>>, >>>, >>9.99<	10
isp_qadi01			->>>, >>>, >>9	
isp_qadi02			->>>, >>>, >>9	
isp_qadi01			yes/no	
isp_qadi02			yes/no	
isp_qadt01			99/99/99	
isp_qadt02			99/99/99	
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
isp_app_id	Application ID		x(12)	
isp_app_ver	Application Version		x(8)	
isp_cim_proc	CIM/API Process		yes/no	
isp_code_pg	Code Page		X(15)	
isp_date_form	Date Format		X(3)	
isp_del_err_det	Delete Error Detail		x(1)	
isp_delim	ASCII Document Element Delimiter		>>9	
isp_desc	Description		x(60)	
isp_dest_app_id	Destination Application ID		x(12)	
isp_dest_app_ver	Destination Application Version		x(8)	
isp_dest_doc_rev	Destination Document Revision		x(8)	
isp_dest_doc_std	Destination Document Standard		x(8)	
isp_dest_doc_typ	Destination Document Type		x(21)	
isp_dest_mthd	Destination Method		x(24)	
isp_dest_proc	MFG/PRO Destination Procedure		x(24)	
isp_doc_lng	Document Language		x(3)	
isp_doc_rev	Document Revision		x(8)	
isp_doc_std	Document Standard		x(8)	
isp_doc_typ	Document Type		x(21)	
isp_domain	Domain		x(8)	
isp_email_notlvl	E-mail Level		x(1)	
isp_email_userid	Default E-mail User ID		x(8)	
isp_im_map_flg	Import Mapping Enabled		yes/no	
isp_map_parm[10]	Mapper Parameter Codes		x(8)	
isp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
isp_map_spec	Mapping Specification ID		x(24)	
isp_mapper_proc	Data Mapper Procedure		x(24)	
isp_mod_date	Modified Date	Mod Date	99/99/99	
isp_mod_userid	User ID		x(8)	
isp_num_form	Numeric Format		X(8)	
isp_pause_sev	Pause Severity Level		9	
isp_proc_flg	Import Processing Enabled		yes/no	
isp_process_typ	Process Type		x(8)	
isp_rcv_flg	Receiving Enabled		yes/no	
isp_src_comp	Source Component		x(10)	
isp_src_proc	Source Procedure		x(24)	
isp_src_task	Source Task		x(10)	
isp_src_userid	Source User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
isp_tradptr_id	Trading Partner ID		x(32)	
isp_use_im_queue	Use Import Queue		yes/no	
isp_user1	Ufld1		x(8)	
isp_user2	Ufld2		x(8)	
isp_xml	XML Imported		x(1)	
oid_isp_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ImportSpec	yes	isp_domain	yes	no
		isp_app_id	yes	no
		isp_doc_std	yes	no
		isp_doc_typ	yes	no
		isp_doc_rev	yes	no
		isp_tradptr_id	yes	no
oid_isp_mstr	yes	oid_isp_mstr	yes	no

iss_mstr

Service/Support Installed Base Structure

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
iss_comp	no	iss_domain	yes	no
		iss_comp	yes	no
iss_compref	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
iss_par	no	iss_domain	yes	no
		iss_par	yes	no
* iss_par_comp	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_par	yes	no
		iss_par_ser	yes	no
		iss_par_ref	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
oid iss_mstr	yes	oid iss_mstr	yes	no

isvc_mstr

Statistical Value Calculation Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* isvc_delivery	yes	isvc_domain	yes	no
		isvc_terms_delivery	yes	no
		isvc_mode_transp	yes	no
		isvc_shipvia	yes	no
		isvc_flow	yes	no
		isvc_ctr_y_orig	yes	no
		isvc_ctr_y_dest	yes	no
oid isvc_mstr	yes	oid isvc_mstr	yes	no

is mstr

Inventory Status Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
is_avail	yes	is_domain	yes	no
		is_status	yes	no
		is_avail	yes	no
* is_status	yes	is_domain	yes	no
		is_status	yes	no
		is_nettable	yes	no
is_status_unique	yes	is_domain	yes	no
		is_status	yes	no
oid_is_mstr	yes	oid_is_mstr	yes	no

itmh_hist Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh__chr01	User Field #1		x(8)	
itmh__chr02	User Field #2		x(8)	
itmh__chr03	User Field #3		x(8)	
itmh__chr04	User Field #4		x(8)	
itmh__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__dte01	User Date #1		99/99/99	
itmh__dte02	User Date #2		99/99/99	
itmh__dte03	User Date #3		99/99/99	
itmh__log01	User Logical #1		yes/no	
itmh__log02	User Logical #2		yes/no	
itmh__log03	User Logical #3		yes/no	
itmh__qadc01	Qad Field #1		x(8)	
itmh__qadc02	Qad Field #2		x(8)	
itmh__qadc03	Qad Field #3		x(8)	
itmh__qadc04	Qad Field #4		x(8)	0
itmh__qadc05			x(8)	
itmh__qadc06			x(8)	
itmh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itmh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itmh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itmh__qadl01	QAD Logical Field		yes/no	
itmh__qadl02	Qad Logical #2		yes/no	
itmh__qadl03	Qad Logical #3		yes/no	
itmh__qadt01	Qad Date #1		99/99/99	
itmh__qadt02	Qad Date #2		99/99/99	
itmh__qadt03	Qad Date #3		99/99/99	
itmh__acct	Sales Acct	Sales	x(8)	
itmh__bill_detail	Bill Detail	Det	yes/no	
itmh__bom_code	BOM code		x(18)	
itmh__bom_gen			yes/no	
itmh__ca_int_type	Work Code		x(8)	
itmh__cc	Cost Ctr	CC	x(4)	
itmh__cmtindx	Comment Index	Cmt Index	->, >>>, >>9	
itmh__comp_date	Date Complete		99/99/99	
itmh__desc	Description		x(24)	
itmh__domain	Domain		x(8)	
itmh__dsc_acct	Disc Acct		x(8)	
itmh__dsc_cc	Disc CC	CC	x(4)	
itmh__dsc_project	Disc Project		x(8)	
itmh__dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh__due_date	Due Date		99/99/99	
itmh__endown_date	End Down		99/99/99	
itmh__endown_time	Time		99:99	
itmh__eng_code	Engineer		x(8)	
itmh__est_time	Estimated Time	Est Time	999:99	
itmh__eu_nbr	End User		X(8)	0
itmh__exp_rec	Date Expected		99/99/99	
itmh__fix_pr	Fixed Price	Fix	yes/no	
itmh__fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itmh__invoiced	Invoiced		yes/no	
itmh__itm_line	Sub Line Number		>>9	
itmh__line	Line		>>9	
itmh__loc	Location		X(8)	
itmh__mod_date	Modified Date	Mod Date	99/99/99	
itmh__mod_userid	User ID		X(8)	
itmh__model	Model		x(18)	
itmh__nbr	Call/SR		x(8)	
itmh__nxt_act	Next Status		x(8)	
itmh__nxt_date	Next Status Date		99/99/99	
itmh__nxt_time	Next Status Time		99:99	
itmh__opn_date			99/99/99	
itmh__override_lmt	Override Limits		yes/no	
itmh__part	Item		x(18)	
itmh__pr_list	Price List		X(8)	
itmh__prefix	Detail Type	Type	x(3)	
itmh__prod_line	Product Line		X(4)	
itmh__project	Project		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* itmh_nbr	yes	itmh_domain	yes	no
		itmh_nbr	yes	no
		itmh_prefix	yes	no
		itmh_type	yes	no
		itmh_itm_line	yes	no
		itmh_line	yes	no
itmh_part	no	itmh_domain	yes	no
		itmh_part	yes	no
		itmh_prefix	yes	no
		itmh_serial	yes	no
itmh_sa_nbr	no	itmh_domain	yes	no
		itmh_sa_nbr	yes	no
		itmh_sad_line	yes	no
		itmh_nbr	yes	no
		itmh_line	yes	no
itmh_serial	no	itmh_domain	yes	no
		itmh_serial	yes	no
		itmh_prefix	yes	no
		itmh_opn_date	yes	no
oid itmh hist	yes	oid itmh hist	yes	no

itm_det

Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm_chr01	User Field #1		x(8)	
itm_chr02	User Field #2		x(8)	
itm_chr03	User Field #3		x(8)	
itm_chr04	User Field #4		x(8)	
itm_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itm_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itm_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itm_dte01	User Date #1		99/99/99	
itm_dte02	User Date #2		99/99/99	
itm_dte03	User Date #3		99/99/99	
itm_log01	User Logical #1		yes/no	
itm_log02	User Logical #2		yes/no	
itm_log03	User Logical #3		yes/no	
itm_qadc01	Qad Field #1		x(8)	
itm_qadc02	Qad Field #2		x(8)	
itm_qadc03	Qad Field #3		x(8)	
itm_qadc04	Qad Field #4		x(8)	
itm_qadc05			x(8)	
itm_qadc06			x(8)	
itm_qadd01	Qad Date #1		99/99/99	
itm_qadd02	Qad Date #2		99/99/99	
itm_qadd03	Qad Date #3		99/99/99	
itm_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itm_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itm_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itm_qadl01	QAD Logical Field		yes/no	
itm_qadl02	Qad Logical #2		yes/no	
itm_qadl03	Qad Logical #3		yes/no	
itm_acct	Sales Acct	Sales	x(8)	
itm_alternate	Alternate Item		x(18)	
itm_bill_detail	Bill Detail	Det	yes/no	
itm_bom_code	BOM Code		x(18)	
itm_bom_gen			yes/no	
itm_ca_int_type	Work Code	WK Code	x(8)	
itm_cc	Cost Ctr	CC	x(4)	
itm_cmtindx	Comment Index	Cmt Index	->, >>>, >>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
itm_domain	Domain		x(8)	
itm_dsc_acct	Disc Acct		x(8)	
itm_dsc_cc	Disc CC	CC	x(4)	
itm_dsc_project	Disc Project		x(8)	
itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_cost	Estimated Cost		>>>>, >>>, >>9.99<<<	10
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Modified Date	Mod Date	99/99/99	
itm_mod_userid	User ID		X(8)	
itm_model	Model		x(18)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	
itm_part	Item		x(18)	
itm_pr_list	Price List		X(8)	
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
itm_eng_code	no	itm_domain	yes	no
		itm_eng_code	yes	no
		itm_nxt_date	yes	no
		itm_nxt_time	yes	no
itm_eu_nbr	no	itm_domain	yes	no
		itm_type	yes	no
		itm_eu_nbr	yes	no
		itm_serial	yes	no
* itm_nbr	yes	itm_domain	yes	no
		itm_nbr	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_itm_line	yes	no
		itm_line	yes	no
		itm_domain	yes	no
itm_part	no	itm_part	yes	no
		itm_prefix	yes	no

itsd_det Item Site Load Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* itsd_det	yes	itsd_domain	yes	no
		itsd_part	yes	no
		itsd_site	yes	no
		itsd_date	yes	no
		itsd_type	yes	no
oid_itsd_det	yes	oid_itsd_det	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* its_mstr	yes	its_domain	yes	no
		its_part	yes	no
		its_site	yes	no
oid_its_mstr	yes	oid_its_mstr	yes	no

Invoice Schedule Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ivs_index1	yes	ivs_domain	yes	no
	oid_ivs_ctrl	yes	oid_ivs_ctrl	yes	no

Daybook

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Record ID		9999999999	
JournalCode	Daybook Code		x(8)	
JournalControl	Daybook Control	Daybook Ctrl	x(20)	
JournalDescription	Description	Daybook Description	x(40)	
JournalGroup_ID	Link to Journal Group		9999999999	
JournalsActive	Active		yes/no	
JournalsProjectProvision	Project Provision		yes/no	
JournalSecondDescription	Second Description		x(40)	
JournalTypeCode	Daybook Type		x(30)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link to Layer		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Role_ID	Link to Role		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
InternalJournal	no	JournalTypeCode	yes	no
JournalControl	no	JournalControl	yes	no
JournalGroupIdx	no	JournalGroup_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇* Prim	yes	Journal_ID	yes	no
◇ RoleIdx	no	Role_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		JournalCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		JournalsActive	yes	no
		JournalCode	yes	no

JournalGroupDaybook Group

Field Name	Label	Col-Label	Format	Dec
JournalGroup_ID	Record ID		9999999999	
JournalGroupCode	Daybook Group Code		x(20)	
JournalGroupDescription	Description	Daybook Group Description	x(40)	
JournalGroupsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	JournalGroupsActive	yes	no
◇* Prim	yes	JournalGroup_ID	yes	no
SharedSet_ID	no	SharedSet_ID	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	UniqueIdx	yes	SharedSet_ID	yes	no
			JournalGroupCode	yes	no
◇	ViewIndex	no	JournalGroupsActive	yes	no
			JournalGroupCode	yes	no

JournalType Daybook Type

Field Name	Label	Col-Label	Format	Dec
JournalTypeCode	Daybook Type Code		x(30)	
JournalTypesActive	Active	Act	yes/no	
JournalTypesAllowMgt	Allow Management Layer	Allow Mgt	yes/no	
JournalTypesAllowOfficial	Allow Official Layer	Allow Official	yes/no	
JournalTypesAllowTrans	Allow Transient Layer	Allow Transient	yes/no	
JournalTypesCorrection	Correction Daybook		yes/no	
JournalTypesMultiJournal	Multiple Daybooks Allowed	Multi Daybooks	yes/no	
JournalTypesStock	Stock Daybook	Stock	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	JournalTypeCode	yes	no
◇ ViewIndex	no	JournalTypesActive	yes	no
		JournalTypeCode	yes	no

kbc ctrl Kanban Control

Field Name	Label	Col-Label	Format	Dec
kbc__qadc01			x(8)	
kbc__qadc02			x(24)	
kbc__qadc03			x(24)	
kbc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<<	10
kbc__qadi01			->>>>>>>9	
kbc__qadi02			->>>>>>>9	
kbc__qadl01			yes/no	
kbc__qadt01			99/99/99	
kbc_accumulator_pause	Accumulator Monitor Pause	Pause	>>9	
kbc_barcode_format_ext	Barcode External	Barcode! External	x(8)	
kbc_barcode_format_int	Barcode Internal	Barcode! Internal	x(8)	
kbc_card_reconcile	Card Reconciliation		yes/no	
kbc_card_reporting	Card Reporting		>9	
kbc_controlled_entry	Controlled Entry	Controlled! Entry	x(1)	
kbc_cost_set	Cost Set		x(8)	
kbc_decrease_at_cons	Decrease at Consume		x(8)	
kbc_dispatch_nrm_id	Dispatch ID		x(8)	
kbc_display_pause	Display Pause	Pause	>>9	
kbc_domain	Domain		x(8)	
kbc_eff_date_entry	Enable Eff Date	Enable! Eff! Date	yes/no	
kbc_export_directory	Export Directory	Export Dir	x(45)	
kbc_fifo_entry	Allow Entry of FIFO Process	Enable! FIFO	yes/no	
kbc_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
kbc_id_barcode	Print ID Barcode	ID Barcode	yes/no	
kbc_import_directory	Import Directory	Import Dir	x(45)	
kbc_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
kbc_lead_time_method	Lead Time Method	LT! Method	>9	
kbc_load_limit	Load Limit	Load! Limit	>>9.9<%	10
kbc_lot_entry	Lot Entry		yes/no	
kbc_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
kbc_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbc_index1	yes	kbc_domain	yes	no
	oid_kbc_ctrl	yes	oid_kbc_ctrl	yes	no

kbdt mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbd_t_template	yes	kbd_t_domain	yes	no
		kbd_t_template	yes	no
oid kbd_t_mstr	yes	oid kbd_t_mstr	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbpp_period	yes	kbpp_domain	yes	no
		kbpp_period	yes	no
oid kbpp_mstr	yes	oid kbpp_mstr	yes	no

kbtrd_det Kanban Transaction History Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbtrd_dataset_kbtr	yes	kbtrd_domain	yes	no
		kbtrd_dataset	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
		kbtrd_tr_trnbr	yes	no
kbtrd_dataset_tr	yes	kbtrd_domain	yes	no
		kbtrd_dataset	yes	no
		kbtrd_tr_trnbr	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
oid kbtrd_det	yes	oid kbtrd det	yes	no

kbtrr_det Kanban Transaction Reject Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbtrr_kbtr_rjct	no	oid_kbtr_hist	yes	no
		kbtrr_rjct_rsn_code	yes	no
oid_kbtrr_det	yes	oid_kbtrr_det	yes	no

kbtr_hist

Kanban Transaction History

Field Name	Label	Col-Label	Format	Dec
kbtr_qadc01			x(24)	
kbtr_qadc02			x(24)	
kbtr_qadc03			x(24)	
kbtr_qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_qadi01			->>>>>>>9	
kbtr_qadl01			yes/no	
kbtr_qadt01			99/99/99	
kbtr_authorize_date	Authorize Date		99/99/99	
kbtr_authorize_time	Authorize Time		>>>>9	
kbtr_backflush	Backflush		yes/no	
kbtr_batch_size	Batch Size		>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_calc_date	Calculation Date	Calc Date	99/99/99	
kbtr_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
kbtr_card_nbr	Card Number		>>>, >>>, >>9	
kbtr_card_type	Card Type		x(1)	
kbtr_cards	Number of Cards	Number! of Cards	>>>, >>>, >>9	
kbtr_carrier_id	Carrier		x(8)	
kbtr_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
kbtr_cons_source	Consuming Destination	Consuming! Destination	x(8)	
kbtr_cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_cont_type	Container Type	Container! Type	x(8)	
kbtr_curr_process_id	Process Code	Process! Code	x(8)	
kbtr_daily_demand	Daily Demand		>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_del_status_code	Delivery Status Code		x(8)	
kbtr_delivery_date	Delivery Date		99/99/99	
kbtr_delivery_time	Delivery Time		>>>>9	
kbtr_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
kbtr_disp_list_time	Dispatch Time		->>>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_dispatch_id	Dispatch ID		x(24)	
kbtr_domain	Domain		x(8)	
kbtr_due_date	Due Date		99/99/99	
kbtr_due_time	Due Time		->>>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_eff_date	Effective Date		99/99/99	
kbtr_id	Kanban ID		>>>>>>>>9	
kbtr_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
kbtr_issue_loc	Issue Location		x(8)	
kbtr_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_lead_time	Replenishment Time	Repl! Time	->>>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_loop	One/Two Card		One/Two	
kbtr_loop_type	Loop Type		x(8)	
kbtr_lot	Lot		x(18)	
kbtr_lot_size	Kanban Lot Size		>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
kbtr_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
kbtr_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>>9	
kbtr_mod_date	Modified Date	Mod Date	99/99/99	
kbtr_mod_userid	User ID		x(8)	
kbtr_mode	Mode		x(8)	
kbtr_number_of_cards	Number of Cards	Number! of Cards	>>>, >>>, >>9	
kbtr_order_qty	Order Quantity		>>, >>>, >>9.9<<<<<<<<<<	10
kbtr_part	Item Number		x(18)	
kbtr_pattern	Demand Pattern	Demand! Pattern	x(8)	
kbtr_po_nbr	Purchase Order	PO	x(8)	
kbtr_pou_ref	POU Reference	POU! Reference	x(8)	
kbtr_pou_site	POU Site		x(8)	
kbtr_print_date	Print Date		99/99/99	
kbtr_print_time	Print Time		>>>>9	
kbtr_production_line	Production Line	Line	x(8)	
kbtr_program	Program		x(12)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
kbtr_id_date	no	kbtr_domain	yes	no
		kbtr_id	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
		kbtr_trans_nbr	yes	no
kbtr_part_date	no	kbtr_domain	yes	no
		kbtr_part	yes	no
		kbtr_step	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
kbtr_source	no	kbtr_domain	yes	no
		kbtr_source_type	yes	no
		kbtr_source_ref1	yes	no
		kbtr_source_ref2	yes	no
		kbtr_source_ref3	yes	no
		kbtr_source_ref4	yes	no
		kbtr_source_ref5	yes	no
kbtr_supermarket	no	kbtr_domain	yes	no
		kbtr_supermarket_site	yes	no
		kbtr_supermarket_id	yes	no
		kbtr_part	yes	no
		kbtr_step	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
		kbtr_trans_nbr	yes	no
* kbtr_trans_nbr	yes	kbtr_domain	yes	no
		kbtr_trans_nbr	yes	no
kbtr_user_time	no	kbtr_domain	yes	no
		kbtr_mod_userid	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
oid kbtr hist	yes	oid kbtr hist	yes	no

Ending Inventory Balance and Cost by Location

Index-Name	Uni	Field-Name	Asc	Abbr
kenb_part	no	kenb_domain	yes	no
		kenb_part	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
* kenb_site_loc	yes	kenb_domain	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
		kenb_part	yes	no
		kenb_year	yes	no
		kenb_month	yes	no
kenb_year_per	no	kenb_domain	yes	no
		kenb_year	yes	no
		kenb_month	yes	no
		kenb_part	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
oid_kenb_det	yes	oid_kenb_det	yes	no

Inventory Account Change Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
kia_prod_line	no	kia_domain	yes	no
		kia_prod_line	yes	no
		kia_mod_date	yes	no
		kia_site	yes	no
		kia_loc	yes	no
		kia_old_acct	yes	no
* kia_trnbr	yes	kia_domain	yes	no
		kia_trnbr	yes	no
oid_kia_mstr	yes	oid_kia_mstr	yes	no

knbadc_hist[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knbadc_keyid	yes	knbadc_domain	yes	no
		knbadc_keyid	yes	no
knbadc_site_part	no	knbadc_domain	yes	no
		knbadc_site	yes	no
		knbadc_part	yes	no
		knbadc_template	yes	no
		knbadc_calc_date	yes	no
		knbadc_calc_time	yes	no
oid_knbadc_hist	yes	oid_knbadc_hist	yes	no

knbcd det

Field Name	Label	Col-Label	Format	Dec
knbcd__qadc01			x(8)	
knbcd__qadc02			x(8)	
knbcd__qadc03			x(24)	
knbcd__qadc04			x(24)	
knbcd__qadl01			yes/no	
knbcd__qadl02			yes/no	
knbcd__closed	Closed		yes/no	
knbcd__delivery_date	Delivery Date		99/99/99	
knbcd__delivery_time	Delivery Time		>>>>9	
knbcd__dispatch_id	Dispatch ID		x(24)	
knbcd__domain	Domain		x(8)	
knbcd__due_date	Due Date		99/99/99	
knbcd__due_time	Due Time		>>>>9	
knbcd__fill_date	Fill Date		99/99/99	
knbcd__fill_time	Fill Time		>>>>9	
knbcd_kbtr_trans_nbr	Transaction Number	Trans! Nbr	>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
knbcd_blanket	no	knbcd_domain	yes	no
		knbcd_pod_blanket	yes	no
		knbcd_pod_blnkt_ln	yes	no
		knbcd_po_nbr	yes	no
		knbcd_pod_line	yes	no
* knbcd_dispatch_id	yes	knbcd_domain	yes	no
		knbcd_dispatch_id	yes	no
		knbcd_knbd_id	yes	no
knbcd_kbtr	no	knbcd_domain	yes	no
		knbcd_kbtr_trans_nbr	yes	no
knbcd_knbd_id	no	knbcd_domain	yes	no
		knbcd_knbd_id	yes	no
		knbcd_dispatch_id	yes	no
knbcd_part_closed	no	knbcd_domain	yes	no
		knbcd_part	yes	no
		knbcd_closed	yes	no
knbcd_part_disp	no	knbcd_domain	yes	no
		knbcd_part	yes	no
		knbcd_dispatch_id	yes	no
knbcd_po_nbr	no	knbcd_domain	yes	no
		knbcd_po_nbr	yes	no
		knbcd_pod_line	yes	no
		knbcd_closed	yes	no
knbcd_source	no	knbcd_domain	yes	no
		knbcd_source_type	yes	no
		knbcd_ref1	yes	no
		knbcd_ref2	yes	no
		knbcd_ref3	yes	no
		knbcd_ref4	yes	no
		knbcd_ref5	yes	no
		knbcd_closed	yes	no
oid_knbcd_det	yes	oid_knbcd_det	yes	no

knbdd mstr Kanban Document Definition Master

Field Name	Label	Col-Label	Format	Dec
knbdd__qadc01			x(8)	
knbdd__qadc02			x(8)	
knbdd__qadc03			x(24)	
knbdd__qadc04			x(24)	
knbdd__qadd01			->>>>, >>>, >>9,9<<<<<<<<<<	10
knbdd__qadi01			->>>>>>>>9	
knbdd__qadi01			yes/no	
knbdd__qadi02			yes/no	
knbdd__qadi03			yes/no	
knbdd__qadi01			99/99/99	
knbdd__accum_type	Accum Type		yes/no	
knbdd__accum_type_desc	Accum Type Desc		yes/no	
knbdd__active_end	Active End		yes/no	
knbdd__active_start	Active Start		yes/no	
knbdd__bom_code	BOM Code		yes/no	
knbdd__card_cmmt_page[5]	Card Comment Page		>>9	
knbdd__card_stock	Card Stock		x(12)	
knbdd__card_type	Card Type		yes/no	
knbdd__card_type_desc	Card Type Desc		yes/no	
knbdd__cont_size	Cont Capacity		yes/no	
knbdd__cont_type	Cont Type		yes/no	
knbdd__cycles_allowed	Cycles		yes/no	
knbdd__del_loc	Delivery Location		yes/no	
knbdd__dest_sm_desc	Destination Supermarket		yes/no	
	Desc			
knbdd__dest_sm_id	Destination Supermarket ID		yes/no	
knbdd__document_color	Label Color		x(12)	
knbdd__document_desc	Document Description		x(24)	
knbdd__document_name	Document Name		x(12)	
knbdd__document_size	Document Size		x(12)	
knbdd__document_type	Document Type		x(8)	
knbdd__domain	Domain		x(8)	
knbdd__font_size	Font Size		x(8)	
knbdd__font_style	Font Style		x(12)	
knbdd__inv_site	Inventory Site		yes/no	
knbdd__inv_site_desc	Inventory Site Desc		yes/no	
knbdd__kanban_id	Kanban ID		yes/no	
knbdd__kanban_quantity	Kanban Quantity		yes/no	
knbdd__label_type	Label Type		x(12)	
knbdd__mod_date	Modified Date	Mod Date	99/99/99	
knbdd__mod_userid	User ID		x(8)	
knbdd__part	Item Number		yes/no	
knbdd__po_line	PO Line		yes/no	
knbdd__po_nbr	Purchase Order		yes/no	
knbdd__pou_loc	POU Location		yes/no	
knbdd__prcs_site_desc	Process Site Desc		yes/no	
knbdd__print_date	Print Date		yes/no	
knbdd__print_time	Print Time		yes/no	
knbdd__process_desc	Process Desc		yes/no	
knbdd__process_id	Process ID		yes/no	
knbdd__process_site	Process Site		yes/no	
knbdd__pt_desc1	Item Desc 1		yes/no	
knbdd__pt_desc2	Item Desc 2		yes/no	
knbdd__pt_rev	Item Revision		yes/no	
knbdd__pt_um	Item UM		yes/no	
knbdd__routing	Routing Code		yes/no	
knbdd__second_card_id	Second Card ID		yes/no	
knbdd__sm_inv_location	SM Inv Location		yes/no	
knbdd__sm_site	SM Site		yes/no	
knbdd__sm_site_desc	SM Site Desc		yes/no	
knbdd__source_sm_desc	Source Supermarket Desc		yes/no	
knbdd__source_sm_id	Source Supermarket ID		yes/no	
knbdd__step	Item Step		yes/no	
knbdd__supplier	Supplier		yes/no	
knbdd__supplier_desc	Supplier Desc		yes/no	
knbdd__text_color	Text Color		x(12)	
knbdd__text_font	Text Font		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
knbdd_document	yes	knbdd_domain	yes	no
		knbdd_document_type	yes	no
		knbdd_document_name	yes	no
oid_knbdd_mstr	yes	oid_knbdd_mstr	yes	no

knbd_det[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knbd_id	yes	knbd_domain	yes	no
		knbd_id	yes	no
knbd_keyid	yes	knbd_domain	yes	no
		knbd_keyid	yes	no
knbd_knbl_keyid	no	knbd_domain	yes	no
		knbd_knbl_keyid	yes	no
		knbd_id	yes	no
knbd_knbl_status	no	knbd_domain	yes	no
		knbd_knbl_keyid	yes	no
		knbd_status	yes	no
		knbd_active	yes	no
knbd_status_disp	no	knbd_domain	yes	no
		knbd_status	yes	no
		knbd_print_dispatch	yes	no
		knbd_active	yes	no
oid knbd_det	yes	oid knbd det	yes	no

knbfd det Kanban FIFO Process Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knbfd_keyid	yes	knbfd_domain	yes	no
		knbfd_keyid	yes	no
knbfd_knb_keyid	no	knbfd_domain	yes	no
		knbfd_knb_keyid	yes	no
		knbfd_seq	yes	no
knbfd_knbs_keyid	no	knbfd_domain	yes	no
		knbfd_knbs_keyid	yes	no
		knbfd_seq	yes	no
oid_knbfd_det	yes	oid_knbfd_det	yes	no

knbism_det Kanban Item Supermarket Detail

Field Name	Label	Col-Label	Format	Dec
knbism__qadc01			x(24)	
knbism__qadc02			x(24)	
knbism_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbism_buf_limit_chg	Date Limit Changed		99/99/99	
knbism_buf_limit_disp	Buffer Limit Method		x(8)	
knbism_buf_method	Buffer Method		x(8)	
knbism_buf_modified	Buffer Modified		yes/no	
knbism_count_tolerance	Count Tolerance	Tol	>>9.<%	10
knbism_critical_limit	Critical Zone Limit		>>, >>>, >>9.< <<<<<<<<<<	10
knbism_daily_demand	Daily Demand		>, >>>, >>9.<<<	4
knbism_demand_method	Demand Method		x(8)	
knbism_demand_modified	Demand Modified		yes/no	
knbism_demand_pct	Demand Percent		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
* knbism_keyid	yes	knbism_domain	yes	no
		knbism_keyid	yes	no
knbism_knbi_keyid	no	knbism_domain	yes	no
		knbism_knbi_keyid	yes	no
		knbism_knbsm_keyid	yes	no
knbism_knbsm_keyid	no	knbism_domain	yes	no
		knbism_knbsm_keyid	yes	no
		knbism_knbi_keyid	yes	no
oid_knbism_det	yes	oid_knbism_det	yes	no

Field Name	Label	Col-Label	Format	Dec
knbi__qadc01			x(24)	
knbi__qadc02			x(24)	
knbi_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbi_bom_code	BOM Code		x(18)	
knbi_cmtindx	Comment Index	Comment	>>>>>>9	
knbi_cont_type	Container Type	Cont! Type	x(8)	
knbi_cost_alloc	Cost Allocation	Cost! Alloc	>>9.9<%	10
knbi_domain	Domain		x(8)	
knbi_keyid	Key ID		->>>,>>>,>>9.9<<<<<<	10
knbi_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<<	10
knbi_mod_date	Modified Date	Mod Date	99/99/99	
knbi_mod_userid	User ID		x(8)	
knbi_part	Item Number		x(18)	
knbi_routing	Routing Code		x(18)	
knbi_run_out_material	Run Out Material	Run Out! Material	x(18)	
knbi_run_out_option	Run Out Option		>9	
knbi_run_out_qty_per	Run Out Quantity Per	Run Out! Qty Per	->>>>,>>>,>>9.9<<<<<<<<<<	10
knbi_run_out_qty_um	UM		x(2)	
knbi_run_out_qtyper_um	UM		x(2)	
knbi_run_out_quantity	Run Out Quantity	Run Out! Quantity	->>>>,>>>,>>9.9<<<<<<<<<<	10
knbi_run_out_setup	Run Out Changeover	Run Out! Changeover	->>>>,>>>,>>9.9<<<<<<<<<<	10
knbi_step	Step		>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbi_keyid	yes	knbi_domain	yes	no
		knbi_keyid	yes	no
* knbi_part	yes	knbi_domain	yes	no
		knbi_part	yes	no
		knbi_step	yes	no
oid knbi mstr	yes	oid knbi mstr	yes	no

knble det	Kanban Loop Event Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knble_oid_parent	no	oid_parent_dataset	yes	no
		knble_card_type	yes	no
		knble_trans_event	yes	no
oid knble_det	yes	oid knble_det	yes	no

knbl_det Kanban Loop Detail

Field Name	Label	Col-Label	Format	Dec
knbl__qadc01			x(24)	
knbl__qadc02			x(24)	
knbl__accum_sch_time	Schedule Time		x(255)	
knbl__accum_schedule	Accum Schedule		x(255)	
knbl__accum_type	Accumulator Type		x(8)	
knbl__backflush	Backflush		yes/no	
knbl__blanket_po	Release Blanket PO		yes/no	
knbl__calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
knbl__card_print_option	Print Option		x(8)	
knbl__card_reporting	Card Reporting	Card! Reporting	>9	
knbl__card_type	Card Type	Card! Type	x(8)	
knbl__cmtindx	Comment Index	Comment	>>>>>>9	
knbl__cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<	10
knbl__cont_type	Container Type	Container	x(8)	
knbl__decrease_at_cons	Decrease at Consume		x(8)	
knbl__del_loc	Delivery Location		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* knbl_keyid	yes	knbl_domain	yes	no
		knbl_keyid	yes	no
knbl_knb_keyid	no	knbl_domain	yes	no
		knbl_knb_keyid	yes	no
		knbl_card_type	yes	no
knbl_next_date_time	no	knbl_domain	yes	no
		knbl_next_date	yes	no
		knbl_next_time	yes	no
oid knbl det	yes	oid knbl det	yes	no

knbrs_mstr Kanban Dispatch Release Schedule[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbrs_date_disp	no	knbrs_domain	yes	no
		knbrs_dispatch_date	yes	no
		knbrs_dispatch_time	yes	no
		knbrs_dispatch_id	yes	no
* knbrs_dispatch_id	yes	knbrs_domain	yes	no
		knbrs_dispatch_id	yes	no
knbrs_export_batch	no	knbrs_domain	yes	no
		knbrs_export_batch	yes	no
oid knbrs mstr	yes	oid knbrs mstr	yes	no

knbsm mstr Kanban Supermarket Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbsm_keyid	yes	knbsm_domain	yes	no
		knbsm_keyid	yes	no
* knbsm_site_id	yes	knbsm_domain	yes	no
		knbsm_site	yes	no
		knbsm_supermarket_id	yes	no
oid knbsm_mstr	yes	oid knbsm_mstr	yes	no

Kanban Source Detail

Index-Name	Uni	Field-Name	Asc	Abbr
knbs_keyid	yes	knbs_domain	yes	no
		knbs_keyid	yes	no
* knbs_source_ref	no	knbs_domain	yes	no
		knbs_source_type	yes	no
		knbs_ref1	yes	no
		knbs_ref2	yes	no
		knbs_ref3	yes	no
		knbs_ref4	yes	no
		knbs_ref5	yes	no
oid_knbs_det	yes	oid_knbs_det	yes	no

Kanban Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knb_keyid	yes	knb_domain	yes	no
		knb_keyid	yes	no
knb_knbi_knbs	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbs_keyid	yes	no
knb_knbi_knbsm	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbsm_keyid	yes	no
knb_knbs_keyid	no	knb_domain	yes	no
		knb_knbs_keyid	yes	no
knb_knbsm_keyid	no	knb_domain	yes	no
		knb_knbsm_keyid	yes	no
oid knb mstr	yes	oid knb mstr	yes	no

Kanban Process Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knpd_keyid	yes	knpd_domain	yes	no
		knpd_keyid	yes	no
knpd_knbi_keyid	no	knpd_domain	yes	no
		knpd_knbi_keyid	yes	no
knpd_knp_keyid	no	knpd_domain	yes	no
		knpd_knp_keyid	yes	no
oid_knpd_det	yes	oid_knpd_det	yes	no

knp_mstr Kanban Process Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knp_keyid	yes	knp_domain	yes	no
		knp_keyid	yes	no
knp_planner_id	no	knp_domain	yes	no
		knp_planner_id	yes	no
		knp_site	yes	no
		knp_process_id	yes	no
* knp_process_id	yes	knp_domain	yes	no
		knp_site	yes	no
		knp_process_id	yes	no
oid_knp_mstr	yes	oid_knp_mstr	yes	no

kstc_det

Ending Inventory Balance by Site

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kstc_det	yes	kstc_domain	yes	no
		kstc_site	yes	no
		kstc_part	yes	no
		kstc_year	yes	no
		kstc_month	yes	no
kstc_part	no	kstc_domain	yes	no
		kstc_part	yes	no
		kstc_site	yes	no
kstc_year_per	no	kstc_domain	yes	no
		kstc_year	yes	no
		kstc_month	yes	no
		kstc_part	yes	no
		kstc_site	yes	no
oid kstc det	yes	oid kstc det	yes	no

LabourC

Warehousing Labour Management Control

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
CheckCalendar	Check User/Group Calendars		yes/no	
CheckIntRouting	Include Routing Tasks		yes/no	
CheckTaskAssignment	Check User Task Assignment		yes/no	
CheckTravelSequence	Check User Travel Sequence		yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DisplayMaxMinutes	Display Tasks for Next		>>>>>9	
DisplayMaxTasks	Display Next		>>>>>9	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LabourC			>> .9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>>9	
QadI02	QAD Field		->, >>>, >>>9	
QadI03	QAD Field		->, >>>, >>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LabourC	yes	oid_LabourC	yes	no
◇* UniqueId	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

lacd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* lacd_internal_ref	yes	lacd_domain	yes	no
		lacd_internal_ref	yes	no
		lacd_shipfrom	yes	no
		lacd_lc_charge	yes	no
		lacd_internal_ref_type	yes	no
oid lacd det	yes	oid lacd det	yes	no

lacod det Logistic Accounting Charge Detail by Order Line[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lacad_oid_lacad_det	yes	oid_lacad_det	yes	no
			oid_order_line	yes	no
	lacad_oid_ord_line	yes	oid_order_line	yes	no
			oid_lacad_det	yes	no
	oid_lacad_det	yes	oid_lacad_det	yes	no
◇	oid_lqd_mstr	no	oid_lqd_mstr	yes	no

lac_ctrl Logistics Accounting Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lac_index1	yes	lac_domain	yes	no
	oid_lac_ctrl	yes	oid_lac_ctrl	yes	no

Location Allocation Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lad_det	yes	lad_domain	yes	no
		lad_dataset	yes	no
		lad_nbr	yes	no
		lad_line	yes	no
		lad_part	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
lad_site	no	lad_domain	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_part	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
oid_lad_det	yes	oid_lad_det	yes	no

Warehousing Lane Assignment Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LaneAssD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LaneAssD	yes	oid_LaneAssD	yes	no
◇* SiteWhsePart	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		PartType	yes	no
		LaneGroup	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LaneAssM Warehousing Lane Assignment Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LastLaneGroup	Last Lane Group	Last	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LaneAssM			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LaneAssM	yes	oid_LaneAssM	yes	no
PartSiteWhse	yes	Domain	yes	no
		PartType	yes	no
		Site	yes	no
		Whse	yes	no
◊* SiteWhsePart	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		PartType	yes	no
◊ UserIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LaneGroupD Warehousing Lane Group Detail

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Lane	Lane		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LaneGroupD			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* LaneGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LaneGroup	yes	no
		Seq	yes	no
		Lane	yes	no
oid_LaneGroupD	yes	oid_LaneGroupD	yes	no
◇ SiteWhseLane	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Lane	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LaneGroupM Warehousing Lane Group Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description	Desc	x(24)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LaneGroupM			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* LaneGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LaneGroup	yes	no
oid_LaneGroupM	yes	oid_LaneGroupM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LaneM

Warehousing Lane Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LaneM	yes	oid_LaneM	yes	no
◊* SiteWhseLane	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Lane	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Layer

Layer

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Record ID		9999999999	
LayerCode	Layer Code		x(20)	
LayerDescription	Description		x(40)	
LayerIsActive	Active	Act	yes/no	
LayerIsAddGLNbr	Use Additional GL Numbering	Additional GL Numbering	yes/no	
LayerTypeCode	Layer Type	Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	LayerCode	yes	no
◇* Prim	yes	Layer_ID	yes	no
◇ Type	no	LayerTypeCode	yes	no
◇ ViewIndex	no	LayerIsActive	yes	no
		LayerCode	yes	no

Label Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lbkc_index1	yes	lbkc_index1	yes	no
	oid_lbkc_ctrl	yes	oid_lbkc_ctrl	yes	no

Logistics Charge Price List

Index-Name	Uni	Field-Name	Asc	Abbr
* lcpr_list	no	lcpr_domain	yes	no
		lcpr_lc_charge	yes	no
		lcpr_log_supplier	yes	no
		lcpr_trade_env	yes	no
		lcpr_trade_class	yes	no
		lcpr_curr	yes	no
		lcpr_um	yes	no
		lcpr_start	yes	no
	yes	lcpr_domain	yes	no
		lcpr_list	yes	no
		lcpr_lc_charge	yes	no
		lcpr_log_supplier	yes	no
		lcpr_trade_env	yes	no
oid lcpr mstr	yes	lcpr_trade_class	yes	no
		lcpr_curr	yes	no
		lcpr_um	yes	no
		lcpr_start	yes	no
		oid lcpr mstr	yes	no

Logistics Accounting Charge Code Master

lc_qadc01			x(24)
lc_qadc02			x(24)
lc_apportion_method	Apportion Method		x(2)
lc_charge	Logistics Charge Code	Chrg Code	x(8)
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no
lc_desc	Description		x(24)
lc_domain	Domain		x(8)
lc_element	Cost Element		x(8)
lc_mod_date	Modified Date	Mod Date	99/99/99
lc_mod_userid	User ID		x(8)
lc_supplier	Supplier		x(8)
lc_taxable	Taxable		yes/no
lc_taxc	Tax Class	TxC	x(3)
lc_trade_class	Trade Class		x(8)
lc_type	Type		x(8)
lc_um	UM		x(2)
lc_user1	User Field Character 1		x(24)
lc_user2	User Field Character 2		x(24)
oid_lc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .g<<<<<<<<<

* lc_charge	yes	lc_domain	yes	no
		lc_charge	yes	no
lc_element	no	lc_domain	yes	no
		lc_element	yes	no
		lc_charge	yes	no
oid_lc_mstr	yes	oid_lc_mstr	yes	no

Location Detail

ld_chr01			x(8)	
ld_chr02			x(8)	
ld_chr03			x(8)	
ld_chr04			x(8)	
ld_chr05			x(8)	
ld_dec01			>>>,>>>,>>9.99	10
ld_dec02			>>>,>>>,>>9.99	10
ld_dte01			99/99/99	
ld_dte02			99/99/99	
ld_log01			yes/no	
ld_alt_um	Alternate UM	UM	x(2)	
ld_assay	Assay %		>>9.99%	10
ld_cmtindx	Comment Index	Comment	>>>>>>9	
ld_cnt_date	Last Count	Last Cnt	99/99/99	
ld_cost			>>>>,>>>,>>9.99<<<	10
ld_crt_date	Create Date		99/99/99	
ld_crt_time	Create Time	Time	>>>>>>9	
ld_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->,>>>,>>9.9<<<<<<<<<	10
ld_date	Date Created	Created	99/99/99	
ld_date_frz	Freeze Date	Frz Date	99/99/99	
ld_domain	Domain		x(8)	
ld_exp_qtyin	Qty In	In	->,>>>,>>9.9<<<<<<<<<	10
ld_exp_qtyout	Qty Out	Out	->,>>>,>>9.9<<<<<<<<<	10
ld_expire	Expire Date	Expire	99/99/99	
ld_grade	Grade		x(2)	
ld_loc	Location		x(8)	
ld_lot	Lot/Serial		x(18)	
ld_part	Item Number		x(18)	
ld_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<	10
ld_qty_frz	Freeze Qty		->,>>>,>>9.9<<<<<<<	10
ld_qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
ld_loc_p_lot	yes	ld_domain	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_loc	yes	ld_domain	yes	no
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_lot	yes	ld_domain	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
		ld_site	yes	no
		ld_loc	yes	no
ld_serial	no	ld_domain	yes	no
		ld_ref	yes	no
		ld_part	yes	no
		ld_site	yes	no
ld_status	yes	ld_domain	yes	no
		ld_status	yes	no
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
oid_ld_det	yes	ld_ref	yes	no
		oid_ld_det	yes	no

Legal Document Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdc_index1	yes	lgdc_domain	yes	no
oid_lgdc_ctrl	yes	oid_lgdc_ctrl	yes	no

lgddl_det

This is a link table between two legal document detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
lgddl_nbr	no	lgddl_prim_nbr	yes	no
		lgddl_prim_shipfrom	yes	no
		lgddl_prim_effdate	yes	no
lgddl_oid_lgddl_det	no	oid_lgddl_det	yes	no
lgddl_prim	no	oid_lgddl_det_prim	yes	no
* oid_lgddl_det	yes	oid_lgddl_det	yes	no

lgdd_det

Legal Document Detail Table

Field Name	Label	Col-Label	Format	Dec
lgdd__qadc01	QAD Character Field 1		x(24)	
lgdd__qadc02	QAD Character Field 2		x(24)	
lgdd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgdd__qadt01	QAD Date Field 1		99/99/99	
lgdd_addr	Legal Doc Addr		x(8)	
lgdd_alt_um	Alternate UM		x(2)	
lgdd_cfop_code	CFOP		x(20)	
lgdd_cmtindx	Comment Index	Comment	>>>>>>>9	
lgdd_desc	Description		x(48)	
lgdd_doc_type	Doc Type		x(2)	
lgdd_domain	Domain		x(8)	
lgdd_dsc_amt	Discount Amount		->>>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
lgdd_nbr	no	lgdd_domain	yes	no
		lgdd_nbr	yes	no
		lgdd_order	yes	no
lgdd_oid_lgd_mstr	no	oid_lgd_mstr	yes	no
* lgdd_shipper	no	lgdd_domain	yes	no
		lgdd_shipper_id	yes	no
		lgdd_line	yes	no
		lgdd_nbr	yes	no
lgdd_tax_usage	no	lgdd_domain	yes	no
		lgdd_tax_usage	yes	no
oid lgdd det	yes	oid lgdd det	yes	no

Igdpcb_det Legal Document Fiscal Control Balance Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
lgdfcb_lgdd	no	lgdfcb_domain	yes	no
		lgdfcb_id	yes	no
		oid_lgdd_det	yes	no
lgdfcb_move_code	no	lgdfcb_domain	yes	no
		lgdfcb_move_code	yes	no
		lgdfcb_id	yes	no
		lgdfcb_key	yes	no
		lgdfcb_date	yes	no
* oid lgdfcb det	yes	oid lgdfcb det	yes	no

Igdgcd_det Fiscal Control Definition Detail

Field Name	Label	Col-Label	Format	Dec
lgdfcd__qadc01			x(8)	
lgdfcd__qadc02			x(8)	
lgdfcd__qadd01			->>>>,>>>, >>9.9<<<<<<<<<	10
lgdfcd__qadl01			yes/no	
lgdfcd__qadt01			99/99/99	
lgdfcd_active	Active		yes/no	
lgdfcd_domain	Domain		x(8)	
lgdfcd_id	Fiscal Control ID	Fiscal ID	x(8)	
lgdfcd_key	Control Key	Key	x(30)	
lgdfcd_mod_date	Last Modified Date	Mod Date	99/99/99	
lgdfcd_mod_userid	Last Modified User Id		x(8)	
lgdfcd_op	Operation		x(2)	
lgdfcd_sel_prim	Select Original		x(2)	
lgdfcd_user1	User Field Character 1		x(8)	
lgdfcd_user2	User Field Character 2		x(8)	
lgdfcd_userc03	User Field Character 3		x(24)	
lgdfcd_userc04	User Field Character 4		x(24)	
lgdfcd_userd01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
lgdfcd_userd02	User Field Decimal 2		->>>>,>>>, >>9.9<<<<<<<<	10
lgdfcd_userl01	User Field Logical 1		yes/no	
lgdfcd_user01	User Field Date 1		99/99/99	
oid_lgdfcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdfcd_id_key	yes	lgdfcd_domain	yes	no
		lgdfcd_id	yes	no
		lgdfcd_key	yes	no
oid_lgdfcd_det	yes	oid_lgdfcd_det	yes	no

Igdfe_mstr Fiscal Control Definition Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdfc_id	yes	lgdfc_domain	yes	no
		lgdfc_id	yes	no
lgdfc_inv_type	yes	lgdfc_domain	yes	no
		lgdfc_inv_type	yes	no
		lgdfc_id	yes	no
oid_lgdfc_mstr	yes	oid_lgdfc_mstr	yes	no

Igdnr_det Legal Document Address and Sequence ID Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdnr_addr	yes	lgdnr_domain	yes	no
		lgdnr_addr	yes	no
		lgdnr_seq_id	yes	no
		lgdnr_move	yes	no
		lgdnr_form_code	yes	no
oid_lgdnr_det	yes	oid_lgdnr_det	yes	no

Legal Document Tax Usage of Simultaneous Op Setup Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
lgdtx_shipfrom	no	lgdtx_domain	yes	no
		lgdtx_shipfrom	yes	no
* lgdtx_shipto	no	lgdtx_domain	yes	no
		lgdtx_shipto	yes	no
oid_lgdtx_det	yes	oid_lgdtx_det	yes	no

Legal Document Master

Field Name	Label	Col-Label	Format	Dec
lgd__qadc01	QAD Character Field 1		x(24)	
lgd__qadc02	QAD Character Field 2		x(24)	
lgd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgd__qadt01	QAD Date Field 1		99/99/99	
lgd_addr	Legal Doc Address	Address	x(8)	
lgd_amt	Legal Doc Amount		->>>>, >>>, >>9.99<	10
lgd_ar_amt	AR Amount		->>>>, >>>, >>9.99<	10
lgd_bill	Bill-To		x(8)	
lgd_bol	BOL		x(18)	
lgd_cancel_date	Void Date		99/99/99	
lgd_cancel_inv	Void Invoice Number		x(22)	
lgd_cancel_rsn	Void Reason		x(8)	
lgd_cancel_time	Void Time		x(8)	
lgd_cancel_user	Voided By		x(8)	
lgd_carrier	Carrier		x(8)	
lgd_cmtindx	Comment Index	Comment	>>>>>>>9	
lgd_cncu_batch	Batch		>>>>>>>>	

Field Name	Label	Col-Label	Format	Dec
lgd_cr_terms	Credit Terms		x(8)	
lgd_crdt_notes	Credit Notes		x(20)	
lgd_cust	Customer		x(8)	
lgd_doc_model	Document Model		x(8)	
lgd_doc_type	Doc Type		x(2)	
lgd_domain	Domain		x(8)	
lgd_drv	Driver Name		x(24)	
lgd_dsc_amt	Discount Amount	Disc Amt	->>>>, >>>, >>9.99<	10
lgd_due_date	Due Date		99/99/99	
lgd_effdate	Effective Date	Eff Date	99/99/99	
lgd_elec	Electronic		yes/no	
lgd_elec_status	Electronic Status		x(8)	
lgd_especie	Ship Pack Desc		x(20)	
lgd_ex_rate	Exch Rate		>>>>, >>>, >>9.9< <<<<<<<<<<	10
lgd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9< <<<<<<<<<<	10
lgd_fix_rate	Fixed Rate		yes/no	
lgd_fob	FOB Point	FOB	x(20)	
lgd_goods_amt	Goods Amount		->>>>, >>>, >>9.99<	10
lgd_gst_id	Fed Tax ID		x(18)	
lgd_gwt	Gross Weight	Gross Wt	>, >>>, >>9.9< <<<<<<<<<	10
lgd_inv_date	Invoice Date	Inv Date	99/99/99	
lgd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
lgd_inv_nbr	Invoice Number	Invoice	x(22)	
lgd_lic	License		x(24)	
lgd_loc	Location		x(8)	
lgd_mod_date	Modified Date	Mod Date	99/99/99	
lgd_mod_userid	User ID		x(8)	
lgd_nbr	Legal Doc Nbr	Legal Doc	x(12)	
lgd_nbr_cpy	Number of Copies		>9	
lgd_nwt	Net Weight		>, >>>, >>9.9< <<<<<<<<<	10
lgd_order	Order Number		x(8)	
lgd_org_doc_nbr	Original Legal Document Number	Orig Nbr	x(20)	
lgd_posted	Posted		yes/no	
lgd_prim_addr	Orig Addr		x(8)	
lgd_prim_doc_typ	Orig Doc Type		x(2)	
lgd_prim_effdate	Orig Effective Date	Orig Eff Date	99/99/99	
lgd_prim_nbr	Orig Doc		x(12)	
lgd_print	Printed	Print	Yes/No	
lgd_print_date	Print Date		99/99/99	
lgd_print_time	Print Time		x(8)	
lgd_print_user	Printed By		x(8)	
lgd_prt_cmt	Print Comments	Cmmt	yes/no	
lgd_prt_with_shp	Print LD With Shipper		yes/no	
lgd_ps_nbr	Packing Slip		x(20)	
lgd_pst_id	PST ID		x(18)	
lgd_pst_id_replace	PST ID (Subst)		x(18)	
lgd_receive_date	Receiving Date		99/99/99	
lgd_reprint_date	Reprint Date		99/99/99	
lgd_reprint_rsn	Reprint Reason		x(8)	
lgd_reprint_time	Reprint Time		x(8)	
lgd_reprint_user	Reprinted By		x(8)	
lgd_ret_nbr	Return Nbr		x(20)	
lgd_rmks	Remarks		x(40)	
lgd_seq_id	Sequence ID		x(8)	
lgd_sh_cmtindx	Comment Index Shipper	Comment	>>>>>>>9	
lgd_ship	Ship-To		x(8)	
lgd_ship_date	Ship Date		99/99/99	
lgd_shipfrom	Ship From		x(8)	
lgd_shipfrom_loc	Ship-from Location		x(8)	
lgd_shipfrom_site	Ship-from Site		x(8)	
lgd_shipper_id	Shipper ID		x(20)	
lgd_shipto_loc	Ship-to Location		x(8)	
lgd_shipto_site	Ship-to Site		x(8)	
lgd_shipvia	Ship Via		x(20)	
lgd_simul	Simulation		yes/no	
lgd_so_job	Sales/Job		x(8)	
lgd_status	Status		x(8)	
lgd_sys_gen	System Generated	Sys Gen	yes/no	
lgd_tax_date	Tax Date		99/99/99	
lgd_tax_env	Tax Environment	Tax Env	x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
lgd_addr	no	lgd_domain	yes	no
		lgd_addr	yes	no
		lgd_ship	yes	no
		lgd_nbr	yes	no
lgd_doc_type	no	lgd_domain	yes	no
		lgd_doc_type	yes	no
		lgd_shipfrom	yes	no
		lgd_nbr	yes	no
* lgd_nbr	no	lgd_domain	yes	no
		lgd_nbr	yes	no
		lgd_shipper_id	yes	no
lgd_received_nbr	no	lgd_domain	yes	no
		lgd_type	yes	no
		lgd_shipfrom	yes	no
		lgd_nbr	yes	no
lgd_shipper	no	lgd_effdate	yes	no
		lgd_domain	yes	no
		lgd_shipper_id	yes	no
◇ oid_lgd_mstr	yes	oid_lgd_mstr	yes	no

Logistics Site Detail

Field Name	Label	Col-Label	Format	Dec
lgsi_domain	Domain		x(8)	
lgsi_mod_date	Modified Date	Mod Date	99/99/99	
lgsi_mod_userid	User ID		x(8)	
lgsi_site	Site		x(8)	
lgsi_user1	Ufld1		x(8)	
lgsi_user2	Ufld2		x(8)	
oid_lgsi_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			q<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplDSite	yes	lgsi_domain	yes	no
		lgsi_app_id	yes	no
		lgsi_site	yes	no
oid lasi det	yes	oid lasi det	yes	no

lgs_mstr Logistics Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplicationID	yes	lgs_domain	yes	no
		lgs_app_id	yes	no
oid_lgs_mstr	yes	oid_lgs_mstr	yes	no

Production Line Allocation Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lna_siteline	yes	lna_domain	yes	no
		lna_site	yes	no
		lna_line	yes	no
		lna_part	yes	no
lna_sitepart	no	lna_domain	yes	no
		lna_site	yes	no
		lna_part	yes	no
		lna_line	yes	no
oid_lna_det	yes	oid_lna_det	yes	no

Production Line Detail

Field Name	Label	Col-Label	Format	Dec
Ind__chr01			x(8)	
Ind__chr02			x(8)	
Ind__chr03			x(8)	
Ind__chr04			x(8)	
Ind__chr05			x(8)	
Ind__dec01			>>>,>>>,>>9.99	10
Ind__dec02			>>>,>>>,>>9.99	10
Ind__dec03			>>>,>>>,>>9.99	10
Ind__log01			yes/no	
Ind__qadl01			yes/no	
Ind__bom			x(18)	
Ind__cmtindx	Comment Index	Comment	>>>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* Ind_line	yes	Ind_domain	yes	no
		Ind_line	yes	no
		Ind_site	yes	no
		Ind_part	yes	no
		Ind_start	yes	no
Ind_linepart	no	Ind_domain	yes	no
		Ind_line	yes	no
		Ind_part	yes	no
oid_Ind_det	yes	oid_Ind_det	yes	no

Inf det

Flow Production Line Preference Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Inf_site_part_pref	no	Inf_domain	yes	no
		Inf_site	yes	no
		Inf_part	yes	no
		Inf_preference	yes	no
		Inf_production_line	yes	no
* Inf_site_prod_line	yes	Inf_domain	yes	no
		Inf_site	yes	no
		Inf_production_line	yes	no
		Inf_part	yes	no
oid_Inf_det	yes	oid_Inf_det	yes	no

Language

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Record ID		9999999999	
LngAltCode	Alternate Code		x(2)	
LngCode	Language Code	Language	x(2)	
LngDescription	Description		x(24)	
LngDirectory	Directory		x(32)	
LngIsActive	Active	Act	yes/no	
LngIsInstalled	Installed Language	Installed Lang	yes/no	
LngIsSystemLanguage	System Language	Syst Lang	yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	LngCode	yes	no
◇* Prim	yes	Lng_ID	yes	no

Language Detail

Field Name	Label	Col-Label	Format	Dec
Ingd__qadc01			x(8)	
Ingd_dataset	Data Set		x(12)	
Ingd_desc	Description		x(76)	
Ingd_field	Field		x(32)	
Ingd_key1	Key Value #1	Key #1	x(8)	
Ingd_key2	Key Value #2	Key #2	x(8)	
Ingd_key3	Key Value #3	Key #3	x(8)	
Ingd_key4	Key Value #4	Key #4	x(8)	
Ingd_lang	Language	Lang	x(2)	
Ingd_mnemonic	Mnemonic		x(8)	
Ingd_translate2	Translation 2		x(24)	
Ingd_translation	Label		x(24)	
Ingd_user1	Ufld1		x(8)	
Ingd_user2	Ufld2		x(8)	
oid_Ingd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* lngd_det	yes	lngd_dataset	yes	no
		lngd_key1	yes	no
		lngd_key2	yes	no
		lngd_key3	yes	no
		lngd_key4	yes	no
		lngd_field	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
lngd_mnemonic	no	lngd_lang	yes	no
		lngd_desc	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
lngd_trans	no	lngd_mnemonic	yes	no
		lngd_dataset	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
oid lngd det	yes	lngd_translation	yes	no
		oid lngd det	yes	no

Ing_mstr Language Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lng_lng	yes	lng_lng	yes	no
lng_nbr	no	lng_nbr	yes	no
oid_lng_mstr	yes	oid_lng_mstr	yes	no

In_mstr Line Master

Field Name	Label	Col-Label	Format	Dec
In_chr01			x(8)	
In_chr03			x(8)	
In_chr04			x(8)	
In_chr05			x(8)	
In_dec01			>>>, >>>, >>9.99	10
In_dec02			>>>, >>>, >>9.99	10
In_dec03			>>>, >>>, >>9.99	10
In_log01			yes/no	
In_autofirm	Auto Firm		yes/no	
In_desc	Description	Description	x(24)	
In_domain	Domain		x(8)	
In_duration_buffer	Duration Buffer		>>>>>9	
In_freeze_period	Freeze Period		>>>>>>>9	
In_hrz_end_nbr	Horizon End No Periods		>>9	
In_hrz_end_period	Horizon End Period		x(8)	
In_hrz_start_nbr	Horizon Start No Periods		>>9	
In_hrz_start_period	Horizon Start Period		x(8)	
In_kanban_receipts	Post Kanban Receipts	Post! Kanban! Receipts	yes/no	
In_last_autofirm	Last Auto Firm		99/99/99	
In_line	Line		x(8)	
In_nbr_lines	Number of Production Lines		>>9.9<	2
In_rate	Units/Hour		>>>, >>>, >>9.99	10
In_rate_base	Line Sequenced		yes/no	
In_rate_code	Rate code	Rate! Code	x(8)	
In_run_size_enabled	Enable Run Crew Size		yes/no	
In_schedule_code	Schedule Code	Sched! Code	x(8)	
In_scheduler	Scheduler ID		x(8)	
In_setup_time	Setup Time		999999	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ln_linesite	yes	ln_domain	yes	no
		ln_line	yes	no
		ln_site	yes	no
ln_siteline	no	ln_domain	yes	no
		ln_site	yes	no
		ln_line	yes	no
oid_ln_mstr	yes	oid_ln_mstr	yes	no

Warehousing Load Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Line	yes	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
oid_LoadD	yes	oid_LoadD	yes	no
◊ Usrldx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadM

Warehousing Load Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ABSID	no	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
* CarrierRef	yes	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
oid_LoadM	yes	oid_LoadM	yes	no
◇ Usrldx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadMasterM

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VehicleID	Vehicle ID		x(20)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadNbr	yes	Domain	yes	no
		LoadNbr	yes	no
LoadStatus	no	Domain	yes	no
		LoadStatus	yes	no
		Site	yes	no
		Whse	yes	no
LoadType	no	Domain	yes	no
		LoadType	yes	no
		Site	yes	no
		Whse	yes	no
oid_LoadMasterM	yes	oid_LoadMasterM	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadSAddrD Warehousing Load Setup Address Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DistrOrder	Distribution Order		yes/no	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSAddrD			>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SalesOrder	Sales Order		yes/no	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadSAddrDIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Addr	yes	no
oid_LoadSAddrD	yes	oid_LoadSAddrD	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadSetupM Warehousing Load Setup Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExclShipViaList	Excl Ship Via		x(72)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSetupM			>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LoadSetupMidx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
	oid_LoadSetupM	yes	oid_LoadSetupM	yes	no
◇	Usrldx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

LoadSItemD

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSItemD			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadSItemDIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Part	yes	no
oid_LoadSItemD	yes	oid_LoadSItemD	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LocalExitC

Field Name	Label	Col-Label	Format	Dec
BatchOrderExp	Batch Order Export		x(10)	
BPPickSheet	Bulk Pick-Sheet (whbpplx01.p)	Bulk! Pick-Sheet	x(10)	
CancelShipment	Cancel Shipment		x(10)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ICCCAAlgo	Cycle Count Selection Algorithms (whicccclx.p)	Cycle Count! Algorithms	x(10)	
LMTask	Task Calculation (whlmlx01.p)	Task! Calculation	x(10)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocalExitC			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Field Name	Label	Col-Label	Format	Dec
OMOrderDetail	Order Detail Update (whomlx01.p)	Order Detail	x(10)	
OrdSel	Order Select		x(8)	
OverPick	OverPick		x(8)	
PreShipList	Pre-Shipper List (whbpps01.p)		x(10)	
PRUserFields	Printer Template User Fields (whprlx01.p)	Printer! Template! User Fields	x(10)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScreenFormat	Screen Format		x(8)	
SendShipment	Send Shipment		x(10)	
TaskSort	Task Sort		x(8)	
TMSControl	TMS Integration Control		x(10)	
TruckShipment	Truck Shipment		x(10)	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LocalExitC	yes	oid_LocalExitC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

locc_det Reserved Locations Detail

Field Name	Label	Col-Label	Format	Dec
locc_qadc01			x(24)	
locc_qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
locc_qadi01			->>>>>>9	
locc_qadl01			yes/no	
locc_qadt01			99/99/99	
locc_addr	Address		x(8)	
locc_domain	Domain		x(8)	
locc_loc	Reserved Location	Reserved! Location	x(8)	
locc_mod_date	Modified Date	Mod Date	99/99/99	
locc_mod_userid	User ID		x(8)	
locc_primary_loc	Primary Location	Primary! Location	yes/no	
locc_site	Site		x(8)	
locc_userc01	User Field 1		x(24)	
locc_userc02	User Field 2		x(24)	
locc_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
locc_addr_site	yes	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_loc	yes	no
locc_primary	no	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_primary_loc	yes	no
* locc_site_loc	yes	locc_domain	yes	no
		locc_site	yes	no
		locc_loc	yes	no
		locc_addr	yes	no
oid locc det	yes	oid locc det	yes	no

LocDefD

Warehousing Location Definition Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LocDefSeq	yes	Domain	yes	no
			LocDef	yes	no
			LDSeq	yes	no
	oid_LocDefD	yes	oid_LocDefD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

LocDefM

Warehousing Location Definition Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LocDef	yes	Domain	yes	no
			LocDef	yes	no
	oid_LocDefM	yes	oid_LocDefM	yes	no
◇	UsrIdx	no	User1	yes	no
			User2	yes	no

locd det

Ending Inventory Balance of a cost calculation period

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
locd_dom_pt_si_unqty	no	locd_domain	yes	no
		locd_part	yes	no
		locd_site	yes	no
		locd_uncons_qty_oh	yes	no
locd_glccp_pt_si_loc	yes	oid_glccp_det	yes	no
		locd_part	yes	no
		locd_site	yes	no
		locd_loc	yes	no
locd_glccp_si_loc_pt	no	oid_glccp_det	yes	no
		locd_site	yes	no
		locd_loc	yes	no
		locd_part	yes	no
* oid locd det	yes	oid locd det	yes	no

LocForD

Warehousing Location Forecast Detail

Field Name	Label	Col-Label	Format	Dec
AltUM	Alt UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
ForType	Type		X(2)	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
oid_LocForD			>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	

Field Name	Label	Col-Label	Format	Dec
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>, >>9.9<<<<<<	10
Ref	Reference		x(8)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* LocForIdx	yes	Domain	yes	no
		ForType	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_LocForD	yes	oid_LocForD	yes	no
◇ OrderIdx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
TypeOrder	no	Domain	yes	no
		ForType	yes	no
		DSet	yes	no
		Nbr	yes	no
		Site	yes	no
		Line	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LocM

Warehousing Location Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LocM	yes	oid_LocM	yes	no
* SiteLoc	yes	Domain	yes	no
		Site	yes	no
		Loc	yes	no
SiteWhseLoc	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
SLGLoc	no	Domain	yes	no

locpd_detlocpd_uncons_qty_oh

*

LocUMM

oid_LocUMM

Field Name	Label	Col-Label	Format	Dec
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		>>>>9.9999<<<<	10
Site	Site		x(8)	
UM	UM		x(2)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
Width	Width		>>>,>>9.99	2

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LUMMidx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
			Part	yes	no
			UM	yes	no
	LUMMPart	yes	Domain	yes	no
			Part	yes	no
			UM	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
	oid_LocUMM	yes	oid_LocUMM	yes	no
◇	PartWhse	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

LocW

Warehousing Location Work Table

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>, >>9.9<<<<<<<	10
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
WkSeq	Seq		>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Location	no	Domain	yes	no
		AlgoType	yes	no
		Site	yes	no
		Loc	yes	no
* LWIdx	yes	Domain	yes	no
		InternalID	yes	no
		AlgoType	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
oid_LocW	yes	oid_LocW	yes	no
SiteSeq	no	Domain	yes	no
		InternalID	yes	no
		AlgoType	yes	no
		Site	yes	no
		WkSeq	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

loc_mstr Location Master

Field Name	Label	Col-Label	Format	Dec
loc__qad01			yes/no	
loc__qadc01			x(8)	
loc__qadc02			x(4)	
loc_cap	Capacity		>>>>, >>>, >>9.9<<<<<<<	10
loc_cap_um	Capacity UM		x(2)	
loc_date	Date Created	Created	99/99/99	
loc_desc	Description		x(24)	
loc_domain	Domain		x(8)	
loc_loc	Location		x(8)	
loc_perm	Permanent	Perm	yes/no	
loc_phys_addr	Physical Address	Physical	x(8)	
loc_project	Project		x(8)	
loc_single	Single Item	Single! Item	yes/no	
loc_site	Site		x(8)	
loc_status	Inventory Status	Status	x(8)	
loc_type	Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
loc_user1	Ufld1		x(8)	
loc_user2	Ufld2		x(8)	
loc_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
oid_loc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* loc_loc	yes	loc_domain	yes	no
		loc_site	yes	no
		loc_loc	yes	no
oid_loc_mstr	yes	oid_loc_mstr	yes	no

lotw_wkfl Lot Number Work Table

Field Name	Label	Col-Label	Format	Dec
lotw_qadc01			x(8)	
lotw_domain	Domain		x(8)	
lotw_lotser	Lot/Serial		x(18)	
lotw_mfguser			x(50)	
lotw_part	Item Number		x(18)	
lotw_user1	Ufld1		x(8)	
lotw_user2	Ufld2		x(8)	
lotw_userid	User ID		x(50)	
oid_lotw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
lot_user_lot	yes	lotw_domain	yes	no
		lotw_mfguser	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
* lotw_ser_part	yes	lotw_domain	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
oid_lotw_wkfl	yes	oid_lotw_wkfl	yes	no

lot_mstr Lot Master

Field Name	Label	Col-Label	Format	Dec
lot__chr01	Chrflid 1		x(8)	
lot__chr02	Chrflid 2		x(8)	
lot__chr03	Chrflid 3		x(8)	
lot__chr04	Chrflid 4		x(8)	
lot__chr05	Chrflid 5		x(8)	
lot__chr06	Chrflid 6		x(8)	
lot__dec01	Decflid 1		->>>, >>>, >>9.99	10
lot__dec02	Decflid 2		->>>, >>>, >>9.99	10
lot__dec03	Decflid 3		->>>, >>>, >>9.99	10
lot__dec04	Decflid 4		->>>, >>>, >>9.99	10
lot__dec05	Decflid 5		->>>, >>>, >>9.99	10
lot__dec06	Decflid 6		->>>, >>>, >>9.99	10
lot__dte01	Dteflid 1		99/99/99	
lot__dte02	Dteflid 2		99/99/99	
lot__dte03	Dteflid 3		99/99/99	
lot__dte04	Dteflid 4		99/99/99	
lot__dte05	Dteflid 5		99/99/99	
lot__dte06	Dteflid 6		99/99/99	
lot__cmtindx	Comment Index		>>>>>>>9	
lot__create	Created		99/99/99	
lot__domain	Domain		x(8)	
lot__line	Line/ID		x(8)	
lot__nbr	Order Number		x(18)	

ltrenvd_det

Field Name	Label	Col-Label	Format	Dec
ltrenvd__qadc01			x(24)	
ltrenvd__qadc02			x(24)	
ltrenvd__qadd01			-	10
			>>>>>>>>>>>>>>>>>>>>>>>>>9	
			.9<<<<<<<<<	
ltrenvd_desc	Description		x(32)	
ltrenvd_domain	Domain		x(8)	
ltrenvd_mod_date	Modified Date	Mod Date	99/99/99	
ltrenvd_mod_userid	User ID		x(8)	
ltrenvd_shipfrom_zone	Shipfrom Zone	Shipfrom Zn	x(16)	
ltrenvd_shipto_zone	Shipto Zone	Shipto Zn	x(16)	
ltrenvd_trade_env	Logistic Trade Environment	LT Env	x(18)	
ltrenvd_user1	User Field Character 1		x(24)	
ltrenvd_user2	User Field Character 2		x(24)	
oid_ltrenvd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ltrenvd_env_from	yes	ltrenvd_domain	yes	no
		ltrenvd_trade_env	yes	no
		ltrenvd_shipfrom_zone	yes	no
		ltrenvd_shipto_zone	yes	no
ltrenvd_env_to	yes	ltrenvd_domain	yes	no
		ltrenvd_trade_env	yes	no
		ltrenvd_shipto_zone	yes	no
		ltrenvd_shipfrom_zone	yes	no
ltrenvd_shipfrom	no	ltrenvd_domain	yes	no
		ltrenvd_shipfrom_zone	yes	no
		ltrenvd_shipto_zone	yes	no
ltrenvd_shipto	no	ltrenvd_domain	yes	no
		ltrenvd_shipto_zone	yes	no
		ltrenvd_shipfrom_zone	yes	no
oid ltrenvd det	yes	oid ltrenvd det	yes	no

ltrenv mstr

Field Name	Label	Col-Label	Format	Dec
ltrenv__qadc01			x(24)	
ltrenv__qadc02			x(24)	
ltrenv__qadd01			- >>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
ltrenv_desc	Description		x(32)	
ltrenv_domain	Domain		x(8)	
ltrenv_mod_date	Modified Date	Mod Date	99/99/99	
ltrenv_mod_userid	User ID		x(8)	
ltrenv_trade_env	Logistic Trade Environment	LT Env	x(18)	
ltrenv_user1	User Field Character 1		x(24)	
ltrenv_user2	User Field Character 2		x(24)	
oid_ltrenv_mstr			>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ltrenv_env	yes	ltrenv_domain	yes	no
		ltrenv_trade_env	yes	no
oid ltrenv_mstr	yes	oid ltrenv_mstr	yes	no

Logistics Trade Zones Detail

Field Name	Label	Col-Label	Format	Dec
ltrznd__qadc01			x(24)	
ltrznd__qadc02			x(24)	
ltrznd__qadd01			-	10
			>>>>>>>>>>>>>>>>>>>>>>9	
			.9<<<<<<<<<	
ltrznd_city	City		x(20)	
ltrznd_county	County		x(20)	
ltrznd_ctry_code	Country Code	Ctry	x(3)	
ltrznd_desc	Description		x(32)	
ltrznd_domain	Domain		x(8)	
ltrznd_mod_date	Modified Date	Mod Date	99/99/99	
ltrznd_mod_userid	User ID		x(8)	
ltrznd_state	State	St	x(4)	
ltrznd_user1	User Field Character 1		x(24)	
ltrznd_user2	User Field Character 2		x(24)	
ltrznd_zip	Zip		x(10)	
ltrznd_zone	Logistic Trade Zone	LT Zone	x(16)	
oid_ltrznd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
ltrznd_ctry_code	no	ltrznd_domain	yes	no
		ltrznd_ctry_code	yes	no
		ltrznd_state	yes	no
		ltrznd_county	yes	no
		ltrznd_city	yes	no
		ltrznd_zip	yes	no
* ltrznd_zone	yes	ltrznd_domain	yes	no
		ltrznd_zone	yes	no
		ltrznd_ctry_code	yes	no
		ltrznd_state	yes	no
		ltrznd_county	yes	no
		ltrznd_city	yes	no
		ltrznd_zip	yes	no
oid_ltrznd_det	yes	oid_ltrznd_det	yes	no

Logistics Trade Zones

Field Name	Label	Col-Label	Format	Dec
ltrzn__qadc01			x(24)	
ltrzn__qadc02			x(24)	
ltrzn__qadd01			-	10
			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>g	
			.9<<<<<<<<<<	
ltrzn_desc	Description		x(32)	
ltrzn_domain	Domain	Domain	x(8)	
ltrzn_mod_date	Modified Date	Mod Date	99/99/99	
ltrzn_mod_userid	User ID		x(8)	
ltrzn_user1	User Field Character 1		x(24)	
ltrzn_user2	User Field Character 2		x(24)	
ltrzn_zone	Logistic Trade Zone	LT Zone	x(16)	
oid_ltrzn_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>g	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ltrzn_zone	yes	ltrzn_domain	yes	no
		ltrzn_zone	yes	no
oid_ltrzn_mstr	yes	oid_ltrzn_mstr	yes	no

Maximum Table Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* maxt_index	yes	maxt_field	yes	no
		maxt_book	yes	no
		maxt_entity	yes	no
		maxt_class	yes	no
		maxt_beg_date	yes	no
		maxt_end_date	yes	no
oid maxt det	yes	oid maxt det	yes	no

Maximums Master

Index-Name	Uni	Field-Name	Asc	Abbr
* max_ind1	yes	max_field	yes	no
		max_book	yes	no
		max__qad01	yes	no
		max_class	yes	no
oid max_mstr	yes	oid_max_mstr	yes	no

Mirror Account Master

Index-Name	Uni	Field-Name	Asc	Abbr
* ma_all_sub_cc	yes	ma_domain	yes	no
		ma_entity	yes	no
		ma_tr_type	yes	no
		ma_acct1	yes	no
		ma_acct2	yes	no
		ma_sub1	yes	no
		ma_sub2	yes	no
		ma_cc1	yes	no
		ma_cc2	yes	no
		ma_all_sub	yes	no
		ma_all_cc	yes	no
oid_ma_mstr	yes	oid_ma_mstr	yes	no

Warehousing Messaging Detail

Field Name	Label	Col-Label	Format	Dec
ReadTime	Send Time		>>>>>>9	
ReadUserId	Read User		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_MessageD	yes	oid_MessageD	yes	no
ReadDate	no	Domain	yes	no
		ReadUserId	yes	no
		ReadDate	yes	no
		ReadTime	yes	no
* ReadUserId	yes	Domain	yes	no
		MsgNbr	yes	no
		ReadUserId	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

MessageM Warehousing Messaging Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
mfrel__qadl01			yes/no	
mfrel__qadl02			yes/no	
mfrel_mod_date	Modified Date	Mod Date	99/99/99	
mfrel_mod_userid	User ID		x(8)	
mfrel_source_key1	Source Key Field 1		x(24)	
mfrel_source_key2	Source Key Field 2		x(24)	
mfrel_source_key3	Source Key Field 3		x(24)	
mfrel_target_key1	Target Key Field 1		x(24)	
mfrel_target_key2	Target Key Field 2		x(24)	
mfrel_target_key3	Target Key Field 3		x(24)	
mfrel_type	Type		x(8)	
mfrel_user1	User Field Character 1		x(24)	
mfrel_user2	User Field Character 2		x(24)	
oid_mfrel_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfred_source_targ	yes	mfrel_type	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
mfrel_targ_source	yes	mfrel_type	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
oid_mfred_mstr	yes	oid_mfred_mstr	yes	no

mfscsl_mstr used for logging the changes made for MFS related tables.

Field Name	Label	Col-Label	Format	Dec
mfscl__qadc01			x(24)	
mfscl__qadc02			x(24)	
mfscl_domain	Domain		x(8)	
mfscl_keyfieldname1	Key Field Name 1		x(30)	
mfscl_keyfieldname2	Key Field Name 2		x(30)	
mfscl_keyfieldname3	Key Field Name 3		x(30)	
mfscl_keyfieldname4	Key Field Name 4		x(30)	
mfscl_keyfieldname5	Key Field Name 5		x(30)	
mfscl_keyfieldname6	Key Field Name 6		x(30)	
mfscl_keyfieldvalue1	Key Field Value 1		x(36)	
mfscl_keyfieldvalue2	Key Field Value 2		x(36)	
mfscl_keyfieldvalue3	Key Field Value 3		x(36)	
mfscl_keyfieldvalue4	Key Field Value 4		x(36)	
mfscl_keyfieldvalue5	Key Field Value 5		x(36)	
mfscl_keyfieldvalue6	Key Field Value 6		x(36)	
mfscl_mod_date	Modified Date	Mod Date	99/99/99	
mfscl_mod_userid	User ID		x(8)	
mfscl_operation	Operation		x(1)	
mfscl_tablename	Table Name		x(14)	
mfscl_timestamp	Time Stamp		99/99/9999 HH:MM:SS.SSS	
mfscl_user1	User Field Character 1		x(24)	
mfscl_user2	User Field Character 2		x(24)	
oid_mfscl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfscf_tablename	yes	mfscf_domain	yes	no
		mfscf_tablename	yes	no
		mfscf_keyfieldvalue1	yes	no
		mfscf_keyfieldvalue2	yes	no
		mfscf_keyfieldvalue3	yes	no
		mfscf_keyfieldvalue4	yes	no
		mfscf_keyfieldvalue5	yes	no
		mfscf_keyfieldvalue6	yes	no
oid_mfscf_mstr	yes	oid_mfscf_mstr	yes	no

QAD Mobile Field Service Control

Field Name	Label	Col-Label	Format	Dec
mfsc__qadc01			x(24)	
mfsc__qadc02			x(24)	
mfsc_call_header	Prioritize Call Header On Client		yes/no	
mfsc_car_process	CAR Processing of Field Reports		yes/no	
mfsc_client_doc_ids	Generate Doc IDs On Client		yes/no	
mfsc_domain	Domain		x(8)	
mfsc_erp_auth	ERP Authentication Enabled		yes/no	
mfsc_mod_date	Modified Date	Mod Date	99/99/99	
mfsc_mod_userid	User ID		x(8)	
mfsc_nonexisting_items	Non-existing Items Allowed		yes/no	
mfsc_nonexisting_user	Non-existing End Users Allowed		yes/no	
mfsc_prntsycmnt	Comments On Invoice/Reports		yes/no	
mfsc_user1	User Field Character 1		x(24)	
mfsc_user2	User Field Character 2		x(24)	
oid_mfsc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* mfsc_domain	yes	mfsc_domain	yes	no
oid_mfsc_ctrl	yes	oid_mfsc_ctrl	yes	no

QAD Mobile Field Service User Detail

Index-Name	Uni	Field-Name	Asc	Abbr
mfsd_ca_mo_pre	no	mfsd_ca_mo_pre	yes	no
mfsd_eng_id	no	mfsd_eng_id	yes	no
mfsd_userdomain	yes	mfsd_userid	yes	no
		mfsd_domain	yes	no
* mfsd_userid	yes	mfsd_domain	yes	no
		mfsd_userid	yes	no
oid mfsd det	yes	oid mfsd det	yes	no

MFS Last Sync Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* mflsld_userid	yes	mflsld_domain	yes	no
		mflsld_userid	yes	no
		mflsld_deviceid	yes	no
oid_mflsld_det	yes	oid_mflsld_det	yes	no

mfssld_det MFS Sync Log Detail

Field Name	Label	Col-Label	Format	Dec
mfsslId__qadc01			x(24)	
mfsslId__qadc02			x(24)	
mfsslId_api_status	API Status		x(8)	
mfsslId_deviceid	Device ID		x(30)	
mfsslId_domain	Domain		x(8)	
mfsslId_last_updated_record_id	Last Updated Record Key		x(24)	
mfsslId_last_updated_record_type	Last Updated Record Type		x(8)	
mfsslId_mod_date	Modified Date	Mod Date	99/99/99	
mfsslId_mod_userid	User ID		x(8)	
mfsslId_sync_api_end_time	API Sync End Time		99/99/9999 HH:MM:SS.SSS	
mfsslId_sync_api_start_time	API Sync Start Time		99/99/9999 HH:MM:SS.SSS	
mfsslId_sync_apiname	Sync API Name		x(24)	
mfsslId_sync_method	Sync Method		x(8)	
mfsslId_sync_version	Client Version		x(12)	
mfsslId_user1	User Field Character 1		x(24)	
mfsslId_user2	User Field Character 2		x(24)	
mfsslId_userid	User ID		x(20)	
oid_mfsslId_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
mfssl_d_device_user	no	mfssl_d_deviceid	yes	no
		mfssl_d_userid	yes	no
		mfssl_d_sync_api_start_time	yes	no
		mfssl_d_sync_apiname	yes	no
* mfssl_d_sync_start	yes	mfssl_d_domain	yes	no
		mfssl_d_sync_api_start_time	yes	no
		mfssl_d_userid	yes	no
		mfssl_d_deviceid	yes	no
		mfssl_d_sync_apiname	yes	no
mfssl_d_user_device	no	mfssl_d_userid	yes	no
		mfssl_d_deviceid	yes	no
		mfssl_d_sync_api_start_time	yes	no
		mfssl_d_sync_apiname	yes	no
oid_mfssl_d_det	yes	oid_mfssl_d_det	yes	no

mfsu mstr MFS User Master

Field Name	Label	Col-Label	Format	Dec
mfsu__qadc01			x(24)	
mfsu__qadc02			x(24)	
mfsu_active_reason	Active Reason		x(8)	
mfsu_failed_attempts	Password Failed Attempts		>>9	
mfsu_force_change	Password Force Change		yes/no	
mfsu_last_date	Date Password Last Changed		99/99/99	
mfsu_mod_date	Modified Date	Mod Date	99/99/99	
mfsu_mod_userid	User ID		x(8)	
mfsu_passwd	Password		x(16)	
mfsu_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
mfsu_user2	User Field Character 2		x(24)	
mfsu_userid	User ID		x(20)	
mfsu_usr_enabled	Sync User Enabled		yes/no	
oid_mfsu_mstr	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfsu_userid	yes	mfsu_userid	yes	no
oid mfsu mstr	yes	oid mfsu mstr	yes	no

MirroringGL Mirror Account

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Mirror1CostCentre_ID	Mirror 1 Cost Center		9999999999	
Mirror1Division_ID	Mirror 1 Sub-Account		9999999999	
Mirror1GL_ID	Mirror 1 Account		9999999999	
Mirror1Project_ID	Mirror 1 Project		9999999999	
Mirror2CostCentre_ID	Mirror 2 Cost Center		9999999999	
Mirror2Division_ID	Mirror 2 Sub-Account		9999999999	
Mirror2GL_ID	Mirror 2 Account		9999999999	
Mirror2Project_ID	Mirror 2 Project		9999999999	
MirroringGL_ID	Record ID		9999999999	
MirroringGLSplitGLType	Account Split Type		x(20)	
MirroringGLTrans1Journal	Transaction 1 Daybook		x(20)	
MirroringGLTrans2Journal	Transaction 2 Daybook		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Source1CostCentre_ID	Source 1 Cost Center		9999999999	
Source1Division_ID	Source 1 Sub-Account		9999999999	
Source1GL_ID	Source 1 Account Type	Source 1 Account Type	9999999999	
Source1Project_ID	Source 1 Project		9999999999	
Source2CostCentre_ID	Source 2 Cost Center		9999999999	
Source2Division_ID	Source 2 Sub-Account		9999999999	
Source2GL_ID	Source 2 Account Type		9999999999	
Source2Project_ID	Source 2 Project		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Prim	yes	MirroringGL_ID	yes	no
Ø Uniqueldx	yes	Domain_ID	yes	no
		Company_ID	yes	no
		Source1GL_ID	yes	no
		Source1Division_ID	yes	no
		Source1CostCentre_ID	yes	no
		Source1Project_ID	yes	no
		Source2GL_ID	yes	no
		Source2Division_ID	yes	no
		Source2CostCentre_ID	yes	no
		Source2Project_ID	yes	no

MirroringJournalMirror Daybook

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MirroringJournal_ID	Record ID		9999999999	
MirrorJournal_ID	Mirror Daybook Control	Mirror Daybook Ctrl	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SourceJournal_ID	Source Daybook Control	Source Daybook Ctrl	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Domains	no	Domain_ID	yes	no
◇ MirrorJrnl	no	MirrorJournal_ID	yes	no
◇* Prim	yes	MirroringJournal_ID	yes	no
◇ SourceJrnl	no	SourceJournal_ID	yes	no
◇ UniqueIdx	yes	Domain_ID	yes	no
		Company_ID	yes	no
		SourceJournal_ID	yes	no

mnd_det Menu Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	mnd_exec	no	mnd_exec	yes	no
	mnd_name	no	mnd_name	yes	no
*	mnd_nbr	yes	mnd_nbr	yes	no
			mnd_select	yes	no
	mnd_uri	no	mnd_uri	yes	no
	oid_mnd_det	yes	oid_mnd_det	yes	no

mnp_det Service/Support Custom Program Detail

Field Name	Label	Col-Label	Format	Dec
mnp__qadc01			x(8)	
mnp_domain	Domain		x(8)	
mnp_exec	Program to Execute		x(12)	
mnp_menu	Menu		x(12)	
mnp_prog_type	Program Type		x(8)	
mnp_program	Program		x(12)	
mnp_repeat_group	Repeat Group		x(8)	
mnp_select	Selection		>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mnp_program	yes	mnp_domain	yes	no
		mnp_program	yes	no
		mnp_userid	yes	no
		mnp_sequence	yes	no
		mnp_prog_type	yes	no
oid_mnp_det	yes	oid_mnp_det	yes	no

mnt_det Menu Title Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mnt_lang	no	mnt_lang	yes	no
	mnt_nsl	yes	mnt_nbr	yes	no
			mnt_select	yes	no
			mnt_lang	yes	no
	oid_mnt_det	yes	oid_mnt_det	yes	no

mpd_det Master Specification Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mpd_nbr	yes	mpd_domain	yes	no
		mpd_nbr	yes	no
		mpd_type	yes	no
oid_mpd_det	yes	oid_mpd_det	yes	no

Master Specification Test History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mph_lot	yes	mph_domain	yes	no
		mph_lot	yes	no
		mph_part	yes	no
		mph_routing	yes	no
		mph_op	yes	no
		mph_test	yes	no
oid_mph_hist	yes	oid_mph_hist	yes	no

Service/Support Custom Program Parameter Detail

Field Name	Label	Col-Label	Format	Dec
mpp_chr01	User character Field 1		X(8)	
mpp_log01	User Logical Field 1		yes/no	
mpp_qadc01	QAD Character field 1		X(8)	
mpp_qade01	QAD Decimal Field 1		->>, >>9.99	10
mpp_qadl01	QAD Logical Field 1		yes/no	
mpp_qadt01	QAD Date Field 1		99/99/99	
mpp_desc	Description		x(24)	
mpp_domain	Domain		x(8)	
mpp_field_type	Field Type		x(16)	
mpp_line	Line		>>9	
mpp_mod_date	Modified Date	Mod Date	99/99/99	
mpp_mod_userid	User ID		X(8)	0
mpp_parm	Field Name		x(18)	
mpp_program			x(18)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mpp_program	yes	mpp_domain	yes	no
		mpp_program	yes	no
		mpp_sequence	yes	no
		mpp_line	yes	no
oid_mpp_det	yes	oid_mpp_det	yes	no

mps_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mps_part	yes	mps_domain	yes	no
		mps_part	yes	no
		mps_site	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
mps_record	yes	mps_domain	yes	no
		mps_record	yes	no
mps_site	yes	mps_domain	yes	no
		mps_site	yes	no
		mps_part	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
oid_mps_mstr	yes	oid_mps_mstr	yes	no

mp_mstr

Field Name	Label	Col-Label	Format	Dec
mp_chr01			x(8)	
mp_chr02			x(8)	
mp_chr03			x(8)	
mp_chr04			x(8)	
mp_chr05			x(8)	
mp_dec01			>>>, >>>, >>9.99	10
mp_dec02			>>>, >>>, >>9.99	10
mp_desc	Description		x(24)	
mp_domain	Domain		x(8)	
mp_expire	Expire Date		99/99/99	

mrp_det

Material Requirements Planning Detail

Field Name	Label	Col-Label	Format	Dec
mrp__qad01			yes/no	
mrp_dataset	Data Set		x(12)	
mrp_detail	Detail		x(24)	
mrp_domain	Domain		x(8)	
mrp_due_date	Due Date		99/99/99	
mrp_keyid	Key ID		>>>>>>>9	
mrp_line	Line/ID		x(8)	
mrp_line2	Reference	Ref	x(8)	
mrp_nbr	Order	Order Number	x(18)	
mrp_ord_site	Order Site	Ord Site	x(8)	
mrp_part	Item Number		x(18)	
mrp_qty	Qty		->,>>>,>>9.9<<<<<<<<<	10
mrp_rel_date	Release Date		99/99/99	
mrp_site	Site		x(8)	
mrp_type	Order Type		x(8)	
mrp_user1	Ufld1		x(8)	
mrp_user2	Ufld2		x(8)	
oid_mrp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mrp_det	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_part	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
mrp_keyid	no	mrp_domain	yes	no
		mrp_keyid	yes	no
mrp_nbr	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
		mrp_part	yes	no
mrp_partdate	no	mrp_domain	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	no	no
mrp_site_due	no	mrp_domain	yes	no
		mrp_site	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	yes	no
mrp_sitetype	no	mrp_domain	yes	no
		mrp_site	yes	no
		mrp_part	yes	no
		mrp_type	yes	no
		mrp_due_date	yes	no
		mrp_qty	yes	no
oid_mrp_det	yes	oid_mrp_det	yes	no

MsgBrokerSetting

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MsgBrokerSetting_ID	Record ID		9999999999	
MsgBrokerSettingAdapterCs	Adaptor Connection String		x(255)	
MsgBrokerSettingBrokerCs	Broker Connection String		x(255)	
MsgBrokerSettingName	Name		x(40)	
MsgBrokerSettingPassword	Password		x(40)	
MsgBrokerSettingUser	User		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
MsgBrokerSet	yes	MsgBrokerSetting_ID	yes	no
Name	yes	MsgBrokerSettingName	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* msg_ln	yes	msg_lang	yes	no
		msg_nbr	yes	no
oid_msg_mstr	yes	oid_msg_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* mu_member_curr	yes	mu_domain	yes	no
		mu_member_curr	yes	no
		mu_start_date	no	no
oid_mu_mstr	yes	oid_mu_mstr	yes	no

Net Commerce Control

Index-Name	Uni	Field-Name	Asc	Abbr
* ncc_index1	yes	ncc_domain	yes	no
oid ncc ctrl	yes	oid ncc ctrl	yes	no

Nota Fiscal Detail

Field Name	Label	Col-Label	Format	Dec
nfd_exp_memo	Memorandum		x(10)	
nfd_mod_date	Last Modified Date	Mod Date	99/99/99	
nfd_mod_userid	Last Modified User Id		x(8)	
nfd_pis_cst	PIS CST		x(8)	
nfd_user1	User Field Character 1		x(24)	
nfd_user2	User Field Character 2		x(24)	
oid_lgdd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
oid_nfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	nfd_oid_lgdd_det	yes	oid_lgdd_det	yes	no
	oid_nfd_det	yes	oid_nfd_det	yes	no

nfecs_det Electronic Nota Fiscal Configuration by Site[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nfecs_site_type	yes	nfecs_domain	yes	no
		nfecs_site	yes	no
		nfecs_type	yes	no
oid_nfecs_det	yes	oid_nfecs_det	yes	no

nfelg_hist Electronic Nota Fiscal Log

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nfglg_msg	no	oid_lgd_mstr	yes	no
		nfglg_msg_nbr	yes	no
		nfglg_msg_date	yes	no
		nfglg_msg_time	yes	no
oid nfglg_hist	yes	oid nfglg_hist	yes	no

nfews mstr Electronic Nota Fiscal Web Service Master

Field Name	Label	Col-Label	Format	Dec
nfevs__qadc01			x(24)	
nfevs__qadc02			x(24)	
nfevs_action	Action		x(2)	
nfevs_domain	Domain		x(8)	
nfevs_env_type	Environment Type		x(2)	
nfevs_mod_date	Last Modified Date	Mod Date	99/99/99	
nfevs_mod_userid	Last Modified User Id		x(8)	
nfevs_state	State		x(4)	
nfevs_user1	User Field Character 1		x(24)	
nfevs_user2	User Field Character 2		x(24)	
nfevs_ws_addr	Web Service Address		x(120)	
nfevs_ws_ver	Web Service Version		x(4)	
oid_nfevs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* nfeeds_state	yes	nfeeds_domain	yes	no
		nfeeds_state	yes	no
		nfeeds_env_type	yes	no
		nfeeds_action	yes	no
oid nfeeds_mstr	yes	oid nfeeds_mstr	yes	no

nf mstr Nota Fiscal Master

Field Name	Label	Col-Label	Format	Dec
nf_qadc01			x(24)	
nf_qadc02			x(24)	
nf_qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
nf_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* nf_oid_lgd_mstr	yes	oid_lgd_mstr	yes	no
oid_nf_mstr	yes	oid_nf_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	
Nomenclature_ID	Record ID		9999999999	
NomenclatureCode	Code		x(20)	
NomenclatureDescription	Description		x(40)	
NomenclatureIsActive	Active		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Unit_ID	Link to Unit		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	NomenclaturesActive	yes	no
◇ CodeIdx	yes	NomenclatureCode	yes	no
◇* Prim	yes	Nomenclature_ID	yes	no
UnitIdx	no	Unit_ID	yes	no
◇ ViewIndex	no	NomenclaturesActive	yes	no
		NomenclatureCode	yes	no

nrh_hist	Number Range History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nrh_index	yes	nrh_domain	yes	no
		nrh_seqid	yes	no
		nrh_number	yes	no
		nrh_action	yes	no
		nrh_line	yes	no
oid_nrh_hist	yes	oid_nrh_hist	yes	no

nr_mstr

Number Range Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nr_seqid	yes	nr_domain	yes	no
		nr_seqid	yes	no
oid_nr_mstr	yes	oid_nr_mstr	yes	no

nsoc_ctrl

Non-Sales Order Control

Field Name	Label	Col-Label	Format	Dec
nsoc__qadc01	QAD Character Field 1		x(24)	
nsoc__qadc02	QAD Character Field 2		x(24)	
nsoc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
nsoc__qadt01	QAD Date Field 1		99/99/99	
nsoc_all_days	Allocate NSO Lines Due in Days		>>>>>9	
nsoc_bo_advice	Next Back Order Advice		>>>>>>>9	
nsoc_confirm	Confirmed Orders		yes/no	
nsoc_consume	Consume Forecast	Consume Fcst	yes/no	
nsoc_det_all	Detail Allocations		yes/no	
nsoc_dnote	Next Delivery Note		>>>>>>>9	
nsoc_domain	Domain		x(8)	
nsoc_ex_ratetype	Rate Type		x(8)	
nsoc_hcmmts	NSO Header Comments		yes/no	
nsoc_immed_ship	Ship Immed		yes/no	
nsoc_int_cust	Internal Customer		x(8)	
nsoc_kit_auto	Autonumbering for Kits		yes/no	
nsoc_kit_nbr	Next Kit Number		>>>>>>9	
nsoc_kit_pre	Kit Prefix		x(8)	
nsoc_lcmmts	NSO Line Comments		yes/no	
nsoc_ln_fmt	Ln Format S/M		yes/no	
nsoc_mod_date	Modified Date	Mod Date	99/99/99	
nsoc_mod_userid	User ID		x(8)	
nsoc_req	Required Qty Reduces Qty Avail		yes/no	
nsoc_ship_to	Ship To		yes/no	
nsoc_shp_lead	Shipping Lead Time		>>>9	

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	nsoc_index1	yes	nsoc_domain	yes	no
	oid_nsoc_ctrl	yes	oid_nsoc_ctrl	yes	no

oa det

Action Message Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* oa_part	yes	oa_domain	yes	no
		oa_part	yes	no
		oa_site	yes	no
		oa_code	yes	no
		oa_nbr	yes	no
		oa_line	yes	no
		oa_to_date	yes	no
oa_site	no	oa_domain	yes	no
		oa_site	yes	no
		oa_part	yes	no
oid_oa_det	yes	oid_oa_det	yes	no

ObjectStatus

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObjectStatusCode	Code		x(20)	
ObjectStatusDescription	Description		x(40)	
ObjectStatusIsActive	Active		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Prim	yes	ObjectStatusCode	yes	no

ocm_mstr

Service/Support On Call Master

Field Name	Label	Col-Label	Format	Dec
ocm_chr01	User Character Field 1		X(8)	
ocm_dte01	User Date Field 1		99/99/99	
ocm_log01	User Logical Field 1		yes/no	
ocm_qadc01	QAD Character Field 1		X(8)	
ocm_qadl01	QAD Logical Field 1		yes/no	
ocm_qadt01	QAD Date Field 1		99/99/99	
ocm_area	Area		x(8)	
ocm_domain	Domain		x(8)	
ocm_end_eff	End Effective	End	99/99/99	
ocm_eng_code	Engineer Code	Eng Code	x(8)	
ocm_mod_date	Modified Date	Mod Date	99/99/99	
ocm_mod_userid	User ID		X(8)	
ocm_page	Page		Call/Page	
ocm_schedule	On Call Schedule	Schedule	X(8)	
ocm_start_eff	Start Effective	Start	99/99/99	
ocm_user1	Ufld1		x(8)	
ocm_user2	Ufld2		x(8)	
oid_ocm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ocm_area	yes	ocm_domain	yes	no
		ocm_area	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_code	no	ocm_domain	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_schedule	no	ocm_domain	yes	no
		ocm_eng_code	yes	no
		ocm_schedule	yes	no
		ocm_start_eff	yes	no
oid_ocm_mstr	yes	oid_ocm_mstr	yes	no

OlAdjust

Open Item Adjustment

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	

Field Name	Label	Col-Label	Format	Dec
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OIAdjust_ID	Record ID		9999999999	
OIAdjustComment	Comment		x(255)	
OIAdjustDescription	Description		x(255)	
OIAdjustPostingDate	Date		99/99/9999	
OIAdjustPostingJournalCode	Daybook		x(8)	
OIAdjustPostingJournalType	Daybook Type		x(30)	
OIAdjustPostingPeriod	Period		99	
OIAdjustPostingVoucher	Voucher		9999999999	
OIAdjustPostingYear	Year		9999	
Posting_ID	Link to Posting		99999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CompanyIdx	no	Company_ID	yes	no
CyYrJrnlVouch	no	Company_ID	yes	no
		OIAdjustPostingYear	yes	no
		OIAdjustPostingJournalCode	yes	no
		OIAdjustPostingVoucher	yes	no
◇ DateIdx	no	OIAdjustPostingDate	yes	no
◇ Journal	no	OIAdjustPostingJournalCode	yes	no
	no	OIAdjustPostingJournalType	yes	no
◇ Period	no	OIAdjustPostingPeriod	yes	no
◇* prim	yes	OIAdjust_ID	yes	no
◇ UniqueIdx	no	Posting_ID	yes	no
◇ Voucher	no	OIAdjustPostingVoucher	yes	no
YearIdx	no	OIAdjustPostingYear	yes	no

OIAdjustLn Open Item Adjustment Line

Field Name	Label	Col-Label	Format	Dec
CIInvoice_ID	Link to CIInvoice		99999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DInvoice_ID	Link to DInvoice		9999999999	
InvMovementPostingLine_ID	Link to PostingLine		9999999999	
JournalEntryPostingLine_ID	Link to PostingLine		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OIAAdjust_ID	Link to OIAAdjust		9999999999	
OIAAdjustLn_ID	Record ID		9999999999	
OIAAdjustLnBaseCurrencyCode	Base Currency	BC	x(3)	
OIAAdjustLnCurrencyCode	Transactional Currency	TC	x(3)	
OIAAdjustLnGLCode	GL Account		x(8)	
OIAAdjustLnInvCompanyCode	Entity		x(20)	
OIAAdjustLnInvCredDebCode	Supplier/Customer		x(8)	
OIAAdjustLnInvDate	Invoice Date		99/99/9999	
OIAAdjustLnInvIdentifier	Invoice Number		x(40)	
OIAAdjustLnInvJournalCode	Daybook		x(8)	
OIAAdjustLnInvReference	Reference		x(40)	
OIAAdjustLnInvType	Invoice Type		x(20)	
OIAAdjustLnInvVoucher	Voucher		9999999999	
OIAAdjustLnInvYear	Year		9999	
OIAAdjustLnMovementAmtLC	BC Movement		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnMovementAmtTC	TC Movement		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnNewBalanceAmtLC	BC New Balance		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnNewBalanceAmtTC	TC New Balance		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnOrigBalanceAmtLC	BC Orig Balance		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnOrigBalanceAmtTC	TC Orig Balance		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnPaidAmtTC	TC Paid Amount		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnPaymentDiscLC	BC Payment Disc		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnPaymentDiscTC	TC Payment Disc		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnTaxDiscLC	BC Tax Disc		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnTaxDiscTC	TC Tax Disc		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnType	Type		x(20)	
OIAAdjustLnWHTAmtCC	SC WHT Amount		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnWHTAmtLC	BC WHT Amount		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnWHTAmtTC	TC WHT Amount		->>>,>>>,>>>,>>9.99	4
OIAAdjustLnWHTCCRate	WHT SC Rate		->,>>>,>>9.9999999999	10
OIAAdjustLnWHTCCScale	WHT SC Scale		->,>>>,>>9.9999999999	10
OIAAdjustLnWHTLCRate	WHT BC Rate		->,>>>,>>9.9999999999	10
OIAAdjustLnWHTLCScale	WHT BC Scale		->,>>>,>>9.9999999999	10
OIAAdjustLnWHTPerc	WHT Percentage		->>9.99	2
OIAAdjustLnWHTTxFeeTC	TC WHT Taxable Fee		->>>,>>>,>>>,>>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
InvMovement	no	InvMovementPostingLine_ID	yes	no
JournalEntry	no	JournalEntryPostingLine_ID	yes	no
OIAdjust	no	OIAdjust_ID	yes	no
◇* prim	yes	OIAdjustLn_ID	yes	no
◇ UniqueIdx	yes	OIAdjust_ID	yes	no
		CInvoice_ID	yes	no
		DInvoice_ID	yes	no
		JournalEntryPostingLine_ID	yes	no

opc_ctrl

Shop Floor Operation History Control

Field Name	Label	Col-Label	Format	Dec
oid_opc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
opc__qad01			.9<<<<<<<<<<	
opc__qadi01			>>>>>>9	
opc__qadi02			->>>>>>>9	
opc_close_gl	Create GL		>>>>>9	
opc_domain	Domain		yes/no	
opc_move	Move Next Operation		x(8)	
opc_payroll	Interface Payroll		yes/no	
opc_std_hrs	Standard Hours		>>9.99	10
opc_std_per	Standard Period		x(1)	
opc_time_ind	Time Indicator		x(1)	
opc_user1	Ufld1		x(8)	
opc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_opc_ctrl	yes	oid_opc_ctrl	yes	no
*	opc_index1	yes	opc_domain	yes	no

opgl det

Shop Floor Operation General Ledger Detail

Field Name	Label	Col-Label	Format	Dec
oid_opgl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
opgl__qadc01			x(8)	
opgl_cr_acct	Cr Acct		x(8)	
opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
opgl_cr_line	Line		>>>9	
opgl_cr_proj	Cr Project	Project	x(8)	
opgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
opgl_domain	Domain		x(8)	
opgl_dr_acct	Dr Acct		x(8)	
opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
opgl_dr_line	Line		>>>9	
opgl_dr_proj	Dr Project	Project	x(8)	
opgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
opgl_dy_code	Daybook		x(8)	
opgl_dy_num	Entry Number		x(40)	
opgl_eff_trans	Current		yes/no	
opgl_gl_amt	Amount		->>>>, >>9.99	10
opgl_gl_ref	GL Reference		x(14)	
opgl_sequence	Sequence		->, >>>, >>9	
opgl_trnbr	OP Transaction	Trans	>>>>>9	
opgl_type	Type		x(8)	
opgl_user1	Ufld1		x(8)	
opgl_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_opgl_det	yes	oid_opgl_det	yes	no
opgl_dr_cr	no	opgl_domain	yes	no
		opgl_dr_acct	yes	no
		opgl_dr_sub	yes	no
		opgl_dr_cc	yes	no
		opgl_cr_acct	yes	no
		opgl_cr_sub	yes	no
		opgl_cr_cc	yes	no
opgl_dy	no	opgl_domain	yes	no
		opgl_dy_code	yes	no
		opgl_dy_num	yes	no
		opgl_sequence	yes	no
* opgl_nbr_ref	yes	opgl_domain	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no
		opgl_sequence	yes	no
opgl_ref_nbr	no	opgl_domain	yes	no
		opgl_gl_ref	yes	no
		opgl_trnbr	yes	no
opgl_type_nbr_ref	no	opgl_domain	yes	no
		opgl_type	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
oid_opm_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
opm__chr01			.9<<<<<<<<	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>, >>>, >>9.99	10
opm__dec02			>>>, >>>, >>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__gade01	QAD Decimal Field 1		->>, >>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	
opm_batch	Batch Size		>, >>>, >>9	
opm_bom_code	BOM Code		X(18)	
opm_cmtindx	Comment Index	Comment	>>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>, >>9.999	10
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_domain	Domain		x(8)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>, >>>, >>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>, >>9.9<<	10
opm_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
opm_setup	Setup Time	Setup	>, >>9.9<<	10
opm_std_op	Standard Operation	Std Op	x(8)	
opm_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_opm_mstr	yes	oid_opm_mstr	yes	no
opm_desc	yes	opm_domain	yes	no
		opm_desc	yes	no
		opm_std_op	yes	no
* opm_std_op	yes	opm_domain	yes	no
		opm_std_op	yes	no

ops_ctrl Operations Plan Control

Field Name	Label	Col-Label	Format	Dec
oid_ops_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
ops__qadc01			.9<<<<<<<<	
ops__qadi01			x(8)	
ops_cover	Maximum Weeks Coverage	Max Wks	->>>>>>9	10
ops_domain	Domain		x(8)	
ops_move	Move Holiday Production		yes/no	
ops_plan	Use Operations Plan	Ops Plan	yes/no	
ops_round	Use Rounding		yes/no	
ops_user1	Ufld1		x(8)	
ops_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ops_ctrl	yes	oid_ops_ctrl	yes	no
*	ops_index1	yes	ops_domain	yes	no

op_hist Operation Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_op_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
op__chr01			x(8)	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>, >>>, >>9.99	10
op__dec02			>>>, >>>, >>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	
op__qad02			x(8)	
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	
op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>>, >>9.999	10
op_act_run	Act Run Time	Act Run	->, >>9.9<<	10
op_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	10
op_act_units	Actual Units/Cycle	Act U/C	>>>>>9	0
op_bdn_cost	Burden Cost	Burden	->>>>, >>9.99	10
op_bdn_std	Burden Cost Std	Std Burden	->>>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userc03	User Field Character 3		x(24)	
op_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
op_useri01	User Field Integer 1		->>>>>>>9	
op_userid	User ID		x(8)	
op_userl01	User Field Logical 1		yes/no	
op_user01	User Field Date 1		99/99/99	
op_wip_lotser	Lot/Serial		x(18)	
op_wip_ref	Reference	Ref	x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_op_hist	yes	oid_op_hist	yes	no
op_date	no	op_domain	yes	no
		op_date	yes	no
		op_trnbr	yes	no
op_emp	no	op_domain	yes	no
		op_emp	yes	no
		op_site	yes	no
		op_date	yes	no
op_lot_op	no	op_domain	yes	no
		op_wo_lot	yes	no
		op_wo_op	yes	no
		op_date	yes	no
op_part	no	op_domain	yes	no
		op_part	yes	no
		op_site	yes	no
		op_wo_op	yes	no
		op_date	yes	no
op_rsn	no	op_domain	yes	no
		op_rsn	yes	no
		op_site	yes	no
		op_date	yes	no
op_rsn_rjct	no	op_domain	yes	no
		op_rsn_rjct	yes	no
		op_site	yes	no
		op_date	yes	no
op_rsn_rwrk	no	op_domain	yes	no
		op_rsn_rwrk	yes	no
		op_site	yes	no
		op_date	yes	no
* op_trnbr	yes	op_domain	yes	no
		op_trnbr	yes	no
op_type	no	op_domain	yes	no
		op_site	yes	no
		op_type	yes	no
		op_date	yes	no
op_wkctr	no	op_domain	yes	no
		op_site	yes	no
		op_wkctr	yes	no
		op_mch	yes	no
		op_date	yes	no
op_wo_nbr	no	op_domain	yes	no
		op_wo_nbr	yes	no
		op_wo_lot	yes	no
		op_date	yes	no

OrdAllocD

Warehousing Order Allocation Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
DSetNbrLine	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
* DSetSiteLoc	no	Domain	yes	no
		DSet	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Ref	yes	no
oid_OrdAllocD	yes	oid_OrdAllocD	yes	no
ShipFromID	no	Domain	yes	no
		ABSShipFrom	yes	no
		ABSID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

OrdAllocH Warehousing Order Allocation History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Dateldx	no	Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
oid_OrdAllocH	yes	oid_OrdAllocH	yes	no
◇* OrderIdx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		Part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Part	no	Domain	yes	no
		Part	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Order Detail

Field Name	Label	Col-Label	Format	Dec
Allocation	Allocation		x(8)	
AllocNbr	Allocation Order		x(18)	
AltUM	Alternate UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
Explicit	Explicit Supply	Explic	yes/no	
InspReq	Inspection Required	Insp Req	yes/no	
InternalID	Internal User ID	Internal! User ID	x(50)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
LoadOpt	Load Optimization	Load	yes/no	
LocType	Location Type	Location! Type	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_OrderD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Status	Stat	x(8)	
Part	Item Number		x(18)	
Picked	Picked	Pick	yes/no	
PickStatus	Pick Status	St	x(1)	
PreShipper	PreShipper		X(8)	
Priority	Priority		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
Shipper	Shipper	Shipper	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Short	Short		yes/no	
ShortQty	Qty Short	Qty! Short	->, >>>, >>9.9<<<<<<<<<	2
Site	Site		x(8)	
User1	User Field Character 1		x(24)	
User2	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Allocation	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Allocation	yes	no
		DueDate	yes	no
◇ DueDate	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		DueDate	yes	no
Internal	no	Domain	yes	no
		InternalID	yes	no
		PickStatus	yes	no
◇* Line	yes	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
◇ LoadID	no	Domain	yes	no
		PickStatus	yes	no
		LoadID	yes	no
		Site	yes	no
		DSet	yes	no
◇ Nbr	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Nbr	yes	no
oid_OrderD	yes	oid_OrderD	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
		Priority	yes	no
Preship	no	Domain	yes	no
		PreShipper	yes	no
◇ Route	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Route	yes	no
		Allocation	yes	no
		DueDate	yes	no
◇ ShipTo	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ShipTo	yes	no
		Allocation	yes	no
		DueDate	yes	no
◇ ShipVia	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ShipVia	yes	no
		Allocation	yes	no
		DueDate	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WhsePick	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		PickStatus	yes	no

Warehousing Order Master

Index-Name	Uni	Field-Name	Asc	Abbr
DSetPriority	no	Domain	yes	no
		DSet	yes	no
		Priority	yes	no
◇ Nbr	no	Domain	yes	no
		Nbr	yes	no
		DSet	yes	no
oid_OrderM	yes	oid_OrderM	yes	no
◇* OrderIdx	yes	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
OrDType	no	Domain	yes	no
		OrdType	yes	no
Priority	no	Domain	yes	no
		Priority	yes	no
		DSet	yes	no
		Nbr	yes	no
◇ Profile	no	Domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ShipTo	no	Profile	yes	no
		Domain	yes	no
		ShipTo	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

OrderSeld Warehousing Order Batch Selection Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Line	yes	Domain	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
		oid_OrderSelD	yes	no
◇ OrderLine	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

OrderSelM Warehousing Order Batch Selection Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_OrderSelM	yes	oid_OrderSelM	yes	no
* SelNbr	yes	Domain	yes	no
		SelNbr	yes	no
SelStatus	no	Domain	yes	no
		SelStatus	yes	no
		Site	yes	no
		Whse	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

pac_mstr

Purchase Approval Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pac_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
pac__qadc01			.9<<<<<<<<<	
pac_amt[4]	Minimum Amount		x(8)	
pac_apr_by[4]	Approver		->>>>, >>>, >>9.99	10
pac_code	Approval Code	Apv Code	x(8)	
pac_desc	Description		x(24)	
pac_domain	Domain		x(8)	
pac_mod_date	Modified Date	Mod Date	99/99/99	
pac_pl	Product Line	Line	x(4)	
pac_pur_acct	Purchases Acct	Pur Acct	x(8)	
pac_pur_cc	Purchases CC	CC	x(4)	
pac_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pac_req_by	Requested By	Req By	x(8)	
pac_site	Site		x(8)	
pac_user1	User1		x(8)	
pac_user2	User2		x(8)	
pac_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pac_mstr	yes	oid_pac_mstr	yes	no
* pac_code	yes	pac_domain	yes	no
		pac_code	yes	no
pac_index1	no	pac_domain	yes	no
		pac_site	yes	no
		pac_pl	yes	no
		pac_pur_acct	yes	no
		pac_pur_sub	yes	no
		pac_pur_cc	yes	no
		pac_req_by	yes	no

pald_det

Pallet Detail

Field Name	Label	Col-Label	Format	Dec
pald_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
pald_chr01			.9<<<<<<<<	
pald_chr02			x(8)	
pald_chr03			x(8)	
pald_chr04			x(8)	
pald_chr05			x(8)	
pald_dec01			->>>, >>>, >>9.99<	10
pald_dec02			->>>, >>>, >>9.99<	10
pald_desc	Description		x(24)	
pald_domain	Domain		x(8)	
pald_height	Height		>>, >>9.99	10
pald_hght_um	UM		x(2)	
pald_nbr_lay	Number of Layers		>, >>>, >>9	
pald_pallet	Pallet Type	Type	x(8)	
pald_part	Item Number	Item	x(18)	
pald_um	UM		x(2)	
pald_unit_lay	Units per Layer		>, >>>, >>9	
pald_user1	Ufld1		x(8)	
pald_user2	Ufld2		x(8)	
pald_weight	Weight		>>, >>9.99	10
pald_wght_um	UM		x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pald_det	yes	oid_pald_det	yes	no
*	pald_pallet	yes	pald_domain	yes	no
			pald_pallet	yes	no
			pald_part	yes	no

Pallet Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pal_mstr	yes	oid_pal_mstr	yes	no
*	pal_pallet	yes	pal_domain	yes	no
			pal_pallet	yes	no

Warehousing Item/Storage Location Group Master

Field Name	Label	Col-Label	Format	Dec
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>,>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>,>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PartSLGM	yes	oid_PartSLGM	yes	no
* PartSLG	yes	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

PartWhseM Warehousing Item/Warehouse Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RandomInspPct	Random Inspection %		->>9.99	10
RepType	Replenishment Type	Rep Type	X(8)	
SameDays[10]	Same Day Window	Same Day! Window	>>, >>9	
SamplePct	Sample %	Sample %	>>9	
SampleQty	Sample Quantity	Sample Qty	->, >>>, >>9	
SingleTrans	Single Put-Away Transactions	Single! Trans	yes/no	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
UnplssPrint	Print Unpl Issue Tag		yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PartWhseM	yes	oid_PartWhseM	yes	no
◇* PartWhse	yes	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WhsePartType	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		PartType	yes	no
WhseRepType	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RepType	yes	no

PayFormatCodePayment Format Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode	Attribute Value		x(40)	
PayFormatCode_ID	Record ID		9999999999	
PayFormatCodeDescription	Description		x(40)	
PayFormatCodeIsActive	Active		yes/no	
PayFormatCodeIsDefault	Default		yes/no	
PayFormatGroup_ID	Payment Format Type	Type	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	PayFormatCodeIsActive	yes	no
IsDefault	no	PayFormatCodeIsDefault	yes	no
◇* Prim	yes	PayFormatCode_ID	yes	no
◇ Uniqueldx	yes	PayFormatCode	yes	no
		PayFormatGroup_ID	yes	no
◇ ViewIndex	no	PayFormatCodeIsActive	yes	no
		PayFormatCode	yes	no

PayFormatGroupPayment Format Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatGroup_ID	Record ID		9999999999	
PayFormatGroupCode	Attribute Name		x(200)	
PayFormatGroupDataType	Data Type		x(20)	
PayFormatGroupDescription	Description		x(40)	
PayFormatGroupInputOption	Input Option		x(20)	
PayFormatGroupsActive	Active		yes/no	
PayFormatGroupsMandatory	Mandatory		yes/no	
PayFormatGroupLevel	Level		x(20)	
PayFormatGroupSequence	Group Code		->,>>>,>>9	
PayFormatTypeCode	Payment Format Type	Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
FormatTypeSeq	yes	PayFormatTypeCode	yes	no
		PayFormatGroupSequence	yes	no
GroupType	no	PayFormatGroupCode	yes	no
		PayFormatTypeCode	yes	no
◇ IsActive	no	PayFormatGroupsActive	yes	no
◇* Prim	yes	PayFormatGroup_ID	yes	no
◇ Uniqueldx	yes	PayFormatTypeCode	yes	no
		PayFormatGroupCode	yes	no
◇ ViewIndex	no	PayFormatGroupsActive	yes	no
		PayFormatTypeCode	yes	no

PayFormatTypePayment Format Type

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Format Name		x(20)	
PayFormatTypeDescription	Description		x(40)	
PayFormatTypesActive	Active		yes/no	
PayFormatTypeLinesPerPage	Invoices per check		>>>9	
PayFormatTypeModule	Module		x(20)	
PayFormatTypeOutFileMask	Output File Mask		x(40)	
PayFormatTypePayInstrument	Payment Instrument		x(40)	
PayFormatTypePayType	Payment Type		x(20)	
PayFormatTypeSubSystem	Sub System		x(40)	
PayFormatTypeTPAddress	TP Address		x(40)	
PayFormatTypeTPSite	TP Site		x(40)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
◇ IsActive	no	PayFormatTypelsActive	yes	no
◇* Prim	yes	PayFormatTypeCode	yes	no
◇ ViewIndex	no	PayFormatTypelsActive	yes	no
		PayFormatTypeCode	yes	no

PaymentConditionCredit Terms

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentCondition_ID	Record ID		9999999999	
PaymentConditionBaseDate	Base Date		99/99/9999	
PaymentConditionBaseDays	Base Days		->, >>>, >>9	
PaymentConditionCode	Credit Terms Code		x(8)	
PaymentConditionDayMthDisc	No of Periods		->, >>>, >>9	
PaymentConditionDaysMonths	No of Periods		->, >>>, >>9	
PaymentConditionDescript	Description		x(40)	
PaymentConditionDueDays	Min Due Days		->, >>>, >>9	
PaymentConditionGraceDay	Grace Days		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
PaymentConditionIsActive	Active		yes/no	
PaymentConditionLateInt	Daily Overdue Int Percentage	Late Interest	->>>9.99	2
PaymentConditionPaymentType	Payment Type	Pay Type	x(20)	
PaymentConditionPdDiscType	Period Type	Type	x(20)	
PaymentConditionPercentage	Discount Percentage	Percent	->, >>>, >>9.99	3
PaymentConditionPeriodType	Period Type	Type	x(20)	
PaymentConditionSuppDayDis	Supplementary Days	Suppl Days	->, >>>, >>9	
PaymentConditionSupplDays	Supplementary Days	Suppl Days	->, >>>, >>9	
PaymentConditionTermsInt	Terms Interest Percentage	Terms Int	->>>9.99	2
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PaymentConditionCode	yes	no
◇* Prim	yes	PaymentCondition_ID	yes	no
◇ ViewIndex	no	PaymentConditionIsActive	yes	no
		PaymentConditionCode	yes	no

PaymentConditionStaged Staged Payment

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
PaymentConditionStaged_ID	Record ID		9999999999	
PaymentConditionStagedPerc	Percentage		->>>9.99	2
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
StagedPaymentCondition_ID	Credit Terms	Payment Condition	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
PayCon	no	PaymentCondition_ID	yes	no
◇* Prim	yes	PaymentConditionStaged_ID	yes	no
◇ Unlidx	yes	PaymentCondition_ID	yes	no
		StagedPaymentCondition_ID	yes	no

PaymentGroup Payment Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentGroup_ID	Record ID		9999999999	
PaymentGroupCode	Payment Group		x(20)	
PaymentGroupDescription	Description		x(40)	
PaymentGroupIsActive	Active	Act	yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PaymentGroupCode	yes	no
◇* Prim	yes	PaymentGroup_ID	yes	no
◇ ViewIndex	no	PaymentGroupIsActive	yes	no
		PaymentGroupCode	yes	no

PaySel

Payment Selection

Field Name	Label	Col-Label	Format	Dec
BankPayFormat_ID	Link to BankPayFormat		9999999999	
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Record ID		9999999999	
PaySelCode	Code		x(20)	
PaySelDate	Execution Date		99/99/9999	
PaySelStatus	Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	PaySelCode	yes	no
◇ Company	no	Company_ID	yes	no
CompanyGLPaySelCo de	no	Company_ID	yes	no
		GL_ID	yes	no
		PaySelCode	yes	no
CompanyPaySelDate	no	Company_ID	yes	no
		PaySelDate	yes	no
◇ GL	no	GL_ID	yes	no
PaySelDate	no	PaySelDate	yes	no
◇* Prim	yes	PaySel_ID	yes	no
StatusField	no	PaySelStatus	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		PaySelCode	yes	no

PaySelHistory Payment Selection History

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Link to PaySel		9999999999	
PaySelHistory_ID	Record ID		9999999999	
PaySelHistoryDate	Date		99/99/9999	
PaySelHistoryDescription	Description		x(40)	
PaySelHistoryOutFileName	File		x(255)	
PaySelStatus	Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PaySel	no	PaySel_ID	yes	no
◇* Prim	yes	PaySelHistory_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

PaySelLine Payment Selection Line

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Payment format of the payment selection		x(20)	
PaySel_ID	Link to PaySel		9999999999	
PaySelLine_ID	Record ID		9999999999	
PaySelLineAmountTC	Amount		->>>, >>>, >>>9.99	4
PaySelLineDiscountTC	Discount		->>>, >>>, >>>9.99	4
PaySelLineIntAmtTC	TC Interest Amount		->>>, >>>, >>>9.99	4
PaySelLineRefInFile	Ref in File		yes/no	
PaySelLineObjectType	Type		x(20)	
PaySelLineParentObject_ID	Parent Object		9999999999	
PaySelLineWHTAmtCC	SC WHT Amount		->>>, >>>, >>>9.99	4
PaySelLineWHTAmtLC	BC WHT Amount		->>>, >>>, >>>9.99	4
PaySelLineWHTAmtTC	TC WHT Amount		->>>, >>>, >>>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
KeyPayFormatType	no	PayFormatTypeCode	yes	no
◇ ObjectType	no	PaySelLineObjectType	yes	no
◇ ParentObject	no	PaySelLineParentObject_ID	yes	no
◇ PaySel	no	PaySel_ID	yes	no
◇* Prim	yes	PaySelLine_ID	yes	no

PaySelLineStagePayment Selection Line Stage

Field Name	Label	Col-Label	Format	Dec
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
PaySelLine_ID	Link to PaySelLine		9999999999	
PaySelLineStage_ID	Record ID		9999999999	
PaySelLineStageDiscAmntTC	Discount Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStageOpenAmntTC	Open Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStageOrigAmntTC	Original Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStagePaymAmntTC	Payment Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStageWHTAmntTC	TC WHT Amount		->>>, >>>, >>>, >>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CInvoiceStage	no	CInvoiceStage_ID	yes	no
DInvoiceStage	no	DInvoiceStage_ID	yes	no
PaySelLine	no	PaySelLine_ID	yes	no
◇* Prim	yes	PaySelLineStage_ID	yes	no
◇ Uniqueldx	yes	PaySelLine_ID	yes	no
		CInvoiceStage_ID	yes	no
		DInvoiceStage_ID	yes	no

PaySelPayCodePayment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
PaySel_ID	Link to PaySel		9999999999	
PaySelPayCode_ID	Record ID		9999999999	
PaySelPayCodeValue	Value		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	PaySelPayCode_ID	yes	no
◇ Uniqueldx	yes	PaySel_ID	yes	no
		PayFormatGroup_ID	yes	no

PaySelPrepay

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Business Relation		9999999999	
Creditor_ID	Supplier Code	Supplier	9999999999	
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySelPrepay_ID	Record ID		9999999999	
PaySelPrepayAmountToPayT C	Amount to Pay		->>>, >>>, >>>, >>>9.99	4
PaySelPrepayReferenceText	Reference		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇* Prim	yes	PaySelPrepay_ID	yes	no

pcc_ctrl

Field Name	Label	Col-Label	Format	Dec
pcc__qadc01			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pcc__qadi01			.9<<<<<<<<<	
pcc_auto_nbr	Auto Number	Auto	x(8)	
pcc_cmmt_type	Comment Type		->>>>>>>9	
pcc_comm_lang	Common Language		yes/no	
pcc_db_seq	Common DB Sequence		X(2)	
pcc_domain	Domain		X(2)	
pcc_ecooff_date	ECO Off Date		>>>9	
pcc_enforce_seq	Enforce PCO Approval Group Sequencing	Enforce Seq	x(8)	
pcc_formula_ok	Formula OK		99/99/99	
pcc_initial_date	Initialization Date		yes/no	
pcc_max_wkfl	Max Workfile		99/99/99	
pcc_next_pco[12]	Next Change Number		>>>9	
pcc_pco_pre[12]	Prefix		>>>>>>>>9	
pcc_process_ok	Process OK		X(3)	
pcc_qspec_ok	PSM OK		yes/no	
pcc_quality_ok	Quality OK		yes/no	
pcc_routing_ok	Routings OK		yes/no	
pcc_security_on	Security On		yes/no	
pcc_struct_ok	Structures OK		yes/no	
pcc_user1	Ufld1		x(8)	
pcc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pcc_ctrl	yes	oid_pcc_ctrl	yes	no
*	pcc_index	yes	pcc_domain	yes	no

pcd_det

Purchase Order Line Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
oid_pcd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pcd__qad01			.9<<<<<<<<	
pcd__qad02			99/99/99	
pcd__qad03			x(8)	
pcd__qad04			yes/no	
pcd__qad05			->>, >>, >>9.99<<<<	10
pcd_amt	Amount		->>, >>, >>9.99<<<<	10
pcd_curr	Currency	Cur	->>, >>, >>9.99<<<<	10
pcd_domain	Domain			
pcd_element	Cost Element	Element		
pcd_line	Line	Ln	x(3)	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1			x(8)	
pcd_user2			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_pcd_det	yes	oid_pcd_det	yes	no
	pcd_ele	yes	pcd_domain	yes	no
			pcd_nbr	yes	no
			pcd_line	yes	no
			pcd_element	yes	no

pcl_d_det

Product Change Control Group Detail

Field Name	Label	Col-Label	Format	Dec
oid_pclد_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	
pclد_qadc01			x(8)	
pclد_copies	Copies	Cp	>>9	
pclد_dev	Output		x(8)	
pclد_domain	Domain		x(8)	
pclد_expire	Expire Date		99/99/99	
pclد_group	Group		x(8)	
pclد_id	User Id		x(8)	
pclد_mod_date	Modified Date	Mod Date	99/99/99	
pclد_user1	Ufld1		x(8)	
pclد_user2	Ufld2		x(8)	
pclد_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pcl_d_det	yes	oid_pcl_d_det	yes	no
*	pcld_groupid	yes	pcld_domain	yes	no
			pcld_group	yes	no
			pcld_id	yes	no

pcl_mstr

Product Change Control Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pcl_mstr	yes	oid_pcl_mstr	yes	no
pcl_group	yes	pcl_domain	yes	no
		pcl_group	yes	no
		pcl_type	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_pcsc_ctrl	yes	oid_pcsc_ctrl	yes	no
	pcsc_domain	yes	pcsc_domain	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_cs_mstr	Identifier of Child cost set		>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_parent	Identifier for Parent table		.9<<<<<<<<<	
oid_pctrop_det	Identifier for Side table for various tables		>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pctrop__qadc01			x(24)	
pctrop__qadc02			x(24)	
pctrop_cst_ll	Cost Lower Level		->>>, >>>, >>9.99<<<	10
pctrop_cst_tl	Cost This Level		->>>, >>>, >>9.99<<<	10
pctrop_element	Cost Element		x(8)	
pctrop_mod_date	Modified Date	Mod Date	99/99/99	
pctrop_mod_userid	User ID		x(8)	
pctrop_parent_table	Parent Table Name		x(16)	
pctrop_user1	User Field Character 1		x(24)	
pctrop_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_pctrop_det	yes	oid_pctrop_det	yes	no
pctrop_par_cs_elem	yes	oid_parent	yes	no
		oid_cs_mstr	yes	no
		pctrop_element	yes	no

Product Change Control Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pct_mstr			>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
pct__qad01	ECR/ECN		yes/no	
pct__qad02			99/99/99	
pct__qad03			x(8)	
pct__qad04			x(8)	
pct__qad05			x(8)	
pct_approval	Approval Code	Approval	x(8)	
pct_dc_warn	Warning Type		>9	
pct_desc	Description		x(24)	
pct_distr	Distribution	Dstrbn	x(8)	
pct_doc_type	Document Type	Doc Type	X(8)	
pct_domain	Domain		x(8)	
pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pct_mod_date	Modified Date	Mod Date	99/99/99	
pct_prefix	Prefix	Pre	x(3)	
pct_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
pct_seqrev_off	Rev Level Off	Off	yes/no	
pct_type	Type		x(8)	
pct_user1	Ufld1		x(8)	
pct_user2	Ufld2		x(8)	
pct_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pct_mstr	yes	oid_pct_mstr	yes	no
* pct_type	yes	pct_domain	yes	no
		pct_type	yes	no
		pct_dsgn_grp	yes	no

Price List Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pc_mstr	yes	oid_pc_mstr	yes	no
* pc_list	yes	pc_domain	yes	no
		pc_list_classification	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_prod_line	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_start	yes	no
pc_part	no	pc_domain	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no
pc_prod_line	no	pc_domain	yes	no
		pc_prod_line	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no

GL Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Record ID		9999999999	
PeriodClosingDate	Closing Date		99/99/9999	
PeriodEndDate	End Date		99/99/9999	
PeriodIsPostingGLAllowed	GL		yes/no	
PeriodIsPostingInvAllowed	Inventory		yes/no	
PeriodIsPostingOtherAllow	Other		yes/no	
PeriodIsPostingPCAllowed	Periodic Costing		yes/no	
PeriodIsPostingPurchAllow	Purchases	AP	yes/no	
PeriodIsPostingSalesAllow	Sales		yes/no	
PeriodIsReportChecked	Checked/Reported		yes/no	
PeriodMark_ID	Mark		9999999999	
PeriodPeriod	GL Period	GL Pd	99	
PeriodReportingPeriod	Reporting GL Period		x(20)	
PeriodStartDate	Start Date		99/99/9999	
PeriodStatus	Status		x(20)	
PeriodTypeCode	GL Period Type		x(20)	
PeriodYear	GL Calendar Year	GL Cal Year	9999	
PeriodYearPeriod	GL Calendar Year/GL Period GL Year/GL Pd		999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AccYear	no	PeriodYear	yes	no
◇ Company	no	Company_ID	yes	no
CompanyAndYearPeriod	yes	Company_ID	yes	no
		PeriodYearPeriod	yes	no
CompanyPeriodEndDate	no	Company_ID	yes	no
		PeriodEndDate	yes	no
◇ EndDate	no	PeriodEndDate	yes	no
◇ Period	no	PeriodPeriod	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇* Prim	yes	Period_ID	yes	no
◇ StartDate	no	PeriodStartDate	yes	no
StatusClosing	no	PeriodStatus	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	Uniqueldx	yes	Company_ID	yes	no
			PeriodYear	yes	no
			PeriodPeriod	yes	no
◇	YearPeriod	no	PeriodYearPeriod	yes	no

PeriodMark Period Mark

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Record ID		9999999999	
PeriodMarkCode	Mark		x(40)	
PeriodMarkDescription	Description		x(60)	
PeriodMarkIsActive	Active		yes/no	
PeriodMarkSequence	Sequence	Seq	->, >>>, >>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyAndCode	yes	Company_ID	yes	no
		PeriodMarkCode	yes	no
CompanyAndSequenc e	yes	Company_ID	yes	no
		PeriodMarkSequence	yes	no
◇ IsActive	no	PeriodMarkIsActive	yes	no
◇* Prim	yes	PeriodMark_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		PeriodMarkIsActive	yes	no
		PeriodMarkCode	yes	no

pfc_det Production Forecast Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pfc__qadc01			.9<<<<<<<<<	
pfc_date	Date	Date	x(8) 99/99/99	
pfc_domain	Domain		x(8)	
pfc_id_num			>>>>>>9	
pfc_part	Item Number		x(18)	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		-,>, >>>, >>9.9<<<<<<<<<	10
pfc_site	Site		x(8)	
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pfc_det	yes	oid_pfc_det	yes	no
pfc_id_num	no	pfc_domain	yes	no
		pfc_id_num	yes	no
* pfc_part	yes	pfc_domain	yes	no
		pfc_part	yes	no
		pfc_site	yes	no
		pfc_peg_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pfc_peg_part	no	pfc_date	yes	no
		pfc_domain	yes	no
		pfc_peg_part	yes	no
		pfc_site	yes	no

pfd_det

Service/Support Item-Site Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pfd_det	yes	oid_pfd_det	yes	no
pfd_pm_mrp	no	pfd_domain	yes	no
		pfd_pm_mrp	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
pfd_ptsite	yes	pfd_domain	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
pfd_sitept	no	pfd_domain	yes	no
		pfd_site	yes	no
		pfd_part	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_pgc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>g 10 .9<<<<<<<<<<	
pgc__qadc01			x(8)	
pgc_addr	Pager Company		x(8)	
pgc_append_ca	Append Call		yes/no	
pgc_domain	Domain		x(8)	
pgc_index	Index		>>9	
pgc_paged_status	Paged Status		x(8)	
pgc_phone	Pager Number		x(20)	
pgc_port1	Program		x(32)	
pgc_port2	Parameter		x(32)	
pgc_port3	Port #3		x(32)	
pgc_port4	Port #4		x(32)	
pgc_post_control	After Phone Number		x(18)	
pgc_pre_control	Before Phone Number		x(18)	
pgc_program	Program		x(16)	
pgc_user1	Ufld1		x(8)	
pgc_user2	Ufld2		x(8)	
pgc_wait_status	Waiting for Page Status		x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_pgh_hist			>>>>>>>>>>>>>>>>>>>>>9	10
pgh_chr01	User Character Field 1		X(8)	.9<<<<<<<
pgh_chr02	User Character Field 2		X(8)	
pgh_dte01	User Date Field 1		99/99/99	
pgh_log01	User Logical Field 1		yes/no	
pgh_qadc01	QAD Character Field 1		X(8)	
pgh_qadc02	QAD Character Field 2		X(8)	
pgh_qadl01	QAD Logical Field 1		yes/no	
pgh_qadt01	QAD Date Field 1		99/99/99	
pgh_ca_nbr	Call Number		x(8)	
pgh_date	Date		99/99/99	
pgh_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
pgh_eng_code	Engineer		x(8)	
pgh_phone	Phone		x(20)	
pgh_status	Status		x(8)	
pgh_time_init	Time		99:99	
pgh_time_paged	Time Paged		99:99	
pgh_trnbr	Transaction		>>>>>>>>9	
pgh_user1	Ufld1		x(8)	
pgh_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pgh_hist	yes	oid_pgh_hist	yes	no
pgh_ca_nbr	no	pgh_domain	yes	no
		pgh_ca_nbr	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_eng_code	no	pgh_domain	yes	no
		pgh_eng_code	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_status	no	pgh_domain	yes	no
		pgh_status	yes	no
* pgh_trnbr	yes	pgh_domain	yes	no
		pgh_trnbr	no	no

pgm_det

Program Detail

Field Name	Label	Col-Label	Format	Dec
oid_pgm_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pgm__qadc01			x(8)	
pgm_cmmt[20]	Program Data		x(76)	
pgm_desc	Description		x(24)	
pgm_domain	Domain		x(8)	
pgm_eq	Equation Name	Eg Name	x(8)	
pgm_mod_date	Modified Date	Mod Date	99/99/99	
pgm_ref	Program Reference		x(40)	
pgm_seq	Page		>9	
pgm_type	Type	T	x(2)	
pgm_user1	Ufld1		x(8)	
pgm_user2	Ufld2		x(8)	
pgm_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pgm_det	yes	oid_pgm_det	yes	no
* pgm_ref_eq	yes	pgm_domain	yes	no
		pgm_ref	yes	no
		pgm_eq	yes	no
		pgm_type	yes	no
		pgm_seq	yes	no
pgm_type_eq	no	pgm_domain	yes	no
		pgm_type	yes	no
		pgm_eq	yes	no

pic_ctrl

Pricing Control

Field Name	Label	Col-Label	Format	Dec
oid_pic_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
pic__qadc01			.9<<<<<<<<	
pic__qadi01			x(8)	
pic_cust_regen	Customers		->>>>>>9	
pic_disc_comb	Discount Combination Type		yes/no x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pic_ctrl	yes	oid_pic_ctrl	yes	no
*	pic_index1	yes	pic_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pid_det	yes	oid_pid_det	yes	no
*	pid_list_id	yes	pid_domain	yes	no
			pid_list_id	yes	no
			pid_qty	yes	no

Field Name	Label	Col-Label	Format	Dec
picg__qadl01			yes/no	
picg__qadl02			yes/no	
picg__qadt01			99/99/99	
picg__qadt02			99/99/99	
picg_amt_type	Amount Type		x(24)	
picg_code	Price List Group		x(8)	
picg_curr	Currency	Cur	X(3)	
picg_div	Division		x(8)	
picg_domain	Domain		x(8)	
picg_expire	Expire		99/99/99	
picg_include	Include		yes/no	
picg_mem_ref	Member Reference		x(8)	
picg_mem_type	Member Type		>>>9	
picg_srch_type	Search Type		>>9	
picg_start	Start		99/99/99	
picg_user1	Ufld1		x(8)	
picg_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pigc_det	yes	oid_pigc_det	yes	no
* pigc_code	yes	pigc_domain	yes	no
		pigc_code	yes	no
		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no
		pigc_amt_type	yes	no
pigc_member	no	pigc_domain	yes	no
		pigc_div	yes	no
		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no
		pigc_srch_type	yes	no
		pigc_curr	yes	no
		pigc_start	yes	no

pigp_det

Price List Group Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pigp__qadc01			.9<<<<<<<<<	
pigp__qadc02			x(8)	
pigp__qadc03			x(8)	
pigp__qadd01			->>>>, >>>, >>9.9	10
pigp__qadd02			->>>>, >>>, >>9.9	10
pigp__qadi01			->, >>>, >>9	
pigp__qadi02			->, >>>, >>9	
pigp__qadl01			yes/no	
pigp__qadl02			yes/no	
pigp__qadt01			99/99/99	
pigp__qadt02			99/99/99	
pigp_amt_type	Amount Type		X(24)	
pigp_code	Price List Group		x(8)	
pigp_curr	Currency	Cur	X(3)	
pigp_div	Division		X(8)	
pigp_domain	Domain		x(8)	
pigp_expire	Expire		99/99/9999	
pigp_include	Include		yes/no	
pigp_list_id	List ID		x(8)	
pigp_prod_ref	Item Reference		X(18)	
pigp_prod_type	Item Type		9	
pigp_srch_type	Search Type		>>9	
pigp_start	Start		99/99/99	
pigp_user1	Ufld1		x(8)	
pigp_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pigp_det	yes	oid_pigp_det	yes	no
* pigp_code	yes	pigp_domain	yes	no
		pigp_code	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_amt_type	yes	no
pigp_product	no	pigp_domain	yes	no
		pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

Price List Group Master

Field Name	Label	Col-Label	Format	Dec
oid_pig_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pig__qadc01			.9<<<<<<<<<	
pig__qadc02			x(8)	
pig__qadc03			x(8)	
pig__qadd01			x(8)	
pig__qadd02			->>>>, >>>, >>9.9	10
pig__qadi01			->>>>, >>>, >>9.9	10
pig__qadi02			->, >>>, >>9	
pig__qadi02			->, >>>, >>9	
pig__qadl01			yes/no	
pig__qadl02			yes/no	
pig__qadt01			99/99/99	
pig__qadt02			99/99/99	
pig_all_custs	All Customers		yes/no	
pig_all_items	All Items		yes/no	
pig_amt_type	Amount Type		x(24)	
pig_code	Price List Group		x(8)	
pig_curr	Currency	Cur	x(3)	
pig_desc	Description		x(24)	
pig_div	Division		x(8)	
pig_domain	Domain		x(8)	
pig_expire	Expire		99/99/99	
pig_list	Price List		x(8)	
pig_list_id	List ID		x(8)	
pig_priority	Priority		>9	
pig_ref_code	Reference		x(16)	
pig_ref_type	Reference Type		99	
pig_srch_type	Search Type		>>9	
pig_start	Start		99/99/99	
pig_user1	Ufld1		x(8)	
pig_user2	Ufld2		x(8)	
pig_val_type	Value Type		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pig_mstr	yes	oid_pig_mstr	yes	no
pig_all_custs	no	pig_domain	yes	no
		pig_div	yes	no
		pig_all_custs	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
pig_all_items	no	pig_domain	yes	no
		pig_div	yes	no
		pig_all_items	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
* pig_code	yes	pig_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pig_div_code	yes	pig_code	yes	no
		pig_amt_type	yes	no
		pig_domain	yes	no
		pig_div	yes	no
		pig_code	yes	no
pig_ref	no	pig_amt_type	yes	no
		pig_domain	yes	no
		pig_ref_type	yes	no
		pig_ref_code	yes	no

pih_hist

Pricing History

Field Name	Label	Col-Label	Format	Dec
oid_pih_hist			>>>>>>>>>>>>>>>>>>>>>>9.10 .9<<<<<<<<	
pih__chr01			x(8)	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>, >>>, >>9.99	10
pih__dec02			>>>, >>>, >>9.99	10
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>, >>>, >>9.9<<<	10
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC	CC	x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pih_amt	Amount		->>>>, >>>, >>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_confg_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
pih_disc_cc	Cost Ctr	CC	x(4)	
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>, >>9.<<<<<	10
pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
pih_doc_type	Doc Type		>>9	
pih_domain	Domain		x(8)	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frt List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pih_mod_date	Modified Date	Mod Date	99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pih_hist	yes	oid_pih_hist	yes	no
pih_comp	no	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no
pih_list	no	pih_domain	yes	no
		pih_list	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
pih_list_id	no	pih_domain	yes	no
		pih_list_id	yes	no
pih_nbr	yes	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_config_disc	yes	no
		pih_source	yes	no
		pih_list_id	yes	no
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_pi_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
pi_chr01			.9<<<<<<<<	
pi_chr02			x(8)	
pi_chr03			x(8)	
pi_chr04			x(8)	
pi_chr05			x(8)	
pi_chr06			x(8)	
pi_chr07			x(8)	
pi_chr08			x(8)	
pi_chr09			x(8)	
pi_chr10			x(8)	
pi_dec01			>>>, >>>, >>9.99	10
pi_dec02			>>>, >>>, >>9.99	10
pi_dte01			99/99/99	
pi_dte02			99/99/99	
pi_log01			yes/no	
pi_qadc01			x(8)	
pi_qadd01			->>>, >>>, >>9.9<<<	10
pi_accr_acct	Accrual Acct		x(8)	
pi_accr_cc	Accrual CC	CC	x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	

Field Name	Label	Col-Label	Format	Dec
pi_cmtindx	Comments		>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_config_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr	CC	x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>, >>9.9<<<<<	10
pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
pi_domain	Domain		x(8)	
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>>, >>>, >>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>, >>>, >>9.99<<<	10
pi_max_qty	Max Qty		->>, >>>, >>9.9<<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pi_min_price	Min Price		>>>>, >>>, >>9.99<<<	10
pi_mod_date	Modified Date	Mod Date	99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	
pi_promo1	Promotion Code		x(8)	
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	
pi_user2	Ufld2		x(8)	
pi_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pi_mstr	yes	oid_pi_mstr	yes	no
pi_cs_code	no	pi_domain	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
* pi_list	yes	pi_domain	yes	no
		pi_list	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
pi_list_id	yes	pi_domain	yes	no
		pi_list_id	yes	no
pi_part_code	no	pi_domain	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no

Project Realization Control

Field Name	Label	Col-Label	Format	Dec
oid_pjc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjc__log01			.9<<<<<<<<<	
pjc__log02			yes/no	
pjc__qadc01			yes/no	
pjc__qadc02			x(24)	
pjc__qadd01			x(24)	
pjc__qadi01			->>>>, >>>, >>9.99<<<	10
pjc__qadi02			>>>>>>>9	
pjc__qadi02			->>>>>>>9	
pjc__qadl01			yes/no	
pjc__qadl02			yes/no	
pjc__qadt01			99/99/99	
pjc_auto_mo	Auto Generate MO		yes/no	
pjc_bg_above	Budget Overrun Limit		->>9.9<%	10
pjc_bg_below	Budget Warning Limit		->>9.9<%	10
pjc_close_status	Closed Status		x(8)	
pjc_comp_status	Complete Status		x(8)	
pjc_dflt_que	Queue		x(8)	
pjc_domain	Domain		x(8)	
pjc_global_inv	Global Invoicing		yes/no	
pjc_hcmmts	Project Header Comments		yes/no	
pjc_hold_level	Credit Hold Option		>>9	
pjc_hold_status	Hold Status		x(8)	
pjc_lcmmts	Project Line Comments		yes/no	
pjc_mod_date	Modified Date	Mod Date	99/99/99	
pjc_mod_userid	User ID		x(8)	
pjc_open_status	Open Status		x(8)	
pjc_pao_cancel	Cancel Status		x(8)	
pjc_pao_close	Closed Status		x(8)	
pjc_pao_complete	Complete Status		x(8)	
pjc_pao_hold	Hold Status		x(8)	
pjc_pao_nbr	Next PAO		>>>>>>>9	
pjc_pao_open	Open Status		x(8)	
pjc_pao_pre	PAO Prefix		x(3)	
pjc_paocmmts	PAO Comments		yes/no	
pjc_par_detail	PAR Detail		yes/no	
pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
pjc_par_return	PAR Return Status		x(8)	
pjc_par_scrap	PAR Scrap Status		x(8)	
pjc_pj_type	GL Project Type		x(2)	
pjc_pjs_hist	Generate Transaction History		yes/no	
pjc_pr_rollup	Auto Price Rollup		yes/no	
pjc_prj_nbr	Next Project		>>>>>>>9	
pjc_prj_pre	Project Prefix		x(3)	
pjc_prj_site	Project Site		x(8)	
pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
pjc_pt_prod	Use Item Product Line		yes/no	
pjc_schedule_pao	Schedule		yes/no	
pjc_scmmts	Subproject Comments		yes/no	
pjc_so_nbr	Next Project SO		>>>>>>>9	
pjc_so_pre	Project SO Prefix		x(3)	
pjc_sub_det	Subproject Details		yes/no	
pjc_use_budgets	Use Budgets		yes/no	
pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
pjc_user1	Ufld1		x(8)	
pjc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pjc_ctrl	yes	oid_pjc_ctrl	yes	no
*	pjc_index1	yes	pjc_domain	yes	no

pjd_det

Project Realization Subproject Detail

Pjid Name	Label	Col-Label	Format	Dec
oid_pjd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pjd__qadc01			.9<<<<<<<<	
pjd__qadc02			x(24)	
pjd__qadd01			x(24)	
pjd__qadi01			->>>, >>>, >>9.99<<<	10
pjd__qadl01			>>>>>>g	
pjd__qadt01			yes/no	
pjd_budget_type	Budget Type		99/99/99	
pjd_ca_int_type	Work Code		>>9	
pjd_cmtindx	Comment Index		x(8)	
pjd_comm_pct[4]	Commission		>>>>>>>g	
pjd_cr_terms	Credit Terms		>>9.9<%	10
pjd_desc	Description		x(8)	
pjd_disc_pct	Discount		x(24)	
pjd_domain	Domain		->>9.9<%	10
pjd_end_date	End Date		x(8)	
pjd_end_orig	Original End		99/99/99	
pjd_eng_nbr	Engineer		99/99/99	
pjd_eu_nbr	End User		x(8)	
pjd_global_inv	Global Invoicing		x(8)	
pjd_inv_det	Details on Invoice		yes/no	
pjd_inv_det_pr	Prices of Details		yes/no	
pjd_inv_lvl	Invoice Level		yes/no	
pjd_list_pr	Total List Price		->>>, >>>, >>9.99<<<	10
pjd_loc	Location		x(8)	
pjd_mod_date	Modified Date	Mod Date	99/99/99	
pjd_mod_userid	User ID		x(8)	
pjd_nbr	Project		x(8)	
pjd_pjt_code	Project Type		x(8)	
pjd_pr_list	Price List		x(8)	
pjd_prep_tax	Prepaid Tax		->>>, >>>, >>9.99<<<	10
pjd_prepaid	Prepaid		->>>, >>>, >>9.99<<<	10
pjd_prod_line	Product Line		x(4)	
pjd_site	Site		x(8)	
pjd_slspsn[4]	Slspsn		x(8)	
pjd_st_date	Start Date		99/99/99	
pjd_st_orig	Original Start		99/99/99	
pjd_status	Status		x(8)	
pjd_sub_nbr	Subproject	Subproj	>>>9	
pjd_total_price	Total Net Price		->>>, >>>, >>9.99<<<	10
pjd_user1	Ufld1		x(8)	
pjd_user2	Ufld2		x(8)	
pjd_variation	Variation		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjd_det	yes	oid_pjd_det	yes	no
pjd_pjt_code	no	pjd_domain	yes	no
		pjd_pjt_code	yes	no
* pjd_sub_nbr	yes	pjd_domain	yes	no
		pjd_nbr	yes	no
		pjd_sub_nbr	yes	no

Project Realization Transaction History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjsh_hist	yes	oid_pjsh_hist	yes	no
pjsh_prj_nbr	no	pjsh_domain	yes	no
		pjsh_nbr	yes	no
		pjsh_pjs_line	yes	no
		pjsh_tr_date	yes	no
		pjsh_tr_time	yes	no
* pjsh_trnbr	yes	pjsh_domain	yes	no
		pjsh_trnbr	yes	no

pjsx_det

Project Structure Cross-Reference Detail

Field Name	Label	Col-Label	Format	Dec
oid_pjsx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjsx__dec01			.9<<<<<<<<<	
pjsx__dte01			->>>, >>, >>9.99<<<	10
pjsx__log01			yes/no	
pjsx__qadc01			x(24)	
pjsx__qadc02			x(24)	
pjsx__qadd01			->>>, >>, >>9.99<<<	10
pjsx__qadi01			>>>>>>9	
pjsx__quadl01			yes/no	
pjsx__qadt01			99/99/99	
pjsx_date	Last Modified Date		99/99/99	
pjsx_def_ws	Worksheet		x(8)	
pjsx_domain	Domain		x(8)	
pjsx_end_date	End Date		99/99/99	
pjsx_int_stat	Internal Status		x(8)	
pjsx_line	PAO Line		>>9	
pjsx_loc	Location		x(8)	
pjsx_mod_date	Modified Date	Mod Date	99/99/99	
pjsx_mod_userid	User ID		x(8)	
pjsx_nbr	PAO		x(8)	
pjsx_pjs_line	Project Line		>>>>>>9	
pjsx_prj_nbr	Project		x(8)	
pjsx_qty_demand	Demand Qty		->, >>, >>9.9<<<<<<<<<	10
pjsx_qty_in_prog	Qty In Progress		->, >>, >>9.9<<<<<<<<<	10
pjsx_qty_iss	Qty Issued		->, >>, >>9.9<<<<<<<<<	10
pjsx_qty_ord	Qty Ordered		->, >>, >>9.9<<<<<<<<<	10
pjsx_site	Site		x(8)	
pjsx_so_nbr	Material Order		x(8)	
pjsx_sod_line	MO Line		>>9	
pjsx_start_date	Start Date		99/99/99	
pjsx_type	PAO Line Type		x(4)	
pjsx_user1	Ufld1		x(8)	
pjsx_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjxs_det	yes	oid_pjxs_det	yes	no
* pjsx_nbrln	yes	pjsx_domain	yes	no
		pjsx_nbr	yes	no
		pjsx_line	yes	no
pjsx_pjs	no	pjsx_domain	yes	no
		pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_nbr	yes	no
pjsx_sonbr	no	pjsx_domain	yes	no
		pjsx_so_nbr	yes	no
		pjsx_sod_line	yes	no
pjsx_type	no	pjsx_domain	yes	no
		pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_type	yes	no
pjsx_ws	no	pjsx_domain	yes	no
		pjsx_def_ws	yes	no

pjs_mstr

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_pjs_mstr			>>>>>>>>>>>>>>>>>>>>9	10
pjs__chr01			.9<<<<<<<<	
pjs__dec01			x(8)	
pjs__dec02			->>>, >>, >>9.99<<<	10
pjs__dte01			->>>, >>, >>9.99<<<	10
pjs__dte02			99/99/99	
			99/99/99	

Field Name	Label	Col-Label	Format	Dec
pjs__log01			yes/no	
pjs__log02			yes/no	
pjs__qadc01			x(24)	
pjs__qadc02			x(24)	
pjs__qadc03			x(24)	
pjs__qadd01			->>>>, >>>, >>9.99<<<	10
pjs__qadd02			->>>>, >>>, >>9.99<<<	10
pjs__qadi01			>>>>>>9	
pjs__qadi02			>>>>>>9	
pjs__qadi01			yes/no	
pjs__qadi02			yes/no	
pjs__qadt01			99/99/99	
pjs__qadt02			99/99/99	
pjs__amt_inv	Amount Invoiced	Amt Inv	->>>>, >>>, >>9.99<<<	10
pjs__budget_type	Budget Type		>9	
pjs__ca_int_type	Work Code		x(8)	
pjs__cmtindx	Comment Index		>>>>>>9	
pjs__completed	Completed		yes/no	
pjs__cost	Unit Cost		->>>>, >>>, >>9.99<<<	10
pjs__cost_actual	Actual Cost		->>>>, >>>, >>9.99<<<	10
pjs__cost_iss	Issued Cost		->>>>, >>>, >>9.99<<<	10
pjs__cost_wip	WIP Cost		->>>>, >>>, >>9.99<<<	10
pjs__desc	Description		x(24)	
pjs__detail_on_inv	Detail on Invoice		yes/no	
pjs__disc_pct	Discount		->>9.9<%	10
pjs__domain	Domain		x(8)	
pjs__frozen	Frozen		yes/no	
pjs__fsc_code	Category		x(8)	
pjs__inv_group	Invoice Group		x(8)	
pjs__inv_lvl	Invoice Level		yes/no	
pjs__line	Project Line		>>>>>>9	
pjs__line_disp	Project Line ID		x(12)	
pjs__line_par	Parent Line		>>>>>>9	
pjs__line_seq	Project Line Seq		>>>9	
pjs__line_sort	Project Line Sort		x(24)	
pjs__link_ok	Link to PAO		yes/no	
pjs__list_pr	List Price		->>>>, >>>, >>9.99<<<	10
pjs__mod_date	Modified Date	Mod Date	99/99/99	
pjs__mod_userid	User ID		x(8)	
pjs__nbr	Project		x(8)	
pjs__part	Item Number		x(18)	
pjs__povar_amt	PO Variance Amount		->>>>, >>>, >>9.99<<<	10
pjs__price	Net Price		->>>>, >>>, >>9.99<<<	10
pjs__price_on_inv	Price on Invoice		yes/no	
pjs__prod_line	Product Line		x(4)	
pjs__qty_actual	Qty Actual		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_budget	Qty Budgeted		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_inv	Qty Invoiced		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_iss	Qty Issued		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_oh	Project QOH		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_planned	Qty Planned		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_sel_inv	Qty to Invoice		->>, >>>, >>9.9<<<<<<<<<	10
pjs__qty_wip	Qty WIP		->>, >>>, >>9.9<<<<<<<<<	10
pjs__status	Status		x(8)	
pjs__sub_nbr	Subproject		>>>9	
pjs__subassy	Subassembly		yes/no	
pjs__um	UM		x(2)	
pjs__um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs__user1	Ufid1		x(8)	
pjs__user2	Ufid2		x(8)	
pjs__variation	Variation		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjs_mstr	yes	oid_pjs_mstr	yes	no
* pjs_line	yes	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line	yes	no
pjs_status	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_status	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pjs_structure	no	pjs_link_ok	yes	no
		pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_sub_nbr	yes	no
pjs_tree	no	pjs_line_par	yes	no
		pjs_line_seq	yes	no
		pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line_sort	yes	no

pjt_mstr Project Realization Project Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pjt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjt__qadc01			.9<<<<<<<<	
pjt__qadd01			x(24)	
pjt__qadi01			->>>>, >>>, >>9.99<<<	10
pjt__qadl01			>>>>>>>9	
pjt__qadt01			yes/no	
pjt_ca_int_type	Work Code		99/99/99	
pjt_cmtindx	Comment Index		x(8)	
pjt_code	Project Type		>>>>>>>9	
pjt_desc	Description		x(8)	
pjt_domain	Domain		x(24)	
pjt_mod_date	Modified Date	Mod Date	x(8)	
pjt_mod_userid	User ID		99/99/99	
pjt_pr_list	Price List		x(8)	
pjt_priority	Priority		>>>9	
pjt_prod_line	Product Line		x(4)	
pjt_taxable	Taxable		yes/no	
pjt_taxc	Tax Class		x(3)	
pjt_user1	Ufld1		x(8)	
pjt_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pjt_mstr	yes	oid_pjt_mstr	yes	no
*	pjt_code	yes	pjt_domain	yes	no
			pjt_code	yes	no

pj_mstr Project Master

Field Name	Label	Col-Label	Format	Dec
oid_pj_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
pj__qadc01			.9<<<<<<<<<	
pj_active	Active	Act	x(8)	
pj_beg_dt	Begin Date	Beg Date	yes/no	
pj_cmtindx	Comment Index	Cmmt Indx	99/99/99	
pj_comp	Actual Completion Date	Comp Dt	>>>>>>9	
pj_desc	Description		99/99/99	
pj_domain	Domain		x(24)	
pj_findate	Original Completion Date	Org C Dt	x(8)	
pj_project	Project		99/99/99	
pj_revdate	Date Revised	Date Rev	x(8)	
pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
pj_stat	Status Code	S	99/99/99	
pj_type	Project Type	T	x(1)	
pj_user1	Ufld1		x(2)	
pj_user2	Ufld2		x(8)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pj_mstr	yes	oid_pj_mstr	yes	no
pj_active	no	pj_domain	yes	no
		pj_project	yes	no
pj_desc	no	pj_active	yes	no
		pj_domain	yes	no
		pj_desc	yes	no
		pj_project	yes	no
* pj_project	yes	pj_domain	yes	no
		pj_project	yes	no

pk_det

Pick List Work Table

Field Name	Label	Col-Label	Format	Dec
oid_pk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pk__qadc01			.9<<<<<<<<<<	
pk_domain	Domain		x(8)	
pk_end	End		99/99/99	
pk_loc	Location		x(8)	
pk_lot	ID		x(8)	
pk_part	Item Number		x(18)	
pk_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
pk_reference	Reference	Ref	x(8)	
pk_start	Start		99/99/99	
pk_user			x(50)	
pk_user1	Ufld1		x(8)	
pk_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pk_det	yes	oid_pk_det	yes	no
* pk_det	yes	pk_domain	yes	no
		pk_user	yes	no
		pk_part	yes	no
		pk_reference	yes	no
		pk_start	yes	no
		pk_end	yes	no

p1d_det

Product Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_pld_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pld__qadc01			.9<<<<<<<<	
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pld_domain	Domain		x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_dsccacct	Inv Discrep Acct	Discrep	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodlne	Product Line	Line	x(4)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pld_det	yes	oid_pld_det	yes	no
* pld_det	yes	pld_domain	yes	no
		pld_prodlne	yes	no
		pld_site	yes	no
		pld_loc	yes	no
pld_site	yes	pld_domain	yes	no
		pld_site	yes	no
		pld_loc	yes	no
		pld_prodlne	yes	no

pliabs_ref

Legal Document Cross-Reference

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pliabs_ref	yes	oid_pliabs_ref	yes	no
*	pliabs_pli_keyid	yes	pliabs_domain	yes	no
			pliabs_pli_keyid	yes	no
	pliabs_supplier	no	pliabs_domain	yes	no
			pliabs_supplier	yes	no
			pliabs_abs id	yes	no

Purchase Ledger Invoice Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_plid_det	yes	oid_plid_det	yes	no
plid_order	no	plid_domain	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
* plid_pli_keyid	yes	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_line	yes	no
plid_pli_keyid_order	no	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
plid_pvo_id	no	plid_domain	yes	no
		plid_pvo_id	yes	no

Purchase Ledger Invoice Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pli_mstr	yes	oid_pli_mstr	yes	no
pli_invoice	no	pli_domain	yes	no
		pli_supplier	yes	no
		pli_invoice	yes	no
* pli_keyid	yes	pli_domain	yes	no
		pli_keyid	yes	no
pli_vo_ref	no	pli_domain	yes	no
		pli_vo_ref	yes	no

Product Line Sales Detail

Field Name	Label	Col-Label	Format	Dec
plsd_mod_date	Modified Date	Mod Date	99/99/99	
plsd_prodlne	Product Line	Line	x(4)	
plsd_site	Site		x(8)	
plsd_sls_acct	Sales Acct	Sales	x(8)	
plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
plsd_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
plsd_user1	Ufld1		x(8)	
plsd_user2	Ufld2		x(8)	
plsd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_plsd_det	yes	old_plsd_det	yes	no
* plsd_prodl ine	yes	plsd_domain	yes	no
		plsd_prodl ine	yes	no
		plsd_site	yes	no
		plsd_cmtype	yes	no
		plsd_channel	yes	no

plt_det Product Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_plt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
plt__qadc01			.9<<<<<<<<<<	
plt_domain	Domain		x(8)	
plt_mod_date	Modified Date	Mod Date	99/99/99	
plt_prod_line	Product Line	Line	x(4)	
plt_tax_type	Tax Type		x(3)	
plt_taxable	Taxable		yes/no	
plt_taxc	Tax Class	TxC	x(3)	
plt_user1	User1		x(8)	
plt_user2	User2		x(8)	
plt_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_plt_det	yes	oid_plt_det	yes	no
* plt_prod_line	yes	plt_domain	yes	no
		plt_prod_line	yes	no
		plt_tax_type	yes	no

pl_mstr Product Line Master

Field Name	Label	Col-Label	Format	Dec
oid_pl_mstr			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pl_chr01			x(8)	
pl_chr02			x(8)	
pl_chr03			x(8)	
pl_chr04			x(8)	
pl_chr05			x(8)	
pl_dec01			>>>, >>>, >>9.99	10
pl_dec02			>>>, >>>, >>9.99	10
pl_dte01			99/99/99	
pl_dte02			99/99/99	
pl_log01			yes/no	
pl_qadc01	QAD Character Field 1		X(8)	
pl_qadc02	QAD Character Field 2		X(8)	
pl_qadc03	QAD Character Field 3		X(8)	
pl_qadc04	QAD Character Field 4		X(8)	
pl_qadc05	QAD Character Field 5		X(8)	
pl_qadc06			x(8)	
pl_qadc07			x(4)	

Field Name	Label	Col-Label	Format	Dec
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>, >>>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	
pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	
pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
pl_desc	Description		x(24)	
pl_division			x(8)	
pl_domain	Domain		x(8)	
pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pl_esls_acct	Exempt Sales Acct		x(8)	
pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
pl_fiscal_class	Fiscal Class		x(18)	
pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
pl_flr_cc	Floor Stock CC	CC	x(4)	
pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
pl_fsaccr_cc	Accrued Revenue CC		x(4)	
pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
pl_fsdef_cc	Deferred Revenue CC		x(4)	
pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
pl_fsxd_acct	Expense Due Employee		x(8)	
pl_fsxd_cc	Expenses Due CC	CC	x(4)	
pl_fsxd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
pl_fsexp_cc	Service Expenses CC	CC	x(4)	
pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
pl_fslbr_cc	Service Labor CC	CC	x(4)	
pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
pl_fsrg_inv_acct	Repair Center Inv		x(8)	
pl_fsrg_inv_cc	Repair Center CC	CC	x(4)	
pl_fsrg_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
pl_group	Group		x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
pl_mvar_cc	Material Usage Variance CC	CC	x(4)	
pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	
pl_xfer_acct	Transfer Variance Account	Account	x(8)	
pl_xfer_cc	Transfer Variance CC	CC	x(4)	
pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pl_mstr	yes	oid_pl_mstr	yes	no
pl_desc	yes	pl_domain	yes	no
		pl_desc	yes	no
		pl_prod_line	yes	no
* pl_prod_line	yes	pl_domain	yes	no
		pl_prod_line	yes	no

poad det

Purchase Order Allocation Detail

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_poad_det			.9<<<<<<<<<<<<<<<<<<<<<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<<<<<<<<<<<<<<<<<<<<	
poad__qadc01	QAD Character Field 1		x(24)	
poad__qadc02	QAD Character Field 2		x(24)	
poad_domain	Domain		x(8)	
poad_mod_date	Modified Date	Mod Date	99/99/99	
poad_mod_userid	User ID		x(8)	
poad_percent	MRP Percent	Percent	>>9.9<	10
poad_po_nbr	Purchase Order	Order	x(8)	
poad_pod_line	Line		>>9	
poad_supplier	Supplier		x(8)	
poad_user1	User Field Character 1		x(24)	
poad_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poad_det	yes	oid_poad_det	yes	no
* poad_oid_poa_mstr	no	oid_poa_mstr	yes	no
		poad_po_nbr	yes	no
		poad_pod_line	yes	no
poad_supplier	no	poad_domain	yes	no
		poad_supplier	yes	no

poa_mstr

Purchase Order Allocation Master

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
poa_qadc01	QAD Character Field 1		x(24)	
poa_qadc02	QAD Character Field 2		x(24)	
poa_domain	Domain		x(8)	
poa_eff_date	Effective Date	Effective	99/99/99	
poa_mod_date	Modified Date	Mod Date	99/99/99	
poa_mod_userid	User ID		x(8)	
poa_operation	Operation	Op	>>>>9	
poa_order_type	Order Type	Order! Type	>9	
poa_part	Item Number		x(18)	
poa_routing	Routing Code		x(18)	
poa_site	Site		x(8)	
poa_user1	User Field Character 1		x(24)	
poa_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poa_mstr	yes	oid_poa_mstr	yes	no
* poa_order_type	yes	poa_domain	yes	no
		poa_order_type	yes	no
		poa_site	yes	no
		poa_part	yes	no
		poa_routing	yes	no
		poa_operation	yes	no

Field Name	Label	Col-Label	Format	Dec
poc_req_nbr	Next Req		>>>>>>9	
poc_req_pre	Requisition Prefix	Pre	x(3)	
poc_sched_disc_tbl_req	Sched Disc Table Required		yes/no	
poc_ship	Ship-To		x(8)	
poc_sort_by	Sort PO By		Site/Line	
poc_tol_cst	Tolerance Cost	Tolerance \$	>>>>,>>>,>>9.99<<<	10
poc_tol_pct	Tolerance Percent	Tol %	>>>>.>99	10
poc_user1	Ufld1		x(8)	
poc_user2	Ufld2		x(8)	
poc_zero_sched	Zero Schedule	Zero Schedule	>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_poc_ctrl	yes	oid_poc_ctrl	yes	no
*	poc_index1	yes	poc_domain	yes	no

pod_det

Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_pod_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pod_chr01			.9<<<<<<<<	
pod_chr02			x(8)	
pod_chr03			x(8)	
pod_chr04			x(8)	
pod_chr05			x(8)	
pod_chr06			x(8)	
pod_chr07			x(8)	
pod_chr08			x(8)	
pod_chr09			x(8)	
pod_chr10			x(8)	
pod_dec01			>>>, >>>, >>9.99	10
pod_dec02			>>>, >>>, >>9.99	10
pod_dte01			99/99/99	
pod_dte02			99/99/99	
pod_log01			yes/no	
pod_qad02			->>>>>>>>g	
pod_qad03			99:99:99	
pod_qad04[5]			x(40)	
pod_qad05			yes/no	
pod_qad06			x(1)	
pod_qad07			x(2)	
pod_qad08			99/99/99	
pod_qad09			->>>, >>>, >>g	
pod_qad10			x(8)	
pod_qad11			x(8)	
pod_qad12			yes/no	
pod_qad13			yes/no	
pod_qad14			99/99/99	
pod_qad15			yes/no	
pod_qad16			x(8)	
pod_qadd02	QAD Field		->>>>, >>>, >>9.99	10
pod_qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
pod_qadd04	QAD Field		->>>>, >>>, >>9.99	10
pod_qadt01			99/99/99	
pod_acct	Pur Acct		x(8)	
pod_approve	Approved By	Approved	x(8)	
pod_apr_code	Approval Code	Apr Code	x(8)	
pod_assay	Assay %		>>9.99%	10
pod_blanket	Blanket		x(8)	
pod_blnkt_ln	Blanket Line	Bl Ln	>>9	
pod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
pod_cc	Cost Ctr	CC	x(4)	
pod_cmtindx	Comment Index	Comment	>>>>>>>g	
pod_consignment	Consignment		yes/no	
pod_contr_id	Contract ID		x(30)	
pod_contract	Contract		x(8)	

Field Name	Label	Col-Label	Format	Dec
pod_cost_chg	Receipt Cost		->>>>,>>>,>>9.99<<<<	10
pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
pod_cst_up	Update Current Cost		yes/no	
pod_cum_date[4]	Cum Start		99/99/99	
pod_cum_qty[4]	Cum Received		->>>>,>>>,>>9.9<<<<<<<<<	10
pod_curr_rlse_id[3]	Active Rlse ID		x(30)	
pod_desc	Description		x(40)	
pod_disc_pct	Disc%		->>9.99	10
pod_dock	Dock		x(8)	
pod_domain	Domain		x(8)	
pod_drp_ref	DRP Ref		x(8)	
pod_due_date	Due Date	Due	99/99/99	
pod_end_eff[4]	End Effective		99/99/99	
pod_ers_opt	ERS Option	ERS! Opt	>9	
pod_expire	Expire Date	Expire	99/99/99	
pod_fab_days	Fab Auth Days		>,>>9	
pod_fab_weeks	Fab Auth Weeks		>,>>9	
pod_firm_days	Firm Days		>,>>9	
pod_firm_weeks	Firm Weeks		>,>>9	
pod_fix_pr	Fixed Price		yes/no	
pod_fr_list	Freight List	Frt List	x(8)	
pod_fsm_type	FSM Type		x(8)	
pod_grade	Grade		x(2)	
pod_insp_rqd	Inspect Req	Insp	yes/no	
pod_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
pod_line	Line	Ln	>>9	
pod_loc	Location		x(8)	
pod_lot_next	Next Lot/Serial		x(18)	
pod_lot_rcpt	Single Lot		yes/no	
pod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
pod_mrp_pct	Supply Percent		>>9.99%	10
pod_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
pod_nbr	Purchase Order	Order	x(8)	
pod_need	Need Date	Need	99/99/99	
pod_op	Operation	Op	>>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pjs_line	Project Line		>>>>>>>9	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<<<	10
pod_pst	PST		yes/no	
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>,>>>,>>9.99<<<<	10
pod_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<<<	10
pod_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<<	10
pod_qty_rcvd	Qty Received		->,>>>,>>9.9<<<<<<<<<	10
pod_qty_rtn	Qty Returned		->,>>>,>>9.9<<<<<<<<<	10
pod_raw_days	Raw Auth Days		>,>>9	
pod_raw_weeks	Raw Auth Weeks		>,>>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->,>>>,>>9.9<<<<<<<<<	10
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_request	Requested By	Req By	x(8)	
pod_rev	Item Revision	Item Rev	x(4)	
pod_rlse_nbr	Next Release ID		99999999	

Field Name	Label	Col-Label	Format	Dec
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sched	Scheduled		yes/no	
pod_sched_chgd	Scheduled		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sftytl_days	Safety Days		>>9.99	10
pod_sftytl_hrs	Safety Hours		>>9.99	10
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>, >>>, >>9.99<<<	10
pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_translt_days	Transport Days		>>9.99	10
pod_translt_hrs	Transport Hours		>>9.99	10
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufid1		x(8)	
pod_user2	Ufid2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wip_lotser	Lot/Serial		x(18)	
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod_zero_sched_count	Zero Schedule Counter	Zero Sched Count	>>9	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pod_det	yes	oid_pod_det	yes	no
pod_fsm_type	no	pod_domain	yes	no
		pod_fsm_type	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
* pod_nbrln	yes	pod_domain	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_part	yes	pod_domain	yes	no
		pod_part	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_partdue	no	pod_domain	yes	no
		pod_part	yes	no
		pod_due_date	yes	no
pod_project	no	pod_domain	yes	no
		pod_project	yes	no
		pod_pjs_line	yes	no

Posting

Posting

Field Name	Label	Col-Label	Format	Dec
AutoReversalPosting_ID	Automatic Reversal Posting	Automatic Reversal Posting	9999999999	
Company_ID	Link to Company		9999999999	
CreatorUsr_ID	Login		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook Code		9999999999	
LastApprovedUsr_ID	Link to Usr		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LastVerifiedUsr_ID	Link to Usr		9999999999	
ObsoleteClosing_ID	Link to Closing		9999999999	
Period_ID	Link to Period		9999999999	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Record ID		9999999999	
PostingAddGLNbr	Sequence Number		9999999999	
PostingAddGLNbrDate	Additional GL Numbering Date		99/99/9999	
PostingAddGLNbrRevDate	Additional GL Numbering Reversal Date		99/99/9999	
PostingApproveComments	Approve Comments		x(40)	
PostingApprovedDate	Last Approved Date		99/99/9999	
PostingApprovedTime	Last Approved Time		->, >>>, >>9	
PostingApproveStatus	Approve Status		x(40)	
PostingAutoReversalDate	Automatic Reversal Date	Automatic Reversal Date	99/99/9999	
PostingAutoReversalType	Automatic Reversal Type	Automatic Reversal Type	x(20)	
PostingBankImpRef	Bank Importing Reference		x(255)	
PostingBatchNumber	Batch Number		x(8)	
PostingBusinessRelationTxt	Bus Rel (IC Posting)	Business Relation (IC Posting)	x(40)	
PostingCreationDate	Creation Date		99/99/9999	
PostingCreationTimeString	Creation Time		x(10)	
PostingDate	Posting Date		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
PostingInvoiceReferenceTxt	External Inv Ref	External Invoice Reference	x(50)	
PostingIsAutoReversal	Automatic Reversal	Automatic Reversal	yes/no	
PostingIsCorrection	Correction	Correction	yes/no	
PostingIsReplacement	Replacement	Is Replacement	yes/no	
PostingIsReversing	Reversal	Is Reversal	yes/no	
PostingIsReversingBySign	Correction		yes/no	
PostingIsSkipAutoAssignLC	Skip Auto Assign BC		yes/no	
PostingIsZeroValueAllowed	Zero Value Allowed		yes/no	
PostingMirrorRef	Mirroring Reference		x(20)	
PostingOriginAddressCode	Address Code		x(20)	
PostingOriginatorReference	Original Posting Reference		x(40)	
PostingOriginDaybookCode	Origin Daybook Code		x(8)	
PostingOriginDaybookNumber	Origin Daybook Number		x(40)	
PostingOriginDocument	Origin Document	Origin Doc	x(22)	
PostingOriginDocumentType	Origin Payment Type	Origin Pay Type	x(2)	
PostingOriginIsExternal	External Origin		yes/no	
PostingOriginReference	Origin Reference	Origin Ref	x(22)	
PostingOriginTransType	Origin Transaction Type	Origin Trans Type	x(2)	
PostingParentText	Parent Text		x(40)	
PostingPeriod	GL Period		99	
PostingSecondText	Second Description		x(40)	
PostingSystemDate	System Date	Sys Date	99/99/9999	
PostingText	Description		x(40)	
PostingValueDate	Value Date		99/99/9999	
PostingVerifiedDate	Last Verified Date		99/99/9999	
PostingVerifiedTime	Last Verified Time		->, >>>, >>9	
PostingVerifyComments	Verify Comments		x(40)	
PostingVerifyStatus	Verify Status		x(40)	
PostingVoucher	Voucher		9999999999	
PostingYear	Year		9999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportingJournal_ID	Reporting Daybook		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AddGLNbr	no	Company_ID	yes	no
		PostingAddGLNbr	no	no
		PostingAddGLNbrDate	no	no
AutoReversal	no	PostingIsAutoReversal	yes	no
		PostingAutoReversalType	yes	no
◇ Company	no	Company_ID	yes	no
CyOrig	no	Company_ID	yes	no
		PostingOriginTransType	yes	no
		PostingOriginReference	yes	no
CyPeriodYearPeriodId	no	Company_ID	yes	no
x				
		PostingYearPeriod	yes	no
CyPostingDate	no	Company_ID	yes	no
		PostingDate	yes	no
CySysDate	no	Company_ID	yes	no
		PostingSystemDate	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ MirrorRef	no	PostingMirrorRef	yes	no
OriginatorRef	no	PostingOriginatorReference	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDate	no	PostingDate	yes	no
PostingOriginIsExt	no	PostingOriginIsExternal	yes	no
PostingOriginRef	no	PostingOriginReference	yes	no
◇ PostingYear	no	PostingYear	yes	no
◇* Prim	yes	Posting_ID	yes	no
ReportingJrnIdx	no	ReportingJournal_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		PostingYear	yes	no
		Journal_ID	yes	no
		PostingVoucher	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		PostingYear	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		PostingPeriod	yes	no
		Journal_ID	yes	no
		PostingVoucher	yes	no
◇ Voucher	no	PostingVoucher	yes	no

PostingHist Posting History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Currency_ID	Link to Currency		9999999999	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
IntercoBusinessRelation_ID	Link to BusinessRelation		9999999999	
Journal_ID	Link to Journal		9999999999	
JournalTypeCode	Daybook Type	Type	x(30)	
L ayer_ID	Link to Layer		9999999999	
PostingHist_ID	Record ID		9999999999	
PostingHistBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceCreditLC	BC Balance Credit		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceCreditPC	PC Credit Balance		->, >>>, >>9.99	4
PostingHistBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitLC	BC Balance Debit		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitPC	PC Debit Balance		->, >>>, >>9.99	4
PostingHistBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceQTY	Quantity Balance	Qty Balance	->>>, >>>, >>9.99	4
PostingHistFRWCubeTimeSta mp	Timestamp		x(32)	
PostingHistMovemntCreditCC	SC Credit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntCreditLC	BC Movement Credit		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntCreditPC	PC Credit Activity		->, >>>, >>9.99	4
PostingHistMovemntCreditTC	TC Credit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitCC	SC Debit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitLC	BC Movement Debit		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitPC	PC Debit Activity		->, >>>, >>9.99	4
PostingHistMovemntDebitTC	TC Debit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntQTY	Qty Activity		->>>, >>>, >>9.99	4
PostingHistYearPeriodFrom	From Year/GL Period		->, >>>, >>9	
PostingHistYearPeriodTill	To Year/GL Period		->, >>>, >>9	
PostingHistYTDCreditCC	SC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditLC	BC YTD Credit		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditPC	PC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditTC	TC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitCC	SC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitLC	BC YTD Debit		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitPC	PC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitTC	TC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDQTY	Quantity (YTD)	Qty (YTD)	->>>, >>>, >>9.99	4
PostingSafCombined_ID	Link to PostingSafCombined		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyYPFrom	no	Company_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyCCTill	no	Company_ID	yes	no
		CostCentre_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyDivTill	no	Company_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Division_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyGLFrom	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
CyGLTill	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyJrnlTill	no	Company_ID	yes	no
		Journal_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyProjTill	no	Company_ID	yes	no
		Project_ID	yes	no
		PostingHistYearPeriodTill	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLCostCentre	no	GL_ID	yes	no
		CostCentre_ID	yes	no
GLDivision	no	GL_ID	yes	no
		Division_ID	yes	no
GLPostSafComb	no	GL_ID	yes	no
		PostingSafCombined_ID	yes	no
GLProject	no	GL_ID	yes	no
		Project_ID	yes	no
IDsPeriodFrom	no	Company_ID	yes	no
		Journal_ID	yes	no
		Layer_ID	yes	no
		GL_ID	yes	no
		Division_ID	yes	no
		CostCentre_ID	yes	no
		Project_ID	yes	no
		Currency_ID	yes	no
		IntercoBusinessRelation_ID	yes	no
		PostingSafCombined_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
IDsPeriodTill	no	Company_ID	yes	no
		Journal_ID	yes	no
		Layer_ID	yes	no
		GL_ID	yes	no
		Division_ID	yes	no
		CostCentre_ID	yes	no
		Project_ID	yes	no
		Currency_ID	yes	no
		IntercoBusinessRelation_ID	yes	no
		PostingSafCombined_ID	yes	no
		PostingHistYearPeriodTill	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
PeriodFrom	no	PostingHistYearPeriodFrom	yes	no
PeriodTill	no	PostingHistYearPeriodTill	yes	no
◇ PostingSafComb	no	PostingSafCombined_ID	yes	no
◇* Prim	yes	PostingHist_ID	yes	no
◇ Project	no	Project_ID	yes	no

PostingLine Posting Line

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Cost Center Code		9999999999	
CrossCompany_ID	Link to Company		9999999999	
CrossCompanyPosting_ID	Posting (Cross-Cy)		9999999999	
CrossCompanyPostingLine_ID	Posting line (Cross-Cy)	Posting-line (Cross-Cy)	9999999999	
Currency_ID	Currency Code	Trans Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Sub-Account Code		9999999999	
GL_ID	GL Description		9999999999	
IntercoBusinessRelation_ID	Intercompany Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingDate	Posting Date		99/99/9999	
PostingLine_ID	Record ID		9999999999	
PostingLineCCRate	SC Rate		->,>>>,>>9.9999999999	10
PostingLineCCScale	SC Rate Scale		->,>>>,>>9.9999999999	10
PostingLineCostCentreText	Cost Center		x(40)	
PostingLineCreditCC	SC Credit		->>>,>>>,>>>,>>9.99	4
PostingLineCreditLC	BC Credit		->>>,>>>,>>>,>>9.99	4
PostingLineCreditPC	PC Credit		->,>>>,>>9.99	4
PostingLineCreditTC	TC Credit		->>>,>>>,>>>,>>9.99	4
PostingLineCrossExternRef	Ext Reference (Cross-Cy)		x(40)	
PostingLineDebitCC	SC Debit		->>>,>>>,>>>,>>9.99	4
PostingLineDebitLC	BC Debit		->>>,>>>,>>>,>>9.99	4
PostingLineDebitPC	PC Debit		->,>>>,>>9.99	4
PostingLineDebitTC	TC Debit		->>>,>>>,>>>,>>9.99	4
PostingLineExchangeRate	Exchange Rate		->,>>>,>>9.9999999999	10
PostingLineGrossIncAccRef	Gross Income Accounting Reference		x(40)	
PostingLineIsProjPosting	Project Posting	Proj	yes/no	
PostingLineLegalDocNbr	Legal Document Nbr		x(20)	
PostingLineMaster_ID	Link to Master		9999999999	
PostingLineMirrorRef	Mirroring Reference		x(20)	
PostingLineMirrorType	Mirroring Type		x(20)	
PostingLineOriginLineNbr	Origin Line Number	Origin Line No	>>>9	
PostingLineProjectText	Project	Prj	x(40)	
PostingLineQTY	Quantity		->>>,>>>,>>9.99	4
PostingLineRateScale	Scale Factor		->,>>>,>>9.9999999999	10
PostingLineSafText	SAF		x(40)	
PostingLineSequence	Sequence	Seq	->,>>>,>>9	
PostingLineText	Description		x(40)	

Field Name	Label	Col-Label	Format	Dec
PostingLineTransaction_ID	Link to Transaction		9999999999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
Project_ID	Description		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyGLYearPd	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingYearPeriod	yes	no
CompanyYearPeirod	no	Company_ID	yes	no
		PostingYearPeriod	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
CrossCompany	no	CrossCompany_ID	yes	no
CrossCompanyPost	no	CrossCompanyPosting_ID	yes	no
CrossCompanyPostL	no	CrossCompanyPostingLine_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ CyDate	no	Company_ID	yes	no
		PostingDate	yes	no
CyGLDate	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingDate	yes	no
◇ Division	no	Division_ID	yes	no
ExtCrossIdx	no	PostingLineCrossExternRef	yes	no
◇ GL	no	GL_ID	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇ Master	no	PostingLineMaster_ID	yes	no
◇ MirrorRef	no	PostingLineMirrorRef	yes	no
◇ Period	no	Period_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
PostingIDLineSeq	no	Posting_ID	yes	no
		PostingLineSequence	yes	no
PostingYearPeriod	no	PostingYearPeriod	yes	no
◇* Prim	yes	PostingLine_ID	yes	no
◇ Project	no	Project_ID	yes	no
ProjectPosting	no	PostingLineProjPosting	yes	no
TransactionId	no	PostingLineTransaction_ID	yes	no

PostingSaf Posting Saf

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingSaf_ID	Record ID		9999999999	
PostingSafInputSequence	Sequence	Seq	9	
PostingSafParentType	Parent Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PostingIdx	no	Posting_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	PostingSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no

PostingSafCombined Posting Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID	Link to CostCentre-SAF1		9999999999	
CostCentre2Saf_ID	Link to CostCentre-SAF2		9999999999	
CostCentre3Saf_ID	Link to CostCentre-SAF3		9999999999	
CostCentre4Saf_ID	Link to CostCentre-SAF4		9999999999	
CostCentre5Saf_ID	Link to CostCentre-SAF5		9999999999	
CostCentreSafStructure_ID	Link to SafStructure		9999999999	
GL1Saf_ID	Link to GL-SAF1		9999999999	
GL2Saf_ID	Link to GL-SAF2		9999999999	
GL3Saf_ID	Link to GL-SAF3		9999999999	
GL4Saf_ID	Link to GL-SAF4		9999999999	
GL5Saf_ID	Link to GL-SAF5		9999999999	
GLSafStructure_ID	Link to SafStructure		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingSafCombined_ID	Record ID		9999999999	
Project1Saf_ID	Link to Project-SAF1		9999999999	
Project2Saf_ID	Link to Project-SAF2		9999999999	
Project3Saf_ID	Link to Project-SAF3		9999999999	
Project4Saf_ID	Link to Project-SAF4		9999999999	
Project5Saf_ID	Link to Project-SAF5		9999999999	
ProjectSafStructure_ID	Link to SafStructure		9999999999	

642 PostingSafHist

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CostC1Saf	no	CostCentre1Saf_ID	yes	no
CostC2Saf	no	CostCentre2Saf_ID	yes	no
CostC3Saf	no	CostCentre3Saf_ID	yes	no
CostC4Saf	no	CostCentre4Saf_ID	yes	no
CostC5Saf	no	CostCentre5Saf_ID	yes	no
GL1Saf	no	GL1Saf_ID	yes	no
GL2Saf	no	GL2Saf_ID	yes	no
GL3Saf	no	GL3Saf_ID	yes	no
GL4Saf	no	GL4Saf_ID	yes	no
GL5Saf	no	GL5Saf_ID	yes	no
◇* Prim	yes	PostingSafCombined_ID	yes	no
Proj1Saf	no	Project1Saf_ID	yes	no
Proj2Saf	no	Project2Saf_ID	yes	no
Proj3Saf	no	Project3Saf_ID	yes	no
Proj4Saf	no	Project4Saf_ID	yes	no
Proj5Saf	no	Project5Saf_ID	yes	no

PostingSafHistPosting History SAF

Field Name	Label	Col-Label	Format	Dec
PostingSafCombined_ID	Link to PostingSafCombined		9999999999	
PostingSafHist_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PostingSafComb	no	PostingSafCombined_ID	yes	no
◇* Prim	yes	PostingSafHist_ID	yes	no
◇ Saf	no	Saf_ID	yes	no

PostingTemplatePosting Template

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
PostingTemplate_ID	Record ID		9999999999	
PostingTemplateBusRelCode	Business Relation		x(20)	
PostingTemplateCode	Template Code		x(20)	
PostingTemplateCostCtrCode	Cost Center		x(20)	
PostingTemplateDateLastMod	Date Last Modified	Modified	99/99/9999	
PostingTemplateDateLastUse	Date Last Used	Used	99/99/9999	
PostingTemplateDivCode	Sub-Account		x(20)	
PostingTemplateProjectCode	Project		x(20)	
PostingTemplateTimesUsed	Times Used	Used	>>>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	Company_ID	yes	no
		PostingTemplateCode	yes	no
◇ Company	no	Company_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* prim	yes	PostingTemplate_ID	yes	no

PostingVat Posting Tax

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FromTxzTaxZone	From Tax Zone		x(16)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingVat_ID	Record ID		9999999999	
PostingVatBaseCreditCC	SC Base Credit		->>>, >>>, >>>9.99	4
PostingVatBaseCreditLC	BC Base Credit		->>>, >>>, >>>9.99	4
PostingVatBaseCreditTC	TC Base Credit		->>>, >>>, >>>9.99	4
PostingVatBaseDebitCC	SC Base Debit		->>>, >>>, >>>9.99	4
PostingVatBaseDebitLC	BC Base Debit		->>>, >>>, >>>9.99	4
PostingVatBaseDebitTC	TC Base Debit		->>>, >>>, >>>9.99	4
PostingVatExchangeRate	Exchange Rate	Rate	->, >>>, >>9.99	10
PostingVatInOut	In/Out		x(20)	
PostingVatIsAbsRet	Absorbed Retained		yes/no	
PostingVatIsReverseCharge	Reverse Charge		yes/no	
PostingVatIsSuspDel	Suspended/Delayed Tax	Susp/Del	yes/no	
PostingVatOwnTaxDeclarat	Own Declaration Tax		->, >>>, >>9	
PostingVatOwnTaxIDFeder	Own Federal Tax		x(40)	
PostingVatOwnTaxIDMisc1	Own Miscellaneous Tax 1	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc2	Own Miscellaneous Tax 2	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc3	Own Miscellaneous Tax 3	Own Misc Tax 3	x(40)	
PostingVatOwnTaxIDState	Own State Tax		x(40)	
PostingVatRateScale	Scale Factor		->, >>>, >>9.99	10
PostingVatTaxCreditCC	SC Tax Credit		->>>, >>>, >>>9.99	4
PostingVatTaxCreditLC	BC Tax Credit		->>>, >>>, >>>9.99	4
PostingVatTaxCreditTC	TC Tax Credit		->>>, >>>, >>>9.99	4
PostingVatTaxDebitCC	SC Tax Debit		->>>, >>>, >>>9.99	4
PostingVatTaxDebitLC	BC Tax Debit		->>>, >>>, >>>9.99	4
PostingVatTaxDebitTC	TC Tax Debit		->>>, >>>, >>>9.99	4
PostingVatTaxIDFeder	Federal Tax		x(40)	
PostingVatTaxIDMisc1	Miscellaneous Tax 1	Misc Tax 1	x(40)	
PostingVatTaxIDMisc2	Miscellaneous Tax 2	Misc Tax 2	x(40)	
PostingVatTaxIDMisc3	Miscellaneous Tax 3	Misc Tax 3	x(40)	
PostingVatTaxIDState	State Tax		x(40)	
PostingVatTaxPointDate	Tax Point Date	Tax Date	99/99/9999	
PostingVatTaxTransType	Tax Transaction Type	Tax Trans Type	99	
PostingVatTransType	Transaction Type	Trans Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ToTxzTaxZone	To Tax Zone		x(16)	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment	Tax Env	x(16)	
TxtyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	

Field Name	Label	Col-Label	Format	Dec
Vat_ID	Tax Code		9999999999	
VatGroup_ID	Tax Group Code		9999999999	
VatPeriod_ID	Link to VatPeriod		9999999999	
VatRule_ID	Link to VatRule		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
OwnTaxDeclarat	no	PostingVatOwnTaxDeclarat	yes	no
OwnTaxIDFeder	no	PostingVatOwnTaxIDFeder	yes	no
OwnTaxIDMisc1	no	PostingVatOwnTaxIDMisc1	yes	no
OwnTaxIDMisc2	no	PostingVatOwnTaxIDMisc2	yes	no
OwnTaxIDMisc3	no	PostingVatOwnTaxIDMisc3	yes	no
OwnTaxIDState	no	PostingVatOwnTaxIDState	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	PostingVat_ID	yes	no
ReverseDate	no	PostingVatIsReverseCharge	yes	no
		PostingVatTaxPointDate	yes	no
SuspDel	no	PostingVatIsSuspDel	yes	no
TaxPointDate	no	PostingVatTaxPointDate	yes	no
TaxTransType	no	PostingVatTaxTransType	yes	no
TransType	no	PostingVatTransType	yes	no
TxclTaxCls	no	TxclTaxCls	yes	no
TxtyTaxType	no	TxtyTaxType	yes	no
◇ Vat	no	Vat_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no
◇ VatRule	no	VatRule_ID	yes	no

PostingVatDelay Posting Tax Delayed

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingVatDelay_ID	Record ID		9999999999	
PostingVatDelayBaseCredCC	SC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseCredLC	BC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseCredTC	TC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebCC	SC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebLC	BC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebTC	TC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayExchRate	Exchange Rate	Rate	->, >>>, >>9.99	10
PostingVatDelayIsOpen	Open		yes/no	
PostingVatDelayOwnTaxDecl	Own Tax Declaration		->, >>>, >>9	
PostingVatDelayOwnTaxIDFed	Own Federal Tax ID		x(40)	
PostingVatDelayOwnTaxIDM1	Own Misc 1 ID		x(40)	
PostingVatDelayOwnTaxIDM2	Own Misc 2 ID		x(40)	
PostingVatDelayOwnTaxIDM3	Own Misc 3 ID		x(40)	
PostingVatDelayOwnTaxIDSt	Own State Tax ID		x(40)	
PostingVatDelayRateScale	Scale Factor		->, >>>, >>9.99	10
PostingVatDelayTaxIDFeder	Federal Tax ID		x(40)	
PostingVatDelayTaxIDMisc1	Misc 1		x(40)	
PostingVatDelayTaxIDMisc2	Misc 2		x(40)	
PostingVatDelayTaxIDMisc3	Misc 3		x(40)	
PostingVatDelayTaxIDState	State		x(40)	
PostingVatDelayTaxPntDate	Tax Point Date		99/99/9999	
PostingVatDelayVATBallC	BC Tax Balance		->>>, >>>, >>>, >>9.99	4
PostingVatDelayVATOrigLC	BC Tax Original		->>>, >>>, >>>, >>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10

Field Name	Label	Col-Label	Format	Dec
QADT01			99/99/9999	
Vat_ID	Description		9999999999	
VatPeriod_ID	Link to VatPeriod		9999999999	
VatRule_ID	Link to VatRule		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
◇ IsOpen	no	PostingVatDelaysIsOpen	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇ PostingLine	yes	PostingLine_ID	yes	no
◇* Prim	yes	PostingVatDelay_ID	yes	no
◇ Vat	no	Vat_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no
◇ VatRule	no	VatRule_ID	yes	no

pould_det Point of Use Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_pould_det			>>>>>>>>>>>>>>>>>>>>>>>	9 10
pould__qadc01			.9<<<<<<<<<<	
pould__qadc02			x(24)	
pould_domain	Domain		x(8)	
pould_loc	Location		x(8)	
pould_mod_date	Modified Date	Mod Date	99/99/99	
pould_mod_userid	User ID		x(8)	
pould_poul_ref_key	Ref ID		>>>>>>>9	
pould_preference	Preference		>>>>>>>9	
pould_user1	User Field Character 1		x(24)	
pould_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pould_det	yes	oid_pould_det	yes	no
pould_preference	no	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_preference	yes	no
		pould_loc	yes	no
* pould_ref_loc	yes	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_loc	yes	no

poul_mstr Point of Use Location Master

Field Name	Label	Col-Label	Format	Dec
oid_poul_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
poul_qadc01			.9<<<<<<<<	
poul_qadc02			x(24)	
poul_cmtindx	Comment Index	Comment	x(24)	
poul_domain	Domain		>>>>>>>9	
poul_mch	Machine		x(8)	
poul_mod_date	Modified Date	Mod Date	x(8)	
poul_mod_userid	User ID		99/99/99	
poul_pou_code	Point of Use Code		x(8)	
poul_ref_key	Ref ID		x(18)	
poul_site	Site		>>>>>>>>>>9	
poul_user1	User Field Character 1		x(8)	
poul_user2	User Field Character 2		x(24)	
poul_wkctr	Work Center	Work Ctr	x(24)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poul_mstr	yes	oid_poul_mstr	yes	no
* poul_mstr	yes	poul_domain	yes	no
		poul_pou_code	yes	no
		poul_site	yes	no
		poul_wkctr	yes	no
		poul_mch	yes	no
poul_ref_key	no	poul_domain	yes	no
		poul_ref_key	yes	no

pou_mstr Point of Use Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pou_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pou__qadc01			.9<<<<<<<<<	
pou__qadc02			x(24)	
pou_cmtindx	Comment Index	Comment	x(24)	
pou_code	Point of Use Code		>>>>>>>9	
pou_desc	Description		x(18)	
pou_domain	Domain		x(24)	
pou_mod_date	Modified Date	Mod Date	x(8)	
pou_mod_userid	User ID		99/99/99	
pou_user1	User Field Character 1		x(8)	
pou_user2	User Field Character 2		x(24)	
			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pou_mstr	yes	oid_pou_mstr	yes	no
*	pou_code	yes	pou_domain	yes	no
			pou_code	yes	no

po_mstr	Purchase Order Master

Field Name	Label	Col-Label	Format	Dec
oid_po_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
po__chr01			.9<<<<<<<<<	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	
po__chr09			x(8)	
po__chr10			x(8)	
po__dec01			>>>, >>>, >>9.99	10
po__dec02			>>>, >>>, >>9.99	10
po__dte01			99/99/99	
po__dte02			99/99/99	
po__log01			yes/no	
po__qad02			>>9	
po__qad03			99:99:99	
po__qad04			yes/no	
po__qad05			->>9.99%	10
po__qad06			yes/no	
po__qad07			x(8)	
po__qad08			x(4)	
po__qad09			->>, >>>, >>9.99	10
po__qadc02	QAD Field		X(8)	0
po__qadc03			x(24)	
po__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
po__qadi02	QAD Field		->, >>>, >>9	
po__qadi03	QAD Field		->, >>>, >>9	
po__qadt01			99/99/99	
po_ap_acct	AP Acct		x(8)	
po_ap_cc	Cost Ctr	CC	x(4)	
po_ap_sub	AP Sub-Acct	Sub-Acct	x(8)	
po_app_owner	Owner Application		x(12)	
po_bank	Bank		x(2)	
po_bill	Bill-To		x(8)	
po_blanket	Blanket Order	Blanket	x(8)	
po_buyer	Buyer		x(8)	
po_cls_date	Close Date	Closed	99/99/99	
po_cmtdindx	Comment Index	Comment	>>>>>>>9	
po_confirm	Confirming	Confirm	yes/no	
po_consighn_cost_point	PO Cost Point		X(8)	0
po_consignment	Consignment		yes/no	
po_contact	Contact		x(24)	
po_contract	Contract		x(18)	
po_cr_terms	Credit Terms	Terms	x(8)	
po_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
po_curr	Currency	Cur	x(3)	
po_cycl	Cycle Code	Cycl	x(2)	
po_daybookset	Daybook Set	Dybk Set	x(8)	
po_del_to	Deliver To	Delv To	x(4)	
po_disc_pct	Disc %		->9.99%	10
po_domain	Domain		x(8)	
po_due_date	Due Date		99/99/99	
po_duty_type	Duty Type	Dty	x(1)	
po_eff_strt	Start Effective	Start Eff	99/99/99	
po_eff_to	End Effective	End Eff	99/99/99	
po_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
po_ers_opt	ERS Option	ERS! Opt	x(2)	
po_est_value	Est Value	Est Val	->>, >>>, >>9.99	10
po_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
po_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
po_ex_ratetype	Rate Type		x(8)	
po_exru_seq	Sequence		>>>>>>>>9	
po_fix_pr	Fixed Price		yes/no	
po_fix_rate	Fixed Rate	Fixed	yes/no	
po_fob	FOB		x(20)	
po_frt	Freight		-z, zzz, zzz, zz9.99	10
po_fsm_type	FSM Type		x(8)	
po_fst_id	FST ID		x(18)	
po_incl_iss	Include Saturday/Sunday		yes/no	
po_inv_mthd	Invoices Via		x(1)	
po_is_btb	EMT PO		yes/no	
po_lang	Language		x(2)	
po_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
po_nbr	Purchase Order	Order	x(8)	
po_nrm	Sequence ID	Seq ID	x(8)	
po_ord_date	Order Date	Date	99/99/99	
po_partial	Partial OK	Partial	yes/no	
po_pr_list	Disc Tbl		x(8)	
po_pr_list2	Price Tbl	Pr Tbl	x(8)	
po_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
po_prepaid	Amount Prepaid	Prepaid	->, >>>, >>>, >>9.99	10
po_priced_dt	Last Price Dt	Last Pri	99/99/99	
po_pricing_dt	Pricing Date	Price Dt	99/99/99	
po_print	Print PO	Print	yes/no	
po_project	Project		x(8)	
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_rel_nbr	Rel		>>9	
po_release	Release	Rel	yes/no	
po_req_id	Req By		x(8)	
po_rev	Order Revision	Order Rev	>>9	10
po_rev_date	Order Revision Date	Order Rev Date	99/99/99	
po_rmks	Remarks		x(40)	
po_sch_mthd	Schedules Via		x(1)	
po_sched	Scheduled		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_po_mstr	yes	oid_po_mstr	yes	no
po_buyer	no	po_domain	yes	no
		po_buyer	yes	no
		po_vend	yes	no
		po_nbr	yes	no
po_fsm_type	no	po_domain	yes	no
		po_fsm_type	yes	no
		po_nbr	yes	no
* po_nbr	yes	po_domain	yes	no
		po_nbr	yes	no
po_type	yes	po_domain	yes	no
		po_type	yes	no
		po_nbr	yes	no
po_vend	no	po_domain	yes	no
		po_vend	yes	no
		po_nbr	yes	no

pp_plan

Field Name	Label	Col-Label	Format	Dec
pp_site	Site		x(8)	
pp_user1	Ufld1		x(8)	
pp_user2	Ufld2		x(8)	
pp_year	Year		>>>>	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pp_plan	yes	oid_pp_plan	yes	no
* pp_plan	yes	pp_domain	yes	no
		pp_site	yes	no
		pp_prod_line	yes	no
		pp_year	yes	no

Product Line Requirements Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pq_mstr	yes	oid_pq_mstr	yes	no
* pq_mstr	yes	pq_domain	yes	no
		pq_prod_line	yes	no
		pq_site	yes	no
		pq_rsc	yes	no
		pq_ref	yes	no
		pq_start	yes	no
pq_rsc	no	pq_domain	yes	no
		pq_rsc	yes	no
		pq_site	yes	no

Printer Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_prd_det	yes	oid_prd_det	yes	no
*	prd_dev	yes	prd_dev	yes	no

PrefixC

Warehousing Prefix Set Control

Field Name	Label	Col-Label	Format	Dec
CodeValue	Code Value		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Enforce	Enforce		yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_PrefixC			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<	
PrefValue	Prefix	Pref	x(4)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanField	Scan Field	Scan Field	x(20)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PrefixC	yes	oid_PrefixC	yes	no
* ScanField	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ScanField	yes	no
		PrefValue	yes	no

prh_hist

Purchase Order Receipt History

Field Name	Label	Col-Label	Format	Dec
oid_lgd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_prh_hist			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	

Field Name	Label	Col-Label	Format	Dec
prh_chr10			x(8)	
prh_dec01			>>>, >>>, >>9.99	10
prh_dec02			>>>, >>>, >>9.99	10
prh_dec03			>>>, >>>, >>9.99	10
prh_dec04			>>>, >>>, >>9.99	10
prh_dec05			>>>, >>>, >>9.99	10
prh_dte01			99/99/99	
prh_dte02			99/99/99	
prh_dte03			99/99/99	
prh_dte04			99/99/99	
prh_dte05			99/99/99	
prh_log01			yes/no	
prh_log02			yes/no	
prh_qad02			x(8)	
prh_qad03			->, >>>, >>9.9<<<<<<<<<	10
prh_qad04			>>>>>>>	
prh_qadc01			x(24)	
prh_qadc02			x(24)	
prh_qadc03			x(24)	
prh_qadc04			x(24)	
prh_qadc05			x(24)	
prh_qadc06			x(24)	
prh_qadd01			->, >>>, >>9.9<<<<<<<<<	10
prh_qadi01			->>>>>>>9	
prh_approve	Approved By	Approved	x(8)	
prh_bank	Bank		x(2)	
prh_bdn_std	Std Bdn Cost	Std Burden	->>>, >>>, >>9.99<<<	10
prh_bo_qty	Back Order Qty		->, >>>, >>9.9<<<<<<<<<	10
prh_buyer	Buyer		x(8)	
prh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
prh_cst_up	Update Current Cost		yes/no	
prh_cum_rcvd	Cum Received		->, >>>, >>9.9<<<<<<<<<	10
prh_cum_req	Cum Qty Required		->, >>>, >>9.9<<<<<<<<<	10
prh_curr	Currency	Cur	x(3)	
prh_curr_amt	Currency Amt		->>>, >>>, >>9.99<<<	10
prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
prh_domain	Domain		x(8)	
prh_element	Cost Element	Element	x(8)	
prh_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_ratetype	Rate Type		x(8)	
prh_exru_seq	Sequence		>>>>>>>>9	
prh_fix_pr	Fixed Price		yes/no	
prh_fix_rate	Fixed Rate	Fixed	yes/no	
prh_fsm_type	FSM Type		x(8)	
prh_lbr_std	Std Lbr Cost	Std Labor	->>>, >>>, >>9.99<<<	10
prh_line	PO Line	Ln	>>9	
prh_lot	Work Order ID	WO ID	x(8)	
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>, >>>, >>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Overhead		>>>>, >>>, >>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->, >>>, >>>, >>9.99<<<	10
prh_pur_std	PO Std Cost		->>>, >>>, >>9.99<<<	10
prh_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->, >>>, >>9.9<<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	

Field Name	Label	Col-Label	Format	Dec
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_shipto	Ship-to		x(8)	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>, >>>, >>9.99<<<	10
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_taxc	Tax Class	TxC	x(3)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinv_cst	Not Used		-, >>>, >>>, >>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh_xinvoice	Not Used		x(12)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prh_hist	yes	oid_prh_hist	yes	no
prh_buyer	no	prh_domain	yes	no
		prh_buyer	yes	no
		prh_vend	yes	no
		prh_part	yes	no
* prh_nbr	yes	prh_domain	yes	no
		prh_nbr	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
		prh_element	yes	no
prh_oid_lgd_mstr	no	oid_lgd_mstr	yes	no
prh_part	no	prh_domain	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no
prh_ps_nbr	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_ps_nbr	yes	no
		prh_part	yes	no
prh_rcp_date	no	prh_domain	yes	no
		prh_rcp_date	yes	no
prh_receiver	yes	prh_domain	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
prh_vend	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no

prj_mstr

Project Realization Project Master

Field Name	Label	Col-Label	Format	Dec
oid_prj_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
prj__dec01			.9<<<<<<<<<	
prj__dte01			->>>>, >>>>, >>9.99<<<	10
prj__log01			yes/no	
prj__qadc01			x(24)	
prj__qadc02			x(24)	
prj__qadd01			->>>>, >>>>, >>9.99<<<	10
prj__qadd02			->>>>, >>>>, >>9.99<<<	10
prj__qadi01			>>>>>>>9	
prj__qadi02			>>>>>>>9	
prj__qadl01			yes/no	
prj__qadl02			yes/no	
prj__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
old_prj_mstr	yes	old_prj_mstr	yes	no
* prj_nbr	yes	prj_domain	yes	no
		prj_nbr	yes	no
prj_pjt_code	no	prj_domain	yes	no
		prj_pjt_code	yes	no
prj_po	no	prj_domain	yes	no
		prj_po	yes	no
		prj_cust	yes	no
prj_ship	no	prj_domain	yes	no
		prj_ship_to	yes	no

Profile

Profile

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Profile_ID	Record ID		9999999999	
ProfileCode	Profile Code		x(20)	
ProfileDescription	Description		x(40)	
ProfileIsActive	Active	Act	yes/no	
ProfileTypeCode	Profile Type		x(30)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ProfileCode	yes	no
◇* Prim	yes	Profile_ID	yes	no
◇ Type	no	ProfileTypeCode	yes	no
◇ ViewIndex	no	ProfileIsActive	yes	no
		ProfileCode	yes	no

ProfileLink

Profile Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Profile_ID	Link to Profile		9999999999	
ProfileLink_ID	Record ID		9999999999	
ProfileLinkObject_ID	Linked Object		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProfileLink_ID	yes	no
◇ Profile	no	Profile_ID	yes	no
ProfileLinkObject	no	ProfileLinkObject_ID	yes	no
ProfileSharedSet	yes	SharedSet_ID	yes	no
		Profile_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

ProfileType Profile Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProfileTypeCode	Profile Type Code		x(30)	
ProfileTypeIsActive	Active	Act	yes/no	
ProfileTypeIsDefault	Default		yes/no	
ProfileTypeTranslated	Profile Type Code		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSetTypeCode	Shared Set Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProfileTypeCode	yes	no
◇ ViewIndex	no	ProfileTypeIsActive	yes	no
		ProfileTypeCode	yes	no

Project Project

Field Name	Label	Col-Label	Format	Dec
AdminRespUsr_ID	Responsible		9999999999	
BudgetGroup_ID	Budget Group		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
COAMaskProjProfile_ID	COA Mask Profile		9999999999	
ControllerUsr_ID	Login		9999999999	
Currency_ID	Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer		9999999999	
Division_ID	Link to Division		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
Industry_ID	Link to Industry		9999999999	
InvoiceAddress_ID	City		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MainProject_ID	Main Project		9999999999	
ObsoletePriceList_ID	Link to Price List		9999999999	
ObsoleteRevenueRecogType	Revenue Recognition Type		x(20)	
PaymentCondition_ID	Credit Terms	Cred Trm	9999999999	
PenholderCompany_ID	Link to Company		9999999999	
Project_ID	Record ID		9999999999	
ProjectCode	Project		x(8)	
ProjectContractAmountTC	TC Contract Amount		->>>, >>>, >>>, >>9.99	4
ProjectContractDate	Contract Date		99/99/9999	
ProjectContractReference	Contract Reference	Contract Ref	x(40)	
ProjectDateRevised	Date Revised	Project Date Revised	99/99/9999	
ProjectDescription	Description		x(24)	
ProjectEndDate	End Date		99/99/9999	
ProjectGroup_ID	Project Group		9999999999	
ProjectIsAltRevProdCalc	Alt Production Calculation		yes/no	
ProjectIsStructFromGL	Retrieve SAF Structure from GL	Retrieve Structure from GL	yes/no	
ProjectIsTemplate	Save as Template	Template	yes/no	
ProjectIsWithSaf	SAF Enabled	SAF	yes/no	
ProjectManagerUsr_ID	Project Administrator	Project Administrator	9999999999	
ProjectOriginalCompleDate	Original Completion Date	Proj Orig Comp Date	99/99/9999	
ProjectPriceTypeCode	Price Type		x(20)	
ProjectRevisedCompleDate	Revised Completion Date	Proj Rev Comp Date	99/99/9999	
ProjectSafSetOnByUsr_ID	Link to Usr		->, >>>, >>9	
ProjectSafSetOnOnDate	SAF Set on Date		99/99/9999	
ProjectStartDate	Start Date		99/99/9999	
ProjectStatus_ID	Status Code		9999999999	
ProjectSystemStatus	System Status		x(20)	
ProjectTypeCode	Project Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Region_ID	Region		9999999999	
SalesRespUsr_ID	Login		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
SiteAddress_ID	Address		9999999999	
TemplateProject_ID	Template Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskProjProfile_ID	yes	no
◇ Code	no	ProjectCode	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ IsTemplate	no	ProjectIsTemplate	yes	no
◇* Prim	yes	Project_ID	yes	no
ProjectGroup	no	ProjectGroup_ID	yes	no
ProjectSystemStatus	no	ProjectSystemStatus	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		ProjectCode	yes	no

ProjectGroupProject Group

Field Name	Label	Col-Label	Format	Dec
ProjectGroup_ID	Record ID		9999999999	
ProjectGroupCode	Code		x(20)	
ProjectGroupDescription	Description		x(40)	
ProjectGroupIsActive	Active		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	ProjectGroupIsActive	yes	no
◇* Prim	yes	ProjectGroup_ID	yes	no
◇ UniqueIdx	yes	ProjectGroupCode	yes	no
◇ ViewIndex	no	ProjectGroupIsActive	yes	no
		ProjectGroupCode	yes	no

ProjectSafDefaultProject Saf Default

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Link to Project		9999999999	
ProjectSafDefault_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProjectSafDefault_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	Project_ID	yes	no
		SafConcept_ID	yes	no

ProjectStatusProject Status

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal3	Custom Decimal Field		-,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		-,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		-,>>>, >>9	
CustomInteger1	Custom Integer Field		-,>>>, >>9	
CustomInteger2	Custom Integer Field		-,>>>, >>9	
CustomInteger3	Custom Integer Field		-,>>>, >>9	
CustomInteger4	Custom Integer Field		-,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProjectStatus_ID	Record ID		99999999999	
ProjectStatusCode	Status Code		x(20)	
ProjectStatusDescription	Description	Status Description	x(40)	
ProjectStatusIsActive	Active		yes/no	
ProjectStatusSystemStatus	System Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ProjectStatusCode	yes	no
◇ IsActive	no	ProjectStatusIsActive	yes	no
◇* Prim	yes	ProjectStatus_ID	yes	no
◇ ViewIndex	no	ProjectStatusIsActive	yes	no
		ProjectStatusCode	yes	no

prsd_det

Field Name	Label	Col-Label	Format	Dec
oid_prsd_det			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
prsd__qadc01			x(24)	
prsd__qadc02			x(24)	
prsd_domain	Domain		x(8)	
prsd_mch	Machine		x(8)	
prsd_mod_date	Modified Date	Mod Date	99/99/99	
prsd_mod_userid	User ID		x(8)	
prsd_part	Item		x(18)	
prsd_resourceid	WC/PL ID		x(8)	
prsd_resourcetype	Type		9	
prsd_site	Site		x(8)	
prsd_user1	Ufld1		x(24)	
prsd_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prsd_det	yes	oid_prsd_det	yes	no
* prsd_part	yes	prsd_domain	yes	no
		prsd_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		prsd_resourcetype	yes	no
		prsd_resourceid	yes	no
		prsd_mch	yes	no
		prsd_part	yes	no

prs_mstr Production Scheduler Resource Master

Field Name	Label	Col-Label	Format	Dec
oid_prs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
prs__qadc01			x(24)	
prs__qadc02			x(24)	
prs_desc	Description		x(24)	
prs_domain	Domain		x(8)	
prs_mch	Machine		x(8)	
prs_mod_date	Modified Date	Mod Date	99/99/99	
prs_mod_userid	User ID		x(8)	
prs_resourceid	WC/PL ID		x(8)	
prs_resourcetype	Type	Type	9	
prs_scheduler	Scheduler ID		x(24)	
prs_site	Site		x(8)	
prs_user1	Ufld1		x(24)	
prs_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prs_mstr	yes	oid_prs_mstr	yes	no
* prs_resource	yes	prs_domain	yes	no
		prs_site	yes	no
		prs_resourcetype	yes	no
		prs_resourceid	yes	no
		prs_mch	yes	no

pr_mstr Printer Master

Field Name	Label	Col-Label	Format	Dec
oid_pr_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pr_qadc01			x(8)	.9<<<<<<<<<
pr_blank	Blank Lines/Page	BLPP	>>9	
pr_desc	Description		x(24)	
pr_end_bc	Bar Code End		x(100)	
pr_init	Initialize		x(100)	
pr_length	Lines / page	LPP	>>>9	
pr_neg_line	Neg Line Feed		x(100)	
pr_page	Page Control		x(60)	
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pr_mstr	yes	oid_pr_mstr	yes	no
*	pr_type	yes	pr_type	yes	no

pshc_ctrl

Field Name	Label	Col-Label	Format	Dec
oid_pshc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
pshc__qadc01			.9<<<<<<<<<	
pshc__qadc02			x(24)	
pshc__qadi01			x(24)	
pshc_domain	Domain		->>>>>>>9	
pshc_inv_sort_seq	Invoice Line Sorting Sequence		x(8)	
pshc_master_nr_id	Master Bill Sequence ID		x(8)	
pshc_mod_date	Modified Date	Mod Date	99/99/99	
pshc_mod_userid	User ID		x(8)	
pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
pshc_user1	User Field Character 1		x(24)	
pshc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pshc_ctrl	yes	oid_pshc_ctrl	yes	no
*	pshc_index1	yes	pshc_domain	yes	no

ps_mstr

Field Name	Label	Col-Label	Format	Dec
oid_ps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ps_chr01	User Character Field 1		.9<<<<<<<<	
ps_chr02	User Character Field 2		X(8)	
ps_dec01	User Decimal Field 1		->>>, >>>, >>9.99<<	10
ps_dec02	User Decimal Field 2		->>>, >>>, >>9.99<<	10
ps_dte01	User Date Field 1		99/99/99	
ps_dte02	User Date Field 2		99/99/99	
ps_log01	User Logical Field 1		yes/no	
ps_log02	User Logical Field 2		yes/no	
ps_qad01			yes/no	
ps_qadc01	QAD Character Field 1		X(8)	
ps_qadc02	QAD Character Field 2		X(8)	
ps_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ps_qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ps_qadl01	QAD Logical Field 1		yes/no	
ps_qadl02	QAD Logical Field 2		yes/no	
ps_qadt01	QAD Date Field 1		99/99/99	
ps_qadt02	QAD Date Field 2		99/99/99	
ps_qadt03	QAD Date Field 3		99/99/99	
ps_assay	Assay		>>9.99%	10
ps_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ps_cmtindx	Comment Index	Comment	>>>>>>9	
ps_comm_code	Commodity Code	Commodity	x(8)	
ps_comp	Component Item		x(18)	
ps_comp_um	UM		x(2)	
ps_cop_qty	Quantity	Qty	->, >>>, >>9.9<<<<<<<<	10
ps_critical	Critical		yes/no	
ps_cst_pct	Cost Allocation	Cost! Alloc	>>9.99%	10
ps_default	Default Option	Default	yes/no	
ps_domain	Domain		x(8)	
ps_end	End Effective	End Eff	99/99/99	
ps_end_ecn	End ECN		x(8)	
ps_exclusive	Exclusive		yes/no	
ps_fcst_pct	Forecast	Fcst	>>9.99%	10
ps_group	Option Group	Group	x(8)	
ps_item_no	Sequence Number	Seq Nbr	->>>>>>>	
ps_joint_type	Co/By Type	CT	x(1)	
ps_lt_off	LT Offset	LTO	->>	
ps_mandatory	Mandatory		yes/no	
ps_mod_date	Modified Date	Mod Date	99/99/99	
ps_non_bal	Non-Balanced	Non-Bal	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ps_mstr	yes	oid_ps_mstr	yes	no
ps_comp	no	ps_domain	yes	no
		ps_comp	yes	no
		ps_par	yes	no
ps_par	no	ps_domain	yes	no
		ps_par	yes	no
		ps_item_no	yes	no
		ps_comp	yes	no
* ps_parcomp	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_comp	yes	no
		ps_ref	yes	no
		ps_start	yes	no
ps_parref	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
pta_assoc_item	Associated Item		x(18)	
pta_assoc_qty	Associated Qty		->,>>>, >>9.9<<	10
pta_assoc_type	Association Type		x(24)	
pta_assoc_um	Associated UM	UM	x(2)	
pta_cmtindx	Comment Index	Comment	>>>>>>9	
pta_curr	Currency	Cur	x(3)	
pta_domain	Domain		x(8)	
pta_expire	Expire		99/99/99	
pta_extrec	External Entry	Ext	yes/no	
pta_item	Item		x(18)	
pta_max_qty	Max Quantity		->,>>>, >>9.9<<<<<<<<<	10
pta_min_ord	Min Ord Qty		->,>>>, >>9.9<<<<<<<<<	10
pta_net_price	Net Price		>>>>, >>>, >>9.99	10
pta_pri_type	Price Type		x(24)	
pta_qty_mult	Qty Multiple		->,>>>, >>9.9<<<<<<<<<	10
pta_start	Start		99/99/99	
pta_um	UM		x(2)	
pta_user1	Ufld1		x(8)	
pta_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pta_det	yes	oid_pta_det	yes	no
* pta_item	no	pta_domain	yes	no
		pta_assoc_item	yes	no
		pta_assoc_type	yes	no
		pta_item	yes	no
		pta_start	yes	no
	yes	pta_domain	yes	no
		pta_item	yes	no
		pta_assoc_type	yes	no
		pta_um	yes	no
		pta_assoc_item	yes	no
		pta_curr	yes	no
		pta_start	yes	no

ptc_det

Container Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptc_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ptc__qadc01			x(24)	
ptc__qadc02			x(24)	
ptc_charge	Apply Charges		yes/no	
ptc_charge_type	Charge Type	Charge! Type	x(8)	
ptc_container_desc	Description		x(24)	
ptc_container_ref	Reference		x(16)	
ptc_container_type	Container Type		x(16)	
ptc_domain	Domain		x(8)	
ptc_mod_date	Modified Date	Mod Date	99/99/99	
ptc_mod_userid	User ID		x(8)	
ptc_part	Container		x(18)	
ptc_userc01	User Field Character 1		x(24)	
ptc_userc02	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ptc_det	yes	oid_ptc_det	yes	no
*	ptc_part	yes	ptc_domain	yes	no
			ptc_part	yes	no

Products Sales History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pth_hist	yes	oid_pth_hist	yes	no
pth_partyear	yes	pth_domain	yes	no
		pth_part	yes	no
		pth_year	yes	no
* pth_yearpart	yes	pth_domain	yes	no
		pth_year	yes	no
		pth_part	yes	no

Item Inventory Data

Field Name	Label	Col-Label	Format	Dec
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>9	10
oid_pti_det			.9<<<<<<<<<	
oid_si_mstr			>>>>>>>>>>>>>>>>>>>>9	10
pti__qadc01			.9<<<<<<<<<	
pti__qadc02			x(24)	
pti__qadd01			x(24)	
pti__qadi01			->>>, >>, >>9.99<<<<<<<<	10
pti__qadl01			->>>>>>9	
pti__qadt01			yes/no	
pti__abc			99/99/99	
pti_auto_lot	ABC Class	ABC	x(1)	
pti_avg_int	Auto Lot Numbers	Auto! Lot	yes/no	
pti_critical	Avg Int	Avg! Int	>>9	
pti_cyc_int	Key Item		yes/no	
pti_destructive	Cyc Cnt Int	Cyc! Int	>>9	
pti_id_qty	Destructive	Destr	yes/no	
pti_insp_days	ID Quantity	ID! Qty	>>>9	
pti_insp_freq	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
pti_insp_ref	Insp Frequency	Insp Freq.	>>>>>>9	
pti_insp_req	Ref		yes/no	
pti_invent_days[10]	Inspection Required	Insp Req	yes/no	
	Days From Expiration/ Manufacture	Days From! Expire!/ Manuf.	>>, >>9	
pti_issue_method				
pti_kanban_qty	Issue Method	Issue! Method	x(8)	
pti_kanban_replist	Default Kanban Qty		->, >>>, >>>9.<<<<<<<<<	10
pti_loc	Kanban Replen. List		x(8)	
pti_loc_type	Location		x(8)	
	Location Type	Loc Type	x(8)	

Field Name

Index-Name

ptls_det

Field Name

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptls_det	yes	oid_ptls_det	yes	no
* ptls_partlotr	yes	ptls_domain	yes	no
		ptls_part	yes	no
		ptls_lotser	yes	no
		ptls_ref	yes	no

Item Planning Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptp_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ptp_chr01			.9<<<<<<<<<	
ptp_chr02			x(8)	
ptp_chr03			x(8)	
ptp_chr04			x(8)	
ptp_chr05			x(8)	
ptp_chr06			x(8)	
ptp_chr07			x(8)	
ptp_chr08			x(8)	
ptp_chr09			x(8)	
ptp_chr10			x(8)	
ptp_dec01			>>>, >>>, >>9.99	10
ptp_dec02			>>>, >>>, >>9.99	10
ptp_dte01			99/99/99	
ptp_dte02			99/99/99	
ptp_log01			yes/no	
ptp_log02			yes/no	
ptp_qad01			99/99/99	
ptp_qad02			>>>, >>9.9	0
ptp_qad03			>>9	
ptp_qad04			>>9	
ptp_qad05			>>9	
ptp_added	Added		99/99/99	
ptp_assay	Assay %		>>9.99%	10
ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
ptp_atp_family	Family ATP	Fam ATP	yes/no	
ptp_atp_horizon	ATP Horizon	Horizon	>>>9	
ptp_batch	Batch Qty	Batch! Qty	>>, >>>, >>9.9<<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	
ptp_btbt_type	EMT Type		xx	
ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
ptp_cfg_type	Configuration	Config	x(1)	
ptp_cum_lead	Cum LT	Cum! LT	>>9	
ptp_domain	Domain		x(8)	
ptp_draw	Drawing		x(18)	
ptp_drp_pct	DRP		>>9.9<%	10
ptp_eco_pend	ECO Pending	ECO	yes/no	
ptp_gcfg_type	Configuration Type	Cfg Type	x(8)	
ptp_grade	Grade		x(2)	
ptp_ins_lead	Ins LT	Ins! LT	>>9	
ptp_ins_rqdt	Inspect	Ins! Req	yes/no	
ptp_insp_loc	Inspection Location	Inspect	x(8)	
ptp_iss_pol	Issue Policy	Iss	yes/no	
ptp_joint_type	Co/By Type	CT	x(1)	
ptp_ll_bom	Low Level	Low Lvl	->>>>>>9	
ptp_ll_drp	DRP Low Level	DRP LL	->>>>>>9	
ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	10
ptp_mod_date	Modified Date	Mod Date	99/99/99	
ptp_ms	Master Sched	MS	yes/no	
ptp_network	Network Code		x(18)	
ptp_op_yield	Op Based Yield		yes/no	
ptp_ord_max	Max Ord		>>, >>>, >>9	0
ptp_ord_min	Min Ord		>>, >>>, >>9	0
ptp_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
ptp_ord_per	Order Period	Ord! Per	>>9	
ptp_ord_pol	Order Policy	Ord! Pol	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptp_det	yes	oid_ptp_det	yes	no
ptp_bom_code	no	ptp_domain	yes	no
		ptp_bom_code	yes	no
		ptp_part	yes	no
ptp_network	no	ptp_domain	yes	no
		ptp_network	yes	no
		ptp_site	yes	no
		ptp_part	yes	no
* ptp_part	yes	ptp_domain	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_routing	yes	ptp_domain	yes	no
		ptp_routing	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_site	yes	ptp_domain	yes	no
		ptp_site	yes	no
		ptp_part	yes	no

Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptqa_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptqa_det	yes	oid_ptqa_det	yes	no
ptqa_element	yes	ptqa_domain	yes	no
		ptqa_element	yes	no
		ptqa_part	yes	no
* ptqa_part	yes	ptqa_domain	yes	no
		ptqa_part	yes	no
		ptqa_element	yes	no

ptre_det

Index-Name	Uni	Field-Name	Asc	Abbr
old_ptr_e_det	yes	old_ptr_e_det	yes	no
* ptr_e_part	yes	ptr_e_domain	yes	no
		ptr_e_type	yes	no
		ptr_e_part	yes	no
		ptr_e_site	yes	no
		ptr_e_cust	yes	no
		ptr_e_eff_date	yes	no
		ptr_e_rep_part	yes	no

Item Routing Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptr_det	yes	oid_ptr_det	yes	no
ptr_bom_code	no	ptr_domain	yes	no
		ptr_bom_code	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
* ptr_part	yes	ptr_domain	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_routing	yes	no
		ptr_bom_code	yes	no
		ptr_start	yes	no
ptr_routing	no	ptr_domain	yes	no
		ptr_routing	yes	no
		ptr_part	yes	no
		ptr_site	yes	no

Item Substitute Detail

Field Name	Label	Col-Label	Format	Dec
oid_pts_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pts__qadc01			.9<<<<<<<<<	
pts_cmtindx	Comment Index	Index	x(8)	
pts_domain	Domain		>>>>>>9	
pts_mod_date	Modified Date	Mod Date	x(8)	
pts_par	Parent Item		99/99/99	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	x(18)	
pts_rmks	Remarks		->>>, >>9.9<<<<<<	10
pts_sub_part	Substitute Item		x(12)	
pts_user1	Ufld1		x(18)	
pts_user2	Ufld2		x(8)	
pts_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pts_det	yes	oid_pts_det	yes	no
* pts_det	yes	pts_domain	yes	no
		pts_part	yes	no
		pts_par	yes	no
		pts_sub_part	yes	no
pts_par	yes	pts_domain	yes	no
		pts_par	yes	no
		pts_part	yes	no
		pts_sub_part	yes	no
pts_sub_part	yes	pts_domain	yes	no
		pts_sub_part	yes	no
		pts_par	yes	no
		pts_part	yes	no

ptt det

Item Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptt_det			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<<	
ptt__qadc01			x(8)	
ptt_domain	Domain		x(8)	
ptt_mod_date	Modified Date	Mod Date	99/99/99	
ptt_part	Part		x(18)	
ptt_tax_type	Tax Type		x(3)	
ptt_taxable	Taxable		yes/no	
ptt_taxc	Tax Class	TxC	x(3)	
ptt_user1	Ufld1		x(8)	
ptt_user2	Ufld2		x(8)	
ptt_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ptt_det	yes	oid_ptt_det	yes	no
*	ptt_part	yes	ptt_domain	yes	no
			ptt_part	yes	no
			ptt tax type	yes	no

ptv_det

Item Statistical Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptv_det			>>>>>>>>>>>>>>>>>>>>9	10
ptv__chr01			.9<<<<<<<<	
ptv__dec01			x(8)	
ptv__log01			->>>, >>>, >>9.99	10
ptv__qad01			yes/no	
ptv__qad02			x(8)	
ptv__qad03			x(8)	
ptv__qad04			->>>, >>>, >>9.99	10
ptv__qad04			yes/no	
ptv_ctry_exp	Export Country	ExC	x(3)	
ptv_ctry_imp	Import Country	ImC	x(3)	
ptv_domain	Domain		x(8)	
ptv_part	Item Number		x(18)	
ptv_stat_value	Statistical Value	Stat Value	>>>>, >>>, >>9.99	10
ptv_user1	Ufld1		x(8)	
ptv_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid ptv det	yes	oid ptv det	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ptv_part	yes	ptv_domain	yes	no
			ptv_part	yes	no
			ptv_etry_exp	yes	no
			ptv_etry_imp	yes	no

Item Master

Field Name	Label	Col-Label	Format	Dec
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pt_chr01			.9<<<<<<<<<	
pt_chr02			x(8)	
pt_chr03			x(8)	
pt_chr04			x(8)	
pt_chr05			x(8)	
pt_chr06			x(8)	
pt_chr07			x(8)	
pt_chr08			x(8)	
pt_chr09			x(8)	
pt_chr10			x(8)	
pt_dec01			>>>, >>>, >>9.99	10
pt_dec02			>>>, >>>, >>9.99	10
pt_dte01			99/99/99	
pt_dte02			99/99/99	
pt_log01			yes/no	
pt_log02			yes/no	
pt_qad01			->, >>>, >>9.9<<<<<<<<<	10
pt_qad02			->, >>>, >>9.9<<<<<<<<<	10
pt_qad03			->>>, >>9.999	10
pt_qad04			->>>, >>9.999	10
pt_qad05			99/99/99	
pt_qad06			99/99/99	
pt_qad07			99/99/99	
pt_qad08			99/99/99	
pt_qad09			->, >>>, >>9.9<<<<<<<<<	10
pt_qad10			->, >>>, >>9.9<<<<<<<<<	10
pt_qad11			->, >>>, >>9.9<<<<<<<<<	10
pt_qad12			>>>>9.9999<<<<	10
pt_qad13	Incorp Rev	Inc! Rev	x(4)	
pt_qad14			99/99/99	
pt_qad15			yes/no	
pt_qad16			>>>, >>9.9	0
pt_qad17			yes/no	
pt_qad18			>>>>, >>>, >>9.99<<<	10
pt_qad19			>>>>, >>>, >>9.99<<<	10
pt_qad20			>>>>, >>>, >>9.99<<<	10
pt_qad21			>>>>, >>>, >>9.99<<<	10
pt_qad22			yes/no	
pt_qad23			>>9	
pt_qad24			>>9	
pt_qad25			>>9	
pt_qad26			yes/no	
pt_abc	ABC Class	ABC	x(1)	
pt_abc_amt	ABC Value		->, >>>, >>9.9<<<<<<<<<	10
pt_abc_qty	ABC Quantity		->, >>>, >>9.9<<<<<<<<<	10
pt_added	Added		99/99/99	
pt_app_owner	Owner Application		x(12)	
pt_article	Article Number		x(18)	
pt_assay	Assay %		>>9.99%	10
pt_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
pt_atp_family	Family ATP	Fam ATP	yes/no	
pt_atp_horizon	ATP Horizon	Horizon	>>>9	
pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
pt_avg_int	Avg Int	Avg! Int	>>9	
pt_barcode1	Barcode 1	Barcode 1	x(24)	
pt_barcode2	Barcode 2	Barcode 2	x(24)	
pt_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<<	10
pt_bom_code	BOM/Formula		x(18)	

Field Name	Label	Col-Label	Format	Dec
pt_break_cat	Price Break Cat		x(18)	
pt_btb_type	EMT Type		xx	
pt_buyer	Buyer/Planner	Buy! PIn	x(8)	
pt_cfg_type	Configuration	Config	x(1)	
pt_classification	Classification		x(12)	
pt_comm_code	Commodity Code	Comm Code	x(8)	
pt_cover	Coverage	CV	x(1)	
pt_crit_days	Critical Days	Critical! Days	>>,>>9	
pt_critical	Key Item		yes/no	
pt_cum_lead	Cum LT	Cum! LT	>>9	
pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pt_dea	DEA Controlled	DEA	yes/no	
pt_desc1	Description		x(24)	
pt_desc2	Description		x(24)	
pt_destructive	Destructive	Destr	yes/no	
pt_dim_um	Dimensns UM		x(2)	
pt_domain	Domain		x(8)	
pt_draw	Drawing		x(18)	
pt_drp_pct	DRP		>>9.9<%	10
pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
pt_drwg_size	Drwg Size	DS	x(2)	
pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
pt_fiscal_class	Fiscal Class		x(18)	
pt_fiscal_type	Fiscal Type		x(2)	
pt_formula	Formula		yes/no	
pt_fr_class	Freight Class		x(8)	
pt_freight_nature	Freight Nature		x(1)	
pt_fru	FRU		yes/no	
pt_fsc_code	Service Category	Svc Cat	x(8)	
pt_gcfg_type	Configuration Type	Cfg Type	x(8)	
pt_group	Group		x(8)	
pt_gtin_barcode1	GTIN Barcode 1		x(24)	
pt_gtin_barcode2	GTIN Barcode 2		x(24)	
pt_hazard	Hazard		x(8)	
pt_height	Height		>>,>>9.9999	10
pt_id_qty	ID Quantity	ID! Qty	>>>9	
pt_ins_bom	Installation BOM	Ins BOM	X(18)	
pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
pt_ins_route	Installation Routing	Ins Route	X(18)	
pt_insp_days	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
pt_insp_freq	Insp Frequency	Insp Freq.	>>>>>>9	
pt_insp_lead	Ins LT	Ins! LT	>>9	
pt_insp_ref	Ref		yes/no	
pt_insp_req	Inspection Required	Insp Req	yes/no	
pt_insp_rqd	Inspect	Ins! Req	yes/no	
pt_inst_call	Install		yes/no	
pt_invent_days[10]	Days From Expiration/ Manufacture	Days From! Expire!! Manuf.	>>,>>9	
pt_isb	Installed Base	Inst Base	yes/no	
pt_iss_pol	Issue Policy	Iss	yes/no	
pt_issue_method	Issue Method	Issue! Method	x(8)	
pt_joint_type	Co/By Type	CT	x(1)	
pt_last_eco	Last ECO		99/99/99	
pt_length	Length		>>,>>9.9999	10
pt_ll_code	Low Level	Low Lvl	->>>>>9	
pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
pt_loc	Location		x(8)	
pt_loc_type	Location Type	Loc Type	x(8)	
pt_lot_grp	Lot Group		x(8)	
pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pt_memo_type	Memo Order Type		x(1)	
pt_meter_interval	Meter Interval		>>>>,>>>,>>9.99<<<	10
pt_meter_um	Meter UM		X(2)	
pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
pt_mfg_mtbh	MFG MTBF		->>,>>9.99	10
pt_mfg_mttr	MFG MTTR		->>,>>9.99	10
pt_mfg_pct	Manufactured	Mfg	>>9.9<%	10
pt_mod_date	Modified Date	Mod Date	99/99/99	
pt_model	Model		x(18)	0

Field Name	Label	Col-Label	Format	Dec
pt_mrp	MRP Required	MRP Req	yes/no	
pt_ms	Master Sched	MS	yes/no	
pt_mtb	MTBF		>>, >>9.99	10
pt_mttr	MTTR		>>, >>9.99	10
pt_net_wt	Net Weight		->, >>9.99<<<<	10
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_network	Network Code		x(18)	
pt_obs_date	Obsolete Date		99/99/99	
pt_op_yield	Op Based Yield		yes/no	
pt_opc_threshold	OPC Threshold		->>>, >>9.9<<<<<<	10
pt_ord_max	Max Ord		>>, >>>, >>9	0
pt_ord_min	Min Ord		>>, >>>, >>9	0
pt_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>, >>>, >>9	10
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_po_site	PO Site		x(8)	
pt_pop_code	Popularity		X(8)	
pt_pou_code	Point of Use Code		x(18)	
pt_price	Price		>>>>, >>>, >>9.99<<<	10
pt_print_id	Print ID	Print! ID	yes/no	
pt_prod_line	Prod Line	Line	x(4)	
pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	10
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_random_insp_pct	Random Inspection %		->>9.99	10
pt_rctpo_active	Active	Act	yes/no	
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	
pt_rep_type	Replenishment Type	Rep Type	X(8)	
pt_repairable	Repairable		yes/no	
pt_replenishment_mthd	Replenishment Method		x(8)	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Reqd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>, >>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>, >>9.999<<<<<<	10
pt_run_ll	Run LL		>>>, >>9.999<<<<<<	10
pt_run_seq1	Run Seq 1		x(8)	
pt_run_seq2	2	Run Seq 2	x(8)	
pt_same_days[10]	Same Day Window	Same Day! Window	>>, >>9	
pt_sample_pct	Sample %	Sample %	>>9	
pt_sample_qty	Sample Quantity	Sample Qty	->, >>>, >>9	
pt_service_code	Service Code		x(4)	
pt_setup	Setup Time	Setup	>>>, >>9.999<<<<<<	10
pt_setup_ll	Setup LL		>>>, >>9.999<<<<<<	10
pt_sfty_stk	Safety Stk	Safety! Stock	>>, >>>, >>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelf_offset	Shelf Life Offset	Shelf Life! Offset	>>, >>9	
pt_shelflife	Shelf Life		->, >>>, >>>	
pt_ship_wt	Ship Weight		->, >>9.99<<<<	10
pt_ship_wt_um	Ship Weight UM	UM	x(2)	

Field Name	Label	Col-Label	Format	Dec
pt_single_trans	Single Put-Away Transactions	Single! Trans	yes/no	
pt_site	Site		x(8)	
pt_size	Size		->>, >>9.99	10
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>, >>9.9<<<	10
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_sttr	STTR		->>, >>9.99	10
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_trade_class	Trade Class		x(8)	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_um_group	UM Group		x(8)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_ven_warr	Supplier Warranty	Suppl Warr	yes/no	
pt_vend	Supplier		x(8)	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_whse_part_type	Warehouse Item Type	Warehouse! Item Type	x(8)	
pt_width	Width		>>, >>9.9999	10
pt_wks_avg	Average Weeks of Coverage Avg! Cover		>>9.9	10
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	10
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	10
pt_xbdn_ll	Cur Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_tl	Cur Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdll	Std Matl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_tl	Cur Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>, >>>, >>9.99<<<	10
pt_xtot_std	Std Total		>>>>, >>>, >>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pt_mstr	yes	oid_pt_mstr	yes	no
pt_barcode1	no	pt_domain	yes	no
		pt_barcode1	yes	no
pt_barcode2	no	pt_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pt_bom_code	no	pt_barcode2	yes	no
		pt_domain	yes	no
		pt_bom_code	yes	no
		pt_part	yes	no
pt_desc	yes	pt_domain	yes	no
		pt_desc1	yes	no
		pt_desc2	yes	no
		pt_part	yes	no
pt_group	yes	pt_domain	yes	no
		pt_group	yes	no
		pt_part	yes	no
pt_ll_mrp_pt	yes	pt_domain	yes	no
		pt_ll_code	yes	no
		pt_mrp	yes	no
		pt_part	yes	no
pt_model	no	pt_domain	yes	no
		pt_model	yes	no
pt_network	no	pt_domain	yes	no
		pt_network	yes	no
		pt_part	yes	no
* pt_part	yes	pt_domain	yes	no
		pt_part	yes	no
pt_part_type	yes	pt_domain	yes	no
		pt_part_type	yes	no
		pt_part	yes	no
pt_pm_mrp	no	pt_domain	yes	no
		pt_pm_mrp	yes	no
		pt_part	yes	no
pt_prod_part	yes	pt_domain	yes	no
		pt_prod_line	yes	no
		pt_part	yes	no
pt_pvm_bom	no	pt_domain	yes	no
		pt_pvm_bom	yes	no
		pt_part	yes	no
pt_routing	yes	pt_domain	yes	no
		pt_routing	yes	no
		pt_part	yes	no
pt_svc_group	no	pt_domain	yes	no
		pt_svc_group	yes	no

PurchaseCodePurchase Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Lst Modified Date		99/99/9999	
LastModifiedTime	Lst Modified Time		99999	
LastModifiedUser	Lst Modified User		x(20)	
PurchaseCode	Code		x(20)	
PurchaseCode_ID	Record ID		9999999999	
PurchaseCodeDescription	Description		x(40)	
PurchaseCodelsActive	Active		yes/no	
PurchaseCodeType	Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	PurchaseCodelsActive	yes	no
◇* Prim	yes	PurchaseCode_ID	yes	no
PurchaseCode	yes	PurchaseCode	yes	no
◇ PurchaseType	no	PurchaseCodeType	yes	no
◇ ViewIndex	no	PurchaseCodelsActive	yes	no
		PurchaseCode	yes	no

PurchaseGLMatrixPurchase GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostCentreGL_ID	Link to CostCentreGL_ID		9999999999	
CreditorPurchaseCode_ID	Link to CreditorPurchaseCode		9999999999	
ItemPurchaseCode_ID	Link to ItemPurchaseCode		9999999999	
LastModifiedDate	Lst Modified Date		99/99/9999	
LastModifiedTime	Lst Modified Time		99999	
LastModifiedUser	Lst Modified User		x(20)	
NoAnalysisGL_ID	Link to NoAnalysisGL_ID		9999999999	
ProjectGL_ID	Link to ProjectGL_ID		9999999999	
PurchaseGLMatrix_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
StockMovementGL_ID	Link to StockMovementGL_ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentreGL	no	CostCentreGL_ID	yes	no
CredItemSet	yes	SharedSet_ID	yes	no
		CreditorPurchaseCode_ID	yes	no
		ItemPurchaseCode_ID	yes	no
CredPurch	no	CreditorPurchaseCode_ID	yes	no
ItemPurch	no	ItemPurchaseCode_ID	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	NoAnalysisGL	no	NoAnalysisGL_ID	yes	no
◇*	Prim	yes	PurchaseGLMatrix_ID	yes	no
◇	ProjectGL	no	ProjectGL_ID	yes	no
◇	SharedSet	no	SharedSet_ID	yes	no

PurchaseTypePurchase Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PurchaseType_ID	Record ID		9999999999	
PurchaseTypeCode	Purchase Type		x(4)	
PurchaseTypeDescription	Description		x(40)	
PurchaseTypeIsActive	Active		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PurchaseTypeCode	yes	no
◇* Prim	yes	PurchaseType_ID	yes	no
◇ ViewIndex	yes	PurchaseTypesActive	yes	no
		PurchaseTypeCode	yes	no

pvod_det Pending Voucher Detail

Field Name	Label	Col-Label	Format	Dec
oid_pvod_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pvod__qadc01			.9<<<<<<<<	
pvod__qadc02			x(24)	
pvod__qadc03			x(24)	
pvod__qadc04			x(24)	
pvod__qadd01			->>>, >>, >>9.9<<<<<<<<	10
pvod_accrual_acct	Accrual Account	Accrual! Account	x(8)	
pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
pvod_accrued_amt	Accrued Amount		->>>, >>, >>9.99<	10
pvod_bdn_std	Item Burden Cost	Item Burden	->>, >>, >>9.99<<<	10
pvod_channel	Channel		x(8)	
pvod_cinvoice_id	Invoice ID		9999999999	
pvod_cost_update	Update Current Cost		yes/no	
pvod_domain	Domain		x(8)	
pvod_eff_date	Effective Date	Eff Date	99/99/99	
pvod_ex_rate	Exch Rate		>>>, >>, >>9.9<<<<<<<<	10
pvod_ex_rate2	Exch Rate 2		>>>, >>, >>9.9<<<<<<<<	10
pvod_ex_ratetype	Rate Type		x(8)	
pvod_exru_seq	Sequence		>>>>>>>9	
pvod_id	Pending Voucher ID	Pend Vchr	>>>>>>>	
pvod_id_line	Line	Ln	>>>>>>>9	
pvod_internal_ref	Internal Reference		x(20)	
pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pvod_last_voucher	Supplier Invoice		x(22)	
pvod_lbr_std	Item Labor Cost	Item Labor	->>, >>, >>9.99<<<	10
pvod_mod_date	Modified Date	Mod Date	99/99/99	
pvod_mod_userid	User ID		x(8)	
pvod_mtl_std	Item Material Cost	Item Material	->>, >>, >>9.99<<<	10
pvod_order	Order		x(8)	
pvod_order_line	Order Line	Ln	>>9	
pvod_order_type	Order Type	Order! Type	x(2)	
pvod_ovh_std	Item Overhead Cost	Item Overhead	->>, >>, >>9.99<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pvod_det	yes	oid_pvod_det	yes	no
*	pvod_id	yes	pvod_domain	yes	no
			pvod_id	yes	no
			pvod_id line	yes	no

pvo_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pvo_mstr	yes	oid_pvo_mstr	yes	no
pvo_ers	no	pvo_domain	yes	no
		pvo_ers_status	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
* pvo_id	yes	pvo_domain	yes	no
		pvo_id	yes	no
pvo_internal_ref	no	pvo_domain	yes	no
		pvo_internal_ref	yes	no
pvo_last_voucher	no	pvo_domain	yes	no
		pvo_last_voucher	yes	no
		pvo_curr	yes	no
		pvo_lc_charge	yes	no
		pvo_order	yes	no
pvo_logistics_charge	no	pvo_domain	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
		pvo_external_ref	yes	no
pvo_order	no	pvo_domain	yes	no
		pvo_order	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
pvo_supplier	no	pvo_domain	yes	no
		pvo_supplier	yes	no
		pvo_last_voucher	yes	no
		pvo_lc_charge	yes	no
pvo_trans_date	no	pvo_domain	yes	no
		pvo_trans_date	yes	no

qaddb_ctrl Database Control for QADDB

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qaddb_ctrl	yes	oid_qaddb_ctrl	yes	no
*	qaddb_index1	yes	qaddb_index1	yes	no

qaddb_ver

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ver	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qaddb_ver_001_0020	Schema Version		.9<<<<<<<<<<	
			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid qaddb ver	yes	oid qaddb ver	yes	no

qad_wkfl

Field Name	Label	Col-Label	Format	Dec
oid_qad_wkfl			>>>>>>>>>>>>>>>>>>>>>>9	10
qad__qadc01			.9<<<<<<<<<	
qad_charfld[15]			x(8)	
qad_charfld1[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->, >9.99	10
qad_domain	Domain		x(8)	
qad_intfld[15]			->, >>>, >>9	
qad_key1			x(8)	
qad_key2			x(8)	
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	
qad_key6			x(8)	
qad_logfld[15]			yes/no	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qad_wkfl	yes	oid_qad_wkfl	yes	no
* qad_index1	yes	qad_domain	yes	no
		qad_key1	yes	no
		qad_key2	yes	no
qad_index2	no	qad_domain	yes	no
		qad_key3	yes	no
		qad_key4	yes	no
qad_index3	no	qad_domain	yes	no
		qad_key5	yes	no
		qad_key6	yes	no

qcc_ctrl

Field Name	Label	Col-Label	Format	Dec
oid_qcc_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
qcc__qadc01			.9<<<<<<<<	
qcc__qadi01			x(8)	
qcc_auto_nbr	Auto Order Numbers		->>>>>>9	
qcc_domain	Domain		yes/no	
qcc_inspect	Inspection Location		x(8)	
qcc_lot	Next Batch		>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qcc_ctrl	yes	oid_qcc_ctrl	yes	no
qcc_index1	yes	qcc_domain	yes	no

qcd_det

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qcd_det	yes	oid_qcd_det	yes	no
* qcd_det	yes	qcd_domain	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
		qcd_op	yes	no
qcd_nbrpart	no	qcd_domain	yes	no
		qcd_nbr	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
qcd_part	no	qcd_domain	yes	no
		qcd_part	yes	no

qcs_mstr

Field Name	Label	Col-Label	Format	Dec
qcs_domain	Domain		x(8)	
qcs_lot_int	Lot Interval	Interval	>>>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qcs_mstr	yes	oid_qcs_mstr	yes	no
*	qcs_part	yes	qcs_domain	yes	no
			qcs_part	yes	no

qc_mstr

Quality Control Order Master

Field Name	Label	Col-Label	Format	Dec
oid_qc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qc__chr01			.9<<<<<<<<<	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>, >>>, >>9.99	10
qc__dec02			>>>, >>>, >>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc__log01			yes/no	
qc_autoissue	Auto Issue		yes/no	
qc_cmtindx	Comment Index	Comment	>>>>>>>9	
qc_domain	Domain		x(8)	
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->, >>>, >>9	10
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->, >>>, >>9.9<<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->, >>>, >>9.9<<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->, >>>, >>9.9<<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qc_mstr	yes	oid_qc_mstr	yes	no
qc_due_part	no	qc_domain	yes	no
		qc_due_date	yes	no
		qc_part	yes	no
		qc_site	yes	no
qc_lot	yes	qc_domain	yes	no
		qc_lot	yes	no
* qc_nbr	yes	qc_domain	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
qc_part	no	qc_domain	yes	no
		qc_part	yes	no
		qc_site	yes	no
		qc_due_date	yes	no
qc_type_nbr	yes	qc_domain	yes	no
		qc_type	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no

QFRWCube Financial Report Writer

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Currency_ID	Link to Currency		9999999999	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
IntercoBusinessRelation_ID	Link to BusinessRelation		9999999999	
Journal_ID	Link to Journal		9999999999	
JournalTypeCode	Daybook Type		x(30)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link to Layer		9999999999	
Period_ID	Link to Period		9999999999	
PeriodYearPeriod	Year / GL Period		999999	
PostingHist_ID	Link to PostingHist		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
QFRWCube_ID	Record ID		9999999999	
QFRWCubeCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
QFRWCubeCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
QFRWCubeCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
QFRWCubeDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
QFRWCubeDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
QFRWCubeDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
QFRWCubeETime	Time (s)		->>>, >>>, >>>, >>9.9999	4
QFRWCubeInfo	Info		x(40)	
QFRWCubePHLastModifiedDate	Last Modified Date PH	Mod Date PH	99/99/9999	
QFRWCubePHLastModifiedTime	Last Modified Time PH	Mod Time PH	99999	
QFRWCubePostingDate	Posting Date		99/99/9999	
QFRWCubeQTY	Quantity	Qty	->>>, >>>, >>9.99	4

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ ICBusRel	no	IntercoBusinessRelation_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇ Period	no	Period_ID	yes	no
PeriodYrPd	no	PeriodYearPeriod	yes	no
PostingHist	no	PostingHist_ID	yes	no
◇* Prim	yes	QFRWCube_ID	yes	no
◇ Project	no	Project_ID	yes	no

QFRWCubeSafFinancial Report Writer

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
QFRWCube_ID	Link to QFRWCube		9999999999	
QFRWCubeSaf_ID	Record ID		9999999999	
QFRWCubeSafInputSequence	SAF Input Sequence		->, >>>, >>9	
QFRWCubeSafParentType	SAF Parent Type		x(20)	
Saf_ID	Link to Saf		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cubeldx	no	QFRWCube_ID	yes	no
◇* Prim	yes	QFRWCubeSaf_ID	yes	no
◇ Safldx	no	Saf_ID	yes	no
SafStrldx	no	SafStructure_ID	yes	no

QFRWCubeSkipFinancial Report Writer

Field Name	Label	Col-Label	Format	Dec
FRWCube_ID	Link to FRWCube		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
QFRWCube_ID	Link to QFRWCube		9999999999	
QFRWCubeSkip_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cubeldx	no	FRWCube_ID	yes	no
		QFRWCube_ID	yes	no
◇* Prim	yes	QFRWCubeSkip_ID	yes	no

Sales Quotation Configuration Bill Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qob_det	yes	oid_qob_det	yes	no
* qob_det	yes	qob_domain	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no
		qob_part	yes	no
qob_part	yes	qob_domain	yes	no
		qob_part	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no

Sales Quotation Control

Field Name	Label	Col-Label	Format	Dec
oid_qoc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
qoc__qad01			.9<<<<<<<<<	
qoc__qadi01			>>>>>>9	
qoc_company	Company Address		->>>>>>>9	
qoc_days	Days Until Expire		x(8)	
qoc_domain	Domain		>>>>>9	
qoc_ex_ratetype	Rate Type		x(8)	
qoc_fob	F.O.B.		x(8)	
qoc_fr_by_site	Calculate Freight by Site		x(20)	
qoc_hcmmts	Quote Header Comments		yes/no	
qoc_lcmmts	Quote Line Comments		yes/no	
qoc_ln_fmt	Ln Format S/M		single/multi	
qoc_pc_line	Price by QO Line Due Date		yes/no	
qoc_pl_req	Price List Required		yes/no	
qoc_print	Are Quotes Printed		yes/no	
qoc_pt_req	Price Table Required		yes/no	
qoc_qo	Next Quote		>>>>>>>9	
qoc_qo_pre	Quote Prefix	Pre	x(3)	
qoc_user1	Ufld1		x(8)	
qoc_user2	Ufld2		x(8)	

✻

qodr_det

Sales Quotation Relationship Detail

✻

qod_det

Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
qod_abnormal	Abnormal Demand	Abnormal	yes/no	
qod_acct	Sales Acct	Sales	x(8)	
qod_bonus	Bonus Stock Line		yes/no	
qod_cc	Cost Ctr	CC	x(4)	
qod_cfg_type	Configuration	Config	x(1)	
qod_cmtindx	Comment Index	Comment	>>>>>>9	
qod_comm_pct[2]	Commission	Comm%	>>9.99%	10
qod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
qod_custpart	Customer Item		x(30)	
qod_desc	Description		x(24)	
qod_disc_pct	Disc %		->>9.99%	10
qod_div	Division		x(8)	
qod_domain	Domain		x(8)	
qod_dsc_acct	Disc Acct		x(8)	
qod_dsc_cc	Disc CC	CC	x(4)	
qod_dsc_project	Disc Project		x(8)	
qod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
qod_due_date	Due Date	Due	99/99/99	
qod_fa_nbr	Final Assy	FAS	x(8)	
qod_fix_pr	Fixed Price		yes/no	
qod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
qod_fr_class	Freight Class		x(8)	
qod_fr_list	Freight List	Fr List	x(8)	
qod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
qod_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<	10
qod_fr_wt_um	UM		x(2)	
qod_fst_list	FST on List		yes/no	
qod_fst_rate	FST Rate	Rate	->>9%	10
qod_fst_tax	FST Tax		->, >>>, >>9.99	10
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
qod_manual_fr_list	Manual Fr List		yes/no	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>, >>>, >>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodlne	Product Line	Line	x(4)	
qod_project	Project		x(8)	
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->, >>>, >>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->, >>>, >>9.9<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qod_det	yes	oid_qod_det	yes	no
qod_fr_list	no	qod_domain	yes	no
		qod_nbr	yes	no
		qod_fr_list	yes	no
* qod_nbrln	yes	qod_domain	yes	no
		qod_nbr	yes	no
		qod_line	yes	no
qod_part	yes	qod_domain	yes	no
		qod_part	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_qor_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
qor__qadc01			.9<<<<<<<<	
qor__qadc02			x(8)	
qor__qadc03			x(8)	
qor__qadd01			->>>>, >>>, >>9.9	10
qor__qadd02			->>>>, >>>, >>9.9	10
qor__qadi01			->, >>>, >>9	
qor__qadi02			->, >>>, >>9	
qor__qadl01			yes/no	
qor__qadl02			yes/no	
qor__qadt01			99/99/99	
qor__qadt02			99/99/99	
qor_div	Division		X(8)	
qor_domain	Domain		x(8)	
qor_group	Group		X(8)	
qor_nbr	Quote		X(8)	
qor_pricing	Pricing		>9	
qor_seq	Sequence		>>9	
qor_type	Type		>>>9	
qor_user1	Ufld1		x(8)	
qor_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_qor_mstr	yes	old_qor_mstr	yes	no
* qor_nbr_seq	yes	qor_domain	yes	no
		qor_nbr	yes	no
		qor_seq	yes	no
qor_type	no	qor_domain	yes	no
		qor_type	yes	no

qo_mstr

Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
oid_qo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	

Field Name	Label	Col-Label	Format	Dec
qo_dec01	PST		>>>, >>>, >>9.99	10
qo_dec02			>>>, >>>, >>9.99	10
qo_dte01			99/99/99	
qo_dte02			99/99/99	
qo_log01			yes/no	
qo_qad01			-z,zzz,zzz,zz9.99	10
qo_qad02			-z,zzz,zzz,zz9.99	10
qo_qad03	Fixed Price		-z,zzz,zzz,zz9.99	10
qo_qad04			>	
qo_qad05[2]			>>9.9<<	10
qo_app_owner	Owner Application		x(12)	
qo_ar_acct	AR Account	AR	x(8)	
qo_ar_cc	Cost Ctr	CC	x(4)	
qo_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
qo_bank	Bank		x(2)	
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	
qo_cartons	Cartons		->, >>>, >>9	
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	10
qo_confirm	Confirm Date	Confirm	99/99/99	
qo_cr_card	Credit Card	Card	x(2)	
qo_cr_init	Cr Initials	Initials	x(3)	
qo_cr_terms	Credit Terms	Terms	x(8)	
qo_curr	Currency	Curr	x(3)	
qo_cust	Sold-To		x(8)	
qo_cycle	Cycle Code	Cy	x(2)	
qo_daybookset	Daybook Set	Dybk Set	x(8)	
qo_disc_pct	Disc %		->>9.99%	10
qo_div	Division		x(8)	
qo_domain	Domain		x(8)	
qo_due_date	Due Date	Due	99/99/99	
qo_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
qo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_ratetype	Rate Type		x(8)	
qo_exp_date	Expires		99/99/99	
qo_exru_seq	Sequence		>>>>>>>9	
qo_fix_rate	Fixed Rate	Fixed	yes/no	
qo_flw_date	Follow-up		99/99/99	
qo_fob	FOB Point		x(20)	
qo_fr_list	Freight List	Fr List	x(8)	
qo_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
qo_fr_terms	Freight Terms	Fr Terms	x(8)	
qo_fst_id	FST ID		x(18)	
qo_inv_mthd	Invoicing Method		x(1)	
qo_lang	Language	Lang	x(2)	
qo_manual_fr_terms	Manual Fr Terms		yes/no	
qo_nbr	Quote		x(8)	
qo_ord_date	Quote Date	Quote	99/99/99	
qo_partial	Partial OK	Partial	yes/no	
qo_po	Purchase Order		x(20)	
qo_pr_list	Manual	Disc Tbl	x(8)	
qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
qo_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
qo_print_pl	Print Pack List	Print Pack	yes/no	
qo_print_qo	Print Quote	Print QT	yes/no	
qo_project	Project		x(8)	
qo_pst	PST		yes/no	
qo_pst_id	PST ID		x(18)	
qo_pst_pct	PST Pct		->9.99<%	10
qo_recur	Recurring	Rec	yes/no	
qo_rel_cnt	Release Count	Cnt	>>9	
qo_rel_date	Release Date	Release	99/99/99	
qo_release	Release	Rel	yes/no	
qo_req_date	Required Date	Required	99/99/99	
qo_rev	Revision	Rev	>>9	

Field Name	Label	Col-Label	Format	Dec
qo_rmks	Remarks		x(40)	
qo_ship	Ship-To		x(8)	
qo_ship_date	Ship Date		99/99/99	
qo_shipvia	Ship Via		x(20)	
qo_site	Site		x(8)	
qo_size	Size		->, >>>, >>9.9<<<<<<<<<	10
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_so_nbr	Last Sales Order	Lst Ord	x(8)	
qo_source	Order Source	Source	x(8)	
qo_stat	Action Status	St	x(2)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	10
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>, >>>, >>9.9999	10
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qo_mstr	yes	oid_qo_mstr	yes	no
qo_cust	no	qo_domain	yes	no
		qo_cust	yes	no
* qo_nbr	yes	qo_domain	yes	no
		qo_nbr	yes	no
qo_print_qo	no	qo_domain	yes	no
		qo_print_qo	yes	no
qo_release	no	qo_domain	yes	no
		qo_release	yes	no
		qo_nbr	yes	no
qo_ship	no	qo_domain	yes	no
		qo_ship	yes	no

QPostingSaf Posting SAF Daemon Queue

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
QPostingLine_ID	Link to QPostingLine		9999999999	
QPostingSaf_ID	Record ID		9999999999	
QPostingSafInputSequence	SAF Input Sequence		->, >>>, >>9	
QPostingSafParentType	SAF Parent Type		x(20)	
Saf_ID	Link to Saf		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Prim	yes	QPostingSaf_ID	yes	no
QPostingLine	no	QPostingLine_ID	yes	no

Quality Test Bill Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qps_det	yes	oid_qps_det	yes	no
*	qps_det	yes	qps_domain	yes	no
			qps_routing	yes	no
			qps_op	yes	no
			qps_part	yes	no

Q/LinQ Control

Field Name	Label	Col-Label	Format	Dec
oid_qqc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qqc__dec01			.9<<<<<<<<<	
qqc__dec02			->>, >>, >>9.99<	10
qqc__dte01			->>, >>, >>9.99<	10
qqc__dte02			99/99/99	
qqc__int01			99/99/99	
qqc__int02			->>, >>, >>9	
qqc__log01			->>, >>, >>9	
qqc__log02			yes/no	
qqc__qadc01			yes/no	
qqc__qadc02			x(8)	
qqc__qadc03			x(8)	
qqc__qadc04			x(8)	
qqc__qadd01			x(8)	
qqc__qadd02			->>, >>, >>9.99<	10
qqc__qadi01			->>, >>, >>9.99<	10
qqc__qadi02			->>, >>, >>9	
qqc__qadi03			->>, >>, >>9	
qqc__qadl01			->>>>>>9	
qqc__qadl02			yes/no	
qqc__qadt01			yes/no	
qqc__qadt02			99/99/99	
qqc_ack_lvl_reqd	Autoacknowledgment Level		99/99/99	
qqc_act	Active		x(1)	
qqc_code_pg	Code Page		yes/no	
qqc_date_form	Date Format		X(15)	
qqc_domain	Domain		X(3)	
qqc_email_flg	E-mail Enabled		x(8)	
qqc_email_notlvl	E-mail Notification Level		yes/no	
qqc_email_userid	E-mail Recipient User ID		x(1)	
qqc_ex_arch_dir	Export File Archive Directory		x(8)	
qqc_ex_map_flg	Export Mapping Enabled		x(65)	
qqc_im_arch_dir	Import File Archive Directory		yes/no	
qqc_im_map_flg	Import Mapping Enabled		x(65)	
qqc_mfgpro_site	Host MFG/PRO Site		yes/no	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
qqc_mod_date	Modified Date	Mod Date	99/99/99	
qqc_mod_userid	User ID		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	
qqc_proc_flg	Import Processing Enabled		yes/no	
qqc_publ_flg	Publishing Enabled		yes/no	
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(24)	
qqc_start_proc	Session Startup Procedure		x(24)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1	Ufld1		x(8)	
qqc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	Index1	yes	qqc_domain	yes	no
	oid_qqc_ctrl	yes	oid_qqc_ctrl	yes	no

gro_det

Quality Inspection Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_qro_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qro_chr01			.9<<<<<<<<<	
qro_chr02			x(8)	
qro_chr03			x(8)	
qro_chr04			x(8)	
qro_chr05			x(8)	
qro_dec01			>>>, >>>, >>9.99	10
qro_dec02			>>>, >>>, >>9.99	10
qro_dte01			99/99/99	
qro_dte02			99/99/99	
qro_log01			yes/no	
qro_cmtindx	Comment Index	Comment	>>>>>>>g	
qro_desc	Description		x(24)	
qro_domain	Domain		x(8)	
qro_mch	Machine		x(8)	
qro_mch_op	Machines per Op	Mach/Op	->, >>>, >>g	
qro_op	Operation	Op	>>>>g	
qro_queue	Operation Time	Op Time	>, >>9.9<<	10
qro_routing	Procedure		x(18)	
qro_tool	Tool Code	Tool	x(8)	
qro_user1	Ufld1		x(8)	
qro_user2	Ufld2		x(8)	
qro_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_qro_det	yes	old_qro_det	yes	no
* qro_routing	yes	qro_domain	yes	no
		qro_routing	yes	no
		qro_op	yes	no
qro_wkctr	no	qro_domain	yes	no
		qro_wkctr	yes	no
		qro_mch	yes	no

Quality Order Test Steps

Field Name	Label	Col-Label	Format	Dec
oid_qr_test			>>>>>>>>>>>>>>>>>>>>>>9	10
qr_chr01			.9<<<<<<<<<	
qr_chr02			x(8)	
qr_chr03			x(8)	
qr_chr04			x(8)	
qr_chr05			x(8)	
qr_dec01			>>>, >>>, >>9.99	10
qr_dec02			>>>, >>>, >>9.99	10
qr_dte01			99/99/99	
qr_dte02			99/99/99	
qr_log01			yes/no	
qr_act_op	Actual Operation Time	Act Op	->, >>9.9<<	10
qr_cmtindx	Comment Index	Comment	>>>>>>>9	
qr_desc	Description		x(24)	
qr_domain	Domain		x(8)	
qr_due	Due Date	Due	99/99/99	
qr_lot	Batch		x(8)	
qr_mch	Machine		x(8)	
qr_nbr	Quality Order		x(18)	
qr_op	Operation	Op	>>>>>9	
qr_op_time	Operation Time	Op Time	->, >>9.9<<	10
qr_part	Item Number		x(18)	
qr_qty_accpt	Qty Accepted		->, >>>, >>9.9<<<<<<<<<	10
qr_qty_ord	Qty Pending		->, >>>, >>9.9<<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->, >>>, >>9.9<<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qr_test	yes	oid_qr_test	yes	no
qr_lot	yes	qr_domain	yes	no
		qr_lot	yes	no
		qr_op	yes	no
* qr_nbrotp	yes	qr_domain	yes	no
		qr_nbr	yes	no
		qr_lot	yes	no
		qr_op	yes	no
qr_part	no	qr_domain	yes	no
		qr_part	yes	no
		qr_op	yes	no

QAD Table Extension

Field Name	Label	Col-Label	Format	Dec
oid_qtbl_ext			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qtbl_key1	Key Field 1		.9<<<<<<<<<	
qtbl_key2	Key Field 2		x(24)	
qtbl_key3	Key Field 3		x(24)	
qtbl_key4	Key Field 4		x(24)	
qtbl_key5	Key Field 5		x(24)	
qtbl_key6	Key Field 6		x(24)	
qtbl_owner	Owner		x(8)	
qtbl_qadc01			x(24)	
qtbl_qadc02			x(24)	
qtbl_qadc03			x(24)	
qtbl_qadc04			x(24)	
qtbl_qadc05			x(24)	
qtbl_qadd01			->>>>, >>>, >>>9.9<<<<<<<<<	10
qtbl_qadd02			->>>>, >>>, >>>9.9<<<<<<<<<	10
qtbl_qadd03			->>>>, >>>, >>>9.9<<<<<<<<<	10
qtbl_qadd04			->>>>, >>>, >>>9.9<<<<<<<<<	10
qtbl_qadd05			->>>>, >>>, >>>9.9<<<<<<<<<	10
qtbl_qadl01			yes/no	
qtbl_qadl02			yes/no	
qtbl_qadt01			99/99/99	
qtbl_qadt02			99/99/99	
qtbl_reference	Extension Reference		x(20)	
qtbl_table	Table Name		x(14)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qtbl_ext	yes	oid_qtbl_ext	yes	no
* qtbl_primary	yes	qtbl_owner	yes	no
		qtbl_table	yes	no
		qtbl_reference	yes	no
		qtbl_key1	yes	no
		qtbl_key2	yes	no
		qtbl_key3	yes	no
		qtbl_key4	yes	no
		qtbl_key5	yes	no
		qtbl_key6	yes	no

QueryCache Query Cache

Field Name	Label	Col-Label	Format	Dec
Instance_ID	link to Instance		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
QueryCache_ID	record ID		999999999999	
RecordCount	Record Count		>>>>>9	
SearchKey	Search Key		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	QueryCache_ID	yes	no
key	no	SearchKey	yes	no

rbm_mstr

Retrobill Master

Field Name	Label	Col-Label	Format	Dec
oid_rbm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rbm__qadc01			.9<<<<<<<<<	
rbm_ar_nbr	A/R Reference		x(8)	
rbm_auth	Authorization Number		x(18)	
rbm_cmtdndx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
rbm_domain	Domain		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>, >>>, >>>9.99<<<	10
rbm_rsn	Reason Code		x(8)	
rbm_status	Status		x(8)	
rbm_user1	Ufld1		x(8)	
rbm_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rbm_mstr	yes	oid_rbm_mstr	yes	no
*	rbm_cust	yes	rbm_domain	yes	no
			rbm_cust	yes	no
			rbm_auth	yes	no

rcc_mstr

Customer Sequence Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rcc_mstr			>>>>>>>>>>>>>>>>>>>>9	10
rcc__qadc01			.9<<<<<<<<	
rcc__qadc02			x(8)	
rcc__qadd01			x(8)	
rcc__qadd02			->, >>>, >>9.9<<<<<<<<	10
rcc__qadi01			->, >>>, >>9.9<<<<<<<<	10
rcc__qadi02			->, >>>, >>9	
rcc__qadl01			->, >>>, >>9	
rcc__qadl02			yes/no	
rcc__qadl03			yes/no	
rcc__qadl04			yes/no	
rcc__qadt01			yes/no	
rcc__qadt02			99/99/99	
rcc_addr	Ship-To		99/99/99	
rcc_asn_edi	Send Sequence with ASN	ASN! Send	x(8)	
rcc_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rcc_domain	Domain		yes/no	
rcc_firm_seq_days	Firm Days	Firm! Days	x(8)	
rcc_inc_in_rss	Include Seq in Req Ship	RSS	>>9	
	Sched		yes/no	
rcc_invoice_edi	Send Sequence with Invoice	Inv! Send	yes/no	
rcc_invoice_print	Print Sequence on Invoice	Inv! Print	yes/no	
rcc_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rcc_merge_seq	Merge Schedules	Merge	yes/no	
rcc_mod_date	Modified Date	Mod Date	99/99/99	
rcc_mod_pgm	Last Program		x(8)	
rcc_mod_userid	User ID		x(8)	
rcc_packing_order	Packing Order	Pack! Order	forward/reverse	
rcc_seq_per_container	Sequences Per Container	Seq Per! Cont	>>>>>>>9	
rcc_shipper_print	Print Sequence on Shipper	Ship! Print	yes/no	
rcc_user1	Ufld1		x(8)	
rcc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcc_mstr	yes	oid_rcc_mstr	yes	no
* rcc_index1	yes	rcc_domain	yes	no
		rcc_addr	yes	no

rcf_ctrl

Customer Sequence Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rcf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rcf_qadc01			.9<<<<<<<<	
rcf_qadc02			x(8)	
rcf_qadd01			x(8)	
rcf_qadd02			->, >>>, >>9.9<<<<<<<<	10
rcf_qadi01			->, >>>, >>9.9<<<<<<<<	10
rcf_qadi02			->, >>>, >>g	
rcf_qadi03			->, >>>, >>g	
rcf_qadl01			->>>>>>>g	
rcf_qadl02			yes/no	
rcf_qadl03			yes/no	
rcf_qadl04			yes/no	
rcf_qadt01			yes/no	
rcf_qadt02			99/99/99	
rcf_active	Enable Sequence Schedules		99/99/99	
rcf_asn_edt	Send Sequence with ASN		yes/no	
rcf_check_seq_tol	Check Sequence Tolerance		yes/no	
rcf_domain	Domain		x(8)	
rcf_firm_seq_days	Firm Days		>>g	
rcf_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
rcf_invoice_edt	Send Sequence with Invoice		yes/no	
rcf_invoice_print	Print Sequence on Invoice		yes/no	
rcf_max_tol	Maximum Tolerance		>>>>g	
rcf_merge_seq	Merge Schedules		yes/no	
rcf_mod_date	Modified Date	Mod Date	99/99/99	
rcf_mod_pgm	Last Program		x(8)	
rcf_mod_userid	User ID		x(8)	
rcf_packing_order	Packing Order		forward/reverse	
rcf_sch_default	Schedule Order Default		yes/no	
rcf_seq_per_container	Sequences Per Container		>>>>>>>g	
rcf_shipper_print	Print Sequence on Shipper		yes/no	
rcf_user1	Ufld1		x(8)	
rcf_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcf_ctrl	yes	oid_rcf_ctrl	yes	no
* rcf_index1	yes	rcf_domain	yes	no

rcsd_det

Customer Sequence Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_rcsd_det			>>>>>>>>>>>>>>>>>>>>>9	10
rcsd__qadc01			.9<<<<<<<<	
rcsd__qadc02			x(8)	
rcsd__qadd01			x(8)	
rcsd__qadd02			->, >>>, >>9.9<<<<<<<<	10
rcsd__qadi01			->, >>>, >>9.9<<<<<<<<	10
rcsd__qadi02			->, >>>, >>9	
rcsd__qadl01			->, >>>, >>9	
rcsd__qadl02			yes/no	
rcsd__qadt01			yes/no	
rcsd__qadt02			99/99/99	
rcsd_cum_qty	Cum Quantity		99/99/99	
rcsd_cust_build_date	Customer Build Date		>>, >>>, >>9.9<<<<<<<<	10
rcsd_cust_job	Customer Job		99/99/99	
rcsd_cust_part	Customer Item		x(30)	
rcsd_cust_po	PO Number		x(30)	
rcsd_cust_ref	Customer Reference		x(22)	
rcsd_cust_seq	Customer Sequence		x(30)	
rcsd_custref	Customer Ref		x(30)	
rcsd_date	Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
rcsd_deleted	Deleted		yes/no	
rcsd_derived_rlse_id	Derived Release ID		x(30)	
rcsd_discr_qty	Quantity		>>, >>>, >>>9.9<<<<<<<<<	10
rcsd_dock	Customer Dock		x(30)	
rcsd_domain	Domain		x(8)	
rcsd_line	Line		>>9	
rcsd_line_feed	Line Feed		x(30)	
rcsd_mod_date	Modified Date	Mod Date	99/99/99	
rcsd_mod_pgm	Last Program		x(8)	
rcsd_mod_userid	User ID		x(8)	
rcsd_modelyr	Model Year		x(4)	
rcsd_order	Order		x(8)	
rcsd_part	Item Number		x(18)	
rcsd_picked	Picked		yes/no	
rcsd_rlse_id	Release ID		x(30)	
rcsd_shipfrom	Ship-From		x(8)	
rcsd_shipto	Ship-To		x(8)	
rcsd_status	Status		x(8)	
rcsd_time	Time		99:99	
rcsd_user1	Ufld1		x(8)	
rcsd_user2	Ufld2		x(8)	
rcsd_x_referenced	Cross Referenced		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcsd_det	yes	oid_rcsd_det	yes	no
* rcsd_index1	yes	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
rcsd_index2	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
rcsd_index3	no	rcsd_domain	yes	no
		rcsd_order	yes	no
		rcsd_line	yes	no
		rcsd_rlse_id	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
rcsd_index4	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_picked	yes	no
		rcsd_x_referenced	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
rcsd_index5	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rcsd_part	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no

rctx_ref	Customer Sequence Schedule Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_rcsx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rcsx_qadc01			.9<<<<<<<<<	
rcsx_qadc02			x(8)	
rcsx_qadd01			x(8)	
rcsx_qadd02			->, >>>, >>9.9<<<<<<<<<	10
rcsx_qadi01			->, >>>, >>9.9<<<<<<<<<	10
rcsx_qadi02			->, >>>, >>9	
rcsx_qadi01			->, >>>, >>9	
rcsx_qadi02			yes/no	
rcsx_qadi02			yes/no	
rcsx_qadt01			99/99/99	
rcsx_qadt02			99/99/99	
rcsx_cust_job	Customer Job		x(30)	
rcsx_cust_ref	Customer Reference		x(30)	
rcsx_cust_seq	Customer Sequence		x(30)	
rcsx_date	Date		99/99/99	
rcsx_dock	Customer Dock		x(30)	
rcsx_domain	Domain		x(8)	
rcsx_line_feed	Line Feed		x(30)	
rcsx_mod_date	Modified Date	Mod Date	99/99/99	
rcsx_mod_pgm	Last Program		x(8)	
rcsx_mod_userid	User ID		x(8)	
rcsx_part	Item Number		x(18)	
rcsx_picked	Picked		yes/no	
rcsx_rlse_id	Release ID		x(30)	
rcsx_shipfrom	Ship-From		x(8)	
rcsx_shipped	Shipped		yes/no	
rcsx_shipped_cust_job	Shipped Job		x(30)	
rcsx_shipped_cust_ref	Shipped Reference		x(30)	
rcsx_shipped_cust_seq	Shipped Sequence		x(30)	
rcsx_shipped_date	Scheduled Date		99/99/99	
rcsx_shipped_dock	Shipped Dock		x(30)	
rcsx_shipped_line_feed	Shipped Line Feed		x(30)	
rcsx_shipped_part	Shipped Item Number		x(18)	
rcsx_shipped_rlse_id	Shipped Release ID		x(30)	
rcsx_shipped_time	Scheduled Time		99:99	
rcsx_shipto	Ship-To		x(8)	
rcsx_time	Time		99:99	
rcsx_user1	Ufld1		x(8)	
rcsx_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcsx_ref	yes	oid_rcsx_ref	yes	no
* rcsx_index1	yes	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_shipped_rlse_id	yes	no
		rcsx_shipped_cust_job	yes	no
		rcsx_shipped_cust_seq	yes	no
		rcsx_shipped_part	yes	no
		rcsx_shipped_date	yes	no
		rcsx_shipped_time	yes	no
		rcsx_shipped_cust_ref	yes	no
		rcsx_shipped_dock	yes	no
		rcsx_shipped_line_feed	yes	no
rcsx_index2	no	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no

Service/Support Return Defaults Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rdf_mstr	yes	oid_rdf_mstr	yes	no
*	rdf_part	yes	rdf_domain	yes	no
			rdf_prod_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

Reason Invoice Status Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		->,>>>, >>9	
CustomInteger1	Custom Integer Field		->,>>>, >>9	
CustomInteger2	Custom Integer Field		->,>>>, >>9	
CustomInteger3	Custom Integer Field		->,>>>, >>9	
CustomInteger4	Custom Integer Field		->,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MatchingReason_ID	Status After Match		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>, >>9.9999	10
QADT01			99/99/9999	
Reason_ID	Record ID		9999999999	
ReasonAllocationStatus	Allocation Status		x(20)	
ReasonCode	Invoice Status Code		x(20)	
ReasonDescription	Description		x(40)	
ReasonIsActive	Active		yes/no	
ReasonIsInitialStatus	Initial Status		yes/no	
ReasonIsInvoiceApproved	Invoice Approved	Inv Approved	yes/no	
ReasonIsLockPayment	Lock Payment		yes/no	
ReasonIsLogisticMatching	Receiver Matching		yes/no	
ReasonIsNoReminderCount	Do not Increment Reminder Count		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ReasonCode	yes	no
◇ IsInitialStatus	no	ReasonIsInitialStatus	yes	no
◇* Prim	yes	Reason_ID	yes	no
ReasonAllocationStatus	no	ReasonAllocationStatus	yes	no
ReasonIsActive	no	ReasonIsActive	yes	no
ReasonIsInvApproved	no	ReasonIsInvoiceApproved	yes	no
ReasonIsLockPayment	no	ReasonIsLockPayment	yes	no
◇ ViewIndex	no	ReasonIsActive	yes	no
		ReasonCode	yes	no

ReceiptD

Warehousing Receipts Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
AltUM	Alt UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_ReceiptD			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
PackSlip	Packing Slip		x(12)	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->, >>>, >>9.9<<<<<<<<	10
RecStatus	Status	St	x(12)	
Ref	Reference		x(8)	
Site	Site		x(8)	
StartUserID	Start User		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Line	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		Addr	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
oid_ReceiptD	yes	oid_ReceiptD	yes	no
RecStatus	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		RecStatus	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

RecEntry

Recurring Entry

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingTemplate_ID	Template Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RecEntry_ID	Record ID		9999999999	
RecEntryAmountLC	BC Amount		->>>, >>>, >>>9.99	4
RecEntryCode	Code		x(20)	
RecEntryEndDate	End Date		99/99/9999	
RecEntryFreq	Frequency		x(20)	
RecEntryIsActive	Active		yes/no	
RecEntryIsAmountApply	Apply Amount		yes/no	
RecEntryIsOpenEnded	Open End		yes/no	
RecEntryIsReversing	Reverse in Next GL Period	Reverse	yes/no	
RecEntryStartDate	Start Date		99/99/9999	
RecEntryUpdate	Update Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Activedx	no	RecEntryIsActive	yes	no
◇ Company	no	Company_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ PostingTemplate	no	PostingTemplate_ID	yes	no
◇* prim	yes	RecEntry_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		RecEntryCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		RecEntryIsActive	yes	no
		RecEntryCode	yes	no

RecEntryLineRecurring Entry Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Period	GL Pd	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RecEntry_ID	Link to RecEntry		9999999999	
RecEntryLine_ID	Record ID		9999999999	
RecEntryLineAmountLC	BC Amount		->>>, >>>, >>>9.99	4
RecEntryLineCode	Code		x(20)	
RecEntryLinePostingDate	Posting Date		99/99/9999	
RecEntryLineReversingDate	Reversing Date		99/99/9999	
RecEntryLineStatus	Status		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Codeldx	no	RecEntryLineCode	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* prim	yes	RecEntryLine_ID	yes	no
RecEntryIdx	no	RecEntry_ID	yes	no
◇ StatusIdx	no	RecEntryLineStatus	yes	no

Service/Support Region Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_reg_mstr	yes	oid_reg_mstr	yes	no
* reg_code	yes	reg_domain	yes	no
		reg_code	yes	no

Warehousing Release Status Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
InvStatus	Status		X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_RelStatM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RelStatus	Release/Inspect Status	Rel/Insp St	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>>, >>9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	InvStatus	yes	Domain	yes	no
			InvStatus	yes	no
	oid_RelStatM	yes	oid_RelStatM	yes	no
	RelStatus	no	Domain	yes	no
			RelStatus	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

ReplenC

Warehousing Replenishment Control

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
MinQtyRule	Minimum Quantity Rule	Min! Qty! Rule	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_ReplenC			>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ReplnC	yes	oid_ReplnC	yes	no
UniquetID	yes	Domain	yes	no
		UniquetID	yes	no
UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

RepListD Warehousing Replenishment List Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ListSeq	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
		RepSeq	yes	no
ListSLG	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
		Whse	yes	no
		SLocGp	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ReplListD	yes	oid_ReplListD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

RepListM

Warehousing Replenishment List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RepListM	yes	oid_RepListM	yes	no
◇* SiteList	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

RepLocM

Warehousing Replenishment Location Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
EndDate	End Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* LocPart	yes	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		RepType	yes	no
		StartDate	yes	no
oid_RepLocM	yes	oid_RepLocM	yes	no
PartLoc	yes	Domain	yes	no
		Part	yes	no
		RepType	yes	no
		Site	yes	no
		Loc	yes	no
		StartDate	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportPeriod_ID	Record ID		9999999999	
ReportPeriodEndDate	End Date		99/99/9999	
ReportPeriodIsReported	Reported		yes/no	
ReportPeriodPeriod	GL Period		99	
ReportPeriodStartDate	Start Date		99/99/9999	
ReportPeriodYear	Year		9999	

Index-Name	Uni	Field-Name	Asc	Abbr
EndDateIdx	no	ReportPeriodEndDate	yes	no
IsReportedIdx	no	ReportPeriodIsReported	yes	no
◇* Prim	yes	ReportPeriod_ID	yes	no
◇ ReportPeriodIdx	no	ReportPeriodPeriod	yes	no
ReportYearIdx	no	ReportPeriodYear	yes	no
StartDateIdx	no	ReportPeriodStartDate	yes	no
◇ UniqueIdx	yes	ReportPeriodYear	yes	no
		ReportPeriodPeriod	yes	no

RepSLGM Warehousing Replenishment SLG Master

Field Name	Label	Col-Label	Format	Dec
Cmtlndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
EndDate	End Date		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_RepSLGM	yes	oid_RepSLGM	yes	no
◇	Part	yes	Domain	yes	no
			Part	yes	no
			RepType	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			StartDate	yes	no
◇*	SLG	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			RepType	yes	no
			Part	yes	no
			StartDate	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

req_det

Requisition Detail

Field Name	Label	Col-Label	Format	Dec
oid_req_det			>>>>>>>>>>>>>>>>>>>9	10
req__chr01			.9<<<<<<<<	
req__chr02			x(8)	
req__chr03			x(8)	
req__chr04			x(8)	
req__chr05			x(8)	
req__dec01			>>>, >>>, >>9.99	10
req__dec02			>>>, >>>, >>9.99	10
req__dte01			99/99/99	
req__dte02			99/99/99	
req__log01			yes/no	
req_acct	Pur Acct		x(8)	
req_app_owner	Owner Application		x(12)	
req_approved	Approved		yes/no	
req_apr_by	Approved By	Aprv By	x(8)	
req_apr_code	Approval Code	Apr Code	x(8)	
req_apr_ent	Approved Entered By	Aprv Ent	x(8)	
req_apr_prnt	Print Approval	Print Apr	yes/no	
req_cc	Cost Ctr	CC	x(4)	
req_cmtindx	Comment Index	Comment	>>>>>>>9	
req_daybookset	Daybook Set	Dybk Set	x(8)	
req_domain	Domain		x(8)	
req_line	Line		>>>	
req_nbr	Requisition	Req	x(8)	
req_need	Need Date	Need	99/99/99	
req_part	Item Number		x(18)	
req_po_site	PO Site		x(8)	
req_print	Print Requisition	Print	yes/no	
req_project	Project		x(8)	
req_pur_cost	Unit Cost		->, >>>, >>>, >>9.99<<<	10
req_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
req_rel_date	Release Date	Release	99/99/99	
req_request	Requested By	Req By	x(8)	
req_site	Site		x(8)	
req_so_job	Sales/Job		x(8)	
req_sub	Pur Sub-Acct	Sub-Acct	x(8)	
req_um	UM		x(2)	
req_user1	Ufld1		x(8)	
req_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_req_det	yes	oid_req_det	yes	no
req_apr_code	yes	req_domain	yes	no
		req_apr_code	yes	no
		req_nbr	yes	no
		req_line	yes	no
* req_nbr	yes	req_domain	yes	no
		req_nbr	yes	no
		req_line	yes	no
req_part	no	req_domain	yes	no
		req_part	yes	no

Resources

Resource

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID	Business Activity		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObsoleteResourceCategory	Resource Category		x(8)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>>.>>9.9999	10

Field Name	Label	Col-Label	Format	Dec
QADT01			99/99/9999	
Resource_ID	Record ID		9999999999	
ResourceLabel	Resource Label		x(60)	
ResourceType	Type		x(1)	
ResourceURI	Universal Resource Identification	URI	x(256)	
SODcategory_ID	link to SOD Category		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BusActivity_FK	no	BusActivity_ID	yes	no
* Resource_PK	yes	Resource_ID	yes	no
SODcategory	no	SODcategory_ID	yes	no
◇ Type	no	ResourceType	yes	no
URI	yes	ResourceURI	yes	no

Reval Revaluation

Field Name	Label	Col-Label	Format	Dec
CCRevalPosting_ID	Link to Posting		9999999999	
CCReversePosting_ID	Link to Posting		9999999999	
CCUndoPosting_ID	Link to Posting		9999999999	
CCUndoReversePosting_ID	Link to Posting		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Reval_ID	Record ID		9999999999	
RevalHeader_ID	Link to RevalHeader		9999999999	
RevalRevaluationArea	Revaluation Area		x(20)	
RevalStatusCode	Status		x(20)	
TCRevalPosting_ID	Link to Posting		9999999999	
TCReversePosting_ID	Link to Posting		9999999999	
TCUndoPosting_ID	Link to Posting		9999999999	
TCUndoReversePosting_ID	Voucher		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCRevalPosting	no	CCRevalPosting_ID	yes	no
CCReversePosting	no	CCReversePosting_ID	yes	no
CCUndoPosting	no	CCUndoPosting_ID	yes	no
CCUndoReversePosting	no	CCUndoReversePosting_ID	yes	no
◇* Prim	yes	Reval_ID	yes	no
RevalArea	no	RevalRevaluationArea	yes	no
◇ RevalHeader	no	RevalHeader_ID	yes	no
RevalStatus	no	RevalStatusCode	yes	no
TCRevalPosting	no	TCRevalPosting_ID	yes	no
TCReverseposting	no	TCReversePosting_ID	yes	no
TCUndoPosting	no	TCUndoPosting_ID	yes	no
TCUndoReversePosting	no	TCUndoReversePosting_ID	yes	no
◇ UniqueIdx	yes	RevalRevaluationArea	yes	no
		RevalHeader_ID	yes	no

RevalDet Revaluation Detail

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RevalDet_ID	Record ID		9999999999	
RevalDetCCEXchangeRate	SC Exchange Rate		->, >>>, >>9.9999999999	10
RevalDetCCEXchangeScale	SC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalDetCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetParentObject_ID	Link to ParentObject		9999999999	
RevalDetParentObjectType	Object Type		x(20)	
RevalDetRevCreditCC	SC Revaluated Credit	SC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalDetRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalDetRevDebitCC	SC Revaluated Debit	SC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalDetRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalDetTCExchangeRate	BC Exchange Rate		->, >>>, >>9.9999999999	10
RevalDetTCExchangeScale	BC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalGL_ID	Link to RevalGL		9999999999	
RevalHeader_ID	Link to RevalHeader		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ParentObject	no	RevalDetParentObject_ID	yes	no
◇ ParentType	no	RevalDetParentObjectType	yes	no
◇* Prim	yes	RevalDet_ID	yes	no
◇ RevalGL	no	RevalGL_ID	yes	no
◇ RevHead	no	RevalHeader_ID	yes	no

RevalGL Revaluation Account

Field Name	Label	Col-Label	Format	Dec
CCEXchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
CostCentre_ID	Cost Center		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
GL_ID	GL Account		9999999999	
IntercoBusinessRelation_ID	Business Relation	Business Relation Code	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reval_ID	Link to Reval		9999999999	
RevalGL_ID	Record ID		9999999999	
RevalGLCCEXchangeRate	SC Exchange Rate		->, >>>, >>9.9999999999	10
RevalGLCCEXchangeRateScale	SC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalGLCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLMethodCC	SC Revaluation Method	SC Rev Method	x(20)	
RevalGLMethodTC	TC Revaluation Method	TC Rev Method	x(20)	

Field Name	Label	Col-Label	Format	Dec
RevalGLRevCreditCC	SC Revaluated Credit	SC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalGLRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalGLRevDebitCC	SC Revaluated Debit	SC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalGLRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalGLSafCombined_ID	Link to RevalGLSafCombined		9999999999	
RevalGLTCEXchangeRate	BC Exchange Rate		->, >>>, >>>9.9999999999	10
RevalGLTCEXchangeRateScale	BC Exchange Rate Scale		->, >>>, >>>9.9999999999	10
RevalGLType	GL Type		x(20)	
RevalHeader_ID	Link to RevalHeader		9999999999	
TCEXchangeRateType_ID	TC Revaluation Rate	Rev Rate TC	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇* Prim	yes	RevalGL_ID	yes	no
◇ Project	no	Project_ID	yes	no
Reval	no	Reval_ID	yes	no
◇ RevHead	no	RevalHeader_ID	yes	no
SafCombined	no	RevalGLSafCombined_ID	yes	no
◇ Type	no	RevalGLType	yes	no

RevalGLSafCombined Revaluation Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID	Link to Saf		9999999999	
CostCentre2Saf_ID	Link to Saf		9999999999	
CostCentre3Saf_ID	Link to Saf		9999999999	
CostCentre4Saf_ID	Link to Saf		9999999999	
CostCentre5Saf_ID	Link to Saf		9999999999	
CostCentreSafStructure_ID	Link to SafStructure		9999999999	
GL1Saf_ID	Link to Saf		9999999999	
GL2Saf_ID	Link to Saf		9999999999	
GL3Saf_ID	Link to Saf		9999999999	
GL4Saf_ID	Link to Saf		9999999999	
GL5Saf_ID	Link to Saf		9999999999	
GLSafStructure_ID	Link to SafStructure		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project1Saf_ID	Link to Saf		9999999999	
Project2Saf_ID	Link to Saf		9999999999	
Project3Saf_ID	Link to Saf		9999999999	
Project4Saf_ID	Link to Saf		9999999999	
Project5Saf_ID	Link to Saf		9999999999	
ProjectSafStructure_ID	Link to SafStructure		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RevalGLSafCombined_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	RevalGLSafCombined_ID	yes	no

RevalHeader Revaluation Header

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Layer Code		9999999999	
Period_ID	GL Cal Year		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RevalHeader_ID	Record ID		9999999999	
RevalHeaderDescription	Rev Desc		x(40)	
RevalHeaderIsForCC	Include Statutory Currency		yes/no	
RevalHeaderIsForLC	Include Base Currency		yes/no	
RevalHeaderNumber	Rev Number		9999999999	
RevalHeaderRevalDate	Rev Date		99/99/9999	
Source1Layer_ID	Link to Source Layer 1		9999999999	
Source2Layer_ID	Link to Source Layer 2		9999999999	
Source3Layer_ID	Link to Source Layer 3		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	RevalHeader_ID	yes	no
RevalDate	no	RevalHeaderRevalDate	yes	no
RevalNumber	no	RevalHeaderNumber	yes	no
SourceLayer1	no	Source1Layer_ID	yes	no
SourceLayer2	no	Source2Layer_ID	yes	no
SourceLayer3	no	Source3Layer_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		Period_ID	yes	no
		RevalHeaderNumber	yes	no

RevalRate Revaluation Rate

Field Name	Label	Col-Label	Format	Dec
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
FromCurrency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RevalHeader_ID	Link to RevalHeader		9999999999	
RevalRate_ID	Record ID		9999999999	
RevalRateDate	Revaluation Rate Date	Rev Rate Date	99/99/9999	
RevalRateExchangeRateScale	Scale Fact		>>>>>>9.9999999999	10
RevalRateExchangeRate	Revaluation Rate	Rev Rate	>>>>>>9.9999999999	10
ToCurrency_ID	Currency Code	Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	RevalRate_ID	yes	no
◇ RevalHeader	no	RevalHeader_ID	yes	no

Warehousing Release Group Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RGD	yes	oid_RGD	yes	no
◇* RelGroup	yes	Domain	yes	no
		RelNbr	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		ShipVia	yes	no
		PartType	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
◇ Wave	no	Domain	yes	no
		WaveNbr	yes	no
		RelNbr	yes	no

RGM

Warehousing Release Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Include	yes	no
oid_RGM	yes	oid_RGM	yes	no
◇* RelGroup	yes	Domain	yes	no
		RelNbr	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		ShipVia	yes	no
		PartType	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no

◇ Wave

Return Material Authorization Detail History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rhd_hist	yes	oid_rhd_hist	yes	no
rhd_nbr	no	rhd_domain	yes	no
		rhd_nbr	yes	no
rhd_part	no	rhd_domain	yes	no
		rhd_part	yes	no
		rhd_nbr	yes	no
		rhd_prefix	yes	no
		rhd_line	yes	no
* rhd_trnbr	yes	rhd_domain	yes	no
		rhd_file_type	yes	no
		rhd_trnbr	yes	no

rma_mstr

Field Name	Label	Col-Label	Format	Dec
rma__dec01	PST		>>>, >>>, >>9.99	10
rma__dec02			>>>, >>>, >>9.99	10
rma__dte01			99/99/99	
rma__dte02			99/99/99	
rma__log01			yes/no	
rma__qadc01	QAD Character Field 1		X(8)	
rma__qadc02	QAD Character Field 2		X(8)	
rma__qadc03	QAD Character Field 3		X(8)	
rma__qadc04	QAD Character Field 4		x(8)	
rma__qadc05	QAD Character Field 5		x(8)	
rma__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<<	10
rma__qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<<	10
rma__qadd03	QAD Decimal Field 3		->>>, >>>, >>9.99<<<	10
rma__qadd04	QAD Decimal Field 4		->>>, >>>, >>9.99<<<	10
rma__qadi01	QAD Integer Field 1		->, >>>, >>9	
rma__qadi02	QAD Integer Field 2		->, >>>, >>9	
rma__qadi03	QAD Integer Field 3		->, >>>, >>9	
rma__qadi01	QAD Logical Field 1		yes/no	
rma__qadi02	QAD Logical Field 2		yes/no	
rma__qadt01	QAD Date Field 1		99/99/99	
rma__qadt02	QAD Date Field 2		99/99/99	
rma__qadt03	QAD Date Field 3		99/99/99	
rma_bill_to	Bill To		x(8)	
rma_ca_nbr	Call Id		x(8)	
rma_cmtindx	Comment Index	Comment	>>>>>>>9	
rma_complete	Complete	Cmp	yes/no	
rma_contract	RMA Contract		x(8)	
rma_crprlist	Credit Price List	Cr Price	x(8)	
rma_cstmlist	Customs List	Customs	x(8)	
rma_ctype	Contract Type		x(8)	
rma_cust_ven	Customer		x(8)	
rma_domain	Domain		x(8)	
rma_enduser	End User		x(8)	
rma_eng_code	Engineer Code	Eng Code	x(8)	
rma_exp_date	Expected Date	Expected	99/99/99	
rma_loc_iss	Issue Location		x(8)	
rma_loc_rec	Receive Location		x(8)	
rma_mod_date	Modified Date	Mod Date	99/99/99	
rma_mod_userid	User ID		X(8)	
rma_nbr	RMA		x(8)	
rma_ord_date	Order Date	Ord Date	99/99/99	
rma_pr_list	Price List	List	x(8)	
rma_prefix	Prefix		x(1)	
rma_prt_rec	Print Receiving Doc	Print Rec	yes/no	
rma_req_date	Required Date	Required	99/99/99	
rma_rstk_pct	Restocking Charge	Restock	->>9.99%	10
rma_rts_bol	BOL		x(18)	
rma_ship	Ship-To		x(8)	
rma_shipdate	Ship Date		99/99/99	
rma_site_iss	Issue Site		x(8)	
rma_site_rec	Receive Site		x(8)	
rma_source	Order Source	Source	x(8)	
rma_stat	Action Status	St	x(2)	
rma_taxable	Taxable	Tax	yes/no	
rma_taxc	Tax Class	TxC	x(3)	
rma_type	Type		x(8)	
rma_user1	Ufld1		x(8)	
rma_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rma_mstr	yes	oid_rma_mstr	yes	no
rma_ca_nbr	no	rma_domain	yes	no
		rma_ca_nbr	yes	no
		rma_nbr	yes	no
rma_cust_ven	yes	rma_domain	yes	no
		rma_cust_ven	yes	no
		rma_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* rma_nbr	yes	rma_prefix	yes	no
		rma_domain	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no

rmc ctrl

Return Material Authorization Control

Field Name	Label	Col-Label	Format	Dec
oid_rmc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rmc_chr01			.9<<<<<<<<<	
rmc__chr02			x(8)	
rmc__chr03			x(8)	
rmc__chr04			x(8)	
rmc__chr05			x(8)	
rmc__chr06			x(8)	
rmc__chr07			x(8)	
rmc__chr08			x(8)	
rmc__chr09			x(8)	
rmc__chr10			x(8)	
rmc_dec01			->>>, >>>, >>9.99	10
rmc_dec02			->>>, >>>, >>9.99	10
rmc_dec03			->>>, >>>, >>9.99	10
rmc_dte01			99/99/99	
rmc_dte02			99/99/99	
rmc_dte03			99/99/99	
rmc_dte04			99/99/99	
rmc_log01			yes/no	
rmc_log02			yes/no	
rmc_log03			yes/no	
rmc_log04			yes/no	
rmc_log05			yes/no	
rmc_qadc01	QAD Character Field 1		X(8)	
rmc_qadc02	QAD Character Field 2		X(8)	
rmc_qadc03	QAD Character Field 3		X(8)	
rmc_qadc04			x(4)	
rmc_qadc05			x(8)	
rmc_qadc06			x(4)	
rmc_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
rmc_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99<<<	10
rmc_qadi01	QAD Integer Field 1		->, >>>, >>9	
rmc_qadi02	QAD Integer Field 2		->, >>>, >>9	
rmc_qadi03			>>>>>>9	
rmc_qadi04			->>>>>>>9	
rmc_qadl01	QAD Logical Field 1		yes/no	
rmc_qadl02	QAD Logical Field 2		yes/no	
rmc_qadl03	QAD Logical Field 3		yes/no	
rmc_all_days	Allocate Days		>>>>>9	
rmc_consume	Consume Forecast	Consume Fcst	yes/no	
rmc_det_all	Detail Allocations		yes/no	
rmc_dflt_rma	Default RMA Contract		x(8)	
rmc_disp_trail	RMA Trailer Display		yes/no	
rmc_domain	Domain		x(8)	
rmc_edit_isb	Edit Installed Base		yes/no	
rmc_hcmmts	RMA Header Comments		yes/no	
rmc_hist	Return History		yes/no	
rmc_history	Keep Booking History		yes/no	
rmc_issues	Issues First		yes/no	
rmc_lcmmts	RMA Line Comments		yes/no	
rmc_loc_is	Customer Return Location		x(8)	
rmc_loc_iv	Return From Supplier Loc		x(8)	
rmc_loc_os	Customer Spares Location		x(8)	
rmc_loc_ov	At Supplier Location		x(8)	
rmc_mod_date	Modified Date	Mod Date	99/99/99	
rmc_mod_userid	User ID		X(8)	
rmc_node	Node		x(8)	
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rmc_ctrl	yes	oid_rmc_ctrl	yes	no
* rmc_node	yes	rmc_domain	yes	no
		rmc_node	yes	no

Return Material Authorization Detail

Field Name	Label	Col-Label	Format	Dec
rmd_cmtindx	Comment Index	Comment	>>>>>>9	
rmd_comment[5]	Comments		x(40)	
rmd_covered	Covered Amount		>>>>, >>>, >>9.99<<<	10
rmd_cpl_date	Received Date	Rec Date	99/99/99	
rmd_customs	Customs Value		>>>>, >>>, >>9.99<<<	10
rmd_cvr_pct	Coverage Percent	Cvr Per	->, >>9.99	10
rmd_desc	Description		x(24)	
rmd_domain	Domain		x(8)	
rmd_done	Received		yes/no	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	99:99	
rmd_eng_code	Engineer Code	Eng Code	x(8)	
rmd_exp_date	Expected Date	Exp Date	99/99/99	
rmd_fault_cd	Fault Code	Fault	x(8)	
rmd_ins_date	Install Date		99/99/99	
rmd_iss	Inv Iss		yes/no	
rmd_line	Line	Ln	>>9	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		yes/no	
rmd_loc	To Location		x(8)	
rmd_mod_date	Modified Date	Mod Date	99/99/99	
rmd_mod_userid	User ID		X(8)	
rmd_nbr	Sales Order	Order	x(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_par_date	Parent Install Date		99/99/99	
rmd_par_part	Parent Item		x(18)	
rmd_par_ser	Parent Serial		x(18)	
rmd_part	Item		x(18)	
rmd_prefix	Prefix		x(1)	
rmd_price	Price		>>>>, >>>, >>9.99<<<	10
rmd_process	Processing		x(2)	
rmd_prodlne	Product Line	Line	x(4)	
rmd_qty_acp	Qty Received		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
rmd_ref	Ref		>>>>>>9	
rmd_restock	Restock		>>>, >>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rmd_det	yes	oid_rmd_det	yes	no
rmd_link	no	rmd_domain	yes	no
		rmd_rma_nbr	yes	no
		rmd_rma_line	yes	no
		rmd_prefix	yes	no
* rmd_nbrln	yes	rmd_domain	yes	no
		rmd_nbr	yes	no
		rmd_prefix	yes	no
		rmd_line	yes	no
rmd_part	no	rmd_domain	yes	no
		rmd_part	yes	no
		rmd_exp_date	yes	no
		rmd_fault_cd	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_type	no	rmd_domain	yes	no
		rmd_prefix	yes	no
		rmd_type	yes	no
		rmd_nbr	yes	no
		rmd_line	yes	no

rndc mstr

Field Name	Label	Col-Label	Format	Dec
oid_rndc_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
rncd__qadc01	QAD Character Field 1		.9<<<<<<<<	
rncd__qadc02	QAD Character Field 2		x(24)	
rncd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
rncd__qadt01	QAD Date Field 1		99/99/99	
rncd_acct	Account	Account	x(8)	
rncd_curr	Currency	Cur	x(3)	
rncd_dest_ctry	Destination Country	Dest Ctry	x(3)	
rncd_domain	Domain		x(8)	
rncd_mod_date	Modified Date	Mod Date	99/99/99	
rncd_mod_userid	User ID		x(8)	
rncd_orig_ctry	Originating Country	Orig Ctry	x(3)	
rncd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rncd_sub	Sub-Account	Sub-Acct	x(8)	
rncd_user1	User Field Character 1		x(24)	
rncd_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rndc_mstr	yes	oid_rndc_mstr	yes	no
*	rndc_rnd_mthd	yes	rndc_domain	yes	no
			rndc_curr	yes	no
			rndc_orig_ctr	yes	no
			rndc_dest_ctr	yes	no

rnd mstr

Field Name	Label	Col-Label	Format	Dec
oid_rnd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
rnd_chr01			x(8)	
rnd_chr02			x(8)	
rnd_chr03			x(8)	
rnd_chr04			x(8)	
rnd_qad01			x(8)	
rnd_qad02			x(8)	
rnd_qad03			x(8)	
rnd_qad04			x(8)	
rnd_qadc01			x(24)	
rnd_qadc02			x(24)	
rnd_desc	Description		x(24)	
rnd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rnd_thrshld	Rounding Threshold	Threshold	>, >>9.9999	10
rnd_unit	Rounding Unit	Rnd Unit	>, >>9.999	10
rnd_user1	Ufid1		x(8)	
rnd_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rnd_mstr	yes	oid_rnd_mstr	yes	no
rnd_desc	no	rnd_desc	yes	no
		rnd_rnd_mthd	yes	no
* rnd_rnd_mthd	yes	rnd_rnd_mthd	yes	no

Role

Field Name	Label	Col-Label	Format	Dec
BusComponent_ID	Business Component		9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	Record ID		9999999999	
RoleBusComponentConcept	Component Concept		x(20)	
RoleDescription	Role Description		x(24)	
RoleIsActive	Active		yes/no	
RoleName	Role Name		x(20)	
RoleSODException	is SOD exception		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Component	no	BusComponent_ID	yes	no
◇* Prim	yes	Role_ID	yes	no
RoleName	yes	RoleName	yes	no

RoleResource Link Role-Resource

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Field Name	Label	Col-Label	Format	Dec
Resource_ID	Resource		9999999999	
Role_ID	Role		9999999999	
RoleResource_ID	Record ID		9999999999	
RoleResourcesDefault	Default		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	RoleResource_ID	yes	no
Resource_FK	no	Resource_ID	yes	no
◇ Role_FK	no	Role_ID	yes	no

RoundingMethodRounding Method

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>,>>9.9999	10
QADT01			99/99/9999	
RoundingMethod_ID	Record ID		9999999999	
RoundingMethodCode	Code		x(1)	
RoundingMethodDescription	Description		x(24)	
RoundingMethodThreshold	Threshold		>,>>9.9999	4
RoundingMethodUnit	Unit		>,>>9.999	3

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	RoundingMethodCode	yes	no
◇* Prim	yes	RoundingMethod ID	yes	no

ro_det	Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_ro_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ro_chr01			.9<<<<<<<<<	
ro_chr02			x(8)	
ro_chr03			x(8)	
ro_chr04			x(8)	
ro_chr05			x(8)	
ro_dec01			>>>, >>>, >>9.99	10
ro_dec02			>>>, >>>, >>9.99	10
ro_dte01			99/99/99	
ro_dte02			99/99/99	
ro_log01			yes/no	
ro_qadc01	QAD Character Field 1		X(8)	
ro_qadc02	QAD Character Field 2		X(8)	
ro_qadc03	QAD Character Field 3		X(8)	
ro_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ro_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ro_qadl01	QAD Logical Field 1		yes/no	
ro_qadl02	QAD Logical Field 2		yes/no	
ro_qadt01	QAD Date Field 1		99/99/99	
ro_qadt02	QAD Date Field 2		99/99/99	
ro_auto_lbr	Auto Labor Report		yes/no	
ro_batch	Batch Qty	Batch! Qty	>, >>>, >>9.9<<<<<<<<<	10
ro_bom_code	BOM Code		x(18)	
ro_cmtindx	Comment Index	Comment	>>>>>>>9	
ro_cost	Cost		>>>>, >>>, >>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>>, >>9.999	10
ro_cyc_unit	Units/Cycle		>>>>>9	10
ro_desc	Description		x(24)	
ro_domain	Domain		x(8)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ro_det	yes	oid_ro_det	yes	no
ro_fsm_type	no	ro_domain	yes	no
		ro_fsm_type	yes	no
		ro_routing	yes	no
		ro_op	yes	no
* ro_routing	yes	ro_domain	yes	no
		ro_routing	yes	no
		ro_op	yes	no
		ro_start	yes	no
ro_wkctr	no	ro_domain	yes	no
		ro_wkctr	yes	no
		ro_mch	yes	no

rpc_ctrl Repetitive Control

Field Name	Label	Col-Label	Format	Dec
rpc_eff_dflt	End Eff Default Method		X(1)	
rpc_inc_yld	Include Yield		yes/no	
rpc_nbr	Next Picklist	P/L Nbr	>>>>>>>9	
rpc_nbr_pre	P/L Prefix	Pre	x(3)	
rpc_sch_bck	Consume Back	Back	-->9	
rpc_sch_fwd	Consume Forward	Fwd	-->9	
rpc_user1	Ufld1		x(8)	
rpc_user2	Ufld2		x(8)	
rpc_using_new	Enable New Repetitive		yes/no	
rpc_wk_start	Start Week	Week! Day	9	
rpc_wxfer_acct	WIP Transfer Acct		X(8)	
rpc_wxfer_cc	WIP Transfer CC		X(4)	
rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
rpc_xfer_wip	Transfer WIP		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rpc_ctrl	yes	oid_rpc_ctrl	yes	no
*	rpc_index1	yes	rpc_domain	yes	no

rps mstr Repetitive Production Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rps__qadc01			.9<<<<<<<<<	
rps_bom_code	BOM/Formula		x(8)	
rps_domain	Domain		x(18)	
rps_due_date	Due Date		x(8)	
rps_line	Production Line	Line	99/99/99	
rps_part	Item Number		x(8)	
rps_qty_comp	Qty Completed		x(18)	
rps_qty_req	Qty Scheduled		->, >>>, >>9.9<<<<<<<<<	10
rps_record			->, >>>, >>9.9<<<<<<<<<	10
rps_rel_date	Release	Rel Date	>>>>>>9	
rps_routing	Routing Code		99/99/99	
rps_site	Site		x(18)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rps_mstr	yes	oid_rps_mstr	yes	no
* rps_part	yes	rps_domain	yes	no
		rps_part	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_record	yes	rps_domain	yes	no
		rps_record	yes	no
rps_site	yes	rps_domain	yes	no
		rps_site	yes	no
		rps_part	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_site_line	no	rps_domain	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_rel_date	yes	no
		rps_part	yes	no

Requisition Approver Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqa_mstr	yes	oid_rqa_mstr	yes	no
* rqa_apr_type	yes	rqa_domain	yes	no
		rqa_apr	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
rqa_type	yes	rqa_domain	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_apr	yes	no
rqa_type_apr	yes	rqa_domain	yes	no
		rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no

rqcd_det

Requisition Category Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqcd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
rqcd__chr01			x(8)	
rqcd__chr02			x(8)	
rqcd__chr03			x(8)	
rqcd__chr04			x(8)	
rqcd__qadc01	QAD Field		X(8)	0
rqcd__qadc02	QAD Field		X(8)	0
rqcd__qadc03	QAD Field		X(8)	0
rqcd__qadc04	QAD Field		X(8)	0
rqcd_acct_from	Account From		x(8)	
rqcd_acct_to	Account To		x(8)	
rqcd_category	Category		x(8)	
rqcd_domain	Domain		x(8)	
rqcd_sub_from	Sub-Account From		x(8)	
rqcd_sub_to	Sub-Account To		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqcd_det	yes	oid_rqcd_det	yes	no
* rqcd_category	no	rqcd_domain	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no
		rqcd_category	yes	no
	yes	rqcd_domain	yes	no
		rqcd_category	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no

rqc_mstr

Requisition Category Master

Field Name	Label	Col-Label	Format	Dec
oid_rqc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
rqc__chr01			x(8)	
rqc__chr02			x(8)	
rqc__chr03			x(8)	
rqc__chr04			x(8)	
rqc__qadc01	QAD Field		X(8)	0
rqc__qadc02	QAD Field		X(8)	0
rqc__qadc03	QAD Field		X(8)	0
rqc__qadc04	QAD Field		X(8)	0
rqc_category	Category		x(8)	
rqc_desc	Description		x(24)	
rqc_domain	Domain		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_rqc_mstr	yes	oid_rqc_mstr	yes	no
	rqc_category	yes	rqc_domain	yes	no
			rqc_category	yes	no
	rqc_desc	no	rqc_domain	yes	no
			rqc_desc	yes	no

rqda_det

Requisition Approval Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqda_det			>>>>>>>>>>>>>>>>>>>>>>9	10
rqda__chr01			.9<<<<<<<<<	
rqda__chr02			x(8)	
rqda__chr03			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqda__chr04			x(8)	
rqda__qadc01	QAD Field		X(8)	0
rqda__qadc02	QAD Field		X(8)	0
rqda__qadc03	QAD Field		X(8)	0
rqda__qadc04	QAD Field		X(8)	0
rqda__action	Action		x(20)	
rqda__apr_userid	User ID		x(8)	
rqda__date	Date		99/99/99	
rqda__domain	Domain		x(8)	
rqda__ent_userid	Entered By		x(8)	
rqda__nbr	Req Nbr		x(8)	
rqda__time	Time		>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqda_det	yes	oid_rqda_det	yes	no
rqda_apr_userid	no	rqda_domain	yes	no
		rqda_apr_userid	yes	no
		rqda_nbr	yes	no
* rqda_nbr	yes	rqda_domain	yes	no
		rqda_nbr	yes	no
		rqda_apr_userid	yes	no

Requisition Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rqd__chr01			.9<<<<<<<<<	
rqd__chr02			x(8)	
rqd__chr03			x(8)	
rqd__chr04			x(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0
rqd__qadc04	QAD Field		X(8)	0
rqd_acct	Pur Acct		x(8)	
rqd_aprv_stat	Aprvl Status		x(16)	
rqd_assay	Assay %		>>9.99%	10
rqd_category	Category		x(8)	
rqd_cc	Cost Ctr	CC	x(4)	
rqd_cmtindx	Comment Index	Comment	>>>>>>>9	
rqd_desc	Desc		x(30)	
rqd_disc_pct	Disc%		->9.99%	10
rqd_domain	Domain		x(8)	
rqd_due_date	Due Date		99/99/99	
rqd_expire	Expire Date	Expire	99/99/99	
rqd_grade	Grade		x(2)	
rqd_insp_rqd	Inspect Req	Insp	yes/no	
rqd_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
rqd_line	Line		>>>	
rqd_loc	Location		x(8)	
rqd_lot_rcpt	Single Lot		yes/no	
rqd_max_cost	Max Unit Cost		>>>, >>>, >>9.99<<<	10
rqd_nbr	Req Nbr		x(8)	
rqd_need_date	Need Date	Need	99/99/99	
rqd_oot_extra[8]			x(16)	
rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>, >>>, >>9.99<<<	10
rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>, >>>, >>9.99<<<	10
rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
rqd_op	Operation		>>>>>>9	
rqd_open	Open		yes/no	
rqd_part	Item Number		x(18)	
rqd_pr_list	Disc Tbl		x(8)	
rqd_pr_list2	Pr Tbl		x(8)	
rqd_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
rqd_pur_cost	Unit Cost		>>>, >>>, >>9.99<<<	10
rqd_rctstat	Receipt Status	Status	x(8)	
rqd_rel_date	Release Date	Release	99/99/99	
rqd_req_qty	Req Qty		>, >>>, >>9.9<<<<<<<<<	10
rqd_rev	Item Revision	Item Rev	x(4)	
rqd_ship	Ship-to		x(8)	
rqd_site	Site		x(8)	
rqd_status	Status		x(1)	
rqd_sub_type	Subcontract Type		x(12)	
rqd_taxable	Tax		yes/no	
rqd_type	Type		x(1)	
rqd_um	UM		x(2)	
rqd_um_conv	UM Conv		>>>>9.9999<<<<	10
rqd_vend	Supplier		x(8)	
rqd_vpart	Supplier Part		x(30)	
rqd_wip_lotser	Lot/Serial		x(18)	
rqd_wo_lot	Work Order ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqd_det	yes	oid_rqd_det	yes	no
rqd_aprv_stat	no	rqd_domain	yes	no
		rqd_aprv_stat	yes	no
		rqd_nbr	yes	no
* rqd_nbr	yes	rqd_domain	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_need_date	no	rqd_domain	yes	no
		rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_part	no	rqd_domain	yes	no
		rqd_part	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_site	no	rqd_domain	yes	no
		rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_vend	no	rqd_domain	yes	no
		rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl	Requisition Control

Field Name	Label	Col-Label	Format	Dec
oid_rqf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rqf__chr01			.9<<<<<<<<<	
rqf__chr02			x(8)	
rqf__chr03			x(8)	
rqf__chr04			x(8)	
rqf__dec01			->, >>9.99	10
rqf__dte01			99/99/99	
rqf__log01			yes/no	
rqf__qadc01	QAD Field		X(8)	0
rqf__qadc02	QAD Field		X(8)	0
rqf__qadc03	QAD Field		X(8)	0
rqf__qadc04	QAD Field		X(8)	0
rqf__qadi01			->>>>>>>9	
rqf_appr_curr	Approval Currency		x(3)	
rqf_diraprs_req	Product Line Approvals Required		>9	
rqf_domain	Domain		x(8)	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rqf_ctrl	yes	oid_rqf_ctrl	yes	no
*	rqf_index1	yes	rqf_domain	yes	no

Requisition History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqh_hist	yes	oid_rqh_hist	yes	no
* rqh_nbr	yes	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no
rqh_nbr_usr	no	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_apr_userid	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no

rqj_mstr

Requisition Job Master

Field Name	Label	Col-Label	Format	Dec
oid_rqj_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
rqj__chr01			x(8)	
rqj__chr02			x(8)	
rqj__chr03			x(8)	
rqj__chr04			x(8)	
rqj__qadc01	QAD Field		X(8)	0
rqj__qadc02	QAD Field		X(8)	0
rqj__qadc03	QAD Field		X(8)	0
rqj__qadc04	QAD Field		X(8)	0
rqj_desc	Description		x(24)	
rqj_domain	Domain		x(8)	
rqj_end	End Effective		99/99/99	
rqj_job	Job		x(8)	
rqj_start	Start Effective		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rqj_mstr	yes	oid_rqj_mstr	yes	no
*	rqj_job	yes	rqj_domain	yes	no
			rqj_job	yes	no

rql_mstr

Requisition Approval Level Master

Field Name	Label	Col-Label	Format	Dec
oid_rql_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
rql_chr01			.9<<<<<<<<	
rql__chr01			x(8)	
rql__chr02			x(8)	
rql__chr03			x(8)	
rql__chr04			x(8)	
rql__dec01			->, >>9.99	10
rql__qadc01	QAD Field		X(8)	0
rql__qadc02	QAD Field		X(8)	0
rql__qadc03	QAD Field		X(8)	0
rql__qadc04	QAD Field		X(8)	0
rql_amt	Amount		>>>, >>>, >>>, >>9	10
rql_desc	Description		x(34)	
rql_domain	Domain		x(8)	
rql_level	Approval Level		99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rql_mstr	yes	oid_rql_mstr	yes	no
* rql_lev	yes	rql_domain	yes	no
		rql_level	yes	no

Requirement Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqm_det	yes	oid_rqm_det	yes	no
rqm_cat_val_date	no	rqm_domain	yes	no
		rqm_cat	yes	no
		rqm_value	yes	no
		rqm_date	yes	no
		rqm_type	yes	no
* rqm_schd	no	rqm_domain	yes	no
		rqm_type	yes	no
		rqm_nbr	yes	no
		rqm_line	yes	no
		rqm_rlse_id	yes	no
		rqm_date	yes	no
		rqm_time	yes	no
		rqm_interval	yes	no
		rqm_reference	yes	no
		rqm_cat	yes	no
rqm_value	no	rqm_domain	yes	no
		rqm_type	yes	no
		rqm_cat	yes	no
		rqm_date	yes	no
		rqm_value	yes	no

Requisition Master

Field Name	Label	Col-Label	Format	Dec
rqm_contact	Contact		x(24)	
rqm_curr	Currency		x(3)	
rqm_daybookset	Daybook Set	Dybk Set	x(8)	
rqm_direct	Direct Matls		yes/no	
rqm_disc_pct	Disc %		->9.99%	10
rqm_domain	Domain		x(8)	
rqm_due_date	Due Date		99/99/99	
rqm_eby_userid	Entered By		x(8)	
rqm_email_opt	E-mail Option		x(1)	
rqm_end_userid	End User		x(8)	
rqm_ent_date	Ent Date		99/99/99	
rqm_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
rqm_entity	Entity	Ent	x(20)	
rqm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_ratetype	Rate Type		x(8)	
rqm_exru_seq	Sequence		>>>>>>>9	
rqm_fix_pr	Fixed Price		yes/no	
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_in_fmt	Single/Multi		single/multi	
rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_pr_list	Disc Tbl		x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		X(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqm_mstr	yes	oid_rqm_mstr	yes	no
rqm_buyer	no	rqm_domain	yes	no
		rqm_buyer	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_job	no	rqm_domain	yes	no
		rqm_job	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
* rqm_nbr	yes	rqm_domain	yes	no
		rqm_nbr	yes	no
rqm_open	no	rqm_domain	yes	no
		rqm_open	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rqby_userid	no	rqm_domain	yes	no
		rqm_rqby_userid	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
*	rqr_userid	yes	rqr_userid	yes	no
			rqr_domain	yes	no
			rqr_userid	yes	no
			rqr_role	yes	no

rq_mstr

Requirement Master

Field Name	Label	Col-Label	Format	Dec
oid_rq_mstr			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
rq_chr01			x(8)	
rq_chr02			x(8)	
rq_chr03			x(8)	
rq_chr04			x(8)	
rq_chr05			x(8)	
rq_dec01			>>>, >>>, >>9.99	10
rq_dec02			>>>, >>>, >>9.99	10
rq_dte01			99/99/99	
rq_dte02			99/99/99	
rq_log01			yes/no	
rq_domain	Domain		x(8)	
rq_end	End Date	End	99/99/99	
rq_lead	Lead Time (Days)	LT	>>9	
rq_lt_off	Offset (Days)	Offset	->>9	
rq_part	Item Number		x(18)	
rq_qty_per	Resource Qty Per	Qty Per	->, >>>, >>9.9<<<<<<<<	10
rq_ref	Reference		x(8)	
rq_rsc	Resource		x(8)	
rq_site	Site		x(8)	
rq_start	Start Date	Start	99/99/99	
rq_user1	Ufld1		x(8)	
rq_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rq_mstr	yes	oid_rq_mstr	yes	no
* rq_part	yes	rq_domain	yes	no
		rq_part	yes	no
		rq_site	yes	no
		rq_rsc	yes	no
		rq_ref	yes	no
		rq_start	yes	no
rq_rsc	no	rq_domain	yes	no
		rq_rsc	yes	no
		rq_site	yes	no

rsc_ctrl

Shipping Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rsc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
rsc__qadc01	QAD Field		.9<<<<<<<<<	
rsc__qadc02	QAD Field		x(8)	
rsc__qadd01	QAD Field		x(8)	
rsc__qadd02	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc__qadi01	QAD Field		->, >>>, >>9.9<<<<<<<<	10
rsc__qadi02	QAD Field		->, >>>, >>9	
rsc__qadi03	QAD Field		->>>>>>>9	
rsc__qadl01	QAD Field		yes/no	
rsc__qadl02	QAD Field		yes/no	
rsc__qadl03	QAD Field		yes/no	
rsc__qadl04	QAD Field		yes/no	
rsc__qadt01	QAD Field		99/99/99	
rsc_active	Enable Shipping Schedule		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsc_ctrl	yes	oid_rsc_ctrl	yes	no
rsc_index1	yes	rsc_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsd_det	yes	oid_rsd_det	yes	no
rsd_rsc	yes	rsd_domain	yes	no
		rsd_rsc	yes	no
		rsd_site	yes	no
		rsd_ref	yes	no
rsd_site	yes	rsd_domain	yes	no
		rsd_site	yes	no
		rsd_rsc	yes	no
		rsd_ref	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rsn_ref	yes	oid_rsn_ref	yes	no
*	rsn_code	yes	rsn_domain	yes	no
			rsn_code	yes	no
			rsn_type	yes	no
	rsn_type	yes	rsn_domain	yes	no
			rsn_type	yes	no
			rsn_code	yes	no

rst **det**

Product Change Control Routing Slip Template Detail

Field Name	Label	Col-Label	Format	Dec
oid_rstd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rstd_qadc01			.9<<<<<<<<	
rstd_appr_code	Routing Slip		x(8)	
rstd_canreroute	Can Re-Route		yes/no	
rstd_domain	Domain		x(8)	
rstd_group	Group		x(8)	
rstd_mod_date	Modified Date	Mod Date	99/99/99	
rstd_notify_nxt	Notify When Next	Nxt	yes/no	
rstd_sequence	Sequence	Seq	>>9	
rstd_svrty_lvl	Severity Level		>>9	
rstd_user1	Ufld1		x(8)	
rstd_user2	Ufld2		x(8)	
rstd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rstd_det	yes	oid_rstd_det	yes	no
*	rstd_codegroup	yes	rstd_domain	yes	no
			rstd_appr_code	yes	no
			rstd_group	yes	no

rst_mstr

Product Change Control Routing Slip Template Master

Field Name	Label	Col-Label	Format	Dec
oid_rst_mstr			>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
rst__qadc01			x(8)	
rst_appr_code	Routing Slip		x(8)	
rst_desc	Description		X(24)	
rst_domain	Domain		x(8)	
rst_mod_date	Modified Date	Mod Date	99/99/99	
rst_notify1	Notification List 1		X(72)	
rst_notify1_mail	E-mail List 1		X(255)	
rst_notify2	Notification List 2		X(72)	
rst_notify2_mail	E-mail List 2		X(255)	
rst_svrty_list	Severity List	Severity	x(8)	
rst_user1	Ufld1		x(8)	
rst_user2	Ufld2		x(8)	
rst_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rst_mstr	yes	oid_rst_mstr	yes	no
* rst_code	yes	rst_domain	yes	no
		rst appr code	yes	no

Product Change Control Routing Slip Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsud_det	yes	oid_rsud_det	yes	no
* rsud_indexgroup	yes	rsud_domain	yes	no
		rsud_index	yes	no
		rsud_group	yes	no
rsud_sequence	no	rsud_domain	yes	no
		rsud_index	yes	no
		rsud_sequence	yes	no

Product Change Control Routing Slip Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsu_mstr	yes	oid_rsu_mstr	yes	no
rsu_doc_nbr	no	rsu_domain	yes	no
		rsu_doc_nbr	yes	no
		rsu_doc_type	yes	no
* rsu_index	yes	rsu_domain	yes	no
		rsu_index	yes	no

Resource Master

Field Name	Label	Col-Label	Format	Dec
oid_rs_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
rs_qadc01			.9<<<<<<<<	
rs_desc	Description		x(8)	
rs_domain	Domain		x(24)	
rs_rsc	Resource		x(8)	
rs_site	Site		x(8)	
rs_um	UM		x(8)	
rs_user1	Ufld1		x(2)	
rs_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rs_mstr	yes	oid_rs_mstr	yes	no
rs_desc	yes	rs_domain	yes	no
		rs_desc	yes	no
		rs_rsc	yes	no
		rs_site	yes	no
* rs_rsc	yes	rs_domain	yes	no
		rs_rsc	yes	no
		rs_site	yes	no

Warehousing Program Execution Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(64)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
NewProg	Custom Program		x(12)	
oid_RunD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OldProg	Mfg/Pro Program		x(12)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RunD	yes	oid_RunD	yes	no
* OldNew	yes	Domain	yes	no
		OldProg	yes	no
		NewProg	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Service Contract Billing Detail

Field Name	Label	Col-Label	Format	Dec
sab__oid_sab_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
sab__qadc01			.9<<<<<<<<<	
sab__qadc02			x(24)	
sab__qadd01			x(24)	
sab__qadi01			->>>>, >>>, >>>9.99<<<<<<<<<	10
sab__qadl01			->>>>>>>9	
sab__qadt01			yes/no	
sab_amt_type	Amount Type	AT	99/99/99	
sab_bill_to	Bill To		x(1)	
sab_billed_date	Billed Date		x(8)	
sab_billed_time	Billed Time		99/99/99	
sab_curr	Currency	Cur	x(8)	
sab_cust	Customer		x(3)	
sab_cycle	Billing Cycle	Cyc	x(8)	
sab_desc	Description		x(2)	
sab_domain	Domain		x(24)	
sab_end_cover	End Cover		x(8)	
sab_end_date	End Date		99/99/99	
sab_eu_nbr	End User		99/99/99	
sab_ex_rate	Exch Rate		x(8)	
sab_ex_rate2	Exch Rate 2		>>>>, >>>, >>>9.9<<<<<<<<<	10
sab_ex_ratetype	Rate Type		>>>>, >>>, >>>9.9<<<<<<<<<	10
sab_exru_seq	Sequence		x(8)	
sab_ext_price	Ext Price		>>>>>>>9	
sab_for	Supported Item	Item	->>>>, >>>, >>>9.99<	10
sab_line	Contract Line	Con Line	x(18)	
sab_line_seq	Line Seq		>>>>>>>9	
sab_line_type	Line Type	LT	>>>>>>>9	
sab_list_pr	List Price		x(1)	
sab_lstcover	Last Billed	Lst Bill	->>>>, >>>, >>>9.99<<<	10
sab_mod_date	Modified Date	Mod Date	99/99/99	
sab_mod_userid	User ID		99/99/99	
sab_nbr	Contract		x(8)	
sab_prefix	Pf		x(8)	
sab_price	Net Price		x(1)	
sab_qty_chg	Qty To Bill		>>>>, >>>, >>>9.99<<<	10
sab_qty_per	Duration		->, >>>, >>>9.9<<<<<<<<<	10
sab_ref	Ref		->>>9.9<<<	10
sab_serial	Lot/Serial		>>>>>>>9	
sab_so_nbr	Sales Order	SO	x(18)	
sab_sod_line	Sales Order Line	SO Ln	x(8)	
sab_st_cover	Coverage		>>9	
sab_st_date	Start Date	Start	99/99/99	
sab_sv_code	Service Type	Svc Type	99/99/99	
sab_tax_env	Tax Environment	Tax Env	x(8)	
sab_tax_in	Tax In		x(16)	
sab_tax_usage	Tax Usage	TaxUsage	yes/no	
sab_taxable	Taxable	Tax	x(8)	
sab_taxc	Tax Class	TxC	yes/no	
sab_ui_line	Line		x(3)	
sab_user1	User Field Character 1		>>>>>9	
sab_user2	User Field character 2		x(24)	
			x(24)	

Field Name	Label	Col-Label	Format	Dec
sab_userd01	User Field Decimal 1		->>>>,>>>,>9.99<<<<<<<<	10
sab_useri01	User Field Integer 1		->>>>>>>9	
sab_userl01	User Field Logical 1		yes/no	
sab_usert01	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sab_det	yes	oid_sab_det	yes	no
* sab_nbr	yes	sab_domain	yes	no
		sab_nbr	yes	no
		sab_prefix	yes	no
		sab_line	yes	no
		sab_billed_date	yes	no
		sab_billed_time	yes	no
sab_so	no	sab_domain	yes	no
		sab_so_nbr	yes	no
		sab_sod_line	yes	no
		sab_line_seq	yes	no

sac ctrl	Service Contract Control

Field Name	Label	Col-Label	Format	Dec
oid_sac_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
sac__chr01			.9<<<<<<<	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac_dec01			->>>, >>>, >>9.99	10
sac_dec02			->>>, >>>, >>9.99	10
sac_dec03			->>>, >>>, >>9.99	10
sac_dte01			99/99/99	
sac_dte02			99/99/99	
sac_dte03			99/99/99	
sac_dte04			99/99/99	
sac_log01			yes/no	
sac_log02			yes/no	
sac_log03			yes/no	
sac_log04			yes/no	
sac_log05			yes/no	
sac_qad01			>>>>>>9	
sac_qadc01	QAD Character Field 1	X(8)		
sac_qadc02	QAD Character Field 2	X(8)		
sac_qadc03	QAD Character Field 3	X(8)		
sac_qadi01	QAD Integer Field 1	->, >>>, >>9		
sac_qadi02	QAD Integer Field 2	->, >>>, >>9		
sac_qadi01	QAD Logical Field 1	yes/no		
sac_qadi02	QAD Logical Field 2	yes/no		
sac_qadi03	QAD Logical Field 3	yes/no		
sac_qadi04	QAD Logical Field 4	yes/no		
sac_add_chrg	Contract Additional Charges	yes/no		
sac_auto_sa	Automatic Service Contract #	yes/no		
sac_bill_enduser	Bill End Users	yes/no		
sac_bill_summary	Bill Summary	yes/no		
sac_calls_mrp	PM Calls in MRP	yes/no		
sac_company	Company Address	x(8)		
sac_contract_pr	Contract Price Lists	yes/no		
sac_create_pm	Create PM Calls	yes/no		
sac_deferred	Use Deferred Accounting	yes/no		
sac_domain	Domain	x(8)		
sac_eu_add_chrg	End User Additional Charges	yes/no		

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sac_ctrl	yes	oid_sac_ctrl	yes	no
*	sac_index1	yes	sac_domain	yes	no

sadh_hist

Field Name	Label	Col-Label	Format	Dec
sadh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	
sadh_amt_type	Amount Type	AT	x(1)	
sadh_area	Area		x(8)	
sadh_ca_nbr	Call		x(8)	
sadh_cancel	Cancel Date		99/99/99	
sadh_cmtindx	Comment Index	Comment	>>>>>>9	
sadh_comm_pct[4]	Commission	Comm%	>>9.99%	10
sadh_comment[5]	Comments		x(40)	
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_desc	Description		x(24)	
sadh_disc_pct	Disc %		->>9.99%	10
sadh_discount	Discountable		yes/no	
sadh_domain	Domain		x(8)	
sadh_end_date	End Date	End	99/99/99	
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>, >>>, >>9.99<<	10
sadh_lst_bill	Last Bill		99/99/99	
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_mod_date	Modified Date	Mod Date	99/99/99	
sadh_mod_userid	User ID		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>, >>>, >>9.99<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlst_fnd	Price List Found		yes/no	
sadh_prodlne	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sadh_hist	yes	oid_sadh_hist	yes	no
sadh_nbrln	no	sadh_domain	yes	no
		sadh_nbr	yes	no
		sadh_prefix	yes	no
		sadh_line	yes	no
		sadh_end_date	yes	no
sadh_serial	no	sadh_domain	yes	no
		sadh_serial	yes	no
		sadh_end_date	yes	no
* sadh_trnbr	yes	sadh_domain	yes	no
		sadh_trnbr	yes	no

Service Contract Detail

Field Name	Label	Col-Label	Format	Dec
sad__log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadc05			x(8)	
sad__qadc06			x(4)	
sad__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	
sad__qadt01	Qad Date #1		99/99/99	
sad__qadt02	Qad Date #2		99/99/99	
sad__qadt03	Qad Date #3		99/99/99	
sad__accrued	Accrued	Accr	yes/no	
sad__acct	Sales Acct	Sales	x(8)	
sad__amt_type	Amount Type	AT	x(1)	
sad__area	Area		x(8)	
sad__autorenew	Auto Renew	Renew	yes/no	
sad__bill_to	Bill To		x(8)	
sad__blanket_eu	Blanket End User		yes/no	
sad__ca_nbr	Call		x(8)	
sad__cancel	Cancel Date		99/99/99	
sad__cc	Cost Ctr	CC	x(4)	
sad__cmtindx	Comment Index	Comment	>>>>>>>9	
sad__comm_pct[4]	Commission	Comm%	>>>9.99%	10
sad__comment[5]	Comments		x(40)	
sad__crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sad__curr	Currency	Cur	x(3)	
sad__cust	Customer		x(8)	
sad__custpart	Customer Item		x(18)	
sad__cycle	Billing Cycle	Cyc	x(2)	
sad__desc	Description		x(24)	
sad__disc_pct	Disc %		->>9.99%	10
sad__discount	Discountable		yes/no	
sad__domain	Domain		x(8)	
sad__dsc_acct	Disc Acct		x(8)	
sad__dsc_cc	CC		x(4)	
sad__dsc_project	Disc Project		x(8)	
sad__dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sad__end_date	End Date	End	99/99/99	
sad__es_nbr	Escalation		x(8)	
sad__eu_nbr	End User		x(8)	
sad__ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sad__ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sad__ex_ratetype	Rate Type		x(8)	
sad__expire	Expires		99/99/99	
sad__exru_seq	Sequence		>>>>>>>>9	
sad__fix_pr	Fixed Price		yes/no	
sad__fix_rate	Fixed Rate	Fixed	yes/no	
sad__for	Supported Item	Item	x(18)	
sad__fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
sad__fsrev_cc	Revenue CC	CC	x(4)	
sad__fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
sad__fst_list	FST on List		yes/no	
sad__lastbill	Date Last Billed		99/99/99	
sad__line	Contract Line	Con Line	>>>>>>>9	
sad__line_type	Line Type	LT	x(1)	
sad__list_pr	List Price	Lst Price	->>>>, >>>, >>9.99<<<	10
sad__lst_bill	Last Bill		99/99/99	
sad__lstcover	Last Billed	Lst Bill	99/99/99	
sad__mod_date	Modified Date	Mod Date	99/99/99	
sad__mod_userid	User ID		X(8)	
sad__mrp	Link Line to MRP		yes/no	
sad__nbr	Contract		x(8)	
sad__nxt_bill	Next Bill		99/99/99	
sad__parent_line	Parent Line		>>>>>>>9	
sad__pct_type	Percent Type	PT	x(1)	
sad__per_date	Perform Date	Perform	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sad_po	Purchase Order		x(20)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>,>>>,>>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlist_fnd	Price List Found		yes/no	
sad_prodlne	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>,>>9.9	10
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sad_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>9	
sad_released	Released To Contract	Rel	yes/no	
sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_sod_line	Sales Order Line		>>9	
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sad_sv_code	Service Type	Svc Type	x(8)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sad_type	Ship Type	T	x(1)	
sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	10
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sad_xslspsn[3]	Salesperson	Salespsn	x(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sad_det	yes	oid_sad_det	yes	no
sad_enduser	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line	yes	no
sad_eu_line	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_eu_nbr	yes	no
		sad_ui_line	yes	no
sad_line_eu	no	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_ui_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* sad_nbrln	yes	sad_eu_nbr	yes	no
		sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line	yes	no
sad_part	no	sad_domain	yes	no
		sad_for	yes	no
		sad_serial	yes	no
		sad_ref	yes	no
		sad_nbr	yes	no
sad_prefix_type	no	sad_prefix	yes	no
		sad_domain	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line_type	yes	no
sad_serial	no	sad_domain	yes	no
		sad_prefix	yes	no
		sad_serial	yes	no

Saf

Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Budget Group		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Field Name	Label	Col-Label	Format	Dec
Saf_ID	Record ID		9999999999	
SafCode	SAF Code		x(20)	
SafConcept_ID	SAF Concept Code		9999999999	
SafDescription	SAF Description		x(40)	
SafIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetGroupIdx	no	BudgetGroup_ID	yes	no
◇ Code	no	SafCode	yes	no
CodeAndConcept	yes	SafConcept_ID	yes	no
		SafCode	yes	no
Concept	no	SafConcept_ID	yes	no
◇ IsActive	no	SafIsActive	yes	no
◇* Prim	yes	Saf_ID	yes	no
◇ ViewIndex	no	SafIsActive	yes	no
		SafCode	yes	no

SafConcept Saf Concept

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	Record ID		9999999999	
SafConceptCode	SAF Concept Code		x(20)	
SafConceptDescription	SAF Concept Description		x(40)	
SafConceptIsActive	Active	Act	yes/no	
SafConceptIsSystem	System		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SafConceptCode	yes	no
◇* Prim	yes	SafConcept_ID	yes	no
◇ ViewIndex	no	SafConceptIsActive	yes	no
		SafConceptCode	yes	no

SafStructure Saf Structure

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SafStructure_ID	Record ID		99999999999	
SafStructureCode	Structure Code	Structure	x(20)	
SafStructureDescription	Description		x(40)	
SafStructureIsActive	Active	Act	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SafStructureCode	yes	no
◇* Prim	yes	SafStructure_ID	yes	no
◇ ViewIndex	no	SafStructureIsActive	yes	no
		SafStructureCode	yes	no

SafStructureLineSaf Structure Line

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	

Field Name	Label	Col-Label	Format	Dec
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	
SafStructureLine_ID	Record ID		9999999999	
SafStructureLineBComponent	Business Component		x(30)	
SafStructureLineNumber	Line Number	Line	->, >>>, >>9	

Index-Name	Uni	Field-Name	Asc	Abbr
BusinessComp	no	SafStructureLineBComponent	yes	no
◇ Line	no	SafStructure_ID	yes	no
		SafStructureLineNumber	yes	no
◇* Prim	yes	SafStructureLine_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
StructConcpt	yes	SafStructure_ID	yes	no
		SafConcept_ID	yes	no

SafStructureLinkSaf Structure Link

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Cost Center Code		9999999999	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SafStructure_ID	Structure Code	Structure	9999999999	
SafStructureLink_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	SafStructure_ID	yes	no
		GL_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ GL	no	GL_ID	yes	no
Job	no	Project_ID	yes	no
◇* Prim	yes	SafStructureLink_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no

sah hist

Service Contract History

Field Name	Label	Col-Label	Format	Dec
sah_hist			>>>>>>>>>>>>>>>>>>>>>9	10
sah_chr01	User Field #1		.9<<<<<<<<	
sah_chr02	User Field #1		x(8)	
sah_chr03	User Field #3		x(8)	
sah_chr04	User Field #4		x(8)	
sah_chr05	User Field #5		x(8)	
sah_chr06	User Field #6		x(8)	
sah_chr07	User Field #7		x(8)	
sah_chr08	User Field #8		x(8)	
sah_chr09	User Field #9		x(8)	
sah_chr10	User Field #10		x(8)	
sah_dec01	User Decimal #1		>>>, >>>, >>9.99	10
sah_dec02	User Decimal #2		>>>, >>>, >>9.99	10
sah_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sah_dte01	User Date #1		99/99/99	
sah_dte02	User Date #2		99/99/99	
sah_dte03	User Date #3		99/99/99	
sah_log01	User Logical #1		yes/no	
sah_log02	User Logical #2		yes/no	
sah_log03	User Logical #3		yes/no	
sah_qadc01	Qad Field #1		x(8)	
sah_qadc02	Qad Field #2		x(8)	
sah_qadc03	Qad Field #3		x(8)	
sah_qadc04	Qad Field #4		x(8)	
sah_qadc05			x(8)	
sah_qadc06			x(4)	
sah_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sah_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sah_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sah_qadi01	Qad Logical #1		yes/no	
sah_qadi02	Qad Logical #2		yes/no	
sah_qadi03	Qad Logical #3		yes/no	
sah_qadi04	QAD Logical Field		yes/no	
sah_qadt01	Qad Date #1		99/99/99	
sah_qadt02	Qad Date #2		99/99/99	
sah_qadt03	Qad Date #3		99/99/99	
sah_area	Area		x(8)	
sah_arrears	Bill Arrears	Arrear	yes/no	
sah_autorenew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		>>>9.99<<<	10
sah_bill_cnt	Bill Count	Bill Cnt	->, >>>, >>9	
sah_bill_to	Bill To		x(8)	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		yes/no	
sah_bol	BOL		x(18)	
sah_calls_allow	Calls Allowed		>>>, >>9	
sah_calls_total	Total Calls		>>>, >>9	
sah_can_tax	PST Pct		->>9.99<<%	10
sah_cancel	Cancel Date		99/99/99	
sah_channel	Channel		x(8)	
sah_cmtindx	Comment Index	Comment	>>>>>>9	
sah_comm_pct[4]	Commission	Comm%	>>9.99%	10
sah_complete	Complete	Cplt	yes/no	
sah_conf_date	Confirmed Date	Confirmed	99/99/99	
sah_cr_card	Credit Card	Card	x(2)	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(8)	
sah_curr	Currency	Cur	x(3)	
sah_cust	Customer		x(8)	
sah_cycle	Billing Cycle	Cyc	x(2)	
sah_date_printed	Date Printed		99/99/99	
sah_disc_pct	Disc %		->9.99%	10
sah_domain	Domain		x(8)	
sah_end_date	End Date		99/99/99	
sah_enduser	End User		x(8)	
sah_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
sah_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sah_ex_ratetype	Rate Type		x(8)	
sah_exp_date	Expire Date	Exp Date	99/99/99	
sah_exru_seq	Sequence		>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0\$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_invoiced	Invoiced		yes/no	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	10
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_prodline	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah_prt_0itm	Print 0\$ Items		yes/no	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_release	Release to Contract	Rel	yes/no	
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_reval_index	Revaluation Index Month		>>9	
sah_reval_period	Revaluation Period		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_sched_start	PM Start Date	Start	yes/no	
sah_schedule	Billing Schedule File		yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_ship_date	Ship Date		99/99/99	
sah_shipvia	Ship Via		x(20)	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_so_nbr	Sales Order	Order	x(8)	
sah_source	Order Source	Source	x(8)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_stat	Action Status	St	x(2)	
sah_summarize	Summarize		yes/no	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	10
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sah_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>9	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	10
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
old_sah_hist	yes	old_sah_hist	yes	no
sah_enduser	no	sah_domain	yes	no
		sah_enduser	yes	no
		sah_prefix	yes	no
		sah_nbr	yes	no
sah_nbr	no	sah_domain	yes	no
		sah_nbr	yes	no
		sah_prefix	yes	no
		sah_end_date	yes	no
* sah_trnbr	yes	sah_domain	yes	no
		sah_trnbr	yes	no

SalesCode Sales Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SalesCode	Code		x(20)	
SalesCode_ID	Record ID		9999999999	
SalesCodeDescription	Description		x(40)	
SalesCodelsActive	Active		yes/no	
SalesCodeType	Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	SalesCodelsActive	yes	no
◇* Prim	yes	SalesCode_ID	yes	no
SalesCode	yes	SalesCode	yes	no
◇ ViewIndex	no	SalesCodelsActive	yes	no
		SalesCode	yes	no

SalesGLMatrix

Field Name	Label	Col-Label	Format	Dec
CostOfSalesGL_ID	Link to CostOfSales		9999999999	
DebtorSalesCode_ID	Link to DebtorSalesCode		9999999999	
DiscountGL_ID	Link to DiscountGL		9999999999	
ItemSalesCode_ID	Link to ItemSalesCode		9999999999	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SalesGL_ID	Link to SalesGL		9999999999	
SalesGLMatrix_ID	Record ID		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CostOfSalesGL	no	CostOfSalesGL_ID	yes	no
DebitItemSet	yes	SharedSet_ID	yes	no
		DebtorSalesCode_ID	yes	no
		ItemSalesCode_ID	yes	no
DebtorSalesCode	no	DebtorSalesCode_ID	yes	no
DiscountGL	no	DiscountGL_ID	yes	no
ItemSalesCode	no	ItemSalesCode_ID	yes	no
◇* Prim	yes	SalesGLMatrix_ID	yes	no
◇ SalesGL	no	SalesGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

salh hist

Field Name	Label	Col-Label	Format	Dec
oid_salh_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
salh__chr01	User Field #1		.9<<<<<<<<<	
salh__chr02	User Field #2		x(8)	
salh__chr03	User Field #3		x(8)	
salh__chr04	User Field #4		x(8)	
salh__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
salh__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
salh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
salh__dte01	User Date #1		99/99/99	
salh__dte02	User Date #2		99/99/99	
salh__dte03	User Date #3		99/99/99	
salh__log01	User Logical #1		yes/no	
salh__log02	User Logical #2		yes/no	
salh__log03	User Logical #3		yes/no	
salh__qadc01	Qad Field #1		x(8)	
salh__qadc02	Qad Field #2		x(8)	
salh__qadc03	Qad Field #3		x(8)	
salh__qadc04	Qad Field #4		x(8)	
salh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
salh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
salh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
salh__qadd04	Qad Decimal #4		->>>, >>>, >>9.99<<<<	10
salh__qadl01	Qad Logical #1		yes/no	
salh__qadl02	Qad Logical #2		yes/no	
salh__qadl03	Qad Logical #3		yes/no	
salh__qadl04	QAD Field		yes/no	
salh__qadt01	Qad Date #1		99/99/99	
salh__qadt02	Qad Date #2		99/99/99	
salh__qadt03	Qad Date #3		99/99/99	
salh_budget	Budget		>>>>, >>>, >>9.99<<<	10
salh_ca_int_type	Work Code		x(8)	
salh_call	Call		X(8)	0
salh_calls_allow	Calls Allowed		>>9	

Field Name	Label	Col-Label	Format	Dec
salh_calls_total	Total Calls		>>9	
salh_category	Category		X(8)	0
salh_code	Limit Code		x(8)	
salh_consumed_amt	Consumed Amount	Consumed	>>>>,>>>,>>9.99	10
salh_consumed_date	Activity Date		99/99/99	
salh_days	Days of Coverage		>,>>>,>>9	
salh_domain	Domain		x(8)	
salh_end	End Date		99/99/99	
salh_fcg_code	Charge Code	Charge	x(8)	
salh_file	File		x(16)	
salh_first_activity	First Activity		99/99/99	
salh_fis_sort	Invoice Sort		x(18)	
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	10
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>,>>>,>>9.99<<<	10
salh_trnbr	Trans		>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>,>>>,>>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufid1		x(8)	
salh_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_salh_hist	yes	oid_salh_hist	yes	no
salh_call	no	salh_domain	yes	no
		salh_category	yes	no
		salh_call	yes	no
		salh_itm_line	yes	no
		salh_report	yes	no
		salh_op	yes	no
		salh_usage	yes	no
		salh_trnbr	yes	no
salh_days	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_sequence	yes	no
salh_nbr	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no

✻

Service/Support Contract Limits Master

Field Name	Label	Col-Label	Format	Dec
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sal_mstr	yes	oid_sal_mstr	yes	no
sal_days	no	sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_sequence	yes	no
* sal_nbr	yes	sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_start	yes	no

sap_det

Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
oid_sap_det			>>>>>>>>>>>>>>>>>>>>9	10
sap__qadc01	QAD Characater Field 1		.9<<<<<<<<	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		X(8)	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		99/99/99	
sap__qadi02	QAD Integer Field 2		->, >>, >>9	
sap__qadl01	QAD Logical Field 1		->, >>, >>9	
sap__qadl02	QAD Logical Field 2		yes/no	
sap_act_date	Actual Date	Actual	yes/no	
sap_assign	Assigned		99/99/99	
sap_bom_type	BOM Type		X(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		yes/no	
sap_desc	Comments		x(34)	
sap_domain	Domain		x(8)	
sap_group	Schedule Group		x(8)	
sap_line	Contract Line		>>>>>>>9	
sap_mod_date	Modified Date	Mod Date	99/99/99	
sap_mod_userid	User ID		X(8)	
sap_mrp	Link to MRP		yes/no	
sap_nbr	Contract Number		x(8)	
sap_prefix	Prefix		x(2)	
sap_sched_date	Schedule Date	Schedule	99/99/99	
sap_user1	Ufld1		x(8)	
sap_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sap_det	yes	oid_sap_det	yes	no
sap_assign	no	sap_domain	yes	no
		sap_assign	yes	no
		sap_sched_date	yes	no
sap_grpsch	no	sap_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sap_nbr	yes	no
		sap_prefix	yes	no
		sap_group	yes	no
		sap_sched_date	yes	no
* sap_nbrln	yes	sap_domain	yes	no
		sap_nbr	yes	no
		sap_prefix	yes	no
		sap_line	yes	no
		sap_sched_date	yes	no
sap_sched	no	sap_domain	yes	no
		sap_group	yes	no
		sap_sched_date	yes	no
		sap_prefix	yes	no
		sap_nbr	yes	no
sap_sched_date	no	sap_domain	yes	no
		sap_sched_date	yes	no

sar_mstr Service Contract Serial Number Master

Field Name	Label	Col-Label	Format	Dec
oid_sar_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sar__chr01			.9<<<<<<<<	
sar__chr02			x(8)	
sar__chr03			x(8)	
sar__dec01			->>>, >>>, >>9.99	10
sar__dec02			->>>, >>>, >>9.99	10
sar__dte01			99/99/99	
sar__dte02			99/99/99	
sar__log01			yes/no	
sar__log02			yes/no	
sar__qadc01			x(8)	
sar_domain	Domain		x(8)	
sar_nbr	Service Contract	Contract	x(8)	
sar_part	Item		x(18)	
sar_prefix	Prefix	P	x(1)	
sar_ref	Ref		x(18)	
sar_sad_line	Contract Line		>>>>>>>9	
sar_serial	Lot/Serial		x(18)	
sar_user1	Ufld1		x(8)	
sar_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sar_mstr	yes	oid_sar_mstr	yes	no
* sar_nbrln	yes	sar_domain	yes	no
		sar_nbr	yes	no
		sar_prefix	yes	no
		sar_sad_line	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
sar_serial	no	sar_domain	yes	no
		sar_prefix	yes	no
		sar_serial	yes	no
		sar_part	yes	no
		sar_ref	yes	no
		sar_nbr	yes	no
		sar_sad_line	yes	no
sar_serialref	yes	sar_domain	yes	no
		sar_part	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
		sar_prefix	yes	no
		sar_nbr	yes	no
		sar_sad_line	yes	no

Service Contract Master

Field Name	Label	Col-Label	Format	Dec
sa_domain	Domain		x(8)	
sa_end_date	End Date		99/99/99	
sa_enduser	End User		x(8)	
sa_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
sa_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_ratetype	Rate Type		x(8)	
sa_exp_date	Expire Date	Exp Date	99/99/99	
sa_exru_seq	Sequence		>>>>>>>9	
sa_ext_date	Extend Date	Ext Date	99/99/9999	
sa_fix_pr	Fixed Price		yes/no	
sa_fix_rate	Fixed Rate	Fixed	yes/no	
sa_fob	FOB Point		x(20)	
sa_free_frm	Free Coverage From		99/99/99	
sa_free_to	Free Coverage To		99/99/99	
sa_fsacccr_acct	Accrued Revenue	Accrued	x(8)	
sa_fsacccr_cc	Accrued Revenue CC		x(4)	
sa_fsacccr_sub	Accrued Revenue Sub-Acct		x(8)	
sa_fsdef_acct	Deferred Revenue	Deferred	x(8)	
sa_fsdef_cc	Deferred Revenue CC		x(4)	
sa_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
sa_fst_id	FST ID		x(18)	
sa_gen_Oitm	Generate 0\$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
sa_invoiced	Invoiced		yes/no	
sa_item_enduser	Item End Users		yes/no	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Modified Date	Mod Date	99/99/99	
sa_mod_userid	User ID		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>>9.99	10
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_per_bill	Period Based Billing	PBB	yes/no	
sa_periodic	Periodic Billing		yes/no	
sa_po	Purchase Order		x(20)	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodlne	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_Oitm	Print 0\$ Items		yes/no	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_release	Release To Contract	Rel	yes/no	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
sa_revalue_date	Revaluation Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_sched_start	PM Start Date	Start	yes/no	
sa_schedule	Billing Schedule File		yes/no	
sa_serial_det	Serial Detail		yes/no	
sa_ship_date	Ship Date		99/99/99	
sa_shipvia	Ship Via		x(20)	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_so_nbr	Sales Order	Order	x(8)	
sa_source	Order Source	Source	x(8)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_stat	Action Status	St	x(2)	
sa_summarize	Summarize		yes/no	
sa_sv_code	Service Type	Svc Type	x(8)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	10
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sa_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufid1		x(8)	
sa_user2	Ufid2		x(8)	
sa_visits	Visits		>>9	10
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sa_mstr	yes	oid_sa_mstr	yes	no
sa_cust	yes	sa_domain	yes	no
		sa_cust	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_end_date	no	sa_domain	yes	no
		sa_end_date	yes	no
sa_enduser	no	sa_domain	yes	no
		sa_enduser	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
* sa_nbr	yes	sa_domain	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no
sa_po_nbr	no	sa_domain	yes	no
		sa_po	yes	no
		sa_cust	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no

sbc_mstr

Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
oid_sbc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sbc_chr01			.9<<<<<<<<<	
sbc_chr02			x(8)	
sbc_chr03			x(8)	
sbc_chr04			x(8)	
sbc_chr05			x(8)	
sbc_qadc01	QAD Character Field 1		X(8)	
sbc_qadc02	QAD Character Field 2		X(8)	
sbc_qadc03	QAD Character Field 3		X(8)	
sbc_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
sbc_qadl01	QAD Logical Field 1		yes/no	
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_domain	Domain		x(8)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	
sbc_qty_bill	Qty to Bill		->, >>>, >>9.9<<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sbc_mstr	yes	oid_sbc_mstr	yes	no
*	sbc_code	yes	sbc_domain	yes	no
			sbc_code	yes	no

sbd det

Sub-Account/Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sbd_det			>>>>>>>>>>>>>>>>>>>>>9	10
sbd_qadc01			.9<<<<<<<<<	
sbd_acc_beg	Range of Accounts	From! Account	x(8)	
sbd_acc_end	To	To! Account	x(8)	
sbd_line	Line		>>9	
sbd_sub	Sub-Account	Sub-Acct	x(8)	
sbd_user1			Ufld1	x(8)
sbd_user2			Ufld2	x(8)

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sbd_det	yes	oid_sbd_det	yes	no
*	sbd_index	yes	sbd_sub	yes	no
			sbd_line	yes	no

sbic_ctl

Self-Bill Control

Field Name	Label	Col-Label	Format	Dec
oid_sbic_ctl			>>>>>>>>>>>>>>>>>>>>>>9	10
sbic__qadc01			.9<<<<<<<<<	
sbic__qadc02			X(8)	
sbic__qadc03			X(8)	
sbic__qadc04			X(8)	
sbic__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
sbic__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
sbic_qadi01			>>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sbic_ctl	yes	oid_sbic_ctl	yes	no
*	sbic_index1	yes	sbic_domain	yes	no

sbid_det

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sbld_det	yes	oid_sbld_det	yes	no
sbld_authorization	no	sbld_domain	yes	no
		sbld_authorization	yes	no
sbld_inv_nbr	no	sbld_domain	yes	no
		sbld_inv_nbr	yes	no
* sbld_nbr_line	yes	sbld_domain	yes	no
		sbld_bill	yes	no
		sbld_nbr	yes	no
		sbld_line	yes	no
sbld_order	no	sbld_domain	yes	no
		sbld_order	yes	no
sbld_part	no	sbld_domain	yes	no
		sbld_part	yes	no
		sbld_type	yes	no
sbld_ship_id	no	sbld_domain	yes	no
		sbld_ship_id	yes	no
sbld_trnbr	no	sbld_domain	yes	no
		sbld_trnbr	yes	no

Self-Bill Master

Field Name	Label	Col-Label	Format	Dec
oid_sbi_mstr			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<	
sbi__qadc01			X(8)	
sbi__qadc02			X(8)	
sbi__qadc03			X(8)	
sbi__qadc04			X(8)	
sbi__qadc05			X(8)	
sbi__qadc06			X(8)	
sbi__qadc07			X(8)	
sbi__qadc08			X(8)	
sbi__qadc09			X(8)	
sbi__qadc10			X(8)	
sbi__qadd01			->>, >>, >>9.9<<<<<<<<	10
sbi__qadd02			->>, >>, >>9.9<<<<<<<<	10
sbi__qadd03			->>, >>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sbi_mstr	yes	oid_sbi_mstr	yes	no
sbi_check	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_check	yes	no
		sbi_nbr	yes	no
* sbi_nbr	yes	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_nbr	yes	no
sbi_xmission	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_xmission	yes	no
		sbi_nbr	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_sb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sb__qadc01			.9<<<<<<<<<	
sb_active	Active	Act	x(8)	
sb_desc	Description		yes/no	
sb_domain	Domain		x(24)	
sb_sub	Sub-Account	Sub-Acct	x(8)	
sb_user1			x(8)	
sb_user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sb_mstr	yes	oid_sb_mstr	yes	no
sb_desc	no	sb_domain	yes	no
		sb_desc	yes	no
* sb_sub	yes	sb_domain	yes	no
		sb_sub	yes	no

sca mstr

Service Contract Additional Charge Master

Field Name	Label	Col-Label	Format	Dec
oid_sca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sca_chr01	User Character Field 1		.9<<<<<<<<<	
sca_chr02	User Character Field 2		X(8)	
sca_chr03	User Character Field 3		X(8)	
sca_dec01	User Decimal Field 1		->>>>, >>>, >>9.99	10
sca_dte01	User Date Field 1		99/99/99	
sca_dte02	User Date Field 2		99/99/99	
sca_qadc01	QAD Character Field 1		X(8)	
sca_qadc02	QAD Character Field 2		X(8)	
sca_qadc03	QAD Character Field 3		X(8)	
sca_qade01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
sca_qadt01	QAD Date Field 1		99/99/99	
sca_qadt02	QAD Date Field 2		99/99/99	
sca_amount	Amount		>>>>, >>>, >>9.99<<<	10
sca_amt_type	Amount Type		x(1)	
sca_cycle	Billing Cycle		x(8)	
sca_desc	Description		x(40)	
sca_domain	Domain		x(8)	
sca_expire	Expire Date		99/99/99	
sca_mod_date	Modified Date	Mod Date	99/99/99	
sca_mod_userid	User ID		X(8)	
sca_part	Item		x(18)	
sca_pct_type	Percent Type		x(8)	
sca_priority	Priority		>>9	
sca_prodlne	Product Line	Line	x(4)	
sca_service	Service Type		x(8)	
sca_start	Start Date		99/99/99	
sca_user1	Ufld1		x(8)	
sca_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sca_mstr	yes	oid_sca_mstr	yes	no
sca_part	no	sca_domain	yes	no
		sca_part	yes	no
		sca_service	yes	no
* sca_service	yes	sca_domain	yes	no
		sca_service	yes	no
		sca_part	yes	no

scc_mstr

Customer/Ship-To Shipment Controls Master

Field Name	Label	Col-Label	Format	Dec
oid_scc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
scc__qadc01			X(24)	
scc__qadc02			X(24)	
scc_active	Enable Shipment Performance		yes/no	
scc_customer_source	Customer Source		x(3)	
scc_domain	Domain		x(8)	
scc_include_do	Include Distribution Orders		yes/no	
scc include mo	Include Material Orders		yes/no	

Field Name	Label	Col-Label	Format	Dec
schd_ship_qty	Qty Shipped		>>, >>>, >>9.9<<<<<<<	10
schd_time	Time		99:99	
schd_type	Schedule Type		>9	
schd_upd_qty	Quantity		>>, >>>, >>9.9<<<<<<<	10
schd_user1	Ufld1		x(8)	
schd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_schd_det	yes	oid_schd_det	yes	no
*	schd_dtr	yes	schd_domain	yes	no
			schd_type	yes	no
			schd_nbr	yes	no
			schd_line	yes	no
			schd_rlse_id	yes	no
			schd_date	yes	no
			schd_time	yes	no
			schd_interval	yes	no
			schd_reference	yes	no
			schd_req_type	yes	no

sch mstr Release Management Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_sch_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sch_chr01			.9<<<<<<<<	
sch_chr02			x(8)	
sch_chr03			x(8)	
sch_chr04			x(8)	
sch_chr05			x(8)	
sch_chr06			x(8)	
sch_chr07			x(8)	
sch_chr08			x(8)	
sch_chr09			x(8)	
sch_chr10			x(8)	
sch_dec01			>>>, >>>, >>9.99	10
sch_dec02			>>>, >>>, >>9.99	10
sch_dec03			>>>, >>>, >>9.99	10
sch_dec04			>>>, >>>, >>9.99	10
sch_dec05			>>>, >>>, >>9.99	10
sch_dec06			>>>, >>>, >>9.99	10
sch_dec07			>>>, >>>, >>9.99	10
sch_dec08			>>>, >>>, >>9.99	10
sch_dec09			>>>, >>>, >>9.99	10
sch_dec10			>>>, >>>, >>9.99	10
sch_dte01			99/99/99	
sch_dte02			99/99/99	
sch_log01			yes/no	
sch_log02			yes/no	
sch_cmtnidx	Comment Index	Comment	>>>>>>>g	
sch_cr_date	Create Date		99/99/99	
sch_cr_time	Create Time		>>>>g	
sch_cumulative	Cumulative	Cum	yes/no	
sch_cw_days	Calendar/Working Firm Days		x(1)	
sch_domain	Domain		x(8)	
sch_eff_end	Effective End		99/99/99	
sch_eff_start	Effective Start		99/99/99	
sch_fab_end	Fab End		99/99/99	
sch_fab_qty	Fab Qty		>>>, >>>, >>9.9<<<<<<<	10
sch_fab_strt	Fab Start		99/99/99	
sch_from_pid	From Plan Id		x(30)	
sch_from_sid	From Ship Id		x(30)	
sch_line	Line	Ln	>>g	
sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
sch_lr_cum_qty[10]	Cum Receipt Qty		>>>, >>>, >>9.9<<<<<<<<<	10
sch_lr_date[10]	Receipt Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sct_cost_changed	Cost Changed		yes/no	
sct_cst_date	Cost Update	Updated	99/99/99	
sct_cst_tot	Cost Total		>>>>,>>>,>>9.99<<<	10
sct_domain	Domain		x(8)	
sct_lbr_ll	Labor LL		>>>>,>>>,>>9.99<<<	10
sct_lbr_tl	Labor		>>>>,>>>,>>9.99<<<	10
sct_mtl_ll	Material LL		>>>>,>>>,>>9.99<<<	10
sct_mtl_tl	Material		>>>>,>>>,>>9.99<<<	10
sct_nrv	Net Realized Value	NR! Value	>>>>,>>>,>>9.99<<<	10
sct_ovh_ll	Overhead LL		>>>>,>>>,>>9.99<<<	10
sct_ovh_tl	Overhead		>>>>,>>>,>>9.99<<<	10
sct_part	Item Number		x(18)	
sct_rollup	Freeze	Frz	yes/no	
sct_rollup_id	Rollup ID		x(18)	
sct_serial	Lot/Serial		x(18)	
sct_sim	Cost Set		x(18)	
sct_site	Site		x(8)	
sct_sub_ll	Subcontract LL		>>>>,>>>,>>9.99<<<	10
sct_sub_tl	Subcontract		>>>>,>>>,>>9.99<<<	10
sct_user1	Ufld1		x(8)	
sct_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sct_det	yes	oid_sct_det	yes	no
sct_part_sim	no	sct_domain	yes	no
		sct_part	yes	no
		sct_sim	yes	no
* sct_sim_pt_site	yes	sct_domain	yes	no
		sct_sim	yes	no
		sct_part	yes	no
		sct_site	yes	no
sct_site_part	no	sct_domain	yes	no
		sct_site	yes	no
		sct_part	yes	no
sct_site_sim	no	sct_domain	yes	no
		sct_site	yes	no
		sct_sim	yes	no

scx ref Scheduled Order Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_scx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
scx__qadc01			.9<<<<<<<<<	
scx_custpart	Customer Item		x(8)	
scx_custref	Customer Ref		x(30)	
scx_domain	Domain		x(30)	
scx_line	Line		x(8)	
			scx_master_line	Mas ter
yes/no				
scx_modelyr	Model Year		x(4)	
scx_order	Order		x(8)	
scx_part	Item Number		x(18)	
scx_po	Purchase Order		x(22)	
scx_qkey	Quick Key		x(8)	
scx_shipfrom	Ship-From		x(8)	
scx_shipto	Ship-To		x(8)	
scx_type			9	
scx_user1	Ufld1		x(8)	
scx_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_scx_ref	yes	oid_scx_ref	yes	no
scx_custpart	no	scx_domain	yes	no
		scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_custpart	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no
		scx_part	yes	no
scx_order	yes	scx_domain	yes	no
		scx_type	yes	no
		scx_order	yes	no
		scx_line	yes	no
scx_po	no	scx_domain	yes	no
		scx_type	yes	no
		scx_po	yes	no
		scx_part	yes	no
		scx_shipto	yes	no
		scx_shipfrom	yes	no
* scx_shipfrom	yes	scx_domain	yes	no
		scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_part	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no

Cost Simulation Master

Field Name	Label	Col-Label	Format	Dec
oid_sc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<.<<<<<<<<<	
sc__qadc01			x(8)	
sc_category	Category		x(1)	
sc_desc	Description		x(24)	
sc_domain	Domain		x(8)	
sc_element	Cost Element	Element	x(8)	
sc_sim	Cost Set		x(18)	
sc_user1	Ufld1		x(8)	
sc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sc_mstr	yes	oid_sc_mstr	yes	no
sc_sim_cat	no	sc_domain	yes	no
		sc_sim	yes	no
		sc_category	yes	no
* sc_sim_elem	yes	sc_domain	yes	no
		sc_sim	yes	no
		sc_element	yes	no

Shipping Delivery Time Detail

Field Name	Label	Col-Label	Format	Dec
oid_sdt_dct_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sdt_dct_chr01			.9<<<<<<<<	
sdt_dct_chr02			x(8)	
sdt_dct_dec01			x(8)	
sdt_dct_dec02			->>, >>, >>9.99<	10
sdt_dct_dte01			->>, >>, >>9.99<	10
			99/99/99	

Field Name	Label	Col-Label	Format	Dec
sdttd__dte02			99/99/99	
sdttd__log01			yes/no	
sdttd__qadc01			x(8)	
sdttd__qadc02			x(8)	
sdttd__qadd01			->>>, >>>, >>9.99<	10
sdttd__qadd02			->>>, >>>, >>9.99<	10
sdttd__qadi01			>>>>>>9	
sdttd__qadi02			>>>>>>9	
sdttd__qadi01			yes/no	
sdttd__qadi02			yes/no	
sdttd__qadt01			99/99/99/99	
sdttd__qadt02			99/99/99	
sdttd__user1			x(8)	
sdttd__user2			x(8)	
sdttd__code	SDT Code		x(3)	
sdttd__domain	Domain		x(8)	
sdttd__mod_date	Modified Date	Mod Date	99/99/99	
sdttd__mod_userid	User ID		x(8)	
sdttd time	SDT Time		99:99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sdttd_det	yes	oid_sdttd_det	yes	no
*	sdttd_code	yes	sdttd_domain	yes	no
			sdttd_code	yes	no
			sdttd_time	yes	no

sdt_mstr Shipping Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
oid_sdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sdt_chr01			.9<<<<<<<<<	
sdt_chr02			x(8)	
sdt_dec01			x(8)	
sdt_dec02			->>>, >>>, >>9.99<	10
sdt_dte01			->>>, >>>, >>9.99<	10
sdt_dte02			99/99/99	
sdt_log01			99/99/99	
sdt_log02			yes/no	
sdt_qadc01			yes/no	
sdt_qadc02			x(8)	
sdt_qadd01			x(8)	
sdt_qadd02			->>>, >>>, >>9.99<	10
sdt_qadi01			->>>, >>>, >>9.99<	10
sdt_qadi02			>>>>>>>9	
sdt_qadl01			>>>>>>>9	
sdt_qadl02			yes/no	
sdt_qadt01			yes/no	
sdt_qadt02			99/99/99	
sdt_user1			99/99/99	
sdt_user2			x(8)	
sdt_code	SDT Code		x(8)	
sdt_desc	SDT Description		X(3)	
sdt_domain	Domain		x(40)	
sdt_mod_date	Modified Date	Mod Date	x(8)	
sdt_mod_userid	User ID		99/99/99	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sdt_mstr	yes	oid_sdt_mstr	yes	no
* sdt_code	yes	sdt_domain	yes	no
		sdt_code	yes	no

Sales Order Discount Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sd_mstr	yes	oid_sd_mstr	yes	no
sd_cust	no	sd_domain	yes	no
		sd_ls_type	yes	no
		sd_cust	yes	no
		sd_type	yes	no
		sd_amt	yes	no
* sd_type	yes	sd_domain	yes	no
		sd_type	yes	no
		sd_amt	yes	no
		sd_start	yes	no

Material Order Control

Field Name	Label	Col-Label	Format	Dec
oid_seoc_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
seoc__chr01			.9<<<<<<<<	
seoc__chr02			x(8)	
seoc__chr03			x(8)	
seoc__chr04			x(8)	
seoc__chr05			x(8)	
seoc__dec01			>>>, >>>, >>9.99	10
seoc__dec02			>>>, >>>, >>9.99	10
seoc__dte01			99/99/99	
seoc__dte02			99/99/99	
seoc__log01			yes/no	
seoc__log02			yes/no	
seoc__qadc02	QAD Character Field 2		X(8)	
seoc__qadc03	QAD Character Field 3		x(8)	
seoc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
seoc__qadd02	QAD Decimal Field 2		->>, >>9.99	10
seoc__qadi01	QAD Field		->, >>>, >>9	
seoc__qadi02	QAD Integer Field 2		->, >>>, >>9	
seoc__qadl01	QAD Logical Field		yes/no	
seoc__qadl02	QAD Logical Field 2		yes/no	
seoc__qadt01	QAD Date Field 1		99/99/99	
seoc__qadt02	QAD Date Field 2		99/99/99	
seoc_all_days	Allocate MO Lines Due in Days		>>>>>9	
seoc_bo_advice	Next Back Order Advice		>>>>>>>9	
seoc_confirm	Confirmed Orders		yes/no	

Field Name	Label	Col-Label	Format	Dec
seoc_consume	Consume Forecast	Consume Fcst	yes/no	
seoc_consume_shipped	Consume Shipped Lines		x(8)	
seoc_det_all	Detail Allocations		yes/no	
seoc_dnote	Next Delivery Note		>>>>>>>9	
seoc_domain	Domain		x(8)	
seoc_ex_ratetype	Rate Type		x(8)	
seoc_hcmmts	MO Header Comments		yes/no	
seoc_immed_ship	Ship Immed		yes/no	
seoc_index1	Index		>>>>>9	
seoc_int_cust	Internal Customer		X(8)	
seoc_kit_auto	Autonumbering for Kits		yes/no	
seoc_kit_nbr	Next Kit Number		>>>>>>9	
seoc_kit_pre	Kit Prefix		X(8)	
seoc_lcmmts	MO Line Comments		yes/no	
seoc_ln_fmt	Ln Format S/M		single/multi	
seoc_mod_date	Modified Date	Mod Date	99/99/99	
seoc_mod_userid	User ID		X(8)	
seoc_req	Required Qty Reduces Qty Avail		yes/no	
seoc_ship_to	Ship To		User/Engineer	
seoc_shp_lead	Shipping Lead Time		>>>9	
seoc_so	Next Material Order		>>>>>>>9	
seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
seoc_so_pre	Material Order Prefix	Pre	x(3)	
seoc_user1	Ufld1		X(8)	
seoc_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_seoc_ctrl	yes	oid_seoc_ctrl	yes	no
* seoc_index1	yes	seoc_domain	yes	no

Production Line Schedule Sequence Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_seq_mstr	yes	oid_seq_mstr	yes	no
seq_sequence	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_priority	yes	no
* seq_site	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_part	yes	no
		seq_due_date	yes	no

Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
sfb__qadd01	Qad Date #1		99/99/99	
sfb__qadd02	Qad Date #2		99/99/99	
sfb__qadd03	Qad Date #3		99/99/99	
sfb__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sfb__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sfb__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sfb__qadl01	QAD Logical Field		yes/no	
sfb__qadl02	QAD Logical Field		yes/no	
sfb__qadl03	QAD Logical Field		yes/no	
sfb__qadl04	QAD Logical Field		yes/no	
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>9	
sfb_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_domain	Domain		x(8)	
sfb_exchange	Exchange		yes/no	
sfb_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfb_fixed_price			->>>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfb_line	Line		>>>9	
sfb_mod_date	Modified Date	Mod Date	99/99/99	
sfb_mod_userid	User ID		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	>>>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		->>>, >>>, >>9.99<<<	10
sfb_price_on_inv	Price on Invoice		yes/no	
sfb_pst	PST Taxable		yes/no	
sfb_pt_type			>>9	
sfb_qty_billed	Qty Billed		->>>, >>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>, >>9.9<	10
sfb_qty_on_inv	Qty on Invoice		yes/no	
sfb_qty_req	Qty Required		->>>, >>9.9<<	10
sfb_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	
sfb_tax_usage	Tax Usage		x(8)	0
sfb_taxable	Taxable		yes/no	
sfb_taxc	Tax Class		x(8)	0
sfb_total_std	Total Cost		->>>, >>>, >>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	Ufld1		X(8)	
sfb_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sfb_det	yes	oid_sfb_det	yes	no
* sfb_line	yes	sfb_domain	yes	no
		sfb_nbr	yes	no
		sfb_so_line	yes	no
		sfb_pt_type	yes	no
		sfb_fis_sort	yes	no
		sfb_line	yes	no
sfb_report	no	sfb_domain	yes	no
		sfb_report	yes	no
		sfb_op	yes	no
		sfb_part	yes	no
		sfb_line	yes	no

Service/Support Billing History

Field Name	Label	Col-Label	Format	Dec
sfh_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
sfh_trnbr	Transaction		>>>>>>>>9	
sfh_um	UM		x(2)	
sfh_user1	Ufld1		X(8)	
sfh_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sf_hst	yes	oid_sf_hst	yes	no
sfh_inv_nbr	no	sfh_domain	yes	no
		sfh_inv_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
		sfh_domain	yes	no
sfh_line	no	sfh_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
* sfh_trnbr	yes	sfh_domain	yes	no
		sfh_trnbr	yes	no

sgad_det

Field Name	Label	Col-Label	Format	Dec
oid_sgad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sgad__qadc01			.9<<<<<<<<<	
sgad_addr	Address		x(8)	
sgad_cons_ship	Consolidate Ship		x(1)	
sgad_domain	Domain		x(8)	
sgad_grp	Shipping Group	Ship Grp	x(8)	
sgad_is_src	Source/Dest		Source/Dest	
sgad_user1	Ufld1		x(8)	
sgad_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sgad_det	yes	oid_sgad_det	yes	no
sgad_addr	yes	sgad_domain	yes	no
		sgad_addr	yes	no
		sgad_is_src	yes	no
		sgad_grp	yes	no
* sgad_grp	yes	sgad_domain	yes	no
		sgad_grp	yes	no
		sgad_is_src	yes	no
		sgad_addr	yes	no

sgcd_det

Field Name	Label	Col-Label	Format	Dec
oid_sgcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sgcd__qadc01			.9<<<<<<<<<<	
sgcd_carrier	Carrier		x(8)	
sgcd_domain	Domain		x(8)	
sgcd_grp	Shipping Group	Ship Grp	x(8)	
sgcd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgcd_seq	Seq		>>9	
sgcd_user1	Ufld1		x(8)	
sgcd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_sgcd_det	yes	old_sgcd_det	yes	no
sgcd_carrier	no	sgcd_domain	yes	no
		sgcd_carrier	yes	no
* sgcd_grp	yes	sgcd_domain	yes	no
		sgcd_grp	yes	no
		sgcd_inv_mov	yes	no
		sgcd_seq	yes	no

Shipping Group and Inventory Movement Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_sgid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sgid__qadc01			x(8)	.9<<<<<<<<<<
sgid__qadc02			x(8)	
sgid_default	Default		yes/no	
sgid_domain	Domain		x(8)	
sgid_format	Document Format	Format	x(8)	
sgid_grp	Shipping Group	Ship Grp	x(8)	
sgid_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgid_user1	Ufld1		x(8)	
sgid_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sgld_det	yes	oid_sgld_det	yes	no
sgld_default	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_default	yes	no
		sgld_inv_mov	yes	no
sgld_format	no	sgld_domain	yes	no
		sgld_format	yes	no
* sgld_grp	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_inv_mov	yes	no
sgld_inv_mov	no	sgld_domain	yes	no
		sgld_inv_mov	yes	no

Shipping Group Master

Field Name	Label	Col-Label	Format	Dec
oid_sg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sg_qadc01			.9<<<<<<<<<	
sg_auto_tr	Auto Transfers	Auto Xfers	x(8)	
sg_desc	Description		yes/no	
sg_domain	Domain		x(30)	
sg_grp	Shipping Group	Ship Grp	x(8)	
sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
sg_user1	Ufld1		x(8)	
sg_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	old_sg_mstr	yes	old_sg_mstr	yes	no
	sg_grp	yes	sg_domain	yes	no
			sg_grp	yes	no
	sg_inv_mov	no	sg_domain	yes	no
			sg_inv_mov	yes	no

SharedSet Shared Set

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Record ID		9999999999	
SharedSetCode	Shared Set Code		x(20)	
SharedSetDescription	Shared Set Description		x(40)	
SharedSetIsActive	Active	Act	yes/no	
SharedSetTypeCode	Shared Set Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SharedSetCode	yes	no
◇* Prim	yes	SharedSet_ID	yes	no
◇ Type	no	SharedSetTypeCode	yes	no

SharedSetMergeLog Shared Set Merge Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSetMergeLog_ID	Record ID		9999999999	

Field Name	Label	Col-Label	Format	Dec
SharedSetMergeLogEndDate	End Date		99/99/9999	
SharedSetMergeLogEndTime	End Time		99999	
SharedSetMergeLogIsFinish	Is Finished		yes/no	
SharedSetMergeLogMaster	Master Shared Set Code		x(20)	
SharedSetMergeLogRedundant	Redundant Shared Set Code		x(20)	
SharedSetMergeLogStartDate	Start Date		99/99/9999	
SharedSetMergeLogStartTime	Start Time		99999	

Index-Name	Uni	Field-Name	Asc	Abbr
Finished	no	SharedSetMergeLogIsFinish	yes	no
◇ Master	no	SharedSetMergeLogMaster	yes	no
◇* Prim	yes	SharedSetMergeLog_ID	yes	no
Redundant	no	SharedSetMergeLogRedundant	yes	no

SharedSetPropShared Set Property

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		999999999999	
SharedSetProperty_ID	Record ID		999999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	SharedSetProperty_ID	yes	no
◇ SharedSet	yes	SharedSet ID	yes	no

SharedSetType

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSetTypeCode	Shared Set Type		x(20)	
SharedSetTypeIsActive	Active		yes/no	
SharedSetTypeTranslated	Translation		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Prim	yes	SharedSetTypeCode	yes	no

shcd_det	Shipper Control Detail Default Export Directories

Field Name	Label	Col-Label	Format	Dec
oid_shcd_det			>>>>>>>>>>>>>>>>>>>>>9	10
shcd__qadc01			.9<<<<<<<<<	
shcd__qadc02			x(24)	
shcd_domain	Domain		x(24)	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
shcd_export_directory	Default Export Directory		x(60)	
shcd_mod_date	Modified Date	Mod Date	99/99/99	
shcd_mod_userid	User ID		x(8)	
shcd_user1	User Field Character 1		x(24)	
shcd_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shcd_det	yes	oid_shcd_det	yes	no
*	shcd_export_dir	yes	shcd_domain	yes	no
			shcd export directory	yes	no

shc ctrl Shipper Control

Field Name	Label	Col-Label	Format	Dec
oid_shc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shc__qadc01			.9<<<<<<<<<	
shc__qadi01			->>>>>>>9	
shc_archive_directory	Default Archive Directory		x(60)	
shc_check_ship_pending	Check Shipments Pending for Post		yes/no	
shc_del_import_file	Delete Import Files After Archiving		yes/no	
shc_domain	Domain		x(8)	
shc_format	Document Format	Format	x(8)	
shc_ic_ship	Create Shipper		x(1)	
shc_import_directory	Default Import Directory		x(60)	
shc_master_nr_id	Master Bill Sequence ID		x(8)	
shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
shc_rss_cal_option	RSS Calendar Option		>>9	
shc_ship_nr_id	Shipper Sequence ID		x(8)	
shc_ship_rcpt	Shipment Info For Receipts		yes/no	
shc_shipper_print	Allow Printing With Errors		yes/no	
shc_source_directory	Default Source Directory		x(60)	
shc_trl_amts	Maintain Trailer Amounts		yes/no	
shc_user1	Ufld1		x(8)	
shc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shc_ctrl	yes	oid_shc_ctrl	yes	no
*	shc_index1	yes	shc_domain	yes	no

shd_det Shipping Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_shd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shd__qadc01			.9<<<<<<<<<<	
shd_code	Transport ID	Trans ID	x(8)	
shd_departs	Ship Date		99/99/99	
shd_domain	Domain		x(8)	
shd_rec_site	Receiving Site	Rec Site	x(8)	
shd_src_site	Source Site	Source	x(8)	
shd_user1	Ufld1		x(8)	
shd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_shd_det	yes	old_shd_det	yes	no
* shd_code	yes	shd_domain	yes	no
		shd_code	yes	no
		shd_src_site	yes	no
		shd_rec_site	yes	no
		shd_departs	yes	no

Shift Detail

Field Name		Col-Label	Format	Dec
oid_shift_det			>>>>>>>>>>>>>>>>>>>>>>9	10
shift_chr01			.9<<<<<<<<	
shift_chr02			x(8)	
shift_chr03			x(8)	
shift_chr04			x(8)	
shift_chr05			x(8)	
shift_dec01			>>>, >>>, >>9.99	10
shift_dec02			>>>, >>>, >>9.99	10
shift_dec03			>>>, >>>, >>9.99	10
shift_dec04			>>>, >>>, >>9.99	10
shift_log01			yes/no	
shift_day	Day of Week	Day	9	
shift_domain	Domain		x(8)	
shift_hour1	Hours		,>>9.9<	10
shift_hour2	Hours		,>>9.9<	10
shift_hour3	Hours		,>>9.9<	10
shift_hour4	Hours		,>>9.9<	10
shift_load1	Load		>>9.99%	10
shift_load2	Load		>>9.99%	10
shift_load3	Load		>>9.99%	10
shift_load4	Load		>>9.99%	10
shift_mch	Machine		x(8)	
shift_pat1	Pattern		x(8)	
shift_pat2	Pattern		x(8)	
shift_pat3	Pattern		x(8)	
shift_pat4	Pattern		x(8)	
shift_site	Site		x(8)	
shift_start1	Start Time	Start	,>>9.9<<	10
shift_start2	Start Time	Start	,>>9.9<<	10
shift_start3	Start Time	Start	,>>9.9<<	10
shift_start4	Start Time	Start	,>>9.9<<	10
shift_user1	Ufld1		x(8)	
shift_user2	Ufld2		x(8)	
shift_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shift_det	yes	oid_shift_det	yes	no
* shift_day	yes	shift_domain	yes	no
		shift_site	yes	no
		shift_wkctr	yes	no
		shift_mch	yes	no
		shift_day	yes	no

Warehousing Ship Via/Service Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(40)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_ShipViaM			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
QadC01	QAD Field		.9<<<<<<<<	
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Service	Service		x(20)	
ShipVia	Carrier		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ShipViaM	yes	oid_ShipViaM	yes	no
Service	no	Domain	yes	no
		Service	yes	no
* ShipViaMIdx	yes	Domain	yes	no
		ShipVia	yes	no
		Service	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

shm_mstr Shipping Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_shm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shm_qadc01			x(8)	
shm_cmtindx	Comment Index	Comment	>>>, >>>, >>9	
shm_code	Transport ID	Trans ID	x(8)	
shm_domain	Domain		x(8)	
shm_end	End		99/99/99	
shm_load_lt	Load LT		->>9.9<	10
shm_no_units	Available Units	Units	->, >>>, >>9	
shm_rec_day[7]	Receive Days		yes/no	
shm_rec_site	Receiving Site	Rec Site	x(8)	
shm_ship_day[7]	Ship Days		yes/no	
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	->>9.9<	10
shm_unld_lt	Unload LT		->>9.9<	10
shm_user1	Ufld1		x(8)	
shm_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shm_mstr	yes	oid_shm_mstr	yes	no
* shm_code	yes	shm_domain	yes	no
		shm_code	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_start	yes	no
shm_rec_site	yes	shm_domain	yes	no
		shm_rec_site	yes	no
		shm_src_site	yes	no
		shm_code	yes	no
		shm_start	yes	no
shm_src_site	yes	shm_domain	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal Shop Calendar

Field Name	Label	Col-Label	Format	Dec
oid_shop_cal			>>>>>>>>>>>>>>>>>>>>>>9.10 .9<<<<<<<<	
shop__qadc01			x(8)	
shop_domain	Domain		x(8)	
shop_hours[7]	Daily Hours	Hours	->, >>9.99	10
shop_mch	Machine		x(8)	
shop_shifts[7]	Shifts		yes/no	
shop_site	Site		x(8)	
shop_user1	Ufld1		x(8)	
shop_user2	Ufld2		x(8)	
shop_wdays[7]	Workdays		yes/no	
shop_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shop_cal	yes	oid_shop_cal	yes	no
* shop_cal	yes	shop_domain	yes	no
		shop_site	yes	no
		shop_wkctr	yes	no
		shop_mch	yes	no

ShortcutAct shortcut key

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID	Business Activity		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
ShortcutAct_ID	Record ID		9999999999	
ShortcutActKey	Shortcut Key		x(10)	
Usr ID	User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusActivity	no	BusActivity_ID	yes	no
◇* prim	yes	ShortcutAct_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
UsrIdBusActivity	yes	Usr_ID	yes	no
		BusActivity_ID	yes	no
UsrIdShortcActKey	yes	Usr_ID	yes	no
		ShortcutActKey	yes	no

shpc_ctrl Shipment Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_shpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shpc__qadc01			.9<<<<<<<<<	
shpc__qadc02			X(24)	
shpc__qadi01			X(24)	
shpc_active	Enable Shipment Performance		->>>>>>>9	
shpc_domain	Domain		yes/no	
shpc_include_do	Include Distribution Orders		x(8)	
shpc_include_mo	Include Material Orders		yes/no	
shpc_include_rma	Include RMA Shipments		yes/no	
shpc_include_sched	Include Scheduled Orders		yes/no	
shpc_include_so	Include Sales Orders		yes/no	
shpc_meas_subtype	Measurement Sub Type		9	
shpc_mod_date	Modified Date	Mod Date	99/99/99	
shpc_mod_userid	User ID		x(8)	
shpc_sched_type	Schedule Type		>9	
shpc_shipper_reasons	Enter Reason Codes in Workbench		yes/no	
shpc_use_current	Use Current Release		yes/no	
shpc_user1	User Field Character 1		X(24)	
shpc_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shpc_ctrl	yes	oid_shpc_ctrl	yes	no
* shpc index1	yes	shpc domain	yes	no

shpd_hist Shipment Performance Detail History

Field Name	Label	Col-Label	Format	Dec
oid_shpd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
shpd__qadc01			X(24)	
shpd__qadc02			X(24)	
shpd_acceptable	Acceptable		yes/no	
shpd_domain	Domain		x(8)	
shpd_meas_subtype	Measurement Sub Type	Sub Type	9	
shpd_measurement_type	Type		>	
shpd_mod_date	Modified Date	Mod Date	99/99/99	
shpd_mod_userid	User ID		X(8)	
shpd_rsn_code	Reason		x(8)	
shpd_rsn_type	Reason Type	Rsn Type	x(8)	
shpd_status_code	Status		x(8)	
shpd_tran_id	Tran ID		>>>>>>>9	
shpd_user1	User Field Character 1		X(24)	
shpd_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shpd_hist	yes	oid_shpd_hist	yes	no
shpd_reason	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_rsn_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* shpd_tran_id	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_status_code	yes	no
		shpd_tran_id	yes	no
	yes	shpd_domain	yes	no
		shpd_tran_id	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no

shphr_det Data Validation Rule Master

Field Name	Label	Col-Label	Format	Dec
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_shphr_det			.9<<<<<<<<<	
shphr__qadc01			x(24)	
shphr__qadc02			x(24)	
shphr_allow_import	Allow Import		yes/no	
shphr_category	Category		x(8)	
shphr_desc	Description		x(24)	
shphr_domain	Domain		x(8)	
shphr_id	Rule ID		x(8)	
shphr_import_date	Last Imported		99/99/99	
shphr_import_filename	Import Filename		x(18)	
shphr_import_userid	User ID		x(8)	
shphr_mod_date	Modified Date	Mod Date	99/99/99	
shphr_mod_userid	User ID		x(8)	
shphr_user1	User Field Character 1		x(24)	
shphr_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_shphr_det	yes	oid_shphr_det	yes	no
*	shphr_id	yes	oid_dv_mstr	yes	no
			shphr_id	yes	no

shphvd_det

Field Validation Allowed Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
oid_shphvd_det			.9<<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	9 10
shphvd__qadc01			x(24)	
shphvd__qadc02			x(24)	
shphvd_field_value	Field Value		x(30)	
shphvd_mod_date	Modified Date	Mod Date	99/99/99	
shphvd_mod_userid	User ID		x(8)	
shphvd_user1	User Field Character 1		x(24)	
shphvd_user2	User Field Character 2		x(24)	
shphvd_value_desc	Value Description		x(30)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shphvd_det	yes	oid_shphvd_det	yes	no
* shphvd_field_value	yes	oid_shphv_det	yes	no
		shphvd_field_value	yes	no

shphvpv_det Validation/Prompt Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>9	10
oid_shphvpv_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
shphvpv__qadc01			x(24)	
shphvpv__qadc02			x(24)	
shphvpv_location	Location		x(22)	
shphvpv_mod_date	Modified Date	Mod Date	99/99/99	
shphvpv_mod_userid	User ID		x(8)	
shphvpv_prompt	Prompt		yes/no	
shphvpv_type	Type		9	
shphvpv_user1	User Field Character 1		x(24)	
shphvpv_user2	User Field Character 2		x(24)	
shphvpv_val_level	Validation Level		9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shphvpv_det	yes	oid_shphvpv_det	yes	no
* shphvpv_location	yes	oid_shphv_det	yes	no
		shphvpv_type	yes	no
		shphvpv_location	yes	no

shphv_det Rule Field Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphr_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_shphv_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
shphv__qadc01			x(24)	
shphv__qadc02			x(24)	
shphv_allow_blank	Allow Blank		yes/no	
shphv_allow_undefined	Allow Undefined		yes/no	
shphv_cmtnidx	Comments		>>>>>>>9	
shphv_default	Default Value		x(30)	
shphv_desc	Description		x(40)	
shphv_domain	Domain		x(8)	
shphv_end_eff	End Effective		99/99/99	
shphv_enforce_case	Enforce Case		yes/no	
shphv_field	Field		x(32)	
shphv_field_type	Type		9	
shphv_gen_code	Generalized code		x(32)	
shphv_internal_proc	Internal Procedure		x(32)	
shphv_invalid_char	Invalid Characters		x(8)	
shphv_launch_fieldname	Launch Fieldname		x(32)	
shphv_max_length	Max Length		>, >>>, >>9	
shphv_min_length	Min Length		>, >>>, >>9	
shphv_mod_date	Modified Date	Mod Date	99/99/99	
shphv_mod_userid	User ID		x(8)	
shphv_start_eff	Start Effective		99/99/99	
shphv_user1	User Field Character 1		x(24)	
shphv_user2	User Field Character 2		x(24)	
shphv_usrfld_applyto	Apply-To		999	
shphv_validate_msg1	Message		x(45)	
shphv_validate_msg2	Message		x(75)	
shphv_validate_point	Validation Point		9	
shphv_validate_program	Validation Program		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shphr_det	yes	oid_shphr_det	yes	no
		shphv_field	yes	no
		shphv_start_eff	yes	no
oid shphv det	yes	oid shphv det	yes	no

Shipment Performance History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shp_hist	yes	oid_shp_hist	yes	no
shp_abs_id	no	shp_domain	yes	no
		shp_shipfrom	yes	no
		shp_abs_id	yes	no
shp_cust	no	shp_domain	yes	no
		shp_include	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
shp_customer_source	no	shp_domain	yes	no
		shp_include	yes	no
		shp_customer_source	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
		shp_ship_date	yes	no
shp_part	no	shp_domain	yes	no
		shp_include	yes	no
		shp_part	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
shp_ship_date	no	shp_line	yes	no
		shp_domain	yes	no
		shp_include	yes	no
		shp_ship_date	yes	no
		shp_shipfrom	yes	no
		shp_shipto	yes	no
		shp_nbr	yes	no
* shp_tran_id	yes	shp_line	yes	no
		shp_domain	yes	no
		shp_tran_id	yes	no

shtr_det Shipment Trailer Detail

Field Name	Label	Col-Label	Format	Dec
oid_shtr_det			>>>>>>>>>>>>>>>>>>>>>9	10
shtr__qad01			.9<<<<<<<<<	
shtr__qad02			-Z,ZZZ,ZZZ,zz9.99	10
shtr__qad03			-Z,ZZZ,ZZZ,zz9.99	10
shtr__qad04			-Z,ZZZ,ZZZ,zz9.99	10
shtr__qad05[2]			>	
shtr_amt	Trailer Amt 1		>>9.9<<	10
shtr_cd	Trailer 1	Trl1	-ZZZZ,ZZZ,zz9.99	10
shtr_curr	Currency	Cur	x(2)	
shtr_domain	Domain		x(3)	
shtr_inv_nbr	Invoice Number	Invoice	x(8)	
shtr_nbr	Sales Order	Order	x(22)	
shtr_ship_date	Ship Date		x(8)	
shtr_ship_id	Ship Id		99/99/99	
shtr_site	Site		x(8)	
shtr_user1	Ufld1		x(8)	
shtr_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shtr_det	yes	oid_shtr_det	yes	no
* shtr_nbrcd	yes	shtr_domain	yes	no
		shtr_nbr	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no
shtr_shipcd	yes	shtr_domain	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no

shv_mstr Ship Via Master

Field Name	Label	Col-Label	Format	Dec
oid_shv_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
shv__qadc01			.9<<<<<<<<	
shv__qadc02			x(24)	
shv__domain	Domain		x(8)	
shv_mod_date	Modified Date	Mod Date	99/99/99	
shv_mod_userid	User ID		x(8)	
shv_mode_transp	Mode Of Transport		x(1)	
shv_name	Name		x(24)	
shv_port_mandatory	Port Mandatory		yes/no	
shv_shipvia	Ship Via		x(20)	
shv_user1	User Field Character 1		x(24)	
shv_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_shv_mstr	yes	old_shv_mstr	yes	no
shv_mode_transp	no	shv_domain	yes	no
		shv_mode_transp	yes	no
* shv_shipvia	yes	shv_domain	yes	no
		shv_shipvia	yes	no

sigd_det	Site grouping for linked sites.

Field Name	Label	Col-Label	Format	Dec
oid_si_mstr_child	Identifier of Child Site		>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_si_mstr_master	Identifier of Master Site		.9<<<<<<<<<	
oid_sigd_det	Indentifier for Site group table (Linked Sites)		>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sigd__qadc01			x(24)	
sigd__qadc02			x(24)	
sigd_grp_active	Active		yes/no	
sigd_mod_date	Modified Date	Mod Date	99/99/99	
sigd_mod_userid	User ID		x(8)	
sigd_user1	User Field Character 1		x(24)	
sigd_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_sigd_det	yes	oid_sigd_det	yes	no
sigd_master_child	yes	oid_si_mstr_master	yes	no
		oid_si_mstr_child	yes	no
sigd_si_child	no	oid_si_mstr_child	yes	no

sim_det Inventory Movement Site Detail

Field Name	Label	Col-Label	Format	Dec
oid_sim_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
sim_qadc01			x(8)	
sim_canrun[15]	Roles		x(60)	
sim_domain	Domain		x(8)	
sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sim_site	Site		x(8)	
sim_user1	Ufld1		x(8)	
sim_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sim_det	yes	oid_sim_det	yes	no
sim_inv_mov	yes	sim_domain	yes	no
		sim_inv_mov	yes	no
		sim_site	yes	no
* sim_site	yes	sim_domain	yes	no
		sim_site	yes	no
		sim_inv_mov	yes	no

six_ref

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_six_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
six__qadc01			.9<<<<<<<<<	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	
six__qadd01			->>, >>, >>9.9<<<<<<<<<	10
six__qadd02			->>, >>, >>9.9<<<<<<<<<	10
six__qadd03			->>, >>, >>9.9<<<<<<<<<	10
six__qadd04			->>, >>, >>9.9<<<<<<<<<	10
six__qadd05			->>, >>, >>9.9<<<<<<<<<	10
six__qadi01			>>>>>9	
six__qadi02			>>>>>9	
six__qadi03			>>>>>9	
six__qadi04			>>>>>9	
six__qadi05			>>>>>9	
six__qadl01			yes/no	
six__qadl02			yes/no	
six__qadl03			yes/no	
six__qadl04			yes/no	
six__qadl05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	
six_amt	Ship Amt		->>>, >>, >>9.99<<<	10
six_amt_appld	Amt Applied		->>>, >>, >>9.99<<<	10
six_amt_paid	Paid Amt		->>>, >>, >>9.99<<<	10
six_authorization	Authorization		x(24)	
six_bill	Bill-To		x(8)	
six_closed	Close Shipment Line	C	yes/no	
six_curr	Currency	Cur	x(3)	
six_cust	Sold-To		x(8)	
six_custref	Customer Ref		x(30)	
six_domain	Domain		x(8)	
six_inv_nbr	Invoice		x(22)	
six_line	Line		>>>9	
six_mod_date	Modified Date	Mod Date	99/99/99	
six_mod_userid	User ID		X(8)	
six_modelyr	Model Year		x(4)	
six_order	Sales Order	Order	x(8)	
six_part	Item		x(18)	
six_po	Customer PO		x(22)	
six_price	Price		>>, >>, >>9.99<<<	10
six_qty	Ship Qty		->, >>, >>9.9<<<<<<<<	10
six_qty_paid	Paid Qty		->, >>, >>9.9<<<<<<<<	10
six_ship	Ship-To		x(8)	
six_ship_id	Shipper		x(20)	
six_shipdt	Ship Date		99/99/99	
six_site	Ship-From		x(8)	
six_sopart	Self-Bill Item		x(30)	
six_trnabr	Trans		>>>>>>>>	
six_type	Type	T	x(1)	
six_um	UM		x(2)	
six_user1	Ufld1		X(8)	
six_user2	Ufld2		X(8)	
six_user3			X(8)	
six_user4			X(8)	
six_user5			X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_six_ref	yes	oid_six_ref	yes	no
six_auth_sopart	no	six_domain	yes	no
		six_authorization	yes	no
		six_sopart	yes	no
six_bill_inv	no	six_domain	yes	no
		six_bill	yes	no
		six_inv_nbr	yes	no
		six_type	yes	no
		six_order	yes	no
		six_line	yes	no
		six_ship_id	yes	no
		six_authorization	yes	no
six_order_sopart	no	six_domain	yes	no
		six_order	yes	no
		six_sopart	yes	no
six_part	no	six_domain	yes	no
		six_part	yes	no
six_po_sopart	no	six_domain	yes	no
		six_po	yes	no
		six_sopart	yes	no
six_ship_sopart	no	six_domain	yes	no
		six_ship_id	yes	no
		six_sopart	yes	no
six_sopart	no	six_domain	yes	no
		six_sopart	yes	no
* six_trnbr	yes	six_domain	yes	no
		six_trnbr	yes	no

Site Master

Field Name	Label	Col-Label	Format	Dec
oid_si_mstr			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
si_chr01			x(8)	
si_chr02			x(8)	
si_chr03			x(8)	
si_chr04			x(8)	
si_chr05			x(8)	
si_dec01			>>>, >>>, >>9.99	10
si_dec02			>>>, >>>, >>9.99	10
si_dte01			99/99/99	
si_dte02			99/99/99	
si_log01			yes/no	
si_auto_loc	Automatic Locations	Auto Loc	yes/no	
si_btb_vend	EMT Supplier	EMT Supp	x(8)	
si_canrun	Roles		x(189)	
si_cur_set	Current Cost Set	Cur Set	x(8)	
si_db	Domain		x(8)	
si_decl	Declarant		x(8)	
si_desc	Description		x(24)	
si_domain	Domain		x(8)	
si_entity	Entity		x(20)	
si_ext_vd	External Supplier	Ext Supp	yes/no	
si_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
si_git_cc	Cost Center	CC	x(4)	
si_git_location	PO Transit Location	GIT Loc	x(8)	
si_git_sub	GIT Sub-Acct	Sub-Aacct	x(8)	
si_gl_set	GL Cost Set	GL Set	x(8)	
si_insp_loc	Inspection Location	Inspect	x(8)	
si_site	Site		x(8)	
si_status	Default Inventory Status	Status	x(8)	
si_type	Type		Primary/Connection	
si_useplansched_wbs	Use Plan/Sched Workbenches		yes/no	
si_user1	Ufld1		x(8)	
si_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
si_xfer_acct	Transfer Variance Acct	Transfer	x(8)	
si_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
si_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
si_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_si_mstr	yes	oid_si_mstr	yes	no
si_decl	no	si_domain	yes	no
		si_decl	yes	no
* si_site	yes	si_domain	yes	no
		si_site	yes	no
si_type	yes	si_type	yes	no
		si_domain	yes	no
		si_site	yes	no

SLGListD Warehousing Storage Location Group List Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_SLGListD			>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
SLGSeq	Seq		>>9	
SLOCGrp	Store Loc Group	SLOCGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_SLGListD	yes	oid_SLGListD	yes	no
SLGGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLGList	yes	no
		SLocGp	yes	no
* SLGIdx	yes	Domain	yes	no

SLGM

Warehousing Storage Location Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_SLGM	yes	oid_SLGM	yes	no
SiteWhseIntGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		IntRouteGroup	yes	no
* SiteWhseSLocGp	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ UsrIdx	no	SLocGp	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

SLGUMD

Warehousing Storage Location Group/Unit of Measure Detail

Field Name	Label	Col-Label	Format	Dec
AllowSplit	Allow Split	Split	yes/no	
AltUM	AltUM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
MultTrans	Multi-Trans	Mult! Trans	yes/no	
oid_SLGUMD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OverPick	Over Pick	Over! Pick	yes/no	
PickMultUM	Picking Multiple UM	Pick! Mult! UM	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_SLGUMD	yes	oid_SLGUMD	yes	no
*	SLGUM	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			AltUM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

slrd_det

Site Linking Rules Detail

Field Name	Label	Col-Label	Format	Dec
oid_slrd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
slrd__qadc01			.9<<<<<<<<	
slrd__qadc02			x(24)	
slrd__qadd01			x(24)	
slrd__qadd02			->>>, >>, >>9.<<<<<<<<	10
slrd__qadi01			->>>, >>, >>9.<<<<<<<<	10
slrd__qadl01			->>>>>>9	
slrd__qadt01			yes/no	
slrd__qadt02			99/99/99	
slrd_attrib_code	Attribute Value		99/99/99	
slrd_domain	Domain		x(18)	
slrd_gl_cost_site	Default GL Cost Site	GL Site	x(8)	
slrd_inventory_site	Inventory Site	Site	x(8)	
slrd_linking_rule	Site Linking Rule	Linking! Rule	9	
slrd_mod_date	Modified Date		99/99/99	
slrd_mod_userid	User ID		x(8)	
slrd_userc01	User Field Character 1		x(24)	
slrd_userc02	User Field Character 2		x(24)	
slrd_userd01	User Field Decimal		->>>, >>, >>9.<<<<<<<<	10
slrd_usuario1	User Field Integer		->>>>>>9	
slrd_usrlo1	User Field Logical		yes/no	
slrd_ustot1	User Field Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_slrd_det	yes	oid_slrd_det	yes	no
slrd_cost_site	no	slrd_domain	yes	no
		slrd_gl_cost_site	yes	no
* slrd_site	yes	slrd_domain	yes	no
		slrd_inventory_site	yes	no
		slrd_attrb_code	yes	no

slr_mstr

Site Linking Rules Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_slr_mstr	yes	oid_slr_mstr	yes	no
* slr_site	yes	slr_domain	yes	no
		slr_inventory_site	yes	no

Source Matrix Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sm_mstr	yes	oid_sm_mstr	yes	no
* sm_mstr	yes	sm_domain	yes	no
		sm_part	yes	no
		sm_sup_site	yes	no
		sm_mktg_site	yes	no
		sm_start	yes	no
		sm_type	yes	no

Sales Order Configuration Bill Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sob_det	yes	oid_sob_det	yes	no
* sob_det	yes	sob_domain	yes	no
		sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no
		sob_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
sob_part	yes	sob_domain	yes	no
		sob_part	yes	no
		sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no

socc mstr Sales Order Credit Card Master

Field Name	Label	Col-Label	Format	Dec
oid_socc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
socc__qadc01			.9<<<<<<<<<	
socc__qadd01			x(8)	
socc__qadi01			->>>, >>>, >>9.9<<<<<<<<<	10
socc__qadl01			>>>>>>g	
socc__qadt01			yes/no	
socc_auth_amt	Authorization Amount	Auth Amt	99/99/99	
socc_auth_date	Authorization Date	Auth Date	>>>>, >>>, >>9.99<	10
socc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
socc_auth_nbr	Authorization Number		x(20)	
socc_billing_addr1	Address		x(28)	
socc_billing_addr2	Address		x(28)	
socc_billing_addr3	Address		x(28)	
socc_billing_city	City		x(20)	
socc_billing_country	Country		x(28)	
socc_billing_ctry	Country Code	Ctry	x(3)	
socc_billing_name	Name		x(28)	
socc_billing_state	State	St	x(4)	
socc_billing_zip	Post		x(10)	
socc_card_type	Card Type		x(8)	
socc_cc_expire_date	Expire Date	Expire	99/99/99	
socc_cc_nbr	Credit Card Number		x(24)	
socc_cc_nbr_tail	End Digits	Ending	x(4)	
socc_domain	Domain		x(8)	
socc_mod_date	Modified Date	Mod Date	99/99/99	
socc_mod_userid	User ID		x(8)	
socc_nbr	Sales Order	Order	x(8)	
socc_user1	User Field 1		x(24)	
socc_user2	User Field 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_socc_mstr	yes	oid_socc_mstr	yes	no
*	socc_nbr	yes	socc_domain	yes	no
			socc_nbr	yes	no
			socc cc nbr	yes	no

soc ctrl Sales Order Control

Field Name	Label	Col-Label	Format	Dec
oid_soc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
soc__qad01			.9<<<<<<<<<	
soc__qad02			yes/no	
soc__qad03			yes/no	
soc__qadc01	QAD Field	X(8)	>>>>>>9	0
soc__qadc02	QAD Field	X(8)		0
soc__qadc03	QAD Field	X(8)		0
soc__qadi01	QAD Field	->, >>>, >>9		
soc__qadi02	QAD Field	->, >>>, >>9		
soc__qadi02	Check Customer Item Nbr	yes/no		
soc__qadi03	First			
soc__qadi03	QAD Field	yes/no		

Field Name	Label	Col-Label	Format	Dec
soc_all	Qty All reduce qty Available		yes/no	
soc_all_avl	Limit allocate to avail only		yes/no	
soc_all_days	Allocate Days into Future		>>>>>9	
soc_allow_closed_inv_corr	Allow Closed Invoice Correction	Allow Closed Inv Corr	yes/no	
soc_apm	Integrate with APM		yes/no	
soc_ar	Integrate with AR		yes/no	
soc_atp_enabled	ATP Enforcement Enabled	ATP Enf	yes/no	
soc_auto_chg	Auto Accept Supplier Changes		yes/no	
soc_batch	Auto Batch Confirmation		yes/no	
soc_batch_id	Confirmation Batch ID		X(8)	
soc_btb_all	Direct Allocation	Dir All	yes/no	
soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
soc_btb_type	EMT Type		xx	
soc_calc_promise_date	Calc Promise Date	Calc Prom Date	yes/no	
soc_company	Company Address		x(8)	
soc_confirm	Confirmed Orders		yes/no	
soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
soc_crn_next	Next Correction Invoice Nbr		>>>>>>9	
soc_crn_pre	Correction Invoice Prefix		x(3)	
soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_crtapp_acct	SO Interest Applied Account		X(8)	
soc_crtapp_cc	SO Interest Applied Cost Center	CC	X(4)	
soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_days_del_so	Days to Delete a Sales Order		>>9	
soc_det_all	Detail Allocations		yes/no	
soc_dflt_dybkset	Default Daybook Set	Def Dybk Set	x(8)	
soc_domain	Domain		x(8)	
soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
soc_dum_loc	Direct Shipment Location		x(8)	
soc_dybkset_by_site	Use Daybook Set by Site		yes/no	
soc_edit_isb	SO Edit ISB Defaults		yes/no	
soc_ex_ratetype	Rate Type		x(8)	
soc_fcst_bck	Consume Back	Fcst Back	->,>>>,>>9	
soc_fcst_fwd	Consume Fwd	Fcst Fwd	->,>>>,>>9	
soc_fnbr_seq	Default Fiscal Number Sequence		x(8)	
soc_fob	F.O.B.		x(20)	
soc_fr_by_site	Calculate Freight by Site		yes/no	
soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
soc_fysm	Fiscal Start Month		>9	
soc_gst_pst	Print Tax ID on Invoice		yes/no	
soc_hcmmts	Sales Order Header Comments		yes/no	
soc_horizon	ATP Horizon		->,>>>,>>9	
soc_index1	Index		>>>>>9	
soc_inv	Next Invoice		>>>>>>>9	
soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	10
soc_inv_pre	Invoice Prefix	Pre	x(3)	
soc_jrnl	Next Journal		999999	
soc_lcmmts	Sales Order Line Comments		yes/no	
soc_ln_fmt	Ln Format S/M		single/multi	
soc_ln_inv	Print Only Lines to Invoice		yes/no	
soc_maintain_reviewed	Allow Maintenance of Reviewed Orders	Maintain Reviewed	yes/no	
soc_margin	Comm on Margin not Sales		yes/no	
soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	10
soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
soc_next_abl	Next ASN/BOL		>>>>>>>9	
soc_next_cid	Next Cntnr Nbr		>>>>>>>9	
soc_ntaxdesc[10]	Description		x(12)	
soc_on_ord	Qty avail include qty on order		yes/no	

Field Name	Label	Col-Label	Format	Dec
soc_pass_curr	Use Customer Currency on PO		yes/no	
soc_pc_line	Price by SO Line Due Date		yes/no	
soc_pick	Pick Only Allocated Lines		yes/no	
soc_pim_isb	Pend Inv Edit ISB		yes/no	
soc_pl_req	Price List Required		yes/no	
soc_print	Are Sales Orders Printed		yes/no	
soc_print_id	Confirmation Printer		X(8)	
soc_print_ship	Shipper On Invoice		yes/no	
soc_pt_req	Price Table Required		yes/no	
soc_req	Required qty reduce qty avail		yes/no	
soc_returns_isb	SO Returns Update ISB		yes/no	
soc_rnd_flag	Enable Rounding Function		yes/no	
soc_sa	Integrate with SA	SA	yes/no	
soc_shp_lead	Shipping Lead Time		>>>9	
soc_so	Next Sales Order		>>>>>>9	
soc_so_hist	Keep Booking History	Book! Hst	yes/no	
soc_so_pre	Sales Order Prefix	Pre	x(3)	
soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
soc_use_corr_inv	Use Correction Invoices		yes/no	
soc_use_fnbr	Use Fiscal Number		yes/no	
soc_use_frt_trl_cd	Use SO Frt List Trailer Code		yes/no	
soc_user1	Ufid1		x(8)	
soc_user2	Ufid2		x(8)	
soc_valueorders_by	Value Orders Using		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_soc_ctrl	yes	oid_soc_ctrl	yes	no
* soc_index1	yes	soc_domain	yes	no

SODAudit SOD Audit Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SODAudit_ID	record ID		9999999999	
SODAuditDateTime	Time Stamp of Creation		x(40)	
SODAuditResourceURI	Resource URI		x(256)	
SODAuditRoleName	Role		x(20)	
SODAuditUsrLogin	User		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	SODAudit_ID	yes	no

SODCategory SOD category

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SODCategoryCode	yes	no
◇* Prim	yes	SODCategory_ID	yes	no

sodctg_mstr Segregation Of Duties Category Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sodctg_mstr	yes	oid_sodctg_mstr	yes	no
*	sodctg_category	yes	sodctg_category	yes	no

SODExceptionSOD policy exception

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODException_ID	record ID		9999999999	
SODExceptionCode	Exception Code		x(20)	
SODExceptionDescription	Exception Description		x(2000)	
Usr_ID	link to User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SODExceptionCode	yes	no
◇* prim	yes	SODException_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

SODExceptionLnSOD policy exception line

Field Name	Label	Col-Label	Format	Dec
Company_ID	link to Entity		9999999999	
Domain_ID	link to Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODException_ID	link to parent		9999999999	
SODExceptionLn_ID	record ID		9999999999	
SODExceptionLnDescription	Description		x(2000)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CY	no	Company_ID	yes	no
◇ DMN	no	Domain_ID	yes	no
◇ parent	no	SODException_ID	yes	no
◇* prim	yes	SODExceptionLn_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no

SODExclusionSOD category exclusion

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODExclusionDescription	Description		x(2000)	
SODExclusionLevel	Exclusion Level	Excl Level	x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
⋄* prim	yes	SODCategory1_ID	yes	no
		SODCategory2_ID	yes	no
⋄ SODC2	no	SODCategory2_ID	yes	no

sodlc_det Sales Order Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
oid_sodlc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sodlc__qadc01			.9<<<<<<<<<	
sodlc__qadc02			x(24)	
sodlc_abs_shipfrom	Ship From		x(8)	
sodlc_acct	Trailer Acct	Account	x(8)	
sodlc_cc	Trailer CC	CC	x(4)	
sodlc_charge_type	Charge Type	Charge! Type	x(8)	
sodlc_domain	Domain		x(8)	
sodlc_ext_price	Extended Charge		->>>>, >>>, >>9.99<<<	10
sodlc_lc_amt	Charge		->>>>, >>>, >>9.99<<<	10
sodlc_lc_line	Charge Line	Ln	>>9	
sodlc_mod_date	Modified Date	Mod Date	99/99/99	
sodlc_mod_userid	User ID		x(8)	
sodlc_one_time	One Time Charge	OTC	yes/no	
sodlc_ord_line	SO Line	SO! Line	>>9	
sodlc_order	Sales Order		x(8)	
sodlc_owned_by	Id		x(20)	
sodlc_project	Project		x(8)	
sodlc_ref	Reference		x(24)	
sodlc_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
sodlc_taxable	Taxable		yes/no	
sodlc_taxc	Tax Class	TxC	x(3)	
sodlc_times_charged	Times Charged		->, >>>, >>9	
sodlc_trl_code	Trailer Code	Code	x(2)	
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodlc_det	yes	oid_sodlc_det	yes	no
* sodlc_order	yes	sodlc_domain	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no
		sodlc_lc_line	yes	no
sodlc_owned_by	no	sodlc_domain	yes	no
		sodlc_owned_by	yes	no
		sodlc_abs_shipfrom	yes	no
sodlc_trl_code	no	sodlc_domain	yes	no
		sodlc_trl_code	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no

SODLog SOD Violations Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SODLog_ID	record ID		9999999999	
SODLogCategory1Code	SOD Category 1		x(20)	
SODLogCategory2Code	SOD Category 2		x(20)	
SODLogCompanyCode	Entity		x(20)	
SODLogDateTime	Time Stamp of Creation		x(40)	
SODLogDomainCode	Domain		x(8)	

814 SODLog

Field Name	Label	Col-Label	Format	Dec
SODLogExclusionLevel	Exclusion Level	Excl Level	x(1)	
SODLogModifyingUsrLogin	Modifying User		x(20)	
SODLogResource1URI	Resource 1 URI		x(256)	
SODLogResource2URI	Resource 2 URI		x(256)	
SODLogRole1Name	Role 1		x(20)	
SODLogRole2Name	Role 2		x(20)	
SODLogRule	SOD rule (1 or 2)		x(5)	
SODLogStatus	Status		x(10)	
SODLogUsrLogin	User		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
0* prim	yes	SODLog_ID	yes	no

sodm_det

Field Name	Label	Col-Label	Format	Dec
oid_sodm_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sodm__qadc01			.9<<<<<<<<<	
sodm__qadc02			x(24)	
sodm_category1	SOD Category Code	Category	x(24)	
sodm_category2	SOD Category Code	Category	x(8)	
sodm_mod_date	Modified Date	Mod Date	x(8)	
sodm_mod_userid	User ID		99/99/99	
sodm_user1	User Field Character 1		x(8)	
sodm_user2	User Field Character 2		x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodm_det	yes	oid_sodm_det	yes	no
* sodm_ctg_pair	yes	sodm_category1	yes	no
		sodm_category2	yes	no

sodped_det

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_sodped_det			.9<<<<<<<<<<	
sodped__qadc01			x(24)	
sodped__qadc02			x(24)	
sodped_company	Entity		x(20)	
sodped_domain	Domain		x(8)	
sodped_group1	Role Name		x(20)	
sodped_group2	Role Name		x(20)	
sodped_mod_date	Modified Date	Mod Date	99/99/99	
sodped_mod_userid	User ID		x(8)	
sodped_user1	User Field Character 1		x(24)	
sodped_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodped_det	yes	oid_sodped_det	yes	no
* sodped_oid_sodpe	yes	oid_sodpe_mstr	yes	no
		sodped_group1	yes	no
		sodped_group2	yes	no
		sodped_domain	yes	no
		sodped_company	yes	no

sodpe_mstr

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sodpe__qadc01			x(24)	
sodpe__qadc02			x(24)	
sodpe_approver	Approver		x(32)	
sodpe_code	SOD Policy Exception Code	Exception	x(8)	
sodpe_desc	Description		x(60)	
sodpe_mod_date	Modified Date	Mod Date	99/99/99	
sodpe_mod_userid	User ID		x(8)	
sodpe_title	Title		x(50)	
sodpe_user1	User Field Character 1		x(24)	
sodpe_user2	User Field Character 2		x(24)	
sodpe_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sodpe_mstr	yes	oid_sodpe_mstr	yes	no
*	sodpe_code	yes	sodpe_code	yes	no
	sodpe_userid	no	sodpe_userid	yes	no

sodrc det Required Ship Schedule Order Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodrc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sodrc__qadc01			.9<<<<<<<<	
sodrc__qadc02			x(24)	
sodrc_domain	Domain		x(8)	
sodrc_line	RSS Line		>>9	
sodrc_master_line	Master Line		>>9	
sodrc_master_nbr	Master Order		x(8)	
sodrc_mod_date	Modified Date		99/99/99	
sodrc_mod_userid	User ID		x(8)	
sodrc_nbr	RSS Order		x(8)	
sodrc_sequence	Sequence		>>9	
sodrc_user1	User Field Character 1		x(24)	
sodrc_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodrc_det	yes	oid_sodrc_det	yes	no
* sodrc_det	yes	sodrc_domain	yes	no
		sodrc_master_nbr	yes	no
		sodrc_master_line	yes	no
		sodrc_nbr	yes	no
		sodrc_line	yes	no
sodrc_sequence	yes	sodrc_domain	yes	no
		sodrc_sequence	yes	no
		sodrc_master_nbr	yes	no
		sodrc master line	yes	no

sodr det Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodr_det			>>>>>>>>>>>>>>>>>>>>>9	10
sodr__qadc01			.9<<<<<<<<	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>, >>, >>9,9	10
sodr__qadd02			->>>, >>, >>9,9	10
sodr__qadi01			->, >>, >>9	
sodr__qadi02			->, >>, >>9	
sodr__qadl01			yes/no	
sodr__qadl02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	
sodr_div	Division		X(8)	
sodr_domain	Domain		x(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufld1		x(8)	
sodr_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_sodr_det	yes	old_sodr_det	yes	no
* sodr_nbrln_seq	yes	sodr_domain	yes	no
		sodr_nbr	yes	no
		sodr_line	yes	no
		sodr_seq	yes	no
sodr_type	no	sodr_domain	yes	no
		sodr_type	yes	no

SODViolation1 Violation to SOD rule 1

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Role_ID	link to Role		9999999999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODViolation1_ID	record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
iRole	no	Role_ID	yes	no
◇* prim	yes	SODViolation1_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no

SODViolation1R Resource in violation to SOD rule 1

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Resource_ID	link to Resource		9999999999	
SODViolation1_ID	link to parent		9999999999	
SODViolation1R_ID	record ID		9999999999	
SODViolation1RCategory	Category nbr (1 or 2)		9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ parent	no	SODViolation1_ID	yes	no
◇* prim	yes	SODViolation1R_ID	yes	no
◇ rsrc	no	Resource_ID	yes	no

SODViolation2 Violation to SOD rule 2

Field Name	Label	Col-Label	Format	Dec
Company_ID	link to Entity		9999999999	
Domain_ID	link to Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10

Field Name	Label	Col-Label	Format	Dec
QADT01			99/99/9999	
Role1_ID	link to Role 1		9999999999	
Role2_ID	link to Role 2		9999999999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODViolation2_ID	record ID		9999999999	
Usr_ID	link to User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CY	no	Company_ID	yes	no
◇ DMN	no	Domain_ID	yes	no
◇* prim	yes	SODViolation2_ID	yes	no
Role1	no	Role1_ID	yes	no
Role2	no	Role2_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

SODViolation2R Resource in violation to SOD rule 2

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>,>>9.9999	10
QADT01			99/99/9999	
Resource_ID	link to Resource		9999999999	
SODViolation2_ID	link to parent		9999999999	
SODViolation2R_ID	record ID		9999999999	
SODViolation2RCategory	Category nbr (1 or 2)		9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ parent	no	SODViolation2_ID	yes	no
◇* prim	yes	SODViolation2R_ID	yes	no
◇ rsrc	no	Resource ID	yes	no

sodv hist Segregation Of Duties Violation Log

Field Name	Label	Col-Label	Format	Dec
oid_sodv_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
sodv__qadc01			.9<<<<<<<<<	
sodv__qadc02			x(24)	
sodv_category1	SOD Category Code	Category	x(8)	
sodv_category2	SOD Category Code	Category	x(8)	
sodv_date	Created Date	Created	99/99/99	
sodv_fix_date	Fixed Date		99/99/99	
sodv_fix_time	Fixed Time	Time	>>>>9	
sodv_fix_userid	Fixed By		x(8)	
sodv_group	Role Name		x(20)	
sodv_group1	Role Name		x(20)	
sodv_group1_conflict	Role 1 Conflict	Role 1	yes/no	
sodv_group2	Role Name		x(20)	
sodv_group2_conflict	Role 2 Conflict	Role 2	yes/no	
sodv_mod_date	Modified Date	Mod Date	99/99/99	
sodv_mod_userid	User ID		x(8)	
sodv_pe_code	SOD Policy Exception Code		x(35)	
sodv_rule_type	SOD Rule Type	Type	x(2)	
sodv_time	Time		>>, >>>, >>9	
sodv_user	User ID		x(8)	
sodv_user1	User Field Character 1		x(24)	
sodv_user2	User Field Character 2		x(24)	
sodv_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sodv_hist	yes	oid_sodv_hist	yes	no
*	sodv_vio_id	yes	sodv_rule_type	yes	no
			sodv_user	yes	no
			sodv_group	yes	no
			sodv_category1	yes	no
			sodv_category2	yes	no
			sodv_group1	yes	no
			sodv_group2	yes	no
			sodv_userid	yes	no
			sodv_date	yes	no
			sodv_time	yes	no
			sodv_fix_userid	yes	no
			sodv_fix_date	yes	no
			sodv_fix_time	yes	no

Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_sod_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sod_chr01			.9<<<<<<<<<	
sod_chr02			x(8)	
sod_chr03			x(8)	
sod_chr04			x(8)	
sod_chr05			x(8)	
sod_chr06			x(8)	
sod_chr07			x(8)	
sod_chr08			x(8)	
sod_chr09			x(8)	
sod_chr10			x(8)	
sod_dec01			>>>, >>>, >>9.99	10
sod_dec02			>>>, >>>, >>9.99	10
sod_dte01			99/99/99	
sod_dte02			99/99/99	
sod_log01			yes/no	
sod_qad01			->>>>, >>>, >>9	
sod_qad02			yes/no	
sod_qadc01	QAD Field		X(8)	0
sod_qadc02	QAD Field		X(8)	0
sod_qadc03	QAD Field		X(8)	0
sod_qadc04	QAD Field		X(8)	0
sod_qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd04	QAD Field		->, >>>, >>9.9<<<<<<<<<	10
sod_qadi01	QAD Field		->, >>>, >>9	
sod_qadi02	QAD Field		->, >>>, >>9	
sod_qadi01	QAD Field		yes/no	
sod_qadi02	QAD Field		yes/no	
sod_qadi03	QAD Field		yes/no	
sod_qadt01	QAD Field		99/99/99	
sod_qadt02	QAD Field		99/99/99	
sod_qadt03	QAD Field		99/99/99	
sod_qadt04	QAD Field		99/99/99	
sod_abnormal	Abnormal Demand	Abnormal	yes/no	
sod_acct	Sales Acct	Sales	x(8)	
sod_act_price	Total List Price		->>>>, >>>, >>9.99<<<	10
sod_alt_pkg	Alternates		yes/no	
sod_auto_ins	Installation Call		yes/no	
sod_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
sod_bo_chg	Qty Backord		->, >>>, >>9.9<<<<<<<<	10
sod_bonus	Bonus Stock Line		yes/no	
sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod_btb_type	EMT Type		xx	

Field Name	Label	Col-Label	Format	Dec
sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
sod_ca_line	Call Line		>>9	
sod_ca_nbr	Call		x(8)	
sod_calc_isb	Calculate Isb		yes/no	
sod_car_load	Call Act. Rec. Load		yes/no	
sod_cc	Cost Ctr	CC	x(4)	
sod_cfg_type	Configuration	Config	x(1)	
sod_charge_type	Charge Type	Charge! Type	x(8)	
sod_cmtindx	Comment Index	Comment	>>>>>>9	
sod_comm_pct[4]	Commission	Comm%	>>9.99%	10
sod_comment[5]	Comments		x(40)	
sod_compl_date	Status Date	Stat Date	99/99/99	
sod_compl_stat	Complete Status	Status	x(8)	
sod_confirm	Confirmed		yes/no	
sod_conrep	Netting Logic	C/R	x(1)	
sod_consign_loc	Consignment Location	Consignment! Location	x(8)	
sod_consignment	Consignment		yes/no	
sod_consume	Consume Forecast	Consume Fcst	yes/no	
sod_contr_id	PO Number		x(30)	
sod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sod_cum_date[4]	Cum Start		99/99/99	
sod_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<<	10
sod_cum_time[4]	Time		>>, >>>, >>9	
sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
sod_custpart	Customer Item		x(30)	
sod_custref	Customer Ref		x(30)	
sod_desc	Description		x(24)	
sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
sod_disc_pct	Disc %		->>9.99%	10
sod_div	Division		x(8)	
sod_dock	Dock		x(8)	
sod_domain	Domain		x(8)	
sod_drp_ref	DRP Ref		x(8)	
sod_dsc_acct	Disc Acct		x(8)	
sod_dsc_cc	Disc CC	CC	x(4)	
sod_dsc_project	Disc Project		x(8)	
sod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sod_due_date	Due Date	Due	99/99/99	
sod_end_eff[4]	End Effective		99/99/99	
sod_enduser	End User		x(8)	
sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
sod_expire	Expires		99/99/99	
sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
sod_fab_days	Fab Auth Days		>, >>9	
sod_fix_pr	Fixed Price	Fix	yes/no	
sod_fixed_price	Fixed Price		>>>>, >>>, >>9.99<<<	10
sod_for	For		x(18)	
sod_for_serial	Parent Item Serial		X(18)	
sod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
sod_fr_class	Freight Class		x(8)	
sod_fr_list	Freight List	Frt List	x(8)	
sod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
sod_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<<	10
sod_fr_wt_um	UM		x(2)	
sod_fsm_type	FSM Type		x(8)	
sod_fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
sod_fsrev_cc	Revenue CC	CC	x(4)	
sod_fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
sod_fst_list	FST on List		yes/no	
sod_hold_stat	Hold Status		x(8)	
sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
sod_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
sod_inv_nbr	Invoice		x(22)	
sod_isb_loc	Installed Base Location		x(22)	
sod_isb_ref	ISB Ref		>>>>>>>9	
sod_line	Line	Ln	>>9	
sod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
sod_ln_ref	Line Ref		x(8)	
sod_loc	Location		x(8)	
sod_lot	ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_manual_fr_list	Manual Fr List		yes/no	
sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
sod_mod_date	Modified Date	Mod Date	99/99/99	
sod_mod_userid	User ID		X(8)	
sod_modelyr	Model Year		x(4)	
sod_nbr	Sales Order	Order	x(8)	
sod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
sod_order_category	Category		x(8)	
sod_out_po	Display PO Number		x(30)	
sod_override_lmt	Override Limits	Lmt	yes/no	
sod_owner	Ownership		x(8)	
sod_part	Item Number		x(18)	
sod_partial	Partial OK	Partial	yes/no	
sod_pastdue	Past Due Logic	C/R	x(1)	
sod_per_date	Perform		99/99/99	
sod_pickdate	Pick Date		99/99/99	
sod_pkg_code	Pkg Code		x(18)	
sod_pl_priority	P/L Priority		>9	
sod_pr_list	Price List	List	x(8)	
sod_price	Price		>>>>, >>>, >>9.99<<<	10
sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
sod_prig1	Pricing Group 1		x(8)	
sod_prig2	Pricing Group 2		x(8)	
sod_prodlne	Product Line	Line	x(4)	
sod_project	Project		x(8)	
sod_promise_date	Promise Date	Promise	99/99/99	
sod_pst	PST Taxable		yes/no	
sod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
sod_qty_chg	Qty To Ship		->, >>>, >>9.9<<<<<<<<	10
sod_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	10
sod_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	10
sod_qty_inv	Qty to Invoice		->, >>>, >>9.9<<<<<<<<	10
sod_qty_item	Item Quantity	Item Qty	->, >>9.9<<<<	10
sod_qty_ivcd	Quantity Invoiced		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
sod_qty_pend	Qty Pending		->, >>>, >>9.9<<<<<<<<	10
sod_qty_per	Duration		->>>9.9<<<	10
sod_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
sod_qty_qote	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ret	Qty Returned		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<	10
sod_raw_days	Raw Auth Days		>, >>9	
sod_rbkt_days	Req Schedule Days		>>9	
sod_rbkt_mths	Req Schedule Months		>>9	
sod_rbkt_weeks	Req Schedule Weeks		>>9	
sod_ref	Ref		>>>>>>>9	
sod_req_date	Required Date	Required	99/99/99	
sod_req_time	Required Time		99:99	
sod_rlse_nbr	Next Release ID		99999999	
sod_rma_type	RMA Type		x(1)	
sod_sa_nbr	Service Contract		x(8)	
sod_sad_line	Contract Line		>>>>>>9	
sod_sch_data	Schedule Data		x(8)	
sod_sch_mrp	Sched MRP Req		yes/no	
sod_sched	Scheduled		yes/no	
sod_sched_chgd	Schedule Changed		yes/no	
sod_serial	Lot/Serial		x(18)	
sod_ship	Ship-To		x(8)	
sod_ship_part	End Customer Shipping Item		x(30)	
sod_shipvia	Ship Via		x(20)	
sod_site	Site		x(8)	
sod_slspsn[4]	Salesperson	Salespsn	x(8)	
sod_sob_rev	Revised Date	Revised	99/99/99	
sod_sob_std	Standard Bill	Std BOM	yes/no	
sod_start_eff[4]	Start Effective		99/99/99	
sod_status	Status		x(8)	
sod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sod_sv_code	Warranty Code		X(8)	
sod_tax_env	Tax Environment	Tax Env	x(16)	
sod_tax_in	Tax In		yes/no	

Field Name	Label	Col-Label	Format	Dec
sod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
sod_tax_usage	Tax Usage	TaxUsage	x(8)	
sod_taxable	Taxable	Tax	yes/no	
sod_taxc	Tax Class	TxC	x(3)	
sod_to_loc	Location		x(8)	
sod_to_ref	Kit Ref		x(8)	
sod_to_site	Site		x(8)	
sod_trade_sale_po	Trade Sales PO	TS PO	x(8)	
sod_trade_sale_po_line	Trade Sales PO Line	Line	>>9	
	Number			
sod_trade_sale_vend	Trade Sales Supplier	TS Supplier	x(8)	
sod_translt_days	Transport Days		>>9.99	10
sod_translt_hrs	Transport Hours		>>9.99	10
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_unadjust_cum_qty	Shipped quantity		>,>>>,>>>,>>9.9<<<<<<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sod_xslspn[3]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sod_det	yes	oid_sod_det	yes	no
sod_call	no	sod_domain	yes	no
		sod_ca_nbr	yes	no
		sod_ca_line	yes	no
		sod_part	yes	no
		sod_serial	yes	no
sod_fr_list	no	sod_domain	yes	no
		sod_nbr	yes	no
		sod_fr_list	yes	no
sod_fsm_type	no	sod_domain	yes	no
		sod_fsm_type	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
* sod_nbrln	yes	sod_domain	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
sod_part	yes	sod_domain	yes	no
		sod_part	yes	no
		sod_nbr	yes	no
		sod_line	yes	no

sop_det Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sop_det			>>>>>>>>>>>>>>>>>>>>9	10
sop_qadc01			.9<<<<<<<<	
sop_batch	Batch Qty	Batch! Qty	x(8)	
sop_cost	Cost		>, >>, >>9.9<<<<<<<	10
sop_domain	Domain		>>>>, >>>, >>9.99<<<	10
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
sop_men_mch	Run Crew		->>, >>9.99	10
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>, >>>>, >>9.9<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sop_det	yes	oid_sop_det	yes	no
sop_sim_elem	yes	sop_domain	yes	no
		sop_sim	yes	no
		sop_element	yes	no
		sop_routing	yes	no
		sop_op	yes	no
* sop_sim_part	yes	sop_domain	yes	no
		sop_sim	yes	no
		sop_routing	yes	no
		sop_op	yes	no
		sop_element	yes	no

sor_mstr Sales Order Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_sor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sor__qadc01			.9<<<<<<<<	
sor__qadc02			x(8)	
sor__qadc03			x(8)	
sor__qadd01			->>>>, >>>, >>9.9	10
sor__qadd02			->>>>, >>>, >>9.9	10
sor__qadi01			->, >>>, >>9	
sor__qadi02			->, >>>, >>9	
sor__qadl01			yes/no	
sor__qadl02			yes/no	
sor__qadt01			99/99/99	
sor__qadt02			99/99/99	
sor_div	Division		X(8)	
sor_domain	Domain		x(8)	
sor_group	Group		X(8)	
sor_nbr	Sales Order		X(8)	
sor_pricing	Pricing		>9	
sor_seq	Sequence		>>9	
sor_type	Type		>>>9	
sor_user1	Ufld1		x(8)	
sor_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sor_mstr	yes	oid_sor_mstr	yes	no
* sor_nbr_seq	yes	sor_domain	yes	no
		sor_nbr	yes	no
		sor_seq	yes	no
sor_type	no	sor_domain	yes	no
		sor_type	yes	no

sosrd_det Sales Order Shipment Reason Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sosrd_det	yes	oid_sosrd_det	yes	no
* sosrd_nbr	yes	sosrd_domain	yes	no
		sosrd_nbr	yes	no
		sosrd_line	yes	no
		sosrd_shipfrom	yes	no
		sosrd_abs_id	yes	no
		sosrd_measurement_type	yes	no
		sosrd_dataset	yes	no

sosr_mstr Sales Order Shipment Reason Master

Field Name	Label	Col-Label	Format	Dec
oid_sosr_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
sosr__qadc01			.9<<<<<<<<<	
sosr__qadc02			X(24)	
sosr_abs_id	Shipper		X(24)	
sosr_cmtindx	Comment		x(20)	
sosr_domain			>>>>>>9	
sosr_line	Domain		x(8)	
sosr_mod_date	Line		>>9	
sosr_mod_userid	Modified Date	Mod Date	99/99/99	
sosr_nbr	User ID		X(8)	
sosr_shipfrom	Order		x(8)	
sosr_user1	Ship-From		x(8)	
sosr_user2	User Field Character 1		X(24)	
	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sosr_mstr	yes	oid_sosr_mstr	yes	no
*	sosr_order	yes	sosr_domain	yes	no
			sosr_nbr	yes	no
			sosr_line	yes	no
			sosr_shipfrom	yes	no
			sosr_abs id	yes	no

Sales Order Master

Field Name	Label	Col-Label	Format	Dec
so_cust_po	End Customer PO	End Cust PO	x(22)	
so_custref_val	Customer Ref Is Customer Item		yes/no	
so_daybookset	Daybook Set	Dybk Set	x(8)	
so_disc_pct	Disc %		->>9.99%	10
so_div	Division		x(8)	
so_domain	Domain		x(8)	
so_due_date	Due Date	Due	99/99/99	
so_eng_code	Engineer		x(8)	
so_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
so_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_ratetype	Rate Type		x(8)	
so_exru_seq	Sequence		>>>>>>>>9	
so_fcg_code	Charge Code		x(8)	0
so_firm_seq_days	Firm Days		>>9	
so_fix_pr	Fixed Price		yes/no	
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Frt List	x(8)	
so_fr_min_wt	Frt Min Wt		->>>, >>>, >>9	10
so_fr_terms	Freight Terms	Fr Terms	x(8)	
so_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
so_fsaccr_cc	Accrued Revenue CC		x(4)	
so_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
so_fsdef_cc	Deferred Revenue CC		x(4)	
so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_hold_stat	Hold Status		x(8)	
so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
so_incl_iss	Include Saturday/Sunday		yes/no	
so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(22)	
so_invoiced	Invoiced		yes/no	
so_lang	Language		x(2)	
so_manual_fr_terms	Manual Fr Terms		yes/no	
so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_nrm	Sequence ID	Seq ID	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
so_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	
so_project	Project		x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<%	10
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_req_time	Required Time		99:99	
so_rev	Revision	Rev	>>9	
so_revenue	Revenue Type		x(1)	
so_reviewed	Reviewed		yes/no	
so_rmks	Remarks		x(40)	
so_rss_cal_option	RSS Calendar Option		>>9	

Field Name	Label	Col-Label	Format	Dec
so_sa_nbr	Contract		x(8)	
so_sch_mthd	Schedules Via		x(1)	
so_sched	Scheduled		yes/no	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_seq_order	Sequenced	Partial	yes/no	
so_ship	Ship-To		x(8)	
so_ship_cmplt	Ship Complete		>>9	
so_ship_date	Ship Date		99/99/99	
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO		x(22)	
so_shipvia	Ship Via		x(20)	
so_site	Site		x(8)	
so_size	Size		->, >>>, >>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	10
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_trade_sale	Trade Sales Contract		yes/no	
so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_trl1_cd	Trailer 1	Trl1	x(2)	
so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_trl2_cd	Trailer 2	Trl2	x(2)	
so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_trl3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>, >>>, >>9.9999	10
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
so_xslspsn[2]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_so_mstr	yes	oid_so_mstr	yes	no
so_bill	no	so_domain	yes	no
		so_bill	yes	no
		so_compl_stat	yes	no
		so_nbr	yes	no
		so_ord_date	yes	no
so_ca_nbr	no	so_domain	yes	no
		so_ca_nbr	yes	no
so_complete	yes	so_domain	yes	no
		so_compl_stat	yes	no
		so_nbr	yes	no
so_cust	no	so_domain	yes	no
		so_cust	yes	no
		so_compl_stat	yes	no
so_cust_po	no	so_domain	yes	no
		so_cust_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
so_fsm_type	no	so_domain	yes	no
		so_fsm_type	yes	no
		so_nbr	yes	no
so_invoice	no	so_domain	yes	no
		so_inv_nbr	yes	no
* so_nbr	yes	so_domain	yes	no
		so_nbr	yes	no
so_po_nbr	no	so_domain	yes	no
		so_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
so_quote	no	so_domain	yes	no
		so_quote	yes	no
		so_nbr	yes	no
so_ship	no	so_domain	yes	no
		so_ship	yes	no
		so_compl_stat	yes	no
so_to_inv	yes	so_domain	yes	no
		so_to_inv	yes	no
		so_nbr	yes	no

spc_ctrl Salesperson Control

Field Name	Label	Col-Label	Format	Dec
oid_spc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
spc__qad01			.9<<<<<<<<	
spc__qadi01			>>>>>9	
spc_domain	Domain		->>>>>>9	
spc_nbr	Next Salesperson		x(8)	
spc_user1	Ufld1		999999999	
spc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_spc_ctrl	yes	oid_spc_ctrl	yes	no
*	spc_index1	yes	spc_domain	yes	no

spd_det Salesperson Commission Detail

Field Name	Label	Col-Label	Format	Dec
oid_spd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
spd_chr01			x(8)	
spd_chr02			x(8)	
spd_chr03			x(8)	
spd_chr04			x(8)	
spd_chr05			x(8)	
spd_dec01			>>>, >>>, >>9.99	10
spd_dec02			>>>, >>>, >>9.99	10
spd_dte01			99/99/99	
spd_dte02			99/99/99	
spd_addr	Salespsn		x(8)	
spd_comm_pct	Commission	Comm%	>>9.99%	10
spd_cust	Customer		x(8)	
spd_domain	Domain		x(8)	
spd_mod_date	Modified Date	Mod Date	99/99/99	
spd_part	Item Number		x(18)	
spd_prod_ln	Prod Line	Line	x(4)	
spd_user1	Ufld1		x(8)	
spd_user2	Ufld2		x(8)	
spd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_spd_det	yes	oid_spd_det	yes	no
* spd_addr	yes	spd_domain	yes	no
		spd_addr	yes	no
		spd_prod_ln	yes	no
		spd_part	yes	no
		spd_cust	yes	no

Salesperson Sales History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sph_hist	yes	oid_sph_hist	yes	no
sph_slspns1	yes	sph_domain	yes	no
		sph_slspns1	yes	no
		sph_year	yes	no
* sph_year	yes	sph_domain	yes	no
		sph_year	yes	no
		sph_slspns1	yes	no

Cost Simulation Item Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_spt_det	yes	oid_spt_det	yes	no
spt_sim_elem	yes	spt_domain	yes	no
		spt_sim	yes	no
		spt_element	yes	no
		spt_part	yes	no
		spt_site	yes	no
* spt_sim_part	yes	spt_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		spt_site	yes	no
		spt_sim	yes	no
		spt_part	yes	no
		spt_element	yes	no

sp_mstr Salesperson Master

Field Name	Label	Col-Label	Format	Dec
oid_sp_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sp_chr01			.9<<<<<<<<	
sp__chr02			x(8)	
sp__chr03			x(8)	
sp__chr04			x(8)	
sp__chr05			x(8)	
sp__dec01			>>>, >>>, >>9.99	10
sp__dec02			>>>, >>>, >>9.99	10
sp__dte01			99/99/99	
sp__dte02			99/99/99	
sp_log01			yes/no	
sp_addr	Salespsn		x(8)	
sp_comm_pct	Commission	Comm%	>>9.99%	10
sp_domain	Domain		x(8)	
sp_sort	Sort Name		x(28)	
sp_territory	Territory	Trty	x(4)	
sp_user1	Ufld1		x(8)	
sp_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_sp_mstr	yes	oid_sp_mstr	yes	no
	sp_addr	yes	sp_domain	yes	no
			sp_addr	yes	no
	sp_sort	no	sp_domain	yes	no
			sp_sort	yes	no

src_ctrl Service Request Control

Field Name	Label	Col-Label	Format	Dec
oid_src_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
src__qadc01			.9<<<<<<<<<	
src__qadi01			x(8)	
src_domain	Domain		->>>>>>>9	
src_nbr	SR Number		x(8)	
src_user1	Ufld1		>>>>>>>9	
src_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_src_ctrl	yes	oid_src_ctrl	yes	no
*	src_index1	yes	src_domain	yes	no

sroc_ctrl Service/Repair Order Control

Field Name	Label	Col-Label	Format	Dec
oid_sroc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sroc__qad01			.g<<<<<<<<<	
sroc__qadi01			>>>>>9	
sroc_domain	Domain		->>>>>>>9 x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sroc_ctrl	yes	oid_sroc_ctrl	yes	no
*	sroc_index1	yes	sroc_domain	yes	no

sro_mstr Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
sro_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
sro_chr01			.9<<<<<<<<<	
sro_chr02			x(8)	
sro_chr03			x(8)	
sro_chr04			x(8)	
sro_chr05			x(8)	
sro_dec01			>>>, >>>, >>9.99	10
sro_dec02			>>>, >>>, >>9.99	10
sro_dte01			99/99/99	
sro_dte02			99/99/99	
sro_log01			yes/no	
sro_qadc05			x(8)	
sro_qadc06			x(4)	
sro_assign	Assigned To	Assigned	x(8)	
sro_author	Authorized By	Author	x(8)	
sro_closed	Closed		yes/no	
sro_cls_date	Closed		99/99/99	
sro_cmmt[16]			x(76)	
sro_cmtindx	Comment		>>>>>>>9	
sro_cr_terms	Credit Terms	Terms	x(8)	
sro_cust	Customer		x(8)	
sro_desc	Description		x(24)	
sro_disc_pct	Disc %		->9.99%	10
sro_domain	Domain		x(8)	
sro dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z, zzz, zzz, zz9.99	10
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_invoiced	Invoiced		yes/no	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z, zzz, zzz, zz9.99	10
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z, zzz, zzz, zz9.99	10
sro_ship	Ship-To		x(8)	
sro shipvia	Ship Via		x(20)	

Field Name	Label	Col-Label	Format	Dec
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	10
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	10
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sro_mstr	yes	oid_sro_mstr	yes	no
sro_assign	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_assign	yes	no
		sro_ent_date	yes	no
sro_cust	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_cust	yes	no
		sro_ent_date	yes	no
sro_desc	yes	sro_domain	yes	no
		sro_desc	yes	no
		sro_nbr	yes	no
sro_dspstn	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_dspstn	yes	no
		sro_ent_date	yes	no
sro_ent_date	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_ent_date	yes	no
		sro_nbr	yes	no
sro_failure1	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_failure1	yes	no
		sro_ent_date	yes	no
* sro_nbr	yes	sro_domain	yes	no
		sro_nbr	yes	no
sro_part	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_part	yes	no
		sro_ent_date	yes	no
sro_ship	no	sro_domain	yes	no
		sro_ship	yes	no
sro_status	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_status	yes	no
		sro_ent_date	yes	no
sro_type	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_type	yes	no
		sro ent date	yes	no

srr mstr Service Request Master

Field Name	Label	Col-Label	Format	Dec
oid_srr_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
srr_chr01			x(8)	
srr_chr02			x(8)	
srr_chr03			x(8)	
srr_chr04			x(8)	
srr_chr05			x(8)	
srr_chr06			x(8)	
srr_chr07			x(8)	
srr chr08			x(8)	

Field Name	Label	Col-Label	Format	Dec
srr_chr09			x(8)	
srr_chr10			x(8)	
srr_dec01			>>>,>>>,>>9.99	10
srr_dec02			>>>,>>>,>>9.99	10
srr_dte01			99/99/99	
srr_dte02			99/99/99	
srr_log01			yes/no	
srr_act_hrs	Actual Hours	Act Hours	->>,>>9.99	10
srr_assign	Assigned		x(8)	
srr_ca_nbr	Call		x(8)	
srr_cls_date	Close Date		99/99/99	
srr_date	Date Entered		99/99/99	
srr_desc	Description		x(60)	
srr_domain	Domain		x(8)	
srr_eco	ECO		x(8)	
srr_est_hrs	Estimated Hours	Est Hours	->>,>>9.99	10
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	Ufid1		x(8)	
srr_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_srr_mstr	yes	old_srr_mstr	yes	no
srr_assign	no	srr_domain	yes	no
		srr_assign	yes	no
srr_eco	no	srr_domain	yes	no
		srr_eco	yes	no
srr_eu_nbr	no	srr_domain	yes	no
		srr_eu_nbr	yes	no
* srr_nbr	yes	srr_domain	yes	no
		srr_nbr	yes	no
srr_part	yes	srr_domain	yes	no
		srr_part	yes	no
		srr_nbr	yes	no
srr_problem	no	srr_domain	yes	no
		srr_problem	yes	no

sr wkfl

Serial Number Work Table

Field Name	Label	Col-Label	Format	Dec
oid_sr_wkfl			>>>>>>>>>>>>>>>>>>>>>9	10
sr__qadc01			.9<<<<<<<<<	
sr_algo	Algorithm	Algo	x(8)	
sr_alt_um	Alternate UM	Alt UM	x(2)	
sr_assay	Assay %		>>9.99%	10
sr_domain	Domain		x(8)	
sr_expire	Expire Date	Expire	99/99/99	
sr_lineid			x(8)	
sr_loc	Location		x(8)	
sr_lotser	Lot/Serial		x(18)	
sr_mode	Mode	Mode	x(8)	
sr_qty	Quantity		-,>, >>>, >>9.9<<<<<<<<	10
sr_ref	Ref	Reference	x(8)	
sr_rev	Rev		x(4)	
sr_site	Site		x(8)	
sr_status	Status		x(8)	
sr_to_loc	Location		x(8)	
sr_to_site	Site		x(8)	
sr_user1	Ufld1		x(8)	
sr_user2	Ufld2		x(8)	
sr_userid	Session ID		x(60)	
sr_vend_lot	Supplier Lot		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sr_wkfl	yes	oid_sr_wkfl	yes	no
* sr_id	yes	sr_domain	yes	no
		sr_userid	yes	no
		sr_lineid	yes	no
		sr_site	yes	no
		sr_loc	yes	no
		sr_lotser	yes	no
		sr_ref	yes	no

ssd det

Source of Supply Detail

Field Name	Label	Col-Label	Format	Decimals
oid_ssd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
ssd__qadc01			.9<<<<<<<<	
ssd__qadd01			x(8)	
ssd_domain	Domain		>>, >>, >>9.99	10
ssd_end	End		x(8)	
ssd_fr_list	Freight List	Frt List	99/99/99	
ssd_fr_min_wt	Frt Min Wt		X(8)	
ssd_fr_terms	Freight Terms	Fr Terms	>>, >>, >>9.9<<	10
ssd_leadtime	Lead Time	LT	x(8)	
ssd_network	Network Code		->, >>>	
ssd_percent	Supply Percent	Percent	x(18)	
ssd_rec_site	Receiving Site	Rec Site	-->9.9<<%	10
ssd_ref	Reference		x(8)	
ssd_src_site	Supply Site	Source	x(12)	
ssd_start	Start		x(8)	
ssd_trans	Transportation Code	Ship Via	99/99/99	
ssd_user1	Ufld1		x(8)	
ssd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ssd_det	yes	oid_ssd_det	yes	no
*	ssd_det	yes	ssd_domain	yes	no
			ssd_network	yes	no
			ssd_rec_site	yes	no
			ssd_src_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ssd_rec_site	no	ssd_ref	yes	no
		ssd_domain	yes	no
		ssd_rec_site	yes	no
		ssd_network	yes	no
ssd_src_site	no	ssd_src_site	yes	no
		ssd_domain	yes	no
		ssd_src_site	yes	no
		ssd_network	yes	no
		ssd_rec_site	yes	no

ssm_mstr Source of Supply Master

Field Name	Label	Col-Label	Format	Dec
oid_ssm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ssm_qadc01			.9<<<<<<<<<	
ssm_desc	Description		x(8)	
ssm_domain	Domain		x(24)	
ssm_network	Network Code		x(8)	
ssm_planner	Planner		x(18)	
ssm_user1			x(8)	
ssm_user2			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ssm_mstr	yes	oid_ssm_mstr	yes	no
ssm_desc	no	ssm_domain	yes	no
		ssm_desc	yes	no
		ssm_network	yes	no
* ssm_network	yes	ssm_domain	yes	no
		ssm_network	yes	no

State State

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
State_ID	Record ID		9999999999	
StateCode	State		x(4)	
StateDescription	Description		x(40)	
StatelsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	StateCode	yes	no
◇ IsActive	no	StateIsActive	yes	no
◇* Prim	yes	State_ID	yes	no
◇ ViewIndex	no	StateIsActive	yes	no
		StateCode	yes	no

Statistic

Statistical Code

Field Name	Label	Col-Label	Format	Dec
Country_ID	Link to Country		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Statistic_ID	Record ID		9999999999	
StatisticCode	Code		x(20)	
StatisticDescription	Description		x(40)	
StatisticsActive	Active		yes/no	
StatisticType	Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	StatisticsActive	yes	no
◇ CntCodeIdx	yes	Country_ID	yes	no
		StatisticCode	yes	no
◇* Prim	yes	Statistic_ID	yes	no
Typeldx	no	StatisticType	yes	no
◇ ViewIndex	no	StatisticsActive	yes	no
		StatisticCode	yes	no

sttqd_det

Field Name	Label	Col-Label	Format	Dec
oid_sttqd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sttqd__qadc01			.9<<<<<<<<	
sttqd__qadc02			X(24)	
sttqd_acceptable	Acceptable		yes/no	
sttqd_active	Active		yes/no	
sttqd_customer_source	Customer Source		x(3)	
sttqd_domain	Domain		x(8)	
sttqd_max_value	Maximum	Max	->, >>>, >>9.9<<<<<<<	10
sttqd_measurement_type	Status Type		>	
sttqd_min_value	Minimum	Min	->, >>>, >>9.9<<<<<<<	10
sttqd_mod_date	Modified Date	Mod Date	99/99/99	
sttqd_mod_userid	User ID		X(8)	
sttqd_part	Item Number		x(18)	
sttqd_receive_addr	Receive Address		x(8)	
sttqd_shipfrom	Ship-From		x(8)	
sttqd_status_code	Status Code		x(8)	
sttqd_tracking_measure	Track By		X(8)	
sttqd_use_percent	Track By Percentage		yes/no	
sttqd_user1	User Field Character 1		X(24)	
sttqd_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sttqd_det	yes	oid_sttqd_det	yes	no
sttqd_active	no	sttqd_domain	yes	no
		sttqd_active	yes	no
		sttqd_measurement_type	yes	no
		sttqd_customer_source	yes	no
		sttqd_use_percent	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no
		sttqd_min_value	yes	no
		sttqd_max_value	yes	no
* sttqd_customer_src	yes	sttqd_domain	yes	no
		sttqd_measurement_type	yes	no
		sttqd_status_code	yes	no
		sttqd_customer_source	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no

sttq_mstr

Field Name	Label	Col-Label	Format	Dec
oid_sttq_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sttq__qadc01			.9<<<<<<<<<	
sttq__qadc02			X(24)	
sttq_desc	Description		x(24)	
sttq_domain	Domain		x(8)	
sttq_measurement_type	Measurement Type		>	
sttq_mod_date	Modified Date	Mod Date	99/99/99	
sttq_mod_userid	User ID		X(8)	
sttq_status_code	Status Code		x(8)	
sttq_user1	User Field Character 1		X(24)	
sttq_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sttq_mstr	yes	oid_sttq_mstr	yes	no
*	sttq_type_code	yes	sttq_domain	yes	no
			sttq_measurement_type	yes	no
			sttq_status_code	yes	no

Suspended Tax Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_stx_mstr	yes	oid_stx_mstr	yes	no
* stx_tran_key	yes	stx_domain	yes	no
		stx_tran_type	yes	no
		stx_key	yes	no
		stx tax code	yes	no

Shipper User Field Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sufd_det	yes	oid_sufd_det	yes	no
sufd_level	no	sufd_domain	yes	no
		sufd_level	yes	no
		sufd_fld_seq	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
* sufd_shipfrom	yes	sufd_domain	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
		sufd_level	yes	no
		sufd_fld_seq	yes	no

Shipper User Field Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_suf_mstr	yes	oid_suf_mstr	yes	no
*	suf_level	yes	suf_domain	yes	no
			suf_level	yes	no
			suf_fld_seq	yes	no

Service/Support Management Control

Field Name	Label	Col-Label	Format	Dec
oid_svc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
svc__chr01	usrlfd1		.9<<<<<<<<	
svc__chr02	usrfld2		x(8)	
svc__chr03	usrfld3		x(8)	
svc__chr04	usrfld4		x(8)	
svc__chr05	usrfld5		x(8)	
svc__chr06	usrfld6		x(8)	
svc__chr07	usrfld7		x(8)	
svc__chr08	usrfld8		x(8)	
svc__chr09	usrfld9		x(8)	
svc__chr10	usrfld10		x(8)	
svc__dec01			->, >>9.99<<<<	10
svc__dec02			->, >>9.99<<<<	10
svc__dec03			->, >>9.99<<<<	10
svc__dec04			->, >>9.99<<<<	10
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
svc__qadc04	QAD Character Field 4		x(8)	
svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		->, >>9.99	10
svc__qadd02	QAD Decimal Field 2		->, >>9.99	10
svc__qadd03	QAD Decimal Field 3		->, >>9.99	10
svc__qadi02	QAD Integer Field 2		->, >>>, >>9	
svc__qadi03	QAD Integer Field 3		->, >>>, >>9	
svc__qadi04	QAD Integer Field		>>>9	
svc__qadi05	QAD Integer Field 5		->, >>>, >>9	
svc__qadl01	QAD Logical Field 1		yes/no	
svc__qadl02	QAD Logical Field 2		yes/no	

Field Name	Label	Col-Label	Format	Dec
svc__qadl03	QAD Logical Field 3		yes/no	
svc__qadl04	QAD Logical Field		yes/no	
svc__qadl06	QAD Logical Field		yes/no	
svc__qadl07	QAD Logical Field		yes/no	
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	
svc_ack_letter	Acknowledge Letter		yes/no	
svc_arears	Bill Arrears	Arrear	yes/no	
svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
svc_auto_tim	Total Call Time		yes/no	
svc_autorenew	Auto Renew		yes/no	
svc_avoidance	Use Call Avoidance		yes/no	
svc_bill	Use Repair Structure		yes/no	
svc_ca_allow_inv	Invoice From Recording		yes/no	
svc_ca_cor_type	Corrective Work Code		x(8)	
svc_ca_coverage	Coverage Window		yes/no	
svc_ca_est_time	Default Call Length		999:99	
svc_ca_est_trv	Travel Time		99:99	
svc_ca_ins_type	Install Work Code		x(8)	
svc_ca_inv_draft	Draft Invoice		yes/no	
svc_ca_model	Use Model		yes/no	
svc_ca_print0	Print zero dollar calls		yes/no	
svc_ca_pvm_type	PM Work Code		x(8)	
svc_ca_sys	System Level on Calls		yes/no	
svc_ca_tec_type	Technical Work Code		x(8)	
svc_ca_time_wnd	Call Time Window		yes/no	
svc_ca_upd_type	Update Work Code		x(8)	
svc_ca_wo_wnd	Call WO Window		yes/no	
svc_call_pdev	Call Print Device		x(8)	
svc_call_pre	Call Prefix		x(3)	
svc_cancel_status	Cancel Status		x(8)	
svc_chg_cd	Chargeable Code		x(2)	
svc_chg_svcode	Charge Service Type		x(8)	
svc_close	Close Status	CI Sts	x(8)	
svc_close_record	Close on Recording		yes/no	
svc_clsf_filter	Filter ISB by Classification		yes/no	
svc_cmmts	Call Comments	Cmmt	yes/no	
svc_code	Code		x(8)	
svc_comp_status	Complete Status		x(8)	
svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
svc_corr_est_time	Corrective Call Duration		999:99	
svc_cp_causer	Copy Call User Fields		yes/no	
svc_cp_sauser	Copy Contract User Fields		yes/no	
svc_create_cus	Create Customer		yes/no	
svc_db_timezone	Database Time Zone		X(8)	
svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
svc_dflt_que	Default Call Queue	Df Queue	x(8)	
svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
svc_dflt_warr	Default Warranty Type		x(8)	
svc_dispatch	Dispatcher		yes/no	
svc_domain	Domain		x(8)	
svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
svc_esc_dflt	Escalation Default		x(8)	
svc_esc_pause	Escalation Program Pause		>>, >>9	
svc_esc_prt	Escalation Printer		x(10)	
svc_esc_sch	Use Escalation		yes/no	
svc_esc_user	Esc User for Messages		x(8)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_0itm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold No Calls		>>9	
svc_hold_status	Hold Status		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc_ins_days	Installation Days Ahead		>>9	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_invoice_acct	Modify Sales Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	
svc_isb_comp_bom	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_nsbom	Load Standard BOM		yes/no	
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Modified Date	Mod Date	99/99/99	
svc_mod_userid	User ID		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->>, >>9.99<<<<	10
svc_pm_est_time	PM Call Duration		999:99	
svc_project_hndl	Project Code Handling		->, >>>, >>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	
svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
svc_pvm_cl	PM Calls		yes/no	
svc_qmobile_api_warn	Suppress QAD Mobile API Warnings		yes/no	
svc_que_paus	Queue Manager Pause		>>9	
svc_que_prog	Queue Manager		>>9	
svc_rc_transfer	Transfer Inventory		yes/no	
svc_return_sts	Return Status		x(8)	
svc_rma_hist	Rma History		yes/no	
svc_sa_account	Update Accounting		yes/no	
svc_sa_accounts	Modify Sales Accounts		yes/no	
svc_sa_cd	Contract Code		x(2)	
svc_sap_bom_type	Default BOM for PM		x(8)	
svc_sched_status	Scheduled Status		x(8)	
svc_schedule_ca	Schedule New Calls		yes/no	
svc_scheduler	Scheduler		>>9	
svc_scrap_sts	Scrap Status		x(8)	
svc_serial	Installed Base Serials		x(1)	
svc_server_timezone	Server Time Zone		X(8)	
svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
svc_site	Repair Site		x(8)	
svc_sr_pre	Service Request Prefix		x(3)	
svc_srr_close	SR Close Status	Cl Sts	x(8)	0
svc_srr_open	SR Open Status	Opn Sts	x(8)	0
svc_srststatus	SR Resolution		x(8)	
svc_sub_cvr	Subs Covered		yes/no	
svc_sv_cd	Service Contract Cd		x(2)	
svc_sys_type	System Level		x(2)	
svc_tax_enviroment	Tax Enviroment		x(8)	
svc_temp_close	Close Call with Temp		yes/no	
svc_temp_cus	Temporary Customer		x(8)	
svc_time_zone	Hours from GMT		>>9	
svc_tm_cd	Time and Materials CD		x(2)	
svc_trace	Enable Tracing		yes/no	
svc_travel_step	Travel Step		>>>>>9	
svc_trv_fsc_code	Travel Svc Category	Svc Cat	x(8)	
svc_trvl_um	Travel UM		x(2)	0
svc_um	Contract UM	UM	x(2)	0
svc_upd_est_time	Update Call Duration		999:99	

Field Name	Label	Col-Label	Format	Dec
svc_user1	Ufld1		x(8)	
svc_user2	Ufld2		x(8)	
svc_wait_status	Wait Status		x(8)	
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_svc_ctrl	yes	oid_svc_ctrl	yes	no
*	svc_node	yes	svc_domain	yes	no
			svc_node	yes	no

sv mstr

Service Agreement Terms and Conditions Master

Field Name	Label	Col-Label	Format	Dec
oid_sv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sv_chr01			.9<<<<<<<<<	
sv_chr02			x(8)	
sv_chr03			x(8)	
sv_chr04			x(8)	
sv_chr05			x(8)	
sv_qadc01	Qad Field #1		x(8)	0
sv_qadc02	Qad Field #2		x(8)	0
sv_qadc03	Qad Field #3		x(8)	0
sv_qadc04	Qad Field #4		x(8)	0
sv_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sv_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sv_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sv_qadl01	Qad Logical #1		yes/no	
sv_qadl02	Qad Logical #2		yes/no	
sv_qadl03	Qad Logical #3		yes/no	
sv_qadt01	Qad Date #1		99/99/99	
sv_qadt02	Qad Date #2		99/99/99	
sv_qadt03	Qad Date #3		99/99/99	
sv_blanket	Blanket		yes/no	
sv_call_price	Call Price List		X(8)	
sv_calls_allow	Calls Allowed		>>>9	0
sv_cmtindx	Comment Index	Comment	>>>>>>>9	
sv_code	Service Type	Svc Type	x(8)	
sv_cr_prlist	Credit Price List	Cr Price	x(8)	
sv_cstmlist	Customs List	Customs	x(8)	
sv_days[7]	Days		yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_domain	Domain		x(8)	
sv_dur_um	Contract UM		x(1)	
sv_duration	Duration	Dur	>>>9	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	
sv_mid_etime[8]	Stop Midday		99:99	
sv_mid_stime[8]	Start Midday		99:99	
sv_off_hours_pt	Off Hours Item		x(18)	
sv_onsite	Onsite		yes/no	
sv_pr_list	Contract Price List	CPrice List	x(8)	
sv_prod_line	Prod Line	Line	x(4)	
sv_qo_title	Quote Title	Qo Title	x(24)	
sv_rmaonly	RMA Only		yes/no	
sv_rmaprice	RMA Price List		x(8)	0
sv_rsp_time	Response	Rsp Time	>>>>>>9	
sv_rsp_um	Response Time UM		x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sv_mstr	yes	oid_sv_mstr	yes	no
* sv_code	yes	sv_domain	yes	no
		sv_code	yes	no
		sv_type	yes	no
sv_svc_type	no	sv_domain	yes	no
		sv_code	yes	no
		sv_svc_type	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_swc_det			>>>>>>>>>>>>>>>>>>>>9	10
			.g<<<<<<<<	
swc_qadc01			x(8)	
swc_bdn_pct	Lbr Bdn %		>>9.99%	10
swc_bdn_rate	Lbr Bdn Rate		>>, >>9.99	10
swc_bdn_supct	Setup Bdn %		>>9.99%	10
swc_bdn_surate	Setup Bdn Rate		>>, >>9.99	10
swc_cat	W/C Category		x(1)	
swc_domain	Domain		x(8)	
swc_element	Cost Element	Element	x(8)	
swc_lbr_bdn_tot	Lbr Bdn Total		->>>, >>, >>9.99<<<	10
swc_lbr_rate	Labor Rate		>>, >>9.99	10
swc_lbr_run_tot	Lbr run total		->>>, >>, >>9.99<<<	10
swc_lbr_setup_tot	Lbr setup total		->>>, >>, >>9.99<<<	10
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>, >>9.99	10
swc_mch_bdn_tot	Mch Bdn Total		->>>, >>, >>9.99<<<	10
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>, >>9.99	10
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
swc_men_mch	Run Crew		>>9.999	10
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		->, >>9.999	10
swc_pct_util	Percent Utilization		->, >>9.999	10
swc_run_rate	Lbr/Bdn Rate		->, >>>, >>9.999999	10
swc_set_rate	Setup Rate		->, >>>, >>9.999999	10
swc_setup_men	Setup Crew		->, >>9.99	10
swc_setup_rte	Setup Rate		>>>, >>9.99	10
swc_sim	Cost Set		x(18)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* swc_sim_wc	yes	swc_wkctr	yes	no
		swc_mch	yes	no
		swc_domain	yes	no
		swc_sim	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_element	yes	no

sypd_det Synch Profile Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sypd__chr01			.9<<<<<<<<<	
sypd__chr02			x(8)	
sypd__dec01			x(8)	
sypd__dec02			->>>, >>>, >>9.99<	10
sypd__dte01			->>>, >>>, >>9.99<	10
sypd__dte02			99/99/99	
sypd__int01			99/99/99	
sypd__int02			->>>, >>>, >>9	
sypd__log01			->>>, >>>, >>9	
sypd__log02			yes/no	
sypd__qadc01			yes/no	
sypd__qadc02			x(8)	
sypd__qadc03			x(8)	
sypd__qadc04			x(8)	
sypd__qadd01			->>>, >>>, >>9.99<	10
sypd__qadd02			->>>, >>>, >>9.99<	10
sypd__qadi01			->>>, >>>, >>9	
sypd__qadi02			->>>, >>>, >>9	
sypd__qadl01			yes/no	
sypd__qadl02			yes/no	
sypd__qadt01			99/99/99	
sypd__qadt02			99/99/99	
sypd_fldname	Field Name		x(21)	
sypd_mod_date	Mod Date		99/99/99	
sypd_mod_userid	User ID		x(8)	
sypd_prereq_add	Prerequisite For Add		yes/no	
sypd_prof_l_id	Synch Profile ID		x(16)	
sypd_reqd_add	Required on Add		yes/no	
sypd_reqd_chgdel	Required on Change or Delete		yes/no	
sypd_seq	Sequence		>>9	
sypd_user1	Ufld1		x(8)	
sypd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_synd_det	yes	oid_synd_det	yes	no
* synd_proflid_fldname	yes	synd_profl_id	yes	no
		synd_fldname	yes	no
synd_proflid_seq	no	synd_profl_id	yes	no
		synd_seq	yes	no

sypj_det Sync Profile Join Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypj_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sypj_chr01			.9<<<<<<<<<	
sypj_chr02			x(8)	
sypj_dec01			x(8)	
sypj_dec02			->>>, >>>, >>9.99<	10
			->>>, >>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sypj_det	yes	oid_sypj_det	yes	no
sypj_join_profl_rel	yes	sypj_join_profl	yes	no
		sypj_profl_id	yes	no
		sypj_relation	yes	no
sypj_join_rel_seq	no	sypj_join_profl	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no
* sypj_profl_join_rel	yes	sypj_profl_id	yes	no
		sypj_join_profl	yes	no
		sypj_relation	yes	no
sypj_profl_rel_seq	no	sypj_profl_id	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no

Synch Profile Subscription Detail

Field Name	Label	Col-Label	Format	Dec
syys__qadd02			->>>, >>>, >>9, 99<	10
syys__qadi01			->>>, >>>, >>9	
syys__qadi02			->>>, >>>, >>9	
syys__qadi01			yes/no	
syys__qadi02			yes/no	
syys__qadt01			99/99/99	
syys__qadt02			99/99/99	
syys_app_id	Application ID		x(12)	
syys_doc_rev	Document Revision		x(8)	
syys_doc_std	Document Standard		x(8)	
syys_doc_typ	Document Type		x(21)	
syys_im_doc	Imported Document		yes/no	
syys_mod_date	Mod Date		99/99/99	
syys_mod_userid	User ID		x(8)	
syys_profl_id	Sync Profile ID		x(16)	
syys_tradptr_id	Trading Partner ID		x(32)	
syys_trig_updt	Publish On Table Update		yes/no	
syys_user1	Ufld1		x(8)	
syys_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_syeps_det	yes	oid_syeps_det	yes	no
syeps_subs_by_profile	no	syeps_profl_id	yes	no
* syeps_subscription_id	yes	syeps_app_id	yes	no
		syeps_doc_std	yes	no
		syeps_doc_typ	yes	no
		syeps_doc_rev	yes	no
		syeps_tradptr_id	yes	no
		syeps_im_doc	yes	no
		syeps_profl_id	yes	no

syp_mstr

Synch Profile Master

Field Name	Label	Col-Label	Format	Dec
oid_syp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
syp_chr01			.9<<<<<<<<<	
syp_chr02			x(8)	
syp_dec01			x(8)	
syp_dec02			->>>, >>>, >>9.99<	10
syp_dte01			->>>, >>>, >>9.99	10
syp_dte02			99/99/99	
syp_int01			99/99/99	
syp_int02			->>>, >>>, >>9	
syp_log01			->>>, >>>, >>9	
syp_log02			yes/no	
syp_qadc01			yes/no	
syp_qadc02			x(8)	
syp_qadc03			x(8)	
syp_qadc04			x(8)	
syp_qadd01			->>>, >>>, >>9.99<	10
syp_qadd02			->>>, >>>, >>9.99<	10
syp_qadi01			->>>, >>>, >>9	
syp_qadi02			->>>, >>>, >>9	
syp_qadi01			yes/no	
syp_qadi02			yes/no	
syp_qadt01			99/99/99	
syp_qadt02			99/99/99	
syp_add_as_chg	Format as Change		yes/no	
syp_dbname	Database Name		x(8)	
syp_del_as_chg	Format as Change		yes/no	
syp_exp_add	Export Add		yes/no	
syp_exp_chg	Export Change		yes/no	
syp_exp_del	Export Delete		yes/no	
syp_exp_dump	Export As Record Dump		yes/no	
syp_exp_rowid_only	Export Rowid Only		yes/no	

Field Name	Label	Col-Label	Format	Dec
syp_flt_crit[4]	Filter Criteria		x(255)	
syp_mod_date	Mod Date		99/99/99	
syp_mod_userid	User ID		x(8)	
syp_profl_desc	Description		x(40)	
syp_profl_id	Synch Profile ID		x(16)	
syp_publ_proc	Filter Procedure Name		x(16)	
syp_tblname	Table Name		x(16)	
syp_user1	Ufld1		x(8)	
syp_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_syp_mstr	yes	oid_syp_mstr	yes	no
* syp_profl_id	yes	syp_profl_id	yes	no
syp_tblname	no	syp_tblname	yes	no

SysProperty System Property

Field Name	Label	Col-Label	Format	Dec
Currency_ID	MC Currency Code	MC Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SysProperty_ID	Record ID		9999999999	
SysPropertyInvCertCertificate	Invoice Certificate		x(16)	

Field Name	Label	Col-Label	Format	Dec
SysPropertyInvCertOpenSSLDir	Open SSL Directory		x(256)	
SysPropertyInvCertPublicKey	Public Key		x(512)	
SysPropertyInvCertVersion	Version		x(8)	
SysPropertyIsBudOLCheckCC	OL Check on Cost Center Budgets		yes/no	
SysPropertyIsBudOLCheckGL	OL Check on Budgets		yes/no	
SysPropertyIsBudOLCheckPrj	OL Check on Project Budgets		yes/no	
SysPropertyIsBudOverCh	Check Budgets on Overlap		yes/no	
SysPropertyIsBusRelDomRes	Business Relations by Domain		yes/no	
SysPropertyIsSpecCIApprove	Specific SI Approval		yes/no	
SysPropertyIsSpecCIApprVal	Enable Role Validations		yes/no	
SysPropertyIsWithBudget	Budget Enabled		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CurrencyIdx	no	Currency_ID	yes	no
◇* Prim	yes	SysProperty_ID	yes	no

Syst System

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RptFolderTimestamp	Reports Date and Time		x(32)	
Syst_ID	Record ID		9999999999	
SystAdminUserPwd	System Admin Password		x(100)	
SystApplicationId	Application ID		x(100)	
SystCacheDateTime	Cache Date and Time		x(30)	
SystSODActive	SOD is active		yes/no	
SystSODBlockViolations	Block SOD violations		yes/no	
SystSODNotificationEmail	Send SOD notifications to e-mail		x(60)	
SystSODNotificationUser	Send SOD notifications to user		x(20)	
Usr_ID	User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇ LngIdx	no	Lng_ID	yes	no
◇* Prim	yes	Syst_ID	yes	no
UsrInSyst_FK	no	Usr_ID	yes	no

SystemC Warehousing System Control

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
AllocHist	Allocation History	Alloc! Hist	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
CycleReason	Cycle Count Reason	Cycle Count! Reason	X(8)	
Domain	Domain		x(8)	
InventHist	Inventory History	Inv! Hist	yes/no	
LogFormat	Logical Format		yes/no	

Field Name	Label	Col-Label	Format	Dec
sytf__qadi01			->>>, >>>, >>9	
sytf__qadi02			->>>, >>>, >>9	
sytf__qadi01			yes/no	
sytf__qadi02			yes/no	
sytf__qadi01			99/99/99	
sytf__qadi02			99/99/99	
sytf_fldname	Field Name		x(16)	
sytf_mod_date	Mod Date		99/99/99	
sytf_mod_userid	User ID		x(8)	
sytf_reqd_add	Required on Add		yes/no	
sytf_reqd_chgdel	Required in Change-Delete		yes/no	
sytf_tblname	Table Name		x(16)	
sytf_user1	Ufid1		x(8)	
sytf_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sytf_mstr	yes	oid_sytf_mstr	yes	no
sytf_fidname	no	sytf_fidname	yes	no
* sytf_tbl_fidname	yes	sytf_tblname	yes	no
		sytf_fidname	yes	no

tag_mstr Physical Inventory Tag Master

Field Name	Label	Col-Label	Format	Dec
oid_tag_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
tag__qad01			.9<<<<<<<<<	
tag_cnt_cnv	Count Conv		->>, >>, >>9.9<<<<<<<<<	10
tag_cnt_dt	Date Counted	Cnt Date	>>>>9.9999	10
tag_cnt_nam	Counted By	Cntd By	99/99/99	
tag_cnt_qty	Qty Counted		x(8)	
tag_cnt_um	Count UM	UM	>, >>>, >>9.9<<<<<<<<	10
tag crt dt	Create Date	Crt Date	x(2)	
tag_domain	Domain		99/99/99	
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	x(8)	
tag_part	Item Number		>>>>>>>9	
tag_posted	Posted	Post	x(18)	
tag_prt_dt	Print Date	Prt Date	yes/no	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	99/99/99	
tag_rcnt_dt	Date Recounted	RcntDate	>>>>9.9999	10
tag_rcnt_nam	Recounted By	Rcntd By	99/99/99	
tag_rcnt_qty	Qty Recounted		x(8)	
tag_rcnt_um	Recount UM	UM	>, >>>, >>9.9<<<<<<<<	10
tag_ref	Ref	Reference	x(2)	
tag_rmks	Remarks		x(8)	
tag_serial	Lot/Serial		x(24)	
tag_site	Site		x(18)	
tag_type	Type	T	x(8)	
tag_user1	Ufld1		x(1)	
tag_user2	Ufld2		x(8)	
tag_void	Void		x(8)	
			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tag_mstr	yes	oid_tag_mstr	yes	no
* tag_nbr	yes	tag_domain	yes	no
		tag_nbr	yes	no
tag_pslsn	yes	tag_domain	yes	no
		tag_part	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no
tag_pssln	yes	tag_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_nbr	yes	no
tag_slpsn	yes	tag_domain	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no

Warehousing Task Assignment Detail

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
ConfMode	Confirmation Mode	Conf Mode	X(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TaskAssD			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Queue	Queue		>9	
Task	Task		x(8)	
TaskSeq	Seq		>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_TaskAssD	yes	oid_TaskAssD	yes	no
*	UserSeq	yes	Domain	yes	no
			ActUserID	yes	no
			Queue	yes	no
			TaskSeq	yes	no
	UserTask	yes	Domain	yes	no
			ActUserID	yes	no
			Task	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing Task Assignment Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
oid_TaskAssM	yes	oid_TaskAssM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Task Detail

Field Name	Label	Col-Label	Format	Dec
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TaskM	yes	oid_TaskM	yes	no
◇* Task	yes	Domain	yes	no
		Task	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

TaxReg Tax Register

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Domain ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegCode	Tax Register Code		x(8)	
TaxRegCompanyAddress	Company Address		x(8)	
TaxRegDescription	Description		x(40)	
TaxRegIsActive	Active		yes/no	
TaxRegIsEU	EU		yes/no	
TaxRegIsFinal	Final Report Generated		yes/no	
TaxRegNextPage	Next Page		9999999999	
TaxRegType	Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	TaxRegIsActive	yes	no
◇* Prim	yes	TaxReg_ID	yes	no
◇ UniqueIdx	yes	Domain_ID	yes	no
		TaxRegCode	yes	no
◇ ViewIndex	no	Domain_ID	yes	no
		TaxRegIsActive	yes	no
		TaxRegCode	yes	no

TaxRegCompany Tax Register Company

Field Name	Label	Col-Label	Format	Dec
Company_ID	Company ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	

Field Name	Label	Col-Label	Format	Dec
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegCompany_ID	Tax Register Company ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	TaxRegCompany_ID	yes	no
◇ UniqueIdx	yes	TaxReg_ID	yes	no
		Company ID	yes	no

TaxRegJournalTax Register Journal

Field Name	Label	Col-Label	Format	Dec
Journal_ID	Journal ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegJournal_ID	Tax Register Journal ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	TaxReg_Journal_ID	yes	no
◇ UniqueIdx	yes	TaxReg_ID	yes	no
		Journal_ID	yes	no

tblcd det Table Change Detail

Field Name	Label	Col-Label	Format	Dec
oid_tblcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
tblcd__qadc01			.9<<<<<<<<<	
tblcd__qadc02			X(24)	
tblcd_active	Active		X(24)	
tblcd_desc	Description		yes/no	
tblcd_domain	Domain		x(24)	
tblcd_fld_name	Field		x(8)	
tblcd_mod_date	Modified Date	Mod Date	x(32)	
tblcd_mod_userid	User ID		99/99/99	
tblcd_table	Table		X(8)	
tblcd_user1	User Field Character 1		x(16)	
tblcd_user2	User Field Character 2		X(24)	
			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_tblcd_det	yes	oid_tblcd_det	yes	no
*	tblcd_table	yes	tblcd_domain	yes	no
			tblcd_table	yes	no
			tblcd_fld_name	yes	no

tblc_mstr

Field Name	Label	Col-Label	Format	Dec
oid_tblc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
tblc__qadc01			.9<<<<<<<<<<	
tblc__qadc02			X(24)	
tblc_active	Active		X(24)	
tblc_delete	Delete		yes/no	
tblc_desc	Description		yes/no	
tblc_domain	Domain		x(24)	
tblc_mod_date	Modified Date	Mod Date	x(8)	
tblc_mod_userid	User ID		99/99/99	
tblc_table	Table		X(24)	
tblc_user1	User Field Character 1		x(16)	
tblc_user2	User Field Character 2		X(24)	
			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tblc_mstr	yes	oid_tblc_mstr	yes	no
* tblc_table	yes	tblc_domain	yes	no
		tblc_table	yes	no

tbl_mstr

Field Name	Label	Col-Label	Format	Dec
oid_tbl_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
tbl_chr01	User Character Field 1		.9<<<<<<<<	
tbl_chr02	User Character Field 2		x(8)	
tbl_chr03	User Character Field 3		x(8)	
tbl_chr04	User Character Field 4		x(8)	
tbl_chr05	User Character Field 5		x(8)	
tbl_dec01	User Decimal Field 1		->, >>9.99	10
tbl_dec02	User Decimal Field 2		->, >>9.99	10
tbl_dte01	User Date Field 1		99/99/99	
tbl_dte02	User Date Field 2		99/99/99	
tbl_log01	User Logical Field 1		yes/no	
tbl_log02	User Logical Field 2		yes/no	
tbl_qadc01	QAD Character Field 1		x(8)	
tbl_qadc02	QAD Character Field 2		x(8)	
tbl_qadd01	QAD Date Field 1		99/99/99	
tbl_qadd02	QAD Date Field 2		99/99/99	
tbl_qadde01	QAD Decimal Field 1		->, >>9.99	10
tbl_qadde02	QAD Decimal Field 2		->, >>9.99	10
tbl_qadl01	QAD Logical Field 1		yes/no	
tbl_qadl02	QAD Logical Field 2		yes/no	
tbl_compcode	Component		x(18)	
tbl_comptype	Component Type	Comp Type	x(12)	
tbl_domain	Domain		x(8)	
tbl_end	End Effective	End Eff	99/99/99	
tbl_mod_date	Modified Date	Mod Date	99/99/99	
tbl_mod_userid	User ID		X(8)	
tbl_parcode	Parent		x(18)	
tbl_partype	Parent Type		x(12)	
tbl_ref	Reference		x(12)	
tbl_rmks	Remarks		x(24)	
tbl_start	Start Effective	Start Eff	99/99/99	
tbl_user1	Ufld1		x(8)	
tbl_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tbl_mstr	yes	oid_tbl_mstr	yes	no
tbl_comp	no	tbl_domain	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no
* tbl_typecode	yes	tbl_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

Templated Warehousing Printer Template Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Language	Language	Lang	x(2)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TemplateD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
PrinterType	Printer Type	Printer! Type	X(8)	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintLine	Print Line		x(132)	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
PrintSeq	Seq		>>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TemplateD	yes	oid_TemplateD	yes	no
* TempSeq	yes	Domain	yes	no
		Language	yes	no
		PrinterType	yes	no
		PrintProcCode	yes	no
		PrintFlavor	yes	no
		PrintSeq	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Field Name	Label	Col-Label	Format	Dec
te__dte01			99/99/99	
te__dte02			99/99/99	
te__log01			yes/no	
te__log02			yes/no	
te__qadc01			X(8)	
te__qadc02			X(8)	
te__qadc03			X(8)	
te__qadc04			X(8)	
te__qadd07			999999999.99	10
te__qadd08			999999999.99	10
te__qadi05			9999	
te__qadi06			9999	
te__qadi11			YES/NO	
te__qadi12			YES/NO	
te__qadt09			99/99/99	
te__qadt10			99/99/99	
te_data	DATA		X(255)	
te_date	Date Created		99/99/99	
te_date_deliv	Date Delivered		99/99/99	
te_date_exp	Date Exported		99/99/99	
te_dest	Dest ID		x(16)	
te_domain	Domain		x(8)	
te_exp_type	Export Type		x(16)	
te_line	Line		9999	
te_nbr	Number		99999999	
te_pgm	Program		x(16)	
te_pgm_errs	Error Count		9999	
te_pgm_msgs[10]	Errors		x(40)	
te_pgm_warn	Warn Count		9999	
te_site	Site		x(8)	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(3)	
te_user1	Ufld1		X(8)	
te_user2	Ufld2		X(8)	
te_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_te_mstr	yes	oid_te_mstr	yes	no
te_date	no	te_domain	yes	no
		te_date	yes	no
te_date_deliv	no	te_domain	yes	no
		te_date_deliv	yes	no
te_dest	no	te_domain	yes	no
		te_dest	yes	no
te_exp_type	no	te_domain	yes	no
		te_exp_type	yes	no
* te_mstr	yes	te_domain	yes	no
		te_site	yes	no
		te_nbr	yes	no
		te_line	yes	no
te_nbr	yes	te_domain	yes	no
		te_nbr	yes	no
		te_line	yes	no

tm_mstr

Field Name	Label	Col-Label	Format	Dec
oid_tm_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
tm__qadc01			x(8)	
tm_cmtindx	Comment Index	Comment	>>>>>>>9	
tm_code	Transport ID	Trans ID	x(8)	
tm_cube_um	UM		x(2)	
tm_desc	Description		x(24)	

Field Name	Label	Col-Label	Format	Dec
tot_terms_desc	Description		x(24)	
tot_transport_resp	Transportation Responsibility		x(2)	
tot_user1	User Field Character 1		x(24)	
tot_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tot_mstr	yes	oid_tot_mstr	yes	no
* tot_terms_code	yes	tot_domain	yes	no
		tot terms code	yes	no

TrackingD Warehousing Packaging Tracking Detail

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ContainerID	Container ID		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
MasterTrackingNbr	Master Tracking Nbr		x(35)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TrackingD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TrackingNumber	Tracking Number		x(35)	
TrackingURL	Carrier URL		x(65)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* ABSID	yes	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
		ContainerID	yes	no
MasterTrackingNbr	no	Domain	yes	no
		MasterTrackingNbr	yes	no
		ShipVia	yes	no
oid_TrackingD	yes	oid_TrackingD	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
	TrackingNumber	no	Domain	yes	no
			TrackingNumber	yes	no
			ShipVia	yes	no
◇	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

Warehousing Transaction Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
Project	Project		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyAct	Actual		->, >>>, >>9.9<<<<<<<<<	10
QtyExp	Expected		->, >>>, >>9.9<<<<<<<<<	10
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
RecTrNbr	Receipt		>>>>>>>9	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
Rmks	Remarks		x(24)	
SampleID	Sample ID	ID	>>>>>>>9	
SessionID	Session ID		x(24)	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
StageStatus	Stage Status	Stg	x(2)	
StartDate	Started		99/99/99	
StartPrognome	Started		x(10)	
StartTime	Start Time		->, >>>, >>9	
StartUserID	Started		x(8)	
SystemCode	System		x(2)	
SystemProcCode	Procedure Code	Proc	x(2)	
Task	Task		x(8)	
ToAltUM	To UM	To! UM	x(2)	
ToDigit	To Digit		x(8)	
ToLoc	To Location	To Loc	x(8)	
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToSlocGp	To SLocGrp	To! SLocGrp	x(8)	
ToWhse	To Whse		x(8)	
ToWlocgp	To WLocGrp	To! WLocGrp	x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
TrPriInc	Increment		->, >>>, >>9	
TrPriority	Priority		->, >>>, >>9	
TrStatus	Status	St	x(8)	
TrType	Type		x(8)	
TwoPhase	Two Phase	2Ph	yes/no	
UltLoc	Ultimate Location	Ultimate! Location	x(8)	
UltSite	Ultimate Site	Ultimate! Site	x(8)	
UltSlocgp	Ultimate SLocGrp	Ultimate! SLocGrp	x(8)	
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	

Field Name	Label	Col-Label	Format	Dec
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	
xPrevQtyAct	Previous Actual	Previous! Actual	->,>>>,>>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ FromLoc	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
◇ FromPart	no	Domain	yes	no
		FromPart	yes	no
◇ FromSLocGp	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromSlocgp	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
		TrNbr	yes	no
◇ InventNbr	no	Domain	yes	no
		InventNbr	yes	no
◇ IssOrder	no	Domain	yes	no
		IssDSet	yes	no
		IssNbr	yes	no
		IssLine	yes	no
oid_TranD	yes	oid_TranD	yes	no
◇ RecOrder	no	Domain	yes	no
		RecDSet	yes	no
		RecNbr	yes	no
		RecLine	yes	no
◇ RelGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RelNbr	yes	no
◇ SampleID	no	Domain	yes	no
		SampleID	yes	no
		TrType	yes	no
◇ SessionID	no	Domain	yes	no
		SessionID	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		TrStatus	yes	no
◇ StatusTo	no	Domain	yes	no
		TrStatus	yes	no
		ToSite	yes	no
		ToLoc	yes	no
◇ Task	no	Domain	yes	no
		SystemCode	yes	no
		Task	yes	no
		Site	yes	no
		Whse	yes	no
◇ ToLoc	no	Domain	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
		ToRef	yes	no
◇ ToPart	no	Domain	yes	no
		ToPart	yes	no
◇* TrNbr	yes	Domain	yes	no
		TrNbr	yes	no
◇ TrStatus	no	Domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		TrStatus	yes	no
		SystemCode	yes	no
		SystemProcCode	yes	no
UltLoc	no	Domain	yes	no
		UltSite	yes	no
		UltWhse	yes	no
		UltSlocgp	yes	no
		UltLoc	yes	no
UltSiteLoc	no	Domain	yes	no
		UltSite	yes	no
		UltLoc	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
◇ Wave	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WaveNbr	yes	no
WLocGp	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no

TranH

Warehousing Transaction History

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ABSShipFrom	Ship From		x(8)	
Addr	Address		x(8)	
AlgoNbr	Algorithm	Algo	>>9	
AlgoType	Type		X(2)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
ClosePrognose	Closed		x(10)	
CloseTime			->, >>>, >>9	
CloseUserID	Closed		x(8)	
CmtIdx	Comments		>>>>>>9	
CompDate	Completed		99/99/99	
CompTime			->, >>>, >>9	
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateTime	Created Time		->, >>>, >>9	
CreateUserID	Created UserID		x(8)	
CurrUserID	Current		x(8)	
Domain	Domain		x(8)	
ExistSample	Exist Sample		yes/no	
Fail	Fail		yes/no	
FromAltUM	From UM	Fr! UM	x(2)	
FromDigit	From Digit	From! Digit	x(8)	
FromLoc	From Location	From! Location	x(8)	
FromLot	From Lot/Serial		x(18)	
FromPart	From Item Number		x(18)	
FromRef	From Reference	From! Reference	x(8)	
FromSite	From Site	From! Site	x(8)	
FromSlocgp	From SLocGrp	From! SLocGrp	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
FromWlocgp	From WLocGrp	From! WLocGrp	x(8)	
HardAssign	Hard Assignment	Hard	yes/no	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
IntRouteSeq	Seq		>>9	
InventNbr	Internal Inventory ID	Internal! Invent ID	99999999	
IssDSet	Issue Data Set		x(12)	
IssLine	Issue Line/ID	Issue! Line/ID	x(8)	
IssNbr	Issue Order		x(18)	
IssTrNbr	Issue		>>>>>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	

Field Name	Label	Col-Label	Format	Dec
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>9	
UserI02	User Field Integer 2		->>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	
xPrevQtyAct	Previous Actual	Previous! Actual	->, >>>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
CloseUser	no	Domain	yes	no
		CloseUserID	yes	no
		CloseDate	yes	no
		CloseTime	yes	no
◇ FromLoc	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
		TrNbr	yes	no
◇ FromPart	no	Domain	yes	no
		FromPart	yes	no
◇ FromSLocGp	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromSlocgp	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
		TrNbr	yes	no
◇ IssOrder	no	Domain	yes	no
		IssDSet	yes	no
		IssNbr	yes	no
		IssLine	yes	no
oid_TranH	yes	oid_TranH	yes	no
◇ RecOrder	no	Domain	yes	no
		RecDSet	yes	no
		RecNbr	yes	no
		RecLine	yes	no
◇ RelGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RelNbr	yes	no
◇ SampleID	no	Domain	yes	no
		SampleID	yes	no
		TrType	yes	no
◇ SessionID	no	Domain	yes	no
		SessionID	yes	no
◇ StatusTo	no	Domain	yes	no
		TrStatus	yes	no
		ToSite	yes	no
		ToLoc	yes	no
◇ Task	no	Domain	yes	no
		SystemCode	yes	no
		Task	yes	no
		Site	yes	no
		Whse	yes	no
◇ ToLoc	no	Domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
		ToRef	yes	no
◇ ToPart	no	Domain	yes	no
		ToPart	yes	no
* TrNbrSeq	yes	Domain	yes	no
		TrNbr	yes	no
		TrSeq	yes	no
◇ TrStatus	no	Domain	yes	no
		TrStatus	yes	no
		SystemCode	yes	no
		SystemProcCode	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
◇ Wave	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WaveNbr	yes	no

TransactionType Transaction Type

Field Name	Label	Col-Label	Format	Dec
Country_ID	Link to Country		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		999999	
LastModifiedUser	Last Modified User		x(20)	

870 TransportMeans

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
TransactionType_ID	Record ID		9999999999	
TransactionTypeCode	Code		x(20)	
TransactionTypeDescription	Description		x(40)	
TransactionTypeIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActvIdx	no	TransactionTypeIsActive	yes	no
◇ CntCodeldx	yes	Country_ID	yes	no
		TransactionTypeCode	yes	no
◇* Prim	yes	TransactionType_ID	yes	no
◇ ViewIndex	no	TransactionTypeIsActive	yes	no
		TransactionTypeCode	yes	no

TransportMeans Means Of Transport

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date		99/99/9999	
LastModifiedTime	Last Modified Time		99999	
LastModifiedUser	Last Modified User		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
TransportMeans_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	TransportMeansIsActive	yes	no
◇ CodeIdx	yes	TransportMeansCode	yes	no
◇* Prim	yes	TransportMeans_ID	yes	no
◇ ViewIndex	no	TransportMeansIsActive	yes	no
		TransportMeansCode	yes	no

TranTypeM Warehousing Transaction Type Master

[illegible]

872 TranTypeM

Index-Name	Uni	Field-Name	Asc	Abbr
old_TranTypeM	yes	old_TranTypeM	yes	no
* TrType	yes	Domain	yes	no
		TrType	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Transaction Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TranW	yes	oid_TranW	yes	no
* UserTypeTran	yes	Domain	yes	no
		InternalID	yes	no
		WkType	yes	no
		TrNbr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Transaction Cost Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trcs_det	yes	oid_trcs_det	yes	no
* trcs_nbr_set	yes	trcs_domain	yes	no
		trcs_trnbr	yes	no
		trcs_set	yes	no

Inventory Transaction and General Ledger Cross-Reference

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trgl_det	yes	oid_trgl_det	yes	no
trgl_dr_cr	no	trgl_domain	yes	no
		trgl_dr_acct	yes	no
		trgl_dr_sub	yes	no
		trgl_dr_cc	yes	no
		trgl_cr_acct	yes	no
		trgl_cr_sub	yes	no
		trgl_cr_cc	yes	no
trgl_dy_code	no	trgl_domain	yes	no
		trgl_dy_code	yes	no
		trgl_dy_num	yes	no
* trgl_nbr_ref	yes	trgl_domain	yes	no
		trgl_tnbr	yes	no

trld_det	Trailer Tax Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trld_det	yes	oid_trld_det	yes	no
* trld_code_type	yes	trld_domain	yes	no
		trld_code	yes	no
		trld_tax_type	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_trl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
trl_qadc01			x(8)	
trl_acct	Trailer Acct	Acct	x(8)	
trl_cc	Trailer CC	CC	x(4)	
trl_code	Trailer Code	Code	x(2)	
trl_desc	Description		x(24)	
trl_domain	Domain		x(8)	
trl_fst	FST		yes/no	
trl_project	Project		x(8)	
trl_pst	PST		yes/no	
trl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
trl_taxable	Taxable		yes/no	
trl_taxc	Tax Class	TxC	x(3)	
trl_user1	Ufld1		x(8)	
trl_user2	Ufld2		x(8)	

trq_mstr

Transmission Date Reference Master

Field Name	Label	Col-Label	Format	Dec
oid_trq_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
trq_qadc01			x(8)	
trq_add_ref	Add Ref		x(8)	
trq_doc_ref	Doc Ref		x(8)	
trq_doc_type	Doc Type		x(3)	
trq_domain	Domain		x(8)	
trq_id	Transmission Number	Transm	>>>>>>9	
trq_mod_date	Modified Date	Mod Date	99/99/99	
trq_mod_userid	User ID		x(16)	
trq_msg_type	Type		x(8)	
trq_user1	Ufld1		x(8)	
trq_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trq_mstr	yes	oid_trq_mstr	yes	no
trq_doc_type	yes	trq_domain	yes	no
		trq_doc_type	yes	no
		trq_doc_ref	yes	no
		trq_add_ref	yes	no
* trq_id	yes	trq_domain	yes	no
		trq_id	yes	no

| tr | hist |

Inventory Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_lgd_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
oid_tr_hist			.9<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>, >>>, >>9.99	10
tr__dec02			>>>, >>>, >>9.99	10
tr__dec03			>>>, >>>, >>9.99	10
tr__dec04			>>>, >>>, >>9.99	10
tr__dec05			>>>, >>>, >>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	
tr_addr	Address		x(8)	
tr_assay	Assay %		>>9.99%	10
tr_auto_install	Auto Installed		yes/no	
tr_batch	Batch		x(18)	
tr_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
tr_begin_qoh	Begin Balance		->, >>>, >>9.9<<<<<<<<	10
tr_ca_int_type	Work Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_ca_opn_date			99/99/99	
tr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
tr_cprice	Price		>>>>,>>>,>>9.99<<<	10
tr_curr	Currency	Cur	x(3)	
tr_date	Date		99/99/99	
tr_daycode	Day Code		x(8)	
tr_doc_id	Document ID		x(24)	
tr_domain	Domain		x(8)	
tr_effdate	Effective	Eff Date	99/99/99	
tr_enduser	End User		X(8)	
tr_eng_area	Service Area	Area	x(18)	
tr_eng_code	Engineer Code	Eng Code	x(8)	
tr_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
tr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<<	10
tr_ex_ratetype	Rate Type		x(8)	
tr_expire	Expire Date		99/99/99	
tr_exru_seq	Sequence		>>>>>>>9	
tr_fcg_code	Charge Code		x(8)	
tr_fldchg_cmtindx	Comment		>>>>>>9	
tr_for	Service Part		x(18)	
tr_fsc_code	Service Category		x(8)	
tr_fsm_type	FSM Type		x(8)	
tr_gl_amt	Amount		->>>>,>>9.99	10
tr_gl_date	GL Date		99/99/99	
tr_grade	Grade		x(2)	
tr_last_date	Last Activity		99/99/99	
tr_lbr_std	Labor		->>>,>>>,>>9.99<<<	10
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->,>>>,>>9.9<<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>>9	
tr_mtl_std	Material		->>>,>>>,>>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>,>>>,>>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	
tr_program	Program		x(12)	
tr_promise_date	Promise Date	Promise	99/99/99	
tr_qty_chg	Qty Change		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_cn_adj	Consignment Qty Adjusted		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_short	Qty Short		->,>>>,>>9.9<<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
tr_sv_code	Contract Type		x(8)	
tr_svc_type			x(1)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>,>>>,>>9	
tr_trnbr	Trans		>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	

Field Name	Label	Col-Label	Format	Dec
tr_user1	Ufld1		x(8)	
tr_user2	Ufld2		x(8)	
tr_userid	User ID		x(8)	
tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
tr_vend_lot	Supplier Lot		x(18)	
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspn1	Salesperson 1	Salespsn	x(8)	
tr_xslspn2	Salesperson 2	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tr_hist	yes	oid_tr_hist	yes	no
tr_addr_eff	no	tr_domain	yes	no
		tr_addr	yes	no
		tr_effdate	yes	no
tr_batch	no	tr_domain	yes	no
		tr_batch	yes	no
tr_date_trn	yes	tr_domain	yes	no
		tr_date	yes	no
		tr_trnbr	yes	no
tr_eff_trnbr	no	tr_domain	yes	no
		tr_effdate	yes	no
		tr_trnbr	yes	no
tr_nbr_eff	no	tr_domain	yes	no
		tr_nbr	yes	no
		tr_effdate	yes	no
tr_nbr_rmks_type	no	tr_domain	yes	no
		tr_nbr	yes	no
		tr_rmks	yes	no
		tr_type	yes	no
tr_oid_lgd_mstr	no	oid_lgd_mstr	yes	no
tr_part_eff	no	tr_domain	yes	no
		tr_part	yes	no
		tr_effdate	yes	no
tr_part_trn	no	tr_domain	yes	no
		tr_part	yes	no
		tr_trnbr	yes	no
tr_serial	no	tr_domain	yes	no
		tr_serial	yes	no
tr_shipper	no	tr_domain	yes	no
		tr_ship_inv_mov	yes	no
		tr_ship_id	yes	no
* tr_trnbr	yes	tr_domain	yes	no
		tr_trnbr	yes	no
tr_type	no	tr_domain	yes	no
		tr_type	yes	no
		tr_effdate	yes	no
tr_vend_lot	no	tr_domain	yes	no
		tr_vend_lot	yes	no

tx2d	det	Tax Detail
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

Field Name	Label	Col-Label	Format	Dec
oid_tx2d_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
tx2d__chr01			x(8)	
tx2d__chr02			x(8)	
tx2d__dec01			->>>, >>>, >>9.99	10
tx2d__dec02			->>>, >>>, >>9.99	10
tx2d__dte01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
tx2d__log01			yes/no	
tx2d__qad01			x(8)	
tx2d__qad02			x(8)	
tx2d__qad03			yes/no	
tx2d__qad04			->>>, >>>, >>9.99	10
tx2d__qad05			99/99/99	
tx2d__qadd01[3]			->>>, >>>, >>9.99<	10
tx2d__qadd02[10]			->>>, >>>, >>9.99<	10
tx2d_abs_ret_amt	Base Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_by_line	Tax-By-Line	By! Line	yes/no	
tx2d_carrier	Carrier		x(8)	
tx2d_cur_abs_ret_amt	Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_cur_nontax_amt	Non-taxable		->>, >>>, >>9.99	10
tx2d_cur_recov_amt	Recoverable		->>, >>>, >>9.99	10
tx2d_cur_tax_amt	Tax		->>, >>>, >>9.99	10
tx2d_curr	Currency	Cur	x(3)	
tx2d_domain	Domain		x(8)	
tx2d_edited	Edited	Ed	yes/no	
tx2d_effdate	Tax Date		99/99/99	
tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_ent_nontax_amt	Entity Non-Taxable		->>, >>>, >>9.99	10
tx2d_ent_recov_amt	Entity Recoverable		->>, >>>, >>9.99	10
tx2d_ent_tax_amt	Entity Tax		->>, >>>, >>9.99	10
tx2d_line	Line		>>>>>>9	
tx2d_line_site_ent	Line Site Entity		x(4)	
tx2d_nbr	Number		x(8)	
tx2d_nontax_amt	Base Non-Taxable		->>, >>>, >>9.99	10
tx2d_posted_date	Posted Date	Post! Date	99/99/99	
tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2d_recov_amt	Base Recoverable		->>, >>>, >>9.99	10
tx2d_ref	Reference	Ref	x(22)	
tx2d_tax_amt	Base Tax		->>, >>>, >>9.99	10
tx2d_tax_code	Tax Code		x(8)	
tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
tx2d_tax_in	Tax In	Tax! In	yes/no	
tx2d_tax_type	Tax Type		x(16)	
tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
tx2d_taxable_amt	Base Taxable		->>, >>>, >>9.99	10
tx2d_taxc	Tax Class	Tax! Class	x(3)	
tx2d_totamt	Total Amount		->>, >>>, >>9.99	10
tx2d_tottax	Taxable Sales	Taxable! Sales	->>, >>>, >>9.99	10
tx2d_tr_type	Transaction Type	TT	x(2)	
tx2d_trans_ent	Transaction Entity		x(4)	
tx2d_trl	Trailer	Trl	x(18)	
tx2d_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2d_user1	Ufld1		x(8)	
tx2d_user2	Ufld2		x(8)	
tx2d_zone_from	Ship-From Tax Zone		x(16)	
tx2d_zone_to	Ship-To Tax Zone		x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tx2d_det	yes	oid_tx2d_det	yes	no
tx2d_carrier	no	tx2d_domain	yes	no
		tx2d_carrier	yes	no
* tx2d_ref_nbr	yes	tx2d_domain	yes	no
		tx2d_ref	yes	no
		tx2d_nbr	yes	no
		tx2d_line	yes	no
		tx2d_trl	yes	no
		tx2d_tr_type	yes	no
		tx2d_tax_code	yes	no
tx2d_tax_code	no	tx2d_domain	yes	no
		tx2d_tax_code	yes	no

Tax Master

Field Name	Label	Col-Label	Format	Dec
tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
tx2_group	Tax Group		x(8)	
tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
tx2_inv_tx_grp	Customer Invoice Tax Group	Cust Inv Tax Grp	x(20)	
tx2_max	Maximum Taxable Amount	Max Amount	>>>,>>>,>>>,>>9.99<	10
tx2_method	Tax Method	Tax! Meth	x(2)	
tx2_min	Minimum Taxable Amount	Min Taxable	>>>,>>>,>>>,>>9.99<	10
tx2_mod_date	Modified Date	Mod Date	99/99/99	
tx2_pct_recv	Percent Recoverable	Pct Recov	->>9.99<<%	10
tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
tx2_pt_taxc	Item Tax Class	TxC	x(3)	
tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2_register	Tax Register		x(2)	
tx2_ret_cr_voc_tx_grp	Retained CN Tax Group	Retained CN Tax Grp	x(20)	
tx2_ret_voc_tx_grp	Retained Invoice Tax Group	Retained Inv Tax Grp	x(20)	
tx2_reverse_charge	Domestic Reverse Charge		yes/no	
tx2_stx_acct	Suspended Tax Account		x(8)	
tx2_stx_cc	CC		x(4)	
tx2_stx_cn_acct	Suspended Tax CN Account	Susp Tax CN Acct	x(8)	
tx2_stx_cn_sub	Suspended Tax CN Sub-Account	Susp Tax CN Sub-Acct	x(8)	
tx2_stx_dltx_use	Suspended/Delayed Taxes	Sus/Del! Taxes	yes/no	
tx2_stx_inv_acct	Suspended Tax Inv Account	Susp Tax Inv Acct	x(8)	
tx2_stx_inv_sub	Suspended Tax Inv Sub-Account	Susp Tax Inv Sub-Acct	x(8)	
tx2_stx_sub	Suspended Tax Sub Account	Sub-Acct	x(8)	
tx2_tax_code	Tax Code		x(8)	
tx2_tax_in	Allow Tax Included		yes/no	
tx2_tax_pct	Tax Rate		->>9.99<<%	10
tx2_tax_type	Tax Type		x(16)	
tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
tx2_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2_user1	Ufld1		x(8)	
tx2_user2	Ufld2		x(8)	
tx2_userid	User ID		x(8)	
tx2_voc_tx_grp	Supplier Invoice Tax Group	Sup Inv Tax Grp	x(20)	
tx2_wht_amt_for_100	Amount for Withhold 100% VAT		->>,>>9.99	2
tx2_wht_fix_amt	Fixed Amount		->>,>>9.99	2
tx2_wht_gi_jurisdiction_code	Gross Income Jurisdiction		x(8)	
tx2_wht_magnetic_file	Include in Files		yes/no	
tx2_wht_min_amt	Minimum Withhold Amount		->>,>>9.99	2
tx2_wht_min_nontax_amt	Minimum Non-taxable Amount		->>,>>9.99	2
tx2_wht_regime_code	Regime Code		x(8)	
tx2_wht_rg738_operation_code	Operation Code RG738		x(8)	
tx2_wht_rg738_tax_code	Tax Code RG738		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tx2_mstr	yes	oid_tx2_mstr	yes	no
tx2_register	no	tx2_domain	yes	no
		tx2_register	yes	no
* tx2_tax_code	yes	tx2_domain	yes	no
		tx2_tax_code	yes	no
tx2_type_taxc	yes	tx2_domain	yes	no
		tx2_tax_type	yes	no
		tx2_pt_taxc	yes	no
		tx2_tax_usage	yes	no
		tx2_effdate	yes	no

txbd det

Tax Base Detail

Field Name	Label	Col-Label	Format	Dec
oid_txbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txbd__qad01			x(8)	
txbd__qad02			x(8)	
txbd_base	Tax Base		x(8)	
txbd_domain	Domain		x(8)	
txbd_tax_type	Tax Type		x(16)	
txbd_user1	Ufld1		x(8)	
txbd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txbd_det	yes	oid_txbd_det	yes	no
* txbd_base_type	yes	txbd_domain	yes	no
		txbd_base	yes	no
		txbd_tax type	yes	no

txcl mstr

Tax Class Master

Field Name	Label	Col-Label	Format	Dec
oid_txcl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txcl__qadc01			x(24)	
txcl__qadc02			x(24)	
txcl_mod_date	Modified Date	Mod Date	99/99/99	
txcl_mod_userid	User ID		x(8)	
txcl_tax_cls	Tax Class		x(8)	
txcl_tax_desc	Description		x(24)	
txcl_user1	User Field Character 1		x(24)	
txcl_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txcl_mstr	yes	oid_txcl_mstr	yes	no
*	txcl_tax_cls	yes	txcl_tax_cls	yes	no

txc_ctrl

Tax Control

Field Name	Label	Col-Label	Format	Dec
oid_txc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
txc__chr01			x(8)	
txc__chr02			x(8)	
txc__dec01			->>>, >>>, >>9.99	10
txc__dec02			->>>, >>>, >>9.99	10
txc__dte01			99/99/99	
txc__log01			yes/no	
txc__qad01			x(8)	
txc__qad02			x(8)	
txc__qad03			yes/no	
txc__qad04			->>>, >>>, >>9.99	10
txc__qad05			99/99/99	
txc_ar_taxexcl	Customer Invoice Total Excludes Tax		yes/no	
txc_by_line	Tax-By-Line		yes/no	
txc_comment_type	Tax Comment Type		x(2)	
txc_ctype_code	Country Code	Ctry	x(3)	
txc_default_taxable	Taxable		yes/no	
txc_detrp	Display Detail on Reports		yes/no	
txc_domain	Domain		x(8)	
txc_edit_hist	Update History Allowed		yes/no	
txc_index1	Index		>>>>>g	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txc_ctrl	yes	oid_txc_ctrl	yes	no
*	txc_index1	yes	txc_domain	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_txed_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txed__log01			.9<<<<<<<<<<	
txed__qad01			yes/no	
txed__qad02			x(8)	
txed__qad03			x(8)	
txed__qadc01			yes/no	
txed__round	Rounding Method	R	x(24)	
txed__seq	Sequence	Sq	x(1)	
txed_tax_env	Tax Environment	Tax Env	>9	
txed_tax_type	Tax Type		x(16)	
txed_user1	Ufld1		x(16)	
txed_user2	Ufld2		x(8)	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_txenv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txenv__qadc01			.9<<<<<<<<<<	
txenv__qadc02			x(24)	
txenv_mod_date	Modified Date	Mod Date	x(24)	
txenv_mod_userid	User ID		99/99/99	
txenv_tax_desc	Description		x(8)	
txenv_tax_env	Tax Environment	Code	x(24)	
txenv_user1	User Field Character 1		x(16)	
txenv_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txenv_mstr	yes	oid_txenv_mstr	yes	no
*	txenv tax env	yes	txenv tax env	yes	no

txe mstr

Tax Environment Master

Field Name	Label	Col-Label	Format	Dec
oid_txe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txe__log01			.9<<<<<<<<<<	
txe__qad01	Description		yes/no	
txe__qad02			x(24)	
txe__qad03			x(8)	
txe__qadc01			yes/no	
txe_desc	Tax Environment	Tax Env	x(24)	
txe_tax_env	Tax Environment	Tax Env	x(16)	
txe_user1	Ufid1		x(16)	
txe_user2	Ufid2		x(8)	
txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(8)	
txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txe_mstr	yes	oid_txe_mstr	yes	no
txe_desc	no	txe_desc	yes	no
* txe_tax_env	yes	txe_tax_env	yes	no
txe_to_from	yes	txe_zone_to	yes	no
		txe zone from	yes	no

txhd det

Tax History Detail

Field Name	Label	Col-Label	Format	Dec
oid_txhd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
txhd_chr01			.9<<<<<<<<<	
txhd__chr02			x(8)	
txhd_dec01			x(8)	
txhd_dec02			->>, >>, >>9.99	10
txhd_dte01			->>, >>, >>9.99	10
txhd_log01			99/99/99	
txhd_qad01			yes/no	
txhd_qad02			x(8)	
txhd_qad03			x(8)	
txhd_qad04			yes/no	
txhd_qad05			->>, >>, >>9.99	10
txhd_qad06			->>, >>, >>9.99	10
txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
txhd_comm_code	Commodity Code	Com Code	99/99/99	
txhd_container	Container Indicator	C	x(8)	
txhd_curr	Currency	Cur	x(1)	
txhd_cust_ctry	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(3)	
txhd_db_export	Date Exported From Database	DBE Date	x(15)	
txhd_del_terms	Terms of Delivery	T Δ	99/99/99	
txhd_desdis_ctry	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_domain	Domain	E	x(8)	
txhd_edit_hist	Editible Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	

Field Name	Label	Col-Label	Format	Dec
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>, >>>, >>>, >>9.99	10
txhd_line	Line		>>>>9	
txhd_nbr	Number		x(8)	
txhd_net_wt	Net Weight	Net Wt	->>>>>>>9	
txhd_orig_ctry	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>, >>>, >>>, >>9.99	10
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_transh_port	Transshipment Port	T P	x(8)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>, >>>, >>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
old_txhd_det	yes	old_txhd_det	yes	no
txhd_fiscal_class	no	txhd_domain	yes	no
		txhd_fiscal_class	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_post_type	no	txhd_domain	yes	no
		txhd_posted	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_ref_nbr	yes	txhd_domain	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
		txhd_trl	yes	no
		txhd_tr_type	yes	no
		txhd_tax_code	yes	no
* txhd_tr_nbr	yes	txhd_domain	yes	no
		txhd_tr_nbr	yes	no

txty_mstr[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txy_mstr	yes	oid_txy_mstr	yes	no
*	txty_tax_type	yes	txty_tax_type	yes	no

txud det

Field Name	Label	Col-Label	Format	Dec
oid_txud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txud__qadc01			.9<<<<<<<<<	
txud__qadc02			x(24)	
txud__qadd01			->>>, >>>, >>9.99<<	10
txud_ap	No AP Accounting		Yes/No	
txud_ap_acct	Account		x(8)	
txud_ap_cc	Cost Center		x(4)	
txud_ap_sub	Sub-Account		x(8)	
txud_cfop_comp	CFOP Complement		x(12)	
txud_cfop_dig2	Second CFOP Digit		9	
txud_cfop_dig3	Third CFOP Digit		9	
txud_cfop_dig4	Fourth CFOP Digit		9	
txud_domain	Domain		x(8)	
txud_fb_remarks	Remarks		x(50)	
txud_fb_suffix	Suffix		x(2)	
txud_fut_shp	Future Delivery		x(1)	
txud_mod_date	Modified Date	Mod Date	99/99/99	
txud_mod_userid	User ID		x(8)	
txud_op	Operation		>9	
txud_service	Service		Yes/No	
txud_simp_inv	Simple Invoicing		Yes/No	
txud_sort	Sort Name		x(24)	
txud_tax_usage	Tax Usage		x(8)	
txud_user1	User Field Character 1		x(24)	
txud_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txud_det	yes	oid_txud_det	yes	no
* txud_tax_usg	yes	txud_domain	yes	no
		txud_tax_usage	yes	no

txu mstr

Field Name	Label	Col-Label	Format	Dec
oid_txu_mstr			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
txu__qadc01			x(24)	
txu__qadc02			x(24)	
txu mod date	Modified Date	Mod Date	99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txu_mstr	yes	oid_txu_mstr	yes	no
txu_tax_usg	yes	txu_tax_usage	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txz_mstr	yes	oid_txz_mstr	yes	no
txz_ctry_state	yes	txz_ctry_code	yes	no
		txz_state	yes	no
		txz_county	yes	no
		txz_city	yes	no
		txz_zip	yes	no
txz_desc	no	txz_desc	yes	no
* txz_tax_zone	yes	txz_tax_zone	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_typ_mstr	yes	oid_typ_mstr	yes	no
*	typ_type	yes	typ_type	yes	no

tzod det

Service/Support Time Zone Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	old_tzod_det	yes	old_tzod_det	yes	no
	tzod_tzond	yes	tzod_tzone	yes	no
			tzod_std_day	yes	no
			tzod_syear	yes	no
			tzod_eyear	yes	no

tzo_mstr

Service/Support Time Zone Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
tzo_mod_userid	User ID		X(8)	
tzo_tzone	Time Zone Tindex		X(20)	
tzo_user1	Ufld1		X(8)	
tzo_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tzo_mstr	yes	oid_tzo_mstr	yes	no
tzo_area	no	tzo_area	yes	no
* tzo_label	yes	tzo_label	yes	no
		tzo_area	yes	no

UDCConfig

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	
UDCConfig_ID	record ID		9999999999	
UDCConfigCode	UDC Config Code		x(20)	
UDCConfigHasCreate	Has Create Activity		yes/no	
UDCConfigHasDelete	Has Delete Activity		yes/no	
UDCConfigHasMaintain	Has Maintain Activity		yes/no	
UDCConfigHasModify	Has Modify Activity		yes/no	
UDCConfigHasView	Has View Activity		yes/no	
UDCConfigLabel	UDC Config Label		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
CodeAK	yes	UDCCConfigCode	yes	no
LabelAK	yes	UDCCConfigLabel	yes	no
◇* prim	yes	UDCCConfig_ID	yes	no

udd_det

Field Name	Label	Col-Label	Format	Dec
oid_udd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
udd__qadc01			.9<<<<<<<<<	
udd__qadc02			x(24)	
udd_domain	Domain		x(8)	
udd_groups	Roles		x(189)	
udd_mod_date	Modified Date	Mod Date	99/99/99	
udd_mod_userid	User ID		x(8)	
udd_primary	Default Domain		yes/no	
udd_user1	User Field Character 1		x(24)	
udd_user2	User Field Character 2		x(24)	
udd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udd_det	yes	oid_udd_det	yes	no
udd_domain	no	udd_domain	yes	no
udd_primary	no	udd_userid	yes	no
		udd_primary	yes	no
* udd_userid	yes	udd_userid	yes	no
		udd_domain	yes	no

udfcls_mstr

Field Name	Label	Col-Label	Format	Dec
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
udfcls__qadc01			.9<<<<<<<<<	
udfcls__qadc02			x(24)	
udfcls_class	Field Class		x(8)	
udfcls_desc	Description		x(48)	
udfcls_domain	Domain		x(8)	
udfcls_mod_date	Modified Date	Mod Date	99/99/99	
udfcls_mod_userid	User ID		x(8)	
udfcls_user1	Ufld1		x(24)	
udfcls_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
* udfcls_class	yes	udfcls_domain	yes	no
		udfcls_class	yes	no

udfclud_det UDF Class Use Table

Field Name	Label	Col-Label	Format	Dec
oid_owning_record			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_udfcls_mstr			.9<<<<<<<<<	
oid_udfclud_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
udfclud__qadc01			x(24)	
udfclud__qadc02			x(24)	
udfclud_mod_date	Modified Date	Mod Date	99/99/99	
udfclud_mod_userid	User ID		x(8)	
udfclud_table_name	Table		x(14)	
udfclud_user1	Ufid1		x(24)	
udfclud_user2	Ufid2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udfclud_det	yes	oid_udfclud_det	yes	no
udfclud_oid_class	yes	oid_udfcls_mstr	yes	no
		oid_owning_record	yes	no
* udfclud_oid_owner	yes	oid_owning_record	yes	no
		oid_udfcls_mstr	yes	no

ufd_det User Function Key Detail

Field Name	Label	Col-Label	Format	Dec
oid_ufd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
ufd__qadc01			.9<<<<<<<<	
ufd_exec	Execution File		x(8)	
ufd_fkey	Function Key	Key	x(14)	
ufd_label	Label		>>9	
ufd_nbr	Menu		x(40)	
ufd_nbrsel	Menu/Sel		x(16)	
ufd_select	Selection	Select	x(12)	
ufd_seq	Sequence	Seq	>9	
ufd_user1	Ufld1		>>9	
ufd_user2	Ufld2		x(8)	
ufd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ufd_det	yes	oid_ufd_det	yes	no
ufd_label	no	ufd_userid	yes	no
		ufd_label	yes	no
ufd_nbrsel	no	ufd_userid	yes	no
		ufd_nbrsel	yes	no
* ufd_ufs	yes	ufd_userid	yes	no
		ufd_fkey	yes	no
		ufd_seq	yes	no

UMGroupD Warehousing Unit of Measure Group Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* GroupUM	yes	Domain	yes	no
		UMGroup	yes	no
		AltUM	yes	no
oid_UMGroupD	yes	oid_UMGroupD	yes	no
◇ UMGroup	yes	Domain	yes	no
		AltUM	yes	no
		UMGroup	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UMGroupM Warehousing Unit of Measure Group Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ModUserID	Modified		x(8)	
oid_UMGroupM			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UM	UM		x(2)	
UMGroup	UM Group	Group	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_UMGroupM	yes	oid_UMGroupM	yes	no
◇* UMGroup	yes	Domain	yes	no
		UMGroup	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

umsg_det User Message Detail

Field Name	Label	Col-Label	Format	Dec
oid_umsg_det			>>>>>>>>>>>>>>>>>>>>>>9	10
umsg__qadc01			.9<<<<<<<<<	
umsg_addr	Address		x(8)	
umsg_call_pgm	Calling Program		x(8)	
umsg_domain	Domain		x(14)	
umsg_exec_pgm	Execution File	Exec File	x(8)	
umsg_lang	Language		x(14)	
umsg_level	Severity		x(2)	
umsg_nbr	Message Number	Msg	9	
umsg_seq	Message Sequence		>>>>9	
umsg_site	Site		>>9	
umsg_user1	Ufld1		x(8)	
umsg_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_umsdg_det	yes	oid_umsdg_det	yes	no
umsdg_call	yes	umsdg_domain	yes	no
		umsdg_call_pgm	yes	no
		umsdg_lang	yes	no
		umsdg_site	yes	no
		umsdg_addr	yes	no
		umsdg_nbr	yes	no
		umsdg_seq	yes	no
* umsg_cm	yes	umsdg_domain	yes	no
		umsdg_lang	yes	no
		umsdg_site	yes	no
		umsdg_addr	yes	no
		umsdg_call_pgm	yes	no
		umsdg_nbr	yes	no
		umsdg_seq	yes	no

um mstr

Unit of Measure Conversion Master

Field Name	Label	Col-Label	Format	Dec
oid_um_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
um_chr01			.9<<<<<<<<<	
um_chr02			x(8)	
um_chr03			x(8)	
um_chr04			x(8)	
um_chr05			x(8)	
um_chr06			x(8)	
um_dec01			>>>, >>>, >>9.99	10
um_dec02			>>>, >>>, >>9.99	10
um_dte01			99/99/99	
um_dte02			99/99/99	
um_log01			yes/no	
um_log02			yes/no	
um_alt_qty	UM Qty		>>>>9.9<<<<	10
um_alt_um	Alternate UM	Alt	x(2)	
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
um_domain	Domain		x(8)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_um_mstr	yes	oid_um_mstr	yes	no
um_part	yes	um_domain	yes	no
		um_part	yes	no
		um_um	yes	no
		um_alt_um	yes	no
* um_um_alt_pt	yes	um_domain	yes	no
		um_um	yes	no
		um_alt_um	yes	no
		um_part	yes	no

Printer/User Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_upd_det	yes	oid_upd_det	yes	no
* upd_uns	yes	upd_userid	yes	no
		upd_nbr	yes	no
		upd_select	yes	no

Update Restriction Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_urd_det	yes	oid_urd_det	yes	no
urd_account	no	oid_ur_mstr	yes	no
		urd_domain	yes	no
		urd_part	yes	no
		urd_site	yes	no
		urd_location	yes	no
		urd_inv_status	yes	no
		urd_account	yes	no
		urd_sub_account	yes	no
		urd_cost_center	yes	no
		urd_project	yes	no
* urd_oid_ur_mstr	no	oid_ur_mstr	yes	no
		urd_domain	yes	no
		urd_part	yes	no
		urd_site	yes	no
		urd_site_to	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		urд_location	yes	no
		urд_location_to	yes	no
		urд_inv_status	yes	no
		urд_inv_status to	yes	no

url mstr URL Master

Field Name	Label	Col-Label	Format	Dec
oid_url_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
url__qadc02			.9<<<<<<<<<	
url__qadc03			X(8)	
url__qadd01			x(8)	
url__qadi01			->>>>, >>>, >>9.99<<<	10
url__qadi02			->, >>>, >>9	
url__qadi01			>>>>>>9	
url__qadt01			yes/no	
url_addr	User ID		99/99/99	
url_call_pgm	Browse		X(8)	
url_desc	Description		X(14)	
url_determine	Determine		x(50)	
url_exec	URL to execute		yes/no	
url_field	Field		x(50)	
url_field_value	Value		X(32)	
url_image	GIF File Name		x(50)	
url_mod_date	Modified Date	Mod Date	x(15)	
url_mod_userid	User ID		99/99/99	
url_primary	Primary		X(8)	
url_script	URL Script		yes/no	
url_type	Type		x(60)	
url_user1	Ufld1		x(8)	
url_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_url_mstr	yes	oid_url_mstr	yes	no
url_type_call_pgm	no	url_type	yes	no
		url_call_pgm	yes	no
		url_addr	yes	no
		url_field	yes	no
		url_field_value	yes	no
* url_type_field	yes	url_type	yes	no
		url_field	yes	no
		url_field_value	yes	no
		url_addr	yes	no
		url_call_pgm	yes	no
		url_exec	yes	no
		url_script	yes	no

ursc_det	Update Status Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_urd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_ursc_det			.9<<<<<<<<<<	
ursc_qadc01			x(24)	
ursc_qadc02			x(24)	
ursc_inv_status	Inv Status		x(9)	
ursc_mod_date	Modified Date	Mod Date	99/99/99	
ursc_mod_userid	User ID		x(8)	
ursc_user1	User Field Character 1		x(24)	
ursc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ursc_det	yes	oid_ursc_det	yes	no
*	ursc_oid_urd_det	yes	oid_urd_det	yes	no
			ursc inv status	yes	no

ur mstr Update Restriction Master

Field Name	Label	Col-Label	Format	Dcs
oid_ingd_det			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_ur_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_usrgr_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
ur__qadc01			x(24)	
ur__qadc02			x(24)	
ur_mod_date	Modified Date	Mod Date	99/99/99	
ur_mod_userid	User ID		x(8)	
ur_user1	User Field Character 1		x(24)	
ur_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ur_mstr	yes	oid_ur_mstr	yes	no
* ur_role	yes	oid_usr_g_mstr	yes	no
		oid lngd det	yes	no

UserD Warehousing RF User Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
❖ ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
		Task	yes	no
		TrType	yes	no
		IntRouteCode	yes	no
oid_UserD	yes	oid_UserD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserGroupD Warehousing RF User Group Detail

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_UserGroupD			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserGroup	User Group	User! Group	x(8)	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	ActUserID	no	Domain	yes	no
			ActUserID	yes	no
*	GroupUser	yes	Domain	yes	no
			UserGroup	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ActUserID	yes	no
	yes	oid_UserGroupD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserGroupM Warehousing RF User Group Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_UserGroupM	yes	oid_UserGroupM	yes	no
*	UserGroup	yes	Domain	yes	no
			UserGroup	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

UserM Warehousing RF User Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID	Calendar	x(8)	
Calendar	Calendar		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Desc2	Description		x(8)	

Field Name	Label	Col-Label	Format	Dec
Description	Description		x(24)	
Domain	Domain		x(8)	
LineSort	Line Sort		x(8)	
MaxPalLoad	Max Pallet Load		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserM			>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
OrdSort	Order Sort		.9<<<<<<<<	
Picking	Picking		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanLot	Scan Lot		yes/no	
ScanRef	Scan Ref		yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
⋄* ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
oid_UserM	yes	oid_UserM	yes	no
⋄ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserSysM Warehousing User System Code Security Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ExecSystemUser	yes	Domain	yes	no
		MenuExec	yes	no
		SystemCode	yes	no
		ActUserID	yes	no
oid_UserSysM	yes	oid_UserSysM	yes	no
* UserSystemOption	yes	Domain	yes	no
		ActUserID	yes	no
		SystemCode	yes	no
		MenuOption	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserWLG Warehousing User/Work Location Group Master

Field Name	Label	Col-Label	Format	Dec
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SystemFlavor	Flavor	Flv	x(1)	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActUserID	no	Domain	yes	no
		ActUserID	yes	no
oid_UserWLGm	yes	oid_UserWLGm	yes	no
◇ UserIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ActUserID	yes	no
		WLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* UWLGmIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no
		ActUserID	yes	no

usg_det	Application Usage Detail

Field Name	Label	Col-Label	Format	Dec
oid_usg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
usg__qadc01			.9<<<<<<<<<	
usg__qadc02			x(24)	
usg__qadd01			->>>, >>>, >>9<<<<<<<<<	10
usg__qadt01			99/99/99	
usg_clear_date	Clear Date		99/99/99	
usg_count	Access Count		>>>, >>>, >>9	
usg_date	Access Date		99/99/99	
usg_exec	Program		x(16)	
usg_product	Application		x(16)	
usg_time	Access Time		>>, >>>, >>9	
usg_user1	User Field Character 1		x(24)	
usg_user2	User Field Character 2		x(24)	
usg_userid	Last Accessed By	User ID	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usg_det	yes	oid_usg_det	yes	no
* usg_product	yes	usg_product	yes	no
		usg_exec	yes	no

uslh_hist	User Logon History

Field Name	Label	Col-Label	Format	Dec
oid_uslh_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
uslh__qadc01			x(24)	
uslh__qadc02			x(24)	
uslh_access_type	Access Type	Access! Type	9	
uslh_date	Logon Date	Logon! Date	99/99/99	
uslh_domain	Domain		x(8)	
uslh_mod_date	Modified Date	Mod Date	99/99/99	
uslh_mod_userid	User ID		x(8)	
uslh_passwd_valid	Password Valid	Passwd! Valid	yes/no	
uslh_status_code	Logon Status Code	Status! Code	x(8)	
uslh_time	Logon Time		>>>>9	
uslh_timezone	Time Zone	Time! Zone	x(8)	
uslh_user1	User Field Character 1		x(24)	
uslh_user2	User Field Character 2		x(24)	
uslh_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_uslh_hist	yes	oid_uslh_hist	yes	no
uslh_status_code	no	uslh_status_code	yes	no
		uslh_date	no	no
		uslh_time	no	no
* uslh_userid	no	uslh_access_type	yes	no
		uslh_userid	yes	no
		uslh_date	no	no
		uslh_time	no	no
		uslh_passwd_valid	yes	no

uspw_hist User Password History

Field Name	Label	Col-Label	Format	Dec
oid_uspw_hist			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
uspw__qadc01			x(24)	
uspw__qadc02			x(24)	
uspw_date	Password Create Date	Create! Date	99/99/99	
uspw_mod_date	Modified Date	Mod Date	99/99/99	
uspw_mod_userid	User ID		x(8)	
uspw_time	Password Create Time	Create! Time	>>>>9	
uspw_timezone	Time Zone	Time! Zone	x(8)	
uspw_user1	User Field Character 1		x(24)	
uspw_user2	User Field Character 2		x(24)	
uspw_userid	User ID		x(8)	
uspw_usr_passwd	Encoded Password	Password	x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_uspw_hist	yes	oid_uspw_hist	yes	no
*	uspw_userid	yes	uspw_userid	yes	no
			uspw_date	no	no
			uspw_time	no	no

Usr User

Field Name	Label	Col-Label	Format	Dec
DefaultLng_ID	Default Language		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Usr_ID	Record ID		9999999999	
UsrInitials	Initials	Init	x(20)	
UsrIsActive	Active	Act	yes/no	
UsrLogin	Login		x(20)	
UsrMailAddress	E-mail Address	Mail	x(60)	
UsrName	User Name		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
InitialsIdx	no	UsrInitials	yes	no
◇ Lng	no	DefaultLng_ID	yes	no
LoginIdx	yes	UsrLogin	yes	no
NameIdx	no	UsrName	yes	no
◇* Prim	yes	Usr_ID	yes	no

UsrCompany Link User-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User		9999999999	
UsrCompany_ID	Record ID		9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	Company	no	Company_ID	yes	no
	CompanyAndUser	yes	Usr_ID	yes	no
			Company_ID	yes	no
◇	Domain_FK	no	Domain_ID	yes	no
◇*	Prim	yes	UsrCompany_ID	yes	no
◇	Usr	no	Usr_ID	yes	no

usrc_ctrl	User Control

Field Name	Label	Col-Label	Format	Dec
oid_usrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_usrg_mstr_admin	Administrator Group		.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
usrc_qad01			x(8)	
usrc_qad02			x(8)	
usrc_active_rsn_type	Active Reason Type	Active Rsn! Type	x(8)	
usrc_deactivation_rsn	Auto-deactivation Reason Code	Deactivation! Reason	x(8)	
usrc_em_system_id	Email System	Email! System	X(8)	
usrc_expire_days	Password Expiration Days		>>>>9	
usrc_index1	Index		>>>>>9	
usrc_ldap	LDAP Enabled		yes/no	
usrc_logon_hist_level	Logon History Level	Logon! History! Level	x(2)	
usrc_max_access_fails	Max Access Failures	Max! Access! Failures	>>9	
usrc_min_length	Minimum Password Length	Min! Passwd! Length	>9	
usrc_min_non_numeric	Minimum Non-numeric Characters	Non! Num! Char	>9	
usrc_min_numeric	Minimum Numeric Characters	Numeric! Char	>9	
usrc_password_create	Password Creation Method	Passwd! Create	x(2)	
usrc_reuse_changes	Min Password Reuse Changes	Reuse! Changes	>9	
usrc_reuse_days	Min Password Reuse Days	Reuse! Days	>>>>9	
usrc_right_hdr_disp	Right Header Display Mode		9	
usrc_sec_opt	Security Option		x(1)	
usrc_sess_id	Session ID Prefix		x(3)	
usrc_sso	Single Sign On Enabled		yes/no	
usrc_timeout_min	Timeout Minutes		>>>>9	
usrc_user1	Ufld1		x(8)	
usrc_user2	Ufld2		x(8)	
usrc_warning_days	Warning Days	Passwd! Warning! Days	>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrc_ctrl	yes	oid_usrc_ctrl	yes	no
*	usrc_index1	yes	usrc_index1	yes	no

UsrDomain Link User-Domain

Field Name	Label	Col-Label	Format	Decimals
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User		9999999999	
UsrDomain_ID	Record ID		9999999999	
UsrDomainIsDefault	Default		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
* UsrDomain PK	yes	UsrDomain ID	yes	no

usr_gd_det User Role Detail

Field Name	Label	Col-Label	Format	Description
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>9 10	
oid_usrgd_det			.9<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
usrgd__qadc01			x(24)	
usrgd__qadc02			x(24)	
usrgd_domain	Domain		x(8)	
usrgd_mod_date	Modified Date	Mod Date	99/99/99	
usrgd_mod_userid	User ID		x(8)	
usrgd_user1	User Field Character 1		x(24)	
usrgd_user2	User Field Character 2		x(24)	
usrgd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usrgd_det	yes	oid_usrgd_det	yes	no
* usrgd_oid_usrgr_mstr	yes	oid_usrgr_mstr	yes	no
		usrgr_domain	yes	no
		usrgr_userid	yes	no
usrgr_userid	yes	usrgr_userid	yes	no
		usrgr_domain	yes	no
		oid_usrgr_mstr	yes	no

usrgm_det Role Compatibility Matrix

Field Name	Label	Col-Label	Format	Description
oid_usrgm_det			>>>>>>>>>>>>>>>>>>>>>910 .9<<<<<<<<	
usrgm__qadc01			x(24)	
usrgm__qadc02			x(24)	
usrgm_group1	Role Name		x(20)	
usrgm_group2	Role Name		x(20)	
usrgm_mod_date	Modified Date	Mod Date	99/99/99	
usrgm_mod_userid	User ID		x(8)	
usrgm_user1	User Field Character 1		x(24)	
usrgm_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrgm_det	yes	oid_usrgm_det	yes	no
*	usrgm_group_pair	yes	usrgm_group1	yes	no
			usrgm_group2	yes	no

usrg_mstr User Role Master

Field Name	Label	Col-Label	Format	Dec
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
usrg__qadc01			.9<<<<<<<<<	
usrg__qadc02			x(24)	
usrg_active	Active		x(24)	
usrg_group_desc	Role Description		yes/no	
usrg_group_name	Role Name	Role	x(24)	
usrg_mod_date	Modified Date	Mod Date	x(20)	
usrg_mod_userid	User ID		99/99/99	
usrg_sod_conflict	Role Conflict		x(8)	
usrg_user1	User Field Character 1		yes/no	
usrg_user2	User Field Character 2		x(24)	
			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
*	usrg_group_name	yes	usrg_group_name	yes	no

usr_l_det	User Licensed Application Detail

Field Name	Label	Col-Label	Format	Dec
oid_usr1_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
usr1_qadc01			.9<<<<<<<<<	
usr1_qadc02			x(24)	
usr1_qadd01			x(24)	
usr1_qadt01			->>>>, >>>, >>9.9<<<<<<<<<	10
usr1_active	Active		99/99/99	
usr1_active_date	Activated Date		yes/no	
usr1_deactive_by	Deactivated By		99/99/99	
usr1_deactive_date	Deactivated Date		x(8)	
usr1_mod_date	Modified Date	Mod Date	99/99/99	
usr1_mod_userid	User ID		99/99/99	
usr1_product	Application		x(8)	
usr1_user1	User Field Character 1		x(16)	
usr1_user2	User Field Character 2		x(24)	
usr1_userid	User ID		x(24)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usr1_det	yes	oid_usr1_det	yes	no
usr1_product	no	usr1_product	yes	no
		usr1_userid	yes	no
* usr1_userid	yes	usr1_userid	yes	no
		usr1_product	yes	no

UsrProperty User Property

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Link to Usr		9999999999	
UsrProperty_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	UsrProperty_ID	yes	no
UsrId	yes	Usr_ID	yes	no

UsrRole Link User-Role

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	Role		9999999999	
Usr_ID	User		9999999999	
UsrRole_ID	Record ID		9999999999	
UsrRoleIsDefaultRole	Default Role		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	UsrRole_ID	yes	no
◇ Role	no	Role_ID	yes	no
◇ Usr	no	Usr_ID	yes	no
UsrAndRole	yes	Usr_ID	yes	no
		Role_ID	yes	no

UsrRoleCompanyLink User-Role-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	Role		9999999999	
Usr_ID	User		9999999999	
UsrRole_ID	User Role		9999999999	
UsrRoleCompany_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Domain_FK	no	Domain_ID	yes	no
◇* Prim	yes	UsrRoleCompany_ID	yes	no
◇ Role_FK	no	Role_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
◇ UsrRole	no	UsrRole_ID	yes	no

UsrRoleDomainLink User-Role-Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	Role		9999999999	
Usr_ID	User		9999999999	
UsrRole_ID	User Role		9999999999	
UsrRoleDomain_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇* prim	yes	UsrRoleDomain_ID	yes	no
◇ Role_FK	no	Role_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
UsrRole_FK	no	UsrRole_ID	yes	no

UsrRoleScopeLink User-Role Scope

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>.>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	
UsrRole_ID	User Role		9999999999	
UsrRoleScope_ID	Record ID		9999999999	
UsrRoleScopeValue	Role Scope Value		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	UsrRoleScope_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ UniqueIdx	yes	UsrRoleScopeValue	yes	no
		Company_ID	yes	no
		SharedSet_ID	yes	no
		UsrRole_ID	yes	no
◇ UsrRole	no	UsrRole_ID	yes	no

usrw_wkfl User Work Table

Field Name	Label	Col-Label	Format	Dec
oid_usrw_wkfl			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
usrw__qadc01			x(8)	
usrw_charfld[15]			x(8)	
usrw_datefld[4]			99/99/99	
usrw_decfld[15]			->, >>9.99	10
usrw_domain	Domain		x(8)	
usrw_intfld[15]			->, >>>, >>9	
usrw_key1			x(8)	
usrw_key2			x(8)	
usrw_key3			x(8)	
usrw_key4			x(8)	
usrw_key5			x(8)	
usrw_key6			x(8)	
usrw_logfld[15]			yes/no	
usrw_user1	Ufld1		x(8)	
usrw_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usrw_wkfl	yes	oid_usrw_wkfl	yes	no
* usrw_index1	yes	usrw_domain	yes	no
		usrw_key1	yes	no
		usrw_key2	yes	no
usrw_index2	no	usrw_domain	yes	no
		usrw_key3	yes	no
		usrw_key4	yes	no
usrw_index3	no	usrw_domain	yes	no
		usrw_key5	yes	no
		usrw_key6	yes	no

Field Name	Label	Col-Label	Format	Dec
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Record ID		9999999999	
VatAVRType	AVR Code		x(20)	
VatCode	Tax Code		x(20)	
VatDescription	Description		x(40)	
VatInOut	Tax In/Out	In/Out	x(20)	
VatInvoiceText	Tax Text on Invoice		x(2000)	
VatIsAbsorbed	Absorbed		yes/no	
VatIsActive	Active	Act	yes/no	
VatIsDelay	Delay		yes/no	
VatIsGlobalTax	Global Tax		yes/no	
VatIsRetained	Retained		yes/no	
VatPercentageLevel	Tax Percentage Level	Pct Level	x(20)	
VatTransactionType	Transaction Type	Trans Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
IsGlobal	no	VatIsGlobalTax	yes	no
◇* Prim	yes	Vat_ID	yes	no
◇ UniqueIdx	yes	Domain_ID	yes	no
		VatCode	yes	no
		VatInOut	yes	no
VatCodeldx	no	VatCode	yes	no
◇ ViewIndex	no	VatIsActive	yes	no
		VatCode	yes	no

VatBox

Tax Box

Field Name	Label	Col-Label	Format	Dec
Country_ID	Tax Country Code	Country	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatBox_ID	Record ID		9999999999	
VatBoxCode	Tax Box Code	Tax Box	x(20)	
VatBoxDescription	Description		x(40)	
VatBoxIsActive	Active		yes/no	
VatBoxType	Tax Box Type	Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
BoxCode	yes	VatBoxCode	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	VatBox_ID	yes	no
◇ ViewIndex	no	VatBoxIsActive	yes	no
		VatBoxCode	yes	no

VatExport

Tax Export

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Country_ID	Link to Country		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatExport_ID	Record ID		9999999999	
VatExportEstimate	Estimated Declaration		->,>>>,>>>,>>9	
VatExportFileName	File Name		x(255)	
VatExportMessageIdentity	Message ID		x(20)	
VatExportPeriodType	Tax Period Type		x(20)	
VatNumber_ID	Link to VatNumber		9999999999	
VatPeriod_ID	GL Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	VatExport_ID	yes	no
Unique2Idx	yes	VatExportMessageIdentity	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		VatExportPeriodType	yes	no
		VatPeriod_ID	yes	no
		Country_ID	yes	no
◇ VatNumber	no	VatNumber_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no

VatGroup

Tax Group

Field Name	Label	Col-Label	Format	Dec
DiscountGLProfile_ID	Discount GL Profile		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

914 VatGroupBoxLink

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatGroup_ID	Record ID		9999999999	
VatGroupCode	Tax Group Code		x(20)	
VatGroupDescription	Description		x(40)	
VatGroupsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	VatGroupCode	yes	no
◇ DiscountGLProfile	no	DiscountGLProfile_ID	yes	no
◇* prim	yes	VatGroup_ID	yes	no
◇ ViewIndex	no	VatGroupsActive	yes	no
		VatGroupCode	yes	no

VatGroupBoxLinkTax Group Box Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatBox_ID	Tax Box Code		9999999999	
VatGroup_ID	Link to VatGroup		9999999999	
VatGroupBoxLink_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	VatGroupBoxLink_ID	yes	no
VatBox	no	VatBox_ID	yes	no
VatGroup	no	VatGroup_ID	yes	no
VatGrpVatBox	yes	VatGroup_ID	yes	no
		VatBox_ID	yes	no

VatNumber Tax Number

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Link to BusinessRelation		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DeclarationCountry_ID	Country Tax Declaration	Country Tax Decl	9999999999	
IdentityCountry_ID	Country Tax Identification	Country Tax Ident	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatNumber_ID	Record ID		9999999999	
VatNumberDeclaration	Tax Declaration Number	Tax Declaration No	x(20)	
VatNumberIdentity	Tax Identification Number	Tax Identification No	x(20)	
VatNumberIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
◇ Country	no	IdentityCountry_ID	yes	no
Identity	no	VatNumberIdentity	yes	no
◇* Prim	yes	VatNumber_ID	yes	no
VatNumberUniqueldx	yes	BusinessRelation_ID	yes	no
		VatNumberIdentity	yes	no
		IdentityCountry_ID	yes	no
◇ ViewIndex	no	VatNumberIsActive	yes	no
		VatNumberIdentity	yes	no

VatPercent Tax Percent

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatPercent_ID	Record ID		9999999999	
VatPercentCode	Tax Percent Code		x(20)	
VatPercentDescription	Description		x(40)	
VatPercentsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	VatPercentCode	yes	no
◇* prim	yes	VatPercent_ID	yes	no
◇ ViewIndex	no	VatPercentsActive	yes	no
		VatPercentCode	yes	no

VatPercentLineTax Percent Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatPercent_ID	Link to VatPercent		9999999999	
VatPercentLine_ID	Record ID		9999999999	
VatPercentLineFromDate	Valid from		99/99/9999	
VatPercentLinePercentage	Percentage		>>9.99	2
VatPercentLineTillDate	Valid to		99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	VatPercentLine_ID	yes	no
VatPercent	no	VatPercent_ID	yes	no

VatPeriodTax Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Mark		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatPeriod_ID	Record ID		9999999999	
VatPeriodEndDate	End Date		99/99/9999	
VatPeriodIsReportChecked	Checked/Reported		yes/no	
VatPeriodPeriod	Tax Period	Tax Pd	99	
VatPeriodStartDate	Start Date		99/99/9999	
VatPeriodStatus	Status		x(20)	
VatPeriodYear	Tax Year		9999	
VatPeriodYearPeriod	Tax Year/GL Period	Tax Year/GL Pd	999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ EndDate	no	VatPeriodEndDate	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇* Prim	yes	VatPeriod_ID	yes	no
◇ StartDate	no	VatPeriodStartDate	yes	no
◇ VatPeriod	no	VatPeriodPeriod	yes	no
VatYear	no	VatPeriodYear	yes	no
◇ YearPeriod	no	VatPeriodYearPeriod	yes	no
YearPeriodCompany	yes	Company_ID	yes	no
		VatPeriodYear	yes	no
		VatPeriodPeriod	yes	no

VatRule

Tax Rule

Field Name	Label	Col-Label	Format	Dec
AbsorbedCreditNVatGroup_ID	Tax Group Code		9999999999	
AbsorbedInvoiceVatGroup_ID	Tax Group Code		9999999999	
CreditNoteGLProfile_ID	CN GL Profile		9999999999	
CreditNoteVatGroup_ID	Credit Note Tax Group		9999999999	
CreditVoucherVatGroup_ID	Tax Group Code		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DelayedGLProfile_ID	Delayed GL Profile		9999999999	
InvoiceGLProfile_ID	Invoice GL Profile		9999999999	
InvoiceVatGroup_ID	Invoice Tax Group		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RetainCVoucherVatGroup_ID	Tax Group Code		9999999999	
RetainVoucherVatGroup_ID	Tax Group Code		9999999999	
Vat_ID	Link to Vat		9999999999	
VatPercent_ID	Tax Percentage		9999999999	
VatRule_ID	Record ID		9999999999	
VatRuleBaseFull	Base/Full		x(20)	
VatRuleDelayCorrection	Delay Correction		9	
VatRuleDescription	Description		x(40)	
VatRuleIsDelayed	Delayed		yes/no	
VatRuleIsPassBaseValue	Base Value		yes/no	
VatRuleIsPosting	Posting		yes/no	
VatRuleMovementType	Activity Type		x(20)	
VatRuleOperator	Operator	Opr	x(1)	
VatRuleRef1	Reference 1	Ref 1	x(20)	
VatRuleRef2	Reference 2	Ref 2	x(20)	
VatRuleRounding	Rounding		x(20)	

Field Name	Label	Col-Label	Format	Dec
VatRuleSequence	Sequence	Seq	->, >>>, >>9	
VatRuleUsage	Usage		x(20)	
VatRuleValue	Value		->>, >>>, >>>, >>9.9999	4
VoucherVatGroup_ID	Tax Group Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BaseFull	no	VatRuleBaseFull	yes	no
CreditNoteGLProfile	no	CreditNoteGLProfile_ID	yes	no
CreditNoteVatGroup	no	CreditNoteVatGroup_ID	yes	no
◇ DiscountGLProfile	no	DelayedGLProfile_ID	yes	no
InvoiceGLProfileIdx	no	InvoiceGLProfile_ID	yes	no
InvoiceVatGroup	no	InvoiceVatGroup_ID	yes	no
LogicalKeyUniqueldx	yes	VatRuleBaseFull	yes	no
		VatRuleSequence	yes	no
		Vat_ID	yes	no
◇* Prim	yes	VatRule_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

Supplier Fiscal Data Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vdf_mstr	yes	oid_vdf_mstr	yes	no
*	vdf_addr	yes	vdf_domain	yes	no
			vdf_addr	yes	no

Supplier Master

Field Name	Label	Col-Label	Format	Dec
oid_btr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_vd_mstr			.9<<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vd__chr01			.9<<<<<<<<<<	
vd__chr01			x(8)	
vd__chr02			x(8)	
vd__chr03			x(8)	
vd__chr04			x(8)	
vd__chr05			x(8)	
vd__chr06			x(8)	
vd__chr07			x(8)	
vd__chr08			x(8)	
vd__chr09			x(8)	
vd__chr10			x(8)	
vd__dec01			>>>, >>>, >>9.99	10
vd__dec02			>>>, >>>, >>9.99	10
vd_dte01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
vd__dte02			99/99/99	
vd__log01			yes/no	
vd__qadc01	QAD Field		X(8)	0
vd__qadc02	QAD Field		X(8)	0
vd__qadc03	QAD Field		X(8)	0
vd__qadc04	QAD Field		X(8)	0
vd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vd__qadi01			>>>>>>9	
vd__qadi02			>>>>>>9	
vd__qadi01			yes/no	
vd__qadi02			yes/no	
vd__qadi03			yes/no	
vd__qadi04			yes/no	
vd__qadt01			99/99/99	
vd__qadt02			99/99/99	
vd_1099	Tax Report	Tax Rpt	yes/no	
vd_active	Active		yes/no	
vd_addr	Supplier		x(8)	
vd_ap_acct	AP Account	AP Acct	x(8)	
vd_ap_cc	AP Cost Ctr	CC	x(4)	
vd_ap_cntct	AP Contact		x(24)	
vd_ap_sub	AP Sub-Account	Sub-Acct	x(8)	
vd_balance	Balance		->>>, >>>, >>9.99	10
vd_bank	Bank		x(2)	
vd_buyer	Buyer		x(8)	
vd_carrier_id	Carrier		x(8)	
vd_ckfrm	Check Form	Ck	x(2)	
vd_conrep_logic	Consume/Replace Logic		x(1)	
vd_cr_terms	Cr Terms		x(8)	
vd_curr	Currency	Cur	x(3)	
vd_data_complete	Data Complete		yes/no	
vd_daybookset	Daybook Set	Dybk Set	x(8)	
vd_db	DB Number		x(16)	
vd_debtor	Debtor Number	Debtor	x(10)	
vd_disc_pct	Disc %		->9.99%	10
vd_domain	Domain		x(8)	
vd_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	10
vd_ex_ratetype	Rate Type		x(8)	
vd_fix_pr	Fixed Price		yes/no	
vd_fob	FOB		x(20)	
vd_fr_list	Freight List	Frt List	x(8)	
vd_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
vd_fr_terms	Freight Terms	Fr Terms	x(8)	
vd_gst_id	Tax ID - Federal		x(18)	
vd_hold	Payment Hold	Hold	yes/no	
vd_kanban_supplier	Kanban Supplier		yes/no	
vd_lang	Language		x(2)	
vd_last_ck	Last Check		99/99/99	
vd_lc_bal	LC Balance		->>, >>>, >>>, >>9.99	10
vd_misc_cr	Miscellaneous Creditor		yes/no	
vd_misc1_id	Tax ID - Misc 1		x(18)	
vd_misc2_id	Tax ID - Misc 2		x(18)	
vd_misc3_id	Tax ID - Misc 3		x(18)	
vd_mod_date	Modified Date	Mod Date	99/99/99	
vd_partial	Partial OK	Partial	yes/no	
vd_pay_spec	Pay Specification	Pay Spec	yes/no	
vd_pr_list	Disc Tbl		x(8)	
vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
vd_prepay	Prepayment Balance		->>, >>>, >>>, >>9.99	10
vd_promo	Promotion Group		x(8)	
vd_pst_id	Tax ID - State		x(18)	
vd_pur_acct	Pur Acct		x(8)	
vd_pur_cc	Pur Cost Ctr	CC	x(4)	
vd_pur_cntct	Purchase Contact		x(24)	
vd_pur_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	
vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
vd_remit	Remit-to		x(8)	
vd_rmks	Remarks		x(40)	
vd_shipvia	Ship Via		x(20)	

Field Name	Label	Col-Label	Format	Dec
vd_site	Site		x(8)	
vd_sort	Sort Name		x(28)	
vd_tax_id	Tax ID		x(18)	
vd_tax_in	Tax In		yes/no	
vd_tax_in_city	In City		yes/no	
vd_tax_usage	Tax Usage	Tax Use	x(8)	
vd_tax_zone	Tax Zone		x(16)	
vd_taxable	Taxable	Tax	yes/no	
vd_taxc	Tax Class	TxC	x(3)	
vd_tid_notice	TID Notice	T! N	x(1)	
vd_tot_terms_code	Terms of Trade		x(8)	
vd_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vd_type	Type		x(4)	
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vd_mstr	yes	oid_vd_mstr	yes	no
vd_active	no	vd_domain	yes	no
		vd_active	yes	no
* vd_addr	yes	vd_domain	yes	no
		vd_addr	yes	no
vd_datacomplete	no	vd_domain	yes	no
		vd_data_complete	yes	no
vd_remit	no	vd_domain	yes	no
		vd_remit	yes	no
		vd_addr	yes	no
vd_sort	no	vd_domain	yes	no
		vd_sort	yes	no

vecd det Supplier Performance Category Detail

Field Name	Label	Col-Label	Format	Dec
oid_vecd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vecd__qadc01	QAD Field		.9<<<<<<<<<	0
vecd__qadc02	QAD Field		X(8)	0
vecd__qadc03	QAD Field		X(8)	0
vecd__qadc04	QAD Field		X(8)	0
vecd__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
vecd__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
vecd__qadi01			>>>>>>9	
vecd__qadi02			>>>>>>9	
vecd__qadl01			yes/no	
vecd__qadl02			yes/no	
vecd__qadt01			99/99/99	
vecd__qadt02			99/99/99	
vecd_category	Category		x(8)	
vecd_domain	Domain		x(8)	
vecd_mod_date	Modified Date	Mod Date	99/99/99	
vecd_mod_userid	User ID		x(8)	
vecd_percent	Percent		>>9.99	10
vecd_user1	Ufld1		x(8)	
vecd_user2	Ufld2		x(8)	
vecd_user3			x(8)	
vecd_user4			x(8)	
vecd_value_from	Value From		->>>>, >>9.99	10
vecd_value_to	Value To		->>>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vecd_det	yes	oid_vecd_det	yes	no
* vecd_category	yes	vecd_domain	yes	no
		vecd_category	yes	no
		vecd_value_from	yes	no

vec_mstr Supplier Performance Category Master

Field Name	Label	Col-Label	Format	
oid_vec_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vec__qadc01	QAD Field		.9<<<<<<<<<	
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0
vec__qadc04	QAD Field		X(8)	0
vec__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadi01			>>>>>>9	
vec__qadi02			>>>>>>9	
vec__qadi01			yes/no	
vec__qadi02			yes/no	
vec__qadt01			99/99/99	
vec__qadt02			99/99/99	
vec_active_flag	Use Category		yes/no	
vec_category	Category		x(8)	
vec_comp_method	Computation Method		X(12)	
vec_desc	Description		x(24)	
vec_discrete_type	Discrete Type		Add/Deduct	
vec_domain	Domain		x(8)	
vec_max_points	Maximum Points		->, >>>, >>9	
vec_mod_date	Modified Date	Mod Date	99/99/99	
vec_mod_userid	User ID		x(8)	
vec_name	Name		x(12)	
vec_pp_counter	Parts-Per Counter		Events/Quantity	
vec_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vec_table_lookup_flag	Use Lookup Table		yes/no	
vec_threshold_points	Threshold Points		->, >>>, >>9	
vec_user1	Ufld1		x(8)	
vec_user2	Ufld2		x(8)	
vec_user3			x(8)	
vec_user4			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vec_mstr	yes	oid_vec_mstr	yes	no
* vec_category	yes	vec_domain	yes	no
		vec_category	yes	no

vee_mstr Supplier Performance Event Master

Field Name	Label	Col-Label	Format	Dec
oid_vee_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
vee__qadc01	QAD Field		X(8)	0
vee__qadc02	QAD Field		X(8)	0
vee__qadc03	QAD Field		X(8)	0
vee__qadc04	QAD Field		X(8)	0
vee__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vee__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vee__qadi01			>>>>>>9	
vee__qadi02			>>>>>>9	
vee__qadi01			yes/no	
vee__qadi02			yes/no	
vee__qadt01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
vee__qadt02			99/99/99	
vee_desc	Description		x(24)	
vee_domain	Domain		x(8)	
vee_event	Event Code		x(8)	
vee_mod_date	Modified Date	Mod Date	99/99/99	
vee_mod_userid	User ID		x(8)	
vee_name	Name		x(12)	
vee_points	Points		>>>>, >>9.99	10
vee_user1	Ufld1		x(8)	
vee_user2	Ufld2		x(8)	
vee_user3			x(8)	
vee_user4			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vee_mstr	yes	oid_vee_mstr	yes	no
*	vee_event	yes	vee_domain	yes	no
			vee_event	yes	no

vef ctrl

Supplier Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_vef_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
vef__qadc01	QAD Field		.9<<<<<<<<<	0
vef__qadc02	QAD Field		X(8)	0
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
vef__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
vef__qadi01			>>>>>>9	
vef__qadi02			>>>>>>9	
vef__qadi03			->>>>>>>9	
vef__qadi01			yes/no	
vef__qadi02			yes/no	
vef__qadt01			99/99/99	
vef__qadt02			99/99/99	
vef_asn_data	ASN Information		X(8)	
vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
vef_days_early	Acceptable Days Early		>>9	
vef_days_late	Acceptable Days Late		>>9	
vef_do_only_flag	Include DO Orders Only		yes/no	
vef_do_receipts	DO Receipts		X(8)	
vef_domain	Domain		x(8)	
vef_dup_asn	Duplicate ASN		X(8)	
vef_early_rcpt	Early Receipt		X(8)	
vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
vef_enable_po_rtn	Enable PO Return		yes/no	
vef_fifth_level_max	Maximum Value		>>>	
vef_fifth_level_title	Fifth Interval Title		x(12)	
vef_first_level_max	Maximum Value		>>>	
vef_first_level_title	First Interval Title		x(12)	
vef_fourth_level_max	Maximum Value		>>>	
vef_fourth_level_title	Fourth Interval Title		x(12)	
vef_late_asn	Late ASN		X(8)	
vef_late_rcpt	Late Receipt		X(8)	
vef_matl_quality	Material Quality		X(8)	
vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
vef_missed_ship	Missed Shipment		X(8)	
vef_mod_date	Modified Date	Mod Date	99/99/99	
vef_mod_userid	User ID		x(8)	
vef_over_ship	Over Shipment		X(8)	
vef_overship_pct	Acceptable Over Shipment		>>9.99	10
vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
vef_overship_qty	Acceptable Over Shipment		>>, >>9	
vef_overship_qty cost	Acceptable Over Shipment		>>>, >>>, >>9.99<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vef_ctrl	yes	oid_vef_ctrl	yes	no
*	vef_index1	yes	vef_domain	yes	no

VendPartM Warehousing Supplier/Item Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>, >>9.9<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>9	
UserI02	User Field Integer 2		->>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AddrPart	yes	Domain	yes	no
		Addr	yes	no
		Part	yes	no
		oid_VendPartM	yes	no
◇ PartAddr	no	Domain	yes	no
		Part	yes	no
		Addr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

vepd_det Supplier Performance Detail

Field Name	Label	Col-Label	Format	Dec
oid_vepd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
vepd__qadc01	QAD Field		.9<<<<<<<<<	0
vepd__qadc02	QAD Field		X(8)	0
vepd__qadc03	QAD Field		X(8)	0
vepd__qadc04	QAD Field		X(8)	0
vepd__qadd01			->, >>, >>9.9<<<<<<<<<	10
vepd__qadd02			->, >>, >>9.9<<<<<<<<<	10
vepd__qadi01			>>>>>9	
vepd__qadi02			>>>>>9	
vepd__qadl01			yes/no	
vepd__qadl02			yes/no	
vepd__qadt01			99/99/99	
vepd__qadt02			99/99/99	
vepd_category	Category		x(8)	
vepd_cmtindx	Comments		>>>>>>>9	
vepd_doc_nbr	Doc Nbr	Doc	x(16)	
vepd_domain	Domain		x(8)	
vepd_event	Event		x(8)	
vepd_event_qty	Qty		->, >>, >>9.9<<<<<<<<<	10
vepd_mod_date	Modified Date	Mod Date	99/99/99	
vepd_mod_userid	User ID		x(8)	
vepd_reason_code	Reason		x(8)	
vepd_seq_nbr	Sequence	Seq	>>>>>>>	
vepd_site	Site		x(8)	
vepd_temp_missed_flag	Missed		yes/no	
vepd_tran_date	Transaction Date	Tran Date	99/99/99	
vepd_tran_id	Transaction ID	Tran ID	>>>>>>>	
vepd_user1	Ufld1		x(8)	
vepd_user2	Ufld2		x(8)	
vepd_user3			x(8)	
vepd_user4			x(8)	
vepd_vendor	Supplier		x(8)	
vepd_vendor_source	Supplier Source	Source	x(3)	
vepd_vep_tran_date	Receipt Transaction Date		99/99/99	
vepd_vep_tran_id	Receipt Transaction ID		>>>>>>>	
vepd_weight_code	Weight Code	Weight	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vepd_domain	yes	no
		vepd_temp_missed_flag	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
oid_vepd_det	yes	oid_vepd_det	yes	no
* transaction_order	yes	vepd_domain	yes	no
		vepd_tran_id	yes	no
		vepd_tran_date	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
vendor_event_order	no	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_category	yes	no
		vepd_event	yes	no
		vepd_site	yes	no
vepd_vendor_order	yes	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_vep_tran_date	yes	no
		vepd_vep_tran_id	yes	no
		vepd_category	yes	no
		vepd_seq_nbr	yes	no
		vepd_site	yes	no

Supplier Performance Master

Field Name	Label	Col-Label	Format	Dec
oid_vcp_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
vcp_qadc01	QAD Field		X(8)	0
vcp_qadc02	QAD Field		X(8)	0
vcp_qadc03	QAD Field		X(8)	0
vcp_qadc04	QAD Field		X(8)	0
vcp_qadd01			->>, >>, >>9.9<<<<<<<<	10
vcp_qadd02			->>, >>, >>9.9<<<<<<<<	10
vcp_qadi01			>>>>>9	
vcp_qadi02			>>>>>9	
vcp_qadi01			yes/no	
vcp_qadi02			yes/no	
vcp_qadt01			99/99/99	
vcp_qadt02			99/99/99	
vcp_abs_id	Shipper ID	Shipper	x(20)	
vcp_acct	Pur Acct		x(8)	
vcp_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	
vcp_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>9	
vcp_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vcp_asn_create_time	ASN Create Time	ASN! Create	>>>>>>9	
vcp_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vcp_asn_ship_qty	ASN Ship Qty		->, >>, >>9.9<<<<<<<<	10
vcp_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>9	
vcp_buyer	Buyer		x(8)	
vcp_cc	Cost Ctr	CC	x(4)	
vcp_comm_code	Commodity Code	Commodity	x(20)	
vcp_db	DB Number	DB	x(16)	
vcp_disc_pct	Disc%		>>9.99%	10
vcp_domain	Domain		x(8)	
vcp_fsm_type	FSM Type		x(1)	
vcp_line	Line	Ln	>>>	
vcp_loc	Loc		x(8)	
vcp_lotser	Lot/Serial	L/S	x(18)	
vcp_mod_date	Modified Date	Mod Date	99/99/99	
vcp_mod_userid	User ID		x(8)	
vcp_nbr	Order Nbr	Order	x(8)	
vcp_open_qty	Open Qty	Qty! Open	->, >>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>>>>>>9.99	10
vep_qty_ord	Qty Ordered	Qty! Ordered	->>>>>>>>9.9<<<<<<<<<	10
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->>>>>>>>9.9<<<<<<<<<	10
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1	Ufid1		x(8)	
vep_user2	Ufid2		x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep_vendor_source	Supplier Source	Source	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vep_domain	yes	no
		vep_temp_missed_flag	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
oid_vep_mstr	yes	oid_vep_mstr	yes	no
		vep_domain	yes	no
vendor_date_order	no	vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_line	yes	no
		vep_tran_date	yes	no
		vep_receiver	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
		vep_part	yes	no
* vendor_site_order	yes	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
		vep_part	yes	no
vep_vendor_nbr_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
		vep_part	yes	no
vep_vendor_part	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

Warehousing Verbosity History

Index-Name	Uni	Field-Name	Asc	Abbr
* DateTime	no	Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
◇ Location	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
oid_VerbH	yes	oid_VerbH	yes	no
◇ SLG	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
◇ UserIdx	no	Domain	yes	no
		CreateUserID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
WLG	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no

verd_det

Supplier Performance Registration Detail

Field Name	Label	Col-Label	Format	Dec
oid_verd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
verd__qadc01	QAD Field		X(8)	0
verd__qadc02	QAD Field		X(8)	0
verd__qadc03	QAD Field		X(8)	0
verd__qadc04	QAD Field		X(8)	0
verd__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
verd__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
verd__qadi01			>>>>>>9	
verd__qadi02			>>>>>>9	
verd__qadl01			yes/no	
verd__qadl02			yes/no	
verd__qadt01			99/99/99	
verd__qadt02			99/99/99	
verd_active_flag	Use Category		yes/no	
verd_category	Category		x(8)	
verd_domain	Domain		x(8)	
verd_mod_date	Modified Date	Mod Date	99/99/99	
verd_mod_userid	User ID		x(8)	
verd_site	Site		x(8)	
verd_user1	Ufld1		x(8)	
verd_user2	Ufld2		x(8)	
verd_user3			x(8)	
verd_user4			x(8)	
verd_vendor	Supplier		x(8)	
verd_vendor_source	Supplier Source		x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_verd_det	yes	oid_verd_det	yes	no
* verd_vendor	yes	verd_domain	yes	no
		verd_vendor	yes	no
		verd_vendor_source	yes	no
		verd_site	yes	no
		verd_category	yes	no

VerifyStatusTransVerify Status Transition

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VerifyStatusTrans_ID	Record ID		9999999999	
VerifyStatusTransFrStatus	From Status		x(40)	
VerifyStatusTransToStatus	To Status		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	VerifyStatusTrans_ID	yes	no
◇ Uniqueidx	yes	Company_ID	yes	no
		VerifyStatusTransFrStatus	yes	no
		VerifyStatusTransToStatus	yes	no

Supplier Performance Registration Master

Field Name	Label	Col-Label	Format	Dec
oid_ver_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ver__qadc01	QAD Field		.9<<<<<<<<<	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadi01			yes/no	
ver__qadi02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	
ver_active_flag	Use Supplier Performance		yes/no	
ver_asn_leadtime	Maximum ASN Lead-Time		99:99	
ver_comm_code	Commodity Code		x(20)	
ver_contact	Contact		X(24)	
ver_days_early	Acceptable Days Early		>>9	
ver_days_late	Acceptable Days Late		>>9	
ver_domain	Domain		x(8)	
ver_email_address	E-mail Address		X(60)	
ver_end	End Effective		99/99/99	
ver_mod_date	Modified Date	Mod Date	99/99/99	
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	10
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
ver_overship_qty	Acceptable Over Shipment		>>, >>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>, >>>, >>9.99<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	10
ver_undership_qty	Acceptable Under Shipment		>>, >>9	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver_use_shipqty	Use Shipment Quantity		yes/no	
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_user1	Ufid1		x(8)	
ver_user2	Ufid2		x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ver_mstr	yes	oid_ver_mstr	yes	no
ver_comm_code	no	ver_domain	yes	no
		ver_comm_code	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
ver_part	no	ver_domain	yes	no
		ver_part	yes	no
		ver_vendor	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_comm_code	yes	no
ver_site	no	ver_domain	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no
* ver_vendor	yes	ver_domain	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver comm code	yes	no

vesd det

Supplier Performance Summary Detail

Field Name	Label	Col-Label	Format	Dec
oid_vesd_det			>>>>>>>>>>>>>>>>>>>>>9	10
vesd__qadc01	QAD Field		.9<<<<<<<<	0
vesd__qadc02	QAD Field		X(8)	0
vesd__qadc03	QAD Field		X(8)	0
vesd__qadc04	QAD Field		X(8)	0
vesd__qadd01			->, >>, >>9.9<<<<<<<<<	10
vesd__qadd02			->, >>, >>9.9<<<<<<<<<	10
vesd__qadi01			>>>>>9	
vesd__qadi02			>>>>>9	
vesd__qadl01			yes/no	
vesd__qadl02			yes/no	
vesd__qadt01			99/99/99	
vesd__qadt02			99/99/99	
vesd_category	Category		x(8)	
vesd_domain	Domain		x(8)	
vesd_event	Event		x(8)	
vesd_event_qty	Qty		->, >>, >>9.9<<<<<<<<	10
vesd_mod_date	Modified Date	Mod Date	99/99/99	
vesd_mod_userid	User ID		x(8)	
vesd_part	Item Number	Item	x(18)	
vesd_rec_type	Rec Type		x(8)	
vesd_site	Site		x(8)	
vesd_sub_type	Subcontract Type	Sub Type	x(12)	
vesd_tran_date	Transaction Date	Tran Date	99/99/99	
vesd_tran_id	Transaction ID	Tran ID	>>>>>>>	
vesd_type	Type		x(1)	
vesd_user1	Ufld1		x(8)	
vesd_user2	Ufld2		x(8)	
vesd_user3			x(8)	
vesd_user4			x(8)	
vesd_vendor	Supplier		x(8)	
vesd_vendor_source	Supplier Source	Source	x(3)	
vesd-ves-from-date	From Date		99/99/99	
vesd-ves-to-date	To Date		99/99/99	
vesd_weight_code	Weight Code	Weight	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vesd_det	yes	oid_vesd_det	yes	no
* vesd_vendor_order	yes	vesd_domain	yes	no
		vesd_vendor	yes	no
		vesd_vendor_source	yes	no
		vesd_ves_from_date	yes	no
		vesd_ves_to_date	yes	no
		vesd_site	yes	no
		vesd_part	yes	no
		vesd_rec_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vesd_type	yes	no
		vesd_sub_type	yes	no
		vesd_category	yes	no
		vesd_tran_id	yes	no

ves_mstr Supplier Performance Summary Master

Field Name	Label	Col-Label	Format	Dec
oid_ves_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ves__qadc01	QAD Field		.9<<<<<<<<<	0
ves__qadc02	QAD Field		X(8)	0
ves__qadc03	QAD Field		X(8)	0
ves__qadc04	QAD Field		X(8)	0
ves__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadi01			>>>>>>9	
ves__qadi02			>>>>>>9	
ves__qadl01			yes/no	
ves__qadl02			yes/no	
ves__qadt01			99/99/99	
ves__qadt02			99/99/99	
ves_comm_code	Commodity Code	Commodity	x(20)	
ves_db	DB Number	DB	x(16)	
ves_domain	Domain		x(8)	
ves_from_date	From Date		99/99/99	
ves_mod_date	Modified Date	Mod Date	99/99/99	
ves_mod_userid	User ID		x(8)	
ves_occurrence_count	Occurance		>>>>, >>>, >>9	
ves_part	Item Number	Item	x(18)	
ves_rcvd_qty	Receipt Qty	Qty! Received	>>>>, >>>, >>>, >>9.9<<<<<<<<<	10
ves_rec_type	Rec Type		x(8)	
ves_site	Site		x(8)	
ves_sub_type	Subcontract Type	Sub Type	x(12)	
ves_to_date	To Date		99/99/99	
ves_type	Type		x(1)	
ves_user1			x(8)	
ves_user2			x(8)	
ves_user3			x(8)	
ves_user4			x(8)	
ves_vendor	Supplier		x(8)	
ves_vendor_source	Supplier Source	Source	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ves_mstr	yes	oid_ves_mstr	yes	no
* ves_vendor_order	yes	ves_domain	yes	no
		ves_vendor	yes	no
		ves_vendor_source	yes	no
		ves_from_date	yes	no
		ves_to_date	yes	no
		ves_site	yes	no
		ves_part	yes	no
		ves_rec_type	yes	no
		ves_type	yes	no
		ves_sub_type	yes	no

view_mstr Supplier Performance Weighting Factor Master

Field Name	Label	Col-Label	Format	Dec
oid_vew_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vew__qadc01	QAD Field		.9<<<<<<<<<	0
vew__qadc02	QAD Field		X(8)	0
vew__qadc03	QAD Field		X(8)	0
vew__qadc04	QAD Field		X(8)	0
vew__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
vew__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
vew__qadi01			>>>>>>9	
vew__qadi02			>>>>>>9	
vew__qadi01			yes/no	
vew__qadi02			yes/no	
vew__qadt01			99/99/99	
vew__qadt02			99/99/99	
vew_desc	Description		x(24)	
vew_domain	Domain		x(8)	
vew_mod_date	Modified Date	Mod Date	99/99/99	
vew_mod_userid	User ID		x(8)	
vew_name	Name		x(12)	
vew_user1	Ufld1		x(8)	
vew_user2	Ufld2		x(8)	
vew_user3			x(8)	
vew_user4			x(8)	
vew_weight_code	Weight Code		x(8)	
vew_weight_factor	Weight Factor		>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_view_mstr	yes	oid_view_mstr	yes	no
* view_weight_code	yes	view_domain	yes	no
		view_weight_code	yes	no

vex mstr Supplier Performance Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
oid_vex_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vex__qadc01	QAD Field		.9<<<<<<<<<	0
vex__qadc02	QAD Field		X(8)	0
vex__qadc03	QAD Field		X(8)	0
vex__qadc04	QAD Field		X(8)	0
vex__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vex__qadi01			>>>>>>9	
vex__qadi02			>>>>>>9	
vex__qadl01			yes/no	
vex__qadl02			yes/no	
vex__qadt01			99/99/99	
vex__qadt02			99/99/99	
vex_domain	Domain		x(8)	
vex_mod_date	Modified Date	Mod Date	99/99/99	
vex_mod_userid	User ID		x(8)	
vex_site	Site		x(8)	
vex_to_site	To-Site		x(8)	
vex_to_vendor	To-Supplier		x(8)	
vex_to_vendor_source	To-Supplier Source		x(3)	
vex_user1	Ufld1		x(8)	
vex_user2	Ufld2		x(8)	
vex_user3			x(8)	
vex_user4			x(8)	
vex_vendor	Supplier		x(8)	
vex_vendor_source	Supplier Source		x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vex_mstr	yes	oid_vex_mstr	yes	no
* vex_site	yes	vex_domain	yes	no
		vex_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no
vex_to_site	no	vex_domain	yes	no
		vex_to_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no

vph_hist

Voucher Invoice History

Field Name	Label	Col-Label	Format	Dec
oid_vph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vph_qadc01			.9<<<<<<<<<	
vph_qadc02			x(24)	
vph_qadi01			x(24)	
vph_acct	Account		->>>>>>9	
vph_adj_amt	Cost Adjustment		x(8)	
vph_adj_inv	Inventory/Variance		->>>>, >>>, >>9.99<	10
vph_adj_prv_cst	Previous Cost		Inventory/Variance	
vph_adj_wip	WIP/Variance		->>>>, >>>, >>9.99<<<	10
vph_amt	Amount		WIP/Variance	
vph_avg_post	Post To		->>>>, >>>, >>9.99	10
vph_cc	Cost Ctr	CC	x(4)	
vph_cf_adj_amt	Confirmed Adjustment		x(4)	
vph_cf_dscr_amt	Confirmed Discrepancy		->>>>, >>>, >>9.99<	10
vph_cinvoice_id	Invoice ID		->>>>, >>>, >>9.99<	10
vph_costadj_acct	Cost Adj Acct	Cost Adj	999999999999	
vph_costadj_cc	Cost Adj CC	CC	x(8)	
vph_costadj_sub	Cost Adj Sub	Sub-Acct	x(4)	
vph_curr_amt	Currency Amount	Curr Amt	x(8)	
vph_domain	Domain		->, >>>, >>>, >>9.99<<<	10
vph_dscr_acct	Inventory Dscr Acct	Dscr Acct	x(8)	
vph_dscr_amt	Cost Discrepancy		x(8)	
vph_dscr_cc	Inventory Dscr CC	CC	->>>>, >>>, >>9.99<	10
vph_dscr_sub	Inventory Dscr Sub-Acct	Sub-Acct	x(4)	
vph_element	Cost Element	Element	x(8)	
vph_inv_cost	Invoice Cost		x(8)	
vph_inv_date	Invoice Date	Inv Date	->, >>>, >>>, >>9.99<<<	10
vph_inv_qty	Invoice Qty		99/99/99	
vph_nbr	PO Nbr		->, >>>, >>9.9<<<<<<<<<	10
vph_project	Project		x(8)	
vph_pvo_id	Pending Voucher ID		x(8)	
vph_pvod_id_line	Line	Ln	>>>>>>>>>	
vph_qoh_at_adj	QOH at adjustment		>>>>>>>9	
vph_ref	Voucher		->, >>>, >>>, >>9.9<<<<<<<<<	10
vph_sub	Sub-Account	Sub-Acct	x(22)	
vph_user1	Ufld1		x(8)	
vph_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vph_hist	yes	oid_vph_hist	yes	no
vph_nbr	no	vph_domain	yes	no
		vph_nbr	yes	no
vph_pvo_id	no	vph_domain	yes	no
		vph_pvo_id	yes	no
		vph_pvod_id_line	yes	no
		vph_ref	yes	no
* vph_ref	yes	vph_domain	yes	no
		vph_ref	yes	no
		vph_pvo_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
vph_refnbr	no	vph_pvod_id_line	yes	no
		vph_domain	yes	no
		vph_ref	yes	no
		vph_nbr	yes	no

vpo_det

Voucher Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_vpo_det			>>>>>>>>>>>>>>>>>>>>>>9	10
vpo__qadc01			.9<<<<<<<<	
vpo_domain	Domain		x(8)	
vpo_po	PO Number	PO	x(8)	
vpo_ref	Voucher		x(8)	
vpo_user1	Ufld1		x(8)	
vpo_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vpo_det	yes	oid_vpo_det	yes	no
*	vpo_refpo	yes	vpo_domain	yes	no
			vpo_ref	yes	no
			vpo_po	yes	no

vp_mstr

Supplier Item Master

Field Name	Label	Col-Label	Format	Dec
oid_vp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vp_chr01			.9<<<<<<<<	
vp_chr02			x(8)	
vp_chr03			x(8)	
vp_chr04			x(8)	
vp_chr05			x(8)	
vp_dec01			>>>, >>>, >>9.99	10
vp_dec02			>>>, >>>, >>9.99	10
vp_dte01			99/99/99	
vp_dte02			99/99/99	
vp_log01			yes/no	
vp_appr_date	Approve Date	Approve	99/99/99	
vp_bkage_amt	Brokerage Amt		->>, >>>, >>9.99	10
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	
vp_domain	Domain		x(8)	
vp_duty_amt	Duty Amt		->>, >>>, >>9.99	10
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->>, >>>, >>9.99	10
vp_ins_rqd	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>>, >>>, >>9.99<<<	10
vp_q_qty	Quote Qty		->, >>>, >>9.9<<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	10
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufld1		x(8)	
vp_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vp_mstr	yes	oid_vp_mstr	yes	no
vp_partvend	yes	vp_domain	yes	no
		vp_part	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no
vp_vend_part	no	vp_domain	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_vrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
vrc__qadc01			.9<<<<<<<<	
vrc_domain	Domain		x(8)	
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	

catcvw mstr

Field Name	Label	Col-Label	Format	Dec
oid_vw_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
vw__qadc01			x(24)	
vw__qadc02			x(24)	
vw__qadd01			->>>, >>>, >>9.99<<<<<<<<	10
vw__qadi01			->>>>>>9	
vw__qadl01			yes/no	
vw__qadt01			99/99/99	
vw_field	Enabled Field Name		x(22)	
vw_frame	Frame Name		x(40)	
vw_mod_date	Modified Date	Mod Date	99/99/99	
vw_mod_userid	User ID		x(8)	
vw_pgm	Viewer Program Name		x(12)	
vw_table	Table Name		x(16)	
vw_user1	User Field Character 1		x(24)	
vw_user2	User Field character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vw_mstr	yes	oid_vw_mstr	yes	no
*	vw_pgm	yes	vw_pgm	yes	no
			vw_table	yes	no
			vw_field	yes	no
			vw_frame	yes	no

WaveC

Field Name	Label	Col-Label	Format	Dec
ActivateRG	Activate RG in Wave Release	Activate RG! in Wave Release	yes/no	
AllowSplit	Allow Split	Split	yes/no	
AutoAll	Auto Allocation		yes/no	
AvoidRelease	Avoid Release Without Replen		yes/no	
ChangeInc	Change Include	Change! Inc	yes/no	
ContMultTrans	Mult Trans for Boxes	Mult Trans! for Boxes	yes/no	
ContUM	Box Pick UM	Box! Pick UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateRG	Create RG in Wave Release	RG in Wave! Release	yes/no	
CreateUserID	Created		x(8)	
DaysNewPreship	New Preshipper if older (days)		->,>>>,>>9	
DefaultIncl	Default Include	Def Incl	yes/no	
DisplayAll	Display Qty Alloc/Open	Alloc/Open	Alloc/Open	
Domain	Domain		x(8)	
DOOnlyAlloc	Only Alloc DO		yes/no	
FromDays	Def From Due Date	From Days	>,>>9	
FromSign	Def From Due Sign	From Sign	x(1)	
FromType	From Order Type	From! Type	x(2)	
FullBox	Pick Boxes in Pallet Area	Pick Boxes! Pallet Area	yes/no	
GenerateRG	Def Generate Release Groups	Gen RG	yes/no	
LaneAlgo	Lane Algorithm	Lane Algo	>>9	
LaneGroup	Default Lane Group	Def Lane Grp	x(8)	
LaneLoadOpt	Lane Load Algo	Lane Load! Algo	>>9	
LinesPerRG	Order Lines per Rel Group	Lines per RG	>>,>>9	
LoadAlgo	WorkLoad Algorithm	Load Algo	>>9	
LoadGroup	Default Workload Group	Def Grp	x(8)	
MaxLines	Def Max Order Lines	Max Lines	->,>>>,>>9	
ModDate	Modified		99/99/99	
ModDetail	Modify Details	Det	yes/no	
ModUserID	Modified		x(8)	
NewPreshipWave	New Preshipper by Wave		yes/no	
NextNbr	Next Number	Next Nbr	>>>>>>>9	
NoLimit	Use Limit in Add Frame	Limit	yes/no	

WaveD

Warehousing Wave Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
FromDate	From Date	From	99/99/99	
FromRef	From Reference	From Ref	x(24)	
FromTime	From Time		x(20)	
Incl	Included	Incl	yes/no	
Line	Line/ID		x(8)	
LoadOpt	Load Optimized	Load	yes/no	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight	Net Wgt	->>, >>9.99	2
oid_WaveD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>.9<<<<<<<<	9 10
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Order Line Status	Status	x(8)	
Part	Item Number		x(18)	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
Priority	Priority		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyAlloc	Quantity Allocated	Qty All	->, >>>, >>9.9<<<<<<<<	2
QtyOpen	Qty Open	Open	->, >>>, >>9.9<<<<<<<<	2
Route	Route		X(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
ToDate	To Date	To	99/99/99	
ToRef	To Reference	To Ref	x(24)	
ToTime	To Time		x(20)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Incl	yes	no
LoadOpt	no	Domain	yes	no
		WaveNbr	yes	no
		LoadOpt	yes	no
		DSet	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Nbr	yes	no
		OrdSite	yes	no
		ShipVia	yes	no
		Line	yes	no
oid_WaveD	yes	oid_WaveD	yes	no
◇ OrderIdx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		OrdSite	yes	no
		WaveNbr	yes	no
◇* OrderLine	yes	Domain	yes	no
		WaveNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		ShipVia	yes	no
		Line	yes	no
◇ OrdStatus	no	Domain	yes	no
		WaveNbr	yes	no
		OrdStatus	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
ReleaseGroup	no	Domain	yes	no
		DueDate	yes	no
		ShipVia	yes	no
		PartType	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WavePart	no	Domain	yes	no
		WaveNbr	yes	no
		Part	yes	no

WaveLoadD Warehousing Wave Load Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpen	Quantity	Qty	->, >>>, >>9.9<<<<<<<<<	10
QtyPicked	Qty Picked	Pick	->, >>>, >>9.9<<<<<<<<<	10
SelNbr	Selection Number	Sel Nbr	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Incl	yes	no
LoadIdx	no	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Part	yes	no
		Line	yes	no
		WaveNbr	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		DSet	yes	no
* LoadLine	yes	Nbr	yes	no
		OrdSite	yes	no
		ShipVia	yes	no
		Line	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
		SelNbr	yes	no
		oid_WaveLoadD	yes	no
		Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		OrdSite	yes	no
		WaveNbr	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

Warehousing Wave Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DueDate	no	Domain	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		Nbr	yes	no
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Incl	yes	no
NetWeight	no	Domain	yes	no
		WaveNbr	yes	no
		NetWeight	yes	no
		Nbr	yes	no
oid_WaveM	yes	oid_WaveM	yes	no
◇* OrderIdx	yes	Domain	yes	no
		WaveNbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
◇ OrdStatus	no	ShipVia	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		OrdStatus	yes	no
◇ Profile	no	Nbr	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		Profile	yes	no
◇ Route	no	Nbr	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		Route	yes	no
Seq	yes	Nbr	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		Seq	yes	no
◇ ShipTo	no	Domain	yes	no
		WaveNbr	yes	no
		ShipTo	yes	no
◇ ShipVia	no	Nbr	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		ShipVia	yes	no
◇ UsrIdx	no	Nbr	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

WaveMasterMWarehousing Wave Master Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
FromDate	From Date	From	99/99/99	
FromRef	From Reference	From Ref	x(24)	
FromTime	From Time		x(20)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WaveMasterM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	
PickComp	Pick Complete%	Pick%	->, >>9.99	2
Priority	Order Priority	Priority	>, >>>, >>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Remark	Remark	Rmk	x(40)	
RepComp	Replenishment Complete%	Rep Comp%	->>, >>9.99	2
ReplenDate	Replenishment Date		99/99/99	
ReplenTime	Replenishment Date		->>, >>9.99	10
Site	Site		x(8)	
SizeLines	Number of Order Lines	#Lines	->, >>>, >>9	
SizeOrders	Number of Orders	#Orders	->, >>>, >>9	
ToDate	To Date	To	99/99/99	
ToRef	To Reference	To Ref	x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WaveMasterM	yes	oid_WaveMasterM	yes	no
SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WaveNbr	yes	Domain	yes	no
		WaveNbr	yes	no
WaveStatus	no	Domain	yes	no
		WaveStatus	yes	no
		Site	yes	no
		Whse	yes	no

WaveTranspC Warehousing Wave Transportation Control

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadC14	QAD Field		x(24)	0
QadC15	QAD Field		x(24)	0
QadC16	QAD Field		x(24)	0
QadC17	QAD Field		x(24)	0
QadC18	QAD Field		x(24)	0
QadC19	QAD Field		x(24)	0
QadC20	QAD Field		x(24)	0
QadC21	QAD Field		x(24)	0
QadC22	QAD Field		x(24)	0
QadC23	QAD Field		x(24)	0
QadC24	QAD Field		x(24)	0
QadC25	QAD Field		x(24)	0
QadC26	QAD Field		x(24)	0
QadC27	QAD Field		x(24)	0
QadC28	QAD Field		x(24)	0
QadC29	QAD Field		x(24)	0
QadC30	QAD Field		x(24)	0
QadC31	QAD Field		x(24)	0
QadC32	QAD Field		x(24)	0
QadC33	QAD Field		x(24)	0
QadC34	QAD Field		x(24)	0
QadC35	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD04	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD05	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD06	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD07	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD08	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD09	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD10	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadI04	QAD Field		->,>>>,>>9	
QadI05	QAD Field		->,>>>,>>9	
QadI06	QAD Field		->,>>>,>>9	
QadI07	QAD Field		->,>>>,>>9	
QadI08	QAD Field		->,>>>,>>9	
QadI09	QAD Field		->,>>>,>>9	
QadI10	QAD Field		->,>>>,>>9	
QadI11	QAD Field		->,>>>,>>9	
QadI12	QAD Field		->,>>>,>>9	
QadI13	QAD Field		->,>>>,>>9	
QadI14	QAD Field		->,>>>,>>9	
QadI15	QAD Field		->,>>>,>>9	
QadI16	QAD Field		->,>>>,>>9	
QadI17	QAD Field		->,>>>,>>9	
QadI18	QAD Field		->,>>>,>>9	
QadI19	QAD Field		->,>>>,>>9	
QadI20	QAD Field		->,>>>,>>9	
QadI21	QAD Field		->,>>>,>>9	
QadI22	QAD Field		->,>>>,>>9	
QadI23	QAD Field		->,>>>,>>9	
QadI24	QAD Field		->,>>>,>>9	
QadI25	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadL03	QAD Field		yes/no	
QadL04	QAD Field		yes/no	
QadL05	QAD Field		yes/no	
QadL06	QAD Field		yes/no	
QadL07	QAD Field		yes/no	
QadL08	QAD Field		yes/no	
QadL09	QAD Field		yes/no	
QadL10	QAD Field		yes/no	
QadL11	QAD Field		yes/no	
QadL12	QAD Field		yes/no	
QadL13	QAD Field		yes/no	
QadL14	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
* wcr_route	yes	wcr_mch	yes	no
		wcr_domain	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
		wcr_part	yes	no
		wcr_op	yes	no

Work Center Master

Field Name	Label	Col-Label	Format	Dec
oid_wc_mstr			>>>&	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wc_mstr	yes	oid_wc_mstr	yes	no
wc_dept	no	wc_domain	yes	no
		wc_dept	yes	no
wc_desc	yes	wc_domain	yes	no
		wc_desc	yes	no
		wc_wkctr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
wc_fsm_type	no	wc_mch	yes	no
		wc_domain	yes	no
		wc_fsm_type	yes	no
		wc_wkctr	yes	no
* wc_wkctr	yes	wc_domain	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no

whl_mstr Warehouse Location Master

Field Name	Label	Col-Label	Format	Dec
oid_whl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
whl_chr01	Reserved		x(8)	
whl_dec01			9.99	10
whl_dte01			99/99/99	
whl_log01			yes/no	
whl_qadc01			x(8)	
whl_qadc02			x(8)	
whl_qadd03			9.99	10
whl_qadl05			yes/no	
whl_qadt04			99/99/99	
whl_act	Active		yes/no	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_domain	Domain		x(8)	
whl_loc	Location		x(8)	
whl_po_cmt_exp	Comments		yes/no	
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
whl_wo_rcpt_exp	Work Order Receipt		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_whl_mstr	yes	oid_whl_mstr	yes	no
whl_dest	no	whl_domain	yes	no
		whl_src_dest_id	yes	no
* whl_site	yes	whl_domain	yes	no
		whl_site	yes	no
		whl_loc	yes	no

WhseC

Warehouse Control

Field Name	Label	Col-Label	Format	Dec
AllowLotSerRef	Allow Lot/Ser Ref Switch		yes/no	
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
AutoRepPct	Auto Replenish %	Auto! Rep%	>>9.99%	2
BlindLoc	Blind Location		yes/no	
CheckDigits	Check Digits	Chk	yes/no	
CntPriInc	Count Increment	Count! Increment	->, >>>, >>9	
CntPriority	Count Priority	Count! Priority	->, >>>, >>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThreshPct	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMTolPct	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Transactions		->>>, >>9<<<<<<	10
MBAssign	Flav C Hard/Soft Assign.		Hard/Soft	
MBPrintID	Def ID Print Flavor C		yes/no	
MBSort	Multi-bin Pick flav C Sort.		9	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	

Field Name	Label	Col-Label	Format	Dec
UserI02	User Field Integer 2		->>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WhseInvStatus	Default Whse Inv Status	Whse! Inv Stat	X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseC	yes	oid_WhseC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseListD

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseListD	yes	oid_WhseListD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Whse	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
		TrType	yes	no
		Whse	yes	no
* WMLDIdx	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
		TrType	yes	no
		ListSeq	yes	no

WhseListM Warehouse Master List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseListM	yes	oid_WhseListM	yes	no
◇* SiteList	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseM

Warehouse Master

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
Addr	Address		x(8)	
AllowLotSerRef	Allow Lot/Ser Ref Switch		yes/no	
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoBPOD	Automatically Recreate BPs	Auto BP	yes/no	
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
AutoRepPct	Auto Replenish %	Auto! Rep%	>>9.99%	2
BaseUMOnly	Base UM Only		yes/no	
BlindLoc	Blind Location		yes/no	
CanRun	Roles		x(189)	
CheckDigits	Check Digits	Chk	yes/no	
CmtIndx	Comments		>>>>>>9	
CntPriInc	Count Increment	Count! Increment	->, >>>, >>9	
CntPriority	Count Priority	Count! Priority	->, >>>, >>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThreshPct	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMToIPct	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Trans		->, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseM	yes	oid_WhseM	yes	no
◇* SiteWhse	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseTferOrdD Warehouse Transfer Order Detail

Field Name	Label	Col-Label	Format	Dec
UserT02	User Field Date 1		99/99/99	
WTLine	Line		>>>9	
WTOder	Order		X(8)	
WTPart	Item Number		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseTferOrd	yes	oid_WhseTferOrd	yes	no
◇* OrderLine	yes	Domain	yes	no
		WTOder	yes	no
		WTLine	yes	no
◇ Part	no	Domain	yes	no
		WTPart	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseTferOrdM Warehouse Transfer Order Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
FromWhse	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
oid_WhseTferOrdM	yes	oid_WhseTferOrdM	yes	no
ToWhse	no	Domain	yes	no
		ToSite	yes	no
		ToWhse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* WtOrder	yes	Domain	yes	no
		WtOrder	yes	no
WtStatus	no	Domain	yes	no
		WtStatus	yes	no
		ReqDate	yes	no

WhseTrTypeM Warehouse/Transaction Type Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseTrTypeM	yes	oid_WhseTrTypeM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* WhseTrType	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		TrType	yes	no

WHT Withholding Tax

Field Name	Label	Col-Label	Format	Dec
BankStateAlloc_ID	Link to BankStateAlloc		9999999999	
CACInvoice_ID	Link to CA-CInvoice		9999999999	
CDocumentInvoiceXref_ID	Link to CDocumentInvoiceXref		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceWHT_ID	Link to CInvoiceWHT		9999999999	
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Creditor_ID	Link to Creditor		9999999999	
Currency_ID	Link to Currency		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OIAAdjustLn_ID	Link to OIAAdjustLn		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Vat_ID	Link to Vat		9999999999	
WHT_ID	Record ID		9999999999	
WHTAdditionalNumber	Additional WHT			
A	9999999999			
δδ				
ιτι				
ov				
αλ				
Ω				
H				
T				
N				
υμ				
βε				
ρ				
WHTAmtCreditCC	WHT Amount Cr SC		->>>, >>>, >>>, >>>9.99	4
WHTAmtCreditLC	WHT Amount Cr BC		->>>, >>>, >>>, >>>9.99	4
WHTAmtCreditTC	WHT Amount Cr TC		->>>, >>>, >>>, >>>9.99	4
WHTAmtDebitCC	WHT Amount Dr SC		->>>, >>>, >>>, >>>9.99	4
WHTAmtDebitLC	WHT Amount Dr LC		->>>, >>>, >>>, >>>9.99	4
WHTAmtDebitTC	WHT Amount Dr TC		->>>, >>>, >>>, >>>9.99	4
WHTCertFormat_ID	Link to WHTCertFormat		9999999999	
WHTChargeAmtCreditCC	Charge Amount Cr SC		->>>, >>>, >>>, >>>9.99	4
WHTChargeAmtCreditLC	Charge Amount Cr BC		->>>, >>>, >>>, >>>9.99	4
WHTChargeAmtCreditTC	Charge Amount Cr TC		->>>, >>>, >>>, >>>9.99	4
WHTChargeAmtDebitCC	Charge Amount Dr SC		->>>, >>>, >>>, >>>9.99	4
WHTChargeAmtDebitLC	Charge Amount Dr LC		->>>, >>>, >>>, >>>9.99	4
WHTChargeAmtDebitTC	Charge Amount Dr TC		->>>, >>>, >>>, >>>9.99	4
WHTChargeType	Charge Type		x(20)	
WHTCInvoicePostingDate	Invoice Posting Date		99/99/9999	
WHTCInvoiceReference	Invoice Reference		x(50)	
WHTCompanyCode	Entity Code		x(20)	
WHTCompanyLCCurrencyCode	Base Currency		x(3)	
WHTCreditorCode	Supplier Code		x(8)	
WHTCreditorSharedSetCode	Supplier Shared Set Code		x(20)	
WHTIsPrinted	Printed		yes/no	
WHTNumber	WHT Number		9999999999	
WHTPaidAmtCreditCC	Paid Amount Cr SC		->>>, >>>, >>>, >>>9.99	4
WHTPaidAmtCreditLC	Paid Amount Cr BC		->>>, >>>, >>>, >>>9.99	4
WHTPaidAmtCreditTC	Paid Amount Cr TC		->>>, >>>, >>>, >>>9.99	4
WHTPaidAmtDebitCC	Paid Amount Dr SC		->>>, >>>, >>>, >>>9.99	4
WHTPaidAmtDebitLC	Paid Amount Dr LC		->>>, >>>, >>>, >>>9.99	4
WHTPaidAmtDebitTC	Paid Amount Dr TC		->>>, >>>, >>>, >>>9.99	4
WHTPaymentDate	Payment Date		99/99/9999	
WHTPaymentReference	Payment Reference		x(40)	
WHTPercentage	WHT Tax Rate Perc		->>9.99	2
WHTPeriodPeriod	GL Period	GL Pd	99	
WHTPeriodYear	GL Calendar Year	GL Cal Year	9999	
WHTRetainedAmtCreditCC	Retained Amount Cr SC		->>>, >>>, >>>, >>>9.99	4
WHTRetainedAmtCreditLC	Retained Amount Cr BC		->>>, >>>, >>>, >>>9.99	4
WHTRetainedAmtCreditTC	Retained Amount Cr TC		->>>, >>>, >>>, >>>9.99	4
WHTRetainedAmtDebitCC	Retained Amount Dr SC		->>>, >>>, >>>, >>>9.99	4
WHTRetainedAmtDebitLC	Retained Amount Dr LC		->>>, >>>, >>>, >>>9.99	4
WHTRetainedAmtDebitTC	Retained Amount Dr TC		->>>, >>>, >>>, >>>9.99	4
WHTSettlementDate	Settlement Date		99/99/9999	
WHTStatus	WHT Status		x(20)	
WHTTaxableFeesCreditCC	Taxable Fee Amount Cr SC		->>>, >>>, >>>, >>>9.99	4
WHTTaxableFeesCreditLC	Taxable Fee Amount Cr BC		->>>, >>>, >>>, >>>9.99	4
WHTTaxableFeesCreditTC	Taxable Fee Amount Cr TC		->>>, >>>, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
WHTTaxableFeesDebitCC	Taxable Fee Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesDebitLC	Taxable Fee Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesDebitTC	Taxable Fee Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTTaxType	Tax Type		x(16)	
WHTTotAmtCreditCC	Total Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtCreditLC	Total Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtCreditTC	Total Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitCC	Total Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitLC	Total Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitTC	Total Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditCC	Tax Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditLC	Tax Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditTC	Tax Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitCC	Tax Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitLC	Tax Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitTC	Tax Amount Dr TC		->>>, >>>, >>>, >>9.99	4

Index-Name	Uni	Field-Name	Asc	Abbr
BankStateAlloc	no	BankStateAlloc_ID	yes	no
CACInvoice	no	CACInvoice_ID	yes	no
CDoxInvXRef	no	CDocumentInvoiceXref_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
CInvoiceWHT	no	CInvoiceWHT_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ CreditorIdx	no	WHTCreditorCode	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ CylIdx	no	WHTCompanyCode	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
OIAAdj	no	OIAadjustLn_ID	yes	no
PaymentDate	no	Company_ID	yes	no
		WHTPaymentDate	yes	no
◇ PeriodIdx	no	WHTPeriodYear	yes	no
		WHTPeriodPeriod	yes	no
◇ PostingDate	no	Company_ID	yes	no
		WHTCInvoicePostingDate	yes	no
◇* Prim	yes	WHT_ID	yes	no
SSCurrIdx	no	WHTCreditorSharedSetCode	yes	no
		WHTCompanyLCCurrencyCode	yes	no
TaxTypeIdx	no	WHTTaxType	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		CInvoiceWHT_ID	yes	no
		BankStateAlloc_ID	yes	no
		CDocumentInvoiceXref_ID	yes	no
		OIAadjustLn_ID	yes	no
		CACInvoice_ID	yes	no
		WHTChargeType	yes	no
◇ Vat	no	Vat_ID	yes	no
WHTCertFormat	no	WHTCertFormat_ID	yes	no
WHTNumber	no	WHTNumber	yes	no

WHTCertFormatWHTCertFormat

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Field Name	Label	Col-Label	Format	Dec
WHTCertFormat_ID	Record ID		9999999999	
WHTCertFormatCode	Format Code	Format Code	x(20)	
WHTCertFormatDescription	Description		x(40)	
WHTCertFormatIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	WHTCertFormatCode	yes	no
◇ IsActive	no	WHTCertFormatIsActive	yes	no
◇* Prim	yes	WHTCertFormat ID	yes	no

wipbd_det WIP Lot Trace BOM Control Detail

Field Name	Label	Col-Label	Format	Dec
wlbd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
wlbd_chr01			.9<<<<<<<<	
wlbd_chr02			X(16)	
wlbd_chr03			X(16)	
wlbd_chr04			X(16)	
wlbd_dec01			->>, >>, >>9.9<<<<<<<<	10
wlbd_dec02			->>, >>, >>9.9<<<<<<<<	10
wlbd_dte01			99/99/99	
wlbd_dte02			99/99/99	
wlbd_int01			->, >>, >>9	
wlbd_int02			->, >>, >>9	
wlbd_log01			yes/no	
wlbd_log02			yes/no	
wlbd_qadc01			X(16)	
wlbd_qadc02			X(16)	
wlbd_qadc03			X(16)	
wlbd_qadc04			X(16)	
wlbd_qadd01			->>, >>, >>9.9<<<<<<<	10
wlbd_qadd02			->>, >>, >>9.9<<<<<<<	10
wlbd_qadi01			->, >>, >>9	
wlbd_qadi02			->, >>, >>9	
wlbd_qadl01			yes/no	
wlbd_qadl02			yes/no	
wlbd_qadt01			99/99/99	
wlbd_qadt02			99/99/99	
wlbd_bom_code	BOM Code		x(18)	
wlbd_comp	Component Item		X(18)	
wlbd_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbd_domain	Domain		x(8)	
wlbd_mod_date	Modified Date	Mod Date	99/99/99	
wlbd_mod_userid	User ID		x(8)	
wlbd_start	Start Date	Start	99/99/99	
wlbd_trc_comps	Trace Components	Trace! Components	yes/no	
wlbd_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbd_user1	Ufld1		X(16)	
wlbd_user2	Ufld2		X(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wlbd_det	yes	oid_wlbd_det	yes	no
* wlbd_bom_code	yes	wlbd_domain	yes	no
		wlbd_bom_code	yes	no
		wlbd_start	yes	no
		wlbd_comp	yes	no

wlbm_mstr

WIP Lot Trace BOM Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlbn_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlbn_chr01			.9<<<<<<<<<	
wlbn_chr02			X(16)	
wlbn_chr03			X(16)	
wlbn_chr04			X(16)	
wlbn_dec01			->>, >>>, >>9.9<<<<<<<<<	10
wlbn_dec02			->>, >>>, >>9.9<<<<<<<<<	10
wlbn_dte01			99/99/99	
wlbn_dte02			99/99/99	
wlbn_int01			->, >>>, >>9	
wlbn_int02			->, >>>, >>9	
wlbn_log01			yes/no	
wlbn_log02			yes/no	
wlbn_qadc01			X(16)	
wlbn_qadc02			X(16)	
wlbn_qadc03			X(16)	
wlbn_qadc04			X(16)	
wlbn_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlbn_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlbn_qadi01			->, >>>, >>9	
wlbn_qadi02			->, >>>, >>9	
wlbn_qadl01			yes/no	
wlbn_qadl02			yes/no	
wlbn_qadt01			99/99/99	
wlbn_qadt02			99/99/99	
wlbn_bom_code	BOM Code		x(18)	
wlbn_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbn_domain	Domain		x(8)	
wlbn_end	End Date	End	99/99/99	
wlbn_mod_date	Modified Date	Mod Date	99/99/99	
wlbn_mod_userid	User ID		x(8)	
wlbn_start	Start Date	Start	99/99/99	
wlbn_trc_comps	Trace Components	Trace! Components	yes/no	
wlbn_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbn_user1	Ufld1		X(16)	
wlbn_user2	Ufld2		X(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wlbn_mstr	yes	oid_wlbn_mstr	yes	no
* wlbn_bom_code	yes	wlbn_domain	yes	no
		wlbn_bom_code	yes	no
		wlbn_start	yes	no

wlc_ctrl

WIP Lot Trace Control

Field Name	Label	Col-Label	Format	Dec
oid_wlc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
wlc_chr01			.9<<<<<<<<<	
wlc_chr02			X(16)	
wlc_chr03			X(16)	
wlc_chr04			X(16)	
wlc_dec01			->>, >>, >>9.9<<<<<<<<<	10
wlc_dec02			->>, >>, >>9.9<<<<<<<<<	10
wlc_dte01			99/99/99	
wlc_dte02			99/99/99	
wlc_int01			->, >>, >>9	
wlc_int02			->, >>, >>9	
wlc_log01			yes/no	
wlc_log02			yes/no	
wlc_qadc01			X(16)	
wlc_qadc02			X(16)	
wlc_qadc03			X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_wlc_ctrl	yes	oid_wlc_ctrl	yes	no
*	wlc_index1	yes	wlc_domain	yes	no

WIP Lot Inventory Detail

Field Name	Label	Col-Label	Format	Dec
wld_mod_userid	User ID		x(8)	
wld_prodby_id	Produced By ID	Prod ID	x(8)	
wld_prodby_op	Produced By Op	Prod Op	>>>>9	
wld_qty_oh	Qty On Hand		->,>>>,>>9.<<<<<<<<<<	10
wld_ref	Reference	Ref	x(8)	
wld_site	Site		x(8)	
wld_user1	Ufid1		X(16)	
wld_user2	Ufid2		X(16)	
wld_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wld_det	yes	oid_wld_det	yes	no
wld_alloc_loc	no	wld_domain	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
* wld_id	yes	wld_domain	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no
wld_lotser	no	wld_domain	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no

WLGM

Work Location Group Master

Field Name	Label	Col-Label	Format	Dec
AllowSwitch	Allow Task Switching	Switch	yes/no	
CmtIndx	Comments		>>>>>>>9	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
DevCode	Device		X(8)	
Domain	Domain		x(8)	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WLGM	yes	oid_WLGM	yes	no
◇* SiteWhseWLocGp	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

wird det

WIP Lot Trace Routing Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlrd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
wlrd_chr01			.9<<<<<<<<	
wlrd_chr02			X(16)	
wlrd_chr03			X(16)	
wlrd_chr04			X(16)	
wlrd_dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_dte01			99/99/99	
wlrd_dte02			99/99/99	
wlrd_int01			->, >>>, >>9	
wlrd_int02			->, >>>, >>9	
wlrd_log01			yes/no	
wlrd_log02			yes/no	
wlrd_qadc01			X(16)	
wlrd_qadc02			X(16)	
wlrd_qadc03			X(16)	
wlrd_qadc04			X(16)	
wlrd_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_qadi01			->, >>>, >>9	
wlrd_qadi02			->, >>>, >>9	
wlrd_qadl01			yes/no	
wlrd_qadl02			yes/no	
wlrd_qadt01			99/99/99	
wlrd_qadt02			99/99/99	
wlrd_domain	Domain		x(8)	
wlrd_mod_date	Modified Date	Mod Date	99/99/99	
wlrd_mod_userid	User ID		x(8)	
wlrd_op	Operation	Op	>>>>9	
wlrd_overissue	WIP Lot Overissuse	WIP Lot! Overissuse	yes/no	
wlrd_routing	Routing Code		x(18)	
wlrd_start	Start Date	Start	99/99/99	
wlrd_user1	Ufld1		X(16)	
wlrd_user2	Ufld2		X(16)	
wlrd_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrd_wip_split_ok	Split WIP Lots		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wlrd_det	yes	oid_wlrd_det	yes	no
* wlrd_routing	yes	wlrd_domain	yes	no
		wlrd_routing	yes	no
		wlrd_start	yes	no
		wlrd_op	yes	no

wlrn mstr

WIP Lot Trace Routing Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlrm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlrm__chr01			.9<<<<<<<<	
wlrm__chr02			X(16)	
wlrm__chr03			X(16)	
wlrm__chr04			X(16)	
wlrm__dec01			->>, >>>, >>9.9<<<<<<<<	10
wlrm__dec02			->>, >>>, >>9.9<<<<<<<<	10
wlrm__dte01			99/99/99	
wlrm__dte02			99/99/99	
wlrm__int01			->, >>>, >>9	
wlrm__int02			->, >>>, >>9	
wlrm__log01			yes/no	
wlrm__log02			yes/no	
wlrm__qadc01			X(16)	
wlrm__qadc02			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlrm__qadc03			X(16)	
wlrm__qadc04			X(16)	
wlrm__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__qadi01			->, >>>, >>9	
wlrm__qadi02			->, >>>, >>9	
wlrm__qadl01			yes/no	
wlrm__qadl02			yes/no	
wlrm__qadt01			99/99/99	
wlrm__qadt02			99/99/99	
wlrm_domain	Domain		x(8)	
wlrm_end	End Date	End	99/99/99	
wlrm_lt_startop	Lot Trace Start Op	Lot Trace! Start Op	>>>>9	
wlrm_maxlotsize	Max Lot Size		>>>, >>>, >>9.9	10
wlrm_mod_date	Modified Date	Mod Date	99/99/99	
wlrm_mod_userid	User ID		x(8)	
wlrm_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlrm_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrm_routing	Routing Code		x(18)	
wlrm_ser_startop	Serialized WIP Start Op	Serialized WIP! Start Op	>>>>9	
wlrm_start	Start Date	Start	99/99/99	
wlrm_trc_parent	Trace Parents	Trace! Parents	yes/no	
wlrm_user1	Ufld1		X(16)	
wlrm_user2	Ufld2		X(16)	
wlrm_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrm_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_wlrm_mstr	yes	oid_wlrm_mstr	yes	no
*	wlrm_routing	yes	wlrm_domain	yes	no
			wlrm_routing	yes	no
			wlrm_start	yes	no

wlt_mstr	WIP Lot Trace Master

Field Name	Label	Col-Label	Format	Dec
oid_wlt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlt__chr01			.9<<<<<<<<<	
wlt__chr02			X(16)	
wlt__chr03			X(16)	
wlt__chr04			X(16)	
wlt__dec01			->>, >>, >>9.9<<<<<<<<<	10
wlt__dec02			->>, >>, >>9.9<<<<<<<<<	10
wlt__dte01			99/99/99	
wlt__dte02			99/99/99	
wlt__int01			->, >>, >>9	
wlt__int02			->, >>, >>9	
wlt__log01			yes/no	
wlt__log02			yes/no	
wlt__qadc01			X(16)	
wlt__qadc02			X(16)	
wlt__qadc03			X(16)	
wlt__qadc04			X(16)	
wlt__qadd01			->>, >>, >>9.9<<<<<<<<<	10
wlt__qadd02			->>, >>, >>9.9<<<<<<<<<	10
wlt__qadi01			->, >>, >>9	
wlt__qadi02			->, >>, >>9	
wlt__qadl01			yes/no	
wlt__qadl02			yes/no	
wlt__qadt01			99/99/99	
wlt__qadt02			99/99/99	
wlt_cr_date	Date Created		99/99/99	
wlt_cr_time	Time Created		>>>>>>9	
wlt_domain	Domain		x(8)	
wlt_lotser	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
wlt_mod_date	Modified Date	Mod Date	99/99/99	
wlt_mod_time	Time Modified		>>>>>>9	
wlt_mod_userid	User ID		x(8)	
wlt_mtl_type	Material Type	Type	x(12)	
wlt_part	Item Number		x(18)	
wlt_prcons_ind	Produced/Consumed	Prod/Cons	Prod/Cons	
wlt_prodby_id	Produced By ID	Prod ID	x(8)	
wlt_prodby_op	Produced By Op	Prod Op	>>>>9	
wlt_qty	Qty		-,>>>,,>9.9<<<<<<<<	10
wlt_ref	Reference	Ref	x(8)	
wlt_tr_type	Trans Type		x(8)	
wlt_trnbr	Trans		>>>>>>>9	
wlt_user1	Ufld1		X(16)	
wlt_user2	Ufld2		X(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wlt_mstr	yes	oid_wlt_mstr	yes	no
wlt_prcons	no	wlt_domain	yes	no
		wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no
		wlt_tr_type	yes	no
		wlt_trnbr	yes	no
* wlt_tr_type	yes	wlt_domain	yes	no
		wlt_tr_type	yes	no
		wlt_trnbr	yes	no
		wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no

wl_mstr WIP Lot Master

Field Name	Label	Col-Label	Format	Dec
oid_wl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wl__chr01			.9<<<<<<<<<	
wl__chr02			X(16)	
wl__chr03			X(16)	
wl__chr04			X(16)	
wl__dec01			->>, >>>, >>9.9<<<<<<<<<	10
wl__dec02			->>, >>>, >>9.9<<<<<<<<<	10
wl__dte01			99/99/99	
wl__dte02			99/99/99	
wl__int01			->, >>>, >>9	
wl__int02			->, >>>, >>9	
wl__log01			yes/no	
wl__log02			yes/no	
wl__qadc01			X(16)	
wl__qadc02			X(16)	
wl__qadc03			X(16)	
wl__qadc04			X(16)	
wl__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
wl__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
wl__qadi01			->, >>>, >>9	
wl__qadi02			->, >>>, >>9	
wl__qadl01			yes/no	
wl__qadl02			yes/no	
wl__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wl_mstr	yes	oid_wl_mstr	yes	no
wl_lotser	no	wl_domain	yes	no
		wl_lotser	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
* wl_prodby_id	yes	wl_domain	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
		wl_lotser	yes	no

Work Order Control

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_woc_ctrl	yes	oid_woc_ctrl	yes	no
*	woc_index1	yes	woc_domain	yes	no

wod det

Work Order Detail

Field Name	Label	Col-Label	Format	Dec
wod_wod_det			>>>>>>>>>>>>>>>>>>>>>>9	10
wod_chr01			.9<<<<<<<<	
wod__chr02			x(8)	
wod__chr03			x(8)	
wod__chr04			x(8)	
wod__chr05			x(8)	
wod_dec01			>>>, >>>, >>9.99	10
wod_dec02			>>>, >>>, >>9.99	10
wod_dte01			99/99/99	
wod_dte02			99/99/99	
wod_log01			yes/no	
wod_qadc01	QAD Character Field 1		X(8)	
wod_qadc02	QAD Character Field 2		X(8)	
wod_qadc03	QAD Character Field 3		X(8)	
wod_qade01	QAD Decimal Field 1		->>>, >>9.99<	10
wod_qade02	QAD Decimal Field 2		->>>, >>9.99<	10
wod_qadl01	QAD Logical Field 1		yes/no	
wod_qadl02	QAD L ogical Field 2		yes/no	
wod_qadt01	QAD Date Field 1		99/99/99	
wod_qadt02	QAD Date Field 2		99/99/99	
wod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<	10
wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>, >>9.999	10
wod_bom_qty	Frozen BOM Qty	BOM Qty	->, >>>, >>9.9<<<<<<<<	10
wod_ca_int_type	Work Code		x(8)	0
wod_cmtindx	Comment Index	Comment	>>>>>>9	
wod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wod_covered_post			>>>>, >>>, >>9.99<<<	10
wod_critical	Critical		yes/no	
wod_deliver	Deliver To		x(8)	
wod_doc_id	Document ID		x(24)	
wod_domain	Domain		x(8)	
wod_eng_code	Engineer		x(8)	
wod_exg_price	Exchange Price		>>>>, >>>, >>9.99<<<	10
wod_fcg_code	Charge Code	Charge	x(8)	
wod_fcg_index			->, >>>, >>9	
wod_fis_column			>>9	
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>, >>>, >>9.99<<<	10
wod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>, >>>, >>9.99<<<	10
wod_mvrtc_accr	Mtl Rate Accrued	Accrued	->>>>, >>9.99	10
wod_mvrtc_post	Mtl Rate Posted	Posted	->>>>, >>9.99	10
wod_mvrtc_rval	Mtl Rate Revalued	Revalued	->>>>, >>9.99	10
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>, >>9.99	10
wod_mvuse_post	Mtl Use Posted	Posted	->>>>, >>9.99	10
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>, >>9.99	10
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>, >>>, >>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wod_det	yes	oid_wod_det	yes	no
* wod_det	yes	wod_domain	yes	no
		wod_lot	yes	no
		wod_part	yes	no
		wod_op	yes	no
wod_iss_part	no	wod_domain	yes	no
		wod_iss_date	yes	no
		wod_part	yes	no
wod_nbrpart	no	wod_domain	yes	no
		wod_nbr	yes	no
		wod_lot	yes	no
		wod_part	yes	no
wod_op	yes	wod_domain	yes	no
		wod_lot	yes	no
		wod_op	yes	no
		wod_part	yes	no
wod_part	no	wod_domain	yes	no
		wod_part	yes	no

wopd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopd_det	yes	oid_wopd_det	yes	no
wopd_wopm_wod	yes	oid_wopm_det	yes	no
		oid_wod_det	yes	no

wopm_det Periodwise(Cost calculation) WO master WIP information

Field Name	Label	Col-Label	Format	Dec
oid_glccp_det	Identifier Cost Calculation Period		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wo_mstr	Identifier WO Master		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<	10
oid_wopm_det	Identifier WO Master (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<	10
wopm__qadc01			x(24)	
wopm__qadc02			x(24)	
wopm_mod_date	Modified Date	Mod Date	99/99/99	
wopm_mod_userid	User ID		x(8)	
wopm_qty_rcvd	WO Period Qty Received		->, >>, >>9.9<<<<<<<	10
wopm_qty_rcvd_tot	WO Qty Received		->, >>, >>9.9<<<<<<<	10
wopm_qty_rjct	WO Period Qty Rejected		->, >>, >>9.9<<<<<<<	10
wopm_qty_rjct_tot	WO Qty Rejected		->, >>, >>9.9<<<<<<<	10
wopm_user1	User Field Character 1		x(24)	
wopm_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopm_det	yes	oid_wopm_det	yes	no
wopm_cost_cal_pd_w o	yes	oid_glccp_det	yes	no
		oid wo mstr	yes	no

wopr det Periodwise(Cost calculation) WO Routing (WIP) information

Field Name	Label	Col-Label	Format	Dec
oid_wopm_det	Identifier WO Master (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wopr_det	Identifier WO Route (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wr_route	Identifier WO Route		>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	
wopr__qadc01			x(24)	
wopr__qadc02			x(24)	
wopr_lbr_hrs	Labor Hours		->, >>9.9<<	10
wopr_lbr_hrs_tot	Labor Hours total		->, >>9.9<<	10
wopr_mod_date	Modified Date	Mod Date	99/99/99	
wopr_mod_userid	User ID		x(8)	
wopr_qty_proc	Period Qty Processed		->, >>, >>9.9<<<<<<<<	10
wopr_qty_proc_tot	Qty Processed total		->, >>, >>9.9<<<<<<<<	10
wopr_setup_hrs	Setup Hours		->, >>9.9<<	10
wopr_setup_hrs_tot	Setup Hours Total		->, >>9.9<<	10
wopr_user1	User Field Character 1		x(24)	
wopr_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopr_det	yes	oid_wopr_det	yes	no
wopr_wopm_wr_route	yes	oid_wopm_det	yes	no
		oid_wr_route	yes	no

WorkLoadD

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_WorkLoadD			>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<	
Picks	Optimal Picks per Wave	Picks/Wave	>>>, >>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
TimePerPick	Time Per Pick (min)	Pick (min)	>9.99	2
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_WorkLoadD	yes	oid_WorkLoadD	yes	no
◇	SiteWhseWLocGp	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
*	WorkLoad	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			LoadGroup	yes	no
			Seq	yes	no
			WLocGp	yes	no

WorkLoadM

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WorkLoadM			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShiftSize	Shift Size		->>, >>9.99	10
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LoadGroup	yes	no
oid_WorkLoadM	yes	oid_WorkLoadM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

wo mstr Work Order Master

Field Name	Label	Col-Label	Format	Dec
oid_wo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
wo_chr01			x(8)	
wo_chr02			x(8)	
wo_chr03			x(8)	
wo_chr04			x(8)	
wo_chr05			x(8)	
wo_dec01			>>>, >>>, >>9.99	10
wo_dec02			>>>, >>>, >>9.99	10
wo_dec03			->>>, >>>, >>9.99	10
wo_dec04			->>>, >>>, >>9.99	10
wo_dte01			99/99/99	
wo_dte02			99/99/99	
wo_log01			yes/no	
wo_qad01			x(8)	
wo_qadc01	QAD Character Field 1		X(8)	
wo_qadc02	QAD Character Field 2		X(8)	
wo_qadc03	QAD Character Field 3		X(8)	
wo_qade01	QAD Decimal Field 1		- , >>>, >>9.9<<<	10

Field Name	Label	Col-Label	Format	Dec
wo__qade02	QAD Decimal Field 2		->, >>>, >>9.9<<<	10
wo__qade03	QAD Decimal Field 3		->, >>>, >>9.9<<<	10
wo__qadi01	QAD Integer Field 1		->, >>>, >>9	
wo__qadi02	QAD Integer Field 2		->, >>>, >>9	
wo__qadi01	QAD Logical Field 1		yes/no	
wo__qadi02	QAD Logical Field 2		yes/no	
wo__qadt01	QAD Date Field 1		99/99/99	
wo__qadt02	QAD Date Field 2		99/99/99	
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	ClS	yes/no	
wo_app_owner	Owner Application		x(12)	
wo_assay	Assay %		>>9.99%	10
wo_base_id	Base ID		x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>, >>>, >>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>, >>>, >>9.99<<<	10
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>, >>9.99	10
wo_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
wo_bom_code	BOM/Formula		x(18)	
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	
wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>9	
wo_date_posted			99/99/99	
wo_doc_id	Document ID		x(24)	
wo_domain	Domain		x(8)	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_due_date_anchor	Due Date Anchored		yes/no	
wo_duration_buffer	Duration Buffer		>>>>9	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	
wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
wo_flr_cc	Floor Stock CC	CC	x(4)	
wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
wo_fsm_type	SSM Type		x(8)	
wo_gl_bdn	Create GL for Burden Variance		yes/no	
wo_gl_lbr	Create GL for Labor Variance		yes/no	
wo_grade	Grade	Grd	x(2)	
wo_iss_site	Issue Site		x(8)	
wo_itm_line	Item Line		>>>>>>>9	
wo_joint_type	Co/By Type	CT	x(1)	
wo_lbr_tot	Labor Cost		->>>, >>9.99	10
wo_lbr_totx	Labor Cost		->>>, >>9.99	10
wo_lbr_up	Update Current Labor Cost		yes/no	
wo_lbr_var	Lbr Variance		->>>>, >>9.99	10
wo_lead_time	W/O Lead Time	W/O Lead	->, >>>, >>9	
wo_line	Production Line	Line	x(8)	
wo_loc	Location		x(8)	
wo_lot	ID		x(8)	
wo_lot_next	Lot/Serial		x(18)	
wo_lot_prev	Previous ID	Prev ID	x(8)	
wo_lot_rcpt	Single Lot		yes/no	
wo_mix_var	Mix Variance		->>>>, >>9.99	10
wo_mthd_var	Mthd Chg Var		->>>>, >>9.99	10
wo_mtl_tot	Material Cost		->>>, >>>, >>9.99<<<	10
wo_mtl_totx	Material Cost		->>>, >>>, >>9.99<<<	10
wo_mtl_var	Mtl Variance		->>>>, >>9.99	10
wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
wo_myld_var	Mix & Yield Var	M&Y Var	->>>>, >>9.99	10
wo_nbr	Work Order		x(18)	
wo_nbr_lines	Number of Production Lines		>>9.9<	2

Field Name	Label	Col-Label	Format	Dec
wo_ord_date	Order Date		99/99/99	
wo_order_sheet_printed	Route Printed		yes/no	
wo_ovh_tot	Ovhead Cost		->>>, >>9.999	10
wo_ovh_totx	Ovhead Cost		->>>, >>9.999	10
wo_part	Item Number		x(18)	
wo_per_date	Performance Date	Perform	99/99/99	
wo_prod_pct	Process		>>9.99%	10
wo_project	Project		x(8)	
wo_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
wo_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
wo_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
wo_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
wo_qty_type	Qty Type	QT	x(1)	
wo_queue_eff	Queue Pct		>>>9.9<	10
wo_rate	Production Rate	Prod Rate	>>>, >>>, >>9.99	10
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_record_date	Last Record Date		99/99/99	
wo_ref	Reference		x(8)	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->, >>>, >>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>, >>>, >>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_run_size	Run Crew Size		>>>9	
wo_rval_tot	Revalued Total		->>>, >>>, >>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_selected_for_print	Selected For Print		yes/no	
wo_seq	Sequence		>>>>9.9<	2
wo_serial	Lot/Serial		x(18)	
wo_setup_time	Setup Time		999999	
wo_shift	Shift		x(2)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_stat_close_date	WO Close Date	WO Close	99/99/99	
wo_stat_close_userid	WO Close UserID		x(8)	
wo_status	Status	St	x(1)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_var	Sub Variance		->>>>, >>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance	CC	x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svr_cc	Subcontract Rate Variance	CC	x(4)	
wo_svr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_tool	Tool Code	Tool	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>, >>>, >>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>, >>>, >>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
old_wo_mstr	yes	old_wo_mstr	yes	no
wo_due_part	no	wo_domain	yes	no
		wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
wo_fsm_type	no	wo_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		wo_fsm_type	yes	no
		wo_nbr	yes	no
		wo_itm_line	yes	no
wo_line_due	no	wo_domain	yes	no
		wo_site	yes	no
		wo_line	yes	no
		wo_due_date	yes	no
		wo_part	yes	no
wo_lot	yes	wo_domain	yes	no
		wo_lot	yes	no
* wo_nbr	yes	wo_domain	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_part	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no
wo_part_rel	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_rel_date	yes	no
wo_rel_date	no	wo_domain	yes	no
		wo_site	yes	no
		wo_line	yes	no
		wo_rel_date	yes	no
wo_site	no	wo_domain	yes	no
		wo_site	yes	no
		wo_nbr	yes	no
		wo_part	yes	no
wo_type_nbr	yes	wo_domain	yes	no
		wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_type_part	no	wo_domain	yes	no
		wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

wr_route	Work Order Routing

Field Name	Label	Col-Label	Format	Dec
oid_wr_route			>>>>>>>>>>>>>>>>>>>>>9	10
wr_chr01			.9<<<<<<<<	
wr_chr02			x(8)	
wr_chr03			x(8)	
wr_chr04			x(8)	
wr_chr05			x(8)	
wr_dec01			>>>, >>>, >>9.99	10
wr_dec02			>>>, >>>, >>9.99	10
wr_dte01			99/99/99	
wr_dte02			99/99/99	
wr_log01			yes/no	
wr_qadc01	QAD Character Field 1		X(8)	
wr_qadc02	QAD Character Field 2		X(8)	
wr_qadc03	QAD Character Field 3		X(8)	
wr_qadc04	QAD Character Field 4		X(8)	
wr_qadd05	QAD Decimal Field 5		->, >>>, >>9.99<<<	10
wr_qade01	QAD Decimal Field 1		->, >>>, >>9.99<<<	10
wr_qade02	QAD Decimal Field 2		->, >>>, >>9.99<<<	10
wr_qade03	QAD Decimal Field 3		->, >>>, >>9.99<<<	10
wr_qade04	QAD Decimal Field 4		->, >>>, >>9.99<<<	10
wr_qadi01	QAD Integer Field 1		->, >>>, >>9	
wr_qadi02	QAD Integer Field 2		->, >>>, >>9	
wr_qadl01	QAD Logical Field 1		yes/no	
wr_qadl02	QAD Logical Field 2		yes/no	
wr_act_posted	Quantity Posted		>>>, >>>, >>9.9<<<	10

Field Name	Label	Col-Label	Format	Dec
wr_act_run	Act Run Time		->, >>9.9<<	10
wr_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	10
wr_auto_lbr	Auto Labor Report		yes/no	
wr_bdn_act	Burden Act	Act Burden	->>>>, >>9.99	10
wr_bdn_ll_act	Burden LL Act		->>>>, >>9.99	10
wr_bdn_ll_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bdn_pct	Lbr Bdn %		>>9.99%	10
wr_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	10
wr_bdn_std	Burden Std	Std Burden	->>>>, >>9.99	10
wr_bdn_totx	Burden		->>>, >>>, >>9.99<<<	10
wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>, >>9.99	10
wr_bvrte_post	Bdn Rate Posted	Posted	->>>>, >>9.99	10
wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>, >>9.99	10
wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>, >>9.99	10
wr_bvuse_post	Bdn Use Posted	Posted	->>>>, >>9.99	10
wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>, >>9.99	10
wr_ca_int_type	Work Code		x(8)	
wr_cmtindx	Comment Index	Comment	>>>>>>9	
wr_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wr_covered_post			>>>>, >>>, >>9.99<<<	10
wr_curr	Currency	Cur	x(3)	
wr_desc	Description		x(24)	
wr_domain	Domain		x(8)	
wr_due	Due Date	Due	99/99/99	
wr_due_datetime	Due Date/Time		99/99/99 HH:MM:SS	
wr_end_time	End		99:99	
wr_eng_code	Engineer		x(8)	
wr_expense			yes/no	
wr_fbdn_std			->>>>, >>9.99	10
wr_fcg_code	Charge Code	Charge	x(8)	
wr_fcg_index			->, >>>, >>9	
wr_fis_column			>>9	
wr_fis_sort			x(18)	
wr_flbr_cstd	Standard Cost		->>>>, >>9.99	10
wr_flbr_std	Standard Cost		->>>>, >>9.99	10
wr_fsc_code	Service Category	Svc Cat	x(8)	
wr_fsm_type	FSM Type		x(8)	
wr_itm_line			>>>9	
wr_lbr_act	Labor Act	Act Labor	->>>>, >>9.99	10
wr_lbr_ll_act	Labor LL Act		->>>>, >>9.99	10
wr_lbr_ll_totx	Labor		->>>, >>>, >>9.99<<<	10
wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
wr_lbr_rate	Labor Rate		>>>, >>9.99	10
wr_lbr_std	Labor Std	Std Labor	->>>>, >>9.99	10
wr_lbr_totx	Labor		->>>, >>>, >>9.99<<<	10
wr_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
wr_lot	ID		x(8)	
wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>, >>9.99	10
wr_lvrte_post	Lbr Rate Posted	Posted	->>>>, >>9.99	10
wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>, >>9.99	10
wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>, >>9.99	10
wr_lvuse_post	Lbr Usage Posted	Posted	->>>>, >>9.99	10
wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>, >>9.99	10
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>, >>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	10
wr_men_mch	Run Crew		->, >>9.99	10
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>, >>9.9<<	10
wr_mtl_act	Mtl Act	Act Material	->>>>, >>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>, >>9.99	10
wr_mtl_ll_totx	Material		->>>, >>>, >>9.99<<<	10
wr_mtl_totx	Material		->>>, >>>, >>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
wr_ovh_act	Ovh Act		->>>>, >>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>, >>9.99	10
wr_ovh_ll_totx	Overhead		->>>, >>>, >>9.99<<<	10
wr_ovh_totx	Overhead		>>>>, >>>, >>9.99<<<	10
wr_part	Item Number		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wr_route	yes	oid_wr_route	yes	no
wr_lot	yes	wr_domain	yes	no
		wr_lot	yes	no
		wr_op	yes	no
* wr_nbropt	yes	wr_domain	yes	no
		wr_nbr	yes	no
		wr_lot	yes	no
		wr_op	yes	no
wr_part	no	wr_domain	yes	no
		wr_part	yes	no
		wr_op	yes	no
wr_wkctr	no	wr_domain	yes	no
		wr_wkctr	yes	no
		wr_mch	yes	no
		wr_start	yes	no

Withholding Tax Master

Field Name	Label	Col-Label	Format	Dec
oid_wtx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wtx__qadc01			.9<<<<<<<<<	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx__qadd02			->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx__qadi01			->>>>>>>9	
wtx__qadi02			->>>>>>>9	
wtx__qadl01			yes/no	
wtx__qadl02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	
wtx_acct	Withholding Tax Account		x(8)	
wtx_addr	Supplier		x(8)	
wtx_cc	Withholding Tax Cost Center		x(4)	
wtx_charge_amt	Charge Amount		->>>>, >>>, >>9.99<	10
wtx_charge_type	Charge Type		Expense/Fee	
wtx_check	Payment Reference		x(10)	
wtx_domain	Domain		x(8)	
wtx_invoice	Supplier's Invoice Number		x(12)	
wtx_ln	Voucher Line		>>9	
wtx_mod_date	Modified Date	Mod Date	99/99/99	
wtx_mod_userid	User ID		x(8)	
wtx_paid_date	Voucher Payment Date		99/99/99	
wtx_printed	Certificate Printed		yes/no	
wtx_ref	Voucher Number		x(8)	
wtx_ret_amt	Retained Amount		->>>>, >>>, >>9.99<	10
wtx_rsn_code	Reason Code		x(8)	
wtx_set_date	Settlement Date		99/99/99	
wtx_sub	Withholding Tax Sub Account		x(8)	
wtx_tax_pct	Withholding Tax Rate		->>9.9<%	10
wtx_taxable_amt	Taxable Fee Amount		->>>>, >>>, >>9.99<	10
wtx_tot_amt	Total Amount		->>>>, >>>, >>9.99<	10
wtx_tot_paid	Total Paid		->>>>, >>>, >>9.99<	10
wtx_user1	User Field Character 1		x(24)	
wtx_user2	User Field Character 2		x(24)	
wtx_userc03	User Field Character 3		x(24)	
wtx_userc04	User Field Character 4		x(24)	
wtx_userc05	User Field Character 5		x(24)	
wtx_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
wtx_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
wtx_useri01	User Field Integer 1		->>>>>>>9	
wtx_useri02	User Field Integer 2		->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_userd01	User Field Date 1		99/99/99	
wtx_userd02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		->>>>, >>>, >>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		->>>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
old_wtx_mstr	yes	old_wtx_mstr	yes	no
* wtx_advoln	yes	wtx_domain	yes	no
		wtx_addr	yes	no
		wtx_ref	yes	no
		wtx_ln	yes	no
		wtx_check	yes	no
wtx_vo_date	no	wtx_domain	yes	no
		wtx_vo_date	yes	no

YearClosing Year Closing

Field Name	Label	Col-Label	Format	Dec
ClosingBalanceDivGL_ID	Balance Sheet Closing Sub-Account		9999999999	
ClosingBalanceGL_ID	Balance Sheet Closing Account		9999999999	
ClosingBalanceJournal_ID	Closing Balance Daybook		9999999999	
ClosingPLDivGL_ID	Profit/Loss Closing Sub-Account		9999999999	
ClosingPLGL_ID	Profit/Loss Closing Account		9999999999	
ClosingPLJournal_ID	Closing Profit/Loss Daybook		9999999999	
ClosingTransferJournal_ID	Automated Profit/Loss Transfer Daybook	Automated P&L Transfer Daybook	9999999999	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
YearClosing_ID	Record ID		9999999999	
YearClosingAccountingYear	GL Calendar Year		9999	
YearClosingCloAddGLNbrDate	Closing Numbering Date		99/99/9999	
YearClosingDefTaxCode	Default Tax Code		x(8)	
YearClosingIsInclDivision	Include Sub-Accounts		yes/no	
YearClosingIsTransPLToBal	Auto-Transfer Profit/Loss to BS		yes/no	
YearClosingReoAddGLNbrDate	Reopen Numbering Date		99/99/9999	
YearClosingTrnAddGLNbrDate	Transfer Numbering Date		99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	YearClosing_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		YearClosingAccountingYear	yes	no

Index of Table Descriptions

Numerics

1099 Box 77
1099 Box Purchase Type Link 77

A

ABS Lot/Serial Detail 12
Account Default Master 17
Account Master 20
Accounts Payable Control 42
Accounts Payable Matching 43
Accounts Payable Matching Line 45
Accounts Payable Matching Line Rev Tax 47
Accounts Payable Matching Line Tax Detail 47
Accounts Payable Matching Line Tax Detail 48
Accounts Receivable Control 53
Action Message Detail 574
Address 21
Address Control 20
Address List Detail 549
Address Master 2, 24
Address Type 22
Advanced Pricing Management Control 50
Advanced Pricing Management Customer Relationship Master 49
Allocation Account Detail 27
Allocation Account Master 40
Allocation Batch 32
Allocation Batch Line 32
Allocation Definition 31
Allocation Layer 33
Allocation Posting 33
Alternate COA 36
Alternate COA Group 34
Alternate COA Structure 35
Alternate Container Master 19
Analysis 41
Analysis Code COA Element 359
Analysis Code COA Element Detail 360
Analysis Code Exploded Detail 41
Analysis Code Link Detail 41
Analysis Code Master 42
Analysis Code Selection Detail 41
Application Code Master 18
Application Definition Master 393
Application Parameter Master 51
Application Registry 51
Application Return Code Master 54
Application Usage Detail 902
Approve Status Transition 50
ASN/BOL/Shipper Master 13
Asset Book Account SAF 312

Asset Book Depreciations 311
Asset Saf 312
Associated Item Detail 663
Audit Detail 57
Audit Trail Database Connection Detail 55
Audit Trail Database Connection Master 55
Audit Trail Group Master 55
Audit Trail Table Master 56
Automatic Lot Master 34
Automatic Numbering 57
Available-to-Promise Detail 56

B

Bank Account Format 58
Bank Account Format Section 58
Bank Driver Payment Detail 75
Bank File Format 58
Bank File Format Transaction Type 59
Bank Number 61
Bank Number Payment Format Code 62
Bank Payment Format 63
Bank Statement 63
Bank Statement Allocation 64
Bank Statement Import 59
Bank Statement Import Line 60
Bank Statement Import Line Log 61
Bank Statement Line 66
Bank Statement Selection Allocation 65
Bank Statement Stage Allocation 68
Batch Control Detail 73
Batch Control Master 73
Batch Data Load Detail 74
Batch Data Load Master 74
Blocked Transaction Detail 79
Blocked Transaction Master 79
BLWI Group 76
Budget 79
Budget Accumulation by Period 82
Budget Accumulation by Sub-ledger 83
Budget COA 81
Budget Commitment Link 84
Budget Entity 81
Budget Group 81
Budget Period 85
Budget Posting Commitment Link 82
Budget Posting Link 83
Budget Report 86
Budget Report Detail 86
Budget Topic 96
Budget Topic Component Link 98
Budget Topic Forecast 98

Database Definitions

Budget Version 87
Budget Version Figures 88
Budget Version GL Figures 92
Business Area 104
Business Area - Business Component Link 104
Business Relation 104
Business Relation Saf Default 106

C

Calendar Detail 108, 112
Calendar Holiday Detail 110
Calendar Master 110
Call Reminder Detail Table 187
Carrier Control 187
Cash Group 113
Cash Report 113
Cash Report Account 114
Cash Report Account Line 114
Category Master 199
Chinese Accounting Interface 16
Chinese Accounting Interface Filter 16
Classification Master 147
client cache 147
COA Cross Reference 160
COA Mask Cost Center 161
COA Mask Cost Center Range GL 162
COA Mask Project 163
COA Mask Project Range Cost Center 164
COA Mask Project Range GL 164
COA Mask Project Range Sub-Account 164
COA Mask Sub-Account 162
COA Mask Sub-Account Range GL Account 163
Commodity Code Detail 165
Commodity Code Master 169
Company Shared Set 169
Compliance Control 146
Consigned Shipment Inventory Cross-Reference Master 153
Consistency Check 170
Consistency Check Line 171
Consistency Check Line Detail 172
Consolidation 173
Consolidation Cycle 173
Consolidation Cycle Saf 174
Consolidation Export 175
Consolidation Layer 175
Consolidation Period Cross-reference 176
Consolidation Posting Cross-Reference 176
Contact 177
Container 122
Container Charge Type Master 125
Container Item Detail 664
Container Type Master 178
Container/Line Charge Control 122
Container/Line Charge Ship-From/Ship-To Control Master 121
Control file to help setup parameters for Periodic Costing 603
Control Work Table 555
Controlled Substance Authority Master 191
Controlled Substance Customer Master 192
Controlled Substance General License Master 196
Controlled Substance Individual License Detail 196
Controlled Substance Individual License Master 194

Controlled Substance Item Detail 193
Controlled Substance Item Master 194
Controlled Substance Site Master 197
Co-product/By-product Average Cost Master 18
Corporate Group 178
Correction Invoice Link Detail 135
Correction Invoice Link Master 136
Cost Center 179
Cost Center Master 125
Cost Center SAF Default 180
Cost Set Calendar 181
Cost Set Master 198
Cost Simulation Item Detail 829
Cost Simulation Master 779
Cost Simulation Operation Detail 822
Cost Simulation Total Detail 777
Cost Simulation Work Center Detail 843
Country 182
Country Code and Currency with Rounding Method 728
Country Master 199
Country Tax Format 183
County 183
Credit Card Control 119
Credit Card Transaction History 124
Credit Terms 596
Credit Terms Detail 198
Credit Terms Master 200
Cross Reference Detail 160
Cube Build Log 360
Cube Layer Relation table 375
Currency 200
Currency Master 203
Customer 212
Customer Balance 205
Customer Balance History 229
Customer Consignment Control 156
Customer Consignment Shipment Usage Detail 154
Customer Consignment Shipment Usage Master 155
Customer Consignment Ship-To/Item Master 154
Customer Control 148
Customer Credit Rating 214
Customer End User 214
Customer Invoice 230
Customer Invoice Bank Payment Code 234
Customer Invoice Bank Records 233
Customer Invoice Movements 235
Customer Invoice Operational Info 236
Customer Invoice Posting Link 237
Customer Invoice Shipper References 238
Customer Invoice Stage Payment 238
Customer Invoice Tax Records 239
Customer Item Master 187
Customer Master 150
Customer Payment 209, 244
Customer Payment Invoice Cross-Reference 210
Customer Payment Invoice Xref Stage 208
Customer Payment Payment Code 211
Customer Payment Posting Line 211
Customer Payment Selection 205, 244
Customer Payment Selection Export 207
Customer Payment Selection Payment Code 245, 246, 247
Customer Payment Status 211
Customer Period Calendar Detail 185

Customer Period Calendar Master 185
 Customer SAF Default 215
 Customer Sales History 149
 Customer Schedule Master 701
 Customer Sequence Schedule Control 698
 Customer Sequence Schedule Cross-Reference 700
 Customer Sequence Schedule Detail 698
 Customer Sequence Schedule Master 697
 Customer Ship-To 216
 Customer Type 217
 Customer/Item Sales History 186
 Customer/Ship-To Shipment Controls Master 774

D

Data Entry Detail 221
 Data Entry Extension Detail 221
 Data Entry Extension Master 221
 Data Entry Field Detail 223
 Data Entry Frame Detail 222
 Data Entry Frame Field Detail 223
 Data Entry Frame Sequence Condition Detail 222
 Data Entry Frame Sequence Detail 225
 Data Entry Master 228
 Data Entry Profile Master 227
 Data Entry User Detail 228
 Data Validation Field Detail 253
 Data Validation Field Value Detail 252
 Data Validation Master 254
 Data Validation Rule Cross Reference 253
 Data Validation Rule Master 795
 Database Connection Master 207
 Database Control for QADDB 681
 Database Revision Control Master 205
 Daybook 487
 Daybook Group 488
 Daybook Set Master 254
 Daybook Type 489
 DB Time Stamp 6
 Declarant Master 217
 Deduction Category 217
 Deduction Category Line 219
 Deduction Category Line Saf 220
 Deduction of Invoice 234
 Delivery Condition 226
 Delivery Time Master 227
 Department Master 247
 Depot Order Shipment/Receipt Table 243
 Depreciation Detail SAF 322
 Depreciation Posting 323
 Destination Application List Detail 203
 Destination Application List Master 204
 Distributed Site Order Detail 251
 Distributed Site Order Master 250
 Distributed Site Requisition Detail 248
 Distributed Site Requisition Master 249
 Distribution Requirements Planning Control 248
 Document Print Format Master 229
 Domain 242
 Domain Master 243
 Domain Property 241
 Domain Shared Set 243
 draft instance 333
 Draft Management Work Table 241

E

Earnings Master 256
 Electronic Nota Fiscal Configuration by Site 569
 Electronic Nota Fiscal Log 570
 Electronic Nota Fiscal Web Service Master 570
 E-mail Master 277
 Employee 274
 Employee Master 275
 EMU Control 302
 Ending Inventory Balance and Cost by Location 495
 Ending Inventory Balance by Site 508
 Ending Inventory Balance of a cost calculation period 542
 Engineering Change Approval Detail 260
 Engineering Change Approval Master 257
 Engineering Change Item Detail 261
 Engineering Change Master 262
 Engineering Change Master Lists 262
 Engineering Change Product Structure Detail 257
 Engineering Change Routing Detail 258
 Engineering Change Text File Detail 259
 Engineering Change Type Master 263
 Enterprise Material Transfer Change Management Detail 148
 Enterprise Material Transfer Change Management Master 149
 Enterprise Material Transfer Primary Business Unit Detail 78
 Entity 167
 Entity Consolidation Cycle 174
 Entity Master 283
 Entity Property 167
 E-Signature Activated Profile 291
 E-Signature Activated Profile Field 290
 E-Signature Activated Profile Filter 289
 E-Signature Activated Profile Filter Criteria 288
 E-Signature Activated Profile Filter Set 289
 E-Signature Activated Profile Menu Program Cross-Reference 290
 E-Signature Activated Profile Structure 290
 E-Signature Category Detail 292
 E-Signature Category Filter Cross-Reference 292
 E-Signature Category Master 291
 E-Signature Category XML Detail 292
 E-Signature Filter 293
 E-Signature Group Category Cross-Reference 294
 E-Signature Master 295
 E-Signature Record List 297
 E-Signature Workbench Profile 300
 E-Signature Workbench Profile Field 299
 E-Signature Workbench Profile Filter 298
 E-Signature Workbench Profile Filter Criteria 298
 E-Signature Workbench Profile Filter Set 298
 E-Signature Workbench Profile Menu Program Cross-Reference 299
 E-Signature Workbench Profile Structure 300
 Evaluated Receipt Settlement History 287
 Evaluated Receipts Settlement History De 288
 Evaluated Receipts Settlement Master 288
 Event daemon 307
 Exchange Rate 307
 Exchange Rate Master 310
 Exchange Rate Type 308
 Expense Code 309

Database Definitions

Expense GL Matrix 309
Expense Note Line Saf 310
Expense Note Supplier Invoice 309
Export Delivery Log 264
Export Document Log 270
Export Document Message 272
Export Document Specification Master 295
External Address Cross-Reference Detail 23
External Order Cross-Reference 264

F

FA Book and Daybook link detail table 315
Family Hierarchy Master 338
Family Item Cost Detail 355
Family Line Plan 344
Family Production and Shipment Plan 352
Family Production Backlog and Cost Plan 351
Family Production Inventory and Order Plan 352
Family Simulation Backlog and Cost Plan 387
Family Simulation Inventory and Order Plan 388
Family Simulation Production and Shipment Plan 389
Favorites 330
Field Attribute Master 342
Field Default Master 342
Field Help Program Master 343
Field Security Master 344
Field Validation Allowed Value Detail 795
FiFo/LiFo history of unconsumed quantity onhand per period. 545
Final Assembly Control 322
Financial Report Writer 685, 686
Financial Report Writer Column Group 379
Financial Report Writer Column GroupDetail 364
Financial Report Writer Security Roles for Report 380
Financial Report Writer User Default Settings 383
Fiscal Control Definition Detail 522
Fiscal Control Definition Master 524
Fixed Asset Account Detail 314
Fixed Asset Adjustment Master 311
Fixed Asset Batch Detail 314
Fixed Asset Batch Master 315
Fixed Asset Book Default Master 323
Fixed Asset Book Depreciation Detail 316
Fixed Asset Book Detail 318
Fixed Asset Book Master 317
Fixed Asset Calendar Detail 320
Fixed Asset Calendar Master 321
Fixed Asset Capitalization Asset Book 319
Fixed Asset Class Account Detail 319
Fixed Asset Class Master 320
Fixed Asset Component Detail 325
Fixed Asset Control 321
Fixed Asset Custodian Master 198
Fixed Asset Custom Table Detail 326
Fixed Asset Disposal Detail Saf 323
Fixed Asset Location Code Master 326
Fixed Asset Location Master 325
Fixed Asset Master 330
Fixed Asset Meter Detail 327
Fixed Asset Meter Master 327
Fixed Asset Method Master 328
Fixed Asset Revaluation Detail SAF 328
Fixed Asset Revaluation Posting 329
Fixed Asset System Control 329

Fixed Asset Type Master 887
Fixed Asset Type-Book Cross-Reference 313
Fixed Assets UOP Forecast Detail 329
Flow Flex Fence Master 343
Flow Line Capacity Rate History 341
Flow Line Capacity Rate Master 341
Flow Production Line Preference Detail 530
Flow Schedule Code Detail 344
Flow Schedule Code Master 345
Flow Schedule Detail 346
Forecast Summary 336
Freight Charge Detail 356
Freight List Master 384
Freight Rate Detail 357
Freight Rate Master 357
Freight Terms Master 391
Freight Zone Detail 383

G

General Ledger (Company) Control 183
General Ledger Calendar 399
General Ledger Calendar Detail 398
General Ledger Daybook Master 256
General Ledger Default Daybook Master 255
General Ledger Unposted Transaction Detail 404
General Ledger Work Table 403
Generalized Code Master 165
Generic Field Detail 393
GL Account 395
GL Account Mirror 400
GL Account SAF Default 402
GL Account System Type 402
GL Account Type 403
GL Calendar 397
GL Correction Control File 399
GL Open Item 400
GL Open Item Movement 401
GL Period 605
GL Period Linked to Report Period 373
GL Report Link 401
GL Report Writer Account Balance Detail 423
GL Report Writer Account Balances 409
GL Report Writer Analysis Code and Item Type Work Table 419
GL Report Writer Analysis Code Detail 411
GL Report Writer Analysis Code Explosion Work Table 424
GL Report Writer Analysis Code Link-File Detail 411
GL Report Writer Analysis Code Master 412
GL Report Writer Break Group Detail 416
GL Report Writer Budgeted Account Balance Detail 413
GL Report Writer Column Group Detail 414
GL Report Writer Column Group Master 415
GL Report Writer Control 427
GL Report Writer Definition Matrix 415
GL Report Writer Fiscal Quarter Calendar 421
GL Report Writer Group Row/Column Sequence Detail 416
GL Report Writer Image Column Detail 417
GL Report Writer Report Content Master 426
GL Report Writer Report Image Detail 417
GL Report Writer Report Image Master 419
GL Report Writer Report Image Matrix 418
GL Report Writer Row Group Detail 421

GL Report Writer Row Group Master 423
 GL Report Writer Row/Column Explosion (Hierarchical)
 Work Table 425
 GL Report Writer Row/Column Explosion (Separate)
 Work Table 425
 GL Report Writer Selection Detail 412
 GL Report Writer Text String Detail 423
 Golden Tax Control 429
 Golden Tax Invoice Cross Reference 429
 Golden Tax Invoice History Detail 427
 Golden Tax Invoice History Master 428
 Gross Income Accounting 420

H

Help Master 430
 Holiday Master 430

I

IDOM document 334
 Import Bank Statements 66
 Import Document Log 452
 Import Document Map Detail 454
 Import Document Message 455
 Import Document Specification Master 478
 Import/Export Control 442
 Import/Export Detail 443
 Import/Export History 444
 Import/Export Master 446
 Independent Demand Detail 457
 Industry 456
 Info on table and related account, sub-account, & cc field
 names 19
 Install Net Import 463
 Interface Session Master 447
 Inventory Account Change Master 495
 Inventory Consumption History 431
 Inventory Control 436
 Inventory Master 466
 Inventory Movement Code Master 456
 Inventory Movement Site Detail 799
 Inventory Status Detail 477
 Inventory Status Master 480
 Inventory Transaction and General Ledger Cross-
 Reference 874
 Inventory Transaction History 876
 Inventory Type Field Detail 434
 Inventory Type Master 434
 Invoice History Credit Card Master 448
 Invoice History Detail 439
 Invoice History Line Charge Detail 437
 Invoice History Master 449
 Invoice History Relationship Detail 438
 Invoice History Relationship Master 449
 Invoice Schedule Control 487
 Invoice Schedule Detail 458
 Invoice Schedule Master 463
 Invoice Sort Master 339
 Invoice Status Code 703
 Item Fiscal Class Master 336
 Item Inventory Data 665
 Item Location Detail 452
 Item Lot/Serial Detail 666
 Item Master 673
 Item Planning Detail 667

Item Quantitative Analysis Detail 668
 Item Replacement Detail 669
 Item Routing Cost Detail 475
 Item Routing Detail 671
 Item Site Load Detail 485
 Item Site Load Master 485
 Item Specification Detail 467
 Item Statistical Value Detail 672
 Item Substitute Detail 671
 Item Tax Detail 672

K

Kanban Average Demand Calculation History 496
 Kanban Card Detail 499
 Kanban Cards Dispatch History 496
 Kanban Control 489
 Kanban Demand Template Master 490
 Kanban Dispatch Release Schedule 504
 Kanban Document Definition Master 498
 Kanban FIFO Process Detail 500
 Kanban Item Master 501
 Kanban Item Supermarket Detail 500
 Kanban Loop Detail 502
 Kanban Loop Event Detail 502
 Kanban Master 506
 Kanban Maximum Demand Master 491
 Kanban Planning Period Master 491
 Kanban Process Item Detail 506
 Kanban Process Master 507
 Kanban Source Detail 505
 Kanban Supermarket Master 504
 Kanban Transaction History 493
 Kanban Transaction History Detail 492
 Kanban Transaction Reject Detail 492

L

Label Control 517
 Language 531
 Language Detail 531
 Language Master 532
 Layer 516
 Legal Document Address and Sequence ID Detail 524
 Legal Document Control 519
 Legal Document Cross-Reference 624
 Legal Document Detail Table 520
 Legal Document Fiscal Control Balance Detail 522
 Legal Document Master 525
 Legal Document Tax Usage of Simultaneous Operation
 Setup Detail 525
 Line Changeover Master 131
 Line Master 532
 Link Role-Resource 729
 Link table between Period, currency, cost set for Periodic
 Costing 192
 Link User-Company 905
 Link User-Domain 906
 Link User-Role 908
 Link User-Role Scope 910
 Link User-Role-Company 909
 Link User-Role-Domain 909
 Location Allocation Detail 511
 Location Detail 518
 Location Master 547
 Logistic Accounting Charge Detail by Order Line 510

Database Definitions

Logistics Accounting Charge Code Master 518
Logistics Accounting Charge Detail 509
Logistics Accounting Control 510
Logistics Charge Price List 517
Logistics Master 528
Logistics Site Detail 527
Logistics Trade Environment 550
Logistics Trade Environment Detail 550
Logistics Trade Zones 551
Logistics Trade Zones Detail 551
Lot Master 548
Lot Number Work Table 548

M

Mapped Export Document Detail 272
Master Bill of Lading Control 76
Master Comments 130
Master Production Schedule 564
Master Specification 564
Master Specification Detail 562
Master Specification Test History 563
Master Specification Test Results 469
Master Table Relationships 555
Material Order Control 781
Material Requirements Planning Control 565
Material Requirements Planning Detail 566
Material Requirements Planning Pegging Detail 565
Maximum Table Detail 552
Maximums Master 552
Means Of Transport 870
Menu Detail 561
Menu Title Detail 562
Message Broker Setting 566
Message Master 567
MFS Last Sync Detail 558
MFS Sync Log Detail 559
MFS User Master 559
Mirror Account 560
Mirror Account Master 553
Mirror Daybook 561
Model Definition Master 393
Monetary Union Master 567

N

Net Commerce Control 568
Nomenclature 571
Non-Sales Order Control 573
Nota Fiscal Detail 568
Nota Fiscal Master 570
Number Range History 572
Number Range Master 573

O

Object Status 574
Obsolete Inventory Control Parameters 432
Obsolete Inventory Control Site Detail 434
Obsolete Inventory Depreciation Rate Master 432
Open Item Adjustment 575
Open Item Adjustment Line 576
Operation Transaction History 580
Operations Plan Control 580
Output File Field Detail 433
Output File Master 433

P

Pallet Detail 591
Pallet Master 592
Payment Format Code 594
Payment Format Group 595
Payment Format Type 595
Payment Group 597
Payment Selection 598
Payment Selection History 599
Payment Selection Line 599
Payment Selection Line Stage 600
Payment Selection Payment Code 600
Payment Selection Prepayment 601
Pending Voucher Detail 679
Pending Voucher Master 680
Period Mark 607
Periodwise(Cost calculation) components details 973
Periodwise(Cost calculation) WO master WIP information 974
Periodwise(Cost calculation) WO Routing (WIP) information 974
Physical Inventory Tag Master 850
Pick List Work Table 623
Point of Use Code Master 647
Point of Use Location Detail 646
Point of Use Location Master 646
Poland Intrastat Declaration Control 446
Posting 635
Posting History 637
Posting History SAF 642
Posting Line 638
Posting Saf 640
Posting Saf Combined 641
Posting SAF Daemon Queue 692
Posting Tax 643
Posting Tax Delayed 645
Posting Template 642
Price List Detail 611
Price List Group Customer Detail 611
Price List Group Item Detail 612
Price List Group Master 613
Price List Master 605, 615
Pricing Control 610
Pricing History 468, 614
Printer Detail 651
Printer Master 661
Printer/User Detail 895
Product Change Control 601
Product Change Control Group Detail 602
Product Change Control Group Master 602
Product Change Control Item Routing Detail 260
Product Change Control Routing Slip Detail 745
Product Change Control Routing Slip Master 745
Product Change Control Routing Slip Template Detail 744
Product Change Control Routing Slip Template Master 744
Product Change Control Test Results Detail 259
Product Change Control Type Master 604
Product Line Detail 624
Product Line Master 627
Product Line Plan 649
Product Line Requirements Master 651
Product Line Sales Detail 626

Product Line Tax Detail 627
 Product Structure (Bill of Material) Master 76
 Product Structure Master 662
 Production Forecast Detail 607
 Production Line Allocation Detail 529
 Production Line Detail 529
 Production Line Schedule Sequence Master 783
 Production Scheduler Resource Detail 660
 Production Scheduler Resource Master 661
 Products Sales History 665
 Profile 656
 Profile Link 656
 Profile Type 657
 Program Detail 610
 Project 657
 Project Group 659
 Project Master 622
 Project Realization Control 617
 Project Realization Project Master 654
 Project Realization Project Type Master 622
 Project Realization Structure Master 620
 Project Realization Subproject Detail 618
 Project Realization Transaction History 619
 Project Saf Default 659
 Project Status 659
 Project Structure Cross-Reference Detail 620
 Proportional Allocation 33
 Purchase Approval Code Master 591
 Purchase Code 677
 Purchase GL Matrix 678
 Purchase Ledger Invoice Detail 625
 Purchase Ledger Invoice Master 625
 Purchase Order Allocation Detail 630
 Purchase Order Allocation Master 630
 Purchase Order Control 631
 Purchase Order Detail 632
 Purchase Order Line Cost Element Detail 602
 Purchase Order Master 647
 Purchase Order Receipt History 652
 Purchase Order Shipper/Invoice Cross Reference 9
 Purchase Shipper Control 662
 Purchase Type 679

Q

Q/LinQ Control 693
 QAD Mobile Field Service Control 557
 QAD Mobile Field Service User Detail 558
 QAD Table Extension 696
 QAD Work Table 682
 Quality Control Order Detail 683
 Quality Control Order Master 684
 Quality Inspection Routing Detail 694
 Quality Order Control 682
 Quality Order Test Steps 695
 Quality Sampling Pattern Master 683
 Quality Test Bill Detail 693
 Query Cache 696

R

Raw Export Document Detail 285
 Raw Import Document Detail 471
 Reason Code Master 743
 Recurring Entry 705
 Recurring Entry Line 706

Release Management Schedule Detail 775
 Release Management Schedule Master 776
 Repetitive Control 731
 Repetitive Production Schedule Master 732
 Report Analysis Code 357
 Report Chart 362
 Report Chart Combination of Shared Sets 380
 Report Chart Entity 365
 Report Chart Linked COA Cross Ref 366
 Report Column Group 363
 Report Cube 367
 Report Cube Balance 376
 Report Cube Balance link to GL History 374
 Report Cube Dimension 370
 Report Cube Entity 368
 Report Cube Period 378
 Reporting Period 711
 Required Ship Schedule Order Line Detail 816
 Requirement Detail 739
 Requirement Master 742
 Requisition Approval Detail 734
 Requisition Approval Level Master 738
 Requisition Approver Master 733
 Requisition Category Detail 734
 Requisition Category Master 734
 Requisition Control 736
 Requisition Detail 714, 735
 Requisition History 737
 Requisition Job Master 738
 Requisition Master 739
 Requisition/PO Cross-Reference 741
 Reserved Locations Detail 539
 Resource 714
 Resource in violation to SOD rule 1 817
 Resource in violation to SOD rule 2 818
 Resource Master 746
 Resource Requirements Detail 743
 Retrobill Master 697
 Return Material Authorization Control 724
 Return Material Authorization Detail 725
 Return Material Authorization Detail History 721
 Return Material Authorization Master 722
 Return Status Master 355
 Revaluation 715
 Revaluation Account 716
 Revaluation Detail 716
 Revaluation Header 718
 Revaluation Rate 718
 Revaluation Saf Combined 717
 Role 728
 Role Compatibility Matrix 906
 Role Master 741
 Rounding Method 730
 Rounding Method Master 728
 Routing Operation Detail 730
 Rule Field Validation Detail 796

S

Saf Concept 755
 Saf Structure 755
 Saf Structure Line 756
 Saf Structure Link 757
 Sales Code 760
 Sales GL Matrix 762

Database Definitions

Sales Order Configuration Bill Detail	807	Service/Support Call Skill Detail	193
Sales Order Configuration Bill History	435	Service/Support Call Status Master	115
Sales Order Control	808	Service/Support Call Type Master	337
Sales Order Credit Card Master	808	Service/Support Charge Code Master	333
Sales Order Detail	819	Service/Support Charge Code Product Line Master	332
Sales Order Detail Container Charges	6	Service/Support Contract Billing Control	75
Sales Order Detail Line Charges	813	Service/Support Contract Limits History	762
Sales Order Discount Master	781	Service/Support Contract Limits Master	764
Sales Order Master	825	Service/Support Cross-Reference Master	191
Sales Order Relationship Detail	816	Service/Support Custom Program Detail	561
Sales Order Relationship Master	823	Service/Support Custom Program Parameter Detail	563
Sales Order Shipment Reason Detail	824	Service/Support Default Charge Code Master	333
Sales Order Shipment Reason Master	824	Service/Support End User Control	303
Sales Quotation Configuration Bill Detail	687	Service/Support End User Detail	303
Sales Quotation Control	687	Service/Support End User Master	304
Sales Quotation Detail	688	Service/Support End User Schedule Master	304
Sales Quotation Master	690	Service/Support Engineer Availability Master	265
Sales Quotation Relationship Detail	688	Service/Support Engineer Master	282
Sales Quotation Relationship Master	690	Service/Support Engineer Message Master	276
Salesperson	26	Service/Support Engineer Problem/Skills Detail	267
Salesperson Commission Detail	828	Service/Support Engineer Schedule Control	265
Salesperson Control	828	Service/Support Engineer Schedule Detail	266
Salesperson Master	830	Service/Support Engineer Schedule Master	294
Salesperson Sales History	829	Service/Support Engineer Selection Work Table	269
Scheduled Order Cross-Reference	778	Service/Support Engineer Status Master	297
Seasonal Build Detail	337	Service/Support Engineer Tracking Master	268
Segregation Of Duties Category Master	811	Service/Support Escalation and Repair Master	301
Segregation Of Duties Category Matrix	815	Service/Support Escalation Control	293
Segregation Of Duties Policy Exception Detail	815	Service/Support Field Notification Detail	348
Segregation Of Duties Policy Exception Master	815	Service/Support Field Notification History	348
Segregation Of Duties Violation Log	818	Service/Support Field Notification Master	350
Self-Bill Control	770	Service/Support Holiday Master	386
Self-Bill Detail	771	Service/Support Installed Base Item Master	475
Self-Bill Master	772	Service/Support Installed Base Structure	479
Serial Number Work Table	834	Service/Support Installed Configuration Detail	436
Service Agreement Terms and Conditions Master	842	Service/Support Item-Site Detail	608
Service Category Master	385	Service/Support Kit Master	340
Service Contract Additional Charge Master	774	Service/Support Management Control	839
Service Contract Billing Detail	747	Service/Support On Call Master	575
Service Contract Control	748	Service/Support Paging Control	609
Service Contract Deferred/Accrued Revenue Detail	224	Service/Support Paging History	609
Service Contract Detail	751	Service/Support Parent/Child Relationship Master	857
Service Contract Detail History	749	Service/Support Parts List Detail	389
Service Contract History	758	Service/Support Price Indexing Master	353
Service Contract Master	767	Service/Support Pricing Master	354
Service Contract Preventive Maintenance Detail	765	Service/Support Region Master	707
Service Contract Serial Number Master	766	Service/Support Return Defaults Master	702
Service Request Control	830	Service/Support Time Zone Detail	888
Service Request Master	832	Service/Support Time Zone Master	888
Service/Repair Order Control	830	Service/Support Trace History	390
Service/Repair Order Master	831	Service/Support User Preference Master	390
Service/Support Billing Cycle Master	770	Service/Support Work Code Master	391
Service/Support Billing Detail	783	Shared Set	788
Service/Support Billing History	785	Shared Set Merge Log	788
Service/Support Call Activity Detail	386	Shared Set Property	789
Service/Support Call Default Master	125	Shared Set Type	789
Service/Support Call Fault Code Master	120	Shift Detail	111, 791
Service/Support Call History	107	Ship Via Master	798
Service/Support Call History Master	133	Shipment Carrier Detail	7
Service/Support Call Item Detail	483	Shipment Detail Line Charges	8
Service/Support Call Item History	481	Shipment Detail/Invoice Number Cross-Reference	800
Service/Support Call Master	115	Shipment Line Item Detail	7
Service/Support Call Master Control	106	Shipment Performance Control	794
Service/Support Call Queue Master	112	Shipment Performance Detail History	794

Shipment Performance History	797
Shipment Requirement Detail	9
Shipment Sequence Detail	11
Shipment Trailer Detail	798
Shipper Control	790
Shipper Control Detail Default Export Directories	789
Shipper Information Master	7
Shipper User Field Detail	838
Shipper User Field Master	839
Shipper Validation Error Log	10
Shipping Delivery Time Detail	779
Shipping Delivery Time Master	780
Shipping Group Address Detail	786
Shipping Group and Inventory Movement Code Detail	787
Shipping Group Carrier Detail	786
Shipping Group Master	787
Shipping Schedule Control	742
Shipping Schedule Detail	790
Shipping Schedule Master	792
Ship-To/Container Master	121
Ship-To/Container Price List Detail	120
Shop Calendar	793
Shop Floor Operation General Ledger Detail	578
Shop Floor Operation History Control	578
shortcut key	793
Simulated Forecast Master	338
Simulation Line Plan	387
Site Cost Detail	197
Site grouping for linked sites.	799
Site Linking Rules Detail	806
Site Linking Rules Master	806
Site Master	801
Site/Item Model Definition Master	394
SOD Audit Log	810
SOD category	810
SOD category exclusion	812
SOD policy exception	812
SOD policy exception line	812
SOD Violations Log	813
Source Matrix Master	807
Source of Supply Detail	834
Source of Supply Master	835
Staged Payment	597
Standard Operation Master	579
State	336, 835
Statistical Code	836
Statistical Value Calculation Master	480
Sub-Account	240
Sub-Account Master	773
Sub-Account/Account Validation Detail	770
Subcontract Shipper PO Shipper Cross Reference	13
Subcontract Shipping Control	777
Subshipper PO Cross Reference	9
Supplementary	382
Supplementary Analysis Field	382, 754
Supplier	188
Supplier Balance	118
Supplier Balance History	132
Supplier Consignment Control	159
Supplier Consignment Receipt Inventory Master	157
Supplier Consignment Receipt Usage Detail	158
Supplier Consignment Receipt Usage Master	158
Supplier Consignment Supplier/Item Master	157
Supplier Fiscal Data Master	920
Supplier Invoice	137
Supplier invoice Bank Payment Code	140
Supplier Invoice Bank Records	140
Supplier Invoice Movements	141
Supplier Invoice PO Matching Link	142
Supplier Invoice Posting Link	142
Supplier Invoice Stage Payment	143
Supplier Invoice Tax Records	143
Supplier Invoice Withholding Tax	144
Supplier Item Master	936
Supplier Master	920
Supplier Payment	127, 184
Supplier Payment Invoice Xref	128
Supplier Payment Invoice Xref Stage	126
Supplier Payment Posting Line	129
Supplier Payment Status	129
Supplier PaymentSelection	122
Supplier Performance Category Detail	922
Supplier Performance Category Master	923
Supplier Performance Control	924
Supplier Performance Cross-Reference Master	934
Supplier Performance Detail	926
Supplier Performance Event Master	923
Supplier Performance Master	927
Supplier Performance Registration Detail	930
Supplier Performance Registration Master	931
Supplier Performance Summary Detail	932
Supplier Performance Summary Master	933
Supplier Performance Weighting Factor Master	934
Supplier SAF Default	190
Supplier Tax	190
Supplier Type	190
Suspended Tax Master	838
Sync Profile Join Detail	844
Synch Profile Detail	844
Synch Profile Master	846
Synch Profile Subscription Detail	845
Synchronization Table-Field Master	849
System	848
System Property	847
System/Account Control	405
T	
Table Attribute Detail	394
Table Change Detail	856
Table Change Master	857
Table name identifies the database type.	682
Tax Base Detail	882
Tax Box	913
Tax Class Master	882, 883
Tax Control	882
Tax Detail	878
Tax Environment Detail	883
Tax Environment Master	884
Tax Export	913
Tax Group	913
Tax Group Box Link	914
Tax History Detail	884
Tax Master	880
Tax Number	914
Tax Percent	915
Tax Percent Line	916
Tax Period	916

Database Definitions

Tax Rate 911
Tax Register 855
Tax Register Company 855
Tax Register Journal 856
Tax Rule 918
Tax Type Master 886
Tax Usage Detail 886
Tax Usage Master 886
Tax Zone Master 887
Temporary Table used for converting SCBA 159
Terms of Trade Detail 861
Terms of Trade Master 861
This is a link table between two legal document detail 520
Time-Based/Quantity-Based Status Code Detail 837
Time-Based/Quantity-Based Status Code Master 837
Trailer Master 875
Trailer Tax Detail 875
Transaction Comments 150
Transaction Cost Detail 873
Transaction Export Master 859
Transaction Type 869
Transmission Date Reference Master 876
Transportation Master 860

U

UDF Attribute Master 146
UDF Attribute Value Detail 145
UDF Class Master 890
UDF Class Table Detail 147
UDF Class Use Table 891
Unit of Measure Conversion Master 894
Update Restriction Detail 895
Update Restriction Master 897
Update Status Code Detail 896
URL Master 896
used for logging the changes made for MFS related tables. 556
User 904
User Control 905
User Domain Detail. 890
User Function Key Detail 891
User Licensed Application Detail 907
User Logon History 903
User Master 911
User Message Detail 893
User Password History 903
User Property 907
User Role Detail 906
User Role Master 907
User Work Table 910
User-Defined Component configuration 890

V

Validation/Prompt Location Detail 796
Verify Status Transition 930
Version Control 937
Viewer Enabled Fields Master 938
Violation to SOD rule 1 817
Violation to SOD rule 2 817
Voucher Invoice History 935
Voucher Purchase Order Detail 936

W

Warehouse Control 950
Warehouse Location Master 949
Warehouse Master 954
Warehouse Master List Detail 952
Warehouse Master List Master 953
Warehouse Transfer Order Detail 956
Warehouse Transfer Order Master 957
Warehouse/Transaction Type Master 958
Warehousing Algorithm Assignment Detail 28
Warehousing Algorithm Assignment Master 29
Warehousing Algorithm Master 30
Warehousing Algorithm Type Master 30
Warehousing Alternate Task Master 37
Warehousing Alternate Unit of Measure Detail 39
Warehousing Alternate Unit of Measure Master 39
Warehousing Batch Picking Control 69
Warehousing Batch Picking Detail 70
Warehousing Batch Picking Master 71
Warehousing Bulk Pick Control 99
Warehousing Bulk Pick Detail 100
Warehousing Bulk Pick Detail History 101
Warehousing Bulk Pick Master 102
Warehousing Calendar Detail 109
Warehousing Calendar Master 109
Warehousing Customer/Inventory Status Master 201
Warehousing Customer/Item Master 202
Warehousing Engine Processing Control 278
Warehousing Engine Processing History 279
Warehousing Engine Work Table 280
Warehousing External Routing Assignment Detail 284
Warehousing External Routing Detail 285
Warehousing External Routing Master 286
Warehousing Hold Master 430
Warehousing Inspected Inventory Detail 461
Warehousing Inspection Control 458
Warehousing Inspection History 459
Warehousing Inter Work Location Group Master 464
Warehousing Internal Routing Assignment Detail 470
Warehousing Internal Routing Detail 472
Warehousing Internal Routing Group Master 473
Warehousing Internal Routing Master 474
Warehousing Inventory History Master 464
Warehousing Inventory Master 465
Warehousing Item/Storage Location Group Master 592
Warehousing Item/Warehouse Master 593
Warehousing Labour Management Control 508
Warehousing Lane Assignment Detail 511
Warehousing Lane Assignment Master 512
Warehousing Lane Group Detail 513
Warehousing Lane Group Master 514
Warehousing Lane Master 515
Warehousing Load Detail 533
Warehousing Load Master 534
Warehousing Load Master Master 535
Warehousing Load Setup Address Detail 536
Warehousing Load Setup Item Detail 538
Warehousing Load Setup Master 537
Warehousing Local Exit Routine Control 538
Warehousing Location Definition Detail 540
Warehousing Location Definition Master 541
Warehousing Location Forecast Detail 542
Warehousing Location Master 544
Warehousing Location Unit of Measure Master 545

Warehousing Location Work Table 546
 Warehousing Messaging Detail 553
 Warehousing Messaging Master 554
 Warehousing Order Allocation Detail 583
 Warehousing Order Allocation History 584
 Warehousing Order Batch Selection Detail 588
 Warehousing Order Batch Selection Master 590
 Warehousing Order Detail 585
 Warehousing Order Master 587
 Warehousing Packaging Tracking Detail 862
 Warehousing Prefix Set Control 652
 Warehousing Printer Template Detail 858
 Warehousing Printer Template Master 859
 Warehousing Program Execution Detail 746
 Warehousing Receipts Detail 704
 Warehousing Release Group Detail 719
 Warehousing Release Group Master 720
 Warehousing Release Status Master 707
 Warehousing Replenishment Control 708
 Warehousing Replenishment List Detail 709
 Warehousing Replenishment List Master 710
 Warehousing Replenishment Location Master 710
 Warehousing Replenishment SLG Master 712
 Warehousing RF User Detail 897
 Warehousing RF User Group Detail 898
 Warehousing RF User Group Master 899
 Warehousing RF User Master 899
 Warehousing Ship Via/Service Master 791
 Warehousing Shipment Detail Charges 130
 Warehousing Storage Location Group List Detail 802
 Warehousing Storage Location Group List Master 803
 Warehousing Storage Location Group Master 804
 Warehousing Storage Location Group/Unit of Measure
 Detail 805
 Warehousing Supplier/Item Master 925
 Warehousing System Control 848
 Warehousing Task Assignment Detail 852
 Warehousing Task Assignment Master 852
 Warehousing Task Detail 853
 Warehousing Task Master 854

Warehousing Transaction Detail 863
 Warehousing Transaction History 866
 Warehousing Transaction Type Master 871
 Warehousing Transaction Work Table 873
 Warehousing Unit of Measure Group Detail 892
 Warehousing Unit of Measure Group Master 892
 Warehousing User System Code Security Master 900
 Warehousing User/Work Location Group Master 901
 Warehousing Verbosity History 929
 Warehousing Wave Control 938
 Warehousing Wave Detail 940
 Warehousing Wave Load Detail 941
 Warehousing Wave Master 943
 Warehousing Wave Master Master 944
 Warehousing Wave Transportation Control 945
 Warehousing Work Load Group Details 975
 Warehousing Work Load Group Master 975
 Warehousing Work Table 26
 WHTCertFormat 961
 WIP Lot Inventory Detail 964
 WIP Lot Master 970
 WIP Lot Trace BOM Control Detail 962
 WIP Lot Trace BOM Control Master 963
 WIP Lot Trace Control 963
 WIP Lot Trace Master 969
 WIP Lot Trace Routing Control Detail 968
 WIP Lot Trace Routing Control Master 968
 Withholding Tax 959
 Withholding Tax Master 982
 Work Center Master 948
 Work Center Routing Standards 947
 Work Location Group Master 965
 Work Order Control 971
 Work Order Detail 972
 Work Order Master 976
 Work Order Routing 979

Y

Year Closing 983

