



QAD Enterprise Applications
Enterprise Edition

Training Guide

Customer Sequence

Schedules

70-3206-2013.1EE
QAD 2013.1 Enterprise Edition
Workspace: 10USA > 10USACO
September 2013

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2013 by QAD Inc.

CustomerSequenceSchedules_TG_v2013.1EE.pdf/qad/mdf

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<http://www.qad.com>

Contents

Change Summary	ix
About This Course	1
Course Description	1
Course Objectives	1
Audience	1
Prerequisites	1
Course Credit and Scheduling	1
Virtual Environment Information	2
Additional Resources	2
QAD Learning Center	2
QAD Document Library	2
QAD Support	2
Chapter 1 Introduction to QCS	3
Customer Sequence Schedules	6
What Customer Sequence Schedules Do	6
Where Are You?	7
QCS Workflow	8
QCS Example	9
Terminology	10
QCS Life Cycle	11
Processing QCS	12
Schedule Processing Menu (7.5)	13
Sequence Schedules	14
Review Questions:	14
Chapter 2 Business Considerations	15
EDI eCommerce	18
EDI Business Value and Features	19
Netting Logic	20
Scheduled and Sequence Scheduled Order Precedence	21
Sequence Scheduled Orders	21
Sequenced Scheduled Orders	23

Short Term Planning	24
Long-term Planning	25
Replace Logic	26
Consume Logic	27
Review Questions	27
Chapter 3 Customer Sequence Schedules Setup	29
QCS Setup	31
Item Records	32
QCS Exercises	33
Exercise: Add Item Record	33
Exercise: Create Remaining Item Numbers	34
Customer Item Maintenance (1.16)	35
Exercise: Create Customer Items for Each Part	36
Exercise: Add Inventory	36
Customer Records	38
Customer Maintenance (2.1.1)	39
Customer Data Maintenance (2.1.1)	40
Ship-To Address	41
Exercise: Create Ship-To Address	42
Customer Calendars	43
Customer Calendar Maintenance (7.3.1)	44
Exercise: Customer Calendar	45
QCS Control Program Setup	46
Sequence Schedule Control (7.5.4.24)	47
QCS Control Programs	48
Sequences Per Container Option: Example	49
Tolerance Checking: Example	50
Print Sequence Range on Pre-Shipper: Example	51
Print Sequence Range on Invoice: Example	52
Exercise: Enable Customer Sequence Schedules	53
Customer Controls Maintenance (7.5.4.1)	54
Status Codes	55
Generalized Codes Maintenance (36.2.13)	56
Exercise: Create Status Codes	57
EDI eCommerce	58
Set Up EDI eCommerce	59
Exchange Definition Maintenance (35.15.6)	60
Exchange Definition Maintenance (35.15.8)	61
Application Definition Maintenance (35.15.10)	62
Implementation Definition Maintenance (35.15.13)	63
Transformation Definition Maintenance (35.15.17)	64
Trading Partner Maintenance (35.13.7)	65

Trading Partner Parameter Maintenance (35.13.10)	66
Sequence Scheduled Order	67
Create a Sequenced Scheduled Order	68
Customer Scheduled Order Maintenance (7.3.13)	69
Tax Data Frame	70
Line Item Data Frame	71
Order Line Item Data: First Frame	72
Order Line Item Data: Second Frame	73
Exercise: Create Scheduled Order	74
QCS Setup Summary	76
Chapter 4 Loading Sequence Schedule Release.....	77
Load QCS Release	79
Receive Schedule Release	80
Exercise: Planning Schedule	81
Exercise: Shipping Schedule	83
Load Sequence Schedule Release	86
Import Sequence Schedule Release	87
Document Import (35.1)	88
Shipper Gateway	89
Exercise: Import Sequence Schedule	90
Create Sequence Schedule Release	91
Sequence Schedule Maintenance (7.5.4.5)	92
Daily Shipping	94
Review Schedule Release Information	95
Sequence Schedule Inquiry (7.5.4.6)	96
Sequence Schedule Report (7.5.4.7)	97
Sample Detail Report	98
Sample Report with Subtotals	99
Exercise: Print Sequence Schedule Report	100
Sequence Schedule Variance Report (7.5.4.16)	101
Plan/Ship Sequence Variance Report (7.5.4.17)	102
Chapter 5 Planning.....	103
Plan QCS	105
Generate RSS	106
Required Ship Schedule Update (7.5.5)	107
Required Ship Schedule Update Report: Sequence Schedule	109
Required Ship Schedule Update Report: Shipping Schedule	110
Required Ship Schedule Update Report: Planning Schedule	111
Required Ship Schedule Update Report: Netting Options Section ...	112
Required Ship Schedule Update Report: RSS Schedule	113

Selective Req Ship Sched Update (7.5.6)	114
Exercise: Required Ship Schedule Update	115
Run MRP	117
MRP – Calculating Requirements	118
MRP Detail Inquiry (23.16)	119
MRP Detail Inquiry: Display	120
Plan QCS Summary	121

Chapter 6 Shipping.....123

Shipping QCS	125
Create Pre-Shipper/Shipper	126
Pre-Shippers and Shippers	127
Sequence Pre-Shipper Automatic (7.5.4.10)	128
Picklist/Pre-Shipper: Sample Report	129
Sequence Pack List: Sample Report	130
Picklist/Pre-Shipper - Automatic (7.9.1)	131
Shipper Gateway (7.9.22)	132
Shipper Gateway: Sample Report	133
Pre-Shipper/Shipper Workbench (7.9.2)	134
Carrier Detail Frame	135
Shipper Workbench Frame	136
Display Sequences Frame	137
Adding Sequences	138
Display Sequence Detail	139
Trailer Information Frame	140
Print Shipper Frame	141
Exercise: Create Daily Pre-Shipper	142
Exercise: Change Status to Offline	143
Exercise: Change Status and Shipping Date	143
Exercise: Print Pre-Shipper	145
Confirm Shipper	146
Confirm Shipper	147
Pre-Shipper/Shipper Confirm (7.9.5)	148
Pre Shipper/Shipper Confirm: Invoice Options	149
Pre-Shipper/Shipper Confirm: Print Options	150
Exercise: Confirm the Shipper	151
Exercise: Change Status	151
Send Shipper	153
Send Shipper	154
Pre-Shipper/Shipper Print (7.9.4)	155
Send ASN	156
Shipment ASN Export (35.4.1)	157
Sequence Shipper Report (7.5.4.11)	158

Invoicing	159
Invoicing	160
Invoicing Procedure	161
Shipping QCS Summary	162
Chapter 7 Features and Options	163
Multi-Item Sequences	165
Multiple Delivery Locations	166
Multiple Delivery Locations	167
Deleting Sequences	169
Sequence Schedule Maintenance (7.5.4.5)	170
Sequence Schedule Detail Delete (7.5.4.22)	171
Schedule Delete/Archive (7.5.23)	172
Sequence Cross-References	173
Sequence Schedule Maintenance (7.5.4.5)	174
Sequence Cross-Ref Maintenance (7.5.4.13)	175
Linked Sequence Frame	176
Sequence Cross-Ref Report	177
Sequence Cross-Ref Report: Sample Report	178
Cumulative Quantities	179
Sequence Schedule Maintenance (7.5.4.5)	180
Appendix A Reference	181
Manually Create Sequence Schedule	182
Print Sequence Schedule Report	183
Set Up Sequence Numbers	184
Appendix B Design and Architecture	187
Design Considerations	188
Scheduled Order - Data View	189
Current Architecture	190
New Schedule Type	191
Design Alternative	191
Selected Architecture	193
E-R Diagram	194
Schema Diagram	195
Programming Considerations	196
Required Ship Schedule Update	198
Picklist/Pre-Shipper- Automatic	199
eCommerce	200

Change Summary

The following table summarizes significant differences between this document and the last published version.

Date/Version	Description	Reference
Sept 2013/v2013.1 EE	Rebranded for QAD 2013.1 EE	--
March 2013/v2013EE	Rebranded for QAD 2013 EE	--
Sept 2012/v2012.1 EE	Rebranded for QAD 2012.1 EE; Consistency edit	--
March 2012/v2012 EE	Rebranded for QAD 2012 EE	--
Sept 2011/v2011.1 EE	Rebranded for QAD 2011.1 EE	--

About This Course

Course Description

QAD designed this course to cover the basics of preparing to implement the Customer Sequence Schedules (QCS) module of QAD Enterprise Applications. The course includes:

- An introduction to the QCS module
- An overview of key business considerations
- Setting up the QCS module
- Operating the QCS module
- Activities and exercises throughout the course that let students practice key concepts and processes in the QCS module

Course Objectives

By the end of this class, students will:

- Analyze some key business decisions before setting up the QCS module
- Set up and operate the QCS module

Audience

- Implementation consultants
- Members of implementation teams
- Key users

Prerequisites

- *Initial QAD Enterprise Applications Setup* training course
- Customer Schedules training course
- Basic knowledge of how QAD Enterprise Applications is used in the business
- Working knowledge of the manufacturing industry in general

Note It is recommended that students unfamiliar with QAD Enterprise Applications work through the User Interface Guide before attending this class.

Course Credit and Scheduling

This course is designed to be taught in a day.

Virtual Environment Information

The hands-on exercises in this book should be used with the latest Enterprise Edition learning environment in the 10USA > 10USACO workspace. When prompted to log in, specify *demo* for user ID and *qad* for password.

Additional Resources

If you encounter questions on QAD software that are not addressed in this book, several resources are available. The QAD corporate Web site provides product and company overviews. From the main site, you can access the QAD Learning or Support site and the QAD Document Library. Access to some portions of these sites depends on having a registered account.

<http://www.qad.com/>

QAD Learning Center

To view available training courses, locations, and materials, use the QAD Learning Center. Choose Education under the Services tab to access this resource. In the Learning Center, you can reserve a learning environment if you want to perform self-study and follow a training guide on your own.

QAD Document Library

To access release notes, user guides, training guides, and installation and conversion guides by product and release, visit the QAD Document Library. Choose Document Library under the Support tab. In the QAD Document Library, you can view HTML pages online, print specific pages, or download a PDF of an entire book.

To find a resource, you can use the navigation tree on the left or use a powerful cross-document search, which finds all documents with your search terms and lets you refine the search by book type, product suite or module, and date published.

QAD Support

Support also offers an array of tools depending on your company's maintenance agreement with QAD. These include the Knowledgebase and QAD Forums, where you can post questions and search for topics of interest. To access these, choose Visit Online Support Center under the Support tab.

Chapter 1

Introduction to QCS

Introduction to Customer Sequence Schedules

- Course Overview
- What are Customer Sequence Schedules
- What Does It Do
- Where is QCS in the System
- QCS Work Flow
- QCS Example
- Terminology
- QCS Life Cycle
- Processing QCS
- Customer Sequence Schedules Menu
 - Sequence Schedules Menu
- Related Sources
- Summary

What Sequence Schedules Do

- QCS allows you to ship products in a particular, customer specified, sequence by letting you add sequence delivery information to a customer schedule order. Using QCS you can:
 - Set up default sequence schedule details
 - Manage short term requirements that include the sequence in which those requirements will be consumed
 - Use the sequence schedule data to plan your production and shipping of the customer's requirements
 - Receive incoming customer sequence schedules using EDI eCommerce
 - Selectively include sequence requirement information

Customer Sequence Schedules

Sequence Schedule Documents and Variances

- View variances between shipping or planning schedules and sequence schedules or between different releases of a sequence schedule
 - Generate sequence packing lists automatically when creating pre-shippers and shippers
 - Print sequence packing lists in forward or reverse order
 - Maintain detailed picking records for all sequenced requirements
 - Maintain multiple sequence schedule releases



CSS-IN-060

The Customer Sequence Schedules (QCS) functionality enhances the current Customer Schedules module.


- Allows you to receive and process shorter term, detailed customer sequence schedules
- Sent by an Electronic Data Interchange (EDI) or EDI eCommerce
 - Document type 866

What Customer Sequence Schedules Do

QCS allows you to ship products in a particular, customer specified, sequence by letting you add sequence delivery information to a customer schedule order. Using QCS you can:

- Set up default sequence schedule details
 - Customize the default sequence schedule information for individual customer/ship-to
 - Dates, times, items, quantities
 - Destination information
 - Packing order
- Manage short term requirements that include the sequence in which those requirements will be consumed
- Use the sequence schedule data to plan your production and shipping of the customer's requirements

Where Are You?



Receive incoming customer sequence schedules using EDI eCommerce.

Selectively include sequence requirement information on:


- Picklist/Pre-Shipper
- Shipper
- Invoice
- Advanced Ship Notice (ASN)
- Required Ship Schedule (RSS)

View variances between shipping or planning schedules and sequence schedules or between different releases of a sequence schedule.

- Generate sequence packing lists automatically when creating pre-shippers and shippers
- Print sequence packing lists in forward or reverse order
- Maintain detailed picking records for all sequenced requirements
- Maintain multiple sequence schedule releases

Customer sequence schedules is part of the customer schedules functionality found in QAD Release Management.

QCS Workflow



Some customers need a particular delivery sequence in order to facilitate the consumption of the parts by their own assembly process. Standard customer schedules did not meet this requirement


This type of shipping is becoming increasingly popular with customers requiring larger subassemblies that are similar, but differ in color, size, or other optional features such as Sun Roof, Dashboards and Seats. Many companies that operate in just-in-time (JIT) environments regularly provide detailed customer sequence schedules to their key suppliers. These sequence schedules:

- List requirements in the order needed by the customer to build their products
- Can specify a delivery date and time
- Can specify a dock and assembly line-feed delivery location

For example, in a JIT manufacturing environment such as automotive, the supplier would provide subassemblies that are similar, but different in color, size, or other optional features (such as seating, sun roofs) directly to the original equipment manufacturer (OEM). The OEM schedules the production of the vehicles, including colors and options. These requirements, as well as the order (sequence) in which they are required, are sent to the supplier in a production sequence schedule or 866 document.

Suppliers receiving these customer sequence schedules need accurate and timely visibility into customer production line activity. They use the sequence schedule requirements to plan the manufacturing and delivery of the correct parts, in the correct sequence, to their customers. The sequence information also alerts them to any fluctuations in customer production.

QCS Example



Terminology

Terminology

- Customer Dock
- Customer Job
- Customer Reference
- Customer Sequence
- Line Feed
- Packing Order
- Sequence Pack List



CSS-IN-120

Customer Dock. Identifies dock location within the customer's site for material to be delivered

Customer Job. Customer supplied Id that identifies customer's production process. It can contain alphanumeric values, such as a date (02/07/2012)

Customer Reference. Identifies the customer's end item

- VIN (automotive)
- Serial Number
- Used as an ID to track sequences
- Must be unique

Customer Sequence. Customer supplied ID that identifies order of assemblies in their production process. It can contain alphanumeric values; for example, A001, A002, B001

Line Feed. Identifies location within customer's site for material to be delivered.


Packing Order. Indicates how the material is to be packed according to the customer's preference. There are two types:

- Forward

Reverse (first on top)

Sequence Pack List. New document that accompanies pre-shipper (total quantity). It displays items in sequence and facilitates material handling, staging, and shipping

QCS Life Cycle



Processing QCS



The typical procedure for processing a customer's sequence scheduled order is:

- 1 Create a sequence scheduled order for a customer.
- 2 Import the sequence schedule release from the customer.
 - Long term planning schedule outlining the customer's requirements (dates, quantities)
 - Short term shipping schedule outlining what to ship day-to-day (optional)
- 3 Create the RSS to determine the required quantities for the customer's sequenced scheduled order.
- 4 Using information from the RSS, determine the planning requirements for the sequence scheduled order.
- 5 Pick items being shipped.
- 6 Ship the ordered items.

Schedule Processing Menu (7.5)

Schedule Processing Menu

Applications

7.5

7.5.1

Customer Plan Schedule Maint

7.5.2

Customer Ship Schedule Maint

7.5.3

Required Ship Schedule Maint

7.5.4.1

Customer Controls Maintenance

7.5.4.2

Customer Controls Inquiry

7.5.4.5

Sequence Schedule Maintenance

7.5.4.6

Sequence Schedule Inquiry

7.5.4.7

Sequence Schedule Report

7.5.4.10

Sequence Pre-Shipper - Automatic

7.5.4.11

Sequence Shipper Report

7.5.4.13

Sequence Cross-Ref Maintenance

7.5.4.14

Sequence Cross-Ref Report

7.5.4.16

Sequence Schedule Variance Rpt

7.5.4.17

Plan/Ship Sequence Variance Rpt

7.5.4.22

Sequence Schedule Detail Delete

Applications

7.5

7.5.4.24

Sequence Schedule Control

7.5.5

Required Ship Schedule Update

7.5.6

Selective Req Ship Sched Update

7.5.8

Schedule Inquiry

7.5.9

Schedule History Inquiry

7.5.10

Schedule Report

7.5.11

Schedule Comparative

7.5.12

Schedule Authorization Report

7.5.13

Req Ship Schedule Summary Report

7.5.14

Req Ship Schedule Detail Report

7.5.16

Cumulative Shipped Maintenance

7.5.18

Cum Shipped Reset

7.5.20

Shipment History Report

7.5.21

Ship Schedule Variance Report

7.5.22

Ship to Plan Variance Report

7.5.23


Schedule Delete/Archive

QAD

CSS-IN-150

Access to the QCS functions.

Sequence Schedules



Use the Sequence Schedules menu to access the QCS functions.

Review Questions:

- 1 What kinds of shipments demand Sequence Schedules? (Large subassemblies with optional features)
- 2 What are the advantages of QCS over standard Customer Schedules? (shorter lead times, greater detail)
- 3 What technology is required to transmit Sequence Schedules? (EDI)
- 4 What document type is transmitted? (866)
- 5 Can picklists include Sequence Schedules? (Y)

Chapter 2

Business Considerations

Business Considerations

In this section you learn how to:

- Identify key business considerations before setting up QCS in QAD Enterprise Applications
- Set up QCS in QAD Enterprise Applications
- Loading QCS in QAD Enterprise Applications
- Planning QCS in QAD Enterprise Applications
- Shipping QCS in QAD Enterprise Applications
- QCS Features and Options



CSS-BU-010

Business Considerations

- EDI/EDI eCommerce
- Netting Logic



CSS-BU-020

There are several business considerations to look at before setting up QCS in QAD Enterprise Applications. This section does not discuss all potential considerations, but presents some to generate thought and discussion.

EDI eCommerce

EDI eCommerce

- Definition of EDI
 - An international protocol defining the means and methods for electronic transmission of documents between trading partners (i.e., companies). Documents are transmitted in a highly structured format that can be processed by computer software.
- Definition of EDI eCommerce
 - EDI eCommerce is the interface between QAD Enterprise Applications and third-party EDI communications or translator products called EC subsystems. The eCommerce enhances the system's ability to manipulate, analyze, edit, and reprocess EDI data.



CSS-BU-021

EDI Business Value and Features

EDI Business Value and Features

- Time saving
 - Information processed faster
 - Shortened response times
- Reduced data input
 - Reduces errors
- Saves labor costs
 - Reduces/eliminates paperwork, fewer people are needed
- Lower inventory levels
- Functionality in QAD Enterprise Applications
 - Support import of customer sequence schedules
 - Support export of invoices and ASNs
- Setup Implications
 - EDI/eCommerce software, files, etc., need to be setup
- Discussed in the following Training Guide: EDI/eCommerce

Netting Logic

Netting Logic

Definition

- Netting logic determines how Required Ship Schedule Update (7.5.5) calculates a new release of the RSS. It uses netting logic to interpret quantities from the planning, shipping, and sequence schedules to arrive at the correct input for MRP (Material Requirements Planning).
- Why Consider
 - Customer sends sequence, planning, and shipping schedules
 - Need to tell system how to handle the schedules when calculating the RSS
- Functionality in QAD Enterprise Applications
- There are four options. The system uses the one you select to determine:
 - Which schedule to use to calculate the RSS
 - How to handle overlap in planning, shipping, and sequence schedules
- Netting logic works differently when sequences are associated with a scheduled order line item.



CSS-BU-023

Scheduled and Sequence Scheduled Order Precedence

Scheduled and Sequence Scheduled Order Precedence

- For scheduled orders without sequence schedules:
 - Option 1 – uses only the shipping schedule
 - Option 2 – uses only the planning schedule
 - Option 3 – combines planning and shipping schedule, with the shipping schedule taking precedence in the interval the schedules overlap
 - Option 4 – combines the planning and shipping schedules, with the greater of the shipping or planning schedule taking precedence in the interval of the schedule overlaps
- For scheduled orders with sequence schedules:
 - Option 1 – uses sequence and shipping schedule
 - Option 2 – uses sequence and planning schedule
 - Option 3 – combines sequence, planning, and shipping schedule, with the sequence schedule taking precedence over the shipping schedule, then the shipping schedule taking precedence in the interval the shipping and planning schedules overlap



CSS-BU-024

For scheduled orders without sequence schedules:

- Option 1 – uses only the shipping schedule
 - Short-term planning
- Option 2 – uses only the planning schedule
 - Long-term planning
- Option 3 – combines planning and shipping schedule, with the shipping schedule taking precedence in the interval the schedules overlap
 - Replace logic
- Option 4 – combines the planning and shipping schedules, with the greater of the shipping or planning schedule taking precedence in the interval of the schedule overlaps
 - Consume logic

Note Discussed in *Training Guide: Customer Schedules*.

Sequence Scheduled Orders

For scheduled orders with sequence schedules:

- Option 1 – uses sequence and shipping schedule
 - Short-term planning

- Option 2 – uses sequence and planning schedule
 - Long-term planning
- Option 3 – combines sequence, planning, and shipping schedule, with the sequence schedule taking precedence over the shipping schedule, then the shipping schedule taking precedence in the interval the shipping and planning schedules overlap
 - Replace logic
- Option 4 – combines sequence, planning, and shipping schedules, with the greater of the shipping or planning schedule taking precedence in the interval of the schedule overlaps
 - Consume logic

Setup Implications

- Customer Scheduled Order Maintenance (7.3.13) needs to reflect the netting logic used for this customer's sequence scheduled order
 - Each sequence scheduled order can have a different netting logic


Note See “Sequence Scheduled Order” on page 67 for details.

Sequenced Scheduled Orders

Sequenced Scheduled Orders

Short Term Netting	Sequence Schedules	Shipping Schedules	Planning schedules
Scheduled Orders		1	
Sequences	1	2	
Long Term Netting			
Scheduled Orders			1
Sequences	1		2
Replace Logic			
Scheduled Orders		1	2
Sequences	1	2	3
Consume Logic			
Scheduled Orders		2	1
Sequences	1	3	2

Short Term Planning




System uses the sequence and the shipping schedule to calculate the RSS.

- To determine the number of sequence schedule days, the system uses the number of Firm Days specified in the sequence scheduled order
 - Specified in Customer Scheduled Order Maintenance, Sequence Delivery Data frame
- Shipping schedule is appended to the end of the sequence schedule days
 - In other words, the beginning of the shipping schedule is replaced by the number of days specified by the Firm Days in the sequenced scheduled order

Using the above graphic as an example, the Firm Days are six.

- When calculating the RSS with sequences, the calculation starts with the sequence schedule for the first six days
- After six days, the calculation goes to the shipping schedule

Long-term Planning




The system uses the sequence and planning schedule to calculate the RSS.

- To determine the number of sequence schedule days, the system uses the number of Firm Days specified in the sequence scheduled order
 - Specified in Customer Scheduled Order Maintenance, Sequence Delivery Data frame
- Planning schedule is appended to the end of the sequence schedule days
 - In other words, the beginning of the planning schedule is replaced by the number of days specified by the Firm Days in the sequenced scheduled order

Using the above graphic as an example, the Firm Days are six.

- When calculating the RSS with sequences, the calculation starts with the sequence schedule for the first six days
- After six days, the calculation uses the planning schedule

Replace Logic




System combines the sequence, planning, and shipping schedules. Calculation starts with the specified sequence schedule days, followed by the shipping schedule, then the planning schedule.

- Sequence schedule days takes precedence over the shipping and planning schedule
- Shipping schedule takes precedence over the planning schedule

Using the above graphic as an example, the Firm Days are six.

- When calculating the RSS with sequences, the calculation starts with the sequence schedule for the first six days
- After six days, the calculation goes to the shipping schedule
- If the planning schedule extends beyond the shipping schedule, that is used after the shipping schedule

Consume Logic



The system uses the sequence, shipping, and planning schedules to calculate the RSS.

- The sequence schedule is processed first
- The shipping schedule is processed after the sequence schedule
- The planning schedule is processed last

The schedule consumes the shipping schedule. The shipping schedule consumes the planning schedule. Any discrepancy is reconciled in the last daily bucket.

Review Questions

- 1 In what instances would you choose Replace Logic?
- 2 What events occur if a customer sends you a revised sequence schedule one day prior to shipment? One hour?
- 3 How does MRP impact schedules?

Chapter 3

Customer Sequence Schedules Setup

QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

QCS Setup

Setting Up QCS Involves the Following

- Review and update item records.
- Review and update customer records.
- Set up customer calendars.
- Set up QCS control programs.
 - Enable QCS.
 - Define system-wide control parameters.
 - If desired, define customer control parameters.
- Define parameters for EDI eCommerce.
- Create sequence scheduled order.



CSS-SU-030

This illustration is a suggested setup sequence of master records for the QCS module based on information that flows from one master record to another and prerequisites that need to be accomplished before setting up records.

Item Records

QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

CSS-SU-040

Before creating a sequence scheduled order, item records must exist for all items and products stored in inventory that you will be shipping. The Item Master table contains records for all items, regardless of site. Item records hold the default information about items.

- If you are using shipping containers, you must set up container item numbers

To add item records, use one of the following:

- Item Master Maintenance (1.4.1)
- Item Data Maintenance (1.4.3)

QCS Exercises

You have just been awarded a huge contract with Namaka Motor Company. You are the sole supplier to two Namaka plants, supplying five styles of sunroof from your finished goods inventory. Namaka is a JIT automotive assembler who does not want to have a huge investment of your parts in inventory so they require you to deliver sunroofs at the time they are needed and in the order of their assembly line process. Namaka will be sending you a daily schedule from each plant containing the requirements for the next three days in the order of consumption. You are going to use Customer Sequence Schedules to support your Namaka account.

The data used in these exercises may not be the same as the data shown in the screen captures in this lesson. In an exercise, if a field is not listed, you can accept the default value or leave it blank.

Exercise: Add Item Record

Create first new item record for the new Namaka contract.

Use Item Master Maintenance (1.4.1).

- 1 Create an item record for the sunroof by entering the following:

Field	Data
Item Number:	part1
UM:	EA
Description:	sunroof, red

- 2 Advance to the Item Data frame and enter:

Field	Data
Prod Line:	10
Promo Group:	IND
Status:	ACTIVE

- 3 Advance to the Item Inventory Data frame and enter:

Field	Data
Site:	10-200
Location:	100

- 4 Advance to the Item Shipping Data frame and enter:

Field	Data
Ship Weight:	5 LB
Net Weight:	3 LB

- 5 Advance to the Item Planning Data frame and enter:

Field	Data
Pur/Mfg:	M
Mfg LT:	1

- 6 Advance to the Item Price Data frame and enter:

Field	Data
Price:	100.00

Exercise: Create Remaining Item Numbers

Since you have already created one item number, you can now use that as the basis for the remaining four sunroofs. This is done by copying the data from the first item record (part).

Use Item Master Copy (1.4.12).

- 1 To create the second item record using the data from the first enter:

Field	Data
Copy Item Number:	part1
To:	part2
Description:	sunroof, green

- 2 Create the third item record by entering:

Field	Data
Copy Item Number:	part1
To:	part3
Description:	sunroof, blue

- 3 Create the fourth item record by entering:

Field	Data
Copy Item Number:	part1
To:	part4
Description:	sunroof, black

- 4 Create the fifth item record by entering:

Field	Data
Copy Item Number:	part1
To:	part5
Description:	sunroof, clear

Customer Item Maintenance (1.16)

The screenshot shows the 'Customer Item Maintenance' window. At the top, there is a title bar with 'Customer Item Maintenance' and a close button. Below the title bar is a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. The main area contains several input fields: 'Customer/Ship-To:', 'Customer Item:', 'Item Number:', 'Comment:', 'Display Customer Item:', and 'Customer Item ECO Nbr:'. There are two callout boxes with blue arrows pointing to specific fields. The first box, labeled 'Must exist in Item Master File', has arrows pointing to 'Item Number:', 'Comment:', and 'Display Customer Item:'. The second box, labeled 'Prints on Shipper & ASNs', has an arrow pointing to 'Customer Item ECO Nbr:'. At the bottom right, there are 'Back' and 'Next' buttons. The QAD logo is in the bottom left corner, and 'CSS-SU-060' is in the bottom right corner.

Use Customer Item Maintenance (1.16) to set up cross-references between:

- Your internal item numbers and your customer's item numbers
 - You can choose to have one or both item numbers appear on all sales and shipping paperwork

On sales quotes and sales orders the item number can only be 18 characters long.

- Internal numbering systems, industry standard (UPC), or marketing catalog numbers
 - By leaving the Customer field blank, the cross-reference will apply to all customers

Exercise: Create Customer Items for Each Part

Namaka uses their own customer item numbers for each part and wants to have that item number referenced on the sequence scheduled order.

Use Customer Item Maintenance (1.16).

- 1 To create a customer item for the first part, enter:

Field	Data
Customer /Ship-to:	<blank>
Customer Item:	sunroof, red
Item Number	part1

- 2 Create a customer item for the second part by entering:

Field	Data
Customer /Ship-to:	<blank>
Customer Item:	sunroof, green
Item Number	part2

- 3 Create a customer item for the third part by entering:

Field	Data
Customer /Ship-to:	<blank>
Customer Item:	sunroof, blue
Item Number	part3

- 4 Create a customer item for the fourth part by entering:

Field	Data
Customer /Ship-to:	<blank>
Customer Item:	sunroof, black
Item Number	part4

- 5 Create a customer item for the fifth part by entering:

Field	Data
Customer /Ship-to:	<blank>
Customer Item:	sunroof, clear
Item Number	part5

Exercise: Add Inventory

Each part needs to be added to inventory.

Use Receipts - Unplanned (3.9).

- 1 To add inventory for the first part, enter:

Field	Data
Item Number:	part1
Quantity:	1000

Field	Data
Site:	10-200
Location:	100

- 2 Add inventory for the second part by entering:

Field	Data
Item Number:	part2
Quantity:	1000
Site:	10-200
Location:	100

- 3 Add inventory for the third part by entering:

Field	Data
Item Number:	part3
Quantity:	1000
Site:	10-200
Location:	100

- 4 Add inventory for the fourth part by entering:

Field	Data
Item Number:	part4
Quantity:	1000
Site:	10-200
Location:	100

- 5 Add inventory for the fifth part by entering:

Field	Data
Item Number:	part5
Quantity:	1000
Site:	10-200
Location:	100

Customer Records

QCS Setup



- Item Records *
- **Customer Records ***
- Customer Calendars
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

CSS-SU-080

A customer record must exist for each of your customers. The system uses this information to identify the customer and to determine how to process the customer's order.

Customer Maintenance (2.1.1)

Customer Create



Customer Create (27.20.1.1)

CSS-SU-090

Use Customer Create (27.10.1.1) to set up and maintain customer records. Customer records contain information about the customer such as:

- Address (from the associated Business Relation)
- Bill-To Address
- Payment Information
- Defaults
- Credit Data
- Bank Information
- Tax Information
- Comments

Customer Data Maintenance (2.1.1)

Customer Data Maintenance

Customer Data Maintenance

Go To Actions Copy Print Preview Attach

Customer: 30C1002 Customer: 30C1002 Salesperson: 30SP01

Customer Address

Customer: 30C1002 Business Relation: 30-C1002

Name: Namaka Motor Company Active: ☒

Address: 24 Naycn Added: 2/8/2010

Address:

City: Shanghai State: Post: 200000 Format: Before

Country: CHINA CN Country:

Attention: Irene Kim [2]

Telephone: [2]

Fax: [2]

Customer Data

Sort Name: Namaka Motor Company Type: ENDU

Salesperson: 30SP01 Multiple: ☐ Region: AP

Ship Via: FEDX Currency: CNY

Resale: Site: 10-200

Remarks: Lang: us

Back Next



Customer Data Maintenance (2.1.1)

CSS-SU-120

- Must be completed before you can use new customer record defined in Customer Create.
- Provides additional operational values, such as:
 - Site
 - Shipping information

Ship-To Address

Customer Ship-to Create

The screenshot shows the 'Customer Ship-to Create' window. The 'Address Information' tab is active, displaying fields for Business Relation, Address Type, Name, Address, Zip/City, State, County Code, and Country Code. A callout box with a blue border and arrow points to the 'Create' button, containing the text: 'Select customer, enter Ship-To Code. Click Create to display Address Info frame.'

Customer Ship-to Create - Address Info

Name: [Name] Motor Company
 Search Name: [Name] Motor Company
 Address Type: SHIP-TO

Address Info: [Address] [Temporary] [Address]
 Zip/City: [Zip/City]
 State: [State]
 County Code: [County Code]
 Country Code: [Country Code] [Format] [After]
 Language Code: [Language Code] [english (U.S.)]
 Telephone: [Telephone]
 Fax: [Fax]
 E-Mail: [E-Mail]
 Internet: [Internet]

- Sold-to customer receives order by default, unless you assign a different ship-to
- Can set up alternate ship-to addresses in Customer Ship-to Create (27.20.2.1)

Exercise: Create Ship-To Address

Namaka want to receive the shipments at a location different from the corporate offices.

Since Nakama is an existing customer, the customer address has already been defined as part of AR setup. However, you do need to set up a ship-to address.

Use Customer Ship-to Create (27.20.2.1).

- 1 Create the Ship-To Addresses for the Namaka plant.

Field	Data
Customer Code:	30C1002
Ship-to Code:	f001

- 2 Click Create.

- 3 Enter the following values in required fields in the Address Information frame:

Field	Data
Zip/City:	90024 Los Angeles
State:	CA
Country Code:	USA

- 4 Click Save.

Customer Calendars

QCS Setup



- Item Records *
- Customer Records *
- **Customer Calendars**
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

CSS-SU-160

QAD Enterprise Applications allows you to define calendars matching your customer's work schedule (for the ship-to location). The system uses this calendar when calculating shipments for the customer. This calendar:

- Identifies the customer's holidays, shutdowns, hours, and so forth
- Allows you to calculate a ship date acceptable to you and your customer

Customer Calendar Maintenance (7.3.1)

Customer Calendar Maintenance

Customer/Ship-To: 1004000 WORLDWIDE BUSINESS SUPPLY

Work Day	Hours
Sunday: ☐	0.00
Monday: ☒	8.00
Tuesday: ☒	8.00
Wednesday: ☒	8.00
Thursday: ☒	8.00
Friday: ☒	8.00
Saturday: ☐	0.00

Operating Day Hour Exceptions

Reference:

Start:

End: Daily Hours:

Back Next

QAD CSS-SU-170

Use Customer Calendar Maintenance (7.3.1) to set up a customer calendar.

- Useful when a customer has a work schedule different from your company's work schedule
- Specify your customer's work days and their hours of operation
- Can specify exceptions to the customer's calendar

System checks the calendar when calculating the required ship schedule for the customer so releases do not occur on the customer's non-working days.

- If you do not set up a customer calendar, system uses your shop calendar set up in Calendar Maintenance (36.2.5)

Two additional frames let you specify exceptions to your customer's regular work week:

- Operating Day Hour Exceptions
 - Specify exceptions to the regular work week such as shutdown periods
 - Specify a start and end date
 - Reference only, not used in schedule calculations
- Non-Operating Days
 - Specify a date

Exercise: Customer Calendar

Create a calendar for the ship-to location.

Use Customer Calendar Maintenance (7.3.1).

- 1 Create a calendar for the ship-to plant by entering:

Field	Data
Customer Ship-To:	f001

- 2 Accept the default values.

QCS Control Program Setup

QCS Control Program Setup

- Sequence Schedule Control (7.5.4.24)
- Customer Controls Maintenance (7.5.4.1)



CSS-SU-190

Control programs contain parameters that tell the system how processing takes place and what defaults to use. Two control programs are available to use when setting QCS control parameters.

- Sequence Schedule Control (7.5.4.24)
 - Required
 - Enables QCS
 - System-wide, affecting all sequence schedules
- Customer Controls Maintenance (7.5.4.1)
 - Optional
 - Use to set custom control parameters for an individual customer
- Overrides the settings in Sequence Schedule Control for the individual customer

Sequence Schedule Control (7.5.4.24)

Sequence Schedule Control

The screenshot shows the 'Sequence Schedule Control' window. It has a title bar with a close button and a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. The main area contains several settings:

- Enable Sequence Schedules: ☒ (highlighted by a blue arrow and a callout box)
- Schedule Order Default: ☒
- Include Seq in Req Ship Sched: ☒
- Firm Days:
- Packing Order:
- Sequences Per Container:
- Merge Schedules: ☐
- Check Sequence Tolerance: ☒
- Maximum Tolerance:
- Print Sequence Range on Shipper: ☒
- Print Sequence Range on Invoice: ☒
- Send Sequence with ASN: ☒
- Send Sequence with Invoice: ☒

A callout box with the text "Set to Yes to Activate Sequence Schedules" points to the 'Enable Sequence Schedules' checkbox. At the bottom right are 'Back' and 'Next' buttons.

Set to Yes to Activate Sequence Schedules

QAD CSS-SU-210

Use Sequence Schedule Control (7.5.4.24) to enable QCS functionality and to set the system-wide defaults.

QCS Control Programs

QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- **QCS Control Programs**
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

CSS-SU-200

Note When you initially enable QCS, certain programs are automatically updated to be used with QCS. If you deactivate QCS after enabling it, the modified programs function as they did before they were updated.

Sequences Per Container Option: Example

Sequences Per Container Option: Example

Ship To: 01000036
Northwest Reliable
1000 B Street

SIMULATION
PICKLIST / PRE-SHIPPER
SEQUENCE PACK LIST
Pre-Shipper: P00000289
Page: 2

Coos Bay
United States of America

Packing Order: forward
Sequences Per Container: 2

Customer Dock:
Line Feed:

Container Parameter

Customer Job
Customer Sequence
Customer Reference

Pack Seq	Customer Reference	Item Number	Quantity	UM	Status
1	20000131 001 1R1234XYZ006	88-100	1.0	EA	
2	20000131 002 1R1234XYZ007 Container ()				
3	20000131 003 1R1234XYZ008	88-100	1.0	EA	
4	20000131 004 1R1234XYZ009 Container ()	88-100	1.0	EA	

Separator

The above shows an example of a Sequence Pack List and the number of sequences per container for a shipment.

- Sequences Per Container field set to 2 in the control file
 - Two sequences are to be packed in each container

Tolerance Checking: Example

Tolerance Checking: Example

The screenshot shows the 'Sequence Schedule Maintenance' window. The 'Ship-From' field is set to '100' (Your Main Warehouse), 'Ship-To' is '00010006' (Customer), and 'Release ID' is '1'. The 'Active' checkbox is unchecked. Under 'Sequences Per Container', the 'Check Sequence Tolerance' checkbox is checked. A warning message box is displayed at the bottom, stating 'WARNING: SEQUENCE TOLERANCE EXCEEDED. PRIOR SEQUENCE:006'. A blue arrow points from the 'Check Sequence Tolerance' checkbox to the warning message. The window has 'Back' and 'Next' buttons at the bottom right.

Sequence Schedule Maintena... x

Go To Actions Copy Print Preview

Ship-From: 100 Your Main Warehouse

Ship-To: 00010006 Customer

Release ID: 1 Active: ☐

Create Date:

Cumulative: ☐

Packing Order: Reverse

Sequences Per Container:

Check Sequence Tolerance: ☒

Maximum Tolerance:

Schedule Date Type: Delivery

Active Start:

Active End:

System displays a warning message

WARNING: SEQUENCE TOLERANCE EXCEEDED. PRIOR SEQUENCE:006

Back Next

QAD CSS-SU-230

The above shows an example of tolerance checking in effect when adding a sequence record in Sequence Schedule Maintenance (7.5.4.5).

- Check Sequence Tolerance option is turned on
- Specified Maximum Tolerance value exceeded

Print Sequence Range on Pre-Shipper: Example

Print Sequence Range on Pre-Shipper: Example

Quality Products Inc.
Div/Consolidated Corporation
Suite 1, Consolidated Bldg.
One Consolidated Plaza
San Diego, CA 92130

United States of America

Sold To: 01000036

Northwest Reliable
1000 B Street
Coos Bay
United States of America

Ship Via:
FOB Point: ESCONDIDO

P R E - S H I P P E R

Pre-Shipper ID: P00000288
Ship Date: 02/01/00
Print Date: 02/01/00
Page: 1

Ship To: 01000036

Northwest Reliable
1000 B Street
Coos Bay
United States of America

Mode of Transport:
Carrier Shipment Ref: P00000288
Vehicle ID:

Sequence Ranges

Item Number	PO Number	Qty Shipped	Cumulative Qty Shipped UM
88-100		5.00	5.00 EA

Sequence Ranges

Customer Job: 20000128

Customer Sequence	To
001	005

CSS-SU-240

Sequence Range on Pre-Shipper

The above shows an example of a sequence range printed on a pre-shipper.

Set the Print Sequence Range on Shipper field to Yes in the control program.

Print Sequence Range on Invoice: Example

Print Sequence Range on Invoice: Example

Quality Products Inc.
Div/Consolidated Corporation
Suite 1, Consolidated Bldg.
One Consolidated Plaza
San Diego, CA 92130
United States of America

Bill To: 01000036

I N V O I C E

Invoice: IV645 Revision: 0
Invoice Date: 02/01/00 Page: 1
Print Date: 02/01/00

Sold To: 01000036

Sequence Ranges

Item Number	UM	Shipped	Backorder	Tax	Price	Ext Price
88-100	EA	5.0	0.0	no	100.00	500.00
CASE, AUTO-UNIT						

Customer Job: 20000128

Customer Sequence	Sequence Ranges To
001	005

CSS-SU-250

Sequence Range on Invoice

The above shows an example of a sequence range printed on an invoice.

- Print Sequence Range on Invoice field set to Yes in control program

Including sequence information on the invoice gives the supplier and the customer better visibility of the items being shipped and received.

- Sequence information on the invoice can be used for self-billing

Exercise: Enable Customer Sequence Schedules

Before you can create a sequence scheduled order, you must enable sequence schedules.

Use Sequence Schedule Control (7.5.4.24).

- 1 Turn on the Customer Sequence Schedules module if it is not already enabled and define other parameters. Use the values from the following table.

Field	Data
Enable Sequence Schedules:	Yes
Schedule Order Default:	Yes
Include Seq in Req Ship Sched:	Yes
Firm Days:	0
Packing Order:	Forward
Sequences Per Container:	0
Merge Schedules:	No
Check Sequence Tolerance:	No
Maximum Tolerance:	0
Print Sequence Range on Shipper:	Yes
Print Sequence Range on Invoice:	Yes
Send Sequence with ASN:	Yes
Send Sequence with Invoice:	Yes

Customer Controls Maintenance (7.5.4.1)

Customer Controls Maintenance

Customer Controls Maintenance

Go To Actions Copy Print Preview

Ship-To: 1004000 WORLDWIDE BUSINESS SUPPLY

Include Seq in Req Ship Sched: ☒

Firm Days: 5

Packing Order: Forward

Sequences Per Container: 0

Merge Schedules: ☐

Check Sequence Tolerance: ☒

Maximum Tolerance: 0

Print Sequence on Shipper: ☒

Print Sequence on Invoice: ☒

Send Sequence with ASN: ☒

Send Sequence with Invoice: ☒

Settings Only Apply To This Customer/Ship-To Address

Delete Back Next

QAD CSS-SU-270

Use Customer Controls Maintenance (7.5.4.1) to create customer control records. These are customer specific default values that are different from the system wide default values specified in Sequence Schedule Control (7.5.4.24). This gives you the ability to set up customize parameters for an individual customer or ship-to address.

- Except for the Ship-To, all values default from Sequence Schedule Control
- Settings entered here default to sequence schedules created for the ship-to address
- These settings override the corresponding Sequence Schedule Control settings for the individual customer/ship-to address

Note Customer control settings are optional.

Status Codes


QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- **Status Codes**
- EDI eCommerce *
- Sequence Scheduled Order
- * Optional

Generalized Codes Maintenance (36.2.13)

Generalized Codes Maintenance



Generalized Codes Maintenance

Field Name: rcsd_Status
Value: Offline

Comments: Sequence is off customer production line

Delete Back Next

 QAD CSS-SU-290

Use Generalized Codes Maintenance (36.2.13) to set up status codes for field rcsd_status.

- Status codes are used in the Status field of Sequence Schedule Maintenance (7.5.4.5)
- Allow you to create user-defined entries such as Offline
- Can use to create a Blank status code
 - Value field would be <blank>
- Creating status codes is optional

Exercise: Create Status Codes

In the following exercises you need to use status codes.

Use Generalized Codes Maintenance (36.2.13).

- 1 Create three status codes entries. Enter the following:

Field	Data
Field Name:	rcsd_status

- 2 Create a second status code by entering:

Field	Data
Field Name:	rcsd_status
Value:	9000
Comments:	9000-series part - special build

- 3 Create a third status code by entering:

Field	Data
Field Name:	rcsd_status
Value:	offline
Comments:	Vehicle is offline

EDI eCommerce


QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- Status Codes
- **EDI eCommerce ***
- Sequence Scheduled Order

* Optional

Set Up EDI eCommerce



You use the following functions to set up EDI eCommerce data:

- Exchange Definition Maintenance (35.15.6)
- Application Definition Maintenance (35.15.10)
- Transformation Definition Maintenance (35.15.17)
- Trading Partner Maintenance (35.13.7)
- Trading Partner Parameter Maintenance (35.13.10)

Exchange Definition Maintenance (35.15.6)

Exchange Definition Maintenance

Exchange Definition Maintenan...
Go To
Actions
Copy
Print
Preview

File: MFG850

Desc: MFG850 Flat File

Version: 1

Direction: Out

Advanced: ☐

Exchange File Records

Seq	Record Name	Requirement	Loop Occur	Loop End	Seq Fields	XML
1	Header	Man	1	99	☐	☐
2	Header-Comments	Optional	99	2	☐	☐
12	Line-Items	Optional	99999	19	☐	☐
14	SalesOrderBill	Optional	999	14	☐	☐
19	Line-Comments	Optional	999	19	☐	☐

Delete
Back
Next

CSS-SU-430

Use Exchange Definition Maintenance (35.15.6) to define the layout and content of exchange file documents.

Note An exchange file defines documents communicated between EC subsystems and QAD Enterprise Applications.

Exchange Definition Maintenance (35.15.8)

Exchange Definition Maintenance

Exchange Definition Maintenanc...

Go To Actions Copy Print Preview

File: MFG850
 Desc: MFG850 Flat File

Version: 1

Direction: Out
 Advanced: ☐

Exchange File Field Record: Header

Seq	Name	Reqd	Type	Min	Max	Token	Adv
1	ShipTo	Opt	an	1	24		☐
2	ShipFrom	Optional	an	1	24		☐
3	PONumber	Optional	an	1	10	tp-document-nbr	☐
4	Filler1	Optional	an	1	1		☐
5	CreditTerms	Optional	an	1	8		☐
6	Filler2	Optional	an	1	1		☐
7	FOB	Optional	an	1	20		☐
8	Filler3	Optional	an	1	1		☐
9	DueDate	Optional	d	1	6		☐
10	Filler4	Optional	an	1	4		☐
11	ShipToName	Optional	an	1	28		☐

Delete Back Next

CSS-SU-440

In this frame you identify the document for which you are creating an exchange file definition.

- Cust-Seq-Sched

Exchange File Field Record: Header Frame

This frame displays only if Fields is set to Yes for the selected record.

Application Definition Maintenance (35.15.10)

Application Definition Maintenance

Application Definition Maint
Go To Actions Copy Print Preview

Name: MFG850

Gtway Prgm: edompopr.p

Version: 1

Gtway Rpt Prgm: edompopr.p

Gtway Process Priority: 1

Direction: Out

QAD

Application File Records

Seq	Record Name	Requirement	Loop Occur	Loop End	Seq Fields
1	HDR	Man	1	0	☐
2	HDR-CMT	Optional	99	2	☐
3	DET	Mandatory	999	5	☐
4	DET-EXT	Optional	99	4	☐
5	DET-CMT	Optional	99	5	☐

Delete Back Next

CSS-SU-450

Use Application Definition Maintenance (35.15.10) to set up individual application template document definition.

Implementation Definition Maintenance (35.15.13)

Implementation Definition Maintenance

Implementation Definition Maint x
Go To Actions Copy Print Preview

Implementation Name: Schedule

Application Name: customer-schd

Direction: In Desc: 866 Schedule

Advanced: ☐

Version: 1

Version: 1

Print Gateway Error Data: ☐

Implementation File Records

Seq	Record Name	Requirement	Loop End	Seq Fields	XML
1	HDR	Mandatory	1	0	☐
2	HDR-EXT	Optional	1	0	☐
3	HDR-CMT	Optional	999	0	☐
4	DET	Mandatory	999999	7	☐
5	DET-EXT	Optional	1	0	☐
6	DET-CMT	Optional	999	0	☐
7	ATH	Optional	100	0	☐

Delete Back Next

CSS-SU-460

Use Implementation Definition Maintenance (35.15.13) to define the data exchange requirements for a specific trading partner implementation.

Transformation Definition Maintenance (35.15.17)

Transformation Definition Maintenance

Transformation Definition Maint X

Go To Actions Copy Print Preview

Transformation: MFG850 Dir: In Can Run: ☒
 Exchange File Name: MFG850 Version: 1 Debug level: 0
 Application: MFG850 Version: 1 Many to Many: ☐
 Implementation Name: MFG850 Version: 1

Transformation File Records

Record Name	Ev	Seq	EQ	TQ	Target	Type	SQ	Source
Header	RE	10	E	I	Header	Read		
Header	RE	20	E	O	HDR.order-date	Equat	F	SysDate
Header	RE	30	E	O	HDR.tp-ship-to	Equat	F	getMFGPROAddress
Header	RE	40	E	O	HDR.tp-ship-fro	Equat	F	getMFGPROSite
Header	RE	50	E	O	HDR.purchase-or	Equat	I	Header.PONumber
Header	RE	60	E	O	HDR.credit-term	Equat	I	Header.CreditTe
Header	RE	70	E	O	HDR.due-date	Equat	I	Header.DueDate
Header	RE	80	E			If	F	notblank
Header	RE	90	E	O	HDR.due-date	Equat	F	ToDate
Header	RE	100	E			EndIf		

Delete Back Next



CSS-SU-470

Use Transformation Definition Maintenance (35.15.17) to define the maps needed to convert between exchange file data and QAD Enterprise Applications data.

- Inbound map representing customer's sequenced schedule

Trading Partner Maintenance (35.13.7)

Trading Partner Maintenance

Trading Partner Maintenance X
Go To
Actions
Copy
Print
Preview

TP ID: HAUSEV
Name: HONDA ALABAMA (USEV)

Trading Partner Document Records

TP Doc ID	Dir	Document Map	Transmission Group	Token List	T	A	F
830	In	hondadelta-830-dmo			☐	☐	☒
850	In	hondadelta-850-dmo			☐	☐	☐
856	Out	hondadelta-856-dmo	OUTGENQP		☐	☐	☐
862	In	hondadelta-862-dmo			☐	☐	☐

TP Location Cross-Reference

TP Site	TP Address Reference	Token List Values	Site	App Addr	Exp	T/O
192774347	827961264		10000	HAUSEV	☐	☐
21061001	NSE2 01		10000	NSE201	☐	☐
21061001	NSE2 09		10000	NSE209	☐	☐
21061001	NSE5 17		10000	NSE517	☐	☐

Delete
Back
Next

CSS-SU-480

Use Trading Partner Maintenance (35.13.7) to:

- Identify the document types that are exchanged with each trading partner
- Set up cross-references between trading partner documents and QAD Enterprise Applications
- Cross-reference the trading partner's site and address codes to the codes used in QAD Enterprise Applications

Trading Partner Parameter Maintenance (35.13.10)

Trading Partner Parameter Maintenance

Trading Partner Parameter Mai... x

Go To Actions Copy Print Preview

App Addr: 10001000

App Site: Site-10

TP Address:

TP Site:

Logical Param Desc	Logical Parameter Value
	☐
	☐
	☐
	☐
	☐
	☐
	☐
	☐
	☐
	☐

BackNext

QAD

CSS-SU-490

Use Trading Partner Parameter Maint (35.13.10) to assign parameters and values to a variety of trading partner-specific processing actions, such as setting a logical flag.

Sequence Scheduled Order


QCS Setup



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- **Sequence Scheduled Order**

* Optional

Create a Sequenced Scheduled Order



You are now ready to create a sequenced scheduled order for your customer. To do this, you do would use Customer Scheduled Order Maintenance (7.3.13).

- A scheduled order contains the quantities the customer needs and the dates they are needed by
- A sequenced scheduled order tells the supplier's system that the customer will be sending sequence schedule releases

Customer Scheduled Order Maintenance (7.3.13)

Customer Scheduled Order Maintenance

The screenshot shows the 'Customer Scheduled Order Maintenance' window. At the top, there are tabs for 'Go To', 'Actions', 'Copy', 'Print', 'Preview', and 'Attach'. Below the tabs, the 'Ship-From: 10-300' and 'Bill To: 30C1002' are displayed. The 'Order: S0101' and 'Namaka Motor Company' are also visible. The 'Order Data' section contains various fields and checkboxes. Two callout boxes provide additional information: one pointing to the 'Transport Days' field with the text 'Determines the Transport Lead Time', and another pointing to the 'Sequenced' checkbox with the text 'Yes Indicates This is a Sequence Scheduled Order'.

Customer Scheduled Order Maintenance

Ship-From: 10-300 Order: S0101
 Ship-To: 1001 Namaka Motor Company

Order Data

Ship Via: **FEDX** FOB Point: **0.00** **Determines the Transport Lead Time**

Taxable: ☒ Week Offset: **0** Trade Sales: ☐ Customer Ref Is Customer Item: ☐ Print Invoice History: ☒ EDI Invoice History: ☐ Print Pack List: ☒ Comments: ☐ Channel: **Cum**

Incl. by Auth: ☐ Include Sat/Sun: ☒ Consignment: ☐ Bill To: **30C1002** AR Site: **10-300** Ship to Cum/Req: **Cum** Customer/Shop: **Y**

Auto Inv Post: ☐ Import/Export: ☐ Sequenced: ☒ Dynamic Unpeg: ☐ Entered By: **qmi** Remarks: **Yes Indicates This is a Sequence Scheduled Order**

Back Next

QAD CSS-SU-520

Use Customer Scheduled Order Maintenance (7.3.13) to create a sequenced scheduled order.

Order Data Frame

In the Order Data frame you set up the scheduled order parameters.

- Setting the Sequenced field to Yes makes this scheduled order a sequenced scheduled order

Tax Data Frame

Tax Data Frame

Go To Actions Copy Print Preview

Ship-From: 100
Ship-To: 00010006

Order: S033695
Customer

Order Data

AR Account: 1200
Taxable: ☐
Week Offset: 0
Inv by Auth: ☐
Include Sat/Sun: ☒
Cumulative: ☐
Consignment: ☐
Bill To: 00010006
Auto Inv Post: ☒
Import/Export: ☐
Sequenced: ☒
Dynamic Unpeg: ☐
Entered By: mfg
Remarks:

Tax Usage:
Tax Environment: NY

0.00

Tax Class:
Taxable: ☐
Tax In: ☐

Ship Via: GROUND

Comments: ☐
AR Site: 100
Channel:
Ship to Cum/Req: Cum
Currency: USD

Back Next

CSS-SU-540

The order tax data frame displays for the input of Global Tax Management data.

Line Item Data Frame

Line Item Data Frame

Go To Actions Copy Print Preview

Ship-From: 100 Order: S033695
Ship-To: 00010006 Customer

Item Number: 100634 Finished Good #100634 UM: EA
PO Number:
Customer Ref:
Model Year: Line: 1

Order Line Item Data

Discount Tbl:
List Price: 20.00
Net Price: 20.00
Sales Account: 3000 100 1000
Discount Acct: 3905 100 1000

Consume Forecast: ☒
Type:
Location: FG
Taxable: ☐
Category:
Consignment: ☐

Delete Back Next

QAD CSS-SU-550

In the line item data frame you identify the item being shipped and the line number.

- Item number
- Customer purchase order number (optional)
- Unit of measure (UM)
- Sequence scheduled order line number
 - Sequential number
 - Can be system assigned or user assignee

Note If your customer has multiple docks, with requirements coming on the same sequence scheduled order, you should create a line for each dock, with the same item number and different purchase orders.

The system asks you if you want to copy order details from another purchase order for the same item.

- If Yes, the system prompts you through the copy
- You need the purchase order number and the sequential line number you are copying from

Order Line Item Data: First Frame

Order Line Item Data: First Frame

Go To
Actions
Copy
Print
Preview

Ship-From: 100
Order: S033695
Ship-To: 00010006
Customer

Item Number: 100634
Finished Good #100634
UM: EA
PO Number:
Customer Ref:
Model Year:
Line: 1

Order Line Item Data

Discount Tbl:
List Price: 20.00
Net Price: 20.00
Sales Account: 3000 100 1000
Discount Acct: 3905 100 1000

Consume Forecast:
Type:
Location: FG
Taxable:
Category:
Consignment:

Delete
Back
Next


CSS-SU-560

There are two Order Line Item Data frames. The first frame contains pricing and inventory information.

Order Line Item Data: Second Frame

Order Line Item Data: Second Frame

Go To Actions Copy Print Preview

Ship-From: 100 Order: S033695
Ship-To: 00010006 Customer

Item Number: 100634 Finished Good #100634 UM: EA
PO Number:
Customer Ref:
Model Year: Line: 1

Order Line Item Data

Req Sched Days: 0 Dock:
Req Sched Weeks: 0 Start Effective:
Req Sched Months: 0 End Effective:
Fab Auth Days: 0 Max Order Qty: 0.0
Raw Auth Days: 0 Std Pack Qty: 1
Customer Item:
Container Item: Alternates: ☐
Charge Type:

Plan SDP Code:
Plan SDT Code:
Ship SDP Code:
Ship SDT Code:
Netting Logic:
Cum Start: 12/22/2008
Comments:

1/3 - Mon/Wed/Fri

Connection with Firm Days

Back Next

Exercise: Create Scheduled Order

SUV Assembly Plant

You are now ready to create a Scheduled Order

Use Customer Scheduled Order Maintenance 7.3.13

- 1 Create a scheduled order.

Field	Data
Ship-From:	10-200
Ship-To:	f001
Order:	SO100

- 2 Advance to the Order Data frame and enter:

Field	Data
Sequenced:	Yes

- 3 Advance to the Sequenced Delivery Data frame and enter:

Field	Data
Incl Seq in Req Ship Sched:	Yes
Firm Days:	0

- 4 Advance to the line item frame and enter:

Field	Data
Item:	part1
Line:	1

- 5 Advance to the second Order Line Item Data frame and enter:

Field	Data
Req Sched Days:	5
Req Sched Weeks:	3
Req Sched Months:	1
Netting Logic:	1

- 6 Return to the line item frame. You are going to create a second line, for part2.

Advance to the line item frame and enter:

Field	Data
Item:	part2
Line:	2

- 7 Advance to the second Order Line Item Data Frame and enter:

Field	Data
Req Sched Days:	5
Req Sched Weeks:	3
Req Sched Months:	1
Netting Logic:	2

- 8 Return to the line item frame. You are going to create a third line, for part3.

Field	Data
Item:	part3
Line:	3

- 9 Advance to the second Order Line Item Data frame and enter:

Field	Data
Req Sched Days:	5
Req Sched Weeks:	3
Req Sched Months:	1
Netting Logic:	3

- 10 Return to the line item frame. You are going to create a fourth line, for part4.

Field	Data
Item:	part4
Line:	4

- 11 Advance to the second Order Line Item Data frame and enter:

Field	Data
Req Sched Days:	5
Req Sched Weeks:	3
Req Sched Months:	1
Netting Logic:	4

- 12 Return to the line item frame. You are going to create a fifth line, for part5.

Field	Data
Item:	part5
Line:	5

- 13 Advance to the second Order Line Item Data frame and enter:

Field	Data
Req Sched Days:	5
Req Sched Weeks:	3
Req Sched Months:	1
Plan SDP Code:	20 (1/5 Monday through Friday)
Netting Logic:	3

QCS Setup Summary

QCS Setup Summary



- Item Records *
- Customer Records *
- Customer Calendars
- QCS Control Programs
- Status Codes
- EDI eCommerce *
- Sequence Scheduled Order

* Optional

Chapter 4

Loading Sequence Schedule Release

Load QCS Release


In this section you learn how to:

- Identify key business considerations before setting up QCS in QAD Enterprise Applications
- Set up QCS in QAD Enterprise Applications
- **Loading QCS in QAD Enterprise Applications**
- Planning QCS in QAD Enterprise Applications
- Shipping QCS in QAD Enterprise Applications
- QCS Features and Options



CSS-LD-010

Load QCS Release



This illustration is a suggested setup sequence of master records for the QCS module based on information that flows from one master record to another and prerequisites that need to be accomplished before setting up records.

Receive Schedule Release

Load QCS Release



- Receive Schedule Release
- Review Schedule release Info


CSS-LD-030

Once you have set up a customer's sequence scheduled order, you are ready to start receiving their schedule releases.

- Sequence schedule releases contain the customer's demand requirements with dates, times, and quantities
- The most recently received schedule release normally supersedes all previous schedule releases
 - Raw and fabrication authorization are an exception to this
 - The longest authorizations, calculated by end date, are the valid ones

There are two types of schedule releases supported by QAD Enterprise Applications. Each states how much of a certain item a customer expects to need and when. The primary difference between the two is the planning horizon. The two types of schedule releases are:

- Planning Schedule (830, Delfor) shows long-term planning (weekly, monthly buckets)
- Shipping Schedule (862, Deljit) shows short-term planning (daily buckets) and is usually the more accurate

If there are two schedules, the scheduled order's netting logic (set up in Scheduled Order Maintenance (7.3.13)) determines how to combine the schedules to obtain a RSS.

QAD Enterprise Applications retains every schedule the customer sends until you delete them from the system using Schedule Delete/Archive (7.5.23).

Exercise: Planning Schedule

Note The data used in these exercises may not be the same as the data shown in the screen captures in this lesson. In an exercise, if a field is not listed, you can accept the default value or leave it blank.

Note No Planning Schedule needed for Line 1.

Use Customer Plan Schedule Maintenance (7.5.1)

- 1 Create a planning schedule for line 2 by entering the following:

Field	Data
Order:	so100
Line:	2
Release ID:	1

- 2 Advance to the lower frame and enter:

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

- 3 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		W		20	F	No	No
Monday Week +1		W		25	F	No	No
Monday Week +2		M		100	F	No	No

- 4 Enter Yes when the system prompts you to make this schedule active.
- 5 Repeat the process, creating a planning schedule for line 3 by entering:

Field	Data
Order:	so100
Line:	3
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item fields.

- 6 Advance to the lower frame and enter:

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

- 7 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		W		20	F	No	No
Monday Week +1		W		25	F	No	No
Monday Week +2		M		100	F	No	No

8 Enter Yes when the system prompts you to make this schedule active.

9 Repeat the process, creating a planning schedule for line 4 by entering:

Field	Data
Order:	so100
Line:	4
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item Number fields.

10 Advance to the lower frame and enter:

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

11 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		W		20	F	No	No
Monday Week +1		W		25	F	No	No
Monday Week +2		M		100	F	No	No

12 Enter Yes when the system prompts you to make this schedule active.

13 Repeat the process, creating a planning schedule for line 5 by entering:

Field	Data
Order:	so100
Line:	5
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item Number fields.

14 Advance to the lower frame and enter:

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

15 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		W		20	F	No	No
Monday Week +1		W		25	F	No	No
Monday Week +2		M		100	F	No	No

16 Enter Yes when the system prompts you to make this schedule active.

Exercise: Shipping Schedule

- 1 Create a shipping schedule for line 1 by entering the following:

Use Customer Ship Schedule Maintenance (7.5.2)

Field	Data
Order:	so100
Line:	1
Release ID:	1

- 2 Advance to the lower frame and enter.

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

- 3 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No
Thursday		D		5	F	No	No
Friday		D		5	F	No	No
Monday Week +1		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No

- 4 Enter Yes when the system prompts you to make this schedule active.

Note No Shipping Schedule needed for line 2.

- 5 Repeat the process, creating a shipping schedule for line 3 by entering:

Field	Data
Order:	so100
Line:	3
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item Number fields.

- 6 Advance to the lower frame and enter.

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

- 7 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No
Thursday		D		5	F	No	No
Friday		D		5	F	No	No
Monday Week +1		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No

8 Enter Yes when the system prompts you to make this schedule active.

9 Repeat the process, creating a shipping schedule for line 4 by entering:

Field	Data
Order:	so100
Line:	4
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item fields.

10 Advance to the lower frame and enter.

Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

11 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No

12 Enter Yes when the system prompts you to make this schedule active.

13 Repeat the process, creating a shipping schedule for line 5 by entering:

Field	Data
Order:	so100
Line:	5
Release ID:	1

Note Delete the Ship-From, Ship-To, and Item fields.

14 Advance to the lower frame and enter.


Field	Data
Comments:	No
Prior Cum Date:	<Yesterday's Date>
Schedule Data Type:	Ship

- 15 Advance to the Schedule Detail Data frame and enter the following:

Date	Time	Int	Reference	Quantity	Q	Cmt	Rqm Det
Next Monday		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No
Thursday		D		5	F	No	No
Friday		D		5	F	No	No
Monday Week +1		D		5	F	No	No
Tuesday		D		5	F	No	No
Wednesday		D		5	F	No	No

- 16 Enter Yes when the system prompts you to make this schedule active.


Load Sequence Schedule Release



There are two ways to load a schedule release onto the system so you can begin processing the customer's order:

- Electronically
 - Document Import (35.1) (EDI eCommerce)
 - Shipper Gateway (7.9.22) (ASCII file)
- Manually
 - Sequence Schedule Maintenance (7.5.4.5)

Import Sequence Schedule Release



There are two ways to import a sequence schedule release:

- Import using eCommerce
 - Use Document Import (35.1) (EDI eCommerce)
- Import from an ASCII formatted file from an external system
 - Use Shipper Gateway (7.9.22)

Document Import (35.1)

Document Import

Document Import x

Go To Actions Copy Print Preview

File Type (New/Error):

Direction:

Print Details: ☐

Pre-Select All: ☒

Print Fail/Pass/Both:

Failed

Files:

Sessions:

Output:
Batch ID:

QAD
CSS-LD-070

Use Document Import to start the process of loading standards neutral format (SNF) files from the eCommerce subsystem, transforming them into formats usable by QAD Enterprise Applications, and transferring them into the QAD Enterprise Applications database using a gateway program.

The system generates a report on the import process.

Note Import directory specified in Inbound Directory field in eCommerce Control (35.21.13.24).

- If Error, system displays only files containing documents that encountered load errors during previous imports

Note Stored in the error file directory specified in the Error File Directory field set in eCommerce Control.

Shipper Gateway

The screenshot shows the 'Shipper Gateway' application window. The title bar reads 'Shipper Gateway'. Below the title bar is a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. The main area contains a 'Process/File:' dropdown menu set to 'File', a 'File Name:' text input field, and two checkboxes: 'Load Multiple Containers:' and 'Verify Only:'. An 'Output:' label is positioned to the right of these checkboxes. At the bottom right of the window are 'Back' and 'Next' buttons. The QAD logo is in the bottom left corner, and 'CSS-LD-080' is in the bottom right corner.

Use Shipper Gateway import an ASCII formatted file.

- Contains fields for customer sequence information

When you import a shipper gateway file from an external system, the system looks for the corresponding sequence to pick from the sequenced scheduled order. If the corresponding sequence is not found, the system picks the next available sequence.

Exercise: Import Sequence Schedule

Note You can load the schedule electronically via EDI/eCommerce or load the sequence schedule manually. Electronically is the preferable method, but if problems occur then load the sequence schedule manually as described in Appendix B and continue with the exercises.

Use Document Import (35.1)

- 1 To import the detail sequence schedule enter the following:


Field	Data
Import from File/Process:	File
Import File/Process Name:	train1.886
Report Detail/Summary:	Detail
Update:	No

Note There should be one warning message, and no error messages.

- 2 Verify the schedule with the table entries found in Manually Create Sequence Schedule on page 315.
- 3 To import the summary sequence schedule enter the following:

Field	Data
Import from File/Process:	File
Import File/Process Name:	train1.886
Report Detail/Summary:	Summary
Update:	No

Create Sequence Schedule Release



You can manually enter a sequence schedule release by using Sequence Schedule Maintenance (7.5.4.5).

Sequence Schedule Maintenance (7.5.4.5)

Sequence Schedule Maintenance

Go To Actions Copy Print Preview

Ship-From: T12000 Electronics Division
 Ship-To: 01000000 Colossal Conglomerates LTD
 Release ID: RSS0001 Active: ☐

Create Date:
 Cumulative: ☐
 Packing Order: Reverse
 Sequences Per Container:
 Check Sequence Tolerance: ☐
 Maximum Tolerance:
 Schedule Date Type: Delivery
 Active Start:
 Active End:

Back Next

QAD CSS-LD-100

Use Sequence Schedule Maintenance (7.5.4.5) to:

- Manually enter (create) a sequenced schedule release
- Modify existing sequence schedule releases
 - Imported
 - Manually created
- Logically delete sequence records

Creating a New Release

When creating a new release, the system gives you the option of copying all non-deleted sequence records from the current active release to the new release.

If you choose to copy the data from the active release, the system checks to see if any sequences from the active release have been picked. If sequences have been picked, the system asks if you want to create cross-references between the sequences on the new release and the corresponding references on the active release.

- If you choose Yes, the system creates cross-references between the sequences on the new release and the corresponding references on the active release

You cannot pick sequences from the new release that are cross-referenced to sequences on the active release. These cross-referenced sequences have already consumed their requirements.

If you choose No, then the system:

- Copies all sequences from the active schedule to the new schedule
- Resets any sequence records previously marked as picked or cross-referenced

Note By resetting the sequences, the system considers them as open requirements.

When you finish creating the new schedule release, the system prompts you to make the new release the active release.

Header Frame

In the header frame you identify the sequence schedule.

- A scheduled order must already exist for the ship-from/ship-to combination


Sequence Schedule Maintenance (7.5.4.5) Detail Data Frame

Use the Sequence Detail Data frame to:

- Create new sequence records
- Edit existing sequence records
- Mark existing sequence records as deleted
 - System makes record inactive for the schedule release
 - Sequence record is marked as deleted, but is not physically removed from the database
 - To permanently delete the record, use Sequence Schedule Detail Delete 7.5.4.22

Note Deleted sequences remain on the schedule, but are not considered for picking or planning. Once deleted, sequences are no longer active and cannot be re-activated.

Daily Shipping



Some suppliers receive sequence schedule releases every morning for that day's deliveries. Basically they ship the same day they receive the schedule release from their customers.

- Supplier ships directly off the sequence schedule release
- No need to create a RSS
- No need to run MRP
 - MRP looks out to the future to plan replenishments
 - Since sequence schedule release is used for the current day, running MRP is not necessary

Review Schedule Release Information

Reviewing Schedule Release Information

You can use any of the following to review and/or compare sequence schedule information. This is particularly useful if you have imported the sequence schedule information.

- Sequence Schedule Maintenance (7.5.4.5)
- Sequence Schedule Inquiry (7.5.4.6)
 - Displays all sequences on a sequence schedule release
- Sequence Schedule Report (7.5.4.7)
 - Prints a report showing a complete sequence schedule release
- Sequence Schedule Variance Report (7.5.4.16)
 - Compares two sequence schedule releases
- Plan/Ship Sequence Variance Report (7.5.4.17)
 - Compares specific item requirements on the active sequence schedule to those on the active shipping or planning schedule release

Sequence Schedule Inquiry (7.5.4.6)

Sequence Schedule Inquiry

Sequence Schedule Inquiry X

Go To Actions Copy Print Preview

Ship-From: 110 Ship-To: 1005000 Release ID: RS00001 Active: ☐

Starting Job: Starting Sequence: Starting Date:

Output

Back Next

Starting Points Allow You to Determine Where to Start Looking

QAD CSS-LD-140

Use Sequence Schedule Inquiry (7.5.4.6) to view sequences on a sequence schedule release.

Can view all or all from a specified starting point

Sequence Schedule Report (7.5.4.7)

Sequence Schedule Report

Sequence Schedule Report x

Go To Actions Copy Print Preview

Ship-From: 110 To: 10

Ship-To: To:

Release ID: To:

Customer Job: To:

Customer Sequence: To:

Line Item Cust Ref: To:

Model Year: To:

Customer Reference: To:

Item Number: To:

Order: To:

PO Number: To:

Status: To:

Ship/Delivery Date: To:

Active/History: Active

Include Sequences: 1 1-All, 2-Picked Only, 3-Unpicked Only

Include Deleted: ☐ ← Sequences Marked as Deleted Not Included in the Report

Details: Sub-Totals:

Back Next

QAD CSS-LD-150

Use Sequence Schedule Report (7.5.4.7) to print a report that shows you the complete sequence schedule release.

- Gives you a snapshot of what is going on

The report criteria gives you the option of:

- Including active or history data
- Including:
 - Picked and unpicked sequences
 - Only picked sequences
 - Only unpicked sequences
- Including sequence records marked as deleted
 - If Yes, only sequence records logically deleted will be included in the report
 - If No, only sequence records not marked as deleted will be included in the report

Sample Detail Report

Sample Detail Report

```

rcrp05.p                               7.5.4.7 Sequence Schedule Report          Date: 01/28/00
Page: 1                                Public Test Progress 91          Time: 11:29:02

  Ship-From: 10000      nj plant
  Customer:  GM         General Motors
  Ship-To:  orion       Lake Orion Assembly Plant
  Release ID: 991210-22      Active: yes

Schedule Date Type: Delivery          Create Date: 12/10/99    11:54
Active Start: 12/09/99      Active End:      Packing Order: forward
Cumulative: no              Sequences Per Container: 0
Check Sequence Tolerance: yes      Maximum Tolerance: 2

Date: 12/08/99

Customer Job      Item      Order      Customer Ref      Customer Dock      Quantity
Customer Sequence Status      UM Line      PO      Line Feed      Cum Quantity Delete
-----
9110              100-1      EA ori-test  vin9110            shp99087            1.0 no
                        1      ori-99
                        Picked: yes      Pre-Shipper/Shipper: shp99087      Confirmed: yes

9111              100-1      EA ori-test  vin9111            shp99087            1.0 no
                        1      ori-99
                        Picked: yes      Pre-Shipper/Shipper: shp99087      Confirmed: yes

9112              100-1      EA ori-test  vin9112            shp99087            1.0 no
                        1      ori-99
                        Picked: yes      Pre-Shipper/Shipper: shp99087      Confirmed: yes

9113              100-1      EA ori-test  vin9113            shp99087            1.0 no
                        1      ori-99
                        Picked: yes      Pre-Shipper/Shipper: shp99087      Confirmed: yes


```



CSS-LD-160

The above shows an example of a Sequence Schedule Report using the Detail report option.

Sample Report with Subtotals



The above graphic shows an example of the report with subtotals broken out by date.

Exercise: Print Sequence Schedule Report

Use Sequence Schedule Report (7.5.4.7)

- 1 To generate the Sequence Schedule Report enter the following:

Field	Data
Ship-To:	f001
To:	f001
Sub-Totals:	Yes

- 2 Verify all sequences are displayed and the sub-totals are correct for each day.

Sequence Schedule Variance Report (7.5.4.16)

Sequence Schedule Variance Report

Sequence Schedule Variance...
X

Go To Actions Copy Print Preview

Ship-From:

Ship-To:

Item Number:

Order:

Variance %:

ABC Class:

To:

To:

To:

To:

Current Release ID:

Previous Release ID:

**Use to Specify the
Sequence Schedules
You Want to Compare**

Output:

Batch ID:

Back Next

CSS-LD-190

Use Sequence Schedule Variance Report to generate a report that compares sequence schedules of different releases.

- Variance percentage reported
- Useful when looking for extremes

Plan/Ship Sequence Variance Report (7.5.4.17)

Plan/Ship Sequence Schedule Variance Report

The screenshot shows a software window titled "Plan/Ship Sequence Variance...". It features a menu bar with "Go To", "Actions", "Copy", "Print", and "Preview". Below the menu bar are several input fields: "Ship-From:", "Ship-To:", "Item Number:", "Order:", "To:", "To:", "To:", and "To:". There are also "Output:" and "Batch ID:" labels. A blue arrow points from a callout box to the "Variance %:" field, which is currently set to "00". The callout box contains the text "Use to Specify Percentage Reported". At the bottom right of the form are "Back" and "Next" buttons. The QAD logo is in the bottom left corner, and "CSS-LD-200" is in the bottom right corner.

Plan/Ship Sequence Variance...

Go To Actions Copy Print Preview

Ship-From: To:

Ship-To: To:

Item Number: To:

Order: To:

Variance %: 00

ABC Class:

Output:

Batch ID:

Use to Specify Percentage Reported

Back Next

QAD CSS-LD-200

Use Plan/Ship Sequence Variance Report to generate a report comparing sequence schedule to the shipping or planning schedule.

- Variance percentage reported

Chapter 5


Planning

Plan QCS

In this section you learn how to:


- Identify key business considerations before setting up QCS in QAD Enterprise Applications
- Set up QCS in QAD Enterprise Applications
- Loading QCS in QAD Enterprise Applications
- **Plan QCS in QAD Enterprise Applications**
- Shipping QCS in QAD Enterprise Applications
- QCS Features and Options

Plan QCS



This illustration is a suggested setup sequence of master records for the QCS module based on information that flows from one master record to another and prerequisites that need to be accomplished before setting up a record.

Generate RSS



The RSS identifies for a particular customer and sequenced scheduled order, what they need you to ship, on what dates, and by what time.

Basically the RSS has two purposes:

- It supplies MRP with the dates, times, and quantities of the customer's demands
- Provides the information used to instruct the shipping dock what to ship

You create a new version of the RSS using one of the following:

- Required Ship Schedule Update (7.5.5)
- Selective Req Ship Sched Update (7.5.6)

Required Ship Schedule Update (7.5.5)

Required Ship Schedule Update

Required Ship Schedule Update X

Ship-From: 100000	To: 200
Sold-To: 200	To:
Ship-To:	To:
Dock:	To:
Item Number:	To:
PO Number:	To:
Customer Ref:	To:
Model Year:	To:
Order:	To:

Report Detail/Summary: Summary
Update: Yes

Output:
Batch ID:

Determines if RSS is created

F1=Go 2=Help 3=Ins 4=End 7=Recall 8=Clear 11=Paste

QAD Required Ship Schedule Update (7.5.5) CSS-PL-050

Use Required Ship Schedule Update to generate a new RSS.

The RSS:

- Turns customer demand from the schedule release into dates, times, and quantities that you can then use for planning and production
 - Information used to supply MRP allowing it to plan future replenishment orders
- Instructs the shipping dock what needs to be shipped
 - Information used to generate the picklist/pre-shipper

Note It is a good idea when first running this process to set Update to No. This gives you the ability to review the new schedule release prior to actually creating it.

Creating the RSS

When creating the RSS, the system first selects the active schedule release for each schedule type (sequence, shipping, planning). Then the system uses the customer requirement information from active schedule releases) and the following information to generate the RSS:

- Sequence scheduled order data (Week Offset, Cumulative, Transport Days, Req Sched Days, Weeks, Months, standard pack quantity, Netting Logic, and SDP codes)
- Your calendar
- Your customer's calendar, if necessary

- System uses this to adjust dates or quantities if your customer does not schedule their requirements to coordinate with your open days, ship schedule, or shipment multiples
- QAD Enterprise Applications back-schedules all date adjustments

If Sequenced is set to Yes in Customer Scheduled Order Maintenance (7.3.13), the system knows this is a sequence scheduled order and updates the RSS with sequence schedule data. When sequences are involved:

- Netting logic works differently
 - Netting logic is set up in the Netting Logic field of Customer Scheduled Order Maintenance
- If Include Seq in Req Ship Sched is set to Yes in Customer Scheduled Order Maintenance then the system includes the number of firm days from the sequence scheduled order
 - Defined in the Firm Days field of Customer Scheduled Order Maintenance

Required Ship Schedule Update Report: Sequence Schedule

Required Ship Schedule Update Report: Sequence Schedule

rcrsup.p 7.5.5 Required Ship Schedule Update Date: 02/03/00
 Page: 1 Public Test Progress 91 Time: 11:38:09

Using ship-to calendar 01000036

Customer Sequence Schedule- Required Quantities

Ship-From: 10000 Order: so2077 Line: 1
 Ship-To: 01000036 Northwest Reliable
 Item: 88-100 CASE,AUTO-UNIT UM: EA
 PO Number: Release ID: 1

Schedule Date Type: Delivery Create Date: 01/28/00 10:54
 Active Start: 01/28/00 Cumulative: noxx
 Active End:

Schedule Detail Data

Date	Time	Reference	Quantity
01/31/00	10:00		4.0
02/01/00	10:00		6.0ccx

Sequence Schedule

Summarized Quantities

CSS-PL-060

The image above shows an example of a Required Ship Schedule Update report using a sequence schedule.

Required Ship Schedule Update Report: Shipping Schedule

Required Ship Schedule Update Report: Shipping Schedule

```

rcrsup.p          7.5.5 Required Ship Schedule Update          Date: 02/03/00
Page: 2           Public Test Progress 91                     Time: 11:38:10

Customer Ship Schedule- Required Quantities
Ship-From: 10000      Order: SO2077              Line: 1
Ship-To: 01000036     Northwest Reliable
Item: 88-100          CASE,AUTO-UNIT              UM: EA
PO Number:
Release ID: 1

Comments: no          Create Date: 01/31/00 15:08:02
SDP Code:             Cumulative: no
SDT Code:
Int Purpose Code:
Ext Purpose Code:     Schedule Date Type: Delivery
Prior Cum Req: 0.0    Active Start: 01/31/00
Prior Cum Date: 01/01/00 Active End:

Schedule Detail Data
Date      Time  Int Reference      Quantity  Q  Cmt  Rqm
-----
01/28/00  10:00 d          9.0  F  no  no
01/31/00  10:00 d          2.0  F  no  no
02/01/00  10:00 d          5.0  F  no  no
02/02/00  10:00 d          6.0  F  no  no
02/03/00  10:00 d          4.0  F  no  no
02/04/00  10:00 d          9.0  F  no  no
02/07/00  10:00 d          2.0  F  no  no
02/08/00  10:00 d          5.0  F  no  no

```


CSS-PL-070

The image above shows an example of a Required Ship Schedule Update report using a shipping schedule.

Required Ship Schedule Update Report: Planning Schedule

Required Ship Schedule Update Report: Planning Schedule

rcrsup.p
Page: 3

7.5.5 Required Ship Schedule Update
Public Test Progress 91

Date: 02/03/00
Time: 11:38:11

Customer Plan Schedule- Required Quantities

Planning Schedule

Ship-From: 10000 Order: 802077 Line: 1
 Ship-To: 01000036 Northwest Reliable
 Item: 88-100 CASE,AUTO-UNIT UM: EA
 PO Number: Release ID: 1

Comments: no Create Date: 01/31/00 15:06:52
 SDP Code: Cumulative: no
 SDT Code:
 Int Purpose Code:
 Ext Purpose Code: Schedule Date Type: Delivery
 Prior Cum Req: 0.0 Active Start: 01/31/00
 Prior Cum Date: 01/01/00 Active End:

Schedule Detail Data

Date	Time	Int Reference	Quantity	Q	Cmt	Rqm Det
01/24/00	10:00	w	20.0	F	no	no
01/31/00	10:00	w	15.0	F	no	no
02/07/00	10:00	w	25.0	F	no	no

Resource Authorization Data

Fab Qty: 0.0	Fab Start: 01/28/00	Fab End:
Raw Qty: 0.0	Raw Start: 01/28/00	Raw End:

CSS-PL-080

The image above shows an example of a Required Ship Schedule Update report using a planning schedule.

Required Ship Schedule Update Report: Netting Options Section

Required Ship Schedule Update Report: Netting Options Section

New Section

rcrsup.p 7.5.5 Required Ship Schedule Update Date: 02/03/00
 Page: 4 Public Test Progress 91 Time: 11:38:11

Netting Options
 Netting Logic: 3 Use Plan & Ship schedules for Req Sched
 Use Ship/Plan PCR: no

Plan Schedule Adjustment For Ship Schedule Overlap

Date	Time	Reference	Quantity	Adjustment Qty
02/07/00	10:00		25.0	-7.0
02/09/00		18.0		

Combined Schedule

Date	Time	Reference	Quantity	From
01/31/00			4.0	Seq Schedule
02/01/00			6.0	Seq Schedule
02/02/00			6.0	Ship Schedule
02/03/00			4.0	Ship Schedule
02/04/00			9.0	Ship Schedule
02/07/00	10:00		2.0	Ship Schedule
02/08/00	10:00		5.0	Ship Schedule
02/09/00	10:00	18.0		Plan Schedule

Adjustment for Weekly Plan Quantity

Schedule Used

QAD CSS-PL-090

The image above shows an example of a report containing the new section, Netting Options.

Required Ship Schedule Update Report: RSS Schedule

Required Ship Schedule Update Report: RSS Schedule

New RSS Schedule

Required Ship Schedule- Required Quantities

rcrsup.p 7.5.5 Required Ship Schedule Update

Page: 6 Public Test Progress 91

DATE: 02/03/00

Time: 11:38:12

Ship-From: 10000 Order: 802077

Ship-To: 01000036 Northwest Reliable

Item: 88-100 CASE,AUTO-UNIT

PO Number: Release ID: 000002

Line: 1

UM: EA

Comments: no

Prior Cum Req: 0.0

Prior Cum Date: 01/01/00

From Plan Id: 1

From Ship Id: 1

Create Date: 02/03/00 11:38:11

Cumulative: no

Active Start: 02/03/00

Active End:

Schedule Detail Data

Date	Time	Int Reference	Quantity	Q	Cmt	Rqm Det
01/31/00	10:00	D	4.0	4	no	no
02/01/00	10:00	D	6.0	4	no	no
02/02/00	10:00	D	6.0	2	no	no
02/03/00	10:00	D	4.0	2	no	no
02/04/00	10:00	D	9.0	2	no	no
02/07/00	10:00	D	2.0	2	no	no
02/08/00	10:00	D	5.0	2	no	no
02/09/00	10:00	D	18.0	1	no	no

CSS-PL-100

The image above shows an example of the new Required Ship Schedule.

Selective Req Ship Sched Update (7.5.6)

The screenshot shows the 'Selective Req Ship Sched Update' window. It has a title bar with the window name and a standard menu bar (Go To, Actions, Copy, Print, Preview). The form contains several input fields: Ship From, Ship To, Item Number, PO Number, Customer Ref, Model Year, Order, Line, and UM. Below these are three release ID fields: Ship Schedule Release ID, Plan Schedule Release ID, and Sequence Schedule Release ID. At the bottom left, there are two checkboxes: 'Report' and 'Update'. A blue callout box with the text 'Leave unchecked to Preview Changes' has an arrow pointing to both checkboxes. At the bottom right are 'Back' and 'Next' buttons. The QAD logo is in the bottom left corner, and 'CSS-PL-110' is in the bottom right corner.

Use Selective Req Ship Sched Update to determine the sequence schedule requirements using a specific release.

- You do not necessarily have to use the active release
- System uses the sequence schedule release ID to select the sequence schedule
 - Only sequence lines associated with the specified schedule order lines are used

The method for calculating the RSS is the same as used in Required Ship Schedule Update.

Exercise: Required Ship Schedule Update

Important The data used in these exercises may not be the same as the data shown in the screen captures in this lesson. In an exercise, if a field is not listed, you can accept the default value or leave it blank.

The required ship schedule function identifies what needs to be shipped and when. In this exercise you are going to see the results of the Netting Logic used when setting up the scheduled order.

Use Required Ship Schedule Update (7.5.5) to run a preview of the required ship schedule by entering the following:

Field	Data
Ship-To:	f001
To	f001
Report Detail/Summary:	Detail
Update:	No

- 1 Use the following information to verify all of the required ship schedules are correct, based on the Netting Logic.

Line 1:

Field	Data
M-W	Requirements from sequence schedule
Th-F	Requirements from sequence schedule
Week 2+:	Requirements from sequence schedule

Line 2:

Field	Data
M-W	Requirements from sequence schedule
Th	Adjustment from weekly planning schedule
Week 2+:	Requirements from sequence schedule

Line 3:

Field	Data
M-W	Requirements from sequence schedule
Th-F	Requirements from sequence schedule
M-W	Requirements from sequence schedule
Th	Adjustment from weekly planning schedule
Week 3+	Requirements from sequence schedule

Line 4:

Field	Data
M-W	Requirements from sequence schedule
Th-F	Requirements from sequence schedule
F	Adjustment from weekly planning schedule if planning requirements NOT consumed
M-W	Requirements from sequence schedule

W	Adjustment from weekly planning schedule if planning requirements NOT consumed
Week 3+	Requirements from sequence schedule

Line 5:

Field	Data
M-F	Requirements from sequence schedule
M-W	Requirements from sequence schedule
Th-F	Requirements from shipping schedule
Week 3+	Requirements from sequence schedule

Note The weekly intervals of the planning schedule of Line 5 are distributed according to the SDP before the requirements are combined.


2 To generate the RSS, enter the following:

Use Required Ship Schedule Update (7.5.5)

Field	Data
Ship-To:	f001
To	f001
Report Detail/Summary:	Detail
Update:	Yes

Note If the output report from the Required Ship Schedule Update fails to display, check the result with Required Ship Schedule Detail Report (7.5.14).

Run MRP



Once you have the new RSS, you are ready to run MRP. Running MRP determines the planning requirements for the customer's demands.

Note MRP only looks at the active RSS.

QAD Enterprise Applications offer you three ways to run MRP.

- Net Change Materials Plan (23.1)
 - Calculates requirements only for those items that have changed since the last update
 - Many companies use this option for their normal MRP runs
- Regenerate Materials Plan (23.2)
 - Generates a plan for all items, not just those that have changed since the last run
 - Recalculates demand and plans supply for all items in the site
- Selective Materials Update (23.3)
 - Updates only the items and sites you select

MRP – Calculating Requirements

MRP – Calculating Requirements

- Net Change Materials Plan (23.1)
- Regenerate Materials Plan (23.2)
- Selective Materials Plan (23.3)

MRP Detail Inquiry (23.16)

MRP Detail Inquiry

MRP Detail Inquiry X

Go To Actions Copy Print Preview

Item Number: 02-0005

Site: 100

Start Date: 12/29/2008

MECHANICAL PENCIL (5MM) BLISTER PACKED

Output: page

Back Next

QAD

CSS-PL-160

Use MRP Detail Inquiry to see a detailed look at MRP for specified date buckets.

Selection Criteria

Item Number/Site/Start Date

Use one or more of the above criteria to select MRP detail information. To select all, leave the field blank.

MRP Detail Inquiry: Display

MRP Detail Inquiry: Display

MRP Detail Inquiry - 12/29/200... x

 **MRP Detail Inquiry** 12/29/08

Item Number: 02-0005 Site: 100 Start Date: 12/29/08
 MECHANICAL PENCIL (5MM) BLISTER PACKED Output: page

Item Number: 02-0005 Qty on Hand: 0.0 Site: 100
 MECHANICAL PENCIL (5MM) BLISTER PACKED UM: EA Pur/Mfg:
 Buyer/Planner: Ord Pol: POQ Min Order: 0 Mfg LT: 0
 Mstr Sched: Yes Order Period: 7 Max Order: 0 Pur LT: 0
 MRP Required: Yes Time Fence: 0 Ord Mult: 0 Ins LT: 0
 Plan Orders: Yes Safety Time: 0 Order Qty: 0 Inspect: No
 Issue Policy: Yes Safety Stock: 0 Yield%: 100.00% Cum LT: 0

Due Date	Gross Reqs	Sched Rcpt	Proj QOH	Plan Ords	Details
12/29/08			0		Beginning Available

List complete

23.16 MRP Detail Inquiry mrmplq01.p



CSS-PL-170

Using your selection criteria, the system shows you the order information from the RSS.

Plan QCS Summary

Plan QCS Summary

- Generate RSS
- Run MRP



Chapter 6


Shipping

Shipping QCS

In this section you learn how to:


- Identify key business considerations before setting up QCS in QAD Enterprise Applications
- Set up QCS in QAD Enterprise Applications
- Loading QCS in QAD Enterprise Applications
- Planning QCS in QAD Enterprise Applications
- **Shipping QCS in QAD Enterprise Applications**
- QCS Features and Options

Shipping QCS



This illustration is a suggested setup sequence of master records for the QCS module based on information that flows from one master record to another and prerequisites that need to be accomplished before setting up a record.

Create Pre-Shipper/Shipper



The first step in the shipping process is to create a pre-shipper/shipper. The system uses the pre-shipper/shipper to select and ship inventory. (QAD Enterprise Applications converts pre-shippers to shippers before shipping.) Use one of the following to create the pre-shipper/shipper:

- Picklist/Pre-Shipper - Automatic (7.9.1)
 - Creates pre-shippers for both sequenced and non-sequenced schedules
- Sequence Pre-Shipper - Automatic (7.5.4.10)
 - Creates pre-shippers for sequenced schedules
- Shipper Gateway (7.9.22)
 - Creates shippers for external systems using an ASCII file

The terms picklist and pre-shipper are synonymous. A pre-shipper describes which items and/or containers need to be picked for the shipment.

Pre-Shippers and Shippers

Shipping QCS



- **Pre-Shipper/ Shipper**
- Confirm Shipper
- Send Shipper
- Invoicing

Sequence Pre-Shipper Automatic (7.5.4.10)

Sequence Pre-Shipper Automatic

Sequence Pre-Shipper - Auto...

Go To Actions Copy Print Preview

Due Date: [] : [] To: [] : []

Ship-To: [] To: []

Site: [] To: []

Customer Job: [] To: []

Customer Sequence: [] To: []

Customer Reference: [] To: []

Customer Dock: [] To: []

Line Feed: [] To: []

Status: [] To: []

Auto Allocation: ☐

Stage Open Quantities: ☐

Override Partial OK Flag: ☐

Use Containers: ☐

Break on Maximum Sequence: [0]

Update: ☒

Form Code: [1]

Break on Maximum Weight: [0.00]

Break on Maximum Volume: [0.00]

Include Packing List Comments: ☐

Print Only Lines to Pick: ☒

Print Features and Options: ☐

Print Packing List Comments: ☐

Create Pre-Shipper in SO UM: ☒

Output: []

Batch ID: []

Back Next

QAD CSS-SH-050

Use Sequence Pre-Shipper Automatic to create a pre-shipper for sequence schedules.

- Can be for one or a range of sequence schedules
- Only applies to sequence schedules
 - Use Picklist/Pre-Shipper - Automatic (7.9.1) to create pre-shippers for non-sequenced and sequenced schedules
- Only selects unpicked sequences from active schedules
 - Selected sequences cannot be marked as deleted, picked, or cross-referenced
- Contains sequence specific criteria
 - Job
 - Sequence
 - Dock
 - Line Feed
 - Status
 - Break on Max Sequence (for example, when the truck can hold so many items)

Note You can also use Pre-Shipper/Shipper Print (7.9.4) to print the Picklist/Pre-Shipper report.

Picklist/Pre-Shipper: Sample Report

Picklist/Pre-Shipper: Sample Report

Ship To: 01000036

Northwest Reliable
1000 B StreetCoos Bay
United States of America

P I C K L I S T / P R E - S H I P P E R

Pre-Shipper: P00000288

Page: 1

Print Date: 02/01/00

Customer Dock:
Line Feed:

Sales Order: so2077

Order Date:

Ship To PO:

Ln	Item Number	Site T Location	Lot/Serial Ref	Qty Open Qty to Ship	Open UM	Due Shipped
1	88-100	10000				
	Revision: AA					
	CASE, AUTO-UNIT					
			1R1234XYZ001	1.0	EA	01/28/00
			1R1234XYZ002	1.0	EA	01/28/00
			1R1234XYZ003	1.0	EA	01/28/00
			1R1234XYZ004	1.0	EA	01/28/00
			1R1234XYZ005	1.0	EA	01/28/00
		100		5.0	()	

PO Nbr:



CSS-SH-060

The above shows an example of the first page of the Picklist/Pre-Shipper.

Sequence Pack List: Sample Report

Sequence Pack List: Sample Report

Ship To: 01000036
Northwest Reliable
1000 B Street

United States of America

Packing Order: forward
Sequences Per Container: 0

Customer Job
Pack Customer Sequence
Seq Customer Reference

P I C K L I S T / P R E - S H I P P E R
S E Q U E N C E P A C K L I S T
Pre-Shipper: P00000288
Page: 2

Print Date: 02/01/00

Customer Dock:
Line Feed:

Seq	Customer Reference	Item Number	Quantity	UM	Status
1	20000128 001 1R1234XYZ001	88-100	1.0	EA	
2	20000128 002 1R1234XYZ002	88-100	1.0	EA	
3	20000128 003 1R1234XYZ003	88-100	1.0	EA	
4	20000128 004 1R1234XYZ004	88-100	1.0	EA	
5	20000128 005 1R1234XYZ005	88-100	1.0	EA	

Sequence

→

→

→

→

→

→

**Second Page of
Pre-Shipper**

CSS-SH-070

If the scheduled order contains sequences, the Sequence Pack List prints after the pre-shipper. It contains:

- Instructions for dock personnel
- Sequential order of every item in the shipment
 - Forward or Reverse (reverse load packing)

Picklist/Pre-Shipper - Automatic (7.9.1)

Picklist/Pre-Shipper - Automatic

Go To Actions Copy Print

Due Date: :

Sales Order:

Ship-To:

Language ID:

Site:

Address List Type:

Item Number:

Reference:

To:

To:

To:

To:

To:

To:

To:

Auto Allocation: ☐

Allocate Components: ☐

Ship Avail Qty for Kit: ☐

Stage Open Quantities: ☐

Override Partial OK Flag: ☐

Use Containers: ☐

Break on Sales Order: ☐

Update: ☒

Break on Maximum Weight: 0.00

Break on Maximum Volume: 0.00

Include Packing List Comments: ☐

Print Only Lines to Pick: ☒

Print Features and Options: ☐

Print Packing List Comments: ☐

Create Pre-Shipper in SQ UM: ☒

Form Code: 1

Output:
Batch ID:

Back Next

Use Picklist/Pre-Shipper - Automatic to generate a pre-shipper for sequenced and non-sequenced scheduled orders.

- Recognizes sequenced items
- Reads sequence schedule for the requirements
- Creates separate pre-shippers for sequence items and non-sequenced items by Ship-To

Shipper Gateway (7.9.22)

Shipper Gateway

Shipper Gateway

Go To Actions Copy Print Preview

Process/File: File

File Name:

Load Multiple Containers: ☐

Verify Only: ☐

Output:

Back Next

QAD CSS-SH-090

Use Shipper Gateway to build shippers containing sequences.

- Uses an external ASCII file in the designated format to create shippers
- Accepts status codes

You have the option of including sequence values (from customer) or having the system select available sequences.

Shipper Gateway: Sample Report

Shipper Gateway: Sample Report

rcshgw.p 99		7.9.22 Shipper Gateway	Date: 02/01/00
Page: 1		Your Name Here	Time: 17:22:39

Type: s	Site:	Location:
Ship From: 17500	Number: ESHP000	
Part:	Lot/Serial:	Reference:
Qty: 0	Ship To: 001	Order:
.....		
Kanban:		

Shipper created ESHP000.

Type: i	Site: 17500	Location:
Ship From: 17500	Number:	
Part: item y	Lot/Serial:	Reference:
Qty: 10	Ship To:	Order: so10063
Line: 1	Parent: sESH000	
Customer PO: po100	Qty UM: EA	Ship Weight: 0
Weight UM:	Volume: 0	Volume UM:
Net Weight: 0	Ship Via:	Fob:
Carrier Ref:	Trans Mode:	
Vehicle Ref: vin100		Tare Weight:
Customer Job: job1		
Customer Seq: seq1		
Customer Doc: dock1		
Line Feed: line1		
Kanban:		

Item added to shipper item y.

Sequence Data



Shipper Gateway: Sample Report (7.9.22)

CSS-SH-100

The above graphic shows an example of a Shipper Gateway report containing sequence information.

Pre-Shipper/Shipper Workbench (7.9.2)

Pre-Shipper/Shipper Workbench

Go To Actions Copy Print Preview

Ship-From ID: 1000

Pre-Shipper/Shipper: Shipper

Number:

Ship-To/Dock: 00010006

Shipping Group:

Inventory Movement Code:

Leave blank to have system assign number

Back Next

QAD CSS-SH-110

Use Pre-Shipper/Shipper Workbench for the manual maintenance of pre-shippers or shippers.

- Add, view, or delete sequences
 - Validates number of sequences on pre-shipper or shipper

Header Frame

In the header frame you identify the pre-shipper or shipper that you want to see. You do this by specifying:

- Ship-From
- Pre-shipper/shipper number, if existing
- Ship-To

Carrier Detail Frame

Pre-Shipper/Shipper Workbench: Carrier Detail Frame

Pre-Shipper/Shipper Workbench

Go To Actions Copy Print Preview

Ship-From ID: 1000 Main Site
Pre-Shipper/Shipper: Shipper
Number: 00000127

Ship-To/Dock: 00010006 Customer
1212 Customer St

Shipping Group:
Inventory Movement Code:

Carrier: TOL01 Multi: ☐

Ship Via: GROUND

FOB Point:

Mode of Transport:

Carrier Shipment Ref: 00000127

Vehicle ID:

Document Format: 01

Consolidate Ship: optional

Language: us

Merge Other Pre-Shippers: ☐

Comments: ☐

Back Next

QAD CSS-SH-120

Use the Carrier Detail frame to enter carrier data for this shipment (Ship Via, FOB Point, Mode of Transport).

Shipper Workbench Frame

Pre-Shipper/Shipper Workbench: Shipper Workbench Frame

The interface displays a table of shipment items and a detailed form for item information.

Shipper Workbench Table:

Level	Order Ln	Item Number	Quantity	UM	Container	Canc B/D
0		Shipper: 1000/00000127	Ship-To: 00010006			

1. Select item

2. Modify/view item information

Sales Order:

Quantity: 1.0 Line: Order: Loc:

Qty Picked: 0.0 UM: Site: Lot/Serial:

Net Weight: 0.0 Reference: Type:

Tare Weight: 0.0 Consume Req: ☐ ID:

Gross Weight: 0.0 Description: Cancel B/D: ☐

Volume: 0.0 Comments: ☐

Buttons: Delete, Back, Next

QAD CSS-SH-130

The Shipper Workbench frame shows what items and containers are included in this shipment. The lower frame shows the shipper detail for individual items or containers.

Display Sequences Frame

Pre-Shipper/Shipper Workbench: Display Sequences Frame

Level	Order	Ln	Item Number	Quantity	UM	Container	Canc B/O
0	Pre-Shipper: 10000/SH000002 Ship-To: f001						
.1	so100	1	Part 1	2.0 EA		no	
.1	so100	2	Part 2	3.0 EA		no	
.1	so100	3	Part 3	2.0 EA		no	

Display Sequence Detail - Order Quantity: 2 EA

Customer Job: 20090615

Customer Sequence: 001

Customer Reference: 1R001

Customer Dock:

Line Feed:

Date: 6/15/2009 Time: :

Quantity: 1.0 UM: EA

Status: 9000

Customer Build Date:

Volume: 0.0

Comments: ☐

Cancel B/O: ☐

Loc: 100

Type:

ID:

pot, Red

QAD CSS-SH-140

You can use the Display Sequences frame to:

- Track quantities on the sequence schedule
 - Shows all the sequences on the pre-shipper/shipper
 - Displays only if pre-shipper/shipper contains sequences
- Delete sequences
- Access the Add Sequences frame
- Access the Display Sequences frame

Deleting Sequences

The Display Sequences frame can be used to delete sequences.

- Move your cursor to the sequence you want to delete, then select Delete
- System removes the sequence from the pre-shipper/shipper and marks it as an open requirement

Note Deleting the sequence in Pre-Shipper/Shipper Workbench does not delete the sequence from the database. It deletes/removes the sequence from the pre-shipper/shipper.

Adding Sequences

Pre-Shipper/Shipper Workbench: Add Sequences Frame

The screenshot displays the 'Pre-Shipper/Shipper Workbench' window. At the top, there is a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. Below the menu bar is a table with the following columns: Level, Order, Ln, Item Number, Quantity, UM, Container, and Canc B/O. The table contains four rows of data:

Level	Order	Ln	Item Number	Quantity	UM	Container	Canc B/O
.1	so100	1	Part 1	2.0 EA		no	
.1	so100	2	Part 2	3.0 EA		no	
.1	so100	3	Part 3	2.0 EA		no	
.1	so100	4	Part 4	30.0 EA		no	

Below the table, the 'Add Sequences - Order Quantity: 2 EA' frame is open. It contains the following fields:

- Customer Job: [Text Field]
- Customer Sequence: [Text Field]
- Customer Reference: [Text Field]
- Customer Dock: [Text Field]
- Line Feed: [Text Field]
- Date: [Text Field]
- Time: [Text Field]
- Quantity: [Text Field]
- UM: [Text Field]
- Status: [Text Field]
- Customer Build Date: [Text Field]

At the bottom of the frame, there are additional fields: Volume: 0.0, Comments: [Text Field], ID: [Text Field], Loc: 100, Type: [Text Field], and Cancel B/O: [Text Field].

The Display Sequences frame can be used to access the Add Sequences frame.

- Press the Insert key; the Add Sequences frame displays

Display Sequence Detail

Pre-Shipper/Shipper Workbench: Display Sequence Detail Frame

Pre-Shipper/Shipper Workbench

Go To Actions Copy Print Preview

Level	Order	Ln	Item Number	Quantity	UM	Container	Canc	B/O
0	Pre-Shipper: 10000/SH000002 Ship-To: f001							
.1	so100	1	Part 1	2.0	EA	no		
.1	so100	2	Part 2	3.0	EA	no		
.1	so100	3	Part 3	2.0	EA	no		

.1 Display Sequence Detail - Order Quantity: 2 EA

Customer Job: 20090615

Customer Sequence: 001

Customer Reference: 1R001

Customer Dock:

Line Feed:

Date: 6/15/2009 Time: :

Quantity: 1.0 UM: EA

Status: 9000

Customer Build Date:

Volume: 0.0

Comments: ☐

Cancel B/O: ☐

Loc: 100

Type:

ID:

pot, Red



CSS-SH-160

The Display Sequences frame can be used to display sequence detail.

- To see details for an individual sequence, move your cursor to the sequence and press Enter
- The Display Sequence Detail frame displays

Trailer Information Frame

Pre-Shipper/Shipper Workbench: Trailer Information Frame

Pre-Shipper/Shipper Workbench X

Go To Actions Copy Print Preview

Ship-From ID: 1000 Main Site
 Pre-Shipper/Shipper: Shipper
 Number: 00000128

Ship-To/Dock: 00010006 Customer
 1212 Customer St

Shipping Group:
 Inventory Movement Code:

Trailer Information

Status: Trailer Comments:

Cancel Date:

Delete Back Next

 QAD

CSS-SH-170

Status. Specifies if the shipper is active or cancelled.

- If blank, the shipper is active
 - Newly created shipper
- If X, the shipper is cancelled
 - You cannot cancel a confirmed shipper
 - Cancelled shippers are ignored by the system, except for deleting or archiving
- If C, the shipper is confirmed
 - Confirmed in Pre-Shipper/Shipper Confirm (7.9.5)

Print Shipper Frame

Pre-Shipper/Shipper Workbench: Print Shipper Frame

Pre-Shipper/Shipper Workbench

Go To Actions Copy Print Preview

Print Shipper

Include Shipper Comments: ☒

Include Packing List Comments: ☒

Print Features and Options: ☐

Print Sales Order Detail: ☐

Assign Shipper Number: ☐

Display Quantity In SO UM: ☐

Company Address: Central

Print Lot/Serial Numbers: ☒

Print Customer Address: ☒

Output:

Delete Back Next

QAD CSS-SH-180

In this frame you determine how your pre-shipper/shipper will print.

Exercise: Create Daily Pre-Shipper

Note The data used in these exercises may not be the same as the data shown in the screen captures in this lesson. In an exercise, if a field is not listed, you can accept the default value or leave it blank.

The pre-shipper describes the items and/or containers that need to be picked for shipment.

Use Sequence Pre-Shipper - Automatic (7.5.4.10).

- 1 Create pre-shipper for the day by entering:

Field	Data
Due Date:	<next Monday>
To:	<next Monday>
Ship-To:	f001
To:	f001
Status:	9000
Auto Allocation:	Yes
Update:	No

- 2 Verify the Pre-Shipper and Sequence Pack List.
- 3 Run again with Update set to Yes to generate pre-shipper.

Note If you receive Processing Errors stating: “INVALID SEQUENCE. SEQUENCE HAS INCORRECT DATASET” refer to “Set Up Sequence Numbers” on page 184 to define the correct sequence numbers for pre-shippers and shippers.

- 4 To generate the Sequence Schedule Report enter the following:

Use Sequence Schedule Report (7.5.4.7)

Field	Data
Ship-To:	f001
To:	f001
Details:	Yes

- 5 Verify all sequences for Monday are associated with pre-shipper number.
- 6 To check the sequence schedule enter the following:

Use Sequence Schedule Maintenance (7.5.4.5)

Field	Data
Ship-From:	10-200
Ship-To:	f001
Release ID:	1

- 7 Verify all sequences picked cannot be edited.

Exercise: Change Status to Offline

You receive notification from Namaka. Vehicle 1R004 is offline due to a bad paint-job. Please do not ship the sunroof for sequence 004 until the vehicle is back online. Namaka will notify you at that time.

Use Pre-Shipper/Shipper Workbench (7.9.2)

- 1 To edit the pre-shipper enter:

Field	Data
Ship-From:	10-200
Pre-Shipper/Shipper:	Pre-Shipper
Number:	<pre-shipper #>
Ship-To /Dock:	f001

- 2 Advance to the Shipper Workbench frame. Select part3. In the lower frame, reduce shipper line quantity (Quantity) and quantity picked (Qty Picked) by 1 for part3.
- 3 The system advises you the quantity has changed, and asks if you want to recalculate the weight and volume. Select Yes.
- 4 When the Display Sequences frame appears, remove the sequence for Customer Sequence 004.
- 5 Verify the Pre-Shipper and Sequence Pack List are correct by printing the Pre-Shipper.
- 6 Edit the sequence and mark it offline:

Use Sequence Schedule Maintenance (7.5.4.5)

Field	Data
Ship-From:	10-200
Ship-To:	f001
Release ID:	001

- 7 Advance to the Sequence Detail Data frame and enter:

Field	Data
Date:	<next Monday>
Customer Sequence:	003
Item Number:	part3
Customer Reference:	1R004
Status:	offline

Exercise: Change Status and Shipping Date

You receive another notification from Namaka. All of the blue vehicles have bad paint-jobs. Don't send any blue sunroofs for Monday until Namaka notifies you.

Use Pre-Shipper/Shipper Workbench (7.9.2)

- 1 Delete the pre-shipper by entering:

Use Pre-Shipper/Shipper Workbench (7.9.2)

Field	Data
Ship-From:	10-200
Pre-Shipper/Shipper:	Pre-Shipper
Number:	<pre-shipper #>

- 2 Advance to the Shipper Workbench. From the Actions menu, select Delete. An options frame displays.
- 3 Select 1 - Delete Pre-Shipper/Shipper.
- 4 Edit the sequence and mark it offline by entering:

Use Sequence Schedule Maintenance (7.5.4.5)

Field	Data
Ship-From:	10-200
Ship-To:	f001
Release ID:	1

- 5 Advance to the Sequence Detail Data frame and enter.

Field	Data
Date:	<next Monday>
Customer Sequence:	004
Item Number:	part3
Customer Reference:	1R008
Status:	offline

- 6 Set the next sequence offline by entering:

Field	Data
Customer Reference:	1R011
Status:	offline

- 7 Create pre-shipper for the day:

Use Sequence Pre-Shipper - Automatic (7.5.4.10).

Field	Data
Due Date:	<next Monday>
To:	<next Monday>
Ship-To:	f001
To:	f001
Status:	9000
Auto Allocation:	Yes
Update:	Yes

- 8 Verify the Pre-Shipper and Sequence Pack List.
- 9 Verify the offline sequences are NOT included.

Write pre-shipper number here: _____

Exercise: Print Pre-Shipper

- 1 Print the pre-shipper and convert to shipper.


Use Pre-Shipper/Shipper Print (7.9.4), direct output to Page.

Field	Data
Number:	<pre-shipper #>
To:	<pre-shipper #>

- 2 Verify the shipper contains the range of sequences.

Write shipper number here: _____

Confirm Shipper



Use Pre-Shipper/Shipper Confirm (7.9.5) to confirm the pre-shipper or shipper. During the confirmation process, the system:

- Changes the pre-shipper to a shipper
- Decreases finished goods inventory
- Uses the requirement quantity to increase the cumulative shipped quantity
- Decreases the net requirement for the order line item
- Updates general ledger (GL) accounts
- Marks sequences as shipped
- Performs the first step in invoicing, creates the invoice
 - Gives you the option of posting and printing the invoice

Confirm Shipper

Shipping QCS



- Pre-Shipper/ Shipper
- **Confirm Shipper**
- Send Shipper
- Invoicing

Pre-Shipper/Shipper Confirm (7.9.5)

Pre-Shipper/Shipper Confirm

Ship-From ID: 1000 Main Site

Pre-Shipper/Shipper: Shipper

Number: 00000126

Ship-To/Dock:

Ship Date: 12/29/2008

Effective Date: 12/29/2008

Defaults to system date

Back Next

QAD

CSS-SH-220

Use Pre-Shipper/Shipper Confirm to:

- Record the shipments
- Convert pre-shipper to shipper
 - System displays a message advising you it is converting the pre-shipper to shipper and displays the shipper number

Requirement quantities are considered open until you confirm the shipper. Once a shipper is confirmed:

- Pegged quantities are transferred to shipped quantities
- Shipped quantities are incremented by the ship line quantities
- Pegged quantities are decremented by the ship line quantities

Pre Shipper/Shipper Confirm: Invoice Options

Pre-Shipper/Shipper Confirm: Invoice Options

Pre-Shipper/Shipper Confirm

Go To Actions Copy Print Preview Attach

Ship-From ID: 10-200 Number: PS1012100003

Ship-From ID: 10-200 Automotive Mfg

Pre-Shipper/Shipper: Pre-Shipper

Number: PS1012100003

Ship-To/Dock: 1001 Namaka Motor Company

Ship Date: 10/12/2010

Effective Date: 10/12/2010

Document:

Post Invoice: ☒

Print Invoice: ☒

Daybook Set: 10-SALES

Consolidate Invoices: ☒

Calculate Freight: ☒

Back

Next

QAD

CSS-SH-230

You use the fields in this frame to determine how the system processes the invoices generated by the shipment.

Pre-Shipper/Shipper Confirm: Print Options

Pre-Shipper/Shipper Confirm: Print Options

Pre-Shipper/Shipper Confirm X

Go To
Actions
Copy
Print
Preview
Attach

Ship-From ID: 10-200
Number: PS1012100003
Entity Address: 10-100

Print Only Lines to Invoice: ☒
Invoice Date: 10/12/2010

Print Lot/Serial Numbers Shipped: ☐

Print Features and Options: ☐

Entity Address: 10-100
Form Code: 1

Message:

Print Heading:

Print Header Comment:

Print Line Comment:

Print Line Tax: ☒

Print Description 2: ☒

Print Customer Item: ☒

Output:

Back
Next

CSS-SH-240

If you want to print the invoice, a frame displays asking for invoice printing information.

Note If printing a Brazilian Nota Fiscal, enter 11. The Invoice Number must contain a value.

Exercise: Confirm the Shipper

Use Pre-Shipper/Shipper Confirm (7.9.5)

- 1 Confirm the shipper by entering:

Field	Data
Ship-From:	10-200
Pre-Shipper/Shipper:	Shipper
Number:	<shipper #>

- 2 Advance to the next frame and enter the following:

Field	Data
Post Invoice:	Yes

- 3 Choose Yes at the system prompt asking if you want to print the invoice.
- 4 Verify the invoice contains the range of sequences.

Write invoice number here: _____

Exercise: Change Status

It's now later in the day and you receive the notification from Namaka that they corrected the cars and you should send the blue sunroofs now.

- 1 Create pre-shipper for the day by entering:

Use Sequence Pre-Shipper - Automatic (7.5.4.10)

Field	Data
Due Date:	<next Monday>
To:	<next Monday>
Ship-To:	f001
To:	f001
Status:	offline
Auto Allocation:	Yes
Update:	Yes

- 2 Verify the Pre-Shipper and Sequence Pack List.
- 3 Verify the offline sequences are included.

Write pre-shipper number here: _____

- 4 Delete the pre-shipper and build it again by entering:


Use Pre-Shipper/Shipper Workbench (7.9.2)

Field	Data
Ship-From:	10-200
Pre-Shipper/Shipper:	Pre-Shipper
Number:	<pre-shipper #>

Write pre-shipper number here:_____

Note If the output report from the Pre-Shipper/Shipper Print function fails to display check the result with Pre-Shipper/Shipper Report 7.9.6.

Send Shipper



QAD Enterprise Applications gives you two options to send the shipper to your customer:

- Print it and include with the shipment, like a packing list
- Electronically as an ASN when the shipment leaves your shipping area

Send Shipper

Shipping QCS



- Pre-Shipper/ Shipper
- Confirm Shipper
- **Send Shipper**
- Invoicing

Pre-Shipper/Shipper Print (7.9.4)

Pre-Shipper/Shipper Print

Go To
Actions
Copy
Print
Preview

Ship-From:
Ship-To/Dock:
Number:
Inventory Movement Code:
Document Format:
Language:
Address List Type:
Carrier:

To:
To:
To:
To:
To:
To:
To:
To:

Print Pre-Shippers/Shippers: Pre-Shipper

Include Printed Pre-Shippers/Shippers:
Print Features and Options:
Assign Shipper Numbers:
Shipper Sequence ID:
Include Pre-Shipper/Shipper Comments:
Include Sales Order Packing List Comments:
Print Sales Order Detail:
Display Quantity In SO UM:

Company Address: Central
Print Lot/Serial Numbers:
Print Customer Address:

Output:
Batch ID:

Back
Next


Use Pre-Shipper/Shipper Print to create and print a shipper record.

- Prints separate packing list
 - Can include sequence numbers

The system updates:

- The item quantity picked for this order
- Sequences on the shipper with the shipper number

Send ASN



An ASN is an electronic document derived from the shipper document and electronically sent (exported) by a supplier to a customer when a shipment leaves the supplier site. It informs the customer that a shipment is on the way for purposes of in-transit advice and automated receiving. The shipper number becomes the ASN number.

The ASN includes sequence information if the Send Sequences with ASN field is set to Yes in the:

- Sequence Schedule Control (7.5.4.24), or
- Customer Controls Maintenance (7.5.4.1), if used

The ASN is also called an 856 transaction set per the ANSI ASC X12 standard. The ASN takes the place of an invoice in some supplier-customer arrangements. Export an ASN using EDI eCommerce, Shipment ASN Export (35.4.1).

Note Whether or not an ASN is electronically transmitted using EDI to the customer depends on the setting of the EDI ASN field in Trading Partner Parameters Maintenance (35.13.10). If Yes, then the ASN can be transmitted by EDI.

Shipment ASN Export (35.4.1)

Shipment ASN Export

ShipmentASN Export

Go To Actions Copy Print Preview

BOL:

Shipper: 00000127

Ship-From: 1000

Ship-To/Dock:

Inventory Movement Code:

Ship Date:

To:

To: 00000127

To: 1000

To:

To:

To:

Include Confirmed Shippers Only: ☒

Print Details: ☒

Update/Export/Both: E Export

Print Fail/Pass/Both: F Failed

EDI Batch Number: 0

Show Warning Messages: ☒

Output:
Batch ID:

Back Next

In Shipment ASN Export, enter selection criteria to indicate which shipments should have ASNs sent. The system uses these criteria to:

- Execute the appropriate gateway program
- Select the appropriate trading partner information
- Transform outbound QAD Enterprise Applications data to the format required by receiving party's EC subsystem

Sequence Shipper Report (7.5.4.11)

Sequence Shipper Report

Sequence Shipper Report
Go To Actions Copy Print Preview

Ship-From:	To:
Ship-To:	To:
Pre-Shipper/Shipper:	To:
Item Number:	To:
Customer Job:	To:
Customer Sequence:	To:
Customer Reference:	To:
Ship/Delivery Date: :	To: :
Status:	To:
Sales Order:	To:


Pre-Shipper/Shipper:
Output:

Confirmed: ☐
Batch ID:

Use Sequence Shipper Report to print a report showing sequences contained within shippers.

- Allows you to see the shipper's contents

Invoicing



Confirming the shipper marks the order as ready for invoicing.

QAD Enterprise Applications gives you two options for sending the invoice your customer.

- Print an invoice and send the printed invoice to the customer
- Electronically transmit the invoice to the customer

Invoicing

Shipping QCS



- Pre-Shipper/ Shipper
- Confirm Shipper
- Send Shipper
- **Invoicing**

Invoicing Procedure

Invoicing Procedure

- Post Invoice
- Print Invoice
- Export Invoice



CSS-SH-370

The typical scenario for invoicing is:

- Post invoice
 - Automatically at the time of confirmation
 - Manually using Invoice Post and Print (7.13.4)
- Print invoice
 - At the time of confirmation
 - Manually, either during post or later using Invoice Print or Reprint (7.13.12)
- Send invoice
 - Export
 - Manually

Shipping QCS Summary

Shipping QCS Summary



- Pre-Shipper/ Shipper
- Confirm Shipper
- Send Shipper
- Invoicing

Chapter 7

Features and Options

QCS Features and Options

In this section you learn how to use:

- Identify key business considerations before setting up QCS in QAD Enterprise Applications
- Set up QCS in QAD Enterprise Applications
- Loading QCS in QAD Enterprise Applications
- Planning QCS in QAD Enterprise Applications
- Shipping QCS in QAD Enterprise Applications
- **QCS Features and Options**



CSS-FE-010

In this chapter we are going to discuss different features and options available to you when using QCS.

Multi-Item Sequences

Features and Options

- **Multi-Item Sequences**
- Multiple Delivery Locations
- Deleting Sequences
- Sequence Cross-Reference
- Cumulative Quantities



CSS-FE-020

QCS allows you to have multi-item sequences. Multi-item sequences simply means there is more than one item per sequence.

Using the above example for seat sets in a single vehicle:

- Two red front bucket
 - Driver (D)
 - Passenger (P)
- One red rear bench

Each item is a separate sequence scheduled order line item record.


- Three sequence scheduled order line item records
- Three different item numbers (driver red bucket, passenger red bucket, and red rear seat)
- One sequence number

Multiple Delivery Locations

Features and Options

- Multi-Item Sequences
- **Multiple Delivery Locations**
- Deleting Sequences
- Sequence Cross-Reference
- Cumulative Quantities

Multiple Delivery Locations



For each item, there can be multiple delivery locations. These are customer defined and are specified on the sequence schedule release as one of the following:

- Customer dock
- Line feed

It is important to understand the customer dock specified on the sequence schedule release is not the same as a customer dock (dock address) specified on the scheduled order in Customer Scheduled Order Maintenance (7.3.13). The dock address specified on the scheduled order is set up in Dock Maintenance (7.3.6). Then on the pre-shipper/shipper, that dock address is used as the ship-to address. The entire scheduled order is shipped to that dock address.

QCS allows the customer to specify a dock (or a line feed location) for each part (item). In QCS the purpose of specifying a customer dock (or a line feed location) is to allow a sequence to be delivered to more than one delivery location at the same customer ship-to address. A customer dock (or a line feed location) is used to direct the items once they arrive at the customer site.

Note A customer would not use a dock address (set up in Dock Maintenance) and a dock location (specified in the sequence schedule release) at the same time.

When a dock or line feed location is designated in QCS, it tells QAD Enterprise Applications two things:

- The sequence is made up of multiple items
- The sequence items are going to different delivery locations

- Items being shipped should not be packed together because they are going to different delivery locations at the customer site (ship-to)
- Shipper needs to be created for each delivery location, even if the ship-to address is the same for each delivery location

Note In QCS these delivery locations (dock and line feed) are strictly customer internal locations. QAD Enterprise Applications does not validate them.

Using the above graphic as an example, there are three items in the same sequence being shipped. System detects that the sequence contains two different line feed locations. It puts each sequence item on a shipper specific for the designated line feed.

- Driver red bucket seat and the passenger red bucket seat are to be delivered to line feed 210
 - Grouped on the same shipper
- Red rear seat is to be delivered to line feed 211
 - Separate shipper

Deleting Sequences

Features and Options

- Multi-Item Sequences
- Multiple Delivery Locations
- **Deleting Sequences**
- Sequence Cross-Reference
- Cumulative Quantities



CSS-FE-060

QAD Enterprise Applications gives you two options for deleting sequences:

- Logical delete
 - Use Sequence Schedule Maintenance (7.5.4.5)
 - Does not physically remove (delete) the record from the database
- Physical delete
 - Use Sequence Schedule Detail Delete (7.5.4.22)
 - Selected sequence records are physically removed from the database

You also have the option of deleting/archiving inactive sequence schedules.

- Use Schedule Delete/Archive (7.9.23)

Sequence Schedule Maintenance (7.5.4.5)

Sequence Schedule Maintenance

Sequence Schedule Maintena... x

Go To Actions Copy Print Preview

Ship-From: T12000 Electronics Division

Ship-To: 01000000 Colossal Conglomerates LTD

Release ID: Active: ☐

Create Date:

Cumulative: ☐

Packing Order: Reverse

Sequences Per Container:

Check Sequence Tolerance: ☐

Maximum Tolerance:

Schedule Date Type: Delivery

Active Start:

Active End:

Back Next

QAD CSS-FE-070

Use Sequence Schedule Maintenance to do a logical delete by setting the Delete field to Yes.

- Marks the sequence record as deleted
- Sequence record is inactive for this schedule release
- Sequence record is not removed/deleted from the database

You can mark for deletion any sequence record that is not picked or that is cross-referenced to a picked sequence on another sequence release.

- Once marked as deleted, the sequence record is frozen and is not included in normal processing
 - Cannot be modified
 - Not copied to next release
 - Not included in planning or shipping
- Allows an audit of system
- Allows you to keep information in sync with your customer

Sequence Schedule Detail Delete (7.5.4.22)

Sequence Schedule Detail Delete

Sequence Schedule Detail Del...
Go To
Actions
Copy
Print
Preview

Ship-From: T40000	To:
Ship-To: 1005000	To:
Release ID:	To:
Customer Job:	To:
Customer Sequence:	To:
Line Item Cust Ref:	To:
Model Year:	To:
Customer Reference:	To:
Item Number:	To:
Order:	To:
PO Number:	To:
Status:	To:
Ship/Delivery Date:	To:

☒ Include Deleted Only
☐ Update

Output: page
 Batch ID:

Back Next

QAD
CSS-FE-080

Use Sequence Schedule Detail Delete to specify which sequence records are to be deleted.

- Selected sequence records are permanently removed from the database
- System allows you to delete any sequence record that is not picked or that is cross-referenced to a picked sequence record on another schedule release

Schedule Delete/Archive (7.5.23)

Schedule Delete/Archive

Schedule Delete/Archive
Go To
Actions
Copy
Print
Preview

Ship-From: T40000
Sold-To: 1005000
Ship-To:
Dock:
Item Number:
PO Number:
Customer Ref:
Model Year:
Order:
Date Created:
Sort Option: 1

To:
To:
To:
To:
To:
To:
To:
To:
To:
To:

1 - By Ship-From,Cust,Ship-To,Order,Dock,Item,PO,Cust
2 - By Item,Ship-From,Cust,Ship-To,Order,Dock,PO,Cust

Include Schedule Type
Plan:
Ship:
Required Ship:
Sequence:

Determine if Sequences are Included

Archive Schedule Only:
Detail Only:
Delete:
Archive File:
Output: page

Back
Next

Use Schedule Delete/Archive to delete or archive all inactive sequence schedules with one transaction.

All associated inactive detail and cross-reference sequence records are deleted or archived.

Sequence Cross-References

Features and Options

- Multi-Item Sequences
- Multiple Delivery Locations
- Deleting Sequences
- **Sequence Cross-Reference**
- Cumulative Quantities



CSS-FE-100

You use sequence cross references to handle duplicate sequence requirements.

- Same sequence is on separate schedule releases

For example:

Day 1

- Supplier receives sequence requirement from customer
- Supplier ships sequence on day 1
 - Shipment does not reach the customer on day 1

Day 2

- Customer sends new sequence schedule release to supplier
 - Contains sequence requirement from day 1
 - Supplier shows the sequence requirement as already fulfilled

Sequence Schedule Maintenance (7.5.4.5)

Sequence Schedule Maintenance

Sequence Schedule Maintena...

Go To Actions Copy Print Preview

Ship-From: Ship-To: Release ID: Active:

Create Date:
Cumulative: ☐
Packing Order: Reverse
Sequences Per Container:
Check Sequence Tolerance: ☐
Maximum Tolerance:
Schedule Date Type: Delivery
Active Start:
Active End:

Back Next

QAD CSS-FE-110

In Sequence Schedule Maintenance when you are adding a new sequence schedule release for an existing ship-from/ship-to combination, the system gives you the option of copying data from the active schedule release.

- If you say Yes, the system then checks to see if any sequences on the active schedule release have been flagged as picked. If there are, you are given the option of creating cross-references between the sequences on the new sequence schedule release and the active sequence schedule release
- If you say No, then the system copies all sequences from the active sequence schedule release to the new sequence schedule release
 - System resets any sequence records that were previously marked as picked or cross-referenced
 - Resetting these sequence records makes them open requirements

Sequence Cross-Ref Maintenance (7.5.4.13)

', 'Shipped: ☐', and 'Shipper ID:'. At the bottom right, there are 'Back' and 'Next' buttons. The QAD logo is in the bottom left corner, and 'CSS-FE-120' is in the bottom right corner."/>

Use Sequence Cross-Ref Maintenance to manually create individual sequence cross-references and to maintain information on sequence cross-references.

Cross-referenced sequences can be:

- Marked as deleted
- Already cross-referenced
- Maintain information on sequence cross-references

There are three frames:

- Header Frame
- Picked/Shipped Sequence
- Linked Sequence

Header Frame

In the header frame you identify the ship-from ship-to combination on the existing sequence schedule release.

Picked/Shipped Sequence Frame

The Picked/Shipped Sequence frame shows information on picked/shipped sequences. You can use this frame to select a previously picked or shipped sequence for the specified ship-from/ship-to combination.

Linked Sequence Frame

Sequence Cross-Ref Maintenance: Linked Sequence Frame

Sequence Cross-Ref Maintena... X

Go To Actions Copy Print Preview

Ship-From: 10000 Ship-To: 1001

Picked/Shipped Sequence

Shipped Release ID: 01

Shipped Job: 20090615

Shipped Sequence: 001

Shipped Item Number: Part 1

Shipped Reference: 1R001

Shipped Dock:

Shipped Line Feed:

Scheduled Date: Scheduled Time: :

Picked: ☐ Shipped: ☐ Shipper ID:



CSS-FE-130

The Linked Sequence frame shows information on the linked or related sequence in the new sequence schedule release.

- System creates a cross-reference link between the picked/shipped sequence and this sequence
- The new cross-referenced sequenced (linked sequence) cannot be picked
 - System considers this sequence to be a closed requirement

Sequence Cross-Ref Report

Sequence Cross-Ref Report

Go To Actions Copy Print Preview

Ship-From: T40000 To:

Ship-To: 1005000 To:

Release ID: To:

Customer Job: To:

Customer Sequence: To:

Item Number: To:

Customer Reference: To:

Customer Dock: To:

Line Feed: To:

Date: To:

Output:
Batch ID:

Back Next

QAD CSS-FE-140

Use Sequence Cross-Ref Report to generate a report showing information on the shipped sequences and linked sequences. Shows cross-references created:

- Manually
- Automatically when sequences are imported using:
 - eCommerce
 - Shipper Gateway

The image above shows a sample Sequence Cross-Ref Report.

Sequence Cross-Ref Report: Sample Report

Sequence Cross-Ref Report: Sample Report

rcsgsrxp.p
Page: 1
Ship-From: 10000 nj plant
Ship-To: 866-1 Customer

7.5.4.14 Sequence Cross-Ref Report
Public Test Progress 91

Date: 02/01/00
Time: 17:01:42

Shipped Sequence	Linked Sequence
Shipped Release ID: 1	Release ID: 2
Shipped Job: job1	Customer Job: job1
Shipped Sequence: seq1	Customer Sequence: seq1
Shipped Item Number: 866-item1	Item Number: 866-item1
Scheduled Date: 12/07/99	Date: 12/07/99
Scheduled Time: 08:00	Time: 09:00
Shipped Reference: vin100	Customer Reference: vin400
Shipped Dock: dock1	Customer Dock: dock1
Shipped Line Feed: line1	Line Feed: line1
Picked: yes	
Shipped: yes	
Shipper ID: shp99070	

QAD

CSS-FE-150

The image above shows a sample Sequence Cross-Ref Report.

Cumulative Quantities

Features and Options

- Multi-Item Sequences
- Multiple Delivery Locations
- Deleting Sequences
- Sequence Cross-Reference
- **Cumulative Quantities**



CSS-FE-160

Cumulative (cum) sequence schedules are rare.

- Currently found in one Ford plant
- Items are cumulative based
 - Quantities are based on the cumulative amount shipped
 - Discrete quantities are calculated

Sequence Schedule Maintenance (7.5.4.5)

Cumulative Quantities

The screenshot displays the 'Sequence Schedule Maintenance' window with the 'Cumulative' field checked under 'Create Date:'. This action flags the sequence schedule as cumulative, which is reflected in the 'Sequence Detail Data' frame where the 'Cum Quantity' field is populated with '0.0'.

Sequence Schedule Maintenance Window:

- Ship-From: T12000 Electronics Division
- Ship-To: 01000000 Colossal Conglomerates LTD
- Release ID:
- Create Date: Cumulative: ☒
- Packing Order: Reverse
- Sequences Per Container:
- Check Sequence Tolerance: ☐
- Maximum Tolerance:
- Schedule Date Type: Delivery
- Active Start:
- Active End:

Sequence Detail Data Frame:

- Date: 6/15/2009 Time:
- Customer Job: 20090615
- Customer Sequence: 001
- Order: so100 Line: 1 Unit of Measure: EA
- Item Number: Part1 Sunroot, Red
- PO Number:
- Line Item Customer Ref:
- Model Year:
- Customer Reference: 1R001
- Customer Dock:
- Line Feed:
- Quantity: 1.0000000000
- Customer Item: Sunroot, Red
- Customer Build Date:
- Status: 9000
- Delete: ☐
- Cum Quantity: 0.0

Annotations:

- A blue arrow points from the 'Cumulative' checkbox to the 'Cum Quantity Indicator' label.
- A green box highlights the 'Cum Quantity' field in the 'Sequence Detail Data' frame.
- A blue arrow points from the 'Cum Quantity' field to the 'Cum Quantity' label.

Cum Quantity Indicator

Cum Quantity

Cum Quantity: 0.0

QAD

CSS-FE-170

When you set the Cumulative field in Sequence Schedule Maintenance to Yes, it flags the sequence schedule as cumulative. The cumulative quantity for the sequence schedule is shown in the Sequence Detail Data frame, the Cum Quantity field.

Appendix A

Reference

Manually Create Sequence Schedule 182

Set Up Sequence Numbers 184

Manually Create Sequence Schedule

SUV Assembly Plant

- 1 Use Sequence Schedule Maintenance (7.5.4.5) to create a sequence schedule:

Field	Data
Ship-From:	10-200
Ship-To:	f001
Release ID:	001

- 2 Advance to the next frame and enter:

Field	Data
Cumulative:	No
Schedule Date Type:	Ship

- 3 Advance to the Sequence Detail Data frame and enter:

Field	Data
Date:	<next Monday>
Customer Job:	<Julian Date for next Monday Ex. 20080305
Customer Sequence:	001
Item Number:	part1
Customer Ref:	1R001
Quantity:	1
Status:	9000

Note Use Status 9000 for all sequences.

- 4 Advance to the Schedule Detail Data frame and enter the following:

Note Remember to clear the Order and Line fields with each entry. They will fill in automatically.

Date	Time	Job	Seq	Order	Line	Part	PO	Ref	Qty
Next Monday		<Julian Date> (Ex: 20080306)	002			part2		1R008	1
“		“	003			part1		1R011	1
“		“	004			part3		1R013	1
“		“	005			part4		1R014	1
“		“	006			part1		1R015	1
“		“	007			part4		1R016	1
“		“	008			part3		1R017	1
“		“	009			part4		1R018	1
“		“	010			part2		1R019	1
“		“	011			part3		1R020	1
“		“	012			part2		1R021	1
Tuesday		<Julian Date> (Ex:20080307)	001			part1		1R022	1
“		“	002			part2		1R023	1
“		“	003			part3		1R024	1

Date	Time	Job	Seq	Order	Line	Part	PO	Ref	Qty
“		“	004			part1		1R025	1
“		“	005			part4		1R026	1
“		“	006			part2		1R027	1
“		“	007			part3		1R028	1
“		“	008			part4		1R029	1
Wednesday		<Jullian Date (Ex: 20080308)	001			part2		1R030	1
“		“	002			part3		1R031	1
“		“	003			part2		1R032	1
“		“	004			part4		1R033	1
“		“	005			part3		1R034	1
“		“	006			part4		1R035	1
“		“	007			part1		1R036	1
“		“	008			part4		1R037	1
“		“	009			part3		1R038	1
“		“	010			part1		1R039	1
“		“	011			part2		1R040	1
“		“	012			part1		1R041	1

Print Sequence Schedule Report

- 1 Use Sequence Schedule Report (7.5.4.7) to generate the Sequence Schedule Report. Enter the following:

Field	Data
Ship-To:	f001
To:	f001
Sub-Totals:	Yes

- 2 Verify all sequences are displayed and the sub-totals are correct for each day.

Set Up Sequence Numbers

- 1 To set up the first sequence number code enter:

Field	Data
Sequence ID:	Ship
Target Dataset:	abs_id.shipper
Internal:	Yes

Use Number Range Management (36.2.21.1)

- 2 Advance to the Segment List frame. You are going to define the format and parameters for the first segment number by entering:

Field	Data
Nbr:	1
Type:	Fixed
New Segment Number:	1
Fixed Value:	SH

- 3 Add a second segment number by entering:

Field	Data
Nbr:	2
Type:	Int
New Segment Number:	2
Minimum Value:	0
Maximum Value:	999999
Initial Value:	1
Reset Value:	0

- 4 Add a new sequence number code by entering:

Field	Data
Sequence ID:	pre-ship
Target Dataset:	abs_id_preship
Internal:	Yes

- 5 Advance to the Segment List frame and enter:

Field	Data
Nbr:	1
Type:	Fixed
New Segment Number:	1
Fixed Value:	PRE

- 6 Add a second segment number by entering:

Field	Data
Nbr:	2
Type:	Int
New Segment Number:	2

Field	Data
Minimum Value:	0
Maximum Value:	999999
Initial Value:	1
Reset Value:	0

- 7 Add a new sequence number code by entering:

Field	Data
Sequence ID:	mbol
Target Dataset:	abs_id_mbol
Internal:	Yes

- 8 Advance to the Segment List frame and enter:

Field	Data
Nbr:	1
Type:	Fixed
New Segment Number:	1
Fixed Value:	MB

- 9 Add a second segment number by entering:

Field	Data
Nbr:	2
Type:	Int
New Segment Number:	2
Minimum Value:	0
Maximum Value:	999999
Initial Value:	1
Reset Value:	0

- 10 Update Container/Shipper Control (7.9.24) to use the new sequence number codes.

Field	Data
Pre-Shipper Sequence ID:	preship
Shipper Sequence ID:	ship
Master Bill Sequence ID:	mbol

Appendix B


Design and Architecture

Design Considerations


Design and Architecture

- **Design Considerations**
 - Scheduled Order - Data View
 - Current Architecture
 - New Schedule Type
 - Design Alternatives
 - Design Requirements
 - Selected Architecture
 - E-R (Entity-Relationships) Diagram
 - Schema Diagram
- **Programming Considerations**

Scheduled Order - Data View



Current Architecture



New Schedule Type

New Schedule Type

- Design Alternatives
 - Type 7
 - Type 4
- Design Requirements
 - Physical Requirements
 - New Fields
 - New Indexes



CSS-DE-040

Existing schedule types:

- Customer Planning – Type 1
- Customer Shipper – Type 2
- Customer Required Ship – Type 3
- Supplier Schedule – Type 4
- Supplier Planning – Type 5
- Supplier Shipping – Type 6

Design Alternative

New Type 7

- Creates gap between schedule types

New Type 4

- Move supplier schedules to 5, 6, and 7
- Large invasive code change

New Data Structure


Design Requirements

Physical requirements:


- New fields
 - Job
 - Sequence
 - Dock
 - Line Feed
- New indexes
 - By date/sequence for maintenance
 - By date/item for planning (required ship schedule [RSS])
 - By date/destination/sequence for shipping

Selected Architecture

Selected Architecture



Schema Diagram



Programming Considerations

Design and Architecture

- Design Considerations
- Programming Considerations
 - **Required Ship Schedule Update**
 - Picklist/Pre-Shipper - Automatic
 - ECommerce



CSS-DE-080

- Required Ship Schedule Update (7.5.5)
- Picklist/Pre-Shipper - Automatic (7.9.1)
- eCommerce

Required Ship Schedule Update

Netting Logic

- Keep existing 1–4 options

New Workfile Created

- Contains sequence schedule requirements

RSS Begins with Sequence Schedule

- Replace logic
- Consume logic – updates running CUM (cumulative)

SDT (Ship/Delivery Time) Code vs. Weekly Interval Problem

- With SDT weekly requirements distributed
 - For example, 20 – (1/4 Monday through Friday)
- Without SDT weekly requirements dropped
- Ship Schedule

- 1,000 for Monday
- 1,500 for Tuesday
- Plan Schedule
 - 10,000 for week
- RSS
 - 1,000 for Monday
 - 1,500 for Tuesday
- Now RSS
 - 7,500 for Wednesday

Required Ship Schedule Update

Required Ship Schedule Update

- Netting Logic
- New Workfile Created
- RSS Begins with Sequence Schedule
- SDT Code vs Weekly Interval Problem



CSS-DE-090

Netting Logic

- Keep existing 1–4 options

New Workfile Created

- Contains sequence schedule requirements

RSS Begins with Sequence Schedule

- Replace logic
- Consume logic – updates running CUM (cumulative)

SDT (Ship/Delivery Time) Code vs. Weekly Interval Problem

- With SDT weekly requirements distributed
 - For example, 20 – (1/4 Monday through Friday)
- Without SDT weekly requirements dropped
 - Ship Schedule 1,000 for Monday 1,500 for Tuesday
 - Plan Schedule 10,000 for week
 - RSS 1,000 for Monday 1,500 for Tuesday
 - Now RSS 7,500 for Wednesday

Picklist/Pre-Shipper- Automatic**Picklist/Pre-Shipper - Automatic**

- Handles Sequenced and Non-Sequenced Items
- Reads Sequence Schedule
- Recalculates Pre-Shipper Quantity



CSS-DE-100

Handles sequenced and non-sequenced items:

- One transaction to create pre-shippers
- Segregates sequenced and non-sequenced items into separate pre-shippers by Ship-To
- Eliminates cloning of code
- Needs selection criteria for sequences

Reads sequence schedule:

- Open quantity
- RSS contains gross quantities
- Sequence schedule contains detail

Recalculates pre-shipper quantity:

- Existing calculation:
 - Total item quantity
- New sequence calculation:
 - Order material
 - Summarize item quantity

eCommerce

eCommerce

- Transformation Files Example
- Gateway is Part of PRO/PLUS