



QAD Enterprise Applications
Standard & Enterprise Edition

Training Guide Inventory Control

70-3216-2012SE_EE
QAD 2012 Standard & Enterprise Edition
Lab: Enterprise Edition 2011.1 r01 - Training
Workspace: 10USA > 10USACO
March 2012

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2012 by QAD Inc.

InventoryControl_TG_v2012SE_EE.pdf/mjm/lkk

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<http://www.qad.com>

Contents

What's New?	vii
About This Course	1
Course Description	2
Course Objectives	2
Audience	2
Prerequisites	2
Course Credit	2
Virtual Environment Information	2
QAD Resources	2
Chapter 1 Introduction	5
Course Introduction	6
Inventory Control	7
Terminology	8
Inventory Flow	12
Inventory Control Users	13
Course Objectives	14
Related Courses	15
Summary	16
Chapter 2 Business Considerations	17
Business Considerations	18
Operational Structure	20
Domains	21
Entities	21
Two Costing Methods	23
Standard (GL) Cost Set	23
Average Cost Set	23
Number of Sites and Locations	25
Cycle Count and Physical Inventory	27
Incoming Inspection	29
Lot and Serial Numbers	30
Warehouse Management Systems	32
Compliance Module - Regulatory Attributes	34

Setup Implications	35
Backward Exploded Receipts	36
Summary	37
Summary	38
Chapter 3 Set Up Inventory Control	39
Setting up Inventory Control	40
Inventory Control Setup	41
Entities	42
Inventory Status Codes	44
Inventory Status Code Maintenance	45
Restricted Transaction	48
Key Inventory Transaction Types	50
Sites	51
Site Maintenance	53
Locations	56
Location Maintenance	57
Regulatory Attributes	59
Regulatory Attributes Menu	60
Inventory Control	61
Inventory Count Parameters	62
Inventory Control - Accounting	63
Accounting Procedures	64
Items	66
Item Inventory Data	67
Item Inventory Data Maintenance	68
Item ABC Status Report/Update	70
Item Inventory Data Maintenance	72
Inventory Accounts	74
Inventory Account Maintenance	75
Master Comments	77
Master Comment Maintenance	78
Load Inventory Balances	79
Load Inventory Balances	80
Inventory Control Setup Summary	81
Exercise: Set Up Inventory Data	82
Chapter 4 Using Inventory Control	83
Inventory Control Processing	84
Inventory Transactions	86
Inventory Flow	87
Inventory Transactions – Receipts	89
Receipts - Sales Order Return	90

Purchase Order Receipts	91
Distributed Order Receipt	92
Work Order Receipt	93
Multi-Entry	95
Set Attributes	98
Repetitive Labor Transaction	100
BackflushTransaction - Advanced Repetitive	101
Move Transaction - Advanced Repetitive	102
Receipts - Backward Exploded	104
Return Material Authorization (RMA) Receipts	105
Receipts - Unplanned	106
Inventory Transactions – Issues	107
Sales Order Shipments	108
Work Order Component Issue	110
Purchase Order Returns	111
Return to Supplier (RTS) Menu	112
Issues - Unplanned	113
Distribution Order Shipments	114
Inventory Transactions – Transfers	115
Transfer - Single Item	116
Transfer - Multi Item	117
Transfer With Lot/Serial Change	118
Batchload Transfer with Lot-Serial Change	119
Inventory Transactions – History	120
Transaction Detail Inquiry	121
Inventory Transaction Types	121
Transactions Detail Inquiry - Inventory Data	123
Stock Availability Browse	124
Allocated Inventory Inquiry	125
Unallocated Inventory Inquiry	126
Using Inventory Reports	127
Inventory Detail Maintenance by Item/Lot	128
Exercise: Inventory Transactions	130
Cycle Count	131
Count Frequency	132
Cycle Count Worksheet Print	133
Item-Site Inventory Data Maint	134
Cycle Count Results Entry	135
Cycle Count Results Report	136
Exercise: Cycle Count	137
Physical Inventory	138
Tag Delete/Archive	140
Inventory Balance Freeze	141

Create/Print Tags	142
Item Tag Create	143
Bulk Tag Create	144
Tag Print	145
Enter Initial Tag Counts	146
Review Results	147
Void/Zero Count Unused Tags	148
Tag Recount Entry	149
Inventory Control Processing Summary	150
Inventory Balance Update	151
Exercise: Physical Inventory	152
Chapter 5 Obsolete Inventory Analysis	153
Obsolete Inventory Analysis Overview	154
Current Surplus Inventory Report	155
Projected Surplus Inventory Report	156
Analyzing Obsolete Inventory	158
Obsolete Inventory Control	159
Defining Inventory Types	161
Defining Depreciation Rates	162
Setting Up Output File Types	164
Running the Analysis	165
Extract Consumption	166
Running the Analysis	168
Appendix A Workshops and Study Questions	169
Study Questions	170
Workshop	171
Answers	172
Cycle Count Results	172
Study Question Answers	172
Workshop Question Answers	173
Appendix B Inventory Control Reports	175
Appendix C General Ledger (GL) Effects in Inventory Control . . .	179
GL Consequences of Inventory Transactions	180
Appendix D Physical Inventory Process Flowchart	181
Index.	185

Change Summary

The following table summarizes significant differences between this document and the last published version.

[illegible]

About This Course

Course Description

QAD designed this course to cover the basics of preparing to implement the Inventory Control module of QAD Enterprise Applications. The course includes

- An introduction to the Inventory Control module
- An overview of key business issues
- Setting up the Inventory Control module
- Using the Inventory Control module
- Activities and exercises throughout the course
 - Students practice key concepts and processes in the Inventory Control module

Note Mirror accounting is covered in the Financial Training Guide. WIP Lot Trace is covered in the WIP Lot Trace Training Guide.

Course Objectives

By the end of this course students should learn how to:

- Analyze some key business decisions before setting up the Inventory Control module
- Set up and operate the Inventory Control module in QAD Enterprise Applications

Audience

- Implementation consultants and members of implementation teams
- Inventory Control Managers
- Key users

Prerequisites

- *Familiarity with .NetUI user interface*
- *QAD Enterprise Applications Quick Start training course*
- Knowledge of basic manufacturing principles is beneficial

Course Credit

This course is valid for 6 credit hours.

This course is typically taught in one-half to one full day.

Virtual Environment Information

The hand-on exercises in this book should be used with the Enterprise Edition 2011.1 r01 - Training environment, in the 10USA > 10USACO workspace.

QAD Resources

QAD's learning and Support sites can be accessed at.

<http://www.qad.com/>

Chapter 1

Introduction

Course Introduction


Introduction

- **Introduction to Inventory Control**
- Business Considerations
- Set up Inventory Control
- Process Inventory in QAD Enterprise Applications



IC-IN-020

Inventory Control



- Materials are received into inventory
- Stock is issued to fulfill work orders
- Stock may also be transferred from one inventory location to another
- Stock is counted periodically to ensure that inventory records are accurate

Terminology

Terminology

- ABC Analysis
- Assay Percent and Grade
- Backflush
- Cycle Count
- Enterprise Material Transfer
- Entity
- Inventory Status
- Key Item
- Location
- Lot and Serial Numbers
- Nettable
- Return Material Authorization
- Shelf Life
- Site
- Warehouse Management Systems



IC-IN-040

ABC Analysis

Classification of a group of items in decreasing order of annual dollar volume or other criteria.

The A class usually represents 10% to 20% by number of items, and 50% to 70% by projected dollar volume.

The B class usually represents about 20% by number of items, and 20% of the dollar volume.

The C class contains 60% to 70% of the items and represents about 10% to 30% of the dollar volume.

The ABC principle states that effort and money can be saved through applying looser controls to the low-dollar-volume class items than will be applied to the high-dollar-volume class items. This is also known as Pareto's Distribution.

Assay Percent and Grade

Assay percent and grade can be important when allocating items. Specific formulations can require a minimum assay percentage or grade. Review these values prior to allocating or picking ingredients.

An assay is a test of the physical and chemical properties of a sample.

Grades are created by the sublabeling of items to identify their particular makeup and to separate one lot from other production lots of the same item.

Graded products include raw materials, intermediates, or finished goods.

Grades may determine the price charged for the finished product.

Backflush

Use backflush to report production activity on manufacturing work orders.

Each time you use this transaction to report production quantities, the system does one or more of the following:

- Issues (backflushes) components to the operation at which you are reporting.
- Backflushes labor and burden to the reporting operation.
- Moves the quantity processed to the input queue of the subsequent operation.

Receives completed end items into inventory when you report production at the final operation in the routing. At this time, it also updates the quantity completed and reduces the quantity open on the applicable work order.

Cycle Count

A cycle count records the number of items physically counted, compares that number with the system quantity-on-hand, and (optionally) updates quantity-on-hand to equal the number counted.

Enterprise Material Transfer (EMT)

EMT is the automated translation of a sales order into a purchase order within a specific entity. It also includes the creation of sales orders in another entity. This process is common business practice among multinational companies.

Entity

The number of sets of financial statements produced by one database is determined by the number of entities set up. An independent unit for financial reporting purposes, an entity does the following:

- Generates a separate balance sheet and income statement.
- Plans budgets.
- Is assessed for taxes.

Inventory Status

Inventory status determines whether inventory balances are:

- Available for allocation.
- Considered by Material Requirements Planning (MRP).
- Allowed to go negative.

Inventory status also restricts particular transactions at specific locations. For example, you can restrict issues from an inspection location.

Item quantities received into inventory are automatically assigned an inventory status. You can assign a different inventory status to individual item quantities at a particular site or location, or item quantities in the same location, that are differentiated by:

- Unique lot
- Serial numbers
- Reference numbers

Key Item

A key item is an item for which there must be sufficient quantity-on-hand for a work order to be released and a picklist printed. Key items are critical items.

Key items are typically difficult to obtain. They may have long lead times or may be in short supply.

Only a few items should be designated as key items. For example, glass is a key item for a window manufacturer. If there is not enough glass available to fill an order, the order cannot be started.

Location

A location is a physical area where inventory is stored. Every item in inventory is associated with a location.

A given item may be stored in multiple locations. Each location's parameters identify what can be stored there and how that inventory can be used.

Each time you perform an inventory transaction such as an issue, receipt, or transfer, you must specify both a site and location.

You can define the same location code for multiple sites. This is useful if you use an item at more than one site because you set up default locations in the item master rather than on individual item-site records.

Lot and Serial Numbers

If required, a lot number must be entered during issues and receipts. A lot number applies to the entire transaction quantity entered.

If serial numbers are required for an item, a unique serial number must be entered for each item during issues and receipts. For example, if you receive 10, you must enter 10 serial numbers. QAD Enterprise Applications maintains complete lot and serial number traceability.

Nettable

Nettable items are items that MRP and distribution requirements planning (DRP) count as part of quantity-on-hand

Return Material Authorization (RMA)

RMA is a transaction used to manage simple returns. It is an alternative to calls for tracking customer contact. RMA has the following aspects:

- Receipt of returned items for repair or replacement.

- Issue of replacement items.
- Documentation and billing of return activity.

RMA is generally used when engineer involvement is not required.

Shelf Life

Shelf life is typically defined for items that spoil or degrade over time.

You can use shelf life to set the expiration date for inventory. Inventory that has expired does not appear on picklists as a quantity to be picked.

QAD Enterprise Applications calculates an expiration date when an item is received into inventory by adding the number of days specified for shelf life to the receipt date.

Site

Sites are areas where inventory is manufactured or stored. For example:

- Off-site storage
- Distribution centers
- Warehouses
- Manufacturing facilities
- Any combination of the above

All inventory control and planning information in QAD Enterprise Applications is maintained by site, including:

- Inventory availability
- Manufacturing methods and costs
- Sales
- Purchases
- Manufacturing plans and orders
- Forecasts

Each site is associated with a specific general ledger (GL) entity, allowing complete financial results to be maintained and monitored by site, or by groups of sites.


Usually, each site is split into multiple locations where the inventory is actually stored, so you may think of a site as a group of physical locations. For example:

- Stockrooms
- Inspection stations
- Shop floors

Warehouse Management Systems

Warehouse Management Systems are computer applications used in external warehouse systems that exchange data with QAD Enterprise Applications through the warehousing interface.

Inventory Flow



Manufacturers buy raw materials or components and store them until they are needed for manufacturing. Once products are made, they are often stored until they are needed to fill a sales order or work order. Items stored for these purposes are called inventory.

Inventory is controlled by:


- Issues (Inventory removed from a stocking location)
- Receipts (Inventory added to a stocking location)
- Transfers (Inventory removed from one location and added to another)
- Cycle Count Adjustments (On-hand inventory balance adjustments at a specific location for items selected for counting)
- Physical Inventory (Counting entire inventory and changing inventory balance)
- Lot and Serial Control
- Inventory Status Codes
- Shipping Groups

Most inventory transactions result from:

- Sales order allocations and shipments
- Purchase order receipts
- Work order issues and receipts

However, a few transactions, such as unplanned issues and receipts, are created in the Inventory Control module.

Inventory Control Users



The Inventory Control module is used by the inventory staff to perform the basic inventory functions.

Course Objectives


Course Objectives

- Identify some key business considerations before setting up Inventory Control in QAD Enterprise Applications
- Set up Inventory Control in QAD Enterprise Applications
- Process Inventory in QAD Enterprise Applications



IC-IN-070

Related Courses



Summary

Summary

✓ Introduction to Inventory Control

- Business Considerations
- Set up Inventory Control
- Process Inventory in QAD Enterprise Applications



IC-IN-090

Chapter 2

Business Considerations

Business Considerations

Business Considerations

- **Business Considerations**
- Set up Inventory Control
- Process Inventory in QAD Enterprise Applications




IC-BN-010

Business Considerations

- Databases and Domains
- Entities
- Costing Method - Standard or Average
- Number of Sites and Locations
- Cycle Count or Physical Inventory
- Inspect Received Materials
- Lot and Serial Numbers
- Warehousing - Bin Numbers
- Compliance Module
- Backward Exploded Receipts

Operational Structure



A database is a logical collection of computer records. In QAD Enterprise Applications 2010 Standard Edition, these are usually associated with a unique business. Separate databases are often used to deal with geographical limitations and security concerns.

Master files.

Each database contains master files - customers, suppliers, and items - that are not separated by company or responsible division.

Within a database, there can be menu security to prevent users from modifying or viewing information.

When a multiple database environment is established, QAD 2010 SE has distributed functionality that allows planning and execution across the databases. Each user has a profile that determines which database, or databases, they can access.

Every database must have one system domain, indicated by a domain type of SYSTEM. The initial system domain is created when the database is created, for both a new installation of QAD 2010 SE or a conversion.

The system domain includes default data that is required to begin implementing QAD 2010 SE such as control program settings, rounding methods, default accounts, and generalized codes.

The system domain is used as a template for new domains. When you create a new domain associated with the current database, default data is copied from the system domain. Since the system domain is used as a template, you may want to add data to it or tailor defaults before creating new domains based on it.

The system domain is typically not used for maintaining active transactions.

Domains

Domains comprise business operations using a single base currency and chart of accounts. There may be multiple domains within a single database

Entities are assigned to Domains and are unique businesses with financial reporting responsibility. Financial reports, earnings statements and balance sheets, are organized by entity. There may be multiple Entities in a Domain.

You must identify one entity as the primary entity for each domain in your database. This is done in entity maintenance in general ledger setup.

Sites are assigned to Entities and are logical subsets of the business usually associated with a physical location such as a manufacturing plant, a distribution facility, or a warehouse. There may be multiple sites at a single physical location for internal control purposes. There may be many sites assigned to an Entity.

Entities

The number of sets of financial statements produced by one database is determined by the number of entities you set up. An entity is an independent unit for financial reporting purposes that:

- Generates a separate balance sheet and income statement
- Plans budgets
- Is assessed for taxes

Entities



Entity 100 - Site A



Entity 200 - Site A



Entity 200 - Site B

- An Entity is a business unit with financial reporting responsibility. Balance sheets and income statements are organized by entity.
- An Entity may have as many as many sites as needed.



e8-1C-6D-028

All GL transactions are posted by entity. The primary entity is the default entity for GL transactions. Primary entity is set up in Entity Maintenance in General Ledger setup. Default entity is setup in the Domain/Account Control.

Although there is no limit to the number of entities that can exist in a database, all information for one entity should be contained within a single database.

An entity can be comprised of a single facility (Plant A) or multiple facilities (Plant B and Warehouse), as shown in the figure above.

An Entity is a business unit with financial reporting responsibility. Balance sheets and income statements are organized by entity.

An Entity may have as many sites as needed.

Two Costing Methods

Standard or Average Costing

STANDARD COST
identify how
much an item
should cost
(fixed cost)

QAD 2010 supports both methods

AVERAGE COST
recalculated each
time an item
received


IC-BN-030

Use either cost set at any site; however, only one cost set per site is designated as the general ledger cost set. QAD 2010 SE is usually a standard (also called general ledger or GL) cost system, although it can be used as an average cost system.

Standard (GL) Cost Set

Product line GL accounts are oriented to standard cost accounting.

- Values for these accounts default from the System/Account Control Program

All inventory transactions for an item are recorded in the GL at a single cost, independent of price fluctuations. The difference between Standard and Actual is recorded as a variance.

Average Cost Set

Average costs are recalculated each time an item is received.

- Purchase order costs automatically update the current cost for inventory items. The calculation of the new current cost is based on the method selected in the Inventory Control Program
- Use Average Cost Method Maintenance to allocate costs to the Co-Products and By-Products of a base process

Why Consider Two Methods of Costing?

Normally, all inventory transactions for an item are recorded in the general ledger at a single cost, independent of price fluctuations. In general, standard costs are set once a year. Inventory is valued at standard (GL) cost.

Current costs are updated in one of three ways.

- 1 “Average” calculates a weighted average based on the old current cost for the item.
- 2 “Last” uses the last purchase order or work order cost for the item.
- 3 “None” indicates that costs are updated manually.

Average Costing Implications


Costs are updated using a simple weighted average calculation. For manufactured items, the labor, subcontract, and burden costs are updated when work-order receipt transactions are made and at Accounting Close.

Average Cost Calculation

$$\frac{(\text{Quantity on Hand} \times \text{Current Cost}) + (\text{New Quantity} \times \text{New Cost})}{(\text{Quantity on Hand} + \text{New Quantity})}$$

Important Because of the way average costs are calculated upon receipt, timing and accuracy of transactions are critical.

Number of Sites and Locations



Sites and Locations Allow You To

Categorize locations by type. When an item is received or transferred, the system verifies that the type matches the location type associated with the item (such as VAT, FREEZER).

Make sure items with special storage requirements, such as temperature or humidity, are stored in acceptable areas.

Why Consider Number of Sites and Locations?

Sites are areas where inventory is manufactured or stored (normally entire physical production facilities). This is the default site for the item.

- Default location for an item is specified in Item Inventory Data Maintenance

Setup Implications


- 1 Sites are used for planning, reporting, and costing.
For each site the system must have a cost set, which needs to be maintained. Therefore, keep sites to a minimum.
- 2 Locations are where inventory is physically stored (for example, bins, floor space, vats, docks).

Allocations of items are made according to the Inventory Control Program and the inventory status of the locations.

The larger the number of locations, the more transactions are necessary to control inventory.

- 3** More locations give better control of master inventory. You may have bulk inventory in a warehouse, a weeks working stock in a local stock room and a days production quantity in a work cell. Ideally you would want three locations to know exactly how much was in each location.

Cycle Count and Physical Inventory



Cycle Count and Physical Inventory Allow You To

- Count inventory by site, location, item, lot number and serial number
- Update actual inventory balances

Only inventory can be counted. QAD 2010 SE does not have inventory functions to count items in work-in-process (WIP)

The value of WIP may be audited using

- Work Order Status Report
- Work Order Cost Report
- Work Order WIP Cost Report

Why Consider Cycle Count and Physical Inventory?

Cycle Count

Frequency is determined by item's ABC Class. Cycle Count Worksheet Print determines how to manage the count.

Cycle counting lets you count select items on an on-going basis, focusing attention on items that are more likely to have errors.

Physical Inventory

Use physical inventory to conduct a count of items and products on hand. Counts are manually recorded with inventory tags. Tag counts are entered to update live inventory balances. Physical inventory lets you count everything once a year (perpetual).


Setup Implications

Proper procedures in the physical control of inventory are necessary for accurate materials planning. If the balances on hand are not correct, items may be ordered before they are needed or may not be ordered when they are needed.

Cycle counts are preferable because they allow timely detection and correction of errors and are often more accurate than physical inventory counting.

Physical inventory usually allows no time to resolve problems associated with an incorrect balance.

Incoming Inspection



Inspecting Received Materials Allows You To

Specify the location to which items that require inspection are automatically routed upon receipt. Once inspected, materials are transferred to their appropriate sites/locations. Inspection required is specified by item in Item Planning Maintenance (1.4.7) or Item-Site Planning Maintenance (1.4.17).

Why Consider Inspecting Received Materials?

Inspection lead time uses the Shop Calendar during the calculation process.


- If Inspect = Yes, items are received to the default inspection location in the Purchasing Control Program (5.24), which is used to calculate need and due dates.
- If Inspect = No, the receiving location defaults to the item master location and the need date is set to the due date.

Setup Implications

Inspection lead time is calculated only if the item has Inspect set to Yes in Item Planning Maintenance or Item-Site Planning Maintenance.

Note Quality Order Maintenance (19.7) may be used to record the results of incoming inspections.

Lot and Serial Numbers



Lot and Serial Numbers Allow You To

Track items through the system as items enter inventory and are worked on. One tracking method is to assign a lot and serial number to the item and then require the lot and serial number each time the item is moved or processed.

Why Consider Lot/Serial Numbers?

In certain industries, lot traceability is required by the government for health and safety reasons. Others use it for quality control and defect tracking.

Because each use of an item is tracked in the programs on the Transaction History Menu, it is easy to see when it was received, what happened to it, and who purchased it.

Setup Implications


With lot control, 10 boxes of ink cartridges bought from one supplier can be distinct from 15 boxes from a second supplier, both in inventory and in production.

Lot group in Item Inventory Data Maintenance (1.4.5) determines the format used when assigning automatic lot numbers.

- 1 If left blank and you are assigning automatic lot numbers with Auto Lot Numbers = Yes
 - a Work orders use the work order ID as the lot number, and
 - b Purchase orders are not assigned lot numbers.
- 2 If Allocate Single Lot = Yes, the picking logic must allocate these items from a single lot, ignoring smaller lots that could partially fill the allocation.

Important Lot and serial numbers may significantly increase all transaction activity associated with an item. However, by dealing with inventory in smaller lots accuracy is greatly improved and bar code makes increased activity easy.

Warehouse Management Systems



Warehouse Management Systems Allow You To

Process import transactions from the warehouse system. The warehouse system creates import transactions that send all inventory receipts, shipments and issues, adjustments, and dispositions processed in the warehouse to QAD Enterprise Applications 2010 Standard Edition.

Why Consider Warehousing?

The warehousing interface treats your warehouse as a satellite storage area within an QAD 2010 SE site.

You can transfer data between an external warehouse and QAD 2010 SE. You can also create various export transactions that extract information on items, customers, suppliers, and orders of all kinds for exportation to the externally controlled warehouse.

Setup Implications

The warehouse is considered an extension of the QAD 2010 SE site with QAD 2010 SE:

- Managing its supply and demand orders
- Recording its summary inventory balances

- Sending it item, trading partner, and order information

In turn, the warehouse system sends most of its inventory transactions back to QAD 2010 SE.


Customized programs may be needed to accomplish an interface with some third-party warehouse packages.

Compliance Module - Regulatory Attributes

Regulatory Attributes Module

Inventory Management and Transaction Management

- Batch Control
- Lot Control
- Work Order Control
- Controlled Substance



IC-BN-090

Compliance Module Allows You To:

Provide batch control, lot control, work order control, and controlled substance fields. With Lot Group codes which can be automatically assigned.

Why Consider Compliance?

Site Security

In QAD 2010 SE you can integrate user maintenance and security with inventory transactions at the site level. Only authorized individual and group users can process transactions for secured sites.

In QAD 2010 EE significant security enhancements have been made and site security is now managed using roll based user maintenance.

Batch Control

Assign batch numbers to work orders for traceability and reporting. Enter batch numbers as you create work orders or add them to existing work orders.

Lot Control

- Provide control enforcement of unique lot numbers
- Define lot groups for assigning lot numbers
- Update inventory attributes for multiple lots
- Restrict receipts to a single lot
- Generate reports with lot numbers as an index
- Enter supplier lot numbers and manage expired inventory
- Work with number range management

Multi-lot Inventory

Change assay percentage, grade, status, and expiration date of inventory items based on lot and serial numbers.

Work Order Control

Restrict component items issued to work orders unless they are on the bill of material (BOM) or they are valid substitute items. There is a similar control for receipts of joint product items.

Inventory Attributes

Enter inventory attributes information on work orders to increase the control and tracking of material as it progresses through manufacturing into inventory.

- Use batch and other work order processes to meet business requirements
- Assign default inventory attributes and change existing attributes by:
 - Assay percentage,
 - Grade
 - Expiration date
 - Inventory status

Controlled Substances

- Maintain a list of regulatory agencies
- Link a regulatory or control number to an address code or a site
- Associate a regulatory or control number to an inventory item
- Record GL and individual license information for exports

Setup Implications

Each feature can be used in conjunction with or independent of the other features.

Backward Exploded Receipts

Backward exploded receipts are often used in kitting or simple assembly operations. There is no need to set up a work order.

Recording the receipt of the finished item indicates that you used a certain group of materials

Summary

Review

- Processes and Procedures
- Reporting Requirements
- Customer Expectations
- Product Configuration

Summary

Summary

- ✓ Introduction to Inventory Control
- ✓ **Business Considerations**
 - Set up Inventory Control
 - Process Inventory in QAD Enterprise Applications

Chapter 3

Set Up Inventory Control

Setting up Inventory Control


Set Up Inventory Control

- ✓ Introduction to Inventory Control
- ✓ Business Considerations
- **Set up Inventory Control**
- Process Inventory in QAD Enterprise Applications



IC-SU-010

Inventory Control Setup



A suggested setup sequence for Inventory Control is illustrated above. This sequence is based on information that flows from one program to another and prerequisites.

Reading the Training flow:

- The Current Step will be highlighted
- Optional steps say “(optional)”

Entities

Inventory Control Setup



- Domains
- **Entities**
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- Items
- Item Inventory Data
- Inventory Accounts
- Master Comments (optional)
- Load Inventory Balances

Entities



Entity 100 - Site A

- An entity is a business that publishes financial statements and files tax returns



IC-SU-030

An Entity is a business that publishes financial statements and files tax returns.

Entities allow you to generate separate financial statements (balance sheet, income statement).

You must specify one entity as the primary entity. This is the GL entity when you first log onto the system.

Inventory Status Codes

Inventory Control Setup



- Domains
- Entities
- **Inventory Status Codes**
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- Items
- Item Inventory DataIC-BN-120
- Inventory Accounts
- Master Comments (optional)
- Load Inventory Balances

IC-SU-040

The system uses inventory status codes to determine if the inventory balance at a site or location is:

- Available for sales order and work order allocations
 - Allocations are used to:
 - Reserve inventory and assist in picking inventory to be shipped or issued
- Nettable for MRP calculations
- Issued even if the site or location has a zero or negative inventory balance
- Not available for particular kinds of inventory
 - For example, material located in scrap locations should not be used for sales order issues

Inventory Status Code Maintenance

Use Inventory Status Code Maintenance (1.1.1) to create and modify inventory status codes.

- Use Site Maintenance (1.1.13) to assign default inventory status codes to sites
- Assign inventory status codes to locations using Location Maintenance (1.1.18)
- Optionally assign default inventory status codes for purchase order or work order receipts to individual items using one of the following:
 - Item Master Maintenance (1.4.1)
 - Item Inventory Data Maintenance (1.4.5)
 - Item-Site Inventory Data Maintenance (1.4.15)

At least one inventory status code must be defined before you can enter site and item combinations. Set up an initial inventory status code (good or ok might be examples) that is available and nettable in Inventory Status Code Maintenance (1.1.1). Then set up other inventory status codes as needed. Sites, locations and items in inventory are required to have an inventory status code.

While it is a common practice to have a default code of blank, it is not recommended. Blank code fields create ambiguous situations. When printing inventory reports using the Inventory Status Code, blank does not work in the selection criteria.

Status Code. This code identifies the status of inventory:

In a specific site and location

With a specific lot/serial number (if lot/serial controlled), and lot reference

Inventory status codes can restrict particular transactions at specific locations. For example, you can restrict issues from an inspection location.

Available. This field indicates whether inventory balances with this status code are available for allocations to sales orders and work orders. This does not affect the available-to-promise calculations.

If this field = Yes, on-hand inventory balances with this status are considered to be available. When allocating inventory, the system calculates the quantity available to allocate as the total quantity on-hand at all inventory locations flagged Available Yes. Any locations flagged Available No are not considered by this calculation.

Most inventory will be assigned available status codes.

Unavailable inventory status codes identify inventory not to be shipped to customers or used in the manufacturing process at the current time—inventory waiting for inspection or defective material to be reworked.

Nettable. This field indicates whether MRP considers inventory balances with this status code as quantity-on-hand.

During the planning process, MRP calculates the net quantity on-hand as the sum of the quantity in all locations flagged Nettable Yes. Locations flagged Nettable No are not considered by this calculation.

Most inventory will be assigned nettable status codes.

Non-nettable inventory status codes identify inventory not to be shipped to customers or used in the manufacturing process—inventory which is defective or reserved for some other use.

For multisite implementations, any in-transit locations must be set to Nettable = No. Otherwise MRP will use supply in that location twice, once from the scheduled receipt, then from the nettable quantity in the location.

Set up inspection locations as nettable because you do not want MRP to plan to order more when you already have inventory on-hand. Inspection locations are controlled by restricting issue transactions.

Overissue. This field indicates whether inventory balances with this status code are allowed to go negative.

If Yes, then inventory may be issued from a location even if that issue results in a negative balance on hand: with only 5 items in stock at a particular location, the system would allow you to issue a quantity of 7, resulting in an on-hand balance of -2. To prevent this, set the Overissue flag to No. This stops overissues in all inventory transactions.

However, in the case of 2 or more users simultaneously committing transactions to ship the same stock, it is possible that due to this close timing the balance will go negative despite a No setting.

Why allow overissues?

If the inventory is physically available, the operator should be able to record the issue transaction, even if the data entry for inventory receipt is delayed, as often happens when information is batched for data entry.

In a well-controlled stockroom, most items can safely be allowed overissues. As transactions are processed, balances may temporarily be driven negative, but will be resolved when all transactions are entered.

However in a regulatory environment or where items are lot/serial controlled, you may want to set the Overissue field to No and develop data entry procedures which assure the timely entry of inventory transactions.

Overissue should always be set to No when using Average Costing.

Restricted Transaction

Inventory Status Code Maintenance – Restricted Transactions

Inventory Status Code Maint X
 Go To Actions Copy Print Preview

Status Code: PROTO

Available: ☐

Nettable: ☐

Overissue: ☐

Restricted Transactions		
Restricted Transaction	CIM Allowed	Comments
ISS-SO	☐	Sales Order Shipments
ISS-WO	☐	WO Issue or Backflush

Restricted Transaction	CIM Allowed	Comments
ISS-SO	☐	Sales Order Shipments


IC-SU-060

Enter a code identifying the restricted inventory transactions for on-hand balances with this inventory status code. A complete list of available transaction type codes is available with the look up icon on the restricted transaction field.

When you process an inventory transaction, the system checks the inventory status of the affected item and site or location to verify that the transaction is not restricted. If it is, an error message displays and you cannot proceed.

For example, you can create an inventory status that restricts the ISS-WO transaction and assign it to an inspection location. If a user tries to issue a component to a work order from this location, an error displays. To proceed, you must change the location status or transfer the item to another location.

When you define inventory statuses for inspection and scrap locations, restrict both ISS-WO and ISS-SO. This prevents items in these locations from being issued to work orders or shipped to customers. ISS-SO restricts both sales order shipments and RMA issues. Use ISS-RMA to restrict RMA receipts.

You typically allow ISS-PRV and ISS-TR for items in inspection, since you want to be able to return them to the supplier or transfer them to a different location.

Some transactions are required by the system. You cannot prevent them from occurring, even if you list them as restricted.

A status code of MRB (material review board) means the material put in a location with this status code is being reviewed for its fitness for use. Set Available (for allocations) to No and Nettable (for MRP) to No.

If material is not fit for use, you do not want to book an order for it, ship it or issue it to a work order, so the restricted transactions would be:

- ORD-SO Sales Order Booking
- ISS-SO Sales Order Shipments
- ISS-WO Work Order Issue or Backflush

Key Inventory Transaction Types

Key Inventory Transaction Types


CYC-CNT	Cycle Count Adjustment
CYC-ERR	Cycle Count Error
CYC-RCNT	Cycle Count Recount
ISS-CHL/RCT-CHL	Change Inventory Detail
ISS-DO	Distribution Order Shipment
ISS-FAS	Configured Item Component Issue
ISS-PRV	Purchase Return to Supplier
ISS-RV	Inventory Return to Supplier
ISS-SO	Sales Order Shipment
ISS-TR	Inventory Transfer
ISS-UNP	Inventory Unplanned Issue
ISS-WO	Work Order Issue/Component Backflush
ORD-PO	Purchase Order Booking
ORD-SO	Sales Order Booking
RCT-CHL	Inventory Detail Maintenance Location Change Receipt
RCT-DO	Distribution Order Receipt
RCT-FAS	Configured Product Receipt
RCT-PO	Purchase Order Receipt
RCT-RS	Inventory Return to Stock
RCT-SOR	Inventory Sales Order Return
RCT-TR	Inventory Transfer Receipt
RCT-UNP	Inventory Unplanned Receipt
RCT-WO	Work Order Receipt, Repetitive Receipt
RJCT-WO	Work Order Reject
TAG-CNT	Physical Inventory Update
WIP-ADJ	Work-In-Process Adjustment



IC-SU-070

This partial list of transaction types contains the types usually associated with inventory movement.

Sites



The site code identifies a specific warehouse or group of buildings at the same physical location.

A site is a manufacturing facility, a warehouse, or some combination. All functions are processed by site, including:

- Inventory
- Forecasts and production schedules
- Production methods and costs
- Material and capacity plans
- Reports

Most functions work within one site. For example, manufacturing orders expect to find all their components at the same site, and MRP or DRP calculates requirements one site at a time.

A few functions deal with multiple sites. For example:

- Multi-site purchase or sales orders, distribution orders, and distributed inventory inquiries
- Site codes must be unique across all databases
- At each site, you can store inventory at multiple locations


A location defines an area, such as a shelf, bin, or tank within a site

Because inventory locations are a subset of site, the same location codes can be used for different sites. By setting the Automatic Locations field in Site Maintenance (1.1.13) to Yes, you can have QAD Enterprise Applications create locations automatically as it processes receipts. You can define them manually in Location Maintenance (1.1.18)

Each site is assigned to a GL entity for financial reporting. You can have more than one site for each entity, and all locations within a site belong to the same entity.

Important Many functions in QAD Enterprise Applications require the Site Code to equal the Company Address Code.

Site Maintenance



Entity. This field indicates the GL entity tracking the financial aspects of activities at this site. All inventory control and planning information in QAD Enterprise Applications is maintained by site, including:

- Inventory availability
- Manufacturing methods and costs
- Sales
- Purchases
- Manufacturing plans and orders
- Forecasts

Each site is associated with a specific GL, allowing complete financial results to be maintained and monitored by site (or by groups of sites). Activity for multiple companies (entities) may be processed within a single QAD Enterprise Applications database. When GL transactions are created, they post to a specific:

- Entity
- Account
- Sub-account
- Cost center
- Project

The entity to use on a transaction is determined based on site. Any transaction may reference more than one site, and possibly more than one entity. Intercompany transfer transactions are automatically created when more than one entity is involved.

Example You have two sites (site 1000 and 2000) each at different companies (entity 1 and entity 2). If you have a work order at site 1000 and issue inventory from site 1000 to that work order, the resulting GL transaction only affects entity 1 (crediting inventory and debiting WIP).

Default Inventory Status. The inventory status code associated with a site sets the default for all locations within it.

When inventory is received in a location, it takes on the inventory status of the location

Use Inventory Detail Maintenance to change the inventory status code for an individual item once it is in a location

Automatic Locations. You can control whether new inventory locations can be added automatically during an inventory transaction.

If this flag = No, then new locations must be set up using Location Maintenance (1.1.18)

Automatically adding locations is handy, but can get you into trouble because of typographical errors, especially if you allow overissues. For example, if you receive 100 units of an item into location STOCK, the system adds a new location record for STOCK.

If you receive an additional 50 units of the same item but accidentally enter the location STOKC, the system displays a warning “Location does not exist” and continues by adding a new location for STOKC. If you later issue 150 units from STOCK, and overissues are permitted, you will end up with a quantity of -50 in STOCK and +50 in STOKC.

It is recommended that Automatic locations should always be set to No. If you have complex location identification schemes you may consider using the lot reference field to specify the sub-location, such as the:

- Row
- Shelf
- Bin
- Pallet
- Spool

EMT Supplier. This field in Site Maintenance (1.1.13) is used in the EMT order processing environment and specifies the default supplier for this site. If left blank, memo items will be created as non-EMT memo items. When a valid supplier is specified, memo items will be created as EMT memo items.

The default supplier must exist in Supplier Maintenance (2.3.1). The default handler will not accept a blank entry in this field until it has checked the last element in the sequence and found no valid default supplier.

An enhancement to EMT supports the handling of orders across multiple levels within an organization. This functionality is called multi-level EMT.

External Supplier. When you are using the direct allocation feature of EMT, specify whether this site corresponds to a secondary business unit (SBU) in an external, connected database.

With direct allocation, the primary business unit (PBU) can make a special, temporary allocation of an EMT sales order or material order line item in the SBU's database by changing the line-item site to one that corresponds to the SBU's connected database. When the SBU imports the PBU's EMT purchase order to create a secondary sales order, the system automatically converts this temporary allocation to a general allocation.


- If this field = No, it indicates that this is an internal supply site.
- If this field = Yes, this site corresponds to an SBU in the connected external database specified in the Database field. The PBU can directly allocate the SBU's inventory.

Transfer Variance Account. This is the GL account code normally used to track cost variances on inventory transfers between two sites.

Inventory activity typically occurs at the site where the order is processed, known as the primary site. However, in a multi-site environment, you can ship, receive, or issue inventory from a different site. If the other site has different costs for the item, a variance occurs.

This variance is posted to the Transfer Variance account. If the two sites are in different entities, an intercompany transaction may also be posted. The system automatically updates costs at both the central and remote sites.

Locations



Locations identify areas of a site where inventory is stored. A location defines an area, such as a shelf, bin, or tank within a site. Each location's parameters identify what can be stored there and how that inventory can be used. The same location codes can be used for different sites.

Every inventory transaction must have a site and location. Both default from the Item Master Maintenance (1.4.1).

Location Maintenance

Location Maintenance

Site: 10-100 Location: 020 Inventory Status: Y-Y-N

Site: 10-100 Ultrasound Mfg Site

Location: 020

Description: Components

Inventory Status: Y-Y-N

Project:

Date Created: 1/1/2008

Permanent: ☒

Type: SR

Single Item: ☐

Single Lot/Reference: ☐

Capacity: 0.0 UM:

Reserved Locations: ☐

Transfer Ownership: ☐

Physical Address:



IC-SU-110

Inventory Status. The usual status of inventory held in this location. This status defaults into transactions for this location and may be identified. See “Inventory Status Code Maintenance” on page 45.

Project. Optionally, specify a GL project code to associate with this location. When Verify GL Accounts = Yes in the System/Account Control Program, this field is validated against GL project codes maintained in Project Code Maintenance.

If you do not use the Project Realization Management (PRM) module, this field is for reference only.

When you do use PRM, this field identifies a PRM project location. For a project location, the GL project code in this field must have a corresponding PRM project with the same identifier.

Permanent. If this field = Yes, the location is permanent. It is retained even if the on-hand balance is zero

When a location is defined as permanent, all location details are maintained on the system until they are deleted using the Zero Balance Delete/Archive.

If this field = No the location is temporary. If you define a location as temporary, the system automatically deletes inventory detail records when the location’s balance falls to zero

The use of temporary locations helps to keep inventory reports at a reasonable length, particularly when there are lot and serial controlled items with zero balances.

Permanent inventory locations may be desirable when items have fixed or designated stocking locations—a particular resistor is always stored in a specific bin location. Even if the inventory balance falls to zero, you want to see that on reports and inquiries.

Type. Locations are categorized by type and each item is assigned to a specific type of location.

When the item is received or transferred, the system verifies that the type of the location that the item is being received into matches the location type associated with the item. If it does not, an error displays and the transaction may not be processed.

The code identifying the type of location is useful for items with special storage requirements, such as temperature or humidity. The location type can flag this and comments describe the exact requirements.

Single Item. Indicates whether more than one item or product may be stored in this location.

Set this flag to Yes to prevent receipt of more than one item number into a location.

This flag is checked for positive receipt, negative issue, and cycle count adjustment transactions. It is not checked when counting tags or updating inventory balances using Physical Inventory.

Single Lot/Ref. Indicates whether more than one lot/ref number of the same item may be stored in this location.

Set this flag to Yes to prevent receipt of more than one lot/serial number into a location.

This flag is checked for positive receipt, negative issue, and cycle count adjustment transactions. It is not checked when counting tags or updating inventory balances using Physical Inventory.

Reserved Locations. Used with customer consigned inventories. If checked “yes,” another frame appears to enter one or more customer ship-to addresses.

Transfer Ownership. Used with supplier consigned inventories. If supplier consignment inventories are active in Supplier Consignment Control this field determines when transfer of ownership occurs.

Capacity. The capacity of an inventory storage location is expressed in terms of the capacity unit of measure.


This field is for reference only, and may appear on some selected reports and inquiries.

Unit of Measure (UM). The unit of measure in which the location capacity is expressed.

This field is for reference only and may appear on some selected reports and inquiries.

Physical Address. The address code of this location. Used to generate shippers for transfers between locations that are physically separated.


Regulatory Attributes



If Regulatory Attributes is used, set up the lot control information before setting up the item numbers.

Regulatory Attributes affects receipts, issues, and transfers.

Regulatory Attributes Menu



Use the Regulatory Attributes module to ensure manufacturing practices comply with government regulations and with international agreements, such as the following:

- Food and Drug Administration (FDA)
 - Current Good Manufacturing Practices
- North American Free Trade Agreement (NAFTA)
- General Agreement on Tariffs and Trade (GATT)

Inventory Control

Inventory Control Setup



- Domains
- Entities
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- **Inventory Control**
- Items
- Item Inventory Data
- Inventory Accounts
- Master Comments (optional)
- Load Inventory Balances

IC-SU-140

Inventory Control (3.24) sets count tolerances, establishes accounting procedures, and defines picking logic.

Settings in this program enable the system to:

- Identify inventory imbalance
- Update item current cost
- Generate GL transactions
- Prioritize item picking

Inventory Count Parameters

Inventory Control – Inventory Count Parameters

Inventory Control x
 Go To Actions Copy Print Preview

Inventory Count Parameters

Tolerance From Qty On Hand or Annual Usage: Qoh

Issue Days: 7 Default Site: PRPROTO

Item Tolerances:

Class A:	3.00%	300.00	Class C:	5.00%	500.00
Class B:	4.00%	400.00	All Others:	5.00%	500.00

Picking Logic

- 1) Location
- 2) Lot/Serial
- 3) Date
- 4) Expire Date

Picking Order: 1

Ascending or Descending: Ascending

IC-SU-150

Issue Days. The number of calendar days before expiration that an item with limited shelf life can be picked or issued. Shelf life is usually only defined for items which eventually spoil, such as eggs or milk.

Shelf life automatically sets the expiration date for inventory. The system adds the number of days shelf life to the receipt date. This can be changed manually as needed. Inventory which has expired (or will expire within issue days) does not appear on picklists as a quantity to be picked.

Item Tolerances. Tolerances are set up by ABC class. This allows a greater degree of control over class A and B items than others.

Setting tolerances based on annual usage further refines this by putting tolerance into perspective with the amount of use of an item.

Cycle Counting and Physical Inventory functions use this whenever a count is entered which is different than the quantity-on-hand recorded in the system.

Error tolerance is calculated and used to determine whether the entered count should be accepted or flagged as an error. Both percentage and amount tolerance is checked. The error must be within both tolerances for it to be accepted.

If the tolerance method is:

- [Q]oh, item tolerances are calculated as a percentage of quantity-on-hand.
- [U]sage, item tolerances are calculated as a percentage of annual usage.

Value (currency) tolerance is always checked.

Inventory Control - Accounting

Inventory Control – Accounting

- 1 How current cost is calculated
- 2 Fold-in or roll-up costs for manufactured items
- 3 Should current cost be modified by AP voucher

Note In QAD 2010 Standard Edition there is only one Inventory Control screen 3.24, that contains all the fields discussed in this section.

Current Cost. Specify the method to use for updating current material, labor, and burden costs. When you have the Cost Management module Menu 30, this is the default update method for all sites that do not have site-specific cost sets defined in Cost Set to Site Assignment (30.9). When you do not use Cost Management, this setting applies to all sites in the system.

Valid values are:

- Average (default): Current costs are updated during item receipts and other inventory-related activities using a simple weighted-average calculation
- Last: Each item's current cost is equal to the unit cost from the last receipt or inventory update.
- None: The system does not automatically update current costs. They must be maintained

Sum LL Costs Into Matl Cost. Usually this flag is set to No. It specifies how lower-level costs are posted to Cost of Goods Sold. Usually this field is set to No.

However, in some companies, the material cost for an end item is considered to include all costs associated with purchasing or manufacturing components, as well as any direct material costs. Then this flag is set to Yes.

If this field = No, lower-level costs are added to this-level costs for each cost component and the total posted to Cost of Goods Sold.

For example, the total material cost (this-level plus lower-level) is posted to Cost of Goods–Material, the total labor cost is posted to Cost of Goods–Labor, and so on for Cost of Goods–Burden, Overhead, and Subcontract.

If this field = Yes, all lower-level costs are summarized into Cost of Goods–Material. Only this-level costs are posted to Cost of Goods–Labor, Burden, Overhead, and Subcontract.

This flag does not affect the way costs are calculated or stored in cost sets.

Current Cost from AP. This field indicates whether current cost should be affected by AP Rate Variances calculated in Accounts Payable.

If this field = Yes, current material cost is updated to reflect AP Rate Variances. These are variances between the supplier invoice cost and the purchase order cost.

If this field = No, these price variances are not reflected in current cost.

Current cost may be maintained automatically by the system. This reflects the actual cost incurred and can be compared to the GL (standard) cost.

Current cost is updated as Last or Average. It may or may not be affected by actual voucher costs for purchased items.

Accounting Procedures

4 Create GL transactions from inventory activity

5 Determines how inventory transactions are created

The accounting field controls how the general ledger is updated when inventory transactions occur.

Create GL Transactions. This field indicates if general ledger (GL) transactions are to be created by inventory activities.

- If this flag is set to Yes, all inventory issues, receipts, count adjustments, and transfers will create a GL transaction reflecting the change in inventory asset balances. In addition, any transactions that affect work-in-process inventory will create GL transactions, including work order issues and receipts. Companies who do perpetual inventory accounting should set this flag to Yes, taking advantage of the automatic journal transactions created by QAD Enterprise Applications.
- If this flag is set to No, GL transactions will not be created. Companies using periodic inventory accounting normally set this flag to No.

With periodic accounting, the accountant manually calculates Ending Inventory based on Beginning Inventory plus Purchases less Cost of Goods Sold. Manual journal entries must be made to post the Purchases and Cost of Goods Sold amounts, because these will not be posted automatically by the system.

This flag does not impact Memo item transactions. These do not create GL transactions regardless of this flag.

Another alternative is to allow QAD Enterprise Applications to create the journal transactions but not to post them. This is useful for creating manual journal entries under periodic accounting, or if you are using an external general ledger system. GL transactions can be printed and then deleted using the GL Transactions Report / Delete function on the Manager Functions menu.

Transfer Clearing Acct. Enter the GL account code used to track transfers within a site or between sites in the same entity. Transfers between sites in different entities are tracked using the Intercompany Transfer account. If this account is blank, the Purchases account of the item product line is used.

Account code is one component of an account number defined in GL setup functions. Other components of an account number are sub-account, cost center, and project. Project codes are not available for all GL transactions. If Verify GL Accounts = Yes in the System/Account Control Program, each component you enter must be valid on its own and in combination with other account number components.

Note You can enter an allocation code, which represents a set of accounts, in any account field. During GL transaction post, the system automatically divides transaction amounts among the set of accounts, based on percentages defined in Allocation Code Maintenance.

Summarized Journal . All Inventory transactions normally create GL journal transactions. These may be created in detail, with one general ledger transaction for each Inventory transaction, or in summary by day.

Summarized Journal = Yes creates summarized journal transactions by day; generating just one transaction for each entity, account, sub-account, cost center, and project combination used. No creates detailed transactions.

The AR amount of the transaction is always summarized for posting regardless of how you set this flag.

When you first implement QAD Enterprise Applications, we recommend you create detailed journal entries. You can verify that each transaction is being processed correctly with the right account numbers, and can identify any mistakes.

Once you feel confident that entries are being correctly made, you can switch to a summarized journal which takes less space and is easier to handle in the GL. Greater detail is always available by printing transaction registers in the original module.

If you have lots of disk space, you may want to consider posting in detail. This can make the GL Account Inquiry with Drill-Down extremely powerful, allowing you to review any GL transaction and drill right back to the individual inventory transaction that created it—all on one screen.

Journal Reference Method. This field controls the summarization method when field Summarized Journal (icc_gl_sum) is set to Yes.

- Method 0 generates one summarized journal transaction for each combination of date, entity, account, sub-account, cost center, and project. Method 10 generates one summarized journal transaction for each active session.
- Summarized Journal =Yes creates summarized journal transactions by day; generating just one transaction for each entity, account, sub-account, cost center, and project combination used.
- When Summarized Journal = No, this field has no effect, but must be zero.

Items

Inventory Control Setup



- Domains
- Entities
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- **Items**
- Item Inventory Data
- Inventory Accounts
- Master Comments (optional)
- Load Inventory Balances


IC-SU-180

Use the transactions in Menu Number 1.4 to setup and maintain Item Records.

You create item records for items and products stored in inventory and/or planned by MRP or DRP. The item master data contains records for all items, regardless of site. Item records contain information used throughout QAD Enterprise Applications.

You must create an item record/number for every inventory item.

Item Inventory Data



Inventory control is responsible for the security, movement, accuracy, and in some cases the allocation of inventory.

Every item has inventory control information associated with it. QAD Enterprise Applications uses this information to track and control the movement of the item. For example, if an item has an expiration date, QAD Enterprise Applications does not issue the item after that date.

You can make sure that codes are entered consistently by entering the allowed codes into Generalized Codes Maintenance (36.2.13). The system verifies entered codes against these predefined values, preventing incorrect codes from being entered.

Item Inventory Data Maintenance

Item Inventory Data Maintenance – ABC Analysis

Item Number:
 Unit of Measure: EA

Description: Medical Ultrasound

Item Inventory Data

ABC Class: A
 Lot/Serial Control: S
 Site: 10-100
 Location: 010
 Location Type:
 Auto Lot Numbers: ☐
 Lot Group:
 Article Number: F10000-0123

Average Interval: 90
 Cycle Count Interval: 90
 Shelf Life:
 Allocate Single Lot: ☐
 Key Item: ☐
 PO Receipt Status: Active: ☐
 WO Receipt Status: N-Y-N Active: ☒
 Memo Order Type:

Item Shipping Data
 Corp Comm Code:

IC-SU-200

ABC Analysis. Enter a code classifying and ranking this item. This field is validated against predefined values entered in Generalized Codes Maintenance (36.2.13) for field pt_abc, if any.

ABC classification codes determine the cycle count frequency and the error tolerance allowed for each item. ABC class can also determine how an item is managed.

Class A items often require tighter physical control, such as a locked stocking area, and tighter planning parameters, as well as more frequent cycle counts.

You can generate some reports, such as the Inventory Valuation Report, for ranges of ABC classes.

The value entered in Item Master Maintenance is used as the default for all sites. You can set up site-specific values in Item-Site Inventory Data Maintenance (1.4.16).

You can use Item ABC Status Report/Update (1.5.9 or 3.6.3; in Enterprise Edition, the enhanced .NET UI version is available at 1.5.32 and 3.6.25) to calculate ABC codes automatically based on annual item usage amounts.

The default percentages are:

- The top 20% are given class A
- The next 30% are given class B
- The rest are class C

However, you can adjust these percentage as needed.

Any quantity below C is assigned a blank ABC code. For example, when A is 10%, B is 20%, and C is 30%, the remaining 40% is set to blank. You can also classify items manually. You might do this for an item that has low use but is expensive or theft-prone.

Note When you first implement the system, load ABC classes either from the old system or manually. The Item ABC Status Report/Update or produces meaningful results only when it analyzes at least six-month's data.

While you can assign other class codes, Item ABC Status Report/Update only reports and updates items with a class of A, B, C, or blank. Be careful not to assign a non-blank and non-ABC code to any item that may become an A, B, or C item.

Assign any non-inventory items such as configured products, pseudo items, or planning parts a different ABC class.

ABC analysis is based on Pareto's law which says that in any group of items to be controlled, a small percentage accounts for the largest percentage of the total effect. This is also known as the 80/20 rule, which says that 20% of the items have 80% of the effect.

In inventory management, 20% of the items generally hold 80% of the inventory value. Usually this value is monetary, but it can also include:

- Usage
- Lead time
- Scarcity
- Shelf life

Value can be any factor that makes this item more important than the average item.

Item ABC Status Report/Update

Line: To: Site: 10-100 To: 10-500

Based on Sales or Issues: ☒ S Average Sales
Based on Cost or Gross Profit: ☒ C Standard Cost

Update ABC Class: ☒
Update Average Usage: ☒
Item Status To Exclude:
(Enter a comma delimited list of statuses to exclude)

Update Cycle Count Interval for A Items: ☐ New Interval: 30
Update Cycle Count Interval for B Items: ☐ New Interval: 90
Update Cycle Count Interval for C Items: ☐ New Interval: 180

ABC%	A: 20.00%	B: 30.00%	C: 50.00%
------	-----------	-----------	-----------

QAD IC-SU-210

QAD Enterprise Applications sets the classification of inventory items when you run the Item ABC Status Report/Update (1.5.9). The calculation is based on annual usage, either sales or issues, and cost or gross profit.

The Item ABC Status Report/Update identifies the item's relative importance and how tightly controlled it should be. The more important A items are cycle counted more often and more carefully than C items. (Count frequencies and error tolerances are identified by ABC Class.)

Normally ABC classifications are reviewed and updated at least once a year.

You can choose different methods of classification for different product lines.

- The top 50% of the items by gross profit of sales may be class A in one product line, but only the top 20% may be class A in another product line.

After the ABC analysis is run, you may want to change the system suggestions for classification for some items.

- A key \$0.10 item that takes six months to buy and a \$100 item may both be class A items.

Only items with a class of A, B, C, or Blank are reported and updated by the Item ABC Status Report/Update (1.5.9). Items you assign to any other class are not reported or updated.

Do not apply a non-Blank and non-ABC code to any item that may ever become A, B, or C items.

- Assign a different ABC class to any non-inventory items, such as:

Warranties

Configured products

Pseudo items

Planning parts

Important Item ABC Status Report/Update does not update Item Master Maintenance (1.4.1) or Item Inventory Data Maintenance (1.4.5), **but does update** Item-Site Inventory Data Maintenance (1.4.16). Make manual adjustments in Item-Site Inventory Data Maintenance (1.4.16).

Item Inventory Data Maintenance

Item Inventory Data Maintenance

Item Inventory Data Maintenan... X

Go To Actions Copy Print Preview Attach

Attachments

Item Number: 1100-00 Description: Alloy Chain Crank
Unit of Measure: EA

Item Inventory Data

ABC Class:
Average Interval:

Lot/Serial Control:
Cycle Count Interval:

Site:
Shelf Life:

Location:
Allocate Single Lot: ☐

Location Type:
Key Item: ☐

Auto Lot Numbers: ☐
PO Receipt Status: Active: ☐

Lot Group:
WO Receipt Status: Active: ☐

Article Number:
Memo Order Type:

Item Shipping Data

Corp Comm Code:

Ship Weight: kg
Net Weight:

Freight Class:
Volume:



IC-SU-215

Lot/Serial Control. L for lot control S for Serial Control blank for no control.

Site . The default site code for this item. Prefills the site code field on transactions hence should be the site that will generate the most transactions.

Location. The default location code for this item. Prefills the location code field on transactions hence should be the site that will generate the most transactions.

Location Type. The location type where this item should be stored, tank, silo, freezer, etc. It is matched against location type for the inventory location the item is being received or transferred into.

Auto Lot Numbers. Should the system assign lot numbers automatically, check for yes. Only valid if Lot Control is “L.” For work orders they system puts the work order ID number in the Lot Number field upon receipt into an inventory location. Not available for purchase items.

Lot Group. If the Regulatory Attributes Module (formerly the Compliance Module) is in use Lot Group Maintenance may be used to create configured lot numbers with leading or trailing characters, defined sequence length and beginning number. Numerous lot group formats may be defined. This field on the item defines which format will be used. The lot number is assigned at inventory receipt and is available for both manufactured and purchased items.

Average Interval: The system maintains an average issues per day value for all items. This field determines how many days of issues should be used in the calculation.

Cycle Count Interval: How often should this item be cycle counted? Normally reset by the ABC Status Report/Update based on the items ABC code.

Self Life: Number of days from receipt before item expires or becomes questionable. This number of days is added to the receipt date to determine the expire date, after which the item cannot be allocated or issued.

Allocate Single Lot: For Lot Control items only, requires sale order and work order issues of this item be from a single lot. Can be over ridden with manually allocations.


Key Item: If yes, prevents release of a work order if there is insufficient quantity of a key item.

PO Receipt Status: For purchased items sets the default status upon receipt. The active check box turns this function on or off.

WO Receipt Status: For manufactured items sets the default status upon receipt. The active check box turns this function on or off.

Memo Order Type: Memo items do not generate inventory transactions. Items not defined in the Item Master placed on a sales or work order have their line type set to M for memo. You may have items setup in Item Master Maintenance that are memo items, such as sales literature, use this field to code the different types of memo items you create Item Master Records for.

Inventory Accounts



Use Inventory Account Maintenance (1.2.13) to assign different GL accounts to combinations of product line, site, and location.

Inventory Account Maintenance (1.2.13) lets you separately track product lines for multiple sites or multiple locations within a site. For example, you may want to track inventory held in a rework location separately from finished goods.

Inventory Account Maintenance

Inventory Account Maintenance

Go To Actions Copy Print Preview

3 → Product Line: 1300 Alloy Chain Crank
 Site: PRPROTO Prototype Production-PR
 Location: PROTOSTK Prototype Stock Room

Default Sub-Account Override: ☐
 Default Cost Center Override: ☐

Inventory Acct: 1500	Cons
Scrap Account: 6000	Cons
Inv Discrep Acct: 5900	Cons
Cost Revalue Acct: 6100	Cons

Location Independent

Transfer Variance Acct: 6820	Cons
------------------------------	------

QAD IC-SU-230

- 1 For default GL Accounts, system looks for account/sub-account/cost center for this combination first. If none are found, system takes accounts from Product Line Maintenance.

You can assign different GL accounts for every combination of product line, site, and location to track transactions in:

- Inventory
- Scrap
- Inventory discrepancy
- Cost revaluation

This allows tighter monitoring of costs. Often, this is used to associate cost centers with different sites and locations. These accounts can be entered by using Inventory Account Maintenance (1.2.13).

Some uses for this function could be Material Review Board (MRB) locations, inspection locations, and consignment locations.

Inventory Transactions (Receipts, Issues, Transfers)

Posted to the inventory account.

Work Order Receipt Transactions

Posted to the scrap account whenever a reject quantity is entered.

Inventory Discrepancy Account

Posted when Cycle Count Recounts or Physical Inventory Updates change inventory quantity on hand.

Cost Revalue Account

Posted whenever item GL costs are changed, necessitating a revaluation of inventory. Use:

- Product Structure Cost Roll-Up (13.12.13)
- Routing Cost Roll-Up (14.13.13)
- Current Cost Set Move to GL Set (1.4.22)
- Cost Set Copy to Cost Set (30.3)

Transfer Variance Account

Specify a transfer variance account for combinations of product line and site: these accounts do not apply to locations, they are used to track cost variances for items in this product line when transferred between sites.

When customer consignment inventory is activated an additional frame displays to enter consigned inventory accounts.

Master Comments

Inventory Control Setup



- Domains
- Entities
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- Items
- Item Inventory Data
- Inventory Accounts
- **Master Comments (optional)**
- Load Inventory Balances

IC-SU-240

You may want to take advantage of the Master Comment Maintenance (1.12) feature, which allows you to store comments and copy them for use in Sales Orders, Quotes, and Purchase Orders and/or with item transactions.

Master Comment Maintenance

Master Comment Maintenance

Master Reference: 1100-00 Language:

Type: Eg Page: 1

Alloy Chain Crank:
 Prototype development project to test practicality of drop forging and
 machining high tensile chain cranks in house.

QAD IC-SU-250

This feature is useful for quotations for which standard text common to all or many quotations may be stored as master comments and then copied into individual quotations.

When a header or transaction comment screen is displayed, you can enter the comment ID and other parameters (language code, type code, and page number, for example) or merely press the Down key to scroll through the data. Pressing Enter copies the desired text to the document. Order-specific text can be added as necessary to complete the comment.

For header and item comments for quotations and sales orders, a pop-up screen appears when the comment is saved. This screen gives you the option to set Yes or No flags to determine whether or not the comment is printed on the quotation, sales order, invoice or packing list.

Multiple Languages

You may want to take advantage of the Master Comment Maintenance (1.12) feature, which allows you to store comments and copy them for use in Sales Orders, Quotes, and Purchase Orders and/or with item transactions.

Secondary Descriptions

Use master comments for secondary descriptions if marketing has a different description than production.


Load Inventory Balances

Inventory Control Setup



- Domains
- Entities
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- Items
- Item Inventory Data
- Inventory Accounts
- Master Comments (optional)
- **Load Inventory Balances**

Load Inventory Balances



You can load current balances into QAD 2010 using one of three techniques. You can count and compare actual, on-hand inventory balances with system using one of three methods. For Cycle Counting or Physical Inventory, see the respective chapters for details.

- 1 Cycle counting via the Cycle Count Worksheet and Cycle Count Results transactions in the Inventory Control Menu
- 2 Physical counting using the transactions in the Physical Inventory
- 3 Entering unplanned receipts (3.9)

In each of these methods, you count inventory by site, location, item, and lot/serial number.

Note The receipt transactions used during the initial inventory load create general ledger (G/L) records that can be review and/or deleted using the GL Transaction Delete/Archive (36.23.3)

Inventory Control Setup Summary

Inventory Control Setup Review



- Domains
- Entities
- Inventory Status Codes
- Sites
- Locations
- Regulatory Attributes (optional)
- Inventory Control
- Items
- Item Inventory Data
- Inventory Accounts
- Master Comments (optional)
- Load Inventory Balances

Exercise: Set Up Inventory Data

Note The data used in these exercises may not be the same as the data shown in the screen captures in this lesson.

- 1 Use Item Inventory Data Maintenance (1.4.5) to set up and manage where and how each item is stored.

Confirm or set up the following inventory information for the following items (let all other fields default):

Item 01010 is stored in location 010.

Items 50001, 60001, 60002, 60003, 60005, and 60006 are stored in location 020.

Make Item 60005 Battery a key item.

- 2 Use Item-Site Inventory Data Maintenance (1.4.16) to set the ABC class for (60006) at site 10-100 to Z.
- 3 Use Item ABC Status Report/Update (1.5.9; 1.5.32 for enhanced .NET UI version in Enterprise Edition) to update the ABC class and cycle count interval for all items at site 10-100.
- 4 Use Item-Site Inventory Data Maintenance, to check that the ABC class for monitor cable (60006) did not change.

Note For additional exercises, workshops, and study questions see the Study Questions and Workshops chapter

Chapter 4

Using Inventory Control

Inventory Control Processing

Process Inventory

Identify key business considerations before setting up Inventory Control in QAD Enterprise Applications
Set up Inventory Control in QAD

- **Process Inventory in QAD**



IC-PR-010

Inventory Control Processing



- Inventory Transactions
- Receipts
- Issues
- Transfers
- History
- Maintenance
- Cycle Count
- Physical Inventory

Inventory Transactions

Inventory Control Processing




- **Inventory Transactions**
- Receipts
- Issues
- Transfers
- History
- Maintenance
- Cycle Count
- Physical Inventory

IC-PR-030

QAD Enterprise Applications 2010 Standard Edition disallows certain transactions when a module replacing them is installed. See example below.

Example Issues–Return to Supplier will not work after Purchasing is installed. Use Return to Supplier to tag an issue as a return only if you have not yet implemented the Purchasing module. (This is not a complete return since it does not update purchasing or receiving history or current cost.)

Inventory Flow



Inventory comes in from suppliers, is inspected, stored, moved to the shop floor, moved back into stock as finished goods, and then shipped. Most of these movements change the value of inventory in some way.

Receipts and Issues

Receipts (items received from a supplier or shop)

- Value of inventory increased and inventory account debited

Issues (items removed from stock)

- Work in Process (WIP) account is debited (increased) if it is a work order issue
- Inventory account is credited (decreased)

Transfers

Movement from one inventory location to another, for example, from inspection to stock.

- Within a site, transfers do not affect inventory value

Shipments

A shipment is a movement from finished goods to the customer.

- Inventory credited
 - Cost of goods sold is debited
- Invoicing debits Accounts Receivable

Adjustments

An adjustment can be a change in inventory at a location, due either to a cycle count or physical inventory.


- May be an adjustment to the GL cost of an item (revaluation)
- Debits or credits inventory and does the opposite to inventory discrepancy account

On-Hand Inventory

On-hand inventory balance for an item can be detailed by site, stock location, status, lot/serial number, and lot reference.

On any inventory transaction, you must specify the same detail that you set up for the item in Item Master Maintenance (1.4.1) or Item Inventory Data Maintenance (1.4.5).

Inventory Transactions – Receipts



Receipt transactions are created by:

- Receipts - Sales Order Return (3.10)
- Purchase Order Receipts (5.13.1)
- Distributed Order Receipt (12.15.20)
- Work Order Receipt (16.11)
- Work Order Receipt Backflush (16.12)
- Repetitive Labor Transaction (18.14)
- Backflush Transaction (18.22.13)
- Move Transaction - Advanced Repetitive (18.22.19)
- RMA Receipts (11.7.1.13)
- Receipts - Unplanned (3.9)
- Receipts - Backward Exploded (3.12)

Receipts (items received from a supplier or shop)

- Value of inventory increased and inventory account debited

Receipts - Sales Order Return

Receipts – Sales Order Return

Item: 01010
Item Number: 01010
Site: 10-100

Item Number: 01010
Description: Medical Ultrasound

Quantity: 1.0
Unit of Measure: EA
Conversion: 1.0000

Unit Cost: 245.33333

Order:

Line: 0

Sales/Job:

Address:

Remarks:

Effective Date: 10/4/2010

Debit Account:

Credit Account: 4300 Mech Sales Returns

Lot/Serial Control: S UM: EA

Site: 10-100
Location: 010
Lot/Serial: s104

Reference:

Multi Entry: ☐

Total Qty: 1.0
Total Cost:

Records the receipt and tags it as a return.

- Use only if the Sales Orders/Invoicing module is not implemented
- Does not update sales/commission history or generate a credit invoice
- If Multi-Entry = Yes, another screen pops up for entering a list of sites, locations, lot/serial, and lot reference numbers, together with a quantity for each one
- If the item you are receiving is designated lot/serial controlled, enter a lot/serial number
- Multiple sites and locations, lot/serial and lot reference numbers can be specified on one transaction using the Multi-Entry option

Purchase Order Receipts

Purchase Order Receipts

Order: P101
Supplier: 10-300
Status:
Packing Slip:

Ln	Item Number	UM	Qty Open	UM	Receipt Qty	UM	Project	Due Date	T
1	60001	EA	10.0	EA	0.0	EA		10/4/2010	
2	60002	EA	10.0	EA	0.0	EA		10/4/2010	

Line:

Unit of Measure:

Site:

Loc:

Quantity:

ID:

Lot/Ser:

Packing Qty:

OP:

Reference:

Cancel B/O: ☐

Supplier Lot:

Chg Attribute: ☐

Item Number:

Multi Entry: ☐

Supplier Item:

Commts: ☐

IC-PR-060

- Record receipts against both purchase orders and supplier schedules
- Process multiple line items in a single transaction
- Correct errors made in receiving by entering negative quantities
 - May require reopening a purchase order line to do this

Distributed Order Receipt

Distributed Order Receipt

Distributed Order Receipt X

Go To Actions Copy Print Preview

Site: 900 Order Number: DO-2002 Source: QMS-PR Date: 10/8/2008
Use Shipment Information: ☒

Item Number	Site	Req Nbr	Qty Ordered	Qty Open	Receipt Qty
10-00	900	1	15.0	15.0	15.0

Item Number: 10-00 Req: 1 Site: 900 Loc: FGI
Description: Wheel, 26" Composite Lot/Serial:
Quantity Open: 15.0 UM: EA Reference:
Qty to Receive: 15.0 Multi Entry: ☐

QAD

IC-PR-090

At a source site, you can process several intersite requests at one time by combining them in a distribution order, the same way purchase requisitions are combined into purchase orders.

Work Order Receipt

Work Order Receipt

Work Order: 1 ID: 2280862 Site: 10-100

Work Order: 1 ID: 2280862 Effective: 10/4/2010

Remarks: Batch:

Item Number: 01010 Lot/Serial Control: S UM: EA

Description: Medical Ultrasound W/O Stat: R

Open Quantity: 1.0 Automatic Lot Numbers: ☐

Document:

Quantity: 0.0 Site: 10-100

UM: EA Location: 010

Conversion: 1.0000 Lot/Serial: s100

Scrapped Qty: 0.0 Reference:

UM: EA Multi Entry: ☐

UM Conversion: 1.0000 Set Attributes: ☐

Remarks: Total Units: 0.0

Close: ☐

QAD IC-PR-100

Increases inventory quantities at designated sites and locations and decreases work in process (WIP).

Updates work orders to reflect the quantity completed and scrapped, and decreases the quantity open for MRP.

Scrapped Qty. •The number of items rejected on this work order

- Reject quantity appears on work order history and cost reports
- Total GL cost of the rejected items posts to the scrap account

Ref. •Lot reference, with site, location, and lot/serial number, specifically identifies inventory quantities

- May be either the production lot of the item or a location reference such as a skid, roll, or pallet number

Multi Entry. •Indicates whether this inventory transaction references multiple sites and locations, or multiple lot/serial numbers or lot reference numbers

- If Multi Entry = No, this inventory transaction is processed using the site, location, lot/serial, and lot reference entered on this screen
- If Multi Entry = Yes, another entry screen is displayed where you can enter multiple lines for this inventory transaction.

(See screenshots labeled Multi-Entry below.)

Each line lets you enter a site, location, lot/serial, lot reference number, and quantity
The open quantity on the order will be updated to reflect the total entered in the multi-entry screen

Set Attributes. • Indicates whether to accept the default inventory attributes

- Set Attributes = No receives the items into the inventory location specified and assigns the default inventory attributes
- Set Attributes = Yes lets you enter the Inventory Status, Assay%, Grade, Expire Date, and Active settings

(See screenshot labeled Set Attributes following Multi-Entry.)

Multi-Entry

Multi Entry – 1 of 3

Work Order: 1 ID: 2280862 Site: 10-100

Open Quantity:	1.0	Automatic Lot Numbers:	☐
Document:		Site:	10-100
Quantity:	0.0	Location:	010
UM: EA		Lot/Serial:	s100
Conversion:	1.0000	Reference:	
Scrapped Qty:	0.0	Multi Entry:	☒
UM: EA		Set Attributes:	☒
UM Conversion:	1.0000	Total Units:	0.0

Remarks:

Close:

Back Next

Multi-Entry – 2 of 3

Work Order: 1 ID: 2280862 Site: 10-100

Open Quantity: 2.0 Automatic Lot Numbers: ☐

Receipt Detail - Quantity: 0 EA

Docu	Site	Location	Lot/Serial	Reference	Quantity
Que	10-100	010	m101	1a	1.0
	10-100	010	m102	2b	1.0

Conve

Scrapped Qty: 0.0 Reference:

UM: EA Multi Entry: ☒

UM Conversion: 1.0000 Set Attributes: ☒

Total Units: 0.0

Site	Location	Lot/Serial	Reference	Quantity
10-100	010	m102	2b	1.0

Total lot/serial quantity entered: 2

Back Next

Multi-Entry – 3 of 3

Work Order: 1 ID: 2280862 Site: 10-100

10-100	010	k100	A	1.0
10-100	010	k101	B	1.0

Is all information correct

Set Attributes

Set Attributes

Work Order: 1

ID: 2280862

Site:

Open Quantity: 2.0

Automatic Lot Numbers: ☐

Document:

Quantity: 2.0

UM: EA

Conversion: 1.0000

Scrapped Qty: 0.0

UM: EA

UM Conversion: 1.0000

Site:

Location:

Lot/Serial: k101

Receipt Attributes

Assay Percentage: 0.00%

Grade:

Expire Date:

Inventory Status: N-Y-N

Use As Default: ☐

Active: ☒

Active: ☒

Active: ☒

Active: ☒

Remarks:

Close: ☐

Back

Next

 QAD

IC-PR-107

Work Order Receipt Backflush

Work Order: 1 ID: 2280862 Site: 10-100

Remarks:

Open Quantity: 20.0 UM: EA Lot/Ser: S

Batch: Automatic Lot Numbers: ☐

Quantity: 20.000000000 Site: 10-100

UM: EA Location: 010

Conversion: 1.0000 Lot/Serial:

Scrapped Qty: 0.0 Reference:

UM: EA Multi Entry: ☐

UM Conversion: 1.0000 Chg Attributes: ☐

Total Units:

Remarks: Document:

Close: ☐

Back Next

Repetitive Labor Transaction

Repetitive Labor Transaction

Item: 01010 Employee: 10-EMP01 Site: 10-100 Item Number

Employee: 10-EMP01 Alex Erikson

Document:

Effective: 10/4/2010 Shift:

Item Number: 01010 Site: 10-100

Operation: 10 Medical Ultrasound

Line: 10-100 ASSEMBLE COMPONENTS

Routing: U-001 BOM Code: 01010 ID: 2280880

Work Center: 1000 Machine: General Assembly

Department: 0400 Assembly

Act Run Time: 5.0 Start Time:

Earning Code: Elapsed or Stop Time:


IC-PR-120

BackflushTransaction - Advanced Repetitive

Backflush Transaction - Advanced Repetitive

Item: 01010
Employee: 10-EMP01
Site: 10-100

Employee: 10-EMP01 Alex Erikson

Document:

Effective: 10/4/2010 Shift:

Item Number: 01010 Medical Ultrasound

Operation: 10 ASSEMBLE COMPONENTS

Line: 10-100

Routing: U-001 BOM Code: 01010 ID: 2280880

Work Center: 1000

Department: 0400

Qty Processed: 10

Qty Scrapped: 0.0

Qty Rejected: 0.0

Reject To Op: 10

Actual Run Time: 0.0

Earning Code:

Machine: General Assembly

Assembly

UM: EA

Reason Code:

Reason Code:

Modify Backflush:

Conversion: 1.0000

Multi Entry:

Multi Entry:

Move Next Op: ☒

Start Time:

Elapsed or Stop Time:

IC-PR-130

Combines the functionality of Work Order Component Issue (16.10) and Work Order Receipt (16.11).

- Allows backflushing of quantities different from those received
- Keeps track of inventory transactions used to issue components to a work order and excludes floor stock

Move Transaction - Advanced Repetitive

Complete and review before starting the new period.

- Provides feedback for repetitive operations
- Requires use of an employee code
- Triggers inventory transactions to backflush components and receive completed units

Transfer a quantity from the input queue of a manufacturing operation to the output queue of the following operation.

- If there is no following operation, transfer to finished material inventory

When entering a repetitive transaction for the first time, the system creates a cumulative work order.

- Cum orders contain work in process quantities and values

When the cum order is created, the routing and product structure as of the effective date entered, along with work center labor and burden rates, are captured into the cum order

A cost roll-up is performed on the captured data

For standard-costed finished items, these captured and rolled-up costs are used as the rates at which resources are added to or removed from WIP

- General ledger postings are generated for the receipt of finished materials
- General ledger transactions are stored in the unposted transaction table until they are posted

Use this transaction to register production at a manufacturing operation.

- Consumes (backflushes) resources required by the operation
The value of these resources is added to work in process
Reject and scrap quantities may be entered (optional)

The quantity processed, less any reject and scrap, may be moved to the next operation with a receipt to finished material inventory if it is the last operation.

Receipts - Backward Exploded

Receipts - Backward Exploded

Item: 01010
Item Number: 01010
Site: 10-100

Item Number: 01010

Description: Medical Ultrasound

WIP Site: 10-100

Quantity: 1.0

Unit of Measure: EA

Conversion: 1.0000

Lot/Serial Control: S

UM: EA

Site: 10-100

Location: 010

Lot/Serial: s103

Reference:

Multi Entry: ☐

Order:

Sales/Job:

Address:

Remarks:

Effective Date:

Credit Account:

Modify Backflush: ☐

Useful to make up kits, tear down subassemblies, “converting” part numbers, assembling packaging, etc., when a work order is not needed. Care should be exercised when used to “tear down” an assembly. Be sure you understand the accounting effects of undoing work which has been completed. Use the Receipts - Backwards Exploded transaction to receive the reported Item Number and optionally issue the components in the BOM of the reported Item.

Return Material Authorization (RMA) Receipts

RMA Receipts

Sales Order: R1009 Site: Order: R1009 Effective: 10/4/2010 Document: Receive All: Sold-To: Site:

QAD IC-PR-150

- Records customer return for credit, repair, or replacement.
- Items are put into inventory at specified site and location and customer credit is recorded.
- Once all line items have been received and shipped and all quantities posted, the system removes the RMA.

Receipts - Unplanned

Receipts - Unplanned

Item: 50001 Item Number: 50001 Site: 10-100

Item Number: 50001 Lot/Serial Control: S UM: EA
Description: Probe Unit - 10 Mhz

Quantity: 1.0 Site: 10-100
Unit of Measure: EA Location: 020
Conversion: 1.0000 Lot/Serial: s101
Reference:
Multi Entry: ☐ Total Qty: 1.0
Total Cost:

Unit Cost: 21.47882
Order:
Line: 0
Sales/Job:
Address:
Remarks:
Effective Date: 10/4/2010
Debit Account:
Credit Account: 6610 Mech ADM Purchases-Project

QAD IC-PR-160

A receipt not related to any open sales, purchase, manufacturing, or quality order is an unplanned receipt.


- Use to record receipt of miscellaneous inventory (floor stock items sent back from production, or materials sent back from engineering)
- If the item you are receiving is designated lot/serial controlled, enter a lot/serial number
- For multiple sites and locations, lot/serial and lot reference numbers can be specified on one transaction using the Multi-Entry option

Use unplanned receipts to record:

- Miscellaneous inventory receipts (floor stock items sent back from production or materials sent back from engineering, for example)
- Receipt of materials from a manufacturing order that has already been closed for accounting purposes
- Can also be used to enter initial inventory balances when first implementing

Note In a tightly controlled environment there should be no usual use of unplanned transactions. Floor stock items could be transferred from stock room to workcenter stock location, then if sent back to the stock room its another transfer. Partial work order receipts are OK but no work order with open WIP should ever be closed by accounting.

Inventory Transactions – Issues



Issue transactions are created by:

- Sales Order Shipments (7.9.15)
- Work Order Component Issue (16.10)
- Purchase Order Returns (5.13.7)
- Return to Supplier Menu (RTS) (3.8)
- Issues - Unplanned (3.7)
- Distribution Order Shipments (12.17.22)

Sales Order Shipments

Sales Order Shipments

Sales Order: s100 Site: 10-100

Order: s100 Ship Allocated: ☐ Sold-To: Site: 10-100

Effective: 10/4/2010 Ship Picked: ☒ Document:

QAD IC-PR-200

Allocations

- Ship Allocated = Yes
- Ship Picked = No

Picklists/Packing Lists

- Ship Allocated = No
- Ship Picked = Yes

QAD Enterprise Applications displays all open line items and quantities for the specified order. Select line items and specify quantity for shipping.

Warning messages are displayed when:

- The order value in base currency is less than the control table value, if the Minimum Shipment Amount flag in the Sales Order Control Program (7.1.24) is set to Yes
This message can also display in Sales Order Maintenance (7.1.1) and Sales Order Credit Maintenance (7.1.13)
- The cumulative quantity shipped for a scheduled line exceeds the maximum order quantity for that line

After selecting and verifying all items to ship, QAD Enterprise Applications displays the trailer information (financial). You can now enter information such as freight charges, special charges, bill of lading numbers and carrier information.

Work Order Component Issue

Work Order:1 ID: 2280862 Item:

Work Order: 1 ID: 2280862 Op: Effective: 10/4/2010
 Item Number: 01010 WO Stat: R Issue Alloc: ☐
 Document: Medical Ultrasound Issue Picked: ☒

Item Number	Qty Open	Qty Alloc	Qty Picked	Qty to Iss	Qty B/O
50001	20.0	19.0	1.0	1.0	19.0
60001	20.0	19.0	1.0	1.0	19.0
60002	20.0	19.0	1.0	1.0	19.0

Item Number: Op: Site: Loc:
 Description: Lot/Serial:
 Quantity: UM: Reference:
 Substitute: ☐ Cancel B/O: ☐ Multi Entry: ☐

QAD IC-PR-210

There are two ways to issue inventory to a work order:

- 1 Directly, using Work Order Component Issue (16.10)
- 2 As completed products are received, using Work Order Receipt Backflush (16.12)

Work Order Receipt Backflush:

Combines the functionality of Work Order Component Issue and Work Order Receipt

Allows backflushing of quantities different from those received

Both methods keep track of inventory transactions used to issue components to a work order and exclude floor stock issued using an unplanned issue transaction.

Purchase Order Returns

Purchase Order Returns

Purchase Order: P101
Ship From: 10-100

Purchase Order: P101
Supplier: 10-300
Status:
RTV Nbr: trv1

Purchase Order Line Items								
Ln	Item Number	UM	Net Received	UM	Return Qty	UM	Project	Due Date
1	60001	EA	10.0	EA	10.0	EA		10/4/2010
2	60002	EA	10.0	EA	10.0	EA		10/4/2010

Line:

UM:

Site:

Loc:

Quantity:

ID:

Lot/Serial:

Packing Qty:

OP:

Reference:

Item Number:

Multi Entry: ☐

Supplier Item:

Reason:

Comments:

IC-PR-220

There are two ways to return goods to a supplier:

- 1 If the purchase order still exists, use Purchase Order Returns (5.13.7)
- 2 Use Purchase Order Maintenance (5.7) to enter a new line or, if necessary, a new order for the items to be returned
 - Enter the quantity as negative
 - Receive the items in Purchase Order Receipts (5.13.1)

Return to Supplier (RTS) Menu

Return To Supplier RTS Maintenance

RTS Maintenance X

Go To Actions Copy Print Preview

RTS: R2 Supplier: SU100 Ship-To: SU100

Supplier
San German Tube & Wire
348 Calle Comerio Luna

San German
PUERTO RICO

Ship-To
San German Tube & Wire
348 Calle Comerio Luna

San German
PUERTO RICO

Order Date: 10/8/2008 Taxable: ☐ Currency: USD Project: Site: QMS-PR
Bill To: QMS-PR Required Date: Expected Date: Language: us
RMA Contract: Ln Disc: 0.00% Credit Terms: 1M
Contract Type: Imp/Exp: ☐ Comments: ☐
Remarks:


IC-PR-230

Records that you have returned a certain quantity of an item to a certain supplier and are expecting either replacement items or a credit, in the Service and Support Module.

Issues - Unplanned

Issues - Unplanned

Item Number: 60002 Lot/Serial Control: UM: EA
 Description: Display / Readout

Quantity: 1.0 Site: 10-100
 Unit of Measure: EA Location: 020
 Conversion: 1.0000 Lot/Serial:
 Reference:
 Multi Entry: ☐ Total Qty: 1.0
 Total Cost:
 Unit Cost: 22.00
 Order:
 Line: 0
 Sales/Job:
 Address:
 Remarks:
 Effective Date: 10/4/2010
 Debit Account: 5770 Mech Cost of Production
 Credit Account:

QAD IC-PR-240

An issue not involving open sales, purchase, manufacturing, or quality order is an unplanned issue.

- Normally there is just one entry screen
- If you set Multi-Entry to Yes, you can enter a list of sites, locations, lot/serial, and lot reference numbers, and a quantity for each one

Use unplanned issues to record miscellaneous inventory issues such as

- Floor stock items sent out to production
- Materials sent to engineers for building 10-100types or testing

Use the transactions in the Inventory Transfer Menu (3.4) instead of an inventory issue/receipt to record transfers. Transfer functions maintain complete lot/serial traceability. For example give engineering an inventory location that is non-nettable and not available and transfer the material they request. Accounting can then expense the value of the items to the engineering budget on a monthly or quarterly basis.

Distribution Order Shipments

Distribution Order Shipments

Distribution Order Shipments

Go To Actions Copy Print Preview

Order Number: DO-2002

Site: QMS-PR

Ship-To: 900

Date: 10/9/2008

Ship Allocated:☐

Ship Picked:☒

Item Number	Site	Req Nbr	Qty Conf	Qty Open
-------------	------	---------	----------	----------

Item Number: 1000-00

Req: 2

Site:

Loc:

Description:

Lot/Serial:

Qty Open:

UM:

Reference:

Qty to Iss:

Multi Entry:☐


Cancel B/O:☐

 QAD

IC-PR-250

Records that you have sent items to another site in your company. These items are taken out of your inventory and moved to an in-transit site and location.

Inventory Transactions – Transfers



Transfer transactions are created by:

- Transfer - Single Item (3.4.1)
- Transfer - Multi Item (3.4.2)
- Transfer With Lot/Serial Change (3.4.3)

Occasionally inventory is moved to a different location for storage (from inspection to stock, for example). This is known as a transfer-inventory movement instead of inventory use. The three types are listed above and discussed on the following pages.

Transfer - Single Item

Transfer - Single Item

Item: 60003

Item Number: 60003

Sales/Job:

Item Number: 60003

Description: Keyboard

Unit of Measure: EA

Quantity: 1.0

Effective Date: 10/4/2010

Work Order:

Sales/Job:

Remarks:

From

To

Site: 10-100

Site: 10-200

Location: 020

Location: 020

Lot/Serial:

Lot/Serial:

Reference:

Reference:

Status: Y-Y-N

Inventory Status:

Import/Export: ☐

 QAD

IC-PR-280

Transfer a specified quantity of a single item from one location to another. When the inventory status code of the From and To locations differ, you can select which one to use for the item.

Transfer - Multi Item

Transfer - Multi Item

Item: 60001
Item Number: 60001
To: 60002

Item Number:

Prod Line:

Supplier:

ABC Class:

Remarks:

Transfer From Site:

Transfer To Site:

Imp/Exp: ☐

Effective Date:

Transfer if different status: ☐

Transfer if zero on hand: ☐

To:

To:

To:

To:

Location:

Location:

Output:

Batch ID:


IC-PR-290

The entire quantity of the inventory item is transferred from one location to another.

- Cannot transfer a partial quantity
- Generates a report showing the items and quantities transferred

Transfer With Lot/Serial Change

Transfer With Lot/Serial Change

The screenshot displays a software window titled "Transfer With Lot/Serial Change". At the top, there are three tabs: "Item: 60002", "Item Number: 60002", and "Sales/Job:". The main form area is divided into two columns. The left column contains fields for "Item Number: 60002", "Description: Display / Readout", "Unit of Measure: EA", "Quantity: 1.0", "Effective Date: 10/4/2010", "Work Order:", "Sales/Job:", "Remarks:", "From Site: 10-100", "Location: 020", "Lot/Serial:", "Reference:", "Status: Y-Y-N", and "Import/Export: ☐". The right column contains fields for "To Site: 10-200", "Location: 020", "Lot/Serial: 123", "Reference:", and "Inventory Status:". Each of the "To" fields has a magnifying glass icon next to it, indicating a search function. The QAD logo is in the bottom left corner, and the text "IC-PR-300" is in the bottom right corner.

Changes lot/serial and lot reference numbers associated with an item (in addition to site and location). This is particularly useful for tanks and silos where it is common to pump from one or more tanks into a third tank to create a blended material with a new lot number.

Batchload Transfer with Lot-Serial Change

Batchload Transfer with Lot/Serial Change

Item: 60003
Item Number: 60003
Sales/Job: N

Order:

Sales/Job:

Remarks:

Transfer Allocated Inventory: ☒

Use default status for new location: ☒

From:

Site: 10-100

Location: 020

Lot/Serial:

Reference:

Inventory Status: Y-Y-N

Import/Export: ☐

Status Conflict (To/From): To

New Status:

To:

Site: 10-200

Location: 020

Lot/Serial: 1234

Reference:

Inventory Status:

Back Next

Most QAD reports offer an extensive range of selection options. For the reports you use most often become familiar with how the report setup will affect the end result. For example many reports offer a choice of summary or detail format. This can have a dramatic effect on the output. Refer to the sample Inventory Detail Reports to see the effect of selecting summary or detail. This is the same inventory record display as a one line summary and with complete detail. The range of selection criteria, sort criteria, effect date ranges allow reports to be tailored to a great extent.

Inventory Transactions – History

Inventory Control Processing



- Inventory Transactions
- Receipts
- Issues
- Transfers
- **History**
- Maintenance
- Cycle Count
- Physical Inventory

Transaction Detail Inquiry

Unallocated Inventory Inquiry

10/04/10

Item Number	Site	Location	Lot/Serial	Status	Output PAGE
01010	10-100				
Site Summary					
Description	Site	Avail	Status	Qty On Hand	UM Qty Allocated
Medical Ultrasound	10-100	3.0	EA		1.0
Location Detail					
Location Ref	Lot/Serial	Status	Created	Expire	Qty Unallocated Grade
010	s100	Y-Y-N	10/04/10		1.0
010	s101	Y-Y-N	10/04/10		1.0
010	s102	Y-Y-N	10/04/10		1.0

IC-PR-360

- 1 Transactions types define the source of an entry
- 2 The User ID of the person who entered the transaction is stored

Every inventory transaction is registered in an inventory transaction history table that:

- Traces quantity discrepancies and gives complete lot/serial traceability
- Stores the login ID of the person making the transaction

If a person walks away from inventory transaction history screens without logging off, he will be the person of record for subsequent transactions

- Records date, transaction type, item, and order number

Transaction types are used here to define the source of an entry

ORD-SO is used for booking history and tracking sales order line item changes

Inventory Transaction Types

- Issues
- Receipts
- Transfers
- Changes
- Counts

- Bookings

Transactions by Item Browse/Inquiry (3.21.2) lists transactions in reverse order by transaction number for a specific item.

Other reports such as Transactions by Order Report (3.21.3) and Transactions Accounting Report (3.21.16) give a variety of selection criteria for the audit trail, including all transactions:

- For a date
- For an order
- Unplanned

Transactions Detail Inquiry - Inventory Data

Inventory Control Processing



- Inventory Transactions
- Receipts
- Issues
- Transfers
- History
- **Maintenance**
- Cycle Count
- Physical Inventory

Stock Availability Browse

Detail Maintenance by Item/Lot

Go To Actions Copy Print Preview Attach

Lot/Serial: Site: 10-100

Item Number	Lot/Serial	Site	Location	Reference
50001		10-100	020	

Inventory Detail

Item or Lot	Site	Location	Reference	Status	Expire	Gr	Assay %
100	10-100	020		Y-Y-N			0.00%
s100	10-100	020		Y-Y-N			0.00%



IC-PR-390

Use Stock Availability Browse (3.17) to check on the availability of stock in a single site or in all sites.

Allocated Inventory Inquiry

Allocated Inventory Inquiry

Allocated Inventory Inquiry X

Go To ▾

Actions ▾

Copy ▾

Print

Preview

Attach

Attachments

Item Number	Site	Location	Lot/Serial	Status
1000-10				

 QAD

IC-PR-350

Unallocated Inventory Inquiry

Unallocated Inventory Inquiry


10/04/10

Item Number	Site	Location	Lot/Serial	Status	Output
01010	10-100				PAGE

Site Summary

Description	Site	Avail	Status	Qty On Hand	UM	Qty Allocated
Medical Ultrasound	10-100	3.0	EA			1.0

Location Detail

Location Ref	Lot/Serial	Status	Created	Expire	Qty Unallocated	Grade
010	s100	Y-Y-N	10/04/10		1.0	
010	s101	Y-Y-N	10/04/10		1.0	
010	s102	Y-Y-N	10/04/10		1.0	


IC-PR-360

- Review non-detail-allocated inventory for a specified item
 - Site information shows quantity on hand and quantity allocated
 - Location information shows unallocated quantity for the location
- View expiration date and grade

Note Unallocated quantity can include quantities reserved by general allocations.

Using Inventory Reports

Using Inventory Reports

Inventory Detail Report

Go To Actions Copy Print Preview

Prod Line: To:

Item Number: To:

Lot/Serial: To:

ABC Class: To:

Site: To:

Location: To:

Grade: To:

Assay Percentage: 0.00% To: 0.00%

Inventory Status: To:

Expire Date: To:

Subtotal by Item and Location: ☐

Summary/Detail: Detail

QAD IC-PR-365

Most QAD reports offer an extensive range of selection options. For the reports you use most often, become familiar with how the report setup will affect the end result. For example, many reports offer a choice of summary or detail format. This can have a dramatic effect on the output. Refer to the sample Inventory Detail Report to see the effect of selecting summary or detail. This is the same inventory record displayed as a one line summary, and with complete detail. The range of selection criteria, sort criteria, and effect date ranges allow reports to be tailored to a great extent.

Inventory Detail Maintenance by Item/Lot

Inventory Detail Report

Inventory Detail Report

10/04/1

10USA

Line	Item Number	Site	ABC UM	Qty on Hand	Avail Status Qty On Hand	QOH Non-nettable	Qty Required	Qty Allocated	Qty on Order
10	01010 Medical Ultrasound	10-100	EA	3.0	3.0	0.0	1.0	1.0	53.0
	Location Lot/Serial	Ref		Qty on Hand	Qty Allocated	Created	Expire	Grade Assay % Status	Avail Net OvrIs
	010 s100			1.0	0.0	10/04/10		0.00% Y-Y-N	Yes Yes No
	010 s101			1.0	0.0	10/04/10		0.00% Y-Y-N	Yes Yes No
	010 s102			1.0	0.0	10/04/10		0.00% Y-Y-N	Yes Yes No
Line	Item Number	Site	ABC UM	Qty on Hand	Avail Status Qty On Hand	QOH Non-nettable	Qty Required	Qty Allocated	Qty on Order
20	60001 Durable Plastic Housing	10-100	EA	13.0	13.0	0.0	53.0	20.0	0.0
	Location Lot/Serial	Ref		Qty on Hand	Qty Allocated	Created	Expire	Grade Assay % Status	Avail Net OvrIs
	020			13.0	3.0	10/04/10		0.00% Y-Y-N	Yes Yes No
Line	Item Number	Site	ABC UM	Qty on Hand	Avail Status Qty On Hand	QOH Non-nettable	Qty Required	Qty Allocated	Qty on Order
20	60002	10-100	EA	11.0	11.0	0.0	53.0	20.0	1.0

IC-PR-36

Review and modify the attributes of items held in inventory at a particular site and location. Expire date can be set manually or by the system if shelf life is defined in Item Inventory data. Grade Code and Assay are user defined and may mean anything you wish. Grade B dairy products being an example. Assay is a decimal formatted field and could be used for any value of use to your business

- Expire Date
- Grade
- Assay%
- Inventory Status

Three ways to assign inventory attributes

- Preset using attribute default settings
- Set at the time of receipt using the Chg Attributes field in receipt functions
- Modify using:
 - Inventory Detail Maintenance (3.1.1)
 - Detail Maintenance by Item/Lot (3.1.2)
 - Multi-Lot Inven. Detail Update (1.22.19)

Separate inventory attributes are stored for each combination of

- Site

- Location
- Item number
- Lot/serial
- Reference

Note This function changes inventory attributes for a specific Item Number at a particular Site and Location and should be password controlled. Review and modify inventory attributes of a particular Item Number and/or Lot/Serial

- Use Site, Location, and Ref to further classify selections

Note This function should be password controlled.

Exercise: Inventory Transactions

In this section, we will practice entering unplanned inventory transactions and review inventory balances and transaction history.


- 1 Use Receipts - Unplanned (3.9) to receive each of the following items at site 10-100:

Item	Quantity	Location
60001	100	020
60002	100	020
60003	200	020
60005	200	020
60006	200	020

- 2 Use Stock Availability Browse/Inquiry (3.17) to review the quantity on hand for the common components (60001 to 60006) at site 10-100.
- 3 Use Transactions by Item Browse/Inquiry (3.21.2) to look at the transaction history that was created by the unplanned receipt transaction. Note the Trans Type. The system automatically assigned this type.

Note Use Inventory Valuation Report (3.16.13) to view an inventory valuation report for site 10-100.

Cycle Count




A cycle count is a periodic count.

The frequency with which an item is counted is based on its ABC class.

Companies with an established Cycle Count Business Process count several items every day as part of that process.

- Review total item quantities on hand for a site
- View allocated and unallocated quantities for an item
- Allocated quantity detail information includes:
 - Type of order (sales order or work order)
 - Order number
 - Quantity allocated
 - If it is a detail (Picked) or a general (Qty Alloc) allocation

Count Frequency



Each item has a specified count frequency.

- Whenever a count is entered, the last count date is updated
- When the item is due for another count, it will print on the worksheet

When a new count is taken, the quantity counted is entered and compared to the quantity on hand. If the new count is within tolerance, the inventory quantity on hand is updated to the count quantity. If the count is not within tolerance, the count is registered but the balance is not updated. The count has to be registered as a recount before an out-of-tolerance quantity can be forced into the system.

Before entering a recount, verify the physical count and check that all inventory transactions have been processed.

Cycle Count Worksheet Print

Cycle Count Worksheet Print

Item: 01010
Item Number: 01010
To: 90093

Item Number:

Product Line:

Type:

Site:

Location:

Last Count:

ABC Class:

To:

To:

To:

To:

To:

To:

Number of Items:

Sort by Item or Site:

Customer Consigned:

A:

B:

C:

Other:

Past Due Only: ☐

New Page on Site: ☐

New Page on Location: ☒

Print Bar Code: ☐

Randomize Selection: ☐

Supplier Consigned:

Print Quantity QH: ☒

Include Zero Quantity: ☒

Include Negative Inventory: ☒

Include Phantom Items: ☒

Output:

IC-PR-430

- Typically sent daily or weekly to the stockroom
- Cycle counts are recorded and used for Cycle Count Results (3.14)
- Date Counted column is reserved for the date of the physical count completed by stockroom personnel

Once printed, stockroom personnel will use the worksheet to record their cycle counts and then return it to the system operator for input.

Note It is essential that the timing of input for issues and receipts coincide with the Cycle Count Results Entry (3.14).

Item-Site Inventory Data Maint

Item-Site Inventory Data Maintenance

Item: 01010 Item Number: 01010 Site: 10-100

Item Number: 01010 Description: Medical Ultrasound
 Site: 10-100 UM: EA

ABC Class: Average Interval: Last Issue:
 Lot/Serial Control: Cycle Count Interval: Last Average:
 Location: Shelf Life: Last Count: 10/5/2010
 Location Type: Auto Lot Numbers: ☐ Key Item: ☐ PO Receipt Status: Active: ☐
 W/O Receipt Status: Active: ☒ Memo Order Type:



IC-PR-450

Last Count . •A system-maintained field recording the last date a cycle count or physical inventory count updated a location detail record.

- The default is the system date. Last count date can be used to select items for cycle counting, either by a range of dates or past due date only.

Cycle Count Results Entry

Cycle Count Results Entry

Cycle Count Type (I/R): Initial

Item Number: 60007	Tolerance Method: Qoh
Site: 10-100	Tolerance Percent: 5.00%
Location: 020	Tolerance Amount: 0.00
Lot/Serial:	GL Cost: 6.75
Reference:	Last Count:
Description: Movable Cart	Qty on Hand: 1.0

Quantity Counted: 3.0	Qty On Hand Variance: 200.00%
Unit of Measure: EA	Annual Usage Variance:
UM Conversion: 1.0000	Amount Variance: 13.50

Remarks:

Effective Date: 10/5/2010 ▼


IC-PR-460

If initial count matches the system quantity on hand, or if the difference is within predefined error tolerances, the system accepts the count and changes the inventory balance to the quantity counted.

If initial count is rejected:

- Was there a data entry error? A count error?
- Did you count the right item at the right location?

Often another physical count is taken. Enter the results as Cycle Count Type = Recount and the system changes the inventory balance to equal the number counted.

Error tolerance levels are the primary control over the cycle counting process.

- In the Inventory Control Program, you can enter both quantity and value tolerances for each ABC class, based on volume of annual usage or quantity on hand
- The count is accepted only when you enter an initial cycle count and the variance is within both the quantity and value tolerances

Override the tolerances and any location restrictions when you do a recount. Cycle Count Results Entry (3.14) allows you to correct any mistake previously made.

Cycle Count Results Report

Cycle Count Results Report

Last Count: 10/5/2010 ▼

Item Number:

Location:

Site: 10-100

To: 10/5/2010 ▼

To:

To:

To: 10-100

New Page on Location: ☐

Show Initial: ☒

Show Recounts: ☒

Show Errors: ☒

Output:

Batch ID:


IC-PR-470

Summarizes the cycle count results showing:

- Items counted
- In tolerance quantity
- In tolerance percent
- Items recounted

Exercise: Cycle Count

Instructions: In this activity, we will practice all of the steps involved in a cycle count.

- 1 Print a cycle count worksheet for all items and locations at site train. Set the A, B, C, and Other fields to 100 percent to make sure all items in every class appear on the printout. Next, make sure the Print Quantity OH field (near bottom) is set to Yes. Then press Enter or Next button.

Use Cycle Count Worksheet Print, (3.13) SE, (3.13.1)EE

- 2 Cycle Count Results Entry, (3.14)SE, (3.13.2)EE, to enter Initial count quantities as follows:

Item	Qty Counted	Location
60001	111	020
60002	100	020
60003	205	020
60005	180	020
60006	220	020

- 3 Print the Cycle Count Results Report (3.15 in SE; 3.13.3 in EE, or 3.13.27 for the enhanced .NET UI version in EE) for site 10-100. Identify and investigate the different counts. Which were accepted and which were not accepted? Why were some accepted and the others not accepted?
- 4 Use Cycle Count Results Entry, (3.14)SE, (3.13.2)EE, and Cycle Count Results Report, (3.15)SE, (3.13.3)EE, to enter recount quantities at the same amounts and locations as in the previous table for the initial count for items not in balance. Then reprint the Cycle Count Results Report, (3.15)SE, (3.13.3)EE, and notice the differences between this report and the first report.
- 5 What should you do when a count is out of tolerance? Think of at least five things you should do.

a

b

c

d

e


See in this training guide: Cycle Count Results

Physical Inventory

Inventory Control Processing



- Inventory Transactions
- Receipts
- Issues
- Transfers
- History
- Maintenance
- Cycle Count
- **Physical Inventory**



During physical inventory, production is stopped and many people are involved counting inventory. Every item is counted and there is usually no time to resolve problems associated with an incorrect balance.

Tag Delete/Archive

Tag Delete/Archive

Go To Actions Copy Print Preview

Tag Number:

Site:

Location:

Item Number:

Lot/Serial:

To:

To:

To:

To:

To:

Posted Only: ☒

Delete: ☐

Archive: ☐

Archive File:

Output:

QAD

IC-PR-520

Before creating new tags for the physical inventory, delete tags from the last physical inventory. Do this either after completing the physical inventory or before starting the next one. Usually you only delete tags posted using Inventory Balance Update (3.16.21).

Tag Delete/Archive

- Deletes specified tags
- Archives deleted tag information
- Generates a report showing all deleted tags

Inventory Balance Freeze

The screenshot shows the 'Inventory Balance Freeze' window. It features a menu bar with 'Go To', 'Actions', 'Copy', 'Print', and 'Preview'. The main area contains input fields for 'Site', 'Location', 'Product Line', 'Item Number', and 'ABC Class' on the left, and 'To:' fields on the right. Each input field has a magnifying glass icon. The QAD logo is in the bottom left corner, and 'IC-PR-530' is in the bottom right corner.

Freeze inventory balances before entering item counts. This makes a copy of the current quantity on hand for all selected inventory and this copy becomes the frozen inventory. The system uses the frozen inventory copy for all the physical inventory functions.

Enter outstanding inventory transactions before freezing inventory balances. Transactions that affect on-hand inventory balances can still be entered.

Suspend inventory transactions, especially during audited or year-end inventories to help ensure an accurate valuation of inventory and to simplify the audit process.

Freezing inventory does not prevent the system from processing regular inventory transactions on the quantity on hand. If you continue inventory transactions during the physical inventory, keep track of changes in inventory. When you enter the count quantities from the physical inventory, you must also include these changes.

The system selects inventory using one or more of the following:

- Site
- Location
- Product Line
- Item Number
- ABC Class

Create/Print Tags

- Create item tags from existing inventory balance records.
- Use tags to verify and correct quantity balances.
- Print item tags on standard-sized forms. Default form is 3 x 5 card stock.
- Create and print tags either before or after the inventory balance freeze.
- If inventory transactions are entered after item tag records are created, but before inventory balances are frozen, there may be inventory detail records without corresponding item tags, and vice versa.
- Use the tags to record the count information. If you need to recount an item, the recount information goes on the same tag.

Item Tag Create

Item Tag Create

Go To Actions Copy Print Preview

Site: To:

Location: To:

Product Line: To:

Item Number: To:

ABC Class: To:

Starting Tag Number: 1 99999999 Tags Available)

Include Zero Quantity: ☒

Include Negative Quantity: ☒

Customer Consigned: Exclude

Supplier Consigned: Exclude

Sort Option: 1

1 - Item, Site, Location, Lot/Serial
2 - Site, Location, Item, Lot/Serial
3 - Item, Lot/Serial, Site, Location


QAD IC-PR-540

Use item tags to verify and correct quantity balances.

Create tags for every item you specify. Select items by item number, site, product line, or ABC class. If you want tags for all items in the item master table, leave the selection criteria blank.

Bulk Tag Create

Bulk Tag Create



It is possible to create bulk tags that are not linked to any actual item number or location. Bulk tags are used in the event that you find an item at a location and the system has no record of it.

Create as many bulk tags as you need. They are identical to item tags, except the item information on the tag is blank. Use bulk tags to count items missing item tags.


- Before deleting bulk tags, void the tags using Tag Void Status Update (3.16.7)

Use any one of the following to find out how many bulk tags you need:

- Tag Inquiry (3.16.8)
- Tag Report (3.16.13)
- Uncounted Tag Report/Update (3.16.15)

Tag Print

Tag Print



Tag Number: To:

Reprint Tags: ☐
Print Bar Code: ☐
Forms Across:
Lines Per Form:
Form Width in Characters:
Maximum Print Width in Characters:

Output:
Batch ID:

 QAD IC-PR-560

Use Tag Print (3.16.6) to print both types of tags. If there is an error in the tags, delete them using Tag Delete/Archive (3.16.23), and create and print new tags.

Enter Initial Tag Counts

Tag Count Entry

Tag Count Entry X
 Go To Actions Copy Print Preview

Tag Number: 1

Site: QMS-PR QMS Puerto Rico

Location: FGI Finished Goods Inventory

Item Number: 10-00 UM: EA ABC Class:

Description: Wheel, 26" Composite

Lot/Serial: Ref:

Quantity Counted: Qty Recounted:

Count UM: EA  Recount UM:

Count Conv: 1.0000 Recount Conv:

Counted By: Recounted By:

Date Counted: Date Recounted:

Remarks:


IC-PR-570

Use to enter the tag count quantity into the system once tagged items are counted. All count quantities are accepted, even those that are out of tolerance.

Enter count quantity as of the inventory freeze. If you did not suspend inventory transactions after the freeze, you must take into consideration any inventory transaction activity occurring after it to ensure an accurate count total.

Action	Quantity
Frozen Inventory as of 9/30	100
Issue Quantity on 10/1	50
Cost Quantity on 10/2	47
Count Quantity entered on 10/2 (47+50)	97

Review Results

Inventory Variance Report

Inventory Variance Report
Go To Actions Copy Print Preview

Site: QMS-PR
Location:
Product Line:
Item Number:
ABC Class:

To: QMS-PR
To:
To:
To:
To:

Print Item Totals:☒
Print Location Totals:☒

Print Site Totals:☒
Print Lot/Serial Totals:☒

Minimum Variance Amount: 0.00

Sort Option: 2

1 - Item, Site, Location, Lot/Serial
2 - Site, Location, Item, Lot/Serial
3 - Item, Lot/Serial, Site, Location
4 - Variance Amount

Before updating inventory balances review the following:

- Inventory Variance Report (3.16.18), which flags out of tolerance counts
- Uncounted Tag Report/Update (3.16.15), which reviews any tags that have not had counts entered for them
- Tag Void Status Update (3.16.7)
 - Uncounted tags should have a count entered or be voided
 - The physical tag should be physically destroyed if voided

For items replaced by bulk tags, enter a count of zero to prevent the system from recording a double balance when the bulk tag count is entered.

Void/Zero Count Unused Tags

Uncounted Tag Report/Update

Item:
Site:
To:

Tag Number:

Site:

Location:

Item Number:

Lot/Serial:

To:

To:

To:

To:

To:

Sort Option: 1 - Tag Number

2 - Item, Site, Location, Lot/Serial, Tag Number

3 - Site, Location, Item, Lot/Serial, Tag Number

4 - Item, Lot/Serial, Site, Location, Tag Number

Set Tag Count To Zero: ☐

Output:
Batch ID:

Make sure all item and bulk tags are accounted for after completing the physical inventory count.

Identify any tags not counted or voided using Uncounted Tag Report/Update (3.16.15). This report only shows tags that have not been voided or set to zero.

You may have leftover item tags either because the items were not found or they were counted using bulk tags. These cannot be voided. You need to enter a quantity of zero for the item tag using Uncounted Tag Report/Update (3.16.15) with the Set Tag Count to Zero option set to Yes.

Any bulk tags that you are not going to use must be entered as void. Do this using Tag Void Status Update (3.16.7). Only bulk tags with a void status can be deleted.

Tag Recount Entry

Tag Recount Entry

Tag Recount Entry
Go To
Actions
Copy
Print
Preview

Tag Number: 4

Site: QMS-PR

Location: STK

Item Number: 10-04

Description: Hub front wheel

Lot/Serial:

Quantity Counted:

Count UM:

Count Conv:

Counted By:

Date Counted:

UM: EA

ABC Class:

Ref: B

Qty Recounted: 101.0

Recount UM: EA

Recount Conv: 1.0000

Recounted By:

Date Recounted: 10/15/2008


IC-PR-600

Once you enter the initial tag count, it can only be changed using Tag Recount Entry. You can change the count as many times as you like, until Inventory Balance Update is run.

- Enter item tags created in Item Tag Create (3.16.1), then enter Qty Counted
- For bulk tags, enter the tag number and Site and Location

Inventory Control Processing Summary

Inventory Control Processing Summary



- Inventory Transactions
- Receipts
- Issues
- Transfers
- History
- Maintenance
- Cycle Count
- Physical Inventory

Inventory Balance Update

Inventory Balance Update

Go To Actions Copy Print Preview

Site: QMS-PR Location: To: QMS-PR

Product Line: To:

Item Number: To:

ABC Class: To:

Update

Effective Date: 10/15/2008

Sort Option: 2

- 1 - By Item, Site, Location, Lot/Serial
- 2 - By Site, Location, Item, Lot/Serial
- 3 - By Item, Lot/Serial, Site, Location

QAD IC-PR-610

Once all bulk and item tags have been accounted for, update the actual inventory balances. Item quantity on-hand is updated with the difference between the frozen quantity and the count quantity.

This is a critical step. Performing this function updates on-hand inventory balances. Be sure all counts:

- Are correct as of the “freeze” date

- Include any inventory transactions that occurred after freezing the inventory balances

Exercise: Physical Inventory

Instructions: In this activity, we will practice all of the steps involved in a physical inventory count.

Important The data used in these exercises may not be the same as the data shown in the screen captures in this lesson.

- 1 Use Inventory Balance Freeze (3.16.4) to freeze the inventory balances for site 10-100. Leave the screen blank for all items and press Go. Note that you can do this before or after you print tags.
- 2 Use Item Tag Create (3.16.1) to create count tags in site 10-100 for the items in product line 1000 for item numbers 60001 through 60006. Set the Include Zero Quantity field to Yes.
Starting Tag Number is a system-maintained field that does not need to be modified.
Use Bulk Tag Create (3.16.2) to create two bulk tags.
- 3 Use Tag Print (3.16.6) to print the tags. Notice the sequence in which the tags print.
- 4 Enter the following counts using the appropriate tag numbers:

Item	Quantity	Location
60001	125	020
60002	100	020
60003	225	020
60005	200	020
60006	200	020

Use Tag Count Entry (3.16.11)

- 5 During the course of the physical inventory, you find 100 Probe units (50001) in a box at site 10-100, location 010. Use a bulk tag to record the count for this new item location.
Use Tag Count Entry (3.16.11)
- 6 Use Inventory Variance Report (3.16.18) to print the Inventory Variance Report for site 10-100. Identify items to be recounted.
- 7 Enter recounts for the items out of tolerance on the first entry. Date Recounted = today's date.
Use Tag Recount Entry (3.16.12)
- 8 Use Inventory Balance Update (3.16.21) to update inventory balances for the items counted. You must specify Yes in the Update Inventory field.
- 9 Use Stock Availability Browse (3.17) to review the new inventory balances for items in product line 1000. The inventory quantity on hand will be updated to the count amount.
- 10 Scroll through the transactions created by the physical inventory update.
Use Transactions Detail Inquiry (3.21.1)

Note For additional exercises, workshops, and study questions, see in this training guide Study Questions and Workshops.

Chapter 5

Obsolete Inventory Analysis

Obsolete Inventory Analysis Overview

Obsolete Inventory Analysis

- Current Surplus Inventory Report
- Projected Surplus Inventory Report
- Obsolete Inventory Analysis
 - New sub-module in QAD Enterprise Edition



IC-OIA-010

Current Surplus Inventory Report

Current Surplus Inventory Rep...

Go To Actions Copy Print Preview

Site: To:

Prod Line: To:

Item Number: To:

ABC Class: To:

Location: To:

Inventory Status: To:

Item Status: To:

Last Issue:

Cost Method (Current/GL): GL

Summary/Detail: Detail

Output:

Batch ID:

QAD IC-01A-020

The Current Surplus Inventory Report reads inventory transaction history (tr_hist) records to determine when each item in the selected range was last issued to a work order, a sales order, or an unplanned order. Inventory in locations that has not been issued since the selected Last Issue date is reported as surplus. If no appropriate tr_hist records are available, the less precise last issue date in the inventory master (in_mstr) is used. If the last issue date is not set, indicating there have been no issues for this item, the last receipt date from the inventory master is used to determine if the inventory qualifies as surplus.

The Current Surplus Inventory Report displays, by site and product line, the last issue date for an item, the expired quantity and valuation, and the quantity on hand and valuation. The expired quantity is the sum of all quantities with location detail records that are beyond the expiration date. The quantity on hand is the total available quantity on hand minus expired quantities. Each affected item is printed; totals are printed for each product line, site and for the report itself.

The Cost Method setting determines whether the valuations use current or GL costs. The Summary/Detail, when set to Summary, excludes item detail.

Projected Surplus Inventory Report

Different companies have different criteria for surplus inventory. The most common criteria is that anything over one year's supply is surplus so effective date would be set to today + 365.

The other common definition of surplus is end of run, i.e. I am going to make 200 of item A and then close down the line. In this case you would make sure that you had forecasts covering 200 of item A and sufficient qty of all other end items so that those items will be fully consumed between now and the effective date that you select. You then run MRP and then run the Projected Surplus Inventory report at that effective date. All non-surplus items are consumed (either by forecasts for other end products, or by forecasts for 200 A's). Any remaining items print on the Projected Surplus Inventory report and are those items left over after 200 sets of A have been built and that are not consumed by other demands.

The Projected Surplus Inventory displays, by site and product line, the quantity on order for an item, the expired quantity and valuation, and the ending quantity (depending on projection method) and valuation. Each affected item is printed; totals are printed for each product line, site and for the report itself.

- The quantity on order is the sum of all outstanding planned and scheduled supply orders.
- The expired quantity is the sum of all quantities with location detail records beyond the expiration date.
- The ending quantity and the items reported are controlled by the Project Method setting.

If you select the MRP projection method, the formula is:

$$\text{ending quantity} = \text{today's onhand_balance} - (\text{MRP demand between now and effdate}) + (\text{MRP supply between now and effdate}) > 0$$

When using MRP, run the Regenerate Materials Plan first to make sure that all supply and demand records are current. It is typical when using the Projected Surplus Inventory report in this way to create a forecast for unscheduled production and to make sure that the MRP horizon exceeds the selected date.


If you select the Average Usage projection method, the formula is:

$$\text{ending quantity} = \text{today's onhand_balance} - ((\text{effdate} - \text{today}) * (\text{avg usage})) > 0$$

When using Average Usage, run Item ABC Status Report/Update first in order to flush the accumulated Issue Change to Average Issues. Average issues is an exponentially smoothed average (see the APICS dictionary) with the Averaging Interval (in_avg_int) used as the smoothing constant.

The Cost Method setting determines whether the valuations use current or GL costs. The Summary/Detail, when set to Summary, excludes item detail. You can also include or exclude firm planned and planned orders.

Analyzing Obsolete Inventory



Use the programs in the Obsolete Inventory Analysis menu (3.5.1) as an analysis tool to identify inventory investments that depreciate and future demand for inventory. Once you identify and analyze obsolete inventory, your company financial experts can book a reserve, then use the reserve to create an inventory write-off.

The obsolete inventory analysis tool calculates an inventory supply value based on current inventory usage for specific inventory types over a predefined period. You define the inventory types. You can also create and assign depreciation rates for each inventory type.

You can use the obsolete inventory analysis tool to calculate demand for future inventory. You can choose to add the demand calculations to coverage calculations or use the greater of the two calculation results when determining the coverage.

You can specify transactions to extract for analysis; using Extract Consumption (3.5.1.7) or using Obsolete Inventory Analysis (3.5.1.9). Obsolete Inventory Analysis calculates the number of periods of supply coverage and the value of obsolete inventory reserve based on depreciation rates.

Obsolete inventory analysis programs summarize and organize analysis data in several reports or for output to several formats. The analysis data provides essential information that lets you reduce inventory and save costs as your company monitors usage and obsolesces any outdated or no-longer-used items. After you analyze data, you can choose to delete or archive the data you extracted for analysis.

Obsolete Inventory Control

Obsolete Inventory Control

Go To Actions Copy Print Preview

Inventory Type Logic: ☒

Conflicting Inventory Types: Use best fit found

Use ABC Analysis Usage: ☐

Retain Consumption Data: ☐

Consumption Filter Program:

Last Transaction Extracted:

Path for Reserve Output:

Site:

Extract Issue Transactions: ISS-SO,ISS-WO,ISS-UNP,ISS-DO


IC-OIA-050

Inventory Type Logic. Indicate how you want the system to display fields associated with an inventory type in Inventory Type Maintenance (3.5.1.1), Inventory Type Item Report (3.5.1.13) and Item Inventory Type Report

No = default display field labels and values

Yes = display logical expressions for definitions

Conflicting Inventory Types. Specify the action when items with overlapping inventory types are found

BESTFIT (default): Choose the first inventory type with the highest number of fields.

BYPASS: Do not analyze if conflicting. No analysis data is reported where conflicts exist. The system reports conflicts if Report Conflicts is Yes in Obsolete Inventory Analysis.

FIRST: Choose the first inventory type in alphabetical order.

Use ABC Analysis Usage. Specify whether to use the average daily usage from existing ABC analysis for obsolete inventory analysis.

No: The system does not use extracted ABC analysis data. it uses the issue transactions you previously extracted in Extract Consumption (3.5.1.7) or it extracts issue transactions as needed when you run Obsolete Inventory Analysis.

Yes: The system uses extracted ABC analysis data when it performs obsolete inventory calculations.

Retain Consumption Data. Indicate whether to retain item consumption data the system uses during obsolete inventory analysis.

No (the default): The system does not retain consumption data and you cannot run Extract Consumption or Consumption Report

Yes: The system retains a table of consumption data by item, site, and period; displays the table in Consumption Report; and lets you build extractions in Extract Consumption.

Consumption Filter Program. Enter the program used to filter consumption data for obsolete inventory analysis. The default is icobexb.p. If you leave this field blank, the system extracts all data. You can create your own filter program and enter it here.

Last Transaction Extracted. Display only, lists the system date and time of the last inventory transaction the system extracted in Extract Consumption (3.5.1.7). This field also displays in Extract Consumption.

Path for Reserve Output. Specify the path when you write obsolete inventory analysis data into an output file that you can optionally define in Output File Type Maintenance (3.5.1.5). A blank indicates the system creates the output file in the working directory. Use your system's conventions to specify path and directory.

Site. Specify a site to use when gathering past transactions for obsolete inventory analysis. Leave blank for all sites.

Extract Issue Transactions. Specify the types of transactions you want the system to extract when analyzing obsolete inventory. Separate multiple transaction types with commas. By default, the following four types are used: ISS-SO, ISS-WO, ISS-DO, ISS-UNP.

Defining Inventory Types

Define Inventory Types

Inventory Type Maintenance
Go To Actions Copy Print Preview

Inventory Type: 100

Description: Service Parts

Field Value Range

Field Set: 2

Field Number: 2 2 Prod Line

Value Number: 2

From: 1200-00

To: 1400-99

Field Value Ranges

Item Number	10-00	1000-99
Item Number	1200-00	1400-99
Prod Line	15000	25000
Prod Line	100	100000

IC-01A-060

Use Inventory Type Maintenance (3.5.1.1) to select and group similar items into a unique inventory type.

In Inventory Type Maintenance, you define the inventory type. The system stores the inventory type with a specific logical structure. Define the structure by specifying:

- A number that identifies a set of related fields. Each type can have multiple sets of associated fields.
- A number for each item-related field that you want to display in obsolete inventory reports and output data that shows inventory types.

Note The number is associated with a field in Language Detail Maintenance (36.4.2).

- A value number that identifies one value or value ranges for the fields.
- A single value or a range of values for the fields.

Refer to the user guide for specific examples.

Defining Depreciation Rates

Depreciation Rate Maintenance

Depreciation Rate Maintenance

Go To Actions Copy Print Preview

Inventory Type: 100

Zero Consumption/Demand: Both

Up To Number Of Periods: 0

Depreciation Rate: 15.0

Comment:



IC-01A-070

Use Depreciation Rate Maintenance (3.5.1.3) to create and assign depreciation rates for each inventory type. A rate cannot exceed 100%.

You assign depreciation rates for each inventory type; then specify a range for the number of periods the depreciation rate covers. The system applies the depreciation rate you specify up to the period you specify when calculating reserve.

Example Specify an inventory type that groups your purchased items; then set the depreciation rate so that the rate slowly increases for the next two years in periods of six months until you no longer need the purchased item. To do this, set Up to Number of Periods to 6 and Depreciation Rate at 10 percent, and click Next. Then set Up to Number of Periods to 12 and Depreciation Rate at 20 percent, and click Next, and so on. The purchased items depreciate up to 6 months by 10 percent, then up to 12 months by 12 percent.

If you do not want an inventory item type to depreciate until after nine months, specify the rate as 0 (zero) and specify Up to Number of Periods as 9. The system applies a different depreciation rate, depending upon your specification, for the next period when the nine months is over.

Note The system does not book GL transactions for reserve that it calculates using actual depreciation rates.

Inventory Type. Specify the inventory type to which the system applies the depreciation rate. All items associated with the inventory type are depreciated at this rate when calculating reserve.

Zero Consumption/Demand. Indicate when the system should use a different depreciation rate:

None (the default): Use the depreciation rate specified when consumption, demand, or both have a non-zero value. You can specify the number of periods in Up to Number of Periods. If you enter None but specify 0 (zero) periods, the system uses the depreciation rate you specify.

Consump(tion): Use the depreciation rate specified when there is zero consumption of inventory. The system sets Up to Number of Periods to zero and you cannot edit the field.

Demand: Use the depreciation rate when there is zero demand of inventory. The system sets Up to Number of Periods to zero and you cannot edit the field.

Both: Use the depreciation rate when there is both zero consumption and demand of inventory. The system sets Up to Number of Periods to zero and you cannot edit the field.

Up to Number of Periods. Enter the number of periods this rate covers. Each value you specify indicates the high end or ending period of a range. The system increments this value by 1 to determine the starting point of the next range.

Setting Up Output File Types

Output Type Maintenance

', 'Separator Character: .', 'Quote Character: \"', and 'Program Name: icobrpdp'. At the bottom, there is a 'Field Number' dropdown set to '1' with an 'Item Number' button, and an 'Extract Sequence' field set to '1'."/>

Output File Type Maintenance

Go To Actions Copy Print Preview

Output File Type: csv

Description: Comma seprated file

Header Row: ☐

Separator Character: .

Quote Character: \"

Program Name: icobrpdp

Field Number: 1 Item Number

Extract Sequence: 1




IC-OIA-080

You can optionally create an output file for obsolete inventory analysis data. Use Output File Type Maintenance (3.5.1.5) to specify how the output file converter sorts and formats the data before you run the analysis. See [Specifying an Output File](#).

The system converts and formats obsolete analysis data using the output file of your choice when you run Obsolete Inventory Analysis (3.5.1.9). You specify the name of the output file in Obsolete Inventory Analysis.

Running the Analysis



After all obsolete inventory controls are set and you define inventory types and depreciation rates, you can analyze data.

Because of the way you group items, some items may overlap inventory types. When the system calculates obsolete inventory values, it resolves the conflict of overlapping inventory types within the same site based on the action you specify in Obsolete Inventory Control. If you specify that the system not analyze obsolete inventory data when it encounters conflicts, it does not, but it does present conflicting inventory type data.

In the report setup besides the usual range of report values that specify what is analyzed you select whether to report; Demand, Conflicts, Coverage, and or Reserves.

Extract Consumption

Build. Indicate the method you want this program to use to extract consumption data.

Initial. Extract all data starting at the date you specify in Consumption From Date up to the current date. The system collects transaction data and builds consumption data by item, site, year, and period.

Incremental. Extract all transaction data since the previous extraction. The system stores and displays in Last Transaction Extracted in this program and in Obsolete Inventory Control. The system extracts every transaction from the date in Last Transaction Extracted up to the time you initiate the extraction. The system then overwrites Last Transaction Extracted.

Consumption From Date. Enter the date for an initial build of consumption data. The system extracts consumption data from this date up to today's date. The system uses the GL calendar to convert transaction dates to a year and period.

Extract Quantity on Hand. Indicate if the system extracts Quantity on Hand (QOH) balances for initial and incremental builds.

- No: The system does not extract the QOH balance.
- Yes: The system extracts the QOH balance as of the extraction date for both initial and incremental builds.

Customer Consigned, Supplier Consigned. Specify whether the system extracts customer or supplier consignments for initial and incremental builds.

- Exclude: Exclude customer or supplier consignment inventory.

- Include: Include customer or supplier consignment inventory.

Only: Only customer or supplier consignment inventory.

Include Non-nettable Inventory. Indicate whether to include or exclude non-nettable inventory when calculating inventory supply usage for the quantity on hand for the items in the inventory type you specified.

- No: Exclude non-nettable inventory when calculating supply usage.
- Yes: Include non-nettable inventory when calculating supply usage.

Include Negative Inventory. Indicate whether the system includes negative quantity on hand (QOH) when calculating consumption.

- No: The system does not use negative QOH when calculating consumption.
- Yes: The system uses negative QOH when calculating consumption. The system displays items with negative QOH on coverage and reserve reports. Coverage periods and reserve amounts display as 0 (zero), not negative numbers.

Last Transaction Extracted. This field is display only and lists the system date and time of the last inventory transaction the system extracted. This field also displays in Obsolete Inventory Control.

Running the Analysis

Obsolete Inventory Analysis



IC-QIA-110

After all obsolete inventory controls are set and you define inventory types and depreciation rates, you can analyze data.

Because of the way you group items, some items may overlap inventory types. When the system calculates obsolete inventory values, it resolves the conflict of overlapping inventory types within the same site based on the action you specify in Obsolete Inventory Control. If you specify that the system not analyze obsolete inventory data when it encounters conflicts, it does not, but it does present conflicting inventory type data.

In the report setup besides the usual range of report values that specify what is analyzed you select whether to report; Demand, Conflicts, Coverage, and or Reserves.

Appendix A

Workshops and Study Questions

Study Questions

- 1 When ABC classes are calculated by the system, they can be calculated based on _____ or _____ and _____ or _____.
- 2 Receipts – Unplanned do not affect Average Sales or Average Issues.
True or False
- 3 List three places where the location entered on the item master is used.
- 4 Shelf life is accessed whenever inventory is received, automatically setting the expiration date of the inventory.
True or False
Why?
- 5 What picking logic options are available? (List all four.)
- 6 Briefly describe how Issue Days affects picking?
- 7 ABC Class, Lot/Serial Control, and Shelf Life may be different for the same item at different sites.
True or False
Why?
- 8 Inventory status codes are used to designate whether inventory is Available, Nettable, and subject to Overissues. Transactions can also be restricted for certain types of inventory. Indicate what the settings should be for each of the following types of inventory:

Inventory Type	Available	Nettable	Overissues	Restrictions (if any)
Raw Material Items				
Lot controlled items				
Scrap and Reject				
Waiting for Rework				
Toxic Waste				
Incoming Inspection				
- 9 When you froze inventory for a physical count, the inventory balance for a particular item was 150 units. After the freeze, someone processed a receipt for 25 and an issue for 42 that accrued prior to the freeze. The person who conducted the inventory physically counted 135. What should they enter as the physical inventory count? (Circle the correct answer and explain why.)

108
118
133
135
150
152
175
- 10 Count tolerances set up in the Inventory Control program apply to all items at all sites in the database, and are used by both cycle counting and physical inventory.
True or False

Workshop

Instructions: Set up a couple of new items and test out the inventory transactions.

Set up three new items. Make one lot controlled, one serial number controlled, and one neither lot nor serial number controlled. Put a shelf life on one of the items.

- 1 What transaction would you use to enter beginning inventory balances for these items?

Menu Name:

- 2 Enter a beginning inventory balance of 20 units of the lot-numbered item with 5 units of Lot 9301004, 12 units of Lot 9301005, and 3 units of Lot 9301006. What field did you have to set to do all this in one transaction?

Field Name:

- 3 Enter a beginning inventory balance of five units of the serial numbered item, numbered starting at serial number A4201JJ001-F. Do not type in all the numbers; let the system generate all five numbers for you. What numbers did it generate?
- 4 Enter a quantity of 100 units of the last item. Put 80 in the regular stock location and put 20 in inspection. What inventory status should be assigned to the items in inspection?
- 5 Transfer one lot of your lot-numbered items into a different inventory location. What transaction history was maintained?
- 6 Change the expiration date, assay, grade, or inventory status for this item. What transaction history was maintained?
- 7 What if you needed to change a lot or serial number of existing inventory. What transaction would you use?

Menu Name:

- 8 Print a Cycle Count Worksheet for your items. Enter an initial count of 800 units of the non-lot/serial controlled item. What happened?
- 9 Enter a recount for 800 units. What happens now? (List two effects.)
- 10 Freeze inventory balances for your items and print count tags. Count a different amount or count a different lot/serial number. Print the error reports; then run the Physical Inventory Update function. What happens? Check the results by looking at the Inventory Details for your items. Explain the results.

Answers

Cycle Count Results

When count is out of tolerance, you should check for:

- Correct location
- Correct lot/serial number
- Correct site
- Correct item number
- Unprocessed transactions
- Activity since count
- As a last resort: perform physical recount

Study Question Answers

- 1 When ABC classes are calculated by the system, they can be based on SALES or ISSUES and COST or GROSS PROFIT.
- 2 True. For this reason, it is wise to use the Unplanned Receipt transaction to initialize opening inventory balances.
- 3 Three places where the location entered on the item master is used:
 - a The item location displays as the default on all inventory transactions (issues/receipts) for this item, but you can override it.
 - b It also displays on sales orders as the default location to ship from.
 - c If the Inspection Required flag is No on the item, it also displays on purchase orders as the default receiving location. This location is also the default location from which inventory is backflushed, unless you set up to backflush from the line (work center).
- 4 True. Expiration date is set automatically as the receipt date plus the shelf life.
- 5 The four ways picking can be done by: Location, Lot/Serial, Date, and Expire Date.
- 6 Issue days controls the picking of items about to expire. For example, if Issue days is 10, then any inventory due to expire in the next 10 days will not be picked.
- 7 False. ABC class can be different by site, but if an item is lot/serial controlled or has a shelf life, this applies to all sites.
- 8 These types of inventory should be assigned status codes as follows:

Inventory Type	Available	Nettable	Overissues	*Restrictions
Raw Material Items	Yes	Yes	Yes/No	None
Lot Controlled Items	Yes	Yes	No	None
Scrap and Reject	No	No	Yes/No	ISS-SO, ISS-WO
Waiting Rework	No	Yes/No	Yes/No	ISS-SO

Inventory Type	Available	Nettable	Overissues	*Restrictions
Toxic Waste	No	No	No	ISS-SO, ISS-WO
Incoming Inspect	No	Yes	Yes/No	None

Note The restricted transaction list can include other transactions; this is just an example.

- 9 152. The physical count of 135 should be increased by quantity issued since the freeze (-42) and decreased by the quantity received (+25). When the count of 152 is used to update inventory, it will add two to inventory (the difference between the frozen value of 150 and the 152 counted). This is correct, since we should have had 133 ($150 + 25 - 42$) but we in fact counted 135. We found two extra.
- 10 True.

Workshop Question Answers

For setup you should have set Lot/Serial to L for lot control, S for serial control, and blank for neither.

- 1 You should always use Receipts – Unplanned to initialize opening balances.
- 2 Use the Multi field to enter multiple lot/serial numbers, sites, locations, or lot references all on one transaction.
- 3 Serial numbers should be A4201JJ001-F, A4201JJ002-F, A4201JJ003-F, A4201JJ004-F, and A4201JJ005-F. Note that the system increments the last number string it finds.
- 4 The inventory status for inspection is probably DOCK or any other that is set up as Available No and Nettable Yes.
- 5 Transaction history keeps an ISS-TR and a RCT-TR transaction, maintaining complete traceability.
- 6 Transaction history keeps an ISS-CHL and a RCT-CHL transaction, maintaining complete traceability.
- 7 Transfer With Lot/Serial Change is the only function that can be used to change a lot or serial number, since this maintains traceability.
- 8 The system records the count, but does not update inventory.
- 9 The recount updates inventory and creates a GL transaction to increase inventory value.
- 10 Discuss error finding with class.

Appendix B

Inventory Control Reports

By Menu Name	Enterprise Edition	Standard Edition
Average Cost Accounting Report	3.21.17	3.21.17
Consumption Delete/Archive	3.5.1.20	-
Consumption Report	3.5.1.19	-
Counted Tag Report	3.16.14	3.16.14
Current Surplus Inventory Report	3.6.8; 3.6.32 (enhanced .NET UI)	3.6.8
Cycle Count Results Report	3.13.3; 3.13.27 (enhanced .NET UI)	3.15
Cycle Count Worksheet Print	3.13.1	3.13
Daybook Trans Accounting Report	3.21.12	3.21.12
Depreciation Rate Browse	3.5.1.15	-
Device History Record Report	3.6.20; 3.6.44 (enhanced .NET UI)	3.6.20
Extract Consumption	3.5.1.7	-
Financial Scrap Report	3.6.22	-
Frozen Inventory Valuation Report	3.16.16	3.16.16
Inventory Balance Update	3.16.21	3.16.21
Inventory Detail Allocation Report	3.1.5	3.1.5
Inventory Detail by Item Browse	3.2	3.2
Inventory Detail by Location	3.6.6	3.6.6
Inventory Detail by Lot Inquiry	3.1.13	3.1.13
Inventory Detail by Site Browse	3.3	3.3
Inventory Detail Report	3.6.5; 3.6.29 (enhanced .NET UI)	3.6.5
Inventory Type Item Report	3.5.1.13	-
Inventory Valuation as of by Location	3.6.16; 3.6.40 (enhanced .NET UI)	3.6.16
Inventory Valuation as of Date	3.6.15; 3.6.39 (enhanced .NET UI)	3.6.15
Inventory Valuation by Location	3.6.14; 3.6.38 (enhanced .NET UI)	3.6.14
Inventory Valuation Report	3.6.13; 3.6.37 (enhanced .NET UI)	3.6.13
Inventory Variance Report	3.16.18	3.16.18
Item ABC Status Report/Update	3.6.3; 3.6.27 (enhanced .NET UI)	3.6.3
Item Inventory Type Report	3.5.1.14	-
Item Scrap Report	3.6.21	-
Lot Actual Bill Inquiry	3.22.3	3.22.3
Lot Transaction by Date Browse	3.22.1	3.22.1
Lot Transaction by Trans Browse	3.22.2	3.22.2
Lot Where Used Inquiry	3.22.4	3.22.4
Obsolete Inventory Analysis	3.5.1.9	-
Obsolete Inventory Report	3.5.1.24	-
Output File Type Browse	3.5.1.17	-
Projected Surplus Inventory	3.6.9	3.6.9
Reorder Report	3.6.2	3.6.2
Scrap Transaction Browse	3.6.23	-
Stock Journal	3.6.18; 3.6.42 (enhanced .NET UI)	3.6.18

By Menu Name	Enterprise Edition	Standard Edition
Stock Status Report	3.6.1	3.6.1
Tag Delete/Archive	3.16.23	3.16.23
Tag Inventory Valuation Report	3.16.17	3.16.17
Tag Print	3.16.6	3.16.6
Tag Report	3.16.13	3.16.13
Transaction Delete/Archive	3.21.23	3.21.23
Transaction Numbering Report	3.21.19	3.21.19
Transactions Accounting Report	3.21.16	3.21.16
Transactions by Item Browse	3.21.2	3.21.2
Transactions by Item Report	3.21.14	3.21.14
Transactions by Order Report	3.21.13	3.21.13
Uncounted Tag Report/Update	3.16.15	3.16.15

By Menu Number	Enterprise Edition	Standard Edition
Inventory Detail by Lot Inquiry	3.1.13	3.1.13
Inventory Detail Allocation Report	3.1.5	3.1.5
Inventory Detail by Item Browse	3.2	3.2
Inventory Detail by Site Browse	3.3	3.3
Inventory Type Item Report	3.5.1.13	-
Item Inventory Type Report	3.5.1.14	-
Depreciation Rate Browse	3.5.1.15	-
Output File Type Browse	3.5.1.17	-
Consumption Report	3.5.1.19	-
Consumption delete/Archive	3.5.1.20	-
Obsolete Inventory Report	3.5.1.24	-
Extract Consumption	3.5.1.7	-
Obsolete Inventory Analysis	3.5.1.9	-
Stock Status Report	3.6.1	3.6.1
Inventory Valuation Report	3.6.13; 3.6.37 (enhanced .NET UI)	3.6.13
Inventory Valuation by Location	3.6.14; 3.6.38 (enhanced .NET UI)	3.6.14
Inventory Valuation as of Date	3.6.15; 3.6.39 (enhanced .NET UI)	3.6.15
Inventory Valuation as of by Location	3.6.16; 3.6.40 (enhanced .NET UI)	3.6.16
Stock Journal	3.6.18; 3.6.42 (enhanced .NET UI)	3.6.18
Reorder Report	3.6.2	3.6.2
Device History Record Report	3.6.20; 3.6.44 (enhanced .NET UI)	3.6.20
Item Scrap Report	3.6.21	-
Financial Scrap Report	3.6.22	-
Scrap Transaction Browse	3.6.23	-
Item ABC Status Report/Update	3.6.3; 3.6.27 (enhanced .NET UI)	3.6.3

By Menu Number	Enterprise Edition	Standard Edition
Inventory Detail Report	3.6.5; 3.6.29 (enhanced .NET UI)	3.6.5
Inventory Detail by Location	3.6.6	3.6.6
Current Surplus Inventory Report	3.6.8; 3.6.32 (enhanced .NET UI)	3.6.8
Projected Surplus Inventory	3.6.9	3.6.9
Cycle Count Worksheet Print	3.13.1	3.13
Cycle Count Results Report	3.13.3; 3.13.27 (enhanced .NET UI)	3.15
Tag Report	3.16.13	3.16.13
Counted Tag Report	3.16.14	3.16.14
Uncounted Tag Report/Update	3.16.15	3.16.15
Frozen Inventory Valuation Report	3.16.16	3.16.16
Tag Inventory Valuation Report	3.16.17	3.16.17
Inventory Variance Report	3.16.18	3.16.18
Inventory Balance Update	3.16.21	3.16.21
Tag Delete/Archive	3.16.23	3.16.23
Tag Print	3.16.6	3.16.6
Daybook Trans Accounting Report	3.21.12	3.21.12
Transactions by Order Report	3.21.13	3.21.13
Transactions by Item Report	3.21.14	3.21.14
Transactions Accounting Report	3.21.16	3.21.16
Average Cost Accounting Report	3.21.17	3.21.17
Transaction Numbering Report	3.21.19	3.21.19
Transactions by Item Browse	3.21.2	3.21.2
Transaction Delete/Archive	3.21.23	3.21.23
Lot Transaction by Date Browse	3.22.1	3.22.1
Lot Transaction by Trans Browse	3.22.2	3.22.2
Lot Actual Bill Inquiry	3.22.3	3.22.3
Lot Where Used Inquiry	3.22.4	3.22.4

Appendix C

General Ledger (GL) Effects in Inventory Control

GL Consequences of Inventory Transactions

General Ledger Effects		
GL Consequences Default Accounts		
Transaction	Debit Acct Sub Acct/CC	Credit Acct Sub Acct/CC
Unplanned Receipt	Inventory	Purchase Expense
Unplanned Issue	Cost of Production	Inventory
Sales Return	Inventory	Sales Returns
Return to Supplier (Inv. Items)	PO Receipts	Inventory
Return to Supplier (Non-Inv. Items)	Purchase Expense	Inventory
Return to Stock	Inventory	Cost of Production
Receipts-Backward	Inventory	Work In Process
	Work In Process	Inventory
	Work In Process	Labor
	Work In Process	Burden
	Work In Process	WO Variance
Cycle Count Adjustment	Inventory	Discrepancy

Any inventory transaction has an effect on GL. It is important to know what those effects are, particularly with unplanned issues and receipts. The default accounts used are listed in the previous chart.


Sometimes, however, a transaction is used for other than the usual reason or affects accounts other than the normal. In those cases, it is up to the person making the transaction to be sure that the correct GL account is used. An example might be that a batch of ink concentrate is contaminated. The unplanned issue transaction default would have to be modified to debit the scrap account, not the cost of production.


A location transfer does not affect GL unless the items are transferred between sites or GL entities, or locations with different accounts defined in Inventory Account Maintenance. The value of inventory has not changed, only its position has changed.

Transactions in other modules, such as sales order shipments or purchase receipts, do create GL transactions.

Appendix D

Physical Inventory Process Flowchart





Index

A

ABC

- Analysis 68
- Accounting Procedures 64
- Adjustments 88
- Allocated Inventory Inquiry 126
- Allocations 108
- Auto Locations 54
- Average Cost 23

B

- Backflushing 101, 102, 110
- Batch Control 34

C

- Codes
 - Inventory Status (Default) 54
 - Site 51
- Control
 - Batch 34
 - Lot 35
 - Work Order 35
- Controlled Substances 35
- Cost Revalue Account 76
- Cost Set
 - Average (Current) 23
 - Standard (GL) 23
- Costs
 - Current 63
- Counting Inventory 80
- Course Objectives 14
- Course Overview 6
- Current Cost Update 24
- Current Costs 63
- Cycle Count
 - Error Tolerance Levels 135
 - Frequency 27, 132
 - Results Entry 135
 - Results Report 136
 - Variance 135
 - Worksheet Print 27

D

- Default Inventory Status Code 54
- Discrepancy Account 76
- Distributed Order Receipt 92

E

- EMT Supplier 54
- Entity 53

- External Supplier 54

G

GL

- Accounting Procedures 64
- Accounts 75
- Adjustment 88
- Cost Set 23
- Journal Reference Method 65
- Summarized Journal 65
- Transfer Variance Account 55

I

- Inspection 29
 - Inventory
 - Adjustments 88
 - Attributes 35
 - Control File 23, 61, 135
 - Counting 80
 - Discrepancy Account 76
 - Multi-Lot 35
 - Nettable 46
 - On-Hand 88
 - Overissue 46
 - Receipts 75
 - Receipts and Issues 87
 - Shipments 88
 - Status Code Maintenance 44
 - Transaction Types 124, 131
 - Transactions 86
 - Transfer 87
 - Multi Item 117
 - Single Item 116
 - Inventory Account Maintenance 74
 - Inventory Control
 - Module 12
 - Set up 41
 - Inventory Status Code
 - Default 54
 - Inventory Transactions - Issues
 - Work Order Component Issue 110
 - Issue Days 62
 - Issues 75
 - Item
 - ABC Status Report/Update 70
 - Inventory Data Maintenance 31, 67, 68
 - Items 66
- ## L
- Location
 - Auto 54

- Permanent/Temporary 57
- Single Item 58
- Single Lot/Ref 58
- Type 25, 58
- Unit of Measure (UM) 58
- Location Maintenance 56, 57
- Lot Control 35
- Lot/Serial
 - Numbers 30

M

- Maintenance
 - Item Inventory Data 68
 - Master Comment 78
 - Site 53
- Multi-Lot Inventory 35

P

- Physical Inventory 27
 - Perpetual 27
 - Process Flowchart 181
 - Tag Counts 28
- Picklists 108

R

- Receipts 36, 75
 - and Issues 87
 - Unplanned 106
- Repetitive
 - Operations 102
- Restricted Transaction 48
 - Sales Order Booking 49
 - Sales Order Shipments 49
 - Work Order Issue or Backflush 49
- Return Material Authorization (RMA) Receipts 105
- Return to Supplier (RTS) Menu 112
- RMA Receipts 105

S

- Sales Order
 - Booking 49
 - Return 90
 - Shipments 49
- Security
 - Site 34
- Set up

- Inventory Control 41
- Shipments 88
- Site
 - Codes 51
 - Location 45
 - Maintenance 51
 - Security 34
- Sites/Locations
 - Number of 25
- Status Code Maintenance 44
- Stock Availability Inquiry 124
- Supplier
 - EMT 54
 - External 54

T

- Tolerance Levels 135
- Tolerances 62
- Transaction
 - Detail Inquiry 121
 - Type 50, 121
 - Work Order Receipt 76
- Transfer With Lot/Serial Change 118
- Transfers 75

U

- Unallocated Inventory Inquiry 126
- Unit of Measure (UM) 58
- Unplanned
 - Issue Transaction 110
 - Issues 113
 - Receipts 106

W

- Warehousing 32
- Work Order
 - Backflush 49
 - Component Issue 110
 - Control 35
 - Issue 49
 - Receipt 93, 110
 - Receipt Backflush 101
 - Receipt Transactions 76
 - Status Report 27
- Work Order Cost Report 27
- Work Order WIP Cost Report 27