



QAD Enterprise Applications
Enterprise Edition

Technical Reference Database Definitions

70-3158A
QAD Enterprise Applications 2011.1
Enterprise Edition
September 2011

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2011 by QAD Inc.

DatabaseDefinitions_TR_v2011_1EE.pdf/mat/mat

QAD Inc.

100 Innovation Place
Santa Barbara, California 93108
Phone (805) 566-6000
<http://www.qad.com>

Contents

What's New?	xxv

About This Guide	1

Introduction	2
How This Book Is Organized	2
Symbols and Conventions	3

Database Definitions	5

AAA_qadfinance_20101216	DB Time Stamp	6
absc_det	Sales Order Detail Container Charges.....	6
absc_det	Shipment Carrier Detail	7
absd_det	Shipment Line Item Detail	7
absi_mstr	Shipper Information Master	7
absl_det	Shipment Detail Line Charges.....	8
abspli_ref	Purchase Order Shipper/Invoice Cross Reference	9
absp_det	Subshipper PO Cross Reference	9
absr_det	Shipment Requirement Detail	9
abssc_det	Shipper Validation Error Log	10
abss_det	Shipment Sequence Detail.....	11
absw_det	ABS Lot/Serial Detail.....	12
absx_det	Subcontract Shipper PO Shipper Cross Reference	13
abs_mstr	ASN/BOL/Shipper Master	13
AcctIF	Chinese Accounting Interface	16
AcctIFFilter	Chinese Accounting Interface Filter	16
acdf_mstr	Account Default Master	17
acd_det	Account Total Detail	17
acm_mstr	Co-product/By-product Average Cost Master	18
acod_mstr	Application Code Master	19
actf_mstr	Info on table and related account, sub-account, & cc field names	19
act_mstr	Alternate Container Master	20
acx_mstr	Account Cross-Reference Master	21
ac_mstr	Account Master	21
adc_ctrl	Address Control.....	22
Address	Address	22
AddressType	Address Type	24
adx_det	External Address Cross-Reference Detail.....	25
Agent	Salesperson	25
AIMW	Warehousing Work Table.....	26
ald_det	Allocation Account Detail.....	27
AlgoAssD	Warehousing Algorithm Assignment Detail.....	27
AlgoAssM	Warehousing Algorithm Assignment Master	28
AlgoM	Warehousing Algorithm Master	29
AlgoTypeM	Warehousing Algorithm Type Master	30
Allocation	Allocation Definition.....	31
AllocationBatch	Allocation Batch.....	32

AllocationBatchLine	Allocation Batch Line.....	32
AllocationLayer	Allocation Layer.....	32
AllocationPosting	Allocation Posting.....	33
AllocationProportional	Proportional Allocation	33
alm_mstr	Automatic Lot Master	34
AltCOAGroup	Alternate COA Group	34
AltCOAStruct	Alternate COA Structure.....	35
AltCOAStructDet	Alternate COA	36
AltTaskM	Warehousing Alternate Task Master	37
AltUMD	Warehousing Alternate Unit of Measure Detail	38
AltUMM	Warehousing Alternate Unit of Measure Master	38
al_mstr	Allocation Account Master.....	39
anl_det	Analysis Code Link Detail.....	40
ans_det	Analysis Code Selection Detail	40
anx_det	Analysis Code Exploded Detail	40
an_mstr	Analysis Code Master	41
apc_ctrl	Accounts Payable Control.....	41
APMatching	Accounts Payable Matching	42
APmatchingLn	Accounts Payable Matching Line	44
APMatchingLnRevTax	Accounts Payable Matching Line Rev Tax.....	45
APMatchingLnTax	Accounts Payable Matching Line Tax Detail.....	46
APMatchingLnWHT	Accounts Payable Matching Line Tax Detail	47
apmr_mstr	Advanced Pricing Management Customer Relationship Master	48
apm_ctrl	Advanced Pricing Management Control.....	48
ApproveStatusTrans	Approve Status Transition	49
aprm_mstr	Application Parameter Master	49
apr_mstr	Application Registry.....	50
arc_ctrl	Accounts Receivable Control	52
art_mstr	Application Return Code Master	52
atdcd_det	Audit Trail Database Connection Detail	54
atdc_mstr	Audit Trail Database Connection Master.....	54
atg_mstr	Audit Trail Group Master	54
atp_det	Available-to-Promise Detail.....	55
att_mstr	Audit Trail Table Master	55
aud_det	Audit Detail	56
AutoNumber	Automatic Numbering.....	56
BankAccFormat	Bank Account Format.....	57
BankAccFormatSect	Bank Account Format Section.....	57
BankFileFormat	Bank File Format	57
BankFileFormatTransType	Bank File Format Transaction Type	58
BankImp	Bank Statement Import.....	58
BankImpLine	Bank Statement Import Line	59
BankImpLineLog	Bank Statement Import Line Log.....	60
BankNumber	Bank Number	60
BankNumberPayCode	Bank Number Payment Format Code	61
BankPayFormat	Bank Payment Format.....	62
BankState	Bank Statement.....	62
BankStateAlloc	Bank Statement Allocation	63
BankStateAllocColl	Bank Statement Selection Allocation	64
BankStateImport	Import Bank Statements.....	65
BankStateLine	Bank Statement Line	65
BankStateStageAlloc	Bank Statement Stage Allocation.....	66
BatchPickC	Warehousing Batch Picking Control.....	68
BatchPickD	Warehousing Batch Picking Detail	69
BatchPickM	Warehousing Batch Picking Master	70
bcd_det	Batch Control Detail	72
bc_mstr	Batch Control Master.....	72
bdl_det	Batch Data Load Detail	73
bdl_mstr	Batch Data Load Master.....	73

bdp_det	Bank Driver Payment Detail	74
bic_ctrl	Service/Support Contract Billing Control	74
BLWIGroup	BLWI Group.....	75
bl_ctrl	Master Bill of Lading Control	75
bom_mstr	Product Structure (Bill of Material) Master	75
Box1099	1099 Box	76
Box1099PurchaseTypeLink	1099 Box Purchase Type Link	76
btb_det	Enterprise Material Transfer Primary Business Unit Detail	77
btrd_det	Blocked Transaction Detail.....	78
btr_mstr	Blocked Transaction Master	78
Budget	Budget.....	78
BudgetCompany	Budget Entity	80
BudgetFDS	Budget COA	80
BudgetGroup	Budget Group	80
BudgetLink	Budget Posting Commitment Link.....	81
BudgetLinkAcc	Budget Accumulation by Period	81
BudgetLinkAccDet	Budget Accumulation by Sub-ledger	82
BudgetLinkActual	Budget Posting Link	82
BudgetLinkCommit	Budget Commitment Link	83
BudgetPeriod	Budget Period.....	84
BudgetReport	Budget Report	85
BudgetReportDetail	Budget Report Detail	85
BudgetVersion	Budget Version.....	86
BudgetVersionFig	Budget Version Figures	87
BudgetVersionGLFig	Budget Version GL Figures	91
BudgetWBS	Budget Topic	95
BudgetWBSBusComponent	Budget Topic Component Link.....	97
BudgetWBSRoster	Budget Topic Forecast	97
BulkPickC	Warehousing Bulk Pick Control.....	98
BulkPickD	Warehousing Bulk Pick Detail	99
BulkPickDH	Warehousing Bulk Pick Detail History	100
BulkPickM	Warehousing Bulk Pick Master	101
BusArea	Business Area	103
BusAreaComponent	Business Area - Business Component Link	103
BusinessRelation	Business Relation.....	103
BusRelationSafDefault	Business Relation Saf Default.....	105
cac_ctrl	Service/Support Call Master Control	105
cah_hist	Service/Support Call History	106
cald_det	Calendar Detail.....	107
CalendarD	Warehousing Calendar Detail	108
CalendarM	Warehousing Calendar Master.....	108
calh_det	Calendar Holiday Detail.....	109
calm_mstr	Calendar Master.....	109
cals_det	Shift Detail.....	110
cal_det	Calendar Detail.....	111
caq_mstr	Service/Support Call Queue Master	111
CashGroup	Cash Group	112
CashReport	Cash Report	112
CashReportGL	Cash Report Account	113
CashReportGLLine	Cash Report Account Line	113
cas_mstr	Service/Support Call Status Master	114
ca_mstr	Service/Support Call Master.....	114
CBalance	Supplier Balance	117
ccc_ctrl	Credit Card Control	118
ccd_mstr	Service/Support Call Fault Code Master	119
cclscd_det	Ship-To/Container Price List Detail	119
cclsc_mstr	Ship-To/Container Master	120
ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master	120
ccl_ctrl	Container/Line Charge Control.....	121

CCollection	Supplier PaymentSelection	121
cctr_hist	Credit Card Transaction History	123
cct_mstr	Container Charge Type Master	124
cc_mstr	Cost Center Master	124
cdf_mstr	Service/Support Call Default Master	124
CDocInvoiceXrefStage	Supplier Payment Invoice Xref Stage.....	125
CDocument	Supplier Payment.....	126
CDocumentInvoiceXref	Supplier Payment Invoice Xref.....	127
CDocumentPostingLine	Supplier Payment Posting Line	128
CDocumentStatus	Supplier Payment Status.....	128
cd_det	Master Comments	129
ChargesD	Warehousing Shipment Detail Charges	129
chg_mstr	Line Changeover Master	130
CHist	Supplier Balance History	130
chm_mstr	Service/Support Call History Master	132
cild_det	Correction Invoice Link Detail.....	134
cil_mstr	Correction Invoice Link Master.....	135
CInvoice	Supplier Invoice.....	136
CInvoiceBank	Supplier Invoice Bank Records	139
CInvoiceBankPayCode	Supplier invoice Bank Payment Code	139
CInvoiceMovement	Supplier Invoice Movements	140
CInvoicePO	Supplier Invoice PO Matching Link	141
CInvoicePosting	Supplier Invoice Posting Link	141
CInvoiceStage	Supplier Invoice Stage Payment	142
CInvoiceVat	Supplier Invoice Tax Records	142
CInvoiceWHT	Supplier Invoice Withholding Tax	143
clatd_det	UDF Attribute Value Detail	144
clat_mstr	UDF Attribute Master.....	145
clc_ctrl	Compliance Control.....	145
ClientCache	client cache	146
clsd_det	UDF Class Table Detail.....	146
clsf_mstr	Classification Master	146
cmc_ctrl	Customer Control	147
cmd_det	Enterprise Material Transfer Change Management Detail	147
cmf_mstr	Enterprise Material Transfer Change Management Master	148
cmh_hist	Customer Sales History.....	148
cmt_det	Transaction Comments	149
cm_mstr	Customer Master.....	149
cncix_mstr	Consigned Shipment Inventory Cross-Reference Master	152
cncs_mstr	Customer Consignment Ship-To/Item Master	153
cncud_det	Customer Consignment Shipment Usage Detail	153
cncu_mstr	Customer Consignment Shipment Usage Master	154
cnc_ctrl	Customer Consignment Control.....	155
cnsix_mstr	Supplier Consignment Receipt Inventory Master	156
cnss_mstr	Supplier Consignment Supplier/Item Master.....	156
cnsud_det	Supplier Consignment Receipt Usage Detail	157
cnsu_mstr	Supplier Consignment Receipt Usage Master	157
cns_ctrl	Supplier Consignment Control	158
CnvXref	Temporary Table used for converting SCBA.....	158
COACrossRef	COA Cross Reference.....	159
COACrossRefDet	Cross Reference Detail	159
COAMaskCC	COA Mask Cost Center.....	160
COAMaskCCDiv	COA Mask Cost Center Range GL	161
COAMaskCCGL	COA Mask Cost Center Range GL	161
COAMaskDiv	COA Mask Sub-Account	161
COAMaskDivGL	COA Mask Sub-Account Range GL Account.....	162
COAMaskProj	COA Mask Project.....	162
COAMaskProjCC	COA Mask Project Range Cost Center	163
COAMaskProjDiv	COA Mask Project Range Sub-Account.....	163

COAMaskProjGL	COA Mask Project Range GL	163
code_mstr	Generalized Code Master	164
comd_det	Commodity Code Detail	164
Company	Entity	166
CompanyProperty	Entity Property	166
CompanySharedSet	Company Shared Set	168
com_mstr	Commodity Code Master	168
ConCheck	Consistency Check	169
ConCheckLine	Consistency Check Line	170
ConCheckLineDet	Consistency Check Line Detail	171
Consolid	Consolidation	172
ConsolidCycle	Consolidation Cycle	172
ConsolidCycleCompany	Entity Consolidation Cycle	173
ConsolidCycleSaf	Consolidation Cycle Saf	173
ConsolidDump	Consolidation Export	174
ConsolidLayer	Consolidation Layer	174
ConsolidPeriodXref	Consolidation Period Cross-reference	175
ConsolidPostingXref	Consolidation Posting Cross-Reference	175
Contact	Contact	175
cont_mstr	Container Type Master	176
CorporateGroup	Corporate Group	177
CostCentre	Cost Center	178
CostCentreSafDefault	Cost Center SAF Default	179
cost_cal	Cost Set Calendar	180
Country	Country	181
CountryVatFormat	Country Tax Format	182
County	County	182
co_ctrl	General Ledger (Company) Control	182
CPay	Supplier Payment	183
cpcd_det	Customer Period Calendar Detail	184
cpc_mstr	Customer Period Calendar Master	184
cph_hist	Customer/Item Sales History	185
cp_mstr	Customer Item Master	186
crc_ctrl	Carrier Control	186
crd_det	Call Reminder Detail Table	186
Creditor	Supplier	187
CreditorSafDefault	Supplier SAF Default	189
CreditorType	Supplier Type	189
CreditorVat	Supplier Tax	189
cref_mstr	Service/Support Cross-Reference Master	190
csa_mstr	Controlled Substance Authority Master	190
cscp_det	Link table between Period, currency, cost set for Periodic Costing	191
csc_mstr	Controlled Substance Customer Master	191
csd_det	Service/Support Call Skill Detail	192
csid_det	Controlled Substance Item Detail	192
csil_mstr	Controlled Substance Individual License Master	193
csim_mstr	Controlled Substance Item Master	193
csld_det	Controlled Substance Individual License Detail	195
cslm_mstr	Controlled Substance General License Master	195
cssi_det	Site Cost Detail	196
css_mstr	Controlled Substance Site Master	196
cst_mstr	Fixed Asset Custodian Master	197
cs_mstr	Cost Set Master	197
ctd_det	Credit Terms Detail	197
ctry_mstr	Country Master	198
ct_mstr	Credit Terms Master	198
Currency	Currency	199
CustInventM	Warehousing Customer/Inventory Status Master	200
CustPartM	Warehousing Customer/Item Master	201

cu_mstr	Currency Master.....	201
dald_det	Destination Application List Detail.....	202
dal_mstr	Destination Application List Master.....	203
DBalance	Customer Balance.....	203
dbm_mstr	Database Revision Control Master.....	204
DCollection	Customer Payment Selection.....	204
DCollectionExport	Customer Payment Selection Export.....	206
dc_mstr	Database Connection Master.....	206
DDocInvoiceXrefStage	Customer Payment Invoice Xref Stage.....	207
DDocument	Customer Payment.....	207
DDocumentInvoiceXref	Customer Payment Invoice Cross-Reference.....	209
DDocumentPayCode	Customer Payment Payment Code.....	209
DDocumentPostingLine	Customer Payment Posting Line.....	209
DDocumentStatus	Customer Payment Status.....	210
Debtor	Customer.....	210
DebtorCreditRating	Customer Credit Rating.....	212
DebtorEndUser	Customer End User.....	213
DebtorSafDefault	Customer SAF Default.....	214
DebtorShipTo	Customer Ship-To.....	214
DebtorType	Customer Type.....	215
decl_mstr	Declarant Master.....	215
ded_det	Data Entry Detail.....	216
deed_det	Data Entry Extension Detail.....	216
dee_mstr	Data Entry Extension Master.....	217
defc_det	Data Entry Frame Sequence Condition Detail.....	217
defd_det	Data Entry Frame Detail.....	218
deff_det	Data Entry Frame Field Detail.....	218
defl_det	Data Entry Field Detail.....	219
defr_det	Service Contract Deferred/Accrued Revenue Detail.....	219
defs_det	Data Entry Frame Sequence Detail.....	220
DeliveryCond	Delivery Condition.....	221
delt_mstr	Delivery Time Master.....	221
dep_mstr	Data Entry Profile Master.....	222
deu_det	Data Entry User Detail.....	222
de_mstr	Data Entry Master.....	223
df_mstr	Document Print Format Master.....	224
DHist	Customer Balance History.....	224
DInvoice	Customer Invoice.....	225
DInvoiceBank	Customer Invoice Bank Records.....	228
DInvoiceBankPayCode	Customer Invoice Bank Payment Code.....	228
DInvoiceMovement	Customer Invoice Movements.....	229
DInvoiceOpInfo	Customer Invoice Operational Info.....	230
DInvoicePosting	Customer Invoice Posting Link.....	231
DInvoiceShipper	Customer Invoice Shipper References.....	231
DInvoiceStage	Customer Invoice Stage Payment.....	231
DInvoiceVat	Customer Invoice Tax Records.....	232
Division	Sub-Account.....	233
dmw_wkfl	Draft Management Work Table.....	234
DomainProperty	Domain Property.....	234
Domains	Domain.....	235
DomainSharedSet	Domain Shared Set.....	236
dom_mstr	Domain Master.....	236
dosr_det	Depot Order Shipment/Receipt Table.....	236
DPay	Customer Payment.....	237
DPaySel	Customer Payment Selection.....	237
DPaySelPayCode	Customer Payment Selection Payment Code.....	239
dpt_mstr	Department Master.....	239
drp_ctrl	Distribution Requirements Planning Control.....	240
dsd_det	Distributed Site Requisition Detail.....	240

dsr_mstr	Distributed Site Requisition Master	241
dss_mstr	Distributed Site Order Master	242
ds_det	Distributed Site Order Detail	243
dvfv_det	Data Validation Field Value Detail	244
dvf_det	Data Validation Field Detail	245
dvshx_ref	Data Validation Rule Cross Reference	245
dv_mstr	Data Validation Master	245
dybs_mstr	Daybook Set Master	246
dyd_mstr	General Ledger Default Daybook Master	246
dy_mstr	General Ledger Daybook Master	247
ea_mstr	Earnings Master	247
eca_mstr	Engineering Change Approval Master	248
ecd1_det	Engineering Change Product Structure Detail	248
ecd2_det	Engineering Change Routing Detail	249
ecd3_det	Engineering Change Text File Detail	250
ecd4_det	Product Change Control Test Results Detail	250
ecd5_det	Product Change Control Item Routing Detail	251
ecd9_det	Engineering Change Approval Detail	252
ecd_det	Engineering Change Item Detail	252
ecf_list	Engineering Change Master Lists	253
ecm_mstr	Engineering Change Master	253
ect_mstr	Engineering Change Type Master	254
ecx_ref	External Order Cross-Reference	255
edlg_hist	Export Delivery Log	256
ega_mstr	Service/Support Engineer Availability Master	256
egc_ctrl	Service/Support Engineer Schedule Control	257
egd_det	Service/Support Engineer Schedule Detail	258
egs_det	Service/Support Engineer Problem/Skills Detail	258
egt_mstr	Service/Support Engineer Tracking Master	259
egw_wkfl	Service/Support Engineer Selection Work Table	260
elg_hist	Export Document Log	261
emap_det	Mapped Export Document Detail	263
emg_msg	Export Document Message	263
Employee	Employee	264
emp_mstr	Employee Master	265
emsg_mstr	Service/Support Engineer Message Master	267
em_mstr	E-mail Master	268
EngineC	Warehousing Engine Processing Control	268
EngineH	Warehousing Engine Processing History	269
EngineW	Warehousing Engine Work Table	271
eng_mstr	Service/Support Engineer Master	273
en_mstr	Entity Master	274
ERAssD	Warehousing External Routing Assignment Detail	274
eraw_det	Raw Export Document Detail	275
ERD	Warehousing External Routing Detail	276
ERM	Warehousing External Routing Master	277
ERS	Evaluated Receipt Settlement History	278
ERSLine	Evaluated Receipts Settlement History De	278
ers_mstr	Evaluated Receipts Settlement Master	279
esapfc_det	E-Signature Activated Profile Filter Criteria	279
esapfil_det	E-Signature Activated Profile Filter	280
esapfs_det	E-Signature Activated Profile Filter Set	280
esapf_det	E-Signature Activated Profile Field	280
esapmp_ref	E-Signature Activated Profile Menu Program Cross-Reference	281
esaps_det	E-Signature Activated Profile Structure	281
esap_mstr	E-Signature Activated Profile	282
escat_mstr	E-Signature Category Master	282
escd_det	E-Signature Category Detail	282
escf_ref	E-Signature Category Filter Cross-Reference	283

escx_det	E-Signature Category XML Detail	283
esc_ctrl	Service/Support Escalation Control.....	284
esfil_mstr	E-Signature Filter	284
esgc_ref	E-Signature Group Category Cross-Reference.....	284
esh_mstr	Service/Support Engineer Schedule Master	285
esig_mstr	E-Signature Master	286
esp_mstr	Export Document Specification Master	287
esrec_det	E-Signature Record List	288
ess_mstr	Service/Support Engineer Status Master	288
eswpfc_det	E-Signature Workbench Profile Filter Criteria	289
eswpfil_det	E-Signature Workbench Profile Filter	289
eswpfs_det	E-Signature Workbench Profile Filter Set.....	290
eswpf_det	E-Signature Workbench Profile Field	290
eswpmpr_ref	E-Signature Workbench Profile Menu Program Cross-Reference ...	291
eswps_det	E-Signature Workbench Profile Structure	291
eswp_mstr	E-Signature Workbench Profile	291
es_mstr	Service/Support Escalation and Repair Master.....	292
et_ctrl	EMU Control.....	293
euc_ctrl	Service/Support End User Control	294
eud_det	Service/Support End User Detail.....	294
eus_mstr	Service/Support End User Schedule Master.....	295
eu_mstr	Service/Support End User Master.....	296
EventDaemon	Event daemon	297
ExchangeRate	Exchange Rate.....	298
ExchangeRateType	Exchange Rate Type.....	298
ExpenseCode	Expense Code.....	300
ExpenseGLMatrix	Expense GL Matrix.....	300
ExpNoteCInvoice	Expense Note Supplier Invoice	300
ExpNoteLineSaf	Expense Note Line Saf.....	301
exr_rate	Exchange Rate Master.....	301
faadj_mstr	Fixed Asset Adjustment Master.....	302
FAAssetBookDeprec	Asset Book Depreciations	302
FAAssetGLSaf	Asset Book Account SAF	303
FAAssetSaf	Asset Saf	303
FAAssetTypeFABook	Fixed Asset Type-Book Cross-Reference	304
faba_det	Fixed Asset Account Detail	304
fabchd_det	Fixed Asset Batch Detail	305
fabch_mstr	Fixed Asset Batch Master	305
fabdy_det	FA Book and Daybook link detail table.....	306
fabd_det	Fixed Asset Book Depreciation Detail	307
fabk_mstr	Fixed Asset Book Master	308
fab_det	Fixed Asset Book Detail	309
FACapitalAssetBook	Fixed Asset Capitalization Asset Book.....	309
facd_det	Fixed Asset Class Account Detail	310
facld_det	Fixed Asset Calendar Detail.....	310
facis_mstr	Fixed Asset Class Master.....	311
fac_l_cal	Fixed Asset Calendar Master	311
fact_ctrl	Fixed Asset Control.....	312
fac_ctrl	Final Assembly Control	312
FADepreciationDetSaf	Depreciation Detail SAF	313
FADepreciationPosting	Depreciation Posting	313
fadf_mstr	Fixed Asset Book Default Master	314
FADisposalDetSaf	Fixed Asset Disposal Detail Saf	314
fad_det	Fixed Asset Component Detail.....	315
faloc_mstr	Fixed Asset Location Master	315
fal_mstr	Fixed Asset Location Code Master	316
famtd_det	Fixed Asset Custom Table Detail	316
famtrd_det	Fixed Asset Meter Detail	317
famtr_mstr	Fixed Asset Meter Master	317

famt_mstr	Fixed Asset Method Master.....	318
FARevalDetSaf	Fixed Asset Revaluation Detail SAF	319
FARevalPosting	Fixed Asset Revaluation Posting.....	319
fas_ctrl	Fixed Asset System Control	319
fauop_det	Fixed Assets UOP Forecast Detail.....	320
FavBusComponent	Favorites.....	320
fa_mstr	Fixed Asset Master.....	321
fcc_mstr	Service/Support Charge Code Product Line Master	322
fcDraftInstanceData	draft instance.....	323
fcd_mstr	Service/Support Default Charge Code Master	323
fcg_mstr	Service/Support Charge Code Master	324
fcldmObject	IDOM document	325
fcInstance	State	325
fcs_sum	Forecast Summary	325
fct_mstr	Service/Support Call Type Master.....	326
fc_det	Seasonal Build Detail	326
ff_mstr	Simulated Forecast Master	328
fh_mstr	Family Hierarchy Master	328
fis_mstr	Invoice Sort Master	329
fkt_mstr	Service/Support Kit Master.....	329
flcrh_hist	Flow Line Capacity Rate History	330
flcr_mstr	Flow Line Capacity Rate Master	331
fldattr_mstr	Field Attribute Master	332
fldf_mstr	Field Default Master	332
flff_mstr	Flow Flex Fence Master	332
flh_mstr	Field Help Program Master	333
flpw_mstr	Field Security Master.....	333
flp_plan	Family Line Plan.....	334
flscd_det	Flow Schedule Code Detail.....	334
flsc_mstr	Flow Schedule Code Master	335
flsd_det	Flow Schedule Detail.....	335
fnd_det	Service/Support Field Notification Detail	336
fnh_hist	Service/Support Field Notification History	337
fn_mstr	Service/Support Field Notification Master	339
fp1_plan	Family Production Backlog and Cost Plan	340
fp2_plan	Family Production Inventory and Order Plan	340
fp3_plan	Family Production and Shipment Plan	341
fpci_mstr	Service/Support Price Indexing Master	342
fpc_mstr	Service/Support Pricing Master.....	343
fpd_cost	Family Item Cost Detail	344
fpst_mstr	Return Status Master	344
frcd_det	Freight Charge Detail	345
frd_det	Freight Rate Detail	346
frm_mstr	Freight Rate Master.....	346
FRWAnCode	Supplementary Analysis Field	346
FRWAnCodeElem	Supplementary Analysis Field	347
FRWAnCodeElemDet	Supplementary Analysis Field	348
FRWBuildLog	Supplementary Analysis Field	349
FRWChart	Supplementary Analysis Field	350
FRWCompany	Supplementary Analysis Field	351
FRWCrossRef	Supplementary Analysis Field	352
FRWCube	Supplementary Analysis Field	354
FRWCubeCy	Supplementary Analysis Field	355
FRWCubeDim	Supplementary Analysis Field	356
FRWCubeGLPd	Supplementary Analysis Field	358
FRWCubeHistLink	Supplementary Analysis Field	359
FRWCubeMeas	Supplementary Analysis Field	360
FRWCubePeriod	Supplementary Analysis Field	362
FRWShSetComb	Supplementary Analysis Field	363

FRWTreeNode	Supplementary Analysis Field	365
frzd_det	Freight Zone Detail	368
fr_mstr	Freight List Master	369
fsc_mstr	Service Category Master	369
fsd_det	Service/Support Call Activity Detail	370
fsh_mstr	Service/Support Holiday Master	372
fslp_pln	Simulation Line Plan	372
fsp1_pln	Family Simulation Backlog and Cost Plan	373
fsp2_pln	Family Simulation Inventory and Order Plan	373
fsp3_pln	Family Simulation Production and Shipment Plan	374
fspd_det	Service/Support Parts List Detail	374
fsu_mstr	Service/Support User Preference Master	375
ftch_hist	Service/Support Trace History	375
ft_mstr	Freight Terms Master	376
fwk_mstr	Service/Support Work Code Master	377
genfldd_det	Generic Field Detail	377
giap_mstr	Application Definition Master	378
gimd_mstr	Model Definition Master	378
gip_det	Table Attribute Detail	379
gisi_mstr	Site/Item Model Definition Master	379
GL	GL Account	380
GLCalendar	GL Calendar	381
glccp_detgicd_det	General Ledger Calendar Detail	383
glcor_ctrl	GL Correction Control File	383
glc_cal	General Ledger Calendar	384
GLMirror	GL Account Mirror	384
GLOpenItem	GL Open Item	386
GLOpenItemMovement	GL Open Item Movement	386
GLReportLink	GL Report Link	387
GLSafDefault	GL Account SAF Default	387
GLSystemType	GL Account System Type	388
gltw_wkfl	General Ledger Work Table	388
GLType	GL Account Type	389
gl_t_det	General Ledger Unposted Transaction Detail	389
gl_ctrl	System/Account Control	391
grac_det	GL Report Writer Account Balances	395
grad_det	GL Report Writer Analysis Code Detail	396
gral_det	GL Report Writer Analysis Code Link-File Detail	397
gras_det	GL Report Writer Selection Detail	397
gra_mstr	GL Report Writer Analysis Code Master	397
grbg_det	GL Report Writer Budgeted Account Balance Detail	398
grcd_det	GL Report Writer Column Group Detail	399
grc_mstr	GL Report Writer Column Group Master	400
grdf_mtx	GL Report Writer Definition Matrix	400
grhd_det	GL Report Writer Group Row/Column Sequence Detail	402
grib_det	GL Report Writer Break Group Detail	402
gric_det	GL Report Writer Image Column Detail	403
grid_det	GL Report Writer Report Image Detail	403
grig_mtx	GL Report Writer Report Image Matrix	404
grit_wkf	GL Report Writer Analysis Code and Item Type Work Table	405
gri_mstr	GL Report Writer Report Image Master	405
GrossIncAcc	Gross Income Accounting	406
grqd_det	GL Report Writer Fiscal Quarter Calendar	407
grrd_det	GL Report Writer Row Group Detail	407
grr_mstr	GL Report Writer Row Group Master	408
grtx_det	GL Report Writer Text String Detail	409
grv_det	GL Report Writer Account Balance Detail	409
grx1_wkfl	GL Report Writer Analysis Code Explosion Work Table	410
grx2_wkfl	GL Report Writer Row/Column Explosion (Separate) Work Table ...	410

grx3_wkfl	GL Report Writer Row/Column Expl (Hierarchical) Work Table.....	411
grx_mstr	GL Report Writer Report Content Master.....	412
gr_ctrl	GL Report Writer Control.....	412
gtidh_hist	Golden Tax Invoice History Detail.....	413
gtih_hist	Golden Tax Invoice History Master.....	414
gtnbr_det	Golden Tax Invoice Cross Reference	414
gt_ctrl	Golden Tax Control	415
hd_mstr	Holiday Master	415
hlp_mstr	Help Master.....	415
HoldM	Warehousing Hold Master.....	416
iach_hist	Inventory Consumption History	418
iac_ctrl	Obsolete Inventory Control Parameters.....	418
iad_mstr	Obsolete Inventory Depreciation Rate Master	418
iaod_det	Output File Field Detail.....	419
iao_mstr	Output File Master.....	419
iasd_det	Obsolete Inventory Control Site Detail	420
iatd_det	Inventory Type Field Detail.....	420
iat_mstr	Inventory Type Master.....	420
ibh_hist	Sales Order Configuration Bill History.....	421
ib_det	Service/Support Installed Configuration Detail.....	422
icc_ctrl	Inventory Control	422
idhlc_hist	Invoice History Line Charge Detail	423
idhr_hist	Invoice History Relationship Detail.....	424
idh_hist	Invoice History Detail.....	425
iec_ctrl	Import/Export Control	428
ied_det	Import/Export Detail.....	429
ieh_hist	Import/Export History.....	430
iepl_ctrl	Poland Intrastat Declaration Control	432
ie_mstr	Import/Export Master.....	432
ifs_mstr	Interface Session Master.....	433
ihcc_hist	Invoice History Credit Card Master	434
ihr_hist	Invoice History Relationship Master	435
ih_hist	Invoice History Master.....	435
ild_det	Item Location Detail.....	438
ilg_hist	Import Document Log.....	439
imap_det	Import Document Map Detail.....	440
img_msg	Import Document Message	441
im_mstr	Inventory Movement Code Master	442
Industry	Industry.....	442
ind_det	Independent Demand Detail.....	443
insd_det	Invoice Schedule Detail.....	444
InspC	Warehousing Inspection Control	444
InspH	Warehousing Inspection History.....	445
InspInvD	Warehousing Inspected Inventory Detail.....	447
InstallNetImport	Install Net Import	448
ins_mstr	Invoice Schedule Master	448
InterWLGm	Warehousing Inter Work Location Group Master	449
InventHM	Warehousing Inventory History Master	450
InventM	Warehousing Inventory Master	451
in_mstr	Inventory Master.....	452
ipd_det	Item Specification Detail.....	453
iph_hist	Pricing History	454
ip_mstr	Master Specification Test Results.....	455
IRAssD	Warehousing Internal Routing Assignment Detail.....	455
iraw_det	Raw Import Document Detail	456
IRD	Warehousing Internal Routing Detail.....	457
IRGroupM	Warehousing Internal Routing Group Master.....	458
IRM	Warehousing Internal Routing Master.....	459
iro_det	Item Routing Cost Detail	460

isb_mstr	Service/Support Installed Base Item Master	462
isd_det	Inventory Status Detail	464
isp_mstr	Import Document Specification Master	464
iss_mstr	Service/Support Installed Base Structure.....	465
isvc_mstr	Statistical Value Calculation Master	466
is_mstr	Inventory Status Master	466
itmhist	Service/Support Call Item History	467
itm_det	Service/Support Call Item Detail	469
itsd_det	Item Site Load Detail	471
its_mstr	Item Site Load Master	472
ivs_ctrl	Invoice Schedule Control	472
Journal	Daybook	473
JournalGroup	Daybook Group	474
JournalType	Daybook Type	474
kbc_ctrl	Kanban Control	475
kbdm_mstr	Kanban Demand Template Master	476
kbmd_mstr	Kanban Maximum Demand Master.....	476
kbpp_mstr	Kanban Planning Period Master.....	477
kbtrd_det	Kanban Transaction History Detail.....	477
kbtrr_det	Kanban Transaction Reject Detail.....	478
kbtr_hist	Kanban Transaction History	478
kenb_det	Ending Inventory Balance and Cost by Location.....	480
kia_mstr	Inventory Account Change Master	481
knbadc_hist	Kanban Average Demand Calculation History.....	481
knbcd_det	Kanban Cards Dispatch History	482
knbdd_mstr	Kanban Document Definition Master.....	484
knbd_det	Kanban Card Detail.....	485
knbfd_det	Kanban FIFO Process Detail.....	486
knbism_det	Kanban Item Supermarket Detail	486
knbi_mstr	Kanban Item Master	487
knble_det	Kanban Loop Event Detail.....	488
knbl_det	Kanban Loop Detail.....	488
knbrs_mstr	Kanban Dispatch Release Schedule.....	490
knbsm_mstr	Kanban Supermarket Master	490
knbs_det	Kanban Source Detail	491
knb_mstr	Kanban Master.....	491
knpd_det	Kanban Process Item Detail.....	492
knpm_mstr	Kanban Process Master	492
kstc_det	Ending Inventory Balance by Site	493
LabourC	Warehousing Labour Management Control	494
lacd_det	Logistics Accounting Charge Detail.....	494
lac_ctrl	Logistics Accounting Control	495
lad_det	Location Allocation Detail	495
LaneAssD	Warehousing Lane Assignment Detail	496
LaneAssM	Warehousing Lane Assignment Master	497
LaneGroupD	Warehousing Lane Group Detail	498
LaneGroupM	Warehousing Lane Group Master	498
LaneM	Warehousing Lane Master	499
Layer	Layer	500
lblc_ctrl	Label Control	501
lc_mstr	Logistics Accounting Charge Code Master	502
ld_det	Location Detail.....	502
lgdc_ctrl	Legal Document Control.....	503
lgdd_det	Legal Document Detail Table	504
lgdnr_det	Legal Document Address and Sequence ID Detail.....	505
lgdtx_det	Legal Document Tax Usage of Simultaneous Op Setup Detail.....	505
lgd_mstr	Legal Document Master	506
lgsi_det	Logistics Site Detail.....	508
lgs_mstr	Logistics Master	508

Ina_det	Production Line Allocation Detail.....	509
Ind_det	Production Line Detail	510
Inf_det	Flow Production Line Preference Detail.....	511
Lng	Language	511
lngd_det	Language Detail	512
lng_mstr	Language Master	512
ln_mstr	Line Master.....	513
LoadD	Warehousing Load Detail	513
LoadM	Warehousing Load Master	514
LoadMasterM	Warehousing Load Master Master	515
LoadSAddrD	Warehousing Load Setup Address Detail	517
LoadSetupM	Warehousing Load Setup Master.....	517
LoadSItemD	Warehousing Load Setup Item Detail.....	518
LocalExitC	Warehousing Local Exit Routine Control.....	519
locc_det	Reserved Locations Detail	520
LocDefD	Warehousing Location Definition Detail	521
LocDefM	Warehousing Location Definition Master.....	521
locd_det	Ending Inventory Balance of a cost calculation period.....	522
LocForD	Warehousing Location Forecast Detail	523
LocM	Warehousing Location Master.....	524
locpd_det	FiFo/LiFo history of unconsumed quantity onhand per period.	525
LocUMM	Warehousing Location Unit of Measure Master	526
LocW	Warehousing Location Work Table	527
loc_mstr	Location Master.....	528
lotw_wkfl	Lot Number Work Table	528
lot_mstr	Lot Master	528
ls_mstr	Address List Detail	529
maxt_det	Maximum Table Detail.....	530
max_mstr	Maximums Master.....	530
ma_mstr	Mirror Account Master	531
MessageD	Warehousing Messaging Detail.....	531
MessageM	Warehousing Messaging Master.....	532
mfc_ctrl	Control Work Table	533
mfrel_mstr	Master Table Relationships.....	534
mfsc1_mstr	used for logging the changes made for MFS related tables.....	534
mfsd_det	QAD Mobile Field Service User Detail	535
mfsIsd_det	MFS Last Sync Detail.....	537
MirroringGL	Mirror Account.....	537
MirroringJournal	Mirror Daybook.....	538
mnd_det	Menu Detail	538
mnp_det	Service/Support Custom Program Detail	538
mnt_det	Menu Title Detail	539
mpd_det	Master Specification Detail.....	539
mph_hist	Master Specification Test History	540
mpp_det	Service/Support Custom Program Parameter Detail.....	540
mps_mstr	Master Production Schedule	541
mp_mstr	Master Specification	541
mrpc_ctrl	Material Requirements Planning Control.....	542
mrpp_det	Material Requirements Planning Pegging Detail.....	542
mrp_det	Material Requirements Planning Detail	543
MsgBrokerSetting	Message Broker Setting	543
msg_mstr	Message Master.....	544
mu_mstr	Monetary Union Master	544
ncc_ctrl	Net Commerce Control.....	545
Nomenclature	Nomenclature	545
nrh_hist	Number Range History.....	546
nr_mstr	Number Range Master.....	547
nsoc_ctrl	Non-Sales Order Control.....	547
oa_det	Action Message Detail.....	549

ObjectStatus	Object Status.....	549
ocm_mstr	Service/Support On Call Master.....	549
OIAdjust	Open Item Adjustment.....	550
OIAdjustLn	Open Item Adjustment Line.....	551
opc_ctrl	Shop Floor Operation History Control	552
opgl_det	Shop Floor Operation General Ledger Detail.....	553
opm_mstr	Standard Operation Master.....	554
ops_ctrl	Operations Plan Control	554
op_hist	Operation Transaction History.....	555
OrdAllocD	Warehousing Order Allocation Detail	557
OrdAllocH	Warehousing Order Allocation History	558
OrderD	Warehousing Order Detail.....	559
OrderM	Warehousing Order Master.....	561
OrderSelD	Warehousing Order Batch Selection Detail.....	562
OrderSelM	Warehousing Order Batch Selection Master	564
pac_mstr	Purchase Approval Code Master	565
pald_det	Pallet Detail	565
pal_mstr	Pallet Master	566
PartSLGM	Warehousing Item/Storage Location Group Master	566
PartWhseM	Warehousing Item/Warehouse Master.....	567
PayFormatCode	Payment Format Code	568
PayFormatGroup	Payment Format Group.....	569
PayFormatType	Payment Format Type.....	570
PaymentCondition	Credit Terms.....	570
PaymentConditionStaged	Staged Payment.....	571
PaymentGroup	Payment Group	572
PaySel	Payment Selection	572
PaySelHistory	Payment Selection History	573
PaySelLine	Payment Selection Line.....	573
PaySelLineStage	Payment Selection Line Stage	574
PaySelPayCode	Payment Selection Payment Code.....	574
PaySelPrepay	Payment Selection Prepayment.....	575
pcc_ctrl	Product Change Control.....	575
pcd_det	Purchase Order Line Cost Element Detail	576
pcl_d_det	Product Change Control Group Detail.....	576
pcl_mstr	Product Change Control Group Master	576
pcsc_ctrl	Control file to help setup parameters for Periodic Costing	577
pctrop_detpct_mstr	Product Change Control Type Master.....	578
pc_mstr	Price List Master.....	578
Period	GL Period	579
PeriodMark	Period Mark.....	580
pfc_det	Production Forecast Detail	581
pfd_det	Service/Support Item-Site Detail	581
pgc_ctrl	Service/Support Paging Control	583
pgh_hist	Service/Support Paging History	583
pgm_det	Program Detail	585
pic_ctrl	Pricing Control.....	585
pid_det	Price List Detail	586
pigc_det	Price List Group Customer Detail.....	586
pigp_det	Price List Group Item Detail	587
pig_mstr	Price List Group Master.....	587
pih_hist	Pricing History	588
pi_mstr	Price List Master.....	590
pjc_ctrl	Project Realization Control.....	591
pjd_det	Project Realization Subproject Detail	592
pjsh_hist	Project Realization Transaction History	593
pjsx_det	Project Structure Cross-Reference Detail	594
pjs_mstr	Project Realization Structure Master.....	595
pjt_mstr	Project Realization Project Type Master	596

pj_mstr	Project Master	597
pk_det	Pick List Work Table	597
pld_det	Product Line Detail	598
pliabs_ref	Legal Document Cross-Reference	598
plid_det	Purchase Ledger Invoice Detail	599
pli_mstr	Purchase Ledger Invoice Master	599
plsd_det	Product Line Sales Detail	600
plt_det	Product Line Tax Detail	601
pl_mstr	Product Line Master	601
poad_det	Purchase Order Allocation Detail	604
poa_mstr	Purchase Order Allocation Master	605
poc_ctrl	Purchase Order Control	605
pod_det	Purchase Order Detail	606
Posting	Posting	609
PostingHist	Posting History	611
PostingLine	Posting Line	613
PostingSaf	Posting Saf	615
PostingSafCombined	Posting Saf Combined	616
PostingSafHist	Posting History SAF	616
PostingTemplate	Posting Template	617
PostingVat	Posting Tax	618
PostingVatDelay	Posting Tax Delayed	619
pould_det	Point of Use Location Detail	620
poul_mstr	Point of Use Location Master	621
pou_mstr	Point of Use Code Master	621
po_mstr	Purchase Order Master	621
pp_plan	Product Line Plan	624
pq_mstr	Product Line Requirements Master	624
prd_det	Printer Detail	625
PrefixC	Warehousing Prefix Set Control	625
prh_hist	Purchase Order Receipt History	626
prj_mstr	Project Realization Project Master	628
Profile	Profile	629
ProfileLink	Profile Link	630
ProfileType	Profile Type	630
Project	Project	631
ProjectGroup	Project Group	632
ProjectSafDefault	Project Saf Default	633
ProjectStatus	Project Status	633
prsd_det	Production Scheduler Resource Detail	634
prs_mstr	Production Scheduler Resource Master	634
pr_mstr	Printer Master	635
pshc_ctrl	Purchase Shipper Control	635
ps_mstr	Product Structure Master	636
pta_det	Associated Item Detail	637
ptc_det	Container Item Detail	638
pth_hist	Products Sales History	638
pti_det	Item Inventory Data	639
ptls_det	Item Lot/Serial Detail	640
ptp_det	Item Planning Detail	640
ptqa_det	Item Quantitative Analysis Detail	642
ptre_det	Item Replacement Detail	643
ptr_det	Item Routing Detail	643
pts_det	Item Substitute Detail	644
ptt_det	Item Tax Detail	645
ptv_det	Item Statistical Value Detail	645
pt_mstr	Item Master	646
PurchaseCode	Purchase Code	650
PurchaseGLMatrix	Purchase GL Matrix	651

PurchaseType	Purchase Type	651
pvod_det	Pending Voucher Detail.....	653
pvo_mstr	Pending Voucher Master.....	654
qaddb_ctrl	Database Control for QADDB	655
qaddb_ver	Table name identifies the database type.....	655
qad_wkfl	QAD Work Table	655
qcc_ctrl	Quality Order Control	656
qcd_det	Quality Control Order Detail	656
qcs_mstr	Quality Sampling Pattern Master.....	657
qc_mstr	Quality Control Order Master	657
qob_det	Sales Quotation Configuration Bill Detail	658
qoc_ctrl	Sales Quotation Control	659
qodr_det	Sales Quotation Relationship Detail.....	659
qod_det	Sales Quotation Detail.....	660
qor_mstr	Sales Quotation Relationship Master	662
qo_mstr	Sales Quotation Master	662
QPostingSaf	Posting SAF Daemon Queue	664
qps_det	Quality Test Bill Detail	664
qqc_ctrl	Q/LinQ Control	665
qro_det	Quality Inspection Routing Detail	666
qr_test	Quality Order Test Steps.....	667
qtbl_ext	QAD Table Extension.....	667
QueryCache	Query Cache	668
rbm_mstr	Retrobill Master	668
rcc_mstr	Customer Sequence Schedule Master.....	669
rcf_ctrl	Customer Sequence Schedule Control	669
rcsd_det	Customer Sequence Schedule Detail	670
rcsx_ref	Customer Sequence Schedule Cross-Reference	672
rcc_mstr	Customer Schedule Master.....	673
rdf_mstr	Service/Support Return Defaults Master	673
Reason	Invoice Status Code	674
ReceiptD	Warehousing Receipts Detail.....	676
RecEntry	Recurring Entry	677
RecEntryLine	Recurring Entry Line.....	678
Region	Geographic Region	678
reg_mstr	Service/Support Region Master	679
RelStatM	Warehousing Release Status Master.....	680
ReplenC	Warehousing Replenishment Control.....	681
RepListD	Warehousing Replenishment List Detail	681
RepListM	Warehousing Replenishment List Master.....	682
RepLocM	Warehousing Replenishment Location Master.....	683
ReportPeriod	Reporting Period	684
RepSLGM	Warehousing Replenishment SLG Master	685
req_det	Requisition Detail	687
Resources	Resource	687
Reval	Revaluation	688
RevalDet	Revaluation Detail	689
RevalGL	Revaluation Account	689
RevalGLSafCombined	Revaluation Saf Combined.....	690
RevalHeader	Revaluation Header.....	691
RevalRate	Revaluation Rate.....	691
RGD	Warehousing Release Group Detail	692
RGM	Warehousing Release Group Master	693
rhd_hist	Return Material Authorization Detail History	694
rma_mstr	Return Material Authorization Master.....	695
rmc_ctrl	Return Material Authorization Control	697
rmd_det	Return Material Authorization Detail.....	698
rndc_mstr	Country Code and Currency with Rounding Method.....	700
rnd_mstr	Rounding Method Master	700

Role	Role	701
RoleResource	Link Role-Resource.....	702
RoundingMethod	Rounding Method	702
ro_det	Routing Operation Detail	702
rpc_ctrl	Repetitive Control.....	704
rps_mstr	Repetitive Production Schedule Master	704
rqa_mstr	Requisition Approver Master	706
rqcd_det	Requisition Category Detail.....	707
rqc_mstr	Requisition Category Master	707
rqda_det	Requisition Approval Detail	707
rqd_det	Requisition Detail	708
rqf_ctrl	Requisition Control	709
rqh_hist	Requisition History	710
rqj_mstr	Requisition Job Master.....	711
rql_mstr	Requisition Approval Level Master.....	711
rqm_det	Requirement Detail.....	711
rqm_mstr	Requisition Master.....	712
rqpo_ref	Requisition/PO Cross-Reference	714
rqr_mstr	Role Master	714
rq_mstr	Requirement Master.....	715
rsc_ctrl	Shipping Schedule Control.....	715
rsd_det	Resource Requirements Detail	716
rsn_ref	Reason Code Master	716
rstd_det	Product Change Control Routing Slip Template Detail	717
rst_mstr	Product Change Control Routing Slip Template Master	717
rsud_det	Product Change Control Routing Slip Detail	717
rsu_mstr	Product Change Control Routing Slip Master	719
rs_mstr	Resource Master	719
RunD	Warehousing Program Execution Detail	719
sab_det	Service Contract Billing Detail	720
sac_ctrl	Service Contract Control	721
sadh_hist	Service Contract Detail History	723
sad_det	Service Contract Detail.....	725
Saf	Supplementary Analysis Field	727
SafConcept	Saf Concept.....	728
SafStructure	Saf Structure	729
SafStructureLine	Saf Structure Line.....	730
SafStructureLink	Saf Structure Link.....	731
sah_hist	Service Contract History.....	731
SalesCode	Sales Code.....	734
SalesGLMatrix	Sales GL Matrix.....	735
salh_hist	Service/Support Contract Limits History.....	735
sal_mstr	Service/Support Contract Limits Master.....	737
sap_det	Service Contract Preventive Maintenance Detail	738
sar_mstr	Service Contract Serial Number Master.....	739
sa_mstr	Service Contract Master.....	740
sbc_mstr	Service/Support Billing Cycle Master	743
sbd_det	Sub-Account/Account Validation Detail	743
sbic_ctl	Self-Bill Control.....	743
sbid_det	Self-Bill Detail	744
sbi_mstr	Self-Bill Master	745
sb_mstr	Sub-Account Master	747
sca_mstr	Service Contract Additional Charge Master	747
scc_mstr	Customer/Ship-To Shipment Controls Master.....	748
schd_det	Release Management Schedule Detail	748
sch_mstr	Release Management Schedule Master	749
scs_ctrl	Subcontract Shipping Control.....	750
sct_det	Cost Simulation Total Detail	751
scx_ref	Scheduled Order Cross-Reference	751

sc_mstr	Cost Simulation Master	752
sdt_d	Shipping Delivery Time Detail	753
sdt_mstr	Shipping Delivery Time Master	753
sd_mstr	Sales Order Discount Master	754
seoc_ctrl	Material Order Control.....	754
seq_mstr	Production Line Schedule Sequence Master	755
sfb_d	Service/Support Billing Detail	756
sfb_hist	Service/Support Billing History	757
sgad_d	Shipping Group Address Detail	759
sgcd_d	Shipping Group Carrier Detail	759
sgid_d	Shipping Group and Inventory Movement Code Detail	759
sg_mstr	Shipping Group Master	760
SharedSet	Shared Set	760
SharedSetMergeLog	Shared Set Merge Log	761
SharedSetProp	Shared Set Property	762
SharedSetType	Shared Set Type	762
shcd_d	Shipper Control Detail Default Export Directories	763
shc_ctrl	Shipper Control	763
shd_d	Shipping Schedule Detail	763
shft_d	Shift Detail	764
ShipViaM	Warehousing Ship Via/Service Master.....	765
shm_mstr	Shipping Schedule Master	765
shop_cal	Shop Calendar	766
ShortcutAct	shortcut key	766
shpc_ctrl	Shipment Performance Control	767
shpd_hist	Shipment Performance Detail History	767
shphr_d	Data Validation Rule Master.....	768
shphvd_d	Field Validation Allowed Value Detail.....	768
shphvpv_d	Validation/Prompt Location Detail	769
shphv_d	Rule Field Validation Detail	769
shp_hist	Shipment Performance History	770
shtr_d	Shipment Trailer Detail.....	771
shv_mstr	Ship Via Master	772
sigd_d	Site grouping for linked sites.	772
sim_d	Inventory Movement Site Detail	772
six_ref	Shipment Detail/Invoice Number Cross-Reference.....	773
si_mstr	Site Master	774
SLGListD	Warehousing Storage Location Group List Detail	775
SLGListM	Warehousing Storage Location Group List Master	776
SLGM	Warehousing Storage Location Group Master.....	777
SLGUMD	Warehousing Storage Location Group/Unit of Measure Detail	778
slrd_d	Site Linking Rules Detail	780
slr_mstr	Site Linking Rules Master.....	780
sm_mstr	Source Matrix Master	781
sob_d	Sales Order Configuration Bill Detail.....	781
socc_mstr	Sales Order Credit Card Master.....	782
soc_ctrl	Sales Order Control.....	782
SODAudit	SOD Audit Log	784
SODCategory	SOD category.....	784
sodctg_mstr	Segregation Of Duties Category Master	785
SODException	SOD policy exception	786
SODExceptionLn	SOD policy exception line	786
SODExclusion	SOD category exclusion.....	786
sodlc_d	Sales Order Detail Line Charges.....	787
SODLog	SOD Violations Log	787
sodm_d	Segregation Of Duties Category Matrix.....	788
sodped_d	Segregation Of Duties Policy Exception Detail	788
sodpe_mstr	Segregation Of Duties Policy Exception Master.....	789
sodrc_d	Required Ship Schedule Order Line Detail	789

sodr_det	Sales Order Relationship Detail	789
SODViolation1	Violation to SOD rule 1	790
SODViolation1R	Resource in violation to SOD rule 1	790
SODViolation2	Violation to SOD rule 2	791
SODViolation2R	Resource in violation to SOD rule 2	791
sodv_hist	Segregation Of Duties Violation Log	791
sod_det	Sales Order Detail	792
sop_det	Cost Simulation Operation Detail	796
sor_mstr	Sales Order Relationship Master	796
sosrd_det	Sales Order Shipment Reason Detail	797
sosr_mstr	Sales Order Shipment Reason Master	797
so_mstr	Sales Order Master	798
spc_ctrl	Salesperson Control	801
spd_det	Salesperson Commission Detail	801
sph_hist	Salesperson Sales History	802
spt_det	Cost Simulation Item Detail	802
sp_mstr	Salesperson Master	803
src_ctrl	Service Request Control	803
sroc_ctrl	Service/Repair Order Control	804
sro_mstr	Service/Repair Order Master	804
srr_mstr	Service Request Master	806
sr_wkfl	Serial Number Work Table	807
ssd_det	Source of Supply Detail	807
ssm_mstr	Source of Supply Master	808
State	State	808
Statistic	Statistical Code	808
sttqd_det	Time-Based/Quantity-Based Status Code Detail	809
sttq_mstr	Time-Based/Quantity-Based Status Code Master	810
stx_mstr	Suspended Tax Master	811
sufd_det	Shipper User Field Detail	812
suf_mstr	Shipper User Field Master	812
svc_ctrl	Service/Support Management Control	813
sv_mstr	Service Agreement Terms and Conditions Master	815
swc_det	Cost Simulation Work Center Detail	817
sypd_det	Synch Profile Detail	817
sypj_det	Sync Profile Join Detail	818
syps_det	Synch Profile Subscription Detail	819
syp_mstr	Synch Profile Master	820
SysProperty	System Property	821
Syst	System	822
SystemC	Warehousing System Control	822
sytf_mstr	Synchronization Table-Field Master	823
tag_mstr	Physical Inventory Tag Master	824
TaskAssD	Warehousing Task Assignment Detail	824
TaskAssM	Warehousing Task Assignment Master	825
TaskD	Warehousing Task Detail	826
TaskM	Warehousing Task Master	827
TaxReg	Tax Register	828
TaxRegCompany	Tax Register Company	828
TaxRegJournal	Tax Register Journal	829
tblcd_det	Table Change Detail	829
tblc_mstr	Table Change Master	829
tbl_mstr	Service/Support Parent/Child Relationship Master	831
TemplateD	Warehousing Printer Template Detail	831
TemplateM	Warehousing Printer Template Master	832
te_mstr	Transaction Export Master	833
tm_mstr	Transportation Master	834
totd_det	Terms of Trade Detail	835
tot_mstr	Terms of Trade Master	835

TrackingD	Warehousing Packaging Tracking Detail	835
TranD	Warehousing Transaction Detail	836
TranH	Warehousing Transaction History	840
TransactionType	Transaction Type.....	843
TransportMeans	Means Of Transport	844
TranTypeM	Warehousing Transaction Type Master	845
TranW	Warehousing Transaction Work Table	846
trcs_det	Transaction Cost Detail	846
trgl_det	Inventory Transaction and General Ledger Cross-Reference.....	847
trld_det	Trailer Tax Detail	848
trl_mstr	Trailer Master	848
trq_mstr	Transmission Date Reference Master	849
tr_hist	Inventory Transaction History.....	849
tx2d_det	Tax Detail	851
tx2_mstr	Tax Master	853
txbd_det	Tax Base Detail	854
txcl_mstr	Tax Class Master	855
txc_ctrl	Tax Control.....	856
txed_det	Tax Environment Detail	856
txenv_mstr	Tax Class Master	857
txe_mstr	Tax Environment Master	857
txhd_det	Tax History Detail	857
txty_mstr	Tax Type Master	859
txud_det	Tax Usage Detail.....	859
txu_mstr	Tax Usage Master.....	860
txz_mstr	Tax Zone Master	860
typ_mstr	Fixed Asset Type Master.....	861
tzod_det	Service/Support Time Zone Detail	861
tzo_mstr	Service/Support Time Zone Master.....	862
UDCConfig	User-Defined Component configuration	862
udd_det	User Domain Detail	862
udfcls_mstr	UDF Class Master	863
udfclud_det	UDF Class Use Table.....	863
ufd_det	User Function Key Detail.....	864
UMGroupD	Warehousing Unit of Measure Group Detail.....	864
UMGroupM	Warehousing Unit of Measure Group Master	865
umsg_det	User Message Detail	866
um_mstr	Unit of Measure Conversion Master	866
upd_det	Printer/User Detail	867
urd_det	Update Restriction Detail.....	868
url_mstr	URL Master	868
ursc_det	Update Status Code Detail.....	869
ur_mstr	Update Restriction Master.....	869
UserD	Warehousing RF User Detail.....	870
UserGroupD	Warehousing RF User Group Detail.....	871
UserGroupM	Warehousing RF User Group Master.....	871
UserM	Warehousing RF User Master.....	872
UserSysM	Warehousing User System Code Security Master	873
UserWLGM	Warehousing User/Work Location Group Master.....	874
usg_det	Application Usage Detail	875
uslh_hist	User Logon History.....	875
uspw_hist	User Password History.....	876
Usr	User.....	876
UsrCompany	Link User-Company.....	877
usrc_ctrl	User Control	877
UsrDomain	Link User-Domain.....	878
usrgd_det	User Role Detail	878
usrgm_det	Role Compatibility Matrix.....	878
usrg_mstr	User Role Master	879

usrI_det	User Licensed Application Detail.....	879
UsrProperty	User Property	879
UsrRole	Link User-Role.....	880
UsrRoleCompany	Link User-Role-Company	881
UsrRoleDomain	Link User-Role-Domain	881
UsrRoleScope	Link User-Role Scope	882
usrw_wkfl	User Work Table	882
usr_mstr	User Master.....	883
Vat	Tax Rate.....	883
VatBox	Tax Box	885
VatExport	Tax Export.....	885
VatGroup	Tax Group	885
VatGroupBoxLink	Tax Group Box Link.....	886
VatNumber	Tax Number.....	886
VatPercent	Tax Percent.....	887
VatPercentLine	Tax Percent Line	888
VatPeriod	Tax Period.....	888
VatRule	Tax Rule	890
vd_mstr	Supplier Master	891
vecd_det	Supplier Performance Category Detail.....	893
vec_mstr	Supplier Performance Category Master	893
vee_mstr	Supplier Performance Event Master	894
vef_ctrl	Supplier Performance Control	894
VendPartM	Warehousing Supplier/Item Master	896
vepd_det	Supplier Performance Detail	897
vep_mstr	Supplier Performance Master.....	898
VerbH	Warehousing Verbosity History	899
verd_det	Supplier Performance Registration Detail	901
VerifyStatusTrans	Verify Status Transition	901
ver_mstr	Supplier Performance Registration Master	902
vesd_det	Supplier Performance Summary Detail	903
ves_mstr	Supplier Performance Summary Master	904
vew_mstr	Supplier Performance Weighting Factor Master	904
vex_mstr	Supplier Performance Cross-Reference Master	905
vph_hist	Voucher Invoice History	906
vpo_det	Voucher Purchase Order Detail	906
vp_mstr	Supplier Item Master	907
vrc_ctrl	Version Control.....	908
vw_mstr	Viewer Enabled Fields Master.....	908
WaveC	Warehousing Wave Control	908
WaveD	Warehousing Wave Detail.....	910
WaveLoadD	Warehousing Wave Load Detail.....	912
WaveM	Warehousing Wave Master	913
WaveMasterM	Warehousing Wave Master Master	914
WaveTranspC	Warehousing Wave Transportation Control	916
wcr_route	Work Center Routing Standards	918
wc_mstr	Work Center Master	918
whl_mstr	Warehouse Location Master	919
WhseC	Warehouse Control	921
WhseListD	Warehouse Master List Detail	923
WhseListM	Warehouse Master List Master	924
WhseM	Warehouse Master	925
WhseTferOrdD	Warehouse Transfer Order Detail	927
WhseTferOrdM	Warehouse Transfer Order Master	928
WhseTrTypeM	Warehouse/Transaction Type Master	929
WHT	Withholding Tax.....	930
WHTCertFormat	WHTCertFormat	932
wlbd_det	WIP Lot Trace BOM Control Detail	932
wlbr_mstr	WIP Lot Trace BOM Control Master.....	933

wlc_ctrl	WIP Lot Trace Control.....	934
wld_det	WIP Lot Inventory Detail.....	935
WLGM	Work Location Group Master	936
wlrd_det	WIP Lot Trace Routing Control Detail	938
wlrm_mstr	WIP Lot Trace Routing Control Master	938
wlt_mstr	WIP Lot Trace Master	939
wl_mstr	WIP Lot Master.....	940
woc_ctrl	Work Order Control	941
wod_det	Work Order Detail.....	942
wopd_det	Periodwise(Cost calculation) components details	943
wopm_det	Periodwise(Cost calculation) WO master WIP information	944
wopr_det	Periodwise(Cost calculation) WO Routing (WIP) information	944
WorkClass	Work Object Class.....	945
WorkLoadD	Warehousing Work Load Group Details.....	945
WorkLoadM	Warehousing Work Load Group Master.....	947
wo_mstr	Work Order Master.....	947
wr_route	Work Order Routing	950
wtx_mstr	Withholding Tax Master.....	953
YearClosing	Year Closing	954

Index of Table Descriptions..... 955

What's New?

The following table summarizes significant differences between this document and the version released with QAD 2011 Enterprise Edition.

[illegible]

About This Guide

Introduction 2

How This Book Is Organized 2

Symbols and Conventions 3

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming.

How This Book Is Organized

See “Symbols and Conventions” for symbols.

Database tables are grouped by module and listed alphabetically, with the following information.

ad_mstr Address Master				
Field Name	Label	Col-Label	Format	Dec
ad_addr	Address		x(8)	
ad_address_id	Business Relation Address		9999999999	
ad_alt_um	Alternate UM	UM	x(2)	

- *Field Name*. The name of the field.
- *Label*. The field label as it appears on screens.
- *Col-Label*. The column label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- User definable for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

Index-Name	Uni	Field-Name	Asc	Abbr
* ad_addr	yes	ad_domain	yes	no
		ad_addr	yes	no
ad_address_id	no	ad_address_id	yes	no
ad_edi_tpid	no	ad_domain	yes	no
		ad_edi_tpid	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don’t specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book.

Symbol	Meaning
*	Primary Index
◇	New table, field, index
Δ	Changed field/index
!	Shows where a column label wraps to next line

The following conventions are used in this book.

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>__user<number>	User field (ac__user1)
<prefix>__dec<number>	User decimal data field (ac__dec01)
<prefix>__chr<number>	User character field (ac__chr01)
<prefix>__qad<number>	QAD reserved field (ac__qad01)
<prefix>_x<number>	Obsolete field (ac_xctr)

Database Definitions

The following pages contain an alphabetical listing of database definitions used in QAD Enterprise Applications Enterprise Edition.

AAA_gadfinance_20101216DB Time Stamp

Field Name	Label	Col-Label	Format	Dec
aaa id			>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	aaa_idx	yes	aaa_id	yes	no

abscc_det Sales Order Detail Container Charges

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* abscc_id	yes	abscc_domain	yes	no
		abscc_abs_id	yes	no
		abscc_abs_shipfrom	yes	no
abscc_inv_nbr	no	abscc_domain	yes	no
		abscc_inv_nbr	yes	no
		abscc_order	yes	no
abscc_ordln	no	abscc_domain	yes	no
		abscc_order	yes	no
		abscc_ord_line	yes	no
		abscc_inv_post	yes	no
abscc_shipto	no	abscc_domain	yes	no
		abscc_shipto	yes	no
		abscc_shp_date	yes	no
		abscc_container	yes	no
oid_abscc_det	yes	oid_abscc_det	yes	no

absc_det

Shipment Carrier Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absc_abs_id	yes	absc_domain	yes	no
		absc_abs_id	yes	no
		absc_seq	yes	no
absc_carrier	no	absc_domain	yes	no
		absc_carrier	yes	no
oid_absc_det	yes	oid_absc_det	yes	no

absd_det

Shipment Line Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absd_fld_name	yes	absd_domain	yes	no
		absd_shipfrom	yes	no
		absd_abs_id	yes	no
		absd_fld_name	yes	no
absd_shipper_id	no	absd_domain	yes	no
		absd_shipfrom	yes	no
		absd_shipper_id	yes	no
		absd_fld_name	yes	no
oid_absd_det	yes	oid_absd_det	yes	no

absi_mstr

Shipper Information Master

Field Name	Label	Col-Label	Format	Dec
absi__qadc01			x(24)	
absi__qadc02			x(24)	
absi_abs_id	Shipper ID	Shipper	x(20)	
absi_carrier_ref2	Carrier Reference 2		x(20)	
absi_contents	Contents		x(60)	
absi_domain	Domain		x(8)	
absi_due_date	Due Date	Due	99/99/99	

8

Field Name	Label	Col-Label	Format	Dec
absi_mod_date	Modified Date	Mod Date	99/99/99	
absi_mod_userid	User ID		x(8)	
absi_origin	Origin		x(30)	
absi_port_arrive	Port of Arrival		x(30)	
absi_port_depart	Port of Departure		x(30)	
absi_shipfrom	Ship-From		x(8)	
absi_user1	User Field Character 1		x(24)	
absi_user2	User Field Character 2		x(24)	
absi_voyage	Voyage		x(20)	
oid_absi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* absi_abs_id	yes	absi_domain	yes	no
		absi_shipfrom	yes	no
		absi_abs_id	yes	no
oid absi mstr	yes	oid absi mstr	yes	no

absl det Shipment Detail Line Charges

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absl_abs_id	yes	absl_domain	yes	no
		absl_abs_id	yes	no
		absl_abs_shipfrom	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_lc_line	yes	no
absl_order	no	absl_domain	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_inv_post	yes	no
oid_absl_det	yes	oid_absl_det	yes	no

abspli_ref

Purchase Order Shipper/Invoice Cross Reference

Field Name	Label	Col-Label	Format	Dec
abspli__qadc01			x(24)	
abspli__qadc02			x(24)	
abspli_abs_id	Shipper ID	Shipper ID	x(20)	
abspli_domain	Domain		x(8)	
abspli_mod_date	Modified Date	Mod Date	99/99/99	
abspli_mod_userid	User ID		x(8)	
abspli_pli_keyid	Key ID		>>>>>>>	
abspli_supplier	Supplier		x(8)	
abspli_user1	User Field Character 1		x(24)	
abspli_user2	User Field Character 2		x(24)	
oid_abspli_ref			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* abspli_primary	yes	abspli_domain	yes	no
		abspli_supplier	yes	no
		abspli_abs_id	yes	no
		abspli_pli_keyid	yes	no
oid_abspli_ref	yes	oid_abspli_ref	yes	no

absp_det

Subshipper PO Cross Reference

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absp_oid_abs_mstr	yes	oid_abs_mstr	yes	no
		abs_po_nbr	yes	no
		abs_pod_line	yes	no
oid_absp_det	yes	oid_absp_det	yes	no

absr_det

Shipment Requirement Detail

Field Name	Label	Col-Label	Format	Dec
absr_qadc01			x(8)	
absr_cnfrmd	Confirmed		yes/no	
absr_date	Date		99/99/99	
absr_domain	Domain		x(8)	
absr_id	Id		x(8)	
absr_interval	Interval		x(1)	
absr_line	Line	Ln	>>9	
absr_nbr	Order	Sls Order	x(8)	
absr_qty	Qty Pegged		>,>>>,>>9.9<<<<	10
absr_reference	Reference		x(24)	
absr_rlse_id	Release ID		x(30)	
absr_ship_id	ID		x(8)	
absr_shipfrom	Ship-from Id		x(8)	

10 abssc det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absr_dtl	yes	absr_domain	yes	no
		absr_shipfrom	yes	no
		absr_id	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
absr_nbr	no	absr_domain	yes	no
		absr_cnfrmd	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
oid absr det	yes	oid absr det	yes	no

abssc_det Shipper Validation Error Log

Field Name	Label	Col-Label	Format	Dec
abssc__qadc01			x(24)	
abssc__qadc02			x(24)	
abssc_abs_id	Shipper ID		x(20)	
abssc_abs_item	Item		x(18)	
abssc_abs_shipfrom	Ship-From		x(8)	
abssc_container_id	Container ID		x(8)	
abssc_create_date	Create Date		99/99/99	
abssc_create_time	Create Time		>>>>>>9	
abssc_create_userid	User ID		x(8)	
abssc_domain	Domain		x(8)	
abssc_fld_value	Field Value		x(30)	
abssc_flddesc	Field Description		x(40)	
abssc_fldname	Fieldname		x(30)	
abssc_line	Line		x(8)	
abssc_line_abs_id	Line Abs Id		x(20)	
abssc_mod_date	Modified Date	Mod Date	99/99/99	
abssc_mod_userid	User ID		x(8)	
abssc_msglevel	Message Level		9	
abssc_msgnum	Message Number		>>>>9	
abssc_order	Order		x(8)	
abssc_resolved	Resolved		yes/no	
abssc_resolved_date	Resolved Date		99/99/99	
abssc_resolved_time	Resolved Time		>>>>>>9	
abssc_resolved_userid	User ID		x(8)	
abssc_shphv_val_arg1	Message Argument		x(22)	
abssc_shphvpv_location	Location		x(22)	
abssc_user1	User Field Character 1		x(24)	
abssc_user2	User Field Character 2		x(24)	

Field Name	Label	Col-Label	Format	Dec
abssc_val_msg1	Message		x(45)	
abssc_val_msg2	Message		x(75)	
oid_abssc_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* abssc_abs_id	yes	abssc_domain	yes	no
		abssc_abs_shipfrom	yes	no
		abssc_abs_id	yes	no
		abssc_line_abs_id	yes	no
		abssc_fldname	yes	no
		abssc_msgnum	yes	no
		abssc_msglevel	yes	no
abssc_resolved	no	abssc_domain	yes	no
		abssc_resolved	yes	no
		abssc_abs_shipfrom	yes	no
		abssc_create_date	yes	no
		abssc_abs_id	yes	no
oid_abssc_det	yes	oid_abssc_det	yes	no

abss_det

Shipment Sequence Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* abss_index1	yes	abss_domain	yes	no
		abss_abs_id	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_ref	yes	no
		abss_dock	yes	no
		abss_line_feed	yes	no
abss_index2	no	abss_domain	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_ref	yes	no
		abss_part	yes	no
abss_index3	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_part	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
abss_index4	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
abss_index5	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_order	yes	no
		abss_line	yes	no
abss_index6	no	abss_domain	yes	no
		abss_invoice	yes	no
		abss_order	yes	no
		abss_line	yes	no
abss_index7	no	abss_domain	yes	no
		abss_invoice	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
oid_abss_det	yes	oid_abss_det	yes	no

absw_det

ABS Lot/Serial Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absw_oid_abs_mstr	yes	oid_abs_mstr	yes	no
		absw_lotser	yes	no
		absw_ref	yes	no
oid_absw_det	yes	oid_absw_det	yes	no

absx_det Subcontract Shipper PO Shipper Cross Reference

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* absx_oid_abs_mstr	yes	oid_abs_subcontract	yes	no
		absx_domain	yes	no
		absx_part	yes	no
		absx_lotser	yes	no
		absx_ref	yes	no
		absx_po_shipper	yes	no
absx_po	no	absx_domain	yes	no
		absx_po_shipper	yes	no
		absx_po_nbr	yes	no
		absx_pod_line	yes	no
		absx_lotser	yes	no
		absx_ref	yes	no
oid_absx_det	yes	oid_absx_det	yes	no

abs_mstr ASN/BOL/Shipper Master

Field Name	Label	Col-Label	Format	Dec
abs__chr01			x(8)	
abs__chr02			x(8)	
abs__chr03			x(8)	
abs__chr04			x(8)	
abs__chr05			x(8)	
abs__chr06			x(8)	
abs__chr07			x(8)	
abs__chr08			x(8)	
abs__chr09			x(8)	
abs__chr10			x(8)	
abs__dec01			>>>,>>>,>>9.99	10
abs__dec02			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
abs__dec03			>>>, >>>, >>9.99	10
abs__dec04			>>>, >>>, >>9.99	10
abs__dec05			>>>, >>>, >>9.99	10
abs__dec06			>>>, >>>, >>9.99	10
abs__dec07			>>>, >>>, >>9.99	10
abs__dec08			>>>, >>>, >>9.99	10
abs__dec09			>>>, >>>, >>9.99	10
abs__dec10			>>>, >>>, >>9.99	10
abs__qad01			x(8)	
abs__qad02			x(8)	
abs__qad03			x(8)	
abs__qad04			x(8)	
abs__qad05			x(8)	
abs__qad06			x(8)	
abs__qad07			x(8)	
abs__qad08			x(8)	
abs__qad09			x(8)	
abs__qad10			x(8)	
abs__qadc01			x(8)	
abs__qadd01			>, >>>, >>9.9<<<<<<<<<	10
abs_act_fcst	Act Frt Cost		>>>>, >>>, >>9.99	10
abs_act_qty	Actual Qty		->>, >>>, >>9.9<<<<<<<<<<	10
abs_apr_date	Approval Date		99/99/99	
abs_apr_time	Approval Time		>>>>>>>9	
abs_apr_userid	Approved By		x(8)	
abs_arr_date	Arrive Date		99/99/99	
abs_arr_time	Arrive Time		>>>>>>>9	
abs_asn_crt_date	ASN Create Date		99/99/99	
abs_asn_crt_time	ASN Create Time		>>>>>>>9	
abs_bom_code	BOM/Formula		x(18)	
abs_bulk_qty	Actual Bulk Qty		->>, >>>, >>9.9<<<<<<<<<	10
abs_cancel_date	Cancel Date		99/99/99	
abs_canceled	Canceled		Yes/No	
abs_charge_type	Charge Type	Charge! Type	x(8)	
abs_cmtindx	Comment Index		>>>>>>>9	
abs_combined_invoice	Combined Invoice		yes/no	
abs_complete	Complete		yes/no	
abs_cons_ship	Consolidate		x(8)	
abs_consigned_return	Consigned Return		yes/no	
abs_crt_date	Create Date		99/99/99	
abs_crt_time	Create Time		>>>>>>>9	
abs_cum_qty	Cum Ship Qty		>, >>>, >>9.9<<<<<<<<<	10
abs_cust_ref	Customer Ref		x(24)	
abs_dataset	Data Set		x(12)	
abs_desc	Description		x(48)	
abs_dim_um	Dimensions UM		x(2)	
abs_doc_data[5]			x(8)	
abs_domain	Domain		x(8)	
abs_eff_date	Effective		99/99/99	
abs_est_fcst	Est Frt Cost		>>>>, >>>, >>9.99	10
abs_export_batch	Batch		>>>>>>>>>9	
abs_export_date	Export Date		99/99/99	
abs_export_time	Export Time		>>>>>>>9	
abs_fa_lot	Final Assembly ID	ID	x(8)	
abs_format	Document Format	Format	x(8)	
abs_fr_class	Frt Class		x(8)	
abs_fr_curr	Currency		x(3)	
abs_gwt	Gross Weight		>, >>>, >>9.9<<<<<<<<<	10
abs_id	Id		x(20)	
abs_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
abs_inv_nbr	Invoice Number		x(22)	
abs_item	Container Item		x(18)	
abs_lang	Language		x(2)	
abs_line	Order Line		x(8)	
abs_loc	Location		x(8)	
abs_lotser	Lot/Serial		x(18)	
abs_master_id	Master Bill ID		x(20)	
abs_master_shipfrom	Master Bill Ship-From	MBOL! ShipFrom	x(8)	
abs_nr_id	Sequence ID		x(8)	
abs_nwt	Net Weight		>, >>>, >>9.9<<<<<<<<<	10
abs_order	Order		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
abs_export_batch	no	abs_domain	yes	no
		abs_export_batch	yes	no
abs_format	no	abs_domain	yes	no
		abs_format	yes	no
* abs_id	yes	abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_id	yes	no
abs_inv_mov	no	abs_domain	yes	no
		abs_inv_mov	yes	no
abs_inv_nbr	no	abs_domain	yes	no
		abs_inv_nbr	yes	no
		abs_shipfrom	yes	no
		abs_id	yes	no
abs_item	no	abs_domain	yes	no
		abs_item	yes	no
		abs_shipfrom	yes	no
abs_master_id	no	abs_domain	yes	no
		abs_master_id	yes	no
		abs_master_shipfrom	yes	no
		abs_shipfrom	yes	no
abs_order	no	abs_domain	yes	no
		abs_order	yes	no
abs_par_id	yes	abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_par_id	yes	no
		abs_id	yes	no
abs_shipto	yes	abs_domain	yes	no
		abs_shipfrom	yes	no
		abs_shipto	yes	no
		abs_id	yes	no
oid_abs_mstr	yes	oid_abs_mstr	yes	no

AcctIF

Chinese Accounting Interface

Field Name	Label	Col-Label	Format	Dec
AcctIF_ID	Record ID		9999999999	
AcctIFCode	Code		x(20)	
AcctIFExportFileName	Export File Name		x(40)	
AcctIFIsExport	Export		yes/no	
AcctIFLastExportDate	Last Export Date		99/99/9999	
AcctIFName	Report Name		x(40)	
AcctIFStatus	Status		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User Name		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AcctIF_ID	yes	no
◇ Uniqueldx	yes	AcctIFCode	yes	no

AcctIFFilter

Chinese Accounting Interface Filter

Field Name	Label	Col-Label	Format	Dec
AcctIFFilter_ID	Record ID		9999999999	
AcctIFFilterAcctBookNo	Accounting Book No	Book No	x(40)	
AcctIFFilterAcctFromDate	Measure1 from Date		99/99/9999	
AcctIFFilterAcctFromDate2	Measure2 from Date		99/99/9999	
AcctIFFilterAcctLevel	Account Code Structure	Acc Code Structure	x(40)	
AcctIFFilterAcctToDate	Measure1 to Date		99/99/9999	
AcctIFFilterAcctToDate2	Measure2 to Date		99/99/9999	
AcctIFFilterAltCOALevel	Alternate COA Level		->,>>>,>>9	
AcctIFFilterBudgetLevel	Budget Level		9	
AcctIFFilterCOACrossRef	COA Cross Reference		x(20)	
AcctIFFilterFiscalYear	Fiscal Year		x(4)	
AcctIFFilterIndustry	Industry		x(40)	
AcctIFFilterLayerCode	Layer Code		x(200)	
AcctIFFilterOrgCode	Organization Code	Org Code	x(40)	
AcctIFFilterStructCodeBS	Balance Sheet Structure Code	Balance Sheet	x(40)	
AcctIFFilterStructCodeIS	Income statement Structure Code	Income Statement	x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AcctIFFilter_ID	yes	no
◇ Uniqueldx	yes	AcctIFFilterAcctLevel	yes	no
		AcctIFFilterIndustry	yes	no
		AcctIFFilterOrgCode	yes	no
		AcctIFFilterFiscalYear	yes	no
		AcctIFFilterAcctBookNo	yes	no
		AcctIFFilterAcctFromDate	yes	no
		AcctIFFilterAcctToDate	yes	no
		AcctIFFilterAcctFromDate2	yes	no
		AcctIFFilterAcctToDate2	yes	no

acdf_mstr	Account Default Master

Index-Name	Uni	Field-Name	Asc	Abbr
* acdf_index1	yes	acdf_domain	yes	no
		acdf_module	yes	no
		acdf_type	yes	no
		acdf_key1	yes	no
		acdf_key2	yes	no
		acdf_key3	yes	no
		acdf_key4	yes	no
		acdf_key5	yes	no
		acdf_key6	yes	no
oid_acdf_mstr	yes	oid_acdf_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
acd__qadc01			x(8)	
acd_acc	Account		x(8)	
acd_amt	Amount		>>, >>>, >>>, >>>, >>9.99cr	10
acd_cc	Cost Ctr	CC	x(4)	
acd_cr_amt	CR Amount		->>, >>>, >>>, >>9.99	10
acd_cr_curr_amt	CR Currency Amount		->>, >>>, >>>, >>9.99	10
acd_curr_amt	Currency Amount		->>, >>>, >>>, >>>, >>9.99	10
acd_domain	Domain		x(8)	
acd_dr_amt	DR Amount		->>, >>>, >>>, >>9.99	10
acd_dr_curr_amt	DR Currency Amount		->>, >>>, >>>, >>9.99	10
acd_ecur_amt	Amount in entity currency		->>, >>>, >>>, >>9.99	10
acd_entity	Entity	Enty	x(20)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
acd_ind2	no	acd_domain	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_entity	yes	no
		acd_year	yes	no
		acd_per	yes	no
* acd_index	yes	acd_domain	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no
		acd_entity	yes	no
		acd_year	yes	no
acd_period	no	acd_per	yes	no
		acd_domain	yes	no
		acd_year	yes	no
		acd_per	yes	no
		acd_entity	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
oid_acd_det	yes	acd_cc	yes	no
		acd_project	yes	no
		oid_acd_det	yes	no

acm_mstr Co-product/By-product Average Cost Master

Field Name	Label	Col-Label	Format	Dec
acm__qadc01			x(8)	
acm_domain	Domain		x(8)	
acm_method	Method		x(14)	
acm_part	Base Process		x(18)	
acm_prod_line	Product Line		x(4)	
acm_site	Site		x(8)	
acm_user1	Ufld1		x(8)	
acm_user2	Ufld2		x(8)	
oid_acm_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* acm_index	no	acm_domain	yes	no
		acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
acm_unique	yes	acm_domain	yes	no
		acm_site	yes	no
		acm_prod_line	yes	no
		acm_part	yes	no
		acm_method	yes	no
oid_acm_mstr	yes	oid_acm_mstr	yes	no

acod_mstr

Application Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_acod_mstr	yes	oid_acod_mstr	yes	no
* SourceValue	yes	acod_domain	yes	no
		acod_app_id	yes	no
		acod_doc_std	yes	no
		acod_doc_typ	yes	no
		acod_doc_rev	yes	no
		acod_tradptr_id	yes	no
		acod_fldname	yes	no
		acod_src_val	yes	no

actf_mstr

Info on table and related account, sub-account, & cc field names

Field Name	Label	Col-Label	Format	Dec
actf__qadc01			x(24)	
actf__qadc02			x(24)	
actf_acct_fldname	Account Field Name	Account! Field Name	x(32)	
actf_cc_fldname	Cost Center Field Name	Cost Center! Field Name	x(32)	
actf_exec	Execution File	Exec File	x(16)	
actf_mod_date	Modified Date	Mod Date	99/99/99	
actf_mod_userid	User ID		x(8)	
actf_proj_fldname	Project Field Name	Project! Field Name	x(32)	
actf_sub_fldname	Sub-Account Field Name	Sub-Account! Field Name	x(32)	

Field Name	Label	Col-Label	Format	Dec
actf_tblname	Table Name	Table! Name	x(16)	
actf_user1	User Field Character 1		x(24)	
actf_user2	User Field Character 2		x(24)	
oid_actf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 2	
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* actf_tbl_actctfid	yes	actf_tblname	yes	no
		actf_exec	yes	no
		actf_actct_fidname	yes	no
oid_actf_mstr	yes	oid_actf_mstr	yes	no

act_mstr

Alternate Container Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* act_order	yes	act_domain	yes	no
		act_nbr	yes	no
		act_line	yes	no
		act_cont_part	yes	no
oid_act_mstr	yes	oid_act_mstr	yes	no

acx_mstr

Account Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
acx__qad01			yes/no	
acx_acc	Account		x(8)	
acx_cc	Cost Center	CC	x(4)	
acx_domain	Domain		x(8)	
acx_entity	From Entity	From! Enty	x(20)	
acx_sub	Sub-Account	Sub-Acct	x(8)	
acx_to_acc	To Account	To-Aacct	x(8)	
acx_to_cc	To Cost Center	To-CC	x(4)	
acx_to_domain	To Domain		x(8)	
acx_to_ent	To Entity	To-Ent	x(8)	
acx_to_sub	To Sub-Account	To-Sub	x(8)	
acx_user1	Ufld1		x(8)	
acx_user2	Ufld2		x(8)	
acx_xcons_cc			yes/no	
oid_acx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* acx_index	yes	acx_domain	yes	no
		acx_entity	yes	no
		acx_to_ent	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
acx_to_index	no	acx_domain	yes	no
		acx_to_ent	yes	no
		acx_entity	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
oid_acx_mstr	yes	oid_acx_mstr	yes	no

ac_mstr

Account Master

Field Name	Label	Col-Label	Format	Dec
ac_chr01			x(8)	
ac_chr02			x(8)	
ac_chr03			x(8)	
ac_chr04			x(8)	
ac_dte01			99/99/99	
ac_dte02			99/99/99	
ac_log01			yes/no	
ac_log02			yes/no	
ac_qad01			99/99/99	
ac_qad03	Calc Unrealized Gain/Loss		x(1)	
ac_qad04			x(8)	
ac_active	Active	Act	yes/no	
ac_canrun	Users/Roles		x(189)	
ac_code	Account		x(8)	
ac_curr	Currency	Cur	x(3)	
ac_desc	Description		x(24)	
ac_domain	Domain		x(8)	
ac_fpos	Format Position	Format	>>>>>9	
ac_fx_index	Curr Translation Index	Ind	x(1)	
ac_gl_system_type	GL Account System Type		x(20)	
ac_gl_type	GL Account Type		x(20)	
ac_match_seq	Matching Sequence		x(24)	
ac_modl_only	Sub-Module Entries Only	Sub! Only	yes/no	
ac_stat_acc	Statistical Account	Stat Acc	x(8)	
ac_stat_cc	Statistical Cost Ctr	CC	x(4)	
ac_type	Type	T	x(1)	
ac_user1	Ufld1		x(8)	
ac_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
ac_xctr	Book Type	Book! Type	x(1)	
ac_xret_acc			x(8)	
ac_xret_cc			x(4)	
oid_ac_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
ac_active	no	ac_domain	yes	no
		ac_active	yes	no
		ac_code	yes	no
* ac_code	yes	ac_domain	yes	no
		ac_code	yes	no
ac_curr	no	ac_domain	yes	no
		ac_curr	yes	no
ac_desc	no	ac_domain	yes	no
		ac_desc	yes	no
		ac_code	yes	no
ac_fpos	no	ac_domain	yes	no
		ac_fpos	yes	no
		ac_code	yes	no
ac_type	no	ac_domain	yes	no
		ac_type	yes	no
		ac_code	yes	no
oid_ac_mstr	yes	oid_ac_mstr	yes	no

adc_ctrl Address Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	adc_index1	yes	adc_domain	yes	no
	oid_adc_ctrl	yes	oid_adc_ctrl	yes	no

Address Address

Field Name	Label	Col-Label	Format	Dec
Address_ID	Record ID		9999999999	
AddressCity	City		x(20)	
AddressCounty	County		x(40)	
AddressEMail	E-Mail		x(40)	
AddressFax	Fax		x(40)	
AddressFormat	Format		->,>>>,>>9	
AddressIsSendToPostal	Send Documents		yes/no	
AddressIsTaxable	Taxable Address		yes/no	
AddressIsTaxInCity	Tax in City		yes/no	
AddressIsTaxIncluded	Tax Is Included		yes/no	
AddressIsTemporary	Temporary	Temp	yes/no	
AddressLogicKeyString	Logic Key String		x(40)	
AddressName	Name		x(36)	
AddressPostalAddress1	Postal Address		x(40)	
AddressPostalAddress2	Postal Address		x(40)	
AddressPostalCity	City		x(20)	
AddressPostalZip	Zip/City	Zip Code	x(40)	
AddressSearchName	Search Name		x(28)	

Field Name	Label	Col-Label	Format	Dec
AddressState	State		x(20)	
AddressStreet1	Address		x(36)	
AddressStreet2	Address		x(36)	
AddressStreet3	Address		x(36)	
AddressTaxDeclaration	Tax Declaration		->,>>>,>>9	
AddressTaxIDFederal	Federal Tax		x(18)	
AddressTaxIDMisc1	Miscellaneous Tax 1		x(18)	
AddressTaxIDMisc2	Miscellaneous Tax 2		x(18)	
AddressTaxIDMisc3	Miscellaneous Tax 3		x(18)	
AddressTaxIDState	State Tax		x(18)	
AddressTelephone	Telephone		x(40)	
AddressType_ID	Address Type	Type	9999999999	
AddressWebSite	Internet		x(60)	
AddressZip	Zip/City	Zip Code	x(10)	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
Country_ID	Country Format		9999999999	
County_ID	Description		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
State_ID	Description		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	

24 AddressType

Index-Name	Uni	Field-Name	Asc	Abbr
AddressType	no	AddressType_ID	yes	no
BusinessRelation	no	BusinessRelation_ID	yes	no
City	no	AddressCity	yes	no
◇ Country	no	Country_ID	yes	no
PostalCode	no	AddressZip	yes	no
◇* Prim	yes	Address_ID	yes	no
◇ UniqueKey	yes	BusinessRelation_ID	yes	no
		AddressType_ID	yes	no
		AddressLogicKeyString	yes	no
UniqueKeyAddress	yes	AddressStreet1	yes	no
		AddressStreet2	yes	no
		AddressStreet3	yes	no
		AddressZip	yes	no
		AddressCity	yes	no
		BusinessRelation_ID	yes	no
		AddressType_ID	yes	no

AddressTypeAddress Type

Field Name	Label	Col-Label	Format	Dec
AddressType_ID	Record ID		9999999999	
AddressTypeCode	Address Type	Type	x(20)	
AddressTypeDescription	Description		x(40)	
AddressTypeIsActive	Active	Act	yes/no	
AddressTypeIsSystemDefined	System-Owned	System	yes/no	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	AddressTypeCode	yes	no
◇* Prim	yes	AddressType_ID	yes	no
◇ ViewIndex	no	AddressTypesActive	yes	no
		AddressTypeCode	yes	no

adx_det External Address Cross-Reference Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* adx_det	yes	adx_domain	yes	no
		adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_ext_refs	no	adx_domain	yes	no
		adx_ext_appl	yes	no
		adx_mfg_addr	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
adx_mfg_addr	no	adx_domain	yes	no
		adx_mfg_addr	yes	no
		adx_ext_appl	yes	no
		adx_ext_ref1	yes	no
		adx_ext_ref2	yes	no
oid_adx_det	yes	oid_adx_det	yes	no

Agent Salesperson

Field Name	Label	Col-Label	Format	Dec
Agent_ID	Record ID		9999999999	
AgentCalculationBase			x(20)	
AgentCode			x(20)	
AgentCommisionMode			x(20)	
AgentDescription			x(40)	
AgentIsActive			yes/no	
BusinessRelation_ID			9999999999	
Company_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
OADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	AgentIsActive	yes	no
◇ CodeIdx	yes	AgentCode	yes	no
◇* Prim	yes	Agent_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AgentIsActive	yes	no
		AgentCode	yes	no

AIMW Warehousing Work Table

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
TrType	Transaction Type	Tran Type	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* Algdlidx	yes	Domain	yes	no
		AlgoType	yes	no
		TrType	yes	no
		Site	yes	no
		Whse	yes	no
		Part	yes	no
		PartType	yes	no
		Addr	yes	no
		AlgoSeq	yes	no
		AlgoNbr	yes	no
oid_AlgoAssD	yes	oid_AlgoAssD	yes	no
◇ Usrlidx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

AlgoAssM Warehousing Algorithm Assignment Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
TrType	Transaction Type	Tran Type	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	Algmidx	yes	Domain	yes	no
			AlgoType	yes	no
			TrType	yes	no
			Site	yes	no
			Whse	yes	no
			Part	yes	no
			PartType	yes	no
			Addr	yes	no
	oid_AlgoAssM	yes	oid_AlgoAssM	yes	no
◇	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
			AlgoType	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

AlgoM

Warehousing Algorithm Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		-->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AlgoNbr	yes	Domain	yes	no
			AlgoType	yes	no
			AlgoNbr	yes	no
	oid_AlgoM	yes	oid_AlgoM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

AlgoTypeM Warehousing Algorithm Type Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Verbosity	Verbosity Level	Verb	>9	

Index-Name	Uni	Field-Name	Asc	Abbr
* AlgoType	yes	Domain	yes	no
		AlgoType	yes	no
oid_AlgoTypeM	yes	oid_AlgoTypeM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Allocation Allocation Definition

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Record ID		9999999999	
AllocationCode	Allocation Code	Alloc Code	x(20)	
AllocationDenominAmountBy	Amt By		x(20)	
AllocationDenominAmountFr	From Amt		x(20)	
AllocationDenominatorLcQty	Value Of		x(20)	
AllocationDescription	Description	Alloc Desc	x(40)	
AllocationFractionConstant	Constant Fraction		->>>>, >>>>, >>>>9.99999	10
AllocationFractionType	Fraction Type		x(20)	
AllocationIsActive	Active	Act	yes/no	
AllocationNumeratorAmountBy	Amt By		x(20)	
AllocationNumeratorAmountFr	From Amt		x(20)	
AllocationNumeratorLcQty	Value Of		x(20)	
AllocationSourceAmountBy	Amt By		x(20)	
AllocationSourceAmountFrom	From Amt		x(20)	
AllocationSourceAmountLC	BC Amount		->>>>, >>>>, >>>>9.99	4
AllocationSourceLcQty	Value Of		x(20)	
AllocationSourcePRICE	BC Price		->>>>, >>>>, >>>>9.99999	10
AllocationSourceQTY	Quantity	Qty	->>>>, >>>>, >>>>9.99	4
AllocationSourceType	Source Type		x(20)	
Company_ID	Link to Company		9999999999	
DenominatorBudgetWBS_ID	Denominator WBS		9999999999	
Journal_ID	Daybook Code		9999999999	
NumeratorBudgetWBS_ID	WBS Seq		9999999999	
PostingTemplate_ID	Template Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>>, >>>>9.9999	10
QADT01			99/99/9999	
SourceBudgetWBS_ID	WBS Seq		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	AllocationIsActive	yes	no
◇ Company	no	Company_ID	yes	no
DenomBudgetWBS	no	DenominatorBudgetWBS_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
NumeratorBudgetWBS	no	NumeratorBudgetWBS_ID	yes	no
◇ PostingTemplate	no	PostingTemplate_ID	yes	no
◇* Prim	yes	Allocation_ID	yes	no
SourceBudgetWBS	no	SourceBudgetWBS_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		AllocationCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AllocationIsActive	yes	no
		AllocationCode	yes	no

AllocationBatchAllocation Batch

Field Name	Label	Col-Label	Format	Dec
AllocationBatch_ID	Record ID		9999999999	
AllocationBatchCode	Allocation Batch Code		x(20)	
AllocationBatchDescription	Description		x(40)	
AllocationBatchIsActive	Active		yes/no	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	AllocationBatchIsActive	yes	no
◇* Prim	yes	AllocationBatch_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		AllocationBatchCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		AllocationBatchIsActive	yes	no
		AllocationBatchCode	yes	no

AllocationBatchLineAllocation Batch Line

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Allocation Code	Alloc Code	9999999999	
AllocationBatch_ID	Link to AllocationBatch		9999999999	
AllocationBatchLine_ID	Record ID		9999999999	
AllocationBatchLineGroup	JE Group		x(20)	
AllocationBatchLineSeq	Seq		->,>>>,>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	Allocation_ID	yes	no
◇ AllocBat	no	AllocationBatch_ID	yes	no
◇* Prim	yes	AllocationBatchLine_ID	yes	no
◇ UniqueIdx	yes	AllocationBatch_ID	yes	no
		AllocationBatchLineSeq	yes	no

AllocationLayerAllocation Layer

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Link to Allocation		9999999999	
AllocationLayer_ID	Record ID		9999999999	
AllocationLayerFor	Layer of	Layer linked to	x(20)	
Layer_ID	Layer Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AllocationLayer_ID	yes	no
◇ UniqueIdx	yes	Allocation_ID	yes	no
		AllocationLayerFor	yes	no
		Layer_ID	yes	no

AllocationPosting Allocation Posting

Field Name	Label	Col-Label	Format	Dec
AllocationBatchLine_ID	Link to AllocationBatchLine		9999999999	
AllocationPosting_ID	Record ID		9999999999	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourcePeriod_ID	Link to Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocBatLn	no	AllocationBatchLine_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	AllocationPosting_ID	yes	no
SourcePd	no	SourcePeriod_ID	yes	no
◇ UniqueIdx	yes	SourcePeriod_ID	yes	no
		AllocationBatchLine_ID	yes	no
		Posting_ID	yes	no

AllocationProportional Proportional Allocation

Field Name	Label	Col-Label	Format	Dec
Allocation_ID	Link to Allocation		9999999999	
AllocationProportional_ID	Record ID		9999999999	
CostCentre_ID	Cost Center Code		9999999999	
Division_ID	Sub-Account Code	Sub-Acct	9999999999	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Concept Code		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	Allocation_ID	yes	no
◇ CostC	no	CostCentre_ID	yes	no
Div	no	Division_ID	yes	no
◇* Prim	yes	AllocationProportional_ID	yes	no
Proj	no	Project_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
SafC	no	SafConcept_ID	yes	no
◇ SafStr	no	SafStructure_ID	yes	no
◇ Unildx	yes	Allocation_ID	yes	no
		Division_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Saf_ID	yes	no

alm mstr

Automatic Lot Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* alm_lot_grp	yes	alm_domain	yes	no
		alm_lot_grp	yes	no
		alm_site	yes	no
oid_alm_mstr	yes	oid_alm_mstr	yes	no

AltCOAGroupAlternate COA Group

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group ID		9999999999	
AltCOAGroupCode	Alternate COA Group Code		x(20)	
AltCOAGroupDescription	Description		x(40)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAGroup_ID	yes	no
◇ UniqueIdx	no	AltCOAGroupCode	yes	no

AltCOAStructAlternate COA Structure

Field Name	Label	Col-Label	Format	Dec
AltCOAStruct_ID	Alternate COA Structure		9999999999	
AltCOAStructCode	Code		x(20)	
AltCOAStructDescription	Description		x(40)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	999999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAStruct_ID	yes	no
◇ UniqueIdx	yes	AltCOAStructCode	yes	no

AltCOAStructDetAlternate COA

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group		9999999999	
AltCOAStruct_ID	Alternate COA Structure		9999999999	
AltCOAStructDet_ID	Alternate COA		9999999999	
AltCOAStructDetCode	Alternate COA		x(20)	
AltCOAStructDetColLabel	Column Label		x(20)	
AltCOAStructDetDescription	Description		x(40)	
AltCOAStructDetIsLeaf	Leaf		yes/no	
AltCOAStructDetLevel	Level		->,>>>,>>9	
AltCOAStructDetSeq	Sequence		x(60)	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	99999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
ParentAltCOAStructDet_ID	Parent Alternate COA Structure Detail		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	AltCOAStructDet_ID	yes	no
◇ Uniqueldx	yes	AltCOAStruct_ID	yes	no
		AltCOAStructDetCode	yes	no

AltTaskM

Warehousing Alternate Task Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* AltTask	yes	Domain	yes	no
		AltTask	yes	no
		TaskSeq	yes	no
oid_AltTaskM	yes	oid_AltTaskM	yes	no
TaskSeq	no	Domain	yes	no
		Task	yes	no
		TaskSeq	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

AltUMD

Warehousing Alternate Unit of Measure Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AltUMD	yes	Domain	yes	no
			UM	yes	no
			NewUM	yes	no
	oid_AltUMD	yes	oid_AltUMD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

AltUMM

Warehousing Alternate Unit of Measure Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_AltUMM	yes	oid_AltUMM	yes	no
*	UM	yes	Domain	yes	no
			UM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Field Name	Label	Col-Label	Format	Dec
al__qad01			99/99/99	
al_code	Allocation Code	Allocatn	x(8)	
al_desc	Description		x(24)	
al_domain	Domain		x(8)	
al_user1	Ufld1		x(8)	
al_user2	Ufld2		x(8)	
al_userid	User ID		x(8)	
oid_al_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	



ani det

Analysis Code Link Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
anl_link_code	no	anl_domain	yes	no
		anl_type	yes	no
		anl_link_code	yes	no
* anl_type_code	yes	anl_domain	yes	no
		anl_type	yes	no
		anl_code	yes	no
		anl_link_code	yes	no
oid anl det	yes	oid anl det	yes	no

ans_det

Analysis Code Selection Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ans_type_code	yes	ans_domain	yes	no
		ans_type	yes	no
		ans_code	yes	no
		ans_field	yes	no
		ans_sel_low	yes	no
oid ans det	yes	oid ans det	yes	no

anx_det

Analysis Code Exploded Detail

Field Name	Label	Col-Label	Format	Dec
anx__qadc01			x(8)	
anx__qadd01			->>>, >>>, >>9.9<<<	10
anx_active	Active		yes/no	
anx_code	Code		x(18)	
anx_domain	Domain		x(8)	
anx_node	Node		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
anx_active	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_node	yes	no
		anx_active	yes	no
		anx_code	yes	no
anx_node	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_node	yes	no
		anx_code	yes	no
anx_type_code	yes	anx_domain	yes	no
		anx_type	yes	no
		anx_code	yes	no
		anx_node	yes	no
oid_anx_det	yes	oid_anx_det	yes	no

an_mstr Analysis Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
an_code_type	yes	an_domain	yes	no
		an_code	yes	no
		an_type	yes	no
* an_type_code	yes	an_domain	yes	no
		an_type	yes	no
		an_code	yes	no
oid_an_mstr	yes	oid_an_mstr	yes	no

apc_ctrl	Accounts Payable Control

Field Name	Label	Col-Label	Format	Dec
apc__qad01			>>>>>9	
apc__qad02			99/99/99	
apc__qad03			x(8)	
apc__qad04	External Memo References Allowed		yes/no	
apc__qadc01			x(8)	
apc__qadc02			x(4)	
apc__qadc03			x(24)	
apc__qadc04			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* apc_index1	yes	apc_domain	yes	no
oid_apc_ctrl	yes	oid_apc_ctrl	yes	no

APMatching

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Period	GL Pd	9999999999	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CirecPostingLine	no	CirecPostingLine_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
MatchingDate	no	Company_ID	yes	no
APMatchingDate			yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇* Prim	yes	APMatching_ID	yes	no
Reason	no	Reason_ID	yes	no
◇ StatusIdx	no	APMatchingStatus	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
CInvoice_ID			yes	no

APmatchingLnAccounts Payable Matching Line

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APmatchingLn_ID	Record ID		9999999999	
APmatchingLnIsPvodFinished	Finished		yes/no	
APMatchingLnIsTaxable	Taxable		yes/no	
APMatchingLnIsVarGLPosting	Use GL Var Account		yes/no	
APMatchingLnMatchAmtCC	SC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtLC	BC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtTC	TC Matched Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchAmtTxInTC	TC Matched Amount (incl Tax)		->>>, >>>, >>>, >>9.99	4
APMatchingLnMatchIsTaxIncl	Tax Included		yes/no	
APMatchingLnMatchQty	Matched Quantity		->>>, >>>, >>9.99	4
APMatchingLnMatchUnitPrice	Matched Unit Price		->>>, >>>, >>9.99999	10
APMatchingLnMatchUnitPrNT	Matched Unit Price (excl Tax)		->>>, >>>, >>9.99999	10
APMatchingLnPvodAccruedTC	TC Accrued Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodCCCCode	Cost Center (Pinv)		x(20)	
APMatchingLnPvodCCRate	Exchange Rate (CC)	Exch Rate (CC)	->, >>>, >>9.99	10
APMatchingLnPvodCCScale	Rate Scale (CC)		->, >>>, >>9.99	10
APMatchingLnPvodCompCode	Entity Code		x(20)	
APMatchingLnPvodCompID	Entity ID		9999999999	
APMatchingLnPvodConvFactor	Conv Factor (UM)		->, >>>, >>9.99	8
APMatchingLnPvodCostMtdCur	Current Cost Method		x(20)	
APMatchingLnPvodCostMtdGL	GL Cost Method		x(20)	
APMatchingLnPvodCurrency	Currency	Curr	x(20)	
APMatchingLnPvodDivCode	Sub-Account (Pinv)	Sub-Acct (Pinv)	x(20)	
APMatchingLnPvodExchRate	Exchange Rate	Exch Rate	->, >>>, >>9.99	10
APMatchingLnPvodExchRate2	Exchange Rate 2	Exch Rate 2	->, >>>, >>9.99	10
APMatchingLnPvodExtRef	External Ref	Ext Ref	x(20)	
APMatchingLnPvodGLCode	Account (Pinv)		x(20)	
APMatchingLnPvodIntRef	Internal Ref		x(20)	
APMatchingLnPvodInvoicedTC	TC Invoiced Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodIsLgCharge	Log Charge		yes/no	
APMatchingLnPvodIsTaxable	Taxable (pvo)		yes/no	
APMatchingLnPvodIsTaxIncl	Tax Included		yes/no	
APMatchingLnPvodItem	Item		x(20)	
APMatchingLnPvodItemDescr1	Item Description	Item Desc	x(24)	
APMatchingLnPvodItemDescr2	Item Description (2)	Item Desc (2)	x(24)	
APMatchingLnPvodItemType	Item Type		x(20)	
APMatchingLnPvodLgCharge	Logistic Charge		x(20)	
APMatchingLnPvodOpenAmtTC	TC Open Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodOpenQty	Open Quantity		->>>, >>>, >>9.99	4
APMatchingLnPvodOrder	Order		x(20)	
APMatchingLnPvodOrderLnNbr	Order Line Nbr		->, >>>, >>9	
APMatchingLnPvodOrderType	Order Type		x(20)	
APMatchingLnPvodPackingQty	Packing Slip Qty		->, >>>, >>9.9<<<<<<<<<	9
APMatchingLnPvodPayCond	Credit Terms		x(8)	
APMatchingLnPvodPLIDLine	PLI Line		->, >>>, >>9	
APMatchingLnPvodPLIKeyID	PLI Key		->, >>>, >>9	
APMatchingLnPvodPrjCode	Project (Pinv)		x(20)	
APMatchingLnPvodReceiptQty	Receipt Quantity	Receipt Qty	->>>, >>>, >>9.99	4
APMatchingLnPvodSite	Site		x(20)	
APMatchingLnPvodSupplier	Supplier		x(8)	
APMatchingLnPvodSupplItem	Supplier Item		x(30)	
APMatchingLnPvodTaxClass	Tax Class (pvo)		x(3)	
APMatchingLnPvodTaxEnv	Tax Env (pvo)		x(16)	

Field Name	Label	Col-Label	Format	Dec
APMatchingLnPvodTaxUsage	Tax Usage (pvo)		x(8)	
APMatchingLnPvodTransDate	Transaction Date		99/99/9999	
APMatchingLnPvodUnitPrice	Unit Price		->>>, >>>, >>9.99999	10
APMatchingLnPvodUnitPrNT	Unit Price (excl Tax)		->>>, >>>, >>>, >>9.99	4
APMatchingLnPvodUoM	GL Unit of Measure	UM	x(20)	
APMatchingLnPvodUoMConv	UM Conversion factor		->, >>>, >>9.99	0
APMatchingLnReceiptAmtCC	SC Receipt Amount		->>>, >>>, >>>, >>9.99	4
APMatchingLnReceiptAmtLC	BC Receipt Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnReceiptAmtTC	TC Receipt Amt		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxClass	Tax Class		x(3)	
APMatchingLnTaxEnv	Tax Env		x(16)	
APMatchingLnTaxUsage	Tax Usage		x(8)	
APMatchingLnVarExchRateC	SC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarExchRateLC	BC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateCC	SC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateLC	BC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarRateTC	TC Rate Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageCC	SC Usage Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageLC	BC Usage Variance		->>>, >>>, >>>, >>9.99	4
APMatchingLnVarUsageTC	TC Usage Variance		->>>, >>>, >>>, >>9.99	4
CostCentre_ID	Cost Center		9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
GL_ID	Account		9999999999	
NewExpensePostingLine_ID	Link to PostingLine		9999999999	
Project_ID	Project Code		9999999999	
PvodLineID	Pinv Line ID	Pvo Line ID	9999999999	
PvoDomain	Domain		x(8)	
PvoID	Pinv ID	Pvo ID	9999999999	
PvoPostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RevExpensePostingLine_ID	Link To PostingLine		9999999999	
VarExchRatCCPostingLine_ID	SC Exch Rate Posting Line		9999999999	
VarExchRatePostingLine_ID	Exch Rate Posting Line		9999999999	
VarRatePostingLine_ID	Link to PostingLine		9999999999	
VarUsagePostingLine_ID	Link to PostingLine		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatching	no	APMatching_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Division	no	Division_ID	yes	no
DomainPvodLine	no	PvoDomain	yes	no
		PvoID	yes	no
		PvodLineID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	APmatchingLn_ID	yes	no
◇ Project	no	Project_ID	yes	no
PvoPostingLine	no	PvoPostingLine_ID	yes	no
◇ Uniqueldx	yes	APMatching_ID	yes	no
		PvoID	yes	no
		PvodLineID	yes	no

APMatchingLnRevTaxAccounts Payable Matching Line Rev Tax

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnRevTax_ID	Record ID		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
APMatch	no	APMatching_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	APMatchingLnRevTax_ID	yes	no
◇ UniqIdx	yes	APMatchingLn_ID	yes	no
		PostingLine_ID	yes	no

APMatchingLnTaxAccounts Payable Matching Line Tax Detai

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Retained Tax Sub-Account	Retained Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Retained Tax Account		9999999999	
AbsRetTaxPostingLine_ID	Link to PostingLine		9999999999	
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnTax_ID	Record ID		9999999999	
APMatchingLnTaxAINRecTaxTC	TC Non Recov Tax Accrued at Invoice		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxAIRecTaxTC	TC Recoverable Tax Accrued at Invoice		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxARNRecTaxTC	TC Non Recov Tax Accrued at Receipt		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxARRecTaxTC	TC Recov Tax Accrued at Receipt		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxBaseLC	LC Tax Base		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxBaseTC	TC Tax Base		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxIsAbsRet	Absorbed or Retained Tax		yes/no	
APMatchingLnTaxIsAccrRcp	Accrue at Receipt or Usage		yes/no	
APMatchingLnTaxIsDiscAtInv	Discount Tax at Invoice		yes/no	
APMatchingLnTaxIsRevCharge	Reverse Charge		yes/no	
APMatchingLnTaxIsSuspDel	Delayed Tax	Delay Tax	yes/no	
APMatchingLnTaxIsTaxIncl	Tax Incl		yes/no	
APMatchingLnTaxIsTIAAllowed	Allow Tax Included		yes/no	
APMatchingLnTaxIsUpdAllow	Update Tax Allowed		yes/no	
APMatchingLnTaxRecovTaxPct	Recoverable Tax Percentage		->>9.99	2
APMatchingLnTaxTaxLC	LC Tax		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxTaxPct	Tax Percentage		->>9.99	2
APMatchingLnTaxTaxTC	TC Tax		->>>, >>>, >>>, >>9.99	4
APMatchingLnTaxTaxTrType	Transaction Type		x(2)	
APMatchingLnTaxTaxType	Tax Type		x(16)	
APRatePostingLine_ID	Link to PostingLine		9999999999	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account	Tax Account	9999999999	
NormalTaxPostingLine_ID	Link to PostingLine		9999999999	
PPVPostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Delayed Tax Sub-Account	Delay Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Delayed Tax Account	Delay Tax Acct	9999999999	
Vat_ID	Tax Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AbsRetTaxDiv	no	AbsRetTaxDivision_ID	yes	no
AbsRetTaxGL	no	AbsRetTaxGL_ID	yes	no
◇ APMatching	no	APMatching_ID	yes	no
◇ APMatchingLn	no	APMatchingLn_ID	yes	no
NormalTaxDiv	no	NormalTaxDivision_ID	yes	no
NormalTaxGL	no	NormalTaxGL_ID	yes	no
◇* Prim	yes	APMatchingLnTax_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

APMatchingLnWHTAccounts Payable Matching Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
APMatching_ID	Link to APMatching		9999999999	
APMatchingLn_ID	Link to APMatchingLn		9999999999	
APMatchingLnTax_ID	Link To APMatchingLnTax		9999999999	
APMatchingLnWHT_ID	Record ID		9999999999	
APMatchingLnWHTAmtCredL C	BC WHT Amt (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtCredT C	TC WHT Amt (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtDebLC	BC WHT Amt (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTAmtDebTC	TC WHT Amt (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTExpCredT C	TC Expense (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTExpDebT C	TC Expense (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTFeeCredT C	TC Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTFeeDebT C	TC Fee (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTIsUpdAllo w	Update Tax Allowed		yes/no	
APMatchingLnWHTRecovTax Pct	Recoverable Tax Percentage		->>9.99	2
APMatchingLnWHTTaxPct	Tax Percentage		->>9.99	2
APMatchingLnWHTTaxTrType	Transaction Type		x(2)	
APMatchingLnWHTTaxType	Tax Type		x(20)	
APMatchingLnWHTTxFeeCre dLC	BC Taxable Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeCre dTC	TC Taxable Fee (CR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeDeb LC	BC Taxable Fee (DR)		->>>, >>>, >>>, >>9.99	4
APMatchingLnWHTTxFeeDeb TC	TC Taxable Fee (DR)		->>>, >>>, >>>, >>9.99	4
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field		x(20)	
Division_ID	Link To Division		9999999999	
GL_ID	Link To GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Vat_ID	Link to Vat		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatching	no	APMatching_ID	yes	no
◇ APMatchingLn	no	APMatchingLn_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	APMatchingLnWHT_ID	yes	no
◇ Uniq	no	APMatchingLn_ID	yes	no
		APMatchingLnTax_ID	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

apmr_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* apmr_seq	yes	apmr_domain	yes	no
		apmr_seq	yes	no
apmr_type	yes	apmr_domain	yes	no
		apmr_type	yes	no
oid_apmr_mstr	yes	oid_apmr_mstr	yes	no

apm_ctrl

Field Name	Label	Col-Label	Format	Dec
apm__qadc01			x(8)	
apm__qadc02			x(8)	
apm__qadc03			x(8)	
apm__qadd01			->>>>, >>>, >>9.9	10
apm__qadd02			->>>>, >>>, >>9.9	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* AppParmSeq	yes	aprm_domain	yes	no
		aprm_app_id	yes	no
		aprm_doc_std	yes	no
		aprm_mthd_name	yes	no
		aprm_seq	yes	no
oid_aprm_mstr	yes	oid_aprm_mstr	yes	no

apr mstr Application Registry

Field Name	Label	Col-Label	Format	Dec
apr_dec01			->>>, >>>, >>9.99<	10
apr_dec02			->>>, >>>, >>9.99<	10
apr_dte01			99/99/99	
apr_dte02			99/99/99	
apr_int01			->>>, >>>, >>9	
apr_int02			->>>, >>>, >>9	
apr_log01			yes/no	
apr_log02			yes/no	
apr_qadc01			x(8)	
apr_qadc02			x(8)	
apr_qadc03			x(8)	
apr_qadc04			x(8)	
apr_qadd01			->>>, >>>, >>9.99<	10
apr_qadd02			->>>, >>>, >>9.99<	10
apr_qadi01			->>>, >>>, >>9	
apr_qadi02			->>>, >>>, >>9	
apr_qadi01			yes/no	
apr_qadi02	Process Outside of Transaction		yes/no	
apr_qadt01			99/99/99	
apr_qadt02			99/99/99	
apr_access_code	Access Code		x(60)	
apr_ack_doc_rev	Document Revision		x(8)	
apr_ack_doc_std	Document Standard		x(8)	
apr_ack_doc_typ	Document Type		x(21)	
apr_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
apr_adapt_cmd	Adapter Start Command		X(65)	
apr_adapt_start	Start when Connecting		yes/no	
apr_adapter_env	Adapter Type		x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
♦* AppID	yes	apr_domain	yes	no
		apr_app_id	yes	no
oid apr mstr	yes	oid apr mstr	yes	no

arc ctrl

Accounts Receivable Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	arc_index1	yes	arc_domain	yes	no
	oid_arc_ctrl	yes	oid_arc_ctrl	yes	no

art_mstr

Application Return Code Master

Field Name	Label	Col-Label	Format	Dec
art__dec01			->>>, >>>, >>9.99<	10
art__dec02			->>>, >>>, >>9.99<	10
art__dte01			99/99/99	
art__dte02			99/99/99	
art__int01			->>>, >>>, >>9	
art__int02			->>>, >>>, >>9	
art__log01			yes/no	
art__log02			yes/no	
art__qadc01			x(8)	
art__qadc02			x(8)	
art__qadc03			x(8)	
art__qadc04			x(8)	

atdcd det

Audit Trail Database Connection Detail

Field Name	Label	Col-Label	Format	Dec
atdcd__qadc01			x(24)	
atdcd__qadc02			x(24)	
atdcd_begin_date	Begin Date		99/99/99	
atdcd_end_date	End Date		99/99/99	
atdcd_mod_date	Modified Date	Mod Date	99/99/99	
atdcd_mod_userid	User ID		x(8)	
atdcd_type	Type		x(8)	
atdcd_used	Used		yes/no	
atdcd_user1	User Field Character 1		x(24)	
atdcd_user2	User Field Character 2		x(24)	
oid_atdc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_atdcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	atdcd_begin_date	yes	atdcd_type	yes	no
			atdcd_begin_date	no	no
	atdcd_oid_atdc_mstr	yes	oid_atdc_mstr	yes	no
			atdcd_type	yes	no
	oid_atdcd_det	yes	oid_atdcd_det	yes	no

atdc_mstr

Audit Trail Database Connection Master

Field Name	Label	Col-Label	Format	Dec
atdc__qadc01			x(24)	
atdc__qadc02			x(24)	
atdc__qadt01			99/99/99	
atdc__qadt02			99/99/99	
atdc_desc	Description		x(24)	
atdc_dir	Database Directory		X(50)	
atdc_host	Host		X(24)	
atdc_mod_date	Modified Date	Mod Date	99/99/99	
atdc_mod_userid	User ID		x(8)	
atdc_name	Database Name	DB Name	x(8)	
atdc_network	Network		x(8)	
atdc_online	Database Online	Online	yes/no	
atdc_parmfile	Parameter File	ParmFile	x(32)	
atdc_phy_name	Physical Database Name	Phys DB Name	x(32)	
atdc_server	Server		x(24)	
atdc_type	Type		X(8)	
atdc_user1	User Field Character 1		x(24)	
atdc_user2	User Field Character 2		x(24)	
oid_atdc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	atdc_name	yes	atdc_name	yes	no
	oid_atdc_mstr	yes	oid_atdc_mstr	yes	no

atg_mstr

Audit Trail Group Master

Field Name	Label	Col-Label	Format	Dec
atg__qadc01			x(24)	
atg__qadc02			x(24)	
atg_group_desc	Description		X(24)	
atg_group_name	Group Name	Group	X(8)	
atg_group_type	Group Type	Type	X(2)	
atg_mod_date	Modified Date	Mod Date	99/99/99	
atg_mod_userid	User ID		x(8)	

[illegible]

oid_atg_mstr	yes	oid_atg_mstr	yes	no

Available-to-Promise Detail

[illegible]

		atp_id_num	yes	no
oid_atp_det	yes	oid_atp_det	yes	no

Audit Trail Table Master

```
oid_att_mstr >>>>>>>>>>>>>>>>>>>>>>>>>9 10  
          .9<<<<<<<<<
```

* att_table_name	yes	att_table_name	yes	no
oid_att_mstr	yes	oid_att_mstr	yes	no

aud det

Audit Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
aud_dataset	yes	aud_domain	yes	no
		aud_dataset	yes	no
		aud_key1	yes	no
		aud_key2	yes	no
		aud_key3	yes	no
		aud_key4	yes	no
		aud_key5	yes	no
		aud_key6	yes	no
		aud_key7	yes	no
		aud_date	yes	no
		aud_entry	yes	no
* aud_entry	yes	aud_domain	yes	no
		aud_entry	yes	no
aud_user	no	aud_domain	yes	no
		aud_userid	yes	no
		aud_dataset	yes	no
		aud_date	yes	no
oid_aud_det	yes	oid_aud_det	yes	no

AutoNumber

Automatic Numbering

Field Name	Label	Col-Label	Format	Dec
AutoNumber_ID	Record ID		9999999999	
AutoNumberIsActive	Active		yes/no	
AutoNumberIsNoLeadingZero	Suppress Leading Zeros	Supp Zero	yes/no	
AutoNumberLength	Length		9	
AutoNumberNextNumber	Next Number		>>>>>>9	
AutoNumberType	Type		x(20)	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DomainIdx	no	Domain_ID	yes	no
◇* Prim	yes	AutoNumber_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ Uniqueldx	yes	Domain_ID	yes	no
		SharedSet_ID	yes	no
		AutoNumberType	yes	no

BankAccFormatBank Account Format

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Record ID		9999999999	
BankAccFormatCode	Bank Account Format		x(20)	
BankAccFormatDescription	Description		x(40)	
BankAccFormatIsSystDefined	System Defined		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankAccFormat_ID	yes	no
◇ Uniqueldx	yes	BankAccFormatCode	yes	no

BankAccFormatSectBank Account Format Section

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Link to BankAccFormat		9999999999	
BankAccFormatSect_ID	Record ID		9999999999	
BankAccFormatSectDelimiter	Delimiter		x(1)	
BankAccFormatSectIsLdZero	Leading Zeros		yes/no	
BankAccFormatSectIsMandat	Mandatory		yes/no	
BankAccFormatSectLabel	Label		x(40)	
BankAccFormatSectLength	Length		->, >>>, >>9	
BankAccFormatSectSequence	Sequence		->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankAccFormatSect_ID	yes	no
◇ Uniqueldx	yes	BankAccFormat_ID	yes	no
		BankAccFormatSectSequence	yes	no

BankFileFormatBank File Format

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Record ID		9999999999	
BankFileFormatCode	Format Code		x(20)	
BankFileFormatDescription	Description		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankFileFormat_ID	yes	no
◇ Uniqueldx	yes	BankFileFormatCode	yes	no

BankFileFormatTransType Bank File Format Transaction Type

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Link to BankFileFormat		9999999999	
BankFileFormatTransType_ID	Record ID		9999999999	
BankFileFormatTransTypeAct	Trans Type Activity	Activity	x(20)	
BankFileFormatTransTypeCod	Transaction Type Code	Trans Type	x(20)	
BankFileFormatTransTypeTSt	Trans Type Status		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankFileFormatTransType_ID	yes	no
◇ Uniq	yes	BankFileFormat_ID	yes	no
		BankFileFormatTransTypeCode	yes	no

BankImp Bank Statement Import

Field Name	Label	Col-Label	Format	Dec
BankImp_ID	Record ID		9999999999	
BankImpCurrencyCode	Bank Currency Code		x(3)	
BankImpFileName	Bank File Name		x(255)	
BankImpFileType	File Type		x(20)	
BankImpLinesCount	Numbers of Detail Lines		->, >>>, >>9	
BankImpLoadedDate	Upload Date		99/99/9999	
BankImpLoadedTime	Time Loaded		99999	
BankImpTotalAmountInTC	Total Amount In		->>>, >>>, >>>9.99	4
BankImpTotalAmountOutTC	Total Amount Out		->>>, >>>, >>>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	BankImp_ID	yes	no
◇ Uniqueldx	yes	BankImpLoadedDate	yes	no
		BankImpLoadedTime	yes	no

BankImpLine Bank Statement Import Line

Field Name	Label	Col-Label	Format	Dec
BankImp_ID	Link to BankImp		9999999999	
BankImpLine_ID	Record ID		9999999999	
BankImpLineAction	Action		x(20)	
BankImpLineAddressCity	Address City		x(20)	
BankImpLineAddressCountry	Address Country		x(3)	
BankImpLineAddressLine	Address Line		x(40)	
BankImpLineAddressZip	Address Zip		x(10)	
BankImpLineAmountTC	Amount TC		->>>, >>>, >>>, >>9.99	4
BankImpLineBankNumber	Bank Number		x(40)	
BankImpLineBatchNbr	Batch Number		->, >>>, >>9	
BankImpLineBusRelType	Business Relation Type		x(20)	
BankImpLineCost	Cost		x(20)	
BankImpLineCreditorCode	Supplier Code		x(20)	
BankImpLineCreditorName	Supplier Name		x(40)	
BankImpLineCurrencyCode	Currency		x(3)	
BankImpLineDebtorCode	Customer Code		x(20)	
BankImpLineDebtorName	Customer Name		x(40)	
BankImpLineDescription	Description		x(40)	
BankImpLineDiscAmtTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
BankImpLineExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
BankImpLineFileFormatCode			x(20)	
BankImpLineInfo	Info		x(2000)	
BankImpLineInOut	Direction		x(3)	
BankImpLineIntAmtTC	TC Interest Amount		->>>, >>>, >>>, >>9.99	4
BankImpLineInvRefList	Invoices		x(2000)	
BankImpLineOrigAmountTC	Original Amount TC		->>>, >>>, >>>, >>9.99	4
BankImpLineOrigCurrCode	Original Currency		x(3)	
BankImpLineOrigTransDate	Original Transaction Date		99/99/9999	
BankImpLineOwnBankNumber	Account Number		x(40)	
BankImpLinePaymentNbr	Payment Number		x(20)	
BankImpLinePaymentRef	Payment Reference		x(40)	
BankImpLineProcessedStatus	Process Status		x(20)	
BankImpLineRateScale	Exchange Scale		->, >>>, >>9.9999999999	10
BankImpLineReference	Reference		x(50)	
BankImpLineSeq			->, >>>, >>9	
BankImpLineStatNumber	Statement Number		x(10)	
BankImpLineTransType			x(20)	
BankImpLineValueDate	Value Date		99/99/9999	
BankState_ID	Link to BankState		9999999999	
CDocument_ID	Link to CDocument		9999999999	
Creditor_ID	Link to Creditor		9999999999	
DDocument_ID	Link to DDocument		9999999999	
Debtor_ID	Link to Debtor		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankImp	no	BankImp_ID	yes	no
◇ BankState	no	BankState_ID	yes	no
BatchNbr	no	BankImpLineBatchNbr	yes	no
◇ CDoc	no	CDocument_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ DDoc	no	DDocument_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
PayFormat	no	PayFormatCode_ID	yes	no
◇* Prim	yes	BankImpLine_ID	yes	no
ProcessedStatIdx	no	BankImpLineProcessedStatus	yes	no
◇ UniqueIdx	yes	BankImpLineSeq	yes	no
		BankImp_ID	yes	no

BankImpLineLog Bank Statement Import Line Log

Field Name	Label	Col-Label	Format	Dec
BankImpLine_ID	Link to BankImpLine		9999999999	
BankImpLineLog_ID	Record ID		9999999999	
BankImpLineLogFieldLabel	Field Label		x(80)	
BankImpLineLogFieldName	Field Name		x(80)	
BankImpLineLogFieldValue	Field Value		x(2000)	
BankImpLineLogLog	Log		x(4000)	
BankImpLineLogMessage	Message		x(2000)	
BankImpLineLogRowid	Row ID		x(20)	
BankImpLineLogSeverity	Severity		->,>>>,>>9	
BankImpLineLogType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Line	no	BankImpLine_ID	yes	no
◇* Prim	yes	BankImpLineLog_ID	yes	no

BankNumber Bank Number

Field Name	Label	Col-Label	Format	Dec
BankAccFormat_ID	Bank Account Format		9999999999	
BankBusinessRelation_ID	Business Relation		9999999999	
BankNumber	Bank Number		x(40)	
BankNumber_ID	Record ID		9999999999	
BankNumberBranch	Branch		x(8)	
BankNumberExtension	Bank Extension	Extension	x(20)	
BankNumberFormatted	Formatted Bank Account No	Formatted Number	x(40)	
BankNumberIsActive	Active		yes/no	
BankNumberIsDefault	Default		yes/no	
BankNumberIsSBDef	Self-Bill Default		yes/no	
BankNumberParentType	Type		x(20)	
BankNumberSwiftCode	SWIFT Code		x(40)	
BankNumberValidation	Validation		x(20)	
BankPayFormat_ID	Link to BankPayFormat		9999999999	
CompanySharedSet_ID	Link to CompanySharedSet		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DDocumentStatus_ID	Payment Status		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentObject_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankNumberFormat	no	BankNumberFormatted	yes	no
BankNumberIdx	no	BankNumber	yes	no
BankPayFormat	no	BankPayFormat_ID	yes	no
◇ BusinessRelation	no	BankBusinessRelation_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
KeyParentObject_id	no	ParentObject_ID	yes	no
KeyParentType	no	BankNumberParentType	yes	no
◇* Prim	yes	BankNumber_ID	yes	no
UniqueLogicalKey	yes	BankNumber	yes	no
		BankNumberExtension	yes	no
		BankNumberValidation	yes	no
		ParentObject_ID	yes	no
		BankPayFormat_ID	yes	no
◇ ViewIndex	no	BankNumberIsActive	yes	no
		BankNumber	yes	no

BankNumberPayCodeBank Number Payment Format Code

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
BankNumberPayCode_ID	Record ID		9999999999	
BankNumberPayCodeSequence	Sequence	Seq	->, >>>, >>9	
BankNumberPayCodeValue	Attribute Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Description		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

62 BankPayFormat

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
KeySequence	no	BankNumberPayCodeSequence	yes	no
◇* Prim	yes	BankNumberPayCode_ID	yes	no
◇ UniqueIdx	yes	BankNumber_ID	yes	no
		PayFormatGroup_ID	yes	no

BankPayFormat Bank Payment Format

Field Name	Label	Col-Label	Format	Dec
BankFileFormat_ID	Bank File Format Code	Bank File Format	9999999999	
BankNumber_ID	Bank Number	Bank Account No	9999999999	
BankPayFormat_ID	Record ID		9999999999	
BankPayFormatIsActive	Active		yes/no	
BankPayFormatNextCheckNumber	Next Pre-Printed Number	Next Pre-Printed No	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Payment Format		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
FileFormat	no	BankFileFormat_ID	yes	no
◇* Prim	yes	BankPayFormat_ID	yes	no
◇ Type	no	PayFormatTypeCode	yes	no
◇ UniqueIdx	yes	BankNumber_ID	yes	no
		PayFormatTypeCode	yes	no

BankState Bank Statement

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Record ID		9999999999	
BankStateBankImpRef	Bank Importing Reference		x(255)	
BankStateClosingBalance	Closing Balance		->, >>>, >>>9.99	4
BankStateInfo	Information	Info	x(2000)	
BankStateMovement	Activity		->, >>>, >>>9.99	4
BankStateNumber	Bank Statement No		x(20)	
BankStateOpeningBalance	Opening Balance		->, >>>, >>>9.99	4
BankStatePostingDate	Posting Date		99/99/9999	
BankStateStatus	Status		x(20)	
BankStateTransactionType	Transaction Type		x(20)	
BankStateYear	Bank Statement Year		9999	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Calendar Year	GL Cal Year	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankStateStatus	no	BankStateStatus	yes	no
BankStateTransType	no	BankStateTransactionType	yes	no
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLStatementNumYear	yes	Company_ID	yes	no
		GL_ID	yes	no
		BankStateYear	yes	no
		BankStateNumber	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BankState_ID	yes	no

BankStateAlloc Bank Statement Allocation

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateAlloc_ID	Record ID		9999999999	
BankStateAllocAmountLC	BC Amount		->>>, >>>, >>9.99	4
BankStateAllocAmountTC	TC Allocated		->>>, >>>, >>9.99	4
BankStateAllocBankAmountLC	BC Bank Amount		->>>, >>>, >>9.99	4
BankStateAllocBankAmountTC	TC Bank Amt		->>>, >>>, >>9.99	4
BankStateAllocBankDiscLC	BC Bank Discount		->>>, >>>, >>9.99	4
BankStateAllocBankDiscTC	TC Bank Discount		->>>, >>>, >>9.99	4
BankStateAllocBankImpRef	Bank Importing Reference		x(255)	
BankStateAllocBankRate	Accounting Rate		->, >>>, >>9.9999999999	10
BankStateAllocBankRteScale	Scale Factor		->, >>>, >>9.99	10
BankStateAllocBankValDate	Rate Date		99/99/9999	
BankStateAllocCCRate	SC Rate		->, >>>, >>9.9999999999	10
BankStateAllocCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10

Field Name	Label	Col-Label	Format	Dec
BankStateAllocDifferenceCC	SC Exch Rate Variance		->>>, >>>, >>>, >>9.99	4
BankStateAllocDifferenceLC	BC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocDifferenceTC	TC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocDiscountTC	TC Discount		->>>, >>>, >>>, >>9.99	4
BankStateAllocOpenBalTC	Open Balance TC		->>>, >>>, >>>, >>9.99	4
BankStateAllocType	Allocation Type		x(20)	
BankStateLine_ID	Link to BankStateLine		9999999999	
CCollection_ID	Link to CCollection		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
DCollection_ID	Link to DCollection		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocType	no	BankStateAllocType	yes	no
BankStateLine	no	BankStateLine_ID	yes	no
BankStIdx	no	BankState_ID	yes	no
CCollection	no	CCollection_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ DCollection	no	DCollection_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	BankStateAlloc_ID	yes	no

BankStateAllocColl Bank Statement Selection Allocation

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateAlloc_ID	Link to BankStateAlloc		9999999999	
BankStateAllocColl_ID	Record ID		9999999999	
BankStateAllocCollBankAmLC	BC Bank Amount		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollBankAmTC	TC Bank Amt		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollBankDate	Value Date		99/99/9999	
BankStateAllocCollBankRate	Accounting Rate		->, >>>, >>9.9999999999	10
BankStateAllocCollCCRate	SC Rate		->, >>>, >>9.9999999999	10
BankStateAllocCollCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
BankStateAllocCollDiffCC	SC Exch Rate Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollDiffLC	BC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollDiffTC	TC Difference		->>>, >>>, >>>, >>9.99	4
BankStateAllocCollIsAlloc	Allocated		yes/no	
BankStateAllocCollRteScale	Scale Factor		->, >>>, >>9.99	10
CDocument_ID	Supplier Payment Type	Supplier Pay Type	9999999999	
Company_ID	Link to Company		9999999999	
DDocument_ID	Supplier Payment Type	Supplier Pay Type	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Alloc	no	BankStateAlloc_ID	yes	no
BankStdX	no	BankState_ID	yes	no
◇ CDocument	no	CDocument_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ DDocument	no	DDocument_ID	yes	no
◇* Prim	yes	BankStateAllocColl_ID	yes	no

BankStateImport Import Bank Statements

Field Name	Label	Col-Label	Format	Dec
BankStateImport_ID	Record ID		9999999999	
BankStateImportDate	Date		99/99/9999	
BankStateImportFile	Source File Name		x(255)	
BankStateImportFolder	Source Folder Path		x(255)	
BankStateImportTime	Time		->,>>>,>>9	
BankStateImportType	Import File Format	Format	x(20)	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	yes	Company_ID	yes	no
◇* Prim	yes	BankStateImport_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

BankStateLine Bank Statement Line

Field Name	Label	Col-Label	Format	Dec
BankState_ID	Link to BankState		9999999999	
BankStateLine_ID	Record ID		9999999999	
BankStateLineAmountTC	TC Amount		->>>,>>>,>>>,>>9.99	4
BankStateLineBankImpRef	Bank Importing Reference		x(255)	
BankStateLineDescription	Description		x(40)	
BankStateLineExtAddress	Address (Ext)		x(40)	
BankStateLineExtBankNumber	Bank Number (Ext)		x(40)	
BankStateLineExtBankRate	Bank Rate (Ext)		->,>>>,>>9.9999999999	10
BankStateLineExtCity	City (Ext)		x(40)	
BankStateLineExtCostCode	Cost Code (Ext)		x(20)	
BankStateLineExtCountry	Country (Ext)		x(20)	
BankStateLineExtCurrency	Currency (Ext)		x(20)	
BankStateLineExtDebCred	Customer/Supplier (Ext)		x(20)	
BankStateLineExtName	Name (Ext)		x(40)	
BankStateLineExtOriginalTC	TC Original (Ext)		->>>,>>>,>>>,>>9.99	4
BankStateLineExtRateScale	Scale Factor		->,>>>,>>9.9999999999	10
BankStateLineExtReference	Reference (Ext)		x(40)	
BankStateLineExtSwiftCode	SWIFT Code (Ext)		x(40)	
BankStateLineExtTSM	TSM (Ext)		x(40)	
BankStateLineExtZip	Zip Code (Ext)		x(20)	
BankStateLineInformation	Information		x(2000)	
BankStateLineInOut	In/Out		x(20)	
BankStateLineNumber	Number		->,>>>,>>9	
BankStateLinePostingDate	Posting Date		99/99/9999	
BankStateLineStatus	Status		x(20)	
BankStateLineValueDate	Value Date		99/99/9999	
Company_ID	Link to Company		9999999999	

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Calendar Year	GL Cal Year	9999999999	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankState	no	BankState_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	BankStateLine_ID	yes	no
Stattus	no	BankStateLineStatus	yes	no
◇ Uniqueldx	yes	BankState_ID	yes	no
		BankStateLineNumber	yes	no

BankStateStageAlloc Bank Statement Stage Allocation

Field Name	Label	Col-Label	Format	Dec
BankStateAlloc_ID	Link to BankStateAlloc		9999999999	
BankStateStageAlloc_ID	Record ID		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocAmntTC	Stage Allocation		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocDiscTC	Stage Discount		->>>, >>>, >>>, >>9.99	4
BankStateStageAllocPaidTC	Stage Paid		->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BankStAll	no	BankStateAlloc_ID	yes	no
◇ CInvoiceStage	no	CInvoiceStage_ID	yes	no
◇ DInvoiceStage	no	DInvoiceStage_ID	yes	no
◇* Prim	yes	BankStateStageAlloc_ID	yes	no
◇ UniqueIdx	yes	BankStateAlloc_ID	yes	no
		CInvoiceStage_ID	yes	no
		DInvoiceStage_ID	yes	no

BatchPickC

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_BatchPickC	yes	oid_BatchPickC	yes	no
◊* SiteWhse	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no

BatchPickD

Field Name	Label	Col-Label	Format	Dec
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToWhse	To Whse		x(8)	
TrNbr	Transaction	Trans	>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_BatchPickD	yes	oid_BatchPickD	yes	no
◇ StartUserID	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
◇ ToLoc	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ToLoc	yes	no
ToRef	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ToRef	yes	no
◇* TrNbr	yes	Domain	yes	no
		TrNbr	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
		ToRef	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BatchPickM Warehousing Batch Picking Master

Field Name	Label	Col-Label	Format	Dec
BatchStatus	Status	St	x(12)	
Complete	Complete		yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Distance	Travel Sequence	Travel! Sequence	->, >>>, >>9	
Domain	Domain		x(8)	
Fail	Fail		yes/no	
FromAltUM	From UM	Fr! UM	x(2)	
FromDigit	From Digit	From! Digit	x(8)	
FromLoc	From Location	From! Location	x(8)	
FromLot	From Lot/Serial		x(18)	
FromPart	From Item Number		x(18)	
FromQty	Actual		->, >>>, >>9.9<<<<<<<<	10
FromRef	From Reference	From! Reference	x(8)	
FromSite	From Site	From! Site	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
oid_BatchPickM	yes	oid_BatchPickM	yes	no
Sequence	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		Sequence	yes	no
◇ StartUserID	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		BatchStatus	yes	no
◇* TrNbr	yes	Domain	yes	no
		TrNbr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

bcd det

Batch Control Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bcd_id	yes	bcd_domain	yes	no
		bcd_batch	yes	no
		bcd_date_sub	yes	no
		bcd_time_sub	yes	no
		bcd_userid	yes	no
oid_bcd_det	yes	oid_bcd_det	yes	no

bc_mstr

Batch Control Master

Field Name	Label	Col-Label	Format	Dec
bc_qadc01			x(8)	
bc_batch	Batch ID		x(8)	
bc_canrun	Users/Roles		x(189)	
bc_cmtindx	Comment Index	Comment	>>>>>>9	
bc_desc	Description		x(24)	
bc_domain	Domain		x(8)	

bdp_det

Bank Driver Payment Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* bdp_pay_seq	yes	bdp_domain	yes	no
		bdp_program	yes	no
		bdp_addr	yes	no
		bdp_bank	yes	no
		bdp_pay_method	yes	no
		bdp_ref	yes	no
		bdp_seq	yes	no
oid bdp det	yes	oid bdp det	yes	no

bic_ctrl

Service/Support Contract Billing Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	bic_index1	yes	bic_domain	yes	no
	oid bic ctrl	yes	oid bic ctrl	yes	no

BLWI Group BLWI Group

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	Record ID		9999999999	
BLWIGroupCode	BLWI Group Code	BLWI Group	x(20)	
BLWIGroupDescription	Description		x(40)	
BLWIGroupsIsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>>.>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	BLWIGroupsActive	yes	no
◇ Code	yes	BLWIGroupCode	yes	no
◇* Prim	yes	BLWIGroup_ID	yes	no
◇ ViewIndex	no	BLWIGroupsActive	yes	no
		BLWIGroupCode	yes	no

bl_ctrl	Master Bill of Lading Control

Field Name	Label	Col-Label	Format	Dec
bl__qadc01			x(8)	
bl_domain	Domain		x(8)	
bl_master_id	Next Master Bill ID		x(8)	
bl_user1	Ufld1		x(8)	
bl_user2	Ufld2		x(8)	
oid_bl_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* bl_master	yes	bl_domain	yes	no
		bl_master_id	yes	no
oid_bl_ctrl	yes	oid_bl_ctrl	yes	no

bom_mstr Product Structure (Bill of Material) Master

Field Name	Label	Col-Label	Format	Dec
bom__chr01			x(8)	
bom__chr02			x(8)	
bom__chr03			x(8)	
bom__chr04			x(8)	
bom__chr05			x(8)	
bom__dec01			>>>, >>>, >>9.99	10
bom__dec02			>>>, >>>, >>9.99	10
bom__dte01			99/99/99	
bom__dte02			99/99/99	
bom__log01			yes/no	
bom__qadc01	QAD Character Field		X(8)	0
bom__qadc02	QAD Character Field		X(8)	0
bom__qadc03	QAD Character field		X(8)	0
bom__qadd01	QAD Decimal Field		->>, >>9.99	10
bom__qadi01	QAD Integer Field		->, >>>, >>9	
bom__qadi02	QAD Integer Field		->, >>>, >>9	
bom__qadl01	QAD Logical Field		yes/no	
bom__qadl02	QAD Logical Field		yes/no	
bom__qadt01	QAD Date Field		99/99/99	
bom__qadt02	QAD Date Field		99/99/99	
bom_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
bom_batch_um	UM		x(2)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
bom_fsm_type	no	bom_domain	yes	no
		bom_fsm_type	yes	no
		bom_parent	yes	no
* bom_parent	yes	bom_domain	yes	no
		bom_parent	yes	no
oid bom mstr	yes	oid bom mstr	yes	no

Box1099 1099 Box

Field Name	Label	Col-Label	Format	Dec
Box1099_ID	Record ID		9999999999	
Box1099CalendarYear	Calendar Year		9999	
Box1099Code	1099 Box Code		x(8)	
Box1099Description	Description		x(40)	
Box1099IsActive	Active		yes/no	
Box1099MinimumAmountLC	Minimum Amount		->>>,>>>,>>>,>>9.99	4
Box1099Reference	1099 Box Reference		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CodeYearActive	no	Box1099Code	yes	no
		Box1099CalendarYear	yes	no
		Box1099IsActive	yes	no
◇* Prim	yes	Box1099_ID	yes	no
◇ UniqueIdx	no	Box1099Code	yes	no
		Box1099Reference	yes	no
		Box1099CalendarYear	yes	no

Box1099PurchaseTypeLink1099 Box Purchase Type Link

Field Name	Label	Col-Label	Format	Dec
Box1099_ID	Link to Box1099		9999999999	
Box1099PurchaseTypeLink_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
Box	no	Box1099_ID	yes	no
Prim	yes	Box1099PurchaseTypeLink_ID	yes	no
PurTp	no	PurchaseType_ID	yes	no
Uniq	yes	Box1099_ID	yes	no
		PurchaseType_ID	yes	no

btb_det

Enterprise Material Transfer Primary Business Unit Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* btb_so	yes	btb_domain	yes	no
		btb_so	yes	no
		btb_sod_line	yes	no
oid_btb_det	yes	oid_btb_det	yes	no

btrd_det

Blocked Transaction Detail

Field Name	Label	Col-Label	Format	Dec
btrd__qadc01			x(24)	
btrd__qadc02			x(24)	
btrd_mod_date	Modified Date	Mod Date	99/99/99	
btrd_mod_userid	User ID		x(8)	
btrd_user1	User Field Character 1		x(24)	
btrd_user2	User Field Character 2		x(24)	
oid_btr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_btrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_lngd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* btrd_oid_btr_mstr	yes	oid_btr_mstr	yes	no
		oid_btrd_det	yes	no
oid btrd det	yes	oid btrd det	yes	no

btr mstr

Blocked Transaction Master

Field Name	Label	Col-Label	Format	Dec
btr__qadc01			x(24)	
btr__qadc02			x(24)	
btr_blocked_trans_code	Blocked Code		x(8)	
btr_desc	Description		x(24)	
btr_domain	Domain		x(8)	
btr_mod_date	Modified Date	Mod Date	99/99/99	
btr_mod_userid	User ID		x(8)	
btr_user1	User Field Character 1		x(24)	
btr_user2	User Field Character 2		x(24)	
oid_btr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* btr_blocked_code	yes	btr_domain	yes	no
		btr_blocked_trans_code	yes	no
oid btr mstr	yes	oid btr mstr	yes	no

Budget

Budget

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Record ID		9999999999	
BudgetCheckReportPeriod	Report Period Check		x(20)	
BudgetCode	Budget Code		x(20)	
BudgetDescription	Description	Budget Description	x(40)	
BudgetForecastType	Forecast Type		x(20)	
BudgetGroupCategory	Budget Group Category		9	
BudgetInputLevelBudget	Input Level (Budget)		9	
BudgetInputLevelEAC	Input Level (PM)		9	
BudgetInputLevelFin	Input Level (Fin)		9	
BudgetIsAutoRollUp	Auto Roll-Up		yes/no	
BudgetIsCheckActualOnLine	Check Actuals Online		yes/no	
BudgetIsCheckCommitOnLine	Check Commitments Online		yes/no	
BudgetIsCompanyDependent	Entity Dependent		yes/no	
BudgetIsReportStruct	Use as Report		yes/no	
BudgetIsSendError	Send E-Mail on Errors	Error E-Mails	yes/no	
BudgetIsSendWarning	Send E-Mail on Warnings	Warning E-Mails	yes/no	
BudgetIsUsedForAllocation	Used for Allocation		yes/no	
BudgetIsWithQuantityData	Use Quantity Info		yes/no	
BudgetOverrunPeriod	GL Period Overrun		x(20)	

Field Name	Label	Col-Label	Format	Dec
BudgetOverrunTotal	Total Overrun		x(20)	
BudgetOverrunYTD	Overrun (YTD)		x(20)	
BudgetStatus	Status		x(20)	
BudgetType	Budget Type		x(20)	
CostCentre_ID	Cost Center Code		9999999999	
CostCentreSharedSet_ID	Link to SharedSet		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionSharedSet_ID	Link to SharedSet		9999999999	
GLSharedSet_ID	Link to SharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project Code		9999999999	
ProjectSharedSet_ID	Link to SharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Budget Administrator		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetCode	yes	BudgetCode	yes	no
BudgetIsCheckActualOnLine	no	BudgetIsCheckActualOnLine	yes	no
BudgetIsCheckCommitOnLine	no	BudgetIsCheckCommitOnLine	yes	no
BudgetTypeIdx	no	BudgetType	yes	no
CostCentre	no	CostCentre_ID	yes	no
CostCentreSharedSet	no	CostCentreSharedSet_ID	yes	no
Currency	no	Currency_ID	yes	no
DivisionSharedSet	no	DivisionSharedSet_ID	yes	no
GLSharedSet	no	GLSharedSet_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	Budget_ID	yes	no
◇ Project	no	Project_ID	yes	no
ProjectSharedSet	no	ProjectSharedSet_ID	yes	no
◇ StatusIdx	no	BudgetStatus	yes	no
UsedForAllocation	no	BudgetIsUsedForAllocation	yes	no

BudgetCompany Budget Entity

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetCompany_ID	Record ID		9999999999	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetIdx	no	Budget_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇* Prim	yes	BudgetCompany_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		Budget_ID	yes	no

BudgetFDS Budget COA

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetFDS_ID	Record ID		9999999999	
BudgetFDSIsAllocationTotal	Used for Proportional Allocation		yes/no	
BudgetFDSSeq	WBS Level		->,>>>,>>9	
BudgetFDSType	COA Element		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
BudgetFDSSeqIdx	no	BudgetFDSSeq	yes	no
◇* Prim	yes	BudgetFDS_ID	yes	no
◇ UniqueIdx	yes	Budget_ID	yes	no
		BudgetFDSSeq	yes	no

BudgetGroup Budget Group

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Record ID		9999999999	
BudgetGroupCategory	Budget Group Category		9	
BudgetGroupCode	Budget Group		x(20)	
BudgetGroupDescription	Description		x(40)	
BudgetGroupIsActive	Active		yes/no	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetGroupActive	no	BudgetGroupsActive	yes	no
◇* Prim	yes	BudgetGroup_ID	yes	no
◇ Uniqueldx	yes	BudgetGroupCode	yes	no
		BudgetGroupCategory	yes	no
◇ ViewIndex	no	BudgetGroupsActive	yes	no
		BudgetGroupCode	yes	no

BudgetLink Budget Posting Commitment Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLink_ID	Record ID		9999999999	
BudgetLinkActualQTY	Quantity	Qty	->>>, >>>, >>9.99	4
BudgetLinkActualSalesQTY	Sales Quantity		->>>, >>>, >>9.99	4
BudgetLinkActualSalesTC	Sales Amount		->>>, >>>, >>9.99	4
BudgetLinkActualTC	Amount		->>>, >>>, >>9.99	4
BudgetLinkCommitQTY	Commitment Quantity		->>>, >>>, >>9.99	4
BudgetLinkCommitTC	Commitment Amount		->>>, >>>, >>9.99	4
BudgetPeriod_ID	Link to BudgetPeriod		9999999999	
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetIdx	no	Budget_ID	yes	no
BudgetPeriodIdx	no	BudgetPeriod_ID	yes	no
BudgetWBSBudgetIdx	yes	BudgetWBS_ID	yes	no
		BudgetPeriod_ID	yes	no
BudgetWBSId	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetLink_ID	yes	no

BudgetLinkAcc Budget Accumulation by Period

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLinkAcc_ID	Record ID		9999999999	
BudgetLinkAccCreditLC	BC Credit		->>>, >>>, >>9.99	4
BudgetLinkAccDebitLC	BC Debit		->>>, >>>, >>9.99	4
BudgetLinkAccQTY	Qty		->>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
Layer_ID	Link to Layer		9999999999	
Period_ID	Link to Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BudgetLinkAcc_ID	yes	no
◇ UniqueIdx	yes	Period_ID	yes	no
		BudgetWBS_ID	yes	no
		Layer_ID	yes	no

BudgetLinkAccDet Budget Accumulation by Sub-ledger

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetLinkAccDet_ID	Record ID		9999999999	
BudgetLinkAccDetCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
BudgetLinkAccDetDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
BudgetLinkAccDetQTY	Qty		->>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Division_ID	Link to Division		9999999999	
Layer_ID	Link to Layer		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	BudgetLinkAccDet_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	BudgetWBS_ID	yes	no
		Period_ID	yes	no
		Saf_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Division_ID	yes	no
		Layer_ID	yes	no

BudgetLinkActual Budget Posting Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID			9999999999	
BudgetLinkActual_ID	Record ID		9999999999	
BudgetLinkActualCCCode	Cost Center		x(20)	
BudgetLinkActualDate	Posting Date		99/99/9999	
BudgetLinkActualDivCode	Sub-Account	Sub-Acct	x(20)	
BudgetLinkActualGLCode	GL Account	GL	x(20)	
BudgetLinkActualInfo	Info		x(40)	
BudgetLinkActualIsAfterRep	After Reporting		yes/no	
BudgetLinkActualPrjCode	Project Code	Project	x(20)	
BudgetLinkActualQTY	Quantity	Qty	->>>, >>>, >>9.99	4
BudgetLinkActualSaf1Code	SAF 1		x(20)	
BudgetLinkActualSaf1Concpt	SAF Concept 1		x(20)	

Field Name	Label	Col-Label	Format	Dec
BudgetLinkActualSaf2Code	SAF 2		x(20)	
BudgetLinkActualSaf2Concpt	SAF Concept 2		x(20)	
BudgetLinkActualSaf3Code	SAF 3		x(20)	
BudgetLinkActualSaf3Concpt	SAF Concept 3		x(20)	
BudgetLinkActualSaf4Code	SAF 4		x(20)	
BudgetLinkActualSaf4Concpt	SAF Concept 4		x(20)	
BudgetLinkActualSaf5Code	SAF 5		x(20)	
BudgetLinkActualSaf5Concpt	SAF Concept 5		x(20)	
BudgetLinkActualSafStruct	SAF Structure		x(20)	
BudgetLinkActualSalesQTY	Sales Quantity		->>>, >>>, >>9.99	4
BudgetLinkActualSalesTC	Sales Amount		->>>, >>>, >>>, >>9.99	4
BudgetLinkActualTC	Amount		->>>, >>>, >>>, >>9.99	4
BudgetPeriod_ID			9999999999	
BudgetWBS_ID			9999999999	
Company_ID	Link to Company		9999999999	
Journal_ID	Link to Journal		9999999999	
Layer_ID	Link to Layer		9999999999	
LayerTypeCode	Layer Type Code		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportPeriod_ID	Link to ReportPeriod		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetDate	no	Budget_ID	yes	no
		BudgetLinkActualDate	yes	no
◇ BudgetPeriod	no	BudgetPeriod_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CostCentre	no	BudgetLinkActualCCCode	yes	no
◇ Dateldx	no	BudgetLinkActualDate	yes	no
◇ Divldx	no	BudgetLinkActualDivCode	yes	no
◇ GLldx	no	BudgetLinkActualGLCode	yes	no
		Layer_ID	yes	no
		LayerTpCode	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	BudgetLinkActual_ID	yes	no
◇ ProjectIdx	no	BudgetLinkActualPrjCode	yes	no
◇ SafStructure	no	BudgetLinkActualSafStruct	yes	no

BudgetLinkCommit Budget Commitment Link

Field Name	Label	Col-Label	Format	Dec
Budget_ID			9999999999	
BudgetLinkCommit_ID	Record ID		9999999999	
BudgetLinkCommitCCCode	Cost Center		x(20)	
BudgetLinkCommitDate	Commitment Date		99/99/9999	
BudgetLinkCommitDivCode	Sub-Account	Sub-Acct	x(20)	
BudgetLinkCommitExternKey	External Key		x(20)	
BudgetLinkCommitGLCode	GL Account	GL	x(20)	
BudgetLinkCommitInfo	Info		x(40)	
BudgetLinkCommitIsExternal	External		yes/no	
BudgetLinkCommitPrjCode	Project		x(20)	
BudgetLinkCommitQTY	Qty		->>>, >>>, >>9.99	4
BudgetLinkCommitSaf1Code	SAF 1		x(20)	
BudgetLinkCommitSaf1Concp	SAF Concept 1		x(20)	
t				
BudgetLinkCommitSaf2Code	SAF 2		x(20)	
BudgetLinkCommitSaf2Concp	SAF Concept 2		x(20)	
t				
BudgetLinkCommitSaf3Code	SAF 3		x(20)	
BudgetLinkCommitSaf3Concp	SAF Concept 3		x(20)	
t				
BudgetLinkCommitSaf4Code	SAF 4		x(20)	

84 BudgetPeriod

Field Name	Label	Col-Label	Format	Dec
BudgetLinkCommitSaf4Concpt	SAF Concept 4		x(20)	
BudgetLinkCommitSaf5Code	SAF 5		x(20)	
BudgetLinkCommitSaf5Concpt	SAF Concept 5		x(20)	
BudgetLinkCommitSafStruct	SAF Structure		x(20)	
BudgetLinkCommitTC	TC Amount		->>>, >>>, >>>, >>9.99	4
BudgetPeriod_ID			9999999999	
BudgetWBS_ID			9999999999	
Company_ID	Link to Company		9999999999	
POLine_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetDate	no	Budget_ID	yes	no
		BudgetLinkCommitDate	yes	no
◇ BudgetIdx	no	Budget_ID	yes	no
◇ BudgetPeriod	no	BudgetPeriod_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ DateIdx	no	BudgetLinkCommitDate	yes	no
ExternalKey	no	BudgetLinkCommitIsExterna	yes	no
		l		
		BudgetLinkCommitExternKe	yes	no
		y		
POLine	no	POLine_ID	yes	no
◇* Prim	yes	BudgetLinkCommit_ID	yes	no
◇ UniqueKey	no	BudgetLinkCommitExternKe	yes	no
		y		

BudgetPeriodBudget Period

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetPeriod_ID	Record ID		9999999999	
BudgetPeriodCode	Period Code		x(20)	
BudgetPeriodFromDate	Start Date		99/99/9999	
BudgetPeriodSeq	GL Period Seq		->, >>>, >>9	
BudgetPeriodTillDate	End Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
BudgetPeriodSeq	yes	Budget_ID	yes	no
		BudgetPeriodSeq	yes	no
◇ Code	yes	Budget_ID	yes	no
		BudgetPeriodCode	yes	no
FromDate	no	Budget_ID	yes	no
		BudgetPeriodFromDate	yes	no
◇* Prim	yes	BudgetPeriod_ID	yes	no
TillDate	no	Budget_ID	yes	no
		BudgetPeriodTillDate	yes	no

BudgetReportBudget Report

Field Name	Label	Col-Label	Format	Dec
BudgetProjectCode			x(20)	
BudgetProjectDescription			x(40)	
BudgetTopicAct1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicBud4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCode1			x(20)	
BudgetTopicCode2			x(20)	
BudgetTopicCode3			x(20)	
BudgetTopicCode4			x(20)	
BudgetTopicCom1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicDescription1			x(40)	
BudgetTopicDescription2			x(40)	
BudgetTopicDescription3			x(40)	
BudgetTopicDescription4			x(40)	
BudgetTopicEtc1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicEtc4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicSequence1			->, >>>, >>9	
BudgetTopicSequence2			->, >>>, >>9	
BudgetTopicSequence3			->, >>>, >>9	
BudgetTopicSequence4			->, >>>, >>9	
BudgetVersionNumber			->, >>>, >>9	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* DummyPrim	yes	BudgetProjectCode	yes	no
		BudgetVersionNumber	yes	no
		BudgetTopicCode1	yes	no
		BudgetTopicCode2	yes	no
		BudgetTopicCode3	yes	no
		BudgetTopicCode4	yes	no
◇ Project	no	BudgetProjectCode	yes	no
◇ Sequence1	no	BudgetTopicSequence1	yes	no
◇ Sequence2	no	BudgetTopicSequence2	yes	no
◇ Sequence3	no	BudgetTopicSequence3	yes	no
◇ Sequence4	no	BudgetTopicSequence4	yes	no
◇ Topic1	no	BudgetTopicCode1	yes	no
◇ Topic2	no	BudgetTopicCode2	yes	no
◇ Topic3	no	BudgetTopicCode3	yes	no
◇ Topic4	no	BudgetTopicCode4	yes	no

BudgetReportDetailBudget Report Detail

Field Name	Label	Col-Label	Format	Dec
BudgetProjectCode			x(20)	
BudgetProjectDescription			x(40)	
BudgetTopicAct1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicAct3LC			->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
BudgetTopicAct4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCode1			x(20)	
BudgetTopicCode2			x(20)	
BudgetTopicCode3			x(20)	
BudgetTopicCode4			x(20)	
BudgetTopicCom1LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom2LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom3LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicCom4LC			->>>, >>>, >>>, >>9.99	4
BudgetTopicDescription1			x(40)	
BudgetTopicDescription2			x(40)	
BudgetTopicDescription3			x(40)	
BudgetTopicDescription4			x(40)	
BudgetTopicFDSCode			x(40)	
BudgetTopicSequence1			->, >>>, >>9	
BudgetTopicSequence2			->, >>>, >>9	
BudgetTopicSequence3			->, >>>, >>9	
BudgetTopicSequence4			->, >>>, >>9	
BudgetTopicVoucherString			x(40)	
BudgetVersionNumber			->, >>>, >>9	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* DummyPrim	yes	BudgetProjectCode	yes	no
		BudgetVersionNumber	yes	no
		BudgetTopicCode1	yes	no
		BudgetTopicCode2	yes	no
		BudgetTopicCode3	yes	no
		BudgetTopicCode4	yes	no
		BudgetTopicVoucherString	yes	no
◇ Project	no	BudgetProjectCode	yes	no
◇ Sequence1	no	BudgetTopicSequence1	yes	no
◇ Sequence2	no	BudgetTopicSequence2	yes	no
◇ Sequence3	no	BudgetTopicSequence3	yes	no
◇ Sequence4	no	BudgetTopicSequence4	yes	no
◇ Topic1	no	BudgetTopicCode1	yes	no
◇ Topic2	no	BudgetTopicCode2	yes	no
◇ Topic3	no	BudgetTopicCode3	yes	no
◇ Topic4	no	BudgetTopicCode4	yes	no

BudgetVersion Budget Version

Field Name	Label	Col-Label	Format	Dec
Budget_ID	Link to Budget		9999999999	
BudgetVersion_ID	Record ID		9999999999	
BudgetVersionCode	Version Code		x(20)	
BudgetVersionComment	Comment		x(40)	
BudgetVersionCreateDate	Creation Date		99/99/9999	
BudgetVersionCreateTime	Creation Time		->, >>>, >>9	
BudgetVersionDescription	Description		x(40)	
BudgetVersionIsActive	Active		yes/no	
BudgetVersionPercComplect	% of Completion		->, >>>, >>9.99	3
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportPeriod_ID	From Report Pd		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Budget	no	Budget_ID	yes	no
◇ Code	yes	BudgetVersionCode	yes	no
		Budget_ID	yes	no
◇* Prim	yes	BudgetVersion_ID	yes	no
◇ ReportPeriodIdx	no	ReportPeriod_ID	yes	no
◇ ViewIndex	no	BudgetVersionIsActive	yes	no
		BudgetVersionCode	yes	no

BudgetVersionFig Budget Version Figures

Field Name	Label	Col-Label	Format	Dec
BudgetVersion_ID	Link to BudgetVersion		9999999999	
BudgetVersionFig_ID	Record ID		9999999999	
BudgetVersionFig01EacETC	PM Forecast Cost ETC (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01EacQTY	PM Forecast Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01EacTC	PM Forecast Cost LTE (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FctPR	Forecast Price (01)		->>>, >>>, >>9.99999	10
BudgetVersionFig01FinETC	Contr Forecast Cost ETC (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FinQTY	Contr Forecast Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01FinTC	Contr Forecast Cost LTE (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01PR	Budget Price (01)		->>>, >>>, >>9.99999	10
BudgetVersionFig01QTY	Budget Qty (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01SEacTC	PM Forecast Revenue (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01SFinTC	Contr Forecast Rev (01)		->>>, >>>, >>9.99	4
BudgetVersionFig01STC	Budget Rev (01)		->>>, >>>, >>9.99	4

[illegible]

[illegible]

Field Name	Label	Col-Label	Format	Dec
BudgetVersionFig23FinQTY	Contr Forecast Qty (23)		->>>, >>>, >>9.99	4
BudgetVersionFig23FinTC	Contr Forecast Cost LTE (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23QTY	Budget Qty (23)		->>>, >>>, >>9.99	4
BudgetVersionFig23SEacTC	PM Frc Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23SFinTC	Contr Forecast Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23STC	Budget Rev (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig23TC	Budget Cost (23)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24EacQTY	PM Frc Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24EacTC	PM Forecast Cost LTE (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24FinQTY	Contr Forecast Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24FinTC	Contr Forecast Cost LTE (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24QTY	Budget Qty (24)		->>>, >>>, >>9.99	4
BudgetVersionFig24SEacTC	PM Frc Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24SFinTC	Contr Forecast Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24STC	Budget Rev (24)		->>>, >>>, >>>, >>9.99	4
BudgetVersionFig24TC	Budget Cost (24)		->>>, >>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetV	no	BudgetVersion_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetVersionFig_ID	yes	no
◇ Uniqueldx	yes	BudgetWBS_ID	yes	no
		BudgetVersion_ID	yes	no

BudgetVersionGLFig Budget Version GL Figures

Field Name	Label	Col-Label	Format	Dec
BudgetVersion_ID	Link to BudgetVersion		9999999999	
BudgetVersionGLFig_ID	Record ID		9999999999	
BudgetVersionGLFig01EacQTY	Forecast Qty (01)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig01EacTC	Forecast Cost (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig01QTY	Qty (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig01TC	TC Amt (01)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02EacQTY	Forecast Qty (02)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig02EacTC	Forecast Cost (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02QTY	Qty (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig02TC	TC Amt (02)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03EacQTY	Forecast Qty (03)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig03EacTC	Forecast Cost (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03QTY	Qty (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig03TC	TC Amt (03)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04EacQTY	Forecast Qty (04)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig04EacTC	Forecast Cost (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04QTY	Qty (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig04TC	TC Amt (04)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05EacQTY	Forecast Qty (05)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig05EacTC	Forecast Cost (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05QTY	Qty (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig05TC	TC Amt (05)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig06EacQTY	Forecast Qty (06)		->>>, >>>, >>>, >>9.99	4
Y				
BudgetVersionGLFig06EacTC	Forecast Cost (06)		->>>, >>>, >>>, >>9.99	4



[illegible]

Field Name	Label	Col-Label	Format	Dec
BudgetVersionGLFig49TC	TC Amount (49)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50EacQT Y	Forecast Qty (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50EacTC	Forecast Cost (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50QTY	Qty (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig50TC	TC Amount (50)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51EacQT Y	Forecast Qty (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51EacTC	Forecast Cost (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51QTY	Qty (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig51TC	TC Amount (51)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52EacQT Y	Forecast Qty (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52EacTC	Forecast Cost (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52QTY	Qty (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig52TC	TC Amount (52)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53EacQT Y	Forecast Qty (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53EacTC	Forecast Cost (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53QTY	Qty (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig53TC	TC Amount (53)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54EacQT Y	Forecast Qty (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54EacTC	Forecast Cost (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54QTY	Qty (54)		->>>, >>>, >>>, >>9.99	4
BudgetVersionGLFig54TC	TC Amount (54)		->>>, >>>, >>>, >>9.99	4
BudgetWBS_ID	Link to BudgetWBS		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetV	no	BudgetVersion_ID	yes	no
◇ BudgetWBS	no	BudgetWBS_ID	yes	no
◇* Prim	yes	BudgetVersionGLFig_ID	yes	no
◇ UniqueIdx	yes	BudgetWBS_ID	yes	no
		BudgetVersion_ID	yes	no

BudgetWBS Budget Topic

Field Name	Label	Col-Label	Format	Dec
AltCOAGroup_ID	Alternate COA Group		9999999999	
Budget_ID	Link to Budget		9999999999	
BudgetFDS_ID	Link to BudgetFDS		9999999999	
BudgetFDSSeq	COA Sequence		->, >>>, >>9	
BudgetFDSType	COA Type		x(20)	
BudgetGroup_ID	Budget Group		9999999999	
BudgetWBS_ID	Record ID		9999999999	
BudgetWBSCategory	Category		x(20)	
BudgetWBSCode	WBS Code		x(40)	
BudgetWBSComment	Comment		x(2000)	
BudgetWBSCostRevenue	Cost/Revenue		x(20)	
BudgetWBSCostType	Cost Type		x(20)	
BudgetWBSFDSCode	COA Code		x(20)	
BudgetWBSFDSDefault	COA Default		x(20)	
BudgetWBSFDSFromCode	From COA		x(20)	
BudgetWBSFDSLink	Link by Level		x(1024)	
BudgetWBSFDSList	COA List		x(1024)	
BudgetWBSFDSToCode	To COA		x(20)	
BudgetWBSIsHideOnReport	Hide On Reporting		yes/no	
BudgetWBSIsInvertBase	Invert Base Sign		yes/no	
BudgetWBSIsPrintDesc	Print Description		yes/no	
BudgetWBSIsRollUp	Roll Up Amount		yes/no	

Field Name	Label	Col-Label	Format	Dec
BudgetWBSIsWithSumLine	Print Sum Line		yes/no	
BudgetWBSLineNumber	Class		->, >>>, >>9	
BudgetWBSOverrunPeriod	GL Period Overrun		x(20)	
BudgetWBSOverrunTotal	Total Overrun		x(20)	
BudgetWBSOverrunYTD	Overrun (YTD)		x(20)	
BudgetWBSPerComp	Percentage (ETC)		->, >>>, >>9.99	3
BudgetWBSSeq	WBS Seq		->, >>>, >>9.99	0
BudgetWBSStatus	Status		x(20)	
BudgetWBSTopicDescription			x(120)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentBudgetWBS_ID	Link to BudgetWBS		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	SAF Concept Code		9999999999	
SafStructure_ID	SAF Structure		9999999999	
Unit_ID	GL Account Unit of Measure UM		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltCOAGroup	no	AltCOAGroup_ID	yes	no
◇ Budget	no	Budget_ID	yes	no
BudgetFDS	no	BudgetFDS_ID	yes	no
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
BudgetIDBudgetWBS	no	Budget_ID	yes	no
Sq		BudgetWBSSeq	yes	no
BudgetWBSCode	no	BudgetWBSCode	yes	no
BudgetWBSFDSFrom	no	BudgetWBSFDSFromCode	yes	no
BudgetWBSFDSTo	no	BudgetWBSFDSToCode	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetWBSSeq	no	BudgetWBSSeq	yes	no
OverrunPeriodIdx	no	BudgetWBSOverrunPeriod	yes	no
OverrunTotalIdx	no	BudgetWBSOverrunTotal	yes	no
OverrunYTDIdx	no	BudgetWBSOverrunYTD	yes	no
ParentBudgetWBS	no	ParentBudgetWBS_ID	yes	no
◇* Prim	yes	BudgetWBS_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	Budget_ID	yes	no
		BudgetFDS_ID	yes	no
		BudgetWBSSeq	yes	no

BudgetWBSBusComponent Budget Topic Component Link

Field Name	Label	Col-Label	Format	Dec
BudgetWBS_ID	Link to BudgetWBS		9999999999	
BudgetWBSBusComponent_ID	Record ID		9999999999	
BusComponent_ID	Component		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgWBS	no	BudgetWBS_ID	yes	no
BusComp	no	BusComponent_ID	yes	no
◇* Prim	yes	BudgetWBSBusComponent_ID	yes	no
◇ UnilIdx	yes	BusComponent_ID	yes	no
		BudgetWBS_ID	yes	no

BudgetWBSRoster Budget Topic Forecast

Field Name	Label	Col-Label	Format	Dec
BudgetWBS_ID	Link to BudgetWBS		9999999999	
BudgetWBSRoster_ID	Record ID		9999999999	
BudgetWBSRosterDate	Date		99/99/9999	
BudgetWBSRosterPercOfCom	Percentage (ETC)		->>>,>>>,>>9.99	3
p				
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetWBSDate	yes	BudgetWBSRosterDate	yes	no
		BudgetWBS_ID	yes	no
◇ BudgetWBSIdx	no	BudgetWBS_ID	yes	no
◇* prim	yes	BudgetWBSRoster_ID	yes	no

Warehousing Bulk Pick Control

Index-Name	Uni	Field-Name	Asc	Abbr
oid_BulkPickC	yes	oid_BulkPickC	yes	no
◇* UniqueId	yes	Domain	yes	no
		UniqueId	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BulkPickD

Warehousing Bulk Pick Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
AllocNbr	Allocation Order		x(18)	
BPSStatus	Status		x(8)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
FailRmks	Fail Remarks		x(24)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_BulkPickD			>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
PreShipper	PreShipper		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>>9	
QadI02	QAD Field		->, >>>, >>>9	
QadI03	QAD Field		->, >>>, >>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyPick	Quantity Picked	Quantity! Picked	->, >>>, >>>9.9<<<<<<<<	10
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
ShipData	Shipping Data	Ship Data	x(8)	
Shipper	Shipper	Shipper	x(8)	
Site	Site		x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Weight	Weight	Wt	>>, >>>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
* BPDIdx	yes	Domain	yes	no
		BulkPick	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Line	yes	no
		TrNbr	yes	no
◇ LoadID	no	Domain	yes	no
		LoadID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		DSet	yes	no
		Addr	yes	no
		Site	yes	no
		BulkPick	yes	no
oid_BulkPickD	yes	oid_BulkPickD	yes	no
◇ OrderIdx	yes	Domain	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Line	yes	no
		TrNbr	yes	no
◇ PreShipper	no	Domain	yes	no
		PreShipper	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ Shipper	no	Domain	yes	no
		Shipper	yes	no
		DSet	yes	no
		AllocNbr	yes	no
		Site	yes	no
		BulkPick	yes	no
◇ TrNbr	no	Domain	yes	no
		TrNbr	yes	no
		BulkPick	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BulkPickDH Warehousing Bulk Pick Detail History

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
BPStatus	Status		x(8)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
CloseUserID	Closed		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DNbr	Order Nbr		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
FailRmks	Fail Remarks		x(24)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_BulkPickDH			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
PreShipper	PreShipper		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QtyPick	Quantity Picked	Quantity! Picked	->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
QadD03	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Rmks	Remarks		x(24)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* BulkPick	yes	Domain	yes	no
		BulkPick	yes	no
oid_BulkPickM	yes	oid_BulkPickM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

BusArea Business Area

Field Name	Label	Col-Label	Format	Dec
BusArea_ID			9999999999	
BusAreaAccelerator			>>>9	
BusAreaCode			x(40)	
BusArealActive			yes/no	
BusArealCustomised			yes/no	
BusArealSysDef			yes/no	
BusAreaLabel			x(40)	
BusAreaSequence			>>>9	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	BusAreaCode	yes	no
◇ LabelIdx	yes	BusAreaLabel	yes	no
◇* Prim	yes	BusArea_ID	yes	no

BusAreaComponent Business Area - Business Component Link

Field Name	Label	Col-Label	Format	Dec
BusArea_ID			9999999999	
BusAreaComplsCustomised			yes/no	
BusAreaComponent_ID			9999999999	
BusAreaComponentSequence			>>>9	
BusComponent_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Arera	no	BusArea_ID	yes	no
◇ Component	no	BusComponent_ID	yes	no
◇* Prim	yes	BusAreaComponent_ID	yes	no

BusinessRelation Business Relation

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Record ID		9999999999	
BusinessRelationAVRCode	AVR Code		x(20)	
BusinessRelationCode	Business Relation	Business Relation Code	x(20)	
BusinessRelationEANCode	EAN Code		x(20)	
BusinessRelationICCode	Intercompany Code		x(20)	
BusinessRelationIsActive	Active	Act	yes/no	
BusinessRelationIsCompens	Customer/Supplier Compensation Allowed	DR/CR Compensation	yes/no	
BusinessRelationIsDomRestr	Domain Restricted		yes/no	
BusinessRelationIsInComp	Internal Entity		yes/no	
BusinessRelationIsInterco	Intercompany		yes/no	
BusinessRelationIsLastFill	Last Filing		yes/no	
BusinessRelationIsTaxRep	Tax Report		yes/no	
BusinessRelationName1	Name	Business Relation Name	x(36)	
BusinessRelationName2	Second Name		x(36)	

Field Name	Label	Col-Label	Format	Dec
BusinessRelationName3	Third Name		x(60)	
BusinessRelationNameCtrl	Name Control		x(5)	
BusinessRelationSearchName	Search Name		x(28)	
CorporateGroup_ID	Group Name		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link to Domains		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
ObsoleteCostPriceList_ID			9999999999	
ObsoletePurchPriceList_ID			9999999999	
ObsoleteSalesPriceList_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ActName1	no	BusinessRelationIsActive	yes	no
		BusinessRelationName1	yes	no
ActName2	no	BusinessRelationIsActive	yes	no
		BusinessRelationName2	yes	no
ActName3	no	BusinessRelationIsActive	yes	no
		BusinessRelationName3	yes	no
ActSearch	no	BusinessRelationIsActive	yes	no
		BusinessRelationSearchName	yes	no
BusinessRel	yes	BusinessRelationCode	yes	no
CorporateGrp	no	CorporateGroup_ID	yes	no
◇ DomainIdx	no	Domain_ID	yes	no
IntercoCode	no	BusinessRelationICCode	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	IsDomRestr	no	BusinessRelationIsDomRest	yes	no
	Name1	no	BusinessRelationName1	yes	no
⋄* Prim	yes		BusinessRelation_ID	yes	no
⋄ ViewIndex	no		BusinessRelationIsActive	yes	no
			BusinessRelationCode	yes	no

BusRelationSafDefaultBusiness Relation Saf Default

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Link to BusinessRelation		9999999999	
BusRelationSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BusRel	no	BusinessRelation_ID	yes	no
◇* Prim	yes	BusRelationSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConc	no	SafConcept_ID	yes	no
◇ Unlidx	yes	BusinessRelation_ID	yes	no
		SafConcept_ID	yes	no

cac_ctrl	Service/Support Call Master Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cac_index1	yes	cac_domain	yes	no
oid_cac_ctrl	yes	oid_cac_ctrl	yes	no

cah_hist

Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_chr01			x(8)	
cah_chr02			x(8)	
cah_chr03			x(8)	
cah_chr04			x(8)	
cah_chr05			x(8)	
cah_chr06			x(8)	
cah_chr07			x(8)	
cah_chr08			x(8)	
cah_chr09			x(8)	
cah_chr10			x(8)	
cah_chr11	User Field #11		x(8)	
cah_dec01			->>, >>9.99	10
cah_dec02			->>, >>9.99	10
cah_dec03			->>, >>9.99	10
cah_dte01			99/99/99	
cah_dte02			99/99/99	
cah_dte03			99/99/99	
cah_dte04			99/99/99	
cah_dte05			99/99/99	
cah_log01			yes/no	
cah_log02			yes/no	
cah_log03			yes/no	
cah_log04			yes/no	
cah_log05			yes/no	
cah_qadc01			x(8)	
cah_qadc02			x(8)	
cah_qadc03			x(8)	
cah_qadd01			->>, >>9.99	10
cah_qadd02			->>, >>9.99	10
cah_qadd03			->>, >>9.99	10
cah_qadi01			->, >>>, >>9	
cah_qadi02			->, >>>, >>9	
cah_qadi03			->, >>>, >>9	
cah_qadi01			yes/no	
cah_qadi02			yes/no	
cah_qadi03			yes/no	
cah_qadt01			99/99/99	
cah_qadt02			99/99/99	
cah_qadt03			99/99/99	
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmmt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
cah_domain	Domain		x(8)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	
cah_escalate	Escalate	Esc	x(2)	
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* cah_nbr	yes	cah_domain	yes	no
		cah_nbr	yes	no
		cah_opn_date	yes	no
		cah_seq	yes	no
cah_part	no	cah_domain	yes	no
		cah_part	yes	no
oid_cah_hist	yes	oid_cah_hist	yes	no

Calendar Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* cald_oid_calm_mstr	yes	cald_oid_calm_mstr	yes	no
		cald_ref	yes	no
		cald_start	yes	no
oid cald det	yes	oid cald det	yes	no

CalendarD Warehousing Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Calendar	yes	Domain	yes	no
		Calendar	yes	no
		Seq	yes	no
		DayID	yes	no
oid_CalendarD	yes	oid_CalendarD	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

CalendarM Warehousing Calendar Master

Field Name	Label	Col-Label	Format	Dec
Calendar	Calendar	Calendar	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
EndDate	End Date	End	99/99/99	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_CalendarM			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* calm_mstr	yes	calm_domain	yes	no
		calm_type	yes	no
		calm_key1	yes	no
		calm_key2	yes	no
		calm_key3	yes	no
oid calm_mstr	yes	oid_calm_mstr	yes	no

cals det

Shift Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cal5_oid_calm_mstr	yes	oid_calm_mstr	yes	no
		cal5_day	yes	no
oid cal5 det	yes	oid cal5 det	yes	no

Calendar Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* cal_det	yes	cal_domain	yes	no
		cal_site	yes	no
		cal_wkctr	yes	no
		cal_mch	yes	no
		cal_ref	yes	no
		cal_start	yes	no
oid_cal_det	yes	oid_cal_det	yes	no

Service/Support Call Queue Master

[illegible]

112 CashGroup

Index-Name	Uni	Field-Name	Asc	Abbr
* caq_que	yes	caq_domain	yes	no
		caq_que	yes	no
		caq_file_type	yes	no
oid_caq_mstr	yes	oid_caq_mstr	yes	no

CashGroup Cash Group

Field Name	Label	Col-Label	Format	Dec
CashGroup_ID	Record ID		9999999999	
CashGroupCode	Cash Group		x(20)	
CashGroupDescription	Description		x(40)	
CashGroupsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CashGroupsActive	yes	no
◇ Code	yes	CashGroupCode	yes	no
◇* Prim	yes	CashGroup_ID	yes	no
◇ ViewIndex	no	CashGroupsActive	yes	no
		CashGroupCode	yes	no

CashReport Cash Report

Field Name	Label	Col-Label	Format	Dec
CashReport_ID	Record ID		9999999999	
CashReportActualsDate	Actuals to		99/99/9999	
CashReportCode	Code		x(20)	
CashReportCurrencyView	Currency View		x(40)	
CashReportDaysInterval	Days Interval		>>>9	
CashReportDescription	Description		x(40)	
CashReportLastSavedDate	Last Saved Date		99/99/9999	
CashReportNumberOfPeriods	Number of GL Periods		>9	
Company_ID	Link to Company		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
Division_ID	Sub-Account Code	Sub-Acct	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
TillPeriod_ID	GL Period	GL Pd	9999999999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	CashReportCode	yes	no
◇ Company	no	Company_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇* Prim	yes	CashReport_ID	yes	no
TillPeriod	no	TillPeriod_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		CashReportCode	yes	no
◇ Usr	no	Usr_ID	yes	no

CashReportGLCash Report Account

Field Name	Label	Col-Label	Format	Dec
CashReport_ID	Link to CashReport		9999999999	
CashReportGL_ID	Record ID		9999999999	
CashReportGLActualAmountC	SC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLActualAmountL	BC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLActualAmountT	TC Actuals Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountCC	SC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountLC	BC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLAmountTC	TC Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCorrAmountCC	SC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCorrAmountLC	BC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCorrAmountTC	TC Correction Amount GL		->>>, >>>, >>>, >>9.99	4
CashReportGLCurrencyView	GL Currency View		x(40)	
CashReportGLDescription	Description		x(40)	
CashReportGLIsAccount	GL Account		yes/no	
CashReportGLIsCumul	Cumul		yes/no	
Currency_ID	Link to Currency		9999999999	
GL_ID	Cash Group		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CashReport	no	CashReport_ID	yes	no
◇ GL	no	GL_ID	yes	no
NonUniquKey	no	CashReport_ID	yes	no
		GL_ID	yes	no
◇* Prim	yes	CashReportGL_ID	yes	no

CashReportGLLineCash Report Account Line

Field Name	Label	Col-Label	Format	Dec
CashReportGL_ID	Link to CashReportGL		9999999999	
CashReportGLLine_ID	Record ID		9999999999	
CashReportGLLineCC	Line SC		->>>, >>>, >>>, >>9.99	4
CashReportGLLineCurrView	Line Curr View		x(40)	
CashReportGLLineDate	GL Line Date		99/99/9999	
CashReportGLLineLC	BC Line GL		->>>, >>>, >>>, >>9.99	4
CashReportGLLinePerc	GL Line %		->>9.99	2
CashReportGLLineSeq	GL Line Seq		>>>9	
CashReportGLLineTC	Line SC	TC Line GL	->>>, >>>, >>>, >>9.99	4
Currency_ID	Link to Currency		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CashReportGL	no	CashReportGL_ID	yes	no
LineDate	no	CashReportGLLineDate	yes	no
LineSeq	no	CashReportGLLineSeq	yes	no
◇* Prim	yes	CashReportGLLine_ID	yes	no
◇ UniqueKey	yes	CashReportGL_ID	yes	no
		CashReportGLLineSeq	yes	no

Service/Support Call Status Master

Index-Name	Uni	Field-Name	Asc	Abbr
cas_id	yes	cas_domain	yes	no
		cas_id	yes	no
		cas_file_type	yes	no
* cas_status	yes	cas_domain	yes	no
		cas_status	yes	no
		cas_file_type	yes	no
oid_cas_mstr	yes	oid_cas_mstr	yes	no

Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca_chr01			x(8)	
ca_chr02			x(8)	
ca_chr03			x(8)	
ca_chr04			x(8)	
ca_chr05			x(8)	
ca_chr06			x(8)	
ca_chr07			x(8)	
ca_chr08			x(8)	
ca_chr09			x(8)	
ca_chr10			x(8)	
ca_dec01			->>, >>9.99	10
ca_dec02			->>, >>9.99	10
ca_dec03			->>, >>9.99	10
ca_dte01			99/99/99	
ca_dte02			99/99/99	
ca_dte03			99/99/99	
ca_dte04			99/99/99	
ca_dte05			99/99/99	
ca_log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
ca__log02			yes/no	
ca__log03			yes/no	
ca__log04			yes/no	
ca__log05			yes/no	
ca__qadc03	QAD Character Field 3		X(8)	
ca__qadc04	QAD Character Field 4		x(8)	
ca__qadc05	QAD Character Field 5		x(8)	
ca__qadc06	QAD Character Field 6		x(8)	
ca__qadd01	QAD Decimal Field 1		->>, >>9.99	10
ca__qadd02	QAD Decimal Field 2		->>, >>9.99	10
ca__qadd03	QAD Decimal Field 3		->>, >>9.99	10
ca__qadi01			>>>>>>>9	
ca__qadi02	QAD Integer Field 2		->, >>>, >>9	
ca__qadi03	QAD Integer Field 3		->, >>>, >>9	
ca__qadi02	QAD Logical Field 2		yes/no	
ca__qadi03	QAD Logical Field 3		yes/no	
ca__qadi04	QAD Logical Field 4		yes/no	
ca__qadt01	QAD Date Field 1		99/99/99	
ca__qadt02	QAD Date Field 2		99/99/99	
ca__qadt03	QAD Date Field 3		99/99/99	
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0
ca_cline	Contract Line		>>>>>>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmnt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	
ca_comp_time	Complete Time		99:99	
ca_contract	Contract		x(8)	
ca_cr_terms	Terms		x(8)	
ca_created	Created	Cr	x(1)	0
ca_curr	Currency	Cur	x(3)	
ca_customer	Customer		X(8)	
ca_date_stmp	Date		99/99/99	
ca_daybookset	Daybook Set	Dybk Set	x(8)	
ca_def_ws	Default Worksheet		x(8)	
ca_desc	Description		x(60)	
ca_domain	Domain		x(8)	
ca_ecmtindx			>>>>>>>9	
ca_end_date	End Date		99/99/99	
ca_eng_area	Engineer Area	Eng Area	x(8)	
ca_eng_group	Engineer Group		x(8)	
ca_ent_ex	Exch Rate		>>, >>9.99999<<<	10
ca_enter_by	Entered by		x(8)	
ca_es_nbr	Escalation	Esc	x(8)	
ca_es_seq	Sequence	Seq	>>9	
ca_est_time	Estimated Length		999:99	
ca_eu_changed	End User Changed		yes/no	
ca_eu_date	End User Date		99/99/99	
ca_eu_nbr	End User		x(8)	
ca_eu_time	End User Time		99:99	
ca_evt_date	Event Date	Evt Date	99/99/99	
ca_evt_tim	Event Time	Evt Time	>>>>>>>9	
ca_evt_time	Event Time	Evt Time	99:99	
ca_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_ratetype	Rate Type		x(8)	
ca_exru_seq	Sequence		>>>>>>>>9	
ca_fix_rate	Fixed Rate	Fixed	yes/no	
ca_fn_nbr	Field Notification		x(8)	

Field Name	Label	Col-Label	Format	Dec
ca_from_que	From Que	Fr Que	x(8)	
ca_inc_stats	Include in Stats		yes/no	
ca_int_type	Work Code	WK Code	x(8)	
ca_inv_draft			yes/no	
ca_lang	Language		x(2)	
ca_mod_date	Modified Date	Mod Date	99/99/99	
ca_mod_userid	User ID		X(8)	
ca_model	Model		x(18)	
ca_name	Caller		x(24)	
ca_nbr	Call ID		x(8)	
ca_nxt_act	Next Status	Nxt Sts	x(8)	0
ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>9	
ca_nxt_time	Next Status Time	Time	99:99	
ca_opn_date	Call Date	CL Date	99/99/99	
ca_opn_time	Time Opened	Tm Open	x(8)	
ca_part	Item Number		x(18)	
ca_phone	Phone		x(20)	
ca_po_nbr	PO		x(22)	
ca_pr_list	Price List		x(8)	0
ca_pri	Priority	Pri	>>>9	
ca_printed	Call Printed		yes/no	
ca_prj_nbr	Project		x(8)	
ca_problem	Prob/Skill	Prob	x(8)	
ca_qo_cmtindx			>>>>>>>>9	
ca_que	Queue		x(8)	
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>>9	
ca_repair_ctr			yes/no	
ca_res_cmtidx			>>>>>9	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->, >>>, >>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_start_date	Start Date		99/99/99	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_svc_type			x(1)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	10
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_time_log	Time Spent		>>9.99	10
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->, >>>, >>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CreditorCurrComp	yes	Company_ID	yes	no
		Creditor_ID	yes	no
		Currency_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇* Prim	yes	CBalance_ID	yes	no

ccc_ctrl

Credit Card Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ccc_index1	yes	ccc_domain	yes	no
oid_ccc_ctrl	yes	oid_ccc_ctrl	yes	no

Service/Support Call Fault Code Master

Index-Name	Uni	Field-Name	Asc	Abbr
* ccd_ca_nbr	yes	ccd_domain	yes	no
		ccd_ca_nbr	yes	no
		ccd_opn_date	yes	no
		ccd_itm_line	yes	no
		ccd_part	yes	no
		ccd_line	yes	no
ccd_part	no	ccd_domain	yes	no
		ccd_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
ccd_sys_part	no	ccd_domain	yes	no
		ccd_sys_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
oid_ccd_mstr	yes	oid_ccd_mstr	yes	no

Ship-To/Container Price List Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cclscd_shipto	yes	cclscd_domain	yes	no
		cclscd_shipto	yes	no
		cclscd_part	yes	no
		cclscd_curr	yes	no
		cclscd_start	yes	no
oid_cclscd_det	yes	oid_cclscd_det	yes	no

cclsc_mstr Ship-To/Container Master

Field Name	Label	Col-Label	Format	Dec
cclsc__qadc01			x(24)	
cclsc__qadc02			x(24)	
cclsc_charge_type	Charge Type	Charge! Type	x(8)	
cclsc_curr	Currency	Cur	x(3)	
cclsc_domain	Domain		x(8)	
cclsc_mod_date	Modified Date	Mod Date	99/99/99	
cclsc_mod_userid	User ID		x(8)	
cclsc_part	Container		x(18)	
cclsc_shipto	Ship-To/Dock		x(8)	
cclsc_userc01	User Field Character 1		x(24)	
cclsc_userc02	User Field Character 2		x(24)	
oid_cclsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cclsc_shipto	yes	cclsc_domain	yes	no
		cclsc_shipto	yes	no
		cclsc_part	yes	no
		cclsc_curr	yes	no
oid cclsc_mstr	yes	oid cclsc_mstr	yes	no

ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master

Field Name	Label	Col-Label	Format	Dec
ccls__qadc01			x(24)	
ccls__qadc02			x(24)	
ccls_cc_asn	Include Container Charges on ASN		yes/no	
ccls_cc_invoice	Include Container Charges on Invoice		yes/no	
ccls_charge_type	Line Charge Calculation Type		x(8)	
ccls_domain	Domain		x(8)	
ccls_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
ccls_lc_asn	Include Line Charges on ASN		yes/no	
ccls_lc_invoice	Include Line Charges on Invoice		yes/no	
ccls_mod_date	Modified Date	Mod Date	99/99/99	
ccls_mod_userid	User ID		x(8)	
ccls_shipfrom	Ship-From		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
ccls_shipfrom	yes	ccls_domain	yes	no
		ccls_shipfrom	yes	no
		ccls_shipto	yes	no
oid_ccls_mstr	yes	oid_ccls_mstr	yes	no

ccl_ctrl Container/Line Charge Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccl_index1	yes	ccl_domain	yes	no
	oid_ccl_ctrl	yes	oid_ccl_ctrl	yes	no

CCollection Supplier PaymentSelection

Field Name	Label	Col-Label	Format	Dec
CCollection_ID	Record ID		9999999999	
CCollectionBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditLC	BC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitLC	BC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CCollectionCreationDate	Creation Date		99/99/9999	
CCollectionCreationTime	Creation Time		999999	
CCollectionIsAutomatic	Automatic		yes/no	
CCollectionIsExecuted	Executed		yes/no	
CCollectionIsOpen	Is Open		yes/no	
CCollectionName	Name		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
CCollRef	no	CCollectionReference	yes	no
CompanyIdx	no	Company_ID	yes	no
CreationUsr	no	CreationUsr_ID	yes	no
GL	no	GL_ID	yes	no
IsOpen	no	CCollectionsIsOpen	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	CCollection_ID	yes	no
◇ Uniqueidx	yes	Company_ID	yes	no
		CCollectionYear	yes	no
		CCollectionNumber	yes	no

Credit Card Transaction History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cctr_auth_nbr	no	cctr_domain	yes	no
		cctr_auth_nbr	yes	no
		cctr_tx_date	yes	no
cctr_date_time	no	cctr_domain	yes	no
		cctr_tx_date	yes	no
		cctr_tx_time	yes	no
cctr_inv_nbr	no	cctr_domain	yes	no
		cctr_inv_nbr	yes	no
cctr_nbr	no	cctr_domain	yes	no
		cctr_nbr	yes	no
		cctr_tx_date	yes	no
* cctr_trnbr	yes	cctr_domain	yes	no
		cctr_trnbr	yes	no
oid_cctr_hist	yes	oid_cctr_hist	yes	no

Container Charge Type Master

Index-Name	Uni	Field-Name	Asc	Abbr
* cct_charge_type	yes	cct_domain	yes	no
		cct_charge_type	yes	no
oid cct mstr	yes	oid cct mstr	yes	no

Cost Center Master

Index-Name	Uni	Field-Name	Asc	Abbr
* cc_ctr	yes	cc_domain	yes	no
		cc_ctr	yes	no
cc_desc	no	cc_domain	yes	no
		cc_desc	yes	no
oid cc_mstr	yes	oid cc_mstr	yes	no

Service/Support Call Default Master

Field Name	Label	Col-Label	Format	Dec
cdf__chr01	User Field #1		x(8)	0
cdf__chr02	User Field #2		x(8)	
cdf__chr03	User Field #3		x(8)	
cdf__chr04	User Field #4		x(8)	
cdf__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
cdf__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
cdf__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
cdf__dte01	User Date #1		99/99/99	
cdf__dte02	User Date #2		99/99/99	
cdf__dte03	User Date #3		99/99/99	
cdf__log01	User Logical #1		yes/no	
cdf__log02	User Logical #2		yes/no	
cdf__log03	User Logical #3		yes/no	
cdf__qadc01	Qad Field #1		x(8)	
cdf__qadc02	Qad Field #2		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cdf_gpmdd	yes	cdf_domain	yes	no
		cdf_ca_category	yes	no
		cdf_ca_int_type	yes	no
		cdf_model	yes	no
		cdf_group	yes	no
		cdf_status_type	yes	no
oid_cdf_mstr	yes	oid_cdf_mstr	yes	no

CDocInvoiceXrefStageSupplier Payment Invoice Xref Stage

Field Name	Label	Col-Label	Format	Dec
CDocInvoiceXrefStage_ID	Record ID		9999999999	
CDocInvoiceXrefStageAlloTC	Stage Allocation		->>, >>>, >>>, >>9.99	4
CDocInvoiceXrefStageDiscTC	Stage Discount		->>>, >>>, >>>, >>9.99	4
CDocumentInvoiceXref_ID	Link to CDocumentInvoiceXref		9999999999	
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CIStage	no	CInvoiceStage_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ InvXref	no	CDocumentInvoiceXref_ID	yes	no
◇* Prim	yes	CDocInvoiceXrefStage_ID	yes	no
◇ UniqueId	yes	CDocumentInvoiceXref_ID	yes	no
		CInvoiceStage_ID	yes	no

CDocument Supplier Payment

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
CCollection_ID	Link to CCollection		9999999999	
CDocument_ID	Record ID		9999999999	
CDocumentBankImpRef	Bank Importing Reference		x(255)	
CDocumentCCRate	SC Rate		->,>>>,>>9.9999999999	10
CDocumentCCScale	SC Rate Scale		->,>>>,>>9.9999999999	10
CDocumentClosingDate	Closing Date		99/99/9999	
CDocumentCreationDate	Creation Date		99/99/9999	
CDocumentCreationTime	Creation Time		999999	
CDocumentDueDate	Due Date		99/99/9999	
CDocumentExchangeRate	Exchange Rate		->,>>>,>>9.99	10
CDocumentIsOpen	Open		yes/no	
CDocumentLastPrintDate	Last Printed Date		99/99/9999	
CDocumentNumber	Document Number	Pay No	9999999999	
CDocumentOriginalCreditBC	BC Original Credit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalCreditCC	SC Original Credit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalCreditLC	BC Original Credit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalCreditTC	Amount		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalDebitBC	BC Original Debit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalDebitCC	SC Original Debit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalDebitLC	BC Original Debit		->>>,>>>,>>>,>>9.99	4
CDocumentOriginalDebitTC	TC Original Debit		->>>,>>>,>>>,>>9.99	4
CDocumentPrePrintedNumber	Preprinted Number		>>>>>>>>>>>>9	
CDocumentRateScale	Scale Factor		->,>>>,>>9.99	10
CDocumentReference	Reference		x(40)	
CDocumentStatus	Status		x(20)	
CDocumentSubType	Subtype		x(20)	
CDocumentTimesPrinted	Times Printed		>>9	
CDocumentTransTpStat	Transaction Type Status		x(20)	
CDocumentType	Payment Instrument		x(20)	
CDocumentValueDays	Value Days		>>9	
CDocumentYear	Year/Number	Year	9999	
Company_ID	Link to Company		9999999999	
CreationUsr_ID	Link to Usr		9999999999	
Creditor_ID	Supplier		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	Bank Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CDocRef	no	CDocumentReference	yes	no
◇ ClosingDate	no	CDocumentClosingDate	yes	no
◇ CollectionIdx	no	CCollection_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ CreditorIdx	no	Creditor_ID	yes	no
CyCredDateldx	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CDocumentClosingDate	yes	no
◇ CyDateldx	no	Company_ID	yes	no
		CDocumentClosingDate	yes	no
◇ IsOpenIdx	no	CDocumentIsOpen	yes	no
◇* Prim	yes	CDocument_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		CDocumentType	yes	no
		CDocumentYear	yes	no
		CDocumentNumber	yes	no

CDocumentInvoiceXrefSupplier Payment Invoice Xref

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CDocumentInvoiceXref_ID	Record ID		9999999999	
CDocumentInvoiceXrefAllotC	TC Allocated Amount		->>>,>>>,>>>,>>9.99	4
CDocumentInvoiceXrefDiscTC	TC Discount Amount		->>>,>>>,>>>,>>9.99	4
CDocumentInvoiceXrefIntTC	TC Interest Amount		->>>,>>>,>>>,>>9.99	4
CInvoice_ID	Link to CInvoice		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySelLine_ID	Link to PaySelLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Document	no	CDocument_ID	yes	no
◇ Invoice	no	CInvoice_ID	yes	no
PaySelLn	no	PaySelLine_ID	yes	no
◇* Prim	yes	CDocumentInvoiceXref_ID	yes	no

CDocumentPostingLineSupplier Payment Posting Line

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CDocumentPostingLine_ID	Record ID		9999999999	
CDocumentStatus	Supplier Payment Status		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDoc	no	CDocument_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CDocumentPostingLine_ID	yes	no
◇ Unilidx	yes	CDocument_ID	yes	no
		PostingLine_ID	yes	no

CDocumentStatusSupplier Payment Status

Field Name	Label	Col-Label	Format	Dec
BankGL_ID	Bank Account Code		9999999999	
CDocumentStatus_ID	Record ID		9999999999	
CDocumentStatusDefValDays	Default Value Days		>>9	
CDocumentStatusDocType	Payment Instrument	Pay Inst	x(20)	
CDocumentStatusStatus	Status		x(20)	
Company_ID	Link to Company		9999999999	
GL_ID	GL Account		9999999999	
Journal_ID	Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankGL	no	BankGL_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	CDocumentStatus_ID	yes	no
◇ Uniquelidx	yes	Company_ID	yes	no
		CDocumentStatusDocType	yes	no
		CDocumentStatusStatus	yes	no
		BankGL_ID	yes	no

Master Comments

Index-Name	Uni	Field-Name	Asc	Abbr
* cd_ref_type	yes	cd_domain	yes	no
		cd_ref	yes	no
		cd_type	yes	no
		cd_lang	yes	no
		cd_seq	yes	no
oid_cd_det	yes	oid_cd_det	yes	no

Warehousing Shipment Detail Charges

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ABSID	yes	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
		ChargeCode	yes	no
oid_ChargesD	yes	oid_ChargesD	yes	no
◇ ShipVia	no	Domain	yes	no
		ShipVia	yes	no
		ChargeCode	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

chg_mstr Line Changeover Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* chg_line	yes	chg_domain	yes	no
		chg_site	yes	no
		chg_line	yes	no
		chg_from	yes	no
		chg_to	yes	no
oid chg_mstr	yes	oid chg_mstr	yes	no

CHist

Field Name	Label	Col-Label	Format	Dec
CBalance_ID	Link to CBalance		9999999999	
CHist_ID	Record ID		9999999999	
CHistBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CHistBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CHistBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteCC	SC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteLC	BC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossCredNoteTC	TC Gross Credit Note		->>>, >>>, >>>, >>9.99	4
CHistGrossInvoiceCC	SC Gross Invoice		->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CHistGrossInvoiceLC	BC Gross Invoice		->>>, >>>, >>>, >>9.99	4
CHistGrossInvoiceTC	TC Gross Invoice		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditCC	SC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditLC	BC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementCreditTC	TC Activity Credit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitCC	SC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitLC	BC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistMovementDebitTC	TC Activity Debit		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteCC	SC Net Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteLC	BC Net to Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoCredNoteTC	TC Net Credit Note		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceCC	SC Net Invoice		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceLC	BC Net to Invoice		->>>, >>>, >>>, >>9.99	4
CHistNettoInvoiceTC	TC Net Invoice		->>>, >>>, >>>, >>9.99	4
CHistYearPeriodFrom	From Year GL Period		->, >>>, >>9	
CHistYearPeriodTill	To Year GL Period		->, >>>, >>9	
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Creditor_ID	Link to Creditor		9999999999	
Currency_ID	Link to Currency		9999999999	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
Journal_ID	Link to Journal		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CBalance	no	CBalance_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyCreditorYearPdFrom	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CHistYearPeriodFrom	yes	no
CyCreditorYearPdTill	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CHistYearPeriodTill	yes	no
◇ CyYearPeriodFrom	no	Company_ID	yes	no
		CHistYearPeriodFrom	yes	no
◇ CyYearPeriodTill	no	Company_ID	yes	no
		CHistYearPeriodTill	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	CHist_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		CHistYearPeriodFrom	yes	no
		Creditor_ID	yes	no
		Currency_ID	yes	no
		GL_ID	yes	no
		Division_ID	yes	no
		Project_ID	yes	no
		Journal_ID	yes	no
		CostCentre_ID	yes	no

chm_mstr Service/Support Call History Master

Field Name	Label	Col-Label	Format	Dec
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>, >>>, >>9.99	10
chm__dec02			->>>, >>>, >>9.99	10
chm__dec03			->>>, >>>, >>9.99	10
chm__dte01			99/99/99	
chm__dte02			99/99/99	
chm__dte03			99/99/99	
chm__dte04			99/99/99	
chm__dte05			99/99/99	
chm__log01			yes/no	
chm__log02			yes/no	
chm__log03			yes/no	
chm__log04			yes/no	
chm__log05			yes/no	
chm__qadc03	QAD Character Field 3		X(8)	
chm__qadc04	QAD Character Field 4		x(8)	
chm__qadc05	QAD Character Field 5		x(8)	
chm__qadc06	QAD Character Field 6		x(8)	
chm__qadd01	QAD Date Field 1		99/99/99	
chm__qadd02	QAD Date Field 2		99/99/99	
chm__qadd03	QAD Date Field 3		99/99/99	
chm__qadde01	QAD Decimal Field 1		->>, >>9.99	10
chm__qadde02	QAD Decimal Field 2		->>, >>9.99	10
chm__qadde03	QAD Decimal Field 3		->>, >>9.99	10
chm__qadi01	QAD Integer Field 1		>>>>>>9	
chm__qadi02	QAD Integer Field 2		->, >>>, >>9	
chm__qadi03	QAD Integer Field 3		->, >>>, >>9	
chm__qadi02	QAD Logical Field 2		yes/no	
chm__qadi03	QAD Logical Field 3		yes/no	
chm__qadi04	QAD Logical Field 4		yes/no	
chm__3rd_party	Third Party Service		yes/no	
chm__3rd_party_id	Third Party ID		x(12)	
chm__ack_cmtindx			>>>>>>>>9	
chm__ack_letter	Send Ack Letter		yes/no	
chm__area	Area		x(8)	
chm__assign	Assigned		x(8)	
chm__bill	Bill-To		x(8)	
chm__category	Category		x(8)	
chm__channel	Channel		X(8)	0
chm__cline	Contract Line		>>>>>>9	
chm__cls_date	Closed Date	Cls Date	99/99/99	
chm__cls_time	Closed Time	Cls Time	99:99	
chm__cmtindx	Index		>>>>>>>9	
chm__code			x(8)	
chm__comp_date	Complete Date		99/99/99	
chm__comp_time	Complete Time		99:99	
chm__contract	Contract		x(8)	
chm__cr_terms	Terms		x(8)	
chm__created	Created	Cr	x(3)	
chm__curr	Currency	Cur	x(3)	
chm__customer	Customer		X(8)	
chm__date_stmp	Date		99/99/99	
chm__desc	Description		x(60)	
chm__domain	Domain		x(8)	
chm__ecmtindx			>>>>>>>9	
chm__enddown_date	End Down		99/99/99	
chm__enddown_time	Time		99:99	
chm__eng_area	Engineer Area		x(8)	
chm__eng_group	Group		x(8)	
chm__ent_ex	Exchange Rate		>>, >>9.99999<<<	10

Field Name	Label	Col-Label	Format	Dec
chm_enter_by	Entered by		x(8)	
chm_es_nbr	Escalation	Esc	x(8)	
chm_es_seq	Sequence	Seq	>>9	
chm_est_time	Estimated Length		999:99	
chm_eu_date	End User Date		99/99/99	
chm_eu_nbr	End User		x(8)	
chm_eu_time	End User Time		99:99	
chm_eu_timezone	End User Time Zone		X(8)	
chm_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
chm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
chm_ex_ratetype	Rate Type		x(8)	
chm_exru_seq	Sequence		>>>>>>>9	
chm_fix_rate	Fixed Rate		yes/no	
chm_fn_nbr	Field Notification		x(8)	
chm_from_que	From Que	Fr Que	x(8)	
chm_inc_stats	Include in Stats		yes/no	
chm_int_type	Work Code	WK Code	x(8)	
chm_inv_draft			yes/no	
chm_lang	Language		X(2)	
chm_model	Model		x(18)	
chm_name	Caller Name	Name	x(24)	
chm_nbr	Call Id		x(8)	
chm_opn_date	Call Date	Opn Date	99/99/99	
chm_opn_time	Time Opened	Tm Open	x(8)	
chm_part	Part No		x(18)	
chm_phone	Phone		x(16)	
chm_po_nbr	PO		x(22)	
chm_pr_list	Price List		x(8)	
chm_printed	Call Printed		yes/no	
chm_problem	Prob/Skill		x(8)	
chm_qo_cmtindx			>>>>>>>>9	
chm_que	Queue		x(8)	
chm_quote	Quote Required		yes/no	
chm_quote_curr	Currency	Cur	x(3)	
chm_quote_exp	Quote Expires		99/99/99	
chm_quote_nbr	Quote Number	Quote	X(8)	
chm_quote_price	Quote Price		>>>>, >>>, >>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>9	
chm_repair_ctr			yes/no	
chm_res_cmtidx			>>>>>9	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_rev	Rev Level	Rev	x(10)	
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdown_date	Start Down		99/99/99	
chm_stdown_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	
chm_stjob_time	Start Time		99:99	
chm_sv_code	Service Type	Svc Type	x(8)	
chm_svc_type			x(1)	
chm_tax_date	Tax Date		99/99/99	
chm_tax_env	Tax Environment		X(16)	
chm_tax_pct	Tax Percent		->>9.99%	10
chm_tax_usage	Tax Usage		X(8)	
chm_taxable	Taxable	Tax	yes/no	
chm_taxc	Tax Class	TxC	x(3)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
chm_assign	no	chm_domain	yes	no
		chm_assign	yes	no
chm_cls_date	no	chm_domain	yes	no
		chm_cls_date	yes	no
		chm_nbr	yes	no
chm_contract	no	chm_domain	yes	no
		chm_contract	yes	no
		chm_opn_date	yes	no
chm_eu_nbr	no	chm_domain	yes	no
		chm_eu_nbr	yes	no
		chm_category	yes	no
		chm_nbr	yes	no
* chm_nbr	yes	chm_domain	yes	no
		chm_category	yes	no
		chm_nbr	yes	no
		chm_opn_date	yes	no
chm_opn_date	no	chm_domain	yes	no
		chm_opn_date	yes	no
		chm_opn_time	yes	no
chm_part	no	chm_domain	yes	no
		chm_part	yes	no
		chm_serial	yes	no
		chm_ref	yes	no
chm_que	no	chm_domain	yes	no
		chm_category	yes	no
		chm_que	yes	no
chm_sr	no	chm_domain	yes	no
		chm_sr	yes	no
oid_chm_mstr	yes	oid_chm_mstr	yes	no

cild_det

Correction Invoice Link Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cild_cor_line	yes	cild_domain	yes	no
		cild_cor_inv	yes	no
		cild_cor_so_nbr	yes	no
		cild_cor_line	yes	no
		cild_line_type	yes	no
cild_prev_inv	no	cild_domain	yes	no
		cild_prev_inv	yes	no
		cild_prev_so_nbr	yes	no
		cild_prev_line	yes	no
oid_cild_det	yes	oid_cild_det	yes	no

Correction Invoice Link Master

Field Name	Label	Col-Label	Format	Dec
cil__qadc01			x(24)	
cil__qadc02			x(24)	
cil_cor_inv	Correction Invoice Number		x(22)	
cil_cor_rsn	Reason For Correction		x(8)	
cil_cor_so_nbr	Correction Invoice Sales Order		x(8)	
cil_domain	Domain		x(8)	
cil_mod_date	Modified Date	Mod Date	99/99/99	
cil_mod_userid	User ID		x(8)	
cil_mstr_inv	Original Invoice		x(8)	
cil_prev_inv	Corrected Invoice		x(22)	
cil_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
cil_user1	User Field Character 1		x(24)	
cil_user2	User Field Character 2		x(24)	
oid_cil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cil_cor_inv	yes	cil_domain	yes	no
		cil_cor_inv	yes	no
		cil_cor_so_nbr	yes	no
cil_cor_nbr	no	cil_domain	yes	no
		cil_cor_so_nbr	yes	no
cil_mstr_inv	no	cil_domain	yes	no
		cil_mstr_inv	yes	no
cil_prev_inv	no	cil_domain	yes	no
		cil_prev_inv	yes	no
		cil_prev_so_nbr	yes	no
oid_cil_mstr	yes	oid_cil_mstr	yes	no

CInvoice

Supplier Invoice

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	BLWI Group Code	BLWI Group	9999999999	
CInvoice_ID	Record ID		9999999999	
CInvoiceAllocationStatus	Allocation Status		x(20)	
CInvoiceBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditCC	SC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditLC	BC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceCreditTC	TC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitCC	SC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitLC	BC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceDebitTC	TC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
CInvoiceBatchNumber	Batch Number		x(8)	
CInvoiceCCRate	SC Rate		->, >>>, >>9.9999999999	10
CInvoiceCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
CInvoiceCircClosingDate	SIREC Closing Date		99/99/9999	
CInvoiceCIText	Description		x(40)	
CInvoiceClosingDate	Closing Date		99/99/9999	
CInvoiceCommentNote	Comment		x(2000)	
CInvoiceContact	Contact		x(40)	
CInvoiceCreationDate	Creation Date		99/99/9999	
CInvoiceCreditorVatNumber	Supplier Tax Number		x(40)	
CInvoiceCurrency_ID	Currency Code	Curr	9999999999	
CInvoiceDate	Invoice Date	Inv Date	99/99/9999	
CInvoiceDayBookSetCode	Supplier Daybook Set Code	Supplier Dybk Set Code	x(8)	
CInvoiceDescription	Description		x(40)	
CInvoiceDiscountDueDate	Discount Due Date		99/99/9999	
CInvoiceDueDate	Due Date		99/99/9999	
CInvoiceExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
CInvoiceHoldAmountTC	TC Hold Amount		->>>, >>>, >>>, >>9.99	4
CInvoicelsDiscTaxAtInv	Discount Tax at Invoice	Disc Tax at Inv	yes/no	
CInvoicelsDiscTaxAtPaym	Discount Tax at Payment	Disc Tax at Paym	yes/no	
CInvoicelsERS			yes/no	
CInvoicelsExternal	External	External Invoice	yes/no	
CInvoicelsInitialStatus	Initial Status		yes/no	
CInvoicelsInvoiceApproved	Approved		yes/no	
CInvoicelsLockPayment	Lock Payment	Lock Paym	yes/no	
CInvoicelsLogisticMatching	Receiver Matching		yes/no	
CInvoicelsOpen	Open		yes/no	
CInvoicelsSelected	Selected	Sel	yes/no	
CInvoicelsTaxable	Taxable	Tax	yes/no	
CInvoicelsTaxConfirmed	Tax Confirmed		yes/no	
CInvoicelsTaxExcluded	Tax Excluded	Tax Excl	yes/no	
CInvoicelsVatDelay	Tax Delay		yes/no	
CInvoicelsWHT	Withholding Tax		yes/no	
CInvoicelsWithBank	With Bank		yes/no	
CInvoiceMFText	Description		x(40)	
CInvoiceNonDiscAmtCC	SC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonDiscAmtLC	BC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonDiscAmtTC	TC Non-discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceNonRecTaxAmtTC	Non-Recoverable Tax Amount	Non-Recov Tax Amt	->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditCC	SC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditLC	BC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalCreditTC	TC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitCC	SC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitLC	BC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceOriginalDebitTC	TC AP Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceOwnVatNumber	Own Tax Number		x(40)	
CInvoicePoDomain	PO Domain		x(8)	
CInvoicePoNbr	PO Number		x(8)	
CInvoicePostingDate	Posting Date		99/99/9999	
CInvoicePostingPeriod	GL Period		99	
CInvoicePostingYear	Year		9999	
CInvoicePostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
CInvoiceRateScale	Scale Factor		->, >>>, >>9.9999999999	10
CInvoiceReference	Reference		x(22)	
CInvoiceRegistrationNr	Registration Number		9999999999	
CInvoiceSiteCode	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
CInvoiceTaxPointDate	Tax Point Date		99/99/9999	
CInvoiceTSMNumber	Payment Reference		x(40)	
CInvoiceType	Invoice Type		x(20)	
CInvoiceVatBaseCreditCC	SC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseCreditLC	BC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseCreditTC	TC Tax Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitCC	SC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitLC	BC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatBaseDebitTC	TC Tax Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatExchangeRate	Tax Exchange Rate		->, >>>, >>9.9999999999	10
CInvoiceVatRateScale	Tax Rate Scale		->, >>>, >>9.9999999999	10
CInvoiceVoucher	Voucher		9999999999	
CInvoiceWHTBaseAmtCreditC	SC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtCreditL	BC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtCreditT	TC WHT Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitC	SC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitL	BC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTBaseAmtDebitT	TC WHT Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditCC	SC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditLC	BC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtCreditTC	TC WHT Total Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitCC	SC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitLC	BC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceWHTTotAmtDebitTC	TC WHT Total Amount (DR)		->>>, >>>, >>>, >>9.99	4
Company_ID	Link to Company		9999999999	
ControlGL_ID	Account		9999999999	
CostCentre_ID	Cost Center		9999999999	
Creditor_ID	Link to Creditor		9999999999	
CreditorVatNumber_ID	Link to VatNumber		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Sub-Account	Sub-Acct	9999999999	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LinkedCInvoice_ID	Reference		9999999999	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
OwnVatNumber_ID	Link to VatNumber		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Project		9999999999	
PurchaseType_ID	Purchase Type		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
ReplacedCInvoice_ID	Link to CInvoice		9999999999	
Role_ID	Role Name		9999999999	
ShipToAddress_ID	City		9999999999	
TransactionEndCountry_ID	Country Code	Country	9999999999	
TransactionStartCountry_ID	Country Code	Country	9999999999	
VatCurrency_ID	Currency Code	Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AllocStatus	no	CInvoiceAllocationStatus	yes	no
CInvoiceCurrency	no	CInvoiceCurrency_ID	yes	no
CInvoicesInvAppr	no	CInvoicesInvoiceApproved	yes	no
CInvoicesLockPaym	no	CInvoicesLockPayment	yes	no
CirecClosingDate	no	CInvoiceCirecClosingDate	yes	no
◇ Company	no	Company_ID	yes	no
◇ CompanyClosingDate	no	Company_ID	yes	no
		CInvoiceClosingDate	yes	no
◇ ControlGL	no	ControlGL_ID	yes	no
CreationDate	no	CInvoiceCreationDate	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CyCredClosingDate	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CInvoiceClosingDate	yes	no
◇ CyPeriodYearPeriod	no	Company_ID	yes	no
		CInvoicePostingYearPeriod	yes	no
CyYearJrnVoucher	no	Company_ID	yes	no
		CInvoicePostingYear	yes	no
		Journal_ID	yes	no
		CInvoiceVoucher	yes	no
◇ Division	no	Division_ID	yes	no
◇ InvoiceDateIDX	no	CInvoiceDate	yes	no
◇ IsInitialStatus	no	CInvoicesInitialStatus	yes	no
IsLogisticMatching	no	CInvoicesLogisticMatching	yes	no
◇ IsOpen	no	CInvoicesOpen	yes	no
◇ IsSelected	no	CInvoicesSelected	yes	no
◇ IsWithBank	no	CInvoicesWithBank	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDateIDX	no	CInvoicePostingDate	yes	no
◇ PostingYear	no	CInvoicePostingYear	yes	no
◇* Prim	yes	CInvoice_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ PurchaseType	no	PurchaseType_ID	yes	no
ReferencIdx	no	CInvoiceReference	yes	no
RegistrationNr	no	CInvoiceRegistrationNr	yes	no
ReplacedCI	no	ReplacedCInvoice_ID	yes	no
◇ UniquelIdx	yes	Company_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ VatCurrency	no	CInvoiceRegistrationNr	yes	no
◇ VatNumber	no	VatCurrency_ID	yes	no
◇ ViewIndex	no	OwnVatNumber_ID	yes	no
		Company_ID	yes	no
		CInvoicePostingYear	yes	no
		CInvoicePostingPeriod	yes	no
		Journal_ID	yes	no
		CInvoiceVoucher	yes	no
◇ Voucher	no	CInvoiceVoucher	yes	no

CInvoiceBankSupplier Invoice Bank Records

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Bank Number	Bank Account No	9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceBank_ID	Record ID		9999999999	
CInvoiceBankToPayTC	TC Payment Amount		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇* Prim	yes	CInvoiceBank_ID	yes	no
◇ Uniqueldx	yes	CInvoice_ID	yes	no
		BankNumber_ID	yes	no

CInvoiceBankPayCodeSupplier invoice Bank Payment Code

Field Name	Label	Col-Label	Format	Dec
CInvoiceBank_ID	Link to CInvoiceBank		9999999999	
CInvoiceBankPayCode_ID	Record ID		9999999999	
CInvoiceBankPayCodeValue	Attribute Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CIBank	no	CInvoiceBank_ID	yes	no
◇* Prim	yes	CInvoiceBankPayCode_ID	yes	no

CInvoiceMovement Supplier Invoice Movements

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceMovement_ID	Record ID		9999999999	
CInvoiceMovementDiscountTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceMovementIsForDraft	For Draft		yes/no	
CInvoiceMovementPostDate	Posting Date		99/99/9999	
CInvoiceMovementType	Type		x(20)	
CInvoiceMovementYearPeriod	Year/GL Period		999999	
Company_ID	Link to Company		9999999999	
Creditor_ID	Link to Creditor		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CIMovYearPd	no	CInvoiceMovementYearPeriod	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
CyCredDate	no	Company_ID	yes	no
		Creditor_ID	yes	no
		CInvoiceMovementPostDate	yes	no
CyCredYearPd	no	Company_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Creditor_ID	yes	no
		CInvoiceMovementYearPeriod	yes	no
◇ CyDate	no	Company_ID	yes	no
		CInvoiceMovementPostDate	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CInvoiceMovement_ID	yes	no
◇ UniqueIdx	yes	CInvoice_ID	yes	no
		PostingLine_ID	yes	no

CInvoicePO Supplier Invoice PO Matching Link

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoicePO_ID	Record ID		9999999999	
CInvoicePOPoDomain	PO Domain		x(8)	
CInvoicePOPoNbr	PO Number		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CInvoiceIdx	no	CInvoice_ID	yes	no
POIdx	no	CInvoicePOPoDomain	yes	no
		CInvoicePOPoNbr	yes	no
◇* Prim	yes	CInvoicePO_ID	yes	no

CInvoicePosting Supplier Invoice Posting Link

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoicePosting_ID	Record ID		9999999999	
CInvoicePostingType	Invoice Type	Invoice Type	x(20)	
CIRECPostingLine_ID	Link to PostingLine		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CIRECPostLine	no	CIRECPostingLine_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	CInvoicePosting_ID	yes	no
◇ UniqueIdx	yes	CInvoice_ID	yes	no
		Posting_ID	yes	no

CInvoiceStage Supplier Invoice Stage Payment

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceStage_ID	Record ID		9999999999	
CInvoiceStageAmountCC	SC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmountLC	BC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmountTC	TC Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageAmtAppliedTC	TC Applied Amount		->>>, >>>, >>>, >>9.99	4
CInvoiceStageDiscDate	Discount Date	Disc Date	99/99/9999	
CInvoiceStageDiscPerc			->>9.99	3
CInvoiceStageDueDate	Due Date		99/99/9999	
CInvoiceStagePercent	Percent	%	->, >>>, >>9.99	2
PaymentConditionStaged_ID	Discount Percentage	Percent	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇ DueDate	no	CInvoiceStageDueDate	yes	no
◇* Prim	yes	CInvoiceStage_ID	yes	no
◇ Uniqueldx	yes	CInvoiceStageDueDate	yes	no
		CInvoice_ID	yes	no

CInvoiceVat Supplier Invoice Tax Records

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Retained Tax Sub-Account	Retained Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Retained Tax Account		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceVat_ID	Record ID		9999999999	
CInvoiceVatIsAbsRet	Retained		yes/no	
CInvoiceVatIsAccrRcpUs	Accrue at Receipt/Usage		yes/no	
CInvoiceVatIsRevCharge	Reverse Charge	Rev Charge	yes/no	
CInvoiceVatIsSuspDel	Delayed Tax	Delay Tax	yes/no	
CInvoiceVatIsTaxable	Taxable		yes/no	
CInvoiceVatIsUpdAllow	Update Allow	Upd Allow	yes/no	
CInvoiceVatNonRecTaxAmtTC	Non-Recoverable Tax Amount	Non-Rev Tax Amt	->>>, >>>, >>>, >>9.99	4
CInvoiceVatNTBaseCreditTC	TC Base Credit Non-taxable		->>>, >>>, >>>, >>9.99	4
CInvoiceVatNTBaseDebitTC	TC Base Debit Non-taxable		->>>, >>>, >>>, >>9.99	4
CInvoiceVatSequence	Sequence		9999999999	
CInvoiceVatSuspDelTaxAmtTC	Tax Amount on Delayed Account (TC)	Tax Amount on Delay Acct (TC)	->>>, >>>, >>>, >>9.99	4
CInvoiceVatTaxTrType	Tax Transaction Type		x(2)	
CInvoiceVatUILinkedRowID			x(30)	
CInvoiceVatVatBaseCreditCC	SC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseCreditLC	BC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseCreditTC	TC Base Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitCC	SC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitLC	BC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatBaseDebitTC	TC Base Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
CInvoiceVatVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account		9999999999	
PostingVat_ID	Link to PostingVat		9999999999	
QADC01			x(40)	

Field Name	Label	Col-Label	Format	Dec
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Delayed Tax Sub-Account	Delay Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Delayed Tax Account	Delay Tax Acct	9999999999	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment		x(16)	
TxyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇* Prim	yes	CInvoiceVat_ID	yes	no
◇ UniqueTax	yes	CInvoice_ID	yes	no
		TxuTaxUsage	yes	no
		TxclTaxCls	yes	no
		TxenvTaxEnv	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

CInvoiceWHT Supplier Invoice Withholding Tax

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CInvoiceVat_ID	Link To CInvoiceVat		9999999999	
CInvoiceWHT_ID	Record ID		9999999999	
CInvoiceWHTAmtCreditCC	SC WHT Amount (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTAmtCreditLC	BC WHT Amount (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTAmtCreditTC	TC WHT Amount (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTAmtDebitCC	SC WHT Amount (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTAmtDebitLC	BC WHT Amount (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTAmtDebitTC	TC WHT Amount (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTExpenseCreditTC	TC Expense (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTExpenseDebitTC	TC Expense (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTFeeCreditTC	TC Fee (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTFeeDebitTC	TC Fee (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTIsOrigFromAPM	Originated From Receiver Matching		yes/no	
CInvoiceWHTIsUpdAllow	Update Tax Allowed		yes/no	
CInvoiceWHTRecovTaxPct	Recoverable Tax Percentage		->>9.99	2
CInvoiceWHTTaxFeeCreditCC	SC Taxable Fee (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxFeeCreditLC	BC Taxable Fee (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxFeeCreditTC	TC Taxable Fee (CR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxFeeDebitCC	SC Taxable Fee (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxFeeDebitLC	BC Taxable Fee (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxFeeDebitTC	TC Taxable Fee (DR)		->>>, >>>, >>>9.99	4
CInvoiceWHTTaxPct	Tax Percentage		->>9.99	2
CInvoiceWHTTaxTrType	Transaction Type		x(2)	
CInvoiceWHTTaxType	Tax Type		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDecimal0	Custom Decimal Field		-,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		-,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		-,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		-,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		-,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		-,>>>,>>9	
CustomInteger1	Custom Integer Field		-,>>>,>>9	
CustomInteger2	Custom Integer Field		-,>>>,>>9	
CustomInteger3	Custom Integer Field		-,>>>,>>9	
CustomInteger4	Custom Integer Field		-,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>>>,>>9.9999	10
QADT01			99/99/9999	
Vat ID	Link to Vat		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
CInvoiceVat	no	CInvoiceVat_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	CInvoiceWHT_ID	yes	no
◇ UniqueIdx	yes	CInvoice_ID	yes	no
		CInvoiceVat_ID	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

clatd det UDF Attribute Value Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
clatd_oid_clat_mst	no	oid_clat_mstr	yes	no
		oid_owning_record	yes	no
* clatd_oid_owning	yes	oid_owning_record	yes	no
		oid_clat_mstr	yes	no
oid_clatd_det	yes	oid_clatd_det	yes	no

clat_mstr	UDF Attribute Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* clat_oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
		clat_attribute_name	yes	no
oid_clat_mstr	yes	oid_clat_mstr	yes	no

clc_ctrl	Compliance Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	clc_index1	yes	clc_domain	yes	no
	oid_clc_ctrl	yes	oid_clc_ctrl	yes	no

ClientCache client cache

Field Name	Label	Col-Label	Format	Dec
CacheKeyPart	Cache Key Part		x(255)	
GUID	GUID		x(255)	
Host	Host		x(255)	
LastClearedDateUTC	Last Cleared Date		99/99/9999	
LastClearedTimeUTC	Last Cleared Time		>>>>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ClientCachePK	yes	CacheKeyPart	yes	no

clsd det UDF Class Table Detail

Field Name	Label	Col-Label	Format	Dec
clsd_qadc01			x(24)	
clsd_qadc02			x(24)	
clsd_mod_date	Modified Date	Mod Date	99/99/99	
clsd_mod_userid	User ID		x(8)	
clsd_table_name	Table		x(14)	
clsd_user1	Ufld1		x(24)	
clsd_user2	Ufld2		x(24)	
oid_clsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
clsd_oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
		clsd_table_name	yes	no
* clsd_table_class	yes	clsd_table_name	yes	no
		oid_udfcls_mstr	yes	no
oid_clsd_det	yes	oid_clsd_det	yes	no

clsf mstr Classification Master

Field Name	Label	Col-Label	Format	Dec
clsf__qadc01			x(24)	
clsf__qadc02			x(24)	
clsf_classification	Classification		x(12)	
clsf_desc	Description		x(24)	
clsf_domain	Domain		x(8)	
clsf_mod_date	Modified Date	Mod Date	99/99/99	
clsf_mod_userid	User ID		x(8)	
clsf_parent	Parent		x(12)	
clsf_tree_key	Tree Key		x(180)	
clsf_type	Type		x(8)	
clsf_user1	User Field Character 1		x(24)	
clsf_user2	User Field Character 2		x(24)	
clsf_userd01	User Field Decimal 1		->>>>, >>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
clsf_useri01	User Field Integer 1		----->9	
clsf_userl01	User Field Logical 1		yes/no	
clsf_userd01	User Field Date 1		99/99/99	
oid_clsfl_mstr			>----->9 10	
			.9<-----<	

Index-Name	Uni	Field-Name	Asc	Abbr
clsf_tree_key	yes	clsf_domain	yes	no
		clsf_type	yes	no
		clsf_tree_key	yes	no
* clsf_type	yes	clsf_domain	yes	no
		clsf_type	yes	no
		clsf_classification	yes	no
oid_clsf_mstr	yes	oid_clsf_mstr	yes	no

cmc_ctrl Customer Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cmc_index1	yes	cmc_domain	yes	no
	oid_cmc_ctrl	yes	oid_cmc_ctrl	yes	no

cmd_det Enterprise Material Transfer Change Management Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cmd_trans_nbr	yes	cmd_domain	yes	no
		cmd_trans_nbr	yes	no
		cmd_file	yes	no
		cmd_field	yes	no
		cmd_key_val	yes	no
oid_cmd_det	yes	oid_cmd_det	yes	no

cmf_mstr	Enterprise Material Transfer Change Management Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cmf_doc	yes	cmf_domain	yes	no
		cmf_doc_type	yes	no
		cmf_doc_ref	yes	no
		cmf_status	yes	no
* cmf_trans_nbr	yes	cmf_domain	yes	no
		cmf_trans_nbr	yes	no
oid cmf mstr	yes	oid cmf mstr	yes	no

cmh hist Customer Sales History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cmh_custyear	yes	cmh_domain	yes	no
		cmh_cust	yes	no
		cmh_year	yes	no
* cmh_yearcust	yes	cmh_domain	yes	no
		cmh_year	yes	no
		cmh_cust	yes	no
oid_cmh_hist	yes	oid_cmh_hist	yes	no

Transaction Comments

Index-Name	Uni	Field-Name	Asc	Abbr
* cmt_ref	yes	cmt_domain	yes	no
		cmt_indx	yes	no
		cmt_seq	yes	no
oid_cmt_det	yes	oid_cmt_det	yes	no

Customer Master

Field Name	Label	Col-Label	Format	Dec
cm__chr01			x(8)	
cm__chr02			x(8)	
cm__chr03			x(8)	
cm__chr04			x(8)	
cm__chr05			x(8)	
cm__chr06			x(8)	
cm__chr07			x(8)	
cm__chr08			x(8)	
cm__chr09			x(8)	
cm__chr10			x(8)	
cm__dec01			>>>, >>>, >>9.99	10
cm__dec02			>>>, >>>, >>9.99	10
cm__dte01			99/99/99	
cm__dte02			99/99/99	
cm__log01			yes/no	
cm__qad04[3]			->9.99<%	10
cm__qad06			yes/no	
cm__qadc01			x(8)	
cm__qadc02			x(8)	
cm__qadc03			x(8)	
cm__qadc04			x(8)	
cm__qadc05			x(8)	
cm__qadc06			x(8)	
cm__qadc07			x(8)	
cm__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
cm__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
cm__qadi01			->, >>>, >>9	
cm__qadi02			->, >>>, >>9	
cm__qadi03			>>>>>9	
cm__qadi04			>>>>>9	
cm__qadl01			yes/no	
cm__qadl02			yes/no	
cm__qadl03			yes/no	
cm__qadl04			yes/no	
cm__qadt01			99/99/99	
cm__qadt02			99/99/99	
cm_active	Active		yes/no	
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->>, >>9	
cm_balance	Balance		->>, >>>, >>>, >>9.99	10
cm_bank	Bank	Bk	x(2)	
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>, >>>, >>>, >>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_datacomplete	Data Complete		yes/no	
cm_daybookset	Daybook Set	Dybk Set	x(8)	
cm_db	DB Number		x(12)	
cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->>9.99%	10
cm_domain	Domain		x(8)	
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	10
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	10
cm_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	10
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Frt List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_gst_id	Tax ID - Federal		x(18)	
cm_high_cr	High Credit		->>, >>>, >>>, >>9	10
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>, >>>, >>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->>, >>>, >>>, >>9.99	10
cm_misc1_id	Tax ID - Misc 1		x(18)	
cm_misc2_id	Tax ID - Misc 2		x(18)	
cm_misc3_id	Tax ID - Misc 3		x(18)	
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK	Partial	yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
cm_pay_method	Payment Method	PM	x(2)	
cm_po_reqd	PO Required	PO Reqd	yes/no	
cm_pr_list	Disc Tbl		x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_promo	Promotion Group		x(10)	
cm_pst	PST Taxable		yes/no	
cm_pst_id	PST ID		x(18)	
cm_region	Region		x(4)	
cm_resale	Resale		x(20)	
cm_rmks	Remarks		x(40)	
cm_rss_cal_option	RSS Calendar Option		>>9	
cm_sale_date	Last Sale		99/99/99	
cm_sb_auto_payment	Self-Bill Automatic Payment		yes/no	
cm_scurr	Second Cur	2nd Cur	x(3)	
cm_serv_terms	Service Terms		X(8)	
cm_ship	Ship-To		x(8)	
cm_ship_lt	Customer Shipping LT	Cust Ship LT	>>9	
cm_shipvia	Ship Via		x(20)	
cm_sic	SIC		x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
cm_active	no	cm_domain	yes	no
		cm_active	yes	no
cm_addr	yes	cm_domain	yes	no
		cm_addr	yes	no
cm_datacomplete	no	cm_domain	yes	no
		cm_datacomplete	yes	no
cm_sort	no	cm_domain	yes	no
		cm_sort	yes	no
oid_cm_mstr	yes	oid_cm_mstr	yes	no

cncix_mstr Consigned Shipment Inventory Cross-Reference Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cncix_loc_part	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_current_loc	yes	no
		cncix_part	yes	no
		cncix_ship_date	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
cncix_order_line	no	cncix_domain	yes	no
		cncix_so_nbr	yes	no
		cncix_sod_line	yes	no
		cncix_aged_date	yes	no
* cncix_primary_key	yes	cncix_domain	yes	no
		cncix_pkey	yes	no
cncix_shipper	no	cncix_domain	yes	no
		cncix_asn_shipper	yes	no
cncix_site_cust	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_part	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
cncix_site_part	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_part	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_po	yes	no
		cncix_modelyrr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
oid_cncix_mstr	yes	oid_cncix_mstr	yes	no

cncs_mstr Customer Consignment Ship-To/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cncs_shipto_part	yes	cncs_domain	yes	no
		cncs_shipto	yes	no
		cncs_part	yes	no
oid_cncs_mstr	yes	oid_cncs_mstr	yes	no

cncud_det Customer Consignment Shipment Usage Detail

Field Name	Label	Col-Label	Format	Dec
cncud__qadc01			x(24)	
cncud__qadc02			x(24)	
cncud_aged_date	Aged Date	Aged	99/99/99	
cncud_asn_shipper	Shipper		x(20)	
cncud_cncix_pkey	Primary Key2		>>>>>>>>	
cncud_cncu_pkey	Primary Key1		>>>>>>>>	
cncud_curr	Currency	Cur	x(3)	
cncud_current_loc	Location		x(8)	
cncud_cust_dock	Customer Dock		x(30)	
cncud_domain	Domain		x(8)	
cncud_int_consignment	Internal Consignment		yes/no	
cncud_line_feed	Line Feed		x(30)	
cncud_mod_date	Modified Date	Mod Date	99/99/99	
cncud_mod_userid	User ID		x(8)	
cncud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
cncud_price	Price		>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
cncud_qty_ship	Ship Qty		->>, >>,>>9.9<<<<<<<<<	10
cncud_selfbill	Self-Bill		yes/no	
cncud_ship_date	Ship Date		99/99/99	
cncud_ship_trnbr	Trans Nbr		>>>>>>>	
cncud_ship_value	Ship Value		->>>>, >>,>>9.99<	10
cncud_stock_um	Stock UM	UM	x(2)	
cncud_usage_qty	Usage Qty		->>, >>,>>9.9<<<<<<<<	10
cncud_usage_um	UM		x(2)	
cncud_usage_um_conv	Usage UM Conv		>>>>9.9999<<<<	10
cncud_user1	User Field Character 1		x(24)	
cncud_user2	User Field Character 2		x(24)	
oid_cncud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 _9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* cncud_primary_key	no	cncud_domain	yes	no
		cncud_cncu_pkey	yes	no
		cncud_cust_dock	yes	no
		cncud_line_feed	yes	no
	yes	cncud_domain	yes	no
		cncud_cncu_pkey	yes	no
		cncud_cncix_pkey	yes	no
		cncud_reverse_key	no	cncud_domain
		cncud_cncix_pkey	yes	no
		cncud_cncu_pkey	yes	no
oid cncud det	yes	oid cncud det	yes	no

cncu mstr Customer Consignment Shipment Usage Master

Field Name	Label	Col-Label	Format	Dec
cncu__qadc01			x(24)	
cncu__qadc02			x(24)	
cncu_auth	Authorization		x(24)	
cncu_batch	Batch		>>>>>>>>	
cncu_cum_qty	Cum Usage Qty	Cum Usage	->,>>,>>9.9<<<<<<<<<	10
cncu_cust	Sold-To		x(8)	
cncu_cust_job	Customer Job		x(30)	
cncu_cust_ref	Customer Reference		x(30)	
cncu_cust_seq	Customer Sequence		x(30)	
cncu_cust_usage_date	Customer Usage Date	Customer! Usage Date	99/99/99	
cncu_cust_usage_ref	Customer Usage Ref	Customer! Usage Ref	x(20)	
cncu_custpart	Customer Item		x(30)	
cncu_domain	Domain		x(8)	
cncu_eff_date	Effective Date	Effective	99/99/99	
cncu_invoice	Invoice		x(8)	
cncu_lotser	Lot/Serial		x(18)	
cncu_manual_qty	Manual Qty		->,>>,>>9.9<<<<<<<<<	10
cncu_mod_date	Modified Date	Mod Date	99/99/99	
cncu_mod_userid	User ID		x(8)	
cncu_modelyr	Model Year		x(4)	
cncu_origin	Origin		x(8)	
cncu_part	Item		x(18)	
cncu_pkey	Primary Key		>>>>>>>>	
cncu_po	Customer PO		x(22)	
cncu_ref	Reference	Ref	x(8)	
cncu_selfbill_auth	SelfBill Auth	Self-Bill Authorization	x(24)	
cncu_shipto	Ship-To		x(8)	
cncu_site	Ship-From		x(8)	
cncu_so_nbr	Sales Order	Order	x(8)	
cncu_sod_line	Line		>>>9	
cncu_trans_date	Transaction Date	Transaction	99/99/99	
cncu_trnbr	Trans Nbr		>>>>>>>>	
cncu_usage_qty	Usage Qty		->,>>,>>9.9<<<<<<<<<	10
cncu_usage_so_um_conv	Usage SO UM Conv		>>>>9.9999<<<<	10
cncu_usage_um	Usage UM		x(2)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cncu_batch	no	cncu_domain	yes	no
		cncu_batch	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_lotser	yes	no
		cncu_ref	yes	no
		cncu_auth	yes	no
cncu_invoice	no	cncu_domain	yes	no
		cncu_invoice	yes	no
cncu_order	no	cncu_domain	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
cncu_origin	no	cncu_domain	yes	no
		cncu_origin	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_trans_date	yes	no
* cncu_primary_key	yes	cncu_domain	yes	no
		cncu_pkey	yes	no
cncu_shipfrom	no	cncu_domain	yes	no
		cncu_site	yes	no
		cncu_shipto	yes	no
		cncu_cust_usage_ref	yes	no
		cncu_cust_usage_date	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_lotser	yes	no
cncu_trnbr	no	cncu_ref	yes	no
		cncu_auth	yes	no
		cncu_domain	yes	no
		cncu_trnbr	yes	no
		oid_cncu_mstr	yes	no
oid_cncu_mstr	yes	oid_cncu_mstr	yes	no

cnc_ctrl Customer Consignment Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cnc_index1	yes	cnc_domain	yes	no
oid_cnc_ctrl	yes	oid_cnc_ctrl	yes	no

cnsix_mstr Supplier Consignment Receipt Inventory Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cnsix_item_order	no	cnsix_domain	yes	no
		cnsix_part	yes	no
		cnsix_site	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
cnsix_order_line	no	cnsix_domain	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_aged_date	yes	no
* cnsix_primary_key	yes	cnsix_domain	yes	no
		cnsix_pkey	yes	no
cnsix_receiver_ln	no	cnsix_domain	yes	no
		cnsix_receiver	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_lotser	yes	no
		cnsix_ref	yes	no
cnsix_shipper	no	cnsix_domain	yes	no
		cnsix_asn_shipper	yes	no
oid cnsix mstr	yes	oid cnsix mstr	yes	no

cnss_mstr Supplier Consignment Supplier/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cnss_supplier_part	yes	cnss_domain	yes	no
		cnss_supplier	yes	no
		cnss_part	yes	no
oid_cnss_mstr	yes	oid_cnss_mstr	yes	no

cnsud_det Supplier Consignment Receipt Usage Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cnsud_cnsu_pkey	no	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_receiver	yes	no
* cnsud_primary_key	yes	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_cnsix_pkey	yes	no
cnsud_reverse_key	no	cnsud_domain	yes	no
		cnsud_cnsix_pkey	yes	no
		cnsud_cnsu_pkey	yes	no
oid_cnsud_det	yes	oid_cnsud_det	yes	no

cnsu_mstr Supplier Consignment Receipt Usage Master

Field Name	Label	Col-Label	Format	Dec
cnsu__qadc01			x(24)	
cnsu__qadc02			x(24)	
cnsu_batch	Batch		>>>>>>>>	
cnsu_cum_qty	Cum Usage Qty	Cum Usage	->>, >>>, >>>9.9<<<<<<<<<	10
cnsu_domain	Domain		x(8)	
cnsu_edl_batch	EDI Batch ID		x(24)	
cnsu_eff_date	Effective Date	Effective	99/99/99	
cnsu_export_flag	Exported		yes/no	
cnsu_lotser	Lot/Serial		x(18)	
cnsu_mod_date	Modified Date	Mod Date	99/99/99	
cnsu_mod_userid	User ID		x(8)	
cnsu_part	Item Number		x(18)	
cnsu_pkey	Primary Key		>>>>>>>>	
cnsu_po_nbr	Purchase Order	Order	x(8)	
cnsu_pod_line	Line		>>>9	
cnsu_print_flag	Printed		yes/no	
cnsu_qty_used	Usage Qty		->>, >>>, >>>9.9<<<<<<<<	10
cnsu_ref	Reference	Ref	x(8)	
cnsu_site	Site		x(8)	
cnsu_trans_date	Transaction Date	Transaction	99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cnsu_batch	no	cnsu_domain	yes	no
		cnsu_batch	yes	no
		cnsu_trnbr	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
		cnsu_lotser	yes	no
cnsu_edt_batch	no	cnsu_ref	yes	no
		cnsu_domain	yes	no
		cnsu_edt_batch	yes	no
cnsu_order	no	cnsu_domain	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
cnsu_part_site	no	cnsu_domain	yes	no
		cnsu_part	yes	no
		cnsu_site	yes	no
* cnsu_primary_key	yes	cnsu_domain	yes	no
		cnsu_pkey	yes	no
cnsu_trnbr	no	cnsu_domain	yes	no
		cnsu_trnbr	yes	no
oid cnsu mstr	yes	oid cnsu mstr	yes	no

cns ctrl	Supplier Consignment Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cns_index1	yes	cns_domain	yes	no
	oid_cns_ctrl	yes	oid_cns_ctrl	yes	no

CnvXref Temporary Table used for converting SCBA.

Field Name	Label	Col-Label	Format	Dec
CnvXref_ID	Record ID		9999999999	
efas_ID			->, >>>, >>9	
efas5_ID			->, >>>, >>9	
EfasCoCode			->, >>>, >>9	
EfasCode			x(10)	
EfasType			x(10)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
Profile_ID			->, >>>, >>9	
ProfileLink_ID			->, >>>, >>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
key_efas_id	no	efas_ID	yes	no
key_efas5_ID	no	efas5_ID	yes	no
Key_efastype	no	EfasType	yes	no
key_log_key	no	EfasCoCode	yes	no
		EfasType	yes	no
		EfasCode	yes	no
Key_profile_id	no	Profile_ID	yes	no
key_profile_link_id	no	ProfileLink_ID	yes	no
◇* Prim	yes	CnvXref_ID	yes	no

COACrossRefCOA Cross Reference

Field Name	Label	Col-Label	Format	Dec
AltCOAStruct_ID	Alternate COA Structure		9999999999	
COACrossRef_ID	COA Cross Reference		9999999999	
COACrossRefCode	Code		x(20)	
COACrossRefDescription	Description		x(40)	
COACrossReflsActive	Active		yes/no	
COACrossRefType	Type		x(20)	
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	999999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceDomain_ID	Source Domain		9999999999	
TargetDomain_ID	Target Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AlternateCOA	no	AltCOAStruct_ID	yes	no
◇ IsActive	no	COACrossReflsActive	yes	no
◇* Prim	yes	COACrossRef_ID	yes	no
TargetDomain	no	TargetDomain_ID	yes	no
◇ Type	no	COACrossRefType	yes	no
◇ Uniq	yes	SourceDomain_ID	yes	no
		COACrossRefCode	yes	no

COACrossRefDetCross Reference Detail

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	Cross Reference		9999999999	
COACrossRefDet_ID	Cross Reference Detail		9999999999	
COACrossRefDetSrcCCFrom	Source Cost Center From		x(20)	
COACrossRefDetSrcCCTo	Source Cost Center To		x(20)	
COACrossRefDetSrcDivFrom	Source Sub-Account From		x(20)	
COACrossRefDetSrcDivTo	Source Sub-Account To		x(20)	
COACrossRefDetSrcGLFrom	Source GL Account From		x(20)	
COACrossRefDetSrcGLTo	Source GL Account To		x(20)	
COACrossRefDetSrcProjFrom	Source Project From		x(20)	
COACrossRefDetSrcProjTo	Source Project To		x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Mod Date	Last Modified Date	99/99/9999	
LastModifiedTime	Last Mod Time	Last Modified Time	99999	
LastModifiedUser	Last Mod User	Last Modified User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TargetAltCOAStructDet_ID	Target Alternate COA		9999999999	
TargetCostCentre_ID	Target Cost Center		9999999999	
TargetDivision_ID	Target Sub-Account		9999999999	
TargetGL_ID	Target GL Account		9999999999	
TargetProject_ID	Target Project		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COACrossRefDet_ID	yes	no
TargetAltCOA	no	TargetAltCOAStructDet_ID	yes	no
TargetCC	no	TargetCostCentre_ID	yes	no
TargetDiv	no	TargetDivision_ID	yes	no
TargetGL	no	TargetGL_ID	yes	no
TargetProj	no	TargetProject_ID	yes	no
◇ Uniq	yes	COACrossRef_ID	yes	no
		COACrossRefDetSrcGLFro	yes	no
		m		
		COACrossRefDetSrcGLTo	yes	no
		COACrossRefDetSrcDivFro	yes	no
		m		
		COACrossRefDetSrcDivTo	yes	no
		COACrossRefDetSrcCCFro	yes	no
		m		
		COACrossRefDetSrcCCTo	yes	no
		COACrossRefDetSrcProjFro	yes	no
		m		
		COACrossRefDetSrcProjTo	yes	no

COAMaskCC COA Mask Cost Center

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID	COA Mask Cost Center		9999999999	
COAMaskCCCode	Cost Center COA Mask Code		x(20)	
COAMaskCCDesc	Description		x(40)	
COAMaskCCIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCC_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskCCCode	yes	no

COAMaskCCDivCOA Mask Cost Center Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID			9999999999	
COAMaskCCDiv_ID	COA Mask CC Range GL		9999999999	
COAMaskCCDivDescr	Description		x(40)	
COAMaskCCDivFrom	From		x(8)	
COAMaskCCDivIsNeg	Disallowed Range		yes/no	
COAMaskCCDivTo	To		x(8)	
DivSharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCCDiv_ID	yes	no
◇ SharedSetIdx	no	DivSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskCC_ID	yes	no
		DivSharedSet_ID	yes	no
		COAMaskCCDivFrom	yes	no
		COAMaskCCDivTo	yes	no
		COAMaskCCDivIsNeg	yes	no

COAMaskCCGLCOA Mask Cost Center Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskCC_ID			9999999999	
COAMaskCCGL_ID	COA Mask CC Range GL		9999999999	
COAMaskCCGLDescr	Description		x(40)	
COAMaskCCGLFrom	From		x(8)	
COAMaskCCGLIsNeg	Disallowed Range		yes/no	
COAMaskCCGLTo	To		x(8)	
GLSharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskCCGL_ID	yes	no
◇ SharedSetIdx	no	GLSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskCC_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskCCGLFrom	yes	no
		COAMaskCCGLTo	yes	no
		COAMaskCCGLIsNeg	yes	no

COAMaskDivCOA Mask Sub-Account

Field Name	Label	Col-Label	Format	Dec
COAMaskDiv_ID	COA Mask Sub-Account		9999999999	
COAMaskDivCode	Sub-Account COA Mask Code		x(20)	
COAMaskDivDesc	Description		x(40)	
COAMaskDivIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskDiv_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskDivCode	yes	no

COAMaskDivGL COA Mask Sub-Account Range GL Account

Field Name	Label	Col-Label	Format	Dec
COAMaskDiv_ID			9999999999	
COAMaskDivGL_ID			9999999999	
COAMaskDivGLDescr	Description		x(40)	
COAMaskDivGLFrom	From		x(8)	
COAMaskDivGLIsNeg	Disallowed Range		yes/no	
COAMaskDivGLTo	To		x(8)	
GLSharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskDivGL_ID	yes	no
◇ SharedSetIdx	no	GLSharedSet_ID	yes	no
◇ UniqueIdx	no	COAMaskDiv_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskDivGLFrom	yes	no
		COAMaskDivGLTo	yes	no
		COAMaskDivGLIsNeg	yes	no

COAMaskProj COA Mask Project

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID			9999999999	
COAMaskProjCode	Project COA Mask Code		x(20)	
COAMaskProjDesc	Description		x(40)	
COAMaskProjIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProj_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		COAMaskProjCode	yes	no

COAMaskProjCCCOA Mask Project Range Cost Center

Field Name	Label	Col-Label	Format	Dec
CCSharedSet_ID			9999999999	
COAMaskProj_ID			9999999999	
COAMaskProjCC_ID			9999999999	
COAMaskProjCCDescr	Description		x(40)	
COAMaskProjCCFrom	From		x(8)	
COAMaskProjCCIsNeg	Disallowed Range		yes/no	
COAMaskProjCCTo	To		x(8)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProjCC_ID	yes	no
◇ SharedSetIdx	no	CCSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskProj_ID	yes	no
		CCSharedSet_ID	yes	no
		COAMaskProjCCFrom	yes	no
		COAMaskProjCCTo	yes	no
		COAMaskProjCCIsNeg	yes	no

COAMaskProjDivCOA Mask Project Range Sub-Account

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID			9999999999	
COAMaskProjDiv_ID			9999999999	
COAMaskProjDivDescr	Description		x(40)	
COAMaskProjDivFrom	From		x(8)	
COAMaskProjDivIsNeg	Disallowed Range		yes/no	
COAMaskProjDivTo	To		x(8)	
DivSharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	COAMaskProjDiv_ID	yes	no
◇ SharedSetIdx	no	DivSharedSet_ID	yes	no
◇ UniqueIdx	yes	COAMaskProj_ID	yes	no
		DivSharedSet_ID	yes	no
		COAMaskProjDivFrom	yes	no
		COAMaskProjDivTo	yes	no
		COAMaskProjDivIsNeg	yes	no

COAMaskProjGLCOA Mask Project Range GL

Field Name	Label	Col-Label	Format	Dec
COAMaskProj_ID			9999999999	
COAMaskProjGL_ID			9999999999	
COAMaskProjGLDescr	Description		x(40)	
COAMaskProjGLFrom	From		x(8)	
COAMaskProjGLIsNeg	Disallowed Range		yes/no	
COAMaskProjGLTo	To		x(8)	

Field Name	Label	Col-Label	Format	Dec
GLSharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
OADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	COAMaskProjGL_ID	yes	no
◊ SharedSetIdx	no	GLSharedSet_ID	yes	no
◊ UniqueIdx	yes	COAMaskProj_ID	yes	no
		GLSharedSet_ID	yes	no
		COAMaskProjGLFrom	yes	no
		COAMaskProjGLTo	yes	no
		COAMaskProjGLIsNeg	yes	no

code_mstr	Generalized Code Master

Field Name	Label	Col-Label	Format	Dec
code__qadc01			x(8)	
code_cmmt	Comments		x(40)	
code_desc	Description		x(24)	
code_domain	Domain		x(8)	
code_fldname	Field Name		x(32)	
code_user1	Ufld1		x(8)	
code_user2	Ufld2		x(8)	
code_value	Value		x(8)	
oid_code_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* code_fidval	yes	code_domain	yes	no
		code_fidname	yes	no
		code_value	yes	no
oid_code_mstr	yes	oid_code_mstr	yes	no

comd det Commodity Code Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* comd_comm_code	yes	comd_domain	yes	no
		comd_comm_code	yes	no
		comd_part	yes	no
comd_part	yes	comd_domain	yes	no
		comd_part	yes	no
oid_comd_det	yes	oid_comd_det	yes	no

Company Entity

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
CompanyCode	Entity Code		x(20)	
CompanyDescription	Entity Description		x(24)	
CompanyDomain	Domain		x(40)	
CompanyIsActive	Active	Act	yes/no	
Domain_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LocalisationCode	Localization Code		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CompanyIsActive	yes	no
◇ Code	yes	CompanyCode	yes	no
◇ Domain_FK	no	Domain_ID	yes	no
◇* Prim	yes	Company_ID	yes	no

CompanyPropertyEntity Property

Field Name	Label	Col-Label	Format	Dec
ActCostPostingJournal_ID	Daybook Code		9999999999	
ActSalaryPostingJournal_ID	Daybook Code		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
Company_ID	Link to Company		9999999999	
CompanyProperty_ID	Record ID		9999999999	
CompanyPropertyActCheckp	Activity Sheets Checkpoint		x(20)	
CompanyPropertyActConvFac	Conversion Factor to		->, >>>, >>>9.99	8
t	Minutes			
CompanyPropertyCode	Entity Code		x(20)	
CompanyPropertyDelTax	Delayed Tax		x(20)	
CompanyPropertyExchTolAP	AP Exchange Tolerance %		->, >>>, >>>9.9999999999	10
CompanyPropertyExchTolAR	AR Exchange Tolerance %		->, >>>, >>>9.9999999999	10
CompanyPropertyIsActDurat	Allow Duration		yes/no	
CompanyPropertyIsActive	Active	Act	yes/no	
CompanyPropertyIsAddGLNbr	Additional GL Numbering		yes/no	
CompanyPropertyIsAddNrYrly	Yearly Additional JE		yes/no	
	Numbering			
CompanyPropertyIsBudOverC	Check Budgets on Overlap		yes/no	
h				
CompanyPropertyIsCompens	Customer/Supplier		yes/no	
	Compensation allowed			
CompanyPropertyIsConsolid	Consolidation Entity		yes/no	
CompanyPropertyIsDelPaid	Delay Until Paid Status		yes/no	
CompanyPropertyIsDocPerInv	Create Payment per Invoice		yes/no	
CompanyPropertyIsGlobalTax	Global Tax		yes/no	
CompanyPropertyIsGrIncAcc	Gross Income Accounting		yes/no	
CompanyPropertyIsOICrossC	Open Item Cross Entity		yes/no	
y	Allowed			
CompanyPropertyIsPLRevers	Reverse P&L Revaluations		yes/no	
e				
CompanyPropertyIsPrimary	Primary Entity		yes/no	
CompanyPropertyIsPrintRem	Print Remittance		yes/no	
CompanyPropertyIsSalPost	Salary Posting	Sal	yes/no	
CompanyPropertyIsStockMgt	Stock Management	Stock Mgt	yes/no	
CompanyPropertyIsSuspPaid	Suspend Until Paid Status		yes/no	
CompanyPropertyIsWHT	Use Withholding Tax		yes/no	
CompanyPropertyMirrorSetup	Mirror Setup		x(20)	
CompanyPropertyOINetRestr	Open Item Netting		x(20)	
	Restriction			
CompanyPropertyPriceNumD	Decimals for Price		->, >>>, >>>9	
ec				

Field Name	Label	Col-Label	Format	Dec
CompanyPropertyQtyNumDec	Decimals for Qty		->,>>>,>>9	
CompanyPropertyRevRecMini	Minimum Percentage of Completion	Min % of Completion	>>9.99	2
CompanyPropertyRevRecTresh	Forecasted Revenue Threshold		->>>,>>>,>>>,>>9.99	4
CompanyPropertySuspTax	Suspended Tax		x(20)	
CompanyPropertyUppLimit	Invoice Upper Limit		->>>,>>>,>>>,>>9.99	4
CompanyPropertyWHTNextNr	Next WHT Number		999999999	
CompPropIntercoAPCrGL_ID	Link to GL		->,>>>,>>9	
CompPropIntercoAPDbGL_ID	Link to GL		->,>>>,>>9	
CompPropIntercoARCrCc_ID	Cost Center		9999999999	
CompPropIntercoARCrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoARCrGL_ID	Account		9999999999	
CompPropIntercoARDbCc_ID	Cost Center		9999999999	
CompPropIntercoARDbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoARDbGL_ID	Account		9999999999	
CompPropIntercoFACrCc_ID	Cost Center		9999999999	
CompPropIntercoFACrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoFACrGL_ID	Account		9999999999	
CompPropIntercoFADbCc_ID	Cost Center		9999999999	
CompPropIntercoFADbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoFADbGL_ID	Account		9999999999	
CompPropIntercoICCrCc_ID	Cost Center		9999999999	
CompPropIntercoICCrDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoICCrGL_ID	Account		9999999999	
CompPropIntercoICDbCc_ID	Cost Center		9999999999	
CompPropIntercoICDbDiv_ID	Sub-Account	Sub-Acct	9999999999	
CompPropIntercoICDbGL_ID	Account		9999999999	
CostSafStructure_ID	Structure Code	Structure	9999999999	
Currency_ID	Base Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	SAF Concept Code		9999999999	
SalarySafStructure_ID	Structure Code	Structure	9999999999	
SharedAddNrCompany_ID	Entity Code		9999999999	
Unit_ID	Time Unit of Measure	Time UM	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CompanyPropertyIsActive	yes	no
BusRelIdx	no	BusinessRelation_ID	yes	no
◇ Code	no	CompanyPropertyCode	yes	no
◇ Company	yes	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ Journal	no	ActCostPostingJournal_ID	yes	no
◇* Prim	yes	CompanyProperty_ID	yes	no
◇ SafStructure	no	CostSafStructure_ID	yes	no
◇ Unit	no	Unit_ID	yes	no

CompanySharedSetCompany Shared Set

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
CompanySharedSet_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	CompanySharedSet_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

com mstr Commodity Code Master

Field Name	Label	Col-Label	Format	Dec
com__log01			yes/no	
com__qad01			x(8)	
com__qad02			x(8)	
com__qad03			yes/no	
com_comm_code	Commodity Code	Com Code	x(20)	
com_desc	Description		x(24)	
com_domain	Domain		x(8)	
com_suppl	Supplementary Units Required	S	yes/no	
com_uom	Supplementary UOM	UOM	x(2)	
com_user1	Ufld1		x(8)	
com_user2	Ufld2		x(8)	
oid_com_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* com_comm_code	yes	com_domain	yes	no
		com_comm_code	yes	no
oid_com_mstr	yes	oid_com_mstr	yes	no

ConCheck Consistency Check

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
ConCheck_ID	Record ID		9999999999	
ConCheckBatch	Batch Code		x(8)	
ConCheckDuration	Duration		99999	
ConCheckErrCount	Error Count		->,>>>,>>9	
ConChecksBatchRun	Execute In Batch		yes/no	
ConChecksUpToDate	Up To Date		yes/no	
ConCheckResult	Result		x(20)	
ConCheckSeq	Sequence		->,>>>,>>9	
ConCheckStartDate	Start Date		99/99/9999	
ConCheckStartTime	Start Time		99999	
ConCheckType	Type		x(20)	
ConCheckVersion	Version		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link To Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CylIdx	no	Company_ID	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* Prim	yes	ConCheck_ID	yes	no
◇ UniqlIdx	yes	Company_ID	yes	no
		Period_ID	yes	no
		ConCheckType	yes	no
		ConCheckSeq	yes	no

ConCheckLineConsistency Check Line

Field Name	Label	Col-Label	Format	Dec
ConCheck_ID			9999999999	
ConCheckLine_ID	Record ID		9999999999	
ConCheckLineDuration	Duration		99999	
ConCheckLineIsSel	Select		yes/no	
ConCheckLineIsUpToDate	Up To Date		yes/no	
ConCheckLineResult	Result		->,>>>,>>9	
ConCheckLineStartDate	Start Date		99/99/9999	
ConCheckLineStartTime	Start Time		99999	
ConCheckLineType	Type		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConChldx	no	ConCheck_ID	yes	no
◇* Prim	yes	ConCheckLine_ID	yes	no
◇ Uniqldx	yes	ConCheck_ID	yes	no
		ConCheckLineType	yes	no

ConCheckLineDetConsistency Check Line Detail

Field Name	Label	Col-Label	Format	Dec
ConCheck_ID			9999999999	
ConCheckLine_ID			9999999999	
ConCheckLineDet_ID	Record ID		9999999999	
ConCheckLineDetDuration	Duration		999999	
ConCheckLineDetErrCount	Error Count		->,>>>,>>9	
ConCheckLineDetResult	Result		->,>>>,>>9	
ConCheckLineDetStartDate	Start Date		99/99/9999	
ConCheckLineDetStartTime	Start Time		999999	
ConCheckLineDetType	Type		x(20)	
ConCheckLineDetVersion	Version		x(20)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsChLnIdx	no	ConCheckLine_ID	yes	no
◇* Prim	yes	ConCheckLineDet_ID	yes	no
◇ UniqIdx	yes	ConCheckLine_ID	yes	no
		ConCheckLineDetType	yes	no

Consolid Consolidation

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Record ID		9999999999	
ConsolidCompany_ID	Entity Code		9999999999	
ConsolidDate	Date		99/99/9999	
ConsolidEndTime	End Time		->, >>>, >>9	
ConsolidNumber	Number		->, >>>, >>9	
ConsolidSourceLayerTypCode	Source Layer Type		x(20)	
ConsolidStartTime	Start Time		->, >>>, >>9	
ConsolidStatus	Status		x(20)	
ConsolidTargetLayerTypCode	Target Layer Type		x(20)	
FromPeriod_ID	GL Calendar Year	GL Cal Year	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceCompany_ID	Entity Code		9999999999	
ToPeriod_ID	GL Calendar Year	GL Cal Year	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsolidCompanyIdx	no	ConsolidCompany_ID	yes	no
FromPeriodIdx	no	FromPeriod_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇* Prim	yes	Consolid_ID	yes	no
SourceCompanyIdx	no	SourceCompany_ID	yes	no
ToPeriodIdx	no	ToPeriod_ID	yes	no

ConsolidCycleConsolidation Cycle

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity Code		9999999999	
ConsolidCycle_ID	Record ID		9999999999	
ConsolidCycleDefTaxCode	Default Tax Code		x(8)	
ConsolidCyclesWithCostCtr	Cost Center		yes/no	
ConsolidCyclesWithDiv	Sub-Account		yes/no	
ConsolidCyclesWithProject	Project		yes/no	
ConsolidCyclesWithSaf	SAF		yes/no	
ConsolidCycleStatus	Status		x(20)	
CostCentre_ID	Cost Center Code		9999999999	
Division_ID			9999999999	
GL_ID	Rounding Diff Acc	Rounding Acc	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CompanyUnique	yes	Company_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇* Prim	yes	ConsolidCycle_ID	yes	no
Statusdx	no	ConsolidCycleStatus	yes	no

ConsolidCycleCompanyEntity Consolidation Cycle

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	COA Cross Reference		9999999999	
ConsolidCycle_ID	Link to ConsolidCycle		9999999999	
ConsolidCycleCompany_ID	Record ID		9999999999	
ConsolidCycleCompanyPerc	Percentage		>>9.99	0
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ManagementJournal_ID	Management Daybook Code		9999999999	
OfficialJournal_ID	Official Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceCompany_ID	Subsidiary Entity		9999999999	
TransientJournal_ID	Transient Daybook Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	SourceCompany_ID	yes	no
		ConsolidCycle_ID	yes	no
ConsCycl	no	ConsolidCycle_ID	yes	no
ManJrnl	no	ManagementJournal_ID	yes	no
OffJrnl	yes	OfficialJournal_ID	yes	no
◇* Prim	yes	ConsolidCycleCompany_ID	yes	no
SourceCy	no	SourceCompany_ID	yes	no
TranJrnl	no	TransientJournal_ID	yes	no

ConsolidCycleSafConsolidation Cycle Saf

Field Name	Label	Col-Label	Format	Dec
ConsolidCycle_ID	Link to ConsolidCycle		9999999999	
ConsolidCycleSaf_ID	Record ID		9999999999	
ConsolidCycleSafInputSeq	Sequence		->, >>>, >>9	
ConsolidCycleSafParentType	SAF Parent Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
ConsolCycle	no	ConsolidCycle_ID	yes	no
◇* Prim	yes	ConsolidCycleSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	ConsolidCycleSafInputSeq	yes	no
		ConsolidCycleSafParentType	yes	no
		ConsolidCycle_ID	yes	no

ConsolidDumpConsolidation Export

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ConsolidDump_ID	Record ID		9999999999	
ConsolidDumpChunkSize	Chunk Size		->,>>>,>>9	
ConsolidDumpCode	Code		x(20)	
ConsolidDumpConsolCCRate	SC Rate		->,>>>,>>9.9999999999	10
ConsolidDumpConsolCCScale	SC Rate Scale		->,>>>,>>9.9999999999	10
ConsolidDumpConsolCompCode	Consolidation Entity Code	Consol Entity Code	x(20)	
ConsolidDumpConsolRate	Consolidation Rate	Consol Rate	->,>>>,>>9.9999999999	10
ConsolidDumpConsolRteScale	Consolid Scale Factor	Scale Fact	->,>>>,>>9.9999999999	10
ConsolidDumpDate	Export Date		99/99/9999	
ConsolidDumpDirectory	Export Directory		x(255)	
ConsolidDumpIsOpeningBal	Include Opening Balance	Incl Opening Balance	yes/no	
ConsolidDumpIsWithDetail	Include Detail	Incl Detail	yes/no	
Currency_ID	Statutory Currency	Mgmt Curr	9999999999	
FromPeriod_ID	From GL Period		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OpeningPeriod_ID	Opening GL Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
ToPeriod_ID	To GL Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ FromPeriod	no	FromPeriod_ID	yes	no
◇* Prim	yes	ConsolidDump_ID	yes	no
◇ ToPeriod	no	ToPeriod_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		ConsolidDumpCode	yes	no

ConsolidLayerConsolidation Layer

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Link to Consolid		9999999999	
ConsolidLayer_ID	Record ID		9999999999	
Layer_ID	Source Layer Code	Source Layer	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Consolid	no	Consolid_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇* Prim	yes	ConsolidLayer_ID	yes	no
◇ Uniqueldx	yes	Consolid_ID	yes	no
		Layer_ID	yes	no

ConsolidPeriodXref Consolidation Period Cross-reference

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ConsolidationCompany_ID	Consolidation Entity		9999999999	
ConsolidationPeriod_ID	Consolidation Period	Cons Period	9999999999	
ConsolidPeriodXref_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Source GL Period		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	Company_ID	yes	no
		ConsolidationCompany_ID	yes	no
		Period_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
ConsolCy	no	ConsolidationCompany_ID	yes	no
ConsolPd	no	ConsolidationPeriod_ID	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* Prim	yes	ConsolidPeriodXref_ID	yes	no

ConsolidPostingXref Consolidation Posting Cross-Reference

Field Name	Label	Col-Label	Format	Dec
Consolid_ID	Link to Consolid		9999999999	
ConsolidPostingXref_ID	Record ID		9999999999	
PostingHist_ID	Link to PostingHist		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Consolid	no	Consolid_ID	yes	no
PostHist	no	PostingHist_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	ConsolidPostingXref_ID	yes	no
◇ UniquelIdx	yes	Consolid_ID	yes	no
		PostingLine_ID	yes	no
		PostingHist_ID	yes	no

Contact Contact

Field Name	Label	Col-Label	Format	Dec
Address_ID	Link to Address		9999999999	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
Contact_ID	Record ID		9999999999	
ContactEmail	E-Mail		x(40)	
ContactFax	Fax		x(20)	
ContactFunction	Function		x(20)	
ContactGender	Gender		x(10)	
ContactInitials	Initials		x(20)	
ContactIsPrimary	Primary Contact	Primary	yes/no	
ContactIsSecondary	Secondary Contact	Secondary	yes/no	
ContactMobilePhone	Mobile Phone	Mobile	x(20)	
ContactName	Name		x(24)	
ContactTelephone	Telephone		x(20)	

Field Name	Label	Col-Label	Format	Dec
ContactTitle	Title		x(10)	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID	Language Code	Lang	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
AddressName	yes	Address_ID	yes	no
		ContactName	yes	no
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
ContactName	no	ContactName	yes	no
◇* Prim	yes	Contact_ID	yes	no

cont_mstr Container Type Master

Field Name	Label	Col-Label	Format	Dec
cont__qadc01			x(24)	
cont__qadc02			x(24)	
cont_class	Class		x(8)	
cont_cmtindx	Comment Index	Comment	>>>>>>9	
cont_color	Color		x(8)	
cont_composition	Composition	Comp	x(8)	
cont_desc	Description		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cont_type	yes	cont_domain	yes	no
		cont_type	yes	no
oid_cont_mstr	yes	oid_cont_mstr	yes	no

CorporateGroupCorporate Group

Field Name	Label	Col-Label	Format	Dec
CorporateGroup_ID	Record ID		9999999999	
CorporateGroupCode	Group Name		x(20)	
CorporateGroupDescription	Description		x(40)	
CorporateGroupsActive	Active	Act	yes/no	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	CorporateGroupCode	yes	no
◇* Prim	yes	CorporateGroup_ID	yes	no
◇ ViewIndex	no	CorporateGroupsActive	yes	no
		CorporateGroupCode	yes	no

CostCentre Cost Center

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Budget Group		9999999999	
COAMaskCCProfile_ID	COAMask Profile		9999999999	
CostCentre_ID	Record ID		9999999999	
CostCentreCode	Cost Center		x(4)	
CostCentreDescription	Description		x(24)	
CostCentresActive	Active		yes/no	
CostCentresStructFromGL	Retrieve SAF Structure from GL	Retrieve Structure from GL	yes/no	
CostCentresWithSaf	SAF Enabled	SAF	yes/no	
CostCentreSafSetOnByUsr_ID	Link to Usr		9999999999	
CostCentreSafSetOnOnDate	SAF Set on Date		99/99/9999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionProfile_ID	Link to Profile		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
Usr_ID	Cost Center Administrator		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskCCProfile_ID	yes	no
◇ Code	no	CostCentreCode	yes	no
◇ IsActive	no	CostCentreIsActive	yes	no
◇* Prim	yes	CostCentre_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		CostCentreCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		CostCentreIsActive	yes	no
		CostCentreCode	yes	no

CostCentreSafDefault Cost Center SAF Default

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Link to CostCentre		9999999999	
CostCentreSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostC	no	CostCentre_ID	yes	no
◇* Prim	yes	CostCentreSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConc	no	SafConcept_ID	yes	no
◇ Unildx	yes	CostCentre_ID	yes	no
		SafConcept_ID	yes	no

cost_cal

Cost Set Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cost_cal	yes	cost_domain	yes	no
		cost_site	yes	no
		cost_set	yes	no
		cost_start	yes	no
* cost_date	yes	cost_domain	yes	no
		cost_start	yes	no
		cost_site	yes	no
cost_site	yes	cost_domain	yes	no
		cost_site	yes	no
oid_cost_cal	yes	cost_start	yes	no
		oid_cost_cal	yes	no

Country

Country

Field Name	Label	Col-Label	Format	Dec
BLWICountry_ID	BLWI Country Code	BLWI Country	9999999999	
Country_ID	Record ID		9999999999	
CountryBLWICode	BLWI Code		x(20)	
CountryCode	Country Code	Country	x(3)	
CountryDescription	Description		x(28)	
CountryFormat	Postal Format		9	
CountryIsActive	Active		yes/no	
CountryIsEUCountry	EU Member	EU	yes/no	
Currency_ID	Currency Code	Country	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CountryIsActive	yes	no
◇ Code	yes	CountryCode	yes	no
◇* Prim	yes	Country_ID	yes	no
◇ ViewIndex	no	CountryIsActive	yes	no
		CountryCode	yes	no

CountryVatFormatCountry Tax Format

Field Name	Label	Col-Label	Format	Dec
Country_ID	Link to Country		9999999999	
CountryVatFormat	Tax Format		x(20)	
CountryVatFormat_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltUniqueldx	yes	CountryVatFormat	yes	no
		Country_ID	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	CountryVatFormat_ID	yes	no

County County

Field Name	Label	Col-Label	Format	Dec
County_ID	Record ID		9999999999	
CountyCode	County Code	County	x(20)	
CountyDescription	Description		x(40)	
CountyIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	CountyCode	yes	no
◇ IsActive	no	CountyIsActive	yes	no
◇* Prim	yes	County_ID	yes	no
◇ ViewIndex	no	CountyIsActive	yes	no
		CountyCode	yes	no

co_ctrl General Ledger (Company) Control

Field Name	Label	Col-Label	Format	Dec
co_qad01	Primary Statement Version	Primary! Stmt Ver	x(8)	
co_qadi01			->>>>>>9	
co_qadl01			yes/no	
co_allow_mod	Allow Changes to Module Transactions	Allow! Mod	yes/no	
co_audglt	GL Transaction Audit Trail		yes/no	
co_bfb_acct	Brought Forward Balance Acct	BFB Acct	x(8)	
co_bfb_cc	Brought Forward Balance CC	BFB CC	x(4)	
co_bfb_desc	Brought Forward Balance Desc		x(20)	
co_bfb_sub	Brought Forward Balance Sub	BFB Sub	x(8)	
co_close_bs	Close Balance Sheet		yes/no	
co_cont_page	Continuous Page Numbers for Post Audit	Cont! Page	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	co_index1	yes	co_domain	yes	no
	oid_co_ctrl	yes	oid_co_ctrl	yes	no

Supplier Payment

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
CInvoice_ID	Link to CInvoice		9999999999	
CPay_ID	Record ID		9999999999	
CPayConfirmType	Confirm Message Type		x(20)	
CPayTransTpStat	Transaction Type Status		x(20)	
CPayTypeCode	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySellLine_ID	Link to PaySellLine		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDocument	no	CDocument_ID	yes	no
◇ CInvoice	no	CInvoice_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	CPay_ID	yes	no
◇ TypeCode	no	CPayTypeCode	yes	no

cpcd_det Customer Period Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cpcd_per	yes	cpcd_domain	yes	no
		cpcd_cust	yes	no
		cpcd_year	yes	no
		cpcd_type	yes	no
		cpcd_per	yes	no
oid_cpcd_det	yes	oid_cpcd_det	yes	no

cpc_mstr Customer Period Calendar Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cpc_cust	yes	cpc_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		cpc_cust	yes	no
		cpc_year	yes	no
		cpc_type	yes	no
oid_cpc_mstr	yes	oid_cpc_mstr	yes	no

cph_hist

Customer/Item Sales History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cph_cust	yes	cph_domain	yes	no
		cph_cust	yes	no
		cph_ship	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
		cph_site	yes	no
cph_part	no	cph_domain	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
* cph_pl	no	cph_domain	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
oid_cph_hist	yes	oid_cph_hist	yes	no

cp_mstr

Customer Item Master

Field Name	Label	Col-Label	Format	Dec
cp__qadc01			x(8)	
cp_comment	Comment		x(40)	
cp_cust	Customer		x(8)	
cp_cust_eco	Customer Item ECO Nbr		x(8)	
cp_cust_part	Customer Item		x(30)	
cp_cust_partd	Display Customer Item		x(30)	
cp_domain	Domain		x(8)	
cp_mod_date	Modified Date	Mod Date	99/99/99	
cp_part	Item Number		x(18)	
cp_pkg_code	Pkg Code		x(18)	
cp_user1	Ufld1		x(8)	
cp_user2	Ufld2		x(8)	
cp_userid	User ID		x(8)	
oid_cp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* cp_cust	yes	cp_domain	yes	no
		cp_cust	yes	no
		cp_cust_part	yes	no
cp_cust_part	no	cp_domain	yes	no
		cp_cust_part	yes	no
		cp_part	yes	no
cp_part_cust	no	cp_domain	yes	no
		cp_part	yes	no
		cp_cust	yes	no
oid_cp_mstr	yes	oid_cp_mstr	yes	no

crc ctrl

Carrier Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	crc_index1	yes	crc_domain	yes	no
	oid_crc_ctrl	yes	oid_crc_ctrl	yes	no

crd_det

Call Reminder Detail Table

Field Name	Label	Col-Label	Format	Dec
crd__qadc01			x(24)	
crd__qadc02			x(24)	
crd_alarm_date	Alarm Date		99/99/99	
crd_alarm_time	Alarm Time		99:99	
crd_ca_nbr	Call ID		x(8)	
crd_category	Category		x(8)	
crd_close	Alarm Closed		yes/no	
crd_comments	Comments		x(76)	
crd_desc	Description		x(76)	
crd_domain	Domain		x(8)	
crd_id	Reminder ID		>>>>>>>9	
crd_itm_line	Line		>>9	
crd_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
crd_mod_userid	User ID		x(8)	
crd_status	Status		x(1)	
crd_user1	User Field Character 1		x(24)	
crd_user2	User Field Character 2		x(24)	
crd_userid	Entered by		x(8)	
oid_crd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* crd_nbrid	yes	crd_domain	yes	no
		crd_category	yes	no
		crd_ca_nbr	yes	no
		crd_itm_line	yes	no
		crd_id	yes	no
oid_crd_det	yes	oid_crd_det	yes	no

Creditor Supplier

Field Name	Label	Col-Label	Format	Dec
BLWIGroup_ID	BLWI Group		9999999999	
BusinessRelation_ID	Name		9999999999	
CnControlGLProfile_ID	Control GL Profile (Credit Note)		9999999999	
Creditor_ID	Record ID		9999999999	
CreditorBirthCity	Birth City		x(20)	
CreditorBirthDate	Birth Date		99/99/9999	
CreditorCocNumber	Chamber of Commerce Number		x(8)	
CreditorCode	Supplier Code	Supplier	x(8)	
CreditorCommentNote	Comment Note		x(2000)	
CreditorDBNumber	Credit Agency Reference		x(16)	
CreditorDebtorNumber	External Customer Number		x(10)	
CreditorForeignFiscalCode	Foreign Fiscal Code		x(18)	
CreditorIsActive	Active		yes/no	
CreditorIsIndividualPaymnt	Individual Payments		yes/no	
CreditorIsSendRemittance	Send Remittance		yes/no	
CreditorIsTaxable	Taxable Supplier		yes/no	
CreditorIsTaxConfirmed	Tax Confirmed		yes/no	
CreditorIsTaxInCity	Tax in City		yes/no	
CreditorIsTaxIncluded	Tax Is Included		yes/no	
CreditorIsTaxReport	Tax Report		yes/no	
CreditorIsWHT	Withholding Tax		yes/no	
CreditorTaxDeclaration	Tax Declaration		->,>>,>>9	
CreditorTaxIDFederal	Federal Tax		x(18)	
CreditorTaxIDFiscalCode	Tax ID / Fiscal Code		x(18)	
CreditorTaxIDMisc1	Miscellaneous Tax 1		x(18)	
CreditorTaxIDMisc2	Miscellaneous Tax 2		x(18)	
CreditorTaxIDMisc3	Miscellaneous Tax 3		x(18)	
CreditorTaxIDState	State Tax		x(18)	
CreditorTIDNotice	TID Notice		x(1)	
CreditorType_ID	Supplier Type		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
FinChgGLProfile_ID	Finance Charge GL Profile ID		9999999999	
InvControlGLProfile_ID	Control GL Profile (Invoice)		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalPaymentCondition_ID	Credit Terms		9999999999	
PaymentGroup_ID	Payment Group		9999999999	
PrePayControlGLProfile_ID	Control GL Profile (Pre-payment)		9999999999	
PurchaseCode_ID	Link to PurchaseCode		9999999999	
PurchaseGLProfile_ID	Purchases Account GL Profile		9999999999	
PurchaseType_ID	Purchase Type		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	
VatDeliveryType	Tax Nature		x(20)	
VatPercentageLevel	Tax Level		x(20)	
WHTCertFormat_ID	Link to Withholding Tax Certificate Format		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CnGLControl	no	CnControlGLProfile_ID	yes	no
◇ Code	no	CreditorCode	yes	no
CreditorTax	no	CreditorTaxIDFederal	yes	no
		CreditorIsTaxReport	yes	no
CreditorType	no	CreditorType_ID	yes	no
◇ InvGLControl	no	InvControlGLProfile_ID	yes	no
IsWHT	no	CreditorIsWHT	yes	no
PaymentGroup	no	PaymentGroup_ID	yes	no
◇ PrePayProfile	no	PrePayControlGLProfile_ID	yes	no
◇* Prim	yes	Creditor_ID	yes	no
◇ Relation	no	BusinessRelation_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		CreditorCode	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ViewIndex	no	SharedSet_ID	yes	no
		CreditorIsActive	yes	no
		CreditorCode	yes	no
WHTCert	no	WHTCertFormat_ID	yes	no

CreditorSafDefault Supplier SAF Default

Field Name	Label	Col-Label	Format	Dec
Creditor_ID	Link to Creditor		9999999999	
CreditorSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Creditor	no	Creditor_ID	yes	no
◇* Prim	yes	CreditorSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	Creditor_ID	yes	no
		SafConcept_ID	yes	no

CreditorType Supplier Type

Field Name	Label	Col-Label	Format	Dec
CreditorType_ID	Record ID		9999999999	
CreditorTypeCode	Code		x(4)	
CreditorTypeDescription	Description		x(40)	
CreditorTypeIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	CreditorTypeIsActive	yes	no
◇* Prim	yes	CreditorType_ID	yes	no
◇ UniqueIdx	yes	CreditorTypeCode	yes	no
◇ ViewIndex	no	CreditorTypeIsActive	yes	no
		CreditorTypeCode	yes	no

CreditorVat Supplier Tax

Field Name	Label	Col-Label	Format	Dec
Creditor_ID	Link to Creditor		9999999999	
CreditorVat_ID	Record ID		9999999999	
QADC01			x(40)	

Field Name	Label	Col-Label	Format	Dec
QADC02			x(255)	
QADD01			-,>>>,>>9.9999	10
QADT01			99/99/9999	
Vat ID	Link to Vat		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Creditor	no	Creditor_ID	yes	no
◇* Prim	yes	CreditorVat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

cref_mstr Service/Support Cross-Reference Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cref_item12	yes	cref_domain	yes	no
		cref_ref_type	yes	no
		cref_item1	yes	no
		cref_item2	yes	no
oid cref_mstr	yes	oid cref_mstr	yes	no

csa mstr Controlled Substance Authority Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csa_auth	yes	csa_domain	yes	no
		csa_auth	yes	no
csa_group	no	csa_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
csa_name	no	csa_group	yes	no
		csa_domain	yes	no
		csa_name	yes	no
oid_csa_mstr	yes	oid_csa_mstr	yes	no

cscp_det

Link table between Period, currency, cost set for Periodic Costing

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
cscsp_cost_cal_pd	no	oid_glccp_det	yes	no
cscsp_cs_cal_pd_curr	yes	oid_cs_mstr	yes	no
		oid_glccp_det	yes	no
		oid_cu_mstr	yes	no
cscsp_currency	no	oid_cu_mstr	yes	no
* oid_cscsp_det	yes	oid_cscsp_det	yes	no

csc_mstr

Controlled Substance Customer Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
csc_addr_auth	no	csc_domain	yes	no
		csc_addr	yes	no
		csc_auth	yes	no
csc_ctrl_addr	no	csc_domain	yes	no
		csc_ctrl	yes	no
		csc_addr	yes	no
* csc_ctr_auth	yes	csc_domain	yes	no
		csc_ctr_code	yes	no
		csc_auth	yes	no
		csc_addr	yes	no
oid_csc_mstr	yes	oid_csc_mstr	yes	no

csd det

Service/Support Call Skill Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csd_nbrprob	yes	csd_line_nbr	yes	no
		csd_domain	yes	no
		csd_category	yes	no
		csd_ca_nbr	yes	no
	yes	csd_line	yes	no
		csd_domain	yes	no
		csd_category	yes	no
		csd_ca_nbr	yes	no
oid csd det	yes	csd_problem	yes	no
		oid csd det	yes	no

csid det

Controlled Substance Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csid_etry_auth	no	csid_domain	yes	no
		csid_ctrl	yes	no
		csid_part	yes	no
	yes	csid_domain	yes	no
		csid_etry_code	yes	no
		csid_auth	yes	no
		csid_ctrl	yes	no
		csid_part	yes	no
csid_part_auth	yes	csid_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		csid_part	yes	no
		csid_ctr_y_code	yes	no
		csid_auth	yes	no
oid_csid_det	yes	oid_csid_det	yes	no

csil_mstr Controlled Substance Individual License Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csil_	no	csil_domain	yes	no
		csil_addr4	yes	no
		csil_licen	yes	no
	yes	csil_domain	yes	no
		csil_ctype_code	yes	no
		csil_auth	yes	no
		csil_licen	yes	no
	no	csil_domain	yes	no
		csil_licen	yes	no
oid_csil_mstr	yes	oid_csil_mstr	yes	no

csim_mstr Controlled Substance Item Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* csim_	no	csim_auth_ctrl	yes	no
		csim_domain	yes	no
		csim_auth	yes	no
	yes	csim_ctrl	yes	no
		csim_domain	yes	no
		csim_ctry_code	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no

194 csim_mstr

Index-Name	Uni	Field-Name	Asc	Abbr
csim_desc	no	csim_domain	yes	no
		csim_auth	yes	no
		csim_desc	yes	no
oid_csim_mstr	yes	oid_csim_mstr	yes	no

Controlled Substance Individual License Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* csld_ctry_auth	yes	csld_domain	yes	no
		csld_ctry_code	yes	no
		csld_auth	yes	no
		csld_licen	yes	no
		csld_part	yes	no
csld_licen_part	no	csld_domain	yes	no
		csld_licen	yes	no
		csld_part	yes	no
csld_part_licen	no	csld_domain	yes	no
		csld_part	yes	no
		csld_licen	yes	no
oid_csld_det	yes	oid_csld_det	yes	no

Controlled Substance General License Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	cslm_ctrl_licen	no	cslm_domain	yes	no
			cslm_ctrl	yes	no
			cslm_licen	yes	no
*	cslm_ctry_auth	yes	cslm_domain	yes	no
			cslm_ctry_code	yes	no
			cslm_auth	yes	no
			cslm_licen	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
cslm_grp	no	cslm_ctrl	yes	no
		cslm_domain	yes	no
		cslm_group	yes	no
oid_cslm_mstr	yes	oid_cslm_mstr	yes	no

cssi det

Site Cost Detail

Field Name	Label	Col-Label	Format	Dec
cssi__qadc01			x(8)	
cssi_active	Active	Act	yes/no	
cssi_cur	Currency	Cur	x(3)	
cssi_domain	Domain		x(8)	
cssi_mod_date	Modified Date	Mod Date	99/99/99	
cssi_set	Cost Set		x(8)	
cssi_site	Site		x(8)	
cssi_user1	Ufld1		x(8)	
cssi_user2	Ufld2		x(8)	
cssi_userid	User ID		x(8)	
oid_cssi_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
cssi_set_site	yes	cssi_domain	yes	no
		cssi_set	yes	no
		cssi_site	yes	no
		cssi_active	yes	no
* cssi_site_set	yes	cssi_domain	yes	no
		cssi_site	yes	no
		cssi_set	yes	no
		cssi_active	yes	no
oid_cssi_det	yes	oid_cssi_det	yes	no

css_mstr

Controlled Substance Site Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
css_ctrl_site	no	css_domain	yes	no
		css_ctrl	yes	no
		css_site	yes	no
		css_ctype	yes	no
* css_ctype_auth	yes	css_domain	yes	no
		css_ctype_code	yes	no
		css_auth	yes	no
		css_site	yes	no
css_site_auth	no	css_domain	yes	no
		css_site	yes	no
		css_auth	yes	no
oid_css_mstr	yes	oid_css_mstr	yes	no

Fixed Asset Custodian Master

Index-Name	Uni	Field-Name	Asc	Abbr
* cst_cust	yes	cst_cust	yes	no
cst_desc	no	cst_desc	yes	no
		cst_cust	yes	no
oid_cst_mstr	yes	oid_cst_mstr	yes	no

Cost Set Master

Index-Name	Uni	Field-Name	Asc	Abbr
* cs_set	yes	cs_domain	yes	no
		cs_set	yes	no
cs_type	yes	cs_domain	yes	no
		cs_type	yes	no
		cs_set	yes	no
oid_cs_mstr	yes	oid_cs_mstr	yes	no

Credit Terms Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* ctd_cdseq	yes	ctd_domain	yes	no
		ctd_code	yes	no
		ctd_seq	yes	no
oid_ctd_det	yes	oid_ctd_det	yes	no

ctry_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ctry_code1	no	ctry_code1	yes	no
ctry_country	yes	ctry_country	yes	no
* ctry_ctry_code	yes	ctry_ctry_code	yes	no
ctry_ec_flag	no	ctry_ec_flag	yes	no
oid ctry_mstr	yes	oid ctry_mstr	yes	no

ct_mstr

Field Name	Label	Col-Label	Format	Dec
ct_qadc01			x(8)	
ct_base_date	Base Date		99/99/99	
ct_base_days	Base Days		-->9	
ct_code	Terms Code	Terms	x(8)	
ct_dating	Multiple Due Dates		yes/no	
ct_desc	Description		x(40)	
ct_disc_date	Disc Date		99/99/99	
ct_disc_days	Disc Days	Disc! Days	-->9	10
ct_disc_pct	Disc %		-->>9.99%	10
ct_domain	Domain		x(8)	
ct_due_date	Due Date		99/99/99	
ct_due_days	Due Days	Due! Days	-->9	10
ct_due_inv	Due Date From	Start! Due	>9	
ct_from_inv	Disc Date From	Start! Disc	>9	
ct_grace_days	Grace Days		-->9	
ct_late_int	Daily Overdue Int Pct	Daily! Overdue! Int Pct	-->>>9.99	10
ct_min_days	Minimum Due Days		-->9	
ct_mod_date	Modified Date	Mod Date	99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ct_code	yes	ct_domain	yes	no
		ct_code	yes	no
ct_desc	yes	ct_domain	yes	no
		ct_desc	yes	no
		ct_code	yes	no
oid_ct_mstr	yes	oid_ct_mstr	yes	no

Currency Currency

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Record ID		9999999999	
CurrencyCode	Currency Code	Curr	x(3)	
CurrencyDecimalDescription	Decimals Description		x(24)	
CurrencyDescription	Currency Description	Curr Desc	x(24)	
CurrencyIsActive	Active	Act	yes/no	
CurrencyNumberOfDecimals	Number of Decimals	Decimals	->,>>>,>>9	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
RoundingMethod_ID	Rounding Method		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	CurrencyIsActive	yes	no
◇ Code	yes	CurrencyCode	yes	no
◇* Prim	yes	Currency_ID	yes	no
◇ ViewIndex	no	CurrencyIsActive	yes	no
		CurrencyCode	yes	no

CustInventM Warehousing Customer/Inventory Status Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AddrStatus	yes	Domain	yes	no
			Addr	yes	no
			InvStatus	yes	no
	oid_CustInventM	yes	oid_CustInventM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

CustPartM

Warehousing Customer/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
⋄* AddrPart	yes	Domain	yes	no
		Addr	yes	no
		Part	yes	no
oid_CustPartM	yes	oid_CustPartM	yes	no
⋄ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

cu_mstr

Currency Master

Field Name	Label	Col-Label	Format	Dec
cu__qadc01			x(8)	
cu__qadc02			x(24)	
cu__qadc03			x(24)	
cu__qadc04			x(24)	
cu__qadc05			x(24)	
cu__qadc06			x(24)	
cu__qadc07			x(24)	
cu__qadc08			x(24)	
cu__qadc09			x(24)	
cu__qadc10			x(24)	
cu__qadc11			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* cu_curr	yes	cu_curr	yes	no
oid cu_mstr	yes	oid cu_mstr	yes	no

Destination Application List Detail

Index-Name	Uni	Field-Name	Asc	Abbr
dald_appid_dtin	no	dald_domain	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
* dald_list_appid_dtin	yes	dald_domain	yes	no
		dald_list_id	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
oid_dald_det	yes	oid_dald_det	yes	no

Destination Application List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dal_list_id	yes	dal_domain	yes	no
		dal_list_id	yes	no
oid_dal_mstr	yes	oid_dal_mstr	yes	no

Customer Balance

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Currency_ID	Link to Currency		9999999999	
DBalance_ID	Record ID		9999999999	
DBalanceCC	SC Balance		->>>,>>>,>>>,>>9.99	4
DBalanceLC	BC Balance		->>>,>>>,>>>,>>9.99	4
DBalanceTC	TC Balance		->>>,>>>,>>>,>>9.99	4
Debtor_ID	Link to Debtor		9999999999	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
DebtorAndCurrAndCompany	yes	Company_ID	yes	no
		Debtor_ID	yes	no
		Currency_ID	yes	no
◇* Prim	yes	DBalance_ID	yes	no

dbms_mstr Database Revision Control Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dbs_rev	yes	dbs_major	no	no
		dbs_minor	no	no
oid dbs mstr	yes	oid dbs mstr	yes	no

DCollection Customer Payment Selection

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CreationUsr_ID	Link to Usr		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DCollection_ID	Record ID		9999999999	
DCollectionBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditLC	BC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitLC	BC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
DCollectionBankFileFormat	Bank File Format		x(20)	
DCollectionCreationDate	Creation Date		99/99/9999	
DCollectionCreationTime	Creation Time		999999	
DCollectionIncSelCodeList	Customer Payment Selection Code		X(2000)	
DCollectionIsAutomatic	Automatic		yes/no	
DCollectionIsExecuted	Executed		yes/no	
DCollectionIsOpen	Open		yes/no	
DCollectionName	Name		x(40)	
DCollectionNumber	Number		->, >>>, >>9	
DCollectionOrigCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigCreditLC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionOrigDebitTC	TC Original Debit		->>>, >>>, >>>, >>9.99	4
DCollectionReference	1099 Box Reference	Reference	x(40)	
DCollectionRequestedDate	Requested Date		99/99/9999	
DCollectionYear	Year/Customer Payment Selection Code	Year	->, >>>, >>9	
DPaySel_ID	Link to DPaySel		9999999999	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ DCollRef	no	DCollectionReference	yes	no
◇ GL	no	GL_ID	yes	no
◇ IsOpen	no	DCollectionIsOpen	yes	no
◇* Prim	yes	DCollection_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		DCollectionYear	yes	no
		DCollectionNumber	yes	no

DCollectionExport

Field Name	Label	Col-Label	Format	Dec
DCollection_ID	Link to DCollection		9999999999	
DCollectionExport_ID	Record ID		9999999999	
DCollectionExportDate	Export Date		99/99/9999	
DCollectionExportFile	File Name		x(255)	
DCollectionExportFolder	Folder		x(255)	
DCollectionExportIsDuplic	Duplicate		yes/no	
DCollectionExportSpilDate	Requested Date		99/99/9999	
DCollectionExportTime	Export Time		->,>>>,>>9	
DCollectionExportType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DCollection	no	DCollection_ID	yes	no
◇* Prim	yes	DCollectionExport_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

dc_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dc_name	yes	dc_name	yes	no
oid dc mstr	yes	oid dc mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Record ID		9999999999	
DDocumentBankImpRef	Bank Importing Reference		x(255)	
DDocumentCCRate	SC Rate		->, >>>, >>9.9999999999	10
DDocumentCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
DDocumentClosingDate	Closing Date		99/99/9999	
DDocumentCreationDate	Creation Date		99/99/9999	
DDocumentCreationTime	Creation Time		99999	
DDocumentDueDate	Due Date		99/99/9999	
DDocumentExchangeRate	Exchange Rate		->, >>>, >>9.99	10
DDocumentIncassoSelectCode	Payment Selection Code		x(20)	
DDocumentIsOpen	Open		yes/no	
DDocumentLastPrintDate	Last Printed Date		99/99/9999	
DDocumentNumber	Document Number	Doc No	999999999	
DDocumentOriginalCreditBC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditLC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitBC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
DDocumentOriginalDebitTC	Amount		->>>, >>>, >>>, >>9.99	4
DDocumentRateScale	Scale Factor		->, >>>, >>9.99	10
DDocumentReference	Reference		x(40)	
DDocumentStatus	Status		x(20)	
DDocumentSubType	Subtype		x(20)	
DDocumentTimesPrinted	Times Printed		>>9	
DDocumentTransTpStat	Transaction Type Status		x(20)	
DDocumentType	Payment Instrument		x(20)	
DDocumentValueDays	Value Days		>>9	
DDocumentYear	Year/Number	Year	9999	
Debtor_ID	Customer		9999999999	
DPaySel_ID	Link to DPaySel		9999999999	
GL_ID	Bank Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ClosingDate	no	DDocumentClosingDate	yes	no
◇ CollectionIdx	no	DCollection_ID	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CreationUsr	no	CreationUsr_ID	yes	no
◇ CyDateIdx	no	Company_ID	yes	no
		DDocumentClosingDate	yes	no
CyDebDateIdx	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DDocumentClosingDate	yes	no
DebtorIdx	no	Debtor_ID	yes	no
IncassoSelCode	no	DDocumentIncassoSelectCode	yes	no
◇ IsOpenIdx	no	DDocumentIsOpen	yes	no
◇* Prim	yes	DDocument_ID	yes	no
Reference	no	DDocumentReference	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		DDocumentType	yes	no
		DDocumentYear	yes	no
		DDocumentNumber	yes	no

DDocumentInvoiceXref Customer Payment Invoice Cross-Reference

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Link to DDocument		9999999999	
DDocumentInvoiceXref_ID	Record ID		9999999999	
DDocumentInvoiceXrefAlloTC	TC Allocated Amount		->>>, >>>, >>>, >>9.99	4
DDocumentInvoiceXrefDiscTC	TC Discount Amount		->>>, >>>, >>>, >>9.99	4
DDocumentInvoiceXrefIntTC	TC Interest Amount		->>>, >>>, >>>, >>9.99	4
DInvoice_ID	Link to DInvoice		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Document	no	DDocument_ID	yes	no
◇ Invoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DDocumentInvoiceXref_ID	yes	no

DDocumentPayCode Customer Payment Payment Code

Field Name	Label	Col-Label	Format	Dec
DDocument_ID			9999999999	
DDocumentPayCode_ID	Record ID		9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
PayFormatCode_ID			9999999999	
PayFormatGroup_ID			9999999999	
PayFormatTypeCode			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DDocument	no	DDocument_ID	yes	no
◇* Prim	yes	DDocumentPayCode_ID	yes	no

DDocumentPostingLine Customer Payment Posting Line

Field Name	Label	Col-Label	Format	Dec
DDocument_ID	Link to DDocument		9999999999	
DDocumentPostingLine_ID	Record ID		9999999999	
DDocumentStatus	Customer Payment Status		x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DDoc	no	DDocument_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DDocumentPostingLine_ID	yes	no
◇ Unilidx	yes	DDocument_ID	yes	no
		PostingLine_ID	yes	no

DDocumentStatusCustomer Payment Status

Field Name	Label	Col-Label	Format	Dec
BankGL_ID	Bank Account Code		9999999999	
Company_ID	Link to Company		9999999999	
DDocumentStatus_ID	Record ID		9999999999	
DDocumentStatusDefValDays	Default Value Days		>>9	
DDocumentStatusDocType	Payment Instrument		x(20)	
DDocumentStatusStatus	Status		x(20)	
GL_ID	GL Account		9999999999	
Journal_ID	Daybook Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankGL	no	BankGL_ID	yes	no
◇ Company	no	Company_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	DDocumentStatus_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		DDocumentStatusDocType	yes	no
		DDocumentStatusStatus	yes	no
		BankGL_ID	yes	no

Debtor

Customer

Field Name	Label	Col-Label	Format	Dec
BillToDebtor_ID	Bill-To Customer	Bill-To	9999999999	
BLWIGroup_ID	BLWI Group Code	BLWI Group	9999999999	
BusinessRelation_ID	Business Relation	Business Relation Code	9999999999	
CnControlGLProfile_ID	Control GL Profile (Credit Note)		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Record ID		9999999999	
DebtorCode	Customer Code		x(8)	
DebtorCommentNote	Comment Note		x(2000)	
DebtorCreditRating_ID	Credit Rating		9999999999	
DebtorDBNumber	Credit Agency Reference	Credit Agency Ref	x(12)	
DebtorFixedCredLimTC	Fixed Credit Limit		->>>, >>>, >>>, >>9.99	4
DebtorHighCredit	High Credit		->>>, >>>, >>>, >>9.99	4
DebtorHighCreditDate	High Credit Date		99/99/9999	
DebtorsActive	Active		yes/no	
DebtorsCheckAftDICredLim	Calculate after Invoice Entry		yes/no	
DebtorsCheckAftSOCredLim	Calculate after Order Entry		yes/no	
DebtorsCheckBefDICredLim	Calculate before Invoice Entry		yes/no	
DebtorsCheckBefSOCredLim	Calculate before Order Entry		yes/no	
DebtorsFinanceCharge	Finance Charge		yes/no	
DebtorsFixedCredLim	Apply Fixed Ceiling		yes/no	
DebtorsInclDraftCredLim	Include Drafts		yes/no	
DebtorsInclOpenItmCredLim	Include Open Items		yes/no	
DebtorsInclSOCredLim	Include Sales Orders		yes/no	
DebtorsInvoiceByAuth	Invoice by Authorization		yes/no	
DebtorsLockedCredLim	Credit Hold		yes/no	
DebtorsMaxDaysDueCredLim	Maximum Days Overdue		yes/no	
DebtorsOverruleDICredLim	Override Allowed		yes/no	
DebtorsOverruleSOCredLim	Override Allowed		yes/no	
DebtorsPrintReminder	Print Reminder		yes/no	
DebtorsPrintStatement	Print Statement		yes/no	
DebtorsTaxable	Taxable Customer		yes/no	
DebtorsTaxInCity	Tax in City		yes/no	
DebtorsTaxIncluded	Tax Is Included		yes/no	
DebtorsToBeLockedCredLim	Credit Hold on Overrun		yes/no	
DebtorsTurnOverCredLim	Apply % of Turnover		yes/no	
DebtorsWithPreInvGroup	Customer is Member of Pre-Invoice Group		yes/no	
DebtorLastCreditReview	Last Credit Review		99/99/9999	
DebtorLastCreditUpdate	Last Credit Update		99/99/9999	
DebtorLastFinChargeDate	Last Finance Charge Date		99/99/9999	
DebtorLastPayment	Last Payment Date		99/99/9999	
DebtorLastSale	Last Sale Date		99/99/9999	
DebtorMaxNumDaysCredLim	Maximum Number of Days		>>9	
DebtorPercTurnOverCredLim	Percentage of Turnover		->, >>>, >>9.99	2
DebtorPercWarningCredLim	Warning Ceiling %		->, >>>, >>9.99	2
DebtorSalesOrderBalance	Sales Order Balance		->>>, >>>, >>>, >>9.99	4
DebtorStatementCycle	Statement Cycle		x(4)	
DebtorTaxDeclaration	Tax Declaration		->, >>>, >>9	
DebtorTaxIDFederal	Federal Tax		x(18)	
DebtorTaxIDMisc1	Miscellaneous Tax 1		x(18)	
DebtorTaxIDMisc2	Miscellaneous Tax 2		x(18)	
DebtorTaxIDMisc3	Miscellaneous Tax 3		x(18)	
DebtorTaxIDState	State Tax		x(18)	
DebtorTotalDaysLate	Total Days Late		->, >>>, >>9	
DebtorTotalNbrOfInvoices	Nbr of Paid Invoices		->, >>>, >>9	
DebtorType_ID	Customer Type		9999999999	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
DomiciliationNumber	Domiciliation Number		999999999999	
FinChgGLProfile_ID	Finance Charge Profile		9999999999	
InvControlGLProfile_ID	Control GL Profile (Invoice)		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
ObsoleteCheckAftPICredLim	Check after Pre-Invoice Entry		yes/no	

Field Name	Label	Col-Label	Format	Dec
ObsoleteCheckBefPICredLim	Check before Pre-Invoice Entry		yes/no	
ObsoleteGroupingSOOnPreInv	Group Customer's SO on Pre-Invoice	Group on Pre-Invoice	yes/no	
ObsoleteInclPreInvCredLim	Include Pre-Invoices		yes/no	
ObsoleteOverridePICredLim	Override Allowed		yes/no	
ObsoletePreInvGroup_ID			9999999999	
PaymentGroup_ID	Payment Group		9999999999	
PrePayControlGLProfile_ID	Control GL Profile (Pre-payment)		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
SalesAccountGLProfile_ID	Sales Account GL Profile		9999999999	
SalesCode_ID	Link to SalesCode		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
TxclTaxCls	Tax Class		x(3)	
TxuTaxUsage	Tax Usage		x(8)	
TxzTaxZone	Tax Zone		x(16)	
VatDeliveryType	Tax Nature		x(20)	
VatPercentageLevel	Tax Level		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CnGLControl	no	CnControlGLProfile_ID	yes	no
◇ Code	no	DebtorCode	yes	no
◇ DebtorType	no	DebtorType_ID	yes	no
◇ InvGLControl	no	InvControlGLProfile_ID	yes	no
◇ PrepayProfile	no	PrePayControlGLProfile_ID	yes	no
◇* Prim	yes	Debtor_ID	yes	no
◇ Relation	no	BusinessRelation_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		DebtorCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		DebtorIsActive	yes	no
		DebtorCode	yes	no

DebtorCreditRatingCustomer Credit Rating

Field Name	Label	Col-Label	Format	Dec
DebtorCreditRating_ID	Record ID		9999999999	
DebtorCreditRatingCode	Code		x(8)	
DebtorCreditRatingDescript	Description		x(40)	
DebtorCreditRatingIsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	DebtorCreditRatingCode	yes	no
◇* Prim	yes	DebtorCreditRating_ID	yes	no

DebtorEndUser Customer End User

Field Name	Label	Col-Label	Format	Dec
Address_ID	City		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer Code		9999999999	
DebtorEndUser_ID	Record ID		9999999999	
DebtorEndUserCode	End User Code		x(8)	
DebtorEndUserIsDebtor	Link to Customer		yes/no	
DebtorEndUserIsShipTo	Link to Ship-to Address		yes/no	
DebtorEndUserName	End User Name		x(36)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorEndUser_ID	yes	no
◇ Uniqueldx	yes	DebtorEndUserCode	yes	no
		SharedSet_ID	yes	no

DebtorSafDefaultCustomer SAF Default

Field Name	Label	Col-Label	Format	Dec
Debtor_ID	Link to Debtor		9999999999	
DebtorSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ Uniqueldx	yes	Debtor_ID	yes	no
		SafConcept_ID	yes	no

DebtorShipToCustomer Ship-To

Field Name	Label	Col-Label	Format	Dec
Address_ID	City		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer Code		9999999999	
DebtorEndUser_ID	End User Code		9999999999	

Field Name	Label	Col-Label	Format	Dec
DebtorShipTo_ID	Record ID		9999999999	
DebtorShipToCode	Ship-To Code		x(8)	
DebtorShipToIsDebtor	Link to Another Customer		yes/no	
DebtorShipToName	Ship-To Name		x(36)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Address	no	Address_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇* Prim	yes	DebtorShipTo_ID	yes	no
◇ UniqueIdx	yes	DebtorShipToCode	yes	no
		SharedSet_ID	yes	no

DebtorType Customer Type

Field Name	Label	Col-Label	Format	Dec
DebtorType_ID	Record ID		9999999999	
DebtorTypeCode	Code		x(4)	
DebtorTypeDescription	Description		x(40)	
DebtorTypeIsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	DebtorTypeIsActive	yes	no
◇* Prim	yes	DebtorType_ID	yes	no
◇ UniqueIdx	yes	DebtorTypeCode	yes	no
◇ ViewIndex	no	DebtorTypeIsActive	yes	no
		DebtorTypeCode	yes	no

decl_mstr Declarant Master

Field Name	Label	Col-Label	Format	Dec
decl__qadc01			x(24)	
decl__qadc02			x(24)	
decl_addr	Declarant		x(8)	
decl_affiliation	Affiliation		x(1)	
decl_agent	Agent		x(8)	
decl_branch	Branch ID		x(5)	
decl_company_id	Company ID Number		x(14)	
decl_ctr_code	Country Code		x(3)	
decl_curr	Currency		x(3)	
decl_domain	Domain		x(8)	
decl_ex_ratetype	Rate Type		x(8)	
decl_intr_division	Intrastat Division	Div	x(3)	
decl_mod_date	Modified Date	Mod Date	99/99/99	
decl_mod_userid	User ID		x(8)	
decl_net_wt_min	Intrastat Net Weight Minimum		>>>,>>>,>>9.99	10
decl_program	Program		x(12)	
decl_region	Declaration Region		x(6)	

Field Name	Label	Col-Label	Format	Dec
decl_user1	User Field Character 1		x(24)	
decl_user2	User Field Character 2		x(24)	
decl_validation_code	Validation Code		x(8)	
oid_decl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			a<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* decl_addr	yes	decl_domain	yes	no
		decl_addr	yes	no
oid decl mstr	yes	oid decl mstr	yes	no

ded_det Data Entry Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ded_keys_fld	yes	ded_domain	yes	no
		ded_document	yes	no
		ded_key1	yes	no
		ded_key2	yes	no
		ded_line_nbr1	yes	no
		ded_line_nbr2	yes	no
		ded_field_name	yes	no
oid_ded_det	yes	oid_ded_det	yes	no

deed_det Data Entry Extension Detail

Field Name	Label	Col-Label	Format	Dec
deed__qadc01			x(24)	
deed__qadc02			x(24)	
deed_document	Document		x(16)	
deed_domain	Domain		x(8)	
deed_extension	Extension		x(16)	
deed_mod_date	Modified Date	Mod Date	99/99/99	
deed_mod_userid	User ID		x(8)	
deed_profile	Profile		x(16)	
deed_user1	User Field Character 1		x(24)	
deed_user2	User Field Character 2		x(24)	
oid_deed_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* deed_ext_prof	yes	deed_domain	yes	no
		deed_document	yes	no
		deed_extension	yes	no
		deed_profile	yes	no
oid_deed_det	yes	oid_deed_det	yes	no

Data Entry Extension Master

Field Name	Label	Col-Label	Format	Dec
dee__qadc01			x(24)	
dee__qadc02			x(24)	
dee_desc	Description		x(40)	
dee_document	Document		x(16)	
dee_domain	Domain		x(8)	
dee_extension	Extension		x(16)	
dee_mod_date	Modified Date	Mod Date	99/99/99	
dee_mod_userid	User ID		x(8)	
dee_user1	User Field Character 1		x(24)	
dee_user2	User Field Character 2		x(24)	
oid_dee_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dee_ext	yes	dee_domain	yes	no
		dee_document	yes	no
		dee_extension	yes	no
oid_dee_mstr	yes	oid_dee_mstr	yes	no

Data Entry Frame Sequence Condition Detail

Field Name	Label	Col-Label	Format	Dec
defc__qadc01			x(24)	
defc__qadc02			x(24)	
defc_cond_nbr	Condition	Cnd	>>9	
defc_cond_set_nbr	Condition Set	Set	>>9	
defc_desc	Description		x(40)	
defc_direction	Direction		Backward/Forward	
defc_document	Document		x(16)	
defc_domain	Domain		x(8)	
defc_field_name	Field Name		x(24)	
defc_field_value	Field Value		x(40)	
defc_frame_nbr	Frame Number	Frm	>>9	
defc_mod_date	Modified Date	Mod Date	99/99/99	
defc_mod_userid	User ID		x(8)	
defc_profile	Profile		x(16)	
defc_user1	User Field Character 1		x(24)	
defc_user2	User Field Character 2		x(24)	
defc_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
defc_useri01	User Field Integer 1		->>>>>>>9	
defc_userl01	User Field Logical 1		yes/no	
defc_usert01	User Field Date 1		99/99/99	
oid_defc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* defc_cond	yes	defc_domain	yes	no
		defc_document	yes	no
		defc_profile	yes	no
		defc_frame_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		defc_direction	yes	no
		defc_cond_set_nbr	yes	no
		defc_cond_nbr	yes	no
oid_defc_det	yes	oid_defc_det	yes	no

defd_det	Data Entry Frame Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* defd_prof_frm	yes	defd_domain	yes	no
		defd_document	yes	no
		defd_profile	yes	no
		defd_frame_nbr	yes	no
oid defd det	yes	oid defd det	yes	no

deff_det Data Entry Frame Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* deff_fld	yes	deff_domain	yes	no
		deff_document	yes	no
		deff_profile	yes	no
		deff_frame_nbr	yes	no
		deff_field_nbr	yes	no
oid_deff_det	yes	oid_deff_det	yes	no

defl_det

Data Entry Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
defl_ext_fld	no	defl_domain	yes	no
		defl_document	yes	no
		defl_extension	yes	no
		defl_field_name	yes	no
* defl_fld	yes	defl_domain	yes	no
		defl_document	yes	no
		defl_field_name	yes	no
oid_defl_det	yes	oid_defl_det	yes	no

defr_det

Service Contract Deferred/Accrued Revenue Detail

Field Name	Label	Col-Label	Format	Dec
defr__qadc01			x(24)	
defr__qadc02			x(24)	
defr__qadd01			->>>>, >>>, >>>9.9<<<<<<<<<<	10
defr__qadi01			->>>>>>>9	
defr__qadl01			yes/no	
defr__qadt01			99/99/99	
defr_accr_amt	Accrued Amount		->>>>, >>>, >>>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* defr_nbrln	yes	defr_domain	yes	no
		defr_nbr	yes	no
		defr_prefix	yes	no
		defr_line	yes	no
		defr_inv_nbr	yes	no
oid defr_det	yes	oid_defr_det	yes	no

Data Entry Frame Sequence Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
delt_site	yes	delt_domain	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_use_category	yes	no
		delt_method	yes	no
* delt_use_category	yes	delt_domain	yes	no
		delt_use_category	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_method	yes	no
oid delt mstr	yes	oid delt mstr	yes	no

dep_mstr Data Entry Profile Master

Field Name	Label	Col-Label	Format	Dec
dep_qadc01			x(24)	
dep_qadc02			x(24)	
dep_canrun[15]	Roles		x(60)	
dep_default	Default Profile		yes/no	
dep_desc	Description		x(40)	
dep_document	Document		x(16)	
dep_domain	Domain		x(8)	
dep_mod_date	Modified Date	Mod Date	99/99/99	
dep_mod_userid	User ID		x(8)	
dep_profile	Profile		x(16)	
dep_user1	User Field Character 1		x(24)	
dep_user2	User Field Character 2		x(24)	
oid_dep_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dep_prof	yes	dep_domain	yes	no
		dep_document	yes	no
		dep_profile	yes	no
oid dep_mstr	yes	oid dep_mstr	yes	no

deu_det Data Entry User Detail

Field Name	Label	Col-Label	Format	Dec
deu__qadc01			x(24)	
deu__qadc02			x(24)	
deu_document	Document		x(16)	
deu_domain	Domain		x(8)	
deu_id_type	ID Type		Role/User	
deu_mod_date	Modified Date	Mod Date	99/99/99	
deu_mod_userid	User ID		x(8)	
deu_profile	Default Profile		x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
deu_profile	no	deu_domain	yes	no
		deu_document	yes	no
		deu_profile	yes	no
		deu_id_type	yes	no
		deu_userid	yes	no
deu_user	yes	deu_domain	yes	no
		deu_document	yes	no
		deu_id_type	yes	no
		deu_userid	yes	no
oid_deu_det	yes	oid_deu_det	yes	no

[illegible]

df mstr

Document Print Format Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* df_format	yes	df_domain	yes	no
		df_type	yes	no
		df_format	yes	no
oid df_mstr	yes	oid df_mstr	yes	no

DHist

Customer Balance History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Currency_ID	Link to Currency		9999999999	
DBalance_ID	Link to DBalance		9999999999	
Debtor_ID	Link to Debtor		9999999999	
DHist_ID	Record ID		9999999999	
DHistBalanceCC	SC Balance		->>>,>>>,>>>,>>9.99	4
DHistBalanceLC	BC Balance		->>>,>>>,>>>,>>9.99	4
DHistBalanceTC	TC Balance		->>>,>>>,>>>,>>9.99	4
DHistGrossCredNoteCC	SC Gross Credit Note		->>>,>>>,>>>,>>9.99	4
DHistGrossCredNoteLC	BC Gross Credit Note		->>>,>>>,>>>,>>9.99	4
DHistGrossCredNoteTC	TC Gross Credit Note		->>>,>>>,>>>,>>9.99	4
DHistGrossInvoiceCC	SC Gross Invoice		->>>,>>>,>>>,>>9.99	4
DHistGrossInvoiceLC	BC Gross Invoice		->>>,>>>,>>>,>>9.99	4
DHistGrossInvoiceTC	TC Gross Invoice		->>>,>>>,>>>,>>9.99	4
DHistMovementCreditCC	SC Activity Credit		->>>,>>>,>>>,>>9.99	4
DHistMovementCreditLC	BC Activity Credit		->>>,>>>,>>>,>>9.99	4
DHistMovementCreditTC	TC Activity Credit		->>>,>>>,>>>,>>9.99	4
DHistMovementDebitCC	SC Activity Debit		->>>,>>>,>>>,>>9.99	4
DHistMovementDebitLC	BC Activity Debit		->>>,>>>,>>>,>>9.99	4
DHistMovementDebitTC	TC Activity Debit		->>>,>>>,>>>,>>9.99	4
DHistNettoCredNoteCC	SC Net Credit Note		->>>,>>>,>>>,>>9.99	4
DHistNettoCredNoteLC	BC Net to Credit Note		->>>,>>>,>>>,>>9.99	4
DHistNettoCredNoteTC	TC Net Credit Note		->>>,>>>,>>>,>>9.99	4
DHistNettoInvoiceCC	SC Net Invoice		->>>,>>>,>>>,>>9.99	4
DHistNettoInvoiceLC	BC Net to Invoice		->>>,>>>,>>>,>>9.99	4
DHistNettoInvoiceTC	TC Net Invoice		->>>,>>>,>>>,>>9.99	4
DHistYearPeriodFrom	From Year GL Period		->,>>>,>>9	
DHistYearPeriodTill	To Year GL Period		->,>>>,>>9	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
Journal_ID	Link to Journal		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyDebtorYearPeriodFrom	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DHistYearPeriodFrom	yes	no
CyDebtorYearPeriodTill	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DHistYearPeriodTill	yes	no
◇ CyYearPeriodFrom	no	Company_ID	yes	no
		DHistYearPeriodFrom	yes	no
◇ CyYearPeriodTill	no	Company_ID	yes	no
		DHistYearPeriodTill	yes	no
DBalance	no	DBalance_ID	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇* Prim	yes	DHist_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		DHistYearPeriodFrom	yes	no
		Currency_ID	yes	no
		Debtor_ID	yes	no
		GL_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
		Journal_ID	yes	no
		Division_ID	yes	no

DInvoice

Customer Invoice

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ControlGL_ID	Account		9999999999	
CostCentre_ID	Cost Center		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Link to Debtor		9999999999	
DebtorVatNumber_ID	Link to VatNumber		9999999999	
DeliveryCond_ID	Link to DeliveryCond		9999999999	
DInvoice_ID	Record ID		9999999999	
DInvoiceBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceCreditCC	SC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceCreditLC	BC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceCreditTC	TC Balance Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceDebitCC	SC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceDebitLC	BC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceDebitTC	TC Balance Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
DInvoiceBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
DInvoiceBatch	Batch Number		x(8)	
DInvoiceCCRate	SC Rate		->, >>>, >>9.9999999999	10
DInvoiceCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
DInvoiceClosingDate	Closing Date		99/99/9999	
DInvoiceCombinedStatus	Status		x(20)	
DInvoiceComm1	% Commission	% Commission 1	>>>9.99	2
DInvoiceComm2	% Commission	% Commission 2	>>>9.99	2
DInvoiceComm3	% Commission	% Commission 3	>>>9.99	2
DInvoiceComm4	% Commission	% Commission 4	>>>9.99	2
DInvoiceCommentNote	Comments		x(2000)	
DInvoiceContact	Contact		x(40)	
DInvoiceCurrency_ID	Currency Code	Curr	9999999999	
DInvoiceDate	Invoice Date	Inv Date	99/99/9999	
DInvoiceDebtorVatNumber	Customer Tax Number		x(40)	
DInvoiceDescription	Description		x(40)	
DInvoiceDiscountDueDate	Discount Due Date		99/99/9999	
DInvoiceDiscPercentage	Discount Percentage		->>>9.99	2
DInvoiceDIText	Description		x(40)	
DInvoiceDueDate	Due Date		99/99/9999	
DInvoiceExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
DInvoiceGraceDays	Grace Days		->, >>>, >>9	
DInvoicelsDiscTaxAtInv	Discount Tax at Invoice		yes/no	
DInvoicelsDiscTaxAtPaym	Discount Tax at Payment		yes/no	
DInvoicelsExternal	External	External Invoice	yes/no	
DInvoicelsOpen	Open		yes/no	
DInvoicelsPaymentAllowed	CN Payment Allowed		yes/no	
DInvoicelsSelected	Selected	Sel	yes/no	
DInvoicelsTaxable	Taxable		yes/no	
DInvoicelsTaxExcluded	Tax Excluded	Tax Excl	yes/no	
DInvoicelsVatDelay	Tax Delay		yes/no	
DInvoicelsWithBank	With Bank		yes/no	
DInvoiceLastFinChargeDate	Last Finance Charge Date		99/99/9999	
DInvoiceLastReminderDate	Last Reminder Date		99/99/9999	
DInvoiceLateInt	Late Interest		->>>9.99	2
DInvoiceMarginAmountTC	Margin Amount		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtCC	SC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtLC	BC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceNonDiscAmtTC	TC Non-disc Amt		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditCC	SC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditLC	BC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalCreditTC	TC Invoice Amount (CR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitCC	SC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitLC	BC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOriginalDebitTC	TC Invoice Amount (DR)		->>>, >>>, >>>, >>9.99	4
DInvoiceOwnVatNumber	Own Tax Number		x(40)	
DInvoicePaymentDate	Expected Payment Date		99/99/9999	
DInvoicePostingDate	Posting Date		99/99/9999	
DInvoicePostingPeriod	GL Period		99	
DInvoicePostingYear	Year		9999	

Field Name	Label	Col-Label	Format	Dec
DInvoicePostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
DInvoicePurchaseOrder	Purchase Order		x(22)	
DInvoiceRateScale	Scale Factor		->,>>>,>>9.999999999	10
DInvoiceReminderCount	Reminder Counter		->,>>>,>>9	
DInvoiceSalesAmt	Sales Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceShipToCode	Ship-To Code		x(8)	
DInvoiceSlsPsn1	Salesperson 1		x(8)	
DInvoiceSlsPsn2	Salesperson 2		x(8)	
DInvoiceSlsPsn3	Salesperson 3		x(8)	
DInvoiceSlsPsn4	Salesperson 4		x(8)	
DInvoiceTaxPointDate	Tax Point Date		99/99/9999	
DInvoiceTSMNumber	Payment Reference		x(40)	
DInvoiceType	Type		x(20)	
DInvoiceVatBaseCreditCC	SC Tax Base Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatBaseCreditLC	BC Tax Base Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatBaseCreditTC	TC Tax Base Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatBaseDebitCC	SC Tax Base Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatBaseDebitLC	BC Tax Base Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatBaseDebitTC	TC Tax Base Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatCreditCC	SC Tax Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatCreditLC	BC Tax Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatCreditTC	TC Tax Amount (CR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatDebitCC	SC Tax Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatDebitLC	BC Tax Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatDebitTC	TC Tax Amount (DR)		->>>,>>>,>>>,>>9.99	4
DInvoiceVatExchangeRate	Tax Exchange Rate		->,>>>,>>9.999999999	10
DInvoiceVatRateScale	Tax Rate Scale		->,>>>,>>9.999999999	10
DInvoiceVoucher	Voucher		999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
LinkedDInvoice_ID	Voucher		9999999999	
NormalPaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
OwnVatNumber_ID	Link to VatNumber		9999999999	
Period_ID	Link to Period		9999999999	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Reason_ID	Invoice Status Code		9999999999	
ShipFromAddress_ID	Address		9999999999	
ShipToAddress_ID	City		9999999999	
SoldToDebtor_ID	Customer Code		9999999999	
TransactionEndCountry_ID	Country Code	Country	9999999999	
TransactionStartCountry_ID	Country Code	Country	9999999999	
VatCurrency_ID	Tax Declaration Currency	Tax Currency	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CombinedStatus	no	DInvoiceCombinedStatus	yes	no
◇ Company	no	Company_ID	yes	no
◇ CompanyClosingDate	no	Company_ID	yes	no
		DInvoiceClosingDate	yes	no
◇ ControlGL	no	ControlGL_ID	yes	no
CyDebtorClosingDate	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceClosingDate	yes	no
◇ CyPeriodYearPeriod	no	Company_ID	yes	no
		DInvoicePostingYearPeriod	yes	no
◇ Debtor	no	Debtor_ID	yes	no
DebtorVatNumber	no	DebtorVatNumber_ID	yes	no
DInvoiceCurrency	no	DInvoiceCurrency_ID	yes	no
DInvoiceDITextIdx	no	DInvoiceDIText	yes	no
DInvoicePostingYear	no	DInvoicePostingYear	yes	no
◇ Division	no	Division_ID	yes	no
◇ InvoiceDateIDX	no	DInvoiceDate	yes	no
◇ IsOpen	no	DInvoicesOpen	yes	no
◇ IsSelected	no	DInvoicesSelected	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsWithBank	no	DInvoiceIsWithBank	yes	no
◇ Journal	no	Journal_ID	yes	no
LinkedDInvoice	no	LinkedDInvoice_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDateIDX	no	DInvoicePostingDate	yes	no
◇* Prim	yes	DInvoice_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		DInvoicePostingYear	yes	no
		Journal_ID	yes	no
		DInvoiceVoucher	yes	no
◇ VatCurrency	no	VatCurrency_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		DInvoicePostingYear	yes	no
		DInvoicePostingPeriod	yes	no
		Journal_ID	yes	no
		DInvoiceVoucher	yes	no
◇ Voucher	no	DInvoiceVoucher	yes	no

DInvoiceBankCustomer Invoice Bank Records

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Formatted Bank Account No	Formatted Number	9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceBank_ID	Record ID		9999999999	
DInvoiceBankToPayTC	TC Payment Amount		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceBank_ID	yes	no
◇ UniqueIdx	yes	DInvoice_ID	yes	no
		BankNumber_ID	yes	no

DInvoiceBankPayCodeCustomer Invoice Bank Payment Code

Field Name	Label	Col-Label	Format	Dec
DInvoiceBank_ID	Link to DInvoiceBank		9999999999	
DInvoiceBankPayCode_ID	Record ID		9999999999	
DInvoiceBankPayCodeValue	Value		x(40)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IBank	no	DInvoiceBank_ID	yes	no
◇* Prim	yes	DInvoiceBankPayCode_ID	yes	no

DInvoiceMovement Customer Invoice Movements

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Link to Debtor		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceMovement_ID	Record ID		9999999999	
DInvoiceMovementDiscountT C	TC Discount Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceMovementIsForDraft	For Draft		yes/no	
DInvoiceMovementPostDate			99/99/9999	
DInvoiceMovementType	Type		x(20)	
DInvoiceMovementYearPeriod	Year/GL Period		999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ CyDate	no	Company_ID	yes	no
		DInvoiceMovementPostDate	yes	no
CyDebtDate	no	Company_ID	yes	no
		Debtor_ID	yes	no
		DInvoiceMovementPostDate	yes	no
CyDebYearPd	no	Company_ID	yes	no
		Debtor_ID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		DInvoiceMovementYearPeriod	yes	no
◇ Debtor	no	Debtor_ID	yes	no
◇ IMovYearPd	no	DInvoiceMovementYearPeriod	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DInvoiceMovement_ID	yes	no

DInvoiceOpInfo Customer Invoice Operational Info

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceOpInfo_ID	Record ID		9999999999	
DInvoiceOpInfoCode	Identifier		x(20)	
DInvoiceOpInfoDescription	Description		x(40)	
DInvoiceOpInfoType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceOpInfo_ID	yes	no
◇ TypeCode	no	DInvoiceOpInfoType	yes	no
		DInvoiceOpInfoCode	yes	no
◇ UniqueIdx	yes	DInvoice_ID	yes	no
		DInvoiceOpInfoType	yes	no
		DInvoiceOpInfoCode	yes	no

DInvoicePosting Customer Invoice Posting Link

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID	Link to DInvoice		9999999999	
DInvoicePosting_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	DInvoicePosting_ID	yes	no

DInvoiceShipper Customer Invoice Shipper References

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID			9999999999	
DInvoiceShipper_ID	Record ID		9999999999	
DInvoiceShipperCode			x(20)	
DInvoiceShipperDescription			x(40)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ ShipperCode	no	DInvoiceShipperCode	yes	no
◇* Prim	yes	DInvoiceShipper_ID	yes	no

DInvoiceStage Customer Invoice Stage Payment

Field Name	Label	Col-Label	Format	Dec
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceStage_ID	Record ID		9999999999	
DInvoiceStageAmountCC	SC Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceStageAmountLC	BC Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceStageAmountTC	TC Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceStageAmtAppliedTC	TC Applied Amount		->>>,>>>,>>>,>>9.99	4
DInvoiceStageDiscDate	Discount Date		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
DInvoiceStageDiscPerc			->, >>>, >>>9.99	3
DInvoiceStageDueDate	Due Date		99/99/9999	
DInvoiceStagePercentage	Percentage	%	->, >>>, >>>9.99	2
PaymentConditionStaged_ID	Credit Terms Code	Cred Trm	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇ DueDate	no	DInvoiceStageDueDate	yes	no
◇* Prim	yes	DInvoiceStage_ID	yes	no
◇ Uniqueldx	yes	DInvoiceStageDueDate	yes	no
		DInvoice_ID	yes	no

DInvoiceVat Customer Invoice Tax Records

Field Name	Label	Col-Label	Format	Dec
AbsRetTaxDivision_ID	Absorbed Tax Sub-Account	Abs Tax Sub-Acct	9999999999	
AbsRetTaxGL_ID	Absorbed Tax Account	Abs Tax Account	9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DInvoiceVat_ID	Record ID		9999999999	
DInvoiceVatIsAbsRet	Absorbed		yes/no	
DInvoiceVatIsAccrRcpUs	Accrue at Receipt/Usage		yes/no	
DInvoiceVatIsRevCharge	Reverse Charge	Rev Charge	yes/no	
DInvoiceVatIsSuspDel	Suspended Tax	Susp Tax	yes/no	
DInvoiceVatIsTaxable	Taxable		yes/no	
DInvoiceVatIsUpdAllow	Upd Allow		yes/no	
DInvoiceVatNTBaseCreditTC			->>>, >>>, >>>9.99	4
DInvoiceVatNTBaseDebitTC			->>>, >>>, >>>9.99	4
DInvoiceVatSequence	Sequence		9999999999	
DInvoiceVatSuspDelTaxAmtTC	Tax Amount on Suspended Account (TC)	Tax Amount on Susp Acct (TC)	->>>, >>>, >>>9.99	4
DInvoiceVatTaxTrType	Tax Transaction Type	Tax Tr Type	x(2)	
DInvoiceVatUILinkedRowID			x(30)	
DInvoiceVatVatBaseCreditCC	SC Base Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatBaseCreditLC	BC Base Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatBaseCreditTC	TC Base Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatBaseDebitCC	SC Base Amount (DR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatBaseDebitLC	BC Base Amount (DR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatBaseDebitTC	TC Base Amount (DR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatCreditCC	SC Tax Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatCreditLC	BC Tax Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatCreditTC	TC Tax Amount (CR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatDebitCC	SC Tax Amount (DR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatDebitLC	BC Tax Amount (DR)		->>>, >>>, >>>9.99	4
DInvoiceVatVatDebitTC	TC Tax Amount (DR)		->>>, >>>, >>>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NormalTaxDivision_ID	Normal Tax Sub-Account	Normal Tax Sub-Acct	9999999999	
NormalTaxGL_ID	Normal Tax Account		9999999999	
PostingVat_ID	Link to PostingVat		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SuspDelTaxDivision_ID	Suspended Tax Sub-Account	Susp Tax Sub-Acct	9999999999	
SuspDelTaxGL_ID	Suspended Tax Account	Susp Tax Acct	9999999999	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment	Tax Env	x(16)	
TxtyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Domain		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DInvoice	no	DInvoice_ID	yes	no
◇* Prim	yes	DInvoiceVat_ID	yes	no
◇ UniqueTax	yes	DInvoice_ID	yes	no
		TxuTaxUsage	yes	no
		TxcITaxCls	yes	no
		TxenvTaxEnv	yes	no
		Vat_ID	yes	no
◇ Vat	no	Vat_ID	yes	no

Division

Sub-Account

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Link to BudgetGroup		9999999999	
COAMaskDivProfile_ID	COA Mask Profile		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Record ID		9999999999	
DivisionCode	Sub-Account	Sub-Acct	x(8)	
DivisionDescription	Description		x(24)	
DivisionIsActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskDivProfile_ID	yes	no
◇* Prim	yes	Division_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		DivisionCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		DivisionIsActive	yes	no
		DivisionCode	yes	no

dmw_wkfl Draft Management Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
dmw_bill	no	dmw_bill	yes	no
		dmw_entity	yes	no
		dmw_curr	yes	no
* dmw_nbr	yes	dmw_nbr	yes	no
		dmw_bill	yes	no
		dmw_sel	yes	no
oid_dmw_wkfl	yes	oid_dmw_wkfl	yes	no

DomainPropertyDomain Property

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Base Currency	Curr	9999999999	
Domain_ID	Link to Domains		9999999999	
DomainProperty_ID	Record ID		9999999999	
DomainPropertyCodePage	Domain Code Page		x(16)	
DomainPropertyExceptList	Domain Exception List		x(100)	
DomainPropertyIsChronoINr	Chronological Invoice Numbering		yes/no	
DomainPropertyIsConsecutNr	Consecutive Invoice Numbering		yes/no	
DomainPropertyIsMaskCC	Cost Center COA Mask		yes/no	
DomainPropertyIsMaskCCAll	Cost Center All-Range Mask By Default		yes/no	
DomainPropertyIsMaskDiv	Sub-Account COA Mask		yes/no	

Field Name	Label	Col-Label	Format	Dec
DomainPropertyIsMaskDivAll	Sub-Account All-Range Mask By Default		yes/no	
DomainPropertyIsMaskPrjAll	Project All-Range Mask By Default		yes/no	
DomainPropertyIsMaskProj	Project COA Mask		yes/no	
DomainPropertyIsPopupInvNr	Show Supplier Invoice Number in Pop-up After Save		yes/no	
DomainPropertyIsSetupComp	Setup Complete		yes/no	
DomainPropertyIsStatutory	Statutory Currency Enabled		yes/no	
DomainPropertyIsTaxValid	Tax Validation		yes/no	
DomainPropertyIsWHT	Use Withholding Tax		yes/no	
DomainPropertyName	Name		x(28)	
DomainPropertyNonChronErr	Action on Non-Chronological Number		x(20)	
DomainPropertySearchName	Search Name		x(14)	
IntercoAPGL_ID	Account Payable GL Account	AP Account	9999999999	
IntercoARGL_ID	Account Receivable GL Account	AR Account	9999999999	
IntercoFAGL_ID	Fixed Asset GL Account	FA Account	9999999999	
IntercoCGL_ID	Inter Company GL Account	IC Account	9999999999	
IntercoJEG_L_ID	Manual Journal Entry GL Account	JE Account	9999999999	
ObsoleteDomPropGLMaskGL	Account GL Mask		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
StatutoryCurrency_ID	Statutory Currency		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DomainIdx	no	Domain_ID	yes	no
IdxStatCurr	no	StatutoryCurrency_ID	yes	no
◇ Name	yes	DomainPropertyName	yes	no
◇* Prim	yes	DomainProperty_ID	yes	no
SearchName	yes	DomainPropertySearchName	yes	no

Domains Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
DomainCode	Domain		x(8)	
DomainDatabase	Database		x(8)	
DomainIsActive	Active		yes/no	
DomainPropath	Propath		x(500)	
DomainTimeZone	Time Zone		x(8)	
DomainType	Type		x(8)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Lng_ID			9999999999	
PrimaryCompany_ID	Primary Entity		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* Domain_PK	yes	Domain_ID	yes	no
DomainCode	yes	DomainCode	yes	no
◇ Lng_FK	no	Lng_ID	yes	no
PrimaryCompany_FK	no	PrimaryCompany_ID	yes	no

DomainSharedSetDomain Shared Set

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
DomainSharedSet_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DOMAINS	no	Domain_ID	yes	no
* DomainSS_PK	yes	DomainSharedSet_ID	yes	no
◇ SharedSet	no	SharedSet ID	yes	no

dom mstr Domain Master

Field Name	Label	Col-Label	Format	Description
dom__qadc01			x(24)	
dom__qadc02			x(24)	
dom_active	Active		yes/no	
dom_data_cpg	Domain Codepage	Domain Codepage	x(16)	
dom_db	Database		x(8)	
dom_domain	Domain		x(8)	
dom_expt_lst	Exceptional Domain List	Exceptional Domain List	x(100)	
dom_mod_date	Modified Date	Mod Date	99/99/99	
dom_mod_userid	User ID		x(8)	
dom_name	Name		x(28)	
dom_propath	Propath		x(2000)	
dom_sname	Short Name		x(14)	
dom_type	Domain Type		x(8)	
dom_tzdb	Time Zone DB		x(16)	
dom_user1	User Field Character 1		x(24)	
dom_user2	User Field Character 2		x(24)	
oid_dom_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	9 10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dom_domain	yes	dom_domain	yes	no
	dom_name	yes	dom_name	yes	no
	oid dom mstr	yes	oid dom mstr	yes	no

dosr_det Depot Order Shipment/Receipt Table

Field Name	Label	Col-Label	Format	Dec
dosr_qadc01			x(24)	
dosr_qadc02			x(24)	
dosr_act_date	Actual Date		99/99/99	
dosr_domain	Domain		x(8)	
dosr_est_date	Estimated Date		99/99/99	
dosr_itm_line	Line		>>9	
dosr_itm_nbr	Depot Order	Order	x(8)	
dosr_line	Line		>>9	
dosr_loc	Location		x(8)	
dosr_mod_date	Modified Date	Mod Date	99/99/99	
dosr_mod_userid	User ID		x(8)	
dosr_qty	Quantity		>,>>>,>>9.9<<<<<<<<<	10
dosr_ref	Ref		>>>>>>>9	
dosr_serial	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
dosr_site	Site		x(8)	
dosr_trans_type	Transaction Type		x(20)	
dosr_user1	User Field Character 1		x(24)	
dosr_user2	User Field Character 2		x(24)	
oid_dosr_det			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* dosr_itm_nbr	yes	dosr_domain	yes	no
		dosr_itm_nbr	yes	no
		dosr_itm_line	yes	no
		dosr_line	yes	no
oid_dosr_det	yes	oid_dosr_det	yes	no

DPay Customer Payment

Field Name	Label	Col-Label	Format	Dec
CDocument_ID	Link to CDocument		9999999999	
DDocument_ID	Link to DDocument		9999999999	
DInvoice_ID	Link to DInvoice		9999999999	
DPay_ID	Record ID		9999999999	
DPayConfirmType	Confirm Message Type		x(20)	
DPayTransTpStat	Transaction Type Status		x(20)	
DPayTypeCode	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySelLine_ID	Link to PaySelLine		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CDocument	no	CDocument_ID	yes	no
◇ DDocument	no	DDocument_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
PayTypeCode	no	DPayTypeCode	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	DPay_ID	yes	no

DPaySel Customer Payment Selection

Field Name	Label	Col-Label	Format	Dec
BankPayFormat_ID	Link to BankPayFormat		9999999999	
Company_ID	Link to Company		9999999999	
DPaySel_ID	Record ID		9999999999	
DPaySelCode	Payment Selection		x(20)	
DPaySelDate	Date		99/99/9999	
GL_ID	Link to GL		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	DPaySelCode	yes	no
◇ Company	no	Company_ID	yes	no
CyDPaySelDate	no	Company_ID	yes	no
		DPaySelDate	yes	no
CyGLDPaySelCode	no	Company_ID	yes	no
		GL_ID	yes	no
		DPaySelCode	yes	no
DPaySelDate	no	DPaySelDate	yes	no
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	DPaySel_ID	yes	no
◇ UniqueIdx	yes	DPaySelCode	yes	no
		Company_ID	yes	no

DPaySelPayCode Customer Payment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
DPaySel_ID	Link to DPaySel		9999999999	
DPaySelPayCode_ID	Record ID		9999999999	
DPaySelPayCodeValue	Value		x(40)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
DPaySel	no	DPaySel_ID	yes	no
◇* Prim	yes	DPaySelPayCode_ID	yes	no
◇ UniqueIdx	yes	DPaySel_ID	yes	no
		PayFormatGroup_ID	yes	no

dpt_mstr Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_chr01			x(8)	
dpt_chr02			x(8)	
dpt_chr03			x(8)	
dpt_chr04			x(8)	
dpt_chr05			x(8)	
dpt_dec01			>>>, >>>, >>>9.99	10
dpt_dec02			>>>, >>>, >>>9.99	10
dpt_dte01			99/99/99	
dpt_dte02			99/99/99	
dpt_log01			yes/no	
dpt_qadc01			x(8)	
dpt_qadc02			x(4)	
dpt_qadc03			x(8)	
dpt_qadc04			x(4)	
dpt_qadc05			x(8)	
dpt_qadc06			x(4)	
dpt_qadc07			x(8)	
dpt_qadc08			x(4)	
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_cop_sub	Cost of Production Sub	Sub-Acct	x(8)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
dpt_domain	Domain		x(8)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->, >>>, >>>9	
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	
oid_dpt_mstr			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* dpt_dept	yes	dpt_domain	yes	no
		dpt_dept	yes	no
dpt_desc	yes	dpt_domain	yes	no
		dpt_desc	yes	no
		dpt_dept	yes	no
oid dpt mstr	yes	oid dpt mstr	yes	no

drp ctrl

Distribution Requirements Planning Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* drp_ctrl	yes	drp_domain	yes	no
oid drp_ctrl	yes	oid drp_ctrl	yes	no

dsd det

Distributed Site Requisition Detail

Field Name	Label	Col-Label	Format	Dec
dsd_chr01			x(8)	
dsd_chr02			x(8)	
dsd_chr03			x(8)	
dsd_chr04			x(8)	
dsd_chr05			x(8)	
dsd_dec01			>>>, >>>, >>9.99	10
dsd_dec02			>>>, >>>, >>9.99	10
dsd_dte01			99/99/99	
dsd_dte02			99/99/99	
dsd_log01			yes/no	
dsd_cmtindx	Comment Index	Comment	>>>>>>9	
dsd_domain	Domain		x(8)	
dsd_due_date	Due Date		99/99/99	
dsd_git_acct	Goods in Transit Acct	GIT Acct	x(8)	
dsd_git_cc	Cost Center	CC	x(4)	
dsd_git_site	In Transit Site	GIT Site	x(8)	
dsd_git_sub	Goods in Tran Sub-Acct	Sub-Acct	x(8)	
dsd_loc	Location		x(8)	
dsd_nbr	Order Number	Order	x(8)	
dsd_part	Item Number		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
dsd_nbr	no	dsd_domain	yes	no
		dsd_nbr	yes	no
		dsd_shipsite	yes	no
dsd_req_nbr	yes	dsd_domain	yes	no
		dsd_req_nbr	yes	no
		dsd_site	yes	no
		dsd_shipsite	yes	no
* dsd_site	yes	dsd_domain	yes	no
		dsd_site	yes	no
		dsd_req_nbr	yes	no
		dsd_shipsite	yes	no
dsr_part_due	no	dsd_domain	yes	no
		dsd_part	yes	no
		dsd_site	yes	no
		dsd_due_date	yes	no
dsr_part_rel	no	dsd_domain	yes	no
		dsd_part	yes	no
		dsd_shipsite	yes	no
		dsd_shipdate	yes	no
oid_dsd_det	yes	oid_dsd_det	yes	no

dsr_mstr

Distributed Site Requisition Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dsr_mstr	yes	dsr_domain	yes	no
		dsr_site	yes	no
		dsr_req_nbr	yes	no
dsr_part	no	dsr_domain	yes	no
		dsr_part	yes	no
		dsr_site	yes	no
		dsr_due_date	yes	no
dsr_req_nbr	yes	dsr_domain	yes	no
		dsr_req_nbr	yes	no
		dsr_site	yes	no
oid_dsr_mstr	yes	oid_dsr_mstr	yes	no

dss mstr Distributed Site Order Master

Field Name	Label	Col-Label	Format	Dec
dss_chr01			x(8)	
dss_chr02			x(8)	
dss_chr03			x(8)	
dss_chr04			x(8)	
dss_chr05			x(8)	
dss_chr06			x(8)	
dss_chr07			x(8)	
dss_chr08			x(8)	
dss_chr09			x(8)	
dss_chr10			x(8)	
dss_dec01	PST		>>>,>>>,>>9.99	10
dss_dec02			>>>,>>>,>>9.99	10
dss_dte01			99/99/99	
dss_dte02			99/99/99	
dss_log01			yes/no	
dss_qad01			-z,zzz,zzz,zz9.99	10
dss_qad02			-z,zzz,zzz,zz9.99	10
dss_qad03			-z,zzz,zzz,zz9.99	10
dss_qad04			>	
dss_qad05[2]			>>9.9<<	10
dss_app_owner	Owner Application		x(12)	
dss_bol	BOL		x(18)	
dss_cartons	Cartons		>,>>>,>>9	
dss_cmtindx	Comment Index	Comment	>>>>>>9	
dss_created	Date Created	Ord Date	99/99/99	
dss_domain	Domain		x(8)	
dss_due_date	Due Date		99/99/99	
dss_fob	FOB Point		x(20)	
dss_fr_list	Freight List	Fr List	x(8)	
dss_fr_min_wt	Fr Min Wt		->>>,>>>,>>9	10
dss_fr_terms	Freight Terms	Fr Terms	x(8)	
dss_lang	Language		x(2)	
dss_nbr	Order Number	Order	x(8)	
dss_po_nbr	Purchase Order	PO	x(22)	
dss_rec_site	Ship-To		x(8)	
dss_rmks	Remarks		x(40)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dss_nbr	yes	dss_domain	yes	no
		dss_nbr	yes	no
		dss_shipsite	yes	no
dss_rec_site	no	dss_domain	yes	no
		dss_rec_site	yes	no
		dss_shipsite	yes	no
		dss_nbr	yes	no
dss_shipsite	no	dss_domain	yes	no
		dss_shipsite	yes	no
		dss_rec_site	yes	no
		dss_nbr	yes	no
oid_dss_mstr	yes	oid_dss_mstr	yes	no

ds_det

Distributed Site Order Detail

Field Name	Label	Col-Label	Format	Dec
ds_chr01			x(8)	
ds_chr02			x(8)	
ds_chr03			x(8)	
ds_chr04			x(8)	
ds_chr05			x(8)	
ds_dec01			>>>,>>>,>>9.99	10
ds_dec02			>>>,>>>,>>9.99	10
ds_dte01			99/99/99	
ds_dte02			99/99/99	
ds_log01			yes/no	
ds_cmtindx	Comment Index	Comment	>>>>>>9	
ds_domain	Domain		x(8)	
ds_due_date	Due Date		99/99/99	
ds_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
ds_fr_class	Freight Class		x(8)	
ds_fr_list	Freight List	Frt List	x(8)	
ds_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
ds_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<<	10
ds_fr_wt_um	UM		x(2)	
ds_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
ds_git_cc	Cost Center	CC	x(4)	
ds_git_site	In Transit Site	GIT Site	x(8)	
ds_git_sub	Goods In Tran Sub-Acct	Sub-Acct	x(8)	
ds_line	Line	Ln	>>>>>>>>9	
ds_loc	Location		x(8)	
ds_nbr	Order Number	Order	x(8)	
ds_order_category	Category		x(8)	
ds_part	Item Number		x(18)	
ds_per_date	Performance Date	Perform	99/99/99	
ds_project	Project		x(8)	
ds_qty_all	Qty Allocated	Allocated	->,>>>,>>9.9<<<<<<<<<	10
ds_qty_chg	Qty To Issue	Issue Qty	->,>>>,>>9.9<<<<<<<<<	10
ds_qty_conf	Qty Confirmed	Qty Conf	->,>>>,>>9.9<<<	10
ds_qty_ord	Qty Ordered		->,>>>,>>9.9<<<	10
ds_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<<	10
ds_qty_ship	Qty Shipped		->,>>>,>>9.9<<<	10
ds_req_nbr	Requisition Number	Req Nbr	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ds_det	yes	ds_domain	yes	no
		ds_shipsite	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
ds_fr_list	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_fr_list	yes	no
ds_nbr	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_line	yes	no
ds_part	no	ds_domain	yes	no
		ds_part	yes	no
		ds_shipsite	yes	no
		ds_shipdate	yes	no
* ds_req_nbr	yes	ds_domain	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
		ds_shipsite	yes	no
oid_ds_det	yes	oid_ds_det	yes	no

dvfv det

Data Validation Field Value Detail

Field Name	Label	Col-Label	Format	Dec
dvfv__qadc01			x(24)	
dvfv__qadc02			x(24)	
dvfv_allow_import			yes/no	
dvfv_fldvalue	Field Value		x(22)	
dvfv_import_date			99/99/99	
dvfv_import_filename	Import Filename		x(18)	
dvfv_import_userid	Import Userid		x(8)	
dvfv_mod_date	Modified Date	Mod Date	99/99/99	
dvfv_mod_userid	User ID		x(8)	
dvfv_user1	User Field Character 1		x(24)	
dvfv_user2	User Field Character 2		x(24)	
oid_dvf_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_dvfv_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_dvfv_parent	OID Parent		>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
o oid_dvfv_det	yes	oid_dvfv_det	yes	no
		oid_dvfv_parent	yes	no
		dvfv_fidvalue	yes	no
o* oid_dvfv_det	yes	oid_dvfv_det	yes	no

Data Validation Field Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	dvf_fldname	yes	oid_dv_mstr	yes	no
			dvf_fldname	yes	no
*	dvf_level	yes	oid_dv_mstr	yes	no
			dvf_level	yes	no
◇	oid_dvf_det	yes	oid_dvf_det	yes	no

Data Validation Rule Cross Reference

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_dvfv_det	no	oid_dvfv_det	yes	no
			oid_shphr_det	yes	no
*	oid_dvshx_ref	yes	oid_dvshx_ref	yes	no
◇	oid_shphr_det	no	oid_shphr_det	yes	no
			oid_dvfv_det	yes	no

Data Validation Master

Field Name	Label	Col-Label	Format	Dec
dv__qadc01			x(24)	
dv__qadc02			x(24)	
dv_data_category	Data Category		x(22)	
dv_domain	Domain		x(8)	
dv_mod_date	Modified Date	Mod Date	99/99/99	
dv_mod_userid	User ID		x(8)	
dv_user1	User Field Character 1		x(24)	
dv_user2	User Field Character 2		x(24)	
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dv_data_category	yes	dv_domain	yes	no
		dv_data_category	yes	no
oid dv_mstr	yes	oid dv_mstr	yes	no

dybs_mstr Daybook Set Master

Field Name	Label	Col-Label	Format	Dec
dybs__qadc01			x(24)	
dybs__qadc02			x(24)	
dybs_active	Active		yes/no	
dybs_adjustment_dybk	Adjustment Daybook	Adj Dybk	x(8)	
dybs_by_site	By Site		yes/no	
dybs_code	Daybook Set		x(8)	
dybs_credit_dybk	Credit Note Daybook		x(8)	
dybs_desc	Description		x(24)	
dybs_domain	Domain		x(8)	
dybs_interco_dybk	Intercompany Daybook		x(8)	
dybs_invoices_dybk	Invoice Daybook		x(8)	
dybs_mod_date	Modified Date	Mod Date	99/99/99	
dybs_mod_userid	User ID		x(8)	
dybs_neg_crcn_dybk	Correction Credit Note (Negative)		x(8)	
dybs_neg_criv_dybk	Correction Invoice (Negative)		x(8)	
dybs_pos_crcn_dybk	Correction Credit Note (Positive)		x(8)	
dybs_pos_criv_dybk	Correction Invoice (Positive)		x(8)	
dybs_site	Site		x(8)	
dybs_site_from	Site From		x(8)	
dybs_site_to	Site To		x(8)	
dybs_type	Type		x(2)	
dybs_user1	User Field Character 1		x(24)	
dybs_user2	User Field Character 2		x(24)	
oid_dybs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>g 2 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
dybs_active	no	dybs_domain	yes	no
		dybs_code	yes	no
		dybs_active	yes	no
		dybs_by_site	yes	no
* dybs_code	yes	dybs_domain	yes	no
		dybs_code	yes	no
		dybs_site	yes	no
oid dybs mstr	yes	oid dybs mstr	yes	no

dyd mstr General Ledger Default Daybook Master

Field Name	Label	Col-Label	Format	Dec
dyd__qadc01			x(8)	
dyd_doc_type	Doc Type		x(8)	
dyd_domain	Domain		x(8)	
dyd_dy_code	Daybook		x(8)	
dyd_entity_fr	From Entity		x(20)	
dyd_entity_to	To Entity		x(20)	
dyd_tr_type	Trans Type	Trans	x(2)	
dyd_user1	Ufld1		x(8)	
dyd_user2	Ufld2		x(8)	
oid_dyd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* dyd_type	yes	dyd_domain	yes	no
		dyd_tr_type	yes	no
		dyd_doc_type	yes	no
		dyd_entity_fr	yes	no
		dyd_entity_to	yes	no
oid_dyd_mstr	yes	oid_dyd_mstr	yes	no

General Ledger Daybook Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* dy_code	yes	dy_domain	yes	no
		dy_dy_code	yes	no
oid_dy_mstr	yes	oid_dy_mstr	yes	no

Earnings Master

Field Name	Label	Col-Label	Format	Dec
ea__qad01			yes/no	
ea__qad02			yes/no	
ea__qad03			yes/no	
ea__qad04			yes/no	
ea__qad05			yes/no	
ea__qad06			yes/no	
ea_acc	Default Account	Account	x(8)	
ea_cc	Default Cost Ctr	CC	x(4)	
ea_desc	Description		x(24)	
ea_domain	Domain		x(8)	
ea_earn	Earnings Code	Earn	x(4)	
ea_fed_yn	Piece Rate		yes/no	
ea_mod_date	Modified Date	Mod Date	99/99/99	
ea_pieced	Piece Rate	Pc	yes/no	
ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	10
ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
ea_sub	Default Sub-Account	Sub-Acct	x(8)	
ea_type	Earnings Type	Type	x(1)	
ea_user1	Ufld1		x(8)	
ea_user2	Ufld2		x(8)	
ea_userid	User ID		x(8)	
oid_ea_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
ea_desc	yes	ea_domain	yes	no
		ea_desc	yes	no
		ea_earn	yes	no
* ea_earn	yes	ea_domain	yes	no
		ea_earn	yes	no
oid ea_mstr	yes	oid ea_mstr	yes	no

eca mstr Engineering Change Approval Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* eca_code_group	yes	eca_domain	yes	no
		eca_code	yes	no
		eca_group	yes	no
oid eca_mstr	yes	oid eca_mstr	yes	no

ecd1 det Engineering Change Product Structure Detail

Field Name	Label	Col-Label	Format	Dec
ecd1__qad01	Deactivate	D	yes/no	
ecd1__qad02	Start		99/99/99	
ecd1__qad03	Structure Type	T	x(8)	
ecd1__qad04	Mandatory		x(8)	
ecd1__qad05	Default Option	Default	x(8)	
ecd1_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
ecd1_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<<%	10
ecd1_batch_um	UM		x(2)	
ecd1_cmtindx	Comment Index	Comment	>>>>>>>9	
ecd1_comp	Component Item		x(18)	
ecd1_deactivate	Deactivate		yes/no	
ecd1_default	Default Option	Default	yes/no	
ecd1_domain	Domain		x(8)	
ecd1_fcst_pct	Forecast	Fcst	>>9.99%	10
ecd1_group	Option Group	Group	x(8)	0
ecd1_item_no	Number		->>>>>>>	
ecd1_lt_off	LT Offset	LTO	->>	
ecd1_mandatory	Mandatory		yes/no	
ecd1_mod_date	Modified Date	Mod Date	99/99/99	
ecd1_nbr	ECN Number	ECN	x(8)	
ecd1_op	Op		>>>>>>	
ecd1_par	Parent Item		x(18)	
ecd1_process	Process		x(8)	
ecd1_ps_code	Structure Type	T	x(1)	0
ecd1_psprocess	Process		x(8)	0
ecd1_qty_per	Qty Per		->, >>>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
ecd1_comp_par	no	ecd1_domain	yes	no
		ecd1_nbr	yes	no
		ecd1_comp	yes	no
		ecd1_par	yes	no
* ecd1_par_comp	yes	ecd1_domain	yes	no
		ecd1_nbr	yes	no
		ecd1_par	yes	no
		ecd1_comp	yes	no
		ecd1_ref	yes	no
oid_ecd1_det	yes	oid_ecd1_det	yes	no

ecd2_det

Engineering Change Routing Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd2_ro_op	yes	ecd2_domain	yes	no
		ecd2_nbr	yes	no
		ecd2_routing	yes	no
		ecd2_op	yes	no
oid_ecd2_det	yes	oid_ecd2_det	yes	no

ecd3_det

Engineering Change Text File Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd3_cmt	yes	ecd3_domain	yes	no
		ecd3_nbr	yes	no
		ecd3_cmtindx	yes	no
oid_ecd3_det	yes	oid_ecd3_det	yes	no

ecd4_det

Product Change Control Test Results Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecd4_nbr_specid	no	ecd4_domain	yes	no
		ecd4_nbr	yes	no
		ecd4_specid	yes	no
		ecd4_sequence	yes	no
* ecd4_part_seq	yes	ecd4_domain	yes	no
		ecd4_part	yes	no
		ecd4_routing	yes	no
		ecd4_op	yes	no
		ecd4_nbr	yes	no
		ecd4_sequence	yes	no
oid_ecd4_det	yes	oid_ecd4_det	yes	no

Product Change Control Item Routing Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecd5_bom_code	no	ecd5_domain	yes	no
		ecd5_bom_code	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
* ecd5_part	yes	ecd5_domain	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
		ecd5_routing	yes	no
		ecd5_bom_code	yes	no
		ecd5_start	yes	no
ecd5_routing	no	ecd5_domain	yes	no
		ecd5_routing	yes	no
		ecd5_part	yes	no
		ecd5_site	yes	no
oid_ecd5_det	yes	oid_ecd5_det	yes	no

ecd9 det

Engineering Change Approval Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd9_group	yes	ecd9_domain	yes	no
		ecd9_nbr	yes	no
		ecd9_group	yes	no
oid ecd9 det	yes	oid ecd9 det	yes	no

ecd det

Engineering Change Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ecd_det	yes	ecd_domain	yes	no
		ecd_nbr	yes	no
		ecd_part	yes	no
		ecd_new	yes	no
ecd_part_rev	no	ecd_domain	yes	no
		ecd_part	yes	no
		ecd_new_rev	yes	no
oid_ecd_det	yes	oid_ecd_det	yes	no

Engineering Change Master Lists

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecl_id_type	yes	ecl_domain	yes	no
		ecl_id	yes	no
		ecl_group	yes	no
		ecl_type	yes	no
* ecl_type_id	yes	ecl_domain	yes	no
		ecl_type	yes	no
		ecl_group	yes	no
		ecl_id	yes	no
oid_ecl_list	yes	oid_ecl_list	yes	no

Engineering Change Master

Field Name	Label	Col-Label	Format	Dec
ecm__qad01			->>>, >>9.99	10
ecm__qad02			x(18)	
ecm__qad03	ECR/ECN		ECR/ECN	
ecm__qad04	Appr Date		99/99/99	
ecm__qad05	effect		->>, >>9.99	10
ecm__qad06	batched		x(8)	
ecm__qad07	reprocess		x(8)	
ecm__appr_date	Approved Date	AppDate	99/99/99	
ecm__approval	Approval Code	Approval	x(8)	
ecm__assign	Design Group	Dsgn Grp	x(8)	
ecm__batched	Batched	Batch	yes/no	
ecm__close_date	Closed		99/99/99	
ecm__cmm[5]	Reason		x(60)	
ecm__cmtindx	Comment Index	Comment	>>>>>>9	
ecm__date	Date		99/99/99	
ecm__dist_date	Distributed		99/99/99	
ecm__distr	Distribution	Dstrbn	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ecm_approval	yes	ecm_domain	yes	no
		ecm_approval	yes	no
		ecm_rel_date	yes	no
		ecm_nbr	yes	no
ecm_eff_date	no	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_eff_date	yes	no
* ecm_mstr	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
ecm_nbrdoc	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_doc_type	yes	no
oid_ecm_mstr	yes	oid_ecm_mstr	yes	no

ect_mstr Engineering Change Type Master

Field Name	Label	Col-Label	Format	Dec
ect_qad01	ECR/ECN		yes/no	
ect_qad02			99/99/99	
ect_qad03			x(8)	
ect_qad04			x(8)	
ect_qad05			x(8)	
ect_approval	Approval Code	Approval	x(8)	
ect_dc_warn	Warning Type		>9	
ect_desc	Description		x(24)	
ect_distr	Distribution	Dstrbn	x(8)	
ect_doc_type	Document Type	Doc Type	X(8)	
ect_domain	Domain		x(8)	
ect_dsgn_grp	Design Group	Dsgn Grp	x(8)	
ect_mod_date	Modified Date	Mod Date	99/99/99	
ect_prefix	Prefix	Pre	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
ect_type	yes	ect_domain	yes	no
		ect_type	yes	no
		ect_dsgn_grp	yes	no
oid_ect_mstr	yes	oid_ect_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
ecx__qadc01			x(24)	
ecx__qadc02			x(24)	
ecx_domain	Domain		x(8)	
ecx_ext_bill_to	Bill To		x(20)	
ecx_ext_line	External Line Reference		x(32)	
ecx_ext_part	Item Number		x(30)	
ecx_ext_ref	External Reference		x(32)	
ecx_ext_ship_to	Ship To		x(20)	
ecx_ext_um	UM		x(8)	
ecx_line	Line Number		x(8)	
ecx_line_site	Line Site		x(8)	
ecx_mod_date	Modified Date	Mod Date	99/99/99	
ecx_mod_userid	User Id		x(8)	
ecx_nbr	Order Number		x(8)	
ecx_order_type	Order Type		x(8)	
ecx_site	Site		x(8)	
ecx_user1	User Field Character 1		x(24)	
ecx_user2	User Field Character 2		x(24)	
oid_ecx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

edlg_hist

Export Delivery Log

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* edlg_docid	yes	edlg_doc_id	yes	no
		edlg_doc_sufx	yes	no
		edlg_app_id	yes	no
		edlg_domain	yes	no
oid edlg_hist	yes	oid edlg_hist	yes	no

ega_mstr

Service/Support Engineer Availability Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ega_eng_code	yes	ega_domain	yes	no
		ega_eng_code	yes	no
		ega_week	yes	no
		ega_esh_schedule	yes	no
oid_ega_mstr	yes	oid_ega_mstr	yes	no

Service/Support Engineer Schedule Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* egc_index	yes	egc_domain	yes	no
		egc_index	yes	no
oid_egc_ctrl	yes	oid_egc_ctrl	yes	no

egd_det

Service/Support Engineer Schedule Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* egd_eng_code	yes	egd_domain	yes	no
		egd_eng_code	yes	no
		egd_start_eff	yes	no
egd_eng_sched	no	egd_domain	yes	no
		egd_eng_code	yes	no
		egd_esh_schedule	yes	no
		egd_start_eff	yes	no
oid egd_det	yes	oid egd_det	yes	no

egs_det

Service/Support Engineer Problem/Skills Detail

Field Name	Label	Col-Label	Format	Dec
egs__chr01			x(8)	
egs__chr02			x(8)	
egs__chr03			x(8)	
egs__dec01			->>>,>>>,>>9.99	10
egs__dec02			->>>,>>>,>>9.99	10
egs__dte01			99/99/99	
egs__dte02			99/99/99	
egs__log01			yes/no	
egs__log02			yes/no	
egs__qadc01	QAD Character Field 1		X(8)	
egs__qadc02	QAD Character Field 2		X(8)	
egs__qade01	QAD Decimal Field 1		->>,>>9.99	10
egs__qadi01	QAD Integer Field 1		->,>>>,>>9	
egs__qadi01	QAD Logical Field 1		yes/no	
egs__qadi02	QAD Logical Field 2		yes/no	
egs__qadt01	QAD Date Field 1		99/99/99	
egs_area	End User Area		x(12)	
egs_cert	Certification Date	Cert	99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
egt_ca_line	no	egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_itm_prefix	yes	no
		egt_itm_type	yes	no
		egt_itm_itm_line	yes	no
		egt_itm_line	yes	no
egt_ca_nbr	no	egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_eng_code	yes	no
		egt_trnbr	yes	no
egt_eng_ca	no	egt_domain	yes	no
		egt_eng_code	yes	no
		egt_ca_nbr	yes	no
		egt_trnbr	yes	no
egt_eng_code	no	egt_domain	yes	no
		egt_eng_code	yes	no
		egt_sched_date	yes	no
		egt_start_time	yes	no
* egt_trnbr	yes	egt_domain	yes	no
		egt_trnbr	yes	no
oid egt mstr	yes	oid egt mstr	yes	no

egw_wkfl

Service/Support Engineer Selection Work Table

Field Name	Label	Col-Label	Format	Dec
egw__qadc02	QAD Field		X(8)	0
egw__qadc03	QAD Field		x(8)	
egw__qadi01	QAD Field		->,>>>,>>9	
egw__qadi02	QAD Field		->,>>>,>>9	
egw__qadi01	QAD Field		yes/no	
egw__qadi02	QAD Field		yes/no	
egw__qadt01	QAD Field		99/99/99	
egw__qadt02	QAD Field		99/99/99	
egw_area	Area		x(8)	
egw_avail_hours[7]	Available	Avl	x(3)	
egw_available	Available		yes/no	10
egw_calls[7]	Call		x(3)	
egw_domain	Domain		x(8)	
egw_ega_recid			>>>>>>>>9	
egw_end_time	End Time	End	99:99	
egw_eng_code	Engineer Code	Engineer	x(8)	
egw_hours[7]	Day Of Week		>>9	
egw_name	Name		x(24)	
egw_overtime	Overtime	O/T	yes/no	
egw_points	Points	Pts	>>>9	
egw_prob	Prb		yes/no	
egw_schedule	Schedule	Sched	X(8)	

Field Name	Label	Col-Label	Format	Dec
egw_st_time	Start Time	Start	99:99	
egw_tag	Select		*/	
egw_user1	Ufld1		x(8)	
egw_user2	Ufld2		x(8)	
egw_userid	Session ID		x(50)	
egw_week	Week of		99/99/99	
oid_egw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
egw_area	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_area	yes	no
		egw_points	no	no
* egw_eng_code	yes	egw_domain	yes	no
		egw_userid	yes	no
		egw_eng_code	yes	no
egw_points	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_points	no	no
oid_egw_wkfl	yes	egw_eng_code	yes	no
		oid_egw_wkfl	yes	no

elg_hist

Export Document Log

Field Name	Label	Col-Label	Format	Dec
elg__dec01			->>>, >>>, >>9.99<	10
elg__dec02			->>>, >>>, >>9.99<	10
elg__dte01			99/99/99	
elg__dte02			99/99/99	
elg__int01			->>>, >>>, >>9	
elg__int02			->>>, >>>, >>9	
elg__log01			yes/no	
elg__log02			yes/no	
elg__qadc01			x(8)	
elg__qadc02			x(8)	
elg__qadc03			x(8)	
elg__qadc04			x(8)	
elg__qadd01			->>>, >>>, >>9.99<	10
elg__qadd02			->>>, >>>, >>9.99<	10
elg__qadi01			->>>, >>>, >>9	
elg__qadi02			->>>, >>>, >>9	
elg__qadi01			yes/no	
elg__qadi02			yes/no	
elg__qadt01			99/99/99	
elg__qadt02			99/99/99	
elg_access_code	Access Code		x(60)	
elg_ack_lv_reqd	Autoacknowledgment Level Requested		x(1)	
elg_ack_rcvd	Autoacknowledgment Received		yes/no	
elg_ack_stat	Autoacknowledgment Status		X(1)	
elg_app_id	Application ID		x(12)	
elg_app_ver	Application Version		x(8)	
elg_archive_id	Archive ID		x(12)	
elg_code_pg	Code Page		X(15)	
elg_ctrl_tot_1	Control Total 1		>>>, >>9	
elg_ctrl_tot_2	Control Total 2		->>>, >>>, >>9.99<<<	10
elg_ctrl_tot_3	Control Total 3		->>>, >>>, >>9.99<<<	10
elg_date_ack	Date Acknowledged		99/99/9999	
elg_date_form	Date Format		X(3)	
elg_date_map	Date Mapped		99/99/9999	
elg_date_publ	Date Published		99/99/9999	
elg_date_sent	Date Sent		99/99/9999	
elg_dest_mthd	Destination Method		x(24)	
elg_dest_proc	Destination Procedure		x(24)	
elg_doc_id	Document ID		>>>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ApplID	no	elg_domain	yes	no
		elg_app_id	yes	no
		elg_prcg_stage	yes	no
◇* DocIDSufx	yes	elg_doc_id	yes	no
		elg_doc_sufx	yes	no
		elg_domain	yes	no
elg_date_time_publ	no	elg_date_publ	yes	no
		elg_time_publ	yes	no
		elg_domain	yes	no
elg_date_time_sent	no	elg_date_sent	yes	no
		elg_time_sent	yes	no
		elg_domain	yes	no
elg_orig_doc_id	no	elg_orig_doc_id	yes	no
		elg_domain	yes	no
		elg_receiver_id	yes	no
◇ ExtDocKey	no	elg_app_id	yes	no
		elg_tradptr_id	yes	no
		elg_domain	yes	no
◇ GroupID	no	elg_domain	yes	no
		elg_ext_doc_key	yes	no
◇ MfgProKey	no	elg_grp_id	yes	no
		elg_domain	yes	no

Mapped Export Document Detail

emap_data	Mapped Export Document Data
emap_doc_id	Document ID
emap_doc_line	Document Line Number
emap_doc_sufx	Document Suffix
emap_domain	Domain
emap_line_cont	Line Continued
emap_mod_date	Modified Date
emap_mod_userid	User ID
emap_user1	Ufld1
emap_user2	Ufld2

✻

Export Document Message

emg__qadc01
emg__qadc02
emg__qadc03

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ExpReturnCode	yes	emg_domain	yes	no
		emg_doc_id	yes	no
		emg_doc_sufx	yes	no
		emg_prcg_stage	yes	no
		emg_return_code	yes	no
oid emg_msg	yes	oid_emg_msg	yes	no

Employee Employee

Field Name	Label	Col-Label	Format	Dec
ActivityCode_ID	Activity Code		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
Company_ID	Link to Company		9999999999	
CostCentre_ID	Default Cost Center Code	Cost Center Code	9999999999	
Creditor_ID	Supplier Code	Supplier	9999999999	
Currency_ID	Registration Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Default Sub-Account Code	Sub-Acct	9999999999	
Employee_ID	Record ID		9999999999	
EmployeeCode	Employee Code		x(8)	
EmployeeDepartmentCode	Department Code		x(8)	
EmployeeEndDate	End Date		99/99/9999	
EmployeeIsActive	Active		yes/no	
EmployeeIsActiveExpNotes	Active Expense Notes	Expense Notes	yes/no	
EmployeeIsActiveTimeReg	Active Activity Sheets	Activity Sheets	yes/no	
EmployeeIsExternal	External Employee		yes/no	
EmployeeIsTravelOverSalary	Include Travel Hours/ Overtime	Traveling Hours/Overtime	yes/no	
EmployeeIsUser	User		yes/no	
EmployeeJobTitle	Job Title		x(24)	
EmployeeStartDate	Start Date		99/99/9999	
ExpenseCode_ID	Expense Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObsoleteActCstPriceList_ID			9999999999	
ObsoleteClaimPriceList_ID			9999999999	
Project_ID	Default Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	EmployeeIsActive	yes	no
◇ Code	no	EmployeeCode	yes	no
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	Employee_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		EmployeeCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		EmployeeIsActive	yes	no
		EmployeeCode	yes	no

emp_mstr Employee Master

Field Name	Label	Col-Label	Format	Dec
emp_chr01			x(8)	
emp_chr02			x(8)	
emp_chr03			x(8)	
emp_chr04			x(8)	
emp_chr05			x(8)	
emp_dec01			>>>,>>>,>>9.99	10
emp_dec02			>>>,>>>,>>9.99	10
emp_dte01			99/99/99	
emp_dte02			99/99/99	
emp_dte03			99/99/99	
emp_dte04			99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* emp_addr	yes	emp_domain	yes	no
		emp_addr	yes	no
emp_bank	no	emp_domain	yes	no
		emp_bank	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_dept	no	emp_domain	yes	no
		emp_dept	yes	no
emp_frq_mar	no	emp_domain	yes	no
		emp_freq	yes	no
		emp_marital	yes	no
emp_name	no	emp_domain	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
emp_ssn	no	emp_domain	yes	no
		emp_ssn	yes	no
emp_wc_ind	no	emp_domain	yes	no
		emp_wc_class	yes	no
		emp_wk_loc	yes	no
oid_emp_mstr	yes	oid_emp_mstr	yes	no

emsg_mstr Service/Support Engineer Message Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
emsg_eng_code	no	emsg_domain	yes	no
		emsg_eng_code	yes	no
		emsg_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* emsg_trnbr	yes	emsg_time	yes	no
		emsg_domain	yes	no
		emsg_trnbr	no	no
oid_emsg_mstr	yes	oid_emsg_mstr	yes	no

em mstr E-mail Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* em_system_id	yes	em_system_id	yes	no
		em_opsys	yes	no
		em_start	yes	no
oid em_mstr	yes	oid em_mstr	yes	no

EngineC Warehousing Engine Processing Control

[illegible]

Field Name	Label	Col-Label	Format	Dec
PKPriority	Picking Priority	PK! Pri	->>9	
PRPriority	Printing Priority	PR! Pri	->>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UniqueID	Unique ID		9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
old_EngineC	yes	old_EngineC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

EngineH

Warehousing Engine Processing History

Field Name	Label	Col-Label	Format	Dec
AltUM	Alt UM	Alt! UM	x(2)	
ConsolNbr	Number of Consolidations	Nbr of! Consol	>, >>9	
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateTime			->, >>>, >>9	
CreateUserID	Created		x(8)	
DelDate	Deleted		99/99/99	
DelProgname	Deleted Progname		x(10)	
DelTime	Deleted Time		->, >>>, >>9	
DelUserID	Deleted UserID		x(8)	
Details	Details		X(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
EngPriority	Priority		>, >>>, >>9	
EngStatus	Status		X(8)	
EngType	Engine Type	ET	X(2)	
InternalID	Internal User ID	Internal! User ID	x(50)	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
IntRouteSeq	Seq		>>9	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	

Field Name	Label	Col-Label	Format	Dec
Nbr	Order		x(18)	
oid_EngineH			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
OrigMode	Original Mode	Original! Mode	.9<<<<<<<<<	
Part	Item Number		X(8)	
QadC01	QAD Field		x(18)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>, >>9.9<<<<<<	10
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
RunDate	Run Date		99/99/99	
RunTime	Run Time		->, >>>, >>9	
RunUserID	Run		x(8)	
Site	Site		x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
TrSeq	Sequence	Seq	>>>9	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	DelTime	no	Domain	yes	no
			DelDate	yes	no
			DelTime	yes	no
◇	EngOrder	no	Domain	yes	no
			ModeM	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
◇	EngPart	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Loc	yes	no
	oid_EngineH	yes	oid_EngineH	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing Engine Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
EngInternal	no	Domain	yes	no
		InternalID	yes	no
		ModeM	yes	no
		EngType	yes	no
◇ EngOrder	no	Domain	yes	no
		ModeM	yes	no
		DSet	yes	no
		Nbr	yes	no
◇ EngPart	no	Line	yes	no
		Domain	yes	no
		Part	yes	no
		Site	yes	no
EngPri	no	Loc	yes	no
		Domain	yes	no
		ModeM	yes	no
		EngPriority	yes	no
EngSite	no	CreateDate	yes	no
		CreateTime	yes	no
		Domain	yes	no
		ModeM	yes	no
* EngTime	no	Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
EngType	no	Ref	yes	no
		Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
EngWidx	no	Domain	yes	no
		EngType	yes	no
		TrNbr	yes	no
		DSet	yes	no
oid_EngineW	yes	Nbr	yes	no
		Line	yes	no
		Site	yes	no
		Loc	yes	no
◇ UsrIdx	no	Part	yes	no
		Lot	yes	no
		Ref	yes	no
		AltUM	yes	no
		oid_EngineW	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

Service/Support Engineer Master

Index-Name	Uni	Field-Name	Asc	Abbr
* eng_addr	yes	eng_domain	yes	no
		eng_addr	yes	no
eng_area	no	eng_domain	yes	no
		eng_area	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		eng_code	yes	no
eng_code	yes	eng_domain	yes	no
		eng_code	yes	no
eng_schedule	no	eng_domain	yes	no
		eng_esh_schedule	yes	no
		eng_area	yes	no
		eng_code	yes	no
eng_sort	no	eng_domain	yes	no
		eng_sort	yes	no
oid_eng_mstr	yes	oid_eng_mstr	yes	no

en_mstr Entity Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* en_entity	yes	en_domain	yes	no
		en_entity	yes	no
en_type	no	en_entity	yes	no
		en_type	yes	no
oid_en_mstr	yes	oid_en_mstr	yes	no

ERAssD Warehousing External Routing Assignment Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ToSite	To Site	To! Site	x(8)	
ToWhse	To Warehouse	To! Whse	x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ERADIdx	yes	Domain	yes	no
		TrType	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		Part	yes	no
		PartType	yes	no
		Addr	yes	no
		oid_ERAssD	yes	no
oid_ERAssD	yes	oid_ERAssD	yes	no
		PartFromWhse	yes	no
		Part	yes	no
		FromSite	yes	no
		FromWhse	yes	no
PartToWhse	no	Domain	yes	no
		Part	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		Domain	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

eraw_det Raw Export Document Detail

Field Name	Label	Col-Label	Format	Dec
eraw__dec01			->>>, >>>, >>9.99<	10
eraw__dec02			->>>, >>>, >>9.99<	10
eraw__dte01			99/99/99	
eraw__dte02			99/99/99	
eraw__int01			->>>, >>>, >>9	
eraw__int02			->>>, >>>, >>9	
eraw__log01			yes/no	
eraw__log02			yes/no	
eraw__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_eraw_det	yes	oid_eraw_det	yes	no
* RawExport	yes	eraw_doc_id	yes	no
		eraw_doc_line	yes	no
		eraw_domain	yes	no

Warehousing External Routing Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ERDIdx	yes	Domain	yes	no
			ExtRouteCode	yes	no
	oid_ERD	yes	oid_ERD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing External Routing Master

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* ERMIdx	yes	Domain	yes	no
		ExtRouteCode	yes	no
oid_ERM	yes	oid_ERM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

ERS

Evaluated Receipt Settlement History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
ERS_ID	Record ID		9999999999	
ERSEndDate	End Date		99/99/9999	
ERSEndTime	End Time		99999	
ERSIsCreateCInvAndRM	Create Supplier invoice and Receiver mat	Create Inv and Match	yes/no	
ERSIsPrintAuditReport	Print Audit Report		yes/no	
ERSStartDate	Start Date		99/99/9999	
ERSSStartTime	Start Time		99999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cy	no	Company_ID	yes	no
◇* prim	yes	ERS_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		ERSStartDate	yes	no
		ERSSStartTime	yes	no

ERSLine

Evaluated Receipts Settlement History De

Field Name	Label	Col-Label	Format	Dec
APMatchingLn_ID			9999999999	
ERS_ID			9999999999	
ERSLine_ID	Record ID		9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
PvodLineID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ APMatchingLn	no	APMatchingLn_ID	yes	no
ERS	no	ERS_ID	yes	no
◇* prim	yes	ERSLine_ID	yes	no
◇ UniqueIdx	yes	ERS_ID	yes	no
		APMatchingLn_ID	yes	no

Evaluated Receipts Settlement Master

Index-Name	Uni	Field-Name	Asc	Abbr
ers_part	no	ers_domain	yes	no
		ers_part	yes	no
		ers_vend	yes	no
ers_si	no	ers_domain	yes	no
		ers_site	yes	no
		ers_vend	yes	no
		ers_part	yes	no
* ers_vd_si_pt	yes	ers_domain	yes	no
		ers_vend	yes	no
		ers_site	yes	no
		ers_part	yes	no
oid_ers_mstr	yes	oid_ers_mstr	yes	no

E-Signature Activated Profile Filter Criteria

Index-Name	Uni	Field-Name	Asc	Abbr
esapfc_fil_value	yes	oid_esapfil_det	yes	no
		esapfc_value	yes	no
		oid_esapfs_det	yes	no
* esapfc_set_value	yes	oid_esapfs_det	yes	no
		oid_esapfil_det	yes	no
		esapfc_value	yes	no
oid_esapfc_det	yes	oid_esapfc_det	yes	no

esapfil_det

E-Signature Activated Profile Filter

Field Name	Label	Col-Label	Format	Dec
esapfil_qadc01			x(24)	
esapfil_qadc02			x(24)	
esapfil_mod_date	Modified Date	Mod Date	99/99/99	
esapfil_mod_userid	User ID		x(8)	
esapfil_user1	User Field Character 1		x(24)	
esapfil_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_esapfil_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* esapfil_oid_esfil	yes	oid_esfil_mstr	yes	no
		oid_esap_mstr	yes	no
esapfil_oidesapfs	yes	oid_esap_mstr	yes	no
		oid_esfil_mstr	yes	no
oid_esapfil_det	yes	oid_esapfil_det	yes	no

esapfs_det

E-Signature Activated Profile Filter Set

Field Name	Label	Col-Label	Format	Dec
esapfs__qadc01			x(24)	
esapfs__qadc02			x(24)	
esapfs_mod_date	Modified Date	Mod Date	99/99/99	
esapfs_mod_userid	User ID		x(8)	
esapfs_set_desc	Description		X(24)	
esapfs_set_name	Set Name		X(8)	
esapfs_user1	User Field Character 1		x(24)	
esapfs_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_esapfs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* esapfs_set_name	yes	oid_esap_mstr	yes	no
		esapfs_set_name	yes	no
oid_esapfs_det	yes	oid_esapfs_det	yes	no

esapf_det

E-Signature Activated Profile Field

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	esapf_code	yes	oid_esaps_det	yes	no
			esapf_code	yes	no
*	esapf_oid_esaps_det	yes	oid_esaps_det	yes	no
			esapf_field_order	yes	no
	oid_esapf_det	yes	oid_esapf_det	yes	no

esapmp_ref E-Signature Activated Profile Menu Program Cross-Reference

Field Name	Label	Col-Label	Format	Dec
esapmp__qadc01			x(24)	
esapmp__qadc02			x(24)	
esapmp_esig_active	Esig Active	Active	yes/no	
esapmp_exec	Execution File	Exec File	x(14)	
esapmp_mod_date	Modified Date	Mod Date	99/99/99	
esapmp_mod_userid	User ID		x(8)	
esapmp_user1	User Field Character 1		x(24)	
esapmp_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_esapmp_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

	Index-Name	Uni	Field-Name	Asc	Abbr
	esapmp_exec	yes	esapmp_exec	yes	no
			oid_esap_mstr	yes	no
*	esapmp_oid_esap_ms	yes	oid_esap_mstr	yes	no
			esapmp_exec	yes	no
	oid_esapmp_ref	yes	oid_esapmp_ref	yes	no

esaps_det E-Signature Activated Profile Structure

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esaps_code	yes	oid_esap_mstr	yes	no
		esaps_code	yes	no
* esaps_oid_esap_mstr	yes	oid_esap_mstr	yes	no
		oid_esaps_det_parent	yes	no
		esaps_order	yes	no
oid_esaps_det	yes	oid_esaps_det	yes	no

esap_mstr

Field Name	Label	Col-Label	Format	Dec
esap__qadc01			x(24)	
esap__qadc02			x(24)	
esap_begin_date	Begin Date	Begin! Date	99/99/99	
esap_comment_prompt	Prompt For Comment	Prompt! Comment	yes/no	
esap_data_frame_opt	Data Frame Optional	Data! Opt	yes/no	
esap_esig_active	Esig Active	Active	yes/no	
esap_filter_mode	Filter Mode	Filter	X(2)	
esap_latest_display	Display Latest E-Sig	Display! Latest	yes/no	
esap_mod_date	Modified Date	Mod Date	99/99/99	
esap_mod_userid	User ID		x(8)	
esap_preview_prompt	Prompt For Preview E-Sig	Prompt! Preview	yes/no	
esap_user1	User Field Character 1		x(24)	
esap_user2	User Field Character 2		x(24)	
oid_esap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* esap_oid_escat_mstr	yes	oid_escat_mstr	yes	no
		esap_begin_date	no	no
oid_esap_mstr	yes	oid_esap_mstr	yes	no

escat_mstr

Field Name	Label	Col-Label	Format	Dec
escat__qadc01			x(24)	
escat__qadc02			x(24)	
escat_category_code	Category Code	Category	X(8)	
escat_mod_date	Modified Date	Mod Date	99/99/99	
escat_mod_userid	User ID		x(8)	
escat_pplib	Procedure		x(14)	
escat_preview_prompt	Preview Prompt	Preview	yes/no	
escat_top_table_name	Table Name		X(32)	
escat_user1	User Field Character 1		x(24)	
escat_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	escat_categorycode	yes	escat_category_code	yes	no
	oid_escat_mstr	yes	oid_escat_mstr	yes	no

escd_det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
escd_oid_escat_mstr	no	oid_escat_mstr	yes	no
		oid_top_erecord	yes	no
		escd_date	no	no
		escd_time	no	no
oid_escd_det	yes	oid_escd_det	yes	no

escf_ref

E-Signature Category Filter Cross-Reference

Field Name	Label	Col-Label	Format	Dec
escf__qadc01			x(24)	
escf__qadc02			x(24)	
escf_mod_date	Modified Date	Mod Date	99/99/99	
escf_mod_userid	User ID		x(8)	
escf_user1	User Field Character 1		x(24)	
escf_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_escf_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
* escf_oid_escat_mstr	yes	oid_escat_mstr	yes	no
		oid_esfil_mstr	yes	no
escf_oid_esfil_mstr	yes	oid_esfil_mstr	yes	no
		oid_escat_mstr	yes	no
oid_escf_ref	yes	oid_escf_ref	yes	no

escx_det

E-Signature Category XML Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* escx_oid_escd_det	yes	oid_escd_det	yes	no
		escx_record_order	yes	no
oid_escx_det	yes	oid_escx_det	yes	no

esc ctrl

Service/Support Escalation Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* esc_index	yes	esc_domain	yes	no
		esc_index	yes	no
oid_esc_ctl	yes	oid_esc_ctl	yes	no

esfil mstr

E-Signature Filter

Field Name	Label	Col-Label	Format	Description
esfil__qadc01			x(24)	
esfil__qadc02			x(24)	
esfil_field_name	Field Name		X(32)	
esfil_mod_date	Modified Date	Mod Date	99/99/99	
esfil_mod_userid	User ID		x(8)	
esfil_table_name	Table Name		X(32)	
esfil_user1	User Field Character 1		x(24)	
esfil_user2	User Field Character 2		x(24)	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	esfil_field_name	yes	esfil_field_name	yes	no
	oid_esfil_mstr	yes	oid_esfil_mstr	yes	no

esgc_ref

E-Signature Group Category Cross-Reference

Field Name	Label	Col-Label	Format	Description
esgc__qadc01			x(24)	
esgc__qadc02			x(24)	
esgc_mod_date	Modified Date	Mod Date	99/99/99	
esgc_mod_userid	User ID		x(8)	
esgc_user1	User Field Character 1		x(24)	

esig_mstr

E-Signature Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esig_archived	no	esig_archived	yes	no
		esig_date	yes	no
		esig_time	yes	no
* esig_date	no	esig_date	no	no
		esig_time	no	no
esig_userid	no	esig_userid	yes	no
		esig_date	no	no
		esig_time	no	no
oid_esig_mstr	yes	oid_esig_mstr	yes	no

esp_mstr Export Document Specification Master

Field Name	Label	Col-Label	Format	Dec
esp_dec01			->>>, >>>, >>9.99<	10
esp_dec02			->>>, >>>, >>9.99<	10
esp_dte01			99/99/99	
esp_dte02			99/99/99	
esp_int01			->>>, >>>, >>9	
esp_int02			->>>, >>>, >>9	
esp_log01			yes/no	
esp_log02			yes/no	
esp_qadc01			x(8)	
esp_qadc02			x(8)	
esp_qadc03			x(8)	
esp_qadc04			x(8)	
esp_qadd01			->>>, >>>, >>9.99<	10
esp_qadd02			->>>, >>>, >>9.99<	10
esp_qadi01			->>>, >>>, >>9	
esp_qadi02			->>>, >>>, >>9	
esp_qadi01			yes/no	
esp_qadi02			yes/no	
esp_qadt01			99/99/99	
esp_qadt02			99/99/99	
esp_access_code	Access Code		x(60)	
esp_ack_doc_rev	Document Revision		x(8)	
esp_ack_doc_std	Document Standard		x(8)	
esp_ack_doc_typ	Document Type		x(21)	
esp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
esp_app_id	Application ID		x(12)	
esp_app_ver	Application Version		x(8)	
esp_code_pg	Code Page		X(15)	
esp_date_form	Date Format		X(3)	
esp_del_err_det	Delete Error Detail		x(1)	
esp_delim	ASCII Document Element Delimiter		>>9	
esp_desc	Description		x(60)	
esp_dest_mthd	Destination Method		x(24)	
esp_dest_proc	Destination Procedure		x(24)	
esp_doc_lng	Document Language		x(3)	
esp_doc_rev	Document Revision		x(8)	
esp_doc_std	Document Standard		x(8)	
esp_doc_typ	Document Type		x(21)	
esp_domain	Domain		x(8)	
esp_dtd_name	DTD Filename		x(40)	
esp_email_notlvl	E-mail Level		x(1)	
esp_email_userid	Default E-mail User ID		x(8)	
esp_eol_delim	End of Line Delimiter for Export		yes/no	
esp_ex_map_flg	Export Mapping Enabled		yes/no	
esp_map_parm[10]	Mapper Parameter Codes		x(8)	
esp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
esp_map_spec	Mapping Specification ID		x(24)	
esp_mapper_proc	Data Mapper Procedure		x(24)	
esp_mod_date	Modified Date	Mod Date	99/99/99	
esp_mod_userid	User ID		x(8)	
esp_msg_ack_lvl	Acknowledgment Level		x(8)	
esp_msg_clnt_ord	Message Ordering		x(8)	
esp_msg_persist	Persistence		X(8)	
esp_msg_priority	Priority		x(8)	
esp_msg_routing	Routing		x(8)	
esp_msg_secur	Security		X(8)	
esp_msg_sync	Sync Scope		X(8)	
esp_msg_ttl	Time To Live		x(8)	
esp_num_form	Numeric Format		X(8)	
esp_pause_sev	Pause Severity Level		9	
esp_process_typ	Process Type		x(8)	
esp_publ_flg	Publishing Enabled		yes/no	
esp_queue_pub	Queue Published Documents		X(1)	
esp_send_flg	Sending Enabled		yes/no	
esp_src_app_id	Source Application ID		x(12)	

Field Name	Label	Col-Label	Format	Dec
esp_src_app_ver	Source Application Version		x(8)	
esp_src_comp	Source Component		x(10)	
esp_src_doc_rev	Source Document Revision		x(8)	
esp_src_doc_std	Source Document Standard		x(8)	
esp_src_doc_typ	Source Document Type		x(21)	
esp_src_proc	Source Procedure		x(24)	
esp_src_task	Task		x(10)	
esp_src_userid	Source User ID		x(8)	
esp_tradptr_id	Trading Partner ID		x(32)	
esp_use_ex_queue	Use Export Queue		yes/no	
esp_user1	Ufld1		x(8)	
esp_user2	Ufld2		x(8)	
esp_xml	XML Exported		x(1)	
oid_esp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .g<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ExportSpec	yes	esp_domain	yes	no
		esp_app_id	yes	no
		esp_doc_std	yes	no
		esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no
oid esp_mstr	yes	oid esp_mstr	yes	no

esrec_det E-Signature Record List

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
esrec_oid_esig_mstr	no	oid_esig_mstr	yes	no
esrec_record_order	yes	oid_escd_det	yes	no
		esrec_record_order	yes	no
* esrec_table_name	no	esrec_table_name	yes	no
		oid_erecord	yes	no
oid esrec det	yes	oid esrec det	yes	no

ess mstr Service/Support Engineer Status Master

Field Name	Label	Col-Label	Format	Dec
ess_chr01	User Character Field 1		X(8)	
ess_log01	User Logical Field 1		yes/no	
ess_qadc01	QAD Character Field 1		X(8)	
ess_qadl01	QAD Logical Field 1		yes/no	
ess_available	Available	Avl	yes/no	
ess_desc	Description		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
ess_status	yes	ess_domain	yes	no
		ess_status	yes	no
ess_statusav	no	ess_domain	yes	no
		ess_status	yes	no
		ess_available	yes	no
oid_ess_mstr	yes	oid_ess_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
eswpfc__qadc01			x(24)	
eswpfc__qadc02			x(24)	
eswpfc_mod_date	Modified Date	Mod Date	99/99/99	
eswpfc_mod_userid	User ID		x(8)	
eswpfc_user1	User Field Character 1		x(24)	
eswpfc_user2	User Field Character 2		x(24)	
eswpfc_value	Value		X(80)	
oid_eswpfc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_eswpfil_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_eswpfs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<

Field Name	Label	Col-Label	Format	Dec
eswpfil__qadc01			x(24)	
eswpfil__qadc02			x(24)	
eswpfil_mod_date	Modified Date	Mod Date	99/99/99	
eswpfil_mod_userid	User ID		x(8)	
eswpfil_user1	User Field Character 1		x(24)	
eswpfil_user2	User Field Character 2		x(24)	
oid_esfil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_eswpfil_det			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eswpfil_oid_esfil	yes	oid_esfil_mstr	yes	no
		oid_eswp_mstr	yes	no
eswpfil_oideswpfs	yes	oid_eswp_mstr	yes	no
		oid_esfil_mstr	yes	no
oid eswpfil det	yes	oid eswpfil det	yes	no

eswpfs_det E-Signature Workbench Profile Filter Set

Field Name	Label	Col-Label	Format	Dec
eswpfs_qadc01			x(24)	
eswpfs_qadc02			x(24)	
eswpfs_mod_date	Modified Date	Mod Date	99/99/99	
eswpfs_mod_userid	User ID		x(8)	
eswpfs_set_desc	Description		X(24)	
eswpfs_set_name	Set Name		X(8)	
eswpfs_user1	User Field Character 1		x(24)	
eswpfs_user2	User Field Character 2		x(24)	
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_eswpfs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* eswpfs_set_name	yes	oid eswp_mstr	yes	no
		eswpfs_set_name	yes	no
oid eswpfs det	yes	oid eswpfs det	yes	no

eswpf_det	E-Signature Workbench Profile Field

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
eswpf_code	yes	oid_eswps_det	yes	no
		eswpf_code	yes	no
* eswpf_oid_eswps_det	yes	oid_eswps_det	yes	no
		eswpf_field_order	yes	no
oid eswpf_det	yes	oid_eswpf_det	yes	no

eswpmp_ref E-Signature Workbench Profile Menu Program Cross-Reference

Field Name	Label	Col-Label	Format	Dec
eswmpm__qadc01			x(24)	
eswmpm__qadc02			x(24)	
eswmpm_esig_active	Esig Active	Active	yes/no	
eswmpm_exec	Execution File	Exec File	x(14)	
eswmpm_mod_date	Modified Date	Mod Date	99/99/99	
eswmpm_mod_userid	User ID		x(8)	
eswmpm_user1	User Field Character 1		x(24)	
eswmpm_user2	User Field Character 2		x(24)	
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_eswmpm_ref			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
eswmpmp_exec	yes	eswmpmp_exec	yes	no
		oid_eswp_mstr	yes	no
* eswmpmp_oid_eswp_m s	yes	oid_eswp_mstr	yes	no
		eswmpmp_exec	yes	no
oid_eswmpmp_ref	yes	oid_eswmpmp_ref	yes	no

eswps_det E-Signature Workbench Profile Structure[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
eswps_code	yes	oid_eswp_mstr	yes	no
		eswps_code	yes	no
* eswps_oid_eswp_mstr	yes	oid_eswp_mstr	yes	no
		oid_eswps_det_parent	yes	no
		eswps_order	yes	no
oid_eswps_det	yes	oid_eswps_det	yes	no

eswp_mstr E-Signature Workbench Profile

Field Name	Label	Col-Label	Format	Dec
eswp__qadc01			x(24)	
eswp__qadc02			x(24)	
eswp_collection	Collection		X(16)	
eswp_comment_prompt	Prompt For Comment	Prompt! Comment	yes/no	
eswp_data_frame_opt	Data Frame Optional	Data! Opt	yes/no	
eswp_esig_active	Esig Active	Active	yes/no	
eswp_filter_mode	Filter Mode	Filter	X(2)	

Field Name	Label	Col-Label	Format	Dec
eswp_latest_display	Display Latest E-Sig	Display! Latest	yes/no	
eswp_mod_date	Modified Date	Mod Date	99/99/99	
eswp_mod_userid	User ID		x(8)	
eswp_preview_prompt	Prompt For Preview E-Sig	Prompt! Preview	yes/no	
eswp_profile_type	Profile Type	Type	X(2)	
eswp_user1	User Field Character 1		x(24)	
eswp_user2	User Field Character 2		x(24)	
oid_escat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<
oid_eswp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
* eswp_oid_escat_mstr	yes	eswp_profile_type	yes	no
		eswp_collection	yes	no
		oid_escat_mstr	yes	no
oid eswp mstr	yes	oid eswp mstr	yes	no

es mstr

Service/Support Escalation and Repair Master

Field Name	Label	Col-Label	Format	Dec
es__chr01	User Field #1		x(8)	
es__chr02	User Field #2		x(8)	
es__chr03	User Field #3		x(8)	
es__chr04	User Field #4		x(8)	
es__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
es__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
es__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
es__dte01	User Date #1		99/99/99	
es__dte02	User Date #2		99/99/99	
es__dte03	User Date #3		99/99/99	
es__log01	User Logical #1		yes/no	
es__log02	User Logical #2		yes/no	
es__log03	User Logical #3		yes/no	
es__qadc01	Qad Field #1		x(8)	
es__qadc02	Qad Field #2		x(8)	
es__qadc03	Qad Field #3		x(8)	
es__qadc04	Qad Field #4		x(8)	
es__qadd01	Qad Date #1		99/99/99	
es__qadd02	Qad Date #2		99/99/99	
es__qadd03	Qad Date #3		99/99/99	
es__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
es__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
es__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
es__qadl01	Qad Logical #1		yes/no	
es__qadl02	Qad Logical #2		yes/no	
es__qadl03	Qad Logical #3		yes/no	
es__act_date	Actual Date	Act Date	99/99/99	
es__ca_category	Category		x(8)	
es__ca_int_type	Work Code	Wk Code	x(8)	
es__ca_pri	Call Priority		>>9	
es__ca_problem	Call Problem	Problem	x(8)	
es__ca_severity	Call Severity	Severity	x(8)	
es__ca_status	Status		x(8)	
es__ca_type	Call Type	Type	x(8)	
es__cmtindx	Comment Index	Comment	>>>>>>>9	
es__days_in	Days Allowed In Status	Days	>>>>>9	
es__desc	Description		x(24)	
es__doc_desc[7]	Description		x(24)	
es__doc_exec[7]	Program		x(8)	
es__doc_paged[7]	Paged		yes/no	
es__doc_printed[7]	Document Printed	Prt	yes/no	
es__doc_printer[7]	Printer		x(8)	
es__doc_printit[7]	Print	Prt	yes/no	
es__docs_printed	All Documents Printed		yes/no	
es__domain	Domain		x(8)	
es__due_date	Due Date		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* es_nbr	yes	es_domain	yes	no
		es_nbr	yes	no
		es_prefix	yes	no
		es_itm_line	yes	no
		es_ca_status	yes	no
		es_ca_int_type	yes	no
		es_ca_type	yes	no
		es_ca_severity	yes	no
		es_ca_problem	yes	no
		es_seq	yes	no
oid_es_mstr	yes	oid_es_mstr	yes	no

et_ctrl

EMU Control

Field Name	Label	Col-Label	Format	Dec
et__qadc01			x(8)	
et__qadc02			x(8)	
et__qadc03			x(8)	
et__qadc05	QAD Character Field 5		x(8)	
et__qadd01			->>>, >>>, >>9.99	10
et__qadd02			->>>, >>>, >>9.99	10
et__qadd03			->>>, >>>, >>9.99	10
et__qadi01			>>>>>>9	
et__qadi02			>>>>>>9	
et__qadi03			>>>>>>9	
et__qadi04			->>>>>>>9	
et__qadi01			yes/no	
et__qadi02			yes/no	
et__qadi03			yes/no	
et__qadi04	QAD Logical Field 4		yes/no	
et__qadi05	QAD Logical Field 5		yes/no	
et__qadt01			99/99/99	
et__qadt02			99/99/99	
et__qadt03			99/99/99	
et__qadt04	QAD Date Field 4		99/99/99	
et_base_curr	Old Base Currency		x(3)	
et_conv_acct	Conversion Rounding Acct		x(8)	
et_conv_cc	Conversion Rounding CC		x(4)	
et_conv_sub	Conversion Rounding Sub-Acct	Sub-Acct	x(8)	
et_domain	Domain		x(8)	
et_gl_eff_dt	GL Effective Date		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* et_index1	yes	et_domain	yes	no
oid et_ctrl	yes	oid et_ctrl	yes	no

euc ctrl	Service/Support End User Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	euc_index1	yes	euc_domain	yes	no
	oid_euc_ctrl	yes	oid_euc_ctrl	yes	no

eud det Service/Support End User Detail

Field Name	Label	Col-Label	Format	Dec
eud_chr01	User Character Field 1		X(8)	
eud_chr02	User Character Field 2		X(8)	
eud_chr03	User Character Field 3		X(8)	
eud_dte01	User Date Field 1		99/99/99	
eud_int01	User Integer Field 1		->,>>>,>>9	
eud_log01	User Logical Field 1		yes/no	
eud_qadc01	QAD Character Field 1		X(8)	
eud_qadc02	QAD Character Field 2		X(8)	
eud_qadc03	QAD Character Field 3		X(8)	
eud_qadi01	QAD Integer Field 1		->,>>>,>>9	
eud_qadi01	QAD Logical Field 1		yes/no	
eud_qadt01	QAD Date Field 1		99/99/99	
eud_addr	End User		x(8)	
eud_domain	Domain		x(8)	
eud_fax	Fax		x(20)	
eud_ls_type	List Type		x(8)	
eud_mail_addr	Mail Address		x(24)	

eu_mstr Service/Support End User Master

Field Name	Label	Col-Label	Format	Dec
eu_chr01			x(8)	
eu_chr02			x(8)	
eu_chr03			x(8)	
eu_chr04			x(8)	
eu_chr05			x(8)	
eu_chr06			x(8)	
eu_chr07			x(8)	
eu_chr08			x(8)	
eu_chr09			x(8)	
eu_chr10			x(8)	
eu_dec01			->>>, >>>, >>9.99	10
eu_dec02			->>>, >>>, >>9.99	10
eu_dec03			->>>, >>>, >>9.99	10
eu_dte01			99/99/99	
eu_dte02			99/99/99	
eu_dte03			99/99/99	
eu_dte04			99/99/99	
eu_log01			yes/no	
eu_log02			yes/no	
eu_log03			yes/no	
eu_log04			yes/no	
eu_log05			yes/no	
eu_qadc01	QAD Character Field 1		X(8)	
eu_qadc02	QAD Character Field 2		X(8)	
eu_qadc03	QAD Character Field 3		X(8)	
eu_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
eu_qadi01	QAD Integer Field 1		->, >>>, >>9	
eu_qadi02	QAD Integer Field 2		->, >>>, >>9	
eu_qadi01	QAD Logical Field 1		yes/no	
eu_qadi02	QAD Logical Field 2		yes/no	
eu_qadi03	QAD Logical Field 3		yes/no	
eu_qadt01	QAD Date Field 1		99/99/99	
eu_qadt02	QAD Date Field 2		99/99/99	
eu_addr	End User		x(8)	
eu_application	Application		x(40)	
eu_autorenew	Auto Renew Contracts		yes/no	
eu_channel	Channel	Chan	x(4)	
eu_cm_nbr	Customer No	Cus No	x(8)	
eu_cmtindx	Comment Idx		>>>>>>9	
eu_create_isb	Create ISB		yes/no	
eu_disc_pct	Disc %		->>9.99%	10
eu_domain	Domain		x(8)	
eu_ed_time	End Time	Ed Tm	99:99	
eu_eng_code	Engineer Code	Eng Cd	x(8)	
eu_eng_group	Engineer Group		x(8)	
eu_eng_sec	Secondary Eng		x(8)	0
eu_es_nbr	Escalation	Esc	x(8)	
eu_lang	Language		x(2)	
eu_login	Login		x(12)	
eu_mod_date	Modified Date	Mod Date	99/99/99	
eu_mod_userid	User ID		X(8)	
eu_modem	Modem Phone	Modem	x(20)	
eu_msg	Message		x(60)	
eu_msg_end	End Date		99/99/99	
eu_name	Name		x(35)	
eu_node	Node		x(8)	
eu_node_type	Node Type		x(8)	
eu_office	Office		x(8)	
eu_phone	Phone		x(20)	
eu_po_accum	Accumulated PO Total		>>>>, >>>, >>9.99<<<	10
eu_po_limit	PO Limit		>>>>, >>>, >>9.99<<<	10
eu_po_nbr	Purchase Order	PO	x(22)	
eu_po_reqd	PO Required		yes/no	
eu_pri	Call Priority	Pri	>>>9	
eu_rebuild_isb	Rebuild Isb		yes/no	
eu_receipt_days	Days to Receive		>>9	
eu_renew_days	Days to Renew		>>9	
eu_reseller	Reseller		yes/no	
eu_review	Review Date		99/99/99	

ExchangeRateExchange Rate

Field Name	Label	Col-Label	Format	Dec
ExchangeRate	Exchange Rate	Rate	->, >>>, >>>9.9999999999	10
ExchangeRate_ID	Record ID		9999999999	
ExchangeRateScale	Scale Factor		->, >>>, >>>9.9999999	10
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
ExchangeRateValidDateFrom	Valid from		99/99/9999	
ExchangeRateValidDateTill	Valid to		99/99/9999	
FromCurrency_ID	From Currency Code	From Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
ToCurrency_ID	To Currency Code	To Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
DateFrom	no	ExchangeRateValidDateFrom	yes	no
DateTill	no	ExchangeRateValidDateTill	yes	no
FromCurrency	no	FromCurrency_ID	yes	no
◇* Prim	yes	ExchangeRate_ID	yes	no
RateType	no	ExchangeRateType_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
ToCurrency	no	ToCurrency_ID	yes	no
UniqueIndex	yes	SharedSet_ID	yes	no
		ExchangeRateType_ID	yes	no
		FromCurrency_ID	yes	no
		ToCurrency_ID	yes	no
		ExchangeRateValidDateFrom	yes	no

ExchangeRateTypeExchange Rate Type

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>>9	
CustomInteger1	Custom Integer Field		->, >>>, >>>9	
CustomInteger2	Custom Integer Field		->, >>>, >>>9	
CustomInteger3	Custom Integer Field		->, >>>, >>>9	
CustomInteger4	Custom Integer Field		->, >>>, >>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	

Field Name	Label	Col-Label	Format	Dec
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
ExchangeRateType_ID	Record ID		9999999999	
ExchangeRateTypeCode	Exchange Rate Type	Rate Type	x(20)	
ExchangeRateTypeDescript	Description		x(40)	
ExchangeRateTypeIsActive	Active		yes/no	
ExchangeRateTypeIsExported	Exported		yes/no	
ExchangeRateTypeIsFallBack	Fall Back On Accounting Type		yes/no	
ExchangeRateTypeIsSystem	System-Owned	System	yes/no	
ExchangeRateTypeIsTillDate	With Valid Till Date		yes/no	
ExchangeRateTypeValidity	Default Validity (days)		>>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ExchangeRateTypeCode	yes	no
◇* Prim	yes	ExchangeRateType_ID	yes	no
◇ ViewIndex	no	ExchangeRateTypeIsActive	yes	no
		ExchangeRateTypeCode	yes	no

ExpenseCodeExpense Code

Field Name	Label	Col-Label	Format	Dec
ExpenseCode	Expense Code		x(20)	
ExpenseCode_ID	Record ID		9999999999	
ExpenseCodeDescription	Description		x(40)	
ExpenseCodeIsActive	Active		yes/no	
ExpenseCodeType	Expense Type	Type	x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	ExpenseCode	yes	no
◇ CodeAndType	yes	ExpenseCode	yes	no
		ExpenseCodeType	yes	no
◇* Prim	yes	ExpenseCode_ID	yes	no
◇ ViewIndex	no	ExpenseCodeIsActive	yes	no
		ExpenseCode	yes	no

ExpenseGLMatrixExpense GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostCentreGL_ID	Expense Acc (CC)		9999999999	
EmployeeExpenseCode_ID	Employee Expense Code		9999999999	
ExpenseGLMatrix_ID	Record ID		9999999999	
ItemExpenseCode_ID	Item Expense Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
NoAnalysisGL_ID	Expense Account (No Analysis)		9999999999	
ProjectGL_ID	Expense Acc (Pri)		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentreGL	no	CostCentreGL_ID	yes	no
EmployeeExp	no	EmployeeExpenseCode_ID	yes	no
ItemExp	no	ItemExpenseCode_ID	yes	no
◇ NoAnalysisGL	no	NoAnalysisGL_ID	yes	no
◇* Prim	yes	ExpenseGLMatrix_ID	yes	no
◇ ProjectGL	no	ProjectGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ UniqueKey	yes	SharedSet_ID	yes	no
		ItemExpenseCode_ID	yes	no
		EmployeeExpenseCode_ID	yes	no

ExpNoteCInvoiceExpense Note Supplier Invoice

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
ExpNote_ID	Link to ExpNote		9999999999	
ExpNoteCInvoice_ID	Record ID		9999999999	
ExpNoteCInvoiceDeductLC	BC Deductible		->>>,>>>,>>>,>>9.99	4
ExpNoteCInvoiceDeductTC	TC Deductible		->>>,>>>,>>>,>>9.99	4

Index-Name	Uni	Field-Name	Asc	Abbr
exr_curr2	no	exr_domain	yes	no
		exr_curr2	yes	no
* exr_curr5	yes	exr_domain	yes	no
		exr_curr1	yes	no
		exr_curr2	yes	no
		exr_ratetype	yes	no
		exr_start_date	no	no
exr_ratetype	no	exr_domain	yes	no
		exr_ratetype	yes	no
oid_exr_rate	yes	oid_exr_rate	yes	no

faadj mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* faadj_fa_id	yes	faadj_domain	yes	no
		faadj_fa_id	yes	no
		faadj_fabk_id	yes	no
		faadj_resrv	yes	no
oid faadj_mstr	yes	oid faadj_mstr	yes	no

FAAssetBookDeprec

Field Name	Label	Col-Label	Format	Decimal
FAAssetBook_ID	Link to FAAssetBook		9999999999	
FAAssetBookDeprec_ID	Record ID		9999999999	
FAAssetBookDeprecAmountLC	BC Depreciation Amount	BC Depr Amount	->>>, >>>, >>>, >>9.99	4
FAAssetBookDeprecMonth	Depreciation Month	Depr Month	99	
FAAssetBookDeprecPRICE	Depreciation Price	Depr Price	->>>, >>>, >>9.99999	10
FAAssetBookDeprecQTY	Depreciation Quantity	Depr Quantity	->>>, >>>, >>9.99	4
FAAssetBookDeprecYear	Depreciation Year	Depr Year	9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
DeprecMonth	no	FAAssetBookDeprecMonth	yes	no
DeprecYear	no	FAAssetBookDeprecYear	yes	no
◇ FAAssetBook	no	FAAssetBook_ID	yes	no
◇* Prim	yes	FAAssetBookDeprec_ID	yes	no
◇ UniqueIdx	yes	FAAssetBook_ID	yes	no
		FAAssetBookDeprecYear	yes	no
		FAAssetBookDeprecMonth	yes	no

FAAssetGLSaf Asset Book Account SAF

Field Name	Label	Col-Label	Format	Dec
FAAssetGL_ID	Link to FAAssetGL		9999999999	
FAAssetGLSaf_ID	Record ID		9999999999	
FAAssetGLSafInputSeq	Seq		>>>9	
FAAssetGLSafParentType	Parent Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AssetGL	no	FAAssetGL_ID	yes	no
InputSequence	no	FAAssetGLSafInputSeq	yes	no
◇ ParentType	no	FAAssetGLSafParentType	yes	no
◇* Prim	yes	FAAssetGLSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	FAAssetGL_ID	yes	no
		FAAssetGLSafInputSeq	yes	no
		FAAssetGLSafParentType	yes	no

FAAssetSaf Asset Saf

Field Name	Label	Col-Label	Format	Dec
FAAsset_ID	Link to FAAsset		9999999999	
FAAssetSaf_ID	Record ID		9999999999	
FAAssetSafInputSequence	Seq		999	
FAAssetSafParentType	Parent Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Asset	no	FAAsset_ID	yes	no
◇* Prim	yes	FAAssetSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueKey	yes	FAAsset_ID	yes	no
		FAAssetSafInputSequence	yes	no
		FAAssetSafParentType	yes	no

FAAssetTypeFABookFixed Asset Type-Book Cross-Reference

Field Name	Label	Col-Label	Format	Dec
FAAssetType_ID	Code		9999999999	
FAAssetTypeBookSequence	Sequence		99	
FAAssetTypeFABook_ID	Record ID		9999999999	
FABook_ID	Layer Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
	AssetTpBkSq	no	FAAssetTypeBookSequence	yes	no
◇	AssetType	no	FAAssetType_ID	yes	no
	Book	no	FABook_ID	yes	no
◇*	Prim	yes	FAAssetTypeFABook_ID	yes	no
◇	UniqueKey	yes	FAAssetType_ID	yes	no
			FAAssetTypeBookSequence	yes	no

faba_det Fixed Asset Account Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
faba_acctype	no	faba_domain	yes	no
		faba_acctype	yes	no
* faba_fa_id	yes	faba_domain	yes	no
		faba_fa_id	yes	no
		faba_fabk_id	yes	no
		faba_acctype	yes	no
		faba_glseq	yes	no
oid_faba_det	yes	oid_faba_det	yes	no

fabchd_det Fixed Asset Batch Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabchd_fa_id	yes	fabchd_domain	yes	no
		fabchd_fabch_id	yes	no
		fabchd_fa_id	yes	no
oid_fabchd_det	yes	oid_fabchd_det	yes	no

fabch_mstr Fixed Asset Batch Master

Field Name	Label	Col-Label	Format	Dec
fabch__chr01			x(8)	
fabch__dec01			->>>>, >>>, >>9.99<	10
fabch__dte01			99/99/9999	
fabch__int01			->, >>>, >>9	
fabch__log01			yes/no	
fabch__qadc01			x(20)	
fabch__qadd01			->>>>, >>>, >>9.99<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabch_id	yes	fabch_domain	yes	no
		fabch_id	yes	no
oid fabch mstr	yes	oid fabch mstr	yes	no

fabdy_det

FA Book and Daybook link detail table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabdy_bk_id	no	fabdy_bk_id	yes	no
fabdy_book	yes	fabdy_domain	yes	no
		fabdy_entity	yes	no
		fabdy_bk_id	yes	no
		fabdy_dy_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
fabby_dy_code	no	fabby_dy_code	yes	no
		fabby_entity	yes	no
		fabby_bk_id	yes	no
fabby_entity	no	fabby_entity	yes	no
		fabby_bk_id	yes	no
oid_fabby_det	yes	oid_fabby_det	yes	no

Fixed Asset Book Depreciation Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fabd_entity	no	fabd_domain	yes	no
		fabd_entity	yes	no
fabd_fa_id	no	fabd_domain	yes	no
		fabd_fa_id	yes	no
		fabd_fabk_id	yes	no
		fabd_yrper	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		fabd_resrv	yes	no
		fabd_seq	yes	no
fabd_glseq	no	fabd_domain	yes	no
		fabd_glseq	yes	no
fabd_post	no	fabd_domain	yes	no
		fabd_post	yes	no
fabd_resrv	no	fabd_domain	yes	no
		fabd_resrv	yes	no
fabd_rt_period	no	fabd_domain	yes	no
		fabd_rt_period	yes	no
* fabd_seq	yes	fabd_domain	yes	no
		fabd_seq	yes	no
fabd_suspend	no	fabd_domain	yes	no
		fabd_suspend	yes	no
fabd_trn_entity	no	fabd_domain	yes	no
		fabd_trn_entity	yes	no
fabd_yrper	no	fabd_domain	yes	no
		fabd_fabk_id	yes	no
		fabd_post	yes	no
		fabd_yrper	yes	no
oid_fabd_det	yes	oid_fabd_det	yes	no

fabk_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fabk_id	yes	fabk_domain	yes	no
		fabk_id	yes	no
fabk_seq	no	fabk_domain	yes	no
		fabk_seq	yes	no
oid_fabk_mstr	yes	oid_fabk_mstr	yes	no

Fixed Asset Book Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* fab_fa_id	yes	fab_domain	yes	no
		fab_fa_id	yes	no
		fab_fabk_seq	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
fab_meter	no	fab_domain	yes	no
		fab_famtr_id	yes	no
fab_resrv	no	fab_domain	yes	no
		fab_fa_id	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
oid_fab_det	yes	oid_fab_det	yes	no

FACapitalAssetBookFixed Asset Capitalization Asset Book

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
	FAAssetBk	no	FAAssetBook_ID	yes	no
	FACapital	no	FACapital_ID	yes	no
◇*	Prim	yes	FACapitalAssetBook_ID	yes	no
◇	Uniqueldx	yes	FAAssetBook_ID	yes	no
			FACapital_ID	yes	no

facd det Fixed Asset Class Account Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* facd_fac_id	yes	facd_domain	yes	no
		facd_facl_id	yes	no
		facd_fabk_id	yes	no
		facd_acctype	yes	no
oid facd det	yes	oid facd det	yes	no

facld det Fixed Asset Calendar Detail

Field Name	Label	Col-Label	Format	Dec
facld__chr01			x(8)	
facld__dec01			->>>>,>>>,>>9.99<	10
facld__dte01			99/99/9999	
facld__int01			->,>>>,>>9	
facld__log01			yes/no	
facld__qadc01			x(20)	
facld__qadd01			->>>>,>>>,>>9.99<	10
facld__qadi01			->,>>>,>>9	
facld__qadi01			yes/no	
facld__qadt01			99/99/9999	
facld__domain	Domain		x(8)	
facld__end	Period End		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
facI_id	Calendar		x(8)	
facI_mod_date	Modified Date	Mod Date	99/99/9999	
facI_mod_userid	User ID		x(8)	
facI_user1	Ufld1		x(8)	
facI_user2	Ufld2		x(8)	
facI_year	Year		9999	
oid_facI_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* facl_id	yes	facl_domain	yes	no
		facl_id	yes	no
		facl_year	yes	no
oid facl cal	yes	oid facl cal	yes	no

fact ctrl	Fixed Asset Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fact_index1	yes	fact_domain	yes	no
oid fact ctrl	yes	oid fact ctrl	yes	no

fac_ctrl Final Assembly Control

Field Name	Label	Col-Label	Format	Dec
fac__qadc01			x(8)	
fac__qadi01			->>>>>>9	
fac_domain	Domain		x(8)	
fac_so_rec	Receive F/A in SO	SO Rec	yes/no	
fac_unit_qty	Unit F/A Orders	Unit F/A	yes/no	

Fixed Asset Book Default Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fadf_fac_id	yes	fadf_domain	yes	no
		fadf_facts_id	yes	no
		fadf_fabk_id	yes	no
oid fadf_mstr	yes	oid fadf_mstr	yes	no

FADisposalDetSafFixed Asset Disposal Detail Saf

Index-Name	Uni	Field-Name	Asc	Abbr
FADispDet	no	FADisposalDet_ID	yes	no
◊* Prim	yes	FADisposalDetSaf_ID	yes	no
◊ Saf	no	Saf_ID	yes	no
◊ SafStructure	no	SafStructure_ID	yes	no
◊ UniqueIdx	yes	FADisposalDetSafSeq	yes	no
		FADisposalDetSafParentType	yes	no
		FADisposalDet_ID	yes	no

Fixed Asset Component Detail

Index-Name	Uni	Field-Name	Asc	Abbr
fad_fa_id	no	fad_domain	yes	no
		fad_fa_id	yes	no
		fad_tag	yes	no
* fad_tag	yes	fad_domain	yes	no
		fad_tag	yes	no
oid_fad_det	yes	oid_fad_det	yes	no

Fixed Asset Location Master

Index-Name	Uni	Field-Name	Asc	Abbr
* faloc_id	yes	faloc_domain	yes	no
		faloc_id	yes	no
oid_faloc_mstr	yes	oid_faloc_mstr	yes	no

fal mstr

Fixed Asset Location Code Master

Field Name	Label	Col-Label	Format	Dec
fal__qad01			yes/no	
fal__qad02			x(8)	
fal__qad03			x(8)	
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Accout	Depr Exp! Sub-Acct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Acct	x(8)	
fal_user1	Ufld1		x(8)	
fal_user2	Ufld2		x(8)	
fal_userid	User ID		x(8)	
oid_fal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
fal_desc	no	fal_desc	yes	no
		fal_fa_loc	yes	no
* fal_fa_loc	yes	fal_fa_loc	yes	no
fal_ind1	no	fal_loc	yes	no
		fal_bldg	yes	no
		fal_dept	yes	no
		fal_fa_loc	yes	no
oid_fal_mstr	yes	oid_fal_mstr	yes	no

famtd det

Fixed Asset Custom Table Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtd_famtd_id	yes	famtd_domain	yes	no
		famtd_famtd_id	yes	no
		famtd_year	yes	no
		famtd_period	yes	no
oid_famtd_det	yes	oid_famtd_det	yes	no

famtrd_det

Fixed Asset Meter Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtrd_famtr_id	yes	famtrd_domain	yes	no
		famtrd_famtr_id	yes	no
		famtrd_seq	no	no
oid_famtrd_det	yes	oid_famtrd_det	yes	no

famtr_mstr

Fixed Asset Meter Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famtr_id	yes	famtr_domain	yes	no
		famtr_id	yes	no
oid famtr mstr	yes	oid famtr mstr	yes	no

famt_mstr Fixed Asset Method Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* famt_id	yes	famt_domain	yes	no
		famt_id	yes	no
oid famt mstr	yes	oid famt mstr	yes	no

FARevalDetSaf Fixed Asset Revaluation Detail SAF

Field Name	Label	Col-Label	Format	Dec
FARevalDet_ID	Link to FAREvalDet		9999999999	
FARevalDetSaf_ID	Record ID		9999999999	
FARevalDetSafParentType	SAF Parent Type		x(20)	
FARevalDetSafSequence	Sequence	Seq	->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
FARevalDet	no	FARevalDet_ID	yes	no
◇* Prim	yes	FARevalDetSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
◇ UniqueIdx	yes	FARevalDetSafSequence	yes	no
		FARevalDetSafParentType	yes	no
		FARevalDet_ID	yes	no

FARevalPosting Fixed Asset Revaluation Posting

Field Name	Label	Col-Label	Format	Dec
FAReval_ID	Link to FAREval		9999999999	
FARevalPosting_ID	Record ID		9999999999	
FARevalPostingType	Posting Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Voucher		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ FAREval	no	FAReval_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* Prim	yes	FARevalPosting_ID	yes	no
◇ UniqueIdx	yes	FAReval_ID	yes	no
		Posting_ID	yes	no

fas_ctrl Fixed Asset System Control

Field Name	Label	Col-Label	Format	Dec
fas__qad01			yes/no	
fas__qad02			x(8)	
fas__qad03			x(8)	
fas_detail	Post		detail/summary	
fas_gain_acct	Gain Account	Gain Acc	x(8)	
fas_gain_cc	Cost Center	CC	x(4)	
fas_gain_sub	Sub-Account	Sub-Acct	x(8)	
fas_index1	Index		>>>>>9	
fas_loss_acct	Loss Account	Loss Acc	x(8)	
fas_loss_cc	Cost Center	CC	x(4)	
fas_loss_sub	Sub-Account	Sub-Acct	x(8)	
fas_minimum	Asset Minimum Cost		->>, >>>, >>>, >>9.99<	10

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fas_index1	yes	fas_index1	yes	no
	oid_fas_ctrl	yes	oid_fas_ctrl	yes	no

fauop det Fixed Assets UOP Forecast Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fauop_fa_id	yes	fauop_domain	yes	no
		fauop_fa_id	yes	no
		fauop_fabk_id	yes	no
		fauop_yrper	yes	no
oid_fauop_det	yes	oid_fauop_det	yes	no

FavBusComponentFavorites

Field Name	Label	Col-Label	Format	Dec
BusArea_ID			9999999999	
BusComponent_ID			9999999999	
FavBusComponent_ID			9999999999	
FavBusComponentSequence			>>>9	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BusArea	no	BusArea_ID	yes	no
◇ BusComponent	no	BusComponent_ID	yes	no
◇* prim	yes	FavBusComponent_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

fa_mstr Fixed Asset Master

Field Name	Label	Col-Label	Format	Dec
fa_chr01			x(8)	
fa_chr02			x(8)	
fa_chr03			x(8)	
fa_chr04			x(8)	
fa_dec01			->>>>, >>>, >>9.99	10
fa_dec02			->>>>, >>>, >>9.99<	10
fa_dec03			->>>>, >>>, >>9.99<	10
fa_dec04			->>>>, >>>, >>9.99<	10
fa_dte01			99/99/9999	
fa_dte02			99/99/9999	
fa_dte03			99/99/9999	
fa_dte04			99/99/9999	
fa_int01			->, >>>, >>9	
fa_int02			->, >>>, >>9	
fa_int03			->, >>>, >>9	
fa_int04			->, >>>, >>9	
fa_log01			yes/no	
fa_log02			yes/no	
fa_log03			yes/no	
fa_log04			yes/no	
fa_qadc01			x(20)	
fa_qadc02			x(8)	
fa_qadd01			->>>>, >>>, >>9.99	10
fa_qadi01			->, >>>, >>9	
fa_qadl01			yes/no	
fa_qadt01			99/99/9999	
fa_acq_post	Acquisition Posted		yes/no	
fa_auth_number	Auth Number		x(8)	
fa_cmtindx	Comment Index	Comment	>>>>>>>9	
fa_code	Sort Code		x(10)	
fa_custodian	Custodian		x(8)	
fa_dep	Depreciate Asset	Dep	yes/no	
fa_desc1	Description		x(50)	
fa_disp_dt	Disposition Date	Disp Date	99/99/9999	
fa_disp_rsn	Disposition Reason		x(8)	
fa_dispamt	Sold For		->>>>, >>>, >>9.99<	10
fa_domain	Domain		x(8)	
fa_entity	Entity	Enty	x(20)	
fa_fabch_id	Batch		x(12)	
fa_fac1s_id	Class		x(8)	
fa_faloc_id	Location		x(8)	
fa_id	Asset		x(12)	
fa_ins_co	Insurance Company		x(24)	
fa_ins_date	Insurance Date		99/99/9999	
fa_ins_nbr	Insurance Number		x(12)	
fa_insamt	Insurance Value		->>>>, >>>, >>9.99<	10
fa_migrate	Migrated		yes/no	
fa_mod_date	Modified Date	Mod Date	99/99/9999	
fa_mod_userid	User ID		x(8)	
fa_parent	Parent		x(12)	
fa_po	PO Number		x(8)	
fa_post	Posted		yes/no	
fa_posted_puramt	Cost		->>>>, >>>, >>9.99<	10
fa_puramt	Cost		->>>>, >>>, >>9.99<	10
fa_qty	Components		>>>9	
fa_receiver	Receiver		x(8)	
fa_replamt	Replacement		->>>>, >>>, >>9.99<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fa_code	no	fa_domain	yes	no
		fa_code	yes	no
fa_desc1	no	fa_domain	yes	no
		fa_desc1	yes	no
fa_fabch_id	no	fa_domain	yes	no
		fa_fabch_id	yes	no
fa_fac_id	no	fa_domain	yes	no
		fa_fac1_id	yes	no
fa_faloc_id	no	fa_domain	yes	no
		fa_faloc_id	yes	no
* fa_id	yes	fa_domain	yes	no
		fa_id	yes	no
fa_post	no	fa_domain	yes	no
		fa_post	yes	no
oid fa_mstr	yes	oid fa_mstr	yes	no

fcc mstr Service/Support Charge Code Product Line Master

Field Name	Label	Col-Label	Format	Dec
fcc_chr01	User Field #1		x(8)	
fcc_chr02	User Field #2		x(8)	
fcc_chr03	User Field #3		x(8)	
fcc_chr04	User Field #4		x(8)	
fcc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fcc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fcc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fcc_dte01	User Date #1		99/99/99	
fcc_dte02	User Date #2		99/99/99	
fcc_dte03	User Date #3		99/99/99	
fcc_log01	User Logical #1		yes/no	
fcc_log02	User Logical #2		yes/no	
fcc_log03	User Logical #3		yes/no	
fcc_qadc01	Qad Field #1		x(8)	
fcc_qadc02	Qad Field #2		x(8)	
fcc_qadc03	Qad Field #3		x(8)	
fcc_qadc04	Qad Field #4		x(8)	
fcc_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
fcc_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
fcc_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
fcc_qadl01	Qad Logical #1		yes/no	
fcc_qadl02	Qad Logical #2		yes/no	
fcc_qadl03	Qad Logical #3		yes/no	
fcc_qadt01	Qad Date #1		99/99/99	
fcc_qadt02	Qad Date #2		99/99/99	
fcc_qadt03	Qad Date #3		99/99/99	
fcc_ca_int_type	Work Code	Wk Code	x(8)	
fcc_domain	Domain		x(8)	
fcc_fcg_code	Charge Code	Charge	x(8)	
fcc_fsc_code	Service Category	Svc Cat	x(8)	
fcc_mod_date	Modified Date	Mod Date	99/99/99	
fcc_mod_userid	User ID		X(8)	
fcc_prod_line	Product Line	Line	x(4)	
fcc_pt_prod_line	Item Product Line	Itm Line	x(4)	0
fcc_pt_svc_group	Service Group	Group	x(8)	

Field Name	Label	Col-Label	Format	Dec
fcc_sv_code	Service Type	Ser Type	x(8)	
fcc_type			x(4)	0
fcc_user1	Ufld1		X(8)	
fcc_user2	Ufld2		X(8)	
oid_fcc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
fcc_ca_int_type	no	fcc_domain	yes	no
		fcc_type	yes	no
		fcc_ca_int_type	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
* fcc_fcg_code	yes	fcc_domain	yes	no
		fcc_type	yes	no
		fcc_fcg_code	yes	no
		fcc_ca_int_type	yes	no
		fcc_fsc_code	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
oid_fcc_mstr	yes	oid_fcc_mstr	yes	no

fcDraftInstanceDatadraft instance

Field Name	Label	Col-Label	Format	Dec
DraftInstance_ID	Instance ID		9999999999	
DraftInstanceData			x(8)	
DraftInstanceSeq			9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	DIData_PK	yes	DraftInstance_ID	yes	no
			DraftInstanceSeq	yes	no

fcd_mstr Service/Support Default Charge Code Master

Field Name	Label	Col-Label	Format	Dec
fcd__chr01	User Character Field 1		X(8)	
fcd__chr02	User Character Field 2		X(8)	
fcd__dec01	User Decimal Field 1		->>, >>9.99	10
fcd__dte01	User Date Field 1		99/99/99	
fcd__int01	User Integer Field 1		->, >>>, >>9	
fcd__log01	User Logical Field 1		yes/no	
fcd__qadc01	QAD Character Field 1		X(8)	
fcd__qadc02	QAD Character Field 2		X(8)	
fcd__qadd01	QAD Decimal Field 1		->>, >>9.99	10
fcd__qadi01	QAD Integer Field 1		->, >>>, >>9	
fcd__qadi01	QAD Logical Field 1		yes/no	
fcd__qadt01	QAD Date Field 1		99/99/99	
fcd_ca_int_type	Work Code		x(8)	
fcd_domain	Domain		x(8)	
fcd_eu_type	End User Type	EU Type	x(8)	
fcd_fcg_billable	Billable		x(8)	
fcd_fcg_contract	Contract		x(8)	0
fcd_fcg_covered	Covered		x(8)	
fcd_fcg_fixed	Fixed Billable		x(8)	
fcd_fcg_warranty	Warranty		x(8)	0

Field Name	Label	Col-Label	Format	Dec
fcd_fsc_code	Service Category	Svc Cat	x(8)	
fcd_mod_date	Modified Date	Mod Date	99/99/99	
fcd_mod_userid	User ID		X(8)	
fcd_sv_code	Service Type		x(8)	
fcd_user1	Ufld1		X(8)	
fcd_user2	Ufld2		X(8)	
oid_fcd_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcd_sv_code	yes	fcd_domain	yes	no
		fcd_sv_code	yes	no
		fcd_ca_int_type	yes	no
		fcd_fsc_code	yes	no
		fcd_eu_type	yes	no
oid fcd_mstr	yes	oid fcd_mstr	yes	no

fcg_mstr

Service/Support Charge Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fcg_billindex	yes	fcg_domain	yes	no
		fcg_code	yes	no
		fcg_fix_index	yes	no
* fcg_code	yes	fcg_domain	yes	no
		fcg_code	yes	no
oid_fcg_mstr	yes	oid_fcg_mstr	yes	no

fcldmObject IDOM document

Field Name	Label	Col-Label	Format	Dec
IdmId	Object ID		x(64)	
IdmLibrary	Object Library		x(32)	
IdmObjectld	Internal id	Id	9999999999	
IdmType	Object Type		>9	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Objectld	Internal ID	ID	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
IdmoObjectldK	no	Objectld	yes	no
* IdmoPk	yes	IdmObjectld	yes	no

fclInstance State

Field Name	Label	Col-Label	Format	Dec
Instance_ID			9999999999	
InstanceClassName			x(26)	
InstanceData			x(8)	
InstanceIsInUse			yes/no	
InstanceSeq			9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
∅* prim	yes	Instance_ID	yes	no
		InstanceSeq	yes	no

fcs_sum Forecast Summary

Field Name	Label	Col-Label	Format	Dec
fcs_qadc01			x(8)	
fcs_abnormal[52]	Abnormal Demand	Abnormal	->,>>>,>>9	10
fcs_domain	Domain		x(8)	
fcs_fcst_qty[52]	Qty Forecast	Forecast	->,>>>,>>9	10
fcs_part	Item Number		x(18)	
fcs_pr_fcst[52]	Production Forecast	Prod Fcst	->,>>>,>>9	10
fcs_site	Site		x(8)	
fcs_sold_qty[52]	Qty Sold		->,>>>,>>9	10

Field Name	Label	Col-Label	Format	Dec
fcs_user1	Ufld1		x(8)	
fcs_user2	Ufld2		x(8)	
fcs_year	Year		>>>>	
oid_fcs_sum			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fcs_partyear	yes	fcs_domain	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
		fcs_year	yes	no
fcs_yearpart	yes	fcs_domain	yes	no
		fcs_year	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
oid_fcs_sum	yes	oid_fcs_sum	yes	no

fct_mstr Service/Support Call Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fct_type	yes	fct_domain	yes	no
		fct_type	yes	no
oid fct_mstr	yes	oid_fct_mstr	yes	no

fc det Seasonal Build Detail

Field Name	Label	Col-Label	Format	Dec
fc__qadc01			x(8)	
fc_domain	Domain		x(8)	
fc_end	End Date	End	99/99/99	
fc_part	Item Number		x(18)	
fc_qty	Seasonal Inventory	Seasonal Inv	->,>>>,>>9.9<<<<<<<<<	10
fc_ref	Reference		x(8)	
fc_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
fc_start	Date	Date	99/99/99	
fc_user1	Ufld1		x(8)	
fc_user2	Ufld2		x(8)	
oid_fc_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_part	yes	fc_domain	yes	no
		fc_part	yes	no
		fc_site	yes	no
		fc_start	yes	no
fc_ref_part	no	fc_domain	yes	no
		fc_ref	yes	no
		fc_part	yes	no
fc_site	yes	fc_domain	yes	no
		fc_site	yes	no
		fc_part	yes	no
		fc_start	yes	no
oid_fc_det	yes	oid_fc_det	yes	no

Simulated Forecast Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fc_id	yes	ff_domain	yes	no
		ff_id	yes	no
		ff_user	yes	no
		ff_year	yes	no
		ff_method	yes	no
		ff_part	yes	no
		ff_site	yes	no
		ff_cust	yes	no
oid ff mstr	yes	oid ff mstr	yes	no

Family Hierarchy Master

Index-Name	Uni	Field-Name	Asc	Abbr
fh_comp	no	fh_domain	yes	no
		fh_comp	yes	no
		fh_parent	yes	no
fh_compsite	no	fh_domain	yes	no
		fh_comp	yes	no
		fh_site	yes	no
* fh_parsite	yes	fh_domain	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
		fh_site	yes	no
fh_sitecomp	no	fh_year	yes	no
		fh_domain	yes	no
		fh_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
fh_sitepar	yes	fh_comp	yes	no
		fh_domain	yes	no
		fh_site	yes	no
		fh_parent	yes	no
		fh_comp	yes	no
oid_fh_mstr	yes	fh_year	yes	no
		oid_fh_mstr	yes	no

fis_mstr	Invoice Sort Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fis_sort_type	no	fis_domain	yes	no
		fis_row_type	yes	no
		fis_order	yes	no
	yes	fis_domain	yes	no
		fis_sort	yes	no
oid_fis_mstr	yes	fis_row_type	yes	no
		oid_fis_mstr	yes	no

fkt_mstr Service/Support Kit Master

Field Name	Label	Col-Label	Format	Dec
fkt__chr01	User Character Field #1		x(8)	0
fkt__chr02	User Character Field #2		x(8)	0
fkt__chr03	User Character Field #3		x(8)	0
fkt__chr04	User Character Field #4		x(8)	0
fkt__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fkt__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fkt__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fkt__dte01	User Date #1		99/99/99	
fkt__dte02	User Date #2		99/99/99	
fkt__dte03	User Date #3		99/99/99	
fkt__log01	User Logical #1		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fkt_bom_code	no	fkt_domain	yes	no
		fkt_bom_code	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
fkt_part	no	fkt_domain	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
* fkt_serial	yes	fkt_domain	yes	no
		fkt_serial	yes	no
fkt_site	no	fkt_domain	yes	no
		fkt_site	yes	no
		fkt_loc	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
oid_fkt_mstr	yes	oid_fkt_mstr	yes	no

flcrh_hist Flow Line Capacity Rate History

Field Name	Label	Col-Label	Format	Dec
flcrh__qadc01			x(24)	
flcrh__qadc02			x(24)	
flcrh__qadc03			x(24)	
flcrh__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
flcrh__qadi01			->>>>>>>9	
flcrh__qadi01			yes/no	
flcrh__qadt01			99/99/99	
flcrh_domain	Domain		x(8)	
flcrh_entry_mode	Default Entry Mode	Entry! Mode	single/multi	

fldattr mstr

Field Name	Label	Col-Label	Format	Dec
fldattr__qadc01			x(24)	
fldattr__qadc02			x(24)	
fldattr_attrname	Attribute Name	Attribute! Name	x(32)	
fldattr_attrval	Attribute Value	Attribute! Value	x(60)	
fldattr_fidname	Field Name	Field! Name	x(32)	
fldattr_mod_date	Modified Date	Mod Date	99/99/99	
fldattr_mod_userid	User ID		x(8)	
fldattr_progname	Program Name	Program! Name	x(30)	
fldattr_user1	User Field Character 1		x(24)	
fldattr_user2	User Field Character 2		x(24)	
oid_fldattr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fidxattr_progattr	yes	fidxattr_fidname	yes	no
		fidxattr_progname	yes	no
		fidxattr_attrname	yes	yes
oid fidxattr_mstr	yes	oid fidxattr_mstr	yes	no

fldf mstr

Field Name	Label	Col-Label	Format	Dec
fldf__qadc01			x(8)	
fldf_call_pg	Procedure		x(10)	
fldf_desc	Description		x(30)	
fldf_field	Field Name		x(32)	
fldf_user1	Ufld1		x(8)	
fldf_user2	Ufld2		x(8)	
fldf_userid	User ID		x(8)	
fldf_value	Default Value		x(24)	
oid_fldf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldf_field	yes	fldf_field	yes	no
		fldf_call_pg	yes	no
		fldf_userid	yes	no
oid fldf mstr	yes	oid fldf mstr	yes	no

flff mstr

Field Name	Label	Col-Label	Format	Dec
fiff__qadc01			x(24)	
fiff__qadc02			x(24)	
fiff__qadc03			x(24)	
fiff__qadd01			->>>>,>>>,>>9.9<<<<<<<<<<	10
fiff__qadi01			->>>>>>>9	
fiff__qadi01			yes/no	
fiff__qadt01			99/99/99	
fiff_domain	Domain		x(8)	
fiff_mod_date	Modified Date	Mod Date	99/99/99	
fiff_mod_userid	User ID		x(8)	
fiff_pct	Flex Fence Pct	Flex Pct	>>9.9<<%	10
fiff_period_number	Period Nbr	Period	>9	
fiff_production_line	Production Line	Line	x(8)	
fiff_schedule_code	Schedule Code	Schedule	x(8)	
fiff_site	Site		x(8)	
fiff_user1	User Field Character 1		x(24)	
fiff_user2	User field character 2		x(24)	
fiff_userc03	User Field Character 3		x(24)	

Field Name	Label	Col-Label	Format	Dec
flff_userd01	User Field Decimal 1		->>>>, >>>, >>9,9<<<<<<<<<<	10
flff_useri01	User Field Integer 1		->>>>>>>>>9	
flff_userl01	User Field Logical 1		yes/no	
flff_usert01	User Field Date 1		99/99/99	
oid_flff_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* flff_site_prod_line	yes	flff_domain	yes	no
		flff_site	yes	no
		flff_production_line	yes	no
		flff_schedule_code	yes	no
		flff_period_number	yes	no
oid_flff_mstr	yes	oid_flff_mstr	yes	no

flh_mstr	Field Help Program Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flh_field	yes	flh_field	yes	no
		flh_call_pgm	yes	no
oid_flh_mstr	yes	oid_flh_mstr	yes	no

flpw_mstr Field Security Master

Field Name	Label	Col-Label	Format	Dec
flpw_qadc01			x(8)	
flpw_cmmt	Comments		x(24)	
flpw_domain	Domain		x(8)	
flpw_field	Field		x(32)	
flpw_user1	Ufld1		x(8)	
flpw_user2	Ufld2		x(8)	
flpw_userid	User ID		x(8)	
oid_flpw_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* flpw_fid_usr	yes	flpw_domain	yes	no
		flpw_field	yes	no
		flpw_userid	yes	no
oid flpw mstr	yes	oid flpw mstr	yes	no

Family Line Plan

Index-Name	Uni	Field-Name	Asc	Abbr
* flp_plan	yes	flp_domain	yes	no
		flp_part	yes	no
		flp_site	yes	no
		flp_line	yes	no
		flp_year	yes	no
oid flp plan	yes	oid flp plan	yes	no

Flow Schedule Code Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* flscd_schedule_code	yes	flscd_domain	yes	no
		flscd_schedule_code	yes	no
		flscd_site	yes	no
		flscd_production_line	yes	no
flscd_site	no	flscd_domain	yes	no
		flscd_site	yes	no
		flscd_production_line	yes	no
		flscd_schedule_code	yes	no
oid_flscd_det	yes	oid_flscd_det	yes	no

Flow Schedule Code Master

Index-Name	Uni	Field-Name	Asc	Abbr
* flsc_schedule_code	yes	flsc_domain	yes	no
		flsc_schedule_code	yes	no
oid_flsc_mstr	yes	oid_flsc_mstr	yes	no

Flow Schedule Detail

Field Name	Label	Col-Label	Format	Dec
fisd__qadc01			x(24)	
fisd__qadc02			x(24)	
fisd__qadc03			x(24)	
fisd__qadc04			x(24)	
fisd__qadc05			x(24)	
fisd__qadc06			x(24)	
fisd__qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
fisd__qadd02			->>>>, >>>, >>9.9<<<<<<<<	10
fisd__qadi01			->>>>>>>9	
fisd__qadi02			->>>>>>>9	
fisd__qadl01			yes/no	
fisd__qadl02			yes/no	
fisd__qadt01			99/99/99	
fisd__qadt02			99/99/99	
fisd_closed	Closed		yes/no	
fisd_cmtindx	Comment Index	Comment	>>>>>>>>9	
fisd_domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* flsd_site_line_seq	yes	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_seq	yes	no
flsd_site_line_time	no	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_due_time	yes	no
flsd_wo_nbr	no	flsd_domain	yes	no
		flsd_flow_wo_nbr	yes	no
		flsd_flow_wo_lot	yes	no
oid_flsd_det	yes	oid_flsd_det	yes	no

fnd_det

Service/Support Field Notification Detail

Field Name	Label	Col-Label	Format	Dec
fnf__chr01	User Character Field #1		x(8)	0
fnf__chr02	User Character Field #2		x(8)	0
fnf__chr03	User Character Field #3		x(8)	0
fnf__chr04	User Character Field #4		x(8)	0
fnf__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fnf__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fnf__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fnf__dte01	User Date #1		99/99/99	
fnf__dte02	User Date #2		99/99/99	
fnf__dte03	User Date #3		99/99/99	
fnf__log01	User Logical #1		yes/no	
fnf__log02	User Logical #2		yes/no	
fnf__log03	User Logical #3		yes/no	
fnf__qadc01	Qad Field #1		x(8)	
fnf__qadc02	Qad Field #2		x(8)	
fnf__qadc03	Qad Field #3		x(8)	
fnf__qadc04	Qad Field #4		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
fnh_document	no	fnh_domain	yes	no
		fnh_document	yes	no
		fnh_nbr	yes	no
fnh_effnbr	no	fnh_domain	yes	no
		fnh_eff_date	yes	no
		fnh_nbr	yes	no
* fnh_nbr	yes	fnh_domain	yes	no
		fnh_nbr	yes	no
		fnh_eff_date	yes	no
		fnh_sequence	yes	no
fnh_parteff	no	fnh_domain	yes	no
		fnh_from_part	yes	no
		fnh_eff_date	yes	no
oid fnh_hist	yes	oid fnh_hist	yes	no

Service/Support Field Notification Master

Index-Name	Uni	Field-Name	Asc	Abbr
fn_document	no	fn_domain	yes	no
		fn_document	yes	no
		fn_nbr	yes	no
fn_effnbr	no	fn_domain	yes	no
		fn_eff_date	yes	no
		fn_nbr	yes	no
* fn_nbr	yes	fn_domain	yes	no
		fn_nbr	yes	no
fn_parteff	no	fn_domain	yes	no
		fn_from_part	yes	no
		fn_eff_date	yes	no
oid fn_mstr	yes	oid fn_mstr	yes	no

fp1 plan

Family Production Backlog and Cost Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fp1_sitelyear	yes	fp1_domain	yes	no
		fp1_site	yes	no
		fp1_part	yes	no
		fp1_year	yes	no
fp1_yearsite	yes	fp1_domain	yes	no
		fp1_year	yes	no
		fp1_part	yes	no
		fp1_site	yes	no
oid fp1_plan	yes	oid fp1_plan	yes	no

fp2 plan

Family Production Inventory and Order Plan

Field Name	Label	Col-Label	Format	Dec
fp2__chr01			x(8)	
fp2__chr02			x(8)	
fp2__chr03			x(8)	
fp2__chr04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* fp2_siteyear	yes	fp2_domain	yes	no
		fp2_site	yes	no
		fp2_part	yes	no
		fp2_year	yes	no
fp2_yearsite	yes	fp2_domain	yes	no
		fp2_year	yes	no
		fp2_part	yes	no
		fp2_site	yes	no
oid_fp2_plan	yes	oid_fp2_plan	yes	no

Family Production and Shipment Plan

✻

fpci_mstr

Service/Support Price Indexing Master

—
✻

Service/Support Pricing Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fpc_list	yes	fpc_domain	yes	no
		fpc_list	yes	no
		fpc_list_type	yes	no
		fpc_curr	yes	no
		fpc_ca_int_type	yes	no
		fpc_svc_group	yes	no
		fpc_prod_line	yes	no
		fpc_fsc_code	yes	no
		fpc_part	yes	no
		fpc_um	yes	no
		fpc_start	yes	no
oid_fpc_mstr	yes	oid_fpc_mstr	yes	no

fpd_cost

Family Item Cost Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fpd_cost	yes	fpd_domain	yes	no
			fpd_sim	yes	no
			fpd_site	yes	no
			fpd_part	yes	no
	oid_fpd_cost	yes	oid_fpd_cost	yes	no

fpst_mstr

Return Status Master

Field Name	Label	Col-Label	Format	Dec
fpst_chr01	User Character Field 1		X(8)	
fpst_chr02	User Character Field 2		X(8)	
fpst_dec01	User Decimal Field 1		-->, >9.99	10
fpst_dte01	User Date Field 1		99/99/99	
fpst_log01	User Logical Field 1		yes/no	
fpst_log02	User Logical Field 2		yes/no	
fpst_qadc01	QAD Character Field 1		X(8)	
fpst_qadc02	QAD Character Field 2		X(8)	
fpst_qade01	QAD Decimal Field 1		-->, >9.99	10
fpst_qadl01	QAD Logical Field 1		yes/no	
fpst_qadl02	QAD Logical Field 2		yes/no	
fpst_qadt01	QAD Date Field 1		99/99/99	
fpst_desc	Description		x(24)	
fpst_domain	Domain		x(8)	
fpst_exchange	Exchange		yes/no	
fpst_good	Good		yes/no	
fpst_mod_date	Modified Date	Mod Date	99/99/99	
fpst_mod_userid	User ID		X(8)	
fpst_pending	Pending		yes/no	
fpst_return	Return Items		yes/no	
fpst_scrap	Scrap		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
fpst_status	yes	fpst_domain	yes	no
		fpst_status	yes	no
oid_fpst_mstr	yes	oid_fpst_mstr	yes	no

frcd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* frcd_fr_list	yes	frcd_domain	yes	no
		frcd_fr_list	yes	no
		frcd_site	yes	no
		frcd_curr	yes	no
		frcd_zone	yes	no
		frcd_class	yes	no
		frcd_max_wt	yes	no
		frcd_start	yes	no
oid frcd_det	yes	oid frcd_det	yes	no

frd det

Freight Rate Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frd_rate	yes	frd_domain	yes	no
		frd_code	yes	no
		frd_weight	yes	no
oid frd det	yes	oid frd det	yes	no

frm mstr

Freight Rate Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frm_code	yes	frm_domain	yes	no
		frm_code	yes	no
oid frm mstr	yes	oid frm mstr	yes	no

FRWAnCode Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID	Record ID		9999999999	
FRWAnCodeAnalyseText	Analyse Text		x(60)	
FRWAnCodeAnalyseType	Analyse Type		x(40)	
FRWAnCodeCalcElement	Calculation Element		x(20)	
FRWAnCodeCalcType	Calculation Type		x(20)	
FRWAnCodeCode	Code		x(40)	
FRWAnCodeDescription	Description		x(80)	
FRWAnCodeELR	ELR		x(20)	
FRWAnCodeFRWChartCode	Chart		x(20)	
FRWAnCodeInfo	Summary Info		x(60)	
FRWAnCodeTaxoName	Taxonomy Name		x(20)	
FRWAnCodeVersion	Version		x(40)	
FRWAnCodeXBRElement	XBR Element		x(20)	
FRWChart_ID	Link to FRWChart		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Chart1dx	no	FRWAnCodeFRWChartCode	yes	no
Chart2ldx	no	FRWChart_ID	yes	no
◇* Prim	yes	FRWAnCode_ID	yes	no
◇ Uniqldx	yes	FRWAnCodeCode	yes	no
		FRWAnCodeFRWChartCode	yes	no

FRWAnCodeElemSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCode_ID			9999999999	
FRWAnCodeElem_ID	Record ID		9999999999	
FRWAnCodeElemCOAType	COA Type		x(40)	
FRWAnCodeElemIsDetRowExp	Explode Detail-rows		yes/no	
pl				
FRWAnCodeElemMask	Element Mask		x(32)	
FRWAnCodeElemMaskRange 1	Mask Range 1		x(20)	
1				
FRWAnCodeElemMaskRange 2	Mask Range 2		x(40)	
2				
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	FRWAnCodeElem_ID	yes	no
◇ UniqIdx	no	FRWAnCode_ID	yes	no
		FRWAnCodeElemCOAType	yes	no

FRWAnCodeElemDetSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWAnCodeElem_ID			9999999999	
FRWAnCodeElemDet_ID	Record ID		9999999999	
FRWAnCodeElemDetValue	COA Type		->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	FRWAnCodeElemDet_ID	yes	no
◇ UniqIdx	yes	FRWAnCodeElem_ID	yes	no
		FRWAnCodeElemDetValue	yes	no

FRWBuildLogSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	

Field Name	Label	Col-Label	Format	Dec
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWBuildLog_ID	Record ID		9999999999	
FRWBuildLogCubeCode	Cube Name		x(20)	
FRWBuildLogDate	Log Date		yes/no	
FRWBuildLogErrorNumber	Error Number		x(10)	
FRWBuildLogErrorText	Error Number		x(255)	
FRWBuildLogErrorType	Error Type		x(20)	
FRWBuildLogIsLastFailed	Last Failed		yes/no	
FRWBuildLogIsLastGood	Last Good		yes/no	
FRWBuildLogProgram	Program		x(20)	
FRWBuildLogTime	Log Time		x(20)	
FRWBuildLogTimeChar	Time		x(16)	
FRWBuildLogUser	User		x(8)	
FRWCube_ID	Link TO FRWCube		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Cube2dx	no	FRWCube_ID	yes	no
◇ Cubeldx	no	FRWBuildLogCubeCode	yes	no
FailedIdx	no	FRWBuildLogIsLastFailed	yes	no
GoodIdx	no	FRWBuildLogIsLastGood	yes	no
◇* Prim	yes	FRWBuildLog_ID	yes	no
◇ UniqIdx	yes	FRWBuildLogCubeCode	yes	no
		FRWBuildLogDate	yes	no
		FRWBuildLogTime	yes	no

FRWChart Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CostCentreSharedSet_ID	Link To CostCentreSharedSet		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionSharedSet_ID	Link To DivisionSharedSet		9999999999	
FRWChart_ID	Record ID		9999999999	
FRWChartCode	Chart		x(20)	
FRWChartCurrTransAdjGLCode	CTA GL Code		x(8)	
FRWChartDefaultCCCode	Default Cost Center Code		x(8)	
FRWChartDefaultDivCode	Default Sub-Account Code		x(8)	
FRWChartDefaultGLCode	Default GL Code		x(8)	
FRWChartDefaultPrjCode	Default Project Code		x(8)	
FRWChartDescription	Description		x(40)	
FRWChartSafConcept01	Saf Concept 1		x(20)	
FRWChartSafConcept02	Saf Concept 2		x(20)	
FRWChartSafConcept03	Saf Concept 3		x(20)	
FRWChartSafConcept04	Saf Concept 4		x(20)	
FRWChartSafConcept05	Saf Concept 5		x(20)	
FRWChartSafConcept06	Saf Concept 6		x(20)	
FRWChartSafConcept07	Saf Concept 7		x(20)	
FRWChartSafConcept08	Saf Concept 8		x(20)	
FRWChartSafConcept09	Saf Concept 9		x(20)	
FRWChartSafConcept10	Saf Concept 10		x(20)	
GLSharedSet_ID	Link To GLSharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProjectSharedSet_ID	Link To ProjectSharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCSS	no	CostCentreSharedSet_ID	yes	no
DivSS	no	DivisionSharedSet_ID	yes	no
GLSS	no	GLSharedSet_ID	yes	no
◇* Prim	yes	FRWChart_ID	yes	no
PrjSS	no	ProjectSharedSet_ID	yes	no
◇ UniqIdx	yes	FRWChartCode	yes	no

FRWCompanySupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWChart_ID	Link To FRWChart		9999999999	
FRWCompany_ID	Record ID		9999999999	
FRWCompanyCode	Entity Code		x(20)	
FRWCompanyFRWChartCode	Chart		x(20)	
FRWShSetComb_ID	Link To FRWShSetComb		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartIdx	no	FRWCompanyFRWChartCode	yes	no
◇ CylIdx	no	FRWCompanyCode	yes	no
◇* Prim	yes	FRWCompany_ID	yes	no
◇ UniqlIdx	yes	FRWCompanyCode	yes	no
		FRWCompanyFRWChartCode	yes	no

FRWCrossRefSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
COACrossRef_ID	Link to COACrossRef		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCrossRef_ID	Record ID		9999999999	
FRWCrossRefCOACode	COA Code		x(20)	
FRWCrossRefCOAType	COA Type		x(20)	
FRWCrossRefCode	Code		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceCCSharedSet_ID	Link to Source CC SharedSet		9999999999	
SourceDivSharedSet_ID	Link to Source Div SharedSet		9999999999	
SourceGLSharedSet_ID	Link to Source GL SharedSet		9999999999	
SourcePrjSharedSet_ID	Link to Source Prj SharedSet		9999999999	
TargetCCSharedSet_ID	Link to Target CC SharedSet		9999999999	
TargetDivSharedSet_ID	Link to Target Div SharedSet		9999999999	
TargetGLSharedSet_ID	Link to Target GL SharedSet		9999999999	
TargetPrjSharedSet_ID	Link to Target Prj SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
COA1Idx	no	COACrossRef_ID	yes	no
COA2Idx	no	FRWCrossRefCOAType	yes	no
		FRWCrossRefCOACode	yes	no
◇ CodeIdx	no	FRWCrossRefCode	yes	no
◇* Prim	yes	FRWCrossRef_ID	yes	no
SS1	no	SourceGLSharedSet_ID	yes	no
SS2	no	TargetGLSharedSet_ID	yes	no
SS3	no	SourceDivSharedSet_ID	yes	no
SS4	no	TargetDivSharedSet_ID	yes	no
SS5	no	SourceCCSharedSet_ID	yes	no
SS6	no	TargetCCSharedSet_ID	yes	no
SS7	no	SourcePrjSharedSet_ID	yes	no
SS8	no	TargetPrjSharedSet_ID	yes	no

FRWCube Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
ChildFRWCube_ID	Link To Child FRWCube		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link to Domain		9999999999	
FRWChart_ID	Link to FRWChart		9999999999	
FRWCube_ID	Record ID		9999999999	
FRWCubeChildFRWCubeCode	Child Name		x(20)	
FRWCubeCode	Name		x(20)	
FRWCubeCurrencyCode	Presentation Currency		x(3)	
FRWCubeDescription	Description		x(40)	
FRWCubeFirstReportYear	First Report Year		->,>>>,>>9	
FRWCubeFromLCCC	Translate From BC/SC		x(20)	
FRWCubeFRWChartCode	Chart		x(20)	
FRWCubelsIgnoreValRate	Ignore Valid Rates		yes/no	
FRWCubelsPeriodFromDomain	Periods From Domain		yes/no	
FRWCubelsReportPerYear	Report per Year		yes/no	
FRWCubelsWithCostCentre	With Cost Centre		yes/no	
FRWCubelsWithCurrency	With Currency		yes/no	
FRWCubelsWithDivision	With Sub-account		yes/no	
FRWCubelsWithElimination	With Elimination		yes/no	
FRWCubelsWithGL	With GL		yes/no	
FRWCubelsWithJournal	With Daybook		yes/no	
FRWCubelsWithPrj	With Project		yes/no	
FRWCubelsWithSAF	With SAF		yes/no	
FRWCubeLastUpdate	Last Updated		99/99/9999	
FRWCubePeriodsByRepPeriod	By Reporting Period		99	
FRWCubePeriodsByRepYear	By Reporting Year		9999	
FRWCubePeriodType	Period Type		x(20)	
FRWCubeRateSharedSetCode	Rate Shared Set		x(20)	

Field Name	Label	Col-Label	Format	Dec
FRWCubeRateTypeBS	BS Rate Type		x(20)	
FRWCubeRebuildFromYP	Rebuild From YP		9999999	
FRWCubeStatus	Status		x(20)	
FRWCubeTransMethodBS	BS Translation Method		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link To Rate Shared Set		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Chl21Idx	no	FRWCubeChildFRWCubeCode	yes	no
Chld1Idx	no	ChildFRWCube_ID	yes	no
◊ CodelIdx	no	FRWCubeCode	yes	no
◊ CurrIdx	no	FRWCubeCurrencyCode	yes	no
◊ DomainIdx	no	Domain_ID	yes	no
◊* Prim	yes	FRWCube_ID	yes	no
SSIdx	no	SharedSet_ID	yes	no

FRWCubeCy Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	

Field Name	Label	Col-Label	Format	Dec
FRWCubeCy_ID	Record ID		9999999999	
FRWCubeCyCompanyCode	Entity Code		x(40)	
FRWCubeCyFromLCCC	BC/SC		x(20)	
FRWCubeCyFRWCubeCode	Cube		x(20)	
FRWCubeCylsRebuildNeed	Needs Rebuild		yes/no	
FRWCubeCyParticipPerc	Participation Percentage		>>9.99	
FRWCubeCyRateSharedSetCode	Rate Shared Set Code		x(20)	
FRWCubeCyRateTypeBS	BS Rate Type		99/99/9999	
FRWCubeCyRateTypeIS	IS Rate Type		yes/no	
FRWCubeCyTransMethodBS	BS Translation Method		99/99/9999	
FRWCubeCyTransMethodIS	IS Translation Method		yes/no	
FRWShSetComb_ID	Link To FRWShSetComb		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cubeldx	no	FRWCubeCyFRWCubeCode	yes	no
◇ CylIdx	no	FRWCubeCyCompanyCode	yes	no
◇* Prim	yes	FRWCubeCy_ID	yes	no
◇ UniqIdx	yes	FRWCubeCyFRWCubeCode	yes	no
		FRWCubeCyCompanyCode	yes	no

FRWCubeDimSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link To Company		9999999999	
CostCentre_ID	Link To CostCentre		9999999999	
Currency_ID	Link To Currency		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Dim01Saf_ID	Link To SAF		9999999999	
Dim02Saf_ID	Link To SAF		9999999999	
Dim03Saf_ID	Link To SAF		9999999999	
Dim04Saf_ID	Link To SAF		9999999999	
Dim05Saf_ID	Link To SAF		9999999999	
Dim06Saf_ID	Link To SAF		9999999999	
Dim07Saf_ID	Link To SAF		9999999999	
Dim08Saf_ID	Link To SAF		9999999999	
Dim09Saf_ID	Link To SAF		9999999999	
Dim10Saf_ID	Link To SAF		9999999999	
Division_ID	Link To Division		9999999999	
Domain_ID	Link To Domain		9999999999	
FRWCube_ID	Link To FRWCube		9999999999	
FRWCubeDim_ID	Record ID		9999999999	
FRWCubeDimBSISGL	BS/IS GL		yes/no	
FRWCubeDimCombinedKey	Key		x(70)	
FRWCubeDimCompanyCode	Entity		x(20)	
FRWCubeDimCostCentreCode	Cost Center		x(8)	
FRWCubeDimCostCentreDescriptor	Cost Center Descriptor		x(40)	
FRWCubeDimCurrencyCode	Currency		x(3)	
FRWCubeDimDivisionCode	Sub-Account		x(8)	
FRWCubeDimDivisionDescriptor	Sub-Account Descriptor		x(40)	
FRWCubeDimDomainCode	Domain		x(8)	
FRWCubeDimFRWCubeCode	Cube Name		x(20)	
FRWCubeDimGLCode	GL		x(8)	
FRWCubeDimGLDescriptor	GL Descriptor		x(40)	
FRWCubeDimICCompanyCode	IC Entity		x(20)	
FRWCubeDimICInterco	IC Interco		x(20)	
FRWCubeDimJournalCode	Journal		x(8)	
FRWCubeDimJournalTypeCode	Daybook Type		x(40)	
FRWCubeDimLayerCode	Layer		x(20)	
FRWCubeDimLayerTypeCode	Layer Type		x(40)	
FRWCubeDimProjectCode	Project		x(8)	
FRWCubeDimProjectDescriptor	Project Descriptor		x(40)	
FRWCubeDimRateTypeCode	Rate Type		yes/no	
FRWCubeDimSafCode01	Saf 1		x(20)	
FRWCubeDimSafCode02	Saf 2		x(20)	
FRWCubeDimSafCode03	Saf 3		x(20)	
FRWCubeDimSafCode04	Saf 4		x(20)	
FRWCubeDimSafCode05	Saf 5		x(20)	
FRWCubeDimSafCode06	Saf 6		x(20)	
FRWCubeDimSafCode07	Saf 7		x(20)	
FRWCubeDimSafCode08	Saf 8		x(20)	
FRWCubeDimSafCode09	Saf 9		x(20)	
FRWCubeDimSafCode10	Saf 10		x(20)	
FRWCubeDimTransMethod	Translation Method		yes/no	
GL_ID	Link To GL		9999999999	
ICBusinessRelation_ID	Link To Interco-BusinessRelation		9999999999	
ICCompany_ID	Link To Interco-Company		9999999999	
Journal_ID	Link To Journal		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link To Layer		9999999999	
Project_ID	Link To Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCidx	no	FRWCubeDimCostCentreCode	yes	no
◇ Codelidx	no	FRWCubeDimFRWCubeCode	yes	no
Combidx	no	FRWCubeDimCombinedKey	yes	no
Compidx	no	FRWCubeDimCompanyCode	yes	no
◇ CurrIdx	no	FRWCubeDimCurrencyCode	yes	no
◇ Dividx	no	FRWCubeDimDivisionCode	yes	no
◇ Domainidx	no	FRWCubeDimDomainCode	yes	no
◇ GLidx	no	FRWCubeDimGLCode	yes	no
ICCompidx	no	FRWCubeDimICCompanyCode	yes	no
ICidx	no	FRWCubeDimICInterco	yes	no
◇ Journalidx	no	FRWCubeDimJournalCode	yes	no
Layeridx	no	FRWCubeDimLayerTypeCode	yes	no
◇* Prim	yes	FRWCubeDim_ID	yes	no
Prjidx	no	FRWCubeDimProjectCode	yes	no
Saf10idx	no	FRWCubeDimSafCode10	yes	no
Saf1idx	no	FRWCubeDimSafCode01	yes	no
Saf2idx	no	FRWCubeDimSafCode02	yes	no
Saf3idx	no	FRWCubeDimSafCode03	yes	no
Saf4idx	no	FRWCubeDimSafCode04	yes	no
Saf5idx	no	FRWCubeDimSafCode05	yes	no
Saf6idx	no	FRWCubeDimSafCode06	yes	no
Saf7idx	no	FRWCubeDimSafCode07	yes	no
Saf8idx	no	FRWCubeDimSafCode08	yes	no
Saf9idx	no	FRWCubeDimSafCode09	yes	no

FRWCubeGLPdSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	
FRWCubeGLPd_ID	Record ID		9999999999	
FRWCubeGLPdCompanyCode	Entity Code		x(20)	
FRWCubeGLPdEndDate	End Date		99/99/9999	
FRWCubeGLPdFRWCubeCode	Cube Name		x(20)	
FRWCubeGLPdPeriodPeriod	GL Period		9999	
FRWCubeGLPdPeriodYear	GL Cal Year		x(20)	
FRWCubeGLPdReportPeriod	Report Period		x(20)	
FRWCubeGLPdReportYear	Report Year		9999	
FRWCubeGLPdStartDate	Start Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Cubeldx	no	FRWCubeGLPdFRWCubeCode	yes	no
◇ Cylidx	no	FRWCubeGLPdCompanyCode	yes	no
◇ Endldx	no	FRWCubeGLPdEndDate	yes	no
◇ Plddx	no	FRWCubeGLPdPeriodYear	yes	no
		FRWCubeGLPdPeriodPeriod	yes	no
◇* Prim	yes	FRWCubeGLPd_ID	yes	no
◇ RepPlddx	no	FRWCubeGLPdReportYear	yes	no
		FRWCubeGLPdReportPeriod	yes	no
◇ Startldx	no	FRWCubeGLPdStartDate	yes	no
◇ Uniqldx	yes	FRWCubeGLPdFRWCubeCode	yes	no
		FRWCubeGLPdCompanyCode	yes	no
		FRWCubeGLPdPeriodYear	yes	no
		FRWCubeGLPdPeriodPeriod	yes	no

FRWCubeHistLinkSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCubeHistLink_ID	Record ID		9999999999	
FRWCubeMeas_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingHist_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
Measure	no	FRWCubeMeas_ID	yes	no
◇* Prim	yes	FRWCubeHistLink_ID	yes	no
◇ Uniq	yes	PostingHist_ID	yes	no
		FRWCubeMeas_ID	yes	no

FRWCubeMeasSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRWCube		9999999999	
FRWCubeDim_ID	Link To FRWCubeDim		9999999999	
FRWCubeMeas_ID	Record ID		9999999999	
FRWCubeMeasActivityQTY	Qty Activity		->>>, >>>, >>9.99	4
FRWCubeMeasActivityCRCL	BC/SC Activity CR		->>>, >>>, >>9.99	4
FRWCubeMeasActivityCRPC	PC Activity CR		->>>, >>>, >>9.99	4
FRWCubeMeasActivityCRTC	TC Activity CR		->>>, >>>, >>9.99	4
FRWCubeMeasActivityDiffPC	PC Activity Translation Difference		->>>, >>>, >>9.99	4
FRWCubeMeasActivityDRCL	BC/SC Activity DR		->>>, >>>, >>9.99	4
FRWCubeMeasActivityDRPC	PC Activity DR		->>>, >>>, >>9.99	4
FRWCubeMeasActivityDRTC	TC Activity DR		->>>, >>>, >>9.99	4
FRWCubeMeasAverageRate	BC/SC->PC Weighted Av. Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasCloseBalCRLC	BC/SC Closing Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalCRPC	PC Closing Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalCRTC	TC Closing Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalDRLC	BC/SC Closing Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalDRPC	PC Closing Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalDRTC	TC Closing Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLCLC	BC/SC Closing Balance		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLPC	PC Closing Balance		->>>, >>>, >>9.99	4
FRWCubeMeasCloseBalLTC	TC Closing Balance		->>>, >>>, >>9.99	4
FRWCubeMeasClosingBalDiffPC	PC Closing Translation Difference		->>>, >>>, >>9.99	4
FRWCubeMeasClosingBalQTY	Qty Closing Balance		->>>, >>>, >>9.99	4
FRWCubeMeasFRWCubeCode	Cube Name		x(20)	
FRWCubeMeasHighRate	HI Rate		->, >>>, >>9.9999999999	10
FRWCubeMeasLCCCCurCode	BC/SC Currency Code		x(3)	
FRWCubeMeasOpenBalCRLC	BC/SC Opening Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalCRPC	PC Opening Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalCRTC	TC Opening Balance CR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDiffPC	PC Opening Translation Difference		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRLC	BC/SC Opening Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRPC	PC Opening Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalDRTC	TC Opening Balance DR		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLCLC	BC/SC Opening Balance		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLTC	TC Opening Balance		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalLPC	PC Opening Balance		->>>, >>>, >>9.99	4
FRWCubeMeasOpenBalQTY	Qty Opening Balance		->>>, >>>, >>9.99	4
FRWCubeMeasOriOpenBalDiffPC	PC Original Translation Difference		->>>, >>>, >>9.99	4
FRWCubeMeasPCCurCode	PC Currency Code		x(3)	

Field Name	Label	Col-Label	Format	Dec
FRWCubeMeasPeriodEndRate	BC/SC->PC Period End Rate		->, >>>, >>>9.999999999	10
FRWCubeMeasPrevOpenBalCRLC	BC/SC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalCRPC	PC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalCRTC	TC Previous Years CR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRLC	BC/SC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRPC	PC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasPrevOpenBalDRTC	TC Previous Years DR		->>>, >>>, >>>, >>9.99	4
FRWCubeMeasReportPeriod	Period		99	
FRWCubeMeasReportYear	Year		9999	
FRWCubeMeasSimpAverageRate	BC/SC->PC Simple Av. Rate		->, >>>, >>>9.999999999	10
FRWCubeMeasTCCurCode	TC Currency Code		x(3)	
FRWCubeMeasYCRate	Year Closing Rate		->, >>>, >>>9.999999999	10
FRWCubeMeasYORate	Year Opening Rate		->, >>>, >>>9.999999999	10
FRWCubePeriod_ID	Link To FRWCubePeriod		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ CubelDx	no	FRWCubeMeasFRWCubeCode	yes	no
DimlDx	no	FRWCubeDim_ID	yes	no
◊* Prim	yes	FRWCubeMeas_ID	yes	no
YrPdldx	no	FRWCubeMeasReportYear	yes	no
		FRWCubeMeasReportPeriod	yes	no

FRWCubePeriodSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FRWCube_ID	Link To FRW Cube		9999999999	
FRWCubePeriod_ID	Record ID		9999999999	
FRWCubePeriodEndDate	End Date		99/99/9999	
FRWCubePeriodFRWCubeCode	Cube Name		x(20)	
FRWCubePeriodIsRebuildNeeded	Rebuild Needed		yes/no	
FRWCubePeriodReportPeriod	Report Period		x(20)	
FRWCubePeriodReportYear	Report Year		9999	
FRWCubePeriodStartDate	Start Date		99/99/9999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CubeIdx	no	FRWCubePeriodFRWCubeCode	yes	no
◇ EndIdx	no	FRWCubePeriodEndDate	yes	no
◇* Prim	yes	FRWCubePeriod_ID	yes	no
◇ RepPIdx	no	FRWCubePeriodReportYear	yes	no
		FRWCubePeriodReportPeriod	yes	no
◇ StartIdx	no	FRWCubePeriodStartDate	yes	no
◇ UniqlIdx	yes	FRWCubePeriodFRWCubeCode	yes	no
		FRWCubePeriodReportYear	yes	no
		FRWCubePeriodReportPeriod	yes	no

FRWShSetComb Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CCCOACCrossRef_ID	Link To CC COACrossRef		9999999999	
CombCOACCrossRef_ID	Link To Combined COACrossRef		9999999999	
CostCentreSharedSet_ID	Link To CostCentreSharedSet		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivCOACOACrossRef_ID	Link To Div COACrossRef		9999999999	
DivisionSharedSet_ID	Link To DivisionSharedSet		9999999999	
Domain_ID	Link To Domain		9999999999	
FRWChart_ID	Link To FRWChart		9999999999	
FRWShSetComb_ID	Record ID		9999999999	
FRWShSetCombAllSets	Sets		x(70)	
FRWShSetCombCCCOACRC	Cost Center Cross Ref		x(20)	
ode				
FRWShSetCombCCSSCode	Cost Center Shared Set		x(20)	
FRWShSetCombCombCOAC	Combined Cross Ref		x(20)	
RCode				
FRWShSetCombDivCOACRC	Sub-Account Cross Ref		x(20)	
ode				
FRWShSetCombDivSSCode	Sub-Account Shared Set		x(20)	
FRWShSetCombFRWChartCo	Chart		x(20)	
de				
FRWShSetCombGLCOACRC	GL Cross Ref		x(20)	
ode				
FRWShSetCombGLSSCode	GL Shared Set		x(20)	
FRWShSetCombPrjCOACRC	Project Cross Ref		x(20)	
ode				
FRWShSetCombPrjSSCode	Project Shared Set		x(20)	
GLCOACrossRef_ID	Link To GL COACrossRef		9999999999	
GLSharedSet_ID	Link To GLSharedSet		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PrjCOACOACrossRef_ID	Link To Prj COACrossRef		9999999999	
ProjectSharedSet_ID	Link To ProjectSharedSet		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ChartIdx	no	FRWShSetCombFRWChart Code	yes	no
◇* Prim	yes	FRWShSetComb_ID	yes	no
◇ UniqIdx	yes	FRWShSetCombAllSets	yes	no
		FRWShSetCombFRWChart Code	yes	no

FRWTreeNodeSupplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Link To Domain		9999999999	
FRWAnCode_ID	Link To FRWAnCode		9999999999	
FRWChart_ID	Link To FRWChart		9999999999	
FRWTreeNode_ID	Record ID		9999999999	
FRWTreeNodeCOASrcCompF	From Entity		x(20)	
rom				
FRWTreeNodeCOASrcCompT	To Entity		x(20)	
o				
FRWTreeNodeCOASrcCurrFr	From Currency		x(20)	
om				
FRWTreeNodeCOASrcCurrTo	To Currency		x(20)	
FRWTreeNodeCOASrcDomFr	From Domain		x(20)	
om				
FRWTreeNodeCOASrcDomTo	To Domain		x(20)	
FRWTreeNodeCOASrcIntcFro	From Intercompany Code		x(20)	
m				
FRWTreeNodeCOASrcIntcTo	To Intercompany Code		x(20)	
FRWTreeNodeCOASrcJourFr	From Daybook		x(20)	
om				
FRWTreeNodeCOASrcJourTo	To Daybook		x(20)	
FRWTreeNodeCOASrcLayFro	From Layer		x(20)	
m				
FRWTreeNodeCOASrcLayTo	To Layer		x(20)	
FRWTreeNodeCOASrcSaf01F	From SAF 1		x(20)	
rom				
FRWTreeNodeCOASrcSaf01T	To SAF 1		x(20)	
o				
FRWTreeNodeCOASrcSaf02F	From SAF 2		x(20)	
rom				
FRWTreeNodeCOASrcSaf02T	To SAF 2		x(20)	
o				

Field Name	Label	Col-Label	Format	Dec
FRWTreeNodeCOASrcSaf03F rom	From SAF 3		x(20)	
FRWTreeNodeCOASrcSaf03T o	To SAF 3		x(20)	
FRWTreeNodeCOASrcSaf04F rom	From SAF 4		x(20)	
FRWTreeNodeCOASrcSaf04T o	To SAF 4		x(20)	
FRWTreeNodeCOASrcSaf05F rom	From SAF 5		x(20)	
FRWTreeNodeCOASrcSaf05T o	To SAF 5		x(20)	
FRWTreeNodeCOASrcSaf06F rom	From SAF 6		x(20)	
FRWTreeNodeCOASrcSaf06T o	To SAF 6		x(20)	
FRWTreeNodeCOASrcSaf07F rom	From SAF 7		x(20)	
FRWTreeNodeCOASrcSaf07T o	To SAF 7		x(20)	
FRWTreeNodeCOASrcSaf08F rom	From SAF 8		x(20)	
FRWTreeNodeCOASrcSaf08T o	To SAF 8		x(20)	
FRWTreeNodeCOASrcSaf09F rom	From SAF 9		x(20)	
FRWTreeNodeCOASrcSaf09T o	To SAF 9		x(20)	
FRWTreeNodeCOASrcSaf10F rom	From SAF 10		x(20)	
FRWTreeNodeCOASrcSaf10T o	To SAF 10		x(20)	
FRWTreeNodeCode	Name		x(20)	
FRWTreeNodeDescription	Description		x(40)	
FRWTreeNodeFRWChartCode	Chart		x(20)	
FRWTreeNodeIsExplode	Explode		yes/no	
FRWTreeNodeIsTextOnly	Print Text Only		yes/no	
FRWTreeNodeIsTotalAfter	Print Total After Detail		yes/no	
FRWTreeNodeIsUsed	Used		yes/no	
FRWTreeNodeParentCode	Parent Name		x(20)	
FRWTreeNodeRowStyle	Row Style		x(20)	
FRWTreeNodeSequence	Sequence		->, >>>, >>9	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ParentFRWTreeNode_ID	Link To Parent FRWTreeNode		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Source01SafConcept_ID	Link To Source Saf Concept		9999999999	
Source02SafConcept_ID	Link To Source Saf Concept		9999999999	
Source03SafConcept_ID	Link To Source Saf Concept		9999999999	
Source04SafConcept_ID	Link To Source Saf Concept		9999999999	
Source05SafConcept_ID	Link To Source Saf Concept		9999999999	
Source06SafConcept_ID	Link To Source Saf Concept		9999999999	
Source07SafConcept_ID	Link To Source Saf Concept		9999999999	
Source08SafConcept_ID	Link To Source Saf Concept		9999999999	
Source09SafConcept_ID	Link To Source Saf Concept		9999999999	
Source10SafConcept_ID	Link To Source Saf Concept		9999999999	
SourceCCSharedSet_ID	Link To Source CC SharedSet		9999999999	
SourceDivSharedSet_ID	Link To Source Div SharedSet		9999999999	
SourceGLSharedSet_ID	Link To Source GL SharedSet		9999999999	
SourcePrjSharedSet_ID	Link To Source Prj SharedSet		9999999999	
Target01SafConcept_ID	Link To Target Saf Concept		9999999999	
Target02SafConcept_ID	Link To Target Saf Concept		9999999999	
Target03SafConcept_ID	Link To Target Saf Concept		9999999999	

Field Name	Label	Col-Label	Format	Dec
Target04SafConcept_ID	Link To Target Saf Concept		9999999999	
Target05SafConcept_ID	Link To Target Saf Concept		9999999999	
Target06SafConcept_ID	Link To Target Saf Concept		9999999999	
Target07SafConcept_ID	Link To Target Saf Concept		9999999999	
Target08SafConcept_ID	Link To Target Saf Concept		9999999999	
Target09SafConcept_ID	Link To Target Saf Concept		9999999999	
Target10SafConcept_ID	Link To Target Saf Concept		9999999999	
TargetCCSharedSet_ID	Link To Target CC SharedSet		9999999999	
TargetDivSharedSet_ID	Link To Target Div SharedSet		9999999999	
TargetGLSharedSet_ID	Link To Target GL SharedSet		9999999999	
TargetPrjSharedSet_ID	Link To Target Prj SharedSet		9999999999	
TargetSaf01Saf_ID	Link To Target Saf		9999999999	
TargetSaf02Saf_ID	Link To Target Saf		9999999999	
TargetSaf03Saf_ID	Link To Target Saf		9999999999	
TargetSaf04Saf_ID	Link To Target Saf		9999999999	
TargetSaf05Saf_ID	Link To Target Saf		9999999999	
TargetSaf06Saf_ID	Link To Target Saf		9999999999	
TargetSaf07Saf_ID	Link To Target Saf		9999999999	
TargetSaf08Saf_ID	Link To Target Saf		9999999999	
TargetSaf09Saf_ID	Link To Target Saf		9999999999	
TargetSaf10Saf_ID	Link To Target Saf		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCSSS	no	SourceCCSharedSet_ID	yes	no
CCTSS	no	TargetCCSharedSet_ID	yes	no
Cur1	no	FRWTreeNodeCOASrcCurr From	yes	no
Cur2	no	FRWTreeNodeCOASrcCurr To	yes	no
Cy1	no	FRWTreeNodeCOASrcCom pFrom	yes	no
Cy2	no	FRWTreeNodeCOASrcCom pTo	yes	no
DivSSS	no	SourceDivSharedSet_ID	yes	no
DivTSS	no	TargetDivSharedSet_ID	yes	no
Dom1	no	FRWTreeNodeCOASrcDom From	yes	no
Dom2	no	FRWTreeNodeCOASrcDom To	yes	no
GLSSS	no	SourceGLSharedSet_ID	yes	no
GLTSS	no	TargetGLSharedSet_ID	yes	no
IC1	no	FRWTreeNodeCOASrcIntcF rom	yes	no
IC2	no	FRWTreeNodeCOASrcIntcT o	yes	no
Jrn1	no	FRWTreeNodeCOASrcJour From	yes	no
Jrn2	no	FRWTreeNodeCOASrcJour To	yes	no
Lay1	no	FRWTreeNodeCOASrcLayF rom	yes	no
Lay2	no	FRWTreeNodeCOASrcLayT o	yes	no
◇* Prim	yes	FRWTreeNode_ID	yes	no
PrjSSS	no	SourcePrjSharedSet_ID	yes	no
PrjTSS	no	TargetPrjSharedSet_ID	yes	no
Saf011	no	FRWTreeNodeCOASrcSaf0 1From	yes	no
Saf012	no	FRWTreeNodeCOASrcSaf0 1To	yes	no
Saf021	no	FRWTreeNodeCOASrcSaf0 2From	yes	no
Saf022	no	FRWTreeNodeCOASrcSaf0 2To	yes	no
Saf031	no	FRWTreeNodeCOASrcSaf0 3From	yes	no
Saf032	no	FRWTreeNodeCOASrcSaf0 3To	yes	no
Saf041	no	FRWTreeNodeCOASrcSaf0 4From	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Saf042	no	FRWTreeNodeCOASrcSaf04To	yes	no
Saf051	no	FRWTreeNodeCOASrcSaf05From	yes	no
Saf052	no	FRWTreeNodeCOASrcSaf05To	yes	no
Saf061	no	FRWTreeNodeCOASrcSaf06From	yes	no
Saf062	no	FRWTreeNodeCOASrcSaf06To	yes	no
Saf071	no	FRWTreeNodeCOASrcSaf07From	yes	no
Saf072	no	FRWTreeNodeCOASrcSaf07To	yes	no
Saf081	no	FRWTreeNodeCOASrcSaf08From	yes	no
Saf082	no	FRWTreeNodeCOASrcSaf08To	yes	no
Saf091	no	FRWTreeNodeCOASrcSaf09From	yes	no
Saf092	no	FRWTreeNodeCOASrcSaf09To	yes	no
Saf101	no	FRWTreeNodeCOASrcSaf10From	yes	no
Saf102	no	FRWTreeNodeCOASrcSaf10To	yes	no
TSaf01	no	TargetSaf01Saf_ID	yes	no
TSaf02	no	TargetSaf02Saf_ID	yes	no
TSaf03	no	TargetSaf03Saf_ID	yes	no
TSaf04	no	TargetSaf04Saf_ID	yes	no
TSaf05	no	TargetSaf05Saf_ID	yes	no
TSaf06	no	TargetSaf06Saf_ID	yes	no
TSaf07	no	TargetSaf07Saf_ID	yes	no
TSaf08	no	TargetSaf08Saf_ID	yes	no
TSaf09	no	TargetSaf09Saf_ID	yes	no
TSaf10	no	TargetSaf10Saf_ID	yes	no

frzd_det

Freight Zone Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* frzd_fr_list	yes	frzd_domain	yes	no
		frzd_fr_list	yes	no
		frzd_site	yes	no
		frzd_zone	yes	no
		frzd_post_st	yes	no
		frzd_start	yes	no
oid_frzd_det	yes	oid_frzd_det	yes	no

Freight List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fr_list	yes	fr_domain	yes	no
		fr_list	yes	no
		fr_site	yes	no
		fr_curr	yes	no
oid_fr_mstr	yes	oid_fr_mstr	yes	no

Service Category Master

Field Name	Label	Col-Label	Format	Dec
fsc_chr01	User Character Field #1		x(8)	0
fsc_chr02	User Character Field #2		x(8)	0
fsc_chr03	User Character Field #3		x(8)	0
fsc_chr04	User Character Field #4		x(8)	0
fsc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fsc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fsc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fsc_dte01	User Date #1		99/99/99	
fsc_dte02	User Date #2		99/99/99	
fsc_dte03	User Date #3		99/99/99	
fsc_log01	User Logical #1		yes/no	
fsc_log02	User Logical #2		yes/no	
fsc_log03	User Logical #3		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsc_code	yes	fsc_domain	yes	no
		fsc_code	yes	no
oid fsc mstr	yes	oid fsc mstr	yes	no

fsd_det

Service/Support Call Activity Detail

Field Name	Label	Col-Label	Format	Dec
fsd_chr01	User Character Field 1		X(8)	
fsd_chr02	User Character Field 2		X(8)	
fsd_dec01	User Decimal Field 1		->>>, >>>, >>9.<<<	10
fsd_int01	User Integer Field 1		->, >>>, >>9	
fsd_log01	User Logical Field 1		yes/no	
fsd_qadc01	QAD Character Field 1		X(8)	
fsd_qadc02	QAD Character Field 2		X(8)	
fsd_qadc03	QAD Character Field		X(8)	0
fsd_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.<<<	10
fsd_qadd02	QAD Decimal Field		->>, >>9.99	10
fsd_qadi01	QAD Integer Field 1		->, >>>, >>9	
fsd_qadi02	QAD Integer Field		->, >>>, >>9	
fsd_qadi01	QAD Logical Field 1		yes/no	
fsd_qadi02	QAD Logical Field		yes/no	
fsd_domain	Domain		x(8)	
fsd_file			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
fsd_nbr	yes	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_line	yes	no
fsd_part	no	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_site	yes	no
		fsd_loc	yes	no
		fsd_lotser	yes	no
oid_fsd_det	yes	fsd_ref	yes	no
		oid_fsd_det	yes	no

fsh mstr

Service/Support Holiday Master

Field Name	Label	Col-Label	Format	Dec
fsh__qadc01			x(8)	
fsh_addr_line1	Address Line 1		x(36)	
fsh_addr_line2	Address Line 2		x(36)	
fsh_addr_line3	Address Line 3		x(36)	
fsh_city	City		x(20)	
fsh_code	Code		x(8)	
fsh_code_field	Field		x(32)	
fsh_country	Country		x(28)	
fsh_county	County		x(20)	
fsh_covered	Covered		yes/no	
fsh_date	Holiday		99/99/99	
fsh_desc	Description		x(24)	
fsh_domain	Domain		x(8)	
fsh_end_time	End Time	End	99:99	
fsh_full_day	Full Day		yes/no	
fsh_rsn_code	Reason Code	Reason	x(8)	
fsh_start_time	Start Time	Start	99:99	
fsh_state	State		x(4)	
fsh_user1	Ufld1		x(8)	
fsh_user2	Ufld2		x(8)	
fsh_zip	Post		x(10)	
oid_fsh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 _g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fsh_codefield	yes	fsh_domain	yes	no
		fsh_code	yes	no
		fsh_code_field	yes	no
		fsh_date	yes	no
		fsh_start_time	yes	no
oid fsh_mstr	yes	oid fsh_mstr	yes	no

fslp_pln

Simulation Line Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fslp_pln	yes	fslp_domain	yes	no
		fslp_plan_id	yes	no
		fslp_part	yes	no
		fslp_site	yes	no
		fslp_line	yes	no
		fslp_year	yes	no
oid fslp_pln	yes	oid fslp_pln	yes	no

Family Simulation Backlog and Cost Plan

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp1_pln	yes	fsp1_domain	yes	no
		fsp1_plan_id	yes	no
		fsp1_site	yes	no
		fsp1_part	yes	no
		fsp1_year	yes	no
oid_fsp1_pln	yes	oid_fsp1_pln	yes	no

Family Simulation Inventory and Order Plan

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fsp2_pln	yes	fsp2_domain	yes	no
			fsp2_plan_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid fsp2_pln	yes	fsp2_site	yes	no
		fsp2_part	yes	no
		fsp2_year	yes	no
		oid fsp2_pln	yes	no

fsp3_pln

Family Simulation Production and Shipment Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsp3_pln	yes	fsp3_domain	yes	no
		fsp3_plan_id	yes	no
		fsp3_site	yes	no
		fsp3_part	yes	no
		fsp3_year	yes	no
oid fsp3_pln	yes	oid fsp3_pln	yes	no

fspd_det

Service/Support Parts List Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fspd_oid_itm_det	yes	fspd_domain	yes	no
		oid_itm_det	yes	no
		fspd_part	yes	no
		fspd_so_nbr	yes	no
oid_fspd_det	yes	oid_fspd_det	yes	no

fsu_mstr

Service/Support User Preference Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* fsu_userid	yes	fsu_domain	yes	no
		fsu_userid	yes	no
oid_fsu_mstr	yes	oid_fsu_mstr	yes	no

ftch hist

Service/Support Trace History

Field Name	Label	Col-Label	Format	Dec
ftch_chr01	User Field #1		x(8)	
ftch_dte01	User Date #1		99/99/99	
ftch_log01	User Logical #1		yes/no	
ftch_qadc02	Qad Field #2		x(8)	
ftch_qadd01	Qad Decimal #1		->>, >>9.99	10
ftch_qadl01	Qad Logical #1		yes/no	
ftch_qadt01	Qad Date #1		99/99/99	
ftch_desc	Description		x(24)	
ftch_domain	Domain		x(8)	
ftch_eff_date	Effective Date		99/99/99	
ftch_eng_code	Engineer		x(8)	
ftch_ent_date	Create Date		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ftchengeff	no	ftch_domain	yes	no
		ftch_eng_code	yes	no
		ftch_eff_date	yes	no
ftchparteff	no	ftch_domain	yes	no
		ftch_part	yes	no
		ftch_eff_date	yes	no
ftchserieff	no	ftch_domain	yes	no
		ftch_serial	yes	no
		ftch_eff_date	yes	no
* ftchtrnbr	yes	ftch_domain	yes	no
		ftch_trnbr	yes	no
oid ftch hist	yes	oid ftch hist	yes	no

ft mstr

Freight Terms Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ft_terms	yes	ft_domain	yes	no
		ft_terms	yes	no
oid ft_mstr	yes	oid ft_mstr	yes	no

Service/Support Work Code Master

Index-Name	Uni	Field-Name	Asc	Abbr
* fwk_ca_int_type	yes	fwk_domain	yes	no
		fwk_ca_int_type	yes	no
oid_fwkc_mstr	yes	oid_fwkc_mstr	yes	no

Generic Field Detail

Field Name	Label	Col-Label	Format	Dec
genfidd__qadc01			x(24)	
genfidd__qadc02			x(24)	
genfidd__charvalues[25]	Character Values		x(255)	
genfidd__datevalues[25]	Date Values		99/99/99	
genfidd__decimalvalues[25]	Decimal Values		->,>>>,>>>,>>>,>>9.99	4
genfidd__integervvalues[25]	Integer Values		->>>,>>>,>>>9	
genfidd__logicalvalues[25]	Logical Values		yes/no	
genfidd__mod_date	Modified Date	Mod Date	99/99/99	
genfidd__mod_userid	User ID		x(8)	
genfidd__sequence	Sequence		>>>9	
genfidd__tablename	Table		x(32)	

Field Name	Label	Col-Label	Format	Dec
genfldd_user1	User Field Character 1		x(24)	
genfldd_user2	User Field Character 2		x(24)	
oid_genfldd_det			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_owning_record			>>>>>>>>>>>>>>>>>>>>>>9 10 q<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
	genfldd_tablename	no	genfldd_tablename	yes	no
	oid_genfldd_det	yes	oid_genfldd_det	yes	no
*	oid_owning_record	yes	oid_owning_record	yes	no
			genfldd_sequence	yes	no

giap_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* giap_app_code	yes	giap_domain	yes	no
		giap_app_code	yes	no
giap_ref_key	yes	giap_domain	yes	no
		giap_ref_key	yes	no
oid giap mstr	yes	oid giap mstr	yes	no

gimd_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gimd_model	yes	gimd_domain	yes	no
		gimd_app_code	yes	no
		gimd_model_name	yes	no
gimd_ref_key	yes	gimd_domain	yes	no
		gimd_ref_key	yes	no
oid_gimd_mstr	yes	oid_gimd_mstr	yes	no

Table Attribute Detail

Index-Name	Uni	Field-Name	Asc	Abbr
gip_app_table	no	gip_domain	yes	no
		gip_app_code	yes	no
		gip_table_name	yes	no
		gip_attribute	yes	no
		gip_ref_key	yes	no
* gip_ref_attribute	yes	gip_domain	yes	no
		gip_ref_key	yes	no
		gip_attribute	yes	no
oid_gip_det	yes	oid_gip_det	yes	no

Site/Item Model Definition Master

Index-Name	Uni	Field-Name	Asc	Abbr
* gisi_model	yes	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_model_name	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
gisi_ref_key	yes	gisi_domain	yes	no
		gisi_ref_key	yes	no
gisi_site_part	no	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
oid_gisi_mstr	yes	oid_gisi_mstr	yes	no

GL

GL Account

Field Name	Label	Col-Label	Format	Dec
BankAPDiscountGL_ID	AP Discount Account	AP Discount	9999999999	
BankARDiscountGL_ID	AR Discount Account	AR Discount	9999999999	
BankDiscountGL_ID	Discount Account		9999999999	
BankJournalProfile_ID	Banking Daybook Profile		9999999999	
BudgetGroup_ID	Budget Group 1		9999999999	
BusinessRelation_ID	Link to BusinessRelation		9999999999	
CashGroup_ID	Cash Group		9999999999	
CashInJournalProfile_ID	Cash Received Daybook Profile		9999999999	
CashOutJournalProfile_ID	Cash Paid Daybook Profile		9999999999	
CostCentreProfile_ID	Link to Profile		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DivisionProfile_ID	Link to Profile		9999999999	
GL_ID	Record ID		9999999999	
GLAnalysisLimitation	Analysis Limitation	Analysis Limit	x(20)	
GLAnalysisSetOnByUsr_ID	Link to Usr		9999999999	
GLAnalysisSetOnOnDate	GL Analysis Set On Date		99/99/9999	
GLCategory	Category		x(20)	
GLCode	Account		x(8)	
GLDescription	Description		x(24)	
GLDivisionSetOnByUsr_ID	Link to Usr		9999999999	
GLDivisionSetOnOnDate	GL Sub-Account Set On Date		99/99/9999	
GLExchangeMethod	Consolidation Method		x(20)	
GLIsActive	Active		yes/no	
GLIsAutomaticAccount	Automatic Account	Auto	yes/no	
GLIsBalanceAccount	Balance Account		yes/no	
GLIsCostCentreAccount	Cost Center Account		yes/no	
GLIsDebitAccount	Debit/Credit		yes/no	
GLIsDivisionAccount	Sub-Account		yes/no	
GLIsFixedInterco	Fixed Intercompany	Fixed IC	yes/no	

Field Name	Label	Col-Label	Format	Dec
GLIsIntercoAccount	Intercompany Account		yes/no	
GLIsLocalCurrency	Base Currency Only	Base Curr	yes/no	
GLIsProjectAccount	Project Analysis	Proj Analysis	yes/no	
GLIsQuantityAccount	Quantity		yes/no	
GLIsSafAccount	SAF Enabled	SAF	yes/no	
GLIsValueDate	Value Dates	Val Date	yes/no	
GLIsWithBudget	Budget Enabled		yes/no	
GLRevaluationCCMethod	SC Revaluation Method	SC Rev Method	x(20)	
GLRevaluationMethod	TC Revaluation Method	TC Rev Method	x(20)	
GLSystemTypeCode	System Type	Sys Type	x(20)	
GLTypeCode	GL Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProjectProfile_ID	Link to Profile		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Report2BudgetGroup_ID	Budget Group 2		9999999999	
Report3BudgetGroup_ID	Budget Group 3		9999999999	
Report4BudgetGroup_ID	Budget Group 4		9999999999	
RevalCCEXchangeRateType_ID	Link to ExchangeRateType		9999999999	
RevalExchangeRateType_ID	Link to ExchangeRateType		9999999999	
RevaluationGL_ID	Link to GL		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
Unit_ID	GL Account Unit of Measure	UM	9999999999	
UsrDefExchangeRateType_ID	Consolidation Rate Type	Rate Type	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
CashGroupIdx	no	CashGroup_ID	yes	no
◇ Code	no	GLCode	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
GLDescription	no	GLDescription	yes	no
GLIsWithBudgetIdx	no	GLIsWithBudget	yes	no
GLSystemTypeIdx	no	GLSystemTypeCode	yes	no
GLType	no	GLTypeCode	yes	no
◇ IsActive	no	GLIsActive	yes	no
◇* Prim	yes	GL_ID	yes	no
RevaluationGL	no	RevaluationGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		GLCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		GLIsActive	yes	no
		GLCode	yes	no

GLCalendar GL Calendar

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
DomainYearPeriod	yes	Domain_ID	yes	no
		GLCalendarYear	yes	no
		GLCalendarPeriod	yes	no
◇* Prim	yes	GLCalendar_ID	yes	no

glccp_det Cost Calculation period, which can be a day, week, fortnight or monthly. Calculation period cannot have overlaps between GL period.

Index-Name	Uni	Field-Name	Asc	Abbr
glccp_cs_start	no	oid_cs_mstr	yes	no
		glccp_start	yes	no
glccp_gl_cs_start	yes	oid_glc_cal	yes	no
		oid_cs_mstr	yes	no
		glccp_start	yes	no
glccp_gl_start	no	oid_glc_cal	yes	no
		glccp_start	yes	no
* oid_glccp_det	yes	oid_glccp_det	yes	no

General Ledger Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* glcd_index	yes	glcd_domain	yes	no
		glcd_year	yes	no
		glcd_per	yes	no
		glcd_entity	yes	no
oid_glcd_det	yes	oid_glcd_det	yes	no

GL Correction Control File

Field Name	Label	Col-Label	Format	Dec
glcor__qadc01			x(24)	
glcor__qadc02			x(24)	
glcor_ap	Accounts Payable	AP	yes/no	
glcor_ar	Accounts Receivable	AR	yes/no	
glcor_cons_trf	Consignment Transfer		yes/no	
glcor_cst_adj	Cost Adjustment		yes/no	
glcor_cum_wo	Cumulative WO Close		yes/no	
glcor_cust_cons	Customer Consignment		yes/no	
glcor_do_rcpt	DO Receipt		yes/no	
glcor_do_shpmt	DO Shipment		yes/no	
glcor_domain	Domain		x(8)	
glcor_downtime	Downtime		yes/no	
glcor_expense	Expense		yes/no	
glcor_ic_wip	WIP Adjustment		yes/no	
glcor_inv_adj	Inventory Adjustment		yes/no	
glcor_iss_rcpt	WO Issue/Receipt		yes/no	
glcor_iss_unp	Issue Unplanned		yes/no	
glcor_labor	Labor		yes/no	
glcor_mod_date	Modified Date	Mod Date	99/99/99	
glcor_mod_userid	User ID		x(8)	
glcor_po_rcpt	PO Receipt		yes/no	
glcor_rcpt_unp	Receipt Unplanned		yes/no	

Field Name	Label	Col-Label	Format	Dec
glcor_rework	Rework		yes/no	
glcor_rtn_stk	Return to Stock		yes/no	
glcor_rtn_supp	Return to Supplier		yes/no	
glcor_scrap	Scrap		yes/no	
glcor_so_corr	GL Correction		yes/no	
glcor_so_shpmnt	SO Shipment		yes/no	
glcor_so_summ	GL Summariazation		yes/no	
glcor_sub_con	Subcontract		yes/no	
glcor_suppl_cons	Supplier Consignment		yes/no	
glcor_transfer	Transfer		yes/no	
glcor_user1	User Field Character 1		x(24)	
glcor_user2	User Field Character 2		x(24)	
glcor_wo_close	WO Close		yes/no	
glcor_wo_wip	WIP Adjustment		yes/no	
oid_glcor_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* glcor_index1	yes	glcor_domain	yes	no
oid glcor ctrl	yes	oid glcor ctrl	yes	no

glc cal General Ledger Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* glc_index	yes	glc_domain	yes	no
		glc_year	yes	no
		glc_per	yes	no
glc_start	no	glc_domain	yes	no
		glc_start	yes	no
oid_glc_cal	yes	oid_glc_cal	yes	no

GLMirror GL Account Mirror

Field Name	Label	Col-Label	Format	Dec
ControlGL_ID			9999999999	
GLMirror_ID	Record ID		9999999999	
MirrorGL_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ControlGL	yes	ControlGL_ID	yes	no
MirrorGL	no	MirrorGL_ID	yes	no
◇* Prim	yes	GLMirror_ID	yes	no

GLOpenItem GL Open Item

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Currency_ID	Link To Currency		9999999999	
GL_ID	Link to GL		9999999999	
GLOpenItem_ID	Record ID		9999999999	
GLOpenItemBalanceCC	SC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditLC	BC Balance Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitLC	BC Balance Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceLC	BC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemBalanceTC	TC Balance		->>>, >>>, >>>, >>9.99	4
GLOpenItemClosingDate	Closing Date		99/99/9999	
GLOpenItemIsOpen	Open		yes/no	
GLOpenItemKey	Allocation Key		x(40)	
GLOpenItemOriginalCreditCC	SC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalCreditLC	BC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalCreditTC	TC Original Credit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitCC	SC Original Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitLC	BC Original Debit		->>>, >>>, >>>, >>9.99	4
GLOpenItemOriginalDebitTC	TC Original Debit		->>>, >>>, >>>, >>9.99	4
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ClosingDate	no	GLOpenItemClosingDate	yes	no
CompanyGLClose	no	Company_ID	yes	no
		GL_ID	yes	no
		GLOpenItemClosingDate	yes	no
◇ CompanyIdx	no	Company_ID	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLClosingDate	no	GL_ID	yes	no
		GLOpenItemClosingDate	yes	no
GLOpenItemKey	yes	GL_ID	yes	no
		GLOpenItemKey	yes	no
◇ IsOpenIdx	no	GLOpenItemIsOpen	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* prim	yes	GLOpenItem_ID	yes	no

GLOpenItemMovement GL Open Item Movement

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Link To Currency		9999999999	
GLOpenItem_ID	Link to GLOpenItem		9999999999	
GLOpenItemMovement_ID	Record ID		9999999999	
GLOpenItemMovementPostDate	Posting Date		99/99/9999	
GLOpenItemMovementType	Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingLine_ID	Link to PostingLine		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CurrencyIdx	no	Currency_ID	yes	no
GLOIMovDt	no	GLOpenItemMovementPost Date	yes	no
GLOIMovTp	no	GLOpenItemMovementType	yes	no
GLOpenItem	no	GLOpenItem_ID	yes	no
◇ PostLine	no	PostingLine_ID	yes	no
◇* prim	yes	GLOpenItemMovement_ID	yes	no

GLReportLinkGL Report Link

Field Name	Label	Col-Label	Format	Dec
FromGL_ID	Link to GL		9999999999	
GLReportLink_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
ToGL_ID	Link to GL		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	GLReportLink_ID	yes	no
◇ UniqueIdx	yes	FromGL_ID	yes	no
		ToGL_ID	yes	no

GLSafDefaultGL Account SAF Default

Field Name	Label	Col-Label	Format	Dec
GL_ID	Link to GL		9999999999	
GLSafDefault_ID	Record ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ GL	no	GL_ID	yes	no
◇* Prim	yes	GLSafDefault_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ UniqueIdx	yes	SafConcept_ID	yes	no
		GL_ID	yes	no

GLSystemType

Field Name	Label	Col-Label	Format	Dec
GLSystemTypeCode	GL System Type		x(20)	
GLSystemTypesActive	Active	Act	yes/no	
GLSystemTypeTranslated	GL System Type		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	GLSystemTypelsActive	yes	no
◇* Prim	yes	GLSystemTypeCode	yes	no
◇ ViewIndex	no	GLSystemTypelsActive	yes	no
		GLSystemTypeCode	yes	no

gltw_wkfl

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gltw_ref	yes	gltw_domain	yes	no
		gltw_ref	yes	no
		gltw_line	yes	no
		gltw_rflag	yes	no
gltw_userid	no	gltw_domain	yes	no
		gltw_userid	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		gltw_acct	yes	no
		gltw_cc	yes	no
		gltw_project	yes	no
		gltw_effdate	yes	no
oid_gltw_wkfl	yes	oid_gltw_wkfl	yes	no

GLType GL Account Type

Field Name	Label	Col-Label	Format	Dec
GLTypeCode	GL Type		x(20)	
GLTypesActive	Active	Act	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	GLTypeCode	yes	no
◇ ViewIndex	no	GLTypesActive	yes	no
		GLTypeCode	yes	no

glt_det General Ledger Unposted Transaction Detail

Field Name	Label	Col-Label	Format	Dec
glt_qadc01			x(8)	
glt_acct	Account		x(8)	
glt_addr	Address		x(8)	
glt_amt	Amount		->,>>>,>>>,>>9.99	10
glt_batch	Batch		x(8)	
glt_cc	Cost Ctr	CC	x(4)	
glt_correction	Correction	Corr	yes/no	
glt_curr	Currency	Cur	x(3)	
glt_curr_amt	Currency Amount		->,>>>,>>>,>>9.99	10
glt_date	Entered		99/99/99	
glt_desc	Description		x(24)	
glt_doc	Document		x(16)	
glt_doc_type	Document Type	T	x(2)	
glt_domain	Domain		x(8)	
glt_dy_code	Daybook		x(8)	
glt_dy_num	Entry Number		x(40)	
glt_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->,>>>,>>>,>>9.99	10
glt_effdate	Effective	Eff Date	99/99/99	
glt_en_exrate	Entity Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
glt_en_exrate2	Entity Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
glt_en_exru_seq	Sequence		>>>>>>>>9	
glt_entity	Entity	Enty	x(20)	
glt_entr_exrate	Entered Exchange Rate	Entered Ex Rate	>>,>>9.99999<<<<<	10
glt_error	Error Message		x(16)	
glt_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
glt_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
glt_ex_ratetype	Rate Type		x(8)	
glt_exp	Transaction Posted	Trans! Posted	yes/no	
glt_exru_seq	Sequence		>>>>>>>>9	
glt_fx_ind	FX Conversion Index	FX	x(1)	
glt_interco_ref	Intercompany Reference		x(40)	
glt_lgd_nbr	Legal Doc Nbr	Legal Doc	x(12)	
glt_line	Line		>>>9	
glt_mgmt_curr	Management Currency	Mgmt! Curr	x(3)	
glt_mgmt_curr_amt	Management Currency Amount	Mgmt Curr! Amount	->,>>>,>>>,>>9.99	2

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
glt_acc	no	glt_domain	yes	no
		glt_acct	yes	no
glt_batch	no	glt_domain	yes	no
		glt_batch	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_costctr	no	glt_domain	yes	no
		glt_cc	yes	no
glt_dy_code	no	glt_domain	yes	no
		glt_dy_code	yes	no
		glt_dy_num	yes	no
glt_index	no	glt_domain	yes	no
		glt_entity	yes	no
		glt_acct	yes	no
		glt_sub	yes	no
		glt_cc	yes	no
		glt_effdate	yes	no
		glt_project	yes	no
		glt_ref	yes	no
glt_lgd_nbr	no	glt_domain	yes	no
		glt_lgd_nbr	yes	no
glt_project	no	glt_domain	yes	no
		glt_project	yes	no
* glt_ref	yes	glt_domain	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
glt_subacct	no	glt_domain	yes	no
		glt_sub	yes	no
glt_tr_type	no	glt_domain	yes	no
		glt_tr_type	yes	no
		glt_ref	yes	no
		glt_line	yes	no
glt_unb	no	glt_domain	yes	no
		glt_unb	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
oid_glt_det	yes	oid_glt_det	yes	no

gl_ctrl

System/Account Control

Field Name	Label	Col-Label	Format	Dec
gl_qad01			>>>>>>9	
gl_qadc01			x(8)	
gl_qadc02			x(4)	
gl_qadc03			x(8)	
gl_qadc04			x(4)	
gl_qadc05			x(8)	
gl_qadc06			x(4)	
gl_qadc07			x(8)	
gl_qadc08			x(4)	
gl_qadc09	Bank Acct Validation		x(2)	
gl_qadl01			yes/no	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ap_sub	Payables Sub-Acct	Sub-Acct	x(8)	
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apds_sub	AP Discount Sub	Sub-Acct	x(8)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvr_sub	AP Rate Variance Sub	Sub-Acct	x(8)	
gl_apvrx_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvrx_cc	Expensed Items Rate Var	CC	x(4)	
	CC			
gl_apvrx_sub	Exp Item Rate Var Sub	Sub-Acct	x(8)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_apvu_sub	AP Usage Variance Sub	Sub-Acct	x(8)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvux_sub	Exp Item Usage Sub	Sub-Acct	x(8)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_ar_sub	Receivables Sub-Acct	Sub-Acct	x(8)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cmtl_sub	COGS Material Sub-Acct	Sub-Acct	x(8)	
gl_cog_acct	Cost of Goods	COGS	x(8)	
gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
gl_cog_sub	Cost of Goods Sub-Acct	Sub-Acct	x(8)	
gl_cop_acct	Cost Of Production	COP	x(8)	
gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
gl_cop_sub	Cost Of Production Sub	Sub-Acct	x(8)	
gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
gl_covh_cc	COGS Overhead CC	CC	x(4)	
gl_covh_sub	COGS Overhead Sub-Acct	Sub-Acct	x(8)	
gl_crterms_acct	Credit Terms Interest		x(8)	
	Account			
gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
gl_crterms_sub	Credit Terms Int Sub	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_cs_acct	Sales Cash	Cash	x(8)	
gl_cs_cc	Cash Cost Ctr	CC	X(4)	
gl_cs_sub	Sales Cash Sub-Acct	Sub-Acct	x(8)	
gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
gl_csub_cc	COGS Subcontract CC	CC	x(4)	
gl_csub_sub	COGS Subcontract Sub-Acct	Sub-Acct	x(8)	
gl_disc_acct	Sales Discount	Disc	x(8)	
gl_disc_cc	Disc Cost Ctr	CC	x(4)	
gl_disc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
gl_domain	Domain		x(8)	
gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
gl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
gl_entity	Entity	Enty	x(20)	
gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
gl_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
gl_ex_round	Round Factor		->9	
gl_fin_acct	Sales Finance	Finance	x(8)	
gl_fin_cc	Finance Cost Ctr	CC	x(4)	
gl_fin_sub	Sales Finance Sub	Sub-Acct	x(8)	
gl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
gl_flr_cc	Floor Stock CC	CC	x(4)	
gl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
gl_frtacc_acct	Sales Freight Accrued Account	Frt Accr	x(8)	
gl_frtacc_cc	Cost Center	CC	x(4)	
gl_frtacc_sub	Sales Frt Accrued Sub	Sub-Acct	x(8)	
gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
gl_frtapp_cc	Cost Center	CC	x(4)	
gl_frtapp_sub	Sales Frt Applied Sub	Sub-Acct	x(8)	
gl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
gl_fsaccr_cc	Accrued Revenue CC		x(4)	
gl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
gl_fsbdn_acct	Service Burden		X(8)	
gl_fsbdn_cc	Service Burden CC	CC	X(4)	
gl_fsbdn_sub	Service Burden Sub	Sub-Acct	x(8)	
gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	
gl_fscm_inv_sub	Customer Inv Sub	Sub-Acct	x(8)	
gl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
gl_fsdef_cc	Deferred Revenue CC		x(4)	
gl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexd_sub	Expense Due Emp Sub	Sub-Acct	x(8)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fsexp_sub	Service Expense Sub	Sub-Acct	x(8)	
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fslbr_sub	Service Labor Sub	Sub-Acct	x(8)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_fsrc_inv_sub	Repair Center Inv Sub	Sub-Acct	x(8)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_late_sub	Cr Terms Late Inte Sub	Sub-Acct	x(8)	
gl_lbr_acct	Labor		x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
gl_lvr_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
gl_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvar_sub	Material Usage Var Sub	Sub-Acct	x(8)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_mvrr_sub	Material Rate Var Sub	Sub-Acct	x(8)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ot_sub	Overtime Sub-Acct	Sub-Acct	x(8)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ovh_sub	Overhead Appl Sub-Acct	Sub-Acct	x(8)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_ppv_sub	PO Price Variance Sub	Sub-Acct	x(8)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	
gl_pur_sub	Purchases Sub	Sub-Acct	x(8)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcptx_sub	Exp Item Receipts Sub	Sub-Acct	x(8)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
gl_rgain_cc	Realized Exchange Gain CC CC		x(4)	
gl_rgain_sub	Realized Exch Gain Sub	Sub-Acct	x(8)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC CC		x(4)	
gl_rloss_sub	Realized Exch Loss Sub	Sub-Acct	x(8)	
gl_rmar_acct	Service Returns	Returns	x(8)	
gl_rmar_cc	Service Returns CC	CC	x(4)	
gl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_rtns_sub	Sales Returns Sub	Sub-Acct	x(8)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_sls_sub	Sales Sub-Account	Sub-Acct	x(8)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
gl_symbol	Symbol		x(1)	
gl_tax_type	Tax Type		x(3)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_term_sub	Sales Terms Sub	Sub-Acct	x(8)	
gl_timezone	Server Time Zone		x(8)	
gl_txap_acct	AP Tax Account	AP Tax	x(8)	
gl_txap_cc	AP Tax Cost Center	CC	x(4)	
gl_txap_cn_acct	AP Tax CN Account	AP Tax CN Acct	x(8)	
gl_txap_cn_sub	AP Tax CN Sub-Account	AP Tax CN Sub-Acct	x(8)	
gl_txapr_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
gl_txapr_acct	AP Retained Tax Acct	Ret Tax	x(8)	
gl_txapr_cc	AP Retained Tax CC	CC	x(4)	
gl_txapr_cn_acct	AP Tax Ret CN Account	AP Tax Ret CN Acct	x(8)	
gl_txapr_cn_sub	AP Tax Ret CN Sub-Account	AP Tax Ret CN Sub-Acct	x(8)	
gl_txapr_sub	AP Retained Tax Sub-Account	Sub-Acct	x(8)	
gl_ttaxr_acct	AR Sales Tax Account	AR Tax	x(8)	
gl_ttaxr_cc	AR Sales Tax CC	CC	x(4)	
gl_ttaxr_cn_acct	Sales Tax CN Acct		x(8)	
gl_ttaxr_cn_sub	Sales Tax CN Sub-Account	Sales Tax CN Sub-Acct	x(8)	
gl_ttaxr_sub	AR Sales Tax Sub-Account	Sub-Acct	x(8)	
gl_ttxara_acct	AR Absorbed Tax Acct	Abs Tax	x(8)	
gl_ttxara_cc	AR Absorbed Tax CC	CC	x(4)	
gl_ttxara_cn_acct	Sales Tax Abs CN Acct		x(8)	
gl_ttxara_cn_sub	Sales Tax Abs CN Sub-Acct		x(8)	
gl_ttxara_sub	AR Absorbed Tax Sub-Account	Sub-Acct	x(8)	
gl_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
gl_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
gl_ugain_sub	Unrealized Exchange Gain Sub	Sub-Acct	x(8)	
gl_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
gl_uloss_cc	Unrealized Exchange Loss CC	CC	x(4)	
gl_uloss_sub	Unrealized Exchange Loss Sub	Sub-Acct	x(8)	
gl_user_acct	Exempt Sales Acct		x(8)	
gl_user_cc	Exempt Sales Cost Ctr	CC	x(4)	
gl_user_sub	Exempt Sales Sub-Acct	Sub-Acct	x(8)	
gl_user1	Ufld1		x(8)	
gl_user2	Ufld2		x(8)	
gl_vat	Value Added Tax		yes/no	
gl_verify	Verify GL Accounts	Verify GL	yes/no	
gl_wip_acct	Work in Process	WIP	x(8)	
gl_wip_cc	Work in Process Cost Ctr	CC	x(4)	
gl_wip_sub	Work in Process Sub	Sub-Acct	x(8)	
gl_wvar_acct	Method Variance	Mthd Var	x(8)	
gl_wvar_cc	Method Variance CC	CC	x(4)	
gl_wvar_sub	Method Variance Sub	Sub-Acct	x(8)	
gl_xfer_acct	Transfer Variance	Transfer	x(8)	
gl_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
gl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
gl_xvar_acct	Mix Var	Mix	x(8)	
gl_xvar_cc	Mix Var CC	CC	x(4)	
gl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
oid_gl_ctrl			>>>>>>>>>>>>>>>>>>>>>>9 9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* gl_index1	yes	gl_domain	yes	no
gl_verify	no	gl_domain	yes	no
		gl_verify	yes	no
oid gl ctrl	yes	oid gl ctrl	yes	no

GL Report Writer Account Balances

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypace	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
grac_ypaes	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_entity	yes	no
		grac_sub	yes	no
* grac_ypascej	yes	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
grac_ypceja	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
grac_ypcja	no	grac_acc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grac_ypejas	no	grac_project	yes	no
		grac_acc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_entity	yes	no
grac_ypjasc	no	grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
grac_ypscej	no	grac_project	yes	no
		grac_acc	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
grac_ypsej	no	grac_per	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_domain	yes	no
grac_ypsjc	no	grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_domain	yes	no
oid_grac_det	yes	grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_project	yes	no
		grac_cc	yes	no
		oid_grac_det	yes	no

grad_det

GL Report Writer Analysis Code Detail

Field Name	Label	Col-Label	Format	Dec
grad__qadc01			x(8)	
grad_an_code	Analysis Code		x(8)	
grad_domain	Domain		x(8)	
grad_gl_code	G/L Code		x(20)	
grad_gl_type	G/L Type		x(1)	
grad_user1	Ufld1		x(8)	
grad_user2	Ufld2		x(8)	
oid_grad_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* grad_an_code	no	grad_domain	yes	no
		grad_an_code	yes	no
		grad_gl_type	yes	no
		grad_gl_code	yes	no
oid_grad_det	yes	oid_grad_det	yes	no

GL Report Writer Analysis Code Link-File Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* gral_an_code	yes	gral_domain	yes	no
		gral_an_code	yes	no
		gral_link_code	yes	no
		gral_seq	yes	no
gral_link_code	no	gral_domain	yes	no
		gral_link_code	yes	no
gral_seq	yes	gral_domain	yes	no
		gral_an_code	yes	no
		gral_seq	yes	no
oid_gral_det	yes	oid_gral_det	yes	no

GL Report Writer Selection Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* gras_an_code	yes	gras_domain	yes	no
		gras_an_code	yes	no
		gras_gl_type	yes	no
		gras_include	yes	no
		gras_sel_low	yes	no
		gras_sel_high	yes	no
oid_gras_det	yes	oid_gras_det	yes	no

GL Report Writer Analysis Code Master

Field Name	Label	Col-Label	Format	Dec
gra_mod_id	Modified By		x(8)	
gra_status	Status		Live/Test	
gra_user1	Ufld1		x(8)	
gra_user2	Ufld2		x(8)	
oid_gra_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* gra_an_code	yes	gra_domain	yes	no
		gra_an_code	yes	no
gra_desc	yes	gra_domain	yes	no
		gra_gl_type	yes	no
		gra_desc	yes	no
		gra_an_code	yes	no
gra_type	yes	gra_domain	yes	no
		gra_gl_type	yes	no
		gra_an_code	yes	no
oid_gra_mstr	yes	oid_gra_mstr	yes	no

grbg_det

GL Report Writer Budgeted Account Balance Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypace	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
grbg_bypaes	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_entity	yes	no
		grbg_sub	yes	no
* grbg_bypascej	yes	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grbg_bypeja	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
grbg_bypcja	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
grbg_bypejas	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
grbg_bypjasc	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
grbg_bypscej	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
grbg_bypsej	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no
grbg_bypsjc	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no
		oid_grbg_det	yes	no

grcd_det

GL Report Writer Column Group Detail

Field Name	Label	Col-Label	Format	Dec
grcd__qadc01			x(8)	
grcd_activity	Activity Type		x(1)	
grcd_bg_code	Budget Code		x(8)	
grcd_bg_rol	Roll Budgets Into Actuals		yes/no	
grcd_calc[5]	Formula		x(50)	
grcd_col	Column		9999	
grcd_col_group	Column Group		x(8)	
grcd_col_type	Column Type		x(1)	
grcd_currency	Currency		Foreign/Base	
grcd_desc	Description		x(24)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grcd_col_group	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col	yes	no
grcd_col_type	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col_type	yes	no
		grcd_col	yes	no
oid grcd det	yes	oid grcd det	yes	no

grc_mstr

GL Report Writer Column Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grc_col_group	yes	grc_domain	yes	no
		grc_col_group	yes	no
oid_grc_mstr	yes	oid_grc_mstr	yes	no

grdf mtz

GL Report Writer Definition Matrix

Field Name	Label	Col-Label	Format	Dec
grdf__qadc01			x(8)	
grdf_col	Cell Column		999	
grdf_domain	Domain		x(8)	
grdf_format	Cell Format		x(20)	
grdf_formula	Formula		x(76)	

grhd_det

GL Report Writer Group Row/Column Sequence Detail

Field Name	Label	Col-Label	Format	Dec
grhd__qadc01			x(8)	
grhd_code	Code		x(20)	
grhd_domain	Domain		x(8)	
grhd_explode	Explode		yes/no	
grhd_group	Group		x(8)	
grhd_link	Link		CODE/ITEM	
grhd_link_type	Link Type	T	x(1)	
grhd_priority	Priority		z	
grhd_seq	Sequence	Seq	9999	
grhd_sub_indent	Sub Total Indent	SB Ind	zz	
grhd_type	Group Type	T	x(1)	
grhd_user1	Ufld1		x(8)	
grhd_user2	Ufld2		x(8)	
oid_grhd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* grhd_group	no	grhd_domain	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
	yes	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_domain	yes	no
grhd_link	yes	grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_code	yes	no
		grhd_domain	yes	no
		grhd_group	yes	no
grhd_link_type	no	grhd_type	yes	no
		grhd_link_type	yes	no
		grhd_domain	yes	no
		grhd_group	yes	no
grhd_priority	no	grhd_type	yes	no
		grhd_seq	yes	no
		grhd_priority	yes	no
		grhd_explode	yes	no
		grhd_link	yes	no
		grhd_domain	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
grhd_type_link	no	oid_grhd_det	yes	no
		grhd_domain	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
oid_grhd_det	yes	oid_grhd_det	yes	no

grib_det

GL Report Writer Break Group Detail

Field Name	Label	Col-Label	Format	Dec
grib_qadc01			x(8)	
grib_an_code	Analysis Code		x(8)	
grib_basepage	Base Page	B Pg	>>>>9	
grib_desc	Description		x(24)	
grib_domain	Domain		x(8)	
grib_level	Level		999999	
grib_link_code	Link Code		x(8)	
grib_link_type	G/L Type		x(1)	
grib_pages	Group Pages	G Pgs	>>>>9	
grib_run_id	Report Run ID		>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
grib_select	Sel		yes/no	
grib_user1	Ufld1		x(8)	
grib_user2	Ufld2		x(8)	
oid_grib_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* grib_an_code	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_an_code	yes	no
		grib_link_code	yes	no
grib_level	no	grib_domain	yes	no
		grib_run_id	no	no
		grib_level	no	no
		grib_an_code	no	no
grib_link	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_link_code	yes	no
		grib_an_code	yes	no
oid_grib_det	yes	oid_grib_det	yes	no

gric_det

GL Report Writer Image Column Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gric_col	yes	gric_domain	yes	no
		gric_run_id	yes	no
		gric_col	yes	no
oid_gric_det	yes	oid_gric_det	yes	no

grid_det

GL Report Writer Report Image Detail

Field Name	Label	Col-Label	Format	Dec
grid_qadc01			x(8)	
grid_allzero	AZ		yes/no	
grid_apply_sym	Apply Curr Symbol	Sym	yes/no	
grid_domain	Domain		x(8)	
grid_expl_line	Exploded Line	E Ln	-999	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grid_row	yes	grid_domain	yes	no
		grid_run_id	yes	no
		grid_row	yes	no
		grid_line	yes	no
		grid_stl	yes	no
oid grid det	yes	oid grid det	yes	no

grig_mtx

GL Report Writer Report Image Matrix

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grig_col	no	grig_domain	yes	no
		grig_run_id	yes	no
		grig_col	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
* grig_row	yes	grig_domain	yes	no
		grig_run_id	yes	no
		grig_brk_gp	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
		grig_col	yes	no
		oid_grig_mtx	yes	no

GL Report Writer Analysis Code and Item Type Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
* grit_gl_code	no	grit_domain	yes	no
		grit_desc	yes	no
		grit_gl_code	yes	no
		grit_runid	yes	no
	yes	grit_domain	yes	no
		grit_runid	yes	no
oid_grit_wkf	yes	grit_gl_code	yes	no
		oid_grit_wkf	yes	no

GL Report Writer Report Image Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gri_report	yes	gri_domain	yes	no
		gri_report	yes	no
		gri_run_id	yes	no
gri_run_id	yes	gri_domain	yes	no
		gri_run_id	yes	no
oid_gri_mstr	yes	oid_gri_mstr	yes	no

GrossIncAcc Gross Income Accounting

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GrossIncAcc_ID	Record ID		9999999999	
GrossIncAcclsAllCostCentre	All Cost Centers		yes/no	
GrossIncAcclsAllDivision	All Sub-Accounts		yes/no	
GrossIncAcclsAllProject	All Projects		yes/no	
Journal_ID	Link To Journal		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SalesCostCentre_ID	Link To CostCentre (Sales)		9999999999	
SalesDivision_ID	Link To Division (Sales)		9999999999	
SalesGL_ID	Link To GL (Sales)		9999999999	
SalesProject_ID	Link To Project (Sales)		9999999999	
TaxExpenseCostCentre_ID	Link To CostCentre (Tax Expense)		9999999999	

Field Name	Label	Col-Label	Format	Dec
TaxExpenseDivision_ID	Link To Division (Tax Expense)		9999999999	
TaxExpenseGL_ID	Link To GL (Tax Expense)		9999999999	
TaxExpenseProject_ID	Link To Project (Tax Expense)		9999999999	
TaxPayableDivision_ID	Link To Division (Tax Payable)		9999999999	
TaxPayableGL_ID	Link To GL (Tax Payable)		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AltUniqIdx	yes	Company_ID	yes	no
		SalesGL_ID	yes	no
		SalesDivision_ID	yes	no
		SalesCostCentre_ID	yes	no
		SalesProject_ID	yes	no
		TaxPayableGL_ID	yes	no
		TaxPayableDivision_ID	yes	no
◇ Cyldx	no	Company_ID	yes	no
◇ JournalIdx	no	Journal_ID	yes	no
◇* Prim	yes	GrossIncAcc_ID	yes	no
SalesCC	no	SalesCostCentre_ID	yes	no
SalesDiv	no	SalesDivision_ID	yes	no
◇ SalesGL	no	SalesGL_ID	yes	no
SalesPrj	no	SalesProject_ID	yes	no
TaxExpCC	no	TaxExpenseCostCentre_ID	yes	no
TaxExpDiv	no	TaxExpenseDivision_ID	yes	no
TaxExpGL	no	TaxExpenseGL_ID	yes	no
TaxExpPrj	no	TaxExpenseProject_ID	yes	no
TaxPayDiv	no	TaxPayableDivision_ID	yes	no
TaxPayGL	no	TaxPayableGL_ID	yes	no

grqd_det GL Report Writer Fiscal Quarter Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grqd_period	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_per_start	yes	no
		grqd_per_end	yes	no
* grqd_quarter	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_quarter	yes	no
oid_grqd_det	yes	oid_grqd_det	yes	no

grrd_det GL Report Writer Row Group Detail

Field Name	Label	Col-Label	Format	Dec
grrd__qadc01			x(8)	
grrd__apply_sym	Apply Curr Symbol	Sym	yes/no	
grrd__calc[5]	Formula		x(50)	
grrd__domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grdd_row_group	yes	grdd_domain	yes	no
		grdd_row_group	yes	no
		grdd_row	yes	no
grdd_row_type	yes	grdd_domain	yes	no
		grdd_row_group	yes	no
		grdd_row_type	yes	no
		grdd_row	yes	no
oid grdd det	yes	oid grdd det	yes	no

grr mstr

GL Report Writer Row Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grr_brk_ac	no	grr_domain	yes	no
		grr_brk_ac	yes	no
		grr_brk_gl	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* grr_row_group	yes	grr_row_group	yes	no
		grr_domain	yes	no
		grr_row_group	yes	no
oid_grr_mstr	yes	oid_grr_mstr	yes	no

grtx_det

GL Report Writer Text String Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grtx_index	yes	grtx_domain	yes	no
		grtx_indx	yes	no
		grtx_seq	yes	no
oid_grtx_det	yes	oid_grtx_det	yes	no

grv_det

GL Report Writer Account Balance Detail

Field Name	Label	Col-Label	Format	Dec
grv__qadc01			x(8)	
grv_acc	Account		x(8)	
grv_cc	Cost Ctr	CC	x(4)	
grv_domain	Domain		x(8)	
grv_entity	Entity	Enty	x(20)	
grv_project	Project		x(8)	
grv_sub	Sub-Account	Sub-Acct	x(8)	
grv_user1	Ufld1		x(8)	
grv_user2	Ufld2		x(8)	
oid_grv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
grv_ace	no	grv_domain	yes	no
		grv_acc	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
grv_aes	no	grv_domain	yes	no
		grv_acc	yes	no
		grv_entity	yes	no
		grv_sub	yes	no
* grv_ascej	yes	grv_domain	yes	no
		grv_acc	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_ceja	no	grv_domain	yes	no
		grv_cc	yes	no
		grv_entity	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_cja	no	grv_domain	yes	no
		grv_cc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
grv_ejas	no	grv_project	yes	no
		grv_acc	yes	no
		grv_domain	yes	no
		grv_entity	yes	no
		grv_project	yes	no
grv_jasc	no	grv_acc	yes	no
		grv_sub	yes	no
		grv_domain	yes	no
		grv_project	yes	no
		grv_acc	yes	no
grv_scej	no	grv_sub	yes	no
		grv_cc	yes	no
		grv_domain	yes	no
		grv_sub	yes	no
		grv_cc	yes	no
grv_sej	no	grv_entity	yes	no
		grv_project	yes	no
		grv_domain	yes	no
		grv_sub	yes	no
		grv_entity	yes	no
grv_sjc	no	grv_project	yes	no
		grv_domain	yes	no
		grv_sub	yes	no
		grv_project	yes	no
		grv_cc	yes	no
oid_grv_det	yes	oid_grv_det	yes	no

grx1_wkfl

GL Report Writer Analysis Code Explosion Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* grx1_an_code	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_an_code	yes	no
		grx1_link_code	yes	no
grx1_link	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_link_code	yes	no
		grx1_an_code	yes	no
oid_grx1_wkfl	yes	oid_grx1_wkfl	yes	no

grx2_wkfl

GL Report Writer Row/Column Explosion (Separate) Work Table

Field Name	Label	Col-Label	Format	Dec
grx2__qadc01			x(8)	
grx2_acct	Account		x(8)	
grx2_actual	Actual/Budget		yes/no	
grx2_bg_code	Budget Code		x(8)	
grx2_cc	Cost Center	CC	x(8)	
grx2_domain	Domain		x(8)	

grx_mstr

GL Report Writer Report Content Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
grx_col_group	no	grx_domain	yes	no
		grx_col_group	yes	no
grx_ctl_ac	no	grx_domain	yes	no
		grx_ctl_ac	yes	no
		grx_ctl_gl	yes	no
		grx_report	yes	no
* grx_report	yes	grx_domain	yes	no
		grx_report	yes	no
grx_row_group	no	grx_domain	yes	no
		grx_row_group	yes	no
oid_grx_mstr	yes	oid_grx_mstr	yes	no

gr_ctrl

GL Report Writer Control

Field Name	Label	Col-Label	Format	Dec
gr__qadc01			x(8)	
gr_ac_cmmts	Analysis Code Comments		yes/no	
gr_cg_cmmts	Column Group Comments		yes/no	
gr_col_width	Column Width		>9	
gr_cyis	Current Year Income Offset		x(8)	
gr_cyre	Current Year Retained		x(8)	
	Earnings			
gr_domain	Domain		x(8)	
gr_format	Format		x(20)	
gr_index1	Index		>>>>>9	
gr_per	Current Period	Per	>>9	
gr_precedence	Precedence		Row/Column	
gr_qtr_lbl[4]	Quarter		x(10)	
gr_rg_cmmts	Row Group Comments		yes/no	
qr_rg_width	Row Width		z9	

Index-Name	Uni	Field-Name	Asc	Abbr
gr_index1	yes	gr_domain	yes	no
oid_gr_ctrl	yes	oid_gr_ctrl	yes	no

[illegible]

gtih_hist

Golden Tax Invoice History Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* gthi_domain	yes	gthi_domain	yes	no
		gthi_docnbr	yes	no
oid gthi_hist	yes	oid gthi_hist	yes	no

gtnbr_det

Golden Tax Invoice Cross Reference

Field Name	Label	Col-Label	Format	Dec
gtnbr__qadc01			x(24)	
gtnbr__qadc02			x(24)	
gtnbr_domain	Domain		x(8)	
gtnbr_gtinvnbr	Golden Tax Invoice Number		x(8)	
gtnbr_invnbr	Invoice Number		x(22)	
gtnbr_mod_date	Modified Date	Mod Date	99/99/99	
gtnbr_mod_userid	User ID		x(8)	
gtnbr_sonbr	Sales Order Number		x(8)	
gtnbr_type	Type		x(1)	
gtnbr_user1	User Field Character 1		x(24)	
gtnbr_user2	User Field Character 2		x(24)	
oid_gtnbr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* gtnbr_invnbr_gtnbr	no	gtnbr_invnbr	yes	no
		gtnbr_gtinvnbr	yes	no
		gtnbr_domain	yes	no
gtnbr_type_nbr	no	gtnbr_domain	yes	no
		gtnbr_type	yes	no
		gtnbr_invnbr	yes	no
		gtnbr_gtinvnbr	yes	no
oid_gtnbr_det	yes	oid_gtnbr_det	yes	no

Golden Tax Control

Field Name	Label	Col-Label	Format	Dec
gt__qadc01			x(24)	
gt__qadc02			x(24)	
gt_domain	Domain		x(8)	
gt_gt_type	Golden Tax Invoice Type	Type	x(10)	
gt_gtfldg	Enable Golden Tax		yes/no	
gt_in_path	Input Path		x(60)	
gt_mod_date	Modified Date	Mod Date	99/99/99	
gt_mod_userid	User ID		x(8)	
gt_out_path	Output Path		x(60)	
gt_user1	User Field Character 1		x(24)	
gt_user2	User Field Character 2		x(24)	
oid_gt_ctrl	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* gt_domain	yes	gt_domain	yes	no
oid_gt_ctrl	yes	oid_gt_ctrl	yes	no

Holiday Master

Field Name	Label	Col-Label	Format	Dec
hd_qadc01			x(8)	
hd_date	Date	Date	99/99/99	
hd_desc	Holiday		x(24)	
hd_domain	Domain		x(8)	
hd_site	Site		x(8)	
hd_user1	Ufld1		x(8)	
hd_user2	Ufld2		x(8)	
oid_hd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* hd_mstr	yes	hd_domain	yes	no
		hd_site	yes	no
		hd_date	yes	no
oid_hd_mstr	yes	oid_hd_mstr	yes	no

Help Master

Field Name	Label	Col-Label	Format	Dec
hlp_qadc01			x(8)	
hlp_context_nbr	Context Number	Context	>>>, >>>, >>9	
hlp_context_str	Context String		x(32)	0

Field Name	Label	Col-Label	Format	Dec
hlp_file	Help File		X(12)	0
hlp_user1	Ufld1		x(8)	
hlp_user2	Ufld2		x(8)	
oid_hlp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* hlp_primary	no	hlp_context_str	yes	no
oid hlp mstr	yes	oid hlp mstr	yes	no

HoldM

Warehousing Hold Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* HoMidx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		WLocGp	yes	no
		Loc	yes	no
		Part	yes	no
		PartType	yes	no
		Lot	yes	no
		Ref	yes	no
oid_HoldM	yes	oid_HoldM	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

iach_hist

Inventory Consumption History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iach_part	yes	iach_domain	yes	no
		iach_part	yes	no
		iach_site	yes	no
		iach_year	yes	no
		iach_period	yes	no
oid iach_hist	yes	oid iach_hist	yes	no

iac ctrl

Obsolete Inventory Control Parameters

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	iac_index1	yes	iac_domain	yes	no
	oid_iac_ctrl	yes	oid_iac_ctrl	yes	no

iad mstr

Obsolete Inventory Depreciation Rate Master

Field Name	Label	Col-Label	Format	Dec
iad__qadc01			x(24)	
iad__qadc02			x(24)	
iad_comment	Comment		x(8)	
iad_depr_rate	Depreciation Rate		>>9.9<<	3
iad_domain	Domain		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iad_inven_type	yes	iad_domain	yes	no
		iad_inven_type	yes	no
		iad_exception	yes	no
		iad_periods	yes	no
oid_iad_mstr	yes	oid_iad_mstr	yes	no

iaod_det

Output File Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iaod_file_type	yes	iaod_domain	yes	no
		iaod_file_type	yes	no
		iaod_field_nbr	yes	no
oid_iaod_det	yes	oid_iaod_det	yes	no

iao_mstr Output File Master

Field Name	Label	Col-Label	Format	Dec
iao__qadc01			x(24)	
iao__qadc02			x(24)	
iao_desc	Description		x(40)	
iao_domain	Domain		x(8)	
iao_file_type	Output File Type		x(8)	
iao_header_row	Header Row		yes/no	
iao_mod_date	Modified Date	Mod Date	99/99/99	
iao_mod_userid	User ID		x(8)	
iao_program_name	Program Name		x(12)	
iao_quote	Quote Character		x	
iao_separator	Separator Character		x	
iao_user1	User Field Character 1		x(24)	
iao_user2	User Field Character 2		x(24)	
oid_iao_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* iao_file_type	yes	iao_domain	yes	no
		iao_file_type	yes	no
oid_iao_mstr	yes	oid_iao_mstr	yes	no

iasd det

Obsolete Inventory Control Site Detail

Field Name	Label	Col-Label	Format	Dec
iasd__qadc01			x(24)	
iasd__qadc02			x(24)	
iasd_domain	Domain		x(8)	
iasd_mod_date	Modified Date	Mod Date	99/99/99	
iasd_mod_userid	User ID		x(8)	
iasd_site	Site		x(8)	
iasd_trans_types	Extract Issue Transactions		x(100)	
iasd_user1	User Field Character 1		x(24)	
iasd_user2	User Field Character 2		x(24)	
oid_iasd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* iasd_site	yes	iasd_domain	yes	no
		iasd_site	yes	no
oid iasd_det	yes	oid iasd_det	yes	no

iatd_det

Inventory Type Field Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iatd_inven_type	yes	iatd_domain	yes	no
		iatd_inven_type	yes	no
		iatd_field_set	yes	no
		iatd_field_nbr	yes	no
		iatd_value_nbr	yes	no
oid iatd_det	yes	oid iatd_det	yes	no

iat_mstr

Inventory Type Master

Field Name	Label	Col-Label	Format	Dec
iat__qadc01			x(24)	
iat__qadc02			x(24)	
iat_desc	Description		x(40)	
iat_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
iat_inven_type	Inventory Type		x(8)	
iat_mod_date	Modified Date	Mod Date	99/99/99	
iat_mod_userid	User ID		x(8)	
iat_user1	User Field Character 1		x(24)	
iat_user2	User Field Character 2		x(24)	
oid_iat_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* iat_inven_type	yes	iat_domain	yes	no
		iat_inven_type	yes	no
oid_iat_mstr	yes	oid_iat_mstr	yes	no

Sales Order Configuration Bill History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ibd_inv_nbr	yes	ibh_domain	yes	no
		ibh_inv_nbr	yes	no
		ibh_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
		ibh_part	yes	no
ibh_part	yes	ibh_domain	yes	no
		ibh_part	yes	no
		ibh_inv_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
oid_ibh_hist	yes	oid_ibh_hist	yes	no

ib det

Service/Support Installed Configuration Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
ib_compser	yes	ib_domain	yes	no
		ib_comp	yes	no
		ib_comp_ser	yes	no
		ib_comp_ref	yes	no
ib_eu_comp	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_comp	yes	no
		ib_comp_ref	yes	no
		ib_comp_ser	yes	no
ib_eutag	no	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_tag	yes	no
		ib_sys_seq	yes	no
ib_serial	no	ib_domain	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
* ib_sys_seq	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_config	yes	no
		ib_sys_part	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_sys_seq	yes	no
		ib_comp	yes	no
oid_ib_det	yes	oid_ib_det	yes	no

icc_ctrl

Inventory Control

Field Name	Label	Col-Label	Format	Dec
icc__qad01			>>>>>>9	
icc__qad02			9	
icc__qad03			9	
icc__qadc01			x(24)	
icc__qadc02			x(24)	
icc__qadc03			x(24)	
icc__qadi02			->>>>>>>9	
icc__qadi04			>>>>>>>9	
icc__ascend	Ascending or Descending		yes/no	
icc__cogs	Sum LL Costs Into Matl Cost COGS		yes/no	
icc__cur_ap	Current Cost from AP		yes/no	

Field Name	Label	Col-Label	Format	Dec
idhlc_um	UM		x(2)	
idhlc_userc01	User Field Character 1		x(24)	
idhlc_userc02	User Field Character 2		x(24)	
oid_idhlc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* idhlc_invin	yes	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_sub_line	yes	no
idhlc_part	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_part	yes	no
		idhlc_charge_category	yes	no
		idhlc_price	yes	no
idhlc_trl	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_charge_category	yes	no
		idhlc_trl	yes	no
oid_idhlc_hist	yes	oid_idhlc_hist	yes	no

idhr_hist

Invoice History Relationship Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* idhr_invin_seq	yes	idhr_domain	yes	no
		idhr_inv_nbr	yes	no
		idhr_nbr	yes	no
		idhr_line	yes	no
		idhr_seq	yes	no
idhr_type	no	idhr_domain	yes	no
		idhr_type	yes	no
oid_idhr_hist	yes	oid_idhr_hist	yes	no

idh_hist

Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
idh_chr01			x(8)	
idh_chr02			x(8)	
idh_chr03			x(8)	
idh_chr04			x(8)	
idh_chr05			x(8)	
idh_chr06			x(8)	
idh_chr07			x(8)	
idh_chr08			x(8)	
idh_chr09			x(8)	
idh_chr10			x(8)	
idh_dec01			>>>,>>>,>>9.99	10
idh_dec02			>>>,>>>,>>9.99	10
idh_dec03			>>>,>>>,>>9.99	10
idh_dec04			>>>,>>>,>>9.99	10
idh_dec05			>>>,>>>,>>9.99	10
idh_dte01			99/99/99	
idh_dte02			99/99/99	
idh_dte03			99/99/99	
idh_log01			yes/no	
idh_qad01			>	
idh_qad02			yes/no	
idh_qadc01	QAD Field		X(8)	0
idh_qadc02	QAD Field		X(8)	0
idh_qadc03	QAD field		X(8)	0
idh_qadc04	QAD field		X(8)	0
idh_qadc05	QAD field		X(8)	0
idh_qadc06	QAD field		X(8)	0
idh_qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd04	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadd05	QAD Field		->>>>,>>>,>>9.99<<<	10
idh_qadi01	QAD Field		->,>>>,>>9	
idh_qadi02	QAD Field		->,>>>,>>9	
idh_qadi03	QAD Field		->,>>>,>>9	
idh_qadi04	QAD Field		->,>>>,>>9	
idh_qadi01	QAD Field		yes/no	
idh_qadi02	QAD Field		yes/no	
idh_qadi03	QAD Field		yes/no	
idh_qadi04	QAD Field		yes/no	
idh_qadi05	QAD Field		yes/no	
idh_qadt01	QAD Field		99/99/99	
idh_qadt02	QAD Field		99/99/99	
idh_qadt03	QAD Field		99/99/99	
idh_qadt04	QAD Field		99/99/99	
idh_qadt05	QAD Field		99/99/99	
idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>,>>>,>>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<<	10
idh_bonus	Bonus Stock Line		yes/no	
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>>9	
idh_comm_pct[4]	Commission	Comm%	>>9.99%	10
idh_comment[5]	Comments		x(40)	
idh_conrep	Netting Logic	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
idh_cum_date[4]	Cum Start		99/99/99	
idh_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<<	10
idh_curr_rlse_id[3]	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
idh_custref	Customer Ref		x(30)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	10
idh_div	Division		x(8)	
idh_dock	Dock		X(8)	
idh_domain	Domain		x(8)	
idh_drp_ref	DRP Ref		X(8)	
idh_dsc_acct	Disc Acct	?	x(8)	
idh_dsc_cc	Disc CC	CC	x(4)	
idh_dsc_project	Disc Project		x(8)	
idh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
idh_due_date	Due Date	Due	99/99/99	
idh_end_eff[4]	End Effective		99/99/99	
idh_enduser	End User		x(8)	
idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
idh_expire	Expires		99/99/99	
idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
idh_fab_days	Fab Auth Days		>, >>9	
idh_fix_pr	Fixed Price		yes/no	
idh_fixed_price	Fixed Price		>>>>, >>>, >>9.99<<<	10
idh_for	For		x(18)	
idh_for_serial	Parent Item Serial		X(18)	
idh_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
idh_fr_class	Freight Class		x(8)	
idh_fr_list	Freight List	Frt List	x(8)	
idh_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
idh_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<<	10
idh_fr_wt_um	UM		x(2)	
idh_fsm_type	FSM Type		x(8)	
idh_fst_list	FST on List		yes/no	
idh_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
idh_inv_nbr	Invoice		x(22)	
idh_isb_loc	Installed Base Location		x(22)	
idh_isb_ref	ISB Ref		>>>>>>>9	
idh_line	Line	Ln	>>9	
idh_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
idh_ln_ref	Line Ref		X(8)	
idh_loc	Location		x(8)	
idh_lot	ID		x(8)	
idh_mod_date	Modified Date	Mod Date	99/99/99	
idh_mod_userid	User ID		X(8)	
idh_modelyr	Model Year		x(4)	
idh_nbr	Sales Order	Order	x(8)	
idh_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
idh_out_po	Display PO Number		X(30)	
idh_override_lmt	Override Limits	Lmt	yes/no	
idh_owner	Ownership		x(8)	
idh_part	Item Number		x(18)	
idh_partial	Partial OK	Partial	yes/no	
idh_pastdue	Past Due Logic		X(1)	
idh_per_date	Perform Date	Perform	99/99/99	
idh_pickdate	Pick Date		99/99/99	
idh_pkg_code	Pkg Code		x(18)	
idh_pl_priority	P/L Priority		>9	
idh_pr_list	Price List		X(8)	
idh_price	Price		>>>>, >>>, >>9.99<<<	10
idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
idh_prig1	Pricing Group 1		x(8)	
idh_prig2	Pricing Group 2		x(8)	
idh_prodlne	Product Line	Line	x(4)	
idh_project	Project		x(8)	
idh_promise_date	Promise Date	Promise	99/99/99	
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<<	10
idh_qty_chg	Qty To Ship		->, >>>, >>9.<<<<<<<<<	10
idh_qty_cons	Qty Consumed		->, >>>, >>9.<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
idh_fsm_type	no	idh_domain	yes	no
		idh_fsm_type	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
* idh_invin	yes	idh_domain	yes	no
		idh_inv_nbr	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
idh_part	no	idh_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		idh_part	yes	no
		idh_inv_nbr	yes	no
		idh_line	yes	no
oid idh hist	yes	oid idh hist	yes	no

iec ctrl

Import/Export Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iec_index1	yes	iec_domain	yes	no
oid_iec_ctrl	yes	oid_iec_ctrl	yes	no

ied_det

Import/Export Detail

Field Name	Label	Col-Label	Format	Dec
ied_chr01			x(8)	
ied_chr02			x(8)	
ied_chr03			x(8)	
ied_chr04			x(8)	
ied_chr05			x(8)	
ied_dec01			->>>, >>>, >>9.99<	10
ied_dec02			->>>, >>>, >>9.99<	10
ied_dec03			->>>, >>>, >>9.99<	10
ied_dec04			->>>, >>>, >>9.99<	10
ied_dec05			->>>, >>>, >>9.99<	10
ied_dte01			99/99/99	
ied_dte02			99/99/99	
ied_dte03			99/99/99	
ied_dte04			99/99/99	
ied_dte05			99/99/99	
ied_log01			yes/no	
ied_log02			yes/no	
ied_log03			yes/no	
ied_log04			yes/no	
ied_log05			yes/no	
ied_log06			yes/no	
ied_qadc01			x(8)	
ied_qadc02			x(8)	
ied_qadc03			x(8)	
ied_qadc04			x(8)	
ied_qadc05			x(8)	
ied_qadd01			->>>, >>>, >>9.99<	10
ied_qadd02			->>>, >>>, >>9.99<	10
ied_qadd03			->>>, >>>, >>9.99<	10
ied_qadd04			->>>, >>>, >>9.99<	10
ied_qadd05			->>>, >>>, >>9.99<	10
ied_qadl01			yes/no	
ied_qadl02			yes/no	
ied_qadl03			yes/no	
ied_qadl04			yes/no	
ied_qadl05			yes/no	
ied_qadt01			99/99/99	
ied_qadt02			99/99/99	
ied_qadt03			99/99/99	
ied_affiliation	Affiliation		x(1)	
ied_com_code	Commodity Code	Com Code	x(20)	
ied_container	Container		yes/no	
ied_csa	CSA code		9	
ied_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ied_etry_origin	Country of Origin	CO	x(3)	
ied_decl_region	Declaration Region		x(3)	
ied_domain	Domain		x(8)	
ied_intrastat	Intrastat Item	Intrastat	yes/no	
ied_item_spec	Item Specification		x(2)	
ied_line	Order Line	Line	>>9	
ied_mod_date	Modified Date	Mod Date	99/99/99	
ied_mode_transp	Mode of Transport	T	x(1)	
ied_nat_trans	Nature of Transaction	NT	x(2)	
ied_nbr	Order Number	Order	x(8)	
ied_net_wt	Net Weight		->>>, >>>, >>9.99<	10
ied_net_wt_um	UM		x(2)	
ied_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ied_port_transh	Port of Transshipment	PT	x(8)	
ied_preference	Preference		999	
ied_region	Region of Origin/Dest	ROD	x(3)	
ied_req_nbr	Requisition Number		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ied_nbr	yes	ied_domain	yes	no
		ied_type	yes	no
		ied_nbr	yes	no
		ied_line	yes	no
oid ied_det	yes	oid ied_det	yes	no

ieh hist

Import/Export History

Field Name	Label	Col-Label	Format	Dec
ieh_chr01			x(8)	
ieh_chr02			x(8)	
ieh_chr03			x(8)	
ieh_chr04			x(8)	
ieh_chr05			x(8)	
ieh_dec01			->>>, >>>, >>9.99<	10
ieh_dec02			->>>, >>>, >>9.99<	10
ieh_dec03			->>>, >>>, >>9.99<	10
ieh_dec04			->>>, >>>, >>9.99<	10
ieh_dec05			->>>, >>>, >>9.99<	10
ieh_dte01			99/99/99	
ieh_dte02			99/99/99	
ieh_dte03			99/99/99	
ieh_dte04			99/99/99	
ieh_dte05			99/99/99	
ieh_qadc04			x(8)	
ieh_qadc05			x(8)	
ieh_qadc06			x(8)	
ieh_qadc07			x(8)	
ieh_qadc08			x(8)	
ieh_qadc09			x(8)	
ieh_qadc10			x(8)	
ieh_qadd01			->>>, >>>, >>9.99<	10
ieh_qadd02			->>>, >>>, >>9.99<	10
ieh_qadd03			->>>, >>>, >>9.99<	10
ieh_qadd04			->>>, >>>, >>9.99<	10
ieh_qadd05			->>>, >>>, >>9.99<	10
ieh_qadd06			->>>, >>>, >>9.99<	10
ieh_qadi01			>>>>>>>	
ieh_qadi01			yes/no	
ieh_qadi02			yes/no	
ieh_qadt01			99/99/99	
ieh_qadt02			99/99/99	
ieh_addr	Address		x(8)	
ieh_affiliation	Affiliation		x(1)	
ieh_agent	Agent		x(8)	
ieh_agent_id	Agent Branch ID		x(3)	
ieh_authority	Authority	Auth	x(8)	
ieh_cinvoice_id	Invoice ID		9999999999	
ieh_com_code	Commodity Code	Com Code	x(20)	
ieh_container	Container		yes/no	
ieh_correction	Correction		yes/no	
ieh_csa	CSA Code		9	
ieh_ctr_y_desdisp	Country of Dest/Disp	CDD	x(3)	
ieh_ctr_y_origin	Country of Origin	CO	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_declaration_id	no	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_declaration_id	yes	no
ieh_nbr	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_type	yes	no
		ieh_nbr	yes	no
		ieh_line	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ieh_ref	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_type	yes	no
		ieh_ref	yes	no
		ieh_trans_id	yes	no
ieh_reported	no	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_reported	yes	no
* ieh_trans	yes	ieh_domain	yes	no
		ieh_trans_id	yes	no
ieh_voucher	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_voucher	yes	no
		ieh_trans_id	yes	no
oid_ieh_hist	yes	oid_ieh_hist	yes	no

iepl_ctrl

Poland Intrastat Declaration Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iepl_arrdecl	yes	iepl_domain	yes	no
		iepl_decl_year	yes	no
		iepl_decl_period	yes	no
		iepl_arrdecl_id	yes	no
		iepl_dispdecl_id	yes	no
iepl_dispdecl	yes	iepl_domain	yes	no
		iepl_decl_year	yes	no
		iepl_decl_period	yes	no
		iepl_dispdecl_id	yes	no
		iepl_arrdecl_id	yes	no
oid_iepl_ctrl	yes	oid_iepl_ctrl	yes	no

ie_mstr

Import/Export Master

Field Name	Label	Col-Label	Format	Dec
ie__chr01			x(8)	
ie__chr02			x(8)	
ie__chr03			x(8)	
ie__chr04			x(8)	
ie__chr05			x(8)	
ie__log01			yes/no	
ie__log02			yes/no	
ie__qadc01			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ifs_mstr	yes	oid_ifs_mstr	yes	no
◇* SessionID	yes	ifs_sess_id	yes	no
		ifs_app_id	yes	no
		ifs_domain	yes	no

ihcc hist

Invoice History Credit Card Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ihcc_inv_nbr	yes	ihcc_domain	yes	no
		ihcc_inv_nbr	yes	no
		ihcc_cc_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ihcc_nbr	no	ihcc_domain	yes	no
		ihcc_nbr	yes	no
		ihcc_cc_nbr	yes	no
oid_ihcc_hist	yes	oid_ihcc_hist	yes	no

ihr_hist Invoice History Relationship Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ihr_inv_seq	yes	ihr_domain	yes	no
		ihr_inv_nbr	yes	no
		ihr_nbr	yes	no
		ihr_seq	yes	no
ihr_type	no	ihr_domain	yes	no
		ihr_type	yes	no
oid_ihr_hist	yes	oid_ihr_hist	yes	no

ih_hist	Invoice History Master

Field Name	Label	Col-Label	Format	Dec
ih__chr01			x(8)	
ih__chr02			x(8)	
ih__chr03			x(8)	
ih__chr04			x(8)	
ih__chr05			x(8)	
ih__chr06			x(8)	
ih__chr07			x(8)	
ih__chr08			x(8)	
ih__chr09			x(8)	
ih__chr10			x(8)	
ih__dec01			>>>,>>>,>>9.99	10
ih__dec02			>>>,>>>,>>9.99	10
ih__dte01			99/99/99	
ih__dte02			99/99/99	
ih__log01			yes/no	
ih__qad01			-z,zzz,zzz,zz9.99	10
ih__qad02			-z,zzz,zzz,zz9.99	10
ih__qad03			-z,zzz,zzz,zz9.99	10
ih__qad04			>	

Field Name	Label	Col-Label	Format	Dec
ih__qad05[2]			>>9.9<<	10
ih__qadc01	QAD Field		X(8)	0
ih__qadc02	QAD Field		X(8)	0
ih__qadc03	QAD Field		X(8)	0
ih__qadc04	QAD Field		X(8)	0
ih__qadc05	QAD Field		X(8)	0
ih__qadd01	QAD Field		->>>>, >>>, >>9.99	10
ih__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
ih__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
ih__qadi01	QAD Field		->, >>>, >>9	
ih__qadi02	QAD Field		->, >>>, >>9	
ih__qadi03	QAD Field		->, >>>, >>9	
ih__qadl01	QAD Field		yes/no	
ih__qadl02	QAD Field		yes/no	
ih__qadl03	QAD Field		yes/no	
ih__qadt01	QAD Field		99/99/99	
ih__qadt02	QAD Field		99/99/99	
ih__qadt03	QAD Field		99/99/99	
ih_ar_acct	AR Account	AR	x(8)	
ih_ar_cc	Cost Ctr	CC	x(4)	
ih_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
ih_bank	Bank		x(2)	
ih_batch	Batch		x(8)	
ih_bill	Bill-To		x(8)	
ih_bol	BOL		x(18)	
ih_ca_nbr	Call		X(8)	
ih_cartons	Cartons		->, >>>, >>9	
ih_channel	Channel		x(8)	
ih_cmtindx	Comment Index	Comment	>>>>>>>9	
ih_cncl_date	Cancel Date		99/99/99	
ih_comm_pct[4]	Commission	Comm%	>>9.99%	10
ih_conf_date	Confirmed Date	Confirmed	99/99/99	
ih_conrep	Netting Logic		X(1)	
ih_cr_card	Credit Card	Card	x(2)	
ih_cr_init	Cr Initials	Initials	x(2)	
ih_cr_terms	Credit Terms	Terms	x(8)	
ih_credit	Credit	Cr	yes/no	
ih_crprlist	Credit Price List		X(8)	
ih_curr	Currency	Cur	x(3)	
ih_cust	Customer		x(8)	
ih_cust_po	End Customer PO	End Cust PO	x(22)	
ih_custref_val	Customer Ref Is Customer Item		yes/no	
ih_daybook	Daybook		x(8)	
ih_daybookset	Daybook Set	Dybk Set	x(8)	
ih_disc_pct	Disc %		->>9.99%	10
ih_div	Division		x(8)	
ih_domain	Domain		x(8)	
ih_due_date	Due Date	Due	99/99/99	
ih_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ih_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_ratetype	Rate Type		x(8)	
ih_export_batch	Batch		>>>>>>>9	
ih_export_date	Export Date		99/99/99	
ih_export_time	Export Time		>>>>>>>9	
ih_exru_seq	Sequence		>>>>>>>9	
ih_fcg_code	Charge Code		X(8)	
ih_fix_pr	Fixed Price		yes/no	
ih_fix_rate	Fixed Rate	Fixed	yes/no	
ih_fob	FOB Point		x(20)	
ih_fr_list	Freight List	Frt List	x(8)	
ih_fr_min_wt	Frt Min Wt		->>>, >>>, >>9	10
ih_fr_terms	Freight Terms	Fr Terms	x(8)	
ih_fsm_type	FSM Type		x(8)	
ih_fst_id	FST ID		x(18)	
ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ih_inv_date	Invoice Date	Inv Date	99/99/99	
ih_inv_mthd	Invoices Via		x(1)	
ih_inv_nbr	Invoice		x(22)	
ih_invoiced	Invoiced		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
ih_batch	no	ih_domain	yes	no
		ih_batch	yes	no
ih_cust	no	ih_domain	yes	no
		ih_cust	yes	no
		ih_inv_date	yes	no
ih_export_batch	no	ih_domain	yes	no
		ih_export_batch	yes	no
ih_inv_date	no	ih_domain	yes	no
		ih_inv_date	yes	no
		ih_inv_nbr	yes	no
* ih_inv_nbr	yes	ih_domain	yes	no
		ih_inv_nbr	yes	no
		ih_nbr	yes	no
ih_nbr	no	ih_domain	yes	no
		ih_nbr	yes	no
		ih_inv_date	yes	no
ih_po	no	ih_domain	yes	no
		ih_po	yes	no
		ih_cust	yes	no
oid_ih_hist	yes	oid_ih_hist	yes	no

ild det

Item Location Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ild_part	yes	ild_domain	yes	no
		ild_part	yes	no
		ild_site	yes	no
		ild_loc	yes	no
oid_ild_det	yes	oid_ild_det	yes	no

ilg_hist

Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_dec01			->>>, >>>, >>9.99<	10
ilg_dec02			->>>, >>>, >>9.99<	10
ilg_dte01			99/99/99	
ilg_dte02			99/99/99	
ilg_int01			->>>, >>>, >>9	
ilg_int02			->>>, >>>, >>9	
ilg_log01			yes/no	
ilg_log02			yes/no	
ilg_qadc01			x(8)	
ilg_qadc02			x(8)	
ilg_qadc03			x(8)	
ilg_qadc04			x(8)	
ilg_qadd01			->>>, >>>, >>9.99<	10
ilg_qadd02			->>>, >>>, >>9.99<	10
ilg_qadi01			->>>, >>>, >>9	
ilg_qadi02			->>>, >>>, >>9	
ilg_qadi01			yes/no	
ilg_qadi02			yes/no	
ilg_qadt01			99/99/99	
ilg_qadt02			99/99/99	
ilg_access_code	Access Code		x(60)	
ilg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>, >>>, >>9	
ilg_ctrl_tot_2	Control Total 2		->>>, >>>, >>9.99<<<	10
ilg_ctrl_tot_3	Control Total 3		->>>, >>>, >>9.99<<<	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	
ilg_date_proc	Date Processed		99/99/9999	
ilg_date_rcvd	Date Received		99/99/9999	
ilg_dest_app_id	Destination Application ID		x(12)	
ilg_dest_app_ver	Destination Application Version		x(8)	
ilg_dest_doc_rev	Destination Document Revision		x(8)	
ilg_dest_doc_std	Destination Document Standard		x(8)	
ilg_dest_doc_typ	Destination Document Type		x(21)	
ilg_dest_mthd	Destination Method		x(24)	
ilg_dest_proc	Destination Procedure		x(24)	
ilg_doc_id	Document ID		>>>>>>>9	
ilg_doc_lng	Document Language		x(3)	
ilg_doc_rev	Document Revision		x(8)	
ilg_doc_std	Document Standard		x(8)	
ilg_doc_sufx	Document Suffix		>>	
ilg_doc_typ	Document Type		x(21)	
ilg_domain	Domain		x(8)	
ilg_email_notlvl	E-mail Notification Level		x(1)	
ilg_email_userid	E-mail Recipient User ID		x(8)	
ilg_err_stat	Error Status		x(1)	
ilg_ext_doc_key	External Document Key		x(40)	
ilg_grp_id	Group ID		>>>>>>>9	
ilg_grp_seq	Sequence		>, >>>, >>9	
ilg_map_doc_now	Map Document Now		yes/no	
ilg_map_log_file	Mapper Error Log File		x(60)	
ilg_map_spec	Map Specification		x(12)	
ilg_mapper_proc	Data Mapper Procedure		x(24)	
ilg_mfgpro_key	MFG/PRO Key		X(18)	
ilg_mfgpro_site	MFG/PRO Site		X(8)	
ilg_mod_date	Modified Date	Mod Date	99/99/99	
ilg_mod_userid	User ID		x(8)	
ilg_num_form	Numeric Format		X(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AppId	no	ilg_domain	yes	no
		ilg_app_id	yes	no
		ilg_prcg_stage	yes	no
◇* DocIDSufx	yes	ilg_doc_id	yes	no
		ilg_doc_sufx	yes	no
		ilg_domain	yes	no
◇ ExtDocKey	no	ilg_domain	yes	no
		ilg_ext_doc_key	yes	no
◇ GroupID	no	ilg_grp_id	yes	no
		ilg_domain	yes	no
ilg_date_time_proc	no	ilg_date_proc	yes	no
		ilg_time_proc	yes	no
		ilg_domain	yes	no
ilg_date_time_rcvd	no	ilg_date_rcvd	yes	no
		ilg_time_rcvd	yes	no
		ilg_domain	yes	no
ilg_orig_doc_id	no	ilg_orig_doc_id	yes	no
		ilg_domain	yes	no
ilg_sender_id	no	ilg_app_id	yes	no
		ilg_tradptr_id	yes	no
		ilg_domain	yes	no
◇ MfgProKey	no	ilg_domain	yes	no
		ilg_mfgpro_key	yes	no
oid_ilg_hist	yes	oid_ilg_hist	yes	no
◇ Site	no	ilg_domain	yes	no
		ilg_mfgpro_site	yes	no

imap_det

Import Document Map Detail

Field Name	Label	Col-Label	Format	Dec
imap__dec01			->>>, >>>, >>9.99<	10
imap__dec02			->>>, >>>, >>9.99<	10
imap__dte01			99/99/99	
imap__dte02			99/99/99	
imap__int01			->>>, >>>, >>9	
imap__int02			->>>, >>>, >>9	
imap__log01			yes/no	
imap__log02			yes/no	
imap__qadc01			x(8)	
imap__qadc02			x(8)	
imap__qadc03			x(8)	
imap__qadc04			x(8)	
imap__qadd01			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* ImpReturnCode	yes	img_domain	yes	no
		img_doc_id	yes	no
		img_doc_sufx	yes	no
		img_prcg_stage	yes	no
		img_return_code	yes	no
oid img_msg	yes	oid img_msg	yes	no

im mstr

Inventory Movement Code Master

Field Name	Label	Col-Label	Format	Dec
im_qadc01			x(8)	
im_desc	Description		x(30)	
im_domain	Domain		x(8)	
im_flow	Transaction Flow		9	
im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
im_tr_type	Transaction Type	Tr Type	x(8)	
im_unplanned_acct	Unplanned Account	Account	x(8)	
im_unplanned_cc	Unplanned Cost Center	CC	x(4)	
im_unplanned_sub	Unplanned Sub Account	Sub Acct	x(8)	
im_user1	Ufld1		x(8)	
im_user2	Ufld2		x(8)	
oid_im_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* im_inv_mov	yes	im_domain	yes	no
		im_inv_mov	yes	no
oid im_mstr	yes	oid im_mstr	yes	no

Industry

Industry

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ind_det	yes	ind_domain	yes	no
		ind_site	yes	no
		ind_nbr	yes	no
		ind_part	yes	no
ind_nbr	yes	ind_domain	yes	no
		ind_nbr	yes	no
		ind_site	yes	no
		ind_part	yes	no
ind_part	yes	ind_domain	yes	no
		ind_part	yes	no
		ind_site	yes	no
		ind_nbr	yes	no
oid_ind_det	yes	oid_ind_det	yes	no

insd_det

Invoice Schedule Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* insd_line	yes	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_sub_nbr	yes	no
		insd_sched_nbr	yes	no
		insd_pjs_line	yes	no
insd_nbrln	no	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_pjs_line	yes	no
oid_insd_det	yes	oid_insd_det	yes	no

InspC

Warehousing Inspection Control

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateTrans	Create Transaction Default	Create! Trans Def	yes/no	
CreateUserID	Created		x(8)	
DecreaseRandom%	Decrease Random %		-->9.99	10
DestructiveStatus	Destructive Inspection Status		x(8)	
Domain	Domain		x(8)	
FailStatus	Fail Inspection Status Code		x(8)	
IncreaseRandom%	Increase Random %		-->9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_InspC	yes	oid_InspC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Inspection History

Field Name	Label	Col-Label	Format	Dec
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModRandom%	Mod Random %		yes/no	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
NCR	NCR		x(8)	
oid_InspH			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyToInsp	Qty To Inspect	Insp Qty	->, >>>, >>9	
Receiver	Receiver		x(8)	
Ref	Reference		x(8)	
ReleaseStatus	Release Status	Rel Status	x(8)	
ReturnLoc	Return Location	Ret Loc	x(8)	
ReturnQty	Return Quantity	Ret! Qty	->, >>>, >>9.9<<<<<<<<<	2
ReturnSite	Return Site	Ret Site	x(8)	
ReturnWhse	Return Warehouse	Ret Whse	x(8)	
Rmks	Remarks		x(24)	
Sample%	Sample %	Sample %	>>9	
SampleID	Sample ID	ID	>>>>>>>9	
SampleQty	Sample Quantity	Sample Qty	->, >>>, >>9	
Site	Site		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
AddrDate	no	Domain	yes	no
		Addr	yes	no
		CreateDate	yes	no
Fail	no	Domain	yes	no
		Fail	yes	no
		ReturnSite	yes	no
		ReturnWhse	yes	no
		ReturnLoc	yes	no
		Site	yes	no
		Whse	yes	no
		Part	yes	no
		InspDate	no	Domain
		InspDate	yes	no
		Site	yes	no
		Whse	yes	no
InspUserID	no	Domain	yes	no
		InspUserID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_InspH OrderIdx	yes	Site	yes	no
		Whse	yes	no
		oid_InspH	yes	no
		Domain	yes	no
◇ PartAddr	no	DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		Domain	yes	no
		Addr	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
		Lot	yes	no
		Ref	yes	no
		Domain	yes	no
		Part	yes	no
PartAddrDate	no	Addr	yes	no
		CreateDate	yes	no
		Domain	yes	no
		Part	yes	no
PartDate	no	CreateDate	yes	no
		Domain	yes	no
		Part	yes	no
		CreateDate	yes	no
PartLotRef	no	Domain	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
◇* SampleID	yes	Site	yes	no
		Whse	yes	no
		Domain	yes	no
		SampleID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

InspInvD

Warehousing Inspected Inventory Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Fail	Fail		yes/no	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_InspInvD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Ref	Reference		x(8)	
SampleID	Sample ID	ID	>>>>>>>9	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Inv	no	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_InspInvD	yes	oid_InspInvD	yes	no
* SampleInv	yes	Domain	yes	no
		SampleID	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
◇ UsrIdx	no	Ref	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

InstallNetImport Install Net Import

Field Name	Label	Col-Label	Format	Dec
InstallNetImport_ID	Record ID		9999999999	
InstallNetImportFolder	Install Net Import Folder		x(255)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	InstallNetImport_ID	yes	no

ins_mstr Invoice Schedule Master

Field Name	Label	Col-Label	Format	Dec
ins__qadc01			x(24)	
ins__qadd01			->>>>, >>>, >>9.99<<<	10
ins__qadi01			>>>>>>9	
ins__qadi01			yes/no	
ins__qadt01			99/99/99	
ins_ar_acct	AR Account		x(8)	
ins_ar_cc	AR Cost Center		x(4)	
ins_ar_sub	AR Sub-Account		x(8)	
ins_bill_to	Bill-To		x(8)	
ins_cmtindx	Comment Index		>>>>>>9	
ins_cr_terms	Credit Terms		x(8)	
ins_curr	Currency	Cur	x(3)	
ins_domain	Domain		x(8)	
ins_fixed	Fixed		yes/no	
ins_hold	Hold Invoice		yes/no	
ins_hold_rmks	Hold Remarks		x(40)	
ins_inv_amt	Invoice Amount		->>>>, >>>, >>9.99<<<	10
ins_inv_nbr	Invoice		x(22)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ins_schedule	yes	ins_domain	yes	no
		ins_prj_nbr	yes	no
		ins_sub_nbr	yes	no
		ins_sched_nbr	yes	no
ins_so	no	ins_domain	yes	no
		ins_so_nbr	yes	no
oid_ins_mstr	yes	oid_ins_mstr	yes	no

InterWLG Warehousing Inter Work Location Group Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Whse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* IWLGMIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		FromWLocGp	yes	no
		ToWlocgp	yes	no
oid_InterWLGMI	yes	oid_InterWLGMI	yes	no
◇ Usrldx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

InventHM

Warehousing Inventory History Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
InventNbr	no	Domain	yes	no
		InventNbr	yes	no
oid_InventHM	yes	oid_InventHM	yes	no
UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

InventM[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* InventNbr	yes	Domain	yes	no
		InventNbr	yes	no
LocRef	no	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_InventM	yes	oid_InventM	yes	no
◇ Parent	no	Domain	yes	no
		ParentNbr	yes	no
RefLoc	no	Domain	yes	no
		Ref	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
		Lot	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

in_mstr Inventory Master

Field Name	Label	Col-Label	Format	Dec
in_qadc01			x(8)	
in_qadc02	?	?	x(24)	
in_qadc03	?	?	x(24)	
in_qadc04	?	?	x(24)	
in_qadi01	?	?	->>>>>>9	
in_qadi02	?	?	->>>>>>9	
in_qadi01	?	?	yes/no	
in_qadi02	?	?	yes/no	
in_assay	Assay %		>>9.99%	10
in_avg_date	Last Average	Last Avg	99/99/99	
in_avg_iss	Average Issues	Avg Iss	->, >>>, >>9.9<<<<<<<<	10
in_avg_sls	Average Sales	Avg Sales	->, >>>, >>9.9<<<<<<<<	10
in_cnt_date	Last Count	Last Cnt	99/99/99	
in_cur_set	Current Cost Set	Cur Set	x(8)	
in_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->, >>>, >>9.9<<<<<<<<	10
in_domain	Domain		x(8)	
in_gl_cost_site	GL Cost Source Site		X(8)	
in_gl_set	GL Cost Set	GL Set	x(8)	
in_grade	Grade		x(2)	
in_iss_chg	Qty Issue Change		->, >>>, >>9.9<<<<<<<<	10
in_iss_date	Last Issue	Last Iss	99/99/99	
in_level	Level		->>>>>9	
in_loc	Location		x(8)	
in_loc_type	Location Type	Loc Type	x(8)	
in_mrp	MRP Required	MRP Req	yes/no	
in_part	Item Number		x(18)	
in_proj_use	Projected Use	Proj Usage	->, >>>, >>9	
in_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
in_qty_avail	Avail Status Qty	Avail Status! Qty On Hand	->, >>>, >>9.9<<<<<<<<	10
in_qty_chg	Qty Change		->, >>>, >>9.9<<<<<<<<	10
in_qty_nonet	QOH Non-nettable		->, >>>, >>9.9<<<<<<<<	10
in_qty_oh	Qty On Hand		->, >>>, >>9.9<<<<<<<<	10
in_qty_ord	Qty On Order		->, >>>, >>9.9<<<<<<<<	10
in_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
in_rec_date	Last Receipt	Last Rct	99/99/99	
in_rollup	Rollup Reqd		yes/no	
in_rollup_id	Rollup ID		x(8)	
in_rop	Reorder Point	ROP	>>>, >>9	0
in_sfty_stk	Safety Stk	Safety! Stock	>>>, >>9	0
in_site	Site		x(8)	
in_sls_chg	Qty Sales Change		->, >>>, >>9.9<<<<<<<<	10
in_supp_consign_qty	Supplier Consignment Qty	Supplier! Consignment	->, >>>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
in_gl_cost_site	no	in_domain	yes	no
		in_gl_cost_site	yes	no
		in_part	yes	no
in_level	no	in_domain	yes	no
		in_level	yes	no
		in_mrp	yes	no
		in_part	yes	no
		in_site	yes	no
in_part	yes	in_domain	yes	no
		in_part	yes	no
		in_site	yes	no
in_site	yes	in_domain	yes	no
		in_site	yes	no
		in_part	yes	no
oid_in_mstr	yes	oid_in_mstr	yes	no

Item Specification Detail

Index-Name	Uni	Field-Name	Asc	Abbr
ipd_itemtype	yes	ipd_domain	yes	no
		ipd_part	yes	no
		ipd_routing	yes	no
		ipd_op	yes	no
		ipd_test	yes	no
		ipd_start	yes	no
* ipd_nbr	no	ipd_domain	yes	no
		ipd_nbr	yes	no
oid ipd_det	yes	oid ipd_det	yes	no

iph_hist

Pricing History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
iph_comp	no	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
iph_list	no	iph_domain	yes	no
		iph_list	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
iph_list_id	no	iph_domain	yes	no
		iph_list_id	yes	no
* iph_nbr	yes	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_config_disc	yes	no
		iph_source	yes	no
		iph_list_id	yes	no
		iph_amt_type	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
oid_iph_hist	yes	oid_iph_hist	yes	no

ip_mstr

Master Specification Test Results

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ip_itemtest	yes	ip_domain	yes	no
		ip_part	yes	no
		ip_routing	yes	no
		ip_op	yes	no
ip_test	no	ip_domain	yes	no
		ip_nbr	yes	no
oid_ip_mstr	yes	oid_ip_mstr	yes	no

IRAssD

Warehousing Internal Routing Assignment Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
CmtIdx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	

Field Name	Label	Col-Label	Format	Dec
Custom	Custom	Cust	yes/no	
CustomProg	Custom Program		x(10)	
Domain	Domain		x(8)	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_IRAssD			>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
Part	Item Number		x(18)	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	IRADidx	yes	Domain	yes	no
			TrType	yes	no
			Site	yes	no
			Whse	yes	no
			Part	yes	no
			PartType	yes	no
			Addr	yes	no
	oid_IRAssD	yes	oid_IRAssD	yes	no
◇	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

iraw_det

Raw Import Document Detail

Field Name	Label	Col-Label	Format	Dec
iraw__dec01			->>>, >>>, >>9.99<	10
iraw__dec02			->>>, >>>, >>9.99<	10
iraw__dte01			99/99/99	
iraw__dte02			99/99/99	
iraw__int01			->>>, >>>, >>9	
iraw__int02			->>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
PrintTaskCl	Print Confirmed Tasks	Print! Cl Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpt	Quantity Change Option	Qty	>9	
RepickType	Repick Tran Type	Repick! Tran Type	x(8)	
Site	Site		x(8)	
SystemCode	System Code	Sys	x(2)	
Task	Task		x(8)	
ToLocOpt	To Location Option	To! Loc	>9	
ToLotOpt	To Lot/Serial Option	To! Lot	>9	
ToPartOpt	To Item Option	To! Item	>9	
ToRefOpt	To Reference Option	To! Ref	>9	
TrPriInc	Increment		->, >>>, >>9	
TrPriority	Priority		->, >>>, >>9	
TwoPhase	Two Phase	2Ph	yes/no	
UseFrom	Confirmed at Source	Conf! Src	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* IRDIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		IntRouteCode	yes	no
		IntRouteSeq	yes	no
oid_IRD	yes	oid_IRD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

IRGroupM Warehousing Internal Routing Group Master

Field Name	Label	Col-Label	Format	Dec
AllowInReturn	Allow Incoming Returns	InRet	yes/no	
AllowIssue	Allow Issues	Iss	yes/no	
AllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
AllowReceipt	Allow Receipts	Rec	yes/no	
CmtIdx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
Functional	Functional	Func	yes/no	
IntRouteGroup	Internal Routing Group	Internal! Routing! Group	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_IRGroupM			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* IRGIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		IntRouteGroup	yes	no
oid_IRGroupM	yes	oid_IRGroupM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

IRM

Warehousing Internal Routing Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	IRMidx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			IntRouteCode	yes	no
	oid_IRM	yes	oid_IRM	yes	no
◇	Usrldx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

iro det

Item Routing Cost Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* iro_det	yes	iro_domain	yes	no
		iro_part	yes	no
		iro_site	yes	no
		iro_cost_set	yes	no
		iro_routing	yes	no
		iro_op	yes	no
oid_iro_det	yes	oid_iro_det	yes	no

isb_mstr

Service/Support Installed Base Item Master

Field Name	Label	Col-Label	Format	Dec
isb_chr01			x(8)	
isb_chr02			x(8)	
isb_chr03			x(8)	
isb_chr04			x(8)	
isb_chr05			x(8)	
isb_chr06			x(8)	
isb_chr07			x(8)	
isb_chr08			x(8)	
isb_chr09			x(8)	
isb_chr10			x(8)	
isb_dec01			->>>>, >>>, >>9.99	10
isb_dec02			->>>>, >>>, >>9.99	10
isb_dec03			->>>>, >>>, >>9.99	10
isb_dte01			99/99/99	
isb_dte02			99/99/99	
isb_dte03			99/99/99	
isb_dte04			99/99/99	
isb_log01			yes/no	
isb_log02			yes/no	
isb_log03			yes/no	
isb_log04			yes/no	
isb_log05			yes/no	
isb_qadc01	QAD Character Field 1		X(8)	
isb_qadc02	QAD Character Field 2		X(8)	
isb_qadc03	QAD Character Field 3		X(8)	
isb_qadc04	QAD Character Field 4		x(8)	0
isb_qade01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
isb_qade02	QAD Decimal Field 2		->>>>, >>>, >>9.99	10
isb_qade03	QAD Decimal Field 3		->>>>, >>>, >>9.99	10
isb_qadi01	QAD Integer Field 1		->, >>>, >>9	
isb_qadi02	QAD Integer Field 2		->, >>>, >>9	
isb_qadi03	QAD Field		>>>>>9	
isb_qadi04	QAD Integer Field 4		>>>>9	
isb_qadi01	QAD Logical Field 1		yes/no	
isb_qadi02	QAD Logical Field 2		yes/no	
isb_qadi03	QAD Logical Field 3		yes/no	
isb_qadi01	QAD Date Field 1		99/99/99	
isb_qadi02	QAD Date Field 2		99/99/99	
isb_qadi03	QAD Date Field 3		99/99/99	
isb_article	Article Number		x(18)	
isb_calib_date	Calibration Date		99/99/99	
isb_calibration	Calibration		->, >>>, >>9.9<<<<<<<<<	10
isb_classification	Classification		x(12)	
isb_cmtindx	Comment Index	Comment	>>>>>>>9	
isb_comp	Component	Comp	yes/no	
isb_customer_id	Customer Id		x(18)	
isb_desc1	Description		x(24)	
isb_desc2	Description		x(24)	
isb_domain	Domain		x(8)	
isb_eco	ECO		x(8)	
isb_eng_code	Engineer		x(8)	
isb_eu_nbr	End User		x(8)	
isb_eud_trnbr	End User ID		>>>>>>>>9	
isb_ic_ref	Inventory Ref		x(18)	
isb_ins_date	Install Date	Install	99/99/99	
isb_inv_nbr	Invoice		x(22)	
isb_last_pm	Last PM date	Last PM	99/99/99	
isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
isb_location	Location		x(24)	
isb_lst_upd	Last Updated		99/99/99	
isb_meter_date	Meter Reading Date		99/99/99	
isb_meter_interval	Meter Reading Interval	Interval	>>>>, >>>, >>9.99<<<	10
isb_meter_rdg	Latest Meter Reading	Meter	>>>>, >>>, >>9.99<<<	10
isb_meter_um	Meter Reading Units		X(2)	
isb_mod_date	Modified Date	Mod Date	99/99/99	
isb_mod_userid	User ID		X(8)	
isb_model	Model		x(18)	
isb_next_pm	Next PM Date	Next PM	99/99/99	
isb_orig_ins	Original Install		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
isb_classification	no	isb_domain	yes	no
		isb_classification	yes	no
		isb_part	yes	no
isb_eu_ser	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_serial	yes	no
		isb_part	yes	no
* isb_eupartsr	yes	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_model	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_model	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_part_ser	yes	isb_domain	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_serial	no	isb_domain	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
isb_sys_bld	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_rebuild	yes	no
		isb_sys_type	yes	no
oid_isb_mstr	yes	oid_isb_mstr	yes	no

isd det

Inventory Status Detail

Field Name	Label	Col-Label	Format	Dec
isd__qadc01			x(8)	
isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
isd_domain	Domain		x(8)	
isd_status	Status		x(8)	
isd_tr_type	Restricted Trans		x(8)	
isd_type	Type		x(8)	
isd_user1	Ufid1		x(8)	
isd_user2	Ufid2		x(8)	
oid_isd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	isd_status	yes	isd_domain	yes	no
			isd_status	yes	no
			isd_tr_type	yes	no
			isd_type	yes	no
	oid isd det	yes	oid isd det	yes	no

isp_mstr

Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp__dec01			->>>, >>>, >>9.99<	10
isp__dec02			->>>, >>>, >>9.99<	10
isp__dte01			99/99/99	
isp__dte02			99/99/99	
isp__int01			->>>, >>>, >>9	
isp__int02			->>>, >>>, >>9	
isp__log01			yes/no	
isp__log02			yes/no	
isp__qadc01			x(8)	
isp__qadc02			x(8)	
isp__qadc03			x(8)	
isp__qadc04			x(8)	
isp__qadd01			->>>, >>>, >>9.99<	10
isp__qadd02			->>>, >>>, >>9.99<	10
isp__qadi01			->>>, >>>, >>9	
isp__qadi02			->>>, >>>, >>9	
isp__qadi01			yes/no	
isp__qadi02			yes/no	
isp__qadt01			99/99/99	
isp__qadt02			99/99/99	
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
isp_app_id	Application ID		x(12)	
isp_app_ver	Application Version		x(8)	
isp_cim_proc	CIM/API Process		yes/no	
isp_code_pg	Code Page		X(15)	
isp_date_form	Date Format		X(3)	
isp_del_err_det	Delete Error Detail		x(1)	
isp_delim	ASCII Document Element Delimiter		>>9	
isp_desc	Description		x(60)	
isp_dest_app_id	Destination Application ID		x(12)	
isp_dest_app_ver	Destination Application Version		x(8)	
isp_dest_doc_rev	Destination Document Revision		x(8)	
isp_dest_doc_std	Destination Document Standard		x(8)	
isp_dest_doc_typ	Destination Document Type		x(21)	
isp_dest_mthd	Destination Method		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ImportSpec	yes	isp_domain	yes	no
		isp_app_id	yes	no
		isp_doc_std	yes	no
		isp_doc_typ	yes	no
		isp_doc_rev	yes	no
		isp_tradptr_id	yes	no
oid_isp_mstr	yes	oid_isp_mstr	yes	no

Service/Support Installed Base Structure

Index-Name	Uni	Field-Name	Asc	Abbr
iss_comp	no	iss_domain	yes	no
		iss_comp	yes	no
iss_compref	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
iss_par	no	iss_domain	yes	no
		iss_par	yes	no
* iss_par_comp	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_par	yes	no
		iss_par_ser	yes	no
		iss_par_ref	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
oid_iss_mstr	yes	oid_iss_mstr	yes	no

isvc_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* isvc_delivery	yes	isvc_domain	yes	no
		isvc_terms_delivery	yes	no
		isvc_mode_transp	yes	no
		isvc_shipvia	yes	no
		isvc_flow	yes	no
		isvc_ctr_y_orig	yes	no
		isvc_ctr_y_dest	yes	no
oid_isvc_mstr	yes	oid_isvc_mstr	yes	no

is_mstr

Field Name	Label	Col-Label	Format	Dec
is__qadc01			x(8)	
is__avail	Available	Avail	yes/no	
is__cmtindx	Comment Index	Comment	>>>>>>9	
is__desc	Description		x(24)	
is__domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
itmh_dsc_project	Disc Project		x(8)	
itmh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh_due_date	Due Date		99/99/99	
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date	Mod Date	99/99/99	
itmh_mod_userid	User ID		X(8)	
itmh_model	Model		x(18)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_pr_list	Price List		X(8)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_project	Project		x(8)	
itmh_pst	PST Taxable		yes/no	
itmh_qty_call	Qty		>, >>>9	10
itmh_qty_chg	To Receive		->, >>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->, >>>, >>9.9<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->, >>>, >>9.9<<<<<<<<	10
itmh_qty_rec	Qty Received		->, >>9	10
itmh_qty_ship	Shipped		->, >>>9	10
itmh_rec_date	Received Date		99/99/99	
itmh_recorded	Has Been thru CAR		yes/no	
itmh_ref	Ref		>>>>>>9	
itmh_rev	Revision		x(10)	
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sad_line	Contract Line		>>>>>>>9	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	
itmh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itmh_sv_code	Contract Type		x(8)	
itmh_svc_type			x(1)	
itmh_tag	Tag		X(1)	
itmh_tax_env	Tax Environment		X(16)	
itmh_tax_in	Tax In		yes/no	
itmh_tax_usage			x(8)	
itmh_taxable	Taxable	Tax	yes/no	
itmh_taxc			x(3)	
itmh_type	Type		x(8)	
itmh_uninvoiced	Uninvoiced		yes/no	
itmh_unprocessed			yes/no	
itmh_upd_isb	Update ISB	ISB	yes/no	

Field Name	Label	Col-Label	Format	Dec
itmh_user1	Ufld1		x(8)	
itmh_user2	Ufld2		x(8)	
itmh_warr_sv	Warranty Svc Type		x(8)	
oid_itmh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* itmh_nbr	yes	itmh_domain	yes	no
		itmh_nbr	yes	no
		itmh_prefix	yes	no
		itmh_type	yes	no
		itmh_itm_line	yes	no
		itmh_line	yes	no
itmh_part	no	itmh_domain	yes	no
		itmh_part	yes	no
		itmh_prefix	yes	no
		itmh_serial	yes	no
itmh_sa_nbr	no	itmh_domain	yes	no
		itmh_sa_nbr	yes	no
		itmh_sad_line	yes	no
		itmh_nbr	yes	no
		itmh_line	yes	no
itmh_serial	no	itmh_domain	yes	no
		itmh_serial	yes	no
		itmh_prefix	yes	no
		itmh_opn_date	yes	no
oid_itmh_hist	yes	oid_itmh_hist	yes	no

itm_det

Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm__chr01	User Field #1		x(8)	
itm__chr02	User Field #2		x(8)	
itm__chr03	User Field #3		x(8)	
itm__chr04	User Field #4		x(8)	
itm__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itm__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itm__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itm__dte01	User Date #1		99/99/99	
itm__dte02	User Date #2		99/99/99	
itm__dte03	User Date #3		99/99/99	
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	
itm__log03	User Logical #3		yes/no	
itm__qadc01	Qad Field #1		x(8)	
itm__qadc02	Qad Field #2		x(8)	
itm__qadc03	Qad Field #3		x(8)	
itm__qadc04	Qad Field #4		x(8)	
itm__qadc05			x(8)	
itm__qadc06			x(8)	
itm__qadd01	Qad Date #1		99/99/99	
itm__qadd02	Qad Date #2		99/99/99	
itm__qadd03	Qad Date #3		99/99/99	
itm__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
itm__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
itm__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
itm__qadl01	QAD Logical Field		yes/no	
itm__qadl02	Qad Logical #2		yes/no	
itm__qadl03	Qad Logical #3		yes/no	
itm__acct	Sales Acct	Sales	x(8)	
itm__alternate	Alternate Item		x(18)	
itm__bill_detail	Bill Detail	Det	yes/no	
itm__bom_code	BOM Code		x(18)	
itm__bom_gen			yes/no	
itm__ca_int_type	Work Code	WK Code	x(8)	
itm__cc	Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
itm_cmtindx	Comment Index	Cmt Index	->, >>>, >>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
itm_domain	Domain		x(8)	
itm_dsc_acct	Disc Acct		x(8)	
itm_dsc_cc	Disc CC	CC	x(4)	
itm_dsc_project	Disc Project		x(8)	
itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_cost	Estimated Cost		>>>>, >>>, >>9.99<<<	10
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Modified Date	Mod Date	99/99/99	
itm_mod_userid	User ID		X(8)	
itm_model	Model		x(18)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	
itm_part	Item		x(18)	
itm_pr_list	Price List		X(8)	
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0
itm_project	Project		x(8)	
itm_pst	PST Taxable		yes/no	
itm_qty_call	Quantity	Call Qty	->>, >>9	10
itm_qty_chg	To Receive	To Recv	->>, >>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	->>, >>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	->>, >>9	10
itm_qty_rec	Qty Received	Recv	->>, >>9	10
itm_qty_ship	Shipped		->, >>>9	10
itm_rec_date	Received Date		99/99/99	
itm_recorded			yes/no	
itm_ref	Ref		>>>>>>>9	
itm_repair_type	Item Repair Type		x(11)	
itm_replace_line	Replace For Line		>>9	
itm_rev	Revision		x(10)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sad_line	Contract Line		>>>>>>>9	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_sod_line	Material Order Line		>>9	
itm_sod_nbr	Material Order		x(8)	
itm_status	Status		x(8)	
itm_stdown_date	Start Down		99/99/99	
itm_stdown_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_svc_type			x(1)	
itm_tag			x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
itm_eng_code	no	itm_domain	yes	no
		itm_eng_code	yes	no
		itm_nxt_date	yes	no
		itm_nxt_time	yes	no
itm_eu_nbr	no	itm_domain	yes	no
		itm_type	yes	no
		itm_eu_nbr	yes	no
		itm_serial	yes	no
itm_nbr	yes	itm_domain	yes	no
		itm_nbr	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
itm_itm_line	no	itm_itm_line	yes	no
		itm_line	yes	no
		itm_domain	yes	no
		itm_part	yes	no
itm_part	no	itm_part	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
itm_sa_nbr	no	itm_domain	yes	no
		itm_sa_nbr	yes	no
		itm_sad_line	yes	no
		itm_prefix	yes	no
itm_type	no	itm_type	yes	no
		itm_nbr	yes	no
		itm_line	yes	no
		itm_domain	yes	no
itm_serial	no	itm_prefix	yes	no
		itm_type	yes	no
		itm_serial	yes	no
		itm_nbr	yes	no
oid_itm_det	yes	itm_line	yes	no
		oid_itm_det	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* itstd_det	yes	itstd_domain	yes	no
		itstd_part	yes	no
		itstd_site	yes	no
		itstd_date	yes	no
		itstd_type	yes	no
oid itstd_det	yes	oid itstd_det	yes	no

its mstr

Item Site Load Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* its_mstr	yes	its_domain	yes	no
		its_part	yes	no
		its_site	yes	no
oid its_mstr	yes	oid its_mstr	yes	no

ivs ctrl

Invoice Schedule Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ivs_index1	yes	ivs_domain	yes	no
oid_ivs_ctrl	yes	oid_ivs_ctrl	yes	no

Journal

Daybook

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Record ID		9999999999	
JournalCode	Daybook Code		x(8)	
JournalControl	Daybook Control	Daybook Ctrl	x(20)	
JournalDescription	Description	Daybook Description	x(40)	
JournalGroup_ID	Link to Journal Group		9999999999	
JournalsIsActive	Active		yes/no	
JournalsProjectProvision	Project Provision		yes/no	
JournalSecondDescription	Second Description		x(40)	
JournalTypeCode	Daybook Type		x(30)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Link to Layer		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Role_ID	Link to Role		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
InternalJournal	no	JournalTypeCode	yes	no
JournalControl	no	JournalControl	yes	no
JournalGroupIdx	no	JournalGroup_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇* Prim	yes	Journal_ID	yes	no
◇ RoleIdx	no	Role_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		JournalCode	yes	no
◇ ViewIndex	no	SharedSet_ID	yes	no
		JournalsActive	yes	no
		JournalCode	yes	no

JournalGroup Daybook Group

Field Name	Label	Col-Label	Format	Dec
JournalGroup_ID	Record ID		9999999999	
JournalGroupCode	Daybook Group Code		x(20)	
JournalGroupDescription	Description	Daybook Group Description	x(40)	
JournalGroupsActive	Active		yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	JournalGroupsActive	yes	no
◇* Prim	yes	JournalGroup_ID	yes	no
SharedSet_ID	no	SharedSet_ID	yes	no
◇ UniqueIdx	yes	SharedSet_ID	yes	no
		JournalGroupCode	yes	no
◇ ViewIndex	no	JournalGroupsActive	yes	no
		JournalGroupCode	yes	no

JournalType Daybook Type

Field Name	Label	Col-Label	Format	Dec
JournalTypeCode	Daybook Type Code		x(30)	
JournalTypesActive	Active	Act	yes/no	
JournalTypesAllowMgt	Allow Management Layer	Allow Mgt	yes/no	
JournalTypesAllowOfficial	Allow Official Layer	Allow Official	yes/no	
JournalTypesAllowTrans	Allow Transient Layer	Allow Transient	yes/no	
JournalTypesCorrection	Correction Daybook		yes/no	
JournalTypesMultiJournal	Multiple Daybooks Allowed	Multi Daybooks	yes/no	
JournalTypesStock	Stock Daybook	Stock	yes/no	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	JournalTypeCode	yes	no
◇ ViewIndex	no	JournalTypesActive	yes	no
		JournalTypeCode	yes	no

Kanban Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbc_index1	yes	kbc_domain	yes	no
	oid_kbc_ctrl	yes	oid_kbc_ctrl	yes	no

kbdt_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbd_t_template	yes	kbd_t_domain	yes	no
		kbd_t_template	yes	no
oid kbd_t_mstr	yes	oid kbd_t_mstr	yes	no

kbmd mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbmd_cons_source	yes	kbmd_domain	yes	no
		kbmd_cons_source	yes	no
		kbmd_pattern	yes	no
		kbmd_part	yes	no
		kbmd_cons_ref	yes	no
		kbmd_supp_source	yes	no
		kbmd_supp_ref	yes	no
		kbmd_line	yes	no
kbmd_cons_source2	no	kbmd_domain	yes	no
		kbmd_cons_source	yes	no
		kbmd_pattern	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
kbmd_part	yes	kbmd_period	yes	no
		kbmd_part	yes	no
		kbmd_domain	yes	no
		kbmd_part	yes	no
		kbmd_supp_source	yes	no
		kbmd_supp_ref	yes	no
		kbmd_cons_source	yes	no
		kbmd_cons_ref	yes	no
		kbmd_line	yes	no
oid_kbmd_mstr	yes	kbmd_pattern	yes	no
		oid_kbmd_mstr	yes	no

kbppl_mstr Kanban Planning Period Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbp _p _period	yes	kbp _p _domain	yes	no
		kbp _p _period	yes	no
oid_kbp _p _mstr	yes	oid_kbp _p _mstr	yes	no

kbtrd_det Kanban Transaction History Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbtrd_dataset_kbtr	yes	kbtrd_domain	yes	no
		kbtrd_dataset	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
		kbtrd_tr_tmbr	yes	no
kbtrd_dataset_tr	yes	kbtrd_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		kbtrd_dataset	yes	no
		kbtrd_tr_tmbr	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
oid kbtrd_det	yes	oid kbtrd_det	yes	no

kbtrr det Kanban Transaction Reject Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* kbtrr_kbtr_rjct	no	oid_kbtrr_hist	yes	no
		kbtrr_rjct_rsn_code	yes	no
oid_kbtrr_det	yes	oid_kbtrr_det	yes	no

kbtr hist Kanban Transaction History

Field Name	Label	Col-Label	Format	Dec
kbtr__qadc01			x(24)	
kbtr__qadc02			x(24)	
kbtr__qadc03			x(24)	
kbtr__qadd01			->>>>,>>>, >>9.9<<<<<<<<<	10
kbtr__qadi01			->>>>>>>9	
kbtr__qadl01			yes/no	
kbtr__qadt01			99/99/99	
kbtr_authorize_date	Authorize Date		99/99/99	
kbtr_authorize_time	Authorize Time		>>>>9	
kbtr_backflush	Backflush		yes/no	
kbtr_batch_size	Batch Size		>>, >>>, >>9.9<<<<<<<<<	10
kbtr_calc_date	Calculation Date	Calc Date	99/99/99	
kbtr_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
kbtr_card_nbr	Card Number		>>>, >>>, >>9	
kbtr_card_type	Card Type		x(1)	
kbtr_cards	Number of Cards	Number! of Cards	>>>, >>>, >>9	
kbtr_carrier_id	Carrier		x(8)	
kbtr_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
kbtr_cons_source	Consuming Destination	Consuming! Destination	x(8)	
kbtr_cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<	10
kbtr_cont_type	Container Type	Container! Type	x(8)	
kbtr_curr_process_id	Process Code	Process! Code	x(8)	
kbtr_daily_demand	Daily Demand		>>, >>>, >>9.9<<<<<<<<<	10
kbtr_del_status_code	Delivery Status Code		x(8)	
kbtr_delivery_date	Delivery Date		99/99/99	
kbtr_delivery_time	Delivery Time		>>>>9	
kbtr_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>, >>>, >>9.9<<<<<<<<<	10
kbtr_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
kbtr_disp_list_time	Dispatch Time		->>>>, >>>, >>9.9<<<<<<<<<	10
kbtr_dispatch_id	Dispatch ID		x(24)	
kbtr_domain	Domain		x(8)	
kbtr_due_date	Due Date		99/99/99	
kbtr_due_time	Due Time		->>>>, >>>, >>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
kbtr_id_date	no	kbtr_domain	yes	no
		kbtr_id	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
kbtr_part_date	no	kbtr_trans_nbr	yes	no
		kbtr_domain	yes	no
		kbtr_part	yes	no
		kbtr_step	yes	no
		kbtr_trans_date	yes	no
kbtr_source	no	kbtr_trans_time	yes	no
		kbtr_domain	yes	no
		kbtr_source_type	yes	no
		kbtr_source_ref1	yes	no
		kbtr_source_ref2	yes	no
		kbtr_source_ref3	yes	no
		kbtr_source_ref4	yes	no
kbtr_supermarket	no	kbtr_source_ref5	yes	no
		kbtr_domain	yes	no
		kbtr_supermarket_site	yes	no
		kbtr_supermarket_id	yes	no
		kbtr_part	yes	no
		kbtr_step	yes	no
		kbtr_trans_date	yes	no
* kbtr_trans_nbr	yes	kbtr_trans_time	yes	no
		kbtr_domain	yes	no
		kbtr_trans_nbr	yes	no
		kbtr_user_time	yes	no
kbtr_user_time	no	kbtr_domain	yes	no
		kbtr_mod_userid	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
		oid_kbtr_hist	yes	no

kenb_det

Ending Inventory Balance and Cost by Location

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
kenb_part	no	kenb_domain	yes	no
		kenb_part	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
* kenb_site_loc	yes	kenb_domain	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
		kenb_part	yes	no
		kenb_year	yes	no
		kenb_month	yes	no
kenb_year_per	no	kenb_domain	yes	no
		kenb_year	yes	no
		kenb_month	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		kenb_part	yes	no
		kenb_site	yes	no
		kenb_loc	yes	no
oid_kenb_det	yes	oid_kenb_det	yes	no

kia_mstr Inventory Account Change Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
kia_prod_line	no	kia_domain	yes	no
		kia_prod_line	yes	no
		kia_mod_date	yes	no
		kia_site	yes	no
		kia_loc	yes	no
		kia_old_acct	yes	no
* kia_trnbr	yes	kia_domain	yes	no
		kia_trnbr	yes	no
oid_kia_mstr	yes	oid_kia_mstr	yes	no

knbadc_hist Kanban Average Demand Calculation History

Field Name	Label	Col-Label	Format	Dec
knbadc__qadc01			x(24)	
knbadc__qadc02			x(24)	
knbadc_calc_date	Calculation Date		99/99/99	
knbadc_calc_time	Calculation Time		->>>,>>, >>9.9<<<<<<<<	10
knbadc_daily_demand	Daily Demand		>,>>,>>9.<<<	4
knbadc_domain	Domain		x(8)	
knbadc_keyid	Key ID		->>,>>,>>9.9<<<<<	10
knbadc_knbism_keyid	Kanban Item Supermarket Key ID		->>,>>,>>9.9<<<<<	10
knbadc_mod_date	Modified Date	Mod Date	99/99/99	
knbadc_mod_userid	User ID		x(8)	
knbadc_part	Item Number		x(18)	
knbadc_site	Site		x(8)	
knbadc_template	Template		x(8)	
knbadc_user1	User Field Character 1		x(24)	
knbadc_user2	User Field Character 2		x(24)	
oid_knbadc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>> .9<<<<<<<<<	9 10

Index-Name	Uni	Field-Name	Asc	Abbr
* knbadc_keyid	yes	knbadc_domain	yes	no
		knbadc_keyid	yes	no
knbadc_site_part	no	knbadc_domain	yes	no
		knbadc_site	yes	no
		knbadc_part	yes	no
		knbadc_template	yes	no
		knbadc_calc_date	yes	no
		knbadc_calc_time	yes	no
oid knbadc_hist	yes	oid knbadc_hist	yes	no

knbcd_det Kanban Cards Dispatch History[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbcd_blanket	no	knbcd_domain	yes	no
		knbcd_pod_blanket	yes	no
		knbcd_pod_blnkt_ln	yes	no
		knbcd_po_nbr	yes	no
		knbcd_pod_line	yes	no
* knbcd_dispatch_id	yes	knbcd_domain	yes	no
		knbcd_dispatch_id	yes	no
		knbcd_knbd_id	yes	no
knbcd_kbtr	no	knbcd_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
knbcd_knbd_id	no	knbcd_kbtr_trans_nbr	yes	no
		knbcd_domain	yes	no
		knbcd_knbd_id	yes	no
		knbcd_dispatch_id	yes	no
knbcd_part_closed	no	knbcd_domain	yes	no
		knbcd_part	yes	no
		knbcd_closed	yes	no
knbcd_part_disp	no	knbcd_domain	yes	no
		knbcd_part	yes	no
		knbcd_dispatch_id	yes	no
knbcd_po_nbr	no	knbcd_domain	yes	no
		knbcd_po_nbr	yes	no
		knbcd_pod_line	yes	no
		knbcd_closed	yes	no
knbcd_source	no	knbcd_domain	yes	no
		knbcd_source_type	yes	no
		knbcd_ref1	yes	no
		knbcd_ref2	yes	no
		knbcd_ref3	yes	no
		knbcd_ref4	yes	no
		knbcd_ref5	yes	no
		knbcd_closed	yes	no
oid_knbcd_det	yes	oid_knbcd_det	yes	no

knbdd_mstr Kanban Document Definition Master

Field Name	Label	Col-Label	Format	Dec
knbdd__qadc01			x(8)	
knbdd__qadc02			x(8)	
knbdd__qadc03			x(24)	
knbdd__qadc04			x(24)	
knbdd__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
knbdd__qadi01			->>>>>>>g	
knbdd__qadi01			yes/no	
knbdd__qadi02			yes/no	
knbdd__qadi03			yes/no	
knbdd__qadt01			99/99/99	
knbdd_accum_type	Accum Type		yes/no	
knbdd_accum_type_desc	Accum Type Desc		yes/no	
knbdd_active_end	Active End		yes/no	
knbdd_active_start	Active Start		yes/no	
knbdd_bom_code	BOM Code		yes/no	
knbdd_card_cmmt_page[5]	Card Comment Page		>>9	
knbdd_card_stock	Card Stock		x(12)	
knbdd_card_type	Card Type		yes/no	
knbdd_card_type_desc	Card Type Desc		yes/no	
knbdd_cont_size	Cont Capacity		yes/no	
knbdd_cont_type	Cont Type		yes/no	
knbdd_cycles_allowed	Cycles		yes/no	
knbdd_del_loc	Delivery Location		yes/no	
knbdd_dest_sm_desc	Destination Supermarket Desc		yes/no	
knbdd_dest_sm_id	Destination Supermarket ID		yes/no	
knbdd_document_color	Label Color		x(12)	
knbdd_document_desc	Document Description		x(24)	
knbdd_document_name	Document Name		x(12)	
knbdd_document_size	Document Size		x(12)	
knbdd_document_type	Document Type		x(8)	
knbdd_domain	Domain		x(8)	
knbdd_font_size	Font Size		x(8)	
knbdd_font_style	Font Style		x(12)	
knbdd_inv_site	Inventory Site		yes/no	
knbdd_inv_site_desc	Inventory Site Desc		yes/no	
knbdd_kanban_id	Kanban ID		yes/no	
knbdd_kanban_quantity	Kanban Quantity		yes/no	
knbdd_label_type	Label Type		x(12)	
knbdd_mod_date	Modified Date	Mod Date	99/99/99	
knbdd_mod_userid	User ID		x(8)	
knbdd_part	Item Number		yes/no	
knbdd_po_line	PO Line		yes/no	
knbdd_po_nbr	Purchase Order		yes/no	
knbdd_pou_loc	POU Location		yes/no	
knbdd_prcs_site_desc	Process Site Desc		yes/no	
knbdd_print_date	Print Date		yes/no	
knbdd_print_time	Print Time		yes/no	
knbdd_process_desc	Process Desc		yes/no	
knbdd_process_id	Process ID		yes/no	
knbdd_process_site	Process Site		yes/no	
knbdd_pt_desc1	Item Desc 1		yes/no	
knbdd_pt_desc2	Item Desc 2		yes/no	
knbdd_pt_rev	Item Revision		yes/no	
knbdd_pt_um	Item UM		yes/no	
knbdd_routing	Routing Code		yes/no	
knbdd_second_card_id	Second Card ID		yes/no	
knbdd_sm_inv_location	SM Inv Location		yes/no	
knbdd_sm_site	SM Site		yes/no	
knbdd_sm_site_desc	SM Site Desc		yes/no	
knbdd_source_sm_desc	Source Supermarket Desc		yes/no	
knbdd_source_sm_id	Source Supermarket ID		yes/no	
knbdd_step	Item Step		yes/no	
knbdd_supplier	Supplier		yes/no	
knbdd_supplier_desc	Supplier Desc		yes/no	
knbdd_text_color	Text Color		x(12)	
knbdd_text_font	Text Font		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
knbdd_document	yes	knbdd_domain	yes	no
		knbdd_document_type	yes	no
		knbdd_document_name	yes	no
oid_knbdd_mstr	yes	oid_knbdd_mstr	yes	no

knbd_det[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knbd_id	yes	knbd_domain	yes	no
		knbd_id	yes	no
knbd_keyid	yes	knbd_domain	yes	no
		knbd_keyid	yes	no
knbd_knbl_keyid	no	knbd_domain	yes	no
		knbd_knbl_keyid	yes	no
		knbd_id	yes	no
knbd_knbl_status	no	knbd_domain	yes	no
		knbd_knbl_keyid	yes	no
		knbd_status	yes	no
		knbd_active	yes	no
knbd_status_disp	no	knbd_domain	yes	no
		knbd_status	yes	no
		knbd_print_dispatch	yes	no
		knbd_active	yes	no
oid knbd_det	yes	oid knbd_det	yes	no

knbfd det Kanban FIFO Process Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knbfd_keyid	yes	knbfd_domain	yes	no
		knbfd_keyid	yes	no
knbfd_knb_keyid	no	knbfd_domain	yes	no
		knbfd_knb_keyid	yes	no
		knbfd_seq	yes	no
knbfd_knbs_keyid	no	knbfd_domain	yes	no
		knbfd_knbs_keyid	yes	no
		knbfd_seq	yes	no
oid_knbfd_det	yes	oid_knbfd_det	yes	no

knbism_det Kanban Item Supermarket Detail

Field Name	Label	Col-Label	Format	Dec
knbism__qadc01			x(24)	
knbism__qadc02			x(24)	
knbism_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbism_buf_limit_chg	Date Limit Changed		99/99/99	
knbism_buf_limit_disp	Buffer Limit Method		x(8)	
knbism_buf_method	Buffer Method		x(8)	
knbism_buf_modified	Buffer Modified		yes/no	
knbism_count_tolerance	Count Tolerance	Tol	>>9.<%	10
knbism_critical_limit	Critical Zone Limit		>>, >>>, >>9.<=====	10
knbism_daily_demand	Daily Demand		>, >>>, >>9.<==	4
knbism_demand_method	Demand Method		x(8)	
knbism_demand_modified	Demand Modified		yes/no	
knbism_demand_pct	Demand Percent		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
* knbism_keyid	yes	knbism_domain	yes	no
		knbism_keyid	yes	no
knbism_knbi_keyid	no	knbism_domain	yes	no
		knbism_knbi_keyid	yes	no
		knbism_knbsm_keyid	yes	no
knbism_knbsm_keyid	no	knbism_domain	yes	no
		knbism_knbsm_keyid	yes	no
		knbism_knbi_keyid	yes	no
oid_knbism_det	yes	oid_knbism_det	yes	no

Field Name	Label	Col-Label	Format	Dec
knbi__qadc01			x(24)	
knbi__qadc02			x(24)	
knbi_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbi_bom_code	BOM Code		x(18)	
knbi_cmtindx	Comment Index	Comment	>>>>>>9	
knbi_cont_type	Container Type	Cont! Type	x(8)	
knbi_cost_alloc	Cost Allocation	Cost! Alloc	>>9.9<%	10
knbi_domain	Domain		x(8)	
knbi_keyid	Key ID		->>>, >>>, >>9.9<<<<<	10
knbi_min_epe_interval	Min EPE Interval	Min EPEI	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_mod_date	Modified Date	Mod Date	99/99/99	
knbi_mod_userid	User ID		x(8)	
knbi_part	Item Number		x(18)	
knbi_routing	Routing Code		x(18)	
knbi_run_out_material	Run Out Material	Run Out! Material	x(18)	
knbi_run_out_option	Run Out Option		>9	
knbi_run_out_qty_per	Run Out Quantity Per	Run Out! Qty Per	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_run_out_qty_um	UM		x(2)	
knbi_run_out_qtyper_um	UM		x(2)	
knbi_run_out_quantity	Run Out Quantity	Run Out! Quantity	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_run_out_setup	Run Out Changeover	Run Out! Changeover	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_step	Step		>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbi_keyid	yes	knbi_domain	yes	no
		knbi_keyid	yes	no
* knbi_part	yes	knbi_domain	yes	no
		knbi_part	yes	no
		knbi_step	yes	no
oid_knbi_mstr	yes	oid_knbi_mstr	yes	no

knble det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* knble_oid_parent	no	oid_parent_dataset	yes	no
		knble_card_type	yes	no
		knble_trans_event	yes	no
oid_knble_det	yes	oid_knble_det	yes	no

knbl_det

Field Name	Label	Col-Label	Format	Dec
knbl__qadc01			x(24)	
knbl__qadc02			x(24)	
knbl_accum_sch_time	Schedule Time		x(255)	
knbl_accum_schedule	Accum Schedule		x(255)	
knbl_accum_type	Accumulator Type		x(8)	
knbl_backflush	Backflush		yes/no	
knbl_blanket_po	Release Blanket PO		yes/no	
knbl_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
knbl_card_print_option	Print Option		x(8)	
knbl_card_reporting	Card Reporting	Card! Reporting	>9	
knbl_card_type	Card Type	Card! Type	x(8)	
knbl_cmtindx	Comment Index	Comment	>>>>>>9	
knbl_cont_size	Container Capacity	Container! Capacity	>>,>>>,>>9.<<<<<<<<<	10
knbl_cont_type	Container Type	Container	x(8)	
knbl_decrease_at_cons	Decrease at Consume		x(8)	
knbl_del_loc	Delivery Location		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* knbl_keyid	yes	knbl_domain	yes	no
		knbl_keyid	yes	no
knbl_knb_keyid	no	knbl_domain	yes	no
		knbl_knb_keyid	yes	no
		knbl_card_type	yes	no
knbl_next_date_time	no	knbl_domain	yes	no
		knbl_next_date	yes	no
		knbl_next_time	yes	no
oid knbl det	yes	oid knbl det	yes	no

knbrs_mstr Kanban Dispatch Release Schedule[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbrs_date_disp	no	knbrs_domain	yes	no
		knbrs_dispatch_date	yes	no
		knbrs_dispatch_time	yes	no
		knbrs_dispatch_id	yes	no
* knbrs_dispatch_id	yes	knbrs_domain	yes	no
		knbrs_dispatch_id	yes	no
knbrs_export_batch	no	knbrs_domain	yes	no
		knbrs_export_batch	yes	no
oid knbrs mstr	yes	oid knbrs mstr	yes	no

knbsm mstr Kanban Supermarket Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knbsm_keyid	yes	knbsm_domain	yes	no
		knbsm_keyid	yes	no
* knbsm_site_id	yes	knbsm_domain	yes	no
		knbsm_site	yes	no
		knbsm_supermarket_id	yes	no
oid knbsm_mstr	yes	oid knbsm_mstr	yes	no

Kanban Source Detail

Index-Name	Uni	Field-Name	Asc	Abbr
knbs_keyid	yes	knbs_domain	yes	no
		knbs_keyid	yes	no
* knbs_source_ref	no	knbs_domain	yes	no
		knbs_source_type	yes	no
		knbs_ref1	yes	no
		knbs_ref2	yes	no
		knbs_ref3	yes	no
		knbs_ref4	yes	no
		knbs_ref5	yes	no
oid_knbs_det	yes	oid_knbs_det	yes	no

Kanban Master

Index-Name	Uni	Field-Name	Asc	Abbr
* knb_keyid	yes	knb_domain	yes	no
		knb_keyid	yes	no
knb_knbi_knbs	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbs_keyid	yes	no
knb_knbi_knbsm	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbsm_keyid	yes	no
knb_knbs_keyid	no	knb_domain	yes	no
		knb_knbs_keyid	yes	no
knb_knbsm_keyid	no	knb_domain	yes	no
		knb_knbsm_keyid	yes	no
oid_knb_mstr	yes	oid_knb_mstr	yes	no

Kanban Process Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
knpd_keyid	yes	knpd_domain	yes	no
		knpd_keyid	yes	no
knpd_knbi_keyid	no	knpd_domain	yes	no
		knpd_knbi_keyid	yes	no
knpd_knp_keyid	no	knpd_domain	yes	no
		knpd_knp_keyid	yes	no
oid knpd_det	yes	oid knpd_det	yes	no

Kanban Process Master

Field Name	Label	Col-Label	Format	Dec
knp__qadc01			x(24)	
knp__qadc02			x(24)	
knp_chg_over_avail	Changeover Available		-->>>, >>>, >>9.9<<<<<<<<	10
knp_cmtindx	Comment Index	Comment	>>>>>>9	
knp_co_per_interval	Changeover Per Interval		-->>>, >>>, >>9.9<<<<<<<<	10
knp_cycle_time	Cycle Time		-->>>, >>>, >>9.9<<<<<<<<	10
knp_desc	Description		x(24)	
knp_domain	Domain		x(8)	
knp_epe_interval	EPE Interval		-->>>, >>>, >>9.9<<<<<<<<	10
knp_epei_disp	EPEI Disp		9	
knp_keyid	Key ID		-->>, >>>, >>9.9<<<<	10
knp_lead_time_method	Lead Time Method	LT! Method	>9	
knp_level_mix_seq	Level Mix Seq		x(8)	
knp_load_limit	Load Limit	Load! Limit	>>9.9<%	10
knp_loc	Location		x(8)	
knp_min_epe_interval	Min EPE Interval	Min EPEI	-->>>, >>>, >>9.9<<<<<<<<	10
knp_mod_date	Modified Date	Mod Date	99/99/99	
knp_mod_userid	User ID		x(8)	
knp_move_time	Move Time		-->>>, >>>, >>9.9<<<<<<<<	10
knp_pct_uptime	Uptime %		>>9.99%	10
knp_pitch_interval	Pitch Interval		-->>>, >>>, >>9.9<<<<<<<<	10
knp_pitch_quantity	Pitch Quantity		>>>, >>9.999<<<<<<	10
knp_pitch_um	Pitch UM		x(2)	
knp_planner_id	Planner ID		x(8)	

LabourC

Warehousing Labour Management Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LabourC	yes	oid_LabourC	yes	no
◇* UniqueId	yes	Domain	yes	no
		UniqueId	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

lacd det

Logistics Accounting Charge Detail

Field Name	Label	Col-Label	Format	Dec
lacd__qadc01			x(24)	
lacd__qadc02			x(24)	
lacd_accrual_level	Accrual Level	Accrual! Level	x(2)	
lacd_domain	Domain		x(8)	
lacd_element	Cost Element		x(8)	
lacd_internal_ref	Internal Reference		x(20)	
lacd_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
lacd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lacd_log_supplier	Supplier		x(8)	

Field Name	Label	Col-Label	Format	Dec
lacd_mod_date	Modified Date	Mod Date	99/99/99	
lacd_mod_userid	User ID		x(8)	
lacd_shipfrom	Ship-From		x(8)	
lacd_user1	User Field Character 1		x(24)	
lacd_user2	User Field Character 2		x(24)	
oid_lacd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* lacd_internal_ref	yes	lacd_domain	yes	no
		lacd_internal_ref	yes	no
		lacd_shipfrom	yes	no
		lacd_ic_charge	yes	no
		lacd_internal_ref_type	yes	no
oid_lacd_det	yes	oid_lacd_det	yes	no

lac_ctrl Logistics Accounting Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lac_index1	yes	lac_domain	yes	no
	oid_lac_ctrl	yes	oid_lac_ctrl	yes	no

lad_det Location Allocation Detail

Field Name	Label	Col-Label	Format	Dec
lad_qadc01			x(8)	
lad_act_pick	Actual Picked		->>, >>>, >>>9.9<<<<<<<<<<	10
lad_cont_qty	Container Quantity		->>, >>>, >>>9.9<<<<<<<<<<	10
lad_dataset	Data Set		x(12)	
lad_domain	Domain		x(8)	
lad_line	Line/ID		x(8)	
lad_loc	Location		x(8)	
lad_lot	Lot/Serial		x(18)	
lad_nbr	Order	Order Number	x(18)	
lad_ord_site	Order Site	Ord Site	x(8)	
lad_part	Item Number		x(18)	
lad_qty_all	Qty Allocated	Qty Alloc	->>>, >>>9.9<<<<<	10
lad_qty_chg	Qty to Iss		->>>, >>>9.9<<<<<<	10
lad_qty_pick	Qty Picked		->>>, >>>9.9<<<<<<	10
lad_ref	Ref	Reference	x(8)	

Field Name	Label	Col-Label	Format	Dec
lad_site	Site		x(8)	
lad_user1	Ufld1		x(8)	
lad_user2	Ufld2		x(8)	
oid_lad_det			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* lad_det	yes	lad_domain	yes	no
		lad_dataset	yes	no
		lad_nbr	yes	no
		lad_line	yes	no
		lad_part	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
lad_site	no	lad_domain	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_part	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
oid lad det	yes	oid lad det	yes	no

LaneAssD

Warehousing Lane Assignment Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LaneAssD			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

LaneGroupD Warehousing Lane Group Detail

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Lane	Lane		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LaneGroupD			>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9,99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9,99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9,99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9,9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9,9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* LaneGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LaneGroup	yes	no
		Seq	yes	no
		Lane	yes	no
oid_LaneGroupD	yes	oid_LaneGroupD	yes	no
◊ SiteWhseLane	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Lane	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LaneGroupM Warehousing Lane Group Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description	Desc	x(24)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	

Field Name	Label	Col-Label	Format	Dec
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
Tasks	Number of Open Tasks	Open Tasks	->, >>>, >>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_LaneM	yes	old_LaneM	yes	no
◇* SiteWhseLane	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Lane	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Layer

Layer

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	

lc mstr

Logistics Accounting Charge Code Master

Field Name	Label	Col-Label	Format	Dec
lc_qadc01			x(24)	
lc_qadc02			x(24)	
lc_apportion_method	Apportion Method		x(2)	
lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no	
lc_desc	Description		x(24)	
lc_domain	Domain		x(8)	
lc_element	Cost Element		x(8)	
lc_mod_date	Modified Date	Mod Date	99/99/99	
lc_mod_userid	User ID		x(8)	
lc_supplier	Supplier		x(8)	
lc_taxable	Taxable		yes/no	
lc_taxc	Tax Class	TxC	x(3)	
lc_user1	User Field Character 1		x(24)	
lc_user2	User Field Character 2		x(24)	
oid_lc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* lc_charge	yes	lc_domain	yes	no
		lc_charge	yes	no
lc_element	no	lc_domain	yes	no
		lc_element	yes	no
		lc_charge	yes	no
oid lc_mstr	yes	oid lc_mstr	yes	no

Id det

Location Detail

Field Name	Label	Col-Label	Format	Dec
ld__chr01			x(8)	
ld__chr02			x(8)	
ld__chr03			x(8)	
ld__chr04			x(8)	
ld__chr05			x(8)	
ld__dec01			>>>,>>>,>>9.99	10
ld__dec02			>>>,>>>,>>9.99	10
ld__dte01			99/99/99	
ld__dte02			99/99/99	
ld__log01			yes/no	
ld__alt_um	Alternate UM	UM	x(2)	
ld__assay	Assay %		>>9.99%	10
ld__cmtindx	Comment Index	Comment	>>>>>>9	
ld__cnt_date	Last Count	Last Cnt	99/99/99	
ld__cost			>>>>,>>>,>>9.99<<<	10
ld__crt_date	Create Date		99/99/99	
ld__crt_time	Create Time	Time	>>>>>>9	
ld__cust_consighn_qty	Customer Consignment Qty	Customer! Consignment	->,>>>,>>9.9<<<<<<<<<<	10
ld__date	Date Created	Created	99/99/99	
ld__date_frz	Freeze Date	Frz Date	99/99/99	
ld__domain	Domain		x(8)	
ld__exp_qtyin	Qty In	In	->,>>>,>>9.9<<<<<<<<<	10
ld__exp_qtyout	Qty Out	Out	->,>>>,>>9.9<<<<<<<<<	10
ld__expire	Expire Date	Expire	99/99/99	
ld__grade	Grade		x(2)	
ld__loc	Location		x(8)	
ld__lot	Lot/Serial		x(18)	
ld__part	Item Number		x(18)	
ld__qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<	10
ld__qty_frz	Freeze Qty		->,>>>,>>9.9<<<<<<<<	10
ld__qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<	10
ld__ref	Ref	Reference	x(8)	
ld__rev	Rev		x(4)	
ld__site	Site		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ld_loc_p_lot	yes	ld_domain	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_loc	yes	ld_domain	yes	no
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
ld_part_lot	yes	ld_domain	yes	no
		ld_part	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
		ld_site	yes	no
		ld_loc	yes	no
ld_serial	no	ld_domain	yes	no
		ld_ref	yes	no
		ld_part	yes	no
		ld_site	yes	no
ld_status	yes	ld_domain	yes	no
		ld_status	yes	no
		ld_part	yes	no
		ld_site	yes	no
		ld_loc	yes	no
		ld_lot	yes	no
		ld_ref	yes	no
oid_ld_det	yes	oid_ld_det	yes	no

lgdc_ctrl Legal Document Control

Field Name	Label	Col-Label	Format	Dec
lgdc__qadc01	QAD Character Field 1		x(24)	
lgdc__qadc02	QAD Character Field 2		x(24)	
lgdc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgdc__qadi01			->>>>>>>9	
lgdc__qadt01	QAD Date Field 1		99/99/99	
lgdc_custom	PO Shipper/Invoice		x(14)	
lgdc_days_cancel_lgd	Days to Cancel a Legal Document		>>9	
lgdc_days_del_so	Days to Delete a Sales Order		>>9	
lgdc_domain	Domain		x(8)	
lgdc_eff_date	Update Effective Date		yes/no	
lgdc_form_code	Legal Document Form Code		x(2)	
lgdc_inconsist	PO with Inconsistencies		yes/no	
lgdc_maint_type	Op Type in Tax Usage		yes/no	
lgdc_mod_date	Modified Date	Mod Date	99/99/99	
lgdc_mod_userid	User ID		x(8)	
lgdc_nrm_multi	Allow Same NRM for Multiple Addresses		yes/no	
lgdc_phy_receipt	Physical Receipt		x(14)	
lgdc_po_cancel	PO Cancel Program		x(14)	
lgdc_prec_amt	Precision		.99	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdc_index1	yes	lgdc_domain	yes	no
oid lgdc ctrl	yes	oid lgdc ctrl	yes	no

lgdd_det

Legal Document Detail Table

Field Name	Label	Col-Label	Format	Dec
lgdd__qadc01	QAD Character Field 1		x(24)	
lgdd__qadc02	QAD Character Field 2		x(24)	
lgdd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgdd__qadt01	QAD Date Field 1		99/99/99	
lgdd_addr	Legal Doc Addr		x(8)	
lgdd_alt_um	Alternate UM		x(2)	
lgdd_cfop_code	CFOP		x(20)	
lgdd_cmtindx	Comment Index	Comment	>>>>>>9	
lgdd_desc	Description		x(48)	
lgdd_doc_type	Doc Type		x(2)	
lgdd_domain	Domain		x(8)	
lgdd_dsc_amt	Discount Amount		->>>>, >>>, >>9.99<	10
lgdd_ex_code	EX Code		x(8)	
lgdd_expire	Expire Date		99/99/99	
lgdd_ext_price	Ext Price		->>>>, >>>, >>9.99<	10
lgdd_gwt	Gross Weight	Gross Wt	>, >>>, >>9.9<<<<<<<<<	10
lgdd_ipi_cst	IPI CST		x(8)	
lgdd_item_num	Item Number		x(30)	
lgdd_legal_class	Legal Classification	Legal Class	x(18)	
lgdd_line	Line	Ln	>>9	
lgdd_loc	Location		x(8)	
lgdd_lotser	Lot/Serial		x(18)	
lgdd_mod_date	Modified Date	Mod Date	99/99/99	
lgdd_mod_userid	User ID		x(8)	
lgdd_nbr	Legal Doc Nbr	Legal Doc	x(12)	
lgdd_nfc_st	Status		yes/no	
lgdd_nwt	Net Weight		>, >>>, >>9.9<<<<<<<<	10
lgdd_order	Order		x(8)	
lgdd_order_line	Line	Ln	>>9	
lgdd_origin	Origin Code		x(8)	
lgdd_part	Item Number		x(18)	
lgdd_pm_code	Pur/Mfg	P/M	x(1)	
lgdd_price	Price		>>>>, >>>, >>9.99<<<	10
lgdd_prim_addr	Orig Addr		x(8)	
lgdd_prim_doc_type	Orig Doc Type		x(2)	
lgdd_prim_nbr	Orig Doc		x(12)	
lgdd_ps_qty	Packing Slip Qty		->, >>>, >>9.9<<<<<<<<	10
lgdd_qty_item	Item Quantity	Item Qty	->, >>>, >>9.9<<<	10
lgdd_ref	Ref		x(8)	
lgdd_ret_nbr	Ret Nbr		x(20)	
lgdd_service_code	Service Code		x(8)	
lgdd_sh_cmtindx	Shipper Comment Index	Ship Comm Ind	>>>>>>9	
lgdd_shipfrom	Ship From		x(8)	
lgdd_shipper_id	Shipper ID		x(20)	
lgdd_tax_env	Tax Environment	Tax Env	x(16)	
lgdd_tax_in	Tax In		yes/no	
lgdd_tax_usage	Tax Usage	TaxUsage	x(8)	
lgdd_taxable	Taxable	Tax	yes/no	
lgdd_taxc	Tax Class	TxC	x(3)	
lgdd_trib_sit	Tax SIT Code		x(3)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
lgdd_nbr	no	lgdd_domain	yes	no
		lgdd_nbr	yes	no
		lgdd_order	yes	no
lgdd_oid_lgd_mstr	no	oid_lgd_mstr	yes	no
* lgdd_shipper	no	lgdd_domain	yes	no
		lgdd_shipper_id	yes	no
		lgdd_line	yes	no
		lgdd_nbr	yes	no
oid_lgdd_det	yes	oid_lgdd_det	yes	no

Igdnr_det Legal Document Address and Sequence ID Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lgdnr_addr	yes	lgdnr_domain	yes	no
		lgdnr_addr	yes	no
		lgdnr_seq_id	yes	no
		lgdnr_move	yes	no
		lgdnr_form_code	yes	no
oid_lgdnr_det	yes	oid_lgdnr_det	yes	no

Igdtx_det Legal Document Tax Usage of Simultaneous Op Setup Detail

Field Name	Label	Col-Label	Format	Dec
lgdtx__qadc01	QAD Character Field 1		x(24)	
lgdtx__qadc02	QAD Character Field 2		x(24)	
lgdtx__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgdtx__qadt01	QAD Date Field 1		99/99/99	
lgdtx_active	Active		yes/no	
lgdtx_consign	Consignment		yes/no	
lgdtx_domain	Domain		x(8)	
lgdtx_mod_date	Modified Date	Mod Date	99/99/99	
lgdtx_mod_userid	User ID		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
lgdtx_shipfrom	no	lgdtx_domain	yes	no
		lgdtx_shipfrom	yes	no
* lgdtx_shipto	no	lgdtx_domain	yes	no
		lgdtx_shipto	yes	no
oid lgdtx_det	yes	oid lgdtx_det	yes	no

lgd_mstr

Legal Document Master

Field Name	Label	Col-Label	Format	Dec
lgd__qadc01	QAD Character Field 1		x(24)	
lgd__qadc02	QAD Character Field 2		x(24)	
lgd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
lgd__qadt01	QAD Date Field 1		99/99/99	
lgd_addr	Legal Doc Address	Address	x(8)	
lgd_amt	Legal Doc Amount		->>>>, >>>, >>9.99<	10
lgd_ar_amt	AR Amount		->>>>, >>>, >>9.99<	10
lgd_bill	Bill-To		x(8)	
lgd_bol	BOL		x(18)	
lgd_cancel_date	Void Date		99/99/99	
lgd_cancel_inv	Void Invoice Number		x(22)	
lgd_cancel_rsn	Void Reason		x(8)	
lgd_cancel_time	Void Time		x(8)	
lgd_cancel_user	Voided By		x(8)	
lgd_carrier	Carrier		x(8)	
lgd_cmtindx	Comment Index	Comment	>>>>>>>9	
lgd_cncu_batch	Batch		>>>>>>>>	
lgd_cr_terms	Credit Terms		x(8)	
lgd_crdt_notes	Credit Notes		x(20)	
lgd_cust	Customer		x(8)	
lgd_doc_model	Document Model		x(8)	
lgd_doc_type	Doc Type		x(2)	
lgd_domain	Domain		x(8)	
lgd_drv	Driver Name		x(24)	
lgd_dsc_amt	Discount Amount	Disc Amt	->>>>, >>>, >>9.99<	10
lgd_due_date	Due Date		99/99/99	
lgd_effdate	Effective Date	Eff Date	99/99/99	
lgd_especie	Ship Pack Desc		x(20)	
lgd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
lgd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
lgd_fix_rate	Fixed Rate		yes/no	
lgd_fob	FOB Point	FOB	x(20)	
lgd_goods_amt	Goods Amount		->>>>, >>>, >>9.99<	10
lgd_gst_id	Fed Tax ID		x(18)	
lgd_gwt	Gross Weight	Gross Wt	>, >>>, >>9.9<<<<<<<<<	10
lgd_inv_date	Invoice Date	Inv Date	99/99/99	
lgd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
lgd_inv_nbr	Invoice Number	Invoice	x(22)	
lgd_lic	License		x(24)	
lgd_loc	Location		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lgd_nbr	no	lgd_domain	yes	no
		lgd_nbr	yes	no
		lgd_shipper_id	yes	no
lgd_received_nbr	no	lgd_domain	yes	no
		lgd_type	yes	no
		lgd_shipfrom	yes	no
		lgd_nbr	yes	no
		lgd_effdate	yes	no
lgd_shipper	no	lgd_domain	yes	no
		lgd_shipper_id	yes	no
oid_lgd_mstr	yes	oid_lgd_mstr	yes	no

lgsl_det

Logistics Site Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplDSite	yes	lgsl_domain	yes	no
		lgsl_app_id	yes	no
		lgsl_site	yes	no
oid_lgsl_det	yes	oid_lgsl_det	yes	no

lgs_mstr

Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs__dec01			->>>, >>>, >>9.99<	10
lgs__dec02			->>>, >>>, >>9.99<	10
lgs__dte01			99/99/99	
lgs__dte02			99/99/99	
lgs__int01			->>>, >>>, >>9	
lgs__int02			->>>, >>>, >>9	
lgs__log01			yes/no	
lgs__log02			yes/no	
lgs__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ApplicationID	yes	lgs_domain	yes	no
		lgs_app_id	yes	no
oid_lgs_mstr	yes	oid_lgs_mstr	yes	no

Production Line Allocation Detail

Field Name	Label	Col-Label	Format	Dec
Ina__chr01			x(8)	
Ina__chr02			x(8)	
Ina__dec01			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__dec02			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__dte01			99/99/99	
Ina__dte02			99/99/99	
Ina__log01			yes/no	
Ina__log02			yes/no	
Ina__qadc01			x(8)	
Ina__qadc02			x(8)	
Ina__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
Ina__qadi01			->, >>>, >>9	
Ina__qadi02			->, >>>, >>9	
Ina__qadi01			yes/no	
Ina__qadi02			yes/no	
Ina__qadt01			99/99/99	
Ina__qadt02			99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lna_siteline	yes	lna_domain	yes	no
		lna_site	yes	no
		lna_line	yes	no
		lna_part	yes	no
lna_sitepart	no	lna_domain	yes	no
		lna_site	yes	no
		lna_part	yes	no
		lna_line	yes	no
oid lna_det	yes	oid lna_det	yes	no

Ind det

Production Line Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* Ind_line	yes	Ind_domain	yes	no
		Ind_line	yes	no
		Ind_site	yes	no
		Ind_part	yes	no

Inf_det Flow Production Line Preference Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Inf_site_part_pref	no	Inf_domain	yes	no
		Inf_site	yes	no
		Inf_part	yes	no
		Inf_preference	yes	no
		Inf_production_line	yes	no
* Inf_site_prod_line	yes	Inf_domain	yes	no
		Inf_site	yes	no
		Inf_production_line	yes	no
		Inf_part	yes	no
oid_Inf_det	yes	oid_Inf_det	yes	no

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID			99999999999	
LngAltCode			x(2)	
LngCode	Language Code	Language	x(2)	
LngDescription	Description		x(24)	
LngDirectory			x(32)	
LngIsActive	Active	Act	yes/no	
LngIsInstalled	Installed Language	Installed Lang	yes/no	
LngIsSystemLanguage	System Language	Syst Lang	yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	LngCode	yes	no
◇* Prim	yes	Lng_ID	yes	no

Ingd_det

Language Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* lngd_det	yes	lngd_dataset	yes	no
		lngd_key1	yes	no
		lngd_key2	yes	no
		lngd_key3	yes	no
		lngd_key4	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
lngd_mnemonic	no	lngd_desc	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
		lngd_mnemonic	yes	no
lngd_trans	no	lngd_dataset	yes	no
		lngd_field	yes	no
		lngd_lang	yes	no
		lngd_translation	yes	no
oid lngd det	yes	oid lngd det	yes	no

Ing_mstr

Language Master

[illegible]

* lng_lang	yes	lng_lang	yes	no
lng_nbr	no	lng_nbr	yes	no
oid_lng_mstr	yes	oid_lng_mstr	yes	no

Line Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* ln_linesite	yes	ln_domain	yes	no
		ln_line	yes	no
		ln_site	yes	no
ln_siteline	no	ln_domain	yes	no
		ln_site	yes	no
		ln_line	yes	no
oid_ln_mstr	yes	oid_ln_mstr	yes	no

Warehousing Load Detail

Field Name	Label	Col-Label	Format	Dec
CarrierRef	Carrier Shipment Ref		x(20)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DropOffSeq	Drop Off Sequence	Drop Off	>>>>>9	

Field Name	Label	Col-Label	Format	Dec
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
LoadNbr	Load Number	Load Nbr	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
oid_LoadD			>>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Qty	Quantity	Qty	->, >>>, >>9.9<<<<<<<<<	10
SelNbr	Selection Number	Sel Nbr	x(8)	
Site	Site		x(8)	
UM	UM		x(2)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Line	yes	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
oid_LoadD	yes	oid_LoadD	yes	no
◊ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadM Warehousing Load Master

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
CarrierAccount	Carrier Account		x(20)	
CarrierRef	Carrier Shipment Ref		x(20)	
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ABSID	no	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
* CarrierRef	yes	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
oid_LoadM	yes	oid_LoadM	yes	no
◇ Usrldx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

Field Name	Label	Col-Label	Format	Dec
ArrivalDate	Arrival Date		99/99/99	
ArrivalTime	Time		99:99	
CloseDate	Closed		99/99/99	
CloseUserID	Closed By		x(8)	
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
CreateUserID	Created		x(8)	
DepartureDate	Departure Date		99/99/99	
DepartureTime	Time		99:99	
Domain	Domain		x(8)	
FOB	FOB Point		x(20)	
Language	Language		x(2)	
LoadNbr	Load Number	Load Nbr	x(8)	
LoadStatus	Status	St	x(2)	
LoadType	Type		x(8)	
MBOL	Master Bill	MBOL	x(20)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadMasterM			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Remark	Remark	Rmk	x(40)	
ShipDate	Due Date		99/99/99	
ShipTime	Time		99:99	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VehicleID	Vehicle ID		x(20)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadNbr	yes	Domain	yes	no
		LoadNbr	yes	no
LoadStatus	no	Domain	yes	no
		LoadStatus	yes	no
		Site	yes	no
		Whse	yes	no
LoadType	no	Domain	yes	no
		LoadType	yes	no
		Site	yes	no
		Whse	yes	no
oid_LoadMasterM	yes	oid_LoadMasterM	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LoadSAddrD

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DistrOrder	Distribution Order		yes/no	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSAddrD			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SalesOrder	Sales Order		yes/no	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.<<<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.<<<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LoadSAddrDidx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Addr	yes	no
	oid_LoadSAddrD	yes	oid_LoadSAddrD	yes	no
◇	Usrldx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

LoadSetupM

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExclShipViaList	Excl Ship Via		x(72)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSetupM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0

Field Name	Label	Col-Label	Format	Dec
QadD01	QAD Field		-->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		-->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		-->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LoadSetupMIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
	oid_LoadSetupM	yes	oid_LoadSetupM	yes	no
◇	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

LoadItemD Warehousing Load Setup Item Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSitemD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* LoadSitemDidx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Part	yes	no
oid_LoadSitemD	yes	oid_LoadSitemD	yes	no
◇ Usrldx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

LocalExitC Warehousing Local Exit Routine Control

Field Name	Label	Col-Label	Format	Dec
BatchOrderExp	Batch Order Export		x(10)	
BPPickSheet	Bulk Pick-Sheet (whbpplx01.p)	Bulk! Pick-Sheet	x(10)	
CancelShipment	Cancel Shipment		x(10)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ICCCAlgo	Cycle Count Selection Algorithms (whicccclx.p)	Cycle Count! Algorithms	x(10)	
LMTask	Task Calculation (whlmlx01.p)	Task! Calculation	x(10)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocalExitC			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
OMOrderDetail	Order Detail Update (whomlx01.p)	Order Detail	x(10)	
OrdSel	Order Select		x(8)	
OverPick	OverPick		x(8)	
PreShipList	Pre-Shipper List (whbps01.p)		x(10)	
PRUserFields	Printer Template User Fields (whprlx01.p)	Printer! Template! User Fields	x(10)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScreenFormat	Screen Format		x(8)	
SendShipment	Send Shipment		x(10)	
TaskSort	Task Sort		x(8)	
TMSControl	TMS Integration Control		x(10)	
TruckShipment	Truck Shipment		x(10)	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	

Field Name	Label	Col-Label	Format	Dec
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>,>>>, >9.9<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>,>>>, >9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LocalExitC	yes	oid_LocalExitC	yes	no
◇* UniqueId	yes	Domain	yes	no
		UniqueId	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

locc_det Reserved Locations Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
locc_addr_site	yes	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_loc	yes	no
locc_primary	no	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_primary_loc	yes	no
* locc_site_loc	yes	locc_domain	yes	no
		locc_site	yes	no
		locc_loc	yes	no
		locc_addr	yes	no
oid locc_det	yes	oid locc_det	yes	no

Warehousing Location Definition Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LocDefSeq	yes	Domain	yes	no
			LocDef	yes	no
			LDSeq	yes	no
	oid_LocDefD	yes	oid_LocDefD	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing Location Definition Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LocDef	Location Definition	Location! Definition	X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LocDef	yes	Domain	yes	no
			LocDef	yes	no
	oid_LocDefM	yes	oid_LocDefM	yes	no
◇	UsrIdx	no	User1	yes	no
			User2	yes	no

locd det	Ending Inventory Balance of a cost calculation period

Index-Name	Uni	Field-Name	Asc	Abbr
lcmd_dom_pt_si_unqty	no	lcmd_domain	yes	no
		lcmd_part	yes	no
		lcmd_site	yes	no
		lcmd_uncons_qty_oh	yes	no
lcmd_glccp_pt_si_loc	yes	oid_glccp_det	yes	no
		lcmd_part	yes	no
		lcmd_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		Ref	yes	no
oid_LocForD	yes	oid_LocForD	yes	no
◇ OrderIdx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
TypeOrder	no	Domain	yes	no
		ForType	yes	no
		DSet	yes	no
		Nbr	yes	no
		Site	yes	no
		Line	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

LocM

Warehousing Location Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_LocM	yes	oid_LocM	yes	no
SiteLoc	yes	Domain	yes	no
		Site	yes	no
		Loc	yes	no
SiteWhseLoc	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
SLGLoc	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		Loc	yes	no
SLGPopCode	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		PopCode	yes	no
		Full%	yes	no
StoreType	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StoreType	yes	no
UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

[illegible]

LocUMM

Warehousing Location Unit of Measure Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LUMMidx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
			Part	yes	no
			UM	yes	no
	LUMMPart	yes	Domain	yes	no
			Part	yes	no
			UM	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
	oid_LocUMM	yes	oid_LocUMM	yes	no
◇	PartWhse	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Warehousing Location Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Location	no	Domain	yes	no
		AlgoType	yes	no
		Site	yes	no
		Loc	yes	no
* LwidX	yes	Domain	yes	no
		InternalID	yes	no
		AlgoType	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
oid_LocW	yes	oid_LocW	yes	no
SiteSeq	no	Domain	yes	no
		InternalID	yes	no
		AlgoType	yes	no
		Site	yes	no
		WkSeq	yes	no
◇ UsrldX	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

loc_mstr

Location Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* loc_loc	yes	loc_domain	yes	no
		loc_site	yes	no
		loc_loc	yes	no
oid_loc_mstr	yes	oid_loc_mstr	yes	no

lotw_wkfl

Lot Number Work Table

Field Name	Label	Col-Label	Format	Dec
lotw_qadc01			x(8)	
lotw_domain	Domain		x(8)	
lotw_lotser	Lot/Serial		x(18)	
lotw_mfguser			x(50)	
lotw_part	Item Number		x(18)	
lotw_user1	Ufld1		x(8)	
lotw_user2	Ufld2		x(8)	
lotw_userid	User ID		x(50)	
oid_lotw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
lot_user_lot	yes	lotw_domain	yes	no
		lotw_mfguser	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
* lotw_ser_part	yes	lotw_domain	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
oid_lotw_wkfl	yes	oid_lotw_wkfl	yes	no

lot_mstr

Lot Master

Field Name	Label	Col-Label	Format	Dec
lot__chr01	Chrflid 1		x(8)	
lot__chr02	Chrflid 2		x(8)	
lot__chr03	Chrflid 3		x(8)	
lot__chr04	Chrflid 4		x(8)	
lot__chr05	Chrflid 5		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* lot_part_serial	yes	lot_domain	yes	no
		lot_part	yes	no
		lot_serial	yes	no
lot_serial_part	no	lot_domain	yes	no
		lot_serial	yes	no
		lot_part	yes	no
oid_lot_mstr	yes	oid_lot_mstr	yes	no

Address List Detail

Field Name	Label	Col-Label	Format	Dec
ls_type	List Type	List	x(8)	
ls_user1	Ufld1		x(8)	
ls_user2	Ufld2		x(8)	
oid_ls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			q<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ls_addrtype	yes	ls_domain	yes	no
		ls_addr	yes	no
		ls_type	yes	no
ls_type	yes	ls_domain	yes	no
		ls_type	yes	no
		ls_addr	yes	no
oid ls_mstr	yes	oid ls_mstr	yes	no

maxt det	Maximum Table Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* maxt_index	yes	maxt_field	yes	no
		maxt_book	yes	no
		maxt_entity	yes	no
		maxt_class	yes	no
		maxt_beg_date	yes	no
		maxt_end_date	yes	no
oid maxt_det	yes	oid maxt_det	yes	no

max mstr Maximums Master

Field Name	Label	Col-Label	Format	Dec
max_qad01			x(4)	
max_qad02			x(8)	
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>, >>>, >>>, >>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>, >>>, >>>, >>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum	Reduce Maximum by	->>, >>>, >>>, >>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>, >>>, >>>, >>9.99<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_Messaged	yes	oid_Messaged	yes	no
ReadDate	no	Domain	yes	no
		ReadUserId	yes	no
		ReadDate	yes	no
		ReadTime	yes	no
* ReadUserId	yes	Domain	yes	no
		MsgNbr	yes	no
		ReadUserId	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

MessageM Warehousing Messaging Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	MsgNbr	yes	Domain	yes	no
			MsgNbr	yes	no
	oid_MessageM	yes	oid_MessageM	yes	no
	SendDate	no	Domain	yes	no
			SendDate	yes	no
			SendTime	yes	no
	SendUserId	no	Domain	yes	no
			SendUserId	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

Control Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
* mfc_field	yes	mfc_domain	yes	no
		mfc_field	yes	no
mfc_mod_seq	yes	mfc_domain	yes	no
		mfc_module	yes	no
		mfc_seq	yes	no
oid_mfc_ctrl	yes	oid_mfc_ctrl	yes	no

mfrel mstr Master Table Relationships[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mfred_source_targ	yes	mfrel_type	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
mfrel_targ_source	yes	mfrel_type	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
oid_mfred_mstr	yes	oid_mfred_mstr	yes	no

mfscsl mstr used for logging the changes made for MFS related tables.

Field Name	Label	Col-Label	Format	Dec
mfscf__qadc01			x(24)	
mfscf__qadc02			x(24)	
mfscf_domain	Domain		x(8)	
mfscf_keyfieldname1	Key Field Name 1		x(30)	
mfscf_keyfieldname2	Key Field Name 2		x(30)	
mfscf_keyfieldname3	Key Field Name 3		x(30)	
mfscf_keyfieldname4	Key Field Name 4		x(30)	
mfscf_keyfieldname5	Key Field Name 5		x(30)	
mfscf_keyfieldname6	Key Field Name 6		x(30)	
mfscf_keyfieldvalue1	Key Field Value 1		x(36)	
mfscf_keyfieldvalue2	Key Field Value 2		x(36)	
mfscf_keyfieldvalue3	Key Field Value 3		x(36)	
mfscf_keyfieldvalue4	Key Field Value 4		x(36)	
mfscf_keyfieldvalue5	Key Field Value 5		x(36)	
mfscf_keyfieldvalue6	Key Field Value 6		x(36)	
mfscf_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
mfscsl_mod_userid	User ID		x(8)	
mfscsl_operation	Operation		x(1)	
mfscsl_tablename	Table Name		x(14)	
mfscsl_timestamp	Time Stamp		99/99/9999 HH:MM:SS.SSS	
mfscsl_user1	User Field Character 1		x(24)	
mfscsl_user2	User Field Character 2		x(24)	
oid_mfscsl_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mfscsl_tablename	yes	mfscsl_domain	yes	no
		mfscsl_tablename	yes	no
		mfscsl_keyfieldvalue1	yes	no
		mfscsl_keyfieldvalue2	yes	no
		mfscsl_keyfieldvalue3	yes	no
		mfscsl_keyfieldvalue4	yes	no
		mfscsl_keyfieldvalue5	yes	no
		mfscsl_keyfieldvalue6	yes	no
oid_mfscsl_mstr	yes	oid_mfscsl_mstr	yes	no

mfsd_det QAD Mobile Field Service User Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
mfsd_eng_id	yes	mfsd_eng_id	yes	no
* mfsd_userid	yes	mfsd_userid	yes	no
oid_mfsd_det	yes	oid_mfsd_det	yes	no

mfsisd_det

Field Name	Label	Col-Label	Format	Dec
mfslsd__qadc01			x(24)	
mfslsd__qadc02			x(24)	
mfslsd_deviceid	Device ID		x(30)	
mfslsd_lastsync	Last Sync		99/99/9999 HH:MM:SS.SSS	
mfslsd_mod_date	Modified Date	Mod Date	99/99/99	
mfslsd_mod_userid	User ID		x(8)	
mfslsd_user1	User Field Character 1		x(24)	
mfslsd_user2	User Field Character 2		x(24)	
mfslsd_userid	User ID		x(8)	
oid_mfslsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* mflsld_userid	yes	mflsld_userid	yes	no
		mflsld_deviceid	yes	no
oid_mflsld_det	yes	oid_mflsld_det	yes	no

MirroringGL

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Mirror1CostCentre_ID	Mirror 1 Cost Center		9999999999	
Mirror1Division_ID	Mirror 1 Sub-Account		9999999999	
Mirror1GL_ID	Mirror 1 Account		9999999999	
Mirror1Project_ID	Mirror 1 Project		9999999999	
Mirror2CostCentre_ID	Mirror 2 Cost Center		9999999999	
Mirror2Division_ID	Mirror 2 Sub-Account		9999999999	
Mirror2GL_ID	Mirror 2 Account		9999999999	
Mirror2Project_ID	Mirror 2 Project		9999999999	
MirroringGL_ID	Record ID		9999999999	
MirroringGLSplitGLType	Account Split Type		x(20)	
MirroringGLTrans1Journal	Transaction 1 Daybook		x(20)	
MirroringGLTrans2Journal	Transaction 2 Daybook		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Source1CostCentre_ID	Source 1 Cost Center		9999999999	
Source1Division_ID	Source 1 Sub-Account		9999999999	
Source1GL_ID	Source 1 Account Type	Source 1 Account Type	9999999999	
Source1Project_ID	Source 1 Project		9999999999	
Source2CostCentre_ID	Source 2 Cost Center		9999999999	
Source2Division_ID	Source 2 Sub-Account		9999999999	
Source2GL_ID	Source 2 Account Type		9999999999	
Source2Project_ID	Source 2 Project		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	MirroringGL_ID	yes	no
◇ Uniqueidx	yes	Domain_ID	yes	no
		Company_ID	yes	no
		Source1GL_ID	yes	no
		Source1Division_ID	yes	no
		Source1CostCentre_ID	yes	no
		Source1Project_ID	yes	no
		Source2GL_ID	yes	no
		Source2Division_ID	yes	no
		Source2CostCentre_ID	yes	no
		Source2Project_ID	yes	no

MirroringJournalMirror Daybook

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity		9999999999	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MirroringJournal_ID	Record ID		9999999999	
MirrorJournal_ID	Mirror Daybook Control	Mirror Daybook Ctrl	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SourceJournal_ID	Source Daybook Control	Source Daybook Ctrl	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Domains	no	Domain_ID	yes	no
◇ MirrorJrnl	no	MirrorJournal_ID	yes	no
◇* Prim	yes	MirroringJournal_ID	yes	no
◇ SourceJrnl	no	SourceJournal_ID	yes	no
◇ Uniqueidx	yes	Domain_ID	yes	no
		Company_ID	yes	no
		SourceJournal_ID	yes	no

mnd det Menu Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
mnd_exec	no	mnd_exec	yes	no
mnd_name	no	mnd_name	yes	no
* mnd_nbr	yes	mnd_nbr	yes	no
		mnd_select	yes	no
mnd_uri	no	mnd_uri	yes	no
oid_mnd_det	yes	oid_mnd_det	yes	no

mnp_det Service/Support Custom Program Detail

Field Name	Label	Col-Label	Format	Dec
mnp__qadc01			x(8)	
mnp_domain	Domain		x(8)	
mnp_exec	Program to Execute		x(12)	
mnp_menu	Menu		x(12)	
mnp_prog_type	Program Type		x(8)	
mnp_program	Program		x(12)	
mnp_repeat_group	Repeat Group		x(8)	
mnp_select	Selection		>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mnp_program	yes	mnp_domain	yes	no
		mnp_program	yes	no
		mnp_userid	yes	no
		mnp_sequence	yes	no
		mnp_prog_type	yes	no
oid_mnp_det	yes	oid_mnp_det	yes	no

mnt_det Menu Title Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mnt_lang	no	mnt_lang	yes	no
	mnt_nsl	yes	mnt_nbr	yes	no
			mnt_select	yes	no
			mnt_lang	yes	no
	oid_mnt_det	yes	oid_mnt_det	yes	no

mpd_det Master Specification Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mpd_nbr	yes	mpd_domain	yes	no
		mpd_nbr	yes	no
		mpd_type	yes	no
oid_mpd_det	yes	oid_mpd_det	yes	no

mph_hist

Master Specification Test History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mph_lot	yes	mph_domain	yes	no
		mph_lot	yes	no
		mph_part	yes	no
		mph_routing	yes	no
		mph_op	yes	no
		mph_test	yes	no
oid_mph_hist	yes	oid_mph_hist	yes	no

mpp_det

Service/Support Custom Program Parameter Detail

Field Name	Label	Col-Label	Format	Dec
mpp__chr01	User character Field 1		X(8)	
mpp__log01	User Logical Field 1		yes/no	
mpp__qadc01	QAD Character field 1		X(8)	
mpp__qade01	QAD Decimal Field 1		->>, >>9.99	10
mpp__qadl01	QAD Logical Field 1		yes/no	
mpp__qadt01	QAD Date Field 1		99/99/99	
mpp_desc	Description		x(24)	
mpp_domain	Domain		x(8)	
mpp_field_type	Field Type		x(16)	
mpp_line	Line		>>9	
mpp_mod_date	Modified Date	Mod Date	99/99/99	
mpp_mod_userid	User ID		X(8)	0
mpp_parm	Field Name		x(18)	
mpp_program			x(18)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mpp_program	yes	mpp_domain	yes	no
		mpp_program	yes	no
		mpp_sequence	yes	no
		mpp_line	yes	no
oid_mpp_det	yes	oid_mpp_det	yes	no

mps_mstr Master Production Schedule

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mps_part	yes	mps_domain	yes	no
		mps_part	yes	no
		mps_site	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
mps_record	yes	mps_domain	yes	no
		mps_record	yes	no
mps_site	yes	mps_domain	yes	no
		mps_site	yes	no
		mps_part	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
oid_mps_mstr	yes	oid_mps_mstr	yes	no

mp_mstr Master Specification

Field Name	Label	Col-Label	Format	Dec
mp_chr01			x(8)	
mp_chr02			x(8)	
mp_chr03			x(8)	
mp_chr04			x(8)	
mp_chr05			x(8)	
mp_dec01			>>>,>>>,>>9.99	10
mp_dec02			>>>,>>>,>>9.99	10
mp_desc	Description		x(24)	
mp_domain	Domain		x(8)	
mp_expire	Expire Date		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mp_nbr	yes	mp_domain	yes	no
		mp_nbr	yes	no
oid mp_mstr	yes	oid mp_mstr	yes	no

mrpc_ctrl[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mrpc_index1	yes	mrpc_domain	yes	no
oid_mrpc_ctrl	yes	oid_mrpc_ctrl	yes	no

mrpp_det[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
mrpp_demand	no	mrpp_domain	yes	no
		mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_due_date	yes	no
* mrpp_det	yes	mrpp_domain	yes	no
		mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_mrp_keyid	yes	no
mrpp_supply	no	mrpp_domain	yes	no
		mrpp_supply_mrp_keyid	yes	no
		mrpp_demand_due_date	yes	no
oid_mrpp_det	yes	oid_mrpp_det	yes	no

Material Requirements Planning Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* mrp_det	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_part	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
mrp_keyid	no	mrp_domain	yes	no
		mrp_keyid	yes	no
mrp_nbr	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
		mrp_part	yes	no
mrp_partdate	no	mrp_domain	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	no	no
mrp_site_due	no	mrp_domain	yes	no
		mrp_site	yes	no
		mrp_part	yes	no
		mrp_due_date	yes	no
		mrp_type	yes	no
mrp_sitetype	no	mrp_domain	yes	no
		mrp_site	yes	no
		mrp_part	yes	no
		mrp_type	yes	no
		mrp_due_date	yes	no
		mrp_qty	yes	no
oid_mrp_det	yes	oid_mrp_det	yes	no

Message Broker Setting

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
OADT01			99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	MsgBrokerSet	yes	MsgBrokerSetting_ID	yes	no
◇	Name	yes	MsgBrokerSettingName	yes	no

msg_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* msg_in	yes	msg_lang	yes	no
		msg_nbr	yes	no
oid msg_mstr	yes	oid msg_mstr	yes	no

mu_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mu_member_curr	yes	mu_domain	yes	no
		mu_member_curr	yes	no
		mu_start_date	no	no
oid_mu_mstr	yes	oid_mu_mstr	yes	no

Net Commerce Control

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ncc_index1	yes	ncc_domain	yes	no
	oid_ncc_ctrl	yes	oid_ncc_ctrl	yes	no

Nomenclature

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
Nomenclature_ID	Record ID		9999999999	
NomenclatureCode			x(20)	
NomenclatureDescription			x(40)	
NomenclaturesActive			yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Unit_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	NomenclaturesActive	yes	no
◇ CodeIdx	yes	NomenclatureCode	yes	no
◇* Prim	yes	Nomenclature_ID	yes	no
UnitIdx	no	Unit_ID	yes	no
◇ ViewIndex	no	NomenclaturesActive	yes	no
		NomenclatureCode	yes	no

nrh_hist Number Range History

Field Name	Label	Col-Label	Format	Dec
nrh_qadc01			x(8)	
nrh_action	Action		x(8)	
nrh_date	Date		99/99/99	
nrh_desc	Description		x(40)	
nrh_domain	Domain		x(8)	
nrh_inc	Incrementing Value		x(40)	
nrh_line	Line		>,>>>,>>9	
nrh_non_inc	Non Incrementing Value		x(40)	
nrh_number	Sequence Value		x(40)	
nrh_seqid	Sequence ID	Id	x(8)	

Field Name	Label	Col-Label	Format	Dec
nrh_time	Time		x(8)	
nrh_user1	Ufld1		x(8)	
nrh_user2	Ufld2		x(8)	
nrh_userid	User ID		x(8)	
oid_nrh_hist			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* nrh_index	yes	nrh_domain	yes	no
		nrh_seqid	yes	no
		nrh_number	yes	no
		nrh_action	yes	no
		nrh_line	yes	no
oid_nrh_hist	yes	oid_nrh_hist	yes	no

nr_mstr	Number Range Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nr_seqid	yes	nr_domain	yes	no
		nr_seqid	yes	no
oid_nr_mstr	yes	oid_nr_mstr	yes	no

nsoc ctrl	Non-Sales Order Control

Field Name	Label	Col-Label	Format	Dec
nsoc__qadc01	QAD Character Field 1		x(24)	
nsoc__qadc02	QAD Character Field 2		x(24)	
nsoc__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<	10
nsoc__qadt01	QAD Date Field 1		99/99/99	
nsoc_all_days	Allocate NSO Lines Due in Days		>>>>>9	
nsoc_bo_advice	Next Back Order Advice		>>>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* nsoc_index1	yes	nsoc_domain	yes	no
oid_nsoc_ctrl	yes	oid_nsoc_ctrl	yes	no

Action Message Detail

Index-Name	Uni	Field-Name	Asc	Abbr
* oa_part	yes	oa_domain	yes	no
		oa_part	yes	no
		oa_site	yes	no
		oa_code	yes	no
		oa_nbr	yes	no
		oa_line	yes	no
		oa_to_date	yes	no
oa_site	no	oa_domain	yes	no
		oa_site	yes	no
		oa_part	yes	no
oid_oa_det	yes	oid_oa_det	yes	no

Object Status

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ObjectStatusCode	yes	no

Service/Support On Call Master

Field Name	Label	Col-Label	Format	Dec
ocm_mod_date	Modified Date	Mod Date	99/99/99	
ocm_mod_userid	User ID		X(8)	
ocm_page	Page		Call/Page	
ocm_schedule	On Call Schedule	Schedule	X(8)	
ocm_start_eff	Start Effective	Start	99/99/99	
ocm_user1	Ufld1		x(8)	
ocm_user2	Ufld2		x(8)	
oid_ocm_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* ocm_area	yes	ocm_domain	yes	no
		ocm_area	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_code	no	ocm_domain	yes	no
		ocm_eng_code	yes	no
		ocm_start_eff	yes	no
ocm_eng_schedule	no	ocm_domain	yes	no
		ocm_eng_code	yes	no
		ocm_schedule	yes	no
		ocm_start_eff	yes	no
oid_ocm_mstr	yes	oid_ocm_mstr	yes	no

OlAdjust

Open Item Adjustment

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OIAdjust_ID	Record ID		9999999999	
OIAdjustComment	Comment		x(255)	
OIAdjustDescription	Description		x(255)	
OIAdjustPostingDate	Date		99/99/9999	
OIAdjustPostingJournalCode	Daybook		x(8)	
OIAdjustPostingJournalType	Daybook Type		x(30)	
OIAdjustPostingPeriod	Period		99	
OIAdjustPostingVoucher	Voucher		9999999999	
OIAdjustPostingYear	Year		9999	
Posting_ID	Link to Posting		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CompanyIdx	no	Company_ID	yes	no
CyYrJrnlVouch	no	Company_ID	yes	no
		OIAdjustPostingYear	yes	no
		OIAdjustPostingJournalCode	yes	no
		OIAdjustPostingVoucher	yes	no
◇* prim	yes	OIAdjust_ID	yes	no
◇ UniqueIdx	no	Posting_ID	yes	no

OIAdjustLn Open Item Adjustment Line

Field Name	Label	Col-Label	Format	Dec
CInvoice_ID	Link to CInvoice		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DInvoice_ID	Link to DInvoice		9999999999	
InvMovementPostingLine_ID	Link to PostingLine		9999999999	
JournalEntryPostingLine_ID	Link to PostingLine		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
OIAAdjust_ID	Link to OIAAdjust		9999999999	
OIAAdjustLn_ID	Record ID		9999999999	
OIAAdjustLnBaseCurrencyCode	Base Currency	BC	x(3)	
OIAAdjustLnCurrencyCode	Transactional Currency	TC	x(3)	
OIAAdjustLnGLCode	GL Account		x(8)	
OIAAdjustLnInvCompanyCode	Entity		x(20)	
OIAAdjustLnInvCredDebCode	Supplier/Customer		x(8)	
OIAAdjustLnInvDate	Invoice Date		99/99/9999	
OIAAdjustLnInvIdentifier	Invoice Number		x(40)	
OIAAdjustLnInvJournalCode	Daybook		x(8)	
OIAAdjustLnInvReference	Reference		x(40)	
OIAAdjustLnInvType	Invoice Type		x(20)	
OIAAdjustLnInvVoucher	Voucher		9999999999	
OIAAdjustLnInvYear	Year		9999	
OIAAdjustLnMovementAmtLC	BC Movement		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnMovementAmtTC	TC Movement		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnNewBalanceAmtLC	BC New Balance		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnNewBalanceAmtTC	TC New Balance		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnOrigBalanceAmtLC	BC Orig Balance		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnOrigBalanceAmtTC	TC Orig Balance		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnPaymentDiscLC	BC Payment Disc		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnPaymentDiscTC	TC Payment Disc		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnTaxDiscLC	BC Tax Disc		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnTaxDiscTC	TC Tax Disc		-->>>,>>>,>>>,>>9.99	4
OIAAdjustLnType	Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
OADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CInvoice	no	CInvoice_ID	yes	no
◇ DInvoice	no	DInvoice_ID	yes	no
InvMovement	no	InvMovementPostingLine_ID	yes	no
JournalEntry	no	JournalEntryPostingLine_ID	yes	no
OIAAdjust	no	OIAAdjust_ID	yes	no
◇* prim	yes	OIAAdjustLn_ID	yes	no
◇ UniqueIdx	yes	OIAAdjust_ID	yes	no
		CInvoice_ID	yes	no
		DInvoice_ID	yes	no
		JournalEntryPostingLine_ID	yes	no

opc_ctrl

Shop Floor Operation History Control

Field Name	Label	Col-Label	Format	Dec
oid_opc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
opc_qad01			.9<<<<<<<<	
opc__qadi01			>>>>>>9	
opc__qadi02			->>>>>>>9	
opc_close_gl	Create GL		>>>>>>9	
opc_domain	Domain		yes/no	
opc_move	Move Next Operation		x(8)	
opc_payroll	Interface Payroll		yes/no	
opc_std_hrs	Standard Hours		>>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_opc_ctrl	yes	oid_opc_ctrl	yes	no
opc_index1	yes	opc_domain	yes	no

Shop Floor Operation General Ledger Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_opgl_det	yes	oid_opgl_det	yes	no
opgl_dr_cr	no	opgl_domain	yes	no
		opgl_dr_acct	yes	no
		opgl_dr_sub	yes	no
		opgl_dr_cc	yes	no
		opgl_cr_acct	yes	no
		opgl_cr_sub	yes	no
		opgl_cr_cc	yes	no
opgl_dy	no	opgl_domain	yes	no
		opgl_dy_code	yes	no
		opgl_dy_num	yes	no
		opgl_sequence	yes	no
* opgl_nbr_ref	yes	opgl_domain	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no
		opgl_sequence	yes	no
opgl_ref_nbr	no	opgl_domain	yes	no
		opgl_gl_ref	yes	no
		opgl_trnbr	yes	no
opgl_type_nbr_ref	no	opgl_domain	yes	no
		opgl_type	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
oid_opm_mstr			>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>, >>>, >>9.99	10
opm__dec02			>>>, >>>, >>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__gade01	QAD Decimal Field 1		->>, >>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	
opm_batch	Batch Size		>, >>>, >>9	
opm_bom_code	BOM Code		X(18)	
opm_cmtindx	Comment Index	Comment	>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>, >>9.999	10
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_domain	Domain		x(8)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>, >>>, >>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>, >>9.9<<	10
opm_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
opm_setup	Setup Time	Setup	>, >>9.9<<	10
opm_std_op	Standard Operation	Std Op	x(8)	
opm_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_opm_mstr	yes	oid_opm_mstr	yes	no
opm_desc	yes	opm_domain	yes	no
		opm_desc	yes	no
		opm_std_op	yes	no
* opm_std_op	yes	opm_domain	yes	no
		opm_std_op	yes	no

ops_ctrl Operations Plan Control

Field Name	Label	Col-Label	Format	Dec
oid_ops_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ops__qadc01			.9<<<<<<<<<	
ops__qadi01			x(8)	
ops_cover	Maximum Weeks Coverage	Max Wks	->>>>>>>9	
ops_domain	Domain		>9.99	10
ops_move	Move Holiday Production		x(8)	
			yes/no	

Field Name	Label	Col-Label	Format	Dec
ops_plan	Use Operations Plan	Ops Plan	yes/no	
ops_round	Use Rounding		yes/no	
ops_user1	Ufld1		x(8)	
ops_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ops_ctrl	yes	oid_ops_ctrl	yes	no
*	ops_index1	yes	ops_domain	yes	no

op_hist	Operation Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_op_hist			>>>>>>>>>>>>>>>>>>>>>9	10
op__chr01			.9<<<<<<<<	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>, >>>, >>9.99	10
op__dec02			>>>, >>>, >>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	
op__qad02			x(8)	
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	
op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>>, >>9.999	10
op_act_run	Act Run Time	Act Run	->, >>9.9<<	10
op_act_setup	Act Setup Time	Act Setup	->, >>9.9<<	10
op_act_units	Actual Units/Cycle	Act U/C	>>>>>9	0
op_bdn_cost	Burden Cost	Burden	->>>>, >>9.99	10
op_bdn_std	Burden Cost Std	Std Burden	->>>>, >>9.99	10
op_ca_int_type	Work Code		x(8)	
op_ca_opn_date			99/99/99	
op_cmtindx	Comment Index		>>>>>>>9	
op_comment	Comment		x(40)	
op_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
op_curr	Currency	Cur	x(3)	
op_date	Effective Date	Date	99/99/99	
op_dept	Department		x(8)	
op_doc_id	Document ID		x(24)	
op_domain	Domain		x(8)	
op_earn	Earning Code		x(4)	
op_emp	Employee		x(8)	
op_eng_area	Service Area	Area	x(18)	
op_eng_code	Engineer Code	Eng Code	x(8)	
op_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
op_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
op_ex_ratetype	Rate Type		x(8)	
op_exru_seq	Sequence		>>>>>>>>9	
op_fcg_code	Charge Code		x(8)	
op_flbr_cstd	Curr Cost		->>>>, >>9.99	10
op_flbr_std			->>>>, >>9.99	10
op_flgvrte_accr			->>>>, >>9.99	10
op_flgvrte_post			->>>>, >>9.99	10
op_from_op	From Operation		>>>>99	
op_fsc_code	Service Category		x(8)	
op_fsm_type	FSM Type		x(8)	
op_gl_amt	GL Amount		->>>>>>, >>9.99	10
op_itm_line			>>>>9	

Field Name	Label	Col-Label	Format	Dec
op_lbr_cost	Labor Cost	Labor	->>>>, >>9.99	10
op_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
op_lbr_std	Labor Cost Std	Std Labor	->>>>, >>9.99	10
op_line	Production Line	Line	x(8)	
op_mch	Machine		x(8)	
op_milestone	Milestone Operation	Milestone	yes/no	
op_part	Item Number		x(18)	
op_pay_calc	Payroll Calculated		yes/no	
op_po_nbr	Purchase Order	PO	x(8)	
op_pod_line	Line		>>9	
op_prh_receiver	Receiver		x(8)	
op_price	Price		>>>>, >>>, >>9.99<<<	10
op_pro_pct	Prorate Pct		->>9.99%	10
op_program	Program		x(12)	
op_project	Project		x(8)	
op_qty_adjust	Qty Adjusted		->, >>>, >>9.9<<<<<<<<	10
op_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
op_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
op_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<	10
op_qty_scrap	Qty Scrapped		->, >>>, >>9.9<<<<<<<<	10
op_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_rsn_scrap	Scrap Reason		x(8)	
op_sa_nbr	Service Contract		x(8)	
op_sad_line	Contract Line	Ln	>>>>>>>9	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>, >>9.999	10
op_std_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<	10
op_std_setup	Std Setup Time	Std Setup	>, >>9.9<<	10
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0
op_sub_cost	Subcontract Cost	Subcontract	->>>>, >>9.99	10
op_sub_std	Subcontract Std	Std Subcntrct	->>>>, >>9.99	10
op_sv_code	Contract Type		x(8)	
op_svc_type			x(1)	
op_time	Time		>>, >>>, >>9	
op_to_op	To Operation		>>>>99	
op_tool	Tool Code	Tool	x(8)	
op_tran_date	Tran Date	Tran! Date	99/99/99	
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userc03	User Field Character 3		x(24)	
op_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
op_useri01	User Field Integer 1		->>>>>>>9	
op_userid	User ID		x(8)	
op_userl01	User Field Logical 1		yes/no	
op_usert01	User Field Date 1		99/99/99	
op_wip_lotser	Lot/Serial		x(18)	
op_wip_ref	Reference	Ref	x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_op_hist	yes	oid_op_hist	yes	no
op_date	no	op_domain	yes	no
		op_date	yes	no
		op_trnbr	yes	no
op_emp	no	op_domain	yes	no
		op_emp	yes	no
		op_site	yes	no
		op_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
op_lot_op	no	op_domain	yes	no
		op_wo_lot	yes	no
		op_wo_op	yes	no
		op_date	yes	no
op_part	no	op_domain	yes	no
		op_part	yes	no
		op_site	yes	no
		op_wo_op	yes	no
op_rsn	no	op_date	yes	no
		op_domain	yes	no
		op_rsn	yes	no
		op_site	yes	no
op_rsn_rjct	no	op_date	yes	no
		op_domain	yes	no
		op_rsn_rjct	yes	no
		op_site	yes	no
op_rsn_rwrk	no	op_date	yes	no
		op_domain	yes	no
		op_rsn_rwrk	yes	no
		op_site	yes	no
* op_trnbr	yes	op_date	yes	no
		op_domain	yes	no
		op_trnbr	yes	no
		op_type	yes	no
op_type	no	op_domain	yes	no
		op_site	yes	no
		op_type	yes	no
		op_date	yes	no
op_wkctr	no	op_domain	yes	no
		op_site	yes	no
		op_wkctr	yes	no
		op_mch	yes	no
op_wo_nbr	no	op_date	yes	no
		op_domain	yes	no
		op_wo_nbr	yes	no
		op_wo_lot	yes	no
		op_date	yes	no

OrdAllocD Warehousing Order Allocation Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
DSetNbrLine	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
* DSetSiteLoc	no	Domain	yes	no
		DSet	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
oid_OrdAllocD	yes	oid_OrdAllocD	yes	no
ShipFromID	no	Domain	yes	no
		ABSShipFrom	yes	no
		ABSID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

OrdAllocH Warehousing Order Allocation History

[illegible]

Field Name	Label	Col-Label	Format	Dec
OldQtyPick	Old Picked		->, >>>, >>>9.9<<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Dateldx	no	Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
oid_OrdAllocH	yes	oid_OrdAllocH	yes	no
◇* Orderldx	no	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
		Part	yes	no
◇ Part	no	Domain	yes	no
		Part	yes	no
◇ Usrldx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

OrderD

Warehousing Order Detail

Field Name	Label	Col-Label	Format	Dec
Allocation	Allocation		x(8)	
AllocNbr	Allocation Order		x(18)	
AltUM	Alternate UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
Explicit	Explicit Supply	Explic	yes/no	
InspReq	Inspection Required	Insp Req	yes/no	
InternalID	Internal User ID	Internal! User ID	x(50)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
LoadOpt	Load Optimization	Load	yes/no	
LocType	Location Type	Location! Type	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
Nbr	Order		x(18)	
oid_OrderD			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Status	Stat	x(8)	
Part	Item Number		x(18)	
Picked	Picked	Pick	yes/no	
PickStatus	Pick Status	St	x(1)	
PreShipper	PreShipper		X(8)	
Priority	Priority		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
Shipper	Shipper	Shipper	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Short	Short		yes/no	
ShortQty	Qty Short	Qty! Short	->, >>>, >>9.9<<<<<<<<<	2
Site	Site		x(8)	
User1	User Field Character 1		x(24)	
User2	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Allocation	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Allocation	yes	no
		DueDate	yes	no
◇ DueDate	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		DueDate	yes	no
Internal	no	Domain	yes	no
		InternalID	yes	no
		PickStatus	yes	no
◇* Line	yes	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
◇ LoadID	no	Part	yes	no
		Domain	yes	no
		PickStatus	yes	no
		LoadID	yes	no
		Site	yes	no

Field Name	Label	Col-Label	Format	Dec
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Route	Route		X(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
User1	User Field Character 1		x(8)	
User2	User Field Character 1		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
	no	Domain	yes	no
		DSet	yes	no
		Priority	yes	no
◇ Nbr	no	Domain	yes	no
		Nbr	yes	no
		DSet	yes	no
oid_OrderM	yes	oid_OrderM	yes	no
◇* OrderIdx	yes	Domain	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
OrdType	no	Domain	yes	no
		OrdType	yes	no
Priority	no	Domain	yes	no
		Priority	yes	no
		DSet	yes	no
		Nbr	yes	no
◇ Profile	no	Domain	yes	no
		Profile	yes	no
◇ ShipTo	no	Domain	yes	no
		ShipTo	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

OrderSeld Warehousing Order Batch Selection Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
PromiseDate	Promise Date	Promise	99/99/99	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Qty	Quantity	Qty	->, >>>, >>9.9<<<<<<<<	10
RequiredDate	Required Date	Required	99/99/99	
Route	Route		x(8)	
SelNbr	Selection Number	Sel Nbr	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
TareWeight	Tare Weight		>, >>>, >>9.9<<<<<<<<	10
UM	UM		x(2)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Volume	Volume		>, >>>, >>9.9<<<<<<<<	10
VolumeUM	Volume UM		x(2)	
WeightUM	Weight UM		x(2)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Line	yes	Domain	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
oid_OrderSelD	yes	oid_OrderSelD	yes	no
◇ OrderLine	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Line	yes	no
		Part	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

OrderSelM Warehousing Order Batch Selection Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_OrderSelM	yes	oid_OrderSelM	yes	no
* SelNbr	yes	Domain	yes	no
		SelNbr	yes	no
SelStatus	no	Domain	yes	no
		SelStatus	yes	no
		Site	yes	no
		Whse	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

pac_mstr Purchase Approval Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pac_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pac__qadc01			.9<<<<<<<<<	
pac_amt[4]	Minimum Amount		x(8)	
pac_apr_by[4]	Approver		->>>>, >>>, >>9.99	10
pac_code	Approval Code	Apv Code	x(8)	
pac_desc	Description		x(24)	
pac_domain	Domain		x(8)	
pac_mod_date	Modified Date	Mod Date	99/99/99	
pac_pl	Product Line	Line	x(4)	
pac_pur_acct	Purchases Acct	Pur Acct	x(8)	
pac_pur_cc	Purchases CC	CC	x(4)	
pac_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pac_req_by	Requested By	Req By	x(8)	
pac_site	Site		x(8)	
pac_user1	User1		x(8)	
pac_user2	User2		x(8)	
pac_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pac_mstr	yes	oid_pac_mstr	yes	no
*	pac_code	yes	pac_domain	yes	no
			pac_code	yes	no
	pac_index1	no	pac_domain	yes	no
			pac_site	yes	no
			pac_pl	yes	no
			pac_pur_acct	yes	no
			pac_pur_sub	yes	no
			pac_pur_cc	yes	no
			pac_req_by	yes	no

pald_det Pallet Detail

Field Name	Label	Col-Label	Format	Dec
oid_pald_det			>>>>>>>>>>>>>>>>>>>>>9	10
pald_chr01			.9<<<<<<<<	
pald_chr02			x(8)	
pald_chr03			x(8)	
pald_chr04			x(8)	
pald_chr05			x(8)	
pald_dec01			->>>, >>>, >>9.99<	10
pald_dec02			->>>, >>>, >>9.99<	10
pald_desc	Description		x(24)	
pald_domain	Domain		x(8)	
pald_height	Height		>>, >>9.99	10
pald_hght_um	UM		x(2)	
pald_nbr_lay	Number of Layers		>, >>>, >>9	
pald_pallet	Pallet Type	Type	x(8)	
pald_part	Item Number	Item	x(18)	
pald_um	UM		x(2)	
pald_unit_lay	Units per Layer		>, >>>, >>9	
pald_user1	Ufld1		x(8)	
pald_user2	Ufld2		x(8)	
pald_weight	Weight		>>, >>9.99	10
pald_wght_um	UM		x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pald_det	yes	oid_pald_det	yes	no
*	pald_pallet	yes	pald_domain	yes	no
			pald_pallet	yes	no
			pald_part	yes	no

Pallet Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pal_mstr	yes	oid_pal_mstr	yes	no
*	pal_pallet	yes	pal_domain	yes	no
			pal_pallet	yes	no

Warehousing Item/Storage Location Group Master

Field Name	Label	Col-Label	Format	Dec
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PartSLGM	yes	oid_PartSLGM	yes	no
* PartSLG	yes	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

PartWhseM Warehousing Item/Warehouse Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RandomInsp%	Random Inspection %		->>9.99	10
RepType	Replenishment Type	Rep Type	X(8)	
SameDays[10]	Same Day Window	Same Day! Window	>>,>>9	
Sample%	Sample %	Sample %	>>9	
SampleQty	Sample Quantity	Sample Qty	->,>>>,>>9	
SingleTrans	Single Put-Away Transactions	Single! Trans	yes/no	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
UnplssPrint	Print Unpl Issue Tag		yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PartWhseM	yes	oid_PartWhseM	yes	no
◇* PartWhse	yes	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WhsePartType	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		PartType	yes	no
WhseRepType	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RepType	yes	no

PayFormatCodePayment Format Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode	Attribute Value		x(40)	
PayFormatCode_ID	Record ID		9999999999	
PayFormatCodeDescription	Description		x(40)	
PayFormatCodeIsActive	Active		yes/no	
PayFormatCodeIsDefault	Default		yes/no	
PayFormatGroup_ID	Payment Format Type	Type	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	PayFormatCodeIsActive	yes	no
IsDefault	no	PayFormatCodeIsDefault	yes	no
◇* Prim	yes	PayFormatCode_ID	yes	no
◇ Uniqueldx	yes	PayFormatCode	yes	no
		PayFormatGroup_ID	yes	no
◇ ViewIndex	no	PayFormatCodeIsActive	yes	no
		PayFormatCode	yes	no

PayFormatGroupPayment Format Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatGroup_ID	Record ID		9999999999	
PayFormatGroupCode	Attribute Name		x(200)	
PayFormatGroupDataType	Data Type		x(20)	
PayFormatGroupDescription	Description		x(40)	
PayFormatGroupInputOption	Input Option		x(20)	
PayFormatGroupIsActive	Active		yes/no	
PayFormatGroupIsMandatory	Mandatory		yes/no	
PayFormatGroupLevel	Level		x(20)	
PayFormatGroupSequence	Group Code		->, >>>, >>9	
PayFormatTypeCode	Payment Format Type	Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
FormatTypeSeq	yes	PayFormatTypeCode	yes	no
		PayFormatGroupSequence	yes	no
GroupType	no	PayFormatGroupCode	yes	no
		PayFormatTypeCode	yes	no
◇ IsActive	no	PayFormatGroupIsActive	yes	no
◇* Prim	yes	PayFormatGroup_ID	yes	no
◇ Uniqueldx	yes	PayFormatTypeCode	yes	no
		PayFormatGroupCode	yes	no
◇ ViewIndex	no	PayFormatGroupIsActive	yes	no
		PayFormatTypeCode	yes	no

PayFormatTypePayment Format Type

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Format Name		x(20)	
PayFormatTypeDescription	Description		x(40)	
PayFormatTypeIsActive	Active		yes/no	
PayFormatTypeLinesPerPage	Invoices per check		>>>9	
PayFormatTypeModule	Module		x(20)	
PayFormatTypeOutFileMask	Output File Mask		x(40)	
PayFormatTypePayInstrument	Payment Instrument		x(40)	
PayFormatTypePayType	Payment Type		x(20)	
PayFormatTypeSubSystem	Sub System		x(40)	
PayFormatTypeTPAddress	TP Address		x(40)	
PayFormatTypeTPSite	TP Site		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
◇ IsActive	no	PayFormatTypeIsActive	yes	no
◇* Prim	yes	PayFormatTypeCode	yes	no
◇ ViewIndex	no	PayFormatTypeIsActive	yes	no
		PayFormatTypeCode	yes	no

PaymentConditionCredit Terms

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentCondition_ID	Record ID		9999999999	
PaymentConditionBaseDate	Base Date		99/99/9999	
PaymentConditionBaseDays	Base Days		->,>>>,>>9	
PaymentConditionCode	Credit Terms Code		x(8)	
PaymentConditionDayMthDisc	No of Periods		->,>>>,>>9	
PaymentConditionDaysMonths	No of Periods		->,>>>,>>9	
PaymentConditionDescript	Description		x(40)	
PaymentConditionDueDays	Min Due Days		->,>>>,>>9	
PaymentConditionGraceDay	Grace Days		->,>>>,>>9	
PaymentConditionIsActive	Active		yes/no	
PaymentConditionLateInt	Daily Overdue Int Percentage	Late Interest	->>>9.99	2
PaymentConditionPaymentType	Payment Type	Pay Type	x(20)	
PaymentConditionPdDiscType	Period Type	Type	x(20)	
PaymentConditionPercentage	Discount Percentage	Percent	->,>>>,>>9.99	3
PaymentConditionPeriodType	Period Type	Type	x(20)	
PaymentConditionSuppDayDisc	Supplementary Days	Suppl Days	->,>>>,>>9	
PaymentConditionSupplDays	Supplementary Days	Suppl Days	->,>>>,>>9	
PaymentConditionTermsInt	Terms Interest Percentage	Terms Int	->>>9.99	2
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PaymentConditionCode	yes	no
◇* Prim	yes	PaymentCondition_ID	yes	no
◇ ViewIndex	no	PaymentConditionIsActive	yes	no
		PaymentConditionCode	yes	no

PaymentConditionStaged Staged Payment

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
PaymentConditionStaged_ID	Record ID		9999999999	
PaymentConditionStagedPerc	Percentage		->>>9.99	2
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
StagedPaymentCondition_ID	Credit Terms	Payment Condition	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
PayCon	no	PaymentCondition_ID	yes	no
◇* Prim	yes	PaymentConditionStaged_ID	yes	no
◇ Unlidx	yes	PaymentCondition_ID	yes	no
		StagedPaymentCondition_ID	yes	no

PaymentGroupPayment Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaymentGroup_ID	Record ID		9999999999	
PaymentGroupCode	Payment Group		x(20)	
PaymentGroupDescription	Description		x(40)	
PaymentGroupsActive	Active	Act	yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PaymentGroupCode	yes	no
◇* Prim	yes	PaymentGroup_ID	yes	no
◇ ViewIndex	no	PaymentGroupsActive	yes	no
		PaymentGroupCode	yes	no

PaySelPayment Selection

Field Name	Label	Col-Label	Format	Dec
BankPayFormat_ID	Link to BankPayFormat		9999999999	
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
GL_ID	Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Record ID		9999999999	
PaySelCode	Code		x(20)	
PaySelDate	Execution Date		99/99/9999	
PaySelStatus	Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	no	PaySelCode	yes	no
◇ Company	no	Company_ID	yes	no
CompanyGLPaySelCode	no	Company_ID	yes	no
		GL_ID	yes	no
		PaySelCode	yes	no
CompanyPaySelDate	no	Company_ID	yes	no
		PaySelDate	yes	no
◇ GL	no	GL_ID	yes	no
PaySelDate	no	PaySelDate	yes	no
◇* Prim	yes	PaySel_ID	yes	no
StatusField	no	PaySelStatus	yes	no
◇ UniqueKey	yes	Company_ID	yes	no
		PaySelCode	yes	no

PaySelHistory Payment Selection History

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySel_ID	Link to PaySel		9999999999	
PaySelHistory_ID	Record ID		9999999999	
PaySelHistoryDate	Date		99/99/9999	
PaySelHistoryDescription	Description		x(40)	
PaySelHistoryOutFileName	File		x(255)	
PaySelStatus	Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID	Login		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PaySel	no	PaySel_ID	yes	no
◇* Prim	yes	PaySelHistory_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

PaySelLine Payment Selection Line

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatTypeCode	Payment format of the payment selection		x(20)	
PaySel_ID	Link to PaySel		9999999999	
PaySelLine_ID	Record ID		9999999999	
PaySelLineAmountTC	Amount		->>>, >>>, >>>9.99	4
PaySelLineDiscountTC	Discount		->>>, >>>, >>>9.99	4

574 PaySelLineStage

Field Name	Label	Col-Label	Format	Dec
PaySelLineIntAmtTC	TC Interest Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineRefInFile	Ref in File		yes/no	
PaySelLineObjectType	Type		x(20)	
PaySelLineParentObject_ID			9999999999	
PaySelLineWHTAmtCC	SC WHT Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineWHTAmtLC	BC WHT Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineWHTAmtTC	TC WHT Amount		->>>, >>>, >>>, >>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BankNumber	no	BankNumber_ID	yes	no
KeyPayFormatType	no	PayFormatTypeCode	yes	no
ObjectType	no	PaySelLineObjectType	yes	no
◇ ParentObject	no	PaySelLineParentObject_ID	yes	no
◇ PaySel	no	PaySel_ID	yes	no
◇* Prim	yes	PaySelLine_ID	yes	no

PaySelLineStagePayment Selection Line Stage

Field Name	Label	Col-Label	Format	Dec
CInvoiceStage_ID	Link to CInvoiceStage		9999999999	
DInvoiceStage_ID	Link to DInvoiceStage		9999999999	
PaySelLine_ID	Link to PaySelLine		9999999999	
PaySelLineStage_ID	Record ID		9999999999	
PaySelLineStageDiscAmntTC	Discount Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStageOpenAmntTC	Open Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStageOrigAmntTC	Original Amount		->>>, >>>, >>>, >>9.99	4
PaySelLineStagePaymAmntTC	Payment Amount		->>>, >>>, >>>, >>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CInvoiceStage	no	CInvoiceStage_ID	yes	no
DInvoiceStage	no	DInvoiceStage_ID	yes	no
PaySelLine	no	PaySelLine_ID	yes	no
◇* Prim	yes	PaySelLineStage_ID	yes	no
◇ Uniqueldx	yes	PaySelLine_ID	yes	no
		CInvoiceStage_ID	yes	no
		DInvoiceStage_ID	yes	no

PaySelPayCodePayment Selection Payment Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PayFormatCode_ID	Link to PayFormatCode		9999999999	
PayFormatGroup_ID	Link to PayFormatGroup		9999999999	
PaySel_ID	Link to PaySel		9999999999	
PaySelPayCode_ID	Record ID		9999999999	
PaySelPayCodeValue	Value		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
* Prim	yes	PaySelPayCode_ID	yes	no
◇ Uniqueldx	yes	PaySel_ID	yes	no
		PayFormatGroup_ID	yes	no

PaySelPrepayPayment Selection Prepayment

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Business Relation		9999999999	
Creditor_ID	Supplier Code	Supplier	9999999999	
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PaySelPrepay_ID	Record ID		9999999999	
PaySelPrepayAmountToPayT C	Amount to Pay		->>>, >>>, >>>, >>>9.99	4
PaySelPrepayReferenceText	Reference		x(40)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
◇ Creditor	no	Creditor_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇* Prim	yes	PaySelPrepay_ID	yes	no

pcc_ctrl Product Change Control

Field Name	Label	Col-Label	Format	Dec
pcc_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
pcc_qadc01			.<<<<<<<	
pcc_qadi01			x(8)	
pcc_auto_nbr	Auto Number	Auto	->>>>>>9	
pcc_cmmt_type	Comment Type		yes/no	
pcc_comm_lang	Common Language		X(2)	
pcc_db_seq	Common DB Sequence		X(2)	
pcc_domain	Domain		>>>9	
pcc_ecooff_date	Eco Off Date		x(8)	
pcc_enforce_seq	Enforce PCO Approval Group Sequencing	Enforce Seq	99/99/99	
pcc_formula_ok	Formula OK		yes/no	
pcc_initial_date	Initialization Date		99/99/99	
pcc_max_wkfl	Max Workfile		>>>9	
pcc_next_pco[12]	Next Change Number		>>>>>>>9	
pcc_pco_pre[12]	Prefix		X(3)	
pcc_process_ok	Process OK		yes/no	
pcc_qlspec_ok	PSM OK		yes/no	
pcc_quality_ok	Quality OK		yes/no	
pcc_routing_ok	Routings OK		yes/no	
pcc_security_on	Security On		yes/no	
pcc_struct_ok	Structures OK		yes/no	
pcc_user1	Ufld1		x(8)	
pcc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pcc_ctrl	yes	oid_pcc_ctrl	yes	no
*	pcc_index	yes	pcc_domain	yes	no

pcd_det

Purchase Order Line Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
oid_pcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pcd__qad01			99/99/99	
pcd__qad02			x(8)	
pcd__qad03			yes/no	
pcd__qad04			->>, >>, >>9.99<<<<	10
pcd__qad05			->>, >>, >>9.99<<<<	10
pcd_amt	Amount		->>, >>, >>9.99<<<	10
pcd_curr	Currency	Cur	x(3)	
pcd_domain	Domain		x(8)	
pcd_element	Cost Element	Element	x(8)	
pcd_line	Line	Ln	>>9	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1	Ufid1		x(8)	
pcd_user2	Ufid2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pcd_det	yes	oid_pcd_det	yes	no
*	pcd_ele	yes	pcd_domain	yes	no
			pcd_nbr	yes	no
			pcd_line	yes	no
			pcd_element	yes	no

pcl_d_det

Product Change Control Group Detail

Field Name	Label	Col-Label	Format	Dec
oid_pclد_det			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
pclد_qadc01			x(8)	
pclد_copies	Copies	Cp	>>9	
pclد_dev	Output		x(8)	
pclد_domain	Domain		x(8)	
pclد_expire	Expire Date		99/99/99	
pclد_group	Group		x(8)	
pclد_id	User Id		x(8)	
pclد_mod_date	Modified Date	Mod Date	99/99/99	
pclد_user1	Ufld1		x(8)	
pclد_user2	Ufld2		x(8)	
pclد_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pcl_d_det	yes	oid_pcl_d_det	yes	no
*	pcl_d_groupid	yes	pcl_d_domain	yes	no
			pcl_d_group	yes	no
			pcl_d_id	yes	no

pcl_mstr

Product Change Control Group Master

Field Name	Label	Col-Label	Format	Dec
oid_pcl_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pcl__qadc01			.9<<<<<<<<<	
pcl_bsn_unit	Business Unit		x(8)	
pcl_desc	Description		>>>>>>>9	
pcl_domain	Domain		x(24)	
pcl_group	Group		x(8)	
pcl_index			>>>>>9	
pcl_mod_date	Modified Date	Mod Date	99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pcl_mstr	yes	oid_pcl_mstr	yes	no
pcl_group	yes	pcl_domain	yes	no
		pcl_group	yes	no
		pcl_type	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_pcsc_ctrl	Identifier for Periodic costing control file		>>>>>>>>>>>>>>>>>>>9	10
pcsc__qadc01			.9<<<<<<<<	
pcsc__qadc02			x(24)	
pcsc_calc_daybook	Transient Daybook		x(8)	
pcsc_calc_wkctr_rate	Calculate Workcenter Rate		x(24)	
pcsc_cs_mthd	Cost Method		yes/no	
pcsc_cs_rvl_acct	Cost revalue Account		x(4)	
pcsc_cs_rvl_cc	Cost revalue CC		x(8)	
pcsc_cs_rvl_sub	Cost reval Sub acct		x(8)	
pcsc_domain	Domain	Domain	x(8)	
pcsc_enable	Periodic Cost Enable		yes/no	
pcsc_final_daybook	Mgmt/Official Daybook		x(8)	
pcsc_layer_code	Layer Code		x(20)	
pcsc_mod_date	Modified Date	Mod Date	99/99/99	
pcsc_mod_userid	User ID		x(8)	
pcsc_sum_ll_to_mtl	Sum LL Costs Into Matl Cost COGS		yes/no	
pcsc_user1	User Field Character 1		x(24)	
pcsc_user2	User Field Character 2		x(24)	

pctrop_det Periodic costing side table, which holds tr_hist, op_hist, wopm_det, wopd_det, wopr_det, locd_det side table information on element level in base and stat currency.

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_pctrop_det	yes	oid_pctrop_det	yes	no
pctrop_par_cs_elem	yes	oid_parent	yes	no
		oid_cs_mstr	yes	no
		pctrop_element	yes	no

pct mstr Product Change Control Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pct__qad01	ECR/ECN		.9<<<<<<<<	
pct__qad02			yes/no	
pct__qad03			99/99/99	
pct__qad04			x(8)	
pct__qad05			x(8)	
pct_approval	Approval Code	Approval	x(8)	
pct_dc_warn	Warning Type		>9	
pct_desc	Description		x(24)	
pct_distr	Distribution	Dstrbn	x(8)	
pct_doc_type	Document Type	Doc Type	X(8)	
pct_domain	Domain		x(8)	
pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pct_mod_date	Modified Date	Mod Date	99/99/99	
pct_prefix	Prefix	Pre	x(3)	
pct_secure_admn	Security Profile - Administration	Admn PFI	X(8)	
pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
pct_seqrev_off	Rev Level Off	Off	yes/no	
pct_type	Type		x(8)	
pct_user1	Ufld1		x(8)	
pct_user2	Ufld2		x(8)	
pct_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pct_mstr	yes	oid_pct_mstr	yes	no
*	pct_type	yes	pct_domain	yes	no
			pct_type	yes	no
			pct_dsgn_grp	yes	no

pc_mstr Price List Master

Field Name	Label	Col-Label	Format	Dec
oid_pc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pc__qadc01			.9<<<<<<<<<	
pc__qadd01			x(8)	
pc_amt[15]	Amount		->>, >>>, >>9.9<<<<<<<<<	10
pc_amt_type	Amount Type	T	->>>, >>>, >>9.99<<<	10
pc_curr	Currency	Cur	x(1)	
pc_desc	Price List Desc		x(3)	
pc_domain	Domain		x(24)	
pc_expire	Expire		x(8)	
pc_list	Price List	List	99/99/99	
pc_list_classification	Price List Class		x(8)	
pc_max_price[10]	Maximum Price		9	10
pc_min_price	Minimum Price		->>>, >>>, >>9.99<<<	10
pc_min_qty[15]	Min Qty		->>>, >>>, >>9.99<<<	10
pc_mod_date	Modified Date	Mod Date	>>>>>>9	10
pc_part	Item Number		99/99/99	
			x(18)	

Field Name	Label	Col-Label	Format	Dec
pc_prod_line	Product Line	Line	x(4)	
pc_start	Start		99/99/99	
pc_tax_in	Tax In		yes/no	
pc_um	UM		x(2)	
pc_user1	Ufid1		x(8)	
pc_user2	Ufid2		x(8)	
pc_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_pc_mstr	yes	old_pc_mstr	yes	no
* pc_list	yes	pc_domain	yes	no
		pc_list_classification	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_prod_line	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_start	yes	no
pc_part	no	pc_domain	yes	no
		pc_part	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no
pc_prod_line	no	pc_domain	yes	no
		pc_prod_line	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no

Period GL Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Record ID		9999999999	
PeriodClosingDate	Closing Date		99/99/9999	
PeriodEndDate	End Date		99/99/9999	
PeriodIsPostingGLAllowed	GL		yes/no	
PeriodIsPostingInvAllowed	Inventory		yes/no	
PeriodIsPostingOtherAllow	Other		yes/no	
PeriodIsPostingPCAllowed	Periodic Costing		yes/no	
PeriodIsPostingPurchAllow	Purchases	AP	yes/no	
PeriodIsPostingSalesAllow	Sales		yes/no	
PeriodIsReportChecked	Checked/Reported		yes/no	
PeriodMark_ID	Mark		9999999999	
PeriodPeriod	GL Period	GL Pd	99	
PeriodReportingPeriod	Reporting GL Period		x(20)	
PeriodStartDate	Start Date		99/99/9999	
PeriodStatus	Status		x(20)	
PeriodTypeCode	GL Period Type		x(20)	
PeriodYear	GL Calendar Year	GL Cal Year	9999	
PeriodYearPeriod	GL Calendar Year/GL Period	GL Year/GL Pd	999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
AccYear	no	PeriodYear	yes	no
◇ Company	no	Company_ID	yes	no
CompanyAndYearPeriod	yes	Company_ID	yes	no
		PeriodYearPeriod	yes	no
CompanyPeriodEndDate	no	Company_ID	yes	no
		PeriodEndDate	yes	no
◇ EndDate	no	PeriodEndDate	yes	no
◇ Period	no	PeriodPeriod	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇* Prim	yes	Period_ID	yes	no
◇ StartDate	no	PeriodStartDate	yes	no
StatusClosing	no	PeriodStatus	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		PeriodYear	yes	no
		PeriodPeriod	yes	no
◇ YearPeriod	no	PeriodYearPeriod	yes	no

PeriodMark Period Mark

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Record ID		9999999999	
PeriodMarkCode	Mark		x(40)	
PeriodMarkDescription	Description		x(60)	
PeriodMarkIsActive	Active		yes/no	
PeriodMarkSequence	Sequence	Seq	->, >>>, >>>9	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyAndCode	yes	Company_ID	yes	no
		PeriodMarkCode	yes	no
CompanyAndSequenc e	yes	Company_ID	yes	no
		PeriodMarkSequence	yes	no
◇ IsActive	no	PeriodMarkIsActive	yes	no
◇* Prim	yes	PeriodMark_ID	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		PeriodMarkIsActive	yes	no
		PeriodMarkCode	yes	no

pfc_det Production Forecast Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pfc__qadc01			.9<<<<<<<<<	
pfc_date	Date	Date	x(8)	
pfc_domain	Domain		99/99/99	
pfc_id_num			x(8)	
pfc_part	Item Number		>>>>>>9	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		x(18)	
pfc_site	Site		->, >>, >>9.9<<<<<<<<<	10
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pfc_det	yes	oid_pfc_det	yes	no
pfc_id_num	no	pfc_domain	yes	no
		pfc_id_num	yes	no
* pfc_part	yes	pfc_domain	yes	no
		pfc_part	yes	no
		pfc_site	yes	no
		pfc_peg_part	yes	no
		pfc_date	yes	no
pfc_peg_part	no	pfc_domain	yes	no
		pfc_peg_part	yes	no
		pfc_site	yes	no

pfd_det Service/Support Item-Site Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
pfd__chr01	Character Field 1		.9<<<<<<<<<X(8)	
pfd__chr02	Character Field 2		X(8)	
pfd__dte01	Date Field 1		99/99/99	
pfd__dte02	Date Field 2		99/99/99	
pfd__int01	Integer Field 1		->, >>>, >>9	
pfd__int02	Integer Field 2		->, >>>, >>9	
pfd__log01	Logical Field 1		yes/no	
pfd__log02	Logical Field 2		yes/no	
pfd__qadc01	QAD Character Field 1		X(8)	
pfd __qadc02	QAD Character Field 2		X(8)	

Field Name	Label	Col-Label	Format	Dec
pfd__qadd01	QAD Date Field 1		99/99/99	
pfd__qadi01	QAD Integer Field 1		->,>>>,>>9	
pfd__qadi02	QAD Integer Field 2		->,>>>,>>9	
pfd__qadi01	QAD Logical Field 1		yes/no	
pfd__qadi02	QAD Logical Field 2		yes/no	
pfd__bench_lead	Repair Lead Time	Rp Tm	>>>9	
pfd__cover	Subs Covered		yes/no	
pfd__cus_install	Customer Installable		yes/no	
pfd__domain	Domain		x(8)	
pfd__field_lead	Field Repair Time		>,>>9.99<<	10
pfd__fru	FRU		yes/no	
pfd__ins_bom	Installation BOM		X(18)	
pfd__ins_route	Installation Routing		X(18)	
pfd__inst_call	Install		yes/no	
pfd__isb	Installed Base	Inst Base	yes/no	
pfd__life_cycle	Life Cycle		x(8)	
pfd__mfg_mtbf	MFG MTBF		->>,>>9.99	10
pfd__mfg_mttr	MFG MTTR		->>,>>9.99	10
pfd__mod_date	Modified Date	Mod Date	99/99/99	
pfd__mod_userid	User ID		X(8)	
pfd__mtbf	MTBF		>>,>>9.99	10
pfd__mttr	MTTR		>>,>>9.99	10
pfd__obs_date	Obsolete Date		99/99/99	
pfd__origin	Country of Origin		x(12)	
pfd__part	Item		x(18)	
pfd__pm_mrp	Need PM MRP		yes/no	
pfd__pvm_bom	PM BOM		x(18)	
pfd__pvm_days	Days Between PM	PM Days	>>>>9	
pfd__pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd__pvm_limit	PM Limit		>>>>,>>>,>>9.99<<	10
pfd__pvm_replace	Always Replace on PM		yes/no	
pfd__pvm_route	PM Routing		x(18)	
pfd__pvm_saftey	Saftey Limit		>>>>,>>>,>99.99<<<	10
pfd__pvm_um	UM		x(8)	0
pfd__repairable	Repairable		yes/no	
pfd__rp_bom	Repair BOM		x(18)	
pfd__rp_route	Repair Routing		x(18)	
pfd__rp_site	Repair Site		x(8)	
pfd__rp_vendor	Repair Supplier	Supplier	x(8)	
pfd__site	Site		x(8)	
pfd__sttr	STTR		->>,>>9.99	10
pfd__svc_group	Service Group	Svc Grp	x(8)	
pfd__tariff	Tariff		x(8)	0
pfd__trace_active	Trace Active		yes/no	
pfd__unit_isb	Isb Unit Quantity		yes/no	
pfd__user1	Ufld1		x(8)	
pfd__user2	Ufld2		x(8)	
pfd__ven_warr	Supplier Warranty	Sup! Warr	yes/no	
pfd__warr_cd	Warranty Code	Warr Cd	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pfd_det	yes	oid_pfd_det	yes	no
pfd_pm_mrp	no	pfd_domain	yes	no
		pfd_pm_mrp	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
* pfd_ptsite	yes	pfd_domain	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
pfd_sitept	no	pfd_domain	yes	no
		pfd_site	yes	no
		pfd_part	yes	no

Service/Support Paging Control

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pgctrl	yes	oid_pgctrl	yes	no
*	pgc_index	yes	pgc_domain	yes	no
			pgc_index	yes	no

Service/Support Paging History

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pgh_hist	yes	oid_pgh_hist	yes	no
pgh_ca_nbr	no	pgh_domain	yes	no
		pgh_ca_nbr	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
pgh_eng_code	no	pgh_domain	yes	no
		pgh_eng_code	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pgh_status	no	pgh_domain	yes	no
		pgh_status	yes	no
* pgh_trnbr	yes	pgh_domain	yes	no
		pgh_trnbr	no	no

Program Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pgm_det	yes	oid_pgm_det	yes	no
* pgm_ref_eq	yes	pgm_domain	yes	no
		pgm_ref	yes	no
		pgm_eq	yes	no
		pgm_type	yes	no
		pgm_seq	yes	no
pgm_type_eq	no	pgm_domain	yes	no
		pgm_type	yes	no
		pgm_eq	yes	no

Pricing Control

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pic_ctrl	yes	oid_pic_ctrl	yes	no
*	pic_index1	yes	pic_domain	yes	no

pid_det

Price List Detail

Field Name	Label	Col-Label	Format	Dec
oid_pid_det			>>>>>>>>>>>>>>>>>>>>>9	10
pid__qadc01			.9<<<<<<<<	
pid__qadd01			x(8)	
pid_amt	Amount		->>, >>, >>9.<<<	10
pid_cr_terms	Credit Terms	Terms	->>, >>, >>9.<<<	10
pid_domain	Domain		x(8)	
pid_fr_list	Freight List	Frt List	x(8)	
pid_fr_terms	Freight Terms		x(8)	
pid_list_id	List Id		x(8)	
pid_qty	Min Qty		->, >>, >>9.<<<<<<<<	10
pid_user1	Ufld1		x(8)	
pid_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pid_det	yes	oid_pid_det	yes	no
*	pid_list_id	yes	pid_domain	yes	no
			pid_list_id	yes	no
			pid_qty	yes	no

pigc_det

Price List Group Customer Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pigc__qadc01			.9<<<<<<<<<	
pigc__qadc02			x(8)	
pigc__qadc03			x(8)	
pigc__qadd01			->>>>, >>>, >>9.9	10
pigc__qadd02			->>>>, >>>, >>9.9	10
pigc__qadi01			->, >>>, >>9	
pigc__qadi02			->, >>>, >>9	
pigc__qadl01			yes/no	
pigc__qadl02			yes/no	
pigc__qadt01			99/99/99	
pigc__qadt02			99/99/99	
pigc_amt_type	Amount Type		x(24)	
pigc_code	Price List Group		x(8)	
pigc_curr	Currency	Cur	X(3)	
pigc_div	Division		x(8)	
pigc_domain	Domain		x(8)	
pigc_expire	Expire		99/99/99	
pigc_include	Include		yes/no	
pigc_mem_ref	Member Reference		x(8)	
pigc_mem_type	Member Type		>>>9	
pigc_srch_type	Search Type		>>9	
pigc_start	Start		99/99/99	
pigc_user1	Ufld1		x(8)	
pigc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pigc_det	yes	oid_pigc_det	yes	no
* pigc_code	yes	pigc_domain	yes	no
		pigc_code	yes	no
		pigc_mem_type	yes	no
		pigc_mem_ref	yes	no
		pigc_amt_type	yes	no
pigc_member	no	pigc_domain	yes	no
		pigc_div	yes	no
		pigc_mem_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pigc_mem_ref	yes	no
		pigc_srch_type	yes	no
		pigc_curr	yes	no
		pigc_start	yes	no

pigp_det

Price List Group Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigp_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
pigp_qadc01			.9<<<<<<<<<	
pigp_qadc02			x(8)	
pigp_qadc03			x(8)	
pigp_qadd01			->>>>, >>>, >>9.9	10
pigp_qadd02			->>>>, >>>, >>9.9	10
pigp_qadi01			->, >>>, >>9	
pigp_qadi02			->, >>>, >>9	
pigp_qadl01			yes/no	
pigp_qadl02			yes/no	
pigp_qadt01			99/99/99	
pigp_qadt02			99/99/99	
pigp_amt_type	Amount Type		X(24)	
pigp_code	Price List Group		x(8)	
pigp_curr	Currency	Cur	X(3)	
pigp_div	Division		X(8)	
pigp_domain	Domain		x(8)	
pigp_expire	Expire		99/99/9999	
pigp_include	Include		yes/no	
pigp_list_id	List ID		x(8)	
pigp_prod_ref	Item Reference		X(18)	
pigp_prod_type	Item Type		9	
pigp_srch_type	Search Type		>>9	
pigp_start	Start		99/99/99	
pigp_user1	Ufld1		x(8)	
pigp_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pigp_det	yes	oid_pigp_det	yes	no
* pigp_code	yes	pigp_domain	yes	no
		pigp_code	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_amt_type	yes	no
pigp_product	no	pigp_domain	yes	no
		pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

pig_mstr

Price List Group Master

Field Name	Label	Col-Label	Format	Dec
oid_pig_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pig__qadc01			.9<<<<<<<<<	
pig__qadc02			x(8)	
pig__qadc03			x(8)	
pig__qadd01			x(8)	
pig__qadd02			->>>>, >>>, >>9.9	10
pig__qadi01			->>>>, >>>, >>9.9	10
pig__qadi02			->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
pig__qadl01			yes/no	
pig__qadl02			yes/no	
pig__qadt01			99/99/99	
pig__qadt02			99/99/99	
pig_all_custs	All Customers		yes/no	
pig_all_items	All Items		yes/no	
pig_amt_type	Amount Type		x(24)	
pig_code	Price List Group		x(8)	
pig_curr	Currency	Cur	x(3)	
pig_desc	Description		x(24)	
pig_div	Division		x(8)	
pig_domain	Domain		x(8)	
pig_expire	Expire		99/99/99	
pig_list	Price List		x(8)	
pig_list_id	List ID		x(8)	
pig_priority	Priority		>9	
pig_ref_code	Reference		x(16)	
pig_ref_type	Reference Type		99	
pig_srch_type	Search Type		>>9	
pig_start	Start		99/99/99	
pig_user1	Ufld1		x(8)	
pig_user2	Ufld2		x(8)	
pig_val_type	Value Type		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pig_mstr	yes	oid_pig_mstr	yes	no
pig_all_custs	no	pig_domain	yes	no
		pig_div	yes	no
		pig_all_custs	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
pig_all_items	no	pig_domain	yes	no
		pig_div	yes	no
		pig_all_items	yes	no
		pig_srch_type	yes	no
		pig_curr	yes	no
		pig_start	yes	no
* pig_code	yes	pig_domain	yes	no
		pig_code	yes	no
		pig_amt_type	yes	no
pig_div_code	yes	pig_domain	yes	no
		pig_div	yes	no
		pig_code	yes	no
		pig_amt_type	yes	no
pig_ref	no	pig_domain	yes	no
		pig_ref_type	yes	no
		pig_ref_code	yes	no

pih_hist

Pricing History

Field Name	Label	Col-Label	Format	Dec
oid_pih_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pih__chr01			.9<<<<<<<<<	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>, >>>, >>9.99	10
pih__dec02			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>>, >>>, >>9.9<<<	10
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC	CC	x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pih_amt	Amount		->>>>, >>>, >>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_config_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
pih_disc_cc	Cost Ctr	CC	x(4)	
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>, >>9.<<<<<<	10
pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
pih_doc_type	Doc Type		>>9	
pih_domain	Domain		x(8)	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frt List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pih_mod_date	Modified Date	Mod Date	99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	
pih_promo4	APM Code 4		x(8)	
pih_qty	Qty		->>, >>>, >>9.9<<<<<<<<	10
pih_qty_type	Qty Type		x(24)	
pih_source	Source		x(8)	
pih_time	Time		>>, >>>, >>9	
pih_um	UM		x(2)	
pih_user1	Ufld1		x(8)	
pih_user2	Ufld2		x(8)	
pih_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pih_hist	yes	oid_pih_hist	yes	no
pih_comp	no	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no
pih_list	no	pih_domain	yes	no
		pih_list	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
pih_list_id	no	pih_domain	yes	no
		pih_list_id	yes	no
* pih_nbr	yes	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pih_line	yes	no
		pih_config_disc	yes	no
		pih_source	yes	no
		pih_list_id	yes	no
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

pi_mstr

Price List Master

Field Name	Label	Col-Label	Format	Dec
oid_pi_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
pi_chr01			x(8)	
pi_chr02			x(8)	
pi_chr03			x(8)	
pi_chr04			x(8)	
pi_chr05			x(8)	
pi_chr06			x(8)	
pi_chr07			x(8)	
pi_chr08			x(8)	
pi_chr09			x(8)	
pi_chr10			x(8)	
pi_dec01			>>>, >>>, >>9.99	10
pi_dec02			>>>, >>>, >>9.99	10
pi_dte01			99/99/99	
pi_dte02			99/99/99	
pi_log01			yes/no	
pi_qadc01			x(8)	
pi_qadd01			->>>, >>>, >>9.9<<<	10
pi_accr_acct	Accrual Acct		x(8)	
pi_accr_cc	Accrual CC	CC	x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	
pi_cmtindx	Comments		>>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_config_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr	CC	x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>, >>9.9<<<<<	10
pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
pi_domain	Domain		x(8)	
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>>, >>>, >>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>, >>>, >>9.99<<<	10
pi_max_qty	Max Qty		->>, >>>, >>9.9<<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pi_min_price	Min Price		>>>>, >>>, >>9.99<<<	10
pi_mod_date	Modified Date	Mod Date	99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	
pi_promo1	Promotion Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	
pi_user2	Ufld2		x(8)	
pi_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pi_mstr	yes	oid_pi_mstr	yes	no
pi_cs_code	no	pi_domain	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
* pi_list	yes	pi_domain	yes	no
		pi_list	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
pi_list_id	yes	pi_domain	yes	no
		pi_list_id	yes	no
pi_part_code	no	pi_domain	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no

pjc_ctrl

Project Realization Control

Field Name	Label	Col-Label	Format	Dec
oid_pjc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjc__log01			.9<<<<<<<<	
pjc__log02			yes/no	
pjc__qadc01			yes/no	
pjc__qadc02			x(24)	
pjc__qadd01			x(24)	
pjc__qadi01			->>>>, >>>, >>9.99<<<	10
pjc__qadi02			>>>>>>>9	
pjc__qadl01			->>>>>>>9	
pjc__qadl02			yes/no	
pjc__qadt01			yes/no	
pjc_auto_mo	Auto Generate MO		99/99/99	
pjc_bg_above	Budget Overrun Limit		yes/no	
pjc_bg_below	Budget Warning Limit		->>9.9<%	10
pjc_close_status	Closed Status		->>9.9<%	10
pjc_comp_status	Complete Status		x(8)	
pjc_dflt_que	Queue		x(8)	
pjc_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
pjc_global_inv	Global Invoicing		yes/no	
pjc_hcmmts	Project Header Comments		yes/no	
pjc_hold_level	Credit Hold Option		>>9	
pjc_hold_status	Hold Status		x(8)	
pjc_lcmmts	Project Line Comments		yes/no	
pjc_mod_date	Modified Date	Mod Date	99/99/99	
pjc_mod_userid	User ID		x(8)	
pjc_open_status	Open Status		x(8)	
pjc_pao_cancel	Cancel Status		x(8)	
pjc_pao_close	Closed Status		x(8)	
pjc_pao_complete	Complete Status		x(8)	
pjc_pao_hold	Hold Status		x(8)	
pjc_pao_nbr	Next PAO		>>>>>>9	
pjc_pao_open	Open Status		x(8)	
pjc_pao_pre	PAO Prefix		x(3)	
pjc_pao COMMENTS	PAO Comments		yes/no	
pjc_par_detail	PAR Detail		yes/no	
pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
pjc_par_return	PAR Return Status		x(8)	
pjc_par_scrap	PAR Scrap Status		x(8)	
pjc_pj_type	GL Project Type		x(2)	
pjc_pjs_hist	Generate Transaction History		yes/no	
pjc_pr_rollup	Auto Price Rollup		yes/no	
pjc_prj_nbr	Next Project		>>>>>>9	
pjc_prj_pre	Project Prefix		x(3)	
pjc_prj_site	Project Site		x(8)	
pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
pjc_pt_prod	Use Item Product Line		yes/no	
pjc_schedule_pao	Schedule		yes/no	
pjc_scmmts	Subproject Comments		yes/no	
pjc_so_nbr	Next Project SO		>>>>>>9	
pjc_so_pre	Project SO Prefix		x(3)	
pjc_sub_det	Subproject Details		yes/no	
pjc_use_budgets	Use Budgets		yes/no	
pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
pjc_user1	Ufid1		x(8)	
pjc_user2	Ufid2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pjc_ctrl	yes	oid_pjc_ctrl	yes	no
*	pjc index1	yes	pjc domain	yes	no

pjd_det

Project Realization Subproject Detail

Field Name	Label	Col-Label	Format	Dec
oid_pjd_det			>>>>>>>>>>>>>>>>>>>>>9	10
pjd__qadc01			.9<<<<<<<<	
pjd__qadc02			x(24)	
pjd__qadd01			x(24)	
pjd__qadi01			->>>, >>>, >>9.99<<<	10
pjd__qadl01			>>>>>>g	
pjd__qadt01			yes/no	
pjd_budget_type	Budget Type		99/99/99	
pjd_ca_int_type	Work Code		>>9	
pjd_cmtindx	Comment Index		x(8)	
pjd_comm_pct[4]	Commission		>>>>>>>g	
pjd_cr_terms	Credit Terms		>>9.9<%	10
pjd_desc	Description		x(8)	
pjd_disc_pct	Discount		x(24)	
pjd_domain	Domain		->>9.9<%	10
pjd_end_date	End Date		x(8)	
pjd_end_orig	Original End		99/99/99	
pjd_eng_nbr	Engineer		99/99/99	
pjd_eu_nbr	End User		x(8)	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
pjd_global_inv	Global Invoicing		yes/no	
pjd_inv_det	Details on Invoice		yes/no	
pjd_inv_det_pr	Prices of Details		yes/no	
pjd_inv_lvl	Invoice Level		yes/no	
pjd_list_pr	Total List Price		->>>>,>>>,>>9.99<<<	10
pjd_loc	Location		x(8)	
pjd_mod_date	Modified Date	Mod Date	99/99/99	
pjd_mod_userid	User ID		x(8)	
pjd_nbr	Project		x(8)	
pjd_pjt_code	Project Type		x(8)	
pjd_pr_list	Price List		x(8)	
pjd_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
pjd_prepaid	Prepaid		->>>>,>>>,>>9.99<<<	10
pjd_prod_line	Product Line		x(4)	
pjd_site	Site		x(8)	
pjd_slspsn[4]	Slspsn		x(8)	
pjd_st_date	Start Date		99/99/99	
pjd_st_orig	Original Start		99/99/99	
pjd_status	Status		x(8)	
pjd_sub_nbr	Subproject	Subproj	>>>9	
pjd_total_price	Total Net Price		->>>>,>>>,>>9.99<<<	10
pjd_user1	Ufld1		x(8)	
pjd_user2	Ufld2		x(8)	
pjd_variation	Variation		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjd_det	yes	oid_pjd_det	yes	no
pjd_pjt_code	no	pjd_domain	yes	no
		pjd_pjt_code	yes	no
* pjd_sub_nbr	yes	pjd_domain	yes	no
		pjd_nbr	yes	no
		pjd_sub_nbr	yes	no

pjsh_hist Project Realization Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_pjsh_hist			>>>>>>>>>>>>>>>>>>>>>9	10
pjsh__qadc01			.9<<<<<<<<	
pjsh__qadd01			x(24)	
pjsh__qadi01			->>>, >>, >>9.99<<<	10
pjsh__qadl01			>>>>>>g	
pjsh__qadt01			yes/no 99/99/99	
pjsh_amt_inv	Invoiced Amount		->>>, >>, >>9.99<<<	10
pjsh_amt_inv_chg	Invoiced Amt Change		->>>, >>, >>9.99<	10
pjsh_cost_act_chg	Actual Cost Change		->>>, >>, >>9.99<<<	10
pjsh_cost_actual	Actual Cost		->>>, >>, >>9.99<<<	10
pjsh_cost_iss	Issued Cost		->>>, >>, >>9.99<<<	10
pjsh_cost_iss_chg	Issued Cost Change		->>>, >>, >>9.99<<<	10
pjsh_cost_planned	Planned Cost		->>>, >>, >>9.99<<<	10
pjsh_cost_pln_chg	Planned Cost Change		->>>, >>, >>9.99<<<	10
pjsh_cost_wip	WIP Cost		->>>, >>, >>9.99<<<	10
pjsh_cost_wip_chg	WIP Cost Change		->>>, >>, >>9.99<<<	10
pjsh_domain	Domain		x(8)	
pjsh_mod_date	Modified Date	Mod Date	99/99/99	
pjsh_mod_userid	User ID		x(8)	
pjsh_nbr	Project		x(8)	
pjsh_old_status	Prev Line Status		x(8)	
pjsh_pjs_line	Project Line		>>>>>>g	
pjsh_poavar_amt	PO Variance Amt		->>>, >>, >>9.99<<<	10
pjsh_poavar_chg	PO Variance Change		->>>, >>, >>9.99<<<	10
pjsh_qty_act_chg	Qty Actual Change		->, >>, >>9.9<<<<<<<<<	10
pjsh_qty_actual	Qty Actual		->, >>, >>9.9<<<<<<<<<	10
pjsh_qty_bg_chg	Qty Budgeted Change		->, >>, >>9.9<<<<<<<<<	10
pjsh_qty_budget	Qty Budgeted		->, >>, >>9.9<<<<<<<<<	10
pjsh_qty_inv	Qty Invoiced		->, >>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
pjsh_qty_inv_chg	Qty Invoiced Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_iss	Qty Issued		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_iss_chg	Qty Issued Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_oh	Project QOH		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_oh_chg	Project QOH Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_planned	Qty Planned		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_pln_chg	Qty Planned Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_sel_chg	Qty to Invoice Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_sel_inv	Qty to Invoice		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_wip	Qty WIP		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_qty_wip_chg	Qty WIP Change		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_rel_nbr	Related Project		x(8)	
pjsh_status	Project Line Status		x(8)	
pjsh_tr_cost	Transaction Cost		->>>>, >>>, >>9.99<<<	10
pjsh_tr_date	Transaction Date		99/99/99	
pjsh_tr_ind	Transaction Indicator		x(8)	
pjsh_tr_qty	Transaction Qty		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_tr_time	Transaction Time		>>>>>>>9	
pjsh_tr_type	Transaction Type		x(8)	
pjsh_trnbr	Transaction		>>>>>>>9	
pjsh_user1	Ufld1		x(8)	
pjsh_user2	Ufld2		x(8)	
pjsh_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjsh_hist	yes	oid_pjsh_hist	yes	no
pjsh_prj_nbr	no	pjsh_domain	yes	no
		pjsh_nbr	yes	no
		pjsh_pjs_line	yes	no
		pjsh_tr_date	yes	no
		pjsh_tr_time	yes	no
* pjsh_trnbr	yes	pjsh_domain	yes	no
		pish_trnbr	yes	no

pjsx_det

Project Structure Cross-Reference Detail

Field Name	Label	Col-Label	Format	Dec
oid_pjsx_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjsx__dec01			.9<<<<<<<<	
pjsx__dte01			->>>, >>>, >>9.99<<<	10
pjsx__log01			yes/no	
pjsx__qadc01			x(24)	
pjsx__qadc02			x(24)	
pjsx__qadd01			->>>>, >>>, >>9.99<<<	10
pjsx__qadi01			>>>>>>>9	
pjsx__qadl01			yes/no	
pjsx__qadt01			99/99/99	
pjsx_date	Last Modified Date		99/99/99	
pjsx_def_ws	Worksheet		x(8)	
pjsx_domain	Domain		x(8)	
pjsx_end_date	End Date		99/99/99	
pjsx_int_stat	Internal Status		x(8)	
pjsx_line	PAO Line		>>9	
pjsx_loc	Location		x(8)	
pjsx_mod_date	Modified Date	Mod Date	99/99/99	
pjsx_mod_userid	User ID		x(8)	
pjsx_nbr	PAO		x(8)	
pjsx_pjs_line	Project Line		>>>>>>>9	
pjsx_prj_nbr	Project		x(8)	
pjsx_qty_demand	Demand Qty		->>, >>>, >>9.9<<<<<<<<<<	10
pjsx_qty_in_prog	Qty In Progress		->>, >>>, >>9.9<<<<<<<<<<	10
pjsx_qty_iss	Qty Issued		->>, >>>, >>9.9<<<<<<<<<<	10
pjsx_qty_ord	Qty Ordered		->>, >>>, >>9.9<<<<<<<<<<	10
pjsx_site	Site		x(8)	
pjsx_so_nbr	Material Order		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjsx_det	yes	oid_pjsx_det	yes	no
pjsx_nbrln	yes	pjsx_domain	yes	no
		pjsx_nbr	yes	no
		pjsx_line	yes	no
pjsx_pjs	no	pjsx_domain	yes	no
		pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_nbr	yes	no
pjsx_sonbr	no	pjsx_domain	yes	no
		pjsx_so_nbr	yes	no
		pjsx_sod_line	yes	no
pjsx_type	no	pjsx_domain	yes	no
		pjsx_prj_nbr	yes	no
		pjsx_pjs_line	yes	no
		pjsx_type	yes	no
pjsx_ws	no	pjsx_domain	yes	no
		pjsx_def_ws	yes	no

pjs_mstr

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_pjs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pjs__chr01			.9<<<<<<<<<	
pjs__dec01			x(8)	
pjs__dec02			->>>>, >>>, >>9.99<<<	10
pjs__dte01			->>>>, >>>, >>9.99<<<	10
pjs__dte02			99/99/99	
pjs__log01			99/99/99	
pjs__log02			yes/no	
pjs__qadc01			yes/no	
pjs__qadc02			x(24)	
pjs__qadc03			x(24)	
pjs__qadd01			x(24)	
pjs__qadd02			->>>>, >>>, >>9.99<<<	10
pjs__qadi01			->>>>, >>>, >>9.99<<<	10
pjs__qadi02			>>>>>>>9	
pjs__qadi01			>>>>>>>9	
pjs__qadi02			yes/no	
pjs__qadt01			yes/no	
pjs__qadt02			99/99/99	
pjs__amt_inv	Amount Invoiced	Amt Inv	99/99/99	
pjs_budget_type	Budget Type		->>>>, >>>, >>9.99<<<	10
pjs_ca_int_type	Work Code		>9	
pjs_cmtindx	Comment Index		x(8)	
pjs_completed	Completed		>>>>>>>9	
pjs_cost	Unit Cost		yes/no	
pjs_cost_actual	Actual Cost		->>>>, >>>, >>9.99<<<	10
pjs_cost_iss	Issued Cost		->>>>, >>>, >>9.99<<<	10
pjs_cost_wip	WIP Cost		->>>>, >>>, >>9.99<<<	10
pjs_desc	Description		x(24)	
pjs_detail_on_inv	Detail on Invoice		yes/no	
pjs_disc_pct	Discount		->>9.9<%	10
pjs_domain	Domain		x(8)	
pjs_frozen	Frozen		yes/no	
pjs_fsc_code	Category		x(8)	
pjs_inv_group	Invoice Group		x(8)	
pjs_inv_lvl	Invoice Level		yes/no	
pjs_line	Project Line		>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
pjs_line_disp	Project Line ID		x(12)	
pjs_line_par	Parent Line		>>>>>>9	
pjs_line_seq	Project Line Seq		>>>9	
pjs_line_sort	Project Line Sort		x(24)	
pjs_link_ok	Link to PAO		yes/no	
pjs_list_pr	List Price		->>>>, >>>, >>9.99<<<	10
pjs_mod_date	Modified Date	Mod Date	99/99/99	
pjs_mod_userid	User ID		x(8)	
pjs_nbr	Project		x(8)	
pjs_part	Item Number		x(18)	
pjs_povar_amt	PO Variance Amount		->>>>, >>>, >>9.99<<<	10
pjs_price	Net Price		->>>>, >>>, >>9.99<<<	10
pjs_price_on_inv	Price on Invoice		yes/no	
pjs_prod_line	Product Line		x(4)	
pjs_qty_actual	Qty Actual		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_budget	Qty Budgeted		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_inv	Qty Invoiced		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_iss	Qty Issued		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_oh	Project QOH		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_planned	Qty Planned		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_sel_inv	Qty to Invoice		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_qty_wip	Qty WIP		->>, >>>, >>9.9<<<<<<<<<<	10
pjs_status	Status		x(8)	
pjs_sub_nbr	Subproject		>>>9	
pjs_subassy	Subassembly		yes/no	
pjs_um	UM		x(2)	
pjs_um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs_user1	Ufld1		x(8)	
pjs_user2	Ufld2		x(8)	
pjs_variation	Variation		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pjs_mstr	yes	oid_pjs_mstr	yes	no
* pjs_line	yes	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line	yes	no
pjs_status	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_status	yes	no
		pjs_link_ok	yes	no
pjs_structure	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_sub_nbr	yes	no
		pjs_line_par	yes	no
		pjs_line_seq	yes	no
pjs_tree	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line_sort	yes	no

pjt_mstr

Project Realization Project Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pjt_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pjt__qadc01			.9<<<<<<<<<	
pjt__qadd01			x(24)	
pjt__qadi01			->>>>, >>>, >>9.99<<<	10
pjt__qadl01			>>>>>>>9	
pjt__qadt01			yes/no	
pjt_ca_int_type	Work Code		99/99/99	
pjt_cmtindx	Comment Index		x(8)	
pjt_code	Project Type		>>>>>>>9	
pjt_desc	Description		x(8)	
pjt_domain	Domain		x(24)	
pjt_mod_date	Modified Date	Mod Date	x(8)	
pjt_mod_userid	User ID		99/99/99	
			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pjt_mstr	yes	oid_pjt_mstr	yes	no
*	pjt_code	yes	pjt_domain	yes	no
			pjt_code	yes	no

pj_mstr

Project Master

Field Name	Label	Col-Label	Format	Dec
oid_pj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pj__qadc01			.9<<<<<<<<<	
pj_active	Active	Act	x(8)	
pj_beg_dt	BegIn Date	Beg Date	yes/no	
pj_cmtindx	Comment Index	Cmmt Indx	99/99/99	
pj_comp	Actual Completion Date	Comp Dt	>>>>>>9	
pj_desc	Description		99/99/99	
pj_domain	Domain		x(24)	
pj_findate	Original Completion Date	Org C Dt	x(8)	
pj_project	Project		99/99/99	
pj_revdate	Date Revised	Date Rev	x(8)	
pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
pj_stat	Status Code	S	99/99/99	
pj_type	Project Type	T	x(1)	
pj_user1	Ufld1		x(2)	
pj_user2	Ufld2		x(8)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pj_mstr	yes	oid_pj_mstr	yes	no
pj_active	no	pj_domain	yes	no
		pj_project	yes	no
		pj_active	yes	no
pj_desc	no	pj_domain	yes	no
		pj_desc	yes	no
		pj_project	yes	no
* pj_project	yes	pj_domain	yes	no
		pj_project	yes	no

pk_det

Pick List Work Table

Field Name	Label	Col-Label	Format	Dec
oid_pk_det			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
pk__qadc01			x(8)	
pk_domain	Domain		x(8)	
pk_end	End		99/99/99	
pk_loc	Location		x(8)	
pk_lot	ID		x(8)	
pk_part	Item Number		x(18)	
pk_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
pk_reference	Reference	Ref	x(8)	
pk_start	Start		99/99/99	
pk_user			x(50)	
pk_user1	Ufid1		x(8)	
pk_user2	Ufid2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pk_det	yes	oid_pk_det	yes	no
*	pk_det	yes	pk_domain	yes	no
			pk_user	yes	no
			pk_part	yes	no
			pk_reference	yes	no
			pk_start	yes	no
			pk_end	yes	no

Product Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_pld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pld_qadc01			x(8)	
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pld_domain	Domain		x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodlne	Product Line	Line	x(4)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pld_det	yes	oid_pld_det	yes	no
* pld_det	yes	pld_domain	yes	no
		pld_prodlne	yes	no
		pld_site	yes	no
		pld_loc	yes	no
pld_site	yes	pld_domain	yes	no
		pld_site	yes	no
		pld_loc	yes	no
		pld_prodlne	yes	no

Legal Document Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_plibs_ref			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
plibs__qadc01	QAD Character Field 1		.9<<<<<<<<	
plibs__qadc02	QAD Character Field 2		x(24)	
plibs_abs_id	Shipper ID		x(20)	
plibs_domain	Domain		x(8)	
plibs_mod_date	Modified Date	Mod Date	99/99/99	
plibs_mod_userid	User ID		x(8)	
plibs_pli_keyid	Key ID		>>>>>>>>	
plibs_supplier	Supplier		x(8)	
plibs_user1	User Field Character 1		x(24)	
plibs_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pliabs_ref	yes	oid_pliabs_ref	yes	no
* pliabs_pli_keyid	yes	pliabs_domain	yes	no
		pliabs_pli_keyid	yes	no
pliabs_supplier	no	pliabs_domain	yes	no
		pliabs_supplier	yes	no
		pliabs_abs_id	yes	no

Purchase Ledger Invoice Detail

Field Name	Label	Col-Label	Format	Dec
oid_plid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
plid__qadc01			.9<<<<<<<<<	
plid__qadc02			x(24)	
plid_abs_id	Shipper ID	Shipper ID	x(20)	
plid_cmtindx	Comment Index	Comment	>>>>>>9	
plid_domain	Domain		x(8)	
plid_grosswgt	Gross Weight	Gross Wt	>, >>>, >>9.9<<<<<<<<<	10
plid_inv_cost	Invoice Cost		->>>>, >>>, >>9.99<<<	10
plid_inv_qty	Invoice Quantity		->, >>>, >>>, >>9.99<<<<<<<<<<<<	10
plid_line	Line		>>>>>>>9	
plid_mod_date	Modified Date	Mod Date	99/99/99	
plid_mod_userid	User ID		x(8)	
plid_netwgt	Net Weight		>, >>>, >>9.9<<<<<<<<<	10
plid_order	Order		x(8)	
plid_order_line	Order Line	Ln	>>9	
plid_order_type	Order Type	Order! Type	x(2)	
plid_pli_keyid	Invoice Key ID	Invoice! Key ID	>>>>>>>>>	
plid_pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
plid_tax_env	Tax Environment	Tax Env	x(16)	
plid_tax_in	Tax In	Tax! In	yes/no	
plid_tax_usage	Tax Usage	Tax! Usage	x(8)	
plid_taxable	Taxable	Tax	yes/no	
plid_taxc	Tax Class	Tax! Class	x(3)	
plid_user1	User Field Character 1		x(24)	
plid_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_plid_det	yes	oid_plid_det	yes	no
plid_order	no	plid_domain	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
* plid_pli_keyid	yes	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_line	yes	no
plid_pli_keyid_order	no	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
plid_pvo_id	no	plid_domain	yes	no
		plid_pvo_id	yes	no

Purchase Ledger Invoice Master

Field Name	Label	Col-Label	Format	Dec
oid_pli_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pli__qadc01			x(24)	
pli__qadc02			x(24)	
pli__qadc03			x(24)	
pli__qadc04			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pli_mstr	yes	oid_pli_mstr	yes	no
pli_invoice	no	pli_domain	yes	no
		pli_supplier	yes	no
		pli_invoice	yes	no
* pli_keyid	yes	pli_domain	yes	no
		pli_keyid	yes	no
pli_vo_ref	no	pli_domain	yes	no
		pli_vo_ref	yes	no

Product Line Sales Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_plsd_det	yes	oid_plsd_det	yes	no
* plsd_prodl ine	yes	plsd_domain	yes	no
		plsd_prodl ine	yes	no
		plsd_site	yes	no
		plsd_cmty pe	yes	no
		plsd_channel	yes	no

[illegible]

Field Name	Label	Col-Label	Format	Dec
oid_pl_mstr			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
pl_chr01			x(8)	
pl_chr02			x(8)	
pl_chr03			x(8)	
pl_chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
pl__chr05			x(8)	
pl__dec01			>>>,>>>,>>9.99	10
pl__dec02			>>>,>>>,>>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadc06			x(8)	
pl__qadc07			x(4)	
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>,>>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	
pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	
pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
pl_desc	Description		x(24)	
pl_division			x(8)	
pl_domain	Domain		x(8)	
pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pl_esls_acct	Exempt Sales Acct		x(8)	
pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
pl_fiscal_class	Fiscal Class		x(18)	
pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
pl_flr_cc	Floor Stock CC	CC	x(4)	
pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
pl_fsaccr_cc	Accrued Revenue CC		x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
pl_fsdef_cc	Deferred Revenue CC		x(4)	
pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
pl_fsexd_acct	Expense Due Employee		x(8)	
pl_fsexd_cc	Expenses Due CC	CC	x(4)	
pl_fsexd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	
pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
pl_fsexp_cc	Service Expenses CC	CC	x(4)	
pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
pl_fslbr_cc	Service Labor CC	CC	x(4)	
pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
pl_fsrc_inv_acct	Repair Center Inv		x(8)	
pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
pl_fsrc_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
pl_group	Group		x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
pl_mvar_cc	Material Usage Variance CC	CC	x(4)	
pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	
pl_xfer_acct	Transfer Variance Account	Account	x(8)	
pl_xfer_cc	Transfer Variance CC	CC	x(4)	
pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pl_mstr	yes	oid_pl_mstr	yes	no
pl_desc	yes	pl_domain	yes	no
		pl_desc	yes	no
		pl_prod_line	yes	no
* pl_prod_line	yes	pl_domain	yes	no
		pl_prod_line	yes	no

poad det Purchase Order Allocation Detail

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>9	10
oid_poad_det			.9<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>9	10
poad__qadc01	QAD Character Field 1		x(24)	
poad__qadc02	QAD Character Field 2		x(24)	
poad_domain	Domain		x(8)	
poad_mod_date	Modified Date	Mod Date	99/99/99	
poad_mod_userid	User ID		x(8)	
poad_percent	MRP Percent	Percent	>>9.9<	10
poad_po_nbr	Purchase Order	Order	x(8)	
poad_pod_line	Line		>>9	
poad_supplier	Supplier		x(8)	
poad_user1	User Field Character 1		x(24)	
poad_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poad_det	yes	oid_poad_det	yes	no
* poad_oid_poa_mstr	no	oid_poa_mstr	yes	no
		poad_po_nbr	yes	no
		poad_pod_line	yes	no
poad_supplier	no	poad_domain	yes	no
		poad_supplier	yes	no

poa_mstr

Purchase Order Allocation Master

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
poa__qadc01	QAD Character Field 1		x(24)	.9<<<<<<<<
poa__qadc02	QAD Character Field 2		x(24)	
poa_domain	Domain		x(8)	
poa_eff_date	Effective Date	Effective	99/99/99	
poa_mod_date	Modified Date	Mod Date	99/99/99	
poa_mod_userid	User ID		x(8)	
poa_operation	Operation	Op	>>>>9	
poa_order_type	Order Type	Order! Type	>9	
poa_part	Item Number		x(18)	
poa_routing	Routing Code		x(18)	
poa_site	Site		x(8)	
poa_user1	User Field Character 1		x(24)	
poa_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poa_mstr	yes	oid_poa_mstr	yes	no
* poa_order_type	yes	poa_domain	yes	no
		poa_order_type	yes	no
		poa_site	yes	no
		poa_part	yes	no
		poa_routing	yes	no
		poa_operation	yes	no
		poa_eff_date	yes	no
poa_part_site	no	poa_domain	yes	no
		poa_part	yes	no
		poa_site	yes	no

poc_ctrl

Purchase Order Control

Field Name	Label	Col-Label	Format	Dec
oid_poc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
poc__qad01			.9<<<<<<<<	
poc__qadc01	QAD Field		999999	
poc__qadc02	QAD Field		X(8)	0
poc__qadc03	QAD Field		X(8)	0
poc__qadc04			x(8)	
poc__qadc05			x(4)	
poc__qadd01	QAD Field		->>>>, >>>, >>>9.99<<<	10
poc__qadd02	QAD Field		->>>>, >>>, >>>9.99<<<	10
poc__qadi02	QAD Field		->, >>>, >>>9	
poc__qadi03			->>>>>>>9	
poc__qadi04	QAD Field		->, >>>, >>>9	
poc__qadi01	QAD Field		yes/no	
poc__qadi02	QAD Field		yes/no	
poc__qadi03	QAD Field		yes/no	
poc__qadi04	QAD Field		yes/no	
poc__qadi07	QAD Field		yes/no	
poc__qadi08			yes/no	
poc__qadt01	QAD Field		99/99/99	
poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
poc_apv_req	Approved Reqs Needed for POs		yes/no	
poc_bill	Bill-To		x(8)	
poc_crtacc_acct	PO Interest Accrued Acct		X(8)	
poc_crtacc_cc	PO Interest Accrued CC	CC	X(4)	
poc_crtacc_sub	PO Int Accrued Sub-Acct	Sub-Acct	x(8)	
poc_crtaapp_acct	PO Interest Applied Acct		X(8)	
poc_crtaapp_cc	PO Interest Applied CC	CC	X(4)	
poc_crtaapp_sub	PO Int Applied Sub-Acct	Sub-Acct	x(8)	
poc_date_based_rlse_id	Generate Date Based Release ID	Gen Date Based Rlse ID	yes/no	
poc_dflt_dybkset	Default Daybook Set	Def Dybk Set	x(8)	

Field Name	Label	Col-Label	Format	Dec
poc_domain	Domain		x(8)	
poc_dybk_on_invoice	Allow Supplier Invoice		yes/no	
	Daybook Update			
poc_dybkset_by_site	Use Daybook Set by Site		yes/no	
poc_ers_opt	ERS Option	ERS! Opt	x(1)	
poc_ers_proc	ERS Processing		yes/no	
poc_ex_ratetype	Rate Type		x(8)	
poc_fiscal_confirm	Fiscal Confirm Required		yes/no	
poc_fst_id	Company FST ID		x(18)	
poc_hcmmts	PO Header Comments		yes/no	
poc_insp_loc	Inspection Location	Inspect	x(8)	
poc_lcmmts	PO Line Comments		yes/no	
poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	
poc_ln_stat	Cancel Backorders	Cancel	x(1)	
poc_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
poc_next_batch	Next Fiscal Batch		>>>>>>>9	
poc_pc_line	Price by PO Line Due Date		yes/no	
poc_pl_req	Price List Required		yes/no	
poc_po_hist	Keep Booking History	Book! Hst	yes/no	
poc_po_nbr	Next Purchase Order	Next PO	99999999	
poc_po_pre	PO Prefix	Pre	x(3)	
poc_pst_id	PST ID		x(18)	
poc_pt_req	Price Table Required		yes/no	
poc_rcv_all	Receive All		yes/no	
poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
poc_rcv_pre	Receiver Prefix	Pre	x(3)	
poc_rcv_type	Receiver Type	T	9	0
poc_req_nbr	Next Req		>>>>>>>9	
poc_req_pre	Requisition Prefix	Pre	x(3)	
poc_sched_disc_tbl_req	Sched Disc Table Required		yes/no	
poc_ship	Ship-To		x(8)	
poc_sort_by	Sort PO By		Site/Line	
poc_tol_cst	Tolerance Cost	Tolerance \$	>>>>,>>>,>>9.99<<<	10
poc_tol_pct	Tolerance Percent	Tol %	>>>>.99	10
poc_user1	Ufld1		x(8)	
poc_user2	Ufld2		x(8)	
poc_zero_sched	Zero Schedule	Zero Schedule	>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_poc_ctrl	yes	oid_poc_ctrl	yes	no
*	poc index1	yes	poc domain	yes	no

pod det	Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_pod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pod_chr01			.9<<<<<<<<	
pod_chr02			x(8)	
pod_chr03			x(8)	
pod_chr04			x(8)	
pod_chr05			x(8)	
pod_chr06			x(8)	
pod_chr07			x(8)	
pod_chr08			x(8)	
pod_chr09			x(8)	
pod_chr10			x(8)	
pod_dec01			>>>, >>>, >>9.99	10
pod_dec02			>>>, >>>, >>9.99	10
pod_dte01			99/99/99	
pod_dte02			99/99/99	
pod_log01			yes/no	
pod_qad02			->>>>>>>>g	
pod_qad03			99:99:99	
pod_qad04[5]			x(40)	
pod_qad05			yes/no	
pod_qad06			x(1)	

Field Name	Label	Col-Label	Format	Dec
pod__qad07			x(2)	
pod__qad08			99/99/99	
pod__qad09			->>>, >>>, >>9	
pod__qad10			x(8)	
pod__qad11			x(8)	
pod__qad12			yes/no	
pod__qad13			yes/no	
pod__qad14			99/99/99	
pod__qad15			yes/no	
pod__qad16			x(8)	
pod__qadd02	QAD Field		->>>>, >>>, >>9.99	10
pod__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
pod__qadd04	QAD Field		->>>>, >>>, >>9.99	10
pod__qadt01			99/99/99	
pod_acct	Pur Acct		x(8)	
pod_approve	Approved By	Approved	x(8)	
pod_apr_code	Approval Code	Apr Code	x(8)	
pod_assay	Assay %		>>9.99%	10
pod_blanket	Blanket		x(8)	
pod_blnkt_ln	Blanket Line	Bl Ln	>>9	
pod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
pod_cc	Cost Ctr	CC	x(4)	
pod_cmtindx	Comment Index	Comment	>>>>>>9	
pod_consignment	Consignment		yes/no	
pod_contr_id	Contract ID		x(30)	
pod_contract	Contract		x(8)	
pod_cost_chg	Receipt Cost		->>>, >>>, >>9.99<<<	10
pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
pod_cst_up	Update Current Cost		yes/no	
pod_cum_date[4]	Cum Start		99/99/99	
pod_cum_qty[4]	Cum Received		->>>>, >>>, >>9.9<<<<<<<<<	10
pod_curr_rlse_id[3]	Active Rlse ID		x(30)	
pod_desc	Description		x(40)	
pod_disc_pct	Disc%		->>9.99	10
pod_dock	Dock		x(8)	
pod_domain	Domain		x(8)	
pod_drp_ref	DRP Ref		x(8)	
pod_due_date	Due Date	Due	99/99/99	
pod_end_eff[4]	End Effective		99/99/99	
pod_ers_opt	ERS Option	ERS! Opt	>9	
pod_expire	Expire Date	Expire	99/99/99	
pod_fab_days	Fab Auth Days		>, >>9	
pod_fab_weeks	Fab Auth Weeks		>, >>9	
pod_firm_days	Firm Days		>, >>9	
pod_firm_weeks	Firm Weeks		>, >>9	
pod_fix_pr	Fixed Price		yes/no	
pod_fr_list	Freight List	Fr List	x(8)	
pod_fsm_type	FSM Type		x(8)	
pod_grade	Grade		x(2)	
pod_insp_rqd	Inspect Req	Insp	yes/no	
pod_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
pod_line	Line	Ln	>>9	
pod_loc	Location		x(8)	
pod_lot_next	Next Lot/Serial		x(18)	
pod_lot_rcpt	Single Lot		yes/no	
pod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
pod_mrp_pct	Supply Percent		>>9.99%	10
pod_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
pod_nbr	Purchase Order	Order	x(8)	
pod_need	Need Date	Need	99/99/99	
pod_op	Operation	Op	>>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pjs_line	Project Line		>>>>>>>9	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	

Field Name	Label	Col-Label	Format	Dec
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<	10
pod_pst	PST		yes/no	
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>, >>>, >>9.99<<<	10
pod_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
pod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rtnd	Qty Returned		->, >>>, >>9.9<<<<<<<<	10
pod_raw_days	Raw Auth Days		>, >>9	
pod_raw_weeks	Raw Auth Weeks		>, >>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->, >>>, >>9.9<<<<<<<<	10
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_request	Requested By	Req By	x(8)	
pod_rev	Item Revision	Item Rev	x(4)	
pod_rlse_nbr	Next Release ID		99999999	
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sched	Scheduled		yes/no	
pod_sched_chgd	Scheduled		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sftytl_days	Safety Days		>>9.99	10
pod_sftytl_hrs	Safety Hours		>>9.99	10
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>, >>>, >>9.99<<<	10
pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_transit_days	Transport Days		>>9.99	10
pod_transit_hrs	Transport Hours		>>9.99	10
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufld1		x(8)	
pod_user2	Ufld2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wip_lotser	Lot/Serial		x(18)	
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod zero sched count	Zero Schedule Counter	Zero Sched Count	>>9	10

Index-Name	Uni	Field-Name	Asc	Abbr
old_pod_det	yes	old_pod_det	yes	no
pod_fsm_type	no	pod_domain	yes	no
		pod_fsm_type	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
* pod_nbrln	yes	pod_domain	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_part	yes	pod_domain	yes	no
		pod_part	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
pod_partdue	no	pod_domain	yes	no
		pod_part	yes	no
		pod_due_date	yes	no
pod_project	no	pod_domain	yes	no
		pod_project	yes	no
		pod_pjs_line	yes	no

Posting

Posting

Field Name	Label	Col-Label	Format	Dec
AutoReversalPosting_ID	Automatic Reversal Posting	Automatic Reversal Posting	9999999999	
Company_ID	Link to Company		9999999999	
CreatorUsr_ID	Login		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook Code		9999999999	
LastApprovedUsr_ID	Link to Usr		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	

610 Posting

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Mod User	x(20)	
LastVerifiedUsr_ID	Link to Usr		9999999999	
ObsoleteClosing_ID			9999999999	
Period_ID	Link to Period		9999999999	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Record ID		9999999999	
PostingAddGLNbr	Sequence Number		9999999999	
PostingAddGLNbrDate	Additional GL Numbering Date		99/99/9999	
PostingAddGLNbrRevDate	Additional GL Numbering Reversal Date		99/99/9999	
PostingApproveComments	Approve Comments		x(40)	
PostingApprovedDate	Last Approved Date		99/99/9999	
PostingApprovedTime	Last Approved Time		->, >>>, >>9	
PostingApproveStatus	Approve Status		x(40)	
PostingAutoReversalDate	Automatic Reversal Date	Automatic Reversal Date	99/99/9999	
PostingAutoReversalType	Automatic Reversal Type	Automatic Reversal Type	x(20)	
PostingBankImpRef	Bank Importing Reference		x(255)	
PostingBatchNumber	Batch Number		x(8)	
PostingBusinessRelationTxt	Bus Rel (IC Posting)	Business Relation (IC Posting)	x(40)	
PostingDate	Posting Date		99/99/9999	
PostingInvoiceReferenceTxt	External Inv Ref	External Invoice Reference	x(50)	
PostingIsAutoReversal	Automatic Reversal	Automatic Reversal	yes/no	
PostingIsCorrection	Correction	Correction	yes/no	
PostingIsReplacement	Replacement	Is Replacement	yes/no	
PostingIsReversing	Reversal	Is Reversal	yes/no	
PostingIsReversingBySign	Correction		yes/no	
PostingIsSkipAutoAssignLC	Skip Auto Assign BC		yes/no	
PostingIsZeroValueAllowed	Zero Value Allowed		yes/no	
PostingMirrorRef	Mirroring Reference		x(20)	
PostingOriginAddressCode	Address Code		x(20)	
PostingOriginatorReference	Original Posting Reference		x(40)	
PostingOriginDaybookCode	Origin Daybook Code		x(8)	
PostingOriginDaybookNumber	Origin Daybook Number		x(40)	
PostingOriginDocument	Origin Document	Origin Doc	x(22)	
PostingOriginDocumentType	Origin Payment Type	Origin Pay Type	x(2)	
PostingOriginsExternal	External Origin		yes/no	
PostingOriginReference	Origin Reference	Origin Ref	x(22)	
PostingOriginTransType	Origin Transaction Type	Origin Trans Type	x(2)	
PostingParentText	Parent Text		x(40)	
PostingPeriod	GL Period		99	
PostingSecondText	Second Description		x(40)	
PostingSystemDate	System Date	Sys Date	99/99/9999	
PostingText	Description		x(40)	
PostingValueDate	Value Date		99/99/9999	
PostingVerifiedDate	Last Verified Date		99/99/9999	
PostingVerifiedTime	Last Verified Time		->, >>>, >>9	
PostingVerifyComments	Verify Comments		x(40)	
PostingVerifyStatus	Verify Status		x(40)	
PostingVoucher	Voucher		9999999999	
PostingYear	Year		9999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	9999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ReportingJournal_ID	Reporting Daybook		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
AddGLNbr	no	Company_ID	yes	no
		PostingAddGLNbr	no	no
		PostingAddGLNbrDate	no	no
AutoReversal	no	PostingIsAutoReversal	yes	no
		PostingAutoReversalType	yes	no
◇ Company	no	Company_ID	yes	no
CyOrig	no	Company_ID	yes	no
		PostingOriginTransType	yes	no
		PostingOriginReference	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
CyPeriodYearPeriodId	no	Company_ID	yes	no
x				
		PostingYearPeriod	yes	no
CyPostingDate	no	Company_ID	yes	no
		PostingDate	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ MirrorRef	no	PostingMirrorRef	yes	no
OriginatorRef	no	PostingOriginatorReference	yes	no
◇ Period	no	Period_ID	yes	no
◇ PostingDate	no	PostingDate	yes	no
PostingOriginIsExt	no	PostingOriginIsExternal	yes	no
PostingOriginRef	no	PostingOriginReference	yes	no
◇ PostingYear	no	PostingYear	yes	no
◇* Prim	yes	Posting_ID	yes	no
ReportingJrnlIdx	no	ReportingJournal_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		PostingYear	yes	no
		Journal_ID	yes	no
		PostingVoucher	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		PostingYear	yes	no
		PostingPeriod	yes	no
		Journal_ID	yes	no
		PostingVoucher	yes	no
◇ Voucher	no	PostingVoucher	yes	no

PostingHist Posting History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Link to CostCentre		9999999999	
Currency_ID	Link to Currency		9999999999	
Division_ID	Link to Division		9999999999	
GL_ID	Link to GL		9999999999	
IntercoBusinessRelation_ID	Link to BusinessRelation		9999999999	
Journal_ID	Link to Journal		9999999999	
JournalTypeCode	Daybook Type	Type	x(30)	
Layer_ID	Link to Layer		9999999999	
PostingHist_ID	Record ID		9999999999	
PostingHistBalanceCreditCC	SC Credit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceCreditLC	BC Balance Credit		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceCreditPC	PC Credit Balance		->, >>>, >>9.99	4
PostingHistBalanceCreditTC	TC Credit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitCC	SC Debit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitLC	BC Balance Debit		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceDebitPC	PC Debit Balance		->, >>>, >>9.99	4
PostingHistBalanceDebitTC	TC Debit Balance		->>>, >>>, >>>, >>9.99	4
PostingHistBalanceQTY	Quantity Balance	Qty Balance	->>>, >>>, >>9.99	4
PostingHistMovemntCreditCC	SC Credit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntCreditLC	BC Movement Credit		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntCreditPC	PC Credit Activity		->, >>>, >>9.99	4
PostingHistMovemntCreditTC	TC Credit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitCC	SC Debit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitLC	BC Movement Debit		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntDebitPC	PC Debit Activity		->, >>>, >>9.99	4
PostingHistMovemntDebitTC	TC Debit Activity		->>>, >>>, >>>, >>9.99	4
PostingHistMovemntQTY	Qty Activity		->>>, >>>, >>9.99	4
PostingHistYearPeriodFrom	From Year/GL Period		->, >>>, >>9	
PostingHistYearPeriodTill	To Year/GL Period		->, >>>, >>9	
PostingHistYTDCreditCC	SC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditLC	BC YTD Credit		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditPC	PC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDCreditTC	TC Credit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitCC	SC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitLC	BC YTD Debit		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitPC	PC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDDebitTC	TC Debit (YTD)		->>>, >>>, >>>, >>9.99	4
PostingHistYTDQTY	Quantity (YTD)	Qty (YTD)	->>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
PostingSafCombined_ID	Link to PostingSafCombined		9999999999	
Project_ID	Link to Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyYPFrom	no	Company_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
CyCCTill	no	Company_ID	yes	no
		CostCentre_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyDivTill	no	Company_ID	yes	no
		Division_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyGLFrom	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
CyGLTill	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyJrnlTill	no	Company_ID	yes	no
		Journal_ID	yes	no
		PostingHistYearPeriodTill	yes	no
CyProjTill	no	Company_ID	yes	no
		Project_ID	yes	no
		PostingHistYearPeriodTill	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
GLCostCentre	no	GL_ID	yes	no
		CostCentre_ID	yes	no
GLDivision	no	GL_ID	yes	no
		Division_ID	yes	no
GLPostSafComb	no	GL_ID	yes	no
		PostingSafCombined_ID	yes	no
GLProject	no	GL_ID	yes	no
		Project_ID	yes	no
IDsPeriodFrom	no	Company_ID	yes	no
		Journal_ID	yes	no
		Layer_ID	yes	no
		GL_ID	yes	no
		Division_ID	yes	no
		CostCentre_ID	yes	no
		Project_ID	yes	no
		Currency_ID	yes	no
		IntercoBusinessRelation_ID	yes	no
		PostingSafCombined_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
IDsPeriodTill	no	Company_ID	yes	no
		Journal_ID	yes	no
		Layer_ID	yes	no
		GL_ID	yes	no
		Division_ID	yes	no
		CostCentre_ID	yes	no
		Project_ID	yes	no
		Currency_ID	yes	no
		IntercoBusinessRelation_ID	yes	no
		PostingSafCombined_ID	yes	no
		PostingHistYearPeriodTill	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
PeriodFrom	no	PostingHistYearPeriodFrom	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
PeriodTill	no	PostingHistYearPeriodTill	yes	no
◇ PostingSafComb	no	PostingSafCombined_ID	yes	no
◇* Prim	yes	PostingHist_ID	yes	no
◇ Project	no	Project_ID	yes	no

PostingLine Posting Line

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CostCentre_ID	Cost Center Code		9999999999	
CrossCompany_ID	Link to Company		9999999999	
CrossCompanyPosting_ID	Posting (Cross-Cy)		9999999999	
CrossCompanyPostingLine_ID	Posting line (Cross-Cy)	Posting-line (Cross-Cy)	9999999999	
Currency_ID	Currency Code	Trans Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID	Sub-Account Code		9999999999	
GL_ID	GL Description		9999999999	
IntercoBusinessRelation_ID	Intercompany Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	Link to Period		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingDate	Posting Date		99/99/9999	
PostingLine_ID	Record ID		9999999999	
PostingLineCCRate	SC Rate		->, >>>, >>9.9999999999	10
PostingLineCCScale	SC Rate Scale		->, >>>, >>9.9999999999	10
PostingLineCostCentreText	Cost Center		x(40)	
PostingLineCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
PostingLineCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
PostingLineCreditPC	PC Credit		->, >>>, >>9.99	4

614 PostingLine

Field Name	Label	Col-Label	Format	Dec
PostingLineCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
PostingLineCrossExternRef	Ext Reference (Cross-Cy)		x(40)	
PostingLineDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
PostingLineDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
PostingLineDebitPC	PC Debit		->, >>>, >>9.99	4
PostingLineDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
PostingLineExchangeRate	Exchange Rate		->, >>>, >>9.9999999999	10
PostingLineGrossIncAccRef	Gross Income Accounting Reference		x(40)	
PostingLineIsProjPosting	Project Posting	Proj	yes/no	
PostingLineLegalDocNbr	Legal Document Nbr		x(20)	
PostingLineMaster_ID			9999999999	
PostingLineMirrorRef	Mirroring Reference		x(20)	
PostingLineMirrorType	Mirroring Type		x(20)	
PostingLineOriginLineNbr	Origin Line Number	Origin Line No	>>>9	
PostingLineProjectText	Project	Prj	x(40)	
PostingLineQTY	Quantity		->>>, >>>, >>9.99	4
PostingLineRateScale	Scale Factor		->, >>>, >>9.9999999999	10
PostingLineSafText	SAF		x(40)	
PostingLineSequence	Sequence	Seq	->, >>>, >>9	
PostingLineText	Description		x(40)	
PostingLineTransaction_ID			9999999999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
Project_ID	Description		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
CompanyGLYearPd	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingYearPeriod	yes	no
CompanyYearPeirod	no	Company_ID	yes	no
		PostingYearPeriod	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
CrossCompany	no	CrossCompany_ID	yes	no
CrossCompanyPost	no	CrossCompanyPosting_ID	yes	no
CrossCompanyPostL	no	CrossCompanyPostingLine_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ CyDate	no	Company_ID	yes	no
		PostingDate	yes	no
CyGLDate	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingDate	yes	no
◇ Division	no	Division_ID	yes	no
ExtCrossIdx	no	PostingLineCrossExternRef	yes	no
◇ GL	no	GL_ID	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇ Master	no	PostingLineMaster_ID	yes	no
◇ MirrorRef	no	PostingLineMirrorRef	yes	no
◇ Period	no	Period_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
PostingIDLineSeq	no	Posting_ID	yes	no
		PostingLineSequence	yes	no
PostingYearPeriod	no	PostingYearPeriod	yes	no
◇* Prim	yes	PostingLine_ID	yes	no
◇ Project	no	Project_ID	yes	no
ProjectPosting	no	PostingLineIsProjPosting	yes	no
TransactionId	no	PostingLineTransaction_ID	yes	no

PostingSaf Posting Saf

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingSaf_ID	Record ID		9999999999	
PostingSafInputSequence	Sequence	Seq	9	
PostingSafParentType	Parent Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PostingIdx	no	Posting_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	PostingSaf_ID	yes	no
◇ Saf	no	Saf_ID	yes	no

PostingSafCombined Posting Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID			9999999999	
CostCentre2Saf_ID			9999999999	
CostCentre3Saf_ID			9999999999	
CostCentre4Saf_ID			9999999999	
CostCentre5Saf_ID			9999999999	
CostCentreSafStructure_ID	Link to SafStructure		9999999999	
GL1Saf_ID			9999999999	
GL2Saf_ID			9999999999	
GL3Saf_ID			9999999999	
GL4Saf_ID			9999999999	
GL5Saf_ID			9999999999	
GLSafStructure_ID	Link to SafStructure		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingSafCombined_ID	Record ID		9999999999	
Project1Saf_ID			9999999999	
Project2Saf_ID			9999999999	
Project3Saf_ID			9999999999	
Project4Saf_ID			9999999999	
Project5Saf_ID			9999999999	
ProjectSafStructure_ID	Link to SafStructure		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
CostC1Saf	no	CostCentre1Saf_ID	yes	no
CostC2Saf	no	CostCentre2Saf_ID	yes	no
CostC3Saf	no	CostCentre3Saf_ID	yes	no
CostC4Saf	no	CostCentre4Saf_ID	yes	no
CostC5Saf	no	CostCentre5Saf_ID	yes	no
GL1Saf	no	GL1Saf_ID	yes	no
GL2Saf	no	GL2Saf_ID	yes	no
GL3Saf	no	GL3Saf_ID	yes	no
GL4Saf	no	GL4Saf_ID	yes	no
GL5Saf	no	GL5Saf_ID	yes	no
◇* Prim	yes	PostingSafCombined_ID	yes	no
Proj1Saf	no	Project1Saf_ID	yes	no
Proj2Saf	no	Project2Saf_ID	yes	no
Proj3Saf	no	Project3Saf_ID	yes	no
Proj4Saf	no	Project4Saf_ID	yes	no
Proj5Saf	no	Project5Saf_ID	yes	no

PostingSafHist Posting History SAF

Field Name	Label	Col-Label	Format	Dec
PostingSafCombined_ID	Link to PostingSafCombined		9999999999	
PostingSafHist_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ PostingSafComb	no	PostingSafCombined_ID	yes	no
◇* Prim	yes	PostingSafHist_ID	yes	no
◇ Saf	no	Saf_ID	yes	no

PostingTemplate Posting Template

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Posting_ID	Link to Posting		9999999999	
PostingTemplate_ID	Record ID		9999999999	
PostingTemplateBusRelCode	Business Relation		x(20)	
PostingTemplateCode	Template Code		x(20)	
PostingTemplateCostCtrCode	Cost Center		x(20)	
PostingTemplateDateLastMod	Date Last Modified	Modified	99/99/9999	
PostingTemplateDateLastUse	Date Last Used	Used	99/99/9999	
PostingTemplateDivCode	Sub-Account		x(20)	
PostingTemplateProjectCode	Project		x(20)	
PostingTemplateTimesUsed	Times Used	Used	>>>9	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	Company_ID	yes	no
		PostingTemplateCode	yes	no
◇ Company	no	Company_ID	yes	no
◇ Posting	no	Posting_ID	yes	no
◇* prim	yes	PostingTemplate_ID	yes	no

PostingVat Posting Tax

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
FromTxzTaxZone	From Tax Zone		x(16)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingVat_ID	Record ID		9999999999	
PostingVatBaseCreditCC	SC Base Credit		->>>,>>>,>>>,>>9.99	4
PostingVatBaseCreditLC	BC Base Credit		->>>,>>>,>>>,>>9.99	4
PostingVatBaseCreditTC	TC Base Credit		->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitCC	SC Base Debit		->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitLC	BC Base Debit		->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitTC	TC Base Debit		->>>,>>>,>>>,>>9.99	4
PostingVatExchangeRate	Exchange Rate	Rate	->,>>>,>>9.99	10
PostingVatInOut	In/Out		x(20)	
PostingVatIsAbsRet	Absorbed Retained		yes/no	
PostingVatIsReverseCharge	Reverse Charge		yes/no	
PostingVatIsSuspDel	Suspended/Delayed Tax	Susp/Del	yes/no	
PostingVatOwnTaxDeclarat	Own Declaration Tax		->,>>>,>>9	
PostingVatOwnTaxIDFeder	Own Federal Tax		x(40)	
PostingVatOwnTaxIDMisc1	Own Miscellaneous Tax 1	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc2	Own Miscellaneous Tax 2	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc3	Own Miscellaneous Tax 3	Own Misc Tax 3	x(40)	
PostingVatOwnTaxIDState	Own State Tax		x(40)	
PostingVatRateScale	Scale Factor		->,>>>,>>9.99	10
PostingVatTaxCreditCC	SC Tax Credit		->>>,>>>,>>>,>>9.99	4
PostingVatTaxCreditLC	BC Tax Credit		->>>,>>>,>>>,>>9.99	4
PostingVatTaxCreditTC	TC Tax Credit		->>>,>>>,>>>,>>9.99	4
PostingVatTaxDebitCC	SC Tax Debit		->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
PostingVatTaxDebitLC	BC Tax Debit		->>>, >>>, >>>, >>9.99	4
PostingVatTaxDebitTC	TC Tax Debit		->>>, >>>, >>>, >>9.99	4
PostingVatTaxIDFeder	Federal Tax		x(40)	
PostingVatTaxIDMisc1	Miscellaneous Tax 1	Misc Tax 1	x(40)	
PostingVatTaxIDMisc2	Miscellaneous Tax 2	Misc Tax 2	x(40)	
PostingVatTaxIDMisc3	Miscellaneous Tax 3	Misc Tax 3	x(40)	
PostingVatTaxIDState	State Tax		x(40)	
PostingVatTaxPointDate	Tax Point Date	Tax Date	99/99/9999	
PostingVatTaxTransType	Tax Transaction Type	Tax Trans Type	99	
PostingVatTransType	Transaction Type	Trans Type	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ToTxzTaxZone	To Tax Zone		x(16)	
TxclTaxCls	Tax Class		x(3)	
TxenvTaxEnv	Tax Environment	Tax Env	x(16)	
TxtyTaxType	Tax Type		x(16)	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Tax Code		9999999999	
VatGroup_ID	Tax Group Code		9999999999	
VatPeriod_ID	Link to VatPeriod		9999999999	
VatRule_ID	Link to VatRule		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
OwnTaxDeclarat	no	PostingVatOwnTaxDeclarat	yes	no
OwnTaxIDFeder	no	PostingVatOwnTaxIDFeder	yes	no
OwnTaxIDMisc1	no	PostingVatOwnTaxIDMisc1	yes	no
OwnTaxIDMisc2	no	PostingVatOwnTaxIDMisc2	yes	no
OwnTaxIDMisc3	no	PostingVatOwnTaxIDMisc3	yes	no
OwnTaxIDState	no	PostingVatOwnTaxIDState	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇ PostingIdx	no	Posting_ID	yes	no
◇ PostingLine	no	PostingLine_ID	yes	no
◇* Prim	yes	PostingVat_ID	yes	no
ReverseDate	no	PostingVatIsReverseCharge	yes	no
		PostingVatTaxPointDate	yes	no
SuspDel	no	PostingVatIsSuspDel	yes	no
TaxPointDate	no	PostingVatTaxPointDate	yes	no
TaxTransType	no	PostingVatTaxTransType	yes	no
TransType	no	PostingVatTransType	yes	no
TxclTaxCls	no	TxclTaxCls	yes	no
TxtyTaxType	no	TxtyTaxType	yes	no
◇ Vat	no	Vat_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no
◇ VatRule	no	VatRule_ID	yes	no

PostingVatDelay Posting Tax Delayed

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
PeriodMark_ID	Link to PeriodMark		9999999999	
Posting_ID	Link to Posting		9999999999	
PostingLine_ID	Link to PostingLine		9999999999	
PostingVatDelay_ID	Record ID		9999999999	
PostingVatDelayBaseCredCC	SC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseCredLC	BC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseCredTC	TC Base Credit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebCC	SC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebLC	BC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayBaseDebTC	TC Base Debit		->>>, >>>, >>>, >>9.99	4
PostingVatDelayExchRate	Exchange Rate	Rate	->, >>>, >>9.99	10
PostingVatDelayIsOpen	Open		yes/no	
PostingVatDelayOwnTaxDecl	Own Tax Declaration		->, >>>, >>9	
PostingVatDelayOwnTaxIDFed	Own Federal Tax ID		x(40)	

Field Name	Label	Col-Label	Format	Dec
PostingVatDelayOwnTaxIDM1	Own Misc 1 ID		x(40)	
PostingVatDelayOwnTaxIDM2	Own Misc 2 ID		x(40)	
PostingVatDelayOwnTaxIDM3	Own Misc 3 ID		x(40)	
PostingVatDelayOwnTaxIDSt	Own State Tax ID		x(40)	
PostingVatDelayRateScale	Scale Factor		-,>>>,>>9.99	10
PostingVatDelayTaxIDFeder	Federal Tax ID		x(40)	
PostingVatDelayTaxIDMisc1	Misc 1		x(40)	
PostingVatDelayTaxIDMisc2	Misc 2		x(40)	
PostingVatDelayTaxIDMisc3	Misc 3		x(40)	
PostingVatDelayTaxIDState	State		x(40)	
PostingVatDelayTaxPntDate	Tax Point Date		99/99/9999	
PostingVatDelayVATBallC	BC Tax Balance		----,>>>,>>>,>>9.99	4
PostingVatDelayVATOrigLC	BC Tax Original		----,>>>,>>>,>>9.99	4
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>>>,>>9.9999	10
QADT01			99/99/9999	
Vat_ID	Description		9999999999	
VatPeriod_ID	Link to VatPeriod		9999999999	
VatRule_ID	Link to VatRule		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Currency	no	Currency_ID	yes	no
◇ IsOpen	no	PostingVatDelaysIsOpen	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇ PostingLine	yes	PostingLine_ID	yes	no
◇* Prim	yes	PostingVatDelay_ID	yes	no
◇ Vat	no	Vat_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no
◇ VatRule	no	VatRule_ID	yes	no

pould_det

Field Name	Label	Col-Label	Format	Dec
oid_pould_det			>>>>>>>>>>>>>>>>>>>>>9	10
pould__qadc01			.9<<<<<<<<	
pould__qadc02			x(24)	
pould_domain	Domain		x(8)	
pould_loc	Location		x(8)	
pould_mod_date	Modified Date	Mod Date	99/99/99	
pould_mod_userid	User ID		x(8)	
pould_poul_ref_key	Ref ID		>>>>>>>9	
pould_preference	Preference		>>>>>>>9	
pould_user1	User Field Character 1		x(24)	
pould_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pould_det	yes	oid_pould_det	yes	no
pould_preference	no	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_preference	yes	no
		pould_loc	yes	no
* pould_ref_loc	yes	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_loc	yes	no

poul_mstr

Point of Use Location Master

Field Name	Label	Col-Label	Format	Dec
oid_poul_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
poul__qadc01			.9<<<<<<<<<	
poul__qadc02			x(24)	
poul_cmtindx	Comment Index	Comment	x(24)	
poul_domain	Domain		>>>>>>9	
poul_mch	Machine		x(8)	
poul_mod_date	Modified Date	Mod Date	x(8)	
poul_mod_userid	User ID		99/99/99	
poul_pou_code	Point of Use Code		x(8)	
poul_ref_key	Ref ID		x(18)	
poul_site	Site		>>>>>>>>9	
poul_user1	User Field Character 1		x(8)	
poul_user2	User Field Character 2		x(24)	
poul_wkctr	Work Center	Work Ctr	x(24)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_poul_mstr	yes	oid_poul_mstr	yes	no
* poul_mstr	yes	poul_domain	yes	no
		poul_pou_code	yes	no
		poul_site	yes	no
		poul_wkctr	yes	no
		poul_mch	yes	no
poul_ref_key	no	poul_domain	yes	no
		poul_ref_key	yes	no

pou_mstr

Point of Use Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pou_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pou__qadc01			.9<<<<<<<<<<	
pou__qadc02			x(24)	
pou_cmtindx	Comment Index	Comment	x(24)	
pou_code	Point of Use Code		>>>>>>>9	
pou_desc	Description		x(18)	
pou_domain	Domain		x(24)	
pou_mod_date	Modified Date	Mod Date	x(8)	
pou_mod_userid	User ID		99/99/99	
pou_user1	User Field Character 1		x(8)	
pou_user2	User Field Character 2		x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pou_mstr	yes	oid_pou_mstr	yes	no
* pou_code	yes	pou_domain	yes	no
		pou_code	yes	no

po_mstr

Purchase Order Master

Field Name	Label	Col-Label	Format	Dec
oid_po_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
po__chr01			x(8)	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	

Field Name	Label	Col-Label	Format	Dec
po__chr09			x(8)	
po__chr10			x(8)	
po__dec01			>>>, >>>, >>9.99	10
po__dec02			>>>, >>>, >>9.99	10
po__dte01			99/99/99	
po__dte02			99/99/99	
po__log01			yes/no	
po__qad02			>>9	
po__qad03			99:99:99	
po__qad04			yes/no	
po__qad05			->>9.99%	10
po__qad06			yes/no	
po__qad07			x(8)	
po__qad08			x(4)	
po__qad09			->>, >>>, >>9.99	10
po__qadc02	QAD Field		X(8)	0
po__qadc03			x(24)	
po__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
po__qadi02	QAD Field		->, >>>, >>9	
po__qadi03	QAD Field		->, >>>, >>9	
po__qadt01			99/99/99	
po__ap_acct	AP Acct		x(8)	
po__ap_cc	Cost Ctr	CC	x(4)	
po__ap_sub	AP Sub-Acct	Sub-Acct	x(8)	
po__app_owner	Owner Application		x(12)	
po__bank	Bank		x(2)	
po__bill	Bill-To		x(8)	
po__blanket	Blanket Order	Blanket	x(8)	
po__buyer	Buyer		x(8)	
po__cls_date	Close Date	Closed	99/99/99	
po__cmtindx	Comment Index	Comment	>>>>>>>9	
po__confirm	Confirming	Confirm	yes/no	
po__consign_cost_point	PO Cost Point		X(8)	0
po__consignment	Consignment		yes/no	
po__contact	Contact		x(24)	
po__contract	Contract		x(18)	
po__cr_terms	Credit Terms	Terms	x(8)	
po__crt_int	Credit Terms Int	CRT Int	->>>9.99	10
po__curr	Currency	Cur	x(3)	
po__cycl	Cycle Code	Cycl	x(2)	
po__daybookset	Daybook Set	Dybk Set	x(8)	
po__del_to	Deliver To	Delv To	x(4)	
po__disc_pct	Disc %		->9.99%	10
po__domain	Domain		x(8)	
po__due_date	Due Date		99/99/99	
po__duty_type	Duty Type	Dty	x(1)	
po__eff_strt	Start Effective	Start Eff	99/99/99	
po__eff_to	End Effective	End Eff	99/99/99	
po__ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
po__ers_opt	ERS Option	ERS! Opt	x(2)	
po__est_value	Est Value	Est Val	->>, >>>, >>9.99	10
po__ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
po__ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
po__ex_ratetype	Rate Type		x(8)	
po__exru_seq	Sequence		>>>>>>>9	
po__fix_pr	Fixed Price		yes/no	
po__fix_rate	Fixed Rate	Fixed	yes/no	
po__fob	FOB		x(20)	
po__frt	Freight		-z, zzz, zzz, zz9.99	10
po__fsm_type	FSM Type		x(8)	
po__fst_id	FST ID		x(18)	
po__incl_iss	Include Saturday/Sunday		yes/no	
po__inv_mthd	Invoices Via		x(1)	
po__is_btb	EMT PO		yes/no	
po__lang	Language		x(2)	
po__max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
po__nbr	Purchase Order	Order	x(8)	
po__nrm	Sequence ID	Seq ID	x(8)	
po__ord_date	Order Date	Date	99/99/99	
po__partial	Partial OK	Partial	yes/no	

Field Name	Label	Col-Label	Format	Dec
po_pr_list	Disc Tbl		x(8)	
po_pr_list2	Price Tbl	Pr Tbl	x(8)	
po_pr_list_tp	ERS Price List Option	ERS! PLO	>9	
po_prepaid	Amount Prepaid	Prepaid	->,>>>,>>>,>>9.99	10
po_priced_dt	Last Price Dt	Last Pri	99/99/99	
po_pricing_dt	Pricing Date	Price Dt	99/99/99	
po_print	Print PO	Print	yes/no	
po_project	Project		x(8)	
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_rel_nbr	Rel		>>9	
po_release	Release	Rel	yes/no	
po_req_id	Req By		x(8)	
po_rev	Order Revision	Order Rev	>>9	10
po_rev_date	Order Revision Date	Order Rev Date	99/99/99	
po_rmks	Remarks		x(40)	
po_sch_mthd	Schedules Via		x(1)	
po_sched	Scheduled		yes/no	
po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
po_ship	Ship-To		x(8)	
po_shipvia	Ship Via		x(20)	
po_site	Site		x(8)	
po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
po_so_nbr	Primary SO	Pr SO	x(8)	
po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
po_stat	Status	St	x(2)	
po_tax_date	Tax Date		99/99/99	
po_tax_env	Tax Environment	Tax Env	x(16)	
po_tax_pct[3]	Tax		->9.99<%	10
po_tax_usage	Tax Usage	TaxUsage	x(8)	
po_taxable	Taxable	Tax	yes/no	
po_taxc	Tax Class	TxC	x(3)	
po_tot_terms_code	Terms of Trade		x(8)	
po_trade_sale	Trade Sales Contract		yes/no	
po_trade_sale_so	Trade Sales SO	TS SO	x(8)	
po_translt_days	Transport Days		>>9.99	10
po_type	Type	Tp	x(1)	
po_user_id	Entered By	Ent By	x(8)	
po_user1	Ufld1		x(8)	
po_user2	Ufld2		x(8)	
po_vend	Supplier		x(8)	
po_xmit	Transm		X	
po_zero_sched	Zero Schedules	Zero Schedules	>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_po_mstr	yes	oid_po_mstr	yes	no
po_buyer	no	po_domain	yes	no
		po_buyer	yes	no
		po_vend	yes	no
		po_nbr	yes	no
po_fsm_type	no	po_domain	yes	no
		po_fsm_type	yes	no
		po_nbr	yes	no
* po_nbr	yes	po_domain	yes	no
		po_nbr	yes	no
po_type	yes	po_domain	yes	no
		po_type	yes	no
		po_nbr	yes	no
po_vend	no	po_domain	yes	no
		po_vend	yes	no
		po_nbr	yes	no

Product Line Plan

	Index-Name	Uni	Field-Name	Asc	Abbr
*	old_pp_plan	yes	old_pp_plan	yes	no
	pp_plan	yes	pp_domain	yes	no
			pp_site	yes	no
			pp_prod_line	yes	no
			pp_year	yes	no

Product Line Requirements Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pq_mstr	yes	oid_pq_mstr	yes	no
* pq_mstr	yes	pq_domain	yes	no
		pq_prod_line	yes	no
		pq_site	yes	no
		pq_rsc	yes	no
		pq_ref	yes	no
		pq_start	yes	no
pq_rsc	no	pq_domain	yes	no
		pq_rsc	yes	no
		pq_site	yes	no

Printer Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_prd_det	yes	oid_prd_det	yes	no
*	prd_dev	yes	prd_dev	yes	no

Warehousing Prefix Set Control

Field Name	Label	Col-Label	Format	Dec
CodeValue	Code Value		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Enforce	Enforce		yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_PrefixC			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
PrefValue	Prefix	Pref	x(4)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanField	Scan Field	Scan Field	x(20)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>,>>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_PrefixC	yes	oid_PrefixC	yes	no
* ScanField	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		ScanField	yes	no
		PrefValue	yes	no

prh_hist

Purchase Order Receipt History

Field Name	Label	Col-Label	Format	Dec
oid_lgd_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
oid_prh_hist			.9<<<<<<<< >>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
prh_chr01			x(8)	
prh_chr02			x(8)	
prh_chr03			x(8)	
prh_chr04			x(8)	
prh_chr05			x(8)	
prh_chr06			x(8)	
prh_chr07			x(8)	
prh_chr08			x(8)	
prh_chr09			x(8)	
prh_chr10			x(8)	
prh_dec01			>>>, >>>, >>9.99	10
prh_dec02			>>>, >>>, >>9.99	10
prh_dec03			>>>, >>>, >>9.99	10
prh_dec04			>>>, >>>, >>9.99	10
prh_dec05			>>>, >>>, >>9.99	10
prh_dte01			99/99/99	
prh_dte02			99/99/99	
prh_dte03			99/99/99	
prh_dte04			99/99/99	
prh_dte05			99/99/99	
prh_log01			yes/no	
prh_log02			yes/no	
prh_qad02			x(8)	
prh_qad03			->, >>>, >>9.9<<<<<<<<<	10
prh_qad04			>>>>>>>	
prh_qadc01			x(24)	
prh_qadc02			x(24)	
prh_qadc03			x(24)	
prh_qadc04			x(24)	
prh_qadc05			x(24)	
prh_qadc06			x(24)	
prh_qadd01			->, >>>, >>9.9<<<<<<<<	10
prh_qadi01			->>>>>>9	
prh_approve	Approved By	Approved	x(8)	
prh_bank	Bank		x(2)	
prh_bdn_std	Std Bdn Cost	Std Burden	->>>, >>>, >>9.99<<<	10
prh_bo_qty	Back Order Qty		->, >>>, >>9.9<<<<<<<<	10
prh_buyer	Buyer		x(8)	
prh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
prh_cst_up	Update Current Cost		yes/no	
prh_cum_rcvd	Cum Received		->, >>>, >>9.9<<<<<<<<	10
prh_cum_req	Cum Qty Required		->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
prh_curr	Currency	Cur	x(3)	
prh_curr_amt	Currency Amt		->>>, >>>, >>9.99<<<	10
prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
prh_domain	Domain		x(8)	
prh_element	Cost Element	Element	x(8)	
prh_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
prh_ex_ratetype	Rate Type		x(8)	
prh_exru_seq	Sequence		>>>>>>>9	
prh_fix_pr	Fixed Price		yes/no	
prh_fix_rate	Fixed Rate	Fixed	yes/no	
prh_fsm_type	FSM Type		x(8)	
prh_lbr_std	Std Lbr Cost	Std Labor	->>>, >>>, >>9.99<<<	10
prh_line	PO Line	Ln	>>9	
prh_lot	Work Order ID	WO ID	x(8)	
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>, >>>, >>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Ovhead		>>>>, >>>, >>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->, >>>, >>>, >>9.99<<<	10
prh_pur_std	PO Std Cost		->>>, >>>, >>9.99<<<	10
prh_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_shipto	Ship-to		x(8)	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>, >>>, >>9.99<<<	10
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_taxc	Tax Class	TxC	x(3)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinv_cst	Not Used		->, >>>, >>>, >>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh_xinvoice	Not Used		x(12)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prh_hist	yes	oid_prh_hist	yes	no
prh_buyer	no	prh_domain	yes	no
		prh_buyer	yes	no
		prh_vend	yes	no
		prh_part	yes	no
* prh_nbr	yes	prh_domain	yes	no
		prh_nbr	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
		prh_element	yes	no
prh_oid_lgd_mstr	no	oid_lgd_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
prh_part	no	prh_domain	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no
prh_ps_nbr	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_ps_nbr	yes	no
		prh_part	yes	no
prh_rcp_date	no	prh_domain	yes	no
		prh_rcp_date	yes	no
prh_receiver	yes	prh_domain	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
prh_vend	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no

prj_mstr

Project Realization Project Master

Field Name	Label	Col-Label	Format	Dec
oid_prj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
prj_dec01			.9<<<<<<<<<	
prj_dte01			->>>, >>>, >>9.99<<<	10
prj_log01			99/99/99	
prj_qadc01			yes/no	
prj_qadc02			x(24)	
prj_qadd01			x(24)	
prj_qadd02			->>>, >>>, >>9.99<<<	10
prj_qadi01			->>>, >>>, >>9.99<<<	10
prj_qadi02			>>>>>>9	
prj_qadl01			>>>>>>9	
prj_qadl02			yes/no	
prj_qadt01			yes/no	
prj_qadt02			99/99/99	
prj_action_stat	Action Status		99/99/99	
prj_ar_acct	AR Account		x(2)	
prj_ar_cc	AR Cost Center		x(8)	
prj_ar_sub	AR Sub-Account		x(4)	
prj_bg_above	Budget Overrun Limit		x(8)	
prj_bg_below	Budget Warning Limit		->>9.9<%	10
prj_bill_to	Bill-To		->>9.9<%	10
prj_channel	Channel		x(8)	
prj_close_date	Close Date		x(8)	
prj_cmtindx	Comment Index		99/99/99	
prj_comm_pct[4]	Commission		>>>>>>9	
prj_cr_card	Credit Card		>>9.9<%	10
prj_cr_init	Cr Initials		x(2)	
prj_cr_terms	Credit Terms		x(3)	
prj_curr	Currency	Cur	x(8)	
prj_cust	Sold-To		x(3)	
prj_daybookset	Daybook Set	Dybk Set	x(8)	
prj_desc	Desc		x(8)	
prj_domain	Domain		x(24)	
prj_end_date	End Date		x(8)	
prj_eng_nbr	Engineer		99/99/99	
prj_eu_nbr	End User		x(8)	
prj_ex_rate	Exch Rate		x(8)	
prj_ex_rate2	Exch Rate 2		>>>, >>>, >>9.9<<<<<<<<<	10
prj_ex_ratetype	Rate Type		>>>, >>>, >>9.9<<<<<<<<<	10
prj_exru_seq	Sequence		x(8)	
prj_fix_rate	Fixed Rate		>>>>>>9	
prj_global_inv	Global Invoicing		yes/no	
prj_inv_det	Details on Invoice		yes/no	
prj_inv_det_pr	Price Details on Invoice		yes/no	
prj_inv_lvl	Invoice Level		yes/no	
prj_lang	Language		x(2)	
prj_loc	Location		x(8)	

Field Name	Label	Col-Label	Format	Dec
prj_mod_date	Modified Date	Mod Date	99/99/99	
prj_mod_userid	User ID		x(8)	
prj_mref	Master Project		x(8)	
prj_nbr	Project		x(8)	
prj_ord_date	Order Date		99/99/99	
prj_pjt_code	Project Type		x(8)	
prj_po	Purchase Order		x(22)	
prj_pr_list	Price List		x(8)	
prj_pr_rollup	Auto Price Rollup		yes/no	
prj_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
prj_prepaid	Prepaid		->>>>, >>>, >>9.99<<<	10
prj_pricing_dt	Pricing Date	Price Dt	99/99/99	
prj_rmks	Remarks		x(40)	
prj_ship_date	Ship Date		99/99/99	
prj_ship_to	Ship-To		x(8)	
prj_shipvia	Ship Via		x(20)	
prj_site	Site		x(8)	
prj_slspsn[4]	Sls person		x(8)	
prj_st_date	Start Date		99/99/99	
prj_status	Status		x(8)	
prj_tax_date	Tax Date		99/99/99	
prj_tax_env	Tax Environment		x(16)	
prj_tax_in	Tax In		yes/no	
prj_tax_usage	Tax Usage		x(8)	
prj_taxable	Taxable		yes/no	
prj_taxc	Tax Environment Tax Class		x(3)	
prj_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
prj_trl1_cd	Trailer 1		x(2)	
prj_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
prj_trl2_cd	Trailer 2		x(2)	
prj_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
prj_trl3_cd	Trailer 3		x(2)	
prj_type_taxc	Tax Rate Tax Class		x(3)	
prj_use_budgets	Use Budgets		yes/no	
prj_user1	Ufid1		x(8)	
prj_user2	Ufid2		x(8)	
prj_userid	Entered By		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_prj_mstr	yes	old_prj_mstr	yes	no
* prj_nbr	yes	prj_domain	yes	no
		prj_nbr	yes	no
prj_pjt_code	no	prj_domain	yes	no
		prj_pjt_code	yes	no
prj_po	no	prj_domain	yes	no
		prj_po	yes	no
		prj_cust	yes	no
prj_ship	no	prj_domain	yes	no
		prj_ship_to	yes	no

Profile Profile

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Profile_ID	Record ID		9999999999	
ProfileCode	Profile Code		x(20)	
ProfileDescription	Description		x(40)	
ProfileIsActive	Active	Act	yes/no	
ProfileTypeCode	Profile Type		x(30)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ProfileCode	yes	no
◇* Prim	yes	Profile_ID	yes	no
◇ Type	no	ProfileTypeCode	yes	no
◇ ViewIndex	no	ProfileIsActive	yes	no
		ProfileCode	yes	no

ProfileLink Profile Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Profile_ID	Link to Profile		9999999999	
ProfileLink_ID	Record ID		9999999999	
ProfileLinkObject_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProfileLink_ID	yes	no
◇ Profile	no	Profile_ID	yes	no
ProfileLinkObject	no	ProfileLinkObject_ID	yes	no
ProfileSharedSet	yes	SharedSet_ID	yes	no
		Profile_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

ProfileType Profile Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ProfileTypeCode	Profile Type Code		x(30)	
ProfileTypeIsActive	Active	Act	yes/no	
ProfileTypeIsDefault	Default		yes/no	
ProfileTypeTranslated	Profile Type Code		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSetTypeCode	Shared Set Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProfileTypeCode	yes	no
◇ ViewIndex	no	ProfileTypeIsActive	yes	no
		ProfileTypeCode	yes	no

Project Project

Field Name	Label	Col-Label	Format	Dec
AdminRespUsr_ID	Responsible		9999999999	
BudgetGroup_ID	Budget Group		9999999999	
BusinessRelation_ID	Business Relation		9999999999	
COAMaskProjProfile_ID	COA Mask Profile		9999999999	
ControllerUsr_ID	Login		9999999999	
Currency_ID	Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Debtor_ID	Customer		9999999999	
Division_ID	Link to Division		9999999999	
DivisionProfile_ID	Sub-Account Profile		9999999999	
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
Industry_ID	Link to Industry		9999999999	
InvoiceAddress_ID	City		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MainProject_ID	Main Project		9999999999	
ObsoletePriceList_ID			9999999999	
ObsoleteRevenueRecogType	Revenue Recognition Type		x(20)	
PaymentCondition_ID	Credit Terms	Cred Trm	9999999999	
PenholderCompany_ID	Link to Company		9999999999	
Project_ID	Record ID		9999999999	
ProjectCode	Project		x(8)	
ProjectContractAmountTC	TC Contract Amount		->>>,>>>,>>>,>>9.99	4
ProjectContractDate	Contract Date		99/99/9999	
ProjectContractReference	Contract Reference	Contract Ref	x(40)	
ProjectDateRevised	Date Revised	Project Date Revised	99/99/9999	
ProjectDescription	Description		x(24)	
ProjectEndDate	End Date		99/99/9999	
ProjectGroup_ID	Project Group		9999999999	
ProjectIsAltRevProdCalc	Alt Production Calculation		yes/no	

632 ProjectGroup

Field Name	Label	Col-Label	Format	Dec
ProjectIsStructFromGL	Retrieve SAF Structure from GL	Retrieve Structure from GL	yes/no	
ProjectIsTemplate	Save as Template	Template	yes/no	
ProjectIsWithSaf	SAF Enabled	SAF	yes/no	
ProjectManagerUsr_ID	Project Administrator	Project Administrator	9999999999	
ProjectOriginalCompleDate	Original Completion Date	Proj Orig Comp Date	99/99/9999	
ProjectPriceTypeCode	Price Type		x(20)	
ProjectRevisedCompleDate	Revised Completion Date	Proj Rev Comp Date	99/99/9999	
ProjectSafSetOnByUsr_ID	Link to Usr		->,>>>,>>9	
ProjectSafSetOnOnDate	SAF Set on Date		99/99/9999	
ProjectStartDate	Start Date		99/99/9999	
ProjectStatus_ID	Status Code		9999999999	
ProjectSystemStatus	System Status		x(20)	
ProjectTypeCode	Project Type		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Region_ID	Region		9999999999	
SalesRespUsr_ID	Login		9999999999	
SharedSet_ID	Link to SharedSet		9999999999	
SiteAddress_ID	Address		9999999999	
TemplateProject_ID	Template Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BudgetGroup	no	BudgetGroup_ID	yes	no
◇ COAMaskProfileIdx	no	COAMaskProjProfile_ID	yes	no
◇ Code	no	ProjectCode	yes	no
◇ CurrencyIdx	no	Currency_ID	yes	no
IsTemplate	no	ProjectIsTemplate	yes	no
◇* Prim	yes	Project_ID	yes	no
ProjectGroup	no	ProjectGroup_ID	yes	no
ProjectSystemStatus	no	ProjectSystemStatus	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ SharedSetAndCode	yes	SharedSet_ID	yes	no
		ProjectCode	yes	no

ProjectGroupProject Group

Field Name	Label	Col-Label	Format	Dec
ProjectGroup_ID	Record ID		9999999999	
ProjectGroupCode	Code		x(20)	
ProjectGroupDescription	Description		x(40)	
ProjectGroupIsActive	Active		yes/no	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	ProjectGroupIsActive	yes	no
◇* Prim	yes	ProjectGroup_ID	yes	no
◇ UniqueIdx	yes	ProjectGroupCode	yes	no
◇ ViewIndex	no	ProjectGroupIsActive	yes	no
		ProjectGroupCode	yes	no

ProjectSafDefaultProject Saf Default

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Link to Project		9999999999	
ProjectSafDefault_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	SAF Code		9999999999	
SafConcept_ID	SAF Concept Code		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	ProjectSafDefault_ID	yes	no
◇ Project	no	Project_ID	yes	no
◇ Saf	no	Saf_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ Uniqueldx	yes	Project_ID	yes	no
		SafConcept_ID	yes	no

ProjectStatusProject Status

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
ProjectStatus_ID	Record ID		9999999999	
ProjectStatusCode	Status Code		x(20)	
ProjectStatusDescription	Description	Status Description	x(40)	
ProjectStatusIsActive	Active		yes/no	
ProjectStatusSystemStatus	System Status		x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ProjectStatusCode	yes	no
◇ IsActive	no	ProjectStatusIsActive	yes	no
◇* Prim	yes	ProjectStatus_ID	yes	no
◇ ViewIndex	no	ProjectStatusIsActive	yes	no
		ProjectStatusCode	yes	no

prsd_det Production Scheduler Resource Detail

Field Name	Label	Col-Label	Format	Dec
oid_prsd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
prsd__qadc01			x(24)	
prsd__qadc02			x(24)	
prsd_domain	Domain		x(8)	
prsd_mch	Machine		x(8)	
prsd_mod_date	Modified Date	Mod Date	99/99/99	
prsd_mod_userid	User ID		x(8)	
prsd_part	Item		x(18)	
prsd_resourceid	WC/PL ID		x(8)	
prsd_resourcetype	Type		9	
prsd_site	Site		x(8)	
prsd_user1	Ufld1		x(24)	
prsd_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prsd_det	yes	oid_prsd_det	yes	no
* prsd_part	yes	prsd_domain	yes	no
		prsd_site	yes	no
		prsd_resourcetype	yes	no
		prsd_resourceid	yes	no
		prsd_mch	yes	no
		prsd_part	yes	no

prs_mstr Production Scheduler Resource Master

Field Name	Label	Col-Label	Format	Dec
oid_prs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
prs__qadc01			x(24)	
prs__qadc02			x(24)	
prs_desc	Description		x(24)	
prs_domain	Domain		x(8)	
prs_mch	Machine		x(8)	
prs_mod_date	Modified Date	Mod Date	99/99/99	
prs_mod_userid	User ID		x(8)	
prs_resourceid	WC/PL ID		x(8)	
prs_resourcetype	Type	Type	9	
prs_scheduler	Scheduler ID		x(24)	
prs_site	Site		x(8)	
prs_user1	Ufld1		x(24)	
prs_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_prs_mstr	yes	oid_prs_mstr	yes	no
* prs_resource	yes	prs_domain	yes	no
		prs_site	yes	no
		prs_resourcetype	yes	no
		prs_resourceid	yes	no
		prs_mch	yes	no

pr_mstr Printer Master

Field Name	Label	Col-Label	Format	Dec
oid_pr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
pr__qadc01			x(8)	
pr_blank	Blank Lines/Page	BLPP	>>9	
pr_desc	Description		x(24)	
pr_end_bc	Bar Code End		x(100)	
pr_init	Initialize		x(100)	
pr_length	Lines / page	LPP	>>>9	
pr_neg_line	Neg Line Feed		x(100)	
pr_page	Page Control		x(60)	
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pr_mstr	yes	oid_pr_mstr	yes	no
*	pr_type	yes	pr_type	yes	no

pshc_ctrl Purchase Shipper Control

Field Name	Label	Col-Label	Format	Dec
oid_pshc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pshc__qadc01			x(24)	.9<<<<<<<<<
pshc__qadc02			x(24)	
pshc__qadi01			->>>>>>>9	
pshc_domain	Domain		x(8)	
pshc_inv_sort_seq	Invoice Line Sorting Sequence		x(8)	
pshc_master_nr_id	Master Bill Sequence ID		x(8)	
pshc_mod_date	Modified Date	Mod Date	99/99/99	
pshc_mod_userid	User ID		x(8)	
pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
pshc_user1	User Field Character 1		x(24)	
pshc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pshc_ctrl	yes	oid_pshc_ctrl	yes	no
*	pshc_index1	yes	pshc_domain	yes	no

Product Structure Master

Index-Name	Uni	Field-Name	Asc	Abbr
old_ps_mstr	yes	old_ps_mstr	yes	no
ps_comp	no	ps_domain	yes	no
		ps_comp	yes	no
		ps_par	yes	no
ps_par	no	ps_domain	yes	no
		ps_par	yes	no
		ps_item_no	yes	no
		ps_comp	yes	no
* ps_parcomp	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_comp	yes	no
		ps_ref	yes	no
		ps_start	yes	no
ps_parref	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

pta_det

Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pta_det			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
pta__chr01			x(8)	
pta__chr02			x(8)	
pta__chr03			x(8)	
pta__chr04			x(8)	
pta__chr05			x(8)	
pta__chr06			x(8)	
pta__chr07			x(8)	
pta__chr08			x(8)	
pta__chr09			x(8)	
pta__chr10			x(8)	
pta_dec01			>>>, >>>, >>9.99	10
pta_dec02			>>>, >>>, >>9.99	10
pta_dte01			99/99/99	
pta_dte02			99/99/99	
pta_log01			yes/no	
pta_qadc01			x(8)	
pta_qadc02			x(8)	
pta_qadd01			->>>, >>>, >>9.9<<<	10
pta_qadd02			->>>, >>>, >>9.9<<<	10
pta_qadl01			yes/no	
pta_assoc_item	Associated Item		x(18)	
pta Assoc_qty	Associated Qty		->>, >>>, >>9.9<<	10
pta Assoc_type	Association Type		x(24)	
pta Assoc_um	Associated UM	UM	x(2)	
pta_cmtindx	Comment Index	Comment	>>>>>>>9	
pta_curr	Currency	Cur	x(3)	
pta_domain	Domain		x(8)	
pta_expire	Expire		99/99/99	
pta_extrec	External Entry	Ext	yes/no	
pta_item	Item		x(18)	
pta_max_qty	Max Quantity		->>, >>>, >>9.9<<<<<<<<	10
pta_min_ord	Min Ord Qty		->>, >>>, >>9.9<<<<<<<<	10
pta_net_price	Net Price		>>>>, >>>, >>9.99	10
pta_pri_type	Price Type		x(24)	
pta_qty_mult	Qty Multiple		->>, >>>, >>9.9<<<<<<<<	10
pta_start	Start		99/99/99	
pta_um	UM		x(2)	
pta_user1	Ufld1		x(8)	
pta_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pta_det	yes	oid_pta_det	yes	no
pta_assoc_item	no	pta_domain	yes	no
		pta_assoc_item	yes	no
		pta_assoc_type	yes	no
		pta_item	yes	no
		pta_start	yes	no
* pta_item	yes	pta_domain	yes	no
		pta_item	yes	no
		pta_assoc_type	yes	no
		pta_um	yes	no
		pta_assoc_item	yes	no
		pta_curr	yes	no
		pta_start	yes	no

ptc det

Container Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptc_det			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
ptc__qadc01			x(24)	
ptc__qadc02			x(24)	
ptc_charge	Apply Charges		yes/no	
ptc_charge_type	Charge Type	Charge! Type	x(8)	
ptc_container_desc	Description		x(24)	
ptc_container_ref	Reference		x(16)	
ptc_container_type	Container Type		x(16)	
ptc_domain	Domain		x(8)	
ptc_mod_date	Modified Date	Mod Date	99/99/99	
ptc_mod_userid	User ID		x(8)	
ptc_part	Container		x(18)	
ptc_userc01	User Field Character 1		x(24)	
ptc_userc02	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ptc_det	yes	oid_ptc_det	yes	no
*	ptc_part	yes	ptc_domain	yes	no
			ptc_part	yes	no

pth_hist

Products Sales History

Field Name	Label	Col-Label	Format	Dec
oid_pth_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pth_chr01			.9<<<<<<<<<	
pth_chr02			x(8)	
pth_chr03			x(8)	
pth_chr04			x(8)	
pth_chr05			x(8)	
pth_dec01			>>>, >>>, >>9.99	10
pth_dec02			>>>, >>>, >>9.99	10
pth_dte01			99/99/99	
pth_dte02			99/99/99	
pth_log01			yes/no	
pth_domain	Domain		x(8)	
pth_for	For		x(18)	
pth_part	Item Number		x(18)	
pth_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
pth_tot_qty	YTD Qty		->>>, >>>, >>9	10
pth_tot_sale	YTD Sales		->, >>>, >>>, >>9	10

Field Name	Label	Col-Label	Format	Dec
pth_type	Ship Type	T	x(1)	
pth_user1	Ufld1		x(8)	
pth_user2	Ufld2		x(8)	
pth_year	Year		9999	

Index-Name	Uni	Field-Name	Asc	Abbr
old_pth_hist	yes	old_pth_hist	yes	no
pth_partyear	yes	pth_domain	yes	no
		pth_part	yes	no
		pth_year	yes	no
* pth_yearpart	yes	pth_domain	yes	no
		pth_year	yes	no
		pth_part	yes	no

Item Inventory Data

Field Name	Label	Col-Label	Format	Dec
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
oid_pti_det			.9<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
oid_si_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
pti__qadc01			x(24)	
pti__qadc02			x(24)	
pti__qadd01			->>>, >>>, >>>9.99<<<<<<<<	10
pti__qadi01			->>>>>>>g	
pti__qadl01			yes/no	
pti__qadt01			99/99/99	
pti_abc	ABC Class	ABC	x(1)	
pti_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
pti_avg_int	Avg Int	Avg! Int	>>9	
pti_critical	Key Item		yes/no	
pti_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pti_destructive	Destructive	Destr	yes/no	
pti_id_qty	ID Quantity	ID! Qty	>>>9	
pti_insp_days	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
pti_insp_freq	Insp Frequency	Insp Freq.	>>>>>>>9	
pti_insp_ref	Ref		yes/no	
pti_insp_req	Inspection Required	Insp Req	yes/no	
pti_invent_days[10]	Days From Expiration/ Manufacture	Days From! Expire!! Manuf.	>>, >>9	
pti_issue_method	Issue Method	Issue! Method	x(8)	
pti_kanban_qty	Default Kanban Qty		->, >>>, >>>9.9<<<<<<<<	10
pti_kanban_replist	Kanban Replen. List		x(8)	
pti_loc	Location		x(8)	
pti_loc_type	Location Type	Loc Type	x(8)	
pti_lot_grp	Lot Group		x(8)	
pti_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pti_memo_type	Memo Order Type		x(1)	
pti_mod_date	Modified Date	Mod Date	99/99/99	
pti_mod_userid	User ID		x(8)	
pti_opc_threshold	OPC Threshold		->>>, >>>9.9<<<<<<<	10
pti_part_type	Warehouse Item Type	Warehouse! Item Type	x(8)	
pti_pop_code	Popularity		X(8)	
pti_print_id	Print ID	Print! ID	yes/no	
pti_random_insp_pct	Random Inspection %		->>9.99	10
pti_rctpo_active	Active	Act	yes/no	
pti_rctpo_status	PO Rcpt Status	Status	x(8)	
pti_rctwo_active	Active	Act	yes/no	
pti_rctwo_status	WO Rcpt Status	Status	x(8)	
pti_rep_type	Replenishment Type	Rep Type	X(8)	
pti_same_days[10]	Same Day Window	Same Day! Window	>>, >>9	
pti_sample_pct	Sample %	Sample %	>>9	
pti_sample_qty	Sample Quantity	Sample Qty	->, >>>, >>9	
pti_shelflife	Shelf Life		->, >>>, >>>	

Field Name	Label	Col-Label	Format	Dec
pti_single_trans	Single Put-Away Transactions	Single! Trans	yes/no	
pti_site_loc	Site Location	Site! Location	x(8)	
pti_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pti_user1	User Field Character 1		x(24)	
pti_user2	User Field character 2		x(24)	
pti_userd01	User Field Decimal 1		->>>>, >>>, >>9.99<<<<<<<<<	10
pti_useri01	User Field Integer 1		->>>>>>>9	
pti_userl01	User Field Logical 1		yes/no	
pti_user01	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pti_det	yes	oid_pti_det	yes	no
* pti_oid_pt_mstr	yes	oid_pt_mstr	yes	no
		oid_si_mstr	yes	no
pti_oid_si_mstr	yes	oid_si_mstr	yes	no
		oid_pt_mstr	yes	no

ptls det Item Lot/Serial Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptls_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ptls_chr01			x(8)	
ptls_chr02			x(8)	
ptls_chr03			x(8)	
ptls_chr04			x(8)	
ptls_chr05			x(8)	
ptls_dec01			->>, >>9.99	10
ptls_dec02			->>, >>9.99	10
ptls_assay	Assay %		>>9.99%	10
ptls_cmtindx	Comment Index		>>>>>>>9	
ptls_domain	Domain		x(8)	
ptls_expire	Expire Date	Expire	99/99/99	
ptls_grade	Grade		x(2)	
ptls_lotser	Lot/Serial		x(18)	
ptls_part	Item Number		x(18)	
ptls_ref	Ref	Reference	x(8)	
ptls_status	Inventory Status	Status	x(8)	
ptls_user1	Ufld1		x(8)	
ptls_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptls_det	yes	oid_ptls_det	yes	no
* ptls_partlotr	yes	ptls_domain	yes	no
		ptls_part	yes	no
		ptls_lotser	yes	no
		ptls_ref	yes	no

ptp_det Item Planning Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptp_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	

Field Name	Label	Col-Label	Format	Dec
ptp_chr09			x(8)	
ptp_chr10			x(8)	
ptp_dec01			>>>,>>>,>>9.99	10
ptp_dec02			>>>,>>>,>>9.99	10
ptp_dte01			99/99/99	
ptp_dte02			99/99/99	
ptp_log01			yes/no	
ptp_log02			yes/no	
ptp_qad01			99/99/99	
ptp_qad02			>>>,>>9.9	0
ptp_qad03			>>9	
ptp_qad04			>>9	
ptp_qad05			>>9	
ptp_added	Added		99/99/99	
ptp_assay	Assay %		>>9.99%	10
ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
ptp_atp_family	Family ATP	Fam ATP	yes/no	
ptp_atp_horizon	ATP Horizon	Horizon	>>>9	
ptp_batch	Batch Qty	Batch! Qty	>>,>>>,>>9.9<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	
ptp_btb_type	EMT Type		xx	
ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
ptp_cfg_type	Configuration	Config	x(1)	
ptp_cum_lead	Cum LT	Cum! LT	>>9	
ptp_domain	Domain		x(8)	
ptp_draw	Drawing		x(18)	
ptp_drp_pct	DRP		>>9.9<%	10
ptp_eco_pend	ECO Pending	ECO	yes/no	
ptp_gcfg_type	Configuration Type	Cfg Type	x(8)	
ptp_grade	Grade		x(2)	
ptp_ins_lead	Ins LT	Ins! LT	>>9	
ptp_ins_rqd	Inspect	Ins! Req	yes/no	
ptp_insp_loc	Inspection Location	Inspect	x(8)	
ptp_iss_pol	Issue Policy	Iss	yes/no	
ptp_joint_type	Co/By Type	CT	x(1)	
ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	10
ptp_mod_date	Modified Date	Mod Date	99/99/99	
ptp_ms	Master Sched	MS	yes/no	
ptp_network	Network Code		x(18)	
ptp_op_yield	Op Based Yield		yes/no	
ptp_ord_max	Max Ord		>>,>>>,>>9	0
ptp_ord_min	Min Ord		>>,>>>,>>9	0
ptp_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
ptp_ord_per	Order Period	Ord! Per	>>9	
ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
ptp_ord_qty	Order Qty		>>,>>>,>>9	10
ptp_part	Item Number		x(18)	
ptp_phantom	Phantom		yes/no	
ptp_pick_logic	Pick Logic	Pick	-9	
ptp_plan_ord	Plan Orders	Pln	yes/no	
ptp_pm_code	Pur/Mfg	P/M	x(1)	
ptp_po_site	PO Site		x(8)	
ptp_pou_code	Point of Use Code		x(18)	
ptp_pur_lead	Pur LT	Pur! LT	>>9	
ptp_pur_pct	Purchased	Pur	>>9.9<%	10
ptp_replenishment_mthd	Replenishment Method		x(8)	
ptp_rev	Rev		x(4)	
ptp_rollop	Rollup Reqd		yes/no	
ptp_rollop_id	Rollup ID		x(8)	
ptp_rop	Reorder Point	ROP	>>>,>>9	0
ptp_routing	Routing Code		x(18)	
ptp_run	Run Time	Run	>>>,>>9.999<<<<<<	10
ptp_run_ll	Run LL		>>>,>>9.999<<<<<<	10
ptp_run_seq1	Run Seq 1		x(8)	
ptp_run_seq2	2	Run Seq 2	x(8)	
ptp_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
ptp_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10
ptp_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0

Field Name	Label	Col-Label	Format	Dec
ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
ptp_site	Site		x(8)	
ptp_timefnc	Time Fence		->>>9	
ptp_trantype	Transport Type	Tran Type	x(8)	
ptp_user1	Ufld1		x(8)	
ptp_user2	Ufld2		x(8)	
ptp_userid	User ID		x(8)	
ptp_vend	Supplier		x(8)	
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	10
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	10
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	10
ptp_yld_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptp_det	yes	oid_ptp_det	yes	no
ptp_bom_code	no	ptp_domain	yes	no
		ptp_bom_code	yes	no
		ptp_part	yes	no
ptp_network	no	ptp_domain	yes	no
		ptp_network	yes	no
		ptp_site	yes	no
		ptp_part	yes	no
* ptp_part	yes	ptp_domain	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_routing	yes	ptp_domain	yes	no
		ptp_routing	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
ptp_site	yes	ptp_domain	yes	no
		ptp_site	yes	no
		ptp_part	yes	no

ptqa det Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptqa_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	
ptqa__dec01			->>, >>9.99	10
ptqa__dec02			->>, >>9.99	10
ptqa__log01			yes/no	
ptqa__log02			yes/no	
ptqa_cmtindx	Comment Index		>>>>>>>g	
ptqa_conf_pct	Confidence %	Conf %	>>9.<%	10
ptqa_domain	Domain		x(8)	
ptqa_element	Analysis Element	Element	x(8)	
ptqa_interval	Confidence Interval	Conf Interval	>>>>, >>>, >>9.9<<<<<<<<<	10
ptqa_part	Item Number		x(18)	
ptqa_qty	Quantity		>>>>, >>>, >>9.9<<<<<<<<<	10
ptqa_um	UM		x(4)	
ptqa_user1	Ufld1		x(8)	
ptqa_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptqa_det	yes	oid_ptqa_det	yes	no
ptqa_element	yes	ptqa_domain	yes	no
		ptqa_element	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* ptqa_part	yes	ptqa_part	yes	no
		ptqa_domain	yes	no
		ptqa_part	yes	no
		ptqa_element	yes	no

ptre_det

Item Replacement Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptre_det			>>>>>>>>>>>>>>>>>>>9	10
ptre__qadc01			.9<<<<<<<	
ptre__qadc02			x(24)	
ptre__qadd01			->>>, >>, >>9.99<<<<<<<	10
ptre__qadi01			->>>>>>9	
ptre__quadl01			yes/no	
ptre__qadt01			99/99/99	
ptre_auto_accept	Auto Accept		yes/no	
ptre_cmtindx	Comment Index	Comment	>>>>>>9	
ptre_cust	Customer		x(8)	
ptre_default	Default		yes/no	
ptre_domain	Domain		x(8)	
ptre_eff_date	Eff Date		99/99/99	
ptre_end_date	End Eff Date	End Date	99/99/99	
ptre_include	Include	Inc	yes/no	
ptre_mod_date	Modified Date	Mod Date	99/99/99	
ptre_mod_userid	User ID		x(8)	
ptre_part	Item Number		x(18)	
ptre_pco	PCO Number	PCO	x(8)	
ptre_preference	Preference		>>>>>>9	
ptre_qty	Quantity		-,>>, >>9.9<<<<<<	10
ptre_ref	Reference		x(18)	
ptre_rep_part	Replacement Item		x(18)	
ptre_rep_qty	Replacement Qty		-,>, >>, >>9.9<<<<<<	10
ptre_round_qty	Round Qty		x(8)	
ptre_schd_chg_qty	Schedule Change Over Qty		,>, >>, >>, >>9.9<<<<<<	10
ptre_site	Site		x(8)	
ptre_type	Type		x(8)	
ptre_user1	User Field Character 1		x(24)	
ptre_user2	User Field character 2		x(24)	
ptre_userd01	User Field Decimal 1		->>>, >>, >>9.99<<<<<<	10
ptre_useri01	User Field Integer 1		->>>>>>9	
ptre_usrlo1	User Field Logical 1		yes/no	
ptre_ustot01	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptr_det	yes	oid_ptr_det	yes	no
* ptr_part	yes	ptr_domain	yes	no
		ptr_type	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_cust	yes	no
		ptr_eff_date	yes	no
		ptr_rep_part	yes	no

ptr_det

Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptr_det			>>>>>>>>>>>>>>>>>>>>>9	10
ptr__qadc01			.9<<<<<<<<<	
ptr_appr_id	Approved By	Appr ID	x(8)	
ptr_apprdate	Approved Date	Approved	99/99/99	
ptr_batch	Batch Qty		>, >>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
ptr_bom_code	BOM/Formula		x(18)	
ptr_burden	Burden Cost		>>>>,>>>,>>9.99<<<	10
ptr_cmtdindx	Comment Index	Comment	>>>>>>>9	
ptr_domain	Domain		x(8)	
ptr_end	End Effective	End Eff	99/99/99	
ptr_labor	Labor Cost		>>>>,>>>,>>9.99<<<	10
ptr_material	Material Cost		>>>>,>>>,>>9.99<<<	10
ptr_mod_date	Modified Date	Mod Date	99/99/99	
ptr_overhead	Overhead		>>>>,>>>,>>9.99<<<	10
ptr_part	Item Number		x(18)	
ptr_routing	Routing Code		x(18)	
ptr_site	Site		x(8)	
ptr_start	Start Effective	Start Eff	99/99/99	
ptr_subcontract	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
ptr_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
ptr_user1	Ufld1		x(8)	
ptr_user2	Ufld2		x(8)	
ptr_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptr_det	yes	oid_ptr_det	yes	no
ptr_bom_code	no	ptr_domain	yes	no
		ptr_bom_code	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
* ptr_part	yes	ptr_domain	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_routing	yes	no
		ptr_bom_code	yes	no
		ptr_start	yes	no
ptr_routing	no	ptr_domain	yes	no
		ptr_routing	yes	no
		ptr_part	yes	no
		ptr_site	yes	no

pts_det Item Substitute Detail

Field Name	Label	Col-Label	Format	Dec
oid_pts_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
pts_qadc01			x(8)	
pts_cmtindx	Comment Index	Index	>>>>>>9	
pts_domain	Domain		x(8)	
pts_mod_date	Modified Date	Mod Date	99/99/99	
pts_par	Parent Item		x(18)	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	->>>, >>9.9<<<<<<	10
pts_rmks	Remarks		x(12)	
pts_sub_part	Substitute Item		x(18)	
pts_user1	Ufld1		x(8)	
pts_user2	Ufld2		x(8)	
pts_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pts_det	yes	oid_pts_det	yes	no
* pts_det	yes	pts_domain	yes	no
		pts_part	yes	no
		pts_par	yes	no
		pts_sub_part	yes	no
pts_par	yes	pts_domain	yes	no
		pts_par	yes	no
		pts_part	yes	no
		pts_sub_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pts_sub_part	yes	pts_domain	yes	no
		pts_sub_part	yes	no
		pts_par	yes	no
		pts_part	yes	no

ptt_det Item Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ptt__qadc01			x(8)	
ptt_domain	Domain		x(8)	
ptt_mod_date	Modified Date	Mod Date	99/99/99	
ptt_part	Part		x(18)	
ptt_tax_type	Tax Type		x(3)	
ptt_taxable	Taxable		yes/no	
ptt_taxc	Tax Class	TxC	x(3)	
ptt_user1	Ufld1		x(8)	
ptt_user2	Ufld2		x(8)	
ptt_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ptt_det	yes	oid_ptt_det	yes	no
* ptt_part	yes	ptt_domain	yes	no
		ptt_part	yes	no
		ptt_tax_type	yes	no

ptv_det Item Statistical Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptv_det			>>>>>>>>>>>>>>>>>>>>9.10 .9<<<<<<<	
ptv__chr01			x(8)	
ptv__dec01			->>>, >>>, >>9.99	10
ptv__log01			yes/no	
ptv__qad01			x(8)	
ptv__qad02			x(8)	
ptv__qad03			->>>, >>>, >>9.99	10
ptv__qad04			yes/no	
ptv_etry_exp	Export Country	ExC	x(3)	
ptv_etry_imp	Import Country	ImC	x(3)	
ptv_domain	Domain		x(8)	
ptv_part	Item Number		x(18)	
ptv_stat_value	Statistical Value	Stat Value	>>>>, >>>, >>9.99	10
ptv_user1	Ufld1		x(8)	
ptv_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ptv_det	yes	oid_ptv_det	yes	no
*	ptv_part	yes	ptv_domain	yes	no
			ptv_part	yes	no
			ptv_ctry_exp	yes	no
			ptv_ctry_imp	yes	no

pt_mstr					
Item Master					
Field Name	Label	Col-Label	Format	Dec	
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>9	10	
			.9<<<<<<<<		
pt_chr01			x(8)		
pt_chr02			x(8)		
pt_chr03			x(8)		
pt_chr04			x(8)		
pt_chr05			x(8)		
pt_chr06			x(8)		
pt_chr07			x(8)		
pt_chr08			x(8)		
pt_chr09			x(8)		
pt_chr10			x(8)		
pt_dec01			>>>, >>>, >>9.99		10
pt_dec02			>>>, >>>, >>9.99		10
pt_dte01			99/99/99		
pt_dte02			99/99/99		
pt_log01			yes/no		
pt_log02			yes/no		
pt_qad01			->, >>>, >>9.9<<<<<<<<		10
pt_qad02			->, >>>, >>9.9<<<<<<<<		10
pt_qad03			->>>, >>9.999		10
pt_qad04			->>>, >>9.999		10
pt_qad05			99/99/99		
pt_qad06			99/99/99		
pt_qad07			99/99/99		
pt_qad08			99/99/99		
pt_qad09			->, >>>, >>9.9<<<<<<<<		10
pt_qad10			->, >>>, >>9.9<<<<<<<<		10
pt_qad11			->, >>>, >>9.9<<<<<<<<		10
pt_qad12			>>>>9.9999<<<<		10
pt_qad13	Incorp Rev	Inc! Rev	x(4)		
pt_qad14			99/99/99		
pt_qad15			yes/no		
pt_qad16			>>>, >>9.9		0
pt_qad17			yes/no		
pt_qad18			>>>>, >>>, >>9.99<<<		10
pt_qad19			>>>>, >>>, >>9.99<<<		10
pt_qad20			>>>>, >>>, >>9.99<<<		10
pt_qad21			>>>>, >>>, >>9.99<<<		10
pt_qad22			yes/no		
pt_qad23			>>9		
pt_qad24			>>9		
pt_qad25			>>9		
pt_qad26			yes/no		
pt_abc	ABC Class	ABC	x(1)		
pt_abc_amt	ABC Value		->, >>>, >>9.9<<<<<<<<		10
pt_abc_qty	ABC Quantity		->, >>>, >>9.9<<<<<<<<		10
pt_added	Added		99/99/99		
pt_app_owner	Owner Application		x(12)		
pt_article	Article Number		x(18)		
pt_assay	Assay %		>>9.99%		10
pt_atp_enforcement	ATP Enforcement	ATP Enf	x(1)		
pt_atp_family	Family ATP	Fam ATP	yes/no		
pt_atp_horizon	ATP Horizon	Horizon	>>>9		
pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no		
pt_avg_int	Avg Int	Avg! Int	>>9		
pt_barcode1	Barcode 1	Barcode 1	x(24)		
pt_barcode2	Barcode 2	Barcode 2	x(24)		
pt_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<		10
pt_bom_code	BOM/Formula		x(18)		
pt_break_cat	Price Break Cat		x(18)		
pt_btbt_type	EMT Type		xx		
pt_buyer	Buyer/Planner	Buy! Pln	x(8)		
pt_cfg_type	Configuration	Config	x(1)		
pt_classification	Classification		x(12)		
pt_comm_code	Commodity Code	Comm Code	x(8)		
pt_cover	Coverage	CV	x(1)		
pt_crit_days	Critical Days	Critical! Days	>>, >>9		
pt_critical	Key Item		yes/no		

Field Name	Label	Col-Label	Format	Dec
pt_cum_lead	Cum LT	Cum! LT	>>9	
pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pt_dea	DEA Controlled	DEA	yes/no	
pt_desc1	Description		x(24)	
pt_desc2	Description		x(24)	
pt_destructive	Destructive	Destr	yes/no	
pt_dim_um	Dimensns UM		x(2)	
pt_domain	Domain		x(8)	
pt_draw	Drawing		x(18)	
pt_drp_pct	DRP		>>9.9<%	10
pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
pt_drwg_size	Drwg Size	DS	x(2)	
pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
pt_fiscal_class	Fiscal Class		x(18)	
pt_formula	Formula		yes/no	
pt_fr_class	Freight Class		x(8)	
pt_fru	FRU		yes/no	
pt_fsc_code	Service Category	Svc Cat	x(8)	
pt_gcfg_type	Configuration Type	Cfg Type	x(8)	
pt_group	Group		x(8)	
pt_hazard	Hazard		x(8)	
pt_height	Height		>>,>>9.9999	10
pt_id_qty	ID Quantity	ID! Qty	>>>9	
pt_ins_bom	Installation BOM	Ins BOM	X(18)	
pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
pt_ins_route	Installation Routing	Ins Route	X(18)	
pt_insp_days	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
pt_insp_freq	Insp Frequency	Insp Freq.	>>>>>>9	
pt_insp_lead	Ins LT	Ins! LT	>>9	
pt_insp_ref	Ref		yes/no	
pt_insp_req	Inspection Required	Insp Req	yes/no	
pt_insp_rqd	Inspect	Ins! Req	yes/no	
pt_inst_call	Install		yes/no	
pt_invent_days[10]	Days From Expiration/ Manufacture	Days From! Expire!! Manuf.	>>,>>9	
pt_isb	Installed Base	Inst Base	yes/no	
pt_iss_pol	Issue Policy	Iss	yes/no	
pt_issue_method	Issue Method	Issue! Method	x(8)	
pt_joint_type	Co/By Type	CT	x(1)	
pt_last_eco	Last ECO		99/99/99	
pt_length	Length		>>,>>9.9999	10
pt_ll_code	Low Level	Low Lvl	->>>>>9	
pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
pt_loc	Location		x(8)	
pt_loc_type	Location Type	Loc Type	x(8)	
pt_lot_grp	Lot Group		x(8)	
pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pt_memo_type	Memo Order Type		x(1)	
pt_meter_interval	Meter Interval		>>>>,>>>,>>9.99<<<	10
pt_meter_um	Meter UM		X(2)	
pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
pt_mfg_mtbf	MFG MTBF		->,>>9.99	10
pt_mfg_mttr	MFG MTTR		->,>>9.99	10
pt_mfg_pct	Manufactured	Mfg	>>9.9<%	10
pt_mod_date	Modified Date	Mod Date	99/99/99	
pt_model	Model		x(18)	0
pt_mrp	MRP Required	MRP Req	yes/no	
pt_ms	Master Sched	MS	yes/no	
pt_mtbf	MTBF		>>,>>9.99	10
pt_mttr	MTTR		>>,>>9.99	10
pt_net_wt	Net Weight		->,>>9.99<<<<	10
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_network	Network Code		x(18)	
pt_obs_date	Obsolete Date		99/99/99	
pt_op_yield	Op Based Yield		yes/no	
pt_opc_threshold	OPC Threshold		->>>,>>9.9<<<<<<	10
pt_ord_max	Max Ord		>>,>>>,>>9	0
pt_ord_min	Min Ord		>>,>>>,>>9	0
pt_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0

Field Name	Label	Col-Label	Format	Dec
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>, >>>, >>9	10
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_po_site	PO Site		x(8)	
pt_pop_code	Popularity		X(8)	
pt_pou_code	Point of Use Code		x(18)	
pt_price	Price		>>>>, >>>, >>9.99<<<	10
pt_print_id	Print ID	Print! ID	yes/no	
pt_prod_line	Prod Line	Line	x(4)	
pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	10
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_random_insp_pct	Random Inspection %		->>9.99	10
pt_rctpo_active	Active	Act	yes/no	
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	
pt_rep_type	Replenishment Type	Rep Type	X(8)	
pt_repairable	Repairable		yes/no	
pt_replenishment_mthd	Replenishment Method		x(8)	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Req'd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>, >>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>, >>9.999<<<<<<	10
pt_run_ll	Run LL		>>>, >>9.999<<<<<<	10
pt_run_seq1	Run Seq 1		x(8)	
pt_run_seq2	2	Run Seq 2	x(8)	
pt_same_days[10]	Same Day Window	Same Day! Window	>>, >>9	
pt_sample_pct	Sample %	Sample %	>>9	
pt_sample_qty	Sample Quantity	Sample Qty	->, >>>, >>9	
pt_setup	Setup Time	Setup	>>>, >>9.999<<<<<<	10
pt_setup_ll	Setup LL		>>>, >>9.999<<<<<<	10
pt_sfty_stk	Safety Stk	Safety! Stock	>>, >>>, >>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelf_offset	Shelf Life Offset	Shelf Life! Offset	>>, >>9	
pt_shelflife	Shelf Life		->, >>>, >>>	
pt_ship_wt	Ship Weight		->, >>9.99<<<<	10
pt_ship_wt_um	Ship Weight UM	UM	x(2)	
pt_single_trans	Single Put-Away Transactions	Single! Trans	yes/no	
pt_site	Site		x(8)	
pt_size	Size		->>, >>9.99	10
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>, >>9.9<<<	10
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_sttr	STTR		->>, >>9.99	10
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	

Field Name	Label	Col-Label	Format	Dec
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_um_group	UM Group		x(8)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_ven_warr	Supplier Warranty	Suppl Warr	yes/no	
pt_vend	Supplier		x(8)	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_whse_part_type	Warehouse Item Type	Warehouse! Item Type	x(8)	
pt_width	Width		>>,>>9.9999	10
pt_wks_avg	Average Weeks of Coverage Avg! Cover		>>9.9	10
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	10
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	10
pt_xbdn_ll	Cur Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_tl	Cur Burden TL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_stdll	Std Mtl LL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>,>>>,>>9.99<<<	10
pt_xsub_tl	Cur Sub TL		>>>>,>>>,>>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>,>>>,>>9.99<<<	10
pt_xtot_std	Std Total		>>>>,>>>,>>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pt_mstr	yes	oid_pt_mstr	yes	no
pt_barcode1	no	pt_domain	yes	no
		pt_barcode1	yes	no
pt_barcode2	no	pt_domain	yes	no
		pt_barcode2	yes	no
pt_bom_code	no	pt_domain	yes	no
		pt_bom_code	yes	no
		pt_part	yes	no
pt_desc	yes	pt_domain	yes	no
		pt_desc1	yes	no
		pt_desc2	yes	no
		pt_part	yes	no
pt_group	yes	pt_domain	yes	no
		pt_group	yes	no
		pt_part	yes	no
pt_ll_mrp_pt	yes	pt_domain	yes	no
		pt_ll_code	yes	no
		pt_mrp	yes	no
		pt_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pt_model	no	pt_domain	yes	no
		pt_model	yes	no
pt_network	no	pt_domain	yes	no
		pt_network	yes	no
		pt_part	yes	no
* pt_part	yes	pt_domain	yes	no
		pt_part	yes	no
pt_part_type	yes	pt_domain	yes	no
		pt_part_type	yes	no
		pt_part	yes	no
pt_pm_mrp	no	pt_domain	yes	no
		pt_pm_mrp	yes	no
		pt_part	yes	no
pt_prod_part	yes	pt_domain	yes	no
		pt_prod_line	yes	no
		pt_part	yes	no
pt_pvm_bom	no	pt_domain	yes	no
		pt_pvm_bom	yes	no
		pt_part	yes	no
pt_routing	yes	pt_domain	yes	no
		pt_routing	yes	no
		pt_part	yes	no
pt_svc_group	no	pt_domain	yes	no
		pt_svc_group	yes	no

PurchaseCodePurchase Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		->,>>>, >>9	
CustomInteger1	Custom Integer Field		->,>>>, >>9	
CustomInteger2	Custom Integer Field		->,>>>, >>9	
CustomInteger3	Custom Integer Field		->,>>>, >>9	
CustomInteger4	Custom Integer Field		->,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser			x(20)	
PurchaseCode			x(20)	
PurchaseCode_ID	Record ID		9999999999	
PurchaseCodeDescription			x(40)	
PurchaseCodeIsActive			yes/no	
PurchaseCodeType			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	PurchaseCodeIsActive	yes	no
◇* Prim	yes	PurchaseCode_ID	yes	no
PurchaseCode	yes	PurchaseCode	yes	no
◇ PurchaseType	no	PurchaseCodeType	yes	no
◇ ViewIndex	no	PurchaseCodeIsActive	yes	no
		PurchaseCode	yes	no

PurchaseGLMatrixPurchase GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostCentreGL_ID			9999999999	
CreditorPurchaseCode_ID			9999999999	
ItemPurchaseCode_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
NoAnalysisGL_ID			9999999999	
ProjectGL_ID			9999999999	
PurchaseGLMatrix_ID	Record ID		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	
StockMovementGL_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentreGL	no	CostCentreGL_ID	yes	no
CredItemSet	yes	SharedSet_ID	yes	no
		CreditorPurchaseCode_ID	yes	no
		ItemPurchaseCode_ID	yes	no
CredPurch	no	CreditorPurchaseCode_ID	yes	no
ItemPurch	no	ItemPurchaseCode_ID	yes	no
◇ NoAnalysisGL	no	NoAnalysisGL_ID	yes	no
◇* Prim	yes	PurchaseGLMatrix_ID	yes	no
◇ ProjectGL	no	ProjectGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

PurchaseTypePurchase Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PurchaseType_ID	Record ID		9999999999	
PurchaseTypeCode	Purchase Type		x(4)	
PurchaseTypeDescription	Description		x(40)	
PurchaseTypeIsActive	Active		yes/no	

652 PurchaseType

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	PurchaseTypeCode	yes	no
◇* Prim	yes	PurchaseType_ID	yes	no
◇ ViewIndex	yes	PurchaseTypeIsActive	yes	no
		PurchaseTypeCode	yes	no

pvod_det

Pending Voucher Detail

Field Name	Label	Col-Label	Format	Dec
oid_pvod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pvod__qadc01			.9<<<<<<<<<	
pvod__qadc02			x(24)	
pvod__qadc03			x(24)	
pvod__qadc04			x(24)	
pvod__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
pvod_accrual_acct	Accrual Account	Accrual! Account	x(8)	
pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
pvod_accrued_amt	Accrued Amount		->>>>, >>>, >>9.99<	10
pvod_bdn_std	Item Burden Cost	Item Burden	->>>, >>>, >>9.99<<<	10
pvod_channel	Channel		x(8)	
pvod_cinvoice_id	Invoice ID		99999999999	
pvod_cost_update	Update Current Cost		yes/no	
pvod_domain	Domain		x(8)	
pvod_eff_date	Effective Date	Eff Date	99/99/99	
pvod_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
pvod_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
pvod_ex_ratetype	Rate Type		x(8)	
pvod_exru_seq	Sequence		>>>>>>>>9	
pvod_id	Pending Voucher ID	Pend Vchr	>>>>>>>>	
pvod_id_line	Line	Ln	>>>>>>>9	
pvod_internal_ref	Internal Reference		x(20)	
pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pvod_last_voucher	Supplier Invoice		x(22)	
pvod_lbr_std	Item Labor Cost	Item Labor	->>>, >>>, >>9.99<<<	10
pvod_mod_date	Modified Date	Mod Date	99/99/99	
pvod_mod_userid	User ID		x(8)	
pvod_mtl_std	Item Material Cost	Item Material	->>>, >>>, >>9.99<<<	10
pvod_order	Order		x(8)	
pvod_order_line	Order Line	Ln	>>9	
pvod_order_type	Order Type	Order! Type	x(2)	
pvod_ovh_std	Item Overhead Cost	Item Overhead	->>>, >>>, >>9.99<<<	10
pvod_part	Item Number	Item	x(18)	
pvod_project	Project		x(8)	
pvod_pur_cost	PO Cost		->, >>>, >>>, >>9.99<<<	10
pvod_pur_std	Item PO Cost		->>>, >>>, >>9.99<<<	10
pvod_shipfrom	Ship-From		x(8)	
pvod_shipto	Ship-To		x(8)	
pvod_sub_std	Item Subcontract Cost	Item Subcontract	->>>, >>>, >>9.99<<<	10
pvod_tax_env	Tax Environment	Tax Env	x(16)	
pvod_tax_in	Tax In	Tax! In	yes/no	
pvod_tax_usage	Tax Usage	TaxUsage	x(8)	
pvod_taxable	Taxable	Tax	yes/no	
pvod_taxc	Tax Class	TxC	x(3)	
pvod_trans_date	Transaction Date	Trans Date	99/99/99	
pvod_trans_qty	Transaction Qty	Trans Qty	->>, >>>, >>9.9<<<<<<<<<	10
pvod_user1	User Field Character 1		x(24)	
pvod_user2	User Field Character 2		x(24)	
pvod_vouchered_amt	Vouchered Amount		->>>>, >>>, >>9.99<	10
pvod_vouchered_qty	Vouchered Qty	Vouchered Qty	->>, >>>, >>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_pvod_det	yes	oid_pvod_det	yes	no
*	pvod_id	yes	pvod_domain	yes	no
			pvod_id	yes	no
			pvod_id_line	yes	no

pvo_mstr

Field Name	Label	Col-Label	Format	Dec
oid_pvo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pvo__qadc01			.9<<<<<<<<	
pvo__qadc02			x(24)	
pvo__qadc03			x(24)	
pvo__qadc04			x(24)	
pvo__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
pvo__qadd02			->>>>, >>>, >>9.9<<<<<<<<<	10
pvo__qadd03			->>>>, >>>, >>9.9<<<<<<<<<	10
pvo__qadi01			->>>>>>>g	
pvo_accrual_acct	Accrual Account	Accrual! Account	x(8)	
pvo_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
pvo_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
pvo_accrued_amt	Accrued Amount		->>>>, >>>, >>9.99<	10
pvo_approver	Approved By	Approved	x(8)	
pvo_buyer	Buyer		x(8)	
pvo_cinvoice_id	Invoice ID		9999999999	
pvo_consignment	Consignment		yes/no	
pvo_cost_update	Update Current Cost		yes/no	
pvo_curr	Currency	Cur	x(3)	
pvo_domain	Domain		x(8)	
pvo_eff_date	GL Effective Date	Effective	99/99/99	
pvo_ers_opt	ERS Option	ERS! Opt	>9	
pvo_ers_price_lst_opt	ERS Price List Option	ERS! PLO	>9	
pvo_ers_status	ERS Status	ERS! St	>9	
pvo_external_ref	External Reference	External! Ref	x(20)	
pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>	
pvo_internal_ref	Internal Reference	Internal! Ref	x(20)	
pvo_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
pvo_last_voucher	Voucher		x(22)	
pvo_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
pvo_line	Line	Ln	>>9	
pvo_mod_date	Modified Date	Mod Date	99/99/99	
pvo_mod_userid	User ID		x(8)	
pvo_order	Order		x(8)	
pvo_order_type	Order Type	Order! Type	x(2)	
pvo_part	Item Number	Item	x(18)	
pvo_project	Project		x(8)	
pvo_shipfrom	Ship-From		x(8)	
pvo_shipto	Ship-To		x(8)	
pvo_supplier	Supplier		x(8)	
pvo_tax_env	Tax Environment	Tax Env	x(16)	
pvo_tax_in	Tax In		yes/no	
pvo_tax_usage	Tax Usage	TaxUsage	x(8)	
pvo_taxable	Taxable		yes/no	
pvo_taxc	Tax Class	TxC	x(3)	
pvo_trans_date	Transaction Date	Transaction	99/99/99	
pvo_trans_qty	Transaction Qty	Trans Qty	->>, >>>, >>9.9<<<<<<<<<	10
pvo_user1	User Field Character 1		x(24)	
pvo_user2	User Field Character 2		x(24)	
pvo_vouchered_amt	Vouchered Amt		->>>>, >>>, >>9.99<	10
pvo_vouchered_qty	Vouchered Qty		->>, >>>, >>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pvo_mstr	yes	oid_pvo_mstr	yes	no
pvo_ers	no	pvo_domain	yes	no
		pvo_ers_status	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
* pvo_id	yes	pvo_domain	yes	no
		pvo_id	yes	no
pvo_internal_ref	no	pvo_domain	yes	no
		pvo_internal_ref	yes	no
pvo_last_voucher	no	pvo_domain	yes	no
		pvo_last_voucher	yes	no
		pvo_curr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
pvo_logistics_charge	no	pvo_lc_charge	yes	no
		pvo_order	yes	no
		pvo_domain	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
pvo_order	no	pvo_line	yes	no
		pvo_external_ref	yes	no
		pvo_domain	yes	no
		pvo_order	yes	no
		pvo_internal_ref	yes	no
pvo_supplier	no	pvo_line	yes	no
		pvo_domain	yes	no
		pvo_supplier	yes	no
		pvo_last_voucher	yes	no
		pvo_lc_charge	yes	no
pvo_trans_date	no	pvo_domain	yes	no
		pvo_trans_date	yes	no

qaddb_ctrl Database Control for QADDB

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qaddb__qadc01			.9<<<<<<<<<	
qaddb__qadc02			x(24)	
qaddb_index1	Index		>>>>>9	
qaddb_mod_date	Modified Date	Mod Date	99/99/99	
qaddb_mod_userid	User ID		x(8)	
qaddb_oid_code	OID Generator Code		>>>>>>>>9	
qaddb_oid_regid	OID Registration ID		>>>>>>>>9.9<<<<<<<<<	10
qaddb_server_timezone	Server Time Zone		x(8)	
qaddb_use_users_timezone	Use User's Time Zone		yes/no	
qaddb_user1	User Field Character 1		x(24)	
qaddb_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qaddb_ctrl	yes	oid_qaddb_ctrl	yes	no
*	qaddb_index1	yes	qaddb_index1	yes	no

qaddb_ver Table name identifies the database type.

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ver	OID		>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
qaddb_ver_001_0020	Schema Version		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_qaddb_ver	yes	oid_qaddb_ver	yes	no

qad_wkfl QAD Work Table

Field Name	Label	Col-Label	Format	Dec
oid_qad_wkfl			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
qad__quadc01			x(8)	
qad_charfld[15]			x(8)	
qad_charfld1[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->, >9.99	10

Field Name	Label	Col-Label	Format	Dec
qad_domain	Domain		x(8)	
qad_intfld[15]			->,>>>,>>9	
qad_key1			x(8)	
qad_key2			x(8)	
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	
qad_key6			x(8)	
qad_logfld[15]			yes/no	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qad_wkfl	yes	oid_qad_wkfl	yes	no
* qad_index1	yes	qad_domain	yes	no
		qad_key1	yes	no
		qad_key2	yes	no
qad_index2	no	qad_domain	yes	no
		qad_key3	yes	no
		qad_key4	yes	no
qad_index3	no	qad_domain	yes	no
		qad_key5	yes	no
		qad_key6	yes	no

qcc_ctrl Quality Order Control

Field Name	Label	Col-Label	Format	Dec
oid_qcc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qcc__qadc01			.9<<<<<<<<<	
qcc__qadi01			x(8)	
qcc_auto_nbr	Auto Order Numbers		->>>>>>9	
qcc_domain	Domain		yes/no	
qcc_inspect	Inspection Location		x(8)	
qcc_lot	Next Batch		x(8)	
qcc_nbr	Next Order Number		>>>>>>9	
qcc_rcmmts	Procedure Comments		>>>>>>9	
qcc_site	Inspection Site		yes/no	
qcc_user1	Ufld1		x(8)	
qcc_user2	Ufld2		x(8)	
qcc_wcmmts	Quality Order Comments		x(8)	
			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qcc_ctrl	yes	oid_qcc_ctrl	yes	no
*	qcc_index1	yes	qcc_domain	yes	no

qcd det Quality Control Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_qcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qcd__chr01			.9<<<<<<<<<<	
qcd__chr02			x(8)	
qcd__chr03			x(8)	
qcd__chr04			x(8)	
qcd__chr05			x(8)	
qcd__dec01			>>>, >>>, >>9.99	10
qcd__dec02			>>>, >>>, >>9.99	10
qcd__dte01			99/99/99	
qcd__dte02			99/99/99	
qcd__log01			yes/no	
qcd_cmtindx	Comment Index	Comment	>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qcd_det	yes	oid_qcd_det	yes	no
* qcd_det	yes	qcd_domain	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
		qcd_op	yes	no
qcd_nbrpart	no	qcd_domain	yes	no
		qcd_nbr	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
qcd_part	no	qcd_domain	yes	no
		qcd_part	yes	no

qcs_mstr Quality Sampling Pattern Master

Field Name	Label	Col-Label	Format	Dec
oid_qcs_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<<	
qcs__chr01			x(8)	
qcs__chr02			x(8)	
qcs__chr03			x(8)	
qcs__chr04			x(8)	
qcs__chr05			x(8)	
qcs_days	Days to Expire	Expire	>>>9	
qcs_domain	Domain		x(8)	
qcs_lot_int	Lot Interval	Interval	>>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qcs_mstr	yes	oid_qcs_mstr	yes	no
* qcs_part	yes	qcs_domain	yes	no
		qcs_part	yes	no

qc_mstr Quality Control Order Master

Field Name	Label	Col-Label	Format	Dec
oid_qc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
qc__chr01			.9<<<<<<<<<	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>, >>>, >>9.99	10
qc__dec02			>>>, >>>, >>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc_log01			yes/no	
qc_autoissue	Auto Issue		yes/no	

Field Name	Label	Col-Label	Format	Dec
qc_cmtindx	Comment Index	Comment	>>>>>>9	
qc_domain	Domain		x(8)	
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->,>>>,>>9	10
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->,>>>,>>9.9<<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->,>>>,>>9.9<<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->,>>>,>>9.9<<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qc_mstr	yes	oid_qc_mstr	yes	no
qc_due_part	no	qc_domain	yes	no
		qc_due_date	yes	no
		qc_part	yes	no
		qc_site	yes	no
qc_lot	yes	qc_domain	yes	no
		qc_lot	yes	no
* qc_nbr	yes	qc_domain	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no
qc_part	no	qc_domain	yes	no
		qc_part	yes	no
		qc_site	yes	no
		qc_due_date	yes	no
qc_type_nbr	yes	qc_domain	yes	no
		qc_type	yes	no
		qc_nbr	yes	no
		qc lot	yes	no

qob det

Sales Quotation Configuration Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_qob_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qob__qadc01			.9<<<<<<<<<	
qob_bo_chg	Qty B/O		x(8)	
qob_cfg_type	Configuration	Config	->, >>>, >>9.9<<<<<<<<<	10
qob_cmtindx	Comment Index	Comment	x(1)	
qob_domain	Domain		>>>>>>>9	
qob_feature	Feature		x(8)	
qob_iss_date	Issue Date	Iss Date	x(12)	
qob_line	Line		99/99/99	
qob_loc	Location		>>9	
qob_nbr	Quote		x(8)	
qob_parent	Parent Item		x(8)	
qob_part	Item Number		x(18)	
qob_price	Price		x(18)	
qob_qty_all	Qty Allocated		>>>>, >>>, >>9.99<<<	10
			->, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
qob_qty_chg	Qty to Issue		->,>>,>>9.9<<<<<<<<	10
qob_qty_iss	Qty Issued		->,>>,>>9.9<<<<<<<<	10
qob_qty_pick	Qty Picked		->,>>,>>9.9<<<<<<<<	10
qob_qty_req	Qty Required		->,>>,>>9.9<<<<<<<<	10
qob_serial	Lot/Serial		x(18)	
qob_site	Site		x(8)	
qob_tot_std	List Price		->>>,>>9.999	10
qob_user1	Ufld1		x(8)	
qob_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qob_det	yes	oid_qob_det	yes	no
* qob_det	yes	qob_domain	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no
		qob_part	yes	no
qob_part	yes	qob_domain	yes	no
		qob_part	yes	no
		qob_nbr	yes	no
		qob_line	yes	no
		qob_feature	yes	no

Sales Quotation Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qoc_ctrl	yes	oid_qoc_ctrl	yes	no
*	qoc_index1	yes	qoc_domain	yes	no

Sales Quotation Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_qodr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
qodr__qadc01			x(8)	
qodr__qadc02			x(8)	
qodr__qadc03			x(8)	
qodr__qadd01			->>>, >>, >>9.9	10
qodr__qadd02			->>>, >>, >>9.9	10

Field Name	Label	Col-Label	Format	Dec
qodr__qadi01			->,>>>,>>9	
qodr__qadi02			->,>>>,>>9	
qodr__qadi01			yes/no	
qodr__qadi02			yes/no	
qodr__qadt01			99/99/99	
qodr__qadt02			99/99/99	
qodr_div	Division		X(8)	
qodr_domain	Domain		x(8)	
qodr_group	Group		X(8)	
qodr_line	Line		>>9	
qodr_nbr	Quote		X(8)	
qodr_pricing	Pricing		>9	
qodr_seq	Sequence		>>9	
qodr_type	Type		>>>9	
qodr_user1	Ufld1		x(8)	
qodr_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qodr_det	yes	oid_qodr_det	yes	no
* qodr_nbrln_seq	yes	qodr_domain	yes	no
		qodr_nbr	yes	no
		qodr_line	yes	no
		qodr_seq	yes	no
qodr_type	no	qodr_domain	yes	no
		qodr_type	yes	no

god_det

Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
oid_qod_det			>>>>>>>>>>>>>>>>>>>>>9	10
qod__chr01	Price List	List	.9<<<<<<<<	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>, >>>, >>9.99	10
qod__dec02			>>>, >>>, >>9.99	10
qod__dte01			99/99/99	
qod__dte02			99/99/99	
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	
qod_abnormal	Abnormal Demand	Abnormal	yes/no	
qod_acct	Sales Acct	Sales	x(8)	
qod_bonus	Bonus Stock Line		yes/no	
qod_cc	Cost Ctr	CC	x(4)	
qod_cfg_type	Configuration	Config	x(1)	
qod_cmtindx	Comment Index	Comment	>>>>>>>9	
qod_comm_pct[2]	Commission	Comm%	>>9.99%	10
qod crt_int	Credit Terms Int	CRT Int	->>>9.99	10
qod_custpart	Customer Item		x(30)	
qod_desc	Description		x(24)	
qod_disc_pct	Disc %		->>9.99%	10
qod_div	Division		x(8)	
qod_domain	Domain		x(8)	
qod_dsc_acct	Disc Acct		x(8)	
qod_dsc_cc	Disc CC	CC	x(4)	
qod_dsc_project	Disc Project		x(8)	
qod dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
qod_due_date	Due Date	Due	99/99/99	
qod_fa_nbr	Final Assy	FAS	x(8)	
qod_fix_pr	Fixed Price		yes/no	
qod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
qod_fr_class	Freight Class		x(8)	
qod_fr_list	Freight List	Frt List	x(8)	
qod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
qod_fr_wt	Unit Ship Weight		->, >>>, >>9. <<<<<<	10
qod_fr_wt_um	UM		x(2)	
qod_fst_list	FST on List		yes/no	
qod_fst_rate	FST Rate	Rate	->>9%	10
qod_fst_tax	FST Tax		->>, >>>, >>9.99	10
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
qod_manual_fr_list	Manual Fr List		yes/no	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>, >>>, >>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodlne	Product Line	Line	x(4)	
qod_project	Project		x(8)	
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->>, >>>, >>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->, >>>, >>9.9<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qod_det	yes	oid_qod_det	yes	no
qod_fr_list	no	qod_domain	yes	no
		qod_nbr	yes	no
		qod_fr_list	yes	no
* qod_nbrln	yes	qod_domain	yes	no
		qod_nbr	yes	no
		qod_line	yes	no
qod_part	yes	qod_domain	yes	no
		qod_part	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_qor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
qor__qadc01			x(8)	
qor__qadc02			x(8)	
qor__qadc03			x(8)	
qor__qadd01			->>>>, >>>, >>9.9	10
qor__qadd02			->>>>, >>>, >>9.9	10
qor__qadi01			->, >>>, >>9	
qor__qadi02			->, >>>, >>9	
qor__qadl01			yes/no	
qor__qadl02			yes/no	
qor__qadt01			99/99/99	
qor__qadt02			99/99/99	
qor_div	Division		X(8)	
qor_domain	Domain		x(8)	
qor_group	Group		X(8)	
qor_nbr	Quote		X(8)	
qor_pricing	Pricing		>9	
qor_seq	Sequence		>>9	
qor_type	Type		>>>9	
qor_user1		Ufld1	x(8)	
qor_user2		Ufld2	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qor_mstr	yes	oid_qor_mstr	yes	no
* qor_nbr_seq	yes	qor_domain	yes	no
		qor_nbr	yes	no
		qor_seq	yes	no
qor_type	no	qor_domain	yes	no
		qor_type	yes	no

qo_mstr

Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
oid_qo_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
qo__chr01			.9<<<<<<<<<	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>, >>>, >>9.99	10
qo__dec02			>>>, >>>, >>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	10
qo__qad02			-z,zzz,zzz,zz9.99	10
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	10
qo__qad04			>	
qo__qad05[2]			>>9.9<<	10
qo_app_owner	Owner Application		x(12)	
qo_ar_acct	AR Account	AR	x(8)	
qo_ar_cc	Cost Ctr	CC	x(4)	
qo_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
qo_bank	Bank		x(2)	
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	
qo_cartons	Cartons		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	10
qo_confirm	Confirm Date	Confirm	99/99/99	
qo_cr_card	Credit Card	Card	x(2)	
qo_cr_init	Cr Initials	Initials	x(3)	
qo_cr_terms	Credit Terms	Terms	x(8)	
qo_curr	Currency	Curr	x(3)	
qo_cust	Sold-To		x(8)	
qo_cycle	Cycle Code	Cy	x(2)	
qo_daybookset	Daybook Set	Dybk Set	x(8)	
qo_disc_pct	Disc %		->>9.99%	10
qo_div	Division		x(8)	
qo_domain	Domain		x(8)	
qo_due_date	Due Date	Due	99/99/99	
qo_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
qo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
qo_ex_ratetype	Rate Type		x(8)	
qo_exp_date	Expires		99/99/99	
qo_exru_seq	Sequence		>>>>>>>>9	
qo_fix_rate	Fixed Rate	Fixed	yes/no	
qo_flw_date	Follow-up		99/99/99	
qo_fob	FOB Point		x(20)	
qo_fr_list	Freight List	Fr List	x(8)	
qo_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
qo_fr_terms	Freight Terms	Fr Terms	x(8)	
qo_fst_id	FST ID		x(18)	
qo_inv_mthd	Invoicing Method		x(1)	
qo_lang	Language	Lang	x(2)	
qo_manual_fr_terms	Manual Fr Terms		yes/no	
qo_nbr	Quote		x(8)	
qo_ord_date	Quote Date	Quote	99/99/99	
qo_partial	Partial OK	Partial	yes/no	
qo_po	Purchase Order		x(20)	
qo_pr_list	Manual	Disc Tbl	x(8)	
qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
qo_prepaid	Prepaid Amount		-z, zzz, zzz, zz9.99	10
qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
qo_print_pl	Print Pack List	Print Pack	yes/no	
qo_print_qo	Print Quote	Print QT	yes/no	
qo_project	Project		x(8)	
qo_pst	PST		yes/no	
qo_pst_id	PST ID		x(18)	
qo_pst_pct	PST Pct		->9.99<%	10
qo_recur	Recurring	Rec	yes/no	
qo_rel_cnt	Release Count	Cnt	>>9	
qo_rel_date	Release Date	Release	99/99/99	
qo_release	Release	Rel	yes/no	
qo_req_date	Required Date	Required	99/99/99	
qo_rev	Revision	Rev	>>9	
qo_rmks	Remarks		x(40)	
qo_ship	Ship-To		x(8)	
qo_ship_date	Ship Date		99/99/99	
qo_shipvia	Ship Via		x(20)	
qo_site	Site		x(8)	
qo_size	Size		->, >>>, >>>9.9<<<<<<<<	10
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_so_nbr	Last Sales Order	Lst Ord	x(8)	
qo_source	Order Source	Source	x(8)	
qo_stat	Action Status	St	x(2)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	10
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_trl1_amt	Trailer Amt 1		-zzzz, zzz, zz9.99	10

Field Name	Label	Col-Label	Format	Dec
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>, >>>, >>9.9999	10
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qo_mstr	yes	oid_qo_mstr	yes	no
qo_cust	no	qo_domain	yes	no
		qo_cust	yes	no
* qo_nbr	yes	qo_domain	yes	no
		qo_nbr	yes	no
qo_print_qo	no	qo_domain	yes	no
		qo_print_qo	yes	no
qo_release	no	qo_domain	yes	no
		qo_release	yes	no
		qo_nbr	yes	no
qo_ship	no	qo_domain	yes	no
		qo_ship	yes	no

QPostingSaf Posting SAF Daemon Queue

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
QPostingLine_ID	Link to QPostingLine		9999999999	
QPostingSaf_ID	Record ID		9999999999	
QPostingSafInputSequence	SAF Input Sequence		->,>>>,>>9	
QPostingSafParentType	SAF Parent Type		x(20)	
Saf_ID			9999999999	
SafStructure_ID	Link to SafStructure		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Q* Prim	yes	QPostingSaf_ID	yes	no
QPostingLine	no	QPostingLine ID	yes	no

qps_det Quality Test Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_qps_det			>>>>>>>>>>>>>>>>>>>>>>9	10
qps_chr01			.9<<<<<<<<<	
qps_chr03			x(8)	
qps_chr04			x(8)	
qps_chr05			x(8)	
qps_dec01			>>>, >>>, >>9.99	10
qps_dec02			>>>, >>>, >>9.99	10
qps_dec03			>>>, >>>, >>9.99	10
qps_log01			yes/no	
qps_domain	Domain		x(8)	
qps_op	Operation	Op	>>>>>>	
qps_part	Item Number	Item	x(18)	

Field Name	Label	Col-Label	Format	Dec
qps_qty	Usage Quantity		->,>>>,>>9.9<<<<<<<<	10
qps_routing	Procedure		x(18)	
qps_user1	Ufld1		x(8)	
qps_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qps_det	yes	oid_qps_det	yes	no
* qps_det	yes	qps_domain	yes	no
		qps_routing	yes	no
		qps_op	yes	no
		qps_part	yes	no

Q/LinQ Control

Field Name	Label	Col-Label	Format	Dec
oid_qqc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>9	10
qqc_dec01			.9<<<<<<<<<	
qqc_dec02			->>>, >>>, >>9.99<	10
qqc_dte01			->>>, >>>, >>9.99<	10
qqc_dte02			99/99/99	
qqc_int01			99/99/99	
qqc_int02			->>>, >>>, >>9	
qqc_log01			->>>, >>>, >>9	
qqc_log02			yes/no	
qqc_qadc01			yes/no	
qqc_qadc02			x(8)	
qqc_qadc03			x(8)	
qqc_qadc04			x(8)	
qqc_qadd01			x(8)	
qqc_qadd02			->>>, >>>, >>9.99<	10
qqc_qadi01			->>>, >>>, >>9.99<	10
qqc_qadi02			->>>, >>>, >>9	
qqc_qadi03			->>>, >>>, >>9	
qqc_qadi04			->>>>>>>9	
qqc_qadl01			yes/no	
qqc_qadl02			yes/no	
qqc_qadt01			99/99/99	
qqc_qadt02			99/99/99	
qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
qqc_act	Active		yes/no	
qqc_code_pg	Code Page		X(15)	
qqc_date_form	Date Format		X(3)	
qqc_domain	Domain		x(8)	
qqc_email_flg	E-mail Enabled		yes/no	
qqc_email_notlvl	E-mail Notification Level		x(1)	
qqc_email_userid	E-mail Recipient User ID		x(8)	
qqc_ex_arch_dir	Export File Archive Directory		x(65)	
qqc_ex_map_flg	Export Mapping Enabled		yes/no	
qqc_im_arch_dir	Import File Archive Directory		x(65)	
qqc_im_map_flg	Import Mapping Enabled		yes/no	
qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
qqc_mod_date	Modified Date	Mod Date	99/99/99	
qqc_mod_userid	User ID		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	

Field Name	Label	Col-Label	Format	Dec
qqc_proc_flg	Import Processing Enabled		yes/no	
qqc_publ_flg	Publishing Enabled		yes/no	
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(24)	
qqc_start_proc	Session Startup Procedure		x(24)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1	Ufld1		x(8)	
qqc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	Index1	yes	qqc_domain	yes	no
	oid qqc_ctrl	yes	oid qqc_ctrl	yes	no

gro_det

Quality Inspection Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_qro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qro_chr01			.9<<<<<<<<<	
qro_chr02			x(8)	
qro_chr03			x(8)	
qro_chr04			x(8)	
qro_chr05			x(8)	
qro_dec01			>>>, >>>, >>9.99	10
qro_dec02			>>>, >>>, >>9.99	10
qro_dte01			99/99/99	
qro_dte02			99/99/99	
qro_log01			yes/no	
qro_cmtindx	Comment Index	Comment	>>>>>>>9	
qro_desc	Description		x(24)	
qro_domain	Domain		x(8)	
qro_mch	Machine		x(8)	
qro_mch_op	Machines per Op	Mach/Op	->, >>>, >>9	
qro_op	Operation	Op	>>>>9	
qro_queue	Operation Time	Op Time	>, >>9.9<<	10
qro_routing	Procedure		x(18)	
qro_tool	Tool Code	Tool	x(8)	
qro_user1	Ufld1		x(8)	
qro_user2	Ufld2		x(8)	
qro_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qro_det	yes	oid_qro_det	yes	no
* qro_routing	yes	qro_domain	yes	no
		qro_routing	yes	no
		qro_op	yes	no
qro_wkctr	no	qro_domain	yes	no
		qro_wkctr	yes	no
		qro_mch	yes	no

Quality Order Test Steps

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qr_test	yes	oid_qr_test	yes	no
qr_lot	yes	qr_domain	yes	no
		qr_lot	yes	no
		qr_op	yes	no
* qr_nbropp	yes	qr_domain	yes	no
		qr_nbr	yes	no
		qr_lot	yes	no
		qr_op	yes	no
qr_part	no	qr_domain	yes	no
		qr_part	yes	no
		qr_op	yes	no

QAD Table Extension

Field Name	Label	Col-Label	Format	Dec
oid_qtbl_ext			>>>>>>>>>>>>>>>>>>>>>>9	10
qtbl_key1	Key Field 1		.9<<<<<<<<<	
qtbl_key2	Key Field 2		x(24)	
qtbl_key3	Key Field 3		x(24)	
qtbl_key4	Key Field 4		x(24)	
qtbl_key5	Key Field 5		x(24)	
qtbl_key6	Key Field 6		x(24)	
qtbl_owner	Owner		x(8)	
qtbl_qadc01			x(24)	
qtbl_qadc02			x(24)	
qtbl_qadc03			x(24)	
qtbl_qadc04			x(24)	
qtbl_qadc05			x(24)	
qtbl_qadd01			->>>>, >>>, >>9.<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
qtbl_qadd02			->>>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd03			->>>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd04			->>>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd05			->>>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadl01			yes/no	
qtbl_qadl02			yes/no	
qtbl_qadt01			99/99/99	
qtbl_qadt02			99/99/99	
qtbl_reference	Extension Reference		x(20)	
qtbl_table	Table Name		x(14)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qtbl_ext	yes	oid_qtbl_ext	yes	no
* qtbl_primary	yes	qtbl_owner	yes	no
		qtbl_table	yes	no
		qtbl_reference	yes	no
		qtbl_key1	yes	no
		qtbl_key2	yes	no
		qtbl_key3	yes	no
		qtbl_key4	yes	no
		qtbl_key5	yes	no
		qtbl_key6	yes	no

QueryCache Query Cache

Field Name	Label	Col-Label	Format	Dec
Instance_ID	link to Instance		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
QueryCache_ID	record ID		9999999999	
RecordCount	Record Count		>>>>>9	
SearchKey	Search Key		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	QueryCache_ID	yes	no
key	no	SearchKey	yes	no

rbm mstr Retrobill Master

Field Name	Label	Col-Label	Format	Dec
oid_rbm_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
rbm__qadc01			x(8)	
rbm_ar_nbr	A/R Reference		x(18)	
rbm_auth	Authorization Number		x(16)	
rbm_cmtindx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
rbm_domain	Domain		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>, >>>, >>9.99<<<	10
rbm_rsn	Reason Code		x(8)	
rbm_status	Status		x(8)	
rbm_user1	Ufld1		x(8)	
rbm_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rbm_mstr	yes	oid_rbm_mstr	yes	no
* rbm_cust	yes	rbm_domain	yes	no
		rbm_cust	yes	no
		rbm_auth	yes	no

Customer Sequence Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rcc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
rcc__qadc01			,9<<<<<<<<<	
rcc__qadc02			x(8)	
rcc__qadd01			x(8)	
rcc__qadd02			->, >>>, >>9.9<<<<<<<<	10
rcc__qadi01			->, >>>, >>9.9<<<<<<<<	10
rcc__qadi02			->, >>>, >>9	
rcc__qadl01			->, >>>, >>9	
rcc__qadl02			yes/no	
rcc__qadl03			yes/no	
rcc__qadl04			yes/no	
rcc__qadt01			yes/no	
rcc__qadt02			99/99/99	
rcc_addr	Ship-To		99/99/99	
rcc_asn_edi	Send Sequence with ASN	ASN! Send	x(8)	
rcc_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rcc_domain	Domain		yes/no	
rcc_firm_seq_days	Firm Days	Firm! Days	x(8)	
rcc_inc_in_rss	Include Seq in Req Ship	RSS	>>9	
	Sched		yes/no	
rcc_invoice_edi	Send Sequence with Invoice	Inv! Send		
rcc_invoice_print	Print Sequence on Invoice	Inv! Print	yes/no	
rcc_max_tol	Maximum Tolerance	Max! Tol	yes/no	
rcc_merge_seq	Merge Schedules	Merge	>>>>9	
rcc_mod_date	Modified Date	Mod Date	yes/no	
rcc_mod_pgm	Last Program		99/99/99	
rcc_mod_userid	User ID		x(8)	
rcc_packing_order	Packing Order	Pack! Order	x(8)	
rcc_seq_per_container	Sequences Per Container	Seq Per! Cont	forward/reverse	
rcc_shipper_print	Print Sequence on Shipper	Ship! Print	>>>>>>>9	
rcc_user1	Ufld1		yes/no	
rcc_user2	Ufld2		x(8)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcc_mstr	yes	oid_rcc_mstr	yes	no
* rcc_index1	yes	rcc_domain	yes	no
		rcc_addr	yes	no

Customer Sequence Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rcf_ctrl			>>>>>>>>>>>>>>>>>>>>9	10
rcf__qadc01			.9<<<<<<<<	
rcf__qadc02			x(8)	
rcf__qadd01			x(8)	
rcf__qadd02			->, >>>, >>9.<<<<<<<<	10
rcf__qadi01			->, >>>, >>9.<<<<<<<<	10
rcf__qadi02			->, >>>, >>9	
rcf__qadi03			->, >>>, >>9	
rcf__qadl01			->>>>>>>9	
rcf__qadl02			yes/no	
rcf__qadl03			yes/no	
			yes/no	

Field Name	Label	Col-Label	Format	Dec
rcf__qadl04			yes/no	
rcf__qadt01			99/99/99	
rcf__qadt02			99/99/99	
rcf_active	Enable Sequence Schedules		yes/no	
rcf_asn_edl	Send Sequence with ASN		yes/no	
rcf_check_seq_tol	Check Sequence Tolerance		yes/no	
rcf_domain	Domain		x(8)	
rcf_firm_seq_days	Firm Days		>>9	
rcf_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
rcf_invoice_edl	Send Sequence with Invoice		yes/no	
rcf_invoice_print	Print Sequence on Invoice		yes/no	
rcf_max_tol	Maximum Tolerance		>>>>9	
rcf_merge_seq	Merge Schedules		yes/no	
rcf_mod_date	Modified Date	Mod Date	99/99/99	
rcf_mod_pgm	Last Program		x(8)	
rcf_mod_userid	User ID		x(8)	
rcf_packing_order	Packing Order		forward/reverse	
rcf_sch_default	Schedule Order Default		yes/no	
rcf_seq_per_container	Sequences Per Container		>>>>>>>9	
rcf_shipper_print	Print Sequence on Shipper		yes/no	
rcf_user1	Ufld1		x(8)	
rcf_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rcf_ctrl	yes	oid_rcf_ctrl	yes	no
*	rcf_index1	yes	rcf_domain	yes	no

rcsd det

Customer Sequence Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_rcsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rcsd__qadc01			.9<<<<<<<<	
rcsd__qadc02			x(8)	
rcsd__qadd01			x(8)	
rcsd__qadd02			->, >>>, >>9.9<<<<<<<<	10
rcsd__qadi01			->, >>>, >>9.9<<<<<<<<	10
rcsd__qadi02			->, >>>, >>9	
rcsd__qadi01			->, >>>, >>9	
rcsd__qadl01			yes/no	
rcsd__qadl02			yes/no	
rcsd__qadt01			99/99/99	
rcsd__qadt02			99/99/99	
rcsd_cum_qty	Cum Quantity		>>, >>>, >>9.9<<<<<<<<	10
rcsd_cust_build_date	Customer Build Date		99/99/99	
rcsd_cust_job	Customer Job		x(30)	
rcsd_cust_part	Customer Item		x(30)	
rcsd_cust_po	PO Number		x(22)	
rcsd_cust_ref	Customer Reference		x(30)	
rcsd_cust_seq	Customer Sequence		x(30)	
rcsd_custref	Customer Ref		x(30)	
rcsd_date	Date		99/99/99	
rcsd_deleted	Deleted		yes/no	
rcsd_derived_rlse_id	Derived Release ID		x(30)	
rcsd_discr_qty	Quantity		>>, >>>, >>9.9<<<<<<<<	10
rcsd_dock	Customer Dock		x(30)	
rcsd_domain	Domain		x(8)	
rcsd_line	Line		>>9	
rcsd_line_feed	Line Feed		x(30)	
rcsd_mod_date	Modified Date	Mod Date	99/99/99	
rcsd_mod_pgm	Last Program		x(8)	
rcsd_mod_userid	User ID		x(8)	
rcsd_modelyr	Model Year		x(4)	
rcsd_order	Order		x(8)	
rcsd_part	Item Number		x(18)	
rcsd_picked	Picked		yes/no	
rcsd_rlse_id	Release ID		x(30)	

Field Name	Label	Col-Label	Format	Dec
rcsd_shipfrom	Ship-From		x(8)	
rcsd_shipto	Ship-To		x(8)	
rcsd_status	Status		x(8)	
rcsd_time	Time		99:99	
rcsd_user1	Ufld1		x(8)	
rcsd_user2	Ufld2		x(8)	
rcsd_x_referenced	Cross Referenced		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
old_rcsd_det	yes	old_rcsd_det	yes	no
* rcsd_index1	yes	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
rcsd_index2	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
rcsd_index3	no	rcsd_domain	yes	no
		rcsd_order	yes	no
		rcsd_line	yes	no
		rcsd_rlse_id	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
rcsd_index4	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_picked	yes	no
		rcsd_x_referenced	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
rcsd_index5	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_part	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no

Customer Sequence Schedule Cross-Reference

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcsx_ref	yes	oid_rcsx_ref	yes	no
* rcsx_index1	yes	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_shipped_rlse_id	yes	no
		rcsx_shipped_cust_job	yes	no
		rcsx_shipped_cust_seq	yes	no
		rcsx_shipped_part	yes	no
		rcsx_shipped_date	yes	no
		rcsx_shipped_time	yes	no
		rcsx_shipped_cust_ref	yes	no
		rcsx_shipped_dock	yes	no
		rcsx_shipped_line_feed	yes	no
rcsx_index2	no	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_rlse_id	yes	no
		rcsx_cust_job	yes	no
		rcsx_cust_seq	yes	no
		rcsx_part	yes	no
		rcsx_date	yes	no
		rcsx_time	yes	no
		rcsx_cust_ref	yes	no
		rcsx_dock	yes	no
		rcsx_line_feed	yes	no

Customer Schedule Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rcs_mstr	yes	oid_rcs_mstr	yes	no
* rcs_index1	yes	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_rlse_id	yes	no
rcs_index2	no	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_active_date	yes	no
rcs_index3	no	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_active	yes	no

Service/Support Return Defaults Master

Field Name	Label	Col-Label	Format	Dec
oid_rdf_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
rdf_chr01			.9<<<<<<<<	
rdf_chr02			x(8)	
rdf_chr03			x(8)	
rdf_chr04			x(8)	
rdf_chr05			x(8)	
rdf_dec01			>>>,>>>, >>9.99	10
rdf_dec02			>>>,>>>, >>9.99	10
rdf_dte01			99/99/99	
rdf_dte02			99/99/99	
rdf_log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
rdf__log02			yes/no	
rdf__qadc01	QAD Character Field 1		X(8)	
rdf__qadc02	QAD Character Field 2		X(8)	
rdf__qadc03	QAD Character Field 3		X(8)	
rdf__qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
rdf__qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
rdf__qadl01	Qad Logical Field 1		yes/no	
rdf__qadl02	QAD Logical Field 2		yes/no	
rdf__qadt01	QAD Date Field 1		99/99/99	
rdf_addr	Address		x(8)	
rdf_area	Area		x(8)	
rdf_bom_code	Bill of Material		x(18)	
rdf_ca_int_type	Work Code	WK Code	x(8)	
rdf_ca_type	Call Type		x(8)	0
rdf_desc	Description		x(24)	
rdf_domain	Domain		x(8)	
rdf_email	Email Address		x(48)	
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Modified Date	Mod Date	99/99/99	
rdf_mod_userid	User ID		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	
rdf_prod_line	Prod Line	Line	x(4)	
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_repair_days	Repair Days		>, >>9.99	10
rdf_routing	Routing Code		x(18)	
rdf_rts_loc	Return from RTS Location		x(8)	
rdf_rts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	10
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtm_loc	Sales Return Location		x(8)	
rdf_srtm_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	Ufld1		x(8)	
rdf_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rdf_mstr	yes	oid_rdf_mstr	yes	no
* rdf_part	yes	rdf_domain	yes	no
		rdf_prod_line	yes	no
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

Reason

Invoice Status Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
MatchingReason_ID	Status After Match		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reason_ID	Record ID		9999999999	
ReasonAllocationStatus	Allocation Status		x(20)	
ReasonCode	Invoice Status Code		x(20)	
ReasonDescription	Description		x(40)	
ReasonIsActive	Active		yes/no	
ReasonIsInitialStatus	Initial Status		yes/no	
ReasonIsInvoiceApproved	Invoice Approved	Inv Approved	yes/no	
ReasonIsLockPayment	Lock Payment		yes/no	
ReasonIsLogisticMatching	Receiver Matching		yes/no	
ReasonIsNoReminderCount	Do not Increment Reminder Count		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	ReasonCode	yes	no
◇ IsInitialStatus	no	ReasonIsInitialStatus	yes	no
◇* Prim	yes	Reason_ID	yes	no
ReasonAllocationStatus	no	ReasonAllocationStatus	yes	no
ReasonIsActive	no	ReasonIsActive	yes	no
ReasonIsInvApproved	no	ReasonIsInvoiceApproved	yes	no
ReasonIsLockPayment	no	ReasonIsLockPayment	yes	no
◇ ViewIndex	no	ReasonIsActive	yes	no
		ReasonCode	yes	no

ReceiptD

Warehousing Receipts Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
AltUM	Alt UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_ReceiptD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
PackSlip	Packing Slip		x(12)	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->, >>>, >>9.9<<<<<<<<<	10
RecStatus	Status	St	x(12)	
Ref	Reference		x(8)	
Site	Site		x(8)	
StartUserID	Start User		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* Line	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no
		Addr	yes	no
		Loc	yes	no
		Part	yes	no
		Lot	yes	no
		Ref	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
oid_ReceiptD	yes	oid_ReceiptD	yes	no
RecStatus	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		StartUserID	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ UsrIdx	no	RecStatus	yes	no
		Domain	yes	no
		User1	yes	no
		User2	yes	no

RecEntry Recurring Entry

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Journal_ID	Daybook Code		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PostingTemplate_ID	Template Code		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RecEntry_ID	Record ID		9999999999	
RecEntryAmountLC	BC Amount		->>>, >>>, >>>, >>9.99	4
RecEntryCode	Code		x(20)	
RecEntryEndDate	End Date		99/99/9999	
RecEntryFreq	Frequency		x(20)	
RecEntryIsActive	Active		yes/no	
RecEntryIsAmountApply	Apply Amount		yes/no	
RecEntryIsOpenEnded	Open End		yes/no	
RecEntryIsReversing	Reverse in Next GL Period	Reverse	yes/no	
RecEntryStartDate	Start Date		99/99/9999	
RecEntryUpdate	Update Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	RecEntryIsActive	yes	no
◇ Company	no	Company_ID	yes	no
◇ Journal	no	Journal_ID	yes	no
◇ PostingTemplate	no	PostingTemplate_ID	yes	no
◇* prim	yes	RecEntry_ID	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		RecEntryCode	yes	no
◇ ViewIndex	no	Company_ID	yes	no
		RecEntryIsActive	yes	no
		RecEntryCode	yes	no

RecEntryLineRecurring Entry Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Period_ID	GL Period	GL Pd	9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
RecEntry_ID	Link to RecEntry		9999999999	
RecEntryLine_ID	Record ID		9999999999	
RecEntryLineAmountLC	BC Amount		->>>,>>>,>>>,>>9.99	4
RecEntryLineCode	Code		x(20)	
RecEntryLinePostingDate	Posting Date		99/99/9999	
RecEntryLineReversingDate	Reversing Date		99/99/9999	
RecEntryLineStatus	Status		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CodeIdx	no	RecEntryLineCode	yes	no
◇ PeriodIdx	no	Period_ID	yes	no
◇* prim	yes	RecEntryLine_ID	yes	no
RecEntryIdx	no	RecEntry_ID	yes	no
◇ StatusIdx	no	RecEntryLineStatus	yes	no

Region Geographic Region

Field Name	Label	Col-Label	Format	Dec
Country_ID	Country Code	Country	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Region_ID	Record ID		99999999999	
RegionCode	Region Code		x(20)	
RegionDescription	Description	Region Description	x(40)	
RegionIsActive	Active		yes/no	
RegionIsDefault	Default		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CntCodeIdx	yes	Country_ID	yes	no
		RegionCode	yes	no
◇* Prim	yes	Region_ID	yes	no
◇ ViewIndex	no	RegionsActive	yes	no
		RegionCode	yes	no

reg_mstr Service/Support Region Master

Field Name	Label	Col-Label	Format	Dec
oid_reg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
reg__chr01			.9<<<<<<<<	
reg__chr02			x(8)	
reg__chr03			x(8)	
reg__dec01			->>>, >>>, >>9.99	10
reg__dec02			->>>, >>>, >>9.99	10
reg__dte01			99/99/99	
reg__dte02			99/99/99	
reg__log01			yes/no	
reg__log02			yes/no	
reg__qadc01	QAD Character Field 1		X(8)	
reg__qadc02	QAD Character Field 2		X(8)	
reg__qadc03	QAD Character Field 3		X(8)	
reg__qadc04			x(8)	
reg__qadc05			x(4)	
reg__qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
reg__qadl01	QAD Logical Field 1		yes/no	
reg__qadl02	QAD Logical Field 2		yes/no	
reg__qadt01	QAD Date Field 1		99/99/99	
reg_3rd_party	Third Party		yes/no	
reg_code	Area		x(18)	
reg_desc	Description		x(24)	
reg_domain	Domain		x(8)	
reg_lang	Language		x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_reg_mstr	yes	oid_reg_mstr	yes	no
*	reg_code	yes	reg_domain	yes	no
			reg_code	yes	no

Warehousing Release Status Master

Index-Name	Uni	Field-Name	Asc	Abbr
* InvStatus	yes	Domain	yes	no
		InvStatus	yes	no
oid_RelStatM	yes	oid_RelStatM	yes	no
RelStatus	no	Domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		RelStatus	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Replenishment Control

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
MinQtyRule	Minimum Quantity Rule	Min! Qty! Rule	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_ReplenC			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>, >>9.99<<<	10
QadD02	QAD Field		->>>, >>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>, >>9.99<<<	10
QadI01	QAD Field		->, >>, >>9	
QadI02	QAD Field		->, >>, >>9	
QadI03	QAD Field		->, >>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>, >>, >>9.<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>, >>, >>9.<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ReplnC	yes	oid_ReplnC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Replenishment List Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_RepListD			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
QadC01	QAD Field		.9<<<<<<<<<	
			X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		-->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		-->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		-->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>>, >>9	
QadI02	QAD Field		->, >>>>, >>9	
QadI03	QAD Field		->, >>>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RepList	Replenishment List	Rep List	x(8)	
RepSeq	Seq		>>9	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>>, >>>, >>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* ListSeq	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
		RepSeq	yes	no
ListSLG	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
		Whse	yes	no
		SLocGp	yes	no
oid_RepListD	yes	oid_RepListD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

RepListM

Warehousing Replenishment List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RepListM	yes	oid_RepListM	yes	no
◇* SiteList	yes	Domain	yes	no
		Site	yes	no
		RepList	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Replenishment Location Master

Field Name	Label	Col-Label	Format	Dec
StartDate	Start Date		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
* LocPart	yes	Domain	yes	no
		Site	yes	no
		Loc	yes	no
		Part	yes	no
		RepType	yes	no
		StartDate	yes	no
oid_RepLocM	yes	oid_RepLocM	yes	no
PartLoc	yes	Domain	yes	no
		Part	yes	no
		RepType	yes	no
		Site	yes	no
		Loc	yes	no
		StartDate	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

ReportPeriod Reporting Period

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
EndDateIdx	no	ReportPeriodEndDate	yes	no
IsReportedIdx	no	ReportPeriodIsReported	yes	no
◆* Prm	yes	ReportPeriod_ID	yes	no
◆ ReportPeriodIdx	no	ReportPeriodPeriod	yes	no
ReportYearIdx	no	ReportPeriodYear	yes	no
StartDateIdx	no	ReportPeriodStartDate	yes	no
◆ UniqueIdx	yes	ReportPeriodYear	yes	no
		ReportPeriodPeriod	yes	no

RepSLGM

Field Name	Label	Col-Label	Format	Dec
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>, >>9.9<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>, >>9.9<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RepSLGM	yes	oid_RepSLGM	yes	no
◇ Part	yes	Domain	yes	no
		Part	yes	no
		RepType	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		StartDate	yes	no
◇* SLG	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		RepType	yes	no
		Part	yes	no
		StartDate	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Requisition Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_req_det	yes	oid_req_det	yes	no
req_apr_code	yes	req_domain	yes	no
		req_apr_code	yes	no
		req_nbr	yes	no
		req_line	yes	no
* req_nbr	yes	req_domain	yes	no
		req_nbr	yes	no
		req_line	yes	no
req_part	no	req_domain	yes	no
		req_part	yes	no

Resource

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObsoleteResourceCategory			x(8)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10

Field Name	Label	Col-Label	Format	Dec
QADT01			99/99/9999	
Resource_ID			9999999999	
ResourceLabel	Resource Label		x(60)	
ResourceType	Type		x(1)	
ResourceURI	Universal Resource Identification	URI	x(256)	
SODcategory_ID	link to SOD Category		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
BusActivity_FK	no	BusActivity_ID	yes	no
* Resource_PK	yes	Resource_ID	yes	no
SODcategory	no	SODcategory_ID	yes	no
◇ Type	no	ResourceType	yes	no
URI	yes	ResourceURI	yes	no

Reval Revaluation

Field Name	Label	Col-Label	Format	Dec
CCRevalPosting_ID	Link to Posting		9999999999	
CCReversePosting_ID	Link to Posting		9999999999	
CCUndoPosting_ID	Link to Posting		9999999999	
CCUndoReversePosting_ID	Link to Posting		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Reval_ID	Record ID		9999999999	
RevalHeader_ID	Link to RevalHeader		9999999999	
RevalRevaluationArea	Revaluation Area		x(20)	
RevalStatusCode	Status		x(20)	
TCRevalPosting_ID	Link to Posting		9999999999	
TCReversePosting_ID	Link to Posting		9999999999	
TCUndoPosting_ID	Link to Posting		9999999999	
TCUndoReversePosting_ID	Voucher		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CCRevalPosting	no	CCRevalPosting_ID	yes	no
CCReversePosting	no	CCReversePosting_ID	yes	no
CCUndoPosting	no	CCUndoPosting_ID	yes	no
CCUndoReversePosting	no	CCUndoReversePosting_ID	yes	no
◇* Prim	yes	Reval_ID	yes	no
RevalArea	no	RevalRevaluationArea	yes	no
◇ RevalHeader	no	RevalHeader_ID	yes	no
RevalStatus	no	RevalStatusCode	yes	no
TCRevalPosting	no	TCRevalPosting_ID	yes	no
TCReverseposting	no	TCReversePosting_ID	yes	no
TCUndoPosting	no	TCUndoPosting_ID	yes	no
TCUndoReversePosting	no	TCUndoReversePosting_ID	yes	no
◇ UniqueIdx	yes	RevalRevaluationArea	yes	no
		RevalHeader_ID	yes	no

RevalDet Revaluation Detail

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RevalDet_ID	Record ID		9999999999	
RevalDetCCEXchangeRate	SC Exchange Rate		->, >>>, >>9.9999999999	10
RevalDetCCEXchangeScale	SC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalDetCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
RevalDetParentObject_ID			9999999999	
RevalDetParentObjectType	Object Type		x(20)	
RevalDetRevCreditCC	SC Revaluated Credit	SC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalDetRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalDetRevDebitCC	SC Revaluated Debit	SC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalDetRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalDetTCExchangeRate	BC Exchange Rate		->, >>>, >>9.9999999999	10
RevalDetTCExchangeScale	BC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalGL_ID	Link to RevalGL		9999999999	
RevalHeader_ID	Link to RevalHeader		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ParentObject	no	RevalDetParentObject_ID	yes	no
◇ ParentType	no	RevalDetParentObjectType	yes	no
◇* Prim	yes	RevalDet_ID	yes	no
◇ RevalGL	no	RevalGL_ID	yes	no

RevalGL Revaluation Account

Field Name	Label	Col-Label	Format	Dec
CCEXchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
CostCentre_ID	Cost Center		9999999999	
Currency_ID	Currency Code	Curr	9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
GL_ID	GL Account		9999999999	
IntercoBusinessRelation_ID	Business Relation	Business Relation Code	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Reval_ID	Link to Reval		9999999999	
RevalGL_ID	Record ID		9999999999	
RevalGLCCEXchangeRate	SC Exchange Rate		->, >>>, >>9.9999999999	10
RevalGLCCEXchangeRateScale	SC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalGLCreditCC	SC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLCreditLC	BC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLCreditTC	TC Credit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitCC	SC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitLC	BC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLDebitTC	TC Debit		->>>, >>>, >>>, >>9.99	4
RevalGLMethodCC	SC Revaluation Method	SC Rev Method	x(20)	
RevalGLMethodTC	TC Revaluation Method	TC Rev Method	x(20)	
RevalGLRevCreditCC	SC Revaluated Credit	SC Rev Credit	->>>, >>>, >>>, >>9.99	4

Field Name	Label	Col-Label	Format	Dec
RevalGLRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>, >>>, >>>, >>9.99	4
RevalGLRevDebitCC	SC Revaluated Debit	SC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalGLRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>, >>>, >>>, >>9.99	4
RevalGLSafCombined_ID	Link to RevalGLSafCombined		9999999999	
RevalGLTCEXchangeRate	BC Exchange Rate		->, >>>, >>9.9999999999	10
RevalGLTCEXchangeRateScale	BC Exchange Rate Scale		->, >>>, >>9.9999999999	10
RevalGLType	GL Type		x(20)	
RevalHeader_ID	Link to RevalHeader		9999999999	
TCEXchangeRateType_ID	TC Revaluation Rate	Rev Rate TC	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CostCentre	no	CostCentre_ID	yes	no
◇ Currency	no	Currency_ID	yes	no
◇ Division	no	Division_ID	yes	no
◇ GL	no	GL_ID	yes	no
◇ Interco	no	IntercoBusinessRelation_ID	yes	no
◇* Prim	yes	RevalGL_ID	yes	no
◇ Project	no	Project_ID	yes	no
Reval	no	Reval_ID	yes	no
SafCombined	no	RevalGLSafCombined_ID	yes	no
◇ Type	no	RevalGLType	yes	no

RevalGLSafCombined Revaluation Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID	Link to Saf		9999999999	
CostCentre2Saf_ID	Link to Saf		9999999999	
CostCentre3Saf_ID	Link to Saf		9999999999	
CostCentre4Saf_ID	Link to Saf		9999999999	
CostCentre5Saf_ID	Link to Saf		9999999999	
CostCentreSafStructure_ID	Link to SafStructure		9999999999	
GL1Saf_ID	Link to Saf		9999999999	
GL2Saf_ID	Link to Saf		9999999999	
GL3Saf_ID	Link to Saf		9999999999	
GL4Saf_ID	Link to Saf		9999999999	
GL5Saf_ID	Link to Saf		9999999999	
GLSafStructure_ID	Link to SafStructure		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project1Saf_ID	Link to Saf		9999999999	
Project2Saf_ID	Link to Saf		9999999999	
Project3Saf_ID	Link to Saf		9999999999	
Project4Saf_ID	Link to Saf		9999999999	
Project5Saf_ID	Link to Saf		9999999999	
ProjectSafStructure_ID	Link to SafStructure		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
RevalGLSafCombined_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	RevalGLSafCombined_ID	yes	no

RevalHeader Revaluation Header

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Layer_ID	Layer Code		9999999999	
Period_ID	GL Cal Year		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RevalHeader_ID	Record ID		9999999999	
RevalHeaderDescription	Rev Desc		x(40)	
RevalHeaderIsForCC	Include Statutory Currency		yes/no	
RevalHeaderIsForLC	Include Base Currency		yes/no	
RevalHeaderNumber	Rev Number		9999999999	
RevalHeaderRevalDate	Rev Date		99/99/9999	
Source1Layer_ID	Link to Source Layer 1		9999999999	
Source2Layer_ID	Link to Source Layer 2		9999999999	
Source3Layer_ID	Link to Source Layer 3		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Layer	no	Layer_ID	yes	no
◇ Period	no	Period_ID	yes	no
◇* Prim	yes	RevalHeader_ID	yes	no
RevalDate	no	RevalHeaderRevalDate	yes	no
RevalNumber	no	RevalHeaderNumber	yes	no
SourceLayer1	no	Source1Layer_ID	yes	no
SourceLayer2	no	Source2Layer_ID	yes	no
SourceLayer3	no	Source3Layer_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		Period_ID	yes	no
		RevalHeaderNumber	yes	no

RevalRate Revaluation Rate

Field Name	Label	Col-Label	Format	Dec
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
FromCurrency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
RevalHeader_ID	Link to RevalHeader		9999999999	
RevalRate_ID	Record ID		9999999999	
RevalRateDate	Revaluation Rate Date	Rev Rate Date	99/99/9999	
RevalRateExchangeRateScale	Scale Fact		>>>>>>9.9999999999	10
RevalRateExchangeRate	Revaluation Rate	Rev Rate	>>>>>>9.9999999999	10
ToCurrency_ID	Currency Code	Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	RevalRate_ID	yes	no
◇ RevalHeader	no	RevalHeader_ID	yes	no

RGD

Warehousing Release Group Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_RGD	yes	oid_RGD	yes	no
◇* RelGroup	yes	Domain	yes	no
		RelNbr	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		ShipVia	yes	no
		PartType	yes	no
		DSet	yes	no
		Nbr	yes	no
		Line	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
◇ Wave	no	Domain	yes	no
		WaveNbr	yes	no
		RelNbr	yes	no

Warehousing Release Group Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Include	yes	no
oid_RGM	yes	oid_RGM	yes	no
◇* RelGroup	yes	Domain	yes	no
		RelNbr	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		ShipVia	yes	no
		PartType	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Wave	yes	User2	yes	no
		Domain	yes	no
		WaveNbr	yes	no
		RelNbr	yes	no

rh_d_hist

Return Material Authorization Detail History

Field Name	Label	Col-Label	Format	Dec
oid_rhd_hist			>>>>>>>>>>>>>>>>>>>>>9	10
rhd_chr01			.9<<<<<<<	
rhd_chr02			x(8)	
rhd_chr03			x(8)	
rhd_chr04			x(8)	
rhd_chr05			x(8)	
rhd_chr06			x(8)	
rhd_chr07			x(8)	
rhd_chr08			x(8)	
rhd_chr09			x(8)	
rhd_chr10			x(8)	
rhd_dec01			>>>, >>>, >>9.99	10
rhd_dec02			>>>, >>>, >>9.99	10
rhd_dte01			99/99/99	
rhd_dte02			99/99/99	
rhd_log01			yes/no	
rhd_qadc01	QAD Character Field 1		X(8)	
rhd_qadc02	QAD Character Field 2		X(8)	
rhd_qadc03	QAD Character Field 3		X(8)	
rhd_qadd01	QAD Date Field 1		99/99/99	
rhd_qadd02	QAD Date Field 2		99/99/99	
rhd_qadd03	QAD Date Field 3		99/99/99	
rhd_qadd04	QAD Date Field 4		99/99/99	
rhd_qadd05	QAD Date Field 5		99/99/99	
rhd_qadde01	QAD Decimal Field 1		->, >>9.99	10
rhd_qadde02	QAD Decimal Field 2		->, >>9.99	10
rhd_qadde03	QAD decimal Field 3		->, >>9.99	10
rhd_qadi01	QAD Integer Field 1		->, >>>, >>9	
rhd_qadi02	QAD Integer Field 2		->, >>>, >>9	
rhd_qadi03	QAD Integer Field 3		->, >>>, >>9	
rhd_qadi01	QAD Logical Field 1		yes/no	
rhd_qadi02	QAD Logical Field 2		yes/no	
rhd_qadi03	QAD Logical Field 3		yes/no	
rhd_chg_type	Charge Type		x(8)	
rhd_cmtindx	Comment Index		>>>>>>9	
rhd_covered	Covered Amount		>>>>, >>>, >>>9.99<<<	10
rhd_cpl_date	Received Date	Rec Date	99/99/99	
rhd_cust	Customer		x(8)	
rhd_customs	Customs Value		>>>>, >>>, >>>9.99	10
rhd_cvr_pct	Coverage Percent	Cvr Per	->, >>9.99	10
rhd_desc	Description		X(24)	
rhd_domain	Domain		x(8)	
rhd_done	Received		yes/no	
rhd_edit_isb	Edit Installed Base		yes/no	
rhd_end	End Time		99:99	
rhd_enduser	End User		x(8)	
rhd_eng_area	Eng Area		x(8)	
rhd_eng_code	Engineer Code	Eng Code	x(8)	
rhd_eu_area	End User Area		x(8)	
rhd_exp_date	Expected Date	Exp Date	99/99/99	
rhd_fault_cd	Fault Code	Fault	x(8)	
rhd_file_type			x(3)	
rhd_histype	History Type		x(4)	
rhd_ins_date	Install Date	Ins Date	99/99/99	
rhd_iss	Inv Iss		yes/no	
rhd_line	Line	Ln	>>9	
rhd_link	Line to Line		>>9	
rhd_loaner	Loaner Sent		yes/no	
rhd_loc	To Location		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rhd_hist	yes	oid_rhd_hist	yes	no
rhd_nbr	no	rhd_domain	yes	no
		rhd_nbr	yes	no
rhd_part	no	rhd_domain	yes	no
		rhd_part	yes	no
		rhd_nbr	yes	no
		rhd_prefix	yes	no
		rhd_line	yes	no
* rhd_trnbr	yes	rhd_domain	yes	no
		rhd_file_type	yes	no
		rhd_trnbr	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_rma_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
rma__chr01			.9<<<<<<<<<<	
rma__chr02			x(8)	
rma__chr03			x(8)	
rma__chr04			x(8)	
rma__chr05			x(8)	
rma__chr06			x(8)	
rma__chr07			x(8)	
rma__chr08			x(8)	
rma__chr09			x(8)	
rma__chr10			x(8)	

Field Name	Label	Col-Label	Format	Dec
rma__dec01	PST		>>>, >>>, >>9.99	10
rma__dec02			>>>, >>>, >>9.99	10
rma__dte01			99/99/99	
rma__dte02			99/99/99	
rma__log01			yes/no	
rma__qadc01	QAD Character Field 1		X(8)	
rma__qadc02	QAD Character Field 2		X(8)	
rma__qadc03	QAD Character Field 3		X(8)	
rma__qadc04	QAD Character Field 4		x(8)	
rma__qadc05	QAD Character Field 5		x(8)	
rma__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<<	10
rma__qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<<	10
rma__qadd03	QAD Decimal Field 3		->>>, >>>, >>9.99<<<	10
rma__qadd04	QAD Decimal Field 4		->>>, >>>, >>9.99<<<	10
rma__qadi01	QAD Integer Field 1		->, >>>, >>9	
rma__qadi02	QAD Integer Field 2		->, >>>, >>9	
rma__qadi03	QAD Integer Field 3		->, >>>, >>9	
rma__qadi01	QAD Logical Field 1		yes/no	
rma__qadi02	QAD Logical Field 2		yes/no	
rma__qadt01	QAD Date Field 1		99/99/99	
rma__qadt02	QAD Date Field 2		99/99/99	
rma__qadt03	QAD Date Field 3		99/99/99	
rma_bill_to	Bill To		x(8)	
rma_ca_nbr	Call Id		x(8)	
rma_cmtindx	Comment Index	Comment	>>>>>>>9	
rma_complete	Complete	Cmp	yes/no	
rma_contract	RMA Contract		x(8)	
rma_crprlist	Credit Price List	Cr Price	x(8)	
rma_cstmlist	Customs List	Customs	x(8)	
rma_ctype	Contract Type		x(8)	
rma_cust_ven	Customer		x(8)	
rma_domain	Domain		x(8)	
rma_enduser	End User		x(8)	
rma_eng_code	Engineer Code	Eng Code	x(8)	
rma_exp_date	Expected Date	Expected	99/99/99	
rma_loc_iss	Issue Location		x(8)	
rma_loc_rec	Receive Location		x(8)	
rma_mod_date	Modified Date	Mod Date	99/99/99	
rma_mod_userid	User ID		X(8)	
rma_nbr	RMA		x(8)	
rma_ord_date	Order Date	Ord Date	99/99/99	
rma_pr_list	Price List	List	x(8)	
rma_prefix	Prefix		x(1)	
rma_prt_rec	Print Receiving Doc	Print Rec	yes/no	
rma_req_date	Required Date	Required	99/99/99	
rma_rstk_pct	Restocking Charge	Restock	->>9.99%	10
rma_rts_bol	BOL		x(18)	
rma_ship	Ship-To		x(8)	
rma_shipdate	Ship Date		99/99/99	
rma_site_iss	Issue Site		x(8)	
rma_site_rec	Receive Site		x(8)	
rma_source	Order Source	Source	x(8)	
rma_stat	Action Status	St	x(2)	
rma_taxable	Taxable	Tax	yes/no	
rma_taxc	Tax Class	TxC	x(3)	
rma_type	Type		x(8)	
rma_user1	Ufid1		x(8)	
rma_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rma_mstr	yes	oid_rma_mstr	yes	no
rma_ca_nbr	no	rma_domain	yes	no
		rma_ca_nbr	yes	no
		rma_nbr	yes	no
rma_cust_ven	yes	rma_domain	yes	no
		rma_cust_ven	yes	no
		rma_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
* rma_nbr	yes	rma_prefix	yes	no
		rma_domain	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no

Return Material Authorization Control

Field Name	Label	Col-Label	Format	Dec
oid_rmc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rmc_chr01			.9<<<<<<<<<	
rmc_chr02			x(8)	
rmc_chr03			x(8)	
rmc_chr04			x(8)	
rmc_chr05			x(8)	
rmc_chr06			x(8)	
rmc_chr07			x(8)	
rmc_chr08			x(8)	
rmc_chr09			x(8)	
rmc_chr10			x(8)	
rmc_dec01			->>>, >>>, >>9.99	10
rmc_dec02			->>>, >>>, >>9.99	10
rmc_dec03			->>>, >>>, >>9.99	10
rmc_dte01			99/99/99	
rmc_dte02			99/99/99	
rmc_dte03			99/99/99	
rmc_dte04			99/99/99	
rmc_log01			yes/no	
rmc_log02			yes/no	
rmc_log03			yes/no	
rmc_log04			yes/no	
rmc_log05			yes/no	
rmc_qadc01	QAD Character Field 1		X(8)	
rmc_qadc02	QAD Character Field 2		X(8)	
rmc_qadc03	QAD Character Field 3		X(8)	
rmc_qadc04			x(4)	
rmc_qadc05			x(8)	
rmc_qadc06			x(4)	
rmc_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
rmc_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99<<<	10
rmc_qadi01	QAD Integer Field 1		->, >>>, >>9	
rmc_qadi02	QAD Integer Field 2		->, >>>, >>9	
rmc_qadi03			>>>>>>9	
rmc_qadi04			->>>>>>9	
rmc_qadl01	QAD Logical Field 1		yes/no	
rmc_qadl02	QAD Logical Field 2		yes/no	
rmc_qadl03	QAD Logical Field 3		yes/no	
rmc_all_days	Allocate Days		>>>>>9	
rmc_consume	Consume Forecast	Consume Fcst	yes/no	
rmc_det_all	Detail Allocations		yes/no	
rmc_dflt_rma	Default RMA Contract		x(8)	
rmc_disp_trail	RMA Trailer Display		yes/no	
rmc_domain	Domain		x(8)	
rmc_edit_isb	Edit Installed Base		yes/no	
rmc_hcmmts	RMA Header Comments		yes/no	
rmc_hist	Return History		yes/no	
rmc_history	Keep Booking History		yes/no	
rmc_issues	Issues First		yes/no	
rmc_lcmmts	RMA Line Comments		yes/no	
rmc_loc_is	Customer Return Location		x(8)	
rmc_loc_iv	Return From Supplier Loc		x(8)	
rmc_loc_os	Customer Spares Location		x(8)	
rmc_loc_ov	At Supplier Location		x(8)	
rmc_mod_date	Modified Date	Mod Date	99/99/99	
rmc_mod_userid	User ID		X(8)	
rmc_node	Node		x(8)	
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rmc_ctrl	yes	oid_rmc_ctrl	yes	no
* rmc_node	yes	rmc_domain	yes	no
		rmc_node	yes	no

rmd det

Return Material Authorization Detail

Field Name	Label	Col-Label	Format	Dec
oid_rmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rmd_chr01			.9<<<<<<<<<	
rmd_chr02			x(8)	
rmd_chr03			x(8)	
rmd_chr04			x(8)	
rmd_chr05			x(8)	
rmd_chr06			x(8)	
rmd_chr07			x(8)	
rmd_chr08			x(8)	
rmd_chr09			x(8)	
rmd_chr10			x(8)	
rmd_dec01			>>>, >>>, >>9.99	10
rmd_dec02			>>>, >>>, >>9.99	10
rmd_dte01			99/99/99	
rmd_dte02			99/99/99	
rmd_log01			yes/no	
rmd_qadc01	QAD Character Field 1		X(8)	
rmd_qadc02	QAD Character Field 2		X(8)	
rmd_qadc03	QAD Character Field 3		X(8)	
rmd_qadc04			x(4)	
rmd_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
rmd_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99	10
rmd_qadd03	QAD Decimal Field 3		->>, >>9.99	10
rmd_qadi01	QAD Integer Field 1		->, >>>, >>9	
rmd_qadi02	QAD Integer Field 2		->, >>>, >>9	
rmd_qadi03	QAD Integer Field 3		->, >>>, >>9	
rmd_qadl01	QAD Logical Field 1		yes/no	
rmd_qadl02	QAD Logical Field 2		yes/no	
rmd_qadl03	QAD Logical Field 3		yes/no	
rmd_qadt01	QAD Date Field 1		99/99/99	
rmd_qadt02	QAD Date Field 2		99/99/99	
rmd_qadt03	QAD Date Field 3		99/99/99	
rmd_qadt04	QAD Date Field 4		99/99/99	
rmd_qadt05	QAD Date Field 5		99/99/99	
rmd_chg_type	Charge Type	CT	x(2)	

Field Name	Label	Col-Label	Format	Dec
rmd_cmtindx	Comment Index	Comment	>>>>>>9	
rmd_comment[5]	Comments		x(40)	
rmd_covered	Covered Amount		>>>>, >>>, >>9.99<<<	10
rmd_cpl_date	Received Date	Rec Date	99/99/99	
rmd_customs	Customs Value		>>>>, >>>, >>9.99<<<	10
rmd_cvr_pct	Coverage Percent	Cvr Per	->, >>9.99	10
rmd_desc	Description		x(24)	
rmd_domain	Domain		x(8)	
rmd_done	Received		yes/no	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	99:99	
rmd_eng_code	Engineer Code	Eng Code	x(8)	
rmd_exp_date	Expected Date	Exp Date	99/99/99	
rmd_fault_cd	Fault Code	Fault	x(8)	
rmd_ins_date	Install Date		99/99/99	
rmd_iss	Inv Iss		yes/no	
rmd_line	Line	Ln	>>9	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		yes/no	
rmd_loc	To Location		x(8)	
rmd_mod_date	Modified Date	Mod Date	99/99/99	
rmd_mod_userid	User ID		X(8)	
rmd_nbr	Sales Order	Order	x(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_par_date	Parent Install Date		99/99/99	
rmd_par_part	Parent Item		x(18)	
rmd_par_ser	Parent Serial		x(18)	
rmd_part	Item		x(18)	
rmd_prefix	Prefix		x(1)	
rmd_price	Price		>>>>, >>>, >>9.99<<<	10
rmd_process	Processing		x(2)	
rmd_procline	Product Line	Line	x(4)	
rmd_qty_acp	Qty Received		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
rmd_ref	Ref		>>>>>>9	
rmd_restock	Restock		>>>, >>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rmd_det	yes	oid_rmd_det	yes	no
rmd_link	no	rmd_domain	yes	no
		rmd_rma_nbr	yes	no
		rmd_rma_line	yes	no
		rmd_prefix	yes	no
* rmd_nbrln	yes	rmd_domain	yes	no
		rmd_nbr	yes	no
		rmd_prefix	yes	no
		rmd_line	yes	no
rmd_part	no	rmd_domain	yes	no
		rmd_part	yes	no
		rmd_exp_date	yes	no
		rmd_fault_cd	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
rmd_type	no	rmd_domain	yes	no
		rmd_prefix	yes	no
		rmd_type	yes	no
		rmd_nbr	yes	no
		rmd_line	yes	no

rndc_mstr Country Code and Currency with Rounding Method

Field Name	Label	Col-Label	Format	Dec
oid_rndc_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
rncd__qadc01	QAD Character Field 1		.9<<<<<<<<	
rncd__qadc02	QAD Character Field 2		x(24)	
rncd__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
rncd__qadt01	QAD Date Field 1		99/99/99	
rncd_acct	Account	Account	x(8)	
rncd_curr	Currency	Cur	x(3)	
rncd_dest_etry	Destination Country	Dest Ctry	x(3)	
rncd_domain	Domain		x(8)	
rncd_mod_date	Modified Date	Mod Date	99/99/99	
rncd_mod_userid	User ID		x(8)	
rncd_orig_etry	Originating Country	Orig Ctry	x(3)	
rncd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rncd_sub	Sub-Account	Sub-Acct	x(8)	
rncd_user1	User Field Character 1		x(24)	
rncd_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rndc_mstr	yes	oid_rndc_mstr	yes	no
* rndc_rnd_mthd	yes	rndc_domain	yes	no
		rndc_curr	yes	no
		rndc_orig_ctry	yes	no
		rndc_dest_ctry	yes	no

rnd_mstr Rounding Method Master

Field Name	Label	Col-Label	Format	Dec
oid_rnd_mstr			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
rnd__chr01			x(8)	
rnd__chr02			x(8)	
rnd__chr03			x(8)	
rnd__chr04			x(8)	
rnd__qad01			x(8)	
rnd__qad02			x(8)	
rnd__qad03			x(8)	
rnd__qad04			x(8)	
rnd__qadc01			x(24)	
rnd__qadc02			x(24)	
rnd_desc	Description		x(24)	
rnd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rnd_thrshld	Rounding Threshold	Threshold	>,>>9.9999	10
rnd_unit	Rounding Unit	Rnd Unit	>,>>9.999	10
rnd_user1	Ufid1		x(8)	
rnd_user2	Ufid2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rnd_mstr	yes	oid_rnd_mstr	yes	no
	rnd_desc	no	rnd_desc	yes	no
			rnd_rnd_mthd	yes	no
*	rnd_rnd_mthd	yes	rnd_rnd_mthd	yes	no

Role

Role

Field Name	Label	Col-Label	Format	Dec
BusComponent_ID			9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->, >>>, >>9.99	4
CustomDecimal1			->, >>>, >>9.99	4
CustomDecimal2			->, >>>, >>9.99	4
CustomDecimal3			->, >>>, >>9.99	4
CustomDecimal4			->, >>>, >>9.99	4
CustomInteger0			->, >>>, >>9	
CustomInteger1			->, >>>, >>9	
CustomInteger2			->, >>>, >>9	
CustomInteger3			->, >>>, >>9	
CustomInteger4			->, >>>, >>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Role_ID			9999999999	
RoleBusComponentConcept	Component Concept		x(20)	
RoleDescription	Role Description		x(24)	
RoleIsActive	Active		yes/no	
RoleName	Role Name		x(20)	
RoleSODException	is SOD exception		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Component	no	BusComponent_ID	yes	no
◇* Prim	yes	Role_ID	yes	no
RoleName	yes	RoleName	yes	no

RoleResourceLink Role-Resource

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Resource_ID			9999999999	
Role_ID			9999999999	
RoleResource_ID			9999999999	
RoleResourcesDefault	Default		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	RoleResource_ID	yes	no
Resource_FK	no	Resource_ID	yes	no
◊ Role FK	no	Role_ID	yes	no

RoundingMethodRounding Method

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
RoundingMethod_ID	Record ID		9999999999	
RoundingMethodCode	Code		x(1)	
RoundingMethodDescription	Description		x(24)	
RoundingMethodThreshold	Threshold		>,>>9.9999	4
RoundingMethodUnit	Unit		>,>>9.999	3

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	RoundingMethodCode	yes	no
◇* Prim	yes	RoundingMethod ID	yes	no

ro_det	Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_ro_det			>>>>>>>>>>>>>>>>>>>>>>9	10
ro_chr01			.9<<<<<<<<	
ro_chr02			x(8)	
ro_chr03			x(8)	
ro_chr04			x(8)	
ro_chr05			x(8)	
ro_dec01			>>>, >>>, >>9.99	10
ro_dec02			>>>, >>>, >>9.99	10
ro_dte01			99/99/99	
ro_dte02			99/99/99	
ro_log01			yes/no	
ro_qadc01	QAD Character Field 1		X(8)	
ro_qadc02	QAD Character Field 2		X(8)	
ro_qadc03	QAD Character Field 3		X(8)	
ro_qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ro_qade02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ro_qadl01	QAD Logical Field 1		yes/no	
ro_qadl02	QAD Logical Field 2		yes/no	
ro_qadt01	QAD Date Field 1		99/99/99	
ro_qadt02	QAD Date Field 2		99/99/99	
ro_auto_lbr	Auto Labor Report		yes/no	
ro_batch	Batch Qty	Batch! Qty	>, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
ro_bom_code	BOM Code		x(18)	
ro_cmtindx	Comment Index	Comment	>>>>>>9	
ro_cost	Cost		>>>>, >>>, >>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>>, >>9.999	10
ro_cyc_unit	Units/Cycle		>>>>>9	10
ro_desc	Description		x(24)	
ro_domain	Domain		x(8)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
ro_end	End Date	End	99/99/99	
ro_end_ecn	End ECN		x(8)	
ro_fsc_code	Service Category		X(8)	
ro_fsm_type	FSM Type		x(8)	
ro_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
ro_mch	Machine		x(8)	
ro_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
ro_men_mch	Run Crew		->>, >>9.99	10
ro_milestone	Milestone Operation	Milestone	yes/no	
ro_mod_date	Modified Date	Mod Date	99/99/99	
ro_mod_userid	User ID		X(8)	
ro_move	Move Time	Move	>, >>9.9<<	10
ro_mv_nxt_op	Move Next Op		yes/no	
ro_op	Operation	Op	>>>>9	
ro_po_line	Line	Ln	>>9	
ro_po_nbr	Purchase Order	PO	x(8)	
ro_price	Price		>>>>, >>>, >>9.99<<<	10
ro_queue	Queue Time	Queue	>, >>9.9<<	10
ro_rollup	Rollup Reqd		yes/no	
ro_rollup_id	Rollup ID		x(8)	
ro_routing	Routing Code		x(18)	
ro_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<<	10
ro_setup	Setup Time	Setup	>, >>9.9<<	10
ro_setup_men	Setup Crew		->>, >>9.99	10
ro_start	Start Date	Start	99/99/99	
ro_start_ecn	Start ECN		x(8)	
ro_std_batch	Standard Batch Size	Batch	>>>, >>9.9	10
ro_std_op	Standard Operation	Std Op	x(8)	
ro_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ro_sub_lead	Subcontract LT	Sub LT	>>9	
ro_tool	Tool Code	Tool	x(8)	
ro_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
ro_user1	Ufid1		x(8)	
ro_user2	Ufid2		x(8)	
ro_vend	Supplier		x(8)	
ro_wait	Wait Time	Wait	>, >>9.9<<	10
ro_wipmtl_part	WIP Item		x(18)	
ro_wkctr	Work Center	Work Ctr	x(8)	
ro_yield_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ro_det	yes	oid_ro_det	yes	no
ro_fsm_type	no	ro_domain	yes	no
		ro_fsm_type	yes	no
		ro_routing	yes	no
		ro_op	yes	no
* ro_routing	yes	ro_domain	yes	no
		ro_routing	yes	no
		ro_op	yes	no
		ro_start	yes	no
ro_wkctr	no	ro_domain	yes	no
		ro_wkctr	yes	no
		ro_mch	yes	no

rpc_ctrl

Repetitive Control

Field Name	Label	Col-Label	Format	Dec
oid_rpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>9	10
rpc__qadc01			.9<<<<<<<<<	
rpc__qadi01			x(8)	
rpc_allow_rate	Allow Zero Run Rate		->>>>>>>9	
rpc_domain	Domain		yes/no	
rpc_eff_days	End Eff Days		x(8)	
rpc_eff_dflt	End Eff Default Method		>>9	
rpc_inc_yld	Include Yield		X(1)	
rpc_nbr	Next Picklist	P/L Nbr	yes/no	
rpc_nbr_pre	P/L Prefix	Pre	>>>>>>>9	
rpc_sch_bck	Consume Back	Back	x(3)	
rpc_sch_fwd	Consume Forward	Fwd	->>9	
rpc_user1	Ufld1		x(8)	
rpc_user2	Ufld2		x(8)	
rpc_using_new	Enable New Repetitive		yes/no	
rpc_wk_start	Start Week	Week! Day	9	
rpc_wxfer_acct	WIP Transfer Acct		X(8)	
rpc_wxfer_cc	WIP Transfer CC		X(4)	
rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
rpc_xfer wip	Transfer WIP		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rpc_ctrl	yes	oid_rpc_ctrl	yes	no
*	rpc_index1	yes	rpc_domain	yes	no

rps_mstr

Repetitive Production Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rps_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
rps__qadc01			.9<<<<<<<<	
rps_bom_code	BOM/Formula		x(8)	
rps_domain	Domain		x(18)	
rps_due_date	Due Date		x(8)	
rps_line	Production Line	Line	99/99/99	
rps_part	Item Number		x(8)	
rps_qty_comp	Qty Completed		x(18)	
rps_qty_req	Qty Scheduled		->, >>, >>9.9<<<<<<<	10
rps_record			->, >>, >>9.9<<<<<<<	10
rps_rel_date	Release	Rel Date	>>>>>>9	
rps_routing	Routing Code		99/99/99	
rps_site	Site		x(18)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rps_mstr	yes	oid_rps_mstr	yes	no
* rps_part	yes	rps_domain	yes	no
		rps_part	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_record	yes	rps_domain	yes	no
		rps_record	yes	no
rps_site	yes	rps_domain	yes	no
		rps_site	yes	no
		rps_part	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
rps_site_line	no	rps_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rps_site	yes	no
		rps_line	yes	no
		rps_rel_date	yes	no
		rps_part	yes	no

Requisition Approver Master

			>>>9 10
old_rqa_mstr			.9<<<<<
rqa_chr01		x(8)	
rqa_chr02		x(8)	
rqa_chr03		x(8)	
rqa_chr04		x(8)	
rqa_qadc01	QAD Field	X(8)	
rqa_qadc02	QAD Field	X(8)	
rqa_qadc03	QAD Field	X(8)	
rqa_qadc04	QAD Field	X(8)	
rqa_admin_apr	Administrative Approver	Admin.	x(8)
rqa_alt_apr[2]	Alternate Approver	Alt.	x(8)
rqa_apr	User Id		x(8)
rqa_apr_level	Approval Level	Approval! Level	99
rqa_apr_req	Approval Required	Req	yes/no
rqa_category	Category		x(8)
rqa_cc_from	Cost Ctr From	From! CC	X(4)
rqa_cc_to	Cost Ctr To	To! CC	X(4)
rqa_domain	Domain		x(8)
rqa_end	End Effective	End	99/99/99
rqa_entity	Entity		x(20)
rqa_job	Job		X(8)
rqa_prod_line	Product Line	Product! Line	x(8)
rqa_rvw_level	Review Level	Review! Level	99
rqa_rvw_req	Review Required	Req	yes/no
rqa_site	Site		x(8)
rqa_start	Start Effective	Start	99/99/99
rqa_sub_from	Sub-Account From	From! Sub	X(8)
rqa_sub_to	Sub-Account To	To! Sub	X(8)
rqa_type	Type		>9

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqa_mstr	yes	oid_rqa_mstr	yes	no
* rqa_apr_type	yes	rqa_domain	yes	no
		rqa_apr	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
rqa_type	yes	rqa_domain	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
		rqa_apr	yes	no
rqa_type_apr	yes	rqa_domain	yes	no
		rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no

Requisition Category Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqcd_det	yes	oid_rqcd_det	yes	no
* rqcd_category	no	rqcd_domain	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no
		rqcd_category	yes	no
	yes	rqcd_domain	yes	no
		rqcd_category	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no

Requisition Category Master

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_rqc_mstr	yes	oid_rqc_mstr	yes	no
	rqc_category	yes	rqc_domain	yes	no
			rqc_category	yes	no
	rqc_desc	no	rqc_domain	yes	no
			rqc_desc	yes	no

Requisition Approval Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqda_det			>>>>>>>>>>>>>>>>>>>>>>	9 10
rqda__chr01			x(8)	.9<<<<<<<<<<
rqda__chr02			x(8)	
rqda __chr03			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqda__chr04			x(8)	
rqda__qadc01	QAD Field		X(8)	0
rqda__qadc02	QAD Field		X(8)	0
rqda__qadc03	QAD Field		X(8)	0
rqda__qadc04	QAD Field		X(8)	0
rqda__action	Action		x(20)	
rqda__apr_userid	User ID		x(8)	
rqda__date	Date		99/99/99	
rqda__domain	Domain		x(8)	
rqda__ent_userid	Entered By		x(8)	
rqda__nbr	Req Nbr		x(8)	
rqda__time	Time		>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqda_det	yes	oid_rqda_det	yes	no
rqda_apr_userid	no	rqda_domain	yes	no
		rqda_apr_userid	yes	no
		rqda_nbr	yes	no
* rqda_nbr	yes	rqda_domain	yes	no
		rqda_nbr	yes	no
		rqda_apr_userid	yes	no

rqd det

Requisition Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqd_det			>>>>>>>>>>>>>>>>>>>>9	10
rqd__chr01			.9<<<<<<<<	
rqd__chr02			x(8)	
rqd__chr03			x(8)	
rqd__chr04			x(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0
rqd__qadc04	QAD Field		X(8)	0
rqd_acct	Pur Acct		x(8)	
rqd_aprv_stat	Aprvl Status		x(16)	
rqd_assay	Assay %		>>9.99%	10
rqd_category	Category		x(8)	
rqd_cc	Cost Ctr	CC	x(4)	
rqd_cmtindx	Comment Index	Comment	>>>>>>g	
rqd_desc	Desc		x(30)	
rqd_disc_pct	Disc%		->9.99%	10
rqd_domain	Domain		x(8)	
rqd_due_date	Due Date		99/99/99	
rqd_expire	Expire Date	Expire	99/99/99	
rqd_grade	Grade		x(2)	
rqd_insp_rqd	Inspect Req	Insp	yes/no	
rqd_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
rqd_line	Line		>>>	
rqd_loc	Location		x(8)	
rqd_lot_rcpt	Single Lot		yes/no	
rqd_max_cost	Max Unit Cost		>>>, >>>, >>9.99<<<	10
rqd_nbr	Req Nbr		x(8)	
rqd_need_date	Need Date	Need	99/99/99	
rqd_oot_extra[8]			x(16)	
rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>, >>>, >>9.99<<<	10
rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>, >>>, >>9.99<<<	10
rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
rqd_op	Operation		>>>>>>g	
rqd_open	Open		yes/no	
rqd_part	Item Number		x(18)	
rqd_pr_list	Disc Tbl		x(8)	
rqd_pr_list2	Pr Tbl		x(8)	
rqd_project	Project		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqd_det	yes	oid_rqd_det	yes	no
rqd_aprv_stat	no	rqd_domain	yes	no
		rqd_aprv_stat	yes	no
		rqd_nbr	yes	no
* rqd_nbr	yes	rqd_domain	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_need_date	no	rqd_domain	yes	no
		rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_part	no	rqd_domain	yes	no
		rqd_part	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_site	no	rqd_domain	yes	no
		rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_vend	no	rqd_domain	yes	no
		rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl

Field Name	Label	Col-Label	Format	Dec
oid_rfq_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rqf_chr01			.9<<<<<<<<<	
rqf_chr02			x(8)	
rqf_chr03			x(8)	
rqf_chr04			x(8)	
rqf_dec01			->>, >>9.99	10
rqf_dte01			99/99/99	
rqf_log01			yes/no	
rqf_qadc01	QAD Field		X(8)	0
rqf_qadc02	QAD Field		X(8)	0
rqf_qadc03	QAD Field		X(8)	0
rqf_qadc04	QAD Field		X(8)	0
rqf_qadi01			->>>>>>>9	
rqf_appr_curr	Approval Currency		x(3)	
rqf_diraprs_req	Product Line Approvals Required		>9	
rqf_domain	Domain		x(8)	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	

Field Name	Label	Col-Label	Format	Dec
rqf_horaprs_req	Horizontal Approvals Required		>9	
rqf_lcmmts	Line Comments		yes/no	
rqf_ln_fmt	Ln Format (S/M)		single/multi	
rqf_nbr	Next Requisition Number		99999999	
rqf_oot_rtg	Out Of Tolerance Routing		x(1)	
rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)		automatic/manual	
rqf_pre	Requisition Prefix		x(3)	
rqf_tol_pct	Tolerance Percent		>>9.99	10
rqf_tol_val	Tolerance Value		>>>>, >>9.99	10
rqf_use_tolpct	Use Tolerance Percent		yes/no	
rqf_use_tolval	Use Tolerance Value		yes/no	
rqf_vrtaprs_req	Vertical Approvals Required		>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rqf_ctrl	yes	oid_rqf_ctrl	yes	no
*	rqf_index1	yes	rqf_domain	yes	no

rqh_hist

Requisition History

Field Name	Label	Col-Label	Format	Dec
oid_rqh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0
rqh_action	Action		x(20)	
rqh_apr_userid	User ID		x(8)	
rqh_date	Date		99/99/99	
rqh_domain	Domain		x(8)	
rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
rqh_ent_userid	Entered By		x(8)	
rqh_line	Line		>>>	
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			999999999	
rqh_time	Time		>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqh_hist	yes	oid_rqh_hist	yes	no
* rqh_nbr	yes	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no
rqh_nbr_usr	no	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_apr_userid	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no

Requisition Job Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqi_mstr	yes	oid_rqi_mstr	yes	no
* rqi_job	yes	rqi_domain	yes	no
		rqi_job	yes	no

Requisition Approval Level Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rql_mstr	yes	oid_rql_mstr	yes	no
* rql_lev	yes	rql_domain	yes	no
		rql_level	yes	no

Requirement Detail

Field Name	Label	Col-Label	Format	Dec
rqm_type	Type		>9	
rqm_user1	Ufld1		x(8)	
rqm_user2	Ufld2		x(8)	
rqm_value	Value		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqm_det	yes	oid_rqm_det	yes	no
rqm_cat_val_date	no	rqm_domain	yes	no
		rqm_cat	yes	no
		rqm_value	yes	no
		rqm_date	yes	no
		rqm_type	yes	no
* rqm_schd	no	rqm_domain	yes	no
		rqm_type	yes	no
		rqm_nbr	yes	no
		rqm_line	yes	no
		rqm_rlse_id	yes	no
		rqm_date	yes	no
		rqm_time	yes	no
		rqm_interval	yes	no
		rqm_reference	yes	no
		rqm_cat	yes	no
rqm_value	no	rqm_domain	yes	no
		rqm_type	yes	no
		rqm_cat	yes	no
		rqm_date	yes	no
		rqm_value	yes	no

rqm_mstr Requisition Master

Field Name	Label	Col-Label	Format	Dec
oid_rqm_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
rqm__chr01			.9<<<<<<<<	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->, >>9.99	10
rqm__log01			yes/no	
rqm_qadc01	QAD Field		X(8)	0
rqm_qadc02	QAD Field		X(8)	0
rqm_qadc03	QAD Field		X(8)	0
rqm_qadc04	QAD Field		X(8)	0
rqm_acct	Account		x(8)	
rqm_apr_cmtindx	Approval Comments		>>>>>>>9	
rqm_aprv_stat	Aprvl Status		x(16)	
rqm_bill	Bill-To		x(8)	
rqm_buyer	Buyer		x(8)	
rqm_category	Category		x(8)	
rqm_cc	Cost Ctr	CC	x(4)	
rqm_cls_date	Close Date	Closed	99/99/99	
rqm_cmtindx	Comments		>>>>>>>9	
rqm_contact	Contact		x(24)	
rqm_curr	Currency		x(3)	
rqm_daybookset	Daybook Set	Dybk Set	x(8)	
rqm_direct	Direct Matls		yes/no	
rqm_disc_pct	Disc %		->9.99%	10
rqm_domain	Domain		x(8)	
rqm_due_date	Due Date		99/99/99	
rqm_eby_userid	Entered By		x(8)	
rqm_email_opt	E-mail Option		x(1)	
rqm_end_userid	End User		x(8)	
rqm_ent_date	Ent Date		99/99/99	
rqm_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
rqm_entity	Entity	Ent	x(20)	
rqm_ex_rate	Exch Rate		>>>>, >>>9.9<<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
rqm_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
rqm_ex_ratetype	Rate Type		x(8)	
rqm_exru_seq	Sequence		>>>>>>>>9	
rqm_fix_pr	Fixed Price		yes/no	
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_ln_fmt	Single/Multi		single/multi	
rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_pr_list	Disc Tbl		x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		X(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqm_mstr	yes	oid_rqm_mstr	yes	no
rqm_buyer	no	rqm_domain	yes	no
		rqm_buyer	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_job	no	rqm_domain	yes	no
		rqm_job	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
* rqm_nbr	yes	rqm_domain	yes	no
		rqm_nbr	yes	no
rqm_open	no	rqm_domain	yes	no
		rqm_open	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rqby_userid	no	rqm_domain	yes	no
		rqm_rqby_userid	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
rqm_rtto	no	rqm_domain	yes	no
		rqm_rtto_userid	yes	no
		rqm_open	yes	no
		rqm_nbr	yes	no

rqpo_ref

Requisition/PO Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_rqpo_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
rqpo__chr01			x(8)	
rqpo__chr02			x(8)	
rqpo__chr03			x(8)	
rqpo__chr04			x(8)	
rqpo__qadc01	QAD Field		X(8)	0
rqpo__qadc02	QAD Field		X(8)	0
rqpo__qadc03	QAD Field		X(8)	0
rqpo__qadc04	QAD Field		X(8)	0
rqpo_domain	Domain		x(8)	
rqpo_po_line	PO Line		>>>	
rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
rqpo_qty_ord	Qty Ord		->, >>>, >>9.9<<<<<<<<<	10
rqpo_req_line	Req Line		>>	
rqpo_req_nbr	Requisition	Req Nbr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqpo_ref	yes	oid_rqpo_ref	yes	no
rqpo_po_nbr	no	rqpo_domain	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
* rqpo_req_nbr	yes	rqpo_domain	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no

rqr_mstr

Role Master

Field Name	Label	Col-Label	Format	Dec
oid_rqr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
rqr__chr01			.9<<<<<<<<<	
rqr__chr02			x(8)	
rqr__chr03			x(8)	
rqr__chr04			x(8)	
rqr__qadc01	QAD Field		X(8)	0
rqr__qadc02	QAD Field		X(8)	0
rqr__qadc03	QAD Field		X(8)	0
rqr__qadc04	QAD Field		X(8)	0
rqr_domain	Domain		x(8)	
rqr_role	Role		x(8)	
rqr_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rqr_mstr	yes	oid_rqr_mstr	yes	no
rqr_role	yes	rqr_domain	yes	no
		rqr_role	yes	no
		rqr_userid	yes	no
* rqr_userid	yes	rqr_domain	yes	no
		rqr_userid	yes	no
		rqr_role	yes	no

Requirement Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rq_mstr	yes	oid_rq_mstr	yes	no
* rq_part	yes	rq_domain	yes	no
		rq_part	yes	no
		rq_site	yes	no
		rq_rsc	yes	no
		rq_ref	yes	no
		rq_start	yes	no
rq_rsc	no	rq_domain	yes	no
		rq_rsc	yes	no
		rq_site	yes	no

Shipping Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rsc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rsc__qadc01	QAD Field		.9<<<<<<<<<	
rsc__qadc02	QAD Field		x(8)	
rsc__qadd01	QAD Field		x(8)	
rsc__qadd02	QAD Field		->, >>, >>9.9<<<<<<<<	10
rsc__qadi01	QAD Field		->, >>, >>9.9<<<<<<<<	10
rsc__qadi02	QAD Field		->, >>, >>9	
rsc__qadi03	QAD Field		->, >>, >>9	
rsc__qadl01	QAD Field		->>>>>>>9	
rsc__qadl02	QAD Field		yes/no	
rsc__qadl03	QAD Field		yes/no	
rsc__qadl04	QAD Field		yes/no	
rsc__qadt01	QAD Field		yes/no	
rsc_active	Enable Shipping Schedule		99/99/99	
rsc_auto_update	Auto Update Plan From Ship		yes/no	
rsc_domain	Domain		yes/no	
rsc_fab_days	Fab Auth Days		x(8)	
rsc_firm_days	Firm Days		>>9	
rsc_gen_ship	Generate Ship Sched From MRP		>>9	
rsc_raw_days	Raw Auth Days		yes/no	
rsc_ship_days	Schedule Days		>>9	
rsc_ship_months	Schedule Months		>>9	

Field Name	Label	Col-Label	Format	Dec
rsc_ship_weeks	Schedule Weeks		>>9	
rsc_user1	Ufld1		x(8)	
rsc_user2	Ufld2		x(8)	
rsc_zero_req	Send Zero Requirements		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rsc_ctrl	yes	oid_rsc_ctrl	yes	no
*	rsc_index1	yes	rsc_domain	yes	no

rsd det Resource Requirements Detail

Field Name	Label	Col-Label	Format	Dec
oid_rsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rsd__qadc01			.9<<<<<<<<	
rsd_cap	Cap/Day		->>>, >>9.9	10
rsd_domain	Domain		x(8)	
rsd_end	End Date		99/99/99	
rsd_ref	Reference		x(8)	
rsd_rsc	Resource		x(8)	
rsd_shift1	Shift1		->>, >>9.99	10
rsd_shift2	Shift2		->>, >>9.99	10
rsd_shift3	Shift3		->>, >>9.99	10
rsd_shift4	Shift4		->>, >>9.99	10
rsd_site	Site		x(8)	
rsd_start	Start Date	Start	99/99/99	
rsd_user1	Ufld1		x(8)	
rsd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsd_det	yes	oid_rsd_det	yes	no
* rsd_rsc	yes	rsd_domain	yes	no
		rsd_rsc	yes	no
		rsd_site	yes	no
		rsd_ref	yes	no
rsd_site	yes	rsd_domain	yes	no
		rsd_site	yes	no
		rsd_rsc	yes	no
		rsd_ref	yes	no

rsn	ref	Reason Code Master

Field Name	Label	Col-Label	Format	Dec
oid_rsn_ref			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
rsn_qadc01			x(8)	
rsn_code	Reason Code	Code	x(8)	
rsn_desc	Description		x(24)	
rsn_domain	Domain		x(8)	
rsn_type	Reason Type	Type	x(8)	
rsn_user1	Ufld1		x(8)	
rsn_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_rsn_ref	yes	oid_rsn_ref	yes	no
*	rsn_code	yes	rsn_domain	yes	no
			rsn_code	yes	no
			rsn_type	yes	no
	rsn_type	yes	rsn_domain	yes	no
			rsn_type	yes	no
			rsn_code	yes	no

Product Change Control Routing Slip Template Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rstd_det	yes	oid_rstd_det	yes	no
* rstd_codegroup	yes	rstd_domain	yes	no
		rstd_appr_code	yes	no
		rstd_group	yes	no

Product Change Control Routing Slip Template Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rst_mstr	yes	oid_rst_mstr	yes	no
* rst_code	yes	rst_domain	yes	no
		rst_appr_code	yes	no

Product Change Control Routing Slip Detail

Field Name	Label	Col-Label	Format	Dec
rsud_reroute_date	Reroute Date		99/99/99	
rsud_sequence	Sequence	Seq	>>9	
rsud_svrty_lvl	Severity Level		>>9	
rsud_user1	Ufld1		X(8)	
rsud_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsud_det	yes	oid_rsud_det	yes	no
* rsud_indexgroup	yes	rsud_domain	yes	no
		rsud_index	yes	no
		rsud_group	yes	no
rsud_sequence	no	rsud_domain	yes	no
		rsud_index	yes	no
		rsud_sequence	yes	no

Product Change Control Routing Slip Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rsu_mstr	yes	oid_rsu_mstr	yes	no
rsu_doc_nbr	no	rsu_domain	yes	no
		rsu_doc_nbr	yes	no
		rsu_doc_type	yes	no
* rsu_index	yes	rsu_domain	yes	no
		rsu_index	yes	no

Resource Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_rs_mstr	yes	oid_rs_mstr	yes	no
rs_desc	yes	rs_domain	yes	no
		rs_desc	yes	no
		rs_rsc	yes	no
		rs_site	yes	no
* rs_rsc	yes	rs_domain	yes	no
		rs_rsc	yes	no
		rs_site	yes	no

Warehousing Program Execution Detail

Field Name	Label	Col-Label	Format	Dec
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		-->>>, >>>,>>9.99<<<	10
QadD02	QAD Field		-->>>, >>>,>>9.99<<<	10
QadD03	QAD Field		-->>>, >>>,>>9.99<<<	10
QadI01	QAD Field		->, >>>,>>9	
QadI02	QAD Field		->, >>>,>>9	
QadI03	QAD Field		->, >>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		-->>>, >>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		-->>>, >>>,>>9.9<<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_RunD	yes	oid_RunD	yes	no
*	OldNew	yes	Domain	yes	no
			OldProg	yes	no
			NewProg	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

sab_det

Service Contract Billing Detail

Field Name	Label	Col-Label	Format	Dec
oid_sab_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sab__qadc01			.9<<<<<<<<<	
sab__qadc02			x(24)	
sab__qadd01			x(24)	
sab__qadi01			->>>, >>>, >>9.99<<<<<<<<	10
sab__qadl01			->>>>>>9	
sab__qadt01			yes/no	
sab_amt_type	Amount Type	AT	99/99/99	
sab_bill_to	Bill To		x(1)	
sab_billed_date	Billed Date		x(8)	
sab_billed_time	Billed Time		99/99/99	
sab_curr	Currency	Cur	x(8)	
sab_cust	Customer		x(3)	
sab_cycle	Billing Cycle	Cyc	x(8)	
sab_desc	Description		x(2)	
sab_domain	Domain		x(24)	
sab_end_cover	End Cover		x(8)	
sab_end_date	End Date		99/99/99	
sab_eu_nbr	End User		99/99/99	
sab_ex_rate	Exch Rate		x(8)	
sab_ex_rate2	Exch Rate 2		>>>, >>>, >>9.9<<<<<<<<	10
sab_ex_ratetype	Rate Type		>>>, >>>, >>9.9<<<<<<<<	10
sab_exru_seq	Sequence		x(8)	
sab_ext_price	Ext Price		>>>>>>>9	
sab_for	Supported Item	Item	->>>, >>>, >>9.99<	10
sab_line	Contract Line	Con Line	>>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sab_det	yes	oid_sab_det	yes	no
* sab_nbr	yes	sab_domain	yes	no
		sab_nbr	yes	no
		sab_prefix	yes	no
		sab_line	yes	no
		sab_billed_date	yes	no
		sab_billed_time	yes	no
sab_so	no	sab_domain	yes	no
		sab_so_nbr	yes	no
		sab_sod_line	yes	no
		sab_line_seq	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_sac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sac__chr01			.9<<<<<<<<	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac_dec01			->>>, >>>, >>9.99	10
sac_dec02			->>>, >>>, >>9.99	10
sac_dec03			->>>, >>>, >>9.99	10
sac_dte01			99/99/99	
sac_dte02			99/99/99	
sac_dte03			99/99/99	
sac_dte04			99/99/99	

Field Name	Label	Col-Label	Format	Dec
sac__log01			yes/no	
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->,>>>,>>9	
sac__qadi02	QAD Integer Field 2		->,>>>,>>9	
sac__qadl01	QAD Logical Field 1		yes/no	
sac__qadl02	QAD Logical Field 2		yes/no	
sac__qadl03	QAD Logical Field 3		yes/no	
sac__qadl04	QAD Logical Field 4		yes/no	
sac__add_chrg	Contract Additional Charges		yes/no	
sac__auto_sa	Automatic Service Contract		yes/no	
	#			
sac_bill_enduser	Bill End Users		yes/no	
sac_bill_summary	Bill Summary		yes/no	
sac_calls_mrp	PM Calls in MRP		yes/no	
sac_company	Company Address		x(8)	
sac_contract_pr	Contract Price Lists		yes/no	
sac_create_pm	Create PM Calls		yes/no	
sac_deferred	Use Deferred Accounting		yes/no	
sac_domain	Domain		x(8)	
sac_eu_add_chrg	End User Additional Charges		yes/no	
sac_eu_totals	End User Totals		yes/no	
sac_ex_ratetype	Rate Type		x(8)	
sac_fob	F.O.B.		x(20)	
sac_free_be	Begin or End of Contract		begin/end	
sac_free_gt	On Contracts >		>>,>>9	
sac_free_mth	No Months Free Coverage		>>9	
sac_gen_def	Generate Deferred Accounting		yes/no	
sac_hcmmts	Service Header Comments		yes/no	
sac_index1	Index		>>>>>>9	
sac_int_rnd	Intermediate Rounding	Intermediate! Rounding	yes/no	
sac_item_enduser	Item End Users		yes/no	
sac_lcmmts	Service Line Comments		yes/no	
sac_lim_hist	Record Limits History		yes/no	
sac_limit_copy	Renew Limits From		X(1)	
sac_limits_wnd	Contract Limits		yes/no	
sac_ln_fmt	Ln Format S/M		single/multi	
sac_mod_date	Modified Date	Mod Date	99/99/99	
sac_mod_userid	User ID		X(8)	
sac_pm_days	PM Days Scheduling		yes/no	
sac_print	Are Service Contracts Printed		yes/no	
sac_pt_isb	Items in Installed Base	IB	yes/no	
sac_qo	Next Service Quote	Nxt Qte	>>>>>>9	
sac_qo_pre	Quote Prefix	Qte	x(1)	
sac_renew_fmt	Renew Format		x(4)	
sac_renewal_days	Renewal Days		->,>>>,>>9	
sac_reval_bill	Revaluate at Billing		yes/no	
sac_reval_wnd	Revaluation Window		yes/no	
sac_revenue	Revenue Type		x(1)	
sac_rvidx_nxtbl	Index at Next Bill		yes/no	
sac_sa	Next Service Contract		>>>>>>9	
sac_sa_multi	Multiple Contracts		yes/no	
sac_sa_pre	Contract Prefix	Ct	x(1)	
sac_sa_site	Contract Site		x(8)	
sac_saqo_nbr	Same Number for Quote/Contract		yes/no	
sac_so_hist	Keep Contract History		yes/no	
sac_so_nbr	Next Service Sales order		>>>>>>9	
sac_so_pre	Service SO Prefix		x(3)	
sac_trl_ntax[3]	Nontaxable Trailer Code		x(2)	

Field Name	Label	Col-Label	Format	Dec
sac_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
sac_user_pricing	User Contract Pricing		yes/no	
sac_user1	Ufld1		x(8)	
sac_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sac_ctrl	yes	oid_sac_ctrl	yes	no
*	sac_index1	yes	sac_domain	yes	no

sadh_hist Service Contract Detail History

Field Name	Label	Col-Label	Format	Dec
oid_sadh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sadh__chr01	User Field #1		.9<<<<<<<<	
sadh__chr02	User Field #2		x(8)	
sadh__chr03	User Field #3		x(8)	
sadh__chr04	User Field #4		x(8)	
sadh__chr05	User Field #5		x(8)	
sadh__chr06	User Field #6		x(8)	
sadh__chr07	User Field #7		x(8)	
sadh__chr08	User Field #8		x(8)	
sadh__chr09	User Field #9		x(8)	
sadh__chr10	User Field #10		x(8)	
sadh__dec01	User Decimal Field #1		>>>, >>>, >>9.99	10
sadh__dec02	User Decimal Field #2		>>>, >>>, >>9.99	10
sadh__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	
sadh_amt_type	Amount Type	AT	x(1)	
sadh_area	Area		x(8)	
sadh_ca_nbr	Call		x(8)	
sadh_cancel	Cancel Date		99/99/99	
sadh_cmtindx	Comment Index	Comment	>>>>>>>9	
sadh_comm_pct[4]	Commission	Comm%	>>9.99%	10
sadh_comment[5]	Comments		x(40)	
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_desc	Description		x(24)	
sadh_disc_pct	Disc %		->>9.99%	10
sadh_discount	Discountable		yes/no	
sadh_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
sadh_end_date	End Date	End	99/99/99	
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>, >>>, >>9.99<<<	10
sadh_lst_bill	Last Bill		99/99/99	
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_mod_date	Modified Date	Mod Date	99/99/99	
sadh_mod_userid	User ID		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>, >>>, >>9.99<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlst_fnd	Price List Found		yes/no	
sadh_prodlne	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	
sadh_pvm_only	PM Only		yes/no	
sadh_pvm_route	Routing		x(18)	
sadh_qty_bld	Billed Count		->>>, >>9.9<<<<<<<	10
sadh_qty_chg	Qty to Bill		->, >>>, >>9.9<<<<<<<<<<	10
sadh_qty_item	Item Quantity	Item Qty	>>, >>9.9	10
sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sadh_qty_lst	Qty Last Billed	Last Qty	->, >>>, >>9.9<<	10
sadh_qty_per	Duration		->>>9.9<<<	10
sadh_ref	Ref		>>>>>>9	
sadh_serial	Lot/Serial		x(18)	
sadh_site	Site		x(8)	
sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
sadh_so_line	Sales Order Line		>>9	
sadh_so_ship	From Sales Order		x(8)	
sadh_so_shipln	From SO Line		>>9	
sadh_st_cover	Coverage		99/99/99	
sadh_st_date	Start Date	Start	99/99/99	
sadh_status	Status		x(8)	
sadh_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_total_bld	Total Billed		>>>>, >>>, >>9.99<<<	10
sadh_total_price	Total Price		>>>>, >>>, >>9.99<<<	10
sadh_trnbr	Transaction		>>>>>>>>>>9	
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sadh_hist	yes	oid_sadh_hist	yes	no
sadh_nbrln	no	sadh_domain	yes	no
		sadh_nbr	yes	no
		sadh_prefix	yes	no

Field Name	Label	Col-Label	Format	Dec
sad_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sad_end_date	End Date	End	99/99/99	
sad_es_nbr	Escalation		x(8)	
sad_eu_nbr	End User		x(8)	
sad_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
sad_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<<	10
sad_ex_ratetype	Rate Type		x(8)	
sad_expire	Expires		99/99/99	
sad_exru_seq	Sequence		>>>>>>>9	
sad_fix_pr	Fixed Price		yes/no	
sad_fix_rate	Fixed Rate	Fixed	yes/no	
sad_for	Supported Item	Item	x(18)	
sad_fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
sad_fsrev_cc	Revenue CC	CC	x(4)	
sad_fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
sad_fst_list	FST on List		yes/no	
sad_lastbill	Date Last Billed		99/99/99	
sad_line	Contract Line	Con Line	>>>>>>>9	
sad_line_type	Line Type	LT	x(1)	
sad_list_pr	List Price	Lst Price	->>>>,>>>,>>9.99<<<	10
sad_lst_bill	Last Bill		99/99/99	
sad_lstcover	Last Billed	Lst Bill	99/99/99	
sad_mod_date	Modified Date	Mod Date	99/99/99	
sad_mod_userid	User ID		X(8)	
sad_mrp	Link Line to MRP		yes/no	
sad_nbr	Contract		x(8)	
sad_nxt_bill	Next Bill		99/99/99	
sad_parent_line	Parent Line		>>>>>>>9	
sad_pct_type	Percent Type	PT	x(1)	
sad_per_date	Perform Date	Perform	99/99/99	
sad_po	Purchase Order		x(20)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>,>>>,>>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlist_fnd	Price List Found		yes/no	
sad_procline	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>,>>9.9	10
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sad_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>>9	
sad_released	Released To Contract	Rel	yes/no	
sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_sod_line	Sales Order Line		>>9	
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sad_sv_code	Service Type	Svc Type	x(8)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	

Field Name	Label	Col-Label	Format	Dec
sad_total_bld	Total Billed		>>>>, >>>, >>9.99<<<	10
sad_type	Ship Type	T	x(1)	
sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufid1		x(8)	
sad_user2	Ufid2		x(8)	
sad_visits	Visits		>>9	10
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sad_xslspn[3]	Salesperson	Salespsn	x(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sad_det	yes	oid_sad_det	yes	no
sad_enduser	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line	yes	no
sad_eu_line	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_eu_nbr	yes	no
		sad_ui_line	yes	no
sad_line_eu	no	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_ui_line	yes	no
		sad_eu_nbr	yes	no
* sad_nbrln	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line	yes	no
sad_part	no	sad_domain	yes	no
		sad_for	yes	no
		sad_serial	yes	no
		sad_ref	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
sad_prefix_type	no	sad_domain	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line_type	yes	no
sad_serial	no	sad_domain	yes	no
		sad_prefix	yes	no
		sad_serial	yes	no

Saf

Supplementary Analysis Field

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Budget Group		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Saf_ID	Record ID		9999999999	
SafCode	SAF Code		x(20)	
SafConcept_ID	SAF Concept Code		9999999999	
SafDescription	SAF Description		x(40)	
SafIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
BudgetGroupIdx	no	BudgetGroup_ID	yes	no
◇ Code	no	SafCode	yes	no
CodeAndConcept	yes	SafConcept_ID	yes	no
		SafCode	yes	no
Concept	no	SafConcept_ID	yes	no
◇ IsActive	no	SafIsActive	yes	no
◇* Prim	yes	Saf_ID	yes	no
◇ ViewIndex	no	SafIsActive	yes	no
		SafCode	yes	no

SafConcept Saf Concept

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SafConcept_ID	Record ID		9999999999	
SafConceptCode	SAF Concept Code		x(20)	
SafConceptDescription	SAF Concept Description		x(40)	
SafConceptIsActive	Active	Act	yes/no	
SafConceptIsSystem	System		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SafConceptCode	yes	no
◇* Prim	yes	SafConcept_ID	yes	no
◇ ViewIndex	no	SafConceptIsActive	yes	no
		SafConceptCode	yes	no

SafStructure Saf Structure

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SafStructure_ID	Record ID		9999999999	
SafStructureCode	Structure Code	Structure	x(20)	
SafStructureDescription	Description		x(40)	
SafStructureIsActive	Active	Act	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SafStructureCode	yes	no
◇* Prim	yes	SafStructure_ID	yes	no
◇ ViewIndex	no	SafStructureIsActive	yes	no
		SafStructureCode	yes	no

SafStructureLineSaf Structure Line

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Saf_ID	Link to Saf		9999999999	
SafConcept_ID	Link to SafConcept		9999999999	
SafStructure_ID	Link to SafStructure		9999999999	
SafStructureLine_ID	Record ID		9999999999	
SafStructureLineBComponent	Business Component		x(30)	
SafStructureLineNumber	Line Number	Line	->,>>>,>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
BusinessComp	no	SafStructureLineBComponent	yes	no
◇ Line	no	SafStructure_ID	yes	no
		SafStructureLineNumber	yes	no
◇* Prim	yes	SafStructureLine_ID	yes	no
◇ SafConcept	no	SafConcept_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no
StructConcpt	yes	SafStructure_ID	yes	no
		SafConcept_ID	yes	no

SafStructureLinkSaf Structure Link

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Cost Center Code		9999999999	
GL_ID	GL Account		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID	Project		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9,9999	10
QADT01			99/99/9999	
SafStructure_ID	Structure Code	Structure	9999999999	
SafStructureLink_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AltPrim	yes	SafStructure_ID	yes	no
		GL_ID	yes	no
		Project_ID	yes	no
		CostCentre_ID	yes	no
◇ CostCentre	no	CostCentre_ID	yes	no
◇ GL	no	GL_ID	yes	no
Job	no	Project_ID	yes	no
◇* Prim	yes	SafStructureLink_ID	yes	no
◇ SafStructure	no	SafStructure_ID	yes	no

sah_hist	Service Contract History

Field Name	Label	Col-Label	Format	Dec
sah_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
sah_chr01	User Field #1		.9<<<<<<<<	
sah_chr02	User Field #1		x(8)	
sah_chr03	User Field #3		x(8)	
sah_chr04	User Field #4		x(8)	
sah_chr05	User Field #5		x(8)	
sah_chr06	User Field #6		x(8)	
sah_chr07	User Field #7		x(8)	
sah_chr08	User Field #8		x(8)	
sah_chr09	User Field #9		x(8)	
sah_chr10	User Field #10		x(8)	
sah_dec01	User Decimal #1		>>>, >>>, >>9.99	10
sah_dec02	User Decimal #2		>>>, >>>, >>9.99	10
sah_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sah_dte01	User Date #1		99/99/99	
sah_dte02	User Date #2		99/99/99	
sah_dte03	User Date #3		99/99/99	
sah_log01	User Logical #1		yes/no	
sah_log02	User Logical #2		yes/no	
sah_log03	User Logical #3		yes/no	
sah_qadc01	Qad Field #1		x(8)	
sah_qadc02	Qad Field #2		x(8)	
sah_qadc03	Qad Field #3		x(8)	
sah_qadc04	Qad Field #4		x(8)	
sah_qadc05			x(8)	
sah_qadc06			x(4)	
sah_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sah_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sah_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sah_qadl01	Qad Logical #1		yes/no	
sah_qadl02	Qad Logical #2		yes/no	
sah_qadl03	Qad Logical #3		yes/no	
sah_qadl04	QAD Logical Field		yes/no	
sah_qadt01	Qad Date #1		99/99/99	
sah_qadt02	Qad Date #2		99/99/99	
sah_qadt03	Qad Date #3		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_area	Area		x(8)	
sah_arrears	Bill Arrears	Arrear	yes/no	
sah_autornew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		>>>9.99<<<	10
sah_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
sah_bill_to	Bill To		x(8)	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		yes/no	
sah_bol	BOL		x(18)	
sah_calls_allow	Calls Allowed		>>>,>>9	
sah_calls_total	Total Calls		>>>,>>9	
sah_can_tax	PST Pct		->>9.99<<%	10
sah_cancel	Cancel Date		99/99/99	
sah_channel	Channel		x(8)	
sah_cmtindx	Comment Index	Comment	>>>>>>>9	
sah_comm_pct[4]	Commission	Comm%	>>9.99%	10
sah_complete	Complete	Cplt	yes/no	
sah_conf_date	Confirmed Date	Confirmed	99/99/99	
sah_cr_card	Credit Card	Card	x(2)	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(8)	
sah_curr	Currency	Cur	x(3)	
sah_cust	Customer		x(8)	
sah_cycle	Billing Cycle	Cyc	x(2)	
sah_date_printed	Date Printed		99/99/99	
sah_disc_pct	Disc %		->9.99%	10
sah_domain	Domain		x(8)	
sah_end_date	End Date		99/99/99	
sah_enduser	End User		x(8)	
sah_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
sah_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_exp_date	Expire Date	Exp Date	99/99/99	
sah_exru_seq	Sequence		>>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0\$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_invoiced	Invoiced		yes/no	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	10
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_proline	Product Line	Line	x(4)	

Field Name	Label	Col-Label	Format	Dec
sah_project	Project		X(8)	
sah_prt_0itm	Print 0\$ Items		yes/no	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_release	Release to Contract	Rel	yes/no	
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_reval_index	Revaluation Index Month		>>9	
sah_reval_period	Revaluation Period		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_sched_start	PM Start Date	Start	yes/no	
sah_schedule	Billing Schedule File		yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_ship_date	Ship Date		99/99/99	
sah_shipvia	Ship Via		x(20)	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_so_nbr	Sales Order	Order	x(8)	
sah_source	Order Source	Source	x(8)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_stat	Action Status	St	x(2)	
sah_summarize	Summarize		yes/no	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	10
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sah_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>9	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	10
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sah_hist	yes	oid_sah_hist	yes	no
sah_enduser	no	sah_domain	yes	no
		sah_enduser	yes	no
		sah_prefix	yes	no
		sah_nbr	yes	no
sah_nbr	no	sah_domain	yes	no
		sah_nbr	yes	no
		sah_prefix	yes	no
		sah_end_date	yes	no
* sah_trnbr	yes	sah_domain	yes	no
		sah_trnbr	yes	no

SalesCode Sales Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SalesCode			x(20)	
SalesCode_ID	Record ID		9999999999	
SalesCodeDescription			x(40)	
SalesCodeIsActive			yes/no	
SalesCodeType			x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Active	no	SalesCodeIsActive	yes	no
◇* Prim	yes	SalesCode_ID	yes	no
SalesCode	yes	SalesCode	yes	no
◇ ViewIndex	no	SalesCodeIsActive	yes	no
		SalesCode	yes	no

SalesGLMatrixSales GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostOfSalesGL_ID			9999999999	
DebtorSalesCode_ID			9999999999	
DiscountGL_ID			9999999999	
ItemSalesCode_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SalesGL_ID			9999999999	
SalesGLMatrix_ID	Record ID		9999999999	
SharedSet_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
CostOfSalesGL	no	CostOfSalesGL_ID	yes	no
DeblItemSet	yes	SharedSet_ID	yes	no
		DebtorSalesCode_ID	yes	no
		ItemSalesCode_ID	yes	no
DebtorSalesCode	no	DebtorSalesCode_ID	yes	no
DiscountGL	no	DiscountGL_ID	yes	no
ItemSalesCode	no	ItemSalesCode_ID	yes	no
◇* Prim	yes	SalesGLMatrix_ID	yes	no
◇ SalesGL	no	SalesGL_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no

salh_hist Service/Support Contract Limits History

Field Name	Label	Col-Label	Format	Dec
oid_salh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
salh_chr01	User Field #1		.9<<<<<<<<	
salh_chr02	User Field #2		x(8)	
salh_chr03	User Field #3		x(8)	
salh_chr04	User Field #4		x(8)	
salh_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
salh_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
salh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
salh_dte01	User Date #1		99/99/99	
salh_dte02	User Date #2		99/99/99	
salh_dte03	User Date #3		99/99/99	
salh_log01	User Logical #1		yes/no	
salh_log02	User Logical #2		yes/no	
salh_log03	User Logical #3		yes/no	
salh_qadc01	Qad Field #1		x(8)	
salh_qadc02	Qad Field #2		x(8)	
salh_qadc03	Qad Field #3		x(8)	
salh_qadc04	Qad Field #4		x(8)	
salh_qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
salh_qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
salh_qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
salh_qadd04	Qad Decimal #4		->>>, >>>, >>9.99<<<<	10
salh_qadi01	Qad Logical #1		yes/no	
salh_qadi02	Qad Logical #2		yes/no	
salh_qadi03	Qad Logical #3		yes/no	
salh_qadi04	QAD Field		yes/no	
salh_qadt01	Qad Date #1		99/99/99	
salh_qadt02	Qad Date #2		99/99/99	
salh_qadt03	Qad Date #3		99/99/99	
salh_budget	Budget		>>>>, >>>, >>9.99<<<	10
salh_ca_int_type	Work Code		x(8)	
salh_call	Call		X(8)	0
salh_calls_allow	Calls Allowed		>>9	

Field Name	Label	Col-Label	Format	Dec
salh_calls_total	Total Calls		>>9	
salh_category	Category		X(8)	0
salh_code	Limit Code		x(8)	
salh_consumed_amt	Consumed Amount	Consumed	>>>>,>>>,>>9.99	10
salh_consumed_date	Activity Date		99/99/99	
salh_days	Days of Coverage		>,>>>,>>9	
salh_domain	Domain		x(8)	
salh_end	End Date		99/99/99	
salh_fcg_code	Charge Code	Charge	x(8)	
salh_file	File		x(16)	
salh_first_activity	First Activity		99/99/99	
salh_fis_sort	Invoice Sort		x(18)	
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	10
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>,>>>,>>9.99<<<	10
salh_trnbr	Trans		>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>,>>>,>>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufid1		x(8)	
salh_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_salh_hist	yes	oid_salh_hist	yes	no
salh_call	no	salh_domain	yes	no
		salh_category	yes	no
		salh_call	yes	no
		salh_itm_line	yes	no
		salh_report	yes	no
		salh_op	yes	no
		salh_usage	yes	no
		salh_trnbr	yes	no
salh_days	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_sequence	yes	no
salh_nbr	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no

*

Service/Support Contract Limits Master

oid_sal_mstr

Field Name	Label	Col-Label	Format	Dec
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sal_mstr	yes	oid_sal_mstr	yes	no
sal_days	no	sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_sequence	yes	no
* sal_nbr	yes	sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_start	yes	no

sap_det

Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
oid_sap_det			>>>>>>>>>>>>>>>>>>>>>9	10
sap__qadc01	QAD Characater Field 1		.9<<<<<<<	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		X(8)	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		99/99/99	
sap__qadi02	QAD Integer Field 2		->, >>>, >>9	
sap__qadl01	QAD Logical Field 1		->, >>>, >>9	
sap__qadl02	QAD Logical Field 2		yes/no	
sap_act_date	Actual Date	Actual	yes/no	
sap_assign	Assigned		99/99/99	
sap_bom_type	BOM Type		X(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		x(8)	
sap_desc	Comments		yes/no	
sap_domain	Domain		x(34)	
sap_group	Schedule Group		x(8)	
sap_line	Contract Line		>>>>>>>g	
sap_mod_date	Modified Date	Mod Date	99/99/99	
sap_mod_userid	User ID		X(8)	
sap_mrp	Link to MRP		yes/no	
sap_nbr	Contract Number		x(8)	
sap_prefix	Prefix		x(8)	
sap_sched_date	Schedule Date	Schedule	x(2)	
sap_user1	Ufld1		99/99/99	
sap_user2	Ufld2		x(8)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sap_det	yes	oid_sap_det	yes	no
sap_assign	no	sap_domain	yes	no
		sap_assign	yes	no
		sap_sched_date	yes	no
sap_grpsch	no	sap_domain	yes	no

Service Contract Master

Field Name	Label	Col-Label	Format	Dec
sa_domain	Domain		x(8)	
sa_end_date	End Date		99/99/99	
sa_enduser	End User		x(8)	
sa_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
sa_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sa_ex_ratetype	Rate Type		x(8)	
sa_exp_date	Expire Date	Exp Date	99/99/99	
sa_exru_seq	Sequence		>>>>>>>9	
sa_ext_date	Extend Date	Ext Date	99/99/9999	
sa_fix_pr	Fixed Price		yes/no	
sa_fix_rate	Fixed Rate	Fixed	yes/no	
sa_fob	FOB Point		x(20)	
sa_free_frm	Free Coverage From		99/99/99	
sa_free_to	Free Coverage To		99/99/99	
sa_fsacccr_acct	Accrued Revenue	Accrued	x(8)	
sa_fsacccr_cc	Accrued Revenue CC		x(4)	
sa_fsacccr_sub	Accrued Revenue Sub-Acct		x(8)	
sa_fsdef_acct	Deferred Revenue	Deferred	x(8)	
sa_fsdef_cc	Deferred Revenue CC		x(4)	
sa_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
sa_fst_id	FST ID		x(18)	
sa_gen_Oitm	Generate 0\$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
sa_invoiced	Invoiced		yes/no	
sa_item_enduser	Item End Users		yes/no	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Modified Date	Mod Date	99/99/99	
sa_mod_userid	User ID		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>9.99	10
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_per_bill	Period Based Billing	PBB	yes/no	
sa_periodic	Periodic Billing		yes/no	
sa_po	Purchase Order		x(20)	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodlne	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_Oitm	Print 0\$ Items		yes/no	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_release	Release To Contract	Rel	yes/no	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
sa_revalue_date	Revaluation Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_sched_start	PM Start Date	Start	yes/no	
sa_schedule	Billing Schedule File		yes/no	
sa_serial_det	Serial Detail		yes/no	
sa_ship_date	Ship Date		99/99/99	
sa_shipvia	Ship Via		x(20)	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_so_nbr	Sales Order	Order	x(8)	
sa_source	Order Source	Source	x(8)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_stat	Action Status	St	x(2)	
sa_summarize	Summarize		yes/no	
sa_sv_code	Service Type	Svc Type	x(8)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	10
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sa_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufid1		x(8)	
sa_user2	Ufid2		x(8)	
sa_visits	Visits		>>9	10
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sa_mstr	yes	oid_sa_mstr	yes	no
sa_cust	yes	sa_domain	yes	no
		sa_cust	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
sa_end_date	no	sa_domain	yes	no
		sa_end_date	yes	no
sa_enduser	no	sa_domain	yes	no
		sa_enduser	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
* sa_nbr	yes	sa_domain	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no
sa_po_nbr	no	sa_domain	yes	no
		sa_po	yes	no
		sa_cust	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no

sbc_mstr Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
oid_sbc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sbc__chr01			.9<<<<<<<<<	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc__qadc01	QAD Character Field 1		X(8)	
sbc__qadc02	QAD Character Field 2		X(8)	
sbc__qadc03	QAD Character Field 3		X(8)	
sbc__qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
sbc__qadl01	QAD Logical Field 1		yes/no	
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_domain	Domain		x(8)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	
sbc_qty_bill	Qty to Bill		->, >>>, >>9.9<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sbc_mstr	yes	oid_sbc_mstr	yes	no
* sbc_code	yes	sbc_domain	yes	no
		sbc_code	yes	no

sbd_det Sub-Account/Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sbd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sbd__qadc01			.9<<<<<<<<	
sbd_acc_beg	Range of Accounts	From! Account	x(8)	
sbd_acc_end	To	To! Account	x(8)	
sbd_line	Line		>>9	
sbd_sub	Sub-Account	Sub-Acct	x(8)	
sbd_user1	Ufld1		x(8)	
sbd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sbd_det	yes	oid_sbd_det	yes	no
*	sbd_index	yes	sbd_sub	yes	no
			sbd_line	yes	no

sbic_ctl Self-Bill Control

Field Name	Label	Col-Label	Format	Dec
oid_sbic_ctl			>>>>>>>>>>>>>>>>>>>>>>9	10
sbic__qadc01			.9<<<<<<<<<	
sbic__qadc02			X(8)	
sbic__qadc03			X(8)	
sbic__qadc04			X(8)	
sbic__qadd01			->>, >>, >9.9<<<<<<<<<	10
sbic__qadd02			->>, >>, >9.9<<<<<<<<<	10
sbic__qadd03			->>, >>, >9.9<<<<<<<<<	10
sbic__qadd04			->>, >>, >9.9<<<<<<<<<	10
sbic__qadi01			>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sbic_ctl	yes	oid_sbic_ctl	yes	no
*	sbic_index1	yes	sbic_domain	yes	no

sbid det Self-Bill Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sbld_det	yes	oid_sbld_det	yes	no
sbld_authorization	no	sbld_domain	yes	no
		sbld_authorization	yes	no
sbld_inv_nbr	no	sbld_domain	yes	no
		sbld_inv_nbr	yes	no
* sbld_nbr_line	yes	sbld_domain	yes	no
		sbld_bill	yes	no
		sbld_nbr	yes	no
		sbld_line	yes	no
sbld_order	no	sbld_domain	yes	no
		sbld_order	yes	no
sbld_part	no	sbld_domain	yes	no
		sbld_part	yes	no
		sbld_type	yes	no
sbld_ship_id	no	sbld_domain	yes	no
		sbld_ship_id	yes	no
sbld_trnbr	no	sbld_domain	yes	no
		sbld_trnbr	yes	no

Self-Bill Master

Field Name	Label	Col-Label	Format	Dec
sbi__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
sbi__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
sbi__qadi01			>>>>>>9	
sbi__qadi02			>>>>>>9	
sbi__qadi03			>>>>>>9	
sbi__qadi04			>>>>>>9	
sbi__qadi05			>>>>>>9	
sbi__qadl01			yes/no	
sbi__qadl02			yes/no	
sbi__qadl03			yes/no	
sbi__qadl04			yes/no	
sbi__qadl05			yes/no	
sbi__qadt01			99/99/99	
sbi__qadt02			99/99/99	
sbi__qadt03			99/99/99	
sbi__qadt04			99/99/99	
sbi__qadt05			99/99/99	
sbi_amt	Amt Total		->>>>, >>>, >>9.99<<<	10
sbi_bill	Bill-To		x(8)	
sbi_check	Check		x(8)	
sbi_confirm	Confirm		yes/no	
sbi_ctrl_amt	Amt Control Total		->>>>, >>>, >>9.99<<<	10
sbi_curr	Currency	Cur	x(3)	
sbi_domain	Domain		x(8)	
sbi_lines	Lines		>>>>>>9	
sbi_mod_date	Modified Date	Mod Date	99/99/99	
sbi_mod_userid	User ID		X(8)	
sbi_nbr	Self-Bill		x(20)	
sbi_resp_date	Response Date	Response	99/99/99	
sbi_user1	Ufld1		X(8)	
sbi_user2	Ufld2		X(8)	
sbi_user3			X(8)	
sbi_user4			X(8)	
sbi_user5			X(8)	
sbi_xmission	Transmission		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sbi_mstr	yes	oid_sbi_mstr	yes	no
sbi_check	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_check	yes	no
		sbi_nbr	yes	no
* sbi_nbr	yes	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_nbr	yes	no
sbi_xmission	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_xmission	yes	no
		sbi_nbr	yes	no

Sub-Account Master

Index-Name	Uni	Field-Name	Asc	Abbr
old_sb_mstr	yes	old_sb_mstr	yes	no
sb_desc	no	sb_domain	yes	no
		sb_desc	yes	no
* sb_sub	yes	sb_domain	yes	no
		sb_sub	yes	no

Service Contract Additional Charge Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sca_mstr	yes	oid_sca_mstr	yes	no
sca_part	no	sca_domain	yes	no
		sca_part	yes	no
		sca_service	yes	no
* sca_service	yes	sca_domain	yes	no
		sca_service	yes	no
		sca_part	yes	no

scc mstr Customer/Ship-To Shipment Controls Master

Field Name	Label	Col-Label	Format	Dec
oid_scc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
scc__qadc01			.9<<<<<<<<<	
scc__qadc02			X(24)	
scc_active	Enable Shipment Performance		yes/no	
scc_customer_source	Customer Source		x(3)	
scc_domain	Domain		x(8)	
scc_include_do	Include Distribution Orders		yes/no	
scc_include_mo	Include Material Orders		yes/no	
scc_include_rma	Include RMA Shipments		yes/no	
scc_include_sched	Include Scheduled Orders		yes/no	
scc_include_so	Include Sales Orders		yes/no	
scc_mod_date	Modified Date	Mod Date	99/99/99	
scc_mod_userid	User ID		X(8)	
scc_part	Item Number		x(18)	
scc_receive_addr	Receive Address		x(8)	
scc_sched_type	Schedule Type		>9	
scc_ship_lt	Transit Lead Time		>>9	
scc_shipfrom	Ship-From		x(8)	
scc_use_current	Use Current Release		yes/no	
scc_user1	User Field Character 1		X(24)	
scc_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_scc_mstr	yes	oid_scc_mstr	yes	no
*	scc_customer_source	yes	scc_domain	yes	no
			scc_customer_source	yes	no
			scc_shipfrom	yes	no
			scc_receive_addr	yes	no
			scc_part	yes	no

schd det Release Management Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_schd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
schd__chr01			.9<<<<<<<<<	
schd__chr02			x(8)	
schd__chr03			x(8)	
schd__chr04			x(8)	
schd__chr05			x(8)	
schd__chr06			x(8)	
schd__chr07			x(8)	
schd__chr08			x(8)	
schd__chr09			x(8)	
schd__chr10			x(8)	
schd__dec01			>>>, >>>, >>9.99	10
schd__dec02			>>>, >>>, >>9.99	10
schd__dec03			>>>, >>>, >>9.99	10
schd__dec04			>>>, >>>, >>9.99	10
schd__dec05			>>>, >>>, >>9.99	10
schd__dec06			>>>, >>>, >>9.99	10
schd__dec07			>>>, >>>, >>9.99	10
schd__dec08			>>>, >>>, >>9.99	10
schd__dec09			>>>, >>>, >>9.99	10
schd__dec10			>>>, >>>, >>9.99	10
schd__dte01			99/99/99	
schd__dte02			99/99/99	
schd__log01			yes/no	
schd__log02			yes/no	
schd_all_qty	Qty Pegged		>, >>>, >>9.9<<<<	10
schd_cmtindx	Comment Index	Comment	>>>>>>>9	
schd_cum_qty	Cumulative Qty		>>>, >>>, >>9.9<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sch_domain	Domain		x(8)	
sch_eff_end	Effective End		99/99/99	
sch_eff_start	Effective Start		99/99/99	
sch_fab_end	Fab End		99/99/99	
sch_fab_qty	Fab Qty		>>>, >>>, >>9.9<<<<<<	10
sch_fab_strt	Fab Start		99/99/99	
sch_from_pid	From Plan Id		x(30)	
sch_from_sid	From Ship Id		x(30)	
sch_line	Line	Ln	>>9	
sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
sch_lr_cum_qty[10]	Cum Receipt Qty		>>>, >>>, >>9.9<<<<<<<<	10
sch_lr_date[10]	Receipt Date		99/99/99	
sch_lr_qty[10]	Receipt Qty		>>>, >>>, >>9.9<<<<<<<<	10
sch_lr_time[10]	Time		99:99	
sch_nbr	Order	Sls Order	x(8)	
sch_pcr_qty	Prior Cum Req		>>>, >>>, >>9.9<<<<<<	10
sch_pcs_date	Prior Cum Date		99/99/99	
sch_pdr_qty	Prior Discrete Req		>>>, >>>, >>9.9<<<<<<	10
sch_prp_ext	Ext Purpose Code		x(10)	
sch_prp_int	Int Purpose Code		x(10)	
sch_raw_end	Raw End		99/99/99	
sch_raw_qty	Raw Qty		>>>, >>>, >>9.9<<<<<<	10
sch_raw_strt	Raw Start		99/99/99	
sch_rlse_id	Release ID		x(30)	
sch_sd_dates	Schedule Date Type		Ship/Delivery	
sch_sd_pat	Ship/Dlvry Pattern		x(2)	
sch_sd_time	Ship/Dlvry Time		x(2)	
sch_ship	Ship To		x(8)	
sch_type	Schedule Type		>9	
sch_user1	Ufld1		x(8)	
sch_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sch_mstr	yes	oid_sch_mstr	yes	no
sch_cr_date	no	sch_domain	yes	no
		sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_cr_date	yes	no
		sch_cr_time	yes	no
* sch_tnlr	yes	sch_domain	yes	no
		sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_rlse_id	yes	no

scs_ctrl Subcontract Shipping Control

Field Name	Label	Col-Label	Format	Dec
oid_scs_ctrl			>>>>>>>>>>>>>>>>>>>>>>>9	10
scs__qadc01			.9<<<<<<<<	
scs__qadc02			x(24)	
scs_domain	Domain		x(8)	
scs_enter_shipper	Manual Shipper Update	Manual! Update	yes/no	
scs_mod_date	Modified Date	Mod Date	99/99/99	
scs_mod_userid	User ID		x(8)	
scs_scrap_material	Scrap Unreturned Material	Scrap	yes/no	
scs_unassign_sup	Unassigned Suppliers	Unassigned! Suppliers	yes/no	
scs_user1	User Field Character 1		x(24)	
scs_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_scs_ctrl	yes	oid_scs_ctrl	yes	no
*	scs_domain	yes	scs_domain	yes	no

Cost Simulation Total Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sct_det	yes	oid_sct_det	yes	no
sct_part_sim	no	sct_domain	yes	no
		sct_part	yes	no
		sct_sim	yes	no
* sct_sim_pt_site	yes	sct_domain	yes	no
		sct_sim	yes	no
		sct_part	yes	no
		sct_site	yes	no
sct_site_part	no	sct_domain	yes	no
		sct_site	yes	no
		sct_part	yes	no
sct_site_sim	no	sct_domain	yes	no
		sct_site	yes	no
		sct_sim	yes	no

Scheduled Order Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_scx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
scx__qadc01			x(8)	
scx_custpart	Customer Item		x(30)	
scx_custref	Customer Ref		x(30)	
scx_domain	Domain		x(8)	
scx_line	Line		scx_master_line	Mas ter
yes/no				
scx_modelyr	Model Year		x(4)	
scx_order	Order		x(8)	
scx_part	Item Number		x(18)	
scx_po	Purchase Order		x(22)	
scx_qkey	Quick Key		x(8)	
scx_shipfrom	Ship-From		x(8)	

Field Name	Label	Col-Label	Format	Dec
scx_shipto	Ship-To		x(8)	
scx_type			9	
scx_user1	Ufld1		x(8)	
scx_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_scx_ref	yes	oid_scx_ref	yes	no
scx_custpart	no	scx_domain	yes	no
		scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_custpart	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no
		scx_part	yes	no
scx_order	yes	scx_domain	yes	no
		scx_type	yes	no
		scx_order	yes	no
		scx_line	yes	no
scx_po	no	scx_domain	yes	no
		scx_type	yes	no
		scx_po	yes	no
		scx_part	yes	no
		scx_shipto	yes	no
		scx_shipfrom	yes	no
* scx_shipfrom	yes	scx_domain	yes	no
		scx_type	yes	no
		scx_shipfrom	yes	no
		scx_shipto	yes	no
		scx_part	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no

sc mstr Cost Simulation Master

Field Name	Label	Col-Label	Format	Dec
oid_sc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sc_qadc01			.9<<<<<<<<<	
sc_category	Category		x(8)	
sc_desc	Description		x(1)	
sc_domain	Domain		x(24)	
sc_element	Cost Element	Element	x(8)	
sc_sim	Cost Set		x(8)	
sc_user1			x(18)	
sc_user2	Ufld1		x(8)	
	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sc_mstr	yes	oid_sc_mstr	yes	no
sc_sim_cat	no	sc_domain	yes	no
		sc_sim	yes	no
		sc_category	yes	no
* sc_sim_elem	yes	sc_domain	yes	no
		sc_sim	yes	no
		sc element	yes	no

Shipping Delivery Time Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sdttd_det	yes	oid_sdttd_det	yes	no
*	sdttd_code	yes	sdttd_domain	yes	no
			sdttd_code	yes	no
			sdttd_time	yes	no

Shipping Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
oid_sdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sdt_chr01			.9<<<<<<<<<	
sdt_chr02			x(8)	
sdt_dec01			x(8)	
sdt_dec02			->>>, >>>, >>9.99<	10
sdt_dte01			->>>, >>>, >>9.99<	10
sdt_dte02			99/99/99	
sdt_log01			99/99/99	
sdt_log02			yes/no	
sdt_qadc01			yes/no	
sdt_qadc02			x(8)	
sdt_qadd01			x(8)	
sdt_qadd02			->>>, >>>, >>9.99<	10
sdt_qadi01			->>>, >>>, >>9.99<	10
sdt_qadi02			>>>>>>9	
sdt_qadl01			>>>>>>9	
sdt_qadl02			yes/no	
sdt_qadt01			yes/no	
sdt_qadt02			99/99/99	
sdt_user1			99/99/99	
sdt_user2			x(8)	
sdt_code	SDT Code		x(8)	
sdt_desc	SDT Description		X(3)	
sdt_domain	Domain		x(40)	
sdt_mod_date	Modified Date	Mod Date	x(8)	
sdt_mod_userid	User ID		99/99/99	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sdt_mstr	yes	oid_sdt_mstr	yes	no
* sdt_code	yes	sdt_domain	yes	no
		sdt_code	yes	no

Sales Order Discount Master

Field Name	Label	Col-Label	Format	Dec
oid_sd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
sd_chr01			x(8)	
sd__chr02			x(8)	
sd__qad01			x(8)	
sd__qad02			x(8)	
sd_acct	Account		x(8)	
sd_amt	Amount		->, >>>, >>9.	0
sd_cc	Cost Ctr	CC	x(4)	
sd_curr	Currency	Cur	x(3)	
sd_cust	Customer		x(8)	
sd_disc_pct	Disc Percent	Disc%	->>9.<<	10
sd_domain	Domain		x(8)	
sd_expire	Expire		99/99/99	
sd_ls_type	Customer Type	Cust Typ	x(8)	
sd_prodlne	Product Line	Line	x(4)	
sd_start	Start		99/99/99	
sd_sub	Sub-Account	Sub-Acct	x(8)	
sd_type	Type		x(8)	
sd_user1	Ufld1		x(8)	
sd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sd_mstr	yes	oid_sd_mstr	yes	no
sd_cust	no	sd_domain	yes	no
		sd_ls_type	yes	no
		sd_cust	yes	no
		sd_type	yes	no
		sd_amt	yes	no
* sd_type	yes	sd_domain	yes	no
		sd_type	yes	no
		sd_amt	yes	no
		sd_start	yes	no

Material Order Control

[illegible]

Field Name	Label	Col-Label	Format	Dec
seq_site	Site		x(8)	
seq_start	Start Date		99/99/99	
seq_type	Type		Forward/Backward	
seq_user1	Ufld1		x(8)	
seq_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_seq_mstr	yes	oid_seq_mstr	yes	no
seq_sequence	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_priority	yes	no
* seq_site	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_part	yes	no
		seq due date	yes	no

sfb_det Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
oid_sfb_det			>>>>>>>>>>>>>>>>>>>>>9	10
sfb_chr01	User Field #1		.9<<<<<<<<	
sfb_chr02	User Field #2		x(8)	
sfb_chr03	User Field #3		x(8)	
sfb_chr04	User Field #4		x(8)	
sfb_dec01	User Decimal #1		->>, >>>, >>9.99<<<<	10
sfb_dec02	User Decimal #2		->>, >>>, >>9.99<<<<	10
sfb_dec03	User Decimal #3		->>, >>>, >>9.99<<<<	10
sfb_dte01	User Date #1		99/99/99	
sfb_dte02	User Date #2		99/99/99	
sfb_dte03	User Date #3		99/99/99	
sfb_log01	User Logical #1		yes/no	
sfb_log02	User Logical #2		yes/no	
sfb_log03	User Logical #3		yes/no	
sfb_qadc01	QAD Character Field		x(8)	0
sfb_qadc02	Qad Field #2		x(8)	
sfb_qadc03	Qad Field #3		x(8)	
sfb_qadc04	QAD Character Field		x(8)	0
sfb_qadd01	Qad Date #1		99/99/99	
sfb_qadd02	Qad Date #2		99/99/99	
sfb_qadd03	Qad Date #3		99/99/99	
sfb_qadde01	Qad Decimal #1		->>, >>>, >>9.99<<<<	10
sfb_qadde02	Qad Decimal #2		->>, >>>, >>9.99<<<<	10
sfb_qadde03	Qad Decimal #3		->>, >>>, >>9.99<<<<	10
sfb_qadi01	QAD Logical Field		yes/no	
sfb_qadi02	QAD Logical Field		yes/no	
sfb_qadi03	QAD Logical Field		yes/no	
sfb_qadi04	QAD Logical Field		yes/no	
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>9	
sfb_covered_amt	Covered Amount		>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_domain	Domain		x(8)	
sfb_exchange	Exchange		yes/no	
sfb_exg_price	Exchange Price		->>>, >>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>, >>>, >>9.99<<<	10
sfb_fixed_price			->>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>, >>>, >>9.99<<<	10
sfb_line	Line		>>>9	

Field Name	Label	Col-Label	Format	Dec
sfh__qadd03	Qad Date #3		99/99/99	
sfh__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sfh__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sfh__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sfh__qadl01	QAD Logical Field		yes/no	
sfh__qadl02	QAD Logical Field		yes/no	
sfh__qadl03	QAD Logical Field		yes/no	
sfh__qadl04	QAD Logical Field		yes/no	
sfh_ca_opn_date			99/99/99	
sfh_cmtindx	Comment Index	Comment	>>>>>>9	
sfh_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfh_desc	Description		x(24)	
sfh_detail			yes/no	
sfh_domain	Domain		x(8)	
sfh_exchange	Exchange		yes/no	
sfh_exg_price	Exchange Price		->>>>, >>>, >>9.99<<<	10
sfh_fcg_code	Charge Code	Charge	x(8)	
sfh_fis_column	Column	Col	>>9	
sfh_fis_sort	Type		x(18)	
sfh_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfh_fixed_price			->>>, >>>, >>9.99<<<	10
sfh_fsc_code	Service Category	Svc Cat	x(8)	
sfh_inv_nbr	Invoice		x(22)	
sfh_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfh_line	Line		>>>9	
sfh_mod_date	Modified Date	Mod Date	99/99/99	
sfh_mod_userid	User ID		X(8)	
sfh_nbr			x(8)	
sfh_op	Operation	Op	>>>>>9	
sfh_part	Item		x(18)	
sfh_price	List Price		->>>, >>>, >>9.99<<<	10
sfh_price_on_inv	Price on Invoice		yes/no	
sfh_pst	PST Taxable		yes/no	
sfh_pt_type			>>9	
sfh_qty_billed	Qty Billed		->>>, >>9.9<	10
sfh_qty_inv	Qty to Invoice	Qty to Inv	->>>, >>9.9<	10
sfh_qty_on_inv	Qty on Invoice		yes/no	
sfh_qty_req	Qty Required		->>>, >>9.9<<	10
sfh_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
sfh_report	Report		X(8)	
sfh_ret_serial	Returned Serial		X(18)	
sfh_serial	Serial		x(18)	
sfh_so_line	SO Line		>>>9	
sfh_tax_env	Tax Environment		X(16)	0
sfh_tax_in	Tax In		yes/no	
sfh_tax_usage	Tax Usage		x(8)	0
sfh_taxable	Taxable		yes/no	
sfh_taxc	Tax Class		x(8)	0
sfh_total_std	Total Cost		->>>, >>>, >>9.99<<<	10
sfh_trnbr	Transaction		>>>>>>>>9	
sfh_um	UM		x(2)	
sfh_user1	Ufld1		X(8)	
sfh_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sfh_hist	yes	oid_sfh_hist	yes	no
sfh_inv_nbr	no	sfh_domain	yes	no
		sfh_inv_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
sfh_line	no	sfh_domain	yes	no
		sfh_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
* sfh_trnbr	yes	sfh_domain	yes	no
		sfh_trnbr	yes	no

Shipping Group Address Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sgad_det	yes	oid_sgad_det	yes	no
sgad_addr	yes	sgad_domain	yes	no
		sgad_addr	yes	no
		sgad_is_src	yes	no
		sgad_grp	yes	no
* sgad_grp	yes	sgad_domain	yes	no
		sgad_grp	yes	no
		sgad_is_src	yes	no
		sgad_addr	yes	no

Shipping Group Carrier Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sgcd_det	yes	oid_sgcd_det	yes	no
sgcd_carrier	no	sgcd_domain	yes	no
		sgcd_carrier	yes	no
* sgcd_grp	yes	sgcd_domain	yes	no
		sgcd_grp	yes	no
		sgcd_inv_mov	yes	no
		sgcd_seq	yes	no

Shipping Group and Inventory Movement Code Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgid_user1	Ufld1		x(8)	
sgid_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sgld_det	yes	oid_sgld_det	yes	no
sgld_default	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_default	yes	no
		sgld_inv_mov	yes	no
sgld_format	no	sgld_domain	yes	no
		sgld_format	yes	no
* sgld_grp	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_inv_mov	yes	no
sgld_inv_mov	no	sgld_domain	yes	no
		sgld inv mov	yes	no

sg_mstr Shipping Group Master

Field Name	Label	Col-Label	Format	Dec
oid_sg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
sg__qadc01			x(8)	
sg_auto_tr	Auto Transfers	Auto Xfers	yes/no	
sg_desc	Description		x(30)	
sg_domain	Domain		x(8)	
sg_grp	Shipping Group	Ship Grp	x(8)	
sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
sg_user1	Ufld1		x(8)	
sg_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sg_mstr	yes	oid_sg_mstr	yes	no
* sg_grp	yes	sg_domain	yes	no
		sg_grp	yes	no
sg_inv_mov	no	sg_domain	yes	no
		sg_inv_mov	yes	no

SharedSet	Shared Set

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			9999999999	
SharedSetCode	Shared Set Code		x(20)	
SharedSetDescription	Shared Set Description		x(40)	
SharedSetIsActive	Active	Act	yes/no	
SharedSetTypeCode	Shared Set Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SharedSetCode	yes	no
◇* Prim	yes	SharedSet_ID	yes	no
◇ Type	no	SharedSetTypeCode	yes	no

SharedSetMergeLog Shared Set Merge Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SharedSetMergeLog_ID	Record ID		9999999999	
SharedSetMergeLogEndDate	End Date		99/99/9999	
SharedSetMergeLogEndTime	End Time		999999	
SharedSetMergeLogIsFinish	Is Finished		yes/no	
SharedSetMergeLogMaster	Master Shared Set Code		x(20)	
SharedSetMergeLogRedundant	Redundant Shared Set Code		x(20)	
SharedSetMergeLogStartDate	Start Date		99/99/9999	
SharedSetMergeLogStartTime	Start Time		999999	

Index-Name	Uni	Field-Name	Asc	Abbr
Finished	no	SharedSetMergeLogIsFinish	yes	no
◇ Master	no	SharedSetMergeLogMaster	yes	no
◇* Prim	yes	SharedSetMergeLog_ID	yes	no
Redundant	no	SharedSetMergeLogRedundant	yes	no

SharedSetProp Shared Set Property

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSet_ID	Link to SharedSet		9999999999	
SharedSetProperty_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	SharedSetProperty_ID	yes	no
◇ SharedSet	yes	SharedSet_ID	yes	no

SharedSetType Shared Set Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SharedSetTypeCode	Shared Set Type		x(20)	
SharedSetTypeIsActive	Active		yes/no	
SharedSetTypeTranslated	Translation		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	SharedSetTypeCode	yes	no

shcd_det

Field Name	Label	Col-Label	Format	Dec
oid_shcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shcd__qadc01			.9<<<<<<<<<	
shcd__qadc02			x(24)	
shcd_domain	Domain		x(24)	
shcd_export_directory	Default Export Directory		x(8)	
shcd_mod_date	Modified Date	Mod Date	x(60)	
shcd_mod_userid	User ID		99/99/99	
shcd_user1	User Field Character 1		x(8)	
shcd_user2	User Field Character 2		x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shcd_det	yes	oid_shcd_det	yes	no
* shcd_export_dir	yes	shcd_domain	yes	no
		shcd_export_directory	yes	no

shc_ctrl

Field Name	Label	Col-Label	Format	Dec
oid_shc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shc__qadc01			x(8)	
shc__qadi01			->>>>>>>9	
shc_archive_directory	Default Archive Directory		x(60)	
shc_check_ship_pending	Check Shipments Pending for Post		yes/no	
shc_del_import_file	Delete Import Files After Archiving		yes/no	
shc_domain	Domain		x(8)	
shc_format	Document Format	Format	x(8)	
shc_import_directory	Default Import Directory		x(60)	
shc_master_nr_id	Master Bill Sequence ID		x(8)	
shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
shc_rss_cal_option	RSS Calendar Option		>>9	
shc_ship_nr_id	Shipper Sequence ID		x(8)	
shc_ship_rcpt	Shipment Info For Receipts		yes/no	
shc_shipper_print	Allow Printing With Errors		yes/no	
shc_source_directory	Default Source Directory		x(60)	
shc_trl_amts	Maintain Trailer Amounts		yes/no	
shc_user1	Ufld1		x(8)	
shc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shc_ctrl	yes	oid_shc_ctrl	yes	no
*	shc_index1	yes	shc_domain	yes	no

shd_det

Field Name	Label	Col-Label	Format	Dec
oid_shd_det			>>>>>>>>>>>>>>>>>>>>>9	10
shd__qadc01			.9<<<<<<<<<	
shd_code	Transport ID	Trans ID	x(8)	
shd_departs	Ship Date		99/99/99	
shd_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
shd_rec_site	Receiving Site	Rec Site	x(8)	
shd_src_site	Source Site	Source	x(8)	
shd_user1	Ufld1		x(8)	
shd_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shd_det	yes	oid_shd_det	yes	no
* shd_code	yes	shd_domain	yes	no
		shd_code	yes	no
		shd_src_site	yes	no
		shd_rec_site	yes	no
		shd_departs	yes	no

shft det Shift Detail

Field Name	Label	Col-Label	Format	Dec
oid_shift_det			>>>>>>>>>>>>>>>>>>>>9	10
shift_chr01			.9<<<<<<<<	
shift_chr02			x(8)	
shift_chr03			x(8)	
shift_chr04			x(8)	
shift_chr05			x(8)	
shift_dec01			>>>, >>>, >>9.99	10
shift_dec02			>>>, >>>, >>9.99	10
shift_dec03			>>>, >>>, >>9.99	10
shift_dec04			>>>, >>>, >>9.99	10
shift_log01			yes/no	
shift_day	Day of Week	Day	9	
shift_domain	Domain		x(8)	
shift_hour1	Hours		>, >>9.9<	10
shift_hour2	Hours		>, >>9.9<	10
shift_hour3	Hours		>, >>9.9<	10
shift_hour4	Hours		>, >>9.9<	10
shift_load1	Load		>>9.99%	10
shift_load2	Load		>>9.99%	10
shift_load3	Load		>>9.99%	10
shift_load4	Load		>>9.99%	10
shift_mch	Machine		x(8)	
shift_pat1	Pattern		x(8)	
shift_pat2	Pattern		x(8)	
shift_pat3	Pattern		x(8)	
shift_pat4	Pattern		x(8)	
shift_site	Site		x(8)	
shift_start1	Start Time	Start	>, >>9.9<<	10
shift_start2	Start Time	Start	>, >>9.9<<	10
shift_start3	Start Time	Start	>, >>9.9<<	10
shift_start4	Start Time	Start	>, >>9.9<<	10
shift_user1	Ufld1		x(8)	
shift_user2	Ufld2		x(8)	
shift_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shift_det	yes	oid_shift_det	yes	no
* shift_day	yes	shift_domain	yes	no
		shift_site	yes	no
		shift_wkctr	yes	no
		shift_mch	yes	no
		shift_day	yes	no

Field Name	Label	Col-Label	Format	Dec
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	-->9.9<	10
shm_unld_lt	Unload LT		-->9.9<	10
shm_user1	Ufld1		x(8)	
shm_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shm_mstr	yes	oid_shm_mstr	yes	no
* shm_code	yes	shm_domain	yes	no
		shm_code	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_start	yes	no
shm_rec_site	yes	shm_domain	yes	no
		shm_rec_site	yes	no
		shm_src_site	yes	no
		shm_code	yes	no
		shm_start	yes	no
shm_src_site	yes	shm_domain	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal

Field Name	Label	Col-Label	Format	Dec
oid_shop_cal			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shop__qadc01			.9<<<<<<<<<<	
shop_domain	Domain		x(8)	
shop_hours[7]	Daily Hours	Hours	->>, >>9.99	10
shop_mch	Machine		x(8)	
shop_shifts[7]	Shifts		yes/no	
shop_site	Site		x(8)	
shop_user1	Ufld1		x(8)	
shop_user2	Ufld2		x(8)	
shop_wdays[7]	Workdays		yes/no	
shop_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shop_cal	yes	oid_shop_cal	yes	no
*	shop_cal	yes	shop_domain	yes	no
			shop_site	yes	no
			shop_wkctr	yes	no
			shop_mch	yes	no

ShortcutAct

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
ShortcutAct_ID			9999999999	
ShortcutActKey			x(10)	
Usr_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusActivity	no	BusActivity_ID	yes	no
◇* prim	yes	ShortcutAct_ID	yes	no
◇ Usr	no	Usr_ID	yes	no
UsrIdBusActivity	yes	Usr_ID	yes	no
		BusActivity_ID	yes	no
UsrIdShortcActKey	yes	Usr_ID	yes	no
		ShortcutActKey	yes	no

shpc_ctrl Shipment Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_shpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shpc__qadc01			.9<<<<<<<<	
shpc__qadc02			X(24)	
shpc__qadi01			->>>>>>>9	
shpc_active	Enable Shipment Performance		yes/no	
shpc_domain	Domain		x(8)	
shpc_include_do	Include Distribution Orders		yes/no	
shpc_include_mo	Include Material Orders		yes/no	
shpc_include_rma	Include RMA Shipments		yes/no	
shpc_include_sched	Include Scheduled Orders		yes/no	
shpc_include_so	Include Sales Orders		yes/no	
shpc_meas_subtype	Measurement Sub Type		9	
shpc_mod_date	Modified Date	Mod Date	99/99/99	
shpc_mod_userid	User ID		x(8)	
shpc_sched_type	Schedule Type		>9	
shpc_shipper_reasons	Enter Reason Codes in Workbench		yes/no	
shpc_use_current	Use Current Release		yes/no	
shpc_user1	User Field Character 1		X(24)	
shpc_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shpc_ctrl	yes	oid_shpc_ctrl	yes	no
*	shpc_index1	yes	shpc_domain	yes	no

shpd_hist Shipment Performance Detail History

Field Name	Label	Col-Label	Format	Dec
oid_shpd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shpd__qadc01			.9<<<<<<<<<	
shpd__qadc02			X(24)	
shpd_acceptable	Acceptable		yes/no	
shpd_domain	Domain		x(8)	
shpd_meas_subtype	Measurement Sub Type	Sub Type	9	
shpd_measurement_type	Type		>	
shpd_mod_date	Modified Date	Mod Date	99/99/99	
shpd_mod_userid	User ID		X(8)	
shpd_rsn_code	Reason		x(8)	
shpd_rsn_type	Reason Type	Rsn Type	x(8)	
shpd_status_code	Status		x(8)	
shpd_tran_id	Tran ID		>>>>>>>9	
shpd_user1	User Field Character 1		X(24)	
shpd_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shpd_hist	yes	oid_shpd_hist	yes	no
shpd_reason	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_rsn_code	yes	no
shpd_status	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_status_code	yes	no
* shpd_tran_id	yes	shpd_domain	yes	no
		shpd_tran_id	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no

shphr_det Data Validation Rule Master

Field Name	Label	Col-Label	Format	Dec
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_shphr_det			.9<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
shphr__qadc01			x(24)	
shphr__qadc02			x(24)	
shphr_allow_import	Allow Import		yes/no	
shphr_category	Category		x(8)	
shphr_desc	Description		x(24)	
shphr_domain	Domain		x(8)	
shphr_id	Rule ID		x(8)	
shphr_import_date	Last Imported		99/99/99	
shphr_import_filename	Import Filename		x(18)	
shphr_import_userid	User ID		x(8)	
shphr_mod_date	Modified Date	Mod Date	99/99/99	
shphr_mod_userid	User ID		x(8)	
shphr_user1	User Field Character 1		x(24)	
shphr_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_shphr_det	yes	oid_shphr_det	yes	no
*	shphr_id	yes	oid_dv_mstr	yes	no
			shphr_id	yes	no

shphvd_det Field Validation Allowed Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_shphvd_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
shphvd__qadc01			x(24)	
shphvd__qadc02			x(24)	
shphvd_field_value	Field Value		x(30)	
shphvd_mod_date	Modified Date	Mod Date	99/99/99	
shphvd_mod_userid	User ID		x(8)	
shphvd_user1	User Field Character 1		x(24)	
shphvd_user2	User Field Character 2		x(24)	
shphvd_value_desc	Value Description		x(30)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shphvd_det	yes	oid_shphvd_det	yes	no
*	shphvd_field_value	yes	oid_shphv_det	yes	no
			shphvd_field_value	yes	no

shphvpv_det Validation/Prompt Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>9	10
oid_shphvpv_det			.g<<<<<<<<	
			>>>>>>>>>>>>>>>>>>9	10
			.g<<<<<<<<	
shphvpv__qadc01			x(24)	
shphvpv__qadc02			x(24)	
shphvpv_location	Location		x(22)	
shphvpv_mod_date	Modified Date	Mod Date	99/99/99	
shphvpv_mod_userid	User ID		x(8)	
shphvpv_prompt	Prompt		yes/no	
shphvpv_type	Type		9	
shphvpv_user1	User Field Character 1		x(24)	
shphvpv_user2	User Field Character 2		x(24)	
shphvpv_val_level	Validation Level		9	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shphpvpv_det	yes	oid_shphpvpv_det	yes	no
* shphpvpv_location	yes	oid_shphpv_det	yes	no
		shphpvpv_type	yes	no
		shphpvpv_location	yes	no

shphv_det Rule Field Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_shphv_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
shphv__qadc01			x(24)	
shphv__qadc02			x(24)	
shphv_allow_blank	Allow Blank		yes/no	
shphv_allow_undefined	Allow Undefined		yes/no	
shphv_cmtindx	Comments		>>>>>>9	
shphv_default	Default Value		x(30)	
shphv_desc	Description		x(40)	
shphv_domain	Domain		x(8)	
shphv_end_eff	End Effective		99/99/99	
shphv_enforce_case	Enforce Case		yes/no	
shphv_field	Field		x(32)	
shphv_field_type	Type		9	
shphv_gen_code	Generalized code		x(32)	
shphv_internal_proc	Internal Procedure		x(32)	
shphv_invalid_char	Invalid Characters		x(8)	
shphv_launch_fieldname	Launch Fieldname		x(32)	
shphv_max_length	Max Length		>, >>>, >>9	
shphv_min_length	Min Length		>, >>>, >>9	
shphv_mod_date	Modified Date	Mod Date	99/99/99	
shphv_mod_userid	User ID		x(8)	
shphv_start_eff	Start Effective		99/99/99	
shphv_user1	User Field Character 1		x(24)	
shphv_user2	User Field Character 2		x(24)	
shphv_usrfld_applyto	Apply-To		999	

Field Name	Label	Col-Label	Format	Dec
shphv_validate_msg1	Message		x(45)	
shphv_validate_msg2	Message		x(75)	
shphv_validate_point	Validation Point		9	
shphv_validate_program	Validation Program		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
Ø* oid_shphr_det	yes	oid_shphr_det	yes	no
		shphv_field	yes	no
		shphv_start_eff	yes	no
oid_shphv_det	yes	oid_shphv_det	yes	no

shp hist Shipment Performance History

Field Name	Label	Col-Label	Format	Dec
oid_shp_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shp__qadc01			.9<<<<<<<<<	
shp__qadc02			X(24)	
shp_abs_id	Shipper		x(20)	
shp_cmtindx	Comment		>>>>>>9	
shp_currency	Currency		x(3)	
shp_cust	Customer		x(8)	
shp_cust_part	Customer Item		x(30)	
shp_customer_source	Customer Source		x(3)	
shp_do_req	Requisition		x(8)	
shp_domain	Domain		x(8)	
shp_due_date	Due Date		99/99/99	
shp_ext_price	Extended Price		->>>>, >>>, >>9.99<<<	10
shp_include	Include in Reporting		yes/no	
shp_line	Line		>>9	
shp_mod_date	Modified Date	Mod Date	99/99/99	
shp_mod_userid	User ID		x(8)	
shp_nbr	Order		x(8)	
shp_open_qty	Open Qty		->>, >>>, >>9.9<<<<<<<<<	10
shp_ord_um	UM		x(2)	
shp_ord_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_order_category	Category		x(8)	
shp_part	Item Number		x(18)	
shp_perf_date	Performance Date		99/99/99	
shp_qty_pct	Shipment Percentage		->>9.99	10
shp_rel_id	Release		x(30)	
shp_req_date	Required Date		99/99/99	
shp_sched_time	Schedule Time		99:99	
shp_ship_date	Ship Date		99/99/99	
shp_ship_price	Ship Price		->>>>, >>>, >>9.99<<<	10
shp_ship_qty	Ship Qty		->>, >>>, >>9.9<<<<<<<<<	10
shp_ship_time	Ship Time		99:99	
shp_ship_um	UM		x(2)	
shp_ship_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_shipfrom	Ship-From		x(8)	
shp_shipto	Ship-To		x(8)	
shp_tran_id	Tran ID		>>>>>>>>9	
shp_user1	User Field Character 1		X(24)	
shp_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shp_hist	yes	oid_shp_hist	yes	no
shp_abs_id	no	shp_domain	yes	no
		shp_shipfrom	yes	no
		shp_abs_id	yes	no
shp_cust	no	shp_domain	yes	no
		shp_include	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
shp_customer_source	no	shp_nbr	yes	no
		shp_line	yes	no
		shp_domain	yes	no
		shp_include	yes	no
		shp_customer_source	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
shp_part	no	shp_nbr	yes	no
		shp_line	yes	no
		shp_ship_date	yes	no
		shp_domain	yes	no
		shp_include	yes	no
		shp_part	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
shp_ship_date	no	shp_line	yes	no
		shp_domain	yes	no
		shp_include	yes	no
		shp_ship_date	yes	no
		shp_shipfrom	yes	no
		shp_shipto	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
* shp_tran_id	yes	shp_domain	yes	no
		shp_tran_id	yes	no

shtr_det Shipment Trailer Detail

Field Name	Label	Col-Label	Format	Dec
oid_shtr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
shtr__qad01			-z,zzz,zzz,zz9.99	10
shtr__qad02			-z,zzz,zzz,zz9.99	10
shtr__qad03			-z,zzz,zzz,zz9.99	10
shtr__qad04			>	
shtr__qad05[2]			>>9.9<<	10
shtr_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
shtr_cd	Trailer 1	Trl1	x(2)	
shtr_curr	Currency	Cur	x(3)	
shtr_domain	Domain		x(8)	
shtr_inv_nbr	Invoice Number	Invoice	x(22)	
shtr_nbr	Sales Order	Order	x(8)	
shtr_ship_date	Ship Date		99/99/99	
shtr_ship_id	Ship Id		x(8)	
shtr_site	Site		x(8)	
shtr_user1	Uflid1		x(8)	
shtr_user2	Uflid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_shtr_det	yes	oid_shtr_det	yes	no
* shtr_nbrcd	yes	shtr_domain	yes	no
		shtr_nbr	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no
shtr_shipcd	yes	shtr_domain	yes	no
		shtr_ship_id	yes	no
		shtr_cd	yes	no

shv_mstr Ship Via Master

Field Name	Label	Col-Label	Format	Dec
oid_shv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
shv__qadc01			.9<<<<<<<<<	
shv__qadc02			x(24)	
shv_domain	Domain		x(24)	
shv_mod_date	Modified Date	Mod Date	x(8)	
shv_mod_userid	User ID		99/99/99	
shv_mode_transp	Mode Of Transport		x(8)	
shv_name	Name		x(1)	
shv_port_mandatory	Port Mandatory		x(24)	
shv_shipvia	Ship Via		yes/no	
shv_user1	User Field Character 1		x(20)	
shv_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_shv_mstr	yes	oid_shv_mstr	yes	no
	shv_mode_transp	no	shv_domain	yes	no
			shv_mode_transp	yes	no
*	shv_shipvia	yes	shv_domain	yes	no
			shv_shipvia	yes	no

sigd_det	Site grouping for linked sites.

Field Name	Label	Col-Label	Format	Description
oid_si_mstr_child	Identifier of Child Site		>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_si_mstr_master	Identifier of Master Site		>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
oid_sigd_det	Indentifier for Site group table (Linked Sites)		>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
sigd__qadc01			x(24)	
sigd__qadc02			x(24)	
sigd_grp_active	Active		yes/no	
sigd_mod_date	Modified Date	Mod Date	99/99/99	
sigd_mod_userid	User ID		x(8)	
sigd_user1	User Field Character 1		x(24)	
sigd_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_sigd_det	yes	oid_sigd_det	yes	no
sigd_master_child	yes	oid_si_mstr_master	yes	no
		oid_si_mstr_child	yes	no
sigd_si_child	no	oid_si_mstr_child	yes	no

sim det Inventory Movement Site Detail

Field Name	Label	Col-Label	Format	Deduplicate
oid_sim_det			>>>>>>>>>>>>>>>>>>>>910	
sim_qadc01			.9<<<<<<<<<	
sim_canrun[15]	Roles		x(8)	
sim_domain	Domain		x(60)	
sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sim_site	Site		x(8)	
sim_user1	Ufld1		x(8)	
sim_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_sim_det	yes	old_sim_det	yes	no
sim_inv_mov	yes	sim_domain	yes	no
		sim_inv_mov	yes	no
		sim_site	yes	no
* sim_site	yes	sim_domain	yes	no
		sim_site	yes	no
		sim_inv_mov	yes	no

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_six_ref			>>>>>>>>>>>>>>>>>>>>9	10
six__qadc01			.g<<<<<<<<	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	
six__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadl01			yes/no	
six__qadl02			yes/no	
six__qadl03			yes/no	
six__qadl04			yes/no	
six__qadl05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	
six_amt	Ship Amt		->>>>, >>>, >>9.99<<<	10
six_amt_appld	Amt Applied		->>>>, >>>, >>9.99<<<	10
six_amt_paid	Paid Amt		->>>>, >>>, >>9.99<<<	10
six_authorization	Authorization		x(24)	
six_bill	Bill-To		x(8)	
six_closed	Close Shipment Line	C	yes/no	
six_curr	Currency	Cur	x(3)	
six_cust	Sold-To		x(8)	
six_custref	Customer Ref		x(30)	
six_domain	Domain		x(8)	
six_inv_nbr	Invoice		x(22)	
six_line	Line		>>>9	
six_mod_date	Modified Date	Mod Date	99/99/99	
six_mod_userid	User ID		X(8)	
six_modelyr	Model Year		x(4)	
six_order	Sales Order	Order	x(8)	
six_part	Item		x(18)	
six_po	Customer PO		x(22)	
six_price	Price		>>, >>>, >>9.99<<<	10
six_qty	Ship Qty		->, >>>, >>9.9<<<<<<<<<	10
six_qty_paid	Paid Qty		->, >>>, >>9.9<<<<<<<<<	10
six_ship	Ship-To		x(8)	
six_ship_id	Shipper		x(20)	
six_shipdt	Ship Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
six_site	Ship-From		x(8)	
six_sopart	Self-Bill Item		x(30)	
six_trnbr	Trans		>>>>>>>	
six_type	Type	T	x(1)	
six_um	UM		x(2)	
six_user1	Ufld1		X(8)	
six_user2	Ufld2		X(8)	
six_user3			X(8)	
six_user4			X(8)	
six_user5			X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_six_ref	yes	oid_six_ref	yes	no
six_auth_sopart	no	six_domain	yes	no
		six_authorization	yes	no
		six_sopart	yes	no
six_bill_inv	no	six_domain	yes	no
		six_bill	yes	no
		six_inv_nbr	yes	no
		six_type	yes	no
		six_order	yes	no
		six_line	yes	no
		six_ship_id	yes	no
		six_authorization	yes	no
six_order_sopart	no	six_domain	yes	no
		six_order	yes	no
		six_sopart	yes	no
six_part	no	six_domain	yes	no
		six_part	yes	no
six_po_sopart	no	six_domain	yes	no
		six_po	yes	no
		six_sopart	yes	no
six_ship_sopart	no	six_domain	yes	no
		six_ship_id	yes	no
		six_sopart	yes	no
six_sopart	no	six_domain	yes	no
		six_sopart	yes	no
* six_trnbr	yes	six_domain	yes	no
		six_trnbr	yes	no

si mstr Site Master

Field Name	Label	Col-Label	Format	Dec
oid_si_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
si_chr01			.9<<<<<<<<	
si_chr02			x(8)	
si_chr03			x(8)	
si_chr04			x(8)	
si_chr05			x(8)	
si_dec01			>>>, >>>, >>9.99	10
si_dec02			>>>, >>>, >>9.99	10
si_dte01			99/99/99	
si_dte02			99/99/99	
si_log01			yes/no	
si_auto_loc	Automatic Locations	Auto Loc	yes/no	
si_btb_vend	EMT Supplier	EMT Supp	x(8)	
si_canrun	Roles		x(189)	
si_cur_set	Current Cost Set	Cur Set	x(8)	
si_db	Domain		x(8)	
si_decl	Declarant		x(8)	
si_desc	Description		x(24)	
si_domain	Domain		x(8)	
si_entity	Entity		x(20)	
si_ext_vd	External Supplier	Ext Supp	yes/no	
si_git_acct	Goods In Transit Acct	GIT Acct	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_si_mstr	yes	oid_si_mstr	yes	no
si_decl	no	si_domain	yes	no
		si_decl	yes	no
si_site	yes	si_domain	yes	no
		si_site	yes	no
si_type	yes	si_type	yes	no
		si_domain	yes	no
		si_site	yes	no

SLGListD

Field Name		Label	Col-Label	Format	Dec
UserL02		User Field Logical 2		yes/no	
UserT01		User Field Date 1		99/99/99	
UserT02		User Field Date 2		99/99/99	
Whse		Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_SLGListD	yes	oid_SLGListD	yes	no
SLGGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLGList	yes	no
		SLocGp	yes	no
* SLGIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLGList	yes	no
		SLGSeq	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

SLGListM Warehousing Storage Location Group List Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_SLGListM	yes	oid_SLGListM	yes	no
* SLGList	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLGList	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Storage Location Group Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_SLGM	yes	oid_SLGM	yes	no
SiteWhseIntGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		IntRouteGroup	yes	no
* SiteWhseSLocGp	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

SLGUMD

Warehousing Storage Location Group/Unit of Measure Detail

Field Name	Label	Col-Label	Format	Dec
AllowSplit	Allow Split	Split	yes/no	
AltUM	AltUM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
MultTrans	Multi-Trans	Multi! Trans	yes/no	
oid_SLGUMD			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
OverPick	Over Pick	Over! Pick	yes/no	
PickMultUM	Picking Multiple UM	Pick! Mult! UM	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_SLGUMD	yes	old_SLGUMD	yes	no
* SLGUM	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
		AltUM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

slrd_det

Site Linking Rules Detail

Field Name	Label	Col-Label	Format	Dec
oid_slrd_det			>>>>>>>>>>>>>>>>>>>>>9	10
slrd__qadc01			.9<<<<<<<	
slrd__qadc02			x(24)	
slrd__qadd01			x(24)	
slrd__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
slrd__qadi01			->>>, >>>, >>9.9<<<<<<<<	10
slrd__qadi01			->>>>>>>9	
slrd__qadl01			yes/no	
slrd__qadt01			99/99/99	
slrd__qadt02			99/99/99	
slrd_attrib_code	Attribute Value		x(18)	
slrd_domain	Domain		x(8)	
slrd_gl_cost_site	Default GL Cost Site	GL Site	x(8)	
slrd_inventory_site	Inventory Site	Site	x(8)	
slrd_linking_rule	Site Linking Rule	Linking! Rule	9	
slrd_mod_date	Modified Date		99/99/99	
slrd_mod_userid	User ID		x(8)	
slrd_userc01	User Field Character 1		x(24)	
slrd_userc02	User Field Character 2		x(24)	
slrd_userd01	User Field Decimal		->>>>, >>>>, >>9.9<<<<<<<<	10
slrd_useri01	User Field Integer		->>>>>>>9	
slrd_userl01	User Field Logical		yes/no	
slrd_usert01	User Field Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_slrd_det	yes	oid_slrd_det	yes	no
slrd_cost_site	no	slrd_domain	yes	no
		slrd_gl_cost_site	yes	no
* slrd_site	yes	slrd_domain	yes	no
		slrd_inventory_site	yes	no
		slrd_attrib_code	yes	no

slr_mstr

Site Linking Rules Master

Field Name	Label	Col-Label	Format	Dec
oid_slr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
slr__qadc01			.9<<<<<<<<<	
slr__qadc02			x(24)	
slr__qadd01			x(24)	
slr__qadd02			->>>>, >>>, >>9.9<<<<<<<<<	10
slr__qadi01			->>>>, >>>, >>9.9<<<<<<<<<	10
slr__qadl01			->>>>>>>9	
slr__qadt01			yes/no	
slr__qadt02			99/99/99	
slr__qadt02			99/99/99	
slr_attribute	Item Attribute		x(1)	
slr_domain	Domain		x(8)	
slr_inventory_site	Inventory Site	Site	x(8)	
slr_lsc_active	Linked-Site Costing Active		yes/no	
slr_mod_date	Modified Date		99/99/99	
slr_mod_userid	User ID		x(8)	
slr_userc01	User Field Character 1		x(24)	
slr_userc02	User Field Character 2		x(24)	
slr_userd01	User Field Decimal		->>>>, >>>, >>9.9<<<<<<<<<	10
slr_useri01	User Field Integer		->>>>>>>9	
slr_userl01	User Field Logical		yes/no	
slr_usert01	User Field Date		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_slr_mstr	yes	oid_slr_mstr	yes	no
* slr_site	yes	slr_domain	yes	no
		slr_inventory_site	yes	no

Source Matrix Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sm_mstr	yes	oid_sm_mstr	yes	no
* sm_mstr	yes	sm_domain	yes	no
		sm_part	yes	no
		sm_sup_site	yes	no
		sm_mktg_site	yes	no
		sm_start	yes	no
		sm_type	yes	no

Sales Order Configuration Bill Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sob_det	yes	oid_sob_det	yes	no
*	sob_det	yes	sob_domain	yes	no
			sob_nbr	yes	no
			sob_line	yes	no
			sob_parent	yes	no
			sob_feature	yes	no
			sob_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
sob_part	yes	sob_domain	yes	no
		sob_part	yes	no
		sob_nbr	yes	no
		sob_line	yes	no
		sob_parent	yes	no
		sob_feature	yes	no

socc mstr

Field Name	Label	Col-Label	Format	Dec
oid_socc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
socc__qadc01			.9<<<<<<<<<	
socc__qadd01			x(8)	
socc__qadi01			->>>, >>>, >>9.9<<<<<<<<<	10
socc__qadl01			>>>>>>g	
socc__qadt01			yes/no 99/99/99	
socc_auth_amt	Authorization Amount	Auth Amt	>>>>, >>>, >>9.99<	10
socc_auth_date	Authorization Date	Auth Date	99/99/99	
socc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
socc_auth_nbr	Authorization Number		x(20)	
socc_billing_addr1	Address		x(28)	
socc_billing_addr2	Address		x(28)	
socc_billing_addr3	Address		x(28)	
socc_billing_city	City		x(20)	
socc_billing_country	Country		x(28)	
socc_billing_ctry	Country Code	Ctry	x(3)	
socc_billing_name	Name		x(28)	
socc_billing_state	State	St	x(4)	
socc_billing_zip	Post		x(10)	
socc_card_type	Card Type		x(8)	
socc_cc_expire_date	Expire Date	Expire	99/99/99	
socc_cc_nbr	Credit Card Number		x(24)	
socc_cc_nbr_tail	End Digits	Ending	x(4)	
socc_domain	Domain		x(8)	
socc_mod_date	Modified Date	Mod Date	99/99/99	
socc_mod_userid	User ID		x(8)	
socc_nbr	Sales Order	Order	x(8)	
socc_user1	User Field 1		x(24)	
socc_user2	User Field 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_socc_mstr	yes	oid_socc_mstr	yes	no
*	socc_nbr	yes	socc_domain	yes	no
			socc_nbr	yes	no
			socc cc nbr	yes	no

soc ctrl

Field Name	Label	Col-Label	Format	Dec
oid_soc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
soc__qad01			.9<<<<<<<<<	
soc__qad02			yes/no	
soc__qad03			yes/no	
soc__qadc01	QAD Field	X(8)	>>>>>>9	
soc__qadc02	QAD Field	X(8)		0
soc__qadc03	QAD Field	X(8)		0
soc__qadi01	QAD Field	->, >>>, >>9		
soc__qadi02	QAD Field	->, >>>, >>9		
soc__qadi02	Check Customer Item Nbr First	yes/no		
soc qadi03	QAD Field	yes/no		

Field Name	Label	Col-Label	Format	Dec
soc_all	Qty All reduce qty Available		yes/no	
soc_all_avl	Limit allocate to avail only		yes/no	
soc_all_days	Allocate Days into Future		>>>>>9	
soc_allow_closed_inv_corr	Allow Closed Invoice Correction	Allow Closed Inv Corr	yes/no	
soc_apm	Integrate with APM		yes/no	
soc_ar	Integrate with AR		yes/no	
soc_atp_enabled	ATP Enforcement Enabled	ATP Enf	yes/no	
soc_auto_chg	Auto Accept Supplier Changes		yes/no	
soc_batch	Auto Batch Confirmation		yes/no	
soc_batch_id	Confirmation Batch ID		X(8)	
soc_btb_all	Direct Allocation	Dir All	yes/no	
soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
soc_btb_type	EMT Type		xx	
soc_calc_promise_date	Calc Promise Date	Calc Prom Date	yes/no	
soc_company	Company Address		x(8)	
soc_confirm	Confirmed Orders		yes/no	
soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
soc_crn_next	Next Correction Invoice Nbr		>>>>>>9	
soc_crn_pre	Correction Invoice Prefix		x(3)	
soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_crtapp_acct	SO Interest Applied Account		X(8)	
soc_crtapp_cc	SO Interest Applied Cost Center	CC	X(4)	
soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_det_all	Detail Allocations		yes/no	
soc_dflt_dybkset	Default Daybook Set	Def Dybk Set	x(8)	
soc_domain	Domain		x(8)	
soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
soc_dum_loc	Direct Shipment Location		x(8)	
soc_dybkset_by_site	Use Daybook Set by Site		yes/no	
soc_edit_jsb	SO Edit ISB Defaults		yes/no	
soc_ex_ratetype	Rate Type		x(8)	
soc_fcst_bck	Consume Back	Fcst Back	->,>>>,>>9	
soc_fcst_fwd	Consume Fwd	Fcst Fwd	->,>>>,>>9	
soc_fnbr_seq	Default Fiscal Number Sequence		x(8)	
soc_fob	F.O.B.		x(20)	
soc_fr_by_site	Calculate Freight by Site		yes/no	
soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
soc_fysm	Fiscal Start Month		>9	
soc_gst_pst	Print Tax ID on Invoice		yes/no	
soc_hcmmts	Sales Order Header Comments		yes/no	
soc_horizon	ATP Horizon		->,>>>,>>9	
soc_index1	Index		>>>>>9	
soc_inv	Next Invoice		>>>>>>9	
soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	10
soc_inv_pre	Invoice Prefix	Pre	x(3)	
soc_jrnl	Next Journal		999999	
soc_lcmmts	Sales Order Line Comments		yes/no	
soc_ln_fmt	Ln Format S/M		single/multi	
soc_ln_inv	Print Only Lines to Invoice		yes/no	
soc_maintain_reviewed	Allow Maintenance of Reviewed Orders	Maintain Reviewed	yes/no	
soc_margin	Comm on Margin not Sales		yes/no	
soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	10
soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
soc_next_abl	Next ASN/BOL		>>>>>>>9	
soc_next_cid	Next Cntnr Nbr		>>>>>>>9	
soc_ntaxdesc[10]	Description		x(12)	
soc_on_ord	Qty avail include qty on order		yes/no	
soc_pass_curr	Use Customer Currency on PO		yes/no	

Field Name	Label	Col-Label	Format	Dec
soc_pc_line	Price by SO Line Due Date		yes/no	
soc_pick	Pick Only Allocated Lines		yes/no	
soc_pim_isb	Pend Inv Edit ISB		yes/no	
soc_pl_req	Price List Required		yes/no	
soc_print	Are Sales Orders Printed		yes/no	
soc_print_id	Confirmation Printer		X(8)	
soc_print_ship	Shipper On Invoice		yes/no	
soc_pt_req	Price Table Required		yes/no	
soc_req	Required qty reduce qty avail		yes/no	
soc_returns_isb	SO Returns Update ISB		yes/no	
soc_rnd_flag	Enable Rounding Function		yes/no	
soc_sa	Integrate with SA	SA	yes/no	
soc_shp_lead	Shipping Lead Time		>>>9	
soc_so	Next Sales Order		>>>>>>9	
soc_so_hist	Keep Booking History	Book! Hst	yes/no	
soc_so_pre	Sales Order Prefix	Pre	x(3)	
soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
soc_use_corr_inv	Use Correction Invoices		yes/no	
soc_use_fnbr	Use Fiscal Number		yes/no	
soc_use_frt_trl_cd	Use SO Frt List Trailer Code		yes/no	
soc_user1	Ufld1		x(8)	
soc_user2	Ufld2		x(8)	
soc_valueorders_by	Value Orders Using		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_soc_ctrl	yes	oid_soc_ctrl	yes	no
* soc_index1	yes	soc_domain	yes	no

SODAudit SOD Audit Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SODAudit_ID	record ID		9999999999	
SODAuditDateTime	Time Stamp of Creation		x(40)	
SODAuditResourceURI	Resource URI		x(256)	
SODAuditRoleName	Role		x(20)	
SODAuditUsrLogin	User		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	SODAudit_ID	yes	no

SODCategory SOD category

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SODCategoryCode	yes	no
◇* Prim	yes	SODCategory_ID	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_sodctg_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
sodctg__qadc01			.9<<<<<<<<<	
sodctg__qadc02			x(24)	
sodctg_category	SOD Category Code	Category	x(8)	
sodctg_desc	SOD Category Description	Description	x(24)	
sodctg_mod_date	Modified Date	Mod Date	99/99/99	
sodctg_mod_userid	User ID		x(8)	
sodctg_user1	User Field Character 1		x(24)	
sodctg_user2	User Field Character 2		x(24)	

SODExceptionSOD policy exception

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODException_ID	record ID		9999999999	
SODExceptionCode	Exception Code		x(20)	
SODExceptionDescription	Exception Description		x(2000)	
Usr_ID	link to User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	SODExceptionCode	yes	no
◇* prim	yes	SODException_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

SODExceptionLnSOD policy exception line

Field Name	Label	Col-Label	Format	Dec
Company_ID	link to Entity		9999999999	
Domain_ID	link to Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODException_ID	link to parent		9999999999	
SODExceptionLn_ID	record ID		9999999999	
SODExceptionLnDescription	Description		x(2000)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CY	no	Company_ID	yes	no
◇ DMN	no	Domain_ID	yes	no
◇ parent	no	SODException_ID	yes	no
◇* prim	yes	SODExceptionLn_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no

SODExclusionSOD category exclusion

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODExclusionDescription	Description		x(2000)	
SODExclusionLevel	Exclusion Level	Excl Level	x(1)	

Index-Name	Uni	Field-Name	Asc	Abbr
⋄* prim	yes	SODCategory1_ID	yes	no
		SODCategory2_ID	yes	no
⋄ SODC2	no	SODCategory2_ID	yes	no

sodlc_det Sales Order Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
oid_sodlc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sodlc__qadc01			.9<<<<<<<<<	
sodlc__qadc02			x(24)	
sodlc_abs_shipfrom	Ship From		x(8)	
sodlc_acct	Trailer Acct	Account	x(8)	
sodlc_cc	Trailer CC	CC	x(4)	
sodlc_charge_type	Charge Type	Charge! Type	x(8)	
sodlc_domain	Domain		x(8)	
sodlc_ext_price	Extended Charge		->>>>, >>>, >>9.99<<<	10
sodlc_lc_amt	Charge		->>>>, >>>, >>9.99<<<	10
sodlc_lc_line	Charge Line	Ln	>>9	
sodlc_mod_date	Modified Date	Mod Date	99/99/99	
sodlc_mod_userid	User ID		x(8)	
sodlc_one_time	One Time Charge	OTC	yes/no	
sodlc_ord_line	SO Line	SO! Line	>>9	
sodlc_order	Sales Order		x(8)	
sodlc_owed_by	Id		x(20)	
sodlc_project	Project		x(8)	
sodlc_ref	Reference		x(24)	
sodlc_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
sodlc_taxable	Taxable		yes/no	
sodlc_taxc	Tax Class	TxC	x(3)	
sodlc_times_charged	Times Charged		->, >>>, >>9	
sodlc_trl_code	Trailer Code	Code	x(2)	
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodlc_det	yes	oid_sodlc_det	yes	no
* sodlc_order	yes	sodlc_domain	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no
		sodlc_lc_line	yes	no
sodlc_owned_by	no	sodlc_domain	yes	no
		sodlc_owned_by	yes	no
		sodlc_abs_shipfrom	yes	no
sodlc_trl_code	no	sodlc_domain	yes	no
		sodlc_trl_code	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no

SODLog SOD Violations Log

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
SODLog_ID	record ID		9999999999	
SODLogCategory1Code	SOD Category 1		x(20)	
SODLogCategory2Code	SOD Category 2		x(20)	
SODLogCompanyCode	Entity		x(20)	
SODLogDateTime	Time Stamp of Creation		x(40)	
SODLogDomainCode	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
SODLogExclusionLevel	Exclusion Level	Excl Level	x(1)	
SODLogModifyingUsrLogin	Modifying User		x(20)	
SODLogResource1URI	Resource 1 URI		x(256)	
SODLogResource2URI	Resource 2 URI		x(256)	
SODLogRole1Name	Role 1		x(20)	
SODLogRole2Name	Role 2		x(20)	
SODLogRule	SOD rule (1 or 2)		x(5)	
SODLogStatus	Status		x(10)	
SODLogUsrLogin	User		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond^*$ prim	yes	SODLog ID	yes	no

sodm det

Field Name	Label	Col-Label	Format	Dec
oid_sodm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sodm__qadc01			.9<<<<<<<<<<	
sodm__qadc02			x(24)	
sodm_category1	SOD Category Code	Category	x(8)	
sodm_category2	SOD Category Code	Category	x(8)	
sodm_mod_date	Modified Date	Mod Date	99/99/99	
sodm_mod_userid	User ID		x(8)	
sodm_user1	User Field Character 1		x(24)	
sodm_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sodm_det	yes	oid_sodm_det	yes	no
*	sodm_ctg_pair	yes	sodm_category1	yes	no
			sodm_category2	yes	no

sodped_det

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_sodped_det			.9<<<<<<<<<<	
sodped__qadc01			x(24)	
sodped__qadc02			x(24)	
sodped_company	Entity		x(20)	
sodped_domain	Domain		x(8)	
sodped_group1	Role Name		x(20)	
sodped_group2	Role Name		x(20)	
sodped_mod_date	Modified Date	Mod Date	99/99/99	
sodped_mod_userid	User ID		x(8)	
sodped_user1	User Field Character 1		x(24)	
sodped_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodped_det	yes	oid_sodped_det	yes	no
* sodped_oid_sodpe	yes	oid_sodpe_mstr	yes	no
		sodped_group1	yes	no
		sodped_group2	yes	no
		sodped_domain	yes	no
		sodped_company	yes	no

sodpe_mstr Segregation Of Duties Policy Exception Master

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sodpe__qadc01			.9<<<<<<<<<	
sodpe__qadc02			x(24)	
sodpe_approver	Approver		x(32)	
sodpe_code	SOD Policy Exception Code	Exception	x(8)	
sodpe_desc	Description		x(60)	
sodpe_mod_date	Modified Date	Mod Date	99/99/99	
sodpe_mod_userid	User ID		x(8)	
sodpe_title	Title		x(50)	
sodpe_user1	User Field Character 1		x(24)	
sodpe_user2	User Field Character 2		x(24)	
sodpe_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sodpe_mstr	yes	oid_sodpe_mstr	yes	no
*	sodpe_code	yes	sodpe_code	yes	no
	sodpe_userid	no	sodpe_userid	yes	no

sodrc_det Required Ship Schedule Order Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodrc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sodrc__qadc01			.9<<<<<<<<<	
sodrc__qadc02			x(24)	
sodrc__qadc02			x(24)	
sodrc_domain	Domain		x(8)	
sodrc_line	RSS Line		>>9	
sodrc_master_line	Master Line		>>9	
sodrc_master_nbr	Master Order		x(8)	
sodrc_mod_date	Modified Date		99/99/99	
sodrc_mod_userid	User ID		x(8)	
sodrc_nbr	RSS Order		x(8)	
sodrc_sequence	Sequence		>>9	
sodrc_user1	User Field Character 1		x(24)	
sodrc_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodrc_det	yes	oid_sodrc_det	yes	no
* sodrc_det	yes	sodrc_domain	yes	no
		sodrc_master_nbr	yes	no
		sodrc_master_line	yes	no
		sodrc_nbr	yes	no
		sodrc_line	yes	no
sodrc_sequence	yes	sodrc_domain	yes	no
		sodrc_sequence	yes	no
		sodrc_master_nbr	yes	no
		sodrc_master_line	yes	no

sodr_det Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sodr__qadc01			.9<<<<<<<<<	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>>, >>>, >>>9.9	10
sodr__qadd02			->>>>, >>>, >>>9.9	10
sodr__qadi01			->, >>>, >>>9	

Field Name	Label	Col-Label	Format	Dec
sodr__qadi02			->,>>>,>>9	
sodr__qadi01			yes/no	
sodr__qadi02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	
sodr_div	Division		X(8)	
sodr_domain	Domain		x(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufid1		x(8)	
sodr_user2	Ufid2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodr_det	yes	oid_sodr_det	yes	no
* sodr_nbrln_seq	yes	sodr_domain	yes	no
		sodr_nbr	yes	no
		sodr_line	yes	no
		sodr_seq	yes	no
sodr_type	no	sodr_domain	yes	no
		sodr_type	yes	no

SODViolation1 Violation to SOD rule 1

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID	link to Role		9999999999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODViolation1_ID	record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
iRole	no	Role_ID	yes	no
◇* prim	yes	SODViolation1_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no

SODViolation1R Resource in violation to SOD rule 1

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Resource_ID	link to Resource		9999999999	
SODViolation1_ID	link to parent		9999999999	
SODViolation1R_ID	record ID		9999999999	
SODViolation1RCategory	Category nbr (1 or 2)		9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ parent	no	SODViolation1_ID	yes	no
◇* prim	yes	SODViolation1R_ID	yes	no
◇ rsrc	no	Resource_ID	yes	no

SODViolation2 Violation to SOD rule 2

Field Name	Label	Col-Label	Format	Dec
Company_ID	link to Entity		9999999999	
Domain_ID	link to Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Role1_ID	link to Role 1		9999999999	
Role2_ID	link to Role 2		9999999999	
SODCategory1_ID	link to SOD Category 1		9999999999	
SODCategory2_ID	link to SOD Category 2		9999999999	
SODViolation2_ID	record ID		9999999999	
Usr_ID	link to User		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CY	no	Company_ID	yes	no
◇ DMN	no	Domain_ID	yes	no
* prim	yes	SODViolation2_ID	yes	no
Role1	no	Role1_ID	yes	no
Role2	no	Role2_ID	yes	no
◇ SODC1	no	SODCategory1_ID	yes	no
◇ SODC2	no	SODCategory2_ID	yes	no
◇ Usr	no	Usr_ID	yes	no

SODViolation2RResource in violation to SOD rule 2

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Resource_ID	link to Resource		9999999999	
SODViolation2_ID	link to parent		9999999999	
SODViolation2R_ID	record ID		9999999999	
SODViolation2RCategory	Category nbr (1 or 2)		9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ parent	no	SODViolation2_ID	yes	no
◇* prim	yes	SODViolation2R_ID	yes	no
◇ rsrc	no	Resource_ID	yes	no

sodv_hist Segregation Of Duties Violation Log

Field Name	Label	Col-Label	Format	Dec
oid_sodv_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sodv__qadc01			x(24)	
sodv__qadc02			x(24)	
sodv_category1	SOD Category Code	Category	x(8)	

Field Name	Label	Col-Label	Format	Dec
sodv_category2	SOD Category Code	Category	x(8)	
sodv_date	Created Date	Created	99/99/99	
sodv_fix_date	Fixed Date		99/99/99	
sodv_fix_time	Fixed Time	Time	>>>>9	
sodv_fix_userid	Fixed By		x(8)	
sodv_group	Role Name		x(20)	
sodv_group1	Role Name		x(20)	
sodv_group1_conflict	Role 1 Conflict	Role 1	yes/no	
sodv_group2	Role Name		x(20)	
sodv_group2_conflict	Role 2 Conflict	Role 2	yes/no	
sodv_mod_date	Modified Date	Mod Date	99/99/99	
sodv_mod_userid	User ID		x(8)	
sodv_pe_code	SOD Policy Exception Code		x(35)	
sodv_rule_type	SOD Rule Type	Type	x(2)	
sodv_time	Time		>>, >>>, >>9	
sodv_user	User ID		x(8)	
sodv_user1	User Field Character 1		x(24)	
sodv_user2	User Field Character 2		x(24)	
sodv_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sodv_hist	yes	oid_sodv_hist	yes	no
* sodv_vio_id	yes	sodv_rule_type	yes	no
		sodv_user	yes	no
		sodv_group	yes	no
		sodv_category1	yes	no
		sodv_category2	yes	no
		sodv_group1	yes	no
		sodv_group2	yes	no
		sodv_userid	yes	no
		sodv_date	yes	no
		sodv_time	yes	no
		sodv_fix_userid	yes	no
		sodv_fix_date	yes	no
		sodv_fix_time	yes	no

sod det

Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_sod_det			>>>>>>>>>>>>>>>>>>9 10	
sod_chr01			.9<<<<<<<	
sod_chr02			x(8)	
sod_chr03			x(8)	
sod_chr04			x(8)	
sod_chr05			x(8)	
sod_chr06			x(8)	
sod_chr07			x(8)	
sod_chr08			x(8)	
sod_chr09			x(8)	
sod_chr10			x(8)	
sod_dec01			>>>, >>>, >>9.99	10
sod_dec02			>>>, >>>, >>9.99	10
sod_dte01			99/99/99	
sod_dte02			99/99/99	
sod_log01			yes/no	
sod_qad01			->>>>, >>>, >>9	
sod_qad02			yes/no	
sod_qadc01	QAD Field		X(8)	0
sod_qadc02	QAD Field		X(8)	0
sod_qadc03	QAD Field		X(8)	0
sod_qadc04	QAD Field		X(8)	0
sod_qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
sod_qadd04			->, >>>, >>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sod__qadi01	QAD Field		->,>>>,>>9	
sod__qadi02	QAD Field		->,>>>,>>9	
sod__qadi01	QAD Field		yes/no	
sod__qadi02	QAD Field		yes/no	
sod__qadi03	QAD Field		yes/no	
sod__qadi01	QAD Field		99/99/99	
sod__qadi02	QAD Field		99/99/99	
sod__qadi03	QAD Field		99/99/99	
sod__qadi04	QAD Field		99/99/99	
sod__abnormal	Abnormal Demand	Abnormal	yes/no	
sod__acct	Sales Acct	Sales	x(8)	
sod__act_price	Total List Price		->>>>,>>>,>>9.99<<<	10
sod__alt_pkg	Alternates		yes/no	
sod__auto_ins	Installation Call		yes/no	
sod__auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
sod__bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<<	10
sod__bonus	Bonus Stock Line		yes/no	
sod__btb_po	EMT PO Nbr	EMT PO	x(8)	
sod__btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod__btb_type	EMT Type		xx	
sod__btb_vend	EMT Supplier	EMT Supp	x(8)	
sod__ca_line	Call Line		>>9	
sod__ca_nbr	Call		x(8)	
sod__calc_isb	Calculate Isb		yes/no	
sod__car_load	Call Act. Rec. Load		yes/no	
sod__cc	Cost Ctr	CC	x(4)	
sod__cfg_type	Configuration	Config	x(1)	
sod__charge_type	Charge Type	Charge! Type	x(8)	
sod__cmtindx	Comment Index	Comment	>>>>>>>9	
sod__comm_pct[4]	Commission	Comm%	>>9.99%	10
sod__comment[5]	Comments		x(40)	
sod__compl_date	Status Date	Stat Date	99/99/99	
sod__compl_stat	Complete Status	Status	x(8)	
sod__confirm	Confirmed		yes/no	
sod__conrep	Netting Logic	C/R	x(1)	
sod__consign_loc	Consignment Location	Consignment! Location	x(8)	
sod__consignment	Consignment		yes/no	
sod__consume	Consume Forecast	Consume Fcst	yes/no	
sod__contr_id	PO Number		x(30)	
sod__covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
sod__crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sod__cum_date[4]	Cum Start		99/99/99	
sod__cum_qty[4]	Cum Shipped		->>>>,>>>,>>9.9<<<<<<<<<	10
sod__cum_time[4]	Time		>>,>>>,>>9	
sod__curr_rlse_id[3]	Active Rlse ID		x(30)	
sod__custpart	Customer Item		x(30)	
sod__custref	Customer Ref		x(30)	
sod__desc	Description		x(24)	
sod__dir_all	Allocated Direct	Alloc Dir	yes/no	
sod__disc_pct	Disc %		->>9.99%	10
sod__div	Division		x(8)	
sod__dock	Dock		x(8)	
sod__domain	Domain		x(8)	
sod__drp_ref	DRP Ref		x(8)	
sod__dsc_acct	Disc Acct		x(8)	
sod__dsc_cc	Disc CC	CC	x(4)	
sod__dsc_project	Disc Project		x(8)	
sod__dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sod__due_date	Due Date	Due	99/99/99	
sod__end_eff[4]	End Effective		99/99/99	
sod__enduser	End User		x(8)	
sod__exp_del	Exp Delivery Date	Exp Date	99/99/99	
sod__expire	Expires		99/99/99	
sod__fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
sod__fab_days	Fab Auth Days		>,>>9	
sod__fix_pr	Fixed Price	Fix	yes/no	
sod__fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
sod__for	For		x(18)	
sod__for_serial	Parent Item Serial		X(18)	
sod__fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
sod__fr_class	Freight Class		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_fr_list	Freight List	Fr List	x(8)	
sod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
sod_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<	10
sod_fr_wt_um	UM		x(2)	
sod_fsm_type	FSM Type		x(8)	
sod_fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
sod_fsrev_cc	Revenue CC	CC	x(4)	
sod_fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
sod_fst_list	FST on List		yes/no	
sod_hold_stat	Hold Status		x(8)	
sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
sod_inv_cost	Invoice Cost		->>>, >>>, >>9.99<<<	10
sod_inv_nbr	Invoice		x(22)	
sod_isb_loc	Installed Base Location		x(22)	
sod_isb_ref	ISB Ref		>>>>>>9	
sod_line	Line	Ln	>>9	
sod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
sod_ln_ref	Line Ref		x(8)	
sod_loc	Location		x(8)	
sod_lot	ID		x(8)	
sod_manual_fr_list	Manual Fr List		yes/no	
sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
sod_mod_date	Modified Date	Mod Date	99/99/99	
sod_mod_userid	User ID		X(8)	
sod_modelyr	Model Year		x(4)	
sod_nbr	Sales Order	Order	x(8)	
sod_ord_mult	Std Pack Qty	Mult	>>, >>>, >>9	0
sod_order_category	Category		x(8)	
sod_out_po	Display PO Number		x(30)	
sod_override_lmt	Override Limits	Lmt	yes/no	
sod_owner	Ownership		x(8)	
sod_part	Item Number		x(18)	
sod_partial	Partial OK	Partial	yes/no	
sod_pastdue	Past Due Logic	C/R	x(1)	
sod_per_date	Perform		99/99/99	
sod_pickdate	Pick Date		99/99/99	
sod_pkg_code	Pkg Code		x(18)	
sod_pl_priority	P/L Priority		>9	
sod_pr_list	Price List	List	x(8)	
sod_price	Price		>>>>, >>>, >>9.99<<<	10
sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
sod_prig1	Pricing Group 1		x(8)	
sod_prig2	Pricing Group 2		x(8)	
sod_prodlne	Product Line	Line	x(4)	
sod_project	Project		x(8)	
sod_promise_date	Promise Date	Promise	99/99/99	
sod_pst	PST Taxable		yes/no	
sod_qty_all	Qty Allocated		->, >>>, >>9.9<<<<<<<<	10
sod_qty_chg	Qty To Ship		->, >>>, >>9.9<<<<<<<<	10
sod_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	10
sod_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	10
sod_qty_inv	Qty to Invoice		->, >>>, >>9.9<<<<<<<<	10
sod_qty_item	Item Quantity	Item Qty	->>, >>9.9<<<<	10
sod_qty_ivcd	Quantity Invoiced		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
sod_qty_pend	Qty Pending		->, >>>, >>9.9<<<<<<<<	10
sod_qty_per	Duration		->>>9.9<<<	10
sod_qty_pick	Qty Picked		->, >>>, >>9.9<<<<<<<<	10
sod_qty_qote	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ret	Qty Returned		->, >>>, >>9.9<<<<<<<<	10
sod_qty_ship	Qty Shipped		->, >>>, >>9.9<<<<<<<<	10
sod_raw_days	Raw Auth Days		>, >>9	
sod_rbkt_days	Req Schedule Days		>>9	
sod_rbkt_mths	Req Schedule Months		>>9	
sod_rbkt_weeks	Req Schedule Weeks		>>9	
sod_ref	Ref		>>>>>>9	
sod_req_date	Required Date	Required	99/99/99	
sod_req_time	Required Time		99:99	
sod_rlse_nbr	Next Release ID		99999999	
sod_rma_type	RMA Type		x(1)	
sod_sa_nbr	Service Contract		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_sad_line	Contract Line		>>>>>>9	
sod_sch_data	Schedule Data		x(8)	
sod_sch_mrp	Sched MRP Req		yes/no	
sod_sched	Scheduled		yes/no	
sod_sched_chgd	Schedule Changed		yes/no	
sod_serial	Lot/Serial		x(18)	
sod_ship	Ship-To		x(8)	
sod_ship_part	End Customer Shipping Item		x(30)	
sod_shipvia	Ship Via		x(20)	
sod_site	Site		x(8)	
sod_slspsn[4]	Salesperson	Salespsn	x(8)	
sod_sob_rev	Revised Date	Revised	99/99/99	
sod_sob_std	Standard Bill	Std BOM	yes/no	
sod_start_eff[4]	Start Effective		99/99/99	
sod_status	Status		x(8)	
sod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sod_sv_code	Warranty Code		X(8)	
sod_tax_env	Tax Environment	Tax Env	x(16)	
sod_tax_in	Tax In		yes/no	
sod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
sod_tax_usage	Tax Usage	TaxUsage	x(8)	
sod_taxable	Taxable	Tax	yes/no	
sod_taxc	Tax Class	TxC	x(3)	
sod_to_loc	Location		x(8)	
sod_to_ref	Kit Ref		x(8)	
sod_to_site	Site		x(8)	
sod_trade_sale_po	Trade Sales PO	TS PO	x(8)	
sod_trade_sale_po_line	Trade Sales PO Line Number	Line	>>9	
sod_trade_sale_vend	Trade Sales Supplier	TS Supplier	x(8)	
sod_translt_days	Transport Days		>>9.99	10
sod_translt_hrs	Transport Hours		>>9.99	10
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_unadjust_cum_qty	Shipped quantity		>, >>>, >>>, >>9.9<<<<<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sod_xslspsn[3]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_sod_det	yes	old_sod_det	yes	no
sod_call	no	sod_domain	yes	no
		sod_ca_nbr	yes	no
		sod_ca_line	yes	no
		sod_part	yes	no
		sod_serial	yes	no
sod_fr_list	no	sod_domain	yes	no
		sod_nbr	yes	no
		sod_fr_list	yes	no
sod_fsm_type	no	sod_domain	yes	no
		sod_fsm_type	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
* sod_nbrln	yes	sod_domain	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
sod_part	yes	sod_domain	yes	no
		sod_part	yes	no
		sod_nbr	yes	no
		sod_line	yes	no

sop_det

Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
sop_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sop_qadc01			.9<<<<<<<<	
sop_batch	Batch Qty	Batch! Qty	x(8)	
sop_cost	Cost		>, >>>, >>9.9<<<<<<<<	10
sop_domain	Domain		>>>>, >>>, >>9.99<<<	10
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
sop_men_mch	Run Crew		->, >>9.99	10
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
sop_setup	Setup Time	Setup	>, >>9.9<<	10
sop_setup_men	Setup Crew		->, >>9.99	10
sop_sim	Cost Set		x(18)	
sop_start	Start Date	Start	99/99/99	
sop_std_batch	Standard Batch Size	Batch	>>>, >>9.9	10
sop_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
sop_user1	Ufld1		x(8)	
sop_user2	Ufld2		x(8)	
sop_wkctr	Work Center	Work Ctr	x(8)	
sop_yield_pct	Yield%		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sop_det	yes	oid_sop_det	yes	no
sop_sim_elem	yes	sop_domain	yes	no
		sop_sim	yes	no
		sop_element	yes	no
		sop_routing	yes	no
		sop_op	yes	no
* sop_sim_part	yes	sop_domain	yes	no
		sop_sim	yes	no
		sop_routing	yes	no
		sop_op	yes	no
		sop_element	yes	no

sor mstr

Sales Order Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_sor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sor__qadc01			.9<<<<<<<<<	
sor__qadc02			x(8)	
sor__qadc03			x(8)	
sor__qadd01			->>>>, >>>, >>9.9	10
sor__qadd02			->>>>, >>>, >>9.9	10
sor__qadi01			->, >>>, >>9	
sor__qadi02			->, >>>, >>9	
sor__qadl01			yes/no	
sor__qadl02			yes/no	
sor__qadt01			99/99/99	
sor__qadt02			99/99/99	
sor_div	Division		X(8)	
sor_domain	Domain		x(8)	
sor_group	Group		X(8)	
sor_nbr	Sales Order		X(8)	
sor_pricing	Pricing		>9	

Index-Name	Uni	Field-Name	Asc	Abbr
old_sor_mstr	yes	old_sor_mstr	yes	no
sor_nbr_seq	yes	sor_domain	yes	no
		sor_nbr	yes	no
		sor_seq	yes	no
sor_type	no	sor_domain	yes	no
		sor_type	yes	no

sosrd_det Sales Order Shipment Reason Detail

Field Name	Label	Col-Label	Format	Dec
oid_sosrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sosrd__qadc01			.9<<<<<<<<<	
sosrd__qadc02			X(24)	
sosrd_abs_id	Shipper		x(20)	
sosrd_dataset	Dataset		x(12)	
sosrd_domain	Domain		x(8)	
sosrd_line	Line		>>9	
sosrd_measurement_type	Type		>	
sosrd_mod_date	Modified Date	Mod Date	99/99/99	
sosrd_mod_userid	User ID		X(8)	
sosrd_nbr	Order		x(8)	
sosrd_rsn_code	Reason Code		x(8)	
sosrd_shipfrom	Ship-from		x(8)	
sosrd_user1	User Field Character 1		X(24)	
sosrd_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sosrd_det	yes	oid_sosrd_det	yes	no
* sosrd_nbr	yes	sosrd_domain	yes	no
		sosrd_nbr	yes	no
		sosrd_line	yes	no
		sosrd_shipfrom	yes	no
		sosrd_abs_id	yes	no
		sosrd_measurement_type	yes	no
		sosrd_dataset	yes	no

sosr_mstr Sales Order Shipment Reason Master

Field Name	Label	Col-Label	Format	Dec
oid_sosr_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sosr__qadc01			.9<<<<<<<<	
sosr__qadc02			X(24)	
sosr_abs_id	Shipper		x(20)	
sosr_cmtindx	Comment		>>>>>>>9	
sosr_domain	Domain		x(8)	
sosr_line	Line		>>9	
sosr_mod_date	Modified Date	Mod Date	99/99/99	
sosr_mod_userid	User ID		X(8)	
sosr_nbr	Order		x(8)	
sosr_shipfrom	Ship-From		x(8)	
sosr_user1	User Field Character 1		X(24)	
sosr_user2	User Field Character 2		X(24)	

✻

so mstr

Sales Order Master

oid_so_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so__dec01			>>>, >>>, >>9.99	10
so__dec02			>>>, >>>, >>9.99	10
so__dte01			99/99/99	
so__dte02			99/99/99	
so__log01			yes/no	
so__qad01			-z, zzz, zzz, zz9.99	10
so__qad02			-z, zzz, zzz, zz9.99	10
so__qad03			-z, zzz, zzz, zz9.99	10
so__qad04			>	
so__qad05[2]			>>9.9<<	10
so__qadc01	QAD Field		X(8)	0
so__qadc02	QAD Field		X(8)	0
so__qadc03	QAD Field		X(8)	0
so__qadc04	QAD Field		X(8)	0
so__qadc05	QAD Field		X(8)	0
so__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadi01	QAD Field		->, >>>, >>9	
so__qadi02	QAD Field		->, >>>, >>9	
so__qadi03	QAD Field		->, >>>, >>9	
so__qadl01	QAD Field		yes/no	
so__qadl02	Exclude Planning Data		yes/no	
so__qadl04			yes/no	
so__qadt01	QAD Field		99/99/99	
so__qadt02	QAD Field		99/99/99	
so__qadt03	QAD Field		99/99/99	
so_app_owner	Owner Application		x(12)	
so_ar_acct	AR Account	AR	x(8)	
so_ar_cc	Cost Ctr	CC	x(4)	
so_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
so_auth_days	AUTHNBR Unique Days		>>9	
so_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
so_bank	Bank		x(2)	
so_bill	Bill-To		x(8)	
so_bol	BOL		x(18)	
so_bump_all	Unpeg		yes/no	
so_ca_nbr	Call		x(8)	0
so_cartons	Cartons		->, >>>, >>9	
so_channel	Channel		x(8)	
so_cmtindx	Comment Index	Comment	>>>>>>>9	
so_cncl_date	Cancel Date	Cancel	99/99/99	
so_comm_pct[4]	Commission	Comm%	>>9.99%	10
so_compl_date	Status Date	Stat Date	99/99/99	
so_compl_stat	Complete Status	Status	x(8)	

Field Name	Label	Col-Label	Format	Dec
so_conf_date	Confirmed Date	Confirmed	99/99/99	
so_conrep	Netting Logic	C/R	x(1)	
so_consign_loc	Consignment Location	Consignment! Location	x(8)	
so_consignment	Consignment		yes/no	
so_cr_card	Credit Card	Card	x(2)	
so_cr_init	Cr Initials	Initials	x(3)	
so_cr_terms	Credit Terms	Terms	x(8)	
so_credit	Credit	Cr	yes/no	
so_crprlist	Credit Price List		X(8)	
so_cum_acct	Cumulative Accounting		Cum/Req	
so_curr	Currency	Cur	x(3)	
so_cust	Sold-To		x(8)	
so_cust_po	End Customer PO	End Cust PO	x(22)	
so_custref_val	Customer Ref Is Customer Item		yes/no	
so_daybookset	Daybook Set	Dybk Set	x(8)	
so_disc_pct	Disc %		->>9.99%	10
so_div	Division		x(8)	
so_domain	Domain		x(8)	
so_due_date	Due Date	Due	99/99/99	
so_eng_code	Engineer		x(8)	
so_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
so_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
so_ex_ratetype	Rate Type		x(8)	
so_exru_seq	Sequence		>>>>>>>>9	
so_fcg_code	Charge Code		x(8)	0
so_firm_seq_days	Firm Days		>>9	
so_fix_pr	Fixed Price		yes/no	
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Fr List	x(8)	
so_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
so_fr_terms	Freight Terms	Fr Terms	x(8)	
so_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
so_fsaccr_cc	Accrued Revenue CC		x(4)	
so_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
so_fsdef_cc	Deferred Revenue CC		x(4)	
so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_hold_stat	Hold Status		x(8)	
so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
so_incl_iss	Include Saturday/Sunday		yes/no	
so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(22)	
so_invoiced	Invoiced		yes/no	
so_lang	Language		x(2)	
so_manual_fr_terms	Manual Fr Terms		yes/no	
so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_nrm	Sequence ID	Seq ID	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
so_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	

Field Name	Label	Col-Label	Format	Dec
so_project	Project		x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<%	10
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_req_time	Required Time		99:99	
so_rev	Revision	Rev	>>9	
so_revenue	Revenue Type		x(1)	
so_reviewed	Reviewed		yes/no	
so_rmks	Remarks		x(40)	
so_rss_cal_option	RSS Calendar Option		>>9	
so_sa_nbr	Contract		x(8)	
so_sch_mthd	Schedules Via		x(1)	
so_sched	Scheduled		yes/no	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_seq_order	Sequenced	Partial	yes/no	
so_ship	Ship-To		x(8)	
so_ship_cmplt	Ship Complete		>>9	
so_ship_date	Ship Date		99/99/99	
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO		x(22)	
so_shipvia	Ship Via		x(20)	
so_site	Site		x(8)	
so_size	Size		->,>>>,>>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	10
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_trade_sale	Trade Sales Contract		yes/no	
so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_trl1_cd	Trailer 1	Trl1	x(2)	
so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_trl2_cd	Trailer 2	Trl2	x(2)	
so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_trl3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>,>>>,>>9.9999	10
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
so_xslspsn[2]	Salesperson	Salespsn	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_so_mstr	yes	old_so_mstr	yes	no
so_bill	no	so_domain	yes	no
		so_bill	yes	no
		so_compl_stat	yes	no
		so_nbr	yes	no
		so_ord_date	yes	no
so_ca_nbr	no	so_domain	yes	no
		so_ca_nbr	yes	no
so_complete	yes	so_domain	yes	no
		so_compl_stat	yes	no
		so_nbr	yes	no
so_cust	no	so_domain	yes	no
		so_cust	yes	no
		so_compl_stat	yes	no
so_cust_po	no	so_domain	yes	no
		so_cust_po	yes	no
		so_cust	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
so_fsm_type	no	so_nbr	yes	no
		so_domain	yes	no
		so_fsm_type	yes	no
so_invoice	no	so_nbr	yes	no
		so_domain	yes	no
		so_inv_nbr	yes	no
* so_nbr	yes	so_domain	yes	no
so_po_nbr	no	so_nbr	yes	no
		so_domain	yes	no
		so_po	yes	no
so_quote	no	so_cust	yes	no
		so_nbr	yes	no
		so_domain	yes	no
		so_quote	yes	no
		so_nbr	yes	no
so_ship	no	so_domain	yes	no
		so_ship	yes	no
		so_compl_stat	yes	no
so_to_inv	yes	so_domain	yes	no
		so_to_inv	yes	no
		so_nbr	yes	no

spc_ctrl Salesperson Control

Field Name	Label	Col-Label	Format	Dec
oid_spc_ctrl			>>>>>>>>>>>>>>>>>>>>>>	9 10
spc__qad01			.9<<<<<<<<<<	
spc__qadi01			>>>>>>g	
spc_domain	Domain		->>>>>>>g	
spc_nbr	Next Salesperson		x(8)	
spc_user1			999999999	
spc_user2			x(8)	
			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_spc_ctrl	yes	oid_spc_ctrl	yes	no
*	spc_index1	yes	spc_domain	yes	no

spd_det Salesperson Commission Detail

Field Name	Label	Col-Label	Format	Dec
oid_spd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
spd_chr01			x(8)	
spd_chr02			x(8)	
spd_chr03			x(8)	
spd_chr04			x(8)	
spd_chr05			x(8)	
spd_dec01			>>>,>>>,>>9.99	10
spd_dec02			>>>,~>>>,>>9.99	10
spd_dte01			99/99/99	
spd_dte02			99/99/99	
spd_addr	Salespsn		x(8)	
spd_comm_pct	Commission	Comm%	>>9.99%	10
spd_cust	Customer		x(8)	
spd_domain	Domain		x(8)	
spd_mod_date	Modified Date	Mod Date	99/99/99	
spd_part	Item Number		x(18)	
spd_prod_ln	Prod Line	Line	x(4)	
spd_user1	Ufld1		x(8)	
spd_user2	Ufld2		x(8)	
spd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_spd_det	yes	oid_spd_det	yes	no
* spd_addr	yes	spd_domain	yes	no
		spd_addr	yes	no
		spd_prod_ln	yes	no
		spd_part	yes	no
		spd_cust	yes	no

sph_hist

Salesperson Sales History

Field Name	Label	Col-Label	Format	Dec
oid_sph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sph_chr01			.9<<<<<<<<<	
sph_chr02			x(8)	
sph_chr03			x(8)	
sph_chr04			x(8)	
sph_chr05			x(8)	
sph_dec01[12]			>>>>, >>>, >>9.99	10
sph_dec02[12]			>>>>, >>>, >>9.99	10
sph_dte01			99/99/99	
sph_dte02			99/99/99	
sph_log01			yes/no	
sph_cost[12]	Cost		->>>, >>>, >>9	10
sph_domain	Domain		x(8)	
sph_quota[12]	Quota		->>>, >>>, >>9	10
sph_sales[12]	Sales		->>>, >>>, >>9	10
sph_slspsn1	Salespsn1		x(8)	
sph_smonth	Start Month		>9	
sph_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
sph_tot_sale	YTD Sales		->, >>>, >>>, >>9	10
sph_type	Ship Type	T	x(1)	
sph_user1	Ufld1		x(8)	
sph_user2	Ufld2		x(8)	
sph_year	Year		9999	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sph_hist	yes	oid_sph_hist	yes	no
sph_slspns1	yes	sph_domain	yes	no
		sph_slspns1	yes	no
		sph_year	yes	no
* sph_year	yes	sph_domain	yes	no
		sph_year	yes	no
		sph_slspns1	yes	no

spt_det

Cost Simulation Item Detail

Field Name	Label	Col-Label	Format	Dec
spt_oid_det			>>>>>>>>>>>>>>>>>>>>>>9	10
spt_qadc01			.9<<<<<<<<	
spt_ao	Add On	A/O	x(8)	
spt_cst_ll	Cost LL		yes/no	
spt_cst_tl	Cost		>>>, >>, >>9.99<<<	10
spt_domain	Domain		>>>, >>, >>9.99<<<	10
spt_element	Cost Element	Element	x(8)	
spt_mod_date	Modified Date	Mod Date	99/99/99	
spt_part	Item Number		x(18)	
spt_pct_ll	Seq 1		>>9.99%	10
spt_pct_tl	Seq 2		>>9.99%	10
spt_sim	Cost Set		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_spt_det	yes	oid_spt_det	yes	no
spt_sim_elem	yes	spt_domain	yes	no
		spt_sim	yes	no
		spt_element	yes	no
		spt_part	yes	no
		spt_site	yes	no
spt_sim_part	yes	spt_domain	yes	no
		spt_site	yes	no
		spt_sim	yes	no
		spt_part	yes	no
		spt_element	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_sp_mstr			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
sp_chr01			x(8)	
sp_chr02			x(8)	
sp_chr03			x(8)	
sp_chr04			x(8)	
sp_chr05			x(8)	
sp_dec01			>>>,>>>,>>9.99	10
sp_dec02			>>>,>>>,>>9.99	10
sp_dte01			99/99/99	
sp_dte02			99/99/99	
sp_log01			yes/no	
sp_addr	Salespsn		x(8)	
sp_comm_pct	Commission	Comm%	>>9.99%	10
sp_domain	Domain		x(8)	
sp_sort	Sort Name		x(28)	
sp_territory	Territory	Trty	x(4)	
sp_user1	Ufld1		x(8)	
sp_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_src_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
src__qadc01			.9<<<<<<<<<<<	
src__qadi01			x(8)	
src_domain	Domain		->>>>>>g	
src_nbr	SR Number		x(8)	
src_user1	Ufld1		>>>>>>g	
src_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_src_ctrl	yes	oid_src_ctrl	yes	no
*	src_index1	yes	src_domain	yes	no

sroc_ctrl

Service/Repair Order Control

Field Name	Label	Col-Label	Format	Dec
oid_sroc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
sroc__qad01			.9<<<<<<<<<	
sroc__qadi01			>>>>>>9	
sroc_domain	Domain		->>>>>>>9	
sroc_sro	Next SR/O Number	Next SRO	x(8)	
sroc_sro_pre	SRO Prefix	Pre	>>>>>>>9	
sroc_user1	Ufld1		x(3)	
sroc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sroc_ctrl	yes	oid_sroc_ctrl	yes	no
*	sroc_index1	yes	sroc_domain	yes	no

sro_mstr

Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
oid_sro_mstr			>>>>>>>>>>>>>>>>>>>>9	10
sro_chr01			.9<<<<<<<	
sro_chr02			x(8)	
sro_chr03			x(8)	
sro_chr04			x(8)	
sro_chr05			x(8)	
sro_dec01			>>>, >>>, >>9.99	10
sro_dec02			>>>, >>>, >>9.99	10
sro_dte01			99/99/99	
sro_dte02			99/99/99	
sro_log01			yes/no	
sro_qadc05			x(8)	
sro_qadc06			x(4)	
sro_assign	Assigned To	Assigned	x(8)	
sro_author	Authorized By	Author	x(8)	
sro_closed	Closed		yes/no	
sro_cls_date	Closed		99/99/99	
sro_cmmt[16]			x(76)	
sro_cmtindx	Comment		>>>>>>>9	
sro_cr_terms	Credit Terms	Terms	x(8)	
sro_cust	Customer		x(8)	
sro_desc	Description		x(24)	
sro_disc_pct	Disc %		->9.99%	10
sro_domain	Domain		x(8)	
sro dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z,zzz,zzz,zz9.99	10
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_invoiced	Invoiced		yes/no	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	

Field Name	Label	Col-Label	Format	Dec
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	10
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z,zzz,zzz,zz9.99	10
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	10
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	10
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufid1		x(8)	
sro_user2	Ufid2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sro_mstr	yes	oid_sro_mstr	yes	no
sro_assign	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_assign	yes	no
		sro_ent_date	yes	no
sro_cust	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_cust	yes	no
		sro_ent_date	yes	no
sro_desc	yes	sro_domain	yes	no
		sro_desc	yes	no
		sro_nbr	yes	no
sro_dspstn	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_dspstn	yes	no
		sro_ent_date	yes	no
sro_ent_date	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_ent_date	yes	no
		sro_nbr	yes	no
sro_failure1	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_failure1	yes	no
		sro_ent_date	yes	no
* sro_nbr	yes	sro_domain	yes	no
		sro_nbr	yes	no
sro_part	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_part	yes	no
		sro_ent_date	yes	no
sro_ship	no	sro_domain	yes	no
		sro_ship	yes	no
sro_status	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_status	yes	no
		sro_ent_date	yes	no
sro_type	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_type	yes	no
		sro_ent_date	yes	no

Service Request Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_srr_mstr	yes	oid_srr_mstr	yes	no
srr_assign	no	srr_domain	yes	no
		srr_assign	yes	no
srr_eco	no	srr_domain	yes	no
		srr_eco	yes	no
srr_eu_nbr	no	srr_domain	yes	no
		srr_eu_nbr	yes	no
* srr_nbr	yes	srr_domain	yes	no
		srr_nbr	yes	no
srr_part	yes	srr_domain	yes	no
		srr_part	yes	no
		srr_nbr	yes	no
srr_problem	no	srr_domain	yes	no
		srr_problem	yes	no

Serial Number Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sr_wkfl	yes	oid_sr_wkfl	yes	no
* sr_id	yes	sr_domain	yes	no
		sr_userid	yes	no
		sr_lineid	yes	no
		sr_site	yes	no
		sr_loc	yes	no
		sr_lotser	yes	no
		sr_ref	yes	no

Source of Supply Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ssd_det	yes	oid_ssd_det	yes	no
* ssd_det	yes	ssd_domain	yes	no
		ssd_network	yes	no
		ssd_rec_site	yes	no
		ssd_src_site	yes	no
		ssd_ref	yes	no
ssd_rec_site	no	ssd_domain	yes	no
		ssd_rec_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
ssd_src_site	no	ssd_network	yes	no
		ssd_src_site	yes	no
		ssd_domain	yes	no
		ssd_src_site	yes	no
		ssd_network	yes	no
		ssd_rec_site	yes	no

ssm mstr

Source of Supply Master

Field Name	Label	Col-Label	Format	Dec
oid_ssm_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
ssm__qadc01			x(8)	
ssm_desc	Description		x(24)	
ssm_domain	Domain		x(8)	
ssm_network	Network Code		x(18)	
ssm_planner	Planner		x(8)	
ssm_user1	Ufld1		x(8)	
ssm_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ssm_mstr	yes	oid_ssm_mstr	yes	no
ssm_desc	no	ssm_domain	yes	no
		ssm_desc	yes	no
		ssm_network	yes	no
* ssm_network	yes	ssm_domain	yes	no
		ssm_network	yes	no

State

State

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
State_ID	Record ID		9999999999	
StateCode	State		x(4)	
StateDescription	Description		x(40)	
StateIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	StateCode	yes	no
◇ IsActive	no	StateIsActive	yes	no
◇* Prim	yes	State_ID	yes	no
◇ ViewIndex	no	StateIsActive	yes	no
		StateCode	yes	no

Statistic

Statistical Code

Field Name	Label	Col-Label	Format	Dec
Country_ID			9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Statistic_ID	Record ID		9999999999	
StatisticCode			x(20)	
StatisticDescription			x(40)	
StatisticIsActive			yes/no	
StatisticType			x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ ActiveIdx	no	StatisticsActive	yes	no
◇ CntCodeIdx	yes	Country_ID	yes	no
		StatisticCode	yes	no
◇* Prim	yes	Statistic_ID	yes	no
TypeIdx	no	StatisticType	yes	no
◇ ViewIndex	no	StatisticsActive	yes	no
		StatisticCode	yes	no

sttqd det Time-Based/Quantity-Based Status Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_sttqd_det			>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
sttqd__qadc01			X(24)	
sttqd__qadc02			X(24)	
sttqd_acceptable	Acceptable		yes/no	
sttqd_active	Active		yes/no	
sttqd_customer_source	Customer Source		x(3)	
sttqd_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
sttqd_max_value	Maximum	Max	->,>>>, >>9.9<<<<<<<	10
sttqd_measurement_type	Status Type		>	
sttqd_min_value	Minimum	Min	->,>>>, >>9.9<<<<<<<	10
sttqd_mod_date	Modified Date	Mod Date	99/99/99	
sttqd_mod_userid	User ID		X(8)	
sttqd_part	Item Number		x(18)	
sttqd_receive_addr	Receive Address		x(8)	
sttqd_shipfrom	Ship-From		x(8)	
sttqd_status_code	Status Code		x(8)	
sttqd_tracking_measure	Track By		X(8)	
sttqd_use_percent	Track By Percentage		yes/no	
sttqd_user1	User Field Character 1		X(24)	
sttqd_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sttqd_det	yes	oid_sttqd_det	yes	no
sttqd_active	no	sttqd_domain	yes	no
		sttqd_active	yes	no
		sttqd_measurement_type	yes	no
		sttqd_customer_source	yes	no
		sttqd_use_percent	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no
		sttqd_min_value	yes	no
		sttqd_max_value	yes	no
* sttqd_customer_src	yes	sttqd_domain	yes	no
		sttqd_measurement_type	yes	no
		sttqd_status_code	yes	no
		sttqd_customer_source	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no

sttg_mstr Time-Based/Quantity-Based Status Code Master

Field Name	Label	Col-Label	Format	Dec
oid_sttq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
sttq_qadc01			X(24)	
sttq_qadc02			X(24)	
sttq_desc	Description		x(24)	
sttq_domain	Domain		x(8)	
sttq_measurement_type	Measurement Type		>	
sttq_mod_date	Modified Date	Mod Date	99/99/99	
sttq_mod_userid	User ID		X(8)	
sttq_status_code	Status Code		x(8)	
sttq_user1	User Field Character 1		X(24)	
sttq_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_stqt_mstr	yes	oid_stqt_mstr	yes	no
*	stqt_type_code	yes	stqt_domain	yes	no
			stqt_measurement_type	yes	no
			stqt_status_code	yes	no

stx_mstr

Field Name	Label	Col-Label	Format	Dec
oid_stx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
stx__qadc01			.9<<<<<<<<	
stx__qadc02			x(24)	
stx_domain	Domain		x(24)	
stx_key	Key		x(8)	
stx_mod_date	Modified Date	Mod Date	x(8)	
stx_mod_userid	User ID		99/99/99	
stx_paid	Paid		x(8)	
stx_tax_code	Tax Code		yes/no	
stx_tran_type	Transaction Type	Tr Type	x(8)	
stx_use_st	Use Suspended Tax	Susp Tax	x(8)	
stx_user1	User Field Character 1		yes/no	
stx_user2	User Field Character 2		x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_stx_mstr	yes	old_stx_mstr	yes	no
* stx_tran_key	yes	stx_domain	yes	no
		stx_tran_type	yes	no
		stx_key	yes	no
		stx_tax_code	yes	no

sufd_det

Shipper User Field Detail

Field Name	Label	Col-Label	Format	Dec
oid_sufd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sufd__qadc01			.9<<<<<<<<<	
sufd__qadc02			x(24)	
sufd_abs_fld_name	Shipper Field Name		x(32)	
sufd_domain	Domain		x(8)	
sufd_fld_name	Field Name		X(30)	
sufd_fld_prompt	Prompt for Value		yes/no	
sufd_fld_seq	Field Sequence	Seq	>>9	
sufd_fld_value	Field Value		X(30)	
sufd_level	Apply to		>>9	
sufd_mod_date	Modified Date	Mod Date	99/99/99	
sufd_mod_userid	User ID		x(8)	
sufd_shipfrom	Ship From		x(8)	
sufd_shipto	Ship-To/Dock		x(8)	
sufd_userc01	User Field Character 1		x(24)	
sufd_userc02	User Field Character 2		x(24)	
sufd_validate	Validate		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sufd_det	yes	oid_sufd_det	yes	no
sufd_level	no	sufd_domain	yes	no
		sufd_level	yes	no
		sufd_fld_seq	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
* sufd_shipfrom	yes	sufd_domain	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
		sufd_level	yes	no
		sufd fld seq	yes	no

suf_mstr

Shipper User Field Master

Field Name	Label	Col-Label	Format	Dec
oid_suf_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
suf__qadc01			.9<<<<<<<<	
suf__qadc02			x(24)	
suf_abs_fld_name	Shipper Field Name		x(32)	
suf_domain	Domain		x(8)	
suf_fld_name	Field Name		x(32)	
suf_fld_prompt	Prompt for Value		yes/no	
suf_fld_seq	Field Sequence	Seq	>>9	
suf_fld_value	Default Field Value		x(30)	
suf_level	Apply to		>>9	
suf_mod_date	Modified Date	Mod Date	99/99/99	
suf_mod_userid	User ID		x(8)	
suf_userc01	User Field Character 1		x(24)	
suf_userc02	User Field Character 2		x(24)	
suf_validate	Validate		x(32)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_suf_mstr	yes	oid_suf_mstr	yes	no
*	suf_level	yes	suf_domain	yes	no
			suf_level	yes	no
			suf_flg_seq	yes	no

Service/Support Management Control

Field Name	Label	Col-Label	Format	Dec
svc_call_pdev	Call Print Device		x(8)	
svc_call_pre	Call Prefix		x(3)	
svc_cancel_status	Cancel Status		x(8)	
svc_chg_cd	Chargeable Code		x(2)	
svc_chg_svcode	Charge Service Type		x(8)	
svc_close	Close Status	Cl Sts	x(8)	
svc_close_record	Close on Recording		yes/no	
svc_clsif_filter	Filter ISB by Classification		yes/no	
svc_cmmts	Call Comments	Cmmt	yes/no	
svc_code	Code		x(8)	
svc_comp_status	Complete Status		x(8)	
svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
svc_corr_est_time	Corrective Call Duration		999:99	
svc_cp_causer	Copy Call User Fields		yes/no	
svc_cp_sauser	Copy Contract User Fields		yes/no	
svc_create_cus	Create Customer		yes/no	
svc_db_timezone	Database Time Zone		X(8)	
svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
svc_dflt_que	Default Call Queue	Df Queue	x(8)	
svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
svc_dflt_warr	Default Warranty Type		x(8)	
svc_dispatch	Dispatcher		yes/no	
svc_domain	Domain		x(8)	
svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
svc_esc_dflt	Escalation Default		x(8)	
svc_esc_pause	Escalation Program Pause		>>,>>9	
svc_esc_prt	Escalation Printer		x(10)	
svc_esc_sch	Use Escalation		yes/no	
svc_esc_user	Esc User for Messages		x(8)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_Oitm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold No Calls		>>9	
svc_hold_status	Hold Status		x(8)	
svc_ins_days	Installation Days Ahead		>>9	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_invoice_acct	Modify Sales Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	
svc_isb_compbon	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_nsbom	Load Standard BOM		yes/no	
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Modified Date	Mod Date	99/99/99	
svc_mod_userid	User ID		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->,>>9.99<<<<	10
svc_pm_est_time	PM Call Duration		999:99	
svc_project_hndl	Project Code Handling		->,>>>,>>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_Oitm	Print No Charge Lines	Prt No chg	yes/no	
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_svc_ctrl	yes	oid_svc_ctrl	yes	no
*	svc_node	yes	svc_domain	yes	no
			svc_node	yes	no

sv_mstr

Field Name	Label	Col-Label	Format	Dec
sv__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	
sv__qadl02	Qad Logical #2		yes/no	
sv__qadl03	Qad Logical #3		yes/no	
sv__qadt01	Qad Date #1		99/99/99	
sv__qadt02	Qad Date #2		99/99/99	
sv__qadt03	Qad Date #3		99/99/99	
sv_blanket	Blanket		yes/no	
sv_call_price	Call Price List		X(8)	
sv_calls_allow	Calls Allowed		>>>9	0
sv_cmtindx	Comment Index	Comment	>>>>>>9	
sv_code	Service Type	Svc Type	x(8)	
sv_cr_prlist	Credit Price List	Cr Price	x(8)	
sv_cstmlist	Customs List	Customs	x(8)	
sv_days[7]	Days		yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_domain	Domain		x(8)	
sv_dur_um	Contract UM		x(1)	
sv_duration	Duration	Dur	>>>9	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	
sv_mid_etime[8]	Stop Midday		99:99	
sv_mid_stime[8]	Start Midday		99:99	
sv_off_hours_pt	Off Hours Item		x(18)	
sv_onsite	Onsite		yes/no	
sv_pr_list	Contract Price List	CPrice List	x(8)	
sv_prod_line	Prod Line	Line	x(4)	
sv_qo_title	Quote Title	Qo Title	x(24)	
sv_rmaonly	RMA Only		yes/no	
sv_rmaprice	RMA Price List		x(8)	0
sv_rsp_time	Response	Rsp Time	>>>>>9	
sv_rsp_um	Response Time UM		x(1)	
sv_rstk_pct	Restocking Charge		->>9.99%	10
sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
sv_so_title	So title		x(24)	
sv_st_time	Start Time	Start	99:99	
sv_stime[8]	Start Time		99:99	
sv_svc_type	Contract Type	T	x(2)	
sv_tax_usage	Nature of Operation	Nature	x(8)	
sv_taxable	Taxable		yes/no	
sv_taxc	Tax Class	TxC	x(3)	
sv_type	End User Type		x(8)	
sv_user1	Ufld1		x(8)	
sv_user2	Ufld2		x(8)	
sv_visits	Visits Per Year		>>9	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sv_mstr	yes	oid_sv_mstr	yes	no
* sv_code	yes	sv_domain	yes	no
		sv_code	yes	no
		sv_type	yes	no
sv_svc_type	no	sv_domain	yes	no
		sv_code	yes	no
		sv_svc_type	yes	no

Cost Simulation Work Center Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_swc_det	yes	oid_swc_det	yes	no
swc_sim_elem	yes	swc_domain	yes	no
		swc_sim	yes	no
		swc_element	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
* swc_sim_wc	yes	swc_domain	yes	no
		swc_sim	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_element	yes	no

Synch Profile Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sypd__chr01			.9<<<<<<<<<	
sypd__chr02			x(8)	
sypd__dec01			x(8)	
sypd__dec02			->>>, >>>, >>9.99<	10
sypd__dte01			->>>, >>>, >>9.99<	10
sypd__dte02			99/99/99	
sypd__int01			99/99/99	
sypd__int02			->>>, >>>, >>9	
sypd__log01			->>>, >>>, >>9	
sypd__log02			yes/no	
sypd__qadc01			yes/no	
sypd__qadc02			x(8)	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
sypd__qadc03			x(8)	
sypd__qadc04			x(8)	
sypd__qadd01			->>>, >>>, >>9.99<	10
sypd__qadd02			->>>, >>>, >>9.99<	10
sypd__qadi01			->>>, >>>, >>9	
sypd__qadi02			->>>, >>>, >>9	
sypd__qadi01			yes/no	
sypd__qadi02			yes/no	
sypd__qadt01			99/99/99	
sypd__qadt02			99/99/99	
sypd_fldname	Field Name		x(21)	
sypd_mod_date	Mod Date		99/99/99	
sypd_mod_userid	User ID		x(8)	
sypd_prereq_add	Prerequisite For Add		yes/no	
sypd_prof1_id	Synch Profile ID		x(16)	
sypd_reqd_add	Required on Add		yes/no	
sypd_reqd_chgdel	Required on Change or Delete		yes/no	
sypd_seq	Sequence		>>9	
sypd_user1	Ufld1		x(8)	
sypd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_sydpd_det	yes	oid_sydpd_det	yes	no
*	sydpd_proflid fldname	yes	sydpd_profl_id	yes	no
			sydpd_fldname	yes	no
	sydpd_proflid_seq	no	sydpd_profl_id	yes	no
			sydpd_seq	yes	no

sypj_det

Sync Profile Join Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypj_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sypj_chr01			.9<<<<<<<<	
sypj_chr02			x(8)	
sypj_dec01			x(8)	
sypj_dec02			->>>, >>>, >>9.99<	10
sypj_dte01			->>>, >>>, >>9.99	10
sypj_dte02			99/99/99	
sypj_int01			99/99/99	
sypj_int02			->>>, >>>, >>9	
sypj_log01			->>>, >>>, >>9	
sypj_log02			yes/no	
sypj_qadc01			yes/no	
sypj_qadc02			x(8)	
sypj_qadc03			x(8)	
sypj_qadc04			x(8)	
sypj_qadd01			->>>, >>>, >>9.99<	10
sypj_qadd02			->>>, >>>, >>9.99<	10
sypj_qadi01			->>>, >>>, >>9	
sypj_qadi02			->>>, >>>, >>9	
sypj_qadl01			yes/no	
sypj_qadl02			yes/no	
sypj_qadt01			99/99/99	
sypj_qadt02			99/99/99	
sypj_join_crit[4]	Join Criteria		x(255)	
sypj_join_profl	Joined Sync Profile ID		x(16)	
sypj_mod_date	Mod Date		99/99/99	
sypj_mod_userid	User ID		x(8)	
sypj_profl_id	Sync Profile ID		x(16)	
sypj_publ_joined	Publish Child On Parent Changes		yes/no	
sypj_relation	Relationship		x(1)	

Field Name	Label	Col-Label	Format	Dec
sypj_reqd_join	Child Required To Publish Parent		yes/no	
sypj_seq	Sequence		>>9	
sypj_user1	Ufld1		x(8)	
sypj_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sypj_det	yes	oid_sypj_det	yes	no
sypj_join_profl_rel	yes	sypj_join_profl	yes	no
		sypj_profl_id	yes	no
		sypj_relation	yes	no
sypj_join_rel_seq	no	sypj_join_profl	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no
* sypj_profl_join_rel	yes	sypj_profl_id	yes	no
		sypj_join_profl	yes	no
		sypj_relation	yes	no
sypj_profl_rel_seq	no	sypj_profl_id	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no

syps_det

Synch Profile Subscription Detail

Field Name	Label	Col-Label	Format	Dec
oid_syys_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
syys__chr01			x(8)	
syys__chr02			x(8)	
syys__dec01			->>>, >>>, >>9.99<	10
syys__dec02			->>>, >>>, >>9.99<	10
syys__dte01			99/99/99	
syys__dte02			99/99/99	
syys__int01			->>>, >>>, >>9	
syys__int02			->>>, >>>, >>9	
syys__log01			yes/no	
syys__log02			yes/no	
syys__qadc01			x(8)	
syys__qadc02			x(8)	
syys__qadc03			x(8)	
syys__qadc04			x(8)	
syys__qadd01			->>>, >>>, >>9.99<	10
syys__qadd02			->>>, >>>, >>9.99<	10
syys__qadi01			->>>, >>>, >>9	
syys__qadi02			->>>, >>>, >>9	
syys__qadl01			yes/no	
syys__qadl02			yes/no	
syys__qadt01			99/99/99	
syys__qadt02			99/99/99	
syys_app_id	Application ID		x(12)	
syys_doc_rev	Document Revision		x(8)	
syys_doc_std	Document Standard		x(8)	
syys_doc_typ	Document Type		x(21)	
syys_im_doc	Imported Document		yes/no	
syys_mod_date	Mod Date		99/99/99	
syys_mod_userid	User ID		x(8)	
syys_profl_id	Sync Profile ID		x(16)	
syys_tradptr_id	Trading Partner ID		x(32)	
syys_trig_updt	Publish On Table Update		yes/no	
syys_user1	Ufld1		x(8)	
syys_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_syeps_det	yes	oid_syeps_det	yes	no
syeps_subs_by_profile	no	syeps_profl_id	yes	no
* syeps_subscription_id	yes	syeps_app_id	yes	no
		syeps_doc_std	yes	no
		syeps_doc_typ	yes	no
		syeps_doc_rev	yes	no
		syeps_tradptr_id	yes	no
		syeps_im_doc	yes	no
		syeps_profl_id	yes	no

syp_mstr

Synch Profile Master

Field Name	Label	Col-Label	Format	Dec
oid_syp_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
syp_chr01			.9<<<<<<<<<	
syp_chr02			x(8)	
syp_dec01			x(8)	
syp_dec02			->>>, >>>, >>9.99<	10
syp_dte01			->>>, >>>, >>9.99	10
syp_dte02			99/99/99	
syp_int01			99/99/99	
syp_int02			->>>, >>>, >>9	
syp_log01			->>>, >>>, >>9	
syp_log02			yes/no	
syp_qadc01			yes/no	
syp_qadc02			x(8)	
syp_qadc03			x(8)	
syp_qadc04			x(8)	
syp_qadd01			->>>, >>>, >>9.99<	10
syp_qadd02			->>>, >>>, >>9.99<	10
syp_qadi01			->>>, >>>, >>9	
syp_qadi02			->>>, >>>, >>9	
syp_qadl01			yes/no	
syp_qadl02			yes/no	
syp_qadt01			99/99/99	
syp_qadt02			99/99/99	
syp_add_as_chg	Format as Change		yes/no	
syp_dbname	Database Name		x(8)	
syp_del_as_chg	Format as Change		yes/no	
syp_exp_add	Export Add		yes/no	
syp_exp_chg	Export Change		yes/no	
syp_exp_del	Export Delete		yes/no	
syp_exp_dump	Export As Record Dump		yes/no	
syp_exp_rowid_only	Export Rowid Only		yes/no	
syp_fit_crit[4]	Filter Criteria		x(255)	
syp_mod_date	Mod Date		99/99/99	
syp_mod_userid	User ID		x(8)	
syp_profl_desc	Description		x(40)	
syp_profl_id	Synch Profile ID		x(16)	
syp_publ_proc	Filter Procedure Name		x(16)	
syp_tblname	Table Name		x(16)	
syp_user1	Ufld1		x(8)	
syp_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_syp_mstr	yes	oid_syp_mstr	yes	no
*	syp_prof_id	yes	syp_prof_id	yes	no
	syp_tblname	no	syp_tblname	yes	no

SysProperty System Property

Field Name	Label	Col-Label	Format	Dec
Currency_ID	MC Currency Code	MC Curr	9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		->,>>>, >>9	
CustomInteger1	Custom Integer Field		->,>>>, >>9	
CustomInteger2	Custom Integer Field		->,>>>, >>9	
CustomInteger3	Custom Integer Field		->,>>>, >>9	
CustomInteger4	Custom Integer Field		->,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>, >>9.9999	10
QADT01			99/99/9999	
SysProperty_ID	Record ID		9999999999	
SysPropertyIsBudOLCheckCC	OL Check on Cost Center Budgets		yes/no	
SysPropertyIsBudOLCheckGL	OL Check on Budgets		yes/no	
SysPropertyIsBudOLCheckPrj	OL Check on Project Budgets		yes/no	
SysPropertyIsBudOverCh	Check Budgets on Overlap		yes/no	
SysPropertyIsBusRelDomRes	Business Relations by Domain		yes/no	
SysPropertyIsSpecCIAApprove	Specific SI Approval		yes/no	
SysPropertyIsSpecCIAApprVal	Enable Role Validations		yes/no	
SysPropertyIsWithBudget	Budget Enabled		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ CurrencyIdx	no	Currency_ID	yes	no
◇* Prim	yes	SysProperty_ID	yes	no

Syst

System

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Lng_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
RptFolderTimestamp	Reports Date and Time		x(32)	
Syst_ID			9999999999	
SystAdminUserPwd	System Admin Password		x(100)	
SystApplicationId	Application ID		x(100)	
SystCacheDateTime	Cache Date and Time		x(30)	
SystSODActive	SOD is active		yes/no	
SystSODBlockViolations	Block SOD violations		yes/no	
SystSODNotificationEmail	Send SOD notifications to e-mail		x(60)	
SystSODNotificationUser	Send SOD notifications to user		x(20)	
Usr_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇ LngIdx	no	Lng_ID	yes	no
◇* Prim	yes	Syst_ID	yes	no
UsrInSyst_FK	no	Usr_ID	yes	no

SystemC

Warehousing System Control

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
AllocHist	Allocation History	Alloc! Hist	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
CycleReason	Cycle Count Reason	Cycle Count! Reason	X(8)	
Domain	Domain		x(8)	
InventHist	Inventory History	Inv! Hist	yes/no	
LogFormat	Logical Format		yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_SystemC			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RefLevel	Reference Uniqueness Level Ref!	Uniq	x(1)	
TemplateDelim	Template Delimiter	DLim	x(1)	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	

tag_mstr

Physical Inventory Tag Master

Field Name	Label	Col-Label	Format	Dec
oid_tag_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
tag__qad01			.9<<<<<<<<<	
tag_cnt_cnv	Count Conv		->>>, >>>, >>9.9<<<<<<<<<	10
tag_cnt_dt	Date Counted	Cnt Date	>>>>9.9999	10
tag_cnt_nam	Counted By	Cntd By	99/99/99	
tag_cnt_qty	Qty Counted		x(8)	
tag_cnt_um	Count UM	UM	>, >>>, >>9.9<<<<<<<<<	10
tag crt dt	Create Date	Crt Date	x(2)	
tag_domain	Domain		99/99/99	
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	x(8)	
tag_part	Item Number		>>>>>>>9	
tag_posted	Posted	Post	x(18)	
tag_prt_dt	Print Date	Prt Date	yes/no	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	99/99/99	
tag_rcnt_dt	Date Recounted	RcntDate	>>>>9.9999	10
tag_rcnt_nam	Recounted By	Rcntd By	99/99/99	
tag_rcnt_qty	Qty Recounted		x(8)	
tag_rcnt_um	Recount UM	UM	>, >>>, >>9.9<<<<<<<<<	10
tag_ref	Ref	Reference	x(2)	
tag_rmks	Remarks		x(8)	
tag_serial	Lot/Serial		x(24)	
tag_site	Site		x(18)	
tag_type	Type	T	x(8)	
tag_user1	Ufld1		x(1)	
tag_user2	Ufld2		x(8)	
tag_void	Void		x(8)	
			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tag_mstr	yes	oid_tag_mstr	yes	no
* tag_nbr	yes	tag_domain	yes	no
		tag_nbr	yes	no
tag_pslsn	yes	tag_domain	yes	no
		tag_part	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no
tag_pssln	yes	tag_domain	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_nbr	yes	no
tag_slpsn	yes	tag_domain	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no

TaskAssD

Warehousing Task Assignment Detail

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
ConfMode	Confirmation Mode	Conf Mode	X(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TaskD	yes	oid_TaskD	yes	no
◇* Task	yes	Domain	yes	no
		Task	yes	no
		TrType	yes	no
		IntRouteCode	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Warehousing Task Master

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TaskM	yes	oid_TaskM	yes	no
◇* Task	yes	Domain	yes	no
		Task	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

TaxReg

Tax Register

Field Name	Label	Col-Label	Format	Dec
Domain_ID	Domain ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegCode	Tax Register Code		x(8)	
TaxRegCompanyAddress	Company Address		x(8)	
TaxRegDescription	Description		x(40)	
TaxRegIsActive	Active		yes/no	
TaxRegIsEU	EU		yes/no	
TaxRegIsFinal	Final Report Generated		yes/no	
TaxRegNextPage	Next Page		9999999999	
TaxRegType	Type		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ IsActive	no	TaxRegIsActive	yes	no
◇* Prim	yes	TaxReg_ID	yes	no
◇ UniqueIdx	yes	Domain_ID	yes	no
		TaxRegCode	yes	no
◇ ViewIndex	no	Domain_ID	yes	no
		TaxRegIsActive	yes	no
		TaxRegCode	yes	no

TaxRegCompany Tax Register Company

Field Name	Label	Col-Label	Format	Dec
Company_ID	Company ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegCompany_ID	Tax Register Company ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	TaxRegCompany_ID	yes	no
◇ Uniqueldx	yes	TaxReg_ID	yes	no
		Company_ID	yes	no

TaxRegJournal Tax Register Journal

Field Name	Label	Col-Label	Format	Dec
Journal_ID	Journal ID		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
TaxReg_ID	Tax Register ID		9999999999	
TaxRegJournal_ID	Tax Register Journal ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	TaxRegJournal_ID	yes	no
◇ Uniqueldx	yes	TaxReg_ID	yes	no
		Journal_ID	yes	no

tblcd_det Table Change Detail

Field Name	Label	Col-Label	Format	Dec
oid_tblcd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
tblcd__qadc01			.9<<<<<<<<<	
tblcd__qadc02			X(24)	
tblcd_active	Active		X(24)	
tblcd_desc	Description		yes/no	
tblcd_domain	Domain		x(24)	
tblcd_fld_name	Field		x(8)	
tblcd_mod_date	Modified Date	Mod Date	x(32)	
tblcd_mod_userid	User ID		99/99/99	
tblcd_table	Table		X(8)	
tblcd_user1	User Field Character 1		x(16)	
tblcd_user2	User Field Character 2		X(24)	
			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_tblcd_det	yes	oid_tblcd_det	yes	no
*	tblcd_table	yes	tblcd_domain	yes	no
			tblcd_table	yes	no
			tblcd_fld_name	yes	no

tblc_mstr	Table Change Master

Field Name	Label	Col-Label	Format	Dec
oid_tblc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
tblc__qadc01			X(24)	
tblc__qadc02			X(24)	
tblc_active	Active		yes/no	
tblc_delete	Delete		yes/no	
tblc_desc	Description		x(24)	
tblc_domain	Domain		x(8)	
tblc_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
tblc_mod_userid	User ID		X(24)	
tblc_table	Table		x(16)	
tblc_user1	User Field Character 1		X(24)	
tblc_user2	User Field Character 2		X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tblc_mstr	yes	oid_tblc_mstr	yes	no
* tblc_table	yes	tblc_domain	yes	no
		tblc_table	yes	no

Service/Support Parent/Child Relationship Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tbl_mstr	yes	oid_tbl_mstr	yes	no
tbl_comp	no	tbl_domain	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no
* tbl_typecode	yes	tbl_domain	yes	no
		tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

Warehousing Printer Template Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Language	Language	Lang	x(2)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TemplateD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
PrinterType	Printer Type	Printer! Type	X(8)	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintLine	Print Line		x(132)	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
PrintSeq	Seq		>>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_Templated	yes	oid_Templated	yes	no
* TempSeq	yes	Domain	yes	no
		Language	yes	no
		PrinterType	yes	no
		PrintProcCode	yes	no
		PrintFlavor	yes	no
		PrintSeq	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

TemplateM Warehousing Printer Template Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
te_pgm	Program		x(16)	
te_pgm_errs	Error Count		9999	
te_pgm_msgs[10]	Errors		x(40)	
te_pgm_warn	Warn Count		9999	
te_site	Site		x(8)	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(3)	
te_user1	Ufld1		X(8)	
te_user2	Ufld2		X(8)	
te_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_te_mstr	yes	oid_te_mstr	yes	no
te_date	no	te_domain	yes	no
		te_date	yes	no
te_date_deliv	no	te_domain	yes	no
		te_date_deliv	yes	no
te_dest	no	te_domain	yes	no
		te_dest	yes	no
te_exp_type	no	te_domain	yes	no
		te_exp_type	yes	no
* te_mstr	yes	te_domain	yes	no
		te_site	yes	no
		te_nbr	yes	no
		te_line	yes	no
te_nbr	yes	te_domain	yes	no
		te_nbr	yes	no
		te_line	yes	no

tm mstr	Transportation Master

Field Name	Label	Col-Label	Format	Dec
oid_tm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
tm__qadc01			.9<<<<<<<<	
tm_cmtindx	Comment Index	Comment	x(8)	
tm_code	Transport ID	Trans ID	>>>>>>9	
tm_cube_um	UM		x(8)	
tm_desc	Description		x(2)	
tm_domain	Domain		x(24)	
tm_gross_wt	Gross Vehicle Weight	GVW	x(8)	
tm_height	Height		->, >>, >>9.9<<<	10
tm_length	Length		>>, >>, >>9.9<<<	10
tm_load_lt	Load LT		>>, >>, >>9.9<<<	10
tm_maxcube	Max Load Volume	Max Vol	-->9.9<	10
tm_maxweight	Max Load Weight	Max Load	>>, >>, >>9.9<<<	10
tm_no_units	Available Units	Units	>>, >>, >>9.9<<<	10
tm_pallets	Pallet Capacity	Pallets	->, >>, >>9	
tm_rate_code	Rate Table	Rate	>>, >>, >>9	
tm_type	Transport Type	Type	x(8)	
tm_unload_lt	Unload LT		x(8)	
tm_user1	Ufld1		-->9.9<	10
tm_user2	Ufld2		x(8)	
tm_weight_um	UM		x(8)	
tm_width	Width		x(2)	
			>>, >>, >>9.9<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_tm_mstr	yes	oid_tm_mstr	yes	no
	tm_code	yes	tm_domain	yes	no
			tm_code	yes	no
	tm_desc	no	tm_domain	yes	no
			tm_desc	yes	no

totd_det	Terms of Trade Detail

tot_mstr	Terms of Trade Master

TrackingD Warehousing Packaging Tracking Detail

Field Name	Label	Col-Label	Format	Dec
oid_TrackingD			>>>>>>>>>>>>>>>>>>>>>>9	10
QadC01	QAD Field		.9<<<<<<<<<	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TrackingNumber	Tracking Number		x(35)	
TrackingURL	Carrier URL		x(65)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ABSID	yes	Domain	yes	no
		Site	yes	no
		ABSID	yes	no
		ContainerID	yes	no
MasterTrackingNbr	no	Domain	yes	no
		MasterTrackingNbr	yes	no
		ShipVia	yes	no
oid_TrackingD	yes	oid_TrackingD	yes	no
◇ SiteWhse	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
TrackingNumber	no	Domain	yes	no
		TrackingNumber	yes	no
		ShipVia	yes	no
◇ UsrIdx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

TranD

Warehousing Transaction Detail

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ABSShipFrom	Ship From		x(8)	
Addr	Address		x(8)	
AlgoNbr	Algorithm	Algo	>>9	
AlgoType	Type		X(2)	
AverageTime	Time		->>, >>9.99	10
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
CloseProgname	Closed		x(10)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ FromLoc	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
◇ FromPart	no	Domain	yes	no
		FromPart	yes	no
◇ FromSLocGp	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromSlocgp	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ InventNbr	no	TrNbr	yes	no
		Domain	yes	no
◇ IssOrder	no	InventNbr	yes	no
		Domain	yes	no
		IssDSet	yes	no
		IssNbr	yes	no
oid_TranD	yes	IssLine	yes	no
		oid_TranD	yes	no
◇ RecOrder	no	Domain	yes	no
		RecDSet	yes	no
		RecNbr	yes	no
		RecLine	yes	no
◇ RelGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RelNbr	yes	no
◇ SampleID	no	Domain	yes	no
		SampleID	yes	no
◇ SessionID	no	TrType	yes	no
		Domain	yes	no
◇ SiteWhse	no	SessionID	yes	no
		Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ StatusTo	no	TrStatus	yes	no
		Domain	yes	no
		TrStatus	yes	no
		ToSite	yes	no
◇ Task	no	ToLoc	yes	no
		Domain	yes	no
		SystemCode	yes	no
		Task	yes	no
		Site	yes	no
		Whse	yes	no
◇ ToLoc	no	Domain	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
◇ ToPart	no	ToRef	yes	no
		Domain	yes	no
◇* TrNbr	yes	ToPart	yes	no
		Domain	yes	no
◇ TrStatus	no	TrNbr	yes	no
		Domain	yes	no
		TrStatus	yes	no
		SystemCode	yes	no
UltLoc	no	SystemProcCode	yes	no
		Domain	yes	no
		UltSite	yes	no
		UltWhse	yes	no
		UltSlocgp	yes	no
UltSiteLoc	no	UltLoc	yes	no
		Domain	yes	no
		UltSite	yes	no
◇ UsrIdx	no	UltLoc	yes	no
		Domain	yes	no
		User1	yes	no
◇ Wave	no	User2	yes	no
		Domain	yes	no
		Site	yes	no
		Whse	yes	no
WLocGp	no	WaveNbr	yes	no
		Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no

TranH

Warehousing Transaction History

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT03	QAD Field		99/99/99	
QtyAct	Actual		->,>>>,>>9.9<<<<<<<<<	10
QtyExp	Expected		->,>>>,>>9.9<<<<<<<<<	10
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
RecTrNbr	Receipt		>>>>>>>9	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
Rmks	Remarks		x(24)	
SampleID	Sample ID	ID	>>>>>>>9	
SessionID	Session ID		x(24)	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
StageStatus	Stage Status	Stg	x(2)	
StartDate	Started		99/99/99	
StartProgname	Started		x(10)	
StartTime			->,>>>,>>9	
StartUserID	Started		x(8)	
SystemCode	System		x(2)	
SystemProcCode	Procedure Code	Proc	x(2)	
Task	Task		x(8)	
ToAltUM	To UM	To! UM	x(2)	
ToDigit	To Digit		x(8)	
ToLoc	To Location	To Loc	x(8)	
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToSlocGp	To SLocGrp	To! SLocGrp	x(8)	
ToWhse	To Whse		x(8)	
ToWlocgp	To WLocGrp	To! WLocGrp	x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
TrPrilnc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TrSeq	Sequence	Seq	>>>9	
TrStatus	Status	St	x(8)	
TrType	Type		x(8)	
TwoPhase	Two Phase	2Ph	yes/no	
UltLoc	Ultimate Location	Ultimate! Location	x(8)	
UltSite	Ultimate Site	Ultimate! Site	x(8)	
UltSlocgp	Ultimate SLocGrp	Ultimate! SLocGrp	x(8)	
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	
xPrevQtyAct	Previous Actual	Previous! Actual	->,>>>,>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
CloseUser	no	Domain	yes	no
		CloseUserID	yes	no
		CloseDate	yes	no
		CloseTime	yes	no
		Domain	yes	no
◇ FromLoc	no	FromSite	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		FromWhse	yes	no
		FromLoc	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
◇ FromPart	no	Domain	yes	no
		FromPart	yes	no
◇ FromSlocGp	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
		FromSlocgp	yes	no
		FromPart	yes	no
		FromLot	yes	no
		FromRef	yes	no
		TrNbr	yes	no
		TrSeq	yes	no
◇ IssOrder	no	Domain	yes	no
		IssDSet	yes	no
		IssNbr	yes	no
		IssLine	yes	no
oid_TranH	yes	oid_TranH	yes	no
◇ RecOrder	no	Domain	yes	no
		RecDSet	yes	no
		RecNbr	yes	no
		RecLine	yes	no
◇ RelGroup	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		RelNbr	yes	no
◇ SampleID	no	Domain	yes	no
		SampleID	yes	no
		TrType	yes	no
◇ SessionID	no	Domain	yes	no
		SessionID	yes	no
◇ StatusTo	no	Domain	yes	no
		TrStatus	yes	no
		ToSite	yes	no
		ToLoc	yes	no
◇ Task	no	Domain	yes	no
		SystemCode	yes	no
		Task	yes	no
		Site	yes	no
		Whse	yes	no
◇ ToLoc	no	Domain	yes	no
		ToSite	yes	no
		ToWhse	yes	no
		ToLoc	yes	no
		ToPart	yes	no
		ToLot	yes	no
		ToRef	yes	no
◇ ToPart	no	Domain	yes	no
		ToPart	yes	no
* TrNbrSeq	yes	Domain	yes	no
		TrNbr	yes	no
		TrSeq	yes	no
◇ TrStatus	no	Domain	yes	no
		TrStatus	yes	no
		SystemCode	yes	no
		SystemProcCode	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
◇ Wave	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WaveNbr	yes	no

TransactionType Transaction Type

Field Name	Label	Col-Label	Format	Dec
Country_ID			9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		->,>>>, >>9	
CustomInteger1	Custom Integer Field		->,>>>, >>9	
CustomInteger2	Custom Integer Field		->,>>>, >>9	
CustomInteger3	Custom Integer Field		->,>>>, >>9	
CustomInteger4	Custom Integer Field		->,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>, >>9.9999	10
QADT01			99/99/9999	
TransactionType_ID	Record ID		9999999999	
TransactionTypeCode			x(20)	
TransactionTypeDescription			x(40)	
TransactionTypesActive			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Activedx	no	TransactionTypesActive	yes	no
◇ CntCodeldx	yes	Country_ID	yes	no
		TransactionTypeCode	yes	no
◇* Prim	yes	TransactionType_ID	yes	no
◇ ViewIndex	no	TransactionTypesActive	yes	no
		TransactionTypeCode	yes	no

TransportMeans Means Of Transport

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			999999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TransportMeans_ID	Record ID		9999999999	
TransportMeansCode			x(20)	
TransportMeansDescription			x(40)	
TransportMeansIsActive			yes/no	
TransportMeansIsDefault			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Activedx	no	TransportMeansIsActive	yes	no
◇ Codeldx	yes	TransportMeansCode	yes	no
◇* Prim	yes	TransportMeans_ID	yes	no
◇ ViewIndex	no	TransportMeansIsActive	yes	no
		TransportMeansCode	yes	no

TranTypeM

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_TranTypeM	yes	oid_TranTypeM	yes	no
*	TrType	yes	Domain	yes	no
			TrType	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

TranW

Warehousing Transaction Work Table

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
InternalID	Internal User ID	Internal! User ID	x(50)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TranW			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
TrNbr	Transaction	Trans	>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WkType	Type		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_TranW	yes	oid_TranW	yes	no
* UserTypeTran	yes	Domain	yes	no
		InternalID	yes	no
		WkType	yes	no
		TrNbr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

trcs det

Transaction Cost Detail

Field Name	Label	Col-Label	Format	Dec
oid_trcs_det			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
trcs_qad01			x(8)	
trcs_qad02			x(8)	
trcs_qad03			x(8)	
trcs_qad04			>>>, >>>, >>9.99	10
trcs_qad05			>>>, >>>, >>9.99	10
trcs_qad06			>>>, >>>, >>9.99	10
trcs_qad07			99/99/99	
trcs_qad08			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
trgl_ref_nbr	no	trgl_gl_ref	yes	no
		trgl_sequence	yes	no
		trgl_domain	yes	no
		trgl_gl_ref	yes	no
		trgl_trnbr	yes	no
trgl_type_nbr_ref	no	trgl_domain	yes	no
		trgl_type	yes	no
		trgl_trnbr	yes	no
		trgl_gl_ref	yes	no

| **trld_det** | Trailer Tax Detail |

Field Name	Label	Col-Label	Format	Dec
oid_trld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
trld__chr01			.9<<<<<<<<<	
trld__log01			x(8)	
trld__qad01			yes/no	
trld__qad02			x(8)	
trld__qad03			x(8)	
trld__qad04			->>>, >>>, >>9.99	10
trld__qad05			99/99/99	
trld_code	Trailer Code	Tr! Code	yes/no	
trld_domain	Domain		x(4)	
trld_tax_type	Tax Type		x(8)	
trld_taxable	Taxable		x(16)	
trld_taxc	Tax Class	TxC	yes/no	
trld_user1	Ufld1		x(3)	
trld_user2	Ufld2		x(8)	
			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_trld_det	yes	oid_trld_det	yes	no
*	trld_code_type	yes	trld_domain	yes	no
			trld_code	yes	no
			trld_tax_type	yes	no

| **trl_mstr** | Trailer Master |

Field Name	Label	Col-Label	Format	Dec
oid_trl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
trl__qadc01			x(8)	
trl_acct	Trailer Acct	Acct	x(8)	
trl_cc	Trailer CC	CC	x(4)	
trl_code	Trailer Code	Code	x(2)	
trl_desc	Description		x(24)	
trl_domain	Domain		x(8)	
trl_fst	FST		yes/no	
trl_project	Project		x(8)	
trl_pst	PST		yes/no	
trl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
trl_taxable	Taxable		yes/no	
trl_taxc	Tax Class	TxC	x(3)	
trl_user1	Ufld1		x(8)	
trl_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trl_mstr	yes	oid_trl_mstr	yes	no
* trl_code	yes	trl_domain	yes	no
		trl_code	yes	no

Transmission Date Reference Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_trq_mstr	yes	oid_trq_mstr	yes	no
trq_doc_type	yes	trq_domain	yes	no
		trq_doc_type	yes	no
		trq_doc_ref	yes	no
		trq_add_ref	yes	no
* trq_id	yes	trq_domain	yes	no
		trq_id	yes	no

Inventory Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_lgd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_tr_hist			.9<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>>>>>9	10
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>, >>>, >>9.99	10
tr__dec02			>>>, >>>, >>9.99	10
tr__dec03			>>>, >>>, >>9.99	10
tr__dec04			>>>, >>>, >>9.99	10
tr__dec05			>>>, >>>, >>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	
tr_addr	Address		x(8)	
tr_assay	Assay %		>>9.99%	10
tr_auto_install	Auto Installed		yes/no	
tr_batch	Batch		x(18)	
tr_bdn_std	Burden		->>>, >>>, >>9.99<<<	10
tr_begin_qoh	Begin Balance		->, >>>, >>9.9<<<<<<<<<	10
tr_ca_int_type	Work Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_ca_opn_date			99/99/99	
tr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
tr_cprice	Price		>>>>,>>>,>>9.99<<<	10
tr_curr	Currency	Cur	x(3)	
tr_date	Date		99/99/99	
tr_daycode	Day Code		x(8)	
tr_doc_id	Document ID		x(24)	
tr_domain	Domain		x(8)	
tr_effdate	Effective	Eff Date	99/99/99	
tr_enduser	End User		X(8)	
tr_eng_area	Service Area	Area	x(18)	
tr_eng_code	Engineer Code	Eng Code	x(8)	
tr_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
tr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<<	10
tr_ex_ratetype	Rate Type		x(8)	
tr_expire	Expire Date		99/99/99	
tr_exru_seq	Sequence		>>>>>>>9	
tr_fcg_code	Charge Code		x(8)	
tr_fldchg_cmtindx	Comment		>>>>>>9	
tr_for	Service Part		x(18)	
tr_fsc_code	Service Category		x(8)	
tr_fsm_type	FSM Type		x(8)	
tr_gl_amt	Amount		->>>>,>>9.99	10
tr_gl_date	GL Date		99/99/99	
tr_grade	Grade		x(2)	
tr_last_date	Last Activity		99/99/99	
tr_lbr_std	Labor		->>>,>>>,>>9.99<<<	10
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->,>>>,>>9.9<<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>>9	
tr_mtl_std	Material		->>>,>>>,>>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>,>>>,>>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	
tr_program	Program		x(12)	
tr_promise_date	Promise Date	Promise	99/99/99	
tr_qty_chg	Qty Change		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_cn_adj	Consignment Qty Adjusted		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<<	10
tr_qty_short	Qty Short		->,>>>,>>9.9<<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
tr_sv_code	Contract Type		x(8)	
tr_svc_type			x(1)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>,>>>,>>9	
tr_trnbr	Trans		>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tr_hist	yes	oid_tr_hist	yes	no
tr_addr_eff	no	tr_domain	yes	no
		tr_addr	yes	no
		tr_effdate	yes	no
tr_batch	no	tr_domain	yes	no
		tr_batch	yes	no
tr_date_trn	yes	tr_domain	yes	no
		tr_date	yes	no
		tr_trnbr	yes	no
tr_eff_trnbr	no	tr_domain	yes	no
		tr_effdate	yes	no
		tr_trnbr	yes	no
tr_nbr_eff	no	tr_domain	yes	no
		tr_nbr	yes	no
		tr_effdate	yes	no
tr_nbr_rmks_type	no	tr_domain	yes	no
		tr_nbr	yes	no
		tr_rmks	yes	no
		tr_type	yes	no
tr_oid_lgd_mstr	no	oid_lgd_mstr	yes	no
tr_part_eff	no	tr_domain	yes	no
		tr_part	yes	no
		tr_effdate	yes	no
tr_part_trn	no	tr_domain	yes	no
		tr_part	yes	no
		tr_trnbr	yes	no
tr_serial	no	tr_domain	yes	no
		tr_serial	yes	no
* tr_trnbr	yes	tr_domain	yes	no
		tr_trnbr	yes	no
tr_type	no	tr_domain	yes	no
		tr_type	yes	no
		tr_effdate	yes	no
tr_vend_lot	no	tr_domain	yes	no
		tr_vend_lot	yes	no

Tax Detail

Field Name	Label	Col-Label	Format	Dec
tx2d__qad03			yes/no	
tx2d__qad04			->>>, >>>, >>9.99	10
tx2d__qad05			99/99/99	
tx2d__qadd01[3]			->>>, >>>, >>9.99<	10
tx2d__qadd02[10]			->>>, >>>, >>9.99<	10
tx2d_abs_ret_amt	Base Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_by_line	Tax-By-Line	By! Line	yes/no	
tx2d_carrier	Carrier		x(8)	
tx2d_cur_abs_ret_amt	Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_cur_nontax_amt	Non-taxable		->>, >>>, >>9.99	10
tx2d_cur_recov_amt	Recoverable		->>, >>>, >>9.99	10
tx2d_cur_tax_amt	Tax		->>, >>>, >>9.99	10
tx2d_curr	Currency	Cur	x(3)	
tx2d_domain	Domain		x(8)	
tx2d_edited	Edited	Ed	yes/no	
tx2d_effdate	Tax Date		99/99/99	
tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		->>, >>>, >>9.99	10
tx2d_ent_nontax_amt	Entity Non-Taxable		->>, >>>, >>9.99	10
tx2d_ent_recov_amt	Entity Recoverable		->>, >>>, >>9.99	10
tx2d_ent_tax_amt	Entity Tax		->>, >>>, >>9.99	10
tx2d_line	Line		>>>>>>9	
tx2d_line_site_ent	Line Site Entity		x(4)	
tx2d_nbr	Number		x(8)	
tx2d_nontax_amt	Base Non-Taxable		->>, >>>, >>9.99	10
tx2d_posted_date	Posted Date	Post! Date	99/99/99	
tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2d_recov_amt	Base Recoverable		->>, >>>, >>9.99	10
tx2d_ref	Reference	Ref	x(22)	
tx2d_tax_amt	Base Tax		->>, >>>, >>9.99	10
tx2d_tax_code	Tax Code		x(8)	
tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
tx2d_tax_in	Tax In	Tax! In	yes/no	
tx2d_tax_type	Tax Type		x(16)	
tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
tx2d_taxable_amt	Base Taxable		->>, >>>, >>9.99	10
tx2d_taxc	Tax Class	Tax! Class	x(3)	
tx2d_totamt	Total Amount		->>, >>>, >>9.99	10
tx2d_tottax	Taxable Sales	Taxable! Sales	->>, >>>, >>9.99	10
tx2d_tr_type	Transaction Type	TT	x(2)	
tx2d_trans_ent	Transaction Entity		x(4)	
tx2d_trl	Trailer	Trl	x(18)	
tx2d_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2d_user1	Ufid1		x(8)	
tx2d_user2	Ufid2		x(8)	
tx2d_zone_from	Ship-From Tax Zone		x(16)	
tx2d_zone_to	Ship-To Tax Zone		x(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tx2d_det	yes	oid_tx2d_det	yes	no
tx2d_carrier	no	tx2d_domain	yes	no
		tx2d_carrier	yes	no
* tx2d_ref_nbr	yes	tx2d_domain	yes	no
		tx2d_ref	yes	no
		tx2d_nbr	yes	no
		tx2d_line	yes	no
		tx2d_trl	yes	no
		tx2d_tr_type	yes	no
		tx2d_tax_code	yes	no
tx2d_tax_code	no	tx2d_domain	yes	no
		tx2d_tax_code	yes	no

Tax Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_tx2_mstr	yes	oid_tx2_mstr	yes	no
tx2_register	no	tx2_domain	yes	no
		tx2_register	yes	no
* tx2_tax_code	yes	tx2_domain	yes	no
		tx2_tax_code	yes	no
tx2_type_taxc	yes	tx2_domain	yes	no
		tx2_tax_type	yes	no
		tx2_pt_taxc	yes	no
		tx2_tax_usage	yes	no
		tx2_effdate	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_txbd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txbd__qad01			x(8)	
txbd__qad02			x(8)	
txbd_base	Tax Base		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txbd_det	yes	oid_txbd_det	yes	no
txbd_base_type	yes	txbd_domain	yes	no
		txbd_base	yes	no
		txbd_tax_type	yes	no

txcl_mstr	Tax Class Master

Field Name	Label	Col-Label	Format	Dec
oid_txcl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txcl__qadc01			x(24)	
txcl__qadc02			x(24)	
txcl_mod_date	Modified Date	Mod Date	99/99/99	
txcl_mod_userid	User ID		x(8)	
txcl_tax_cls	Tax Class		x(8)	
txcl_tax_desc	Description		x(24)	
txcl_user1	User Field Character 1		x(24)	
txcl_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txcl_mstr	yes	oid_txcl_mstr	yes	no
*	txcl_tax_cls	yes	txcl_tax_cls	yes	no

Tax Control

Field Name	Label	Col-Label	Format	Dec
oid_txc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txc__chr01			.9<<<<<<<<<	
txc__chr02			x(8)	
txc__dec01			x(8)	
txc__dec02			->>>, >>>, >>9.99	10
txc__dte01			->>>, >>>, >>9.99	10
txc__log01			99/99/99	
txc__qad01			yes/no	
txc__qad02			x(8)	
txc__qad03			x(8)	
txc__qad04			yes/no	
txc__qad05			->>>, >>>, >>9.99	10
txc_ar_taxexcl	Customer Invoice Total Excludes Tax		99/99/99	
txc_by_line	Tax-By-Line		yes/no	
txc_comment_type	Tax Comment Type		x(2)	
txc_ctype_code	Country Code	Ctry	x(3)	
txc_default_taxable	Taxable		yes/no	
txc_detrp	Display Detail on Reports		yes/no	
txc_domain	Domain		x(8)	
txc_edit_hist	Update History Allowed		yes/no	
txc_index1	Index		>>>>>9	
txc_inv_disc	Discount Tax at Invoice		yes/no	
txc_inv_hist	Keep Tax History	Hist	yes/no	
txc_is_tax_confirmed			yes/no	
txc_method	Tax Method		x(2)	
txc_non_commercial	Tax on Non-Commercial Trans		yes/no	
txc_pmt_disc	Discount Tax at Payment		yes/no	
txcprt_vat_reg	Print VAT Registration	Prt! VAT	yes/no	
txcrcpt_tax_point	Accrue Tax at Receipt	Accrue! Receipt	yes/no	
txc_round	Rounding Method	R	x(1)	
txc_tax_accruall_glcode			x(8)	
txc_tax_code	Last Tax Code		x(8)	
txc_tax_env	Tax Environment		x(16)	
txc_tax_in_city	In City		yes/no	
txc_tax_zone	Tax Zone		x(16)	
txc_update_tax	Update Tax Allowed		yes/no	
txc_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
txc_user1	Ufld1		x(8)	
txc_user2	Ufld2		x(8)	
txc_val_vat_reg	Validate VAT Registration	Val! VAT	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txc_ctrl	yes	oid_txc_ctrl	yes	no
*	txc_index1	yes	txc_domain	yes	no

Tax Environment Detail

Field Name	Label	Col-Label	Format	Dec
oid_txed_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txed__log01			.9<<<<<<<<<	
txed__qad01			yes/no	
txed__qad02			x(8)	
txed__qad03			x(8)	
txed__qadc01			yes/no	
txed_round	Rounding Method	R	x(24)	
txed_seq	Sequence	Sq	x(1)	
txed_tax_env	Tax Environment	Tax Env	>9	
txed_tax_type	Tax Type		x(16)	
txed_user1	Ufld1		x(8)	
txed_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_txed_det	yes	old_txed_det	yes	no
txed_seq	no	txed_tax_env	yes	no
		txed_seq	yes	no
* txed_tax_env	yes	txed_tax_env	yes	no
		txed_tax_type	yes	no

txenv_mstr Tax Class Master

Field Name	Label	Col-Label	Format	Dec
oid_txenv_mstr			>>>>>>>>>>>>>>>>>>>>9	10
txenv__qadc01			.9<<<<<<<<	
txenv__qadc02			x(24)	
txenv_mod_date	Modified Date	Mod Date	x(24)	
txenv_mod_userid	User ID		99/99/99	
txenv_tax_desc	Description		x(8)	
txenv_tax_env	Tax Environment	Code	x(24)	
txenv_user1	User Field Character 1		x(16)	
txenv_user2	User Field Character 2		x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txenv_mstr	yes	oid_txenv_mstr	yes	no
* txenv_tax_env	yes	txenv_tax_env	yes	no

txe_mstr	Tax Environment Master

Field Name	Label	Col-Label	Format	Dec
oid_txe_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
txe__log01			.9<<<<<<<<<	
txe__qad01	Description		yes/no	
txe__qad02			x(24)	
txe__qad03			x(8)	
txe__qadc01			yes/no	
txe_desc	Tax Environment	Tax Env	x(24)	
txe_tax_env	Tax Environment	Tax Env	x(16)	
txe_user1	Ufld1		x(8)	
txe_user2	Ufld2		x(8)	
txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(16)	
txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	old_txe_mstr	yes	old_txe_mstr	yes	no
	txe_desc	no	txe_desc	yes	no
*	txe_tax_env	yes	txe_tax_env	yes	no
	txe_to_from	yes	txe_zone_to	yes	no
			txe_zone_from	yes	no

txhd_det	Tax History Detail

Field Name	Label	Col-Label	Format	Dec
oid_txhd_det			>>>>>>>>>>>>>>>>>>>9	10
txhd__chr01			.9<<<<<<<<	
txhd__chr02			x(8)	
txhd__dec01			->>, >>, >->9.99	10
txhd__dec02			->>, >>, >->9.99	10

Field Name	Label	Col-Label	Format	Dec
txhd__dte01			99/99/99	
txhd__log01			yes/no	
txhd__qad01			x(8)	
txhd__qad02			x(8)	
txhd__qad03			yes/no	
txhd__qad04			->>>, >>>, >>9.99	10
txhd__qad05			->>>, >>>, >>9.99	10
txhd__qad06			99/99/99	
txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
txhd_comm_code	Commodity Code	Com Code	x(8)	
txhd_container	Container Indicator	C	x(1)	
txhd_curr	Currency	Cur	x(3)	
txhd_cust_etry	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
txhd_del_terms	Terms of Delivery	T Δ	x(3)	
txhd_desdis_etry	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_domain	Domain		x(8)	
txhd_edit_hist	Editable Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>, >>>, >>>, >>9.99	10
txhd_line	Line		>>>>9	
txhd_nbr	Number		x(8)	
txhd_net_wt	Net Weight	Net Wt	->>>>>>9	
txhd_orig_etry	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>, >>>, >>>, >>9.99	10
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_etry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_transh_port	Transshipment Port	T P	x(8)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>, >>>, >>>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_txhd_det	yes	oid_txhd_det	yes	no
txhd_fiscal_class	no	txhd_domain	yes	no
		txhd_fiscal_class	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
txhd_post_type	no	txhd_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		txhd_posted	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
txhd_ref_nbr	yes	txhd_line	yes	no
		txhd_domain	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
		txhd_trl	yes	no
		txhd_tr_type	yes	no
		txhd_tax_code	yes	no
* txhd_tr_nbr	yes	txhd_domain	yes	no
		txhd_tr_nbr	yes	no

txty_mstr Tax Type Master

Field Name	Label	Col-Label	Format	Dec
oid_txy_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txty__qadc01			x(24)	
txty__qadc02			x(24)	
txty_legal_group	Legal Group		x(8)	
txty_mod_date	Modified Date	Mod Date	99/99/99	
txty_mod_userid	User ID		x(8)	
txty_tax_desc	Description		x(24)	
txty_tax_type	Code	Code	x(16)	
txty_user1	User Field Character 1		x(24)	
txty_user2	User Field Character 2		x(24)	
txty_wt_type	Withholding Tax Type		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_txyt_mstr	yes	oid_txyt_mstr	yes	no
*	txty_tax_type	yes	txty_tax_type	yes	no

txud_det	Tax Usage Detail

Field Name	Label	Col-Label	Format	Dec
oid_txud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
txud__qadc01			.9<<<<<<<<<	
txud__qadc02			x(24)	
txud__qadd01			x(24)	
txud_ap	No AP Accounting		->>, >>>, >>9.99<<	10
txud_ap_acct	Account		Yes/No	
txud_ap_cc	Cost Center		x(8)	
txud_ap_sub	Sub-Account		x(4)	
txud_cfop_comp	CFOP Complement		x(8)	
txud_cfop_dig2	Second CFOP Digit		x(12)	
txud_cfop_dig3	Third CFOP Digit		9	
txud_cfop_dig4	Fourth CFOP Digit		9	
txud_domain	Domain		9	
txud_fb_remarks	Remarks		x(8)	
txud_fb_suffix	Suffix		x(50)	
txud_fut_shp	Future Delivery		x(2)	
txud_mod_date	Modified Date	Mod Date	x(1)	
txud_mod_userid	User ID		99/99/99	
txud_op	Operation		x(8)	
txud_service	Service		>9	
txud_simp_inv	Simple Invoicing		Yes/No	
			Yes/No	

Fixed Asset Type Master

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_typ_mstr	yes	oid_typ_mstr	yes	no
*	typ_type	yes	typ_type	yes	no

Service/Support Time Zone Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oid_tzod_det	yes	oid_tzod_det	yes	no
	tzod_tzond	yes	tzod_tzone	yes	no
			tzod_std_day	yes	no
			tzod_syear	yes	no
			tzod_eyear	yes	no

tzo mstr

Service/Support Time Zone Master

Field Name	Label	Col-Label	Format	Description
old_tzo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
tzo__chr01	Character Field 1		X(8)	
tzo__dte01	Date Field 1		99/99/99	
tzo__int01	Integer Field 1		->, >>, >>9	
tzo__log01	Logical Field 1		yes/no	
tzo__qadc01	QAD Character Field 1		X(8)	
tzo__qadi01	QAD Integer Field 1		->, >>, >>9	
tzo__qadl01	QAD Logical Field 1		yes/no	
tzo__qadt01	QAD Date Field 1		99/99/99	
tzo_area	Area		X(8)	
tzo_auto_adj	Auto Period Adjust		yes/no	
tzo_desc	Description		X(40)	
tzo_label	Time Zone		X(8)	
tzo_mod_date	Modified Date	Mod Date	99/99/99	
tzo_mod_userid	User ID		X(8)	
tzo_tzone	Time Zone Tindex		X(20)	
tzo_user1	Ufld1		X(8)	
tzo_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_tzo_mstr	yes	oid_tzo_mstr	yes	no
	tzo_area	no	tzo_area	yes	no
*	tzo_label	yes	tzo_label	yes	no
			tzo_area	yes	no

UDCCConfig

User-Defined Component configuration

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>>>,>>9.9999	10
QADT01			99/99/9999	
UDCCConfig_ID	record ID		9999999999	
UDCCConfigCode	UDC Config Code		x(20)	
UDCCConfigHasCreate	Has Create Activity		yes/no	
UDCCConfigHasDelete	Has Delete Activity		yes/no	
UDCCConfigHasMaintain	Has Maintain Activity		yes/no	
UDCCConfigHasModify	Has Modify Activity		yes/no	
UDCCConfigHasView	Has View Activity		yes/no	
UDCCConfigLabel	UDC Config Label		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
CodeAK	yes	UDCCConfigCode	yes	no
LabelAK	yes	UDCCConfigLabel	yes	no
◇* prim	yes	UDCCConfig ID	yes	no

udd det

User Domain Detail.

Field Name	Label	Col-Label	Format	Description
oid_udd_det			>>>>>>>>>>>>>>>>>>>>>>>>>910	
udd__qadc01			.9<<<<<<<<<<	
udd__qadc02			x(24)	
udd_domain	Domain		x(24)	
udd_groups	Roles		x(8)	
udd_mod_date	Modified Date	Mod Date	x(189)	
udd_mod_userid	User ID		99/99/99	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udd_det	yes	oid_udd_det	yes	no
udd_domain	no	udd_domain	yes	no
udd_primary	no	udd_userid	yes	no
		udd_primary	yes	no
* udd_userid	yes	udd_userid	yes	no
		udd_domain	yes	no

udfcls_mstr UDF Class Master

Field Name	Label	Col-Label	Format	Dec
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
udfcls__qadc01			.9<<<<<<<<<	
udfcls__qadc02			x(24)	
udfcls__class	Field Class		x(8)	
udfcls__desc	Description		x(48)	
udfcls__domain	Domain		x(8)	
udfcls_mod_date	Modified Date	Mod Date	99/99/99	
udfcls_mod_userid	User ID		x(8)	
udfcls_user1	Ufld1		x(24)	
udfcls_user2	Ufld2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
* udfcls_class	yes	udfcls_domain	yes	no
		udfcls_class	yes	no

udfclud_det UDF Class Use Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_udfclud_det	yes	oid_udfclud_det	yes	no
udfclud_oid_class	yes	oid_udfcls_mstr	yes	no
		oid_owning_record	yes	no
* udfclud_oid_owner	yes	oid_owning_record	yes	no
		oid_udfcls_mstr	yes	no

User Function Key Detail

Field Name	Label	Col-Label	Format	Dec
oid_ufd_det			>>>>>>>>>>>>>>>>>>>>>9	10
ufd__qadc01			.9<<<<<<<<	
ufd_exec	Execution File		x(8)	
ufd_fkey	Function Key	Key	x(14)	
ufd_label	Label		>>9	
ufd_nbr	Menu		x(40)	
ufd_nrbsel	Menu/Sel		x(16)	
ufd_select	Selection	Select	x(12)	
ufd_seq	Sequence	Seq	>9	
ufd_user1	Ufld1		>>9	
ufd_user2	Ufld2		x(8)	
ufd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ufd_det	yes	oid_ufd_det	yes	no
ufd_label	no	ufd_userid	yes	no
		ufd_label	yes	no
ufd_nbrsel	no	ufd_userid	yes	no
		ufd_nbrsel	yes	no
* ufd_ufs	yes	ufd_userid	yes	no
		ufd_fkey	yes	no
		ufd_seq	yes	no

Warehousing Unit of Measure Group Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserI02	User Field Integer 2		->>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	GroupUM	yes	Domain	yes	no
			UMGroup	yes	no
			AltUM	yes	no
	oid_UMGroupD	yes	oid_UMGroupD	yes	no
◇	UMGroup	yes	Domain	yes	no
			AltUM	yes	no
			UMGroup	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

UMGroupM Warehousing Unit of Measure Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_UMGroupM	yes	oid_UMGroupM	yes	no
◇* UMGroup	yes	Domain	yes	no
		UMGroup	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

umsg_det User Message Detail

Field Name	Label	Col-Label	Format	Dec
oid_umsg_det			>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
umsg__qadc01			x(8)	
umsg_addr	Address		x(8)	
umsg_call_pgm	Calling Program		x(14)	
umsg_domain	Domain		x(8)	
umsg_exec_pgm	Execution File	Exec File	x(14)	
umsg_lang	Language		x(2)	
umsg_level	Severity		9	
umsg_nbr	Message Number	Msg	>>>>9	
umsg_seq	Message Sequence		>>9	
umsg_site	Site		x(8)	
umsg_user1	Ufld1		x(8)	
umsg_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_umsg_det	yes	oid_umsg_det	yes	no
umsg_call	yes	umsg_domain	yes	no
		umsg_call_pgm	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no
* umsg_cm	yes	umsg_domain	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_call_pgm	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no

um mstr Unit of Measure Conversion Master

Field Name	Label	Col-Label	Format	Dec
oid_um_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
um_chr01			.9<<<<<<<<<	
um_chr02			x(8)	
um_chr03			x(8)	
um_chr04			x(8)	
um_chr05			x(8)	
um_chr06			x(8)	
um_dec01			>>>, >>>, >>9.99	10
um_dec02			>>>, >>>, >>9.99	10
um_dte01			99/99/99	
um_dte02			99/99/99	
um_log01			yes/no	
um_log02			yes/no	
um_alt_qty	UM Qty		>>>>9.9<<<<	10
um_alt_um	Alternate UM	Alt	x(2)	
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10

Field Name	Label	Col-Label	Format	Dec
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
um_domain	Domain		x(8)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_um_mstr	yes	oid_um_mstr	yes	no
um_part	yes	um_domain	yes	no
		um_part	yes	no
		um_um	yes	no
		um_alt_um	yes	no
* um_um_alt_pt	yes	um_domain	yes	no
		um_um	yes	no
		um_alt_um	yes	no
		um_part	yes	no

upd_det Printer/User Detail

Field Name	Label	Col-Label	Format	Dec
oid_upd_det			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
upd__qadc01			x(8)	
upd_dev	Output To		x(8)	
upd_dev2	Output To		x(8)	
upd_exec	Execution File		x(14)	
upd_nbr	Menu		x(16)	
upd_select	Selection	Select	>9	
upd_user1	Ufld1		x(8)	
upd_user2	Ufld2		x(8)	
upd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_upd_det	yes	oid_upd_det	yes	no
*	upd_uns	yes	upd_userid	yes	no
			upd_nbr	yes	no
			upd_select	yes	no

urd_det

Update Restriction Detail

Field Name	Label	Col-Label	Format	Dec
oid_ur_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_urd_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
urdc_qadc01			x(24)	
urdc_qadc02			x(24)	
urdc_account	Account		x(9)	
urdc_change_inv_status	Change Inventory Status		yes/no	
urdc_cost_center	Cost Center		x(5)	
urdc_domain	Domain		x(8)	
urdc_inv_status	Inv Status		x(9)	
urdc_inv_status_to	Inv Status		x(9)	
urdc_location	Location		x(9)	
urdc_location_to	Location		x(9)	
urdc_mod_date	Modified Date	Mod Date	99/99/99	
urdc_mod_userid	User ID		x(8)	
urdc_part	Item Number		x(19)	
urdc_project	Project		x(9)	
urdc_site	Site		x(9)	
urdc_site_to	Site		x(9)	
urdc_sub_account	Sub Account		x(9)	
urdc_user1	User Field Character 1		x(24)	
urdc_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_urd_det	yes	oid_urd_det	yes	no
urd_account	no	oid_ur_mstr	yes	no
		urd_domain	yes	no
		urd_part	yes	no
		urd_site	yes	no
		urd_location	yes	no
		urd_inv_status	yes	no
		urd_account	yes	no
		urd_sub_account	yes	no
		urd_cost_center	yes	no
		urd_project	yes	no
* urd_oid_ur_mstr	no	oid_ur_mstr	yes	no
		urd_domain	yes	no
		urd_part	yes	no
		urd_site	yes	no
		urd_site_to	yes	no
		urd_location	yes	no
		urd_location_to	yes	no
		urd_inv_status	yes	no
		urd_inv_status_to	yes	no

url_mstr

URL Master

Field Name	Label	Col-Label	Format	Dec
oid_url_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
url__qadc02			X(8)	
url__qadc03			x(8)	
url__qadd01			->>>>, >>>, >>>9.99<<<	10
url__qadi01			->, >>>, >>9	
url__qadi02			>>>>>>>9	
url__qadl01			yes/no	
url__qadt01			99/99/99	
url_addr	User ID		X(8)	
url_call_pgm	Browse		X(14)	
url_desc	Description		x(50)	
url_determine	Determine		yes/no	
url_exec	URL to execute		x(50)	
url_field	Field		X(32)	

Field Name	Label	Col-Label	Format	Dec
url_field_value	Value		x(50)	
url_image	GIF File Name		x(15)	
url_mod_date	Modified Date	Mod Date	99/99/99	
url_mod_userid	User ID		X(8)	
url_primary	Primary		yes/no	
url_script	URL Script		x(60)	
url_type	Type		x(8)	
url_user1	Ufld1		X(8)	
url_user2	Ufld2		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_url_mstr	yes	oid_url_mstr	yes	no
url_type_call_pgm	no	url_type	yes	no
		url_call_pgm	yes	no
		url_addr	yes	no
		url_field	yes	no
		url_field_value	yes	no
* url_type_field	yes	url_type	yes	no
		url_field	yes	no
		url_field_value	yes	no
		url_addr	yes	no
		url_call_pgm	yes	no
		url_exec	yes	no
		url_script	yes	no

ursc_det	Update Status Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_urd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_ursc_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
ursc__qadc01			x(24)	
ursc__qadc02			x(24)	
ursc_inv_status	Inv Status		x(9)	
ursc_mod_date	Modified Date	Mod Date	99/99/99	
ursc_mod_userid	User ID		x(8)	
ursc_user1	User Field Character 1		x(24)	
ursc_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ursc_det	yes	oid_ursc_det	yes	no
* ursc_oid_urd_det	yes	oid_urd_det	yes	no
		ursc inv status	yes	no

ur_mstr	Update Restriction Master

Field Name	Label	Col-Label	Format	Dec
oid_ingd_det			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
oid_ur_mstr			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
ur_qadc01			x(24)	
ur_qadc02			x(24)	
ur_mod_date	Modified Date	Mod Date	99/99/99	
ur_mod_userid	User ID		x(8)	
ur_user1	User Field Character 1		x(24)	
ur_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_ur_mstr	yes	oid_ur_mstr	yes	no
*	ur_role	yes	oid_usrg_mstr	yes	no
			oid lngd det	yes	no

UserD

Warehousing RF User Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
❖ ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
		Task	yes	no
		TrType	yes	no
		IntRouteCode	yes	no
oid_UserD	yes	oid_UserD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Field Name	Label	Col-Label	Format	Dec
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.<<<<<<<<<<	10
UserGroup	User Group	User! Group	x(8)	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_UserGroupM	yes	oid_UserGroupM	yes	no
*	UserGroup	yes	Domain	yes	no
			UserGroup	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

UserM

Warehousing RF User Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
Calendar	Calendar	Calendar	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Desc2	Description		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LineSort	Line Sort		x(8)	
MaxPalLoad	Max Pallet Load		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OrdSort	Order Sort		x(8)	
Picking	Picking		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD02	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanLot	Scan Lot		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
oid_UserM	yes	oid_UserM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserSysM

Warehousing User System Code Security Master

Index-Name	Uni	Field-Name	Asc	Abbr
ExecSystemUser	yes	Domain	yes	no
		MenuExec	yes	no
		SystemCode	yes	no
		ActUserID	yes	no
oid_UserSysM	yes	oid_UserSysM	yes	no
* UserSystemOption	yes	Domain	yes	no
		ActUserID	yes	no
		SystemCode	yes	no
		MenuOption	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

UserWLG Warehousing User/Work Location Group Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_uslh_hist	yes	oid_uslh_hist	yes	no
uslh_status_code	no	uslh_status_code	yes	no
		uslh_date	no	no
		uslh_time	no	no
* uslh_userid	no	uslh_access_type	yes	no
		uslh_userid	yes	no
		uslh_date	no	no
		uslh_time	no	no
		uslh_passwd_valid	yes	no

uspw_hist User Password History

Field Name	Label	Col-Label	Format	Dec
oid_uspw_hist			>>>>>>>>>>>>>>>>>>>>>9	10
uspw__qadc01			.9<<<<<<<<<	
uspw__qadc02			x(24)	
uspw_date	Password Create Date	Create! Date	x(24)	
uspw_mod_date	Modified Date	Mod Date	99/99/99	
uspw_mod_userid	User ID		99/99/99	
uspw_time	Password Create Time	Create! Time	x(8)	
uspw_timezone	Time Zone	Time! Zone	>>>>9	
uspw_user1	User Field Character 1		x(8)	
uspw_user2	User Field Character 2		x(24)	
uspw_userid	User ID		x(24)	
uspw_usr_passwd	Encoded Password	Password	x(8)	
			x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_uspw_hist	yes	oid_uspw_hist	yes	no
*	uspw_userid	yes	uspw_userid	yes	no
			uspw_date	no	no
			uspw_time	no	no

Usr User

Field Name	Label	Col-Label	Format	Dec
DefaultLng_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
Usr_ID			99999999999	
UsrInitials	Initials	Init	x(20)	
UsrIsActive	Active	Act	yes/no	
UsrLogin	Login		x(20)	
UsrMailAddress	E-mail Address	Mail	x(60)	
UsrName	User Name		x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	InitialsIdx	no	UsrInitials	yes	no
◇	Lng	no	DefaultLng_ID	yes	no
	LoginIdx	yes	UsrLogin	yes	no
	NameIdx	no	UsrName	yes	no
◇*	Prim	yes	Usr ID	yes	no

UsrCompanyLink User-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
Domain_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Usr_ID			9999999999	
UsrCompany_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	Company	no	Company_ID	yes	no
	CompanyAndUser	yes	Usr_ID	yes	no
			Company_ID	yes	no
◇	Domain_FK	no	Domain_ID	yes	no
◇*	Prim	yes	UsrCompany_ID	yes	no
◇	Usr	no	Usr_ID	yes	no

usrc_ctrl	User Control

Field Name	Label	Col-Label	Format	Dec
oid_usrctl			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_usrg_mstr_admin	Administrator Group		.9<<<<<<<<<<	10
usrc_qad01			x(8)	
usrc_qad02			x(8)	
usrc_active_rsn_type	Active Reason Type	Active Rsn! Type	x(8)	
usrc_deactivation_rsn	Auto-deactivation Reason Code	Deactivation! Reason	x(8)	
usrc_em_system_id	Email System	Email! System	X(8)	
usrc_expire_days	Password Expiration Days		>>>>9	
usrc_index1	Index		>>>>>9	
usrc_ldap	LDAP Enabled		yes/no	
usrc_logon_hist_level	Logon History Level	Logon! History! Level	x(2)	
usrc_max_access_fails	Max Access Failures	Max! Access! Failures	>>9	
usrc_min_length	Minimum Password Length	Min! Passwd! Length	>9	
usrc_min_non_numeric	Minimum Non-numeric Characters	Non! Num! Char	>9	
usrc_min_numeric	Minimum Numeric Characters	Numeric! Char	>9	
usrc_password_create	Password Creation Method	Passwd! Create	x(2)	
usrc_reuse_changes	Min Password Reuse Changes	Reuse! Changes	>9	
usrc_reuse_days	Min Password Reuse Days	Reuse! Days	>>>>9	
usrc_right_hdr_disp	Right Header Display Mode		9	
usrc_sec_opt	Security Option		x(1)	
usrc_sess_id	Session ID Prefix		x(3)	
usrc_sso	Single Sign On Enabled		yes/no	
usrc_timeout_min	Timeout Minutes		>>>>9	
usrc_user1	Ufld1		x(8)	
usrc_user2	Ufld2		x(8)	
usrc_warning_days	Warning Days	Passwd! Warning! Days	>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrc_ctrl	yes	oid_usrc_ctrl	yes	no
*	usrc_index1	yes	usrc_index1	yes	no

UsrDomain Link User-Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID			99999999999	
UsrDomain_ID			99999999999	
UsrDomainIsDefault	Default		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
* UsrDomain PK	yes	UsrDomain ID	yes	no

usr_gd_det User Role Detail

Field Name	Label	Col-Label	Format	Dec
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_usrgd_det			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
usrgd__qadc01			x(24)	
usrgd__qadc02			x(24)	
usrgd_domain	Domain		x(8)	
usrgd_mod_date	Modified Date	Mod Date	99/99/99	
usrgd_mod_userid	User ID		x(8)	
usrgd_user1	User Field Character 1		x(24)	
usrgd_user2	User Field Character 2		x(24)	
usrgd_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usrgd_det	yes	oid_usrgd_det	yes	no
* usrgd_oid_usrgr_mstr	yes	oid_usrgr_mstr	yes	no
		usrgr_domain	yes	no
		usrgr_userid	yes	no
usrgr_userid	yes	usrgr_userid	yes	no
		usrgr_domain	yes	no
		oid_usrgr_mstr	yes	no

usrgm_det Role Compatibility Matrix

Field Name	Label	Col-Label	Format	Dec
oid_usrgm_det			>>>>>>>>>>>>>>>>>>>>>>9	10
usrgm__qadc01			.9<<<<<<<<<	
usrgm__qadc02			x(24)	
usrgm_group1	Role Name		x(24)	
usrgm_group2	Role Name		x(20)	
usrgm_mod_date	Modified Date	Mod Date	99/99/99	
usrgm_mod_userid	User ID		x(8)	
usrgm_user1	User Field Character 1		x(24)	
usrgm_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrgm_det	yes	oid_usrgm_det	yes	no
*	usrgm_group_pair	yes	usrgm_group1	yes	no
			usrgm_group2	yes	no

usrg_mstr User Role Master

Field Name	Label	Col-Label	Format	Dec
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
usrg__qadc01			.9<<<<<<<<<<	
usrg__qadc02			x(24)	
usrg_active	Active		x(24)	
usrg_group_desc	Role Description		yes/no	
usrg_group_name	Role Name	Role	x(24)	
usrg_mod_date	Modified Date	Mod Date	x(20)	
usrg_mod_userid	User ID		99/99/99	
usrg_sod_conflict	Role Conflict		x(8)	
usrg_user1	User Field Character 1		yes/no	
usrg_user2	User Field Character 2		x(24)	
			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
*	usrg_group_name	yes	usrg_group_name	yes	no

usr_l_det	User Licensed Application Detail

Field Name	Label	Col-Label	Format	Dec
oid_usr1_det			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
usr1_qadc01			x(24)	
usr1_qadc02			x(24)	
usr1_qadd01			->>>, >>>, >>9.9<<<<<<<<	10
usr1_qadt01			99/99/99	
usr1_active	Active		yes/no	
usr1_active_date	Activated Date		99/99/99	
usr1_deactive_by	Deactivated By		x(8)	
usr1_deactive_date	Deactivated Date		99/99/99	
usr1_mod_date	Modified Date	Mod Date	99/99/99	
usr1_mod_userid	User ID		x(8)	
usr1_product	Application		x(16)	
usr1_user1	User Field Character 1		x(24)	
usr1_user2	User Field Character 2		x(24)	
usr1_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
old_usr1_det	yes	old_usr1_det	yes	no
usr1_product	no	usr1_product	yes	no
		usr1_userid	yes	no
* usr1_userid	yes	usr1_userid	yes	no
		usr1_product	yes	no

UsrProperty User Property

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Usr_ID			9999999999	
UsrProperty_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	UsrProperty_ID	yes	no
UsrId	yes	Usr_ID	yes	no

UsrRole Link User-Role

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleIsDefaultRole	Default Role		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	UsrRole_ID	yes	no
◇ Role	no	Role_ID	yes	no
◇ Usr	no	Usr_ID	yes	no
UsrAndRole	yes	Usr_ID	yes	no
		Role_ID	yes	no

UsrRoleCompanyLink User-Role-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
Domain_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleCompany_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Domain_FK	no	Domain_ID	yes	no
◇* Prim	yes	UsrRoleCompany_ID	yes	no
◇ Role_FK	no	Role_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
◇ UsrRole	no	UsrRole_ID	yes	no

UsrRoleDomainLink User-Role-Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleDomain_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Domain_FK	no	Domain_ID	yes	no
◇* prim	yes	UsrRoleDomain_ID	yes	no
◇ Role_FK	no	Role_ID	yes	no
◇ Usr_FK	no	Usr_ID	yes	no
UsrRole_FK	no	UsrRole_ID	yes	no

UsrRoleScopeLink User-Role Scope

Field Name	Label	Col-Label	Format	Decimals
Company_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			-,>,>>,>>9.9999	10
QADT01			99/99/9999	
SharedSet_ID			99999999999	
UsrRole_ID			99999999999	
UsrRoleScope_ID			99999999999	
UsrRoleScopeValue	Role Scope Value		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	UsrRoleScope_ID	yes	no
◇ SharedSet	no	SharedSet_ID	yes	no
◇ Uniquelidx	yes	UsrRoleScopeValue	yes	no
		Company_ID	yes	no
		SharedSet_ID	yes	no
		UsrRole_ID	yes	no
◇ UsrRole	no	UsrRole_ID	yes	no

usrw_wkfl User Work Table

Field Name	Label	Col-Label	Format	Dec
oid_usrw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
			.9<<<<<<<<<	
usrw__qadc01			x(8)	
usrw_charfld[15]			x(8)	
usrw_datefld[4]			99/99/99	
usrw_decfld[15]			->, >>9.99	10
usrw_domain	Domain		x(8)	
usrw_intfld[15]			->, >>>, >>9	
usrw_key1			x(8)	
usrw_key2			x(8)	
usrw_key3			x(8)	
usrw_key4			x(8)	
usrw_key5			x(8)	
usrw_key6			x(8)	
usrw_logfld[15]			yes/no	
usrw_user1	Ufld1		x(8)	
usrw_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_usrw_wkfl	yes	oid_usrw_wkfl	yes	no
* usrw_index1	yes	usrw_domain	yes	no
		usrw_key1	yes	no
		usrw_key2	yes	no
usrw_index2	no	usrw_domain	yes	no
		usrw_key3	yes	no
		usrw_key4	yes	no
usrw_index3	no	usrw_domain	yes	no
		usrw_key5	yes	no
		usrw_key6	yes	no

usr_mstr

User Master

Field Name	Label	Col-Label	Format	Dec
oid_usr_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
usr__qad01			x(8)	
usr__qad02			x(8)	
usr__qadc01	QAD Character Field		X(8)	
usr__qadc02	QAD Character Field		X(8)	
usr__qadc03	QAD Character Field		x(8)	
usr__qadc04	QAD Character Field		X(8)	
usr__qadc05			x(24)	
usr__qadi01	QAD Integer Field		>>>9	
usr__qadi02	QAD Integer Field		>>9	
usr__qadi01	QAD Logical Field		yes/no	
usr__qadi02	QAD Logical Field		yes/no	
usr__qadi03			yes/no	
usr_access_loc	Access Location		x(8)	
usr_access_type	Access Type		x(8)	
usr_active	Active	Active	yes/no	
usr_active_by	Active By	Active Changed By! User ID	x(8)	
usr_active_date	Active Date	Active! Chg Date	99/99/99	
usr_active_reason	Active Reason	Reason! Code	x(8)	
usr_addr	Address		x(8)	
usr_etry_code	Country Code	Ctry	x(3)	
usr_enabled	User Enabled		yes/no	
usr_failed_attempts	Password Failed Attempts	Passwd Failed! Attempts	>>9	
usr_force_change	Password Force Change	Passwd! Force! Change	yes/no	
usr_initials	Initials	Init	x(20)	
usr_lang	Language	Lang	x(2)	
usr_last_date	Date Password Last Changed	Changed	99/99/99	
usr_last_time			>>>>9	
usr_logon_date	Last Logon Date	Logon Date	99/99/99	
usr_logon_time	Last Logon Time	Logon Time	>>>>9	
usr_logon_timezone	Last Logon Time Zone	Server! Time! Zone	x(8)	
usr_mail_address	E-mail Address	E-mail	x(60)	
usr_name	User Name		x(35)	
usr_passwd	Password		x(16)	
usr_remark	Remark		x(60)	
usr_restrict	Restricted		yes/no	
usr_site	Site		x(8)	
usr_timezone	Time Zone		x(8)	
usr_type	User Type		x(8)	
usr_tzdb	Time Zone DB		x(16)	
usr_user1	Ufld1		x(8)	
usr_user2	Ufld2		x(8)	
usr_userid	User ID		x(8)	
usr_variant_code	Variant		x(6)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usr_mstr	yes	oid_usr_mstr	yes	no
*	usr_userid	yes	usr_userid	yes	no

Vat

Tax Rate

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Domain_ID	Domain		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
TxuTaxUsage	Tax Usage		x(8)	
Vat_ID	Record ID		9999999999	
VatAVRType	AVR Code		x(20)	
VatCode	Tax Code		x(20)	
VatDescription	Description		x(40)	
VatInOut	Tax In/Out	In/Out	x(20)	
VatInvoiceText	Tax Text on Invoice		x(2000)	
VatIsAbsorbed	Absorbed		yes/no	
VatIsActive	Active	Act	yes/no	
VatIsDelay	Delay		yes/no	
VatIsGlobalTax	Global Tax		yes/no	
VatIsRetained	Retained		yes/no	
VatPercentageLevel	Tax Percentage Level	Pct Level	x(20)	
VatTransactionType	Transaction Type	Trans Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
IsGlobal	no	VatIsGlobalTax	yes	no
◇* Prim	yes	Vat_ID	yes	no
◇ UniqueIdx	yes	Domain_ID	yes	no
		VatCode	yes	no
		VatInOut	yes	no
VatCodeldx	no	VatCode	yes	no
◇ ViewIndex	no	VatIsActive	yes	no
		VatCode	yes	no

VatBox

Tax Box

Field Name	Label	Col-Label	Format	Dec
Country_ID	Tax Country Code	Country	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatBox_ID	Record ID		9999999999	
VatBoxCode	Tax Box Code	Tax Box	x(20)	
VatBoxDescription	Description		x(40)	
VatBoxIsActive	Active		yes/no	
VatBoxType	Tax Box Type	Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
BoxCode	yes	VatBoxCode	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	VatBox_ID	yes	no
◇ ViewIndex	no	VatBoxIsActive	yes	no
		VatBoxCode	yes	no

VatExport

Tax Export

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
Country_ID	Link to Country		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatExport_ID	Record ID		9999999999	
VatExportEstimate	Estimated Declaration		->,>>>,>>>,>>9	
VatExportFileName	File Name		x(255)	
VatExportMessageIdentity	Message ID		x(20)	
VatExportPeriodType	Tax Period Type		x(20)	
VatNumber_ID	Link to VatNumber		9999999999	
VatPeriod_ID	GL Period		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ Country	no	Country_ID	yes	no
◇* Prim	yes	VatExport_ID	yes	no
Unique2Idx	yes	VatExportMessageIdentity	yes	no
◇ UniqueIdx	yes	Company_ID	yes	no
		VatExportPeriodType	yes	no
		VatPeriod_ID	yes	no
		Country_ID	yes	no
◇ VatNumber	no	VatNumber_ID	yes	no
◇ VatPeriod	no	VatPeriod_ID	yes	no

VatGroup

Tax Group

Field Name	Label	Col-Label	Format	Dec
DiscountGLProfile_ID	Discount GL Profile		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	

Field Name	Label	Col-Label	Format	Dec
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatGroup_ID	Record ID		9999999999	
VatGroupCode	Tax Group Code		x(20)	
VatGroupDescription	Description		x(40)	
VatGroupsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	VatGroupCode	yes	no
◇ DiscountGLProfile	no	DiscountGLProfile_ID	yes	no
◇* prim	yes	VatGroup_ID	yes	no
◇ ViewIndex	no	VatGroupsActive	yes	no
		VatGroupCode	yes	no

VatGroupBoxLinkTax Group Box Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatBox_ID	Tax Box Code		9999999999	
VatGroup_ID	Link to VatGroup		9999999999	
VatGroupBoxLink_ID	Record ID		9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* Prim	yes	VatGroupBoxLink_ID	yes	no
VatBox	no	VatBox_ID	yes	no
VatGroup	no	VatGroup_ID	yes	no
VatGrpVatBox	yes	VatGroup_ID	yes	no
		VatBox_ID	yes	no

VatNumber Tax Number

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Link to BusinessRelation		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DeclarationCountry_ID	Country Tax Declaration	Country Tax Decl	9999999999	
IdentityCountry_ID	Country Tax Identification	Country Tax Ident	9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
VatNumber_ID	Record ID		9999999999	
VatNumberDeclaration	Tax Declaration Number	Tax Declaration No	x(20)	
VatNumberIdentity	Tax Identification Number	Tax Identification No	x(20)	
VatNumberIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ BusinessRelation	no	BusinessRelation_ID	yes	no
◇ Country	no	IdentityCountry_ID	yes	no
Identity	no	VatNumberIdentity	yes	no
◇* Prim	yes	VatNumber_ID	yes	no
VatNumberUniqueldx	yes	BusinessRelation_ID	yes	no
		VatNumberIdentity	yes	no
		IdentityCountry_ID	yes	no
◇ ViewIndex	no	VatNumberIsActive	yes	no
		VatNumberIdentity	yes	no

VatPercent Tax Percent

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatPercent_ID	Record ID		9999999999	
VatPercentCode	Tax Percent Code		x(20)	
VatPercentDescription	Description		x(40)	
VatPercentsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	VatPercentCode	yes	no
◇* prim	yes	VatPercent_ID	yes	no
◇ ViewIndex	no	VatPercentsActive	yes	no
		VatPercentCode	yes	no

VatPercentLine Tax Percent Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
VatPercent_ID	Link to VatPercent		9999999999	
VatPercentLine_ID	Record ID		9999999999	
VatPercentLineFromDate	Valid from		99/99/9999	
VatPercentLinePercentage	Percentage		>>9.99	2
VatPercentLineTillDate	Valid to		99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* prim	yes	VatPercentLine_ID	yes	no
VatPercent	no	VatPercent_ID	yes	no

VatPeriod Tax Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->, >>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->, >>>, >>9.99	4
CustomInteger0	Custom Integer Field		->, >>>, >>9	
CustomInteger1	Custom Integer Field		->, >>>, >>9	
CustomInteger2	Custom Integer Field		->, >>>, >>9	
CustomInteger3	Custom Integer Field		->, >>>, >>9	
CustomInteger4	Custom Integer Field		->, >>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
PeriodMark_ID	Mark		9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
VatPeriod_ID	Record ID		9999999999	
VatPeriodEndDate	End Date		99/99/9999	
VatPeriodIsReportChecked	Checked/Reported		yes/no	
VatPeriodPeriod	Tax Period	Tax Pd	99	
VatPeriodStartDate	Start Date		99/99/9999	
VatPeriodStatus	Status		x(20)	
VatPeriodYear	Tax Year		9999	
VatPeriodYearPeriod	Tax Year/GL Period	Tax Year/GL Pd	999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇ EndDate	no	VatPeriodEndDate	yes	no
◇ PeriodMark	no	PeriodMark_ID	yes	no
◇* Prim	yes	VatPeriod_ID	yes	no
◇ StartDate	no	VatPeriodStartDate	yes	no
◇ VatPeriod	no	VatPeriodPeriod	yes	no
VatYear	no	VatPeriodYear	yes	no
◇ YearPeriod	no	VatPeriodYearPeriod	yes	no
YearPeriodCompany	yes	Company_ID	yes	no
		VatPeriodYear	yes	no
		VatPeriodPeriod	yes	no

VatRule

Tax Rule

Field Name	Label	Col-Label	Format	Dec
AbsorbedCreditNVatGroup_ID	Tax Group Code		9999999999	
AbsorbedInvoiceVatGroup_ID	Tax Group Code		9999999999	
CreditNoteGLProfile_ID	CN GL Profile		9999999999	
CreditNoteVatGroup_ID	Credit Note Tax Group		9999999999	
CreditVoucherVatGroup_ID	Tax Group Code		9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field		->,>>>,>>9	
CustomInteger1	Custom Integer Field		->,>>>,>>9	
CustomInteger2	Custom Integer Field		->,>>>,>>9	
CustomInteger3	Custom Integer Field		->,>>>,>>9	
CustomInteger4	Custom Integer Field		->,>>>,>>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
DelayedGLProfile_ID	Delayed GL Profile		9999999999	
InvoiceGLProfile_ID	Invoice GL Profile		9999999999	
InvoiceVatGroup_ID	Invoice Tax Group		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
RetainCVoucherVatGroup_ID	Tax Group Code		9999999999	
RetainVoucherVatGroup_ID	Tax Group Code		9999999999	
Vat_ID	Link to Vat		9999999999	
VatPercent_ID	Tax Percentage		9999999999	
VatRule_ID	Record ID		9999999999	
VatRuleBaseFull	Base/Full		x(20)	
VatRuleDelayCorrection	Delay Correction		9	
VatRuleDescription	Description		x(40)	
VatRulesDelayed	Delayed		yes/no	
VatRulesPassBaseValue	Base Value		yes/no	
VatRulesPosting	Posting		yes/no	
VatRuleMovementType	Activity Type		x(20)	
VatRuleOperator	Operator	Opr	x(1)	
VatRuleRef1	Reference 1	Ref 1	x(20)	
VatRuleRef2	Reference 2	Ref 2	x(20)	
VatRuleRounding	Rounding		x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
BaseFull	no	VatRuleBaseFull	yes	no
CreditNoteGLProfile	no	CreditNoteGLProfile_ID	yes	no
CreditNoteVatGroup	no	CreditNoteVatGroup_ID	yes	no
DiscountGLProfile	no	DelayedGLProfile_ID	yes	no
InvoiceGLProfileIdx	no	InvoiceGLProfile_ID	yes	no
InvoiceVatGroup	no	InvoiceVatGroup_ID	yes	no
LogicalKeyUniqueldx	yes	VatRuleBaseFull	yes	no
		VatRuleSequence	yes	no
		Vat_ID	yes	no
Prim	yes	VatRule_ID	yes	no
Vat	no	Vat_ID	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_btr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
oid_vd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
vd_chr01			x(8)	
vd_chr02			x(8)	
vd_chr03			x(8)	
vd_chr04			x(8)	
vd_chr05			x(8)	
vd_chr06			x(8)	
vd_chr07			x(8)	
vd_chr08			x(8)	
vd_chr09			x(8)	
vd_chr10			x(8)	
vd_dec01			>>>, >>>, >>9.99	10
vd_dec02			>>>, >>>, >>9.99	10
vd_dte01			99/99/99	
vd_dte02			99/99/99	
vd_log01			yes/no	
vd_qadc01	QAD Field		X(8)	0
vd_qadc02	QAD Field		X(8)	0
vd_qadc03	QAD Field		X(8)	0
vd_qadc04	QAD Field		X(8)	0
vd_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vd_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vd_qadi01			>>>>>>9	
vd_qadi02			>>>>>>9	
vd_qadl01			yes/no	
vd_qadl02			yes/no	
vd_qadl03			yes/no	
vd_qadl04			yes/no	
vd_qadt01			99/99/99	
vd_qadt02			99/99/99	
vd_1099	Tax Report	Tax Rpt	yes/no	
vd_active	Active		yes/no	
vd_addr	Supplier		x(8)	
vd_ap_acct	AP Account	AP Acct	x(8)	
vd_ap_cc	AP Cost Ctr	CC	x(4)	
vd_ap_cntct	AP Contact		x(24)	
vd_ap_sub	AP Sub-Account	Sub-Acct	x(8)	
vd_balance	Balance		->>>, >>>, >>9.99	10
vd_bank	Bank		x(2)	
vd_buyer	Buyer		x(8)	
vd_carrier_id	Carrier		x(8)	
vd_ckfrm	Check Form	Ck	x(2)	
vd_conrep logic	Consume/Replace Logic		x(1)	

Field Name	Label	Col-Label	Format	Dec
vd_cr_terms	Cr Terms		x(8)	
vd_curr	Currency	Cur	x(3)	
vd_data_complete	Data Complete		yes/no	
vd_daybookset	Daybook Set	Dybk Set	x(8)	
vd_db	DB Number		x(16)	
vd_debtor	Debtor Number	Debtor	x(10)	
vd_disc_pct	Disc %		->9.99%	10
vd_domain	Domain		x(8)	
vd_drft_bal	Draft Balance		->>, >>>, >>>, >>9.99	10
vd_ex_ratetype	Rate Type		x(8)	
vd_fix_pr	Fixed Price		yes/no	
vd_fob	FOB		x(20)	
vd_fr_list	Freight List	Frt List	x(8)	
vd_fr_min_wt	Min Frt Wt		->>>, >>>, >>9	0
vd_fr_terms	Freight Terms	Fr Terms	x(8)	
vd_gst_id	Tax ID - Federal		x(18)	
vd_hold	Payment Hold	Hold	yes/no	
vd_kanban_supplier	Kanban Supplier		yes/no	
vd_lang	Language		x(2)	
vd_last_ck	Last Check		99/99/99	
vd_lc_bal	LC Balance		->>, >>>, >>>, >>9.99	10
vd_misc_cr	Miscellaneous Creditor		yes/no	
vd_misc1_id	Tax ID - Misc 1		x(18)	
vd_misc2_id	Tax ID - Misc 2		x(18)	
vd_misc3_id	Tax ID - Misc 3		x(18)	
vd_mod_date	Modified Date	Mod Date	99/99/99	
vd_partial	Partial OK	Partial	yes/no	
vd_pay_spec	Pay Specification	Pay Spec	yes/no	
vd_pr_list	Disc Tbl		x(8)	
vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
vd_prepay	Prepayment Balance		->>, >>>, >>>, >>9.99	10
vd_promo	Promotion Group		x(8)	
vd_pst_id	Tax ID - State		x(18)	
vd_pur_acct	Pur Acct		x(8)	
vd_pur_cc	Pur Cost Ctr	CC	x(4)	
vd_pur_cntct	Purchase Contact		x(24)	
vd_pur_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	
vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
vd_remit	Remit-to		x(8)	
vd_rmks	Remarks		x(40)	
vd_shipvia	Ship Via		x(20)	
vd_site	Site		x(8)	
vd_sort	Sort Name		x(28)	
vd_tax_id	Tax ID		x(18)	
vd_tax_in	Tax In		yes/no	
vd_tax_in_city	In City		yes/no	
vd_tax_usage	Tax Usage	Tax Use	x(8)	
vd_tax_zone	Tax Zone		x(16)	
vd_taxable	Taxable	Tax	yes/no	
vd_taxc	Tax Class	TxC	x(3)	
vd_tid_notice	TID Notice	T! N	x(1)	
vd_tot_terms_code	Terms of Trade		x(8)	
vd_tp_pct	SO Price Reduction	Ext %	>>>9.99%	10
vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vd_type	Type		x(4)	
vd_user1	Ufid1		x(8)	
vd_user2	Ufid2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vd_mstr	yes	oid_vd_mstr	yes	no
vd_active	no	vd_domain	yes	no
		vd_active	yes	no
* vd_addr	yes	vd_domain	yes	no
		vd_addr	yes	no
vd_datacomplete	no	vd_domain	yes	no
		vd_data_complete	yes	no
vd_remit	no	vd_domain	yes	no

vecd_det Supplier Performance Category Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vecd_det	yes	oid_vecd_det	yes	no
* vecd_category	yes	vecd_domain	yes	no
		vecd_category	yes	no
		vecd_value_from	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_vec_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
vec__qadc01	QAD Field		.9<<<<<<<<<	0
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0
vec__qadc04	QAD Field		X(8)	0
vec__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vec__qadi01			>>>>>9	
vec__qadi02			>>>>>9	
vec__qadl01			yes/no	
vec__qadl02			yes/no	
vec__qadt01			99/99/99	
vec__qadt02			99/99/99	
vec_active_flag	Use Category		yes/no	
vec_category	Category		x(8)	
vec_comp_method	Computation Method		X(12)	
vec_desc	Description		x(24)	
vec_discrete_type	Discrete Type		Add/Deduct	
vec_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
vec_max_points	Maximum Points		->, >>>, >>9	
vec_mod_date	Modified Date	Mod Date	99/99/99	
vec_mod_userid	User ID		x(8)	
vec_name	Name		x(12)	
vec_pp_counter	Parts-Per Counter		Events/Quantity	
vec_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vec_table_lookup_flag	Use Lookup Table		yes/no	
vec_threshold_points	Threshold Points		->, >>>, >>9	
vec_user1	Ufid1		x(8)	
vec_user2	Ufid2		x(8)	
vec_user3			x(8)	
vec_user4			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vec_mstr	yes	oid_vec_mstr	yes	no
* vec_category	yes	vec_domain	yes	no
		vec_category	yes	no

vee_mstr

Field Name	Label	Col-Label	Format	Dec
oid_vee_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vee__qadc01	QAD Field		.9<<<<<<<<<	0
vee__qadc02	QAD Field		X(8)	0
vee__qadc03	QAD Field		X(8)	0
vee__qadc04	QAD Field		X(8)	0
vee__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vee__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vee__qadi01			>>>>>>9	
vee__qadi02			>>>>>>9	
vee__qadi01			yes/no	
vee__qadi02			yes/no	
vee__qadt01			99/99/99	
vee__qadt02			99/99/99	
vee_desc	Description		x(24)	
vee_domain	Domain		x(8)	
vee_event	Event Code		x(8)	
vee_mod_date	Modified Date	Mod Date	99/99/99	
vee_mod_userid	User ID		x(8)	
vee_name	Name		x(12)	
vee_points	Points		>>>>, >>9.99	10
vee_user1	Ufld1		x(8)	
vee_user2	Ufld2		x(8)	
vee_user3			x(8)	
vee_user4			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vee_mstr	yes	oid_vee_mstr	yes	no
*	vee_event	yes	vee_domain	yes	no
			vee_event	yes	no

vef ctrl

Field Name	Label	Col-Label	Format	Dec
oid_vef_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
vef__qadc01	QAD Field		.9<<<<<<<<<	0
vef__qadc02	QAD Field		X(8)	0
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10

VendPartM

Warehousing Supplier/Item Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* AddrPart	yes	Domain	yes	no
		Addr	yes	no
		Part	yes	no
oid_VendPartM	yes	oid_VendPartM	yes	no
◇ PartAddr	no	Domain	yes	no
		Part	yes	no
		Addr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Supplier Performance Detail

Index-Name	Uni	Field-Name	Asc	Abbr
missed_event_order	no	vepd_domain	yes	no
		vepd_temp_missed_flag	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
oid_vepd_det	yes	oid_vepd_det	yes	no
* transaction_order	yes	vepd_domain	yes	no
		vepd_tran_id	yes	no
		vepd_tran_date	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
vendor_event_order	no	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_category	yes	no
		vepd_event	yes	no
		vepd_site	yes	no
vepd_vendor_order	yes	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_vep_tran_date	yes	no
		vepd_vep_tran_id	yes	no
		vepd_category	yes	no
		vepd_seq_nbr	yes	no
		vepd_site	yes	no

vep_mstr

Supplier Performance Master

Field Name	Label	Col-Label	Format	Dec
oid_vep_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
vep__qadc01	QAD Field		X(8)	0
vep__qadc02	QAD Field		X(8)	0
vep__qadc03	QAD Field		X(8)	0
vep__qadc04	QAD Field		X(8)	0
vep__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
vep__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
vep__qadi01			>>>>>9	
vep__qadi02			>>>>>9	
vep__qadl01			yes/no	
vep__qadl02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	
vep_abs_id	Shipper ID	Shipper	x(20)	
vep_acct	Pur Acct		x(8)	
vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	
vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>9	
vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>9	
vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vep_asn_ship_qty	ASN Ship Qty		->, >>>, >>9.9<<<<<<<<	10
vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>9	
vep_buyer	Buyer		x(8)	
vep_cc	Cost Ctr	CC	x(4)	
vep_comm_code	Commodity Code	Commodity	x(20)	
vep_db	DB Number	DB	x(16)	
vep_disc_pct	Disc%		->9.99%	10
vep_domain	Domain		x(8)	
vep_fsm_type	FSM Type		x(1)	
vep_line	Line	Ln	>>>	
vep_loc	Loc		x(8)	
vep_lotser	Lot/Serial	L/S	x(18)	
vep_mod_date	Modified Date	Mod Date	99/99/99	
vep_mod_userid	User ID		x(8)	
vep_nbr	Order Nbr	Order	x(8)	
vep_open_qty	Open Qty	Qty! Open	->, >>>, >>9.9<<<<<<<<	10
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>, >>>, >>9.99	10
vep_qty_ord	Qty Ordered	Qty! Ordered	->, >>>, >>9.9<<<<<<<<	10
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->, >>>, >>9.9<<<<<<<<	10
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1	Ufld1		x(8)	
vep_user2	Ufld2		x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep vendor source	Supplier Source	Source	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
missed_event_order	no	vep_domain	yes	no
		vep_temp_missed_flag	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
oid_vep_mstr	yes	oid_vep_mstr	yes	no
vendor_date_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_line	yes	no
		vep_tran_date	yes	no
		vep_receiver	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
* vendor_site_order	yes	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
vep_vendor_nbr_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
vep_vendor_part	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

VerbH

Warehousing Verbosity History

[illegible]

Field Name	Label	Col-Label	Format	Dec
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
VerbID	ID		X(8)	
VerbLevel	Verbosity Level	Verb! Level	>>9	
VerbType	Type		X(2)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
* DateTime	no	Domain	yes	no
		CreateDate	yes	no
		CreateTime	yes	no
◇ Location	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
oid_VerbH	yes	oid_VerbH	yes	no
◇ SLG	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		SLocGp	yes	no
◇ UserIdx	no	Domain	yes	no
		CreateUserID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
WLG	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no

Supplier Performance Registration Detail

Index-Name	Uni	Field-Name	Asc	Abbr
oid_verd_det	yes	oid_verd_det	yes	no
* verd_vendor	yes	verd_domain	yes	no
		verd_vendor	yes	no
		verd_vendor_source	yes	no
		verd_site	yes	no
		verd_category	yes	no

VerifyStatusTransVerify Status Transition

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	VerifyStatusTrans_ID	yes	no
◇ Uniqueidx	yes	Company_ID	yes	no
		VerifyStatusTransFrStatus	yes	no
		VerifyStatusTransToStatus	yes	no

Supplier Performance Registration Master

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ver_mstr	yes	oid_ver_mstr	yes	no
ver_comm_code	no	ver_domain	yes	no
		ver_comm_code	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
ver_part	no	ver_domain	yes	no
		ver_part	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_comm_code	yes	no
ver_site	no	ver_domain	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no
* ver_vendor	yes	ver_domain	yes	no
		ver_vendor	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no

vesd_det Supplier Performance Summary Detail

Field Name	Label	Col-Label	Format	Dec
oid_vesd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
vesd__qadc01	QAD Field		.9<<<<<<<	0
vesd__qadc02	QAD Field		X(8)	0
vesd__qadc03	QAD Field		X(8)	0
vesd__qadc04	QAD Field		X(8)	0
vesd__qadd01			->, >>>, >>9.9<<<<<<<<<	10
vesd__qadd02			->, >>>, >>9.9<<<<<<<<<	10
vesd__qadi01			>>>>>>9	
vesd__qadi02			>>>>>>9	
vesd__qadl01			yes/no	
vesd__qadl02			yes/no	
vesd__qadt01			99/99/99	
vesd__qadt02			99/99/99	
vesd_category	Category		x(8)	
vesd_domain	Domain		x(8)	
vesd_event	Event		x(8)	
vesd_event_qty	Qty		->, >>>, >>9.9<<<<<<<<	10
vesd_mod_date	Modified Date	Mod Date	99/99/99	
vesd_mod_userid	User ID		x(8)	
vesd_part	Item Number	Item	x(18)	
vesd_rec_type	Rec Type		x(8)	
vesd_site	Site		x(8)	
vesd_sub_type	Subcontract Type	Sub Type	x(12)	
vesd_tran_date	Transaction Date	Tran Date	99/99/99	
vesd_tran_id	Transaction ID	Tran ID	>>>>>>>	
vesd_type	Type		x(1)	
vesd_user1	Ufld1		x(8)	
vesd_user2	Ufld2		x(8)	
vesd_user3			x(8)	
vesd_user4			x(8)	
vesd_vendor	Supplier		x(8)	
vesd_vendor_source	Supplier Source	Source	x(3)	
vesd-ves-from-date	From Date		99/99/99	
vesd-ves-to-date	To Date		99/99/99	
vesd_weight_code	Weight Code	Weight	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vesd_det	yes	oid_vesd_det	yes	no
* vesd_vendor_order	yes	vesd_domain	yes	no
		vesd_vendor	yes	no
		vesd_vendor_source	yes	no
		vesd_ves_from_date	yes	no
		vesd_ves_to_date	yes	no
		vesd_site	yes	no
		vesd_part	yes	no
		vesd_rec_type	yes	no
		vesd_type	yes	no
		vesd_sub_type	yes	no
		vesd_category	yes	no
		vesd_tran_id	yes	no

ves mstr

Supplier Performance Summary Master

Field Name	Label	Col-Label	Format	Dec
oid_ves_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
ves__qadc01	QAD Field		.9<<<<<<<<<	0
ves__qadc02	QAD Field		X(8)	0
ves__qadc03	QAD Field		X(8)	0
ves__qadc04	QAD Field		X(8)	0
ves__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
ves__qadi01			>>>>>>9	
ves__qadi02			>>>>>>9	
ves__qadl01			yes/no	
ves__qadl02			yes/no	
ves__qadt01			99/99/99	
ves__qadt02			99/99/99	
ves_comm_code	Commodity Code	Commodity	x(20)	
ves_db	DB Number	DB	x(16)	
ves_domain	Domain		x(8)	
ves_from_date	From Date		99/99/99	
ves_mod_date	Modified Date	Mod Date	99/99/99	
ves_mod_userid	User ID		x(8)	
ves_occurance_count	Occurance		>>>>, >>>, >>9	
ves_part	Item Number	Item	x(18)	
ves_rcvd_qty	Receipt Qty	Qty! Received	>>>>, >>>, >>>, >>9.9<<<<<<<<<	10
ves_rec_type	Rec Type		x(8)	
ves_site	Site		x(8)	
ves_sub_type	Subcontract Type	Sub Type	x(12)	
ves_to_date	To Date		99/99/99	
ves_type	Type		x(1)	
ves_user1	Ufld1		x(8)	
ves_user2	Ufld2		x(8)	
ves_user3			x(8)	
ves_user4			x(8)	
ves_vendor	Supplier		x(8)	
ves_vendor_source	Supplier Source	Source	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_ves_mstr	yes	oid_ves_mstr	yes	no
* ves_vendor_order	yes	ves_domain	yes	no
		ves_vendor	yes	no
		ves_vendor_source	yes	no
		ves_from_date	yes	no
		ves_to_date	yes	no
		ves_site	yes	no
		ves_part	yes	no
		ves_rec_type	yes	no
		ves_type	yes	no
		ves sub type	yes	no

view mstr

Supplier Performance Weighting Factor Master

Field Name	Label	Col-Label	Format	Dec
oid_vew_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
vew__qadc01	QAD Field		.9<<<<<<<<<	0
vew__qadc02	QAD Field		X(8)	0
vew__qadc03	QAD Field		X(8)	0
vew__qadc04	QAD Field		X(8)	0
vew__qadd01			->>, >>, >>9.<<<<<<<<<	10
vew__qadd02			->>, >>, >>9.<<<<<<<<<	10
vew__qadi01			>>>>>>9	
vew__qadi02			>>>>>>9	
vew__qadl01			yes/no	
vew__qadl02			yes/no	
vew qadt01			99/99/99	

vph_hist

Voucher Invoice History

Field Name	Label	Col-Label	Format	Dec
oid_vph_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
vph_qadc01			.9<<<<<<<<	
vph_qadc02			x(24)	
vph_qadi01			->>>>>>9	
vph_acct	Account		x(8)	
vph_adj_amt	Cost Adjustment		->>>>, >>>, >>9.99<	10
vph_adj_inv	Inventory/Variance		Inventory/Variance	
vph_adj_prv_cst	Previous Cost		->>>>, >>>, >>9.99<<<	10
vph_adj_wip	WIP/Variance		WIP/Variance	
vph_amt	Amount		->>>>, >>>, >>9.99	10
vph_avg_post	Post To		x(4)	
vph_cc	Cost Ctr	CC	x(4)	
vph_cf_adj_amt	Confirmed Adjustment		->>>>, >>>, >>9.99<	10
vph_cf_dscr_amt	Confirmed Discrepancy		->>>>, >>>, >>9.99<	10
vph_cinvoice_id	Invoice ID		9999999999	
vph_costadj_acct	Cost Adj Acct	Cost Adj	x(8)	
vph_costadj_cc	Cost Adj CC	CC	x(4)	
vph_costadj_sub	Cost Adj Sub	Sub-Acct	x(8)	
vph_curr_amt	Currency Amount	Curr Amt	->, >>>, >>>, >>9.99<<<	10
vph_domain	Domain		x(8)	
vph_dscr_acct	Inventory Dscr Acct	Dscr Acct	x(8)	
vph_dscr_amt	Cost Discrepancy		->>>>, >>>, >>9.99<	10
vph_dscr_cc	Inventory Dscr CC	CC	x(4)	
vph_dscr_sub	Inventory Dscr Sub-Acct	Sub-Acct	x(8)	
vph_element	Cost Element	Element	x(8)	
vph_inv_cost	Invoice Cost		->, >>>, >>>, >>9.99<<<	10
vph_inv_date	Invoice Date	Inv Date	99/99/99	
vph_inv_qty	Invoice Qty		->, >>>, >>9.9<<<<<<<<	10
vph_nbr	PO Nbr		x(8)	
vph_project	Project		x(8)	
vph_pvo_id	Pending Voucher ID		>>>>>>>>	
vph_pvod_id_line	Line	Ln	>>>>>>>9	
vph_qoh_at_adj	QOH at adjustment		->, >>>, >>9.9<<<<<<<<<	10
vph_ref	Voucher		x(22)	
vph_sub	Sub-Account	Sub-Acct	x(8)	
vph_user1	Ufld1		x(8)	
vph_user2	Ufld2		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vph_hist	yes	oid_vph_hist	yes	no
vph_nbr	no	vph_domain	yes	no
		vph_nbr	yes	no
vph_pvo_id	no	vph_domain	yes	no
		vph_pvo_id	yes	no
		vph_pvod_id_line	yes	no
		vph_ref	yes	no
* vph_ref	yes	vph_domain	yes	no
		vph_ref	yes	no
		vph_pvo_id	yes	no
		vph_pvod_id_line	yes	no
vph_refnbr	no	vph_domain	yes	no
		vph_ref	yes	no
		vph_nbr	yes	no

vpo_det

Voucher Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_vpo_det			>>>>>>>>>>>>>>>>>>>>>>	9 10
vpo__qadc01			.9<<<<<<<<<	
vpo_domain	Domain		x(8)	
			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vpo_det	yes	oid_vpo_det	yes	no
*	vpo_refpo	yes	vpo_domain	yes	no
			vpo_ref	yes	no
			vpo_po	yes	no

vp_mstr

Supplier Item Master

Field Name	Label	Col-Label	Format	Dec
oid_vp_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
vp__chr01			.9<<<<<<<<	
vp__chr02			x(8)	
vp__chr03			x(8)	
vp__chr04			x(8)	
vp__chr05			x(8)	
vp__dec01			>>>, >>>, >>9.99	10
vp__dec02			>>>, >>>, >>9.99	10
vp__dte01			99/99/99	
vp__dte02			99/99/99	
vp__log01			yes/no	
vp_appr_date	Approve Date	Approve	99/99/99	
vp_bkage_amt	Brokerage Amt		->, >>>, >>9.99	10
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	
vp_domain	Domain		x(8)	
vp_duty_amt	Duty Amt		->, >>>, >>9.99	10
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->, >>>, >>9.99	10
vp_ins_rqd	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>>, >>>, >>9.99<<<	10
vp_q_qty	Quote Qty		->, >>>, >>9.9<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	10
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufld1		x(8)	
vp_user2	Ufld2		x(8)	
vp_userid	User ID		x(8)	
vp_vend	Supplier		x(8)	
vp_vend_lead	Supplier Lead Time	LT	>>9	
vp_vend_part	Supplier Item		x(30)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_vp_mstr	yes	oid_vp_mstr	yes	no
* vp_partvend	yes	vp_domain	yes	no
		vp_part	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no
vp_vend_part	no	vp_domain	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no

Version Control

Field Name	Label	Col-Label	Format	Description
oid_vrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
vrc__qadc01			x(8)	
vrc_domain	Domain		x(8)	
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vrc_ctrl	yes	oid_vrc_ctrl	yes	no
*	vrc_id	yes	vrc_domain	yes	no
			vrc_v86	yes	no

Viewer Enabled Fields Master

Field Name	Label	Col-Label	Format	Dec
oid_vw_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vw__qadc01			.9<<<<<<<<<	
vw__qadc02			x(24)	
vw__qadd01			x(24)	
vw__qadi01			->>>>, >>>, >>>9.99<<<<<<<<	10
vw__qadl01			->>>>>>>9	
vw__qadt01			yes/no	
vw_field	Enabled Field Name		99/99/99	
vw_frame	Frame Name		x(22)	
vw_mod_date	Modified Date	Mod Date	x(40)	
vw_mod_userid	User ID		99/99/99	
vw_pgm	Viewer Program Name		x(8)	
vw_table	Table Name		x(12)	
vw_user1	User Field Character 1		x(16)	
vw_user2	User Field character 2		x(24)	
			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_vw_mstr	yes	oid_vw_mstr	yes	no
*	vw_pgm	yes	vw_pgm	yes	no
			vw_table	yes	no
			vw_field	yes	no
			vw_frame	yes	no

Warehousing Wave Control

Field Name	Label	Col-Label	Format	Dec
ActivateRG	Activate RG in Wave Release	Activate RG! in Wave Release	yes/no	
AllowSplit	Allow Split	Split	yes/no	
AutoAll	Auto Allocation		yes/no	
AvoidRelease	Avoid Release Without Replen		yes/no	
ChangeInc	Change Include	Change! Inc	yes/no	
ContMultTrans	Mult Trans for Boxes	Mult Trans! for Boxes	yes/no	
ContUM	Box Pick UM	Box! Pick UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateRG	Create RG in Wave Release	RG in Wave! Release	yes/no	
CreateUserID	Created		x(8)	
DaysNewPreship	New Preshipper if older (days)		->,>>>,>>9	
DefaultIncl	Default Include	Def Incl	yes/no	
DisplayAll	Display Qty Alloc/Open	Alloc/Open	Alloc/Open	
Domain	Domain		x(8)	

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WavePause	Pause Between Waves (s)	Pause! Waves	>>>9	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_WaveC	yes	oid_WaveC	yes	no
◇*	SiteWhse	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

WaveD

Warehousing Wave Detail

[illegible]

WaveLoadD

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Incl	yes	no
LoadIdx	no	Domain	yes	no
		LoadNbr	yes	no
		DropOffSeq	yes	no
		CarrierRef	yes	no
		SelNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		Part	yes	no
		Line	yes	no
		WaveNbr	yes	no

Field Name	Label	Col-Label	Format	Dec
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ DueDate	no	Domain	yes	no
		WaveNbr	yes	no
		DueDate	yes	no
		Nbr	yes	no
◇ Include	no	Domain	yes	no
		WaveNbr	yes	no
		Incl	yes	no
NetWeight	no	Domain	yes	no
		WaveNbr	yes	no
		NetWeight	yes	no
		Nbr	yes	no
oid_WaveM	yes	oid_WaveM	yes	no
◇* OrderIdx	yes	Domain	yes	no
		WaveNbr	yes	no
		DSet	yes	no
		Nbr	yes	no
		OrdSite	yes	no
		ShipVia	yes	no
◇ OrdStatus	no	Domain	yes	no
		WaveNbr	yes	no
		OrdStatus	yes	no
		Nbr	yes	no
◇ Profile	no	Domain	yes	no
		WaveNbr	yes	no
		Profile	yes	no
		Nbr	yes	no
◇ Route	no	Domain	yes	no
		WaveNbr	yes	no
		Route	yes	no
		Nbr	yes	no
Seq	yes	Domain	yes	no
		WaveNbr	yes	no
		Seq	yes	no
◇ ShipTo	no	Domain	yes	no
		WaveNbr	yes	no
		ShipTo	yes	no
		Nbr	yes	no
◇ ShipVia	no	Domain	yes	no
		WaveNbr	yes	no
		ShipVia	yes	no
		Nbr	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WaveMasterM Warehousing Wave Master Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
FromDate	From Date	From	99/99/99	

WaveTranspC Warehousing Wave Transportation Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WaveTranspC	yes	oid_WaveTranspC	yes	no
◇* SiteWhse	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ Usrldx	no	Domain	yes	no
		UserC01	yes	no
		UserC02	yes	no

wcr_route

Field Name	Label	Col-Label	Format	Dec
oid_wcr_route			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wcr__qadc01			.9<<<<<<<<<	
wcr_domain	Domain		x(8)	
wcr_mch	Machine		x(8)	
wcr_op	Op		>>>>>9	
wcr_part	Routing Code		x(18)	
wcr_rate	Std Prod Rate	Std Rate	->, >>>, >>9	
wcr_user1	Ufld1		x(8)	
wcr_user2	Ufld2		x(8)	
wcr_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wcr_route	yes	oid_wcr_route	yes	no
wcr_part	yes	wcr_domain	yes	no
		wcr_part	yes	no
		wcr_op	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
* wcr_route	yes	wcr_domain	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
		wcr_part	yes	no
		wcr_op	yes	no

wc mstr

Field Name	Label	Col-Label	Format	Dec
oid_wc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wc_chr01	User Character Field 1		.9<<<<<<<<<	
wc_chr02	User Character Field 2		X(8)	
wc_chr03	User character Field 3		X(8)	
wc_dec01	User Decimal Field 1		->>>, >>9.99<	10
wc_dec02	User Decimal Field 2		->>>, >>9.99<	10
wc_log01	User Logical Field 1		yes/no	
wc_qad01			>, >>9.9	10
wc_qad02			>>, >>9.999	10
wc_qadc01	QAD Character Field 1		X(8)	
wc_qadc02	QAD Character Field 2		X(8)	
wc_qadc03	QAD Character Field 3		X(8)	
wc_qade01	QAD Decimal Field 1		->>>, >>9.99<<	10
wc_qade02	QAD Decimal Field 2		->>>, >>9.99<<	10
wc_qadl01	QAD Logical Field 1		yes/no	
wc_autofirm	Auto Firm		yes/no	
wc_bdn_pct	Lbr Bdn %		>>9.99%	10
wc_bdn_rate	Lbr Bdn Rate		>>>, >>9.99	10
wc_bdn_supct	Setup Bdn %		>>9.99%	10
wc_bdn_surate	Setup Bdn Rate		>>>, >>9.99	10
wc_dept	Department	Dept	x(8)	
wc_desc	Description		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wc_mstr	yes	oid_wc_mstr	yes	no
wc_dept	no	wc_domain	yes	no
		wc_dept	yes	no
wc_desc	yes	wc_domain	yes	no
		wc_desc	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no
wc_fsm_type	no	wc_domain	yes	no
		wc_fsm_type	yes	no
		wc_wkctr	yes	no
* wc_wkctr	yes	wc_domain	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_whl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
whl_chr01	Reserved		.9<<<<<<<<<	
whl_dec01			x(8)	
whl_dte01			9.99	10
whl_log01			99/99/99	
whl_qadc01			yes/no	
whl_qadc02			x(8)	
whl_qadd03			x(8)	
whl_qadl05			9.99	10
whl_qadt04			yes/no	
whl_act	Active		99/99/99	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_domain	Domain		x(8)	
whl_loc	Location		x(8)	
whl_po cmt exp	Comments		yes/no	

Field Name	Label	Col-Label	Format	Dec
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
whl_wo_rcpt_exp	Work Order Receipt		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_whl_mstr	yes	oid_whl_mstr	yes	no
whl_dest	no	whl_domain	yes	no
		whl_src_dest_id	yes	no
* whl_site	yes	whl_domain	yes	no
		whl_site	yes	no
		whl_loc	yes	no

WhseC

Warehouse Control

Field Name	Label	Col-Label	Format	Dec
AllowLotSerRef	Allow Lot/Ser Ref Switch		yes/no	
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoRep%	Auto Replenish %	Auto! Rep%	>>9.99%	2
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
BlindLoc	Blind Location		yes/no	
CheckDigits	Check Digits	Chk	yes/no	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThresh%	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMTol%	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Transactions		->>>,>>9<<<<<<	10
MBAssign	Flav C Hard/Soft Assign.		Hard/Soft	
MBPrintID	Def ID Print Flavor C		yes/no	
MBSort	Multi-bin Pick flav C Sort.		9	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserI02	User Field Integer 2		->9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WhseInvStatus	Default Whse Inv Status	Whse! Inv Stat	X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseC	yes	oid_WhseC	yes	no
◇* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseListD Warehouse Master List Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseListD	yes	oid_WhseListD	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Whse	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
		TrType	yes	no
		Whse	yes	no
* WMLDidx	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
		TrType	yes	no
		ListSeq	yes	no

WhseListM

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseListM	yes	oid_WhseListM	yes	no
◇* SiteList	yes	Domain	yes	no
		Site	yes	no
		MasterList	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseM

Warehouse Master

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
Addr	Address		x(8)	
AllowLotSerRef	Allow Lot/Ser Ref Switch		yes/no	
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoBPOD	Automatically Recreate BPs	Auto BP	yes/no	
AutoRep%	Auto Replenish %	Auto! Rep%	>>9.99%	2
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
BaseUMOnly	Base UM Only		yes/no	
BlindLoc	Blind Location		yes/no	
CanRun	Roles		x(189)	
CheckDigits	Check Digits	Chk	yes/no	
CmtIndx	Comments		>>>>>>9	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThresh%	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMTol%	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Trans		->,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
MBAAssign	Flav C Hard/Soft Assign.		Hard/Soft	
MBPrintID	Def ID Print Flavor C		yes/no	
MBSort	Multi-bin Pick flav C Sort.		9	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
oid_WlseM			>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
OneLevelPick	Single Level Picking	Single! Level! Pick	yes/no	
OPCActive	Opportunity Counts	OPC	yes/no	
OPCFreq	OPC Frequency	OPC Freq	>>>9	
Optimized	Optimized Storage	Optim	yes/no	
PackNrID	Packaging Seq ID	Pck! Seq! ID	x(8)	
PickEnd	End Picking Level	Pick! End	>>9	
PickStart	Start Picking Level	Pick! Start	>>9	
PLDSync	Inventory Account Sync	Inv! Acct! Sync	x(1)	
PrintByWLG	Print By Work Location Group	Print! By WLG	yes/no	
PrintException	Print Exceptions	Print! Except	yes/no	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintID	Print ID	Print! ID	yes/no	
PrintModeCI	Print Mode (Confirmed Tasks)	Print! Mode CI	X(8)	
PrintModeCr	Print Mode (Created Tasks)	Print! Mode Cr	X(8)	
PrintModeEx	Print Mode (Exceptions)	Print! Mode Ex	X(8)	
PrintModelD	Print Mode (ID)	Print! Mode ID	X(8)	
PrintModelInsp	Print Mode (ID)	Print! Mode ID	X(8)	
PrintTaskCI	Print Confirmed Tasks	Print! CI Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpt	Quantity Change Option	Qty	>9	
RcntPriInc	Recount Increment	Recount! Increment	->, >>>, >>9	
RcntPriority	Recount Priority	Recount! Priority	->, >>>, >>9	
RcntSystem	Recount System Code	Rcnt! Sys	x(2)	
RcntTask	Recount Task	Recount! Task	x(8)	
RefNRID	Reference Seq ID	Ref Sq ID	X(8)	
RepickOpt	Repick Option	Repick	>9	
RepickType	Repick Tran Type	Repick! Tran Type	x(8)	
SearchWindow	Transaction Search Window	Trans! Window	>>9	
Site	Site		x(8)	
SystemCode	System Code	Sys	x(2)	
SystemFlavor	Flavor	Flv	x(1)	
Task	Task		x(8)	
Task132	132 Mode (Task)	Task! 132	yes/no	
TaskAcross	Task Printer - Number Across	Task! Across	>9	
TaskDown	Task Printer - Lines of Each	Task! Down	>9	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
TaskWidth	Task Printer - Width of Each	Task! Width	>>9	
ToLocOpt	To Location Option	To! Loc	>9	
ToLotOpt	To Lot/Serial Option	To! Lot	>9	
ToPartOpt	To Item Option	To! Item	>9	
ToRefOpt	To Reference Option	To! Ref	>9	
TrPriInc	Increment		->, >>>, >>9	
TrPriority	Priority		->, >>>, >>9	
TwoPhase	Two Phase	2Ph	yes/no	
UseFrom	Confirmed at Source	Conf! Src	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseM	yes	oid_WhseM	yes	no
◇* SiteWhse	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseTferOrdD Warehouse Transfer Order Detail

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserT02	User Field Date 1		99/99/99	
WTLine	Line		>>>9	
WTOder	Order		X(8)	
WTPart	Item Number		x(18)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseTferOrdD	yes	oid_WhseTferOrdD	yes	no
◇* OrderLine	yes	Domain	yes	no
		WTOOrder	yes	no
		WTLine	yes	no
◇ Part	no	Domain	yes	no
		WTPart	yes	no
◇ Usrldx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

WhseTferOrdM Warehouse Transfer Order Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
FromWhse	no	Domain	yes	no
		FromSite	yes	no
		FromWhse	yes	no
oid_WhseTferOrdM	yes	oid_WhseTferOrdM	yes	no
ToWhse	no	Domain	yes	no
		ToSite	yes	no
		ToWhse	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* WtOrder	yes	Domain	yes	no
		WtOrder	yes	no
WtStatus	no	Domain	yes	no
		WtStatus	yes	no
		ReqDate	yes	no

WhseTrTypeM Warehouse/Transaction Type Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WhseTrTypeM	yes	oid_WhseTrTypeM	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* WhseTrType	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		TrType	yes	no

WHT Withholding Tax

Field Name	Label	Col-Label	Format	Dec
BankStateAlloc_ID			9999999999	
CDocumentInvoiceXref_ID			9999999999	
CInvoice_ID			9999999999	
CInvoiceWHT_ID			9999999999	
Company_ID			9999999999	
CostCentre_ID			9999999999	
Creditor_ID			9999999999	
Currency_ID			9999999999	
CustomCombo0	Custom Combo Field		x(20)	
CustomCombo1	Custom Combo Field		x(20)	
CustomCombo2	Custom Combo Field		x(20)	
CustomCombo3	Custom Combo Field		x(20)	
CustomCombo4	Custom Combo Field		x(20)	
CustomCombo5	Custom Combo Field		x(20)	
CustomCombo6	Custom Combo Field		x(20)	
CustomCombo7	Custom Combo Field		x(20)	
CustomCombo8	Custom Combo Field		x(20)	
CustomCombo9	Custom Combo Field		x(20)	
CustomDate0	Custom Date Field		99/99/9999	
CustomDate1	Custom Date Field		99/99/9999	
CustomDate2	Custom Date Field		99/99/9999	
CustomDate3	Custom Date Field		99/99/9999	
CustomDate4	Custom Date Field		99/99/9999	
CustomDecimal0	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal1	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal2	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal3	Custom Decimal Field		->,>>>, >>9.99	4
CustomDecimal4	Custom Decimal Field		->,>>>, >>9.99	4
CustomInteger0	Custom Integer Field		->,>>>, >>9	
CustomInteger1	Custom Integer Field		->,>>>, >>9	
CustomInteger2	Custom Integer Field		->,>>>, >>9	
CustomInteger3	Custom Integer Field		->,>>>, >>9	
CustomInteger4	Custom Integer Field		->,>>>, >>9	
CustomLong0	Custom Long Field		x(255)	
CustomLong1	Custom Long Field		x(255)	
CustomNote	Custom Note Field		x(2000)	
CustomShort0	Custom Short Field		x(20)	
CustomShort1	Custom Short Field		x(20)	
CustomShort2	Custom Short Field		x(20)	
CustomShort3	Custom Short Field		x(20)	
CustomShort4	Custom Short Field		x(20)	
CustomShort5	Custom Short Field		x(20)	
CustomShort6	Custom Short Field		x(20)	
CustomShort7	Custom Short Field		x(20)	
CustomShort8	Custom Short Field		x(20)	
CustomShort9	Custom Short Field		x(20)	
Division_ID			9999999999	
GL_ID			9999999999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
Project_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>>9.9999	10
QADT01			99/99/9999	
Vat_ID			9999999999	
WHT_ID	Record ID		9999999999	
WHTAmtCreditCC	WHT Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTAmtCreditLC	WHT Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTAmtCreditTC	WHT Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTAmtDebitCC	WHT Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTAmtDebitLC	WHT Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTAmtDebitTC	WHT Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTCertFormat_ID			9999999999	
WHTChargeAmtCreditCC	Charge Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTChargeAmtCreditLC	Charge Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTChargeAmtCreditTC	Charge Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTChargeAmtDebitCC	Charge Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTChargeAmtDebitLC	Charge Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTChargeAmtDebitTC	Charge Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTChargeType	Charge Type		x(20)	
WHTCInvoicePostingDate	Invoice Posting Date		99/99/9999	
WHTCInvoiceReference	Invoice Reference		x(50)	
WHTCompanyCode	Entity Code		x(20)	
WHTCompanyLCCurrencyCode	Base Currency		x(3)	
WHTCreditorCode	Supplier Code		x(8)	
WHTCreditorSharedSetCode	Supplier Shared Set Code		x(20)	
WHTIsPrinted	Printed		yes/no	
WHTNumber	WHT Number		9999999999	
WHTPaidAmtCreditCC	Paid Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTPaidAmtCreditLC	Paid Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTPaidAmtCreditTC	Paid Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTPaidAmtDebitCC	Paid Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTPaidAmtDebitLC	Paid Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTPaidAmtDebitTC	Paid Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTPaymentDate	Payment Date		99/99/9999	
WHTPaymentReference	Payment Reference		x(40)	
WHTPercentage	WHT Tax Rate Perc		->>9.99	2
WHTPeriodPeriod	GL Period	GL Pd	99	
WHTPeriodYear	GL Calendar Year	GL Cal Year	9999	
WHTRetainedAmtCreditCC	Retained Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTRetainedAmtCreditLC	Retained Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTRetainedAmtCreditTC	Retained Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTRetainedAmtDebitCC	Retained Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTRetainedAmtDebitLC	Retained Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTRetainedAmtDebitTC	Retained Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTSettlementDate	Settlement Date		99/99/9999	
WHTStatus	WHT Status		x(20)	
WHTTaxableFeesCreditCC	Taxable Fee Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesCreditLC	Taxable Fee Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesCreditTC	Taxable Fee Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesDebitCC	Taxable Fee Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesDebitLC	Taxable Fee Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTTaxableFeesDebitTC	Taxable Fee Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTTaxType	Tax Type		x(16)	
WHTTotAmtCreditCC	Total Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtCreditLC	Total Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtCreditTC	Total Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitCC	Total Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitLC	Total Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTTotAmtDebitTC	Total Amount Dr TC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditCC	Tax Amount Cr SC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditLC	Tax Amount Cr BC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtCreditTC	Tax Amount Cr TC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitCC	Tax Amount Dr SC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitLC	Tax Amount Dr LC		->>>, >>>, >>>, >>9.99	4
WHTVATAmtDebitTC	Tax Amount Dr TC		->>>, >>>, >>>, >>9.99	4

	Index-Name	Uni	Field-Name	Asc	Abbr
	BankStateAlloc	no	BankStateAlloc_ID	yes	no
	CDoxInvxXref	no	CDocumentInvoiceXref_ID	yes	no
◇	CInvoice	no	CInvoice_ID	yes	no
	CInvoiceWHT	no	CInvoiceWHT_ID	yes	no
◇	Company	no	Company_ID	yes	no
◇	CostCentre	no	CostCentre_ID	yes	no
◇	Creditor	no	Creditor_ID	yes	no
◇	CreditorIdx	no	WHTCreditorCode	yes	no
◇	Currency	no	Currency_ID	yes	no
◇	CylIdx	no	WHTCompanyCode	yes	no
◇	Division	no	Division_ID	yes	no
◇	GL	no	GL_ID	yes	no
	PaymentDate	no	Company_ID	yes	no
			WHTPaymentDate	yes	no
◇	PeriodIdx	no	WHTPeriodYear	yes	no
			WHTPeriodPeriod	yes	no
◇	PostingDate	no	Company_ID	yes	no
			WHTCInvoicePostingDate	yes	no
◇*	Prim	yes	WHT_ID	yes	no
	SSCurIdx	no	WHTCreditorSharedSetCode	yes	no
			WHTCompanyLCCurrencyCode	yes	no
	TaxTypeIdx	no	WHTTaxType	yes	no
◇	Uniqueldx	yes	Company_ID	yes	no
			CInvoiceWHT_ID	yes	no
			BankStateAlloc_ID	yes	no
			CDocumentInvoiceXref_ID	yes	no
			WHTChargeType	yes	no
◇	Vat	no	Vat_ID	yes	no
	WHTCertFormat	no	WHTCertFormat_ID	yes	no
	WHTNumber	no	WHTNumber	yes	no

WHTCertFormatWHTCertFormat

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	999999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->,>>>,>>9.9999	10
QADT01			99/99/9999	
WHTCertFormat_ID	Record ID		9999999999	
WHTCertFormatCode	Format Code	Format Code	x(20)	
WHTCertFormatDescription	Description		x(40)	
WHTCertFormatIsActive	Active		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Code	yes	WHTCertFormatCode	yes	no
◇ IsActive	no	WHTCertFormatIsActive	yes	no
◇* Prim	yes	WHTCertFormat ID	yes	no

wlbld det WIP Lot Trace BOM Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlbd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
wlbd__chr01			.9<<<<<<<<<	
wlbd__chr02			X(16)	
wlbd__chr03			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlbm__qadl02			yes/no	
wlbm__qadt01			99/99/99	
wlbm__qadt02			99/99/99	
wlbm_bom_code	BOM Code		x(18)	
wlbm_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbm_domain	Domain		x(8)	
wlbm_end	End Date	End	99/99/99	
wlbm_mod_date	Modified Date	Mod Date	99/99/99	
wlbm_mod_userid	User ID		x(8)	
wlbm_start	Start Date	Start	99/99/99	
wlbm_trc_comps	Trace Components	Trace! Components	yes/no	
wlbm_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbm_user1	Ufld1		X(16)	
wlbm_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_wlbn_mstr	yes	oid_wlbn_mstr	yes	no
*	wlbn_bom_code	yes	wlbn_domain	yes	no
			wlbn_bom_code	yes	no
			wlbn_start	yes	no

wlc ctrl

WIP Lot Trace Control

Field Name	Label	Col-Label	Format	Dec
oid_wlc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
wlc_chr01			.9<<<<<<<<	
wlc_chr02			X(16)	
wlc_chr03			X(16)	
wlc_chr04			X(16)	
wlc_dec01			->>, >>, >>9.9<<<<<<<<<	10
wlc_dec02			->>, >>, >>9.9<<<<<<<<<	10
wlc_dte01			99/99/99	
wlc_dte02			99/99/99	
wlc_int01			->, >>, >>9	
wlc_int02			->, >>, >>9	
wlc_log01			yes/no	
wlc_log02			yes/no	
wlc_qadc01			X(16)	
wlc_qadc02			X(16)	
wlc_qadc03			X(16)	
wlc_qadc04			X(16)	
wlc_qadd01			->>, >>, >>9.9<<<<<<<<	10
wlc_qadd02			->>, >>, >>9.9<<<<<<<<	10
wlc_qadi01			->, >>, >>9	
wlc_qadi02			->, >>, >>9	
wlc_qadi03			->>>>>>>9	
wlc_qadl01			yes/no	
wlc_qadl02			yes/no	
wlc_qadt01			99/99/99	
wlc_qadt02			99/99/99	
wlc_comp_cmb_ok	Combine Component Lots		yes/no	
wlc_domain	Domain		x(8)	
wlc_enable_wlt	Enable WIP Lot Trace		yes/no	
wlc_maxlotsize	Max Lot Size		>>>, >>>, >>9.9	10
wlc_mod_date	Modified Date	Mod Date	99/99/99	
wlc_mod_userid	User ID		x(8)	
wlc_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlc_overissue	WIP Lot Overissue		yes/no	
wlc_trc_comps	Trace Components	Trace! Components	yes/no	
wlc_trc_parents	Trace Parents	Trace! Parents	yes/no	
wlc_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlc_user1	Ufld1		X(16)	
wlc_user2	Ufld2		X(16)	
wlc_wip_cmb_ok	Combine WIP Lots		yes/no	
wlc_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_wlc_ctrl	yes	oid_wlc_ctrl	yes	no
*	wlc_index1	yes	wlc_domain	yes	no

WIP Lot Inventory Detail

Field Name	Label	Col-Label	Format	Dec
oid_wld_det			>>>>>>>>>>>>>>>>>>>>>>9	10
wld_chr01			.9<<<<<<<<	
wld_chr02			X(16)	
wld_chr03			X(16)	
wld_chr04			X(16)	
wld_dec01			->>, >>, >>9.9<<<<<<<<<	10
wld_dec02			->>, >>, >>9.9<<<<<<<<<	10
wld_dte01			99/99/99	
wld_dte02			99/99/99	
wld_int01			->, >>, >>9	
wld_int02			->, >>, >>9	
wld_log01			yes/no	
wld_log02			yes/no	
wld_qadc01			X(16)	
wld_qadc02			X(16)	
wld_qadc03			X(16)	
wld_qadc04			X(16)	
wld_qadd01			->>, >>, >>9.9<<<<<<<<	10
wld_qadd02			->>, >>, >>9.9<<<<<<<<	10
wld_qadi01			->, >>, >>9	
wld_qadi02			->, >>, >>9	
wld_qadl01			yes/no	
wld_qadl02			yes/no	
wld_qadt01			99/99/99	
wld_qadt02			99/99/99	
wld_alloc_id	Alloc To WO ID		x(8)	
wld_alloc_op	Operation	Op	>>>>9	
wld_alloc_que	Queue		x(8)	
wld_domain	Domain		x(8)	
wld_lotser	Lot/Serial		x(18)	
wld_mch	Machine		x(8)	
wld_mod_date	Modified Date	Mod Date	99/99/99	
wld_mod_userid	User ID		x(8)	
wld_prodby_id	Produced By ID	Prod ID	x(8)	
wld_prodby_op	Produced By Op	Prod Op	>>>>9	
wld_qty_oh	Qty On Hand		->, >>, >>9.9<<<<<<<<	10
wld_ref	Reference	Ref	x(8)	
wld_site	Site		x(8)	
wld_user1	Ufld1		X(16)	
wld_user2	Ufld2		X(16)	
wld_wkctr	Work Center	Work Ctr	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wld_det	yes	oid_wld_det	yes	no
wld_alloc_loc	no	wld_domain	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
* wld_id	yes	wld_domain	yes	no
		wld_prodby_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no
wld_lotser	no	wld_domain	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no

WLGM

Work Location Group Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
PrintModeCI	Print Mode (Confirmed Tasks)	Print! Mode CI	X(8)	
PrintModeCr	Print Mode (Created Tasks)	Print! Mode Cr	X(8)	
PrintModeEx	Print Mode (Exceptions)	Print! Mode Ex	X(8)	
PrintModelD	Print Mode ID		x(8)	
PrintModelnsp	Print Mode (ID)	Print! Mode ID	X(8)	
PrintTaskCI	Print Confirmed Tasks	Print! CI Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RcntPrInc	Recount Increment	Recount! Increment	->,>>>,>>9	
RcntPriority	Recount Priority	Recount! Priority	->,>>>,>>9	
RcntSystem	Recount System Code	Rcnt! Sys	x(2)	
RcntTask	Recount Task	Recount! Task	x(8)	
Site	Site		x(8)	
SystemCode	System Code	Sys	x(2)	
SystemFlavor	Flavor	Flv	x(1)	
Task	Task		x(8)	
Task132	132 Mode (Task)	Task! 132	yes/no	
TaskAcross	Task Printer - Number Across	Task! Across	>9	
TaskDown	Task Printer - Lines of Each	Task! Down	>9	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
TaskWidth	Task Printer - Width of Each	Task! Width	>>9	
TrPrInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TwoPhase	Two Phase	2Ph	yes/no	
UseFrom	Confirmed at Source	Conf! Src	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WLGM	yes	oid_WLGM	yes	no
◇* SiteWhseWLocGp	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

wlrd det

WIP Lot Trace Routing Control Detail

Field Name	Label	Col-Label	Format	Dec
wlrd_wlrd_det			>>>>>>>>>>>>>>>>>>>>>9	10
wlrd_chr01			.9<<<<<<<<	
wlrd_chr02			X(16)	
wlrd_chr03			X(16)	
wlrd_chr04			X(16)	
wlrd_dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_dte01			99/99/99	
wlrd_dte02			99/99/99	
wlrd_int01			->, >>>, >>9	
wlrd_int02			->, >>>, >>9	
wlrd_log01			yes/no	
wlrd_log02			yes/no	
wlrd_qadc01			X(16)	
wlrd_qadc02			X(16)	
wlrd_qadc03			X(16)	
wlrd_qadc04			X(16)	
wlrd_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd_qadi01			->, >>>, >>9	
wlrd_qadi02			->, >>>, >>9	
wlrd_qadl01			yes/no	
wlrd_qadl02			yes/no	
wlrd_qadt01			99/99/99	
wlrd_qadt02			99/99/99	
wlrd_domain	Domain		x(8)	
wlrd_mod_date	Modified Date	Mod Date	99/99/99	
wlrd_mod_userid	User ID		x(8)	
wlrd_op	Operation	Op	>>>>9	
wlrd_overissue	WIP Lot Overissuse	WIP Lot! Overissuse	yes/no	
wlrd_routing	Routing Code		x(18)	
wlrd_start	Start Date	Start	99/99/99	
wlrd_user1	Ufld1		X(16)	
wlrd_user2	Ufld2		X(16)	
wlrd_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrd_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	old_wlrd_det	yes	old_wlrd_det	yes	no
*	wlrd_routing	yes	wlrd_domain	yes	no
			wlrd_routing	yes	no
			wlrd_start	yes	no
			wlrd_op	yes	no

wlrn mstr

WIP Lot Trace Routing Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlrm_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
wlrm__chr01			.9<<<<<<<<<	
wlrm__chr02			X(16)	
wlrm__chr03			X(16)	
wlrm__chr04			X(16)	
wlrm__dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__dte01			99/99/99	
wlrm__dte02			99/99/99	
wlrm__int01			->, >>>, >>>9	
wlrm__int02			->, >>>, >>>9	
wlrm__log01			yes/no	
wlrm__log02			yes/no	
wlrm__qadc01			X(16)	
wlrm__qadc02			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlrm__qadc03			X(16)	
wlrm__qadc04			X(16)	
wlrm__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm__qadi01			->, >>>, >>9	
wlrm__qadi02			->, >>>, >>9	
wlrm__qadl01			yes/no	
wlrm__qadl02			yes/no	
wlrm__qadt01			99/99/99	
wlrm__qadt02			99/99/99	
wlrm_domain	Domain		x(8)	
wlrm_end	End Date	End	99/99/99	
wlrm_lt_startop	Lot Trace Start Op	Lot Trace! Start Op	>>>>9	
wlrm_maxlotsize	Max Lot Size		>>>, >>>, >>9.9	10
wlrm_mod_date	Modified Date	Mod Date	99/99/99	
wlrm_mod_userid	User ID		x(8)	
wlrm_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlrm_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrm_routing	Routing Code		x(18)	
wlrm_ser_startop	Serialized WIP Start Op	Serialized WIP! Start Op	>>>>9	
wlrm_start	Start Date	Start	99/99/99	
wlrm_trc_parent	Trace Parents	Trace! Parents	yes/no	
wlrm_user1	Ufld1		X(16)	
wlrm_user2	Ufld2		X(16)	
wlrm_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrm_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_wlrm_mstr	yes	oid_wlrm_mstr	yes	no
*	wlrm_routing	yes	wlrm_domain	yes	no
			wlrm_routing	yes	no
			wlrm_start	yes	no

wlt_mstr	WIP Lot Trace Master

Field Name	Label	Col-Label	Format	Dec
oid_wlt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlt__chr01			.9<<<<<<<<<	
wlt__chr02			X(16)	
wlt__chr03			X(16)	
wlt__chr04			X(16)	
wlt__dec01			->>, >>>, >>9.9<<<<<<<<<	10
wlt__dec02			->>, >>>, >>9.9<<<<<<<<<	10
wlt__dte01			99/99/99	
wlt__dte02			99/99/99	
wlt__int01			->, >>>, >>9	
wlt__int02			->, >>>, >>9	
wlt__log01			yes/no	
wlt__log02			yes/no	
wlt__qadc01			X(16)	
wlt__qadc02			X(16)	
wlt__qadc03			X(16)	
wlt__qadc04			X(16)	
wlt__qadd01			->>, >>>, >>9.9<<<<<<<<<	10
wlt__qadd02			->>, >>>, >>9.9<<<<<<<<<	10
wlt__qadi01			->, >>>, >>9	
wlt__qadi02			->, >>>, >>9	
wlt__qadi01			yes/no	
wlt__qadi02			yes/no	
wlt__qadt01			99/99/99	
wlt__qadt02			99/99/99	
wlt_cr_date	Date Created		99/99/99	
wlt_cr_time	Time Created		>>>>>>9	
wlt_domain	Domain		x(8)	
wlt_lotser	Lot/Serial		x(18)	

Field Name	Label	Col-Label	Format	Dec
wlt_mod_date	Modified Date	Mod Date	99/99/99	
wlt_mod_time	Time Modified		>>>>>>9	
wlt_mod_userid	User ID		x(8)	
wlt_mtl_type	Material Type	Type	x(12)	
wlt_part	Item Number		x(18)	
wlt_prcons_ind	Produced/Consumed	Prod/Cons	Prod/Cons	
wlt_prodby_id	Produced By ID	Prod ID	x(8)	
wlt_prodby_op	Produced By Op	Prod Op	>>>>9	
wlt_qty	Qty		-,>,>>,>>9.9<<<<<<<<<	10
wlt_ref	Reference	Ref	x(8)	
wlt_tr_type	Trans Type		x(8)	
wlt_trnbr	Trans		>>>>>>>9	
wlt_user1	Ufld1		X(16)	
wlt_user2	Ufld2		X(16)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wlt_mstr	yes	oid_wlt_mstr	yes	no
wlt_prcons	no	wlt_domain	yes	no
		wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no
		wlt_tr_type	yes	no
		wlt_trnbr	yes	no
* wlt_tr_type	yes	wlt_domain	yes	no
		wlt_tr_type	yes	no
		wlt_trnbr	yes	no
		wlt_prcons_ind	yes	no
		wlt_mtl_type	yes	no
		wlt_prodby_id	yes	no
		wlt_prodby_op	yes	no
		wlt_part	yes	no
		wlt_lotser	yes	no
		wlt_ref	yes	no

wl_mstr WIP Lot Master

Field Name	Label	Col-Label	Format	Dec
oid_wl_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
wl__chr01			.9<<<<<<<<	
wl__chr02			X(16)	
wl__chr03			X(16)	
wl__chr04			X(16)	
wl__dec01			->>, >>, >>9.9<<<<<<<<	10
wl__dec02			->>, >>, >>9.9<<<<<<<<	10
wl__dte01			99/99/99	
wl__dte02			99/99/99	
wl__int01			->, >>, >>9	
wl__int02			->, >>, >>9	
wl__log01			yes/no	
wl__log02			yes/no	
wl__qadc01			X(16)	
wl__qadc02			X(16)	
wl__qadc03			X(16)	
wl__qadc04			X(16)	
wl__qadd01			->>, >>, >>9.9<<<<<<<<	10
wl__qadd02			->>, >>, >>9.9<<<<<<<<	10
wl__qadi01			->, >>, >>9	
wl__qadi02			->, >>, >>9	
wl__qadl01			yes/no	
wl__qadl02			yes/no	
wl__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wl_mstr	yes	oid_wl_mstr	yes	no
wl_lotser	no	wl_domain	yes	no
		wl_lotser	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
* wl_prodby_id	yes	wl_domain	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
		wl_lotser	yes	no

Work Order Control

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_woc_ctrl	yes	oid_woc_ctrl	yes	no
*	woc_index1	yes	woc_domain	yes	no

wod det

Work Order Detail

Field Name	Label	Col-Label	Format	Dec
wod_wod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wod_chr01			.9<<<<<<<	
wod_chr02			x(8)	
wod_chr03			x(8)	
wod_chr04			x(8)	
wod_chr05			x(8)	
wod_dec01			>>>, >>>, >>9.99	10
wod_dec02			>>>, >>>, >>9.99	10
wod_dte01			99/99/99	
wod_dte02			99/99/99	
wod_log01			yes/no	
wod_qadc01	QAD Character Field 1		X(8)	
wod_qadc02	QAD Character Field 2		X(8)	
wod_qadc03	QAD Character Field 3		X(8)	
wod_qade01	QAD Decimal Field 1		->>>, >>9.99<	10
wod_qade02	QAD Decimal Field 2		->>>, >>9.99<	10
wod_qadl01	QAD Logical Field 1		yes/no	
wod_qadl02	QAD L ogical Field 2		yes/no	
wod_qadt01	QAD Date Field 1		99/99/99	
wod_qadt02	QAD Date Field 2		99/99/99	
wod_bo_chg	Qty B/O		->, >>>, >>9.9<<<<<<<<<	10
wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>, >>9.999	10
wod_bom_qty	Frozen BOM Qty	BOM Qty	->, >>>, >>9.9<<<<<<<<<	10
wod_ca_int_type	Work Code		x(8)	0
wod_cmtindx	Comment Index	Comment	>>>>>>>9	
wod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
wod_covered_post			>>>>, >>>, >>9.99<<<	10
wod_critical	Critical		yes/no	
wod_deliver	Deliver To		x(8)	
wod_doc_id	Document ID		x(24)	
wod_domain	Domain		x(8)	
wod_eng_code	Engineer		x(8)	
wod_exg_price	Exchange Price		>>>>, >>>, >>9.99<<<	10
wod_fcg_code	Charge Code	Charge	x(8)	
wod_fcg_index			->, >>>, >>9	
wod_fis_column			>>9	
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>, >>>, >>9.99<<<	10
wod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>, >>>, >>9.99<<<	10
wod_mvrtc_accr	Mtl Rate Accrued	Accrued	->>>>, >>9.99	10
wod_mvrtc_post	Mtl Rate Posted	Posted	->>>>, >>9.99	10
wod_mvrtc_rval	Mtl Rate Revalued	Revalued	->>>>, >>9.99	10
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>, >>9.99	10
wod_mvuse_post	Mtl Use Posted	Posted	->>>>, >>9.99	10
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>, >>9.99	10
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>, >>>, >>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wod_det	yes	oid_wod_det	yes	no
* wod_det	yes	wod_domain	yes	no
		wod_lot	yes	no
		wod_part	yes	no
		wod_op	yes	no
wod_iss_part	no	wod_domain	yes	no
		wod_iss_date	yes	no
		wod_part	yes	no
wod_nbrpart	no	wod_domain	yes	no
		wod_nbr	yes	no
		wod_lot	yes	no
		wod_part	yes	no
wod_op	yes	wod_domain	yes	no
		wod_lot	yes	no
		wod_op	yes	no
		wod_part	yes	no
wod_part	no	wod_domain	yes	no
		wod_part	yes	no

wopd_det

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopd_det	yes	oid_wopd_det	yes	no
wopd_wopm_wod	yes	oid_wopm_det	yes	no
		oid_wod_det	yes	no

wopm_det Periodwise(Cost calculation) WO master WIP information

Field Name	Label	Col-Label	Format	Digits
oid_glccp_det	Identifier Cost Calculation Period		>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wo_mstr	Identifier WO Master		>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wopm_det	Identifier WO Master (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
wopm__qadc01			x(24)	
wopm__qadc02			x(24)	
wopm_mod_date	Modified Date	Mod Date	99/99/99	
wopm_mod_userid	User ID		x(8)	
wopm_qty_rcvd	WO Period Qty Received		->, >>>, >>9.9<<<<<<<<	10
wopm_qty_rcvd_tot	WO Qty Received		->, >>>, >>9.9<<<<<<<<	10
wopm_qty_rjct	WO Period Qty Rejected		->, >>>, >>9.9<<<<<<<<	10
wopm_qty_rjct_tot	WO Qty Rejected		->, >>>, >>9.9<<<<<<<<	10
wopm_user1	User Field Character 1		x(24)	
wopm_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopm_det	yes	oid_wopm_det	yes	no
wopm_cost_cal_pd_w o	yes	oid_glccp_det	yes	no
		oid wo mstr	yes	no

wopr det Periodwise(Cost calculation) WO Routing (WIP) information

Field Name	Label	Col-Label	Format	Dec
oid_wopm_det	Identifier WO Master (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wopr_det	Identifier WO Route (WIP) Periodwise(Cost calculation)		>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
oid_wr_route	Identifier WO Route		>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
wopr__qadc01			x(24)	
wopr__qadc02			x(24)	
wopr_lbr_hrs	Labor Hours		->, >>9.9<<	10
wopr_lbr_hrs_tot	Labor Hours total		->, >>9.9<<	10
wopr_mod_date	Modified Date	Mod Date	99/99/99	
wopr_mod_userid	User ID		x(8)	
wopr_qty_proc	Period Qty Processed		->, >>>, >>9.9<<<<<<<<	10
wopr_qty_proc_tot	Qty Processed total		->, >>>, >>9.9<<<<<<<<	10
wopr_setup_hrs	Setup Hours		->, >>9.9<<	10
wopr_setup_hrs_tot	Setup Hours Total		->, >>9.9<<	10
wopr_user1	User Field Character 1		x(24)	
wopr_user2	User Field Character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
* oid_wopr_det	yes	oid_wopr_det	yes	no
wopr_wopm_wr_route	yes	oid_wopm_det	yes	no
		oid_wr_route	yes	no

WorkClass Work Object Class

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID			9999999999	
BusComponent_ID			9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
ObjectFlexStatus_ID			9999999999	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->.>>.>>9.9999	10
QADT01			99/99/9999	
Role_ID			9999999999	
Usr_ID			9999999999	
WorkClass_ID			9999999999	
WorkClassDescription	Description		x(40)	
WorkClassInstruction	Instruction		x(40)	
WorkClassIsActive	Active	Act	yes/no	
WorkClassIsReturnToSender	Return to Sender		yes/no	
WorkClassIsSendMail	E-mail Notification		yes/no	
WorkClassScopeBusinessFld	Business Field		x(40)	

Index-Name	Uni	Field-Name	Asc	Abbr
BusActivityIdx	no	BusActivity_ID	yes	no
BusComponentIdx	no	BusComponent_ID	yes	no
FlexStatusIdx	no	ObjectFlexStatus_ID	yes	no
◊* Prim	yes	WorkClass_ID	yes	no
◊ RoleIdx	no	Role_ID	yes	no
◊ UsrIdx	no	Usr_ID	yes	no
WorkClassDescr	yes	WorkClassDescription	yes	no

WorkLoadD Warehousing Work Load Group Details

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_WorkLoadD			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
Picks	Optimal Picks per Wave	Picks/Wave	>>>, >>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
TimePerPick	Time Per Pick (min)	Pick (min)	>9.99	2
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
UserI01	User Field Integer 1		->>>>>>9	
UserI02	User Field Integer 2		->>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_WorkLoadD	yes	oid_WorkLoadD	yes	no
◇ SiteWhseWLocGp	no	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		WLocGp	yes	no
◇ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no
* WorkLoad	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LoadGroup	yes	no
		Seq	yes	no
		WLocGp	yes	no

WorkLoadM

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WorkLoadM			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>, >>>, >>9.99<<<	10
QadD03	QAD Field		->>>>, >>>, >>9.99<<<	10
QadI01	QAD Field		->, >>>, >>9	
QadI02	QAD Field		->, >>>, >>9	
QadI03	QAD Field		->, >>>, >>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShiftSize	Shift Size		->>, >>9.99	10
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	LoadGroup	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			LoadGroup	yes	no
	oid_WorkLoadM	yes	oid_WorkLoadM	yes	no
◇	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

wo_mstr

Field Name	Label	Col-Label	Format	Dec
oid_wo_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
wo__chr01			x(8)	
wo__chr02			x(8)	
wo__chr03			x(8)	
wo__chr04			x(8)	
wo__chr05			x(8)	
wo__dec01			>>>, >>>, >>9.99	10
wo__dec02			>>>, >>>, >>9.99	10
wo__dec03			->>>, >>>, >>9.99	10
wo__dec04			->>>, >>>, >>9.99	10
wo dte01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
wo_dte02			99/99/99	
wo_log01			yes/no	
wo_qad01			x(8)	
wo_qadc01	QAD Character Field 1		X(8)	
wo_qadc02	QAD Character Field 2		X(8)	
wo_qadc03	QAD Character Field 3		X(8)	
wo_qade01	QAD Decimal Field 1		->,>>>,>>9.9<<<	10
wo_qade02	QAD Decimal Field 2		->,>>>,>>9.9<<<	10
wo_qade03	QAD Decimal Field 3		->,>>>,>>9.9<<<	10
wo_qadi01	QAD Integer Field 1		->,>>>,>>9	
wo_qadi02	QAD Integer Field 2		->,>>>,>>9	
wo_qadi01	QAD Logical Field 1		yes/no	
wo_qadi02	QAD Logical Field 2		yes/no	
wo_qadt01	QAD Date Field 1		99/99/99	
wo_qadt02	QAD Date Field 2		99/99/99	
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	Cls	yes/no	
wo_app_owner	Owner Application		x(12)	
wo_assay	Assay %		>>9.99%	10
wo_base_id	Base ID		x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>,>>9.99	10
wo_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<<	10
wo_bom_code	BOM/Formula		x(18)	
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	
wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>9	
wo_date_posted			99/99/99	
wo_doc_id	Document ID		x(24)	
wo_domain	Domain		x(8)	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_due_date_anchor	Due Date Anchored		yes/no	
wo_duration_buffer	Duration Buffer		>>>>>9	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	
wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
wo_flr_cc	Floor Stock CC	CC	x(4)	
wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
wo_fsm_type	SSM Type		x(8)	
wo_gl_bdn	Create GL for Burden Variance		yes/no	
wo_gl_lbr	Create GL for Labor Variance		yes/no	
wo_grade	Grade	Grd	x(2)	
wo_iss_site	Issue Site		x(8)	
wo_itm_line	Item Line		>>>>>>>>9	
wo_joint_type	Co/By Type	CT	x(1)	
wo_lbr_tot	Labor Cost		->>>,>>9.99	10
wo_lbr_totx	Labor Cost		->>>,>>9.99	10
wo_lbr_up	Update Current Labor Cost		yes/no	
wo_lbr_var	Lbr Variance		->>>>,>>9.99	10
wo_lead_time	W/O Lead Time	W/O Lead	->,>>>,>>9	
wo_line	Production Line	Line	x(8)	
wo_loc	Location		x(8)	
wo_lot	ID		x(8)	
wo_lot_next	Lot/Serial		x(18)	
wo_lot_prev	Previous ID	Prev ID	x(8)	
wo_lot_rcpt	Single Lot		yes/no	
wo_mix_var	Mix Variance		->>>>,>>9.99	10
wo_mthd_var	Mthd Chg Var		->>>>,>>9.99	10
wo_mtl_tot	Material Cost		->>>,>>>,>>9.99<<<	10
wo_mtl_totx	Material Cost		->>>,>>>,>>9.99<<<	10
wo_mtl_var	Mtl Variance		->>>>,>>9.99	10
wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
wo_mvar_cc	Material Usage Variance	CC CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
wo_myld_var	Mix & Yield Var	M&Y Var	->>>>, >>9.99	10
wo_nbr	Work Order		x(18)	
wo_nbr_lines	Number of Production Lines		>>9.9<	2
wo_ord_date	Order Date		99/99/99	
wo_order_sheet_printed	Route Printed		yes/no	
wo_ovh_tot	Ovhead Cost		->>>, >>9.999	10
wo_ovh_totx	Ovhead Cost		->>>, >>9.999	10
wo_part	Item Number		x(18)	
wo_per_date	Performance Date	Perform	99/99/99	
wo_prod_pct	Process		>>9.99%	10
wo_project	Project		x(8)	
wo_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
wo_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
wo_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
wo_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
wo_qty_type	Qty Type	QT	x(1)	
wo_queue_eff	Queue Pct		>>9.9<	10
wo_rate	Production Rate	Prod Rate	>>>, >>>, >>9.99	10
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_record_date	Last Record Date		99/99/99	
wo_ref	Reference		x(8)	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->, >>>, >>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>, >>>, >>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_run_size	Run Crew Size		>>>9	
wo_rval_tot	Revalued Total		->>>, >>>, >>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_selected_for_print	Selected For Print		yes/no	
wo_seq	Sequence		>>>>9.9<	2
wo_serial	Lot/Serial		x(18)	
wo_setup_time	Setup Time		999999	
wo_shift	Shift		x(2)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_stat_close_date	WO Close Date	WO Close	99/99/99	
wo_stat_close_userid	WO Close UserID		x(8)	
wo_status	Status	St	x(1)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>, >>>, >>9.99<<<	10
wo_sub_var	Sub Variance		->>>>, >>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
wo_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_tool	Tool Code	Tool	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>, >>>, >>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>, >>>, >>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wo_mstr	yes	oid_wo_mstr	yes	no
wo_due_part	no	wo_domain	yes	no
		wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
wo_fsm_type	no	wo_domain	yes	no
		wo_fsm_type	yes	no
		wo_nbr	yes	no
		wo_itm_line	yes	no
wo_line_due	no	wo_domain	yes	no
		wo_site	yes	no
		wo_line	yes	no
		wo_due_date	yes	no
		wo_part	yes	no
wo_lot	yes	wo_domain	yes	no
		wo_lot	yes	no
* wo_nbr	yes	wo_domain	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_part	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no
wo_part_rel	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_rel_date	yes	no
wo_rel_date	no	wo_domain	yes	no
		wo_site	yes	no
		wo_line	yes	no
		wo_rel_date	yes	no
wo_site	no	wo_domain	yes	no
		wo_site	yes	no
		wo_nbr	yes	no
		wo_part	yes	no
wo_type_nbr	yes	wo_domain	yes	no
		wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_type_part	no	wo_domain	yes	no
		wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

wr_route

Work Order Routing

Field Name	Label	Col-Label	Format	Dec
oid_wr_route			>>>>>>>>>>>>>>>>>>>>>9	10
wr_chr01			.9<<<<<<<<	
wr_chr02			x(8)	
wr_chr03			x(8)	
wr_chr04			x(8)	
wr_chr05			x(8)	
wr_dec01			>>>, >>>, >>9.99	10
wr_dec02			>>>, >>>, >>9.99	10
wr_dte01			99/99/99	
wr_dte02			99/99/99	
wr_log01			yes/no	
wr_qadc01	QAD Character Field 1		X(8)	
wr_qadc02	QAD Character Field 2		X(8)	
wr_qadc03	QAD Character Field 3		X(8)	
wr_qadc04	QAD Character Field 4		X(8)	
wr_qadd05	QAD Decimal Field 5		->, >>>, >>9.99<<<	10
wr_qade01	QAD Decimal Field 1		->, >>>, >>9.99<<<	10
wr_qade02	QAD Decimal Field 2		->, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
wr__qade03	QAD Decimal Field 3		->,>>>,>>9.99<<<	10
wr__qade04	QAD Decimal Field 4		->,>>>,>>9.99<<<	10
wr__qadi01	QAD Integer Field 1		->,>>>,>>9	
wr__qadi02	QAD Integer Field 2		->,>>>,>>9	
wr__qadi01	QAD Logical Field 1		yes/no	
wr__qadi02	QAD Logical Field 2		yes/no	
wr_act_posted	Quantity Posted		>>>,>>>,>>9.9<<<	10
wr_act_run	Act Run Time		->,>>9.9<<	10
wr_act_setup	Act Setup Time	Act Setup	->,>>9.9<<	10
wr_auto_lbr	Auto Labor Report		yes/no	
wr_bdn_act	Burden Act	Act Burden	->>>>,>>9.99	10
wr_bdn_ll_act	Burden LL Act		->>>>,>>9.99	10
wr_bdn_ll_totx	Burden		->>>,>>>,>>9.99<<<	10
wr_bdn_pct	Lbr Bdn %		>>9.99%	10
wr_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
wr_bdn_std	Burden Std	Std Burden	->>>>,>>9.99	10
wr_bdn_totx	Burden		->>>,>>>,>>9.99<<<	10
wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>,>>9.99	10
wr_bvrte_post	Bdn Rate Posted	Posted	->>>>,>>9.99	10
wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>,>>9.99	10
wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>,>>9.99	10
wr_bvuse_post	Bdn Use Posted	Posted	->>>>,>>9.99	10
wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>,>>9.99	10
wr_ca_int_type	Work Code		x(8)	
wr_cmtindx	Comment Index	Comment	>>>>>>>9	
wr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
wr_covered_post			>>>>,>>>,>>9.99<<<	10
wr_curr	Currency	Cur	x(3)	
wr_desc	Description		x(24)	
wr_domain	Domain		x(8)	
wr_due	Due Date	Due	99/99/99	
wr_due_datetime	Due Date/Time		99/99/99 HH:MM:SS	
wr_end_time	End		99:99	
wr_eng_code	Engineer		x(8)	
wr_expense			yes/no	
wr_fbdn_std			->>>>,>>9.99	10
wr_fcg_code	Charge Code	Charge	x(8)	
wr_fcg_index			->,>>>,>>9	
wr_fis_column			>>9	
wr_fis_sort			x(18)	
wr_flbr_cstd	Standard Cost		->>>>,>>9.99	10
wr_flbr_std	Standard Cost		->>>>,>>9.99	10
wr_fsc_code	Service Category	Svc Cat	x(8)	
wr_fsm_type	FSM Type		x(8)	
wr_itm_line			>>>9	
wr_lbr_act	Labor Act	Act Labor	->>>>,>>9.99	10
wr_lbr_ll_act	Labor LL Act		->>>>,>>9.99	10
wr_lbr_ll_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
wr_lbr_rate	Labor Rate		>>>,>>9.99	10
wr_lbr_std	Labor Std	Std Labor	->>>>,>>9.99	10
wr_lbr_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wr_lot	ID		x(8)	
wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>,>>9.99	10
wr_lvrte_post	Lbr Rate Posted	Posted	->>>>,>>9.99	10
wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>,>>9.99	10
wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>,>>9.99	10
wr_lvuse_post	Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>,>>9.99	10
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	10
wr_men_mch	Run Crew		->,>>9.99	10
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>,>>9.9<<	10
wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>,>>9.99	10
wr_mtl_ll_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	

Field Name	Label	Col-Label	Format	Dec
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>9	
wr_ovh_act	Ovh Act		->>>>, >>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>, >>9.99	10
wr_ovh_ll_totx	Overhead		->>>, >>>, >>9.99<<<	10
wr_ovh_totx	Overhead		>>>>, >>>, >>9.99<<<	10
wr_part	Item Number		x(18)	
wr_po_line	Line	Ln	>>9	
wr_po_nbr	Purchase Order	PO	x(8)	
wr_posted_run			>>>, >>>, >>9.9<<<<<<<<<	10
wr_price	Price		>>>>, >>>, >>9.99<<<	10
wr_prod_line	Product Line	Line	x(4)	
wr_project	Project		x(8)	
wr_qty_comp	Qty Complete		->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_cumrwrk	Cum Reworked	Cum! Reworked Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_inque	In Queue	Input! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_move	Qty Moved		->, >>>, >>9.9<<<<<<<<<	10
wr_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10
wr_qty_outque	Out Queue	Output! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<<	10
wr_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<<	10
wr_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<<	10
wr_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<<	10
wr_queue	Queue Time	Queue	>, >>9.9<<	10
wr_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<<	10
wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>, >>9.99	10
wr_seq	Sequence		>>>>>9.9<	2
wr_setup	Std Setup Time	Std Setup	>, >>9.9<<	10
wr_setup_men	Setup Crew		->>, >>9.99	10
wr_setup_rte	Setup Rate		>>>, >>9.99	10
wr_shift	Shift		x(2)	
wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>, >>9.99	10
wr_st_time	Start		99:99	
wr_start	Start Date	Start	99/99/99	
wr_start_anchor	Release Date Anchored		yes/no	
wr_start_datetime	Start Date/Time		99/99/99 HH:MM:SS	
wr_status	Status	St	x(1)	
wr_std_op	Standard Operation	Std Op	x(8)	
wr_sub_act	Subcontract Act	Act Sub	->>>>, >>9.99	10
wr_sub_comp	Sub Qty Comp		->, >>>, >>9.9<<<<<<<<<	10
wr_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
wr_sub_lead	Subcontract LT	Sub! LT	>>9	
wr_sub_ll_act	Subcontract LL Act		->>>>, >>9.99	10
wr_sub_ll_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_sub_std	Subcontract Std	Std Sub	->>>>, >>9.99	10
wr_sub_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_sv_code	Service Type Used		x(8)	
wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>, >>9.99	10
wr_svrte_post	Sub Rate Posted	Posted	->>>>, >>9.99	10
wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>, >>9.99	10
wr_svuse_accr	Sub Use Accrued	Accrued	->>>>, >>9.99	10
wr_svuse_post	Sub Usage Posted	Posted	->>>>, >>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>, >>9.99	10
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->, >>9.9<<	10

Field Name	Label	Col-Label	Format	Dec
wr_user1	Ufld1		x(8)	
wr_user2	Ufld2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>,>>9.9<<	10
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wr_route	yes	oid_wr_route	yes	no
wr_lot	yes	wr_domain	yes	no
		wr_lot	yes	no
		wr_op	yes	no
* wr_nbrp	yes	wr_domain	yes	no
		wr_nbr	yes	no
		wr_lot	yes	no
		wr_op	yes	no
wr_part	no	wr_domain	yes	no
		wr_part	yes	no
		wr_op	yes	no
wr_wkctr	no	wr_domain	yes	no
		wr_wkctr	yes	no
		wr_mch	yes	no
		wr_start	yes	no

wtx_mstr Withholding Tax Master

Field Name	Label	Col-Label	Format	Dec
oid_wtx_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
wtx__qadc01			.9<<<<<<<<	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
wtx__qadd02			->>>>, >>>, >>9.9<<<<<<<<	10
wtx__qadi01			->>>>>>>9	
wtx__qadi02			->>>>>>>9	
wtx__qadl01			yes/no	
wtx__qadl02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	
wtx_acct	Withholding Tax Account		x(8)	
wtx_addr	Supplier		x(8)	
wtx_cc	Withholding Tax Cost Center		x(4)	
wtx_charge_amt	Charge Amount		->>>>, >>>, >>9.99<	10
wtx_charge_type	Charge Type		Expense/Fee	
wtx_check	Payment Reference		x(10)	
wtx_domain	Domain		x(8)	
wtx_invoice	Supplier's Invoice Number		x(12)	
wtx_ln	Voucher Line		>>9	
wtx_mod_date	Modified Date	Mod Date	99/99/99	
wtx_mod_userid	User ID		x(8)	
wtx_paid_date	Voucher Payment Date		99/99/99	
wtx_printed	Certificate Printed		yes/no	
wtx_ref	Voucher Number		x(8)	
wtx_ret_amt	Retained Amount		->>>>, >>>, >>9.99<	10
wtx_rsn_code	Reason Code		x(8)	
wtx_set_date	Settlement Date		99/99/99	
wtx_sub	Withholding Tax Sub Account		x(8)	
wtx_tax_pct	Withholding Tax Rate		->>9.9<%	10
wtx_taxable_amt	Taxable Fee Amount		->>>>, >>>, >>9.99<	10
wtx_tot_amt	Total Amount		->>>>, >>>, >>9.99<	10
wtx_tot_paid	Total Paid		->>>>, >>>, >>9.99<	10
wtx_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
wtx_user2	User Field Character 2		x(24)	
wtx_userc03	User Field Character 3		x(24)	
wtx_userc04	User Field Character 4		x(24)	
wtx_userc05	User Field Character 5		x(24)	
wtx_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10
wtx_useri01	User Field Integer 1		->>>>>>9	
wtx_useri02	User Field Integer 2		->>>>>>9	
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_usert01	User Field Date 1		99/99/99	
wtx_usert02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		->>>>, >>>, >>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		->>>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
oid_wtx_mstr	yes	oid_wtx_mstr	yes	no
* wtx_advln	yes	wtx_domain	yes	no
		wtx_addr	yes	no
		wtx_ref	yes	no
		wtx_ln	yes	no
		wtx_check	yes	no
wtx_vo_date	no	wtx_domain	yes	no
		wtx_vo_date	yes	no

YearClosing Year Closing

Field Name	Label	Col-Label	Format	Dec
ClosingBalanceDivGL_ID	Balance Sheet Closing Sub-Account		9999999999	
ClosingBalanceGL_ID	Balance Sheet Closing Account		9999999999	
ClosingBalanceJournal_ID	Closing Balance Daybook		9999999999	
ClosingPLDivGL_ID	Profit/Loss Closing Sub-Account		9999999999	
ClosingPLGL_ID	Profit/Loss Closing Account		9999999999	
ClosingPLJournal_ID	Closing Profit/Loss Daybook		9999999999	
ClosingTransferJournal_ID	Automated Profit/Loss Transfer Daybook	Automated P&L Transfer Daybook	9999999999	
Company_ID	Link to Company		9999999999	
LastModifiedDate	Last Modified Date	Mod Date	99/99/9999	
LastModifiedTime	Last Modified Time	Mod Time	99999	
LastModifiedUser	Last Modified User	Mod User	x(20)	
QADC01			x(40)	
QADC02			x(255)	
QADD01			->, >>>, >>9.9999	10
QADT01			99/99/9999	
YearClosing_ID	Record ID		9999999999	
YearClosingAccountingYear	GL Calendar Year		9999	
YearClosingCloAddGLNbrDate	Closing Numbering Date		99/99/9999	
YearClosingDefTaxCode	Default Tax Code		x(8)	
YearClosingIsInclDivision	Include Sub-Accounts		yes/no	
YearClosingIsTransPLToBal	Auto-Transfer Profit/Loss to BS		yes/no	
YearClosingReoAddGLNbrDate	Reopen Numbering Date		99/99/9999	
YearClosingTrnAddGLNbrDate	Transfer Numbering Date		99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ Company	no	Company_ID	yes	no
◇* Prim	yes	YearClosing_ID	yes	no
◇ Uniqueldx	yes	Company_ID	yes	no
		YearClosingAccountingYear	yes	no

Index of Table Descriptions

Numerics

1099 Box 76
1099 Box Purchase Type Link 76

A

ABS Lot/Serial Detail 12
Account Cross-Reference Master 21
Account Default Master 17
Account Master 21
Account Total Detail 17
Accounts Payable Control 41
Accounts Payable Matching 42
Accounts Payable Matching Line 44
Accounts Payable Matching Line Rev Tax 45
Accounts Payable Matching Line Tax Detail 46
Accounts Payable Matching Line Tax Detail 47
Accounts Receivable Control 52
Action Message Detail 549
Address 22
Address Control 22
Address List Detail 529
Address Master 2
Address Type 24
Advanced Pricing Management Control 48
Advanced Pricing Management Customer Relationship
Master 48
Allocation Account Detail 27
Allocation Account Master 39
Allocation Batch 32
Allocation Batch Line 32
Allocation Definition 31
Allocation Layer 32
Allocation Posting 33
Alternate COA 36
Alternate COA Group 34
Alternate COA Structure 35
Alternate Container Master 20
Analysis Code Exploded Detail 40
Analysis Code Link Detail 40
Analysis Code Master 41
Analysis Code Selection Detail 40
Application Code Master 19
Application Definition Master 378
Application Parameter Master 49
Application Registry 50
Application Return Code Master 52
Application Usage Detail 875
Approve Status Transition 49
ASN/BOL/Shipper Master 13
Asset Book Account SAF 303
Asset Book Depreciations 302

Asset Saf 303
Associated Item Detail 637
Audit Detail 56
Audit Trail Database Connection Detail 54
Audit Trail Database Connection Master 54
Audit Trail Group Master 54
Audit Trail Table Master 55
Automatic Lot Master 34
Automatic Numbering 56
Available-to-Promise Detail 55

B

Bank Account Format 57
Bank Account Format Section 57
Bank Driver Payment Detail 74
Bank File Format 57
Bank File Format Transaction Type 58
Bank Number 60
Bank Number Payment Format Code 61
Bank Payment Format 62
Bank Statement 62
Bank Statement Allocation 63
Bank Statement Import 58
Bank Statement Import Line 59
Bank Statement Import Line Log 60
Bank Statement Line 65
Bank Statement Selection Allocation 64
Bank Statement Stage Allocation 66
Batch Control Detail 72
Batch Control Master 72
Batch Data Load Detail 73
Batch Data Load Master 73
Blocked Transaction Detail 78
Blocked Transaction Master 78
BLWI Group 75
Budget 78
Budget Accumulation by Period 81
Budget Accumulation by Sub-ledger 82
Budget COA 80
Budget Commitment Link 83
Budget Entity 80
Budget Group 80
Budget Period 84
Budget Posting Commitment Link 81
Budget Posting Link 82
Budget Report 85
Budget Report Detail 85
Budget Topic 95
Budget Topic Component Link 97
Budget Topic Forecast 97
Budget Version 86

Database Definitions

Budget Version Figures 87
Budget Version GL Figures 91
Business Area 103
Business Area - Business Component Link 103
Business Relation 103
Business Relation Saf Default 105

C

Calendar Detail 107, 111
Calendar Holiday Detail 109
Calendar Master 109
Call Reminder Detail Table 186
Carrier Control 186
Cash Group 112
Cash Report 112
Cash Report Account 113
Cash Report Account Line 113
Chinese Accounting Interface 16
Chinese Accounting Interface Filter 16
Classification Master 146
client cache 146
COA Cross Reference 159
COA Mask Cost Center 160
COA Mask Cost Center Range GL 161
COA Mask Project 162
COA Mask Project Range Cost Center 163
COA Mask Project Range GL 163
COA Mask Project Range Sub-Account 163
COA Mask Sub-Account 161
COA Mask Sub-Account Range GL Account 162
Commodity Code Detail 164
Commodity Code Master 168
Company Shared Set 168
Compliance Control 145
Consigned Shipment Inventory Cross-Reference Master 152
Consistency Check 169
Consistency Check Line 170
Consistency Check Line Detail 171
Consolidation 172
Consolidation Cycle 172
Consolidation Cycle Saf 173
Consolidation Export 174
Consolidation Layer 174
Consolidation Period Cross-reference 175
Consolidation Posting Cross-Reference 175
Contact 175
Container Charge Type Master 124
Container Item Detail 638
Container Type Master 176
Container/Line Charge Control 121
Container/Line Charge Ship-From/Ship-To Control Master 120
Control file to help setup parameters for Periodic Costing 577
Control Work Table 533
Controlled 195
Controlled Substance Authority Master 190
Controlled Substance Customer Master 191
Controlled Substance General License Master 195
Controlled Substance Individual License Detail 195
Controlled Substance Individual License Master 193
Controlled Substance Item Detail 192
Controlled Substance Item Master 193

Controlled Substance Site Master 196
Co-product/By-product Average Cost Master 18
Corporate Group 177
Correction Invoice Link Detail 134
Correction Invoice Link Master 135
Cost Center 178
Cost Center Master 124
Cost Center SAF Default 179
Cost Set Calendar 180
Cost Set Master 197
Cost Simulation Item Detail 802
Cost Simulation Master 752
Cost Simulation Operation Detail 796
Cost Simulation Total Detail 751
Cost Simulation Work Center Detail 817
Country 181
Country Code and Currency with Rounding Method 700
Country Master 198
Country Tax Format 182
County 182
Credit Card Control 118
Credit Card Transaction History 123
Credit Terms 570
Credit Terms Detail 197
Credit Terms Master 198
Cross Reference Detail 159
Currency 199
Currency Master 201
Customer 210
Customer Balance 203
Customer Balance History 224
Customer Consignment Control 155
Customer Consignment Shipment Usage Detail 153
Customer Consignment Shipment Usage Master 154
Customer Consignment Ship-To/Item Master 153
Customer Control 147
Customer Credit Rating 212
Customer End User 213
Customer Invoice 225
Customer Invoice Bank Payment Code 228
Customer Invoice Bank Records 228
Customer Invoice Movements 229
Customer Invoice Operational Info 230
Customer Invoice Posting Link 231
Customer Invoice Shipper References 231
Customer Invoice Stage Payment 231
Customer Invoice Tax Records 232
Customer Item Master 186
Customer Master 149
Customer Payment 207, 237
Customer Payment Invoice Cross-Reference 209
Customer Payment Invoice Xref Stage 207
Customer Payment Payment Code 209
Customer Payment Posting Line 209
Customer Payment Selection 204, 237
Customer Payment Selection Export 206
Customer Payment Selection Payment Code 239
Customer Payment Status 210
Customer Period Calendar Detail 184
Customer Period Calendar Master 184
Customer SAF Default 214
Customer Sales History 148
Customer Schedule Master 673
Customer Sequence Schedule Control 669

Customer Sequence Schedule Cross-Reference 672
 Customer Sequence Schedule Detail 670
 Customer Sequence Schedule Master 669
 Customer Ship-To 214
 Customer Type 215
 Customer/Item Sales History 185
 Customer/Ship-To Shipment Controls Master 748

D

Data Entry Detail 216
 Data Entry Extension Detail 216
 Data Entry Extension Master 217
 Data Entry Field Detail 219
 Data Entry Frame Detail 218
 Data Entry Frame Field Detail 218
 Data Entry Frame Sequence Condition Detail 217
 Data Entry Frame Sequence Detail 220
 Data Entry Master 223
 Data Entry Profile Master 222
 Data Entry User Detail 222
 Data Validation Field Detail 245
 Data Validation Field Value Detail 244
 Data Validation Master 245
 Data Validation Rule Cross Reference 245
 Data Validation Rule Master 768
 Database Connection Master 206
 Database Control for QADDB 655
 Database Revision Control Master 204
 Daybook 473
 Daybook Group 474
 Daybook Set Master 246
 Daybook Type 474
 DB Time Stamp 6
 Declarant Master 215
 Delivery Condition 221
 Delivery Time Master 221
 Department Master 239
 Depot Order Shipment/Receipt Table 236
 Depreciation Detail SAF 313
 Depreciation Posting 313
 Destination Application List Detail 202
 Destination Application List Master 203
 Distributed Site Order Detail 243
 Distributed Site Order Master 242
 Distributed Site Requisition Detail 240
 Distributed Site Requisition Master 241
 Distribution Requirements Planning Control 240
 Document Print Format Master 224
 Domain 235
 Domain Master 236
 Domain Property 234
 Domain Shared Set 236
 draft instance 323
 Draft Management Work Table 234

E

Earnings Master 247
 E-mail Master 268
 Employee 264
 Employee Master 265
 EMU Control 293
 Ending Inventory Balance and Cost by Location 480
 Ending Inventory Balance by Site 493
 Ending Inventory Balance of a cost calculation

period 522
 Engineering Change Approval Detail 252
 Engineering Change Approval Master 248
 Engineering Change Item Detail 252
 Engineering Change Master 253
 Engineering Change Master Lists 253
 Engineering Change Product Structure Detail 248
 Engineering Change Routing Detail 249
 Engineering Change Text File Detail 250
 Engineering Change Type Master 254
 Enterprise Material Transfer Change Management Detail 147
 Enterprise Material Transfer Change Management Master 148
 Enterprise Material Transfer Primary Business Unit Detail 77
 Entity 166
 Entity Consolidation Cycle 173
 Entity Master 274
 Entity Property 166
 E-Signature Activated Profile 282
 E-Signature Activated Profile Field 280
 E-Signature Activated Profile Filter 280
 E-Signature Activated Profile Filter Criteria 279
 E-Signature Activated Profile Filter Set 280
 E-Signature Activated Profile Menu Program Cross-Reference 281
 E-Signature Activated Profile Structure 281
 E-Signature Category Detail 282
 E-Signature Category Filter Cross-Reference 283
 E-Signature Category Master 282
 E-Signature Category XML Detail 283
 E-Signature Filter 284
 E-Signature Group Category Cross-Reference 284
 E-Signature Master 286
 E-Signature Record List 288
 E-Signature Workbench Profile 291
 E-Signature Workbench Profile Field 290
 E-Signature Workbench Profile Filter 289
 E-Signature Workbench Profile Filter Criteria 289
 E-Signature Workbench Profile Filter Set 290
 E-Signature Workbench Profile Menu Program Cross-Reference 291
 E-Signature Workbench Profile Structure 291
 Evaluated Receipt Settlement History 278
 Evaluated Receipts Settlement History De 278
 Evaluated Receipts Settlement Master 279
 Event daemon 297
 Exchange Rate 298
 Exchange Rate Master 301
 Exchange Rate Type 298
 Expense Code 300
 Expense GL Matrix 300
 Expense Note Line Saf 301
 Expense Note Supplier Invoice 300
 Export Delivery Log 256
 Export Document Log 261
 Export Document Message 263
 Export Document Specification Master 287
 External Address Cross-Reference Detail 25
 External Order Cross-Reference 255

F

FA Book and Daybook link detail table 306

Database Definitions

Family Hierarchy Master 328
Family Item Cost Detail 344
Family Line Plan 334
Family Production and Shipment Plan 341
Family Production Backlog and Cost Plan 340
Family Production Inventory and Order Plan 340
Family Simulation Backlog and Cost Plan 373
Family Simulation Inventory and Order Plan 373
Family Simulation Production and Shipment Plan 374
Favorites 320
Field Attribute Master 332
Field Default Master 332
Field Help Program Master 333
Field Security Master 333
Field Validation Allowed Value Detail 768
FiFo/LiFo history of unconsumed quantity onhand per period. 525
Final Assembly Control 312
Fixed Asset Account Detail 304
Fixed Asset Adjustment Master 302
Fixed Asset Batch Detail 305
Fixed Asset Batch Master 305
Fixed Asset Book Default Master 314
Fixed Asset Book Depreciation Detail 307
Fixed Asset Book Detail 309
Fixed Asset Book Master 308
Fixed Asset Calendar Detail 310
Fixed Asset Calendar Master 311
Fixed Asset Capitalization Asset Book 309
Fixed Asset Class Account Detail 310
Fixed Asset Class Master 311
Fixed Asset Component Detail 315
Fixed Asset Control 312
Fixed Asset Custodian Master 197
Fixed Asset Custom Table Detail 316
Fixed Asset Disposal Detail Saf 314
Fixed Asset Location Code Master 316
Fixed Asset Location Master 315
Fixed Asset Master 321
Fixed Asset Meter Detail 317
Fixed Asset Meter Master 317
Fixed Asset Method Master 318
Fixed Asset Revaluation Detail SAF 319
Fixed Asset Revaluation Posting 319
Fixed Asset System Control 319
Fixed Asset Type Master 861
Fixed Asset Type-Book Cross-Reference 304
Fixed Assets UOP Forecast Detail 320
Flow Flex Fence Master 332
Flow Line Capacity Rate History 330
Flow Line Capacity Rate Master 331
Flow Production Line Preference Detail 511
Flow Schedule Code Detail 334
Flow Schedule Code Master 335
Flow Schedule Detail 335
Forecast Summary 325
Freight Charge Detail 345
Freight List Master 369
Freight Rate Detail 346
Freight Rate Master 346
Freight Terms Master 376
Freight Zone Detail 368

G

General Ledger (Company) Control 182
General Ledger Calendar 384
General Ledger Calendar Detail 383
General Ledger Daybook Master 247
General Ledger Default Daybook Master 246
General Ledger Unposted Transaction Detail 389
General Ledger Work Table 388
Generalized Code Master 164
Generic Field Detail 377
Geographic Region 678
GL Account 380
GL Account Mirror 384
GL Account SAF Default 387
GL Account System Type 388
GL Account Type 389
GL Calendar 381
GL Correction Control File 383
GL Open Item 386
GL Open Item Movement 386
GL Period 579
GL Report Link 387
GL Report Writer Account Balance Detail 409
GL Report Writer Account Balances 395
GL Report Writer Analysis Code and Item Type Work Table 405
GL Report Writer Analysis Code Detail 396
GL Report Writer Analysis Code Explosion Work Table 410
GL Report Writer Analysis Code Link-File Detail 397
GL Report Writer Analysis Code Master 397
GL Report Writer Break Group Detail 402
GL Report Writer Budgeted Account Balance Detail 398
GL Report Writer Column Group Detail 399
GL Report Writer Column Group Master 400
GL Report Writer Control 412
GL Report Writer Definition Matrix 400
GL Report Writer Fiscal Quarter Calendar 407
GL Report Writer Group Row/Column Sequence Detail 402
GL Report Writer Image Column Detail 403
GL Report Writer Report Content Master 412
GL Report Writer Report Image Detail 403
GL Report Writer Report Image Master 405
GL Report Writer Report Image Matrix 404
GL Report Writer Row Group Detail 407
GL Report Writer Row Group Master 408
GL Report Writer Row/Column Expl (Hierarchical) Work Table 411
GL Report Writer Row/Column Explosion (Separate) Work Table 410
GL Report Writer Selection Detail 397
GL Report Writer Text String Detail 409
Golden Tax Control 415
Golden Tax Invoice Cross Reference 414
Golden Tax Invoice History Detail 413
Golden Tax Invoice History Master 414
Gross Income Accounting 406

H

Help Master 415
Holiday Master 415

I

IDOM document 325
 Import Bank Statements 65
 Import Document Log 439
 Import Document Map Detail 440
 Import Document Message 441
 Import Document Specification Master 464
 Import/Export Control 428
 Import/Export Detail 429
 Import/Export History 430
 Import/Export Master 432
 Independent Demand Detail 443
 Industry 442
 Information on table and related account, sub-account,
 cost center field names 19
 Install Net Import 448
 Interface Session Master 433
 Inventory Account Change Master 481
 Inventory Consumption History 418
 Inventory Control 422
 Inventory Master 452
 Inventory Movement Code Master 442
 Inventory Movement Site Detail 772
 Inventory Status Detail 464
 Inventory Status Master 466
 Inventory Transaction and General Ledger Cross-
 Reference 847
 Inventory Transaction History 849
 Inventory Type Field Detail 420
 Inventory Type Master 420
 Invoice History Credit Card Master 434
 Invoice History Detail 425
 Invoice History Line Charge Detail 423
 Invoice History Master 435
 Invoice History Relationship Detail 424
 Invoice History Relationship Master 435
 Invoice Schedule Control 472
 Invoice Schedule Detail 444
 Invoice Schedule Master 448
 Invoice Sort Master 329
 Invoice Status Code 674
 Item Inventory Data 639
 Item Location Detail 438
 Item Lot/Serial Detail 640
 Item Master 646
 Item Planning Detail 640
 Item Quantitative Analysis Detail 642
 Item Replacement Detail 643
 Item Routing Cost Detail 460
 Item Routing Detail 643
 Item Site Load Detail 471
 Item Site Load Master 472
 Item Specification Detail 453
 Item Statistical Value Detail 645
 Item Substitute Detail 644
 Item Tax Detail 645

K

Kanban Average Demand Calculation History 481
 Kanban Card Detail 485
 Kanban Cards Dispatch History 482
 Kanban Control 475
 Kanban Demand Template Master 476
 Kanban Dispatch Release Schedule 490

Kanban Document Definition Master 484
 Kanban FIFO Process Detail 486
 Kanban Item Master 487
 Kanban Item Supermarket Detail 486
 Kanban Loop Detail 488
 Kanban Loop Event Detail 488
 Kanban Master 491
 Kanban Maximum Demand Master 476
 Kanban Planning Period Master 477
 Kanban Process Item Detail 492
 Kanban Process Master 492
 Kanban Source Detail 491
 Kanban Supermarket Master 490
 Kanban Transaction History 478
 Kanban Transaction History Detail 477
 Kanban Transaction Reject Detail 478

L

Label Control 501
 Language 511
 Language Detail 512
 Language Master 512
 Layer 500
 Legal Document Address and Sequence ID Detail 505
 Legal Document Control 503
 Legal Document Cross-Reference 598
 Legal Document Detail Table 504
 Legal Document Master 506
 Legal Document Tax Usage of Simultaneous Op Setup
 Detail 505
 Line Changeover Master 130
 Line Master 513
 Link Role-Resource 702
 Link table between Period, currency and cost set for
 Periodic Costing 191
 Link User-Company 877
 Link User-Domain 878
 Link User-Role 880
 Link User-Role Scope 882
 Link User-Role-Company 881
 Link User-Role-Domain 881
 Location Allocation Detail 495
 Location Detail 502
 Location Master 528
 Logistics Accounting Charge Code Master 502
 Logistics Accounting Charge Detail 494
 Logistics Accounting Control 495
 Logistics Master 508
 Logistics Site Detail 508
 Lot Master 528
 Lot Number Work Table 528

M

Mapped Export Document Detail 263
 Master Bill of Lading Control 75
 Master Comments 129
 Master Production Schedule 541
 Master Specification 541
 Master Specification Detail 539
 Master Specification Test History 540
 Master Specification Test Results 455
 Master Table Relationships 534
 Material Order Control 754
 Material Requirements Planning Control 542

Database Definitions

Material Requirements Planning Detail 543
Material Requirements Planning Pegging Detail 542
Maximum Table Detail 530
Maximums Master 530
Means Of Transport 844
Menu Detail 538
Menu Title Detail 539
Message Broker Setting 543
Message Master 544
MFS Last Sync Detail 537
Mirror Account 537
Mirror Account Master 531
Mirror Daybook 538
Model Definition Master 378
Monetary Union Master 544

N

Net Commerce Control 545
Nomenclature 545
Non-Sales Order Control 547
Number Range History 546
Number Range Master 547

O

Object Status 549
Obsolete Inventory Control Parameters 418
Obsolete Inventory Control Site Detail 420
Obsolete Inventory Depreciation Rate Master 418
Open Item Adjustment 550
Open Item Adjustment Line 551
Operation Transaction History 555
Operations Plan Control 554
Output File Field Detail 419
Output File Master 419

P

Pallet Detail 565
Pallet Master 566
Payment Format Code 568
Payment Format Group 569
Payment Format Type 570
Payment Group 572
Payment Selection 572
Payment Selection History 573
Payment Selection Line 573
Payment Selection Line Stage 574
Payment Selection Payment Code 574
Payment Selection Prepayment 575
Pending Voucher Detail 653
Pending Voucher Master 654
Period Mark 580
Periodwise(Cost calculation) components details 943
Periodwise(Cost calculation) WO master WIP
information 944
Periodwise(Cost calculation) WO Routing (WIP)
information 944
Physical Inventory Tag Master 824
Pick List Work Table 597
Point of Use Code Master 621
Point of Use Location Detail 620
Point of Use Location Master 621
Poland Intrastat Declaration Control 432
Posting 609
Posting History 611

Posting History SAF 616
Posting Line 613
Posting Saf 615
Posting Saf Combined 616
Posting SAF Daemon Queue 664
Posting Tax 618
Posting Tax Delayed 619
Posting Template 617
Price List Detail 586
Price List Group Customer Detail 586
Price List Group Item Detail 587
Price List Group Master 587
Price List Master 578, 590
Pricing Control 585
Pricing History 454, 588
Printer Detail 625
Printer Master 635
Printer/User Detail 867
Product Change Control 575
Product Change Control Group Detail 576
Product Change Control Group Master 576
Product Change Control Item Routing Detail 251
Product Change Control Routing Slip Detail 717
Product Change Control Routing Slip Master 719
Product Change Control Routing Slip Template
Detail 717
Product Change Control Routing Slip Template
Master 717
Product Change Control Test Results Detail 250
Product Change Control Type Master 578
Product Line Detail 598
Product Line Master 601
Product Line Plan 624
Product Line Requirements Master 624
Product Line Sales Detail 600
Product Line Tax Detail 601
Product Structure (Bill of Material) Master 75
Product Structure Master 636
Production Forecast Detail 581
Production Line Allocation Detail 509
Production Line Detail 510
Production Line Schedule Sequence Master 755
Production Scheduler Resource Detail 634
Production Scheduler Resource Master 634
Products Sales History 638
Profile 629
Profile Link 630
Profile Type 630
Program Detail 585
Project 631
Project Group 632
Project Master 597
Project Realization Control 591
Project Realization Project Master 628
Project Realization Project Type Master 596
Project Realization Structure Master 595
Project Realization Subproject Detail 592
Project Realization Transaction History 593
Project Saf Default 633
Project Status 633
Project Structure Cross-Reference Detail 594
Proportional Allocation 33
Purchase Approval Code Master 565
Purchase Code 650

Purchase GL Matrix 651
 Purchase Ledger Invoice Detail 599
 Purchase Ledger Invoice Master 599
 Purchase Order Allocation Detail 604
 Purchase Order Allocation Master 605
 Purchase Order Control 605
 Purchase Order Detail 606
 Purchase Order Line Cost Element Detail 576
 Purchase Order Master 621
 Purchase Order Receipt History 626
 Purchase Order Shipper/Invoice Cross Reference 9
 Purchase Shipper Control 635
 Purchase Type 651

Q

Q/LinQ Control 665
 QAD Mobile Field Service User Detail 535
 QAD Table Extension 667
 QAD Work Table 655
 Quality Control Order Detail 656
 Quality Control Order Master 657
 Quality Inspection Routing Detail 666
 Quality Order Control 656
 Quality Order Test Steps 667
 Quality Sampling Pattern Master 657
 Quality Test Bill Detail 664
 Query Cache 668

R

Raw Export Document Detail 275
 Raw Import Document Detail 456
 Reason Code Master 716
 Recurring Entry 677
 Recurring Entry Line 678
 Release Management Schedule Detail 748
 Release Management Schedule Master 749
 Repetitive Control 704
 Repetitive Production Schedule Master 704
 Reporting Period 684
 Required Ship Schedule Order Line Detail 789
 Requirement Detail 711
 Requirement Master 715
 Requisition Approval Detail 707
 Requisition Approval Level Master 711
 Requisition Approver Master 706
 Requisition Category Detail 707
 Requisition Category Master 707
 Requisition Control 709
 Requisition Detail 687, 708
 Requisition History 710
 Requisition Job Master 711
 Requisition Master 712
 Requisition/PO Cross-Reference 714
 Reserved Locations Detail 520
 Resource 687
 Resource in violation to SOD rule 1 790
 Resource in violation to SOD rule 2 791
 Resource Master 719
 Resource Requirements Detail 716
 Retrobill Master 668
 Return Material Authorization Control 697
 Return Material Authorization Detail 698
 Return Material Authorization Detail History 694
 Return Material Authorization Master 695

Return Status Master 344
 Revaluation 688
 Revaluation Account 689
 Revaluation Detail 689
 Revaluation Header 691
 Revaluation Rate 691
 Revaluation Saf Combined 690
 Role 701
 Role Compatibility Matrix 878
 Role Master 714
 Rounding Method 702
 Rounding Method Master 700
 Routing Operation Detail 702
 Rule Field Validation Detail 769

S

Saf Concept 728
 Saf Structure 729
 Saf Structure Line 730
 Saf Structure Link 731
 Sales Code 734
 Sales GL Matrix 735
 Sales Order Configuration Bill Detail 781
 Sales Order Configuration Bill History 421
 Sales Order Control 782
 Sales Order Credit Card Master 782
 Sales Order Detail 792
 Sales Order Detail Container Charges 6
 Sales Order Detail Line Charges 787
 Sales Order Discount Master 754
 Sales Order Master 798
 Sales Order Relationship Detail 789
 Sales Order Relationship Master 796
 Sales Order Shipment Reason Detail 797
 Sales Order Shipment Reason Master 797
 Sales Quotation Configuration Bill Detail 658
 Sales Quotation Control 659
 Sales Quotation Detail 660
 Sales Quotation Master 662
 Sales Quotation Relationship Detail 659
 Sales Quotation Relationship Master 662
 Salesperson 25
 Salesperson Commission Detail 801
 Salesperson Control 801
 Salesperson Master 803
 Salesperson Sales History 802
 Scheduled Order Cross-Reference 751
 Seasonal Build Detail 326
 Segregation Of Duties Category Master 785
 Segregation Of Duties Category Matrix 788
 Segregation Of Duties Policy Exception Detail 788
 Segregation Of Duties Policy Exception Master 789
 Segregation Of Duties Violation Log 791
 Self-Bill Control 743
 Self-Bill Detail 744
 Self-Bill Master 745
 Serial Number Work Table 807
 Service Agreement Terms and Conditions Master 815
 Service Category Master 369
 Service Contract Additional Charge Master 747
 Service Contract Billing Detail 720
 Service Contract Control 721
 Service Contract Deferred/Accrued Revenue Detail 219
 Service Contract Detail 725

Database Definitions

Service Contract Detail History	723	Service/Support Parts List Detail	374
Service Contract History	731	Service/Support Price Indexing Master	342
Service Contract Master	740	Service/Support Pricing Master	343
Service Contract Preventive Maintenance Detail	738	Service/Support Region Master	679
Service Contract Serial Number Master	739	Service/Support Return Defaults Master	673
Service Request Control	803	Service/Support Time Zone Detail	861
Service Request Master	806	Service/Support Time Zone Master	862
Service/Repair Order Control	804	Service/Support Trace History	375
Service/Repair Order Master	804	Service/Support User Preference Master	375
Service/Support Billing Cycle Master	743	Service/Support Work Code Master	377
Service/Support Billing Detail	756	Shared Set	760
Service/Support Billing History	757	Shared Set Merge Log	761
Service/Support Call Activity Detail	370	Shared Set Property	762
Service/Support Call Default Master	124	Shared Set Type	762
Service/Support Call Fault Code Master	119	Shift Detail	110, 764
Service/Support Call History	106	Ship Via Master	772
Service/Support Call History Master	132	Shipment Carrier Detail	7
Service/Support Call Item Detail	469	Shipment Detail Line Charges	8
Service/Support Call Item History	467	Shipment Detail/Invoice Number Cross-Reference	773
Service/Support Call Master	114	Shipment Line Item Detail	7
Service/Support Call Master Control	105	Shipment Performance Control	767
Service/Support Call Queue Master	111	Shipment Performance Detail History	767
Service/Support Call Skill Detail	192	Shipment Performance History	770
Service/Support Call Status Master	114	Shipment Requirement Detail	9
Service/Support Call Type Master	326	Shipment Sequence Detail	11
Service/Support Charge Code Master	324	Shipment Trailer Detail	771
Service/Support Charge Code Product Line Master	322	Shipper Control	763
Service/Support Contract Billing Control	74	Shipper Control Detail Default Export Directories	763
Service/Support Contract Limits History	735	Shipper Information Master	7
Service/Support Contract Limits Master	737	Shipper User Field Detail	812
Service/Support Cross-Reference Master	190	Shipper User Field Master	812
Service/Support Custom Program Detail	538	Shipper Validation Error Log	10
Service/Support Custom Program Parameter Detail	540	Shipping Delivery Time Detail	753
Service/Support Default Charge Code Master	323	Shipping Delivery Time Master	753
Service/Support End User Control	294	Shipping Group Address Detail	759
Service/Support End User Detail	294	Shipping Group and Inventory Movement Code Detail	759
Service/Support End User Master	296	Shipping Group Carrier Detail	759
Service/Support End User Schedule Master	295	Shipping Group Master	760
Service/Support Engineer Availability Master	256	Shipping Schedule Control	715
Service/Support Engineer Master	273	Shipping Schedule Detail	763
Service/Support Engineer Message Master	267	Shipping Schedule Master	765
Service/Support Engineer Problem/Skills Detail	258	Ship-To/Container Master	120
Service/Support Engineer Schedule Control	257	Ship-To/Container Price List Detail	119
Service/Support Engineer Schedule Detail	258	Shop Calendar	766
Service/Support Engineer Schedule Master	285	Shop Floor Operation General Ledger Detail	553
Service/Support Engineer Selection Work Table	260	Shop Floor Operation History Control	552
Service/Support Engineer Status Master	288	shortcut key	766
Service/Support Engineer Tracking Master	259	Simulated Forecast Master	328
Service/Support Escalation and Repair Master	292	Simulation Line Plan	372
Service/Support Escalation Control	284	Site Cost Detail	196
Service/Support Field Notification Detail	336	Site grouping for linked sites.	772
Service/Support Field Notification History	337	Site Linking Rules Detail	780
Service/Support Field Notification Master	339	Site Linking Rules Master	780
Service/Support Holiday Master	372	Site Master	774
Service/Support Installed Base Item Master	462	Site/Item Model Definition Master	379
Service/Support Installed Base Structure	465	SOD Audit Log	784
Service/Support Installed Configuration Detail	422	SOD category	784
Service/Support Item-Site Detail	581	SOD category exclusion	786
Service/Support Kit Master	329	SOD policy exception	786
Service/Support Management Control	813	SOD policy exception line	786
Service/Support On Call Master	549	SOD Violations Log	787
Service/Support Paging Control	583	Source Matrix Master	781
Service/Support Paging History	583	Source of Supply Detail	807
Service/Support Parent/Child Relationship Master	831		

Source of Supply Master 808
 Staged Payment 571
 Standard Operation Master 554
 State 325, 808
 Statistical Code 808
 Statistical Value Calculation Master 466
 Sub-Account 233
 Sub-Account Master 747
 Sub-Account/Account Validation Detail 743
 Subcontract Shipper PO Shipper Cross Reference 13
 Subcontract Shipping Control 750
 Subshipper PO Cross Reference 9
 Supplementary Analysis Field 346, 347, 348, 349, 350, 351, 352, 354, 355, 356, 358, 359, 360, 362, 363, 365, 727
 Supplier 187
 Supplier Balance 117
 Supplier Balance History 130
 Supplier Consignment Control 158
 Supplier Consignment Receipt Inventory Master 156
 Supplier Consignment Receipt Usage Detail 157
 Supplier Consignment Receipt Usage Master 157
 Supplier Consignment Supplier/Item Master 156
 Supplier Invoice 136
 Supplier invoice Bank Payment Code 139
 Supplier Invoice Bank Records 139
 Supplier Invoice Movements 140
 Supplier Invoice PO Matching Link 141
 Supplier Invoice Posting Link 141
 Supplier Invoice Stage Payment 142
 Supplier Invoice Tax Records 142
 Supplier Invoice Withholding Tax 143
 Supplier Item Master 907
 Supplier Master 891
 Supplier Payment 126, 183
 Supplier Payment Invoice Xref 127
 Supplier Payment Invoice Xref Stage 125
 Supplier Payment Posting Line 128
 Supplier Payment Status 128
 Supplier PaymentSelection 121
 Supplier Performance Category Detail 893
 Supplier Performance Category Master 893
 Supplier Performance Control 894
 Supplier Performance Cross-Reference Master 905
 Supplier Performance Detail 897
 Supplier Performance Event Master 894
 Supplier Performance Master 898
 Supplier Performance Registration Detail 901
 Supplier Performance Registration Master 902
 Supplier Performance Summary Detail 903
 Supplier Performance Summary Master 904
 Supplier Performance Weighting Factor Master 904
 Supplier SAF Default 189
 Supplier Tax 189
 Supplier Type 189
 Suspended Tax Master 811
 Sync Profile Join Detail 818
 Synch Profile Detail 817
 Synch Profile Master 820
 Synch Profile Subscription Detail 819
 Synchronization Table-Field Master 823
 System 822
 System Property 821
 System/Account Control 391

T

Table Attribute Detail 379
 Table Change Detail 829
 Table Change Master 829
 Table name identifies the database type. 655
 Tax Base Detail 854
 Tax Box 885
 Tax Class Master 855, 857
 Tax Control 856
 Tax Detail 851
 Tax Environment Detail 856
 Tax Environment Master 857
 Tax Export 885
 Tax Group 885
 Tax Group Box Link 886
 Tax History Detail 857
 Tax Master 853
 Tax Number 886
 Tax Percent 887
 Tax Percent Line 888
 Tax Period 888
 Tax Rate 883
 Tax Register 828
 Tax Register Company 828
 Tax Register Journal 829
 Tax Rule 890
 Tax Type Master 859
 Tax Usage Detail 859
 Tax Usage Master 860
 Tax Zone Master 860
 Temporary Table used for converting SCBA 158
 Terms of Trade Detail 835
 Terms of Trade Master 835
 Time-Based/Quantity-Based Status Code Detail 809
 Time-Based/Quantity-Based Status Code Master 810
 Trailer Master 848
 Trailer Tax Detail 848
 Transaction Comments 149
 Transaction Cost Detail 846
 Transaction Export Master 833
 Transaction Type 843
 Transmission Date Reference Master 849
 Transportation Master 834

U

UDF Attribute Master 145
 UDF Attribute Value Detail 144
 UDF Class Master 863
 UDF Class Table Detail 146
 UDF Class Use Table 863
 Unit of Measure Conversion Master 866
 Update Restriction Detail 868
 Update Restriction Master 869
 Update Status Code Detail 869
 URL Master 868
 used for logging the changes made for MFS related tables. 534
 User 876
 User Control 877
 User Domain Detail. 862
 User Function Key Detail 864
 User Licensed Application Detail 879
 User Logon History 875
 User Master 883

Database Definitions

User Message Detail 866
User Password History 876
User Property 879
User Role Detail 878
User Role Master 879
User Work Table 882
User-Defined Component configuration 862

V

Validation/Prompt Location Detail 769
Verify Status Transition 901
Version Control 908
Viewer Enabled Fields Master 908
Violation to SOD rule 1 790
Violation to SOD rule 2 791
Voucher Invoice History 906
Voucher Purchase Order Detail 906

W

Warehouse Control 921
Warehouse Location Master 919
Warehouse Master 925
Warehouse Master List Detail 923
Warehouse Master List Master 924
Warehouse Transfer Order Detail 927
Warehouse Transfer Order Master 928
Warehouse/Transaction Type Master 929
Warehousing Algorithm Assignment Detail 27
Warehousing Algorithm Assignment Master 28
Warehousing Algorithm Master 29
Warehousing Algorithm Type Master 30
Warehousing Alternate Task Master 37
Warehousing Alternate Unit of Measure Detail 38
Warehousing Alternate Unit of Measure Master 38
Warehousing Batch Picking Control 68
Warehousing Batch Picking Detail 69
Warehousing Batch Picking Master 70
Warehousing Bulk Pick Control 98
Warehousing Bulk Pick Detail 99
Warehousing Bulk Pick Detail History 100
Warehousing Bulk Pick Master 101
Warehousing Calendar Detail 108
Warehousing Calendar Master 108
Warehousing Customer/Inventory Status Master 200
Warehousing Customer/Item Master 201
Warehousing Engine Processing Control 268
Warehousing Engine Processing History 269
Warehousing Engine Work Table 271
Warehousing External Routing Assignment Detail 274
Warehousing External Routing Detail 276
Warehousing External Routing Master 277
Warehousing Hold Master 416
Warehousing Inspected Inventory Detail 447
Warehousing Inspection Control 444
Warehousing Inspection History 445
Warehousing Inter Work Location Group Master 449
Warehousing Internal Routing Assignment Detail 455
Warehousing Internal Routing Detail 457
Warehousing Internal Routing Group Master 458
Warehousing Internal Routing Master 459
Warehousing Inventory History Master 450
Warehousing Inventory Master 451
Warehousing Item/Storage Location Group Master 566
Warehousing Item/Warehouse Master 567

Warehousing Labour Management Control 494
Warehousing Lane Assignment Detail 496
Warehousing Lane Assignment Master 497
Warehousing Lane Group Detail 498
Warehousing Lane Group Master 498
Warehousing Lane Master 499
Warehousing Load Detail 513
Warehousing Load Master 514
Warehousing Load Master Master 515
Warehousing Load Setup Address Detail 517
Warehousing Load Setup Item Detail 518
Warehousing Load Setup Master 517
Warehousing Local Exit Routine Control 519
Warehousing Location Definition Detail 521
Warehousing Location Definition Master 521
Warehousing Location Forecast Detail 523
Warehousing Location Master 524
Warehousing Location Unit of Measure Master 526
Warehousing Location Work Table 527
Warehousing Messaging Detail 531
Warehousing Messaging Master 532
Warehousing Order Allocation Detail 557
Warehousing Order Allocation History 558
Warehousing Order Batch Selection Detail 562
Warehousing Order Batch Selection Master 564
Warehousing Order Detail 559
Warehousing Order Master 561
Warehousing Packaging Tracking Detail 835
Warehousing Prefix Set Control 625
Warehousing Printer Template Detail 831
Warehousing Printer Template Master 832
Warehousing Program Execution Detail 719
Warehousing Receipts Detail 676
Warehousing Release Group Detail 692
Warehousing Release Group Master 693
Warehousing Release Status Master 680
Warehousing Replenishment Control 681
Warehousing Replenishment List Detail 681
Warehousing Replenishment List Master 682
Warehousing Replenishment Location Master 683
Warehousing Replenishment SLG Master 685
Warehousing RF User Detail 870
Warehousing RF User Group Detail 871
Warehousing RF User Group Master 871
Warehousing RF User Master 872
Warehousing Ship Via/Service Master 765
Warehousing Shipment Detail Charges 129
Warehousing Storage Location Group List Detail 775
Warehousing Storage Location Group List Master 776
Warehousing Storage Location Group Master 777
Warehousing Storage Location Group/Unit of Measure Detail 778
Warehousing Supplier/Item Master 896
Warehousing System Control 822
Warehousing Task Assignment Detail 824
Warehousing Task Assignment Master 825
Warehousing Task Detail 826
Warehousing Task Master 827
Warehousing Transaction Detail 836
Warehousing Transaction History 840
Warehousing Transaction Type Master 845
Warehousing Transaction Work Table 846
Warehousing Unit of Measure Group Detail 864
Warehousing Unit of Measure Group Master 865

Index of Table Descriptions

Warehousing User System Code Security Master 873
Warehousing User/Work Location Group Master 874
Warehousing Verbosity History 899
Warehousing Wave Control 908
Warehousing Wave Detail 910
Warehousing Wave Load Detail 912
Warehousing Wave Master 913
Warehousing Wave Master Master 914
Warehousing Wave Transportation Control 916
Warehousing Work Load Group Details 945
Warehousing Work Load Group Master 947
Warehousing Work Table 26
WHTCertFormat 932
WIP Lot Inventory Detail 935
WIP Lot Master 940
WIP Lot Trace BOM Control Detail 932
WIP Lot Trace BOM Control Master 933

WIP Lot Trace Control 934
WIP Lot Trace Master 939
WIP Lot Trace Routing Control Detail 938
WIP Lot Trace Routing Control Master 938
Withholding Tax 930
Withholding Tax Master 953
Work Center Master 918
Work Center Routing Standards 918
Work Location Group Master 936
Work Object Class 945
Work Order Control 941
Work Order Detail 942
Work Order Master 947
Work Order Routing 950

Y

Year Closing 954

