



## **Administration Guide**

# **QAD Planning Portal**

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright ©2012 by QAD Inc.

PlanningPortal\_AG\_v61.pdf/Inr/Inr

**QAD Inc.**

100 Innovation Place  
Santa Barbara, California 93108  
Phone (805) 566-6000  
<http://www.qad.com>

# Contents

<b>Change Summary</b> .....	<b>vii</b>
<b>Chapter 1 Introduction</b> .....	<b>1</b>
Overview .....	2
Planning Portal Highlights .....	2
Logging In .....	2
Logging Out .....	3
Documentation Conventions .....	3
Text .....	3
Screen Captures .....	3
Acronyms and Abbreviations .....	3
<b>Chapter 2 Installation</b> .....	<b>5</b>
Overview .....	6
Requirements .....	6
Hardware .....	6
Software Media .....	7
Prerequisites .....	8
Microsoft .NET Framework 2.0 (Service Pack 1) .....	8
Configure a JSE as MIME Type .....	9
Client Computers .....	9
Other Prerequisites .....	10
Upgrading from an Older Version of the Planning Portal .....	10
DME Admin Settings .....	10
Installing the Planning Portal .....	12
Installation Options/Architecture .....	12
Prerequisites .....	12
Installation Process .....	13
Planning Portal License .....	19
Miscellaneous Installation Configurations .....	21
Using .NET 2.0 .....	21
Write Access to the Planning Portal's Physical Directory .....	22
Setting Up Integrated Windows Authentication .....	22
Excel 2003 Primary Interop Assembly .....	24
Enable the Planning Portal to Launch Microsoft Excel on the Server .....	27

**Chapter 3 Configuration .....31**

- Overview ..... 32
- Admin Tool at a Glance ..... 32
- Filter ..... 33
  - To Add a Filter ..... 34
  - To Delete a Filter ..... 34
- View By ..... 34
  - To Add a Field ..... 34
  - To Delete a Field ..... 34
- Aggregate Report ..... 35
  - Report Level ..... 35
  - Opinions ..... 36
- New Item Link ..... 37
  - To Add a Field ..... 37
  - To Delete a Field ..... 38
- Mass Adjust ..... 38
  - To Add an Opinion Line ..... 38
  - To Delete an Opinion Line ..... 38
- Promotions ..... 39
  - Promo Search By ..... 39
  - Grid Promo Items ..... 40
  - Item ..... 41
- Formula Input ..... 42
  - To Add a New Formula Row ..... 42
  - To Delete an Existing Formula Row ..... 42
  - To Edit an Existing Formula Row ..... 43
- Profile Forecast ..... 44
  - To Add a New Row ..... 44
  - To Delete an Existing Row ..... 44
- Miscellaneous ..... 45
  - Database Connection ..... 45
  - Round Mode ..... 46
  - Decimal Point ..... 47
  - Others ..... 48
- Locale Configuration ..... 49
  - Editing Existing Languages ..... 50
  - Add a New Language ..... 51
  - Delete an Existing Language ..... 52
  - Images Locale ..... 53
- Tools ..... 54
  - Restore Default Settings ..... 54
  - Import Locale Settings ..... 54
  - Upgrade Tool ..... 55

<b>Chapter 4</b>	<b>Advanced Configuration</b>	<b>57</b>
Overview		58
Custom Settings		59
Settings		59
Workflow Status		59
Workflow Tasks		60
Retag		63
Notes		65
Views		66
Data Views		66
Field Views		71
Data Filters		75
Filters		75
Exceptions		77
Security		78
Data Permissions		78
Hierarchy Permission		79
User Security		80
License Generator		81
User Permission		81
Add-Ins		84
Promo Ad Types		84
Promo Mappings		85
RSS Providers		86
<b>Index</b>		<b>87</b>



# Change Summary

The following table summarizes significant differences between this document and the version released with QAD Planning Portal 5.5.

<b>Date/Version</b>	<b>Description</b>	<b>Reference</b>
March 2012/version 6.1	Major changes throughout	--



Chapter 1

# Introduction

*Overview* 2


*Documentation Conventions* 3

*Acronyms and Abbreviations* 3

## Overview

The most important part of the planning process is getting feedback from external participants to develop a better understanding of demand. Sharing information and managing Exceptions is the key to developing a productive relationship with customers and suppliers to develop a demand-driven supply chain. The Planning Portal provides the foundation for capturing input to take the planning process to the next level. It is directly integrated into the Demand Management Engine so existing configurations are leveraged to a maximum benefit.

The figure below is a depiction of the QAD Planning Suite. The Planning Portal encompasses the products of the suite.



### Planning Portal Highlights

- Supports different Views, including hierarchies
- Makes changes to the forecast
- Add Sales Promotions
- Add New Item(s)
- Retag Items (Item super session)
- Add or Edit Notes

### Logging In

To access the Planning Portal Admin Tool, go to:

Start > Programs > QAD > Planning Portal > Planning Portal Admin Tool

You must have a username and password to log into the tool.

You can change your password in the Base Unit when you log in.

**Table 1.1** Default Username and Password

Log In	Password
Username	fxadmin
Password	fxadmin

**Note** Usernames and passwords are case-sensitive.

## Logging Out

If you would like to log out of the application, just close the application and remember that if you got a message to restart IIS you will need to restart IIS (Internet Information Services) before those changes come into effect.

## Documentation Conventions

### Text

The following table lists text conventions in this user guide.

**Table 1.2** Text Convention Descriptions

Convention	Description
Text represented as a screen display.	This typeface represents displays that appear on your terminal screen, for example:  lom>
Text represented as menu or sub-menu names.	This typeface represents all menu and sub-menu names within procedures, for example:  On the <b>File</b> menu, click <b>New</b> .

### Screen Captures

The example screens in this guide may not represent what you see on your monitor; use them only as guidelines.

## Acronyms and Abbreviations

**Table 1.3** Acronyms and Abbreviations used in this Manual

Term	Definition
DME	Demand Management Engine
PP	Planning Portal
DB	Database
IIS	Internet Information Services
OL	Opinion Line



# Installation

*Overview* 6

*Requirements* 6

*Prerequisites* 8

*Upgrading from an Older Version of the Planning Portal* 10

*DME Admin Settings* 10


*Installing the Planning Portal* 12

*Miscellaneous Installation Configurations* 21

## Overview

This chapter details the installation procedure for the Planning Portal application. Please follow the instructions carefully to ensure a successful installation.

The following chart shows the architecture of the Planning Portal and the software requirements.



## Requirements

As mentioned above, the installation process for the Planning Portal is automated. However, there are certain hardware and software requirements necessary to ensure the application installs successfully.

### Hardware

The list below details the required hardware to install the Planning Portal.

**Table 2.1** Database Server Hardware Requirements

Hardware	Minimum	Recommended
CPU	Dual 850 MHz Pentium III	Quad 2.2 GHz Xeon Processors
RAM	2GB RAM	4GB RAM
Hard Disk	Ultra SCSI - II, RAID 5 hard drive controller.  One to three 36GB Hard Drives	Ultra SCSI - II internal and additional RAID 5 Hard Drive controller.  Mirrored volume for system and temp files (36GB each drive).  Two RAID 5 Data volumes with three drives minimum (36 GB each drive).

**Table 2.2** Web Server Hardware Requirements

Hardware	Minimum	Recommended
CPU	Dual 850 MHz Pentium III	Quad 2.2 GHz Xeon Processors
RAM	2GB RAM	4MB RAM

**Table 2.2** Web Server Hardware Requirements

Hardware	Minimum	Recommended
Hard Disk	Ultra SCSI - II, RAID 5 hard drive controller.	Ultra SCSI - II internal and additional RAID 5 Hard Drive controller.
	1 - 3 36GB Hard Drives	Mirrored volume for system and temp files (36GB each drive).
		One RAID 5 Data volumes on separate controller channels with 3 drives minimum (36 GB each drive).

**Note** The PP Admin Tool has to run on the same computer where the Planning Portal was installed. Since the Admin Tool changes the settings defined in web.config file (Planning Portal configuration file), this needs to be executed locally in the Web Server where the PP is installed.

**Table 2.3** Client Machine Hardware Requirements

Hardware	Minimum	Recommended
CPU	Pentium III - 500 MB	Pentium IV- 2.0 GB
		Pentium M - 1.2 GHZ
RAM	256 MB	512 MB
Hard Disk	10G	10G

## Software Media

### Database Server

- Windows 2003 or 2008 Server. The most current Service Packs are highly recommended.
- SQL Server 2005 or 2008 (the most current service packs are highly recommended). If SQL Server is not installed, the Demand Management Engine provides the option to install SQL Express Edition instead.

### Web Server

- Windows 2003/2008 Server. The most current Service Packs are highly recommended.
- IIS 6.0 or greater
- .NET Framework 3.5 (with SP1)
- .NET Framework 2.0 (with SP2)
- ADO 2.8
- Installer 3.5 (SP1)
- Microsoft Excel Primary Interop Assembly (PIA). Must match Office version.

## Client Machine

- Windows XP/Windows Vista
- Office 2003/2007/2010 (if you want to export to Excel)
- Internet Explorer 7.0/Internet Explorer 8.0.

**Note** You can download and install .NET 2.0, ADO 2.8, and Installer 3.1 from [www.microsoft.com](http://www.microsoft.com).

## Prerequisites

The list below details the prerequisites prior to beginning the installation.

- IIS 7.0 or greater
- Windows Installer 3.5 SP1
- Microsoft .NET Framework 3.5 SP1
- Microsoft .NET Framework 2.0 SP2
- Internet Explorer 7 / Internet Explorer 8 (with compatibility mode enabled)

**Note** If IIS is not on the Web Server, but .NET Framework 2.0 already is, you must do the following:

- Install IIS. Go to the DOS prompt and change the directory to:

```
C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727>
```

- Run the following command:

```
"C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727>aspnet_regiis -i"
```

For a 64-bit version operating system:

- Install IIS. Go to the DOS prompt and change the directory to:

```
C:\Windows\Microsoft.NET\Framework64\v2.0.50727\
```

- Run the following command:


```
"C:\Windows\Microsoft.NET\Framework64\v2.0.50727\>aspnet_regiis -i"
```

## Microsoft .NET Framework 2.0 (Service Pack 1)

You must verify that ASP.NET 2.0 can run on the web server; this can be done by finding it in web server extensions.

- 1 Go to **My Computer > Program Files > Windows > Internet Information Services (IIS) Manager**.
- 2 Click on “Web Service Extensions” under your computer.

The Web Service Extensions window displays to the right as shown below.



- 3 Right-click on “ASP .NET v2.0 50727” and select “Allow in the window”.
- 4 Close the window when finished.

## Configure a JSE as MIME Type

To configure a JSE as a MIME Type:

- 1 Go to **My Computer > Program Files > Windows > Internet Information Services (IIS) Manager**.
- 2 Right-click on the SERVERNAME (local computer) node.
- 3 Click on **Properties**.
- 4 Click the **MIME Types** button.
- 5 Click **New** to add entry.
- 6 Enter “.jse” in the extension textbox (no quotes).
- 7 Enter “application/x-javascript”.
- 8 Click **OK** to close the dialog box.
- 9 Click **OK** to close the Property dialog box.
- 10 Right-click on the SERVERNAME (local computer).
- 11 Select **All Tasks**.
- 12 Click **Restart IIS...** to apply the changes.

## Client Computers

Client computers require the following software media to ensure the Planning Portal is used optimally:

- Microsoft Internet Explorer 7.0 or Internet Explorer 8.0.
- Macromedia Flash plug-in for Internet Explorer.

## Other Prerequisites

To upgrade the PP database you need the system administrator (sa) account password for the SQL instance being upgraded.

## Upgrading from an Older Version of the Planning Portal

This section describes upgrading the PP to a newer version. and the necessary steps to do this.

**Note** If you plan on upgrading the PP but keeping all your existing configurations, you need to make sure to save the following files: web.config, CustomSettings.xml and Locale.xml. These files are located in the folder where the PP was installed. This version of the PP can upgrade configurations files from version 3.6.04.26 and higher only; backup the current data and settings if you try to move to this version from any version lower than the mentioned above.

- 1 Remove the current version of the Planning Portal.

**Start > Control Panel > Add/Remove Programs.**

- 2 Select **QAD - Planning Portal**.

The Add/Remove Programs window is displayed.

- 3 Click **Uninstall**. You will be prompted to confirm the uninstall request.

- 4 Click **Yes**.

- 5 Click **Yes**.

- 6 Install the latest version of the Planning Portal as detailed in [Installing the Planning Portal](#).

**Note** When performing a new installation, the installer deletes all user permissions, license key, and custom settings.


**Note** Field Views and Data Views created in earlier Planning Portal versions do not work in the new version. The migration process needs to be done manually.

## DME Admin Settings

You must edit the Living Master scenario that is to be used with the Planning Portal.

- 1 Log into the DME Admin Tool.
- 2 Click the **Scenarios** button in the toolbar.

The Scenario Manager window displays.




- 3 Select the scenario to use from the Scenario List in the left panel.

Scenario Name	Scenario Type	Owner
HLP-ActHist	Normal	fxadmin
HLP-ActHist-SKU	Normal	fxadmin
HLP-CustomerMa...	Normal	fxadmin
HLP-FutureOrders	Normal	fxadmin
HLP-ItemMaster	Normal	fxadmin
HLP-POS	Normal	fxadmin
LM-Forecast	Normal	fxadmin
LM-Inventory	Normal	fxadmin
LM-Sales	Normal	fxadmin

The Scenario details display in the Scenario Editor panel at the right.

- 4 In the Properties panel of the Scenario Editor, click the “User Field Settings” tab.



- 5 Enter or select “WebForm” in User Field 2. This makes the scenario available in the Planning Portal. Only scenarios that have this property set and are Living Master scenarios will be available in the Planning Portal.
- 6 Click Save.
- 7 Close the Scenario Manager.

## Installing the Planning Portal


This section details how to install the Planning Portal successfully.

**Note** The Planning Portal installer cannot be installed from a network drive. For security reasons, .NET Framework does not allow an .exe file to run from a network location. The Planning Portal installation files need to be copied locally to the computer where the application will be installed.

### Installation Options/Architecture

There are two different ways to install the Planning Portal. Depending upon your network configuration, you can install the application on either one server or two.

The illustration below depicts the two ways to install.




### Prerequisites

The list below details the prerequisites prior to beginning the installation.


- Demand Management Engine installed.
- A Living Master Scenario (or a default DTL Scenario).

## Installation Process

- 1 Get the Installation files for the Planning Portal v6. If the file you have is a .zip or .rar file make sure to un-compress the files before installing them.
- 2 Click on the Setup.exe file.  
The Planning Portal Installation window displays.




- 3 Click Next.  
The Planning Portal License Agreement window displays.




- 4 After reading the agreement, select the **“I accept the terms in the license agreement”** radio button and click **Next**. Otherwise, click **Cancel** to quit.

The Customer Information window is displayed



- 5 Enter your **User Name** and **Organization** name in the respective fields and click **Next**.

The Setup Type window is displayed:




- 6 There are two types of installations for the Planning Portal, the “Complete” option will install all the available components and the “Custom” option allows you to select which components to install. The following table describes the different components that can be installed for the Planning Portal:

Table 2.4


Component	Description
Database Administration Tool	This component updates the Planning Portal Database to the latest version as well as installing necessary components for the DB Server.
Planning Portal	This component contains the actual files to install the Planning Portal in a web server.

You will probably want to use the **Complete** option when your Web Server and SQL Server are on the same computer, and the **Custom** option when your SQL Server and Web Server are different servers, this way you will be able to only install the Planning Portal component in the Web Server and only the Database Administration tool in the SQL Server.

If you run a **Custom** install, you will be prompted with the following screen to choose the components to install:




- 7 Click **Next** to continue the install. If you select the Planning Portal component or a Complete install continue to Step 8; if you only selected to install the Database Administration Tool, skip to step 10.
- 8 The following screen is the Installation Address. Here you can choose certain options for the Planning Portal component installation:




These settings are related to IIS; you are able to setup the **Site** under which to install the Planning Portal, the name of the **Virtual Directory** and the **Application Pool** the Planning Portal will be associated with. Unless you are familiar with these settings use the defaults and click **Next**.

- 9 The Ready to Install screen will be displayed, if you are sure your settings are correct just click **Install** to continue.



- 10 If the Database Administration Tool component was selected you will be prompted with the following screen:



In this screen you must provide the information to be used to connect to the database including **Server Name**, **Database Name** and SQL **User** account and **Password** to connect to the database.

When performing upgrade on the database the system administrator account (“sa”) should be used always. For regular operations for the Planning Portal you can change the SQL account used in the PP Admin Tool.

The **Excel file path** is the path to a file used for the promotions feature, If you are not planning on using this feature the default value is fine.


- Month-Week.xls - if your Promotions are run weekly.
- Week-Day.xls - if your Promotions are run daily.

The Excel file path will default to:


C:\Program Files\QAD\QAD - Planning Portal Database Upgrade

After all the database related information is input you can test your connection by clicking the **Test Connection** button. If the test is successful, click the **Upgrade Database** button to begin the process.

The following window displays while running the upgrade.




When the process is completed you will see the following message



**11 Click OK.**

If you chose to install the Planning Portal component or a Complete Installation option, the Planning Portal Setup window displays. You can configure the Administration Utility now or at a later time.




**12 Click OK** to launch the Administration Utility, the PP Admin Tool.

**Note** To configure and customize the Planning Portal later, the Administration Tool can be found at Start > All Programs > QAD > Planning Portal > Planning Portal Admin Tool.

**13** The PP Admin tool is launched next, you can now start making changes to your PP installation, import old settings or install a license; you can find more information on how to install a license in the following section.

- 14 After saving your changes and closing the PP Admin Tool you will have the PP Release Notes file open in your browser and you will see the following screen. The installation is now complete.




## Planning Portal License

To begin using the Planning Portal, you must create a random serial number and a license key, which is provided by QAD, Inc.

To generate your serial number:

- 1 Go to **Start > All Programs > QAD > Planning Portal Admin Tool**.  
The PP Admin Tool displays.

- 2 In the Planning Portal Manager in the left-hand pane, go to Security and click “License Generator”.



Serial Number

License

```
5 22 20 79 114 97 120 31 112 114 77 122 102 114 122 102 117 115 102 6 8 16 2 9 22 14 113
16 25 7 92 117 112 118 13 103 113 92 117 112 101 117 127 98 113 116 16 7 6 17 7 4 23 118 6
14 3 74 100 116 118 13 101 123 92 119 126 101 119 127 98 115 126 16 6 0 17 6 7 23 118
```

- 3 Click **Generate** to generate a random serial number.
- 4 Click **Copy** to copy the serial number to your clipboard and send the serial number to <http://support.qad.com/>. You must contact QAD, Inc. for a license key.

When you receive the license key from QAD, Inc., repeat steps [1](#) and [2](#) and paste your license key in the License field.

- 5 Go to **File > Save** to save your serial number.
- 6 Close the Admin Tool.
  - If for whatever reason the license for the PP becomes invalid when trying to save a new one you will need to generate a new random serial number.


## Miscellaneous Installation Configurations

The sections below detail additional configurations for installing the Planning Portal successfully.

### Using .NET 2.0

Ensure the Planning Portal is using .NET 2.0.


- 1 Open Internet Information Services.
- 2 Right-click on the Planning Portal virtual directory or the virtual directory that is used by the Planning Portal.
- 3 Click on “ASP.NET”.
- 4 Verify that .NET 2.0 version is selected. If not, select Version 2.0 from the drop-down.



## Write Access to the Planning Portal's Physical Directory

To enable Write access, you must select the Write permission to the Network Service account in the security properties of Planning Portal's physical directory.

- 1 Go to **Planning Portal > PP Installation > App**.
- 2 Right-click on “PPsetup.exe” and select “Properties”.  
The PPSetup.exe Properties window displays.



- 3 Select the user you want to grant write access and click on the Allow checkbox.
- 4 Click **Apply** and then click **OK**.


## Setting Up Integrated Windows Authentication

The Planning Portal is designed to authenticate users either with Planning Portal Authentication or with Windows Integrated Authentication. The Windows Integrated Authentication feature depends on a similar setting of Internet Information Services.

To enable Windows Integrated Authentication:


- 1 Open Internet Information Services (IIS) Manager.  
Start > My Computer > C:drive > Windows > IIS Manager.

- 2 Right-click the Planning Portal virtual directory and select “Properties”. The PlanningPortal Properties window displays.



- 3 Select the Directory Security tab and click the **Edit** button in the “Authentication and access control” area.

The Authentication Method window displays.




- 4 Uncheck the “Enable anonymous access” checkbox and check the “Integrated Windows Authentication” checkbox.
- 5 Click **OK** and close the window.

### Excel 2003 Primary Interop Assembly

The Excel 2003 Primary Interop Assembly (PIA) is a required DLL that enables the Planning Portal to send data and charts to Microsoft Excel. The PIA must be installed on the Web Server if you want to export data to Excel in the Classic View.

The primary interop assembly is not installed when performing a default installation of Microsoft Office; a custom installation is required to install it. Below is an example on how to enable this component while installing Microsoft Excel 2003, a similar procedure should be followed when installing Office 2007 or Office 2010:


- 1 Start the Microsoft Office 2003 Install Wizard and click through the default selections until you reach the Type of Installation window dialog step.
- 2 Select “Custom Install” and click **Next**.



The Custom Setup window displays.



- 3 Select “Choose advanced customization of applications” and click **Next**. The Advanced Customization window displays.



- 4 Expand the Microsoft Office Excel subtree and include .NET Programmability Support as a component to be installed.


- 5 Click **Next**.
- 6 Click **Install** in the next window and proceed with the default settings installation.

### Enable the Planning Portal to Launch Microsoft Excel on the Server

**Note** This procedure only applies to Windows Server 2003 installations that include Windows Server 2003 Service Pack 1.


- 1 Go to **Control Panel > Administrative Tools > Component Services**.

The Component Services window displays.




- 2 Browse to **Component Services > Computers > My Computer > DCOM Config**.

3 Click on “DCOM Config”.



4 Scroll down until you find the “Microsoft Excel Application” node.


5 Right-click the Excel node and click “Properties”.



6 Select the **Security** tab and select the “Customize” option under Configuration Permissions.


7 Click the **Edit** button.

- 8 In the **Change Configuration Permission** window, add the following two accounts: **ASPNET** and **Network Service** (or the account under which the Default Application pool is running) and grant it “**Full Control**” permissions; this applies for Windows XP and Windows 2003 Server. For Windows 7 or Windows 2008 Server you must add the local **Everyone** account and give it **Full Control**.



- 9 Click **OK** to save the permission changes and exit.
- 10 Select the **Security** tab and select the “**Customize**” option under “**Launch and Activation Permissions**” and “**Access Permissions**” section.

- In the **Launch Permission** window, add the following two accounts: **ASPNET** and **Network Service** (Or the account under which the Default Application pool is running under) and check the “**Local Launch**” and “**Local Activation**” permissions under the Allow column.



# Configuration


<i>Overview</i>	32
<i>Admin Tool at a Glance</i>	32
<i>Filter</i>	33
<i>View By</i>	34
<i>Aggregate Report</i>	35
<i>New Item Link</i>	37
<i>Mass Adjust</i>	38
<i>Promotions</i>	39
<i>Formula Input</i>	42
<i>Profile Forecast</i>	44
<i>Miscellaneous</i>	45
<i>Locale Configuration</i>	49
<i>Tools</i>	54

## Overview

The features detailed in this chapter are displayed from the Custom Settings > Settings feature in the Planning Portal Manager in the left-hand pane.

## Admin Tool at a Glance

The Admin Tool enables you to configure and customize the Planning Portal for end-users. The window below is the main page of the Admin Tool.



The following table details briefly each tab and the features of the Planning Portal Manager in the left-hand pane.

**Table 3.1** Admin Tool tabs

Tab	Description
Filter	Determines which fields are going to be used for filter definition in the Aggregate Report and Mass Adjust features.
View By	Determines which View By fields are available.
Aggregate Report	For Opinions, determines which Opinion Lines are used in the Aggregate Report.
New Item Link	Determines which fields are used when creating a new item.
Mass Adjust	Determines which Opinion Lines are used in the Mass Adjust.
Promotions	Determines the configuration in Promo Note for both Promo Search By and Item.
Formula Input	Determines which formulas can be used in the Data Browser.
Profile Forecast	Determines which Opinion Lines are affected in the Profile Forecast.

Table 3.1 Admin Tool tabs

Tab	Description
Miscellaneous	For DB connection, determines the type of database connection is used. For Round Mode, determines how a number will be rounded. For Decimal Pt, provides how many decimal points for the data. For Other, provides additional information for data.
Locale Configuration	Determines the language for text, images, and labels.

## Filter

Filters provide the ability to select items based on series attributes, as well as provide users the ability to manage, control and identify forecasts. The Filter tab enables you to determine which fields are used for the Filter definition in the Aggregate Report and Mass Adjust features.


Delete	Column Search	Column Display	Control Type	Control Type Others
<input type="checkbox"/>	ProductFamily	ProductFamily	SingleEditable	ListBox
<input type="checkbox"/>	Customer	Customer	SingleEditable	ListBox
<input type="checkbox"/>	Sku	Sku	Multiple	ListBox
<input type="checkbox"/>	LocationName	LocationName	Multiple	ListBox
<input type="checkbox"/>	ProductBrand	ProductBrand	Multiple	ListBox
<input type="checkbox"/>	LocationRegion	LocationRegion	Multiple	ListBox
<input type="checkbox"/>	ProductClass	ProductClass	Multiple	ListBox
<input type="checkbox"/>	UserField7	UserField7	Multiple	ListBox
<input type="checkbox"/>	UserField10	UserField10	Multiple	ListBox

The table below details the types of configurations that can be used:


Table 3.2

Configuration	Description
Column Search	Attributes that can be used for the filter.
Column Display	Description of the Attribute.
Control Type	There are three types of controls: <ul style="list-style-type: none"> <li>• <b>Multiple</b> - multiple selection capability.</li> <li>• <b>Single Editable</b> - choose a field from the list or type in the search criteria.</li> <li>• <b>Text Box</b> - ability to type in the search criteria.</li> </ul>
Control Type Others	There are two types of fields: <ul style="list-style-type: none"> <li>• <b>List Box</b> - drop-down list of available options.</li> <li>• <b>Web Combo</b> - combination of drop-down and text box options.</li> </ul>

### To Add a Filter


- 1 Click the  button.  
A new row is added at the bottom of the list.

### To Delete a Filter

- 1 Click on the Delete checkbox next to the field and click on the  button.  
The row is deleted from the list automatically.

## View By

The View By tab enables you to multiply the Opinion Lines by a conversion factor.




The table below details the type of configuration that can be used:


Table 3.3

Configuration	Description
Column	Names of Opinion Lines that can be used as a conversion factor.
Currency	Used to select the financial currency in which the Column value is displayed.

### To Add a Field

- 1 Click the  button.  
A new row is added at the bottom of the list.


### To Delete a Field

- 1 Click on the Delete checkbox next to the field and click on the  button.  
The row is deleted from the list automatically.

# Aggregate Report

## Report Level

The Report Level tab determines which fields are displayed in the Report Level.




The table below details the type of configuration that can be used:


Table 3.4

Configuration	Description
Column	Determines which fields are displayed in the Report Level.

### To Add a Field

- 1 Click the  button.  
A new row is added at the bottom of the list.

### To Delete a Field

- 1 Click on the Delete checkbox next to the field and click on the  button.  
The row is deleted from the list automatically.

## Opinions


The Opinion tab determines which Opinion Lines are displayed in the report. You can have up to eight Opinions Lines listed.

The table below details the type of configuration that can be used:


Table 3.5

Configuration	Description
Column	Determines which Opinion Lines are displayed in the report.

### To Add an Opinion

- 1 Click the  button.  
A new row is added at the bottom of the list.

### To Delete an Opinion

- 1 Click on the Delete checkbox next to the Opinion Line and click on the  button.  
The row is then deleted from the list automatically.

## New Item Link

The New Item Link tab determines which fields are used for the New Item Creation feature.

Use this section to define which series attributes will be available when creating new items from the Planning Portal. You can define the type of control to use, whether a specific field is used in the description and if need be a default value for each field.



Delete	Column	Control	Use In Description	Default Value	Data Type
<input type="checkbox"/>	Sku	WebCombo	<input checked="" type="checkbox"/>		AlphaNumeric
<input type="checkbox"/>	BaseTarget	DropDown	<input checked="" type="checkbox"/>		AlphaNumeric

The table below details the types of configurations that can be used:


Table 3.6

Configuration	Description
Column	Determines which fields are displayed in the New Item feature.
Control	There are three options: <ul style="list-style-type: none"> <li>• <b>Drop Down</b> - enables you to select from a list of what is already in that field.</li> <li>• <b>Text Box</b> - enables you to enter information directly into that field.</li> <li>• <b>Web Combo</b> - combination of Drop Down and Text Box options.</li> </ul>
Use In Description	Determines whether or not the field is used in the description of the new item.
Default Value	This is the value selected by default.
Data Type	Determines if the field is a numeric or alpha-numeric value.


You can organize the fields to display in a certain order.

- 1 Select one of the fields in the list.
- 2 Click on the  or the  buttons.  
The row is then moved up or down, respectively, in the list.

### To Add a Field


- 1 Click the  button.  
A new row is added at the bottom of the list.

## To Delete a Field

- 1 Click on the Delete checkbox next to the field and click on the  button.  
The row is deleted from the list automatically.

## Mass Adjust

The Mass Adjust tab determines which Opinion Lines are used in the Mass Adjust feature.




The table below details the types of configurations that can be used:


Table 3.7

Configuration	Description
Column	Determines which Opinion Lines are displayed in the mass adjust.
Selected	Check if the Opinion Line is selected by default.

## To Add an Opinion Line

- 1 Click the  button.  
A new row is added at the bottom of the list.

## To Delete an Opinion Line

Click on the Delete checkbox next to the Opinion Line and click the  button.

# Promotions

## Promo Search By

This section is used to configure the Promotions feature.

- o Promo Search By - Configure which attributes are used to search for promotions.
- o Grid Promo Items - Configure which attributes will be available when creating promotions.
- o Item - Define which attribute is used to link promotions to series.

**Promo Search By** | Grid Promo Items | Item

Add Row | Delete Row

Column Search	Column Display	Customer Account Number	Company Number
Customer	Customer	Customer	Customer

The table below details the types of configurations that can be used:

Table 3.8

Configuration	Description
Column Search	Selects which column to search.
Column Display	Indicates description for the column displayed.
Customer Account Number	Displays customer account number.
Company Number	Displays company ID number.

## Grid Promo Items

Filter View BY Aggregate Report New Item Link Mass Adjust Promotions Formula Input Profile Forecast Miscellaneous Locale Configuration

This section is used to configure the Promotions feature.

- o Promo Search By - Configure which attributes are used to search for promotions.
- o Grid Promo Items - Configure which attributes will be available when creating promotions.
- o Item - Define which attribute is used to link promotions to series.

Promo Search By **Grid Promo Items** Item

Add Row Delete Row

Delete	Name	Physical Name
<input type="checkbox"/>	SeriesID	Series.SeriesID as SeriesID
<input type="checkbox"/>	Sku	Series.[Sku] as Sku
<input type="checkbox"/>	ProductFamily	Series.[ProductFamily] as ProductFamily
<input type="checkbox"/>	ProductType	Series.[ProductType] as SalesGroup

The table below details the type of configuration that can be used:

**Table 3.9**

Configuration	Description
Name	Three columns of Attributes that are used in combination to uniquely identify a series.
Physical Name	Sql statement to return labels for the Attributes. (Advanced)

## Item

The table below details the type of configuration that can be used:

**Table 3.10**

Configuration	Description
Field Name	Field that holds the item code.

## Formula Input

The table below details the types of configurations that can be used:

Table 3.11


Configuration	Description
Target Field	Determines where the results are displayed.
Definition	Determines the text of the formula (i.e., $A = B + C$ ; A= Target Field, $B+C =$ definition)

### To Add a New Formula Row

- 1 Click on the  icon.

A new row is added to the bottom of the list. To create a formula for this new row see the [“To Edit an Existing Formula Row”](#) on page 43 section.

### To Delete an Existing Formula Row


- 1 Click on the Delete checkbox next to the formula and click the  button.

The row is deleted from the list automatically.

## To Edit an Existing Formula Row


- 1 Click on the text box you would like to edit.

The **Edit** button displays in the text box



- 2 Click the **Edit** button.

The Formula Editor displays.



- 3 From the **Add Series** drop down, select the series you would like to edit.
- 4 Make your edits as necessary.
- 5 Click the **Evaluate** button.
- 6 Click **OK** when finished.

**Note** The PP Admin Tool allows negative values to start in the formula, but the Planning Portal does support it. The following work around can be used:

$$(UserValue01 - UserValue01 - UserValue01) = -UserValue01$$

## Profile Forecast

The Profile Forecast feature enables you to apply a predefined lifecycle curve to data. This feature is configured in the DME Viewer.

Delete	Name	Selected
<input type="checkbox"/>	FValue	<input checked="" type="checkbox"/>
<input type="checkbox"/>	ConvFactor01	<input checked="" type="checkbox"/>
<input type="checkbox"/>	ActShipments	<input checked="" type="checkbox"/>

The table below details the types of configurations that can be used:

**Table 3.12**


Configuration	Description
Name	Select the Opinion Line to be used.
Selected	Select if the Opinion Line is selected by default.

### To Add a New Row

- 1 Click on the  Add Row icon.


A new row is added to the bottom of the list. To create a formula for this new row see the [“To Edit an Existing Formula Row” on page 43](#) section.

### To Delete an Existing Row

- 1 Click on the Delete checkbox next to the formula and click the  Delete Row button.  
The row is deleted from the list automatically.

## Miscellaneous

### Database Connection

The Database Connection configuration for the database. You can test the database connection by clicking the  button.

The table below details the types of configurations that can be used:

Table 3.13

Key	Description
User ID	Database user's Username
Password	Database user's Password
Data Source	Database server name
Connect Timeout	Amount of time system attempts to connect before disconnecting.
DataBase	Database name
Pooling	Select if you would like to share connections between users (Recommended) (Advanced).

## Round Mode

Miscellaneous - Various settings

- o Database connection - Information regarding the database the Admin tool connects to.
- o Round Mode - Define how opinion lines are rounded in the Planning Portal.
- o Decimal Point - Define how many decimal positions each opinion line displays.

Database connection | **Round Mode** | Decimal Point | Others

Add Row Delete Row

Key	Value
ActShipments	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
AvgEventValue	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
BackLog	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConflInterval	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConvFactor01	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConvFactor02	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConvFactor03	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConvFactor04	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor
ConvFactor05	<input type="radio"/> None <input checked="" type="radio"/> Ceil <input type="radio"/> Floor

The table below details the types of configurations that can be used:

Table 3.14

Configuration	Description
Key	Each Opinion Line listed.
Value	<ul style="list-style-type: none"> <li>• <b>None</b> - Provides the value to the nearest whole number.</li> <li>• <b>Ceil</b> - Rounds up number to the next whole number.</li> <li>• <b>Floor</b> - Rounds down number to the next whole number.</li> </ul>

## Decimal Point

Filter View BY Aggregate Report New Item Link Mass Adjust Promotions Formula Input Profile Forecast Miscellaneous Locale Configuration

Miscellaneous - Various settings

- o Database connection - Information regarding the database the Admin tool connects to.
- o Round Mode - Define how opinion lines are rounded in the Planning Portal.
- o Decimal Point - Define how many decimal positions each opinion line displays.

Database connection Round Mode **Decimal Point** Others

Add Row Delete Row

Key	Value
ActShipments	2
AvgEventValue	2
BackLog	2
ConflInterval	2
ConvFactor01	2
ConvFactor02	2
ConvFactor03	2
ConvFactor04	2
ConvFactor05	2

The table below details the types of configurations that can be used:

Table 3.15

Configuration	Description
Key	Each Opinion Line listed.
Value	Number of decimal points displayed.

## Others

Key	Value
CurrencyDriven	ConvFactor01,ConvFactor02
NoViewByIn	ConvFactor01,ConvFactor02
Rebalance	<input checked="" type="radio"/> Yes <input type="radio"/> No
StoreChangeInfo	<input type="radio"/> Yes <input checked="" type="radio"/> No
SCDateField	UserField4
SCUserField	UserField5
CustomTaskOnUpdate	<input checked="" type="radio"/> Yes <input type="radio"/> No
LockedPeriodOff	Value.Note.UserValue01,UserValue03
FrozenColumnCount	2

The table below details the types of configurations that can be used:


**Table 3.16**

Key	Description
CurrencyDriven	Effected by currency.
NoViewByIn	Determines which fields are not affected by View By (conversion factor).
Rebalance	Causes changes to be distributed throughout if there is a hierarchy.
StoreChangeInfo	Determines if changes are to be tracked.
SCDateField	Field in series that holds the date when changes were made.
SCUserField	Field in series that holds the username who made the changes.
CustomTaskOnUpdate	Enables execution of the custom code when data changes (Advanced).
LockedPeriodOff	Disables the lock of certain fields from the last locked period.
FrozenColumnCount	Number of columns frozen in Detail or Classical views.
Logo Home Page Path	Enables you to customize your company's logo for the Getting Started page.
Microsoft.Office.Interop.Excel	Enables users to export data to Excel in Detail View from the Data Browser.
Classic View Enabled	Radio buttons used to determine if the Classic View is enabled in the Planning Portal.
Summary View Enabled	Radio buttons used to determine if the Summary View is enabled in the Planning Portal.
Detail View Enabled	Radio buttons used to determine if the Detail View is enabled in the Planning Portal.
Summary Rebalanced Enabled	Radio buttons used to determine if the Summary Rebalance feature is enabled in the Planning Portal.
Detail Level Enabled	Radio buttons used to determine if the Detail Level is enabled in the Planning Portal.
Auto Save Enabled	Radio buttons used to determine if the Auto Saving feature is enabled in the Planning Portal.

## Locale Configuration


The Locale Configuration feature enables you to configure any localization setting for both the Admin tool and the Planning Portal. You will be able to configure any label within both applications, images and symbols within the tool. It includes support for non english characters from any language for labels, dates, currency symbols and more.

When working with the locale configuration window you can tell which language you are working on by looking at the indicator in the lower left corner of the pane:



- Before making any changes to the locale configuration for the Planning Portal please make sure nobody is accessing the Portal.


**Note** If you are having problems viewing certain characters like currency symbols in foreign languages you might need to install the MUI (Multilingual User Interface) pack. You can find more information here: <http://msdn.microsoft.com/en-us/goglobal/bb688178.aspx>



## Editing Existing Languages

You can edit an existing language by clicking on its name. Make sure you choose the correct tool, languages under the Admin Tool will only affect this the Admin tool; if you wish to edit any labels or images for the Planning Portal select the appropriate language under the Planning Portal.

- 1 Click on the Language name to edit miscellaneous settings like the decimal and currency symbol.





- 2 You can also change all the labels and images by expanding the language you wish to edit and go into the section you wish to change the Labels or images for.

You can change a label by editing the “**Contents**” column, after you do so if you are editing a newly created language once you have changed the contents the Status column will change to “Translated” to indicate you have already translated that element. You can change the status of a whole tree section by right selecting the right one and right clicking on “**Text**” section under it and selecting the “**Change Status Translated**” this will set all keys in this group as translated.

You can also edit the images used by selecting the “**Image**” option under the node you are trying to edit.


**Note** When changing any of the images remember the new images must be inside the folder where the Planning Portal was installed, this is the default location:  
 C:\Inetpub\wwwroot\PlanningPortal\, preferably put your images in the images folder:




- 3 After making all the necessary changes you can click the  button to save any changes, and after restarting IIS those changes will affect the Planning Portal.

### Add a New Language

You can create new languages to use in both the Administration Tool and the Planning Portal itself. Make sure you choose the correct tool, languages under the Admin Tool will only affect this the Admin tool; if you wish to edit any labels or images for the Planning Portal select the appropriate language under the Planning Portal.

- 1 Click on the Planning Portal folder and click the  button.
- 2 The Add Language window will display. Select the language you wish to add into the tool from the “Select Language to Create” drop-down.





- 3 Select any language already in Planning Portal to use as a base for the new language.
- 4 Click the “Accept” button
- 5 After adding you new language it will show up in the list under the application for which you added the new language. Now you can start configuring your new language, for mor information see [“Editing Existing Languages” on page 50](#).

## Delete an Existing Language

You can delete languages created for both the Administration Tool and the Planning Portal itself. Make sure to select the correct tool from the Cultures tree in the left panel. Languages under the “Admin Tool” branch will only affect the language used in the Admin tool. If you wish to edit any labels or images for the Planning Portal, select the appropriate language under the “Planning Portal” branch of the tree.

**Note** The language en-US (English - United States) cannot be deleted for both the Admin Tool and the Planning Portal.


- 1 Click on the language you wish to remove and click the  button.
- 2 A message box is displayed asking you to confirm the deletion. Click “Yes” to delete the currently selected language.



## Images Locale

- 1 The tree structure for each language contains a listing of the screens available in the application. Expand the node and select the Images option.

The images available on the selected screen will display in the Localization Items panel to the right.



- 2 Select the image from the Localization Items list. The corresponding item in other languages will display in the lower panel for reference.

- 3 Edit the images as necessary.

The table below details what each text box means.

Table 3.17

Text Box	Description
Key	Description of the image.
Type	Drop-down used to select if the image is a Local File or displayed from a URL.
Image	Preview of the image.

- 4 The images are then saved in the following folder:

c:\inetpub\wwwroot\planningportal\images

- 5 Thereafter, you can add them in the Path text box.

A preview of the updated image automatically displays in the Image column.

**Note** All Planning Portal applications must be closed when saving. Saving changes in the PP Admin Tool does not always refresh immediately in the Planning Portal. Please restart the Internet Information Server in order to ensure changes take effect.

## Tools

This section describes certain features of the PP Admin Tool that are available under the Tools menu.


### Restore Default Settings

This option will reset all settings in the PP Admin Tool to the originals, it will be as if you just installed the application and nothing had been customized.

**Note** All system configurations will be lost when using this option, if you have not backed up your system configuration files it will not be possible to go back to your previous settings.

### Import Locale Settings

If you had created a customized locale setting in a previous version of the PP, after upgrading you will be able to import it back into the application.



Locale setting includes configuration settings for labels, images and other settings related to language configuration in the PP.


Click the **Browse** button to locate your old “Locale.xml” file which should have been saved before un-installing the previous version of the PP.

Click **Import** to save your changes.

**Note** This version of the PP can upgrade configurations files from version 3.6.04.26 and higher only; backup the current data and settings if you try to move to this version from any version lower than the mentioned above.

## Upgrade Tool

When performing an upgrade from older version you can reload all you old customized settings, Data Views, Field Views, User permissions and more using this tool.



Click browse to locate your old configuration files: **Web.config** and **CustomSettings.xml**. Then click upgrade to save your changes.

If you have changed the server hardware specifications in anyway you might get an invalid license error and will need to call in to get a new license. For more information on installing a license see ["Planning Portal License" on page 19](#).

**Note** This version of the PP can upgrade configurations files from version 3.6.04.26 and higher only; backup the current data and settings if you try to move to this version from any version lower than the mentioned above.



# Advanced Configuration

*Overview* 58

*Custom Settings* 59

*Views* 66

*Data Filters* 75


*Security* 78

*Add-Ins* 84

## Overview

The Planning Portal Manager is located on the left-hand pane in the Planning Portal Admin Tool. The features listed in the PP Manager are used to configure users' settings, Data Views, Field Views, Data Filters, Security access, and additional links. The sections in this chapter detail each feature, as well as how to configure each user's access/privileges of the Planning Portal.

The depiction below is the Planning Portal Manager of the PP Admin Tool.



# Custom Settings

## Settings

The Settings feature enables you to configure the Planning Portal for users by accessing the tabs at the top of the window. The depiction below is an example of the Filter feature when clicking on Settings.

Filter	View BY	Aggregate Report	New Item Link	Mass Adjust	Promotions	Formula Input	Profile Forecast	Miscellaneous	Locale Configuration
Use this section to define which fields are going to be used for filter definition. You can configure which column is used to search for data, which data is displayed to the users as well as the type of control you wish to use for each field. The fields defined here will also be the attributes available for the "Aggregate Report" and "Mass Adjust" features. You can specify a maximum of 16 fields.									
Add Row Delete Row									
Delete	Column Search	Column Display	Control Type	Control Type Others					
<input type="checkbox"/>	ProductFamily	ProductFamily	SingleEditable	ListBox					
<input type="checkbox"/>	Customer	Customer	SingleEditable	ListBox					
<input type="checkbox"/>	Sku	Sku	Multiple	ListBox					
<input type="checkbox"/>	LocationName	LocationName	Multiple	ListBox					
<input type="checkbox"/>	ProductBrand	ProductBrand	Multiple	ListBox					
<input type="checkbox"/>	LocationRegion	LocationRegion	Multiple	ListBox					
<input type="checkbox"/>	ProductClass	ProductClass	Multiple	ListBox					
<input type="checkbox"/>	UserField7	UserField7	Multiple	ListBox					
<input type="checkbox"/>	UserField10	UserField10	Multiple	ListBox					

For more information on these tabs, please refer to Chapter 3: ["Configuration" on page 31](#)


## Workflow Status

The Workflow feature allows users to communicate their status for the current forecast to others, as well as view the status of other users. This section of the admin tool is used to manage the different statuses available to users for the Workflow feature. The default status options are "Initialized", "In Progress", and "Complete". Any number of statuses can be added.


User Workflow						
Icon if late	Icon if early	Delete	Name	Order	Update Icon	
		<input type="checkbox"/>	Complete	1	False	
		<input type="checkbox"/>	Initialized	2	False	
		<input type="checkbox"/>	In Progress	3	False	

The "Icon if Late" and "Icon if Early" columns are used to select the icon that will display for workflow items with this Status in PP. Click the icon to select the graphic to use as the icon representing the Status.


### Add a New Status

- 1 Click the  button.  
A new empty row is added to the bottom of the list.
- 2 Enter a **Name** and change the **Order** column if it should precede any of the existing ones.

### Edit an Existing Status

- 1 Change the **Name** or **Order** for the record you need to edit and click the  button to save your changes.


### Delete an Existing Status

- 1 Select the  checkbox next to the name of the record you wish to delete and click the  button to remove it.

The selected Status is deleted immediately.

## Workflow Tasks


The Workflow Tasks option allows you to create new processes for the workflow, as well as create the individual tasks in the process. Once the tasks have been created, they can be assigned a due date and then delegated to specific users.





The screenshot shows the 'Workflow Settings' and 'Cycle Management' sections of the QAD Planning Portal interface. The 'Workflow Settings' section includes fields for Name, Description, and Default Status. The 'User Settings' section contains a table with columns for Selected, Name, Description, Action Type, and Action. The 'Cycle Management' section includes fields for Start, End, and Number of Cycles, along with an 'Add' button and a 'Remove Cycle' button. Below these fields is a table showing the schedule for various tasks.


Task	2010-07	2010-08	2010-09	2010-10
Review Forecast	07/23/2010	08/01/2010	09/01/2010	10/01/2010
Enter Overrides	07/23/2010	08/15/2010	09/15/2010	10/15/2010
Review Accuracy	07/30/20	08/31/2010	09/30/2010	10/29/2010

### Creating a Process

- 1 Click the  button and a new process is added to the bottom of the tree.
- 2 Enter a name for the new Process being created.



- 3 Click the  button. A new task is added to the process.



- 4 Enter a name for the task being added or click the drop-down arrow to select an existing task.
- 5 In the Workflow Settings panel, enter a Description for the new task.

A screenshot of the 'Workflow Settings' panel. It contains the following fields and a table:

- Description: Final review by Business Users
- Default Status:
- User Settings table:

Selected	Name	Description	ActionType	Action
<input checked="" type="checkbox"/>	fxadmin	fxadmin		
<input type="checkbox"/>	sales	sales		
<input type="checkbox"/>	rick	rick		
<input type="checkbox"/>	bob	bob		

- 6 Select the Default Status for this task from the drop-down list. The default setting is “Initialized”, but you can select any Workflow Status to assign to this task.
- 7 In the User Settings table, use the check boxes in the Selected column to indicate the users being assigned to the task.
- 8 In the Cycle Management panel, use the “Number of Cycles” field to indicate the number of periods to add to this task.


- Click the **Add** button. The current task is added to the grid below followed by the selected number of monthly periods.

Task	2010-07	2010-08	2010-09	2010-10
Review Forecast	07/23/2010	08/01/2010	09/01/2010	10/01/2010
Enter Overrides	07/23/2010	08/15/2010	09/15/2010	10/15/2010
Review Accuracy	07/30/2010	08/31/2010	09/30/2010	10/29/2010

- The Start and End fields are used to select the range of periods that are displayed in the Cycle Management grid.
- Click on the field for each period to select the due date for that task.
- Click the **Save** button when finished to assign these tasks to the selected users.


### Clone an Existing Process

Cloning allows you to create a copy of an existing process or task to use as a base for a new process. By cloning, you can re-use an existing process without having to recreate it. Once cloned, you can make any necessary changes to the names, tasks, or due dates.

- Select the process to clone from the tree.
- Click the  **Clone** button.
- The **Rename Entity** window displays. Enter a name for the new process and click **OK**.

- The new cloned process is added to the tree and can be modified as necessary.

### Delete a Process

- Select the process to delete from the tree.
- Click the  **Delete** button.
- The selected process and any tasks contained within it are deleted and no longer display in the tree.

## Retag

This section of the Admin tools is used to setup Retag settings.


		Retag	
Edit	Delete	Name	Description
	<input type="checkbox"/>	Standard	
	<input type="checkbox"/>	New Retagging	

The table below details the types of configurations that can be used:


Table 4.1

Configuration	Description
Name	Name of Retag configuration used.
Description	Defines the Retag configuration used.


### Add a Retag


- 1 Click the  button.  
A new row is added to the bottom of the list.

### Delete a Retag

- 1 Select the Delete checkbox next to the row to delete and click on the  button.  
The row is deleted from the list.

## Edit a Retag

- 1 Click on the  button at the beginning of the row for the Retag you want to edit. The edit window displays with the Options tab active.



Option Code	String Value	Numeric Value	Description
REFCST		<input checked="" type="radio"/> Yes <input type="radio"/> No	Reforecast inside retagging process
CREATE_TARGET		<input type="radio"/> Yes <input checked="" type="radio"/> No	Create target series if it does not exist
CHK_SOURCE		<input checked="" type="radio"/> Yes <input type="radio"/> No	Check the remaining percentage consistence of the source
CHK_TARGET		<input checked="" type="radio"/> Yes <input type="radio"/> No	Check the reset flag consistence of the target item
CREATE_TARGET_OBS		<input checked="" type="radio"/> Yes <input type="radio"/> No	Create target observations if they do not exist
RUN_MODE		<input type="radio"/> UI only <input type="radio"/> Backend only <input checked="" type="radio"/> Both	1: UI only, 2: Backend only, 3: Both
SUPPORT_MATCHER		<input checked="" type="radio"/> Yes <input type="radio"/> No	Support universal matcher
DEBUG		<input type="radio"/> Yes <input checked="" type="radio"/> No	Debug mode to show more detailed error message
SRC_RCD_FLD	LinkKeyPart01	0	Series Field to record that current series is a source
TGT_RCD_FLD	LinkKeyPart02	0	Series Field to record that current series is a target

- 2 Make edits as necessary. The tables below detail what each tab's information means.

**Table 4.2** Options tab

Option Code	Description
REFCST	Reforecast inside the retagging procedure.
CREATE_TARGET	Create a target series if one is non-existent.
CHK_SOURCE	Check the reset flag consistency of the target item.
CHK_TARGET	Check the remaining percentage consistency of the source.
CREATE_TARGET_OBS	Create target observations if non-existent.
RUN_MODE	Three options: <ul style="list-style-type: none"> <li>• UI only - User Interface</li> <li>• Backend only - Backend</li> <li>• Both - User Interface and Backend</li> </ul>
SUPPORT_MATCHER	Support universal matcher.
DEBUG	Provides a more detailed error message.
SRC_RCD_FLD	Series field to record that the current series is a source.
TGT_RCD_FLD	Series field to record that the current series is a target.
REFCST_FLD	Series field to record that the current series needs to be reforecasted.

**Table 4.3** Mapping Fields


Column	Description
Retag Field	Uneditable. QAD, Inc. use only.
Engine Field	Attributes linked.
Used	Select if used in Retagging.
Source Field	Reference purposes, if necessary.


Table 4.3 Mapping Fields

Column	Description
Note	Additional notes, if necessary.

Table 4.4 Opinion Lines

Column	Description
OL Name	References label name.
Engine Field	Opinion Line
BK Engine Field	Backup field for Retagging where data is saved.
Hist Future	What Retagging affects: <ul style="list-style-type: none"> <li>• Historic</li> <li>• Future</li> <li>• Both (historic and future)</li> </ul>
Note	Additional notes, if necessary.

- 3 Click the Scenario Assignment tab, select which scenarios are to use this retag by clicking on the  icon.

Alternatively, click on the  icon to remove the scenario.

- 4 Click **Close** when finished.

## Notes

Users have the ability to save notes in series while viewing their data with or without hierarchies. This section of the Admin tool has certain settings regarding the Notes feature in the PP.

## General

This section contains general settings regarding the notes feature:


Table 4.5

Feature	Description
Mandatory note entry	When this option is enabled, all users logging into the PP will be required to enter a note whenever they make any changes to any data lines or attributes.

## Reason Codes

Whenever users enter a note into the application there are several reasons why this note could have been added. In this section of the Admin Tool you can configure which reasons will be available for the notes feature. Reason codes can be useful for reporting types of notes entered at the series level such as customer information, promotion, product phase out, etc. Upon installation, the only reason available is “Default”, there is no limit to the number of reasons you can define.

## Add a New Reason

- 1 Click the  button.


A new empty row displays at the bottom of the list.

- 2 Enter a **Reason Code**.

### Edit a Reason

- 1 Change the **Reason Code** for the record and click the **Save** button.


### Delete a Reason

- 1 Enable the checkbox next to the Reason Code of the record you wish to delete and click on the  button to remove it.

## Views

### Data Views


The Data Views feature defines which Opinion Lines are displayed and within which time frame. This section also defines if the data lines will be editable or read-only, the order in which they will be displayed and others.




The table below details the types of configurations that can be used:

Table 4.6

Configuration	Description
Name	Determines the name of the configured View.
Description	Defines View configuration.

You can expand the Data View using the  button to view which users have access to the Data View or manually assign it to users, for more information on how to assign a Data View to users see [“Assign Data View to Users” on page 70](#).




Select	Unsel	Edit	Delete	Name	Description
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Sales View	


User ID	Assigned
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No
rick	<input checked="" type="radio"/> Yes <input type="radio"/> No
sales	<input checked="" type="radio"/> Yes <input type="radio"/> No

Select	Unsel	Edit	Delete	Name	Description
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Default View	
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Demand Planner View	For Demand Reporting


### Add a Data View


- 1 Click the  button.  
A new row is added to the bottom of the list.
- 2 After you add the new bucket you can give the Data View a **Name** and a **Description**; after you this you can edit the newly created Data View, more information on how to edit a Data View can be found here [“Edit a Data View” on page 68](#).










### Delete a Data View

- 1 Select the **Delete** checkbox next to the Data View name and filter to delete and click the  button.  
The selected Data View will be deleted from the list.


## Edit a Data View

- 1 Click on the  button for the record you want to edit.  
The selected Data View window displays.



- 2 Select the fields to be used in Data View and click on the  arrow. To remove fields to be added in Data View, click on the  arrow. To select all fields from the list, click on the  or  arrows.
- 3 Select the years to be displayed in Data View and click on the  arrow.
- 4 To remove the years to be added in Data View, click on the  arrow. To select all years from the list, click on the  or  arrows.
- 5 Click the  icon.

The Data View window is displayed.




6 Edit as necessary. The table below details each column.

Table 4.7

Column	Description
Field	Opinion Line that is selected.
Label	Description of Opinion Line. Changes to reflect display set aliases if a display set is selected.
Visibility	Determines if the display line is shown, Read-Only, or editable.
Order	Determines in what order the Opinion Lines will be displayed in the PP grids.
DisplayGraph	Determines if the Opinion Line displays in Graph View.
DisplaySummary	Determines if the Opinion Line displays in Summary View.


7 You can define the labels for each field manually by changing the **Label** column or you can use a **Display Set** to automatically populate the labels from the Display Set. Pick a Display Set from the drop down list and click on the **Apply** button, all the labels in the Data View will be replaced with the Aliases used in the selected Display Set.


**Note** Display Set and Data Views are not synchronized, if any of the alias in the Display Set change after they have been applied to a Data View you will have to re apply them to the Data View in order to reflect the changes made to the Display Set.







8 Click **Done** when finished.









## Assign Data View to Users



After you have created your Data View you can choose which users will have access to it. You can expand the Data View using the  button to view which users have access the Data View as well as change each user's access to the Data View.



Select	Unsel	Edit	Delete	Name	Description
				Sales View	


User ID	Assigned
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No
rick	<input checked="" type="radio"/> Yes <input type="radio"/> No
sales	<input checked="" type="radio"/> Yes <input type="radio"/> No


Select	Unsel	Edit	Delete	Name	Description
				Default View	
				Demand Planner View	For Demand Reporting

If you would like to give all users access to the Data View, click the  button under the **Select** column. Conversely, if you would like to remove all users access to the Data View, click the  button.

## Copy Year Settings

Date Views must specify which opinion lines or data lines will be available and also a time frame, the specific years for which the data will be displayed; for example a Data View could display data for three years: 2007, 2008 and 2009. If the year 2010 was to be added this would have been a manual process, the copy year feature allows to copy settings for a specific year, let's say 2008 and use it to create settings for a new year like 2010.

Click on the  button and the **Add year in Data View** window will be displayed




After this you need to pick the **Source Year** and **Target Year** from the drop down list. Enable the check box under the **Add Year** column next to the Data View you wish to add the settings for and click the **Apply** button.

In this example the “Demand Planner View” Data View will be changed, settings for year 2010 will be created using the settings for year 2009 as the template.

### Field Views


The Field Views feature defines which attributes display in different views. It is also where it is determined if they are editable, Read-Only, as well as in which views available.




The table below details the types of configurations that can be used:

Table 4.8


Configuration	Description
Name	Determines which field is used in the Field View.
Description	Defines the field used.

You can expand the Field View using the  button to view which users have access to the Field View or manually assign it to users, for more information on how to assign a Field View to users see [“Assign Field View to Users” on page 75](#)




Select	Unsel	Edit	Delete	Name	Description										
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Sales View	For Sales Force										
<table border="1"> <thead> <tr> <th>User ID</th> <th>Assigned</th> </tr> </thead> <tbody> <tr> <td>bob</td> <td><input type="radio"/> Yes <input checked="" type="radio"/> No</td> </tr> <tr> <td>fxadmin</td> <td><input checked="" type="radio"/> Yes <input type="radio"/> No</td> </tr> <tr> <td>rick</td> <td><input checked="" type="radio"/> Yes <input type="radio"/> No</td> </tr> <tr> <td>sales</td> <td><input checked="" type="radio"/> Yes <input type="radio"/> No</td> </tr> </tbody> </table>						User ID	Assigned	bob	<input type="radio"/> Yes <input checked="" type="radio"/> No	fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No	rick	<input checked="" type="radio"/> Yes <input type="radio"/> No	sales	<input checked="" type="radio"/> Yes <input type="radio"/> No
User ID	Assigned														
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No														
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No														
rick	<input checked="" type="radio"/> Yes <input type="radio"/> No														
sales	<input checked="" type="radio"/> Yes <input type="radio"/> No														
<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Demand Planner Propertie	For Demand Planning										


### Add a Field View

- 1 Click on the  button.  
A new Field View displays at the bottom of the list.
- 2 Enter a **Name** and optionally a **Description** for the new Field View; after you this you can edit the newly created Field View, more information on how to edit a Field View can be found here [“Edit a Field View” on page 73](#)


### Delete a Field View





- 1 Select the **Delete** checkbox next to the Field View name and filter and click the  button.  
The selected Field View will be deleted from the list.

**Edit a Field View**

- 1 Click on the  icon.


The selected Field View window displays.



- 2 Select the fields to be used in Field View and click on the  arrow. To remove fields to be used in Field View, click on the  arrow. To select all fields from the list, click on the  or  arrows.

- 3 Click the  button.

The Field View window displays.




4 Edit as necessary. The table below details each column.

Table 4.9

Column	Description
Field	Attribute that is selected.
Label	Description of Attribute. Changes to reflect display set aliases if a display set is selected.
Visibility	Determines if the attribute is shown, Read-Only, or editable.
Order	Determines in what order the attributes are displayed in the PP grids.
Position	Applies to Classic View. Determines where the attribute is displayed in relation to the data.  <b>Note:</b> The PP Admin Tool enables configuring the position of Field Views to the top, left, right and bottom. However, in Detail View, the Field View displays at the top only.


5 You can define the labels for each field manually by changing the **Label** column or you can use a **Display Set** to automatically populate the labels from the Display Set. Pick a Display Set from the drop down list and click on the **Apply** button, all the labels in the Field View will be replaced with the Aliases used in the selected Display Set.


**Note** Display Set and Field Views are not synchronized, if any of the alias in the Display Set change after they have been applied to a Field View you will have to re apply them to the Field View in order to reflect the changes made to the Display Set.



6 Click **Done** when finished.

## Assign Field View to Users



After you have created your Field Views you can choose which users will have access to it. You can expand each Field View using the  button to view which users have access the Field View as well as change each user's access to the Field View.



The screenshot shows a configuration window titled "FieldView" with two main sections. The top section is for "Sales View" (Description: "For Sales Force"). It has a "Select" button with a green circle icon, an "Unsel" button with a grey circle icon, an "Edit" button with a pencil icon, and a "Delete" button with a trash icon. Below this is a table of users:

User ID	Assigned
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No
rick	<input checked="" type="radio"/> Yes <input type="radio"/> No
sales	<input checked="" type="radio"/> Yes <input type="radio"/> No

The bottom section is for "Demand Planner Propertie" (Description: "For Demand Planning"). It has the same "Select", "Unsel", "Edit", and "Delete" buttons. The "Select" button is currently selected, indicated by a green circle icon.

If you would like to give all users access to the Field View, click the  button under the **Select** column. Conversely, if you would like to remove all users access to the Field View, click the  button.


## Data Filters


This section contains settings and configurations regarding Filters and Exceptions.

### Filters

The Filters feature enables you to limit the displayed series with attributes that meet a defined criteria.

**Note** Filters cannot be created or edited with the PP Admin Tool. Filters must be created in the DME Viewer or Planning Portal.




You can expand the Filter using the  button to view which users have access to the it and manually assign it to users, for more information on how to assign a Data View to users see [“Assign Data View to Users” on page 70](#)


The table below details the columns that are displayed for each Filter:



Table 4.10

Column	Description
Name	Determines the filter used in the data.
Description	Defines the filter used.
Owner	Defines the user who owns the filter.

### Assign Filter to Users

You can choose which users will have access to Filters; you can expand each Filter using the  button to view which users have access to it as well as change each user’s access to the Filter.








If you would like to give all users access to the Filter, click the  button under the **Select** column. Conversely, if you would like to remove all users access to the Filter, click the  button.

## Exceptions

The Exceptions feature enables you to limit displayed series and to select series with observational data that meet a defined criteria. You must add Exceptions from the Viewer for users to be able to run Exceptions.

**Note** Exceptions cannot be created or edited with the PP Admin Tool, they must be created in the DME Viewer.


Exception					
	Select	Unsel	Name	Description	Owner
	<input checked="" type="radio"/>	<input type="radio"/>	12 Month Fcst		fxadmin
	<input checked="" type="radio"/>	<input type="radio"/>	12 Month Hist		fxadmin
	<input checked="" type="radio"/>	<input type="radio"/>	Market > 35%		fxadmin
	<input checked="" type="radio"/>	<input type="radio"/>	No Sales 6 months		fxadmin
	<input checked="" type="radio"/>	<input type="radio"/>	Outlier in Hist		fxadmin






The table below details the columns displayed for created exceptions:



Table 4.11

Column	Description
Name	Determines the name of the Exception used.
Description	Defines the Exception.
Owner	Owner of this Exception.

## Assign Exceptions to Users

You can choose which users will have access to each Exception; you can expand each Exception using the  button to view which users have access to it as well as change each user's access to the Exception.




Exception														
Select	Unsel	Name	Description	Owner										
	<input checked="" type="radio"/>	12 Month Fcst		fxadmin										
	<input checked="" type="radio"/>	12 Month Hist		fxadmin										
<table border="1"> <thead> <tr> <th>User ID</th> <th>Assigned</th> </tr> </thead> <tbody> <tr> <td>bob</td> <td><input type="radio"/> Yes <input checked="" type="radio"/> No</td> </tr> <tr> <td>fxadmin</td> <td><input checked="" type="radio"/> Yes <input type="radio"/> No</td> </tr> <tr> <td>rick</td> <td><input type="radio"/> Yes <input checked="" type="radio"/> No</td> </tr> <tr> <td>sales</td> <td><input type="radio"/> Yes <input checked="" type="radio"/> No</td> </tr> </tbody> </table>					User ID	Assigned	bob	<input type="radio"/> Yes <input checked="" type="radio"/> No	fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No	rick	<input type="radio"/> Yes <input checked="" type="radio"/> No	sales	<input type="radio"/> Yes <input checked="" type="radio"/> No
User ID	Assigned													
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No													
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No													
rick	<input type="radio"/> Yes <input checked="" type="radio"/> No													
sales	<input type="radio"/> Yes <input checked="" type="radio"/> No													
	<input checked="" type="radio"/>	Market > 35%		fxadmin										
	<input checked="" type="radio"/>	No Sales 6 months		fxadmin										
	<input checked="" type="radio"/>	Outlier in Hist		fxadmin										

If you would like to give all users access to the Exception, click the  button under the **Select** column. Conversely, if you would like to remove all users access to the Exception, click the  button.

## Security

### Data Permissions

The Data Permissions feature grants specific privileges to users who are related to a specific scenario or fields within a scenario.

Data Permission			
Select	Unsel	Name	Description
	<input checked="" type="radio"/>	Admin Permission	
	<input checked="" type="radio"/>	Sales - K-Mart & Target	
	<input checked="" type="radio"/>	Sales - Walmart	

The table below details the types of configurations that can be used:

Table 4.12

Configuration	Description
Name	Name of Data Permission selected.
Description	Description of selected Data Permission.

**Note** A user can be assigned to one Data Permission only. If another Data Permission is assigned to a user, then the previous Data Permission is removed from that user.

You can expand the Data Permission row to edit the information. Each user has a User ID.

**Note** It is highly recommended to specify which scenarios are visible. This is done in the Permission Definition in the DME Viewer.


## Hierarchy Permission


This section of the Admin Tool is used to allow or restrict user's access to hierarchies.

**Note** Only hierarchies applied to scenarios that are available in the PP will be displayed in this section.

**Note** Only hierarchies that have been applied using the On-fly hierarchy options that contain a valid Base will be displayed. In order to create or recreate a valid base for a hierarchy, the owner of a scenario must log in to the scenario using the On-fly hierarchy options. Then select the "Recreate Base" check box in the DME Viewer using the hierarchy for which they want to recreate the Base.



## Assign Hierarchy to Users

You can choose which users will have access to each Hierarchy; you can expand each Hierarchy using the  button to view which users have access to it as well as change each user's access to the Hierarchy.



The screenshot shows the 'Data Permission' window. At the top, there are columns for 'Select', 'Unsel', 'Name', and 'Description'. The first hierarchy item is 'Admin Permission', which is expanded to show a table of user assignments. Below this, there are two more hierarchy items: 'Sales - K-Mart & Target' and 'Sales - Walmart', each with a plus icon to its left.


User ID	Assigned
bob	<input type="radio"/> Yes <input checked="" type="radio"/> No
fxadmin	<input checked="" type="radio"/> Yes <input type="radio"/> No
rick	<input type="radio"/> Yes <input checked="" type="radio"/> No
sales	<input type="radio"/> Yes <input checked="" type="radio"/> No

If you would like to give all users access to the Hierarchy, click the  button under the **Select** column. Conversely, if you would like to remove all users access to the Hierarchy, click the  button.

**Note** Besides giving a user access to a hierarchy they will require access to the On Fly hierarchy permission, this can be assigned on the Hierarchy section on User Permission; for more information see ["Hierarchy" on page 83](#).

## User Security

The User Security feature enables you to determine each user's User Name for both logging into the Planning Portal and Windows.



The screenshot shows the 'PPUser' window. It contains a table with two columns: 'User ID' and 'NT Account'. The 'User ID' column has a dropdown arrow on the left. The 'User ID' values are 'bob', 'fxadmin', 'rick', and 'sales'. The 'NT Account' column is currently empty for all users.

User ID	NT Account
bob	
fxadmin	
rick	
sales	


The table below details the types of configurations that can be used:

Table 4.13

Configuration	Description
User ID	The User ID used for logging into Planning Portal.
NT Account	The Username used for logging into Windows.

## License Generator

The License Generator generates a random serial number for the Planning Portal after you complete the installation. You must contact QAD, Inc. for a valid License. Please see [See “Planning Portal License” on page 19.](#) for additional information.



## User Permission

This section is used to define access to different features within the Planning Portal.

### Features

This section is used to assign access to the major features of the Planning Portal to each user.

**Note** Certain Planning Portal features might not be available depending on the license type your company purchased.

User ID	Login ID	Last Name	First Name	Aggregate Report	New Item Link	Mass Adjust	Promo	Retag	Profile Forecast	Custom Task
1	fxadmin	User	Super	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
19316	sales	Sales	Sales	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19659	rick	Rick	Rick	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21852	bob	Bob	Bob	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The table below details which of the features will be available to each user, to give user access to a feature enable the checkbox for that user under the corresponding column:

Table 4.14

Configuration	Description
User ID	Provides the user ID for the particular user.
Login Name	Provides the user’s name when logging into the Planning Portal.


Table 4.14

Configuration	Description
Last Name	Displays the user’s last name.
First Name	Displays the user’s first name.
Aggregate Report	Determines whether or not the user has access to the Aggregate Report feature.
New Item Link	Determines whether or not the user has access to the New Item Link feature.
Mass Adjust	Determines whether or not the user has access to the Mass Adjust feature.
Promo	Determines whether or not the user has access to the Promotions feature.
Retag	Determines whether or not the user has access to the Retag feature.
Profile Forecast	Determines whether or not the user has access to the Profile Forecast feature.
Custom Task	Determines whether or not the user will be able to run custom tasks from within the Planning Portal.

You can save your changes by clicking on the  button. You can also click on the  button to undo any changes.

### User Workflow

The user workflow feature allows users to communicate the status of their forecasting process every step of the way. This section allows you to define what the visibility of those workflow changes will be for every user. For example, managers will probably need to view the status for groups of people and regular users will only need to view their own changes.



Update Data Profile						
User ID	Login ID	Last Name	First Name	Workflow Level	Criteria	User Type
1	fxadmin	User	Super	3 - All Users		
19316	sales	Sales	Sales	2 - Criteria	SalesRep	SalesRep
19659	rick	Rick	Rick	1 - Self		SalesRep
21852	bob	Bob	Bob	1 - Self		Operations



The table below details the fields available on the Workflow definition screen:

Table 4.15

Configuration	Description
User ID	Provides the user ID for the particular user.
Login ID	Provides the user’s name for logging into the Planning Portal.
Last Name	Displays the user’s last name.
First Name	Displays the user’s first name.


Table 4.15

Configuration	Description
Workflow Level	The Workflow level is used to define what the visibility of the workflow status will be for each user. There are three different levels: <ul style="list-style-type: none"> <li>• <b>All Users</b> - Gives access to view the workflow status changes for all other users in the system.</li> <li>• <b>Self</b> - Restricts access to only see a user’s own workflow status changes.</li> <li>• <b>Criteria</b> - Restricts access to view workflow changes for all users of a certain type. A User Type must be specified in the Criteria column for this option.</li> </ul>
Criteria	This field will only be enabled when the Workflow Level is set to Criteria. Here you can set which User Type the user will have access to. For example a user with a Criteria of “Sales Rep” will be able to view the workflow status changes for all users that belong to the “Sales Rep” type.
User Type	This field will display the User Type to which the user belongs. The User Type can be set by editing the user’s information under the User Management section of the Base Unit.

You can save your changes by clicking on the  button. You can click on the  Refresh button to undo any changes.

### Hierarchy

This Section is used to give user’s access to using the different hierarchy types in the Planning Portal.



Update Data Profile						
User ID	Login ID	Last Name	First Name	Hierarchy Static	Hierarchy On Fly	
1	fxadmin	User	Super	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
19316	sales	Sales	Sales	<input type="checkbox"/>	<input type="checkbox"/>	
19659	rick	Rick	Rick	<input type="checkbox"/>	<input type="checkbox"/>	
21852	bob	Bob	Bob	<input type="checkbox"/>	<input type="checkbox"/>	

The table below details which of the features will be available to each user, to give user access to a feature enable the checkbox for that user under the corresponding column:

Table 4.16

Configuration	Description
User ID	Provides the user ID for the particular user.
Login ID	Provides the user’s name for logging in to the Planning Portal.
Last Name	Displays the user’s last name.
First Name	Displays the user’s first name.
Hierarchy Static	This permission will allow users to apply Static hierarchies inside the Planning Portal. Only the owner of a scenario will be able to apply or remove a static hierarchy in the Planning Portal.

Table 4.16

Configuration	Description
Hierarchy On Fly	This permission will allow users to apply On Fly hierarchies in the Planning Portal. Besides enabling this permission users should be assigned at least one hierarchy, for more information on assigning hierarchies see <a href="#">“Assign Hierarchy to Users” on page 80.</a>


## Add-Ins

### Promo Ad Types


The Promo Ad Types feature is used to advertise for Promotions. In the Type code text box, you can type in up to 10 characters.

The screenshot shows a web interface for managing Promo Ad Types. At the top, there are two buttons: 'Add Row' and 'Delete Row'. Below them is a table with the title 'Promo Ad Types'. The table has a single column labeled 'Type Code'. There are three rows in the table: the first row contains 'TV', the second row contains 'Radio', and the third row contains 'Web' with an asterisk (\*) to its left. The interface is clean and uses a light gray color scheme.

#### Add a Promo Type Code

- 1 Click on the  button.  
A new row is added to the bottom of the list.

#### Delete a Promo Type Code

- 1 Click on the Type code text box and click on the  button.  
The row is deleted from the list.

## Promo Mappings

The Promo Mappings feature is used to map Promotions to the database.

Promo Mappings		
Field Name	Source Field	Source Table
CD_SKU_CD	Sku	Series
QY_WK_FCT_BASELINE_DMD	Original	Observations
QY_WK_ACT_BASELINE_DMD	Value	Observations
AMT_FCT_PRICE	Price	Series
AMT_FCT_DISCOUNT_PRICE	Price	Series
AMT_FCT_NET_PRICE	Price	Series
SKU_DESCRIPTION	ProductName	Series
KY_CUSTOMER_CD	Customer	Series
COMMIT1	UserValue03	Observations
COMMIT2	UserValue04	Observations
DAYS_IN_CYCLE	1	N/A

The table below details what each Field Name means. These field names are configured by your System Administrator.

Table 4.17

Field Name	Description
CD_SKU_CD	Holds item information. Provides mapping between Promotions and the QAD Planning Suite applications.
QY_WK_FCT_BA SELINE_ DMD	Determines which field you retrieve your forecast demand.
QY_WK_AMT_B ASELINE_DMD	Determines which field you retrieve your actual demand.
AMT_FCT_ PRICE	Determines which field you retrieve your forecast price.
AMT_FCT_ DISCOUNT_ PRICE	Determines which field provides your forecasted discount price.
AMT_FCT_ NET_PRICE	Determines which field provides your forecasted net price.
SKU_DESCRIPTOR	Definition of the Sku.
KY_CUSTOMER_ CD	Customer ID.
COMMIT1	Determines if price is increased by number of units.
COMMIT2	Determines if price is increased by amount of unit.
DAYS_IN_ CYCLE	Determines the days in a cycle.
KEY_FIELD1	Provides additional information to make a series unique. (i.e., there may be more than one series.)

Table 4.17

Field Name	Description
KEY_FIELD2	Provides additional information to make a series unique. (i.e., there may be more than one series.)
KEY_FIELD3	Provides additional information to make a series unique. (i.e., there may be more than one series.)
LINK_FIELD	Provides the link between series table and Promotions table.

## RSS Providers


The RSS Providers feature enables you to configure the PP by linking external web sites to the Home page.

The table below details the types of configurations that can be used:


Table 4.18

Configuration	Description
Name	Provides the name of the URL to which the RSS Viewer is linked.
Feeds URL	Provides the URL address for the website that is linked to the RSS Provider.

### Add a Feed

- 1 Click on the  button.  
A new row is added to the bottom of the list.

### Delete a Feed

- 1 Click on the Delete checkbox next to the filter and click on the  button.  
The row is deleted from the list.

# Index

## Symbols

.NET 2.0 21

## A

Acronyms and Abbreviations 3  
Add-Ins 84  
Admin Tool 32  
Aggregate Report 32, 82  
attributes 71

## B

Base Unit 3  
Base Unit/ Viewer 44

## C

Classic View 74  
Client Computers 9  
Client Machine 8  
Connect Timeout 45  
CurrencyDriven 48  
Custom Settings 59  
CustomTaskOnUpdate 48

## D

Data Filters 58, 75  
Data Permission 79  
Data Permissions 78  
Data Source 45  
Data Views 58, 66  
Database 45  
Database Connection 45  
Database Server 7  
Decimal Pt 47  
Demand Management Engine 2, 3  
DisplayGraph 69  
DisplaySummary 69  
Documentation Conventions 3

## E

Excel 2003 Primary Interop Assembly (PIA) 24  
Exceptions 2, 77

## F

Field 69, 74  
Field View 73  
Field Views 71  
Filter 32, 33, 76  
Filter Views 58  
Filters 75  
Formula Editor 43

Formula Input 32, 42  
FrozenColumnCount 48

## G

Grid Promo Items 40

## I

Installation Process 13  
Internet Information Services 3, 21  
Inventory Management 2  
Inventory Management Tool 3  
Item 41

## L

Label 69, 74  
License Generator 81  
Locale Configuration 49  
LockedPeriodOff 48  
Logging In 2  
Logging Out 3  
LogoHomePagePath 48

## M

Mass Adjust 32, 38, 82  
Microsoft.Office.Interop.Excel 48  
Miscellaneous 33, 45

## N

New Item Creation 37  
New Item Link 32, 37, 82  
NoViewByIn 48  
NT Account 81

## O

Opinion 36  
Opinion Line 3, 69  
Opinion Lines 36, 38, 66  
Order 69, 74  
Others 48

## P

Password 45  
Planning 58  
Planning Portal 2, 6  
Planning Portal Admin Tool 58  
Planning Portal Authentication 22  
Planning Portal Highlights 2  
Planning Portal Manager 32, 58  
Planning Portal's Physical Directory 22  
Pooling 45

Position 74  
PPSetup.exe 13, 22  
Profile Forecast 32, 44, 82  
Promo 82  
Promo Ad Types 84  
Promo Mappings 85  
Promo Search By 39  
Promotions 32, 39

## R

Rebalance 48  
Report Level 35  
required hardware 6  
Retag 60, 82  
RSS Providers 86

## S

SCDateField 48  
Scenario Assignment 65  
Screen Captures 3

SCUserField 48  
Security 78  
Security access 58  
Software Media 7  
StoreChangeInfo 48

## U

User ID 45, 81, 82, 83  
User Name 81, 82, 83  
User Permission 81  
User Security 80

## V

View By 32, 34  
Visibility 69, 74

## W

Web Server 7  
Windows Integrated Authentication 22