Technical Reference

QAD EAM Database Definitions

70-3305-2015EAM
QAD Enterprise Asset Management 2015
March 2015

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright ©2015 by QAD Inc.

EAM_DBDef_TR_v2015EAM.pdf/mat

QAD Inc.
100 Innovation Place
Santa Barbara, California 93108
Phone (805) 684-6614
Fax (805) 684-1890
http://www.qad.com

Contents

Change Summary xiii
Introduction 1
ACCOUNT 3
ACCOUNT_INBOUND 3
ACCT_CAL 4
ACCT_CAL_YR 4
ACCT_GRP 4
ACCT_GRP_HDR 5
ACCT_HIST 5
ACCT_VALID 6
ACTIVITY 6
ACTIVITY_ACCT 6
APPR_GRP 7
APPR_GRP_HDR 7
AS_FOUND 8
AS_LEFT 8
ASSEMBLY 8
ATTACH_FILES 9
BATCH_PRINT 9
BATCHAGENT 10
BATCHJOB 10
BATCHJOBHDR 11
BATCHJOBTOPARAMS 11
BATCHPROCPARAMS 11
BATCHQUE 12
BILL_TO 12
BO_CLAUSE 13
BO_HEADER 13
BO_LINE 15
BOM_TYPE 17
BOM_TYPE_HDR 17
BUDGET_EAM 17
BUDGET_PURCH 18
BUS_SEGMENT 18
BUTTONS 19
CATALOGS 19

CATEGORY....19
CC_GRP....20
CC_GRP_HDR....20
CIM_LOAD....20
CLEARANCES....21
COA_REQ_APPR....21
COMM_BUYER....22
COMMODITY....22
CONFIG....22
COST_CENTER....23
COUNTRY_EAM....23
CRAFT....23
CREDIT_TERMS....24
CREW....24
CURR_EXCH....25
CURR_EXCH_TYPE....25
CURRENCY_EAM....26
CUST_CODES01....26
CUST_LAB....26
CUST_WKFL....29
DATA....29
DATADEF....29
DB_CODES....30
DB_FIELD_MAP....30
DB_FIELDS....31
DB_INDEX....31
DB_PATH....31
DB_TABLE....31
DELAY....32
DEPT....32
DESC_DEF....32
DESC_HDR....33
DESC_LINE_DEF....33
DESC_SPECS....34
DESC_TYPE....34
DESCRIPTOR....34
DESCRIPTOR_LINE....35
DOMAIN....35
DOWNC....37

DUOM....37
DUOM_CONV....38
EMP_EXCEPT....38
EMP_SITE....39
EMPLOYEE_EAM....39
ENTITY....41
EQ_ALT....41
EQ_STATUS....42
EQ_TYPE....42
EQ_UOM....42
EQ_UOM_READING....43
EQ_UOM_SUMMARY....44
EQPT_WARR....44
EQUIP_DESC....45
EQUIP_DOWN....45
EQUIP_FAILURE....46
EQUIP_PROC....47
EQUIP_PROD....47
EQUIP_PROD_HRS....48
EQUIP_PROD_LOAD....48
EQUIP_ROTABLE....48
EQUIPMENT....49
EVENTS....53
EXCHANGES....53
EXP_HIST....53
EXP_LETTERS....54
FA_REVISION....54
FA_XREF....55
FAILTYPETOCODE....56
FAILURE....56
FAILURE_TYPE....56
FAILURETOREPAIR....56
FIELDSTOQUEUE....57
FILT_DEFAULT....57
FILT_GRP....57
FILT_GRP_HDR....57
FORM_DOCS....58
FORM_JOBS....58
HIST_EXRATE....58

HOLIDAY 59
INTER_ACCT 59
INV_MSTR 60
JOB_TYPE 62
LAB_DETA 63
LANG_TRANS 66
LANGUAGE 66
LEVEL_0 66
LEVEL_1 67
LEVEL_2 67
LEVEL_3 67
LEVEL_4 68
LEVEL_5 68
LEVEL_6 68
LEVEL_7 69
LEVEL_8 69
LEVEL_9 69
LIST_REV 69
LOCATIONS 70
MAIL 70
MAIL_BE 71
MAIL_BE_FIELD 71
MAIL_FIELDS 71
MAIL_GRP 72
MAIL_GRP_HDR 72
MAINT_FIELDS 72
MAND_FIELDS 72
MANUFACT 73
MFG_DUOM_CONV 73
MFG_EQUIP 73
MFG_OPER 74
MFGPRO_DBS 74
MGLT_DET 74
MINORITY 79
MOD_BTNS 79
MSDS 79
MSGA_MSTR_EAM 80
MSGM_MSTR_EAM 80
MSGQ_MSTR_EAM 81

MSGQD_DET_EAM....81
NODE....82
NODEFIELDS....82
NODETOFIELD....82
NODETYPE....82
ORDER_METHOD....83
OUTLOOKOPTIONS....83
OVHD_GRP....83
OVHD_GRP_HDR....83
OVHD_RATE....84
OWNER_GRP....84
OWNER_GRP_HDR....84
PART_CATALOG....85
PART_CLASS....85
PART_HIST....85
PART_HIST_CONS....86
PART_LOC....86
PART_STATUS....87
PART_TYPE....87
PARTS....87
PARTS_ACCT....91
PARTS_ALT....91
PARTS_COMMON....92
PARTS_CONSIGN....92
PARTS_FIFO....93
PARTS_LOC....93
PARTS_MANUF....94
PARTS_STATUS....94
PARTS_VEND....101
PAY_ADD....101
PAY_MULT....102
PHY_HDR....102
PHY_INV....103
PHY_TYPE....103
PL_1....104
PL_EQUIP....104
PM_CLASS....105
PM_INST_HDR....105
PM_INST_TYPE....106

PM_INSTR....106
PM_PART_HDR....106
PM_PART_TYPE....107
PM_PARTS....107
PM_PIH....107
PM_PPH....108
PM_PREVENT....108
PM_ROUTE_CODES....109
PM_SKIP....109
PM_SUBS....109
PM_TOOL....110
PO_CLAUSE....110
PO_HEADER....111
PO_ITEMS....114
PO_REV....119
PO_REVROLLUP....120
POAUTHFIELDS....121
PREVENT_MAINT....121
PRINT_QUE....124
PRIORITY....124
PRODUCT....124
PRODUCT_LINE....125
PRODUCT_LIST....125
PRODUCTION_SHIFT....125
PROFILE_ID....126
PROJ_ACCT....126
PROJ_BUDG....127
PROJ_HDR....127
PROJ_INVOICE....131
PROJ_JOB....131
PROJ_JOB_YEAR....133
PROJ_REALLOC....134
PROJ_STATUS....134
PROJ_TYPE....134
PROJ_YEAR....135
PWD_LIST....135
QUEUE....136
QUEUELOG....136
QUEUESTATUS....136

QUEUETYPETOFIELDS 136
RBREPORT 137
REBUILD 137
REPAIR 138
REPORT 139
REQ_GRP_HDR 139
REROUTE_FIELDS 141
RETURN_VEND 141
REV_CONTROL 142
REVISIONS 142
RFQ_HEADER 143
RFQ_ITEM 144
RFQ_LINE 145
RFQ_REASON 146
RFQ_VENDOR 146
ROUT_SUBS 147
ROUTING 147
RPT_HDR 148
RPT_TABLE 149
RPTLINK 150
RPTTOFILTER 151
RPTTOSOFTWARE 151
RQAUTHFIELDS 151
SAF_CONCEPT 151
SCHED_PAY_PO 152
SCHED_PAY_SO 152
SCR_OBJECTS 153
SEC_MENU 153
SEC_OPTS 154
SEC_SITE 154
SEQ_SITE 154
SERIAL_HIST 155
SERIAL_PT 155
SERIAL_WO 156
SHIFT 157
SHIP_TO 157
SHIP_VIA 158
SITE 158
SITE_ACCT_CAL 163

SIZE....163
SKILL....164
SQUAWK_TYPE....164
SQUAWKS....164
STD_CLAUSE....165
STOCK_HDR....166
STOCK_OUT....166
STOCK_OUT_TYPE....167
STOCK_PARTS....168
STOCK_TYPE....168
SUB_ACCOUNT....169
SUB_CATALOGS....169
SUB_COMMON....169
SUB_VALID....169
SYSTEM....170
SYSTEM_CODE....173
TAX_ACCT....174
TAX_AUTH....174
TAX_AUTH_LOC....175
TAX_CLASS....175
TAX_GRP....175
TAX_HDR....175
TAX_RATE....176
TAX_USAGE....177
TEXT_1....177
TOOL_DETAIL....177
TOOL_HDR....178
TOOL_TYPE....178
TRANSFER....178
TRANSIT....179
UGLT_DET....179
UGLT_HDR....180
UOM....181
UOM_CONV....181
USDF_CHAR1....182
USDF_CHAR2....182
USER_ACCT....182
USER_APPR....183
USER_CC....183

USER_DEF....184
USER_FILTER....185
USER_SEC....186
VENDOR....186
VENDOR_CURRENCY....188
VENDORTOXMLTYPE....189
VN_CLAUSE....189
VN_COMM....190
VN_CONTACT....190
VN_COST....191
VN_PART....191
VN_QUOTE....192
VN_STATUS....192
VN_TYPE....193
WARR_CLAIM....193
WARR_REIMBURSE....194
WO_ASSIGN....194
WO_INST_HDR....195
WO_INSTR....195
WO_PART_HDR....196
WO_PARTS....197
WO_PM....198
WO_STATUS....198
WO_TOOL_DETAIL....199
WO_TOOL_HDR....199
WORK_ASSIGN....200
WORK_ORDER....201
WPH_GRP....205
WPH_GRP_HDR....205
WRITE_OFF....206
WRITEOFF_REASON....206
XMLTRANSTYPE....206
Z_FILTER....207
Z_HELP1....207
Z_OPTION....207
Z_USER....208
Z_VERSION....209

Change Summary

The following table summarizes significant differences between this document and the previous version.

Date/Version	Description
March 2015/EAM 2015	Added next_approver field to BO_HEADER
	Changed name of BUDGET to BUDGET_EAM
	Added new COM_BUYER table
	Changed name of COUNTRY to COUNTRY_EAM
	Changed name of CURRENCY to CURRENCY_EAM
	Added buyer_comm and mfg_budg_code fields to DOMAIN
	Changed name of EMPLOYEE to EMPLOYEE_EAM
	Added site_date_ref index to MGLT_DET
	Changed name of MSGA_MSTR to MSGA_MSTR_EAM
	Changed name of MSGM_MSTR to MSGM_MSTR_EAM
	Changed name of MSGQD_DET to MSGQD_DET_EAM
	Changed name of MSGQ_MSTR to MSGQ_MSTR_EAM
	Added emailed field to PO_HEADER
	Added new primary index field_string to PM_ROUTE_CODES
	Changed name of PROJECT to PROJ_HDR
	Added next_approver field to PROJ_HDR
	Added several fields to PWD_LIST: add_date, add_id, add_time, chg_id, chg_time
	Modified index site_appr_user for WPH_GRP
	Added print_label field to SITE
	Added active and passwrd_cntr fields to Z_USER
September 2014/EAM 12.8	Changed name of table SYSTEMC to SYSTEM_CODE
	Added “loaded” index to table EQUIP_PROD_LOAD
	Added new EQUIP_ROTABLE table
March 2014/EAM 12.7	Initial publication of document

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming.

Database tables are listed alphabetically by table name, with the following information.

BILL_TO
bill to codes and addresses

FIELD NAME	LABEL	COL-LABEL	FORMAT
addr_1	Address	Address	x(30)
addr_2	Address	Address	x(30)
addr_3	Address	Address	x(30)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
bt_no	Bill To No	Bill To No	x(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)
contact	Contact	Contact	x(25)
ctry_code	Country	Country	x(3)

- *Field Name*. The name of the field.
- *Label*. The field label as it appears on screens.
- *Col-Label*. The column label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.

Some fields in the database are not currently used. These fields are either:

- User definable for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is identified in the last column. Indexes have the following attributes.

INDEX NAME	FIELD	UNI	ASC	
bt_no	bt_no	no	yes	***Pri Index***
city	city	no	yes	
contact	contact	no	yes	
dom_bt	dom_code bt_no	yes	yes	

- *Index Name*. The name of the index.
- *Field*. Each index has one or more field components.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.

- ***Pri Index***. The primary index—that is, the most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don’t specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.

ACCOUNT

account number codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
acct_type	Type	Type	X(1)
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Req Appr Grp	Req Appr Grp	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)
wph_appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)

INDEX NAME	FIELD	UNI	ASC	
acct_no	acct_no	no	yes	
appr_grp_site	appr_grp_no site_code	no	yes	
description	description	no	yes	
site	site_code	no	yes	
site_acct	site_code acct_no	yes	yes	***Pri Index***

ACCOUNT_INBOUND

inbound account number codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
acct_type	Type	Type	X(1)
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Req Appr Grp	Req Appr Grp	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
record_status	Status	Status	9
site_code	Site	Site	X(8)
wph_appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)

INDEX NAME	FIELD	UNI	ASC	
site_acct	site_code acct_no	yes	yes	***Pri Index***

ACCT_CAL

accounting calendar periods

FIELD NAME	LABEL	COL-LABEL	FORMAT
closed	Closed?	Closed?	yes/no
dom_code	Domain	?	x(8)
edate	End Date	End Date	99/99/9999
period	Period	Period	>>9
quarter	Quarter	Quarter	9
sdate	Start Date	Start Date	99/99/9999
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
dom_year_period	dom_code year period	yes	yes	***Pri Index***
year	year	no	yes	
year_period	year period	no	yes	

ACCT_CAL_YR

accounting calendar years

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	X(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	X(12)
chg_time	Chg Time	Chg Time	>>>>9
closed	Closed?	Closed?	yes/no
dom_code	Domain	?	x(8)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
dom_code	dom_code	no	yes	
dom_year	dom_code year	yes	yes	***Pri Index***
year	year	no	yes	

ACCT_GRP

accounts that make up account groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_grp_no	Acct Group	Acct Group	X(10)
acct_no	Acct No	Acct No	X(13)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site	site_code	no	yes	
site_grp_acct	site_code acct_grp_no acct_no	yes	yes	***Pri Index***

ACCT_GRP_HDR

account group codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_grp_desc	Description	Description	X(30)
acct_grp_no	Acct Group	Acct Group	X(10)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
acct_grp_desc	acct_grp_desc	no	yes	
acct_grp_no	acct_grp_no	no	yes	
site	site_code	no	yes	
site_grp	site_code	yes	yes	***Pri Index***
	acct_grp_no			

ACCT_HIST

account history for an accounting period created when it is closed

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	X(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	X(12)
chg_time	Chg Time	Chg Time	>>>>9
dept_code	Dept	Dept	X(10)
glt_amt	Current Amount	Current Amount	->>,>>>,>>>,>>9.99
glt_ytd_amt	YTD Amount	YTD Amount	->>,>>>,>>>,>>9.99
period	Period	Period	>>9
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
acct_no	acct_no	no	yes	
cc	cc	no	yes	
dept_code	dept_code	no	yes	
site_yr_per	site_code	yes	yes	***Pri Index***
	year			
	period			
	dept_code			
	cc			
	acct_no			
	sub_acct_no			
sub_acct_no	sub_acct_no	no	yes	

ACCT_VALID

range of cost centers for which account is valid

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
from_cc	From	From	X(5)
site_code	Site	Site	X(8)
to_cc	To	To	X(5)

INDEX NAME	FIELD	UNI	ASC	
site_acct_from	site_code acct_no from_cc	yes	yes	***Pri Index***

ACTIVITY

activity codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
activity_code	Activity	Activity	X(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
exp_type	Exp Type	Exp Type	yes/no

INDEX NAME	FIELD	UNI	ASC	
activity_code	activity_code	yes	yes	***Pri Index***
description	description	no	yes	

ACTIVITY_ACCT

activity expense account information

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
activity_code	Activity	Activity	X(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
exp_site	Expense Site	Expense Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
act_site	activity_code exp_site	yes	yes	***Pri Index***

APPR_GRP

users that make up approval routing groups along with whether or not mon

FIELD NAME	LABEL	COL-LABEL	FORMAT
appr_grp_no	Approval Group	Approval Group	X(10)
margin_limit	Margin Limit	Margin Limit	>>,>>9.99
money	Cons Limit?	Cons Limit?	yes/no
rout_code	Type	Type	X(1)
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
grp_site_rout_user	appr_grp_no	yes	yes	***Pri Index***
	site_code			
	rout_code			
	user_id			
site	site_code	no	yes	
user_id	user_id	no	yes	

APPR_GRP_HDR

approval routing groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_desc	Description	Description	X(30)
appr_grp_no	Approval Group	Approval Group	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
key_char	Char Key	Char Key	x(20)
key_int	Key Int	Key Int	->,>>>,>>9
margin_grp	Margin Group	Margin Group	yes/no
`	Master?	Master?	yes/no
orig_id	Originator	Originator	X(12)
priority	Priority	Priority	yes/no
rout_code	Type	Type	X(1)
site_code	Site	Site	X(8)
submitted	Submitted	Submitted	yes/no
used_over_budg	Over Budget?	Over Budget?	yes/no
wait_hours	Wait Hours	Wait Hours	->,>>>,>>9
wait_minutes	Wait Minutes	Wait Minutes	99

INDEX NAME	FIELD	UNI	ASC	
appr_grp_desc	appr_grp_desc	no	yes	
appr_grp_no	appr_grp_no	no	yes	
rout_code	rout_code	no	yes	
site	site_code	no	yes	
site_appr_rout	site_code	yes	yes	***Pri Index***
	appr_grp_no			
	rout_code			
	site_key_charsite_code	no	yes	

	key_char		
site_key_int	site_code key_int	no	yes

AS_FOUND

as found codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
found_code	As Found	As Found	X(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
found_code	found_code	yes	yes	***Pri Index***

AS_LEFT

as left codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
left_code	As Left	As Left	X(10)
send_mail	Send Mail?	Send Mail?	yes/no

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
left_code	left_code	yes	yes	***Pri Index***

ASSEMBLY

assembly codes and parent system codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assy_code	Assembly	Assembly	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
sys_code	System	System	X(5)

INDEX NAME	FIELD	UNI	ASC	
assy_code	assy_code	no	yes	
description	description	no	yes	
sys_assy	sys_code assy_code	yes	yes	***Pri Index***

ATTACH_FILES

file attachments throughout MLS

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
filename	File Name	?	X(256)
key_no1	Key No 1	Key No 1	x(20)
key_no2	Key No 2	Key No 2	x(20)
key_no3	Key No 1	Key No 1	x(20)
kind	Kind	Kind	X(1)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
keys_site_kind_filename	key_no1 site_code key_no2 key_no3 kind filename	yes	yes	***Pri Index***

BATCH_PRINT

OBSOLETE

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
datelastrun	Date Last Run	Date Last Run	99/99/9999
execstatus	Last Status	Last Status	X(10)
frequency	Frequency	Frequency	x(12)
halted	Halted?	Halted?	yes/no
report_library	Report Library	Report Library	X(512)
report_name	Report Name	Report Name	X(32)
sdate	Start Date/Time	Start Date/Time	99/99/9999
site_code	Site	Site	X(8)
stime	Start Time	Start Time	>>>>9
timelastrun	?	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
datelastrun	datelastrun	no	yes	
execstatus	execstatus	no	yes	
library_name	report_library report_name	yes	yes	***Pri Index***
report_library	report_library	no	yes	
report_name	report_name	no	yes	

BATCHAGENT

agents that handle the spawning of processes for the batch job scheduler

FIELD NAME	LABEL	COL-LABEL	FORMAT
ActiveProcess	Active Process	Active Process	yes/no
AgentID	Agent ID	Agent ID	>,>>>,>>9
AgentPID	System Process ID	System Process ID	X(16)
AgentStatus	Agent Status	Agent Status	X(16)
JobID	JobID	JobID	>,>>9
PfFile	PF File	PF File	X(256)

INDEX NAME	FIELD	UNI	ASC	
AgentID	AgentID	yes	yes	***Pri Index***
AgentStatus	AgentStatus	no	yes	
JobID	JobID	no	yes	

BATCHJOB

individual, site-specific batch jobs run by the batch job scheduler

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
DateLastRun	Date Last Run	Date Last Run	99/99/9999
DateStarted	Date Started	Date Started	99/99/9999
DateSuccRun	?	?	99/99/9999
Description	Description	Description	x(30)
Duration	Last Run Duration	Last Run Duration	x(12)
ExecStatus	Last Status	Last Status	X(10)
Frequency	Frequency	Frequency	x(12)
JobID	Job ID	Job ID	>,>>9
notify	Notify	Notify	X(12)
PriorityCode	Priority	Priority	>9
ProcName	Procedure	Procedure	x(20)
run_time	Always Run At This Tim	Always Run At This Tim	yes/no
sdate	Start Date/Time	Start Date/Time	99/99/9999
site_code	Site	Site	X(8)
stime	Start Time	Start Time	>>>>9
TimeLastRun	?		? ->,>>>,>>9
TimeStarted	Time Started	Time Started	>>>>9
TimeSuccRun	?	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
datelastrun	DateLastRun	no	yes	
description	Description	no	yes	
execstatus	ExecStatus	no	yes	
JobID	JobID	yes	yes	***Pri Index***
LastRun	DateLastRun TimeLastRun	no	no	
procname	ProcName	no	yes	
ProcSite	ProcName site_code	no	yes	

BATCHJOBHDR

batch jobs that are available to be run by the batch job scheduler; main

FIELD NAME	LABEL	COL-LABEL	FORMAT
Description	Description	Description	x(30)
ProcName	Procedure	Procedure	x(20)

INDEX NAME	FIELD	UNI	ASC	
description	Description	no	yes	
name_desc	ProcName Description	no	yes	
ProcName	ProcName	yes	yes	***Pri Index***

BATCHJOBTOPARAMS

specific filter values for individual batch jobs

FIELD NAME	LABEL	COL-LABEL	FORMAT
JobID	JobID	JobID	>,>>9
ParamID	Param ID	Param ID	>,>>9
ParamValue	Param Value	Param Value	X(20)

INDEX NAME	FIELD	UNI	ASC	
JobID	JobID	no	yes	***Pri Index***
ParamID	ParamID	no	yes	

BATCHPROCPARAMS

filter parameters available to batch jobs; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
DataType	Data Type	Data Type	X
Optional	Optional	Optional	yes/no
ParamID	Param ID	Param ID	>,>>9
ParamName	Param Name	Param Name	X(20)
ProcName	Procedure	Procedure	x(20)

INDEX NAME	FIELD	UNI	ASC	
ParamID	ParamID	yes	yes	***Pri Index***
Proc_Param	ProcName ParamName	yes	yes	

BATCHQUE

history of batch jobs run by the batch job scheduler; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
DateStarted	Date Started	Date Started	99/99/9999
ExecStatus	Exec Status	Exec Status	x(10)
ExecTime	?	?	->,>>>,>>9
JobID	JobID	JobID	>,>>9
ProcName	Procedure	Procedure	x(20)
site_code	Site	Site	X(8)
TimeStarted	Time Started	Time Started	>>>>9

INDEX NAME	FIELD	UNI	ASC	
datestarted	DateStarted	no	yes	
execstatus	ExecStatus	no	yes	
JobID	JobID	no	yes	
procname	ProcName	no	yes	
proc_site_date_time	ProcName site_code DateStarted TimeStarted	no	yes	***Pri Index***

BILL_TO

bill to codes and addresses

FIELD NAME	LABEL	COL-LABEL	FORMAT
addr_1	Address	Address	x(30)
addr_2	Address	Address	x(30)
addr_3	Address	Address	x(30)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
bt_no	Bill To No	Bill To No	x(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)
contact	Contact	Contact	x(25)
country_code	Country	Country	x(3)
dom_code	Domain	?	x(8)
name	Name	Name	x(30)
st	State	St	x(2)
zip	Zip	Zip	x(10)

INDEX NAME	FIELD	UNI	ASC	
bt_no	bt_no	no	yes	***Pri Index***
city	city	no	yes	
contact	contact	no	yes	
dom_bt	dom_code bt_no	yes	yes	
dom_code	dom_code	no	yes	
name	name	no	yes	
st	st	no	yes	

BO_CLAUSE

blanket order standard clauses

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
bo_no	BO No	BO No	x(8)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
clause_code	Clause	Clause	X(30)
clause_text	Text	Text	X(4000)
description	Description	Description	X(30)
line_no	Item	Item	>9
site_code	Site	Site	X(8)
type_code	Type	Type	X(1)

INDEX NAME	FIELD	UNI	ASC	
bo_site_type_clause	bo_no site_code type_code clause_code	yes	yes	***Pri Index***
bo_site_type_clause_line	bo_no site_code type_code clause_code line_no	no	yes	
clause_code	clause_code	no	yes	
description	description	no	yes	

BO_HEADER

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Approval Group	Approval Group	X(10)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_cost	Auth Cost (B)	Auth Cost (B)	->>,>>>,>>9.99
auth_money	Money Auth?	Money Auth?	yes/no
auth_status	Auth Status	Auth Status	X(11)
balance	Balance	Balance	->>,>>>,>>9.99
bo_no	BO No	BO No	x(8)
bo_status	Status	Status	x(1)
bt_no	Bill To No	Bill To No	x(10)
buyer	Buyer	Buyer	X(11)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)

char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
contact	Contact	Contact	x(25)
curr_code	Currency	Currency	X(5)
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
disc_pct	Discount %	Discount %	>>9.99
disp_auth_cost	BO Curr Auth Cost	?	->>,>>>,>>9.99
disp_balance	Balance	Balance	->>>,>>>,>>9.99
disp_exp_amount	Exp Amount	Exp Amount	->>,>>>,>>9.99
disp_tot_cost	Total Cost	Total Cost	->>>,>>>,>>9.99
eff_date	Eff Date	Eff Date	99/99/9999
email	Email	Email	X(40)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
exp_amount	Exp Amount (B)	Exp Amount (B)	->>,>>>,>>9.99
exp_date	Exp Date	Exp Date	99/99/9999
fax	Fax No	Fax No	x(16)
fob	FOB	FOB	x(15)
ie_ctry_desdisp	Country of Dest/Dist	Country of Dest/Dist	x(3)
ie_incl_memo	Include Memo Items	Include Memo Items	yes/no
ie_mode_transp	Mode of Transport	Mode of Transport	X
ie_nat_trans	Nature of Transaction	Nature of Transaction	x(2)
ie_port_ardisp	Port of Arrival/Dispat	Port of Arrival/Dispat	x(3)
ie_port_transh	Port of Transshipment	Port of Transshipment	x(8)
ie_stat_proc	Statistical Procedure	Statistical Procedure	x(8)
ie_terms_deliv	Terms of Delivery	Terms of Delivery	x(4)
intrastat_po	Intrastat PO	Intrastat PO	yes/no
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
lang_code	Language	Language	X(2)
last_release	Last Release	Last Release	x(8)
locked_bo	Locked?	Locked?	yes/no
log_1	?	?	yes/no
next_approver	Next Approver	Next Approver	x(12)
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
phone	Phone No	Phone No	x(16)
remarks	Remarks	Remarks	X(40)
site_code	Site	Site	X(8)
st_no	Ship To No	Ship To No	x(10)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
terms	Terms	Terms	x(15)
tot_cost	Total Cost (B)	Total Cost (B)	->>>,>>>,>>9.99
usage_code	Tax Usage	Tax Usage	x(8)
vendor_no	Vendor No	Vendor No	x(10)

vend_name	Vendor Name	Vendor Name	x(30)
via	Ship Via	Ship Via	x(20)

INDEX NAME	FIELD	UNI	ASC	
site_bo	site_code bo_no	yes	yes	***Pri Index***
site_bo_eff_exp	site_code bo_no eff_date exp_date	no	yes	
site_eff_exp_bo	site_code eff_date exp_date bo_no	no	yes	

BO_LINE

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Date Created	Date Created	99/99/9999
add_id	Created By	Created By	x(12)
add_time	Add Time	Add Time	>>>>9
asset_acct_no	Acct No	Acct No	x(8)
asset_cc	Cost Center	Cost Center	x(8)
asset_dept_code	Dept	Dept x(8)	
asset_site_code	Site	Site	x(8)
asset_sub_acct_no	Sub Acct	Sub Acct	x(8)
auto_iss	Auto Issue?	Auto Issue?	yes/no
bo_line_no	Line	Line	>9
bo_line_status	Status	Status	x(1)
bo_no	BO No	BO No	x(8)
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
comm_code	Commodity	Commodity	X(15)
contractor	Contractor?	Contractor?	yes/no
curr_code	Currency	Currency	X(5)
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_code	Dept	Dept	X(10)
disc_pct	Discount %	Discount %	>>9.99
disp_freight	Freight	Freight	->>,>>9.99
disp_list_price	List Price	List Price	->>,>>9.99
disp_net_price	Net Price	Net Price	->>,>>9.99

disp_net_total	Net Total	Net Total	->>,>>>,>>9.99
equip_no	Equip No	Equip No	x(20)
est_freight	Est Freight	Est Freight	>>9.99%
exp_site	Expense Site	Expense Site	X(8)
exp_type	Expense Type	Expense Type	yes/no
freight	Freight (B)	Freight (B)	->>,>>9.99
ie_comm_code	Commodity Code	Commoditiy Code	x(20)
ie_ctry_desdisp	Country of Dest/Dist	Country of Dest/Dist	x(3)
ie_ctry_origin	Country of Origin	Country of Origin	x(3)
ie_decl_region	Declaration Region	Declaration Region	x(3)
ie_intrastat	Intrastat Item	Interstat Item	yes/no
ie_mode_transp	Mode of Transport	Mode of Transport	X
ie_nat_trans	Nature of Transaction	Nature of Transaction	x(2)
ie_net_wt	Net Weight	Net Weight	>>,>>9.99
ie_net_wt_um	UM	UM	x(2)
ie_port_ardisp	Port of Arrival/Dispat	Port of Arrival/Dispat	x(3)
ie_port_transh	Port of Transshipment	Port of Transshipment	x(8)
ie_region	Region of Arrival/Disp	Region of Arrival/Disp	x(3)
ie_stat_proc	Statistical Procedure	Statistical Procedure	x(8)
ie_terms_deliv	Terms of Delivery	Terms of Delivery	x(4)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_no	Job No	Job No	x(15)
list_price	List Price	List Price	->>,>>>,>>9.99999
location	Location	Location	x(10)
log_1	?	?	yes/no
net_price	Net Price	Net Price	->>,>>>,>>9.99999
net_total	Net Total	Net Total	->>,>>>,>>9.99
part_no	Part No	Part No	x(20)
po_text	PO Text	PO Text	X(8)
product_line_no	Prod Line	Prod Line	x(8)
proj_no	Project No	Project No	x(8)
pt_desc	Description	Description	x(30)
qty	Qty Ordered	Qty Ordered	->,>>>,>>>.99
req_code	Requestor	Requestor	x(11)
site_code	Site	Site	X(8)
source_site	Source Site	Source Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
uom	UOM	UOM	x(6)
usage_code	Tax Usage	Tax Usage	x(8)
vend_part	Vendor Part	Vendor Part	X(20)
weight	Total Weight	Total Weight	>>>,>>9.99
weight_uom	Weight/UOM	Weight/UOM	>>>,>>9.99
wo_no	WO No	WO No	>>>>>>>>9
wt_uom	Weight UOM	Weight UOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
site_bo_line	site_code	yes	yes	***Pri Index***
	bo_no			

	bo_line_no		
site_part_bo_line	site_code	no	yes
	part_no		
	bo_no		
	bo_line_no		

BOM_TYPE

system and assembly codes that make up a BOM type

FIELD NAME	LABEL	COL-LABEL	FORMAT
assy_code	Assembly	Assembly	X(5)
bom_code	BOM Type	BOM Type	X(5)
sys_code	System	System	X(5)

INDEX NAME	FIELD	UNI	ASC	
bom_sys_assy	bom_code	yes	yes	***Pri Index***
	sys_code			
	assy_code			
sys_code	sys_code	no	yes	

BOM_TYPE_HDR

BOM type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
bom_code	BOM Type	BOM Type	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
bom_code	bom_code	yes	yes	***Pri Index***
description	description	no	yes	

BUDGET_EAM

budgets

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
budg_amount	Budget Amount	Budget Amount	->>>,>>>,>>>,>>9
cc	Cost Center	Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
curr_amount	Expensed	Expensed	->>>,>>>,>>>,>>9
equip_no	Equip No	Equip No	x(20)
order_no	Order No	Order No	>9

period	Period	Period	>9
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
yr_per_site_acct	year period site_code acct_no	no	yes	
yr_per_site_cc	year period site_code cc	no	yes	
yr_per_site_cc_acct_sub	year period site_code cc acct_no sub_acct_no	yes	yes	***Pri Index***
yr_per_site_sub	year period site_code sub_acct_no	no	yes	

BUDGET_PURCH

current purchase information for cost center/account/sub account combina

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
auth_purch	Auth Purch	Auth Purch	>,>>>,>>>,>>9.99
cc	Cost Center	Cost Center	X(5)
committed	Committed	Committed	>,>>>,>>>,>>9.99
plan_purch	Planned Purch	Planned Purch	>,>>>,>>>,>>9.99
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
site_cc_acct_sub	site_code cc acct_no sub_acct_no	yes	yes	***Pri Index***

BUS_SEGMENT

business segment codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
segm_code	Bus Segment	Bus Segment	x(15)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
segm_code	segm_code	yes	yes	***Pri Index***

BUTTONS

buttons, including tooltips and graphics, for the dynamic creation of th

FIELD NAME	LABEL	COL-LABEL	FORMAT
btnname	Button Name	Button Name	X(10)
ins_graphic	Ins File Name	Ins File Name	X(30)
s_option	Option	Option	X(25)
up_graphic	Up File Name	Up File Name	X(30)

INDEX NAME	FIELD	UNI	ASC	
btnname	btnname	yes	yes	***Pri Index***

CATALOGS

equipment catalog codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
catalog	Equip Catalog	Equip Catalog	x(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)

INDEX NAME	FIELD	UNI	ASC	
catalog	catalog	yes	yes	***Pri Index***
description	description	no	yes	

CATEGORY

equipment category codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
categ_code	Category	Category	X(2)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
categ_code	categ_code	yes	yes	***Pri Index***
description	description	no	yes	

CC_GRP

cost centers that make up cost center groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
cc	Cost Center	Cost Center	X(5)
cc_grp_no	CC Group	CC Group	X(10)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
cc_site	cc	no	yes	
	site_code			
site	site_code	no	yes	
site_grp_cc	site_code	yes	yes	***Pri Index***
	cc_grp_no			
	cc			

CC_GRP_HDR

cost center group codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc_grp_desc	Description	Description	X(30)
cc_grp_no	CC Group	CC Group	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
cc_grp_desc	cc_grp_desc	no	yes	
cc_grp_no	cc_grp_no	no	yes	
site_grp	site_code	yes	yes	***Pri Index***
	cc_grp_no			

CIM_LOAD

equipment DUOM readings loaded using the CIM module

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	X(30)
date_read	Date Read	Date Read	99/99/9999
duom_code	DUOM	DUOM	x(6)
equip_no	Equip No	Equip No	x(20)
itime_read	Time Read	Time Read	>>>>9
loaded	Loaded?	Loaded?	yes/no
read_by	User ID	User ID	x(12)

time_read	Time Read	Time Read	x(8)
usage		Usage	Usage ->>>,>>>,>>9.99
valid	Valid?	Valid?	yes/no

INDEX NAME	FIELD	UNI	ASC	
equip_duom_dr_tr	equip_no	yes	yes	***Pri Index***
	duom_code			
	date_read			
	time_read			
loaded	loaded	no	yes	

CLEARANCES

clearance codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
clearance	Clearance	Clearance	x(5)
description	Description	Description	X(30)
mfg_impact	Impact MFG Sched	Impact MFG Sched	yes/no

INDEX NAME	FIELD	UNI	ASC	
clearance	clearance	yes	yes	***Pri Index***
description	description	no	yes	

COA_REQ_APPR

COA Requisition Approval

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Req Appr Grp	Req Appr Grp	X(10)
cc	Cost Center	Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC
site_cc_acct_sub_user	site_code	yes	yes
	cc		
	acct_no		
	sub_acct_no		
	user_id		

COMM_BUYER

commodity buyer

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
buyer	Buyer	Buyer	X(11)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comm_code	Commodity	Commodity	X(15)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
buyer	buyer comm_code	no	yes	
comm_code	comm_code	yes	yes	***Pri Index***
description	description	no	yes	

COMMODITY

commodity codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comm_code	Commodity	Commodity	X(15)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
comm_code	comm_code	yes	yes	***Pri Index***
description	description	no	yes	

CONFIG

supported configurations; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
ConfigID	Config ID	ID	>>9
ConfigName	Config Name	Name	X(30)
Mode	Mode	Mode	X(8)
ProductID	ProductID	ID	>>9
Version	Version	Version	X(8)

INDEX NAME	FIELD	UNI	ASC	
ConfigIdx	ConfigID	yes	yes	***Pri Index***
ConfigModeIdx	Mode	no	yes	
ConfigNameIdx	ConfigName	no	yes	
ConfigSortIdx	ProductID Version	yes	yes	

Mode

COST_CENTER

cost center codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Req Appr Grp	Req Appr Grp	X(10)
cc	Cost Center	Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)
wph_appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)

INDEX NAME	FIELD	UNI	ASC	
appr_grp_site	appr_grp_no site_code	no	yes	
description	description	no	yes	
site_active_cc	site_code active cc	no	yes	
site_cc	site_code cc	yes	yes	***Pri Index***

COUNTRY_EAM

country codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
country_code	Country	Country	x(3)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
country_codecountry_code		yes	yes	***Pri Index***
description	description	no	yes	

CRAFT

craft codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
craft_no	Craft No	Craft No	x(5)
cr_desc	Description	Description	x(30)
reg_rate	Reg Pay Rate	Reg Pay Rate	>,>>>.99

INDEX NAME	FIELD	UNI	ASC	
craft_no	craft_no	yes	yes	***Pri Index***
cr_desc	cr_desc	no	yes	

CREDIT_TERMS

terms codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
dom_code	Domain	?	x(8)
terms	Terms	Terms	x(15)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
dom_code	dom_code	no	yes	
dom_terms	dom_code terms	yes	yes	***Pri Index***
terms	terms	no	yes	

CREW

crew codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
crew_code	Crew	Crew	x(12)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
crew_code	crew_code	yes	yes	***Pri Index***
description	description	no	yes	

CURR_EXCH

currency exchange rates

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dom_code	Domain	?	x(8)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
from_curr	From Currency	From Currency	X(5)
from_date	From Date	From Date	99/99/9999
to_curr	To Currency	To Currency	X(5)
to_date	To Date	To Date	99/99/9999
type_cd	Type	Type	x(20)

INDEX NAME	FIELD	UNI	ASC	
dom_from_to_date	dom_code from_curr to_curr from_date	yes	yes	
dom_from_to_type_date	dom_code from_curr to_curr type_cd from_date	yes	yes	***Pri Index***
from_curr	from_curr	no	yes	
to_curr	to_curr	no	yes	
type_cd	type_cd	no	yes	

CURR_EXCH_TYPE

FIELD NAME	LABEL	COL-LABEL	FORMAT
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
notes	Text	Text	X(4000)
type_cd	Type	Type	x(20)

INDEX NAME	FIELD	UNI	ASC	
type_cd	type_cd	yes	yes	***Pri Index***

CURRENCY_EAM

currency codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
curr_code	Currency	Currency	X(5)
description	Description	Description	X(30)
euro	Euro?	Euro?	yes/no
iso_code	ISO Code	ISO Code	X(3)
round	Rounding	Rounding	9.99
use_euro	Use Euro?	Use Euro?	yes/no

INDEX NAME	FIELD	UNI	ASC	
curr_code	curr_code	yes	yes	***Pri Index***
description	description	no	yes	
euro	euro	no	yes	
iso_code	iso_code	no	yes	
use_euro	use_euro	no	yes	

CUST_CODES01

custom codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
cust_code	Custom	Custom	X(2)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
cust_code	cust_code	yes	yes	***Pri Index***
description	description	no	yes	

CUST_LAB

custom labor table

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Rebuild	Rebuild	X(20)
assy_code	Assembly	Assembly	X(5)
cc	Cost Center	Cost Center	x(5)
char_tottime	Time	Time	99:99
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(40)
craft_no	Craft	Craft	x(5)
curr_code	Currency	Currency	X(5)

cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_chr05	?	?	x(8)
cust_chr06	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
cust_log02	?	?	yes/no
date	Date	Date	99/99/9999
date_stamp	Date Stamp	Date Stamp	x(15)
dept_code	Dept	Dept	x(10)
emp_no	Emp No	Emp No	x(11)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999999
exp_site	Expense Site	Expense Site	X(8)
job_no	Job No	Job No	x(6)
mfgpost_code	?	?	x(1)
name	Name	Name	x(31)
ovhd_code	OH Group	OH Group	X(5)
part_no	Rotable Part	Rotable Part	x(20)
paya_code	Pay Add Code	Pay Add Code	X(2)
paym_code	Pay Mult Code	Pay Mult Code	X(5)
period	Period	Period	>>9
posted	Posted?	Posted?	yes/no
proj_no	Project No	Project No	x(8)
quarter	Quarter	Quarter	9
reccnt	Record count	Record count	>9
reg_rate	Reg Rate	Reg Rate	>>,>>9.99
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
start	Start Date	Start Date	99/99/9999
stime	Start Time	Start Time	>,>>>,>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
tottime	Total Reg Time	Total Reg Time	->>>9.99
tot_cost	Total Cost	Total Cost	->,>>>,>>9.99
to_site	To Site	To Site	X(8)
trans_curr	Trans Currency	Trans Currency	X(5)
trans_curr_cost	Total Cost	Total Cost	->>>,>>9.99
vendor_no	Vendor	Vendor	x(10)
wo_no	WO No	WO No	>>>>>>>>9
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC
acct_no	acct_no	no	yes
area	area	no	yes

area_site	area	no	yes	
	site_code			
assy_code	assy_code	no	yes	
cc	cc	no	yes	
cc_site	cc	no	yes	
	site_code			
craft_no	craft_no	no	yes	
date-d	date	no	no	
date_stamp	date_stamp	no	yes	
dept_code	dept_code	no	yes	
dept_site	dept_code	no	yes	
	site_code			
emp_no	emp_no	no	yes	
emp_rec_date	emp_no	yes	yes	***Pri Index***
	reccnt			
	date			
emp_site_date-d	emp_no	no	yes	
	site_code			
	date			
equip_no	equip_no	no	yes	
exp_site	exp_site	no	yes	
job_no	job_no	no	yes	
ovhd_code	ovhd_code	no	yes	
part_no	part_no	no	yes	
paym_code	paym_code	no	yes	
proj_no	proj_no	no	yes	
proj_site	proj_no	no	yes	
	site_code			
serial_no	serial_no	no	yes	
site	site_code	no	yes	
site_date-d	site_code	no	yes	
	date			
site_pt_ser_wo_d_t	site_code	no	yes	
	part_no			
	serial_no			
	wo_no			
	start			
	stime			
site_stamp	site_code	no	yes	
	date_stamp			
site_wo_date	site_code	no	yes	
	wo_no			
	date			
sub_acct_no	sub_acct_no	no	yes	
sys_assy	sys_code	no	yes	
	assy_code			
sys_code	sys_code	no	yes	
to_site	to_site	no	yes	
wo_no	wo_no	no	yes	
wo_no-d	wo_no	no	no	
wo_site	wo_no	no	yes	

	site_code		
wo_to_site_date-d	wo_no	no	no
	to_site		
	site_code		
	date		

CUST_WKFL

customer workfile

FIELD NAME	LABEL	COL-LABEL	FORMAT
cust_charfld	?	?	x(8)
cust_datefld	?	?	99/99/99
cust_decfld	?	?	->>,>>9.99
cust_key1	?	?	x(8)
cust_key2	?	?	x(8)
cust_key3	?	?	x(8)
cust_key4	?	?	x(8)
cust_key5	?	?	x(8)
cust_key6	?	?	x(8)
cust_user1	Ufld1	?	x(8)
cust_user2	Ufld2	?	x(8)
cust__mlsc01	?	?	x(8)

INDEX NAME	FIELD	UNI	ASC	
cust_index1	cust_key1	yes	yes	***Pri Index***
	cust_key2			
cust_index2	cust_key3	no	yes	
	cust_key4			
cust_index3	cust_key5	no	yes	
	cust_key6			

DATA

values for the system registry

FIELD NAME	LABEL	COL-LABEL	FORMAT
ConfigID	Config ID	ID	>>9
DataDefID	Data Def ID	ID	>>>9
DataValue	Data Value	Value	X(30)
LangID	Lang ID	LangID	>>9

INDEX NAME	FIELD	UNI	ASC	
DataSortIdx	DataDefID	yes	yes	***Pri Index***
	ConfigID			
	LangID			

DATADEF

definitions for the system registry; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
DataDefID	Data Def ID	ID	>>>9
DataName	Data Name	Name	X(100)
Description	Description	Desc	X(100)
ProductID	ProductID	ID	>>9

Translateable	Translateable	Translateable	yes/no
UseExactMode	Use Exact Mode?	Exact Mode?	yes/no
UseExactVersion	Use Exact Version Only	Exact Version?	yes/no

INDEX NAME	FIELD	UNI	ASC	
DataDefIdx	DataDefID	yes	yes	***Pri Index***
DataDefSortIdx	ProductID	yes	yes	
	DataName			

DB_CODES

field code values; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
code_value	Code Value	Code Value	X(5)
description	Description	Description	X(80)
field_name	Field Name	Field Name	X(32)
table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
table_field_code	table_name	no	yes	***Pri Index***
	field_name			
	code_value			

DB_FIELD_MAP

tables that include the key field; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_name	Field Name	Field Name	X(32)
index_name	Index Name	Index Name	X(32)
in_index	In Index?	In Index?	yes/no
is_primary	Primary?	Primary?	yes/no
table_name	Table Name	Table Name	X(32)
to_table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
index_name	index_name	no	yes	
in_index	in_index	no	yes	
is_primary	is_primary	no	yes	
table_field_index	table_name	no	yes	
	field_name			
	in_index			
table_field_in_index	table_name	no	yes	
	field_name			
	in_index			
table_field_is_primary	table_name	no	yes	
	field_name			
	is_primary			
table_field_table	table_name	no	yes	Pri Index
	field_name			
	to_table_name			
table_name	table_name	no	yes	

DB_FIELDS

database fields; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_data_type	Data Type	Data Type	X(10)
field_format	Format	Format	X(18)
field_help	Help Text	Help Text	X(65)
field_label	Label	Label	X(20)
field_name	Field Name	Field Name	X(32)
mstr_field	Mstr Field Name	Mstr Field Name	X(32)
mstr_table	Mstr Table Name	Mstr Table Name	X(32)
table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
table_field	table_name field_name	yes	yes	***Pri Index***

DB_INDEX

database indices; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_name	Field Name	Field Name	X(32)
index_name	Index Name	Index Name	X(32)
index_sort	Sort	Sort	X(1)
pri_index	Primary?	Primary?	yes/no
table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
table_index_field	table_name index_name field_name	yes	yes	***Pri Index***

DB_PATH

path from the MLS main menu to the designated table; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
menu_path	Menu Path	Menu Path	X(96)
redo	Calulate mapping	?	yes/no
table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
table_path	table_name menu_path	no	yes	***Pri Index***

DB_TABLE

database ables; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
codes	Codes	Codes	X(4)
map_db	Map	Map	X(3)
menu	Menu	Menu	X(4)
redo	Calulate mapping	?	yes/no
table_desc	Description	Description	X(100)
table_name	Table Name	Table Name	X(32)

INDEX NAME	FIELD	UNI	ASC	
table_name	table_name	yes	yes	***Pri Index***

DELAY

delay codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
delay_code	Delay	Delay	X(6)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
delay_code	delay_code	yes	yes	***Pri Index***
description	description	no	yes	

DEPT

department codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
description	Description	Description	X(30)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
site_dept	site_code dept_code	yes	yes	***Pri Index***

DESC_DEF

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
desc_code	Descriptor Code	Descriptor Code	x(10)
desc_def_id	Descriptor Def ID	Descriptor Def ID	x(40)
kind	Kind	Kind	X

type_code	Desc Type	Desc Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
desc_code	desc_code	yes	yes	
desc_def_id	desc_def_id	yes	yes	***Pri Index***
desc_type_kind	desc_code type_code kind	yes	yes	
type	type_code	no	yes	

DESC_HDR

descriptor header information

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
desc_code	Descriptor	Descriptor	X(15)
kind	Kind	Kind	X(1)
type_code	Type	Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
desc_code	desc_code	yes	yes	***Pri Index***
type_code	type_code	no	yes	

DESC_LINE_DEF

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
data_type	Data Type	Data Type	x(10)
desc_def_id	Descriptor Def ID	Descriptor Def ID	x(40)
desc_line_def_id	Descriptor Line Defini	Descriptor Line Defini	x(40)
order	Order	Order	->>>>>9
spec_label	Spec Label	Spec Label	x(10)

INDEX NAME	FIELD	UNI	ASC	
desc_def_id_desc_label	desc_def_id spec_label	yes	yes	
desc_def_id_order	desc_def_id order	yes	yes	
desc_line_def_id	desc_line_def_ id	yes	yes	***Pri Index***

DESC_SPECS

descriptor specifications

FIELD NAME	LABEL	COL-LABEL	FORMAT
desc_code	Descriptor	Descriptor	X(15)
desc_label	Label	Label	X(15)
desc_length	Length	Length	>9
order_no	Order	Order	>9
page_no	Page	Page	>>9

INDEX NAME	FIELD	UNI	ASC	
decs_code	desc_code	no	yes	
desc_page_order	desc_code page_no order_no	yes	yes	***Pri Index***

DESC_TYPE

descriptor type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	Desc Type	Desc Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

DESCRIPTOR

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
descriptor_id	Descriptor ID	Descriptor ID	x(40)
desc_def_id	Descriptor Def ID	Descriptor Def ID	x(40)
key_1	Key 1	Key 1	x(10)
key_2	Key 2	Key 2	x(10)
kind	Kind	Kind	X

INDEX NAME	FIELD	UNI	ASC	
descriptor_id	descriptor_id	yes	yes	***Pri Index***
desc_def_key1_key2	desc_def_id key_1	yes	yes	

	key_2		
key1_key2_desc_def	key_1	yes	yes
	key_2		
	desc_def_id		

DESCRIPTOR_LINE

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
descriptor_id	Descriptor ID	Descriptor ID	x(40)
descriptor_line_id	Descriptor Line ID	Descriptor Line ID	x(40)
desc_line_def_id	Descriptor Line Defini	Descriptor Line Defini	x(40)
order	Order	Order	->>>>>9
spec_value	Spec Value	Spec Value	x(10)

INDEX NAME	FIELD	UNI	ASC	
descriptor_line_id	descriptor_lin	yes	yes	***Pri Index***
desc_id_desc_line_def_id	descriptor_id	yes	yes	
	desc_line_def_			
desc_line_def_id	desc_line_def_	no	yes	

DOMAIN

Domain

FIELD NAME	LABEL	COL-LABEL	FORMAT
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
any_buyer	Any Buyer?	Any Buyer?	yes/no
a_days	A Days	A Days	>>9
a_perc	A Percent	A Percent	>>9%
base_curr	Base Currency	Base Currency	X(5)
blanket_buyer_limit	Use Enforce Buyer Limi	Use Enforce Buyer Limi	yes/no
bo_limit_to_single_ven	Limit to Single Vendor	Limit to Single Vendor	yes/no
bo_vend_part	Limit BO per Vend/Part	Limit BO per Vend/Part	yes/no
buyer_comm	Buyer/Commodity Purchasing?	Buyer/Commodity Purchasing?	yes/no
buyer_dollar	Buyer Limit Increase	Buyer Limit Increase	>>,>>9
buyer_dollar_dec	Buyer Limit Decrease	Buyer Limit Decrease	>>,>>9
buyer_percent	Buyer Limit Increase	Buyer Limit Increase	>>9%
buyer_percent_dec	Buyer Limit Decrease	Buyer Limit Decrease	>>9%
b_days	B Days	B Days	>>9
b_perc	B Percent	B Percent	>>9%
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
cim_rdg_usg	CIM Load	CIM Load	X(1)
cons_direct	Cons Dir Chg?	Cons Dir Chg?	yes/no
cons_res	Cons Reserves?	Cons Reserves?	yes/no
cons_short	Cons Res/Short?	Cons Res/Short?	yes/no
cost	Inv Cost Mthd	Inv Cost Mthd	!
c_days	C Days	C Days	>>9
c_perc	C Percent	C Percent	>>9%
daybook_code	Daybook Code	Daybook Code	x(8)
description	Description	Description	X(30)
diff_period	Diff Acct Period?	Diff Acct Period	yes/no
dom_code	Domain	?	x(8)
eir_acct_no	Acct No	Acct No	X(13)
eir_sub_acct_no	Sub Acct No	Sub Acct No	X(13)
enforce_buyer_limit	Enforce Buyer Limits?	Enforce Buyer Limits?	yes/no
inc_proj_on_iss	Incl Proj on Iss	Inc Proj on Iss	X(15)
inc_proj_on_labor	Incl Proj on Labor	Inc Proj on Labor	X(15)
inc_proj_on_rec	Incl Proj on Rec	Inc Proj on Rec	X(15)
InitBatchAgents	Init Agents	Init Agents	>,>>9
lang_code	Language	Language	X(2)
MaxBatchAgents	Max Agents	Max Agents	>,>>9
mfg_bill_to	Bill To	Bill To	X(8)
mfg_budg_code	Budget Code	Budget Code	X(8)
mfg_cd_type	Clause Type	Clause Type	X(2)
mfg_ship_to	Ship To	Ship To	X(8)
mfg_upd_po	Create PO When?	Create PO When?	X(1)
mfg_use_eir	Use EIR?	Use EIR?	yes/no
MinBatchAgents	Min Agents	Min Agents	>,>>9
nstock_bom	NStock BOM?	NStock BOM?	yes/no
nstock_uom	NStock UOM	NStock UOM	X(6)
only_vendor_curr	Use Only Vendor Curr	Use Only Vendor Curren	yes/no
part_description_prote	Part Description Prote	Part Description Prote	yes/no
pm_wk_day	PMs on Work Days	PMs on Work Days	yes/no
post_equip	Post Equip List?	Post Equip List?	yes/no
po_reopen	Reopen PO/Reqs?	Reopen PO/Reqs?	yes/no
pr_reopen	Reopen Projects?	Reopen Projects?	yes/no
purge_hrs	Batch Purge Hrs	Batch Purge Hrs	>>9
recv_prefix	MLS Recv Prefix	MLS Recv Prefix	X(3)
rec_dollar	Receipt Limit	Receipt Limit	>>,>>9
rec_limit	Receipt Limit	Receipt Limit	yes/no
rec_percent	Receipt Limit	Receipt Limit	>>9%
require_acct_no	Require Acct	require Acct	yes/no
require_cc	Require CC	Require CC	yes/no
require_sub_acct_no	Require Sub Acct	Require Sub Acct	yes/no
reserve	Reserve Inv	Reserve Inv	yes/no
rev_list	Mstr List Rev?	Mstr List Rev?	yes/no
rfq_expire_notify_days	RFQ Expire Notify Days	RFQ Expire Notify Days	>>9
saf_concept_1	SAF 1	SAF 1	x(8)
saf_concept_2	SAF 2	SAF 2	x(8)
saf_concept_3	SAF 3	SAF 3	x(8)
saf_concept_4	SAF 4	SAF 4	x(8)

saf_concept_5	SAF 5	SAF 5	x(8)
software_recv	Receiver?	Receiver?	X(3)
so_begin	Sales Order No Begin	Sales Order No Begin	>,>>>,>>9
so_end	Sales Order No End	Sales Order No End	>,>>>,>>9
so_gl	Sale Order GL	Sale Order GL	yes/no
so_prefix	Sales Order No Prefix	Sales Order No Prefix	x(8)
srauth	SR Auth?	SR Auth?	yes/no
transit	Transit	Transit	yes/no
type	Domain Type	?	x(8)
upd_recv	Upd Receiver?	Upd Receiver?	yes/no
user1	?	?	X(8)
user2	?	?	X(8)
wk_fri	Friday	Friday	yes/no
wk_mon	Monday	Monday	yes/no
wk_sat	Saturday	Saturday	yes/no
wk_sun	Sunday	Sunday	yes/no
wk_thurs	Thursday	Thursday	yes/no
wk_tues	Tuesday	Tuesday	yes/no
wk_wed	Wednesday	Wednesday	yes/no
woauth	WO Auth?	WO Auth?	yes/no
wo_reopen	WO's?	Reopen WO's?	yes/no
wph_reopen	Reopen Stores?	Reopen Stores?	yes/no

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
dom_code	dom_code	yes	yes	***Pri Index***

DOWNC

reason codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
down_code	Reason	Reason	X(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
down_code	down_code	yes	yes	***Pri Index***

DUOM

duom codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999

chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
duom_code	DUOM	DUOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
duom_code	duom_code	yes	yes	***Pri Index***

DUOM_CONV

DUOM conversion table

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
equip_no	To Equip No	To Equip No	x(20)
from_duom	From DUOM	From DUOM	X(6)
mult	Multiplier	Multiplier	>,>>>,>>9.99999999
to_duom	To DUOM	To DUOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
equip_no	equip_no	no	yes	
from_to	from_duom to_duom	no	yes	
from_to_eq	from_duom to_duom equip_no	yes	yes	***Pri Index***
to_from	to_duom from_duom	no	yes	

EMP_EXCEPT

employee exceptions

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(60)
edate	End Date	End Date	99/99/9999
emp_no	Emp No	Emp No	x(11)
sdate	Start Date	Start Date	99/99/9999

INDEX NAME	FIELD	UNI	ASC	
emp_sdate	emp_no sdate	yes	yes	***Pri Index***

EMP_SITE

employee approval groups per site

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	PO Approval Grp	PO Approval Grp	X(10)
bo_appr_grp_no	BO Approval Grp	BO Approval Grp	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
emp_no	Emp No	Emp No	x(11)
site_code	Site	Site	X(8)
zero_cost_email	Zero Cost Email	Zero Cost Email	yes/no

INDEX NAME	FIELD	UNI	ASC	
appr_grp_site	appr_grp_no site_code	no	yes	
bo_appr_grp_site	bo_appr_grp_no site_code	no	yes	
emp_site	emp_no site_code	yes	yes	***Pri Index***
site	site_code	no	yes	

EMPLOYEE_EAM

employee master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
addr1	Address	Address	x(20)
addr2	Address 2	Address 2	x(20)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	PO Approval Grp	PO Approval Grp	X(10)
assigned	Assigned?	Assigned?	yes/no
buyers	Buyer?	Buyer?	yes/no
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)
country_code	Country	Country	x(3)
craft_no	Pri Craft	Pri Craft	x(5)
create_gl	Create GL?	Create GL?	yes/no
crew_code	Crew	Crew	x(12)
cust_chr01	?	?	x(8)

cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_code	Dept	Dept	X(10)
email	Email	Email	X(40)
emp_no	Emp No	Emp No	x(11)
fax	Fax No	Fax No	X(16)
first_name	First Name	First Name	x(15)
hired	Date Hired	Date Hired	99/99/9999
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
last_name	Last Name	Last Name	x(15)
log_1	?	?	yes/no
ovhd_code	OH Group	OH Group	X(5)
paya_code	Pay Add Code	Pay Add Code	X(2)
phone	Phone	Phone	x(16)
phone2	Second Phone	Second Phone	x(16)
planner	Planner?	Planner?	yes/no
reg_rate	Reg Pay Rate	Reg Pay Rate	>>,>>>.99
resp	Resp?	Resp?	yes/no
shift_code	Shift	Shift	X(10)
shift_start	Shift Start	Shift Start	99/99/9999
site_code	Site	Site	X(8)
skill_code	Skill	Skill	x(3)
ssn	SSN	SSN	xxx-xx-xxxx
st	State	St	x(2)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
termin	Date Terminated	Date Terminated	99/99/9999
zip	Zip	Zip	x(10)

INDEX NAME	FIELD	UNI	ASC
acct_site	acct_no site_code	no	yes
appr_grp_site	appr_grp_no site_code	no	yes
assigned	assigned	no	yes
cc_site	cc site_code	no	yes
char_1	char_1	no	yes
char_2	char_2	no	yes
city	city	no	yes
craft_no	craft_no	no	yes

crew_code	crew_code	no	yes	
dept_code	dept_code	no	yes	
emp_no	emp_no	yes	yes	***Pri Index***
first_name	first_name	no	yes	
last_name	last_name	no	yes	
ovhd_code	ovhd_code	no	yes	
paya_code	paya_code	no	yes	
planner	planner	no	yes	
resp	resp	no	yes	
shift_code	shift_code	no	yes	
site	site_code	no	yes	
skill_code	skill_code	no	yes	
st	st	no	yes	
sub_acct_no	sub_acct_no	no	yes	

ENTITY

entity codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
dom_code	Domain	?	x(8)
ent_code	Entity	Entity	X(4)
user1	?	?	X(8)
user2	?	?	X(8)
user3	?	?	yes/no
user4	?	?	->,>>>,>>9.99
user5	?	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
dom_code	dom_code	no	yes	
dom_ent	dom_code ent_code	yes	yes	***Pri Index***
ent_code	ent_code	yes	yes	

EQ_ALT

equipment alternate names used by CIM module

FIELD NAME	LABEL	COL-LABEL	FORMAT
alt_equip_no	Alt Equip No	Alt Equip No	x(20)
equip_no	Equip No	Equip No	x(20)

INDEX NAME	FIELD	UNI	ASC	
alt_eq_no	alt_equip_no	yes	yes	***Pri Index***
equip_no	equip_no	no	yes	

EQ_STATUS

equipment status codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
status_code	Equip Status	Equip Status	X(2)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
status_code	status_code	yes	yes	***Pri Index***

EQ_TYPE

equipment type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
mfg_impact	Impact MFG Sched	Impact MFG Sched	yes/no
type_code	Equip Type	Equip Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

EQ_UOM

equipment DUOM

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cr_cm	Create CM	Create CM	yes/no
current_reading	Current Reading	Current Reading	->>>,>>>,>>9.99
date_read	Date Read	Date Read	99/99/9999
duom_code	DUOM	DUOM	x(6)
equip_no	Equip No	Equip No	x(20)
high_actual	Actual	Actual	>9
high_amt	High Tolerance Amount	High Tolerance Amount	>>>,>>9
high_max	Max High Allowed	Max High Allowed	>9

high_units	High Tolerance Units	High Tolerance Units	x(8)
lower_limit	Lower Limit	Lower Limit	->>>,>>>,>>9.99
low_actual	Actual	Actual	>9
low_amt	Low Tolerance Amount	Low Tolerance Amount	>>>,>>9
low_max	Max Low Allowed	Max Low Allowed	>9
low_units	Low Tolerance Units	Low Tolerance Units	x(8)
notify	Notify	Notify	X(12)
send_email	Send Email	Send Email	yes/no
type	DUOM Type	DUOM Type	x(9)
upper_limit	Upper Limit	Upper Limit	->>>,>>>,>>9.99

INDEX NAME	FIELD	UNI	ASC	
date_read	date_read	no	yes	
duom_code	duom_code	no	yes	
equip_no	equip_no	no	yes	
eq_uom	equip_no duom_code	yes	yes	***Pri Index***
type	type	no	yes	

EQ_UOM_READING

equipment DUOM readings

FIELD NAME	LABEL	COL-LABEL	FORMAT
alarm	Alarm?	Alarm?	yes/no
alarm_type	Alarm Type	Alarm Type	x(8)
cm_wo	WO No	WO No	>>>>>>>>9
date_read	Date Read	Date Read	99/99/9999
duom_code	DUOM	DUOM	x(6)
equip_no	Equip No	Equip No	x(20)
itime_read	Time Read	Time Read	>>>>9
reading	Reading	Reading	->>>,>>>,>>9.99
read_by	Read By	Read By	x(12)
replaced	Replaced?	Replaced?	yes/no
time_read	Time Read	Time Read	x(8)
usage	Usage	Usage	->>>,>>>,>>9.99
wih_no	Inst List No	Inst List No	>>>>>>>>9
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
duom_code	duom_code	no	yes	
eq_dr_uom	equip_no date_read duom_code	no	yes	
eq_duom_dr_itr	equip_no duom_code date_read itime_read	no	yes	***Pri Index***
wo_wih_eq_duom_dr_itr	wo_no wih_no equip_no duom_code date_read	no	yes	

itime_read

EQ_UOM_SUMMARY

equipment DUOM usage summary per year/month

FIELD NAME	LABEL	COL-LABEL	FORMAT
duom_code	DUOM	DUOM	x(6)
equip_no	Equip No	Equip No	x(20)
usage	Usage	Usage	->>>,>>>,>>9.99
usage_high	High	High	>>>,>>9
usage_low	Low	Low	->,>>>,>>9
year_summary	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
duom_code	duom_code	no	yes	
equip_no	equip_no	no	yes	
eq_uom_yr	equip_no duom_code year_summary	yes	yes	***Pri Index***

EQPT_WARR

equipment warranty information

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assy_code	Assembly	Assembly	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
duom_code	DUOM	DUOM	X(6)
equip_no	Equip No	Equip No	x(20)
est_exp_date	Est Exp Date	Est Exp Date	99/99/9999
exp_duom	Exp DUOM	Exp DUOM	->>>,>>>,>>9.99
exp_mthd	Exp Method	Exp Method	X(1)
installed	Installed Date	Installed Date	99/99/9999
issued	Date Issued	Date Issued	99/99/9999
notify	Notify	Notify	X(12)
part_no	Part No	Part No	x(20)
poi_no	Req No	Req No	>>>>>>>>9
po_no	PO No	PO No	>>>>>>>>9
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
status_code	Status	Status	X(3)
sys_code	System	System	X(5)
warranty	Warr Date	Warr Date	99/99/9999
warr_desc	Description	Description	X(30)
warr_no	Warr No	Warr No	>>9
warr_warn_days	Warning Days	Warning Days	>>9

INDEX NAME	FIELD	UNI	ASC	
assy_code	assy_code	no	yes	
equip_warr	equip_no	yes	yes	***Pri Index***
	warr_no			
eq_part_site	equip_no	no	yes	
	part_no			
	site_code			
notify	notify	no	yes	
part_no	part_no	no	yes	
part_site	part_no	no	yes	
	site_code			
poi_site	poi_no	no	yes	
	site_code			
po_site	po_no	no	yes	
	site_code			
site	site_code	no	yes	
sys_assy	sys_code	no	yes	
	assy_code			
sys_code	sys_code	no	yes	
warr_no	warr_no	no	yes	

EQUIP_DESC

equipment and inventory descriptors with specifications

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
desc_code	Descriptor	Descriptor	X(15)
key_no	Equip No/Part No	Equip No/Part No	x(20)
kind	Kind	Kind	X(1)
site_code	Site	Site	X(8)
specs	Specifications	Specifications	X(4000)

INDEX NAME	FIELD	UNI	ASC	
desc_code	desc_code	no	yes	
key_site_kind_desc	key_no	yes	yes	***Pri Index***
	site_code			
	kind			
	desc_code			

EQUIP_DOWN

equipment down time

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assy_code	Assembly	Assembly	X(5)

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cost_hr	Lost Oppor Rate	Lost Oppor Rate	>,>>>,>>9.99
date_stamp	Date Stamp	Date Stamp	x(15)
down_code	Reason	Reason	x(10)
dtime	Down Time	Down Time	xx:xx
edate	End Date	End Date	99/99/9999
endtime	End Time	End Time	X(8)
equip_no	Equip No	Equip No	x(20)
failure_code	Failure	Failure	x(10)
hh	Down Time	Down Time	>>9
hours	Hours Down	Hours Down	>>9.99
line_no	Line No	Line No	>>>>>>9
method	Method	Method	X(1)
mm	Min	Min	99
repair_code	Repair	Repair	x(10)
sch	Sch Down?	Sch Down?	yes/no
sdate	Date	Date	99/99/9999
shift_code	Shift	Shift	X(10)
site_code	Site	Site	X(8)
stime	Start Time	Start Time	X(8)
sys_code	System	System	X(5)
tot_cost	Cost	Cost	>>>,>>>,>>9.99
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
date_stamp	date_stamp	no	yes	
down_code	down_code	no	yes	
equip_line_sdate	equip_no line_no sdate	yes	yes	***Pri Index***
equip_sdate	equip_no sdate	no	yes	
fail_code	failure_code	no	yes	
repair-code	repair_code	no	yes	
site	site_code	no	yes	
sys_code	sys_code	no	yes	
wo_no	wo_no	no	yes	

EQUIP_FAILURE

equipment failure analysis

FIELD NAME	LABEL	COL-LABEL	FORMAT
alarm	Alarm	Failure!Alarm	x(3)
cnt_wo	WO Count	WO !Count	>>>9
dwn_acost	Avg Cost	Avg!Cost	>>>,>>9
dwn_ahrs	Avg Down	Avg!Down	>>>,>>9
dwn_cnt	?	?	>>>,>>9
dwn_cost	?	?	>,>>>,>>9
dwn_hrs	Down Hrs	Down Hrs	>>>,>>9
equip_no	Equip No	Equip No	x(20)

exp_next	Next Exp Fail	Expected!Failure	99/99/9999
failure_code	Failure	Failure!Code	x(10)
fst_wo	?	?	99/99/9999
lst_wo	?	?	99/99/9999
mtbf	Mean Time	Mean Time!b/w Failure	>>>9
pm_next	PM Due Date	PM Due!Date	99/99/9999
pm_no	PM Template No	Preventing!PM No.	>>>>>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
cnt_wo	cnt_wo	no	yes	
dwn_acost	dwn_acost	no	yes	
dwn_ahrs	dwn_ahrs	no	yes	
eq_fail	equip_no failure_code	yes	yes	***Pri Index***
exp_next	exp_next	no	no	
failure_code	failure_code	no	yes	
mtbf	mtbf	no	yes	
pm_next	pm_next	no	no	
pm_site	pm_no site_code	no	yes	
site	site_code	no	yes	

EQUIP_PROC

equipment safety procedures

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
equip_no	Equip No	Equip No	x(20)
pih_no	Procedure	Procedure	>>>>9
print_wo	Print?	Print?	yes/no

INDEX NAME	FIELD	UNI	ASC	
equip_pih	equip_no pih_no	yes	yes	***Pri Index***
pih_no	pih_no	no	yes	

EQUIP_PROD

equipment products

FIELD NAME	LABEL	COL-LABEL	FORMAT
equip_no	Equip No	Equip No	x(20)
prod_no	Product No	Product No	X(18)

INDEX NAME	FIELD	UNI	ASC	
equip_no	equip_no	no	yes	
equip_prod	equip_no prod_no	yes	yes	***Pri Index***

prod_no	prod_no	no	yes

EQUIP_PROD_HRS

equipment production hours

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
char_hours	Prod Hrs	Prod Hrs	xx:xx
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
date	Date	Date	99/99/9999
equip_no	Equip No	Equip No	x(20)
hours	Prod Hrs	Prod Hrs	>>9.99

INDEX NAME	FIELD	UNI	ASC	
equip_date-d	equip_no date	no	yes	***Pri Index***

EQUIP_PROD_LOAD

equipment production hours loaded using the production hours load module

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	X(30)
date	Date	Date	99/99/9999
equip_no	Equip No	Equip No	x(20)
hours	Prod Hrs	Prod Hrs	>>9.99
loaded	Loaded?	Loaded?	yes/no

INDEX NAME	FIELD	UNI	ASC	
equip-date-d	equip_no date	no	yes	***Pri Index***
loaded	loaded		no yes	

EQUIP_ROTABLE

Rotable parts that have been assigned to a piece of equipment

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
equip_no	Equip No	Equip No	x(20)

installed	Installed Date	Installed Date	99/99/9999
life_exp	Life Expct	Life Expct	>9
make	Asset No	Asset No	x(15)
manuf_code	Manufacturer	Manufacturer	x(15)
model	Model No	Model No	x(15)
orig_cost	Acquisit'n Cost	Acquisit'n Cost	>>>,>>>,>>>.99
part_no	Part No	Part No	x(20)
po_no	PO No	PO No	>>>>>>>>9
purchased	Purchased Date	Purchased Date	99/99/9999
removed	Retired Date	Retired Date	99/99/9999
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
equip_part_serial_manuf	equip_no part_no serial_no manuf_code	yes	yes	
manuf	manuf_code	no	yes	
site_equip	site_code equip_no	no	yes	
site_part_serial_manuf	site_code part_no serial_no manuf_code	no	yes	***Pri Index***
site_po	site_code po_no	no	yes	
vendor	vendor_no	no	yes	

EQUIPMENT

equipment master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Labor Acct No	Labor Acct No	x(13)
acct_noc	Cont Acct No	Cont Acct No	x(13)
acct_nop	Matl Acct No	Matl Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
ancester	?	?	x(20)
asset_date	Asset Create Date	Asset Create Date	99/99/9999
asset_installed	Installed Date	Installed Date	99/99/9999
asset_life_exp	Life Expct	Life Expct	>9
asset_make	Asset No	Asset No	x(15)
asset_manuf_code	Manufacturer	Manufacturer	x(15)
asset_model	Model No	Model No	x(15)
asset_orig_cost	Acquisit'n Cost	Acquisit'n Cost	>>>,>>>,>>>.99
asset_po_no	PO No	PO No	>>>>>>>>9
asset_purchased	Purchased Date	Purchased Date	99/99/9999
asset_qty	Quantity	Quantity	>>>,>>>,>>>.99
asset_serial_no	Serial No	Serial No	x(20)

asset_upd_date	Asset Last Update	Asset Last Update	99/99/9999
asset_vendor_no	Vendor No	Vendor No	x(10)
bom_code	BOM Type	BOM Type	X(5)
book_value	Book Value	Book Value	>>>,>>>,>>>.99
catalog	Catalog	Catalog	x(10)
categ_code	Category	Category	X(2)
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_10	?	?	X(10)
char_11	?	?	X(20)
char_12	?	?	X(20)
char_13	?	?	X(10)
char_14	?	?	X(10)
char_15	?	?	X(20)
char_16	?	?	X(20)
char_17	?	?	X(10)
char_18	?	?	X(10)
char_19	?	?	X(20)
char_2	?	?	X(10)
char_20	?	?	X(20)
char_21	?	?	X(10)
char_22	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
char_5	?	?	X(10)
char_6	?	?	X(10)
char_7	?	?	X(20)
char_8	?	?	X(20)
char_9	?	?	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
county	County	County	x(20)
curr_code	Currency	Currency	X(5)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dec_3	?	?	->>,>>9.99
dec_4	?	?	->>,>>9.99
dec_5	?	?	->>,>>9.99
dec_6	?	?	->>,>>9.99

dec_7	?	?	->>,>>9.99
dec_8	?	?	->>,>>9.99
dept_code	Dept	Dept	X(10)
dtcosthr	Lost Oppor Rate	Lost Oppor Rate	>,>>>,>>9.99
dtemplate	Production Sch	Production Sch	x(20)
equip_no	Equip No	Equip No	x(20)
eq_desc	Description	Description	x(30)
exp_site	Expense Site	Expense Site	X(8)
fail_type	Failure Type	Failure Type	X(5)
family	?	?	yes/no
init_life	Initial Lifetime	Initial Lifetime	>>>,>>>,>>9
init_yr	Initial Annual	Initial Annual	>>>,>>>,>>9
installed	Installed Date	Installed Date	99/99/9999
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_no	Job No	Job No	x(15)
last_refresh	Date/Time	Date/Time	X(16)
level	?	?	9
life_basis	Lifetime Basis	Lifetime Basis	>>>,>>>,>>9
life_curr_basis	Current (Lifetime)	Current (Lifetime)	>>>,>>>,>>9
life_exp	Life Expct	Life Expct	>9
location	Location	Location	x(10)
locked_equip	Locked?	Locked?	yes/no
log_1	?	?	yes/no
make	Asset No	Asset No	x(15)
manual	Manual	Manual	x(20)
manuf_code	Manufacturer	Manufacturer	x(15)
model	Model No	Model No	x(15)
new_asset	New Asset?	New Asset?	yes/no
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
orig_cost	Acquisit'n Cost	Acquisit'n Cost	>>>,>>>,>>>.99
owner	Owner	Owner	X(12)
parent_no	Parent No	Parent No	x(20)
parent_yn	Parent?	Parent?	yes/no
plan_code	Planner	Planner	x(11)
po_no	PO No	PO No	>>>>>>>>9
pri	Priority	Priority	x(2)
profile_id	Profile ID	Profile ID	x(12)
proj_no	Project No	Project No	x(8)
purchased	Purchased Date	Purchased Date	99/99/9999
removed	Retired Date	Retired Date	99/99/9999
replcmt_value	Replcmt Value	Replcmt Value	>>>,>>>,>>>.99
resp_code	Resp	Resp	x(11)
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
status_code	Status	Status	x(2)
sub_acct_no	Labor Sub Acct	Labor Sub Acct	x(13)
sub_acct_noc	Cont Sub Acct	Cont Sub Acct	x(13)
sub_acct_nop	Matl Sub Acct	Matl Sub Acct	x(13)
tax_auth_loc	Tax Auth Loc	Tax Auth Loc	X(10)

type_code	Type	Type	x(5)
upd_asset	New Asset?	New Asset?	yes/no
upd_child	Upd Children?	Upd Children?	yes/no
vendor_no	Vendor No	Vendor No	x(10)
weight	Weight	Weight	>>>,>>9
wo_basis	WO Basis	WO Basis	->,>>>,>>9
wo_owner	WO Owner	WO Owner	X(12)
wt_uom	Weight UOM	Weight UOM	X(6)
yrmade	Yr Made	Yr Made	9999
yr_basis	Annual Basis	Annual Basis	>>>,>>>,>>9
yr_curr_basis	Current (Annual)	Current (Annual)	>>>,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
acct_no	acct_no	no	yes	
acct_noc	acct_noc	no	yes	
acct_nop	acct_nop	no	yes	
ancester	ancester	no	yes	
asset_manuf_code	asset_manuf_co	no	yes	
asset_serial_no	asset_serial_n	no	yes	
asset_vendor	asset_vendor_n	no	yes	
bom	bom_code	no	yes	
catalog	catalog	no	yes	
categ_code	categ_code	no	yes	
cc	cc	no	yes	
cc_site	cc	no	yes	
	site_code			
char_1	char_1	no	yes	
char_2	char_2	no	yes	
curr_code	curr_code	no	yes	
dec_1	dec_1	no	yes	
dec_2	dec_2	no	yes	
dept_code	dept_code	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
eq_desc	eq_desc	no	yes	
exp_site	exp_site	no	yes	
fail_type	fail_type	no	yes	
int_1	int_1	no	yes	
int_2	int_2	no	yes	
location	location	no	yes	
location_site	location	no	yes	
	site_code			
manufact	manuf_code	no	yes	
notify	notify	no	yes	
owner	owner	no	yes	
parent_no	parent_no	no	yes	
plan_code	plan_code	no	yes	
po_site	po_no	no	yes	
	site_code			
pri	pri	no	yes	
proj_site	proj_no	no	yes	
	site_code			

resp_code	resp_code	no	yes
serial_no	serial_no	no	yes
site_code	site_code	no	yes
site_eq	site_code equip_no	no	yes
status_code	status_code	no	yes
sub_acct_no	sub_acct_no	no	yes
sub_acct_noc	sub_acct_noc	no	yes
sub_acct_nop	sub_acct_nop	no	yes
tax_auth_loc	tax_auth_loc	no	yes
type_code	type_code	no	yes
vendor_no	vendor_no	no	yes
wo_owner	wo_owner	no	yes
wt_uom	wt_uom	no	yes
yrmade	yrmade	no	yes

EVENTS

event codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
event	Event	Event	x(10)
event_end	Ending Date	Ending Date	99/99/9999
event_start	Starting Date	Starting Date	99/99/9999

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
event	event	yes	yes	***Pri Index***

EXCHANGES

list of exchanges for EAOnet; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
cAboutUrl	URL	URL	X(70)
cExchangeDesc	Description	Description	X(30)
cExchangeName	Name	Name	X(30)
iExchangeId	Exchange ID	Exchange ID	>>>9

INDEX NAME	FIELD	UNI	ASC	
iExchangeId	iExchangeId	yes	yes	***Pri Index***

EXP_HIST

expedite letter history

FIELD NAME	LABEL	COL-LABEL	FORMAT
comment	Comment	Comment	X(60)
fax_date	Date Faxed	Date Faxed	99/99/9999

fax_time	Time Faxed	Time Faxed	>>>>9
letter_code	Letter	Letter	X(10)
poi_no	Req No	Req No	>>>>>>>>9
po_no	PO No	PO No	>>>>>>>>9
sent_date	Date	Date	99/99/9999
sent_id	User ID	User ID	X(12)
sent_time	Time	Time	>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_poi_let_d_t_id	site_code	yes	yes	***Pri Index***
	poi_no			
	letter_code			
	sent_date			
	sent_time			
	sent_id			

EXP_LETTERS

expedite letter codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
before_or_after	?	?	X(1)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
filename	File Name	File Name	X(97)
from_days	From	From	>>9
letter_code	Letter	Letter	X(10)
loop_fields	Iterative Field List	?	x(1000)
merge_fields	Merge Field List	?	x(1000)
to_days	To	To	>>9

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
letter_code	letter_code	yes	yes	***Pri Index***

FA_REVISION

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
asset_desc	Description	Description	x(8)
class	Class	Class	x(8)
comments	Comments	Comments	x(8)
curr_cap_amt	Curr Cap Amount	Curr Cap Amount	>>>,>>>,>>>,>>9.99
dom_code	Domain	Domain	x(8)

fa_id	Fixed Asset ID	Fixed Asset ID	x(20)
job_no	Job No	Job No	x(15)
location	Location	Location	x(8)
orig_cap_amt	Orig Cap Amount	Orig Cap Amount	>>>,>>>,>>>,>>9.99
orig_cap_date	Orig Cap Date	Orig Cap Date	99/99/9999
proj_no	Project No	Project No	x(8)
revision	Revision	Revision	>>>,>>9
serv_date	Service Date	Service Date	99/99/9999
site_code	Site	Site	X(8)
total_spent	Total Spent	Total Spent	>>>,>>>,>>>,>>9.99
uncap_amt	Uncapitalized Amount	Uncapitalized Amount	>>>,>>>,>>>,>>9.99

INDEX NAME	FIELD	UNI	ASC	
site_proj_fa_rev	site_code	yes	yes	***Pri Index***
	proj_no			
	fa_id			
	revision			

FA_XREF

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
asset_desc	Description	Description	x(8)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class	Class	Class	x(8)
curr_cap_amt	Curr Cap Amount	Curr Cap Amount	>>>,>>>,>>>,>>9.99
dom_code	Domain	Domain	x(8)
fa_id	Fixed Asset ID	Fixed Asset ID	x(20)
job_no	Job No	Job No	x(15)
location	Location	Location	x(8)
orig_cap_amt	Orig Cap Amount	Orig Cap Amount	>>>,>>>,>>>,>>9.99
orig_cap_date	Orig Cap Date	Orig Cap Date	99/99/9999
posted	Posted?	Posted?	yes/no
proj_no	Project No	Project No	x(8)
serv_date	Service Date	Service Date	99/99/9999
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
fa_id	fa_id	yes	yes	
site_proj_fa	site_code	yes	yes	***Pri Index***
	proj_no			
	fa_id			

FAILTYPETOCODE

failures that make up failure types

FIELD NAME	LABEL	COL-LABEL	FORMAT
failure_code	Failure	Failure	x(10)
fail_type	Failure Type	Failure Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
fail_type_code	fail_type failure_code	yes	yes	***Pri Index***

FAILURE

failure codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
failure_code	Failure	Failure	x(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
failure_code	failure_code	yes	yes	***Pri Index***

FAILURE_TYPE

failure type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
fail_type	Failure Type	Failure Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
fail_type	fail_type	yes	yes	***Pri Index***

FAILURETOREPAIR

repairs that make up failure types

FIELD NAME	LABEL	COL-LABEL	FORMAT
fail_type	Failure Type	Failure Type	X(5)
repair_code	Repair	Repair	x(10)

INDEX NAME	FIELD	UNI	ASC	
fail-repair	fail_type	yes	yes	***Pri Index***

repair_code

FIELDSTOQUEUE

maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
FieldId	Field Id	?	->,>>>,>>9
FieldValue	Field Value	?	x(2048)
QueueId	Queue Id	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
FieldId	FieldId	no	yes	
QueueId-FieldId	QueueId FieldId	yes	yes	***Pri Index***

FILT_DEFAULT

user default filters per screen

FIELD NAME	LABEL	COL-LABEL	FORMAT
filter_type	Type	Type	X(1)
fltname	Filter Name	Filter Name	X(15)
scrname	Screen Name	Screen Name	X(30)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
user_scr_type	user_id scrname filter_type	yes	yes	***Pri Index***

FILT_GRP

filters that make up filter groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
filt_grp_no	Filter Grp No	Filter Grp No	X(10)
fltname	Filter Name	Filter Name	X(15)
scrname	Screen Name	Screen Name	X(30)

INDEX NAME	FIELD	UNI	ASC	
grp_name_scr	filt_grp_no fltname scrname	yes	yes	***Pri Index***

FILT_GRP_HDR

filter group headers

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
filt_grp_desc	Description	Description	X(30)

filt_grp_no	Filter Grp No	Filter Grp No	X(10)

INDEX NAME	FIELD	UNI	ASC	
filt_grp_desc	filt_grp_desc	no	yes	
filt_grp_no	filt_grp_no	yes	yes	***Pri Index***

FORM_DOCS

list of documents available for forms packages; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
document	Document	Document	X(40)

INDEX NAME	FIELD	UNI	ASC	
document	document	yes	yes	***Pri Index***

FORM_JOBS

form jobs for documents per site

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
base_job	Base Job Name	Base Job Name	X(15)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
document	Document	Document	X(40)
job_default	Default?	Default?	yes/no
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
doc_job_site	document base_job site_code	yes	yes	***Pri Index***

HIST_EXRATE

historical exchange rate detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
accum_base_amt	Amount	Amt	->>>>,>>>,>>9.9<<<<<<<
accum_usd_amt	Amount	Amt	->>>>,>>>,>>9.9<<<<<<
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
base_amt	Amount	Amt	->>>>,>>>,>>9.9<<<<<<<
base_curr_code	Currency	Cur	X(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
date_stamp	Date Stamp	Date Stamp	x(15)

dec_1	?	?	->>>>,>>>,>>9.9<<<<<<<
dec_2	?	?	->>>>,>>>,>>9.9<<<<<<<
ent_code	Entity	Entity	x(4)
glt_date	Date	Date	99/99/9999
gl_line	Line	Line	>>>9
gl_ref	GL Reference	Ref	x(14)
hist_no	Hist No	Hist No	>>>>>>>>9
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_no	Job No	Job No	x(15)
log_1	?	?	yes/no
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)
tr_amt	Amount	Amt	->>>>,>>>,>>9.9<<<<<<<
tr_base_exrate	Exchange Rate	Ex Rate	>>>>,>>>,>>9.9<<<<<<<<
tr_curr	Currency	Cur	x(3)
tr_usd_exrate	Exchange Rate	Ex Rate	>>>>,>>>,>>9.9<<<<<<<<
usd_amt	Amount	Amt	->>>>,>>>,>>9.9<<<<<<
usd_curr_code	Currency	Cur	X(5)

INDEX NAME	FIELD	UNI	ASC	
proj_job	site_code	yes	yes	***Pri Index***
	ent_code			
	acct_no			
	proj_no			
	job_no			
	hist_no			

HOLIDAY

holiday codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
edate	End Date	End Date	99/99/9999
hday	Holiday	Holiday	x(30)
sdate	Start Date	Start Date	99/99/9999

INDEX NAME	FIELD	UNI	ASC	
hday	hday	no	yes	
sdate	sdate	yes	yes	***Pri Index***

INTER_ACCT

inter-company accounts

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
add_date	Add Date	Add Date	99/99/9999

add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
from_site_code	From Site	From Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
to_site_code	To Site	To Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
from_to_site	from_site_code to_site_code	yes	yes	***Pri Index***

INV_MSTR

inventory templates

FIELD NAME	LABEL	COL-LABEL	FORMAT
abc	ABC Code	ABC Code	x(1)
acct_adj	Adj Acct No	Adj Acct No	x(13)
acct_no	Asset Acct No	Asset Acct No	x(13)
acct_noe	Exp Acct No	Exp Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Area	Area	x(20)
auto_iss	Auto Issue?	Auto Issue?	yes/no
buyer	Buyer	Buyer	X(11)
catalog	Catalog	Catalog	X(6)
cc	Asset Cost Cntr	Asset Cost Cntr	X(5)
cc_adj	Adj Cost Center	Adj Cost Center	X(5)
cc_exp	Exp Cost Center	Exp Cost Center	X(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Class	Class	x(10)
comm_code	Commodity	Commodity	X(15)
consign	Consignment?	Consignment?	yes/no
critical	Critical?Critical?		yes/no
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99

cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_adj	Adj Dept	Adj Dept	X(10)
dept_code	Asset Dept	Asset Dept	X(10)
dept_exp	Exp Dept	Exp Dept	X(10)
est_freight	Est Freight	Est Freight	>>9.99%
exp_site	Expense Site	Expense Site	X(8)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
lead_days	Lead Days	Lead Days	>>9
log_1	?	?	yes/no
manuf_code	Manufacturer	Manufacturer	X(15)
manuf_part_no	Manuf Part No	Manuf Part No	x(50)
mgt_goal	Mgt Max Qty	Mgt Max Qty	>,>>>,>>>.99
msds_code	MSDS No	MSDS No	X(10)
notify	Notify	Notify	X(12)
notify_below	Notify Below	Notify Below	yes/no
ordunit	Order Unit	Order Unit	>>,>>9.99
ord_uom_code	Order UOM	Order UOM	x(6)
ovhd_code	OH Group	OH Group	X(5)
part_no	Inv Mstr No	Inv Mstr No	x(20)
phy_due	Physical Due	Physical Due	99/99/9999
plan_code	Planner	Planner	x(11)
po_text	PO Text	PO Text	X(8)
pri_vend	Pri Vendor	Pri Vendor	x(10)
pri_vpart_no	Vendor Part No	Vendor Part No	X(20)
pt_desc	Description	Description	x(30)
pt_status	Status	Status	x(2)
reord_pt	Reorder Point	Reorder Point	>>,>>>.99
reord_qty	Min Order Qty	Min Order Qty	>>,>>>.99
safety_st	Safety Stock	Safety Stock	>>,>>>.99
serialized	Rotable?	Rotable?	yes/no
size_code	Size	Size	X(15)
sole_source	Sole Source?	Sole Source?	yes/no
source	Source	Source	X(9)
sub_acct_adj	Adj Sub Acct No	Adj Sub Acct No	X(13)
sub_acct_no	Asset Sub Acct	Asset Sub Acct	X(13)
sub_acct_noe	Exp Sub Acct No	Exp Sub Acct No	X(13)
sub_catalog	Sub Catalog	Sub Catalog	X(6)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tclass_code	Tax Class	Tax Class	x(8)
type_code	Type	Type	x(5)
uom_code	Issue UOM	Issue UOM	x(6)
uom_cost	Cost	Cost	>,>>>,>>9.99999
usage_code	Tax Usage	Tax Usage	x(8)
warrantied	Warrantied?	Warrantied?	yes/no
weight	Weight	Weight	>>>,>>9.99

wt_uom	Weight UOM	Weight UOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
abc	abc	no	yes	
acct_no	acct_no	no	yes	
buyer	buyer	no	yes	
catalog	catalog	no	yes	
cc	cc	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
class_code	class_code	no	yes	
comm_code	comm_code	no	yes	
consign	consign	no	yes	
critical	critical	no	yes	
dec_1	dec_1	no	yes	
dec_2	dec_2	no	yes	
dept_code	dept_code	no	yes	
est_freight	est_freight	no	yes	
int_1	int_1	no	yes	
int_2	int_2	no	yes	
lead_days	lead_days	no	yes	
log_1	log_1	no	yes	
manuf_code	manuf_code	no	yes	
manuf_part_no	manuf_part_no	no	yes	
msds_code	msds_code	no	yes	
notify	notify	no	yes	
ovhd_code	ovhd_code	no	yes	
part_no	part_no	yes	yes	***Pri Index***
plan_code	plan_code	no	yes	
pri_vend	pri_vend	no	yes	
pri_vpart_no	pri_vpart_no	no	yes	
pt_desc	pt_desc	no	yes	
serialized	serialized	no	yes	
size_code	size_code	no	yes	
sole_source	sole_source	no	yes	
source	source	no	yes	
sub_acct_no	sub_acct_no	no	yes	
sub_catalog	sub_catalog	no	yes	
taxable	taxable	no	yes	
tax_code	tax_code	no	yes	
tclass_code	tclass_code	no	yes	
type_code	type_code	no	yes	
usage_code	usage_code	no	yes	

JOB_TYPE

Job Type

FIELD NAME	LABEL	COL-LABEL	FORMAT
description	Description	Description	X(30)
type_code	Job Type	Job Type	X(15)

INDEX NAME	FIELD	UNI	ASC	
type_code	type_code	yes	yes	***Pri Index***

LAB_DETA

labor distribution detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Rebuild	Rebuild	X(20)
assy_code	Assembly	Assembly	X(5)
cc	Cost Center	Cost Center	x(5)
char_tottime	Time	Time	x99:99
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(40)
craft_no	Craft	Craft	x(5)
curr_code	Currency	Currency	X(5)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_chr05	?	?	x(8)
cust_chr06	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
cust_log02	?	?	yes/no
date	Date	Date	99/99/9999
date_stamp	Date Stamp	Date Stamp	x(15)
dept_code	Dept	Dept	x(10)
emp_no	Emp No	Emp No	x(11)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999999
exp_site	Expense Site	Expense Site	X(8)
fail_type	Failure Type	Failure Type	X(5)
job_no	Job No	Job No	x(15)
lab_burden	Labor Burden	Labor Burden	->>,>>9.99
line_no	Item	Item	>9
mfgpost_code	?	?	x(1)
name	Name	Name	x(31)
ovhd_code	OH Group	OH Group	X(5)
part_no	Rotable Part	Rotable Part	x(20)
paya_code	Pay Add Code	Pay Add Code	X(2)
paym_code	Pay Mult Code	Pay Mult Code	X(5)

period	Period	Period	>>9
posted	Posted?	Posted?	yes/no
prod_no	Product No	Product No	X(18)
proj_no	Project No	Project No	x(8)
quarter	Quarter	Quarter	9
reccnt	Record count	Record count	>9
reg_rate	Reg Rate	Reg Rate	>>,>>9.99
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
start	Start Date	Start Date	99/99/9999
stime	Start Time	Start Time	>,>>>,>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
tax_paid	Tax Paid	Tax Paid	>,>>>,>>9.99
tottime	Total Reg Time	Total Reg Time	->>>9.99
tot_cost	Total Cost	Total Cost	->,>>>,>>9.99
to_site	To Site	To Site	X(8)
trans_curr	Trans Currency	Trans Currency	X(5)
trans_curr_cost	Total Cost	Total Cost	->>>,>>9.99
vendor_no	Vendor	Vendor	x(10)
wo_no	WO No	WO No	>>>>>>>>9
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
acct_no	acct_no	no	yes	
area	area	no	yes	
area_site	area site_code	no	yes	
assy_code	assy_code	no	yes	
cc	cc	no	yes	
cc_site	cc site_code	no	yes	
craft_no	craft_no	no	yes	
cust_site	cust_chr04 site_code	no	yes	
cust_site_date-d	cust_chr04 site_code date	no	yes	
date-d	date	no	no	
date_stamp	date_stamp	no	yes	
dept_code	dept_code	no	yes	
dept_site	dept_code site_code	no	yes	
emp_no	emp_no	no	yes	
emp_rec_date	emp_no reccnt date	yes	yes	***Pri Index***
emp_site_cust_post_date-d	emp_no site_code cust_log02	no	yes	

	posted date		
emp_site_date-d	emp_no site_code date	no	yes
equip_no	equip_no	no	yes
exp_site	exp_site	no	yes
fail_type	fail_type	no	yes
job_no	job_no	no	yes
ovhd_code	ovhd_code	no	yes
part_no	part_no	no	yes
paym_code	paym_code	no	yes
prod_no	prod_no	no	yes
proj_no	proj_no	no	yes
proj_site	proj_no site_code	no	yes
proj_to_date-d	proj_no to_site date	no	yes
serial_no	serial_no	no	yes
site	site_code	no	yes
site_cust_post_date-d	site_code cust_log02 posted date	no	yes
site_date-d	site_code date	no	yes
site_pt_ser_wo_d_t	site_code part_no serial_no wo_no start stime	no	yes
site_req_line	site_code req_grp_no line_no	no	yes
site_stamp	site_code date_stamp	no	yes
site_wo_date	site_code wo_no date	no	yes
sub_acct_no	sub_acct_no	no	yes
sys_assy	sys_code assy_code	no	yes
sys_code	sys_code	no	yes
to_site	to_site	no	yes
to_wo-d	to_site wo_no	no	yes
wo_no	wo_no	no	yes
wo_no-d	wo_no	no	no
wo_site	wo_no	no	yes

	site_code		
wo_to_site_date-d	wo_no	no	no
	to_site		
	site_code		
	date		

LANG_TRANS

translations for required MLS data; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
english	English	?	X(50)
language	Language	?	X(15)
max_length	Max Length	?	>>9
translated	Translated	?	X(50)

INDEX NAME	FIELD	UNI	ASC	
eng_lang	english	yes	yes	***Pri Index***
	language			
lang_trans	language	no	yes	
	translated			

Note:Tables LEVEL_0 through LEVEL_9 not used for equipment parent/child

LANGUAGE

language codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
avail_in_mls	Available?	Available?	yes/no
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
erp_langcode	ERP lang code	ERP Lang Code	x(8)
lang_code	Language	Language	X(2)
lang_default	Default?	Default?	yes/no
lang_name	Language	Language	X(15)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
erp_langcode	erp_langcode	no	yes	
lang_code	lang_code	yes	yes	***Pri Index***
lang_default	lang_default	no	yes	

LEVEL_0

equipment level 0 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no

level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_1

equipment level 1 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_2

equipment level 2 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_3

equipment level 3 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC
anc_par	ancester parent	no	yes

equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_4

equipment level 4 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_5

equipment level 5 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_6

equipment level 6 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_7

equipment level 7 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_8

equipment level 8 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LEVEL_9

equipment level 9 for parent-child relationship

FIELD NAME	LABEL	COL-LABEL	FORMAT
ancester	?	?	x(20)
equip_no	Equip No	Equip No	x(20)
family	?	?	yes/no
level	?	?	9
parent	?	?	x(20)

INDEX NAME	FIELD	UNI	ASC	
anc_par	ancester parent	no	yes	
equip_no	equip_no	yes	yes	***Pri Index***
parent	parent	no	yes	

LIST_REV

OBSOLETE

FIELD NAME	LABEL	COL-LABEL	FORMAT
comment	Comment	Comment	X(4000)
list_no	List No	List No	>>>>>>>>9

rev_date	Date	Date	99/99/9999
rev_id	User ID	User ID	x(12)
rev_no	Revision	Revision	X(10)
rev_time	Time	Time	>>>>9
type_code	Type	Type	X(1)

INDEX NAME	FIELD	UNI	ASC	
list_type_rev	list_no type_code rev_no	yes	yes	***Pri Index***

LOCATIONS

equipment location codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
location	Equip Location	Equip Location	x(10)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
site_loc	site_code location	yes	yes	***Pri Index***

MAIL

mail system

FIELD NAME	LABEL	COL-LABEL	FORMAT
action	Action	Action	X(10)
date	Date	Date	99/99/9999
from_id	From	From	x(12)
key_no	Key Field	Key Field	X(20)
mail_code	Mail Code	Mail Code	X(1)
msg_text	?	Message	X(8)
mtime	Time	Time	>>>>>9
priority	Priority	Priority	High/Normal
read	Read?	Read?	yes/no
reviewed	Reviewed	Reviewed	yes/no
site_code	Site	Site	X(8)
status_code	Status	Status	x(2)
subject	Subject	Subject	X(50)
to_id	To	To	x(12)
wait_hrs	Wait Hrs	Wait Hrs	>>>9

INDEX NAME	FIELD	UNI	ASC
from_status_date-d_time-d	from_id status_code	no	yes

	date mtime			
key_code	key_no mail_code	no	yes	
site	site_code	no	yes	
to_read	to_id read	no	yes	
to_status_date-d_time-d	to_id status_code date mtime	no	yes	***Pri Index***

MAIL_BE

FIELD NAME	LABEL	COL-LABEL	FORMAT
BusinessEntityID	Business Entity ID	Business Entity ID	x(40)

INDEX NAME	FIELD	UNI	ASC	
BeID	BusinessEntity	yes	yes	***Pri Index***

MAIL_BE_FIELD

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
BusinessEntityFieldID	Business Entity Field	Business Entity Field	x(40)
BusinessEntityID	Business Entity ID	Business Entity ID	x(40)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
Order	Order	Order	>>>9

INDEX NAME	FIELD	UNI	ASC	
BE_BEField	BusinessEntity BusinessEntity	yes	yes	***Pri Index***

MAIL_FIELDS

list of available fields for user-defined mail; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_list	Field List	?	x(8)
file_desc	Module	Module	X(25)
file_name	File Name	File Name	X(20)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_file	site_code file_name	yes	yes	***Pri Index***

MAIL_GRP

users that make up mail groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
grp_id	Group ID	Group ID	X(12)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
grp_user	grp_id user_id	yes	yes	***Pri Index***
user_id	user_id	no	yes	

MAIL_GRP_HDR

mail group codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
grp_desc	Description	Description	X(30)
grp_id	Group ID	Group ID	X(12)

INDEX NAME	FIELD	UNI	ASC	
grp_desc	grp_desc	no	yes	
grp_id	grp_id	yes	yes	***Pri Index***

MAINT_FIELDS

list of fields displayed on maintenance screens; used for mail_fields an

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_name	Field Name	Field Name	X(20)
file_name	File Name	File Name	X(20)

INDEX NAME	FIELD	UNI	ASC	
file_field	file_name field_name	yes	yes	***Pri Index***

MAND_FIELDS

list of selected mandatory fields for each module and site

FIELD NAME	LABEL	COL-LABEL	FORMAT
action	Action	Action	X(5)
field_list	Field List	?	x(1000)
file_desc	Module	Module	X(25)
file_name	File Name	File Name	X(20)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_file_action	site_code file_name action	yes	yes	***Pri Index***

MANUFACT

manufacturer codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
manuf_code	Manufacturer	Manufacturer	x(15)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
manuf_code	manuf_code	yes	yes	***Pri Index***

MFG_DUOM_CONV

DUOM/MFG/PRO item table

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
duom_code	DUOM	DUOM	X(6)
equip_no	Equip No	Equip No	x(20)
mfg_part	Item Number	Item Number	X(18)
mult	Multiplier	Multiplier	>,>>>,>>9.99999999
value_to_use	Value to Use	Value to Use	X(13)

INDEX NAME	FIELD	UNI	ASC	
equip_no	equip_no	no	yes	
eq_mfg_duom	equip_no mfg_part duom_code	yes	yes	***Pri Index***
mfg_part	mfg_part	no	yes	

MFG_EQUIP

equipment mapping to MFG/PRO

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dom_code	Domain	?	x(8)
equip_no	Equip No	Equip No	x(20)
mfg_mch	Machine	Machine	X(8)

mfg_tool	Tool Code	Tool	X(8)
mfg_wkctr	Work Center	Work Ctr	X(8)

INDEX NAME	FIELD	UNI	ASC	
dom_wkctr_mch_tool	dom_code mfg_wkctr mfg_mch mfg_tool	yes	yes	***Pri Index***
equip_no	equip_no	no	yes	
mfg_wkctr	mfg_wkctr	no	yes	

MFG_OPER

MFG/PRO operation (op_hist) types

FIELD NAME	LABEL	COL-LABEL	FORMAT
site_code	Site	Site	X(8)
type_code	Type	Type	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_type	site_code type_code	yes	yes	***Pri Index***

MFGPRO_DBS

MFG/PRO database logical names

FIELD NAME	LABEL	COL-LABEL	FORMAT
description	Description	Description	X(30)
logical_name	Logical Name	Logical Name	X(8)

INDEX NAME	FIELD	UNI	ASC	
logical_name	logical_name	yes	yes	***Pri Index***

MGLT_DET

general ledger master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
cc	Cost Center	Cost Center	x(5)
curr_code	Currency	Currency	X(5)
date_stamp	Date Stamp	Date Stamp	x(15)
dept_code	Dept	Dept	X(10)
emp_no	Emp No	Emp No	x(11)
ent_code	Entity	Entity	X(4)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
glt_amt	Amount	Amount	->>,>>>,>>>,>>9.99
glt_date	Date	Date	99/99/9999
glt_desc	Description	Description	x(24)
glt_effdate	Effective Date	Effective Date	99/99/9999
glt_line	Line No	Line No	>>>9
glt_ref	Reference	Reference	x(14)
glt_tr_type	Trans Type	Trans Type	x(2)

glt_userid	User ID	User ID	x(12)
inter_site	Inter-Co Site	Inter-Co Site	X(8)
int_ref	Inter-Co Ref	?	X(15)
last_voucher_no	Last Voucher	Last Voucher	x(22)
line_no	Item	Item	>9
lVendorOwned	Vendor Owned?	Vendor Owned?	yes/no
mfgpost_code	?	?	x(1)
mls_code	?	?	x(1)
mls_test	?	?	yes/no
part_no	Part No	Part No	x(20)
period	Period	Period	>>9
poi_no	Req No	Req No	>>>>>>>>9
posted	In MFG/PRO?	In MFG/PRO?	yes/no
po_no	PO No	PO No	>>>>>>>>9
proj_no	Project No	Project No	X(8)
pt_desc	Description	Description	x(30)
quarter	Quarter	Quarter	9
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
site_code	Site	Site	X(8)
source_site	Source Site	Source Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
to_site	To Site	To Site	X(8)
trans_curr	Trans Currency	Trans Currency	X(5)
trans_curr_amt	Amount	Amount	->>,>>>,>>>,>>9.99
unposted_desc	Description	Description	x(24)
valid	Valid?	Valid?	yes/no
vendor_no	Vendor No	Vendor No	x(10)
wo_no	WO No	WO No	>>>>>>>>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
acct_no	acct_no	no	no	
	glt_date			
	date_stamp			
cc_site	cc	no	yes	
	site_code			
date_desc_line	date_stamp	yes	yes	***Pri Index***
	glt_desc			
	glt_line			
date_stamp	date_stamp	no	no	
dept_site	dept_code	no	yes	
	site_code			
emp	emp_no	no	yes	
equip	equip_no	no	yes	
glt_ref	glt_ref	no	yes	
last_voucher	last_voucher_n	no	yes	
part	part_no	no	yes	
poi_site	poi_no	no	yes	
	site_code			
po_no	po_no	no	no	

	glt_date date_stamp		
proj_site	proj_no site_code	no	yes
pt_desc	pt_desc	no	yes
req_no	poi_no glt_date date_stamp	no	no
site	site_code	no	yes
site_acct_date_stamp_line	site_code acct_no glt_date date_stamp glt_line	no	yes
site_amt_date_stamp_line	site_code glt_amt glt_date date_stamp glt_line	no	yes
site_cc_date_stamp_line	site_code cc glt_date date_stamp glt_line	no	yes
site_date_ref	site_code glt_date glt_ref	no	yes
site_date_stamp_line	site_code glt_date date_stamp glt_line	no	yes
site_dept_date_stamp_line	site_code dept_code glt_date date_stamp glt_line	no	yes
site_desc_date_stamp_line	site_code glt_desc glt_date date_stamp glt_line	no	yes
site_emp_date_stamp_line	site_code emp_no glt_date date_stamp glt_line	no	yes
site_eq_date_stamp_line	site_code equip_no glt_date date_stamp glt_line	no	yes

site_iref_date_stamp_line	site_code int_ref glt_date date_stamp glt_line	no	yes
site_isite_date_stamp_line	site_code inter_site glt_date date_stamp glt_line	no	yes
site_part_accts_eff_dstamp	site_code part_no dept_code cc acct_no sub_acct_no glt_effdate date_stamp	no	yes
site_part_date_stamp_line	site_code part_no date_stamp glt_date glt_line	no	yes
site_period_date_stamp_line	site_code no period glt_date date_stamp glt_line	yes	
site_post_date_stamp_line	site_code posted glt_date date_stamp glt_line	no	yes
site_po_date_stamp_line	site_code po_no glt_date date_stamp glt_line	no	yes
site_proj_date_stamp_line	site_code proj_no glt_date date_stamp glt_line	no	yes
site_quarter_date_stamp_line	site_code quarter glt_date date_stamp glt_line	no	yes
site_ref_date_stamp_line	site_code glt_ref glt_date	no	yes

	date_stamp glt_line		
site_req_date_stamp_line	site_code poi_no glt_date date_stamp glt_line	no	yes
site_req_line	site_code req_grp_no line_no	no	yes
site_sub_date_stamp_line	site_code sub_acct_no glt_date date_stamp glt_line	no	yes
site_type_date_stamp_line	site_code glt_tr_type glt_date date_stamp glt_line	no	yes
site_user_date_stamp_line	site_code glt_userid glt_date date_stamp glt_line	no	yes
site_wo_date_stamp_line	site_code wo_no glt_date date_stamp glt_line	no	yes
site_wph_date_stamp_line	site_code wph_no glt_date date_stamp glt_line	no	yes
site_year_date_stamp_line	site_code year glt_date date_stamp glt_line	no	yes
si_multi	site_code acct_no cc dept_code part_no glt_ref sub_acct_no equip_no emp_no proj_no glt_desc	no	yes

	glt_userid		
sub_acct_no	sub_acct_no	no	yes
work_order	wo_no	no	yes

MINORITY

minority codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
min_code	Minority	Minority	x(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
min_code	min_code	yes	yes	***Pri Index***

MOD_BTNS

module buttons for each screen for the dynamic creation of the module ba

FIELD NAME	LABEL	COL-LABEL	FORMAT
btnname	Button Name	Button Name	X(10)
down_graphic	Down File Name	Down File Name	X(30)
ins_graphic	Ins File Name	Ins File Name	X(30)
object	Object	Object	X(8)
order_no	Order No	Order No	>9
scrname	Screen Name	Screen Name	X(50)
s_option	Option	Option	X(25)
up_graphic	Up File Name	Up File Name	X(30)

INDEX NAME	FIELD	UNI	ASC	
order_no	order_no	no	yes	
scr_obj_btn	scrname object btnname	yes	yes	***Pri Index***

MSDS

msds codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
msds_code	MSDS No	MSDS No	X(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
msds_code	msds_code	yes	yes	***Pri Index***

MSGA_MSTR_EAM

Application Message Attachment

FIELD NAME	LABEL	COL-LABEL	FORMAT
msga_filename	File Name	?	x(255)
msga_mimetype	Mime Type	?	x(48)
msga_mod_date	Modified Date	?	99/99/99
msga_mod_userid	User ID	?	x(8)
msga_mstr_ID	?	?	x(40)
msga_size	Size	?	>>>,>>>,>>>,>>>,>>>,>>
msga_url	URL	?	x(255)
msga_user1	User Field Character 1	?	x(24)
msga_user2	User Field Character 2	?	x(24)
msga__qadc01	?	?	x(24)
msga__qadc02	?	?	x(24)
msgm_mstr_ID	?	?	x(40)

INDEX NAME	FIELD	UNI	ASC	
msga_mstr_ID	msga_mstr_ID	yes	yes	
msgm_mstr_ID	msgm_mstr_ID	no	yes	***Pri Index***

MSGM_MSTR_EAM

Application Message Master

FIELD NAME	LABEL	COL-LABEL	FORMAT
msgm_bcc	Bcc	?	x(255)
msgm_cc	Cc	?	x(255)
msgm_content	Content	?	x(255)
msgm_content_type	Content Type	?	x(48)
msgm_date	Date	?	99/99/99
msgm_from	From	?	x(48)
msgm_guid	Message GUID	?	x(42)
msgm_mod_date	Modified Date	?	99/99/99
msgm_mod_userid	User ID	?	x(8)
msgm_mstr_ID	?	?	x(40)
msgm_parent_guid	Parent Message GUID	?	x(42)
msgm_priority	Priority	?	>>>>>>>9
msgm_subject	Subject	?	x(128)
msgm_time	Time	?	>>>>>>>9
msgm_timezone	Time Zone	?	x(8)
msgm_to	To	?	x(255)
msgm_user1	User Field Character 1	?	x(24)
msgm_user2	User Field Character 2	?	x(24)
msgm__qadc01	?	?	x(24)
msgm__qadc02	?	?	x(24)

INDEX NAME	FIELD	UNI	ASC
msgm_from_date	msgm_from	no	yes

	msgm_date			
	msgm_time			
msgm_guid	msgm_guid	yes	yes	***Pri Index***
msgm_mstr_ID	msgm_mstr_ID	yes	yes	

MSGQ_MSTR_EAM

Application Message Queue Master

FIELD NAME	LABEL	COL-LABEL	FORMAT
msgq_desc	Description	?	x(64)
msgq_mod_date	Modified Date	?	99/99/99
msgq_mod_userid	User ID	?	x(8)
msgq_mstr_ID	?	?	x(40)
msgq_name	Name	?	x(32)
msgq_owner	Owner	?	x(8)
msgq_term	Label	?	x(32)
msgq_user1	User Field Character 1	?	x(24)
msgq_user2	User Field Character 2	?	x(24)
msgq_user_queue	User Defined Queue	?	yes/no
msgq__qadc01	?	?	x(24)
msgq__qadc02	?	?	x(24)
oid_msgq_mstr	?	?	>>>>>>>>>>>>>>>>>>>>

INDEX NAME	FIELD	UNI	ASC	
msgq_mstr_ID	msgq_mstr_ID	yes	yes	
msgq_owner	msgq_owner	no	yes	
name_owner	msgq_name	yes	yes	***Pri Index***
	msgq_owner			
oid_msgq_mstr	oid_msgq_mstr	yes	yes	

MSGQD_DET_EAM

Application Message Queue Detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
msgm_mstr_ID	?	?	x(40)
msgqd_det_ID	?	?	x(40)
msgqd_flags	Flags	?	x(255)
msgqd_mod_date	Modified Date	?	99/99/99
msgqd_mod_userid	User ID	?	x(8)
msgqd_user1	User Field Character 1	?	x(24)
msgqd_user2	User Field Character 2	?	x(24)
msgqd_userid	User	?	x(8)
msgqd__qadc01	?	?	x(24)
msgqd__qadc02	?	?	x(24)
msgq_mstr_ID	?	?	x(40)

INDEX NAME	FIELD	UNI	ASC	
msgm_mstr_ID	msgm_mstr_ID	no	yes	
msgqd_det_ID	msgqd_det_ID	yes	yes	
msgqd_userid	msgqd_userid	no	yes	***Pri Index***
msgq_mstr_ID	msgq_mstr_ID	no	yes	

NODE

MLS Buyer tree; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
GraphicIndex	Graphic Index	Graphic Index	>>9
GraphicName	Graphic File Name	Graphic File Name	X(50)
iExchangeId	Exchange ID	Exchange ID	>>>9
Name	Name	Name	X(30)
NodeId	Node ID	Node ID	>>9
Order	Field Order	Field Order	>9
ParentId	Parent ID	Parent ID	>>9
TypeId	Node Type	Node Type	->,>>>,>>9
URL1	URL 1	URL 1	X(50)
URL2	URL 2	URL 2	X(50)
ViewerType	Viewer Type	Viewer Type	>>9
ViewerType2	Viewer Type 2	Viewer Type 2	>>9

INDEX NAME	FIELD	UNI	ASC	
default		no	yes	***Pri Index***

NODEFIELDS

MLS Buyer column headings; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
DataType	Data Type	?	x(20)
FieldId	Field Id	?	->,>>>,>>9
FieldLabel	Field Label	Field Label	X(15)
FieldName	Field Name	?	x(60)

INDEX NAME	FIELD	UNI	ASC	
FieldId	FieldId	yes	yes	***Pri Index***

NODETOFIELD

MLS Buyer column values; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
FieldId	Field Id	?	->,>>>,>>9
Order	Field Order	Field Order	>9
TypeId	Node Type	Node Type	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
default		no	yes	***Pri Index***

NODETYPE

MLS Buyer tree values; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
Description	Description	?	x(20)
TypeClass	Type Class	?	x(62)
TypeId	Node Type	Node Type	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
TypeId	TypeId	yes	yes	***Pri Index***

ORDER_METHOD

order method codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
ordmth	Order Method	Order Method	x(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
ordmth	ordmth	yes	yes	***Pri Index***

OUTLOOKOPTIONS

MLS Buyer outlook bar shortcuts

FIELD NAME	LABEL	COL-LABEL	FORMAT
GroupId	Group ID	Group ID	>>9
GroupName	Outlook Group	Outlook Group	X(15)
NodeId	Node ID	Node ID	>>9
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
default		no	yes	***Pri Index***

OVHD_GRP

overhead rates that make up overhead groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
ovhd_code	OH Group	OH Group	X(5)
rate_code	OH Rate Code	OH Rate Code	X(5)

INDEX NAME	FIELD	UNI	ASC	
ovhd_rate	ovhd_code rate_code	yes	yes	***Pri Index***
rate	rate_code	no	yes	

OVHD_GRP_HDR

overhead group codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
ovhd_code	OH Group	OH Group	X(5)
total_dollar	Total Fixed	Total Fixed	>,>>9.99

total_percent	Total Rate	Total Rate	>>9.9%

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
ovhd_code	ovhd_code	yes	yes	***Pri Index***

OVHD_RATE

overhead rate codes including percentage rate or fixed amount and accoun

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
description	Description	Description	X(30)
fixed_or_rate	Type	Type	X(6)
rate_code	OH Rate Code	OH Rate Code	X(5)
rate_dollar	Fixed Amount	Fixed Amount	>,>>9.99
rate_percent	Rate	Rate	->>,>>9.9%
sub_acct_no	Sub Acct No	Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
acct	acct_no	no	yes	
cc	cc	no	yes	
dept_code	dept_code	no	yes	
description	description	no	yes	
rate_code	rate_code	yes	yes	***Pri Index***
sub_acct	sub_acct_no	no	yes	

OWNER_GRP

users that make up owner groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
grp_id	Owner Group	Owner Group	X(12)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
grp_user	grp_id user_id	yes	yes	***Pri Index***

OWNER_GRP_HDR

owner group codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999

chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
grp_id	Owner Group	Owner Group	X(12)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
grp_id	grp_id	yes	yes	***Pri Index***

PART_CATALOG

part catalog codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
catalog	Part Catalog	Part Catalog	X(6)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
catalog	catalog	yes	yes	***Pri Index***
description	description	no	yes	

PART_CLASS

part class codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Part Class	Part Class	X(10)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
class_code	class_code	yes	yes	***Pri Index***
description	description	no	yes	

PART_HIST

inventory history for an accounting period created when it is closed

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	X(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	X(12)
chg_time	Chg Time	Chg Time	>>>>9

curr_qty	On Hand	On Hand	->,>>>,>>9.99
part_no	Part No	Part No	x(20)
period	Period	Period	>>9
site_code	Site	Site	X(8)
uom_cost	Cost	Cost	>>>,>>>,>>9.99
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
part_no	part_no	no	yes	
site_part_yr_per	site_code	yes	yes	***Pri Index***
	part_no			
	year			
	period			

PART_HIST_CONS

Consignment inventory history for an accounting period created when it i

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	X(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	X(12)
chg_time	Chg Time	Chg Time	>>>>9
curr_qty	On Hand	On Hand	->,>>>,>>9.99
part_no	Part No	Part No	x(20)
period	Period	Period	>>9
site_code	Site	Site	X(8)
uom_cost	Cost	Cost	>>>,>>>,>>9.99
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
part_no	part_no	no	yes	
site_part_yr_per	site_code	yes	yes	***Pri Index***
	part_no			
	year			
	period			

PART_LOC

part location codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
location	Part Location	Part Location	x(10)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
site_loc	site_code location	yes	yes	***Pri Index***

PART_STATUS

parts status codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
pt_status	Part Status	Part Status	X(2)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
pt_status	pt_status	yes	yes	***Pri Index***

PART_TYPE

part type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	Part Type	Part Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

PARTS

part master

FIELD NAME	LABEL	COL-LABEL	FORMAT
abc	ABC Code	ABC Code	x(1)
acct_adj	Adj Acct No	Adj Acct No	x(13)
acct_cons	Cons Asset Acct	Cons Asset Acct	x(13)
acct_cons_adj	Cons Adj Acct	Cons Adj Acct	x(13)
acct_no	Asset Acct No	Asset Acct No	x(13)
acct_noe	Exp Acct No	Exp Acct No	x(13)
active	Active?	Active?	yes/no
add_date	Created Date	Date Created	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

add_to_bom	Add to BOM?	Add to BOM?	yes/no
allocated	Reserved	Reserved	>,>>>,>>9.99
area	Area	Area	x(20)
auto_iss	Auto Issue?	Auto Issue?	yes/no
buyer	Buyer	Buyer	X(11)
catalog	Catalog	Catalog	X(6)
cc	Asset Cost Cntr	Asset Cost Cntr	X(5)
cc_adj	Adj Cost Center	Adj Cost Center	X(5)
cc_cons	Cons Asset CC	Cons Asset CC	X(5)
cc_cons_adj	Cons Adj CC	Cons Adj CC	X(5)
cc_exp	Exp Cost Center	Exp Cost Center	X(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Class	Class	x(10)
comm_code	Commodity	Commodity	X(15)
consign	Consignment?	Consignment?	yes/no
cost_mult	OV Head%	OV Head%	>>>.99
crea_stock_out	Stock Out?	Stock Out?	yes/no
critical	Critical?	Critical?	yes/no
curr_qty	On Hand	On Hand	->,>>>,>>9.99
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_adj	Adj Dept	Adj Dept	X(10)
dept_code	Asset Dept	Asset Dept	X(10)
dept_cons	Cons Asset Dept	Cons Asset Dept	X(10)
dept_cons_adj	Cons Adj Dept	Cons Adj Dept	X(10)
dept_exp	Exp Dept	Exp Dept	X(10)
description_protected	Description Protected	Description Protected	yes/no
est_freight	Est Freight	Est Freight	>>9.99%
exp_site	Expense Site	Expense Site	X(8)
ie_comm_code	Commodity Code	Commoditiy Code	x(20)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
last_iss	Last Issued	Last Issued	99/99/9999
last_rec	Last Received	Last Received	99/99/9999

lead_days	Lead Days	Lead Days	>>9
log_1	?	?	yes/no
manuf_code	Manufacturer	Manufacturer	X(15)
manuf_part_no	Manuf Part No	Manuf Part No	x(50)
mgt_goal	Mgt Max Qty	Mgt Max Qty	>,>>>,>>>.99
msds_code	MSDS No	MSDS No	X(10)
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
notify_below	Notify Below	Notify Below	yes/no
on_order	On Order	On Order	>,>>>,>>9.99
ordunit	Order Unit	Order Unit	>>,>>9.99
ord_uom_code	Order UOM	Order UOM	x(6)
ovhd_code	OH Group	OH Group	X(5)
part_no	Part No	Part No	x(20)
physical	Last Physical	Last Physical	99/99/9999
phy_due	Physical Due	Physical Due	99/99/9999
plan_code	Planner	Planner	x(11)
plan_order	Planned Order	Planned Order	>,>>>,>>9.99
po_text	PO Text	PO Text	X(8)
pri_vend	Pri Vendor	Pri Vendor	x(10)
pri_vpart_no	Vendor Part No	Vendor Part No	X(20)
product_line_no	Prod Line	Prod Line	x(8)
pt_available	Available	Available	->,>>>,>>9.99
pt_desc	Description	Description	x(30)
pt_status	Status	Status	x(2)
reord_pt	Reorder Point	Reorder Point	>>,>>>.99
reord_qty	Min Order Qty	Min Order Qty	>>,>>>.99
safety_st	Safety Stock	Safety Stock	>>,>>>.99
serialized	Rotable?	Rotable?	yes/no
short	Short	Short	->,>>>,>>9.99
site_code	Site	Site	X(8)
size_code	Size	Size	X(15)
sole_source	Sole Source?	Sole Source?	yes/no
source	Source	Source	X(9)
stock_out_qty	Stock Out Qty	Stock Out Qty	>>,>>9.99
sub_acct_adj	Adj Sub Acct No	Adj Sub Acct No	X(13)
sub_acct_cons_adj	Cons Adj Sub	Cons Adj Sub	X(13)
sub_acct_no	Asset Sub Acct	Asset Sub Acct	X(13)
sub_acct_noe	Exp Sub Acct No	Exp Sub Acct No	X(13)
sub_catalog	Sub Catalog	Sub Catalog	X(6)
sub_cons	Cons Asset Sub	Cons Asset Sub	X(13)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tclass_code	Tax Class	Tax Class	x(8)
tot_cost	Total Cost	Total Cost	>,>>>,>>9.99
type_code	Type	Type	x(5)
uom_code	Issue UOM	Issue UOM	x(6)
uom_cost	Cost	Cost	>,>>>,>>9.99999
usage_code	Tax Usage	Tax Usage	x(8)
warrantied	Warrantied?	Warrantied?	yes/no
weight	Weight	Weight	>>>,>>9.99

whse_site	Warehouse Site	Warehouse Site	X(8)
wt_uom	Weight UOM	Weight UOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
abc	abc	no	yes	
acct_no	acct_no	no	yes	
acct_site	acct_no part_no	no	yes	
area_site	area site_code	no	yes	
buyer	buyer	no	yes	
catalog	catalog	no	yes	
cc_exp_site	cc_exp site_code	no	yes	
cc_order	cc	no	yes	
cc_site	cc site_code	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
class_code	class_code	no	yes	
comm_code	comm_code	no	yes	
consign	consign	no	yes	
crea_stock_out	crea_stock_out	no	yes	
critical	critical	no	yes	
curr_qty	curr_qty	no	yes	
dec_1	dec_1	no	yes	
dec_2	dec_2	no	yes	
dept_order	dept_code	no	yes	
dept_site	dept_code site_code	no	yes	
est_freight	est_freight	no	yes	
int_1	int_1	no	yes	
int_2	int_2	no	yes	
lead_days	lead_days	no	yes	
log_1	log_1	no	yes	
manuf_code	manuf_code	no	yes	
manuf_part_no	manuf_part_no	no	yes	
msds_code	msds_code	no	yes	
notify	notify	no	yes	
ord_uom_code	ord_uom_code no	yes		
ovhd_code	ovhd_code	no	yes	
part_no	part_no	no	yes	
part_site	part_no site_code	yes	yes	***Pri Index***
plan_code	plan_code	no	yes	
pri_vend	pri_vend	no	yes	
pri_vpart_no	pri_vpart_no	no	yes	
pt_desc	pt_desc	no	yes	
pt_status	pt_status	no	yes	
serialized	serialized	no	yes	
site	site_code	no	yes	

site_active	site_code active	no	yes
site_part	site_code part_no	no	yes
size_code	size_code	no	yes
sole_source	sole_source	no	yes
sub_acct_adj	sub_acct_adj	no	yes
sub_acct_no	sub_acct_no	no	yes
sub_acct_noe	sub_acct_noe	no	yes
sub_catalog	sub_catalog	no	yes
tax_code	tax_code	no	yes
tclass_code	tclass_code	no	yes
type	type_code	no	yes
uom_code	uom_code	no	yes
usage_code	usage_code	no	yes
wt_uom	wt_uom	no	yes

PARTS_ACCT

part expense accounts

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_noe	Exp Acct No	Exp Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc_exp	Exp Cost Center	Exp Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_exp	Exp Dept	Exp Dept	X(10)
exp_site	Expense Site	Expense Site	X(8)
part_no	Part No	Part No	x(20)
primary	Primary?	Primary?	yes/no
site_code	Site	Site	X(8)
sub_acct_noe	Exp Sub Acct No	Exp Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
pt_site_exp_dept_cc_ac_sub	part_no	yes	yes	***Pri Index***
		site_code		
		exp_site		
		dept_exp		
		cc_exp		
		acct_noe		
		sub_acct_noe		

PARTS_ALT

part alternate numbers

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

alt_part_no	Alt Part No	Alt Part No	X(20)
alt_site_code	Alt Site	Alt Site	X(8)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
part_no	Part No	Part No	x(20)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
alt_part_no	alt_part_no	no	yes	
part_site_altp_alts	part_no	yes	yes	***Pri Index***
	site_code			
	alt_part_no			
	alt_site_code			

PARTS_COMMON

part common names

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
name	Common Name	Common Name	X(40)
part_no	Part No	Part No	x(20)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
part_site_name	part_no	yes	yes	***Pri Index***
	site_code			
	name			

PARTS_CONSIGN

consignment part detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_time	Add Time	Add Time	>>>>9
date	Date	Date	99/99/9999
lVendorOwned	Vendor Owned?	Vendor Owned?	yes/no
part_no	Part No	Part No	x(20)
qty	Qty	Qty	->,>>>,>>9.99
site_code	Site	Site	X(8)
uom_cost	UOM Cost	UOM Cost	>,>>>,>>9.99999
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
part_site_vend_date_time	part_no	yes	yes	***Pri Index***
	site_code			
	vendor_no			
	date			
	add_time			

PARTS_FIFO

FIFO/LIFO stack

FIELD NAME	LABEL	COL-LABEL	FORMAT
comment	Comment	Comment	x(30)
date	Received	Received	99/99/9999
part_no	Part Number	Part Number	x(20)
pf_time	Rec Time	Rec Time	->,>>>,>>9
po_line_no	PO Line No	PO Line No	->,>>>,>>9
po_no	PO No	PO No	>>>>>>>>9
qty	Qty	Qty	->,>>>,>>9.99
site_code	Site	Site	X(8)
uom_cost	UOM Cost	UOM Cost	>,>>>,>>9.99999

INDEX NAME	FIELD	UNI	ASC	
fifo-key	part_no	no	yes	
	site_code			
	date			
	pf_time			
lifo-key	part_no	no	yes	***Pri Index***
	site_code			
	date			
	pf_time			
site_po_line	site_code	no	yes	
	po_no			
	po_line_no			

PARTS_LOC

part locations and on hand quantities

FIELD NAME	LABEL	COL-LABEL	FORMAT	
add_date	Add Date	Add Date	99/99/9999	
add_id	Add User ID	Add User ID	x(12)	
add_time	Add Time	Add Time	>>>>9	
chg_date	Chg Date	Chg Date	99/99/9999	
chg_id	Chg User ID	Chg User ID	x(12)	
chg_time	Chg Time	Chg Time	>>>>>9	
curr_qty	On Hand	On Hand	->,>>>,>>9.99	
location	Location	Location	x(10)	
part_no	Part Number	Part Number	x(20)	
site_code	Site		Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
location	location	no	yes	
location_site	location	no	yes	
	site_code			
part_no	part_no	no	yes	
part_site_loc	part_no	yes	yes	***Pri Index***
	site_code			
	location			
site	site_code	no	yes	

PARTS_MANUF

part manufacturer codes and manufacturer part numbers

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
manuf_code	Manufacturer	Manufacturer	x(15)
manuf_part_no	Manuf Part No	Manuf Part No	x(50)
part_no	Part No	Part No	x(20)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
manf_code	manuf_code	no	yes	
no_site	manuf_part_no site_code	no	yes	
part_site_manuf_part	part_no site_code manuf_code manuf_part_no	yes	yes	***Pri Index***
site	site_code	no	yes	

PARTS_STATUS

inventory transaction detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
allocated	Allocated	Allocated	>,>>>,>>9.99
amt_paid	Amt Paid	Amt Paid	->,>>>,>>9.99
assy_code	Assembly	Assembly	X(5)
cc	Cost Center	Cost Center	x(5)
code	Code	Code	x(1)
code_desc	Type	Type	X(8)
comment	Comment	Comment	x(40)
comm_code	Commodity	Commodity	X(15)
consign	Consignment?	Consignment?	yes/no
contractor	Contractor	Contractor	yes/no
cost	UOM Cost	UOM Cost	->,>>>,>>9.99999
curr_code	Currency	Currency	X(5)
curr_qty	Qty	Qty	->,>>>,>>9.99
date	Date	Date	99/99/9999
date_ship	Date Shipped	Date Shipped	99/99/9999
date_stamp	Date Stamp	Date Stamp	X(15)
days_ovdue	Days Over Due	Days Over Due	->,>>9
dept_code	Dept	Dept	x(10)
dif	?	?	->,>>>,>>9.99
emp_no	Emp No	Emp No	x(11)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999

exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
exp_site	Expense Site	Expense Site	X(8)
fail_type	Failure Type	Failure Type	X(5)
glt_desc	Description	Description	x(24)
ie_comm_code	Commodity Code	Commoditiy Code	x(20)
ie_ctry_desdisp	Country of Dest/Dist	Country of Dest Dist	x(3)
ie_ctry_origin	Country of Origin	Country of Origin	x(3)
ie_decl_region	Declaration Region	Declaration Region	x(3)
ie_intrastat	Intrastat Item	Interstat Item	yes/no
ie_mode_transp	Mode of Transport	Mode of Transport	X
ie_nat_trans	Nature of Transaction	Nature of Transaction	x(2)
ie_net_wt	Net Weight	Net Weight	>>,>>9.99
ie_net_wt_um	UM	UM	x(2)
ie_port_ardisp	Port of Arrival/Dispat	Port of Arrival/Dispat	x(3)
ie_port_transh	Port of Transshipment	Port of Transshipment	x(8)
ie_region	Region of Arrival/Disp	Region of Arrival/Disp	x(3)
ie_stat_proc	Statistical Procedure	Statistical Procedure	x(8)
ie_terms_deliv	Terms of Delivery	Terms of Delivery	x(4)
issued	Issued	Issued	>,>>>,>>9.99
issued_to	Issued To	Issued To	x(11)
item_no	WO Item	WO Item	>>>9
job_no	Job No	Job No	x(15)
lCorrection	Correction?	Correction?	yes/no
line_no	Item	Item	>9
location	Location	Location	x(10)
lon_hand	Local on Hand	Local on Hand	->,>>>,>>9.99
lVendorOwned	Vendor Owned?	Vendor Owned?	yes/no
mfgpost_code	?	?	x(1)
net_qty	Net Qty	Net Qty	->,>>>,>>9.99
oldloc	Old Loc	Old Loc	x(10)
on_hand	On Hand	On Hand	->,>>>,>>9.99
on_order	On Order	On Order	>,>>>,>>9.99
orig_packing_slip	Orig Packing Slip	Orig Packing Slip	x(14)
orig_receiver	Orig Receiver	Orig Receiver	X(14)
ovhd_code	OH Group	OH Group	X(5)
part_no	Part No	Part No	x(20)
period	Period	Period	>>9
phh_no	Inv No	Inv No	>>>>>>>>9
plan_code	Planner	Planner	x(11)
po_no	PO No	PO No	>>>>>>>>9
prod_no	Product No	Product No	X(18)
proj_no	Project No	Project No	x(8)
ps_available	Avail	Avail	->,>>>,>>9.99
ps_desc	Description	Description	x(30)
ps_time	Time	Time	>>>,>>>
ps_userid	User ID	User ID	x(12)
qty	Qty	Qty	->,>>>,>>9.99
qty_canc	Qty Canceled	Qty Canceled	->,>>>,>>9.99
qty_paid	Qty Paid	Qty Paid	->>>,>>9.99
qty_rej	Qty Returned	Qty Returned	->,>>>,>>9.99
quarter	Quarter	Quarter	9

rebuild	Rebuild	Rebuild	x(20)
received	Received	Received	>,>>>,>>9.99
receiver	Receiver	Receiver	X(14)
recno	Packing Slip	Packing Slip	x(14)
rep_mtrl	Total Cost	Total Cost	->,>>>,>>9.99999
req_code	Requestor	Requestor	x(11)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
req_no	Req No	Req No	>>>>>>>>9
return_code	Return	Return	X(5)
ret_uom	Return UOM	Return UOM	X(6)
rpart_no	Rotable Part	Rotable Part	x(20)
send_mfgpro	Send to MFG/PRO?	Send to MFG/PRO?	yes/no
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
sod_line	Sales Order Line	Sales Order Line	,>>>,>>9
sod_oid	SO OID	SO OID	>>>>>>>>>>>>>>>>>>>>>
sod_qty_ord	Qty Ord	Qty Ord	->>,>>9.99
so_nbr	Sales Order Number	Sales Order Number	x(8)
so_prev_invoice	SO Previous Invoice	SO Previous Invoice	x(8)
start	Start Date	Start Date	99/99/9999
start_bal	Start Bal	Start Bal	->,>>>,>>9.99
stime	Start Time	Start Time	>,>>>,>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
tax_paid	Tax Paid	Tax Paid	>,>>>,>>9.99
to_site	To Site	To Site	X(8)
trans_curr	Trans Currency	Trans Currency	X(5)
trans_curr_mtrl	Total Cost	Total Cost	->,>>>,>>9.99999
trans_no	Inv Trans No	Inv Trans No	>>>>>>>>9
trans_uom_cost	Ret UOM Cost	Ret UOM Cost	->,>>>,>>9.99999
uom_code	UOM	UOM x(6)	
uom_ovhd	UOM Overhead	UOM Overhead	->,>>>,>>9.99999
vendor	Vendor Name	Vendor Name	x(30)
vendor_no	Vendor No	Vendor No	x(10)
wo_no	WO No	WO No	>>>>>>>>9
wo_parts_line_no	Item	Item	>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9
year	Year	Year 9999	

INDEX NAME	FIELD	UNI	ASC
acct_site	acct_no	no	yes
	site_code		
cc_site	cc	no	yes
	site_code		
code	code	no	yes
code_po_site_rec	code	no	yes
	po_no		
	site_code		
	receiver		
code_po_to_send	code	no	yes
	po_no		

	to_site send_mfgpro		
code_site_date_rec_st	code site_code date receiver date_stamp	no	yes
code_to_date_rec_st	code to_site date receiver date_stamp	no	yes
code_to_send	code to_site send_mfgpro	no	yes
date-d	date	no	no
date_acct_no	date acct_no	no	no
date_assy	date assy_code	no	no
date_cc	date cc	no	no
date_dept	date dept_code	no	no
date_equip	date equip_no	no	no
date_exp	date exp_site	no	no
date_job	date job_no	no	no
date_net_qty	date net_qty	no	no
date_proj	date proj_no	no	no
date_qty	date qty	no	no
date_rebuild	date rebuild	no	no
date_serial	date serial_no	no	no
date_stamp	date_stamp	no	yes
date_sub_acct_no	date sub_acct_no	no	no
date_sys	date sys_code	no	no
date_to	date to_site	no	no
date_userid	date ps_userid	no	no
date_wo	date wo_no	no	no

dept_site	dept_code site_code	no	yes
emp_no	emp_no	no	yes
equip_no	equip_no	no	yes
fail_type	fail_type	no	yes
job_no	job_no	no	yes
location	location	no	yes
ovhd_code	ovhd_code	no	yes
part_no	part_no	no	yes
part_site_desc_code_date	part_no site_code ps_desc code date	no	yes
po_site	po_no site_code	no	yes
prod_no	prod_no	no	yes
proj_no	proj_no	no	yes
proj_site	proj_no site_code	no	yes
proj_to_date-d	proj_no to_site date	no	yes
prt_d_pst	part_no date ps_time	no	yes
pt_site_acct_date-d	part_no site_code acct_no date ps_time	no	yes
pt_site_assy_date-d	part_no site_code assy_code date ps_time	no	yes
pt_site_cc_date-d	part_no site_code cc date ps_time	no	yes
pt_site_date_time-d	part_no site_code date ps_time	no	yes
pt_site_dept_date-d	part_no site_code dept_code date ps_time	no	yes
pt_site_desc_date-d	part_no	no	yes

	site_code glt_desc date ps_time		
pt_site_eq_date-d	part_no site_code equip_no date ps_time	no	yes
pt_site_exp_date-d	part_no site_code exp_site date ps_time	no	yes
pt_site_job_date-d	part_no site_code job_no date ps_time	no	yes
pt_site_proj_date-d	part_no site_code proj_no date ps_time	no	yes
pt_site_reb_date-d	part_no site_code rebuild date ps_time	no	yes
pt_site_ser_date-d	part_no site_code serial_no date ps_time	no	yes
pt_site_sub_date-d	part_no site_code sub_acct_no date ps_time	no	yes
pt_site_sys_date-d	part_no site_code sys_code date ps_time	no	yes
pt_site_to_date-d	part_no site_code to_site date ps_time	no	yes
pt_site_user_date-d	part_no site_code	no	yes

	ps_userid date ps_time		
pt_site_wo_date-d	part_no site_code wo_no date ps_time	no	yes
pt_site_wph_date-d	part_no site_code wph_no date ps_time	no	yes
qty	qty	no	yes
receiver	receiver	no	yes
recno	recno	no	yes
return_code	return_code	no	yes
rpart_no	rpart_no	no	yes
site	site_code	no	yes
site_code_stamp	site_code code date_stamp	no	yes
site_part_date	site_code part_no date	no	yes
site_po_code	site_code po_no code	no	yes
site_pt_code_qty_date_id_st	site_code part_no code qty date ps_userid date_stamp	no	yes
site_pt_ser_eq_code_date_qty	site_code part_no serial_no equip_no code date qty	no	yes
site_pt_ser_reb_code_date_qty	site_code part_no serial_no rebuild code date qty	no	yes
site_req_code	site_code req_no	no	yes

	code			
site_req_code_qty	site_code req_no code qty	no	yes	
site_req_line	site_code req_grp_no line_no	no	yes	
sub_acct_no	sub_acct_no	no	yes	
sys_assy	sys_code assy_code	no	yes	
to_wo_code	to_site wo_no code	no	yes	
trans_site	trans_no site_code	yes	yes	***Pri Index***
vendor_no	vendor_no	no	yes	
vendor_rec	vendor recno	no	yes	
wo_no	wo_no	no	yes	
wph_site_code	wph_no site_code code	no	no	

PARTS_VEND

part vendor list

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
part_no	Part No	Part No	x(20)
primary	Primary?	Primary?	yes/no
site_code	Site	Site	X(8)
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
part_site_vend	part_no site_code vendor_no	yes	yes	***Pri Index***
vendor_no	vendor_no	no	yes	

PAY_ADD

pay additive codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
additive	Additive	Additive	>>>9.99
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)

add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
paya_code	Pay Add Code	Pay Add Code	X(2)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
paya_code	paya_code	yes	yes	***Pri Index***

PAY_MULT

pay multiplier codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
day_type	Type	Type	X(8)
description	Description	Description	X(30)
multiplier	Multiplier	Multiplier	>9.99
paym_code	Pay Mult Code	Pay Mult Code	X(5)
primary	Default?	Default?	yes/no

INDEX NAME	FIELD	UNI	ASC	
day_type	day_type	no	yes	
description	description	no	yes	
paym_code	paym_code	yes	yes	***Pri Index***
primary	primary	no	yes	

PHY_HDR

physical inventory master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
closed_by	Closed By	Closed By	x(12)
closed_date	Closed Date	Closed Date	99/99/9999
consign	Consignment?	Consignment?	yes/no
control_no	Control No	Control No	x(9)
cre_date	Created Date	Created Date	99/99/9999
phh_no	Inv No	Inv No	>>>>>>>>9
phh_status	Status	Status	X
site_code	Site	Site	X(8)
type_code	Type	Type	x(5)

vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
closed_by	closed_by	no	yes	
closed_date	closed_date	no	yes	
control_no	control_no	no	yes	
cre_date	cre_date	no	yes	
phh_no	phh_no	no	yes	
phh_site	phh_no site_code	yes	no	***Pri Index***
phh_status	phh_status	no	yes	
site	site_code	no	yes	
site_phh_status	site_code phh_status	no	yes	
type_code	type_code	no	yes	

PHY_INV

parts that make up a physical inventory

FIELD NAME	LABEL	COL-LABEL	FORMAT
curr_loc	Location	Location	x(10)
curr_qty	Current Qty	Current Qty	>>>>>>9.99
curr_qty_vend	On Hand (Vendor)	On Hand (Vendor)	>>>>>>9.99
inv_qty	Count	Count	>>>>>>9.99
part_no	Part No	Part No	x(20)
phh_no	Inv No	Inv No	>>>>>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
curr_loc	curr_loc	no	yes	
part_no	part_no	no	yes	
phh_site_loc_part	phh_no site_code curr_loc part_no	no	yes	
phh_site_part_loc	phh_no site_code part_no curr_loc	yes	yes	***Pri Index***
site	site_code	no	yes	

PHY_TYPE

physical inventory type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

type_code	Phys Inv Type	Phys Inv Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

PL_1

equipment BOM

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assy_code	Assembly	Assembly	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
date	Issued	Issued	99/99/9999
id_0	Equip No	Equip No	x(20)
id_1	Part No	Part No	x(20)
p1_desc	Description	Description	x(30)
p1_userid	By User	By User	x(12)
qty	Qty	Qty	>,>>>,>>9.99
site_code	Site	Site	X(8)
sys_code	System	System	X(5)
uom	UOM	UOM	x(6)

INDEX NAME	FIELD	UNI	ASC	
date	date	no	yes	
id0_id1_site_sys_assy	id_0	yes	yes	***Pri Index***
	id_1			
	site_code			
	sys_code			
	assy_code			
id_1	id_1	no	yes	
id_1_0	id_1	no	yes	
	id_0			
p1_desc	p1_desc	no	yes	
sys_assy	sys_code	no	yes	
	assy_code			
sys_code	sys_code	no	yes	

PL_EQUIP

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dom_code	Domain	Domain	x(8)

equip_no	Equip No	Equip No	x(20)
production_line	production_line	production_line	x(8)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
dom_line_site_equip	dom_code production_lin site_code equip_no	yes	yes	***Pri Index***
equip	equip_no	no	yes	

PM_CLASS

work order class codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class	WO Class	WO Class	x(6)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
class	class	yes	yes	***Pri Index***
description	description	no	yes	

PM_INST_HDR

master instruction list master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
list_or_proc	Kind	Kind	X(1)
owner	Owner	Owner	X(12)
pih_desc	Description	Description	x(30)
pih_no	Mstr Inst No	Mstr Inst No	>>>>>>>>9
procedure	Procedure	Procedure	X(20)
rev_no	Revision	Revision	X(10)
type_code	Type	Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
owner	owner	no	yes	
pih_desc	pih_desc	no	yes	
pih_no	pih_no	yes	yes	***Pri Index***
procedure	procedure	no	yes	
type_code	type_code	no	yes	

PM_INST_TYPE

master instruction list type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	List Type	List Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

PM_INSTR

instructions that make up a master instruction list

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_std	Time	Time	xx:xx
craft_nbr	Qty	Qty	>>9
craft_no	Craft	Craft	x(5)
duom_code	DUOM	DUOM	X(6)
equip_no	Equip No	Equip No	x(20)
pih_no	PM Inst No	PM Inst No	>>>>>>>>9
pi_desc	Description	Description	X(4000)
skill_code	Skill	Skill	x(3)
std_hrs	Std Hrs	Std Hrs	>9.99
step	Step	Step	>>9

INDEX NAME	FIELD	UNI	ASC	
craft_no	craft_no	no	yes	
no_step	pih_no step	yes	yes	***Pri Index***
skill_code	skill_code	no	yes	

PM_PART_HDR

master parts list master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
owner	Owner	Owner	X(12)
pph_desc	Description	Description	x(30)
pph_no	Mstr Prts No	Mstr Prts No	>>>>>>>>9
procedure	Procedure	Procedure	X(20)
rev_no	Revision	Revision	X(10)

source_site	Source Site	Source Site	X(8)
type_code	Type	Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
owner	owner	no	yes	
pph_desc	pph_desc	no	yes	
pph_no	pph_no	yes	yes	***Pri Index***
procedure	procedure	no	yes	
source_site	source_site	no	yes	
type_code	type_code	no	yes	

PM_PART_TYPE

master parts list type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	List Type	List Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

PM_PARTS

parts that make up a master parts list

FIELD NAME	LABEL	COL-LABEL	FORMAT
part_no	Part No	Part No	x(20)
pph_no	PM Parts No	PM Parts No	>>>>9
pt_desc	Description	Description	x(30)
qty	Qty	Qty	>,>>9.99
tot_cost	Total Cost	Total Cost	>,>>>,>>9.99
uom	UOM	UOM	x(6)

INDEX NAME	FIELD	UNI	ASC	
part_no	part_no	no	yes	
pph_part	pph_no part_no	yes	yes	***Pri Index***
pt_desc	pt_desc	no	yes	

PM_PIH

PM master instruction lists

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999

chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
pih_no	Mstr Inst List	Mstr Inst List	>>>>9
pm_no	PM Template No	PM Template No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
pih_no	pih_no	no	yes	
pm_pih	pm_no pih_no	yes	yes	***Pri Index***

PM_PPH

PM master parts lists

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
pm_no	PM Template No	PM Template No	>>>>>>>>9
pph_no	Mstr Prts List	Mstr Prts List	>>>>9

INDEX NAME	FIELD	UNI	ASC	
pm_pph	pm_no pph_no	yes	yes	***Pri Index***
pph_no	pph_no	no	yes	

PM_PREVENT

list of failures that pm prevents

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
equip_no	Equip No	Equip No	x(20)
failure_code	Failure	Failure	x(10)
next_failure	Next Failure	Next Failure	99/99/9999
pm_no	PM Template No	PM Template No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
equip_no	equip_no	no	yes	
fail_code	failure_code	no	yes	
next_failure	next_failure	no	yes	
pm_fail	pm_no failure_code	yes	yes	***Pri Index***

PM_ROUTE_CODES

FIELD NAME	LABEL	COL-LABEL	FORMAT
field_name	Field Name	Field Name	x(8)
string_id	String ID	String ID	x(8)

INDEX NAME	FIELD	UNI	ASC	
field_name	field_name	no	yes	
field_string	field_name	yes	yes	***Pri Index***

PM_SKIP

pm skip dates

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
edate	End Date	End Date	99/99/9999
perennial	Perennial?	Perennial?	yes/no
pm_no	PM Template No	PM Template No	>>>>>>>>9
sdate	Start Date	Start Date	99/99/9999

INDEX NAME	FIELD	UNI	ASC	
pm_sdate	pm_no sdate	yes	yes	***Pri Index***

PM_SUBS

subordinate and superior pms

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
days_diff	Days Diff	Days Diff	>>>9
linked	Linked?	Linked?	yes/no
orig_issue	Orig Issue	Orig Issue	99/99/9999
pm_no1	PM Template No	PM Template No	>>>>>>>>9
pm_no2	PM Template No	PM Template No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
no1_no2	pm_no1 pm_no2	yes	yes	***Pri Index***
no2	pm_no2	no	yes	

PM_TOOL

PM master tool lists

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
pm_no	PM Template No	PM Template No	>>>>>>>>9
tool_no	Mstr Tool List	Mstr Tool List	>>>>9

INDEX NAME	FIELD	UNI	ASC	
pm_tool	pm_no	yes	yes	***Pri Index***
	tool_no			
tool_no	tool_no	no	yes	

PO_CLAUSE

purchase order standard clauses

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
clause_code	Clause	Clause	X(30)
clause_text	Text	Text	X(4000)
description	Description	Description	X(30)
line_no	Item	Item	>9
po_no	PO No	PO No	>>>>>>>>9
site_code	Site	Site	X(8)
type_code	Type	Type	X(1)

INDEX NAME	FIELD	UNI	ASC	
clause_code	clause_code	no	yes	
description	description	no	yes	
po_site_type_clause	po_no	yes	yes	***Pri Index***
	site_code			
	type_code			
	clause_code			
po_site_type_clause_line	po_no	no	yes	
	site_code			
	type_code			
	clause_code			
	line_no			
site	site_code	no	yes	

PO_HEADER

purchase order master

FIELD NAME	LABEL	COL-LABEL	FORMAT
act_freight	Act Freight (B)	Act Freight (B)	->,>>>,>>9.99
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Approval Group	Approval Group	X(10)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_cost	Auth Cost (B)	Auth Cost (B)	->>,>>>,>>9.99
auth_money	Money Auth?	Money Auth?	yes/no
auth_status	Auth Status	Auth Status	X(11)
blanket	Blanket?	Blanket?	yes/no
blanket_type	Blanket Type	Blanket Type	X(10)
blank_po	Blanket PO	Blanket PO	>>>>>>>>9
bo_no	BO No	BO No	x(8)
bt_no	Bill To No	Bill To No	x(10)
buyer	Buyer	Buyer	X(11)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
confirming	Confirming?	Confirming?	yes/no
conf_to	Confirmed To	Confirmed To	x(30)
consign	Consignment?	Consignment?	yes/no
contact	Contact	Contact	x(25)
contract	Contract PO?	Contract PO?	yes/no
curr_amount	Curr Amount (B)	Curr Amount (B)	->>,>>>,>>9.99
curr_code	Currency	Currency	X(5)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
date_ord	Ordered Date	Ordered Date	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
disp_act_freight	Actual Freight	Actual Freight	->,>>>,>>9.99
disp_auth_cost	Auth Cost	Auth Cost	->>,>>>,>>9.99

disp_curr_amount	Current (Blanket)	Current (Blanket)	->>,>>>,>>9.99
disp_exp_amount	Exp Amount	Exp Amount	->>,>>>,>>9.99
disp_freight	Freight	Freight	->,>>>,>>9.99
disp_tot_cost	Total Cost	Total Cost	->>>,>>>,>>9.99
disp_tot_tax	Total Tax	Total Tax	>,>>>,>>9.99
email	Email	Email	X(40)
emailed	Emailed?	Emailed?	yes/no
ever_closed	?	?	yes/no
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
expeditable	Expeditable?	Expeditable?	yes/no
exp_amount	Exp Amount (B)	Exp Amount (B)	->>,>>>,>>9.99
exp_date	Exp Date	Exp Date	99/99/9999
ex_rate	Exchange Rate	Exchange Rate	>>,>>9.99999<<<<<
fax	Fax No	Fax No	x(16)
fob	FOB	FOB	x(15)
freight	Freight (B)	Freight (B)	->,>>>,>>9.99
gl_acc_exp	?	?	->,>>>,>>9.99
gl_fr_exp	?	?	->,>>>,>>9.99
gl_tax_exp	?	?	->,>>>,>>9.99
iExchangeId	Exchange ID	Exchange ID	>>9
ie_ctry_desdisp	Country of Dest/Dist	Country of Dest/Dist	x(3)
ie_incl_memo	Include Memo Items	Include Memo Items	yes/no
ie_mode_transp	Mode of Transport	Mode of Transport	X
ie_nat_trans	Nature of Transaction	Nature of Transaction	x(2)
ie_port_ardisp	Port of Arrival/Dispat	Port of Arrival/Dispat	x(3)
ie_port_transh	Port of Transshipment	Port of Transshipment	x(8)
ie_stat_proc	Statistical Procedure	Statistical Procedure	x(8)
ie_terms_deliv	Terms of Delivery	Terms of Delivery	x(4)
intrastat_po	Intrastat PO	Intrastat PO	yes/no
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
inv_date	Inv Date	Inv Date	99/99/9999
lang_code	Language	Language	X(2)
locked_po	Locked?	Locked?	yes/no
log_1	?	?	yes/no
mfgpost_code	?	?	x(1)
mfgpost_com	?	?	x(60)
mfgpost_date	?	?	99/99/9999
mfgpost_po	?	?	x(30)
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
order_by	Ordered By	Ordered By	x(12)
orig_date_ord	Original Ordered Date	Original Ordered Date	99/99/9999
orig_prom_date	Orig Date Due	Orig Date Due	99/99/9999
phone	Phone No	Phone No	x(16)
ph_status	Status	Status	x(1)
po_no	PO No	PO No	>>>>>>>>9
po_trans	Transmit Mthd	Transmit Mthd	X(1)
printed	Printed?	Printed?	yes/no
prom_date	Date Due	Date Due	99/99/9999

punch_out	Punchout?	Punchout?	yes/no
release_char	Release No	Release No	X(12)
release_no	Release No	Release No	999
rel_exp_date	Expiration Date	Expiration Date	99/99/9999
remarks	Remarks	Remarks	X(40)
rev_ltr	?		X(1)
rev_no	Rev No	Rev No	>>9
send_mfgpro	Send to MFG/PRO?	Send to MFG/PRO?	yes/no
site_code	Site	Site	X(8)
st_no	Ship To No	Ship To No	x(10)
taxable	Taxable?	Taxable?	yes/no
tax_accrued	Accrue Tax?	Accrue Tax?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tax_eff_date	Tax Eff Date	Tax Eff Date	99/99/9999
tax_rate1	Tax Rate 1	Tax Rate 1	>9.9<%
tax_rate2	Tax Rate 2	Tax Rate 2	>9.9<%
tax_rate3	Tax Rate 3	Tax Rate 3	>9.9<%
ta_code	Tax Authority	Tax Authority	X(5)
terms	Terms	Terms	x(15)
tot_cost	Total Cost (B)	Total Cost (B)	->>>,>>>,>>9.99
tot_tax	Total Tax (B)	Total Tax (B)	>,>>>,>>9.99
type_code	Type	Type	X(1)
usage_code	Tax Usage	Tax Usage	x(8)
vendor_no	Vendor No	Vendor No	x(10)
vend_inv	Vendor Invoice	Vendor Invoice	x(15)
vend_name	Vendor Name	Vendor Name	x(30)
vend_ord	Vendor Order	Vendor Order	x(15)
via	Ship Via	Ship Via	x(20)

INDEX NAME	FIELD	UNI	ASC	
auth_status	auth_status	no	yes	
blanket	blanket	no	yes	
blank_site	blank_po site_code	no	yes	
bt_no	bt_no	no	yes	
buyer	buyer	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
consign	consign	no	yes	
curr_code	curr_code	no	yes	
date_ord-d	date_ord	no	no	
expeditable	expeditable	no	yes	
lang_code	lang_code	no	yes	
notify	notify	no	yes	
ph_status	ph_status	no	yes	
po_no-d	po_no	no	no	
po_site	po_no site_code	yes	yes	***Pri Index***
printed	printed	no	yes	
release_no	release_no	no	yes	
site	site_code	no	yes	

site_id_date_time_po	site_code add_id add_date add_time po_no	no	yes
site_po-d	site_code po_no	no	yes
site_release	site_code release_char	no	yes
site_send	site_code send_mfgpro	no	yes
st_no	st_no	no	yes
taxable	taxable	no	yes
tax_code	tax_code	no	yes
terms	terms	no	yes
type_code	type_code	no	yes
vendor_no	vendor_no	no	yes
vend_name	vend_name	no	yes
vend_site_po-d	vendor_no site_code po_no	no	yes
via	via	no	yes

PO_ITEMS

requisitions; purchase order line items

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Date Created	Date Created	99/99/9999
add_id	Created By	Created By	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Approval Group	Approval Group	X(10)
area	Rebuild	Rebuild	X(20)
assy_code	Assembly	Assembly	X(5)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_cost	Auth Cost (B)	Auth Cost (B)	->>,>>>,>>9.99
auth_money	Money Auth?	Money Auth?	yes/no
auth_status	Auth Status	Auth Status	X(11)
auto_iss	Auto Issue?	Auto Issue?	yes/no
blanket	Blanket PO?	Blanket PO?	yes/no
blank_req	Release No	Release No	>>>>>>>>9
bo_line_no	Line	Line	>9
bo_no	BO No	BO No	x(8)
buyer	Buyer	Buyer	X(11)
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999

chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
comm_code	Commodity	Commodity	X(15)
consign	Consignment?	Consignment?	yes/no
contractor	Contractor?	Contractor?	yes/no
cost_ord	Order Cost (B)	Order Cost (B)	->>,>>>,>>9.99999
cost_rec	Received Cost	Received Cost	>>,>>>,>>9.99999
cost_to_rec	Order Cost	Order Cost	->>,>>>,>>9.99999
cSupplierPartAuxiliary	?	?	X(8)
curr_amount	Curr Amount (B)	Curr Amount (B)	>>,>>>,>>9.99
curr_code	Currency	Currency	X(5)
curr_exp_qty	Current Qty	Current Qty	>,>>>,>>9.99
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
dashboard_acct_no	Acct No	Acct No	X(13)
dashboard_cc	Cost Center	Cost Center	x(5)
date_1	?	?	99/99/9999
date_canc	Date Canceled	Date Canceled	99/99/9999
date_due	Date Due	Date Due	99/99/9999
date_ord	Date Ordered	Date Ordered	99/99/9999
date_rec	Date Received	Date Received	99/99/9999
date_rej	Date Returned	Date Returned	99/99/9999
date_req	Date Required	Date Required	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_code	Dept	Dept	X(10)
dir_chg	Reserved Order?	Reserved Order?	yes/no
disp_auth_cost	Auth Cost	Auth Cost	->>,>>>,>>9.99
disp_cost_ord	Order Cost	Order Cost	->>,>>>,>>9.99999
disp_curr_amount	Current Amount	Current Amount	>>,>>>,>>9.99
disp_exp_amount	Exp Amount	Exp Amount	>>,>>>,>>9.99
disp_freight	Freight	Freight	->>,>>9.99
disp_pi_value	Total Cost	Total Cost	->>,>>>,>>9.99
equip_no	Equip No	Equip No	x(20)
est_freight	Est Freight	Est Freight	>>9.99%
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
exp_amount	Exp Amount (B)	Exp Amount (B)	>>,>>>,>>9.99
exp_qty	Exp Qty	Exp Qty	>,>>>,>>9.99
exp_site	Expense Site	Expense Site	X(8)
exp_type	Expense Type	Expense Type	yes/no
exp_uom_code	Exp UOM	Exp UOM	x(6)

freight	Freight (B)	Freight (B)	->>,>>9.99
hdr_auth_status	Req Header Auth Status	Req Header Auth Status	X(11)
ie_comm_code	Commodity Code	Commoditiy Code	x(20)
ie_ctry_desdisp	Country of Dest/Dist	Country of Dest/Dist	x(3)
ie_ctry_origin	Country of Origin	Country of Origin	x(3)
ie_decl_region	Declaration Region	Declaration Region	x(3)
ie_intrastat	Intrastat Item	Interstat Item	yes/no
ie_mode_transp	Mode of Transport	Mode of Transport	X
ie_nat_trans	Nature of Transaction	Nature of Transaction	x(2)
ie_net_wt	Net Weight	Net Weight	>>,>>9.99
ie_net_wt_um	UM	UM	x(2)
ie_port_ardisp	Port of Arrival/Dispat	Port of Arrival/Dispat	x(3)
ie_port_transh	Port of Transshipment	Port of Transshipment	x(8)
ie_region	Region of Arrival/Disp	Region of Arrival/Disp	x(3)
ie_stat_proc	Statistical Procedure	Statistical Procedure	x(8)
ie_terms_deliv	Terms of Delivery	Terms of Delivery	x(4)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_no	Job No	Job No	x(15)
line_no	Item	Item	>9
location	Location	Location	x(10)
log_1	?	?	yes/no
mfgpost_code	?	?	x(1)
mfgpost_com	?	?	x(60)
mfgpost_date	?	?	99/99/9999
mfgpost_line	Line no	Line no	>>9
mfgpost_po	?	?	x(30)
mfgpost_req	?	?	x(30)
notify	Notify	Notify	X(12)
no_of_labels	No of Labels	No of Labels	>,>>>,>>9
order_by	Ordered By	Ordered By	x(12)
orig_date_due	Orig Date Due	Orig Date Due	99/99/9999
ovhd_code	OH Group	OH Group	X(5)
part_no	Part No	Part No	x(20)
pi_status	Status	Status	x(1)
pi_value	Total Cost (B)	Total Cost (B)	->>,>>>,>>9.99
poi_no	Req No	Req No	>>>>>>>>9
po_line_no	PO Line No	PO Line No	->,>>>,>>9
po_no	PO No	PO No	>>>>>>>>9
po_text	PO Text	PO Text	X(8)
print_label	Print Label?	Print Label?	yes/no
product_line_no	Prod Line	Prod Line	x(8)
proj_no	Project No	Project No	x(8)
pt_desc	Description	Description	x(30)
punch_out	Punchout?	Punchout?	yes/no
qty_canc	Qty Canceled	Qty Canceled	->,>>>,>>>.99
qty_o	Qty	Qty	->,>>>,>>>.99
qty_ord	Qty Ordered	Qty Ordered	->,>>>,>>>.99
qty_p	Qty	Qty	->,>>>,>>>.99
qty_rec	Qty Received	Qty Received	->,>>>,>>>.99
qty_rej	Qty Returned	Qty Returned	->,>>>,>>>.99

qty_to_canc	Qty to Cancel	Qty to Cancel	>,>>>,>>>.99
qty_to_ord	Qty to Order	Qty to Order	>,>>>,>>>.99
qty_to_rec	Qty to Receive	Qty to Receive	>,>>>,>>>.99
qty_to_rej	Qty to Reject	Qty to Reject	>,>>>,>>>.99
release_char	Release No	Release No	X(12)
release_no	Release No	Release No	999
req_code	Requestor	Requestor	x(11)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
rfq_no	RFQ No	RFQ No	>>>>>>>>9
rpart_no	Rotable Part	Rotable Part	x(20)
sched_cost	From Schedule?	From Schedule?	yes/no
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
source_site	Source Site	Source Site	X(8)
stock_no	Stock Run No	Stock Run No	>>>>>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
tariff	Tariff	Tariff	->>,>>9.99
taxable	Taxable?	Taxable?	yes/no
tax_accrued	Accrue Tax?	Accrue Tax?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tot_cost	Total Cost	Total Cost	->>,>>>,>>9.99999
uom	UOM	UOM	x(6)
uom_to_rec	UOM	UOM	X(6)
usage_code	Tax Usage	Tax Usage	x(8)
vendor_no	Vendor No	Vendor No	x(10)
vend_name	Vendor Name	Vendor Name	x(30)
vend_part	Vendor Part	Vendor Part	X(20)
weight	Total Weight	Total Weight	>>>,>>9.99
weight_uom	Weight/UOM	Weight/UOM	>>>,>>9.99
wo_no	WO No	WO No	>>>>>>>>9
wo_parts_line_no	Item	Item	>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9
wt_uom	Weight UOM	Weight UOM	X(6)

INDEX NAME	FIELD	UNI	ASC
acct_site	acct_no	no	yes
	site_code		
auth	auth	no	yes
auth_by	auth_by	no	yes
auth_status	auth_status	no	yes
buyer	buyer	no	yes
cc_site	cc	no	yes
	site_code		
char_1	char_1	no	yes
char_2	char_2	no	yes
comm-code	comm_code	no	yes
consign	consign	no	yes
curr_code	curr_code	no	yes
date_due-d	date_due	no	no
dept_site	dept_code	no	yes

	site_code			
equip_no	equip_no	no	yes	
exp_site	exp_site	no	yes	
exp_type	exp_type	no	yes	
grp_line	req_grp_no	no	yes	
	line_no			
job_no	job_no	no	yes	
location	location	no	yes	
notify	notify	no	yes	
order_by	order_by	no	yes	
ovhd_code	ovhd_code	no	yes	
part_no	part_no	no	yes	
part_site_poi-d	part_no	no	yes	
	site_code			
	poi_no			
pi_status	pi_status	no	yes	
poi_no	poi_no	no	yes	
poi_no-d	poi_no	no	no	
poi_site	poi_no	yes	yes	***Pri Index***
	site_code			
po_no	po_no	no	yes	
po_no-d	po_no	no	no	
po_site	po_no	no	yes	
	site_code			
po_site_due_stat	po_no	no	no	
	site_code			
	date_due			
	pi_status			
po_site_orig_stat	po_no	no	no	
	site_code			
	orig_date_due			
	pi_status			
po_site_poi-d	po_no	no	yes	
	site_code			
	poi_no			
proj_site	proj_no	no	yes	
	site_code			
proj_site_poi-d	proj_no	no	yes	
	site_code			
	poi_no			
release_no	release_no	no	yes	
req_grp_site	req_grp_no	no	yes	
	site_code			
rfq_no_site	rfq_no	no	yes	
	site_code			
rfq_site_poi-d	rfq_no	no	no	
	site_code			
	poi_no			
rpart_no	rpart_no	no	yes	
site	site_code	no	yes	
site_id_date_time_poi	site_code	no	yes	

	add_id		
	add_date		
	add_time		
	poi_no		
site_poi-d	site_code	no	yes
	poi_no		
site_po_poi	site_code	no	yes
	po_no		
	poi_no		
site_release	site_code	no	yes
	release_char		
site_rgrp_poi	site_code	no	yes
	req_grp_no		
	poi_no		
site_vend	site_code	no	yes
	vendor_no		
site_wo_poi	site_code	no	yes
	wo_no		
	poi_no		
site_wph_poi	site_code	no	yes
	wph_no		
	poi_no		
source_site	source_site	no	yes
stock_no	stock_no	no	yes
sub_acct_no	sub_acct_no	no	yes
sys_assy	sys_code	no	yes
	assy_code		
taxable	taxable	no	yes
tax_code	tax_code	no	yes
uom	uom	no	yes
vendor	vendor_no	no	yes
vend_name	vend_name	no	yes
wo_no	wo_no	no	yes
wt_uom	wt_uom	no	yes

PO_REV

revisions for purchase orders and requisitions

FIELD NAME	LABEL	COL-LABEL	FORMAT
comment	Comment	Comment	X(4000)
key_no	PO No/Req No	PO No/Req No	>>>>>>>>9
key_no2	PO No/Req No	PO No/Req No	>>>>>>>>9
rev_date	Date	Date	99/99/9999
rev_id	User ID	User ID	x(12)
rev_ltr		?	X(1)
rev_no	Rev No	Rev No	>>9
rev_time	Time	Time	>>>>9
site_code	Site	Site	X(8)
type_code	Type	Type	X(1)

INDEX NAME	FIELD	UNI	ASC	
key_key2_site_type_no_ltr	key_no	yes	yes	***Pri Index***

	key_no2 site_code type_code rev_no rev_ltr		
key_site_type_no_ltr	key_no site_code type_code rev_no rev_ltr	no	yes
site	site_code	no	yes

PO_REVROLLUP

All PO/Req Revisions

FIELD NAME	LABEL	COL-LABEL	FORMAT
changed	Changed	Changed	X(15)
chg_from	From	From	X(30)
chg_to	To	To	X(30)
comment	Comment	Comment	X(30)
field_name	Field Name	Field Name	X(40)
line_no	Req Line No	Req Line No	>9
po_line_no	PO Line No	PO Line No	->,>>>,>>9
po_no	PO No	PO No	>>>>>>>>9
req_grp_no	Req No	Req No	>>>>>>>>9
rev_date	Date	Date	99/99/9999
rev_no	Rev No	Rev No	>>>>>>>>9
rev_time	Time	Time	>>>>9
site_code	Site	Site	X(8)
sub_module	Sub Module	Sub Module	X(20)
table_name	Table Name	Table Name	X(32)
user_id	User ID	User ID	x(12)
usr_comment	Comment	Comment	X(30)

INDEX NAME	FIELD	UNI	ASC	
site_po	site_code po_no	no	yes	
site_req_grp	site_code req_grp_no	no	yes	
table_site_po_field_rev	table_name site_code po_no field_name rev_no	no	yes	
table_site_po_req_line_field_field	table_name site_code po_no req_grp_no line_no po_line_no field_name rev_no	yes	yes	***Pri Index***

table_site_req_field_rev	table_name site_code req_grp_no field_name rev_no	no	yes

POAUTHFIELDS

Requistion Rerouting/Notify Fields

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
field_label	Field Name	Field Name	X(20)
field_name	Field Name	Field Name	x(30)
file_name	File Name	File Name	X(20)
notify	Email Requestor?	Email Requestor?	yes/no
reroute	Reroute?	Reroute?	yes/no

INDEX NAME	FIELD	UNI	ASC	
file_field	file_name field_name	yes	yes	***Pri Index***

PREVENT_MAINT

pm template master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Labor Acct No	Labor Acct No	X(13)
acct_noc	Cont Acct No	Cont Acct No	x(13)
acct_nop	Matl Acct No	Matl Acct No	x(13)
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assign_to	Assigned	Assigned	x(11)
assy_code	Assembly	Assembly	X(5)
catalog	Catalog	Catalog	x(10)
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class	Class	Class	x(6)
clearance	Clearance	Clearance	x(5)
contact	Contact	Contact	x(11)
craft_no	Pri Craft	Pri Craft	x(5)

crew_code	Crew	Crew	x(12)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_code	Dept	Dept	x(8)
description	Description	Description	x(30)
duom_code	DUOM	DUOM	x(6)
duration	Duration	Duration	>>9
equip_no	Equip No	Equip No	x(20)
est_dtime	Est Hrs Down	?	>,>>9.99
est_ltime	Est Hrs Labor	?	>>>9.99
event	Event	Event	x(10)
event_next_iss	Next Event	Next Event	99/99/9999
exp_site	Expense Site	Expense Site	X(8)
high_actual	Actual	Actual	>9
high_max	Max High	Max High	>9
high_max_time	?	?	>,>>9
hmt_uom	?	?	X(4)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
issue_cycle	No of Cycles	No of Cycles	>>9
issue_method	Issue Method	Issue Method	!
issue_sch	Issue Cycle	Issue Cycle	x
job_no	Job No	Job No	x(15)
last_day	Last Day of Mo	Last Day of Mo	yes/no
last_issue	Last Issue	Last Issue	99/99/9999
lead_days	Lead Days	Lead Days	>9
link_equip	Link to Equip?	Link to Equip?	yes/no
lmt_uom	?	?	X(4)
location	Location	Location	x(10)
lock_lists	Lock Lists?	Lock Lists?	yes/no
log_1	?	?	yes/no
low_actual	Actual	Actual	>9
low_max	Max Low	Max Low	>9
low_max_time	?	?	>,>>9
next_failure	Next Failure	Next Failure	99/99/9999
next_issue	Next Issue	Next Issue	99/99/9999
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
owner	Owner	Owner	X(12)
planned_pm	Planned?	Planned?	yes/no

plan_code	Planner	Planner	X(11)
pm_due	PM Due	?	99/99/9999
pm_no	PM Template No	PM Template No	>>>>>>>>9
prec	Precautions	Precautions	X(4000)
pri	Priority	Priority	x(2)
problem	Problem	Problem	X(4000)
proj_no	Project No	Project No	x(8)
shift_code	Shift	Shift	X(10)
shift_wkday	Shift Work Day?	Shift Work Day?	yes/no
site_code	Site	Site	X(8)
slid_sched	Sliding Sch?	Sliding Sch?	yes/no
sub_acct_no	Labor Sub Acct	Labor Sub Acct	x(13)
sub_acct_noc	Cont Sub Acct	Cont Sub Acct	x(13)
sub_acct_nop	Matl Sub Acct	Matl Sub Acct	x(13)
sys_code	System	System	X(5)
type	PM Type	PM Type	X
uom_cycle	DUOM Cycle	DUOM Cycle	>>>,>>>,>>9.99
uom_next_date	Est Due Date	Est Due Date	99/99/9999
uom_next_issue	Next DUOM Issue	Next DUOM Issue	->>>,>>>,>>9.99
wo_owner	WO Owner	WO Owner	X(12)

INDEX NAME	FIELD	UNI	ASC	
acct_site	acct_no	no	yes	
	site_code			
active	active	no	yes	
catalog	catalog	no	yes	
cc	cc	no	yes	
cc_site	cc	no	yes	
	site_code			
char_1	char_1	no	yes	
char_2	char_2	no	yes	
class	class	no	yes	
clearance	clearance	no	yes	
craft_no	craft_no	no	yes	
crew_code	crew_code	no	yes	
dept_code	dept_code	no	yes	
description	description	no	yes	
duom_code	duom_code	no	yes	
equip_no	equip_no	no	yes	
event	event	no	yes	
issue_method	issue_method	no	yes	
lock_site	lock_lists	no	yes	
	site_code			
next_failure	next_failure	no	yes	
notify	notify	no	yes	
owner	owner	no	yes	
planned_pm	planned_pm	no	yes	
pm_no	pm_no	yes	yes	***Pri Index***
pm_no-d	pm_no	no	no	
pri	pri	no	yes	
proj_site	proj_no	no	yes	

	site_code			
shift_code	shift_code	no	yes	
site	site_code	no	yes	
site_pm-d	site_code pm_no	no	yes	
sub_acct_no	sub_acct_no	no	yes	
sys_assy	sys_code assy_code	no	yes	
wo_owner	wo_owner	no	yes	

PRINT_QUE

OBSOLETE

FIELD NAME	LABEL	COL-LABEL	FORMAT
datestarted	Date Started	Date Started	99/99/9999
execstatus	Exec Status	Exec Status	x(10)
report_library	Report Library	Report Library	X(512)
report_name	Report Name	Report Name	X(32)
timestarted	Time Started	Time Started	>>>>9

INDEX NAME	FIELD	UNI	ASC	
datestarted	datestarted	no	yes	
execstatus	execstatus	no	yes	
lib_name_date_time	report_library report_name datestarted timestarted	no	yes	***Pri Index***
report_name	report_name	no	yes	

PRIORITY

priority codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
alert	?	?	yes/no
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
pri	Priority	Priority	X(2)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
pri	pri	yes	yes	***Pri Index***

PRODUCT

product definitions; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
CurrentVersion	Current Version	Curr Ver	X(8)
ProductID	ProductID	ID	>>9

ProductName	Product Name	Name	X(30)
ProductVersionList	Product Version List	Versions	X(30)

INDEX NAME	FIELD	UNI	ASC	
ProductIdx	ProductID	yes	yes	***Pri Index***
ProductNameIdx	ProductName	no	yes	

PRODUCT_LINE

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dom_code	Domain	?	x(8)
product_line_desc	Prod Line Desc	Prod Line Desc	x(30)
product_line_no	Prod Line	Prod Line	x(8)

INDEX NAME	FIELD	UNI	ASC	
dom_prod	dom_code product_line_n	yes	yes	***Pri Index***

PRODUCT_LIST

product codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	x(30)
prod_no	Product No	Product No	X(18)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
prod_no	prod_no	yes	yes	***Pri Index***

PRODUCTION_SHIFT

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

end_time	End	End	X(8)
shift_code	Shift	Shift	X(10)
site_code	Site	Site	X(8)
start_time	Start	Start	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_shift	site_code shift_code	yes	yes	***Pri Index***

PROFILE_ID

FIELD NAME	LABEL	COL-LABEL	FORMAT
ent_code	Entity	Entity	X(4)
name	Name	Name	x(30)
profile_code	Profile Code	Profile Code	x(12)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
ent_site_profile	ent_code site_code profile_code	yes	yes	***Pri Index***

PROJ_ACCT

dept/cc/acct/sub combinations that can be charged against for the project

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	X(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
exp_site	Expense Site	Expense Site	X(8)
primary	Primary?	Primary?	yes/no
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
pr_site_exp_dept_cc_ac_sub	proj_no site_code exp_site dept_code cc acct_no sub_acct_no	yes	yes	***Pri Index***

PROJ_BUDG

annual project budgets

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
carry_over	Carryover?	Carryover?	yes/no
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
orig_budg	Annual Budget	Annual Budget	>,>>>,>>>,>>9.99
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
proj_site_year	proj_no site_code year	yes	yes	***Pri Index***

PROJ_HDR

project master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_mgr	Account Manager	Account Manager	x(12)
acct_no	Acct No	Acct No	x(13)
acct_noc	Cont Acct No	Cont Acct No	x(13)
acct_nop	Matl Acct No	Matl Acct No	x(13)
actcost	Actual Cost	Actual Cost	>>>,>>>,>>>,>>9.99
act_labor_hrs	Actual Labor Hrs	Actual Labor Hrs	->>,>>9.99
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
alloc_to_jobs	Allocated to Jobs	Allocated to Jobs	>>>,>>>,>>>,>>9.99
ap_variance			->>,>>9.99
assign_to	Assigned	Assigned	x(11)
asst_life	Asset Life	Asset Life	999
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_cost	Auth Spending	Auth Spending	>>>,>>>,>>>,>>9.99
auth_margin	Auth Margin	Auth Margin	>>,>>9.99
auth_money	Money Auth?	Money Auth?	yes/no
auth_purch	Auth Purch	Auth Purch	>>>,>>>,>>>,>>9.99
auth_status	Auth Status	Auth Status	X(11)
bill_to_cust	Bill To Customer	Bill To Customer	X(30)
budg_amt	OBSOLETE Replaced by Req_fund	OBSOLETE Replaced by req_fund	>>>,>>>,>>>,>>9.99
cap_amount	Capitalized Amount	Capitalized Amount	>>>,>>>,>>>,>>9.99
cc	Cost Center	Cost Center	x(5)
cdate	Act Comp Date	Act Comp Date	99/99/9999

char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
closed	Closed	Closed	99/99/9999
closed_time	Time	Time	x(8)
committed	Committed	Committed	>>>,>>>,>>>,>>9.99
commit_balance	Bal to Commit	Bal to Commit	>>>,>>>,>>>,>>9.99
cont_budg	Contract Budget	Contract Budget	->>,>>9.99
cont_forecast	Contract Forecast	Contract Forecast	->>,>>9.99
curr_est	Curr Estimate	Curr Estimate	>>>,>>>,>>>,>>9.99
cust_bus_no	Cust Business Grp	Cust Business Grp	X(30)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>>,>>>,>>9.99
dec_2	?	?	->>>,>>>,>>9.99
dec_3	?	?	->>>,>>>,>>9.99
dec_4	?	?	->>>,>>>,>>9.99
dept_code	Dept	Dept	X(10)
edate	Est Comp Date	Est Comp Date	99/99/9999
end_item_part	End Item Part No	End Item Part No	X(30)
ep_description	Description	Description	X(30)
est_avail_fund	Est Net Avail Funding	Est Net Avail Funding	>>>,>>>,>>>,>>9.99
est_inv_date	Est. Invoice Date	Est. Invoice Date	99/99/9999
est_inv_date_comment	Est. Inv Date Comment	Est. Inv Date Comment	x(60)
est_ppap_date	Est. PPAP Date	Est. PPAP Date	99/99/9999
est_to_comp	Est to Complete	Est to Complete	>>>,>>>,>>>,>>9.99
expensed	Total Spent	Total Spent	->>>,>>>,>>>,>>9.99
exp_cont	Cont Cost	Cont Cost	>>>,>>>,>>>,>>9.99
exp_labor	Labor Cost	Labor Cost	>>>,>>>,>>>,>>9.99
exp_manual	Manual Cost	Manual Cost	->>>,>>>,>>>,>>9.99
exp_mtrl	Int Mtrl Cost	Int Mtrl Cost	>>>,>>>,>>>,>>9.99
exp_site	Expense Site	Expense Site	X(8)
exp_type	Expense Type	Expense Type	yes/no
ext_exp_mtrl	Ext Mtrl Cost	Ext Mtrl Cost	>>>,>>>,>>>,>>9.99
form_preparer	Form Preparer	Form Preparer	x(12)
fund_amt	Funded Amt	Funded Amt	>>>,>>>,>>>,>>9.99
fund_status	Funded Status	Funded Status	x(1)

fund_type	Funding Type	Funding Type	x(1)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
invoice_amt	Invoice Amt	Invoice Amt	>>>,>>>,>>>,>>9.99
IsTemplate	Template?	Template?	yes/no
lab_budg	Labor Budget	Labor Budget	->>,>>9.99
lab_burden			->>,>>9.99
lab_forecast	Labor Forecast	Labor Forecast	->>,>>9.99
last_refresh	Date/Time	Date/Time	X(16)
level_spend	Spend a this level	Spend at this level	yes/no
locked_proj	Locked?	Locked?	yes/no
log_1	?	?	yes/no
margin	Margin	Margin	>>>,>>>,>>>,>>9.99
model_year	Model Year	Model Year	9999
mtrl_budg	Material Budget	Material Budget	->>,>>9.99
mtrl_forecast	Material Forecast	Material Forecast	->>,>>9.99
net_budg	Net Budget	Net Budget	>>>,>>>,>>>,>>9.99
next_approver	Next Approver	Next Approver	x(12)
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
oem	OEM	OEM	X(30)
orig_budg	Orig Budget	Orig Budget	>>>,>>>,>>>,>>9.99
orig_est	Orig Estimate	Orig Estimate	>>>,>>>,>>>,>>9.99
owner	Owner	Owner	X(12)
pgm_buyer	Program Buyer	Program Buyer	x(12)
pg_control	PG Controller	PG Controller	x(12)
plan_fund	Planned Funding	Planned Funding	>>>,>>>,>>>,>>9.99
plan_internal	Planned Internal	Planned Internal	>>>,>>>,>>>,>>9.99
plan_lab_cost	Planned Labor Cost	Planned Labor Cost	>>>,>>>,>>>,>>9.99
plan_lab_hrs	Planned Labor Hrs	Planned Labor Hrs	->>,>>9.99
plan_margin	Planned Margin	Planned Margin	>>,>>9.99
plan_purch	Planned Purch	Planned Purch	>>>,>>>,>>>,>>9.99
plncost	Planned Cost	Planned Cost	>>>,>>>,>>>,>>9.99
prog_mgr	Program Manager	Program Manager	x(12)
prog_name	Program Name	Program Name	X(30)
prog_no	Program No	Program No	x(30)
prog_type	Program Type	Program Type	x(1)
proj_expensed	Spent At This Level	Spent At This Level	->>>,>>>,>>>,>>9.99
proj_no	Project No	Project No	x(8)
proj_title	Project Title	Project Title	x(30)
pr_commit	% Utilized	% Utilized	>>9.9%
pr_complete	% Spending Est	% Spending Est	>>9.9%
pr_desc	Description	Description	x(30)
pr_grp_no	Proj Appr Grp	Proj Appr Grp	X(10)
pr_over	Over Spend Est	Over Spend Est	>>9.9%
pr_status	Status	Status	x(2)
rdate	Rev Comp Date	Rev Comp Date	99/99/9999
reallocated_minus	-	-	>>>,>>>,>>>,>>9.99
reallocated_plus	+	+	>>>,>>>,>>>,>>9.99
received	Received	Received	>>>,>>>,>>>,>>9.99
ref_no	Customer Ref No	Customer Ref No	X(30)

reimb_amt	Reimburse Amt	Reimburse Amt	>>>,>>>,>>>,>>9.99
report_id	Reporting ID	Reporting ID	x(30)
req_fund	Requested Funding	Requested Funding	>>>,>>>,>>>,>>9.99
req_grp_no	Req Appr Grp	Req Appr Grp	X(10)
rev_level	Rev Level	Rev Level	x(10)
sdate	Start Date	Start Date	99/99/9999
segm_code	Bus Segment	Bus Segment	X(15)
site_code	Site	Site	X(8)
spend_est	Spending Est	Spending Est	>>>,>>>,>>>,>>9.99
sub_acct_no	Sub Acct No	Sub Acct No	x(13)
sub_acct_noc	Cont Sub-Acct	Cont Sub-Acct	x(13)
sub_acct_nop	Matl Sub-Acct	Matl Sub-Acct	x(13)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tax_cost	Tax Cost	Tax Cost	>>>,>>>,>>>,>>9.99
type_code	Type	Type	X(5)
unalloc_bal	Unallocated Balance	Unallocated Balance	>>>,>>>,>>>,>>9.99
unfunded_amt	Unfunded Amt	Unfunded Amt	>>>,>>>,>>>,>>9.99
usage_code	Tax Usage	Tax Usage	x(8)
use_alloc	Use Allocations?	Use Allocations?	yes/no
vouchered	Vouchered	Vouchered	>>>,>>>,>>>,>>9.99
warn_amt	Warning Limit	Warning Limit	>>>,>>>,>>>,>>9.99
wph_appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)
writeoff_amt	Write Off Amt	Write Off Amt	->>>,>>>,>>>,>>9.99

INDEX NAME	FIELD	UNI	ASC	
acct_site	acct_no	no	yes	
	site_code			
cc_site	cc	no	yes	
	site_code			
cdate-d	cdate	no	no	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
class_code	class_code	no	yes	
dept_site	dept_code	no	yes	
	site_code			
fund_type	fund_type	no	yes	
notify	notify	no	yes	
owner	owner	no	yes	
proj_no	proj_no	no	yes	
proj_site	proj_no	yes	yes	***Pri Index***
	site_code			
pr_desc	pr_desc	no	yes	
pr_status	pr_status	no	yes	
sdate-d	sdate	no	no	
segm_site	segm_code	no	yes	
	site_code			
site	site_code	no	yes	
site_proj	site_code	no	yes	
	proj_no			
sub_acct_site	sub_acct_no	no	yes	

	site_code		
tax_code	tax_code	no	yes
type_code	type_code	no	yes
usage_code	usage_code	no	yes

PROJ_INVOICE

Project Invoice - From MFG/Pro

FIELD NAME	LABEL	COL-LABEL	FORMAT
cust_po_no	Cust PO No	Cust PO No	X(22)
inv_amount	Invoice Amount	Invoice Amount	->>,>>>,>>>,>>9.99
inv_date	Invoice Date	Invoice Date	99/99/9999
inv_no	Invoice No	Invoice No	X(8)
job_no	Job No	Job No	x(15)
paid_amount	Paid Amount	Paid Amount	->>,>>>,>>>,>>9.99
paid_date	Paid Date	Paid Date	99/99/9999
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_proj_inv	site_code	yes	yes	***Pri Index***
	proj_no			
	inv_no			

PROJ_JOB

project jobs

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
acct_type_desc	Acct Type Desc	Acct Type Desc	X(30)
actcost	Actual Cost	Actual Cost	>>,>>>,>>9.99
activity_code	Activity	Activity	X(13)
act_labor_hrs	Actual Labor Hrs	Actual Labor Hrs	->>,>>9.99
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
alloc_amt	Allocated	Allocated	>,>>>,>>>,>>9.99
alloc_to_child	Allocated to Children	Allocated to Children	>,>>>,>>>,>>9.99
ap_variance			->>,>>9.99
asset	Asset?	Asset?	yes/no
asset_desc	Asset Description	Asset Description	x(8)
asset_no	Asset No	Asset No	X(15)
auth_purch	Auth Purch	Auth Purch	>,>>>,>>>,>>9.99
avail_from_parent	Avail From Parent	Avail from Parent	>,>>>,>>>,>>9.99
budg_amt	OBSOLETE Replaced by Alloc_amt	OBSOLETE Replaced by Alloc_amt	>,>>>,>>>,>>9.99
cap_date	Capitalize Date	Capitalize Date	99/99/9999
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)

char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
committed	Committed	Committed	>,>>>,>>>,>>9.99
completed	Completed?	Completed?	yes/no
comp_part	Component Part	Component Part	X(30)
cont_budg	Contract Budget	Contract Budget	->>,>>9.99
cont_forecast	Contract Forecast	Contract Forecast	->>,>>9.99
cost_categ	Cost Category	Cost Category	x(8)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>>,>>>,>>9.99
dec_2	?	?	->>>,>>>,>>9.99
dept_code	Dept	Dept	X(10)
erp_class	Class	Class	x(8)
erp_location	Location	Location	x(8)
est_avail_fund	Est Net Avail Funding	Est Net Avail Funding	>>>,>>>,>>>,>>9.99
est_to_comp	Est to Complete	Est to Complete	>,>>>,>>>,>>9.99
expensed	Total Spent	Total Spent	>,>>>,>>>,>>9.99
exp_cont	Cont Cost	Cont Cost	>,>>>,>>>,>>9.99
exp_labor	Labor Cost	Labor Cost	>,>>>,>>>,>>9.99
exp_manual	Manual Cost	Manual Cost	->,>>>,>>>,>>9.99
exp_mtrl	Int Mtrl Cost	Int Mtrl Cost	>,>>>,>>>,>>9.99
exp_site	Expense Site	Expense Site	X(8)
exp_type	Exp Type	Exp Type	yes/no
ext_exp_mtrl	Ext Mtrl Cost	Ext Mtrl Cost	>,>>>,>>>,>>9.99
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_expensed	Spent At This Level	Spent At This Level	->>>,>>>,>>>,>>9.99
job_no	Job No	Job No	x(15)
job_type	Job Type	Job Type	X(15)
lab_budg	Labor Budget	Labor Budget	->>,>>9.99
lab_burden			->>,>>9.99
lab_forecast	Labor Forecast	Labor Forecast	->>,>>9.99
level_spend	Spend at this level	Spend at this level	yes/no
locked_job	Locked?	Locked?	yes/no
log_1	?	?	yes/no
mtrl_budg	Material Budget	Material Budget	->>,>>9.99
mtrl_forecast	Material Forecast	Material Forecast	->>,>>9.99
orig_est	Orig Estimate	Orig Estimate	>,>>>,>>>,>>9.99
parent_no	Parent No	Parent No	x(15)

pj_desc	Description	Description	x(30)
plan_internal	Planned Internal	Planned Internal	>>>,>>>,>>>,>>9.99
plan_lab_cost	Planned Labor Cost	Planned Labor Cost	>>>,>>>,>>>,>>9.99
plan_lab_hrs	Planned Labor Hrs	Planned Labor Hrs	->>,>>9.99
plan_purch	Planned Purch	Planned Purch	>,>>>,>>>,>>9.99
plncost	Planned Cost	Planned Cost	>>,>>>,>>9.99
proj_no	Project No	Project No	x(8)
received	Received	Received	>,>>>,>>>,>>9.99
req_grp_no	Req Appr Grp	Req Appr Grp	X(10)
site_code	Site	Site	X(8)
spend_est	Spending Est	Spending Est	>,>>>,>>>,>>9.99
status_code	Status	Status	x(2)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
tax_cost	Tax Cost	Tax Cost	>>>,>>>,>>>,>>9.99
unalloc_bal	Unallocated Balance	Unallocated Balance	>,>>>,>>>,>>9.99
vouchered	Vouchered	Vouchered	>,>>>,>>>,>>9.99
warn_amt	Warning Limit	Warning Limit	>,>>>,>>>,>>9.99

INDEX NAME	FIELD	UNI	ASC	
activity	activity_code	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
JobParent	proj_no	no	yes	
	site_code			
	parent_no			
	status_code			
job_no	job_no	no	yes	
pj_desc	pj_desc	no	yes	
proj_site_job	proj_no	yes	yes	***Pri Index***
	site_code			
	job_no			
site	site_code	no	yes	
status_code	status_code	no	yes	

PROJ_JOB_YEAR

job yearly costs

FIELD NAME	LABEL	COL-LABEL	FORMAT
expensed	Total Spent	Total Spent	->,>>>,>>>,>>9.99
exp_cont	Cont Cost	Cont Cost	>,>>>,>>>,>>9.99
exp_labor	Labor Cost	Labor Cost	>,>>>,>>>,>>9.99
exp_manual	Manual Cost	Manual Cost	->,>>>,>>>,>>9.99
exp_mtrl	Int Exp Mtrl	Int Exp Mtrl	>,>>>,>>>,>>9.99
ext_exp_mtrl	Ext Exp Mtrl	Ext Exp Mtrl	>,>>>,>>>,>>9.99
job_no	Job No	Job No	x(15)
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
proj_site_job_yr	proj_no	yes	yes	***Pri Index***
	site_code			

	job_no
	year

PROJ_REALLOC

holds project reallocations

FIELD NAME	LABEL	COL-LABEL	FORMAT
comment	Comment	Comment	x(40)
date	Date	Date	99/99/9999
proj_no	From Proj No	From Proj No	x(8)
reallocated	Reallocated	Reallocated	>,>>>,>>>,>>9.99
site_code	From Site	From Site	X(8)
to_proj_no	To Project No	To Project No	x(8)
to_site	To Site	To Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
proj_site	proj_no site_code	no	yes	***Pri Index***
to_site_rpoj	to_site to_proj_no	no	yes	

PROJ_STATUS

project status codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
email	E-Mail?	E-Mail?	yes/no
print_proj	Print?	Print?	yes/no
status_code	Status	Status	x(2)
s_default	Default?	Default?	yes/no

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
status_code	status_code	yes	yes	***Pri Index***
s_default	s_default	no	yes	

PROJ_TYPE

project type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9

description	Description	Description	X(30)
type_code	Proj Type	Proj Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

PROJ_YEAR

project yearly costs

FIELD NAME	LABEL	COL-LABEL	FORMAT
expensed	Total Spent	Total Spent	->,>>>,>>>,>>9.99
exp_cont	Cont Cost	Cont Cost	>,>>>,>>>,>>9.99
exp_labor	Labor Cost	Labor Cost	>,>>>,>>>,>>9.99
exp_manual	Manual Cost	Manual Cost	->,>>>,>>>,>>9.99
exp_mtrl	Int Exp Mtrl	Int Exp Mtrl	>,>>>,>>>,>>9.99
ext_exp_mtrl	Ext Exp Mtrl	Ext Exp Mtrl	>,>>>,>>>,>>9.99
future_budg	Future Budget	Future Budget	>,>>>,>>>,>>9.99
prior_spent	Prior Yrs Spent	Prior Yrs Spent	>,>>>,>>>,>>9.99
proj_no	Project No	Project No	x(8)
site_code	Site	Site	X(8)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
proj_site_yr	proj_no site_code year	yes	yes	***Pri Index***

PWD_LIST

password history; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Change Date	Change Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
password	Password	!Password	x(16)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
chg_date-d	chg_date	no	no	
user_chg_date-d	user_id chg_date	no	yes	
user_pwd_date	user_id password chg_date	no	yes	***Pri Index***

QUEUE
maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
CreateDate	Date Created	?	99/99/9999
MessageId	Message Id	?	->,>>>,>>9
QueueId	Queue Id	?	->,>>>,>>9
StatusId	StatusId	?	->,>>>,>>9
TimeCreated	Time Created	Time Created	>,>>>,>>9
TypeId	Queue Type	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
MessageId	MessageId	no	yes	
QueueId	QueueId	yes	yes	***Pri Index***
StatusId	StatusId	no	yes	
TypeId	TypeId	no	yes	

QUEUELOG
maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
ModifiedDate	Modified	?	99/99/9999
QueueId	Queue Id	?	->,>>>,>>9
StatusId	StatusId	?	->,>>>,>>9
TimeModified	Time Modified	?	>,>>>,>>9
TypeId	Queue Type	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
QueueLog	QueueId StatusId ModifiedDate TimeModified	yes	yes	***Pri Index***
StatusId	StatusId	no	yes	
TimeStamp	ModifiedDate TimeModified	no	yes	

QUEUESTATUS
maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
Description	Description	?	x(20)
StatusId	StatusId	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
StatusId	StatusId	yes	yes	***Pri Index***

QUEUETYPETOFIELDS
maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
FieldId	Field Id	?	->,>>>,>>9
TypeId	Queue Type	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
FieldId	FieldId	no	yes	
TypeId-FieldId	TypeId FieldId	yes	yes	***Pri Index***

RBREPORT

temporary table of reports printed by the Progress Report Builder engine

FIELD NAME	LABEL	COL-LABEL	FORMAT
RB-BEGIN-PAGE	Beginning Page Number	Begin Page	>,>>>,>>9
RB-DB-CONNECTION	Connection Information	DB Connection	X(512)
RB-DISPLAY-ERRORS	Display Errors	Display Errors	yes/no
RB-DISPLAY-STATUS	Display Status	Display Status	yes/no
RB-END-PAGE	Ending Page	End Page	>,>>>,>>9
RB-FILTER	Filter Expression	Filter	X(512)
RB-INCLUDE-RECORDS	Include Records	Include Records	X(1)
RB-MEMO-FILE	Memo File Pathname	Memo File	X(512)
RB-NUMBER-COPIES	Number Of Copies	Copies	>>9
RB-OTHER-PARAMETERS	Table Overrides/User D	Other Parameters	X(512)
RB-OUTPUT-FILE	Output File	Output File	X(512)
RB-PRINT-DESTINATION	Print Destination	Print Dest	X(1)
RB-PRINTER-NAME	Printer Name	Printer	X(256)
RB-PRINTER-PORT	Printer Port	Port	X(256)
RB-REPORT-LIBRARY	Report Library	Library	X(512)
RB-REPORT-NAME	Report Name	Name	X(32)
RB-STATUS	Report Status	Status	X(254)
RB-TAG	Tag	Tag	X(32)
RB-TEST-PATTERN	Test Pattern	Test Pattern	yes/no
RB-WINDOW-TITLE	Window Title	Title	X(31)

INDEX NAME	FIELD	UNI	ASC	
default		no	yes	***Pri Index***

REBUILD

rebuild area master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
addr1	Address	Address	x(30)
addr2	Address 2	Address 2	x(30)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Area	Area	x(20)
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)
contact	Contact	Contact	x(12)
country_code	Country	Country	x(3)
cust_chr01	?	?	x(8)

cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
dept_code	Dept	Dept	X(10)
exp_site	Expense Site	Expense Site	X(8)
fax	Fax	Fax	x(16)
phone	Phone	Phone	x(16)
site_code	Site	Site	X(8)
state	St	St	x(2)
sub_acct_no	Sub Acct No	Sub Acct No	x(13)
vendor_yn	Vendor?	Vendor?	yes/no
zip	Zip	Zip	x(10)

INDEX NAME	FIELD	UNI	ASC	
acct_site	acct_no site_code	no	yes	
cc_site	cc site_code	no	yes	
contact	contact	no	yes	
dept_site	dept_code site_code	no	yes	
exp_site	exp_site	no	yes	
site	site_code	no	yes	
site_area	site_code area	yes	yes	***Pri Index***
state	state	no	yes	
sub_acct_no	sub_acct_no	no	yes	

REPAIR

repair codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
repair_code	Repair	Repair	x(10)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
repair_code	repair_code	yes	yes	***Pri Index***

REPORT

report records; maintained by FBOS except for those records marked as C

FIELD NAME	LABEL	COL-LABEL	FORMAT
cReportName	Report Name	Report Name	x(50)
cType	?	?	X(1)
iReportId	?	?	>,>>>,>>9
lManagementRpt	Mgmt Report?	?	yes/no

INDEX NAME	FIELD	UNI	ASC	
ReportId	iReportId	yes	yes	***Pri Index***
ReportName	cReportName	no	yes	

REQ_GRP_HDR

mutli-line requisition master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Approval Group	Approval Group	X(10)
area	Rebuild	Rebuild	X(20)
assy_code	Assembly	Assembly	X(5)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_cost	Auth Cost	Auth Cost	->>,>>>,>>9.99
auth_horizontal	Horizontal Auth?	?	yes/no
auth_money	Money Auth?	Money Auth?	yes/no
auth_qa	QA Auth?	?	yes/no
auth_status	Auth Status	Auth Status	X(11)
auto_iss	Auto Issue?	Auto Issue?	yes/no
buyer	Buyer	Buyer	X(11)
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
consign	Consignment?	Consignment?	yes/no
contractor	Contractor?	Contractor?	yes/no
curr_code	Currency	Currency	X(5)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_due	Date Due	Date Due	99/99/9999

date_req	Date Required	Date Required	99/99/9999
dept_code	Dept	Dept	X(10)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999
exp_site	Expense Site	Expense Site	X(8)
exp_type	Expense Type	Expense Type	yes/no
iExchangeId	Exchange ID	Exchange ID	>>9
job_no	Job No	Job No	x(15)
next_approver	Next Approver	Next Approver	x(12)
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
part_no	Rotable Part	Rotable Part	x(20)
pi_status	Status	Status	x(1)
po_no	PO No	PO No	>>>>>>>>9
proj_no	Project No	Project No	x(8)
punch_out	Punchout?	Punchout?	yes/no
release_char	Release No	Release No	X(12)
req_code	Requestor	Requestor	x(11)
req_grp_desc	Description	Description	X(30)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
reviewed	Reviewed	Reviewed	yes/no
rfq_no	RFQ No	RFQ No	>>>>>>>>9
serial_no	Serial No	Serial No	x(20)
SessionId	Session ID	Session ID	X(24)
site_code	Site	Site	X(8)
stock_no	Stock Run No	Stock Run No	>>>>>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tot_cost	Total Cost	Total Cost	->>,>>>,>>9.99
usage_code	Tax Usage	Tax Usage	x(8)
vendor_no	Vendor No	Vendor No	x(10)
vend_name	Vendor Name	Vendor Name	x(30)
wo_no	WO No	WO No	>>>>>>>>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC
acct_site	acct_no	no	yes
	site_code		
area_site	area	no	yes
	site_code		
auth_status	auth_status	no	yes
buyer	buyer	no	yes
cc	cc	no	yes
curr_code	curr_code	no	yes
dept_site	dept_code	no	yes
	site_code		
equip_no	equip_no	no	yes
next_site_req	next_approver	no	yes

	site_code req_grp_no			
notify	notify	no	yes	
part_no	part_no	no	yes	
po_site	po_no site_code	no	yes	
proj_site	proj_no site_code	no	yes	
req_grp_desc	req_grp_desc	no	yes	
req_grp_no-d	req_grp_no	no	no	
req_site	req_grp_no site_code	yes	yes	***Pri Index***
site	site_code	no	yes	
site_next_reviewed	site_code next_approver reviewed	no	yes	
site_reviewed	site_code reviewed	no	yes	
site_rfq	site_code rfq_no	no	yes	
site_rgrp-d	site_code req_grp_no	no	yes	
sub_acct_no	sub_acct_no	no	yes	
sys-code	sys_code	no	yes	
sys_assy	sys_code assy_code	no	yes	
vendor_no	vendor_no	no	yes	
vend_name	vend_name	no	yes	

REROUTE_FIELDS

FIELD NAME	LABEL	COL-LABEL	FORMAT
action	Action	Action	X(5)
email_list	Reroute Field List	?	x(8)
file_desc	Module	Module	X(25)
file_name	File Name	File Name	X(20)
rerouted_list	Reroute Field List	?	x(8)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
site_file_action	site_code file_name action	yes	yes	***Pri Index***

RETURN_VEND

vendor return codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
email	E-Mail?	E-Mail?	yes/no
return_code	Return	Return	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
return_code	return_code	yes	yes	***Pri Index***

REV_CONTROL

FIELD NAME	LABEL	COL-LABEL	FORMAT
be_id	Business Entity ID	Business Entity ID	x(40)
key_code	Key Code	Key Code	x(8)

INDEX NAME	FIELD	UNI	ASC	
key_be	key_code	yes	yes	***Pri Index***
	be_id			

REVISIONS

revisions for maintenance module

FIELD NAME	LABEL	COL-LABEL	FORMAT
changed	Changed	Changed	X(15)
chg_from	From	From	X(30)
chg_to	To	To	X(30)
comment	Comment	Comment	X(30)
field_name	Field Name	Field Name	X(40)
key_code1	Key Code 1	Key Code 1	x(20)
key_code2	Key Code 2	Key Code 2	x(20)
key_code3	Key Code 3	Key Code 3	x(20)
key_code4	Key Code 4	Key Code 4	x(20)
key_code5	Key Code 5	Key Code 5	x(20)
rev_date	Date	Date	99/99/9999
rev_no	Rev No	Rev No	>>>>>>>>9
rev_time	Time	Time	>>>>9
sub_module	Sub Module	Sub Module	X(20)
table_name	Table Name	Table Name	X(32)
user_id	User ID	User ID	x(12)
usr_comment	Comment	Comment	X(30)

INDEX NAME	FIELD	UNI	ASC
chg_table_key_rev	changed	no	yes
	table_name		
	key_code1		
	key_code2		
	key_code3		
	key_code4		
	key_code5		
	rev_no		

date_table_key_rev	rev_date	no	no	
	table_name			
	key_code1			
	key_code2			
	key_code3			
	key_code4			
	key_code5			
	rev_no			
fld_table_key_rev	field_name	no	yes	
	table_name			
	key_code1			
	key_code2			
	key_code3			
	key_code4			
	key_code5			
	rev_no			
table_key	table_name	no	yes	
	key_code1			
	key_code2			
	key_code3			
	key_code4			
	key_code5			
table_key_rev_chg	table_name	yes	yes	***Pri Index***
	key_code1			
	key_code2			
	key_code3			
	key_code4			
	key_code5			
	rev_no			
	changed			
user_table_key_rev	user_id	no	yes	
	table_name			
	key_code1			
	key_code2			
	key_code3			
	key_code4			
	key_code5			
	rev_no			

RFQ_HEADER

request for quote master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
bt_no	Bill To No	Bill To No	x(10)
buyer	Buyer	Buyer	X(11)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9

comm_code	Commodity	Commodity	X(15)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_awarded	Date Awarded	Date Awarded	99/99/9999
date_opened	Date Opened	Date Opened	99/99/9999
date_req	Date Required	Date Required	99/99/9999
dept_code	Dept	Dept	X(10)
orig_req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
pri	Priority	Priority	X(2)
proj_no	Project No	Project No	x(8)
requested_by	Requestor	Requestor	X(11)
respond_by	Response Due	Response Due	99/99/9999
return_to	Return To	Return To	X(11)
rfq_desc	Description	Description	X(30)
rfq_no	RFQ No	RFQ No	>>>>>>>>9
rfq_status	Status	Status	X(1)
send_to_scp	Send To SCP	Send To SCP	yes/no
site_code	Site	Site	X(8)
st_no	Ship To No	Ship To No	x(10)
tech_contact	Tech Contact	Tech Contact	X(11)

INDEX NAME	FIELD	UNI	ASC	
bt_no	bt_no	no	yes	
comm_code	comm_code	no	yes	
date_req-d	date_req	no	no	
dept_site	dept_code site_code	no	yes	
pri	pri	no	yes	
respond_by-d	respond_by	no	no	
rfq_desc	rfq_desc	no	yes	
rfq_no-d	rfq_no	no	no	
site_rfq	site_code rfq_no	yes	yes	***Pri Index***
st_no	st_no	no	yes	

RFQ_ITEM

requisitions that make up quotes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
awarded	Awarded	Awarded	yes/no
award_qty	Award Qty	Award Qty	>,>>>,>>9.99

bid_date	Delivery By	Delivery By	99/99/9999
bid_discount_percent	Bid Discount Percent	Bid Discount Percent	>>9%
bid_expiration_date	Bid Expiration Date	Bid Expiration Date	99/99/9999
bid_price	Bid Price	Bid Price	>>,>>>,>>9.99
bid_qty	Bid Qty	Bid Qty	>,>>>,>>9.99
bid_uom	Bid UOM	Bid UOM	x(6)
buyer_expire_notified	Buyer Notified about E	Buyer Notified about E	yes/no
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
closed	Closed	Closed	yes/no
consign	Consignment?	Consignment?	yes/no
curr_code	Currency	Currency	X(5)
date_deliver	Delivery Date	Delivery Date	99/99/9999
include	Include	Include	yes/no
line_no	Item	Item	>9
manuf_code	Manufacturer	Manufacturer	x(15)
manuf_part_desc	Description	Description	x(30)
manuf_part_no	Manuf Part No	Manuf Part No	x(50)
poi_no	Req No	Req No	>>>>>>>>9
qty_price_break	Quantity Price Break f	Quantity Price Break f	>>,>>9.99
reason_code	Reason Code	Reason Code	x(10)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
rfq_line	RFQ Line	RFQ Line	>>9
rfq_no	RFQ No	RFQ No	>>>>>>>>9
site_code	Site	Site	X(8)
valid_for	Valid For	Valid For	>>>9
valid_from	Valid From	Valid From	99/99/9999
valid_to	Valid To	Valid To	99/99/9999
vendor_no	Vendor No	Vendor No	x(10)
vn_part_no	Vendor Part No	Vendor Part No	X(20)

INDEX NAME	FIELD	UNI	ASC	
rfq_no_site	rfq_no site_code	no	yes	
site_rfq_line_vend	site_code rfq_no rfq_line vendor_no	yes	yes	***Pri Index***
site_rfq_poi_vend	site_code rfq_no poi_no vendor_no	no	yes	
vendor_no	vendor_no	no	yes	

RFQ_LINE

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comm_code	Commodity	Commodity	X(15)
date_req	Date Required	Date Required	99/99/9999
ord_uom_code	Order UOM	Order UOM	x(6)
part_desc	Description	Description	x(30)
part_no	Part No	Part No	x(20)
po_text	PO Text	PO Text	X(8)
qty_req	Qty Requested	Qty Requested	>>,>>9.99
rfq_line	RFQ Line	RFQ Line	>>9
rfq_no	RFQ No	RFQ No	>>>>>>>>9
site_code	Site	Site	X(8)
status_code	Status	Status	x(2)

INDEX NAME	FIELD	UNI	ASC	
site_rfq_line	site_code	yes	yes	***Pri Index***
	rfq_no			
	rfq_line			
site_rfq_part	site_code	no	yes	
	rfq_no			
	part_no			

RFQ_REASON

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
reason_code	Reason Code	Reason Code	x(10)

INDEX NAME	FIELD	UNI	ASC	
reason_code	reason_code	yes	yes	***Pri Index***

RFQ_VENDOR

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
rfq_no	RFQ No	RFQ No	>>>>>>>>9
site_code	Site	Site	X(8)
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
site_rfq_vendor	site_code	yes	yes	***Pri Index***
	rfq_no			
	vendor_no			

ROUT_SUBS

routing substitutions

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
edate	End Date	End Date	99/99/9999
sdate	Start Date	Start Date	99/99/9999
subs_id	Substitute ID	Substitute ID	X(12)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
sdate	sdate	no	no	
subs_id	subs_id	no	yes	
user_id	user_id	no	yes	
user_sdate	user_id	yes	yes	***Pri Index***
	sdate			

ROUTING

routings for approval for requisitions, purchase orders, and projects

FIELD NAME	LABEL	COL-LABEL	FORMAT
action	Action	Action	X(10)
action_date	Action Date	Action Date	99/99/9999
action_time	Action Time	Action Time	->,>>>,>>9
ad_hoc	Ad Hoc	?	yes/no
appr_grp_no	Routing Grp	Routing Grp	X(10)
auth_limit	Limit	Limit	>>>,>>>,>>9.99
bo_no	BO No	BO No	x(8)
comment	Comment	Comment	X(8)
horizontal_approver	Horizontal Approver?	?	yes/no
margin_limit	Margin Limit	Margin Limit	>>,>>9.99
money	Cons Limit?	Cons Limit?	yes/no
po_no	PO No	PO No	>>>>>>>>9
proj_no	Project No	Project No	x(8)
received_date	Received Date	Received Date	99/99/9999
received_time	Received Time	Received Time	->,>>>,>>9
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
req_no	Req No	Req No	>>>>>>>>9
rout_code	Code	Code	X(1)
r_order	Order	Order	>>9
site_code	Site	Site	X(8)
substitute	Subst?	Subst?	yes/no

subs_for_id	Substituted User ID	Substituted User ID	X(12)
user_id	User ID	User ID	X(12)

INDEX NAME	FIELD	UNI	ASC	
action_rout_code	action rout_code	no	yes	
appr_grp_site	appr_grp_no site_code	no	yes	
dappr_site_code_order	appr_grp_no site_code rout_code r_order	no	no	
grp_site_code_order	appr_grp_no site_code rout_code r_order	yes	yes	***Pri Index***
money	money	no	yes	
r_order	r_order	no	yes	
site	site_code	no	yes	
site_proj	site_code proj_no	no	yes	
site_req	site_code req_no	no	yes	

RPT_HDR

temporary table used to build 4GL reports

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_1	?	?	X(60)
char_2	?	?	X(60)
char_3	?	?	X(60)
char_4	?	?	X(60)
char_5	?	?	X(60)
char_6	?	?	X(60)
char_7	?	?	X(60)
char_8	?	?	X(60)
date_1	?	?	99/99/9999
date_2	?	?	99/99/9999
date_3	?	?	99/99/9999
date_4	?	?	99/99/9999
date_5	?	?	99/99/9999
date_6	?	?	99/99/9999
date_7	?	?	99/99/9999
date_8	?	?	99/99/9999
dec_1	?	?	->>>,>>>,>>9.99999
dec_2	?	?	->>>,>>>,>>9.99999
dec_3	?	?	->>>,>>>,>>9.99999
dec_4	?	?	->>>,>>>,>>9.99999
dec_5	?	?	->>>,>>>,>>9.99999
dec_6	?	?	->>>,>>>,>>9.99999
dec_7	?	?	->>>,>>>,>>9.99999
dec_8	?	?	->>>,>>>,>>9.99999

int_1	?	?	->>>,>>>,>>9
int_2	?	?	->>>,>>>,>>9
int_3	?	?	->>>,>>>,>>9
int_4	?	?	->>>,>>>,>>9
int_5	?	?	->>>,>>>,>>9
int_6	?	?	->>>,>>>,>>9
int_7	?	?	->>>,>>>,>>9
int_8	?	?	->>>,>>>,>>9
log_1	?	?	yes/no
log_2	?	?	yes/no
log_3	?	?	yes/no
log_4	?	?	yes/no
log_5	?	?	yes/no
log_6	?	?	yes/no
log_7	?	?	yes/no
log_8	?	?	yes/no
rpt_date	Date	Date	99/99/9999
rpt_no	Report No.	Report No.	>>>>>>>>9
rpt_time	Time	Time	>>>,>>>
rpt_userid	User ID	User ID	x(12)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
rpt_no	rpt_no	yes	yes	***Pri Index***
rpt_userid	rpt_userid rpt_no	no	yes	
site_code	site_code	no	yes	

RPT_TABLE

temporary table used to build 4GL reports

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_1	?	?	X(60)
char_2	?	?	X(60)
char_3	?	?	X(60)
char_4	?	?	X(60)
char_5	?	?	X(60)
char_6	?	?	X(60)
char_7	?	?	X(60)
char_8	?	?	X(60)
date_1	?	?	99/99/9999
date_2	?	?	99/99/9999
date_3	?	?	99/99/9999
date_4	?	?	99/99/9999
date_5	?	?	99/99/9999
date_6	?	?	99/99/9999
date_7	?	?	99/99/9999
date_8	?	?	99/99/9999
dec_1	?	?	->>>,>>>,>>9.99999
dec_2	?	?	->>>,>>>,>>9.99999
dec_3	?	?	->>>,>>>,>>9.99999
dec_4	?	?	->>>,>>>,>>9.99999

dec_5	?	?	->>>,>>>,>>9.99999
dec_6	?	?	->>>,>>>,>>9.99999
dec_7	?	?	->>>,>>>,>>9.99999
dec_8	?	?	->>>,>>>,>>9.99999
int_1	?	?	->>>,>>>,>>9
int_2	?	?	->>>,>>>,>>9
int_3	?	?	->>>,>>>,>>9
int_4	?	?	->>>,>>>,>>9
int_5	?	?	->>>,>>>,>>9
int_6	?	*?*	->>>,>>>,>>*9*
int_7	*?*	*?*	->>>,>>>,>>9
int_8	?	?	->>>,>>>,>>9
log_1	?	?	yes/no
log_2	?	?	yes/no
log_3	?	?	yes/no
log_4	?	?	yes/no
log_5	?	?	yes/no
log_6	?	?	yes/no
log_7	?	?	yes/no
log_8	?	?	yes/no
rpt_date	Date	Date	99/99/9999
rpt_no	Report No.	Report No.	>>>>>>>>9
rpt_time	Time	Time	>>>,>>>
rpt_userid	User ID	User ID	x(12)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
rpt_no	rpt_no	no	yes	***Pri Index***
rpt_userid	rpt_userid rpt_no	no	yes	
site_code	site_code	no	yes	

RPTLINK

software preference per report per site

FIELD NAME	LABEL	COL-LABEL	FORMAT
cLibrary	UDF Library	?	x(256)
cPaperSize	Paper Size	Paper Size	x(6)
cSoftwareId	Software	Software	x(14)
cUDFReportName	UDF Report Name	?	x(50)
cXMLDtd	Document Type Definiti	?	x(50)
cXMLUrl	Destination URL	?	X(8)
iNumCopies	No of Copies	No of Copies	>>9
iReportId	?	?	>,>>>,>>9
lEmail	Email Document	?	yes/no
lFax	Fax document	?	yes/no
lXml	Create XML Document	?	yes/no
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
ReportId	iReportId	no	yes	
Site-ReportId	site_code	yes	yes	***Pri Index***

	iReportId

RPTTOFILTER

connection of custom reports to filter fields

FIELD NAME	LABEL	COL-LABEL	FORMAT
filter_field	?	?	X(45)
iReportId	?	?	>,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
rep_filter	iReportId	no	yes	***Pri Index***
	filter_field			

RPTTOSOFTWARE

software available per report

FIELD NAME	LABEL	COL-LABEL	FORMAT
cSoftwareId	Software	?	x(14)
cSystemLibrary	System Library	?	x(256)
cSystemReportName	Sys Report Name	?	x(50)
iReportId	?	?	>,>>>,>>9

INDEX NAME	FIELD	UNI		ASC
ReportId-SoftwareId	iReportId	yes	yes	***Pri Index***
	cSoftwareId			

RQAUTHFIELDS

Requistion Rerouting/Notify Fields

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
field_label	Field Name	Field Name	X(20)
field_name	Field Name	Field Name	x(30)
file_name	File Name	File Name	X(20)
notify	Email Requestor?	Email Requestor?	yes/no
reroute	Reroute?	Reroute?	yes/no

INDEX NAME	FIELD	UNI	ASC	
file_field	file_name	yes	yes	***Pri Index***
	field_name			
notify	notify	no	yes	

SAF_CONCEPT

FIELD NAME	LABEL	COL-LABEL	FORMAT
saf_concept_desc	SAF Concept Desc	SAF Concept Desc	x(30)
saf_concept_no	SAF Concept Code	SAF Concept Code	x(8)

INDEX NAME	FIELD	UNI	ASC	
saf_no	saf_concept_no	yes	yes	***Pri Index***

SCHED_PAY_PO

Scheduled Payment Purchase Orders

FIELD NAME	LABEL	COL-LABEL	FORMAT
act_ppap_date	Act PPAP Date	Act PPAP Date	99/99/9999
amount	Dollar Amount	Dollar Amount	->>,>>>,>>9.99
complete	Complete?	Complete?	yes/no
date_due	Due Date	Due Date	99/99/9999
disp_cost_ord	Order Cost	Order Cost	->>,>>>,>>9.99999
disp_pi_value	Total Cost	Total Cost	->>,>>>,>>9.99
est_ppap_date	Est PPAP Date	Est PPAP Date	99/99/9999
is_locked	Locked	Locked	yes/no
job_no	Job No	Job No	x(15)
line_no	Item	Item	>9
pay_no	Vendor Pay No	Vendor Pay No	>,>>>,>>9
percent	Percent	Percent	>>9%
pi_value	Total Cost (B)	Total Cost (B)	->>,>>>,>>9.99
poi_no	Req No	Req No	>>>>>>>>9
po_no	PO No	PO No	>>>>>>>>9
proj_no	Project No	Project No	x(8)
receiver	Receiver	Receiver	x(14)
recno	Packing Slip	Packing Slip	x(14)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
pay_no	pay_no	no	yes	
po_no	po_no	no	yes	
proj_site	proj_no site_code	no	yes	
site_proj_pay	site_code proj_no pay_no	yes	yes	***Pri Index***

SCHED_PAY_SO

Scheduled Payment Sales Orders

FIELD NAME	LABEL	COL-LABEL	FORMAT
act_ppap_date	Act PPAP Date	Act PPAP Date	99/99/9999
amount	Dollar Amount	Dollar Amount	->>,>>>,>>9.99
comment	Comment	Comment	x(30)
complete	Complete?	Complete?	yes/no
cust_cpo_no	Cust PO No	Cust PO No	x(30)
cust_pi_value	Cust PO Line AmountCust	PO Line Amount	->>,>>>,>>9.99
cust_poi_no	Cust PO Line No	Cust PO Line No	>>>>>>>>9
cust_po_no	Cust PO No	Cust PO No	>>>>>>>>9
date_due	Due Date	Due Date	99/99/9999
est_inv_date	Est Inv Date	Est Inv Date	99/99/9999
est_ppap_date	Est PPAP Date	Est PPAP Date	99/99/9999

is_locked	Locked	Locked	yes/no
job_no	Job No	Job No	x(15)
line_no	Item	Item	>9
pay_no	SO Pay No	SO Pay No	>,>>>,>>9
percent	Percent	Percent	>>9%
proj_no	Project No	Project No	x(8)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
shipped	Shipped	Shipped	yes/no
site_code	Site	Site	X(8)
si_value	SO Line Amount	SO Line Amount	->>,>>>,>>9.99
soi_no	SO Line No	SO Line No	>>>>>>>>9
so_no	SO No	SO No	x(8)

INDEX NAME	FIELD	UNI	ASC	
pay_no	pay_no	no	yes	
proj_site	proj_no site_code	no	yes	
site_proj_pay	site_code proj_no pay_no	yes	yes	***Pri Index***
so_no	so_no	no	yes	

SCR_OBJECTS

securable objects; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
object	Object	Object	X(8)
order_no	Order No	Order No	>9
scrname	Screen Name	Screen Name	X(50)
s_option	Option	Option	X(25)

INDEX NAME	FIELD	UNI	ASC	
scr_obj_opt	scrname object s_option	yes	yes	***Pri Index***

SEC_MENU

menu security; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
menu_name	Menu Name	Menu Name	x(8)
option_key	Option Key	Option Key	>>>9
option_num	Option No	Opt No	>9
owner	Owner	Owner	X(8)
sec_grp	Sec Group	Sec Group	X(15)
site_code	Site	Site	X(8)
s_enable	Enable?	Enable?	yes/no

INDEX NAME	FIELD	UNI	ASC	
option_key	option_key	no	yes	
site_grp_key	site_code sec_grp option_key	yes	yes	***Pri Index***

site_grp_own_menu_opt	site_code sec_grp owner menu_name option_num	no	yes

SEC_OPTS

object security per security group per site

FIELD NAME	LABEL	COL-LABEL	FORMAT	
object	Object	Object	X(8)	
scrname	Screen Name	Screen Name	X(50)	
sec_grp	Sec Group	Sec Group	X(15)	
site_code	Site		Site	X(8)
s_enable	Enable?	Enable?	yes/no	
s_option	Option	Option	X(20)	

INDEX NAME	FIELD	UNI	ASC	
site_grp_scr_obj_opt	site_code sec_grp scrname object s_option	yes	yes	***Pri Index***

SEC_SITE

security group header

FIELD NAME	LABEL	COL-LABEL	FORMAT	
add_date	Add Date	Add Date	99/99/9999	
add_id	Add User ID	Add User ID	x(12)	
add_time	Add Time	Add Time	>>>>9	
chg_date	Chg Date	Chg Date	99/99/9999	
chg_id	Chg User ID	Chg User ID	x(12)	
chg_time	Chg Time	Chg Time	>>>>>9	
sec_grp	Sec Group	Sec Group	X(15)	
sec_grp_desc	Description	Description	X(30)	
site_code	Site		Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
sec_grp_desc	sec_grp_desc	no	yes	
site_grp	site_code sec_grp	yes	yes	***Pri Index***

SEQ_SITE

sequence values for numbers assigned by MLS that are site specific

FIELD NAME	LABEL	COL-LABEL	FORMAT
bo_no	BO No	BO No	x(8)
pc_no	PC No	PC No	x(8)
phh_no	Inv No	Inv No	>>>>>>>>9
poi_no	Req No	Req No	>>>>>>>>9
po_contract	PO Contract Sequence	PO Contract Sequence	x(3)
po_no	PO No	PO No	>>>>>>>>9

req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
rfq_no	RFQ No	RFQ No	>>>>>>>>9
site_code	Site	Site	X(8)
squawk_no	Service No	Service No	>>>>>9
stock_no	Stock Run No	Stock Run No	>>>>>>9
trans_no	Inv Trans No	Inv Trans No	>>>>>>>>9
wo_no	WO No	WO No	>>>>>>>>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
site_code	site_code	yes	yes	***Pri Index***

SERIAL_HIST

rotable part history

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_etime	End Time	End Time	X(8)
char_stime	Start Time	Start Time	X(8)
cost	Maint Cost	Maint Cost	->>>,>>9.99
loc_inv	Location	Location	X(7)
loc_site	Site	Site	X(8)
loc_where	Position	Position	x(20)
manuf_code	Manufacturer	Manufacturer	x(15)
part_no	Part No	Part No	x(20)
serial_no	Serial No	Serial No	x(20)
sh_end	End Date	End Date	99/99/9999
sh_etime	End Time	End Time	>,>>>,>>9
site_code	Site	Site	X(8)
start	Start Date	Start Date	99/99/9999
stime	Start Time	Start Time	>,>>>,>>9
vendor_no	Vendor	Vendor	x(10)

INDEX NAME	FIELD	UNI	ASC	
loc_where_inv	loc_where loc_inv	no	yes	
manuf_code	manuf_code	no	yes	
part_site_manuf_ser_st_time_l	part_no site_code manuf_code serial_no start stime	yes	yes	***Pri Index***
site	site_code	no	yes	
vendor_no	vendor_no	no	yes	

SERIAL_PT

rotable part information

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(30)
cost	Acquisit'n Cost	Acquisit'n Cost	>>>,>>9.99
curr_cost	Current Cost	Current Cost	>>>,>>9.99
date_pur	Purchased Date	Purchased Date	99/99/9999
life_exp	Life Expct	Life Expct	>9.99
loc_inv	Location	Location	X(7)
loc_sdate	Loc Date	Loc Date	99/99/9999
loc_site	Site	Site	X(8)
loc_where	Position	Position	x(20)
make	Asset No	Asset No	x(20)
manuf_code	Manufacturer	Manufacturer	x(15)
model	Model	Model	x(10)
name	Vendor Name	Vendor Name	x(30)
part_no	Part No	Part No	x(20)
po_no	PO No	PO No	>>>>>>>>9
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
vendor_no	Vendor No	Vendor No	x(10)
warranty	Warranty Date	Warranty Date	99/99/9999

INDEX NAME	FIELD	UNI	ASC	
loc_where_inv loc_where	no	yes		
	loc_inv			
manuf-codemanuf_code	no	yes		
part_no	part_no	no	yes	
part_site_loc	part_no	no	yes	
	site_code			
	loc_inv			
part_site_manuf_ser	part_no	yes	yes	***Pri Index***
	site_code			
	manuf_code			
	serial_no			
serial_no	serial_no	no	yes	
site	site_code	no	yes	
vendor_no	vendor_no	no	yes	

SERIAL_WO

work orders performed for rotable parts

FIELD NAME	LABEL	COL-LABEL	FORMAT
cont_cost	Cont Cost	Cont Cost	->>>,>>9.99
hrs	Hrs	Hrs	->,>>9.99
lab_cost	Labor Cost	Labor Cost	->>>,>>9.99
manuf_code	Manufacturer	Manufacturer	x(15)
mtrl_cost	Mtrl Cost	Mtrl Cost	->>>,>>9.99
ot	OT Hours	OT Hours	->,>>9.99
part_no	Part No	Part No	x(20)
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)

start	Start Date	Start Date	99/99/9999
stime	Start Time	Start Time	>,>>>,>>9
tot_cost	Total Cost	Total Cost	->,>>>,>>9.99
to_site	To Site	To Site	X(8)
vendor_no	Vendor	Vendor	x(10)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
manuf_code	manuf_code	no	yes	
pt_site_manuf_ser_to_wo	part_no	yes	yes	***Pri Index***
	site_code			
	manuf_code			
	serial_no			
	start			
	stime			
	to_site			
	wo_no			
site	site_code	no	yes	
vendor_no	vendor_no	no	yes	
wo_no	wo_no	no	yes	

SHIFT

shift codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
end_time	End	End	X(8)
shift_code	Shift	Shift	X(10)
start_time	Start	Start	X(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
shift_code	shift_code	yes	yes	***Pri Index***

SHIP_TO

ship to codes and their addresses

FIELD NAME	LABEL	COL-LABEL	FORMAT
addr_1	Address	Address	x(30)
addr_2	Address	Address	x(30)
addr_3	Address	Address	x(30)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)
class_code	Tax Class	Tax Class	x(8)
contact	Contact	Contact	x(25)
country_code	Country	Country	x(3)
dom_code	Domain	?	x(8)
name	Name	Name	x(30)
st	State	St	x(2)
st_no	Ship To No	Ship To No	x(10)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
usage_code	Tax Usage	Tax Usage	x(8)
zip	Zip	Zip	x(10)

INDEX NAME	FIELD	UNI	ASC	
city	city	no	yes	
contact	contact	no	yes	
dom_code	dom_code	no	yes	
dom_st	dom_code st_no	yes	yes	***Pri Index***
name	name	no	yes	
st	st	no	yes	
st_no	st_no	no	yes	
tax_code	tax_code	no	yes	

SHIP_VIA

ship via codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
rush	Rush?	Rush?	yes/no
via	Ship Via	Ship Via	x(20)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
via	via	yes	yes	***Pri Index***

SITE

site codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_cons	Cons Asset Acct	Cons Asset Acct	x(13)
acct_cons_adj	Cons Adj Acct	Cons Adj Acct	x(13)
acquisition_cost	Acquisition Cost	Acquisition Cost	X(1)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)

add_time	Add Time	Add Time	>>>>9
adj_acct	Acct No	Acct No	X(13)
adj_cc	Cost Center	Cost Center	X(5)
adj_dept	Dept	Dept	X(10)
adj_sub	Sub Acct No	Sub Acct No	X(13)
appr_mthd	Appr Mthd	Appr Mthd	X(10)
appr_mthd2	2nd Appr Mthd	2nd Appr Mthd	X(10)
appr_mthd3	3rd Appr Mthd	3rd Appr Mthd	X(10)
asset_acct_interface	Asset Acct Interface?	Asset Acct Interface?	yes/no
auto	Automatically	Automatically	X(10)
bo_auto_order_on_relea	Auto Order on Release	Auto Order on Release	yes/no
bt_no	Bill To No	Bill To No	x(10)
budg_perc_auth	Budget % Auth Purchase	Budget % Auth Purchase	yes/no
budg_perc_comm	Budget % Committed Pur	Budget % Committed Pur	yes/no
budg_perc_unauth	Budget % Unauth Purcha	Budget % Unauth Purcha	yes/no
calc_budg	Calc % Budget	Calc % Budget	X(1)
calc_spend_est	Calc % Spnd Est	Calc % Spnd Est	X(1)
calc_tax	CalculateTax?	CalculateTax?	yes/no
cc_cons	Cons Asset CC	Cons Asset CC	X(5)
cc_cons_adj	Cons Adj CC	Cons Adj CC	X(5)
cent_whse	Central Whse?	Central Whse?	yes/no
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cim_rdg_usg	CIM Load	CIM Load	X(1)
cont_gl	Contract GL?	Contract GL?	yes/no
create_acct_hist	Create Acct Hist?	Create Acct Hist?	yes/no
create_part_hist	Create Inv Hist?	Create Inv Hist?	yes/no
create_pc	Release PC	Release PC	X
csv_browse_export	CSV Browse Export	CSV Browse Export	yes/no
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
dept_cons	Cons Asset Dept	Cons Asset Dept	X(10)
dept_cons_adj	Cons Adj Dept	Cons Adj Dept	X(10)
description	Description	Description	X(30)
direct_tax	Direct Pay Tax?	Direct Pay Tax?	yes/no
ent_code	Entity	Entity	X(4)
eqlk_parent	Parent Lookup?	Parent Lookup?	yes/no
equip_to_milstep	Equip to MIL Step?	Equip to MIL Step?	yes/no
Equip_to_pm	Equip to PM?	Equip to PM?	yes/no
Equip_to_wo	Equip to WO?	Equip to WO?	yes/no
est_avail_comm	Committed	Committed	yes/no
est_avail_fund_auth	Auth Purch	Auth Purch	yes/no

est_avail_fund_plan	Unauth Purch	Unauth Purch	yes/no
est_avail_int_mtrl	Planned Internal Mater	Planned Internal Mater	yes/no
est_avail_plan_lab	Planned Labor	Planned Labor	yes/no
expense_auth	Auth Reqs	Auth Reqs	yes/no
expense_comm	Committed	Committed	yes/no
expense_plan	Planned Reqs	Planned Reqs	yes/no
expense_recv	Received	Received	yes/no
freight_inv	Inventory Freight?	Inventory Freight?	yes/no
fr_acct	Freight Acct No	Freight Acct No	X(13)
fr_cc	Freight CC	Freight CC	X(5)
fr_charge	?	?	X(8)
fr_dept	Freight Dept	Freight Dept	X(10)
fr_sub	Frght Sub Acct	Frght Sub Acct	X(13)
horizontal	Horizontal?	?	yes/no
incl_tax_acq	Include Tax?	Include Tax?	yes/no
inter_acct	Acct No	Acct No	X(13)
inter_cc	Cost Center	Cost Center	X(5)
inter_dept	Dept	Dept	X(10)
inter_sub	Sub Acct No	Sub Acct No	X(13)
inv_to_req	Inv to Req?	Inv to Req?	yes/no
inv_to_wo	Inv to WO?	Inv to WO?	yes/no
isde_acct	Acct No (Equip)	Acct No (Equip)	X(13)
isde_sub	Sub Acct (Equip)	Sub Acct (Equip)	X(13)
isd_acct	Acct No	Acct No	X(13)
isd_cc	Cost Center	Cost Center	X(5)
isd_dept	Dept	Dept	X(10)
isd_sub	Sub Acct No	Sub Acct No	X(13)
labor_gl	Labor GL?	Labor GL?	yes/no
labor_ovhd	OH Group	OH Group	X(5)
lbc_acct	Acct No	Acct No	X(13)
lbc_cc	Cost Center	Cost Center	X(13)
lbc_dept	Dept	Dept	X(10)
lbc_sub	Sub Acct No	Sub Acct No	X(13)
lbde_acct	Acct No (Equip)	Acct No (Equip)	X(13)
lbde_sub	Sub Acct (Equip)	Sub Acct (Equip)	X(13)
lbd_acct	Acct No	Acct No	X(13)
lbd_cc	Cost Center	Cost Center	X(5)
lbd_dept	Dept	Dept	X(10)
lbd_sub	Sub Acct No	Sub Acct No	X(13)
mfg_batch_pf_file	Batch Job PF File	Batch Job PF File	X(256)
mfg_blank_po_site	Blank PO Site?	Blank PO Site?	yes/no
mfg_create_conv	Create Conv?	Create Conv?	yes/no
mfg_custom_oper	Custom Field	Custom Field	X(9)
mfg_ignore_tool	Ignore Tools?	Ignore Tools?	yes/no
mfg_manual_gl	Manual GL?	Manual GL?	yes/no
mfg_op_trans	Trans	Trans	>>>>>>>>9
mfg_po_prefix	PO Prefix	PO Prefix	X(2)
mfg_sep_tool	Separate Tools?	Separate Tools?	yes/no
mtrl_gl	Material GL?	Material GL?	yes/no
mtrl_ovhd	OH Group	OH Group	X(5)
name	Company Name	Company Name	x(30)

name10	Company Name	Company Name	x(30)
name2	Company Name	Company Name	x(30)
name3	Company Name	Company Name	x(30)
name4	Company Name	Company Name	x(30)
name5	Company Name	Company Name	x(30)
name6	Company Name	Company Name	x(30)
name7	Company Name	Company Name	x(30)
name8	Company Name	Company Name	x(30)
name9	Company Name	Company Name	x(30)
notify	Notify	Notify	X(12)
notify_days	Notify Days	Notify Days	>>9
nstock_freight	NStock Freight	NStock Freight	>>9.99%
nstock_tax	Non Stock Tax?	Non Stock Tax?	yes/no
ns_ovhd	OH Group	OH Group	X(5)
over_budg	Use Over Budget	Use Over Budget	X(1)
pack_slip_by_vendor	Packing Slip by Vendor	Packing Slip by Vendor	yes/no
pick_ticket	Prompt for Pick Ticket	Prompt for Pick Ticket	yes/no
pm_to_wo	PM to WO?	PM to WO?	yes/no
poauth	PO Auth?	PO Auth?	yes/no
poc_acct	AP Liab Acct No	AP Liab Acct No	X(13)
poc_cc	AP Liability CC	AP Liability CC	X(5)
poc_dept	AP Liab Dept	AP Liab Dept	X(10)
poc_sub	AP Liab Sub	AP Liab Sub	X(13)
pond_acct	NStock Acct No	NStock Acct No	X(13)
pond_cc	NStock CC	NStock CC	X(5)
pond_dept	NStock Dept	NStock Dept	X(10)
pond_sub	NStock Sub Acct	NStock Sub Acct	X(13)
posd_acct	Stock Acct No	Stock Acct No	X(13)
posd_cc	Stock CC	Stock CC	X(5)
posd_dept	Stock Dept	Stock Dept	X(10)
posd_sub	Stock Sub Acct	Stock Sub Acct	X(13)
PricedOnly	Priced Only	Priced Only	YES/NO
print_label	Print Label?	Print Label?	yes/no
print_mthd	Print Method	?	X(1)
print_pocl	Print Clauses?	Print Clauses?	X(1)
projauth	Proj Auth?	Proj Auth?	yes/no
proj_percent	Spending Limit	Spending Limit	>>9%
pr_app_margin	Approve by Margin	Approve by Margin	yes/no
pr_incl_tax	Project Include Tax?	Project Include Tax?	yes/no
pr_margin_tol	Margin Decrease Tol %	Margin Decrease Tol %	>>9
purge_cim	CIM Purge Days	CIM Purge Days	>>9
purge_prod	Prod Purge Days	Prod Purge Days	>>9
purge_squawks	Purge Days	Purge Days	>>9
quality_sort	Quality Sort	Quality Sort	X(1)
reqauth	Req Auth?	Req Auth?	yes/no
reqauth_hier	Use Hierarchy?	Use Hierarchy?	yes/no
req_auth_exceed_spendi	Allow Req Auth when Sp	Allow Req Auth when Sp	yes/no
req_code	Requestor	Requestor	x(11)
rev_equip	Equip Rev?	Equip Rev?	yes/no
rev_pm	PM Rev?	PM Rev?	yes/no
rev_po	PO Rev?	PO Rev?	yes/no

rev_proj	Proj Rev?	Proj Rev?	yes/no
rev_req	Req Rev?	Req Rev?	yes/no
rev_vend	Vendor Rev?	Vendor Rev?	yes/no
rev_wo	WO Rev?	WO Rev?	yes/no
round_acct	Acct No	Acct No	x(13)
round_cc	Cost Center	Cost Center	x(5)
round_dept	Dept	Dept	X(10)
round_sub	Sub Acct No	Sub Acct No	X(13)
site_code	Site	Site	X(8)
so_acct	Sales Order Acct No	Sales Order Acct No	x(13)
so_cc	Sales Order Cost Cente	Sales Order Cost Cente	x(5)
so_sub_acct	Sales Order Sub Acct N	Sales Order Sub Acct N	x(13)
spend_perc_auth	Spend % Auth Purchases	Spend % Auth Purchases	yes/no
spend_perc_comm	Spend % Committed Purc	Spend % Committed Purc	yes/no
spend_perc_unauth	Spend % Unauth Purchas	Spend % Unauth Purchas	yes/no
stck_create	Stck Repl Create	Stck Repl Create	x(1)
st_no	Ship To No	Ship To No	x(10)
sub_acct_cons_adj	Cons Adj Sub	Cons Adj Sub	X(13)
sub_cons	Cons Asset Sub	Cons Asset Sub	X(13)
tax_accrued	Tax Accrued?	Tax Accrued?	yes/no
tax_acct	Acct No	Acct No	X(13)
tax_cc	Cost Center	Cost Center	X(5)
tax_dept	Dept	Dept	X(10)
tax_inv	Inventory Tax?	Inventory Tax?	yes/no
tax_on_rec	Tax on Receipt?	Tax on Receipt?	yes/no
tax_sub	Sub Acct No	Sub Acct No	X(13)
trans_acct	Acct No	Acct No	X(13)
trans_cc	Cost Center	Cost Center	X(5)
trans_dept	Dept	Dept	X(10)
trans_sub	Sub Acct No	Sub Acct No	X(13)
upd_appr_grp	Upd Appr Grp?	Upd Appr Grp	yes/no
upd_ovhd	Upd OH Group?	Upd OH Group?	yes/no
usage_decr	Adjust Down	?	yes/no
usage_incr	Adjust Up	?	yes/no
usage_issue	Issue	?	yes/no
usage_reloc	Relocation	?	yes/no
usage_return	Return	?	yes/no
use_req_proj_limit	Req Proj Limit?	Req Proj Limit?	yes/no
var_acct	Acct No	Acct No	x(13)
var_cc	Cost Center	Cost Center	x(5)
var_dept	Dept	Dept	X(10)
var_sub	Sub Acct No	Sub Acct No	X(13)
warr_acct_no	Acct No	Acct No	x(13)
warr_cc	Cost Center	Cost Center	x(5)
warr_dept_code	Dept	Dept	X(10)
warr_sub_acct_no	Sub Acct No	Sub Acct No	X(13)
warr_warn_days	Warning Days	Warning Days	>>9
wphauth	Stores Auth?	Stores Auth?	X(1)
wph_appr_mthd	Appr Mthd	Appr Mthd	X(1)
wph_close	Auto Close Stores?	Auto Close Stores?	yes/no
xml_loc	XML Export File Locati	XML Export File Locati	x(20)

INDEX NAME	FIELD	UNI	ASC	
bt_no	bt_no	no	yes	
description	description	no	yes	
ent_code	ent_code	no	yes	
notify	notify	no	yes	
site_code	site_code	yes	yes	***Pri Index***
st_no	st_no	no	yes	

SITE_ACCT_CAL

accounting periods per site, including whether or not they are closed an

FIELD NAME	LABEL	COL-LABEL	FORMAT
closed	Closed?	Closed?	yes/no
current_period	Current?	Current?	yes/no
dom_code	Domain	?	x(8)
period	Period	Period	>>9
site_code	Site	Site	X(8)
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
dom_site_year_period	dom_code site_code year period	yes	yes	***Pri Index***
site_current	site_code current_period	no	yes	
site_year_period	site_code year period	no	yes	
site_yr_per_dec	site_code year period	no	yes	
year_closed	year closed	no	yes	

SIZE

size codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
size_code	Size	Size	X(15)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
size_code	size_code	yes	yes	***Pri Index***

SKILL

skill codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
skill_code	Skill	Skill	X(3)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
skill_code	skill_code	yes	yes	***Pri Index***

SQUAWK_TYPE

service request type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	Type	Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

SQUAWKS

service request master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
alert	Alert	Alert	X(12)
assign_to	Assigned	Assigned	x(11)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class	Class	Class	x(6)

date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
equip_no	Equip No	Equip No	x(20)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
log_1	?	?	yes/no
notes	Text	Text	X(4000)
notified	Notified?	Notified?	yes/no
notify	Notify	Notify	X(12)
notify_by	Notify Date	Notify Date	99/99/9999
orig_date	Orig Date	Orig Date	99/99/9999
orig_id	Originator	Originator	X(12)
orig_notify	Orig Notify	Orig Notify	X(12)
pri	Priority	Priority	x(2)
problem	Problem	Problem	X(4000)
site_code	Site	Site	X(8)
squawk_no	Service No	Service No	>>>>>9
start	Start	Start	99/99/9999
status_code	Status	Status	x(2)
type_code	Type	Type	X(5)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
assign_to	assign_to	no	yes	
auth	auth	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
class	class	no	yes	
equip_no	equip_no	no	yes	
notify	notify	no	yes	
orig_id	orig_id	no	yes	
orig_notify	orig_notify	no	yes	
pri	pri	no	yes	
site_sq-d	site_code squawk_no	yes	yes	***Pri Index***
start	start	no	yes	
status_code	status_code	no	yes	
type_code	type_code	no	yes	
wo_no	wo_no	no	yes	

STD_CLAUSE

standard clause codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
clause_code	Clause	Clause	X(30)

clause_text	Text	Text	X(4000)
description	Description	Description	X(30)
dom_code	Domain	?	x(8)

INDEX NAME	FIELD	UNI	ASC	
clause_code	clause_code	no	yes	
description	description	no	yes	
dom_clause	dom_code clause_code	yes	yes	***Pri Index***
dom_code	dom_code	no	yes	

STOCK_HDR

stock replenishment header

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Orig Date	Orig Date	99/99/9999
add_id	Originator	Originator	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)
status_code	Status	Status	x(1)
stock_no	Stock Run No	Stock Run No	>>>>>>9
type_code	Type	Type	x(5)

INDEX NAME	FIELD	UNI	ASC	
add_date-d	add_date	no	no	
add_id	add_id	no	yes	
description	description	no	yes	
site_stock-d	site_code stock_no	no	yes	
status_code	status_code	no	yes	
stock_no	stock_no	no	no	
stock_site	stock_no site_code	yes	no	***Pri Index***
type_code	type_code	no	yes	

STOCK_OUT

stock out detail

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	User ID	User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Rebuild	Rebuild	x(20)
assy_code	Assembly	Assembly	X(5)
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(40)
date	Date	Date	99/99/9999
dept_code	Dept	Dept	x(10)
equip_no	Equip No	Equip No	x(20)
exp_site	Expense Site	Expense Site	X(8)
job_no	Job No	Job No	x(15)
lost_hrs	Lost Hours	Lost Hours	>>9.9
lost_oppor_cost	Lost Oppor Cost	Lost Oppor Cost	>,>>>,>>9
on_order	On Order	On Order	>,>>>,>>9.99
part_no	Part No	Part No	x(20)
plan_order	Planned Order	Planned Order	>,>>>,>>9.99
proj_no	Project No	Project No	x(8)
req_code	Requestor	Requestor	x(11)
rpart_no	Rotable Part	Rotable Part	x(20)
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
stock_out_no	Stock Out No	Stock Out No	>>>>>>9
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
sys_code	System	System	X(5)
to_site	To Site	To Site	X(8)
trans_type	Transaction	Transaction	X(1)
type_code	Type	Type	x(5)
wo_no	WO No	WO No	>>>>>>>>9
wph_no	Stores Req No	Stores Req No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
cc	cc	no	yes	
comment	comment	no	yes	
date-d	date	no	no	
equip_no	equip_no	no	yes	
part_no	part_no	no	yes	
proj_no	proj_no	no	yes	
pt_site_date-d	part_no site_code date	no	yes	
stock_out_no-d	stock_out_no	yes	no	***Pri Index***
trans_type	trans_type	no	yes	
type_code	type_code	no	yes	
wo_no-d	wo_no	no	no	

STOCK_OUT_TYPE

stock out type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)

type_code	Stock Out Type	Stock Out Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

STOCK_PARTS

parts that make up a stock replenishment run

FIELD NAME	LABEL	COL-LABEL	FORMAT
allocated	Reserved	Reserved	>,>>>,>>9.99
curr_qty	On Hand	On Hand	->,>>>,>>9.99
mgt_goal	Mgt Max Qty	Mgt Max Qty	>,>>>,>>>.99
on_order	On Order	On Order	>,>>>,>>9.99
part_no	Part No	Part No	x(20)
plan_order	Planned Order	Planned Order	>,>>>,>>9.99
poi_no	Req No	Req No	>>>>>>>>9
pri_vend	Pri Vendor	Pri Vendor	x(10)
pt_desc	Description	Description	x(30)
req_grp_no	Multi-Line No	Multi-Line No	>>>>>>>>9
res_order	Reserved Orders	Reserved Orders	>,>>>,>>9.99
short	Short	Short	->,>>>,>>9.99
site_code	Site	Site	X(8)
source	Source	Source	X(9)
stock_no	Stock Run No	Stock Run No	>>>>>>9
to_order	To Order	To Order	>,>>>,>>9.99
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
batch_site_part	stock_no site_code part_no	yes	yes	***Pri Index***
part_no	part_no	no	yes	

STOCK_TYPE

stock run type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	Run Type	Run Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

SUB_ACCOUNT

sub account codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
site_sub	site_code sub_acct_no	yes	yes	***Pri Index***
sub_acct_no	sub_acct_no	no	yes	

SUB_CATALOGS

sub catalog codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
catalog	Catalog	Catalog	X(6)
description	Description	Description	X(30)
sub_catalog	Sub Catalog	Sub Catalog	X(6)

INDEX NAME	FIELD	UNI	ASC	
cat_sub	catalog sub_catalog	yes	yes	***Pri Index***
description	description	no	yes	
sub_catalog	sub_catalog	no	yes	

SUB_COMMON

common names for part sub catalogs

FIELD NAME	LABEL	COL-LABEL	FORMAT
catalog	Catalog	Catalog	X(6)
name	Common Name	Common Name	X(40)
sub_catalog	Sub Catalog	Sub Catalog	X(6)

INDEX NAME	FIELD	UNI	ASC	
cat_sub_name	catalog sub_catalog name	yes	yes	***Pri Index***

SUB_VALID

range of accounts for which sub account is valid

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)

add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
from_acct_no	From	From	X(13)
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
to_acct_no	To	To	X(13)

INDEX NAME	FIELD	UNI	ASC	
site_sub_from	site_code sub_acct_no from_acct_no	yes	yes	***Pri Index***

SYSTEM

system control file

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
any_buyer	Any Buyer?	Any Buyer?	yes/no
a_days	A Days	A Days	>>9
a_perc	A Percent	A Percent	>>9%
base_curr	Base Currency	Base Currency	X(5)
bemcap	BEMCAP	BEMCAP	yes/no
buyer_dollar	Buyer Limit	Buyer Limit	>>,>>9
buyer_percent	Buyer Limit	Buyer Limit	>>9%
b_days	B Days	B Days	>>9
b_perc	B Percent	B Percent	>>9%
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cim_rdg_usg	CIM Load	CIM Load	X(1)
cons_direct	Cons Dir Chg?	Cons Dir Chg?	yes/no
cons_res	Cons Reserves?	Cons Reserves?	yes/no
cons_short	Cons Res/Short?	Cons Res/Short?	yes/no
cost	Inv Cost Mthd	Inv Cost Mthd	!
co_global	NATO INC Global	NATO INC Global	yes/no
co_globalm	Mthd	Mthd	X(1)
co_group	NATO Grp/Class	NATO Grp/Class	yes/no
co_groupm	Mthd	Mthd	X(1)
co_name	NATO INC Name	NATO INC Name	yes/no
co_namem	Mthd	Mthd	X(1)
co_pt_living	Part Living	Part Living	yes/no
co_pt_livingm	Mthd	Mthd	X(1)
co_pt_local	Part Local	Part Local	yes/no
co_pt_localm	Mthd	Mthd	X(1)
currency	Currency	Currency	X(1)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)

cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
c_days	C Days	C Days	>>9
c_perc	C Percent	C Percent	>>9%
deployed	Deployed	Deployed	yes/no
diff_period	Diff Acct Period?	Diff Acct Period	yes/no
draw_dir	Dwg Directory	Dwg Directory	X(30)
eaonet_pos	?	?	X(1)
email	System Mail ID	System Mail ID	X(40)
host_name	Telnet Host Name	Telnet Host Name	x(8)
host_os	Host OS	Host OS	x(8)
idle_timeout	Idle Timeout	Idle Timeout	->,>>>,>>9
inc_proj_on_iss	Incl Proj on Iss	Inc Proj on Iss	X(15)
inc_proj_on_labor	Incl Proj on Labor	Inc Proj on Labor	X(15)
inc_proj_on_rec	Incl Proj on Rec	Inc Proj on Rec	X(15)
InitBatchAgents	Init Agents	Init Agents	>,>>9
last_memcheck	Last Memcheck	Last Memcheck	99/99/9999 HH:MM:SS.SS
mand_color	Mandatory Color	Mandatory Color	>99
MaxBatchAgents	Max Agents	Max Agents	>,>>9
max_connections	Maximum Telnet Connect	Maximum Telnet Connect	>9
media_loc	Media Path	Media Path	X(60)
mfgpro	MFG/PRO Interface?	MFG/PRO Interface?	yes/no
mfg_bill_to	Bill To	Bill To	X(8)
mfg_budg_code	Budget Code	Budget Code	X(8)
mfg_cd_type	Clause Type	Clause Type	X(2)
mfg_create_conv	Create Conv?	Create Conv?	yes/no
mfg_custom_oper	Custom Field	Custom Field	X(9)
mfg_db_name	Database Name	Database Name	X(8)
mfg_domain	Domain	Domain	X(8)
mfg_error	Display Error?	Display Error?	yes/no
mfg_gtm	Use GTM?	Use GTM?	yes/no
mfg_live	Update	Update	X(1)
mfg_op_trans	Trans	Trans	>>>>>>>>9
mfg_print	Print Control	Print Control	X(65)
mfg_ship_to	Ship To	Ship To	X(8)
mfg_tax_hist	Tax History?	Tax History?	yes/no
mfg_upd_po	Create PO When?	Create PO When?	X(1)
mfg_use_eir	Use EIR?	Use EIR?	yes/no
mfg_validate	Validate When Posting?	Validate When Posting?	yes/no
MinBatchAgents	Min Agents	Min Agents	>,>>9
min_connections	Minimum Telnet Connect	Minimum Telnet Connect	>9
name	Company Name	Company Name	x(30)
name2	Company Name	Company Name	x(30)
name3	Company Name	Company Name	x(30)
name4	Company Name	Company Name	x(30)
name5	Company Name	Company Name	x(30)

name6	Company Name	Company Name	x(30)
name7	Company Name	Company Name	x(30)
nstock_bom	NStock BOM?	NStock BOM?	yes/no
nstock_uom	NStock UOM	NStock UOM	X(6)
patch	Patch	?	X(3)
pattern_1	Script 1 Pattern	Script 1 Pattern	x(8)
pattern_2	Script 2 Pattern	Script 2 Pattern	x(8)
pattern_3	Script 3 Pattern	Script 3 Pattern	x(8)
pattern_4	Script 4 Pattern	Script 4 Pattern	x(8)
pd_alt_desc	Alt Description	Alt Description	yes/no
pd_alt_descm	Mthd	Mthd	X(1)
pd_ext_desc	Ext Desc	Ext Desc	yes/no
pd_ext_descm	Mthd	Mthd	X(1)
pd_pt_desc	Part Desc	Part Desc	yes/no
pd_pt_descm	Mthd	Mthd	X(1)
pm_wk_day	PMs on Work Days	PMs on Work Days	yes/no
pn_alt_part	Alt Part No	Alt Part No	yes/no
pn_alt_partm	Mthd	Mthd	X(1)
pn_alt_table	Alt Part Table	Alt Part Table	yes/no
pn_alt_tablem	Mthd	Mthd	X(1)
pn_part_no	Part No	Part No	yes/no
pn_part_nom	Mthd	Mthd	X(1)
port_no	Telnet Port	Telnet Port	9999999
post_equip	Post Equip List?	Post Equip List?	yes/no
po_reopen	Reopen PO/Reqs?	Reopen PO/Reqs?	yes/no
prompt_rev	Prompt for Rev?	Prompt for Rev?	yes/no
prompt_rev_po	Prompt for Rev?	Prompt for Rev?	yes/no
prtdays	?	?	>>9
pr_reopen	Reopen Projects?	Reopen Projects?	yes/no
purge_hrs	Batch Purge Hrs	Batch Purge Hrs	>>9
pwd_exp_days	Exp Days	Exp Days	>>9
pwd_min_length	Min Length	Min Length	9
pwd_purge_days	Purge Days	Purge Days	>>9
recv_prefix	MLS Recv Prefix	MLS Recv Prefix	X(3)
rec_dollar	Receipt Limit	Receipt Limit	>>,>>9
rec_limit	Receipt Limit	Receipt Limit	yes/no
rec_percent	Receipt Limit	Receipt Limit	>>9%
req_auto	Create Reqs?	Create Reqs?	yes/no
reserve	Reserve Inv	Reserve Inv	yes/no
restrict_pwd	Restrict Pwd?	Restrict Pwd?	yes/no
rev_list	Mstr List Rev?	Mstr List Rev?	yes/no
script_timeout	Script Timeout	Script Timeout	->,>>>,>>9
serial_no	Serial No	Serial No	X(10)
server_name	SMTP Server	SMTP Server	X(40)
sfiscal	Start Fiscal Yr	Start Fiscal Yr	99/99/9999
shift	shift to workday	shift to workday	yes/no
software_recv	Receiver?	Receiver?	X(3)
srauth	SR Auth?	SR Auth?	yes/no
terminal_domain	Terminal Domain	Terminal Domain	x(20)
terminal_login	Terminal Login	Terminal Login	x(20)
terminal_passwd	Terminal Password	Terminal Password	x(20)

transit	Transit	Transit	yes/no
upd_recv	Upd Receiver?	Upd Receiver?	yes/no
users	Number of users	Number of users	>>>9
value_1	Script 1 Value	Script 1 Value	x(8)
value_2	Script 2 Value	Script 2 Value	x(8)
value_3	Script 3 Value	Script 3 Value	x(8)
value_4	Script 4 Value	Script 4 Value	x(8)
ver_no	Version No	Version No	x(8)
vn_part_mfg	Vend Part (Mfg)	Vend Part (Mfg)	yes/no
vn_part_mfgm	Mthd	Mthd	X(1)
vn_part_pt	Vend Part (Part)	Vend Part (Part)	yes/no
vn_part_ptm	Mthd	Mthd	X(1)
vn_part_vn	Vend Part (Vend)	Vend Part (Vend)	yes/no
vn_part_vnm	Mthd	Mthd	X(1)
vn_pt_pri	Parts Pri Vend	Parts Pri Vend	yes/no
vn_pt_prim	Mthd	Mthd	X(1)
wait_hrs	Wait Hrs	Wait Hrs	>>>9
wait_minutes	Wait Minutes	Wait Minutes	99
wk_fri	Friday	Friday	yes/no
wk_mon	Monday	Monday	yes/no
wk_sat	Saturday	Saturday	yes/no
wk_sun	Sunday	Sunday	yes/no
wk_thurs	Thursday	Thursday	yes/no
wk_tues	Tuesday	Tuesday	yes/no
wk_wed	Wednesday	Wednesday	yes/no
woauth	WO Auth?	WO Auth?	yes/no
wo_reopen	Reopen WO's?	Reopen WO's?	yes/no
wph_reopen	Reopen Stores?	Reopen Stores?	yes/no

INDEX NAME	FIELD	UNI	ASC	
ver_no	ver_no	yes	yes	***Pri Index***

SYSTEM_CODE

system codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
sys_code	System	System	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
sys_code	sys_code	yes	yes	***Pri Index***

TAX_ACCT

tax authority's accrual tax dept, cost center, account, and sub account

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dept_code	Dept	Dept	X(10)
site_code	Site	Site	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
ta_code	Tax Type	Tax Type	X(5)
txr_code	Tax Rate	Tax Rate	X(8)

INDEX NAME	FIELD	UNI	ASC	
acct_site	acct_no site_code	no	yes	
cc_site	cc site_code	no	yes	
dept_site	dept_code site_code	no	yes	
site	site_code	no	yes	
sub_acct_no	sub_acct_no	no	yes	
txr_site	txr_code site_code	yes	yes	***Pri Index***

TAX_AUTH

tax authority codes including rates

FIELD NAME	LABEL	COL-LABEL	FORMAT
accrued_tax	Accrued Tax?	Accrued Tax?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
eff_date	Eff Date	Eff Date	99/99/9999
mfg_tax_code	MFG/PRO Tax Code	MFG/PRO Tax Code	X(8)
next_eff_date	Next Eff Date	Next Eff Date	99/99/9999
next_tax_rate	Next Tax Rate	Next Tax Rate	>9.9<%
recover_percent	% Recoverable	% Recoverable	>>9.9%
sales_or_use	Tax?	Tax?	X(1)
tax_limit	Tax Limit	Tax Limit	>>,>>>,>>9.99
tax_rate	Tax Rate	Tax Rate	>9.9<%
ta_code	Tax Type	Tax Type	X(16)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
ta_code	ta_code	yes	yes	***Pri Index***

TAX_AUTH_LOC

FIELD NAME	LABEL	COL-LABEL	FORMAT
description	Description	Description	X(30)
loc_code	Tax Auth Loc	Tax Auth Loc	X(10)

INDEX NAME	FIELD	UNI	ASC
loc_code	loc_code	yes	yes

TAX_CLASS

tax class codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
description	Description	Description	X(30)

INDEX NAME	FIELD	UNI	ASC	
class_code	class_code	yes	yes	***Pri Index***
description	description	no	yes	

TAX_GRP

tax authorities that make up tax groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
tax_code	Tax Code	Tax Code	X(5)
ta_code	Tax Type	Tax Type	X(16)

INDEX NAME	FIELD	UNI	ASC	
tax_ta	tax_code ta_code	yes	yes	***Pri Index***
ta_code	ta_code	no	yes	

TAX_HDR

tax codes wtih total tax rate

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9

class_code	Tax Class	Tax Class	x(8)
description	Description	Description	X(30)
nstock_tax	Non Stock Tax?	Non Stock Tax?	yes/no
tax_accrued	Tax Accrued?	Tax Accrued?	yes/no
tax_code	Tax Code	Tax Code	X(5)
tax_freight	Tax Freight?	Tax Freight?	yes/no
tax_inv	Inventory Tax?	Inventory Tax?	yes/no
tax_rate	Tax Rate	Tax Rate	->>,>>9.9%
usage_code	Tax Usage	Tax Usage	x(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
tax_code	tax_code	yes	yes	***Pri Index***

TAX_RATE

tax rates codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
accrued_tax	Accrue Tax?	Accrue Tax?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
class_code	Tax Class	Tax Class	x(8)
description	Description	Description	X(30)
dom_code	Domain	?	x(8)
nstock_tax	NStock Tax?	NStock Tax?	yes/no
recover_percent	% Recoverable	% Recoverable	>>9.9%
tax_accrued	Accrual GLs?	Accrual GLs?	yes/no
tax_inv	Inventory Tax?	Inventory Tax?	yes/no
tax_limit	Tax Limit	Tax Limit	>>,>>>,>>9.99
tax_rate	Tax Rate %	Tax Rate %	->>9.99<<%
ta_code	Tax Type	Tax Type	X(16)
txr_code	Tax Rate	Tax Rate	X(8)
usage_code	Tax Usage	Tax Usage	x(8)

INDEX NAME	FIELD	UNI	ASC	
class_code	class_code	no	yes	
dom_code	dom_code	no	yes	
dom_ta_class_usage	dom_code ta_code class_code usage_code	yes	yes	
dom_txr	dom_code txr_code	yes	yes	***Pri Index***
ta_code	ta_code	no	yes	
txr_code	txr_code	no	yes	
usage_code	usage_code	no	yes	

TAX_USAGE

tax usage codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
usage_code	Tax Usage	Tax Usage	x(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
usage_code	usage_code	yes	yes	***Pri Index***

TEXT_1

edit text master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Added By	Added By	X(12)
add_time	Add Time	Add Time	->,>>>,>>9
chg_date	Change Date	Change Date	99/99/9999
chg_id	Change ID	Change ID	X(12)
chg_time	Change Time	Change Time	->,>>>,>>9
file_name	File Name	File Name	X(20)
text_id	Text ID	Text ID	x(50)
text_line	Text	Text	X(4000)

INDEX NAME	FIELD	UNI	ASC	
file_id	file_name text_id	yes	yes	***Pri Index***

TOOL_DETAIL

tools that make up a master tool list

FIELD NAME	LABEL	COL-LABEL	FORMAT
entered_by	Entered By	Entered By	X(12)
entered_date	Entered Date	Entered Date	99/99/9999
expendable	Expendable?	Expendable?	yes/no
name	Name	Name	X(30)
qty	Qty	Qty	>>9
size_code	Size	Size	X(15)
tool_no	Tool List No	Tool List No	>>>>9

INDEX NAME	FIELD	UNI	ASC	
size_code	size_code	no	yes	
tool_name_size	tool_no name size_code	yes	yes	***Pri Index***

TOOL_HDR

master tool list master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
entered_by	Entered By	Entered By	X(12)
entered_date	Entered Date	Entered Date	99/99/9999
owner	Owner	Owner	X(12)
procedure	Procedure	Procedure	X(20)
rev_no	Revision	Revision	X(10)
tool_no	Mstr Tool No	Mstr Tool No	>>>>9
type_code	Type	Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
desc_tool	description type_code	no	yes	
owner	owner	no	yes	
procedure	procedure	no	yes	
tool_no	tool_no	yes	yes	***Pri Index***
type_code	type_code	no	yes	

TOOL_TYPE

master tool list type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	List Type	List Type	X(5)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

TRANSFER

OBSOLETE

FIELD NAME	LABEL	COL-LABEL	FORMAT
date	Date	Date	99/99/9999
part_no	Part No	Part No	x(20)
qty_iss	Issued	Issued	>,>>>,>>9.99
qty_recv	Received	Received	>,>>>,>>9.99

qty_req	Requested	Requested	>,>>>,>>9.99
qty_short	Short	Short	>,>>>,>>9.99
qty_sup	Supplied	Supplied	>,>>>,>>9.99
req_site	Requesting Site	Requesting Site	X(8)
ttime	Time	Time	>>>>>9
whse_site	Warehouse Site	Warehouse Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
date	date	no	yes	
part_no	part_no	no	yes	
req_site	req_site	no	yes	
site_pt_date_time	req _site part_no date ttime	yes	yes	***Pri Index***
ttime	ttime	no	yes	

TRANSIT

parts in transit from one site to another

FIELD NAME	LABEL	COL-LABEL	FORMAT
date_removed	Date	Date	99/99/9999
from_location	From Location	From Location	x(10)
from_part_no	From Part No	From Part No	x(20)
from_site_code	From Site	From Site	X(8)
initiator	Initiator ID	Initiator ID	X(12)
lVendorOwned	Vendor Owned?	Vendor Owned?	yes/no
part_no	Part No	Part No	x(20)
rec_cost	UOM Cost	UOM Cost	>,>>>,>>9.99999
rec_qty	Qty Received	Qty Received	>>,>>9.99
ship_qty	Qty Shipped	Qty Shipped	>>,>>9.99
to_location	To Location	To Location	x(10)
to_site_code	To Site	To Site	X(8)
transit_no	Transit No	Transit No	>>>>>>>>9
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
from_part_no	from_part_no	no	yes	
part_no	part_no	no	yes	
transit_no	transit_no	yes	yes	***Pri Index***

UGLT_DET

unposted manual general ledger transactions

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
cc	Cost Center	Cost Center	x(5)
curr_code	Currency	Currency	X(5)
dept_code	Dept	Dept	X(10)
equip_no	Equip No	Equip No	x(20)
exch_rate	Exchange Rate	Exchange Rate	>>,>>9.999999
exch_rate2	Exchange Rate	Exchange Rate	>>,>>9.999999

glt_amt	Amount	Amount	->>,>>>,>>>,>>9.99
glt_desc	Description	Description	x(24)
glt_line	Line No	Line No	>>>9
glt_ref	Reference	Reference	x(14)
job_no	Job No	Job No	x(15)
proj_no	Project No	Project No	X(8)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
trans_curr	Trans Currency	Trans Currency	X(5)
trans_curr_amt	Amount	Amount	->>,>>>,>>>,>>9.99
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
proj_job	proj_no job_no	no	yes	
ref_line	glt_ref glt_line	yes	yes	***Pri Index***

UGLT_HDR

unposted manual general ledger header

FIELD NAME	LABEL	COL-LABEL	FORMAT
date_stamp	Date Stamp	Date Stamp	x(15)
debit_or_credit	Copy?	Copy?	yes/no
ent_code	Entity	Entity	X(4)
equip_no	Equip No	Equip No	x(20)
glt_control	Control	Control	>>,>>>,>>>,>>9.99
glt_date	Date	Date	99/99/9999
glt_desc	Description	Description	x(24)
glt_effdate	Effective Date	Effective Date	99/99/9999
glt_ref	Reference	Reference	x(14)
glt_total	Total	Total	->>,>>>,>>>,>>9.99
glt_tr_type	Trans Type	Trans Type	x(2)
glt_userid	User ID	User ID	x(12)
inter_site	Inter-Co Site	Inter-Co Site	X(8)
int_ref	Inter-Co Ref	?	X(15)
job_no	Job No	Job No	x(15)
period	Period	Period	>>9
proj_no	Project No	Project No	X(8)
quarter	Quarter	Quarter	9
send_to_mfg	Send MFG/PRO?	Send MFG/PRO?	yes/no
site_code	Site	Site	X(8)
to_site	To Site	To Site	X(8)
wo_no	WO No	WO No	>>>>>>>>9
year	Year	Year	9999

INDEX NAME	FIELD	UNI	ASC	
date_stamp	date_stamp	no	yes	
equip_no	equip_no	no	yes	
glt_ref	glt_ref	yes	yes	***Pri Index***
site_date-d	site_code glt_date	no	yes	
site_desc	site_code	no	yes	

	glt_desc			
site_effdate-d	site_code glt_effdate	no	yes	
site_ref	site_code glt_ref	no	yes	
site_user	site_code glt_userid	no	yes	
site_year	site_code	no	yes	

UOM

uom codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
dec_places	Cost Decimals	Cost Decimals	9
description	Description	Description	X(30)
iso_code	ISO Code	ISO Code	X(3)
uom_code	UOM	UOM	X(6)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
iso_code	iso_code	no	yes	
uom_code	uom_code	yes	yes	***Pri Index***

UOM_CONV

UOM conversion table

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
from_uom	From UOM	From UOM	x(6)
mult	Multiplier	Multiplier	>,>>>,>>9.99999999
part_no	Part No	Part No	x(20)
round	Round By	Round By	9.99
to_uom	To UOM	To UOM	x(6)

INDEX NAME	FIELD	UNI	ASC	
from_to	from_uom to_uom	no	yes	
from_to_part	from_uom to_uom part_no	yes	yes	***Pri Index***
from_uom	from_uom	no	yes	

part_no	part_no	no	yes
to_uom	to_uom	no	yes

USDF_CHAR1

user defined char field 1 codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
char_1	User Def Char1	User Def Char1	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
file_name	File Name	File Name	X(20)

INDEX NAME	FIELD	UNI	ASC	
char_1	char_1	no	yes	
description	description	no	yes	
file_char	file_name char_1	yes	yes	***Pri Index***

USDF_CHAR2

user defined char field 2 codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
char_2	User Def Char2	User Def Char2	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
file_name	File Name	File Name	X(20)

INDEX NAME	FIELD	UNI	ASC	
char_2	char_2	no	yes	
description	description	no	yes	
file_char	file_name char_2	yes	yes	***Pri Index***

USER_ACCT

user account groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_grp_no	Acct Group	Acct Group	X(10)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
acct_grp_no	acct_grp_no	no	yes	
acct_grp_site	acct_grp_no site_code	no	yes	
site	site_code	no	yes	
user_acct_site	user_id acct_grp_no site_code	yes	yes	***Pri Index***

USER_APPR

user approval groups per site

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Req Appr Grp	Req Appr Grp	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)
wph_appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)

INDEX NAME	FIELD	UNI	ASC	
site_user	site_code user_id	yes	yes	***Pri Index***

USER_CC

user cost center groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
cc_grp_no	CC Group	CC Group	X(10)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
cc_grp_no	cc_grp_no	no	yes	
site	site_code	no	yes	
user_cc_site	user_id cc_grp_no site_code	yes	yes	***Pri Index***

USER_DEF

user defined labels and help

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
ch10_help	?	?	X(63)
ch10_label	?	?	X(15)
ch11_help	?	?	X(63)
ch11_label	?	?	X(15)
ch12_help	?	?	X(63)
ch12_label	?	?	X(15)
ch13_help	?	?	X(63)
ch13_label	?	?	X(15)
ch14_help	?	?	X(63)
ch14_label	?	?	X(15)
ch15_help	?	?	X(63)
ch15_label	?	?	X(15)
ch16_help	?	?	X(63)
ch16_label	?	?	X(15)
ch17_help	?	?	X(63)
ch17_label	?	?	X(15)
ch18_help	?	?	X(63)
ch18_label	?	?	X(15)
ch19_help	?	?	X(63)
ch19_label	?	?	X(15)
ch1_help	?	?	X(63)
ch1_label	?	?	X(15)
ch20_help	?	?	X(63)
ch20_label	?	?	X(15)
ch21_help	?	?	X(63)
ch21_label	?	?	X(15)
ch22_help	?	?	X(63)
ch22_label	?	?	X(15)
ch2_help	?	?	X(63)
ch2_label	?	?	X(15)
ch3_help	?	?	X(63)
ch3_label	?	?	X(15)
ch4_help	?	?	X(63)
ch4_label	?	?	X(15)
ch5_help	?	?	X(63)
ch5_label	?	?	X(15)
ch6_help	?	?	X(63)
ch6_label	?	?	X(15)
ch7_help	?	?	X(63)
ch7_label	?	?	X(15)
ch8_help	?	?	X(63)
ch8_label	?	?	X(15)
ch9_help	?	?	X(63)
ch9_label	?	?	X(15)

chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
date_help	?	?	X(63)
date_label	?	?	X(15)
dec1_help	?	?	X(63)
dec1_label	?	?	X(15)
dec2_help	?	?	X(63)
dec2_label	?	?	X(15)
dec3_help	?	?	X(63)
dec3_label	?	?	X(15)
dec4_help	?	?	X(63)
dec4_label	?	?	X(15)
dec5_help	?	?	X(63)
dec5_label	?	?	X(15)
dec6_help	?	?	X(63)
dec6_label	?	?	X(15)
dec7_help	?	?	X(63)
dec7_label	?	?	X(15)
dec8_help	?	?	X(63)
dec8_label	?	?	X(15)
file_name	File Name	File Name	X(20)
int1_help	?	?	X(63)
int1_label	?	?	X(15)
int2_help	?	?	X(63)
int2_label	?	?	X(15)
log_help	?	?	X(63)
log_label	?	?	X(15)

INDEX NAME	FIELD	UNI	ASC	
file_name	file_name	yes	yes	***Pri Index***

USER_FILTER

filter definitions

FIELD NAME	LABEL	COL-LABEL	FORMAT
advanced	?	?	yes/no
conjunction	Conjunction	Conjunction	X(5)
field_label	Field Label	Field Label	X(20)
field_value	Field Value	Field Value	X(70)
filter_type	Type	Type	X(1)
fltname	Filter Name	Filter Name	X(15)
operator	Operator	Operator	X(15)
order_no	Order No	Order No	>9
scrname	Screen Name	Screen Name	X(30)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
flt_scr_user_order	fltname scrname user_id order_no	yes	yes	***Pri Index***

user_type	user_id filter_type	no	yes

USER_SEC

user security groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
primary_site	Primary Site?	Primary Site?	yes/no
sec_grp	Sec Group	Sec Group	x(15)
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
sec_grp	sec_grp	no	yes	
sec_grp_site	sec_grp site_code	no	yes	
site	site_code	no	yes	
user_site	user_id site_code	yes	yes	***Pri Index***

VENDOR

vendor master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	X(13)
active	Active?	Active?	yes/no
addr_1	Address	Address	x(30)
addr_2	Address	Address	x(30)
addr_3	Address	Address	x(30)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
approved	Approved?	Approved?	yes/no
autoemail	Auto Email?	Auto Email?	yes/no
autofax	Auto Fax?	Auto Fax?	yes/no
autoprint	Auto Print?	Auto Print?	yes/no
autoxml	MLS Buyer?	MLS Buyer	yes/no
cc	Cost Center	Cost Center	X(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
city	City	City	x(20)

class_code	Tax Class	Tax Class	x(8)
contact	Pri Contact	Pri Contact	x(25)
country_code	Country	Country	x(3)
county	County	County	x(40)
creditor_db_number	Credit Agency Referenc	Credit Agency Referenc	x(16)
curr_code	Currency	Currency	X(5)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
dept_code	Dept	Dept	X(10)
disc_days	Disc in Days	Disc in Days	>>>9
disc_pct	Discount %	Discount %	>>9.99
dom_code	Domain	?	x(8)
due_days	Net Due in Days	Net Due in Days	>>>9
email	Email	Email	X(40)
eq_sv	eQ SV?	eQ SV?	yes/no
fax	Fax No	Fax No	x(16)
fed_id	Federal ID	Federal ID	x(13)
fob	FOB	FOB	x(15)
freight_invoice	Freight on Invoice?	Freight on Invoice?	yes/no
ins_date	Ins Exp Date	Ins Exp Date	99/99/9999
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
iso_code	DUNS No	DUNS No	X(9)
lang_code	Language	Language	X(2)
last_pur	Last Purchased	Last Purchased	99/99/9999
last_rec	Last Receipt	Last Receipt	99/99/9999
log_1	?	?	yes/no
minority	Minority	Minority	yes/no
min_code	Minority	Minority	x(5)
min_order	Minimum Order	Minimum Order	->>>,>>>,>>9.99
name	Name	Name	x(30)
ordmth	Order Method	Order Method	x(10)
phone	Phone No	Phone No	x(16)
po_trans	Transmit Mthd	Transmit Mthd	X(1)
raddr_1	RMT Address	RMT Address	x(30)
raddr_2	RMT Address	RMT Address	x(30)
raddr_3	RMT Address	RMT Address	x(30)
rcity	RMT City	RMT City	x(15)
rcontact	RMT Contact	RMT Contact	x(25)
rcountry	RMT Country	RMT Country	x(3)

rcounty	RMT County	RMT County	x(16)
remit	Remit To	Remit To	x(10)
rfax	RMT Fax No	RMT Fax No	x(16)
rname	RMT Name	RMT Name	x(30)
rphone	RMT Phone No	RMT Phone No	x(16)
rstate	RMT St	RMT St	x(2)
rzip	RMT Zip	RMT Zip	x(10)
send_cons_mfgpro	Send Cons MFG/PRO?	Send Cons MFG/PRO?	yes/no
st	State	St	x(2)
status_code	Status	Status	x(2)
sub_acct_no	Sub Acct No	Sub Acct No	X(13)
taxable	Taxable?	Taxable?	yes/no
tax_code	Tax Code	Tax Code	X(5)
terms	Terms	Terms	x(15)
type_code	Type	Type	x(6)
usage_code	Tax Usage	Tax Usage	x(8)
vendor_no	Vendor No	Vendor No	x(10)
via	Ship VIA	Ship VIA	x(20)
zip	Zip	Zip	x(10)

INDEX NAME	FIELD	UNI	ASC	
active	active	no	yes	
approved	approved	no	yes	
char_1	char_1	no	yes	
char_2	char_2	no	yes	
city	city	no	yes	
class_code	class_code	no	yes	
contact	contact	no	yes	
country_code	country_code	no	yes	
curr_code	curr_code	no	yes	
dom_code	dom_code	no	yes	
dom_vendor	dom_code vendor_no	yes	yes	***Pri Index***
iso_code	iso_code	no	yes	
lang_code	lang_code	no	yes	
Min_code	min_code	no	yes	
name	name	no	yes	
ordmth	ordmth	no	yes	
st	st	no	yes	
status_code	status_code	no	yes	
tax_code	tax_code	no	yes	
terms	terms	no	yes	
type_code	type_code	no	yes	
usage_code	usage_code	no	yes	
vendor_no	vendor_no	no	yes	
via	via	no	yes	

VENDOR_CURRENCY

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999

add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
curr_code	Currency	Currency	X(5)
dom_code	Domain	?	x(8)
ent_code	Entity	Entity	X(4)
primary	Pri Curr?	Pri Curr?	yes/no
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
dom_vendor_curr_ent	dom_code vendor_no curr_code ent_code	no	yes	
dom_vendor_ent_curr	dom_code vendor_no ent_code curr_code	yes	yes	***Pri Index***

VENDORTOXMLTYPE

FIELD NAME	LABEL	COL-LABEL	FORMAT
vendor_no	Vendor No	Vendor No	x(10)
xmlid	XML ID	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
VendorNO_XMLID	vendor_no xmlid	yes	yes	***Pri Index***
xmlid	xmlid	no	yes	

VN_CLAUSE

vendor default standard clauses

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
clause_code	Clause	Clause	X(30)
dom_code	Domain	?	x(8)
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
dom_code	dom_code	no	yes	
dom_vendor_clause	dom_code vendor_no clause_code	yes	yes	***Pri Index***
vendor_no	vendor_no	no	yes	

vn_clause	vendor_no clause_code	no	yes

VN_COMM

vendor commodity codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comm_code	Commodity	Commodity	X(15)
dom_code	Domain	?	x(8)
vendor_no	Vendor No	Vendor No	x(10)

INDEX NAME	FIELD	UNI	ASC	
dom_code	dom_code	no	yes	
dom_vendor_comm	dom_code vendor_no comm_code	yes	yes	***Pri Index***
vendor_no	vendor_no	no	yes	
vend_comm	vendor_no comm_code	no	yes	

VN_CONTACT

vendor contacts

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(30)
contact	Contact	Contact	x(25)
dom_code	Domain	?	x(8)
email	Email	Email	X(40)
fax	Fax No	Fax No	x(16)
phone	Phone No	Phone No	x(16)
primary	Primary?	Primary?	yes/no
vendor_no	Vendor	Vendor	x(10)

INDEX NAME	FIELD	UNI	ASC	
dom_code	dom_code	no	yes	
dom_vendor_contact	dom_code vendor_no contact	yes	yes	***Pri Index***
vendor_no	vendor_no	no	yes	
vend_cont	vendor_no	no	yes	

contact

VN_COST

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
curr_code	Currency	Currency	X(5)
last_cost	Last Cost	Last Cost	>,>>>,>>9.99
last_cost_date	Last Cost Date	Last Cost Date	99/99/9999
part_no	Part No	Part No	x(20)
site_code	Site	Site	X(8)
vendor_no	Vendor No	Vendor No	x(10)
vn_part_no	Vendor Part No	Vendor Part No	X(20)

INDEX NAME	FIELD	UNI	ASC	
vn_pt_site_no_curr	vendor_no	yes	yes	***Pri Index***
	part_no			
	site_code			
	vn_part_no			
	curr_code			

VN_PART

vendor parts per vendor per stock part

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
last_cost	Last Cost	Last Cost	>,>>>,>>9.99
manuf_code	Manufacturer	Manufacturer	x(15)
manuf_part_no	Manuf Part No	Manuf Part No	x(50)
min_ord	Min Order	Min Order	>>,>>9.99
part_no	Part No	Part No	x(20)
primary	Pri Part?	Pri Part?	yes/no
site_code	Site	Site	X(8)
uom	UOM	UOM	x(6)
vendor_no	Vendor No	Vendor No	x(10)
vn_part_no	Vendor Part No	Vendor Part No	X(20)

INDEX NAME	FIELD	UNI	ASC
no_site	vn_part_no	no	yes
	site_code		
part_no	part_no	no	yes

site	site_code	no	yes	
uom	uom	no	yes	
vendor_no	vendor_no	no	yes	
vn_pt_site_no	vendor_no	yes	yes	***Pri Index***
	part_no			
	site_code			
	vn_part_no			

VN_QUOTE

vendor pricing schedule for stock part

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
curr_code	Currency	Currency	X(5)
disc_pct	Discount %	Discount %	>>9.99
exp_date	Exp Date	Exp Date	99/99/9999
from_qty	From Qty	From Qty	>,>>>,>>9.99
part_no	Part No	Part No	x(20)
site_code	Site	Site	X(8)
to_qty	To Qty	To Qty	>,>>>,>>9.99
uom_code	UOM	UOM	x(6)
uom_cost	Unit Cost	Unit Cost	>,>>>,>>9.99999
vendor_no	Vendor No	Vendor No	x(10)
vn_part_no	Vendor Part No	Vendor Part No	X(20)

INDEX NAME	FIELD	UNI	ASC	
part_no	part_no	no	yes	
site	site_code	no	yes	
uom_code	uom_code	no	yes	
vendor_no	vendor_no	no	yes	
vn_part_site_vn	part_exp_from			***Pri Index***
	vendor_no	yes	yes	
	part_no			
	site_code			
	vn_part_no			
	exp_date			
	from_qty			

VN_STATUS

vendor status codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)

chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
status_code	Status	Status	x(2)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
status_code	status_code	yes	yes	***Pri Index***

VN_TYPE

vendor type codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
type_code	Vend Type	Vend Type	x(6)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
type_code	type_code	yes	yes	***Pri Index***

WARR_CLAIM

warranty claim master

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Date Created	Date Created	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
carr_code	Carrier	Carrier	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
claim_no	Claim No	Claim No	>>>>>>>>9
equip_no	Equip No	Equip No	x(20)
fail_date	Date	Date	99/99/9999
fail_reading	Reading	Reading	->>>,>>>,>>9.99
mfg_or_int	Serviced By	Serviced By	X(1)
prob	Problem	Problem	X(4000)
req_code	Requestor	Requestor	X(11)
rma_no	RMA No	RMA No	X(20)
service_org	Service Org	Service Org	X(30)
site_code	Site	Site	X(8)
status_code	Status	Status	X(1)
Track_no	Tracking No	Tracking No	X(20)
warr_no	Warr No	Warr No	>>9

INDEX NAME	FIELD	UNI	ASC
add_id	add_id	no	yes
carr_code	carr_code	no	yes

claim_no	claim_no	yes	yes	
claim_no-d	claim_no	yes	no	***Pri Index***
equip_no	equip_no	no	yes	
mfg_or_int	mfg_or_int	no	yes	
req_code	req_code	no	yes	
rma_no	rma_no	no	yes	
service_org	service_org	no	yes	
site_code	site_code	no	yes	
status_code	status_code	no	yes	
track_no	Track_no	no	yes	
warr_no	warr_no	no	yes	

WARR_REIMBURSE

warranty reimbursements

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
check_no	Check No	Check No	X(15)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
claim_no	Claim No	Claim No	>>>>>>>>9
comment	Comment	Comment	x(60)
reimb_amt	Reimbursement	Reimbursement	->,>>>,>>9.99
reimb_date	Reimburse Date	Reimburse Date	99/99/9999
reimb_no	Reimburse No	Reimburse No	>,>>>,>>9
service_org	Service Org	Service Org	X(30)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
reimb_claim	claim_no reimb_no	yes	yes	***Pri Index***

WO_ASSIGN

work order assigned

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
assign_to	Assigned	Assigned	x(11)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
site_code	Site	Site	X(8)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
site_wo_assign	site_code wo_no	yes	yes	***Pri Index***

assign_to

WO_INST_HDR

work order instruction list header

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
pih_no	Mstr Inst No	Mstr Inst No	>>>>>>>>9
site_code	Site	Site	X(8)
wih_desc	Description	Description	x(30)
wih_no	Inst List No	Inst List No	>>>>9
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
wih_desc	wih_desc	no	yes	
wih_no	wih_no	no	yes	
wo_no	wo_no	no	yes	
wo_site_wih	wo_no site_code wih_no	yes	yes	***Pri Index***

WO_INSTR

instructions that make up work order instruction lists

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_std	Time	Time	99:99
craft_nbr	Qty	Qty	>>9
craft_no	Craft	Craft	x(5)
duom_code	DUOM	DUOM	X(6)
equip_no	Equip No	Equip No	x(20)
site_code	Site	Site	X(8)
skill_code	Skill	Skill	x(3)
std_hrs	Std Hrs	Std Hrs	>9.99
step	Step	Step	>>9
wih_no	Inst List No	Inst List No	>>>>>>>>9
wi_desc	Description	Description	X(4000)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
craft_no	craft_no	no	yes	
site	site_code	no	yes	
skill_code	skill_code	no	yes	
wih_no	wih_no	no	yes	
wo_no	wo_no	no	yes	
wo_site_wih_step	wo_no site_code wih_no	yes	yes	***Pri Index***

step

WO_PART_HDR

stores requisition list master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Acct No	Acct No	x(13)
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
area	Rebuild	Rebuild	X(20)
assy_code	Assembly	Assembly	X(5)
auth	Auth?	Auth?	yes/no
auth_by	Auth By	Auth By	x(12)
auth_status	Auth Status	Auth Status	X(11)
cc	Cost Center	Cost Center	x(5)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
dept_code	Dept	Dept	X(10)
equip_no	Equip No	Equip No	x(20)
exp_site	Expense Site	Expense Site	X(8)
job_no	Job No	Job No	x(15)
notes	Text	Text	X(4000)
part_no	Rotable Part	Rotable Part	x(20)
pph_no	Mstr Prts No	Mstr Prts No	>>>>>>>>9
proj_no	Project No	Project No	x(8)
req_code	Requestor	Requestor	x(11)
req_date	Required Date	Required Date	99/99/9999
serial_no	Serial No	Serial No	x(20)
site_code	Site	Site	X(8)
source	Source	Source	X(9)
source_site	Source Site	Source Site	X(8)
so_nbr	Sales Order	Sales Order	x(20)
so_notify	Sale Order Notify	Sale Order Notify	x(12)
status_code	Status	Status	x(2)
sub_acct_no	Sub Acct No	Sub Acct No	x(13)
sys_code	System	System	X(5)
vendor_no	Vendor No	Vendor No	x(10)
wo_no	WO No	WO No	>>>>>>>>9
wph_desc	Description	Description	x(30)

wph_no	Stores Req No	Stores Req No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
area_site	area site_code	no	yes	
cc_site	cc site_code	no	yes	
dept_site	dept_code site_code	no	yes	
equip_no	equip_no	no	yes	
part_no	part_no	no	yes	
proj_site	proj_no site_code	no	yes	
site	site_code	no	yes	
site_wo	site_code wo_no	no	yes	
site_wo_status	site_code wo_no status_code	no	yes	
site_wo_wph	site_code wo_no wph_no	no	yes	
site_wph-d	site_code wph_no	no	yes	
so	so_nbr	no	yes	
source	source	no	yes	
source_site	source_site	no	yes	
status_code	status_code	no	yes	
sub_acct_no	sub_acct_no	no	yes	
sys_assy	sys_code assy_code	no	yes	
sys_code	sys_code	no	yes	
vendor_no	vendor_no	no	yes	
wph_desc	wph_desc	no	yes	
wph_no	wph_no	no	yes	
wph_no-d	wph_no	no	no	
wph_site	wph_no site_code	yes	yes	***Pri Index***

WO_PARTS

parts that make up a stores requisition list

FIELD NAME	LABEL	COL-LABEL	FORMAT
allocated	Reserved	Reserved	>,>>>,>>9.99
fully_issued	Fully Issued	Fully Issued	yes/no
iss_qty	Issued	Issued	>>>,>>9.99
line_no	Item	Item	>9
location	Location	Location	x(10)
ovhd_code	OH Group	OH Group	X(5)
part_no	Part No	Part No	x(20)
po_text	PO Text	PO Text	X(8)
pt_desc	Description	Description	X(30)

qty	Planned Qty	Planned Qty	>>>,>>9.99
req_date	Required Date	Required Date	99/99/9999
reserved	Reserved?	Reserved?	yes/no
serial_no	Serial No	Serial No	x(20)
short	Short	Short	>>>,>>9.99
site_code	Site	Site	X(8)
source_site	Source Site	Source Site	X(8)
tot_cost	Planned Cost	Planned Cost	>,>>>,>>9.99
uom_code	UOM	UOM	x(6)
wph_no	Stores Req No	Stores Req No	>>>>>>>>9
wp_status	Status	Status	X(2)

INDEX NAME	FIELD	UNI	ASC	
ovhd_code	ovhd_code	no	yes	
part_no	part_no	no	yes	
pt_desc	pt_desc	no	yes	
site	site_code	no	yes	
site_wph_line	site_code wph_no line_no	yes	yes	***Pri Index***
site_wph_part	site_code wph_no part_no	no	yes	
site_wph_qty	site_code wph_no qty	no	yes	
uom_code	uom_code	no	yes	
wph_line_site	wph_no line_no site_code	no	yes	

WO_PM

work order and connected pms

FIELD NAME	LABEL	COL-LABEL	FORMAT
pm_no	PM Template No	PM Template No	>>>>>>>>9
primary	Primary?	Primary?	yes/no
site_code	Site	Site	X(8)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
pm_wo-d	pm_no wo_no	no	yes	
site_wo_pm	site_code wo_no pm_no	yes	yes	***Pri Index***

WO_STATUS

work order status codes

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999

add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
cm_default	CM Default?	CM Default?	yes/no
description	Description	Description	X(30)
down_time	Down Time?	Down Time?	yes/no
email	E-Mail?	E-Mail?	yes/no
mfg_sched_active	Active for MFG Sched	Active for MFG Sched	yes/no
mfg_sched_closed	Closed for MFG Sched	Closed for MFG Sched	yes/no
pm_default	PM Default?	PM Default?	yes/no
sliding_pms	Sliding PMs?	Sliding PMs?	yes/no
sr_default	Service Def?	Service Def?	yes/no
status_code	Status	Status	x(2)

INDEX NAME	FIELD	UNI	ASC	
cm_default	cm_default	no	yes	
description	description	no	yes	
pm_default	pm_default	no	yes	
sliding_pms	sliding_pms	no	yes	
sr_default	sr_default	no	yes	
status_code	status_code	yes	yes	***Pri Index***

WO_TOOL_DETAIL

tools that make up a work order tool list

FIELD NAME	LABEL	COL-LABEL	FORMAT
expendable	Expendable?	Expendable?	yes/no
name	Name	Name	X(30)
qty	Qty	Qty	>>9
site_code	Site	Site	X(8)
size_code	Size	Size	X(20)
wo_no	WO No	WO No	>>>>>>>>9
wtool_no	Tool List No	Tool List No	>>>>9

INDEX NAME	FIELD	UNI	ASC	
site	site_code	no	yes	
size_code	size_code	no	yes	
wo_no	wo_no	no	yes	
wo_site_wtool_name_size	wo_no site_code wtool_no name size_code	yes	yes	***Pri Index***

WO_TOOL_HDR

work order tool list header

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)

add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)
tool_no	Mstr Tool No	Mstr Tool No	>>>>9
wo_no	WO No	WO No	>>>>>>>>9
wth_status	Status	Status	X(1)
wtool_no	Tool List No	Tool List No	>>>>9

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
tool_no	tool_no	no	yes	
wo_no	wo_no	no	yes	
wo_site_wtool	wo_no site_code wtool_no	yes	yes	***Pri Index***
wtool_no	wtool_no	no	yes	

WORK_ASSIGN

work order schedules

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
craft_no	Craft No	Craft No	x(5)
date	Assign Date	Assign Date	99/99/9999
empname	Emp Name	Emp Name	x(27)
emp_no	Emp No	Emp No	x(11)
hrs_char	Scheduled	Scheduled	NN:NN
hrs_sch	Scheduled	Scheduled	>9.99
schstart_time	Time (Sch St)	Time (Sch St)	x(8)
site_code	Site	Site	X(8)
skill_code	Skill	Skill	x(3)
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC	
craft_code	craft_no	no	yes	
date	date	no	yes	
emp_no	emp_no	no	yes	
site	site_code	no	yes	
skill_code	skill_code	no	yes	
wo_no	wo_no	no	yes	
wo_site_date_emp	wo_no site_code date emp_no	yes	yes	***Pri Index***

WORK_ORDER

work order master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_no	Labor Acct No	Labor Acct No	x(13)
acct_noc	Cont Acct No	Cont Acct No	x(13)
acct_nop	Matl Acct No	Matl Acct No	x(13)
active	Active?	Active?	x(1)
act_down_start_date	Actual Downtime Date	Actual Downtime Date	99/99/9999
act_down_start_time	Actual Start Down Time	Actual Start Down Time	->,>>>,>>9
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
alert	Alert	Alert	X(12)
assign_to	Assigned	Assigned	x(11)
assy_code	Assembly	Assembly	X(5)
auth	Authorized?	Authorized?	yes/no
auth_by	Auth By	Auth By	x(12)
catalog	Catalog	Catalog	x(10)
cc	Cost Center	Cost Center	x(5)
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
claim_no	Claim No	Claim No	>>>>>>>>9
class	Class	Class	x(6)
clearance	Clearance	Clearance	x(5)
closed	Closed	Closed	99/99/9999
closed_time	Time (Closed)	Time (Closed)	x(8)
contact	?	?	X(11)
craft_no	Pri Craft	Pri Craft	x(5)
crew_code	Crew	Crew	x(11)
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_chr03	?	?	x(8)
cust_chr04	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dec03	?	?	>>>,>>>,>>9.99
cust_dec04	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
date_1	?	?	99/99/9999
date_due	Date Due	Date Due	99/99/9999
date_stamp	Date Stamp	Date Stamp	x(15)
dec_1	?	?	->>,>>9.99
dec_2	?	?	->>,>>9.99
delay_code	Delay	Delay	x(10)

dept_code	Dept	Dept	X(10)
down_hrs	Hrs Down	Hrs Down	>9.9
dt_chg_id	Downtime Change User I	Downtime Change User I	x(8)
equip_no	Equip No	Equip No	x(20)
est_cont	Cont Estimate	Cont Estimate	>,>>>,>>>.99
est_down_start_date	Estimated Downtime Dat	Estimated Downtime Dat	99/99/9999
est_down_start_time	Estimated Start Down T	Estimated Start Down T	->,>>>,>>9
est_dtime	Est Hrs Down	?	>,>>9.99
est_labor	Labor Estimate	Labor Estimate	>,>>>,>>>.99
est_ltime	Est Hrs Labor	?	>>>9.99
est_mtrl	Matl Estimate	Matl Estimate	>,>>>,>>>.99
ever_closed	?	?	yes/no
exp_site	Expense Site	Expense Site	X(8)
fabricated	Fabricated?	Fabricated?	yes/no
fab_part_no	Part No	Part No	X(20)
failure_code	Failure	Failure	x(10)
finished	Finished	Finished	99/99/9999
fin_time	Time (Finished)	Time (Finished)	x(8)
found_code	As Found	As Found	X(10)
int_1	?	?	->,>>>,>>9
int_2	?	?	->,>>>,>>9
job_no	Job No	Job No	x(15)
left_code	As Left	As Left	X(10)
location	Location	Location	x(10)
log_1	?	?	yes/no
notes	Text	Text	X(4000)
notify	Notify	Notify	X(12)
orig_wo_no	Orig WO No	Orig WO No	>>>>>>>>9
over_cost	Over Cost Limit?	Over Cost Limit?	yes/no
owner	Owner	Owner	X(12)
part_no	Rotable Part	Rotable Part	x(20)
perf	Work Performed	Work Performed	X(4000)
planned_wo	Planned?	Planned?	yes/no
plan_code	Planner	Planner	x(11)
pm_no	PM Template No	PM Template No	>>>>>>>>9
pm_run_no	PM Run No	PM Run No	>>>>>>>>9
prec	Precautions	Precautions	X(4000)
pri	Priority	Priority	x(2)
prob	Problem	Problem	X(4000)
prod_no	Product No	Product No	X(18)
prod_shift1	Obsolete	Obsolete	>>>,>>9.99
prod_shift2	Obsolete	Obsolete	>>>,>>9.99
prod_shift3	Obsolete	Obsolete	>>>,>>9.99
prod_shift4	Obsolete	Obsolete	>>>,>>9.99
proj_no	Project No	Project No	x(8)
qty_rec	Qty Received	Qty Received	->,>>>,>>>.99
qty_to_build	Qty to Build	Qty to Build	->,>>>,>>>.99
racct_no	Acct No	Acct No	x(13)
rcc	Cost Center (Reb/Warr)	Cost Center (Reb/Warr)	x(5)
rdept_code	Dept (Reb/Warr)	Dept (Reb/Warr)	X(10)
rebuild	Rebuild	Rebuild	x(20)

received	Received	Received	99/99/9999
received_time	Time (Recvd)	Time (Recvd)	x(8)
repair_code	Repair	Repair	x(10)
req_code	Requestor	Requestor	x(11)
res_status	WO Parts	WO Parts	X(1)
route_wo	PM Route WO	PM Route WO	yes/no
rsub_acct_no	Sub Acct No	Sub Acct No	x(13)
schstart	Sch Start	Sch Start	99/99/9999
schstart_time	Time (Sch St)	Time (Sch St)	x(8)
serial_no	Serial No	Serial No	x(20)
shift_code	Shift	Shift	X(10)
site_code	Site	Site	X(8)
source_site	Source Site	Source Site	X(8)
start	Start	Start	99/99/9999
start_time	Time (Start)	Time (Start)	x(8)
status_code	Status	Status	x(2)
stock_no	Stock Run No	Stock Run No	>>>>>>9
sub_acct_no	Labor Sub Acct	Labor Sub Acct	x(13)
sub_acct_noc	Cont Sub Acct	Cont Sub Acct	x(13)
sub_acct_nop	Matl Sub Acct	Matl Sub Acct	x(13)
sys_code	System	System	X(5)
target_date	Target Date	Target!Date	99/99/99
time_closed	Closed Time	Closed Time	->,>>>,>>9
time_finished	Finished Time	Finished Time	->,>>>,>>9
time_received	Received Time	Received Time	->,>>>,>>9
time_start	Start Time	Start Time	->,>>>,>>9
type_code	Type	Type	X(2)
t_act	Total Actual	Total Actual	>>>,>>>.99
t_plan	Total Planned	Total Planned	>,>>>,>>>.99
warr_claim	Warr Claim?	Warr Claim?	yes/no
warr_no	Warr No	Warr No	>>9
wo_no	WO No	WO No	>>>>>>>>9

INDEX NAME	FIELD	UNI	ASC
acct_noc	acct_noc	no	yes
acct_nop	acct_nop	no	yes
acct_site	acct_no	no	yes
	site_code		
assign_to	assign_to	no	yes
catalog	catalog	no	yes
cc	cc	no	yes
cc_site	cc	no	yes
	site_code		
char_1	char_1	no	yes
char_2	char_2	no	yes
claim_no	claim_no	no	yes
class	class	no	yes
clearance	clearance	no	yes
craft_no	craft_no	no	yes
crew_code	crew_code	no	yes
date_stamp	date_stamp	no	yes

decc_2	dec_2	no	yes	
dec_1	dec_1	no	yes	
delay	delay_code	no	yes	
dept_site	dept_code site_code	no	yes	
equip_no	equip_no	no	yes	
exp_site	exp_site	no	yes	
fab_source	fab_part_no source_site	no	yes	
failure_code	failure_code	no	yes	
found_code	found_code	no	yes	
int_1	int_1	no	yes	
int_2	int_2	no	yes	
job_no	job_no	no	yes	
left_code	left_code	no	yes	
location	location	no	yes	
log_1	log_1	no	yes	
notify	notify	no	yes	
owner	owner	no	yes	
part_no	part_no	no	yes	
planned_site	planned_wo site_code	no	yes	
plan_code	plan_code	no	yes	
pm_status	pm_no status_code	no	yes	
pri	pri	no	yes	
prod_no	prod_no	no	yes	
proj_site	proj_no site_code	no	yes	
proj_site_wo-d	proj_no site_code wo_no	no	yes	
received-d	received	no	no	
repair_code	repair_code	no	yes	
req_code	req_code	no	yes	
schstart	schstart	no	yes	
schstart-d	schstart	no	no	
shift_code	shift_code	no	yes	
site	site_code	no	yes	
site_eq_wo	site_code equip_no wo_no	no	yes	
site_id_rec_time_wo	site_code add_id received add_time wo_no	no	yes	
site_wo	site_code wo_no	yes	yes	***Pri Index***
site_wo-d	site_code wo_no	no	yes	

site_wo-d_status	site_code wo_no status_code	no	yes
start	start	no	yes
start-d	start	no	no
status_code	status_code	no	yes
stock_no	stock_no	no	yes
sub_acct_no	sub_acct_no	no	yes
sys_assy	sys_code assy_code	no	yes
type_code	type_code	no	yes
warr_claim	warr_claim	no	yes
warr_no	warr_no	no	yes
wo_no	wo_no	no	yes
wo_no-d	wo_no	no	no

WPH_GRP

users that make up stores requisition list approval groups along with wh

FIELD NAME	LABEL	COL-LABEL	FORMAT
appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)
email	E-Mail?	E-Mail?	yes/no
site_code	Site	Site	X(8)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
site_appr_user	site_code appr_grp_no user_id	yes	yes	***Pri Index***

WPH_GRP_HDR

stores requisition list approval groups

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
appr_grp_no	Stores Appr Grp	Stores Appr Grp	X(12)
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
site_code	Site	Site	X(8)

INDEX NAME	FIELD	UNI	ASC	
description	description	no	yes	
site_appr	site_code appr_grp_no	yes	yes	***Pri Index***

WRITE_OFF

Write Off

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
amount	Amount	Amount	->,>>>,>>>,>>9.99
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
comment	Comment	Comment	x(30)
job_no	Job No	Job No	x(15)
notes	Text	Text	X(4000)
proj_no	Project No	Project No	x(8)
reason_code	Reason	Reason	X(8)
site_code	Site	Site	X(8)
writeoff_no	Writeoff No	Writeoff No	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
job_no	job_no	no	yes	
reason_code	reason_code	no	yes	
site_proj_writeoff	site_code proj_no writeoff_no	yes	yes	***Pri Index***

WRITEOFF_REASON

Write Off Reason Code

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Add User ID	Add User ID	x(12)
add_time	Add Time	Add Time	>>>>9
chg_date	Chg Date	Chg Date	99/99/9999
chg_id	Chg User ID	Chg User ID	x(12)
chg_time	Chg Time	Chg Time	>>>>>9
description	Description	Description	X(30)
reason_code	Reason	Reason	X(8)

INDEX NAME	FIELD	UNI	ASC	
reason_code	reason_code	yes	yes	***Pri Index***

XMLTRANSTYPE

FIELD NAME	LABEL	COL-LABEL	FORMAT
TransactionType	Transaction Type	?	X(8)
Transmission	Transmission	?	X(8)
XMLFormat	XML Format	?	x(8)
xmlid	XML ID	?	->,>>>,>>9

INDEX NAME	FIELD	UNI	ASC	
XMLID	xmlid	yes	yes	***Pri Index***

Z_FILTER

filter master

FIELD NAME	LABEL	COL-LABEL	FORMAT
advanced	?	?	yes/no
fltfields	Filter Fields	Filter Fields	X(20)
fltname	Filter Name	Filter Name	X(15)
fltvalues	Filter Values	Filter Values	X(30)
scrname	Screen Name	Screen Name	X(30)
user_id	User ID	User ID	x(12)

INDEX NAME	FIELD	UNI	ASC	
flt_scr	fltname scrname	yes	yes	***Pri Index***

Z_HELP1

lookup table; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Added By	Added By	x(12)
add_time	?	?	->,>>>,>>9
chg_date	Change Date	Change Date	99/99/9999
chg_id	Changed By	Changed By	x(12)
chg_time	?	?	->,>>>,>>9
code_group	Code Group	Code Group	x(15)
field_name	Field Name	Field Name	x(20)
file_name	File Name	File Name	x(14)
help_pgm	Help Progam	Help Progam	x(30)
return_type	Return Type	Ret Type	X(8)

INDEX NAME	FIELD	UNI	ASC	
field_file	field_name file_name	yes	yes	
file_field	file_name field_name	yes	yes	***Pri Index***

Z_OPTION

menu; maintained by FBOS except those with an owner of custom

FIELD NAME	LABEL	COL-LABEL	FORMAT
add_date	Add Date	Add Date	99/99/9999
add_id	Added By	Added By	x(12)
add_time	?	?	->,>>>,>>9
chg_date	Change Date	Change Date	99/99/9999
chg_id	Changed By	Changed By	x(12)
chg_time	?	?	->,>>>,>>9
menu_name	Menu Name	Menu Name	x(8)
next_menu	Next Menu	Next Menu	x(8)
option_key	Option Key	Option Key	>>>9
option_name	Title	Title	x(35)
option_num	Option No	Opt No	>9
owner	Owner	Owner	X(8)

program	Program	Program	x(50)
report_detail	Report Detail	Report Detail	X(30)

INDEX NAME	FIELD	UNI	ASC	
menu_name	menu_name	no	yes	
option_key	option_key	no	yes	
option_name	option_name	no	yes	
option_num	option_num	no	yes	
owner	owner	no	yes	
own_menu_opt	owner menu_name option_num	yes	yes	***Pri Index***
program	program	no	yes	

Z_USER

user master

FIELD NAME	LABEL	COL-LABEL	FORMAT
acct_locked	Locked	Locked	yes/no
active	Active?	Active?	yes/no
add_date	Add Date	Add Date	99/99/9999
add_id	Added By	Added By	x(12)
add_time	?	?	->,>>>,>>9
bo_limit	BO Limit	BO Limit	>>>,>>>,>>9.99
chg_date	Change Date	Change Date	99/99/9999
chg_id	Changed By	Changed By	x(12)
chg_time	?	?	->,>>>,>>9
cust_chr01	?	?	x(8)
cust_chr02	?	?	x(8)
cust_dec01	?	?	>>>,>>>,>>9.99
cust_dec02	?	?	>>>,>>>,>>9.99
cust_dte01	?	?	99/99/99
cust_log01	?	?	yes/no
cust_log02	?	?	yes/no
cust_log03	?	?	yes/no
del_msg	Del Msg?	Del Msg?	yes/no
email	Email	Email	X(40)
emp_no	Emp No	Emp No	X(11)
filt_grp_no	Filter Grp No	Filter Grp No	X(10)
horizontal_approver	Horizontal Approver?	?	yes/no
language	Language	Language	X(15)
lang_code	Language	Language	X(2)
margin_approver	Margin Approver	Margin Approver	yes/no
margin_perc	Margin %	Margin %	->>9.99
menu_name	Menu Name	Menu Name	x(8)
name	Name	Name	x(30)
orig_notify	Orig Notify	Orig Notify	X(12)
other_labor	Other Labor?	Other Labor?	yes/no
over_del	Override Del?	?	yes/no
password	Password	!Password	x(16)
passwrd_cntr	Password Counter	Password Counter	>>9
po_limit	PO Limit	PO Limit	>>>,>>>,>>9.99

pre_filter	Pre-filter?	Pre-filter?	yes/no
print_title	Print Title Page?	Print Title Page?	yes/no
pr_id	Printer ID	Printer ID	x(8)
pr_limit	Proj Limit	Proj Limit	>>>,>>>,>>9.99
req_cap_limit	Req Cap Limit	Req Cap Limit	>>,>>>,>>9.99
req_limit	Req Exp Limit	Req Exp Limit	>>,>>>,>>9.99
req_ovr_limit	Req Over Limit	Req Over Limit	>>,>>>,>>9.99
req_proj_limit	Req Proj Limit	Req Proj Limit	>>,>>>,>>9.99
send_amail	Equipment is left as u	Equipment is left as u	yes/no
send_bmail	Blanket purchase order	Blanket purchase order	yes/no
send_bmail2	Requisition is cancele	Requisition is cancele	yes/no
send_cmail	Inventory received	Inventory received	yes/no
send_cmail2	Inventory returned to	Inventory returned to	yes/no
send_email	Equipment exceeds spen	Equipment exceeds spen	yes/no
send_fmail	Failure expected befor	Failure expected befor	yes/no
send_imail	Inventory drops below	Inventory drops below	yes/no
send_jmail	Project status changes	Project status changes	yes/no
send_mmail	Requisition put on ord	Requisition put on ord	yes/no
send_mmail2	Requisition due date c	Requisition due date c	yes/no
send_rmail	Warranty warning date	Warranty warning date	yes/no
send_rqmail	Requisition cost is ch	Requisition cost is ch	yes/no
send_smail	Service request status	Service request status	yes/no
send_smtp	Receive Email?	Receive Email?	yes/no
send_vmail	PM due	PM due	yes/no
send_wmail	Work order status chan	Work order status chan	yes/no
user_id	User ID	User ID	x(12)
use_bo_limit	BO Limit?	BO Limit?	yes/no
use_po_limit	PO Limit?	PO Limit?	yes/no
use_pr_limit	Proj Limit?	Proj Limit?	yes/no
use_req_limit	Req Limit?	Req Limit?	yes/no

INDEX NAME	FIELD	UNI	ASC	
emp_no	emp_no	no	yes	
filt_grp_no	filt_grp_no	no	yes	
lang_code	lang_code	no	yes	
name	name	no	yes	
user_id	user_id	yes	yes	***Pri Index***

Z_VERSION

current version of MLS; maintained by FBOS

FIELD NAME	LABEL	COL-LABEL	FORMAT
char_1	?	?	X(10)
char_2	?	?	X(10)
char_3	?	?	X(20)
char_4	?	?	X(20)
ver_no	Version No	Version No	x(8)

INDEX NAME	FIELD	UNI	ASC	
char_12	char_1	no	yes	***Pri Index***
	char_2			