

Industry-specific

QAD SOLUTIONS

Manufacturing Applications

**Technical Reference
Trade Management
Database Definitions**



78-0599B
Trade Management 2.5 and higher
MFG/PRO eB2 and higher
December 2003

This document contains proprietary information that is protected by copyright. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

MFG/PRO is a registered trademark of QAD Inc. QAD, QAD eQ, and the QAD logo are trademarks of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright ©2003 by QAD Inc.
78-0599B

QAD Inc.

6450 Via Real

Carpinteria, California 93013

Phone (805) 684-6614

Fax (805) 684-1890

<http://www.qad.com>

Contents

- About This Guide 1**
 - Introduction2
 - How This Book Is Organized2
 - Symbols and Conventions3
 - Other TrM Documentation4
 - Online Help4
 - QAD Web Site4

- Section 1 Structures Database Definitions 7**
 - caccsgrp** Access Groups8
 - camttype** Amount Type8
 - canicode** Customer/Product Analysis Codes8
 - canicode** Customer/Product Analysis Code9
 - careareg** Cross Reference of Area and Region9
 - cbbrktyp** Bonus Stock Break Type9
 - cbonbase** Bonus Stock Determination Base Codes10
 - cbonterm** Bonus Stock Calculation Term10
 - cbontype** Bonus Stock Types10
 - cbudtype** Budget Types11
 - cbuybase** Buying Spreads Database Options11
 - cbuycode** Buying Algorithm11
 - ccanlcus** Customer Analysis Group Customer12
 - ccanlgrp** Customer Analysis Group12
 - ccanltpl** Customer Template13
 - ccdotyp** Customer Document Types14
 - cchgtype** Change Type15
 - cclashty** Clash Types15
 - cclmtype** Claim Type16
 - ccombtyp** Combination Type16
 - cconstat** Contract Status16
 - ccontele** Contract Element Codes17
 - ccontfee** Contract Fee Methods17

| | | |
|------------------|--------------------------------------|----|
| ccontype | Contract Types..... | 18 |
| ccostset | Cost Set | 18 |
| ccprof1v | Customer Profile 1 Values | 19 |
| ccprof2v | Customer Profile 2 Values | 19 |
| ccprof3v | Customer Profile 3 Values | 19 |
| ccprof4v | Customer Profile 4 Values | 20 |
| ccprof5v | Customer Profile 5 Values | 20 |
| ccprof6v | Customer Profile 6 Values | 20 |
| ccprof7v | Customer Profile 7 Values | 21 |
| ccprof8v | Customer Profile 8 Values | 21 |
| ccprof9v | Customer Profile 9 Values | 21 |
| cdatagr | Data Groups..... | 22 |
| cdcde | Deal Code Deal Types..... | 22 |
| cdealcat | Deal Category | 22 |
| cdealcde | Deal Code | 23 |
| cdealcsq | Deal Code Sequences | 24 |
| cdealgrp | Deal Groups..... | 24 |
| cdealprm | Deal Parameters | 25 |
| cdealtrc | Transferable Deal Category..... | 25 |
| cdealtyp | Deal Type..... | 26 |
| cdiscseq | Discount Sequence | 26 |
| cdisctyp | Discount Type | 26 |
| cdiviprm | Division Parameter..... | 27 |
| cdivisio | Division Information | 27 |
| cdivxref | Division x Data Groups Code..... | 28 |
| cdocform | Document Format | 29 |
| cdotype | Customers Document Formats | 29 |
| cexpcode | Expense Code | 30 |
| cexptrty | Expense Transaction Type | 30 |
| cexptype | Expense Type | 30 |
| cfastview | Fast View Names and Parameters | 31 |
| cfnpddsc | Financial Period Descriptions | 31 |
| cgencod2 | General Codes 2..... | 31 |
| cgencode | General Codes..... | 32 |
| cgensexpt | Promotion General Expenses | 32 |
| cgentyp2 | General Code Types 2..... | 33 |
| cgentype | General Code Types..... | 33 |
| cglaccde | GL Account Code..... | 34 |
| cglcctre | GL Cost Center | 34 |
| cgltype | GL Transaction Type | 34 |
| cgrpzone | Customer Group Zones | 35 |
| cmastex2 | Master Extension 2 | 35 |
| cmastext | Master Extension | 36 |
| cmastref | Master File Reference Detail | 37 |
| cmodcoda | Modifier Code A | 37 |
| cmodcodb | Modifier Code B | 38 |
| cmodcodc | Modifier Code C | 38 |

| | | |
|------------------|---|----|
| cmodcodd | Modifier Code D | 38 |
| cmodcode | Modifier Code E | 39 |
| cmodcodf | Modifier Code F | 39 |
| cmodcodg | Modifier Code G | 39 |
| cmodcodh | Modifier Code H | 40 |
| mchierl4 | Customer Hierarchy Level 4 | 41 |
| mchierl5 | Customer Hierarchy Level 5 | 41 |
| mciter1v | Customer Profile 1 Iteration | 41 |
| mciter2v | Customer Profile 2 Iteration | 42 |
| mciter3v | Customer Profile 3 Iteration | 42 |
| mciter4v | Customer Profile 4 Iteration | 43 |
| mciter5v | Customer Profile 5 Iteration | 43 |
| mciter6v | Customer Profile 6 Iteration | 43 |
| mciter7v | Customer Profile 7 Iteration | 44 |
| mciter8v | Customer Profile 8 Iteration | 44 |
| mciter9v | Customer Profile 9 Iteration | 45 |
| mcostdet | Cost Set Details | 45 |
| mcostset | Cost Set Header | 45 |
| mcprof1v | Customer Profile Values 1 - Iterative | 46 |
| mcprof2v | Customer Profile Values 2 - Iterative | 46 |
| mcprof3v | Customer Profile Values 3 - Iterative | 47 |
| mcprof4v | Customer Profile Values 4 - Iterative | 47 |
| mcprof5v | Customer Profile Values 5 - Iterative | 48 |
| mcprof6v | Customer Profile Values 6 - Iterative | 48 |
| mcprof7v | Customer Profile Values 7 - Iterative | 49 |
| mcprof8v | Customer Profile Values 8 - Iterative | 49 |
| mcprof9v | Customer Profile Values 9 - Iterative | 50 |
| mcustdiv | Division Customer | 50 |
| mcustomer | Customer Details | 52 |
| mdownpar | User Download/Off Load Parameters | 54 |
| cmodcodi | Modifier Code I | 55 |
| cmodcodj | Modifier Code J | 55 |
| cnnumbers | Promotion Number Ranges by Area | 55 |
| cpaction | Promotion Next Activity | 56 |
| cpanlgrp | Product Analysis Group | 56 |
| cpanlprd | Product Analysis Group Product | 56 |
| cpaycode | Payment Code for Payment Term Rules | 57 |
| cpaymthd | Promotion Payment Methods | 57 |
| cpayterm | Rebate Payment Term | 57 |
| cpprof1v | Product Profile 1 Values | 58 |
| cpprof2v | Product Profile 2 Values | 58 |
| cpprof3v | Product Profile 3 Values | 58 |
| cpprof4v | Product Profile 4 Values | 59 |
| cpprof5v | Product Profile 5 Values | 59 |
| cpprof6v | Product Profile 6 Values | 59 |
| cpprof7v | Product Profile 7 Values | 60 |
| cpprof8v | Product Profile 8 Values | 60 |

| | | |
|-------------------|---|----|
| cpprof9v | Product Profile 9 Values | 60 |
| cpreregion | Area Grouping..... | 61 |
| cprigrps | Pricing Groups | 61 |
| cpristd | Price List Detail | 62 |
| cproarea | Promotion Area | 63 |
| cproclvl | Promotion Customer Levels..... | 63 |
| cprojsta | Project Status..... | 63 |
| cprojtyp | Project Types | 64 |
| cprolist | Price List | 65 |
| cproplvl | Promotion Product Levels..... | 65 |
| cproudc1 | User Defined Code 1 | 65 |
| cproudc2 | User Defined Code 2 | 66 |
| cproudc3 | User Defined Code 3 | 66 |
| cproudc4 | User Defined Promotion Code 4 | 66 |
| cproudc5 | User Defined Analysis Code 5 | 67 |
| cproudc6 | User Defined Analysis Code 6 | 67 |
| cproudc7 | Analysis Code 7 | 67 |
| cproudc8 | Analysis Code 8 | 68 |
| cproudc9 | Analysis Code 9 | 68 |
| cproudca | Analysis Code A..... | 68 |
| cproudcb | Analysis Code B..... | 69 |
| cproudcc | Analysis Code C | 69 |
| cproudcd | Analysis Code D | 69 |
| cproudce | User Defined Code E | 70 |
| cproudcf | User Defined Code F | 70 |
| cproudcg | User Defined Code G..... | 70 |
| cproudch | User Defined Code H..... | 71 |
| cpstatus | Promotion Operational/Workflow Status | 71 |
| cptrntyp | Promotion Transaction Type..... | 71 |
| cpupdtyp | Promotion Update Types | 72 |
| cqtybtyp | Quantity Break Type | 72 |
| crebbase | Rebate Calculation Base | 72 |
| crebcalc | Rebate Calculation Methods..... | 73 |
| crebintr | Rebate Interaction/Combine Rule..... | 74 |
| crebscop | Rebate Calculation Scope | 74 |
| crebstat | Rebate Status | 74 |
| crebtaxr | Rebate Tax Rule | 75 |
| crebtype | Rebate Type | 75 |
| crelmast | Relationship Master | 75 |
| crtrntyp | Rebate Transaction Types..... | 76 |
| ctsklocn | Stock Location | 76 |
| ctaxstat | Customer Tax Status | 76 |
| ctdoctyp | Transaction Document Type..... | 77 |
| cunitsom | Unit of Measure..... | 77 |
| currency | Currency | 77 |
| custtype | Customer Types..... | 78 |
| maddress | Address Master File | 78 |

| | | |
|-----------------|---|-----|
| mbrokdiv | Brokers x Division | 79 |
| mbrokdpl | Division Broker Price List | 80 |
| mbrokers | Brokers | 80 |
| mbrokspl | Broker Splits | 81 |
| mbudalgo | Budget Algorithm | 81 |
| mbudparm | Budget Parameters | 82 |
| mcapplvl | Claim Approvals Levels | 84 |
| mchierag | Customer Aggregate Hierarchy | 84 |
| mchierl1 | Customer Hierarchy Level 1 | 85 |
| mchierl2 | Customer Hierarchy Level 2 | 85 |
| mchierl3 | Customer Hierarchy Level 3 | 86 |
| meapplvl | Marketing and Expense Approval Levels | 87 |
| mfperiod | Financial Periods | 87 |
| mgenxref | General Master Cross-Reference File | 87 |
| mloadxrf | Master File Load Cross-References | 88 |
| mmapplvl | Marketing and Expense Project Approval Levels | 89 |
| mmebparm | Marketing and Expense Budget Parameters | 89 |
| mpapplvd | Promotion Approval Details | 89 |
| mpapplvl | Planning Approval Levels | 90 |
| mpappsec | Secondary Promotion Approval Items | 90 |
| mphierag | Product Aggregate Hierarchy | 91 |
| mphierl1 | Product Hierarchy Level 1 | 91 |
| mphierl2 | Product Hierarchy Level 2 | 92 |
| mphierl3 | Product Hierarchy Level 3 | 92 |
| mphierl4 | Product Hierarchy Level 4 | 93 |
| mphierl5 | Product Hierarchy Level 5 | 93 |
| mpiter1v | Iterative Product Profile 1 Value | 94 |
| mpiter2v | Iterative Product Profile 2 Value | 94 |
| mpiter3v | Iterative Product Profile 3 Value | 94 |
| mpiter4v | Iterative Product Profile 4 Value | 95 |
| mpiter5v | Iterative Product Profile 5 Value | 95 |
| mpiter6v | Iterative Product Profile 6 Value | 96 |
| mpiter7v | Iterative Product Profile 7 Value | 96 |
| mpiter8v | Iterative Product Profile 8 Value | 96 |
| mpiter9v | Iterative Product Profile 9 Value | 97 |
| mpprof1v | Product Profile Value 1 - Iterative | 97 |
| mpprof2v | Product Profile Value 2 - Iterative | 98 |
| mpprof3v | Product Profile Value 3 - Iterative | 98 |
| mpprof4v | Product Profile Value 4 - Iterative | 98 |
| mpprof5v | Product Profile Value 5 - Iterative | 99 |
| mpprof6v | Product Profile Value 6 - Iterative | 99 |
| mpprof7v | Product Profile Value 7 - Iterative | 100 |
| mpprof8v | Product Profile Value 8 - Iterative | 100 |
| mpprof9v | Product Profile Value 9 - Iterative | 100 |
| mprlistc | Customer Price Lists | 101 |
| mprlistd | Price List Product Details | 102 |
| mprlistg | Price List Predefined Groups | 103 |

| | | |
|------------------|--|-----|
| mprlisth | Price List Header | 103 |
| mprlistm | Price List Messages | 105 |
| mproddiv | Division Product | 106 |
| mprodcn | Product Location Stock | 108 |
| mproduct | Product Details..... | 108 |
| mprsplit | Promotion Split Parametes | 109 |
| mprstaff | Staff Members..... | 110 |
| mprstcac | Staff Customer Access Rights | 111 |
| mprstdiv | Staff Access to Divisions and Data | 111 |
| mprstpac | Staff Product Access Rights | 112 |
| mprstpzn | Staff Promotion Zone Security | 113 |
| mpyrcust | Pyramid Member Customers | 114 |
| mpyrcust | Pyramid Direct Customers | 114 |
| mrbdparm | Rebate Budget Parameters | 115 |
| mrebrule | Rebate Rules | 116 |
| mrelmref | Relationship References..... | 116 |
| msaleman | Salesman | 117 |
| msuppdv | Division Supplier | 117 |
| msupplier | Supplier..... | 118 |
| sappfile | Application Files..... | 119 |
| sbatchpr | Batch Procedure | 119 |
| sbudallo | Budget Allocation Methods | 120 |
| scolours | Color Codes | 121 |
| scoltpla | Color Templates..... | 121 |
| scontprm | System Control Parameter..... | 122 |
| scontrol | System Master Information | 122 |
| sdelinfo | File Deletion Information | 127 |
| sdfldetl | Default Header Details..... | 127 |
| sdfthead | Default Header | 128 |
| sdflopts | System-Wide Defaults Options | 128 |
| sdflprog | Default Value Valid Program..... | 129 |
| sdftbls | Default Labels | 129 |
| sfldinfo | Field Information | 129 |
| sfndfunc | Find Functions | 130 |
| sgvwdfmt | General View Description Formats | 130 |
| sgvwdsp | General View Full Detail Display..... | 131 |
| sgvwlfmt | General View Scroller Formats | 131 |
| sgvwseqs | General View Sequences | 132 |
| sgvwtype | General View Types..... | 132 |
| shelptxt | Field and Procedure Help Text | 133 |
| shlpopts | Help Options | 133 |
| sinterfa | Interfacing Parameters File..... | 133 |
| slangcde | Language Code File..... | 134 |
| slangdsc | Language Descriptions | 134 |
| smessage | Messages..... | 135 |
| sopmendt | Option Menu Details | 135 |
| sopmenhd | Option Menu Headers..... | 136 |

| | | |
|------------------|--|------------|
| spoptype | Transaction Header (Popup menu) Codes | 136 |
| spopupop | Popup Menu Options | 136 |
| spopupto | Popup Menu Title Options | 137 |
| sprgfdi | Program Field Information | 137 |
| sprgflds | Program Fields | 138 |
| sprgfnds | Base Find Functions | 138 |
| sprgprgs | Program Associated Programs | 139 |
| sprinter | System Printers | 139 |
| sprmendt | Menu Details | 140 |
| sprmenhd | Menu Headers | 140 |
| sproctyp | Procedure Types | 140 |
| sprofile | User Profiles | 141 |
| sprogram | Programs | 141 |
| sprogsec | Program Security | 142 |
| sprttype | Printer Types | 142 |
| srptflbs | Report Format Labels | 143 |
| srptfmts | Report Formats | 143 |
| srptfreq | Batch Reporting Frequencies | 145 |
| srptjobs | Batch Report Jobs | 145 |
| srptjoms | Batch Report Job Parameters | 146 |
| srptseqs | Report Sequences | 146 |
| srpttype | Report Type | 147 |
| srptvsqs | Valid Report Sequences | 147 |
| sstdpms | Standard Date Parameters | 148 |
| stmpmenu | Menus | 148 |
| strmtype | Terminal Types | 148 |
| strngrps | Transaction Groups | 149 |
| stvwdfms | Transaction View Description Formats | 149 |
| stvwfile | Transaction View File Header | 150 |
| stvwfpar | Transaction View Parameters | 150 |
| stvwfshd | Transaction Fast View Header | 150 |
| stvwfspm | Transaction Fast View Parameters | 151 |
| stvwhead | Transaction View Header | 151 |
| stvwlfms | Transaction View Line Formats | 152 |
| stvwparm | Transaction View Header Parameter | 152 |
| stvwseqs | Transaction View Sequence | 153 |
| stwsmhd | Transaction Summary View Header | 153 |
| stwsum | Transaction View Summary | 154 |
| stwvtype | Transaction View Types | 154 |
| taudmsg | Audit Log Messages | 154 |
| | | |
| Section 2 | Transactions Database Definitions | 157 |
| srecnote | Record Notes | 158 |
| sworkfl1 | Work File 1 | 158 |
| sworkfl2 | Work File 2 | 159 |
| sworkfl3 | Work File 3 | 159 |

X Trade Management Database Definitions

| | | |
|------------------|--|-----|
| taccruql | Accrual GL Lines..... | 160 |
| taccruhd | Accruals Header | 161 |
| taccruln | Accruals Line | 161 |
| taudlogs | Transaction Audit Log Entries..... | 162 |
| tbatchhd | Batch Element Header..... | 163 |
| tbudgtr | Budget Transfer | 164 |
| tbudwk1h | Non Promotional Budget Work Area Header..... | 164 |
| tbudwk1s | Non Promotional Budget Work Area Spreads | 165 |
| tbudwkrf | Non Promotion Cross-References | 166 |
| tchgdetl | Change Event Detail | 166 |
| tchghead | Change Event Header | 167 |
| tchglogs | Change Event Logs | 167 |
| tclaimdc | Claim Document | 168 |
| tclaimgl | Claim GL Lines | 168 |
| tclaimhd | Claim Header..... | 169 |
| tclaimln | Claim Line | 170 |
| tclaimrf | Claim Reference Data..... | 171 |
| tcontrbd | Contract Budgets Assignments..... | 172 |
| tcontract | Contracts..... | 172 |
| tcontrol | Contract Element | 173 |
| tcostlog | Cost Structures Change Log..... | 174 |
| tcurconv | Currency Conversions | 175 |
| tdohead | Document Header..... | 175 |
| tfundtgl | Transfer GL Line | 176 |
| tfundthd | Funds Transfer Header..... | 176 |
| tfundtln | Funds Transfer Line..... | 177 |
| tglbudgs | GL Budgets Splits | 178 |
| tglbudgt | GL Budgets | 178 |
| tgltrans | GL Transaction | 179 |
| tinvoial | Invoice Accrual Line..... | 180 |
| tinvoidc | Invoice Document | 180 |
| tinvoigl | Invoice GL Lines | 180 |
| tinvoihd | Invoice Header..... | 181 |
| tinvoiln | Invoice Line | 182 |
| tisalegl | Internal Sale GL Lines | 183 |
| tisalehd | Internal Sales Header | 184 |
| tisaleln | Internal Sales Line | 185 |
| tisaletr | Internal Sale Transaction | 185 |
| tisbudgs | Internal Sale Budget Splits..... | 186 |
| tisbudgt | Internal Sale Budgets..... | 186 |
| tmebudgs | Marketing and Expense Budget Spreads | 187 |
| tmebudgt | Marketing and Expense Budget..... | 188 |
| tmebudtr | Marketing and Expense Budget Transfer | 189 |
| tmessage | General Messages | 189 |
| tmprojad | Project Accrual Document | 190 |
| tmprojag | Project Accrual GL Line | 190 |
| tmprojah | Project Accrual Header | 191 |

| | | |
|-----------------|--|-----|
| tmprojal | Project Accrual Line..... | 191 |
| tmprojes | Project Expense Splits..... | 192 |
| tmprojet | Project Expense Types..... | 192 |
| tmprojex | Project Expense Details..... | 193 |
| tmprojhd | Project Header..... | 194 |
| tmprojqh | Project Quote Header..... | 195 |
| tmprojql | Project Quote Line..... | 196 |
| tmprojqs | Quote Expense Line Spreads..... | 197 |
| tmprojtr | Project Transaction..... | 197 |
| tnpsales | Non Promotional Sales Transactions..... | 198 |
| tprbudgl | Promotion Budget Activity Log..... | 199 |
| tprbudgs | Promotion Budget Splits..... | 200 |
| tprbudgt | Promotion Budgets..... | 201 |
| tprbudsh | Promotion Budget Summary Header..... | 205 |
| tprbudsl | Promotion Budget Summary Links..... | 209 |
| tprbudss | Promotion Budget Summary Spreads..... | 209 |
| tprivakf | Privak Records..... | 210 |
| tpromoav | Promotion Advice Parameters..... | 211 |
| tpromob1 | Promotion Budget Links..... | 211 |
| tpromob2 | Promotion Sales Budgets..... | 213 |
| tpromobb | Promotion Bonus Stock Breaks..... | 213 |
| tpromobd | Promotion Budget Details..... | 214 |
| tpromobp | Promotion Bonus Products..... | 215 |
| tpromobs | Promotion Bonus Product Sets..... | 215 |
| tpromocg | Promotion Customer Groups..... | 216 |
| tpromocl | Confirmation Error Message Logs..... | 217 |
| tpromocp | Promotion Products x Customers..... | 218 |
| tpromocs | Promotion Customer Spreads..... | 221 |
| tpromocu | Promotion Customers..... | 222 |
| tpromodc | Promotion Category Details..... | 223 |
| tpromoh2 | Promotion Secondary Header..... | 225 |
| tpromohd | Promotion Header Records..... | 227 |
| tpromomd | Promotion Modifiers..... | 230 |
| tpromopc | Promotion Customer/Product Groups..... | 231 |
| tpromopg | Promotion Product Groups..... | 233 |
| tpromopj | Promotion Project Index File..... | 234 |
| tpromopl | Promotion Price Lists..... | 235 |
| tpromopm | Promotion Parameters..... | 236 |
| tpromopr | Promotion Products..... | 236 |
| tpromosf | Promotion Split References..... | 240 |
| tpromosp | Promotion Spreads..... | 240 |
| tpromotr | Promotion Transaction..... | 241 |
| tpromoup | Batch and Bulk Update Process Information..... | 242 |
| tpromovd | Promotion Volume Discount Parameters..... | 242 |
| tprsbudh | Promotion Sales Budget Header..... | 244 |
| tprsbuds | Promotion Sales Budget Splits..... | 246 |
| trbbudgs | Rebate Budget Splits..... | 247 |

| | | |
|-----------------|---|-----|
| trbbudgt | Rebate Budgets | 248 |
| trebatbd | Rebate Header Budget | 249 |
| trebatc1 | Rebate Customer Group History | 251 |
| trebatc2 | Rebate Customer History | 251 |
| trebatcg | Rebate Customer Group | 252 |
| trebatci | Rebate Customer Inclusions | 253 |
| trebatcp | Rebate Customer Product Actuals | 253 |
| trebatcu | Rebate Customer Actuals | 254 |
| trebatdo | Rebate Document | 255 |
| trebatgl | Rebate GL Transaction | 255 |
| trebathd | Rebate Header | 256 |
| trebati1 | Rebate Included Product Group | 258 |
| trebati2 | Rebate Included Product | 258 |
| trebati3 | Rebate Included Broker | 259 |
| trebati4 | Rebate Included Customer | 259 |
| trebatln | Rebate Transaction Link | 260 |
| trebatp1 | Rebate Product Group History | 261 |
| trebatp2 | Rebate Product History | 261 |
| trebatpd | Rebate Periods | 262 |
| trebatpe | Rebate Product Exclusions | 263 |
| trebatpg | Rebate Product Group Actuals | 263 |
| trebatpi | Rebate Product Inclusion Template | 264 |
| trebatpj | Rebate Project Index File | 264 |
| trebatpr | Rebate Product Actuals | 265 |
| trebatps | Rebate Header Budget Splits | 265 |
| trebattr | Rebate Transaction | 266 |
| tsaldetl | Sales Details | 267 |
| tsalebhd | Sales Bucket Header | 269 |
| tsaletrn | Sales Transaction | 269 |
| tsalsumm | Sales Summary | 270 |
| ttranex2 | Transaction Extension 2 | 270 |
| ttranext | Transaction Extension | 271 |
| wheaders | Work File Header | 272 |
| wlangdsc | Language Descriptions Workfile | 273 |
| wpromobd | Promotion Header Budget Work File | 274 |
| wpromosp | Promotion Budget Weightings | 274 |
| wrptjobs | Report Jobs | 275 |
| wrptjpm | Report Job Parameters | 275 |
| wrptlnes | Report Screen Lines | 276 |
| wrptrecs | Report Job Data | 276 |
| wtrnhead | Transaction File Work Header Record | 277 |
| wtrnrecs | Transaction File Work Detail Record | 277 |
| wtvwhead | View Work Header | 278 |
| wtvwparm | View Parameters | 279 |
| wtvwrecs | View Records | 279 |
| wtvwsumm | Summary View Records | 280 |

Section 3 Deductions Database Definitions. 283

| | | |
|------------------|---|-----|
| ccreclbl | Record Type Configuration Table | 284 |
| cdeductn | Deduction Action Codes | 284 |
| cdedreas | Deduction Reason Codes | 284 |
| cdedstat | Deduction Status Codes | 285 |
| cdedwolh | Deduction Write Off Limits Header | 285 |
| cdedwolm | Deduction Write Off Limits Staff | 286 |
| cdedwous | Deduction Write Off Limits | 286 |
| mcrectyp | Customer Record Type | 286 |
| mdeparm | Deduction Budget Parameters | 287 |
| payc_mstr | Payment Center Master | 288 |
| pyck_mstr | Payment Center Check Master | 288 |
| sbudrule | Deduction Budget Rules | 290 |
| tdebudgs | Deduction Budget Spreads | 290 |
| tdebitgt | Deduction Budgets | 291 |
| tdedchrg | Deduction Recharge | 292 |
| tdeducta | Deduction Action | 293 |
| tdeductd | Deduction Details | 294 |
| tdeducth | Deduction Header | 294 |
| tdeductl | Deduction Lines | 296 |
| tdeductp | Deduction Promotions | 297 |
| tdedwohd | Deduction Write Off Header | 297 |
| tdepletd | Depletions Detail | 298 |
| tdepleth | Depletions Header | 298 |

Index of Table Descriptions 301



About This Guide

Introduction **2**

How This Book Is Organized **2**

Symbols and Conventions **3**

Other TrM Documentation **4**

Online Help **4**

QAD Web Site **4**

Introduction

This book is intended for Trade Management (TrM) system administrators and programmers doing software conversions and custom programming.

How This Book Is Organized

Trade Management uses three databases:

- ▶ See page 7.
 - The Structures database covers the definitions and codes for the pricing activities such as promotions and rebates. Definitions of these tables are included in Section 1.
- ▶ See page 157.
 - The Transactions database covers the actual data, such as accruals, for the pricing activities. Definitions of these tables are included in Section 2.
- ▶ See page 283.
 - The Deductions database stores information about deductions used during accounts receivable to track deduction write-offs. Definitions of these tables are included in Section 3.

Database tables are listed alphabetically, with the following information.

| Field Name | Field Label | Column Label | Format | Dec |
|------------|---------------|--------------|----------|-----|
| abd_active | Active | Act | yes/no | |
| abd_asset | Asset | | x(12) | |
| abd_bonus | Bonus Percent | Bonus % | ->>9.9<% | 10 |

- *Field Name*. The name of the field.
- *Field Label*. The label as it appears on screens.
- *Column Label*. The label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- Reserved for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions of Trade Management)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

| Index Name | Uni | Field Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| abd_active | yes | abd_active | yes | no |
| | | abd_asset | yes | no |
| | | abd_book | yes | no |
| * abd_asset | yes | abd_asset | yes | no |
| | | abd_asset | yes | no |
| | | abd_book | yes | no |

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don't specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book.

| Symbol | Meaning |
|--------|---|
| * | Primary Index |
| ! | Shows where a column label wraps to next line |

Other TrM Documentation

- For software installation instructions, refer to the appropriate installation guide for your system.
- For information about new features and how to use them, see *User Guide Supplement: Trade Management*.
- For information on using Trade Management, refer to *User Guide: Trade Management*.
- For additional technical details, refer to *Trade Management Entity Diagrams*.
- To view documents online in PDF format, see the *Supplemental Documents on CD*.

Note Trade Management installation guides are not included on a CD. Printed copies are packaged with your software. Electronic copies of the latest versions are available on the QAD Web site.

Online Help

Trade Management has an extensive online help system. Help is available for most fields found on a screen. Procedure help is available for most programs that update the database. Most inquiries, reports, and browses do not have procedure help.

For information on using the help system, refer to *User Guide: Trade Management*.

QAD Web Site

The QAD Web site provides a wide variety of information about the company and its products. You can access the Web site at:

<http://www.qad.com>

For users with a QAD Web account, product documentation is available for viewing or downloading at:

<http://support.qad.com/documentation/>

You can register for a QAD Web account by accessing the Web site and clicking the Accounts link at the top of the screen. Your customer ID number is required. Access to certain areas is dependent on the type of agreement you have with QAD.

Web features include an online solution database to help users answer questions about setting up and using the product. Additionally, the QAD Web site has information about training classes and other services that can help you learn about Trade Management.

6 Trade Management Database Definitions

The background of the page is a grayscale image of several interlocking gears. The gears are of different sizes and are positioned in a way that they appear to be meshing together. The lighting is soft, creating a sense of depth and texture on the metallic surfaces of the gears. The overall tone is professional and technical.

Section 1

Structures Database Definitions

This section contains an alphabetical listing of database table definitions for the system setup, codes, and master tables used in Trade Management (TrM).

8 caccsgrp

caccsgrp Access Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| accgrp | Access Group: | Access Grp | x(10) | |
| acctyp | Access Type: | Acc Type | x(5) | |
| agrpsd | Description: | Description | x(35) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | acctyp | yes | no |
| | | accgrp | yes | no |
| secaa | no | accgrp | yes | no |
| | | acctyp | yes | no |
| secfa | no | acctyp | yes | no |
| | | agrpsd | yes | yes |

camttype Amount Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| amttyd | Description: | | x(26) | |
| amttype | Amount Type*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | amttype | yes | no |
| secfa | no | amttyd | yes | yes |

canicode Customer/Product Analysis Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cpcode | Cust/ProdACode*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cpcode | yes | no |

canlcode Customer/Product Analysis Code

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cpacde | Analysis Code*: | | x(10) | |
| cpacds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cpacde | yes | no |

careareg Cross Reference of Area and Region

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| areaco | Area: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| region | Region: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | region | yes | no |
| | | areaco | yes | no |
| secaa | yes | areaco | yes | no |
| | | region | yes | no |

cbbktyp Bonus Stock Break Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| bbktco | B/Break Code: | | x(10) | |
| bbktds | Description | | x(30) | |
| bbktno | B/Break No: | | z | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | bbktno | yes | no |
| secaa | yes | bbktco | yes | yes |
| secfa | no | bbktds | yes | yes |

cbonbase Bonus Stock Determination Base Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| bbstco | B/Base Code: | | x(10) | |
| bbstds | Description: | | x(30) | |
| bbstno | Bonus Base No: | | z | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | bbstno | yes | no |
| secaa | yes | bbstco | yes | yes |
| secfa | no | bbstds | yes | yes |

cbonterm Bonus Stock Calculation Term

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| bontrm | Bonus Term: | | xx | |
| btrmds | Description: | | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | bontrm | yes | no |
| secfa | no | btrmds | yes | yes |

cbontype Bonus Stock Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| bbktno | B/Break No: | | z | |
| bbstno | B/Target Base No: | | z | |
| bbstno01 | B/Reward Base No: | | z | |
| bontco | Bonus Code: | | x(10) | |
| bontds | Description: | | x(30) | |
| bontno | Bonus Type No: | | z | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | bontno | yes | no |
| secaa | yes | bontco | yes | yes |
| secfa | no | bontds | yes | yes |

cbudtype Budget Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| btypds | Description: | | x(30) | |
| budtyp | Budget Type: | | xxx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budtyp | yes | no |
| secfa | no | btypds | yes | yes |

cbuybase Buying Spreads Database Options

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|----------------|--------|-----|
| buybac | Buying Base Code: | | x(10) | |
| buybad | Description: | | x(30) | |
| buybas | Buying Base No: | Buying Base No | 9 | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | buybas | yes | no |
| secaa | yes | buybac | yes | yes |
| secfa | no | buybad | yes | yes |

cbuycode Buying Algorithm

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| buycde | Buying Code: | | x(8) | |
| buycds | Description: | | x(30) | |
| buywht[7] | Weight: | | zzz | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | buycde | yes | no |
| secfa | no | buycds | yes | yes |

ccanlcus Customer Analysis Group Customer

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| areaco | Area*: | | x(10) | |
| cangrp | Group Code: | Group Code | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| manadd | Manual Add?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| region | Region*: | | x(10) | |
| salemn | Salesman | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cangrp | yes | no |
| | | mccust | yes | no |
| secaa | yes | mccust | yes | no |
| | | cangrp | yes | no |
| secab | no | divino | yes | no |
| | | region | yes | no |
| | | areaco | yes | no |
| | | cgzone | yes | no |
| | | mccust | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | areaco | yes | no |
| | | mccust | yes | no |
| secad | no | divino | yes | no |
| | | region | yes | no |
| | | cgzone | yes | no |
| | | mccust | yes | no |
| secae | no | divino | yes | no |
| | | region | yes | no |
| | | mccust | yes | no |
| secaf | no | divino | yes | no |
| | | salemn | yes | no |
| | | mccust | yes | no |

ccanlgrp Customer Analysis Group

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-------------|--------|-----|
| accgrp | Access Group: | Access Grp | x(10) | |
| areaco | Area*: | | x(10) | |
| brkocc | Break Level: | | zz | |
| broker | Broker*: | | x(8) | |
| cangds | Description: | Description | x(35) | |
| cangrp | Group Code: | Group Code | x(10) | |
| cangrp01 | Group Code: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|--------|-----|
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| cusgen | Generate Reqd?: | | yes/no | |
| cusreg | Regen Reqd?: | | yes/no | |
| custyp | Customer Type: | Customer Type | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List*: | | x(10) | |
| msuser91 | Owner: | | x(8) | |
| region | Region*: | | x(10) | |
| salemn | Salesman | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cangrp | yes | no |
| secaa | no | cangds | yes | no |
| secab | no | accgrp | yes | no |
| secac | no | cangrp01 | yes | no |
| | | cangrp | yes | no |
| secad | no | divino | yes | no |
| | | cangrp | yes | no |
| secae | no | areaco | yes | no |
| | | cangrp | yes | no |
| secaf | no | cgzone | yes | no |
| | | cangrp | yes | no |
| secag | no | broker | yes | no |
| secah | no | divino | yes | no |
| | | salemn | yes | no |
| secfa | no | cangds | yes | yes |

ccanltpl Customer Template

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|------------|----------|-----|
| aacust | Auto Add?: | | yes/no | |
| areaco | Area*: | | x(10) | |
| cangrp | Group Code: | Group Code | x(10) | |
| cgtpla | Template ID: | | zzzzzzzz | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |

14 ccdoctyp

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|--------|-----|
| ctplds | Description: | | x(30) | |
| custyp | Customer Type: | Customer Type | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cangrp | yes | no |
| | | cgtpla | yes | no |
| secaa | no | divino | yes | no |
| | | areaco | yes | no |
| | | aacust | yes | no |
| secab | no | divino | yes | no |
| | | custyp | yes | no |
| | | aacust | yes | no |
| secac | no | divino | yes | no |
| | | cprfv1 | yes | no |
| | | aacust | yes | no |
| secad | no | divino | yes | no |
| | | cprfv2 | yes | no |
| | | aacust | yes | no |
| secae | no | divino | yes | no |
| | | cprfv3 | yes | no |
| | | aacust | yes | no |
| secaf | no | divino | yes | no |
| | | cprfv4 | yes | no |
| | | aacust | yes | no |
| secag | no | divino | yes | no |
| | | cprfv5 | yes | no |
| | | aacust | yes | no |
| secah | no | divino | yes | no |
| | | cprfv6 | yes | no |
| | | aacust | yes | no |
| secai | no | divino | yes | no |
| | | cprfv7 | yes | no |
| | | aacust | yes | no |
| secaj | no | divino | yes | no |
| | | cprfv8 | yes | no |
| | | aacust | yes | no |
| secak | no | divino | yes | no |
| | | cprfv9 | yes | no |
| | | aacust | yes | no |

ccdoctyp Customer Document Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| docfrm | Format ID: | | xx | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| doctyp | Document Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | doctyp | yes | no |
| | | mccust | yes | yes |
| secaa | yes | mccust | yes | no |
| | | doctyp | yes | yes |
| secab | yes | doctyp | yes | no |
| | | docfrm | yes | no |
| | | mccust | yes | yes |

cchgtype Change Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| audmsg | Create Msg*: | | zzzz | |
| audmsg02 | Delete Msg*: | | zzzz | |
| chtypd | Description: | | x(30) | |
| chtype | Change Type*: | | xxx | |
| codety | Code Type*: | | xxxxx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmeg1 | Get Routine*: | | x(8) | |
| prgnmeg2 | Input Prog*: | | x(8) | |
| prgnmeg3 | Find Function*: | | x(8) | |
| prgnmeg4 | Select Prog*: | | x(8) | |
| prgnmeg5 | Create Prog*: | | x(8) | |
| prgnmeg6 | Delete Prog*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | chtype | yes | no |
| secaa | yes | codety | yes | no |
| | | chtype | yes | no |
| secfa | no | chtypd | yes | yes |

cclashty Clash Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| clashc | Clash Rule*: | | xxx | |
| clashd | Description: | | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| divspc | Div Specific ?: | | yes/no | |
| gvwdfm | Des Format*: | | xx | |
| gvwlfm | Scroll Format*: | | xx | |
| gvwseq | Sequence*: | | xx | |

16 cclmtype

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme51 | Program*: | | x(8) | |
| prgnme52 | Scroller*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clashc | yes | no |
| secfa | no | clashd | yes | yes |

cclmtype Claim Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| clmdsc | Description: | Description | x(30) | |
| clmtyp | Claim Type: | Type | xxx | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| secfa | no | clmdsc | yes | yes |

ccombtyp Combination Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| comtyd | Combine Desc: | | x(26) | |
| comtyp | Combine Type*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | comtyp | yes | yes |
| secfa | no | comtyd | yes | yes |

cconstat Contract Status

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|-----------|--------|-----|
| cstatc | Status Code*: | | x(10) | |
| cstatd | Description: | | x(30) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cstatn | Status No*: | | zz | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cstatn | yes | no |
| secaa | no | cstatc | yes | no |
| secab | no | cstatd | yes | yes |

ccontele Contract Element Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| celebs | Element Base* | | xx | |
| celecd | Element Code* | | x(8) | |
| celeds | Description | | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | celecd | yes | yes |
| secaa | no | celeds | yes | yes |

ccontfee Contract Fee Methods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| confds | Description: | | x(30) | |
| confee | Fee Code*: | | xxx | |
| covar1 | Variable 1: | | xx | |
| covar2 | Variable 2: | | xx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paycde | How Often ?: | | xx | |
| prgnme55 | Program Name*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | confee | yes | no |
| secfa | no | confds | yes | yes |

18 ccontype

ccontype Contract Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| contds | Description: | | x(30) | |
| contyp | Contract Type*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | contyp | yes | no |
| secfa | no | contds | yes | yes |

ccostset Cost Set

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| csetds | Description: | | x(30) | |
| csetid | Cost Set*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | csetid | yes | yes |
| secaa | no | csetds | yes | yes |

ccprof1v Customer Profile 1 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv1 | Profile Value 1: | | x(16) | |
| cpv1ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv1 | yes | no |
| secaa | no | cpv1ds | yes | no |

ccprof2v Customer Profile 2 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv2 | Profile Value 2: | | x(16) | |
| cpv2ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv2 | yes | no |
| secaa | no | cpv2ds | yes | no |

ccprof3v Customer Profile 3 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv3 | Profile Value 3: | | x(16) | |
| cpv3ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv3 | yes | no |
| secaa | no | cpv3ds | yes | no |

ccprof4v Customer Profile 4 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv4 | Profile Value 4: | | x(16) | |
| cpv4ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv4 | yes | no |
| secaa | no | cpv4ds | yes | no |

ccprof5v Customer Profile 5 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| cpv5ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv5 | yes | no |
| secaa | no | cpv5ds | yes | no |

ccprof6v Customer Profile 6 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv6 | Profile Value 6: | | x(16) | |
| cpv6ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv6 | yes | no |
| secaa | no | cpv6ds | yes | no |

ccprof7v Customer Profile 7 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv7 | Profile Value 7: | | x(16) | |
| cpv7ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv7 | yes | no |
| secaa | no | cpv7ds | yes | no |

ccprof8v Customer Profile 8 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv8 | Profile Value 8: | | x(16) | |
| cpv8ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv8 | yes | no |
| secaa | no | cpv8ds | yes | no |

ccprof9v Customer Profile 9 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv9 | Profile Value 9: | | x(16) | |
| cpv9ds | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cprfv9 | yes | no |
| secaa | no | cpv9ds | yes | no |

cdatagr Data Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dgrpde | Description: | | x(26) | |
| dgrpde | Data Group*: | | x(8) | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dgrpde | yes | no |
| secaa | yes | divino | yes | no |
| | | dgrpde | yes | yes |
| secfa | no | dgrpde | yes | yes |

cdcde typ Deal Code Deal Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| dealco | Deal Code: | | x(10) | |
| dealct | Deal Category: | Category | x(10) | |
| dealty | Deal Type: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealco | yes | no |
| | | dealty | yes | no |
| secaa | yes | dealty | yes | no |
| | | dealco | yes | no |
| secab | no | dealct | yes | no |

cdealcat Deal Category

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-------------|--------|-----|
| accmtd | Accrual Method*: | | xx | |
| buybas | Buying Base | Buying Base | 9 | |
| buycde | Buying Code: | | x(8) | |
| calcty | Alloc Method*: | | zz | |
| clmnlm | Claim No Limit: | | zzzzz | |
| clmnlm10 | Customer Limit: | | zzzzz | |
| clshdt | Clash Dates*: | | x | |
| dcatds | Description: | Description | x(26) | |
| dealct | Deal Category: | Category | x(10) | |
| dealgp | Deal Group*: | | x(10) | |
| dealty | Deal Type: | Deal Type | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-------------|--------|-----|
| fupdys | Followup Days: | | zzz | |
| glacct | Expense A/c: | Expense A/c | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmf5 | Adj Calc Prog*: | | x(8) | |
| sabcde | Sales Analysis Bucket: | | xx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealct | yes | no |
| secaa | no | dealty | yes | no |
| secab | no | glacct | yes | no |
| secac | no | dealgp | yes | no |
| secfa | no | dcatds | yes | yes |

cdealcde Deal Code

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-----------|--------|-----|
| dealco | Deal Code*: | | x(10) | |
| dealds | Description: | | x(26) | |
| dealgp | Deal Group*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| editgp01 | Edit Group 1*: | | xx | |
| editgp02 | Edit Group 2*: | | xx | |
| editgp03 | Edit Group 3*: | | xx | |
| gpedit | Group Editing?: | | yes/no | |
| gvwdfm | DC Description: | | xx | |
| gvwdfm01 | CU Description: | | xx | |
| gvwdfm02 | PR Description: | | xx | |
| gvwdfm03 | CP Description: | | xx | |
| gvwdfm05 | PC Description: | | xx | |
| gvwdfm06 | PG Description: | | xx | |
| gvwdfm07 | CG Description: | | xx | |
| gvwdfm08 | BD Description: | | xx | |
| gvwdfm09 | BS Description: | | xx | |
| gvwffm | DC Full Display: | | xx | |
| gvwffm01 | CU Full Display: | | xx | |
| gvwffm02 | CP Full Display: | | xx | |
| gvwffm03 | PR Full Display: | | xx | |
| gvwffm04 | HD Full Display: | | xx | |
| gvwffm05 | PC Full Display: | | xx | |
| gvwffm06 | PG Full Display: | | xx | |
| gvwffm07 | CG Full Display: | | xx | |
| gvwffm08 | BD Full Display: | | xx | |
| gvwffm09 | BS Full Display: | | xx | |
| gvwlfm | View Scroller: | | xx | |
| gvwlfm01 | Tran Scroller: | | xx | |
| gvwlfm10 | History Scroller: | | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme11 | Edit Scroller Program: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| prgnme12 | Promotion Deals Program: | | x(8) | |
| prgnme13 | Product Deals Program: | | x(8) | |
| prgnme14 | Price List Chg Prog: | | x(8) | |
| slpdc | Select Products ? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealco | yes | no |
| secaa | no | prgnme11 | yes | no |
| secab | no | prgnme12 | yes | no |
| secac | no | prgnme13 | yes | no |
| secad | no | dealgp | yes | no |
| secfa | no | dealds | yes | yes |

cdealcsq Deal Code Sequences

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| dealco | Deal Code*: | | x(10) | |
| dealco01 | Deal Code*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealco | yes | no |
| | | dealco01 | yes | no |
| secaa | yes | dealco01 | yes | no |
| | | dealco | yes | no |

cdealgrp Deal Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| dealgp | Deal Group*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| dgrpds | Description: | | x(26) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealgp | yes | no |
| secfa | no | dgrpds | yes | yes |

cdealprm Deal Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-------------|--------|-----|
| accmtd | Accrual Method*: | | xx | |
| buybas | Buying Base | Buying Base | 9 | |
| buycde | Buying Code: | | x(8) | |
| calcty | Alloc Method*: | | zz | |
| clmnlm | Claim Limit: | | zzz | |
| clmnlm10 | Customer Limit: | | zzzzz | |
| clshdt | Clash Dates*: | | x | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fupdys | Followup Days: | | zzz | |
| glacct | Expense A/c: | Expense A/c | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmef5 | Adj Calc Prog*: | | x(8) | |
| sabcde | Sales Analysis Bucket: | | xx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | dealct | yes | no |
| secaa | yes | dealct | yes | no |
| | | divino | yes | no |

cdealtrc Transferable Deal Category

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| dealty | Deal Type: | Type | x(10) | |
| dealty01 | Transfer Type: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme81 | Transfer Program: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealty | yes | no |
| | | dealty01 | yes | no |
| secaa | no | dealty01 | yes | no |
| | | dealty | yes | no |
| secab | no | prgnme81 | yes | no |

cdealtyp Deal Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| dealct | Deal Category: | Category | x(10) | |
| dealty | Deal Type*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| discty | Discount Type: | | x | |
| dlevel | Deal Level: | | x | |
| dtypds | Description: | | x(26) | |
| fldnme | Workbench Ref | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paymhd | Payment Method: | | x(5) | |
| valubs | Value Base: | | x | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dealty | yes | no |
| secaa | no | dealct | yes | no |
| secab | no | fldnme | yes | no |
| secfa | no | dtypds | yes | yes |

cdiscseq Discount Sequence

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| disseq | Discount Seq*: | | x(10) | |
| dseqde | Disc Seq Name: | | x(26) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | disseq | yes | no |
| secfa | no | dseqde | yes | yes |

cdisctyp Discount Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| distyp | Discount Type*: | | x(10) | |
| dtypde | Disc Type Name: | | x(26) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | distyp | yes | no |
| secfa | no | dtypde | yes | yes |

cdiviprm Division Parameter

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| cdpchr | Character Parm | | x(30) | |
| cdpdec | Decimal Parm | | zzzzzz9.99999- | 2 |
| cdpint | Integer Parm | | zzzzzzzz | |
| cdplog | Logical Parm | | Yes/No | |
| cdprno | Record No | | zzzzzz | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | no | divino | yes | no |
| | | cdprno | yes | no |

cdivisio Division Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------------------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| budbas | Budgeting Base: | | xx | |
| budsls | Summ Levels? | | Yes/No | |
| citynm | City: | City | x(20) | |
| clashc | Clash Rule*: | | xxx | |
| clmnlm | Claim Limit: | | zzz | |
| clmnlm01 | D/C Limit: | | zzz | |
| clmnlm02 | COOP Limit: | | zzz | |
| clmnlm03 | Coupon Limit: | | zzz | |
| clmnlm04 | ME Limit: | | zzz | |
| clmnlm05 | B/S Limit: | | zzz | |
| contct | Contact: | Contact | x(30) | |
| cstopt | Costing Opt*: | | xx | |
| cuntry | Country: | Country | x(30) | |
| curcod | Currency: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| dgrpnd | Data Group*: | | x(8) | |
| disseq | Discount Seq: | | x(10) | |
| divino | Division*: | | x(8) | |
| divnme | Name : | | x(26) | |
| eapprq | Expense Approv Req?: | | yes/no | |
| faxpno | Fax No: | Fax No | x(20) | |
| glacct11 | Expense Holding A/c: | | x(16) | |
| glacct12 | Expense Accrual A/c: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msglmt | Message Limit: | | zzzz | |
| papplv | Plan AP Level | | 99 | |
| paytrm | Expense Pay Terms*: | | xxx | |
| pddefl | Promotion Default Type: | | x | |
| pdvalt | Promo Date Validation Type: | | x | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------------|-----------|--------|-----|
| phonen | Phone No: | Phone No | x(20) | |
| prgnmed0 | P/L Select Prog*: | | x(8) | |
| prgnmed1 | Sale Qty Prog*: | | x(8) | |
| prgnmed4 | PR Split Prog*: | | x(8) | |
| prgnmed6 | Product List Price Select: | | x(8) | |
| prgnmee1 | Promotions*: | | x(8) | |
| prgnmee2 | Claims*: | | x(8) | |
| prgnmee3 | Rebates*: | | x(8) | |
| prgnmee4 | Projects*: | | x(8) | |
| prgnmee5 | Invoices*: | | x(8) | |
| prgnmee6 | Approval Prog*: | | x(8) | |
| prgnmee7 | Advice Prog*: | | x(8) | |
| prgnmee8 | Pricing Prog*: | | x(8) | |
| prmethd | Price Method*: | | xxxxx | |
| prtdev | Print Device*: | | x(8) | |
| statec | State Code: | State | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| secfa | no | divnme | yes | yes |

cdivxref Division x Data Groups Code

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cdcode | Code: | | x(20) | |
| delflg | Deleted ?: | | yes/no | |
| dgrpид | Data Group*: | | x(8) | |
| divino | Division*: | | x(8) | |
| fileno | File No: | File No | 999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fileno | yes | no |
| | | cdcode | yes | no |
| | | divino | yes | no |
| | | dgrpид | yes | yes |
| secaa | yes | fileno | yes | no |
| | | divino | yes | no |
| | | dgrpид | yes | no |
| | | cdcode | yes | yes |
| secab | no | fileno | yes | no |
| | | dgrpид | yes | no |
| | | cdcode | yes | yes |
| secac | no | fileno | yes | no |
| | | divino | yes | no |
| | | cdcode | yes | yes |

cdocform Document Format

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfrmds | Description: | | x(26) | |
| docfrm | Format ID*: | | xx | |
| doctyp | Document Type: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgme21 | Format Program: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | doctyp | yes | no |
| | | docfrm | yes | no |
| secaa | no | prgme21 | yes | no |
| secfa | no | doctyp | yes | no |
| | | dfrmds | yes | yes |

cdoctype Customers Document Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| docfrm | Format ID*: | | xx | |
| doctyd | Description: | | x(26) | |
| doctyp | Document Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgme22 | Report Program: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | doctyp | yes | yes |
| secaa | no | prgme22 | yes | no |
| secfa | no | doctyd | yes | yes |

cexpcode Expense Code

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| expcde | Expense Code*: | | x(10) | |
| expcds | Description: | | x(26) | |
| exptyp | Expense Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | expcde | yes | no |
| secaa | no | exptyp | yes | no |
| secfa | no | expcds | yes | yes |

cexptrty Expense Transaction Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| extrtd | Description: | | x(26) | |
| extrty | Trans Type*: | | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | extrty | yes | no |
| secaa | no | extrtd | yes | no |

cexptype Expense Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| exptyd | Description: | | x(26) | |
| exptyp | Expense Type*: | | x(10) | |
| glacct | GL Account*: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | exptyd | yes | no |
| secaa | no | glacct | yes | no |
| secfa | no | exptyd | yes | yes |

cfastview Fast View Names and Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| areaco | Area: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| fvalue | View Value: | | x(16) | |
| fvname | View Name*: | | x(26) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| valuid | Field ID: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fvname | yes | no |

cfnpddsc Financial Period Descriptions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fnpdds | Description: | | x(20) | |
| fnperd | Period*: | | 99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fnperd | yes | no |
| secfa | no | fnpdds | yes | yes |

cgencod2 General Codes 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------|-----------|---------------|-----|
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | zzzzzzz.9999- | 4 |
| decfld02 | | | zzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| gcdcde | Code*: | | x(10) | |
| gcdcde | Description: | | x(30) | |
| gcdref | Code Ref | | x(8) | |
| gcdrf1 | Reference 1 | | x(20) | |
| gcdrf2 | Reference 2 | | x(20) | |
| gcdrf3 | Reference 3 | | x(20) | |
| gcdrf4 | Reference 4 | | x(20) | |
| gcdrf5 | Reference 4 | | x(20) | |
| gcdrf6 | Reference 6 | | x(20) | |
| gcdtyp | Code Type*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-----------|--------|-----|
| gcctyp02 | Dependant Code Type | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| syonly | Updatable ? | | Yes/No | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gcctyp | yes | no |
| | | gcdcde | yes | yes |
| secaa | no | gcctyp | yes | no |
| | | gcdref | yes | yes |
| secab | no | gcctyp | yes | no |
| | | gcdcds | yes | yes |

cgencode General Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gcdcde | Code*: | | x(10) | |
| gcdcds | Description: | | x(30) | |
| gcctyp | Code Type*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| syonly | Updatable ? | | Yes/No | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gcctyp | yes | no |
| | | gcdcde | yes | no |
| secfa | no | gcctyp | yes | no |
| | | gcdcds | yes | yes |

cgenexpt Promotion General Expenses

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gcctyp11 | General Code Type | | x(8) | |
| gnexab | Actuals Base | | xx | |
| gnexbs | General Expense Base | | x | |
| gnexcd | General Expense Code | | x(8) | |
| gnexcr | Code Reqd? | | Yes/No | |
| gnexds | Description | | x(30) | |
| gnexot | Off Invoice Type | | xx | |
| gnexty | General Expense Type | | 99 | |
| gnexur | Units Reqd ? | | Yes/No | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plreqd | P/L Required? | | Yes/No | |
| prgnmep1 | P/L Gen Routine | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gnexty | yes | no |
| secaa | yes | gnexcd | yes | no |
| secab | no | gnexds | yes | no |
| secac | no | prgnmep1 | yes | no |
| secad | no | gcdtyp11 | yes | no |

cgentyp2 General Code Types 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-----------|----------------|-----|
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | zzzzzzz.9999- | 4 |
| decfld02 | | | zzzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| gcdtds | Description: | | x(30) | |
| gcdtyp | Code Type: | | x(8) | |
| gcdtyp02 | Dependant Code Type: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| syonly | Updatable ? | | Yes/No | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gcdtyp | yes | yes |
| secaa | no | gcdtyp02 | yes | yes |

cgentype General Code Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gcdtds | Description: | | x(30) | |
| gcdtyp | Code Type*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| syonly | Updatable ? | | Yes/No | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gcdtyp | yes | no |
| secfa | no | gcdtds | yes | yes |

cglaccde GL Account Code

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| glacct | GL A/c Code: | GL A/c | x(16) | |
| glacds | Description: | Description | x(30) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | glacct | yes | no |
| secfa | no | glacds | yes | yes |

cglcctre GL Cost Center

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| cctrds | Description: | Description | x(30) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cstctr | yes | no |
| secfa | no | cctrds | yes | yes |

cgltttype GL Transaction Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| glttlds | Description: | Description | x(35) | |
| glttyp | Transaction Type: | Tran Type | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | glttyp | yes | no |
| secfa | no | glttlds | yes | yes |

cgrpzone Customer Group Zones

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| areaco | Area*: | Home Area | x(10) | |
| cgznds | Description: | | x(30) | |
| cgzone | Zone Code*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| region | Region*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | cgzone | yes | no |
| secaa | yes | divino | yes | no |
| | | cgzone | yes | no |
| secab | yes | region | yes | no |
| | | cgzone | yes | no |
| secac | yes | areaco | yes | no |
| | | cgzone | yes | no |
| secad | yes | divino | yes | no |
| | | region | yes | no |
| | | cgzone | yes | no |
| secae | yes | divino | yes | no |
| | | areaco | yes | no |
| | | cgzone | yes | no |
| secfa | no | cgznds | yes | yes |

cmastex2 Master Extension 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------|-----------|------------------|-----|
| chrflD01 | Character 1 | | x(60) | |
| chrflD02 | Character 2 | | x(60) | |
| chrflD03 | Character 3 | | x(60) | |
| chrflD04 | Character 4 | | x(60) | |
| chrflD05 | Character 5 | | x(60) | |
| chrflD06 | Character 6 | | x(60) | |
| chrflD07 | Character 7 | | x(60) | |
| chrflD08 | Character 8 | | x(60) | |
| chrflD09 | Character 9 | | x(60) | |
| decflD01 | Decimal 1 | | zzzzzzzzz.99999- | 5 |
| decflD02 | Decimal 2 | | zzzzzzzzz.99999- | 5 |
| decflD03 | Deciaml 3 | | zzzzzzzzz.99999- | 5 |
| decflD04 | Decimal 4 | | zzzzzzzzz.99999- | 5 |
| decflD05 | Deciaml 5 | | zzzzzzzzz.99999- | 5 |
| decflD06 | Decimal 6 | | zzzzzzzzz.99999- | 5 |
| decflD07 | Decimal 7 | | zzzzzzzzz.99999- | 5 |
| decflD08 | Decimal 8 | | zzzzzzzzz.99999- | 5 |
| decflD09 | Decimal9 | | zzzzzzzzz.99999- | 5 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No | | zzzzzzzzz | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| extnno | Extension No. | Ext | zz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| masty | Master Type | | zzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | masty | yes | no |
| | | entrno | yes | no |
| | | extnno | yes | no |

cmastext Master Extension

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------------|-----|
| chrfd01 | Character 1 | | x(60) | |
| chrfd02 | Character 2 | | x(60) | |
| chrfd03 | Character 3 | | x(60) | |
| decfld01 | Decimal 1 | | zzzzzzzzz.99999- | 5 |
| decfld02 | Decimal 2 | | zzzzzzzzz.99999- | 5 |
| decfld03 | Decimal 3 | | zzzzzzzzz.99999- | 5 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| masty | Master Type | | zzz | |
| mstcd1 | Code 1 | | x(20) | |
| mstcd2 | Code 2 | | x(20) | |
| mstcd3 | Code 3 | | x(20) | |
| mstcd4 | Code 4 | | x(20) | |
| mstcd5 | Code 5 | | x(20) | |
| mstcd6 | Code 6 | | x(20) | |
| mstdsc | Description | | x(30) | |
| mstdsc02 | Short Description | | x(20) | |
| mstrf1 | Reference 1 | | x(20) | |
| mstrf2 | Reference 2 | | x(20) | |
| mstrf3 | Reference 3 | | x(20) | |
| mstrf4 | Reference 4 | | x(20) | |
| mstrf5 | Reference 5 | | x(20) | |
| mstrf6 | Reference 6 | | x(20) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | masty | yes | no |
| | | mstcd1 | yes | no |
| | | mstcd2 | yes | no |
| | | mstcd3 | yes | no |
| | | mstcd4 | yes | no |
| | | mstcd5 | yes | no |
| | | mstcd6 | yes | yes |
| secaa | yes | masty | yes | no |
| | | entrno | yes | no |
| secab | no | masty | yes | no |
| | | mstdsc | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | no | mastty | yes | no |
| | | mstdsc02 | yes | no |
| secba | no | mastty | yes | no |
| | | mstdc2 | yes | no |
| secbb | no | mastty | yes | no |
| | | mstdc3 | yes | no |
| secca | no | mastty | yes | no |
| | | mstrf1 | yes | no |
| seccb | no | mastty | yes | no |
| | | mstrf2 | yes | no |
| seccc | no | mastty | yes | no |
| | | mstrf3 | yes | no |

cmastref Master File Reference Detail

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| delflg | Deleted ? | | yes/no | |
| fldnme | Field Label | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| intfld01 | | | ->, >>>, >>9 | |
| intfld02 | | | ->, >>>, >>9 | |
| intfld03 | | | ->, >>>, >>9 | |
| inupdm | In Update Mode? | | yes/no | |
| isused | Used ? | | yes/no | |
| refdsc | Description | | x(30) | |
| refnum | Reference No | | zz | |
| refrul | Reference Rule | | zz | |
| reftyp | Reference Type | | zz | |
| relano | Relationship No | | zzzz | |
| txtfld01 | | | x(8) | |
| txtfld02 | | | x(8) | |
| txtfld03 | | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | reftyp | yes | no |
| | | refnum | yes | no |

cmodcoda Modifier Code A

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00a | Code*: | | x(8) | |
| mdcdsa | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00a | yes | no |
| secfa | no | mdcdsa | yes | yes |

cmodcodb Modifier Code B

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00b | Code*: | | x(8) | |
| mdcdsb | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00b | yes | no |
| secfa | no | mdcdsb | yes | yes |

cmodcodc Modifier Code C

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00c | Code*: | | x(8) | |
| mdcdsc | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00c | yes | no |
| secfa | no | mdcdsc | yes | yes |

cmodcodd Modifier Code Δ

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00d | Code*: | | x(8) | |
| mdcdsd | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00d | yes | no |
| secfa | no | mdcdsd | yes | yes |

cmodcode Modifier Code E

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00e | Code*: | | x(8) | |
| mdcdse | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00e | yes | no |
| secfa | no | mdcdse | yes | yes |

cmodcodf Modifier Code F

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00f | Code*: | | x(8) | |
| mdcdsf | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00f | yes | no |
| secfa | no | mdcdsf | yes | yes |

cmodcodg Modifier Code G

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00g | Code*: | | x(8) | |
| mdcdsg | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00g | yes | no |
| secfa | no | mdcdsg | yes | yes |

cmodcodh Modifier Code H

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00h | Code*: | | x(8) | |
| mdcdsh | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00h | yes | no |
| secfa | no | mdcdsh | yes | yes |

mchierl4 Customer Hierarchy Level 4

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv6 | yes | no |
| | | cprfv7 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv7 | yes | no |
| | | cprfv6 | yes | no |

mchierl5 Customer Hierarchy Level 5

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv5 | yes | no |
| | | cprfv6 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv6 | yes | no |
| | | cprfv5 | yes | no |

mciter1v Customer Profile 1 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv101 | Covered Profile 1: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv1 | yes | no |
| | | cprfv101 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv101 | yes | no |
| | | cprfv1 | yes | no |

mciter2v Customer Profile 2 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv201 | Covered Profile 2: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv2 | yes | no |
| | | cprfv201 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv201 | yes | no |
| | | cprfv2 | yes | no |

mciter3v Customer Profile 3 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv301 | Covered Profile 3: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv3 | yes | no |
| | | cprfv301 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv301 | yes | no |
| | | cprfv3 | yes | no |

mciter4v Customer Profile 4 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv401 | Covered Profile 4: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv4 | yes | no |
| | | cprfv401 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv401 | yes | no |
| | | cprfv4 | yes | no |

mciter5v Customer Profile 5 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv501 | Covered Profile 5: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv5 | yes | no |
| | | cprfv501 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv501 | yes | no |
| | | cprfv5 | yes | no |

mciter6v Customer Profile 6 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv601 | Covered Profile 6: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv6 | yes | no |
| | | cprfv601 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv601 | yes | no |
| | | cprfv6 | yes | no |

mciter7v Customer Profile 7 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv701 | Covered Profile 7: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv7 | yes | no |
| | | cprfv701 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv701 | yes | no |
| | | cprfv7 | yes | no |

mciter8v Customer Profile 8 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv801 | Covered Profile 8: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv8 | yes | no |
| | | cprfv801 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv801 | yes | no |
| | | cprfv8 | yes | no |

mcciter9v Customer Profile 9 Iteration

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|--------|-----|
| cprfv9 | Profile Value 9: | | x(16) | |
| cprfv901 | Covered Profile 9: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv9 | yes | no |
| | | cprfv901 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv901 | yes | no |
| | | cprfv9 | yes | no |

mcostdet Cost Set Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| costpr | Cost Price: | | ZZZZZZZZ.99- | 4 |
| csetno | Cost Set No*: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product*: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | csetno | yes | no |
| | | mpprod | yes | no |
| secaa | no | mpprod | yes | no |
| | | csetno | yes | no |

mcostset Cost Set Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| csetds | Description: | | x(30) | |
| csetid | Cost Set*: | | x(8) | |
| csetno | Cost Set No*: | | ZZZZZZZZ | |
| csetno02 | Next Cost Set: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| effectd | Effective Date: | | 99/99/99 | |
| finidt | Finish Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | csetno | yes | no |
| secaa | no | csetid | yes | no |
| | | divino | yes | no |
| | | finidt | yes | no |
| | | effect | yes | no |
| secab | no | divino | yes | no |
| | | csetno | yes | no |
| | | effect | yes | no |
| secac | no | divino | yes | no |
| | | csetid | yes | no |
| | | effect | yes | no |
| secad | no | divino | yes | no |
| | | csetid | yes | no |
| | | finidt | yes | no |
| secfa | no | csetds | yes | yes |

mcprof1v Customer Profile Values 1 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv1 | Profile Value 1: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv1 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv1 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv1 | yes | no |
| secac | no | cprfv1 | yes | no |
| | | mccust | yes | no |

mcprof2v Customer Profile Values 2 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv2 | Profile Value 2: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv2 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv2 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv2 | yes | no |
| secac | no | cprfv2 | yes | no |
| | | mccust | yes | no |

mcprof3v Customer Profile Values 3 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv3 | Profile Value 3: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv3 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv3 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv3 | yes | no |
| secac | no | cprfv3 | yes | no |
| | | mccust | yes | no |

mcprof4v Customer Profile Values 4 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv4 | Profile Value 4: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv4 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv4 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv4 | yes | no |
| secac | no | cprfv4 | yes | no |
| | | mccust | yes | no |

mcprof5v Customer Profile Values 5 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv5 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv5 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv5 | yes | no |
| secac | no | cprfv5 | yes | no |
| | | mccust | yes | no |

mcprof6v Customer Profile Values 6 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv6 | Profile Value 6: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv6 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv6 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv6 | yes | no |
| secac | no | cprfv6 | yes | no |
| | | mccust | yes | no |

mcprof7v Customer Profile Values 7 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv7 | Profile Value 7: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv7 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv7 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv7 | yes | no |
| secac | no | cprfv7 | yes | no |
| | | mccust | yes | no |

mcprof8v Customer Profile Values 8 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv8 | Profile Value 8: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv8 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv8 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv8 | yes | no |
| secac | no | cprfv8 | yes | no |
| | | mccust | yes | no |

mcprof9v Customer Profile Values 9 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv9 | Profile Value 9: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv9 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv9 | yes | no |
| | | mccust | yes | no |
| secab | no | mccust | yes | no |
| | | cprfv9 | yes | no |
| secac | no | cprfv9 | yes | no |
| | | mccust | yes | no |

mcustdiv Division Customer

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| areaco | Area: | | x(10) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|------------|--------|-----|
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| cuntry | Country: | Country | x(30) | |
| custyp | Customer Type: | | x(5) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| dscfld01 | Desc Field 1: | | x(40) | |
| dscfld02 | Desc Field 2: | | x(40) | |
| dscfld03 | Desc Field 3: | | x(40) | |
| dscfld04 | Desc Field 4: | | x(40) | |
| dscfld05 | Desc Field 5: | | x(40) | |
| dscfld06 | Desc Field 6: | | x(40) | |
| dscfld07 | Desc Field 7: | | x(40) | |
| dscfld08 | Desc Field 8: | | x(40) | |
| dscfld09 | Desc Field 9: | | x(40) | |
| dscfld10 | Desc Field 10: | | x(40) | |
| dscfld11 | Desc Field 11: | | x(40) | |
| dscfld12 | Desc Field 12: | | x(40) | |
| dscfld13 | Desc Field 13: | | x(40) | |
| dscfld14 | Desc Field 14: | | x(40) | |
| dscfld15 | Desc Field 15: | | x(40) | |
| dscfld16 | Desc Field 16: | | x(40) | |
| dscfld17 | Desc Field 17: | | x(40) | |
| dscfld18 | Desc Field 18: | | x(40) | |
| dscfld19 | Desc Field 19: | | x(40) | |
| dscfld20 | Desc Field 20: | | x(40) | |
| extnno | Extension No: | Ext | x(5) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Std Price List: | | x(10) | |
| mccust | Customer Code*: | | x(8) | |
| mccust11 | Bill To Customer: | | x(8) | |
| mcdesc | Name | | x(30) | |
| mcldty | Discount Display: | | z | |
| mcclse | Buy Days Close: | | zz | |
| mcopen | Buy Days Open: | | zz | |
| mcsetp | Settlement Disc%: | | zz.99 | 3 |
| mcweit | Rel Vol Weighting: | | zz | |
| mcwhsf | Ware Serv Fee: | | zz.99 | 3 |
| paymhd | Payment Method*: | | x(5) | |
| phonen | Phone No: | Phone No | x(20) | |
| shtrnm | Short Name: | Short Name | x(30) | |
| statec | State Code: | State | xxx | |
| suppc0 | Supplier: | Supplier | x(8) | |
| taxstt | Tax Status: | | xxx | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| secaa | yes | mccust | yes | no |
| | | divino | yes | no |
| secab | no | listid | yes | no |
| | | divino | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | no | mccust | yes | no |
| | | divino | yes | no |
| | | shrtnm | yes | no |
| secad | no | divino | yes | no |
| | | mcdesc | yes | no |
| secae | no | suppco | yes | no |
| | | divino | yes | no |
| secaf | no | divino | yes | no |
| | | mccust11 | yes | no |
| secag | yes | divino | yes | no |
| | | cprfv1 | yes | no |
| | | mccust | yes | yes |
| secah | yes | divino | yes | no |
| | | cprfv2 | yes | no |
| | | mccust | yes | yes |
| secai | yes | divino | yes | no |
| | | cprfv3 | yes | no |
| | | mccust | yes | yes |
| secaj | yes | divino | yes | no |
| | | cprfv4 | yes | no |
| | | mccust | yes | yes |
| secak | yes | divino | yes | no |
| | | cprfv5 | yes | no |
| | | mccust | yes | yes |
| secal | yes | divino | yes | no |
| | | cprfv6 | yes | no |
| | | mccust | yes | yes |
| secam | yes | divino | yes | no |
| | | cprfv7 | yes | no |
| | | mccust | yes | yes |
| secan | yes | divino | yes | no |
| | | cprfv8 | yes | no |
| | | mccust | yes | yes |
| secao | yes | divino | yes | no |
| | | cprfv9 | yes | no |
| | | mccust | yes | yes |
| secap | no | divino | yes | no |
| | | custyp | yes | no |
| | | mccust | yes | no |
| secaq | no | divino | yes | no |
| | | areaco | yes | no |
| | | mccust | yes | no |

mcustomr Customer Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| areaco | Area: | | x(10) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cuntry | Country: | Country | x(30) | |
| custyp | Customer Type: | | x(5) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division | | x(8) | |
| dscfld01 | Desc Field 1: | | x(40) | |
| dscfld02 | Desc Field 2: | | x(40) | |
| dscfld03 | Desc Field 3: | | x(40) | |
| dscfld04 | Desc Field 4: | | x(40) | |
| dscfld05 | Desc Field 5: | | x(40) | |
| dscfld06 | Desc Field 6: | | x(40) | |
| dscfld07 | Desc Field 7: | | x(40) | |
| dscfld08 | Desc Field 8: | | x(40) | |
| dscfld09 | Desc Field 9: | | x(40) | |
| dscfld10 | Desc Field 10: | | x(40) | |
| dscfld11 | Desc Field 11: | | x(40) | |
| dscfld12 | Desc Field 12: | | x(40) | |
| dscfld13 | Desc Field 13: | | x(40) | |
| dscfld14 | Desc Field 14: | | x(40) | |
| dscfld15 | Desc Field 15: | | x(40) | |
| dscfld16 | Desc Field 16: | | x(40) | |
| dscfld17 | Desc Field 17: | | x(40) | |
| dscfld18 | Desc Field 18: | | x(40) | |
| dscfld19 | Desc Field 19: | | x(40) | |
| dscfld20 | Desc Field 20: | | x(40) | |
| extnno | Extension No: | Ext | x(5) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Std Price List: | | x(10) | |
| mccust | Customer Code*: | | x(8) | |
| mccust11 | Bill To Customer: | | x(8) | |
| mcdesc | Name | | x(30) | |
| mcldty | Discount Display: | | z | |
| mclose | Buy Days Close: | | zz | |
| mcopen | Buy Days Open: | | zz | |
| mcsetp | Settlement Disc%: | | zz.99 | 3 |
| mcweit | Rel Vol Weighting: | | zz | |
| mcwhsf | Ware Serv Fee: | | zz.99 | 3 |
| paymhd | Payment Method*: | | x(5) | |
| phonen | Phone No: | Phone No | x(20) | |
| shrtnm | Short Name: | Short Name | x(30) | |
| statec | State Code: | State | xxx | |
| suppco | Supplier: | Supplier | x(8) | |
| taxstt | Tax Status: | | xxx | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mccust | yes | no |
| secaa | no | shrtnm | yes | no |
| secab | no | mcdesc | yes | no |
| secac | no | suppco | yes | no |
| secad | no | mccust11 | yes | yes |
| secae | no | listid | yes | no |
| | | mccust | yes | no |

mdownpar User Download/Off Load Parameters.

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| cangrp | Customers*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| downda | Last Download | | 99/99/99 | |
| downdi | File Location | | x(40) | |
| downna | File Name | | x(8) | |
| downti | Last Time | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Staff Member*: | | x(8) | |
| pangrp | Products*: | | x(10) | |
| upbach | Place in Batch? | | y/n | |
| upldda | Last Upload | | 99/99/99 | |
| upldti | Last Time | | zzzzzzzz | |
| viewcd | Promotion View*: | | x(8) | |
| viewcd01 | Rebate View*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |

cmoldcodi Modifier Code I

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00i | Code*: | | x(8) | |
| mdcdsi | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00i | yes | no |
| secfa | no | mdcdsi | yes | yes |

cmoldcodj Modifier Code J

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00j | Code*: | | x(8) | |
| mdcdsj | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mdc00j | yes | no |
| secfa | no | mdcdsj | yes | yes |

cnumbers Promotion Number Ranges by Area

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| numbid | No Range ID*: | | x(10) | |
| numdsc | Description: | | x(26) | |
| numfin | Last #: | | ZZZZZZZZ | |
| numnow | Current #: | | ZZZZZZZZ | |
| numsta | Starting #: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | numbid | yes | no |
| secfa | no | numdsc | yes | yes |

cpaction Promotion Next Activity

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| actdes | Description: | | x(26) | |
| action | Next Action*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | action | yes | no |
| secfa | no | actdes | yes | yes |

cpangrp Product Analysis Group

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| accgrp | Access Group: | Access Grp | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangds | Description: | Description | x(35) | |
| pangrp | Group Code: | Group Code | x(10) | |
| pangrp01 | Group Code: | | x(10) | |
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pangrp | yes | no |
| secaa | no | pangds | yes | no |
| secab | no | accgrp | yes | no |
| secac | yes | divino | yes | no |
| | | pangrp | yes | no |

cpangprd Product Analysis Group Product

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product: | Product | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pangrp | yes | no |
| | | mpprod | yes | no |
| secaa | yes | mpprod | yes | no |
| | | pangrp | yes | no |

cpaycode Payment Code for Payment Term Rules

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paycde | Payment Code*: | | xx | |
| paycde | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | paycde | yes | yes |
| seca | no | paycde | yes | yes |

cpaymthd Promotion Payment Methods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paymde | Description: | | x(26) | |
| paymhd | Payment Method: | | x(5) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | paymhd | yes | yes |
| seca | no | paymde | yes | yes |

cpayterm Rebate Payment Term

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paycde | Payment Code*: | | xx | |
| paytde | Description: | | x(26) | |
| paytrm | Payment Period*: | | xxx | |
| ptperd | Payment Period: | | xx | |
| ptunit | Payment Units: | | zzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | paytrm | yes | no |
| secaa | no | paycde | yes | no |
| secfa | no | paytde | yes | yes |

cproff1v

Product Profile 1 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv1 | Profile Value 1: | | x(16) | |
| ppv1ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv1 | yes | no |
| secaa | no | ppv1ds | yes | no |

cproff2v

Product Profile 2 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv2 | Profile Value 2: | | x(16) | |
| ppv2ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv2 | yes | no |
| secaa | no | ppv2ds | yes | no |

cproff3v

Product Profile 3 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv3 | Profile Value 3: | | x(16) | |
| ppv3ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv3 | yes | no |
| secaa | no | ppv3ds | yes | no |

cproff4v Product Profile 4 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv4 | Profile Value 4: | | x(16) | |
| ppv4ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv4 | yes | no |
| secaa | no | ppv4ds | yes | no |

cproff5v Product Profile 5 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv5 | Profile Value 5: | | x(16) | |
| ppv5ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv5 | yes | no |
| secaa | no | ppv5ds | yes | no |

cproff6v Product Profile 6 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv6 | Profile Value 6: | | x(16) | |
| ppv6ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprfv6 | yes | no |
| secaa | no | ppv6ds | yes | no |

cproprof7v Product Profile 7 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprv7 | Profile Value 7: | | x(16) | |
| ppv7ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprv7 | yes | no |
| secaa | no | ppv7ds | yes | no |

cproprof8v Product Profile 8 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprv8 | Profile Value 8: | | x(16) | |
| ppv8ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprv8 | yes | no |
| secaa | no | ppv8ds | yes | no |

cproprof9v Product Profile 9 Values

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprv9 | Profile Value 9: | | x(16) | |
| ppv9ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pprv9 | yes | no |
| secaa | no | ppv9ds | yes | no |

cpregron Area Grouping

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------------|---------------|----------|-----|
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| eprcod | End Promotion Code: | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| nprcod | Next Promotion Code: | | zzzzzzzz | |
| numbid | Next Promo No: | Next Promo | x(10) | |
| numbid01 | Nxt Template No: | Next Template | x(10) | |
| numbid02 | Next Rebate Code: | | x(10) | |
| regdsc | Description: | | x(26) | |
| region | Region*: | | x(10) | |
| sprcod | Start Promotion Code: | | zzzzzzzz | |
| stklocn | ME Stock Locn | ME Stock Locn | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | region | yes | no |
| secaa | no | cstctr | yes | no |
| secab | no | numbid | yes | no |
| secac | no | numbid01 | yes | no |
| secfa | no | regdsc | yes | yes |

cprigrps Pricing Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-----------|----------------|-----|
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | zzzzzzzz.9999- | 4 |
| decfld02 | | | zzzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| intflid01 | | | zzzzzzzz | |
| intflid02 | | | zzzzzzzz | |
| intflid03 | | | zzzzzzzz | |
| intflid04 | | | zzzzzzzz | |
| inupdm | In Update Mode ?: | | yes/no | |
| prigcd | Pricing Group | | x(8) | |
| prigds | Description | | x(26) | |
| priglv | Pricing Group Level | | zz | |
| unitom | UOM | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | priglv | yes | no |
| | | prigcd | yes | yes |

cprlistd

Price List Detail

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| amttyp | Amount Type: | | xx | |
| brkamt[9] | Break Amount: | | zzzzzz.9999 | 4 |
| brkval[9] | Break Value: | | zzzzzzzz | |
| cangrp | Customer Grp*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| enddat | End Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID*: | | x(10) | |
| listid01 | Base List*: | | x(10) | |
| mccust | Customer*: | | x(8) | |
| mpprod | Product*: | | x(16) | |
| pangrp | Product Group*: | | x(10) | |
| strdat | Start Date: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | strdat | yes | no |
| secaa | no | listid01 | yes | no |
| secab | no | pangrp | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secac | no | cangrp | yes | no |
| | | mccust | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |
| secad | no | mccust | yes | no |
| | | mpprod | yes | no |
| secae | no | mpprod | yes | no |
| | | mccust | yes | no |
| secaf | no | listid | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |
| | | cangrp | yes | no |
| | | strdat | yes | no |
| secag | no | listid | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |
| | | strdat | yes | no |
| secah | no | listid | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| | | strdat | yes | no |
| secai | no | listid | yes | no |
| | | mpprod | yes | no |
| | | strdat | yes | no |

cproarea Promotion Area

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|--------|-----|
| areaco | Area*: | | x(10) | |
| areade | Description: | | x(26) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| numbid | Next Promo No: | Next Promo | x(10) | |
| numbid01 | Nxt Template No: | Next Template | x(10) | |
| numbid02 | Next Rebate Code: | | x(10) | |
| stklocn | ME Stock Locn | ME Stock Locn | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | areaco | yes | no |
| secaa | no | cstctr | yes | no |
| secab | no | numbid | yes | no |
| secac | no | numbid01 | yes | no |
| secfa | no | areade | yes | yes |

cproclvl Promotion Customer Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| autoad | Auto Add ?: | | yes/no | |
| autobh | Auto Batch ?: | | yes/no | |
| defera | Defer Add ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prclvc | Level Code*: | | x(8) | |
| prclvd | Description: | | x(30) | |
| prclvn | Level No*: | | zz | |
| prgnmef0 | Selection Prog*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prclvn | yes | no |
| secaa | yes | prclvc | yes | no |
| secfa | no | prclvd | yes | yes |

cprojsta Project Status

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pjstac | Status Code*: | | x(10) | |
| pjstad | Description: | | x(26) | |
| pjstan | Status No*: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pjstan | yes | no |
| secaa | no | pjstac | yes | no |
| secfa | no | pjstad | yes | yes |

cprojtyp

Project Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pjtyds | Description: | | x(26) | |
| pjtype | Project Type*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | pjtype | yes | no |
| secfa | no | pjtyds | yes | yes |

cproudc1 Price List

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listde | List Name: | | x(26) | |
| listid | Price List ID*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| secfa | no | listde | yes | yes |

cproudc1 Promotion Product Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| autobh | Auto Batch ?: | | yes/no | |
| defera | Defer Add ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmef0 | Selection Prog*: | | x(8) | |
| prplvc | Level Code*: | | x(8) | |
| prplvd | Description: | | x(30) | |
| prplvn | Level No*: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prplvn | yes | no |
| secaa | yes | prplvc | yes | no |
| secfa | no | prplvd | yes | yes |

cproudc1 User Defined Code 1

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc001 | Analysis Code 1*: | | x(10) | |
| udc1ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc001 | yes | no |
| secfa | no | udc1ds | yes | yes |

cproudc2 User Defined Code 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc002 | Analysis Code 2*: | | x(10) | |
| udc2ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc002 | yes | no |
| secfa | no | udc2ds | yes | yes |

cproudc3 User Defined Code 3

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc003 | Analysis Code 3*: | | x(10) | |
| udc3ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc003 | yes | no |
| secfa | no | udc3ds | yes | yes |

cproudc4 User Defined Promotion Code 4

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc004 | Analysis Code 4: | | x(10) | |
| udc4ds | Description: | Description | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc004 | yes | no |
| secfa | no | udc4ds | yes | yes |

cproudc5 User Defined Analysis Code 5

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc005 | Analysis Code 5*: | | x(10) | |
| udc5ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc005 | yes | no |
| secfa | no | udc5ds | yes | yes |

cproudc6 User Defined Analysis Code 6

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc006 | Analysis Code 6*: | | x(10) | |
| udc6ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc006 | yes | no |
| secfa | no | udc6ds | yes | yes |

cproudc7 Analysis Code 7

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc007 | Code 7 Code*: | | x(10) | |
| udc7ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc007 | yes | no |
| secfa | no | udc7ds | yes | yes |

cproudc8 Analysis Code 8

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc008 | Code 8 Code*: | | x(10) | |
| udc8ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc008 | yes | no |
| secfa | no | udc8ds | yes | yes |

cproudc9 Analysis Code 9

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc009 | Code 9 Code*: | | x(10) | |
| udc9ds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc009 | yes | no |
| secfa | no | udc9ds | yes | yes |

cproudca Analysis Code A

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00a | Code A Code: | | x(10) | |
| udcads | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00a | yes | no |
| secfa | no | udcads | yes | yes |

cprouddb Analysis Code B

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00b | Code B Code: | | x(10) | |
| udcbds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00b | yes | no |
| secfa | no | udcbds | yes | yes |

cprouddc Analysis Code C

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00c | Code C Code: | | x(10) | |
| udccds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00c | yes | no |
| secfa | no | udccds | yes | yes |

cprouddd Analysis Code D

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00d | Code D Code: | | x(10) | |
| udcds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00d | yes | no |
| secfa | no | udcds | yes | yes |

cproudce User Defined Code E

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00e | UDC-E Code | | x(10) | |
| udceds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00e | yes | yes |
| secaa | no | udceds | yes | yes |

cproudcf User Defined Code F

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00f | UDC-F Code | | x(10) | |
| udcfds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00f | yes | yes |
| secaa | no | udcfds | yes | yes |

cproudcg User Defined Code G

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00g | UDC-G Code | | x(10) | |
| udcgds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00g | yes | yes |
| secaa | no | udcgds | yes | yes |

cproudch User Defined Code H

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| udc00h | UDC-H Code | | x(10) | |
| udchds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | udc00h | yes | yes |
| secaa | no | udchds | yes | yes |

cpstatus Promotion Operational/Workflow Status

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| statco | Status*: | | x(10) | |
| statde | Status Desc: | | x(26) | |
| statno | Status Number*: | | 99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | statno | yes | no |
| secaa | no | statco | yes | yes |
| secfa | no | statde | yes | yes |

cptrntyp Promotion Transaction Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| trntds | Description: | Description | x(35) | |
| trntyp | Transaction Type: | Tran Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trntyp | yes | no |
| secfa | no | trntds | yes | yes |

cpupdtyp Promotion Update Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmf2 | Update Prog*: | | x(8) | |
| updtds | Description: | | x(30) | |
| updtyp | Update Type*: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | updtyp | yes | no |
| secfa | no | updtds | yes | yes |

cqtybtyp Quantity Break Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| qtybty | Qty Break Type*: | | x(10) | |
| qtytyd | Qty Type Desc: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | qtybty | yes | no |
| secfa | no | qtytyd | yes | yes |

crebbase Rebate Calculation Base

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rbasco | Calc Base*: | | xxx | |
| rbasde | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rbasco | yes | no |
| secfa | no | rbasde | yes | yes |

crebcalc Rebate Calculation Methods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme88 | Calc Program*: | | x(8) | |
| rcalco | Calc Method* | | xxx | |
| rcalde | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rcalco | yes | no |
| secaa | no | prgnme88 | yes | no |
| secfa | no | rcalde | yes | yes |

crebintr Rebate Interaction/Combine Rule

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rebide | Description: | | x(30) | |
| rebinr | Combine Rule*: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebinr | yes | no |
| secfa | no | rebide | yes | yes |

crebscop Rebate Calculation Scope

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rscopc | Calc Scope*: | | xxx | |
| rscopd | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rscopc | yes | no |
| secfa | no | rscopd | yes | yes |

crebstat Rebate Status

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rstatc | Status Code*: | | x(10) | |
| rstatd | Description: | | x(30) | |
| rstatn | Status No*: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rstatn | yes | no |
| secaa | no | rstatc | yes | no |
| secfa | no | rstatd | yes | yes |

crebtaxr Rebate Tax Rule

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rtaxco | Tax Rule*: | | xxx | |
| rtaxde | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rtaxco | yes | no |
| secfa | no | rtaxde | yes | yes |

crebtype Rebate Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rebtlds | Description: | | x(30) | |
| rebtyp | Rebate Type: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebtyp | yes | no |
| secaa | no | rebtlds | yes | no |

crelmast Relationship Master

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| decfld01 | | | zzz.zzz.9999- | 4 |
| decfld02 | | | zzz.zzz.9999- | 4 |
| decfld03 | | | zzz.zzz.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| entrul | Entry Rule | | zz | |
| inaddm | In Add Mode? | | yes/no | |
| intfld01 | | | ->, >>>, >>9 | |
| intfld02 | | | ->, >>>, >>9 | |
| intfld03 | | | ->, >>>, >>9 | |
| inupdm | In Update Mode? | | yes/no | |
| isused | Used ? | | yes/no | |
| prcrul | Pricing Rule | | zz | |
| relacd | Relationship Code | | x(8) | |
| relads | Description | | x(30) | |
| relano | Relationship No | | zzzz | |
| seqcde | Sequence | | zz | |
| txtfld01 | | | x(8) | |
| txtfld02 | | | x(8) | |
| txtfld03 | | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | relano | yes | no |
| secaa | no | relacd | yes | no |

crtrntyp Rebate Transaction Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rtrntd | Description | | x(30) | |
| rtrnty | Transaction Type: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rtrnty | yes | yes |
| secfa | no | rtrntd | yes | yes |

cstklcnc Stock Location

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| stklcn | Stock Location: | | x(8) | |
| stklcns | Description: | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | stklcn | yes | no |
| secfa | no | stklcns | yes | yes |

ctaxstat Customer Tax Status

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| effdat | Effective Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inclrp | Incl in R/P?: | | Yes/No | |
| inupdm | In Update Mode ?: | | yes/no | |
| taxst | Tax Status*: | | xxx | |
| txrate | Tax Rate: | | zzz.9999 | 4 |
| txrate02 | New Tax Rate: | | zzz.9999 | 4 |
| txstds | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | taxstt | yes | no |
| secfa | no | txstds | yes | yes |

ctdoctyp Transaction Document Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocds | Description: | Description | x(35) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | tdocty | yes | no |
| secfa | no | tdocds | yes | yes |

cunitsom Unit of Measure

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| unitom | UOM*: | | x(10) | |
| uomdsc | Description: | | x(26) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | unitom | yes | no |
| secfa | no | uomdsc | yes | yes |

currency Currency

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-----------|-----|
| cnvdte | Latest Date: | | 99/99/99 | |
| cnvrte | Base Conv Rate: | | zzzz.9999 | 2 |
| curcod | Currency*: | | x(10) | |
| curdes | Description: | | x(26) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | curcod | yes | no |
| secfa | no | curdes | yes | yes |

custtype Customer Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| custde | Description: | | x(26) | |
| custyp | Customer Type*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | custyp | yes | no |
| secfa | no | custde | yes | yes |

address Address Master File

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|-----------|--------|-----|
| addr11 | Address | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| addrco | Address Code | | x(8) | |
| addrnm | Name | | x(30) | |
| citynm | City | City | x(20) | |
| contct | Contact | Contact | x(30) | |
| cntry | Country | Country | x(30) | |
| delflg | Deleted ? | | yes/no | |
| dscfld01 | Desc Field 1 | | x(40) | |
| dscfld02 | Desc Field 2 | | x(40) | |
| dscfld03 | Desc Field 3 | | x(40) | |
| dscfld04 | Desc Field 4 | | x(40) | |
| dscfld05 | Desc Field 5 | | x(40) | |
| dscfld06 | Desc Field 6 | | x(40) | |
| dscfld07 | Desc Field 7 | | x(40) | |
| dscfld08 | Desc Field 8 | | x(40) | |
| dscfld09 | Desc Field 9 | | x(40) | |
| dscfld10 | Desc Field 10 | | x(40) | |
| dscfld11 | Desc Field 11 | | x(40) | |
| dscfld12 | Desc Field 12 | | x(40) | |
| dscfld13 | Desc Field 13 | | x(40) | |
| dscfld14 | Desc Field 14 | | x(40) | |
| dscfld15 | Desc Field 15 | | x(40) | |
| dscfld16 | Desc Field 16 | | x(40) | |
| dscfld17 | Desc Field 17 | | x(40) | |
| dscfld18 | Desc Field 18 | | x(40) | |
| dscfld19 | Desc Field 19 | | x(40) | |
| dscfld20 | Desc Field 20 | | x(40) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|------------|--------|-----|
| extnno | Extension No | Ext | x(5) | |
| faxpno | Fax No | Fax No | x(20) | |
| inaddm | In Add Mode ? | | yes/no | |
| inupdm | In Update Mode ? | | yes/no | |
| phonen | Phone No | Phone No | x(20) | |
| shtrnm | Short Name | Short Name | x(30) | |
| statec | State Code | State | xxx | |
| zipcde | Zip Code | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | addrco | yes | yes |
| secaa | no | shtrnm | yes | yes |

mbrokdiv

Brokers x Division

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| broker | Broker*: | | x(10) | |
| cangrp | Customer Group*: | | x(10) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cuntry | Country: | Country | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| phonen | Phone No: | Phone No | x(20) | |
| prgnmee7 | Advice Prog*: | | x(8) | |
| salemn | Salesman | | x(8) | |
| statec | State Code: | State | xxx | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | broker | yes | no |
| secaa | yes | broker | yes | no |
| | | divino | yes | no |
| secab | no | divino | yes | no |
| | | mccust | yes | no |
| secac | no | divino | yes | no |
| | | salemn | yes | no |
| secad | no | salemn | yes | no |
| | | divino | yes | no |

mbrokdpl Division Broker Price List

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| broker | Broker*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | broker | yes | no |
| | | listid | yes | yes |
| secaa | yes | broker | yes | no |
| | | divino | yes | no |
| | | listid | yes | yes |
| secab | yes | listid | yes | no |
| | | divino | yes | no |
| | | broker | yes | yes |

mbrokers Brokers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| broker | Broker*: | | x(8) | |
| brokrm | Name: | | x(30) | |
| cangrp | Customer Grp*: | | x(10) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cuntry | Country: | Country | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| phonen | Phone No: | Phone No | x(20) | |
| statec | State Code: | State | xxx | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | broker | yes | no |
| secaa | no | brokrm | yes | no |
| secab | no | cangrp | yes | no |
| secac | no | mccust | yes | no |

mbrokspl

Broker Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| broker01 | Broker 1*: | | x(8) | |
| broker02 | Broker 2: | | x(8) | |
| broker03 | Broker 3: | | x(8) | |
| broker04 | Broker 4: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| enddat | End Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| salprc01 | Broker 1 %: | | zzz.9999 | 2 |
| salprc02 | Broker 2 %: | | zzz.9999 | 2 |
| salprc03 | Broker 3 %: | | zzz.9999 | 2 |
| salprc04 | Broker 4 %: | | zzz.9999 | 2 |
| strdat | Start Date: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |
| | | strdat | yes | no |
| | | enddat | yes | no |

mbudalgo

Budget Algorithm

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| algocd | Algorithm Code: | Code | x(8) | |
| algods | Description: | Description | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| nospls | No of Splits | | zz | |
| splocc[55] | Split Amounts: | Split Amount | zzzz | |
| spltot | Splits Total: | Split Total | zzzzzz | |
| strprd | Start Period: | Start Period | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | algocd | yes | no |
| secfa | no | algods | yes | yes |

mbudparm Budget Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|------------|-------------|-----|
| allows | Allow Special?: | | yes/no | |
| almthd01 | Alloc Seq 1*: | | xxx | |
| almthd02 | Alloc Seq 2*: | | xxx | |
| almthd03 | Alloc Seq 3*: | | xxx | |
| almthd04 | Alloc Seq 4*: | | xxx | |
| almthd05 | Alloc Seq 5*: | | xxx | |
| almthd06 | Alloc Seq 6*: | | xxx | |
| almthd07 | Alloc Seq 7*: | | xxx | |
| almthd08 | Alloc Seq 8*: | | xxx | |
| almthd09 | Alloc Seq 9*: | | xxx | |
| almthd10 | Alloc Seq 10*: | | xxx | |
| almthd11 | N/P Alloc Seq 1*: | | xxx | |
| almthd12 | N/P Alloc Seq 2*: | | xxx | |
| almthd13 | N/P Alloc Seq 3*: | | xxx | |
| almthd14 | N/P Alloc Seq 4*: | | xxx | |
| budbas | Budgeting Base: | | xx | |
| budbra | Budget Territory: | | Region/Area | |
| budbyd | Deal Budgets ?: | | yes/no | |
| budgok | Budget Ok?: | | yes/no | |
| budlvl | Budgeting Level: | | x | |
| budso1 | Level Opt 1*: | Option 1 | xx | |
| budso2 | Level Opt 2*: | Option 2 | xx | |
| budso3 | Level Opt 3*: | Option 3 | xx | |
| budso4 | Level Opt 4*: | Option 4 | xx | |
| budso5 | Level Opt 5*: | Option 5 | xx | |
| budsum | Summaries ?: | Summarised | Yes/No | |
| budtpl | Budget Template: | | xxxx | |
| cusbsd | Customer Based: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glbase01 | Customer GL base | | z | |
| glbase02 | Product GL Base | | z | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| macgrp | Cust/G Mandatory?: | | yes/no | |
| macgzn | Zones Mandatory?: | | yes/no | |
| macpf1 | Profile 1 Mandatory: | | yes/no | |
| macpf2 | Profile 2 Mandatory: | | yes/no | |
| macpf3 | Profile 3 Mandatory: | | yes/no | |
| macpf4 | Profile 4 Mandatory: | | yes/no | |
| macpf5 | Profile 5 Mandatory: | | yes/no | |
| macpf6 | Profile 6 Mandatory: | | yes/no | |
| macpf7 | Profile 7 Mandatory: | | yes/no | |
| macpf8 | Profile 8 Mandatory: | | yes/no | |
| macpf9 | Profile 3 Mandatory: | | yes/no | |
| mactyp | Cust Type Mandatory: | | yes/no | |
| macust | Cust Mandatory? | | yes/no | |
| madcat | Deal Mandatory?: | | yes/no | |
| madgrp | Deal Grp Mandatory?: | | yes/no | |
| mahgrp | Head/G Mandatory?: | | yes/no | |
| maownr | Owner Mandatory?: | | yes/no | |
| mapgrp | Prod/G Mandatory?: | | yes/no | |
| mappf1 | Profile 1 Mandatory: | | yes/no | |
| mappf2 | Profile 2 Mandatory: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-----------|--------|-----|
| mappf3 | Profile 3 Mandatory: | | yes/no | |
| mappf4 | Profile 4 Mandatory: | | yes/no | |
| mappf5 | Profile 5 Mandatory: | | yes/no | |
| mappf6 | Profile 6 Mandatory: | | yes/no | |
| mappf7 | Profile 7 Mandatory: | | yes/no | |
| mappf8 | Profile 8 Mandatory: | | yes/no | |
| mappf9 | Profile 3 Mandatory: | | yes/no | |
| maprod | Prod Mandatory? | | yes/no | |
| maptyp | Cust Type Mandatory: | | yes/no | |
| maudc1 | Code 1 Mandatory?: | | yes/no | |
| maudc2 | Code 2 Mandatory?: | | yes/no | |
| maudc3 | Code 3 Mandatory?: | | yes/no | |
| maudc4 | Code 4 Mandatory?: | | yes/no | |
| maudc7 | Code 5 Mandatory?: | | yes/no | |
| maudc8 | Code 6 Mandatory?: | | yes/no | |
| maudc9 | Code 7 Mandatory?: | | yes/no | |
| prdbsd | Product Based: | | yes/no | |
| sumlv1 | Summary Field 1: | | x(8) | |
| sumlv2 | Summary Field 2: | | x(8) | |
| sumlv3 | Summary Field 3: | | x(8) | |
| sumlv4 | Summary Field 4: | | x(8) | |
| sumlv5 | Summary Field 5: | | x(8) | |
| sumlv6 | Summary Field 6: | | x(8) | |
| turnrq | T/O Included?: | | Yes/No | |
| upcgrp | Customer Groups ?: | | yes/no | |
| upcgzn | Zones ?: | | yes/no | |
| upcpf1 | Cust Profile 1?: | | yes/no | |
| upcpf2 | Cust Profile 2?: | | yes/no | |
| upcpf3 | Cust Profile 3?: | | yes/no | |
| upcpf4 | Cust Profile 4?: | | yes/no | |
| upcpf5 | Cust Profile 5?: | | yes/no | |
| upcpf6 | Cust Profile 6?: | | yes/no | |
| upcpf7 | Cust Profile 7?: | | yes/no | |
| upcpf8 | Cust Profile 8?: | | yes/no | |
| upcpf9 | Cust Profile 9?: | | yes/no | |
| upctyp | Customer Type?: | | yes/no | |
| upcust | Update Cust? | | yes/no | |
| updgrp | Deal Groups ?: | | yes/no | |
| uphgrp | Header Groups ?: | | yes/no | |
| upownr | Owners ?: | | yes/no | |
| uppgrp | Product Groups ?: | | yes/no | |
| upppf1 | Prod Profile 1?: | | yes/no | |
| upppf2 | Prod Profile 2?: | | yes/no | |
| upppf3 | Prod Profile 3?: | | yes/no | |
| upppf4 | Prod Profile 4?: | | yes/no | |
| upppf5 | Prod Profile 5?: | | yes/no | |
| upppf6 | Prod Profile 6?: | | yes/no | |
| upppf7 | Prod Profile 7?: | | yes/no | |
| upppf8 | Prod Profile 8?: | | yes/no | |
| upppf9 | Prod Profile 9?: | | yes/no | |
| upprod | Update Prod? | | yes/no | |
| upptyp | Product Type?: | | yes/no | |
| upudc1 | Update Code 1?: | | yes/no | |
| upudc2 | Update Code 2?: | | yes/no | |
| upudc3 | Update Code 3?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| upudc4 | Update Code 4?: | | yes/no | |
| upudc7 | Update Code 7?: | | yes/no | |
| upudc8 | Update Code 8?: | | yes/no | |
| upudc9 | Update Code 9?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| secaa | no | fnyear | yes | no |

mcappvl Claim Approvals Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-------------|---------------|-----|
| apclmd | Actual Overrun \$: | | zzzzzzzzz.99- | 4 |
| apclmp | Actual/Planned %: | | zzzz.99 | 4 |
| cappld | Description: | Description | x(30) | |
| capplv | Claim Approv Level: | Claim Level | 99 | |
| clmsno | No of Claims: | | zzzz | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| thclmd | Each Claim \$: | | zzzzzzzzz.99 | 4 |
| toclmd | Total Claim \$: | | zzzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | capplv | yes | no |
| secfa | no | cappld | yes | yes |

mchierag Customer Aggregate Hierarchy

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv5 | yes | no |
| | | cprfv6 | yes | no |
| | | cprfv7 | yes | no |
| | | cprfv8 | yes | no |
| | | cprfv9 | yes | no |
| | | mccust | yes | no |
| secaa | no | divino | yes | no |
| | | mccust | yes | no |
| secab | no | divino | yes | no |
| | | cprfv6 | yes | no |
| secac | no | divino | yes | no |
| | | cprfv7 | yes | no |
| secad | no | divino | yes | no |
| | | cprfv8 | yes | no |
| secae | no | divino | yes | no |
| | | cprfv9 | yes | no |

mchierl1 Customer Hierarchy Level 1

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv9 | Profile Value 9: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv9 | yes | no |
| | | mccust | yes | no |
| secaa | yes | divino | yes | no |
| | | mccust | yes | no |
| | | cprfv9 | yes | no |
| secab | yes | mccust | yes | no |
| | | divino | yes | no |
| | | cprfv9 | yes | no |

mchierl2 Customer Hierarchy Level 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv8 | yes | no |
| | | cprfv9 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv9 | yes | no |
| | | cprfv8 | yes | no |

mchierl3 Customer Hierarchy Level 3

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cprfv7 | yes | no |
| | | cprfv8 | yes | no |
| secaa | yes | divino | yes | no |
| | | cprfv8 | yes | no |
| | | cprfv7 | yes | no |

meapplv Marketing and Expense Approval Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| apinvd | Actual Overrun\$: | | zzzzzzzz.99- | 2 |
| apinvp | Acutal/Planned%: | | zzzz.99 | 2 |
| delflg | Deleted ?: | | yes/no | |
| eappld | Description: | | x(30) | |
| eapplv | Approval Level*: | | 9 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| thinvd | Each Invoice \$: | | zzzzzzzz.99- | 2 |
| toinvd | Total Invoice \$: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | eapplv | yes | no |

mfperiod Financial Periods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fnpded | End Date | | 99/99/99 | |
| fnpdsd | Start Date | | 99/99/99 | |
| fnperd | Period | | 99 | |
| fnpsta | Status | | x | |
| fnyear | Year | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | fnpdsd | yes | no |
| secab | no | fnpded | yes | no |
| secac | yes | fnpsta | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secad | yes | fnpsta | yes | no |
| | | fnpdsd | yes | no |

mgenxref General Master Cross-Reference File

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gnxcd1 | XRef 1 | | x(20) | |
| gnxcd2 | XRef 2 | | x(20) | |
| gnxcd3 | XRef 3 | | x(20) | |
| gnxcd4 | XRef 4 | | x(20) | |
| gnxcd5 | XRef 5 | | x(20) | |
| gnxcd6 | XRef 6 | | x(20) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| gnxrf1 | XRef Code 1 | | x(20) | |
| gnxrf2 | XRef Code 2 | | x(20) | |
| gnxrf3 | XRef Code 3 | | x(20) | |
| gnxrf4 | XRef Code 4 | | x(20) | |
| gnxrf5 | XRef Code 5 | | x(20) | |
| gnxrft | XRef Type | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gnxrft | yes | no |
| | | gnxrf1 | yes | no |
| | | gnxrf2 | yes | no |
| | | gnxrf3 | yes | no |
| | | gnxrf4 | yes | no |
| | | gnxrf5 | yes | yes |
| secaa | no | gnxcd1 | yes | yes |
| secab | no | gnxcd2 | yes | yes |
| secac | no | gnxcd3 | yes | yes |
| secad | no | gnxcd4 | yes | yes |
| secae | no | gnxcd5 | yes | yes |
| secaf | no | gnxcd6 | yes | yes |

mloadxrf Master File Load Cross-References

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mfxrf1 | M/F Ref Code 1 | | x(16) | |
| mfxrf2 | M/F Ref Code 2 | | x(16) | |
| mfxrf3 | M/F Ref Code 3 | | x(16) | |
| mfxrf4 | M/F Ref Code 4 | | x(16) | |
| mfxrf5 | M/F Ref Code 5 | | x(16) | |
| mfxrf6 | M/F Ref Code 6 | | x(16) | |
| mfxrft | Master Type | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mfxrft | yes | no |
| | | mfxrf1 | yes | no |
| | | mfxrf2 | yes | no |
| | | mfxrf3 | yes | no |
| | | mfxrf4 | yes | no |
| | | mfxrf5 | yes | no |
| | | mfxrf6 | yes | yes |

mmapplvl Marketing and Expense Project Approval Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Staff Member*: | | x(8) | |
| msuser02 | Manager*: | | x(8) | |
| region | Region: | | x(10) | |
| tospnd | Spend Limit: | | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | region | yes | no |
| secaa | no | region | yes | no |
| | | msuser | yes | no |
| secab | no | msuser02 | yes | no |
| | | msuser | yes | no |

mmebparm Marketing and Expense Budget Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| budbra | Budget Territory: | | Region/Area | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| secaa | no | fnyear | yes | no |

mpapplvd Promotion Approval Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|------------|--------------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| papplv | Plan Approv Level: | Plan Level | 99 | |
| prdisc | Upper %: | | zzz.99 | 4 |
| prdisd | Total Spend \$ | | zzzzzzzz.99- | 2 |
| prdisl | Prod Lower %: | | zzz.99 | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | papplv | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |

mpapplvl Planning Approval Levels

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-------------|--------------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pappld | Description: | Description | x(30) | |
| papplv | Plan Approv Level: | Plan Level | 99 | |
| prdisc | Product Discount %: | Prod Disc% | zzz.99 | 4 |
| prdisd | Product Spend \$ | | zzzzzzzz.99- | 2 |
| prdisl | Prod Lower %: | | zzz.99 | 2 |
| strati | Spend/Turnover %: | Sp/TO | zzz.99 | 4 |
| tocoop | Total COOP \$: | Tot COOP\$ | zzzzzzzz.99 | 4 |
| todisc | Total Discount %: | Tot Disc% | zzz.99 | 4 |
| tospend | Total Spend \$: | Tot Spend\$ | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | papplv | yes | no |
| secaa | no | divino | yes | no |

mpappsec Secondary Promotion Approval Items

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|--------|-----|
| apprfa | Approval Ref A: | | x(16) | |
| apprfb | Approval Ref B: | | x(16) | |
| apprfc | Approval Ref C: | | x(16) | |
| apprfd | Approval Ref Δ: | | x(16) | |
| apprfe | Approval Ref E: | | x(16) | |
| apprff | Approval Ref F: | | x(16) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser21 | Plan Approval Mgr: | Plan Manager | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | apprfa | yes | no |
| | | apprfb | yes | no |
| | | apprfc | yes | no |
| | | apprfd | yes | no |
| | | apprfe | yes | no |
| secaa | no | msuser21 | yes | no |

mphierag Product Aggregate Hierarchy

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product*: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv5 | yes | no |
| | | pprfv6 | yes | no |
| | | pprfv7 | yes | no |
| | | pprfv8 | yes | no |
| | | pprfv9 | yes | no |
| | | mpprod | yes | no |
| secaa | no | divino | yes | no |
| | | mpprod | yes | no |
| secab | no | divino | yes | no |
| | | pprfv6 | yes | no |
| secac | no | divino | yes | no |
| | | pprfv7 | yes | no |
| secad | no | divino | yes | no |
| | | pprfv8 | yes | no |
| secae | no | divino | yes | no |
| | | pprfv9 | yes | no |

mphier11 Product Hierarchy Level 1

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv9 | yes | no |
| | | mpprod | yes | no |
| secaa | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv9 | yes | no |
| secab | yes | mpprod | yes | no |
| | | divino | yes | no |
| | | pprfv9 | yes | no |

mphier12 Product Hierarchy Level 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv8 | yes | no |
| | | pprfv9 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv9 | yes | no |
| | | pprfv8 | yes | no |

mphier13 Product Hierarchy Level 3

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv7 | yes | no |
| | | pprfv8 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv8 | yes | no |
| | | pprfv7 | yes | no |

mphier14 Product Hierarchy Level 4

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv6 | yes | no |
| | | pprfv7 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv7 | yes | no |
| | | pprfv6 | yes | no |

mphier15 Product Hierarchy Level 5

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv5 | yes | no |
| | | pprfv6 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv6 | yes | no |
| | | pprfv5 | yes | no |

mpiter1v Iterative Product Profile 1 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv101 | Covered Profile Value 1: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv1 | yes | no |
| | | pprfv101 | yes | no |
| secaa | yes | delflg | yes | no |
| | | pprfv101 | yes | no |
| | | pprfv1 | yes | no |

mpiter2v Iterative Product Profile 2 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv201 | Covered Profile Value 2: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv2 | yes | no |
| | | pprfv201 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv201 | yes | no |
| | | pprfv2 | yes | no |

mpiter3v Iterative Product Profile 3 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv301 | Covered Profile Value 3: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv3 | yes | no |
| | | pprfv301 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv301 | yes | no |
| | | pprfv3 | yes | no |

mpiter4v

Iterative Product Profile 4 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv401 | Covered Profile Value 4: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv4 | yes | no |
| | | pprfv401 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv401 | yes | no |
| | | pprfv4 | yes | no |

mpiter5v

Iterative Product Profile 5 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv501 | Covered Profile Value 5: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv5 | yes | no |
| | | pprfv501 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv501 | yes | no |
| | | pprfv5 | yes | no |

mpiter6v Iterative Product Profile 6 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv601 | Covered Profile Value 6: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv6 | yes | no |
| | | pprfv601 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv601 | yes | no |
| | | pprfv6 | yes | no |

mpiter7v Iterative Product Profile 7 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv701 | Covered Profile Value 7: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv7 | yes | no |
| | | pprfv701 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv701 | yes | no |
| | | pprfv7 | yes | no |

mpiter8v Iterative Product Profile 8 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv801 | Covered Profile Value 8: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv8 | yes | no |
| | | pprfv801 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv801 | yes | no |
| | | pprfv8 | yes | no |

mpiter9v Iterative Product Profile 9 Value

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pprfv9 | Profile Value 9: | | x(16) | |
| pprfv901 | Covered Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | pprfv9 | yes | no |
| | | pprfv901 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv901 | yes | no |
| | | pprfv9 | yes | no |

mpprof1v Product Profile Value 1 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv1 | Profile Value 1: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv1 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv1 | yes | no |
| | | mpprod | yes | no |

mpprof2v Product Profile Value 2 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv2 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv2 | yes | no |
| | | mpprod | yes | no |

mpprof3v Product Profile Value 3 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv3 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv3 | yes | no |
| | | mpprod | yes | no |

mpprof4v Product Profile Value 4 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv4 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv4 | yes | no |
| | | mpprod | yes | no |

mpprof5v Product Profile Value 5 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv5 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv5 | yes | no |
| | | mpprod | yes | no |

mpprof6v Product Profile Value 6 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv6 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv6 | yes | no |
| | | mpprod | yes | no |

mpprof7v Product Profile Value 7 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv7 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv7 | yes | no |
| | | mpprod | yes | no |

mpprof8v Product Profile Value 8 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv8 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv8 | yes | no |
| | | mpprod | yes | no |

mpprof9v Product Profile Value 9 - Iterative

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code*: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| | | pprfv9 | yes | no |
| secaa | yes | divino | yes | no |
| | | pprfv9 | yes | no |
| | | mpprod | yes | no |

mprlistc

Customer Price Lists

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| btprid | Process Status ID | | zzzzzzzz | |
| cangrp | Group Code: | Group Code | x(10) | |
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | zzzzzzz.9999- | 4 |
| decfld02 | | | zzzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entrno | Entry No | | zzzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inclex | Include/Exclude | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List*: | | x(10) | |
| mccust | Customer Code: | | x(8) | |
| plendd | End Date | | 99/99/99 | |
| plstrd | Start Date: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | entrno | yes | no |
| secaa | no | mccust | yes | no |
| | | plstrd | yes | no |
| secab | no | divino | yes | no |
| | | mccust | yes | no |
| | | plstrd | yes | no |

mprlistd

Price List Product Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| brkamt[9] | Break Amount: | | ZZZZZZ.9999 | 4 |
| brkcat | Break Category | | x(8) | |
| brktrm[9] | Term Code | | x(8) | |
| brkval[9] | Break Value: | | ZZZZZZZ.9999 | 4 |
| btprid | Process Status ID | | ZZZZZZZZ | |
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | ZZZZZZZ.9999- | 4 |
| decfld02 | | | ZZZZZZZZ.9999- | 4 |
| decfld03 | | | ZZZZZZZ.9999- | 4 |
| decfld04 | | | ZZZZZZZZ.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No | | ZZZZZZZZ | |
| finbas01 | Financial Base 1 | | ZZ | |
| finbas02 | Financial Base 2 | | ZZ | |
| fobamt | FOB Price: | | ZZZZZZ.9999 | 4 |
| inaddm | In Add Mode ?: | | yes/no | |
| inclex | Include/Exclude | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID*: | | x(10) | |
| listno | List No | | x(8) | |
| maxprc | Maximum Price | | ZZZZZZZZ.99- | 2 |
| minprc | Minimum Price | | ZZZZZZZZ.99- | 2 |
| plendd | End Date | | 99/99/99 | |
| plstrd | Start Date: | | 99/99/99 | |
| prdref | Product Ref | | x(20) | |
| prdtyp | Product Type | | ZZ | |
| prmaxp | Maximum Orders | | ZZZZZZZZ- | |
| prmaxq | Maximum Qty | | ZZZZZZZZ.9999- | 4 |
| prminn | Minimum Net Ord | | ZZZZZZZZ.9999- | 4 |
| unitom | List UOM Base* | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| | | prdtyp | yes | no |
| | | prdref | yes | no |
| | | entrno | yes | no |
| secaa | no | prdtyp | yes | no |
| | | prdref | yes | no |
| | | plstrd | yes | no |
| secab | no | prdtyp | yes | no |
| | | prdref | yes | no |
| | | listid | yes | no |

mprlistg Price List Predefined Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| btprid | Process Status ID | | ZZZZZZZZ | |
| cangrp | Predef Group* | | x(10) | |
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | ZZZZZZZ.9999- | 4 |
| decfld02 | | | ZZZZZZZ.9999- | 4 |
| decfld03 | | | ZZZZZZZ.9999- | 4 |
| decfld04 | | | ZZZZZZZ.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| entrno | Entry No | | ZZZZZZZZ | |
| inaddm | In Add Mode ?: | | yes/no | |
| inclex | Include/Exclude | | yes/no | |
| inlexl | Inclusion? | | Yes/No | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID* | | x(10) | |
| plendd | End Date | | 99/99/99 | |
| plstrd | Start Date | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| | | cangrp | yes | no |
| | | entrno | yes | no |
| secaa | no | divino | yes | no |
| | | cangrp | yes | no |
| | | plstrd | yes | no |

mprlisth Price List Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|---------------|-----|
| amtype | Amount Type* | | x(10) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| brkamt[9] | Break Amount | | ZZZZZZ.9999 | 4 |
| brkcat | Break Category | | x(8) | |
| brktrm[9] | Term Code | | x(8) | |
| brkval[9] | Break Value: | | ZZZZZZZZ | |
| btprid | Process Status ID | | ZZZZZZZZ | |
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| comtyp | Combine Type* | | x(10) | |
| crdtrm | Credit Terms | | ZZZZZ.99999- | 2 |
| csetid | Cost Set* | | x(8) | |
| cstctr | Discount C/C* | | x(8) | |
| curcod | Currency* | | x(10) | |
| cuslvl | Customer Level | | ZZ | |
| decfld01 | | | ZZZZZZZ.9999- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-------------|-----------------|-----|
| decfld02 | | | zzzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| delmin | Min Delivery: | | zzzzzzzz | |
| detlbn | Break Details? | | yes/no | |
| disseq | Discount Seq: | | x(10) | |
| divino | Division* | | x(8) | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| finbas01 | Financial Base 1 | | zz | |
| finbas02 | Financial Base 2 | | zz | |
| fobmin | Min FOB Qty: | | zzzzzzzz | |
| frghtt | Freight Terms | | zzzzzz.99999- | 2 |
| glacct | Discount A/c* | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listds | Description | | x(30) | |
| listid | Price List ID*: | | x(10) | |
| listid01 | Previous List*: | | x(10) | |
| listid02 | Next List*: | | x(10) | |
| listid10 | Price List No | | x(10) | |
| listno | List No | | x(8) | |
| listyp | List Type* | | x(8) | |
| manflg | Manual Price List? | | yes/no | |
| maxord | Maximum Orders | | zzzzzzzz.9999- | 4 |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| nxentn01 | Next Entry 1 | | zzzzzzzz | |
| nxentn02 | Next Entry 2 | | zzzzzzzz | |
| nxentn03 | Next Entry 3 | | zzzzzzzz | |
| nxentn04 | Next Entry 4 | | zzzzzzzz | |
| paytrm | Payment Period* | | xxx | |
| plendd | End Date | | 99/99/99 | |
| plstat | Status: | | xx | |
| plstrd | Start Date: | | 99/99/99 | |
| prdlvl | Product Level | | zz | |
| priori | Priority | | zz | |
| prmanp | Manual Price ? | | Yes/No | |
| prmaxp | Maximum Price | | zzzzzzzzzz.99 | 4 |
| prmaxq | Maximum Qty | | zzzzzzzzzz.99 | 4 |
| prminn | Minimum Net Ord | | zzzzzzzzzzzz.99 | 4 |
| prminp | Minimum Price | | zzzzzzzzzz.99 | 4 |
| prminq | Minimum Qty | | zzzzzzzzzz.99 | 4 |
| prtflg | Print on Inv ? | | Yes/No | |
| qtyby | Break Category* | | x(10) | |
| qtytyp | Quantity Type | | x(8) | |
| srchty | Search Type* | | x(8) | |
| trmcde | Terms Code | | x(8) | |
| unitom | List UOM Base* | | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |
| valtyp | Value Type | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | yes |
| secaa | no | listid01 | yes | yes |
| secab | no | listid02 | yes | yes |
| secac | yes | plendd | yes | no |
| | | listid | yes | yes |
| secad | yes | plstrd | yes | no |
| | | listid | yes | yes |
| secae | no | listid10 | yes | yes |
| secaf | no | csetid | yes | yes |
| secag | yes | divino | yes | no |
| | | listid | yes | yes |
| secah | no | cuslvl | yes | no |
| | | listid | yes | yes |
| secai | no | prdlvl | yes | no |
| | | listid | yes | yes |

mprlistm

Price List Messages

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| cangrp | Customer Group | | x(10) | |
| chrflid01 | | | x(8) | |
| chrflid02 | | | x(8) | |
| chrflid03 | | | x(8) | |
| chrflid04 | | | x(8) | |
| decfld01 | | | zzzzzzz.9999- | 4 |
| decfld02 | | | zzzzzzzz.9999- | 4 |
| decfld03 | | | zzzzzzzz.9999- | 4 |
| decfld04 | | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID | | x(10) | |
| listid04 | Associated List | | x(10) | |
| mccust | Customer | | x(8) | |
| messno | Message No: | Message No | zzzz9 | |
| msgtyp | Message Type | | zz | |
| prdref | Product Ref | | x(20) | |
| prdtype | Product Type | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | listid | yes | no |
| | | msgtyp | yes | no |
| | | messno | yes | no |
| | | entrno | yes | no |
| secaa | no | listid04 | yes | yes |
| secab | yes | listid | yes | no |
| | | entrno | yes | no |

mprodiv Division Product

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-------------------|---------------|-----|
| costpr | Cost Price: | | zzzzzzzz.99 | 4 |
| csetid | Cost Set*: | | x(8) | |
| csetid02 | Cost Set 2*: | | x(8) | |
| csetid03 | Cost Set 3*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| dscfld31 | Desc Field 1: | | x(40) | |
| dscfld32 | Desc Field 2: | | x(40) | |
| dscfld33 | Desc Field 3: | | x(40) | |
| dscfld34 | Desc Field 4: | | x(40) | |
| dscfld35 | Desc Field 5: | | x(40) | |
| dscfld36 | Desc Field 6: | | x(40) | |
| dscfld37 | Desc Field 7: | | x(40) | |
| dscfld38 | Desc Field 8: | | x(40) | |
| dscfld39 | Desc Field 9: | | x(40) | |
| dscfld40 | Desc Field 10: | | x(40) | |
| dscfld41 | Desc Field 11: | | x(40) | |
| dscfld42 | Desc Field 12: | | x(40) | |
| dscfld43 | Desc Field 13: | | x(40) | |
| dscfld44 | Desc Field 14: | | x(40) | |
| dscfld45 | Desc Field 15: | | x(40) | |
| dscfld46 | Desc Field 16: | | x(40) | |
| dscfld47 | Desc Field 17: | | x(40) | |
| dscfld48 | Desc Field 18: | | x(40) | |
| dscfld49 | Desc Field 19: | | x(40) | |
| dscfld50 | Desc Field 20: | | x(40) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Std Price List: | | x(10) | |
| listpr | List Price: | | zzzzzzzz.99 | 4 |
| mpbasw | Pricing Basis Wgt: | | zzzzz.99 | 3 |
| mpdesc | Description: | | x(26) | |
| mpdsc2 | | | x(30) | |
| mpfcon | #FU in an RU | | zzzzzz.99999- | 2 |
| mpprod | Product Code*: | | x(16) | |
| mprcon | #RU in a SKU: | | zzzzz.99 | 3 |
| mpscon | #PU in a SKU: | | zzzzz.99 | 3 |
| mpshrt | Short Descript: | Short Description | x(30) | |
| pangrp | Analysis Group: | Anal Group | x(10) | |
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |
| qtybty | Break Category* | | x(10) | |
| retlpr | Consumer Price: | | zzzzzzzz.99 | 4 |
| taxstt | Tax Status: | | x(10) | |
| unitom01 | Pricing UOM: | | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|-----------|--------|-----|
| unitom02 | Stocking UOM: | | x(10) | |
| unitom03 | Retail UOM: | | x(10) | |
| unitom04 | Buying UOM | | x(10) | |
| unitom05 | Bonus UOM: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mpprod | yes | no |
| secaa | yes | mpprod | yes | no |
| | | divino | yes | no |
| secab | no | listid | yes | no |
| | | divino | yes | no |
| | | mpprod | yes | no |
| secac | no | mpprod | yes | no |
| | | listid | yes | no |
| secad | no | divino | yes | no |
| | | mpshrt | yes | no |
| secae | no | divino | yes | no |
| | | mpdesc | yes | no |
| secaf | no | divino | yes | no |
| | | pangrp | yes | no |
| secag | no | csetid | yes | no |
| | | divino | yes | no |
| secah | no | csetid02 | yes | no |
| | | divino | yes | no |
| secai | no | csetid03 | yes | no |
| | | divino | yes | no |
| secaj | yes | divino | yes | no |
| | | pprfv1 | yes | no |
| | | mpprod | yes | yes |
| secak | yes | divino | yes | no |
| | | pprfv2 | yes | no |
| | | mpprod | yes | yes |
| secal | yes | divino | yes | no |
| | | pprfv3 | yes | no |
| | | mpprod | yes | yes |
| secam | yes | divino | yes | no |
| | | pprfv4 | yes | no |
| | | mpprod | yes | yes |
| secan | yes | divino | yes | no |
| | | pprfv5 | yes | no |
| | | mpprod | yes | yes |
| secao | yes | divino | yes | no |
| | | pprfv6 | yes | no |
| | | mpprod | yes | yes |
| secap | yes | divino | yes | no |
| | | pprfv7 | yes | no |
| | | mpprod | yes | yes |
| secaq | yes | divino | yes | no |
| | | pprfv8 | yes | no |
| | | mpprod | yes | yes |
| secar | yes | divino | yes | no |
| | | pprfv9 | yes | no |
| | | mpprod | yes | yes |
| secas | no | qtyby | yes | yes |

mprodln Product Location Stock

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------------|------------------|--------------|-----|
| cstamt | Total Cost: | | zzzzzzzz.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| qtysoh | Stock On Hand: | | zzzzzz.9999- | 2 |
| stklcn | Bonus Stock Location: | Bonus Stock Locn | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | stklcn | yes | no |
| | | mpprod | yes | no |
| secaa | yes | mpprod | yes | no |
| | | stklcn | yes | no |

mproduct Product Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|-------------|-----|
| costpr | Cost Price: | | zzzzzzzz.99 | 4 |
| csetid | Cost Set*: | | x(8) | |
| csetid02 | Cost Set 2*: | | x(8) | |
| csetid03 | Cost Set 3*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division | | x(8) | |
| dscfld31 | Desc Field 1: | | x(40) | |
| dscfld32 | Desc Field 2: | | x(40) | |
| dscfld33 | Desc Field 3: | | x(40) | |
| dscfld34 | Desc Field 4: | | x(40) | |
| dscfld35 | Desc Field 5: | | x(40) | |
| dscfld36 | Desc Field 6: | | x(40) | |
| dscfld37 | Desc Field 7: | | x(40) | |
| dscfld38 | Desc Field 8: | | x(40) | |
| dscfld39 | Desc Field 9: | | x(40) | |
| dscfld40 | Desc Field 10: | | x(40) | |
| dscfld41 | Desc Field 11: | | x(40) | |
| dscfld42 | Desc Field 12: | | x(40) | |
| dscfld43 | Desc Field 13: | | x(40) | |
| dscfld44 | Desc Field 14: | | x(40) | |
| dscfld45 | Desc Field 15: | | x(40) | |
| dscfld46 | Desc Field 16: | | x(40) | |
| dscfld47 | Desc Field 17: | | x(40) | |
| dscfld48 | Desc Field 18: | | x(40) | |
| dscfld49 | Desc Field 19: | | x(40) | |
| dscfld50 | Desc Field 20: | | x(40) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Std Price List: | | x(10) | |
| listpr | List Price: | | zzzzzzzz.99 | 4 |
| mpbasw | Pricing Basis Wgt: | | zzzzz.99 | 3 |
| mpdesc | Description: | | x(26) | |
| mpdsc2 | | | x(30) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-------------------|---------------|-----|
| mpfcon | #FU in an RU | | zzzzzz.99999- | 2 |
| mpprod | Product Code*: | | x(16) | |
| mprcon | #RU in a SKU: | | zzzzz.99 | 3 |
| mpscon | #PU in a SKU: | | zzzzz.99 | 3 |
| mpshrt | Short Descript: | Short Description | x(30) | |
| pangrp | Analysis Group: | Anal Group | x(10) | |
| qtybty | Break Category* | | x(10) | |
| retlpr | Consumer Price: | | zzzzzzzzz.99 | 4 |
| taxstt | Tax Status: | | x(10) | |
| unitom01 | Pricing UOM: | | x(10) | |
| unitom02 | Stocking UOM: | | x(10) | |
| unitom03 | Retail UOM: | | x(10) | |
| unitom04 | Buying UOM: | | x(10) | |
| unitom05 | Bonus UOM: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mpprod | yes | no |
| secaa | no | mpshrt | yes | no |
| secab | no | mpdesc | yes | no |
| secac | no | pangrp | yes | no |
| secad | no | csetid | yes | no |
| secae | no | csetid02 | yes | no |
| secaf | no | csetid03 | yes | no |
| secag | no | listid | yes | no |
| | | mpprod | yes | no |
| secah | no | qtybty | yes | yes |

mprsplit Promotion Split Parametes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| divino02 | Split To Div*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| messno | Message No: | | zzzz9 | |
| msuser | Staff Member*: | | x(8) | |
| splprc | Split %: | | zzz.9999 | 2 |
| splrfa | Split Ref A: | | x(16) | |
| splrfb | Split Ref B: | | x(16) | |
| splrfc | Split Ref C: | | x(16) | |
| splrfd | Split Ref Δ: | | x(16) | |
| splrfe | Split Ref E: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | splrfa | yes | no |
| | | splrfb | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | splrfc | yes | no |
| | | splrfd | yes | no |
| | | splrfe | yes | no |
| secaa | no | divino02 | yes | no |

mprstaff

Staff Members

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------------|------------------|--------|-----|
| areaco | Home Area: | Home Area | x(10) | |
| bthlmt | Batch Limit: | | zzzz | |
| caccgp | Customer Access Groups ?: | Cust Acc Grps | yes/no | |
| capplv | Claim Approv Level: | Claim Level | 99 | |
| clashc | Clash Rule*: | | xxx | |
| clashc01 | Add Clash*: | | xxx | |
| clashc02 | Plan Clash*: | | xxx | |
| clashc03 | Approve Clash*: | | xxx | |
| coltpl | Colour Template: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| dftid | Default ID*: | | x(8) | |
| dgrpdv | DG Divisional?: | | yes/no | |
| dgrpidd | Data Group*: | | x(8) | |
| divino | Division*: | | x(8) | |
| eapplv | Expense App Level: | | 9 | |
| editlv | Edit Level: | | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| margfl | Display Margin ?: | | yes/no | |
| mccust | Staff Customer Code: | Staff Cust | x(8) | |
| msfull | User Full Name: | | x(26) | |
| msglmt | Message Limit: | | zzzz | |
| msname | User Short Name: | | x(8) | |
| msuser | User Code*: | | x(8) | |
| msuser21 | Plan Approval Mgr: | Plan Manager | x(8) | |
| msuser22 | Claim Approv Mgr: | Claim Mgr | x(8) | |
| msuser23 | Rebate Approval Mgr: | | x(8) | |
| paccgp | Product Access Groups ?: | Prod Acc Grp | yes/no | |
| papplv | Plan Approv Level: | Plan Level | 99 | |
| profil | Profile: | Profile | x(14) | |
| prtdev | Print Device*: | | x(8) | |
| rapplv | Rebate Approval Level: | | zz | |
| region | Region: | | x(10) | |
| region01 | Edit Region: | Edit Region | x(10) | |
| salemn | Salesman | | x(8) | |
| seclvl | Security Level: | Security Level | 9 | |
| stklcn | Bonus Stock Location: | Bonus Stock Locn | x(8) | |
| suppco | Staff Supplier: | Staff Supplier | x(8) | |
| trmtyp | Terminal Type: | | x(6) | |
| viewcd | Default View | Dflt View | x(8) | |
| wrmdys | Default Warning Days: | Warn Days | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | yes |
| secaa | no | msname | yes | no |
| secab | no | region | yes | no |
| secac | no | region01 | yes | no |
| secad | no | msuser21 | yes | no |
| secae | no | msuser22 | yes | no |
| secaf | no | papplv | yes | no |
| secag | no | capplv | yes | no |
| secah | no | areaco | yes | no |
| secai | no | viewcd | yes | no |
| secaj | no | mccust | yes | no |
| secak | no | suppco | yes | no |
| secal | no | stklcn | yes | no |
| secam | no | divino | yes | yes |
| secfa | no | msfull | yes | yes |
| secfb | no | langcd | yes | no |

mprstcac Staff Customer Access Rights

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| accgrp | Access Group: | Access Grp | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | User: | User | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | accgrp | yes | no |
| secaa | yes | accgrp | yes | no |
| | | msuser | yes | no |

mprstdiv Staff Access to Divisions and Data

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-------------|--------|-----|
| areaco | Area*: | | x(10) | |
| brkocc | Break Level: | | z | |
| bthlmt | Batch Limit: | | zzzz | |
| capplv | Claim Approv Level: | Claim Level | 99 | |
| cgzone | Zone Code*: | | x(8) | |
| clashc | Clash Rule*: | | xxx | |
| clashc01 | Add Clash*: | | xxx | |
| clashc02 | Plan Clash*: | | xxx | |
| clashc03 | Approve Clash*: | | xxx | |
| delflg | Deleted ?: | | yes/no | |
| dftid | Default ID*: | | x(8) | |
| dgrpidd | Data Group*: | | x(8) | |
| divino | Division*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|------------------|--------|-----|
| eapplv | Expense App Level: | | 9 | |
| editlv | Edit Level: | | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Default List*: | | x(10) | |
| margfl | Display Margin ?: | | yes/no | |
| mccust | Staff Customer Code: | Staff Cust | x(8) | |
| msglmt | Message Limit: | | zzzz | |
| msuser | Staff Member*: | | x(8) | |
| msuser21 | Plan Approval Mgr: | Plan Manager | x(8) | |
| msuser22 | Claim Approv Mgr: | Claim Mgr | x(8) | |
| msuser23 | Rebate Approval Mgr: | | x(8) | |
| papplv | Plan Approv Level: | Plan Level | 99 | |
| prtdev | Print Device*: | | x(8) | |
| rapplv | Rebate Approval Level: | | zz | |
| region | Region*: | | x(10) | |
| region01 | Edit Region*: | | x(10) | |
| salemn | Salesman | | x(8) | |
| seclvl | Security Level: | Security Level | 9 | |
| stklcn | Bonus Stock Location: | Bonus Stock Locn | x(8) | |
| suppco | Staff Supplier: | Staff Supplier | x(8) | |
| viewcd | Default View | Dflt View | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | msuser | yes | no |
| secaa | no | msuser | yes | no |
| | | divino | yes | no |
| secab | no | region | yes | yes |
| secac | no | region01 | yes | yes |
| secad | no | msuser21 | yes | yes |
| secae | no | msuser22 | yes | yes |
| secaf | no | msuser23 | yes | yes |
| secag | no | papplv | yes | no |
| secah | no | capplv | yes | no |
| secai | no | areaco | yes | yes |
| secaj | no | viewcd | yes | yes |
| secak | no | mccust | yes | yes |
| secal | no | stklcn | yes | yes |
| secam | no | suppco | yes | yes |
| secan | no | divino | yes | no |
| | | salemn | yes | no |
| secao | no | salemn | yes | no |
| | | divino | yes | no |

mprstpac Staff Product Access Rights

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|------------|--------|-----|
| accgrp | Access Group: | Access Grp | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | User: | User | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | accgrp | yes | no |

mprstpzn Staff Promotion Zone Security

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| areaco | Area*: | | x(10) | |
| canadd | Can Add ?: | | yes/no | |
| canupd | Can Update ?: | | yes/no | |
| canvew | Can View ?: | | yes/no | |
| cgzone | Zone*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Staff Member*: | | x(8) | |
| region | Region*: | | x(10) | |
| trngrp | Trans Group*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | trngrp | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| | | areaco | yes | no |
| | | cgzone | yes | no |
| secaa | no | msuser | yes | no |
| | | trngrp | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| | | cgzone | yes | no |
| secab | no | msuser | yes | no |
| | | trngrp | yes | no |
| | | divino | yes | no |
| | | areaco | yes | no |
| | | cgzone | yes | no |
| secac | no | msuser | yes | no |
| | | trngrp | yes | no |
| | | divino | yes | no |
| | | cgzone | yes | no |

mpyrcust Pyramid Member Customers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------|-----|
| commrt | Commission | | zzzzzz.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer* | | x(8) | |
| mccust75 | Direct Parent | | x(8) | |
| mccust76 | Parent* | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust76 | yes | no |
| | | mccust | yes | no |
| secaa | no | divino | yes | no |
| | | mccust76 | yes | no |
| | | mccust75 | yes | no |
| secab | no | divino | yes | no |
| | | mccust75 | yes | no |
| | | mccust76 | yes | no |
| secac | no | divino | yes | no |
| | | mccust | yes | no |
| | | mccust76 | yes | no |

mpyrcust Pyramid Direct Customers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------|-----|
| commrt | Commission | | zzzzzz.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer* | | x(8) | |
| mccust75 | Direct Parent | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust75 | yes | no |
| | | mccust | yes | no |
| secaa | yes | divino | yes | no |
| | | mccust | yes | no |
| | | mccust75 | yes | no |

mrbdparm Rebate Budget Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| budbra | Budget Territory: | | Region/Area | |
| budbyt | Type Budgets ?: | | yes/no | |
| budlvl | Budget Level: | | x | |
| budtpl | Budget Template: | | xxxx | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rdbbas | Budget Base | | xx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| secaa | no | fnyear | yes | no |

mrebrule Rebate Rules

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rebrcd | Rule Code* | | x(10) | |
| rebrcd02 | Rule Code 2* | | x(10) | |
| rebrcd03 | Rule Code 3* | | x(10) | |
| rebrra | Reference A | | x(20) | |
| rebrrb | Reference B | | x(20) | |
| rebrrc | Reference C | | x(20) | |
| rebrrd | Reference Δ | | x(20) | |
| rebrre | Reference E | | x(20) | |
| rebrty | Rule Type* | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | rebrty | yes | no |
| | | rebrra | yes | no |
| | | rebrrb | yes | no |
| | | rebrrc | yes | no |
| | | rebrrd | yes | no |
| | | rebrre | yes | no |
| | no | rebrcd | yes | no |
| secaa | no | rebrcd02 | yes | no |
| secab | no | rebrcd03 | yes | no |
| secac | no | | | |

mrelmref Relationship References

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|---------------|-----|
| decfld01 | | | zzz.zzz.9999- | 4 |
| decfld02 | | | zzz.zzz.9999- | 4 |
| decfld03 | | | zzz.zzz.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| intfld01 | | | ->,>>>,>>9 | |
| intfld02 | | | ->,>>>,>>9 | |
| intfld03 | | | ->,>>>,>>9 | |
| inupdm | In Update Mode? | | yes/no | |
| masc1 | Master Code 1 | | x(20) | |
| masc2 | Master Code 2 | | x(20) | |
| masc3 | Master Code 3 | | x(20) | |
| refcde | Reference | | x(20) | |
| refnum | Reference No | | zz | |
| reftyp | Reference Type | | zz | |
| relano | Relationship No | | zzzz | |
| txtfld01 | | | x(8) | |
| txtfld02 | | | x(8) | |
| txtfld03 | | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | reftyp | yes | no |
| | | refnum | yes | no |
| | | refcde | yes | no |
| | | masc1 | yes | no |
| | | masc2 | yes | no |
| | | divino | yes | yes |
| secaa | no | masc1 | yes | no |
| | | masc2 | yes | no |
| | | reftyp | yes | no |
| | | refnum | yes | no |
| | | refcde | yes | yes |
| secab | no | divino | yes | no |
| | | masc1 | yes | no |
| | | masc2 | yes | no |
| | | reftyp | yes | no |
| | | refnum | yes | no |
| | | refcde | yes | yes |

msaleman Salesman

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | User Code* | | x(8) | |
| salemn | Salesman | | x(8) | |
| smnnme | Name | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | salemn | yes | no |
| secaa | yes | salemn | yes | no |
| | | divino | yes | no |
| secab | no | smnnme | yes | no |
| | | divino | yes | no |
| secac | no | divino | yes | no |
| | | smnnme | yes | no |

msuppdiv Division Supplier

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------|-----------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cuntry | Country: | Country | x(30) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| extnno | Extension No: | Ext | x(5) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |
| phonen | Phone No: | Phone No | x(20) | |
| shrtnm | Short Name: | Short Name | x(30) | |
| statec | State Code: | State | xxx | |
| suname | Name: | Name | x(30) | |
| suppco | Supplier: | Supplier | x(8) | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | suppco | yes | yes |
| secaa | yes | suppco | yes | no |
| | | divino | yes | yes |
| secab | no | divino | yes | no |
| | | mccust | yes | yes |
| secac | no | divino | yes | no |
| | | suname | yes | yes |
| secad | no | divino | yes | no |
| | | shrtnm | yes | yes |

msupplier Supplier

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| citynm | City: | City | x(20) | |
| contct | Contact: | Contact | x(30) | |
| cuntry | Country: | Country | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division | | x(8) | |
| extnno | Extension No: | Ext | x(5) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |
| phonen | Phone No: | Phone No | x(20) | |
| shrtnm | Short Name: | Short Name | x(30) | |
| statec | State Code: | State | xxx | |
| suname | Name: | Name | x(30) | |
| suppco | Supplier: | Supplier | x(8) | |
| zipcde | Zip Code: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | suppco | yes | no |
| secaa | no | shrtnm | yes | no |
| secab | no | suname | yes | no |
| secac | no | mccust | yes | no |

sappfile Application Files

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| audalw | Auditing ?: | | Yes/No | |
| audton | Auditing ? | Auditing | Yes/No | |
| delflg | Deleted ?: | | yes/no | |
| dgpplw | Groupings ?: | | Yes/No | |
| dgpflg | Data Grouped ?: | | yes/no | |
| divflg | Divisional ?: | | yes/no | |
| fileds | Description: | | x(30) | |
| filehd | Header File ?: | | Yes/No | |
| filenm | File Name*: | | x(8) | |
| fileno | File No: | File No | 999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| noteex | Notes ?: | | yes/no | |
| notefm[5] | Multi Folder ?: | | yes/no | |
| notelb[5] | Notes Labels: | | x(10) | |
| noteti[5] | Notes Titles: | | x(20) | |
| notets[5] | Time Stamping ?: | | yes/no | |
| secver | | | xx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | filenm | yes | no |
| secaa | yes | fileno | yes | no |
| secfa | no | fileds | yes | yes |

sbatchpr Batch Procedure

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| batprc | Procedure ID*: | | x(8) | |
| batpri | Batch Priority: | | zz | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmen1 | Batch Program*: | | x(8) | |
| prgnmen2 | Assoc Driver*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | batprc | yes | no |
| secaa | no | prgnmen1 | yes | yes |
| secab | no | prgnmen2 | yes | yes |

sbudallo

Budget Allocation Methods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| almdsc | Description: | | x(40) | |
| almthd | Code*: | | xxx | |
| almtyp | Type*: | | xx | |
| areaus | Area?: | | yes/no | |
| cangus | Customer Grp?: | | yes/no | |
| cghdus | Header Group ? | | yes/no | |
| cgznus | Zone ? | | yes/no | |
| cpf1us | Cust Profile 1? | | yes/no | |
| cpf2us | Cust Profile 2? | | yes/no | |
| cpf3us | Cust Profile 3? | | yes/no | |
| cpf4us | Cust Profile 4? | | yes/no | |
| cpf5us | Cust Profile 5? | | yes/no | |
| cpf6us | Cust Profile 6? | | yes/no | |
| cpf7us | Cust Profile 7? | | yes/no | |
| cpf8us | Cust Profile 8? | | yes/no | |
| cpf9us | Cust Profile 9? | | yes/no | |
| ctypus | Customer Type? | | yes/no | |
| custus | Customer?: | | Yes/No | |
| dcatus | Deal Category?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| dgrpus | Deal Group? | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangus | Product Group?: | | yes/no | |
| ppf1us | Prod Profile 1? | | yes/no | |
| ppf2us | Prod Profile 2? | | yes/no | |
| ppf3us | Prod Profile 3? | | yes/no | |
| ppf4us | Prod Profile 4? | | yes/no | |
| ppf5us | Prod Profile 5? | | yes/no | |
| ppf6us | Prod Profile 6? | | yes/no | |
| ppf7us | Prod Profile 7? | | yes/no | |
| ppf8us | Prod Profile 8? | | yes/no | |
| ppf9us | Prod Profile 9? | | yes/no | |
| produs | Product ?: | | Yes/No | |
| regius | Region ?: | | yes/no | |
| udc1us | Analysis 1?: | | yes/no | |
| udc2us | Analysis 2?: | | yes/no | |
| udc3us | Analysis 3?: | | yes/no | |
| udc4us | Analysis 4?: | | yes/no | |
| userus | Owner ? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | almthd | yes | no |
| secaa | no | almtyp | yes | no |
| | | almthd | yes | no |
| secfa | no | almdsc | yes | yes |

colours Color Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| colcde | Colour Code: | Colour Code | x(10) | |
| coldsc | Description: | Description | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | colcde | yes | no |
| secfa | no | coldsc | yes | yes |

scoltpla Color Templates

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------------|---------------------------|--------|-----|
| colcde31 | Special Col 1: | | x(10) | |
| colcde32 | Special Col 2: | | x(10) | |
| colcde33 | Special Col 3: | | x(10) | |
| colcde34 | Special Col 4: | | x(10) | |
| colcde35 | Special Col 5: | | x(10) | |
| colcde36 | Special Col 6: | | x(10) | |
| colcde37 | Special Col 7: | | x(10) | |
| colcde38 | Special Col 8: | | x(10) | |
| coltpl | Colour Template: | Colour Template | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| dspbkg | Display B/Grnd: | Display B/Grnd | x(10) | |
| dsptxt | Display Text: | Display Text | x(10) | |
| frmbkg | Form B/Grnd: | Form B/Grnd | x(10) | |
| frmtxt | Form Text: | Form Text | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| ohibkg | Option Hi B/Grnd: | Option Hi B/Grnd | x(10) | |
| ohitxt | Option Hi Text: | Option Hi Text | x(10) | |
| optbkg | Option B/Grnd: | Option B/Grnd | x(10) | |
| opttxt | Option Text: | Option Text | x(10) | |
| otibkg | Option Title B/Grnd: | Option Title B/Grnd | x(10) | |
| otitxt | Option Title Text: | Option Title Text | x(10) | |
| prmbkg | Prompt B/Grnd: | Prompt B/Grnd | x(10) | |
| prmtxt | Prompt Text: | Prompt Text | x(10) | |
| scrbkg | Scroller B/Grnd: | Scroller B/Grnd | x(10) | |
| scrtxt | Scroller Text: | Scroller Text | x(10) | |
| shibkg | Scroller Hi B/Grnd: | Scroller Hi B/Grnd | x(10) | |
| shitxt | Scroller Hi Text: | Scroller Hi Text | x(10) | |
| sohbkg | Scroller Option Hi B/Grnd: | Scroller Option Hi B/Grnd | x(10) | |
| sohtxt | Scroller Option Hi Text: | Scroller Option Hi Text | x(10) | |
| sopbkg | Scroller Option B/Grnd: | Scroller Option B/Grnd | x(10) | |
| soptxt | Scroller Option Text: | Scroller Option Text | x(10) | |
| stibkg | Scroller Title B/Grnd: | Scroller Title B/Grnd | x(10) | |
| stitxt | Scroller Title Text: | Scroller Title Text | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|---------------|--------|-----|
| tlebkg | Title B/Grnd: | Title B/Grnd | x(10) | |
| tletxt | Title Text: | Title Text | x(10) | |
| tpldsc | Description: | Description | x(30) | |
| trmtyp | Terminal Type: | Terminal Type | x(6) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trmtyp | yes | no |
| | | coltpl | yes | no |
| secfa | no | trmtyp | yes | no |
| | | tpldsc | yes | yes |

scontprm System Control Parameter

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| scpch | Character Parm | | x(30) | |
| scpdec | Decimal Parm | | zzzzzz9.99999- | 2 |
| scpint | Integer Parm | | zzzzzzzz | |
| scplog | Logical Parm | | Yes/No | |
| scprno | Record No | | zzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | scprno | yes | no |

scontrol System Master Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------------|------------|--------|-----|
| adudc1 | Auto on Add?: | | yes/no | |
| adudc2 | Auto on Add?: | | yes/no | |
| adudc3 | Auto on Add?: | | yes/no | |
| adudc4 | Auto on Add?: | | yes/no | |
| adudc5 | Auto on Add?: | | yes/no | |
| adudc6 | Auto on Add?: | | yes/no | |
| adudca | Auto on Add?: | | yes/no | |
| adudcb | Auto on Add?: | | yes/no | |
| adudcc | Auto on Add?: | | yes/no | |
| adudcd | Auto on Add?: | | yes/no | |
| canghd | Parent Groups?: | | yes/no | |
| capprq | Claim Approval Required?: | Claim Reqd | yes/no | |
| clashc | Clash Rule*: | | xxx | |
| clmnlm | Claim Limit: | | zzz | |
| clmnlm01 | Δ/C Limit: | | zzz | |
| clmnlm02 | COOP Limit: | | zzz | |
| clmnlm03 | Coupon Limit: | | zzz | |
| clmnlm04 | ME Limit: | | zzz | |
| clmnlm05 | B/S Limit: | | zzz | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|--------------|----------|-----|
| contid | Control ID: | | xx | |
| cpf1ty | Customer Prof Type 1: | | x | |
| cpf2ty | Customer Prof Type 2: | | x | |
| cpf3ty | Customer Prof Type 3: | | x | |
| cpf4ty | Customer Prof Type 4: | | x | |
| cpf5ty | Customer Prof Type 5: | | x | |
| cpf6ty | Customer Prof Type 6: | | x | |
| cpf7ty | Customer Prof Type 7: | | x | |
| cpf8ty | Customer Prof Type 8: | | x | |
| cpf9ty | Customer Prof Type 9: | | x | |
| cpfhlv | No Customer Hierachys: | | z | |
| curcod01 | Base Currency: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| dftid | Default ID*: | | x(8) | |
| dgpflg | Data Grouped ?: | | yes/no | |
| dgrpiu | Deal/G Used ?: | | yes/no | |
| dgrplv | Deal/G Level*: | | x | |
| dgrpma | Deal/G Mandatory?: | | yes/no | |
| disseq | Discount Seq: | | x(10) | |
| divflg | Divisional ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| eapprq | Expense Approv Req?: | | yes/no | |
| educc1 | Auto on Upd?: | | yes/no | |
| educc2 | Auto on Upd?: | | yes/no | |
| educc3 | Auto on Upd?: | | yes/no | |
| educc4 | Auto on Upd?: | | yes/no | |
| educc5 | Auto on Upd?: | | yes/no | |
| educc6 | Auto on Upd?: | | yes/no | |
| educca | Auto on Upd?: | | yes/no | |
| educcb | Auto on Upd?: | | yes/no | |
| educcc | Auto on Upd?: | | yes/no | |
| educcd | Auto on Upd?: | | yes/no | |
| epgldt | Earliest GL Date: | | 99/99/99 | |
| fperbs | Finance Period UM: | FUM | x | |
| fperno | No. of Periods: | No. Periods | zz | |
| fperun[55] | Finance Period Units: | | zz | |
| fyrstd | Financial Start Date: | Fiscal Start | 99/99/99 | |
| glacct11 | Expense Holding A/c: | | x(16) | |
| glacct12 | Expense Accrual A/c: | | x(16) | |
| gpedit | Group Editing?: | | yes/no | |
| gvwdfm21 | Customer/Prod: | | xx | |
| gvwdfm22 | Product: | | xx | |
| gvwdfm23 | Customer: | | xx | |
| gvwffm | C/SM Display: | | xx | |
| gvwffm01 | Δ/C Display: | | xx | |
| gvwffm02 | O/I Display: | | xx | |
| gvwffm03 | C/IL Display: | | xx | |
| gvwffm04 | B/S Display: | | xx | |
| gvwffm05 | ME Display: | | xx | |
| gvwffm06 | CPM Display: | | xx | |
| gvwffm07 | FT Display: | | xx | |
| gvwffm08 | G/E Display: | | xx | |
| gvwffm09 | Break Display: | | xx | |
| gvwffm0a | IN Display: | | xx | |
| gvwffm0b | V/Δ Display: | | xx | |
| gvwffm21 | Customer/Prod: | | xx | |
| gvwffm22 | Product: | | xx | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------------|-----------|----------|-----|
| gvwffm23 | Customer: | | xx | |
| gvwffm24 | Transaction: | | xx | |
| gvwffm25 | Annual Budgets: | | xx | |
| gvwffm26 | Period Budgets: | | xx | |
| gvwffm27 | Rebate Header: | | xx | |
| gvwlfm | C/SM Scroller: | | xx | |
| gvwlfm01 | Δ/C Scroller: | | xx | |
| gvwlfm02 | O/I Scroller: | | xx | |
| gvwlfm03 | C/IL Scroller: | | xx | |
| gvwlfm04 | B/S Scroller: | | xx | |
| gvwlfm05 | ME Scroller: | | xx | |
| gvwlfm06 | CPM Scroller: | | xx | |
| gvwlfm07 | FT Scroller: | | xx | |
| gvwlfm08 | G/E Scroller: | | xx | |
| gvwlfm09 | Break Scroller: | | xx | |
| gvwlfm0a | IN Scroller: | | xx | |
| gvwlfm0b | V/Δ Scroller: | | xx | |
| gvwlfm10 | C/SM History: | | xx | |
| gvwlfm11 | Δ/C History: | | xx | |
| gvwlfm12 | O/I History: | | xx | |
| gvwlfm13 | C/IL History: | | xx | |
| gvwlfm14 | B/S History: | | xx | |
| gvwlfm15 | ME History: | | xx | |
| gvwlfm16 | CPM History: | | xx | |
| gvwlfm17 | Δ/C History: | | xx | |
| gvwlfm18 | G/E History: | | xx | |
| gvwlfm19 | Break History: | | xx | |
| gvwlfm1a | IN History: | | xx | |
| gvwlfm1b | V/Δ History: | | xx | |
| gvwlfm21 | Customer/Prod: | | xx | |
| gvwlfm22 | Product: | | xx | |
| gvwlfm23 | Customer: | | xx | |
| gvwlfm24 | Transaction: | | xx | |
| gvwlfm25 | Annual Budgets: | | xx | |
| gvwlfm26 | Period Budgets: | | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| incv01 | Incremental Value 1: | | zz.99 | 3 |
| incv02 | Incremental Value 2: | | zz.99 | 3 |
| incv03 | Incremental Value 3: | | zz.99 | 3 |
| incv04 | Incremental Value 4: | | zz.99 | 2 |
| inupdm | In Update Mode ?: | | yes/no | |
| lofnyr | Last Open Year: | | 9999 | |
| lpgldt | Latest GL Date: | | 99/99/99 | |
| maudc1 | Analysis Code 1 Mandatory: | | yes/no | |
| maudc2 | Analysis Code 2 Mandatory: | | yes/no | |
| maudc3 | Analysis Code 3 Mandatory: | | yes/no | |
| maudc4 | Analysis Code 4 Mandatory: | | yes/no | |
| maudc5 | Analysis Code 5 Mandatory: | | yes/no | |
| maudc6 | Analysis Code 6 Mandatory: | | yes/no | |
| maudca | Code A Mandatory ?: | | yes/no | |
| maudcb | Code B Mandatory ?: | | yes/no | |
| maudcc | Code C Mandatory ?: | | yes/no | |
| maudcd | Code Δ Mandatory ?: | | yes/no | |
| mdauto | Modifier Rule : | | yes/no | |
| mdce0a | ModA Edit Rule: | | x | |
| mdce0b | ModB Edit Rule: | | x | |
| mdce0c | ModC Edit Rule: | | x | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------------------|---------------|----------|-----|
| mdce0d | ModD Edit Rule: | | x | |
| mdce0e | ModE Edit Rule: | | x | |
| mdce0f | ModF Edit Rule: | | x | |
| mdce0g | ModG Edit Rule: | | x | |
| mdce0h | ModH Edit Rule: | | x | |
| mdce0i | ModI Edit Rule: | | x | |
| mdce0j | ModJ Edit Rule: | | x | |
| mdcf0a | ModifierA Type: | | x | |
| mdcf0b | ModifierB Type: | | x | |
| mdcf0c | ModifierC Type: | | x | |
| mdcf0d | ModifierD Type: | | x | |
| mdcf0e | ModifierE Type: | | x | |
| mdcf0f | ModifierF Type: | | x | |
| mdcf0g | ModifierG Type: | | x | |
| mdcf0h | ModifierH Type: | | x | |
| mdcf0i | ModifierI Type: | | x | |
| mdcf0j | ModifierJ Type: | | x | |
| nhlprf | Next Help Reference: | | zzzzzzzz | |
| numbid | Next Contract: | Next Contract | x(10) | |
| numbid20 | Project No Seq: | | x(10) | |
| numbid21 | Expense No Seq: | | x(10) | |
| numbid22 | Quote no Seq: | | x(10) | |
| numbid23 | Budget No Seq: | | x(10) | |
| numbid24 | Budget Transfer Seq: | | x(10) | |
| nxaudl | Next Audit Entry No: | | zzzzzzzz | |
| paytrm | Expense Pay Terms*: | | xxx | |
| pddefl | Promotion Default Type: | | x | |
| pdtmth | PR Date Rule*: | | x | |
| pdvalt | Promo Date Validation Type: | | x | |
| ppf1ty | Product Prof Type 1: | | x | |
| ppf2ty | Product Prof Type 2: | | x | |
| ppf3ty | Product Prof Type 3: | | x | |
| ppf4ty | Product Prof Type 4: | | x | |
| ppf5ty | Product Prof Type 5: | | x | |
| ppf6ty | Product Prof Type 6: | | x | |
| ppf7ty | Product Prof Type 7: | | x | |
| ppf8ty | Product Prof Type 8: | | x | |
| ppf9ty | Product Prof Type 9: | | x | |
| ppfhlv | No Product Hierarchys: | | z | |
| prauto | Autogen Promo Code ?: | | yes/no | |
| prgnme2a | ModA Validate Prog: | | x(8) | |
| prgnme2b | ModB Validate Prog: | | x(8) | |
| prgnme2c | ModC Validate Prog: | | x(8) | |
| prgnme2d | ModD Validate Prog: | | x(8) | |
| prgnme2e | ModE Validate Prog: | | x(8) | |
| prgnme2f | ModF Validate Prog: | | x(8) | |
| prgnme2g | ModG Validate Prog: | | x(8) | |
| prgnme2h | ModH Validate Prog: | | x(8) | |
| prgnme2i | ModI Validate Prog: | | x(8) | |
| prgnme2j | ModJ Validate Prog: | | x(8) | |
| prgnme31 | Edit Program*: | | x(8) | |
| prgnme32 | Edit Program*: | | x(8) | |
| prgnme33 | Edit Program*: | | x(8) | |
| prgnme34 | Edit Program*: | | x(8) | |
| prgnme35 | Edit Program*: | | x(8) | |
| prgnme36 | Edit Program*: | | x(8) | |
| prgnme3a | Edit Program*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------------|-------------|-------------|-----|
| prgnme3b | Edit Program*: | | x(8) | |
| prgnme3c | Edit Program*: | | x(8) | |
| prgnme3d | Edit Program*: | | x(8) | |
| prgnmec0 | Modifier Check Prog*: | | x(8) | |
| prgnmec1 | Modifier Check Prog*: | | x(8) | |
| prgnmec2 | Modifier Check Prog*: | | x(8) | |
| prgnmec3 | Modifier Check Prog*: | | x(8) | |
| prgnmec4 | Modifier Check Prog*: | | x(8) | |
| prgnmec5 | Modifier Check Prog*: | | x(8) | |
| prgnmec6 | Modifier Check Prog*: | | x(8) | |
| prgnmec7 | Modifier Check Prog*: | | x(8) | |
| prgnmec8 | Modifier Check Prog*: | | x(8) | |
| prgnmec9 | Modifier Check Prog*: | | x(8) | |
| prgnmed0 | P/L Select Prog*: | | x(8) | |
| prgnmed1 | Sale Qty Prog*: | | x(8) | |
| prgnmed4 | PR Split Prog*: | | x(8) | |
| prgnmed6 | Product List Price Select: | | x(8) | |
| prgnmee1 | Promotions*: | | x(8) | |
| prgnmee2 | Claims*: | | x(8) | |
| prgnmee3 | Rebates*: | | x(8) | |
| prgnmee4 | Projects*: | | x(8) | |
| prgnmee5 | Invoices*: | | x(8) | |
| prgnmee6 | Approval Prog*: | | x(8) | |
| prgprf | PW Seq Program: | | x(8) | |
| prnobs | Promotion No Base: | | Region/Area | |
| prolim | PR Batch Limit: | | zzzz | |
| prupib | Update Promo in Batch ?: | | yes/no | |
| ptudc1 | Program Type 1: | | xx | |
| ptudc2 | Program Type 2: | | xx | |
| ptudc3 | Program Type 3: | | xx | |
| ptudc4 | Program Type 4: | | xx | |
| ptudc5 | Program Type 5: | | xx | |
| ptudc6 | Program Type 6: | | xx | |
| ptudca | Program Type A: | | xx | |
| ptudcb | Program Type B: | | xx | |
| ptudcc | Program Type C: | | xx | |
| ptudcd | Program Type Δ: | | xx | |
| pxcusp | Internal Spread?: | | yes/no | |
| pxdeal | Deal Disc Default: | | z | 3 |
| pxlinc | Cust Query Lines: | | z | 3 |
| pxlinp | Prod Query Lines: | | z | 3 |
| pxpvsr | Profile Source: | | 9 | |
| qdtbas | Sales Dates*: | | x | |
| rbauto | Autogen Rebate Code?: | | yes/no | |
| rbnobs | Rebate No Base: | | Region/Area | |
| rbpref | Rebate Code Prefix: | | xx | |
| rbupib | Update Rebate in Batch ?: | | yes/no | |
| rpdrv1 | Report Driver 1: | | x(11) | |
| rpdrv2 | Report Driver 2: | | x(11) | |
| rpdrv3 | Report Driver 3: | | x(11) | |
| rperbs | Reporting Period UM: | RUM | x | |
| rperno | No of Reporting Periods: | Rpt Periods | zz | |
| rperun[55] | Reporting Period Units: | | zz | |
| seqcde | PW Display Seq: | | xx | |
| spglmt | Screen Limit: | | zzz | |
| sysnme | System Name: | | x(30) | |
| sysopt | Menu Start: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------------|-----------|--------|-----|
| tyudca | Code A Type: | | x | |
| tyudcb | Code B Type: | | x | |
| tyudcc | Code C Type: | | x | |
| tyudcd | Code Δ Type: | | x | |
| upudc1 | Update Analysis Code 1: | | yes/no | |
| upudc2 | Update Analysis Code 2: | | yes/no | |
| upudc3 | Update Analysis Code 3: | | yes/no | |
| upudc4 | Update Analysis Code 4: | | yes/no | |
| upudc5 | Update Analysis Code 5: | | yes/no | |
| upudc6 | Update Analysis Code 6: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | contid | yes | yes |

sdelinfo File Deletion Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| chkind | Check Ind: | | x | |
| delflg | Deleted ?: | | yes/no | |
| delind | Delete Ind: | | x | |
| fileno | File No: | File No | 999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fileno | yes | no |
| secaa | no | delind | yes | no |
| secab | no | chkind | yes | no |

sdfldetl Default Header Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfltid | Default ID*: | | x(8) | |
| dfltno | Default No: | | zzzzzzzz | |
| dflttx | Default Text: | | x(20) | |
| dflttv | Value Type: | | x | |
| dfltyl | Default Log: | | yes/no | |
| fldnme | Field Name*: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme | Program*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dfttid | yes | no |
| | | prgnme | yes | no |
| | | fldnme | yes | no |
| secaa | no | dfttid | yes | no |
| | | fldnme | yes | no |
| secab | no | fldnme | yes | no |
| secac | no | fldnme | yes | no |
| | | dftttx | yes | no |
| secad | no | fldnme | yes | no |
| | | dfttno | yes | no |

sdfthead Default Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfttds | Description: | | x(30) | |
| dfttid | Default ID*: | | x(8) | |
| dgrpjd | Data Group*: | | x(8) | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dfttid | yes | no |
| secaa | yes | divino | yes | no |
| | | dfttid | yes | no |

sdflopts System-Wide Defaults Options

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dftvt | Value Type: | | x | |
| fileno | File No: | File No | 999 | |
| fldnme | Field Name*: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme | Program*: | | x(8) | |
| prgnme45 | Validate Prog*: | | x(8) | |
| prgnme46 | Delete Prog*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| | | fldnme | yes | no |
| secaa | no | fldnme | yes | yes |
| secab | no | fileno | yes | no |
| | | fldnme | yes | yes |

sdfiprogram Default Value Valid Program

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgname | Program*: | Program | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgname | yes | yes |

sdftbls Default Labels

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|--------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dftid | Default ID*: | | x(8) | |
| fldclb | Column Label: | Column Label | x(30) | |
| fldnme | Field Name*: | Field Name | x(8) | |
| fldrlb | Report Column Label: | Report Label | x(30) | |
| fldslb | Side Label: | Side Label | x(30) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| isused | Field Used ?: | | yes/no | |
| prgname | Program*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dftid | yes | no |
| | | prgname | yes | no |
| | | fldnme | yes | no |
| secaa | no | prgname | yes | no |
| | | fldnme | yes | yes |
| secab | no | fldnme | yes | yes |

sfdinfo Field Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|--------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldclb | Column Label: | Column Label | x(30) | |
| flddsc | Description: | Description | x(35) | |
| fldnme | Name: | Name | x(8) | |
| fldrlb | Report Column Label: | Report Label | x(30) | |
| fldslb | Side Label: | Side Label | x(30) | |
| hlppgs | No of Help Pages: | | zz | |
| hlpref | Help Reference: | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| isused | Field Used ?: | | yes/no | |
| langcd | Language | | xxxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fldnme | yes | no |
| | | langcd | yes | no |
| secab | no | hlpref | yes | no |
| secfa | no | flddsc | yes | yes |
| secfb | yes | langcd | yes | no |
| | | fldnme | yes | no |

sfndfunc

Find Functions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| findopt | Option In Use*: | | x | |
| findprg | Find Program: | Find Program | x(8) | |
| findprg01 | Base Opt*: | | x(8) | |
| ftitle | Title: | Title | x(30) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| leftco | Left Column: | Left Column | >9 | |
| nooccs | No of Occurs: | No of Occurs | z9 | |
| prgnme | Program Name: | Program Name | x(8) | |
| toprow | Top Row: | Top Row | z9 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| | | fldnme | yes | no |
| secaa | no | findopt | yes | no |
| | | fldnme | yes | no |
| secab | no | findprg01 | yes | no |
| secac | no | fldnme | yes | no |
| | | prgnme | yes | no |
| secad | no | findprg | yes | no |

sgvwdfmt

General View Description Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gvwdds | Description: | | x(30) | |
| gvwdfm | Descrip Format: | | xx | |
| gvwtyp | View Type: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gvwtyp | yes | no |
| | | gvwdfm | yes | no |
| | | langcd | yes | no |
| secfb | yes | gvwtyp | yes | no |
| | | langcd | yes | no |
| | | gvwdfm | yes | no |

sgvwfdsp General View Full Detail Display

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gvwfds | Description: | | x(30) | |
| gvwffm | Display Format: | | xx | |
| gvwtyp | View Type: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gvwtyp | yes | no |
| | | gvwffm | yes | no |
| | | langcd | yes | no |
| secfb | yes | gvwtyp | yes | no |
| | | langcd | yes | no |
| | | gvwffm | yes | no |

sgvwlfmt General View Scroller Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gvwlds | Description: | | x(30) | |
| gvwlfm | Line Format: | | xx | |
| gvwtyp | View Type: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gvwtyp | yes | no |
| | | gvwlfm | yes | no |
| | | langcd | yes | no |
| secfb | yes | gvwtyp | yes | no |
| | | langcd | yes | no |
| | | gvwlfm | yes | no |

sgvwseqs General View Sequences

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gvwsds | Description: | | x(30) | |
| gvwseq | Sequence: | | xx | |
| gvwtyp | View Type: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gvwtyp | yes | no |
| | | gvwseq | yes | no |
| | | langcd | yes | no |
| secfb | yes | gvwtyp | yes | no |
| | | langcd | yes | no |
| | | gvwseq | yes | no |

sgvwtype General View Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| gvwdfm | Default Desc: | | xx | |
| gvwffm | Default Dsplay: | | xx | |
| gvwlfr | Default Format: | | xx | |
| gvwseq | Default Seq: | | xx | |
| gvwtids | Description: | | x(30) | |
| gvwtyp | View Type: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| prgprf | Program Prefix: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | gvwtyp | yes | no |
| | | langcd | yes | no |
| secfa | no | gvwtids | yes | yes |
| secfb | yes | langcd | yes | no |
| | | gvwtyp | yes | no |

shelptxt Field and Procedure Help Text

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| hlpref | Help Reference: | | zzzzzzzz | |
| hlptxt[10] | Help Text: | | x(50) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| pageno | Page Number: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | hlpref | yes | no |
| | | langcd | yes | no |
| | | pageno | yes | no |
| secfb | yes | langcd | yes | no |
| | | hlpref | yes | no |
| | | pageno | yes | no |

shlpopts Help Options

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| hoptde | Description: | Description | x(35) | |
| hoptid | ID: | ID | x(8) | |
| hoptpg | Program: | Program | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme | Program Name: | Program Name | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| | | fldnme | yes | no |
| | | hoptid | yes | no |

sinterfa Interfacing Parameters File

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| intdat | Date Parameter | | 99/99/99 | |
| intfds | Description | | x(30) | |
| intfno | Record No | | zzz | |
| intint | Integer Parm | | -zzzzzzzz | |
| intlog | Log Parameter | | yes/no | |
| inttxt | Text Parameter | | x(30) | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | intfno | yes | no |

slangcde

Language Code File

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| langds | Description | | x(35) | |
| langus | Language Used | | Yes/No | |
| profil | System Profile | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | langcd | yes | no |
| secaa | no | profil | yes | no |
| secfa | no | langds | yes | no |

slangdsc

Language Descriptions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fileno | File No: | File No | 999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| ldsc1 | Base Code 1 | | x(20) | |
| ldsc2 | Base Code 2 | | x(20) | |
| ldsc3 | Base Code 3 | | x(20) | |
| ldsc4 | Base Code 4 | | x(20) | |
| ldscds | Language Desc 1 | | x(60) | |
| ldscds02 | Language Desc 2 | | x(60) | |
| ldscds03 | Language Desc 3 | | x(60) | |
| ldscds04 | Language Desc 4 | | x(60) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fileno | yes | no |
| | | langcd | yes | no |
| | | ldsc1 | yes | no |
| | | ldsc2 | yes | no |
| | | ldsc3 | yes | no |
| | | ldsc4 | yes | no |
| secaa | yes | langcd | yes | no |
| | | fileno | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | ldsc1 | yes | no |
| | | ldsc2 | yes | no |
| | | ldsc3 | yes | no |
| | | ldsc4 | yes | no |

smessage Messages

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| bellrq | Bell Required ?: | Bell Reqd ? | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| dprpmt | Default Prompt: | | y/n | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| messno | Message No: | Message No | zzzz9 | |
| msgdsc | Description: | Description | x(60) | |
| psetme | Pause Time: | Pause Time | z9 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | messno | yes | no |
| | | langcd | yes | no |
| secfb | yes | langcd | yes | no |
| | | messno | yes | no |

sopmendt Option Menu Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|----------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| optseq | Sequence: | Sequence | z9 | |
| opttit | Title: | Title | x(25) | |
| prgnme | Program Name: | Program Name | x(8) | |
| prgnme02 | Option Program: | Option Program | x(8) | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | prgnme | yes | no |
| | | prgnme02 | yes | no |
| secaa | no | profil | yes | no |
| | | prgnme | yes | no |
| | | optseq | yes | no |
| secab | no | prgnme02 | yes | no |

sopmenhd Option Menu Headers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| noopts | No. of Options: | No. of Opts | z9 | |
| prgnme | Program Name: | Program Name | x(8) | |
| profil | Profile: | Profile | x(14) | |
| strcol | Start Column: | Start Column | z9 | |
| strow | Start Row: | Start Row | z9 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | prgnme | yes | no |
| secaa | no | prgnme | yes | no |

spoptype Transaction Header (Popup menu) Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| popdsc | Description: | Description | x(30) | |
| popnme | Transaction Type: | Tran Type | x(8) | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | popnme | yes | no |
| secfa | no | popdsc | yes | yes |

spopupop Popup Menu Options

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------------|--------------|--------|-----|
| addrun | Auto Run on Add ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| dprpmt | Request to Continue ? | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| optdsc | Description: | Description | x(26) | |
| optnno | Option No.: | Option No. | z9 | |
| optocc | Option Occurrence: | Opt Occurs | z9 | |
| popnme | Menu Name: | Menu Name | x(8) | |
| prgnme | Program Name: | Program Name | x(8) | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | popnme | yes | no |
| | | optnno | yes | no |
| | | optocc | yes | no |
| secaa | no | profil | yes | no |
| | | prgnme | yes | no |
| secab | no | popnme | yes | no |
| secac | no | prgnme | yes | no |

spopupto Popup Menu Title Options

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| acckey | Fast Access Key: | | x | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lstop | Last Option: | | z9 | |
| olabel | Label: | Label | x(8) | |
| optnno | Option No.: | Option No. | z9 | |
| popnme | Menu Name: | Menu Name | x(8) | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | popnme | yes | no |
| | | optnno | yes | no |
| secaa | no | popnme | yes | no |
| | | optnno | yes | no |

sprgldi Program Field Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|--------------|----------|-----|
| cansee | Can See ? | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| fldclb | Column Label: | Column Label | x(30) | |
| flddsc | Description: | Description | x(35) | |
| fldnme | Field Name: | Field Name | x(8) | |
| fldrib | Report Column Label: | Report Label | x(30) | |
| fldslb | Side Label: | Side Label | x(30) | |
| hlppgs | No of Help Pages: | | zz | |
| hlpref | Help Reference: | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| isdiff | Is Different ? | | yes/no | |
| isused | Field Used ?: | | yes/no | |
| langcd | Language | | xxxx | |
| prgnme | Program Name: | Program Name | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| | | fldnme | yes | no |
| | | langcd | yes | no |
| secaa | no | fldnme | yes | no |
| secab | no | hlpref | yes | no |
| secfb | yes | langcd | yes | no |
| | | prgnme | yes | no |
| | | fldnme | yes | yes |

sprgfls

Program Fields

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme | Program Name: | Program Name | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| | | fldnme | yes | no |
| secaa | no | fldnme | yes | no |

sprgfnds

Base Find Functions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fileno | File No: | File No | 999 | |
| fndprg01 | Base Opt*: | | x(8) | |
| fndprg02 | Division Opt*: | | x(8) | |
| fndprg03 | Δ/Group Opt*: | | x(8) | |
| fndprg04 | Div/DG Opt*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fndprg01 | yes | no |
| secaa | no | fileno | yes | no |

sprgprgs Program Associated Programs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| asstyp | Association*: | | xx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgname | Program Name: | Program Name | x(8) | |
| prgnmem1 | Assoc Program*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgname | yes | no |
| | | prgnmem1 | yes | no |
| secaa | no | prgnmem1 | yes | no |
| secab | no | asstyp | yes | no |
| | | prgnmem1 | yes | no |

sprinter System Printers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| btchok | Batch Use OK ?: | | Yes/No | |
| delflg | Deleted ?: | | yes/no | |
| filerq | File Reqd ?: | | Yes/No | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pgesze | Page Size: | | zzzzz | |
| prt080 | 80 Col Init: | | x(100) | |
| prt132 | 132 Col Init: | | x(100) | |
| prtdds | Description: | | x(30) | |
| prtdev | Print Device*: | | x(8) | |
| prtfdr | File Directory: | | x(40) | |
| prtopc | Output Command: | | x(40) | |
| prtoth | Other Col Init: | | x(100) | |
| prtp1 | Parameter 1: | | x(20) | |
| prtp2 | Parameter 2: | | x(20) | |
| prtp3 | Parameter 3: | | x(20) | |
| prtp4 | Parameter 4: | | x(20) | |
| prtp5 | Parameter 5: | | x(20) | |
| prtp6 | Parameter 6: | | x(20) | |
| prtprc | Print Command: | | x(30) | |
| prtres | Reset String | | x(100) | |
| prtspl | Spooled ?: | | Yes/No | |
| prtryp | Printer Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prtdev | yes | yes |
| secaa | yes | prtryp | yes | no |
| | | prtdev | yes | yes |

sprmendt Menu Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|----------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| menunm | Name: | Name | x(8) | |
| moptno | Option No.: | Option No. | >9 | |
| moptpr | Procedure/Menu: | Procedure/Menu | x(8) | |
| mopttp | Option Type: | Option Type | x | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | menunm | yes | no |
| | | moptno | yes | no |
| secaa | no | mopttp | yes | no |
| | | moptpr | yes | no |
| secab | no | moptpr | yes | no |
| | | mopttp | yes | no |

sprmenhd Menu Headers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| menunm | Name: | Name | x(8) | |
| mtitle | Title: | Title | x(30) | |
| profil | Profile: | Profile | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | menunm | yes | no |

sproctyp Procedure Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcdsc | Description: | | x(26) | |
| prctyp | Procedure Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prctyp | yes | no |
| secfa | no | prcdsc | yes | yes |

sprofile User Profiles

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| prodsc | Description: | | x(26) | |
| profil | Profile*: | | x(14) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| langcd | no | langcd | yes | no |
| * main | yes | profil | yes | no |
| secfa | no | prodsc | yes | yes |

sprogram Programs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|----------------|----------|-----|
| accdir | | | x(8) | |
| accprg | Access Program: | Access Program | x(8) | |
| btident | End Time | | zzzzzzzz | |
| btdpm1 | Batch Param 1 | | x(30) | |
| btdpm2 | Batch Param 2 | | x(30) | |
| btdpm3 | Batch Param 3 | | x(30) | |
| btdpm4 | Batch Param 4 | | x(30) | |
| btdstt | Start Time | | zzzzzzzz | |
| delflg | Deleted ?: | | yes/no | |
| fldpos | Initial Cursor: | | zz | |
| hlppgs | No of Help Pages: | | zz | |
| hlpref | Help Reference: | | zzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| leftco | Left Column: | Left Column | >9 | |
| nooccs | No of Occurs: | No of Occurs | z9 | |
| otitle | Option Prompt | | x(30) | |
| prctyp | Procedure Type: | Proc Type | x(8) | |
| prgdir | Directory: | Directory | x(8) | |
| prgdsc | Description: | Description | x(35) | |
| prgnme | Program Name: | Program Name | x(8) | |
| prgnme1a | Extract: | | x(8) | |
| prgver | Version: | Version | x(6) | |
| ptitle | Title: | Title | x(30) | |
| rptflg | Report ?: | Report ? | y/n | |
| rptfmt | Default Format: | | xx | |
| rptseq | Default Seq: | | xx | |
| rpttyp | Report Type: | | x(8) | |
| scrba | Bottom Title: | | x(50) | |
| scrbb | | | x(50) | |
| scrbc | | | x(50) | |
| scrbd | | | x(50) | |
| scrbe | | | x(50) | |
| scrta | Top Title: | | x(50) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------|-----|
| scrttb | | | x(50) | |
| scrttc | | | x(50) | |
| scrttd | | | x(50) | |
| scrtte | | | x(50) | |
| shpopm | Show Popup Menu: | | yes/no | |
| toprow | Top Row: | Top Row | z9 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prgnme | yes | no |
| secaa | yes | prctyp | yes | no |
| | | prgnme | yes | no |
| secab | yes | prgdsc | yes | no |
| | | prgnme | yes | no |
| secac | no | hlpref | yes | no |
| secad | no | prgnme1a | yes | no |

sprogsec Program Security

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------|-----|
| canadd | Can Add ?: | Can Add | yes/no | |
| candcl | Can Delete ?: | Can Delete | yes/no | |
| canupd | Can Update ?: | Can Update | yes/no | |
| canvew | Can View ?: | Can View | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme | Program Name: | Program Name | x(8) | |
| profil | Profile: | Profile | x(14) | |
| sectyp | Option Type: | Option Type | x | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | profil | yes | no |
| | | prgnme | yes | no |
| | | sectyp | yes | no |

sprttype Printer Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dspseq | Display Seq: | | zz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| prgnme | Print Routine: | | x(8) | |
| prttds | Description: | | x(30) | |
| prttsd | Short Desc: | | x(20) | |
| prttyp | Printer Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prttyp | yes | no |
| | | langcd | yes | no |
| secaa | yes | langcd | yes | no |
| | | dspseq | yes | no |
| | | prttyp | yes | no |
| secfa | no | prttds | yes | yes |
| secfb | yes | langcd | yes | no |
| | | prttyp | yes | no |

srptflbs

Report Format Labels

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldlbl | Label: | | x(20) | |
| fldnme | Field Name: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| rptfmt | Format: | Format | xx | |
| rpttyp | Report Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rpttyp | yes | no |
| | | rptfmt | yes | no |
| | | fldnme | yes | no |
| | | langcd | yes | no |
| secaa | no | fldnme | yes | no |
| secfb | yes | rpttyp | yes | no |
| | | langcd | yes | no |
| | | rptfmt | yes | no |
| | | fldnme | yes | no |

srptfmts

Report Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| rptfds | Description: | Description | x(35) | |
| rptfmt | Format: | Format | xx | |
| rptlen | Report Length: | Length | zzzz | |
| rptstl[20] | | | x(50) | |
| rptt1a | First Title: | | x(50) | |
| rptt1b | | | x(50) | |
| rptt1c | | | x(50) | |
| rptt1d | | | x(50) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|-----------|--------|-----|
| rptt2a | Second Title: | | x(50) | |
| rptt2b | | | x(50) | |
| rptt2c | | | x(50) | |
| rptt2d | | | x(50) | |
| rptt3a | Third Title: | | x(50) | |
| rptt3b | | | x(50) | |
| rptt3c | | | x(50) | |
| rptt3d | | | x(50) | |
| rptt4a | Fourth Title: | | x(50) | |
| rptt4b | | | x(50) | |
| rptt4c | | | x(50) | |
| rptt4d | | | x(50) | |
| rpttyp | Report Type: | | x(8) | |
| rptwdt | Report Width: | Width | zzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rpttyp | yes | no |
| | | rptfmt | yes | no |
| | | langcd | yes | no |
| secfb | yes | rpttyp | yes | no |
| | | langcd | yes | no |
| | | rptfmt | yes | no |

srptfreq Batch Reporting Frequencies

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| freqds | Description: | Description | x(30) | |
| freqpd | Run Frequency*: | Freq | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | freqpd | yes | no |

srptjobs Batch Report Jobs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| duedte | Date to Run: | | 99/99/99 | |
| duetme | Time to Run: | | zzzzzzzz | |
| freqpd | Run Frequency*: | Freq | xx | |
| frequn | Freq Units: | Units | zzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| lstde | Date Last Run: | Last Run | 99/99/99 | |
| lsttme | Time Last Run: | Last Run | zzzzzzzz | |
| msuser | Staff Member: | | x(8) | |
| nopges | No of Pages: | | zzzz | |
| nxtde | Next Run Date: | Next Run | 99/99/99 | |
| nxttme | Next Run Time: | Next Run | zzzzzzzz | |
| prgnme1a | Ext Program: | | x(8) | |
| prgnme1b | Seq Program: | | x(8) | |
| prgnme1c | Format Program: | | x(8) | |
| prtdev | Print Device: | | x(8) | |
| prtfd | File Directory: | | x(40) | |
| prtfl | Output File: | | x(20) | |
| rptfmt | Format: | Format | xx | |
| rptseq | Sequence: | | xx | |
| rpti1 | First Title: | | x(200) | |
| rpti2 | Second Title: | | x(200) | |
| rpti3 | Third Title: | | x(200) | |
| rpti4 | Fourth Title: | | x(200) | |
| rpttle | Report Title: | | x(50) | |
| rpttyp | Report Type: | | x(8) | |
| rptwdt | Report Width: | | zzz | |
| rptwid | Report ID: | | zzzzzzzz | |
| rundte | Date When Run: | | 99/99/99 | |
| runsta | Run Status: | | x | |
| runtme | Time When Run: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| secaa | no | runsta | yes | no |
| | | duedte | yes | no |
| | | duetme | yes | no |
| secab | no | nxtdde | yes | no |
| | | nxttme | yes | no |

srptjpm Batch Report Job Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pmedat | End Date: | End Date | 99/99/99 | |
| pmeint | End Integer: | End Int | zzzzzzzz | |
| pmetxt | End Text: | | x(30) | |
| pmsdat | Start Date: | Start Date | 99/99/99 | |
| pmsint | Start Integer: | Start Int | zzzzzzzz | |
| pmslog | Logical: | Logical | yes/no | |
| pmstxt | Start Text: | | x(30) | |
| rptwid | Report ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| | | fldnme | yes | no |

srptseqs Report Sequences

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| rptnsf | No Fields: | | z | |
| rptsds | Description: | | x(35) | |
| rptseq | Sequence: | | xx | |
| rptstl[20] | | | x(50) | |
| rptt1a | First Title: | | x(50) | |
| rptt2a | Second Title: | | x(50) | |
| rptt3a | Third Title: | | x(50) | |
| rptt4a | Fourth Title: | | x(50) | |
| rpttyp | Report Type: | | x(8) | |
| tlewid | Title width: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rpttyp | yes | no |
| | | rptseq | yes | no |
| | | langcd | yes | no |
| secfb | yes | rpttyp | yes | no |
| | | langcd | yes | no |
| | | rptseq | yes | no |

srpttype Report Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme1b | Seq Program: | | x(8) | |
| prgnme1c | Format Prog: | | x(8) | |
| rpttds | Description: | | x(35) | |
| rpttyp | Report Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rpttyp | yes | no |

srptvsqs Valid Report Sequences

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rptfmt | Format: | Format | xx | |
| rptseq | Sequence: | | xx | |
| rpttyp | Report Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rpttyp | yes | no |
| | | rptfmt | yes | no |
| | | rptseq | yes | no |
| secaa | yes | rpttyp | yes | no |
| | | rptseq | yes | no |
| | | rptfmt | yes | no |

sstddpms Standard Date Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dtpcde | Date Code: | Date Code | x(8) | |
| dtpcds | Description: | | x(35) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme67 | Conv Program | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dtpcde | yes | yes |

stmpmenu Menus

| Field Name | Label | Col-Label | Format | Dec |
|--------------|-----------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode: | | yes/no | |
| mendsc | Description: | Description | x(35) | |
| mennme | Name: | Name | x(8) | |
| mentit | Title: | Title | x(35) | |
| optdir[24] | Directory: | Directory | x(8) | |
| opttit[24] | Title: | Title | x(30) | |
| opttyp[24] | Type: | Type | x | |
| prgnme02[24] | Program: | Program | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | mennme | yes | no |

strmtype Terminal Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------------|---------------------------|--------|-----|
| colcde21 | Error Msg Text Colour: | Error Msg Text Colour | x(10) | |
| colcde22 | Warning Msg Text Colour: | Warning Msg Text Colour | x(10) | |
| colcde23 | Info Msg Text Colour: | Info Msg Text Colour | x(10) | |
| colcde24 | Request Msg Text Colour: | Request Msg Text Colour | x(10) | |
| colcde25 | Error Msg B/Grnd Colour: | Error Msg B/Grnd Colour | x(10) | |
| colcde26 | Warning Msg B/Grnd Colour: | Warning Msg B/Grnd Colour | x(10) | |
| colcde27 | Info Msg B/Grnd Colour: | Info Msg B/Grnd Colour | x(10) | |
| colcde28 | Request Msg B/Grnd Colour: | Request Msg B/Grnd Colour | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| trmdsc | Description: | Description | x(30) | |
| trmtyp | Terminal Type: | Terminal Type | x(6) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trmtyp | yes | no |
| secfa | no | trmdsc | yes | yes |

strngrps

Transaction Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnmf8 | Access Prog*: | | x(8) | |
| trngds | Description: | | x(30) | |
| trngrp | Trans Group*: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trngrp | yes | yes |
| secfa | no | trngds | yes | yes |

stvwdfms

Transaction View Description Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfmcde | Format Code: | Format | xx | |
| dfmdsc | Description: | Description | x(50) | |
| dfmlns | No Lines: | | 9 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | langcd | yes | no |
| | | dfmcde | yes | no |
| secfb | yes | vwtype | yes | no |
| | | dfmcde | yes | no |
| | | langcd | yes | no |

stvwfile

Transaction View File Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| filenm | Transaction File: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme71 | Fast Select Program: | | x(8) | |
| prgnme72 | Filter Program: | | x(8) | |
| prgnme73 | Sequence Program Prefix: | | x(8) | |
| prgnme74 | Line Format Prog Prefix: | | x(8) | |
| prgnme75 | Desc Format Prog Prefix: | | x(8) | |
| prgnme76 | Scroller Program: | | x(8) | |
| reclim | Record Limit: | | zzzzzzzz | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | filenm | yes | no |

stvwfpar

Transaction View Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | | x(8) | |
| fvwfld | Fast View Parameter ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | fldnme | yes | no |

stvwfshd

Transaction Fast View Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfmcde | Default Desc Format: | Desc Format | xx | |
| filenm | Transaction File: | | x(8) | |
| fstvcd | View Code: | Code | x(8) | |
| fstvds | Description: | Description | x(35) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lfmcde | Default Line Format: | Line Format | xx | |
| seqcde | Default Sequence: | Dflt Seq | xx | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | fstvcd | yes | no |
| secaa | no | vwtype | yes | no |
| | | lfrmcd | yes | no |
| secab | no | vwtype | yes | no |
| | | dfmcde | yes | no |
| secac | no | vwtype | yes | no |
| | | seqcde | yes | no |

stvwfspm Transaction Fast View Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|---------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| fstvcd | View Code: | Code | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pmedat | End Date Parameter: | End Date | 99/99/99 | |
| pmeint | End Integer Parameter: | End Int | zzzzzzzz | |
| pmetxt | End Text Parameter: | End Text | x(30) | |
| pmsdat | Date Parameter: | Date Param | 99/99/99 | |
| pmsint | Integer Parameter: | Integer Param | zzzzzzzz | |
| pmslog | Logical Parameter: | Log Param | yes/no | |
| pmstxt | Text Parameter: | Text Param | x(30) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | fstvcd | yes | no |
| | | fldnme | yes | no |

stvwhead Transaction View Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| filenm | Transaction File: | | x(8) | |
| fstvcd | Fast View: | Fast View | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| viewcd | View: | View | x(8) | |
| viewds | Description: | Description | x(35) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwttype | yes | no |
| | | viewcd | yes | no |
| secaa | no | vwttype | yes | no |
| | | fstvcd | yes | no |

stvwlfms Transaction View Line Formats

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| lfmcde | Format Code: | Format | xx | |
| lfmdsc | Description: | Description | x(50) | |
| lfmhds | No Header Lines: | | 9 | |
| lfmlns | No Lines: | | 9 | |
| vwttype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwttype | yes | no |
| | | langcd | yes | no |
| | | lfmcde | yes | no |
| secfb | yes | vwttype | yes | no |
| | | lfmcde | yes | no |
| | | langcd | yes | no |

stvwparM Transaction View Header Parameter

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|------------|-----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pmedat | End Date Parameter: | End Date | 99/99/99 | |
| pmeint | End Integer Parameter: | End Int | zzzzzzzzz | |
| pmetxt | End Text Parameter: | End Text | x(30) | |
| pmsdat | Start Date Parameter: | Start Date | 99/99/99 | |
| pmsint | Start Integer Parameter: | Start Int | zzzzzzzzz | |
| pmslog | Start Logical Parameter: | Start Log | yes/no | |
| pmsxtt | Start Text Parameter: | Start Text | x(30) | |
| viewcd | View: | View | x(8) | |
| vwttype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwttype | yes | no |
| | | viewcd | yes | no |
| | | fldnme | yes | no |

stvwseqs Transaction View Sequence

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| seqcde | Sequence Code: | Code | xx | |
| seqdsc | Description: | Description | x(50) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | langcd | yes | no |
| | | seqcde | yes | no |
| secfb | yes | vwtype | yes | no |
| | | seqcde | yes | no |
| | | langcd | yes | no |

stvwsmhd Transaction Summary View Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-------------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfmcde | Default Desc Format: | Desc Format | xx | |
| filenm | Transaction File: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lfmcde | Default Line Format: | | xx | |
| seqcde | Default Sequence: | | xx | |
| sumvcd | View Code: | | x(8) | |
| sumvds | Description: | | x(35) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | sumvcd | yes | no |
| secaa | no | vwtype | yes | no |
| | | lfmcde | yes | no |
| secab | no | vwtype | yes | no |
| | | dfmcde | yes | no |
| secac | no | vwtype | yes | no |
| | | seqcde | yes | no |

stvwsumm Transaction View Summary

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| filenm | File Name: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prgnme71 | Fast Select Program: | | x(8) | |
| prgnme72 | Filter Program: | | x(8) | |
| prgnme73 | Sequence Program: | | x(8) | |
| prgnme74 | Line Format Program: | | x(8) | |
| prgnme75 | Desc Format Program: | | x(8) | |
| prgnme76 | Scroller Program: | | x(8) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| | | filenm | yes | no |

stvwtype Transaction View Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| vwdetl | Detail Level ?: | | yes/no | |
| vwtyds | Description: | | x(30) | |
| vwtype | View Type: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwtype | yes | no |
| secfa | no | vwtyds | yes | yes |

taudmsgs Audit Log Messages

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| abrted | Aborted ?: | | yes/no | |
| audmsg | Message No*: | | zzzz | |
| audtxt | Message Text: | | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| tranfl | Transaction File: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|-------------------|------------|-------------------|------------|-------------|
| * main | yes | tranfl | yes | no |
| | | audmsg | yes | no |
| | | langcd | yes | no |
| secfb | yes | langcd | yes | no |
| | | tranfl | yes | no |
| | | audmsg | yes | no |

The background of the page is a grayscale image of several interlocking gears. The gears are of different sizes and are positioned in a way that they appear to be meshing together. The lighting is soft, creating a sense of depth and texture. The overall tone is professional and technical.

Section 2

Transactions Database Definitions

This section contains an alphabetical listing of database table definitions for the transaction and work area datasets used in Trade Management (TrM).

srecnote Record Notes

| Field Name | Label | Col-Label | Format | Dec |
|-------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| filenn | File Name*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| notefd | Note Folder: | | zz | |
| noteid | Note ID: | | z | |
| noteln | No of Lines: | | zzz | |
| notetx[200] | Text Lines: | | x(60) | |
| reccd1 | Record Code 1: | | x(20) | |
| reccd2 | Record Code 2: | | x(20) | |
| reccd3 | Record Code 3: | | x(20) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | filenn | yes | no |
| | | reccd1 | yes | no |
| | | reccd2 | yes | no |
| | | reccd3 | yes | no |
| | | noteid | yes | no |
| | | notefd | yes | no |

sworkfl1 Work File 1

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tagfld | Tagged: | | x | |
| tagfld02 | Tagged: | | x | |
| wkkey1 | Key 1: | | x(14) | |
| wkkey2 | Key 2: | | x(14) | |
| wkkey3 | Key 3: | | x(14) | |
| wkkey4 | Key 4: | | x(14) | |
| wkkey5 | Key 5: | | x(14) | |
| workdt | Creation Date: | | 99/99/99 | |
| workid | ID: | | zzzzzzzz | |
| workty | Type: | | x(10) | |
| wrecid | Record ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | workty | yes | no |
| | | workid | yes | no |
| | | wkkey1 | yes | no |
| | | wkkey2 | yes | no |
| | | wkkey3 | yes | no |
| | | wkkey4 | yes | no |
| | | wkkey5 | yes | no |
| | | wrecid | yes | no |

sworkfl2

Work File 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tagfld | Tagged: | | x | |
| tagfld02 | Tagged: | | x | |
| wkkey1 | Key 1: | | x(14) | |
| wkkey2 | Key 2: | | x(14) | |
| wkkey3 | Key 3: | | x(14) | |
| wkkey4 | Key 4: | | x(14) | |
| wkkey5 | Key 5: | | x(14) | |
| wkref1 | Reference 1: | | x(20) | |
| wkref2 | Reference 2: | | x(20) | |
| wkref3 | Reference 3: | | x(20) | |
| workdt | Creation Date: | | 99/99/99 | |
| workid | ID: | | zzzzzzzz | |
| workty | Type: | | x(10) | |
| wrecid | Record ID: | | zzzzzzzz | |
| wrkchr[10] | Character Fields: | | x(30) | |
| wrkdat[4] | Date Fields: | | 99/99/99 | |
| wrkdec[40] | Decimal Fields | | zzzzzzzz.9999 | 4 |
| wrkint[10] | Integer Fields: | | zzzzzzzz | |
| wrklog[4] | Logical Fields: | | yes/no | |
| wrkqdt | Qty Determined: | | yes/no | |
| wrkqty[4] | Sale Qtys: | | zzzzzzzz.9999 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | workty | yes | no |
| | | workid | yes | no |
| | | wkkey1 | yes | no |
| | | wkkey2 | yes | no |
| | | wkkey3 | yes | no |
| | | wkkey4 | yes | no |
| | | wkkey5 | yes | no |
| | | wrecid | yes | no |
| secaa | no | workid | yes | no |
| | | wkref1 | yes | no |
| | | wkref2 | yes | no |
| | | wkref3 | yes | no |

sworkfl3

Work File 3

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tagfld | Tagged: | | x | |
| tagfld02 | Tagged: | | x | |
| wkref1 | Reference 1: | | x(20) | |
| wkref2 | Reference 2: | | x(20) | |
| wkref3 | Reference 3: | | x(20) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-----------|---------------|-----|
| workdt | Creation Date: | | 99/99/99 | |
| workid | ID: | | zzzzzzzz | |
| workty | Type: | | x(10) | |
| wrecid | Record ID: | | zzzzzzzz | |
| wrkchr[10] | Character Fields: | | x(30) | |
| wrkdat[4] | Date Fields: | | 99/99/99 | |
| wrkdec[40] | Decimal Fields | | zzzzzzzz.9999 | 4 |
| wrkint[10] | Integer Fields: | | zzzzzzzz | |
| wrklog[4] | Logical Fields: | | yes/no | |
| wrkqdt | Quantities Determined: | | yes/no | |
| wrkqty[4] | Sale Qtys: | | zzzzzzzz.9999 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | workty | yes | no |
| | | workid | yes | no |
| | | wkref1 | yes | no |
| | | wkref2 | yes | no |
| | | wkref3 | yes | no |
| | | wrecid | yes | no |

taccrugl

Accrual GL Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|-------------|-----|
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocrf | Document Ref: | | x(10) | |
| tdocty | Document Type: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | tdocty | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | yes |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | yes |

taccruhd Accruals Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|--------------|-----|
| accamt | Accrual Amount: | Accrual Amt | zzzzzzzzz.99 | 4 |
| accsta | Status: | Status | x | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| effdat | GL Effective Date: | GL Date | 99/99/99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| gendat | Date Generated: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser44 | Posted By: | Posted By | x(8) | |
| msuser46 | Generated By*: | | x(8) | |
| pstdat | Date Posted: | Date Posted | 99/99/99 | |
| revamt | Reversal Amount: | Reverse Amt | zzzzzzzzz.99 | 4 |
| rundat | Run Date: | Run Date | 99/99/99 | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocrf02 | Reversal Ref: | | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| tdocty02 | Reversal Type: | | xxx | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | btchty | yes | no |
| | | btchid | yes | no |
| secab | no | tdocty | yes | no |
| | | tdocrf | yes | no |
| secac | no | tdocty02 | yes | no |
| | | tdocrf02 | yes | yes |

taccruhn Accruals Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-------------|---------------|-----|
| accamt | Accrual Amount: | Accrual Amt | zzzzzzzzz.99 | 4 |
| accmtd | Accrual Method: | | xx | |
| actual | Actual Amount: | | zzzzzzzzz.99- | 4 |
| budcde | Budget Entry: | | x(8) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------------|-----|
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code: | Promo Code | ZZZZZZZZ | |
| region | Region: | Region | x(10) | |
| revamt | Reversal Amount: | | ZZZZZZZZ.99- | 4 |
| spendp | Planned Spend: | | ZZZZZZZZ.99- | 4 |
| tdocrf | Document Ref: | | x(10) | |
| tdocty | Document Type: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | region | yes | no |
| | | dealct | yes | no |
| | | prcode | yes | no |
| | | budcde | yes | yes |
| secaa | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | yes |
| secab | no | prcode | yes | no |
| secac | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | prcode | yes | no |

taudlogs Transaction Audit Log Entries

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| abrted | Aborted ?: | | yes/no | |
| audmsg | Audit Message: | | ZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| entdat | Entry Date: | | 99/99/99 | |
| entrno | Entry No: | | ZZZZZZZZ | |
| enttim | Entry Time: | | ZZZZZ | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser11 | Entered By: | | x(8) | |
| newcde | New Code: | | x(10) | |
| oldcde | Old Code: | | x(10) | |
| trancd | Transaction Code: | | x(10) | |
| tranfl | Transaction File: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | tranfl | yes | no |
| | | trancd | yes | no |
| | | entrno | yes | no |
| secaa | no | tranfl | yes | no |
| | | entdat | yes | no |
| | | enttim | yes | no |

tbatchhd

Batch Element Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| batpid | Process ID: | | ZZZZZZZZ | |
| batprc | Procedure ID*: | | x(8) | |
| batpri | Batch Priority: | | zz | |
| batref01 | Reference 1: | | x(20) | |
| batref02 | Reference 2: | | x(20) | |
| batref03 | Reference 3: | | x(20) | |
| batref04 | Reference 4: | | x(20) | |
| batref05 | Reference 5: | | x(20) | |
| batref06 | Reference 6: | | x(20) | |
| batref07 | Reference 7: | | x(20) | |
| batref08 | Reference 8: | | x(20) | |
| batref09 | Reference 9: | | x(20) | |
| batsta | Status: | | xx | |
| comdat | Complete Date: | | 99/99/99 | |
| comtme | Complete Time: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser71 | Submitted By: | | x(8) | |
| prgnmen1 | Batch Program*: | | x(8) | |
| prgnmen2 | Assoc Driver*: | | x(8) | |
| strdat | Start Date: | | 99/99/99 | |
| strtme | Start Time: | | ZZZZZZZZ | |
| subdat | Submit Date: | | 99/99/99 | |
| subtme | Submit Time: | | ZZZZZZZZ | |
| workid01 | Work File ID 1: | | ZZZZZZZZ | |
| workid02 | Work File ID 2: | | ZZZZZZZZ | |
| workid03 | Work File ID 3: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | batpid | yes | no |
| secaa | yes | prgnmen1 | yes | no |
| | | batsta | yes | no |
| | | batpid | yes | no |
| secab | no | prgnmen2 | yes | no |
| | | batsta | yes | no |
| | | batpri | yes | no |
| | | subdat | yes | no |
| | | subtme | yes | no |
| secac | no | batsta | yes | no |
| secad | no | batref01 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | batref02 | yes | no |
| | | batref03 | yes | no |
| | | batref04 | yes | no |
| | | batref05 | yes | yes |

tbudgttr Budget Transfer

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|-------------|-----|
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| btrfid | Transfer ID: | Transfer ID | ZZZZZZZZ | |
| budcde | From Budget: | From Budget | x(8) | |
| budcde01 | To Budget: | To Budget | x(8) | |
| budtyp | Budget Type: | | xxx | |
| delflg | Deleted ?: | | yes/no | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | From Staff: | | x(8) | |
| msuser01 | To Staff: | | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| trfdat | Transfer Date: | Transfer Date | 99/99/99 | |
| trfst | Status: | | x | |
| trnamt | Transfer Amount: | Transfer Amt | ZZZZZZZZ.99 | 4 |
| trreas[3] | Transfer Reason: | | x(35) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | btrfid | yes | no |
| secaa | no | budcde | yes | no |
| secab | no | budcde01 | yes | no |
| secac | no | msuser | yes | no |
| secad | no | msuser01 | yes | no |
| secae | yes | budtyp | yes | no |
| | | btrfid | yes | no |

tbudwk1h Non Promotional Budget Work Area Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|------------|-----|
| bdwrf1 | Key Ref 1 | | x(20) | |
| bdwrf2 | Key Ref 2 | | x(20) | |
| bdwrf3 | Key Ref 3 | | x(20) | |
| bdwrf4 | Key Ref 4 | | x(20) | |
| beditd | Edited ? | | yes/no | |
| budcst | Promo Sales Cost | | ZZZZZZZZZZ | 2 |
| budnpc | N/P Sales Cost | | ZZZZZZZZZZ | 2 |
| budnpd | N/P Sales \$ | | ZZZZZZZZZZ | 2 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|------------|-----|
| budnpq | N/P Sales Qty | | ZZZZZZZZZZ | 2 |
| budoac | Overall Sales Cost | | ZZZZZZZZZZ | 2 |
| budoad | Overall Sales \$ | | ZZZZZZZZZZ | 2 |
| budoaq | Overall Sales Qty | | ZZZZZZZZZZ | 2 |
| budqty | Promo Sales Qty | | ZZZZZZZZZZ | 2 |
| budsal | Promo Sales \$ | | ZZZZZZZZZZ | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| fnyear | Financial Year | | 9999 | |
| inaddm | In Add Mode ? | | yes/no | |
| inupdm | In Update Mode ? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | bdwrf1 | yes | no |
| | | bdwrf2 | yes | no |
| | | bdwrf3 | yes | no |
| | | bdwrf4 | yes | no |
| | | fnyear | yes | no |

tbudwk1s Non Promotional Budget Work Area Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|------------|-----|
| bdwrf1 | Key Ref 1 | | x(20) | |
| bdwrf2 | Key Ref 2 | | x(20) | |
| bdwrf3 | Key Ref 3 | | x(20) | |
| bdwrf4 | Key Ref 4 | | x(20) | |
| budcst | Promo Sales Cost | | ZZZZZZZZZZ | 2 |
| budnpc | N/P Sales Cost | | ZZZZZZZZZZ | 2 |
| budnpd | N/P Sales \$ | | ZZZZZZZZZZ | 2 |
| budnpq | N/P Sales Qty | | ZZZZZZZZZZ | 2 |
| budoac | Overall Sales Cost | | ZZZZZZZZZZ | 2 |
| budoad | Overall Sales \$ | | ZZZZZZZZZZ | 2 |
| budoaq | Overall Sales Qty | | ZZZZZZZZZZ | 2 |
| budqty | Promo Sales Qty | | ZZZZZZZZZZ | 2 |
| budsal | Promo Sales \$ | | ZZZZZZZZZZ | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| fnperd | Financial Period | | 99 | |
| fnyear | Financial Year | | 9999 | |
| inaddm | In Add Mode ? | | yes/no | |
| inupdm | In Update Mode ? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | bdwrf1 | yes | no |
| | | bdwrf2 | yes | no |
| | | bdwrf3 | yes | no |
| | | bdwrf4 | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tbudwkrf Non Promotion Cross-References

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------|-----|
| budxr1 | XRef 1 | XRef 1 | x(16) | |
| budxr2 | XRef 2 | XRef 2 | x(16) | |
| budxrt | XRef Type | Xref Type | 9 | |
| delflg | Deleted ? | | yes/no | |
| inaddm | In Add Mode ? | | yes/no | |
| inupdm | In Update Mode ? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budxrt | yes | no |
| | | budxr1 | yes | no |
| | | budxr2 | yes | no |

tchgdetl Change Event Detail

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| cdrefa | Code Ref A*: | | x(20) | |
| cdrefb | Code Ref B*: | | x(20) | |
| cdrefc | Code Ref C*: | | x(20) | |
| cdrefd | Code Ref Δ*: | | x(20) | |
| cdrefe | Code Ref E*: | | x(20) | |
| cdreff | Code Ref F*: | | x(20) | |
| chcode | Change Code*: | | x(20) | |
| chprcd | Process Code: | | xx | |
| chstat | Change Status: | | xx | |
| chsubn | Sub Transaction: | | zzzzzzzz | |
| chtran | Transaction: | | zzzzzzzz | |
| chtype | Change Type*: | | xxx | |
| delflg | Deleted ?: | | yes/no | |
| donedt | Date Done: | | 99/99/99 | |
| effedt | Effective Date: | | 99/99/99 | |
| entdat | Entry Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Entered By: | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | chtran | yes | no |
| secaa | no | donedt | yes | no |
| | | effedt | yes | no |
| secab | no | chtype | yes | no |
| | | chcode | yes | no |
| | | chstat | yes | yes |
| secac | no | chstat | yes | no |
| | | chtype | yes | no |
| | | chcode | yes | yes |

tchghead

Change Event Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| chcomp | Complete ?: | | yes/no | |
| chdate | Process Date: | | 99/99/99 | |
| chhead | Header ID*: | | zz | |
| chphse | Phase Code: | | x | |
| chstep | Change Step: | | xx | |
| chsubn | Sub Transaction: | | zzzzzzzz | |
| chtime | Process Time: | | zzzzzzzz | |
| chtran | Transaction: | | zzzzzzzz | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | chhead | yes | no |

tchglogs

Change Event Logs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| cdrefm | Code Ref M*: | | x(20) | |
| cdrefn | Code Ref N*: | | x(20) | |
| cdrefo | Code Ref O*: | | x(20) | |
| cdrefp | Code Ref P*: | | x(20) | |
| cdrefq | Code Ref Q*: | | x(20) | |
| chprcd | Process Code: | | xx | |
| chstat | Change Status: | | xx | |
| chstep | Change Step: | | xx | |
| chsubn | Sub Transaction: | | zzzzzzzz | |
| chtran | Transaction: | | zzzzzzzz | |
| chtype | Change Type*: | | xxx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID* | | x(10) | |
| messno | Message No: | | zzzz9 | |
| prcode | Promotion Code: | | zzzzzzzz | |
| rebatc | Rebate Code | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | chtran | yes | no |
| | | chsubn | yes | no |
| secaa | no | prcode | yes | no |
| | | chstat | yes | no |
| secab | no | rebatc | yes | no |
| | | chstat | yes | yes |
| secac | no | listid | yes | no |
| | | chstat | yes | yes |

tclaimdc Claim Document

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|------------|-------------|-----|
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| claimn | Claim Number: | Claim No | zzzzzzzz | |
| clmamt | Claimed Amount: | Claim Amt | zzzzzzzz.99 | 4 |
| clmtyp | Claim Type: | Type | xxx | |
| delflg | Deleted ?: | | yes/no | |
| effdat | GL Effective Date: | GL Date | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzz.99 | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| | | claimn | yes | no |
| | | tdocty | yes | no |
| | | tdocrf | yes | no |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | no |
| secab | no | btchty | yes | no |
| | | btchid | yes | no |

tclaimgl Claim GL Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|-------------|-----|
| claiml | Line Number: | Line No | zzzzzzzz | |
| claimn | Claim Number: | Claim No | zzzzzzzz | |
| clmtyp | Claim Type: | Type | xxx | |
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| glacct | A/c Code: | A/c Code | x(16) | |
| glttyp | GL Tran Type: | Tran Type | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| | | claimn | yes | no |
| | | claiml | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| secaa | no | clmtyp | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | claimn | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | glttyp | yes | no |

tclaimhd Claim Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|----------------|-------------|-----|
| addr11 | Address: | Address | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| addrco | Address Code: | Addr Code | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| cangrp | Customer Grp* | Customer Group | x(10) | |
| citynm | City: | City | x(20) | |
| claimn | Claim Number: | Claim No | zzzzzzzz | |
| clmamt | Claimed Amount: | Claim Amt | zzzzzzzz.z9 | 4 |
| clmdat | Claim Date: | Claim Date | 99/99/99 | |
| clmqty | Claimed Quantity: | Claim Qty | zzzzzz.9999 | 4 |
| clmref | Claim Reference: | Claim Ref | x(20) | |
| clmsta | Claim Status: | Status | x | |
| clmtyp | Claim Type: | Type | xxx | |
| contact | Contact: | Contact | x(30) | |
| credit | Credit Ref: | Credit Ref | x(10) | |
| cuntry | Country: | Country | x(30) | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| duedat | Due Date: | Due Date | 99/99/99 | |
| effdat | GL Effective Date: | GL Date | 99/99/99 | |
| entamt | Entered Amount: | Entered Amt | zzzzzzzz.z9 | 4 |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| extnno | Extension No: | Ext | x(5) | |
| faxpno | Fax No: | Fax No | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Promotion Customer: | Promo Cust | x(8) | |
| mccust01 | Claiming Customer: | Claim Cust | x(8) | |
| mpprod | Promotion Product: | Promo Prod | x(16) | |
| mpprod01 | Claiming Product: | Claim Prod | x(16) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser44 | Posted By: | Posted By | x(8) | |
| nxclml | Next Claim Line: | | zzzzzzzz | |
| paydat | Payment Date: | Pay Date | 99/99/99 | |
| paymhd | Payment Method: | | x(5) | |
| payref | Payment Ref: | | x(16) | |
| paytrm | Payment Terms: | Pay Terms | x(10) | |
| phonen | Phone No: | Phone No | x(20) | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| pstdat | Date Posted: | Date Posted | 99/99/99 | |
| region | Region: | Region | x(10) | |
| statec | State Code: | State | xxx | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-------------|-------------|-----|
| suname | Name: | Name | x(30) | |
| suppco | Supplier: | Supplier | x(8) | |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzz.99 | 4 |
| taxref | Tax Ref: | Tax Ref | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |
| vouchr | Voucher Ref: | Voucher Ref | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| | | claimn | yes | no |
| secaa | no | claimn | yes | no |
| secab | no | clmtyp | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| | | clmdat | yes | no |
| secac | no | prcode | yes | no |
| | | dealct | yes | no |
| | | clmsta | yes | no |
| | | claimn | yes | no |
| secad | no | mccust | yes | no |
| | | divino | yes | no |
| | | clmtyp | yes | no |
| | | clmsta | yes | yes |
| secae | no | clmref | yes | no |
| secaf | no | mccust | yes | no |
| | | divino | yes | no |
| | | clmref | yes | yes |
| secag | no | clmdat | yes | no |
| | | divino | yes | no |
| | | region | yes | yes |
| secah | no | clmtyp | yes | no |
| | | clmsta | yes | no |
| | | divino | yes | no |
| | | region | yes | yes |
| secai | no | prcode | yes | no |
| | | mccust | yes | no |
| | | cangrp | yes | yes |
| secaj | no | payref | yes | yes |
| secak | no | divino | yes | no |
| | | mccust01 | yes | no |
| secal | no | divino | yes | no |
| | | cangrp | yes | no |
| | | mccust01 | yes | no |

tclaimln Claim Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| claiml | Line Number: | Line No | zzzzzzzz | |
| claimn | Claim Number: | Claim No | zzzzzzzz | |
| clmamt | Claimed Amount: | Claim Amt | zzzzzzzzzz.99 | 4 |
| clmcst | Claim Cost: | | zzzzzzzzzz.99 | 2 |
| clmqty | Claimed Quantity: | Claim Qty | zzzzzz.9999 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|----------------|--------------|-----|
| clmsal | Claimed Sale \$: | Claim Sale\$ | zzzzzzzzz.99 | 4 |
| clmtyp | Claim Type: | Type | xxx | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Promotion Product: | Promo Prod | x(16) | |
| mpprod01 | Claiming Product: | Claim Prod | x(16) | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| punitd | Per Unit\$: | Per Unit\$ | zzzzzz.99 | 4 |
| punitp | Per Unit %: | Per Unit% | zzzz.99 | 4 |
| punits | Per Unit Price: | Per Unit Price | zzzzzz.99 | 2 |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| | | claimn | yes | no |
| | | claiml | yes | no |
| secaa | no | clmtyp | yes | no |
| | | claimn | yes | no |
| | | mpprod | yes | no |

tclaimrf Claim Reference Data

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| claimn | Claim Number: | Claim No | zzzzzzzz | |
| clmdat | Claim Date: | Claim Date | 99/99/99 | |
| clmtyp | Claim Type: | Type | xxx | |
| delflg | Deleted ?: | | yes/no | |
| dscfld61 | Desc Field 1: | | x(40) | |
| dscfld62 | Desc Field 2: | | x(40) | |
| dscfld63 | Desc Field 3: | | x(40) | |
| dscfld64 | Desc Field 4: | | x(40) | |
| dscfld65 | Desc Field 5: | | x(40) | |
| dscfld66 | Desc Field 6: | | x(40) | |
| dscfld67 | Desc Field 7: | | x(40) | |
| dscfld68 | Desc Field 8: | | x(40) | |
| dscfld69 | Desc Field 9: | | x(40) | |
| dscfld70 | Desc Field 10: | | x(40) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | clmtyp | yes | no |
| | | claimn | yes | no |
| secaa | no | prcode | yes | no |
| | | clmdat | yes | no |

tcontrbd Contract Budgets Assignments

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| budcde | Promo Budget: | | x(8) | |
| celebs | Element Base* | | xx | |
| celecd | Element Code* | | x(8) | |
| contno | Contract No: | | zzzzzzzz | |
| delflg | Deleted ?: | | yes/no | |
| fnyear | Financial Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | contno | yes | no |
| | | fnyear | yes | no |
| | | celecd | yes | yes |
| secaa | no | budcde | yes | no |
| secab | no | contno | yes | no |
| | | celecd | yes | yes |

tcontract Contracts

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| action | Next Action: | | x(10) | |
| areaco | Home Area*: | | x(10) | |
| cangrp | Buying Group*: | | x(10) | |
| cangrp01 | W/Sale Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| conbud | Spec Budgets ?: | | y/n | |
| concal | Last Fee Calc: | | 99/99/99 | |
| conds1 | Description: | | x(40) | |
| conds2 | | | x(40) | |
| conend | Contract Finsh: | | 99/99/99 | |
| confee | Fee Method*: | | xxx | |
| conrev | Review Date: | | 99/99/99 | |
| consta | Contract Start: | | 99/99/99 | |
| conter | External Ref: | | x(20) | |
| contir | Internal Ref*: | | x(10) | |
| contno | Contract#*: | | zzzzzzzz | |
| contyp | Contract Type*: | | x(10) | |
| cstatn | Status No*: | | zz | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Admin Cust*: | | x(8) | |
| msuser | Owner*: | | x(8) | |
| msuser01 | Responsibility*: | | x(8) | |
| nxactd | Next Action Date | | 99/99/99 | |
| pralld | Promotions ?: | | yes/no | |
| rballd | Rebates ?: | | yes/no | |
| region | Region*: | | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------|-----------|--------|-----|
| udc00e | UDC-E* | | x(10) | |
| udc00f | UDC-E* | | x(10) | |
| udc00g | UDC-G* | | x(10) | |
| udc00h | UDC-H* | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | contno | yes | no |
| secaa | no | contir | yes | no |
| secab | no | conter | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | contyp | yes | yes |
| secad | no | divino | yes | no |
| | | areaco | yes | no |
| | | contyp | yes | yes |
| secae | no | msuser | yes | no |
| | | divino | yes | no |
| | | contyp | yes | yes |
| secaf | no | msuser01 | yes | no |
| | | divino | yes | no |
| | | contyp | yes | yes |
| secag | no | mccust | yes | no |
| | | divino | yes | no |
| | | contyp | yes | yes |
| secah | no | conrev | yes | no |
| | | divino | yes | no |
| | | contyp | yes | yes |
| secai | no | divino | yes | no |
| | | cgzone | yes | no |
| | | contyp | yes | yes |
| secaj | no | divino | yes | no |
| | | action | yes | yes |

tcontrol Contract Element

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| celebs | Element Base* | | xx | |
| celecd | Element Code* | | x(8) | |
| contno | Contract#* | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | contno | yes | no |
| | | celecd | yes | yes |
| secaa | no | celecd | yes | yes |

tcostlog Cost Structures Change Log

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| chgprc | Processed ?: | | yes/no | |
| chgtyp | Change Type: | | xxx | |
| csetno | Cost Set No*: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| donedt | Date Done: | | 99/99/99 | |
| effedt | Effective Date: | | 99/99/99 | |
| entrno | Entry No: | | ZZZZZZZZ | |
| finidt | Finish Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product*: | | x(16) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | entrno | yes | no |
| secaa | no | csetno | yes | no |
| | | mpprod | yes | no |

tcurconv Currency Conversions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-----------|-----|
| cnvdte | Conv Date: | | 99/99/99 | |
| cnvrte | Base Conv Rate: | | zzzz.9999 | 2 |
| curcod | Currency: | | x(10) | |
| curcod02 | Conv Currency*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | curcod | yes | no |
| | | curcod02 | yes | no |
| | | cnvdte | yes | no |
| secaa | yes | curcod02 | yes | no |
| | | curcod | yes | no |
| | | cnvdte | yes | no |
| secab | no | curcod | yes | no |
| | | cnvdte | yes | no |

tdothead Document Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------------|-----|
| cangrp | Customer Group | | x(10) | |
| cangrp01 | Customer Group | | x(10) | |
| cangrp02 | Customer Group | | x(10) | |
| credat | Date Created | | 99/99/99 | |
| dat001 | Date 1 | | 99/99/99 | |
| dat002 | Date 2 | | 99/99/99 | |
| dat003 | Date 3 | | 99/99/99 | |
| dat004 | Date 4 | | 99/99/99 | |
| decfld01 | | | zzz.zzz.zzz.9999- | 4 |
| decfld02 | | | zzz.zzz.zzz.9999- | 4 |
| decfld03 | | | zzz.zzz.zzz.9999- | 4 |
| decfld04 | | | zzz.zzz.zzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| docamt | Amount: | | zzzzzzzz.99- | 2 |
| docdat | Document Date | | 99/99/99 | |
| docrf1 | Reference 1 | | x(20) | |
| docrf2 | Reference 2 | | x(20) | |
| docrf3 | Reference 3 | | x(20) | |
| docrf4 | Reference 4 | | x(20) | |
| docsta | Status | | zz | |
| effdat | GL Effective Date | GL Date | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| intfld01 | | | zzzzzzzz | |
| intfld02 | | | zzzzzzzz | |
| intfld03 | | | zzzzzzzz | |
| intfld04 | | | zzzzzzzz | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer | | x(8) | |
| mccust01 | Customer | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|------------|-------------|-----|
| mccust02 | Customer | | x(8) | |
| mccust03 | Customer | | x(8) | |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzz.99 | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| txtfld01 | | | x(20) | |
| txtfld02 | | | x(20) | |
| txtfld03 | | | x(20) | |
| txtfld04 | | | x(20) | |
| upddat | Last Updated | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | tdocty | yes | no |
| | | tdocrf | yes | no |

tfundtjl Transfer GL Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|--------------|-----|
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99- | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| glacct | GL Account: | | x(16) | |
| glttyp | Transaction Type: | Tran Type | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trfrid | Transfer ID: | Transfer ID | zzzzzzzz | |
| trfrln | Transfer Line: | Transfer Line | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trfrid | yes | no |
| | | trfrln | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| secaa | no | trfrid | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | glttyp | yes | no |

tfundthd Funds Transfer Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|--------------|----------|-----|
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|---------------|-------------|-----|
| dealty | Deal Type: | Deal Type | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| effdat | GL Effective Date: | GL Date | 99/99/99 | |
| entamt | Entered Amount: | Entered Amt | zzzzzzzz.99 | 4 |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser44 | Posted By: | Posted By | x(8) | |
| nxtrln | Next Transfer Line: | | zzzzzzzz | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| pstdat | Date Posted: | Date Posted | 99/99/99 | |
| rebatc | Rebate Code: | | x(10) | |
| rebtyp | Rebate Type: | Rebate Type | x(10) | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trfamt | Transfer Amount: | Transfer Amt | zzzzzzzz.99 | 4 |
| trfdat | Transfer Date: | Transfer Date | 99/99/99 | |
| trrfref | Transfer Ref: | | x(20) | |
| trfrid | Transfer ID: | Transfer ID | zzzzzzzz | |
| trfstata | Status: | | x | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trfrid | yes | no |
| secaa | no | btchty | yes | no |
| | | btchid | yes | no |
| secab | no | tdocty | yes | no |
| | | tdocrf | yes | no |
| secac | no | prcode | yes | no |
| | | dealty | yes | no |
| secad | no | rebatc | yes | no |
| | | mccust | yes | no |

tfundtln Funds Transfer Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|-------------|-----|
| dealty | Deal Type: | Deal Type | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| trfamt | Transfer Amount: | Transfer Amt | zzzzzzzz.99 | 4 |
| trfrid | Transfer ID: | Transfer ID | zzzzzzzz | |
| trfrln | Transfer Line: | Transfer Line | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trfrid | yes | no |
| | | trfrln | yes | no |
| secaa | no | trfrid | yes | no |
| | | mpprod | yes | no |

tglbudgs GL Budgets Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|--------------|-----|
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| budget | Total Budget: | Total Budget | zzzzzzzz.99 | 4 |
| budusd | Budget Used | | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| trfamt | Transfer Amount: | Transfer Amt | zzzzzzzz.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tglbudgt GL Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|--------------|-------------|-----|
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| algocd | Algorithm Code: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| budget | Total Budget: | Total Budget | zzzzzzzz.99 | 4 |
| budsta | Status: | | x | |
| budusd | Budget Used | | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|--------------|-----|
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzz.99 | 4 |
| trfamt | Transfer Amount: | Transfer Amt | zzzzzzzz.99- | 4 |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| secaa | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | yes |

tgltrans GL Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|-------------|-----|
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| glttyp | GL Tran Type: | Tran Type | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| main | yes | tdocty | yes | no |
| | | tdocrf | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| * secaa | no | fnyear | yes | no |
| | | fnperd | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |

tinvoial Invoice Accrual Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| comamt | Amount to Commit: | | ZZZZZZZZ.99- | 2 |
| comdat | Commit Date: | | 99/99/99 | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invln | Invoice Line: | | ZZZZZZZZ | |
| invono | Invoice No*: | | ZZZZZZZZ | |
| jnref | Journal Ref: | | x(10) | |
| pstdat | Date Posted: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | invono | yes | no |
| | | invln | yes | no |
| | | comdat | yes | no |
| secaa | no | pstdat | yes | no |
| | | jnref | yes | no |
| secab | no | jnref | yes | no |

tinvoicd Invoice Document

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------------|-----|
| delflg | Deleted ?: | | yes/no | |
| effdat | GL Date: | | 99/99/99 | |
| expamt | Expense Amount: | | ZZZZZZZZ.99- | 2 |
| expdat | Expense Date: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invono | Invoice No*: | | ZZZZZZZZ | |
| taxamt | Tax Amount: | | ZZZZZZZZ.99 | 4 |
| tdocno | Document No: | Document No | ZZZZZ | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | invono | yes | no |
| | | tdocno | yes | no |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | yes |

tinvoigl Invoice GL Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|-----------|--------------|-----|
| crdamt | Credit Amount: | | ZZZZZZZZ.99- | 4 |
| cstctr | Cost Centre*: | | x(8) | |
| debamt | Debit Amount: | | ZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|----------|-----|
| glacct | A/C Code*: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invono | Invoice No*: | | zzzzzzzz | |
| tdocno | Document No: | Document No | zzzzz | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | invono | yes | no |
| | | tdocno | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | yes |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | yes |

tinvoihd Invoice Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99 | 4 |
| accrue | Accrued ?: | | yes/no | |
| addr11 | Address: | | x(30) | |
| addr12 | | | x(30) | |
| addr13 | | | x(30) | |
| appdat | Approved Date: | | 99/99/99 | |
| citynm | City: | | x(20) | |
| contct | Contact: | | x(30) | |
| credit | Credit Ref: | | x(10) | |
| cstctr | Cost Centre*: | | x(8) | |
| cuntry | Country: | | x(30) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| duedat | Due Date: | | 99/99/99 | |
| effdat | GL Date: | | 99/99/99 | |
| entamt | Entered Amount: | | zzzzzzzz.99 | 4 |
| entdat | Entry Date: | | 99/99/99 | |
| expamt | Expense Amount: | | zzzzzzzz.99- | 2 |
| expdat | Expense Date: | | 99/99/99 | |
| expexp | External Ref: | | x(15) | |
| expinr | Internal Ref: | | x(15) | |
| expsta | Status: | | x | |
| extnno | Extension No: | | x(5) | |
| extrty | Trans Type*: | | xxx | |
| faxpno | Fax No: | | x(20) | |
| glacct11 | Expense Hold GL: | | x(16) | |
| glacct12 | Expense Accr GL: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invods | Description: | | x(35) | |
| invono | Invoice No*: | | zzzzzzzz | |
| jmref | Journal Ref: | | x(10) | |
| msuser41 | Entered By*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|-------------|-----|
| msuser42 | Approved By*: | | x(8) | |
| msuser43 | Updated By*: | | x(8) | |
| msuser44 | Posted By*: | | x(8) | |
| nxexpl | Next Line No: | | zzzzzzzz | |
| paydat | Payment Date: | | 99/99/99 | |
| paymhd | Payment Method*: | | x(5) | |
| paytrm | Payment Terms*: | | xxx | |
| phonen | Phone No: | | x(20) | |
| projno | Project No*: | | zzzzzzzz | |
| pstdat | Date Posted: | | 99/99/99 | |
| quotno | Quote No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |
| statec | State Code: | | xxx | |
| suname | Name: | | x(30) | |
| suppco | Supplier*: | | x(8) | |
| taxamt | Tax Amount: | | zzzzzzzz.99 | 4 |
| taxref | Tax Ref: | | x(10) | |
| upddat | Last Updated: | | 99/99/99 | |
| vouchr | Voucher Ref: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | invono | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expdat | yes | no |
| secab | no | suppco | yes | no |
| | | divino | yes | no |
| | | expdat | yes | no |
| secac | no | accrue | yes | no |
| | | expsta | yes | no |
| secad | no | projno | yes | no |
| | | invono | yes | no |

tinvoin

Invoice Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99 | 4 |
| accrno | Accrual No | Accrual | zzzzzzzz | |
| accrue | Accrued ?: | | yes/no | |
| algocd | Algorithm*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| expamt | Expense Amount: | | zzzzzzzz.99- | 2 |
| expcde | Expense Code*: | | x(10) | |
| expdat | Expense Date: | | 99/99/99 | |
| expdsc | Description: | | x(35) | |
| expsta | Status: | | x | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invoin | Invoice Line: | | zzzzzzzz | |
| invono | Invoice No: | | zzzzzzzz | |
| projno | Project No*: | | zzzzzzzz | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-------------|--------------|-----|
| pstamt | Posted Amount: | | zzzzzzzz.99- | 2 |
| quotno | Quote No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |
| revamt | Reversal Amount: | Reverse Amt | zzzzzzzz.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | invono | yes | no |
| | | involn | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expdat | yes | no |
| secab | no | accrue | yes | no |
| | | expsta | yes | no |
| secac | no | projno | yes | no |
| | | expcde | yes | no |
| | | expdat | yes | no |
| | | expsta | yes | no |
| secad | no | projno | yes | no |
| | | quotno | yes | no |
| secae | no | projno | yes | no |
| | | expsta | yes | no |
| secaf | no | accrno | yes | no |

tisalegl Internal Sale GL Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|-------------|-----|
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| glacct | A/c Code: | A/c Code | x(16) | |
| glttyp | GL Tran Type: | Tran Type | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| saleid | Transaction ID: | Sale ID | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | saleid | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| secaa | no | saleid | yes | no |
| | | glttyp | yes | no |

tisalehd Internal Sales Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|--------------|-----|
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| clmqty | Total Quantity: | Total Qty | zzzzzz.9999 | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| effdat | GL Effective Date: | GL Date | 99/99/99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| entqty | Entered Quantity: | Entered Qty | zzzzzz.9999 | 2 |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| isstat | Status: | | x | |
| mccust | Customer: | Customer | x(8) | |
| msuser | Staff: | Staff | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser44 | Posted By: | Posted By | x(8) | |
| nxsall | Next Sales Line: | | zzzzzzzz | |
| pstdat | Date Posted: | Date Posted | 99/99/99 | |
| region | Region: | Region | x(10) | |
| saldat | Sale Date: | Sale Date | 99/99/99 | |
| saleid | Transaction ID: | Sale ID | zzzzzzzz | |
| salerf | Sales Reference: | Sales Ref | x(16) | |
| salsta | Status: | Status | x | |
| stkloc | Stock Location: | Stock Locn | x(8) | |
| taxamt | Tax Cost: | Tax Cost | zzzzzzzzz.99 | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocrf01 | Tax Reference: | | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| totamt | Total Cost: | Total Cost | zzzzzzzzz.99 | 4 |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | saleid | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | saldat | yes | no |
| secab | no | msuser | yes | no |
| | | divino | yes | no |
| | | saldat | yes | no |
| secac | no | salerf | yes | no |
| secad | no | btchty | yes | no |
| | | btchid | yes | no |
| secae | no | tdocty | yes | no |
| | | tdocrf | yes | no |

tisaletIn Internal Sales Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-------------|--------------|-----|
| cstamt | Cost Amount: | Cost Amount | zzzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Receiving Customer: | Recvg Cust | x(8) | |
| mpprod | Product: | Product | x(16) | |
| saleid | Transaction ID: | Sale ID | zzzzzzzzz | |
| saleln | Sale Line: | Sale Line | zzzzzzzzz | |
| salqty | Sale Quantity: | Sale Qty | zzzzzz.9999 | 4 |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | saleid | yes | no |
| | | saleln | yes | no |
| secaa | no | saleid | yes | no |
| | | mpprod | yes | no |

tisalettr Internal Sale Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|---------------|-----|
| cstamt | Cost Amount: | Cost Amount | zzzzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invref | Invoice No | | x(8) | |
| istrty | Transaction Type | | xx | |
| mpprod | Product Code*: | | x(16) | |
| ordref | Sales Order | | x(8) | |
| saldat | Sale Date: | Sale Date | 99/99/99 | |
| saleid | Transaction ID: | Sale ID | zzzzzzzzz | |
| saleln | Sale Line: | Sale Line | zzzzzzzzz | |
| saletr | Transaction ID | | zzzzzzzzz | |
| salqty | Sale Quantity: | Sale Qty | zzzzzz.9999 | 4 |
| stklcn | Stock Location: | Stock Locn | x(8) | |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | saletr | yes | no |
| secaa | no | saleid | yes | no |
| | | saleln | yes | no |
| secab | no | stklcn | yes | no |
| | | saldat | no | no |
| secac | no | divino | yes | no |
| | | mpprod | yes | no |
| | | stklcn | yes | no |
| | | saldat | yes | no |

tisbudgs Internal Sale Budget Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|-------------|-----|
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| budget | Total Budget: | Total Budget | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Staff: | Staff | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tisbudgt Internal Sale Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|-------------|-----|
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| algcd | Split Algorithm: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| budget | Total Budget: | Total Budget | zzzzzzzz.99 | 4 |
| budsta | Status: | | x | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fixflg | Fixed ?: | Fixed ? | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser | Staff: | Staff | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzz.99 | 4 |
| updat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msuser | yes | no |
| | | divino | yes | no |
| | | fnyear | yes | no |
| secaa | no | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |

tmebudgs Marketing and Expense Budget Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| actual | Total Actual: | | zzzzzzzz.99- | 4 |
| areaco | Area*: | | x(10) | |
| budget | Total Budget: | | zzzzzzzz.99- | 4 |
| budgno | Budget No: | | zzzzzzzz | |
| cstctr | Cost Centre*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| expcde | Expense Code*: | | x(10) | |
| fnperd | Financial Period: | | 99 | |
| fnyear | Financial Year: | | 9999 | |
| glacct | GL Account*: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannd | Total Planned: | | zzzzzzzz.99- | 4 |
| region | Region*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budgno | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secac | no | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secad | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tmebudgt Marketing and Expense Budget

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| actual | Total Actual: | | zzzzzzzz.99- | 4 |
| algocd | Algorithm*: | | x(8) | |
| appdat | Approved Date: | | 99/99/99 | |
| areaco | Area*: | | x(10) | |
| budget | Total Budget: | | zzzzzzzz.99- | 4 |
| budgno | Budget No: | | zzzzzzzz | |
| budsta | Status: | | x | |
| cstctr | Cost Centre*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entdat | Entry Date: | | 99/99/99 | |
| expcde | Expense Code*: | | x(10) | |
| fnyear | Financial Year: | | 9999 | |
| glacct | GL Account*: | | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By*: | | x(8) | |
| msuser42 | Approved By*: | | x(8) | |
| msuser43 | Updated By*: | | x(8) | |
| plannd | Total Planned: | | zzzzzzzz.99- | 4 |
| region | Region*: | | x(10) | |
| totspr | Total Spreads: | | zzzzzzzz.99- | 4 |
| updat | Last Updated: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budgno | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| secac | no | divino | yes | no |
| | | fnyear | yes | no |
| | | expcde | yes | yes |
| secad | no | divino | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| secae | no | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |

tmebudtr

Marketing and Expense Budget Transfer

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| appdat | Approved Date: | | 99/99/99 | |
| btrfid | Transfer ID: | | ZZZZZZZZ | |
| budgno01 | From Budget*: | | ZZZZZZZZ | |
| budgno02 | To Budget*: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| entdat | Entry Date: | | 99/99/99 | |
| fnyear | Financial Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By*: | | x(8) | |
| msuser42 | Approved By*: | | x(8) | |
| msuser43 | Updated By*: | | x(8) | |
| trfdat | Amount: | | 99/99/99 | |
| trfst | Status: | | x | |
| trnamt | Amount: | | ZZZZZZZZ.99- | 2 |
| trreas[3] | Reason: | | x(35) | |
| upddat | Last Updated: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | btrfid | yes | no |
| secaa | no | budgno01 | yes | no |
| secab | no | budgno02 | yes | no |

tmessage

General Messages

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| messno | Message No: | | ZZZZ9 | |
| msgsn | Message Entry: | | ZZZZZZZZ | |
| msgtxt[10] | Message Text: | | x(60) | |
| msuser | Staff Member*: | | x(8) | |
| msuser61 | Sent By*: | | x(8) | |
| prcode | Promotion Code: | | ZZZZZZZZ | |
| readms | Read ?: | | yes/no | |
| senddt | Date Sent: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | msgsn | yes | no |
| secaa | yes | msuser | yes | no |
| | | msgsn | yes | no |
| secab | yes | msuser | yes | no |
| | | readms | yes | no |
| | | msgsn | yes | no |
| secac | no | prcode | yes | no |

tmprojad Project Accrual Document

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------------|-----|
| accrno | Accrual No | Accrual | zzzzzzzz | |
| comdat | Commit Date: | | 99/99/99 | |
| delflg | Deleted ?: | | yes/no | |
| effdat | Effective Date: | GL Date | 99/99/99 | |
| expamt | Expense Amount: | | zzzzzzzz.99- | 2 |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocno | Document No: | Document No | zzzzzz | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | accrno | yes | no |
| | | comdat | yes | no |
| | | tdocno | yes | no |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | yes |

tmprojag Project Accrual GL Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------------|-----|
| accrno | Accrual No | Accrual | zzzzzzzz | |
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99- | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocno | Document No: | Document No | zzzzzz | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | accrno | yes | no |
| | | tdocno | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | yes |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | yes |

tmprojah Project Accrual Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accrds | Description: | | x(30) | |
| accrno | Accrual No | Accrual | zzzzzzzz | |
| accsta | Status: | Status | x | |
| appdat | Approved Date: | | 99/99/99 | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entdat | Entry Date: | | 99/99/99 | |
| expamt | Expense Amount: | | zzzzzzzz.99- | 2 |
| expcde | Expense Code*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By*: | | x(8) | |
| msuser42 | Approved By*: | | x(8) | |
| msuser43 | Updated By*: | | x(8) | |
| projno | Project No*: | | zzzzzzzz | |
| quotno | Quote No*: | | zzzzzzzz | |
| suppco | Supplier*: | | x(8) | |
| totamt | Total Amount: | | zzzzzzzz.99- | 2 |
| totspr | Total Spreads: | | zzzzzzzz.99- | 2 |
| upddat | Last Updated: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | accrno | yes | no |
| secaa | no | projno | yes | no |
| | | expcde | yes | no |
| | | quotno | yes | no |
| | | accsta | yes | yes |
| secab | no | projno | yes | no |
| | | expcde | yes | no |
| | | accsta | yes | yes |
| secac | no | divino | yes | no |
| | | expcde | yes | no |
| | | accsta | yes | no |
| | | suppco | yes | yes |

tmprojah Project Accrual Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accrno | Accrual No | Accrual | zzzzzzzz | |
| comamt | Amount to Commit: | | zzzzzzzz.99- | 2 |
| comdat | Commit Date: | | 99/99/99 | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| jrnref | Journal Ref: | | x(10) | |
| pstamt | Posted Amount: | | zzzzzzzz.99- | 2 |
| pstdat | Date Posted: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | accrno | yes | no |
| | | comdat | yes | no |
| secaa | no | pstdat | yes | no |
| | | jnref | yes | yes |
| secab | no | jmref | yes | yes |

tmprojes Project Expense Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99- | 4 |
| areaco | Area*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| expcde | Expense Code*: | | x(10) | |
| fnperd | Period: | | 99 | |
| fnyear | Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| pjspdp | Planned Spend: | | zzzzzzzz.99- | 2 |
| pjspdq | Quoted Spend: | | zzzzzzzz.99- | 2 |
| pjstan | Project Status*: | | zz | |
| projno | Project No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tmprojet Project Expense Types

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99- | 4 |
| areaco | Area*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| exptyp | Expense Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| pjspdp | Planned Spend: | | zzzzzzzz.99- | 2 |
| pjspdq | Quoted Spend: | | zzzzzzzz.99- | 2 |
| pjstan | Project Status*: | | zz | |
| projno | Project No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | exptyp | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | exptyp | yes | no |
| | | pjstan | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | exptyp | yes | no |
| | | pjstan | yes | no |

tmprojex Project Expense Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99- | 4 |
| algood | Algorithm*: | | x(8) | |
| appdat | Date Approved: | | 99/99/99 | |
| areaco | Area*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entdat | Date Entered: | | 99/99/99 | |
| expcde | Expense Code*: | | x(10) | |
| expsta | Expense Status*: | | x | |
| exptyp | Expense Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser41 | Entered By*: | | x(8) | |
| msuser42 | Approved By*: | | x(8) | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| pjspdp | Planned Spend: | | zzzzzzzz.99- | 2 |
| pjspdq | Quoted Spend: | | zzzzzzzz.99- | 2 |
| pjspds | Total Spreads: | | ->>.99 | 2 |
| pjstan | Project Status*: | | zz | |
| projno | Project No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | expcde | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | expcde | yes | no |
| | | pjstan | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | expcde | yes | no |
| | | pjstan | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | pjstan | yes | no |
| secad | no | divino | yes | no |
| | | areaco | yes | no |
| | | pjstan | yes | no |

tmprojhd Project Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| areaco | Home Area*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| expflg | Invoices ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser01 | Owner*: | | x(8) | |
| msuser02 | Responsibility*: | | x(8) | |
| nxtrid | Next Trans No: | | zzzzzzzz | |
| pjnote | Notes ?: | Notes | Yes/No | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| pjspdp | Planned Spend: | | zzzzzzzz.99- | 2 |
| pjspdq | Quoted Spend: | | zzzzzzzz.99- | 2 |
| pjstan | Project Status*: | | zz | |
| pjtype | Project Type*: | | x(10) | |
| profin | Finish Date: | | 99/99/99 | |
| projd1 | Description: | | x(40) | |
| projd2 | | | x(40) | |
| projer | External Ref*: | | x(20) | |
| projir | Internal Ref*: | | x(15) | |
| projno | Project No*: | | zzzzzzzz | |
| prorev | Review Date: | | 99/99/99 | |
| prosta | Start Date: | | 99/99/99 | |
| region | Region*: | | x(10) | |
| udc00a | Analysis Code A: | | x(10) | |
| udc00b | Analysis Code B: | | x(10) | |
| udc00c | Analysis Code C: | | x(10) | |
| udc00d | Analysis Code Δ: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| secaa | no | divino | yes | no |
| | | pjtype | yes | yes |
| secab | no | divino | yes | no |
| | | region | yes | yes |
| secac | no | divino | yes | no |
| | | areaco | yes | yes |
| secad | no | divino | yes | no |
| | | msuser01 | yes | yes |
| secae | no | divino | yes | no |
| | | msuser02 | yes | yes |
| secaf | no | prosta | yes | no |
| | | profin | yes | no |
| | | divino | yes | yes |
| secag | no | prorev | yes | no |
| | | divino | yes | yes |
| secah | no | projir | yes | no |
| secai | no | projer | yes | no |

tmprojqh

Project Quote Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99- | 4 |
| accdat | Date Accepted: | | 99/99/99 | |
| areaco | Area*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| detamt | Detail Amount: | | zzzzzzzz.99- | 2 |
| divino | Division*: | | x(8) | |
| enfnpd | Spend To: | | 99 | |
| enfnyr | | | 9999 | |
| exptyp | Expense Type*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invofl | Invoice ?: | | yes/no | |
| msuser45 | Accepted By*: | | x(8) | |
| nxquol | Next Line: | | zzzzzzzz | |
| paytrm | Payment Terms*: | | xxx | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| projno | Project No*: | | zzzzzzzz | |
| quosta | Status: | | x | |
| quotd1 | Description: | | x(40) | |
| quotd2 | | | x(40) | |
| quoter | External Ref*: | | x(15) | |
| quotir | Internal Ref*: | | x(15) | |
| quotno | Quote No*: | | zzzzzzzz | |
| region | Region*: | | x(10) | |
| stfnpd | Spend From: | | 99 | |
| stfnyr | | | 9999 | |
| suppc0 | Supplier*: | | x(8) | |
| totamt | Total Amount: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | quotno | yes | no |
| secaa | no | projno | yes | no |
| | | quotno | yes | no |
| secab | no | divino | yes | no |
| | | suppco | yes | no |
| | | quoter | yes | yes |
| secac | no | divino | yes | no |
| | | region | yes | yes |
| secad | no | divino | yes | no |
| | | areaco | yes | yes |
| secae | no | quotir | yes | no |
| secaf | no | quoter | yes | no |

tmprojql

Project Quote Line

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| accamt | Accrued Amount: | | zzzzzzzz.99- | 4 |
| algood | Algorithm*: | Code | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| enfnpd | Spend To: | | 99 | |
| enfnyr | | | 9999 | |
| expcde | Expense Code*: | | x(10) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| paytrm | Payment Terms*: | | xxx | |
| pjspda | Actual Spend: | | zzzzzzzz.99- | 2 |
| projno | Project No*: | | zzzzzzzz | |
| quosta | Status: | | x | |
| quotld | Description*: | | x(40) | |
| quotln | Quote Line*: | | zzzzzzzz | |
| quotno | Quote No*: | | zzzzzzzz | |
| stfnpd | Spend From: | | 99 | |
| stfnyr | | | 9999 | |
| totamt | Total Amount: | | zzzzzzzz.99- | 2 |
| totspr | Total Spreads: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | quotno | yes | no |
| | | quotln | yes | no |
| secaa | no | projno | yes | no |
| | | expcde | yes | no |
| | | quosta | yes | no |

tmprojqs Quote Expense Line Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| accamt | Accrued Amount: | | ZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pjspda | Actual Spend: | | ZZZZZZZ.99- | 2 |
| projno | Project No*: | | ZZZZZZZ | |
| quoamt | Quote Amount: | Amount | ZZZZZZZ.99- | 2 |
| quotln | Quote Line*: | | ZZZZZZZ | |
| quotno | Quote No*: | | ZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | quotno | yes | no |
| | | quotln | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tmprojtr Project Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| accrno | Accrual No | Accrual | ZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| expamt | Expense Amount: | | ZZZZZZZ.99- | 2 |
| expcde | Expense Code*: | | x(10) | |
| expeno | Expense: | | ZZZZZZZ | |
| exptyp | Expense Type*: | | x(10) | |
| fnperd | Period: | | 99 | |
| fnyear | Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| involn | Invoice Line: | | ZZZZZZZ | |
| invono | Invoice No: | | ZZZZZZZ | |
| projno | Project No*: | | ZZZZZZZ | |
| quotno | Quote No*: | | ZZZZZZZ | |
| suppco | Supplier*: | | x(8) | |
| trline | Line No: | | ZZZZZZZ | |
| trndat | Transaction Date: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | projno | yes | no |
| | | trline | yes | no |
| secaa | no | projno | yes | no |
| | | expcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | projno | yes | no |
| | | trndat | no | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | no | invono | yes | no |
| | | involn | yes | no |
| secad | no | accrno | yes | no |
| | | trndat | yes | no |

tnpsales Non Promotional Sales Transactions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|---------------|-----|
| budcde | Budget: | | x(8) | |
| cangrp | Customer Grp*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | | x(8) | |
| mpprod | Product: | | x(16) | |
| nptran | N/P Trans No: | | zzzzzzzz | |
| pangrp | Product Group: | Group Code | x(10) | |
| salamt | Sale Amount: | Sale Amount | zzzzzzzzz.99- | 4 |
| salcst | Sale Cost: | | zzzzzzzzz.99- | 4 |
| salqty | Sale Quantity: | Sale Qty | zzzzzz.9999- | 4 |
| tdocrf | Document Ref: | | x(10) | |
| tdocty | Document Type: | | xxx | |
| trndat | Transaction Date: | | 99/99/99 | |
| udc001 | Analysis Code 1: | | x(10) | |
| udc002 | Analysis Code 2: | | x(10) | |
| udc003 | Analysis Code 3: | | x(10) | |
| udc004 | Analysis Code 4: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | nptran | yes | no |
| secaa | no | divino | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |
| secab | no | divino | yes | no |
| | | cangrp | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |
| secac | no | divino | yes | no |
| | | mccust | yes | no |
| secad | no | budcde | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| secae | no | budcde | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |

tprbudgl

Promotion Budget Activity Log

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|----------------|-----|
| actcst | Actual Cost: | | ZZZZZZZZ.99- | 4 |
| actcst02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| actcst10 | N/P Cost: | | ZZZZZZZZ.99- | 4 |
| actcst12 | N/P Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst13 | N/P Cost 3: | | ZZZZZZZZ.99- | 4 |
| actnpd | N/P Actual Amount: | | ZZZZZZZZ.99 | 4 |
| actnpq | N/P Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty | Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actual | Total Actual: | Total Actual | ZZZZZZZZ.99 | 4 |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| algcd | Split Algorithm: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| areaco | Area: | Area | x(10) | |
| budact | Activity: | | xxx | |
| budadt | Activity Log: | | 99/99/99 | |
| budano | Activity No: | | ZZZZZZZZ | |
| budcde | Budget Entry: | Budget | x(8) | |
| budcde10 | O/flow Budget*: | | x(8) | |
| budcst | Budget Cost: | | ZZZZZZZZ.99- | 4 |
| budcst02 | Budget Cost 2: | | ZZZZZZZZ.99- | 4 |
| budcst03 | Budget Cost 3: | | ZZZZZZZZ.99- | 4 |
| buddsc | Description: | Description | x(35) | |
| budget | Total Budget: | Total Budget | ZZZZZZZZ.99 | 4 |
| budnpd | N/P Budget Amount: | | ZZZZZZZZ.99 | 4 |
| budnpq | N/P Budget Qty: | | ZZZZZZZZ- | |
| budqty | Total Quantity: | | ZZZZZZ.9999 | 4 |
| budsal | Budget Sale \$: | | ZZZZZZZZ.99- | 4 |
| budsta | Status: | | x | |
| cangen | Can Generate ?: | | yes/no | |
| cangrp | Cust Analysis Group: | Cust Anal Grp | x(10) | |
| cangrp01 | Header Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| dealct | Deal Category: | Category | x(10) | |
| dealgp | Deal Group*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| enddte | End Date: | End Date | 99/99/99 | |
| enfnpd | End Period: | End Prd | 99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fixflg | Fixed ?: | Fixed ? | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| gendat | Date Generated: | | 99/99/99 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| msuser01 | Owner*: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|---------------|-----|
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser46 | Generated By*: | | x(8) | |
| msuser47 | Performed By*: | | x(8) | |
| overfl | O/flow Budget?: | | yes/no | |
| pangrp | Prod Analysis Group: | Prod Anal Grp | x(10) | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| plannq | Planned Qty: | | zzzzzzzz- | |
| region | Region: | Region | x(10) | |
| stfnpd | Start Period: | Start Prd | 99 | |
| strtdt | Start Date: | Start Date | 99/99/99 | |
| totqty | Entered Qty: | | zzzzzzzz.9999 | 4 |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzz.99 | 4 |
| udc001 | Analysis Code1: | | x(10) | |
| udc002 | Analysis Code2: | | x(10) | |
| udc003 | Analysis Code3: | | x(10) | |
| udc004 | Analysis Code4: | | x(10) | |
| udc007 | Analysis Code7: | | x(10) | |
| udc008 | Analysis Code8: | | x(10) | |
| udc009 | Analysis Code9: | | x(10) | |
| unitom | UOM*: | | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budano | yes | no |
| secaa | yes | budcde | yes | no |
| | | budano | yes | no |

tprbudgs Promotion Budget Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|----------------|-----|
| actcst | Actual Cost: | | zzzzzzzz.99- | 4 |
| actcst02 | Actual Cost 2: | | zzzzzzzz.99- | 4 |
| actcst03 | Actual Cost 3: | | zzzzzzzz.99- | 4 |
| actcst10 | N/P Cost: | | zzzzzzzz.99- | 4 |
| actcst12 | N/P Cost 2: | | zzzzzzzz.99- | 4 |
| actcst13 | N/P Cost 3: | | zzzzzzzz.99- | 4 |
| actnpd | N/P Actual Amount: | | zzzzzzzz.99- | 4 |
| actnpq | N/P Actual Qty: | | zzzzzzzz.9999- | 4 |
| actqty | Actual Qty: | | zzzzzzzz.9999- | 4 |
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| budcde | Budget Entry: | Budget | x(8) | |
| budcst | Budget Cost: | | zzzzzzzz.99- | 4 |
| budcst02 | Budget Cost 2: | | zzzzzzzz.99- | 4 |
| budcst03 | Budget Cost 3: | | zzzzzzzz.99- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|--------------|-----|
| budget | Total Budget: | Total Budget | zzzzzzzz.99 | 4 |
| budnpd | N/P Budget Amount: | | zzzzzzzz.99- | 4 |
| budnpq | N/P Budget Qty: | | zzzzzzzz- | |
| budqty | Quantity: | | zzzzzz.9999 | 4 |
| budsal | Budget Sale \$: | | zzzzzzzz.99- | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| gendat | Date Generated: | | 99/99/99 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| plannq | Planned Qty: | | zzzzzzzz- | |
| region | Region: | Region | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | dealct | yes | no |

tprbudgt Promotion Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|----------------|-----|
| actcst | Actual Cost: | | zzzzzzzz.99- | 4 |
| actcst02 | Actual Cost 2: | | zzzzzzzz.99- | 4 |
| actcst03 | Actual Cost 3: | | zzzzzzzz.99- | 4 |
| actcst10 | N/P Cost: | | zzzzzzzz.99- | 4 |
| actcst12 | N/P Cost 2: | | zzzzzzzz.99- | 4 |
| actcst13 | N/P Cost 3: | | zzzzzzzz.99- | 4 |
| actnpd | N/P Actual Amount: | | zzzzzzzz.99 | 4 |
| actnpq | N/P Actual Qty: | | zzzzzzzz.9999- | 4 |
| actqty | Actual Qty: | | zzzzzzzz.9999- | 4 |
| actual | Total Actual: | Total Actual | zzzzzzzz.99 | 4 |
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|---------------|-----|
| adjstd | Adjust \$: | | zzzzzzzzz.99- | 4 |
| algood | Split Algorithm: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| areaco | Area: | Area | x(10) | |
| budbas | Budgeting Base: | | xx | |
| budcde | Budget Entry: | Budget | x(8) | |
| budcde10 | O/flow Budget*: | | x(8) | |
| budcst | Budget Cost: | | zzzzzzzzz.99- | 4 |
| budcst02 | Budget Cost 2: | | zzzzzzzzz.99- | 4 |
| budcst03 | Budget Cost 3: | | zzzzzzzzz.99- | 4 |
| buddsc | Description: | Description | x(35) | |
| budget | Total Budget: | Total Budget | zzzzzzzzz.99 | 4 |
| budidx | Index | | x(128) | |
| budnpd | N/P Budget Amount: | | zzzzzzzzz.99 | 4 |
| budnpq | N/P Budget Qty: | | zzzzzzzzz- | |
| budqty | Total Quantity: | | zzzzzzz.9999 | 4 |
| budsal | Budget Sale \$: | | zzzzzzzzz.99- | 4 |
| budsta | Status: | | x | |
| cangen | Can Generate ?: | | yes/no | |
| cangrp | Cust Analysis Group: | Cust Anal Grp | x(10) | |
| cangrp01 | Header Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| custyp | Customer Type: | | x(5) | |
| dealct | Deal Category: | Category | x(10) | |
| dealgp | Deal Group*: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| enddte | End Date: | End Date | 99/99/99 | |
| enfnpd | End Period: | End Prd | 99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fixflg | Fixed ?: | Fixed ? | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| gendat | Date Generated: | | 99/99/99 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| msuser01 | Owner*: | | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser46 | Generated By*: | | x(8) | |
| overfl | O/flow Budget?: | | yes/no | |
| pangrp | Prod Analysis Group: | Prod Anal Grp | x(10) | |
| plannd | Total Planned: | Total Plan | zzzzzzzzz.99 | 4 |
| plannq | Planned Qty: | | zzzzzzzzz- | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|---------------|-----|
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |
| region | Region: | Region | x(10) | |
| stfnpd | Start Period: | Start Prd | 99 | |
| strtdt | Start Date: | Start Date | 99/99/99 | |
| totqty | Entered Qty: | | zzzzzzzz.9999 | 4 |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzz.99 | 4 |
| turnrf | T/Over Ref: | | zzzzzzzz | |
| udc001 | Analysis Code1: | | x(10) | |
| udc002 | Analysis Code2: | | x(10) | |
| udc003 | Analysis Code3: | | x(10) | |
| udc004 | Analysis Code4: | | x(10) | |
| udc007 | Analysis Code7: | | x(10) | |
| udc008 | Analysis Code8: | | x(10) | |
| udc009 | Analysis Code9: | | x(10) | |
| unitom | UOM*: | | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| secaa | no | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| secab | no | divino | yes | no |
| | | region | yes | no |
| | | dealct | yes | no |
| | | fnyear | yes | no |
| secac | no | divino | yes | no |
| | | areaco | yes | no |
| | | dealct | yes | no |
| | | fnyear | yes | no |
| secad | no | divino | yes | no |
| | | region | yes | no |
| | | fnyear | yes | no |
| secae | no | cangrp | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| | | dealgp | yes | no |
| | | cangrp | yes | yes |
| secaf | no | divino | yes | no |
| | | areaco | yes | no |
| | | fnyear | yes | no |
| | | cangen | yes | no |
| secag | no | divino | yes | no |
| | | areaco | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | dealgp | yes | no |
| | | cangrp | yes | yes |
| secah | no | divino | yes | no |
| | | fnyear | yes | no |
| secai | no | region | yes | no |
| | | cangrp01 | yes | no |
| | | fnyear | yes | no |
| secaj | no | divino | yes | no |
| | | areaco | yes | no |
| | | cangrp01 | yes | no |
| | | fnyear | yes | no |
| secak | no | divino | yes | no |
| | | udc001 | yes | no |
| | | fnyear | yes | no |
| secal | no | divino | yes | no |
| | | udc002 | yes | no |
| | | fnyear | yes | no |
| secam | no | divino | yes | no |
| | | udc003 | yes | no |
| | | fnyear | yes | no |
| secan | no | divino | yes | no |
| | | udc004 | yes | no |
| | | fnyear | yes | no |
| secao | no | divino | yes | no |
| | | udc007 | yes | no |
| | | fnyear | yes | no |
| secap | no | divino | yes | no |
| | | udc008 | yes | no |
| | | fnyear | yes | no |
| secaq | no | divino | yes | no |
| | | udc009 | yes | no |
| | | fnyear | yes | no |
| secar | no | divino | yes | no |
| | | region | yes | no |
| | | cgzone | yes | no |
| | | fnyear | yes | no |
| secas | no | divino | yes | no |
| | | areaco | yes | no |
| | | cgzone | yes | no |
| | | fnyear | yes | no |
| secat | no | divino | yes | no |
| | | cgzone | yes | no |
| | | fnyear | yes | no |
| secau | no | divino | yes | no |
| | | region | yes | no |
| | | dealgp | yes | no |
| | | fnyear | yes | no |
| secav | no | divino | yes | no |
| | | areaco | yes | no |
| | | dealgp | yes | no |
| | | fnyear | yes | no |
| secaw | no | divino | yes | no |
| | | region | yes | no |
| | | msuser01 | yes | no |
| | | fnyear | yes | no |
| secax | no | divino | yes | no |
| | | areaco | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | msuser01 | yes | no |
| | | fnyear | yes | no |
| secay | no | divino | yes | no |
| | | fnyear | yes | no |
| | | turnrf | yes | no |
| secaz | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budidx | yes | no |
| | | stfnpd | yes | no |
| | | enfnpd | yes | no |

tprbudsh Promotion Budget Summary Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|----------------|-----|
| actcst | Actual Cost: | | ZZZZZZZZ.99- | 4 |
| actcst02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| actcst10 | N/P Cost: | | ZZZZZZZZ.99- | 4 |
| actcst12 | N/P Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst13 | N/P Cost 3: | | ZZZZZZZZ.99- | 4 |
| actnpd | N/P Actual Amount: | | ZZZZZZZZ.99 | 4 |
| actnpq | N/P Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actnpq02 | N/P Act Ea Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty | Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty02 | Act Each Qty: | | ZZZZZZZZ.9999- | 4 |
| actual | Total Actual: | Total Actual | ZZZZZZZZ.99 | 4 |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| budcst | Budget Cost: | | ZZZZZZZZ.99- | 4 |
| budcst02 | Budget Cost 2: | | ZZZZZZZZ.99- | 4 |
| budcst03 | Budget Cost 3: | | ZZZZZZZZ.99- | 4 |
| budget | Total Budget: | Total Budget | ZZZZZZZZ.99 | 4 |
| budnpd | N/P Budget Amount: | | ZZZZZZZZ.99 | 4 |
| budnpq | N/P Budget Qty: | | ZZZZZZZZ- | |
| budnpq02 | N/P Bud Ea Qty: | | ZZZZZZZZ.9999- | 4 |
| budqty | Total Quantity: | | ZZZZZZ.9999 | 4 |
| budqty02 | Bud Each Qty: | | ZZZZZZZZ.9999- | 4 |
| budsal | Budget Sale \$: | | ZZZZZZZZ.99- | 4 |
| budsl1 | Level 1: | | x(16) | |
| budsl2 | Level 2: | | x(16) | |
| budsl3 | Level 3: | | x(16) | |
| budsl4 | Level 4: | | x(16) | |
| budslv | Level No: | | z | |
| bud sno | Record No: | | ZZZZZZZZ | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|----------------|-----|
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannd | Total Planned: | Total Plan | zzzzzzzz.99 | 4 |
| plannq | Planned Qty: | | zzzzzzzz- | |
| plannq02 | Plan Each Qty: | | zzzzzzzz.9999- | 4 |
| totqty | Entered Qty: | | zzzzzzzz.9999 | 4 |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budsno | yes | no |
| secaa | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl2 | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | yes |
| secab | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl1 | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | yes |
| secac | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | yes |
| secad | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | no |
| | | budsl2 | yes | no |
| | | budsl3 | yes | yes |
| secba | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl3 | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | yes |
| secbb | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | no |
| | | budsl4 | yes | yes |
| secbc | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | budsl2 | yes | no |
| | | budsl1 | yes | no |
| secbd | yes | budsl4 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl2 | yes | no |
| | | budsl1 | yes | no |
| secca | yes | budsl3 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl4 | yes | no |
| | | budsl2 | yes | no |
| seccb | yes | budsl3 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | no |
| seccc | yes | budsl3 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | no |
| seccd | yes | budsl2 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | no |
| secda | yes | budsl2 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | no |
| secdb | yes | budsl3 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl1 | yes | no |
| | | budsl4 | yes | no |
| secdc | yes | budsl3 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | budsl4 | yes | no |
| | | budsl2 | yes | yes |
| secdd | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | no |
| | | budsl3 | yes | no |
| | | budsl2 | yes | yes |
| secea | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | no |
| | | budsl2 | yes | yes |
| seceb | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | yes |
| secec | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | no |
| | | budsl1 | yes | yes |
| seced | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl2 | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | yes |
| secfa | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl1 | yes | no |
| | | budsl4 | yes | no |
| | | budsl3 | yes | no |
| | | budsl2 | yes | yes |
| secfb | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl2 | yes | no |
| | | budsl4 | yes | no |
| | | budsl3 | yes | no |
| | | budsl1 | yes | yes |
| secfc | yes | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl3 | yes | no |
| | | budsl4 | yes | no |
| | | budsl2 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secfd | yes | budsl1 | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | budslv | yes | no |
| | | budsl4 | yes | no |
| | | budsl3 | yes | no |
| | | budsl2 | yes | no |
| | | budsl1 | yes | yes |

tprbudsl Promotion Budget Summary Links

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| budcde | Budget Entry: | Budget | x(8) | |
| budsno | Budget No: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budsno | yes | no |
| secaa | yes | budcde | yes | no |
| | | budcde | yes | no |
| | | budsno | yes | no |

tprbudss Promotion Budget Summary Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|--------------|----------------|-----|
| actcst | Actual Cost: | | ZZZZZZZZ.99- | 4 |
| actcst02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| actcst10 | N/P Cost: | | ZZZZZZZZ.99- | 4 |
| actcst12 | N/P Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst13 | N/P Cost 3: | | ZZZZZZZZ.99- | 4 |
| actnpd | N/P Actual Amount: | | ZZZZZZZZ.99 | 4 |
| actnpq | N/P Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actnpq02 | N/P Act Ea Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty | Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty02 | Act Each Qty: | | ZZZZZZZZ.9999- | 4 |
| actual | Total Actual: | Total Actual | ZZZZZZZZ.99 | 4 |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| budcst | Budget Cost: | | ZZZZZZZZ.99- | 4 |
| budcst02 | Budget Cost 2: | | ZZZZZZZZ.99- | 4 |
| budcst03 | Budget Cost 3: | | ZZZZZZZZ.99- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|---------------|-----|
| budget | Total Budget: | Total Budget | ZZZZZZZZ.99 | 4 |
| budnpd | N/P Budget Amount: | | ZZZZZZZZ.99 | 4 |
| budnpq | N/P Budget Qty: | | ZZZZZZZZ- | |
| budnpq02 | N/P Bud Ea Qty: | | ZZZZZZZ.9999- | 4 |
| budqty | Total Quantity: | | ZZZZZZZ.9999 | 4 |
| budqty02 | Bud Each Qty: | | ZZZZZZZ.9999- | 4 |
| budsal | Budget Sale \$: | | ZZZZZZZZ.99- | 4 |
| budsno | Record No: | | ZZZZZZZZ | |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannd | Total Planned: | Total Plan | ZZZZZZZZ.99 | 4 |
| plannq | Planned Qty: | | ZZZZZZZZ- | |
| plannq02 | Plan Each Qty: | | ZZZZZZZ.9999- | 4 |
| totqty | Entered Qty: | | ZZZZZZZ.9999 | 4 |
| totspr | Total of Spreads: | Total Spreads | ZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budsno | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tprivakf

Privak Records

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| abrted | Aborted ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code: | | ZZZZZZZZ | |
| pvari1 | Variable 1: | | x(10) | |
| pvari2 | Variable 2: | | x(10) | |
| pvnumb | Count: | | ZZZ | 2 |
| pvtype | Type: | | ZZ | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | pvtype | yes | no |
| | | pvari1 | yes | no |
| | | pvari2 | yes | no |
| secaa | no | pvtype | yes | no |
| | | prcode | yes | no |
| | | pvari1 | yes | no |
| | | pvari2 | yes | no |
| secab | no | pvtype | yes | no |
| | | pvari1 | yes | no |
| | | pvari2 | yes | no |
| | | prcode | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | no | pvtype | yes | no |
| | | pvari2 | yes | no |
| | | pvari1 | yes | no |
| | | prcode | yes | no |

tpromoav

Promotion Advice Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| advmtd | Advice Method*: | | xxx | |
| advpma | Adv Detail A: | | x(20) | |
| advpmb | Adv Detail B: | | x(20) | |
| advpmc | Adv Detail C: | | x(20) | |
| advpmd | Adv Detail Δ: | | x(20) | |
| advpme | Adv Detail E: | | x(20) | |
| advpmf | Adv Detail F: | | x(20) | |
| advpmg | Adv Detail G: | | x(20) | |
| advpmh | Adv Detail H: | | x(20) | |
| advpmi | Adv Detail I: | | x(20) | |
| advpmj | Adv Detail J: | | x(20) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lineno | Line Number: | | zzz | |
| prcode | Promotion*: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | lineno | yes | no |

tpromob1

Promotion Budget Links

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|----------------|--------------|-----|
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| budcde | Budget: | Budget | x(8) | |
| budupd | Budget Update?: | | yes/no | |
| cangrp | Customer Group: | Customer Group | x(10) | |
| costda | Actual Cost \$: | | zzzzzzzz.99- | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzz.99- | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzz.99- | 4 |
| costdp | Planned Cost \$: | | zzzzzzzz.99- | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzz.99- | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzz.99- | 4 |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | | x(8) | |
| mpprod | Product: | | x(16) | |
| pangrp | Product Group: | | x(10) | |
| prcode | Promotion Code: | | zzzzzzzz | |
| qtyuna | Actual Qty: | | zzzzzzz.9999- | 4 |
| qtyunp | Planned Qty: | | zzzzzzz.9999- | 4 |
| spenda | Actual Spend: | | zzzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzzz.99 | 4 |
| totboa | Actual B/Stock: | | zzzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzzz.99 | 4 |
| totcia | Actual COOP/IL: | | zzzzzzzzz.99 | 4 |
| totcip | Planned COOP/IL: | | zzzzzzzzz.99 | 4 |
| totcsa | Actual COOP/SM: | | zzzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzzz.99 | 4 |
| totcua | Actual Coupon: | | zzzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzzz.99 | 4 |
| totdca | Actual Δ/C: | | zzzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzzz.99 | 4 |
| totina | Actual I/Sales: | | zzzzzzzzz.99 | 4 |
| totinp | Planned I/Sales: | | zzzzzzzzz.99 | 4 |
| totmea | Actual Gift \$: | | zzzzzzzzz.99 | 4 |
| totmep | Planned Gift \$: | | zzzzzzzzz.99 | 4 |
| totoia | Actual O/I: | | zzzzzzzzz.99 | 4 |
| totoip | Planned O/I: | | zzzzzzzzz.99 | 4 |
| totvoa | Actual Vol \$: | | zzzzzzzzz.99 | 4 |
| totvop | Planned Vol\$: | | zzzzzzzzz.99 | 4 |
| totx1a | Actual X1 \$: | | zzzzzzzzz.99 | 4 |
| totx1p | Planned X1 \$: | | zzzzzzzzz.99 | 4 |
| totx2a | Actual X2 \$: | | zzzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzzz.99 | 4 |
| turnda | Actual Sale \$: | | zzzzzzzzz.99- | 4 |
| turndp | Planned Sale \$: | | zzzzzzzzz.99- | 4 |
| turnrf | T/Over Ref: | | zzzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | dealct | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | fnyear | yes | no |
| secaa | no | prcode | yes | no |
| | | budcde | yes | yes |

tpromobb2 Promotion Sales Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| budcde | Budget: | Budget | x(8) | |
| cangrp | Customer Group: | | x(10) | |
| costda | Actual Cost \$: | | ZZZZZZZZ.99- | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZ.99- | 4 |
| costdp02 | Planned Cost 2: | | ZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Product Group: | | x(10) | |
| prcode | Promotion Code: | | ZZZZZZZZ | |
| qtyuna | Actual Qty: | | ZZZZZZ.9999- | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZZ.9999- | 4 |
| spenda | Actual Spend: | | ZZZZZZZZ.99 | 4 |
| spendp | Planned Spend: | | ZZZZZZZZ.99 | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZ.99- | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZ.99- | 4 |
| turnrf | T/Over Ref: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | fnyear | yes | no |

tpromobb Promotion Bonus Stock Breaks

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| bbkbyu[9] | B/Buy Units: | | ZZZZZZZZ | |
| bbkset[9] | Break Sets ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------|-----|
| maxqty[9] | Maximum Qty: | | ZZZZZZZZ | |
| maxval[9] | Maximum Value: | | ZZZZZZZZ | |
| mpprod | Product Code: | | x(16) | |
| prcode | Promotion Code: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mpprod | yes | yes |

tpromobd Promotion Budget Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------------|-----|
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| budbas | Budgeting Base: | | xx | |
| budcde | Budget: | Budget | x(8) | |
| budupd | Budget Update?: | | yes/no | |
| costda | Actual Cost \$: | | ZZZZZZZZ.99- | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZ.99- | 4 |
| costdp02 | Planned Cost 2: | | ZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code: | Promo Code | ZZZZZZZZ | |
| qtyuna | Actual Qty: | | ZZZZZZ.9999- | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZ.9999- | 4 |
| spenda | Actual Spend: | | ZZZZZZZZ.99- | 4 |
| spendp | Planned Spend: | | ZZZZZZZZ.99- | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZ.99- | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZ.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | budcde | yes | yes |
| secaa | no | budcde | yes | no |
| | | fnyear | yes | no |

tpromobp Promotion Bonus Products

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| maxqty | Maximum Qty: | | zzzzzzzz.9999 | 4 |
| maxval | Maximum Value: | | zzzzzzzz.99 | 2 |
| mpprod | Bonus Product: | | x(16) | |
| perqty | Bonus Qty: | | zzzzzzzz.9999 | 4 |
| prcode | Promotion Code: | | zzzzzzzz | |
| unitom | Bonus UOM: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mpprod | yes | yes |
| secaa | yes | mpprod | yes | no |
| | | prcode | yes | no |

tpromobs Promotion Bonus Product Sets

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| bbklvl | Break Level: | | z | |
| delflg | Deleted ?: | | yes/no | |
| ierule | Incl/Excl | | x | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| maxqty | Maximum Qty: | | zzzzzzzz.9999 | 4 |
| maxval | Maximum Value: | | zzzzzzzz.99 | 2 |
| mpprod | Product Code: | | x(16) | |
| mpprod01 | Bonus Product: | | x(16) | |
| perqty | Bonus Qty: | | zzzzzzzz.9999 | 4 |
| prcode | Promotion Code: | | zzzzzzzz | |
| unitom | Bonus UOM: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mpprod | yes | no |
| | | bbklvl | yes | no |
| | | mpprod01 | yes | yes |

tpromocg Promotion Customer Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|------------|-----------------|-----|
| adjcst | Adjust Cost: | | ZZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZZ.99- | 4 |
| areaco | Home Area: | Home Area | x(10) | |
| budgetd | Budgeted ?: | | yes/no | |
| cangrp | Customer Analysis Group: | Group Code | x(10) | |
| cangrp01 | Sub Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| costda | Actual Cost \$: | | ZZZZZZZZZ.99 | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZZ.99 | 4 |
| costdp02 | Planned Cost 2: | | ZZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| newgrp | New Group?: | | yes/no | |
| pgfast | Delete This ?: | | yes/no | |
| prclos | Buying To: | | 99/99/99 | |
| prcode | Promotion Code: | Promo Code | ZZZZZZZZ | |
| propen | Buying Start: | | 99/99/99 | |
| qtyuna | Actual Qty: | | ZZZZZZZ.9999 | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZZ.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZZZZ.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | ZZZZZZZZZ.99 | 4 |
| spendp | Planned Spend: | | ZZZZZZZZZ.99 | 4 |
| statno | Status: | | 9 | |
| totboa | Actual B/Stock: | | ZZZZZZZZZ.99 | 4 |
| totbop | Planned B/Stock: | | ZZZZZZZZZ.99 | 4 |
| totcia | Actual COOP/IL: | | ZZZZZZZZZ.99 | 4 |
| totcip | Planned COOP/IL: | | ZZZZZZZZZ.99 | 4 |
| totcsa | Actual COOP/SM | | ZZZZZZZZZ.99 | 4 |
| totcsp | Planned COOP/SM: | | ZZZZZZZZZ.99 | 4 |
| totcua | Actual Coupon: | | ZZZZZZZZZ.99 | 4 |
| totcup | Planned Coupon: | | ZZZZZZZZZ.99 | 4 |
| totdca | Actual Δ/C: | | ZZZZZZZZZ.99 | 4 |
| totdcp | Planned Δ/C: | | ZZZZZZZZZ.99 | 4 |
| totina | Actual I/Sales: | | ZZZZZZZZZ.99 | 4 |
| totinp | Planned I/Sales: | | ZZZZZZZZZ.99 | 4 |
| totmea | Actual Gift \$: | | ZZZZZZZZZ.99 | 4 |
| totmep | Planned Gift \$: | | ZZZZZZZZZ.99 | 4 |
| totoia | Actual O/I: | | ZZZZZZZZZ.99 | 4 |
| totoip | Planned O/I: | | ZZZZZZZZZ.99 | 4 |
| totvoa | Actual Vol \$: | | ZZZZZZZZZ.99 | 4 |
| totvop | Planned Vol\$: | | ZZZZZZZZZ.99 | 4 |
| totx1a | Actual X1 \$: | | ZZZZZZZZZ.99 | 4 |
| totx1p | Planned X1 \$: | | ZZZZZZZZZ.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|-------------|-----|
| totx2a | Actual X2 \$: | | zzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzz.99 | 4 |
| turnda | Actual Sale \$: | | zzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | cangrp | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | cangrp | yes | no |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | cangrp | yes | no |
| secac | no | divino | yes | no |
| | | cgzone | yes | no |
| | | cangrp | yes | no |
| secad | no | divino | yes | no |
| | | cangrp | yes | no |

tpromocl Confirmation Error Message Logs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| budcde | Budget: | Budget | x(8) | |
| cangrp | Customer Group: | | x(10) | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| messno | Message No: | Message No | zzzz9 | |
| mpprod | Product Code: | | x(16) | |
| msgocc | Msg Occurrence: | | zzzzz | |
| msgtyp | Message Type*: | | zzz | |
| pangrp | Product Group: | | x(10) | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | msgtyp | yes | no |
| | | messno | yes | no |
| | | msgocc | yes | no |

tpromocp Promotion Products x Customers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|-----------------|-----|
| abrted | Aborted ?: | | yes/no | |
| adjcst | Adjust Cost: | | zzzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzzz.9999- | 4 |
| adjqty02 | Adj Base Qty: | | zzzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzzz.99- | 4 |
| cangrp | Group Code: | Group Code | x(10) | |
| costda | Actual Cost \$: | | zzzzzzzzz.99- | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzzz.99- | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzzz.99- | 4 |
| costdp | Planned Cost \$: | | zzzzzzzzz.99- | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzzz.99- | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzzz.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| inactv | Inactive ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| pcpfac | Pricing Factor: | | z.9999 | 4 |
| ppfd1a | OffInv Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd1p | OffInv Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd2a | DefCla Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd2p | DefCla Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd3a | COOPSM Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd3p | COOPSM Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd4a | CoopIL Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd4p | CoopIL Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd5a | Bonus Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd5p | Bonus Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd6a | Intl Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd6p | Intl Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd7a | Vol Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd7p | Vol Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd8a | Merch Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd8p | Merch Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfd9a | Coupon Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfd9p | Coupon Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfdaa | XX1 Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfdap | XX1 Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfdba | XX2 Act\$: | | zzzzzzzzzz.99 | 4 |
| ppfdbp | XX2 Plan\$: | | zzzzzzzzzz.99 | 4 |
| ppfm1a | OffInv ActMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm1p | OffInv PlanMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm2a | DefCla ActMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm2p | DefCla PlanMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm3a | CoopSM ActMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm3p | CoopSM PlanMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm4a | CoopIL ActMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm4p | CoopIL PlanMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm5a | Bonus ActMup\$: | | zzzzzzzzzz.99 | 4 |
| ppfm5p | Bonus PlanMup\$: | | zzzzzzzzzz.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| ppfm6a | Intl ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm6p | Intl PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm7a | Vol ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm7p | Vol PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm8a | Merch ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm8p | Merch PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm9a | Coupon ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm9p | Coupon PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmaa | XX1 ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmap | XX1 PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmba | XX2 ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmbp | XX2 PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfn1a | OffInv ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn1p | OffInv PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn2a | DefCla ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn2p | DefCla PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn3a | CoopSM ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn3p | CoopSM PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn4a | CoopIL ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn4p | CoopIL PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn5a | Bonus ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn5p | Bonus PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn6a | Intl ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn6p | Intl PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn7a | Vol ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn7p | Vol PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn8a | Merch ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn8p | Merch PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn9a | Coupon ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn9p | Coupon PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnaa | XX1 ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnap | XX1 PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnba | XX2 ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnbp | XX2 PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfp1a | OffInv Act%: | | ZZ.99 | 4 |
| ppfp1p | OffInv Plan%: | | ZZ.99 | 4 |
| ppfp2a | DefCla Act%: | | ZZ.99 | 4 |
| ppfp2p | DefCla Plan%: | | ZZ.99 | 4 |
| ppfp3a | CoopSM Act%: | | ZZ.99 | 4 |
| ppfp3p | CoopSM Plan%: | | ZZ.99 | 4 |
| ppfp4a | CoopIL Act%: | | ZZ.99 | 4 |
| ppfp4p | CoopIL Plan%: | | ZZ.99 | 4 |
| ppfp5a | Bonus Act%: | | ZZ.99 | 4 |
| ppfp5p | Bonus Plan%: | | ZZ.99 | 4 |
| ppfp6a | Intl Act%: | | ZZ.99 | 4 |
| ppfp6p | Intl Plan%: | | ZZ.99 | 4 |
| ppfp7a | Vol Act%: | | ZZ.99 | 4 |
| ppfp7p | Vol Plan%: | | ZZ.99 | 4 |
| ppfp8a | Merch Act%: | | ZZ.99 | 4 |
| ppfp8p | Merch Plan%: | | ZZ.99 | 4 |
| ppfp9a | Coupon Act%: | | ZZ.99 | 4 |
| ppfp9p | Coupon Plan%: | | ZZ.99 | 4 |
| ppfpaa | XX1 Act%: | | ZZ.99 | 4 |
| ppfpap | XX1 Plan%: | | ZZ.99 | 4 |
| ppfpba | XX2 Act%: | | ZZ.99 | 4 |
| ppfpbp | XX2 Plan%: | | ZZ.99 | 4 |
| ppfu1a | OffInv ActMup%: | | ZZ.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| ppfu1p | OffInv PlanMup%: | | zzz.99 | 4 |
| ppfu2a | DefCla ActMup%: | | zzz.99 | 4 |
| ppfu2p | DefCla PlanMup%: | | zzz.99 | 4 |
| ppfu3a | CoopSM ActMup%: | | zzz.99 | 4 |
| ppfu3p | CoopSM PlanMup%: | | zzz.99 | 4 |
| ppfu4a | CoopIL ActMup%: | | zzz.99 | 4 |
| ppfu4p | CoopIL PlanMup%: | | zzz.99 | 4 |
| ppfu5a | Bonus ActMup%: | | zzz.99 | 4 |
| ppfu5p | Bonus PlanMup%: | | zzz.99 | 4 |
| ppfu6a | Intl ActMup%: | | zzz.99 | 4 |
| ppfu6p | Intl PlanMup%: | | zzz.99 | 4 |
| ppfu7a | Vol ActMup%: | | zzz.99 | 4 |
| ppfu7p | Vol PlanMup%: | | zzz.99 | 4 |
| ppfu8a | Merch ActMup%: | | zzz.99 | 4 |
| ppfu8p | Merch PlanMup%: | | zzz.99 | 4 |
| ppfu9a | Coupon ActMup%: | | zzz.99 | 4 |
| ppfu9p | Coupon PlanMup%: | | zzz.99 | 4 |
| ppfuaa | XX1 ActMup%: | | zzz.99 | 4 |
| ppfuap | XX1 PlanMup%: | | zzz.99 | 4 |
| ppfuba | XX2 ActMup%: | | zzz.99 | 4 |
| ppfubp | XX2 PlanMup%: | | zzz.99 | 4 |
| ppsdac | Acutal Spend \$: | | zzzzzzzzzz.99 | 4 |
| ppsdpl | Planned Spend \$: | | zzzzzzzzzz.99 | 4 |
| ppspac | Acutal Spend %: | | zzz.99 | 4 |
| ppsppl | Plan Spend %: | | zzz.99 | 4 |
| pptoac | Actual Sale \$: | | zzzzzzzzzz.99 | 4 |
| pptopl | Planned Sale \$: | | zzzzzzzzzz.99 | 4 |
| ppvoac | Acutal Vol: | | zzzzzzzzzz.99 | 4 |
| ppvopl | Planned Vol: | | zzzzzzzzzz.99 | 4 |
| prcode | Promotion Code: | | zzzzzzzz | |
| qtyun1 | Period Qty 1: | | zzzzzzz.9999- | 4 |
| qtyun2 | Period Qty 2: | | zzzzzzz.9999- | 4 |
| qtyun3 | Period Qty 3: | | zzzzzzz.9999- | 2 |
| qtyuna | Actual Qty: | | zzzzzzz.9999 | 4 |
| qtyuna02 | Act Each Qty: | | zzzzzzz.9999- | 4 |
| qtyunp | Planned Qty: | | zzzzzzz.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | zzzzzzz.9999- | 4 |
| retlpr | Consumer Price: | | zzzzzzzzzz.99- | 4 |
| spenda | Actual Spend: | | zzzzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzzzz.99 | 4 |
| statno | Status Number*: | | 99 | |
| totboa | Actual B/Stock: | | zzzzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzzzz.99 | 4 |
| totcia | Actual COOP/IL: | | zzzzzzzzzz.99 | 4 |
| totcip | Planned COOP/IL: | | zzzzzzzzzz.99 | 4 |
| totcsa | Actual COOP/SM: | | zzzzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzzzz.99 | 4 |
| totcua | Actual Coupon: | | zzzzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzzzz.99 | 4 |
| totdca | Actual Δ/C: | | zzzzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzzzz.99 | 4 |
| totina | Actual I/Sales: | | zzzzzzzzzz.99 | 4 |
| totinp | Planned I/Sales: | | zzzzzzzzzz.99 | 4 |
| totmea | Actual Gift \$: | | zzzzzzzzzz.99 | 4 |
| totmep | Planned Gift \$: | | zzzzzzzzzz.99 | 4 |
| totoia | Actual O/I: | | zzzzzzzzzz.99 | 4 |
| totoip | Planned O/I: | | zzzzzzzzzz.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------------|-----|
| totvoa | Actual Vol \$: | | zzzzzzzz.99 | 4 |
| totvop | Planned Vol\$: | | zzzzzzzz.99 | 4 |
| totx1a | Actual X1 \$: | | zzzzzzzz.99 | 4 |
| totx1p | Planned X1 \$: | | zzzzzzzz.99 | 4 |
| totx2a | Actual X2 \$: | | zzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzz.99 | 4 |
| turnd1 | Period Sales 1: | | zzzzzzzz.99- | 4 |
| turnd2 | Period Sales 2: | | zzzzzzzz.99- | 4 |
| turnd3 | Period Sales 3: | | zzzzzzzz.99- | 2 |
| turnda | Actual Sale \$: | | zzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| secaa | no | mccust | yes | no |
| | | mpprod | yes | no |
| | | statno | yes | no |
| secab | no | mpprod | yes | no |
| | | prcode | yes | no |
| | | mccust | yes | yes |
| secac | no | cangrp | yes | no |
| | | mccust | yes | no |
| secad | no | prcode | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | yes |

tpromocs Promotion Customer Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| spfact | Spread Factor: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| secaa | yes | prcode | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |

tpromocu Promotion Customers

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|----------------|-----|
| abrted | Aborted ?: | | yes/no | |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| areaco | Area: | | x(10) | |
| cangrp | Customer Group: | | x(10) | |
| clmsno | No of Claims: | | ZZZZ | |
| costda | Actual Cost \$: | | ZZZZZZZZ.99- | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZ.99- | 4 |
| costdp02 | Planned Cost 2: | | ZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mcweit | Rel Vol Weighting: | | ZZ | |
| pcsdac | Actual Spend \$: | | ZZZZZZZZ.99 | 4 |
| pcsdpl | Planned Spend \$: | | ZZZZZZZZ.99 | 4 |
| pcspac | Actual Spend %: | | ZZZ.99 | 4 |
| pcsppl | Plan Spend %: | | ZZZ.99 | 4 |
| pcstac | Actual S/T%: | | ZZZ.99 | 4 |
| pcstpl | Planned S/T %: | | ZZZ.99 | 4 |
| pctoac | Actual Sale \$: | | ZZZZZZZZ.99 | 4 |
| pctopl | Planned Sale \$: | | ZZZZZZZZ.99 | 4 |
| pcvoac | Actual Vol: | | ZZZZZZZZ.99 | 4 |
| pcvopl | Planned Vol: | | ZZZZZZZZ.99 | 4 |
| prcode | Promotion Code*: | | ZZZZZZZZ | |
| qtyuna | Actual Qty: | | ZZZZZZ.9999 | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZ.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZ.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | ZZZZZZZZ.99 | 4 |
| spendp | Planned Spend: | | ZZZZZZZZ.99 | 4 |
| statno | Status Number*: | | 99 | |
| totboa | Actual B/Stock: | | ZZZZZZZZ.99 | 4 |
| totbop | Planned B/Stock: | | ZZZZZZZZ.99 | 4 |
| totcia | Actual COOP/IL: | | ZZZZZZZZ.99 | 4 |
| totcip | Planned COOP/IL: | | ZZZZZZZZ.99 | 4 |
| totcsa | Actual COOP/SM: | | ZZZZZZZZ.99 | 4 |
| totcsp | Planned COOP/SM: | | ZZZZZZZZ.99 | 4 |
| totcua | Actual Coupon: | | ZZZZZZZZ.99 | 4 |
| totcup | Planned Coupon: | | ZZZZZZZZ.99 | 4 |
| totdca | Actual Δ/C: | | ZZZZZZZZ.99 | 4 |
| totdcp | Planned Δ/C: | | ZZZZZZZZ.99 | 4 |
| totina | Actual I/Sales: | | ZZZZZZZZ.99 | 4 |
| totinp | Planned I/Sales: | | ZZZZZZZZ.99 | 4 |
| totmea | Actual Gift \$: | | ZZZZZZZZ.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|-------------|-----|
| totmep | Planned Gift \$: | | ZZZZZZZZ.99 | 4 |
| totoia | Actual O/I: | | ZZZZZZZZ.99 | 4 |
| totoip | Planned O/I: | | ZZZZZZZZ.99 | 4 |
| totvoa | Actual Vol \$: | | ZZZZZZZZ.99 | 4 |
| totvop | Planned Vol\$: | | ZZZZZZZZ.99 | 4 |
| totx1a | Actual X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx1p | Planned X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx2a | Actual X2 \$: | | ZZZZZZZZ.99 | 4 |
| totx2p | Planned X2 \$: | | ZZZZZZZZ.99 | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZ.99 | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secaa | no | cangrp | yes | no |
| | | mccust | yes | no |
| | | prcode | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | mccust | yes | no |
| | | statno | yes | no |
| secad | no | divino | yes | no |
| | | areaco | yes | no |
| | | mccust | yes | no |
| | | statno | yes | no |
| secae | no | prcode | yes | no |
| | | mccust | yes | no |
| | | cangrp | yes | yes |

tpromodc Promotion Category Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-----------|-----------------|-----|
| accmtd | Accrual Method*: | | xx | |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.99999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.99999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| areaco | Home Area*: | | x(10) | |
| budgetd | Budgets Attached ?: | Budgets ? | yes/no | |
| buycde | Buying Code: | | x(8) | |
| clmnlm | Claim Limit: | | zzz | |
| clmnlm10 | Customer Limit: | | zzzzz | |
| clmsno | No of Claims: | | zzzz | |
| costda | Actual Cost \$: | | ZZZZZZZZ.99- | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZ.99- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------------|--------------|--------------|-----|
| costdp02 | Planned Cost 2: | | ZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZ.99- | 4 |
| dealct | Deal Category: | Category | x(10) | |
| dealty | Deal Type: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fupdys | Followup Days: | | zzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| praspd | Actual Spend: | Actual Spend | ZZZZZZZZ.99 | 4 |
| prcode | Promotion Code: | | ZZZZZZZZ | |
| prpspd | Planned Spend: | Plan Spend | ZZZZZZZZ.99 | 4 |
| qtyuna | Actual Qty: | | ZZZZZZ.9999 | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZ.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZ.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | ZZZZZZZZ.99 | 4 |
| spendc | Commitment | | ZZZZZZ.99- | 2 |
| spendp | Planned Spend: | | ZZZZZZZZ.99 | 4 |
| statno | Status: | | 99 | |
| totboa | Actual B/Stock: | | ZZZZZZZZ.99 | 4 |
| totbop | Planned B/Stock: | | ZZZZZZZZ.99 | 4 |
| totcia | Actual COOP/IL: | | ZZZZZZZZ.99 | 4 |
| totcip | Planned COOP/IL: | | ZZZZZZZZ.99 | 4 |
| totcsa | Actual COOP/SM | | ZZZZZZZZ.99 | 4 |
| totcsp | Planned COOP/SM: | | ZZZZZZZZ.99 | 4 |
| totcua | Actual Coupon: | | ZZZZZZZZ.99 | 4 |
| totcup | Planned Coupon: | | ZZZZZZZZ.99 | 4 |
| totdca | Actual Δ/C: | | ZZZZZZZZ.99 | 4 |
| totdcp | Planned Δ/C: | | ZZZZZZZZ.99 | 4 |
| totina | Actual I/Sales: | | ZZZZZZZZ.99 | 4 |
| totinp | Planned I/Sales: | | ZZZZZZZZ.99 | 4 |
| totmea | Actual Gift \$: | | ZZZZZZZZ.99 | 4 |
| totmep | Planned Gift \$: | | ZZZZZZZZ.99 | 4 |
| totoia | Actual O/I: | | ZZZZZZZZ.99 | 4 |
| totoip | Planned O/I: | | ZZZZZZZZ.99 | 4 |
| totvoa | Actual Vol \$: | | ZZZZZZZZ.99 | 4 |
| totvop | Planned Vol\$: | | ZZZZZZZZ.99 | 4 |
| totwht | Total Budget Weighting: | | ZZZZZZZZ | |
| totx1a | Actual X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx1p | Planned X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx2a | Actual X2 \$: | | ZZZZZZZZ.99 | 4 |
| totx2p | Planned X2 \$: | | ZZZZZZZZ.99 | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZ.99 | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | dealct | yes | no |
| secaa | no | prcode | yes | no |
| | | dealty | yes | no |
| secab | no | divino | yes | no |
| | | region | yes | no |
| | | dealct | yes | no |
| | | budgtd | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | no | dealct | yes | no |
| | | statno | yes | no |
| | | prcode | yes | no |
| secad | no | divino | yes | no |
| | | areaco | yes | no |
| | | dealct | yes | no |
| | | statno | yes | no |
| secae | no | divino | yes | no |
| | | region | yes | no |
| | | dealct | yes | no |
| | | statno | yes | no |

tpromoh2

Promotion Secondary Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| budcde | Budget 1 | | x(8) | |
| budcde01 | Budget 2 | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listde | List Description | | x(26) | |
| listid02 | O/I PR List*: | | x(10) | |
| prcode | Promotion Code: | | zzzzzzzz | |
| prdatf01 | Date Field 1 | | 99/99/99 | |
| prdatf02 | Date Field 2 | | 99/99/99 | |
| prdatf03 | Date Field 3 | | 99/99/99 | |
| prdatf04 | Date Field 4 | | 99/99/99 | |
| prdatf05 | Date Field 5 | | 99/99/99 | |
| prdatf06 | Date Field 6 | | 99/99/99 | |
| prdatf11 | Date Field 11 | | 99/99/99 | |
| prdatf12 | Date Field 12 | | 99/99/99 | |
| prdatf13 | Date Field 13 | | 99/99/99 | |
| prdatf14 | Date Field 14 | | 99/99/99 | |
| prdatf15 | Date Field 15 | | 99/99/99 | |
| prdatf16 | Date Field 16 | | 99/99/99 | |
| prdatf17 | Date Field 17 | | 99/99/99 | |
| prdatf18 | Date Field 18 | | 99/99/99 | |
| prdatf19 | Date Field 19 | | 99/99/99 | |
| prdatf20 | Date Field 20 | | 99/99/99 | |
| prdecf01 | Decimal Field 1 | | zzzzzzzz.9999- | 4 |
| prdecf02 | Decimal Field 2 | | zzzzzzzz.9999- | 4 |
| prdecf03 | Decimal Field 3 | | zzzzzzzz.9999- | 4 |
| prdecf04 | Decimal Field 4 | | zzzzzzzz.9999- | 4 |
| prdecf05 | Decimal Field 5 | | zzzzzzzz.9999- | 4 |
| prdecf06 | Decimal Field 6 | | zzzzzzzz.9999- | 4 |
| prdecf11 | Decimal Field 11 | | zzzzzzzz.9999- | 4 |
| prdecf12 | Decimal Field 12 | | zzzzzzzz.9999- | 4 |
| prdecf13 | Decimal Field 13 | | zzzzzzzz.9999- | 4 |
| prdecf14 | Decimal Field 14 | | zzzzzzzz.9999- | 4 |
| prdecf15 | Decimal Field 15 | | zzzzzzzz.9999- | 4 |
| prdecf16 | Decimal Field 16 | | zzzzzzzz.9999- | 4 |
| prdecf17 | Decimal Field 17 | | zzzzzzzz.9999- | 4 |
| prdecf18 | Decimal Field 18 | | zzzzzzzz.9999- | 4 |
| prdecf19 | Decimal Field 19 | | zzzzzzzz.9999- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|----------------|-----|
| prdecf20 | Decimal Field 20 | | ZZZZZZZZ.9999- | 4 |
| prendd | P/L End Date: | | 99/99/99 | |
| prendd02 | P/L End2 Date: | | 99/99/99 | |
| printf01 | Integer Field 1 | | ZZZZZZZZZ- | |
| printf02 | Integer Field 2 | | ZZZZZZZZZ- | |
| printf03 | Integer Field 3 | | ZZZZZZZZZ- | |
| printf04 | Integer Field 4 | | ZZZZZZZZZ- | |
| printf05 | Integer Field 5 | | ZZZZZZZZZ- | |
| printf06 | Integer Field 6 | | ZZZZZZZZZ- | |
| printf11 | Integer Field 11 | | ZZZZZZZZZ- | |
| printf12 | Integer Field 12 | | ZZZZZZZZZ- | |
| printf13 | Integer Field 13 | | ZZZZZZZZZ- | |
| printf14 | Integer Field 14 | | ZZZZZZZZZ- | |
| printf15 | Integer Field 15 | | ZZZZZZZZZ- | |
| printf16 | Integer Field 16 | | ZZZZZZZZZ- | |
| printf17 | Integer Field 17 | | ZZZZZZZZZ- | |
| printf18 | Integer Field 18 | | ZZZZZZZZZ- | |
| printf19 | Integer Field 19 | | ZZZZZZZZZ- | |
| printf20 | Integer Field 20 | | ZZZZZZZZZ- | |
| prlogf01 | Logical Field 1 | | yes/no | |
| prlogf02 | Logical Field 2 | | yes/no | |
| prlogf03 | Logical Field 3 | | yes/no | |
| prlogf04 | Logical Field 4 | | yes/no | |
| prlogf05 | Logical Field 5 | | yes/no | |
| prlogf06 | Logical Field 6 | | yes/no | |
| prlogf11 | Logical Field 11 | | yes/no | |
| prlogf12 | Logical Field 12 | | yes/no | |
| prlogf13 | Logical Field 13 | | yes/no | |
| prlogf14 | Logical Field 14 | | yes/no | |
| prlogf15 | Logical Field 15 | | yes/no | |
| prlogf16 | Logical Field 16 | | yes/no | |
| prlogf17 | Logical Field 17 | | yes/no | |
| prlogf18 | Logical Field 18 | | yes/no | |
| prlogf19 | Logical Field 19 | | yes/no | |
| prlogf20 | Logical Field 20 | | yes/no | |
| prstrd | P/L Start Date: | | 99/99/99 | |
| prstrd02 | P/L Str2 Date: | | 99/99/99 | |
| prtflg | Print on Inv ? | | Yes/No | |
| prtxf01 | Text Field 1 | | x(30) | |
| prtxf02 | Text Field 2 | | x(30) | |
| prtxf03 | Text Field 3 | | x(30) | |
| prtxf04 | Text Field 4 | | x(30) | |
| prtxf05 | Text Field 5 | | x(30) | |
| prtxf06 | Text Field 06 | | x(30) | |
| prtxf11 | Text Field 11 | | x(30) | |
| prtxf12 | Text Field 12 | | x(30) | |
| prtxf13 | Text Field 13 | | x(30) | |
| prtxf14 | Text Field 14 | | x(30) | |
| prtxf15 | Text Field 15 | | x(30) | |
| prtxf16 | Text Field 16 | | x(30) | |
| prtxf17 | Text Field 17 | | x(30) | |
| prtxf18 | Text Field 18 | | x(30) | |
| prtxf19 | Text Field 19 | | x(30) | |
| prtxf20 | Text Field 20 | | x(30) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| secaa | no | listid02 | yes | yes |

tpromohd Promotion Header Records

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------------|-----------|----------------|-----|
| action | Next Action: | | x(10) | |
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzz.9999- | 4 |
| adjqty02 | Adj Base Qty: | | zzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| almthd | Alloc Method*: | | xxx | |
| altref | Alternate Ref*: | | x(16) | |
| amtype | Amount Type: | | x(10) | |
| archno | Archive No: | | zzzzzzzz | |
| areaco | Home Area: | Home Area | x(10) | |
| bbktno | B/Break No: | | z | |
| bbstno | B/Target Base No: | | z | |
| bbstno01 | B/Reward Base No: | | z | |
| bontno | Bonus Type No: | | z | |
| bontrm | Bonus Term: | | xx | |
| brkocc | Break Level: | | zz | |
| bthadd | Batch Added ?: | | yes/no | |
| btrmun | Bonus Term Units: | | zzzzzzzz | |
| budgtd | Budgets Attached ?: | | yes/no | |
| budspc | Special ?: | | yes/no | |
| buycde | Buying Code: | | x(8) | |
| buycde01 | Forecast Buyin: | | x(8) | |
| calcty | Alloc Method*: | | zz | |
| cangrp | Customer Analysis Group: | | x(10) | |
| cangrp01 | Header Group*: | | x(10) | |
| celecd | Element Code*: | | x(8) | |
| cgzone | Zone Code*: | | x(8) | |
| claims | Claims Exist ? | | yes/no | |
| clmnlm | Claim Limit: | | zzz | |
| clmnlm10 | Customer Limit: | | zzzzz | |
| clmsno | No of Claims: | | zzzz | |
| clvdsc | Description: | | x(30) | |
| clvref | Main Customer Level Code: | | x(10) | |
| comtyp | Combine Type: | | x(10) | |
| contno | Contract No*: | | zzzzzzzz | |
| costda | Actual Cost \$: | | zzzzzzzz.99- | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzz.99- | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzz.99- | 4 |
| costdp | Planned Cost \$: | | zzzzzzzz.99- | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzz.99- | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzz.99- | 4 |
| csetid | Cost Set: | | x(10) | |
| curcod | Currency: | | x(10) | |
| dealco | Deal Type: | | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------------|--------------|---------------|-----|
| defera | Defer Add ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| disseq | Discount Seq: | | x(10) | |
| distyp | Discount Type: | | x(10) | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID: | | x(10) | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| msuser01 | Owner: | | x(8) | |
| msuser02 | Responsibility: | | x(8) | |
| msuser03 | Approved By: | | x(8) | |
| nxtrid | Next Transaction: | | ZZZZZZZZ | |
| nextupd | Next Update Entry #: | | ZZZZZZZZ | |
| pangrp | Product Analysis Group: | | x(10) | |
| practd | Next Action Date: | | 99/99/99 | |
| prasad | Actual Sale \$: | | ZZZZZZZZ.99 | 4 |
| praspd | Actual Spend: | Actual Spend | ZZZZZZZZ.99 | 4 |
| prcdat | Change Date: | | 99/99/99 | |
| prcfim | Confirm Time: | | ZZZZZZ | |
| prclos | Buying Finish: | | 99/99/99 | |
| prclvn | Cust Level*: | | zz | |
| prcode | Promotion Code: | | ZZZZZZZZ | |
| prcond | Confirm Date: | | 99/99/99 | |
| prcost | PromoSpend\$: | | ZZZZZZZZZZ.99 | 4 |
| prctim | Change Time: | | ZZZZZZ | |
| prdes1 | Description: | | x(40) | |
| prdes2 | Description: | | x(40) | |
| prfini | | | 99/99/99 | |
| prftim | | | ZZZZZZ | |
| prglep | Promo Exp Code: | | x(10) | |
| prglsa | Promo Sal Code: | | x(10) | |
| priclv | Pricing Level | | zz | |
| prmanp | Manual: | | y/n | |
| prmaxp | Maximum Price: | | ZZZZZZZZZZ.99 | 4 |
| prmaxq | Maximum Qty: | | ZZZZZZZZZZ.99 | 4 |
| prminn | Minimum Net Ord: | | ZZZZZZZZZZ.99 | 4 |
| prminp | Minimum Price: | | ZZZZZZZZZZ.99 | 4 |
| prminq | Minimum Qty: | | ZZZZZZZZZZ.99 | 4 |
| prnote | Notes ?: | | y/n | |
| projno | Project No*: | | ZZZZZZZZ | |
| propen | Buying Start: | | 99/99/99 | |
| prplvn | Product Level*: | | zz | |
| prratl | PromoRatio%: | | ZZZZ.99 | 4 |
| prsale | PromoTurnover\$: | | ZZZZZZZZZZ.99 | 4 |
| prsdatt | Create Date: | | 99/99/99 | |
| prstim | Create Time: | | ZZZZZZ | |
| prstrt | Promotion Start: | | 99/99/99 | |
| qtyby | Qty Break Type: | | x(10) | |
| qtyinp | Quantity %: | | ZZZZ.99 | 4 |
| qtyun1 | YTD Sales Qty: | | ZZZZZZ.9999- | 4 |
| qtyun2 | LP Sales Qty: | | ZZZZZZ.9999- | 4 |
| qtyun3 | Period Qty 3: | | ZZZZZZ.9999- | 2 |
| qtyuna | Actual Qty: | | ZZZZZZ.9999 | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZ.9999 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|----------------|-----|
| qtyunp02 | Plan Each Qty: | | zzzzzzzz.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | zzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzz.99 | 4 |
| statno | Status: | | 99 | |
| totboa | Actual B/Stock: | | zzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzz.99 | 4 |
| totcia | Actual COOP/IL: | | zzzzzzzz.99 | 4 |
| totcip | Planned COOP/IL: | | zzzzzzzz.99 | 4 |
| totcsa | Actual COOP/SM: | | zzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzz.99 | 4 |
| totcua | Actual Coupon: | | zzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzz.99 | 4 |
| totdca | Actual Δ/C: | | zzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzz.99 | 4 |
| totina | Actual I/Sales: | | zzzzzzzz.99 | 4 |
| totinp | Planned I/Sales: | | zzzzzzzz.99 | 4 |
| totmea | Actual Gift \$: | | zzzzzzzz.99 | 4 |
| totmep | Planned Gift \$: | | zzzzzzzz.99 | 4 |
| totoia | Actual O/I: | | zzzzzzzz.99 | 4 |
| totoip | Planned O/I: | | zzzzzzzz.99 | 4 |
| totvoa | Actual Vol \$: | | zzzzzzzz.99 | 4 |
| totvop | Planned Vol\$: | | zzzzzzzz.99 | 4 |
| totx1a | Actual X1 \$: | | zzzzzzzz.99 | 4 |
| totx1p | Planned X1 \$: | | zzzzzzzz.99 | 4 |
| totx2a | Actual X2 \$: | | zzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzz.99 | 4 |
| tpltcd | Template Code: | | x(16) | |
| trnfrs | Transfers ? | | yes/no | |
| trstep | Update Stage: | | x | |
| turnd1 | YTD Turnover: | | zzzzzzzz.99- | 4 |
| turnd2 | LP Turnover: | | zzzzzzzz.99- | 4 |
| turnd3 | Period Sales 3: | | zzzzzzzz.99- | 2 |
| turnda | Actual Sale \$: | | zzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzz.99 | 4 |
| udc001 | Analysis Code 1: | | x(10) | |
| udc002 | Analysis Code 2: | | x(10) | |
| udc003 | Analysis Code 3: | | x(10) | |
| udc004 | Analysis Code 4: | | x(10) | |
| unitom | UOM: | | x(10) | |
| updsta | Update Status: | | xx | |
| updtype | Update Type: | | xxx | |
| workid | Work File ID: | | zzzzzzzz | |
| workty | Work File Type: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| secaa | yes | msuser02 | yes | no |
| | | practd | yes | no |
| | | prcode | yes | no |
| secab | no | msuser01 | yes | no |
| | | divino | yes | no |
| | | statno | yes | no |
| secac | no | statno | yes | no |
| | | divino | yes | no |
| | | region | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|--------|
| secad | no | cangrp | yes | no |
| | | propen | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| secae | no | cangrp | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| secai | no | cangrp | yes | no |
| | | archno | yes | no |
| | | secaj | no | tpltcd |
| secak | no | statno | yes | no |
| | | divino | yes | no |
| | | areaco | yes | no |
| secal | no | divino | yes | no |
| | | areaco | yes | no |
| | | statno | yes | no |
| secam | no | divino | yes | no |
| | | region | yes | no |
| | | statno | yes | no |
| secan | no | contno | yes | no |
| secao | no | altref | yes | no |
| secap | no | divino | yes | no |
| | | region | yes | no |
| | | udc001 | yes | no |
| | | statno | yes | no |
| secaq | no | divino | yes | no |
| | | region | yes | no |
| | | udc002 | yes | no |
| | | statno | yes | no |
| secar | no | divino | yes | no |
| | | cgzone | yes | no |
| | | statno | yes | no |
| secas | no | divino | yes | no |
| | | region | yes | no |
| | | udc003 | yes | no |
| | | statno | yes | no |
| secat | no | divino | yes | no |
| | | region | yes | no |
| | | udc004 | yes | no |
| | | statno | yes | no |
| secau | no | divino | yes | no |
| | | statno | yes | no |
| | | altref | yes | yes |

tpromomd Promotion Modifiers

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mdc00a | Modifier A: | | x(8) | |
| mdc00b | Modifier B: | | x(8) | |
| mdc00c | Modifier C: | | x(8) | |
| mdc00d | Modifier Δ: | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------|-----|
| mdc00e | Modifier E: | | x(8) | |
| mdc00f | Modifier F: | | x(8) | |
| mdc00g | Modifier G: | | x(8) | |
| mdc00h | Modifier H: | | x(8) | |
| mdc00i | Modifier I: | | x(8) | |
| mdc00j | Modifier J: | | x(8) | |
| mdcr0a | Modifier Ref A: | | x(12) | |
| mdcr0b | Modifier Ref B: | | x(12) | |
| mdcr0c | Modifier Ref C: | | x(12) | |
| mdcr0d | Modifier Ref Δ: | | x(12) | |
| mdcr0e | Modifier Ref E: | | x(12) | |
| mdcr0f | Modifier Ref F: | | x(12) | |
| mdcr0g | Modifier Ref G: | | x(12) | |
| mdcr0h | Modifier Ref H: | | x(12) | |
| mdcr0i | Modifier Ref I: | | x(12) | |
| mdcr0j | Modifier Ref J: | | x(12) | |
| mdcv0a | Modify Value A: | | ZZZZZZZZ | |
| mdcv0b | Modify Value B: | | ZZZZZZZZ | |
| mdcv0c | Modify Value C: | | ZZZZZZZZ | |
| mdcv0d | Modify Value Δ: | | ZZZZZZZZ | |
| mdcv0e | Modify Value E: | | ZZZZZZZZ | |
| mdcv0f | Modify Value F: | | ZZZZZZZZ | |
| mdcv0g | Modify Value G: | | ZZZZZZZZ | |
| mdcv0h | Modify Value H: | | ZZZZZZZZ | |
| mdcv0i | Modify Value I: | | ZZZZZZZZ | |
| mdcv0j | Modify Value J: | | ZZZZZZZZ | |
| prcode | Promotion Code: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |

tpromopc Promotion Customer/Product Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|------------|----------------|-----|
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.9999- | 4 |
| adjspd | Adjust Spend: | | ZZZZZZZZ.99- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| areaco | Home Area: | Home Area | x(10) | |
| budgetd | Budgeted ?: | | yes/no | |
| cangrp | Customer Analysis Group: | Group Code | x(10) | |
| cangrp01 | Sub Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| costda | Actual Cost \$: | | ZZZZZZZZ.99 | 4 |
| costda02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| costda03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| costdp | Planned Cost \$: | | ZZZZZZZZ.99 | 4 |
| costdp02 | Planned Cost 2: | | ZZZZZZZZ.99- | 4 |
| costdp03 | Planned Cost 3: | | ZZZZZZZZ.99- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Product Group: | Prod Group | x(10) | |
| prclos | Buying To: | | 99/99/99 | |
| prcode | Promotion Code: | Promo Code | ZZZZZZZZ | |
| propen | Buying Start: | | 99/99/99 | |
| qtyuna | Actual Qty: | | ZZZZZZZ.9999 | 4 |
| qtyuna02 | Act Each Qty: | | ZZZZZZZZ.9999- | 4 |
| qtyunp | Planned Qty: | | ZZZZZZZ.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZZZ.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | ZZZZZZZZZ.99 | 4 |
| spendp | Planned Spend: | | ZZZZZZZZZ.99 | 4 |
| statno | Status: | | 9 | |
| totboa | Actual B/Stock: | | ZZZZZZZZZ.99 | 4 |
| totbop | Planned B/Stock: | | ZZZZZZZZZ.99 | 4 |
| totcia | Actual COOP/IL: | | ZZZZZZZZZ.99 | 4 |
| totcip | Planned COOP/IL: | | ZZZZZZZZZ.99 | 4 |
| totcsa | Actual COOP/SM: | | ZZZZZZZZZ.99 | 4 |
| totcsp | Planned COOP/SM: | | ZZZZZZZZZ.99 | 4 |
| totcua | Actual Coupon: | | ZZZZZZZZZ.99 | 4 |
| totcup | Planned Coupon: | | ZZZZZZZZZ.99 | 4 |
| totdca | Actual Δ/C: | | ZZZZZZZZZ.99 | 4 |
| totdcp | Planned Δ/C: | | ZZZZZZZZZ.99 | 4 |
| totina | Actual I/Sales: | | ZZZZZZZZZ.99 | 4 |
| totinp | Planned I/Sales: | | ZZZZZZZZZ.99 | 4 |
| totmea | Actual Gift \$: | | ZZZZZZZZZ.99 | 4 |
| totmep | Planned Gift \$: | | ZZZZZZZZZ.99 | 4 |
| totoia | Actual O/I: | | ZZZZZZZZZ.99 | 4 |
| totoip | Planned O/I: | | ZZZZZZZZZ.99 | 4 |
| totvoa | Actual Vol \$: | | ZZZZZZZZZ.99 | 4 |
| totvop | Planned Vol\$: | | ZZZZZZZZZ.99 | 4 |
| totx1a | Actual X1 \$: | | ZZZZZZZZZ.99 | 4 |
| totx1p | Planned X1 \$: | | ZZZZZZZZZ.99 | 4 |
| totx2a | Actual X2 \$: | | ZZZZZZZZZ.99 | 4 |
| totx2p | Planned X2 \$: | | ZZZZZZZZZ.99 | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZZ.99 | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | yes |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | yes |
| secab | no | divino | yes | no |
| | | areaco | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | yes |
| secac | no | divino | yes | no |
| | | cgzone | yes | no |
| | | cangrp | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secad | no | pangrp | yes | yes |
| | | divino | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | yes |
| secae | no | prcode | yes | no |
| | | pangrp | yes | no |
| | | cangrp | yes | yes |

tpromopg Promotion Product Groups

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------------|------------|----------------|-----|
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzz.9999- | 4 |
| adjqty02 | Adj Base Qty: | | zzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| areaco | Home Area: | Home Area | x(10) | |
| budgetd | Budgeted ?: | | yes/no | |
| costda | Actual Cost \$: | | zzzzzzzz.99 | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzz.99 | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzz.99 | 4 |
| costdp | Planned Cost \$: | | zzzzzzzz.99 | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzz.99 | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Product Analysis Group: | Group Code | x(10) | |
| pgfast | Delete This ?: | | yes/no | |
| prclos | Buying To: | | 99/99/99 | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| propen | Buying Start: | | 99/99/99 | |
| qtyuna | Actual Qty: | | zzzzzzz.9999 | 4 |
| qtyuna02 | Act Each Qty: | | zzzzzzz.9999- | 4 |
| qtyunp | Planned Qty: | | zzzzzzz.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | zzzzzzz.9999- | 4 |
| region | Region: | | x(10) | |
| spenda | Actual Spend: | | zzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzz.99 | 4 |
| statno | Status: | | 9 | |
| totboa | Actual B/Stock: | | zzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzz.99 | 4 |
| totcia | Actual COOP/IL: | | zzzzzzzz.99 | 4 |
| totcip | Planned COOP/IL: | | zzzzzzzz.99 | 4 |
| totcsa | Actual COOP/SM: | | zzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzz.99 | 4 |
| totcua | Actual Coupon: | | zzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzz.99 | 4 |
| totdca | Actual Δ/C: | | zzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzz.99 | 4 |
| totina | Actual I/Sales: | | zzzzzzzz.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|-------------|-----|
| totinp | Planned I/Sales: | | ZZZZZZZZ.99 | 4 |
| totmea | Actual Gift \$: | | ZZZZZZZZ.99 | 4 |
| totmep | Planned Gift \$: | | ZZZZZZZZ.99 | 4 |
| totoia | Actual O/I: | | ZZZZZZZZ.99 | 4 |
| totoip | Planned O/I: | | ZZZZZZZZ.99 | 4 |
| totvoa | Actual Vol \$: | | ZZZZZZZZ.99 | 4 |
| totvop | Planned Vol\$: | | ZZZZZZZZ.99 | 4 |
| totx1a | Actual X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx1p | Planned X1 \$: | | ZZZZZZZZ.99 | 4 |
| totx2a | Actual X2 \$: | | ZZZZZZZZ.99 | 4 |
| totx2p | Planned X2 \$: | | ZZZZZZZZ.99 | 4 |
| turnda | Actual Sale \$: | | ZZZZZZZZ.99 | 4 |
| turndp | Planned Sale \$: | | ZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | pangrp | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| | | adjcst | yes | no |
| | | budgtd | yes | no |
| secac | no | budgtd | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| | | pangrp | yes | no |
| secad | no | divino | yes | no |
| | | region | yes | no |
| | | pangrp | yes | no |
| | | budgtd | yes | no |
| secae | no | divino | yes | no |
| | | areaco | yes | no |
| | | pangrp | yes | no |

tpromopj Promotion Project Index File

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion No*: | | ZZZZZZZZ | |
| projno | Project No*: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | projno | yes | no |
| secaa | no | projno | yes | no |
| | | prcode | yes | no |

tpromopl Promotion Price Lists

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------------|-----|
| chrflid01 | Character Field 1 | | x(20) | |
| chrflid02 | Character Field 2 | | x(20) | |
| chrflid03 | Character Field 3 | | x(20) | |
| chrflid04 | Character Field 4 | | x(20) | |
| chrflid05 | Character Field 5 | | x(20) | |
| chrflid06 | Character Field 6 | | x(20) | |
| decfld01 | Decimal Field 1 | | zzz,zzz,zzz.9999- | 4 |
| decfld02 | Decimal Field 2 | | zzz,zzz,zzz.9999- | 4 |
| decfld03 | Decimal Field 3 | | zzz,zzz,zzz.9999- | 4 |
| decfld04 | Decimal Field 4 | | zzz,zzz,zzz.9999- | 4 |
| decfld05 | Decimal Field 5 | | zzz,zzz,zzz.9999- | 4 |
| decfld06 | Decimal Field 6 | | zzz,zzz,zzz.9999- | 4 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No | | zzzzzzzz | |
| fnyear | Year 1 | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| intfld01 | Integer Field 1 | | zzzzzzzz- | |
| intfld02 | Integer Field 2 | | zzzzzzzz- | |
| intfld03 | Integer Field 3 | | zzzzzzzz- | |
| intfld04 | Integer Field 4 | | zzzzzzzz- | |
| intfld05 | Integer Field 5 | | zzzzzzzz- | |
| intfld06 | Integer Field 6 | | zzzzzzzz- | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List ID | | x(10) | |
| listno | Price List No | | x(8) | |
| numyrs | No Years | | zz | |
| picgde | Price Group | | x(8) | |
| plendd | End Date | | 99/99/99 | |
| plstrd | Start Date | | 99/99/99 | |
| pltype | List Type | | x(8) | |
| prcode | Promotion Code | | zzzzzzzz | |
| prlrf1 | Price Ref 1 | | x(20) | |
| prlrf2 | Price Ref 2 | | x(20) | |
| prlrf3 | Price Ref 3 | | x(20) | |
| prlrf4 | Price Ref 4 | | x(20) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | pltype | yes | no |
| | | entrno | yes | no |
| secaa | no | pltype | yes | no |
| | | prlrf1 | yes | no |
| | | prlrf2 | yes | no |
| | | prlrf3 | yes | no |
| | | prlrf4 | yes | yes |
| secab | no | prcode | yes | no |
| | | pltype | yes | no |
| | | prlrf1 | yes | no |
| | | prlrf2 | yes | no |
| | | prlrf3 | yes | no |
| | | prlrf4 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secac | yes | plstrd | yes | no |
| | | prcode | yes | no |
| | | entrno | yes | no |
| secad | no | listid | yes | yes |

tpromopm Promotion Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| areaco | Area*: | | x(10) | |
| cangrp | Customer Grp*: | | x(10) | |
| cgzone | Zone*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lineno | Line Number: | | zzz | |
| mccust | Customer*: | | x(8) | |
| mpprod | Product*: | | x(16) | |
| pangrp | Product Grp*: | | x(10) | |
| pmtypc | Parameter Type: | | xx | |
| prcode | Promotion Code: | | zzzzzzzz | |
| wtrnid | Work ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| secaa | yes | lineno | yes | no |
| | | prcode | yes | no |
| | | pmtypc | yes | no |
| | | lineno | yes | no |

tpromopr Promotion Products

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------------|-----|
| abrted | Aborted ?: | | yes/no | |
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzz.9999- | 4 |
| adjqty02 | Adj Base Qty: | | zzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| areaco | Area: | | x(10) | |
| bonbrk | Bonus Breaks: | | yes/no | |
| buycde | Buying Code: | | x(8) | |
| costda | Actual Cost \$: | | zzzzzzzz.99 | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzz.99 | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzz.99 | 4 |
| costdp | Planned Cost \$: | | zzzzzzzz.99 | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzz.99 | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzz.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|-------------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| ppfd1a | OffInv Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd1p | OffInv Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd2a | DefCla Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd2p | DefCla Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd3a | COOPSM Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd3p | COOPSM Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd4a | CoopIL Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd4p | CoopIL Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd5a | Bonus Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd5p | Bonus Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd6a | Intl Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd6p | Intl Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd7a | Vol Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd7p | Vol Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd8a | Merch Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd8p | Merch Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfd9a | Coupon Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfd9p | Coupon Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfdaa | XX1 Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfdap | XX1 Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfdba | XX2 Act\$: | | ZZZZZZZZ.99 | 4 |
| ppfdbp | XX2 Plan\$: | | ZZZZZZZZ.99 | 4 |
| ppfm1a | OffInv ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm1p | OffInv PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm2a | DefCla ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm2p | DefCla PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm3a | CoopSM ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm3p | CoopSM PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm4a | CoopIL ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm4p | CoopIL PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm5a | Bonus ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm5p | Bonus PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm6a | Intl ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm6p | Intl PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm7a | Vol ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm7p | Vol PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm8a | Merch ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm8p | Merch PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm9a | Coupon ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfm9p | Coupon PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmaa | XX1 ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmap | XX1 PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmba | XX2 ActMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfmbp | XX2 PlanMup\$: | | ZZZZZZZZ.99 | 4 |
| ppfn1a | OffInv ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn1p | OffInv PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn2a | DefCla ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn2p | DefCla PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn3a | CoopSM ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn3p | CoopSM PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn4a | CoopIL ActNew\$: | | ZZZZZZZZ.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-------------|-----|
| ppfn4p | CoopIL PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn5a | Bonus ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn5p | Bonus PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn6a | Intl ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn6p | Intl PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn7a | Vol ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn7p | Vol PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn8a | Merch ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn8p | Merch PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn9a | Coupon ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfn9p | Coupon PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnaa | XX1 ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnap | XX1 PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnba | XX2 ActNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfnbp | XX2 PlanNew\$: | | ZZZZZZZZ.99 | 4 |
| ppfp1a | OffInv Act%: | | ZZZ.99 | 4 |
| ppfp1p | OffInv Plan%: | | ZZZ.99 | 4 |
| ppfp2a | DefCla Act%: | | ZZZ.99 | 4 |
| ppfp2p | DefCla Plan%: | | ZZZ.99 | 4 |
| ppfp3a | CoopSM Act%: | | ZZZ.99 | 4 |
| ppfp3p | CoopSM Plan%: | | ZZZ.99 | 4 |
| ppfp4a | CoopIL Act%: | | ZZZ.99 | 4 |
| ppfp4p | CoopIL Plan%: | | ZZZ.99 | 4 |
| ppfp5a | Bonus Act%: | | ZZZ.99 | 4 |
| ppfp5p | Bonus Plan%: | | ZZZ.99 | 4 |
| ppfp6a | Intl Act%: | | ZZZ.99 | 4 |
| ppfp6p | Intl Plan%: | | ZZZ.99 | 4 |
| ppfp7a | Vol Act%: | | ZZZ.99 | 4 |
| ppfp7p | Vol Plan%: | | ZZZ.99 | 4 |
| ppfp8a | Merch Act%: | | ZZZ.99 | 4 |
| ppfp8p | Merch Plan%: | | ZZZ.99 | 4 |
| ppfp9a | Coupon Act%: | | ZZZ.99 | 4 |
| ppfp9p | Coupon Plan%: | | ZZZ.99 | 4 |
| ppfpaa | XX1 Act%: | | ZZZ.99 | 4 |
| ppfpap | XX1 Plan%: | | ZZZ.99 | 4 |
| ppfpba | XX2 Act%: | | ZZZ.99 | 4 |
| ppfpbp | XX2 Plan%: | | ZZZ.99 | 4 |
| ppfu1a | OffInv ActMup%: | | ZZZ.99 | 4 |
| ppfu1p | OffInv PlanMup%: | | ZZZ.99 | 4 |
| ppfu2a | DefCla ActMup%: | | ZZZ.99 | 4 |
| ppfu2p | DefCla PlanMup%: | | ZZZ.99 | 4 |
| ppfu3a | CoopSM ActMup%: | | ZZZ.99 | 4 |
| ppfu3p | CoopSM PlanMup%: | | ZZZ.99 | 4 |
| ppfu4a | CoopIL ActMup%: | | ZZZ.99 | 4 |
| ppfu4p | CoopIL PlanMup%: | | ZZZ.99 | 4 |
| ppfu5a | Bonus ActMup%: | | ZZZ.99 | 4 |
| ppfu5p | Bonus PlanMup%: | | ZZZ.99 | 4 |
| ppfu6a | Intl ActMup%: | | ZZZ.99 | 4 |
| ppfu6p | Intl PlanMup%: | | ZZZ.99 | 4 |
| ppfu7a | Vol ActMup%: | | ZZZ.99 | 4 |
| ppfu7p | Vol PlanMup%: | | ZZZ.99 | 4 |
| ppfu8a | Merch ActMup%: | | ZZZ.99 | 4 |
| ppfu8p | Merch PlanMup%: | | ZZZ.99 | 4 |
| ppfu9a | Coupon ActMup%: | | ZZZ.99 | 4 |
| ppfu9p | Coupon PlanMup%: | | ZZZ.99 | 4 |
| ppfuaa | XX1 ActMup%: | | ZZZ.99 | 4 |
| ppfuap | XX1 PlanMup%: | | ZZZ.99 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|---------------|-----|
| ppfuba | XX2 ActMup%: | | zzz.99 | 4 |
| ppfubp | XX2 PlanMup%: | | zzz.99 | 4 |
| prcode | Promotion Code: | | zzzzzzzz | |
| qtyuna | Actual Qty: | | zzzzzzz.9999 | 4 |
| qtyuna02 | Act Each Qty: | | zzzzzzz.9999- | 4 |
| qtyunp | Planned Qty: | | zzzzzzz.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | zzzzzzz.9999- | 4 |
| redemp | Redemption %: | | zz | |
| region | Region: | | x(10) | |
| retlpr | Consumer Price: | | zzzzzzzz.99 | 4 |
| spenda | Actual Spend: | | zzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzz.99 | 4 |
| statno | Status Number*: | | 99 | |
| totboa | Actual B/Stock: | | zzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzz.99 | 4 |
| totcia | Actual COOP/IL: | | zzzzzzzz.99 | 4 |
| totcip | Planned COOP/IL: | | zzzzzzzz.99 | 4 |
| totcsa | Actual COOP/SM: | | zzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzz.99 | 4 |
| totcua | Actual Coupon: | | zzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzz.99 | 4 |
| totdca | Actual Δ/C: | | zzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzz.99 | 4 |
| totina | Actual I/Sales: | | zzzzzzzz.99 | 4 |
| totinp | Planned I/Sales: | | zzzzzzzz.99 | 4 |
| totmea | Actual Gift \$: | | zzzzzzzz.99 | 4 |
| totmep | Planned Gift \$: | | zzzzzzzz.99 | 4 |
| totoia | Actual O/I: | | zzzzzzzz.99 | 4 |
| totoip | Planned O/I: | | zzzzzzzz.99 | 4 |
| totvoa | Actual Vol \$: | | zzzzzzzz.99 | 4 |
| totvop | Planned Vol\$: | | zzzzzzzz.99 | 4 |
| totx1a | Actual X1 \$: | | zzzzzzzz.99 | 4 |
| totx1p | Planned X1 \$: | | zzzzzzzz.99 | 4 |
| totx2a | Actual X2 \$: | | zzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzz.99 | 4 |
| turnda | Actual Sale \$: | | zzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzz.99 | 4 |
| uniper | Units Per: | | zzz | |
| unitom | Buying UOM: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mpprod | yes | no |
| secaa | yes | mpprod | yes | no |
| | | prcode | yes | no |
| secab | no | divino | yes | no |
| | | region | yes | no |
| | | mpprod | yes | no |
| | | statno | yes | no |
| secac | no | divino | yes | no |
| | | areaco | yes | no |
| | | mpprod | yes | no |
| | | statno | yes | no |
| secad | no | prcode | yes | no |
| | | pangrp | yes | no |

tpromosf Promotion Split References

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| areaco | Area*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| msuser01 | Owner*: | | x(8) | |
| prcode | Promotion Code: | | zzzzzzzz | |
| region | Region*: | | x(10) | |
| udc001 | Analysis Code 1: | | x(10) | |
| udc002 | Analysis Code 2: | | x(10) | |
| udc003 | Analysis Code 3: | | x(10) | |
| udc004 | Analysis Code 4: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | divino | yes | no |

tpromosp Promotion Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| adjcst | Adjust Cost: | | zzzzzzzz.99- | 4 |
| adjcst02 | Adjust Cost 2: | | zzzzzzzz.99- | 4 |
| adjcst03 | Adjust Cost 3: | | zzzzzzzz.99- | 4 |
| adjqty | Adjust Qty: | | zzzzzzzz.9999- | 4 |
| adjqty02 | Adj Base Qty: | | zzzzzzzz.9999- | 4 |
| adjspd | Adjust Spend: | | zzzzzzzz.99- | 4 |
| adjstd | Adjust \$: | | zzzzzzzz.99- | 4 |
| budcde | Budget: | Budget | x(8) | |
| costda | Actual Cost \$: | | zzzzzzzz.99- | 4 |
| costda02 | Actual Cost 2: | | zzzzzzzz.99- | 4 |
| costda03 | Actual Cost 3: | | zzzzzzzz.99- | 4 |
| costdp | Planned Cost \$: | | zzzzzzzz.99- | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzz.99- | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzz.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| qtyuna | Actual Qty: | | zzzzzz.9999 | 4 |
| qtyuna02 | Act Each Qty: | | zzzzzz.9999- | 4 |
| qtyunp | Planned Qty: | | zzzzzz.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | zzzzzz.9999- | 4 |
| spenda | Actual Spend: | | zzzzzzzz.99 | 4 |
| spendp | Planned Spend: | | zzzzzzzz.99 | 4 |
| turnda | Actual Sale \$: | | zzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzz.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| main | yes | prcode | yes | no |
| | | budcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| * secaa | no | budcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tpromotr Promotion Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|-------------|-----|
| budcde | Budget Entry: | Budget | x(8) | |
| cangrp | Group Code: | Group Code | x(10) | |
| dealct | Deal Category: | Category | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| effdat | GL Date | | 99/99/99 | |
| fnperd | Period | | 99 | |
| fnyear | Financial Year | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| prcode | Promotion Code: | Promo Code | zzzzzzzz | |
| proamt | Promotion Amount: | Promo Amt | zzzzzzzz.99 | 4 |
| salamt | Sale Amount: | Sale Amount | zzzzzzzz.99 | 4 |
| salqty | Sale Quantity: | Sale Qty | zzzzzz.9999 | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trline | Line No: | Line No | zzzzzzzz | |
| trndat | Transaction Date: | Tran Date | 99/99/99 | |
| trlnln | Transaction Line: | Tran Line | zzzzzzzz | |
| trnref | Transaction Ref: | Tran Ref | x(10) | |
| trntyp | Transaction Type: | Tran Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | dealct | yes | no |
| | | trline | yes | no |
| secaa | no | prcode | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| secab | no | prcode | yes | no |
| | | mpprod | yes | no |
| secac | no | prcode | yes | no |
| | | cangrp | yes | no |
| secad | no | mccust | yes | yes |
| | | prcode | yes | no |
| | | pangrp | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secae | no | mpprod | yes | yes |
| | | prcode | yes | no |
| | | pangrp | yes | no |
| | | cangrp | yes | yes |
| secaf | no | budcde | yes | no |
| | | prcode | yes | no |
| | | trndat | yes | no |

tpromoup Batch and Bulk Update Process Information

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|----------------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldval01 | Prior Field Value: | | x(20) | |
| fldval02 | New Field Value: | | x(20) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inbtch | In Batch ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prcode | Promotion Code*: | | zzzzzzzz | |
| qtyunp | Planned Qty: | | zzzzzzzz.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | zzzzzzzz.9999- | 4 |
| spendp | Planned Spend: | | zzzzzzzz.99 | 4 |
| totbop | Planned B/Stock: | | zzzzzzzz.99 | 4 |
| totcsp | Planned COOP/SM: | | zzzzzzzz.99 | 4 |
| totcup | Planned Coupon: | | zzzzzzzz.99 | 4 |
| totdcp | Planned Δ/C: | | zzzzzzzz.99 | 4 |
| totinp | Planned I/Sales: | | zzzzzzzz.99 | 4 |
| totmep | Planned Gift \$: | | zzzzzzzz.99 | 4 |
| totoip | Planned O/I: | | zzzzzzzz.99 | 4 |
| totvop | Planned Vol\$: | | zzzzzzzz.99 | 4 |
| totx1p | Planned X1 \$: | | zzzzzzzz.99 | 4 |
| totx2p | Planned X2 \$: | | zzzzzzzz.99 | 4 |
| updlne | Update Entry No: | | zzzzzzzz | |
| updsta | Update Status: | | xx | |
| updtyp | Update Type: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | updlne | yes | no |
| secaa | yes | prcode | yes | no |
| | | updtyp | yes | no |
| | | updlne | yes | no |

tpromovd Promotion Volume Discount Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|-----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fobdis | Break 1 Disc: | | zz.99 | 2 |
| fobdol | Break 1 Dollar: | | zzzzzz.99 | 2 |
| fobord | Break 1 Orders: | | zzzzzzzz | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|-----------|-----|
| fobqty | Break 1 Qty: | | ZZZZZZZZ | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lv1brk | New Break 1 | | ZZZZZZZZ | 2 |
| lv1brk02 | Old Break 1 | | ZZZZZZZZ | 2 |
| lv1dis | Break 1 Disc: | | zz.99 | 2 |
| lv1dol | Break 1 Dollar: | | ZZZZZZ.99 | 2 |
| lv1ord | Break 1 Orders: | | ZZZZZZZZ | |
| lv1qty | Break 1 Qty: | | ZZZZZZZZ | |
| lv2brk | New Break 2 | | ZZZZZZZZ | 2 |
| lv2brk02 | Old Break 2 | | ZZZZZZZZ | 2 |
| lv2dis | Break 2 Disc: | | zz.99 | 2 |
| lv2dol | Break 2 Dollar: | | ZZZZZZ.99 | 2 |
| lv2ord | Break 2 Orders: | | ZZZZZZZZ | |
| lv2qty | Break 2 Qty: | | ZZZZZZZZ | |
| lv3brk | New Break 3 | | ZZZZZZZZ | 2 |
| lv3brk02 | Old Break 3 | | ZZZZZZZZ | 2 |
| lv3dis | Break 3 Disc: | | zz.99 | 2 |
| lv3dol | Break 3 Dollar: | | ZZZZZZ.99 | 2 |
| lv3ord | Break 3 Orders: | | ZZZZZZZZ | |
| lv3qty | Break 3 Qty: | | ZZZZZZZZ | |
| lv4brk | New Break 4 | | ZZZZZZZZ | 2 |
| lv4brk02 | Old Break 4 | | ZZZZZZZZ | 2 |
| lv4dis | Break 4 Disc: | | zz.99 | 2 |
| lv4dol | Break 4 Dollar: | | ZZZZZZ.99 | 2 |
| lv4ord | Break 4 Orders: | | ZZZZZZZZ | |
| lv4qty | Break 4 Qty: | | ZZZZZZZZ | |
| lv5brk | New Break 5 | | ZZZZZZZZ | 2 |
| lv5brk02 | Old Break 5 | | ZZZZZZZZ | 2 |
| lv5dis | Break 5 Disc: | | zz.99 | 2 |
| lv5dol | Break 5 Dollar: | | ZZZZZZ.99 | 2 |
| lv5ord | Break 5 Orders: | | ZZZZZZZZ | |
| lv5qty | Break 5 Qty: | | ZZZZZZZZ | |
| lv6brk | New Break 6 | | ZZZZZZZZ | 2 |
| lv6brk02 | Old Break 6 | | ZZZZZZZZ | 2 |
| lv6dis | Break 6 Disc: | | zz.99 | 2 |
| lv6dol | Break 6 Dollar: | | ZZZZZZ.99 | 2 |
| lv6ord | Break 6 Orders: | | ZZZZZZZZ | |
| lv6qty | Break 6 Qty: | | ZZZZZZZZ | |
| lv7brk | New Break 7 | | ZZZZZZZZ | 2 |
| lv7brk02 | Old Break 7 | | ZZZZZZZZ | 2 |
| lv7dis | Break 7 Disc: | | zz.99 | 2 |
| lv7dol | Break 7 Dollar: | | ZZZZZZ.99 | 2 |
| lv7ord | Break 7 Orders: | | ZZZZZZZZ | |
| lv7qty | Break 7 Qty: | | ZZZZZZZZ | |
| lv8brk | New Break 8 | | ZZZZZZZZ | 2 |
| lv8brk02 | Old Break 8 | | ZZZZZZZZ | 2 |
| lv8dis | Break 8 Disc: | | zz.99 | 2 |
| lv8dol | Break 8 Dollar: | | ZZZZZZ.99 | 2 |
| lv8ord | Break 8 Orders: | | ZZZZZZZZ | |
| lv8qty | Break 8 Qty: | | ZZZZZZZZ | |
| lv9brk | New Break 9 | | ZZZZZZZZ | 2 |
| lv9brk02 | Old Break 9 | | ZZZZZZZZ | 2 |
| lv9dis | Break 9 Disc: | | zz.99 | 2 |
| lv9dol | Break 9 Dollar: | | ZZZZZZ.99 | 2 |
| lv9ord | Break 9 Orders: | | ZZZZZZZZ | |
| lv9qty | Break 9 Qty: | | ZZZZZZZZ | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|---------------|-----|
| mpprod | Product Code: | | x(16) | |
| orderp | Planned Orders: | | ZZZZZZZZ | |
| prcode | Promotion: | | ZZZZZZZZ | |
| qtyunp | Planned Qty: | | ZZZZZZZ.9999 | 4 |
| qtyunp02 | Plan Each Qty: | | ZZZZZZZ.9999- | 4 |
| spendp | Planned Spend: | | ZZZZZZZZZ.99 | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prcode | yes | no |
| | | mpprod | yes | no |

tprsbudh Promotion Sales Budget Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|-----------------|-----|
| actcst | Actual Cost: | | ZZZZZZZZZ.99- | 4 |
| actcst02 | Actual Cost 2: | | ZZZZZZZZZ.99- | 4 |
| actcst03 | Actual Cost 3: | | ZZZZZZZZZ.99- | 4 |
| actcst10 | N/P Cost: | | ZZZZZZZZZ.99- | 4 |
| actcst12 | N/P Cost 2: | | ZZZZZZZZZ.99- | 4 |
| actcst13 | N/P Cost 3: | | ZZZZZZZZZ.99- | 4 |
| actnpd | N/P Actual Amount: | | ZZZZZZZZZ.99 | 4 |
| actnpq | N/P Actual Qty: | | ZZZZZZZZZ.9999- | 4 |
| actnpq02 | N/P Act Ea Qty: | | ZZZZZZZ.9999- | 4 |
| actqty | Actual Qty: | | ZZZZZZZZZ.9999- | 4 |
| actqty02 | Act Each Qty: | | ZZZZZZZ.9999- | 4 |
| actsal | Actual T/O: | | ZZZZZZZ.99- | 2 |
| adjcst | Adjust Cost: | | ZZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZ.9999- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZZ.99- | 4 |
| algcd | Split Algorithm: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| areaco | Area: | Area | x(10) | |
| budcst | Budget Cost: | | ZZZZZZZZZ.99- | 4 |
| budcst02 | Budget Cost 2: | | ZZZZZZZZZ.99- | 4 |
| budcst03 | Budget Cost 3: | | ZZZZZZZZZ.99- | 4 |
| budnpd | N/P Budget Amount: | | ZZZZZZZZZ.99 | 4 |
| budnpq | N/P Budget Qty: | | ZZZZZZZZZ- | |
| budnpq02 | N/P Bud Ea Qty: | | ZZZZZZZ.9999- | 4 |
| budqty | Total Quantity: | | ZZZZZZZ.9999 | 4 |
| budqty02 | Bud Each Qty: | | ZZZZZZZ.9999- | 4 |
| budsal | Budget Sale \$: | | ZZZZZZZZZ.99- | 4 |
| budsta | Status: | | x | |
| cangrp | Cust Analysis Group: | Cust Anal Grp | x(10) | |
| cangrp01 | Header Group*: | | x(10) | |
| cgzone | Zone Code*: | | x(8) | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|----------------|-----|
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| custyp | Customer Type: | | x(5) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| enddte | End Date: | End Date | 99/99/99 | |
| enfnpd | End Period: | End Prd | 99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| gendat | Date Generated: | | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| msuser01 | Owner*: | | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| msuser46 | Generated By*: | | x(8) | |
| pangrp | Prod Analysis Group: | Prod Anal Grp | x(10) | |
| plancs | Planned Cost: | | zzzzzzzz.99- | 2 |
| plancs02 | Planned Cost2: | | zzzzzzzz.99- | 2 |
| plancs03 | Planned Cost3: | | zzzzzzzz.99- | 2 |
| plannq | Planned Qty: | | zzzzzzzz- | |
| plannq02 | Plan Each Qty: | | zzzzzzzz.9999- | 4 |
| planto | Planned T/O: | | zzzzzzzz.99- | 2 |
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |
| region | Region: | Region | x(10) | |
| stfnpd | Start Period: | Start Prd | 99 | |
| strtdt | Start Date: | Start Date | 99/99/99 | |
| totnpd | N/P Spreads: | | zzzzzzzz.99- | 2 |
| totnpq | N/P Qty Spread: | | zzzzzzzz.9999- | 2 |
| totqty | Entered Qty: | | zzzzzzzz.9999 | 4 |
| totqty02 | Total Each Qty: | | zzzzzzzz.9999- | 4 |
| totsal | Spreads T/O: | | zzzzzzzz.99- | 2 |
| turnix | Index: | | x(128) | |
| turnrf | T/Over Ref: | | zzzzzzzz | |
| udc001 | Analysis Code1: | | x(10) | |
| udc002 | Analysis Code2: | | x(10) | |
| udc003 | Analysis Code3: | | x(10) | |
| udc004 | Analysis Code4: | | x(10) | |
| udc007 | Analysis Code7: | | x(10) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-------------|----------|-----|
| udc008 | Analysis Code8: | | x(10) | |
| udc009 | Analysis Code9: | | x(10) | |
| unitom | UOM*: | | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | turnrf | yes | no |
| secaa | no | divino | yes | no |
| | | fnyear | yes | no |
| | | turnix | yes | no |

tprs buds Promotion Sales Budget Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|----------------|-----|
| actcst | Actual Cost: | | ZZZZZZZZ.99- | 4 |
| actcst02 | Actual Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst03 | Actual Cost 3: | | ZZZZZZZZ.99- | 4 |
| actcst10 | N/P Cost: | | ZZZZZZZZ.99- | 4 |
| actcst12 | N/P Cost 2: | | ZZZZZZZZ.99- | 4 |
| actcst13 | N/P Cost 3: | | ZZZZZZZZ.99- | 4 |
| actnpd | N/P Actual Amount: | | ZZZZZZZZ.99 | 4 |
| actnpq | N/P Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actnpq02 | N/P Act Ea Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty | Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| actqty02 | Act Each Qty: | | ZZZZZZZZ.9999- | 4 |
| actsal | Actual T/O: | | ZZZZZZZZ.99- | 2 |
| adjcst | Adjust Cost: | | ZZZZZZZZ.99- | 4 |
| adjcst02 | Adjust Cost 2: | | ZZZZZZZZ.99- | 4 |
| adjcst03 | Adjust Cost 3: | | ZZZZZZZZ.99- | 4 |
| adjqty | Adjust Qty: | | ZZZZZZZZ.9999- | 4 |
| adjqty02 | Adj Base Qty: | | ZZZZZZZZ.9999- | 4 |
| adjstd | Adjust \$: | | ZZZZZZZZ.99- | 4 |
| budcst | Budget Cost: | | ZZZZZZZZ.99- | 4 |
| budcst02 | Budget Cost 2: | | ZZZZZZZZ.99- | 4 |
| budcst03 | Budget Cost 3: | | ZZZZZZZZ.99- | 4 |
| budnpd | N/P Budget Amount: | | ZZZZZZZZ.99 | 4 |
| budnpq | N/P Budget Qty: | | ZZZZZZZZ- | |
| budnpq02 | N/P Bud Ea Qty: | | ZZZZZZZZ.9999- | 4 |
| budqty | Total Quantity: | | ZZZZZZZZ.9999 | 4 |
| budqty02 | Bud Each Qty: | | ZZZZZZZZ.9999- | 4 |
| budsal | Budget Sale \$: | | ZZZZZZZZ.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plancs | Planned Cost: | | ZZZZZZZZ.99- | 2 |
| plancs02 | Planned Cost2: | | ZZZZZZZZ.99- | 2 |
| plancs03 | Planned Cost3: | | ZZZZZZZZ.99- | 2 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|-----------|----------------|-----|
| plannq | Planned Qty: | | ZZZZZZZZ- | |
| plannq02 | Plan Each Qty: | | ZZZZZZZZ.9999- | 4 |
| planto | Planned T/O: | | ZZZZZZZZ.99- | 2 |
| turnrf | T/Over Ref: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | turnrf | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

trbbudgs Rebate Budget Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|--------------|---------------|-----|
| accamt | Total Accrued: | | ZZZZZZZZZ.99- | 4 |
| actual | Total Actual: | Total Actual | ZZZZZZZZZ.99 | 4 |
| budcde | Budget Entry: | Budget | x(8) | |
| budget | Total Budget: | Total Budget | ZZZZZZZZZ.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| plannp | Total Planned: | Total Plan | ZZZZZZZZZ.99 | 4 |
| rebtyp | Rebate Type: | Rebate Type | x(10) | |
| region | Region: | Region | x(10) | |
| trfamf | Transfer Amount: | Transfer Amt | ZZZZZZZZZ.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secac | no | divino | yes | no |
| | | region | yes | no |
| | | rebtyp | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

trbbudgt Rebate Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|---------------|---------------|-----|
| accamt | Total Accrued: | | zzzzzzzzz.99- | 4 |
| actual | Total Actual: | Total Actual | zzzzzzzzz.99 | 4 |
| algcd | Split Algorithm: | Algorithm | x(8) | |
| appdat | Approved Date: | Approve Date | 99/99/99 | |
| areaco | Area: | Area | x(10) | |
| budcde | Budget Entry: | Budget | x(8) | |
| buddsc | Description: | Description | x(35) | |
| budget | Total Budget: | Total Budget | zzzzzzzzz.99 | 4 |
| budsta | Status: | | x | |
| cangrp | Cust Analysis Group: | Cust Anal Grp | x(10) | |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| enddte | End Date: | End Date | 99/99/99 | |
| enfnpd | End Period: | End Prd | 99 | |
| entdat | Entry Date: | Entry Date | 99/99/99 | |
| fixflg | Fixed ?: | Fixed ? | yes/no | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| glacct | GL Account: | GL Account | x(16) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer: | Customer | x(8) | |
| mpprod | Product: | Product | x(16) | |
| msuser | Owner*: | | x(8) | |
| msuser41 | Entered By: | Entered By | x(8) | |
| msuser42 | Approved By: | Approved By | x(8) | |
| msuser43 | Update By: | Updated By | x(8) | |
| pangrp | Prod Analysis Group: | Prod Anal Grp | x(10) | |
| plannd | Total Planned: | Total Plan | zzzzzzzzz.99 | 4 |
| rebtyp | Rebate Type: | Rebate Type | x(10) | |
| region | Region: | Region | x(10) | |
| stfnpd | Start Period: | Start Prd | 99 | |
| strtdt | Start Date: | Start Date | 99/99/99 | |
| totspr | Total of Spreads: | Total Spreads | zzzzzzzzz.99 | 4 |
| trfamt | Transfer Amount: | Transfer Amt | zzzzzzzzz.99- | 4 |
| udc004 | Analysis Code 4: | | x(10) | |
| udc007 | Analysis Code7: | | x(10) | |
| udc008 | Analysis Code8: | | x(10) | |
| udc009 | Analysis Code9: | | x(10) | |
| upddat | Date Last Updated: | Last Update | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| secaa | no | divino | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |
| | | fnyear | yes | no |
| secab | no | divino | yes | no |
| | | region | yes | no |
| | | rebtyp | yes | no |
| | | fnyear | yes | no |
| secac | no | divino | yes | no |
| | | msuser | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secad | no | divino | yes | no |
| | | udc004 | yes | no |
| secae | no | divino | yes | no |
| | | udc007 | yes | no |
| secaf | no | divino | yes | no |
| | | udc008 | yes | no |
| secag | no | divino | yes | no |
| | | fnyear | yes | no |
| secah | no | divino | yes | no |
| | | udc009 | yes | no |

trebatbd Rebate Header Budget

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|----------------|-----|
| accumd | Accumulated ?: | | yes/no | |
| algotcd | Algorithm Code: | Code | x(8) | |
| baseda | Base Sales \$ | | zzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzz.99- | 2 |
| budcde | Budget: | Budget | x(8) | |
| budsta | Status: | | x | |
| cangrp | Broker | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| entamt | Entered Amount: | Entered Amt | zzzzzzzz.99 | 4 |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Product Group | | x(10) | |
| qtyuna | Actual Qty: | | zzzzzzzz.9999- | 2 |
| qtyunp | Planned Qty: | | zzzzzzzz- | 4 |
| qtyunp10 | Entered Qty: | | zzzzzzzz- | 2 |
| qtyunq | Plan Qty Base: | | zzzzzzzz- | 2 |
| qtyunq10 | Ent Qty Base: | | zzzzzzzz- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzz.99- | 2 |
| rebacd | Accrued Rebate | | zzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzz.99- | 2 |
| rebatp | Planned Rebate: | | zzzzzzzz.99 | 2 |
| rebatp10 | Entered Rebate: | | zzzzzzzz- | 2 |
| turnda | Actual Sales: | | zzzzzzzz.99- | 2 |
| turndp | Planned Sale \$: | | zzzzzzzz- | 4 |
| turndp10 | Entered Sales: | | zzzzzzzz- | 2 |
| turndq | Plan \$ T/O Base: | | zzzzzzzz- | 2 |
| turndq10 | Ent T/O Base: | | zzzzzzzz- | 2 |
| turndr | Rebate Sales: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | budcde | yes | no |
| secaa | no | divino | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|-------------------|------------|-------------------|------------|-------------|
| secac | no | fnyear | yes | no |
| secad | no | budcde | yes | no |
| | | rebatc | yes | no |
| | | cangrp | yes | no |
| | | pangrp | yes | no |
| secae | no | rebatc | yes | no |
| | | pangrp | yes | no |
| | | cangrp | yes | no |
| secaf | no | cangrp | yes | no |
| secag | no | pangrp | yes | no |

trebatc1 Rebate Customer Group History

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|-----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzzz.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| qtyuna | Actual Qty: | | zzzzzzzzz.9999- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzzz.99- | 2 |
| rebackd | Accrued Rebate | | zzzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzzz.99- | 2 |
| rebprd | Rebate Period: | | zzzzzz | |
| turnda | Actual Sales: | | zzzzzzzzz.99- | 2 |
| turndr | Rebate Sales: | | zzzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | rebprd | yes | no |
| | | cangrp | yes | no |
| secaa | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | rebprd | yes | no |

trebatc2 Rebate Customer History

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|-----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzzz.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| qtyuna | Actual Qty: | | zzzzzzzzz.9999- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzzz.99- | 2 |
| rebackd | Accrued Rebate | | zzzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzzz.99- | 2 |
| rebprd | Rebate Period: | | zzzzzz | |
| turnda | Actual Sales: | | zzzzzzzzz.99- | 2 |
| turndr | Rebate Sales: | | zzzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | rebprd | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secaa | no | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | rebprd | yes | no |

trebatcg Rebate Customer Group

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzz.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| qtyuna | Actual Qty: | | zzzzzzzz.9999- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzz.99- | 2 |
| rebacd | Accrued Rebate | | zzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzz.99- | 2 |
| turnda | Actual Sales: | | zzzzzzzz.99- | 2 |
| turndr | Rebate Sales: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| secaa | yes | divino | yes | no |
| | | cangrp | yes | no |
| | | fnyear | yes | no |
| secab | no | rebatc | yes | no |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |

trebatci Rebate Customer Inclusions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| cangrp | Cust Group*: | | x(10) | |
| cangrp01 | Broker*: | | x(10) | |
| cprfv1 | Profile Value 1: | | x(16) | |
| cprfv2 | Profile Value 2: | | x(16) | |
| cprfv3 | Profile Value 3: | | x(16) | |
| cprfv4 | Profile Value 4: | | x(16) | |
| cprfv5 | Profile Value 5: | | x(16) | |
| cprfv6 | Profile Value 6: | | x(16) | |
| cprfv7 | Profile Value 7: | | x(16) | |
| cprfv8 | Profile Value 8: | | x(16) | |
| cprfv9 | Profile Value 9: | | x(16) | |
| cuschg | Changed ?: | | Yes/No | |
| custyp | Customer Type: | | x(5) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code*: | | x(8) | |
| rbcmds | Description: | | x(40) | |
| rebatc | Rebate Code: | | x(10) | |
| rebcil | Inclusion ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | rebcil | yes | no |

trebatcp Rebate Customer Product Actuals

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzz.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| qtyuna | Actual Qty: | | zzzzzzzz.9999- | 4 |
| qtyunr | Rebate Qty: | | zzzzzzzz.99- | 2 |
| rebackd | Accrued Rebate | | zzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzz.99- | 2 |
| turnda | Actual Sales: | | zzzzzzzz.99 | 4 |
| turndr | Rebate Sales: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | pangrp | yes | no |
| secaa | no | divino | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | fnyear | yes | no |
| | | mpprod | yes | no |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secac | no | rebatc | yes | no |
| | | fnyear | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |

trebatcu Rebate Customer Actuals

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|-----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzzz.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| qtyuna | Actual Qty: | | zzzzzzzzz.9999- | 4 |
| qtyunr | Rebate Qty: | | zzzzzzzzz.99- | 2 |
| rebacd | Accrued Rebate | | zzzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzzz.99- | 2 |
| turnda | Actual Sales: | | zzzzzzzzz.99 | 4 |
| turndr | Rebate Sales: | | zzzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|--------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | secaa | no | divino |
| cangrp | yes | no | | |
| mccust | yes | no | | |
| fnyear | yes | no | | |
| rebatc | yes | no | | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secac | no | divino | yes | no |
| | | fnyear | yes | no |
| | | mccust | yes | no |
| | | cangrp | yes | no |

trebatdo Rebate Document

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|--------------|-----|
| addrco | Address Code: | Addr Code | x(8) | |
| btchid | Batch ID: | Batch ID | x(8) | |
| btchty | Batch Type: | Batch Type | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| docamt | Amount: | | zzzzzzzz.99- | 2 |
| effdat | Effective Date | | 99/99/99 | |
| fnperd | Period: | | 99 | |
| fnyear | Financial Year: | | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| taxamt | Tax Amount: | Tax Amount | zzzzzzzz.99- | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trndat | Transaction Date: | Tran Date | 99/99/99 | |
| trnlne | Transaction Line: | Tran Line | zzzzzzzz | |
| trntyp | Transaction Type: | Tran Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trntyp | yes | no |
| | | trnlne | yes | no |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | no |
| secab | no | btchty | yes | no |
| | | btchid | yes | no |
| secac | no | fnyear | yes | no |
| | | fnperd | yes | no |
| secad | no | trndat | yes | no |
| | | addrco | yes | no |
| | | tdocrf | yes | yes |

trebatgl Rebate GL Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|-------------|-------------|-----|
| crdamt | Credit Amount: | Credit Amt | zzzzzzzz.99 | 4 |
| cstctr | Cost Centre: | Cost Centre | x(8) | |
| debamt | Debit Amount: | Debit Amt | zzzzzzzz.99 | 4 |
| delflg | Deleted ?: | | yes/no | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|----------|-----|
| glacct | Expense A/c: | Expense A/c | x(16) | |
| gltyp | GL Tran Type: | | xxx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trnlne | Transaction Line: | Tran Line | zzzzzzzz | |
| trnref | Transaction Ref: | Tran Ref | x(10) | |
| trntyp | Transaction Type: | Tran Type | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | trntyp | yes | no |
| | | trnlne | yes | no |
| | | cstctr | yes | no |
| | | glacct | yes | no |

trebathd

Rebate Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|------------|---------------|-----|
| action | Next Action*: | | x(10) | |
| actual | Actual Rebate: | | zzzzzzzz.99 | 4 |
| areaco | Home Area*: | | x(10) | |
| brkbas | Break Base*: | | xx | |
| brklvl[10] | Break Qty | | zzzzzzzz.9999 | 4 |
| brkpam[10] | Break %: | | zz.9999 | 4 |
| brkval[10] | Break Values | | zzzzzzzz.99 | 2 |
| budgetd | Budgeted ?: | | yes/no | |
| cangrp | Target Customer Group: | Group Code | x(10) | |
| celecd | Element Code* | | x(8) | |
| cgzone | Zone Code*: | | x(8) | |
| contno | Contract No*: | | zzzzzzzz | |
| cuschg | Cust Changes ?: | | Yes/No | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| listid | Price List*: | | x(10) | |
| mccust | Pay To Customer: | | x(8) | |
| msuser | Owner*: | | x(8) | |
| msuser01 | Responsibility*: | | x(8) | |
| nxcinl | Next Customer Incl ID: | | zzzzzzzz | |
| nxrexl | Next Product Excl ID: | | zzzzzzzz | |
| nxrinl | Next Product Incl ID: | | zzzzzzzz | |
| nxtrid | Next Transaction: | | zzzzzzzz | |
| paymhd | Payment Method*: | | x(5) | |
| paytrm | Calc Period*: | | xxx | |
| paytrm01 | Payment Period*: | | xxx | |
| prclvn | Cust Level*: | | zz | |
| prdchg | Prod Changes ?: | | Yes/No | |
| prexls | Product Exclusions?: | | yes/no | |
| prinls | Product Inclusions?: | | yes/no | |
| projno | Project No*: | | zzzzzzzz | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|-----------|----------|-----|
| prplvn | Product Level*: | | zz | |
| rbactd | Action Date: | | 99/99/99 | |
| rbalp | All Products ?: | | Yes/No | |
| rbasco | Calc Base*: | | xxx | |
| rcalco | Calc Method* | | xxx | |
| rcalun | Calc Unit* | | xxx | |
| rebacc | Last Accrual Date: | | 99/99/99 | |
| rebani | Anniversary Date: | | 99/99/99 | |
| rebatc | Rebate Code: | | x(10) | |
| rebbre | Calc Break Rule: | | xx | |
| rebchd | Last Change Date: | | 99/99/99 | |
| rebcht | Last Change Time: | | zzzzzzzz | |
| rebds1 | Description: | | x(40) | |
| rebds2 | Description: | | x(40) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebinr | Combine Rule 1*: | | xxx | |
| rebinr01 | Combine Rule 2*: | | xxx | |
| rebppi | Calc Interval: | | zzz | |
| rebppi01 | Payment Interval: | | zzz | |
| rebpra | Calc Rule: | | xx | |
| rebrev | Review Date: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |
| rebtyp | Rebate Type: | | x(10) | |
| region | Region*: | | x(10) | |
| rscopc | Calc Scope*: | | xxx | |
| rstatn | Status*: | | zz | |
| rtaxco | Tax Rule*: | | xxx | |
| udc004 | Analysis Code 4*: | | x(10) | |
| udc005 | Analysis Code 5*: | | x(10) | |
| udc006 | Analysis Code 6*: | | x(10) | |
| updsta | Update Status: | | xx | |
| updtyp | Update Type: | | xxx | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| secaa | no | divino | yes | no |
| | | region | yes | no |
| secab | no | rstatn | yes | no |
| | | divino | yes | no |
| | | region | yes | no |
| secac | no | divino | yes | no |
| | | mccust | yes | no |
| | | rstatn | yes | no |
| secad | no | divino | yes | no |
| | | areaco | yes | no |
| secae | no | rstatn | yes | no |
| | | divino | yes | no |
| | | areaco | yes | no |
| secaf | no | msuser | yes | no |
| | | divino | yes | no |
| | | rstatn | yes | no |
| secag | no | msuser01 | yes | no |
| | | divino | yes | no |
| | | rstatn | yes | no |
| secah | no | divino | yes | no |
| | | udc004 | yes | yes |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secai | no | divino | yes | no |
| | | udc005 | yes | yes |
| secaj | no | divino | yes | no |
| | | udc006 | yes | yes |
| secak | no | divino | yes | no |
| | | region | yes | no |
| | | rebtyp | yes | yes |
| secal | no | divino | yes | no |
| | | areaco | yes | no |
| | | rebtyp | yes | yes |
| secam | no | contno | yes | no |
| secan | no | divino | yes | no |
| | | cgzone | yes | no |
| secao | no | divino | yes | no |
| | | rebrev | yes | no |

trebati1

Rebate Included Product Group

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Group Code: | Group Code | x(10) | |
| rebatc | Rebate Code: | | x(10) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| secaa | no | pangrp | yes | no |
| | | divino | yes | no |
| | | pangrp | yes | no |
| | | rebsta | yes | no |
| | | rebfin | yes | no |

trebati2

Rebate Included Product

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Product Group: | Prod Group | x(10) | |
| rebatc | Rebate Code: | | x(10) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | mpprod | yes | no |
| secaa | no | divino | yes | no |
| | | mpprod | yes | no |
| | | rebsta | yes | no |
| | | rebfin | yes | no |
| secab | yes | rebatc | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | yes |

trebati3

Rebate Included Broker

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rebatc | Rebate Code: | | x(10) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | cangrp | yes | no |
| secaa | no | divino | yes | no |
| | | cangrp | yes | no |
| | | rebsta | yes | no |
| | | rebfin | yes | no |

trebati4

Rebate Included Customer

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| rebatc | Rebate Code: | | x(10) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| secaa | no | divino | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | rebsta | yes | no |
| | | rebfm | yes | no |
| secab | no | rebatc | yes | no |
| | | mccust | yes | no |

trebatln Rebate Transaction Link

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| rebatc | Rebate Code: | | x(10) | |
| saldat | Sale Date: | Sale Date | 99/99/99 | |
| sotrid | Transaction ID: | | zzzzzzzz | |
| trline | Rebate Line | | zzzzzzzz | |
| trline02 | Accrual Line | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | sotrid | yes | no |
| secaa | yes | rebatc | yes | no |
| | | saldat | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | sotrid | yes | no |
| secab | no | rebatc | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | saldat | yes | no |
| secac | no | rebatc | yes | no |
| | | mpprod | yes | no |
| | | saldat | yes | no |
| secad | no | rebatc | yes | no |
| | | trline | yes | no |
| secae | no | rebatc | yes | no |
| | | trline02 | yes | no |

trebatp1

Rebate Product Group History

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| baseda | Base Sales \$ | | ZZZZZZZZ.99- | 2 |
| basedr | Base Reb Sales \$ | | ZZZZZZZZ.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Group Code: | Group Code | x(10) | |
| qtyuna | Actual Qty: | | ZZZZZZZZ.9999- | 2 |
| qtyunr | Rebate Qty: | | ZZZZZZZZ.99- | 2 |
| reback | Accrued Rebate | | ZZZZZZZZ.99- | 2 |
| rebata | Rebate | | ZZZZZZZZ.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | ZZZZZZZZ.99- | 2 |
| rebprd | Rebate Period: | | ZZZZZ | |
| turnda | Actual Sales: | | ZZZZZZZZ.99- | 2 |
| turndr | Rebate Sales: | | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | rebprd | yes | no |
| | | pangrp | yes | no |
| secaa | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| | | rebprd | yes | no |

trebatp2

Rebate Product History

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| baseda | Base Sales \$ | | ZZZZZZZZ.99- | 2 |
| basedr | Base Reb Sales \$ | | ZZZZZZZZ.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| qtyuna | Actual Qty: | | ZZZZZZZZ.9999- | 2 |
| qtyunr | Rebate Qty: | | ZZZZZZZZ.99- | 2 |
| reback | Accrued Rebate | | ZZZZZZZZ.99- | 2 |
| rebata | Rebate | | ZZZZZZZZ.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | ZZZZZZZZ.99- | 2 |
| rebprd | Rebate Period: | | ZZZZZ | |
| turnda | Actual Sales: | | ZZZZZZZZ.99- | 2 |
| turndr | Rebate Sales: | | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | rebprd | yes | no |
| | | mpprod | yes | no |
| secaa | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | mpprod | yes | no |
| | | rebprd | yes | no |

trebatpd Rebate Periods

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| accdte | Accrual Date: | | 99/99/99 | |
| baseda | Base Sales \$ | | zzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzz.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prdsta | Status: | | x | |
| qtyuna | Actual Qty: | | zzzzzzzz.9999- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzz.99- | 2 |
| rbstdt | Period Start | | 99/99/99 | |
| rebacc | Accrued Rebate | | zzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzz.99- | 2 |
| rebdtc | Rebate Date: | | 99/99/99 | |
| rebprd | Rebate Period: | | zzzzz | |
| rpendt | Period End | | 99/99/99 | |
| turnda | Actual Sales: | | zzzzzzzz.99- | 2 |
| turndr | Rebate Sales: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | rebprd | yes | no |
| secaa | no | rbstdt | yes | no |
| | | rpendt | yes | no |
| | | prdsta | yes | no |
| secab | no | rebatc | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | prdsta | yes | no |

trebatpe Rebate Product Exclusions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Product Group: | Prod Group | x(10) | |
| rebatc | Rebate Code: | | x(10) | |
| rebfin | Rebate Finish: | | 99/99/99 | |
| rebsta | Rebate Start: | | 99/99/99 | |
| rstatn | Status: | | zz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | mpprod | yes | yes |
| secaa | no | divino | yes | no |
| | | mpprod | yes | no |
| | | rebsta | yes | no |
| | | rebfin | yes | no |

trebatpg Rebate Product Group Actuals

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| baseda | Base Sales \$ | | zzzzzzzz.99- | 2 |
| basedr | Base Reb Sales \$ | | zzzzzzzz.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Group Code: | Group Code | x(10) | |
| qtyuna | Actual Qty: | | zzzzzzzz.9999- | 2 |
| qtyunr | Rebate Qty: | | zzzzzzzz.99- | 2 |
| rebacd | Accrued Rebate | | zzzzzzzz.99- | 2 |
| rebata | Rebate | | zzzzzzzz.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | zzzzzzzz.99- | 2 |
| turnda | Actual Sales: | | zzzzzzzz.99- | 2 |
| turndr | Rebate Sales: | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| secaa | no | divino | yes | no |
| | | pangrp | yes | no |
| | | fnyear | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secab | no | rebatc | yes | yes |
| | | divino | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | yes |

trebatpi

Rebate Product Inclusion Template

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------|---------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product*: | | x(16) | |
| pangrp | Product Group: | Product Group | x(10) | |
| pprfv1 | Profile Value 1: | | x(16) | |
| pprfv2 | Profile Value 2: | | x(16) | |
| pprfv3 | Profile Value 3: | | x(16) | |
| pprfv4 | Profile Value 4: | | x(16) | |
| pprfv5 | Profile Value 5: | | x(16) | |
| pprfv6 | Profile Value 6: | | x(16) | |
| pprfv7 | Profile Value 7: | | x(16) | |
| pprfv8 | Profile Value 8: | | x(16) | |
| pprfv9 | Profile Value 9: | | x(16) | |
| prdchg | Changed ?: | | Yes/No | |
| rbpids | Description: | | x(40) | |
| rebatc | Rebate Code: | | x(10) | |
| rebpi | Inclusion Line ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | rebpi | yes | no |

trebatpj

Rebate Project Index File

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| projno | Project No*: | | zzzzzzzz | |
| rebatc | Rebate Code*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | projno | yes | no |
| secaa | no | projno | yes | no |
| | | rebatc | yes | no |

trebatpr Rebate Product Actuals

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| baseda | Base Sales \$ | | ZZZZZZZZ.99- | 2 |
| basedr | Base Reb Sales \$ | | ZZZZZZZZ.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Group Code: | Group Code | x(10) | |
| qtyuna | Actual Qty: | | ZZZZZZZZ.9999- | 4 |
| qtyunr | Rebate Qty: | | ZZZZZZZZ.99- | 2 |
| rebacd | Accrued Rebate | | ZZZZZZZZ.99- | 2 |
| rebata | Rebate | | ZZZZZZZZ.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | ZZZZZZZZ.99- | 2 |
| turnda | Actual Sales: | | ZZZZZZZZ.99 | 4 |
| turndr | Rebate Sales: | | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | no |
| secaa | no | divino | yes | no |
| | | mpprod | yes | no |
| | | fnyear | yes | no |
| | | rebatc | yes | yes |
| secab | no | divino | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | yes |

trebatpr Rebate Header Budget Splits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| baseda | Base Sales \$ | | ZZZZZZZZ.99- | 2 |
| basedr | Base Reb Sales \$ | | ZZZZZZZZ.99- | 2 |
| budcde | Budget: | Budget | x(8) | |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| qtyuna | Actual Qty: | | ZZZZZZZZ.9999- | 2 |
| qtyunp | Planned Qty: | | ZZZZZZZZ- | 4 |
| qtyunp10 | Entered Qty: | | ZZZZZZZZ- | 2 |
| qtyunq | Plan Qty Base: | | ZZZZZZZZ- | 2 |
| qtyunq10 | Ent Qty Base: | | ZZZZZZZZ- | 2 |
| qtyunr | Rebate Qty: | | ZZZZZZZZ.99- | 2 |
| rebacd | Accrued Rebate | | ZZZZZZZZ.99- | 2 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| rebata | Rebate | | ZZZZZZZZ.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebatd | Due Rebate | | ZZZZZZZZ.99- | 2 |
| rebatp | Planned Rebate: | | ZZZZZZZZ- | 2 |
| rebatp10 | Entered Rebate: | | ZZZZZZZZ- | 2 |
| turnda | Actual Sales: | | ZZZZZZZZ.99- | 2 |
| turndp | Planned Sale \$: | | ZZZZZZZZ- | 4 |
| turndp10 | Entered Sales: | | ZZZZZZZZ- | 2 |
| turndq | Plan \$ T/O Base: | | ZZZZZZZZ- | 2 |
| turndq10 | Ent T/O Base: | | ZZZZZZZZ- | 2 |
| turndr | Rebate Sales: | | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | fnyear | yes | no |
| | | budcde | yes | no |
| | | fnperd | yes | no |
| secaa | no | budcde | yes | no |
| | | fnperd | yes | no |

trebatr

Rebate Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|---------------|----------------|-----|
| baseda | Base Sales \$ | | ZZZZZZZZ.99- | 2 |
| basedr | Base Reb Sales \$ | | ZZZZZZZZ.99- | 2 |
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| fnperd | Period: | Period | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| pangrp | Product Group: | Product Group | x(10) | |
| qtyuna | Actual Qty: | | ZZZZZZZZ.9999- | 2 |
| qtyunr | Rebate Qty: | | ZZZZZZZZ.99- | 2 |
| rebacd | Accrued Rebate | | ZZZZZZZZ.99- | 2 |
| rebata | Rebate | | ZZZZZZZZ.99- | 2 |
| rebatc | Rebate Code: | | x(10) | |
| rebprd | Rebate Period: | | ZZZZ | |
| rebtyp | Rebate Type: | | x(10) | |
| taxamt | Tax Amount: | Tax Amount | ZZZZZZZZ.99- | 4 |
| tdocrf | Document Ref: | Doc Ref | x(10) | |
| tdocty | Document Type: | Doc Type | xxx | |
| trline | Line No: | | ZZZZZZZZ | |
| trndat | Transaction Date: | Tran Date | 99/99/99 | |
| trnlne | Transaction Line: | Tran Line | ZZZZZZZZ | |
| trntyp | Transaction Type: | Tran Type | xxx | |
| turnda | Actual Sales: | | ZZZZZZZZ.99- | 4 |
| turndr | Rebate Sales: | | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rebatc | yes | no |
| | | trline | yes | no |
| secaa | no | tdocty | yes | no |
| | | tdocrf | yes | no |
| secab | no | trntyp | yes | no |
| | | trlnln | yes | no |
| secac | no | rebatc | yes | no |
| | | fnyear | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | yes |
| secad | no | rebatc | yes | no |
| | | fnyear | yes | no |
| | | pangrp | yes | no |
| | | mpprod | yes | yes |
| secae | no | rebatc | yes | no |
| | | rebprd | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

tsaldetl Sales Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|--------------|-----|
| cangrp | Broker*: | | x(10) | |
| cstamt | Cost Amount: | Cost Amount | zzzzzzzz.99- | 4 |
| cstamt02 | Cost Amount 2: | | zzzzzzzz.99- | 2 |
| cstamt03 | Cost Amount 3: | | zzzzzzzz.99- | 2 |
| delflg | Deleted ?: | | yes/no | |
| disamt[10] | Discount: | | zzzzzz.99- | 4 |
| divino | Division*: | | x(8) | |
| effdat | GL Effective Date | GL Date | 99/99/99 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer*: | | x(8) | |
| mpprod | Product*: | | x(16) | |
| npsamt | N/P Sales \$: | | zzzzzzzz.99- | 4 |
| npsqty | N/P Sales Qty: | | zzzzzz.9999- | 4 |
| sabsta01 | Bucket Stat 1: | | x | |
| sabsta02 | Bucket Stat 2: | | x | |
| sabsta03 | Bucket Stat 3: | | x | |
| salamt | Sale Amount: | Sale Amount | zzzzzzzz.99 | 4 |
| saldat | Sale Date: | Sale Date | 99/99/99 | |
| salqty | Sale Quantity: | Sale Qty | zzzzzzzz.99 | 4 |
| unitom | UOM*: | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | saldat | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|-------------------|------------|-------------------|------------|-------------|
| secaa | no | divino | yes | no |
| | | mccust | yes | no |
| | | saldat | yes | no |
| secab | no | divino | yes | no |
| | | mpprod | yes | no |
| | | saldat | yes | no |
| secac | no | divino | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | saldat | yes | no |
| secad | no | divino | yes | no |
| | | saldat | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |

tsalebhd Sales Bucket Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lupdte | Last Update: | | 99/99/99 | |
| prgnmen5 | Dates Extract: | | x(8) | |
| sabcde | Bucket Code*: | | xx | |
| sabnum | Bucket No: | | 9 | |
| sabsta | Update Status: | | x | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | sabnum | yes | no |

tsaletrn Sales Transaction

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| divino | Division* | | x(8) | |
| effdat | GL Date | | 99/99/99 | |
| fnperd | Period | | 99 | |
| fnyear | Financial Year | | 9999 | |
| fobamt | FOB Amount | | zzzzzzzz.99- | 2 |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| invnbr | Invoice No: | | x(8) | |
| mccust | Customer Code: | | x(8) | |
| mccust01 | Claiming Customer | | x(8) | |
| mccust11 | Bill To Customer | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| npdisc | N/P Discount | | zzzzzzzz.99- | 2 |
| othamt | Other Sale Amt | | zzzzzzzz.99- | 2 |
| prcode | Promotion No | | zzzzzzzz | |
| prcssd | Processed ? | | Yes/No | |
| prdisc | Promo Discount | | zzzzzzzz.99- | 4 |
| prlamt | P/List Amount | | zzzzzzzz.99- | 2 |
| salamt | Sales Value: | | zzzzzzzz.99- | 4 |
| saldat | Sale Date: | Sale Date | 99/99/99 | |
| salemn | Salesman | | x(8) | |
| salqty | Quantity: | | zzzzzzzz.9999- | 4 |
| salrf1 | Reference 1 | | x(20) | |
| salrf2 | Reference 2 | | x(20) | |
| salrf3 | Reference 3 | | x(20) | |
| salrf4 | Reference 4 | | x(20) | |
| salrf5 | Reference 5 | | x(20) | |
| salrf6 | Reference 6 | | x(20) | |
| soodr | Sales Order No | | x(10) | |
| sotrid | Transaction ID: | | zzzzzzzz | |
| taxamt | Tax Amount | | zzzzzzzz.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | sotrid | yes | no |
| secaa | no | prcssd | yes | no |
| secab | no | invnbr | yes | yes |

tsalsumm Sales Summary

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-------------|---------------|-----|
| cangrp | Group Code: | Group Code | x(10) | |
| cstamt | Cost Amount: | Cost Amount | zzzzzzzzz.99- | 4 |
| delflg | Deleted ?: | | yes/no | |
| divino | Division*: | | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| mccust | Customer Code: | | x(8) | |
| mpprod | Product Code: | | x(16) | |
| npsamt | N/P Sales \$: | | zzzzzzzzz.99- | 4 |
| npsqty | N/P Sales Qty: | | zzzzzzz.9999- | 4 |
| sabnum | Bucket No: | | 9 | |
| salamt | Sale Amount: | Sale Amount | zzzzzzzzz.99- | 4 |
| salqty | Sale Quantity: | Sale Qty | zzzzzzzzz.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | sabnum | yes | no |
| | | divino | yes | no |
| | | cangrp | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| secaa | yes | sabnum | yes | no |
| | | divino | yes | no |
| | | mccust | yes | no |
| | | mpprod | yes | no |
| | | cangrp | yes | no |
| secab | yes | sabnum | yes | no |
| | | divino | yes | no |
| | | mpprod | yes | no |
| | | mccust | yes | no |
| | | cangrp | yes | no |

ttranex2 Transaction Extension 2

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------|-----------|--------|-----|
| chrfl01 | Character 1 | | x(60) | |
| chrfl02 | Character 2 | | x(60) | |
| chrfl03 | Character 3 | | x(60) | |
| chrfl04 | Character 4 | | x(60) | |
| chrfl05 | Character 5 | | x(60) | |
| chrfl06 | Character 6 | | x(60) | |
| chrfl07 | Character 7 | | x(60) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------------|-----|
| chrflid08 | Character 8 | | x(60) | |
| chrflid09 | Character 9 | | x(60) | |
| decfld01 | Decimal 1 | | zzzzzzzzz.99999- | 5 |
| decfld02 | Decimal 2 | | zzzzzzzzz.99999- | 5 |
| decfld03 | Decimal 3 | | zzzzzzzzz.99999- | 5 |
| decfld04 | Decimal 4 | | zzzzzzzzz.99999- | 5 |
| decfld05 | Decimal 5 | | zzzzzzzzz.99999- | 5 |
| decfld06 | Decimal 6 | | zzzzzzzzz.99999- | 5 |
| decfld07 | Decimal 7 | | zzzzzzzzz.99999- | 5 |
| decfld08 | Deciaml 8 | | zzzzzzzzz.99999- | 5 |
| decfld09 | Decimal 9 | | zzzzzzzzz.99999- | 5 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No: | | zzzzzzzzz | |
| extnno | Extension No. | | zzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tranty | Transaction Type | | zzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | tranty | yes | no |
| | | entrno | yes | no |
| | | extnno | yes | no |

ttranext Transaction Extension

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------------|-----|
| chrflid01 | Character 1 | | x(60) | |
| chrflid02 | Character 2 | | x(60) | |
| chrflid03 | Character 3 | | x(60) | |
| decfld01 | Decimal 1 | | zzzzzzzzz.99999- | 5 |
| decfld02 | Decimal 2 | | zzzzzzzzz.99999- | 5 |
| decfld03 | Decimal 3 | | zzzzzzzzz.99999- | 5 |
| delflg | Deleted ?: | | yes/no | |
| entrno | Entry No: | | zzzzzzzzz | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tranty | Transaction Type | | zzz | |
| trncd1 | Code 1 | | x(20) | |
| trncd2 | Code 2 | | x(20) | |
| trncd3 | Code 3 | | x(20) | |
| trncd4 | Code 4 | | x(20) | |
| trncd5 | Code 5 | | x(20) | |
| trncd6 | Code 6 | | x(20) | |
| trnrf1 | Reference 1 | | x(20) | |
| trnrf2 | Reference 2 | | x(20) | |
| trnrf3 | Reference 3 | | x(20) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | tranty | yes | no |
| | | trncd1 | yes | no |
| | | trncd2 | yes | no |
| | | trncd3 | yes | no |
| | | trncd4 | yes | no |
| | | trncd5 | yes | no |
| | | trncd6 | yes | no |
| secaa | yes | tranty | yes | no |
| | | entrno | yes | no |
| secba | no | tranty | yes | no |
| | | trncd2 | yes | yes |
| secbb | no | tranty | yes | no |
| | | trncd3 | yes | yes |
| secca | no | tranty | yes | no |
| | | trnrf1 | yes | yes |
| seccb | no | tranty | yes | no |
| | | trnrf2 | yes | yes |

wheaders Work File Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| inusef | In Use ?: | | yes/no | |
| vwdat1 | | | 99/99/99 | |
| vwdat2 | | | 99/99/99 | |
| vwdat3 | | | 99/99/99 | |
| vwdat4 | | | 99/99/99 | |
| vwdat5 | | | 99/99/99 | |
| vwdat6 | | | 99/99/99 | |
| vwdat7 | | | 99/99/99 | |
| vwdat8 | | | 99/99/99 | |
| vwdec1 | | | ZZZZZZZ.9999 | 4 |
| vwdec2 | | | ZZZZZZZ.9999 | 4 |
| vwdec3 | | | ZZZZZZZ.9999 | 4 |
| vwdec4 | | | ZZZZZZZ.9999 | 4 |
| vwdec5 | | | ZZZZZZZ.9999 | 4 |
| vwdec6 | | | ZZZZZZZ.9999 | 4 |
| vwdec7 | | | ZZZZZZZ.9999 | 4 |
| vwdec8 | | | ZZZZZZZ.9999 | 4 |
| vwint1 | | | ZZZZZZZ | |
| vwint2 | | | ZZZZZZZ | |
| vwint3 | | | ZZZZZZZ | |
| vwint4 | | | ZZZZZZZ | |
| vwint5 | | | ZZZZZZZ | |
| vwint6 | | | ZZZZZZZ | |
| vwint7 | | | ZZZZZZZ | |
| vwint8 | | | ZZZZZZZ | |
| vwtxt1 | | | x(30) | |
| vwtxt2 | | | x(30) | |
| vwtxt3 | | | x(30) | |
| vwtxt4 | | | x(30) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------|-----------|----------|-----|
| vwtxt5 | | | x(30) | |
| vwtxt6 | | | x(30) | |
| vwtxt7 | | | x(30) | |
| vwtxt8 | | | x(30) | |
| wkref1 | Ref 1: | | x(20) | |
| wkref2 | Ref 2: | | x(20) | |
| wkref3 | Ref 3: | | x(20) | |
| wkref4 | Ref 4: | | x(20) | |
| workid | Work ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | workid | yes | no |
| secaa | no | wkref1 | yes | no |
| secab | no | wkref2 | yes | no |
| | | wkref1 | yes | no |

wlangdsc Language Descriptions Workfile

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------|-----|
| chgflg | Changed ?: | | yes/no | |
| delflg | Deleted ?: | | yes/no | |
| fileno | File No: | File No | 999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| ldsc1 | Base Code 1 | | x(20) | |
| ldsc2 | Base Code 2 | | x(20) | |
| ldsc3 | Base Code 3 | | x(20) | |
| ldsc4 | Base Code 4 | | x(20) | |
| ldscds | Language Desc 1 | | x(60) | |
| ldscds02 | Language Desc 2 | | x(60) | |
| ldscds03 | Language Desc 3 | | x(60) | |
| ldscds04 | Language Desc 4 | | x(60) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | fileno | yes | no |
| | | langcd | yes | no |
| | | ldsc1 | yes | no |
| | | ldsc2 | yes | no |
| | | ldsc3 | yes | no |
| | | ldsc4 | yes | no |
| secaa | yes | langcd | yes | no |
| | | fileno | yes | no |
| | | ldsc1 | yes | no |
| | | ldsc2 | yes | no |
| | | ldsc3 | yes | no |
| | | ldsc4 | yes | no |

wpromobd Promotion Header Budget Work File

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------------|-----|
| budcde | Budget Code: | | x(8) | |
| buywht[7] | Buying Weight: | | zzz | |
| cangrp | Customer Group: | | x(10) | |
| costdp | Planned Cost \$: | | zzzzzzzzz.99- | 4 |
| costdp02 | Planned Cost 2: | | zzzzzzzzz.99 | 4 |
| costdp03 | Planned Cost 3: | | zzzzzzzzz.99 | 4 |
| dealct | Deal Category: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| fnperd | Period: | | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pangrp | Product Group: | | x(8) | |
| prwkid | Work ID: | | zzzzzzzz | |
| qtyunp | Planned Qty: | | zzzzzzzz.9999- | 4 |
| spendp | Planned Spend: | | zzzzzzzzz.99 | 4 |
| turndp | Planned Sale \$: | | zzzzzzzzz.99- | 4 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prwkid | yes | no |
| | | dealct | yes | no |
| | | pangrp | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secaa | no | prwkid | yes | no |
| | | pangrp | yes | no |
| | | dealct | yes | no |
| | | fnyear | yes | no |

wpromosp Promotion Budget Weightings

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|------------|-----|
| buywht | Buying Weight: | | zzzzzzzzzz | |
| dealct | Deal Category: | | x(10) | |
| delflg | Deleted ?: | | yes/no | |
| endday | End Days: | | zzz | |
| fnperd | Period: | | 99 | |
| fnyear | Financial Year: | Fin Year | 9999 | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| prwkid | Work ID: | | zzzzzzzzz | |
| strday | Start Days: | | zzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | prwkid | yes | no |
| | | dealct | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

wrptjobs

Report Jobs

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| duedte | Date to Run: | | 99/99/99 | |
| duetme | Time to Run: | | ZZZZZZZZ | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| langcd | Language | | xxxx | |
| msuser | Staff Member: | | x(8) | |
| nopges | No of Pages: | | ZZZZ | |
| prgnme1a | Ext Program: | | x(8) | |
| prgnme1b | Seq Program: | | x(8) | |
| prgnme1c | Format Program: | | x(8) | |
| prtdev | Print Device: | | x(8) | |
| prtfd | File Directory: | | x(40) | |
| prtolf | Output File: | | x(20) | |
| rptfmt | Format: | Format | xx | |
| rptseq | Sequence: | | xx | |
| rptti1 | First Title: | | x(200) | |
| rptti2 | Second Title: | | x(200) | |
| rptti3 | Third Title: | | x(200) | |
| rptti4 | Fourth Title: | | x(200) | |
| rpttle | Report Title: | | x(50) | |
| rpttyp | Report Type: | | x(8) | |
| rptwdt | Report Width: | | ZZZ | |
| rptwid | Report ID: | | ZZZZZZZZ | |
| rundte | Date When Run: | | 99/99/99 | |
| runsta | Run Status: | | x | |
| runtme | Time When Run: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| secaa | no | runsta | yes | no |
| | | duedte | yes | no |
| | | duetme | yes | no |

wrptjpms

Report Job Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Field Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pmedat | End Date: | End Date | 99/99/99 | |
| pmeint | End Integer: | End Int | ZZZZZZZZ | |
| pmetxt | End Text: | | x(30) | |
| pmsdat | Start Date: | Start Date | 99/99/99 | |
| pmsint | Start Integer: | Start Int | ZZZZZZZZ | |
| pmslog | Logical: | Logical | yes/no | |
| pmstxt | Start Text: | | x(30) | |
| rptwid | Report ID: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| | | fldnme | yes | no |

wrptlnes Report Screen Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lineno | Line Number: | | zzz | |
| pageno | Page Number: | | zzzz | |
| rptlne | Report Line: | | x(200) | |
| rptwid | Report ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| | | pageno | yes | no |
| | | lineno | yes | no |

wrptrecs Report Job Data

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| rptdat[20] | Date Fields | | 99/99/99 | |
| rptdec[20] | Decimal Fields | | zzzzzzz.9999 | 4 |
| rptint[20] | Int Fields | | zzzzzzzz | |
| rptky1 | Key 1 | | x(20) | |
| rptky2 | Key 2 | | x(20) | |
| rptky3 | Key 3 | | x(20) | |
| rptky4 | Key 4 | | x(20) | |
| rptky5 | Key 5 | | x(20) | |
| rptky6 | Key 6 | | x(20) | |
| rptky7 | Key 7 | | x(20) | |
| rptky8 | Key 8 | | x(20) | |
| rptky9 | Ley 9 | | x(20) | |
| rptlog[10] | Logicals | | yes/no | |
| rptrid[10] | Record IDs | | zzzzzzzz | |
| rptxt[20] | Text Fields | | x(20) | |
| rptwid | Report ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rptwid | yes | no |
| | | rptky1 | yes | no |
| | | rptky2 | yes | no |
| | | rptky3 | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | rptky4 | yes | no |
| | | rptky5 | yes | no |
| | | rptky6 | yes | no |
| | | rptky7 | yes | no |
| | | rptky8 | yes | no |
| | | rptky9 | yes | no |

wtrnhead Transaction File Work Header Record

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inbtch | In Batch ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| inusef | In Use ?: | | yes/no | |
| wkref1 | Ref 1: | | x(20) | |
| wkref2 | Ref 2: | | x(20) | |
| wkref3 | Ref3: | | x(20) | |
| wtdate | Creation Date: | | 99/99/99 | |
| wtrnid | Work ID: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | wtrnid | yes | no |
| secaa | yes | inusef | yes | no |
| | | wtrnid | yes | no |
| secab | no | wtdate | yes | no |

wtrnrecs Transaction File Work Detail Record

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| tagfld | Tagged: | | x | |
| tagfld02 | Tagged: | | x | |
| wtdesc | Description: | | x(30) | |
| wtkey1 | Key 1: | | x(20) | |
| wtkey2 | Key 2: | | x(20) | |
| wtkey3 | Key 3: | | x(20) | |
| wtref1 | Ref 1: | | x(20) | |
| wtref2 | Ref 2: | | x(20) | |
| wtref3 | Ref 3: | | x(20) | |
| wtref4 | Ref 4: | | x(20) | |
| wtrnid | Work ID: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | wtrnid | yes | no |
| | | wtkey1 | yes | no |
| | | wtkey2 | yes | no |
| | | wtkey3 | yes | no |
| secaa | yes | wtrnid | yes | no |
| | | tagfld | yes | no |
| | | wtkey1 | yes | no |
| | | wtkey2 | yes | no |
| | | wtkey3 | yes | no |
| secab | no | wtrnid | yes | no |
| | | wtref1 | yes | no |
| secac | no | wtrnid | yes | no |
| | | wtref2 | yes | no |
| secad | no | wtrnid | yes | no |
| | | wtref3 | yes | no |
| secae | no | wtrnid | yes | no |
| | | wtref4 | yes | no |
| secaf | no | wtrnid | yes | no |
| | | wtdesc | yes | no |

wtvwhead View Work Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------------|-------------|---------------|-----|
| delflg | Deleted ?: | | yes/no | |
| dfmcde | Default Desc Format: | Desc Format | xx | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| lfmcde | Default Line Format: | | xx | |
| norecs | No Records: | | zzzzzzzz | |
| prgnme71 | Fast Select Program: | | x(8) | |
| prgnme72 | Filter Program: | | x(8) | |
| prgnme73 | Sequence Program: | | x(8) | |
| prgnme74 | Line Format Program: | | x(8) | |
| prgnme75 | Desc Format Program: | | x(8) | |
| prgnme76 | Scroller Program: | | x(8) | |
| reclim | Record Limit: | | zzzzzzzz | |
| seqcde | Default Sequence: | | xx | |
| vwdat1 | | | 99/99/99 | |
| vwdat2 | | | 99/99/99 | |
| vwdat3 | | | 99/99/99 | |
| vwdat4 | | | 99/99/99 | |
| vwdat5 | | | 99/99/99 | |
| vwdat6 | | | 99/99/99 | |
| vwdat7 | | | 99/99/99 | |
| vwdat8 | | | 99/99/99 | |
| vwdec1 | | | zzzzzzzz.9999 | 4 |
| vwdec2 | | | zzzzzzzz.9999 | 4 |
| vwdec3 | | | zzzzzzzz.9999 | 4 |
| vwdec4 | | | zzzzzzzz.9999 | 4 |
| vwdec5 | | | zzzzzzzz.9999 | 4 |
| vwdec6 | | | zzzzzzzz.9999 | 4 |
| vwdec7 | | | zzzzzzzz.9999 | 4 |
| vwdec8 | | | zzzzzzzz.9999 | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------|-----------|----------|-----|
| vwint1 | | | ZZZZZZZZ | |
| vwint2 | | | ZZZZZZZZ | |
| vwint3 | | | ZZZZZZZZ | |
| vwint4 | | | ZZZZZZZZ | |
| vwint5 | | | ZZZZZZZZ | |
| vwint6 | | | ZZZZZZZZ | |
| vwint7 | | | ZZZZZZZZ | |
| vwint8 | | | ZZZZZZZZ | |
| vwtxt1 | | | x(30) | |
| vwtxt2 | | | x(30) | |
| vwtxt3 | | | x(30) | |
| vwtxt4 | | | x(30) | |
| vwtxt5 | | | x(30) | |
| vwtxt6 | | | x(30) | |
| vwtxt7 | | | x(30) | |
| vwtxt8 | | | x(30) | |
| vwwkid | View ID: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwwkid | yes | no |

wtvwparm View Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------------------|---------------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| fldnme | Field Name: | Name | x(8) | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| pmedat | End Date Parameter: | End Date | 99/99/99 | |
| pmeint | End Integer Parameter: | End Int | ZZZZZZZZ | |
| pmetxt | End Text Parameter: | End Text | x(30) | |
| pmsdat | Start Date Parameter: | Date Param | 99/99/99 | |
| pmsint | Start Integer Parameter: | Integer Param | ZZZZZZZZ | |
| pmslog | Start Logical Parameter: | Log Param | yes/no | |
| pmstxt | Start Text Parameter: | Text Param | x(30) | |
| vwwkid | View ID: | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwwkid | yes | no |
| | | fldnme | yes | no |

wtvwrecs View Records

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|----------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| vrecid | Record ID | | ZZZZZZZ9 | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------|-----------|----------|-----|
| vwkey1 | Key1 | | x(20) | |
| vwkey2 | Key2 | | x(20) | |
| vwkey3 | Key 3 | | x(20) | |
| vwkey4 | Key 4 | | x(20) | |
| vwkey5 | Key 5 | | x(20) | |
| vwkey6 | Key 6 | | x(20) | |
| vwkid | View ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | vwkid | yes | no |
| | | vwkey1 | yes | no |
| | | vwkey2 | yes | no |
| | | vwkey3 | yes | no |
| | | vwkey4 | yes | no |
| | | vwkey5 | yes | no |
| | | vwkey6 | yes | no |
| | | vrecid | yes | no |

wtvwsumm Summary View Records

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|---------------|-----|
| delflg | Deleted ?: | | yes/no | |
| inaddm | In Add Mode ?: | | yes/no | |
| inupdm | In Update Mode ?: | | yes/no | |
| vwdec1 | | | zzzzzzzz.9999 | 2 |
| vwdec2 | | | zzzzzzzz.9999 | 2 |
| vwdec3 | | | zzzzzzzz.9999 | 2 |
| vwdec4 | | | zzzzzzzz.99 | 2 |
| vwdec5 | | | zzzzzzzz.9999 | 2 |
| vwdec6 | | | zzzzzzzz.9999 | 2 |
| vwdec7 | | | zzzzzzzz.9999 | 2 |
| vwdec8 | | | zzzzzzzz.99 | 2 |
| vwdec9 | | | zzzzzzzz.99 | 2 |
| vwint1 | | | zzzzzzzz | |
| vwint2 | | | zzzzzzzz | |
| vwint3 | | | zzzzzzzz | |
| vwint4 | | | zzzzzzzz | |
| vwint5 | | | zzzzzzzz | |
| vwint6 | | | zzzzzzzz | |
| vwint7 | | | zzzzzzzz | |
| vwint8 | | | zzzzzzzz | |
| vwkey1 | Key1 | | x(20) | |
| vwkey2 | Key2 | | x(20) | |
| vwkey3 | Key 3 | | x(20) | |
| vwkey4 | Key 4 | | x(20) | |
| vwkey5 | Key 5 | | x(20) | |
| vwkey6 | Key 6 | | x(20) | |
| vwkid | View ID: | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|-------------------|------------|-------------------|------------|-------------|
| * main | yes | vwkid | yes | no |
| | | vwkey1 | yes | no |
| | | vwkey2 | yes | no |
| | | vwkey3 | yes | no |
| | | vwkey4 | yes | no |
| | | vwkey5 | yes | no |
| | | vwkey6 | yes | no |

The background of the page is a grayscale image of several interlocking gears. The gears are of different sizes and are arranged in a way that they appear to be meshing together. The lighting is soft, creating a sense of depth and texture. The gears are the primary visual element, symbolizing machinery, industry, or a complex system.

Section 3

Deductions Database Definitions

This section contains an alphabetical listing of database table definitions for the tables in the deductions database used in Trade Mangement (TrM).

ccreclbl Record Type Configuration Table

| Field Name | Label | Col-Label | Format | Dec |
|-------------|-------------------|-----------|--------|-----|
| delflg | Deleted ? | | yes/no | |
| gcdtyp30[4] | General Code Type | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| reclbl[15] | Label | | x(15) | |
| rectyd | Description | | x(30) | |
| rectyp | Record Type | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rectyp | yes | no |
| secfa | no | rectyd | yes | no |

cdedactn Deduction Action Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| dactid | Description | | x(30) | |
| dactio | Action Code | | x(8) | |
| delflg | Deleted ? | | yes/no | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dactio | yes | yes |
| secfa | no | dactid | yes | yes |

cdedreas Deduction Reason Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|---------------|-----|
| alloba | Allocation Base | | x | |
| budgets | Budgets ? | | Y/N | |
| chrfl01 | Spare Char 1 | | x(20) | |
| chrfl02 | Spare Char 2 | | x(20) | |
| chrfl03 | Spare Char 3 | | x(20) | |
| chrfl04 | Spare Char 4 | | x(20) | |
| cstctr | Holding C/c | | x(8) | |
| cstctr02 | Expense C/c | | x(8) | |
| dealct | Deal Category | | x(10) | |
| decfld01 | Spare Dec 1 | | zzzzzzz.9999- | 4 |
| decfld02 | Spare Dec 2 | | zzzzzzz.9999- | 4 |
| decfld03 | Spare Dec 3 | | zzzzzzz.9999- | 4 |
| decfld04 | Spare Dec 4 | | zzzzzzz.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| dreadc | Description | | x(30) | |
| dreaco | Reason Code | | x(8) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| glacct | Holding A/c | | x(16) | |
| glacct02 | Expense A/c | | x(16) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dreaco | yes | yes |
| secaa | no | dealct | yes | yes |
| secfa | no | dreacd | yes | yes |

cdedstat Deduction Status Codes

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| dedsta | Status No | | 99 | |
| dedstc | Status Code | | x(8) | |
| dedstd | Description | | x(26) | |
| delflg | Deleted ? | | yes/no | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dedsta | yes | no |
| secaa | no | dedstc | yes | yes |

cdedwolh Deduction Write Off Limits Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| drewoc | W/O Code | | x(8) | |
| drewod | Description | | x(30) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | drewoc | yes | yes |
| secaa | yes | divino | yes | no |
| | | drewoc | yes | yes |
| secaf | no | drewod | yes | yes |

cdedwolm Deduction Write Off Limits Staff

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| chkfst | Check First? | | Yes/No | |
| delflg | Deleted ? | | yes/no | |
| dreaco | Reason Code | | x(8) | |
| drewoc | W/O Code | | x(8) | |
| dwoamt | W/O Limit | | zzzzzzzz.99- | 2 |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | drewoc | yes | no |
| | | dreaco | yes | yes |
| secaa | no | dreaco | yes | yes |

cdedwous Deduction Write Off Limits

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| delflg | Deleted ? | | yes/no | |
| drewoc | W/O Code | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| msuser | Staff Member | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | drewoc | yes | no |
| | | msuser | yes | yes |
| secaa | yes | msuser | yes | no |
| | | drewoc | yes | yes |

mcrectyp Customer Record Type

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------|-----|
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| gcdcde30 | Code 1 | | x(8) | |
| gcdcde31 | Code 2 | | x(8) | |
| gcdcde32 | Code 3 | | x(8) | |
| gcdcde33 | Code 4 | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| mccust | Customer | | x(8) | |
| mccust30 | Customer 1 | | x(8) | |
| mccust31 | Customer 2 | | x(8) | |
| msuser30 | Actioned By | | x(8) | |
| nxactc | Next Action | | x(8) | |
| nxactd | Action Date | | 99/99/99 | |
| recdat01 | Date 1 | | 99/99/99 | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|--------------|-----------|----------|-----|
| recdat02 | Date 2 | | 99/99/99 | |
| rectid | Unique Code | | x(8) | |
| rectxt01 | Text Field 1 | | x(50) | |
| rectxt02 | Text Field 2 | | x(50) | |
| rectxt03 | Text Field 3 | | x(50) | |
| rectxt04 | Text Field 4 | | x(15) | |
| rectyp | Record Type | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | mccust | yes | no |
| | | rectyp | yes | no |
| | | rectid | yes | no |
| secaa | no | msuser30 | yes | no |
| | | divino | yes | no |
| | | nxactc | yes | no |

mddedparm Deduction Budget Parameters

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------------|-----|
| alrule01 | Budget Mthd 1* | | x(3) | |
| alrule02 | Budget Mthd 2* | | x(3) | |
| alrule03 | Budget Mthd 3* | | x(3) | |
| alrule04 | Budget Mthd 4* | | x(3) | |
| budrlc01 | Budget Field 1 | | 99 | |
| budrlc02 | Budget Field 2 | | 99 | |
| budrlc03 | Budget Field 3 | | 99 | |
| budrlc04 | Budget Field 4 | | 99 | |
| budrlc05 | Budget Field 5 | | 99 | |
| budrlc06 | Budget Field 6 | | 99 | |
| budrlc07 | Budget Field 7 | | 99 | |
| budrlc08 | Budget Field 8 | | 99 | |
| budrlc09 | Budget Field 9 | | 99 | |
| budrlc10 | Budget Field 10 | | 99 | |
| budrlc11 | Budget Field 11 | | 99 | |
| budrlc12 | Budget Field 12 | | 99 | |
| chrflid01 | Spare Char 1 | | x(20) | |
| chrflid02 | Spare Char 2 | | x(20) | |
| chrflid03 | Spare Char 3 | | x(20) | |
| chrflid04 | Spare Char 4 | | x(20) | |
| cstctr | Cost Centre | | x(8) | |
| decfld01 | Spare Dec 1 | | ZZZZZZZZ.9999- | 4 |
| decfld02 | Spare Dec 2 | | ZZZZZZZZ.9999- | 4 |
| decfld03 | Spare Dec 3 | | ZZZZZZZZ.9999- | 4 |
| decfld04 | Spare Dec 4 | | ZZZZZZZZ.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| fnyear | Year | | 9999 | |
| glacct | GL Account | | x(16) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | divino | yes | no |
| | | fnyear | yes | no |

payc_mstr Payment Center Master

| Field Name | Label | Col-Label | Format | Dec |
|-------------|----------------|-----------|----------------|-----|
| payc_addr | Payment Center | | x(8) | |
| payc_bill | Bill-To | | x(8) | |
| payc_expire | Stop Date | | 99/99/99 | |
| payc_start | Start Date | | 99/99/99 | |
| payc__chr01 | | | x(8) | |
| payc__chr02 | | | x(8) | |
| payc__chr03 | | | x(8) | |
| payc__chr04 | | | x(8) | |
| payc__chr05 | | | x(8) | |
| payc__dec01 | | | >>>,>>>,>>9.99 | 10 |
| payc__dec02 | | | >>>,>>>,>>9.99 | 10 |
| payc__dte01 | | | 99/99/99 | |
| payc__dte02 | | | 99/99/99 | |
| payc__log01 | | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| payc_bill | no | payc_bill | yes | no |
| * payc_key | yes | payc_addr | yes | no |
| | | payc_bill | yes | no |

pyck_mstr Payment Center Check Master

| Field Name | Label | Col-Label | Format | Dec |
|-------------------|------------------|-----------|------------------|-----|
| pyck_acct | Account | | x(8) | |
| pyck_addr | Payment Customer | | x(8) | |
| pyck_addr_type | Address Type | | x | |
| pyck_amt | Amount | | ->>>>,>>>,>>9.99 | 10 |
| pyck_applied | Applied Amt | | ->>>>,>>>,>>9.99 | 10 |
| pyck_bank | Bank | | x(2) | |
| pyck_base_amt | Base Amt | | ->>>>,>>>,>>9.99 | 10 |
| pyck_base_applied | Base Applied Amt | | ->>>>,>>>,>>9.99 | 10 |
| pyck_batch | Batch | | x(8) | |
| pyck_cc | Cost Ctr | CC | x(4) | |
| pyck_check | Check | | x(8) | |
| pyck_cmtindx | Comment Index | Comment | >>>>>>9 | |
| pyck_comm_pct[4] | Commission | Comm% | >>9.99% | 2 |
| pyck_cr_terms | Cr Terms | | x(8) | |
| pyck_curr | Currency | Cur | x(3) | |
| pyck_date | Date | | 99/99/99 | |
| pyck_disc_acct | Disc Acct | Dsc Acct | x(8) | |
| pyck_disc_cc | Disc Cost Ctr | CC | x(4) | |
| pyck_disc_chg | Disc to Take | | ->>>>,>>>,>>9.99 | 10 |

| Field Name | Label | Col-Label | Format | Dec |
|-------------------|--------------------|-------------------|---------------------------|-----|
| pyck_disc_date | Disc Date | | 99/99/99 | |
| pyck_disc_sub | Disc Sub-account | Disc Sub A/c | x(8) | |
| pyck_dy_code | Daybook | | x(8) | |
| pyck_effdate | Effective | | 99/99/99 | |
| pyck_entity | Entity | Enty | x(4) | |
| pyck_ent_ex | Exch Rate | | >>, >>9.99999<<<<<< | 10 |
| pyck_exru_seq | Sequence | Sequence | >>>>>>>9 | |
| pyck_ex_rate | Exch Rate | | >>, >>9.99999<<<<<< | 10 |
| pyck_ex_rate2 | Exch Rate 2 | | >>>, >>>, >>9.9<<<<<<<<<< | 10 |
| pyck_ex_ratetype | Rate Type | Rate Type | x(8) | |
| pyck_nbr | Check Number | | x(18) | |
| pyck_open | Open | | yes/no | |
| pyck_paid_date | Paid Date | Paid | 99/99/99 | |
| pyck_po | Remark | | x(22) | |
| pyck_print | Printed | | yes/no | |
| pyck_slspsn[4] | Salesperson | Slspsn | x(8) | |
| pyck_sub | Sub-account | Sub A/c | x(8) | |
| pyck_tax_date | Tax Date | | 99/99/99 | |
| pyck_tax_env | Tax Environment | Tax Env | x(16) | |
| pyck_type | Type | | x | |
| pyck_user1 | Ufld1 | | x(8) | |
| pyck_user2 | Ufld2 | | x(8) | |
| pyck_var_acct | Gain/Loss Acct | | x(8) | |
| pyck_var_cc | Gain/Loss Cost Ctr | CC | x(4) | |
| pyck_var_sub | Gain/Loss Sub A/c | Gain/Loss Sub A/c | x(8) | |
| pyck_xcomm_pct[2] | Commission | Comm % | >>9.99% | 2 |
| pyck_xslspsn1 | Slspsn[1] | | x(8) | |
| pyck_xslspsn2 | Slspsn[2] | | x(8) | |
| pyck__chr01 | | | x(8) | |
| pyck__chr02 | | | x(8) | |
| pyck__chr03 | | | x(8) | |
| pyck__chr04 | | | x(8) | |
| pyck__chr05 | | | x(8) | |
| pyck__dec01 | | | >>>, >>>, >>9.99 | 10 |
| pyck__dec02 | | | >>>, >>>, >>9.99 | 10 |
| pyck__dte01 | | | 99/99/99 | |
| pyck__dte02 | | | 99/99/99 | |
| pyck__log01 | | | yes/no | |
| pyck__qad01 | | | x(8) | |
| pyck__qad02 | | | x(8) | |
| pyck__qad03 | | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| pyck_addr | no | pyck_addr | yes | no |
| | | pyck_date | yes | no |
| pyck_batch | no | pyck_batch | yes | no |
| pyck_date | no | pyck_date | yes | no |
| pyck_effdate | no | pyck_effdate | yes | no |
| * pyck_nbr | yes | pyck_nbr | yes | no |

sbudrule Deduction Budget Rules

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------|-----|
| budrlc | Budget Rule | | 99 | |
| budrld | Description | | x(30) | |
| budseq | Sequence No | | 99 | |
| budtyp | Budget Type | | xxx | |
| delflg | Deleted ? | | yes/no | |
| fldnme | Field | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| mandfl | Mandatory ? | | Y/N | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budtyp | yes | no |
| | | budrlc | yes | no |
| secaa | no | fldnme | yes | yes |
| secfa | no | budrld | yes | no |

tdebudgs Deduction Budget Spreads

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------------|-----|
| actqty | Actual Qty | | zzzzzzzz.9999- | 4 |
| actqty02 | PR Actual Qty | | zzzzzzzz.9999- | 4 |
| actual | Actual | | zzzzzzzz.9999- | 4 |
| actual02 | PR Actual | | zzzzzzzz.9999- | 4 |
| budcde | Budget | | x(8) | |
| budget | Budget | | zzzzzzzz.9999- | 4 |
| budget02 | PR Budget | | zzzzzzzz.9999- | 4 |
| budqty | Budget Qty | | zzzzzzzz.9999- | 4 |
| budqty02 | PR Budget Qty | | zzzzzzzz.9999- | 4 |
| chrflid01 | Spare Char 1 | | x(20) | |
| chrflid02 | Spare Char 2 | | x(20) | |
| chrflid03 | Spare Char 3 | | x(20) | |
| chrflid04 | Spare Char 4 | | x(20) | |
| decfld01 | Spare Dec 1 | | zzzzzzzz.9999- | 4 |
| decfld02 | Spare Dec 2 | | zzzzzzzz.9999- | 4 |
| decfld03 | Spare Dec 3 | | zzzzzzzz.9999- | 4 |
| decfld04 | Spare Dec 4 | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| fnperd | Period | | 99 | |
| fnyear | Year | | 9999 | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| secaa | no | divino | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | budcde | yes | yes |

tdebudgt Deduction Budgets

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------------|-----|
| actqty | Actual Qty | | zzzzzzzz.9999- | 4 |
| actqty02 | PR Actual Qty | | zzzzzzzz.9999- | 4 |
| actual | Actual | | zzzzzzzz.9999- | 4 |
| actual02 | PR Actual | | zzzzzzzz.9999- | 4 |
| algocd | Algorithm | | x(8) | |
| appdat | Date Approved | | 99/99/99 | |
| budcde | Budget | | x(8) | |
| buddsc | Description | | x(35) | |
| budget | Budget | | zzzzzzzz.9999- | 4 |
| budget02 | PR Budget | | zzzzzzzz.9999- | 4 |
| budidx | Index | | x(128) | |
| budqty | Budget Qty | | zzzzzzzz.9999- | 4 |
| budqty02 | PR Budget Qty | | zzzzzzzz.9999- | 4 |
| budref01 | Reference 1 | | x(16) | |
| budref02 | Reference 2 | | x(16) | |
| budref03 | Reference 3 | | x(16) | |
| budref04 | Reference 4 | | x(16) | |
| budref05 | Reference 5 | | x(16) | |
| budref06 | Reference 6 | | x(16) | |
| budref07 | Reference 7 | | x(16) | |
| budref08 | Reference 8 | | x(16) | |
| budref09 | Reference 9 | | x(16) | |
| budref10 | Reference 10 | | x(16) | |
| budref11 | Reference 11 | | x(16) | |
| budref12 | Reference 12 | | x(16) | |
| budsta | Status | | x | |
| chrfl01 | Spare Char 1 | | x(20) | |
| chrfl02 | Spare Char 2 | | x(20) | |
| chrfl03 | Spare Char 3 | | x(20) | |
| chrfl04 | Spare Char 4 | | x(20) | |
| cstctr | Cost Centre | | x(8) | |
| decfld01 | Spare Dec 1 | | zzzzzzzz.9999- | 4 |
| decfld02 | Spare Dec 2 | | zzzzzzzz.9999- | 4 |
| decfld03 | Spare Dec 3 | | zzzzzzzz.9999- | 4 |
| decfld04 | Spare Dec 4 | | zzzzzzzz.9999- | 4 |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| entdat | Entered | | 99/99/99 | |
| fnyear | Year | | 9999 | |
| glacct | GL Account | | x(16) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| msuser41 | Entered By | | x(8) | |
| msuser42 | Approved By | | x(8) | |
| msuser43 | Updated By | | x(8) | |
| totqty | Entered Qty | | zzzzzzzz.9999- | 4 |

| Field Name | Label | Col-Label | Format | Dec |
|------------|----------------|-----------|----------------|-----|
| totqty02 | Entered PR Qty | | zzzzzzzz.9999- | 4 |
| totspr | Entered Value | | zzzzzzzz.9999- | 4 |
| totspr02 | Entered PR Amt | | zzzzzzzz.9999- | 4 |
| upddat | Date Updated | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | budcde | yes | no |
| secaa | no | divino | yes | no |
| | | fnyear | yes | no |
| | | budcde | yes | yes |
| secab | no | divino | yes | no |
| | | budref01 | yes | no |
| | | budref02 | yes | no |
| | | budref03 | yes | no |
| | | budref04 | yes | no |
| | | budref05 | yes | no |
| | | budref06 | yes | no |
| | | fnyear | yes | no |
| secac | no | divino | yes | no |
| | | fnyear | yes | no |
| | | budidx | yes | yes |

tdedchrg Deduction Recharge

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| addrco | Address Code | | x(8) | |
| chgamt | Recharge Amt | | zzzzzzzz.99- | 2 |
| cstctr | Cost Centre | | x(8) | |
| deduid | Deduction ID | | zzzzzzzz | |
| delflg | Deleted ? | | yes/no | |
| docdat | Document Date | | 99/99/99 | |
| dreaco | Reason Code | | x(8) | |
| effdat | GL Date | | 99/99/99 | |
| entdat | Entered | | 99/99/99 | |
| fnperd | Period | | 99 | |
| fnyear | Year | | 9999 | |
| glacct | GL Account | | x(16) | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| mccust | Customer | | x(8) | |
| msuser45 | Posted By | | x(8) | |
| msuser46 | Reversed By | | x(8) | |
| pstdat | Date Posted | | 99/99/99 | |
| rcdes2 | Description 2 | | x(35) | |
| rcdes3 | Description 3 | | x(35) | |
| rcdesc | Description | | x(35) | |
| rchrng | Recharge No | | zzzzzzzz | |
| revdat | Reversal Date | | 99/99/99 | |
| taxamt | Tax Amount | | zzzzzzzz.99- | 2 |
| taxrf1 | Tax Ref 1 | | x(20) | |
| taxrf2 | Tax Ref 2 | | x(20) | |
| taxrf3 | Tax Ref 3 | | x(20) | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|-----------|----------|-----|
| taxrf4 | Tax Ref 4 | | x(20) | |
| taxrf5 | Tax Ref 5 | | x(20) | |
| taxrf6 | Tax Ref 6 | | x(20) | |
| taxrf7 | Tax Ref 7 | | x(20) | |
| taxrf8 | Tax Ref 8 | | x(20) | |
| tdocrf | Document Ref | | x(16) | |
| tdocrf02 | Reversal Doc | | x(16) | |
| tdocty | Document Type | | x(8) | |
| upddat | Updated | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | rchrgrn | yes | no |
| secaa | yes | deduid | yes | no |
| | | rchrgrn | yes | no |
| secab | no | effdat | yes | no |
| secac | no | tdocrf | yes | yes |
| secad | no | tdocrf02 | yes | yes |

tdeducta Deduction Action

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|----------|-----|
| dactio | Next Action | | x(8) | |
| dedsta | Status | | 99 | |
| deduid | Deduction ID | | zzzzzzzz | |
| delflg | Deleted ? | | yes/no | |
| dreaco | Reason Code | | x(8) | |
| entdat | Entered | | 99/99/99 | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| mccust | Customer | | x(8) | |
| msuser | Staff Member | | x(8) | |
| notefl | Notes ? | | Yes/No | |
| nxtdte | Action Date | | 99/99/99 | |
| ractd1[5] | Description | | x(40) | |
| rentrn | Action ID | | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deduid | yes | no |
| | | dreaco | yes | no |
| | | rentrn | yes | no |
| secaa | no | nxtdte | yes | no |
| secab | no | mccust | yes | no |
| | | nxtdte | yes | no |
| secac | no | msuser | yes | no |
| | | nxtdte | yes | no |
| secad | yes | deduid | yes | no |
| | | rentrn | yes | no |

tdeductd Deduction Details

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|------------|--------------|-----|
| budcde | Budget | | x(8) | |
| budcde02 | Deduction Budget | | x(8) | |
| claimg | Claim GL Line | | ZZZZZZZZ | |
| claiml | Claim Line | | ZZZZZZZZ | |
| claimn | Claim No | | ZZZZZZZZ | |
| clmtyp | Claim Type | | xxx | |
| dealct | Deal Category | | x(10) | |
| dedamt | Deduction Amt | Ded Amount | ZZZZZZZZ.99- | 2 |
| deduid | Deduction ID | | ZZZZZZZZ | |
| dedwor | W/O Run ID | | ZZZZZZZZ | |
| delflg | Deleted ? | | yes/no | |
| dreaco | Reason Code | | x(8) | |
| fnperd | Period | | 99 | |
| fnyear | Year | | 9999 | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| prcode | Promotion No | | ZZZZZZZZ | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deduid | yes | no |
| | | dreaco | yes | no |
| | | clmtyp | yes | no |
| | | claimn | yes | no |
| | | claiml | yes | no |
| | | claimg | yes | no |
| secaa | no | clmtyp | yes | no |
| | | claimn | yes | no |
| | | claiml | yes | no |
| secab | no | budcde | yes | no |
| | | fnperd | yes | no |
| secac | no | prcode | yes | no |
| | | dealct | yes | no |
| | | deduid | yes | no |
| secad | no | dedwor | yes | no |
| | | claimn | yes | no |
| secae | no | budcde02 | yes | no |
| | | fnperd | yes | no |

tdeducth Deduction Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------|------------|--------------|-----|
| cheqno | Cheque No | Chq No. | x(10) | |
| chgamt | Recharge Amt | Rechg \$ | ZZZZZZZZ.99- | 2 |
| chkdte | Date Checked | Date Chk | 99/99/99 | |
| cstctr | Cost Centre | Cost Ctr | x(8) | |
| dactio | Next Action | Nx Action | x(8) | |
| dedamt | Deduction Amt | Ded Amount | ZZZZZZZZ.99- | 2 |
| deddte | Date | Date | 99/99/99 | |
| dedsta | Prior Status | Status | 99 | |
| dedsta02 | Prior Status | Status | 99 | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| deduid | Deduction ID | Ded ID | ZZZZZZZZ | |
| dedwor | W/O Run ID | W/O ID | ZZZZZZZZ | |
| delflg | Deleted ? | Deleted? | yes/no | |
| divino | Division | Division | x(8) | |
| dreaco | Reason Code | Reason | x(8) | |
| entdat | Entered | Entered | 99/99/99 | |
| glacct | GL Account | GL A/c | x(16) | |
| inaddm | In Add Mode? | Add? | yes/no | |
| inupdm | In Update Mode? | Update? | yes/no | |
| invono | Invoice No | Inv No. | x(8) | |
| mccust | Customer | Customer | x(8) | |
| mccust06 | Payment Center | Pay Ctr | x(8) | |
| mccust07 | Orig Customer | Ori Cust | x(8) | |
| msuser41 | Entered By | Ent By | x(8) | |
| msuser43 | Updated By | Upd By | x(8) | |
| msuser47 | Checked By | Chk By | x(8) | |
| notefl | Notes ? | Notes? | Yes/No | |
| nxtdte | Action Date | Act Date | 99/99/99 | |
| paydte | Payment Date | Pay Date | 99/99/99 | |
| prcode | Promotion No | Promo No. | ZZZZZZZZ | |
| rchrgrn | Recharge No | Rechg No. | ZZZZZZZZ | |
| rcptrf | Receipt Ref | Rcpt Rf | x(20) | |
| recamt | Reconciled Amt | Rec Amt | ZZZZZZZZ.99- | 2 |
| upddat | Updated | Updated | 99/99/99 | |
| wofamt | Write Off | W/Off | ZZZZZZZZ.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deduid | yes | no |
| secaa | no | divino | yes | no |
| | | cheqno | yes | yes |
| secab | no | divino | yes | no |
| | | rcptrf | yes | yes |
| secac | no | divino | yes | no |
| | | invono | yes | yes |
| secad | no | divino | yes | no |
| | | mccust | yes | no |
| | | cheqno | yes | yes |
| secae | no | divino | yes | no |
| | | mccust | yes | no |
| | | dreaco | yes | yes |
| secaf | no | deddte | yes | no |
| | | mccust | yes | yes |
| secag | no | divino | yes | no |
| | | entdat | yes | no |
| secah | no | divino | yes | no |
| | | mccust06 | yes | yes |
| secai | no | divino | yes | no |
| | | dactio | yes | yes |
| secaj | no | divino | yes | no |
| | | nxtdte | yes | no |
| secak | no | prcode | yes | no |
| secal | no | divino | yes | no |
| | | dedsta | yes | no |
| secam | no | divino | yes | no |
| | | dreaco | yes | yes |

tdeductl Deduction Lines

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| cheqno | Cheque No | | x(10) | |
| chgamt | Recharge Amt | | zzzzzzzz.99- | 2 |
| chkdte | Date Checked | | 99/99/99 | |
| dactio | Next Action | | x(8) | |
| dedamt | Deduction Amt | | zzzzzzzz.99- | 2 |
| deddte | Date | | 99/99/99 | |
| dedsta | Status | | 99 | |
| dedsta02 | Prior Status | | 99 | |
| deduid | Deduction ID | | zzzzzzzz | |
| dedwor | W/O Run ID | W/O ID | zzzzzzzz | |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| dreaco | Reason Code | | x(8) | |
| entdat | Entered | | 99/99/99 | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| invono | Invoice No | | x(8) | |
| mccust | Customer | | x(8) | |
| mccust06 | Payment Center | | x(8) | |
| mccust07 | Orig Customer | | x(8) | |
| msuser47 | Checked By | | x(8) | |
| nxtdte | Action Date | | 99/99/99 | |
| prcode | Promotion No | | zzzzzzzz | |
| rchrng | Recharge No | | zzzzzzzz | |
| rcptrf | Receipt Ref | | x(20) | |
| recamt | Reconciled Amt | | zzzzzzzz.99- | 2 |
| wofamt | Write Off | | zzzzzzzz.99- | 2 |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deduid | yes | no |
| | | dreaco | yes | no |
| secaa | no | divino | yes | no |
| | | cheqno | yes | yes |
| secab | no | divino | yes | no |
| | | rcptrf | yes | yes |
| secac | no | divino | yes | no |
| | | invono | yes | yes |
| secad | no | divino | yes | no |
| | | mccust | yes | no |
| | | cheqno | yes | yes |
| secae | no | divino | yes | no |
| | | mccust | yes | no |
| | | dreaco | yes | yes |
| secaf | no | deddte | yes | no |
| | | mccust | yes | yes |
| secag | no | divino | yes | no |
| | | entdat | yes | no |
| secah | no | divino | yes | no |
| | | mccust06 | yes | yes |
| secai | no | divino | yes | no |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| | | dactio | yes | yes |
| secaj | no | divino | yes | no |
| | | nxtdte | yes | no |
| secak | no | prcode | yes | no |

tdeductp Deduction Promotions

| Field Name | Label | Col-Label | Format | Dec |
|------------|-----------------|-----------|--------------|-----|
| dedamt | Deduction Amt | Ded Amt | zzzzzzzz.99- | 2 |
| deduid | Deduction ID | Ded ID | zzzzzzzz | |
| delflg | Deleted ? | Deleted? | yes/no | |
| dreaco | Reason Code | Reason | x(8) | |
| inaddm | In Add Mode? | Add? | yes/no | |
| inupdm | In Update Mode? | Update? | yes/no | |
| lstdte | Last Tran Date | Last Date | 99/99/99 | |
| mccust | Customer | Customer | x(8) | |
| prcode | Promotion No | Promotion | zzzzzzzz | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deduid | yes | no |
| | | dreaco | yes | no |
| | | prcode | yes | no |
| secaa | no | prcode | yes | no |
| | | mccust | yes | yes |
| secab | no | mccust | yes | no |
| | | prcode | yes | no |
| secac | no | deduid | yes | no |
| | | prcode | yes | no |

tdedwohd Deduction Write Off Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------|-----------|--------------|-----|
| dedwor | W/O Run ID | | zzzzzzzz | |
| delflg | Deleted ? | | yes/no | |
| divino | Division | | x(8) | |
| dreaco | Reason Code | | x(8) | |
| dwosta | Status | | xx | |
| effdat | GL Date | | 99/99/99 | |
| entdat | Entered | | 99/99/99 | |
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| pstdat | Date Posted | | 99/99/99 | |
| totamt | Total Amount | | zzzzzzzz.99- | 2 |
| trndat | Transaction Date | | 99/99/99 | |
| upddat | Updated | | 99/99/99 | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | dedwor | yes | no |
| secaa | no | divino | yes | no |
| | | pstdat | yes | no |
| secab | no | divino | yes | no |
| | | effdat | yes | no |

tdepletd

Depletions Detail

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------------------|-----------|--------------|-----|
| decfld[4] | Decimal Fields | | zzzzzzzz.99- | 4 |
| delflg | Deleted ? | | yes/no | |
| deplno | Depletion Audit # | | zzzzzzzz9 | |
| depqty | Quantity | | zzzzzzzz- | |
| divino | Division | | x(8) | |
| inaddm | In Add Mode? | | yes/no | |
| intfld[4] | Integer Fields | | zzzzzzzz- | |
| inupdm | In Update Mode? | | yes/no | |
| mpprod | Product | | x(16) | |
| pprfv1 | Profile 1 | | x(16) | |
| pprfv2 | Profile 2 | | x(16) | |
| pprfv3 | Profile 3 | | x(16) | |
| pprfv4 | Profile Value 4 | | x(16) | |
| stdqty | Standard Qty | | zzzzzzzz- | |
| txtfld[2] | Text Fields | | x(16) | |
| unitom | Unit Of Measure | | x(10) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deplno | yes | no |
| | | mpprod | yes | no |
| secaa | yes | deplno | yes | no |
| | | pprfv1 | yes | no |
| | | pprfv2 | yes | no |
| | | pprfv3 | yes | no |
| | | pprfv4 | yes | no |
| | | mpprod | yes | no |

tdepleth

Depletions Header

| Field Name | Label | Col-Label | Format | Dec |
|------------|------------------------|-----------|-----------|-----|
| delflg | Deleted ? | | yes/no | |
| deplno | Depletion Audit # | | zzzzzzzz9 | |
| deplno02 | Associated Depletion # | | zzzzzzzz9 | |
| divino | Division | | x(8) | |
| entdat | Entered | | 99/99/99 | |
| fnperd | Period | | 99 | |
| fnyear | Year | | 9999 | |

| Field Name | Label | Col-Label | Format | Dec |
|------------|---------------------|-----------|--------|-----|
| inaddm | In Add Mode? | | yes/no | |
| inupdm | In Update Mode? | | yes/no | |
| mccust | Distributor | | x(8) | |
| mccust20 | Transferred To Cust | | x(8) | |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| * main | yes | deplno | yes | no |
| secaa | yes | divino | yes | no |
| secab | no | deplno | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| | | mccust | yes | no |
| secac | no | divino | yes | no |
| | | mccust | yes | no |
| | | fnyear | yes | no |
| | | fnperd | yes | no |
| secad | no | deplno02 | yes | no |

Index of Table Descriptions

A

Access Groups 8
Accrual GL Lines 160
Accruals Header 161
Accruals Line 161
Address Master File 78
Amount Type 8
Analysis Code 7 67
Analysis Code 8 68
Analysis Code 9 68
Analysis Code A 68
Analysis Code B 69
Analysis Code C 69
Analysis Code D 69
Application Files 119
Area Grouping 61
Audit Log Messages 154

B

Base Find Functions 138
Batch and Bulk Update Process Information 242
Batch Element Header 163
Batch Procedure 119
Batch Report Job Parameters 146
Batch Report Jobs 145
Batch Reporting Frequencies 145
Bonus Stock Break Type 9
Bonus Stock Calculation Term 10
Bonus Stock Determination Base Codes 10
Bonus Stock Types 10
Broker Splits 81
Brokers 80
Brokers x Division 79
Budget Algorithm 81
Budget Allocation Methods 120

Budget Parameters 82
Budget Transfer 164
Budget Types 11
Buying Algorithm 11
Buying Spreads Date Base Options 11

C

Change Event Detail 166
Change Event Header 167
Change Event Logs 167
Change Type 15
Claim Approvals Levels 84
Claim Document 168
Claim GL Lines 168
Claim Header 169
Claim Line 170
Claim Reference Data 171
Claim Type 16
Clash Types 15
Color Codes 121
Color Templates 121
Combination Type 16
Confirmation Error Message Logs 217
Contract Budgets Assignments 172
Contract Element 173
Contract Element Codes 17
Contract Fee Methods 17
Contract Status 16
Contract Types 18
Contracts 172
Cost Set 18
Cost Set Details 45
Cost Set Header 45
Cost Structures Change Log 174
Cross Reference of Area and Region 9

Currency 77
Currency Conversions 175
Customer Aggregate Hierarchy 84
Customer Analysis Group 12
Customer Analysis Group Customer 12
Customer Details 52
Customer Document Types 14
Customer Group Zones 35
Customer Hierarchy Level 1 85
Customer Hierarchy Level 2 85
Customer Hierarchy Level 3 86
Customer Hierarchy Level 4 41
Customer Hierarchy Level 5 41
Customer Price Lists 101
Customer Profile 1 Iteration 41
Customer Profile 1 Values 19
Customer Profile 2 Iteration 42
Customer Profile 2 Values 19
Customer Profile 3 Iteration 42
Customer Profile 3 Values 19
Customer Profile 4 Iteration 43
Customer Profile 4 Values 20
Customer Profile 5 Iteration 43
Customer Profile 5 Values 20
Customer Profile 6 Iteration 43
Customer Profile 6 Values 20
Customer Profile 7 Iteration 44
Customer Profile 7 Values 21
Customer Profile 8 Iteration 44
Customer Profile 8 Values 21
Customer Profile 9 Iteration 45
Customer Profile 9 Values 21
Customer Profile Values 1 - Iterative 46
Customer Profile Values 2 - Iterative 46
Customer Profile Values 3 - Iterative 47
Customer Profile Values 4 - Iterative 47
Customer Profile Values 5 - Iterative 48
Customer Profile Values 6 - Iterative 48
Customer Profile Values 7 - Iterative 49
Customer Profile Values 8 - Iterative 49
Customer Profile Values 9 - Iterative 50
Customer Record Type 286
Customer Tax Status 76
Customer Template 13
Customer Types 78
Customer/Product Analysis Code 9

Customer/Product Analysis Codes 8
Customers Document Formats 29

D

Data Groups 22
Deal Category 22
Deal Code 23
Deal Code Deal Types 22
Deal Code Sequences 24
Deal Groups 24
Deal Parameters 25
Deal Type 26
Deduction Action 293
Deduction Action Codes 284
Deduction Budget Parameters 287
Deduction Budget Rules 290
Deduction Budget Spreads 290
Deduction Budgets 291
Deduction Details 294
Deduction Header 294
Deduction Lines 296
Deduction Promotions 297
Deduction Reason Codes 284
Deduction Recharge 292
Deduction Status Codes 285
Deduction Write Off Header 297
Deduction Write Off Limits 286
Deduction Write Off Limits Header 285
Deduction Write Off Limits Staff 286
Default Header 128
Default Header Details 127
Default Labels 129
Default Value Valid Program 129
Depletions Detail 298
Depletions Header 298
Discount Sequence 26
Discount Type 26
Division Broker Price List 80
Division Customer 50
Division Information 27
Division Parameter 27
Division Product 106
Division Supplier 117
Division x Data Groups Code 28
Document Format 29
Document Header 175

E

Expense Code 30
Expense Transaction Type 30
Expense Type 30

F

Fast View Names and Parameters 31
Field and Procedure Help Text 133
Field Information 129
File Deletion Information 127
Financial Period Descriptions 31
Financial Periods 87
Find Functions 130
Funds Transfer Header 176
Funds Transfer Line 177

G

General Code Types 33
General Codes 32
General Codes 2 31
General Codes Type 2 33
General Master Cross-Reference File 87
General Messages 189
General View Description Formats 130
General View Full Detail Display 131
General View Scroller Formats 131
General View Sequences 132
General View Types 132
GL Account Code 34
GL Budgets 178
GL Budgets Splits 178
GL Cost Center 34
GL Transaction 179
GL Transaction Type 34

H

Help Options 133

I

Interfacing Parameters File 133
Internal Sale Budget Splits 186
Internal Sale Budgets 186
Internal Sale GL Lines 183
Internal Sale Transaction 185
Internal Sales Header 184
Internal Sales Line 185
Invoice Accrual Line 180
Invoice Document 180

Invoice GL Lines 180
Invoice Header 181
Invoice Line 182
Iterative Product Profile 1 Value 94
Iterative Product Profile 2 Value 94
Iterative Product Profile 3 Value 94
Iterative Product Profile 4 Value 95
Iterative Product Profile 5 Value 95
Iterative Product Profile 6 Value 96
Iterative Product Profile 7 Value 96
Iterative Product Profile 8 Value 96
Iterative Product Profile 9 Value 97

L

Language Code File 134
Language Descriptions 134
Language Descriptions Workfile 273

M

Marketing and Expense Approval Levels 87
Marketing and Expense Budget 188
Marketing and Expense Budget Parameters 89
Marketing and Expense Budget Spreads 187
Marketing and Expense Budget Transfer 189
Marketing and Expense Project Approval Levels 89
Master Extension 36
Master Extension 2 35
Master File Load Cross-References 88
Master File Reference Detail 37
Menu Details 140
Menu Headers 140
Menus 148
Messages 135
Modifier Code A 37
Modifier Code B 38
Modifier Code D 38
Modifier Code E 39
Modifier Code F 39
Modifier Code G 39
Modifier Code H 40
Modifier Code I 55
Modifier Code J 55

N

Non Promotion Cross-References 166
Non Promotional Budget Work Area Header 164
Non Promotional Budget Work Area Spreads 165

Non Promotional Sales Transactions 198

O

Option Menu Details 135
Option Menu Headers 136

P

Payment Center Check Master 288
Payment Center Master 288
Payment Code for Payment Term Rules 57
Planning Approval Levels 90
Popup Menu Options 136
Popup Menu Title Options 137
Price List 65
Price List Detail 62
Price List Header 103
Price List Messages 105
Price List Predefined Groups 103
Price List Product Details 102
Pricing Groups 61
Printer Types 142
Privak Records 210
Procedure Types 140
Product Aggregate Hierarchy 91
Product Analysis Group 56
Product Analysis Group Product 56
Product Details 108
Product Hierarchy Level 1 91
Product Hierarchy Level 2 92
Product Hierarchy Level 3 92
Product Hierarchy Level 4 93
Product Hierarchy Level 5 93
Product Location Stock 108
Product Profile 1 Values 58
Product Profile 2 Values 58
Product Profile 3 Values 58
Product Profile 4 Values 59
Product Profile 5 Values 59
Product Profile 6 Values 59
Product Profile 7 Values 60
Product Profile 8 Values 60
Product Profile 9 Values 60
Product Profile Value 1 - Iterative 97
Product Profile Value 2 - Iterative 98
Product Profile Value 3 - Iterative 98
Product Profile Value 4 - Iterative 98
Product Profile Value 5 - Iterative 99

Product Profile Value 6 - Iterative 99
Product Profile Value 7 - Iterative 100
Product Profile Value 8 - Iterative 100
Product Profile Value 9 - Iterative 100
Program Associated Programs 139
Program Field Information 137
Program Fields 138
Program Security 142
Programs 141
Project Accrual Document 190
Project Accrual GL Line 190
Project Accrual Header 191
Project Accrual Line 191
Project Expense Details 193
Project Expense Splits 192
Project Expense Types 192
Project Header 194
Project Quote Header 195
Project Quote Line 196
Project Status 63
Project Transaction 197
Project Types 64
Promotion Advice Parameters 211
Promotion Approval Details 89
Promotion Area 63
Promotion Bonus Product Sets 215
Promotion Bonus Products 215
Promotion Bonus Stock Breaks 213
Promotion Budget Activity Log 199
Promotion Budget Details 214
Promotion Budget Links 211
Promotion Budget Splits 200
Promotion Budget Summary Header 205
Promotion Budget Summary Links 209
Promotion Budget Summary Spreads 209
Promotion Budget Weightings 274
Promotion Budgets 201
Promotion Category Details 223
Promotion Customer Groups 216
Promotion Customer Levels 63
Promotion Customer Spreads 221
Promotion Customer/Product Groups 231
Promotion Customers 222
Promotion General Expenses 32
Promotion Header Budget Work File 274
Promotion Header Records 227
Promotion Modifiers 230

Promotion Next Activity 56
Promotion Number Ranges by Area 55
Promotion Operational/Workflow Status 71
Promotion Parameters 236
Promotion Payment Methods 57
Promotion Price Lists 235
Promotion Product Groups 233
Promotion Product Levels 65
Promotion Products 236
Promotion Products x Customers 218
Promotion Project Index File 234
Promotion Sales Budget Header 244
Promotion Sales Budget Splits 246
Promotion Sales Budgets 213
Promotion Secondary Header 225
Promotion Split Parameters 109
Promotion Split References 240
Promotion Spreads 240
Promotion Transaction 241
Promotion Transaction Type 71
Promotion Update Types 72
Promotion Volume Discount Parameters 242
Pyramid Direct Customers 114
Pyramid Member Customers 114

Q

Quantity Break Type 72
Quote Expense Line Spreads 197

R

Rebate Budget Parameters 115
Rebate Budget Splits 247
Rebate Budgets 248
Rebate Calculation Base 72
Rebate Calculation Methods 73
Rebate Calculation Scope 74
Rebate Customer Actuals 254
Rebate Customer Group 252
Rebate Customer Group History 251
Rebate Customer History 251
Rebate Customer Inclusions 253
Rebate Customer Product Actuals 253
Rebate Document 255
Rebate GL Transaction 255
Rebate Header 256
Rebate Header Budget 249
Rebate Header Budget Splits 265

Rebate Included Broker 259
Rebate Included Customer 259
Rebate Included Product 258
Rebate Included Product Group 258
Rebate Interaction/Combine Rule 74
Rebate Payment Term 57
Rebate Periods 262
Rebate Product Actuals 265
Rebate Product Exclusions 263
Rebate Product Group Actuals 263
Rebate Product Group History 261
Rebate Product History 261
Rebate Product Inclusion Template 264
Rebate Project Index File 264
Rebate Rules 116
Rebate Status 74
Rebate Tax Rule 75
Rebate Transaction 266
Rebate Transaction Link 260
Rebate Transaction Types 76
Rebate Type 75
Record Notes 158
Record Type Configuration Table 284
Relationship Master 75
Relationship References 116
Report Format Labels 143
Report Formats 143
Report Job Data 276
Report Job Parameters 275
Report Jobs 275
Report Screen Lines 276
Report Sequences 146
Report Type 147

S

Sales Bucket Header 269
Sales Details 267
Sales Summary 270
Sales Transaction 269
Salesman 117
Secondary Promotion Approval Items 90
Staff Access to Divisions and Data 111
Staff Customer Access Rights 111
Staff Members 110
Staff Product Access Rights 112
Staff Promotion Zone Security 113
Standard Date Parameters 148

306 Trade Management Database Definitions

Stock Location 76
Summary View Records 280
Supplier 118
System Control Parameter 122
System Master Information 122
System Printers 139
System-wide Defaults Options 128

T

Terminal Types 148
Transaction Audit Log Entries 162
Transaction Document Type 77
Transaction Extension 271
Transaction Extension 2 270
Transaction Fast View Header 150
Transaction Fast View Parameters 151
Transaction File Work Detail Record 277
Transaction File Work Header Record 277
Transaction Groups 149
Transaction Header (Popup menu) Codes 136
Transaction Summary View Header 153
Transaction View Description Formats 149
Transaction View File Header 150
Transaction View Header 151
Transaction View Header Parameter 152
Transaction View Line Formats 152
Transaction View Parameters 150
Transaction View Sequence 153
Transaction View Summary 154
Transaction View Types 154

Transfer GL Line 176
Transferable Deal Category 25

U

Unit of Measure 77
User Defined Analysis Code 5 67
User Defined Analysis Code 6 67
User Defined Code 1 65
User Defined Code 2 66
User Defined Code 3 66
User Defined Code E 70
User Defined Code F 70
User Defined Code G 70
User Defined Code H 71
User Defined Promotion Code 4 66
User Download/Off load Parameters 54
User Profiles 141

V

Valid Report Sequences 147
View Parameters 279
View Records 279
View Work Header 278

W

Work File 1 158
Work File 2 159
Work File 3 159
Work File Header 272