

QAD 2007 Technical Reference
Database Definitions

78-0690A
QAD Enterprise Applications 2007
September 2007

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2007 by QAD Inc.

QAD Inc.
100 Innovation Place
Santa Barbara, California 93108
Phone (805) 684-6614
Fax (805) 684-1890
http://www.qad.com

Contents

About This Guide 1

Introduction 2
How This Book Is Organized 2
Symbols and Conventions 3
Other QAD Documentation 4
Online Help 4
QAD Web Site 5

Section 1 Database Definitions 7

abd_det Asset Book Detail 8
abscc_det Sales Order Detail Container Charges 9
absc_det Shipment Carrier Detail 10
absd_det Shipment Line Item Detail 10
absi_mstr Shipper Information Master 11
absl_det Shipment Detail Line Charges 11
absr_det Shipment Requirement Detail 12
abss_det Shipment Sequence Detail 13
abs_mstr ASN/BOL/Shipper Master 15
accd_det Asset Cost Change Detail 17
acdf_mstr Account Default Master 18
acd_det Account Total Detail 19
acm_mstr Co-product/By-product Average Cost Master 20
acod_mstr Application Code Master 20
act_mstr Alternate Container Master 21
acx_mstr Account Cross-Reference Master 22
ac_mstr Account Master 23
adc_ctrl Address Control 24
adx_det External Address Cross-Reference Detail 24
ad_mstr Address Master 25
ald_det Allocation Account Detail 27
alm_mstr Automatic Lot Master 27
al_mstr Allocation Account Master 28

anl_det Analysis Code Link Detail 28
ans_det Analysis Code Selection Detail 29
anx_det Analysis Code Exploded Detail 30
an_mstr Analysis Code Master 30
apc_ctrl Accounts Payable Control 31
apmr_mstr Advanced Pricing Management Customer Relationship Master 32
apm_ctrl Advanced Pricing Management Control 32
aprm_mstr Application Parameter Master 33
apr_mstr Application Registry 34
ap_mstr Accounts Payable Master 36
arc_ctrl Accounts Receivable Control 37
ard_det Accounts Receivable Detail 38
arsd_det Accounts Receivable Payment Status Detail 39
art_mstr Application Return Code Master 40
ar_mstr Accounts Receivable Master 40
asc_mstr Account/Sub-Account/Cost Center Master 43
ast_mstr Asset Master 44
atak_det Audit Trail Activated Key Detail 46
atap_mstr Audit Trail Activated Profile Master 46
atc_ctrl Audit Trail Control 47
atdc_mstr Audit Trail Database Connection Master 47
atd_mstr Accounting Transaction Description Master 48
aterr_mstr Audit Trail Error Master 48
atgt_ref Audit Trail Group – Table Cross-Reference 49
atg_mstr Audit Trail Group Master 49
atp_det Available-to-Promise Detail 50
attmp_mstr Audit Trail Temporary Master 50
att_mstr Audit Trail Table Master 52
atwk_det Audit Trail Workbench Key Detail 52
atwp_mstr Audit Trail Workbench Profile Master 52
aud_det Audit Detail 53
ba_mstr Batch Master 54
bcd_det Batch Control Detail 54
bc_mstr Batch Control Master 55
bdld_det Batch Data Load Detail 55
bdl_mstr Batch Data Load Master 56
bdp_det Bank Driver Payment Detail 56
bgd_det Budget Detail 57
bg_mstr Budget Master 58
bic_ctrl Service/Support Contract Billing Control 59
bkad_det Payment Selection Allocation Detail 60
bkd_det Payment Method Detail 61
bkfm_mstr Bank Account Format Master 62
bkpd_det Payment Selection Detail 62
bkpm_mstr Payment Selection Master 64
bk_mstr Bank Master 65
bl_ctrl Master Bill of Lading Control 66

bom_mstr Product Structure (Bill of Material) Master 67
btb_det Enterprise Material Transfer Primary Business Unit Detail 68
cac_ctrl Service/Support Call Master Control 68
cah_hist Service/Support Call History 69
cal_det Calendar Detail 71
caq_mstr Service/Support Call Queue Master 72
cas_mstr Service/Support Call Status Master 72
ca_mstr Service/Support Call Master 73
cb_mstr Cash Book Master 77
ccc_ctrl Credit Card Control 78
ccd1_det Cost Center/Account Validation Detail 78
ccd2_det Cost Center/Sub-Account Validation Detail 79
ccd_mstr Service/Support Call Fault Code Master 79
cclscd_det Ship-To/Container Price List Detail 80
cclsc_mstr Ship-To/Container Master 81
ccls_mstr Container/Line Charge Ship-From/Ship-To Control Master 81
ccl_ctrl Container/Line Charge Control 82
cctr_hist Credit Card Transaction History 82
cct_mstr Container Charge Type Master 83
cc_mstr Cost Center Master 84
cdf_mstr Service/Support Call Default Master 84
cd_det Master Comments 86
cfc_ctrl Cash Flow Control 86
cf_mstr Cash Flow Master 87
chg_mstr Line Changeover Master 88
chm_mstr Service/Support Call History Master 88
cild_det Correction Invoice Link Detail 92
cil_mstr Correction Invoice Link Master 92
ckd_det Accounts Payable Check Detail 93
cksd_det Check Status Detail 94
ck_mstr Accounts Payable Check Master 95
clc_ctrl Compliance Control 95
cls_mstr Class Master 96
cmc_ctrl Customer Control 96
cmd_det Enterprise Material Transfer Change Management Detail 97
cmf_mstr Enterprise Material Transfer Change Management Master 97
cmh_hist Customer Sales History 98
cmt_det Transaction Comments 99
cm_mstr Customer Master 99
cncix_mstr Consigned Shipment Inventory Cross-Reference Master 102
cncs_mstr Customer Consignment Ship-To/Item Master 103
cncud_det Customer Consignment Shipment Usage Detail 104
cncu_mstr Customer Consignment Shipment Usage Master 105
cnc_ctrl Customer Consignment Control 106
cnsix_mstr Supplier Consignment Receipt Inventory Master 107
cnss_mstr Supplier Consignment Supplier/Item Master 108
cnsud_det Supplier Consignment Receipt Usage Detail 108

cnsu_mstr Supplier Consignment Receipt Usage Master 109
cns_ctrl Supplier Consignment Control 110
code_mstr Generalized Code Master 110
comd_det Commodity Code Detail 111
com_mstr Commodity Code Master 111
cont_mstr Container Type Master 112
cost_cal Cost Set Calendar 113
co_ctrl General Ledger (Company) Control 114
cpcd_det Customer Period Calendar Detail 115
cpc_mstr Customer Period Calendar Master 115
cph_hist Customer/Item Sales History 116
cp_mstr Customer Item Master 117
crc_ctrl Carrier Control 117
cref_mstr Service/Support Cross-Reference Master 118
cr_mstr Code Range Master 118
csa_mstr Controlled Substance Authority Master 119
csbd_det Customer/Supplier Bank Detail 119
csc_mstr Controlled Substance Customer Master 120
csid_det Controlled Substance Item Detail 121
csil_mstr Controlled Substance Individual License Master 122
csim_mstr Controlled Substance Item Master 122
csld_det Controlled Substance Individual License Detail 123
cslm_mstr Controlled Substance General License Master 124
cssi_det Site Cost Detail 124
css_mstr Controlled Substance Site Master 125
cst_mstr Fixed Asset Custodian Master 126
cs_mstr Cost Set Master 126
ctd_det Credit Terms Detail 126
ctry_mstr Country Master 127
ct_mstr Credit Terms Master 128
cu_mstr Currency Master 128
dald_det Destination Application List Detail 129
dal_mstr Destination Application List Master 131
dbk_mstr Depreciation Book Master 131
dbs_mstr Database Revision Control Master 132
dc_mstr Database Connection Master 132
decl_mstr Declarant Master 133
defr_det Service Contract Deferred/Accrued Revenue Detail 134
delt_mstr Delivery Time Master 135
df_mstr Document Print Format Master 136
djrc_det Daybook Journal Report Detail 136
djr_mstr Daybook Journal Report Master 137
dmw_wkfl Draft Management Work Table 138
dom_mstr Domain Master 139
dpc_mstr Depreciation Convention Master 139
dprd_det Depreciation Detail 140
dprt_det Depreciation Method Detail 141

dpr_mstr Depreciation Method Master....141
dpt_mstr Department Master....142
drp_ctrl Distribution Requirements Planning Control....143
dsd_det Distributed Site Requisition Detail....143
dsr_mstr Distributed Site Requisition Master....145
dss_mstr Distributed Site Order Master....146
ds_det Distributed Site Order Detail....147
dyd_mstr General Ledger Default Daybook Master....148
dy_mstr General Ledger Daybook Master....149
ea_mstr Earnings Master....149
eca_mstr Engineering Change Approval Master....151
ecd1_det Engineering Change Product Structure Detail....151
ecd2_det Engineering Change Routing Detail....152
ecd3_det Engineering Change Text File Detail....153
ecd4_det Product Change Control Test Results Detail....154
ecd5_det Product Change Control Item Routing Detail....154
ecd9_det Engineering Change Approval Detail....155
ecd_det Engineering Change Item Detail....156
ecl_list Engineering Change Master Lists....157
ecm_mstr Engineering Change Master....158
ect_mstr Engineering Change Type Master....159
ecx_ref External Order Cross-Reference....160
edlg_hist Export Delivery Log....160
ega_mstr Service/Support Engineer Availability Master....161
egc_ctrl Service/Support Engineer Schedule Control....162
egd_det Service/Support Engineer Schedule Detail....163
egs_det Service/Support Engineer Problem/Skills Detail....164
egt_mstr Service/Support Engineer Tracking Master....165
egw_wkfl Service/Support Engineer Selection Work Table....166
elg_hist Export Document Log....167
emap_det Mapped Export Document Detail....169
emc_ctrl Employee Control....170
emg_msg Export Document Message....170
emp_mstr Employee Master....171
emsg_mstr Service/Support Engineer Message Master....173
em_mstr E-mail Master....175
encd_det Entity Consolidation Detail....175
eng_mstr Service/Support Engineer Master....176
en_mstr Entity Master....177
eraw_det Raw Export Document Detail....178
ers_mstr Evaluated Receipts Settlement Master....179
esc_ctrl Service/Support Escalation Control....179
esh_mstr Service/Support Engineer Schedule Master....180
esp_mstr Export Document Specification Master....181
ess_mstr Service/Support Engineer Status Master....183
es_mstr Service/Support Escalation and Repair Master....183
et_ctrl EMU Control....185

euc_ctrl Service/Support End User Control 186
eud_det Service/Support End User Detail 186
eu_mstr Service/Support End User Master 187
excd_det Consolidated Exchange Rate Detail 189
exc_mstr Consolidation Currency Exchange Master 190
exru_usage Exchange Rate Usage 190
exr_rate Exchange Rate Master 191
faadj_mstr Fixed Asset Adjustment Master 191
faba_det Fixed Asset Account Detail 192
fabchd_det Fixed Asset Batch Detail 193
fabch_mstr Fixed Asset Batch Master 194
fabd_det Fixed Asset Book Depreciation Detail 194
fabk_mstr Fixed Asset Book Master 196
fab_det Fixed Asset Book Detail 197
facd_det Fixed Asset Class Account Detail 198
facld_det Fixed Asset Calendar Detail 198
facls_mstr Fixed Asset Class Master 199
facl_cal Fixed Asset Calendar Master 200
fact_ctrl Fixed Asset Control 200
fac_ctrl Final Assembly Control 201
fadf_mstr Fixed Asset Book Default Master 201
fad_det Fixed Asset Component Detail 202
faloc_mstr Fixed Asset Location Master 203
fal_mstr Fixed Asset Location Code Master 203
famtd_det Fixed Asset Custom Table Detail 204
famtrd_det Fixed Asset Meter Detail 205
famtr_mstr Fixed Asset Meter Master 205
famt_mstr Fixed Asset Method Master 206
fas_ctrl Fixed Asset System Control 207
fauop_det Fixed Assets UOP Forecast Detail 207
fa_mstr Fixed Asset Master 208
fcc_mstr Service/Support Charge Code Product Line Master 210
fcd_mstr Service/Support Default Charge Code Master 211
fcg_mstr Service/Support Charge Code Master 212
fcs_sum Forecast Summary 213
fct_mstr Service/Support Call Type Master 213
fc_det Seasonal Build Detail 214
ff_mstr Simulated Forecast Master 214
fh_mstr Family Hierarchy Master 216
fis_mstr Invoice Sort Master 216
fkt_mstr Service/Support Kit Master 217
flcrh_hist Flow Line Capacity Rate History 218
flcr_mstr Flow Line Capacity Rate Master 219
fldf_mstr Field Default Master 220
flff_mstr Flow Flex Fence Master 220
flh_mstr Field Help Program Master 221
flpw_mstr Field Security Master 222

flp_plan Family Line Plan 222
flscd_det Flow Schedule Code Detail 223
flsc_mstr Flow Schedule Code Master....223
flsd_det Flow Schedule Detail 224
fm_mstr Format Position Master....226
fnd_det Service/Support Field Notification Detail 226
fnh_hist Service/Support Field Notification History 227
fn_mstr Service/Support Field Notification Master....229
fp1_plan Family Production Backlog and Cost Plan....231
fp2_plan Family Production Inventory and Order Plan....231
fp3_plan Family Production and Shipment Plan....232
fpci_mstr Service/Support Price Indexing Master 233
fpc_mstr Service/Support Pricing Master 234
fpd_cost Family Item Cost Detail....235
fpst_mstr Return Status Master....236
frcd_det Freight Charge Detail....237
frd_det Freight Rate Detail....238
frm_mstr Freight Rate Master 238
frzd_det Freight Zone Detail 238
fr_mstr Freight List Master 239
fsc_mstr Service Category Master 240
fsd_det Service/Support Call Activity Detail 241
fsh_mstr Service/Support Holiday Master 242
fslp_pln Simulation Line Plan 243
fsp1_pln Family Simulation Backlog and Cost Plan 243
fsp2_pln Family Simulation Inventory and Order Plan 244
fsp3_pln Family Simulation Production and Shipment Plan....245
fsu_mstr Service/Support User Preference Master 245
ftch_hist Service/Support Trace History....246
ft_mstr Freight Terms Master 247
fwk_mstr Service/Support Work Code Master 248
giap_mstr Application Definition Master 249
gimd_mstr Model Definition Master 249
gip_det Table Attribute Detail 250
gisi_mstr Site/Item Model Definition Master....250
glcd_det General Ledger Calendar Detail 251
glct_det General Ledger Currency Total Detail 252
glc_cal General Ledger Calendar 252
glec_det GL Entity Consolidation Detail 253
glptr_hist General Ledger Protocol History 254
glrd_det General Ledger Report Detail....254
glr_mstr General Ledger Report Master 256
glsd_mstr General Ledger Description Source Master 256
gltmd_det General Ledger Transaction Matching Detail 257
gltm_mstr General Ledger Transaction Matching Master 257
gltr_hist General Ledger Transaction History....258
gltw_wkfl General Ledger Work Table 260

glt_det General Ledger Unposted Transaction Detail 261
gl_ctrl System/Account Control 263
grac_det GL Report Writer Account Balances 268
grad_det GL Report Writer Analysis Code Detail 270
gral_det GL Report Writer Analysis Code Link-File Detail 270
gras_det GL Report Writer Selection Detail 271
gra_mstr GL Report Writer Analysis Code Master 271
grbg_det GL Report Writer Budgeted Account Balance Detail 272
grcd_det GL Report Writer Column Group Detail 274
grc_mstr GL Report Writer Column Group Master 274
grdf_mtx GL Report Writer Definition Matrix 275
grhd_det GL Report Writer Group Row/Column Sequence Detail 276
grib_det GL Report Writer Break Group Detail 277
gric_det GL Report Writer Image Column Detail 277
grid_det GL Report Writer Report Image Detail 278
grig_mtx GL Report Writer Report Image Matrix 279
grit_wkf GL Report Writer Analysis Code and Item Type Work Table 279
gri_mstr GL Report Writer Report Image Master 280
grqd_det GL Report Writer Fiscal Quarter Calendar 281
grrd_det GL Report Writer Row Group Detail 282
grr_mstr GL Report Writer Row Group Master 282
grtx_det GL Report Writer Text String Detail 283
grv_det GL Report Writer Account Balance Detail 284
grx1_wkfl GL Report Writer Analysis Code Explosion Work Table 285
grx2_wkfl GL Report Writer Row/Column Explosion (Separate) Work Table 285
grx3_wkfl GL Report Writer Row/Column Explosion (Hierarchical) Work Table 286
grx_mstr GL Report Writer Report Content Master 287
gr_ctrl GL Report Writer Control 288
hd_mstr Holiday Master 288
hlp_mstr Help Master 289
ibh_hist Sales Order Configuration Bill History 289
ib_det Service/Support Installed Configuration Detail 290
icc_ctrl Inventory Control 291
idhlc_hist Invoice History Line Charge Detail 292
idhr_hist Invoice History Relationship Detail 293
idh_hist Invoice History Detail 294
iec_ctrl Import/Export Control 298
ied_det Import/Export Detail 299
ieh_hist Import/Export History 301
ie_mstr Import/Export Master 303
ifs_mstr Interface Session Master 304
ihcc_hist Invoice History Credit Card Master 305
ihr_hist Invoice History Relationship Master 306
ih_hist Invoice History Master 307
ild_det Item Location Detail 310
ilg_hist Import Document Log 310
imap_det Import Document Map Detail 313

img_msg Import Document Message....313
im_mstr Inventory Movement Code Master....314
ind_det Independent Demand Detail....315
insd_det Invoice Schedule Detail....316
ins_mstr Invoice Schedule Master....317
in_mstr Inventory Master....318
ipd_det Item Specification Detail....319
iph_hist Pricing History....320
ip_mstr Master Specification Test Results....321
iraw_det Raw Import Document Detail....322
iro_det Item Routing Cost Detail....323
isb_mstr Service/Support Installed Base Item Master....324
isd_det Inventory Status Detail....326
isp_mstr Import Document Specification Master....326
iss_mstr Service/Support Installed Base Structure....328
isvc_mstr Statistical Value Calculation Master....329
is_mstr Inventory Status Master....330
itmh_hist Service/Support Call Item History....330
itm_det Service/Support Call Item Detail....333
itsd_det Item Site Load Detail....336
its_mstr Item Site Load Master....336
ivs_ctrl Invoice Schedule Control....337
kbc_ctrl Kanban Control....337
kbdt_mstr Kanban Demand Template Master....338
kbmd_mstr Kanban Maximum Demand Master....339
kbpp_mstr Kanban Planning Period Master....340
kbtrd_det Kanban Transaction History Detail....340
kbtr_hist Kanban Transaction History....341
knbadc_hist Kanban Average Demand Calculation History....343
knbd_det Kanban Card Detail....344
knbfd_det Kanban FIFO Process Detail....345
knbism_det Kanban Item Supermarket Detail....345
knbi_mstr Kanban Item Master....346
knbl_det Kanban Loop Detail....347
knbsm_mstr Kanban Supermarket Master....348
knbs_det Kanban Source Detail....349
knb_mstr Kanban Master....349
knpd_det Kanban Process Item Detail....350
knp_mstr Kanban Process Master....351
lacd_det Logistics Accounting Charge Detail....352
lac_ctrl Logistics Accounting Control....353
lad_det Location Allocation Detail....353
lblc_ctrl Label Control....354
lc_mstr Logistics Accounting Charge Code Master....354
ld_det Location Detail....355
lgsi_det Logistics Site Detail....357
lgs_mstr Logistics Master....357

lna_det Production Line Allocation Detail 358
lnd_det Production Line Detail 359
lnf_det Flow Production Line Preference Detail 360
lngd_det Language Detail 361
lng_mstr Language Master 362
ln_mstr Line Master 362
locc_det Reserved Locations Detail 363
loc_mstr Location Master 364
lotw_wkfl Lot Number Work Table 364
lot_mstr Lot Master 365
ls_mstr Address List Detail 366
maxt_det Maximum Table Detail 367
max_mstr Maximums Master 367
ma_mstr Mirror Account Master 368
mfc_ctrl Control Work Table 369
mfrel_mstr Master Table Relationships 369
mnd_det Menu Detail 370
mnp_det Service/Support Custom Program Detail 371
mnt_det Menu Title Detail 371
mpd_det Master Specification Detail 373
mph_hist Master Specification Test History 373
mpp_det Service/Support Custom Program Parameter Detail 374
mps_mstr Master Production Schedule 375
mp_mstr Master Specification 375
mrpc_ctrl Material Requirements Planning Control 376
mrpp_det Material Requirements Planning Pegging Detail 376
mrp_det Material Requirements Planning Detail 377
msg_mstr Message Master 378
mu_mstr Monetary Union Master 378
ncc_ctrl Net Commerce Control 379
nrh_hist Number Range History 380
nr_mstr Number Range Master 381
oa_det Action Message Detail 381
ocm_mstr Service/Support On Call Master 382
opc_ctrl Shop Floor Operation History Control 383
opgl_det Shop Floor Operation General Ledger Detail 383
opm_mstr Standard Operation Master 384
ops_ctrl Operations Plan Control 385
op_hist Operation Transaction History 386
pac_mstr Purchase Approval Code Master 389
pald_det Pallet Detail 389
pal_mstr Pallet Master 390
pcc_ctrl Product Change Control 391
pcd_det Purchase Order Line Cost Element Detail 391
pcld_det Product Change Control Group Detail 392
pcl_mstr Product Change Control Group Master 392
pct_mstr Product Change Control Type Master 393

pc_mstr Price List Master 394
pfc_det Production Forecast Detail 395
pfd_det Service/Support Item-Site Detail 395
pgc_ctrl Service/Support Paging Control 397
pgh_hist Service/Support Paging History 397
pgm_det Program Detail 398
pic_ctrl Pricing Control 399
pid_det Price List Detail 399
pigc_det Price List Group Customer Detail 400
pigp_det Price List Group Item Detail 401
pig_mstr Price List Group Master 402
pih_hist Pricing History 403
pi_mstr Price List Master 405
pjc_ctrl Project Realization Control 407
pjd_det Project Realization Subproject Detail 408
pjsh_hist Project Realization Transaction History 409
pjsx_det Project Structure Cross-Reference Detail 410
pjs_mstr Project Realization Structure Master 411
pjt_mstr Project Realization Project Type Master 414
pj_mstr Project Master 414
pk_det Pick List Work Table 415
pld_det Product Line Detail 415
plid_det Purchase Ledger Invoice Detail 416
pli_mstr Purchase Ledger Invoice Master 417
plsd_det Product Line Sales Detail 418
plt_det Product Line Tax Detail 419
pl_mstr Product Line Master 419
poc_ctrl Purchase Order Control 422
pod_det Purchase Order Detail 424
pould_det Point of Use Location Detail 427
poul_mstr Point of Use Location Master 428
pou_mstr Point of Use Code Master 428
po_mstr Purchase Order Master 429
pp_plan Product Line Plan 431
pq_mstr Product Line Requirements Master 432
prd_det Printer Detail 432
prh_hist Purchase Order Receipt History 433
prj_mstr Project Realization Project Master 436
pr_mstr Printer Master 437
pshc_ctrl Purchase Shipper Control 438
ps_mstr Product Structure Master 438
pta_det Associated Item Detail 440
ptc_det Container Item Detail 441
pth_hist Products Sales History 442
ptls_det Item Lot/Serial Detail 442
ptp_det Item Planning Detail 443
ptqa_det Item Quantitative Analysis Detail 445

ptr_det Item Routing Detail 446
pts_det Item Substitute Detail 447
ptt_det Item Tax Detail 447
ptv_det Item Statistical Value Detail 448
pt_mstr Item Master 448
pvod_det Pending Voucher Detail 453
pvo_mstr Pending Voucher Master 454
qaddb_ctrl Database Control for QADDB 456
qad_wkfl QAD Work Table 456
qcc_ctrl Quality Order Control 457
qcd_det Quality Control Order Detail 457
qcs_mstr Quality Sampling Pattern Master 458
qc_mstr Quality Control Order Master 458
qob_det Sales Quotation Configuration Bill Detail 460
qoc_ctrl Sales Quotation Control 460
qodr_det Sales Quotation Relationship Detail 461
qod_det Sales Quotation Detail 462
qor_mstr Sales Quotation Relationship Master 464
qo_mstr Sales Quotation Master 464
qps_det Quality Test Bill Detail 467
qqc_ctrl Q/LinQ Control 467
qro_det Quality Inspection Routing Detail 470
qr_test Quality Order Test Steps 470
qtbl_ext QAD Table Extension 471
rbm_mstr Retrobill Master 472
rcc_mstr Customer Sequence Schedule Master 473
rcf_ctrl Customer Sequence Schedule Control 473
rcsd_det Customer Sequence Schedule Detail 474
rcsx_ref Customer Sequence Schedule Cross-Reference 476
rcs_mstr Customer Schedule Master 477
rdf_mstr Service/Support Return Defaults Master 478
reg_mstr Service/Support Region Master 480
req_det Requisition Detail 481
rhd_hist Return Material Authorization Detail History 482
rma_mstr Return Material Authorization Master 484
rmc_ctrl Return Material Authorization Control 485
rmd_det Return Material Authorization Detail 487
rnd_mstr Rounding Method Master 489
ro_det Routing Operation Detail 490
rpc_ctrl Repetitive Control 491
rps_mstr Repetitive Production Schedule Master 492
rqa_mstr Requisition Approver Master 493
rqcd_det Requisition Category Detail 494
rqc_mstr Requisition Category Master 495
rqda_det Requisition Approval Detail 495
rqd_det Requisition Detail 496
rqf_ctrl Requisition Control 498

rqh_hist Requisition History 498
rqj_mstr Requisition Job Master 499
rql_mstr Requisition Approval Level Master 500
rqm_det Requirement Detail 500
rqm_mstr Requisition Master 501
rqpo_ref Requisition/PO Cross-Reference 503
rqr_mstr Role Master 504
rq_mstr Requirement Master 504
rsc_ctrl Shipping Schedule Control 505
rsd_det Resource Requirements Detail 506
rsn_ref Reason Code Master 506
rstd_det Product Change Control Routing Slip Template Detail 507
rst_mstr Product Change Control Routing Slip Template Master 507
rsud_det Product Change Control Routing Slip Detail 508
rsu_mstr Product Change Control Routing Slip Master 508
rs_mstr Resource Master 509
sab_det Service Contract Billing Detail 509
sac_ctrl Service Contract Control 511
sadh_hist Service Contract Detail History 512
sad_det Service Contract Detail 515
sah_hist Service Contract History 518
salh_hist Service/Support Contract Limits History 521
sal_mstr Service/Support Contract Limits Master 523
sap_det Service Contract Preventive Maintenance Detail 525
sar_mstr Service Contract Serial Number Master 527
sa_mstr Service Contract Master 528
sbc_mstr Service/Support Billing Cycle Master 531
sbd_det Sub-Account/Account Validation Detail 532
sbic_ctl Self-Bill Control 532
sbid_det Self-Bill Detail 533
sbi_mstr Self-Bill Master 535
sb_mstr Sub-Account Master 536
sca_mstr Service Contract Additional Charge Master 536
scc_mstr Customer/Ship-To Shipment Controls Master 537
schd_det Release Management Schedule Detail 538
sch_mstr Release Management Schedule Master 539
sct_det Cost Simulation Total Detail 541
scx_ref Scheduled Order Cross-Reference 542
sc_mstr Cost Simulation Master 542
sdtd_det Shipping Delivery Time Detail 543
sdt_mstr Shipping Delivery Time Master 544
sd_mstr Sales Order Discount Master 544
seoc_ctrl Material Order Control 545
seq_mstr Production Line Schedule Sequence Master 546
sfb_det Service/Support Billing Detail 547
sfh_hist Service/Support Billing History 549
sgad_det Shipping Group Address Detail 551

sgcd_det Shipping Group Carrier Detail 551
sgid_det Shipping Group and Inventory Movement Code Detail 552
sg_mstr Shipping Group Master 553
shc_ctrl Shipper Control 553
shd_det Shipping Schedule Detail 554
shft_det Shift Detail 554
shm_mstr Shipping Schedule Master 555
shop_cal Shop Calendar 556
shpc_ctrl Shipment Performance Control 556
shpd_hist Shipment Performance Detail History 557
shp_hist Shipment Performance History 558
shtr_det Shipment Trailer Detail 559
shv_mstr Ship Via Master 560
sim_det Inventory Movement Site Detail 560
six_ref Shipment Detail/Invoice Number Cross-Reference 561
si_mstr Site Master 563
slrd_det Site Linking Rules Detail 564
slr_mstr Site Linking Rules Master 564
sm_mstr Source Matrix Master 565
sob_det Sales Order Configuration Bill Detail 566
socc_mstr Sales Order Credit Card Master 566
soc_ctrl Sales Order Control 567
sodlc_det Sales Order Detail Line Charges 569
sodr_det Sales Order Relationship Detail 570
sod_det Sales Order Detail 571
sop_det Cost Simulation Operation Detail 575
sor_mstr Sales Order Relationship Master 576
sosrd_det Sales Order Shipment Reason Detail 577
sosr_mstr Sales Order Shipment Reason Master 577
so_mstr Sales Order Master 578
spc_ctrl Salesperson Control 582
spd_det Salesperson Commission Detail 582
sph_hist Salesperson Sales History 583
spt_det Cost Simulation Item Detail 583
sp_mstr Salesperson Master 584
src_ctrl Service Request Control 585
sroc_ctrl Service/Repair Order Control 585
sro_mstr Service/Repair Order Master 585
srr_mstr Service Request Master 587
sr_wkfl Serial Number Work Table 589
ssd_det Source of Supply Detail 589
ssm_mstr Source of Supply Master 590
sttqd_det Time-Based/Quantity-Based Status Code Detail 590
sttq_mstr Time-Based/Quantity-Based Status Code Master 591
stx_mstr Suspended Tax Master 592
sufd_det Shipper User Field Detail 592
suf_mstr Shipper User Field Master 593

svc_ctrl Service/Support Management Control....594
sv_mstr Service Agreement Terms and Conditions Master....597
swc_det Cost Simulation Work Center Detail....598
sypd_det Synch Profile Detail....599
sypj_det Sync Profile Join Detail....600
syps_det Synch Profile Subscription Detail....602
syp_mstr Synch Profile Master....603
sytf_mstr Synchronization Table-Field Master....604
tag_mstr Physical Inventory Tag Master....604
taxd_det Tax Detail....606
tax_mstr Tax Master....606
tblcd_det Table Change Detail....607
tblc_mstr Table Change Master....607
tbl_mstr Service/Support Parent/Child Relationship Master....608
te_mstr Transaction Export Master....609
tm_mstr Transportation Master....610
totd_det Terms of Trade Detail....611
tot_mstr Terms of Trade Master....611
trcs_det Transaction Cost Detail....612
trgl_det Inventory Transaction and General Ledger Cross-Reference....612
trld_det Trailer Tax Detail....613
trl_mstr Trailer Master....614
trq_mstr Transmission Date Reference Master....614
tr_hist Inventory Transaction History....615
tx2d_det Tax Detail....618
tx2_mstr Tax Master....619
txbd_det Tax Base Detail....621
txc_ctrl Tax Control....621
txed_det Tax Environment Detail....622
txe_mstr Tax Environment Master....623
txhd_det Tax History Detail....624
txrd_det Tax Register Detail....625
txr_mstr Tax Register Master....626
txz_mstr Tax Zone Master....627
typ_mstr Fixed Asset Type Master....627
tzod_det Service/Support Time Zone Detail....628
tzo_mstr Service/Support Time Zone Master....629
udd_det User Domain Detail....629
ufd_det User Function Key Detail....630
umsg_det User Message Detail....630
um_mstr Unit of Measure Conversion Master....631
upd_det Printer/User Detail....632
url_mstr URL Master....632
usg_det Application Usage Detail....633
uslh_hist User Logon History....634
uspw_hist User Password History....634
usrc_ctrl User Control....635

usrgd_det User Group Detail 636
usrg_mstr User Group Master 636
usrl_det User Licensed Application Detail 637
usrw_wkfl User Work Table 637
usr_mstr User Master 638
vdc_ctrl Supplier Control 639
vdf_mstr Supplier Fiscal Data Master 639
vd_mstr Supplier Master 640
vecd_det Supplier Performance Category Detail 643
vec_mstr Supplier Performance Category Master 643
vee_mstr Supplier Performance Event Master 644
vef_ctrl Supplier Performance Control 645
vepd_det Supplier Performance Detail 646
vep_mstr Supplier Performance Master 647
verd_det Supplier Performance Registration Detail 650
ver_mstr Supplier Performance Registration Master 650
vesd_det Supplier Performance Summary Detail 652
ves_mstr Supplier Performance Summary Master 653
vew_mstr Supplier Performance Weighting Factor Master 654
vex_mstr Supplier Performance Cross-Reference Master 654
vod_det Voucher Detail 655
vo_mstr Voucher Master 656
vph_hist Voucher Invoice History 658
vpo_det Voucher Purchase Order Detail 659
vp_mstr Supplier Item Master 659
vrc_ctrl Version Control 660
vtc_ctrl Value Added Tax Control 660
vt_mstr Value Added Tax Master 661
wcr_route Work Center Routing Standards 661
wc_mstr Work Center Master 662
whl_mstr Warehouse Location Master 663
wlbd_det WIP Lot Trace BOM Control Detail 664
wlbm_mstr WIP Lot Trace BOM Control Master 665
wlc_ctrl WIP Lot Trace Control 667
wld_det WIP Lot Inventory Detail 668
wlrd_det WIP Lot Trace Routing Control Detail 669
wlrm_mstr WIP Lot Trace Routing Control Master 670
wlt_mstr WIP Lot Trace Master 671
wl_mstr WIP Lot Master 672
woc_ctrl Work Order Control 674
wod_det Work Order Detail 674
wo_mstr Work Order Master 676
wr_route Work Order Routing 680
wtx_mstr Withholding Tax Master 683

Section 2 Summary of Changes 685

Changed Fields 686
Deleted Fields 687
New Fields 690
Changed Indexes 715
Deleted Indexes 716
New Indexes for Existing Tables 717
Deleted Tables 731
New Tables 732

Index of Table Descriptions 733

About This Guide

Introduction **2**

How This Book Is Organized **2**

Symbols and Conventions **3**

Other QAD Documentation **4**

Online Help **4**

QAD Web Site **5**

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming. Cross-references for identifying new, changed, and deleted tables, fields, and indexes are included after the main section.

How This Book Is Organized

See “Symbols and Conventions” on page 3 for symbols.

Database tables are grouped by module and listed alphabetically, with the following information.

abd_det Asset Book Detail

Field Name	Field Label	Column Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	->>9.9<%	10

- *Field Name*. The name of the field.
- *Field Label*. The label as it appears on screens.
- *Column Label*. The label that appears on reports.
- *Format*. How, and what kind of, data can be displayed.
- *Dec*. The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- Reserved for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier application versions)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

	Index Name	Uni	Field Name	Asc	Abbr
	abd_active	yes	abd_active	yes	no
			abd_asset	yes	no
			abd_book	yes	no
*	abd_asset	yes	abd_asset	yes	no
			abd_book	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don't specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book. For this version of *Database Definitions*, new and changed are relative to the previous publication, based on MFG/PRO Version eB2.

Symbol	Meaning
*	Primary Index
◊	New table, field, index
Δ	Changed field/index
!	Shows where a column label wraps to next line

The following conventions are used in this book.

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>__user<number>	User field (ac__user1)
<prefix>__dec<number>	User decimal data field (ac__dec01)
<prefix>__chr<number>	User character field (ac__chr01)
<prefix>__qad<number>	QAD reserved field (ac__qad01)
<prefix>_x<number>	Obsolete field (ac_xctr)

Other QAD Documentation

- For an overview of new features and software updates, see the *Release Bulletin*.
- For software installation instructions, refer to the appropriate installation guide for your system.
- For conversion information, refer to the *Conversion Guide*.
- For instructions on navigating and using the QAD .NET User Interface, see *User Guide: QAD .NET User Interface.*
- For instructions on navigating the Windows and character environments, refer to *User Guide Volume 1: Introduction*.
- For instructions on navigating and using the QAD Desktop interface, see *User Guide: QAD Desktop.*
- For information on using QAD 2007, refer to the *User Guides*.
- For technical details, refer to *Entity Diagrams* and *Database Definitions.*
- To view documents online in PDF format, see the *Documents on CD* and *Supplemental Documents on CD*.

  Note Installation guides are not included on a CD. Printed copies are packaged with your software. Electronic copies of the latest versions are available on the QAD Web site.

For a complete list of QAD documentation, visit the QAD Support site.

Online Help

QAD 2007 has an extensive online help system. Help is available for most fields found on a screen. Procedure help is available for most programs that update the database. Most inquiries, reports, and browses do not have procedure help.

For information on using the help system in the different QAD 2007 environments, refer to *User Guide Volume 1: Introduction, User Guide: QAD Desktop,* and *User Guide: QAD .NET User Interface*.

QAD Web Site

QAD's Web site provides a wide variety of information about the company and its products. You can access the Web site at:

http://www.qad.com

For users with a QAD Web account, product documentation is available for viewing or downloading at:

http://support.qad.com/

You can register for a QAD Web account by accessing the Web site and clicking the Accounts link at the top of the screen. Your customer ID number is required. Access to certain areas is dependent on the type of agreement you have with QAD.

Most user documentation is available in two formats:

- Portable document format (PDF). PDF files can be downloaded from the QAD Web site to your computer. You can view them with the free Adobe Acrobat Reader. A link for downloading this program is also available on the QAD Web site.
- HTML. You can view user documentation through your Web browser. The documents include search tools for easily locating topics of interest.

Features of ServiceLinQ also include an online searchable solution database to help answer questions about setting up and using QAD products. Additionally, the site has information about training classes and other services that can help you learn about QAD products.



Section 1

Database Definitions

This section contains an alphabetical listing of database definition.

abd_det

Asset Book Detail

	Field Name	Label	Col-Label	Format	Dec
	abd_active	Active	Act	yes/no	
	abd_asset	Asset		x(12)	
	abd_bonus	Bonus Percent	Bonus %	->>9.9<%	10
	abd_book	Book		x(8)	
	abd_conv	Convention	Conv	x(8)	
	abd_cost	Acquisition Cost		->>,>>>,>>>,>>9.99<	10
	abd_credit	Tax Credit Percent	Tax Cr %	->>9.9<%	10
	abd_cr_amt	Tax Credit Amount		->>,>>>,>>>,>>9.99<	10
	abd_curr_cost	Acquisition Cost		->>,>>>,>>>,>>9.99<	10
	abd_date	Depreciation Start Date	Start! Date	99/99/9999	
	abd_db_pct	Declining Balance Percent	DB %	->>9.9<%	10
	abd_dtd	Prior Depreciation--Fiscal	Prior Depreciation! Fiscal	->>,>>>,>>>,>>9.99<	10
	abd_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	abd_expense	Expensed Amount		->>,>>>,>>>,>>9.99<	10
	abd_exru_seq	Sequence		>>>>>>>>9	
	abd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
	abd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	abd_ex_ratetype	Rate Type		x(8)	
	abd_first_mnth	First Month's Depreciation	First Month's Depr	->>,>>>,>>>,>>9.99<	10
	abd_last_depr	Last Depreciated	Last Depr	99/99/99	
	abd_life_mnth	Months	Mo	99	
	abd_life_yr	Years	Yr	99	
	abd_method	Depreciation Method	Method	x(8)	
	abd_pd_depr	Depreciation per Period	Depr per Period	->>,>>>,>>>,>>9.99<	10
	abd_periods	Depreciation Periods to Take	Pds	999	
	abd_prior_ast	Prior Depreciation--Asset Life	Prior Depreciation! Asset Life	->>,>>>,>>>,>>9.99<	10
	abd_rem_mnth	Months Remaining	Mo! Lf	-99	
	abd_rem_yr	Years Remaining	Yr! Lf	99	
	abd_rep_pct	Current Cost Percent	Curr Cst %	->>9.9<%	10
	abd_rt_date	Retirement Date	Retire! Date	99/99/9999	
	abd_salvage	Salvage Value		->>,>>>,>>>,>>9.99<	10
	abd_sched_depr	Scheduled Depreciation--Annual	Scheduled Depr! Annual	->>,>>>,>>>,>>9.99<	10
	abd_type	Type	T	x(2)	
	abd_udec1	Decimal 1		->>,>>>,>>>,>>9.99<	10
	abd_udec2	Decimal 2		->>,>>>,>>>,>>9.99<	10
	abd_udec3	Decimal 3		->>,>>>,>>>,>>9.99<	10
	abd_udec4	Decimal 4		->>,>>>,>>>,>>>,>>9.99<	10
	abd_uint1	Integer 1	Int 1	-999999	
	abd_uint2	Integer 2	Int 2	-999999	
	abd_uint3	Integer 3	Int 3	-999999	
	abd_user1	Ufld1		x(8)	
	abd_user2	Ufld2		x(8)	
	abd_ytd	YTD Depreciation--Fiscal	YTD Depreciation! Fiscal	->>,>>>,>>>,>>9.99<	10
	abd_ytd_total	Annual Allowed Depreciation	Annual Allowed Depr	->>,>>>,>>>,>>9.99<	10
	abd__qad01			x(8)	
	abd__qad02			x(8)	
	abd__qad03			x(8)	
◊	oid_abd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	abd_active	yes	abd_active	yes	no
			abd_asset	yes	no
			abd_book	yes	no
*	abd_asset	yes	abd_asset	yes	no
			abd_book	yes	no
◊	oid_abd_det	yes	oid_abd_det	yes	no

abscc_det

Sales Order Detail Container Charges

	Field Name	Label	Col-Label	Format	Dec
	abscc_abs_id	ID		x(20)	
	abscc_abs_shipfrom	Ship From		x(8)	
	abscc_charge_type	Charge Type	Charge! Type	x(8)	
	abscc_confirmed	Confirmed		yes/no	
	abscc_container	Container		x(18)	
	abscc_cont_price	Price		->>>>,>>>,>>9.99<<<	10
◊	abscc_domain	Domain		x(8)	
	abscc_fr_class	Freight Class		x(8)	
	abscc_inv_nbr	Invoice Number		x(8)	
	abscc_inv_post	Posted		yes/no	
	abscc_mod_date	Modified Date	Mod Date	99/99/99	
	abscc_mod_userid	User ID		x(8)	
	abscc_order	Sales Order		x(8)	
	abscc_ord_line	SO Line	SO! Line	>>9	
	abscc_project	Project		x(8)	
	abscc_qty	Quantity		->>,>>>,>>9.9<<<<<<<<<	10
	abscc_ref	Reference		x(24)	
	abscc_shipto	Ship-To/Dock		x(8)	
	abscc_ship_wt	Ship Weight		->>,>>>,>>9.9<<<<<<<<<	10
	abscc_ship_wt_um	Ship Weight UM	UM	x(2)	
	abscc_shp_date	Ship Date		99/99/99	
	abscc_sls_acct	Sales Acct	Account	x(8)	
	abscc_sls_cc	Sales Cost Ctr	CC	x(4)	
	abscc_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
	abscc_taxable	Taxable	Tax	yes/no	
	abscc_taxc	Tax Class	TxC	x(3)	
	abscc_userc01	User Field Character 1		x(24)	
	abscc_userc02	User Field Character 2		x(24)	
	abscc__qadc01			x(24)	
	abscc__qadc02			x(24)	
◊	oid_abscc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	abscc_id	yes	abscc_domain	yes	no
			abscc_abs_id	yes	no
			abscc_abs_shipfrom	yes	no
Δ	abscc_inv_nbr	no	abscc_domain	yes	no
			abscc_inv_nbr	yes	no
			abscc_order	yes	no
Δ	abscc_ordln	no	abscc_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			abscc_order	yes	no
			abscc_ord_line	yes	no
			abscc_inv_post	yes	no
Δ	abscc_shipto	no	abscc_domain	yes	no
			abscc_shipto	yes	no
			abscc_shp_date	yes	no
			abscc_container	yes	no
◊	oid_abscc_det	yes	oid_abscc_det	yes	no

absc_det

Shipment Carrier Detail

	Field Name	Label	Col-Label	Format	Dec
	absc_abs_id	ID		x(20)	
	absc_carrier	Carrier		x(8)	
◊	absc_domain	Domain		x(8)	
	absc_seq	Seq		>>9	
	absc_user1	Ufld1		x(8)	
	absc_user2	Ufld2		x(8)	
	absc__qadc01			x(8)	
◊	oid_absc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	absc_abs_id	yes	absc_domain	yes	no
			absc_abs_id	yes	no
			absc_seq	yes	no
Δ	absc_carrier	no	absc_domain	yes	no
			absc_carrier	yes	no
◊	oid_absc_det	yes	oid_absc_det	yes	no

absd_det

Shipment Line Item Detail

	Field Name	Label	Col-Label	Format	Dec
	absd_abs_fld_name	Shipper Field Name		x(32)	
	absd_abs_id	ID		x(20)	
◊	absd_domain	Domain		x(8)	
	absd_fld_name	Field Name		X(30)	
	absd_fld_prompt	Prompt for Value		yes/no	
	absd_fld_seq	Field Sequence	Seq	>>9	
	absd_fld_value	Field Value		X(30)	
	absd_mod_date	Modified Date	Mod Date	99/99/99	
	absd_mod_userid	User ID		x(8)	
	absd_shipfrom	Ship From		x(8)	
	absd_userc01	User Field Character 1		x(24)	
	absd_validate	Validate		x(24)	
	absd__qadc01			x(24)	
	absd__qadc02			x(24)	
◊	oid_absd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	absd_abs_fld_name	no	absd_domain	yes	no
			absd_abs_id	yes	no
			absd_shipfrom	yes	no
			absd_abs_fld_name	yes	no
			absd_fld_seq	yes	no
Δ*	absd_abs_id	yes	absd_domain	yes	no
			absd_abs_id	yes	no
			absd_shipfrom	yes	no
			absd_fld_seq	yes	no
◊	oid_absd_det	yes	oid_absd_det	yes	no

absi_mstr

Shipper Information Master

	Field Name	Label	Col-Label	Format	Dec
	absi_abs_id	Shipper ID	Shipper	x(20)	
	absi_carrier_ref2	Carrier Reference 2		x(20)	
	absi_contents	Contents		x(60)	
◊	absi_domain	Domain		x(8)	
	absi_due_date	Due Date	Due	99/99/99	
	absi_mod_date	Modified Date	Mod Date	99/99/99	
	absi_mod_userid	User ID		x(8)	
	absi_origin	Origin		x(30)	
	absi_port_arrive	Port of Arrival		x(30)	
	absi_port_depart	Port of Departure		x(30)	
	absi_shipfrom	Ship-From		x(8)	
	absi_user1	User Field Character 1		x(24)	
	absi_user2	User Field Character 2		x(24)	
	absi_voyage	Voyage		x(20)	
	absi__qadc01			x(24)	
	absi__qadc02			x(24)	
◊	oid_absi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	absi_abs_id	yes	absi_domain	yes	no
			absi_shipfrom	yes	no
			absi_abs_id	yes	no
◊	oid_absi_mstr	yes	oid_absi_mstr	yes	no

absl_det

Shipment Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
absl_abs_id	ID		x(20)	
absl_abs_shipfrom	Ship From		x(8)	
absl_acct	Trailer Acct	Account	x(8)	
absl_cc	Trailer CC	CC	x(4)	
absl_charge_type	Charge Type	Charge! Type	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	absl_confirmed	Confirmed		yes/no	
◊	absl_domain	Domain		x(8)	
	absl_ext_price	Extended Charge		->>>>,>>>,>>9.99<<<	10
	absl_inv_nbr	Invoice Number		x(8)	
	absl_inv_post	Posted		yes/no	
	absl_lc_amt	Charge		->>>>,>>>,>>9.99<<<	10
	absl_lc_line	Charge Line	Ln	>>9	
	absl_mod_date	Modified Date	Mod Date	99/99/99	
	absl_mod_userid	User ID		x(8)	
	absl_order	Sales Order		x(8)	
	absl_ord_line	SO Line	SO! Line	>>9	
	absl_project	Project		x(8)	
	absl_ref	Reference		x(24)	
	absl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
	absl_taxable	Taxable		yes/no	
	absl_taxc	Tax Class	TxC	x(3)	
	absl_trl_code	Trailer Code	Code	x(2)	
	absl_userc01	User Field Character 1		x(24)	
	absl_userc02	User Field Character 2		x(24)	
	absl__qadc01			x(24)	
	absl__qadc02			x(24)	
◊	oid_absl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	absl_abs_id	yes	absl_domain	yes	no
			absl_abs_id	yes	no
			absl_abs_shipfrom	yes	no
			absl_order	yes	no
			absl_ord_line	yes	no
			absl_lc_line	yes	no
Δ	absl_order	no	absl_domain	yes	no
			absl_order	yes	no
			absl_ord_line	yes	no
			absl_inv_post	yes	no
◊	oid_absl_det	yes	oid_absl_det	yes	no

absr_det

Shipment Requirement Detail

	Field Name	Label	Col-Label	Format	Dec
	absr_cnfrmd	Confirmed		yes/no	
	absr_date	Date		99/99/99	
◊	absr_domain	Domain		x(8)	
	absr_id	Id		x(8)	
	absr_interval	Interval		x(1)	
	absr_line	Line	Ln	>>9	
	absr_nbr	Order	Sls Order	x(8)	
	absr_qty	Qty Pegged		>,>>>,>>9.9<<<<	10
	absr_reference	Reference		x(24)	
	absr_rlse_id	Release ID		x(30)	
	absr_shipfrom	Ship-from Id		x(8)	
	absr_ship_id	ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	absr_time	Time		99:99	
	absr_type	Schedule Type		>9	
	absr_user1	Ufld1		x(8)	
	absr_user2	Ufld2		x(8)	
	absr__qadc01			x(8)	
◊	oid_absr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	absr_dtl	yes	absr_domain	yes	no
			absr_shipfrom	yes	no
			absr_id	yes	no
			absr_type	yes	no
			absr_nbr	yes	no
			absr_line	yes	no
			absr_rlse_id	yes	no
			absr_date	yes	no
			absr_time	yes	no
			absr_interval	yes	no
			absr_reference	yes	no
Δ	absr_nbr	no	absr_domain	yes	no
			absr_cnfrmd	yes	no
			absr_type	yes	no
			absr_nbr	yes	no
			absr_line	yes	no
			absr_rlse_id	yes	no
			absr_date	yes	no
			absr_time	yes	no
			absr_interval	yes	no
			absr_reference	yes	no
◊	oid_absr_det	yes	oid_absr_det	yes	no

abss_det

Shipment Sequence Detail

	Field Name	Label	Col-Label	Format	Dec
	abss_abs_id	ID		x(20)	
	abss_confirmed	Confirmed		yes/no	
	abss_cust_job	Customer Job		x(30)	
	abss_cust_ref	Customer Reference		x(30)	
	abss_cust_seq	Customer Sequence		x(30)	
	abss_date	Schedule Date	Date	99/99/99	
	abss_dock	Customer Dock		x(30)	
◊	abss_domain	Domain		x(8)	
	abss_invoice	Invoice		x(8)	
	abss_line	Line		>>9	
	abss_line_feed	Line Feed		x(30)	
	abss_mod_date	Modified Date	Mod Date	99/99/99	
	abss_mod_pgm	Last Program		x(8)	
	abss_mod_userid	User ID		x(8)	
	abss_order	Order		x(8)	
	abss_part	Item Number		x(18)	
	abss_qty	Quantity		>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	abss_rlse_id	Release ID		x(30)	
	abss_shipfrom	Ship-From		x(8)	
	abss_shipto	Ship-To		x(8)	
	abss_ship_id	Ship ID		x(20)	
	abss_status	Status		x(8)	
	abss_time	Schedule Time	Time	99:99	
	abss_user1	Ufld1		x(8)	
	abss_user2	Ufld2		x(8)	
	abss__qadc01			x(8)	
	abss__qadc02			x(8)	
	abss__qadd01			->,>>>,>>9.9<<<<<<<<	10
	abss__qadd02			->,>>>,>>9.9<<<<<<<<	10
	abss__qadi01			->,>>>,>>9	
	abss__qadi02			->,>>>,>>9	
	abss__qadl01			yes/no	
	abss__qadl02			yes/no	
	abss__qadt01			99/99/99	
	abss__qadt02			99/99/99	
◊	oid_abss_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	abss_index1	yes	abss_domain	yes	no
			abss_abs_id	yes	no
			abss_shipfrom	yes	no
			abss_shipto	yes	no
			abss_rlse_id	yes	no
			abss_cust_job	yes	no
			abss_cust_seq	yes	no
			abss_part	yes	no
			abss_date	yes	no
			abss_time	yes	no
			abss_cust_ref	yes	no
			abss_dock	yes	no
			abss_line_feed	yes	no
Δ	abss_index2	no	abss_domain	yes	no
			abss_shipfrom	yes	no
			abss_shipto	yes	no
			abss_rlse_id	yes	no
			abss_cust_ref	yes	no
			abss_part	yes	no
Δ	abss_index3	no	abss_domain	yes	no
			abss_ship_id	yes	no
			abss_part	yes	no
			abss_cust_job	yes	no
			abss_cust_seq	yes	no
Δ	abss_index4	no	abss_domain	yes	no
			abss_ship_id	yes	no
			abss_date	yes	no
			abss_time	yes	no
			abss_cust_job	yes	no
			abss_cust_seq	yes	no
			abss_part	yes	no
Δ	abss_index5	no	abss_domain	yes	no
			abss_ship_id	yes	no
			abss_order	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			abss_line	yes	no
Δ	abss_index6	no	abss_domain	yes	no
			abss_invoice	yes	no
			abss_order	yes	no
			abss_line	yes	no
Δ	abss_index7	no	abss_domain	yes	no
			abss_invoice	yes	no
			abss_cust_job	yes	no
			abss_cust_seq	yes	no
			abss_part	yes	no
◊	oid_abss_det	yes	oid_abss_det	yes	no

abs_mstr ASN/BOL/Shipper Master

	Field Name	Label	Col-Label	Format	Dec
	abs_act_fcst	Act Frt Cost		>>>>,>>>,>>9.99	10
	abs_apr_date	Approval Date		99/99/99	
	abs_apr_time	Approval Time		>>>>>>>9	
	abs_apr_userid	Approved By		x(8)	
	abs_arr_date	Arrive Date		99/99/99	
	abs_arr_time	Arrive Time		>>>>>>>9	
	abs_asn_crt_date	ASN Create Date		99/99/99	
	abs_asn_crt_time	ASN Create Time		>>>>>>>9	
	abs_canceled	Canceled		Yes/No	
	abs_cancel_date	Cancel Date		99/99/99	
	abs_charge_type	Charge Type	Charge! Type	x(8)	
	abs_cmtindx	Comment Index		>>>>>>>9	
	abs_cons_ship	Consolidate		x(8)	
	abs_crt_date	Create Date		99/99/99	
	abs_crt_time	Create Time		>>>>>>>9	
	abs_cum_qty	Cum Ship Qty		>,>>>,>>9.9<<<<<<<	10
	abs_cust_ref	Customer Ref		x(24)	
	abs_dataset	Data Set		x(12)	
	abs_desc	Description		x(48)	
	abs_dim_um	Dimensions UM		x(2)	
	abs_doc_data[5]			x(8)	
◊	abs_domain	Domain		x(8)	
	abs_eff_date	Effective		99/99/99	
	abs_est_fcst	Est Frt Cost		>>>>,>>>,>>9.99	10
	abs_export_batch	Batch		>>>>>>>>9	
	abs_export_date	Export Date		99/99/99	
	abs_export_time	Export Time		>>>>>>>9	
	abs_fa_lot	Final Assembly ID	ID	x(8)	
	abs_format	Document Format	Format	x(8)	
	abs_fr_class	Frt Class		x(8)	
	abs_fr_curr	Currency		x(3)	
	abs_gwt	Gross Weight		>,>>>,>>9.9<<<<<<<	10
	abs_id	Id		x(20)	
	abs_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	abs_inv_nbr	Invoice Number		x(8)	
	abs_item	Container Item		x(18)	
	abs_lang	Language		x(2)	
	abs_line	Order Line		x(8)	
	abs_loc	Location		x(8)	

Field Name	Label	Col-Label	Format	Dec
abs_lotser	Lot/Serial		x(18)	
abs_master_id	Master Bill ID		x(20)	
abs_master_shipfrom	Master Bill Ship-From	MBOL! ShipFrom	x(8)	
abs_nr_id	Sequence ID		x(8)	
abs_nwt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
abs_order	Order		x(8)	
abs_par_id	Parent ID		x(24)	
abs_preship_id	Pre-Shipper Number		x(20)	
abs_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
abs_price	Price		->>>>,>>>,>>9.99<<<	10
abs_qty	Qty To Ship		>,>>>,>>9.9<<<<<<<<	10
abs_ref	Ref		x(8)	
abs_shipfrom	Ship-from Id		x(8)	
abs_shipto	Ship-to Id		x(8)	
abs_ship_qty	Quantity Shipped		>,>>>,>>9.9<<<<<<<<	10
abs_shp_date	Ship Date		99/99/99	
abs_shp_time	Ship Time		>>>>>>>9	
abs_site	Site		x(8)	
abs_status	Status		x(8)	
abs_timezone	Time Zone		x(2)	
abs_trl_cmtindx	Trailer Comments		>>>>>>>9	
abs_type	Type		x(1)	
abs_user1	Ufld1		x(8)	
abs_user2	Ufld2		x(8)	
abs_vol	Volume		>,>>>,>>9.9<<<<<<<<	10
abs_vol_um	Volume UM		x(2)	
abs_wt_um	Weight UM		x(2)	
abs__chr01			x(8)	
abs__chr02			x(8)	
abs__chr03			x(8)	
abs__chr04			x(8)	
abs__chr05			x(8)	
abs__chr06			x(8)	
abs__chr07			x(8)	
abs__chr08			x(8)	
abs__chr09			x(8)	
abs__chr10			x(8)	
abs__dec01			>>>,>>>,>>9.99	10
abs__dec02			>>>,>>>,>>9.99	10
abs__dec03			>>>,>>>,>>9.99	10
abs__dec04			>>>,>>>,>>9.99	10
abs__dec05			>>>,>>>,>>9.99	10
abs__dec06			>>>,>>>,>>9.99	10
abs__dec07			>>>,>>>,>>9.99	10
abs__dec08			>>>,>>>,>>9.99	10
abs__dec09			>>>,>>>,>>9.99	10
abs__dec10			>>>,>>>,>>9.99	10
abs__qad01			x(8)	
abs__qad02			x(8)	
abs__qad03			x(8)	
abs__qad04			x(8)	
abs__qad05			x(8)	
abs__qad06			x(8)	
abs__qad07			x(8)	
abs__qad08			x(8)	
abs__qad09			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	abs__qad10			x(8)	
	abs__qadc01			x(8)	
	abs__qadd01			>,>>>,>>9.9<<<<<<<	10
◊	oid_abs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	abs_export_batch	no	abs_domain	yes	no
			abs_export_batch	yes	no
Δ	abs_format	no	abs_domain	yes	no
			abs_format	yes	no
Δ*	abs_id	yes	abs_domain	yes	no
			abs_shipfrom	yes	no
			abs_id	yes	no
Δ	abs_inv_nbr	no	abs_domain	yes	no
			abs_inv_nbr	yes	no
			abs_shipfrom	yes	no
			abs_id	yes	no
Δ	abs_item	no	abs_domain	yes	no
			abs_item	yes	no
			abs_shipfrom	yes	no
Δ	abs_master_id	no	abs_domain	yes	no
			abs_master_id	yes	no
			abs_master_shipfrom	yes	no
			abs_shipfrom	yes	no
Δ	abs_order	no	abs_domain	yes	no
			abs_order	yes	no
Δ	abs_par_id	yes	abs_domain	yes	no
			abs_shipfrom	yes	no
			abs_par_id	yes	no
			abs_id	yes	no
Δ	abs_shipto	yes	abs_domain	yes	no
			abs_shipfrom	yes	no
			abs_shipto	yes	no
			abs_id	yes	no
◊	oid_abs_mstr	yes	oid_abs_mstr	yes	no

accd_det

Asset Cost Change Detail

Field Name	Label	Col-Label	Format	Dec
accd_amt	Amount		->>,>>>,>>>,>>9.99<	10
accd_asset	Asset		x(12)	
accd_book	Book		x(8)	
accd_curr	Currency	Cur	x(3)	
accd_curr_amt	Currency Amount		->>,>>>,>>>,>>9.99<	10
accd_date	Date		99/99/9999	
accd_desc	Description		x(24)	
accd_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
accd_exru_seq	Sequence		>>>>>>>>9	
accd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
accd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
accd_ex_ratetype	Rate Type		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	accd_life_mnth	Months Asset's Life increased	Mo	99	
	accd_life_yr	Years Asset's Life increased	Yr	99	
	accd_line	Line	Ln	999	
	accd_mod_date	Modified Date	Mod Date	99/99/99	
	accd_user1	Ufld1		x(8)	
	accd_user2	Ufld2		x(8)	
	accd_userid	User ID		x(8)	
	accd__qadc01			x(8)	
◊	oid_accd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	accd_asset	yes	accd_asset	yes	no
			accd_book	yes	no
			accd_line	yes	no
	accd_mod	no	accd_userid	yes	no
			accd_mod_date	yes	no
			accd_asset	yes	no
			accd_book	yes	no
◊	oid_accd_det	yes	oid_accd_det	yes	no

acdf_mstr Account Default Master

	Field Name	Label	Col-Label	Format	Dec
	acdf_acct	Account Number	Account	x(8)	
	acdf_cc	Cost Center	CC	x(4)	
◊	acdf_domain	Domain		x(8)	
	acdf_key1			x(8)	
	acdf_key2			x(8)	
	acdf_key3			x(8)	
	acdf_key4			x(8)	
	acdf_key5			x(8)	
	acdf_key6			x(8)	
	acdf_module	Module		x(2)	
	acdf_mod_date	Modified Date	Mod Date	99/99/99	
	acdf_mod_userid	User ID		x(8)	
	acdf_sub	Sub Account	Sub Acct	x(8)	
	acdf_type	Account Type		x(24)	
	acdf_userc01	User field Character 1		x(24)	
	acdf_userc02	User field character 2		x(24)	
	acdf_userd01	User field Decimal		->>>>,>>>,>>9.99<<<<<<<<<	10
	acdf_useri01	User field integer		->>>>>>>9	
	acdf_userl01	User field logical		yes/no	
	acdf_usert01	User field Date		99/99/99	
	acdf__qadc01			x(24)	
	acdf__qadd01			->>>>,>>>,>>9.99<<<<<<<<<	10
	acdf__qadi01			->>>>>>>9	
	acdf__qadl01			yes/no	
	acdf__qadt01			99/99/99	
◊	oid_acdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	acdf_index1	yes	acdf_domain	yes	no
			acdf_module	yes	no
			acdf_type	yes	no
			acdf_key1	yes	no
			acdf_key2	yes	no
			acdf_key3	yes	no
			acdf_key4	yes	no
			acdf_key5	yes	no
			acdf_key6	yes	no
◊	oid_acdf_mstr	yes	oid_acdf_mstr	yes	no

acd_det

Account Total Detail

	Field Name	Label	Col-Label	Format	Dec
	acd_acc	Account		x(8)	
	acd_amt	Amount		>>,>>>,>>>,>>>,>>9.99cr	10
	acd_cc	Cost Ctr	CC	x(4)	
	acd_cr_amt	CR Amount		->>,>>>,>>>,>>9.99	10
	acd_cr_curr_amt	CR Currency Amount		->>,>>>,>>>,>>9.99	10
	acd_curr_amt	Currency Amount		->>,>>>,>>>,>>>,>>9.99	10
◊	acd_domain	Domain		x(8)	
	acd_dr_amt	DR Amount		->>,>>>,>>>,>>9.99	10
	acd_dr_curr_amt	DR Currency Amount		->>,>>>,>>>,>>9.99	10
	acd_ecur_amt	Amount in entity currency		->>,>>>,>>>,>>9.99	10
	acd_entity	Entity	Enty	x(4)	
	acd_per	Period	Per	>>9	
	acd_project	Project		x(8)	
	acd_sub	Sub-Account	Sub-Acct	x(8)	
	acd_user1	Ufld1		x(8)	
	acd_user2	Ufld2		x(8)	
	acd_year	Year		9999	
	acd__qadc01			x(8)	
◊	oid_acd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	acd_ind2	no	acd_domain	yes	no
			acd_acc	yes	no
			acd_sub	yes	no
			acd_cc	yes	no
			acd_entity	yes	no
			acd_year	yes	no
			acd_per	yes	no
Δ*	acd_index	yes	acd_domain	yes	no
			acd_acc	yes	no
			acd_sub	yes	no
			acd_cc	yes	no
			acd_project	yes	no
			acd_entity	yes	no
			acd_year	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			acd_per	yes	no
Δ	acd_period	no	acd_domain	yes	no
			acd_year	yes	no
			acd_per	yes	no
			acd_entity	yes	no
			acd_acc	yes	no
			acd_sub	yes	no
			acd_cc	yes	no
			acd_project	yes	no
◊	oid_acd_det	yes	oid_acd_det	yes	no

acm_mstr

Co-product/By-product Average Cost Master

	Field Name	Label	Col-Label	Format	Dec
◊	acm_domain	Domain		x(8)	
	acm_method	Method		x(14)	
	acm_part	Base Process		x(18)	
	acm_prod_line	Product Line		x(4)	
	acm_site	Site		x(8)	
	acm_user1	Ufld1		x(8)	
	acm_user2	Ufld2		x(8)	
	acm__qadc01			x(8)	
◊	oid_acm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	acm_index	no	acm_domain	yes	no
			acm_site	yes	no
			acm_prod_line	yes	no
			acm_part	yes	no
Δ	acm_unique	yes	acm_domain	yes	no
			acm_site	yes	no
			acm_prod_line	yes	no
			acm_part	yes	no
			acm_method	yes	no
◊	oid_acm_mstr	yes	oid_acm_mstr	yes	no

acod_mstr

Application Code Master

Field Name	Label	Col-Label	Format	Dec
acod_app_id	Application ID		x(12)	
acod_desc	Description		x(40)	
acod_doc_rev	Document Revision		x(8)	
acod_doc_std	Document Standard		x(8)	
acod_doc_typ	Document Type		x(16)	
◊ acod_domain	Domain		x(8)	
acod_fldname	Field Name		x(32)	
acod_mod_date	Modified Date	Mod Date	99/99/99	
acod_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	acod_src_val	Source Value		x(24)	
	acod_targ_val	Target Value		x(24)	
	acod_tradptr_id	Trading Partner ID		x(32)	
	acod_user1	Ufld1		x(8)	
	acod_user2	Ufld2		x(8)	
	acod__dec01			->>>,>>>,>>9.99<	10
	acod__dec02			->>>,>>>,>>9.99<	10
	acod__dte01			99/99/99	
	acod__dte02			99/99/99	
	acod__int01			->>>,>>>,>>9	
	acod__int02			->>>,>>>,>>9	
	acod__log01			yes/no	
	acod__log02			yes/no	
	acod__qadc01			x(8)	
	acod__qadc02			x(8)	
	acod__qadc03			x(8)	
	acod__qadc04			x(8)	
	acod__qadd01			->>>,>>>,>>9.99<	10
	acod__qadd02			->>>,>>>,>>9.99<	10
	acod__qadi01			->>>,>>>,>>9	
	acod__qadi02			->>>,>>>,>>9	
	acod__qadl01			yes/no	
	acod__qadl02			yes/no	
	acod__qadt01			99/99/99	
	acod__qadt02			99/99/99	
◊	oid_acod_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_acod_mstr	yes	oid_acod_mstr	yes	no
Δ*	SourceValue	yes	acod_domain	yes	no
			acod_app_id	yes	no
			acod_doc_std	yes	no
			acod_doc_typ	yes	no
			acod_doc_rev	yes	no
			acod_tradptr_id	yes	no
			acod_fldname	yes	no
			acod_src_val	yes	no

act_mstr

Alternate Container Master

	Field Name	Label	Col-Label	Format	Dec
	act_charge_type	Charge Type	Charge! Type	x(8)	
	act_cont_part			x(18)	
◊	act_domain	Domain		x(8)	
	act_line			>>9	
	act_nbr	Alternate Container		x(8)	
	act_ord_mult	Std Pack Qty		>>,>>>,>>9	
	act_user1	Ufld1		x(8)	
	act_user2	Ufld2		x(8)	
	act__qadc01			x(8)	
◊	oid_act_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	act_order	yes	act_domain	yes	no
			act_nbr	yes	no
			act_line	yes	no
			act_cont_part	yes	no
◊	oid_act_mstr	yes	oid_act_mstr	yes	no

acx_mstr

Account Cross-Reference Master

	Field Name	Label	Col-Label	Format	Dec
	acx_acc	Account		x(8)	
	acx_cc	Cost Center	CC	x(4)	
◊	acx_domain	Domain		x(8)	
	acx_entity	From Entity	From! Enty	x(4)	
	acx_sub	Sub-Account	Sub-Acct	x(8)	
	acx_to_acc	To Account	To-Acct	x(8)	
	acx_to_cc	To Cost Center	To-CC	x(4)	
◊	acx_to_domain	To Domain		x(8)	
	acx_to_ent	To Entity	To-Ent	x(8)	
	acx_to_sub	To Sub-Account	To-Sub	x(8)	
	acx_user1	Ufld1		x(8)	
	acx_user2	Ufld2		x(8)	
	acx_xcons_cc			yes/no	
	acx__qad01			yes/no	
◊	oid_acx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	acx_index	yes	acx_domain	yes	no
			acx_entity	yes	no
			acx_to_ent	yes	no
			acx_acc	yes	no
			acx_sub	yes	no
			acx_cc	yes	no
Δ	acx_to_index	no	acx_domain	yes	no
			acx_to_ent	yes	no
			acx_entity	yes	no
			acx_acc	yes	no
			acx_sub	yes	no
			acx_cc	yes	no
◊	oid_acx_mstr	yes	oid_acx_mstr	yes	no

ac_mstr Account Master

	Field Name	Label	Col-Label	Format	Dec
	ac_active	Active	Act	yes/no	
	ac_code	Account		x(8)	
	ac_curr	Currency	Cur	x(3)	
	ac_desc	Description		x(24)	
◊	ac_domain	Domain		x(8)	
	ac_fpos	Format Position	Format	>>>>>9	
	ac_fx_index	Curr Translation Index	Ind	x(1)	
	ac_match_seq	Matching Sequence		x(24)	
	ac_modl_only	Sub-Module Entries Only	Sub! Only	yes/no	
	ac_stat_acc	Statistical Account	Stat Acc	x(8)	
	ac_stat_cc	Statistical Cost Ctr	CC	x(4)	
	ac_type	Type	T	x(1)	
	ac_user1	Ufld1		x(8)	
	ac_user2	Ufld2		x(8)	
	ac_xctr	Book Type	Book! Type	x(1)	
	ac_xret_acc			x(8)	
	ac_xret_cc			x(4)	
	ac__chr01			x(8)	
	ac__chr02			x(8)	
	ac__chr03			x(8)	
	ac__chr04			x(8)	
	ac__dte01			99/99/99	
	ac__dte02			99/99/99	
	ac__log01			yes/no	
	ac__log02			yes/no	
	ac__qad01			99/99/99	
	ac__qad02			x(8)	
	ac__qad03	Calc Unrealized Gain/Loss		x(1)	
◊	oid_ac_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ac_active	yes	ac_domain	yes	no
			ac_active	yes	no
			ac_code	yes	no
Δ*	ac_code	yes	ac_domain	yes	no
			ac_code	yes	no
Δ	ac_curr	no	ac_domain	yes	no
			ac_curr	yes	no
Δ	ac_desc	no	ac_domain	yes	no
			ac_desc	yes	no
			ac_code	yes	no
Δ	ac_fpos	no	ac_domain	yes	no
			ac_fpos	yes	no
			ac_code	yes	no
Δ	ac_type	no	ac_domain	yes	no
			ac_type	yes	no
			ac_code	yes	no
◊	oid_ac_mstr	yes	oid_ac_mstr	yes	no

adc_ctrl Address Control

	Field Name	Label	Col-Label	Format	Dec
◊	adc_domain	Domain		x(8)	
	adc_format	Format		>9	
	adc_user1	Ufld1		x(8)	
	adc_user2	Ufld2		x(8)	
	adc__qadc01			x(8)	
Δ	adc__qadi01			->>>>>>>9	
◊	oid_adc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	adc_index1	yes	adc_domain	yes	no
◊	oid_adc_ctrl	yes	oid_adc_ctrl	yes	no

adx_det External Address Cross-Reference Detail

	Field Name	Label	Col-Label	Format	Dec
◊	adx_domain	Domain		x(8)	
	adx_ext_appl	External Application		x(12)	
	adx_ext_ref1	Ext Reference 1		x(32)	
	adx_ext_ref2	Ext Reference 2		x(32)	
	adx_mfg_addr	MFG/PRO Address Code	Address	x(8)	
	adx_mod_date	Modified Date	Mod Date	99/99/99	
	adx_mod_userid	User ID		x(8)	
	adx_user1	User Field 1		x(24)	
	adx_user2	User Field 2		x(24)	
	adx__qadc01			x(8)	
	adx__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	adx__qadi01			>>>>>>9	
	adx__qadl01			yes/no	
	adx__qadt01			99/99/99	
◊	oid_adx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	adx_det	yes	adx_domain	yes	no
			adx_ext_appl	yes	no
			adx_ext_ref1	yes	no
			adx_ext_ref2	yes	no
Δ	adx_ext_refs	no	adx_domain	yes	no
			adx_ext_appl	yes	no
			adx_mfg_addr	yes	no
			adx_ext_ref1	yes	no
			adx_ext_ref2	yes	no
Δ	adx_mfg_addr	no	adx_domain	yes	no
			adx_mfg_addr	yes	no
			adx_ext_appl	yes	no
			adx_ext_ref1	yes	no
			adx_ext_ref2	yes	no
◊	oid_adx_det	yes	oid_adx_det	yes	no

ad_mstr Address Master

	Field Name	Label	Col-Label	Format	Dec
	ad_addr	Address		x(8)	
	ad_asn_data	ASN Default Data		x(8)	
	ad_attn	Attention		x(24)	
	ad_attn2	Attention		x(24)	
	ad_barlbl_prt	Barcode Label Print Program		x(10)	
	ad_barlbl_val	Barcode Validation Program		x(10)	
	ad_bk_acct1	Bank Acct 1		x(24)	
	ad_bk_acct2	Bank Acct 2		x(24)	
	ad_calendar	Calendar		x(8)	
	ad_city	City		x(20)	
	ad_coc_reg	CoC Number	CoC	x(8)	
	ad_conrep	Netting Logic	C/R	x(1)	
	ad_country	Country		x(28)	
	ad_county	County		x(20)	
	ad_ctry	Country Code	Ctry	x(3)	
	ad_date	Added		99/99/99	
◊	ad_domain	Domain		x(8)	
	ad_edi_ctrl[5]	EDI Control		x(50)	
	ad_edi_id	Trading Prtnr EDI ID		x(24)	
	ad_edi_level	EDI Standard Level		x(8)	
	ad_edi_std	EDI Standard		x(8)	
	ad_edi_tpid	Trading Prtnr Interface ID		x(24)	
	ad_ext	Ext		x(4)	
	ad_ext2	Ext		x(4)	
	ad_fax	Fax/Telex		x(16)	
	ad_fax2	Fax/Telex		x(16)	
	ad_format	Format		>9	
	ad_gst_id	Tax ID - Federal		x(18)	
	ad_intr_division	IntraStat Division		x(3)	
	ad_inv_mthd	Invoices Via		x(1)	
	ad_lang	Language		x(2)	
	ad_last_file	Last Filing		yes/no	
	ad_line1	Address		x(28)	
	ad_line2	Address		x(28)	
	ad_line3	Address		x(28)	
	ad_misc1_id	Tax ID - Misc 1		x(18)	
	ad_misc2_id	Tax ID - Misc 2		x(18)	
	ad_misc3_id	Tax ID - Misc 3		x(18)	
	ad_mod_date	Modified Date	Mod Date	99/99/99	
	ad_name	Name		x(28)	
	ad_name_control	Name Control		x(4)	
	ad_phone	Telephone		x(16)	
	ad_phone2	Telephone		x(16)	
	ad_po_mthd	Purchase Orders Via		x(1)	
	ad_pst_id	Tax ID - State		x(18)	
	ad_ref	Reference		x(8)	
	ad_sch_mthd	Schedules Via		x(1)	
	ad_sort	Sort Name		x(28)	
	ad_state	State	St	x(4)	
	ad_taxable	Taxable		yes/no	
	ad_taxc	Tax Class	TxC	x(3)	
	ad_tax_in	Tax In		yes/no	
	ad_tax_report	Tax Report		yes/no	
	ad_tax_type	Tax Type		x(3)	
	ad_tax_usage	Tax Usage	TaxUsage	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ad_tax_zone	Tax Zone		x(16)	
	ad_temp	Temporary	Temp	yes/no	
	ad_timezone	Time Zone		x(8)	
	ad_tp_loc_code	Trd Partner Location Code		x(24)	
	ad_type	List Type	List	x(8)	
	ad_user1	Ufld1		x(8)	
	ad_user2	Ufld2		x(8)	
	ad_userid	User ID		x(8)	
	ad_vat_reg	VAT Registration		x(18)	
	ad_wk_offset	Week Offset		9	
	ad_zip	Post		x(10)	
	ad__chr01			x(8)	
	ad__chr02			x(8)	
	ad__chr03			x(8)	
	ad__chr04			x(8)	
	ad__chr05			x(8)	
	ad__qad01			x(8)	
	ad__qad02			x(8)	
	ad__qad03			x(8)	
	ad__qad04			x(8)	
	ad__qad05			x(8)	
◊	oid_ad_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ad_addr	yes	ad_domain	yes	no
			ad_addr	yes	no
Δ	ad_edi_tpid	no	ad_domain	yes	no
			ad_edi_tpid	yes	no
Δ	ad_gst	yes	ad_domain	yes	no
			ad_gst_id	yes	no
			ad_addr	yes	no
			ad_sort	yes	no
Δ	ad_ref	no	ad_domain	yes	no
			ad_ref	yes	no
			ad_addr	yes	no
Δ	ad_sort	yes	ad_domain	yes	no
			ad_sort	yes	no
			ad_addr	yes	no
Δ	ad_type	yes	ad_domain	yes	no
			ad_type	yes	no
			ad_addr	yes	no
Δ	ad_zip	no	ad_domain	yes	no
			ad_zip	yes	no
			ad_addr	yes	no
◊	oid_ad_mstr	yes	oid_ad_mstr	yes	no

ald_det Allocation Account Detail

	Field Name	Label	Col-Label	Format	Dec
	ald_acc	Account		x(8)	
	ald_cc	Cost Ctr	CC	x(4)	
	ald_code	Allocation Code	Allocatn	x(8)	
◊	ald_domain	Domain		x(8)	
	ald_pct	Percentage	Percent	->>9.999	10
	ald_project	Project		x(8)	
	ald_sub	Sub-Account	Sub-Acct	x(8)	
	ald_user1	Ufld1		x(8)	
	ald_user2	Ufld2		x(8)	
	ald__qad01			99/99/99	
	ald__qad02			x(8)	
◊	oid_ald_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ald_index	yes	ald_domain	yes	no
			ald_code	yes	no
			ald_acc	yes	no
			ald_sub	yes	no
			ald_cc	yes	no
			ald_project	yes	no
◊	oid_ald_det	yes	oid_ald_det	yes	no

alm_mstr Automatic Lot Master

	Field Name	Label	Col-Label	Format	Dec
	alm_date	Date Create	Date	99/99/99	
◊	alm_domain	Domain		x(8)	
	alm_lead	Leading Characters	Leading Char	x(12)	
	alm_len	Sequence Length	Len	>9	
	alm_lot_grp	Lot Group	Lot Grp	x(8)	
	alm_pgm	Execution File		x(14)	
	alm_seq	Sequence Number	Sequence	>>>>>>>>>9	10
	alm_site	Site		x(8)	
	alm_trail	Trailing Characters	Trailing Char	x(12)	
	alm_user1	Ufld1		x(8)	
	alm_user2	Ufld2		x(8)	
	alm_userid	User ID		x(8)	
	alm__qadc01			x(8)	
◊	oid_alm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	alm_lot_grp	yes	alm_domain	yes	no
			alm_lot_grp	yes	no
			alm_site	yes	no
◊	oid_alm_mstr	yes	oid_alm_mstr	yes	no

al_mstr

Allocation Account Master

	Field Name	Label	Col-Label	Format	Dec
	al_code	Allocation Code	Allocatn	x(8)	
	al_desc	Description		x(24)	
◊	al_domain	Domain		x(8)	
	al_user1	Ufld1		x(8)	
	al_user2	Ufld2		x(8)	
	al_userid	User ID		x(8)	
	al__qad01			99/99/99	
◊	oid_al_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	al_code	yes	al_domain	yes	no
			al_code	yes	no
Δ	al_desc	no	al_domain	yes	no
			al_desc	yes	no
			al_code	yes	no
◊	oid_al_mstr	yes	oid_al_mstr	yes	no

anl_det

Analysis Code Link Detail

	Field Name	Label	Col-Label	Format	Dec
	anl_code	Code		x(18)	
	anl_desc	Description		x(24)	
◊	anl_domain	Domain		x(8)	
	anl_link_code	Linked Code	Link-to	x(18)	
	anl_type	Type		x(24)	
	anl_user1	Ufld1		x(8)	
	anl_user2	Ufld2		x(8)	
	anl__qadc01			x(8)	
	anl__qadd01			->>>,>>>,>>9.9<<<	10
◊	oid_anl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	anl_link_code	no	anl_domain	yes	no
			anl_type	yes	no
			anl_link_code	yes	no
Δ*	anl_type_code	yes	anl_domain	yes	no
			anl_type	yes	no
			anl_code	yes	no
			anl_link_code	yes	no
◊	oid_anl_det	yes	oid_anl_det	yes	no

ans_det

Analysis Code Selection Detail

	Field Name	Label	Col-Label	Format	Dec
	ans_code	Code		x(18)	
◊	ans_domain	Domain		x(8)	
	ans_field	Condition Field		x(32)	
	ans_include	Include		yes/no	
	ans_mask	Wildcard		x(28)	
	ans_sel_high	To		x(28)	
	ans_sel_low	From		x(28)	
	ans_type	Type		x(24)	
	ans_user1	Ufld1		x(8)	
	ans_user2	Ufld2		x(8)	
	ans__qadc01			x(8)	
	ans__qadd01			->>>,>>>,>>9.9<<<	10
◊	oid_ans_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ans_type_code	yes	ans_domain	yes	no
			ans_type	yes	no
			ans_code	yes	no
			ans_field	yes	no
			ans_sel_low	yes	no
◊	oid_ans_det	yes	oid_ans_det	yes	no

anx_det

Analysis Code Exploded Detail

	Field Name	Label	Col-Label	Format	Dec
	anx_active	Active		yes/no	
	anx_code	Code		x(18)	
◊	anx_domain	Domain		x(8)	
	anx_node	Node		x(18)	
	anx_type	Type		x(24)	
	anx_user1	Ufld1		x(8)	
	anx_user2	Ufld2		x(8)	
	anx__qadc01			x(8)	
	anx__qadd01			->>>,>>>,>>9.9<<<	10
◊	oid_anx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	anx_active	yes	anx_domain	yes	no
			anx_type	yes	no
			anx_node	yes	no
			anx_active	yes	no
			anx_code	yes	no
Δ	anx_node	yes	anx_domain	yes	no
			anx_type	yes	no
			anx_node	yes	no
			anx_code	yes	no
Δ*	anx_type_code	yes	anx_domain	yes	no
			anx_type	yes	no
			anx_code	yes	no
			anx_node	yes	no
◊	oid_anx_det	yes	oid_anx_det	yes	no

an_mstr

Analysis Code Master

	Field Name	Label	Col-Label	Format	Dec
	an_active	Active		yes/no	
	an_cmtindx	Comment Index	Comment	>>>>>>9	
	an_code	Code		x(18)	
	an_desc	Description		x(24)	
◊	an_domain	Domain		x(8)	
	an_mod_date	Modified Date	Mod Date	99/99/99	
	an_sec_group	Security Group		x(72)	
	an_type	Type		x(24)	
	an_user1	Ufld1		x(8)	
	an_user2	Ufld2		x(8)	
	an_userid	User ID		x(8)	
	an__qadc01			x(8)	
	an__qadd01			->>>,>>>,>>9.9<<<	10
◊	oid_an_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	an_code_type	yes	an_domain	yes	no
			an_code	yes	no
			an_type	yes	no
Δ*	an_type_code	yes	an_domain	yes	no
			an_type	yes	no
			an_code	yes	no
◊	oid_an_mstr	yes	oid_an_mstr	yes	no

apc_ctrl

Accounts Payable Control

	Field Name	Label	Col-Label	Format	Dec
	apc_approv	Use Assigned-To Field		yes/no	
	apc_bank	Default Bank	Bank	x(2)	
	apc_batch	Next Batch	Batch	>>>>>>>9	
	apc_ckfrm	Check Form		x(2)	
	apc_confirm	Enter Vouchers Confirmed		yes/no	
◊	apc_domain	Domain		x(8)	
	apc_ers_ps_err	ERS Packing Slip Error	P/S! Err	yes/no	
	apc_ers_vo_tp	ERS Voucher Date Option	ERS! VDO	>9	
	apc_expvar	Use Expensed Item Var Accts		yes/no	
	apc_ext_ref	External Voucher References Allowed		yes/no	
	apc_ex_ratetype	Rate Type		x(8)	
	apc_ex_tol	Exchange Tolerance		>9.99%	10
	apc_gl_avg_cst	Update GL Average Cost	Avg! Cst	yes/no	
	apc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
	apc_jrnl	Next Journal	Journl	999999	
	apc_multi_entity_pay	Multi-Entity Payments		yes/no	
	apc_pip	Use Payment In Process Acct	PIP	yes/no	
	apc_rv_conf	Release Recur VOs Confirmed		yes/no	
	apc_ship	Ship-To		x(8)	
	apc_sum_lvl	AP Summarization Level	AP! Summ! Lvl	9	
	apc_user1	Ufld1		x(8)	
	apc_user2	Ufld2		x(8)	
	apc_use_drft	Use Draft Management	Use! DM	yes/no	
	apc_vchr_all	Voucher All		yes/no	
	apc_voucher	Next Voucher	Voucher	>>>>>>>9	
	apc_vo_pre	Voucher Prefix	Pre	x(3)	
	apc__qad01			>>>>>>9	
	apc__qad02			99/99/99	
	apc__qad03			x(8)	
	apc__qad04	External Memo References Allowed		yes/no	
	apc__qadc01			x(8)	
	apc__qadc02			x(4)	
	apc__qadc03			x(24)	

	Field Name	Label	Col-Label	Format	Dec
	apc__qadc04			x(24)	
	apc__qadc05			x(24)	
Δ	apc__qadi01			->>>>>>>9	
◊	oid_apc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	apc_index1	yes	apc_domain	yes	no
◊	oid_apc_ctrl	yes	oid_apc_ctrl	yes	no

apmr_mstr Advanced Pricing Management Customer Relationship Master

	Field Name	Label	Col-Label	Format	Dec
◊	apmr_domain	Domain		x(8)	
	apmr_pricing	Pricing		>9	
	apmr_rule	Rule		>9	
	apmr_seq	Sequence		>>9	
	apmr_type	Type		>>>9	
	apmr_user1	Ufld1		x(8)	
	apmr_user2	Ufld2		x(8)	
	apmr__qadc01			x(8)	
	apmr__qadc02			x(8)	
	apmr__qadc03			x(8)	
	apmr__qadd01			->>>>,>>>,>>9.9	10
	apmr__qadd02			->>>>,>>>,>>9.9	10
	apmr__qadi01			->,>>>,>>9	
	apmr__qadi02			->,>>>,>>9	
	apmr__qadl01			yes/no	
	apmr__qadl02			yes/no	
	apmr__qadt01			99/99/99	
	apmr__qadt02			99/99/99	
◊	oid_apmr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	apmr_seq	yes	apmr_domain	yes	no
			apmr_seq	yes	no
Δ	apmr_type	yes	apmr_domain	yes	no
			apmr_type	yes	no
◊	oid_apmr_mstr	yes	oid_apmr_mstr	yes	no

apm_ctrl Advanced Pricing Management Control

	Field Name	Label	Col-Label	Format	Dec
	apm_div	Default Division		x(8)	
◊	apm_domain	Domain		x(8)	
	apm_line_rel	Line Relationships		yes/no	
	apm_manual	Manual P/L Selection		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	apm_multi_div	Multiple Divisions		yes/no	
	apm_plpri	P/L Priorities		yes/no	
	apm_plpri_dseq	P/L Display Seq		x(20)	
	apm_plpri_sseq	P/L Select Seq		x(20)	
	apm_prig1	Pricing Group 1		yes/no	
	apm_prig2	Pricing Group 2		yes/no	
	apm_user1	Ufld1		x(8)	
	apm_user2	Ufld2		x(8)	
	apm__qadc01			x(8)	
	apm__qadc02			x(8)	
	apm__qadc03			x(8)	
	apm__qadd01			->>>>,>>>,>>9.9	10
	apm__qadd02			->>>>,>>>,>>9.9	10
	apm__qadi01			->,>>>,>>9	
	apm__qadi02			->,>>>,>>9	
Δ	apm__qadi03			->>>>>>>9	
	apm__qadl01			yes/no	
	apm__qadl02			yes/no	
	apm__qadl03			yes/no	
	apm__qadt01			99/99/99	
	apm__qadt02			99/99/99	
◊	oid_apm_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	apm_index1	yes	apm_domain	yes	no
◊	oid_apm_ctrl	yes	oid_apm_ctrl	yes	no

aprm_mstr Application Parameter Master

	Field Name	Label	Col-Label	Format	Dec
	aprm_app_id	Application ID		x(12)	
	aprm_code	Parameter Code		x(8)	
	aprm_desc	Parameter Description		x(60)	
	aprm_doc_std	Document Standard		X(8)	
◊	aprm_domain	Domain		x(8)	
	aprm_mod_date	Modified Date	Mod Date	99/99/99	
	aprm_mod_userid	User ID		x(8)	
	aprm_mthd_name	Method Name		x(1)	
	aprm_seq	Parameter Sequence Number.		9	
	aprm_user1	Ufld1		x(8)	
	aprm_user2	Ufld2		x(8)	
	aprm_val	Parameter Value		x(12)	
	aprm__dec01			->>>,>>>,>>9.99<	10
	aprm__dec02			->>>,>>>,>>9.99<	10
	aprm__dte01			99/99/99	
	aprm__dte02			99/99/99	
	aprm__int01			->>>,>>>,>>9	
	aprm__int02			->>>,>>>,>>9	
	aprm__log01			yes/no	
	aprm__log02			yes/no	
	aprm__qadc01			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	aprm__qadc02			x(8)	
	aprm__qadc03			x(8)	
	aprm__qadc04			x(8)	
	aprm__qadd01			->>>,>>>,>>9.99<	10
	aprm__qadd02			->>>,>>>,>>9.99<	10
	aprm__qadi01			->>>,>>>,>>9	
	aprm__qadi02			->>>,>>>,>>9	
	aprm__qadl01			yes/no	
	aprm__qadl02			yes/no	
	aprm__qadt01			99/99/99	
	aprm__qadt02			99/99/99	
◊	oid_aprm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	AppParmSeq	yes	aprm_domain	yes	no
			aprm_app_id	yes	no
			aprm_doc_std	yes	no
			aprm_mthd_name	yes	no
			aprm_seq	yes	no
◊	oid_aprm_mstr	yes	oid_aprm_mstr	yes	no

apr_mstr Application Registry

	Field Name	Label	Col-Label	Format	Dec
	apr_access_code	Access Code		x(60)	
	apr_ack_doc_rev	Document Revision		x(8)	
	apr_ack_doc_std	Document Standard		x(8)	
	apr_ack_doc_typ	Document Type		x(21)	
	apr_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
	apr_adapter_env	Adapter Type		x(1)	
	apr_adapter_proc	PROGRESS Adapter Program		x(24)	
	apr_adapt_cmd	Adapter Start Command		X(65)	
	apr_adapt_start	Start when Connecting		yes/no	
	apr_app_id	Application ID		x(12)	
	apr_app_ver	Version		x(8)	
	apr_cim_proc	CIM/API Process		yes/no	
	apr_code_pg	Code Page		X(15)	
	apr_date_form	Date Format		X(3)	
	apr_del_err_det	Delete Error Detail		x(1)	
	apr_desc	Description		x(60)	
	apr_doc_lng	Document Language		x(3)	
◊	apr_domain	Domain		x(8)	
	apr_dtd_dir_url	DTD Directory URL		x(65)	
	apr_email_notlvl	E-mail Level		x(1)	
	apr_email_userid	Default E-mail User ID		x(8)	
	apr_eol_delim	End of Line Delimiter for Export		yes/no	
	apr_ex_arch_dir	Export File Archive Directory		x(65)	
	apr_ex_delim	ASCII Delimiter for Export		>>9	
	apr_ex_dest_mthd	Method		x(24)	
	apr_ex_dest_proc	In Registered Application		x(24)	

Field Name	Label	Col-Label	Format	Dec
apr_ex_init_conn	Initiate Export Connection		yes/no	
apr_ex_ip_addr	IP Address For Export		x(16)	
apr_ex_map_flg	Map Exports		yes/no	
apr_ex_port_nbr	Port Number For Export		>>>>9	
apr_ex_prc_typ	Process Type		x(8)	
apr_ex_xml	XML Exported		x(1)	
apr_im_arch_dir	Import File Archive Directory		x(65)	
apr_im_delim	ASCII Delimiter for Import		>>9	
apr_im_dest_mthd	Method		x(24)	
apr_im_dest_proc	In MFG/PRO		x(24)	
apr_im_doc_std	Document Standard for Import		X(8)	
apr_im_init_conn	Initiate Import Connection		yes/no	
apr_im_ip_addr	IP Address For Import		x(16)	
apr_im_map_flg	Map Imports		yes/no	
apr_im_port_nbr	Port Number For Import		>>>>9	
apr_im_prc_typ	Process Type		x(8)	
apr_im_xml	XML Imported		x(1)	
apr_mapper_proc	Data Mapper Procedure		x(24)	
apr_map_parm[10]	Mapper Parameter Codes		X(8)	
apr_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
apr_map_spec	Mapping Specification ID		x(24)	
apr_mod_date	Modified Date	Mod Date	99/99/99	
apr_mod_userid	User ID		x(8)	
apr_msg_ack_lvl	Acknowledgment Level		x(8)	
apr_msg_clnt_ord	Message Ordering		x(8)	
apr_msg_persist	Persistence		X(8)	
apr_msg_priority	Priority		x(8)	
apr_msg_routing	Routing		x(8)	
apr_msg_secur	Security		X(8)	
apr_msg_sync	Sync Scope		X(8)	
apr_msg_ttl	Time To Live		x(8)	
apr_name	Name		x(20)	
apr_num_form	Numeric Format		X(8)	
apr_pause_sev	Pause Severity Level		>>9	
apr_proc_flag	Process Imports		yes/no	
apr_publ_flg	Publish Exports		yes/no	
apr_queue_pub	Queue Published Documents		X(1)	
apr_rcv_flg	Receive Imports		yes/no	
apr_send_flg	Send Exports		yes/no	
apr_src_comp	Source Component		x(10)	
apr_src_task	Task		x(10)	
apr_src_userid	Source User ID		x(8)	
apr_user1	Ufld1		x(8)	
apr_user2	Ufld2		x(8)	
apr__dec01			->>>,>>>,>>9.99<	10
apr__dec02			->>>,>>>,>>9.99<	10
apr__dte01			99/99/99	
apr__dte02			99/99/99	
apr__int01			->>>,>>>,>>9	
apr__int02			->>>,>>>,>>9	
apr__log01			yes/no	
apr__log02			yes/no	
apr__qadc01			x(8)	
apr__qadc02			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	apr__qadc03			x(8)	
	apr__qadc04			x(8)	
	apr__qadd01			->>>,>>>,>>9.99<	10
	apr__qadd02			->>>,>>>,>>9.99<	10
	apr__qadi01			->>>,>>>,>>9	
	apr__qadi02			->>>,>>>,>>9	
	apr__qadl01			yes/no	
	apr__qadl02			yes/no	
	apr__qadt01			99/99/99	
	apr__qadt02			99/99/99	
◊	oid_apr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	AppID	yes	apr_domain	yes	no
			apr_app_id	yes	no
◊	oid_apr_mstr	yes	oid_apr_mstr	yes	no

ap_mstr Accounts Payable Master

	Field Name	Label	Col-Label	Format	Dec
	ap_acct	Account		x(8)	
	ap_amt	Amount		->>>>,>>>,>>9.99	10
	ap_bank	Bank		x(2)	
	ap_base_amt	Base Amount		->>>>,>>>,>>9.99	10
	ap_batch	Batch		x(8)	
	ap_cc	Cost Ctr	CC	x(4)	
	ap_ckfrm	Check Form	Ck Fm	x(2)	
	ap_curr	Currency	Cur	x(3)	
	ap_date	Date		99/99/99	
	ap_disc_acct	Disc Account	Dsc Acct	x(8)	
	ap_disc_cc	Disc Cost Ctr	CC	x(4)	
	ap_disc_sub	Disc Sub-Account	Sub-Acct	x(8)	
◊	ap_domain	Domain		x(8)	
	ap_dy_code	Daybook		x(8)	
	ap_effdate	Effective	Eff Date	99/99/99	
	ap_entity	Entity	Enty	x(4)	
	ap_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	ap_expt_date	Expect Pay Date	Expect	99/99/99	
	ap_exru_seq	Sequence		>>>>>>>>9	
	ap_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ap_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ap_ex_ratetype	Rate Type		x(8)	
	ap_open	Open		yes/no	
	ap_ref	Reference		x(10)	
	ap_remit	Remit-To Address		x(8)	
	ap_rmk	Remark		x(20)	
	ap_sort	Voucher Sort	Voucher! Sort	x(8)	
	ap_sub	Sub-Account	Sub-Acct	x(8)	
	ap_type	Type	T	x(2)	
	ap_unapplied_ref	Unapplied Reference		x(10)	
	ap_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ap_user2	Ufld2		x(8)	
	ap_vend	Supplier		x(8)	
	ap__qad01			x(8)	
	ap__qad02			x(8)	
	ap__qad03			yes/no	
◊	oid_ap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ap_batch_ref	yes	ap_domain	yes	no
			ap_batch	yes	no
			ap_ref	yes	no
Δ	ap_open	yes	ap_domain	yes	no
			ap_open	yes	no
			ap_vend	yes	no
			ap_ref	yes	no
Δ*	ap_type_ref	yes	ap_domain	yes	no
			ap_type	yes	no
			ap_ref	yes	no
Δ	ap_unapplied	no	ap_domain	yes	no
			ap_unapplied_ref	yes	no
Δ	ap_vend_date	no	ap_domain	yes	no
			ap_vend	yes	no
			ap_date	yes	no
◊	oid_ap_mstr	yes	oid_ap_mstr	yes	no

arc_ctrl

Accounts Receivable Control

	Field Name	Label	Col-Label	Format	Dec
	arc_auto_drft	Auto Post Drafts	Auto! Post	yes/no	
	arc_auto_late_int	Auto Calculate Late Interest	Auto! Late! Int	yes/no	
	arc_batch	Next Batch	Batch	99999999	
	arc_coll_mthd	Collection Method	M	x(1)	
◊	arc_domain	Domain		x(8)	
	arc_drft_acc	Drafts Receivable Account	Drft Rcv	x(8)	
	arc_drft_cc	Drafts Receivable Cost Center	CC	x(4)	
	arc_drft_max	Max Draft Amt		->>>>,>>>,>>9.99	10
	arc_drft_min	Min Draft Amt		->>>>,>>>,>>9.99	10
	arc_drft_sub	Drafts Receivable Sub	Sub-Acct	x(8)	
	arc_ext_drft_ref	External Draft Ref Allowed	ERA	yes/no	
	arc_ex_ratetype	Rate Type		x(8)	
	arc_ex_tol	Exchange Tolerance		>9.99%	10
	arc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
	arc_jrnl	Next Journal	Journl	999999	
	arc_memo	Next Memo	Memo	99999999	
	arc_memo_pre	Memo Prefix	Pre	x(3)	
	arc_nxt_drft	Next Draft	Draft	x(8)	
	arc_nxt_pmt	Next Payment	Payment	x(8)	
	arc_sum_lvl	AR Summarization Level	AR! Summ! Lvl	9	
	arc_user1	Ufld1		x(8)	
	arc_user2	Ufld2		x(8)	
	arc_use_drft	Use Draft Management	Use! Drft	yes/no	

	Field Name	Label	Col-Label	Format	Dec
	arc__qad01			>>>>>>9	
	arc__qad02			99/99/99	
	arc__qad03			x(8)	
	arc__qadc01			x(8)	
	arc__qadc02			x(4)	
	arc__qadc03			x(24)	
	arc__qadc04			x(24)	
	arc__qadc05			x(24)	
Δ	arc__qadi01			->>>>>>>9	
◊	oid_arc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	arc_index1	yes	arc_domain	yes	no
◊	oid_arc_ctrl	yes	oid_arc_ctrl	yes	no

ard_det

Accounts Receivable Detail

	Field Name	Label	Col-Label	Format	Dec
	ard_acct	Account		x(8)	
	ard_amt	Amount		->>>>,>>>,>>9.99	10
	ard_cc	Cost Ctr	CC	x(4)	
	ard_cur_amt	Currency Amount		->>>>,>>>,>>9.99	10
	ard_cur_disc	Currency Discount		->>>>,>>>,>>9.99	10
	ard_ded_nbr	Deduction Nbr		>>,>>>,>>9	
	ard_desc	Description		x(24)	
	ard_disc	Discount		->>>>,>>>,>>9.99	10
◊	ard_domain	Domain		x(8)	
	ard_dy_code	Daybook		x(8)	
	ard_dy_num	Entry Number		x(40)	
	ard_entity	Entity	Enty	x(4)	
	ard_exru_seq	Sequence		>>>>>>>>9	
	ard_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ard_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ard_ex_ratetype	Rate Type		x(8)	
	ard_nbr	Reference		x(18)	
	ard_project	Project		x(8)	
	ard_ref	Reference		x(8)	
	ard_sub	Sub-Account	Sub-Acct	x(8)	
	ard_tax	Tax Code		x(1)	
	ard_taxc	Tax Class	TxC	x(3)	
	ard_tax_at	Tax	T	x(3)	
	ard_tax_usage	Tax Usage	TaxUsage	x(8)	
	ard_type	Type	T	x(1)	
	ard_user1	Ufld1		x(8)	
	ard_user2	Ufld2		x(8)	
	ard__qad01			99/99/99	
	ard__qad02			x(8)	
◊	oid_ard_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ard_dy	no	ard_domain	yes	no
			ard_dy_code	yes	no
			ard_dy_num	yes	no
Δ*	ard_nbr	yes	ard_domain	yes	no
			ard_nbr	yes	no
			ard_ref	yes	no
			ard_type	yes	no
			ard_tax_at	yes	no
			ard_entity	yes	no
			ard_acct	yes	no
			ard_sub	yes	no
			ard_cc	yes	no
			ard_tax	yes	no
Δ	ard_ref	no	ard_domain	yes	no
			ard_ref	yes	no
Δ	ard_tax	no	ard_domain	yes	no
			ard_nbr	yes	no
			ard_tax_at	yes	no
◊	oid_ard_det	yes	oid_ard_det	yes	no

arsd_det

Accounts Receivable Payment Status Detail

	Field Name	Label	Col-Label	Format	Dec
	arsd_acct	Account		x(8)	
	arsd_batch	Batch		x(8)	
	arsd_cc	Cost Center	CC	x(4)	
◊	arsd_domain	Domain		x(8)	
	arsd_exru_seq	Sequence		>>>>>>>>9	
	arsd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	arsd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	arsd_ex_ratetype	Rate Type		x(8)	
	arsd_line	Line		>>>>>9	
	arsd_mod_date	Modified Date	Mod Date	99/99/99	
	arsd_mod_userid	User ID		x(8)	
	arsd_nbr	Reference		x(16)	
	arsd_sub	Sub Account	Sub-Acct	x(8)	
	arsd_user1	User Field Character 1		x(24)	
	arsd_user2	User Field Character 2		x(24)	
	arsd__qadc01			x(24)	
	arsd__qadc02			x(24)	
◊	oid_arsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	arsd_batch	yes	arsd_domain	yes	no
			arsd_batch	yes	no
			arsd_line	yes	no
			arsd_nbr	yes	no
Δ	arsd_nbr	no	arsd_domain	yes	no
			arsd_nbr	yes	no
◊	oid_arsd_det	yes	oid_arsd_det	yes	no

art_mstr

Application Return Code Master

	Field Name	Label	Col-Label	Format	Dec
	art_app_id	Application ID		x(12)	
	art_desc	Code Description		x(60)	
◊	art_domain	Domain		x(8)	
	art_mfg_msg_code	MFG/PRO Message Number		>>>9	
	art_mod_date	Modified Date	Mod Date	99/99/99	
	art_mod_userid	User ID		x(8)	
	art_mthd_name	Method Name		X(1)	
	art_return_code	Application Return Code		x(8)	
	art_sev_lvl	Message Severity Level		x(1)	
	art_user1	Ufld1		x(8)	
	art_user2	Ufld2		x(8)	
	art__dec01			->>>,>>>,>>9.99<	10
	art__dec02			->>>,>>>,>>9.99<	10
	art__dte01			99/99/99	
	art__dte02			99/99/99	
	art__int01			->>>,>>>,>>9	
	art__int02			->>>,>>>,>>9	
	art__log01			yes/no	
	art__log02			yes/no	
	art__qadc01			x(8)	
	art__qadc02			x(8)	
	art__qadc03			x(8)	
	art__qadc04			x(8)	
	art__qadd01			->>>,>>>,>>9.99<	10
	art__qadd02			->>>,>>>,>>9.99<	10
	art__qadi01			->>>,>>>,>>9	
	art__qadi02			->>>,>>>,>>9	
	art__qadl01			yes/no	
	art__qadl02			yes/no	
	art__qadt01			99/99/99	
	art__qadt02			99/99/99	
◊	oid_art_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	AppRetCode	yes	art_domain	yes	no
			art_app_id	yes	no
			art_mthd_name	yes	no
			art_return_code	yes	no
◊	oid_art_mstr	yes	oid_art_mstr	yes	no

ar_mstr

Accounts Receivable Master

Field Name	Label	Col-Label	Format	Dec
ar_acct	Account		x(8)	
ar_amt	Amount		->>>>,>>>,>>9.99	10
ar_amt_chg	Amount to Pay		->>>>,>>>,>>9.99	10
ar_applied	Applied Amt		->>>>,>>>,>>9.99	10
ar_app_owner	Owner Application		x(12)	
ar_bank	Bank		x(2)	

	Field Name	Label	Col-Label	Format	Dec
	ar_base_amt	Base Amt		->>>>,>>>,>>9.99	10
	ar_base_amt_chg	Base Amount to Pay		->>>>,>>>,>>9.99	10
	ar_base_applied	Base Applied Amt		->>>>,>>>,>>9.99	10
	ar_base_comm_amt[4]	Base Commission Amt		->>>>,>>>,>>9.99	10
	ar_batch	Batch		x(8)	
	ar_bill	Bill-To		x(8)	
	ar_cc	Cost Ctr	CC	x(4)	
	ar_check	Check		x(8)	
	ar_cmtindx	Comment Index	Comment	>>>>>>>9	
	ar_coll_mthd	Collection Method	M	x(1)	
	ar_comm_amt[4]	Commission Amt	Comm Amt	->>>>,>>>,>>9.99	10
	ar_comm_pct[4]	Commission	Comm%	>>9.99%	10
	ar_contested	Contested	Contest	yes/no	
	ar_cr_terms	Cr Terms		x(8)	
	ar_curr	Currency	Cur	x(3)	
	ar_cust	Sold-To		x(8)	
	ar_customer_bank	Customer Bank		x(8)	
	ar_customer_initiated	Customer Initiated		yes/no	
	ar_date	Date		99/99/99	
	ar_dd_curr	Draft Discount Currency	Draft Disc Cur	x(3)	
	ar_dd_exru_seq	Sequence		>>>>>>>>9	
	ar_dd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ar_dd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ar_disc_acct	Disc Acct	Dsc Acct	x(8)	
	ar_disc_cc	Disc Cost Ctr	CC	x(4)	
	ar_disc_chg	Disc to Take		->>>>,>>>,>>9.99	10
	ar_disc_date	Disc Date		99/99/99	
	ar_disc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
◊	ar_domain	Domain		x(8)	
	ar_draft	Approved	Aprvd	yes/no	
	ar_draft_disc_date	Draft Discounting Date		99/99/99	
	ar_draft_submit_date	Draft Submission Date		99/99/99	
	ar_drft_sel	Sel		yes/no	
	ar_due_date	Due Date		99/99/99	
	ar_dun_level	Dun Level	Dn! Lv	>9	
	ar_dy_code	Daybook		x(8)	
	ar_effdate	Effective	Eff Date	99/99/99	
	ar_entity	Entity	Enty	x(4)	
	ar_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	ar_expt_date	Expect Pay Date	Expect	99/99/99	
	ar_exru_seq	Sequence		>>>>>>>>9	
	ar_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ar_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ar_ex_ratetype	Rate Type		x(8)	
	ar_fr_terms	Freight Terms	Fr Terms	x(8)	
	ar_fsm_type	FSM Type		x(8)	
	ar_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
	ar_ldue_date	Last Due Date		99/99/99	
	ar_mrgn_amt	Gr Margin		->>>>,>>>>,>>9.99	10
	ar_nbr	Reference		x(18)	
	ar_open	Open		yes/no	
	ar_paid_date	Paid Date	Paid	99/99/99	
	ar_pay_method	Payment Method	PM	x(2)	
	ar_po	Remark		x(22)	
	ar_prepayment	Prepayment		yes/no	
	ar_print	Printed		yes/no	
	ar_recon_date	Reconciliation Date		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	ar_sales_amt	Sales Amount		->>>>,>>>,>>9.99	10
	ar_ship	Ship-To		x(8)	
	ar_shipfrom	Ship-From		x(8)	
	ar_slspsn[4]	Salesperson	Salespsn	x(8)	
	ar_so_nbr	Sales Order	Order	x(8)	
	ar_status	Status		x(8)	
	ar_sub	Sub-Account	Sub-Acct	x(8)	
	ar_tax_date	Tax Date		99/99/99	
	ar_tax_env	Tax Environment	Tax Env	x(16)	
	ar_type	Type	T	x(1)	
	ar_user1	Ufld1		x(8)	
	ar_user2	Ufld2		x(8)	
	ar_var_acct	Gain/Loss Acct		x(8)	
	ar_var_cc	Gain/Loss Cost Ctr	CC	x(4)	
	ar_var_sub	Gain/Loss Sub-Acct	Sub-Acct	x(8)	
	ar_void_date	Void Date		99/99/99	
	ar_xcomm_pct[2]	Commission	Comm %	>>9.99%	10
	ar_xslspsn1	Slspsn[1]		x(8)	
	ar_xslspsn2	Slspsn[2]		x(8)	
	ar__chr01			x(8)	
	ar__chr02			x(8)	
	ar__chr03			x(8)	
	ar__chr04			x(8)	
	ar__chr05			x(8)	
	ar__dec01			>>>,>>>,>>9.99	10
	ar__dec02			>>>,>>>,>>9.99	10
	ar__dte01			99/99/99	
	ar__dte02			99/99/99	
	ar__log01			yes/no	
	ar__qad01			x(8)	
	ar__qad02			x(8)	
	ar__qad03			yes/no	
◊	oid_ar_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ar_batch	no	ar_domain	yes	no
			ar_batch	yes	no
Δ	ar_bill	no	ar_domain	yes	no
			ar_bill	yes	no
			ar_date	yes	no
			ar_nbr	yes	no
Δ	ar_bill_open	yes	ar_domain	yes	no
			ar_bill	yes	no
			ar_open	yes	no
			ar_due_date	yes	no
			ar_nbr	yes	no
Δ	ar_bill_type	no	ar_domain	yes	no
			ar_bill	yes	no
			ar_type	yes	no
			ar_open	yes	no
			ar_draft	yes	no
			ar_nbr	yes	no
Δ	ar_check	no	ar_domain	yes	no
			ar_check	yes	no
Δ	ar_cust	no	ar_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ar_cust	yes	no
			ar_date	yes	no
			ar_nbr	yes	no
Δ	ar_date	no	ar_domain	yes	no
			ar_date	yes	no
Δ	ar_drft_sel	no	ar_domain	yes	no
			ar_drft_sel	yes	no
			ar_bill	yes	no
			ar_entity	yes	no
			ar_curr	yes	no
Δ	ar_effdate	no	ar_domain	yes	no
			ar_effdate	yes	no
Δ*	ar_nbr	yes	ar_domain	yes	no
			ar_nbr	yes	no
Δ	ar_type	no	ar_domain	yes	no
			ar_type	yes	no
			ar_draft	yes	no
◊	oid_ar_mstr	yes	oid_ar_mstr	yes	no

asc_mstr

Account/Sub-Account/Cost Center Master

	Field Name	Label	Col-Label	Format	Dec
	asc_acc	Account		x(8)	
	asc_cc	Cost Ctr	CC	x(4)	
	asc_desc	Description		x(24)	
◊	asc_domain	Domain		x(8)	
	asc_fpos			>>>>>9	
	asc_sub	Sub-Account	Sub-Acct	x(8)	
	asc_user1	Ufld1		x(8)	
	asc_user2	Ufld2		x(8)	
	asc__qadc01			x(8)	
◊	oid_asc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	asc_cc	yes	asc_domain	yes	no
			asc_cc	yes	no
			asc_acc	yes	no
			asc_sub	yes	no
Δ	asc_facs	no	asc_domain	yes	no
			asc_fpos	yes	no
			asc_acc	yes	no
			asc_cc	yes	no
			asc_sub	yes	no
Δ	asc_fasc	no	asc_domain	yes	no
			asc_fpos	yes	no
			asc_acc	yes	no
			asc_sub	yes	no
			asc_cc	yes	no
Δ	asc_fcas	no	asc_domain	yes	no
			asc_fpos	yes	no
			asc_cc	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			asc_acc	yes	no
			asc_sub	yes	no
Δ	asc_fsac	no	asc_domain	yes	no
			asc_fpos	yes	no
			asc_sub	yes	no
			asc_acc	yes	no
			asc_cc	yes	no
Δ	asc_fsca	no	asc_domain	yes	no
			asc_fpos	yes	no
			asc_sub	yes	no
			asc_cc	yes	no
			asc_acc	yes	no
Δ	asc_ind1	no	asc_domain	yes	no
			asc_acc	yes	no
			asc_cc	yes	no
			asc_sub	yes	no
Δ*	asc_index	yes	asc_domain	yes	no
			asc_acc	yes	no
			asc_sub	yes	no
			asc_cc	yes	no
Δ	asc_sub	yes	asc_domain	yes	no
			asc_sub	yes	no
			asc_acc	yes	no
			asc_cc	yes	no
◊	oid_asc_mstr	yes	oid_asc_mstr	yes	no

ast_mstr Asset Master

Field Name	Label	Col-Label	Format	Dec
ast_acct	Asset Account	Asset! Account	x(8)	
ast_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
ast_ac_cc	Cost Center	CC	x(4)	
ast_ac_proj	Project		x(8)	
ast_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_asset	Asset		x(12)	
ast_at_risk	At-Risk Basis		->>,>>>,>>>,>>9.99<	10
ast_cc	Cost Center	CC	x(4)	
ast_class	Class	Cls	x(3)	
ast_cust	Custodian		x(12)	
ast_date	Depreciation Start Date	Start! Date	99/99/99	
ast_desc	Description		x(24)	
ast_entity	Entity	Enty	x(4)	
ast_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
ast_exp_cc	Cost Center	CC	x(4)	
ast_exp_proj	Project		x(8)	
ast_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_fa_loc	Fixed Asset Location	Loc	x(4)	
ast_ins_co	Insurance Company		x(24)	
ast_ins_date	Insurance Date	Ins Date	99/99/9999	
ast_ins_nbr	Insurance Policy	Ins Policy	x(12)	
ast_ins_value	Insurance Value		->>,>>>,>>>,>>9.99<	10
ast_inv_nbr	Inventory Number		x(18)	

	Field Name	Label	Col-Label	Format	Dec
	ast_mod_date	Modified Date	Mod Date	99/99/99	
	ast_po_nbr	Purchase Order	Order	x(8)	
	ast_prev_method	Previous Method	Previous! Method	x(8)	
	ast_proj	Project		x(8)	
	ast_pur_date	Purchase Date	Purch Date	99/99/99	
	ast_qty	Quantity	Qty	>>>>	
	ast_report	Print on Reports	Prt	yes/no	
	ast_retire	Retirement Method	RM	x(2)	
	ast_rt_date	Retirement Date	Retire! Date	99/99/9999	
	ast_rt_price	Retirement Price		->>,>>>,>>>,>>9.99<	10
	ast_rt_reason	Retirement Reason		x(24)	
	ast_serial	Serial Number		x(24)	
	ast_sp_ac_acct	Special Accumulated Depr Acct	Spec Acc! Depr Acct	x(8)	
	ast_sp_ac_cc	Cost Center	CC	x(4)	
	ast_sp_ac_proj	Project		x(8)	
	ast_sp_ac_sub	Sub-Account	Sub-Acct	x(8)	
	ast_sp_exp_acct	Special Depreciation Exp Acct	Spec Depr! Exp Acct	x(8)	
	ast_sp_exp_cc	Cost Center	CC	x(4)	
	ast_sp_exp_proj	Project		x(8)	
	ast_sp_exp_sub	Sub-Account	Sub-Acct	x(8)	
	ast_sub	Sub-Account	Sub-Acct	x(8)	
	ast_sus_beg	Suspension Start	Start! Suspend	99/99/99	
	ast_sus_end	Suspension End	End! Suspend	99/99/99	
	ast_uchar1	Char 1		x(8)	
	ast_uchar2	Char 2		x(8)	
	ast_uchar3	Char 3		x(8)	
	ast_uchar4	Char 4		x(8)	
	ast_udate1	Date 1		99/99/9999	
	ast_udate2	Date 2		99/99/9999	
	ast_udate3	Date 3		99/99/9999	
	ast_udate4	Date 4		99/99/9999	
	ast_udec1	Decimal 1		->>,>>>,>>>,>>9.99<	10
	ast_udec2	Decimal 2		->>,>>>,>>>,>>9.99<	10
	ast_uint1	Integer 1		->>,>>>,>>>,>>>	
	ast_uint2	Integer 2		->>,>>>,>>>,>>>	
	ast_uint3	Integer 3	Int 3	->>,>>>,>>>,>>>	
	ast_uint4	Integer 4	Int 4	->>,>>>,>>>,>>>	
	ast_user1	Ufld1		x(8)	
	ast_user2	Ufld2		x(8)	
	ast_userid	User ID		x(8)	
	ast_vend	Supplier		x(8)	
	ast_warranty	Warranty Date	Warranty! Date	99/99/9999	
	ast__qad01			yes/no	
	ast__qad02			x(8)	
	ast__qad03			x(8)	
◊	oid_ast_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ast_asset	yes	ast_asset	yes	no
	ast_ast_ent	no	ast_asset	yes	no
			ast_entity	yes	no
	ast_ent_ast	no	ast_entity	yes	no
			ast_asset	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	ast_inv	no	ast_inv_nbr	yes	no
	ast_retire	yes	ast_asset	yes	no
			ast_rt_date	yes	no
◊	oid_ast_mstr	yes	oid_ast_mstr	yes	no

◊ atak_det

Audit Trail Activated Key Detail

Field Name	Label	Col-Label	Format	Dec
atak_field_name	Field Name		X(32)	
atak_key_type	Key Type	Key	X(2)	
atak_mod_date	Modified Date	Mod Date	99/99/99	
atak_mod_userid	User ID		x(8)	
atak_user1	User Field Character 1		x(24)	
atak_user2	User Field Character 2		x(24)	
atak__qadc01			x(24)	
atak__qadc02			x(24)	
oid_atak_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_atap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atak_oid_atap_mstr	yes	oid_atap_mstr	yes	no
			atak_field_name	yes	no
◊	oid_atak_det	yes	oid_atak_det	yes	no

◊ atap_mstr

Audit Trail Activated Profile Master

Field Name	Label	Col-Label	Format	Dec
atap_all_fields	Audit All Fields	All	yes/no	
atap_audit_active	Audit Trail Active	Active	yes/no	
atap_begin_date	Begin Date	Begin! Date	99/99/99	
atap_filter_criteria	Filter Criteria		X(1024)	
atap_mod_date	Modified Date	Mod Date	99/99/99	
atap_mod_userid	User ID		x(8)	
atap_table_name	Table Name		X(32)	
atap_user1	User Field Character 1		x(24)	
atap_user2	User Field Character 2		x(24)	
atap__qadc01			x(24)	
atap__qadc02			x(24)	
oid_atap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atap_oid_att_mstr	yes	oid_att_mstr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			atap_begin_date	no	no
◊	atap_table_name	yes	atap_table_name	yes	no
			atap_begin_date	no	no
◊	oid_atap_mstr	yes	oid_atap_mstr	yes	no

◊ atc_ctrl Audit Trail Control

Field Name	Label	Col-Label	Format	Dec
atc_index1	Index		>>>>>9	
atc_logfile	Log File		x(32)	
atc_mod_date	Modified Date	Mod Date	99/99/99	
atc_mod_userid	User ID		x(8)	
atc_storage_shutdown	Shutdown		yes/no	
atc_user1	User Field Character 1		x(24)	
atc_user2	User Field Character 2		x(24)	
atc__qadc01			x(24)	
atc__qadc02			x(24)	
oid_atc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atc_index1	yes	atc_index1	yes	no
◊	oid_atc_ctrl	yes	oid_atc_ctrl	yes	no

◊ atdc_mstr Audit Trail Database Connection Master

Field Name	Label	Col-Label	Format	Dec
atdc_begin_date	Begin Date		99/99/99	
atdc_desc	Description		x(24)	
atdc_dir	Database Directory		X(50)	
atdc_end_date	End Date		99/99/99	
atdc_host	Host		X(24)	
atdc_mod_date	Modified Date	Mod Date	99/99/99	
atdc_mod_userid	User ID		x(8)	
atdc_name	Database Name	DB Name	x(8)	
atdc_network	Network		x(8)	
atdc_online	Database Online	Online	yes/no	
atdc_parmfile	Parameter File	ParmFile	x(32)	
atdc_phy_name	Physical Database Name	Phys DB Name	x(32)	
atdc_server	Server		x(24)	
atdc_type	Type		X(8)	
atdc_user1	User Field Character 1		x(24)	
atdc_user2	User Field Character 2		x(24)	
atdc__qadc01			x(24)	
atdc__qadc02			x(24)	
oid_atdc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atdc_begin_date	yes	atdc_begin_date	no	no
◊	atdc_name	yes	atdc_name	yes	no
◊	oid_atdc_mstr	yes	oid_atdc_mstr	yes	no

atd_mstr

Accounting Transaction Description Master

	Field Name	Label	Col-Label	Format	Dec
	atd_code	Accounting Transaction Code	Code	x(8)	
	atd_desc	Description		x(24)	
◊	atd_domain	Domain		x(8)	
	atd_group	Group		x(2)	
	atd_mod_date	Modified Date	Mod Date	99/99/99	
	atd_mod_userid	User ID		x(8)	
	atd_user1	User Field Character 1		x(24)	
	atd_user2	User Field Character 2		x(24)	
	atd__qadc01			x(24)	
	atd__qadc02			x(24)	
◊	oid_atd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	atd_code	yes	atd_domain	yes	no
			atd_code	yes	no
◊	oid_atd_mstr	yes	oid_atd_mstr	yes	no

◊ aterr_mstr

Audit Trail Error Master

Field Name	Label	Col-Label	Format	Dec
aterr_date	Date		99/99/99	
aterr_event_type	Event Type		X(2)	
aterr_field_data	Packed Field Data		X(3000)	
aterr_pgmi_exec	Program Name		x(14)	
aterr_record_order			>9	
aterr_source	Source		X(2)	
aterr_status	Status		X(2)	
aterr_table_name			x(32)	
aterr_time	Time		>>>>9	
aterr_timezone	Time Zone		X(8)	
aterr_userid	User ID		x(8)	
aterr_user_name	User Name		x(35)	
aterr__qadc01			x(24)	
aterr__qadc02			x(24)	

Field Name	Label	Col-Label	Format	Dec
oid_atap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_aterr_first_record			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_aterr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_erecord			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	aterr_oid_aterr_fi	yes	oid_aterr_first_record	yes	no
			aterr_record_order	yes	no
◊*	aterr_time	no	aterr_status	yes	no
			aterr_date	yes	no
			aterr_time	yes	no
◊	oid_aterr_mstr	yes	oid_aterr_mstr	yes	no

◊ atgt_ref

Audit Trail Group – Table Cross-Reference

Field Name	Label	Col-Label	Format	Dec
atgt_mod_date	Modified Date	Mod Date	99/99/99	
atgt_mod_userid	User ID		x(8)	
atgt_user1	User Field Character 1		x(24)	
atgt_user2	User Field Character 2		x(24)	
atgt__qadc01			x(24)	
atgt__qadc02			x(24)	
oid_atgt_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_atg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atgt_oid_atg_mstr	yes	oid_atg_mstr	yes	no
			oid_att_mstr	yes	no
◊	atgt_oid_att_mstr	yes	oid_att_mstr	yes	no
			oid_atg_mstr	yes	no
◊	oid_atgt_ref	yes	oid_atgt_ref	yes	no

◊ atg_mstr

Audit Trail Group Master

Field Name	Label	Col-Label	Format	Dec
atg_group_desc	Description		X(24)	
atg_group_name	Group Name	Group	X(8)	
atg_group_type	Group Type	Type	X(2)	
atg_mod_date	Modified Date	Mod Date	99/99/99	
atg_mod_userid	User ID		x(8)	
atg_origin	Origin		X(2)	
atg_user1	User Field Character 1		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	atg_user2	User Field Character 2		x(24)	
	atg__qadc01			x(24)	
	atg__qadc02			x(24)	
	oid_atg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atg_type_name	yes	atg_group_type	yes	no
			atg_group_name	yes	no
◊	oid_atg_mstr	yes	oid_atg_mstr	yes	no

atp_det

Available-to-Promise Detail

	Field Name	Label	Col-Label	Format	Dec
	atp_date	Date	Date	99/99/99	
◊	atp_domain	Domain		x(8)	
	atp_id_num			>>>>>>9	
	atp_part	Item Number		x(18)	
	atp_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	atp_site	Site		x(8)	
	atp_user1	Ufld1		x(8)	
	atp_user2	Ufld2		x(8)	
	atp__qad01			x(18)	
	atp__qad02			99/99/99	
	atp__qad03			x(8)	
	atp__qad04			x(18)	
◊	oid_atp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	atp_id_num	yes	atp_domain	yes	no
			atp_id_num	yes	no
Δ*	atp_part	yes	atp_domain	yes	no
			atp_part	yes	no
			atp_site	yes	no
			atp_date	yes	no
			atp_id_num	yes	no
◊	oid_atp_det	yes	oid_atp_det	yes	no

◊ attmp_mstr

Audit Trail Temporary Master

	Field Name	Label	Col-Label	Format	Dec
	attmp_date	Date		99/99/99	
	attmp_event_type	Event Type		X(2)	
	attmp_field_data	Packed Field Data		X(3000)	
	attmp_pgmi_exec	Program Name		x(14)	
	attmp_record_order			>9	
	attmp_source	Source		X(2)	
	attmp_table_name			x(32)	

Field Name	Label	Col-Label	Format	Dec
attmp_time	Time		>>>>9	
attmp_timezone	Time Zone		X(8)	
attmp_userid	User ID		x(8)	
attmp_user_name	User Name		x(35)	
attmp__qadc01			x(24)	
attmp__qadc02			x(24)	
oid_atap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_attmp_first_record			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_attmp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_erecord			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	attmp_oid_attmp_fi	yes	oid_attmp_first_record	yes	no
			attmp_record_order	yes	no
◊*	attmp_time	no	attmp_date	yes	no
			attmp_time	yes	no
◊	oid_attmp_mstr	yes	oid_attmp_mstr	yes	no

◊ att_mstr Audit Trail Table Master

Field Name	Label	Col-Label	Format	Dec
att_audit_enabled	Audit Trail Enabled	Enabled	yes/no	
att_mod_date	Modified Date	Mod Date	99/99/99	
att_mod_userid	User ID		x(8)	
att_table_name	Table Name		X(32)	
att_user1	User Field Character 1		x(24)	
att_user2	User Field Character 2		x(24)	
att__qadc01			x(24)	
att__qadc02			x(24)	
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	att_audit_enabled	yes	att_audit_enabled	yes	no
			att_table_name	yes	no
◊*	att_table_name	yes	att_table_name	yes	no
◊	oid_att_mstr	yes	oid_att_mstr	yes	no

◊ atwk_det Audit Trail Workbench Key Detail

Field Name	Label	Col-Label	Format	Dec
atwk_field_name	Field Name		X(32)	
atwk_key_type	Key Type	Key	X(2)	
atwk_mod_date	Modified Date	Mod Date	99/99/99	
atwk_mod_userid	User ID		x(8)	
atwk_user1	User Field Character 1		x(24)	
atwk_user2	User Field Character 2		x(24)	
atwk__qadc01			x(24)	
atwk__qadc02			x(24)	
oid_atwk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
oid_atwp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atwk_oid_atwp_mstr	yes	oid_atwp_mstr	yes	no
			atwk_field_name	yes	no
◊	oid_atwk_det	yes	oid_atwk_det	yes	no

◊ atwp_mstr Audit Trail Workbench Profile Master

Field Name	Label	Col-Label	Format	Dec
atwp_all_fields	Audit All Fields	All	yes/no	
atwp_audit_active	Audit Trail Active	Active	yes/no	
atwp_collection	Collection		X(16)	
atwp_filter_criteria	Filter Criteria		X(1024)	
atwp_mod_date	Modified Date	Mod Date	99/99/99	
atwp_mod_userid	User ID		x(8)	
atwp_profile_type	Profile Type	Type	X(2)	

	Field Name	Label	Col-Label	Format	Dec
	atwp_user1	User Field Character 1		x(24)	
	atwp_user2	User Field Character 2		x(24)	
	atwp__qadc01			x(24)	
	atwp__qadc02			x(24)	
	oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	oid_atwp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	atwp_oid_att_mstr	yes	atwp_profile_type	yes	no
			atwp_collection	yes	no
			oid_att_mstr	yes	no
◊	oid_atwp_mstr	yes	oid_atwp_mstr	yes	no

aud_det

Audit Detail

	Field Name	Label	Col-Label	Format	Dec
	aud_dataset	File		x(16)	
	aud_date	Date		99/99/99	
◊	aud_domain	Domain		x(8)	
	aud_entry	Entry		>>>>>>>>>>9	
	aud_field	Field Name		x(32)	
	aud_key1	Key Field 1		x(18)	
	aud_key2	Key Field 2		x(18)	
	aud_key3	Key Field 3		x(18)	
	aud_key4	Key Field 4		x(18)	
	aud_key5	Key Field 5		x(18)	
	aud_key6	Key Field 6		x(18)	
	aud_key7	Key Field 7		x(18)	
	aud_new_data[15]	Data	New data	x(76)	
	aud_old_data[15]	Data	Old data	x(76)	
	aud_time	Time		x(8)	
	aud_user1	Ufld1		x(8)	
	aud_user2	Ufld2		x(8)	
	aud_userid	User ID		x(8)	
	aud__qadc01			x(8)	
◊	oid_aud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	aud_dataset	yes	aud_domain	yes	no
			aud_dataset	yes	no
			aud_key1	yes	no
			aud_key2	yes	no
			aud_key3	yes	no
			aud_key4	yes	no
			aud_key5	yes	no
			aud_key6	yes	no
			aud_key7	yes	no
			aud_date	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			aud_entry	yes	no
Δ*	aud_entry	yes	aud_domain	yes	no
			aud_entry	yes	no
Δ	aud_user	no	aud_domain	yes	no
			aud_userid	yes	no
			aud_dataset	yes	no
			aud_date	yes	no
◊	oid_aud_det	yes	oid_aud_det	yes	no

ba_mstr

Batch Master

	Field Name	Label	Col-Label	Format	Dec
	ba_bank	Bank		x(2)	
	ba_batch	Batch		x(8)	
	ba_beg_bal	Balance		->>>>>,>>>,>>9.99	10
	ba_ctrl	Batch Ctrl		->>,>>>,>>>,>>9.99	10
	ba_date	Date		99/99/99	
	ba_doc_type	Document Type	T	x(2)	
◊	ba_domain	Domain		x(8)	
	ba_module	Module		x(2)	
	ba_status	Status		x(2)	
	ba_total	Total		->>,>>>,>>>,>>9.99	10
	ba_user1	Ufld1		x(8)	
	ba_user2	Ufld2		x(8)	
	ba_userid	User ID		x(8)	
	ba__qadc01			x(8)	
◊	oid_ba_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ba_modbatch	yes	ba_domain	yes	no
			ba_module	yes	no
			ba_batch	yes	no
◊	oid_ba_mstr	yes	oid_ba_mstr	yes	no

bcd_det

Batch Control Detail

	Field Name	Label	Col-Label	Format	Dec
	bcd_batch	Batch ID		x(8)	
	bcd_date_run	Run Date	Run! Date	99/99/99	
	bcd_date_sub	Submit Date	Submit! Date	99/99/99	
	bcd_dev	Output		x(8)	
◊	bcd_domain	Domain		x(8)	
	bcd_exec	Program		x(14)	
	bcd_mnu_nbr	Menu		x(16)	
	bcd_mnu_sel	Selection	Sel	>9	
	bcd_parm	Parameter Data	Parameter! Data	x(200)	
	bcd_perm	Permanent	Perm	yes/no	
	bcd_priority	Priority		>>>,>>9	

	Field Name	Label	Col-Label	Format	Dec
	bcd_process	Process		yes/no	
	bcd_run_stat	Run Status	Run! Status	x(8)	
	bcd_time_run	Run Time	Run! Time	x(8)	
	bcd_time_sub	Submit Time	Submit! Time	x(8)	
	bcd_user1	Ufld1		x(8)	
	bcd_user2	Ufld2		x(8)	
	bcd_userid	Submitted By	Submitted! By	x(8)	
	bcd__qadc01			x(8)	
◊	oid_bcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bcd_id	yes	bcd_domain	yes	no
			bcd_batch	yes	no
			bcd_date_sub	yes	no
			bcd_time_sub	yes	no
			bcd_userid	yes	no
◊	oid_bcd_det	yes	oid_bcd_det	yes	no

bc_mstr

Batch Control Master

	Field Name	Label	Col-Label	Format	Dec
	bc_batch	Batch ID		x(8)	
	bc_canrun	Users/Groups		x(60)	
	bc_cmtindx	Comment Index	Comment	>>>>>>>9	
	bc_desc	Description		x(24)	
◊	bc_domain	Domain		x(8)	
	bc_perm	Permanent		yes/no	
	bc_priority	Priority		>>>,>>9	
	bc_user1	Ufld1		x(8)	
	bc_user2	Ufld2		x(8)	
	bc__qadc01			x(8)	
◊	oid_bc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bc_batch	yes	bc_domain	yes	no
			bc_batch	yes	no
◊	oid_bc_mstr	yes	oid_bc_mstr	yes	no

bdld_det

Batch Data Load Detail

	Field Name	Label	Col-Label	Format	Dec
	bdld_data	Data		x(78)	
◊	bdld_domain	Domain		x(8)	
	bdld_id	Group Id		>>>>>>>9	
	bdld_line	Line Number		>>>9	
	bdld_source	Source		x(16)	

	Field Name	Label	Col-Label	Format	Dec
	bdld_user1	Ufld1		x(8)	
	bdld_user2	Ufld2		x(8)	
	bdld__qadc01			x(8)	
◊	oid_bdld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	bdld_id	yes	bdld_domain	yes	no
			bdld_source	yes	no
			bdld_id	yes	no
			bdld_line	yes	no
◊	oid_bdld_det	yes	oid_bdld_det	yes	no

bdl_mstr

Batch Data Load Master

	Field Name	Label	Col-Label	Format	Dec
	bdl_date_ent	Date Entered		99/99/99	
	bdl_date_pro	Date Processed		99/99/99	
◊	bdl_domain	Domain		x(8)	
	bdl_exec	Program		x(16)	
	bdl_id	Group Id		>>>>>>>9	
	bdl_pgm_errs	Program Errors		>,>>9	
	bdl_pro_errs	Progress Errors		>,>>9	
	bdl_source	Source ID		x(16)	
	bdl_time_ent	Time Entered		x(8)	
	bdl_time_pro	Time Processed		x(8)	
	bdl_user1	Ufld1		x(8)	
	bdl_user2	Ufld2		x(8)	
	bdl__qadc01			x(8)	
◊	oid_bdl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	bdl_id	yes	bdl_domain	yes	no
			bdl_source	yes	no
			bdl_id	yes	no
◊	oid_bdl_mstr	yes	oid_bdl_mstr	yes	no

bdp_det

Bank Driver Payment Detail

	Field Name	Label	Col-Label	Format	Dec
	bdp_addr	Customer/Supplier		x(8)	
	bdp_bank	Bank		x(2)	
	bdp_character	Character		x(48)	
	bdp_date	Date		99/99/99	
	bdp_decimal	Decimal		->>,>>>,>>>,>>9.99<	10
◊	bdp_domain	Domain		x(8)	
	bdp_integer	Integer		->,>>>,>>9	

	Field Name	Label	Col-Label	Format	Dec
	bdp_logical	Logical		yes/no	
	bdp_mod_date	Modified Date	Mod Date	99/99/99	
	bdp_mod_userid	User ID		x(8)	
	bdp_pay_method	Payment Method	PM	x(2)	
	bdp_program	Program		x(12)	
	bdp_ref	Reference		x(8)	
	bdp_seq	Sequence		999	
	bdp_split	Split Payment	Split	yes/no	
	bdp_user1	User Field Character 1		x(24)	
	bdp_user2	User Field Character 2		x(24)	
	bdp_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	bdp_useri01	User Field Integer 1		->>>>>>>9	
	bdp_userl01	User Field Logical 1		yes/no	
	bdp_usert01	User Field Date 1		99/99/99	
	bdp__qadc01			x(24)	
	bdp__qadc02			x(24)	
	bdp__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	bdp__qadi01			->>>>>>>9	
	bdp__qadl01			yes/no	
	bdp__qadt01			99/99/99	
◊	oid_bdp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bdp_pay_seq	yes	bdp_domain	yes	no
			bdp_program	yes	no
			bdp_addr	yes	no
			bdp_bank	yes	no
			bdp_pay_method	yes	no
			bdp_ref	yes	no
			bdp_seq	yes	no
◊	oid_bdp_det	yes	oid_bdp_det	yes	no

bgd_det

Budget Detail

	Field Name	Label	Col-Label	Format	Dec
	bgd_acc	Account		x(8)	
	bgd_amt	Budget Amount		->>,>>>,>>>,>>>,>>9.99	10
	bgd_cc	Cost Ctr	CC	x(4)	
	bgd_code	Budget Code	Budget	x(8)	
	bgd_date	Date		99/99/99	
◊	bgd_domain	Domain		x(8)	
	bgd_ecur_amt	Amount in entity currency		->>,>>>,>>>,>>9.99	10
	bgd_entity	Entity	Enty	x(4)	
	bgd_ent_dt	Enter Date	Entered	99/99/99	
	bgd_en_enrate	Entity exch rate		>>,>>9.99999<<<<<	10
	bgd_fpos	Format Position	Format	>>>>>9	
	bgd_pct	Percentage		->>>9.999	10
	bgd_per	Period	Pd	>9	
	bgd_project	Project		x(8)	
	bgd_sub	Sub-Account	Sub-Acct	x(8)	
	bgd_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	bgd_user2	Ufld2		x(8)	
	bgd_userid	User ID		x(8)	
	bgd_year	Year		9999	
	bgd__qadc01			x(8)	
◊	oid_bgd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	bgd_ind1	no	bgd_domain	yes	no
			bgd_code	yes	no
			bgd_entity	yes	no
			bgd_acc	yes	no
			bgd_sub	yes	no
			bgd_cc	yes	no
			bgd_fpos	yes	no
			bgd_year	yes	no
			bgd_per	yes	no
Δ*	bgd_index	yes	bgd_domain	yes	no
			bgd_code	yes	no
			bgd_entity	yes	no
			bgd_acc	yes	no
			bgd_sub	yes	no
			bgd_cc	yes	no
			bgd_fpos	yes	no
			bgd_project	yes	no
			bgd_year	yes	no
			bgd_per	yes	no
Δ	bgd_period	no	bgd_domain	yes	no
			bgd_year	yes	no
			bgd_per	yes	no
			bgd_code	yes	no
			bgd_entity	yes	no
			bgd_acc	yes	no
			bgd_sub	yes	no
			bgd_cc	yes	no
			bgd_project	yes	no
◊	oid_bgd_det	yes	oid_bgd_det	yes	no

bg_mstr

Budget Master

	Field Name	Label	Col-Label	Format	Dec
	bg_acc	Account		x(8)	
	bg_budg_acc	Base Account	Base! Acct	x(8)	
	bg_budg_cc	Base Cost Center	Base! CC	x(4)	
	bg_budg_fpos	Base Fmt Pos	Base! Fmt	>>>>>9	
	bg_budg_sub	Base Sub-Account	Base! Sub-Acct	x(8)	
	bg_cc	Cost Ctr	CC	x(4)	
	bg_code	Budget Code	Budget	x(8)	
◊	bg_domain	Domain		x(8)	
	bg_entity	Entity	Enty	x(4)	
	bg_fpos	Format Position	Format	>>>>>9	
	bg_project	Project		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	bg_sub	Sub-Account	Sub-Acct	x(8)	
	bg_user1	Ufld1		x(8)	
	bg_user2	Ufld2		x(8)	
	bg__qadc01			x(8)	
◊	oid_bg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	bg_ind1	no	bg_domain	yes	no
			bg_code	yes	no
			bg_fpos	yes	no
			bg_entity	yes	no
Δ*	bg_index	yes	bg_domain	yes	no
			bg_code	yes	no
			bg_entity	yes	no
			bg_acc	yes	no
			bg_sub	yes	no
			bg_cc	yes	no
			bg_fpos	yes	no
			bg_project	yes	no
◊	oid_bg_mstr	yes	oid_bg_mstr	yes	no

bic_ctrl

Service/Support Contract Billing Control

	Field Name	Label	Col-Label	Format	Dec
	bic_audit	Audit has been Run		yes/no	
◊	bic_domain	Domain		x(8)	
	bic_last_cyc	Last Cycle Billed	Lst Cyc	x(2)	
	bic_last_due	Last Due Date Billed	Lst Due	99/99/99	
	bic_lst_date	Date Last Billed		99/99/99	
	bic_periods	Periods In Billing Year		>>9	
	bic_user1	Ufld1		x(8)	
	bic_user2	Ufld2		x(8)	
	bic__qadc01			x(8)	
Δ	bic__qadi01			->>>>>>>9	
◊	oid_bic_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bic_index1	yes	bic_domain	yes	no
◊	oid_bic_ctrl	yes	oid_bic_ctrl	yes	no

bkad_det

Payment Selection Allocation Detail

	Field Name	Label	Col-Label	Format	Dec
	bkad_addr	Customer/Supplier		x(8)	
	bkad_alloc_id	Allocation Identifier		>>>>>>>>9	
	bkad_amt_chg	Amount To Pay		->>,>>>,>>>,>>9.99<	10
	bkad_bank	Bank		x(2)	
	bkad_curr	Currency		x(3)	
	bkad_disc_chg	Discount To Take		->>,>>>,>>>,>>9.99<	10
◊	bkad_domain	Domain		x(8)	
	bkad_module	Module		x(2)	
	bkad_mod_date	Modified Date	Mod Date	99/99/99	
	bkad_mod_userid	User ID		x(8)	
	bkad_payment_nbr	Payment Number		>>>,>>9	
	bkad_pay_method	Payment Method		x(2)	
	bkad_processed	Processed		yes/no	
	bkad_ref	Reference		x(8)	
	bkad_seq	Sequence		99999999	
	bkad_user1	User Field Character 1		x(24)	
	bkad_user2	User Field Character 2		x(24)	
	bkad_userc03	User Field Character 3		x(24)	
	bkad_userc04	User Field Character 4		x(24)	
	bkad_userc05	User Field Character 5		x(24)	
	bkad_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkad_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkad_useri01	User Field Integer 1		->>>>>>>9	
	bkad_useri02	User Field Integer 2		->>>>>>>9	
	bkad_userl01	User Field Logical 1		yes/no	
	bkad_userl02	User Field Logical 2		yes/no	
	bkad_usert01	User Field Date 1		99/99/99	
	bkad_usert02	User Field Date 2		99/99/99	
	bkad__qadc01			x(24)	
	bkad__qadc02			x(24)	
	bkad__qadc03			x(24)	
	bkad__qadc04			x(24)	
	bkad__qadc05			x(24)	
	bkad__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkad__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkad__qadi01			->>>>>>>9	
	bkad__qadi02			->>>>>>>9	
	bkad__qadl01			yes/no	
	bkad__qadl02			yes/no	
	bkad__qadt01			99/99/99	
	bkad__qadt02			99/99/99	
◊	oid_bkad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bkad_alloc	yes	bkad_domain	yes	no
			bkad_alloc_id	yes	no
Δ	bkad_bank	no	bkad_domain	yes	no
			bkad_bank	yes	no
			bkad_pay_method	yes	no
			bkad_module	yes	no
			bkad_seq	yes	no
			bkad_addr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			bkad_curr	yes	no
			bkad_payment_nbr	yes	no
			bkad_amt_chg	yes	no
Δ	bkad_ref	no	bkad_domain	yes	no
			bkad_processed	yes	no
			bkad_module	yes	no
			bkad_ref	yes	no
◊	oid_bkad_det	yes	oid_bkad_det	yes	no

bkd_det

Payment Method Detail

	Field Name	Label	Col-Label	Format	Dec
	bkd_acc_mandatory	Bank Account Mandatory	Mandatory	yes/no	
	bkd_auto_payment	Automatic Payment	Auto	yes/no	
	bkd_bank	Bank	Bk	x(2)	
	bkd_curr_list	Currency List		x(12)	
◊	bkd_domain	Domain		x(8)	
	bkd_draft	Draft		yes/no	
	bkd_exceed_balance	Exceed Balance	Exceed	yes/no	
	bkd_file	Output To File	File	yes/no	
	bkd_from_ck	From Check		>>>,>>>,>>9	
	bkd_manual_payment	Manual Payment	Man	yes/no	
	bkd_module	Module		x(2)	
	bkd_mod_date	Modified Date	Mod Date	99/99/99	
	bkd_mod_userid	User ID		x(8)	
	bkd_next_ck	Next Check		>>>,>>>,>>9	
	bkd_pay_group	Payment Grouping	Pay Group	9	
	bkd_pay_method	Payment Method	PM	x(2)	
	bkd_pip_acct	PIP Account	PIP Acct	x(8)	
	bkd_pip_cc	PIP Cost Center	PIP CC	x(4)	
	bkd_pip_sub	PIP Sub Account	PIP Sub	x(8)	
	bkd_program	Program		x(12)	
	bkd_recon_credit	Reconcile Credit Notes	Recon	yes/no	
	bkd_swift	Swift		yes/no	
	bkd_to_ck	To Check		>>>,>>>,>>9	
	bkd_user1	User Character Field 1		x(24)	
	bkd_user2	User Character Field 2		x(24)	
	bkd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkd_useri01	User Field Integer 1		->>>>>>>9	
	bkd_userl01	User Field Logical 1		yes/no	
	bkd_usert01	User Field Date 1		99/99/99	
	bkd_validation_list	Bank Validation List	Validation	x(12)	
	bkd__qadc01			x(24)	
	bkd__qadc02			x(24)	
	bkd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkd__qadi01			->>>>>>>9	
	bkd__qadl01			yes/no	
	bkd__qadt01			99/99/99	
◊	oid_bkd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bkd_bank	yes	bkd_domain	yes	no
			bkd_bank	yes	no
			bkd_pay_method	yes	no
			bkd_module	yes	no
◊	oid_bkd_det	yes	oid_bkd_det	yes	no

bkfm_mstr Bank Account Format Master

Field Name	Label	Col-Label	Format	Dec
bkfm_lead_zeros	Leading zeros		yes/no	
bkfm_length	Length		>9	
bkfm_mandatory	Mandatory		yes/no	
bkfm_mod_date	Modified Date	Mod Date	99/99/99	
bkfm_mod_userid	User ID		x(8)	
bkfm_sequence	Sequence	Seq	>9	
bkfm_user1	User Field Character 1		x(24)	
bkfm_user2	User Field Character 2		x(24)	
bkfm_validation	Validation	Val	x(2)	
bkfm__qadc01			x(24)	
bkfm__qadc02			x(24)	
◊ oid_bkfm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	bkfm_val_seq	yes	bkfm_validation	yes	no
			bkfm_sequence	yes	no
◊	oid_bkfm_mstr	yes	oid_bkfm_mstr	yes	no

bkpd_det Payment Selection Detail

Field Name	Label	Col-Label	Format	Dec
bkpd_addr	Customer/Supplier		x(8)	
bkpd_amt	Amount		->>,>>>,>>>,>>9.99<	10
bkpd_bank	Bank		x(2)	
bkpd_bk_acct	Bank Account		x(35)	
bkpd_cs_bank	Customer/Supplier Bank		x(8)	
bkpd_curr	Currency		x(3)	
◊ bkpd_domain	Domain		x(8)	
bkpd_due_date	Due Date		99/99/99	
bkpd_full_bk_acct	Full Bank Account		x(35)	
bkpd_module	Module		x(2)	
bkpd_mod_date	Modified Date	Mod Date	99/99/99	
bkpd_mod_userid	User ID		x(8)	
bkpd_nbr	Payment Reference		x(16)	
bkpd_payment_nbr	Payment Number		>>>,>>9	
bkpd_pay_method	Payment Method		x(2)	
bkpd_processed	Processed		yes/no	
bkpd_ref	Reference		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	bkpd_resale_amt	Resale Amount		->>,>>>,>>>,>>9.99<	10
	bkpd_separate	Separate Payment		yes/no	
	bkpd_seq	Sequence		99999999	
	bkpd_user1	User Field Character 1		x(24)	
	bkpd_user2	User Field Character 2		x(24)	
	bkpd_userc03	User Field Character 3		x(24)	
	bkpd_userc04	User Field Character 4		x(24)	
	bkpd_userc05	User Field Character 5		x(24)	
	bkpd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpd_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpd_useri01	User Field Integer 1		->>>>>>>9	
	bkpd_useri02	User Field Integer 2		->>>>>>>9	
	bkpd_userl01	User Field Logical 1		yes/no	
	bkpd_userl02	User Field Logical 2		yes/no	
	bkpd_usert01	User Field Date 1		99/99/99	
	bkpd_usert02	User Field Date 2		99/99/99	
	bkpd__qadc01			x(24)	
	bkpd__qadc02			x(24)	
	bkpd__qadc03			x(24)	
	bkpd__qadc04			x(24)	
	bkpd__qadc05			x(24)	
	bkpd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpd__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpd__qadi01			->>>>>>>9	
	bkpd__qadi02			->>>>>>>9	
	bkpd__qadl01			yes/no	
	bkpd__qadl02			yes/no	
	bkpd__qadt01			99/99/99	
	bkpd__qadt02			99/99/99	
◊	oid_bkpd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bkpd_bank	yes	bkpd_domain	yes	no
			bkpd_bank	yes	no
			bkpd_pay_method	yes	no
			bkpd_module	yes	no
			bkpd_seq	yes	no
			bkpd_addr	yes	no
			bkpd_curr	yes	no
			bkpd_payment_nbr	yes	no
Δ	bkpd_due	no	bkpd_domain	yes	no
			bkpd_bank	yes	no
			bkpd_pay_method	yes	no
			bkpd_module	yes	no
			bkpd_seq	yes	no
			bkpd_addr	yes	no
			bkpd_due_date	yes	no
			bkpd_curr	yes	no
◊	oid_bkpd_det	yes	oid_bkpd_det	yes	no

bkpm_mstr Payment Selection Master

	Field Name	Label	Col-Label	Format	Dec
	bkpm_amt	Amount		->>,>>>,>>>,>>9.99<	10
	bkpm_bank	Bank		x(2)	
	bkpm_batch	Batch		x(8)	
	bkpm_bk_acct	Bank Account		x(35)	
	bkpm_ck_date	Check Date		99/99/99	
	bkpm_comp_addr	Company Address	Company	x(8)	
	bkpm_create_date	Create Date		99/99/99	
	bkpm_create_time	Create Time		x(5)	
◊	bkpm_domain	Domain		x(8)	
	bkpm_exceed_balance	Exceed Balance	Exceed	yes/no	
	bkpm_filename	Filename		x(60)	
	bkpm_full_bk_acct	Full Bank Account		x(35)	
	bkpm_max_amt	Maximum Amount		->>>>,>>>,>>9.99<	10
	bkpm_media_nbr	Media Number		x(10)	
	bkpm_module	Module		x(2)	
	bkpm_mod_date	Modified Date	Mod Date	99/99/99	
	bkpm_mod_userid	User ID		x(8)	
	bkpm_pay_method	Payment Method		x(2)	
	bkpm_processed	Processed		yes/no	
	bkpm_recon_credit	Reconcile Credit		yes/no	
	bkpm_seq	Sequence		99999999	
	bkpm_user1	User Field Character 1		x(24)	
	bkpm_user2	User Field Character 2		x(24)	
	bkpm_userc03	User Field Character 3		x(24)	
	bkpm_userc04	User Field Character 4		x(24)	
	bkpm_userc05	User Field Character 5		x(24)	
	bkpm_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpm_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpm_useri01	User Field Integer 1		->>>>>>>9	
	bkpm_useri02	User Field Integer 2		->>>>>>>9	
	bkpm_userl01	User Field Logical 1		yes/no	
	bkpm_userl02	User Field Logical 2		yes/no	
	bkpm_usert01	User Field Date 1		99/99/99	
	bkpm_usert02	User Field Date 2		99/99/99	
	bkpm__qadc01			x(24)	
	bkpm__qadc02			x(24)	
	bkpm__qadc03			x(24)	
	bkpm__qadc04			x(24)	
	bkpm__qadc05			x(24)	
	bkpm__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpm__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	bkpm__qadi01			->>>>>>>9	
	bkpm__qadi02			->>>>>>>9	
	bkpm__qadl01			yes/no	
	bkpm__qadl02			yes/no	
	bkpm__qadt01			99/99/99	
	bkpm__qadt02			99/99/99	
◊	oid_bkpm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bkpm_bank	yes	bkpm_domain	yes	no
			bkpm_bank	yes	no
			bkpm_pay_method	yes	no
			bkpm_module	yes	no
			bkpm_seq	yes	no
Δ	bkpm_module	no	bkpm_domain	yes	no
			bkpm_module	yes	no
			bkpm_batch	yes	no
Δ	bkpm_processed	no	bkpm_domain	yes	no
			bkpm_processed	yes	no
			bkpm_bank	yes	no
			bkpm_pay_method	yes	no
			bkpm_module	yes	no
			bkpm_seq	yes	no
◊	oid_bkpm_mstr	yes	oid_bkpm_mstr	yes	no

bk_mstr

Bank Master

Field Name	Label	Col-Label	Format	Dec
bk_acct	Cash Account	Cash Acct	x(8)	
bk_bkchg_acct	Bank Charges Acct	Bank! Chg Acct	x(8)	
bk_bkchg_cc		CC	x(4)	
bk_bkchg_sub	Bank Charges Sub-Acct	Sub-Acct	x(8)	
bk_bktx_acct	Bank Taxes Acct	Bank! Tax Acct	x(8)	
bk_bktx_cc		CC	x(4)	
bk_bktx_sub	Bank Taxes Sub-Acct	Sub-Acct	x(8)	
bk_bk_acct1	Bank Acct 1		x(35)	
bk_bk_acct2	Bank Acct 2		x(35)	
bk_cc	Cash Cost Ctr	CC	x(4)	
bk_cdft_acct	Cashed Drafts Acct	Cashed! Dft Acct	x(8)	
bk_cdft_cc		CC	x(4)	
bk_cdft_sub	Cashed Drafts Sub-Acct	Sub-Acct	x(8)	
bk_check	Next Check	Check	99999999	
bk_code	Bank	Bk	x(2)	
bk_curr	Currency	Cur	x(3)	
bk_ddft_acct	Disc Drafts Acct	Disc! Dft Acct	x(8)	
bk_ddft_cc		CC	x(4)	
bk_ddft_sub	Disc Drafts Sub-Acct	Sub-Acct	x(8)	
bk_desc	Description		x(40)	
bk_dftap_acct	Drafts Payable Acct	Drafts! Pay Acct	x(8)	
bk_dftap_cc		CC	x(4)	
bk_dftap_sub	Drafts Payable Sub	Sub-Acct	x(8)	
bk_dftar_acct	Draft Rec Acct	Draft! Rec Acct	x(8)	
bk_dftar_cc		CC	x(4)	
bk_dftar_sub	Draft Rec Sub-Acct	Sub-Acct	x(8)	
bk_disc_acct	Disc Charges Acct	Disc! Chg Acct	x(8)	
bk_disc_cc		CC	x(4)	
bk_disc_sub	Disc Charges Sub-Acct	Sub-Acct	x(8)	
◊ bk_domain	Domain		x(8)	
bk_drft_chg	Draft Charge Amount		->>,>>>,>>>,>>9.99	10
bk_drft_chg_pct	Draft Charge Percent		->9.9999%	10
bk_edft_acct	Endorsed Drafts Acct	Endorsed! Dft Acct	x(8)	
bk_edft_cc		CC	x(4)	

	Field Name	Label	Col-Label	Format	Dec
	bk_edft_sub	Endorsed Drafts Sub	Sub-Acct	x(8)	
	bk_entity	Entity	Enty	x(4)	
	bk_max_drft	Maximum Draft		->>,>>>,>>>,>>9.99	10
	bk_min_drft	Minimum Draft		->>,>>>,>>>,>>9.99	10
	bk_mod_date	Modified Date	Mod Date	99/99/99	
	bk_pip_acct	Payment in Process Acct	PIP Acct	x(8)	
	bk_pip_cc	Payment in Process Cost Ctr	CC	x(4)	
	bk_pip_sub	Payment in Process Sub	Sub-Acct	x(8)	
	bk_sub	Cash Sub-Account	Sub-Acct	x(8)	
	bk_user1	Ufld1		x(8)	
	bk_user2	Ufld2		x(8)	
	bk_userid	User ID		x(8)	
	bk_validation	Validation	Val	x(2)	
	bk__qadc01			x(8)	
	bk__qadc02			x(8)	
	bk__qadc03			x(4)	
	bk__qadc04			x(8)	
	bk__qadc05			x(4)	
	bk__qadc06			x(8)	
	bk__qadc07			x(4)	
	bk__qadc08			x(8)	
	bk__qadc09			x(4)	
	bk__qadc10			x(24)	
	bk__qadc11			x(24)	
	bk__qadc12			x(24)	
◊	oid_bk_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bk_code	yes	bk_domain	yes	no
			bk_code	yes	no
Δ	bk_curr	no	bk_domain	yes	no
			bk_curr	yes	no
			bk_code	yes	no
Δ	bk_desc	yes	bk_domain	yes	no
			bk_desc	yes	no
			bk_code	yes	no
◊	oid_bk_mstr	yes	oid_bk_mstr	yes	no

bl_ctrl

Master Bill of Lading Control

	Field Name	Label	Col-Label	Format	Dec
◊	bl_domain	Domain		x(8)	
	bl_master_id	Next Master Bill ID		x(8)	
	bl_user1	Ufld1		x(8)	
	bl_user2	Ufld2		x(8)	
	bl__qadc01			x(8)	
◊	oid_bl_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	bl_master	yes	bl_domain	yes	no
			bl_master_id	yes	no
◊	oid_bl_ctrl	yes	oid_bl_ctrl	yes	no

bom_mstr

Product Structure (Bill of Material) Master

	Field Name	Label	Col-Label	Format	Dec
	bom_batch	Batch Size		>>>,>>>,>>9.9<<<<<<<	10
	bom_batch_um	UM		x(2)	
	bom_cmtindx	Comment Index	Comment	>>>,>>>,>>9	
	bom_desc	Description		x(24)	
◊	bom_domain	Domain		x(8)	
	bom_formula	Formula		yes/no	
	bom_fsm_type	FSM Type		x(8)	
	bom_ll_code	Low Level	Low Lvl	->>>>>9	
	bom_loc	Home Location		X(8)	
	bom_mod_date	Modified Date	Mod Date	99/99/99	
	bom_mthd	Backflush Mthd	BM	x(1)	
	bom_mthd_qtycompl	Qty Complete Mthd	QtyComp! Mthd	x(8)	
	bom_parent	BOM Code		x(18)	
	bom_site	Home Site		X(8)	
	bom_user1	Ufld1		x(8)	
	bom_user2	Ufld2		x(8)	
	bom_userid	User ID		x(8)	
	bom__chr01			x(8)	
	bom__chr02			x(8)	
	bom__chr03			x(8)	
	bom__chr04			x(8)	
	bom__chr05			x(8)	
	bom__dec01			>>>,>>>,>>9.99	10
	bom__dec02			>>>,>>>,>>9.99	10
	bom__dte01			99/99/99	
	bom__dte02			99/99/99	
	bom__log01			yes/no	
	bom__qadc01	QAD Character Field		X(8)	0
	bom__qadc02	QAD Character Field		X(8)	0
	bom__qadc03	QAD Character field		X(8)	0
	bom__qadd01	QAD Decimal Field		->>,>>9.99	10
	bom__qadi01	QAD Integer Field		->,>>>,>>9	
	bom__qadi02	QAD Integer Field		->,>>>,>>9	
	bom__qadl01	QAD Logical Field		yes/no	
	bom__qadl02	QAD Logical Field		yes/no	
	bom__qadt01	QAD Date Field		99/99/99	
	bom__qadt02	QAD Date Field		99/99/99	
◊	oid_bom_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	bom_fsm_type	no	bom_domain	yes	no
			bom_fsm_type	yes	no
			bom_parent	yes	no
Δ*	bom_parent	yes	bom_domain	yes	no
			bom_parent	yes	no
◊	oid_bom_mstr	yes	oid_bom_mstr	yes	no

btb_det

Enterprise Material Transfer Primary Business Unit Detail

	Field Name	Label	Col-Label	Format	Dec
	btb_cm_addr	End Customer	End Cust	x(8)	
	btb_cm_desc	Description		x(24)	
	btb_cm_part	End Customer Item		x(18)	
◊	btb_domain	Domain		x(8)	
	btb_mod_date	Modified Date	Mod Date	99/99/99	
	btb_mod_userid	User ID		x(16)	
	btb_pr_so	Primary SO		x(8)	
	btb_pr_sod_line	Primary SO Line	Pr SO Ln	>>9	
	btb_so	Secondary SO	Sec SO	x(8)	
	btb_sod_line	Secondary SO Line	Sec SO Ln	>>9	
	btb_so_price	Primary SO Price	Pr SO Price	>>>>,>>>,>>9.99<<<	10
	btb_user1	Ufld1		x(8)	
	btb_user2	Ufld2		x(8)	
	btb__qadc01			x(8)	
◊	oid_btb_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	btb_so	yes	btb_domain	yes	no
			btb_so	yes	no
			btb_sod_line	yes	no
◊	oid_btb_det	yes	oid_btb_det	yes	no

cac_ctrl

Service/Support Call Master Control

	Field Name	Label	Col-Label	Format	Dec
◊	cac_domain	Domain		x(8)	
	cac_ex_ratetype	Rate Type		x(8)	
	cac_mod_date	Modified Date	Mod Date	99/99/99	
	cac_mod_userid	User ID		X(8)	
	cac_nbr	Next Call Id		99999999	
	cac_quote	Next Quote Id		99999999	
	cac_quote_days	Days Until Expire		->,>>>,>>9	
	cac_quote_pre	Quote Prefix		x(3)	
	cac_quote_que	Default Quote Queue		x(8)	
	cac_upd_isb	Calls Update ISB	Update ISB	yes/no	
	cac_user1	Ufld1		x(8)	
	cac_user2	Ufld2		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cac__qadc01	QAD Character Field 1		X(8)	
	cac__qadc02	QAD Character Field 2		X(8)	
Δ	cac__qadi01			->>>>>>>9	
	cac__qadl01	QAD Logical Field 1		yes/no	
	cac__qadl02	QAD Logical Field 2		yes/no	
◊	oid_cac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cac_index1	yes	cac_domain	yes	no
◊	oid_cac_ctrl	yes	oid_cac_ctrl	yes	no

cah_hist

Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmmt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
◊ cah_domain	Domain		x(8)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_escalate	Escalate	Esc	x(2)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	
cah_part	Part No		x(18)	
cah_phone	Phone		x(16)	
cah_pri	Priority	Pri	>>>9	
cah_problem	Prob/Skill	Prob	x(8)	
cah_que	Queue		x(8)	0
cah_ref	ISB Ref		>>>>>9	
cah_resolve	Resolution		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cah_seq	Sequence	Seq	>>>>>>9	
	cah_serial	Serial		x(18)	
	cah_severity	Severity		x(8)	
	cah_snt_date			99/99/99	
	cah_snt_time			->,>>>,>>9	
	cah_status	Status		x(8)	
	cah_sv_code	Service Type	Svc Type	x(8)	
	cah_time_log	Time Spent		>>9.99	10
	cah_time_stmp	Time		99:99	
	cah_trv_dist	Travel Distance	Trvl Dst	->,>>>,>>9	
	cah_trv_um	Travel UM	UM	x(2)	
	cah_type	Type		x(8)	0
	cah_user1	Ufld1		x(8)	
	cah_user2	Ufld2		x(8)	
	cah__chr01			x(8)	
	cah__chr02			x(8)	
	cah__chr03			x(8)	
	cah__chr04			x(8)	
	cah__chr05			x(8)	
	cah__chr06			x(8)	
	cah__chr07			x(8)	
	cah__chr08			x(8)	
	cah__chr09			x(8)	
	cah__chr10			x(8)	
	cah__chr11	User Field #11		x(8)	
	cah__dec01			->>,>>9.99	10
	cah__dec02			->>,>>9.99	10
	cah__dec03			->>,>>9.99	10
	cah__dte01			99/99/99	
	cah__dte02			99/99/99	
	cah__dte03			99/99/99	
	cah__dte04			99/99/99	
	cah__dte05			99/99/99	
	cah__log01			yes/no	
	cah__log02			yes/no	
	cah__log03			yes/no	
	cah__log04			yes/no	
	cah__log05			yes/no	
	cah__qadc01			x(8)	
	cah__qadc02			x(8)	
	cah__qadc03			x(8)	
	cah__qadd01			->>,>>9.99	10
	cah__qadd02			->>,>>9.99	10
	cah__qadd03			->>,>>9.99	10
	cah__qadi01			->,>>>,>>9	
	cah__qadi02			->,>>>,>>9	
	cah__qadi03			->,>>>,>>9	
	cah__qadl01			yes/no	
	cah__qadl02			yes/no	
	cah__qadl03			yes/no	
	cah__qadt01			99/99/99	
	cah__qadt02			99/99/99	
	cah__qadt03			99/99/99	
◊	oid_cah_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cah_nbr	yes	cah_domain	yes	no
			cah_nbr	yes	no
			cah_opn_date	yes	no
			cah_seq	yes	no
Δ	cah_part	no	cah_domain	yes	no
			cah_part	yes	no
◊	oid_cah_hist	yes	oid_cah_hist	yes	no

cal_det

Calendar Detail

	Field Name	Label	Col-Label	Format	Dec
◊	cal_domain	Domain		x(8)	
	cal_end	End	End	99/99/99	
	cal_hours	Daily Hours	Hours	->>,>>9.99	10
	cal_mch	Machine		x(8)	
	cal_ref	Reference	Ref	x(8)	
	cal_shift1	Shift1		->>,>>9.99	10
	cal_shift2	Shift2		->>,>>9.99	10
	cal_shift3	Shift3		->>,>>9.99	10
	cal_shift4	Shift4		->>,>>9.99	10
	cal_site	Site		x(8)	
	cal_start	Start	Start	99/99/99	
	cal_user1	Ufld1		x(8)	
	cal_user2	Ufld2		x(8)	
	cal_wkctr	Work Center	Work Ctr	x(8)	
	cal__qadc01			x(8)	
◊	oid_cal_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cal_det	yes	cal_domain	yes	no
			cal_site	yes	no
			cal_wkctr	yes	no
			cal_mch	yes	no
			cal_ref	yes	no
			cal_start	yes	no
◊	oid_cal_det	yes	oid_cal_det	yes	no

caq_mstr

Service/Support Call Queue Master

	Field Name	Label	Col-Label	Format	Dec
	caq_3rd_party	Third Party		yes/no	
	caq_area	Area		x(8)	
	caq_area_pri	Schedule by Area		yes/no	
	caq_area_sc	Schedule by Area		yes/no	
	caq_create_bom	Create BOM		yes/no	
	caq_create_rte	Create Routing		yes/no	
	caq_create_wo	Create WO		yes/no	
	caq_default_rte	Default Routing		x(8)	
	caq_depot	Repair Center		Depot/Field	
	caq_desc	Description		x(24)	
◊	caq_domain	Domain		x(8)	
	caq_field	Field Visits		yes/no	
	caq_file_type	Type		x(8)	
	caq_node	Site		x(16)	
	caq_prob_pri	Schedule by Problem		yes/no	
	caq_que	Queue		x(8)	
	caq_user1	Ufld1		x(8)	
	caq_user2	Ufld2		x(8)	
	caq__chr01			x(8)	
	caq__chr02			x(8)	
	caq__chr03			x(8)	
	caq__dec01			->>,>>9.99	10
	caq__dec02			->>,>>9.99	10
	caq__dte01			99/99/99	
	caq__dte02			99/99/99	
	caq__log01			yes/no	
	caq__log02			yes/no	
◊	oid_caq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	caq_que	yes	caq_domain	yes	no
			caq_que	yes	no
			caq_file_type	yes	no
◊	oid_caq_mstr	yes	oid_caq_mstr	yes	no

cas_mstr

Service/Support Call Status Master

	Field Name	Label	Col-Label	Format	Dec
	cas_desc	Description		x(24)	
◊	cas_domain	Domain		x(8)	
	cas_field	Field	Fld	yes/no	
	cas_file_type			x(3)	
	cas_hold	Hold		yes/no	
	cas_id	Status ID	Sts Id	>>9	
	cas_mod_date	Modified Date	Mod Date	99/99/99	
	cas_mod_userid	User ID		X(8)	
	cas_nxt_que	Next Queue		x(8)	
	cas_nxt_stat	Next Status	Nxt Sts	x(8)	
	cas_prog	Program To Invoke	Program	x(12)	

	Field Name	Label	Col-Label	Format	Dec
	cas_req	Required	Req	yes/no	
	cas_review	Review		yes/no	
	cas_status	Status		x(8)	
	cas_user1	Ufld1		x(8)	
	cas_user2	Ufld2		x(8)	
	cas_wait	Waiting for Items		yes/no	
	cas__chr01			x(8)	
	cas__chr02			x(8)	
	cas__chr03			x(8)	
	cas__dec01			->>,>>9.99	10
	cas__dec02			->>,>>9.99	10
	cas__dte01			99/99/99	
	cas__dte02			99/99/99	
	cas__log01			yes/no	
	cas__log02			yes/no	
	cas__qadc01	QAD Character Field 1		X(8)	
	cas__qadc02	QAD Character Field 2		X(8)	
	cas__qadl01	QAD Logical Field 1		yes/no	
	cas__qadl02	QAD Logical Field 2		yes/no	
◊	oid_cas_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cas_id	yes	cas_domain	yes	no
			cas_id	yes	no
			cas_file_type	yes	no
Δ*	cas_status	yes	cas_domain	yes	no
			cas_status	yes	no
			cas_file_type	yes	no
◊	oid_cas_mstr	yes	oid_cas_mstr	yes	no

ca_mstr

Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0
ca_cline	Contract Line		>>>>>>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmmt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	ca_comp_time	Complete Time		99:99	
	ca_contract	Contract		x(8)	
	ca_created	Created	Cr	x(1)	0
	ca_cr_terms	Terms		x(8)	
	ca_curr	Currency	Cur	x(3)	
	ca_customer	Customer		X(8)	
	ca_date_stmp	Date		99/99/99	
	ca_def_ws	Default Worksheet		x(8)	
	ca_desc	Description		x(60)	
◊	ca_domain	Domain		x(8)	
	ca_ecmtindx			>>>>>>9	
	ca_end_date	End Date		99/99/99	
	ca_eng_area	Engineer Area	Eng Area	x(8)	
	ca_eng_group	Engineer Group		x(8)	
	ca_enter_by	Entered by		x(8)	
	ca_ent_ex	Exch Rate		>>,>>9.99999<<<	10
	ca_est_time	Estimated Length		999:99	
	ca_es_nbr	Escalation	Esc	x(8)	
	ca_es_seq	Sequence	Seq	>>9	
	ca_eu_changed	End User Changed		yes/no	
	ca_eu_date	End User Date		99/99/99	
	ca_eu_nbr	End User		x(8)	
	ca_eu_time	End User Time		99:99	
	ca_evt_date	Event Date	Evt Date	99/99/99	
	ca_evt_tim	Event Time	Evt Time	>>>>>>9	
	ca_evt_time	Event Time	Evt Time	99:99	
	ca_exru_seq	Sequence		>>>>>>>>9	
	ca_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ca_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ca_ex_ratetype	Rate Type		x(8)	
	ca_fix_rate	Fixed Rate	Fixed	yes/no	
	ca_fn_nbr	Field Notification		x(8)	
	ca_from_que	From Que	Fr Que	x(8)	
	ca_inc_stats	Include in Stats		yes/no	
	ca_int_type	Work Code	WK Code	x(8)	
	ca_inv_draft			yes/no	
	ca_lang	Language		x(2)	
	ca_mod_date	Modified Date	Mod Date	99/99/99	
	ca_mod_userid	User ID		X(8)	
	ca_name	Caller		x(24)	
	ca_nbr	Call ID		x(8)	
	ca_nxt_act	Next Status	Nxt Sts	x(8)	0
	ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
	ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>>9	
	ca_nxt_time	Next Status Time	Time	99:99	
	ca_opn_date	Call Date	CL Date	99/99/99	
	ca_opn_time	Time Opened	Tm Open	x(8)	
	ca_part	Item Number		x(18)	
	ca_phone	Phone		x(20)	
	ca_po_nbr	PO		x(22)	
	ca_pri	Priority	Pri	>>>9	
	ca_printed	Call Printed		yes/no	
	ca_prj_nbr	Project		x(8)	
	ca_problem	Prob/Skill	Prob	x(8)	
	ca_pr_list	Price List		x(8)	0
	ca_qo_cmtindx			>>>>>>>>>9	
	ca_que	Queue		x(8)	

Field Name	Label	Col-Label	Format	Dec
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>,>>>,>>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>>9	
ca_repair_ctr			yes/no	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_res_cmtidx			>>>>>9	
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->,>>>,>>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_start_date	Start Date		99/99/99	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_svc_type			x(1)	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	10
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_time_log	Time Spent		>>9.99	10
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->,>>>,>>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	
ca_type	Type		x(8)	
ca_upd_isb	Update ISB		yes/no	
ca_user1	Ufld1		x(8)	
ca_user2	Ufld2		x(8)	
ca_waiting_parts	Awaiting Items		yes/no	
ca__chr01			x(8)	
ca__chr02			x(8)	
ca__chr03			x(8)	
ca__chr04			x(8)	
ca__chr05			x(8)	
ca__chr06			x(8)	
ca__chr07			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ca__chr08			x(8)	
	ca__chr09			x(8)	
	ca__chr10			x(8)	
	ca__dec01			->>,>>9.99	10
	ca__dec02			->>,>>9.99	10
	ca__dec03			->>,>>9.99	10
	ca__dte01			99/99/99	
	ca__dte02			99/99/99	
	ca__dte03			99/99/99	
	ca__dte04			99/99/99	
	ca__dte05			99/99/99	
	ca__log01			yes/no	
	ca__log02			yes/no	
	ca__log03			yes/no	
	ca__log04			yes/no	
	ca__log05			yes/no	
	ca__qadc03	QAD Character Field 3		X(8)	
	ca__qadc04	QAD Character Field 4		x(8)	
	ca__qadc05	QAD Character Field 5		x(8)	
	ca__qadc06	QAD Character Field 6		x(8)	
	ca__qadd01	QAD Decimal Field 1		->>,>>9.99	10
	ca__qadd02	QAD Decimal Field 2		->>,>>9.99	10
	ca__qadd03	QAD Decimal Field 3		->>,>>9.99	10
	ca__qadi01			>>>>>>>9	
	ca__qadi02	QAD Integer Field 2		->,>>>,>>9	
	ca__qadi03	QAD Integer Field 3		->,>>>,>>9	
	ca__qadl02	QAD Logical Field 2		yes/no	
	ca__qadl03	QAD Logical Field 3		yes/no	
	ca__qadl04	QAD Logical Field 4		yes/no	
	ca__qadt01	QAD Date Field 1		99/99/99	
	ca__qadt02	QAD Date Field 2		99/99/99	
	ca__qadt03	QAD Date Field 3		99/99/99	
◊	oid_ca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ca_area	no	ca_domain	yes	no
			ca_category	yes	no
			ca_area	yes	no
			ca_eu_nbr	yes	no
Δ	ca_assign	no	ca_domain	yes	no
			ca_assign	yes	no
			ca_category	yes	no
Δ	ca_contract	no	ca_domain	yes	no
			ca_contract	yes	no
			ca_opn_date	yes	no
Δ	ca_customer	no	ca_domain	yes	no
			ca_category	yes	no
			ca_customer	yes	no
Δ	ca_eu_nbr	no	ca_domain	yes	no
			ca_eu_nbr	yes	no
			ca_category	yes	no
			ca_nbr	yes	no
Δ*	ca_nbr	yes	ca_domain	yes	no
			ca_category	yes	no
			ca_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ca_nbr_only	no	ca_domain	yes	no
			ca_nbr	yes	no
Δ	ca_nxt_date	no	ca_domain	yes	no
			ca_category	yes	no
			ca_nxt_date	yes	no
			ca_nxt_tim	yes	no
Δ	ca_part	no	ca_domain	yes	no
			ca_part	yes	no
Δ	ca_que	no	ca_domain	yes	no
			ca_category	yes	no
			ca_que	yes	no
			ca_pri	yes	no
Δ	ca_serial	no	ca_domain	yes	no
			ca_serial	yes	no
			ca_ref	yes	no
Δ	ca_sr	no	ca_domain	yes	no
			ca_sr	yes	no
◊	oid_ca_mstr	yes	oid_ca_mstr	yes	no

cb_mstr

Cash Book Master

	Field Name	Label	Col-Label	Format	Dec
	cb_amt	Amount		->,>>>,>>>,>>9.99	10
	cb_batch	Batch		x(8)	
	cb_curr	Currency	Cur	x(3)	
	cb_curr_amt	Currency Amount		->>>>,>>>,>>9.99	10
◊	cb_domain	Domain		x(8)	
	cb_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	cb_exru_seq	Sequence		>>>>>>>>9	
	cb_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	cb_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	cb_ex_ratetype	Rate Type		x(8)	
	cb_line	Line		>>>>>9	
	cb_ref	Reference		x(18)	
	cb_subtype	Sub Type		x(1)	
	cb_type	Type	T	x(1)	
	cb_user1	Ufld1		x(8)	
	cb_user2	Ufld2		x(8)	
	cb__qadc01			x(8)	
◊	oid_cb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cb_batch	yes	cb_domain	yes	no
			cb_batch	yes	no
			cb_line	yes	no
◊	oid_cb_mstr	yes	oid_cb_mstr	yes	no

ccc_ctrl Credit Card Control

	Field Name	Label	Col-Label	Format	Dec
	ccc_cc_appserver_name	CC App Service Name		x(24)	
	ccc_cc_auth_exp_days	Expiration Days	Exp Days	>>9	
	ccc_cc_auto_capture	Automatic CC Capture	Auto Capt	yes/no	
	ccc_cc_hold_status	Hold Action Status	St	x(2)	
◊	ccc_domain	Domain		x(8)	
	ccc_mod_date	Modified Date	Mod Date	99/99/99	
	ccc_mod_userid	User ID		x(8)	
	ccc_user1	User Field 1		x(24)	
	ccc_user2	User Field 2		x(24)	
	ccc__qadc01			x(8)	
	ccc__qadc02			x(8)	
	ccc__qadc03			x(8)	
	ccc__qadc04			x(8)	
	ccc__qadc05			x(8)	
	ccc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	ccc__qadi01			>>>>>>9	
Δ	ccc__qadi02			->>>>>>>9	
	ccc__qadl01			yes/no	
	ccc__qadt01			99/99/99	
◊	oid_ccc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ccc_index1	yes	ccc_domain	yes	no
◊	oid_ccc_ctrl	yes	oid_ccc_ctrl	yes	no

ccd1_det Cost Center/Account Validation Detail

	Field Name	Label	Col-Label	Format	Dec
	ccd1_acc_beg	Range of Accounts	From! Account	x(8)	
	ccd1_acc_end	To	To! Account	x(8)	
	ccd1_cc	Cost Ctr	CC	x(4)	
	ccd1_line	Line		>>9	
	ccd1_user1	Ufld1		x(8)	
	ccd1_user2	Ufld2		x(8)	
	ccd1__qadc01			x(8)	
◊	oid_ccd1_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccd1_index	yes	ccd1_cc	yes	no
			ccd1_line	yes	no
◊	oid_ccd1_det	yes	oid_ccd1_det	yes	no

ccd2_det

Cost Center/Sub-Account Validation Detail

	Field Name	Label	Col-Label	Format	Dec
	ccd2_cc	Cost Ctr	CC	x(4)	
	ccd2_line	Line		>>9	
	ccd2_sub_beg	Range of Sub-Accounts	From! Sub-Acct	x(8)	
	ccd2_sub_end	To	To! Sub-Acct	x(8)	
	ccd2_user1	Ufld1		x(8)	
	ccd2_user2	Ufld2		x(8)	
	ccd2__qadc01			x(8)	
◊	oid_ccd2_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccd2_index	yes	ccd2_cc	yes	no
			ccd2_line	yes	no
◊	oid_ccd2_det	yes	oid_ccd2_det	yes	no

ccd_mstr

Service/Support Call Fault Code Master

	Field Name	Label	Col-Label	Format	Dec
	ccd_cause	Cause		x(8)	
	ccd_ca_nbr	Call Number		x(8)	
	ccd_cmtindx	Comment Index	Comment	>>>>>>>9	
	ccd_date	Problem Date		x(8)	
◊	ccd_domain	Domain		x(8)	
	ccd_eng_code	Engineer		x(8)	0
	ccd_hours	Hours		>>,>>9.99	10
	ccd_itm_line	Item Line	It Ln	>>9	
	ccd_line	Line		>>9	
	ccd_mod_date	Modified Date	Mod Date	99/99/99	
	ccd_mod_userid	User ID		X(8)	
	ccd_opn_date			99/99/99	
	ccd_part	Component		x(18)	
	ccd_problem	Problem		x(8)	0
	ccd_resolution	Resolution	Resolved	x(8)	0
	ccd_serial	Component Serial		x(18)	
	ccd_sys_part	System Item		x(18)	
	ccd_sys_ser	System Serial		x(18)	
	ccd_type	Type		x(8)	
	ccd_user1	Ufld1		x(8)	
	ccd_user2	Ufld2		x(8)	
	ccd__chr01	User #1		x(8)	
	ccd__chr02	User #2		x(8)	
	ccd__chr03	User #3		x(8)	
	ccd__chr04	User #4		x(8)	
	ccd__chr05	User #5		x(8)	
	ccd__chr06	User #6		x(8)	
	ccd__chr07	User #7		x(8)	
	ccd__chr08	User #8		x(8)	
	ccd__log01	User Logical Field 1		yes/no	
	ccd__qadc01	QAD Character Field 1		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	ccd__qadc02	QAD Character Field 2		X(8)	
	ccd__qadc03	QAD Character Field 3		X(8)	
	ccd__qadc04	QAD Character Field 4		X(8)	
◊	oid_ccd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ccd_ca_nbr	yes	ccd_domain	yes	no
			ccd_ca_nbr	yes	no
			ccd_opn_date	yes	no
			ccd_itm_line	yes	no
			ccd_part	yes	no
			ccd_line	yes	no
Δ	ccd_part	no	ccd_domain	yes	no
			ccd_part	yes	no
			ccd_date	yes	no
			ccd_problem	yes	no
Δ	ccd_sys_part	no	ccd_domain	yes	no
			ccd_sys_part	yes	no
			ccd_date	yes	no
			ccd_problem	yes	no
◊	oid_ccd_mstr	yes	oid_ccd_mstr	yes	no

cclscd_det Ship-To/Container Price List Detail

	Field Name	Label	Col-Label	Format	Dec
	cclscd_curr	Currency	Cur	x(3)	
◊	cclscd_domain	Domain		x(8)	
	cclscd_expire	Expire		99/99/99	
	cclscd_mod_date	Modified Date	Mod Date	99/99/99	
	cclscd_mod_userid	User ID		x(8)	
	cclscd_part	Container		x(18)	
	cclscd_price	Price		->>>>,>>>,>>9.99<<<	10
	cclscd_ref	Reference		x(30)	
	cclscd_shipto	Ship-To/Dock		x(8)	
	cclscd_start	Start		99/99/99	
	cclscd_userc01	User Field Character 1		x(24)	
	cclscd_userc02	User Field Character 2		x(24)	
	cclscd__qadc01			x(24)	
	cclscd__qadc02			x(24)	
◊	oid_cclscd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cclscd_shipto	yes	cclscd_domain	yes	no
			cclscd_shipto	yes	no
			cclscd_part	yes	no
			cclscd_curr	yes	no
			cclscd_start	yes	no
◊	oid_cclscd_det	yes	oid_cclscd_det	yes	no

cclsc_mstr Ship-To/Container Master

	Field Name	Label	Col-Label	Format	Dec
	cclsc_charge_type	Charge Type	Charge! Type	x(8)	
	cclsc_curr	Currency	Cur	x(3)	
◊	cclsc_domain	Domain		x(8)	
	cclsc_mod_date	Modified Date	Mod Date	99/99/99	
	cclsc_mod_userid	User ID		x(8)	
	cclsc_part	Container		x(18)	
	cclsc_shipto	Ship-To/Dock		x(8)	
	cclsc_userc01	User Field Character 1		x(24)	
	cclsc_userc02	User Field Character 2		x(24)	
	cclsc__qadc01			x(24)	
	cclsc__qadc02			x(24)	
◊	oid_cclsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cclsc_shipto	yes	cclsc_domain	yes	no
			cclsc_shipto	yes	no
			cclsc_part	yes	no
			cclsc_curr	yes	no
◊	oid_cclsc_mstr	yes	oid_cclsc_mstr	yes	no

ccls_mstr Container/Line Charge Ship-From/Ship-To Control Master

	Field Name	Label	Col-Label	Format	Dec
	ccls_cc_asn	Include Container Charges on ASN		yes/no	
	ccls_cc_invoice	Include Container Charges on Invoice		yes/no	
	ccls_charge_type	Line Charge Calculation Type		x(8)	
◊	ccls_domain	Domain		x(8)	
	ccls_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
	ccls_lc_asn	Include Line Charges on ASN		yes/no	
	ccls_lc_invoice	Include Line Charges on Invoice		yes/no	
	ccls_mod_date	Modified Date	Mod Date	99/99/99	
	ccls_mod_userid	User ID		x(8)	
	ccls_shipfrom	Ship-From		x(8)	
	ccls_shipto	Ship-To/Dock		x(8)	
	ccls_userc01	User Field Character 1		x(24)	
	ccls_userc02	User Field Character 2		x(24)	
	ccls__qadc01			x(24)	
	ccls__qadc02			x(24)	
◊	oid_ccls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ccls_shipfrom	yes	ccls_domain	yes	no
			ccls_shipfrom	yes	no
			ccls_shipto	yes	no
◊	oid_ccls_mstr	yes	oid_ccls_mstr	yes	no

ccl_ctrl

Container/Line Charge Control

	Field Name	Label	Col-Label	Format	Dec
	ccl_cc_asn	Include Container Charges on ASN		yes/no	
	ccl_cc_invoice	Include Container Charges on Invoice		yes/no	
	ccl_charge_type	Line Charge Calculation Type		x(8)	
	ccl_cont_active	Enable Container Charges		yes/no	
◊	ccl_domain	Domain		x(8)	
	ccl_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
	ccl_lc_asn	Include Line Charges on ASN		yes/no	
	ccl_lc_invoice	Include Line Charges on Invoice		yes/no	
	ccl_line_active	Enable Line Charges		yes/no	
	ccl_mod_date	Modified Date	Mod Date	99/99/99	
	ccl_mod_userid	User ID		x(8)	
	ccl_userc01	User Field Character 1		x(24)	
	ccl_userc02	User Field Character 2		x(24)	
	ccl__qadc01			x(24)	
	ccl__qadc02			x(24)	
Δ	ccl__qadi01			->>>>>>>9	
◊	oid_ccl_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ccl_index1	yes	ccl_domain	yes	no
◊	oid_ccl_ctrl	yes	oid_ccl_ctrl	yes	no

cctr_hist

Credit Card Transaction History

Field Name	Label	Col-Label	Format	Dec
cctr_action_code	Action Code	Action	x(3)	
cctr_amt	Authorized Amount	Auth Amt	->>>>,>>>,>>9.99<	10
cctr_auth_code	Authorization Code	Auth Code	x(8)	
cctr_auth_expire_date	Expire Date	Expire	99/99/99	
cctr_auth_nbr	Authorization Number		x(20)	
cctr_aux_msg	Auxiliary Message		x(60)	
cctr_avs_code	AVS Code		x(4)	
cctr_cc_nbr	Credit Card Number		x(24)	
cctr_cust_txn	Customer Trans ID		x(20)	

	Field Name	Label	Col-Label	Format	Dec
◊	cctr_domain	Domain		x(8)	
	cctr_err_msg	Error Message		x(40)	
	cctr_internal_tx	Internal Transaction		yes/no	
	cctr_inv_nbr	Invoice Number	Invoice	x(8)	
	cctr_merch_txn	Merchant Trans ID		x(20)	
	cctr_mod_date	Modified Date	Mod Date	99/99/99	
	cctr_mod_userid	User ID		x(8)	
	cctr_nbr	Sales Order	Order	x(8)	
	cctr_ref_code	Reference Code	Reference	x(12)	
	cctr_status	Status Code		x(20)	
	cctr_trnbr	Transaction Number	Trans	>>>>>>>>9	
	cctr_tx_date	Transaction Date	Tran Date	99/99/99	
	cctr_tx_time	Transaction Time	Time	x(8)	
	cctr_tx_type	Transaction Type		x(8)	
	cctr_user1	User Field 1		x(24)	
	cctr_user2	User Field 2		x(24)	
	cctr__qadc01			x(8)	
	cctr__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	cctr__qadi01			>>>>>>9	
	cctr__qadl01			yes/no	
	cctr__qadt01			99/99/99	
◊	oid_cctr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cctr_auth_nbr	no	cctr_domain	yes	no
			cctr_auth_nbr	yes	no
			cctr_tx_date	yes	no
Δ	cctr_date_time	no	cctr_domain	yes	no
			cctr_tx_date	yes	no
			cctr_tx_time	yes	no
Δ	cctr_inv_nbr	no	cctr_domain	yes	no
			cctr_inv_nbr	yes	no
Δ	cctr_nbr	no	cctr_domain	yes	no
			cctr_nbr	yes	no
			cctr_tx_date	yes	no
Δ*	cctr_trnbr	yes	cctr_domain	yes	no
			cctr_trnbr	yes	no
◊	oid_cctr_hist	yes	oid_cctr_hist	yes	no

cct_mstr Container Charge Type Master

	Field Name	Label	Col-Label	Format	Dec
	cct_charge_type	Charge Type		x(8)	
	cct_container_type	Applies To		Container/Line	
	cct_desc1	Description		x(32)	
	cct_desc2	Description		x(32)	
	cct_desc3	Description		x(32)	
	cct_desc4	Description		x(32)	
◊	cct_domain	Domain		x(8)	
	cct_mod_date	Modified Date	Mod Date	99/99/99	
	cct_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cct_prgm	Run Program		x(12)	
	cct_userc01	User Field Character 1		x(24)	
	cct_userc02	User Field Character 2		x(24)	
	cct__qadc01			x(24)	
	cct__qadc02			x(24)	
◊	oid_cct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cct_charge_type	yes	cct_domain	yes	no
			cct_charge_type	yes	no
◊	oid_cct_mstr	yes	oid_cct_mstr	yes	no

cc_mstr

Cost Center Master

	Field Name	Label	Col-Label	Format	Dec
	cc_active	Active	Act	yes/no	
	cc_ctr	Cost Ctr	CC	x(4)	
	cc_desc	Description		x(24)	
◊	cc_domain	Domain		x(8)	
	cc_user1	Ufld1		x(8)	
	cc_user2	Ufld2		x(8)	
	cc__qadc01			x(8)	
◊	oid_cc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cc_ctr	yes	cc_domain	yes	no
			cc_ctr	yes	no
			cc_active	yes	no
Δ	cc_desc	no	cc_domain	yes	no
			cc_desc	yes	no
◊	oid_cc_mstr	yes	oid_cc_mstr	yes	no

cdf_mstr

Service/Support Call Default Master

Field Name	Label	Col-Label	Format	Dec
cdf_ca_category	Category		x(8)	
cdf_ca_desc	Call Description		x(50)	
cdf_ca_es_nbr	Escalation	Esc	x(8)	
cdf_ca_int_type	Work Code	WK Code	x(8)	
cdf_ca_nxtsts	Call Next Status		x(8)	
cdf_ca_pri	Call Priority		>>9	
cdf_ca_prob	Call Problem		x(8)	
cdf_ca_que	Call Queue	Queue	x(8)	
cdf_ca_severity	Call Severity		x(8)	
cdf_ca_status	Call Status	Status	x(8)	0
cdf_ca_type	Call Type		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cdf_desc	Description		x(24)	
◊	cdf_domain	Domain		x(8)	
	cdf_est_time	Estimated Duration		999:99	
	cdf_exec	Program		x(16)	
	cdf_group	FSM Group		x(8)	0
	cdf_model	Model		x(18)	
	cdf_mod_date	Modified Date	Mod Date	99/99/99	
	cdf_mod_userid	User ID		X(8)	
	cdf_part	Default Item		x(18)	
	cdf_status_type	Status Type	St Type	x(8)	
	cdf_user1	Ufld1		x(8)	
	cdf_user2	Ufld2		x(8)	
	cdf__chr01	User Field #1		x(8)	0
	cdf__chr02	User Field #2		x(8)	
	cdf__chr03	User Field #3		x(8)	
	cdf__chr04	User Field #4		x(8)	
	cdf__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	cdf__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	cdf__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	cdf__dte01	User Date #1		99/99/99	
	cdf__dte02	User Date #2		99/99/99	
	cdf__dte03	User Date #3		99/99/99	
	cdf__log01	User Logical #1		yes/no	
	cdf__log02	User Logical #2		yes/no	
	cdf__log03	User Logical #3		yes/no	
	cdf__qadc01	Qad Field #1		x(8)	
	cdf__qadc02	Qad Field #2		x(8)	
	cdf__qadc03	Qad Field #3		x(8)	
	cdf__qadc04	Qad Field #4		x(8)	
	cdf__qadd01	Qad Date #1		99/99/99	
	cdf__qadd02	Qad Date #2		99/99/99	
	cdf__qadd03	Qad Date #3		99/99/99	
	cdf__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	cdf__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	cdf__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	cdf__qadl01	Qad Logical #1		yes/no	
	cdf__qadl02	Qad Logical #2		yes/no	
	cdf__qadl03	Qad Logical #3		yes/no	
◊	oid_cdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cdf_gpmd	yes	cdf_domain	yes	no
			cdf_ca_category	yes	no
			cdf_ca_int_type	yes	no
			cdf_model	yes	no
			cdf_group	yes	no
			cdf_status_type	yes	no
◊	oid_cdf_mstr	yes	oid_cdf_mstr	yes	no

cd_det

Master Comments

	Field Name	Label	Col-Label	Format	Dec
	cd_cmmt[15]	Comment Data		x(76)	
◊	cd_domain	Domain		x(8)	
	cd_lang	Language		x(2)	
	cd_ref	Master Reference		x(40)	
	cd_seq	Page		>9	
	cd_type	Type	T	x(2)	
	cd_user1	Ufld1		x(8)	
	cd_user2	Ufld2		x(8)	
	cd__qadc01			x(8)	
◊	oid_cd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cd_ref_type	yes	cd_domain	yes	no
			cd_ref	yes	no
			cd_type	yes	no
			cd_lang	yes	no
			cd_seq	yes	no
◊	oid_cd_det	yes	oid_cd_det	yes	no

cfc_ctrl

Cash Flow Control

	Field Name	Label	Col-Label	Format	Dec
	cfc_cfnbr	Next Nbr	Nbr	99999999	
◊	cfc_domain	Domain		x(8)	
	cfc_ex_round	Round Factor		->9	
	cfc_ex_tol	Exchange Tolerance		>9.99%	10
	cfc_incl_ap	Include AP		yes/no	
	cfc_incl_ar	Include AR		yes/no	
	cfc_incl_cf	Include Misc Cash Flow		yes/no	
	cfc_incl_fs	Include FS		yes/no	
	cfc_incl_po	Include PO		yes/no	
	cfc_incl_qad01	Include		yes/no	
	cfc_incl_qad02	Include		yes/no	
	cfc_incl_so	Include SO		yes/no	
	cfc_nbr_pre	Item Prefix	Pre	x(3)	
	cfc_user1	Ufld1		x(8)	
	cfc_user2	Ufld2		x(8)	
	cfc__chr01			x(8)	
	cfc__chr02			x(8)	
	cfc__chr03			x(8)	
	cfc__chr04			x(8)	
	cfc__chr05			x(8)	
	cfc__dec01			>>>,>>>,>>9.99	10
	cfc__dec02			>>>,>>>,>>9.99	10
	cfc__dte01			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	cfc__dte02			99/99/99	
	cfc__log01			yes/no	
Δ	cfc__qadi01			->>>>>>>9	
◊	oid_cfc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cfc_index1	yes	cfc_domain	yes	no
◊	oid_cfc_ctrl	yes	oid_cfc_ctrl	yes	no

cf_mstr

Cash Flow Master

	Field Name	Label	Col-Label	Format	Dec
	cf_bank	Bank		x(2)	
	cf_cmtindx	Comment Index	Comment	>>>>>>>9	
	cf_cum_amt	Cumulative Amount		->>>>,>>>,>>9.99<<<	10
	cf_curr	Currency	Cur	x(3)	
	cf_date	Date Entered		99/99/99	
	cf_desc1	Description		x(24)	
	cf_desc2			x(24)	
◊	cf_domain	Domain		x(8)	
	cf_due_date	Due Date		99/99/99	
	cf_entity	Entity		x(4)	
	cf_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	cf_expt_amt	Expected Amount		->>>>,>>>,>>9.99<<<	10
	cf_expt_date	Expect Date	Expect	99/99/99	
	cf_exru_seq	Sequence		>>>>>>>>9	
	cf_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	cf_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	cf_ex_ratetype	Rate Type		x(8)	
	cf_lastedit	Last Edit	Last	99/99/99	
	cf_ldue_date	Last Due Date	Last Due	99/99/99	
	cf_nbr	Cash Number	Cash Nbr	x(8)	
	cf_ref	Reference		x(18)	
	cf_ref_amt	Reference Amount		->>>>,>>>,>>9.99<<<	10
	cf_type	Type	T	Source/Use	
	cf_user1	Ufld1		x(8)	
	cf_user2	Ufld2		x(8)	
	cf_userid	User ID		x(8)	
	cf__chr01			x(8)	
	cf__chr02			x(8)	
	cf__chr03			x(8)	
	cf__chr04			x(8)	
	cf__chr05			x(8)	
	cf__dec01			>>>,>>>,>>9.99	10
	cf__dec02			>>>,>>>,>>9.99	10
	cf__dte01			99/99/99	
	cf__dte02			99/99/99	
	cf__log01			yes/no	
◊	oid_cf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cf_nbr	yes	cf_domain	yes	no
			cf_nbr	yes	no
Δ	cf_type_date	no	cf_domain	yes	no
			cf_type	yes	no
			cf_due_date	yes	no
			cf_expt_date	yes	no
◊	oid_cf_mstr	yes	oid_cf_mstr	yes	no

chg_mstr

Line Changeover Master

	Field Name	Label	Col-Label	Format	Dec
◊	chg_domain	Domain		x(8)	
	chg_from	From Item	From	x(18)	
	chg_line	Production Line	line	x(8)	
	chg_site	Site		x(8)	
	chg_start	Start Time	Start	->>,>>9.99	10
	chg_time	Change Over Time	Change	->>,>>9.99	10
	chg_to	To Item	To	x(18)	
	chg_user1	Ufld1		x(8)	
	chg_user2	Ufld2		x(8)	
	chg__chr01			x(8)	
	chg__chr02			x(8)	
	chg__chr03			x(8)	
	chg__chr04			x(8)	
	chg__chr05			x(8)	
	chg__dec01			>>>,>>>,>>9.99	10
◊	oid_chg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	chg_line	yes	chg_domain	yes	no
			chg_site	yes	no
			chg_line	yes	no
			chg_from	yes	no
			chg_to	yes	no
◊	oid_chg_mstr	yes	oid_chg_mstr	yes	no

chm_mstr

Service/Support Call History Master

Field Name	Label	Col-Label	Format	Dec
chm_3rd_party	Third Party Service		yes/no	
chm_3rd_party_id	Third Party ID		x(12)	
chm_ack_cmtindx			>>>>>>>>>>9	
chm_ack_letter	Send Ack Letter		yes/no	
chm_area	Area		x(8)	
chm_assign	Assigned		x(8)	
chm_bill	Bill-To		x(8)	
chm_category	Category		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	chm_channel	Channel		X(8)	0
	chm_cline	Contract Line		>>>>>>>9	
	chm_cls_date	Closed Date	Cls Date	99/99/99	
	chm_cls_time	Closed Time	Cls Time	99:99	
	chm_cmtindx	Index		>>>>>>>9	
	chm_code			x(8)	
	chm_comp_date	Complete Date		99/99/99	
	chm_comp_time	Complete Time		99:99	
	chm_contract	Contract		x(8)	
	chm_created	Created	Cr	x(3)	
	chm_cr_terms	Terms		x(8)	
	chm_curr	Currency	Cur	x(3)	
	chm_customer	Customer		X(8)	
	chm_date_stmp	Date		99/99/99	
	chm_desc	Description		x(60)	
◊	chm_domain	Domain		x(8)	
	chm_ecmtindx			>>>>>>9	
	chm_enddown_date	End Down		99/99/99	
	chm_enddown_time	Time		99:99	
	chm_eng_area	Engineer Area		x(8)	
	chm_eng_group	Group		x(8)	
	chm_enter_by	Entered by		x(8)	
	chm_ent_ex	Exchange Rate		>>,>>9.99999<<<	10
	chm_est_time	Estimated Length		999:99	
	chm_es_nbr	Escalation	Esc	x(8)	
	chm_es_seq	Sequence	Seq	>>9	
	chm_eu_date	End User Date		99/99/99	
	chm_eu_nbr	End User		x(8)	
	chm_eu_time	End User Time		99:99	
	chm_eu_timezone	End User Time Zone		X(8)	
	chm_exru_seq	Sequence		>>>>>>>>9	
	chm_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	chm_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	chm_ex_ratetype	Rate Type		x(8)	
	chm_fix_rate	Fixed Rate		yes/no	
	chm_fn_nbr	Field Notification		x(8)	
	chm_from_que	From Que	Fr Que	x(8)	
	chm_inc_stats	Include in Stats		yes/no	
	chm_int_type	Work Code	WK Code	x(8)	
	chm_inv_draft			yes/no	
	chm_lang	Language		X(2)	
	chm_name	Caller Name	Name	x(24)	
	chm_nbr	Call Id		x(8)	
	chm_opn_date	Call Date	Opn Date	99/99/99	
	chm_opn_time	Time Opened	Tm Open	x(8)	
	chm_part	Part No		x(18)	
	chm_phone	Phone		x(16)	
	chm_po_nbr	PO		x(22)	
	chm_printed	Call Printed		yes/no	
	chm_problem			x(8)	
	chm_pr_list	Price List		x(8)	
	chm_qo_cmtindx			>>>>>>>>>9	
	chm_que	Queue		x(8)	
	chm_quote	Quote Required		yes/no	
	chm_quote_curr	Currency	Cur	x(3)	
	chm_quote_exp	Quote Expires		99/99/99	
	chm_quote_nbr	Quote Number	Quote	X(8)	

Field Name	Label	Col-Label	Format	Dec
chm_quote_price	Quote Price		>>>>,>>>,>>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>9	
chm_repair_ctr			yes/no	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_res_cmtidx			>>>>>9	
chm_rev	Rev Level	Rev	x(10)	
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdown_date	Start Down		99/99/99	
chm_stdown_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	
chm_stjob_time	Start Time		99:99	
chm_svc_type			x(1)	
chm_sv_code	Service Type	Svc Type	x(8)	
chm_taxable	Taxable	Tax	yes/no	
chm_taxc	Tax Class	TxC	x(3)	
chm_tax_date	Tax Date		99/99/99	
chm_tax_env	Tax Environment		X(16)	
chm_tax_pct	Tax Percent		->>9.99%	10
chm_tax_usage	Tax Usage		X(8)	
chm_time_log	Time Spent		>>9.99	10
chm_time_stmp	Time		99:99	
chm_to_que	To Queue	Queue	x(8)	
chm_trv_dist	Travel Dist	Trvl Dst	->,>>>,>>9	
chm_trv_time	Travel Time		99:99	
chm_trv_um	Travel UM	UM	x(2)	
chm_type	Type		x(8)	
chm_user1	Ufld1		x(8)	
chm_user2	Ufld2		x(8)	
chm_wo_lot	WO ID		x(8)	
chm_wo_nbr	Work Order		x(18)	
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	chm__dec02			->>>,>>>,>>9.99	10
	chm__dec03			->>>,>>>,>>9.99	10
	chm__dte01			99/99/99	
	chm__dte02			99/99/99	
	chm__dte03			99/99/99	
	chm__dte04			99/99/99	
	chm__dte05			99/99/99	
	chm__log01			yes/no	
	chm__log02			yes/no	
	chm__log03			yes/no	
	chm__log04			yes/no	
	chm__log05			yes/no	
	chm__qadc03	QAD Character Field 3		X(8)	
	chm__qadc04	QAD Character Field 4		x(8)	
	chm__qadc05	QAD Character Field 5		x(8)	
	chm__qadc06	QAD Character Field 6		x(8)	
	chm__qadd01	QAD Date Field 1		99/99/99	
	chm__qadd02	QAD Date Field 2		99/99/99	
	chm__qadd03	QAD Date Field 3		99/99/99	
	chm__qadde01	QAD Decimal Field 1		->>,>>9.99	10
	chm__qadde02	QAD Decimal Field 2		->>,>>9.99	10
	chm__qadde03	QAD Decimal Field 3		->>,>>9.99	10
	chm__qadi01	QAD Integer Field 1		>>>>>>>9	
	chm__qadi02	QAD Integer Field 2		->,>>>,>>9	
	chm__qadi03	QAD Integer Field 3		->,>>>,>>9	
	chm__qadl02	QAD Logical Field 2		yes/no	
	chm__qadl03	QAD Logical Field 3		yes/no	
	chm__qadl04	QAD Logical Field 4		yes/no	
◊	oid_chm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	chm_assign	no	chm_domain	yes	no
			chm_assign	yes	no
Δ	chm_cls_date	no	chm_domain	yes	no
			chm_cls_date	yes	no
			chm_nbr	yes	no
Δ	chm_contract	no	chm_domain	yes	no
			chm_contract	yes	no
			chm_opn_date	yes	no
Δ	chm_eu_nbr	no	chm_domain	yes	no
			chm_eu_nbr	yes	no
			chm_category	yes	no
			chm_nbr	yes	no
Δ*	chm_nbr	yes	chm_domain	yes	no
			chm_category	yes	no
			chm_nbr	yes	no
			chm_opn_date	yes	no
Δ	chm_opn_date	no	chm_domain	yes	no
			chm_opn_date	yes	no
			chm_opn_time	yes	no
Δ	chm_part	no	chm_domain	yes	no
			chm_part	yes	no
			chm_serial	yes	no
			chm_ref	yes	no
Δ	chm_que	no	chm_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			chm_category	yes	no
			chm_que	yes	no
Δ	chm_sr	no	chm_domain	yes	no
			chm_sr	yes	no
◊	oid_chm_mstr	yes	oid_chm_mstr	yes	no

cild_det

Correction Invoice Link Detail

	Field Name	Label	Col-Label	Format	Dec
	cild_cor_inv	Correction Invoice Number		x(8)	
	cild_cor_line	Correction SO Line	Line	>>>9	
	cild_cor_so_nbr	Correction Invoice Sales Order		x(8)	
◊	cild_domain	Domain		x(8)	
	cild_line_type	Line Type		x(1)	
	cild_mod_date	Modified Date	Mod Date	99/99/99	
	cild_mod_userid	User ID		x(8)	
	cild_prev_inv	Corrected Invoice		x(8)	
	cild_prev_line	Corrected SO Line	Line	>>>9	
	cild_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
	cild_user1	User Field Character 1		x(24)	
	cild_user2	User Field Character 2		x(24)	
	cild__qadc01			x(24)	
	cild__qadc02			x(24)	
◊	oid_cild_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cild_cor_line	yes	cild_domain	yes	no
			cild_cor_inv	yes	no
			cild_cor_so_nbr	yes	no
			cild_cor_line	yes	no
			cild_line_type	yes	no
Δ	cild_prev_inv	no	cild_domain	yes	no
			cild_prev_inv	yes	no
			cild_prev_so_nbr	yes	no
			cild_prev_line	yes	no
◊	oid_cild_det	yes	oid_cild_det	yes	no

cil_mstr

Correction Invoice Link Master

	Field Name	Label	Col-Label	Format	Dec
	cil_cor_inv	Correction Invoice Number		x(8)	
	cil_cor_rsn	Reason For Correction		x(8)	
	cil_cor_so_nbr	Correction Invoice Sales Order		x(8)	
◊	cil_domain	Domain		x(8)	
	cil_mod_date	Modified Date	Mod Date	99/99/99	
	cil_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cil_mstr_inv	Original Invoice		x(8)	
	cil_prev_inv	Corrected Invoice		x(8)	
	cil_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
	cil_user1	User Field Character 1		x(24)	
	cil_user2	User Field Character 2		x(24)	
	cil__qadc01			x(24)	
	cil__qadc02			x(24)	
◊	oid_cil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cil_cor_inv	yes	cil_domain	yes	no
			cil_cor_inv	yes	no
			cil_cor_so_nbr	yes	no
Δ	cil_cor_nbr	no	cil_domain	yes	no
			cil_cor_so_nbr	yes	no
Δ	cil_mstr_inv	no	cil_domain	yes	no
			cil_mstr_inv	yes	no
Δ	cil_prev_inv	yes	cil_domain	yes	no
			cil_prev_inv	yes	no
			cil_prev_so_nbr	yes	no
◊	oid_cil_mstr	yes	oid_cil_mstr	yes	no

ckd_det

Accounts Payable Check Detail

	Field Name	Label	Col-Label	Format	Dec
	ckd_acct	Account		x(8)	
	ckd_amt	Amount		->>>>,>>>,>>9.99	10
	ckd_cc	Cost Ctr	CC	x(4)	
	ckd_cur_amt	Currency Amount		->>>>,>>>,>>9.99	10
	ckd_cur_disc	Currency Discount		->>>>,>>>,>>9.99	10
	ckd_disc	Disc Amount		->>>>,>>>,>>9.99	10
◊	ckd_domain	Domain		x(8)	
	ckd_dy_code	Daybook		x(8)	
	ckd_dy_num	Entry Number		x(40)	
	ckd_entity	Entity		x(8)	
	ckd_exru_seq	Sequence		>>>>>>>>9	
	ckd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ckd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ckd_ex_ratetype	Rate Type		x(8)	
	ckd_project	Project		x(8)	
	ckd_ref	Reference		x(10)	
	ckd_sub	Sub-Account	Sub-Acct	x(8)	
	ckd_type	Type	T	x(2)	
	ckd_unapplied_ref	Unapplied Reference		x(10)	
	ckd_user1	Ufld1		x(8)	
	ckd_user2	Ufld2		x(8)	
	ckd_voucher	Voucher		x(8)	
	ckd__qadc01			x(8)	
◊	oid_ckd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ckd_dy	no	ckd_domain	yes	no
			ckd_dy_code	yes	no
			ckd_dy_num	yes	no
Δ∗	ckd_ref	yes	ckd_domain	yes	no
			ckd_ref	yes	no
			ckd_voucher	yes	no
			ckd_type	yes	no
			ckd_entity	yes	no
			ckd_acct	yes	no
			ckd_sub	yes	no
			ckd_cc	yes	no
			ckd_project	yes	no
Δ	ckd_voucher	no	ckd_domain	yes	no
			ckd_voucher	yes	no
◊	oid_ckd_det	yes	oid_ckd_det	yes	no

cksd_det Check Status Detail

	Field Name	Label	Col-Label	Format	Dec
	cksd_acct	Account		x(8)	
	cksd_batch	Batch		x(8)	
	cksd_cc	Cost Center	CC	x(4)	
◊	cksd_domain	Domain		x(8)	
	cksd_exru_seq	Sequence		>>>>>>>>9	
	cksd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	cksd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	cksd_ex_ratetype	Rate Type		x(8)	
	cksd_line	Line		>>>>>9	
	cksd_nbr	Check		99999999	
	cksd_sub	Sub-Account	Sub-Acct	x(8)	
	cksd_user1	Ufld1		x(8)	
	cksd_user2	Ufld2		x(8)	
	cksd__qadc01			x(8)	
◊	oid_cksd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cksd_batch	yes	cksd_domain	yes	no
			cksd_batch	yes	no
			cksd_line	yes	no
			cksd_nbr	yes	no
Δ	cksd_nbr	no	cksd_domain	yes	no
			cksd_nbr	yes	no
◊	oid_cksd_det	yes	oid_cksd_det	yes	no

ck_mstr

Accounts Payable Check Master

	Field Name	Label	Col-Label	Format	Dec
	ck_bank	Bank	Bk	x(2)	
	ck_clr_date	Clear Date	Clear	99/99/99	
	ck_cmtindx	Comment Index	Comment	>>>>>>>9	
	ck_curr	Currency	Cur	x(3)	
◊	ck_domain	Domain		x(8)	
	ck_exru_seq	Sequence		>>>>>>>>9	
	ck_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ck_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ck_ex_ratetype	Rate Type		x(8)	
	ck_nbr	Check		99999999	
	ck_ref	Reference		x(10)	
	ck_status	Status		x(8)	
	ck_type	Check Type	T	x(2)	
	ck_user1	Ufld1		x(8)	
	ck_user2	Ufld2		x(8)	
	ck_voiddate	Void Date	Void Dt	99/99/99	
	ck_voideff	Void Eff		99/99/99	
	ck__qadc01			x(8)	
◊	oid_ck_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ck_nbr_bank	yes	ck_domain	yes	no
			ck_nbr	yes	no
			ck_bank	yes	no
Δ*	ck_ref	yes	ck_domain	yes	no
			ck_ref	yes	no
◊	oid_ck_mstr	yes	oid_ck_mstr	yes	no

clc_ctrl

Compliance Control

	Field Name	Label	Col-Label	Format	Dec
	clc_active	Compliance Active	Cmpl	yes/no	
	clc_comp_issue	Modify Component Issue	CmpIss	yes/no	
◊	clc_domain	Domain		x(8)	
	clc_jp_rcpt	Modify Co/By Product Receipts	CT	yes/no	
	clc_lotlevel	Lot Control Level	LCL	9	
	clc_polot_rcpt	Single Lot Per PO Receipt	Lot/PO	yes/no	
	clc_relot_rcpt	Single Lot per REPET Receipt	Lot/REP	yes/no	
	clc_user1	Ufld1		x(8)	
	clc_user2	Ufld2		x(8)	
	clc_wolot_rcpt	Single Lot per WO Receipt	Lot/WO	yes/no	
	clc__qadc01			x(8)	
Δ	clc__qadi01			->>>>>>>9	
◊	oid_clc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	clc_index1	yes	clc_domain	yes	no
◊	oid_clc_ctrl	yes	oid_clc_ctrl	yes	no

cls_mstr

Class Master

	Field Name	Label	Col-Label	Format	Dec
	cls_acct	Asset Account	Account	x(8)	
	cls_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
	cls_class	Class	Cls	x(3)	
	cls_desc	Description		x(24)	
	cls_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
	cls_mod_date	Modified Date	Mod Date	99/99/99	
	cls_user1	Ufld1		x(8)	
	cls_user2	Ufld2		x(8)	
	cls_userid	User ID		x(8)	
	cls__qad01			yes/no	
	cls__qad02			x(8)	
	cls__qad03			x(8)	
◊	oid_cls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cls_class	yes	cls_class	yes	no
◊	oid_cls_mstr	yes	oid_cls_mstr	yes	no

cmc_ctrl

Customer Control

	Field Name	Label	Col-Label	Format	Dec
◊	cmc_domain	Domain		x(8)	
	cmc_nbr	Next Customer		99999999	
	cmc_user1	Ufld1		x(8)	
	cmc_user2	Ufld2		x(8)	
	cmc__qadc01			x(8)	
Δ	cmc__qadi01			->>>>>>>9	
◊	oid_cmc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cmc_index1	yes	cmc_domain	yes	no
◊	oid_cmc_ctrl	yes	oid_cmc_ctrl	yes	no

cmd_det

Enterprise Material Transfer Change Management Detail

	Field Name	Label	Col-Label	Format	Dec
◊	cmd_domain	Domain		x(8)	
	cmd_field	Field		x(24)	
	cmd_file	File Name	File	x(32)	
	cmd_key_val	Index Key Values	Values	x(32)	
	cmd_mod_date	Modified Date	Mod Date	99/99/99	
	cmd_mod_userid	User ID		x(16)	
	cmd_ref_date	Reference Date		99/99/99	
	cmd_ref_time	Reference Time		>>>>>>9	
	cmd_trans_nbr	Transaction Number	Trans	>>>>>>>>9	
	cmd_user1	Ufld1		x(8)	
	cmd_user2	Ufld2		x(8)	
	cmd_val	Field Value	Value	x(18)	
	cmd__qadc01			x(8)	
◊	oid_cmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cmd_trans_nbr	yes	cmd_domain	yes	no
			cmd_trans_nbr	yes	no
			cmd_file	yes	no
			cmd_field	yes	no
			cmd_key_val	yes	no
◊	oid_cmd_det	yes	oid_cmd_det	yes	no

cmf_mstr

Enterprise Material Transfer Change Management Master

	Field Name	Label	Col-Label	Format	Dec
	cmf_doc_ref	Doc Ref	Ref	x(12)	
	cmf_doc_type	Doc Type	Type	x(3)	
◊	cmf_domain	Domain		x(8)	
	cmf_mod_date	Modified Date	Mod Date	99/99/99	
	cmf_mod_userid	User ID		x(16)	
	cmf_ref_date	Reference Date		99/99/99	
	cmf_ref_time	Reference Time		>>>>>>9	
	cmf_so_po	Purchase Order		x(8)	
	cmf_status	Status	St	x	
	cmf_trans_nbr	Transaction Number	Trans	>>>>>>>9	
	cmf_user1	Ufld1		x(8)	
	cmf_user2	Ufld2		x(8)	
	cmf__qadc01			x(8)	
◊	oid_cmf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cmf_doc	yes	cmf_domain	yes	no
			cmf_doc_type	yes	no
			cmf_doc_ref	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cmf_status	yes	no
Δ∗	cmf_trans_nbr	yes	cmf_domain	yes	no
			cmf_trans_nbr	yes	no
◊	oid_cmf_mstr	yes	oid_cmf_mstr	yes	no

cmh_hist

Customer Sales History

	Field Name	Label	Col-Label	Format	Dec
	cmh_cust	Customer		x(8)	
◊	cmh_domain	Domain		x(8)	
	cmh_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
	cmh_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
	cmh_type	Ship Type	T	x(1)	
	cmh_user1	Ufld1		x(8)	
	cmh_user2	Ufld2		x(8)	
	cmh_year	Year		9999	
	cmh__chr01			x(8)	
	cmh__chr02			x(8)	
	cmh__chr03			x(8)	
	cmh__chr04			x(8)	
	cmh__chr05			x(8)	
	cmh__chr06			x(8)	
	cmh__chr07			x(8)	
	cmh__chr08			x(8)	
	cmh__chr09			x(8)	
	cmh__chr10			x(8)	
	cmh__dec01			>>>,>>>,>>9.99	10
	cmh__dec02			>>>,>>>,>>9.99	10
	cmh__dte01			99/99/99	
	cmh__dte02			99/99/99	
	cmh__log01			yes/no	
	cmh__log02			yes/no	
◊	oid_cmh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cmh_custyear	yes	cmh_domain	yes	no
			cmh_cust	yes	no
			cmh_year	yes	no
Δ∗	cmh_yearcust	yes	cmh_domain	yes	no
			cmh_year	yes	no
			cmh_cust	yes	no
◊	oid_cmh_hist	yes	oid_cmh_hist	yes	no

cmt_det

Transaction Comments

	Field Name	Label	Col-Label	Format	Dec
	cmt_cmmt[15]	Comment Data		x(76)	
◊	cmt_domain	Domain		x(8)	
	cmt_expire	Expire		99/99/99	
	cmt_indx	Index		>>>>>>>9	
	cmt_lang	Language		x(2)	
	cmt_print	Print Control		x(24)	
	cmt_ref	Reference		x(40)	
	cmt_seq	Page		>9	
	cmt_start	Start		99/99/99	
	cmt_type	Type	T	x(2)	
	cmt_user1	Ufld1		x(8)	
	cmt_user2	Ufld2		x(8)	
	cmt__qadc01			x(8)	
◊	oid_cmt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cmt_ref	yes	cmt_domain	yes	no
			cmt_indx	yes	no
			cmt_seq	yes	no
◊	oid_cmt_det	yes	oid_cmt_det	yes	no

cm_mstr

Customer Master

Field Name	Label	Col-Label	Format	Dec
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->>,>>9	
cm_balance	Balance		->>,>>>,>>>,>>9.99	10
cm_bank	Bank	Bk	x(2)	
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>,>>>,>>>,>>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_db	DB Number		x(12)	
cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->9.99%	10
◊ cm_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->>,>>>,>>>,>>9.99	10
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>,>>>,>>9.99	10
cm_drft_min	Min Draft Amt		->>>>,>>>,>>9.99	10
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Frt List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_high_cr	High Credit		->>,>>>,>>>,>>9	10
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>,>>>,>>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->>,>>>,>>>,>>9.99	10
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK	Partial	yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
cm_pay_method	Payment Method	PM	x(2)	
cm_po_reqd	PO Required	PO Reqd	yes/no	
cm_promo	Promotion Group		x(10)	
cm_pr_list	Disc Tbl		x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_pst	PST Taxable		yes/no	
cm_pst_id	PST ID		x(18)	
cm_region	Region		x(4)	
cm_resale	Resale		x(20)	
cm_rmks	Remarks		x(40)	
cm_sale_date	Last Sale		99/99/99	
cm_scurr	Second Cur	2nd Cur	x(3)	
cm_serv_terms	Service Terms		X(8)	
cm_ship	Ship-To		x(8)	
cm_shipvia	Ship Via		x(20)	
cm_ship_lt	Customer Shipping LT	Cust Ship LT	>>9	
cm_sic	SIC		x(4)	
cm_site	Site		x(8)	
cm_slspsn[4]	Salesperson	Salespsn	x(8)	
cm_sort	Sort Name		x(28)	
cm_stmt	Statement	Stmt	yes/no	
cm_stmt_cyc	Stmt Cycle	Cycle	x(4)	
cm_submit_prop	Allow Submission Proposed Drft		yes/no	
cm_svc_list	Service Price List		x(8)	
cm_taxable	Taxable	Tax	yes/no	
cm_taxc	Tax Class	TxC	x(3)	
cm_tax_in	Tax In		yes/no	
cm_type	Type		x(4)	
cm_user1	Ufld1		x(8)	
cm_user2	Ufld2		x(8)	
cm_userid	User ID		x(8)	
cm_xslspsn	Slspsn[1]		x(8)	
cm_xslspsn2	Slspsn[2]		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cm__chr01			x(8)	
	cm__chr02			x(8)	
	cm__chr03			x(8)	
	cm__chr04			x(8)	
	cm__chr05			x(8)	
	cm__chr06			x(8)	
	cm__chr07			x(8)	
	cm__chr08			x(8)	
	cm__chr09			x(8)	
	cm__chr10			x(8)	
	cm__dec01			>>>,>>>,>>9.99	10
	cm__dec02			>>>,>>>,>>9.99	10
	cm__dte01			99/99/99	
	cm__dte02			99/99/99	
	cm__log01			yes/no	
	cm__qad04[3]			->9.99<%	10
	cm__qad06			yes/no	
	cm__qadc01			x(8)	
	cm__qadc02			x(8)	
	cm__qadc03			x(8)	
	cm__qadc04			x(8)	
	cm__qadc05			x(8)	
	cm__qadc06			x(8)	
	cm__qadc07			x(8)	
	cm__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	cm__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	cm__qadi01			->,>>>,>>9	
	cm__qadi02			->,>>>,>>9	
	cm__qadi03			>>>>>>9	
	cm__qadi04			>>>>>>9	
	cm__qadl01			yes/no	
	cm__qadl02			yes/no	
	cm__qadl03			yes/no	
	cm__qadl04			yes/no	
	cm__qadt01			99/99/99	
	cm__qadt02			99/99/99	
◊	oid_cm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cm_addr	yes	cm_domain	yes	no
			cm_addr	yes	no
Δ	cm_sort	no	cm_domain	yes	no
			cm_sort	yes	no
◊	oid_cm_mstr	yes	oid_cm_mstr	yes	no

cncix_mstr Consigned Shipment Inventory Cross-Reference Master

	Field Name	Label	Col-Label	Format	Dec
	cncix_aged_date	Aged Date	Aged	99/99/99	
	cncix_asn_shipper	Shipper		x(20)	
	cncix_auth	Authorization		x(24)	
	cncix_curr	Currency	Cur	x(3)	
	cncix_current_loc	Location		x(8)	
	cncix_cust	Sold-To		x(8)	
	cncix_custpart	Customer Item		x(30)	
	cncix_cust_dock	Customer Dock		x(30)	
	cncix_cust_job	Customer Job		x(30)	
	cncix_cust_ref	Customer Reference		x(30)	
	cncix_cust_seq	Customer Sequence		x(30)	
◊	cncix_domain	Domain		x(8)	
	cncix_intransit	In-Transit		yes/no	
	cncix_int_consignment	Internal Consignment		yes/no	
	cncix_line_feed	Line Feed		x(30)	
	cncix_lotser	Lot/Serial		x(18)	
	cncix_modelyr	Model Year		x(4)	
	cncix_mod_date	Modified Date	Mod Date	99/99/99	
	cncix_mod_userid	User ID		x(8)	
	cncix_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
	cncix_part	Item		x(18)	
	cncix_pkey	Primary Key		>>>>>>>>>	
	cncix_po	Customer PO		x(22)	
	cncix_price	Price		->>,>>>,>>9.99<<<	10
	cncix_qty_ship	Ship Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cncix_qty_stock	Qty In-Stock	Qty! In-Stock	->>,>>>,>>9.9<<<<<<<<<	10
	cncix_ref	Reference	Ref	x(8)	
	cncix_selfbill	Self-Bill		yes/no	
	cncix_shipto	Ship-To		x(8)	
	cncix_ship_date	Ship Date		99/99/99	
	cncix_ship_trnbr	Trans Nbr		>>>>>>>>	
	cncix_ship_value	Ship Value		->>>>,>>>,>>9.99<	10
	cncix_site	Site		x(8)	
	cncix_sod_line	Line		>>>9	
	cncix_so_nbr	Sales Order	Order	x(8)	
	cncix_stock_um	Stock UM	UM	x(2)	
	cncix_user1	User Field Character 1		x(24)	
	cncix_user2	User Field Character 2		x(24)	
	cncix__qadc01			x(24)	
	cncix__qadc02			x(24)	
◊	oid_cncix_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cncix_loc_part	no	cncix_domain	yes	no
			cncix_site	yes	no
			cncix_current_loc	yes	no
			cncix_part	yes	no
			cncix_ship_date	yes	no
			cncix_lotser	yes	no
			cncix_ref	yes	no
Δ	cncix_order_line	no	cncix_domain	yes	no
			cncix_so_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cncix_sod_line	yes	no
			cncix_aged_date	yes	no
Δ*	cncix_primary_key	yes	cncix_domain	yes	no
			cncix_pkey	yes	no
Δ	cncix_shipper	no	cncix_domain	yes	no
			cncix_asn_shipper	yes	no
Δ	cncix_site_cust	no	cncix_domain	yes	no
			cncix_site	yes	no
			cncix_cust	yes	no
			cncix_shipto	yes	no
			cncix_so_nbr	yes	no
			cncix_part	yes	no
			cncix_po	yes	no
			cncix_modelyr	yes	no
			cncix_current_loc	yes	no
			cncix_lotser	yes	no
			cncix_ref	yes	no
			cncix_auth	yes	no
Δ	cncix_site_part	no	cncix_domain	yes	no
			cncix_site	yes	no
			cncix_part	yes	no
			cncix_cust	yes	no
			cncix_shipto	yes	no
			cncix_so_nbr	yes	no
			cncix_po	yes	no
			cncix_modelyr	yes	no
			cncix_current_loc	yes	no
			cncix_lotser	yes	no
			cncix_ref	yes	no
			cncix_auth	yes	no
◊	oid_cncix_mstr	yes	oid_cncix_mstr	yes	no

cncs_mstr Customer Consignment Ship-To/Item Master

	Field Name	Label	Col-Label	Format	Dec
	cncs_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
	cncs_consign_flag	Consignment Orders	Consignment	yes/no	
	cncs_consign_loc	Consignment Location	Consignment! Location	x(8)	
◊	cncs_domain	Domain		x(8)	
	cncs_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
	cncs_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	cncs_mod_date	Modified Date	Mod Date	99/99/99	
	cncs_mod_userid	User ID		x(8)	
	cncs_part	Item Number		x(18)	
	cncs_shipto	Ship-To		x(8)	
	cncs_user1	User Field Character 1		x(24)	
	cncs_user2	User Field Character 2		x(24)	
	cncs__qadc01			x(24)	
	cncs__qadc02			x(24)	
◊	oid_cncs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cncs_shipto_part	yes	cncs_domain	yes	no
			cncs_shipto	yes	no
			cncs_part	yes	no
◊	oid_cncs_mstr	yes	oid_cncs_mstr	yes	no

cncud_det

Customer Consignment Shipment Usage Detail

	Field Name	Label	Col-Label	Format	Dec
	cncud_aged_date	Aged Date	Aged	99/99/99	
	cncud_asn_shipper	Shipper		x(20)	
	cncud_cncix_pkey	Primary Key2		>>>>>>>>>	
	cncud_cncu_pkey	Primary Key1		>>>>>>>>>	
	cncud_curr	Currency	Cur	x(3)	
	cncud_current_loc	Location		x(8)	
	cncud_cust_dock	Customer Dock		x(30)	
◊	cncud_domain	Domain		x(8)	
	cncud_int_consignment	Internal Consignment		yes/no	
	cncud_line_feed	Line Feed		x(30)	
	cncud_mod_date	Modified Date	Mod Date	99/99/99	
	cncud_mod_userid	User ID		x(8)	
	cncud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
	cncud_price	Price		>>,>>>,>>9.99<<<	10
	cncud_qty_ship	Ship Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cncud_selfbill	Self-Bill		yes/no	
	cncud_ship_date	Ship Date		99/99/99	
	cncud_ship_trnbr	Trans Nbr		>>>>>>>>	
	cncud_ship_value	Ship Value		->>>>,>>>,>>9.99<	10
	cncud_stock_um	Stock UM	UM	x(2)	
	cncud_usage_qty	Usage Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cncud_usage_um	UM		x(2)	
	cncud_usage_um_conv	Usage UM Conv		>>>>9.9999<<<<	10
	cncud_user1	User Field Character 1		x(24)	
	cncud_user2	User Field Character 2		x(24)	
	cncud__qadc01			x(24)	
	cncud__qadc02			x(24)	
◊	oid_cncud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cncud_cncu_pkey	no	cncud_domain	yes	no
			cncud_cncu_pkey	yes	no
			cncud_cust_dock	yes	no
			cncud_line_feed	yes	no
Δ∗	cncud_primary_key	yes	cncud_domain	yes	no
			cncud_cncu_pkey	yes	no
			cncud_cncix_pkey	yes	no
Δ	cncud_reverse_key	no	cncud_domain	yes	no
			cncud_cncix_pkey	yes	no
			cncud_cncu_pkey	yes	no
◊	oid_cncud_det	yes	oid_cncud_det	yes	no

cncu_mstr Customer Consignment Shipment Usage Master

	Field Name	Label	Col-Label	Format	Dec
	cncu_auth	Authorization		x(24)	
	cncu_batch	Batch		>>>>>>>>>	
	cncu_cum_qty	Cum Usage Qty	Cum Usage	->>,>>>,>>9.9<<<<<<<<<	10
	cncu_cust	Sold-To		x(8)	
	cncu_custpart	Customer Item		x(30)	
	cncu_cust_job	Customer Job		x(30)	
	cncu_cust_ref	Customer Reference		x(30)	
	cncu_cust_seq	Customer Sequence		x(30)	
	cncu_cust_usage_date	Customer Usage Date	Customer! Usage Date	99/99/99	
	cncu_cust_usage_ref	Customer Usage Ref	Customer! Usage Ref	x(20)	
◊	cncu_domain	Domain		x(8)	
	cncu_eff_date	Effective Date	Effective	99/99/99	
	cncu_invoice	Invoice		x(8)	
	cncu_lotser	Lot/Serial		x(18)	
	cncu_manual_qty	Manual Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cncu_modelyr	Model Year		x(4)	
	cncu_mod_date	Modified Date	Mod Date	99/99/99	
	cncu_mod_userid	User ID		x(8)	
	cncu_origin	Origin		x(8)	
	cncu_part	Item		x(18)	
	cncu_pkey	Primary Key		>>>>>>>>>	
	cncu_po	Customer PO		x(22)	
	cncu_ref	Reference	Ref	x(8)	
	cncu_selfbill_auth	SelfBill Auth	Self-Bill Authorization	x(24)	
	cncu_shipto	Ship-To		x(8)	
	cncu_site	Ship-From		x(8)	
	cncu_sod_line	Line		>>>9	
	cncu_so_nbr	Sales Order	Order	x(8)	
	cncu_trans_date	Transaction Date	Transaction	99/99/99	
	cncu_trnbr	Trans Nbr		>>>>>>>>	
	cncu_usage_qty	Usage Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cncu_usage_so_um_conv	Usage SO UM Conv		>>>>9.9999<<<<	10
	cncu_usage_um	Usage UM		x(2)	
	cncu_usage_um_conv	Usage UM Conv		>>>>9.9999<<<<	10
	cncu_user1	User Field Character 1		x(24)	
	cncu_user2	User Field Character 2		x(24)	
	cncu__qadc01			x(24)	
	cncu__qadc02			x(24)	
◊	oid_cncu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cncu_batch	no	cncu_domain	yes	no
			cncu_batch	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_lotser	yes	no
			cncu_ref	yes	no
			cncu_auth	yes	no
Δ	cncu_invoice	no	cncu_domain	yes	no
			cncu_invoice	yes	no
Δ	cncu_order	no	cncu_domain	yes	no
			cncu_so_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cncu_sod_line	yes	no
Δ	cncu_origin	no	cncu_domain	yes	no
			cncu_origin	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_trans_date	yes	no
Δ*	cncu_primary_key	yes	cncu_domain	yes	no
			cncu_pkey	yes	no
Δ	cncu_shipfrom	no	cncu_domain	yes	no
			cncu_site	yes	no
			cncu_shipto	yes	no
			cncu_cust_usage_ref	yes	no
			cncu_cust_usage_date	yes	no
			cncu_so_nbr	yes	no
			cncu_sod_line	yes	no
			cncu_lotser	yes	no
			cncu_ref	yes	no
			cncu_auth	yes	no
Δ	cncu_trnbr	no	cncu_domain	yes	no
			cncu_trnbr	yes	no
◊	oid_cncu_mstr	yes	oid_cncu_mstr	yes	no

cnc_ctrl

Customer Consignment Control

	Field Name	Label	Col-Label	Format	Dec
	cnc_active	Using Consignment Inventory		yes/no	
	cnc_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
	cnc_consign_flag	Consignment Orders	Consignment	yes/no	
	cnc_consign_loc	Consignment Location	Consignment! Location	x(8)	
◊	cnc_domain	Domain		x(8)	
	cnc_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
	cnc_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	cnc_mod_date	Modified Date	Mod Date	99/99/99	
	cnc_mod_userid	User ID		x(8)	
	cnc_user1	User Field Character 1		x(24)	
	cnc_user2	User Field Character 2		x(24)	
	cnc__qadc01			x(24)	
	cnc__qadc02			x(24)	
Δ	cnc__qadi01			->>>>>>>9	
◊	oid_cnc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cnc_index1	yes	cnc_domain	yes	no
◊	oid_cnc_ctrl	yes	oid_cnc_ctrl	yes	no

cnsix_mstr Supplier Consignment Receipt Inventory Master

	Field Name	Label	Col-Label	Format	Dec
	cnsix_aged_date	Aged Date	Aged	99/99/99	
	cnsix_asn_shipper	Shipper		x(20)	
◊	cnsix_domain	Domain		x(8)	
	cnsix_int_consignment	Internal Consignment		yes/no	
	cnsix_lotser	Lot/Serial		x(18)	
	cnsix_mod_date	Modified Date	Mod Date	99/99/99	
	cnsix_mod_userid	User ID		x(8)	
	cnsix_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
	cnsix_part	Item Number		x(18)	
	cnsix_pkey	Primary Key		>>>>>>>>>	
	cnsix_pod_line	Line		>>9	
	cnsix_po_nbr	Purchase Order	Order	x(8)	
	cnsix_qty_consigned	Qty Consigned	Qty! Consigned	->>,>>>,>>9.9<<<<<<<<<	10
	cnsix_receipt_trnbr	Trans Nbr		>>>>>>>>	
	cnsix_receiver	Receiver		x(8)	
	cnsix_ref	Reference	Ref	x(8)	
	cnsix_site	Site		x(8)	
	cnsix_user1	User Field Character 1		x(24)	
	cnsix_user2	User Field Character 2		x(24)	
	cnsix__qadc01			x(24)	
	cnsix__qadc02			x(24)	
◊	oid_cnsix_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cnsix_item_order	no	cnsix_domain	yes	no
			cnsix_part	yes	no
			cnsix_site	yes	no
			cnsix_po_nbr	yes	no
			cnsix_pod_line	yes	no
Δ	cnsix_order_line	no	cnsix_domain	yes	no
			cnsix_po_nbr	yes	no
			cnsix_pod_line	yes	no
			cnsix_aged_date	yes	no
Δ*	cnsix_primary_key	yes	cnsix_domain	yes	no
			cnsix_pkey	yes	no
Δ	cnsix_receiver_ln	no	cnsix_domain	yes	no
			cnsix_receiver	yes	no
			cnsix_po_nbr	yes	no
			cnsix_pod_line	yes	no
			cnsix_lotser	yes	no
			cnsix_ref	yes	no
Δ	cnsix_shipper	no	cnsix_domain	yes	no
			cnsix_asn_shipper	yes	no
◊	oid_cnsix_mstr	yes	oid_cnsix_mstr	yes	no

cnss_mstr Supplier Consignment Supplier/Item Master

	Field Name	Label	Col-Label	Format	Dec
	cnss_consign_flag	Consignment Orders	Consignment	yes/no	
◊	cnss_domain	Domain		x(8)	
	cnss_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	cnss_mod_date	Modified Date	Mod Date	99/99/99	
	cnss_mod_userid	User ID		x(8)	
	cnss_part	Item Number		x(18)	
	cnss_supplier	Supplier		x(8)	
	cnss_user1	User Field Character 1		x(24)	
	cnss_user2	User Field Character 2		x(24)	
	cnss__qadc01			x(24)	
	cnss__qadc02			x(24)	
◊	oid_cnss_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cnss_supplier_part	yes	cnss_domain	yes	no
			cnss_supplier	yes	no
			cnss_part	yes	no
◊	oid_cnss_mstr	yes	oid_cnss_mstr	yes	no

cnsud_det Supplier Consignment Receipt Usage Detail

	Field Name	Label	Col-Label	Format	Dec
	cnsud_aged_date	Aged Date	Aged	99/99/99	
	cnsud_asn_shipper	Shipper		x(20)	
	cnsud_cnsix_pkey	Primary Key2		>>>>>>>>>	
	cnsud_cnsu_pkey	Primary Key1		>>>>>>>>>	
◊	cnsud_domain	Domain		x(8)	
	cnsud_int_consignment	Internal Consignment		yes/no	
	cnsud_mod_date	Modified Date	Mod Date	99/99/99	
	cnsud_mod_userid	User ID		x(8)	
	cnsud_orig_aged_date	Original Aged Date	Original! Aged	99/99/99	
	cnsud_qty_used	Usage Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cnsud_receipt_trnbr	Receipt Trans Nbr	Receipt! Trans Nbr	>>>>>>>>	
	cnsud_receiver	Receiver		x(8)	
	cnsud_user1	User Field Character 1		x(24)	
	cnsud_user2	User Field Character 2		x(24)	
	cnsud__qadc01			x(24)	
	cnsud__qadc02			x(24)	
◊	oid_cnsud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cnsud_cnsu_pkey	no	cnsud_domain	yes	no
			cnsud_cnsu_pkey	yes	no
			cnsud_receiver	yes	no
Δ∗	cnsud_primary_key	yes	cnsud_domain	yes	no
			cnsud_cnsu_pkey	yes	no
			cnsud_cnsix_pkey	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cnsud_reverse_key	no	cnsud_domain	yes	no
			cnsud_cnsix_pkey	yes	no
			cnsud_cnsu_pkey	yes	no
◊	oid_cnsud_det	yes	oid_cnsud_det	yes	no

cnsu_mstr Supplier Consignment Receipt Usage Master

	Field Name	Label	Col-Label	Format	Dec
	cnsu_batch	Batch		>>>>>>>>>	
	cnsu_cum_qty	Cum Usage Qty	Cum Usage	->>,>>>,>>9.9<<<<<<<<<	10
◊	cnsu_domain	Domain		x(8)	
	cnsu_edi_batch	EDI Batch ID		x(24)	
	cnsu_eff_date	Effective Date	Effective	99/99/99	
	cnsu_export_flag	Exported		yes/no	
	cnsu_lotser	Lot/Serial		x(18)	
	cnsu_mod_date	Modified Date	Mod Date	99/99/99	
	cnsu_mod_userid	User ID		x(8)	
	cnsu_part	Item Number		x(18)	
	cnsu_pkey	Primary Key		>>>>>>>>>	
	cnsu_pod_line	Line		>>>9	
	cnsu_po_nbr	Purchase Order	Order	x(8)	
	cnsu_print_flag	Printed		yes/no	
	cnsu_qty_used	Usage Qty		->>,>>>,>>9.9<<<<<<<<<	10
	cnsu_ref	Reference	Ref	x(8)	
	cnsu_site	Site		x(8)	
	cnsu_trans_date	Transaction Date	Transaction	99/99/99	
	cnsu_trnbr	Trans Nbr		>>>>>>>>	
	cnsu_user1	User Field Character 1		x(24)	
	cnsu_user2	User Field Character 2		x(24)	
	cnsu__qadc01			x(24)	
	cnsu__qadc02			x(24)	
◊	oid_cnsu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cnsu_batch	no	cnsu_domain	yes	no
			cnsu_batch	yes	no
			cnsu_trnbr	yes	no
			cnsu_po_nbr	yes	no
			cnsu_pod_line	yes	no
			cnsu_lotser	yes	no
			cnsu_ref	yes	no
Δ	cnsu_edi_batch	no	cnsu_domain	yes	no
			cnsu_edi_batch	yes	no
Δ	cnsu_order	no	cnsu_domain	yes	no
			cnsu_po_nbr	yes	no
			cnsu_pod_line	yes	no
Δ	cnsu_part_site	no	cnsu_domain	yes	no
			cnsu_part	yes	no
			cnsu_site	yes	no
Δ*	cnsu_primary_key	yes	cnsu_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cnsu_pkey	yes	no
Δ	cnsu_trnbr	no	cnsu_domain	yes	no
			cnsu_trnbr	yes	no
◊	oid_cnsu_mstr	yes	oid_cnsu_mstr	yes	no

cns_ctrl Supplier Consignment Control

	Field Name	Label	Col-Label	Format	Dec
	cns_active	Using Consignment Inventory		yes/no	
	cns_consign_flag	Consignment Orders	Consignment	yes/no	
◊	cns_domain	Domain		x(8)	
	cns_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	cns_mod_date	Modified Date	Mod Date	99/99/99	
	cns_mod_userid	User ID		x(8)	
	cns_picking_logic	Consigned Picking Logic	Consigned! Picking	x(8)	
	cns_transfer_ownership	Transfer Ownership	Ownership	x(8)	
	cns_user1	User Field Character 1		x(24)	
	cns_user2	User Field Character 2		x(24)	
	cns__qadc01			x(24)	
	cns__qadc02			x(24)	
Δ	cns__qadi01			->>>>>>>9	
◊	oid_cns_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cns_index1	yes	cns_domain	yes	no
◊	oid_cns_ctrl	yes	oid_cns_ctrl	yes	no

code_mstr Generalized Code Master

	Field Name	Label	Col-Label	Format	Dec
	code_cmmt	Comments		x(40)	
	code_desc	Description		x(24)	
◊	code_domain	Domain		x(8)	
	code_fldname	Field Name		x(32)	
	code_user1	Ufld1		x(8)	
	code_user2	Ufld2		x(8)	
	code_value	Value		x(8)	
	code__qadc01			x(8)	
◊	oid_code_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	code_fldval	yes	code_domain	yes	no
			code_fldname	yes	no
			code_value	yes	no
◊	oid_code_mstr	yes	oid_code_mstr	yes	no

comd_det Commodity Code Detail

	Field Name	Label	Col-Label	Format	Dec
	comd_comm_code	Commodity Code		x(20)	
◊	comd_domain	Domain		x(8)	
	comd_part	Item Number		x(18)	
	comd_user1	Ufld1		x(8)	
	comd_user2	Ufld2		x(8)	
	comd_user3			x(8)	
	comd_user4			x(8)	
	comd__qadc01	QAD Field		X(8)	0
	comd__qadc02	QAD Field		X(8)	0
	comd__qadc03	QAD Field		X(8)	0
	comd__qadc04	QAD Field		X(8)	0
	comd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	comd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	comd__qadi01			>>>>>>9	
	comd__qadi02			>>>>>>9	
	comd__qadl01			yes/no	
	comd__qadl02			yes/no	
	comd__qadt01			99/99/99	
	comd__qadt02			99/99/99	
◊	oid_comd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	comd_comm_code	yes	comd_domain	yes	no
			comd_comm_code	yes	no
			comd_part	yes	no
Δ	comd_part	yes	comd_domain	yes	no
			comd_part	yes	no
◊	oid_comd_det	yes	oid_comd_det	yes	no

com_mstr Commodity Code Master

	Field Name	Label	Col-Label	Format	Dec
	com_comm_code	Commodity Code	Com Code	x(20)	
	com_desc	Description		x(24)	
◊	com_domain	Domain		x(8)	
	com_suppl	Supplementary Units Required	S	yes/no	
	com_uom	Supplementary UOM	UOM	x(2)	
	com_user1	Ufld1		x(8)	
	com_user2	Ufld2		x(8)	
	com__log01			yes/no	
	com__qad01			x(8)	
	com__qad02			x(8)	
	com__qad03			yes/no	
◊	oid_com_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	com_comm_code	yes	com_domain	yes	no
			com_comm_code	yes	no
◊	oid_com_mstr	yes	oid_com_mstr	yes	no

◊ cont_mstr Container Type Master

Field Name	Label	Col-Label	Format	Dec
cont_class	Class		x(8)	
cont_cmtindx	Comment Index	Comment	>>>>>>>9	
cont_color	Color		x(8)	
cont_composition	Composition	Comp	x(8)	
cont_desc	Description		x(24)	
cont_domain	Domain		x(8)	
cont_height	Height		->>>>,>>>,>>9.9<<<<<<<<<	10
cont_hwl_um	UM		x(2)	
cont_id_method	ID Method		x(24)	
cont_length	Length		->>>>,>>>,>>9.9<<<<<<<<<	10
cont_max_load_weight	Maximum Load Weight	Max Load	->>>>,>>>,>>9.9<<<<<<<<<	10
cont_mod_date	Modified Date	Mod Date	99/99/99	
cont_mod_userid	User ID		x(8)	
cont_owner	Container Owner	Container! Owner	>9	
cont_reference1	Reference 1		x(24)	
cont_reference2	Reference 2		x(24)	
cont_reference3	Reference 3		x(24)	
cont_reference4	Reference 4		x(24)	
cont_reference5	Reference 5		x(24)	
cont_returnable	Returnable		yes/no	
cont_reusable	Reusable		yes/no	
cont_size	Size		x(8)	
cont_special_reqmnts	Special Requirements	Spec! Req	yes/no	
cont_tare_weight	Tare Weight		->>>>,>>>,>>9.9<<<<<<<<<	10
cont_thickness	Thickness		->>>>,>>>,>>9.9<<<<<<<<<	10
cont_thickness_um	UM		x(2)	
cont_type	Container Type	Cont! Type	x(8)	
cont_user1	User Field Character 1		x(24)	
cont_user2	User Field Character 2		x(24)	
cont_volume	Volume		->>>>,>>>,>>9.9<<<<<<<<<	10
cont_volume_um	UM		x(2)	
cont_weight_um	UM		x(2)	
cont_width	Width		->>>>,>>>,>>9.9<<<<<<<<<	10
cont__qadc01			x(24)	
cont__qadc02			x(24)	
oid_cont_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	cont_type	yes	cont_domain	yes	no
			cont_type	yes	no
◊	oid_cont_mstr	yes	oid_cont_mstr	yes	no

cost_cal Cost Set Calendar

	Field Name	Label	Col-Label	Format	Dec
	cost_cmtindx	Comment		>>>>>>>9	
◊	cost_domain	Domain		x(8)	
	cost_memo	Memo		x(24)	
	cost_set	Cost Set		x(8)	
	cost_site	Site		x(8)	
	cost_start	Start Date	Start	99/99/99	
	cost_user1	Ufld1		x(8)	
	cost_user2	Ufld2		x(8)	
	cost__qadc01			x(8)	
◊	oid_cost_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cost_cal	yes	cost_domain	yes	no
			cost_site	yes	no
			cost_set	yes	no
			cost_start	yes	no
Δ*	cost_date	yes	cost_domain	yes	no
			cost_start	yes	no
			cost_site	yes	no
Δ	cost_site	yes	cost_domain	yes	no
			cost_site	yes	no
			cost_start	yes	no
◊	oid_cost_cal	yes	oid_cost_cal	yes	no

co_ctrl General Ledger (Company) Control

	Field Name	Label	Col-Label	Format	Dec
	co_allow_mod	Allow Changes to Module Transactions	Allow! Mod	yes/no	
	co_audglt	GL Transaction Audit Trail		yes/no	
	co_bfb_acct	Brought Forward Balance Acct	BFB Acct	x(8)	
	co_bfb_cc	Brought Forward Balance CC	BFB CC	x(4)	
	co_bfb_desc	Brought Forward Balance Desc		x(20)	
	co_bfb_sub	Brought Forward Balance Sub	BFB Sub	x(8)	
	co_close_bs	Close Balance Sheet		yes/no	
	co_cont_page	Continuous Page Numbers for Post Audit	Cont! Page	yes/no	
	co_daily_seq	Daily/Continuous Reference Sequence		Daily/Continuous	
◊	co_domain	Domain		x(8)	
	co_enty_bal	Balanced Entities	Bal Enty	yes/no	
	co_ex_ratetype	Rate Type		x(8)	
	co_fx_acct	Translation Adj Acct (IS)	Trans (IS)	x(8)	
	co_page_num	Last Page Number for Post Audit	Page	>>>>9	
	co_pl	Profit/Loss Account (BS)	P/L Acct	x(8)	
	co_ret	Retained Earnings Account	Ret Earn	x(8)	
	co_sup_reop	Suppress Reopen Closed Periods		yes/no	
	co_trns_acct	Translation Adj Acct (BS)	Trans (BS)	x(8)	
	co_user1	Ufld1		x(8)	
	co_user2	Ufld2		x(8)	
	co_use_cc	Use Cost Centers	Use! CC	yes/no	
	co_use_sub	Use Sub-Accounts	Sub! Acct	yes/no	
	co_var_acct	Unrealized Exch Gain/Loss Acct	Un Gn/Ls	x(8)	
	co_yec_acct	Year End Closing Balance Acct	YEC Acct	x(8)	
	co_yec_cc	Year End Closing Balance CC	YEC CC	x(4)	
	co_yec_desc	Year End Closing Balance Desc		x(20)	
	co_yec_sub	Year End Closing Balance Sub	YEC Sub	x(8)	
	co__qad01	Primary Statement Version	Primary! Stmt Ver	x(8)	
Δ	co__qadi01			->>>>>>>9	
	co__qadl01			yes/no	
◊	oid_co_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	co_index1	yes	co_domain	yes	no
◊	oid_co_ctrl	yes	oid_co_ctrl	yes	no

cpcd_det

Customer Period Calendar Detail

	Field Name	Label	Col-Label	Format	Dec
	cpcd_cust	Customer		x(8)	
◊	cpcd_domain	Domain		x(8)	
	cpcd_end	Expire		99/99/99	
	cpcd_per	Period		>>9	
	cpcd_start	Start		99/99/99	
	cpcd_type	Period Type	Type	x(1)	
	cpcd_user1	Ufld1		x(8)	
	cpcd_user2	Ufld2		x(8)	
	cpcd_year	Year		9999	
	cpcd__chr01			x(8)	
	cpcd__chr02			x(8)	
	cpcd__chr03			x(8)	
	cpcd__chr04			x(8)	
	cpcd__dec01			->>,>>9.99	10
	cpcd__log01			yes/no	
◊	oid_cpcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cpcd_per	yes	cpcd_domain	yes	no
			cpcd_cust	yes	no
			cpcd_year	yes	no
			cpcd_type	yes	no
			cpcd_per	yes	no
◊	oid_cpcd_det	yes	oid_cpcd_det	yes	no

cpc_mstr

Customer Period Calendar Master

	Field Name	Label	Col-Label	Format	Dec
	cpc_cust	Customer		x(8)	
	cpc_desc	Description	Desc	x(24)	
◊	cpc_domain	Domain		x(8)	
	cpc_mod_date	Modified Date	Mod Date	99/99/99	
	cpc_type	Period Type	Type	x(1)	
	cpc_user1	Ufld1		x(8)	
	cpc_user2	Ufld2		x(8)	
	cpc_userid	User ID		x(8)	
	cpc_year	Year		9999	
	cpc__chr01			x(8)	
	cpc__chr02			x(8)	
	cpc__chr03			x(8)	
	cpc__chr04			x(8)	
	cpc__dec01			->>,>>9.99	10
	cpc__log01			yes/no	
◊	oid_cpc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cpc_cust	yes	cpc_domain	yes	no
			cpc_cust	yes	no
			cpc_year	yes	no
			cpc_type	yes	no
◊	oid_cpc_mstr	yes	oid_cpc_mstr	yes	no

cph_hist

Customer/Item Sales History

	Field Name	Label	Col-Label	Format	Dec
	cph_cost[12]	Cost		->>>>,>>>,>>9	10
	cph_cust	Customer		x(8)	
◊	cph_domain	Domain		x(8)	
	cph_part	Item Number		x(18)	
	cph_pl	Product Line		x(4)	
	cph_qty[12]	Quantity		->,>>>,>>9	10
	cph_sales[12]	Sales		->>>>,>>>,>>9	10
	cph_ship	Ship-To		x(8)	
	cph_site	Site		x(8)	
	cph_smonth	Start Month		>9	
	cph_tot_cost	YTD Cost		->>,>>>,>>>,>>9	10
	cph_tot_qty	YTD Quantity		->>>,>>>,>>9	10
	cph_tot_sale	YTD Sales		->>,>>>,>>>,>>9	10
	cph_type	Ship Type	T	x(1)	
	cph_user1	Ufld1		x(8)	
	cph_user2	Ufld2		x(8)	
	cph_year	Year		9999	
	cph__chr01			x(8)	
	cph__chr02			x(8)	
	cph__chr03			x(8)	
	cph__chr04			x(8)	
	cph__chr05			x(8)	
	cph__dec01[12]			>>>>,>>>,>>9.99	10
	cph__dec02[12]			>>>>,>>>,>>9.99	10
	cph__dte01			99/99/99	
	cph__dte02			99/99/99	
	cph__log01			yes/no	
◊	oid_cph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cph_cust	yes	cph_domain	yes	no
			cph_cust	yes	no
			cph_ship	yes	no
			cph_pl	yes	no
			cph_part	yes	no
			cph_type	yes	no
			cph_year	yes	no
			cph_site	yes	no
Δ*	cph_part	no	cph_domain	yes	no
			cph_pl	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cph_part	yes	no
			cph_type	yes	no
			cph_year	yes	no
◊	oid_cph_hist	yes	oid_cph_hist	yes	no

cp_mstr

Customer Item Master

	Field Name	Label	Col-Label	Format	Dec
	cp_comment	Comment		x(40)	
	cp_cust	Customer		x(8)	
	cp_cust_eco	Customer Item ECO Nbr		x(8)	
	cp_cust_part	Customer Item		x(30)	
	cp_cust_partd	Display Customer Item		x(30)	
◊	cp_domain	Domain		x(8)	
	cp_mod_date	Modified Date	Mod Date	99/99/99	
	cp_part	Item Number		x(18)	
	cp_pkg_code	Pkg Code		x(18)	
	cp_user1	Ufld1		x(8)	
	cp_user2	Ufld2		x(8)	
	cp_userid	User ID		x(8)	
	cp__qadc01			x(8)	
◊	oid_cp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cp_cust	yes	cp_domain	yes	no
			cp_cust	yes	no
			cp_cust_part	yes	no
Δ	cp_cust_part	no	cp_domain	yes	no
			cp_cust_part	yes	no
			cp_part	yes	no
Δ	cp_part_cust	no	cp_domain	yes	no
			cp_part	yes	no
			cp_cust	yes	no
◊	oid_cp_mstr	yes	oid_cp_mstr	yes	no

crc_ctrl

Carrier Control

	Field Name	Label	Col-Label	Format	Dec
◊	crc_domain	Domain		x(8)	
	crc_nbr	Next Carrier		99999999	
	crc_user1	Ufld1		x(8)	
	crc_user2	Ufld2		x(8)	
	crc__qadc01			x(8)	
Δ	crc__qadi01			->>>>>>>9	
◊	oid_crc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	crc_index1	yes	crc_domain	yes	no
◊	oid_crc_ctrl	yes	oid_crc_ctrl	yes	no

cref_mstr

Service/Support Cross-Reference Master

	Field Name	Label	Col-Label	Format	Dec
	cref_cset	Cost Set		x(8)	
◊	cref_domain	Domain		x(8)	
	cref_item1	Item 1		x(18)	
	cref_item2	Item 2		x(18)	
	cref_item3	Item 3		x(18)	
	cref_item4	Item 4		x(18)	
	cref_qad_date1	Qad Date 1		99/99/99	
	cref_qad_date2	Qad Date 2		99/99/99	
	cref_qad_dec01	Qad Decimal 1		->>,>>9.99	10
	cref_qad_dec02	Qad Decimal 2		->>,>>9.99	10
	cref_qad_log01	Qad Field 1		yes/no	
	cref_qad_log02	Qad Logical 2		yes/no	
	cref_ref_type	Reference Type		x(8)	
	cref_user1	Ufld1		x(8)	
	cref_user2	Ufld2		x(8)	
	cref__qadc01			x(8)	
◊	oid_cref_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	cref_item12	yes	cref_domain	yes	no
			cref_ref_type	yes	no
			cref_item1	yes	no
			cref_item2	yes	no
◊	oid_cref_mstr	yes	oid_cref_mstr	yes	no

cr_mstr

Code Range Master

	Field Name	Label	Col-Label	Format	Dec
	cr_code	Code Number	Code No	x(8)	
	cr_code_beg	Beginning Number	Beg No	x(8)	
	cr_code_end	Ending Number	End No	x(8)	
◊	cr_domain	Domain		x(8)	
	cr_mod_date	Modified Date	Mod Date	99/99/99	
	cr_mod_userid	User ID		x(8)	
	cr_type	Type		x(8)	
	cr_user1	Ufld1		x(8)	
	cr_user2	Ufld2		x(8)	
	cr__qadc01			x(8)	
	cr__qadt01			99/99/99	
◊	oid_cr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cr_code	yes	cr_domain	yes	no
			cr_code	yes	no
			cr_type	yes	no
			cr_code_beg	yes	no
			cr_code_end	yes	no
Δ	cr_type	no	cr_domain	yes	no
			cr_type	yes	no
			cr_code_beg	yes	no
			cr_code_end	yes	no
			cr_code	yes	no
◊	oid_cr_mstr	yes	oid_cr_mstr	yes	no

csa_mstr

Controlled Substance Authority Master

	Field Name	Label	Col-Label	Format	Dec
	csa_auth	Authority	Auth	x(8)	
	csa_cmtindx	Comment Index	Comments	>>>>>>>9	
◊	csa_domain	Domain		x(8)	
	csa_group	Group		x(8)	
	csa_name	Name		x(28)	
	csa_type	Type		x(8)	
	csa_user1	Ufld1		x(8)	
	csa_user2	Ufld2		x(8)	
	csa__qadc01			x(8)	
◊	oid_csa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	csa_auth	yes	csa_domain	yes	no
			csa_auth	yes	no
Δ	csa_group	no	csa_domain	yes	no
			csa_group	yes	no
Δ	csa_name	no	csa_domain	yes	no
			csa_name	yes	no
◊	oid_csa_mstr	yes	oid_csa_mstr	yes	no

csbd_det

Customer/Supplier Bank Detail

	Field Name	Label	Col-Label	Format	Dec
	csbd_addr	Address		x(8)	
	csbd_bank	Bank		x(8)	
	csbd_beg_date	Beginning Date	Begin! Date	99/99/99	
	csbd_bk_acct	Bank Account		x(35)	
	csbd_branch	Branch		x(8)	
◊	csbd_domain	Domain		x(8)	
	csbd_edi	EDI		x(8)	
	csbd_end_date	Ending Date	End! Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	csbd_mod_date	Modified Date	Mod Date	99/99/99	
	csbd_type	Account Type	Acct! Type	x(3)	
	csbd_user1	Ufld1		x(8)	
	csbd_user2	Ufld2		x(8)	
	csbd_userid	UserID		x(8)	
	csbd_validation	Validation	Val	x(2)	
	csbd__chr01			x(8)	
	csbd__chr02			x(8)	
	csbd__chr03			x(8)	
	csbd__chr04			x(8)	
	csbd__chr05			x(8)	
	csbd__dec01			->>>,>>>,>>9.99	10
	csbd__dec02			->>>,>>>,>>9.99	10
	csbd__dte01			99/99/99	
	csbd__dte02			99/99/99	
	csbd__log01			yes/no	
	csbd__log02			yes/no	
	csbd__qad01			x(8)	
	csbd__qad02			x(8)	
	csbd__qad03			->>>,>>>,>>9.99	10
	csbd__qad04			->>>,>>>,>>9.99	10
	csbd__qad05			99/99/99	
	csbd__qad06			99/99/99	
	csbd__qad07			yes/no	
	csbd__qad08			yes/no	
◊	oid_csbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csbd_bk_addr	no	csbd_domain	yes	no
			csbd_bank	yes	no
			csbd_addr	yes	no
Δ*	csbd_ind1	yes	csbd_domain	yes	no
			csbd_addr	yes	no
			csbd_bank	yes	no
			csbd_type	yes	no
◊	oid_csbd_det	yes	oid_csbd_det	yes	no

csc_mstr Controlled Substance Customer Master

	Field Name	Label	Col-Label	Format	Dec
	csc_addr	Address Code	Address	x(8)	
	csc_auth	Authority	Auth	x(8)	
	csc_cmtindx	Comment Index	Comments	>>>>>>>9	
	csc_ctrl	Control Number		x(20)	
	csc_ctry_code	Country	Ctry	x(3)	
◊	csc_domain	Domain		x(8)	
	csc_end	End Date	End	99/99/99	
	csc_start	Start Date	Start	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	csc_user1	Ufld1		x(8)	
	csc_user2	Ufld2		x(8)	
	csc__qadc01			x(8)	
◊	oid_csc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csc_addr_auth	no	csc_domain	yes	no
			csc_addr	yes	no
			csc_auth	yes	no
Δ	csc_ctrl_addr	no	csc_domain	yes	no
			csc_ctrl	yes	no
			csc_addr	yes	no
Δ*	csc_ctry_auth	yes	csc_domain	yes	no
			csc_ctry_code	yes	no
			csc_auth	yes	no
			csc_addr	yes	no
◊	oid_csc_mstr	yes	oid_csc_mstr	yes	no

csid_det

Controlled Substance Item Detail

	Field Name	Label	Col-Label	Format	Dec
	csid_addr1	Address Code	Address	x(8)	
	csid_addr2	Address Code	Address	x(8)	
	csid_addr3	Address Code	Address	x(8)	
	csid_auth	Authority	Auth	x(8)	
	csid_class	Class		x(8)	
	csid_ctrl	Control Number		x(20)	
	csid_ctry_code	Country	Ctry	x(3)	
◊	csid_domain	Domain		x(8)	
	csid_end	End Date	End	99/99/99	
	csid_intrastat	Intrastat Item		yes/no	
	csid_orig_ctry	Originating Country	Ctry	x(3)	
	csid_orig_pct	Originating Percent	Pct	>>9.99	10
	csid_part	Item Number		x(18)	
	csid_pref	Preference Criteria		x(8)	
	csid_start	Start Date	Start	99/99/99	
	csid_status	Status		x(8)	
	csid_user1	Ufld1		x(8)	
	csid_user2	Ufld2		x(8)	
	csid__qadc01			x(8)	
◊	oid_csid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csid_ctrl_part	no	csid_domain	yes	no
			csid_ctrl	yes	no
			csid_part	yes	no
Δ*	csid_ctry_auth	yes	csid_domain	yes	no
			csid_ctry_code	yes	no
			csid_auth	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			csid_ctrl	yes	no
			csid_part	yes	no
Δ	csid_part_auth	yes	csid_domain	yes	no
			csid_part	yes	no
			csid_ctry_code	yes	no
			csid_auth	yes	no
◊	oid_csid_det	yes	oid_csid_det	yes	no

csil_mstr

Controlled Substance Individual License Master

Field Name	Label	Col-Label	Format	Dec
csil_addr1	Licensee Address	Licensee	x(8)	
csil_addr2	Producer Address	Producer	x(8)	
csil_addr3	Intermediate Consignee Addr	Int Con	x(8)	
csil_addr4	Final Consignee Address	Fin Con	x(8)	
csil_auth	Authority	Auth	x(8)	
csil_cmtindx	Comment Index	Comments	>>>>>>>9	
csil_ctry_code	Country	Ctry	x(3)	
◊ csil_domain	Domain		x(8)	
csil_end	End Date	End	99/99/99	
csil_licen	License Number		x(30)	
csil_start	Start Date	Start	99/99/99	
csil_user1	Ufld1		x(8)	
csil_user2	Ufld2		x(8)	
csil__qadc01			x(8)	
◊ oid_csil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csil_addr4_licen	no	csil_domain	yes	no
			csil_addr4	yes	no
			csil_licen	yes	no
Δ*	csil_ctry_auth	yes	csil_domain	yes	no
			csil_ctry_code	yes	no
			csil_auth	yes	no
			csil_licen	yes	no
Δ	csil_licen	no	csil_domain	yes	no
			csil_licen	yes	no
◊	oid_csil_mstr	yes	oid_csil_mstr	yes	no

csim_mstr

Controlled Substance Item Master

Field Name	Label	Col-Label	Format	Dec
csim_auth	Authority	Auth	x(8)	
csim_cmtindx	Comment Index	Comments	>>>>>>>9	
csim_ctrl	Control Number		x(20)	
csim_ctry_code	Country	Ctry	x(3)	
csim_desc	Description		x(28)	

	Field Name	Label	Col-Label	Format	Dec
◊	csim_domain	Domain		x(8)	
	csim_um	Unit of Measure	UM	x(2)	
	csim_user1	Ufld1		x(8)	
	csim_user2	Ufld2		x(8)	
	csim__qadc01			x(8)	
◊	oid_csim_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csim_auth_ctrl	no	csim_domain	yes	no
			csim_auth	yes	no
			csim_ctrl	yes	no
Δ*	csim_ctry_auth	yes	csim_domain	yes	no
			csim_ctry_code	yes	no
			csim_auth	yes	no
			csim_ctrl	yes	no
Δ	csim_desc	no	csim_domain	yes	no
			csim_auth	yes	no
			csim_desc	yes	no
◊	oid_csim_mstr	yes	oid_csim_mstr	yes	no

csld_det

Controlled Substance Individual License Detail

	Field Name	Label	Col-Label	Format	Dec
	csld_auth	Authority	Auth	x(8)	
	csld_cmtindx	Comment Index	Comments	>>>>>>>9	
	csld_ctry_code	Country	Ctry	x(3)	
	csld_curr	Currency	Cur	x(3)	
◊	csld_domain	Domain		x(8)	
	csld_licen	License Number		x(30)	
	csld_max_amt	Max Amount		>>>,>>>,>>9.99<<<	10
	csld_max_qty	Max Quantity		>>>,>>>,>>9	
	csld_part	Item Number		x(18)	
	csld_tot_amt	Total Amount		>>>>,>>>,>>9.99<<<	10
	csld_tot_qty	Total Quantity		>>>,>>>,>>9	
	csld_user1	Ufld1		x(8)	
	csld_user2	Ufld2		x(8)	
	csld__qadc01			x(8)	
◊	oid_csld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	csld_ctry_auth	yes	csld_domain	yes	no
			csld_ctry_code	yes	no
			csld_auth	yes	no
			csld_licen	yes	no
			csld_part	yes	no
Δ	csld_licen_part	no	csld_domain	yes	no
			csld_licen	yes	no
			csld_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	csld_part_licen	no	csld_domain	yes	no
			csld_part	yes	no
			csld_licen	yes	no
◊	oid_csld_det	yes	oid_csld_det	yes	no

cslm_mstr

Controlled Substance General License Master

	Field Name	Label	Col-Label	Format	Dec
	cslm_auth	Authority	Auth	x(8)	
	cslm_cmtindx	Comment Index	Comments	>>>>>>>9	
	cslm_ctrl	Control Num / ECCN		x(20)	
	cslm_ctry_code	Country	Ctry	x(3)	
	cslm_curr	Currency	Cur	x(3)	
◊	cslm_domain	Domain		x(8)	
	cslm_end	End Date	End	99/99/99	
	cslm_group	Country Groups		x(60)	
	cslm_licen	License Number		x(30)	
	cslm_max_amt	Max Amount		>>>>,>>>,>>9.99<<<	10
	cslm_max_qty	Max Quantity		>>>,>>>,>>9	
	cslm_start	Start Date	Start	99/99/99	
	cslm_tot_amt	Total Amount		>>>>,>>>,>>9.99<<<	10
	cslm_tot_qty	Total Quantity		>>>,>>>,>>9	
	cslm_user1	Ufld1		x(8)	
	cslm_user2	Ufld2		x(8)	
	cslm__qadc01			x(8)	
◊	oid_cslm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cslm_ctrl_licen	no	cslm_domain	yes	no
			cslm_ctrl	yes	no
			cslm_licen	yes	no
Δ*	cslm_ctry_auth	yes	cslm_domain	yes	no
			cslm_ctry_code	yes	no
			cslm_auth	yes	no
			cslm_licen	yes	no
			cslm_ctrl	yes	no
Δ	cslm_grp	no	cslm_domain	yes	no
			cslm_group	yes	no
◊	oid_cslm_mstr	yes	oid_cslm_mstr	yes	no

cssi_det

Site Cost Detail

	Field Name	Label	Col-Label	Format	Dec
	cssi_active	Active	Act	yes/no	
	cssi_cur	Currency	Cur	x(3)	
◊	cssi_domain	Domain		x(8)	
	cssi_mod_date	Modified Date	Mod Date	99/99/99	
	cssi_set	Cost Set		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cssi_site	Site		x(8)	
	cssi_user1	Ufld1		x(8)	
	cssi_user2	Ufld2		x(8)	
	cssi_userid	User ID		x(8)	
	cssi__qadc01			x(8)	
◊	oid_cssi_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cssi_set_site	yes	cssi_domain	yes	no
			cssi_set	yes	no
			cssi_site	yes	no
			cssi_active	yes	no
Δ*	cssi_site_set	yes	cssi_domain	yes	no
			cssi_site	yes	no
			cssi_set	yes	no
			cssi_active	yes	no
◊	oid_cssi_det	yes	oid_cssi_det	yes	no

css_mstr Controlled Substance Site Master

	Field Name	Label	Col-Label	Format	Dec
	css_auth	Authority	Auth	x(8)	
	css_cmtindx	Comment Index	Comments	>>>>>>>9	
	css_ctrl	Control Number		x(20)	
	css_ctry_code	Country	Ctry	x(3)	
◊	css_domain	Domain		x(8)	
	css_end	End Date	End	99/99/99	
	css_site	Site		x(8)	
	css_start	Start Date	Start	99/99/99	
	css_user1	Ufld1		x(8)	
	css_user2	Ufld2		x(8)	
	css__qadc01			x(8)	
◊	oid_css_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	css_ctrl_site	no	css_domain	yes	no
			css_ctrl	yes	no
			css_site	yes	no
Δ*	css_ctry_auth	yes	css_domain	yes	no
			css_ctry_code	yes	no
			css_auth	yes	no
			css_site	yes	no
Δ	css_site_auth	no	css_domain	yes	no
			css_site	yes	no
			css_auth	yes	no
◊	oid_css_mstr	yes	oid_css_mstr	yes	no

cst_mstr

Fixed Asset Custodian Master

	Field Name	Label	Col-Label	Format	Dec
	cst_cust	Custodian		x(12)	
	cst_desc	Description		x(30)	
	cst_user1	Ufld1		x(8)	
	cst_user2	Ufld2		x(8)	
	cst__qad01			x(8)	
	cst__qad02			x(8)	
◊	oid_cst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cst_cust	yes	cst_cust	yes	no
	cst_desc	no	cst_desc	yes	no
			cst_cust	yes	no
◊	oid_cst_mstr	yes	oid_cst_mstr	yes	no

cs_mstr

Cost Set Master

	Field Name	Label	Col-Label	Format	Dec
	cs_desc	Description		x(24)	
◊	cs_domain	Domain		x(8)	
	cs_method	Costing Method	Mthd	x(4)	
	cs_set	Cost Set		x(8)	
	cs_type	Cost Set Type	Type	x(4)	
	cs_user1	Ufld1		x(8)	
	cs_user2	Ufld2		x(8)	
	cs__qadc01			x(8)	
◊	oid_cs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	cs_set	yes	cs_domain	yes	no
			cs_set	yes	no
Δ	cs_type	yes	cs_domain	yes	no
			cs_type	yes	no
			cs_set	yes	no
◊	oid_cs_mstr	yes	oid_cs_mstr	yes	no

ctd_det

Credit Terms Detail

	Field Name	Label	Col-Label	Format	Dec
	ctd_code	Terms Code	Terms	x(8)	
	ctd_date_cd	Dating Code	Dating	x(8)	
◊	ctd_domain	Domain		x(8)	
	ctd_pct_due	% Due		->>9.99	10
	ctd_seq	Sequence	Seq	>>9	

	Field Name	Label	Col-Label	Format	Dec
	ctd_user1	Ufld1		x(8)	
	ctd_user2	Ufld2		x(8)	
	ctd__qadc01			x(8)	
◊	oid_ctd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ctd_cdseq	yes	ctd_domain	yes	no
			ctd_code	yes	no
			ctd_seq	yes	no
◊	oid_ctd_det	yes	oid_ctd_det	yes	no

ctry_mstr Country Master

	Field Name	Label	Col-Label	Format	Dec
	ctry_cmtindx	Comment Index	Comment	>>>>>>>9	
	ctry_code1	Alternate Code	Alt.! Code	x(2)	
	ctry_country	Name		x(28)	
	ctry_ctry_code	Country Code	Ctry	x(3)	
	ctry_dea_flag	DEA Country	DEA	yes/no	
	ctry_ec_flag	EC Country	EC	yes/no	
	ctry_gatt_flag	GATT Country	GATT	yes/no	
	ctry_group	Country Group	Group	x(8)	
	ctry_ie_code	IntraStat Country Code		x(3)	
	ctry_nafta_flag	NAFTA Country	NAFTA	yes/no	
	ctry_type	Country Type	Type	x(8)	
	ctry_user1	Ufld1		x(8)	
	ctry_user2	Ufld2		x(8)	
	ctry_vat_reg_prefix	VAT Registration Prefix		x(2)	
	ctry__chr01			x(8)	
	ctry__log01			yes/no	
	ctry__qad01			x(8)	
	ctry__qad02			x(8)	
	ctry__qad03			x(8)	
	ctry__qad04			yes/no	
	ctry__qad05			yes/no	
◊	oid_ctry_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
	ctry_code1	no	ctry_code1	yes	no
	ctry_country	yes	ctry_country	yes	no
∗	ctry_ctry_code	yes	ctry_ctry_code	yes	no
	ctry_ec_flag	no	ctry_ec_flag	yes	no
◊	oid_ctry_mstr	yes	oid_ctry_mstr	yes	no

ct_mstr Credit Terms Master

	Field Name	Label	Col-Label	Format	Dec
	ct_base_date	Base Date		99/99/99	
	ct_base_days	Base Days		->>9	
	ct_code	Terms Code	Terms	x(8)	
	ct_dating	Multiple Due Dates		yes/no	
	ct_desc	Description		x(24)	
	ct_disc_date	Disc Date		99/99/99	
	ct_disc_days	Disc Days	Disc! Days	->>9	10
	ct_disc_pct	Disc %		->>>9.99%	10
◊	ct_domain	Domain		x(8)	
	ct_due_date	Due Date		99/99/99	
	ct_due_days	Due Days	Due! Days	->>9	10
	ct_due_inv	Due Date From	Start! Due	>9	
	ct_from_inv	Disc Date From	Start! Disc	>9	
	ct_grace_days	Grace Days		->>9	
	ct_late_int	Daily Overdue Int Pct	Daily! Overdue! Int Pct	->>>9.99	10
	ct_min_days	Minimum Due Days		>>9	
	ct_mod_date	Modified Date	Mod Date	99/99/99	
	ct_mtd_disc	30 days		yes/no	
	ct_mtd_due	30 days		yes/no	
	ct_terms_int	Terms Interest Pct	Trms Int%	->>>9.99	10
	ct_user1	Ufld1		x(8)	
	ct_user2	Ufld2		x(8)	
	ct_userid	User ID		x(8)	
	ct_xdue_inv	Due Date From Invoice/EOM	Start! Due	Invoice/EOM	
	ct_xfrom_inv	Disc Date From Invoice/ EOM	Start! Disc	Invoice/EOM	
	ct__qadc01			x(8)	
◊	oid_ct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ct_code	yes	ct_domain	yes	no
			ct_code	yes	no
Δ	ct_desc	yes	ct_domain	yes	no
			ct_desc	yes	no
			ct_code	yes	no
◊	oid_ct_mstr	yes	oid_ct_mstr	yes	no

cu_mstr Currency Master

Field Name	Label	Col-Label	Format	Dec
cu_active	Active		yes/no	
cu_curr	Currency	Cur	x(3)	
cu_desc	Description		x(24)	
cu_iso_curr	ISO Currency		x(3)	
cu_mod_date	Modified Date	Mod Date	99/99/99	
cu_mod_userid	User ID		x(8)	
cu_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
cu_user1	Ufld1		x(8)	
cu_user2	Ufld2		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cu__qadc01			x(8)	
Δ	cu__qadc02			x(24)	
Δ	cu__qadc03			x(24)	
Δ	cu__qadc04			x(24)	
Δ	cu__qadc05			x(24)	
Δ	cu__qadc06			x(24)	
Δ	cu__qadc07			x(24)	
Δ	cu__qadc08			x(24)	
Δ	cu__qadc09			x(24)	
Δ	cu__qadc10			x(24)	
Δ	cu__qadc11			x(24)	
Δ	cu__qadc12			x(24)	
Δ	cu__qadc13			x(24)	
Δ	cu__qadc14			x(24)	
Δ	cu__qadc15			x(24)	
Δ	cu__qadc16			x(24)	
	cu__qadd01			>>,>>9.99999<<<<<	10
	cu__qadl01			yes/no	
	cu__qadt01			99/99/99	
	cu__qadt02			99/99/99	
◊	oid_cu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cu_curr	yes	cu_curr	yes	no
◊	oid_cu_mstr	yes	oid_cu_mstr	yes	no

◊ dald_det

Destination Application List Detail

Field Name	Label	Col-Label	Format	Dec
dald_app_id	Application ID		x(12)	
dald_domain	Domain		x(8)	
dald_eff_dt_in	Effective Date In		99/99/99	
dald_eff_dt_out	Effective Date Out		99/99/99	
dald_list_id	Destination List ID		x(12)	
dald_mod_date	Mod Date		99/99/99	
dald_mod_userid	User ID		x(8)	
dald_user1	Ufld1		x(8)	
dald_user2	Ufld2		x(8)	
dald__chr01			x(8)	
dald__chr02			x(8)	
dald__dec01			->>>,>>>,>>9.99<	10
dald__dec02			->>>,>>>,>>9.99<	10
dald__dte01			99/99/99	
dald__dte02			99/99/99	
dald__int01			->>>,>>>,>>9	
dald__int02			->>>,>>>,>>9	
dald__log01			yes/no	
dald__log02			yes/no	
dald__qadc01			x(8)	
dald__qadc02			x(8)	
dald__qadc03			x(8)	
dald__qadc04			x(8)	

Field Name	Label	Col-Label	Format	Dec
dald__qadd01			->>>,>>>,>>9.99<	10
dald__qadd02			->>>,>>>,>>9.99<	10
dald__qadi01			->>>,>>>,>>9	
dald__qadi02			->>>,>>>,>>9	
dald__qadl01			yes/no	
dald__qadl02			yes/no	
dald__qadt01			99/99/99	
dald__qadt02			99/99/99	
oid_dald_det			>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	dald_appid_dtin	no	dald_domain	yes	no
			dald_app_id	yes	no
			dald_eff_dt_in	yes	no
◊*	dald_list_appid_dtin	yes	dald_domain	yes	no
			dald_list_id	yes	no
			dald_app_id	yes	no
			dald_eff_dt_in	yes	no
◊	oid_dald_det	yes	oid_dald_det	yes	no

◊ dal_mstr Destination Application List Master

Field Name	Label	Col-Label	Format	Dec
dal_domain	Domain		x(8)	
dal_list_desc	Description		x(60)	
dal_list_id	Destination List ID		x(12)	
dal_mod_date	Mod Date		99/99/99	
dal_mod_userid	User ID		x(8)	
dal_user1	Ufld1		x(8)	
dal_user2	Ufld2		x(8)	
dal__chr01			x(8)	
dal__chr02			x(8)	
dal__dec01			->>>,>>>,>>9.99<	10
dal__dec02			->>>,>>>,>>9.99<	10
dal__dte01			99/99/99	
dal__dte02			99/99/99	
dal__int01			->>>,>>>,>>9	
dal__int02			->>>,>>>,>>9	
dal__log01			yes/no	
dal__log02			yes/no	
dal__qadc01			x(8)	
dal__qadc02			x(8)	
dal__qadc03			x(8)	
dal__qadc04			x(8)	
dal__qadd01			->>>,>>>,>>9.99<	10
dal__qadd02			->>>,>>>,>>9.99<	10
dal__qadi01			->>>,>>>,>>9	
dal__qadi02			->>>,>>>,>>9	
dal__qadl01			yes/no	
dal__qadl02			yes/no	
dal__qadt01			99/99/99	
dal__qadt02			99/99/99	
oid_dal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊* dal_list_id	yes	dal_domain	yes	no
		dal_list_id	yes	no
◊ oid_dal_mstr	yes	oid_dal_mstr	yes	no

dbk_mstr Depreciation Book Master

Field Name	Label	Col-Label	Format	Dec
dbk_bank	Bank	Bk	x(2)	
dbk_beg_dt	Depreciation Year Starts	Year! Starts	99/99/99	
dbk_book	Book		x(8)	
dbk_curr	Currency	Cur	x(3)	
dbk_curr_pd	Current Depreciation Period	Cur! Pd	999	
dbk_desc	Description		x(24)	
dbk_entity	Entity	Enty	x(4)	
dbk_mod_date	Modified Date	Mod Date	99/99/99	
dbk_pd_taken	Depr Periods Taken YTD	YTD! Pds	999	
dbk_pd_yr	Depreciation Periods per Year	Pds! Year	999	

	Field Name	Label	Col-Label	Format	Dec
	dbk_post	Post to General Ledger	Post	yes/no	
	dbk_rep_cost	Use Current Costs	Curr! Cost	yes/no	
	dbk_user1	Ufld1		x(8)	
	dbk_user2	Ufld2		x(8)	
	dbk_userid	User ID		x(8)	
	dbk_ytd	Depreciate Using YTD Amounts	YTD	yes/no	
	dbk__qad01			yes/no	
	dbk__qad02			x(8)	
	dbk__qad03			x(8)	
◊	oid_dbk_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dbk_bk_ent	yes	dbk_book	yes	no
			dbk_entity	yes	no
	dbk_post	no	dbk_entity	yes	no
			dbk_post	yes	no
◊	oid_dbk_mstr	yes	oid_dbk_mstr	yes	no

dbs_mstr

Database Revision Control Master

	Field Name	Label	Col-Label	Format	Dec
	dbs_date	Date		99/99/99	
	dbs_major	Major Revision Number	Major	>>9.9	10
	dbs_minor	Minor Revision Number	Minor	x(8)	
	dbs_status	Conversion Status	Status	x(8)	
	dbs_time	Time		>,>>>,>>9	
	dbs_user1	Ufld1		x(8)	
	dbs_user2	Ufld2		x(8)	
	dbs_userid	User ID		x(8)	
	dbs__qadc01			x(8)	
◊	oid_dbs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dbs_rev	yes	dbs_major	no	no
			dbs_minor	no	no
◊	oid_dbs_mstr	yes	oid_dbs_mstr	yes	no

dc_mstr

Database Connection Master

	Field Name	Label	Col-Label	Format	Dec
	dc_active	Active	Act	yes/no	
	dc_cmtindx	Comment Index	Comment	>>>>>>>9	
	dc_desc	Description		x(24)	
	dc_dir	Database Directory		x(50)	
	dc_host	Host		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	dc_name	Database Name	DB name	x(8)	
	dc_network	Network		x(8)	
	dc_parmfile	Parameter File	ParmFile	x(8)	
	dc_phy_name	Physical Database Name	Phys DB Name	x(12)	
	dc_server	Server		x(24)	
	dc_type	Type		x(8)	
	dc_user1	Ufld1		x(8)	
	dc_user2	Ufld2		x(8)	
	dc_use_app	Use AppServer		yes/no	
	dc__chr01			x(8)	
	dc__chr02			x(8)	
	dc__qadc01			x(8)	
	dc__qadc02			x(8)	
	dc__qadl01			yes/no	
	dc__qadl02			yes/no	
◊	oid_dc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dc_name	yes	dc_name	yes	no
◊	oid_dc_mstr	yes	oid_dc_mstr	yes	no

decl_mstr

Declarant Master

	Field Name	Label	Col-Label	Format	Dec
	decl_addr	Declarant		x(8)	
	decl_affiliation	Affiliation		x(1)	
	decl_agent	Agent		x(8)	
	decl_branch	Branch ID		x(3)	
	decl_ctry_code	Country Code		x(3)	
	decl_curr	Currency		x(3)	
◊	decl_domain	Domain		x(8)	
	decl_ex_ratetype	Rate Type		x(8)	
	decl_mod_date	Modified Date	Mod Date	99/99/99	
	decl_mod_userid	User ID		x(8)	
	decl_net_wt_min	Intrastat Net Weight Minimum		>>>,>>>,>>9.99	10
	decl_program	Program		x(12)	
	decl_region	Declaration Region		x(3)	
	decl_user1	User Field Character 1		x(24)	
	decl_user2	User Field Character 2		x(24)	
	decl__qadc01			x(24)	
	decl__qadc02			x(24)	
◊	oid_decl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	decl_addr	yes	decl_domain	yes	no
			decl_addr	yes	no
◊	oid_decl_mstr	yes	oid_decl_mstr	yes	no

defr_det

Service Contract Deferred/Accrued Revenue Detail

	Field Name	Label	Col-Label	Format	Dec
	defr_accr_amt	Accrued Amount		->>>>,>>>,>>9.99<	10
	defr_acct	Deferred Revenue	Deferred	x(8)	
	defr_bill_to	Bill To		x(8)	
	defr_cc	Deferred Revenue CC		x(4)	
	defr_curr	Currency	Cur	x(3)	
	defr_cust	Customer		x(8)	
◊	defr_domain	Domain		x(8)	
	defr_eff_date	Effective Date	Eff Date	99/99/99	
	defr_entity	Entity	Enty	x(4)	
	defr_eu_nbr	End User		x(8)	
	defr_exru_seq	Sequence		>>>>>>>>9	
	defr_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	defr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	defr_ex_ratetype	Rate Type		x(8)	
	defr_for	Supported Item	Item	x(18)	
	defr_inv_amt	Invoiced Amount		->>>>,>>>,>>9.99<	10
	defr_inv_nbr	Invoice		x(8)	
	defr_line	Contract Line	Con Line	>>>>>>>9	
	defr_mod_date	Modified Date	Mod Date	99/99/99	
	defr_mod_userid	User ID		x(8)	
	defr_nbr	Contract		x(8)	
	defr_period_curr_amt	Period Cur Amount		->>>>,>>>,>>9.99<	10
	defr_period_remain	Period Rem		->>>9.9<<<	10
	defr_per_period_amt	Per Period Amount		->>>>,>>>,>>9.99<	10
	defr_prefix	Pf		x(1)	
	defr_project	Project		x(8)	
	defr_rec_amt	Recognized Amount		->>>>,>>>,>>9.99<	10
	defr_rev_amt	Revenue Amount		->>>>,>>>,>>9.99<	10
	defr_sls_acct	Sales Acct		x(8)	
	defr_sls_cc	Sales CC		x(4)	
	defr_sls_sub	Sales Sub-Acct		x(8)	
	defr_sub	Deferred Revenue Sub-Acct		x(8)	
	defr_user1	User Field Character 1		x(24)	
	defr_user2	User Field Character 2		x(24)	
	defr_userd01	User Field Decimal 1		->>>>,>>>,>>9.99<<<<<<<<	10
	defr_useri01	User Field Integer 1		->>>>>>>9	
	defr_userl01	User Field Logical 1		yes/no	
	defr_usert01	User Field Date 1		99/99/99	
	defr__qadc01			x(24)	
	defr__qadc02			x(24)	
	defr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	defr__qadi01			->>>>>>>9	
	defr__qadl01			yes/no	
	defr__qadt01			99/99/99	
◊	oid_defr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	defr_nbrln	yes	defr_domain	yes	no
			defr_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			defr_prefix	yes	no
			defr_line	yes	no
			defr_inv_nbr	yes	no
◊	oid_defr_det	yes	oid_defr_det	yes	no

delt_mstr

Delivery Time Master

	Field Name	Label	Col-Label	Format	Dec
	delt_city	To City	City	x(20)	
	delt_ctry	To Country Code	Country	x(3)	
◊	delt_domain	Domain		x(8)	
	delt_method	Delivery Method	Method	x(8)	
	delt_mod_date	Modified Date	Mod Date	99/99/99	
	delt_mod_userid	User ID		x(8)	
	delt_site	From Site	Site	x(8)	
	delt_state	To State	State	x(4)	
	delt_transit	Transit Days	Transit	>>9	
	delt_userc01	User Field 1		x(24)	
	delt_userc02	User Field 2		x(24)	
	delt_userd01	User Field Decimal 1		->>>,>>>,>>9.9<<<<<<<<<	10
	delt_useri01	User Field Integer 1		->>>>>>9	
	delt_userl01	User Field Logical		yes/no	
	delt_usert01	User Field Date 1		99/99/99	
	delt_use_category	Use Category	Use	x(2)	
	delt__qadc01			x(24)	
	delt__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	delt__qadi01			->>>>>>>9	
	delt__qadl01			yes/no	
	delt__qadt01			99/99/99	
◊	oid_delt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	delt_site	yes	delt_domain	yes	no
			delt_site	yes	no
			delt_ctry	yes	no
			delt_state	yes	no
			delt_city	yes	no
			delt_use_category	yes	no
			delt_method	yes	no
Δ*	delt_use_category	yes	delt_domain	yes	no
			delt_use_category	yes	no
			delt_site	yes	no
			delt_ctry	yes	no
			delt_state	yes	no
			delt_city	yes	no
			delt_method	yes	no
◊	oid_delt_mstr	yes	oid_delt_mstr	yes	no

df_mstr

Document Print Format Master

	Field Name	Label	Col-Label	Format	Dec
	df_desc	Description		x(30)	
◊	df_domain	Domain		x(8)	
	df_format	Document Format	Format	x(8)	
	df_form_code	Form Code	Form Cd	x(2)	
	df_inv	Invoice		yes/no	
	df_type	Document Type		x(3)	
	df_user1	Ufld1		x(8)	
	df_user2	Ufld2		x(8)	
	df__qadc01			x(8)	
◊	oid_df_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	df_format	yes	df_domain	yes	no
			df_type	yes	no
			df_format	yes	no
◊	oid_df_mstr	yes	oid_df_mstr	yes	no

djrc_det

Daybook Journal Report Detail

	Field Name	Label	Col-Label	Format	Dec
	djrc_code	Report Code		x(8)	
◊	djrc_domain	Domain		x(8)	
	djrc_element	Element		x(8)	
	djrc_mod_date	Modified Date	Mod Date	99/99/99	
	djrc_mod_userid	User ID		x(8)	
	djrc_order	Order		>>9	
	djrc_total	Total		yes/no	
	djrc_type	Type		x(8)	
	djrc_user1	User Field Character 1		x(24)	
	djrc_user2	User Field Character 2		x(24)	
	djrc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<	10
	djrc_useri01	User Field Integer 1		->>>>>>>9	
	djrc_userl01	User Field Logical 1		yes/no	
	djrc_usert01	User Field Date 1		99/99/99	
	djrc__qadc01			x(24)	
	djrc__qadc02			x(24)	
	djrc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	djrc__qadi01			->>>>>>>9	
	djrc__qadl01			yes/no	
	djrc__qadt01			99/99/99	
◊	oid_djrc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	djrc_code	yes	djrc_domain	yes	no
			djrc_code	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			djrc_type	yes	no
			djrc_order	yes	no
			djrc_element	yes	no
◊	oid_djrc_det	yes	oid_djrc_det	yes	no

djr_mstr

Daybook Journal Report Master

Field Name	Label	Col-Label	Format	Dec
djr_acc_skip	Skip Line After Acc Code		yes/no	
djr_bank	Bank Code		x(2)	
djr_cc1	From Cost Center		x(4)	
djr_cc2	To Cost Center		x(4)	
djr_code	Report Code		x(8)	
djr_crit1	From Criteria		x(16)	
djr_crit2	To Criteria		x(16)	
djr_desc	Description		x(24)	
djr_disp_curr	Display Currency Value		yes/no	
◊ djr_domain	Domain		x(8)	
djr_ent1	From Entity		x(8)	
djr_ent2	To Entity		x(8)	
djr_inc_memo	Include Memo Accounts		yes/no	
djr_inc_stat	Include Statistical Accounts		yes/no	
djr_mod_date	Modified Date	Mod Date	99/99/99	
djr_mod_userid	User ID		x(8)	
djr_newpage	New Page For Each Account		yes/no	
djr_pagenum	Starting Page Number		>>>9	
djr_per1	From Period		>9	
djr_per2	To Period		>9	
djr_sub1	From Sub-Account		x(8)	
djr_sub2	To Sub-Account		x(8)	
djr_summary	Summary/Detail		Summary/Detail	
djr_title	Report Title		x(50)	
djr_type	Report Type		x(3)	
djr_user1	User Field Character 1		x(24)	
djr_user2	User Field Character 2		x(24)	
djr_userc03	User Field Character 3		x(24)	
djr_userc04	User Field Character 4		x(24)	
djr_userc05	User Field Character 5		x(24)	
djr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
djr_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
djr_useri01	User Field Integer 1		->>>>>>>9	
djr_useri02	User Field Integer 2		->>>>>>>9	
djr_userl01	User Field Logical 1		yes/no	
djr_userl02	User Field Logical 2		yes/no	
djr_usert01	User Field Date 1		99/99/99	
djr_usert02	User Field Date 2		99/99/99	
djr_year	Fiscal Year		9999	
djr__qadc01			x(24)	
djr__qadc02			x(24)	
djr__qadc03			x(24)	
djr__qadc04			x(24)	
djr__qadc05			x(24)	
djr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
djr__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	djr__qadi01			->>>>>>>9	
	djr__qadi02			->>>>>>>9	
	djr__qadl01			yes/no	
	djr__qadl02			yes/no	
	djr__qadt01			99/99/99	
	djr__qadt02			99/99/99	
◊	oid_djr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	djr_code	yes	djr_domain	yes	no
			djr_code	yes	no
Δ	djr_desc	yes	djr_domain	yes	no
			djr_desc	yes	no
◊	oid_djr_mstr	yes	oid_djr_mstr	yes	no

dmw_wkfl Draft Management Work Table

	Field Name	Label	Col-Label	Format	Dec
	dmw_amt	Amount		->>,>>>,>>>,>>9.99	10
	dmw_appl	Applied Amt		->>,>>>,>>>,>>9.99	10
	dmw_bank	Bank		x(8)	
	dmw_bill	Bill-To		x(8)	
	dmw_curr	Currency	Cur	x(3)	
	dmw_date	Date		99/99/99	
	dmw_disc	Discount		->>,>>>,>>>,>>9.99	10
	dmw_due_date	Due Date		99/99/99	
	dmw_entity	Entity	Enty	x(4)	
	dmw_nbr	Reference		x(8)	
	dmw_sel	Sel		x(1)	
	dmw_type	Type	T	x(1)	
	dmw_user1	Ufld1		x(8)	
	dmw_user2	Ufld2		x(8)	
	dmw__char01			x(8)	
	dmw__char02			x(8)	
	dmw__char03			x(8)	
	dmw__char04			x(8)	
	dmw__char05			x(8)	
	dmw__dte01			99/99/99	
	dmw__log01			yes/no	
◊	oid_dmw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	dmw_bill	no	dmw_bill	yes	no
			dmw_entity	yes	no
			dmw_curr	yes	no
*	dmw_nbr	yes	dmw_nbr	yes	no
			dmw_bill	yes	no
			dmw_sel	yes	no
◊	oid_dmw_wkfl	yes	oid_dmw_wkfl	yes	no

◊ dom_mstr Domain Master

Field Name	Label	Col-Label	Format	Dec
dom_active	Active		yes/no	
dom_db	Database		x(8)	
dom_domain	Domain		x(8)	
dom_mod_date	Modified Date	Mod Date	99/99/99	
dom_mod_userid	User ID		x(8)	
dom_name	Name		x(28)	
dom_sname	Short Name		x(14)	
dom_type	Domain Type		x(8)	
dom_user1	User Field Character 1		x(24)	
dom_user2	User Field Character 2		x(24)	
dom__qadc01			x(24)	
dom__qadc02			x(24)	
oid_dom_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊* dom_domain	yes	dom_domain	yes	no
◊ dom_name	yes	dom_name	yes	no
◊ oid_dom_mstr	yes	oid_dom_mstr	yes	no

dpc_mstr Depreciation Convention Master

Field Name	Label	Col-Label	Format	Dec
dpc_acq_pct[4]	Percent		->>9.9<%	10
dpc_beg_date	Beginning Date	Beg Date	99/99/99	
dpc_conv	Convention		x(8)	
dpc_desc	Description		x(24)	
dpc_end_date	Ending Date	End Date	99/99/99	
dpc_rt_pct[4]	Percent		->>9.9<%	10
dpc_user1	Ufld1		x(8)	
dpc_user2	Ufld2		x(8)	
dpc__qad01			x(8)	
dpc__qad02			x(8)	
◊ oid_dpc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
* dpc_conv	yes	dpc_conv	yes	no
◊ oid_dpc_mstr	yes	oid_dpc_mstr	yes	no

dprd_det Depreciation Detail

	Field Name	Label	Col-Label	Format	Dec
	dprd_acct	Account		x(8)	
	dprd_amt	Amount		->>,>>>,>>>,>>9.99<	10
	dprd_asset	Asset		x(12)	
	dprd_book	Book		x(8)	
	dprd_cc	Cost Center	CC	x(4)	
	dprd_cost_pct	Current Cost Percent	Cur Cost! Percent	->>9.9<%	10
	dprd_curr_amt	Currency Amount		->>,>>>,>>>,>>9.99<	10
	dprd_desc	Description		x(24)	
	dprd_effdate	Effective	Eff Date	99/99/99	
	dprd_entity	Entity	Enty	x(4)	
	dprd_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	dprd_exru_seq	Sequence		>>>>>>>>9	
	dprd_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	dprd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	dprd_ex_ratetype	Rate Type		x(8)	
	dprd_gl_line	Line		>>>9	
	dprd_line	Line	Ln	999	
	dprd_method	Method		x(8)	
	dprd_pd	Period	Pd	999	
	dprd_pd_closed	Period Closed	Pd! Clsd	yes/no	
	dprd_pd_date	Period End		99/99/99	
	dprd_post	Posted		yes/no	
	dprd_proj	Project		x(8)	
	dprd_ref	GL Reference		x(14)	
	dprd_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
	dprd_sub	Sub-Account	Sub-Acct	x(8)	
	dprd_type	Type	T	x(1)	
	dprd_user1	Ufld1		x(8)	
	dprd_user2	Ufld2		x(8)	
	dprd__qad01			x(8)	
	dprd__qad02			x(8)	
◊	oid_dprd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	dprd_ent_pdate	no	dprd_entity	yes	no
			dprd_pd_date	yes	no
*	dprd_index1	yes	dprd_entity	yes	no
			dprd_book	yes	no
			dprd_asset	yes	no
			dprd_pd_date	yes	no
			dprd_line	yes	no
			dprd_rflag	yes	no
	dprd_pdate_line	no	dprd_pd_date	yes	no
			dprd_line	yes	no
			dprd_pd_closed	yes	no
			dprd_entity	yes	no
			dprd_book	yes	no
			dprd_asset	yes	no
	dprd_post	no	dprd_asset	yes	no
			dprd_post	yes	no
			dprd_effdate	yes	no
			dprd_book	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	dprd_type	no	dprd_type	yes	no
			dprd_asset	yes	no
			dprd_pd_date	yes	no
◊	oid_dprd_det	yes	oid_dprd_det	yes	no

dprt_det

Depreciation Method Detail

Field Name	Label	Col-Label	Format	Dec
dprt_amt	Amount		->>,>>>,>>>,>>9.99<	10
dprt_method	Method		x(8)	
dprt_mnth	Month	Mh	99	
dprt_percent	Percent		>>>9.9<<<%	10
dprt_user1	Ufld1		x(8)	
dprt_user2	Ufld2		x(8)	
dprt_year	Year	Yr	99	
dprt__qad01			yes/no	
dprt__qad02			x(8)	
dprt__qad03			x(8)	
◊ oid_dprt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dprt_index1	yes	dprt_method	yes	no
			dprt_year	yes	no
			dprt_mnth	yes	no
◊	oid_dprt_det	yes	oid_dprt_det	yes	no

dpr_mstr

Depreciation Method Master

Field Name	Label	Col-Label	Format	Dec
dpr_basis	Basis		x(24)	
dpr_beg_date	Beginning Date	Begin	99/99/99	
dpr_desc	Description		x(24)	
dpr_end_date	Ending Date	End	99/99/99	
dpr_eq[15]	Equation		x(76)	
dpr_method	Method		x(8)	
dpr_mod_date	Modified Date	Mod Date	99/99/99	
dpr_opt_method	Optimization Method	Optimize! Method	x(8)	
dpr_switch	Optimize Depreciation	Opt! Depr	yes/no	
dpr_table	Table	Tbl	yes/no	
dpr_user1	Ufld1		x(8)	
dpr_user2	Ufld2		x(8)	
dpr_userid	User ID		x(8)	
dpr__qad01			yes/no	
dpr__qad02			x(8)	
dpr__qad03			x(8)	
◊ oid_dpr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dpr_method	yes	dpr_method	yes	no
	dpr_table	no	dpr_method	yes	no
			dpr_table	yes	no
◊	oid_dpr_mstr	yes	oid_dpr_mstr	yes	no

dpt_mstr

Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_cop_sub	Cost of Production Sub	Sub-Acct	x(8)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
◊ dpt_domain	Domain		x(8)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->,>>>,>>9	
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	
dpt__chr01			x(8)	
dpt__chr02			x(8)	
dpt__chr03			x(8)	
dpt__chr04			x(8)	
dpt__chr05			x(8)	
dpt__dec01			>>>,>>>,>>9.99	10
dpt__dec02			>>>,>>>,>>9.99	10
dpt__dte01			99/99/99	
dpt__dte02			99/99/99	
dpt__log01			yes/no	
dpt__qadc01			x(8)	
dpt__qadc02			x(4)	
dpt__qadc03			x(8)	
dpt__qadc04			x(4)	
dpt__qadc05			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	dpt__qadc06			x(4)	
	dpt__qadc07			x(8)	
	dpt__qadc08			x(4)	
◊	oid_dpt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	dpt_dept	yes	dpt_domain	yes	no
			dpt_dept	yes	no
Δ	dpt_desc	yes	dpt_domain	yes	no
			dpt_desc	yes	no
			dpt_dept	yes	no
◊	oid_dpt_mstr	yes	oid_dpt_mstr	yes	no

drp_ctrl

Distribution Requirements Planning Control

	Field Name	Label	Col-Label	Format	Dec
	drp_auto_nbr	Auto Δ/O Numbers	Auto Δ/O	yes/no	
	drp_auto_req	Auto Requisitions		yes/no	
	drp_dcmmts	Distribution Order Comments	Δ/O Cmmts	yes/no	
◊	drp_domain	Domain		x(8)	
	drp_mrp	DRP/MRP Combined	DRP/MRP	yes/no	
	drp_nbr	Next Δ/O Nbr	Next Δ/O	>>>>>>>9	
	drp_nbr_pre	Δ/O Prefix	Pre	x(3)	
	drp_rcmmts	Requisition Comments	Req Cmmts	yes/no	
	drp_req_nbr	Next Req Nbr	Next Req	>>>>>>>9	
	drp_req_pre	Req Prefix	Pre	x(3)	
	drp_user1	Ufld1		x(8)	
	drp_user2	Ufld2		x(8)	
	drp__qadc01			x(8)	
Δ	drp__qadi01			->>>>>>>9	
◊	oid_drp_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	drp_ctrl	yes	drp_domain	yes	no
◊	oid_drp_ctrl	yes	oid_drp_ctrl	yes	no

dsd_det

Distributed Site Requisition Detail

	Field Name	Label	Col-Label	Format	Dec
	dsd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	dsd_domain	Domain		x(8)	
	dsd_due_date	Due Date		99/99/99	
	dsd_git_acct	Goods in Transit Acct	GIT Acct	x(8)	
	dsd_git_cc	Cost Center	CC	x(4)	
	dsd_git_site	In Transit Site	GIT Site	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	dsd_git_sub	Goods in Tran Sub-Acct	Sub-Acct	x(8)	
	dsd_loc	Location		x(8)	
	dsd_nbr	Order Number	Order	x(8)	
	dsd_part	Item Number		x(18)	
	dsd_per_date	Performance Date	Perform	99/99/99	
	dsd_pod_line	Line	Ln	>>9	
	dsd_po_nbr	Purchase Order	P/O Nbr	x(8)	
	dsd_project	Project		x(8)	
	dsd_qty_chg	Qty To Receive	Receipt Qty	->,>>>,>>9.9<<<<<<<<	10
	dsd_qty_conf	Qty Confirmed		->,>>>,>>9.9<<<<<<<<	10
	dsd_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
	dsd_qty_rcvd	Qty Received		->,>>>,>>9.9<<<<<<<<	10
	dsd_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<<	10
	dsd_req_nbr	Requisition	Req Nbr	x(8)	
	dsd_residual	In Transit Value		->>>,>>>,>>9.99<<<	10
	dsd_rev	Rev		x(4)	
	dsd_rmks	Remarks		x(40)	
	dsd_shipdate	Ship Date	Ship	99/99/99	
	dsd_shipsite	Shipping Site	Source	x(8)	
	dsd_site	Site		x(8)	
	dsd_status	Status	St	x(1)	
	dsd_transit	In Transit		->,>>>,>>9.9<<<<<<<<	10
	dsd_trans_id	Transportation Code	Transport	x(8)	
	dsd_updated	Updated		yes/no	
	dsd_user1	Ufld1		x(8)	
	dsd_user2	Ufld2		x(8)	
	dsd__chr01			x(8)	
	dsd__chr02			x(8)	
	dsd__chr03			x(8)	
	dsd__chr04			x(8)	
	dsd__chr05			x(8)	
	dsd__dec01			>>>,>>>,>>9.99	10
	dsd__dec02			>>>,>>>,>>9.99	10
	dsd__dte01			99/99/99	
	dsd__dte02			99/99/99	
	dsd__log01			yes/no	
◊	oid_dsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	dsd_nbr	no	dsd_domain	yes	no
			dsd_nbr	yes	no
			dsd_shipsite	yes	no
Δ	dsd_req_nbr	yes	dsd_domain	yes	no
			dsd_req_nbr	yes	no
			dsd_site	yes	no
			dsd_shipsite	yes	no
Δ*	dsd_site	yes	dsd_domain	yes	no
			dsd_site	yes	no
			dsd_req_nbr	yes	no
			dsd_shipsite	yes	no
Δ	dsr_part_due	no	dsd_domain	yes	no
			dsd_part	yes	no
			dsd_site	yes	no
			dsd_due_date	yes	no
Δ	dsr_part_rel	no	dsd_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			dsd_part	yes	no
			dsd_shipsite	yes	no
			dsd_shipdate	yes	no
◊	oid_dsd_det	yes	oid_dsd_det	yes	no

dsr_mstr

Distributed Site Requisition Master

	Field Name	Label	Col-Label	Format	Dec
	dsr_app_owner	Owner Application		x(12)	
	dsr_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	dsr_domain	Domain		x(8)	
	dsr_due_date	Due Date		99/99/99	
	dsr_loc	Location		x(8)	
	dsr_ord_date	Order Date	Ord Date	99/99/99	
	dsr_part	Item Number		x(18)	
	dsr_project	Project		x(8)	
	dsr_qty_req	Quantity		->,>>>,>>9.9<<<<<<<<	10
	dsr_req_nbr	Requisition	Req Nbr	x(8)	
	dsr_rev	Rev		x(4)	
	dsr_rmks	Remarks		x(40)	
	dsr_site	Site		x(8)	
	dsr_so_job	Sales/Job	SO/Job	x(8)	
	dsr_status	Status	St	x(1)	
	dsr_user1	Ufld1		x(8)	
	dsr_user2	Ufld2		x(8)	
	dsr__chr01			x(8)	
	dsr__chr02			x(8)	
	dsr__chr03			x(8)	
	dsr__chr04			x(8)	
	dsr__chr05			x(8)	
	dsr__dec01			>>>,>>>,>>9.99	10
	dsr__dec02			>>>,>>>,>>9.99	10
	dsr__dte01			99/99/99	
	dsr__dte02			99/99/99	
	dsr__log01			yes/no	
◊	oid_dsr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	dsr_mstr	yes	dsr_domain	yes	no
			dsr_site	yes	no
			dsr_req_nbr	yes	no
Δ	dsr_part	no	dsr_domain	yes	no
			dsr_part	yes	no
			dsr_site	yes	no
			dsr_due_date	yes	no
Δ	dsr_req_nbr	yes	dsr_domain	yes	no
			dsr_req_nbr	yes	no
			dsr_site	yes	no
◊	oid_dsr_mstr	yes	oid_dsr_mstr	yes	no

dss_mstr

Distributed Site Order Master

	Field Name	Label	Col-Label	Format	Dec
	dss_app_owner	Owner Application		x(12)	
	dss_bol	BOL		x(18)	
	dss_cartons	Cartons		>,>>>,>>9	
	dss_cmtindx	Comment Index	Comment	>>>>>>>9	
	dss_created	Date Created	Ord Date	99/99/99	
◊	dss_domain	Domain		x(8)	
	dss_due_date	Due Date		99/99/99	
	dss_fob	FOB Point		x(20)	
	dss_fr_list	Freight List	Frt List	x(8)	
	dss_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
	dss_fr_terms	Freight Terms	Fr Terms	x(8)	
	dss_lang	Language		x(2)	
	dss_nbr	Order Number	Order	x(8)	
	dss_po_nbr	Purchase Order	PO	x(22)	
	dss_rec_site	Ship-To		x(8)	
	dss_rmks	Remarks		x(40)	
	dss_shipdate	Ship Date		99/99/99	
	dss_shipsite	Site		x(8)	
	dss_shipvia	Ship Via		x(20)	
	dss_so_nbr	Sales Order	S/O	x(8)	
	dss_status	Order Status	Status	x(8)	
	dss_user1	Ufld1		x(8)	
	dss_user2	Ufld2		x(8)	
	dss_weight	Weight		->>>,>>>,>>9.9999	10
	dss_weight_um	Weight UM	UM	x(2)	
	dss__chr01			x(8)	
	dss__chr02			x(8)	
	dss__chr03			x(8)	
	dss__chr04			x(8)	
	dss__chr05			x(8)	
	dss__chr06			x(8)	
	dss__chr07			x(8)	
	dss__chr08			x(8)	
	dss__chr09			x(8)	
	dss__chr10			x(8)	
	dss__dec01	PST		>>>,>>>,>>9.99	10
	dss__dec02			>>>,>>>,>>9.99	10
	dss__dte01			99/99/99	
	dss__dte02			99/99/99	
	dss__log01			yes/no	
	dss__qad01			-z,zzz,zzz,zz9.99	10
	dss__qad02			-z,zzz,zzz,zz9.99	10
	dss__qad03			-z,zzz,zzz,zz9.99	10
	dss__qad04			>	
	dss__qad05[2]			>>9.9<<	10
◊	oid_dss_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	dss_nbr	yes	dss_domain	yes	no
			dss_nbr	yes	no
			dss_shipsite	yes	no
Δ	dss_rec_site	no	dss_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			dss_rec_site	yes	no
			dss_shipsite	yes	no
			dss_nbr	yes	no
Δ	dss_shipsite	no	dss_domain	yes	no
			dss_shipsite	yes	no
			dss_rec_site	yes	no
			dss_nbr	yes	no
◊	oid_dss_mstr	yes	oid_dss_mstr	yes	no

ds_det

Distributed Site Order Detail

	Field Name	Label	Col-Label	Format	Dec
	ds_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ds_domain	Domain		x(8)	
	ds_due_date	Due Date		99/99/99	
	ds_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
	ds_fr_class	Freight Class		x(8)	
	ds_fr_list	Freight List	Frt List	x(8)	
	ds_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
	ds_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
	ds_fr_wt_um	UM		x(2)	
	ds_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
	ds_git_cc	Cost Center	CC	x(4)	
	ds_git_site	In Transit Site	GIT Site	x(8)	
	ds_git_sub	Goods In Tran Sub-Acct	Sub-Acct	x(8)	
	ds_line	Line	Ln	>>>>>>>>9	
	ds_loc	Location		x(8)	
	ds_nbr	Order Number	Order	x(8)	
	ds_order_category	Category		x(8)	
	ds_part	Item Number		x(18)	
	ds_per_date	Performance Date	Perform	99/99/99	
	ds_project	Project		x(8)	
	ds_qty_all	Qty Allocated	Allocated	->,>>>,>>9.9<<<<<<<<	10
	ds_qty_chg	Qty To Issue	Issue Qty	->,>>>,>>9.9<<<<<<<<	10
	ds_qty_conf	Qty Confirmed	Qty Conf	->,>>>,>>9.9<<<	10
	ds_qty_ord	Qty Ordered		->,>>>,>>9.9<<<	10
	ds_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
	ds_qty_ship	Qty Shipped		->,>>>,>>9.9<<<	10
	ds_req_nbr	Requisition Number	Req Nbr	x(8)	
	ds_residual	In Transit Value		->>>,>>>,>>9.99	10
	ds_rev	Rev		x(4)	
	ds_rmks	Remarks		x(40)	
	ds_shipdate	Ship Date	Ship	99/99/99	
	ds_shipsite	Shipping Site	Source	x(8)	
	ds_site	Site		x(8)	
	ds_sod_line	Line	Ln	>>9	
	ds_so_nbr	Sales Order	S/O Nbr	x(8)	
	ds_status	Status	St	x(1)	
	ds_trans_id	Transport ID	Transport	x(8)	
	ds_user1	Ufld1		x(8)	
	ds_user2	Ufld2		x(8)	
	ds__chr01			x(8)	
	ds__chr02			x(8)	
	ds__chr03			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ds__chr04			x(8)	
	ds__chr05			x(8)	
	ds__dec01			>>>,>>>,>>9.99	10
	ds__dec02			>>>,>>>,>>9.99	10
	ds__dte01			99/99/99	
	ds__dte02			99/99/99	
	ds__log01			yes/no	
◊	oid_ds_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ds_det	yes	ds_domain	yes	no
			ds_shipsite	yes	no
			ds_req_nbr	yes	no
			ds_site	yes	no
Δ	ds_fr_list	no	ds_domain	yes	no
			ds_nbr	yes	no
			ds_shipsite	yes	no
			ds_fr_list	yes	no
Δ	ds_nbr	no	ds_domain	yes	no
			ds_nbr	yes	no
			ds_shipsite	yes	no
			ds_line	yes	no
Δ	ds_part	no	ds_domain	yes	no
			ds_part	yes	no
			ds_shipsite	yes	no
			ds_shipdate	yes	no
Δ*	ds_req_nbr	yes	ds_domain	yes	no
			ds_req_nbr	yes	no
			ds_site	yes	no
			ds_shipsite	yes	no
◊	oid_ds_det	yes	oid_ds_det	yes	no

dyd_mstr

General Ledger Default Daybook Master

	Field Name	Label	Col-Label	Format	Dec
	dyd_doc_type	Doc Type		x(8)	
◊	dyd_domain	Domain		x(8)	
	dyd_dy_code	Daybook		x(8)	
	dyd_entity_fr	From Entity		x(4)	
	dyd_entity_to	To Entity		x(4)	
	dyd_tr_type	Trans Type	Trans	x(2)	
	dyd_user1	Ufld1		x(8)	
	dyd_user2	Ufld2		x(8)	
	dyd__qadc01			x(8)	
◊	oid_dyd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	dyd_type	yes	dyd_domain	yes	no
			dyd_tr_type	yes	no
			dyd_doc_type	yes	no
			dyd_entity_fr	yes	no
			dyd_entity_to	yes	no
◊	oid_dyd_mstr	yes	oid_dyd_mstr	yes	no

dy_mstr

General Ledger Daybook Master

	Field Name	Label	Col-Label	Format	Dec
	dy_desc	Desc		x(24)	
◊	dy_domain	Domain		x(8)	
	dy_dy_code	Daybook		x(8)	
	dy_last_entcen	Central Last Entry	Central Entry	x(40)	
	dy_last_entdet	Daybook Last Entry	Daybook Entry	x(40)	
	dy_next_pgcen	Central Next Page	Central Page	>>>>>>>9	
	dy_next_pgdet	Daybook Next Page	Daybook Page	>>>>>>>9	
	dy_type	Daybook Type		x(2)	
	dy_user1	Ufld1		x(8)	
	dy_user2	Ufld2		x(8)	
	dy__qadc01			x(8)	
◊	oid_dy_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	dy_code	yes	dy_domain	yes	no
			dy_dy_code	yes	no
◊	oid_dy_mstr	yes	oid_dy_mstr	yes	no

ea_mstr

Earnings Master

	Field Name	Label	Col-Label	Format	Dec
	ea_acc	Default Account	Account	x(8)	
	ea_cc	Default Cost Ctr	CC	x(4)	
	ea_desc	Description		x(24)	
◊	ea_domain	Domain		x(8)	
	ea_earn	Earnings Code	Earn	x(4)	
	ea_fed_yn	Piece Rate		yes/no	
	ea_mod_date	Modified Date	Mod Date	99/99/99	
	ea_piece	Piece Rate	Pc	yes/no	
	ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	10
	ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
	ea_sub	Default Sub-Account	Sub-Acct	x(8)	
	ea_type	Earnings Type	Type	x(1)	
	ea_user1	Ufld1		x(8)	
	ea_user2	Ufld2		x(8)	
	ea_userid	User ID		x(8)	
	ea__qad01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	ea__qad02			yes/no	
	ea__qad03			yes/no	
	ea__qad04			yes/no	
	ea__qad05			yes/no	
	ea__qad06			yes/no	
◊	oid_ea_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ea_desc	yes	ea_domain	yes	no
			ea_desc	yes	no
			ea_earn	yes	no
Δ*	ea_earn	yes	ea_domain	yes	no
			ea_earn	yes	no
◊	oid_ea_mstr	yes	oid_ea_mstr	yes	no

eca_mstr

Engineering Change Approval Master

	Field Name	Label	Col-Label	Format	Dec
	eca_code	Approval Code	Approval	x(8)	
◊	eca_domain	Domain		x(8)	
	eca_group	Group		x(8)	
	eca_mod_date	Modified Date	Mod Date	99/99/99	
	eca_reroute	Re-Approval	Re	>9	
	eca_seq	Sequence	Seq	>>9	
	eca_user1	Ufld1		x(8)	
	eca_user2	Ufld2		x(8)	
	eca_userid	User ID		x(8)	
	eca__qad01	First Rec		yes/no	
	eca__qad02			99/99/99	
	eca__qad03	ReRoute Permission	ReRoute	x(8)	
	eca__qad04			x(8)	
	eca__qad05			x(8)	
◊	oid_eca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	eca_code_group	yes	eca_domain	yes	no
			eca_code	yes	no
			eca_group	yes	no
◊	oid_eca_mstr	yes	oid_eca_mstr	yes	no

ecd1_det

Engineering Change Product Structure Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd1_batch	Batch Size		>>>,>>>,>>9.9<<<<<<<<	10
	ecd1_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
	ecd1_batch_um	UM		x(2)	
	ecd1_cmtindx	Comment Index	Comment	>>>>>>>9	
	ecd1_comp	Component Item		x(18)	
	ecd1_deactivate	Deactivate		yes/no	
	ecd1_default	Default Option	Default	yes/no	
◊	ecd1_domain	Domain		x(8)	
	ecd1_fcst_pct	Forecast	Fcst	>>9.99%	10
	ecd1_group	Option Group	Group	x(8)	0
	ecd1_item_no	Number		->>>>>>>	
	ecd1_lt_off	LT Offset	LTO	->>	
	ecd1_mandatory	Mandatory		yes/no	
	ecd1_mod_date	Modified Date	Mod Date	99/99/99	
	ecd1_nbr	ECN Number	ECN	x(8)	
	ecd1_op	Op		>>>>>>	
	ecd1_par	Parent Item		x(18)	
	ecd1_process	Process		x(8)	
	ecd1_psprocess	Process		x(8)	0
	ecd1_ps_code	Structure Type	T	x(1)	0
	ecd1_qty_per	Qty Per		->,>>>,>>9.9<<<<<<<<	10
	ecd1_qty_per_b	Qty Per		->,>>>,>>9.9<<<<<<<<	10
	ecd1_qty_type	Qty Type	T	x(1)	
	ecd1_recindx	Cross Reference	Xref	>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	ecd1_ref	Reference		x(12)	
	ecd1_rmks	Remarks		x(24)	
	ecd1_scrp_pct	Scrap		>>9.99%	10
	ecd1_start	Start Date	Start	99/99/99	
	ecd1_user1	Ufld1		x(8)	
	ecd1_user2	Ufld2		x(8)	
	ecd1_userid	User ID		x(8)	
	ecd1__qad01	Deactivate	D	yes/no	
	ecd1__qad02	Start		99/99/99	
	ecd1__qad03	Structure Type	T	x(8)	
	ecd1__qad04	Mandatory		x(8)	
	ecd1__qad05	Default Option	Default	x(8)	
◊	oid_ecd1_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecd1_comp_par	no	ecd1_domain	yes	no
			ecd1_nbr	yes	no
			ecd1_comp	yes	no
			ecd1_par	yes	no
Δ*	ecd1_par_comp	yes	ecd1_domain	yes	no
			ecd1_nbr	yes	no
			ecd1_par	yes	no
			ecd1_comp	yes	no
			ecd1_ref	yes	no
◊	oid_ecd1_det	yes	oid_ecd1_det	yes	no

ecd2_det

Engineering Change Routing Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd2_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
	ecd2_cmtindx	Comment Index	Comment	>>>>>>>9	
	ecd2_desc	Description		x(24)	
◊	ecd2_domain	Domain		x(8)	
	ecd2_mch	Machine		x(8)	
	ecd2_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
	ecd2_men_mch	Run Crew		->>,>>9.99	10
	ecd2_mod_date	Modified Date	Mod Date	99/99/99	
	ecd2_nbr	ECN Number	ECN	x(8)	
	ecd2_op	Operation	Op	>>>>9	
	ecd2_process	Process		x(8)	
	ecd2_recindx	Cross Reference	Xref	>>>>>>>9	
	ecd2_routing	Routing Code		x(18)	
	ecd2_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
	ecd2_run_per_b	Run Time/Batch Qty	R/B	>>>,>>>,>>9.9<<<<<<<<	10
	ecd2_setup	Setup Time	Setup	>,>>9.9<<	10
	ecd2_setup_men	Setup Crew		->>,>>9.99	10
	ecd2_std_op	Standard Operation	Std Op	x(8)	
	ecd2_subcntrt	Subcontract	Sub	yes/no	
	ecd2_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	ecd2_tool	Tool Code	Tool	x(8)	
	ecd2_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ecd2_user2	Ufld2		x(8)	
	ecd2_userid	User ID		x(8)	
	ecd2_vend	Supplier		x(8)	
	ecd2_wkctr	Work Center	Work Ctr	x(8)	
	ecd2_yield_pct	Yield%		>>9.99%	10
	ecd2__qad01			yes/no	
	ecd2__qad02			99/99/99	
	ecd2__qad03			x(8)	
	ecd2__qad04			x(8)	
	ecd2__qad05			x(8)	
◊	oid_ecd2_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ecd2_ro_op	yes	ecd2_domain	yes	no
			ecd2_nbr	yes	no
			ecd2_routing	yes	no
			ecd2_op	yes	no
◊	oid_ecd2_det	yes	oid_ecd2_det	yes	no

ecd3_det

Engineering Change Text File Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd3_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ecd3_domain	Domain		x(8)	
	ecd3_mod_date	Modified Date	Mod Date	99/99/99	
	ecd3_nbr	ECN Number	ECN	x(8)	
	ecd3_order	Order		->>>>>>>	
	ecd3_process	Process		x(8)	
	ecd3_user1	Ufld1		x(8)	
	ecd3_user2	Ufld2		x(8)	
	ecd3_userid	User ID		x(8)	
	ecd3__qad01			yes/no	
	ecd3__qad02			99/99/99	
	ecd3__qad03	Reference		x(40)	
	ecd3__qad04			x(8)	
	ecd3__qad05			x(8)	
◊	oid_ecd3_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ecd3_cmt	yes	ecd3_domain	yes	no
			ecd3_nbr	yes	no
			ecd3_cmtindx	yes	no
◊	oid_ecd3_det	yes	oid_ecd3_det	yes	no

ecd4_det

Product Change Control Test Results Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd4_attach	Attachments		X(70)	
	ecd4_attribute	Attribute		X(8)	
	ecd4_cmtindx	Comment Index	Comment	>>>>>>>>9	
	ecd4_doc_nbr	Documnet Number		>>>>>>>>9	
	ecd4_doc_rev	Revision	Rev	>>>9.<<<	10
◊	ecd4_domain	Domain		x(8)	
	ecd4_maximum	Maximum Value		X(8)	
	ecd4_minimum	Minimum Value		X(8)	0
	ecd4_nbr	Document		x(8)	0
	ecd4_op	Operation	Op	>>>>9	
	ecd4_part	Item Number		x(18)	0
	ecd4_property	Property Name		x(24)	0
	ecd4_propertyum	Unit of Measure	UOM	x(12)	0
	ecd4_routing	Routing		x(18)	0
	ecd4_sequence	Test Sequence		x(8)	0
	ecd4_specid	Internal QSpec Number		>>>>>>>>9	
	ecd4_spec_det	Specification		x(26)	0
	ecd4_target	Target Value		X(8)	
	ecd4_testmthd	Test Method		X(8)	0
	ecd4_user1	Ufld1		x(8)	0
	ecd4_user2	Ufld2		x(8)	0
	ecd4__qadc01			x(8)	
	ecd4__qadi01			>>>>>>>>9	
◊	oid_ecd4_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecd4_nbr_specid	no	ecd4_domain	yes	no
			ecd4_nbr	yes	no
			ecd4_specid	yes	no
			ecd4_sequence	yes	no
Δ*	ecd4_part_seq	yes	ecd4_domain	yes	no
			ecd4_part	yes	no
			ecd4_routing	yes	no
			ecd4_op	yes	no
			ecd4_nbr	yes	no
			ecd4_sequence	yes	no
◊	oid_ecd4_det	yes	oid_ecd4_det	yes	no

ecd5_det

Product Change Control Item Routing Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd5_apprdate	Approved Date	Approved	99/99/99	
	ecd5_appr_id	Approved By	Appr ID	x(8)	0
	ecd5_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
	ecd5_bom_code	BOM/Formula		x(18)	0
	ecd5_burden	Burden Cost		>>>>,>>>,>>9.99<<<	10
	ecd5_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ecd5_domain	Domain		x(8)	
	ecd5_end	End Effective	End Eff	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	ecd5_labor	Labor Cost		>>>>,>>>,>>9.99<<<	10
	ecd5_material	Material Cost		>>>>,>>>,>>9.99<<<	10
	ecd5_mod_date	Modified Date	Mod Date	99/99/99	
	ecd5_overhead	Overhead		>>>>,>>>,>>9.99<<<	10
	ecd5_part	Item Number		x(18)	0
	ecd5_qspec_id	QSpecid		>>>>>>>>9	
	ecd5_qspec_nbr	QSpec Number		X(40)	
	ecd5_routing	Routing Code		x(18)	0
	ecd5_site	Site		x(8)	0
	ecd5_start	Start Effective	Start Eff	99/99/99	
	ecd5_subcontract	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	ecd5_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
	ecd5_user1	Ufld1		x(8)	0
	ecd5_user2	Ufld2		x(8)	0
	ecd5_userid	User ID		x(8)	0
	ecd5__qadc01			x(8)	
◊	oid_ecd5_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecd5_bom_code	no	ecd5_domain	yes	no
			ecd5_bom_code	yes	no
			ecd5_part	yes	no
			ecd5_site	yes	no
Δ*	ecd5_part	yes	ecd5_domain	yes	no
			ecd5_part	yes	no
			ecd5_site	yes	no
			ecd5_routing	yes	no
			ecd5_bom_code	yes	no
			ecd5_start	yes	no
Δ	ecd5_routing	no	ecd5_domain	yes	no
			ecd5_routing	yes	no
			ecd5_part	yes	no
			ecd5_site	yes	no
◊	oid_ecd5_det	yes	oid_ecd5_det	yes	no

ecd9_det

Engineering Change Approval Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd9_approved	Approved		yes/no	
	ecd9_appr_date	Approved Date	Date! Approved	99/99/99	
	ecd9_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ecd9_domain	Domain		x(8)	
	ecd9_group	Group		x(8)	
	ecd9_mod_date	Modified Date	Mod Date	99/99/99	
	ecd9_nbr	ECN Number	ECN	x(8)	
	ecd9_seq	Sequence	Seq	>>9	
	ecd9_status	Status		x(8)	
	ecd9_user1	Ufld1		x(8)	
	ecd9_user2	Ufld2		x(8)	
	ecd9_userid	User ID		x(8)	
	ecd9__qad01	First Rec		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	ecd9__qad02			99/99/99	
	ecd9__qad03	ReRoute Level	Re Lvl	x(8)	
	ecd9__qad04	ReRoute		x(8)	
	ecd9__qad05	Approver ID	Approver	x(8)	
◊	oid_ecd9_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ecd9_group	yes	ecd9_domain	yes	no
			ecd9_nbr	yes	no
			ecd9_group	yes	no
◊	oid_ecd9_det	yes	oid_ecd9_det	yes	no

ecd_det

Engineering Change Item Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ecd_domain	Domain		x(8)	
	ecd_draw	Drawing		x(18)	
	ecd_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
	ecd_drwg_size	Drwg Size	DS	x(2)	
	ecd_dsgn_grp	Design Group	Dsgn Grp	x(8)	
	ecd_end	End		99/99/99	
	ecd_group	Group		x(8)	
	ecd_inv_dspn	Disposition		x(12)	
	ecd_mod_date	Modified Date	Mod Date	99/99/99	
	ecd_nbr	ECO Number	ECO	x(8)	
	ecd_new	New		yes/no	
	ecd_new_rev	New Rev	New	x(4)	
	ecd_old_rev	Old Rev	Old	x(4)	
	ecd_part	Item Number		x(18)	
	ecd_part_type	Item Type	Type	x(8)	
	ecd_process	Process		x(8)	
	ecd_prodline	Prod Line	Line	x(4)	
	ecd_start	Start		99/99/99	
	ecd_status	Status	St	x(8)	
	ecd_user1	Ufld1		x(8)	
	ecd_user2	Ufld2		x(8)	
	ecd_userid	User ID		x(8)	
	ecd__qad01	Parent	Par	yes/no	
	ecd__qad02			99/99/99	
	ecd__qad03			x(8)	
	ecd__qad04			x(8)	
	ecd__qad05			x(8)	
◊	oid_ecd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ecd_det	yes	ecd_domain	yes	no
			ecd_nbr	yes	no
			ecd_part	yes	no
			ecd_new	yes	no
Δ	ecd_part_rev	no	ecd_domain	yes	no
			ecd_part	yes	no
			ecd_new_rev	yes	no
◊	oid_ecd_det	yes	oid_ecd_det	yes	no

ecl_list

Engineering Change Master Lists

	Field Name	Label	Col-Label	Format	Dec
	ecl_copies	Copies	Cp	>>9	
	ecl_desc	Description		x(24)	
	ecl_dev	Output		x(8)	
◊	ecl_domain	Domain		x(8)	
	ecl_group	Group		x(8)	
	ecl_id	User Id		x(8)	
	ecl_mod_date	Modified Date	Mod Date	99/99/99	
	ecl_type	Type	T	x(2)	
	ecl_user1	Ufld1		x(8)	
	ecl_user2	Ufld2		x(8)	
	ecl_userid	User ID		x(8)	
	ecl__qad01	First Rec		yes/no	
	ecl__qad02	End Date		99/99/99	
	ecl__qad03			x(8)	
	ecl__qad04			x(8)	
	ecl__qad05			x(8)	
◊	oid_ecl_list			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecl_id_type	yes	ecl_domain	yes	no
			ecl_id	yes	no
			ecl_group	yes	no
			ecl_type	yes	no
Δ*	ecl_type_id	yes	ecl_domain	yes	no
			ecl_type	yes	no
			ecl_group	yes	no
			ecl_id	yes	no
◊	oid_ecl_list	yes	oid_ecl_list	yes	no

ecm_mstr Engineering Change Master

	Field Name	Label	Col-Label	Format	Dec
	ecm_approval	Approval Code	Approval	x(8)	
	ecm_appr_date	Approved Date	AppDate	99/99/99	
	ecm_assign	Design Group	Dsgn Grp	x(8)	
	ecm_batched	Batched	Batch	yes/no	
	ecm_close_date	Closed		99/99/99	
	ecm_cmmt[5]	Reason		x(60)	
	ecm_cmtindx	Comment Index	Comment	>>>>>>>9	
	ecm_date	Date		99/99/99	
	ecm_distr	Distribution	Dstrbn	x(8)	
	ecm_doc_type	Document Type	Doc Type	X(8)	
◊	ecm_domain	Domain		x(8)	
	ecm_ecr_dspn	Disposition	ECR Dspn	x(8)	
	ecm_eff_date	Effective	Eff Date	99/99/99	
	ecm_end_date	Implemented	Impl Date	99/99/99	
	ecm_exp_cost	Expected Cost		->>>,>>>,>>9.99	10
	ecm_init	ECN Created By	By	x(8)	
	ecm_man_date	Mandatory	Man Date	99/99/99	
	ecm_mod_date	Modified Date	Mod Date	99/99/99	
	ecm_name	Originated By		x(28)	
	ecm_nbr	Number		x(8)	
	ecm_nbr_fr	From ECN		x(8)	
	ecm_nbr_to	To ECN		x(8)	
	ecm_open_date	Entered		99/99/99	
	ecm_rel_date	Released		99/99/99	
	ecm_replan	Replan		yes/no	
	ecm_reprocess	Re-Process		yes/no	
	ecm_secure_admn	Security Profile - Administration	Admn Pfl	X(8)	
	ecm_secure_item	Security Profile - Item	Item Pfl	X(8)	0
	ecm_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
	ecm_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
	ecm_secure_text	Security Profile - Test	Text Pfl	X(8)	
	ecm_selected_eff	Selected Effective	Effective	99/99/99	
	ecm_seqrev_off	Rev Level Off	Off	yes/no	
	ecm_status	Status		x(8)	
	ecm_sub_date	Submitted	Sub Date	99/99/99	
	ecm_title	Title		x(32)	
	ecm_type	Type		x(8)	
	ecm_user1	Ufld1		x(8)	
	ecm_user2	Ufld2		x(8)	
	ecm_userid	User ID		x(8)	
	ecm__qad01			->>>,>>9.99	10
	ecm__qad02			x(18)	
	ecm__qad03	ECR/ECN		ECR/ECN	
	ecm__qad04	Appr Date		99/99/99	
	ecm__qad05	effect		->>,>>9.99	10
	ecm__qad06	batched		x(8)	
	ecm__qad07	reprocess		x(8)	
◊	oid_ecm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecm_approval	yes	ecm_domain	yes	no
			ecm_approval	yes	no
			ecm_rel_date	yes	no
			ecm_nbr	yes	no
Δ	ecm_eff_date	no	ecm_domain	yes	no
			ecm_nbr	yes	no
			ecm_eff_date	yes	no
Δ*	ecm_mstr	yes	ecm_domain	yes	no
			ecm_nbr	yes	no
Δ	ecm_nbrdoc	yes	ecm_domain	yes	no
			ecm_nbr	yes	no
			ecm_doc_type	yes	no
◊	oid_ecm_mstr	yes	oid_ecm_mstr	yes	no

ect_mstr

Engineering Change Type Master

	Field Name	Label	Col-Label	Format	Dec
	ect_approval	Approval Code	Approval	x(8)	
	ect_dc_warn	Warning Type		>9	
	ect_desc	Description		x(24)	
	ect_distr	Distribution	Dstrbn	x(8)	
	ect_doc_type	Document Type	Doc Type	X(8)	
◊	ect_domain	Domain		x(8)	
	ect_dsgn_grp	Design Group	Dsgn Grp	x(8)	
	ect_mod_date	Modified Date	Mod Date	99/99/99	
	ect_prefix	Prefix	Pre	x(3)	
	ect_secure_admn	Security Profile - Administration	Admn Pfl	X(8)	
	ect_secure_item	Security Profile - Item	Item Pfl	X(8)	0
	ect_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
	ect_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
	ect_secure_text	Security Profile - Test	Text Pfl	X(8)	
	ect_seqrev_off	Rev Level Off	Off	yes/no	
	ect_type	Type		x(8)	
	ect_user1	Ufld1		x(8)	
	ect_user2	Ufld2		x(8)	
	ect_userid	User ID		x(8)	
	ect__qad01	ECR/ECN		yes/no	
	ect__qad02			99/99/99	
	ect__qad03			x(8)	
	ect__qad04			x(8)	
	ect__qad05			x(8)	
◊	oid_ect_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ect_type	yes	ect_domain	yes	no
			ect_type	yes	no
			ect_dsgn_grp	yes	no
◊	oid_ect_mstr	yes	oid_ect_mstr	yes	no

ecx_ref External Order Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	ecx_domain	Domain		x(8)	
	ecx_ext_line	External Line Reference		x(32)	
	ecx_ext_ref	External Reference		x(32)	
	ecx_line	Line Number		x(8)	
	ecx_line_site	Line Site		x(8)	
	ecx_mod_date	Modified Date	Mod Date	99/99/99	
	ecx_mod_userid	User Id		x(8)	
	ecx_nbr	Order Number		x(8)	
	ecx_order_type	Order Type		x(8)	
	ecx_site	Site		x(8)	
	ecx_user1	User Field Character 1		x(24)	
	ecx_user2	User Field Character 2		x(24)	
	ecx__qadc01			x(24)	
	ecx__qadc02			x(24)	
◊	oid_ecx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecx_ext_ref	no	ecx_domain	yes	no
			ecx_order_type	yes	no
			ecx_ext_ref	yes	no
			ecx_ext_line	yes	no
Δ*	ecx_nbr	yes	ecx_domain	yes	no
			ecx_order_type	yes	no
			ecx_nbr	yes	no
			ecx_line	yes	no
			ecx_site	yes	no
			ecx_line_site	yes	no
◊	oid_ecx_ref	yes	oid_ecx_ref	yes	no

◊ edlg_hist Export Delivery Log

Field Name	Label	Col-Label	Format	Dec
edlg_app_id	Application ID		x(12)	
edlg_date_sent	Date Sent		99/99/99	
edlg_doc_id	Document ID		>>>>>>>9	
edlg_doc_sufx	Document Suffix		>>	
edlg_domain	Domain		x(8)	
edlg_err_stat	Error Status		x(1)	
edlg_mod_date	Mod Date		99/99/99	
edlg_mod_userid	User ID		x(8)	
edlg_time_sent	Time Sent		x(8)	
edlg_user1	Ufld1		x(8)	
edlg_user2	Ufld2		x(8)	
edlg__chr01			x(8)	
edlg__chr02			x(8)	
edlg__dec01			->>>,>>>,>>9.99<	10
edlg__dec02			->>>,>>>,>>9.99<	10
edlg__dte01			99/99/99	
edlg__dte02			99/99/99	
edlg__int01			->>>,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
edlg__int02			->>>,>>>,>>9	
edlg__log01			yes/no	
edlg__log02			yes/no	
edlg__qadc01			x(8)	
edlg__qadc02			x(8)	
edlg__qadc03			x(8)	
edlg__qadc04			x(8)	
edlg__qadd01			->>>,>>>,>>9.99<	10
edlg__qadd02			->>>,>>>,>>9.99<	10
edlg__qadi01			->>>,>>>,>>9	
edlg__qadi02			->>>,>>>,>>9	
edlg__qadl01			yes/no	
edlg__qadl02			yes/no	
edlg__qadt01			99/99/99	
edlg__qadt02			99/99/99	
oid_edlg_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊* edlg_docid	yes	edlg_doc_id	yes	no
		edlg_doc_sufx	yes	no
		edlg_app_id	yes	no
		edlg_domain	yes	no
◊ oid_edlg_hist	yes	oid_edlg_hist	yes	no

ega_mstr

Service/Support Engineer Availability Master

Field Name	Label	Col-Label	Format	Dec
ega_avail_hours[7]	Available	Avl	>9.9	10
ega_calls[7]	Number of Calls	Calls	>>9	
◊ ega_domain	Domain		x(8)	
ega_eng_code	Engineer Code	Eng Code	x(8)	
ega_esh_schedule	Schedule		x(8)	
ega_hours[7]	Hours		>9.9	10
ega_user1	Ufld1		x(8)	
ega_user2	Ufld2		x(8)	
ega_week	Week		99/99/99	
ega__dec01	User Decimal Field 1		->>,>>9.99	10
ega__int01	User Integer Field 1		->,>>>,>>9	
ega__log01	User Logical Field 1		yes/no	
ega__qade01	QAD Decimal Field 1		->>,>>9.99	10
ega__qadi01	QAD Integer Field 1		->,>>>,>>9	
ega__qadl01	QAD Logical Field 1		yes/no	
◊ oid_ega_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ega_eng_code	yes	ega_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ega_eng_code	yes	no
			ega_week	yes	no
			ega_esh_schedule	yes	no
◊	oid_ega_mstr	yes	oid_ega_mstr	yes	no

egc_ctrl Service/Support Engineer Schedule Control

	Field Name	Label	Col-Label	Format	Dec
	egc_area_limit	Limit by Service Area		yes/no	
	egc_area_points	Area Points		>9	
	egc_avail_limit	Limit by Availability		X	
	egc_avail_points	Available Points		>9	
	egc_by_calls	Display by Calls		yes/no	
	egc_call_list	On call List		x(8)	
◊	egc_domain	Domain		x(8)	
	egc_eng_lhr	Lunch Duration		99:99	
	egc_hours_display	Standard Hours Display		yes/no	
	egc_index			>>9	
	egc_mod_date	Modified Date	Mod Date	99/99/99	
	egc_mod_userid	User ID		X(8)	
	egc_nbr	Next Engineer Number		->,>>>,>>9	
	egc_override_opt	Override Scheduling Options		yes/no	
	egc_prim_points	Primary Eng Points		>9	
	egc_prob_limit	Limit by Problem/Skill		yes/no	
	egc_prob_points	Problem Points		>9	
	egc_tz_eng_hours	Range of Hours to Consider		X(2)	
	egc_tz_limit	Limit by Time Zone		yes/no	
	egc_tz_points	Time Zone Points		>9	
	egc_user1	Ufld1		x(8)	
	egc_user2	Ufld2		x(8)	
	egc__chr01	Character Field 1		X(8)	
	egc__chr02	Character Field 2		X(8)	
	egc__int01	Integer Field 1		->,>>>,>>9	
	egc__int02	Integer Field 2		->,>>>,>>9	
	egc__log01	Logical Field 1		yes/no	
	egc__log02	Logical Field 2		yes/no	
	egc__qadc03	QAD Character Field 3		X(8)	
	egc__qadc04	QAD Character Field 4		X(8)	
	egc__qadc05[4]	QAD Field		99:99	0
	egc__qadc06[4]	QAD Character Field		x(8)	0
	egc__qadc07	QAD Character Field 7		x(8)	
	egc__qadd01	QAD Decimal Field 1		->>,>>9.99	10
	egc__qadd02	QAD Decimal Field 2		->>,>>9.99	10
	egc__qadd03	QAD Decimal Field 3		->>,>>9.99	10
	egc__qadi01	Next Engineer Number		>>>>>>>9	
	egc__qadi04	QAD Integer Field 4		->,>>>,>>9	
	egc__qadi05	QAD Integer Field 5		->,>>>,>>9	
	egc__qadl05	QAD Logical Field 5		yes/no	
	egc__qadl06	QAD Logical Field 6		yes/no	
	egc__qadl07	QAD Logical Field 7		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	egc__qadt01	QAD Date Field 1		99/99/99	
	egc__qadt02	QAD Date Field 2		99/99/99	
	egc__qadt03	QAD Date Field 3		99/99/99	
◊	oid_egc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	egc_index	yes	egc_domain	yes	no
			egc_index	yes	no
◊	oid_egc_ctrl	yes	oid_egc_ctrl	yes	no

egd_det

Service/Support Engineer Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
	egd_days[8]	Days		yes/no	
◊	egd_domain	Domain		x(8)	
	egd_end_eff	End Date		99/99/99	
	egd_end_time[8]	End Time		99:99	
	egd_eng_code	Engineer		x(8)	
	egd_esh_schedule	Schedule		x(8)	
	egd_holidays	Holidays		yes/no	
	egd_mod_date	Modified Date	Mod Date	99/99/99	
	egd_mod_userid	User ID		X(8)	
	egd_oncall	On Call Schedule	Call	yes/no	
	egd_sched_type	Schedule Type		x(8)	
	egd_start_eff	Start Date		99/99/99	
	egd_start_time[8]	Start time		99:99	
	egd_status	Status		x(8)	
	egd_user1	Ufld1		x(8)	
	egd_user2	Ufld2		x(8)	
	egd__chr01	User Character Field 1		X(8)	
	egd__dec01	User Decimal Field 1		->>,>>9.99	10
	egd__dte01	User Date Field 1		99/99/99	
	egd__log01	User Logical Field 1		yes/no	
	egd__log02	User Logical Field 2		yes/no	
	egd__qadc01	QAD Character Field 1		X(8)	
	egd__qadc02	QAD Character Field 2		X(8)	
	egd__qade01	QAD Decimal Field 1		->>,>>9.99	10
	egd__qadl01	QAD Logical Field 1		yes/no	
	egd__qadl02	QAD Logical Field 2		yes/no	
	egd__qadt01	QAD Date Field 1		99/99/99	
	egd__qadt02	QAD Date Field 2		99/99/99	
◊	oid_egd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	egd_eng_code	yes	egd_domain	yes	no
			egd_eng_code	yes	no
			egd_start_eff	yes	no
Δ	egd_eng_sched	no	egd_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			egd_eng_code	yes	no
			egd_esh_schedule	yes	no
			egd_start_eff	yes	no
◊	oid_egd_det	yes	oid_egd_det	yes	no

egs_det

Service/Support Engineer Problem/Skills Detail

	Field Name	Label	Col-Label	Format	Dec
	egs_area	End User Area		x(12)	
	egs_cert	Certification Date	Cert	99/99/99	
◊	egs_domain	Domain		x(8)	
	egs_eng_code	Engineer Code		x(8)	
	egs_level	Level		x(4)	
	egs_mod_date	Modified Date	Mod Date	99/99/99	
	egs_mod_userid	User ID		X(8)	
	egs_skill	Skill Code		x(8)	
	egs_type	Type		x(8)	
	egs_user1	Ufld1		x(8)	
	egs_user2	Ufld2		x(8)	
	egs__chr01			x(8)	
	egs__chr02			x(8)	
	egs__chr03			x(8)	
	egs__dec01			->>>,>>>,>>9.99	10
	egs__dec02			->>>,>>>,>>9.99	10
	egs__dte01			99/99/99	
	egs__dte02			99/99/99	
	egs__log01			yes/no	
	egs__log02			yes/no	
	egs__qadc01	QAD Character Field 1		X(8)	
	egs__qadc02	QAD Character Field 2		X(8)	
	egs__qade01	QAD Decimal Field 1		->>,>>9.99	10
	egs__qadi01	QAD Integer Field 1		->,>>>,>>9	
	egs__qadl01	QAD Logical Field 1		yes/no	
	egs__qadl02	QAD Logical Field 2		yes/no	
	egs__qadt01	QAD Date Field 1		99/99/99	
◊	oid_egs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	egs_eng_code	yes	egs_domain	yes	no
			egs_eng_code	yes	no
			egs_type	yes	no
			egs_skill	yes	no
Δ	egs_skill	yes	egs_domain	yes	no
			egs_skill	yes	no
			egs_type	yes	no
			egs_area	yes	no
			egs_eng_code	yes	no
◊	oid_egs_det	yes	oid_egs_det	yes	no

egt_mstr

Service/Support Engineer Tracking Master

	Field Name	Label	Col-Label	Format	Dec
	egt_ca_nbr	Call ID		x(8)	
	egt_close	Call Closed	Cls	yes/no	
	egt_create_date	Creation Date		99/99/99	
	egt_current	Engineer Status		x(8)	
◊	egt_domain	Domain		x(8)	
	egt_end_time	End Time	End	99:99	
	egt_eng_code	Engineer		x(8)	
	egt_esh_schedule			x(8)	
	egt_hours	Hours		>>>,>>9.9<	10
	egt_itm_itm_line	Sub Line		>>9	
	egt_itm_line	Line		>>9	
	egt_itm_prefix	Detail Type		X(3)	
	egt_itm_type	Type		X(8)	
	egt_multi	Multiple Schedule		yes/no	
	egt_priority	Priority	Pri	>>>9	
	egt_reschedule	Reschedulable	Res	yes/no	
	egt_sched_date	Scheduled Date	St Date	99/99/99	
	egt_start_time	Start Time	Start	99:99	
	egt_trnbr	Tran		>>>>>>>>>9	
	egt_user1	Ufld1		x(8)	
	egt_user2	Ufld2		x(8)	
	egt__chr01	User Field #1		x(8)	
	egt__chr02	User Field #2		x(8)	
	egt__chr03	User Field #3		x(8)	
	egt__chr04	User Field #4		x(8)	
	egt__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	egt__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	egt__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	egt__dte01	User Date #1		99/99/99	
	egt__dte02	User Date #2		99/99/99	
	egt__dte03	User Date #3		99/99/99	
	egt__log01	User Logical #1		yes/no	
	egt__log02	User Logical #2		yes/no	
	egt__log03	User Logical #3		yes/no	
	egt__qadc01	Qad Field #1		x(8)	
	egt__qadc02	Qad Field #2		x(8)	
	egt__qadc03	Qad Field #3		x(8)	
	egt__qadc04	Qad Field #4		x(8)	
	egt__qadd01	Qad Date #1		99/99/99	
	egt__qadd02	Qad Date #2		99/99/99	
	egt__qadd03	Qad Date #3		99/99/99	
	egt__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	egt__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	egt__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	egt__qadl01	Qad Logical #1		yes/no	
	egt__qadl02	Qad Logical #2		yes/no	
	egt__qadl03	Qad Logical #3		yes/no	
◊	oid_egt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	egt_ca_line	no	egt_domain	yes	no
			egt_ca_nbr	yes	no
			egt_itm_prefix	yes	no
			egt_itm_type	yes	no
			egt_itm_itm_line	yes	no
			egt_itm_line	yes	no
Δ	egt_ca_nbr	no	egt_domain	yes	no
			egt_ca_nbr	yes	no
			egt_eng_code	yes	no
			egt_trnbr	yes	no
Δ	egt_eng_ca	no	egt_domain	yes	no
			egt_eng_code	yes	no
			egt_ca_nbr	yes	no
			egt_trnbr	yes	no
Δ	egt_eng_code	no	egt_domain	yes	no
			egt_eng_code	yes	no
			egt_sched_date	yes	no
			egt_start_time	yes	no
Δ*	egt_trnbr	yes	egt_domain	yes	no
			egt_trnbr	yes	no
◊	oid_egt_mstr	yes	oid_egt_mstr	yes	no

egw_wkfl Service/Support Engineer Selection Work Table

	Field Name	Label	Col-Label	Format	Dec
	egw_area	Area		x(8)	
	egw_available	Available		yes/no	
	egw_avail_hours[7]	Available	Avl	x(3)	
	egw_calls[7]	Call		x(3)	
◊	egw_domain	Domain		x(8)	
	egw_ega_recid			>>>>>>>>>9	
	egw_end_time	End Time	End	99:99	
	egw_eng_code	Engineer Code	Engineer	x(8)	
	egw_hours[7]	Day Of Week		>>9	10
	egw_name	Name		x(24)	
	egw_overtime	Overtime	O/T	yes/no	
	egw_points	Points	Pts	>>>9	
	egw_prob	Prb		yes/no	
	egw_schedule	Schedule	Sched	X(8)	
	egw_st_time	Start Time	Start	99:99	
	egw_tag	Select		*/	
	egw_user1	Ufld1		x(8)	
	egw_user2	Ufld2		x(8)	
	egw_userid	User ID		x(8)	
	egw_week	Week of		99/99/99	
	egw__qadc02	QAD Field		X(8)	0
	egw__qadc03	QAD Field		x(8)	
	egw__qadi01	QAD Field		->,>>>,>>9	
	egw__qadi02	QAD Field		->,>>>,>>9	
	egw__qadl01	QAD Field		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	egw__qadl02	QAD Field		yes/no	
	egw__qadt01	QAD Field		99/99/99	
	egw__qadt02	QAD Field		99/99/99	
◊	oid_egw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	egw_area	no	egw_domain	yes	no
			egw_userid	yes	no
			egw_area	yes	no
			egw_points	no	no
Δ*	egw_eng_code	yes	egw_domain	yes	no
			egw_userid	yes	no
			egw_eng_code	yes	no
Δ	egw_points	no	egw_domain	yes	no
			egw_userid	yes	no
			egw_points	no	no
			egw_eng_code	yes	no
◊	oid_egw_wkfl	yes	oid_egw_wkfl	yes	no

elg_hist

Export Document Log

	Field Name	Label	Col-Label	Format	Dec
	elg_access_code	Access Code		x(60)	
	elg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
	elg_ack_rcvd	Autoacknowledgment Received		yes/no	
	elg_ack_stat	Autoacknowledgment Status		X(1)	
	elg_app_id	Application ID		x(12)	
	elg_app_ver	Application Version		x(8)	
	elg_archive_id	Archive ID		x(12)	
	elg_code_pg	Code Page		X(15)	
	elg_ctrl_tot_1	Control Total 1		>>>,>>9	
	elg_ctrl_tot_2	Control Total 2		->>>,>>>,>>9.99<<<	10
	elg_ctrl_tot_3	Control Total 3		->>>,>>>,>>9.99<<<	10
	elg_date_ack	Date Acknowledged		99/99/9999	
	elg_date_form	Date Format		X(3)	
	elg_date_map	Date Mapped		99/99/9999	
	elg_date_publ	Date Published		99/99/9999	
	elg_date_sent	Date Sent		99/99/9999	
	elg_dest_mthd	Destination Method		x(24)	
	elg_dest_proc	Destination Procedure		x(24)	
	elg_doc_id	Document ID		>>>>>>>9	
	elg_doc_lng	Document Language		x(3)	
	elg_doc_rev	Document Revision		x(8)	
	elg_doc_std	Document Standard		x(8)	
	elg_doc_sufx	Document Suffix		>>	
	elg_doc_typ	Document Type		x(21)	
◊	elg_domain	Domain		x(8)	
	elg_email_notlvl	E-mail Notification Level		x(1)	
	elg_email_userid	E-mail Recipient User ID		x(8)	
	elg_err_stat	Error Status		X(1)	

	Field Name	Label	Col-Label	Format	Dec
	elg_ext_doc_key	External Document Key		x(40)	
	elg_grp_id	Group ID		>>>>>>>9	
	elg_grp_seq	Sequence		>,>>>,>>9	
	elg_mapper_proc	Data Mapper Procedure		x(24)	
	elg_map_doc_now	Map Document Now		yes/no	
	elg_map_log_file	Mapper Error Log File		x(60)	
	elg_map_spec	Map Specification		x(12)	
	elg_mfgpro_key	MFG/PRO Key		X(18)	
	elg_mfgpro_site	MFG/PRO Site		X(8)	
	elg_mod_date	Modified Date	Mod Date	99/99/99	
	elg_mod_userid	User ID		x(8)	
	elg_num_form	Numeric Format		X(8)	
	elg_orig_doc_id	Original Document ID		>>>>>>9	
	elg_prcg_stage	Processing Stage		x(1)	
	elg_process_typ	Process Type		x(8)	
	elg_resend	Resend Document		yes/no	
	elg_sess_id	Session ID		>>>>>>>9	
	elg_src_app_id	Source Application ID		x(12)	
	elg_src_app_ver	Source Application Version		x(8)	
	elg_src_comp	Source Component		x(10)	
	elg_src_doc_rev	Source Document Revision		x(8)	
	elg_src_doc_std	Source Document Standard		x(8)	
	elg_src_doc_typ	Source Document Type		x(21)	
	elg_src_proc	Source Procedure		x(24)	
	elg_src_task	Source Task		x(10)	
	elg_src_userid	Source User ID		x(8)	
	elg_time_ack	Time Acknowledged		x(8)	
	elg_time_map	Time Mapped		x(8)	
	elg_time_publ	Time Published		x(8)	
	elg_time_sent	Time Sent		x(8)	
	elg_tradptr_id	Trading Partner ID		x(32)	
	elg_unit_wrk_typ	Unit of Work Type		x(1)	
	elg_user1	Ufld1		x(8)	
	elg_user2	Ufld2		x(8)	
	elg_use_ex_queue	Use Export Queue		yes/no	
	elg__dec01			->>>,>>>,>>9.99<	10
	elg__dec02			->>>,>>>,>>9.99<	10
	elg__dte01			99/99/99	
	elg__dte02			99/99/99	
	elg__int01			->>>,>>>,>>9	
	elg__int02			->>>,>>>,>>9	
	elg__log01			yes/no	
	elg__log02			yes/no	
	elg__qadc01			x(8)	
	elg__qadc02			x(8)	
	elg__qadc03			x(8)	
	elg__qadc04			x(8)	
	elg__qadd01			->>>,>>>,>>9.99<	10
	elg__qadd02			->>>,>>>,>>9.99<	10
	elg__qadi01			->>>,>>>,>>9	
	elg__qadi02			->>>,>>>,>>9	
	elg__qadl01			yes/no	
	elg__qadl02			yes/no	
	elg__qadt01			99/99/99	
	elg__qadt02			99/99/99	
◊	oid_elg_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	AppID	no	elg_domain	yes	no
			elg_app_id	yes	no
			elg_prcg_stage	yes	no
◊*	DocIDSufx	yes	elg_doc_id	yes	no
			elg_doc_sufx	yes	no
			elg_domain	yes	no
◊	elg_date_time_publ	no	elg_date_publ	yes	no
			elg_time_publ	yes	no
			elg_domain	yes	no
◊	elg_date_time_sent	no	elg_date_sent	yes	no
			elg_time_sent	yes	no
			elg_domain	yes	no
◊	elg_orig_doc_id	no	elg_orig_doc_id	yes	no
			elg_domain	yes	no
◊	elg_receiver_id	no	elg_app_id	yes	no
			elg_tradptr_id	yes	no
			elg_domain	yes	no
◊	ExtDocKey	no	elg_domain	yes	no
			elg_ext_doc_key	yes	no
◊	GroupID	no	elg_grp_id	yes	no
			elg_domain	yes	no
◊	MfgProKey	no	elg_domain	yes	no
			elg_mfgpro_key	yes	no
◊	oid_elg_hist	yes	oid_elg_hist	yes	no
◊	Site	no	elg_domain	yes	no
			elg_mfgpro_site	yes	no

emap_det

Mapped Export Document Detail

Field Name	Label	Col-Label	Format	Dec
emap_data	Mapped Export Document Data		x(255)	
emap_doc_id	Document ID		>>>>>>>9	
emap_doc_line	Document Line Number		>>9	
emap_doc_sufx	Document Suffix		>>	
◊ emap_domain	Domain		x(8)	
emap_line_cont	Line Continued		yes/no	
emap_mod_date	Modified Date	Mod Date	99/99/99	
emap_mod_userid	User ID		x(8)	
emap_user1	Ufld1		x(8)	
emap_user2	Ufld2		x(8)	
emap__dec01			->>>,>>>,>>9.99<	10
emap__dec02			->>>,>>>,>>9.99<	10
emap__dte01			99/99/99	
emap__dte02			99/99/99	
emap__int01			->>>,>>>,>>9	
emap__int02			->>>,>>>,>>9	
emap__log01			yes/no	
emap__log02			yes/no	
emap__qadc01			x(8)	
emap__qadc02			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	emap__qadc03			x(8)	
	emap__qadc04			x(8)	
	emap__qadd01			->>>,>>>,>>9.99<	10
	emap__qadd02			->>>,>>>,>>9.99<	10
	emap__qadi01			->>>,>>>,>>9	
	emap__qadi02			->>>,>>>,>>9	
	emap__qadl01			yes/no	
	emap__qadl02			yes/no	
	emap__qadt01			99/99/99	
	emap__qadt02			99/99/99	
◊	oid_emap_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	MappedExport	yes	emap_doc_id	yes	no
			emap_doc_sufx	yes	no
			emap_doc_line	yes	no
			emap_domain	yes	no
◊	oid_emap_det	yes	oid_emap_det	yes	no

emc_ctrl

Employee Control

	Field Name	Label	Col-Label	Format	Dec
◊	emc_domain	Domain		x(8)	
	emc_nbr	Next Employee		99999999	
	emc_user1	Ufld1		x(8)	
	emc_user2	Ufld2		x(8)	
	emc__qad01			>>>>>>9	
Δ	emc__qadi01			->>>>>>>9	
◊	oid_emc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	emc_index1	yes	emc_domain	yes	no
◊	oid_emc_ctrl	yes	oid_emc_ctrl	yes	no

emg_msg

Export Document Message

	Field Name	Label	Col-Label	Format	Dec
	emg_app_id	Application ID		x(12)	
	emg_doc_id	Document ID		>>>>>>>9	
	emg_doc_sufx	Document Suffix		>>	
◊	emg_domain	Domain		x(8)	
	emg_email_sent	Email Message Sent		yes/no	
	emg_mod_date	Modified Date	Mod Date	99/99/99	
	emg_mod_userid	User ID		x(8)	
	emg_prcg_stage	Processing Stage		x(1)	
	emg_return_code	Return Code		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	emg_return_txt	Message Text		x(160)	
	emg_sev_lvl	Severity Level		x(1)	
	emg_user1	Ufld1		x(8)	
	emg_user2	Ufld2		x(8)	
	emg__dec01			->>>,>>>,>>9.99<	10
	emg__dec02			->>>,>>>,>>9.99<	10
	emg__dte01			99/99/99	
	emg__dte02			99/99/99	
	emg__int01			->>>,>>>,>>9	
	emg__int02			->>>,>>>,>>9	
	emg__log01			yes/no	
	emg__log02			yes/no	
	emg__qadc01			x(8)	
	emg__qadc02			x(8)	
	emg__qadc03			x(8)	
	emg__qadc04			x(8)	
	emg__qadd01			->>>,>>>,>>9.99<	10
	emg__qadd02			->>>,>>>,>>9.99<	10
	emg__qadi01			->>>,>>>,>>9	
	emg__qadi02			->>>,>>>,>>9	
	emg__qadl01			yes/no	
	emg__qadl02			yes/no	
	emg__qadt01			99/99/99	
	emg__qadt02			99/99/99	
◊	oid_emg_msg			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ExpReturnCode	yes	emg_domain	yes	no
			emg_doc_id	yes	no
			emg_doc_sufx	yes	no
			emg_prcg_stage	yes	no
			emg_return_code	yes	no
◊	oid_emg_msg	yes	oid_emg_msg	yes	no

emp_mstr Employee Master

Field Name	Label	Col-Label	Format	Dec
emp_addr	Employee		x(8)	
emp_ad_acc1	Acct 1		x(20)	
emp_ad_acc2	Acct 2		x(20)	
emp_ad_amt1	Deposit Amount	Amount	>>>,>>9.99	10
emp_ad_amt2	Deposit Amount	Amount	>>>,>>9.99	10
emp_ad_bank	Auto Deposit Bank 1	Auto Bk1	x(8)	
emp_ad_bank2	Auto Deposit Bank 2	Auto Bk2	x(8)	
emp_ad_pct1	Percentage	Pct	>>9.99	10
emp_ad_pct2	Percentage	Pct	>>9.99	10
emp_ad_type1	Account 1 Type	Type1	x(1)	
emp_ad_type2	Account 2 Type	Type2	x(1)	
emp_bank	Bank	Bk	x(2)	
emp_birthday	Birth Date	Birth Dt	99/99/9999	
emp_bs_phone	Business Phone	Bus Phone	x(16)	

	Field Name	Label	Col-Label	Format	Dec
	emp_city	City		x(20)	
	emp_country	Country		x(28)	
	emp_ctry	Country Code	Ctry	x(3)	
	emp_dept	Department	Dept	x(8)	
◊	emp_domain	Domain		x(8)	
	emp_emp_date	Date Employed	Dt Empld	99/99/99	
	emp_exempt	Personal Exemptions	Ex	>9	
	emp_ext	Ext		x(4)	
	emp_fname	First Name		x(16)	
	emp_freq	Pay Frequency	Fr	x(2)	
	emp_last_dt	Date of Last Pay Rate Change	Last Chg	99/99/99	
	emp_last_pay	Prior Pay Rate	Prior Pay	->>>,>>9.99	10
	emp_line1	Address 1		x(28)	
	emp_line2	Address 2		x(28)	
	emp_line3	Address 3		x(28)	
	emp_lname	Last Name		x(16)	
	emp_marital	Marital Status	MS	x(2)	
	emp_mod_date	Modified Date	Mod Date	99/99/99	
	emp_pay_rate	Rate of Pay	Pay Rate	->>>,>>9.99<<	10
	emp_pay_type	Pay Type	T	x(2)	
	emp_phone	Home Phone		x(16)	
	emp_project	Default Project	Project	x(8)	
	emp_shift	Employee Shift	Sh	x(2)	
	emp_sick_hrs	Accrued Sick Leave	Sick Leave	->,>>9.999	10
	emp_ssn	SSN		x(18)	
	emp_state	State		x(4)	
	emp_status	Employment Status	St	x(2)	
	emp_title	Job Title		x(24)	
	emp_transit1	Transit Number 1	Transit 1	x(10)	
	emp_transit2	Transit Number 2	Transit 2	x(10)	
	emp_trm_date	Date Terminated	Term Dt	99/99/99	
	emp_units	Normal Hrs/Units	Hrs/Uts	->>,>>9.99	10
	emp_user1	Ufld1		x(8)	
	emp_user2	Ufld2		x(8)	
	emp_user3	User3		x(8)	
	emp_user4	User4		->>>,>>9.99	10
	emp_user5	User5		->>>,>>9.99	10
	emp_user6	User6		99/99/99	
	emp_userid	User ID		x(8)	
	emp_vac_hrs	Accrued Vacation	Vacation	->,>>9.999	10
	emp_wc_class	Worker Comp Class	W/C	x(2)	
	emp_wk_loc	Default Work Location	Wk Loc	x(4)	
	emp_zip	Post		x(10)	
	emp__chr01			x(8)	
	emp__chr02			x(8)	
	emp__chr03			x(8)	
	emp__chr04			x(8)	
	emp__chr05			x(8)	
	emp__dec01			>>>,>>>,>>9.99	10
	emp__dec02			>>>,>>>,>>9.99	10
	emp__dte01			99/99/99	
	emp__dte02			99/99/99	
	emp__dte03			99/99/99	
	emp__dte04			99/99/99	
	emp__dte05			99/99/99	
	emp__log01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	emp__log02			yes/no	
	emp__qad01			x(8)	
	emp__qad02			x(4)	
◊	oid_emp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	emp_addr	yes	emp_domain	yes	no
			emp_addr	yes	no
Δ	emp_bank	no	emp_domain	yes	no
			emp_bank	yes	no
			emp_lname	yes	no
			emp_fname	yes	no
Δ	emp_dept	no	emp_domain	yes	no
			emp_dept	yes	no
Δ	emp_frq_mar	no	emp_domain	yes	no
			emp_freq	yes	no
			emp_marital	yes	no
Δ	emp_name	no	emp_domain	yes	no
			emp_lname	yes	no
			emp_fname	yes	no
Δ	emp_ssn	no	emp_domain	yes	no
			emp_ssn	yes	no
Δ	emp_wc_ind	no	emp_domain	yes	no
			emp_wc_class	yes	no
			emp_wk_loc	yes	no
◊	oid_emp_mstr	yes	oid_emp_mstr	yes	no

emsg_mstr Service/Support Engineer Message Master

	Field Name	Label	Col-Label	Format	Dec
	emsg_action	Action		x(8)	
	emsg_act_date	Action Date		99/99/99	
	emsg_act_time	Action Time		99:99	
	emsg_cmtindx	Comment		>>>>>>9	
	emsg_complete	Completed		yes/no	
	emsg_date	Date		99/99/99	
	emsg_desc	Description		x(60)	
◊	emsg_domain	Domain		x(8)	
	emsg_eng_code	Engineer		x(8)	
	emsg_entered	Entered By		x(8)	
	emsg_file_date1	Date 1		99/99/99	
	emsg_file_date2	Date 2		99/99/99	
	emsg_file_name	File		x(16)	
	emsg_file_nbr1	Number 1		x(8)	
	emsg_file_nbr2	Number 2		x(8)	
	emsg_file_nbr3	Number 3		x(18)	
	emsg_file_nbr4	Number 4		x(18)	
	emsg_file_trnbr	file Transaction	File Trn	>>>>>>>>9	
	emsg_msg_type	Message Type		x(8)	
	emsg_name_date1	Date Field 1		x(16)	
	emsg_name_date2	Date Field 2		x(16)	

	Field Name	Label	Col-Label	Format	Dec
	emsg_name_nbr1	Field 1		x(16)	
	emsg_name_nbr2	Field 2		x(16)	
	emsg_name_nbr3	Field 3		x(16)	
	emsg_name_nbr4	Field 4		x(16)	
	emsg_read	Read		yes/no	
	emsg_time	Time		99:99	
	emsg_trnbr	Transaction		>>>>>>>>>9	
	emsg_user1	Ufld1		x(8)	
	emsg_user2	Ufld2		x(8)	
	emsg_userid	User ID		x(8)	
	emsg__qadc01			x(8)	
◊	oid_emsg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	emsg_eng_code	no	emsg_domain	yes	no
			emsg_eng_code	yes	no
			emsg_date	yes	no
			emsg_time	yes	no
Δ∗	emsg_trnbr	yes	emsg_domain	yes	no
			emsg_trnbr	no	no
◊	oid_emsg_mstr	yes	oid_emsg_mstr	yes	no

em_mstr E-mail Master

Field Name	Label	Col-Label	Format	Dec
em_attach_parm	Attachments		x(8)	
em_attach_seq	Sequence		>	
em_cc_parm	cc		x(8)	
em_cc_seq	Sequence		>	
em_desc	Description		x(24)	
em_end	End Effective	End	99/99/99	
em_msg_parm	Message		x(8)	
em_msg_seq	Sequence		>	
em_opsys	Operating System		x(8)	
em_other_parm	Other		x(8)	
em_other_seq	Sequence		>	
em_program	Path and Program Name		x(70)	
em_pswd_parm	Password		x(8)	
em_pswd_seq	Sequence		>	
em_recip_parm	Recipient		x(8)	
em_recip_seq	Sequence		>	
em_sender_parm	Sender		x(8)	
em_sender_seq	Sequence		>	
em_start	Start Effective	Start	99/99/99	
em_subject_parm	Subject		x(8)	
em_subject_seq	Sequence		>	
em_system_id	E-mail System	E-mail! System	x(8)	
em__chr01			x(8)	
em__chr02			x(8)	
em__chr03			x(8)	
em__chr04			x(8)	
em__qadc01	QAD Field		X(8)	0
em__qadc02	QAD Field		X(8)	0
em__qadc03	QAD Field		X(8)	0
em__qadc04	QAD Field		X(8)	0
◊ oid_em_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	em_system_id	yes	em_system_id	yes	no
			em_opsys	yes	no
			em_start	yes	no
◊	oid_em_mstr	yes	oid_em_mstr	yes	no

◊ encd_det Entity Consolidation Detail

Field Name	Label	Col-Label	Format	Dec
encd_consolidate	Summarize	Sum	yes/no	
encd_cons_entity	Consolidation Entity		x(4)	
encd_domain	Domain		x(8)	
encd_mod_date	Modified Date	Mod Date	99/99/99	
encd_mod_userid	User ID		x(8)	
encd_pct	Consolidation Percentage		>>9.99%	2
encd_sub_domain	Subsidiary Entity Domain		x(8)	
encd_sub_entity	Subsidiary Entity		x(4)	
encd_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
encd_user2	User Field Character 2		x(24)	
encd__qadc01			x(24)	
encd__qadc02			x(24)	
oid_encd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	encd_domain	yes	encd_domain	yes	no
			encd_cons_entity	yes	no
			encd_sub_entity	yes	no
◊	oid_encd_det	yes	oid_encd_det	yes	no

eng_mstr

Service/Support Engineer Master

Field Name	Label	Col-Label	Format	Dec
eng_3rd_party	Third Party Engineer		yes/no	
eng_addr	Engineer		x(8)	
eng_address	Engineer Address		X(8)	0
eng_area	Service Area	Area	x(18)	
eng_avail_ot	Available for Overtime		yes/no	
eng_call_load	Calls per Day	Calls	>>9	
eng_code	Engineer Code	Eng Code	x(8)	
eng_cplt_dt	Completion Date	Comp Date	99/99/99	
eng_cplt_tm	Completion Time	Comp Time	>>>>>>>>>>>>9	
◊ eng_domain	Domain		x(8)	
eng_esh_schedule	Schedule		x(8)	
eng_field	Field Engineer		yes/no	
eng_group	Group		x(8)	
eng_labor	Labor Part		x(8)	
eng_loc	Location		x(8)	0
eng_location	Current Location	Loc	x(8)	0
eng_loc_rtn	Return Location		x(8)	
eng_mod_date	Modified Date	Mod Date	99/99/99	
eng_mod_userid	User ID		X(8)	
eng_pager	Pager		x(20)	
eng_site	Site		x(8)	0
eng_site_rtn	Return Site		x(8)	
eng_skills	Skills		x(8)	
eng_sort	Name		X(24)	
eng_status	Status		x(8)	
eng_sub	Subcontractor		yes/no	
eng_user1	Ufld1		x(8)	
eng_user2	Ufld2		x(8)	
eng__chr01			x(8)	
eng__chr02			x(8)	
eng__chr03			x(8)	
eng__chr04			x(8)	
eng__chr05			x(8)	
eng__chr06			x(8)	
eng__chr07			x(8)	
eng__chr08			x(8)	
eng__chr09			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	eng__chr10			x(8)	
	eng__dec01			->>>,>>>,>>9.99	10
	eng__dec02			->>>,>>>,>>9.99	10
	eng__dec03			->>>,>>>,>>9.99	10
	eng__dte01			99/99/99	
	eng__dte02			99/99/99	
	eng__dte03			99/99/99	
	eng__dte04			99/99/99	
	eng__log01			yes/no	
	eng__log02			yes/no	
	eng__log03			yes/no	
	eng__log04			yes/no	
	eng__log05			yes/no	
	eng__qadc01	Engineer Address		X(8)	0
	eng__qadc02	QAD Character Field 2		X(8)	
	eng__qadd01	QAD Date Field 1		99/99/99	
	eng__qadd02	QAD Date Field 2		99/99/99	
	eng__qadde01	QAD Decimal Field 1		->>,>>9.99	10
	eng__qadi01	QAD Integer Field 1		->,>>>,>>9	
	eng__qadi02	QAD Integer Field 2		->,>>>,>>9	
	eng__qadl01	QAD Logical Field 1		yes/no	
	eng__qadl02	QAD Logical Field 2		yes/no	
◊	oid_eng_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	eng_addr	yes	eng_domain	yes	no
			eng_addr	yes	no
Δ	eng_area	no	eng_domain	yes	no
			eng_area	yes	no
			eng_code	yes	no
Δ	eng_code	yes	eng_domain	yes	no
			eng_code	yes	no
Δ	eng_schedule	no	eng_domain	yes	no
			eng_esh_schedule	yes	no
			eng_area	yes	no
			eng_code	yes	no
Δ	eng_sort	no	eng_domain	yes	no
			eng_sort	yes	no
◊	oid_eng_mstr	yes	oid_eng_mstr	yes	no

en_mstr Entity Master

	Field Name	Label	Col-Label	Format	Dec
	en_addr	Company Address		x(8)	
	en_adj_bs	Post Translation Adj to (B/I)	Post Adj	Bal Sheet/Inc Stmt	
◊	en_consolidation	Consolidation Entity	Cons! Enty	yes/no	
	en_curr	Currency	Cur	x(3)	
◊	en_domain	Domain		x(8)	
	en_entity	Entity	Ent	x(4)	
	en_name	Description		x(24)	
	en_next_prot	Next Protocol Number	Next Prot	999999999	

	Field Name	Label	Col-Label	Format	Dec
	en_page_num	Posting Audit Trail Page Nbr	Page	>>>>9	
	en_primary	Primary Entity	Pri	yes/no	
	en_src_desc_lang	Source Description Language	Lang	x(2)	
◊	en_type	Entity Type	Enty! Type	x(8)	
	en_user1	Ufld1		x(8)	
	en_user2	Ufld2		x(8)	
	en__qad01			yes/no	
	en__qad02			>>>>>9	
◊	oid_en_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	en_entity	yes	en_domain	yes	no
			en_entity	yes	no
◊	en_type	no	en_entity	yes	no
			en_type	yes	no
◊	oid_en_mstr	yes	oid_en_mstr	yes	no

eraw_det

Raw Export Document Detail

	Field Name	Label	Col-Label	Format	Dec
	eraw_data	Raw Export Document Data		x(255)	
	eraw_doc_id	Document ID		>>>>>>>9	
	eraw_doc_line	Document Line Number		>>9	
◊	eraw_domain	Domain		x(8)	
	eraw_line_cont	Line Continued		yes/no	
	eraw_mod_date	Modified Date	Mod Date	99/99/99	
	eraw_mod_userid	User ID		x(8)	
	eraw_user1	Ufld1		x(8)	
	eraw_user2	Ufld2		x(8)	
	eraw__dec01			->>>,>>>,>>9.99<	10
	eraw__dec02			->>>,>>>,>>9.99<	10
	eraw__dte01			99/99/99	
	eraw__dte02			99/99/99	
	eraw__int01			->>>,>>>,>>9	
	eraw__int02			->>>,>>>,>>9	
	eraw__log01			yes/no	
	eraw__log02			yes/no	
	eraw__qadc01			x(8)	
	eraw__qadc02			x(8)	
	eraw__qadc03			x(8)	
	eraw__qadc04			x(8)	
	eraw__qadd01			->>>,>>>,>>9.99<	10
	eraw__qadd02			->>>,>>>,>>9.99<	10
	eraw__qadi01			->>>,>>>,>>9	
	eraw__qadi02			->>>,>>>,>>9	
	eraw__qadl01			yes/no	
	eraw__qadl02			yes/no	
	eraw__qadt01			99/99/99	
	eraw__qadt02			99/99/99	
◊	oid_eraw_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_eraw_det	yes	oid_eraw_det	yes	no
Δ*	RawExport	yes	eraw_doc_id	yes	no
			eraw_doc_line	yes	no
			eraw_domain	yes	no

ers_mstr

Evaluated Receipts Settlement Master

	Field Name	Label	Col-Label	Format	Dec
◊	ers_domain	Domain		x(8)	
	ers_mod_date	Modified Date	Mod Date	99/99/99	
	ers_mod_userid	User ID		x(8)	
	ers_opt	ERS Option	ERS! OPT	>9	
	ers_part	Item Number		x(18)	
	ers_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
	ers_site	Site		x(8)	
	ers_user1	Ufld1		x(8)	
	ers_user2	Ufld2		x(8)	
	ers_vend	Supplier		x(8)	
	ers__qadc01			x(8)	
	ers__qadc02			x(8)	
◊	oid_ers_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ers_part	no	ers_domain	yes	no
			ers_part	yes	no
			ers_vend	yes	no
Δ	ers_si	no	ers_domain	yes	no
			ers_site	yes	no
			ers_vend	yes	no
			ers_part	yes	no
Δ*	ers_vd_si_pt	yes	ers_domain	yes	no
			ers_vend	yes	no
			ers_site	yes	no
			ers_part	yes	no
◊	oid_ers_mstr	yes	oid_ers_mstr	yes	no

esc_ctrl

Service/Support Escalation Control

	Field Name	Label	Col-Label	Format	Dec
◊	esc_domain	Domain		x(8)	
	esc_es_prefix	Escalation Prefix		x(3)	
	esc_index	Index		>>9	
	esc_mod_date	Modified Date	Mod Date	99/99/99	
	esc_mod_userid	User ID		X(8)	
	esc_nbr	Escalation Number		>>>>>9	
	esc_rrc_nbr	Repair Step Number		>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	esc_rrc_pre	Repair Step Prefix		X(3)	
	esc_user1	Ufld1		x(8)	
	esc_user2	Ufld2		x(8)	
	esc__chr01	User Character Field 1		X(8)	
	esc__chr02	User Character Field 2		X(8)	
	esc__dte01	User Date Field 1		99/99/99	
	esc__int01	User Integer Field 1		->,>>>,>>9	
	esc__log01	User Logical Field 1		yes/no	
	esc__qadc01	QAD Character Field 1		X(8)	
	esc__qadc02	QAD Character Field 2		X(8)	
	esc__qadi01	QAD Integer Field 1		->,>>>,>>9	
	esc__qadl01	QAD Logical Field 1		yes/no	
	esc__qadt01	QAD Date Field 1		99/99/99	
◊	oid_esc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	esc_index	yes	esc_domain	yes	no
			esc_index	yes	no
◊	oid_esc_ctrl	yes	oid_esc_ctrl	yes	no

esh_mstr

Service/Support Engineer Schedule Master

	Field Name	Label	Col-Label	Format	Dec
	esh_days[8]	Days		yes/no	
◊	esh_domain	Domain		x(8)	
	esh_end_eff	End Effective		99/99/99	
	esh_end_time[8]	End Time		99:99	
	esh_holidays	Holidays		yes/no	
	esh_mod_date	Modified Date	Mod Date	99/99/99	
	esh_mod_userid	User ID		X(8)	
	esh_oncall	On Call Schedule	Call	yes/no	
	esh_reg_code	Region Code		x(8)	
	esh_schedule	Schedule		x(8)	
	esh_sched_type	Schedule Type		x(8)	
	esh_shift_code	Shift		x(8)	
	esh_start_eff	Start Effective		99/99/99	
	esh_start_time[8]	Start time		99:99	
	esh_status	Status		x(8)	
	esh_user1	Ufld1		x(8)	
	esh_user2	Ufld2		x(8)	
	esh__chr01	User Character Field 1		X(8)	
	esh__chr02	User Character Field 2		X(8)	
	esh__dte01	User Date Field 1		99/99/99	
	esh__dte02	User Date Field 2		99/99/99	
	esh__log01	User Logical Field 1		yes/no	
	esh__log02	User Logical Field 2		yes/no	
	esh__qadc01	QAD Character Field 1		X(8)	
	esh__qadc02	QAD Character Field 2		X(8)	
	esh__qadi01	QAD Integer Field 1		->,>>>,>>9	
	esh__qadi02	QAD Integer Field 2		X(8)	0
	esh__qadl01	QAD Logical Field 1		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	esh__qadl02	QAD Logical Field 2		yes/no	
	esh__qadt01	QAD Date Field 1		99/99/99	
	esh__qadt02	QAD Date Field 2		99/99/99	
◊	oid_esh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	esh_schedule	yes	esh_domain	yes	no
			esh_schedule	yes	no
			esh_start_eff	yes	no
◊	oid_esh_mstr	yes	oid_esh_mstr	yes	no

esp_mstr

Export Document Specification Master

	Field Name	Label	Col-Label	Format	Dec
	esp_access_code	Access Code		x(60)	
	esp_ack_doc_rev	Document Revision		x(8)	
	esp_ack_doc_std	Document Standard		x(8)	
	esp_ack_doc_typ	Document Type		x(21)	
	esp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
	esp_app_id	Application ID		x(12)	
	esp_app_ver	Application Version		x(8)	
	esp_code_pg	Code Page		X(15)	
	esp_date_form	Date Format		X(3)	
	esp_delim	ASCII Document Element Delimiter		>>9	
	esp_del_err_det	Delete Error Detail		x(1)	
	esp_desc	Description		x(60)	
	esp_dest_mthd	Destination Method		x(24)	
	esp_dest_proc	Destination Procedure		x(24)	
	esp_doc_lng	Document Language		x(3)	
	esp_doc_rev	Document Revision		x(8)	
	esp_doc_std	Document Standard		x(8)	
	esp_doc_typ	Document Type		x(21)	
◊	esp_domain	Domain		x(8)	
	esp_dtd_name	DTD Filename		x(40)	
	esp_email_notlvl	E-mail Level		x(1)	
	esp_email_userid	Default E-mail User ID		x(8)	
	esp_eol_delim	End of Line Delimiter for Export		yes/no	
	esp_ex_map_flg	Export Mapping Enabled		yes/no	
	esp_mapper_proc	Data Mapper Procedure		x(24)	
	esp_map_parm[10]	Mapper Parameter Codes		x(8)	
	esp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
	esp_map_spec	Mapping Specification ID		x(24)	
	esp_mod_date	Modified Date	Mod Date	99/99/99	
	esp_mod_userid	User ID		x(8)	
	esp_msg_ack_lvl	Acknowledgment Level		x(8)	
	esp_msg_clnt_ord	Message Ordering		x(8)	
	esp_msg_persist	Persistence		X(8)	
	esp_msg_priority	Priority		x(8)	
	esp_msg_routing	Routing		x(8)	

Field Name	Label	Col-Label	Format	Dec
esp_msg_secur	Security		X(8)	
esp_msg_sync	Sync Scope		X(8)	
esp_msg_ttl	Time To Live		x(8)	
esp_num_form	Numeric Format		X(8)	
esp_pause_sev	Pause Severity Level		9	
esp_process_typ	Process Type		x(8)	
esp_publ_flg	Publishing Enabled		yes/no	
esp_queue_pub	Queue Published Documents		X(1)	
esp_send_flg	Sending Enabled		yes/no	
esp_src_app_id	Source Application ID		x(12)	
esp_src_app_ver	Source Application Version		x(8)	
esp_src_comp	Source Component		x(10)	
esp_src_doc_rev	Source Document Revision		x(8)	
esp_src_doc_std	Source Document Standard		x(8)	
esp_src_doc_typ	Source Document Type		x(21)	
esp_src_proc	Source Procedure		x(24)	
esp_src_task	Task		x(10)	
esp_src_userid	Source User ID		x(8)	
esp_tradptr_id	Trading Partner ID		x(32)	
esp_user1	Ufld1		x(8)	
esp_user2	Ufld2		x(8)	
esp_use_ex_queue	Use Export Queue		yes/no	
esp_xml	XML Exported		x(1)	
esp__dec01			->>>,>>>,>>9.99<	10
esp__dec02			->>>,>>>,>>9.99<	10
esp__dte01			99/99/99	
esp__dte02			99/99/99	
esp__int01			->>>,>>>,>>9	
esp__int02			->>>,>>>,>>9	
esp__log01			yes/no	
esp__log02			yes/no	
esp__qadc01			x(8)	
esp__qadc02			x(8)	
esp__qadc03			x(8)	
esp__qadc04			x(8)	
esp__qadd01			->>>,>>>,>>9.99<	10
esp__qadd02			->>>,>>>,>>9.99<	10
esp__qadi01			->>>,>>>,>>9	
esp__qadi02			->>>,>>>,>>9	
esp__qadl01			yes/no	
esp__qadl02			yes/no	
esp__qadt01			99/99/99	
esp__qadt02			99/99/99	
◊ oid_esp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗ ExportSpec	yes	esp_domain	yes	no
		esp_app_id	yes	no
		esp_doc_std	yes	no
		esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no
◊ oid_esp_mstr	yes	oid_esp_mstr	yes	no

ess_mstr

Service/Support Engineer Status Master

	Field Name	Label	Col-Label	Format	Dec
	ess_available	Available	Avl	yes/no	
	ess_desc	Description		x(24)	
◊	ess_domain	Domain		x(8)	
	ess_mod_date	Modified Date	Mod Date	99/99/99	
	ess_mod_userid	User ID		X(8)	
	ess_status	Status		x(8)	
	ess_user1	Ufld1		x(8)	
	ess_user2	Ufld2		x(8)	
	ess__chr01	User Character Field 1		X(8)	
	ess__log01	User Logical Field 1		yes/no	
	ess__qadc01	QAD Character Field 1		X(8)	
	ess__qadl01	QAD Logical Field 1		yes/no	
◊	oid_ess_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ess_status	yes	ess_domain	yes	no
			ess_status	yes	no
Δ	ess_statusav	no	ess_domain	yes	no
			ess_status	yes	no
			ess_available	yes	no
◊	oid_ess_mstr	yes	oid_ess_mstr	yes	no

es_mstr

Service/Support Escalation and Repair Master

Field Name	Label	Col-Label	Format	Dec
es_act_date	Actual Date	Act Date	99/99/99	
es_ca_category	Category		x(8)	
es_ca_int_type	Work Code	Wk Code	x(8)	
es_ca_pri	Call Priority		>>9	
es_ca_problem	Call Problem	Problem	x(8)	
es_ca_severity	Call Severity	Severity	x(8)	
es_ca_status	Status		x(8)	
es_ca_type	Call Type	Type	x(8)	
es_cmtindx	Comment Index	Comment	>>>>>>>9	
es_days_in	Days Allowed In Status	Days	>>>>>9	
es_desc	Description		x(24)	
es_docs_printed	All Documents Printed		yes/no	
es_doc_desc[7]	Description		x(24)	
es_doc_exec[7]	Program		x(8)	
es_doc_paged[7]	Paged		yes/no	
es_doc_printed[7]	Document Printed	Prt	yes/no	
es_doc_printer[7]	Printer		x(8)	
es_doc_printit[7]	Print	Prt	yes/no	
◊ es_domain	Domain		x(8)	
es_due_date	Due Date		99/99/99	
es_escalate	Escalate	Esc	yes/no	
es_esc_program	Escalation Program	Esc Program	x(12)	
es_es_nbr	Escalation		x(8)	
es_group	Group		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	es_initial_date	Initial Date	Initial	99/99/99	
	es_itm_line	Line	Ln	>>9	
	es_message	Messages	Msg	yes/no	
	es_message_list	Distribution List		x(24)	
	es_nbr	Number		x(8)	
	es_next_que	Queue		x(8)	
	es_next_status	Status		x(8)	0
	es_page	Page		yes/no	
	es_prefix			x(4)	
	es_print	Print	Prt	yes/no	
	es_pri_bump	Bump Priority	Pri	>>9	
	es_program	Program		x(12)	
	es_repair_step	Repair Step	Step	x(2)	
	es_seq	Sequence	Seq	>>9	
	es_time_in	Time Allowed in Status		99:99	
	es_user1	Ufld1		x(8)	
	es_user2	Ufld2		x(8)	
	es__chr01	User Field #1		x(8)	
	es__chr02	User Field #2		x(8)	
	es__chr03	User Field #3		x(8)	
	es__chr04	User Field #4		x(8)	
	es__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	es__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	es__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	es__dte01	User Date #1		99/99/99	
	es__dte02	User Date #2		99/99/99	
	es__dte03	User Date #3		99/99/99	
	es__log01	User Logical #1		yes/no	
	es__log02	User Logical #2		yes/no	
	es__log03	User Logical #3		yes/no	
	es__qadc01	Qad Field #1		x(8)	
	es__qadc02	Qad Field #2		x(8)	
	es__qadc03	Qad Field #3		x(8)	
	es__qadc04	Qad Field #4		x(8)	
	es__qadd01	Qad Date #1		99/99/99	
	es__qadd02	Qad Date #2		99/99/99	
	es__qadd03	Qad Date #3		99/99/99	
	es__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	es__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	es__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	es__qadl01	Qad Logical #1		yes/no	
	es__qadl02	Qad Logical #2		yes/no	
	es__qadl03	Qad Logical #3		yes/no	
◊	oid_es_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	es_nbr	yes	es_domain	yes	no
			es_nbr	yes	no
			es_prefix	yes	no
			es_itm_line	yes	no
			es_ca_status	yes	no
			es_ca_int_type	yes	no
			es_ca_type	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			es_ca_severity	yes	no
			es_ca_problem	yes	no
			es_seq	yes	no
◊	oid_es_mstr	yes	oid_es_mstr	yes	no

et_ctrl

EMU Control

	Field Name	Label	Col-Label	Format	Dec
	et_base_curr	Old Base Currency		x(3)	
	et_conv_acct	Conversion Rounding Acct		x(8)	
	et_conv_cc	Conversion Rounding CC		x(4)	
	et_conv_sub	Conversion Rounding Sub-Acct	Sub-Acct	x(8)	
◊	et_domain	Domain		x(8)	
	et_gl_eff_dt	GL Effective Date		99/99/99	
	et_print_dc	Print SO/Invc In Dual Cur		yes/no	
	et_rate_active	Euro Cur Exch Rates Active		yes/no	
	et_show_diff	Show Conversion Rounding Diff		yes/no	
	et_start_conv	Start Conversion		yes/no	
	et_user1	Ufld1		x(8)	
	et_user2	Ufld2		x(8)	
	et__qadc01			x(8)	
	et__qadc02			x(8)	
	et__qadc03			x(8)	
	et__qadc05	QAD Character Field 5		x(8)	
	et__qadd01			->>>,>>>,>>9.99	10
	et__qadd02			->>>,>>>,>>9.99	10
	et__qadd03			->>>,>>>,>>9.99	10
	et__qadi01			>>>>>>9	
	et__qadi02			>>>>>>9	
	et__qadi03			>>>>>>9	
Δ	et__qadi04			->>>>>>>9	
	et__qadl01			yes/no	
	et__qadl02			yes/no	
	et__qadl03			yes/no	
	et__qadl04	QAD Logical Field 4		yes/no	
	et__qadl05	QAD Logical Field 5		yes/no	
	et__qadt01			99/99/99	
	et__qadt02			99/99/99	
	et__qadt03			99/99/99	
	et__qadt04	QAD Date Field 4		99/99/99	
◊	oid_et_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	et_index1	yes	et_domain	yes	no
◊	oid_et_ctrl	yes	oid_et_ctrl	yes	no

euc_ctrl

Service/Support End User Control

	Field Name	Label	Col-Label	Format	Dec
	euc_create_isb	Create ISB		yes/no	
◊	euc_domain	Domain		x(8)	
	euc_mod_date	Modified Date	Mod Date	99/99/99	
	euc_mod_userid	User ID		X(8)	
	euc_nbr	Next Enduser		99999999	
	euc_user1	Ufld1		x(8)	
	euc_user2	Ufld2		x(8)	
	euc__chr01	User Character Field 1		X(8)	
	euc__dte01	User Date Field 1		99/99/99	
	euc__int01	User Integer Field 1		->,>>>,>>9	
	euc__log01	User Logical Field 1		yes/no	
	euc__qadc01	QAD Character Field 1		X(8)	
	euc__qadi01	QAD Integer Field 1		->,>>>,>>9	
Δ	euc__qadi02			->>>>>>>9	
	euc__qadl01	Create ISB		yes/no	
	euc__qadl02	QAD Logical Field		yes/no	
	euc__qadt01	QAD Date Field 1		99/99/99	
◊	oid_euc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	euc_index1	yes	euc_domain	yes	no
◊	oid_euc_ctrl	yes	oid_euc_ctrl	yes	no

eud_det

Service/Support End User Detail

	Field Name	Label	Col-Label	Format	Dec
	eud_addr	End User		x(8)	
◊	eud_domain	Domain		x(8)	
	eud_fax	Fax		x(20)	
	eud_ls_type	List Type		x(8)	
	eud_mail_addr	Mail Address		x(24)	
	eud_mod_date	Modified Date	Mod Date	99/99/99	
	eud_mod_userid	User ID		X(8)	
	eud_nametype			x(1)	
	eud_phone	Phone		x(20)	
	eud_sort	Name		x(35)	
	eud_title	Title		x(20)	
	eud_trnbr	Transaction Number		>>>>>9	
	eud_type	Contact Type		x(16)	
	eud_updt	Last Update		99/99/99	
	eud_user1	Ufld1		x(8)	
	eud_user2	Ufld2		x(8)	
	eud__chr01	User Character Field 1		X(8)	
	eud__chr02	User Character Field 2		X(8)	
	eud__chr03	User Character Field 3		X(8)	
	eud__dte01	User Date Field 1		99/99/99	
	eud__int01	User Integer Field 1		->,>>>,>>9	
	eud__log01	User Logical Field 1		yes/no	
	eud__qadc01	QAD Character Field 1		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	eud__qadc02	QAD Character Field 2		X(8)	
	eud__qadc03	QAD Character Field 3		X(8)	
	eud__qadi01	QAD Integer Field 1		->,>>>,>>9	
	eud__qadl01	QAD Logical Field 1		yes/no	
	eud__qadt01	QAD Date Field 1		99/99/99	
◊	oid_eud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	eud_addr	no	eud_domain	yes	no
			eud_addr	yes	no
			eud_ls_type	yes	no
			eud_sort	yes	no
Δ	eud_nametype	no	eud_domain	yes	no
			eud_addr	yes	no
			eud_nametype	yes	no
			eud_trnbr	yes	no
Δ	eud_phone	no	eud_domain	yes	no
			eud_phone	yes	no
Δ	eud_sort	no	eud_domain	yes	no
			eud_sort	yes	no
Δ*	eud_trnbr	yes	eud_domain	yes	no
			eud_trnbr	yes	no
◊	oid_eud_det	yes	oid_eud_det	yes	no

eu_mstr

Service/Support End User Master

	Field Name	Label	Col-Label	Format	Dec
	eu_addr	End User		x(8)	
	eu_application	Application		x(40)	
	eu_autorenew	Auto Renew Contracts		yes/no	
	eu_channel	Channel	Chan	x(4)	
	eu_cmtindx	Comment Idx		>>>>>>9	
	eu_cm_nbr	Customer No	Cus No	x(8)	
	eu_create_isb	Create ISB		yes/no	
	eu_disc_pct	Disc %		->>9.99%	10
◊	eu_domain	Domain		x(8)	
	eu_ed_time	End Time	Ed Tm	99:99	
	eu_eng_code	Engineer Code	Eng Cd	x(8)	
	eu_eng_group	Engineer Group		x(8)	
	eu_eng_sec	Secondary Eng		x(8)	0
	eu_es_nbr	Escalation	Esc	x(8)	
	eu_lang	Language		x(2)	
	eu_login	Login		x(12)	
	eu_modem	Modem Phone	Modem	x(20)	
	eu_mod_date	Modified Date	Mod Date	99/99/99	
	eu_mod_userid	User ID		X(8)	
	eu_msg	Message		x(60)	
	eu_msg_end	End Date		99/99/99	
	eu_name	Name		x(35)	
	eu_node	Node		x(8)	
	eu_node_type	Node Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
eu_office	Office		x(8)	
eu_phone	Phone		x(20)	
eu_po_accum	Accumulated PO Total		>>>>,>>>,>>9.99<<<	10
eu_po_limit	PO Limit		>>>>,>>>,>>9.99<<<	10
eu_po_nbr	Purchase Order	PO	x(22)	
eu_po_reqd	PO Required		yes/no	
eu_pri	Call Priority	Pri	>>>9	
eu_rebuild_isb	Rebuild Isb		yes/no	
eu_receipt_days	Days to Receive		>>9	
eu_renew_days	Days to Renew		>>9	
eu_reseller	Reseller		yes/no	
eu_review	Review Date		99/99/99	
eu_rsb	Responsible		x(24)	
eu_sep_invoice	Separate Invoice		yes/no	
eu_ship_days	Days to Ship		>>9	
eu_sic_code	SIC Code		x(8)	
eu_sort	Name		x(35)	
eu_status	Status		x(4)	
eu_st_time	Start Time	St Tm	99:99	
eu_svc_area	Service Area	Svc Area	x(18)	
eu_time_zone	Hours from GMT		>>9	
eu_trv_dist	Travel Dist	Trvl Dst	>>9	
eu_trv_time	Travel Time		999:99	0
eu_trv_um	Travel UM	TU	x(2)	
eu_type	Type		x(8)	
eu_un_billed	Un Billed		>>>>,>>>,>>9.99<<<	10
eu_updates	Updates		x(8)	
eu_user1	Ufld1		x(8)	
eu_user2	Ufld2		x(8)	
eu_zip	Post		x(10)	
eu__chr01			x(8)	
eu__chr02			x(8)	
eu__chr03			x(8)	
eu__chr04			x(8)	
eu__chr05			x(8)	
eu__chr06			x(8)	
eu__chr07			x(8)	
eu__chr08			x(8)	
eu__chr09			x(8)	
eu__chr10			x(8)	
eu__dec01			->>>,>>>,>>9.99	10
eu__dec02			->>>,>>>,>>9.99	10
eu__dec03			->>>,>>>,>>9.99	10
eu__dte01			99/99/99	
eu__dte02			99/99/99	
eu__dte03			99/99/99	
eu__dte04			99/99/99	
eu__log01			yes/no	
eu__log02			yes/no	
eu__log03			yes/no	
eu__log04			yes/no	
eu__log05			yes/no	
eu__qadc01	QAD Character Field 1		X(8)	
eu__qadc02	QAD Character Field 2		X(8)	
eu__qadc03	QAD Character Field 3		X(8)	
eu__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
eu__qadi01	QAD Integer Field 1		->,>>>,>>9	

	Field Name	Label	Col-Label	Format	Dec
	eu__qadi02	QAD Integer Field 2		->,>>>,>>9	
	eu__qadl01	QAD Logical Field 1		yes/no	
	eu__qadl02	QAD Logical Field 2		yes/no	
	eu__qadl03	QAD Logical Field 3		yes/no	
	eu__qadt01	QAD Date Field 1		99/99/99	
	eu__qadt02	QAD Date Field 2		99/99/99	
◊	oid_eu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	eu_addr	yes	eu_domain	yes	no
			eu_addr	yes	no
Δ	eu_cmeu_nbr	yes	eu_domain	yes	no
			eu_cm_nbr	yes	no
			eu_addr	yes	no
Δ	eu_sort_addr	yes	eu_domain	yes	no
			eu_sort	yes	no
			eu_addr	yes	no
Δ	eu_zip	no	eu_domain	yes	no
			eu_zip	yes	no
			eu_addr	yes	no
◊	oid_eu_mstr	yes	oid_eu_mstr	yes	no

excd_det

Consolidated Exchange Rate Detail

	Field Name	Label	Col-Label	Format	Dec
	excd_acc	Account		x(8)	
	excd_curr	Currency	Curr	x(3)	
	excd_curr2	Currency 2	Cur 2	x(3)	
◊	excd_domain	Domain		x(8)	
	excd_en_rate	Rate Entered		>>,>>9.99999<<<<<	10
	excd_exru_seq	Sequence		>>>>>>>>9	
	excd_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	excd_ex_ratetype	Rate Type		x(8)	
	excd_per	Period	Pd	>9	
	excd_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	excd_user1	Ufld1		x(8)	
	excd_user2	Ufld2		x(8)	
	excd_xac_type	Not Used		x(1)	
	excd_xcc	Not Used		x(4)	
	excd_year	Fiscal Year	Year	9999	
	excd__qadc01			x(8)	
◊	oid_excd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	excd_index	yes	excd_domain	yes	no
			excd_curr	yes	no
			excd_curr2	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			excd_acc	yes	no
			excd_year	yes	no
			excd_per	yes	no
◊	oid_excd_det	yes	oid_excd_det	yes	no

exc_mstr

Consolidation Currency Exchange Master

	Field Name	Label	Col-Label	Format	Dec
	exc_acc	Account		x(8)	
	exc_curr	Currency	Cur	x(3)	
	exc_curr2	Currency 2	Cur 2	x(3)	
◊	exc_domain	Domain		x(8)	
	exc_user1	Ufld1		x(8)	
	exc_user2	Ufld2		x(8)	
	exc_xac_type	Not Used		x(1)	
	exc_xall_cc	Not Used		yes/no	
	exc_xcc	Not Used		x(4)	
	exc__qadc01			x(8)	
◊	oid_exc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	exc_index	yes	exc_domain	yes	no
			exc_curr	yes	no
			exc_curr2	yes	no
			exc_acc	yes	no
◊	oid_exc_mstr	yes	oid_exc_mstr	yes	no

exru_usage

Exchange Rate Usage

	Field Name	Label	Col-Label	Format	Dec
	exru_curr1	Cur 1		x(3)	
	exru_curr2	Cur 2		x(3)	
	exru_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	exru_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	exru_seq	Sequence		>>>>>>>>9	
	exru_step	Step		>>9	
	exru__qadc01			x(8)	
	exru__qadd01			->>,>>>,>>9.99	10
	exru__qadl01			yes/no	
	exru__qadt01			99/99/99	
◊	oid_exru_usage			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	exru_seq	yes	exru_seq	yes	no
			exru_step	yes	no
◊	oid_exru_usage	yes	oid_exru_usage	yes	no

exr_rate

Exchange Rate Master

	Field Name	Label	Col-Label	Format	Dec
	exr_curr1	Cur 1		x(3)	
	exr_curr2	Cur 2		x(3)	
◊	exr_domain	Domain		x(8)	
	exr_end_date	End		99/99/99	
	exr_mod_date	Modified Date	Mod Date	99/99/99	
	exr_mod_userid	User ID		x(8)	
	exr_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	exr_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	exr_ratetype	Rate Type		x(8)	
	exr_start_date	Start		99/99/99	
	exr_user1	Ufld1		x(8)	
	exr_user2	Ufld2		x(8)	
	exr__qadc01			x(8)	
	exr__qadd01			->>>>,>>>,>>9.99	10
	exr__qadl01			yes/no	
	exr__qadt01			99/99/99	
◊	oid_exr_rate			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	exr_curr2	no	exr_domain	yes	no
			exr_curr2	yes	no
Δ*	exr_currs	yes	exr_domain	yes	no
			exr_curr1	yes	no
			exr_curr2	yes	no
			exr_ratetype	yes	no
			exr_start_date	no	no
Δ	exr_ratetype	no	exr_domain	yes	no
			exr_ratetype	yes	no
◊	oid_exr_rate	yes	oid_exr_rate	yes	no

faadj_mstr

Fixed Asset Adjustment Master

	Field Name	Label	Col-Label	Format	Dec
	faadj_amt	Adjustment Amount	Adj Amt	->>>>,>>>,>>9.99<	10
◊	faadj_domain	Domain		x(8)	
	faadj_fabk_id	Book		x(4)	
	faadj_famt_id	Method		x(8)	
	faadj_fa_id	Asset		x(12)	
	faadj_life	Life		->>9.99<	10
	faadj_migrate	Migrated		yes/no	
	faadj_mod_date	Modified Date	Mod Date	99/99/9999	
	faadj_mod_userid	User ID		x(8)	
	faadj_resrv	Reserve		->,>>>,>>9	
	faadj_type	Adj Type		x(2)	
	faadj_user1	Ufld1		x(8)	
	faadj_user2	Ufld2		x(8)	
	faadj_yrper	Year/Period	Yr-Per	x(6)	
	faadj__chr01			x(8)	
	faadj__dec01			->>>>,>>>,>>9.99<	10

	Field Name	Label	Col-Label	Format	Dec
	faadj__dte01			99/99/9999	
	faadj__int01			->,>>>,>>9	
	faadj__log01			yes/no	
	faadj__qadc01			x(20)	
	faadj__qadd01			->>>>,>>>,>>9.99<	10
	faadj__qadi01			->,>>>,>>9	
	faadj__qadl01			yes/no	
	faadj__qadt01			99/99/9999	
◊	oid_faadj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	faadj_fa_id	yes	faadj_domain	yes	no
			faadj_fa_id	yes	no
			faadj_fabk_id	yes	no
			faadj_resrv	yes	no
◊	oid_faadj_mstr	yes	oid_faadj_mstr	yes	no

faba_det

Fixed Asset Account Detail

	Field Name	Label	Col-Label	Format	Dec
	faba_acct	Account		x(8)	
	faba_acctype	Account Type	Type	x(2)	
	faba_cc	Cost Center	CC	x(4)	
◊	faba_domain	Domain		x(8)	
	faba_fa_id	Asset		x(12)	
	faba_glseq	Account Sequence	Seq	->>>,>>>,>>9	
	faba_mod_date	Modified Date	Mod Date	99/99/9999	
	faba_mod_userid	User ID		x(8)	
	faba_proj	Project		X(8)	
	faba_sub	Sub-Account	Sub-Acct	x(8)	
	faba_user1	Ufld1		x(8)	
	faba_user2	Ufld2		x(8)	
	faba__chr01			x(8)	
	faba__dec01			->>>>,>>>,>>9.99<	10
	faba__dte01			99/99/9999	
	faba__int01			->,>>>,>>9	
	faba__log01			yes/no	
	faba__qadc01			x(20)	
	faba__qadd01			->>>>,>>>,>>9.99<	10
	faba__qadi01			->,>>>,>>9	
	faba__qadl01			yes/no	
	faba__qadt01			99/99/9999	
◊	oid_faba_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	faba_acctype	no	faba_domain	yes	no
			faba_acctype	yes	no
Δ*	faba_fa_id	yes	faba_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			faba_fa_id	yes	no
			faba_acctype	yes	no
			faba_glseq	yes	no
◊	oid_faba_det	yes	oid_faba_det	yes	no

fabchd_det Fixed Asset Batch Detail

	Field Name	Label	Col-Label	Format	Dec
	fabchd_desc	Asset Description		X(50)	
◊	fabchd_domain	Domain		x(8)	
	fabchd_fabch_id	Batch		x(12)	
	fabchd_facls_id	Class		x(8)	
	fabchd_faloc_id	Location		x(8)	
	fabchd_fa_id	Asset		x(12)	
	fabchd_insamt	Insurance Value		->>>>,>>>,>>9.99<	10
	fabchd_ins_co	Insurance Company		x(24)	
	fabchd_ins_date	Insurance Date		99/99/9999	
	fabchd_ins_nbr	Insurance Number		x(12)	
	fabchd_mod_date	Modified Date	Mod Date	99/99/9999	
	fabchd_mod_user	User ID		x(8)	
	fabchd_puramt	Cost		->>>>,>>>,>>9.99<	10
	fabchd_qty	Components		>>>9	
	fabchd_salvamt	Salvage		->>>>,>>>,>>9.99<	10
	fabchd_startdt	Service Date	Serv Date	99/99/9999	
	fabchd_um	Unit of Measure	UM	x(2)	
	fabchd_uplife	Total Units		>,>>>,>>>,>>9	
	fabchd_upper	Units/Period		>,>>>,>>>,>>9	
	fabchd_user1	Ufld1		x(8)	
	fabchd_user2	Ufld2		x(8)	
	fabchd__chr01			x(8)	
	fabchd__dec01			->>>>,>>>,>>9.99<	10
	fabchd__dte01			99/99/9999	
	fabchd__int01			->,>>>,>>9	
	fabchd__log01			yes/no	
	fabchd__qadc01			x(20)	
	fabchd__qadd01			->>>>,>>>,>>9.99<	10
	fabchd__qadi01			->,>>>,>>9	
	fabchd__qadl01			yes/no	
	fabchd__qadt01			99/99/9999	
◊	oid_fabchd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fabchd_fa_id	yes	fabchd_domain	yes	no
			fabchd_fabch_id	yes	no
			fabchd_fa_id	yes	no
◊	oid_fabchd_det	yes	oid_fabchd_det	yes	no

fabch_mstr Fixed Asset Batch Master

	Field Name	Label	Col-Label	Format	Dec
	fabch_createdt	Creation Date		99/99/9999	
	fabch_ctrl	Batch Control		->>>,>>>,>>9.99<	10
◊	fabch_domain	Domain		x(8)	
	fabch_id	Batch		x(12)	
	fabch_mod_date	Modified Date	Mod Date	99/99/9999	
	fabch_mod_userid	User ID		x(8)	
	fabch_user1	Ufld1		x(8)	
	fabch_user2	Ufld2		x(8)	
	fabch__chr01			x(8)	
	fabch__dec01			->>>>,>>>,>>9.99<	10
	fabch__dte01			99/99/9999	
	fabch__int01			->,>>>,>>9	
	fabch__log01			yes/no	
	fabch__qadc01			x(20)	
	fabch__qadd01			->>>>,>>>,>>9.99<	10
	fabch__qadi01			->,>>>,>>9	
	fabch__qadl01			yes/no	
	fabch__qadt01			99/99/9999	
◊	oid_fabch_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fabch_id	yes	fabch_domain	yes	no
			fabch_id	yes	no
◊	oid_fabch_mstr	yes	oid_fabch_mstr	yes	no

fabd_det Fixed Asset Book Depreciation Detail

	Field Name	Label	Col-Label	Format	Dec
	fabd_accamt	Accumulated Depreciation		->>>>,>>>,>>9.99<	10
	fabd_accup	Units Consumed		>,>>>,>>>,>>9	
	fabd_adj_yrper	Adj Year/Period	Adj! Yr-Per	x(6)	
◊	fabd_domain	Domain		x(8)	
	fabd_entity	Entity	Enty	x(4)	
	fabd_fabk_id	Book		x(4)	
	fabd_facls_id	Class		x(8)	
	fabd_faloc_id	Location		x(8)	
	fabd_fa_id	Asset		x(12)	
	fabd_glseq	GL Sequence		->>>,>>>,>>9	
	fabd_migrate	Migrated		yes/no	
	fabd_mod_date	Modified Date	Mod Date	99/99/9999	
	fabd_mod_userid	User ID		x(8)	
	fabd_peramt	Period Depreciation		->>>>,>>>,>>9.99<	10
	fabd_post	Posted To GL	Posted	yes/no	
	fabd_resrv	Reserve		->,>>>,>>9	
	fabd_resrv_type	Res Type		x(2)	
	fabd_retired	Retired		yes/no	
	fabd_rt_period	Retire Period		yes/no	
	fabd_seq	Sort	Sort	>>>>>>>9	
	fabd_suspend	Suspend		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	fabd_transfer	Transferred		yes/no	
	fabd_trn_entity	Entity	Enty	x(4)	
	fabd_trn_glseq	GL Sequence		->>>,>>>,>>9	
	fabd_trn_loc	Transfer Location		x(8)	
	fabd_upper	Actual		>,>>>,>>>,>>9	
	fabd_user1	Ufld1		x(8)	
	fabd_user2	Ufld2		x(8)	
	fabd_yrper	Year/Period	Yr-Per	x(6)	
	fabd__chr01			x(8)	
	fabd__dec01			->>>>,>>>,>>9.99<	10
	fabd__dte01			99/99/9999	
	fabd__int01			->,>>>,>>9	
	fabd__log01			yes/no	
	fabd__qadc01			x(20)	
	fabd__qadc02			x(20)	
	fabd__qadd01			->>>>,>>>,>>9.99<	10
	fabd__qadd02			->>>>,>>>,>>9.99<	10
	fabd__qadi01			->,>>>,>>9	
	fabd__qadi02			->,>>>,>>9	
	fabd__qadl01			yes/no	
	fabd__qadl02			yes/no	
	fabd__qadl03			yes/no	
	fabd__qadl04			yes/no	
	fabd__qadt01			99/99/9999	
	fabd__qadt02			99/99/9999	
◊	oid_fabd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fabd_entity	no	fabd_domain	yes	no
			fabd_entity	yes	no
Δ	fabd_fa_id	no	fabd_domain	yes	no
			fabd_fa_id	yes	no
			fabd_fabk_id	yes	no
			fabd_yrper	yes	no
			fabd_resrv	yes	no
			fabd_seq	yes	no
Δ	fabd_glseq	no	fabd_domain	yes	no
			fabd_glseq	yes	no
Δ	fabd_post	no	fabd_domain	yes	no
			fabd_post	yes	no
Δ	fabd_resrv	no	fabd_domain	yes	no
			fabd_resrv	yes	no
Δ	fabd_rt_period	no	fabd_domain	yes	no
			fabd_rt_period	yes	no
Δ*	fabd_seq	yes	fabd_domain	yes	no
			fabd_seq	yes	no
Δ	fabd_suspend	no	fabd_domain	yes	no
			fabd_suspend	yes	no
Δ	fabd_trn_entity	no	fabd_domain	yes	no
			fabd_trn_entity	yes	no
Δ	fabd_yrper	no	fabd_domain	yes	no
			fabd_fabk_id	yes	no
			fabd_post	yes	no
			fabd_yrper	yes	no
◊	oid_fabd_det	yes	oid_fabd_det	yes	no

fabk_mstr Fixed Asset Book Master

	Field Name	Label	Col-Label	Format	Dec
	fabk_calendar	Calendar		x(8)	
	fabk_desc	Description		x(35)	
◊	fabk_domain	Domain		x(8)	
	fabk_id	Book		x(4)	
	fabk_mod_date	Modified Date	Mod Date	99/99/9999	
	fabk_mod_userid	User ID		x(8)	
	fabk_post	Post		yes/no	
	fabk_seq	Sort		>>9	
	fabk_user1	Ufld1		x(8)	
	fabk_user2	Ufld2		x(8)	
	fabk__chr01			x(8)	
	fabk__dec01			->>>>,>>>,>>9.99<	10
	fabk__dte01			99/99/9999	
	fabk__int01			->,>>>,>>9	
	fabk__log01			yes/no	
	fabk__qadc01			x(20)	
	fabk__qadc02			x(20)	
	fabk__qadd01			->>>>,>>>,>>9.99<	10
	fabk__qadi01			->,>>>,>>9	
	fabk__qadl01			yes/no	
	fabk__qadt01			99/99/9999	
◊	oid_fabk_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fabk_id	yes	fabk_domain	yes	no
			fabk_id	yes	no
Δ	fabk_seq	no	fabk_domain	yes	no
			fabk_seq	yes	no
◊	oid_fabk_mstr	yes	oid_fabk_mstr	yes	no

fab_det

Fixed Asset Book Detail

	Field Name	Label	Col-Label	Format	Dec
	fab_amt	Cost		->>>>,>>>,>>9.99<	10
	fab_cst_adjper	Adjust Year/Period	Adj Yr/Per	x(6)	
	fab_date	Service Date	Serv Date	99/99/9999	
◊	fab_domain	Domain		x(8)	
	fab_fabk_id	Book		x(4)	
	fab_fabk_seq	Sequence	Seq	>>9	
	fab_famtr_id	Meter		x(12)	
	fab_famt_id	Method		x(8)	
	fab_fa_id	Asset		x(12)	
	fab_life	Life		->>9.99<	10
	fab_mod_date	Modified Date	Mod Date	99/99/9999	
	fab_mod_userid	User ID		x(8)	
	fab_ovramt	Override Accumulated Dep		->>>>,>>>,>>9.99<	10
	fab_ovrdt	Override Depreciation Date		99/99/9999	
	fab_resrv	Reserve		->,>>>,>>9	
	fab_salvamt	Salvage		->>>>,>>>,>>9.99<	10
	fab_um	Unit of Measure	UM	x(2)	
	fab_upcost	Unit Cost		->,>>>,>>9.99<<<<	10
	fab_uplife	Total Units		>,>>>,>>>,>>9	
	fab_upper	Period Units		>,>>>,>>>,>>9	
	fab_user1	Ufld1		x(8)	
	fab_user2	Ufld2		x(8)	
	fab__chr01			x(8)	
	fab__dec01			->>>>,>>>,>>9.99<	10
	fab__dec02			->>>>,>>>,>>9.99<	10
	fab__dte01			99/99/9999	
	fab__int01			->,>>>,>>9	
	fab__int02			->,>>>,>>9	
	fab__log01			yes/no	
	fab__qadc01			x(20)	
	fab__qadc02			x(20)	
	fab__qadc03			x(20)	
	fab__qadd01			->>>>,>>>,>>9.99<	10
	fab__qadd02			->>>>,>>>,>>9.99<	10
	fab__qadi01			->,>>>,>>9	
	fab__qadi02			->,>>>,>>9	
	fab__qadl01			yes/no	
	fab__qadl02			yes/no	
	fab__qadt01			99/99/9999	
	fab__qadt02			99/99/9999	
◊	oid_fab_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fab_fa_id	yes	fab_domain	yes	no
			fab_fa_id	yes	no
			fab_fabk_seq	yes	no
			fab_fabk_id	yes	no
			fab_resrv	yes	no
Δ	fab_meter	no	fab_domain	yes	no
			fab_famtr_id	yes	no
Δ	fab_resrv	no	fab_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			fab_fa_id	yes	no
			fab_fabk_id	yes	no
			fab_resrv	yes	no
◊	oid_fab_det	yes	oid_fab_det	yes	no

facd_det

Fixed Asset Class Account Detail

	Field Name	Label	Col-Label	Format	Dec
	facd_acct	Account		x(8)	
	facd_acctype	Account Type	Type	x(8)	
◊	facd_domain	Domain		x(8)	
	facd_fabk_id	Book		x(4)	
	facd_facls_id	Class		x(8)	
	facd_mod_date	Modified Date	Mod Date	99/99/9999	
	facd_mod_userid	User ID		x(8)	
	facd_user1	Ufld1		x(8)	
	facd_user2	Ufld2		x(8)	
	facd__chr01			x(8)	
	facd__dec01			->>>>,>>>,>>9.99<	10
	facd__dte01			99/99/9999	
	facd__int01			->,>>>,>>9	
	facd__log01			yes/no	
	facd__qadc01			x(20)	
	facd__qadd01			->>>>,>>>,>>9.99<	10
	facd__qadi01			->,>>>,>>9	
	facd__qadl01			yes/no	
	facd__qadt01			99/99/9999	
◊	oid_facd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	facd_fac_id	yes	facd_domain	yes	no
			facd_facls_id	yes	no
			facd_acctype	yes	no
◊	oid_facd_det	yes	oid_facd_det	yes	no

facld_det

Fixed Asset Calendar Detail

	Field Name	Label	Col-Label	Format	Dec
◊	facld_domain	Domain		x(8)	
	facld_end	Period End		99/99/9999	
	facld_facl_id	Calendar		x(8)	
	facld_mod_date	Modified Date	Mod Date	99/99/9999	
	facld_mod_userid	User ID		x(8)	
	facld_per	Period	Per	>9	
	facld_start	Period Start		99/99/9999	
	facld_user1	Ufld1		x(8)	
	facld_user2	Ufld2		x(8)	
	facld_year	Year		9999	

	Field Name	Label	Col-Label	Format	Dec
	facld__chr01			x(8)	
	facld__dec01			->>>>,>>>,>>9.99<	10
	facld__dte01			99/99/9999	
	facld__int01			->,>>>,>>9	
	facld__log01			yes/no	
	facld__qadc01			x(20)	
	facld__qadd01			->>>>,>>>,>>9.99<	10
	facld__qadi01			->,>>>,>>9	
	facld__qadl01			yes/no	
	facld__qadt01			99/99/9999	
◊	oid_facld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	facld_facl_id	yes	facld_domain	yes	no
			facld_facl_id	yes	no
			facld_year	yes	no
			facld_per	yes	no
◊	oid_facld_det	yes	oid_facld_det	yes	no

facls_mstr

Fixed Asset Class Master

	Field Name	Label	Col-Label	Format	Dec
	facls_dep	Depreciate Assets	Dep	yes/no	
	facls_desc	Description		x(40)	
◊	facls_domain	Domain		x(8)	
	facls_id	Class		x(8)	
	facls_mod_date	Modified Date	Mod Date	99/99/9999	
	facls_mod_userid	User ID		x(8)	
	facls_user1	Ufld1		x(8)	
	facls_user2	Ufld2		x(8)	
	facls__chr01			x(8)	
	facls__dec01			->>>>,>>>,>>9.99<	10
	facls__dte01			99/99/9999	
	facls__int01			->,>>>,>>9	
	facls__log01			yes/no	
	facls__qadc01			x(20)	
	facls__qadc02			x(20)	
	facls__qadd01			->>>>,>>>,>>9.99<	10
	facls__qadi01			->,>>>,>>9	
	facls__qadl01			yes/no	
	facls__qadt01			99/99/9999	
◊	oid_facls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	facls_id	yes	facls_domain	yes	no
			facls_id	yes	no
◊	oid_facls_mstr	yes	oid_facls_mstr	yes	no

facl_cal

Fixed Asset Calendar Master

	Field Name	Label	Col-Label	Format	Dec
◊	facl_domain	Domain		x(8)	
	facl_id	Calendar		x(8)	
	facl_mod_date	Modified Date	Mod Date	99/99/9999	
	facl_mod_userid	User ID		x(8)	
	facl_user1	Ufld1		x(8)	
	facl_user2	Ufld2		x(8)	
	facl_year	Year		9999	
	facl__chr01			x(8)	
	facl__dec01			->>>>,>>>,>>9.99<	10
	facl__dte01			99/99/9999	
	facl__int01			->,>>>,>>9	
	facl__log01			yes/no	
	facl__qadc01			x(20)	
	facl__qadd01			->>>>,>>>,>>9.99<	10
	facl__qadi01			->,>>>,>>9	
	facl__qadl01			yes/no	
	facl__qadt01			99/99/9999	
◊	oid_facl_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	facl_id	yes	facl_domain	yes	no
			facl_id	yes	no
			facl_year	yes	no
◊	oid_facl_cal	yes	oid_facl_cal	yes	no

fact_ctrl

Fixed Asset Control

	Field Name	Label	Col-Label	Format	Dec
	fact_auto	Auto Generate Asset	Auto	yes/no	
◊	fact_domain	Domain		x(8)	
	fact_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
	fact_index1	Index		>>>>>9	
	fact_mod_date	Modified Date	Mod Date	99/99/9999	
	fact_mod_userid	User ID		x(8)	
	fact_seq_id	NRM Sequence		x(8)	
	fact_user1	Ufld1		x(8)	
	fact_user2	Ufld2		x(8)	
	fact__chr01			x(8)	
	fact__dec01			->>>>,>>>,>>9.99<	10
	fact__dte01			99/99/9999	
	fact__int01			->,>>>,>>9	
	fact__log01			yes/no	
	fact__qadc01			x(20)	
	fact__qadc02			x(20)	
	fact__qadc03			x(24)	
	fact__qadc04			x(24)	
	fact__qadc05			x(24)	
	fact__qadd01			->>>>,>>>,>>9.99<	10

	Field Name	Label	Col-Label	Format	Dec
	fact__qadi01			->,>>>,>>9	
	fact__qadl01			yes/no	
	fact__qadt01			99/99/9999	
◊	oid_fact_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fact_index1	yes	fact_domain	yes	no
◊	oid_fact_ctrl	yes	oid_fact_ctrl	yes	no

fac_ctrl

Final Assembly Control

	Field Name	Label	Col-Label	Format	Dec
◊	fac_domain	Domain		x(8)	
	fac_so_rec	Receive F/A in SO	SO Rec	yes/no	
	fac_unit_qty	Unit F/A Orders	Unit F/A	yes/no	
	fac_user1	Ufld1		x(8)	
	fac_user2	Ufld2		x(8)	
	fac_wo_rec	Receive F/A in WO	WO Rec	yes/no	
	fac__qadc01			x(8)	
Δ	fac__qadi01			->>>>>>>9	
◊	oid_fac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fac_ctrl	yes	fac_domain	yes	no
◊	oid_fac_ctrl	yes	oid_fac_ctrl	yes	no

fadf_mstr

Fixed Asset Book Default Master

	Field Name	Label	Col-Label	Format	Dec
◊	fadf_domain	Domain		x(8)	
	fadf_fabk_id	Book		x(4)	
	fadf_facls_id	Class		x(8)	
	fadf_famt_elife	Life		->>9.99<	10
	fadf_famt_id	Method		x(8)	
	fadf_mod_date	Modified Date	Mod Date	99/99/9999	
	fadf_mod_userid	User ID		x(8)	
	fadf_user1	Ufld1		x(8)	
	fadf_user2	Ufld2		x(8)	
	fadf__chr01			x(8)	
	fadf__dec01			->>>,>>>,>>9.99	10
	fadf__dte01			99/99/9999	
	fadf__int01			->,>>>,>>9	
	fadf__log01			yes/no	
	fadf__qadc01			x(20)	
	fadf__qadd01			->>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	fadf__qadi01			->,>>>,>>9	
	fadf__qadl01			yes/no	
	fadf__qadt01			99/99/9999	
◊	oid_fadf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fadf_fac_id	yes	fadf_domain	yes	no
			fadf_facls_id	yes	no
			fadf_fabk_id	yes	no
◊	oid_fadf_mstr	yes	oid_fadf_mstr	yes	no

fad_det

Fixed Asset Component Detail

	Field Name	Label	Col-Label	Format	Dec
	fad_desc	Description		x(20)	
◊	fad_domain	Domain		x(8)	
	fad_fa_id	Asset		x(12)	
	fad_mod_date	Modified Date	Mod Date	99/99/9999	
	fad_mod_userid	User ID		x(8)	
	fad_puramt	Cost		->>>>,>>>,>>9.99<	10
	fad_serial	Serial Number		x(20)	
	fad_tag	Tag		x(16)	
	fad_user1	Ufld1		x(8)	
	fad_user2	Ufld2		x(8)	
	fad__chr01			x(8)	
	fad__dec01			->>>>,>>>,>>9.99<	10
	fad__dte01			99/99/9999	
	fad__int01			->,>>>,>>9	
	fad__log01			yes/no	
	fad__qadc01			x(20)	
	fad__qadd01			->>>>,>>>,>>9.99<	10
	fad__qadi01			->,>>>,>>9	
	fad__qadl01			yes/no	
	fad__qadt01			99/99/9999	
◊	oid_fad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fad_fa_id	no	fad_domain	yes	no
			fad_fa_id	yes	no
			fad_tag	yes	no
Δ*	fad_tag	yes	fad_domain	yes	no
			fad_tag	yes	no
◊	oid_fad_det	yes	oid_fad_det	yes	no

faloc_mstr Fixed Asset Location Master

	Field Name	Label	Col-Label	Format	Dec
	faloc_cc	Cost Center	CC	x(4)	
	faloc_desc	Description		x(32)	
◊	faloc_domain	Domain		x(8)	
	faloc_entity	Entity	Enty	x(4)	
	faloc_id	Location		x(8)	
	faloc_mod_date	Modified Date	Mod Date	99/99/9999	
	faloc_mod_userid	User ID		x(8)	
	faloc_sub	Sub-Account	Sub-Acct	X(8)	
	faloc_user1	Ufld1		x(8)	
	faloc_user2	Ufld2		x(8)	
	faloc__chr01			x(8)	
	faloc__dec01			->>>>,>>>,>>9.99<	10
	faloc__dte01			99/99/9999	
	faloc__int01			->,>>>,>>9	
	faloc__log01			yes/no	
	faloc__qadc01			x(20)	
	faloc__qadc02			x(20)	
	faloc__qadd01			->>>>,>>>,>>9.99<	10
	faloc__qadi01			->,>>>,>>9	
	faloc__qadl01			yes/no	
	faloc__qadt01			99/99/9999	
◊	oid_faloc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	faloc_id	yes	faloc_domain	yes	no
			faloc_id	yes	no
◊	oid_faloc_mstr	yes	oid_faloc_mstr	yes	no

fal_mstr Fixed Asset Location Code Master

Field Name	Label	Col-Label	Format	Dec
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Accout	Depr Exp! Sub-Acct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Acct	x(8)	
fal_user1	Ufld1		x(8)	
fal_user2	Ufld2		x(8)	
fal_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	fal__qad01			yes/no	
	fal__qad02			x(8)	
	fal__qad03			x(8)	
◊	oid_fal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	fal_desc	no	fal_desc	yes	no
			fal_fa_loc	yes	no
*	fal_fa_loc	yes	fal_fa_loc	yes	no
	fal_ind1	no	fal_loc	yes	no
			fal_bldg	yes	no
			fal_dept	yes	no
			fal_fa_loc	yes	no
◊	oid_fal_mstr	yes	oid_fal_mstr	yes	no

famtd_det

Fixed Asset Custom Table Detail

	Field Name	Label	Col-Label	Format	Dec
◊	famtd_domain	Domain		x(8)	
	famtd_famt_id	Method		x(8)	
	famtd_int01			->,>>>,>>9	
	famtd_mod_date	Modified Date	Mod Date	99/99/9999	
	famtd_mod_userid	User ID		x(8)	
	famtd_percent	Percent		->>9.9<	10
	famtd_period	Period		>>9	
	famtd_user1	Ufld1		x(8)	
	famtd_user2	Ufld2		x(8)	
	famtd_year	Year		9999	
	famtd__chr01			x(8)	
	famtd__dec01			->>>>,>>>,>>9.99<	10
	famtd__dte01			99/99/9999	
	famtd__log01			yes/no	
	famtd__qadc01			x(20)	
	famtd__qadd01			->>>>,>>>,>>9.99<	10
	famtd__qadi01			->,>>>,>>9	
	famtd__qadl01			yes/no	
	famtd__qadt01			99/99/9999	
◊	oid_famtd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	famtd_famt_id	yes	famtd_domain	yes	no
			famtd_famt_id	yes	no
			famtd_year	yes	no
			famtd_period	yes	no
◊	oid_famtd_det	yes	oid_famtd_det	yes	no

famtrd_det Fixed Asset Meter Detail

	Field Name	Label	Col-Label	Format	Dec
	famtrd_accum	Accumulated Units		->>>,>>>,>>9	
	famtrd_action	Action		x(8)	
	famtrd_date	Date		99/99/9999	
◊	famtrd_domain	Domain		x(8)	
	famtrd_famtr_id	Meter		x(12)	
	famtrd_mod_date	Modified Date	Mod Date	99/99/9999	
	famtrd_mod_userid	User ID		x(8)	
	famtrd_reading	Reading		->>>,>>>,>>9	
	famtrd_seq	Sequence	Seq	->>>,>>>,>>9	
	famtrd_usage	Usage		->>>,>>>,>>9	
	famtrd_user1	Ufld1		x(8)	
	famtrd_user2	Ufld2		x(8)	
	famtrd__chr01			x(8)	
	famtrd__dec01			->>>>,>>>,>>9.99<	10
	famtrd__dte01			99/99/9999	
	famtrd__int01			->,>>>,>>9	
	famtrd__log01			yes/no	
	famtrd__qadc01			x(20)	
	famtrd__qadd01			->>>>,>>>,>>9.99<	10
	famtrd__qadi01			->,>>>,>>9	
	famtrd__qadl01			yes/no	
	famtrd__qadt01			99/99/9999	
◊	oid_famtrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	famtrd_famtr_id	yes	famtrd_domain	yes	no
			famtrd_famtr_id	yes	no
			famtrd_seq	no	no
◊	oid_famtrd_det	yes	oid_famtrd_det	yes	no

famtr_mstr Fixed Asset Meter Master

	Field Name	Label	Col-Label	Format	Dec
	famtr_desc	Description		x(30)	
◊	famtr_domain	Domain		x(8)	
	famtr_id	Meter		x(12)	
	famtr_init	Initial Setting		->>>,>>>,>>9	
	famtr_initdt	Date		99/99/9999	
	famtr_mod_date	Modified Date	Mod Date	99/99/9999	
	famtr_mod_userid	User ID		x(8)	
	famtr_rollover	Rollover		>>>,>>>,>>9	
	famtr_user1	Ufld1		x(8)	
	famtr_user2	Ufld2		x(8)	
	famtr__chr01			x(8)	
	famtr__dec01			->>>>,>>>,>>9.99<	10
	famtr__dte01			99/99/9999	
	famtr__int01			->,>>>,>>9	
	famtr__log01			yes/no	
	famtr__qadc01			x(20)	

	Field Name	Label	Col-Label	Format	Dec
	famtr__qadd01			->>>>,>>>,>>9.99<	10
	famtr__qadi01			->,>>>,>>9	
	famtr__qadl01			yes/no	
	famtr__qadt01			99/99/9999	
◊	oid_famtr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	famtr_id	yes	famtr_domain	yes	no
			famtr_id	yes	no
◊	oid_famtr_mstr	yes	oid_famtr_mstr	yes	no

famt_mstr

Fixed Asset Method Master

	Field Name	Label	Col-Label	Format	Dec
	famt_active	Active		yes/no	
	famt_actualdays	Actual Days		yes/no	
	famt_conv	Convention	Conv	x(2)	
	famt_desc	Description		x(55)	
◊	famt_domain	Domain		x(8)	
	famt_elife	Expected Life		->>9.99<	10
	famt_id	Method		x(8)	
	famt_mod_date	Modified Date	Mod Date	99/99/9999	
	famt_mod_userid	User ID		x(8)	
	famt_perc	Factor		->>9.9<%	10
	famt_salv	Use Salvage		yes/no	
	famt_switchsl	Switch to SL		yes/no	
	famt_type	Depreciation Type	Type	x(2)	
	famt_user1	Ufld1		x(8)	
	famt_user2	Ufld2		x(8)	
	famt__chr01			x(8)	
	famt__dec01			->>>>,>>>,>>9.99<	10
	famt__dte01			99/99/9999	
	famt__int01			->,>>>,>>9	
	famt__log01			yes/no	
	famt__qadc01			x(20)	
	famt__qadc02			x(20)	
	famt__qadd01			->>>>,>>>,>>9.99<	10
	famt__qadi01			->,>>>,>>9	
	famt__qadl01			yes/no	
	famt__qadt01			99/99/9999	
◊	oid_famt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	famt_id	yes	famt_domain	yes	no
			famt_id	yes	no
◊	oid_famt_mstr	yes	oid_famt_mstr	yes	no

fas_ctrl

Fixed Asset System Control

	Field Name	Label	Col-Label	Format	Dec
	fas_detail	Post		detail/summary	
	fas_gain_acct	Gain Account	Gain Acc	x(8)	
	fas_gain_cc	Cost Center	CC	x(4)	
	fas_gain_sub	Sub-Account	Sub-Acct	x(8)	
	fas_index1	Index		>>>>>9	
	fas_loss_acct	Loss Account	Loss Acc	x(8)	
	fas_loss_cc	Cost Center	CC	x(4)	
	fas_loss_sub	Sub-Account	Sub-Acct	x(8)	
	fas_minimum	Asset Minimum Cost		->>,>>>,>>>,>>9.99<	10
	fas_mod_date	Modified Date	Mod Date	99/99/99	
	fas_next_asset	Next Asset Number	Nxt Asst Nbr	999999999999	
	fas_short_end	Short Tax Year Ending Date	Short Tax! Year End	99/99/99	
	fas_short_year	Short Tax Year	Short! Year	yes/no	
	fas_user1	Ufld1		x(8)	
	fas_user2	Ufld2		x(8)	
	fas_userid	User ID		x(8)	
	fas__qad01			yes/no	
	fas__qad02			x(8)	
	fas__qad03			x(8)	
◊	oid_fas_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fas_index1	yes	fas_index1	yes	no
◊	oid_fas_ctrl	yes	oid_fas_ctrl	yes	no

fauop_det

Fixed Assets UOP Forecast Detail

	Field Name	Label	Col-Label	Format	Dec
	fauop_accup	Accumulated		>,>>>,>>>,>>9	
◊	fauop_domain	Domain		x(8)	
	fauop_fabk_id	Book		x(4)	
	fauop_fa_id	Asset		x(12)	
	fauop_mod_date	Modified Date	Mod Date	99/99/9999	
	fauop_mod_userid	User ID		x(8)	
	fauop_upper	Estimated		>,>>>,>>>,>>9	
	fauop_user1	Ufld1		x(8)	
	fauop_user2	Ufld2		x(8)	
	fauop_yrper	Year/Period	Yr-Per	x(6)	
	fauop__chr01			x(8)	
	fauop__dec01			->>>>,>>>,>>9.99<	10
	fauop__dte01			99/99/9999	
	fauop__int01			->,>>>,>>9	
	fauop__log01			yes/no	
	fauop__qadc01			x(20)	
	fauop__qadd01			->>>>,>>>,>>9.99<	10

	Field Name	Label	Col-Label	Format	Dec
	fauop__qadi01			->,>>>,>>9	
	fauop__qadl01			yes/no	
	fauop__qadt01			99/99/9999	
◊	oid_fauop_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	fauop_fa_id	yes	fauop_domain	yes	no
			fauop_fa_id	yes	no
			fauop_fabk_id	yes	no
			fauop_yrper	yes	no
◊	oid_fauop_det	yes	oid_fauop_det	yes	no

fa_mstr

Fixed Asset Master

	Field Name	Label	Col-Label	Format	Dec
	fa_auth_number	Auth Number		x(8)	
	fa_cmtindx	Comment Index	Comment	>>>>>>>9	
	fa_code	Sort Code		x(10)	
	fa_custodian	Custodian		x(8)	
	fa_dep	Depreciate Asset	Dep	yes/no	
	fa_desc1	Description		x(50)	
	fa_dispamt	Sold For		->>>>,>>>,>>9.99<	10
	fa_disp_dt	Disposition Date	Disp Date	99/99/9999	
	fa_disp_rsn	Disposition Reason		x(8)	
◊	fa_domain	Domain		x(8)	
	fa_entity	Entity	Enty	x(4)	
	fa_fabch_id	Batch		x(12)	
	fa_facls_id	Class		x(8)	
	fa_faloc_id	Location		x(8)	
	fa_id	Asset		x(12)	
	fa_insamt	Insurance Value		->>>>,>>>,>>9.99<	10
	fa_ins_co	Insurance Company		x(24)	
	fa_ins_date	Insurance Date		99/99/9999	
	fa_ins_nbr	Insurance Number		x(12)	
	fa_migrate	Migrated		yes/no	
	fa_mod_date	Modified Date	Mod Date	99/99/9999	
	fa_mod_userid	User ID		x(8)	
	fa_parent	Parent		x(12)	
	fa_po	PO Number		x(8)	
	fa_post	Posted		yes/no	
	fa_puramt	Cost		->>>>,>>>,>>9.99<	10
	fa_qty	Components		>>>9	
	fa_receiver	Receiver		x(8)	
	fa_replamt	Replacement		->>>>,>>>,>>9.99<	10
	fa_salvamt	Salvage		->>>>,>>>,>>9.99<	10
	fa_split_date	Split Date		99/99/9999	
	fa_split_from	Split From		x(12)	
	fa_startdt	Service Date	Serv Date	99/99/9999	
	fa_user1	Ufld1		x(8)	
	fa_user2	Ufld2		x(8)	
	fa_vendsrc	Supplier		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	fa_wardt	Warranty Date	Warr Date	99/99/9999	
	fa__chr01			x(8)	
	fa__chr02			x(8)	
	fa__chr03			x(8)	
	fa__chr04			x(8)	
	fa__dec01			->>>,>>>,>>9.99	10
	fa__dec02			->>>>,>>>,>>9.99<	10
	fa__dec03			->>>>,>>>,>>9.99<	10
	fa__dec04			->>>>,>>>,>>9.99<	10
	fa__dte01			99/99/9999	
	fa__dte02			99/99/9999	
	fa__dte03			99/99/9999	
	fa__dte04			99/99/9999	
	fa__int01			->,>>>,>>9	
	fa__int02			->,>>>,>>9	
	fa__int03			->,>>>,>>9	
	fa__int04			->,>>>,>>9	
	fa__log01			yes/no	
	fa__log02			yes/no	
	fa__log03			yes/no	
	fa__log04			yes/no	
	fa__qadc01			x(20)	
	fa__qadc02			x(8)	
	fa__qadd01			->>>,>>>,>>9.99	10
	fa__qadi01			->,>>>,>>9	
	fa__qadl01			yes/no	
	fa__qadt01			99/99/9999	
◊	oid_fa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fa_code	no	fa_domain	yes	no
			fa_code	yes	no
Δ	fa_desc1	no	fa_domain	yes	no
			fa_desc1	yes	no
Δ	fa_fabch_id	no	fa_domain	yes	no
			fa_fabch_id	yes	no
Δ	fa_fac_id	no	fa_domain	yes	no
			fa_facls_id	yes	no
Δ	fa_faloc_id	no	fa_domain	yes	no
			fa_faloc_id	yes	no
Δ*	fa_id	yes	fa_domain	yes	no
			fa_id	yes	no
Δ	fa_post	no	fa_domain	yes	no
			fa_post	yes	no
◊	oid_fa_mstr	yes	oid_fa_mstr	yes	no

fcc_mstr

Service/Support Charge Code Product Line Master

	Field Name	Label	Col-Label	Format	Dec
	fcc_ca_int_type	Work Code	Wk Code	x(8)	
◊	fcc_domain	Domain		x(8)	
	fcc_fcg_code	Charge Code	Charge	x(8)	
	fcc_fsc_code	Service Category	Svc Cat	x(8)	
	fcc_mod_date	Modified Date	Mod Date	99/99/99	
	fcc_mod_userid	User ID		X(8)	
	fcc_prod_line	Product Line	Line	x(4)	
	fcc_pt_prod_line	Item Product Line	Itm Line	x(4)	0
	fcc_pt_svc_group	Service Group	Group	x(8)	
	fcc_sv_code	Service Type	Ser Type	x(8)	
	fcc_type			x(4)	0
	fcc_user1	Ufld1		X(8)	
	fcc_user2	Ufld2		X(8)	
	fcc__chr01	User Field #1		x(8)	
	fcc__chr02	User Field #2		x(8)	
	fcc__chr03	User Field #3		x(8)	
	fcc__chr04	User Field #4		x(8)	
	fcc__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fcc__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fcc__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fcc__dte01	User Date #1		99/99/99	
	fcc__dte02	User Date #2		99/99/99	
	fcc__dte03	User Date #3		99/99/99	
	fcc__log01	User Logical #1		yes/no	
	fcc__log02	User Logical #2		yes/no	
	fcc__log03	User Logical #3		yes/no	
	fcc__qadc01	Qad Field #1		x(8)	
	fcc__qadc02	Qad Field #2		x(8)	
	fcc__qadc03	Qad Field #3		x(8)	
	fcc__qadc04	Qad Field #4		x(8)	
	fcc__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fcc__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fcc__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fcc__qadl01	Qad Logical #1		yes/no	
	fcc__qadl02	Qad Logical #2		yes/no	
	fcc__qadl03	Qad Logical #3		yes/no	
	fcc__qadt01	Qad Date #1		99/99/99	
	fcc__qadt02	Qad Date #2		99/99/99	
	fcc__qadt03	Qad Date #3		99/99/99	
◊	oid_fcc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fcc_ca_int_type	no	fcc_domain	yes	no
			fcc_type	yes	no
			fcc_ca_int_type	yes	no
			fcc_sv_code	yes	no
			fcc_pt_prod_line	yes	no
			fcc_pt_svc_group	yes	no
Δ*	fcc_fcg_code	yes	fcc_domain	yes	no
			fcc_type	yes	no
			fcc_fcg_code	yes	no
			fcc_ca_int_type	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			fcc_fsc_code	yes	no
			fcc_sv_code	yes	no
			fcc_pt_prod_line	yes	no
			fcc_pt_svc_group	yes	no
◊	oid_fcc_mstr	yes	oid_fcc_mstr	yes	no

fcd_mstr

Service/Support Default Charge Code Master

	Field Name	Label	Col-Label	Format	Dec
	fcd_ca_int_type	Work Code		x(8)	
◊	fcd_domain	Domain		x(8)	
	fcd_eu_type	End User Type	EU Type	x(8)	
	fcd_fcg_billable	Billable		x(8)	
	fcd_fcg_contract	Contract		x(8)	0
	fcd_fcg_covered	Covered		x(8)	
	fcd_fcg_fixed	Fixed Billable		x(8)	
	fcd_fcg_warranty	Warranty		x(8)	0
	fcd_fsc_code	Service Category	Svc Cat	x(8)	
	fcd_mod_date	Modified Date	Mod Date	99/99/99	
	fcd_mod_userid	User ID		X(8)	
	fcd_sv_code	Service Type		x(8)	
	fcd_user1	Ufld1		X(8)	
	fcd_user2	Ufld2		X(8)	
	fcd__chr01	User Character Field 1		X(8)	
	fcd__chr02	User Character Field 2		X(8)	
	fcd__dec01	User Decimal Field 1		->>,>>9.99	10
	fcd__dte01	User Date Field 1		99/99/99	
	fcd__int01	User Integer Field 1		->,>>>,>>9	
	fcd__log01	User Logical Field 1		yes/no	
	fcd__qadc01	QAD Character Field 1		X(8)	
	fcd__qadc02	QAD Character Field 2		X(8)	
	fcd__qadd01	QAD Decimal Field 1		->>,>>9.99	10
	fcd__qadi01	QAD Integer Field 1		->,>>>,>>9	
	fcd__qadl01	QAD Logical Field 1		yes/no	
	fcd__qadt01	QAD Date Field 1		99/99/99	
◊	oid_fcd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fcd_sv_code	yes	fcd_domain	yes	no
			fcd_sv_code	yes	no
			fcd_ca_int_type	yes	no
			fcd_fsc_code	yes	no
			fcd_eu_type	yes	no
◊	oid_fcd_mstr	yes	oid_fcd_mstr	yes	no

fcg_mstr

Service/Support Charge Code Master

	Field Name	Label	Col-Label	Format	Dec
	fcg_billable	Billable	Bill	yes/no	
	fcg_code	Charge Code		x(8)	
	fcg_contract	Contract	Ctr	yes/no	
	fcg_covered	Covered	Cvd	yes/no	
	fcg_desc	Description		x(24)	
◊	fcg_domain	Domain		x(8)	
	fcg_fix_billable	Fixed Price Billable	Fix	yes/no	
	fcg_fix_index			yes/no	
	fcg_giveaway	Giveaway	Giv	yes/no	
	fcg_index			->,>>>,>>9	
	fcg_mod_date	Modified Date	Mod Date	99/99/99	
	fcg_mod_userid	User ID		X(8)	
	fcg_project	Project Mandatory	Prj	yes/no	
	fcg_user1	Ufld1		X(8)	
	fcg_user2	Ufld2		X(8)	
	fcg_warranty	Warranty	War	yes/no	
	fcg__chr01	User Character Field #1		x(8)	0
	fcg__chr02	User Character Field #2		x(8)	0
	fcg__chr03	User Character Field #3		x(8)	0
	fcg__chr04	User Character Field #4		x(8)	0
	fcg__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fcg__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fcg__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fcg__dte01	User Date #1		99/99/99	
	fcg__dte02	User Date #2		99/99/99	
	fcg__dte03	User Date #3		99/99/99	
	fcg__log01	User Logical #1		yes/no	
	fcg__log02	User Logical #2		yes/no	
	fcg__log03	User Logical #3		yes/no	
	fcg__qadc01	Qad Field #1		x(8)	
	fcg__qadc02	Qad Field #2		x(8)	
	fcg__qadc03	Qad Field #3		x(8)	
	fcg__qadc04	Qad Field #4		x(8)	
	fcg__qadd01	Qad Date #1		99/99/99	
	fcg__qadd02	Qad Date #2		99/99/99	
	fcg__qadd03	Qad Date #3		99/99/99	
	fcg__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fcg__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fcg__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fcg__qadl01	Qad Logical #1		yes/no	
	fcg__qadl02	Qad Logical #2		yes/no	
	fcg__qadl03	Qad Logical #3		yes/no	
◊	oid_fcg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fcg_billindex	yes	fcg_domain	yes	no
			fcg_code	yes	no
			fcg_fix_index	yes	no
Δ*	fcg_code	yes	fcg_domain	yes	no
			fcg_code	yes	no
◊	oid_fcg_mstr	yes	oid_fcg_mstr	yes	no

fcs_sum Forecast Summary

	Field Name	Label	Col-Label	Format	Dec
	fcs_abnormal[52]	Abnormal Demand	Abnormal	->,>>>,>>9	10
◊	fcs_domain	Domain		x(8)	
	fcs_fcst_qty[52]	Qty Forecast	Forecast	->,>>>,>>9	10
	fcs_part	Item Number		x(18)	
	fcs_pr_fcst[52]	Production Forecast	Prod Fcst	->,>>>,>>9	10
	fcs_site	Site		x(8)	
	fcs_sold_qty[52]	Qty Sold		->,>>>,>>9	10
	fcs_user1	Ufld1		x(8)	
	fcs_user2	Ufld2		x(8)	
	fcs_year	Year		>>>>	
	fcs__qadc01			x(8)	
◊	oid_fcs_sum			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fcs_partyear	yes	fcs_domain	yes	no
			fcs_part	yes	no
			fcs_site	yes	no
			fcs_year	yes	no
Δ	fcs_yearpart	yes	fcs_domain	yes	no
			fcs_year	yes	no
			fcs_part	yes	no
			fcs_site	yes	no
◊	oid_fcs_sum	yes	oid_fcs_sum	yes	no

fct_mstr Service/Support Call Type Master

	Field Name	Label	Col-Label	Format	Dec
	fct_desc	Description		X(24)	
◊	fct_domain	Domain		x(8)	
	fct_mod_date	Modified Date	Mod Date	99/99/99	
	fct_mod_userid	User ID		X(8)	
	fct_sched_type	Scheduling Type	Sched Type	>9	
	fct_type	Call Type		X(8)	
	fct_user1	Ufld1		X(8)	
	fct_user2	Ufld2		X(8)	
	fct__chr01	Character Field 1		X(8)	
	fct__chr02	Character Field 2		X(8)	
	fct__int01	Integer Field 1		->,>>>,>>9	
	fct__int02	Integer Field 2		->,>>>,>>9	
	fct__log01	Logical Field 1		yes/no	
	fct__log02	Logical Field 2		yes/no	
	fct__qadc01	QAD Character Field 1		X(8)	
	fct__qadc02	QAD Character Field 2		X(8)	0
	fct__qadi01	QAD Integer Field 1		->,>>>,>>9	
	fct__qadi02	QAD Integer Field 2		->,>>>,>>9	
	fct__qadl01	QAD Logical Field 1		yes/no	
	fct__qadl02	QAD Logical Field 2		yes/no	
◊	oid_fct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fct_type	yes	fct_domain	yes	no
			fct_type	yes	no
◊	oid_fct_mstr	yes	oid_fct_mstr	yes	no

fc_det

Seasonal Build Detail

	Field Name	Label	Col-Label	Format	Dec
◊	fc_domain	Domain		x(8)	
	fc_end	End Date	End	99/99/99	
	fc_part	Item Number		x(18)	
	fc_qty	Seasonal Inventory	Seasonal Inv	->,>>>,>>9.9<<<<<<<<	10
	fc_ref	Reference		x(8)	
	fc_site	Site		x(8)	
	fc_start	Date	Date	99/99/99	
	fc_user1	Ufld1		x(8)	
	fc_user2	Ufld2		x(8)	
	fc__qadc01			x(8)	
◊	oid_fc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fc_part	yes	fc_domain	yes	no
			fc_part	yes	no
			fc_site	yes	no
			fc_start	yes	no
Δ	fc_ref_part	no	fc_domain	yes	no
			fc_ref	yes	no
			fc_part	yes	no
Δ	fc_site	yes	fc_domain	yes	no
			fc_site	yes	no
			fc_part	yes	no
			fc_start	yes	no
◊	oid_fc_det	yes	oid_fc_det	yes	no

ff_mstr

Simulated Forecast Master

	Field Name	Label	Col-Label	Format	Dec
	ff_adj_fc[24]	Adjusted F/C	Adj F/C	->>>>>>9	10
	ff_cust	Customer		x(8)	
	ff_date	Date		99/99/99	
◊	ff_domain	Domain		x(8)	
	ff_his_yr[5]	Hist Years		9999	
	ff_id	Forecasting ID	F/C ID	x(8)	
	ff_method	F/C Method		>9	
	ff_orig_fc[24]	Original F/C	Orig F/C	->>>>>>9	10
	ff_part	Item Number		x(18)	
	ff_site	Site		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ff_time	Time		->>,>>>,>>9	
	ff_user	User ID		x(8)	
	ff_user1	Ufld1		x(8)	
	ff_user2	Ufld2		x(8)	
	ff_year	F/C Year	Year	9999	
	ff__qadc01			x(8)	
◊	oid_ff_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fc_id	yes	ff_domain	yes	no
			ff_id	yes	no
			ff_user	yes	no
			ff_year	yes	no
			ff_method	yes	no
			ff_part	yes	no
			ff_site	yes	no
			ff_cust	yes	no
◊	oid_ff_mstr	yes	oid_ff_mstr	yes	no

fh_mstr Family Hierarchy Master

	Field Name	Label	Col-Label	Format	Dec
	fh_comp	Item		x(18)	
◊	fh_domain	Domain		x(8)	
	fh_fcst_pct	Forecast Percent	Fcst Pct	>>9.99%	10
	fh_mod_date	Modified Date	Mod Date	99/99/99	
	fh_mod_userid	User ID		x(8)	
	fh_parent	Family Item		x(18)	
	fh_rlup_pct[52]	Rollup Percent	Rlup Pct	>>9.99%	10
	fh_rmks	Remarks		x(24)	
	fh_site	Site		x(8)	
	fh_user1	Ufld1		x(8)	
	fh_user2	Ufld2		x(8)	
	fh_year	Effective Year	Year	>>>>	
	fh__qadc01			x(8)	
◊	oid_fh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fh_comp	no	fh_domain	yes	no
			fh_comp	yes	no
			fh_parent	yes	no
Δ	fh_compsite	no	fh_domain	yes	no
			fh_comp	yes	no
			fh_site	yes	no
Δ*	fh_parsite	yes	fh_domain	yes	no
			fh_parent	yes	no
			fh_comp	yes	no
			fh_site	yes	no
			fh_year	yes	no
Δ	fh_sitecomp	no	fh_domain	yes	no
			fh_site	yes	no
			fh_comp	yes	no
Δ	fh_sitepar	yes	fh_domain	yes	no
			fh_site	yes	no
			fh_parent	yes	no
			fh_comp	yes	no
			fh_year	yes	no
◊	oid_fh_mstr	yes	oid_fh_mstr	yes	no

fis_mstr Invoice Sort Master

	Field Name	Label	Col-Label	Format	Dec
	fis_column	Type		>>9	
	fis_desc	Description		x(24)	
	fis_detail	Invoice Detail	Det	yes/no	
◊	fis_domain	Domain		x(8)	
	fis_include_fix	Include Fixed Price	Fix	yes/no	
	fis_label	Label		x(14)	
	fis_mod_date	Modified Date	Mod Date	99/99/99	
	fis_mod_userid	User ID		X(8)	
	fis_order	Display Order	Order	>>>9	

	Field Name	Label	Col-Label	Format	Dec
	fis_row_type	Row Type		x(8)	
	fis_sort	Invoice Sort		x(18)	
	fis_total	Include in Total		yes/no	
	fis_user1	Ufld1		X(8)	
	fis_user2	Ufld2		X(8)	
	fis__chr01	User Character Field 1		X(8)	
	fis__chr02	User Character Field 2		X(8)	
	fis__dec01	User Decimal Field 1		->>,>>9.99	10
	fis__dte01	User Date Field 1		99/99/99	
	fis__int01	User Integer Field 1		->,>>>,>>9	
	fis__log01	User Logical Field 1		yes/no	
	fis__qadc01	QAD Character Field 1		X(8)	
	fis__qadc02	QAD Character Field 2		X(8)	
	fis__qade01	QAD Decimal Field 1		->>,>>9.99	10
	fis__qadi01	QAD Integer Field 1		->,>>>,>>9	
	fis__qadl01	QAD Logical Field 1		yes/no	
	fis__qadt01	QAD Date Field 1		99/99/99	
◊	oid_fis_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fis_order	no	fis_domain	yes	no
			fis_row_type	yes	no
			fis_order	yes	no
Δ*	fis_sort_type	yes	fis_domain	yes	no
			fis_sort	yes	no
			fis_row_type	yes	no
◊	oid_fis_mstr	yes	oid_fis_mstr	yes	no

fkt_mstr

Service/Support Kit Master

	Field Name	Label	Col-Label	Format	Dec
	fkt_bom_code	BOM Code		x(18)	0
	fkt_complete	Complete		yes/no	
	fkt_curr_loc	Current Location	Curr Loc	x(8)	
	fkt_curr_site	Current Site		x(8)	
◊	fkt_domain	Domain		x(8)	
	fkt_eff_date	Effective		99/99/99	
	fkt_eng_code	Engineer		x(8)	
	fkt_in_use	In Use		yes/no	
	fkt_loc	Home Location		x(8)	
	fkt_mod_date	Modified Date	Mod Date	99/99/99	
	fkt_mod_userid	User ID		X(8)	
	fkt_order	Available to Order		yes/no	
	fkt_part	Kit		x(18)	0
	fkt_rev	Rev		x(4)	
	fkt_serial	Serial		x(8)	
	fkt_site	Home Site		x(8)	
	fkt_type	Type		x(8)	
	fkt_user1	Ufld1		X(8)	
	fkt_user2	Ufld2		X(8)	
	fkt__chr01	User Character Field #1		x(8)	0

	Field Name	Label	Col-Label	Format	Dec
	fkt__chr02	User Character Field #2		x(8)	0
	fkt__chr03	User Character Field #3		x(8)	0
	fkt__chr04	User Character Field #4		x(8)	0
	fkt__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fkt__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fkt__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fkt__dte01	User Date #1		99/99/99	
	fkt__dte02	User Date #2		99/99/99	
	fkt__dte03	User Date #3		99/99/99	
	fkt__log01	User Logical #1		yes/no	
	fkt__log02	User Logical #2		yes/no	
	fkt__log03	User Logical #3		yes/no	
	fkt__qadc01	Qad Field #1		x(8)	
	fkt__qadc02	Qad Field #2		x(8)	
	fkt__qadc03	Qad Field #3		x(8)	
	fkt__qadc04	Qad Field #4		x(8)	
	fkt__qadd01	Qad Date #1		99/99/99	
	fkt__qadd02	Qad Date #2		99/99/99	
	fkt__qadd03	Qad Date #3		99/99/99	
	fkt__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fkt__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fkt__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fkt__qadl01	Qad Logical #1		yes/no	
	fkt__qadl02	Qad Logical #2		yes/no	
	fkt__qadl03	Qad Logical #3		yes/no	
◊	oid_fkt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fkt_bom_code	no	fkt_domain	yes	no
			fkt_bom_code	yes	no
			fkt_part	yes	no
			fkt_serial	yes	no
Δ	fkt_part	no	fkt_domain	yes	no
			fkt_part	yes	no
			fkt_serial	yes	no
Δ*	fkt_serial	yes	fkt_domain	yes	no
			fkt_serial	yes	no
Δ	fkt_site	no	fkt_domain	yes	no
			fkt_site	yes	no
			fkt_loc	yes	no
			fkt_part	yes	no
			fkt_serial	yes	no
◊	oid_fkt_mstr	yes	oid_fkt_mstr	yes	no

flcrh_hist

Flow Line Capacity Rate History

	Field Name	Label	Col-Label	Format	Dec
◊	flcrh_domain	Domain		x(8)	
	flcrh_entry_mode	Default Entry Mode	Entry! Mode	single/multi	
	flcrh_mod_date	Modified Date	Mod Date	99/99/99	
	flcrh_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	flcrh_production_line	Production Line	Line	x(8)	
	flcrh_rate_code	Rate Code	Rate	x(8)	
	flcrh_schedule_code	Schedule code	Schedule	x(8)	
	flcrh_site	Site		x(8)	
	flcrh_start_date	Start Date	Start	99/99/99	
	flcrh_user1	User Field Character 1		x(24)	
	flcrh_user2	User field character 2		x(24)	
	flcrh_userc03	User Field Character 3		x(24)	
	flcrh_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flcrh_useri01	User Field Integer 1		->>>>>>>9	
	flcrh_userl01	User Field Logical 1		yes/no	
	flcrh_usert01	User Field Date 1		99/99/99	
	flcrh__qadc01			x(24)	
	flcrh__qadc02			x(24)	
	flcrh__qadc03			x(24)	
	flcrh__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flcrh__qadi01			->>>>>>>9	
	flcrh__qadl01			yes/no	
	flcrh__qadt01			99/99/99	
◊	oid_flcrh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flcrh_site	yes	flcrh_domain	yes	no
			flcrh_site	yes	no
			flcrh_production_line	yes	no
			flcrh_schedule_code	yes	no
			flcrh_start_date	yes	no
◊	oid_flcrh_hist	yes	oid_flcrh_hist	yes	no

flcr_mstr

Flow Line Capacity Rate Master

	Field Name	Label	Col-Label	Format	Dec
◊	flcr_domain	Domain		x(8)	
	flcr_mod_date	Modified Date	Mod Date	99/99/99	
	flcr_mod_userid	User ID		x(8)	
	flcr_production_line	Production Line	Line	x(8)	
	flcr_rate	Hourly Rate	Rate	>>>,>>>,>>9.9<<<<<<<<<	10
	flcr_rate_code	Rate Code	Code	x(8)	
	flcr_schedule_code	Schedule code	Schedule	x(8)	
	flcr_site	Site		x(8)	
	flcr_type_code	Type		x(1)	
	flcr_type_value	Value		x(18)	
	flcr_user1	User Field Character 1		x(24)	
	flcr_user2	User field character 2		x(24)	
	flcr_userc03	User Field Character 3		x(24)	
	flcr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flcr_useri01	User Field Integer 1		->>>>>>>9	
	flcr_userl01	User Field Logical 1		yes/no	
	flcr_usert01	User Field Date 1		99/99/99	
	flcr__qadc01			x(24)	
	flcr__qadc02			x(24)	

	Field Name	Label	Col-Label	Format	Dec
	flcr__qadc03			x(24)	
	flcr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flcr__qadi01			->>>>>>>9	
	flcr__qadl01			yes/no	
	flcr__qadt01			99/99/99	
◊	oid_flcr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flcr_rate_code	yes	flcr_domain	yes	no
			flcr_site	yes	no
			flcr_production_line	yes	no
			flcr_schedule_code	yes	no
			flcr_type_code	yes	no
			flcr_type_value	yes	no
			flcr_rate_code	yes	no
◊	oid_flcr_mstr	yes	oid_flcr_mstr	yes	no

fldf_mstr

Field Default Master

	Field Name	Label	Col-Label	Format	Dec
	fldf_call_pg	Procedure		x(10)	
	fldf_desc	Description		x(30)	
	fldf_field	Field Name		x(32)	
	fldf_user1	Ufld1		x(8)	
	fldf_user2	Ufld2		x(8)	
	fldf_userid	User ID		x(8)	
	fldf_value	Default Value		x(24)	
	fldf__qadc01			x(8)	
◊	oid_fldf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	fldf_field	yes	fldf_field	yes	no
			fldf_call_pg	yes	no
			fldf_userid	yes	no
◊	oid_fldf_mstr	yes	oid_fldf_mstr	yes	no

flff_mstr

Flow Flex Fence Master

	Field Name	Label	Col-Label	Format	Dec
◊	flff_domain	Domain		x(8)	
	flff_mod_date	Modified Date	Mod Date	99/99/99	
	flff_mod_userid	User ID		x(8)	
	flff_pct	Flex Fence Pct	Flex Pct	>>9.9<<%	10
	flff_period_number	Period Nbr	Period	>9	
	flff_production_line	Production Line	Line	x(8)	
	flff_schedule_code	Schedule Code	Schedule	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	flff_site	Site		x(8)	
	flff_user1	User Field Character 1		x(24)	
	flff_user2	User field character 2		x(24)	
	flff_userc03	User Field Character 3		x(24)	
	flff_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flff_useri01	User Field Integer 1		->>>>>>>9	
	flff_userl01	User Field Logical 1		yes/no	
	flff_usert01	User Field Date 1		99/99/99	
	flff__qadc01			x(24)	
	flff__qadc02			x(24)	
	flff__qadc03			x(24)	
	flff__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flff__qadi01			->>>>>>>9	
	flff__qadl01			yes/no	
	flff__qadt01			99/99/99	
◊	oid_flff_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flff_site_prod_line	yes	flff_domain	yes	no
			flff_site	yes	no
			flff_production_line	yes	no
			flff_schedule_code	yes	no
			flff_period_number	yes	no
◊	oid_flff_mstr	yes	oid_flff_mstr	yes	no

flh_mstr

Field Help Program Master

	Field Name	Label	Col-Label	Format	Dec
	flh_call_pgm	Calling Procedure	Calling! Procedure	x(10)	
	flh_desc	Description		x(24)	
	flh_down	Lines In Window	Lines! In! Window	>9	
	flh_exec	Procedure To Execute	Procedure	x(12)	
	flh_field	Field		x(32)	
	flh_mod_date	Modified Date	Mod Date	99/99/99	
	flh_mod_userid	User ID		x(8)	
	flh_user1	Ufld1		x(8)	
	flh_user2	Ufld2		x(8)	
	flh_x	X Coordinate	X	>9	
	flh_y	Window Starts At Row	Y	>9	
	flh__qadc01			x(8)	
◊	oid_flh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	flh_field	yes	flh_field	yes	no
			flh_call_pgm	yes	no
◊	oid_flh_mstr	yes	oid_flh_mstr	yes	no

flpw_mstr Field Security Master

	Field Name	Label	Col-Label	Format	Dec
	flpw_cmmt	Comments		x(24)	
◊	flpw_domain	Domain		x(8)	
	flpw_field	Field		x(32)	
	flpw_user1	Ufld1		x(8)	
	flpw_user2	Ufld2		x(8)	
	flpw_userid	User ID		x(8)	
	flpw__qadc01			x(8)	
◊	oid_flpw_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flpw_fld_usr	yes	flpw_domain	yes	no
			flpw_field	yes	no
			flpw_userid	yes	no
◊	oid_flpw_mstr	yes	oid_flpw_mstr	yes	no

flp_plan Family Line Plan

	Field Name	Label	Col-Label	Format	Dec
◊	flp_domain	Domain		x(8)	
	flp_line	Production Line		x(8)	
	flp_part	Item Number	Item	x(18)	
	flp_prod_act[52]	Production Actual	Prod Act	->>,>>>,>>9.9<<<<<<<<<	10
	flp_prod_fcst[52]	Production Forecast	Prod Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	flp_site	Site		x(8)	
	flp_user1	Ufld1		x(8)	
	flp_user2	Ufld2		x(8)	
	flp_year	Year		>>>>	
	flp__dec01			->>>,>>>,>>9.99<	10
	flp__dec02			->>>,>>>,>>9.99<	10
	flp__dec03[52]			->>>,>>>,>>9.99<	10
	flp__dec04[52]			->>>,>>>,>>9.99<	10
◊	oid_flp_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flp_plan	yes	flp_domain	yes	no
			flp_part	yes	no
			flp_site	yes	no
			flp_line	yes	no
			flp_year	yes	no
◊	oid_flp_plan	yes	oid_flp_plan	yes	no

flscd_det

Flow Schedule Code Detail

	Field Name	Label	Col-Label	Format	Dec
◊	flscd_domain	Domain		x(8)	
	flscd_max_rate	Maximum Rate	Max! Rate	>>>,>>>,>>9.9<<<<<<<<<	10
	flscd_mod_date	Modified Date	Mod Date	99/99/99	
	flscd_mod_userid	User ID		x(8)	
	flscd_production_line	Production Line	Line	x(8)	
	flscd_schedule_code	Schedule code	Schedule	x(8)	
	flscd_site	Site		x(8)	
	flscd_target_rate	Target Rate	Target! Rate	>>>,>>>,>>9.9<<<<<<<<<	10
	flscd_user1	User Field Character 1		x(24)	
	flscd_user2	User field character 2		x(24)	
	flscd_userc03	User Field Character 3		x(24)	
	flscd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flscd_useri01	User Field Integer 1		->>>>>>>9	
	flscd_userl01	User Field Logical 1		yes/no	
	flscd_usert01	User Field Date 1		99/99/99	
	flscd__qadc01			x(24)	
	flscd__qadc02			x(24)	
	flscd__qadc03			x(24)	
	flscd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flscd__qadi01			->>>>>>>9	
	flscd__qadl01			yes/no	
	flscd__qadt01			99/99/99	
◊	oid_flscd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flscd_schedule_code	yes	flscd_domain	yes	no
			flscd_schedule_code	yes	no
			flscd_site	yes	no
			flscd_production_line	yes	no
Δ	flscd_site	no	flscd_domain	yes	no
			flscd_site	yes	no
			flscd_production_line	yes	no
			flscd_schedule_code	yes	no
◊	oid_flscd_det	yes	oid_flscd_det	yes	no

flsc_mstr

Flow Schedule Code Master

	Field Name	Label	Col-Label	Format	Dec
	flsc_daily_time_usage	Check Daily Time Usage	Daily! Time! Usage	yes/no	
	flsc_desc	Description		x(24)	
◊	flsc_domain	Domain		x(8)	
	flsc_entry_mode	Entry Mode	Entry! Mode	single/multi	
	flsc_flex_fences	Check Flex Fences	Flex! Fences	yes/no	
	flsc_mod_date	Modified Date	Mod Date	99/99/99	
	flsc_mod_userid	User ID		x(8)	
	flsc_period_code	Period Code	Period	x(8)	
	flsc_physical_usage	Check Physical Usage	Phys! Usg	yes/no	
	flsc_rate_expression	Rate Expression	Rate! Expression	x(1)	
	flsc_schedule_code	Schedule code	Schedule	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	flsc_sch_measurement	Schedule Measurement	Measure	x(1)	
	flsc_sch_um	Schedule UM	UM	x(2)	
	flsc_start_date	Start Date	Start	99/99/99	
	flsc_time_usage	Check Time Usage	Time! Usage	yes/no	
	flsc_user1	User Field Character 1		x(24)	
	flsc_user2	User field character 2		x(24)	
	flsc_userc03	User Field Character 3		x(24)	
	flsc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flsc_useri01	User Field Integer 1		->>>>>>>9	
	flsc_userl01	User Field Logical 1		yes/no	
	flsc_usert01	User Field Date 1		99/99/99	
	flsc__qadc01			x(24)	
	flsc__qadc02			x(24)	
	flsc__qadc03			x(24)	
	flsc__qadc04			x(24)	
	flsc__qadc05			x(24)	
	flsc__qadc06			x(24)	
	flsc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flsc__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	flsc__qadi01			->>>>>>>9	
	flsc__qadi02			->>>>>>>9	
	flsc__qadl01			yes/no	
	flsc__qadl02			yes/no	
	flsc__qadt01			99/99/99	
	flsc__qadt02			99/99/99	
◊	oid_flsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flsc_schedule_code	yes	flsc_domain	yes	no
			flsc_schedule_code	yes	no
◊	oid_flsc_mstr	yes	oid_flsc_mstr	yes	no

flsd_det

Flow Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
	flsd_closed	Closed		yes/no	
	flsd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	flsd_domain	Domain		x(8)	
	flsd_due_date	Due Date	Due	99/99/99	
	flsd_due_time	Time		>>>>9	
	flsd_flow_wo_lot	Flow ID		x(8)	
	flsd_flow_wo_nbr	Flow Work Order		x(18)	
◊	flsd_knpd_keyid	Process Detail Key ID		->>>,>>>,>>9.9<<<<<	10
	flsd_mod_date	Modified Date	Mod Date	99/99/99	
	flsd_mod_userid	User ID		x(8)	
	flsd_note	Note		x(24)	
	flsd_part	Item Number		x(18)	
	flsd_posted_to_rep	Repetitive	Posted! Rep	yes/no	
	flsd_production_line	Production Line	Line	x(8)	
	flsd_qty_comp	Qty Completed	Qty! Complete	->>,>>>,>>9.9<<<<<<<<<	10
	flsd_qty_ord	Qty Ordered	Qty! Ord	->>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	flsd_seq	Seq Nbr	Seq	>>>>>>>>9	
◊	flsd_shift	Shift		9	
	flsd_site	Site		x(8)	
	flsd_sod_line	Line	Ln	>>>9	
	flsd_so_nbr	Sales Order	SO	x(8)	
	flsd_user1	User Field Character 1		x(24)	
	flsd_user2	User field character 2		x(24)	
	flsd_userc03	User Field Character 3		x(24)	
	flsd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	flsd_useri01	User Field Integer 1		->>>>>>>9	
	flsd_userl01	User Field Logical 1		yes/no	
	flsd_usert01	User Field Date 1		99/99/99	
	flsd_wo_lot	ID		x(8)	
	flsd_wo_nbr	Work Order		x(18)	
	flsd__qadc01			x(24)	
	flsd__qadc02			x(24)	
	flsd__qadc03			x(24)	
	flsd__qadc04			x(24)	
	flsd__qadc05			x(24)	
	flsd__qadc06			x(24)	
	flsd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	flsd__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	flsd__qadi01			->>>>>>>9	
	flsd__qadi02			->>>>>>>9	
	flsd__qadl01			yes/no	
	flsd__qadl02			yes/no	
	flsd__qadt01			99/99/99	
	flsd__qadt02			99/99/99	
◊	oid_flsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	flsd_site_line_seq	yes	flsd_domain	yes	no
			flsd_site	yes	no
			flsd_production_line	yes	no
			flsd_due_date	yes	no
			flsd_seq	yes	no
Δ	flsd_site_line_time	no	flsd_domain	yes	no
			flsd_site	yes	no
			flsd_production_line	yes	no
			flsd_due_date	yes	no
			flsd_due_time	yes	no
Δ	flsd_wo_nbr	no	flsd_domain	yes	no
			flsd_flow_wo_nbr	yes	no
			flsd_flow_wo_lot	yes	no
◊	oid_flsd_det	yes	oid_flsd_det	yes	no

fm_mstr

Format Position Master

	Field Name	Label	Col-Label	Format	Dec
	fm_cc_sort	Sort Cost Center Before Acct	Sort! CC	yes/no	
	fm_desc	Description		x(24)	
◊	fm_domain	Domain		x(8)	
	fm_dr_cr	Debit(dr)/Credit(cr)	Dr/! Cr	dr/cr	
	fm_fpos	Format Position	Format! Pos	>>>>>9	
	fm_header	Suppress Header	Sup! Hdr	yes/no	
	fm_page_brk	Page Break After Total	Pg! Brk	yes/no	
	fm_skip	Skip Line After Total	Skp! Ln	yes/no	
	fm_sub_sort	Sort Sub-Acct Before Acct	Sort! Sub	yes/no	
	fm_sums_into	Sums Into	Sums! Into	>>>>>9	
	fm_total	Suppress Total	Sup! Tot	yes/no	
	fm_type	Report Type	T	x(1)	
	fm_underln	Double-Underline Total	Dbl! Ln	yes/no	
	fm_user1	Ufld1		x(8)	
	fm_user2	Ufld2		x(8)	
	fm__qadc01			x(8)	
◊	oid_fm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fm_desc	no	fm_domain	yes	no
			fm_desc	yes	no
Δ*	fm_fpos	yes	fm_domain	yes	no
			fm_fpos	yes	no
			fm_type	yes	no
			fm_sums_into	yes	no
Δ	fm_sums_into	no	fm_domain	yes	no
			fm_sums_into	yes	no
◊	oid_fm_mstr	yes	oid_fm_mstr	yes	no

fnd_det

Service/Support Field Notification Detail

	Field Name	Label	Col-Label	Format	Dec
	fnd_ca_nbr	Call		x(8)	
	fnd_comp_date	Date Completed		99/99/99	
◊	fnd_domain	Domain		x(8)	
	fnd_ecm_nbr	ECO number		x(8)	
	fnd_mod_date	Modified Date	Mod Date	99/99/99	
	fnd_mod_userid	User ID		X(8)	
	fnd_nbr	FN		x(8)	
	fnd_user1	Ufld1		X(8)	
	fnd_user2	Ufld2		X(8)	
	fnd__chr01	User Character Field #1		x(8)	0
	fnd__chr02	User Character Field #2		x(8)	0
	fnd__chr03	User Character Field #3		x(8)	0
	fnd__chr04	User Character Field #4		x(8)	0
	fnd__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fnd__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fnd__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fnd__dte01	User Date #1		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	fnd__dte02	User Date #2		99/99/99	
	fnd__dte03	User Date #3		99/99/99	
	fnd__log01	User Logical #1		yes/no	
	fnd__log02	User Logical #2		yes/no	
	fnd__log03	User Logical #3		yes/no	
	fnd__qadc01	Qad Field #1		x(8)	
	fnd__qadc02	Qad Field #2		x(8)	
	fnd__qadc03	Qad Field #3		x(8)	
	fnd__qadc04	Qad Field #4		x(8)	
	fnd__qade01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fnd__qade02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fnd__qade03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fnd__qadl01	Qad Logical #1		yes/no	
	fnd__qadl02	Qad Logical #2		yes/no	
	fnd__qadl03	Qad Logical #3		yes/no	
	fnd__qadt01	Qad Date #1		99/99/99	
	fnd__qadt02	Qad Date #2		99/99/99	
	fnd__qadt03	Qad Date #3		99/99/99	
◊	oid_fnd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fnd_ca_nbr	no	fnd_domain	yes	no
			fnd_ca_nbr	yes	no
			fnd_nbr	yes	no
Δ	fnd_comp	no	fnd_domain	yes	no
			fnd_nbr	yes	no
			fnd_comp_date	yes	no
Δ	fnd_eco	no	fnd_domain	yes	no
			fnd_ecm_nbr	yes	no
			fnd_nbr	yes	no
Δ*	fnd_nbr	yes	fnd_domain	yes	no
			fnd_nbr	yes	no
			fnd_ca_nbr	yes	no
◊	oid_fnd_det	yes	oid_fnd_det	yes	no

fnh_hist

Service/Support Field Notification History

Field Name	Label	Col-Label	Format	Dec
fnh_account_eng	Account Engineer		yes/no	
fnh_ca_desc	Call Description		x(68)	
fnh_ca_int_type	Work Code		x(8)	
fnh_ca_opn_date	Call Open Date	Call Date	99/99/99	
fnh_ca_pri	Priority		>>9	
fnh_ca_problem	Problem		x(8)	
fnh_ca_que	Queue		x(8)	
fnh_ca_severity	Severity		x(8)	
fnh_ca_status	Status		x(8)	
fnh_ca_type	Call Type		x(8)	
fnh_cmtindx	Comment Index		>>>>>>9	
fnh_combine	Combine with PM		yes/no	
fnh_complete	Completed		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	fnh_comp_date	Date Completed		99/99/99	
	fnh_copy_cmmts	Copy Comments to Call		yes/no	
	fnh_copy_eco_cmt	Copy ECO Comments		yes/no	
	fnh_desc	Description		x(24)	
	fnh_document	Reference Document Number	Doc Nbr	X(24)	0
◊	fnh_domain	Domain		x(8)	
	fnh_eff_date	Effective Date		99/99/99	
	fnh_ent_date	Date Entered		99/99/99	
	fnh_ent_userid	Entered By		X(8)	
	fnh_esc_nbr	Escalation		x(8)	
	fnh_from_ca_nbr	From Call		X(8)	
	fnh_from_eu_nbr	From End User		x(8)	
	fnh_from_part	From Item		x(18)	
	fnh_from_serial	From Serial		x(18)	
	fnh_fr_ship_date	From Ship Date		99/99/99	
	fnh_generated	Calls Generated		yes/no	
	fnh_model	Model		X(8)	
	fnh_mod_date	Modified Date	Mod Date	99/99/99	
	fnh_mod_userid	User ID		X(8)	
	fnh_nbr	Notification		x(8)	
	fnh_sequence	Sequence Number		->,>>>,>>9	
	fnh_top_level	Top Level Only		yes/no	
	fnh_to_ca_nbr	To Call		X(8)	
	fnh_to_eu_nbr	To End User		x(8)	
	fnh_to_part	To Item		x(18)	
	fnh_to_serial	To Serial		x(18)	
	fnh_to_ship_date	To Ship date		99/99/99	
	fnh_user1	Ufld1		X(8)	
	fnh_user2	Ufld2		X(8)	
	fnh__chr01	User Character Field #1		x(8)	0
	fnh__chr02	User Character Field #2		x(8)	0
	fnh__chr03	User Character Field #3		x(8)	0
	fnh__chr04	User Character Field #4		x(8)	0
	fnh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fnh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fnh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fnh__dte01	User Date #1		99/99/99	
	fnh__dte02	User Date #2		99/99/99	
	fnh__dte03	User Date #3		99/99/99	
	fnh__log01	User Logical #1		yes/no	
	fnh__log02	User Logical #2		yes/no	
	fnh__log03	User Logical #3		yes/no	
	fnh__qadc01	Qad Field #1		x(8)	
	fnh__qadc02	Qad Field #2		x(8)	
	fnh__qadc03	Qad Field #3		x(8)	
	fnh__qadc04	Qad Field #4		x(8)	
	fnh__qade01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fnh__qade02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fnh__qade03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fnh__qadl01	QAD Logical #1		yes/no	
	fnh__qadl03	Qad Logical #3		yes/no	
	fnh__qadl04	Qad Logical #4		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	fnh__qadt01	QAD Date #1		99/99/99	
	fnh__qadt02	Qad Date #2		99/99/99	
	fnh__qadt03	Qad Date #3		99/99/99	
◊	oid_fnh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fnh_document	no	fnh_domain	yes	no
			fnh_document	yes	no
			fnh_nbr	yes	no
Δ	fnh_effnbr	no	fnh_domain	yes	no
			fnh_eff_date	yes	no
			fnh_nbr	yes	no
Δ*	fnh_nbr	yes	fnh_domain	yes	no
			fnh_nbr	yes	no
			fnh_eff_date	yes	no
			fnh_sequence	yes	no
Δ	fnh_parteff	no	fnh_domain	yes	no
			fnh_from_part	yes	no
			fnh_eff_date	yes	no
◊	oid_fnh_hist	yes	oid_fnh_hist	yes	no

fn_mstr

Service/Support Field Notification Master

	Field Name	Label	Col-Label	Format	Dec
	fn_account_eng	Account Engineer		yes/no	
	fn_ca_desc	Call Description		x(68)	
	fn_ca_int_type	Work Code		x(8)	
	fn_ca_opn_date	Call Open Date	Call Date	99/99/99	
	fn_ca_pri	Priority		>>9	
	fn_ca_problem	Problem		x(8)	
	fn_ca_que	Queue		x(8)	
	fn_ca_severity	Severity		x(8)	
	fn_ca_status	Status		x(8)	
	fn_ca_type	Call Type		x(8)	
	fn_cmtindx	Comment Index		>>>>>>9	
	fn_combine	Combine with PM		yes/no	
	fn_comb_date	Combine Date		99/99/99	
	fn_complete	Completed		yes/no	
	fn_comp_date	Date Completed		99/99/99	
	fn_copy_cmmts	Copy Comments to Call		yes/no	
	fn_copy_eco_cmt	Copy ECO Comments		yes/no	
	fn_desc	Description		x(24)	
	fn_document	Reference Document	Reference	X(24)	
◊	fn_domain	Domain		x(8)	
	fn_eff_date	Effective Date		99/99/99	
	fn_ent_date	Date Entered		99/99/99	
	fn_ent_userid	Entered By		X(8)	
	fn_es_nbr	Escalation		x(8)	
	fn_from_eu_nbr	From End User		x(8)	
	fn_from_part	From Item		x(18)	
	fn_from_serial	From Serial		x(18)	

	Field Name	Label	Col-Label	Format	Dec
	fn_fr_ship_date	From Ship Date		99/99/99	
	fn_generated	Calls Generated		yes/no	
	fn_model	Model		x(18)	
	fn_mod_date	Modified Date	Mod Date	99/99/99	
	fn_mod_userid	User ID		X(8)	
	fn_nbr	Notification		x(8)	
	fn_top_level	Top Level Only		yes/no	
	fn_to_eu_nbr	To End User		x(8)	
	fn_to_part	To Item		x(18)	
	fn_to_serial	To Serial		x(18)	
	fn_to_ship_date	To Ship date		99/99/99	
	fn_user1	Ufld1		X(8)	
	fn_user2	Ufld2		X(8)	
	fn__chr01	User Character Field 1		X(8)	
	fn__chr02	User Character Field 2		X(8)	
	fn__chr03	User Character Field 3		X(8)	
	fn__chr04	User Character Field 4		X(8)	
	fn__dec01	User Decimal Field 1		->>>,>>>,>>9.99	10
	fn__dec02	User Decimal Field 2		->>>,>>>,>>9.99	10
	fn__dec03	User Decimal Field 3		->>>,>>>,>>9.99	10
	fn__dte01	User Date Field 1		99/99/99	
	fn__dte02	User Date Field 2		99/99/99	
	fn__dte03	User Date Field 3		99/99/99	
	fn__log01	User Logical Field 1		yes/no	
	fn__log02	User Logical Field 2		yes/no	
	fn__log03	User Logical Field 3		yes/no	
	fn__qadc01	QAD Character Field 1		X(8)	
	fn__qadc02	QAD Character Field 2		X(8)	
	fn__qadc03	QAD Character Field 3		X(8)	
	fn__qadc04	QAD Character Field 4		X(8)	
	fn__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99	10
	fn__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99	10
	fn__qade03	QAD Decimal Field 3		->>>,>>>,>>9.99	10
	fn__qadl01	QAD Logical Field 1		yes/no	
	fn__qadl03	QAD Logical Field 3		yes/no	
	fn__qadl04	QAD Logical Field 4		yes/no	
	fn__qadt01	QAD Date Field 1		99/99/99	
	fn__qadt02	QAD Date Field 2		99/99/99	
	fn__qadt03	QAD Date Field 3		99/99/99	
◊	oid_fn_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fn_document	no	fn_domain	yes	no
			fn_document	yes	no
			fn_nbr	yes	no
Δ	fn_effnbr	no	fn_domain	yes	no
			fn_eff_date	yes	no
			fn_nbr	yes	no
Δ*	fn_nbr	yes	fn_domain	yes	no
			fn_nbr	yes	no
Δ	fn_parteff	no	fn_domain	yes	no
			fn_from_part	yes	no
			fn_eff_date	yes	no
◊	oid_fn_mstr	yes	oid_fn_mstr	yes	no

fp1_plan

Family Production Backlog and Cost Plan

	Field Name	Label	Col-Label	Format	Dec
	fp1_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
	fp1_bklg_act[52]	Backlog Actual	Bklg Act	->>>,>>>,>>9.9<<<<<<<<<	10
	fp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fp1_cost_act[52]	Cost Actual	Cost Act	->>,>>>,>>9.9<<<<<<<<<	10
	fp1_cost_fcst[52]	Cost Forecast	Cost Fcst	->>,>>>,>>9.9<<<<<<<<<	10
◊	fp1_domain	Domain		x(8)	
	fp1_mod_date	Modified Date	Mod Date	99/99/99	
	fp1_mod_userid	User ID		x(8)	
	fp1_part	Item Number	Item	x(18)	
	fp1_site	Site		x(8)	
	fp1_target	Coverage	Cov	>>9.9	10
	fp1_user1	Ufld1		x(8)	
	fp1_user2	Ufld2		x(8)	
	fp1_year	Year		>>>>	
	fp1__chr01			x(8)	
	fp1__chr02			x(8)	
	fp1__chr03			x(8)	
	fp1__chr04			x(8)	
	fp1__chr05			x(8)	
	fp1__dec01			->>>,>>>,>>9.99<	10
	fp1__dec02			->>>,>>>,>>9.99<	10
	fp1__log01			yes/no	
	fp1__log02			yes/no	
	fp1__qadc01			x(8)	
◊	oid_fp1_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fp1_siteyear	yes	fp1_domain	yes	no
			fp1_site	yes	no
			fp1_part	yes	no
			fp1_year	yes	no
Δ	fp1_yearsite	yes	fp1_domain	yes	no
			fp1_year	yes	no
			fp1_part	yes	no
			fp1_site	yes	no
◊	oid_fp1_plan	yes	oid_fp1_plan	yes	no

fp2_plan

Family Production Inventory and Order Plan

	Field Name	Label	Col-Label	Format	Dec
	fp2_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
◊	fp2_domain	Domain		x(8)	
	fp2_inv_act[52]	Inventory Actual	Inv Act	->>,>>>,>>9.9<<<<<<<<<	10
	fp2_inv_fcst[52]	Inventory Forecast	Inv Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fp2_mod_date	Modified Date	Mod Date	99/99/99	
	fp2_mod_userid	User ID		x(8)	
	fp2_ord_act[52]	Orders Actual	Orders Act	->>,>>>,>>9.9<<<<<<<<<	10
	fp2_ord_fcst[52]	Orders Forecast	Orders Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fp2_part	Item Number	Item	x(18)	

	Field Name	Label	Col-Label	Format	Dec
	fp2_site	Site		x(8)	
	fp2_target	Coverage	Cov	>>9.9	10
	fp2_user1	Ufld1		x(8)	
	fp2_user2	Ufld2		x(8)	
	fp2_year	Year		>>>>	
	fp2__chr01			x(8)	
	fp2__chr02			x(8)	
	fp2__chr03			x(8)	
	fp2__chr04			x(8)	
	fp2__chr05			x(8)	
	fp2__dec01			->>>,>>>,>>9.99<	10
	fp2__dec02			->>>,>>>,>>9.99<	10
	fp2__log01			yes/no	
	fp2__log02			yes/no	
	fp2__qadc01			x(8)	
◊	oid_fp2_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	fp2_siteyear	yes	fp2_domain	yes	no
			fp2_site	yes	no
			fp2_part	yes	no
			fp2_year	yes	no
Δ	fp2_yearsite	yes	fp2_domain	yes	no
			fp2_year	yes	no
			fp2_part	yes	no
			fp2_site	yes	no
◊	oid_fp2_plan	yes	oid_fp2_plan	yes	no

fp3_plan

Family Production and Shipment Plan

	Field Name	Label	Col-Label	Format	Dec
	fp3_apprv_list	Approval List		x(8)	
	fp3_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
◊	fp3_domain	Domain		x(8)	
	fp3_mod_date	Modified Date	Mod Date	99/99/99	
	fp3_mod_userid	User ID		x(8)	
	fp3_part	Item Number	Item	x(18)	
	fp3_prod_act[52]	Production Actual	Prod Act	->>,>>>,>>9.9<<<<<<<<<	10
	fp3_prod_fcst[52]	Production Forecast	Prod Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fp3_ship_act[52]	Ship Actual	Ship Act	->>,>>>,>>9.9<<<<<<<<<	10
	fp3_ship_fcst[52]	Ship Forecast	Ship Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fp3_site	Site		x(8)	
	fp3_target	Coverage	Cov	>>9.9	10
	fp3_user1	Ufld1		x(8)	
	fp3_user2	Ufld2		x(8)	
	fp3_wo_list	Work Order List		x(8)	
	fp3_year	Year		>>>>	
	fp3__chr01			x(8)	
	fp3__chr02			x(8)	
	fp3__chr03			x(8)	
	fp3__chr04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	fp3__chr05			x(8)	
	fp3__dec01			->>>,>>>,>>9.99<	10
	fp3__dec02			->>>,>>>,>>9.99<	10
	fp3__log01			yes/no	
	fp3__log02			yes/no	
	fp3__qadc01			x(8)	
◊	oid_fp3_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fp3_siteyear	yes	fp3_domain	yes	no
			fp3_site	yes	no
			fp3_part	yes	no
			fp3_year	yes	no
Δ	fp3_yearsite	yes	fp3_domain	yes	no
			fp3_year	yes	no
			fp3_part	yes	no
			fp3_site	yes	no
◊	oid_fp3_plan	yes	oid_fp3_plan	yes	no

fpci_mstr

Service/Support Price Indexing Master

	Field Name	Label	Col-Label	Format	Dec
◊	fpci_domain	Domain		x(8)	
	fpci_index	Index		x(8)	
	fpci_mod_date	Modified Date	Mod Date	99/99/99	
	fpci_reval_link	Revaluation Link	Link	->>>,>>9.99<<<<	10
	fpci_user1	Ufld1		X(8)	
	fpci_user2	Ufld2		X(8)	
	fpci_userid	User ID		x(8)	
	fpci_values[12]	Value		->>>,>>9.99<<<<	10
	fpci_year	Year		>>>9	
	fpci__chr01	User Character Field #1		x(8)	0
	fpci__chr02	User Character Field #2		x(8)	0
	fpci__chr03	User Character Field #3		x(8)	0
	fpci__chr04	User Character Field #4		x(8)	0
	fpci__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fpci__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fpci__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fpci__dte01	User Date #1		99/99/99	
	fpci__dte02	User Date #2		99/99/99	
	fpci__dte03	User Date #3		99/99/99	
	fpci__log01	User Logical #1		yes/no	
	fpci__log02	User Logical #2		yes/no	
	fpci__log03	User Logical #3		yes/no	
	fpci__qadc01	Qad Field #1		x(8)	
	fpci__qadc02	Qad Field #2		x(8)	
	fpci__qadc03	Qad Field #3		x(8)	
	fpci__qadc04	Qad Field #4		x(8)	
	fpci__qadd01	Qad Date #1		99/99/99	
	fpci__qadd02	Qad Date #2		99/99/99	
	fpci__qadd03	Qad Date #3		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	fpci__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fpci__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fpci__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fpci__qadl01	Qad Logical #1		yes/no	
	fpci__qadl02	Qad Logical #2		yes/no	
	fpci__qadl03	Qad Logical #3		yes/no	
◊	oid_fpci_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fpci_index	yes	fpci_domain	yes	no
			fpci_index	yes	no
			fpci_year	yes	no
◊	oid_fpci_mstr	yes	oid_fpci_mstr	yes	no

fpc_mstr

Service/Support Pricing Master

	Field Name	Label	Col-Label	Format	Dec
	fpc_amt[15]	Price		->>>,>>>,>>9.99<<<	10
	fpc_amt_type	Amount Type	T	x(1)	
	fpc_ca_int_type	Work Code	Work CD	x(8)	
	fpc_curr	Currency	Curr	x(4)	0
◊	fpc_domain	Domain		x(8)	
	fpc_expire	Expiration	Expire	99/99/99	
	fpc_fsc_code	Service Category	Svc Cat	x(8)	
	fpc_list	Price List	List	x(8)	
	fpc_list_type	Type		x(3)	
	fpc_max_price[15]	Maximum Price		->>>,>>>,>>9.99<<<	10
	fpc_min_price	Minimum Price		->>>,>>>,>>9.99<<<	10
	fpc_min_qty[15]	Min Qty		>>>>>>9	10
	fpc_mod_date	Modified Date	Mod Date	99/99/99	
	fpc_part	Item		x(18)	
	fpc_prod_line	Product Line	Line	x(4)	
	fpc_start	Start		99/99/99	
	fpc_svc_group	Service Group	Svc Grp	x(8)	
	fpc_sv_code	Service Type	Svc Type	x(8)	0
	fpc_tax_in	Tax In		yes/no	
	fpc_um	UM		x(2)	
	fpc_user1	Ufld1		X(8)	
	fpc_user2	Ufld2		X(8)	
	fpc_userid	User ID		x(8)	
	fpc__chr01	User Character Field #1		x(8)	0
	fpc__chr02	User Character Field #2		x(8)	0
	fpc__chr03	User Character Field #3		x(8)	0
	fpc__chr04	User Character Field #4		x(8)	0
	fpc__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fpc__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fpc__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fpc__dte01	User Date #1		99/99/99	
	fpc__dte02	User Date #2		99/99/99	
	fpc__dte03	User Date #3		99/99/99	
	fpc__log01	User Logical #1		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	fpc__log02	User Logical #2		yes/no	
	fpc__log03	User Logical #3		yes/no	
	fpc__qadc01	Qad Field #1		x(8)	
	fpc__qadc02	Qad Field #2		x(8)	
	fpc__qadc03	Qad Field #3		x(8)	
	fpc__qadc04	Qad Field #4		x(8)	
	fpc__qadd01	Qad Date #1		99/99/99	
	fpc__qadd02	Qad Date #2		99/99/99	
	fpc__qadd03	Qad Date #3		99/99/99	
	fpc__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fpc__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fpc__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fpc__qadl01	Qad Logical #1		yes/no	
	fpc__qadl02	Qad Logical #2		yes/no	
	fpc__qadl03	Qad Logical #3		yes/no	
◊	oid_fpc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fpc_list	yes	fpc_domain	yes	no
			fpc_list	yes	no
			fpc_list_type	yes	no
			fpc_curr	yes	no
			fpc_ca_int_type	yes	no
			fpc_svc_group	yes	no
			fpc_prod_line	yes	no
			fpc_fsc_code	yes	no
			fpc_part	yes	no
			fpc_um	yes	no
			fpc_start	yes	no
◊	oid_fpc_mstr	yes	oid_fpc_mstr	yes	no

fpd_cost

Family Item Cost Detail

	Field Name	Label	Col-Label	Format	Dec
	fpd_cost1	Cost		>>>>,>>>,>>9.99<<<	10
	fpd_cost2	Cost		>>>,>>>,>>>9.99<<<	10
	fpd_cost3	Cost		>>>>,>>>,>>9.99<<<	10
	fpd_cost4	Cost		>>>>,>>>,>>9.99<<<	10
	fpd_cost5	Cost		>>>>,>>>,>>9.99<<<	10
◊	fpd_domain	Domain		x(8)	
	fpd_part	Family Item	Family	x(18)	
	fpd_price	Price		>>>>,>>>,>>9.99<<<	10
	fpd_rate1	Production Rate	Rate	>>>>,>>>,>>9.99<<<	10
	fpd_rate2	Production Rate		>>>>,>>>,>>9.99<<<	10
	fpd_rate3	Production Rate		>>>>,>>>,>>9.99<<<	10
	fpd_rate4	Production Rate		>>>>,>>>,>>9.99<<<	10
	fpd_rate5	Production Rate		>>>>,>>>,>>9.99<<<	10
	fpd_sim	Cost Set		x(8)	
	fpd_site	Site		x(8)	
	fpd_user1	Ufld1		x(8)	
	fpd_user2	Ufld2		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	fpd__chr01			x(8)	
	fpd__chr02			x(8)	
	fpd__chr03			x(8)	
	fpd__chr04			x(8)	
	fpd__chr05			x(8)	
	fpd__dec01			->>>,>>>,>>9.99<<<	10
	fpd__dec02			->>>,>>>,>>9.99	10
	fpd__dec03			->>>,>>>,>>9.99	10
	fpd__dec04			->>>,>>>,>>9.99	10
	fpd__dec05			->>>,>>>,>>9.99	10
◊	oid_fpd_cost			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fpd_cost	yes	fpd_domain	yes	no
			fpd_sim	yes	no
			fpd_site	yes	no
			fpd_part	yes	no
◊	oid_fpd_cost	yes	oid_fpd_cost	yes	no

fpst_mstr Return Status Master

	Field Name	Label	Col-Label	Format	Dec
	fpst_desc	Description		x(24)	
◊	fpst_domain	Domain		x(8)	
	fpst_exchange	Exchange		yes/no	
	fpst_good	Good		yes/no	
	fpst_mod_date	Modified Date	Mod Date	99/99/99	
	fpst_mod_userid	User ID		X(8)	
	fpst_pending	Pending		yes/no	
	fpst_return	Return Items		yes/no	
	fpst_scrap	Scrap		yes/no	
	fpst_status	Status		x(8)	0
	fpst_user1	Ufld1		X(8)	
	fpst_user2	Ufld2		X(8)	
	fpst__chr01	User Character Field 1		X(8)	
	fpst__chr02	User Character Field 2		X(8)	
	fpst__dec01	User Decimal Field 1		->>,>>9.99	10
	fpst__dte01	User Date Field 1		99/99/99	
	fpst__log01	User Logical Field 1		yes/no	
	fpst__log02	User Logical Field 2		yes/no	
	fpst__qadc01	QAD Character Field 1		X(8)	
	fpst__qadc02	QAD Character Field 2		X(8)	
	fpst__qade01	QAD Decimal Field 1		->>,>>9.99	10
	fpst__qadl01	QAD Logical Field 1		yes/no	
	fpst__qadl02	QAD Logical Field 2		yes/no	
	fpst__qadt01	QAD Date Field 1		99/99/99	
◊	oid_fpst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fpst_status	yes	fpst_domain	yes	no
			fpst_status	yes	no
◊	oid_fpst_mstr	yes	oid_fpst_mstr	yes	no

frcd_det

Freight Charge Detail

	Field Name	Label	Col-Label	Format	Dec
	frcd_class	Freight Class	Class	x(8)	
	frcd_curr	Currency	Cur	x(3)	
◊	frcd_domain	Domain		x(8)	
	frcd_end	End		99/99/99	
	frcd_fr_list	Freight List	Frt List	x(8)	
	frcd_max_wt	Maximum Weight	Max Weight	->>,>>>,>>>	10
	frcd_min_wt	> Minimum Weight	>Min Weight	->>,>>>,>>>	10
	frcd_min_wtc	Freight Charge	Freight! Charge	->>,>>>,>>9.9<<<	10
	frcd_site	Site		x(8)	
	frcd_start	Start		99/99/99	
	frcd_tot_wtc	Freight Charge Per Fr List UM	Charge Per! Fr List UM	->>,>>>,>>9.99	10
	frcd_user1	Ufld1		x(8)	
	frcd_user2	Ufld2		x(8)	
	frcd_xtr_wtc	Freight Charge Per UM Over Min	Fr Chg Per! Unit Over Min	->>,>>>,>>9.99	10
	frcd_zone	Zone		x(10)	
	frcd__chr01			x(8)	
	frcd__chr02			x(8)	
	frcd__chr03			x(8)	
	frcd__chr04			x(8)	
	frcd__chr05			x(8)	
	frcd__chr06			x(8)	
	frcd__chr07			x(8)	
	frcd__chr08			x(8)	
	frcd__dec01			>>>,>>>,>>9.99	10
	frcd__dec02			>>>,>>>,>>9.99	10
	frcd__dte01			99/99/99	
	frcd__dte02			99/99/99	
	frcd__log01			yes/no	
	frcd__log02			yes/no	
◊	oid_frcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	frcd_fr_list	yes	frcd_domain	yes	no
			frcd_fr_list	yes	no
			frcd_site	yes	no
			frcd_curr	yes	no
			frcd_zone	yes	no
			frcd_class	yes	no
			frcd_max_wt	yes	no
			frcd_start	yes	no
◊	oid_frcd_det	yes	oid_frcd_det	yes	no

frd_det

Freight Rate Detail

	Field Name	Label	Col-Label	Format	Dec
	frd_code	Rate Code	Code	x(8)	
◊	frd_domain	Domain		x(8)	
	frd_rate	Rate		>,>>>,>>9.99<<<	10
	frd_user1	Ufld1		x(8)	
	frd_user2	Ufld2		x(8)	
	frd_weight	Weight		>,>>>,>>9.9<<<<<<<	10
	frd__qadc01			x(8)	
◊	oid_frd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	frd_rate	yes	frd_domain	yes	no
			frd_code	yes	no
			frd_weight	yes	no
◊	oid_frd_det	yes	oid_frd_det	yes	no

frm_mstr

Freight Rate Master

	Field Name	Label	Col-Label	Format	Dec
	frm_code	Rate Code	Code	x(8)	
	frm_curr	Currency	Curr	x(3)	
	frm_desc	Description		x(24)	
◊	frm_domain	Domain		x(8)	
	frm_rate_qty	Rate Qty		>,>>>,>>9.9<<<<<<<	10
	frm_um	UM		x(2)	
	frm_user1	Ufld1		x(8)	
	frm_user2	Ufld2		x(8)	
	frm__qadc01			x(8)	
◊	oid_frm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	frm_code	yes	frm_domain	yes	no
			frm_code	yes	no
◊	oid_frm_mstr	yes	oid_frm_mstr	yes	no

frzd_det

Freight Zone Detail

	Field Name	Label	Col-Label	Format	Dec
◊	frzd_domain	Domain		x(8)	
	frzd_end	End		99/99/99	
	frzd_fr_list	Freight List	Frt List	x(8)	
	frzd_post_en	Post End		x(10)	
	frzd_post_st	Post Start		x(10)	
	frzd_site	Site		x(8)	
	frzd_start	Start		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	frzd_user1	Ufld1		x(8)	
	frzd_user2	Ufld2		x(8)	
	frzd_zone	Zone		x(10)	
	frzd__chr01			x(8)	
	frzd__chr02			x(8)	
	frzd__chr03			x(8)	
	frzd__chr04			x(8)	
	frzd__chr05			x(8)	
	frzd__chr06			x(8)	
	frzd__chr07			x(8)	
	frzd__chr08			x(8)	
	frzd__dec01			>>>,>>>,>>9.99	10
	frzd__dec02			>>>,>>>,>>9.99	10
	frzd__dte01			99/99/99	
	frzd__dte02			99/99/99	
	frzd__log01			yes/no	
	frzd__log02			yes/no	
◊	oid_frzd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	frzd_fr_list	yes	frzd_domain	yes	no
			frzd_fr_list	yes	no
			frzd_site	yes	no
			frzd_zone	yes	no
			frzd_post_st	yes	no
			frzd_start	yes	no
◊	oid_frzd_det	yes	oid_frzd_det	yes	no

fr_mstr

Freight List Master

	Field Name	Label	Col-Label	Format	Dec
	fr_curr	Currency	Curr	x(3)	
	fr_desc	Description		x(24)	
◊	fr_domain	Domain		x(8)	
	fr_list	Freight List	Frt List	x(8)	
	fr_mode	Freight Mode		x(8)	
	fr_site	Site		x(8)	
	fr_trl_cd	Trailer Code	Trl	x(2)	
	fr_type	Type		UNIT/BULK	
	fr_um	UM		x(2)	
	fr_user1	Ufld1		x(8)	
	fr_user2	Ufld2		x(8)	
	fr__chr01			x(8)	
	fr__chr02			x(8)	
	fr__chr03			x(8)	
	fr__chr04			x(8)	
	fr__chr05			x(8)	
	fr__chr06			x(8)	
	fr__chr07			x(8)	
	fr__chr08			x(8)	
	fr__dec01			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	fr__dec02			>>>,>>>,>>9.99	10
	fr__dte01			99/99/99	
	fr__dte02			99/99/99	
	fr__log01			yes/no	
	fr__log02			yes/no	
◊	oid_fr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fr_list	yes	fr_domain	yes	no
			fr_list	yes	no
			fr_site	yes	no
			fr_curr	yes	no
◊	oid_fr_mstr	yes	oid_fr_mstr	yes	no

fsc_mstr

Service Category Master

Field Name	Label	Col-Label	Format	Dec
fsc_bdn_pct	Labor Burden Percent	Lbr Bdn %	>>9.99%	10
fsc_bdn_rate	Labor Burden Rate	Lbr Bdn Rate	>>>,>>9.99	10
fsc_code	Service Category	Svc Cat	x(8)	
fsc_con_parts	Consumable Items	Con	yes/no	
fsc_customer	Customer Chargable		yes/no	
fsc_cus_non_prod	Customer Non-Productive	Cus NP	yes/no	
fsc_desc	Description		x(24)	
◊ fsc_domain	Domain		x(8)	
fsc_exg_parts	Exchanged Items	Exg	yes/no	
fsc_expense	Expense	Exp	yes/no	
fsc_fis_column	Column	Col	>>9	
fsc_fis_sort	Invoice Sort		x(18)	
fsc_labor	Labor	Lab	yes/no	
fsc_lbr_rate	Standard Labor Rate	Std Lbr Rate	>>>,>>9.99	10
fsc_non_prod	Non-Productive	Non P	yes/no	
fsc_other	Other	Oth	yes/no	
fsc_parts	Items	Itm	yes/no	
fsc_sick	Sick		yes/no	
fsc_taxable	Taxable		yes/no	
fsc_taxc	Tax Class		x(8)	0
fsc_training	Training	Trn	yes/no	
fsc_travel_exp	Travel Expenses	TE	yes/no	
fsc_travel_labor	Travel Labor	TL	yes/no	
fsc_user1	Ufld1		X(8)	
fsc_user2	Ufld2		X(8)	
fsc_vacation	Vacation	Vac	yes/no	
fsc__chr01	User Character Field #1		x(8)	0
fsc__chr02	User Character Field #2		x(8)	0
fsc__chr03	User Character Field #3		x(8)	0
fsc__chr04	User Character Field #4		x(8)	0
fsc__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fsc__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fsc__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fsc__dte01	User Date #1		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	fsc__dte02	User Date #2		99/99/99	
	fsc__dte03	User Date #3		99/99/99	
	fsc__log01	User Logical #1		yes/no	
	fsc__log02	User Logical #2		yes/no	
	fsc__log03	User Logical #3		yes/no	
	fsc__qadc01	QAD Character Field		x(8)	0
	fsc__qadc02	Qad Field #2		x(8)	
	fsc__qadc03	Qad Field #3		x(8)	
	fsc__qadc04	Qad Field #4		x(8)	
	fsc__qadd01	Qad Date #1		99/99/99	
	fsc__qadd02	Qad Date #2		99/99/99	
	fsc__qadd03	Qad Date #3		99/99/99	
	fsc__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fsc__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fsc__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fsc__qadl01	QAD Logical Field		yes/no	
	fsc__qadl02	Qad Logical #2		yes/no	
	fsc__qadl03	Qad Logical #3		yes/no	
◊	oid_fsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsc_code	yes	fsc_domain	yes	no
			fsc_code	yes	no
◊	oid_fsc_mstr	yes	oid_fsc_mstr	yes	no

fsd_det

Service/Support Call Activity Detail

	Field Name	Label	Col-Label	Format	Dec
◊	fsd_domain	Domain		x(8)	
	fsd_file			x(8)	
	fsd_file_line			>>9	
	fsd_inv_ref	Ref	Reference	X(8)	
	fsd_isb_ref	Installed Base Reference	ISB Ref	>>>>>>>9	
	fsd_line	Line		>>>9	
	fsd_loc	Location		x(8)	
	fsd_lotser	Lot/Serial		x(18)	
	fsd_nbr			x(8)	
	fsd_part	Item		x(18)	
	fsd_qty_post			->,>>>,>>9.9<<<<<<<<	10
	fsd_qty_tran	Quantity		->,>>>,>>9.9<<<<<<<<	10
	fsd_ref	Ref	Reference	x(8)	
	fsd_ret_loc	Return Location		x(8)	
	fsd_ret_site	Return Site		x(8)	
	fsd_rev	Rev		x(4)	
	fsd_site	Site		x(8)	
	fsd_status	Status		x(8)	
	fsd_user1	Ufld1		x(8)	
	fsd_user2	Ufld2		x(8)	
	fsd__chr01	User Character Field 1		X(8)	
	fsd__chr02	User Character Field 2		X(8)	
	fsd__dec01	User Decimal Field 1		->>>,>>>,>>9.9<<<	10

	Field Name	Label	Col-Label	Format	Dec
	fsd__int01	User Integer Field 1		->,>>>,>>9	
	fsd__log01	User Logical Field 1		yes/no	
	fsd__qadc01	QAD Character Field 1		X(8)	
	fsd__qadc02	QAD Character Field 2		X(8)	
	fsd__qadc03	QAD Character Field		X(8)	0
	fsd__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.9<<<	10
	fsd__qadd02	QAD Decimal Field		->>,>>9.99	10
	fsd__qadi01	QAD Integer Field 1		->,>>>,>>9	
	fsd__qadi02	QAD Integer Field		->,>>>,>>9	
	fsd__qadl01	QAD Logical Field 1		yes/no	
	fsd__qadl02	QAD Logical Field		yes/no	
◊	oid_fsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsd_nbr	yes	fsd_domain	yes	no
			fsd_nbr	yes	no
			fsd_file	yes	no
			fsd_file_line	yes	no
			fsd_part	yes	no
			fsd_line	yes	no
Δ	fsd_part	no	fsd_domain	yes	no
			fsd_nbr	yes	no
			fsd_file	yes	no
			fsd_file_line	yes	no
			fsd_part	yes	no
			fsd_site	yes	no
			fsd_loc	yes	no
			fsd_lotser	yes	no
			fsd_ref	yes	no
◊	oid_fsd_det	yes	oid_fsd_det	yes	no

fsh_mstr Service/Support Holiday Master

	Field Name	Label	Col-Label	Format	Dec
	fsh_code	Code		x(8)	
	fsh_code_field	Field		x(32)	
	fsh_covered	Covered		yes/no	
	fsh_date	Holiday		99/99/99	
	fsh_desc	Description		x(24)	
◊	fsh_domain	Domain		x(8)	
	fsh_user1	Ufld1		x(8)	
	fsh_user2	Ufld2		x(8)	
	fsh__qadc01			x(8)	
◊	oid_fsh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsh_codefield	yes	fsh_domain	yes	no
			fsh_code	yes	no
			fsh_code_field	yes	no
			fsh_date	yes	no
◊	oid_fsh_mstr	yes	oid_fsh_mstr	yes	no

fslp_pln

Simulation Line Plan

	Field Name	Label	Col-Label	Format	Dec
◊	fslp_domain	Domain		x(8)	
	fslp_line	Production Line		x(8)	
	fslp_part	Item Number	Item	x(18)	
	fslp_plan_id	Plan ID		x(8)	
	fslp_prod_act[52]	Production Actual	Prod Act	->>,>>>,>>9.9<<<<<<<<<	10
	fslp_prod_fcst[52]	Production Forecast	Prod Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fslp_site	Site		x(8)	
	fslp_user1	Ufld1		x(8)	
	fslp_user2	Ufld2		x(8)	
	fslp_year	Year		>>>>	
	fslp__dec01			->,>>>,>>9.99<	10
	fslp__dec02			->,>>>,>>9.99<	10
	fslp__dec03[52]			->,>>>,>>9.99<	10
	fslp__dec04[52]			->,>>>,>>9.99<	10
◊	oid_fslp_pln			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fslp_pln	yes	fslp_domain	yes	no
			fslp_plan_id	yes	no
			fslp_part	yes	no
			fslp_site	yes	no
			fslp_line	yes	no
			fslp_year	yes	no
◊	oid_fslp_pln	yes	oid_fslp_pln	yes	no

fsp1_pln

Family Simulation Backlog and Cost Plan

	Field Name	Label	Col-Label	Format	Dec
	fsp1_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
	fsp1_bklg_act[52]	Backlog Actual	Bklg Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fsp1_cost_act[52]	Cost Actual	Cost Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp1_cost_fcst[52]	Cost Forecast	Cost Fcst	->>,>>>,>>9.9<<<<<<<<<	10
◊	fsp1_domain	Domain		x(8)	
	fsp1_mod_date	Modified Date	Mod Date	99/99/99	
	fsp1_mod_userid	User ID		x(8)	
	fsp1_part	Item Number	Item	x(18)	
	fsp1_percent	Percent		->>9.9<%	10

	Field Name	Label	Col-Label	Format	Dec
	fsp1_plan_id	Plan ID		x(8)	
	fsp1_prod_rate	Production Rate	Prod Rate	>>>>,>>>,>>9.99<<<	10
	fsp1_sim_rate	Simulation Rate	Sim Rate	>>>>,>>>,>>9.9<<<	10
	fsp1_site	Site		x(8)	
	fsp1_src_pct	Percent		->>9.9<%	10
	fsp1_target	Coverage	Cov	>>9.9	10
	fsp1_user1	Ufld1		x(8)	
	fsp1_user2	Ufld2		x(8)	
	fsp1_year	Year		>>>>	
	fsp1__qadc01			x(8)	
◊	oid_fsp1_pln			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsp1_pln	yes	fsp1_domain	yes	no
			fsp1_plan_id	yes	no
			fsp1_site	yes	no
			fsp1_part	yes	no
			fsp1_year	yes	no
◊	oid_fsp1_pln	yes	oid_fsp1_pln	yes	no

fsp2_pln

Family Simulation Inventory and Order Plan

	Field Name	Label	Col-Label	Format	Dec
	fsp2_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
◊	fsp2_domain	Domain		x(8)	
	fsp2_inv_act[52]	Inventory Actual	Inv Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp2_inv_fcst[52]	Inventory Forecast	Inv Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fsp2_mod_date	Modified Date	Mod Date	99/99/99	
	fsp2_mod_userid	User ID		x(8)	
	fsp2_ord_act[52]	Orders Actual	Orders Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp2_ord_fcst[52]	Orders Forecast	Orders Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fsp2_part	Item Number	Item	x(18)	
	fsp2_percent	Percent		->>9.9<%	10
	fsp2_plan_id	Plan ID		x(8)	
	fsp2_prod_rate	Production Rate	Prod Rate	>>>>,>>>,>>9.9<<<	10
	fsp2_sim_rate	Simulation Rate	Sim Rate	>>>>,>>>,>>9.9<<<	10
	fsp2_site	Site		x(8)	
	fsp2_src_pct	Percent		->>9.9<%	10
	fsp2_target	Coverage	Cov	>>9.9	10
	fsp2_user1	Ufld1		x(8)	
	fsp2_user2	Ufld2		x(8)	
	fsp2_year	Year		>>>>	
	fsp2__qadc01			x(8)	
◊	oid_fsp2_pln			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsp2_pln	yes	fsp2_domain	yes	no
			fsp2_plan_id	yes	no
			fsp2_site	yes	no
			fsp2_part	yes	no
			fsp2_year	yes	no
◊	oid_fsp2_pln	yes	oid_fsp2_pln	yes	no

fsp3_pln

Family Simulation Production and Shipment Plan

	Field Name	Label	Col-Label	Format	Dec
	fsp3_beg_inv	Begining Inventory	Begin Inv	->>>,>>>,>>9.9<<<<<<<<<	10
◊	fsp3_domain	Domain		x(8)	
	fsp3_mod_date	Modified Date	Mod Date	99/99/99	
	fsp3_mod_userid	User ID		x(8)	
	fsp3_part	Item Number	Item	x(18)	
	fsp3_percent	Percent		->>9.9<%	10
	fsp3_plan_id	Plan ID		x(8)	
	fsp3_prod_act[52]	Production Actual	Prod Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp3_prod_fcst[52]	Production Forecast	Prod Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fsp3_prod_rate	Production Rate	Prod Rate	>>>>,>>>,>>9.9<<<	10
	fsp3_ship_act[52]	Ship Actual	Ship Act	->>,>>>,>>9.9<<<<<<<<<	10
	fsp3_ship_fcst[52]	Ship Forecast	Ship Fcst	->>,>>>,>>9.9<<<<<<<<<	10
	fsp3_sim_rate	Simulation Rate	Sim Rate	>>>>,>>>,>>9.9<<<	10
	fsp3_site	Site		x(8)	
	fsp3_src_pct	Percent		->>9.9<%	10
	fsp3_target	Coverage	Cov	>>9.9	10
	fsp3_user1	Ufld1		x(8)	
	fsp3_user2	Ufld2		x(8)	
	fsp3_year	Year		>>>>	
	fsp3__qadc01			x(8)	
◊	oid_fsp3_pln			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsp3_pln	yes	fsp3_domain	yes	no
			fsp3_plan_id	yes	no
			fsp3_site	yes	no
			fsp3_part	yes	no
			fsp3_year	yes	no
◊	oid_fsp3_pln	yes	oid_fsp3_pln	yes	no

fsu_mstr

Service/Support User Preference Master

Field Name	Label	Col-Label	Format	Dec
fsu_ca_time_wnd	Call Time Window		yes/no	
fsu_ca_wo_wnd	Call WO Window		yes/no	
fsu_dflt_pri	Call Priority	Call! Priority	>>>9	
fsu_dflt_que	Call Queue	Call! Queue	x(8)	

	Field Name	Label	Col-Label	Format	Dec
◊	fsu_domain	Domain		x(8)	
	fsu_esc_dflt	Escalation Default	Esc Dflt	x(8)	
	fsu_que_prog	Queue Manager		>>9	
	fsu_quote_que	Quote Queue	Quote! Queue	x(8)	
	fsu_timezone	Time Zone		x(8)	
	fsu_user1	Ufld1		x(8)	
	fsu_user2	Ufld2		x(8)	
	fsu_userid	User ID		x(8)	
	fsu__qadc02			x(8)	
	fsu__qadc03			x(8)	
	fsu__qadc04			x(8)	
	fsu__qadc05			x(8)	
	fsu__qadc06			x(8)	
	fsu__qadi01			>>>>>>>9	
	fsu__qadi02			>>>>>>>9	
	fsu__qadi03			>>>>>>>9	
	fsu__qadi04			>>>>>>>9	
	fsu__qadi05			>>>>>>>9	
	fsu__qadl01			yes/no	
	fsu__qadl02			yes/no	
	fsu__qadl03			yes/no	
	fsu__qadl04			yes/no	
	fsu__qadl05			yes/no	
	fsu__qadt01			99/99/99	
	fsu__qadt02			99/99/99	
◊	oid_fsu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fsu_userid	yes	fsu_domain	yes	no
			fsu_userid	yes	no
◊	oid_fsu_mstr	yes	oid_fsu_mstr	yes	no

ftch_hist

Service/Support Trace History

	Field Name	Label	Col-Label	Format	Dec
	ftch_desc	Description		x(24)	
◊	ftch_domain	Domain		x(8)	
	ftch_eff_date	Effective Date		99/99/99	
	ftch_eng_code	Engineer		x(8)	
	ftch_ent_date	Create Date		99/99/99	
	ftch_model			x(8)	
	ftch_mod_date	Modified Date	Mod Date	99/99/99	
	ftch_mod_userid	User ID		X(8)	
	ftch_nbr	Order		x(8)	
	ftch_part	Item		x(18)	
	ftch_prior_value	Prior Value		x(18)	
	ftch_serial	Serial		x(18)	
	ftch_swapped	Model		yes/no	
	ftch_trans	Transaction Type	TR Type	x(8)	
	ftch_trnbr	Tran Number		>>>>>>>>>>>>>>9	
	ftch_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ftch_user2	Ufld2		x(8)	
	ftch__chr01	User Field #1		x(8)	
	ftch__dte01	User Date #1		99/99/99	
	ftch__log01	User Logical #1		yes/no	
	ftch__qadc02	Qad Field #2		x(8)	
	ftch__qadd01	Qad Decimal #1		->>,>>9.99	10
	ftch__qadl01	Qad Logical #1		yes/no	
	ftch__qadt01	Qad Date #1		99/99/99	
◊	oid_ftch_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ftch_engeff	no	ftch_domain	yes	no
			ftch_eng_code	yes	no
			ftch_eff_date	yes	no
Δ	ftch_parteff	no	ftch_domain	yes	no
			ftch_part	yes	no
			ftch_eff_date	yes	no
Δ	ftch_serialeff	no	ftch_domain	yes	no
			ftch_serial	yes	no
			ftch_eff_date	yes	no
Δ*	ftch_trnbr	yes	ftch_domain	yes	no
			ftch_trnbr	yes	no
◊	oid_ftch_hist	yes	oid_ftch_hist	yes	no

ft_mstr

Freight Terms Master

	Field Name	Label	Col-Label	Format	Dec
	ft_accrual_level	Accrual Level	Accrual! Level	x(2)	
	ft_desc	Description		x(24)	
◊	ft_domain	Domain		x(8)	
	ft_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
	ft_terms	Freight Terms	Fr Terms	x(8)	
	ft_type	Type		x(8)	
	ft_user1	Ufld1		x(8)	
	ft_user2	Ufld2		x(8)	
	ft__chr01			x(8)	
	ft__chr02			x(8)	
	ft__chr03			x(8)	
	ft__chr04			x(8)	
	ft__chr05			x(8)	
	ft__chr06			x(8)	
	ft__chr07			x(8)	
	ft__chr08			x(8)	
	ft__dec01			>>>,>>>,>>9.99	10
	ft__dec02			>>>,>>>,>>9.99	10
	ft__dte01			99/99/99	
	ft__dte02			99/99/99	
	ft__log01			yes/no	
	ft__log02			yes/no	
◊	oid_ft_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ft_terms	yes	ft_domain	yes	no
			ft_terms	yes	no
◊	oid_ft_mstr	yes	oid_ft_mstr	yes	no

fwk_mstr

Service/Support Work Code Master

	Field Name	Label	Col-Label	Format	Dec
	fwk_ca_int_type	Work Code		x(8)	
	fwk_desc	Description		x(24)	
◊	fwk_domain	Domain		x(8)	
	fwk_egs_type	Skill Type	Skill	x(8)	
	fwk_fcg_code	Charge Code	Charge	x(8)	
	fwk_fixed_labor	Fix Labor Only	FL	yes/no	
	fwk_fixed_price	Fixed Price	Fixed	yes/no	
	fwk_mod_date	Modified Date	Mod Date	X(8)	
	fwk_mod_userid	User ID		X(8)	
	fwk_repair_ctr	Repair Center	RC	yes/no	
	fwk_user1	Ufld1		X(8)	
	fwk_user2	Ufld2		X(8)	
	fwk__chr01	User Character Field #1		x(8)	
	fwk__chr02	User Character Field #2		x(8)	
	fwk__chr03	User Character Field #3		x(8)	
	fwk__chr04	User Character Field #4		x(8)	
	fwk__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	fwk__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	fwk__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	fwk__dte01	User Date #1		99/99/99	
	fwk__dte02	User Date #2		99/99/99	
	fwk__dte03	User Date #3		99/99/99	
	fwk__log01	User Logical #1		yes/no	
	fwk__log02	User Logical #2		yes/no	
	fwk__log03	User Logical #3		yes/no	
	fwk__qadc01	Qad Field #1		x(8)	
	fwk__qadc02	Qad Field #2		x(8)	
	fwk__qadc03	Qad Field #3		x(8)	
	fwk__qadc04	Qad Field #4		x(8)	
	fwk__qadd01	Qad Date #1		99/99/99	
	fwk__qadd02	Qad Date #2		99/99/99	
	fwk__qadd03	Qad Date #3		99/99/99	
	fwk__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	fwk__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	fwk__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	fwk__qadl01	Qad Logical #1		yes/no	
	fwk__qadl02	Qad Logical #2		yes/no	
	fwk__qadl03	Qad Logical #3		yes/no	
◊	oid_fwk_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	fwk_ca_int_type	yes	fwk_domain	yes	no
			fwk_ca_int_type	yes	no
◊	oid_fwk_mstr	yes	oid_fwk_mstr	yes	no

giap_mstr

Application Definition Master

	Field Name	Label	Col-Label	Format	Dec
	giap_app_code	App Code		X(8)	
	giap_app_desc	Application Description		X(24)	
◊	giap_domain	Domain		x(8)	
	giap_mod_date	Modified Date	Mod Date	99/99/99	
	giap_mod_userid	User ID		X(8)	
	giap_ref_key	Ref Key		>>>>>>>>9	
	giap_user1	User Field Character 1		x(24)	
	giap_user2	User Field Character 2		x(24)	
	giap__qadc01			x(24)	
	giap__qadc02			x(24)	
◊	oid_giap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	giap_app_code	yes	giap_domain	yes	no
			giap_app_code	yes	no
Δ	giap_ref_key	yes	giap_domain	yes	no
			giap_ref_key	yes	no
◊	oid_giap_mstr	yes	oid_giap_mstr	yes	no

gimd_mstr

Model Definition Master

	Field Name	Label	Col-Label	Format	Dec
	gimd_app_code	App Code		x(8)	
◊	gimd_domain	Domain		x(8)	
	gimd_model_desc	Description		x(24)	
	gimd_model_name	Model Name		x(8)	
	gimd_mod_date	Modified Date	Mod Date	99/99/99	
	gimd_mod_userid	User ID		x(8)	
	gimd_ref_key	Ref Key		>>>>>>>>9	
	gimd_user1	User Field Character 1		x(24)	
	gimd_user2	User Field Character 2		x(24)	
	gimd__qadc01			x(24)	
	gimd__qadc02			x(24)	
◊	oid_gimd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gimd_model	yes	gimd_domain	yes	no
			gimd_app_code	yes	no
			gimd_model_name	yes	no
Δ	gimd_ref_key	yes	gimd_domain	yes	no
			gimd_ref_key	yes	no
◊	oid_gimd_mstr	yes	oid_gimd_mstr	yes	no

gip_det

Table Attribute Detail

	Field Name	Label	Col-Label	Format	Dec
	gip_app_code	App Code		x(8)	
	gip_attribute	Attribute		x(32)	
	gip_char	Character Value		x(24)	
	gip_date	Date Value		99/99/99	
	gip_decimal	Decimal Value		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	gip_domain	Domain		x(8)	
	gip_integer	Integer Value		->,>>>,>>9	
	gip_logical	Logical Value		yes/no	
	gip_mod_date	Modified Date	Mod Date	99/99/99	
	gip_mod_userid	User ID		x(8)	
	gip_ref_key	Ref Key		>>>>>>>>9	
	gip_table_name	Table Name		x(24)	
	gip_user1	User Field Character 1		x(24)	
	gip_user2	User Field Character 2		x(24)	
	gip__qadc01			x(24)	
	gip__qadc02			x(24)	
◊	oid_gip_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	gip_app_table	no	gip_domain	yes	no
			gip_app_code	yes	no
			gip_table_name	yes	no
			gip_attribute	yes	no
			gip_ref_key	yes	no
Δ*	gip_ref_attribute	yes	gip_domain	yes	no
			gip_ref_key	yes	no
			gip_attribute	yes	no
◊	oid_gip_det	yes	oid_gip_det	yes	no

gisi_mstr

Site/Item Model Definition Master

	Field Name	Label	Col-Label	Format	Dec
	gisi_app_code	App Code		x(8)	
◊	gisi_domain	Domain		x(8)	
	gisi_model_name	Model Name		x(8)	
	gisi_mod_date	Modified Date	Mod Date	99/99/99	
	gisi_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	gisi_part	Item Number		x(18)	
	gisi_ref_key	Ref Key		>>>>>>>>9	
	gisi_site	Site		x(8)	
	gisi_user1	User Field Character 1		x(24)	
	gisi_user2	User Field Character 2		x(24)	
	gisi__qadc01			x(24)	
	gisi__qadc02			x(24)	
◊	oid_gisi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	gisi_model	yes	gisi_domain	yes	no
			gisi_app_code	yes	no
			gisi_model_name	yes	no
			gisi_site	yes	no
			gisi_part	yes	no
Δ	gisi_ref_key	yes	gisi_domain	yes	no
			gisi_ref_key	yes	no
Δ	gisi_site_part	no	gisi_domain	yes	no
			gisi_app_code	yes	no
			gisi_site	yes	no
			gisi_part	yes	no
◊	oid_gisi_mstr	yes	oid_gisi_mstr	yes	no

glcd_det

General Ledger Calendar Detail

	Field Name	Label	Col-Label	Format	Dec
	glcd_closed	Modules Closed	Modules! Closed	yes/no	
◊	glcd_domain	Domain		x(8)	
	glcd_entity	Entity	Enty	x(4)	
	glcd_gl_clsd	G/L Closed	G/L! Closed	yes/no	
	glcd_per	Period	Per	>>9	
	glcd_user1	Ufld1		x(8)	
	glcd_user2	Ufld2		x(8)	
	glcd_year	Year		9999	
	glcd_yr_clsd	Year Closed	Year! Closed	yes/no	
	glcd__qadc01			x(8)	
◊	oid_glcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	glcd_index	yes	glcd_domain	yes	no
			glcd_year	yes	no
			glcd_per	yes	no
			glcd_entity	yes	no
◊	oid_glcd_det	yes	oid_glcd_det	yes	no

◊ glct_det General Ledger Currency Total Detail

	Field Name	Label	Col-Label	Format	Dec
	glct_acc	Account	Acct	x(8)	
	glct_base_amt	Base Amount	Base! Amt	->>,>>>,>>>,>>9.99<	10
	glct_cc	Cost Center	CC	x(4)	
	glct_curr_amt	Currency Amount	Curr! Amt	->>,>>>,>>>,>>9.99<	10
	glct_domain	Domain		x(8)	
	glct_entity	Entity	Enty	x(4)	
	glct_mod_date	Modified Date	Mod Date	99/99/99	
	glct_mod_userid	User ID		x(8)	
	glct_per	Period	Per	>>9	
	glct_source_curr	Source Currency	Src! Curr	x(3)	
	glct_sub	Sub-Account	Sub-Acct	x(8)	
	glct_user1	User Field Character 1		x(24)	
	glct_user2	User Field Character 2		x(24)	
	glct_year	Year		9999	
	glct__qadc01			x(24)	
	glct__qadc02			x(24)	
	oid_glct_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	glct_domain	yes	glct_domain	yes	no
			glct_entity	yes	no
			glct_source_curr	yes	no
			glct_acc	yes	no
			glct_sub	yes	no
			glct_cc	yes	no
			glct_year	yes	no
			glct_per	yes	no
◊	oid_glct_det	yes	oid_glct_det	yes	no

glc_cal General Ledger Calendar

	Field Name	Label	Col-Label	Format	Dec
◊	glc_domain	Domain		x(8)	
	glc_end	Period End	Per End	99/99/99	
	glc_per	Period	Per	>>9	
	glc_start	Period Start	Per Beg	99/99/99	
	glc_user1	Ufld1		x(8)	
	glc_user2	Ufld2		x(8)	
	glc_year	Year		9999	
	glc_yr_end	Year-End/Regular	Year! End	YearEnd/Regular	
	glc__qad01			yes/no	
	glc__qad02			x(4)	
	glc__qad03			yes/no	
	glc__qad04			yes/no	
◊	oid_glc_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	glc_index	yes	glc_domain	yes	no
			glc_year	yes	no
			glc_per	yes	no
Δ	glc_start	no	glc_domain	yes	no
			glc_start	yes	no
◊	oid_glc_cal	yes	oid_glc_cal	yes	no

◊ glec_det

GL Entity Consolidation Detail

Field Name	Label	Col-Label	Format	Dec
glec_cons_entity	Consolidation Entity	Cons! Enty	x(4)	
glec_cons_line	Line		>>>9	
glec_cons_ref	Consolidation GL Reference		x(14)	
glec_cons_rflag	Reversing/Retroactive	Rev! Ret	yes/no	
glec_domain	Domain		x(8)	
glec_mod_date	Modified Date	Mod Date	99/99/99	
glec_mod_userid	User ID		x(8)	
glec_sub_domain	Subsidiary Entity Domain		x(8)	
glec_sub_entity	Subsidiary Entity	Sub! Enty	x(4)	
glec_sub_line	Line		>>>9	
glec_sub_ref	Subsidiary GL Reference		x(14)	
glec_sub_rflag	Reversing/Retroactive	Rev! Ret	yes/no	
glec_user1	User Field Character 1		x(24)	
glec_user2	User Field Character 2		x(24)	
glec__qadc01			x(24)	
glec__qadc02			x(24)	
oid_glec_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	glec_domain	yes	glec_domain	yes	no
			glec_cons_ref	yes	no
			glec_cons_rflag	yes	no
			glec_cons_line	yes	no
			glec_sub_domain	yes	no
			glec_sub_ref	yes	no
			glec_sub_rflag	yes	no
			glec_sub_line	yes	no
◊	glec_sub_domain	yes	glec_sub_domain	yes	no
			glec_sub_ref	yes	no
			glec_sub_rflag	yes	no
			glec_sub_line	yes	no
			glec_domain	yes	no
			glec_cons_ref	yes	no
			glec_cons_rflag	yes	no
			glec_cons_line	yes	no
◊	oid_glec_det	yes	oid_glec_det	yes	no

glptr_hist General Ledger Protocol History

	Field Name	Label	Col-Label	Format	Dec
◊	glptr_domain	Domain		x(8)	
	glptr_eff_date	Effective Date		99/99/99	
	glptr_entity	Entity	Enty	x(4)	
	glptr_mod_date	Modified Date	Mod Date	99/99/99	
	glptr_mod_userid	User ID		x(8)	
	glptr_prot_nbr	Protocol Number	Prot Nbr	999999999	
	glptr_prt_date	Print Date		99/99/99	
	glptr_ref	GL Reference		x(14)	
	glptr_user1	User Field Character 1		x(24)	
	glptr_user2	User Field Character 2		x(24)	
	glptr__qadc01			x(24)	
	glptr__qadc02			x(24)	
◊	oid_glptr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	glptr_date	no	glptr_domain	yes	no
			glptr_entity	yes	no
			glptr_eff_date	yes	no
			glptr_ref	yes	no
Δ	glptr_prot	no	glptr_domain	yes	no
			glptr_entity	yes	no
			glptr_prot_nbr	yes	no
Δ*	glptr_ref	yes	glptr_domain	yes	no
			glptr_entity	yes	no
			glptr_ref	yes	no
◊	oid_glptr_hist	yes	oid_glptr_hist	yes	no

glrd_det General Ledger Report Detail

Field Name	Label	Col-Label	Format	Dec
glrd_acct	Account		x(8)	
glrd_acct1	To Account	To Acct	x(8)	
glrd_cc	Cost Ctr	CC	x(4)	
glrd_cc1	To Cost Ctr	To CC	x(4)	
glrd_code	Custom Code	Custom	x(8)	
glrd_desc	Description		x(24)	
◊ glrd_domain	Domain		x(8)	
glrd_dr_cr	Debit(dr)/Credit(cr)	Dr/Cr	dr/cr	
glrd_entity	Entity	Ent	x(4)	
glrd_fpos	Format Position	Fmt Pos	>>>>>9	
glrd_header	Suppress Header	Sup! Hdr	yes/no	
glrd_line	Line		>>>9	
glrd_page	Page Break After Total	Pg! Brk	yes/no	
glrd_skip	Skip Line After Total	Skp! Ln	yes/no	
glrd_sub	Sub-Account	Sub-Acct	x(8)	
glrd_sub1	To Sub-Account	To Sub	x(8)	
glrd_sums	Sums Into	Sums! Into	>>>>>9	
glrd_total	Suppress Total	Sup! Tot	yes/no	
glrd_underln	Double-Underline Total	Dbl! Ln	yes/no	

	Field Name	Label	Col-Label	Format	Dec
	glrd_user1	Ufld1		x(8)	
	glrd_user2	Ufld2		x(8)	
	glrd__qadc01			x(8)	
◊	oid_glrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	glrd_code	yes	glrd_domain	yes	no
			glrd_code	yes	no
			glrd_fpos	yes	no
			glrd_line	yes	no
Δ	glrd_ind1	no	glrd_domain	yes	no
			glrd_code	yes	no
			glrd_sums	yes	no
			glrd_fpos	yes	no
◊	oid_glrd_det	yes	oid_glrd_det	yes	no

glr_mstr

General Ledger Report Master

	Field Name	Label	Col-Label	Format	Dec
	glr_code	Custom Code	Custom	x(8)	
◊	glr_domain	Domain		x(8)	
	glr_title	Report Title		x(24)	
	glr_user1	Ufld1		x(8)	
	glr_user2	Ufld2		x(8)	
	glr__qadc01			x(8)	
◊	oid_glr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	glr_code	yes	glr_domain	yes	no
			glr_code	yes	no
◊	oid_glr_mstr	yes	oid_glr_mstr	yes	no

glsd_mstr

General Ledger Description Source Master

	Field Name	Label	Col-Label	Format	Dec
◊	glsd_domain	Domain		x(8)	
	glsd_exec	Execution File	Exec File	x(14)	
	glsd_lang	Language	Lang	x(2)	
	glsd_mod_date	Modified Date	Mod Date	99/99/99	
	glsd_mod_userid	User ID		x(8)	
	glsd_nbr	Menu		x(16)	
	glsd_select	Selection	Sel	>9	
	glsd_src_desc	Source GL Description		x(32)	
	glsd_user1	User Field Character 1		x(24)	
	glsd_user2	User Field Character 2		x(24)	
	glsd__qadc01			x(24)	
	glsd__qadc02			x(24)	
◊	oid_glsd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	glsd_exec	no	glsd_domain	yes	no
			glsd_exec	yes	no
Δ∗	glsd_lang	yes	glsd_domain	yes	no
			glsd_nbr	yes	no
			glsd_select	yes	no
			glsd_lang	yes	no
◊	oid_glsd_mstr	yes	oid_glsd_mstr	yes	no

gltmd_det General Ledger Transaction Matching Detail

	Field Name	Label	Col-Label	Format	Dec
	gltmd_acct	Account		x(8)	
	gltmd_cons_amt	Amount Still To Match		->>>>,>>>,>>9.99<	10
	gltmd_cons_trans	Consumption Transaction		yes/no	
◊	gltmd_domain	Domain		x(8)	
	gltmd_entity	Entity		x(4)	
	gltmd_line	Line		>>>9	
	gltmd_match_nbr	Matching Number		>>>>>>>9	
	gltmd_mod_date	Modified Date	Mod Date	99/99/99	
	gltmd_mod_userid	User ID		x(8)	
	gltmd_ref	GL Reference		x(14)	
	gltmd_rflag	Reversing/Retroactive		yes/no	
	gltmd_user1	User Field Character 1		x(24)	
	gltmd_user2	User Field Character 2		x(24)	
	gltmd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	gltmd_useri01	User Field Integer 1		->>>>>>>9	
	gltmd_userl01	User Field Logical 1		yes/no	
	gltmd_usert01	User Field Date 1		99/99/99	
	gltmd__qadc01			x(24)	
	gltmd__qadc02			x(24)	
	gltmd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	gltmd__qadi01			->>>>>>>9	
	gltmd__qadl01			yes/no	
	gltmd__qadt01			99/99/99	
◊	oid_gltmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gltmd_match_nbr	yes	gltmd_domain	yes	no
			gltmd_entity	yes	no
			gltmd_acct	yes	no
			gltmd_match_nbr	yes	no
			gltmd_ref	yes	no
			gltmd_rflag	yes	no
			gltmd_line	yes	no
Δ	gltmd_ref	yes	gltmd_domain	yes	no
			gltmd_ref	yes	no
			gltmd_rflag	yes	no
			gltmd_line	yes	no
◊	oid_gltmd_det	yes	oid_gltmd_det	yes	no

gltm_mstr General Ledger Transaction Matching Master

	Field Name	Label	Col-Label	Format	Dec
	gltm_acct	Account		x(8)	
◊	gltm_domain	Domain		x(8)	
	gltm_eff_dt	Effective		99/99/99	
	gltm_entity	Entity		x(4)	
	gltm_line	Line		>>>9	
	gltm_match_nbr	Matching Number		>>>>>>>9	
	gltm_mod_date	Modified Date	Mod Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	gltm_mod_userid	User ID		x(8)	
	gltm_ref	GL Reference		x(14)	
	gltm_rflag	Reversing/Retroactive		yes/no	
	gltm_user1	User Field Character 1		x(24)	
	gltm_user2	User Field Character 2		x(24)	
	gltm_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	gltm_useri01	User Field Integer 1		->>>>>>>9	
	gltm_userl01	User Field Logical 1		yes/no	
	gltm_usert01	User Field Date 1		99/99/99	
	gltm__qadc01			x(24)	
	gltm__qadc02			x(24)	
	gltm__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	gltm__qadi01			->>>>>>>9	
	gltm__qadl01			yes/no	
	gltm__qadt01			99/99/99	
◊	oid_gltm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	gltm_match_nbr	yes	gltm_domain	yes	no
			gltm_entity	yes	no
			gltm_acct	yes	no
			gltm_match_nbr	yes	no
◊	oid_gltm_mstr	yes	oid_gltm_mstr	yes	no

gltr_hist

General Ledger Transaction History

	Field Name	Label	Col-Label	Format	Dec
	gltr_acc	Account		x(8)	
	gltr_addr	Address		x(8)	
	gltr_amt	Amount		>>,>>>,>>>,>>9.99cr	10
	gltr_batch	Batch		x(8)	
	gltr_correction	Correction	Corr	yes/no	
	gltr_ctr	Cost Ctr	CC	x(4)	
	gltr_curr	Currency	Cur	x(3)	
	gltr_curramt	Currency Amount		->>,>>>,>>>,>>9.99	10
	gltr_desc	Description		x(24)	
	gltr_doc	Document		x(16)	
	gltr_doc_typ	Document Type	T	x(2)	
◊	gltr_domain	Domain		x(8)	
	gltr_dy_code	Daybook		x(8)	
	gltr_dy_num	Entry Number		x(40)	
	gltr_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>,>>>,>>>,>>9.99	10
	gltr_eff_dt	Effective	Eff Date	99/99/99	
	gltr_entity	Entity	Enty	x(4)	
	gltr_ent_dt	Entered		99/99/99	
	gltr_en_exrate	Entity Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	gltr_en_exrate2	Entity Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	gltr_en_exru_seq	Sequence		>>>>>>>>9	
	gltr_error	Error Message		x(16)	
	gltr_export	Exported	Exp	yes/no	
	gltr_exru_seq	Sequence		>>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	gltr_ex_rate	Exchange Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	gltr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	gltr_ex_ratetype	Rate Type		x(8)	
	gltr_fx_ind	FX Conversion Index	FX	x(1)	
	gltr_line	Line		>>>9	
	gltr_project	Project		x(8)	
	gltr_ref	GL Reference		x(14)	
	gltr_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
	gltr_src_desc	Source GL Description		x(32)	
	gltr_sub	Sub-Account	Sub-Acct	x(8)	
	gltr_tr_type	Transaction Type	T	x(2)	
	gltr_unb	Unbalanced	Unb	yes/no	
	gltr_user	User ID		x(8)	
	gltr_user1	Ufld1		x(8)	
	gltr_user2	Ufld2		x(8)	
	gltr__qadc01			x(8)	
◊	oid_gltr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	gltr_acc_ctr	no	gltr_domain	yes	no
			gltr_acc	yes	no
			gltr_sub	yes	no
			gltr_ctr	yes	no
			gltr_entity	yes	no
			gltr_project	yes	no
			gltr_eff_dt	yes	no
Δ	gltr_addr	no	gltr_domain	yes	no
			gltr_addr	yes	no
			gltr_eff_dt	yes	no
Δ	gltr_batch	no	gltr_domain	yes	no
			gltr_batch	yes	no
Δ	gltr_cc	no	gltr_domain	yes	no
			gltr_ctr	yes	no
Δ	gltr_ctr	no	gltr_domain	yes	no
			gltr_entity	yes	no
			gltr_ctr	yes	no
			gltr_acc	yes	no
			gltr_eff_dt	yes	no
Δ	gltr_doctype	no	gltr_domain	yes	no
			gltr_doc_typ	yes	no
			gltr_eff_dt	yes	no
			gltr_doc	yes	no
Δ	gltr_dy_code	no	gltr_domain	yes	no
			gltr_dy_code	yes	no
			gltr_dy_num	yes	no
Δ	gltr_eff_dt	no	gltr_domain	yes	no
			gltr_eff_dt	yes	no
Δ	gltr_ent_dt	no	gltr_domain	yes	no
			gltr_entity	yes	no
			gltr_ent_dt	yes	no
			gltr_ref	yes	no
			gltr_line	yes	no
Δ	gltr_export	no	gltr_domain	yes	no
			gltr_entity	yes	no
			gltr_export	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	gltr_ind1	no	gltr_domain	yes	no
			gltr_entity	yes	no
			gltr_acc	yes	no
			gltr_sub	yes	no
			gltr_ctr	yes	no
			gltr_project	yes	no
			gltr_eff_dt	yes	no
Δ	gltr_ind2	no	gltr_domain	yes	no
			gltr_entity	yes	no
			gltr_ref	yes	no
			gltr_line	yes	no
Δ	gltr_project	no	gltr_domain	yes	no
			gltr_project	yes	no
			gltr_acc	yes	no
			gltr_sub	yes	no
			gltr_ctr	yes	no
			gltr_entity	yes	no
			gltr_eff_dt	yes	no
Δ*	gltr_ref	yes	gltr_domain	yes	no
			gltr_ref	yes	no
			gltr_rflag	yes	no
			gltr_line	yes	no
Δ	gltr_sub	no	gltr_domain	yes	no
			gltr_sub	yes	no
			gltr_entity	yes	no
			gltr_acc	yes	no
			gltr_ctr	yes	no
			gltr_eff_dt	yes	no
◊	oid_gltr_hist	yes	oid_gltr_hist	yes	no

gltw_wkfl General Ledger Work Table

Field Name	Label	Col-Label	Format	Dec
gltw_acct	Account		x(8)	
gltw_addr	Address		x(8)	
gltw_amt	Amount		->,>>>,>>>,>>9.99<<<<<<<	10
gltw_batch	Batch		x(8)	
gltw_cc	Cost Ctr	CC	x(4)	
gltw_correction	Correction	Corr	yes/no	
gltw_curr	Currency	Cur	x(3)	
gltw_curramt	Currency Amount		->,>>>,>>>,>>9.99<<<<<<<	10
gltw_date	Date		99/99/99	
gltw_desc	Description		x(24)	
gltw_doc	Document		x(16)	
gltw_doc_typ	Document Type	T	x(2)	
◊ gltw_domain	Domain		x(8)	
gltw_dy_code	Daybook		x(8)	
gltw_dy_num	Entry Num		x(40)	
gltw_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>,>>>,>>>,>>9.99	10
gltw_effdate	Effective	Eff Date	99/99/99	
gltw_entity	Entity		x(8)	
gltw_exru_seq	Sequence		>>>>>>>>9	
gltw_ex_rate	Exchange Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
gltw_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	gltw_ex_ratetype	Rate Type		x(8)	
	gltw_fx_ind	FX Conversion Index	FX	x(1)	
	gltw_line	Line		>>>9	
	gltw_project	Project		x(8)	
	gltw_ref	Reference		x(18)	
	gltw_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
	gltw_sub	Sub-Account	Sub-Acct	x(8)	
	gltw_tr_type	Transaction Type	t	x(2)	
	gltw_user1	Ufld1		x(8)	
	gltw_user2	Ufld2		x(8)	
	gltw_userid	User ID		x(8)	
	gltw__qadc01			x(8)	
◊	oid_gltw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gltw_ref	yes	gltw_domain	yes	no
			gltw_ref	yes	no
			gltw_line	yes	no
			gltw_rflag	yes	no
Δ	gltw_userid	no	gltw_domain	yes	no
			gltw_userid	yes	no
			gltw_acct	yes	no
			gltw_cc	yes	no
			gltw_project	yes	no
			gltw_effdate	yes	no
◊	oid_gltw_wkfl	yes	oid_gltw_wkfl	yes	no

glt_det

General Ledger Unposted Transaction Detail

	Field Name	Label	Col-Label	Format	Dec
	glt_acct	Account		x(8)	
	glt_addr	Address		x(8)	
	glt_amt	Amount		->>,>>>,>>>,>>9.99	10
	glt_batch	Batch		x(8)	
	glt_cc	Cost Ctr	CC	x(4)	
	glt_correction	Correction	Corr	yes/no	
	glt_curr	Currency	Cur	x(3)	
	glt_curr_amt	Currency Amount		->>,>>>,>>>,>>9.99	10
	glt_date	Entered		99/99/99	
	glt_desc	Description		x(24)	
	glt_doc	Document		x(16)	
	glt_doc_type	Document Type	T	x(2)	
◊	glt_domain	Domain		x(8)	
	glt_dy_code	Daybook		x(8)	
	glt_dy_num	Entry Number		x(40)	
	glt_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>,>>>,>>>,>>9.99	10
	glt_effdate	Effective	Eff Date	99/99/99	
	glt_entity	Entity	Enty	x(4)	
	glt_entr_exrate	Entered Exchange Rate	Entered Ex Rate	>>,>>9.99999<<<<<	10
	glt_en_exrate	Entity Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	glt_en_exrate2	Entity Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	glt_en_exru_seq	Sequence		>>>>>>>>9	
	glt_error	Error Message		x(16)	
	glt_exru_seq	Sequence		>>>>>>>>9	
	glt_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	glt_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	glt_ex_ratetype	Rate Type		x(8)	
	glt_fx_ind	FX Conversion Index	FX	x(1)	
	glt_line	Line		>>>9	
	glt_per	Period	Per	>>9	
	glt_project	Project		x(8)	
	glt_ref	GL Reference		x(14)	
	glt_rflag	Reversing/Retroactive Line	Rev! Ret	yes/no	
	glt_src_desc	Source GL Description		x(32)	
	glt_sub	Sub-Account	Sub-Acct	x(8)	
	glt_tr_type	Transaction Type	T	x(2)	
	glt_unb	Unbalanced	Unb	yes/no	
	glt_user1	Ufld1		x(8)	
	glt_user2	Ufld2		x(8)	
	glt_userid	User ID		x(8)	
	glt_year	Year		9999	
	glt__qadc01			x(8)	
◊	oid_glt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	glt_acc	no	glt_domain	yes	no
			glt_acct	yes	no
Δ	glt_batch	no	glt_domain	yes	no
			glt_batch	yes	no
			glt_ref	yes	no
			glt_rflag	yes	no
			glt_line	yes	no
Δ	glt_dy_code	no	glt_domain	yes	no
			glt_dy_code	yes	no
			glt_dy_num	yes	no
Δ	glt_index	no	glt_domain	yes	no
			glt_entity	yes	no
			glt_acct	yes	no
			glt_sub	yes	no
			glt_cc	yes	no
			glt_effdate	yes	no
			glt_project	yes	no
			glt_ref	yes	no
Δ*	glt_ref	yes	glt_domain	yes	no
			glt_ref	yes	no
			glt_rflag	yes	no
			glt_line	yes	no
Δ	glt_tr_type	no	glt_domain	yes	no
			glt_tr_type	yes	no
			glt_ref	yes	no
			glt_line	yes	no
Δ	glt_unb	no	glt_domain	yes	no
			glt_unb	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
◊ oid_glt_det	yes	oid_glt_det	yes	no

gl_ctrl System/Account Control

Field Name	Label	Col-Label	Format	Dec
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apds_sub	AP Discount Sub	Sub-Acct	x(8)	
gl_apvrx_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvrx_cc	Expensed Items Rate Var CC	CC	x(4)	
gl_apvrx_sub	Exp Item Rate Var Sub	Sub-Acct	x(8)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvr_sub	AP Rate Variance Sub	Sub-Acct	x(8)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvux_sub	Exp Item Usage Sub	Sub-Acct	x(8)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_apvu_sub	AP Usage Variance Sub	Sub-Acct	x(8)	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ap_sub	Payables Sub-Acct	Sub-Acct	x(8)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_ar_sub	Receivables Sub-Acct	Sub-Acct	x(8)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
gl_bk_val	Bank Acct Validation		x(2)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cmtl_sub	COGS Material Sub-Acct	Sub-Acct	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	gl_cog_acct	Cost of Goods	COGS	x(8)	
	gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
	gl_cog_sub	Cost of Goods Sub_Acct	Sub-Acct	x(8)	
	gl_cop_acct	Cost Of Production	COP	x(8)	
	gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
	gl_cop_sub	Cost Of Production Sub	Sub-Acct	x(8)	
	gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
	gl_covh_cc	COGS Overhead CC	CC	x(4)	
	gl_covh_sub	COGS Overhead Sub-Acct	Sub-Acct	x(8)	
	gl_crterms_acct	Credit Terms Interest Account		x(8)	
	gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
	gl_crterms_sub	Credit Terms Int Sub	Sub-Acct	x(8)	
	gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
	gl_csub_cc	COGS Subcontract CC	CC	x(4)	
	gl_csub_sub	COGS Subcontract Sub-Acct	Sub-Acct	x(8)	
	gl_cs_acct	Sales Cash	Cash	x(8)	
	gl_cs_cc	Cash Cost Ctr	CC	X(4)	
	gl_cs_sub	Sales Cash Sub-Acct	Sub-Acct	x(8)	
	gl_disc_acct	Sales Discount	Disc	x(8)	
	gl_disc_cc	Disc Cost Ctr	CC	x(4)	
	gl_disc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
◊	gl_domain	Domain		x(8)	
	gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
	gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
	gl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
	gl_entity	Entity	Enty	x(4)	
	gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
	gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
	gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
	gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
	gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
	gl_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
	gl_ex_round	Round Factor		->9	
	gl_fin_acct	Sales Finance	Finance	x(8)	
	gl_fin_cc	Finance Cost Ctr	CC	x(4)	
	gl_fin_sub	Sales Finance Sub	Sub-Acct	x(8)	
	gl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
	gl_flr_cc	Floor Stock CC	CC	x(4)	
	gl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
	gl_frtacc_acct	Sales Freight Accrued Account	Frt Accr	x(8)	
	gl_frtacc_cc	Cost Center	CC	x(4)	
	gl_frtacc_sub	Sales Frt Accrued Sub	Sub-Acct	x(8)	
	gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
	gl_frtapp_cc	Cost Center	CC	x(4)	
	gl_frtapp_sub	Sales Frt Applied Sub	Sub-Acct	x(8)	
	gl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	gl_fsaccr_cc	Accrued Revenue CC		x(4)	
	gl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	gl_fsbdn_acct	Service Burden		X(8)	
	gl_fsbdn_cc	Service Burden CC	CC	X(4)	
	gl_fsbdn_sub	Service Burden Sub	Sub-Acct	x(8)	
	gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
	gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	

Field Name	Label	Col-Label	Format	Dec
gl_fscm_inv_sub	Customer Inv Sub	Sub-Acct	x(8)	
gl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
gl_fsdef_cc	Deferred Revenue CC		x(4)	
gl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexd_sub	Expense Due Emp Sub	Sub-Acct	x(8)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fsexp_sub	Service Expense Sub	Sub-Acct	x(8)	
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fslbr_sub	Service Labor Sub	Sub-Acct	x(8)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_fsrc_inv_sub	Repair Center Inv Sub	Sub-Acct	x(8)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_late_sub	Cr Terms Late Inte Sub	Sub-Acct	x(8)	
gl_lbr_acct	Labor		x(8)	
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
gl_lvrr_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
gl_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvar_sub	Material Usage Var Sub	Sub-Acct	x(8)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_mvrr_sub	Material Rate Var Sub	Sub-Acct	x(8)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ot_sub	Overtime Sub-Acct	Sub-Acct	x(8)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ovh_sub	Overhead Appl Sub-Acct	Sub-Acct	x(8)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_ppv_sub	PO Price Variance Sub	Sub-Acct	x(8)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	
gl_pur_sub	Purchases Sub	Sub-Acct	x(8)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcptx_sub	Exp Item Receipts Sub	Sub-Acct	x(8)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
gl_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
gl_rgain_sub	Realized Exch Gain Sub	Sub-Acct	x(8)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
gl_rloss_sub	Realized Exch Loss Sub	Sub-Acct	x(8)	
gl_rmar_acct	Service Returns	Returns	X(8)	
gl_rmar_cc	Service Returns CC	CC	X(4)	
gl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_rtns_sub	Sales Returns Sub	Sub-Acct	x(8)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_sls_sub	Sales Sub-Account	Sub-Acct	x(8)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
gl_symbol	Symbol		x(1)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	
gl_tax_type	Tax Type		x(3)	
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_term_sub	Sales Terms Sub	Sub-Acct	x(8)	
gl_timezone	Server Time Zone		x(8)	
gl_txapr_acct	AP Retained Tax Acct	Ret Tax	x(8)	
gl_txapr_cc	AP Retained Tax CC	CC	x(4)	
gl_txapr_sub	AP Retained Tax Sub-Account	Sub-Acct	x(8)	
gl_txap_acct	AP Tax Account	AP Tax	x(8)	
gl_txap_cc	AP Tax Cost Center	CC	x(4)	
gl_txap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
gl_txara_acct	AR Absorbed Tax Acct	Abs Tax	x(8)	
gl_txara_cc	AR Absorbed Tax CC	CC	x(4)	
gl_txara_sub	AR Absorbed Tax Sub-Account	Sub-Acct	x(8)	
gl_txar_acct	AR Sales Tax Account	AR Tax	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	gl_txar_cc	AR Sales Tax CC	CC	x(4)	
	gl_txar_sub	AR Sales Tax Sub-Account	Sub-Acct	x(8)	
	gl_ugain_acct	Unrealized Exchange Gain Acct	Unrealized Gain	x(8)	
	gl_ugain_cc	Unrealized Exchange Gain CC	CC	x(4)	
	gl_ugain_sub	Unrealized Exchange Gain Sub	Sub-Acct	x(8)	
	gl_uloss_acct	Unrealized Exchange Loss Acct	Unrealized Loss	x(8)	
	gl_uloss_cc	Unrealized Exchange Loss CC	CC	x(4)	
	gl_uloss_sub	Unrealized Exchange Loss Sub	Sub-Acct	x(8)	
	gl_user1	Ufld1		x(8)	
	gl_user2	Ufld2		x(8)	
	gl_user_acct	Exempt Sales Acct		x(8)	
	gl_user_cc	Exempt Sales Cost Ctr	CC	x(4)	
	gl_user_sub	Exempt Sales Sub-Acct	Sub-Acct	x(8)	
	gl_vat	Value Added Tax		yes/no	
	gl_verify	Verify GL Accounts	Verify GL	yes/no	
	gl_wip_acct	Work in Process	WIP	x(8)	
	gl_wip_cc	Work in Process Cost Ctr	CC	x(4)	
	gl_wip_sub	Work in Process Sub	Sub-Acct	x(8)	
	gl_wvar_acct	Method Variance	Mthd Var	x(8)	
	gl_wvar_cc	Method Variance CC	CC	x(4)	
	gl_wvar_sub	Method Variance Sub	Sub-Acct	x(8)	
	gl_xfer_acct	Transfer Variance	Transfer	x(8)	
	gl_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
	gl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
	gl_xvar_acct	Mix Var	Mix	x(8)	
	gl_xvar_cc	Mix Var CC	CC	x(4)	
	gl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
	gl__qad01			>>>>>>9	
	gl__qadc01			x(8)	
	gl__qadc02			x(4)	
	gl__qadc03			x(8)	
	gl__qadc04			x(4)	
	gl__qadc05			x(8)	
	gl__qadc06			x(4)	
	gl__qadc07			x(8)	
	gl__qadc08			x(4)	
	gl__qadl01			yes/no	
◊	oid_gl_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gl_index1	yes	gl_domain	yes	no
Δ	gl_verify	no	gl_domain	yes	no
			gl_verify	yes	no
◊	oid_gl_ctrl	yes	oid_gl_ctrl	yes	no

grac_det

GL Report Writer Account Balances

	Field Name	Label	Col-Label	Format	Dec
	grac_acc	Account		x(8)	
	grac_amt	Amount		>>,>>>,>>>,>>>,>>9.99cr	10
	grac_beg_bal	Beginning Balance		->>,>>>,>>>,>>>,>>9.99	10
	grac_beg_cbal	Beginning Bal - Foreign Curr	Beg Bal - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
	grac_beg_cr_bal	Beginning CR Balance		->>,>>>,>>>,>>>,>>9.99	10
	grac_beg_cr_cbal	Beginning CR Currency Bal	Beg CR Bal - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
	grac_beg_dr_bal	Beginning DR Balance		->>,>>>,>>>,>>>,>>9.99	10
	grac_beg_dr_cbal	Beginning DR Currency Bal	Beg DR Bal - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
	grac_cc	Cost Ctr	CC	x(4)	
	grac_cr_amt	CR Activity		->>,>>>,>>>,>>9.99<	10
	grac_cr_curr_amt	CR Currency Activity		->>,>>>,>>>,>>9.99<	10
	grac_curr_amt	Activity - Foreign Currency	Activity - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
◊	grac_domain	Domain		x(8)	
	grac_dr_amt	DR Activity		->>,>>>,>>>,>>9.99<	10
	grac_dr_curr_amt	DR Currency Activity		->>,>>>,>>>,>>9.99<	10
	grac_entity	Entity	Enty	x(4)	
	grac_per	Period	Per	>>9	
	grac_per_bal	Period Balance		->>,>>>,>>>,>>>,>>9.99	10
	grac_per_cbal	Period Balance - Foreign Curr	Per Bal - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
	grac_project	Project		x(8)	
	grac_sub	Sub-Account	Sub-Acct	x(8)	
	grac_user1	Ufld1		x(8)	
	grac_user2	Ufld2		x(8)	
	grac_year	Year		9999	
	grac_ytd_bal	Year to Date Balance	YTD Balance	->>,>>>,>>>,>>>,>>9.99	10
	grac_ytd_cbal	Year to Date Bal - Foreign Cur	YTD Bal - Foreign Curr	->>,>>>,>>>,>>>,>>9.99	10
	grac_ytd_cr_amt	YTD CR Activity		->>,>>>,>>>,>>9.99<	10
	grac_ytd_cr_curr_amt	YTD CR Currency Activity		->>,>>>,>>>,>>9.99<	10
	grac_ytd_dr_amt	YTD DR Activity		->>,>>>,>>>,>>9.99<	10
	grac_ytd_dr_curr_amt	YTD DR Currency Activity		->>,>>>,>>>,>>9.99<	10
	grac__qadc01			x(8)	
◊	oid_grac_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grac_ypace	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_acc	yes	no
			grac_cc	yes	no
			grac_entity	yes	no
Δ	grac_ypaes	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_acc	yes	no
			grac_entity	yes	no
			grac_sub	yes	no
Δ*	grac_ypascej	yes	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_acc	yes	no
			grac_sub	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			grac_cc	yes	no
			grac_entity	yes	no
			grac_project	yes	no
Δ	grac_ypceja	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_cc	yes	no
			grac_entity	yes	no
			grac_project	yes	no
			grac_acc	yes	no
Δ	grac_ypcja	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_cc	yes	no
			grac_project	yes	no
			grac_acc	yes	no
Δ	grac_ypejas	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_entity	yes	no
			grac_project	yes	no
			grac_acc	yes	no
			grac_sub	yes	no
Δ	grac_ypjasc	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_project	yes	no
			grac_acc	yes	no
			grac_sub	yes	no
			grac_cc	yes	no
Δ	grac_ypscej	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_sub	yes	no
			grac_cc	yes	no
			grac_entity	yes	no
			grac_project	yes	no
Δ	grac_ypsej	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_sub	yes	no
			grac_entity	yes	no
			grac_project	yes	no
Δ	grac_ypsjc	no	grac_domain	yes	no
			grac_year	yes	no
			grac_per	yes	no
			grac_sub	yes	no
			grac_project	yes	no
			grac_cc	yes	no
◊	oid_grac_det	yes	oid_grac_det	yes	no

grad_det

GL Report Writer Analysis Code Detail

	Field Name	Label	Col-Label	Format	Dec
	grad_an_code	Analysis Code		x(8)	
◊	grad_domain	Domain		x(8)	
	grad_gl_code	G/L Code		x(8)	
	grad_gl_type	G/L Type		x(1)	
	grad_user1	Ufld1		x(8)	
	grad_user2	Ufld2		x(8)	
	grad__qadc01			x(8)	
◊	oid_grad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grad_an_code	no	grad_domain	yes	no
			grad_an_code	yes	no
			grad_gl_type	yes	no
			grad_gl_code	yes	no
◊	oid_grad_det	yes	oid_grad_det	yes	no

gral_det

GL Report Writer Analysis Code Link-File Detail

	Field Name	Label	Col-Label	Format	Dec
	gral_an_code	Analysis Code	Code	x(8)	
◊	gral_domain	Domain		x(8)	
	gral_link_code	Linked Analysis Code	Link Code	x(8)	
	gral_seq	Sequence	Seq	>>9.9<	10
	gral_user1	Ufld1		x(8)	
	gral_user2	Ufld2		x(8)	
	gral__qadc01			x(8)	
◊	oid_gral_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gral_an_code	yes	gral_domain	yes	no
			gral_an_code	yes	no
			gral_link_code	yes	no
			gral_seq	yes	no
Δ	gral_link_code	no	gral_domain	yes	no
			gral_link_code	yes	no
Δ	gral_seq	yes	gral_domain	yes	no
			gral_an_code	yes	no
			gral_seq	yes	no
◊	oid_gral_det	yes	oid_gral_det	yes	no

gras_det

GL Report Writer Selection Detail

	Field Name	Label	Col-Label	Format	Dec
	gras_an_code	Analysis Code	Code	x(8)	
◊	gras_domain	Domain		x(8)	
	gras_gl_type	G/L Type		x(1)	
	gras_include	Include	Incl	yes/no	
	gras_sel_high	To G/L Code	To Code	x(8)	
	gras_sel_low	From G/L Code	From Code	x(8)	
	gras_user1	Ufld1		x(8)	
	gras_user2	Ufld2		x(8)	
	gras__qadc01			x(8)	
◊	oid_gras_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gras_an_code	yes	gras_domain	yes	no
			gras_an_code	yes	no
			gras_gl_type	yes	no
			gras_include	yes	no
			gras_sel_low	yes	no
			gras_sel_high	yes	no
◊	oid_gras_det	yes	oid_gras_det	yes	no

gra_mstr

GL Report Writer Analysis Code Master

	Field Name	Label	Col-Label	Format	Dec
	gra_add_date	Date Created		99/99/99	
	gra_add_id	Originator		x(8)	
	gra_an_code	Analysis Code	Code	x(8)	
	gra_cmtindx	Comment Index		>>>>>>>9	
	gra_desc	Description		x(24)	
◊	gra_domain	Domain		x(8)	
	gra_gl_type	G/L Type		x(1)	
	gra_group	Security Groups		x(72)	
	gra_link	Link To		CODE/ITEM	
	gra_mod_date	Modified Date	Mod Date	99/99/99	
	gra_mod_id	Modified By		x(8)	
	gra_status	Status		Live/Test	
	gra_user1	Ufld1		x(8)	
	gra_user2	Ufld2		x(8)	
	gra__qadc01			x(8)	
◊	oid_gra_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gra_an_code	yes	gra_domain	yes	no
			gra_an_code	yes	no
Δ	gra_desc	yes	gra_domain	yes	no
			gra_gl_type	yes	no
			gra_desc	yes	no
			gra_an_code	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	gra_type	yes	gra_domain	yes	no
			gra_gl_type	yes	no
			gra_an_code	yes	no
◊	oid_gra_mstr	yes	oid_gra_mstr	yes	no

grbg_det

GL Report Writer Budgeted Account Balance Detail

	Field Name	Label	Col-Label	Format	Dec
	grbg_acc	Account		x(8)	
	grbg_amt	Budget Amount		->>,>>>,>>>,>>>,>>9.99	10
	grbg_beg_bal	Beginning Balance		->>,>>>,>>>,>>>,>>9.99	10
	grbg_cc	Cost Ctr	CC	x(4)	
	grbg_code	Budget Code	Budget	x(8)	
◊	grbg_domain	Domain		x(8)	
	grbg_entity	Entity	Enty	x(4)	
	grbg_per	Period	Pd	>9	
	grbg_per_bal	Period Budgeted Balance		->>,>>>,>>>,>>>,>>9.99<<<<<<<	10
	grbg_project	Project		x(8)	
	grbg_sub	Sub-Account	Sub-Acct	x(8)	
	grbg_user1	Ufld1		x(8)	
	grbg_user2	Ufld2		x(8)	
	grbg_year	Year		9999	
	grbg_ytd_bal	Year to Date Budget		->>,>>>,>>>,>>>,>>9.99<<<<<<<	10
	grbg__qadc01			x(8)	
◊	oid_grbg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grbg_bypace	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_acc	yes	no
			grbg_cc	yes	no
			grbg_entity	yes	no
Δ	grbg_bypaes	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_acc	yes	no
			grbg_entity	yes	no
			grbg_sub	yes	no
Δ*	grbg_bypascej	yes	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_acc	yes	no
			grbg_sub	yes	no
			grbg_cc	yes	no
			grbg_entity	yes	no
			grbg_project	yes	no
Δ	grbg_bypceja	no	grbg_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_cc	yes	no
			grbg_entity	yes	no
			grbg_project	yes	no
			grbg_acc	yes	no
Δ	grbg_bypcja	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_cc	yes	no
			grbg_project	yes	no
			grbg_acc	yes	no
Δ	grbg_bypejas	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_entity	yes	no
			grbg_project	yes	no
			grbg_acc	yes	no
			grbg_sub	yes	no
Δ	grbg_bypjasc	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_project	yes	no
			grbg_acc	yes	no
			grbg_sub	yes	no
			grbg_cc	yes	no
Δ	grbg_bypscej	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_sub	yes	no
			grbg_cc	yes	no
			grbg_entity	yes	no
			grbg_project	yes	no
Δ	grbg_bypsej	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_sub	yes	no
			grbg_entity	yes	no
			grbg_project	yes	no
Δ	grbg_bypsjc	no	grbg_domain	yes	no
			grbg_code	yes	no
			grbg_year	yes	no
			grbg_per	yes	no
			grbg_sub	yes	no
			grbg_project	yes	no
			grbg_cc	yes	no
◊	oid_grbg_det	yes	oid_grbg_det	yes	no

grcd_det

GL Report Writer Column Group Detail

	Field Name	Label	Col-Label	Format	Dec
	grcd_activity	Activity Type		x(1)	
	grcd_bg_code	Budget Code		x(8)	
	grcd_bg_roll	Roll Budgets Into Actuals		yes/no	
	grcd_calc[5]	Formula		x(50)	
	grcd_col	Column		9999	
	grcd_col_group	Column Group		x(8)	
	grcd_col_type	Column Type		x(1)	
	grcd_currency	Currency		Foreign/Base	
	grcd_desc	Description		x(24)	
◊	grcd_domain	Domain		x(8)	
	grcd_format	Format		x(20)	
	grcd_label[3]	Column Label		x(20)	
	grcd_override	Allow Override		yes/no	
	grcd_percent	Percentage		yes/no	
	grcd_per_from	Period		x(4)	
	grcd_per_to	To		x(4)	
	grcd_print	Print		yes/no	
	grcd_project	Project		x(8)	
	grcd_quarter	Quarter		x(2)	
	grcd_round	Rounding		x(3)	
	grcd_rvpol	Reverse Polish Calculation		x(76)	
	grcd_symbol	Currency Symbol	Sym	x(3)	
	grcd_user1	Ufld1		x(8)	
	grcd_user2	Ufld2		x(8)	
	grcd_width	Column Width		>9	
	grcd_year	Year		x(4)	
	grcd__qadc01			x(8)	
◊	oid_grcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	grcd_col_group	yes	grcd_domain	yes	no
			grcd_col_group	yes	no
			grcd_col	yes	no
Δ	grcd_col_type	yes	grcd_domain	yes	no
			grcd_col_group	yes	no
			grcd_col_type	yes	no
			grcd_col	yes	no
◊	oid_grcd_det	yes	oid_grcd_det	yes	no

grc_mstr

GL Report Writer Column Group Master

	Field Name	Label	Col-Label	Format	Dec
	grc_add_date	Date Created		99/99/99	
	grc_add_id	Originator		x(8)	
	grc_cmtindx	Comment Index		>>>>>>>9	
	grc_col_group	Column Group		x(8)	
	grc_desc	Description		x(24)	
◊	grc_domain	Domain		x(8)	
	grc_group	Security Groups		x(72)	

	Field Name	Label	Col-Label	Format	Dec
	grc_mod_date	Modified Date	Mod Date	99/99/99	
	grc_mod_id	Modified By		x(8)	
	grc_status	Status		Live/Test	
	grc_user1	Ufld1		x(8)	
	grc_user2	Ufld2		x(8)	
	grc__qadc01			x(8)	
◊	oid_grc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grc_col_group	yes	grc_domain	yes	no
			grc_col_group	yes	no
◊	oid_grc_mstr	yes	oid_grc_mstr	yes	no

grdf_mtx

GL Report Writer Definition Matrix

	Field Name	Label	Col-Label	Format	Dec
	grdf_col	Cell Column		999	
◊	grdf_domain	Domain		x(8)	
	grdf_format	Cell Format		x(20)	
	grdf_formula	Formula		x(76)	
	grdf_print	Print		yes/no	
	grdf_reverse	Reverse Sign		yes/no	
	grdf_round	Rounding		x(3)	
	grdf_row	Cell Row		>>>9	
	grdf_run_id	Report Run ID		>>>>>>9	
	grdf_user1	Ufld1		x(8)	
	grdf_user2	Ufld2		x(8)	
	grdf__qadc01			x(8)	
◊	oid_grdf_mtx			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grdf_col	yes	grdf_domain	yes	no
			grdf_run_id	yes	no
			grdf_col	yes	no
			grdf_row	yes	no
Δ*	grdf_row	yes	grdf_domain	yes	no
			grdf_run_id	yes	no
			grdf_row	yes	no
			grdf_col	yes	no
◊	oid_grdf_mtx	yes	oid_grdf_mtx	yes	no

grhd_det

GL Report Writer Group Row/Column Sequence Detail

	Field Name	Label	Col-Label	Format	Dec
	grhd_code	Code		x(8)	
◊	grhd_domain	Domain		x(8)	
	grhd_explode	Explode		yes/no	
	grhd_group	Group		x(8)	
	grhd_link	Link		CODE/ITEM	
	grhd_link_type	Link Type	T	x(1)	
	grhd_priority	Priority		z	
	grhd_seq	Sequence	Seq	9999	
	grhd_sub_indent	Sub Total Indent	SB Ind	zz	
	grhd_type	Group Type	T	x(1)	
	grhd_user1	Ufld1		x(8)	
	grhd_user2	Ufld2		x(8)	
	grhd__qadc01			x(8)	
◊	oid_grhd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grhd_code	no	grhd_domain	yes	no
			grhd_code	yes	no
			grhd_link	yes	no
			grhd_link_type	yes	no
Δ*	grhd_group	yes	grhd_domain	yes	no
			grhd_group	yes	no
			grhd_type	yes	no
			grhd_seq	yes	no
			grhd_code	yes	no
			grhd_link	yes	no
			grhd_link_type	yes	no
Δ	grhd_link	yes	grhd_domain	yes	no
			grhd_group	yes	no
			grhd_type	yes	no
			grhd_seq	yes	no
			grhd_link	yes	no
			grhd_link_type	yes	no
			grhd_code	yes	no
Δ	grhd_link_type	no	grhd_domain	yes	no
			grhd_group	yes	no
			grhd_type	yes	no
			grhd_link_type	yes	no
Δ	grhd_priority	no	grhd_domain	yes	no
			grhd_group	yes	no
			grhd_type	yes	no
			grhd_seq	yes	no
			grhd_priority	yes	no
			grhd_explode	yes	no
			grhd_link	yes	no
Δ	grhd_type_link	no	grhd_domain	yes	no
			grhd_type	yes	no
			grhd_link_type	yes	no
◊	oid_grhd_det	yes	oid_grhd_det	yes	no

grib_det

GL Report Writer Break Group Detail

	Field Name	Label	Col-Label	Format	Dec
	grib_an_code	Analysis Code		x(8)	
	grib_basepage	Base Page	B Pg	>>>>9	
	grib_desc	Description		x(24)	
◊	grib_domain	Domain		x(8)	
	grib_level	Level		999999	
	grib_link_code	Link Code		x(8)	
	grib_link_type	G/L Type		x(1)	
	grib_pages	Group Pages	G Pgs	>>>>9	
	grib_run_id	Report Run ID		>>>>>>>9	
	grib_select	Sel		yes/no	
	grib_user1	Ufld1		x(8)	
	grib_user2	Ufld2		x(8)	
	grib__qadc01			x(8)	
◊	oid_grib_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grib_an_code	no	grib_domain	yes	no
			grib_run_id	yes	no
			grib_link_type	yes	no
			grib_an_code	yes	no
			grib_link_code	yes	no
Δ	grib_level	no	grib_domain	yes	no
			grib_run_id	no	no
			grib_level	no	no
			grib_an_code	no	no
Δ	grib_link	no	grib_domain	yes	no
			grib_run_id	yes	no
			grib_link_type	yes	no
			grib_link_code	yes	no
			grib_an_code	yes	no
◊	oid_grib_det	yes	oid_grib_det	yes	no

gric_det

GL Report Writer Image Column Detail

	Field Name	Label	Col-Label	Format	Dec
	gric_activity	Activity		x(1)	
	gric_bg_code	Budget Code		x(8)	
	gric_col	Column		>>>9	
	gric_col_type	Column Type		x(1)	
	gric_currency	Currency	Curr	Foreign/Base	
◊	gric_domain	Domain		x(8)	
	gric_label[3]	Column Label		x(20)	
	gric_per_from	Period		>>9	
	gric_per_to	To		>>9	
	gric_print	Print Cell		yes/no	
	gric_quarter	Quarter		9	
	gric_run_id	Report Run ID		>>>>>>9	
	gric_select	Sel		yes/no	
	gric_symbol	Currency Symbol	Sym	x(3)	

	Field Name	Label	Col-Label	Format	Dec
	gric_user1	Ufld1		x(8)	
	gric_user2	Ufld2		x(8)	
	gric_width	Column Width		>9	
	gric_year	Year		9999	
	gric__qadc01			x(8)	
◊	oid_gric_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gric_col	yes	gric_domain	yes	no
			gric_run_id	yes	no
			gric_col	yes	no
◊	oid_gric_det	yes	oid_gric_det	yes	no

grid_det

GL Report Writer Report Image Detail

	Field Name	Label	Col-Label	Format	Dec
	grid_allzero	AZ		yes/no	
	grid_apply_sym	Apply Curr Symbol	Sym	yes/no	
◊	grid_domain	Domain		x(8)	
	grid_expl_line	Exploded Line	E Ln	-999	
	grid_indent	Indent		zz	
	grid_label	Row Label		x(36)	
	grid_line	Exploded Line Number		999999	
	grid_page	Page Break After Total		yes/no	
	grid_post_und	Post-Underline Character		x(1)	
	grid_pre_und	Pre-Underline Character		x(1)	
	grid_print	Print Cell		yes/no	
	grid_row	Row		9999	
	grid_row_type	Row Type		x(1)	
	grid_run_id	Report Run ID		>>>>>>9	
	grid_select	Sel		yes/no	
	grid_skips	Lines To Skip		zz	
	grid_stl	Sub-Total Level		-999	
	grid_text[5]	Text		x(48)	
	grid_user1	Ufld1		x(8)	
	grid_user2	Ufld2		x(8)	
	grid_zero_suppress	Zero Suppress	Z	x(1)	
	grid__qadc01			x(8)	
◊	oid_grid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grid_row	yes	grid_domain	yes	no
			grid_run_id	yes	no
			grid_row	yes	no
			grid_line	yes	no
			grid_stl	yes	no
◊	oid_grid_det	yes	oid_grid_det	yes	no

grig_mtx

GL Report Writer Report Image Matrix

	Field Name	Label	Col-Label	Format	Dec
	grig_amt	Cell Amount - Data		->>,>>>,>>>,>>>,>>9.99<<<<<<<<	10
	grig_amt_txt	Cell Amount - Text		x(20)	
	grig_brk_gp	Break Group Element		x(8)	
	grig_col	Cell Column		999	
◊	grig_domain	Domain		x(8)	
	grig_line	Exploded Line Number		999999	
	grig_print	Print Cell		yes/no	
	grig_row	Cell Row		9999	
	grig_run_id	Report Run ID		>>>>>>9	
	grig_stl	Sub-Total Level		999	
	grig_type	Type		x(1)	
	grig_user1	Ufld1		x(8)	
	grig_user2	Ufld2		x(8)	
	grig__qadc01			x(8)	
◊	oid_grig_mtx			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grig_col	no	grig_domain	yes	no
			grig_run_id	yes	no
			grig_col	yes	no
			grig_row	yes	no
			grig_line	yes	no
			grig_stl	yes	no
Δ*	grig_row	yes	grig_domain	yes	no
			grig_run_id	yes	no
			grig_brk_gp	yes	no
			grig_row	yes	no
			grig_line	yes	no
			grig_stl	yes	no
			grig_col	yes	no
◊	oid_grig_mtx	yes	oid_grig_mtx	yes	no

grit_wkf

GL Report Writer Analysis Code and Item Type Work Table

	Field Name	Label	Col-Label	Format	Dec
	grit_an_code	Analysis Code		x(8)	
	grit_desc	Description		x(28)	
◊	grit_domain	Domain		x(8)	
	grit_gl_code	G/L Code		x(8)	
	grit_gl_type	GL Type	T	x(1)	
	grit_marker	Select	Sel	x(1)	
	grit_runid	runid		x(18)	
	grit_user1	Ufld1		x(8)	
	grit_user2	Ufld2		x(8)	
	grit__qadc01			x(8)	
◊	oid_grit_wkf			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grit_desc	no	grit_domain	yes	no
			grit_desc	yes	no
			grit_gl_code	yes	no
			grit_runid	yes	no
Δ*	grit_gl_code	yes	grit_domain	yes	no
			grit_runid	yes	no
			grit_gl_code	yes	no
◊	oid_grit_wkf	yes	oid_grit_wkf	yes	no

gri_mstr

GL Report Writer Report Image Master

	Field Name	Label	Col-Label	Format	Dec
	gri_cont_pg	Continuous Pages	CP	yes/no	
	gri_date	Run Date		99/99/99	
	gri_defprt	Default Printer	Def Prt	x(8)	
	gri_desc	Description		x(24)	
◊	gri_domain	Domain		x(8)	
	gri_filtered	Filtered		yes/no	
	gri_format	Format		x(20)	
	gri_lab_bc	Row Labels Before Column		>>9	
	gri_lab_width	Row Labels Width	RW	99	
	gri_mrg_bot	Bottom Margin	BM	>9	
	gri_mrg_left	Left Marging	LM	>9	
	gri_mrg_right	Right Margin	RM	>9	
	gri_mrg_top	Top Margin	TM	>9	
	gri_ovr_code[5]	Override Code	Ovr Code	x(8)	
	gri_ovr_type[5]	Override Type	T	x(1)	
	gri_paginated	Paginated		yes/no	
	gri_per	Period	Per	>>9	
	gri_prt_wrk	Print Working Papers		yes/no	
	gri_report	Report		x(8)	
	gri_round	Rounding		x(3)	
	gri_run_id	Report Run ID	Run ID	>>>>>>9	
	gri_status	Status		Live/Test	
	gri_text_ix[3]	String Index	Strng Ix	>>>>>>>9	
	gri_time	Run Time		x(8)	
	gri_user1	Ufld1		x(8)	
	gri_user2	Ufld2		x(8)	
	gri_userid	User ID		x(8)	
	gri_year	Year		9999	
	gri_zero_suppress	Zero Supression	ZS	x(1)	
	gri__qadc01			x(8)	
◊	oid_gri_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gri_report	yes	gri_domain	yes	no
			gri_report	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			gri_run_id	yes	no
Δ	gri_run_id	yes	gri_domain	yes	no
			gri_run_id	yes	no
◊	oid_gri_mstr	yes	oid_gri_mstr	yes	no

grqd_det

GL Report Writer Fiscal Quarter Calendar

	Field Name	Label	Col-Label	Format	Dec
◊	grqd_domain	Domain		x(8)	
	grqd_per_end	Period End	Per! End	>>9	
	grqd_per_start	Period Start	Per! Strt	>>9	
	grqd_quarter	Quarter	Qtr	9	
	grqd_user1	Ufld1		x(8)	
	grqd_user2	Ufld2		x(8)	
	grqd_year	Year		9999	
	grqd__qadc01			x(8)	
◊	oid_grqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grqd_period	yes	grqd_domain	yes	no
			grqd_year	yes	no
			grqd_per_start	yes	no
			grqd_per_end	yes	no
Δ*	grqd_quarter	yes	grqd_domain	yes	no
			grqd_year	yes	no
			grqd_quarter	yes	no
◊	oid_grqd_det	yes	oid_grqd_det	yes	no

grrd_det

GL Report Writer Row Group Detail

	Field Name	Label	Col-Label	Format	Dec
	grrd_apply_sym	Apply Curr Symbol	Sym	yes/no	
	grrd_calc[5]	Formula		x(50)	
◊	grrd_domain	Domain		x(8)	
	grrd_format	Format		x(20)	
	grrd_indent	Indent		zz	
	grrd_label	Label		x(36)	
	grrd_override	Allow Override		yes/no	
	grrd_page	Page Break After Total		yes/no	
	grrd_percent	Percentage		yes/no	
	grrd_post_und	Post-Underline Character		x(1)	
	grrd_precedence	Precedence		Row/Column	
	grrd_pre_und	Pre-Underline Character		x(1)	
	grrd_print	Print		yes/no	
	grrd_reverse	Reverse Sign		yes/no	
	grrd_round	Rounding		x(3)	
	grrd_row	Row		9999	
	grrd_row_group	Row Group		x(8)	
	grrd_row_type	Row Type		x(1)	
	grrd_rvpol	Reverse Polish Calculation		x(76)	
	grrd_show	Show Codes		yes/no	
	grrd_skips	Lines To Skip		>9	
	grrd_start_col	Start Column		>>>9	
	grrd_text[5]	Text		x(48)	
	grrd_user1	Ufld1		x(8)	
	grrd_user2	Ufld2		x(8)	
	grrd_zero_suppress	Zero Suppression	ZS	x(1)	
	grrd__qadc01			x(8)	
◊	oid_grrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grrd_row_group	yes	grrd_domain	yes	no
			grrd_row_group	yes	no
			grrd_row	yes	no
Δ	grrd_row_type	yes	grrd_domain	yes	no
			grrd_row_group	yes	no
			grrd_row_type	yes	no
			grrd_row	yes	no
◊	oid_grrd_det	yes	oid_grrd_det	yes	no

grr_mstr

GL Report Writer Row Group Master

Field Name	Label	Col-Label	Format	Dec
grr_add_date	Date Created		99/99/99	
grr_add_id	Originator		x(8)	
grr_brk_ac	Using Analysis Code		x(8)	
grr_brk_gl	Control Report By		x(1)	
grr_cmtindx	Comment Index		>>>>>>>9	
grr_cont_pg	Continuous Page Numbers		yes/no	
grr_desc	Description		x(24)	

	Field Name	Label	Col-Label	Format	Dec
◊	grr_domain	Domain		x(8)	
	grr_group	Security Groups		x(72)	
	grr_mod_date	Modified Date	Mod Date	99/99/99	
	grr_mod_id	Modified By		x(8)	
	grr_row_group	Row Group		x(8)	
	grr_status	Status		Live/Test	
	grr_user1	Ufld1		x(8)	
	grr_user2	Ufld2		x(8)	
	grr_width	Row Width		>9	
	grr__qadc01			x(8)	
◊	oid_grr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grr_brk_ac	no	grr_domain	yes	no
			grr_brk_ac	yes	no
			grr_brk_gl	yes	no
			grr_row_group	yes	no
Δ*	grr_row_group	yes	grr_domain	yes	no
			grr_row_group	yes	no
◊	oid_grr_mstr	yes	oid_grr_mstr	yes	no

grtx_det

GL Report Writer Text String Detail

	Field Name	Label	Col-Label	Format	Dec
◊	grtx_domain	Domain		x(8)	
	grtx_fmt_txt	Formatted Text		x(76)	
	grtx_indx	Index		>>>>>>>9	
	grtx_seq	Line		>>>9	
	grtx_text	Text		x(76)	
	grtx_user1	Ufld1		x(8)	
	grtx_user2	Ufld2		x(8)	
	grtx__qadc01			x(8)	
◊	oid_grtx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grtx_index	yes	grtx_domain	yes	no
			grtx_indx	yes	no
			grtx_seq	yes	no
◊	oid_grtx_det	yes	oid_grtx_det	yes	no

grv_det

GL Report Writer Account Balance Detail

	Field Name	Label	Col-Label	Format	Dec
	grv_acc	Account		x(8)	
	grv_cc	Cost Ctr	CC	x(4)	
◊	grv_domain	Domain		x(8)	
	grv_entity	Entity	Enty	x(4)	
	grv_project	Project		x(8)	
	grv_sub	Sub-Account	Sub-Acct	x(8)	
	grv_user1	Ufld1		x(8)	
	grv_user2	Ufld2		x(8)	
	grv__qadc01			x(8)	
◊	oid_grv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grv_ace	no	grv_domain	yes	no
			grv_acc	yes	no
			grv_cc	yes	no
			grv_entity	yes	no
Δ	grv_aes	no	grv_domain	yes	no
			grv_acc	yes	no
			grv_entity	yes	no
			grv_sub	yes	no
Δ*	grv_ascej	yes	grv_domain	yes	no
			grv_acc	yes	no
			grv_sub	yes	no
			grv_cc	yes	no
			grv_entity	yes	no
			grv_project	yes	no
Δ	grv_ceja	no	grv_domain	yes	no
			grv_cc	yes	no
			grv_entity	yes	no
			grv_project	yes	no
			grv_acc	yes	no
Δ	grv_cja	no	grv_domain	yes	no
			grv_cc	yes	no
			grv_project	yes	no
			grv_acc	yes	no
Δ	grv_ejas	no	grv_domain	yes	no
			grv_entity	yes	no
			grv_project	yes	no
			grv_acc	yes	no
			grv_sub	yes	no
Δ	grv_jasc	no	grv_domain	yes	no
			grv_project	yes	no
			grv_acc	yes	no
			grv_sub	yes	no
			grv_cc	yes	no
Δ	grv_scej	no	grv_domain	yes	no
			grv_sub	yes	no
			grv_cc	yes	no
			grv_entity	yes	no
			grv_project	yes	no
Δ	grv_sej	no	grv_domain	yes	no
			grv_sub	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			grv_entity	yes	no
			grv_project	yes	no
Δ	grv_sjc	no	grv_domain	yes	no
			grv_sub	yes	no
			grv_project	yes	no
			grv_cc	yes	no
◊	oid_grv_det	yes	oid_grv_det	yes	no

grx1_wkfl

GL Report Writer Analysis Code Explosion Work Table

	Field Name	Label	Col-Label	Format	Dec
	grx1_an_code	Analysis Code		x(8)	
◊	grx1_domain	Domain		x(8)	
	grx1_link_code	Link Code		x(8)	
	grx1_link_type	G/L Type		x(1)	
	grx1_run_id	Report Run ID		>>>>>>9	
	grx1_user1	Ufld1		x(8)	
	grx1_user2	Ufld2		x(8)	
	grx1__qadc01			x(8)	
◊	oid_grx1_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grx1_an_code	no	grx1_domain	yes	no
			grx1_run_id	yes	no
			grx1_link_type	yes	no
			grx1_an_code	yes	no
			grx1_link_code	yes	no
Δ	grx1_link	no	grx1_domain	yes	no
			grx1_run_id	yes	no
			grx1_link_type	yes	no
			grx1_link_code	yes	no
			grx1_an_code	yes	no
◊	oid_grx1_wkfl	yes	oid_grx1_wkfl	yes	no

grx2_wkfl

GL Report Writer Row/Column Explosion (Separate) Work Table

	Field Name	Label	Col-Label	Format	Dec
	grx2_acct	Account		x(8)	
	grx2_actual	Actual/Budget		yes/no	
	grx2_bg_code	Budget Code		x(8)	
	grx2_cc	Cost Center	CC	x(8)	
◊	grx2_domain	Domain		x(8)	
	grx2_entity	Entity		x(8)	
	grx2_level	Level		999	
	grx2_nbr	Row or Column Number		9999	
	grx2_project	Project		x(8)	
	grx2_run_id	Report Run ID		>>>>>>9	
	grx2_sub	Sub-Account	Sub-Acct	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	grx2_type	Type - Row or Column		Row/Col	
	grx2_user1	Ufld1		x(8)	
	grx2_user2	Ufld2		x(8)	
	grx2__qadc01			x(8)	
◊	oid_grx2_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grx2_level	no	grx2_domain	yes	no
			grx2_run_id	yes	no
			grx2_type	yes	no
			grx2_nbr	yes	no
			grx2_level	yes	no
◊	oid_grx2_wkfl	yes	oid_grx2_wkfl	yes	no

grx3_wkfl

GL Report Writer Row/Column Explosion (Hierarchical) Work Table

	Field Name	Label	Col-Label	Format	Dec
	grx3_col	Column		999	
◊	grx3_domain	Domain		x(8)	
	grx3_element1	Element 1		x(8)	
	grx3_element2	Element 2		x(8)	
	grx3_element3	Element 3		x(8)	
	grx3_element4	Element 4		x(8)	
	grx3_element5	Element 5		x(8)	
	grx3_explode	Explode To Level		99	
	grx3_line	Exploded Line Number		999999	
	grx3_priority	Element Priority		99999	
	grx3_row	Row		9999	
	grx3_run_id	Report Run ID		>>>>>>9	
	grx3_user1	Ufld1		x(8)	
	grx3_user2	Ufld2		x(8)	
	grx3__qadc01			x(8)	
◊	oid_grx3_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grx3_element	no	grx3_domain	yes	no
			grx3_run_id	yes	no
			grx3_row	yes	no
			grx3_element1	yes	no
			grx3_element2	yes	no
			grx3_element3	yes	no
			grx3_element4	yes	no
			grx3_element5	yes	no
Δ	grx3_line	no	grx3_domain	yes	no
			grx3_run_id	yes	no
			grx3_row	yes	no
			grx3_col	yes	no
			grx3_line	yes	no
Δ*	grx3_row	no	grx3_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			grx3_run_id	yes	no
			grx3_row	yes	no
			grx3_col	yes	no
			grx3_element1	yes	no
			grx3_element2	yes	no
			grx3_element3	yes	no
			grx3_element4	yes	no
			grx3_element5	yes	no
◊	oid_grx3_wkfl	yes	oid_grx3_wkfl	yes	no

grx_mstr

GL Report Writer Report Content Master

	Field Name	Label	Col-Label	Format	Dec
	grx_add_date	Date Created		99/99/99	
	grx_add_id	Originator		x(8)	
	grx_cmtindx	Comment Index		>>>>>>>9	
	grx_col_group	Column Group		x(8)	
	grx_cont_pg	Continuous Page Numbers	C-Pg	yes/no	
	grx_ctl_ac	Using Analysis Code	A-Code	x(8)	
	grx_ctl_gl	Control Report By	C	x(1)	
	grx_defprt	Printer Template		x(8)	
	grx_desc	Description		x(24)	
◊	grx_domain	Domain		x(8)	
	grx_format	Format		x(20)	
	grx_lab_bc	Row Labels Before Column		>>>9	
	grx_mod_date	Modified Date	Mod Date	99/99/99	
	grx_mod_id	Modified By		x(8)	
	grx_mrg_bot	Bottom Margin	BM	>9	
	grx_mrg_left	Left Margin	LM	>9	
	grx_mrg_right	Right Margin	RM	>9	
	grx_mrg_top	Top Margin	TM	>9	
	grx_mt_group	Maintenance Security Groups		x(72)	
	grx_report	Report		x(8)	
	grx_round	Rounding	RM	x(3)	
	grx_row_group	Row Group		x(8)	
	grx_rp_group	Report Security Groups		x(72)	
	grx_status	Status		Live/Test	
	grx_text_ix[3]	String Index	Strng Ix	>>>>>>>9	
	grx_user1	Ufld1		x(8)	
	grx_user2	Ufld2		Ufld2	
	grx_zero_suppress	Zero Suppression	ZS	x(1)	
	grx__qadc01			x(8)	
◊	oid_grx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grx_col_group	no	grx_domain	yes	no
			grx_col_group	yes	no
Δ	grx_ctl_ac	no	grx_domain	yes	no
			grx_ctl_ac	yes	no
			grx_ctl_gl	yes	no
			grx_report	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	grx_report	yes	grx_domain	yes	no
			grx_report	yes	no
Δ	grx_row_group	no	grx_domain	yes	no
			grx_row_group	yes	no
◊	oid_grx_mstr	yes	oid_grx_mstr	yes	no

gr_ctrl

GL Report Writer Control

	Field Name	Label	Col-Label	Format	Dec
	gr_ac_cmmts	Analysis Code Comments		yes/no	
	gr_cg_cmmts	Column Group Comments		yes/no	
	gr_col_width	Column Width		>9	
	gr_cyis	Current Year Income Offset		x(8)	
	gr_cyre	Current Year Retained Earnings		x(8)	
◊	gr_domain	Domain		x(8)	
	gr_format	Format		x(20)	
	gr_index1	Index		>>>>>9	
	gr_per	Current Period	Per	>>9	
	gr_precedence	Precedence		Row/Column	
	gr_qtr_lbl[4]	Quarter		x(10)	
	gr_rg_cmmts	Row Group Comments		yes/no	
	gr_rg_width	Row Width		z9	
	gr_round	Rounding		x(3)	
	gr_rp_cmmts	Report Comments		yes/no	
	gr_run_id	Next Report Run ID		>>>>>>9	
	gr_txt_ix	Text Index	Txt Ix	>>>>>>>9	
	gr_user1	Ufld1		x(8)	
	gr_user2	Ufld2		x(8)	
	gr_year	Current Year		>>>9	
	gr__qadc01			x(8)	
◊	oid_gr_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	gr_index1	yes	gr_domain	yes	no
◊	oid_gr_ctrl	yes	oid_gr_ctrl	yes	no

hd_mstr

Holiday Master

	Field Name	Label	Col-Label	Format	Dec
	hd_date	Date	Date	99/99/99	
	hd_desc	Holiday		x(24)	
◊	hd_domain	Domain		x(8)	
	hd_site	Site		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	hd_user1	Ufld1		x(8)	
	hd_user2	Ufld2		x(8)	
	hd__qadc01			x(8)	
◊	oid_hd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	hd_mstr	yes	hd_domain	yes	no
			hd_site	yes	no
			hd_date	yes	no
◊	oid_hd_mstr	yes	oid_hd_mstr	yes	no

hlp_mstr

Help Master

	Field Name	Label	Col-Label	Format	Dec
	hlp_context_nbr	Context Number	Context	>>>,>>>,>>9	
	hlp_context_str	Context String		x(32)	0
	hlp_file	Help File		X(12)	0
	hlp_user1	Ufld1		x(8)	
	hlp_user2	Ufld2		x(8)	
	hlp__qadc01			x(8)	
◊	oid_hlp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	hlp_primary	no	hlp_context_str	yes	no
◊	oid_hlp_mstr	yes	oid_hlp_mstr	yes	no

ibh_hist

Sales Order Configuration Bill History

	Field Name	Label	Col-Label	Format	Dec
	ibh_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	ibh_cfg_type	Configuration	Config	x(1)	
	ibh_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ibh_domain	Domain		x(8)	
	ibh_feature	Feature		x(12)	
	ibh_inv_nbr	Invoice		x(8)	
	ibh_iss_date	Issue Date	Iss Date	99/99/99	
	ibh_line	Line		>>9	
	ibh_loc	Location		x(8)	
	ibh_nbr	Sales Order	Order	x(8)	
	ibh_parent	Parent Item		x(18)	
	ibh_part	Item Number		x(18)	
	ibh_price	Price		>>>>,>>>,>>9.99<<<	10
	ibh_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
	ibh_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
	ibh_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
	ibh_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	ibh_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	ibh_serial	Lot/Serial		x(18)	
	ibh_site	Site		x(8)	
	ibh_tot_std	Std Cost		->>>,>>9.999	10
	ibh_user1	Ufld1		x(8)	
	ibh_user2	Ufld2		x(8)	
	ibh__qadc01			x(8)	
◊	oid_ibh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ibd_inv_nbr	yes	ibh_domain	yes	no
			ibh_inv_nbr	yes	no
			ibh_nbr	yes	no
			ibh_line	yes	no
			ibh_feature	yes	no
			ibh_part	yes	no
Δ	ibh_part	yes	ibh_domain	yes	no
			ibh_part	yes	no
			ibh_inv_nbr	yes	no
			ibh_line	yes	no
			ibh_feature	yes	no
◊	oid_ibh_hist	yes	oid_ibh_hist	yes	no

ib_det

Service/Support Installed Configuration Detail

	Field Name	Label	Col-Label	Format	Dec
	ib_comp	Component	Comp Item	x(18)	
	ib_comp_ref	Comp Ref	Ref	>>>>>>>9	
	ib_comp_ser	Component Serial	Comp Serial	x(18)	
	ib_config			x(1)	
	ib_contract	Contract		x(8)	
	ib_cover			x(1)	
	ib_desc	Description		x(24)	
◊	ib_domain	Domain		x(8)	
	ib_eu_nbr	End User		x(8)	
	ib_int_level			>>9	
	ib_level	Level		x(8)	
	ib_sys_part	System Item		x(18)	
	ib_sys_ref	System Ref		>>>>>>>9	
	ib_sys_seq	Sequence		>>>>>>9	
	ib_sys_serial	System Serial		x(18)	
	ib_tag			*/	
	ib_user1	Ufld1		x(8)	
	ib_user2	Ufld2		x(8)	
	ib__qadc01			x(8)	
◊	oid_ib_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ib_compser	yes	ib_domain	yes	no
			ib_comp	yes	no
			ib_comp_ser	yes	no
			ib_comp_ref	yes	no
Δ	ib_eutag	no	ib_domain	yes	no
			ib_eu_nbr	yes	no
			ib_tag	yes	no
			ib_sys_seq	yes	no
Δ	ib_eu_comp	yes	ib_domain	yes	no
			ib_eu_nbr	yes	no
			ib_comp	yes	no
			ib_comp_ref	yes	no
			ib_comp_ser	yes	no
Δ	ib_serial	no	ib_domain	yes	no
			ib_sys_serial	yes	no
			ib_sys_ref	yes	no
Δ*	ib_sys_seq	yes	ib_domain	yes	no
			ib_eu_nbr	yes	no
			ib_config	yes	no
			ib_sys_part	yes	no
			ib_sys_serial	yes	no
			ib_sys_ref	yes	no
			ib_sys_seq	yes	no
			ib_comp	yes	no
◊	oid_ib_det	yes	oid_ib_det	yes	no

icc_ctrl Inventory Control

	Field Name	Label	Col-Label	Format	Dec
	icc_ascend	Ascending or Descending		Ascending/Descending	
	icc_cogs	Sum LL Costs Into Matl Cost	COGS	yes/no	
	icc_cur_ap	Current Cost from AP		yes/no	
	icc_cur_cost	Current Cost (AVG/LAST/ NONE)		x(4)	
	icc_cur_set	Default Current Cost Set	Cur Set	x(8)	
◊	icc_domain	Domain		x(8)	
	icc_gl_set	Default GL Cost Set	GL Set	x(8)	
	icc_gl_sum	Summarized Journal		yes/no	
	icc_gl_tran	Create GL Transactions		yes/no	
	icc_iss_days	Issue Days		->,>>>,>>9	
	icc_jrnl	Next Journal		999999	
	icc_mirror	Mirror Accounting	Mirror	yes/no	
	icc_pk_ord	Picking Order		>	
	icc_site	Default Site	Site	x(8)	
	icc_tol_a	Class A		->>>,>>9.99	10
	icc_tol_a%	Class A		->9.99%	10
	icc_tol_b	Class B		->>>,>>9.99	10
	icc_tol_b%	Class B		->9.99%	10
	icc_tol_c	Class C		->>>,>>9.99	10
	icc_tol_c%	Class C		->9.99%	10
	icc_tol_flag	Tolerance Method		Qoh/Usage	
	icc_tol_o	All Others		->>>,>>9.99	10
	icc_tol_o%	All Others		->9.99%	10

	Field Name	Label	Col-Label	Format	Dec
	icc_user1	Ufld1		x(8)	
	icc_user2	Ufld2		x(8)	
	icc_xclr_acct	Transfer Clearing Acct		x(8)	
	icc_xclr_cc	Intercompany Cost Center	CC	x(4)	
	icc_xclr_sub	Tsfr Clearing Sub-Acct	Sub-Acct	x(8)	
	icc__qad01			>>>>>>9	
	icc__qad02			9	
	icc__qad03			9	
	icc__qadc01			x(24)	
	icc__qadc02			x(24)	
	icc__qadc03			x(24)	
Δ	icc__qadi02			->>>>>>>9	
	icc__qadi04			>>>>>>>9	
◊	oid_icc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	icc_index1	yes	icc_domain	yes	no
◊	oid_icc_ctrl	yes	oid_icc_ctrl	yes	no

idhlc_hist

Invoice History Line Charge Detail

	Field Name	Label	Col-Label	Format	Dec
	idhlc_acct	Sales Acct	Account	x(8)	
	idhlc_cc	Cost Ctr	CC	x(4)	
	idhlc_charge_category	Category		x(8)	
	idhlc_charge_type	Charge Type	Charge! Type	x(8)	
	idhlc_desc	Description		x(24)	
	idhlc_desc1	Description		x(24)	
	idhlc_desc2	Description		x(24)	
◊	idhlc_domain	Domain		x(8)	
	idhlc_fr_class	Freight Class		x(8)	
	idhlc_fr_wt	Unit Ship Weight		->>,>>>,>>9.9<<<<<<<<<	10
	idhlc_fr_wt_um	UM		x(2)	
	idhlc_inv_nbr	Invoice		x(8)	
	idhlc_line	SO Line	SO! Line	>>9	
	idhlc_mod_date	Modified Date	Mod Date	99/99/99	
	idhlc_mod_userid	User ID		X(8)	
	idhlc_nbr	Sales Order	Order	x(8)	
	idhlc_part	Item Number		x(18)	
	idhlc_price	Price		->>>>,>>>,>>9.99<<<	10
	idhlc_prodline	Product Line	Line	x(4)	
	idhlc_project	Project		x(8)	
	idhlc_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
	idhlc_sub	Sales Sub-Acct	Sub-Acct	x(8)	
	idhlc_sub_line	Charge Line	Charge! Ln	>>>>9	
	idhlc_taxable	Taxable	Tax	yes/no	
	idhlc_taxc	Tax Class	TxC	x(3)	
	idhlc_tax_env	Tax Environment	Tax Env	x(16)	
	idhlc_tax_usage	Tax Usage	TaxUsage	x(8)	
	idhlc_trl	Trailer	Trl	x(4)	
	idhlc_um	UM		x(2)	

	Field Name	Label	Col-Label	Format	Dec
	idhlc_userc01	User Field Character 1		x(24)	
	idhlc_userc02	User Field Character 2		x(24)	
	idhlc__qadc01			x(24)	
	idhlc__qadc02			x(24)	
◊	oid_idhlc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	idhlc_invln	yes	idhlc_domain	yes	no
			idhlc_inv_nbr	yes	no
			idhlc_nbr	yes	no
			idhlc_line	yes	no
			idhlc_sub_line	yes	no
Δ	idhlc_part	no	idhlc_domain	yes	no
			idhlc_inv_nbr	yes	no
			idhlc_nbr	yes	no
			idhlc_line	yes	no
			idhlc_part	yes	no
			idhlc_charge_category	yes	no
			idhlc_price	yes	no
Δ	idhlc_trl	no	idhlc_domain	yes	no
			idhlc_inv_nbr	yes	no
			idhlc_nbr	yes	no
			idhlc_line	yes	no
			idhlc_charge_category	yes	no
			idhlc_trl	yes	no
◊	oid_idhlc_hist	yes	oid_idhlc_hist	yes	no

idhr_hist

Invoice History Relationship Detail

	Field Name	Label	Col-Label	Format	Dec
	idhr_div	Division		x(8)	
◊	idhr_domain	Domain		x(8)	
	idhr_group	Group		x(8)	
	idhr_inv_nbr	Invoice		x(8)	
	idhr_line	Line		>>9	
	idhr_nbr	Sales Order		x(8)	
	idhr_pricing	Pricing		>9	
	idhr_seq	Sequence		>>9	
	idhr_type	Type		>>>9	
	idhr_user1	Ufld1		x(8)	
	idhr_user2	Ufld2		x(8)	
	idhr__qadc01			x(8)	
	idhr__qadc02			x(8)	
	idhr__qadc03			x(8)	
	idhr__qadd01			->>>>,>>>,>>9.9	10
	idhr__qadd02			->>>>,>>>,>>9.9	10
	idhr__qadi01			->,>>>,>>9	
	idhr__qadi02			->,>>>,>>9	
	idhr__qadl01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	idhr__qadl02			yes/no	
	idhr__qadt01			99/99/99	
	idhr__qadt02			99/99/99	
◊	oid_idhr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	idhr_invln_seq	yes	idhr_domain	yes	no
			idhr_inv_nbr	yes	no
			idhr_nbr	yes	no
			idhr_line	yes	no
			idhr_seq	yes	no
Δ	idhr_type	no	idhr_domain	yes	no
			idhr_type	yes	no
◊	oid_idhr_hist	yes	oid_idhr_hist	yes	no

idh_hist

Invoice History Detail

Field Name	Label	Col-Label	Format	Dec
idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>,>>>,>>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bonus	Bonus Stock Line		yes/no	
idh_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<	10
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>>9	
idh_comment[5]	Comments		x(40)	
idh_comm_pct[4]	Commission	Comm%	>>9.99%	10
idh_conrep	Netting Logic	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
idh_cum_date[4]	Cum Start		99/99/99	
idh_cum_qty[4]	Cum Shipped		->>>>,>>>,>>9.9<<<<<<<<	10
idh_curr_rlse_id[3]	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
idh_custref	Customer Ref		x(30)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	10
idh_div	Division		x(8)	
idh_dock	Dock		X(8)	

	Field Name	Label	Col-Label	Format	Dec
◊	idh_domain	Domain		x(8)	
	idh_drp_ref	DRP Ref		X(8)	
	idh_dsc_acct	Disc Acct	?	x(8)	
	idh_dsc_cc	Disc CC	CC	x(4)	
	idh_dsc_project	Disc Project		x(8)	
	idh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	idh_due_date	Due Date	Due	99/99/99	
	idh_enduser	End User		x(8)	
	idh_end_eff[4]	End Effective		99/99/99	
	idh_expire	Expires		99/99/99	
	idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
	idh_fab_days	Fab Auth Days		>,>>9	
	idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
	idh_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
	idh_fix_pr	Fixed Price		yes/no	
	idh_for	For		x(18)	
	idh_for_serial	Parent Item Serial		X(18)	
	idh_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
	idh_fr_class	Freight Class		x(8)	
	idh_fr_list	Freight List	Frt List	x(8)	
	idh_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
	idh_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
	idh_fr_wt_um	UM		x(2)	
	idh_fsm_type	FSM Type		x(8)	
	idh_fst_list	FST on List		yes/no	
	idh_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
	idh_inv_nbr	Invoice		x(8)	
	idh_isb_loc	Installed Base Location		x(22)	
	idh_isb_ref	ISB Ref		>>>>>>>9	
	idh_line	Line	Ln	>>9	
	idh_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
	idh_ln_ref	Line Ref		X(8)	
	idh_loc	Location		x(8)	
	idh_lot	ID		x(8)	
	idh_modelyr	Model Year		x(4)	
	idh_mod_date	Modified Date	Mod Date	99/99/99	
	idh_mod_userid	User ID		X(8)	
	idh_nbr	Sales Order	Order	x(8)	
	idh_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
	idh_out_po	Display PO Number		X(30)	
	idh_override_lmt	Override Limits	Lmt	yes/no	
	idh_owner	Ownership		x(8)	
	idh_part	Item Number		x(18)	
	idh_partial	Partial OK	Partial	yes/no	
	idh_pastdue	Past Due Logic		X(1)	
	idh_per_date	Perform Date	Perform	99/99/99	
	idh_pickdate	Pick Date		99/99/99	
	idh_pkg_code	Pkg Code		x(18)	
	idh_pl_priority	P/L Priority		>9	
	idh_price	Price		>>>>,>>>,>>9.99<<<	10
	idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
	idh_prig1	Pricing Group 1		x(8)	
	idh_prig2	Pricing Group 2		x(8)	
	idh_prodline	Product Line	Line	x(4)	
	idh_project	Project		x(8)	
	idh_promise_date	Promise Date	Promise	99/99/99	
	idh_pr_list	Price List		X(8)	

Field Name	Label	Col-Label	Format	Dec
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
idh_qty_chg	Qty To Ship		->,>>>,>>9.9<<<<<<<<	10
idh_qty_cons	Qty Consumed		->,>>>,>>9.9<<<	10
idh_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<	10
idh_qty_inv	Qty Invoiced		->,>>>,>>9.9<<<<<<<<	10
idh_qty_item	Item Quantity	Item Qty	>>,>>9.9<<<<	10
idh_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
idh_qty_pend	Qty Pending		->,>>>,>>9.9<<<	10
idh_qty_per	Duration		->>>9.9<<<	10
idh_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
idh_qty_qote	Qty Quoted		->,>>>,>>9.9<<<<<<<<	10
idh_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
idh_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<<	10
idh_raw_days	Raw Auth Days		>,>>9	
idh_rbkt_days	Req Schedule Days		>>9	
idh_rbkt_mths	Req Schedule Months		>>9	
idh_rbkt_weeks	Req Schedule Weeks		>>9	
idh_ref	Ref		>>>>>>>9	
idh_req_date	Required Date	Required	99/99/99	
idh_retro_price	Retro Invoice Price		>>>>,>>>,>>9.99<<<	10
idh_rlse_nbr	Next Release ID		99999999	
idh_rma_type	RMA Type		x(1)	
idh_sad_line	Contract Line		>>>>>>>9	
idh_sa_nbr	Service Contract	Contract	x(8)	
idh_sched	Scheduled		yes/no	
idh_sched_chgd	Schedule Changed		yes/no	
idh_sch_data	Schedule Data		x(8)	
idh_sch_mrp	Sched MRP Req		yes/no	
idh_serial	Lot/Serial		x(18)	
idh_ship	Ship-To		x(8)	
idh_site	Site		x(8)	
idh_slspsn[4]	Salesperson	Salespsn	x(8)	
idh_sob_rev	Revised Date	Revised	99/99/99	
idh_sob_std	Standard Bill	Std BOM	yes/no	
idh_start_eff[4]	Start Effective		99/99/99	
idh_status	Status		x(8)	
idh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
idh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
idh_sv_code	Warranty Type		X(8)	
idh_taxable	Taxable	Tax	yes/no	
idh_taxc	Tax Class	TxC	x(3)	
idh_tax_env	Tax Environment	Tax Env	x(16)	
idh_tax_in	Tax In		yes/no	
idh_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
idh_tax_usage	Tax Usage	TaxUsage	x(8)	
idh_to_loc	Location		X(8)	
idh_to_ref	Kit Ref		X(8)	
idh_to_site	Site		X(8)	
idh_translt_hrs	Transport Hours		>>9.99	10
idh_trans_lt	Transport Leadtime		>>9.99	10
idh_type	Ship Type	T	x(1)	
idh_um	UM		x(2)	
idh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
idh_upd_isb	Update Installed Base		yes/no	
idh_user1	Ufld1		x(8)	
idh_user2	Ufld2		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	idh_warr_start	Warranty Start Date		99/99/99	
	idh_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
	idh_xslspsn[3]	Salesperson	Salespsn	x(8)	
	idh__chr01			x(8)	
	idh__chr02			x(8)	
	idh__chr03			x(8)	
	idh__chr04			x(8)	
	idh__chr05			x(8)	
	idh__chr06			x(8)	
	idh__chr07			x(8)	
	idh__chr08			x(8)	
	idh__chr09			x(8)	
	idh__chr10			x(8)	
	idh__dec01			>>>,>>>,>>9.99	10
	idh__dec02			>>>,>>>,>>9.99	10
	idh__dec03			>>>,>>>,>>9.99	10
	idh__dec04			>>>,>>>,>>9.99	10
	idh__dec05			>>>,>>>,>>9.99	10
	idh__dte01			99/99/99	
	idh__dte02			99/99/99	
	idh__dte03			99/99/99	
	idh__log01			yes/no	
	idh__qad01			>	
	idh__qad02			yes/no	
	idh__qadc01	QAD Field		X(8)	0
	idh__qadc02	QAD Field		X(8)	0
	idh__qadc03	QAD field		X(8)	0
	idh__qadc04	QAD field		X(8)	0
	idh__qadc05	QAD field		X(8)	0
	idh__qadc06	QAD field		X(8)	0
	idh__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	idh__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	idh__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
	idh__qadd04	QAD Field		->>>>,>>>,>>9.99<<<	10
	idh__qadd05	QAD Field		->>>>,>>>,>>9.99<<<	10
	idh__qadi01	QAD Field		->,>>>,>>9	
	idh__qadi02	QAD Field		->,>>>,>>9	
	idh__qadi03	QAD Field		->,>>>,>>9	
	idh__qadi04	QAD Field		->,>>>,>>9	
	idh__qadl01	QAD Field		yes/no	
	idh__qadl02	QAD Field		yes/no	
	idh__qadl03	QAD Field		yes/no	
	idh__qadl04	QAD Field		yes/no	
	idh__qadl05	QAD Field		yes/no	
	idh__qadt01	QAD Field		99/99/99	
	idh__qadt02	QAD Field		99/99/99	
	idh__qadt03	QAD Field		99/99/99	
	idh__qadt04	QAD Field		99/99/99	
	idh__qadt05	QAD Field		99/99/99	
◊	oid_idh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	idh_fsm_type	no	idh_domain	yes	no
			idh_fsm_type	yes	no
			idh_nbr	yes	no
			idh_line	yes	no
Δ*	idh_invln	yes	idh_domain	yes	no
			idh_inv_nbr	yes	no
			idh_nbr	yes	no
			idh_line	yes	no
Δ	idh_part	no	idh_domain	yes	no
			idh_part	yes	no
			idh_inv_nbr	yes	no
			idh_line	yes	no
◊	oid_idh_hist	yes	oid_idh_hist	yes	no

iec_ctrl

Import/Export Control

Field Name	Label	Col-Label	Format	Dec
iec_act_ex_type_list	Active ExtraStat Type List		x(30)	
iec_act_in_type_list	Active IntraStat Type List		x(30)	
iec_agent	Agent		x(8)	
iec_agent_id	Branch ID		x(3)	
iec_authority	Authority	Auth	x(8)	
iec_com_code	Commodity Code		x(20)	
iec_container	Container		yes/no	
iec_corr_flow_arr	Correction Flow Of Arrival		x(2)	
iec_corr_flow_disp	Correction Flow Of Dispatch		x(2)	
iec_declarant	Declarant		x(8)	
iec_declarant_id	Branch ID		x(3)	
iec_declaration_id	Declaration ID		>>>>>>>>	
◊ iec_domain	Domain		x(8)	
iec_flow_arr	Flow Indicator - Arrivals		x(2)	
iec_flow_disp	Flow Indicator - Dispatches		x(2)	
iec_impexp	Imp/Exp Default		yes/no	
iec_incl_memo	Include Memo Items		yes/no	
iec_int_com_code	Intangible Items Commodity Code		x(20)	
iec_mode_transp	Mode of Transport		x(1)	
iec_mod_date	Modified Date	Mod Date	99/99/99	
iec_nat_trans	Nature of Transaction		x(2)	
iec_net_wt_min	Intrastat Net Weight Minimum		>>>,>>>,>>9.99	10
iec_net_wt_um	Intrastat Net Weight UM		x(2)	
iec_port_arrdisp	Port of Arr/Disp		x(8)	
iec_port_transh	Port of Transshipment		x(8)	
iec_preference	Preference		999	
iec_ref_logic	Reference Date Logic		x(1)	
iec_region	Region of Origin/Dest		x(3)	
iec_stat_proc	Statistical Procedure		x(8)	
iec_terms_deliv	Terms of Delivery		x(4)	
iec_user1	Ufld1		x(8)	
iec_user2	Ufld2		x(8)	
iec_userid	User ID		x(8)	
iec_use_extrastat	Use ExtraStat		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	iec_use_instat	Use Intrastat		yes/no	
	iec__chr01			x(8)	
	iec__chr02			x(8)	
	iec__chr03			x(8)	
	iec__chr04			x(8)	
	iec__dec01			->>>,>>>,>>9.99<	10
	iec__log01			yes/no	
	iec__log02			yes/no	
	iec__qadc01			x(8)	
	iec__qadc02			x(8)	
	iec__qadc03			x(8)	
	iec__qadc04			x(8)	
	iec__qadd01			->>>,>>>,>>9.99<	10
	iec__qadi01			>>>>>>>>	
Δ	iec__qadi02			->>>>>>>9	
	iec__qadl01			yes/no	
	iec__qadl02			yes/no	
◊	oid_iec_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	iec_index1	yes	iec_domain	yes	no
◊	oid_iec_ctrl	yes	oid_iec_ctrl	yes	no

ied_det

Import/Export Detail

	Field Name	Label	Col-Label	Format	Dec
	ied_affiliation	Affiliation		x(1)	
	ied_com_code	Commodity Code	Com Code	x(20)	
	ied_container	Container		yes/no	
	ied_csa	CSA code		9	
	ied_ctry_desdisp	Country of Dest/Disp	CDD	x(3)	
	ied_ctry_origin	Country of Origin	CO	x(3)	
	ied_decl_region	Declaration Region		x(3)	
◊	ied_domain	Domain		x(8)	
	ied_intrastat	Intrastat Item	Intrastat	yes/no	
	ied_item_spec	Item Specification		x(2)	
	ied_line	Order Line	Line	>>9	
	ied_mode_transp	Mode of Transport	T	x(1)	
	ied_mod_date	Modified Date	Mod Date	99/99/99	
	ied_nat_trans	Nature of Transaction	NT	x(2)	
	ied_nbr	Order Number	Order	x(8)	
	ied_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
	ied_port_transh	Port of Transshipment	PT	x(8)	
	ied_preference	Preference		999	
	ied_region	Region of Origin/Dest	ROD	x(3)	
	ied_req_nbr	Requisition Number		x(8)	
	ied_shipvia	Ship Via		x(20)	
	ied_stat_proc	Statistical Procedure	SP	x(8)	
	ied_terms_deliv	Terms of Delivery	TD	x(4)	
	ied_trnbr	Trans		>>>>>>>>	
	ied_type	Order Type	Type	x(2)	

	Field Name	Label	Col-Label	Format	Dec
	ied_user1	Ufld1		x(8)	
	ied_user2	Ufld2		x(8)	
	ied_userid	User ID		x(8)	
	ied__chr01			x(8)	
	ied__chr02			x(8)	
	ied__chr03			x(8)	
	ied__chr04			x(8)	
	ied__chr05			x(8)	
	ied__dec01			->>>,>>>,>>9.99<	10
	ied__dec02			->>>,>>>,>>9.99<	10
	ied__dec03			->>>,>>>,>>9.99<	10
	ied__dec04			->>>,>>>,>>9.99<	10
	ied__dec05			->>>,>>>,>>9.99<	10
	ied__dte01			99/99/99	
	ied__dte02			99/99/99	
	ied__dte03			99/99/99	
	ied__dte04			99/99/99	
	ied__dte05			99/99/99	
	ied__log01			yes/no	
	ied__log02			yes/no	
	ied__log03			yes/no	
	ied__log04			yes/no	
	ied__log05			yes/no	
	ied__log06			yes/no	
	ied__qadc01			x(8)	
	ied__qadc02			x(8)	
	ied__qadc03			x(8)	
	ied__qadc04			x(8)	
	ied__qadc05			x(8)	
	ied__qadd01			->>>,>>>,>>9.99<	10
	ied__qadd02			->>>,>>>,>>9.99<	10
	ied__qadd03			->>>,>>>,>>9.99<	10
	ied__qadd04			->>>,>>>,>>9.99<	10
	ied__qadd05			->>>,>>>,>>9.99<	10
	ied__qadl01			yes/no	
	ied__qadl02			yes/no	
	ied__qadl03			yes/no	
	ied__qadl04			yes/no	
	ied__qadl05			yes/no	
	ied__qadt01			99/99/99	
	ied__qadt02			99/99/99	
	ied__qadt03			99/99/99	
◊	oid_ied_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
∆*	ied_nbr	yes	ied_domain	yes	no
			ied_type	yes	no
			ied_nbr	yes	no
			ied_line	yes	no
◊	oid_ied_det	yes	oid_ied_det	yes	no

ieh_hist Import/Export History

	Field Name	Label	Col-Label	Format	Dec
	ieh_addr	Address		x(8)	
	ieh_affiliation	Affiliation		x(1)	
	ieh_agent	Agent		x(8)	
	ieh_agent_id	Agent Branch ID		x(3)	
	ieh_authority	Authority	Auth	x(8)	
	ieh_com_code	Commodity Code	Com Code	x(20)	
	ieh_container	Container		yes/no	
	ieh_correction	Correction		yes/no	
	ieh_csa	CSA Code		9	
	ieh_ctry_desdisp	Country of Dest/Disp	CDD	x(3)	
	ieh_ctry_origin	Country of Origin	CO	x(3)	
	ieh_declarant	Declarant		x(8)	
	ieh_declarant_id	Declarant Branch ID		x(3)	
	ieh_declaration_id	Declaration ID		>>>>>>>>	
	ieh_decl_cur	Declaration Currency	Cur	x(3)	
	ieh_decl_date	Submit Date		99/99/99	
	ieh_decl_inv_amt	Reported Invoice Value		->>>,>>>,>>9.99<	10
	ieh_decl_period	Period		x(2)	
	ieh_decl_region	Declaration Region		x(3)	
	ieh_decl_statval	Reported Statistical Value		->>>,>>>,>>9.99<	10
	ieh_decl_year	Year		x(4)	
◊	ieh_domain	Domain		x(8)	
	ieh_effdate	Effective	Eff Date	99/99/99	
	ieh_flow	Flow Indicator	Flow	x(2)	
	ieh_inv_amt_cur	Invoice Value Foreign		->>>,>>>,>>9.99<	10
	ieh_inv_amt_gl	Invoice Value		->>>,>>>,>>9.99<	10
	ieh_inv_cur	Invoice Currency	Inv! Cur	x(3)	
	ieh_inv_date	Invoice Date	Inv! Date	99/99/99	
	ieh_item_spec	Item Specification		x(2)	
	ieh_line	Order Line	Line	>>9	
	ieh_mode_transp	Mode of Transport	T	x(1)	
	ieh_mod_date	Modified Date	Mod Date	99/99/99	
	ieh_nat_trans	Nature of Transaction	NT	x(2)	
	ieh_nbr	Order Number	Order	x(8)	
	ieh_net_wt	Net Weight		->>>,>>>,>>9.99<	10
	ieh_net_wt_um	UM		x(2)	
	ieh_orig_doc	Original Document		x(8)	
	ieh_orig_month	Original Month		99	
	ieh_orig_year	Original Year		9999	
	ieh_part	Item Number		x(18)	
	ieh_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
	ieh_port_transh	Port of Transshipment	PT	x(8)	
	ieh_preference	Preference		999	
	ieh_program	Program		x(12)	
	ieh_pst_id	Tax ID - State		x(18)	
	ieh_qty	Quantity		->>>,>>>,>>9.99<	10
	ieh_qty_um	UM		x(2)	
	ieh_ref	Reference		x(8)	
	ieh_ref_date	Reference Date	Ref! Date	99/99/99	
	ieh_region	Region of Origin/Dest	ROD	x(3)	
	ieh_reported	Reported		yes/no	
	ieh_req_nbr	Requisition Number		x(8)	
	ieh_shipvia	Ship Via		x(20)	
	ieh_site	Site		x(8)	
	ieh_stat_proc	Statistical Procedure	SP	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ieh_stat_val	Statistical Value - Base		->>>,>>>,>>9.99<	10
	ieh_suppl_um	UM		x(2)	
	ieh_suppl_units	Suppl Units		->>>,>>>,>>9.99<	10
	ieh_terms_deliv	Terms of Delivery	TD	x(4)	
	ieh_trans_id	Trans id		>>>>>>>>	
	ieh_trnbr	Trans		>>>>>>>>	
	ieh_type	Order Type	Type	x(2)	
	ieh_user1	Ufld1		x(8)	
	ieh_user2	Ufld2		x(8)	
	ieh_userid	User ID		x(8)	
	ieh_voucher	Voucher		x(8)	
	ieh__chr01			x(8)	
	ieh__chr02			x(8)	
	ieh__chr03			x(8)	
	ieh__chr04			x(8)	
	ieh__chr05			x(8)	
	ieh__dec01			->>>,>>>,>>9.99<	10
	ieh__dec02			->>>,>>>,>>9.99<	10
	ieh__dec03			->>>,>>>,>>9.99<	10
	ieh__dec04			->>>,>>>,>>9.99<	10
	ieh__dec05			->>>,>>>,>>9.99<	10
	ieh__dte01			99/99/99	
	ieh__dte02			99/99/99	
	ieh__dte03			99/99/99	
	ieh__dte04			99/99/99	
	ieh__dte05			99/99/99	
	ieh__qadc04			x(8)	
	ieh__qadc05			x(8)	
	ieh__qadc06			x(8)	
	ieh__qadc07			x(8)	
	ieh__qadc08			x(8)	
	ieh__qadc09			x(8)	
	ieh__qadc10			x(8)	
	ieh__qadd01			->>>,>>>,>>9.99<	10
	ieh__qadd02			->>>,>>>,>>9.99<	10
	ieh__qadd03			->>>,>>>,>>9.99<	10
	ieh__qadd04			->>>,>>>,>>9.99<	10
	ieh__qadd05			->>>,>>>,>>9.99<	10
	ieh__qadd06			->>>,>>>,>>9.99<	10
	ieh__qadi01			>>>>>>>>	
	ieh__qadl01			yes/no	
	ieh__qadl02			yes/no	
	ieh__qadt01			99/99/99	
	ieh__qadt02			99/99/99	
◊	oid_ieh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ieh_declaration_id	no	ieh_domain	yes	no
			ieh_authority	yes	no
			ieh_declaration_id	yes	no
Δ	ieh_nbr	yes	ieh_domain	yes	no
			ieh_authority	yes	no
			ieh_type	yes	no
			ieh_nbr	yes	no
			ieh_line	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ieh_ref	yes	no
			ieh_trans_id	yes	no
Δ	ieh_ref	yes	ieh_domain	yes	no
			ieh_authority	yes	no
			ieh_type	yes	no
			ieh_ref	yes	no
			ieh_trans_id	yes	no
Δ	ieh_reported	no	ieh_domain	yes	no
			ieh_authority	yes	no
			ieh_reported	yes	no
Δ*	ieh_trans	yes	ieh_domain	yes	no
			ieh_trans_id	yes	no
Δ	ieh_voucher	yes	ieh_domain	yes	no
			ieh_authority	yes	no
			ieh_voucher	yes	no
			ieh_trans_id	yes	no
◊	oid_ieh_hist	yes	oid_ieh_hist	yes	no

ie_mstr

Import/Export Master

	Field Name	Label	Col-Label	Format	Dec
	ie_affiliation	Affiliation		x(1)	
	ie_correction	Correction		yes/no	
	ie_ctry_desdisp	Country of Dest/Disp	CDD	x(3)	
◊	ie_domain	Domain		x(8)	
	ie_incl_memo	Include Memo Items		yes/no	
	ie_mode_transp	Mode of Transport	T	x(1)	
	ie_mod_date	Modified Date	Mod Date	99/99/99	
	ie_nat_trans	Nature of Transaction	NT	x(2)	
	ie_nbr	Order		x(8)	
	ie_orig_doc	Original Document		x(8)	
	ie_orig_month	Original Month		99	
	ie_orig_year	Original Year		9999	
	ie_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
	ie_port_transh	Port of Transshipment	PT	x(8)	
	ie_region	Region Of Origin/Dest	ROD	x(3)	
	ie_stat_proc	Statistical Procedure	SP	x(8)	
	ie_terms_deliv	Terms of Delivery	TD	x(4)	
	ie_type	Order Type	Type	x(2)	
	ie_user1	Ufld1		x(8)	
	ie_user2	Ufld2		x(8)	
	ie_userid	User ID		x(8)	
	ie__chr01			x(8)	
	ie__chr02			x(8)	
	ie__chr03			x(8)	
	ie__chr04			x(8)	
	ie__chr05			x(8)	
	ie__log01			yes/no	
	ie__log02			yes/no	
	ie__qadc01			x(8)	
	ie__qadc02			x(8)	
	ie__qadc03			x(8)	
	ie__qadc04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ie__qadc05			x(8)	
	ie__qadl01			yes/no	
	ie__qadl02			yes/no	
◊	oid_ie_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ie_nbr	yes	ie_domain	yes	no
			ie_type	yes	no
			ie_nbr	yes	no
◊	oid_ie_mstr	yes	oid_ie_mstr	yes	no

ifs_mstr

Interface Session Master

	Field Name	Label	Col-Label	Format	Dec
	ifs_app_id	Application ID		x(12)	
	ifs_doc_err_cnt	Document Error Count		>>>>>>>9	
	ifs_doc_tot_cnt	Total Document Count		>>>>>>>9	
◊	ifs_domain	Domain		x(8)	
	ifs_filename	Filename		x(65)	
	ifs_grp_id	Group ID		>>>>>>>9	
	ifs_lst_doc_proc	Last Document Processed		>>>>>>>9	
	ifs_mod_date	Modified Date	Mod Date	99/99/99	
	ifs_sess_hndl	Session Handle		x(16)	
	ifs_sess_id	Session ID		>>>>>>>9	
	ifs_sess_stat	Session Status		x(1)	
	ifs_sess_typ	Session Type		x(1)	
	ifs_start_date	Start Date		99/99/9999	
	ifs_start_time	Start Time		x(8)	
	ifs_start_userid	Starting User		x(8)	
	ifs_unit_wrk_typ	Unit of Work Type		x(1)	
	ifs_user1	Ufld1		x(8)	
	ifs_user2	Ufld2		x(8)	
	ifs_userid	User ID		x(8)	
	ifs__dec01			->>>,>>>,>>9.99<	10
	ifs__dec02			->>>,>>>,>>9.99<	10
	ifs__dte01			99/99/99	
	ifs__dte02			99/99/99	
	ifs__int01			->>>,>>>,>>9	
	ifs__int02			->>>,>>>,>>9	
	ifs__log01			yes/no	
	ifs__log02			yes/no	
	ifs__qadc01			x(8)	
	ifs__qadc02			x(8)	
	ifs__qadc03			x(8)	
	ifs__qadc04			x(8)	
	ifs__qadd01			->>>,>>>,>>9.99<	10
	ifs__qadd02			->>>,>>>,>>9.99<	10
	ifs__qadi01			->>>,>>>,>>9	
	ifs__qadi02			->>>,>>>,>>9	
	ifs__qadi03			>>>>>>>9	
	ifs__qadi04			>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	ifs__qadl01			yes/no	
	ifs__qadl02			yes/no	
	ifs__qadt01			99/99/99	
	ifs__qadt02			99/99/99	
◊	oid_ifs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ifs_mstr	yes	oid_ifs_mstr	yes	no
Δ*	SessionID	yes	ifs_sess_id	yes	no
			ifs_app_id	yes	no
			ifs_domain	yes	no

ihcc_hist

Invoice History Credit Card Master

	Field Name	Label	Col-Label	Format	Dec
	ihcc_auth_amt	Authorization Amount	Auth Amt	->>>>,>>>,>>9.99<	10
	ihcc_auth_date	Authorization Date	Auth Date	99/99/99	
	ihcc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
	ihcc_auth_nbr	Authorization Number		x(20)	
	ihcc_billing_addr1	Address		x(28)	
	ihcc_billing_addr2	Address		x(28)	
	ihcc_billing_addr3	Address		x(28)	
	ihcc_billing_city	City		x(20)	
	ihcc_billing_country	Country		x(28)	
	ihcc_billing_ctry	Country Code	Ctry	x(3)	
	ihcc_billing_name	Name		x(28)	
	ihcc_billing_state	State		x(4)	
	ihcc_billing_zip	Post		x(10)	
	ihcc_card_type	Card Type		x(8)	
	ihcc_cc_expire_date	Expire Date	Expire	99/99/99	
	ihcc_cc_nbr	Credit Card Number		x(24)	
	ihcc_cc_nbr_tail	End Digits	Ending	x(4)	
◊	ihcc_domain	Domain		x(8)	
	ihcc_inv_nbr	Invoice Number	Invoice	x(8)	
	ihcc_mod_date	Modified Date	Mod Date	99/99/99	
	ihcc_mod_userid	User ID		x(8)	
	ihcc_nbr	Sales Order	Order	x(8)	
	ihcc_user1	User Field 1		x(24)	
	ihcc_user2	User Field 2		x(24)	
	ihcc__qadc01			x(8)	
	ihcc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	ihcc__qadi01			>>>>>>9	
	ihcc__qadl01			yes/no	
	ihcc__qadt01			99/99/99	
◊	oid_ihcc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ihcc_inv_nbr	yes	ihcc_domain	yes	no
			ihcc_inv_nbr	yes	no
			ihcc_cc_nbr	yes	no
Δ	ihcc_nbr	no	ihcc_domain	yes	no
			ihcc_nbr	yes	no
			ihcc_cc_nbr	yes	no
◊	oid_ihcc_hist	yes	oid_ihcc_hist	yes	no

ihr_hist

Invoice History Relationship Master

	Field Name	Label	Col-Label	Format	Dec
	ihr_div	Division		x(8)	
◊	ihr_domain	Domain		x(8)	
	ihr_group	Group		x(8)	
	ihr_inv_nbr	Invoice		x(8)	
	ihr_nbr	Sales Order		x(8)	
	ihr_pricing	Pricing		>9	
	ihr_seq	Sequence		>>9	
	ihr_type	Type		>>>9	
	ihr_user1	Ufld1		x(8)	
	ihr_user2	Ufld2		x(8)	
	ihr__qadc01			x(8)	
	ihr__qadc02			x(8)	
	ihr__qadc03			x(8)	
	ihr__qadd01			->>>>,>>>,>>9.9	10
	ihr__qadd02			->>>>,>>>,>>9.9	10
	ihr__qadi01			->,>>>,>>9	
	ihr__qadi02			->,>>>,>>9	
	ihr__qadl01			yes/no	
	ihr__qadl02			yes/no	
	ihr__qadt01			99/99/99	
	ihr__qadt02			99/99/99	
◊	oid_ihr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ihr_inv_seq	yes	ihr_domain	yes	no
			ihr_inv_nbr	yes	no
			ihr_nbr	yes	no
			ihr_seq	yes	no
Δ	ihr_type	no	ihr_domain	yes	no
			ihr_type	yes	no
◊	oid_ihr_hist	yes	oid_ihr_hist	yes	no

ih_hist

Invoice History Master

	Field Name	Label	Col-Label	Format	Dec
	ih_ar_acct	AR Account	AR	x(8)	
	ih_ar_cc	Cost Ctr	CC	x(4)	
	ih_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
	ih_bank	Bank		x(2)	
	ih_bill	Bill-To		x(8)	
	ih_bol	BOL		x(18)	
	ih_cartons	Cartons		->,>>>,>>9	
	ih_ca_nbr	Call		X(8)	
	ih_channel	Channel		x(8)	
	ih_cmtindx	Comment Index	Comment	>>>>>>>9	
	ih_cncl_date	Cancel Date		99/99/99	
	ih_comm_pct[4]	Commission	Comm%	>>9.99%	10
	ih_conf_date	Confirmed Date	Confirmed	99/99/99	
	ih_conrep	Netting Logic		X(1)	
	ih_credit	Credit	Cr	yes/no	
	ih_crprlist	Credit Price List		X(8)	
	ih_cr_card	Credit Card	Card	x(2)	
	ih_cr_init	Cr Initials	Initials	x(2)	
	ih_cr_terms	Credit Terms	Terms	x(8)	
	ih_curr	Currency	Cur	x(3)	
	ih_cust	Customer		x(8)	
	ih_custref_val	Customer Ref Is Customer Item		yes/no	
	ih_cust_po	End Customer PO	End Cust PO	x(22)	
	ih_disc_pct	Disc %		->9.99%	10
	ih_div	Division		x(8)	
◊	ih_domain	Domain		x(8)	
	ih_due_date	Due Date	Due	99/99/99	
	ih_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	ih_export_batch	Batch		>>>>>>>>9	
	ih_export_date	Export Date		99/99/99	
	ih_export_time	Export Time		>>>>>>>9	
	ih_exru_seq	Sequence		>>>>>>>>9	
	ih_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	ih_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	ih_ex_ratetype	Rate Type		x(8)	
	ih_fcg_code	Charge Code		X(8)	
	ih_fix_pr	Fixed Price		yes/no	
	ih_fix_rate	Fixed Rate	Fixed	yes/no	
	ih_fob	FOB Point		x(20)	
	ih_fr_list	Freight List	Frt List	x(8)	
	ih_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
	ih_fr_terms	Freight Terms	Fr Terms	x(8)	
	ih_fsm_type	FSM Type		x(8)	
	ih_fst_id	FST ID		x(18)	
	ih_invoiced	Invoiced		yes/no	
	ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
	ih_inv_date	Invoice Date	Inv Date	99/99/99	
	ih_inv_mthd	Invoices Via		x(1)	
	ih_inv_nbr	Invoice		x(8)	
	ih_lang	Language		x(2)	
	ih_mod_date	Modified Date	Mod Date	99/99/99	
	ih_nbr	Sales Order	Order	x(8)	
	ih_ord_date	Order Date	Ord Date	99/99/99	
	ih_partial	Partial OK	Partial	yes/no	

Field Name	Label	Col-Label	Format	Dec
ih_po	Purchase Order		x(22)	
ih_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
ih_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
ih_priced_dt	Last Price Dt	Last Pri	99/99/99	
ih_pricing_dt	Pricing Date	Price Dt	99/99/99	
ih_primary	Primary SO	Pr SO	yes/no	
ih_print_bl	Print Bill of Lading	Print BOL	yes/no	
ih_print_pl	Print Pack List	Print Pack	yes/no	
ih_print_so	Print Sales Order	Print SO	yes/no	
ih_project	Project		x(8)	
ih_pr_list	Price List	List	x(8)	
ih_pr_list2	List Price List	List	x(8)	
ih_pst	PST		yes/no	
ih_pst_id	PST ID		x(18)	
ih_pst_pct	PST Pct		->9.99<%	10
ih_quote	Quote		x(8)	
ih_req_date	Required Date	Required	99/99/99	
ih_rev	Revision	Rev	>>9	
ih_rmks	Remarks		x(40)	
ih_rstk_pct	Restocking Charge	Restock	->>9.99%	10
ih_sa_nbr	Contract		x(8)	
ih_sched	Scheduled		yes/no	
ih_sch_mthd	Schedules Via		X(1)	
ih_secondary	Secondary EMT Order	Sec EMT	yes/no	
ih_ship	Ship-To		x(8)	
ih_shipvia	Ship Via		x(20)	
ih_ship_date	Ship Date		99/99/99	
ih_ship_eng	Ship-To Engineer		yes/no	
ih_ship_po	Ship To PO		x(22)	
ih_site	Site		x(8)	
ih_size	Size		->,>>>,>>9.9<<<<<<<<	10
ih_size_um	Size UM	UM	x(2)	
ih_slspsn[4]	Salesperson	Salespsn	x(8)	
ih_source	Order Source	Source	x(8)	
ih_stat	Action Status	St	x(2)	
ih_taxable	Taxable	Tax	yes/no	
ih_taxc	Tax Class	TxC	x(3)	
ih_tax_date	Tax Date		99/99/99	
ih_tax_env	Tax Environment	Tax Env	x(16)	
ih_tax_pct[3]	Tax		->9.99<%	10
ih_tax_usage	Tax Usage	TaxUsage	x(8)	
ih_to_inv	Ready to Invoice	Invoice	yes/no	
ih_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
ih_trl1_cd	Trailer 1	Trl1	x(2)	
ih_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
ih_trl2_cd	Trailer 2	Trl2	x(2)	
ih_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
ih_trl3_cd	Trailer 3	Trl3	x(2)	
ih_type	Type		x(8)	
ih_user1	Ufld1		x(8)	
ih_user2	Ufld2		x(8)	
ih_userid	User ID		x(8)	
ih_weight	Weight		->>>,>>>,>>9.9999	10
ih_weight_um	Weight UM	UM	x(2)	
ih_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
ih_xslspsn[2]	Salesperson	Salespsn	x(8)	
ih__chr01			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ih__chr02			x(8)	
	ih__chr03			x(8)	
	ih__chr04			x(8)	
	ih__chr05			x(8)	
	ih__chr06			x(8)	
	ih__chr07			x(8)	
	ih__chr08			x(8)	
	ih__chr09			x(8)	
	ih__chr10			x(8)	
	ih__dec01			>>>,>>>,>>9.99	10
	ih__dec02			>>>,>>>,>>9.99	10
	ih__dte01			99/99/99	
	ih__dte02			99/99/99	
	ih__log01			yes/no	
	ih__qad01			-z,zzz,zzz,zz9.99	10
	ih__qad02			-z,zzz,zzz,zz9.99	10
	ih__qad03			-z,zzz,zzz,zz9.99	10
	ih__qad04			>	
	ih__qad05[2]			>>9.9<<	10
	ih__qadc01	QAD Field		X(8)	0
	ih__qadc02	QAD Field		X(8)	0
	ih__qadc03	QAD Field		X(8)	0
	ih__qadc04	QAD Field		X(8)	0
	ih__qadc05	QAD Field		X(8)	0
	ih__qadd01	QAD Field		->>>>,>>>,>>9.99	10
	ih__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	ih__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
	ih__qadi01	QAD Field		->,>>>,>>9	
	ih__qadi02	QAD Field		->,>>>,>>9	
	ih__qadi03	QAD Field		->,>>>,>>9	
	ih__qadl01	QAD Field		yes/no	
	ih__qadl02	QAD Field		yes/no	
	ih__qadl03	QAD Field		yes/no	
	ih__qadt01	QAD Field		99/99/99	
	ih__qadt02	QAD Field		99/99/99	
	ih__qadt03	QAD Field		99/99/99	
◊	oid_ih_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ih_cust	no	ih_domain	yes	no
			ih_cust	yes	no
			ih_inv_date	yes	no
Δ	ih_export_batch	no	ih_domain	yes	no
			ih_export_batch	yes	no
Δ	ih_inv_date	no	ih_domain	yes	no
			ih_inv_date	yes	no
			ih_inv_nbr	yes	no
Δ*	ih_inv_nbr	yes	ih_domain	yes	no
			ih_inv_nbr	yes	no
			ih_nbr	yes	no
Δ	ih_nbr	no	ih_domain	yes	no
			ih_nbr	yes	no
			ih_inv_date	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ih_po	no	ih_domain	yes	no
			ih_po	yes	no
			ih_cust	yes	no
◊	oid_ih_hist	yes	oid_ih_hist	yes	no

ild_det

Item Location Detail

	Field Name	Label	Col-Label	Format	Dec
◊	ild_domain	Domain		x(8)	
	ild_loc	Location		x(8)	
	ild_mod_date	Modified Date	Mod Date	99/99/99	
	ild_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
	ild_part	Item Number		x(18)	
	ild_rop	Reorder Point	ROP	>>>,>>>,>>9	0
	ild_sfty_stk	Safety Stock	Safety Stk	>>>,>>>,>>9	0
	ild_site	Site		x(8)	
	ild_source_loc	Source Location	Source Loc	x(8)	
	ild_user1	Ufld1		x(8)	
	ild_user2	Ufld2		x(8)	
	ild_userid	User ID		x(8)	
	ild__qadc01			x(8)	
◊	oid_ild_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ild_part	yes	ild_domain	yes	no
			ild_part	yes	no
			ild_site	yes	no
			ild_loc	yes	no
◊	oid_ild_det	yes	oid_ild_det	yes	no

ilg_hist

Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_access_code	Access Code		x(60)	
ilg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>,>>>,>>9	
ilg_ctrl_tot_2	Control Total 2		->>>,>>>,>>9.99<<<	10
ilg_ctrl_tot_3	Control Total 3		->>>,>>>,>>9.99<<<	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	

	Field Name	Label	Col-Label	Format	Dec
	ilg_date_proc	Date Processed		99/99/9999	
	ilg_date_rcvd	Date Received		99/99/9999	
	ilg_dest_app_id	Destination Application ID		x(12)	
	ilg_dest_app_ver	Destination Application Version		x(8)	
	ilg_dest_doc_rev	Destination Document Revision		x(8)	
	ilg_dest_doc_std	Destination Document Standard		x(8)	
	ilg_dest_doc_typ	Destination Document Type		x(21)	
	ilg_dest_mthd	Destination Method		x(24)	
	ilg_dest_proc	Destination Procedure		x(24)	
	ilg_doc_id	Document ID		>>>>>>>9	
	ilg_doc_lng	Document Language		x(3)	
	ilg_doc_rev	Document Revision		x(8)	
	ilg_doc_std	Document Standard		x(8)	
	ilg_doc_sufx	Document Suffix		>>	
	ilg_doc_typ	Document Type		x(21)	
◊	ilg_domain	Domain		x(8)	
	ilg_email_notlvl	E-mail Notification Level		x(1)	
	ilg_email_userid	E-mail Recipient User ID		x(8)	
	ilg_err_stat	Error Status		x(1)	
	ilg_ext_doc_key	External Document Key		x(40)	
	ilg_grp_id	Group ID		>>>>>>>9	
	ilg_grp_seq	Sequence		>,>>>,>>9	
	ilg_mapper_proc	Data Mapper Procedure		x(24)	
	ilg_map_doc_now	Map Document Now		yes/no	
	ilg_map_log_file	Mapper Error Log File		x(60)	
	ilg_map_spec	Map Specification		x(12)	
	ilg_mfgpro_key	MFG/PRO Key		X(18)	
	ilg_mfgpro_site	MFG/PRO Site		X(8)	
	ilg_mod_date	Modified Date	Mod Date	99/99/99	
	ilg_mod_userid	User ID		x(8)	
	ilg_num_form	Numeric Format		X(8)	
	ilg_orig_doc_id	Original Document ID		>>>>>>>9	
	ilg_prcg_stage	Processing Stage		x(1)	
	ilg_process_typ	Process Type		x(8)	
	ilg_sess_id	Session ID		>>>>>>>9	
	ilg_src_comp	Source Component		x(10)	
	ilg_src_proc	Source Procedure		x(24)	
	ilg_src_task	Source Task		x(10)	
	ilg_src_userid	Source User ID		x(16)	
	ilg_timezone	Creation Timezone		X(5)	
	ilg_time_ack	Time Acknowledged		x(8)	
	ilg_time_create	Time Created		X(8)	
	ilg_time_map	Time Mapped		x(8)	
	ilg_time_proc	Time Processed		x(8)	
	ilg_time_rcvd	Time Received		x(8)	
	ilg_tradptr_id	Trading Partner ID		x(32)	
	ilg_unit_wrk_typ	Unit of Work Type		x(1)	
	ilg_user1	Ufld1		x(8)	
	ilg_user2	Ufld2		x(8)	
	ilg_use_im_queue	Use Import Queue		yes/no	
	ilg__dec01			->>>,>>>,>>9.99<	10
	ilg__dec02			->>>,>>>,>>9.99<	10
	ilg__dte01			99/99/99	
	ilg__dte02			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	ilg__int01			->>>,>>>,>>9	
	ilg__int02			->>>,>>>,>>9	
	ilg__log01			yes/no	
	ilg__log02			yes/no	
	ilg__qadc01			x(8)	
	ilg__qadc02			x(8)	
	ilg__qadc03			x(8)	
	ilg__qadc04			x(8)	
	ilg__qadd01			->>>,>>>,>>9.99<	10
	ilg__qadd02			->>>,>>>,>>9.99<	10
	ilg__qadi01			->>>,>>>,>>9	
	ilg__qadi02			->>>,>>>,>>9	
	ilg__qadl01			yes/no	
	ilg__qadl02			yes/no	
	ilg__qadt01			99/99/99	
	ilg__qadt02			99/99/99	
◊	oid_ilg_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	AppId	no	ilg_domain	yes	no
			ilg_app_id	yes	no
			ilg_prcg_stage	yes	no
◊*	DocIDSufx	yes	ilg_doc_id	yes	no
			ilg_doc_sufx	yes	no
			ilg_domain	yes	no
◊	ExtDocKey	no	ilg_domain	yes	no
			ilg_ext_doc_key	yes	no
◊	GroupID	no	ilg_grp_id	yes	no
			ilg_domain	yes	no
◊	ilg_date_time_proc	no	ilg_date_proc	yes	no
			ilg_time_proc	yes	no
			ilg_domain	yes	no
◊	ilg_date_time_rcvd	no	ilg_date_rcvd	yes	no
			ilg_time_rcvd	yes	no
			ilg_domain	yes	no
◊	ilg_orig_doc_id	no	ilg_orig_doc_id	yes	no
			ilg_domain	yes	no
◊	ilg_sender_id	no	ilg_app_id	yes	no
			ilg_tradptr_id	yes	no
			ilg_domain	yes	no
◊	MfgProKey	no	ilg_domain	yes	no
			ilg_mfgpro_key	yes	no
◊	oid_ilg_hist	yes	oid_ilg_hist	yes	no
◊	Site	no	ilg_domain	yes	no
			ilg_mfgpro_site	yes	no

imap_det

Import Document Map Detail

	Field Name	Label	Col-Label	Format	Dec
	imap_data	Mapped Import Document Data		x(255)	
	imap_doc_id	Document ID		>>>>>>>9	
	imap_doc_line	Document Line Number		>>9	
	imap_doc_sufx	Document Suffix		>>	
◊	imap_domain	Domain		x(8)	
	imap_line_cont	Line Continued		yes/no	
	imap_mod_date	Modified Date	Mod Date	99/99/99	
	imap_mod_userid	User ID		x(8)	
	imap_user1	Ufld1		x(8)	
	imap_user2	Ufld2		x(8)	
	imap__dec01			->>>,>>>,>>9.99<	10
	imap__dec02			->>>,>>>,>>9.99<	10
	imap__dte01			99/99/99	
	imap__dte02			99/99/99	
	imap__int01			->>>,>>>,>>9	
	imap__int02			->>>,>>>,>>9	
	imap__log01			yes/no	
	imap__log02			yes/no	
	imap__qadc01			x(8)	
	imap__qadc02			x(8)	
	imap__qadc03			x(8)	
	imap__qadc04			x(8)	
	imap__qadd01			->>>,>>>,>>9.99<	10
	imap__qadd02			->>>,>>>,>>9.99<	10
	imap__qadi01			->>>,>>>,>>9	
	imap__qadi02			->>>,>>>,>>9	
	imap__qadl01			yes/no	
	imap__qadl02			yes/no	
	imap__qadt01			99/99/99	
	imap__qadt02			99/99/99	
◊	oid_imap_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	MappedImport	yes	imap_doc_id	yes	no
			imap_doc_sufx	yes	no
			imap_doc_line	yes	no
			imap_domain	yes	no
◊	oid_imap_det	yes	oid_imap_det	yes	no

img_msg

Import Document Message

	Field Name	Label	Col-Label	Format	Dec
	img_app_id	Application ID		x(12)	
	img_doc_id	Document ID		>>>>>>>9	
	img_doc_sufx	Document Suffix		>>	
◊	img_domain	Domain		x(8)	
	img_email_sent	Email Message Sent		yes/no	
	img_mod_date	Modified Date	Mod Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	img_mod_userid	User ID		x(8)	
	img_prcg_stage	Processing Stage		x(1)	
	img_return_code	Return Code		x(8)	
	img_return_txt	Message Text		x(160)	
	img_sev_lvl	Severity Level		x(1)	
	img_user1	Ufld1		x(8)	
	img_user2	Ufld2		x(8)	
	img__dec01			->>>,>>>,>>9.99<	10
	img__dec02			->>>,>>>,>>9.99<	10
	img__dte01			99/99/99	
	img__dte02			99/99/99	
	img__int01			->>>,>>>,>>9	
	img__int02			->>>,>>>,>>9	
	img__log01			yes/no	
	img__log02			yes/no	
	img__qadc01			x(8)	
	img__qadc02			x(8)	
	img__qadc03			x(8)	
	img__qadc04			x(8)	
	img__qadd01			->>>,>>>,>>9.99<	10
	img__qadd02			->>>,>>>,>>9.99<	10
	img__qadi01			->>>,>>>,>>9	
	img__qadi02			->>>,>>>,>>9	
	img__qadl01			yes/no	
	img__qadl02			yes/no	
	img__qadt01			99/99/99	
	img__qadt02			99/99/99	
◊	oid_img_msg			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ImpReturnCode	yes	img_domain	yes	no
			img_doc_id	yes	no
			img_doc_sufx	yes	no
			img_prcg_stage	yes	no
			img_return_code	yes	no
◊	oid_img_msg	yes	oid_img_msg	yes	no

im_mstr

Inventory Movement Code Master

	Field Name	Label	Col-Label	Format	Dec
	im_desc	Description		x(30)	
◊	im_domain	Domain		x(8)	
	im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	im_tr_type	Transaction Type	Tr Type	x(8)	
	im_unplanned_acct	Unplanned Account	Account	x(8)	
	im_unplanned_cc	Unplanned Cost Center	CC	x(4)	
	im_unplanned_sub	Unplanned Sub Account	Sub Acct	x(8)	
	im_user1	Ufld1		x(8)	
	im_user2	Ufld2		x(8)	
	im__qadc01			x(8)	
◊	oid_im_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	im_inv_mov	yes	im_domain	yes	no
			im_inv_mov	yes	no
◊	oid_im_mstr	yes	oid_im_mstr	yes	no

ind_det

Independent Demand Detail

	Field Name	Label	Col-Label	Format	Dec
	ind_bo_chg	Qty B/O		->>>,>>>,>>9.9<<<<<<<<	10
	ind_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ind_domain	Domain		x(8)	
	ind_loc	Location		x(8)	
	ind_mod_date	Modified Date	Mod Date	99/99/99	
	ind_nbr	Order		x(8)	
	ind_part	Item Number		x(18)	
	ind_project	Project		x(8)	
	ind_qty_all	Qty Allocated		->>>,>>>,>>9.9<<<<<<<<	10
	ind_qty_chg	Qty to Issue		->>>,>>>,>>9.9<<<<<<<<	10
	ind_qty_iss	Qty Issued		->>>,>>>,>>9.9<<<<<<<<	10
	ind_qty_pick	Qty Picked		->>>,>>>,>>9.9<<<<<<<<	10
	ind_qty_req	Qty Required		->>>,>>>,>>9.9<<<<<<<<	10
	ind_remarks	Remarks		x(40)	
	ind_request	Requested By	Req By	x(8)	
	ind_req_date	Date Req		99/99/99	
	ind_serial	Lot/Serial		x(18)	
	ind_site	Site		x(8)	
	ind_type	Type	T	x(1)	
	ind_um	UM		x(2)	
	ind_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
	ind_user1	Ufld1		x(8)	
	ind_user2	Ufld2		x(8)	
	ind_userid	User ID		x(8)	
	ind__chr01			x(8)	
	ind__chr02			x(8)	
	ind__chr03			x(8)	
	ind__chr04			x(8)	
	ind__chr05			x(8)	
	ind__dec01			>>>,>>>,>>9.99	10
	ind__dec02			>>>,>>>,>>9.99	10
	ind__dte01			99/99/99	
	ind__dte02			99/99/99	
	ind__log01			yes/no	
◊	oid_ind_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ind_det	yes	ind_domain	yes	no
			ind_site	yes	no
			ind_nbr	yes	no
			ind_part	yes	no
Δ	ind_nbr	yes	ind_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ind_nbr	yes	no
			ind_site	yes	no
			ind_part	yes	no
Δ	ind_part	yes	ind_domain	yes	no
			ind_part	yes	no
			ind_site	yes	no
			ind_nbr	yes	no
◊	oid_ind_det	yes	oid_ind_det	yes	no

insd_det

Invoice Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
◊	insd_domain	Domain		x(8)	
	insd_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
	insd_mod_date	Modified Date	Mod Date	99/99/99	
	insd_mod_userid	User ID		x(8)	
	insd_pjs_line	Project Line		>>>>>>>9	
	insd_price	Net Price		->>>>,>>>,>>9.99<<<	10
	insd_prj_nbr	Project		x(8)	
	insd_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
	insd_sched_date	Schedule Date		99/99/99	
	insd_sched_nbr	Schedule		x(8)	
	insd_sub_nbr	Subproject		>>>9	
	insd_user1	Ufld1		x(8)	
	insd_user2	Ufld2		x(8)	
	insd__qadc01			x(24)	
	insd__qadd01			->>>>,>>>,>>9.99<<<	10
	insd__qadi01			>>>>>>>9	
	insd__qadl01			yes/no	
	insd__qadt01			99/99/99	
◊	oid_insd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	insd_line	yes	insd_domain	yes	no
			insd_prj_nbr	yes	no
			insd_sub_nbr	yes	no
			insd_sched_nbr	yes	no
			insd_pjs_line	yes	no
Δ	insd_nbrln	no	insd_domain	yes	no
			insd_prj_nbr	yes	no
			insd_pjs_line	yes	no
◊	oid_insd_det	yes	oid_insd_det	yes	no

ins_mstr Invoice Schedule Master

	Field Name	Label	Col-Label	Format	Dec
	ins_ar_acct	AR Account		x(8)	
	ins_ar_cc	AR Cost Center		x(4)	
	ins_ar_sub	AR Sub-Account		x(8)	
	ins_bill_to	Bill-To		x(8)	
	ins_cmtindx	Comment Index		>>>>>>>9	
	ins_cr_terms	Credit Terms		x(8)	
	ins_curr	Currency	Cur	x(3)	
◊	ins_domain	Domain		x(8)	
	ins_fixed	Fixed		yes/no	
	ins_hold	Hold Invoice		yes/no	
	ins_hold_rmks	Hold Remarks		x(40)	
	ins_inv_amt	Invoice Amount		->>>>,>>>,>>9.99<<<	10
	ins_inv_nbr	Invoice		x(8)	
	ins_inv_pct	Invoice Percent		->>9.9<%	10
	ins_inv_type	Invoice Type		x(4)	
	ins_mod_date	Modified Date	Mod Date	99/99/99	
	ins_mod_userid	User ID		x(8)	
	ins_ord_date	Creation Date		99/99/99	
	ins_orig_date	Original Date		99/99/99	
	ins_prepayment	Prepayment		yes/no	
	ins_prj_nbr	Project		x(8)	
	ins_released	Release		yes/no	
	ins_rel_date	Release Date		99/99/99	
	ins_rmks	Remarks		x(40)	
	ins_sched_date	Schedule Date		99/99/99	
	ins_sched_nbr	Schedule		x(8)	
	ins_so_nbr	Pending Invoice		x(8)	
	ins_sub_nbr	Subproject		>>>9	
	ins_user1	Ufld1		x(8)	
	ins_user2	Ufld2		x(8)	
	ins_userid	Entered By		x(8)	
	ins__qadc01			x(24)	
	ins__qadd01			->>>>,>>>,>>9.99<<<	10
	ins__qadi01			>>>>>>>9	
	ins__qadl01			yes/no	
	ins__qadt01			99/99/99	
◊	oid_ins_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ins_schedule	yes	ins_domain	yes	no
			ins_prj_nbr	yes	no
			ins_sub_nbr	yes	no
			ins_sched_nbr	yes	no
Δ	ins_so	no	ins_domain	yes	no
			ins_so_nbr	yes	no
◊	oid_ins_mstr	yes	oid_ins_mstr	yes	no

in_mstr Inventory Master

	Field Name	Label	Col-Label	Format	Dec
	in_abc	ABC Class	ABC	x(1)	
	in_assay	Assay %		>>9.99%	10
	in_avg_date	Last Average	Last Avg	99/99/99	
	in_avg_int	Avg Int	Avg! Int	>>9	
	in_avg_iss	Average Issues	Avg Iss	->,>>>,>>9.9<<<<<<<<	10
	in_avg_sls	Average Sales	Avg Sales	->,>>>,>>9.9<<<<<<<<	10
	in_cnt_date	Last Count	Last Cnt	99/99/99	
	in_cur_set	Current Cost Set	Cur Set	x(8)	
	in_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
	in_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
◊	in_domain	Domain		x(8)	
	in_gl_cost_site	GL Cost Source Site		X(8)	
	in_gl_set	GL Cost Set	GL Set	x(8)	
	in_grade	Grade		x(2)	
	in_iss_chg	Qty Issue Change		->>,>>>,>>9.9<<<<<<<<	10
	in_iss_date	Last Issue	Last Iss	99/99/99	
	in_level	Level		->>>>>9	
	in_loc	Location		x(8)	
	in_loc_type	Location Type	Loc Type	x(8)	
	in_mrp	MRP Required	MRP Req	yes/no	
	in_part	Item Number		x(18)	
	in_proj_use	Projected Use	Proj Usage	->>,>>>,>>9	
	in_qty_all	Qty Allocated		->>,>>>,>>9.9<<<<<<<<	10
	in_qty_avail	Avail Status Qty	Avail Status! Qty On Hand	->>,>>>,>>9.9<<<<<<<<	10
	in_qty_chg	Qty Change		->>,>>>,>>9.9<<<<<<<<	10
	in_qty_nonet	QOH Non-nettable		->>,>>>,>>9.9<<<<<<<<	10
	in_qty_oh	Qty On Hand		->>,>>>,>>9.9<<<<<<<<	10
	in_qty_ord	Qty On Order		->>,>>>,>>9.9<<<<<<<<	10
	in_qty_req	Qty Required		->>,>>>,>>9.9<<<<<<<<	10
	in_rctpo_active	Active	Act	yes/no	
	in_rctpo_status	PO Rcpt Status	Status	x(8)	
	in_rctwo_active	Active	Act	yes/no	
	in_rctwo_status	WO Rcpt Status	Status	x(8)	
	in_rec_date	Last Receipt	Last Rct	99/99/99	
	in_rollup	Rollup Reqd		yes/no	
	in_rollup_id	Rollup ID		x(8)	
	in_rop	Reorder Point	ROP	>>>,>>9	0
	in_sfty_stk	Safety Stk	Safety! Stock	>>>,>>9	0
	in_site	Site		x(8)	
	in_sls_chg	Qty Sales Change		->>,>>>,>>9.9<<<<<<<<	10
	in_supp_consign_qty	Supplier Consignment Qty	Supplier! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
	in_user1	Ufld1		x(8)	
	in_user2	Ufld2		x(8)	
	in_wh	Warehoused Item	WH	yes/no	
	in__qadc01			x(8)	
◊	oid_in_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	in_gl_cost_site	no	in_domain	yes	no
			in_gl_cost_site	yes	no
			in_part	yes	no
Δ	in_level	no	in_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			in_level	yes	no
			in_mrp	yes	no
			in_part	yes	no
			in_site	yes	no
Δ*	in_part	yes	in_domain	yes	no
			in_part	yes	no
			in_site	yes	no
Δ	in_site	yes	in_domain	yes	no
			in_site	yes	no
			in_part	yes	no
◊	oid_in_mstr	yes	oid_in_mstr	yes	no

ipd_det

Item Specification Detail

	Field Name	Label	Col-Label	Format	Dec
	ipd_attribute	Attribute		X(8)	0
	ipd_cmtindx	Comment Index	Comment	>>>>>>>>9	
◊	ipd_domain	Domain		x(8)	
	ipd_end	End Effective	End Eff	99/99/99	
	ipd_include	Include		yes/no	
	ipd_label	Characteristic		x(24)	
	ipd_nbr	Document		x(8)	
	ipd_op	Operation	Op	>>>>9	
	ipd_part	Item Number		x(18)	
	ipd_routing	Routing/Procedure		x(18)	
	ipd_start	Start Effective	Start Eff	99/99/99	
	ipd_test	Number		x(8)	
	ipd_testmthd	Test Method		X(8)	0
	ipd_tol	Specification		x(26)	
	ipd_tol_type	Measure		x(12)	
	ipd_user1	Ufld1		x(8)	
	ipd_user2	Ufld2		x(8)	
	ipd__chr01			x(8)	
	ipd__chr02			x(8)	
	ipd__chr03			x(8)	
	ipd__chr04			x(8)	
	ipd__chr05			x(8)	
	ipd__dec01			>>>,>>>,>>9.99	10
	ipd__dec02			>>>,>>>,>>9.99	10
◊	oid_ipd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ipd_itemtype	yes	ipd_domain	yes	no
			ipd_part	yes	no
			ipd_routing	yes	no
			ipd_op	yes	no
			ipd_test	yes	no
			ipd_start	yes	no
Δ*	ipd_nbr	no	ipd_domain	yes	no
			ipd_nbr	yes	no
◊	oid_ipd_det	yes	oid_ipd_det	yes	no

iph_hist Pricing History

	Field Name	Label	Col-Label	Format	Dec
	iph_accr_acct	Accrual Acct		x(8)	
	iph_accr_cc	Accrual CC	CC	x(8)	
	iph_accr_proj	Accrual Proj		x(8)	
	iph_accr_sub	Accrual Sub	Sub-Acct	x(8)	
	iph_amt	Amount		->>>>,>>>,>>9.99<<<	10
	iph_amt_type	Amt Type		x(8)	
	iph_bonus_line	Triggering Line Number		>>9	
	iph_break_cat	Break Cat		x(18)	
	iph_comb_type	Comb Type		x(24)	
	iph_confg_disc	Config Disc	Config	yes/no	
	iph_cr_terms	Credit Terms	Terms	x(8)	
	iph_disc_acct	Disc Acct		x(8)	
	iph_disc_amt	Disc Amt		->>>>,>>>,>>9.99<<<	10
	iph_disc_cc	Cost Ctr	CC	x(4)	
	iph_disc_proj	Project		x(8)	
	iph_disc_seq	Disc Sequence		>>,>>9.<<<<<	10
	iph_disc_sub	Sub Acct	Sub-Acct	x(8)	
◊	iph_domain	Domain		x(8)	
	iph_feature	Feature		x(12)	
	iph_fr_list	Freight List	Frt List	x(8)	
	iph_fr_terms	Freight Terms		x(8)	
	iph_inv_nbr	Invoice		x(8)	
	iph_line	Line		>>9	
	iph_list	Price List	List	x(8)	
	iph_list_id	List Id		x(8)	
	iph_min_net	Min Net Ord		->>>>,>>>,>>9.99<	10
	iph_mod_date	Modified Date	Mod Date	99/99/99	
	iph_nbr	Order		x(8)	
	iph_option	Item Number		x(18)	
	iph_parent	Parent Item		x(18)	
	iph_pid_qty	Break Qty		->>,>>>,>>9.9<<<<<<<<	10
	iph_pig_code	Price List Group		x(8)	
	iph_print	Print		yes/no	
	iph_promo1	Promotion Code		x(8)	
	iph_promo2	Promotion Type		x(8)	
	iph_promo3	APM Code 3		x(8)	
	iph_promo4	APM Code 4		x(8)	
	iph_qty	Qty		->>,>>>,>>9.9<<<<<<<<	10
	iph_qty_type	Qty Type		x(24)	
	iph_source	Source		x(8)	
	iph_time	Time		>>,>>>,>>9	
	iph_um	UM		x(2)	
	iph_user1	Ufld1		x(8)	
	iph_user2	Ufld2		x(8)	
	iph_userid	User ID		x(8)	
	iph__chr01			x(8)	
	iph__chr02			x(8)	
	iph__chr03			x(8)	
	iph__chr04			x(8)	
	iph__chr05			x(8)	
	iph__chr06			x(8)	
	iph__chr07			x(8)	
	iph__chr08			x(8)	
	iph__chr09			x(8)	
	iph__chr10			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	iph__dec01			>>>,>>>,>>9.99	10
	iph__dec02			>>>,>>>,>>9.99	10
	iph__dte01			99/99/99	
	iph__dte02			99/99/99	
	iph__log01			yes/no	
	iph__qadc01			x(8)	
	iph__qadd01			->>>,>>>,>>9.9<<<	10
◊	oid_iph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	iph_comp	no	iph_domain	yes	no
			iph_inv_nbr	yes	no
			iph_nbr	yes	no
			iph_line	yes	no
			iph_parent	yes	no
			iph_feature	yes	no
			iph_option	yes	no
Δ	iph_list	no	iph_domain	yes	no
			iph_list	yes	no
			iph_nbr	yes	no
			iph_line	yes	no
Δ	iph_list_id	no	iph_domain	yes	no
			iph_list_id	yes	no
Δ*	iph_nbr	yes	iph_domain	yes	no
			iph_inv_nbr	yes	no
			iph_nbr	yes	no
			iph_line	yes	no
			iph_confg_disc	yes	no
			iph_source	yes	no
			iph_list_id	yes	no
			iph_amt_type	yes	no
			iph_parent	yes	no
			iph_feature	yes	no
			iph_option	yes	no
◊	oid_iph_hist	yes	oid_iph_hist	yes	no

ip_mstr

Master Specification Test Results

	Field Name	Label	Col-Label	Format	Dec
◊	ip_domain	Domain		x(8)	
	ip_nbr	Document		x(8)	
	ip_op	Operation	Op	>>>>9	
	ip_part	Item Number		x(18)	
	ip_routing	Routing/Procedure		x(18)	
	ip_user1	Ufld1		x(8)	
	ip_user2	Ufld2		x(8)	
	ip__chr01			x(8)	
	ip__chr02			x(8)	
	ip__chr03			x(8)	
	ip__chr04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ip__chr05			x(8)	
	ip__dec01			>>>,>>>,>>9.99	10
	ip__dec02			>>>,>>>,>>9.99	10
◊	oid_ip_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ip_itemtest	yes	ip_domain	yes	no
			ip_part	yes	no
			ip_routing	yes	no
			ip_op	yes	no
Δ	ip_test	no	ip_domain	yes	no
			ip_nbr	yes	no
◊	oid_ip_mstr	yes	oid_ip_mstr	yes	no

iraw_det

Raw Import Document Detail

	Field Name	Label	Col-Label	Format	Dec
	iraw_data	Raw Import Document Data		x(255)	
	iraw_doc_id	Document ID		>>>>>>>9	
	iraw_doc_line	Document Line Number		>>9	
◊	iraw_domain	Domain		x(8)	
	iraw_line_cont	Line Continued		yes/no	
	iraw_mod_date	Modified Date	Mod Date	99/99/99	
	iraw_mod_userid	User ID		x(8)	
	iraw_user1	Ufld1		x(8)	
	iraw_user2	Ufld2		x(8)	
	iraw__dec01			->>>,>>>,>>9.99<	10
	iraw__dec02			->>>,>>>,>>9.99<	10
	iraw__dte01			99/99/99	
	iraw__dte02			99/99/99	
	iraw__int01			->>>,>>>,>>9	
	iraw__int02			->>>,>>>,>>9	
	iraw__log01			yes/no	
	iraw__log02			yes/no	
	iraw__qadc01			x(8)	
	iraw__qadc02			x(8)	
	iraw__qadc03			x(8)	
	iraw__qadc04			x(8)	
	iraw__qadd01			->>>,>>>,>>9.99<	10
	iraw__qadd02			->>>,>>>,>>9.99<	10
	iraw__qadi01			->>>,>>>,>>9	
	iraw__qadi02			->>>,>>>,>>9	
	iraw__qadl01			yes/no	
	iraw__qadl02			yes/no	
	iraw__qadt01			99/99/99	
	iraw__qadt02			99/99/99	
◊	oid_iraw_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_iraw_det	yes	oid_iraw_det	yes	no
Δ*	RawImport	yes	iraw_doc_id	yes	no
			iraw_doc_line	yes	no
			iraw_domain	yes	no

iro_det

Item Routing Cost Detail

	Field Name	Label	Col-Label	Format	Dec
	iro_bdn_ll	Burden LL		->>>,>>>,>>9.99<<<	10
	iro_bdn_tl	Burden		->>>,>>>,>>9.99<<<	10
	iro_cost_set	Cost Set		x(8)	
	iro_cost_tot	Cost Total		->>>,>>>,>>9.99<<<	10
	iro_date	Updated		99/99/99	
◊	iro_domain	Domain		x(8)	
	iro_lbr_ll	Labor LL		->>>,>>>,>>9.99<<<	10
	iro_lbr_tl	Labor		->>>,>>>,>>9.99<<<	10
	iro_mtl_ll	Material LL		->>>,>>>,>>9.99<<<	10
	iro_mtl_tl	Material		->>>,>>>,>>9.99<<<	10
	iro_nrv	Net Realized Value	NR! Value	>>>>,>>>,>>9.99<<<	10
	iro_op	Operation	Op	>>>>9	
	iro_ovh_ll	Overhead LL		->>>,>>>,>>9.99<<<	10
	iro_ovh_tl	Overhead		->>>,>>>,>>9.99<<<	10
	iro_part	Item Number		x(18)	
	iro_routing	Routing Code		x(18)	
	iro_site	Site		x(8)	
	iro_sub_ll	Subcontract LL		->>>,>>>,>>9.99<<<	10
	iro_sub_tl	Subcontract		->>>,>>>,>>9.99<<<	10
	iro_user1	Ufld1		x(8)	
	iro_user2	Ufld2		x(8)	
	iro_value01	Value 01		->>>,>>>,>>9.99<<<	10
	iro_value02	Value 02		->>>,>>>,>>9.99<<<	10
	iro_value03	Value 03		->>>,>>>,>>9.99<<<	10
	iro_value04	Value 04		->>>,>>>,>>9.99<<<	10
	iro_value05	Value 05		->>>,>>>,>>9.99<<<	10
	iro__qadc01			x(8)	
◊	oid_iro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	iro_det	yes	iro_domain	yes	no
			iro_part	yes	no
			iro_site	yes	no
			iro_cost_set	yes	no
			iro_routing	yes	no
			iro_op	yes	no
◊	oid_iro_det	yes	oid_iro_det	yes	no

isb_mstr

Service/Support Installed Base Item Master

	Field Name	Label	Col-Label	Format	Dec
	isb_article	Article Number		x(18)	
	isb_calibration	Calibration		->,>>>,>>9.9<<<<<<<<	10
	isb_calib_date	Calibration Date		99/99/99	
	isb_cmtindx	Comment Index	Comment	>>>>>>>9	
	isb_comp	Component	Comp	yes/no	
	isb_customer_id	Customer Id		x(18)	
	isb_desc1	Description		x(24)	
	isb_desc2	Description		x(24)	
◊	isb_domain	Domain		x(8)	
	isb_eco	ECO		x(8)	
	isb_eng_code	Engineer		x(8)	
	isb_eud_trnbr	End User ID		>>>>>>>>>9	
	isb_eu_nbr	End User		x(8)	
	isb_ic_ref	Inventory Ref		x(18)	
	isb_ins_date	Install Date	Install	99/99/99	
	isb_inv_nbr	Invoice		x(8)	
	isb_last_pm	Last PM date	Last PM	99/99/99	
	isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
	isb_location	Location		x(24)	
	isb_lst_upd	Last Updated		99/99/99	
	isb_meter_date	Meter Reading Date		99/99/99	
	isb_meter_interval	Meter Reading Interval	Interval	>>>>,>>>,>>9.99<<<	10
	isb_meter_rdg	Latest Meter Reading	Meter	>>>>,>>>,>>9.99<<<	10
	isb_meter_um	Meter Reading Units		X(2)	
	isb_model	Model		x(18)	
	isb_mod_date	Modified Date	Mod Date	99/99/99	
	isb_mod_userid	User ID		X(8)	
	isb_next_pm	Next PM Date	Next PM	99/99/99	
	isb_origin	Country of Origin		x(12)	
	isb_orig_ins	Original Install		99/99/99	
	isb_owner	Ownership		x(8)	
	isb_parent	Parent		yes/no	
	isb_part	Item Number	Item	x(18)	
	isb_plant_maint	Internal Plant Maint		yes/no	
	isb_pm_days	PM days		>>>>>9	
	isb_pm_um	UM		x(2)	
	isb_price_sold	Price Sold		>>>>,>>>,>>9.99<<<	10
	isb_qty	Qty		>,>>>,>>>,>>9.9<<	10
	isb_rebuild	Rebuild ISB		yes/no	
	isb_ref	Ref		>>>>>>>9	
	isb_rev	Rev Level	Rev	x(10)	
	isb_seq	Seq		>>>>>>>9	
	isb_serial	Serial		x(18)	
	isb_ship_date	Ship Date		99/99/99	
	isb_sold_to	Sold to		x(8)	
	isb_so_line	Sales Order Line	SO Line	>>>>9	
	isb_so_nbr	Sales Order	Order	x(8)	
	isb_status	Status		x(8)	
	isb_sys_type	Item Type		x(2)	
	isb_tarrif	Tariff		x(8)	
	isb_updates	Updates		x(8)	
	isb_user1	Ufld1		x(8)	
	isb_user2	Ufld2		x(8)	
	isb_warr_cd	Warranty Code	Warr Cd	x(8)	
	isb_warr_dur	Warranty Duration	War Dur	>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	isb_warr_exp	Warranty Expiration	Warr Exp	99/99/99	
	isb_warr_override	Warranty Override		yes/no	
	isb__chr01			x(8)	
	isb__chr02			x(8)	
	isb__chr03			x(8)	
	isb__chr04			x(8)	
	isb__chr05			x(8)	
	isb__chr06			x(8)	
	isb__chr07			x(8)	
	isb__chr08			x(8)	
	isb__chr09			x(8)	
	isb__chr10			x(8)	
	isb__dec01			->>>,>>>,>>9.99	10
	isb__dec02			->>>,>>>,>>9.99	10
	isb__dec03			->>>,>>>,>>9.99	10
	isb__dte01			99/99/99	
	isb__dte02			99/99/99	
	isb__dte03			99/99/99	
	isb__dte04			99/99/99	
	isb__log01			yes/no	
	isb__log02			yes/no	
	isb__log03			yes/no	
	isb__log04			yes/no	
	isb__log05			yes/no	
	isb__qadc01	QAD Character Field 1		X(8)	
	isb__qadc02	QAD Character Field 2		X(8)	
	isb__qadc03	QAD Character Field 3		X(8)	
	isb__qadc04	QAD Character Field 4		x(8)	0
	isb__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99	10
	isb__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99	10
	isb__qade03	QAD Decimal Field 3		->>>,>>>,>>9.99	10
	isb__qadi01	QAD Integer Field 1		->,>>>,>>9	
	isb__qadi02	QAD Integer Field 2		->,>>>,>>9	
	isb__qadi03	QAD Field		>>>>>9	
	isb__qadi04	QAD Integer Field 4		>>>>9	
	isb__qadl01	QAD Logical Field 1		yes/no	
	isb__qadl02	QAD Logical Field 2		yes/no	
	isb__qadl03	QAD Logical Field 3		yes/no	
	isb__qadt01	QAD Date Field 1		99/99/99	
	isb__qadt02	QAD Date Field 2		99/99/99	
	isb__qadt03	QAD Date Field 3		99/99/99	
◊	oid_isb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	isb_eupartsr	yes	isb_domain	yes	no
			isb_eu_nbr	yes	no
			isb_part	yes	no
			isb_serial	yes	no
			isb_ref	yes	no
Δ	isb_eu_ser	no	isb_domain	yes	no
			isb_eu_nbr	yes	no
			isb_serial	yes	no
			isb_part	yes	no
Δ	isb_model	no	isb_domain	yes	no
			isb_eu_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			isb_model	yes	no
			isb_serial	yes	no
			isb_ref	yes	no
Δ	isb_part_ser	yes	isb_domain	yes	no
			isb_part	yes	no
			isb_serial	yes	no
			isb_ref	yes	no
Δ	isb_serial	no	isb_domain	yes	no
			isb_serial	yes	no
			isb_ref	yes	no
Δ	isb_ser_part	no	isb_domain	yes	no
			isb_serial	yes	no
			isb_part	yes	no
			isb_ref	yes	no
Δ	isb_sys_bld	no	isb_domain	yes	no
			isb_eu_nbr	yes	no
			isb_rebuild	yes	no
			isb_sys_type	yes	no
◊	oid_isb_mstr	yes	oid_isb_mstr	yes	no

isd_det

Inventory Status Detail

	Field Name	Label	Col-Label	Format	Dec
	isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
◊	isd_domain	Domain		x(8)	
	isd_status	Status		x(8)	
	isd_tr_type	Restricted Trans		x(8)	
	isd_type	Type		x(8)	
	isd_user1	Ufld1		x(8)	
	isd_user2	Ufld2		x(8)	
	isd__qadc01			x(8)	
◊	oid_isd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	isd_status	yes	isd_domain	yes	no
			isd_status	yes	no
			isd_tr_type	yes	no
			isd_type	yes	no
◊	oid_isd_det	yes	oid_isd_det	yes	no

isp_mstr

Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	

	Field Name	Label	Col-Label	Format	Dec
	isp_app_id	Application ID		x(12)	
	isp_app_ver	Application Version		x(8)	
	isp_cim_proc	CIM/API Process		yes/no	
	isp_code_pg	Code Page		X(15)	
	isp_date_form	Date Format		X(3)	
	isp_delim	ASCII Document Element Delimiter		>>9	
	isp_del_err_det	Delete Error Detail		x(1)	
	isp_desc	Description		x(60)	
	isp_dest_app_id	Destination Application ID		x(12)	
	isp_dest_app_ver	Destination Application Version		x(8)	
	isp_dest_doc_rev	Destination Document Revision		x(8)	
	isp_dest_doc_std	Destination Document Standard		x(8)	
	isp_dest_doc_typ	Destination Document Type		x(21)	
	isp_dest_mthd	Destination Method		x(24)	
	isp_dest_proc	MFG/PRO Destination Procedure		x(24)	
	isp_doc_lng	Document Language		x(3)	
	isp_doc_rev	Document Revision		x(8)	
	isp_doc_std	Document Standard		x(8)	
	isp_doc_typ	Document Type		x(21)	
◊	isp_domain	Domain		x(8)	
	isp_email_notlvl	E-mail Level		x(1)	
	isp_email_userid	Default E-mail User ID		x(8)	
	isp_im_map_flg	Import Mapping Enabled		yes/no	
	isp_mapper_proc	Data Mapper Procedure		x(24)	
	isp_map_parm[10]	Mapper Parameter Codes		x(8)	
	isp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
	isp_map_spec	Mapping Specification ID		x(24)	
	isp_mod_date	Modified Date	Mod Date	99/99/99	
	isp_mod_userid	User ID		x(8)	
	isp_num_form	Numeric Format		X(8)	
	isp_pause_sev	Pause Severity Level		9	
	isp_process_typ	Process Type		x(8)	
	isp_proc_flg	Import Processing Enabled		yes/no	
	isp_rcv_flg	Receiving Enabled		yes/no	
	isp_src_comp	Source Component		x(10)	
	isp_src_proc	Source Procedure		x(24)	
	isp_src_task	Source Task		x(10)	
	isp_src_userid	Source User ID		x(8)	
	isp_tradptr_id	Trading Partner ID		x(32)	
	isp_user1	Ufld1		x(8)	
	isp_user2	Ufld2		x(8)	
	isp_use_im_queue	Use Import Queue		yes/no	
	isp_xml	XML Imported		x(1)	
	isp__dec01			->>>,>>>,>>9.99<	10
	isp__dec02			->>>,>>>,>>9.99<	10
	isp__dte01			99/99/99	
	isp__dte02			99/99/99	
	isp__int01			->>>,>>>,>>9	
	isp__int02			->>>,>>>,>>9	
	isp__log01			yes/no	
	isp__log02			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	isp__qadc01			x(8)	
	isp__qadc02			x(8)	
	isp__qadc03			x(8)	
	isp__qadc04			x(8)	
	isp__qadd01			->>>,>>>,>>9.99<	10
	isp__qadd02			->>>,>>>,>>9.99<	10
	isp__qadi01			->>>,>>>,>>9	
	isp__qadi02			->>>,>>>,>>9	
	isp__qadl01			yes/no	
	isp__qadl02			yes/no	
	isp__qadt01			99/99/99	
	isp__qadt02			99/99/99	
◊	oid_isp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ImportSpec	yes	isp_domain	yes	no
			isp_app_id	yes	no
			isp_doc_std	yes	no
			isp_doc_typ	yes	no
			isp_doc_rev	yes	no
			isp_tradptr_id	yes	no
◊	oid_isp_mstr	yes	oid_isp_mstr	yes	no

iss_mstr

Service/Support Installed Base Structure

	Field Name	Label	Col-Label	Format	Dec
	iss_comp	Component Item	Comp Item	x(18)	
	iss_comp_ref	Ref		>>>>>>>9	
	iss_comp_ser	Component Serial	Comp Serial	x(18)	
◊	iss_domain	Domain		x(8)	
	iss_eu_nbr	End User No	End User	x(8)	
	iss_par	Parent Item	Parent	x(18)	
	iss_par_ref	Ref		>>>>>>>9	
	iss_par_ser	Parent Serial	Par Serial	x(18)	
	iss_user1	Ufld1		x(8)	
	iss_user2	Ufld2		x(8)	
	iss__chr01			x(8)	
	iss__chr02			x(8)	
	iss__chr03			x(8)	
	iss__dec01			->>>,>>>,>>9.99	10
	iss__dec02			->>>,>>>,>>9.99	10
	iss__dte01			99/99/99	
	iss__dte02			99/99/99	
	iss__log01			yes/no	
	iss__log02			yes/no	
◊	oid_iss_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	iss_comp	no	iss_domain	yes	no
			iss_comp	yes	no
Δ	iss_compref	yes	iss_domain	yes	no
			iss_eu_nbr	yes	no
			iss_comp	yes	no
			iss_comp_ser	yes	no
			iss_comp_ref	yes	no
Δ	iss_par	no	iss_domain	yes	no
			iss_par	yes	no
Δ*	iss_par_comp	yes	iss_domain	yes	no
			iss_eu_nbr	yes	no
			iss_par	yes	no
			iss_par_ser	yes	no
			iss_par_ref	yes	no
			iss_comp	yes	no
			iss_comp_ser	yes	no
			iss_comp_ref	yes	no
◊	oid_iss_mstr	yes	oid_iss_mstr	yes	no

isvc_mstr Statistical Value Calculation Master

	Field Name	Label	Col-Label	Format	Dec
	isvc_ctry_dest	Country Of Destination		x(3)	
	isvc_ctry_orig	Country Of Origin		x(3)	
◊	isvc_domain	Domain		x(8)	
	isvc_flow	Flow Indicator		x(2)	
	isvc_min_value	Minimum Value		->>>>,>>>,>>9.99<	10
	isvc_mode_transp	Mode Of Transport		x(1)	
	isvc_mod_date	Modified Date	Mod Date	99/99/99	
	isvc_mod_userid	User ID		x(8)	
	isvc_percentage	Percentage		->>9.9<%	10
	isvc_per_unit	Added Value Per Unit		->>>>,>>>,>>9.99<	10
	isvc_per_weight	Added Value Per Weight		->>>>,>>>,>>9.99<	10
	isvc_shipvia	Ship Via		x(20)	
	isvc_terms_delivery	Terms Of Delivery		x(4)	
	isvc_um	UM		x(2)	
	isvc_user1	User Field Character 1		x(24)	
	isvc_user2	User Field Character 2		x(24)	
	isvc__qadc01			x(24)	
	isvc__qadc02			x(24)	
◊	oid_isvc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	isvc_delivery	yes	isvc_domain	yes	no
			isvc_terms_delivery	yes	no
			isvc_mode_transp	yes	no
			isvc_shipvia	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			isvc_flow	yes	no
			isvc_ctry_orig	yes	no
			isvc_ctry_dest	yes	no
◊	oid_isvc_mstr	yes	oid_isvc_mstr	yes	no

is_mstr

Inventory Status Master

	Field Name	Label	Col-Label	Format	Dec
	is_avail	Available	Avail	yes/no	
	is_cmtindx	Comment Index	Comment	>>>>>>>9	
	is_desc	Description		x(24)	
◊	is_domain	Domain		x(8)	
	is_frozen	Frozen		yes/no	
	is_mod_date	Modified Date	Mod Date	99/99/99	
	is_nettable	Nettable	Net	yes/no	
	is_overissue	Overissue	OvrIs	yes/no	
	is_status	Status Code	Status	x(8)	
	is_user1	Ufld1		x(8)	
	is_user2	Ufld2		x(8)	
	is_userid	User ID		x(8)	
	is__qadc01			x(8)	
◊	oid_is_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	is_avail	yes	is_domain	yes	no
			is_status	yes	no
			is_avail	yes	no
Δ*	is_status	yes	is_domain	yes	no
			is_status	yes	no
			is_nettable	yes	no
Δ	is_status_unique	yes	is_domain	yes	no
			is_status	yes	no
◊	oid_is_mstr	yes	oid_is_mstr	yes	no

itmh_hist

Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh_acct	Sales Acct	Sales	x(8)	
itmh_bill_detail	Bill Detail	Det	yes/no	
itmh_bom_code	BOM code		x(18)	
itmh_bom_gen			yes/no	
itmh_ca_int_type	Work Code		x(8)	
itmh_cc	Cost Ctr	CC	x(4)	
itmh_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itmh_comp_date	Date Complete		99/99/99	
itmh_desc	Description		x(24)	
◊ itmh_domain	Domain		x(8)	
itmh_dsc_acct	Disc Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
itmh_dsc_cc	Disc CC	CC	x(4)	
itmh_dsc_project	Disc Project		x(8)	
itmh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh_due_date	Due Date		99/99/99	
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date	Mod Date	99/99/99	
itmh_mod_userid	User ID		X(8)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_project	Project		x(8)	
itmh_pr_list	Price List		X(8)	
itmh_pst	PST Taxable		yes/no	
itmh_qty_call	Qty		>,>>>9	10
itmh_qty_chg	To Receive		->>,>>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rec	Qty Received		->,>>9	10
itmh_qty_ship	Shipped		->,>>>9	10
itmh_recorded	Has Been thru CAR		yes/no	
itmh_rec_date	Received Date		99/99/99	
itmh_ref	Ref		>>>>>>9	
itmh_rev	Revision		x(8)	
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	
itmh_sad_line	Contract Line		>>>>>>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	

	Field Name	Label	Col-Label	Format	Dec
	itmh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
	itmh_svc_type			x(1)	
	itmh_sv_code	Contract Type		x(8)	
	itmh_tag	Tag		X(1)	
	itmh_taxable	Taxable	Tax	yes/no	
	itmh_taxc			x(3)	
	itmh_tax_env	Tax Environment		X(16)	
	itmh_tax_in	Tax In		yes/no	
	itmh_tax_usage			x(8)	
	itmh_type	Type		x(8)	
	itmh_uninvoiced	Uninvoiced		yes/no	
	itmh_unprocessed			yes/no	
	itmh_upd_isb	Update ISB	ISB	yes/no	
	itmh_user1	Ufld1		x(8)	
	itmh_user2	Ufld2		x(8)	
	itmh_warr_sv	Warranty Svc Type		x(8)	
	itmh__chr01	User Field #1		x(8)	
	itmh__chr02	User Field #2		x(8)	
	itmh__chr03	User Field #3		x(8)	
	itmh__chr04	User Field #4		x(8)	
	itmh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
	itmh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
	itmh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
	itmh__dte01	User Date #1		99/99/99	
	itmh__dte02	User Date #2		99/99/99	
	itmh__dte03	User Date #3		99/99/99	
	itmh__log01	User Logical #1		yes/no	
	itmh__log02	User Logical #2		yes/no	
	itmh__log03	User Logical #3		yes/no	
	itmh__qadc01	Qad Field #1		x(8)	
	itmh__qadc02	Qad Field #2		x(8)	
	itmh__qadc03	Qad Field #3		x(8)	
	itmh__qadc04	Qad Field #4		x(8)	0
	itmh__qadc05			x(8)	
	itmh__qadc06			x(8)	
	itmh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	itmh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	itmh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	itmh__qadl01	QAD Logical Field		yes/no	
	itmh__qadl02	Qad Logical #2		yes/no	
	itmh__qadl03	Qad Logical #3		yes/no	
	itmh__qadt01	Qad Date #1		99/99/99	
	itmh__qadt02	Qad Date #2		99/99/99	
	itmh__qadt03	Qad Date #3		99/99/99	
◊	oid_itmh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	itmh_nbr	yes	itmh_domain	yes	no
			itmh_nbr	yes	no
			itmh_prefix	yes	no
			itmh_type	yes	no
			itmh_itm_line	yes	no
			itmh_line	yes	no
Δ	itmh_part	no	itmh_domain	yes	no
			itmh_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			itmh_prefix	yes	no
			itmh_serial	yes	no
Δ	itmh_sa_nbr	no	itmh_domain	yes	no
			itmh_sa_nbr	yes	no
			itmh_sad_line	yes	no
			itmh_nbr	yes	no
			itmh_line	yes	no
Δ	itmh_serial	no	itmh_domain	yes	no
			itmh_serial	yes	no
			itmh_prefix	yes	no
			itmh_opn_date	yes	no
◊	oid_itmh_hist	yes	oid_itmh_hist	yes	no

itm_det

Service/Support Call Item Detail

	Field Name	Label	Col-Label	Format	Dec
	itm_acct	Sales Acct	Sales	x(8)	
	itm_bill_detail	Bill Detail	Det	yes/no	
	itm_bom_code	BOM Code		x(18)	
	itm_bom_gen			yes/no	
	itm_ca_int_type	Work Code	WK Code	x(8)	
	itm_cc	Cost Ctr	CC	x(4)	
	itm_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
	itm_comp_date	Date Complete		99/99/99	
	itm_desc	Description		x(24)	
◊	itm_domain	Domain		x(8)	
	itm_dsc_acct	Disc Acct		x(8)	
	itm_dsc_cc	Disc CC	CC	x(4)	
	itm_dsc_project	Disc Project		x(8)	
	itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	itm_due_date	Due Date		99/99/99	
	itm_endown_date	End Down		99/99/99	
	itm_endown_time	Time		99:99	
	itm_eng_code	Engineer		x(8)	
	itm_est_time	Estimated Time	Est Time	999:99	
	itm_eu_nbr	End User		X(8)	0
	itm_exp_rec	Date Expected		99/99/99	
	itm_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
	itm_fix_pr	Fixed Price	Fix	yes/no	
	itm_invoiced	Invoiced		yes/no	
	itm_itm_line			>>9	
	itm_line	Line		>>9	
	itm_loc	Location		x(8)	
	itm_mod_date	Modified Date	Mod Date	99/99/99	
	itm_mod_userid	User ID		X(8)	
	itm_nbr	Call/SR		x(8)	
	itm_nxt_act	Next Status		x(8)	
	itm_nxt_date	Next Status Date		99/99/99	
	itm_nxt_time	Next Status Time		99:99	
	itm_override_lmt	Override Limits	Lmt	yes/no	
	itm_part	Item		x(18)	
	itm_prefix	Detail Type	Type	x(3)	
	itm_prod_line	WIP Product Line	Line	X(4)	0
	itm_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
itm_pr_list	Price List		X(8)	
itm_pst	PST Taxable		yes/no	
itm_qty_call	Quantity	Call Qty	->>,>>9	10
itm_qty_chg	To Receive	To Recv	->>,>>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	->>,>>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	->>,>>9	10
itm_qty_rec	Qty Received	Recv	->>,>>9	10
itm_qty_ship	Shipped		->,>>>9	10
itm_recorded			yes/no	
itm_rec_date	Received Date		99/99/99	
itm_ref	Ref		>>>>>>>9	
itm_rev	Revision		x(8)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
itm_sad_line	Contract Line		>>>>>>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_status	Status		x(8)	
itm_stdown_date	Start Down		99/99/99	
itm_stdown_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itm_svc_type			x(1)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_tag			x(1)	
itm_taxable	Taxable	Tax	yes/no	
itm_taxc	Tax Class	TxC	x(3)	
itm_tax_env	Tax Environment	Tax Env	X(16)	
itm_tax_in	Tax In		yes/no	
itm_tax_usage	Tax Usage		x(8)	0
itm_type	Type		x(8)	0
itm_uninvoiced	Uninvoiced		yes/no	
itm_unprocessed			yes/no	
itm_upd_isb	Update Installed Base		yes/no	
itm_user1	Ufld1		x(8)	
itm_user2	Ufld2		x(8)	
itm_warr_sv	Warranty Svc Type		x(8)	
itm__chr01	User Field #1		x(8)	
itm__chr02	User Field #2		x(8)	
itm__chr03	User Field #3		x(8)	
itm__chr04	User Field #4		x(8)	
itm__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
itm__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
itm__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
itm__dte01	User Date #1		99/99/99	
itm__dte02	User Date #2		99/99/99	
itm__dte03	User Date #3		99/99/99	
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	itm__log03	User Logical #3		yes/no	
	itm__qadc01	Qad Field #1		x(8)	
	itm__qadc02	Qad Field #2		x(8)	
	itm__qadc03	Qad Field #3		x(8)	
	itm__qadc04	Qad Field #4		x(8)	
	itm__qadc05			x(8)	
	itm__qadc06			x(8)	
	itm__qadd01	Qad Date #1		99/99/99	
	itm__qadd02	Qad Date #2		99/99/99	
	itm__qadd03	Qad Date #3		99/99/99	
	itm__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	itm__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	itm__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	itm__qadl01	QAD Logical Field		yes/no	
	itm__qadl02	Qad Logical #2		yes/no	
	itm__qadl03	Qad Logical #3		yes/no	
◊	oid_itm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	itm_eng_code	no	itm_domain	yes	no
			itm_eng_code	yes	no
			itm_nxt_date	yes	no
			itm_nxt_time	yes	no
Δ	itm_eu_nbr	no	itm_domain	yes	no
			itm_type	yes	no
			itm_eu_nbr	yes	no
			itm_serial	yes	no
Δ*	itm_nbr	yes	itm_domain	yes	no
			itm_nbr	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_itm_line	yes	no
			itm_line	yes	no
Δ	itm_part	no	itm_domain	yes	no
			itm_part	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_nbr	yes	no
Δ	itm_sa_nbr	no	itm_domain	yes	no
			itm_sa_nbr	yes	no
			itm_sad_line	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_nbr	yes	no
			itm_line	yes	no
Δ	itm_serial	no	itm_domain	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_serial	yes	no
			itm_nbr	yes	no
			itm_line	yes	no
◊	oid_itm_det	yes	oid_itm_det	yes	no

itsd_det Item Site Load Detail

	Field Name	Label	Col-Label	Format	Dec
	itsd_date	Effective		99/99/99	
◊	itsd_domain	Domain		x(8)	
	itsd_loaded	Loaded		yes/no	
	itsd_part	Item Number		x(18)	
	itsd_qty	Quantity		->>>,>>>,>>9.9<<<<<<<<<	10
	itsd_ref	Reference		x(18)	
	itsd_site	Site		x(8)	
	itsd_type	Data Type	Type	x(1)	
	itsd_user1	Ufld1		x(8)	
	itsd_user2	Ufld2		x(8)	
	itsd__qadc01			x(8)	
◊	oid_itsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	itsd_det	yes	itsd_domain	yes	no
			itsd_part	yes	no
			itsd_site	yes	no
			itsd_date	yes	no
			itsd_type	yes	no
◊	oid_itsd_det	yes	oid_itsd_det	yes	no

its_mstr Item Site Load Master

	Field Name	Label	Col-Label	Format	Dec
	its_date	Created Date		99/99/99	
◊	its_domain	Domain		x(8)	
	its_part	Item Number		x(18)	
	its_qty_oh	Quantity On Hand	QOH	->>,>>>,>>9.9<<<<<<<<<	10
	its_site	Site		x(8)	
	its_target	Weeks Cover		>>>>	
	its_user1	Ufld1		x(8)	
	its_user2	Ufld2		x(8)	
	its__dec01			->,>>>,>>>9.99<<<<	10
	its__dec02			->,>>>,>>9.99<<<	10
	its__dec03			->,>>>,>>9.99<<<	10
◊	oid_its_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	its_mstr	yes	its_domain	yes	no
			its_part	yes	no
			its_site	yes	no
◊	oid_its_mstr	yes	oid_its_mstr	yes	no

ivs_ctrl Invoice Schedule Control

	Field Name	Label	Col-Label	Format	Dec
	ivs_ar_acct	AR Account		x(8)	
	ivs_ar_cc	AR Cost Center		x(4)	
	ivs_ar_sub	AR Sub-Account		x(8)	
	ivs_cmmts	Schedule Comments		yes/no	
◊	ivs_domain	Domain		x(8)	
	ivs_index1	Index		>>>>>9	
	ivs_inv_type	Invoice Type		x(4)	
	ivs_mod_date	Modified Date	Mod Date	99/99/99	
	ivs_mod_userid	User ID		x(8)	
	ivs_prep_acct	Prepayment Account		x(8)	
	ivs_prep_cc	Prepayment Cost Center		x(4)	
	ivs_prep_sub	Prepayment Sub-Account		x(8)	
	ivs_ptax_acct	Prepayment Tax Account		x(8)	
	ivs_ptax_cc	Prepayment Tax Cost Center		x(4)	
	ivs_ptax_sub	Prepayment Tax Sub-Account		x(8)	
	ivs_so_nbr	Next Pending Invoice		>>>>>>>9	
	ivs_so_pre	Pending Invoice Prefix		x(3)	
	ivs_user1	Ufld1		x(8)	
	ivs_user2	Ufld2		x(8)	
	ivs__qadc01			x(24)	
	ivs__qadd01			->>>>,>>>,>>9.99<<<	10
	ivs__qadi01			>>>>>>>9	
	ivs__qadl01			yes/no	
	ivs__qadt01			99/99/99	
◊	oid_ivs_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ivs_index1	yes	ivs_domain	yes	no
◊	oid_ivs_ctrl	yes	oid_ivs_ctrl	yes	no

kbc_ctrl Kanban Control

	Field Name	Label	Col-Label	Format	Dec
◊	kbc_card_reporting	Card Reporting		>9	
	kbc_controlled_entry	Controlled Entry	Controlled! Entry	x(1)	
◊	kbc_cost_set	Cost Set		x(8)	
	kbc_display_pause	Display Pause	Pause	>>9	
◊	kbc_domain	Domain		x(8)	
	kbc_eff_date_entry	Enable Eff Date	Enable! Eff! Date	yes/no	
◊	kbc_export_directory	Export Directory	Export Dir	x(45)	
◊	kbc_fifo_entry	Allow Entry of FIFO Process	Enable! FIFO	yes/no	
◊	kbc_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
	kbc_id_barcode	Print ID Barcode	ID Barcode	yes/no	
◊	kbc_import_directory	Import Directory	Import Dir	x(45)	
	kbc_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
◊	kbc_lead_time_method	Lead Time Method	LT! Method	>9	
◊	kbc_load_limit	Load Limit	Load! Limit	>>9.9<%	10

	Field Name	Label	Col-Label	Format	Dec
	kbc_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
	kbc_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
	kbc_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>>9	
◊	kbc_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
	kbc_mod_date	Modified Date	Mod Date	99/99/99	
	kbc_mod_userid	User ID		x(8)	
	kbc_pattern	Current Demand Pattern	Curr Demand! Pattern	x(8)	
◊	kbc_print_consume_ref	Print Consuming Reference	Print Consume	yes/no	
	kbc_print_quantity	Print Quantity		yes/no	
◊	kbc_ss_template	Safety Stock Template	SS! Template	x(8)	
◊	kbc_template	Demand Template		x(8)	
◊	kbc_time_adj[5]	Time Adjustment	Adjust	x(8)	
◊	kbc_time_fence	Time Fence		>>9	
◊	kbc_tolerance_pct	Tolerance Pct	Tol Pct	>>9.99%	10
	kbc_user1	Ufld1		x(8)	
	kbc_user2	Ufld2		x(8)	
	kbc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	kbc_useri01	User Field Integer 1		->>>>>>>9	
	kbc_userl01	User Field Logical 1		yes/no	
	kbc_usert01	User Field Date 1		99/99/99	
	kbc__qadc01			x(8)	
	kbc__qadc02			x(24)	
	kbc__qadc03			x(24)	
	kbc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	kbc__qadi01			->>>>>>>9	
Δ	kbc__qadi02			->>>>>>>9	
	kbc__qadl01			yes/no	
	kbc__qadt01			99/99/99	
◊	oid_kbc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	kbc_index1	yes	kbc_domain	yes	no
◊	oid_kbc_ctrl	yes	oid_kbc_ctrl	yes	no

◊ kbdt_mstr

Kanban Demand Template Master

Field Name	Label	Col-Label	Format	Dec
kbdt_desc	Description		x(24)	
kbdt_domain	Domain		x(8)	
kbdt_future_days	Future Days		>>9	
kbdt_future_source	Future Source		x(8)	
kbdt_history_days	Historical Days		>>9	
kbdt_history_source	Historical Source		x(8)	
kbdt_mod_date	Modified Date	Mod Date	99/99/99	
kbdt_mod_userid	User ID		x(8)	
kbdt_template	Template		x(8)	
kbdt_user1	User Field Character 1		x(24)	
kbdt_user2	User Field Character 2		x(24)	
kbdt__qadc01			x(24)	
kbdt__qadc02			x(24)	
oid_kbdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	kbdt_template	yes	kbdt_domain	yes	no
			kbdt_template	yes	no
◊	oid_kbdt_mstr	yes	oid_kbdt_mstr	yes	no

kbmd_mstr Kanban Maximum Demand Master

	Field Name	Label	Col-Label	Format	Dec
	kbmd_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
	kbmd_cons_source	Consuming Destination	Consuming! Destination	x(8)	
	kbmd_demand	Maximum Demand		>>>,>>>,>>9	
◊	kbmd_domain	Domain		x(8)	
	kbmd_line	Production Line	Production! Line	x(8)	
	kbmd_mod_date	Modified Date	Mod Date	99/99/99	
	kbmd_mod_userid	User ID		x(8)	
	kbmd_part	Item Number		x(18)	
	kbmd_pattern	Demand Pattern	Demand! Pattern	x(8)	
	kbmd_period	Planning Period	Planning! Period	x(8)	
	kbmd_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
	kbmd_supp_source	Supplying Source	Supplying! Source	x(8)	
	kbmd_user1	Ufld1		x(8)	
	kbmd_user2	Ufld2		x(8)	
	kbmd__chr01			x(8)	
	kbmd__dec01			->>>,>>>,>>9.99<<<<	10
	kbmd__dte01			99/99/99	
	kbmd__int01			->>>,>>>,>>9	
	kbmd__log01			yes/no	
	kbmd__qadc01			x(8)	
	kbmd__qadd01			->>>,>>>,>>9.99<<<<	10
	kbmd__qadi01			->>>,>>>,>>9	
	kbmd__qadl01			yes/no	
	kbmd__qadt01			99/99/99	
◊	oid_kbmd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	kbmd_cons_source	yes	kbmd_domain	yes	no
			kbmd_cons_source	yes	no
			kbmd_pattern	yes	no
			kbmd_part	yes	no
			kbmd_cons_ref	yes	no
			kbmd_supp_source	yes	no
			kbmd_supp_ref	yes	no
			kbmd_line	yes	no
Δ	kbmd_cons_source2	no	kbmd_domain	yes	no
			kbmd_cons_source	yes	no
			kbmd_pattern	yes	no
			kbmd_period	yes	no
			kbmd_part	yes	no
Δ	kbmd_part	yes	kbmd_domain	yes	no
			kbmd_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			kbmd_supp_source	yes	no
			kbmd_supp_ref	yes	no
			kbmd_cons_source	yes	no
			kbmd_cons_ref	yes	no
			kbmd_line	yes	no
			kbmd_pattern	yes	no
◊	oid_kbmd_mstr	yes	oid_kbmd_mstr	yes	no

kbpp_mstr Kanban Planning Period Master

	Field Name	Label	Col-Label	Format	Dec
	kbpp_calendar_days	Calendar Days	Cal! Days	>>9	
	kbpp_desc	Description		x(24)	
◊	kbpp_domain	Domain		x(8)	
	kbpp_hours	Hours per Period	Hours per! Period	>>,>>9.99	10
	kbpp_mod_date	Modified Date	Mod Date	99/99/99	
	kbpp_mod_userid	User ID		x(8)	
	kbpp_period	Planning Period	Planning! Period	x(8)	
	kbpp_user1	Ufld1		x(8)	
	kbpp_user2	Ufld2		x(8)	
	kbpp_work_days	Work Days	Work! Days	>>9	
	kbpp__qadc01			x(8)	
◊	oid_kbpp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	kbpp_period	yes	kbpp_domain	yes	no
			kbpp_period	yes	no
◊	oid_kbpp_mstr	yes	oid_kbpp_mstr	yes	no

kbtrd_det Kanban Transaction History Detail

	Field Name	Label	Col-Label	Format	Dec
◊	kbtrd_dataset	Table Name		x(14)	
◊	kbtrd_domain	Domain		x(8)	
	kbtrd_kbtr_trans_nbr	Kanban Transaction Number	Kanban! Transaction	>>>>>>>>9	
	kbtrd_mod_date	Modified Date	Modified	99/99/99	
	kbtrd_mod_userid	User ID		x(8)	
	kbtrd_tr_trnbr	Inventory Transaction Number	Inventory! Transaction	>>>>>>>>9	
	kbtrd_user1	User Field Character 1		x(24)	
	kbtrd_user2	User Field Character 2		x(24)	
	kbtrd_useri01	User Field Integer 1		->>>>>>>9	
	kbtrd__qadc01			x(24)	
	kbtrd__qadc02			x(24)	
	kbtrd__qadi01			->>>>>>>9	
◊	oid_kbtrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	kbtrd_dataset_kbtr	yes	kbtrd_domain	yes	no
			kbtrd_dataset	yes	no
			kbtrd_kbtr_trans_nbr	yes	no
			kbtrd_tr_trnbr	yes	no
◊	kbtrd_dataset_tr	yes	kbtrd_domain	yes	no
			kbtrd_dataset	yes	no
			kbtrd_tr_trnbr	yes	no
			kbtrd_kbtr_trans_nbr	yes	no
◊	oid_kbtrd_det	yes	oid_kbtrd_det	yes	no

kbtr_hist

Kanban Transaction History

	Field Name	Label	Col-Label	Format	Dec
	kbtr_backflush	Backflush		yes/no	
	kbtr_batch_size	Batch Size		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_calc_date	Calculation Date	Calc Date	99/99/99	
	kbtr_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
	kbtr_cards	Number of Cards	Number! of Cards	>>>,>>>,>>9	
	kbtr_card_nbr	Card Number		>>>,>>>,>>9	
	kbtr_card_type	Card Type		x(1)	
	kbtr_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
	kbtr_cons_source	Consuming Destination	Consuming! Destination	x(8)	
	kbtr_cont_size	Container Capacity	Container! Capacity	>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_cont_type	Container Type	Container! Type	x(8)	
◊	kbtr_curr_process_id	Process Code	Process! Code	x(8)	
◊	kbtr_daily_demand	Daily Demand		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
◊	kbtr_domain	Domain		x(8)	
	kbtr_eff_date	Effective Date		99/99/99	
	kbtr_id	Kanban ID		>>>>>>>>9	
	kbtr_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
	kbtr_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_lead_time	Replenishment Time	Repl! Time	->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_loop	One/Two Card		One/Two	
◊	kbtr_loop_type	Loop Type		x(8)	
	kbtr_lot_size	Kanban Lot Size		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
	kbtr_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
	kbtr_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>>9	
	kbtr_mode	Mode		x(8)	
	kbtr_mod_date	Modified Date	Mod Date	99/99/99	
	kbtr_mod_userid	User ID		x(8)	
◊	kbtr_number_of_cards	Number of Cards	Number! of Cards	>>>,>>>,>>9	
◊	kbtr_order_qty	Order Quantity		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_part	Item Number		x(18)	
	kbtr_pattern	Demand Pattern	Demand! Pattern	x(8)	
◊	kbtr_pou_ref	POU Reference	POU! Reference	x(8)	
◊	kbtr_pou_site	POU Site		x(8)	
	kbtr_po_nbr	Purchase Order	PO	x(8)	
	kbtr_print_date	Print Date		99/99/99	
	kbtr_print_time	Print Time		>>>>9	
	kbtr_production_line	Production Line	Line	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	kbtr_rep_time	Replenishment Time	Repl! Time	>>>9.9<	10
	kbtr_safety_stock	Safety Stock		>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_source_app	Source Application		x(8)	
◊	kbtr_source_ref1	Source Ref1		x(8)	
◊	kbtr_source_ref2	Source Ref2		x(8)	
◊	kbtr_source_ref3	Source Ref3		x(8)	
◊	kbtr_source_ref4	Source Ref4		x(8)	
◊	kbtr_source_ref5	Source Ref5		x(8)	
◊	kbtr_source_type	Source Type	Source! Type	x(8)	
◊	kbtr_step	Step		>>>>9	
◊	kbtr_supermarket_id	Supermarket		x(8)	
◊	kbtr_supermarket_site	Supermarket Site	Supermarket! Site	x(8)	
	kbtr_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
	kbtr_supp_source	Supplying Source	Supplying! Source	x(8)	
◊	kbtr_transaction_event	Event		x(8)	
	kbtr_trans_date	Transaction Date	Trans! Date	99/99/99	
	kbtr_trans_nbr	Transaction Number	Trans! Nbr	>>>>>>>>9	
	kbtr_trans_qty	Transaction Quantity	Transaction! Quantity	->>,>>>,>>9.9<<<<<<<<<	10
	kbtr_trans_time	Transaction Time	Trans! Time	>>>>9	
	kbtr_trans_type	Transaction Type	Trans! Type	x(1)	
	kbtr_type	Kanban Type	Kanban! Type	x(8)	
◊	kbtr_type_user_ref	Kanban Type	Kanban! Type	x(8)	
	kbtr_user1	User Field Character 1		x(24)	
	kbtr_user2	User Field Character 2		x(24)	
	kbtr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_useri01	User Field Integer 1		->>>>>>>9	
	kbtr_userl01	User Field Logical 1		yes/no	
	kbtr_usert01	User Field Date 1		99/99/99	
	kbtr_var_factor	Variability Factor	Variability! Factor	->>9.99<<	10
	kbtr_vend	Supplier		x(8)	
	kbtr__qadc01			x(24)	
	kbtr__qadc02			x(24)	
	kbtr__qadc03			x(24)	
	kbtr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr__qadi01			->>>>>>>9	
	kbtr__qadl01			yes/no	
	kbtr__qadt01			99/99/99	
◊	oid_kbtr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	kbtr_id_date	no	kbtr_domain	yes	no
			kbtr_id	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
			kbtr_trans_nbr	yes	no
◊	kbtr_part_date	no	kbtr_domain	yes	no
			kbtr_part	yes	no
			kbtr_step	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
◊	kbtr_source	no	kbtr_domain	yes	no
			kbtr_source_type	yes	no
			kbtr_source_ref1	yes	no
			kbtr_source_ref2	yes	no
			kbtr_source_ref3	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			kbtr_source_ref4	yes	no
			kbtr_source_ref5	yes	no
◊	kbtr_supermarket	no	kbtr_domain	yes	no
			kbtr_supermarket_site	yes	no
			kbtr_supermarket_id	yes	no
			kbtr_part	yes	no
			kbtr_step	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
Δ*	kbtr_trans_nbr	yes	kbtr_domain	yes	no
			kbtr_trans_nbr	yes	no
◊	kbtr_user_time	no	kbtr_domain	yes	no
			kbtr_mod_userid	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
◊	oid_kbtr_hist	yes	oid_kbtr_hist	yes	no

◊ knbadc_hist Kanban Average Demand Calculation History

Field Name	Label	Col-Label	Format	Dec
knbadc_calc_date	Calculation Date		99/99/99	
knbadc_calc_time	Calculation Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knbadc_daily_demand	Daily Demand		>,>>>,>>9.9<<<	4
knbadc_domain	Domain		x(8)	
knbadc_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbadc_knbism_keyid	Kanban Item Supermarket Key ID		->>>,>>>,>>9.9<<<<<	10
knbadc_mod_date	Modified Date	Mod Date	99/99/99	
knbadc_mod_userid	User ID		x(8)	
knbadc_part	Item Number		x(18)	
knbadc_site	Site		x(8)	
knbadc_template	Template		x(8)	
knbadc_user1	User Field Character 1		x(24)	
knbadc_user2	User Field Character 2		x(24)	
knbadc__qadc01			x(24)	
knbadc__qadc02			x(24)	
oid_knbadc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knbadc_keyid	yes	knbadc_domain	yes	no
			knbadc_keyid	yes	no
◊	knbadc_site_part	no	knbadc_domain	yes	no
			knbadc_site	yes	no
			knbadc_part	yes	no
			knbadc_template	yes	no
			knbadc_calc_date	yes	no
			knbadc_calc_time	yes	no
◊	oid_knbadc_hist	yes	oid_knbadc_hist	yes	no

knbd_det Kanban Card Detail

	Field Name	Label	Col-Label	Format	Dec
Δ	knbd_active	Active		yes/no	
Δ	knbd_active_code	Active Code		x(8)	
Δ	knbd_active_end_date	Active End	Active! End	99/99/99	
Δ	knbd_active_start_date	Active Start	Active! Start	99/99/99	
Δ	knbd_authorize_date	Authorize Date		99/99/99	
Δ	knbd_authorize_time	Authorize Time		->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbd_bom_code	BOM Code		x(18)	
Δ	knbd_cycles_allowed	Cycles		>>>>>>>>9	
Δ	knbd_cycles_used	Cycles Used		>>>>>>>>9	
Δ	knbd_domain	Domain		x(8)	
	knbd_id	Kanban ID		>>>>>>>>9	
Δ	knbd_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knbd_knbl_keyid	Kanban Loop Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knbd_mod_date	Modified Date	Mod Date	99/99/99	
Δ	knbd_mod_userid	User ID		x(8)	
Δ	knbd_next_process_id	Process Code	Process! Code	x(8)	
Δ	knbd_pou_ref	POU Reference	POU! Reference	x(8)	
Δ	knbd_pou_site	POU Site	POU! Site	x(8)	
Δ	knbd_print_date	Print Date		99/99/99	
Δ	knbd_print_dispatch	Print Dispatch	Print! Disp	yes/no	
Δ	knbd_print_time	Print Time		->>>>>>>>>9.9<<<<<<<<<	10
Δ	knbd_ref1	Reference 1	Ref1	x(8)	
Δ	knbd_ref2	Reference 2	Ref2	x(8)	
Δ	knbd_ref3	Reference 3	Ref3	x(8)	
Δ	knbd_ref4	Reference 4	Ref4	x(8)	
Δ	knbd_ref5	Reference 5	Ref5	x(8)	
Δ	knbd_routing	Routing Code		x(18)	
Δ	knbd_source_type	Source Type	Source! Type	x(8)	
Δ	knbd_status	Status		x(8)	
Δ	knbd_user1	Ufld1		x(24)	
Δ	knbd_user2	Ufld2		x(24)	
Δ	knbd__qadc01			x(24)	
Δ	knbd__qadc02			x(24)	
Δ	oid_knbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	knbd_id	yes	knbd_domain	yes	no
			knbd_id	yes	no
◊	knbd_keyid	yes	knbd_domain	yes	no
			knbd_keyid	yes	no
◊	knbd_knbl_keyid	no	knbd_domain	yes	no
			knbd_knbl_keyid	yes	no
			knbd_id	yes	no
◊	knbd_status_disp	no	knbd_domain	yes	no
			knbd_status	yes	no
			knbd_print_dispatch	yes	no
			knbd_active	yes	no
◊	oid_knbd_det	yes	oid_knbd_det	yes	no

◊ knbfd_det Kanban FIFO Process Detail

Field Name	Label	Col-Label	Format	Dec
knbfd_domain	Domain		x(8)	
knbfd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knbs_keyid	Kanban Source Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knb_keyid	Kanban Master Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knp_keyid	Process Master Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_mod_date	Modified Date	Mod Date	99/99/99	
knbfd_mod_userid	User ID		x(8)	
knbfd_seq	Sequence Number	Sequence! Number	>>>>>>>>9	
knbfd_user1	User Field Character 1		x(24)	
knbfd_user2	User Field Character 2		x(24)	
knbfd__qadc01			x(24)	
knbfd__qadc02			x(24)	
oid_knbfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊* knbfd_keyid	yes	knbfd_domain	yes	no
		knbfd_keyid	yes	no
◊ knbfd_knbs_keyid	no	knbfd_domain	yes	no
		knbfd_knbs_keyid	yes	no
		knbfd_seq	yes	no
◊ knbfd_knb_keyid	no	knbfd_domain	yes	no
		knbfd_knb_keyid	yes	no
		knbfd_seq	yes	no
◊ oid_knbfd_det	yes	oid_knbfd_det	yes	no

◊ knbism_det Kanban Item Supermarket Detail

Field Name	Label	Col-Label	Format	Dec
knbism_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbism_buf_limit_chg	Date Limit Changed		99/99/99	
knbism_buf_limit_disp	Buffer Limit Method		x(8)	
knbism_buf_method	Buffer Method		x(8)	
knbism_buf_modified	Buffer Modified		yes/no	
knbism_count_tolerance	Count Tolerance	Tol	>>9.9<%	10
knbism_critical_limit	Critical Zone Limit		>>,>>>,>>9.9<<<<<<<<<	10
knbism_daily_demand	Daily Demand		>,>>>,>>9.9<<<	4
knbism_demand_method	Demand Method		x(8)	
knbism_demand_modified	Demand Modified		yes/no	
knbism_demand_pct	Demand Percent		>>9.99%	10
knbism_dest_email	Destination Email		x(48)	
knbism_dest_fax	Destination Fax		x(16)	
knbism_dest_fax2	Destination Fax2		x(16)	
knbism_domain	Domain		x(8)	
knbism_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbism_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
knbism_knbsm_keyid	Kanban Supermarket Master Key ID		->>>,>>>,>>9.9<<<<<	10
knbism_lag_factor	Lag Factor		->>>>,>>>,>>9.9<<<<<<<<<	10
knbism_max_buf	Max Buffer Size		>>,>>>,>>9.9<<<<<<<<<	10
knbism_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
knbism_mod_userid	User ID		x(8)	
knbism_order_point	Order Point		>>,>>>,>>9.9<<<<<<<<<	10
knbism_pack_qty	Pack Qty		>>,>>>,>>9.9<<<<<<<<<	10
knbism_pack_type	Pack Type		x(8)	
knbism_peak_period	Peak Average Days	Pk Avg Dys	>>9	
knbism_safety_stock	Safety Stock		>>,>>>,>>9.9<<<<<<<<<	10
knbism_safety_time	Safety Days		>>>>,>>>,>>9.9<<<<<<<<<	10
knbism_service_level	Service Level	Service! Level	>>9.99%	10
knbism_ss_method	Safety Stock Method	SS Method	x(8)	
knbism_ss_template	Safety Stock Template	SS! Template	x(8)	
knbism_ss_total_qty	Total Quantity		>>,>>>,>>9.9<<<<<<<<<	10
knbism_template_used	Avg Demand Template	Avg Dem! Template	x(8)	
knbism_user1	User Field Character 1		x(24)	
knbism_user2	User Field Character 2		x(24)	
knbism_var_factor	Variability Factor	Var Factor	->>9.99<<	4
knbism_warning_limit	Warning Zone Limit		>>,>>>,>>9.9<<<<<<<<<	10
knbism_working_buffer	Working Buffer		->>>,>>>,>>9.9<<<<<	10
knbism__qadc01			x(24)	
knbism__qadc02			x(24)	
oid_knbism_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knbism_keyid	yes	knbism_domain	yes	no
			knbism_keyid	yes	no
◊	knbism_knbi_keyid	no	knbism_domain	yes	no
			knbism_knbi_keyid	yes	no
			knbism_knbsm_keyid	yes	no
◊	knbism_knbsm_keyid	no	knbism_domain	yes	no
			knbism_knbsm_keyid	yes	no
			knbism_knbi_keyid	yes	no
◊	oid_knbism_det	yes	oid_knbism_det	yes	no

◊ knbi_mstr Kanban Item Master

Field Name	Label	Col-Label	Format	Dec
knbi_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbi_bom_code	BOM Code		x(18)	
knbi_cmtindx	Comment Index	Comment	>>>>>>>9	
knbi_cont_type	Container Type	Cont! Type	x(8)	
knbi_cost_alloc	Cost Allocation	Cost! Alloc	>>9.9<%	10
knbi_domain	Domain		x(8)	
knbi_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbi_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_mod_date	Modified Date	Mod Date	99/99/99	
knbi_mod_userid	User ID		x(8)	
knbi_part	Item Number		x(18)	
knbi_routing	Routing Code		x(18)	
knbi_run_out_material	Run Out Material	Run Out! Material	x(18)	
knbi_run_out_option	Run Out Option		>9	
knbi_run_out_qtyper_um	UM		x(2)	
knbi_run_out_qty_per	Run Out Quantity Per	Run Out! Qty Per	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_run_out_qty_um	UM		x(2)	

	Field Name	Label	Col-Label	Format	Dec
	knbi_run_out_quantity	Run Out Quantity	Run Out! Quantity	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbi_run_out_setup	Run Out Changeover	Run Out! Changeover	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbi_step	Step		>>>>9	
	knbi_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
	knbi_user1	User Field Character 1		x(24)	
	knbi_user2	User Field Character 2		x(24)	
	knbi__qadc01			x(24)	
	knbi__qadc02			x(24)	
	oid_knbi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	knbi_keyid	yes	knbi_domain	yes	no
			knbi_keyid	yes	no
◊*	knbi_part	yes	knbi_domain	yes	no
			knbi_part	yes	no
			knbi_step	yes	no
◊	oid_knbi_mstr	yes	oid_knbi_mstr	yes	no

knbl_det

Kanban Loop Detail

	Field Name	Label	Col-Label	Format	Dec
Δ	knbl_accum_schedule	Accum Schedule		x(255)	
Δ	knbl_accum_sch_time	Schedule Time		x(255)	
Δ	knbl_accum_type	Accumulator Type		x(8)	
Δ	knbl_backflush	Backflush		yes/no	
Δ	knbl_blanket_po	Release Blanket PO		yes/no	
Δ	knbl_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
Δ	knbl_card_print_option	Print Option		x(8)	
Δ	knbl_card_reporting	Card Reporting	Card! Reporting	>9	
Δ	knbl_card_type	Card Type	Card! Type	x(8)	
Δ	knbl_cmtindx	Comment Index	Comment	>>>>>>>9	
	knbl_cont_size	Container Capacity	Container! Capacity	>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_cont_type	Container Type	Container	x(8)	
Δ	knbl_dispatch_list	Dispatch List	Dispatch! List	yes/no	
Δ	knbl_domain	Domain		x(8)	
Δ	knbl_email_disp_list	Email Dispatch List	Email! Disp	yes/no	
Δ	knbl_fax_dispatch_list	Fax Disp List	Fax! Disp	yes/no	
Δ	knbl_fifo_time	Total FIFO Time	FIFO Time	->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
Δ	knbl_id_barcode	Print ID Barcode	ID! Barcode	yes/no	
Δ	knbl_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
Δ	knbl_interval_time	Interval Time		->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
Δ	knbl_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knbl_knb_keyid	Kanban Master Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knbl_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(8)	
Δ	knbl_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_mod_date	Modified Date	Mod Date	99/99/99	
Δ	knbl_mod_userid	User ID		x(8)	

	Field Name	Label	Col-Label	Format	Dec
Δ	knbl_next_date	Next Accumulator		99/99/99	
Δ	knbl_next_time	Accumulator Time		->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_number_of_cards	Number of Cards	Cards	>>>,>>>,>>9	
Δ	knbl_order_qty	Order Qty		>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_print_consume_ref	Print Consuming Reference	Print Ref	yes/no	
Δ	knbl_print_quantity	Print Quantity	Print! Qty	yes/no	
Δ	knbl_regen_required	Regenerate	Regen! Required	yes/no	
Δ	knbl_rep_time	Replenishment Time	Replen Time	->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	knbl_run_out_option	Run Out Option		>9	
Δ	knbl_source_email	Source Email		x(48)	
Δ	knbl_source_fax	Source Fax		x(16)	
Δ	knbl_source_fax2	Source Fax 2		x(16)	
Δ	knbl_type_user_ref	Kanban Type	Kanban! Type	x(8)	
Δ	knbl_user1	User Field Character 1		x(24)	
Δ	knbl_user2	User Field Character 2		x(24)	
Δ	knbl__qadc01			x(24)	
Δ	knbl__qadc02			x(24)	
Δ	oid_knbl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knbl_keyid	yes	knbl_domain	yes	no
			knbl_keyid	yes	no
◊	knbl_knb_keyid	no	knbl_domain	yes	no
			knbl_knb_keyid	yes	no
			knbl_card_type	yes	no
◊	knbl_next_date_time	no	knbl_domain	yes	no
			knbl_next_date	yes	no
			knbl_next_time	yes	no
◊	oid_knbl_det	yes	oid_knbl_det	yes	no

◊ knbsm_mstr Kanban Supermarket Master

Field Name	Label	Col-Label	Format	Dec
knbsm_cmtindx	Comment Index	Comment	>>>>>>>9	
knbsm_desc	Description		x(24)	
knbsm_dest_email	Destination Email		x(48)	
knbsm_dest_fax	Destination Fax		x(16)	
knbsm_dest_fax2	Destination Fax 2	Destination! Fax 2	x(16)	
knbsm_domain	Domain		x(8)	
knbsm_inv_loc	Location		x(8)	
knbsm_inv_loc_type	Location Type		x(8)	
knbsm_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbsm_mod_date	Modified Date	Mod Date	99/99/99	
knbsm_mod_userid	User ID		x(8)	
knbsm_site	Site		x(8)	
knbsm_supermarket_id	Supermarket ID		x(8)	
knbsm_user1	User Field Character 1		x(24)	
knbsm_user2	User Field Character 2		x(24)	
knbsm__qadc01			x(24)	
knbsm__qadc02			x(24)	
oid_knbsm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	knbsm_keyid	yes	knbsm_domain	yes	no
			knbsm_keyid	yes	no
◊*	knbsm_site_id	yes	knbsm_domain	yes	no
			knbsm_site	yes	no
			knbsm_supermarket_id	yes	no
◊	oid_knbsm_mstr	yes	oid_knbsm_mstr	yes	no

◊ knbs_det

Kanban Source Detail

Field Name	Label	Col-Label	Format	Dec
knbs_domain	Domain		x(8)	
knbs_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbs_mod_date	Modified Date	Mod Date	99/99/99	
knbs_mod_userid	User ID		x(8)	
knbs_ref1	Reference 1		x(8)	
knbs_ref2	Reference 2		x(8)	
knbs_ref3	Reference 3		x(8)	
knbs_ref4	Reference 4		x(8)	
knbs_ref5	Reference 5		x(8)	
knbs_source_type	Source Type	Source! Type	x(8)	
knbs_user1	User Field Character 1		x(24)	
knbs_user2	User Field Character 2		x(24)	
knbs__qadc01			x(24)	
knbs__qadc02			x(24)	
oid_knbs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	knbs_keyid	yes	knbs_domain	yes	no
			knbs_keyid	yes	no
◊*	knbs_source_ref	no	knbs_domain	yes	no
			knbs_source_type	yes	no
			knbs_ref1	yes	no
			knbs_ref2	yes	no
			knbs_ref3	yes	no
			knbs_ref4	yes	no
			knbs_ref5	yes	no
◊	oid_knbs_det	yes	oid_knbs_det	yes	no

knb_mstr

Kanban Master

	Field Name	Label	Col-Label	Format	Dec
Δ	knb_domain	Domain		x(8)	
Δ	knb_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knb_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knb_knbsm_keyid	Supermarket Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knb_knbs_keyid	Kanban Source Key ID		->>>,>>>,>>9.9<<<<<	10
Δ	knb_loop_type	Loop Type		x(8)	

	Field Name	Label	Col-Label	Format	Dec
Δ	knb_mod_date	Modified Date	Mod Date	99/99/99	
Δ	knb_mod_userid	User ID		x(8)	
Δ	knb_user1	Ufld1		x(24)	
Δ	knb_user2	Ufld2		x(24)	
Δ	knb__qadc01			x(24)	
Δ	knb__qadc02			x(24)	
Δ	oid_knb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knb_keyid	yes	knb_domain	yes	no
			knb_keyid	yes	no
◊	knb_knbi_knbs	no	knb_domain	yes	no
			knb_knbi_keyid	yes	no
			knb_knbs_keyid	yes	no
◊	knb_knbi_knbsm	no	knb_domain	yes	no
			knb_knbi_keyid	yes	no
			knb_knbsm_keyid	yes	no
◊	knb_knbsm_keyid	no	knb_domain	yes	no
			knb_knbsm_keyid	yes	no
◊	knb_knbs_keyid	no	knb_domain	yes	no
			knb_knbs_keyid	yes	no
◊	oid_knb_mstr	yes	oid_knb_mstr	yes	no

◊ knpd_det

Kanban Process Item Detail

Field Name	Label	Col-Label	Format	Dec
knpd_cycle_time	Cycle Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_domain	Domain		x(8)	
knpd_epei_auto_calc	EPEI Auto		yes/no	
knpd_epe_interval	EPE Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_equip_time	Equipment Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_knp_keyid	Process Master Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_lead_time	Lead Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_mfg_seq	Level Mix Seq Nbr		>>>9	
knpd_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_mix_pct	Mix %		>>9.99%	10
knpd_mod_date	Modified Date	Mod Date	99/99/99	
knpd_mod_userid	User ID		x(8)	
knpd_move_time	Move Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_op_end	End Op	End! Op	>>>>9	
knpd_op_start	Start Op	Start! Op	>>>>9	
knpd_req_operators	Req Operators		>,>>>,>>9.9<<<	4
knpd_setup_time	Setup Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_user1	User Field Character 1		x(24)	
knpd_user2	User Field Character 2		x(24)	
knpd_work_content	Work Content		->>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
knpd_yield_pct	Yield%		>>9.99%	10
knpd__qadc01			x(24)	
knpd__qadc02			x(24)	
oid_knpd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knpd_keyid	yes	knpd_domain	yes	no
			knpd_keyid	yes	no
◊	knpd_knbi_keyid	no	knpd_domain	yes	no
			knpd_knbi_keyid	yes	no
◊	knpd_knp_keyid	no	knpd_domain	yes	no
			knpd_knp_keyid	yes	no
◊	oid_knpd_det	yes	oid_knpd_det	yes	no

◊ knp_mstr Kanban Process Master

Field Name	Label	Col-Label	Format	Dec
knp_chg_over_avail	Changeover Available		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_cmtindx	Comment Index	Comment	>>>>>>>9	
knp_co_per_interval	Changeover Per Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_cycle_time	Cycle Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_desc	Description		x(24)	
knp_domain	Domain		x(8)	
knp_epei_disp	EPEI Disp		9	
knp_epe_interval	EPE Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knp_lead_time_method	Lead Time Method	LT! Method	>9	
knp_level_mix_seq	Level Mix Seq		x(8)	
knp_load_limit	Load Limit	Load! Limit	>>9.9<%	10
knp_loc	Location		x(8)	
knp_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knp_mod_date	Modified Date	Mod Date	99/99/99	
knp_mod_userid	User ID		x(8)	
knp_move_time	Move Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_pct_uptime	Uptime %		>>9.99%	10
knp_pitch_interval	Pitch Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_pitch_quantity	Pitch Quantity		>>>,>>9.999<<<<<<	10
knp_pitch_um	Pitch UM		x(2)	
knp_planner_id	Planner ID		x(8)	
knp_process_function	Process Function		x(8)	
knp_process_id	Process Code	Process! Code	x(8)	
knp_production_line	Production Line	Line	x(8)	
knp_resources	Resources		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_site	Site		x(8)	
knp_takt_time	Takt Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_takt_time_calc	Takt Time Calc By		x(8)	
knp_time_avail	Time Avail		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_user1	User Field Character 1		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	knp_user2	User Field Character 2		x(24)	
	knp__qadc01			x(24)	
	knp__qadc02			x(24)	
	oid_knp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	knp_keyid	yes	knp_domain	yes	no
			knp_keyid	yes	no
◊	knp_planner_id	no	knp_domain	yes	no
			knp_planner_id	yes	no
			knp_site	yes	no
			knp_process_id	yes	no
◊*	knp_process_id	yes	knp_domain	yes	no
			knp_site	yes	no
			knp_process_id	yes	no
◊	oid_knp_mstr	yes	oid_knp_mstr	yes	no

lacd_det

Logistics Accounting Charge Detail

	Field Name	Label	Col-Label	Format	Dec
	lacd_accrual_level	Accrual Level	Accrual! Level	x(2)	
◊	lacd_domain	Domain		x(8)	
	lacd_element	Cost Element		x(8)	
	lacd_internal_ref	Internal Reference		x(20)	
	lacd_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
	lacd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
	lacd_log_supplier	Supplier		x(8)	
	lacd_mod_date	Modified Date	Mod Date	99/99/99	
	lacd_mod_userid	User ID		x(8)	
	lacd_shipfrom	Ship-From		x(8)	
	lacd_user1	User Field Character 1		x(24)	
	lacd_user2	User Field Character 2		x(24)	
	lacd__qadc01			x(24)	
	lacd__qadc02			x(24)	
◊	oid_lacd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lacd_internal_ref	yes	lacd_domain	yes	no
			lacd_internal_ref	yes	no
			lacd_shipfrom	yes	no
			lacd_lc_charge	yes	no
			lacd_internal_ref_type	yes	no
◊	oid_lacd_det	yes	oid_lacd_det	yes	no

lac_ctrl

Logistics Accounting Control

	Field Name	Label	Col-Label	Format	Dec
	lac_blank_suppliers	Match Blank Suppliers		yes/no	
◊	lac_domain	Domain		x(8)	
	lac_doship_nrm_id	Distribution Order Shipment Sequence ID		x(8)	
	lac_mod_date	Modified Date	Mod Date	99/99/99	
	lac_mod_userid	User ID		x(8)	
	lac_soship_nrm_id	Sales Order Shipment Sequence ID		x(8)	
	lac_user1	User Field Character 1		x(24)	
	lac_user2	User Field Character 2		x(24)	
	lac_use_logistics	Use Logistics Accounting		yes/no	
	lac__qadc01			x(24)	
	lac__qadc02			x(24)	
Δ	lac__qadi01			->>>>>>>9	
◊	oid_lac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lac_index1	yes	lac_domain	yes	no
◊	oid_lac_ctrl	yes	oid_lac_ctrl	yes	no

lad_det

Location Allocation Detail

	Field Name	Label	Col-Label	Format	Dec
	lad_dataset	Data Set		x(12)	
◊	lad_domain	Domain		x(8)	
	lad_line	Line/ID		x(8)	
	lad_loc	Location		x(8)	
	lad_lot	Lot/Serial		x(18)	
	lad_nbr	Order	Order Number	x(18)	
	lad_ord_site	Order Site	Ord Site	x(8)	
	lad_part	Item Number		x(18)	
	lad_qty_all	Qty Allocated	Qty Alloc	->>>,>>9.9<<<<<<	10
	lad_qty_chg	Qty to Iss		->>>,>>9.9<<<<<<	10
	lad_qty_pick	Qty Picked		->>>,>>9.9<<<<<<	10
	lad_ref	Ref	Reference	x(8)	
	lad_site	Site		x(8)	
	lad_user1	Ufld1		x(8)	
	lad_user2	Ufld2		x(8)	
	lad__qadc01			x(8)	
◊	oid_lad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lad_det	yes	lad_domain	yes	no
			lad_dataset	yes	no
			lad_nbr	yes	no
			lad_line	yes	no
			lad_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			lad_site	yes	no
			lad_loc	yes	no
			lad_lot	yes	no
			lad_ref	yes	no
Δ	lad_site	no	lad_domain	yes	no
			lad_site	yes	no
			lad_loc	yes	no
			lad_part	yes	no
			lad_lot	yes	no
			lad_ref	yes	no
◊	oid_lad_det	yes	oid_lad_det	yes	no

lblc_ctrl

Label Control

Field Name	Label	Col-Label	Format	Dec
lblc_index1	Index		>>>>>>9	
lblc_mod_date	Modified date	Mod Date	99/99/99	
lblc_mod_userid	User ID		x(8)	
lblc_trans_frame	Translate Frames		yes/no	
lblc_user1	Ufld1		x(8)	
lblc_user2	Ufld2		x(8)	
lblc__qadc01			x(8)	
lblc__qadc02			x(8)	
lblc__qadl01			yes/no	
lblc__qadl02			yes/no	
◊ oid_lblc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lblc_index1	yes	lblc_index1	yes	no
◊	oid_lblc_ctrl	yes	oid_lblc_ctrl	yes	no

lc_mstr

Logistics Accounting Charge Code Master

Field Name	Label	Col-Label	Format	Dec
lc_apportion_method	Apportion Method		x(2)	
lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no	
lc_desc	Description		x(24)	
◊ lc_domain	Domain		x(8)	
lc_element	Cost Element		x(8)	
lc_mod_date	Modified Date	Mod Date	99/99/99	
lc_mod_userid	User ID		x(8)	
lc_supplier	Supplier		x(8)	
lc_taxable	Taxable		yes/no	
lc_taxc	Tax Class	TxC	x(3)	
lc_user1	User Field Character 1		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	lc_user2	User Field Character 2		x(24)	
	lc__qadc01			x(24)	
	lc__qadc02			x(24)	
◊	oid_lc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	lc_charge	yes	lc_domain	yes	no
			lc_charge	yes	no
Δ	lc_element	no	lc_domain	yes	no
			lc_element	yes	no
			lc_charge	yes	no
◊	oid_lc_mstr	yes	oid_lc_mstr	yes	no

ld_det

Location Detail

Field Name	Label	Col-Label	Format	Dec
ld_assay	Assay %		>>9.99%	10
ld_cmtindx	Comment Index	Comment	>>>>>>>9	
ld_cnt_date	Last Count	Last Cnt	99/99/99	
ld_cost			>>>>,>>>,>>9.99<<<	10
ld_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
ld_date	Date Created	Created	99/99/99	
ld_date_frz	Freeze Date	Frz Date	99/99/99	
◊ ld_domain	Domain		x(8)	
ld_expire	Expire Date	Expire	99/99/99	
ld_grade	Grade		x(2)	
ld_loc	Location		x(8)	
ld_lot	Lot/Serial		x(18)	
ld_part	Item Number		x(18)	
ld_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
ld_qty_frz	Freeze Qty		->,>>>,>>9.9<<<<<<<<	10
ld_qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<<	10
ld_ref	Ref	Reference	x(8)	
ld_rev	Rev		x(4)	
ld_site	Site		x(8)	
ld_status	Inventory Status	Status	x(8)	
ld_supp_consign_qty	Supplier Consignment Qty	Supplier! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
ld_user1	Ufld1		x(8)	
ld_user2	Ufld2		x(8)	
ld_vd_lot	Not Used		x(18)	
ld_work			->>>,>>>,>>9.9<<<<<<<<<	10
ld__chr01			x(8)	
ld__chr02			x(8)	
ld__chr03			x(8)	
ld__chr04			x(8)	
ld__chr05			x(8)	
ld__dec01			>>>,>>>,>>9.99	10
ld__dec02			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	ld__dte01			99/99/99	
	ld__dte02			99/99/99	
	ld__log01			yes/no	
◊	oid_ld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ld_loc_p_lot	yes	ld_domain	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_part	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
Δ	ld_part_loc	yes	ld_domain	yes	no
			ld_part	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
Δ	ld_part_lot	yes	ld_domain	yes	no
			ld_part	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
			ld_site	yes	no
			ld_loc	yes	no
Δ	ld_serial	no	ld_domain	yes	no
			ld_ref	yes	no
			ld_part	yes	no
			ld_site	yes	no
Δ	ld_status	yes	ld_domain	yes	no
			ld_status	yes	no
			ld_part	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
◊	oid_ld_det	yes	oid_ld_det	yes	no

lgsi_det

Logistics Site Detail

	Field Name	Label	Col-Label	Format	Dec
	lgsi_app_id	Application ID		x(12)	
◊	lgsi_domain	Domain		x(8)	
	lgsi_mod_date	Modified Date	Mod Date	99/99/99	
	lgsi_mod_userid	User ID		x(8)	
	lgsi_site	Site		x(8)	
	lgsi_user1	Ufld1		x(8)	
	lgsi_user2	Ufld2		x(8)	
	lgsi__dec01			->>>,>>>,>>9.99<	10
	lgsi__dec02			->>>,>>>,>>9.99<	10
	lgsi__dte01			99/99/99	
	lgsi__dte02			99/99/99	
	lgsi__int01			->>>,>>>,>>9	
	lgsi__int02			->>>,>>>,>>9	
	lgsi__log01			yes/no	
	lgsi__log02			yes/no	
	lgsi__qadc01			x(8)	
	lgsi__qadc02			x(8)	
	lgsi__qadc03			x(8)	
	lgsi__qadc04			x(8)	
	lgsi__qadd01			->>>,>>>,>>9.99<	10
	lgsi__qadd02			->>>,>>>,>>9.99<	10
	lgsi__qadi01			->>>,>>>,>>9	
	lgsi__qadi02			->>>,>>>,>>9	
	lgsi__qadl01			yes/no	
	lgsi__qadl02			yes/no	
	lgsi__qadt01			99/99/99	
	lgsi__qadt02			99/99/99	
◊	oid_lgsi_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	AppIDSite	yes	lgsi_domain	yes	no
			lgsi_app_id	yes	no
			lgsi_site	yes	no
◊	oid_lgsi_det	yes	oid_lgsi_det	yes	no

lgs_mstr

Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs_act	Logistics Active		yes/no	
lgs_app_id	Application ID		x(12)	
lgs_ar_bal_exp	A/R Balance Exports		yes/no	
lgs_ar_imp	A/R Item Exports		yes/no	
lgs_cm_mnt	Customers		yes/no	
◊ lgs_domain	Domain		x(8)	
lgs_invc_exp	Invoice Data Exports		yes/no	
lgs_invc_imp	Import Invoices		yes/no	
lgs_inv_exp	Inventory Balance Exports		yes/no	
lgs_lad_exp	Inventory Allocation Exports		yes/no	
lgs_lad_mnt	Detailed Allocations		yes/no	

Field Name	Label	Col-Label	Format	Dec
lgs_mod_date	Modified Date	Mod Date	99/99/99	
lgs_mod_userid	User ID		x(8)	
lgs_pick_exp	Picklist Exports		yes/no	
lgs_price_imp	Import Prices		yes/no	
lgs_pt_cst_exp	Item Cost Exports		yes/no	
lgs_pt_mnt	Items		yes/no	
lgs_pymt_exp	Payment Exports		yes/no	
lgs_ship_exp	Sales Order Shipment Exports		yes/no	
lgs_so_imp	Sales Order Imports		yes/no	
lgs_so_mnt	Sales Orders		yes/no	
lgs_taxc	Tax Class		x(3)	
lgs_tax_env	Tax Environment		x(16)	
lgs_tax_imp	Import Taxes		yes/no	
lgs_user1	Ufld1		x(8)	
lgs_user2	Ufld2		x(8)	
lgs__dec01			->>>,>>>,>>9.99<	10
lgs__dec02			->>>,>>>,>>9.99<	10
lgs__dte01			99/99/99	
lgs__dte02			99/99/99	
lgs__int01			->>>,>>>,>>9	
lgs__int02			->>>,>>>,>>9	
lgs__log01			yes/no	
lgs__log02			yes/no	
lgs__qadc01			x(8)	
lgs__qadc02			x(8)	
lgs__qadc03			x(8)	
lgs__qadc04			x(8)	
lgs__qadd01			->>>,>>>,>>9.99<	10
lgs__qadd02			->>>,>>>,>>9.99<	10
lgs__qadi01			->>>,>>>,>>9	
lgs__qadi02			->>>,>>>,>>9	
lgs__qadl01			yes/no	
lgs__qadl02			yes/no	
lgs__qadt01			99/99/99	
lgs__qadt02			99/99/99	
◊ oid_lgs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
∆* ApplicationID	yes	lgs_domain	yes	no
		lgs_app_id	yes	no
◊ oid_lgs_mstr	yes	oid_lgs_mstr	yes	no

lna_det

Production Line Allocation Detail

Field Name	Label	Col-Label	Format	Dec
lna_allocation	Allocation%	Alloc%	>>9.99%	10
◊ lna_domain	Domain		x(8)	
lna_line	Line		x(8)	
lna_part	Item Number		x(18)	
lna_site	Site		x(8)	
lna_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	lna_user2	Ufld2		x(8)	
	lna__chr01			x(8)	
	lna__chr02			x(8)	
	lna__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	lna__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	lna__dte01			99/99/99	
	lna__dte02			99/99/99	
	lna__log01			yes/no	
	lna__log02			yes/no	
	lna__qadc01			x(8)	
	lna__qadc02			x(8)	
	lna__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	lna__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	lna__qadi01			->,>>>,>>9	
	lna__qadi02			->,>>>,>>9	
	lna__qadl01			yes/no	
	lna__qadl02			yes/no	
	lna__qadt01			99/99/99	
	lna__qadt02			99/99/99	
◊	oid_lna_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lna_siteline	yes	lna_domain	yes	no
			lna_site	yes	no
			lna_line	yes	no
			lna_part	yes	no
Δ	lna_sitepart	no	lna_domain	yes	no
			lna_site	yes	no
			lna_part	yes	no
			lna_line	yes	no
◊	oid_lna_det	yes	oid_lna_det	yes	no

lnd_det

Production Line Detail

	Field Name	Label	Col-Label	Format	Dec
	lnd_bom			x(18)	
	lnd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	lnd_domain	Domain		x(8)	
	lnd_expire	Expire		99/99/99	
	lnd_line	Line		x(8)	
	lnd_part	Part		x(18)	
	lnd_prod_um	Production UM	UM	x(2)	
	lnd_rate			>>>,>>>,>>9.99	10
	lnd_run	Run Crew	Run	x(8)	
	lnd_run_seq1	Run Seq 1		x(8)	
	lnd_run_seq2	2	Run Seq 2	x(8)	
	lnd_run_size	Size		>>>9	
	lnd_sequence			>>>.99	10
	lnd_setup	Setup Crew	Setup	x(8)	
	lnd_set_size	Size		>>>9	
	lnd_site	Site		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	lnd_start	Start		99/99/99	
	lnd_tool	Tool ID	Tool	x(8)	
	lnd_user1	Ufld1		x(50)	
	lnd_user2	Ufld2		x(50)	
	lnd__chr01			x(8)	
	lnd__chr02			x(8)	
	lnd__chr03			x(8)	
	lnd__chr04			x(8)	
	lnd__chr05			x(8)	
	lnd__dec01			>>>,>>>,>>9.99	10
	lnd__dec02			>>>,>>>,>>9.99	10
	lnd__dec03			>>>,>>>,>>9.99	10
	lnd__log01			yes/no	
	lnd__qadl01			yes/no	
◊	oid_lnd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	lnd_line	yes	lnd_domain	yes	no
			lnd_line	yes	no
			lnd_site	yes	no
			lnd_part	yes	no
			lnd_start	yes	no
Δ	lnd_linepart	no	lnd_domain	yes	no
			lnd_line	yes	no
			lnd_part	yes	no
◊	oid_lnd_det	yes	oid_lnd_det	yes	no

lnf_det

Flow Production Line Preference Detail

	Field Name	Label	Col-Label	Format	Dec
◊	lnf_domain	Domain		x(8)	
	lnf_mod_date	Modified Date	Mod Date	99/99/99	
	lnf_mod_userid	User ID		x(8)	
	lnf_part	Item Number		x(18)	
	lnf_preference	Preference		>>>>>>>>9	
	lnf_production_line	Production Line	Line	x(8)	
	lnf_site	Site		x(8)	
	lnf_user1	User Field Character 1		x(24)	
	lnf_user2	User field character 2		x(24)	
	lnf_userc03	User Field Character 3		x(24)	
	lnf_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	lnf_useri01	User Field Integer 1		->>>>>>>9	
	lnf_userl01	User Field Logical 1		yes/no	
	lnf_usert01	User Field Date 1		99/99/99	
	lnf__qadc01			x(24)	
	lnf__qadc02			x(24)	
	lnf__qadc03			x(24)	
	lnf__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	lnf__qadi01			->>>>>>>9	
	lnf__qadl01			yes/no	
	lnf__qadt01			99/99/99	
◊	oid_lnf_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	lnf_site_part_pref	no	lnf_domain	yes	no
			lnf_site	yes	no
			lnf_part	yes	no
			lnf_preference	yes	no
			lnf_production_line	yes	no
Δ*	lnf_site_prod_line	yes	lnf_domain	yes	no
			lnf_site	yes	no
			lnf_production_line	yes	no
			lnf_part	yes	no
◊	oid_lnf_det	yes	oid_lnf_det	yes	no

lngd_det Language Detail

	Field Name	Label	Col-Label	Format	Dec
	lngd_dataset	Data Set		x(12)	
	lngd_desc	Description		x(76)	
	lngd_field	Field		x(32)	
	lngd_key1	Key Value #1	Key #1	x(8)	
	lngd_key2	Key Value #2	Key #2	x(8)	
	lngd_key3	Key Value #3	Key #3	x(8)	
	lngd_key4	Key Value #4	Key #4	x(8)	
	lngd_lang	Language	Lang	x(2)	
	lngd_mnemonic	Mnemonic		x(8)	
	lngd_translate2	Translation 2		x(24)	
	lngd_translation	Label		x(24)	
	lngd_user1	Ufld1		x(8)	
	lngd_user2	Ufld2		x(8)	
	lngd__qadc01			x(8)	
◊	oid_lngd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lngd_det	yes	lngd_dataset	yes	no
			lngd_key1	yes	no
			lngd_key2	yes	no
			lngd_key3	yes	no
			lngd_key4	yes	no
			lngd_field	yes	no
			lngd_lang	yes	no
	lngd_mnemonic	no	lngd_desc	yes	no
			lngd_field	yes	no
			lngd_lang	yes	no
			lngd_mnemonic	yes	no
	lngd_trans	no	lngd_dataset	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			lngd_field	yes	no
			lngd_lang	yes	no
			lngd_translation	yes	no
◊	oid_lngd_det	yes	oid_lngd_det	yes	no

lng_mstr

Language Master

Field Name	Label	Col-Label	Format	Dec
lng_desc	Description		x(24)	
lng_dir	Directory		x(32)	
lng_lang	Language ID	Lang	x(2)	
lng_nbr	Language Number		>>9	
lng_user1	Ufld1		x(8)	
lng_user2	Ufld2		x(8)	
lng__qad01			x(8)	
lng__qad02			x(8)	
◊ oid_lng_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lng_lang	yes	lng_lang	yes	no
	lng_nbr	yes	lng_nbr	yes	no
◊	oid_lng_mstr	yes	oid_lng_mstr	yes	no

ln_mstr

Line Master

Field Name	Label	Col-Label	Format	Dec
ln_desc		Description	x(24)	
◊ ln_domain	Domain		x(8)	
ln_freeze_period	Freeze Period		>>>>>>>>9	
ln_kanban_receipts	Post Kanban Receipts	Post! Kanban! Receipts	yes/no	
ln_line	Line		x(8)	
ln_rate	Units/Hour		>>>,>>>,>>9.99	10
ln_rate_base	Line Sequenced		yes/no	
ln_rate_code	Rate code	Rate! Code	x(8)	
ln_schedule_code	Schedule Code	Sched! Code	x(8)	
ln_shift1	Shift1		>>>9.99	10
ln_shift2	Shift2		>>>9.99	10
ln_shift3	Shift3		>>>9.99	10
ln_shift4	Shift4		>>>9.99	10
ln_site	Site		x(8)	
ln_user1	Ufld1		x(50)	
ln_user2	Ufld2		x(50)	
ln__chr01			x(8)	
ln__chr03			x(8)	
ln__chr04			x(8)	
ln__chr05			x(8)	
ln__dec01			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	ln__dec02			>>>,>>>,>>9.99	10
	ln__dec03			>>>,>>>,>>9.99	10
	ln__log01			yes/no	
◊	oid_ln_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ln_linesite	yes	ln_domain	yes	no
			ln_line	yes	no
			ln_site	yes	no
Δ	ln_siteline	no	ln_domain	yes	no
			ln_site	yes	no
			ln_line	yes	no
◊	oid_ln_mstr	yes	oid_ln_mstr	yes	no

locc_det

Reserved Locations Detail

	Field Name	Label	Col-Label	Format	Dec
	locc_addr	Address		x(8)	
◊	locc_domain	Domain		x(8)	
	locc_loc	Reserved Location	Reserved! Location	x(8)	
	locc_mod_date	Modified Date	Mod Date	99/99/99	
	locc_mod_userid	User ID		x(8)	
	locc_primary_loc	Primary Location	Primary! Location	yes/no	
	locc_site	Site		x(8)	
	locc_userc01	User Field 1		x(24)	
	locc_userc02	User Field 2		x(24)	
	locc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	locc_useri01	User Field Integer 1		->>>>>>9	
	locc_userl01	User Field Logical 1		yes/no	
	locc_usert01	User Field Date 1		99/99/99	
	locc__qadc01			x(24)	
	locc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	locc__qadi01			->>>>>>9	
	locc__qadl01			yes/no	
	locc__qadt01			99/99/99	
◊	oid_locc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	locc_addr_site	yes	locc_domain	yes	no
			locc_addr	yes	no
			locc_site	yes	no
			locc_loc	yes	no
Δ	locc_primary	no	locc_domain	yes	no
			locc_addr	yes	no
			locc_site	yes	no
			locc_primary_loc	yes	no
Δ∗	locc_site_loc	yes	locc_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			locc_site	yes	no
			locc_loc	yes	no
			locc_addr	yes	no
◊	oid_locc_det	yes	oid_locc_det	yes	no

loc_mstr

Location Master

	Field Name	Label	Col-Label	Format	Dec
	loc_cap	Capacity		>>>>,>>>,>>9.9<<<<<<<<	10
	loc_cap_um	Capacity UM		x(2)	
	loc_date	Date Created	Created	99/99/99	
	loc_desc	Description		x(24)	
◊	loc_domain	Domain		x(8)	
	loc_loc	Location		x(8)	
	loc_perm	Permanent	Perm	yes/no	
	loc_phys_addr	Physical Address	Physical	x(8)	
	loc_project	Project		x(8)	
	loc_single	Single Item	Single! Item	yes/no	
	loc_site	Site		x(8)	
	loc_status	Inventory Status	Status	x(8)	
	loc_type	Type		x(8)	
	loc_user1	Ufld1		x(8)	
	loc_user2	Ufld2		x(8)	
	loc_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
	loc__qad01			yes/no	
	loc__qadc01			x(8)	
	loc__qadc02			x(4)	
◊	oid_loc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	loc_loc	yes	loc_domain	yes	no
			loc_site	yes	no
			loc_loc	yes	no
◊	oid_loc_mstr	yes	oid_loc_mstr	yes	no

lotw_wkfl

Lot Number Work Table

	Field Name	Label	Col-Label	Format	Dec
◊	lotw_domain	Domain		x(8)	
	lotw_lotser	Lot/Serial		x(18)	
	lotw_mfguser			x(8)	
	lotw_part	Item Number		x(18)	
	lotw_user1	Ufld1		x(8)	
	lotw_user2	Ufld2		x(8)	
	lotw_userid	User ID		x(8)	
	lotw__qadc01			x(8)	
◊	oid_lotw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lotw_ser_part	yes	lotw_domain	yes	no
			lotw_lotser	yes	no
			lotw_part	yes	no
Δ	lot_user_lot	yes	lotw_domain	yes	no
			lotw_mfguser	yes	no
			lotw_lotser	yes	no
			lotw_part	yes	no
◊	oid_lotw_wkfl	yes	oid_lotw_wkfl	yes	no

lot_mstr

Lot Master

	Field Name	Label	Col-Label	Format	Dec
	lot_cmtindx	Comment Index		>>>>>>>9	
	lot_create	Created		99/99/99	
◊	lot_domain	Domain		x(8)	
	lot_line	Line/ID		x(8)	
	lot_nbr	Order Number		x(18)	
	lot_part	Item Number		x(18)	
	lot_pot_conv	Lot UM Conversion	Lot UM Conv	>>>>9.9999<<<<	10
	lot_pot_um	Lot UM	UM	x(2)	
	lot_serial	Lot/Serial		x(18)	
	lot_trans	Expired Inv Trans	Trans	x(8)	
	lot_user1	Ufld1		x(8)	
	lot_user2	Ufld2		x(8)	
	lot_userid	User ID		x(8)	
	lot__chr01	Chrfld 1		x(8)	
	lot__chr02	Chrfld 2		x(8)	
	lot__chr03	Chrfld 3		x(8)	
	lot__chr04	Chrfld 4		x(8)	
	lot__chr05	Chrfld 5		x(8)	
	lot__chr06	Chrfld 6		x(8)	
	lot__dec01	Decfld 1		->>>,>>>,>>9.99	10
	lot__dec02	Decfld 2		->>>,>>>,>>9.99	10
	lot__dec03	Decfld 3		->>>,>>>,>>9.99	10
	lot__dec04	Decfld 4		->>>,>>>,>>9.99	10
	lot__dec05	Decfld 5		->>>,>>>,>>9.99	10
	lot__dec06	Decfld 6		->>>,>>>,>>9.99	10
	lot__dte01	Dtefld 1		99/99/99	
	lot__dte02	Dtefld 2		99/99/99	
	lot__dte03	Dtefld 3		99/99/99	
	lot__dte04	Dtefld 4		99/99/99	
	lot__dte05	Dtefld 5		99/99/99	
	lot__dte06	Dtefld 6		99/99/99	
◊	oid_lot_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	lot_part_serial	yes	lot_domain	yes	no
			lot_part	yes	no
			lot_serial	yes	no
Δ	lot_serial_part	no	lot_domain	yes	no
			lot_serial	yes	no
			lot_part	yes	no
◊	oid_lot_mstr	yes	oid_lot_mstr	yes	no

ls_mstr

Address List Detail

	Field Name	Label	Col-Label	Format	Dec
	ls_addr	Address		x(8)	
	ls_app_owner	Owner Application		x(12)	
◊	ls_domain	Domain		x(8)	
	ls_type	List Type	List	x(8)	
	ls_user1	Ufld1		x(8)	
	ls_user2	Ufld2		x(8)	
	ls__dec01			->>>,>>>,>>9.99<	10
	ls__dec02			->>>,>>>,>>9.99<	10
	ls__dte01			99/99/9999	
	ls__dte02			99/99/9999	
	ls__int01			->>>,>>>,>>9	
	ls__int02			->>>,>>>,>>9	
	ls__log01			yes/no	
	ls__log02			yes/no	
	ls__qadc01			x(8)	
	ls__qadc02			x(8)	
	ls__qadc03			x(8)	
	ls__qadc04			x(8)	
	ls__qadd01			->>>,>>>,>>9.99<	10
	ls__qadd02			->>>,>>>,>>9.99<	10
	ls__qadi01			->>>,>>>,>>9	
	ls__qadi02			->>>,>>>,>>9	
	ls__qadl01			yes/no	
	ls__qadl02			yes/no	
	ls__qadt01			99/99/9999	
	ls__qadt02			99/99/9999	
◊	oid_ls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ls_addrtype	yes	ls_domain	yes	no
			ls_addr	yes	no
			ls_type	yes	no
Δ	ls_type	yes	ls_domain	yes	no
			ls_type	yes	no
			ls_addr	yes	no
◊	oid_ls_mstr	yes	oid_ls_mstr	yes	no

maxt_det

Maximum Table Detail

	Field Name	Label	Col-Label	Format	Dec
	maxt_amt	Amount		->>,>>>,>>>,>>9.99<	10
	maxt_beg_date	Beginning Date	Beg Date	99/99/99	
	maxt_book	Book		x(8)	
	maxt_class	Class	Cls	x(3)	
	maxt_end_date	Ending Date	End Date	99/99/99	
	maxt_entity	Entity	Enty	x(4)	
	maxt_field	Field to Apply Maximum To		x(32)	
	maxt_user1	Ufld1		x(8)	
	maxt_user2	Ufld2		x(8)	
	maxt__qad01			yes/no	
	maxt__qad02			x(8)	
	maxt__qad03			x(8)	
◊	oid_maxt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	maxt_index	yes	maxt_field	yes	no
			maxt_book	yes	no
			maxt_entity	yes	no
			maxt_class	yes	no
			maxt_beg_date	yes	no
			maxt_end_date	yes	no
◊	oid_maxt_det	yes	oid_maxt_det	yes	no

max_mstr

Maximums Master

Field Name	Label	Col-Label	Format	Dec
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>,>>>,>>>,>>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>,>>>,>>>,>>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum by	Reduce Maximum by	->>,>>>,>>>,>>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>,>>>,>>>,>>9.99<	10
max_user1	Ufld1		x(8)	
max_user2	Ufld2		x(8)	
max_userid	User ID		x(8)	
max_yr_cost	Total Asset Cost		->>,>>>,>>>,>>9.99<	10

	Field Name	Label	Col-Label	Format	Dec
	max_yr_max	Maximum		->>,>>>,>>>,>>9.99<	10
	max__qad01			x(4)	
	max__qad02			x(8)	
◊	oid_max_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	max_ind1	yes	max_field	yes	no
			max_book	yes	no
			max__qad01	yes	no
			max_class	yes	no
◊	oid_max_mstr	yes	oid_max_mstr	yes	no

ma_mstr

Mirror Account Master

	Field Name	Label	Col-Label	Format	Dec
	ma_acct1	Account 1		x(8)	
	ma_acct2	Account 2		x(8)	
	ma_all_cc	All Cost Centers	All CC	yes/no	
	ma_all_sub	All Sub-Accounts	All Sub-Acct	yes/no	
	ma_cc1	Cost Ctr	CC	x(4)	
	ma_cc2	Cost Ctr 2	CC 2	x(4)	
◊	ma_domain	Domain		x(8)	
	ma_entity	Entity		x(4)	
	ma_mr_acct1	Mirror Account 1	Mir Acct1	x(8)	
	ma_mr_acct2	Mirror Account 2	Mir Acct 2	x(8)	
	ma_mr_cc1	Cost Ctr	CC	x(4)	
	ma_mr_cc2	Mirror CC 2	Mir CC 2	x(4)	
	ma_mr_sub1	Mirror Sub-Account 1	Sub-Acct	x(8)	
	ma_mr_sub2	Mirror Sub-Account 2	Sub-Acct	x(8)	
	ma_sub1	Sub-Account 1	Sub-Acct	x(8)	
	ma_sub2	Sub-Account 2	Sub-Acct	x(8)	
	ma_tr_type	Trans Type	T	x(2)	
	ma_user1	Ufld1		x(8)	
	ma_user2	Ufld2		x(8)	
	ma__qadc01			x(8)	
◊	oid_ma_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ma_all_sub_cc	yes	ma_domain	yes	no
			ma_entity	yes	no
			ma_tr_type	yes	no
			ma_acct1	yes	no
			ma_acct2	yes	no
			ma_sub1	yes	no
			ma_sub2	yes	no
			ma_cc1	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ma_cc2	yes	no
			ma_all_sub	yes	no
			ma_all_cc	yes	no
◊	oid_ma_mstr	yes	oid_ma_mstr	yes	no

mfc_ctrl Control Work Table

	Field Name	Label	Col-Label	Format	Dec
	mfc_char	Character		x(24)	
	mfc_date	Date		99/99/99	
	mfc_decimal	Decimal		->>>,>>>,>>9.999999999	10
	mfc_desc	Description		x(24)	
◊	mfc_domain	Domain		x(8)	
	mfc_field	Field Name		x(32)	
	mfc_integer	Integer		>>>>>>>>9	
	mfc_label	Label		x(24)	
	mfc_logical	Logical		yes/no	
	mfc_module	Module		x(4)	
	mfc_seq	Sequence	Seq	>>9	
	mfc_type	Type	T	x(2)	
	mfc_user1	Ufld1		x(8)	
	mfc_user2	Ufld2		x(8)	
	mfc__qadc01			x(8)	
◊	oid_mfc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	mfc_field	yes	mfc_domain	yes	no
			mfc_field	yes	no
Δ	mfc_mod_seq	yes	mfc_domain	yes	no
			mfc_module	yes	no
			mfc_seq	yes	no
◊	oid_mfc_ctrl	yes	oid_mfc_ctrl	yes	no

◊ mfrel_mstr Master Table Relationships

Field Name	Label	Col-Label	Format	Dec
mfrel_mod_date	Modified Date	Mod Date	99/99/99	
mfrel_mod_userid	User ID		x(8)	
mfrel_source_key1	Source Key Field 1		x(24)	
mfrel_source_key2	Source Key Field 2		x(24)	
mfrel_source_key3	Source Key Field 3		x(24)	
mfrel_target_key1	Target Key Field 1		x(24)	
mfrel_target_key2	Target Key Field 2		x(24)	
mfrel_target_key3	Target Key Field 3		x(24)	
mfrel_type	Type		x(8)	
mfrel_user1	User Field Character 1		x(24)	
mfrel_user2	User Field Character 2		x(24)	
mfrel__qadc01			x(24)	
mfrel__qadc02			x(24)	

Field Name	Label	Col-Label	Format	Dec
mfrel__qadc03			x(24)	
mfrel__qadc04			x(24)	
mfrel__qadc05			x(24)	
mfrel__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd03			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd04			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd05			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qaddt01			99/99/99	
mfrel__qaddt02			99/99/99	
mfrel__qadl01			yes/no	
mfrel__qadl02			yes/no	
oid_mfrel_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	mfrel_source_targ	yes	mfrel_type	yes	no
			mfrel_source_key1	yes	no
			mfrel_source_key2	yes	no
			mfrel_source_key3	yes	no
			mfrel_target_key1	yes	no
			mfrel_target_key2	yes	no
			mfrel_target_key3	yes	no
◊	mfrel_targ_source	yes	mfrel_type	yes	no
			mfrel_target_key1	yes	no
			mfrel_target_key2	yes	no
			mfrel_target_key3	yes	no
			mfrel_source_key1	yes	no
			mfrel_source_key2	yes	no
			mfrel_source_key3	yes	no
◊	oid_mfrel_mstr	yes	oid_mfrel_mstr	yes	no

mnd_det Menu Detail

Field Name	Label	Col-Label	Format	Dec
mnd_canrun	Access codes		x(60)	
mnd_exec	Execution File	Exec File	x(14)	
mnd_fkey	F Key	Key	>>9	
mnd_help	Help File		x(12)	
mnd_label	Selection Label		x(32)	
mnd_name	Name		x(8)	
mnd_nbr	Menu		x(16)	
mnd_select	Selection	Sel	>9	
mnd_user1	Ufld1		x(8)	
mnd_user2	Ufld2		x(8)	
mnd__qadc01			x(8)	
◊ oid_mnd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	mnd_exec	no	mnd_exec	yes	no
	mnd_name	no	mnd_name	yes	no
*	mnd_nbr	yes	mnd_nbr	yes	no
			mnd_select	yes	no
◊	oid_mnd_det	yes	oid_mnd_det	yes	no

mnp_det

Service/Support Custom Program Detail

	Field Name	Label	Col-Label	Format	Dec
◊	mnp_domain	Domain		x(8)	
	mnp_exec	Program to Execute		x(12)	
	mnp_menu	Menu		x(12)	
	mnp_program	Program		x(12)	
	mnp_prog_type	Program Type		x(8)	
	mnp_repeat_group	Repeat Group		x(8)	
	mnp_select	Selection		>>9	
	mnp_sequence	Sequence	Seq	>>>9	
	mnp_user1	Ufld1		x(8)	
	mnp_user2	Ufld2		x(8)	
	mnp_userid	User ID		x(8)	
	mnp__qadc01			x(8)	
◊	oid_mnp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	mnp_program	yes	mnp_domain	yes	no
			mnp_program	yes	no
			mnp_userid	yes	no
			mnp_sequence	yes	no
			mnp_prog_type	yes	no
◊	oid_mnp_det	yes	oid_mnp_det	yes	no

mnt_det

Menu Title Detail

	Field Name	Label	Col-Label	Format	Dec
	mnt_label	Selection Label		x(32)	
	mnt_lang	Language		x(2)	
	mnt_nbr	Menu		x(16)	
	mnt_select	Selection		>9	
	mnt_user1	Ufld1		x(8)	
	mnt_user2	Ufld2		x(8)	
	mnt__qadc01			x(8)	
◊	oid_mnt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mnt_nsl	yes	mnt_nbr	yes	no
			mnt_select	yes	no
			mnt_lang	yes	no
◊	oid_mnt_det	yes	oid_mnt_det	yes	no

mpd_det

Master Specification Detail

	Field Name	Label	Col-Label	Format	Dec
	mpd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	mpd_domain	Domain		x(8)	
	mpd_label	Characteristic		x(24)	
	mpd_nbr	Document		x(8)	
	mpd_tol	Specification		x(26)	
	mpd_tol_type	Measure		x(12)	
	mpd_type	Number		x(8)	
	mpd_user1	Ufld1		x(8)	
	mpd_user2	Ufld2		x(8)	
	mpd__chr01			x(8)	
	mpd__chr02			x(8)	
	mpd__chr03			x(8)	
	mpd__chr04			x(8)	
	mpd__chr05			x(8)	
	mpd__dec01			>>>,>>>,>>9.99	10
	mpd__dec02			>>>,>>>,>>9.99	10
◊	oid_mpd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	mpd_nbr	yes	mpd_domain	yes	no
			mpd_nbr	yes	no
			mpd_type	yes	no
◊	oid_mpd_det	yes	oid_mpd_det	yes	no

mph_hist

Master Specification Test History

	Field Name	Label	Col-Label	Format	Dec
	mph_attribute	Attribute		X(8)	0
	mph_cmtindx	Comment Index	Comment	>>>>>>>9	
	mph_date	Test Date		99/99/99	
◊	mph_domain	Domain		x(8)	
	mph_lot	ID/Batch		x(8)	
	mph_mch	Machine		x(8)	
	mph_op	Operation	Op	>>>>>9	
	mph_op_trnbr	Trans		>>>>>9	
	mph_part	Item Number		x(18)	
	mph_pass	Pass		yes/no	
	mph_procedure	Document		x(8)	
	mph_routing	Routing/Procedure		x(18)	
	mph_rsult	Results	Actual Results	x(25)	
	mph_test	Characteristic		x(24)	
	mph_testmthd	Test Method		X(8)	0
	mph_user1	Ufld1		x(8)	
	mph_user2	Ufld2		x(8)	
	mph_wr_nbr	Order Number		x(18)	
	mph__chr01			x(8)	
	mph__chr02			x(8)	
	mph__chr03			x(8)	
	mph__chr04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	mph__chr05			x(8)	
	mph__dec01			>>>,>>>,>>9.99	10
	mph__dec02			>>>,>>>,>>9.99	10
◊	oid_mph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	mph_lot	yes	mph_domain	yes	no
			mph_lot	yes	no
			mph_part	yes	no
			mph_routing	yes	no
			mph_op	yes	no
			mph_test	yes	no
◊	oid_mph_hist	yes	oid_mph_hist	yes	no

mpp_det

Service/Support Custom Program Parameter Detail

	Field Name	Label	Col-Label	Format	Dec
	mpp_desc	Description		x(24)	
◊	mpp_domain	Domain		x(8)	
	mpp_field_type	Field Type		x(16)	
	mpp_line	Line		>>9	
	mpp_mod_date	Modified Date	Mod Date	99/99/99	
	mpp_mod_userid	User ID		X(8)	0
	mpp_parm	Field Name		x(18)	
	mpp_program			x(18)	
	mpp_sequence			>>>9	
	mpp_user1	Ufld1		X(8)	
	mpp_user2	Ufld2		X(8)	
	mpp__chr01	User character Field 1		X(8)	
	mpp__log01	User Logical Field 1		yes/no	
	mpp__qadc01	QAD Character field 1		X(8)	
	mpp__qade01	QAD Decimal Field 1		->>,>>9.99	10
	mpp__qadl01	QAD Logical Field 1		yes/no	
	mpp__qadt01	QAD Date Field 1		99/99/99	
◊	oid_mpp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	mpp_program	yes	mpp_domain	yes	no
			mpp_program	yes	no
			mpp_sequence	yes	no
			mpp_line	yes	no
◊	oid_mpp_det	yes	oid_mpp_det	yes	no

mps_mstr Master Production Schedule

	Field Name	Label	Col-Label	Format	Dec
	mps_bom_code	BOM/Formula		x(18)	
◊	mps_domain	Domain		x(8)	
	mps_due_date	Due Date		99/99/99	
	mps_line	Production Line	Line	x(8)	
	mps_part	Item Number		x(18)	
	mps_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<<	10
	mps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<	10
	mps_record			>>>>>>9	
	mps_rel_date	Release	Rel Date	99/99/99	
	mps_routing	Routing Code		x(18)	
	mps_site	Site		x(8)	
	mps_user1	Ufld1		x(8)	
	mps_user2	Ufld2		x(8)	
	mps__qadc01			x(8)	
◊	oid_mps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	mps_part	yes	mps_domain	yes	no
			mps_part	yes	no
			mps_site	yes	no
			mps_line	yes	no
			mps_due_date	yes	no
Δ	mps_record	yes	mps_domain	yes	no
			mps_record	yes	no
Δ	mps_site	yes	mps_domain	yes	no
			mps_site	yes	no
			mps_part	yes	no
			mps_line	yes	no
			mps_due_date	yes	no
◊	oid_mps_mstr	yes	oid_mps_mstr	yes	no

mp_mstr Master Specification

	Field Name	Label	Col-Label	Format	Dec
	mp_desc	Description		x(24)	
◊	mp_domain	Domain		x(8)	
	mp_expire	Expire Date		99/99/99	
	mp_nbr	Document		x(8)	
	mp_user1	Ufld1		x(8)	
	mp_user2	Ufld2		x(8)	
	mp__chr01			x(8)	
	mp__chr02			x(8)	
	mp__chr03			x(8)	
	mp__chr04			x(8)	
	mp__chr05			x(8)	
	mp__dec01			>>>,>>>,>>9.99	10
	mp__dec02			>>>,>>>,>>9.99	10
◊	oid_mp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	mp_nbr	yes	mp_domain	yes	no
			mp_nbr	yes	no
◊	oid_mp_mstr	yes	oid_mp_mstr	yes	no

mrpc_ctrl

Material Requirements Planning Control

	Field Name	Label	Col-Label	Format	Dec
◊	mrpc_domain	Domain		x(8)	
	mrpc_drp	MRP/DRP Combined	MRP/DRP	yes/no	
	mrpc_horizon	MRP Horizon		->,>>>,>>9	
	mrpc_op_yield	Enable Op Based Yield		yes/no	
	mrpc_reldays	Order Release Horizon	Rel Horizon	>>9	
	mrpc_sum_def	Summary Default	D	>	
	mrpc_user1	Ufld1		x(8)	
	mrpc_user2	Ufld2		x(8)	
	mrpc__qadc01			x(8)	
Δ	mrpc__qadi01			->>>>>>>9	
◊	oid_mrpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	mrpc_index1	yes	mrpc_domain	yes	no
◊	oid_mrpc_ctrl	yes	oid_mrpc_ctrl	yes	no

mrpp_det

Material Requirements Planning Pegging Detail

	Field Name	Label	Col-Label	Format	Dec
	mrpp_demand_due_date	Demand Due Date		99/99/99	
	mrpp_demand_mrp_keyid	Demand ID		>>>>>>>>9	
◊	mrpp_domain	Domain		x(8)	
	mrpp_mod_date	Modified Date	Mod Date	99/99/99	
	mrpp_mod_userid	User ID		x(8)	
	mrpp_qty_pegged	Qty Pegged		->>>>,>>>,>>9.9<<<<<<<<<	10
	mrpp_supply_due_date	Supply Due Date		99/99/99	
	mrpp_supply_mrp_keyid	Supply ID		>>>>>>>>9	
	mrpp_user1	User Field Character 1		x(24)	
	mrpp_user2	User Field Character 2		x(24)	
	mrpp__qadc01			x(24)	
	mrpp__qadc02			x(24)	
◊	oid_mrpp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	mrpp_demand	no	mrpp_domain	yes	no
			mrpp_demand_mrp_keyid	yes	no
			mrpp_supply_due_date	yes	no
Δ*	mrpp_det	yes	mrpp_domain	yes	no
			mrpp_demand_mrp_keyid	yes	no
			mrpp_supply_mrp_keyid	yes	no
Δ	mrpp_supply	no	mrpp_domain	yes	no
			mrpp_supply_mrp_keyid	yes	no
			mrpp_demand_due_date	yes	no
◊	oid_mrpp_det	yes	oid_mrpp_det	yes	no

mrp_det

Material Requirements Planning Detail

	Field Name	Label	Col-Label	Format	Dec
	mrp_dataset	Data Set		x(12)	
	mrp_detail	Detail		x(24)	
◊	mrp_domain	Domain		x(8)	
	mrp_due_date	Due Date		99/99/99	
	mrp_keyid	Key ID		>>>>>>>>9	
	mrp_line	Line/ID		x(8)	
	mrp_line2	Reference	Ref	x(8)	
	mrp_nbr	Order	Order Number	x(18)	
	mrp_ord_site	Order Site	Ord Site	x(8)	
	mrp_part	Item Number		x(18)	
	mrp_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	mrp_rel_date	Release Date		99/99/99	
	mrp_site	Site		x(8)	
	mrp_type	Order Type		x(8)	
	mrp_user1	Ufld1		x(8)	
	mrp_user2	Ufld2		x(8)	
	mrp__qad01			yes/no	
◊	oid_mrp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	mrp_det	yes	mrp_domain	yes	no
			mrp_dataset	yes	no
			mrp_part	yes	no
			mrp_nbr	yes	no
			mrp_line	yes	no
			mrp_line2	yes	no
Δ	mrp_keyid	no	mrp_domain	yes	no
			mrp_keyid	yes	no
Δ	mrp_nbr	yes	mrp_domain	yes	no
			mrp_dataset	yes	no
			mrp_nbr	yes	no
			mrp_line	yes	no
			mrp_line2	yes	no
			mrp_part	yes	no
Δ	mrp_partdate	no	mrp_domain	yes	no
			mrp_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			mrp_due_date	yes	no
			mrp_type	no	no
Δ	mrp_sitetype	no	mrp_domain	yes	no
			mrp_site	yes	no
			mrp_part	yes	no
			mrp_type	yes	no
			mrp_due_date	yes	no
			mrp_qty	yes	no
Δ	mrp_site_due	no	mrp_domain	yes	no
			mrp_site	yes	no
			mrp_part	yes	no
			mrp_due_date	yes	no
			mrp_type	yes	no
◊	oid_mrp_det	yes	oid_mrp_det	yes	no

msg_mstr

Message Master

	Field Name	Label	Col-Label	Format	Dec
	msg_desc	Message		x(64)	
	msg_explanation[11]	Explanation		x(76)	
	msg_lang	Language		x(2)	
	msg_nbr	Message Number	Msg	>>>9	
	msg_type	Type		x(8)	
	msg_user1	Ufld1		x(8)	
	msg_user2	Ufld2		x(8)	
	msg__qadc01			x(8)	
◊	oid_msg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	msg_ln	yes	msg_lang	yes	no
			msg_nbr	yes	no
◊	oid_msg_mstr	yes	oid_msg_mstr	yes	no

mu_mstr

Monetary Union Master

	Field Name	Label	Col-Label	Format	Dec
◊	mu_domain	Domain		x(8)	
	mu_end_date	End		99/99/99	
	mu_member_curr	Member Currency	Member	x(3)	
	mu_mod_date	Modified Date	Mod Date	99/99/99	
	mu_mod_userid	User ID		x(8)	
	mu_start_date	Start		99/99/99	
	mu_union_curr	Union Currency	Union	x(3)	
	mu_user1	Ufld1		x(8)	
	mu_user2	Ufld2		x(8)	
	mu__qadc01			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	mu__qadd01			->>>>,>>>,>>9.99	10
	mu__qadl01			yes/no	
	mu__qadt01			99/99/99	
◊	oid_mu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	mu_member_curr	yes	mu_domain	yes	no
			mu_member_curr	yes	no
			mu_start_date	no	no
◊	oid_mu_mstr	yes	oid_mu_mstr	yes	no

ncc_ctrl Net Commerce Control

Field Name	Label	Col-Label	Format	Dec
ncc_ar_acct	AR Acct		x(8)	
ncc_ar_cc	AR Cost Ctr	CC	x(4)	
ncc_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
ncc_channel	Channel		x(8)	
ncc_class	Class		x(8)	
ncc_confirmed	Confirmed		x(8)	
ncc_county	County		x(20)	
ncc_cr_init	CR Initials	Initials	x(3)	
ncc_cr_limit	Credit Limit	Cr Limit	>>>,>>>,>>>,>>9	0
ncc_cr_rating	Credit Rating	Cr Rate	x(8)	
ncc_cr_terms	Terms		x(8)	
ncc_disc_pct	Disc %		->>9.9<%	10
ncc_disp_weight	Display Weights		yes/no	
◊ ncc_domain	Domain		x(8)	
ncc_fix_pr	Fixed Price		yes/no	
ncc_fr_list	Freight List	Frt List	x(8)	
ncc_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
ncc_fr_terms	Freight Terms	Fr Terms	x(8)	
ncc_lang	Language		x(2)	
ncc_ln_fmt	Ln Format S/M		single/multi	
ncc_ln_pricing	Line Pricing		yes/no	
ncc_mod_date	Modified Date	Mod Date	99/99/99	
ncc_mod_userid	User ID		x(8)	
ncc_nc_app_id	NC App ID		x(12)	
ncc_partial	Partial OK	Partial	yes/no	
ncc_po_reqd	PO Required	PO Reqd	yes/no	
ncc_pr_list	Manual		x(8)	
ncc_region	Region		x(4)	
ncc_rmks	Remarks		x(40)	
ncc_shipvia	Ship Via		x(20)	
ncc_show_inv	Show Inventory		yes/no	
ncc_site	Site		x(8)	
ncc_slspsn[4]	Salesperson	Salespsn	x(8)	
ncc_stat	Action Status	St	x(2)	
ncc_taxable	Taxable	Tax	yes/no	
ncc_taxc	Tax Class	TxC	x(3)	
ncc_tax_in	Tax In		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	ncc_tax_usage	Tax Usage		x(8)	
	ncc_tx_in_city	In City		yes/no	
	ncc_type	Type		x(4)	
	ncc_user1	User Field 1		x(24)	
	ncc_user2	User Field 2		x(24)	
	ncc__qadc01			x(8)	
	ncc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	ncc__qadi01			>>>>>>9	
Δ	ncc__qadi02			->>>>>>>9	
	ncc__qadl01			yes/no	
	ncc__qadt01			99/99/99	
◊	oid_ncc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	ncc_index1	yes	ncc_domain	yes	no
◊	oid_ncc_ctrl	yes	oid_ncc_ctrl	yes	no

nrh_hist

Number Range History

	Field Name	Label	Col-Label	Format	Dec
	nrh_action	Action		x(8)	
	nrh_date	Date		99/99/99	
	nrh_desc	Description		x(40)	
◊	nrh_domain	Domain		x(8)	
	nrh_inc	Incrementing Value		x(40)	
	nrh_line	Line		>,>>>,>>9	
	nrh_non_inc	Non Incrementing Value		x(40)	
	nrh_number	Sequence Value		x(40)	
	nrh_seqid	Sequence ID	Id	x(8)	
	nrh_time	Time		x(8)	
	nrh_user1	Ufld1		x(8)	
	nrh_user2	Ufld2		x(8)	
	nrh_userid	User ID		x(8)	
	nrh__qadc01			x(8)	
◊	oid_nrh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	nrh_index	yes	nrh_domain	yes	no
			nrh_seqid	yes	no
			nrh_number	yes	no
			nrh_action	yes	no
			nrh_line	yes	no
◊	oid_nrh_hist	yes	oid_nrh_hist	yes	no

nr_mstr Number Range Master

	Field Name	Label	Col-Label	Format	Dec
	nr_allow_discard	Allow Discarding		yes/no	
	nr_allow_void	Allow Voiding		yes/no	
	nr_archived	Archived		yes/no	
	nr_curr_effdate	Value Effective Date		99/99/99	
	nr_dataset	Target Dataset	Dataset	x(16)	
	nr_desc	Description		x(40)	
◊	nr_domain	Domain		x(8)	
	nr_effdate	Effective Date		99/99/99	
	nr_exp_date	Expiration Date		99/99/99	
	nr_internal	Internal		yes/no	
	nr_next_set	Next Value Set		yes/no	
	nr_segcount	Segment Count	Segs	>9	
	nr_seg_format	Format		x(40)	
	nr_seg_ini	Initial Value		x(40)	
	nr_seg_max	Maximum Value		x(40)	
	nr_seg_min	Minimum Value		x(40)	
	nr_seg_nbr	Segment Number	Seg	x(40)	
	nr_seg_rank	Segment rank		x(40)	
	nr_seg_reset	Reset Value		x(40)	
	nr_seg_type	Type		x(8)	
	nr_seg_value	Next Value		x(40)	
	nr_seqid	Sequence Id	Id	x(8)	
	nr_user1	Ufld1		x(8)	
	nr_user2	Ufld2		x(8)	
	nr_valuemask	Valuemask		x(40)	
	nr__qadc01			x(8)	
◊	oid_nr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ*	nr_seqid	yes	nr_domain	yes	no
			nr_seqid	yes	no
◊	oid_nr_mstr	yes	oid_nr_mstr	yes	no

oa_det Action Message Detail

	Field Name	Label	Col-Label	Format	Dec
	oa_code	Action Code	Code	999999	
	oa_detail	Action Message Detail		x(24)	
◊	oa_domain	Domain		x(8)	
	oa_fr_date	From Date	From	99/99/99	
	oa_line	Line/ID		x(8)	
	oa_nbr	Order	Order Number	x(18)	
	oa_part	Item Number		x(18)	
	oa_qty	Action Qty	Quantity	->,>>>,>>9.9<<<<<<<<	10
	oa_review	Reviewed By	By	x(2)	
	oa_site	Site		x(8)	
	oa_to_date	To Date	Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	oa_user1	Ufld1		x(8)	
	oa_user2	Ufld2		x(8)	
	oa__qadc01			x(8)	
◊	oid_oa_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	oa_part	yes	oa_domain	yes	no
			oa_part	yes	no
			oa_site	yes	no
			oa_code	yes	no
			oa_nbr	yes	no
			oa_line	yes	no
			oa_to_date	yes	no
Δ	oa_site	no	oa_domain	yes	no
			oa_site	yes	no
			oa_part	yes	no
◊	oid_oa_det	yes	oid_oa_det	yes	no

ocm_mstr Service/Support On Call Master

	Field Name	Label	Col-Label	Format	Dec
	ocm_area	Area		x(8)	
◊	ocm_domain	Domain		x(8)	
	ocm_end_eff	End Effective	End	99/99/99	
	ocm_eng_code	Engineer Code	Eng Code	x(8)	
	ocm_mod_date	Modified Date	Mod Date	99/99/99	
	ocm_mod_userid	User ID		X(8)	
	ocm_page	Page		Call/Page	
	ocm_schedule	On Call Schedule	Schedule	X(8)	
	ocm_start_eff	Start Effective	Start	99/99/99	
	ocm_user1	Ufld1		x(8)	
	ocm_user2	Ufld2		x(8)	
	ocm__chr01	User Character Field 1		X(8)	
	ocm__dte01	User Date Field 1		99/99/99	
	ocm__log01	User Logical Field 1		yes/no	
	ocm__qadc01	QAD Character Field 1		X(8)	
	ocm__qadl01	QAD Logical Field 1		yes/no	
	ocm__qadt01	QAD Date Field 1		99/99/99	
◊	oid_ocm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ∗	ocm_area	yes	ocm_domain	yes	no
			ocm_area	yes	no
			ocm_eng_code	yes	no
			ocm_start_eff	yes	no
Δ	ocm_eng_code	no	ocm_domain	yes	no
			ocm_eng_code	yes	no
			ocm_start_eff	yes	no
Δ	ocm_eng_schedule	no	ocm_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ocm_eng_code	yes	no
			ocm_schedule	yes	no
			ocm_start_eff	yes	no
◊	oid_ocm_mstr	yes	oid_ocm_mstr	yes	no

opc_ctrl

Shop Floor Operation History Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_opc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	opc_close_gl	Create GL		yes/no	
◊	opc_domain	Domain		x(8)	
	opc_move	Move Next Operation		yes/no	
	opc_payroll	Interface Payroll		yes/no	
	opc_std_hrs	Standard Hours		>>9.99	10
	opc_std_per	Standard Period		x(1)	
	opc_time_ind	Time Indicator		x(1)	
	opc_user1	Ufld1		x(8)	
	opc_user2	Ufld2		x(8)	
	opc__qad01			>>>>>>9	
Δ	opc__qadi01			->>>>>>>9	
	opc__qadi02			>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opc_ctrl	yes	oid_opc_ctrl	yes	no
Δ*	opc_index1	yes	opc_domain	yes	no

opgl_det

Shop Floor Operation General Ledger Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_opgl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	opgl_cr_acct	Cr Acct		x(8)	
	opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
	opgl_cr_line	Line		>>>9	
	opgl_cr_proj	Cr Project	Project	x(8)	
	opgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
◊	opgl_domain	Domain		x(8)	
	opgl_dr_acct	Dr Acct		x(8)	
	opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
	opgl_dr_line	Line		>>>9	
	opgl_dr_proj	Dr Project	Project	x(8)	
	opgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
	opgl_dy_code	Daybook		x(8)	
	opgl_dy_num	Entry Number		x(40)	
	opgl_gl_amt	Amount		->>>>>,>>9.99	10
	opgl_gl_ref	GL Reference		x(14)	
	opgl_sequence	Sequence		->,>>>,>>9	
	opgl_trnbr	OP Transaction	Trans	>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	opgl_type	Type		x(8)	
	opgl_user1	Ufld1		x(8)	
	opgl_user2	Ufld2		x(8)	
	opgl__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opgl_det	yes	oid_opgl_det	yes	no
Δ	opgl_dr_cr	no	opgl_domain	yes	no
			opgl_dr_acct	yes	no
			opgl_dr_sub	yes	no
			opgl_dr_cc	yes	no
			opgl_cr_acct	yes	no
			opgl_cr_sub	yes	no
			opgl_cr_cc	yes	no
Δ	opgl_dy	no	opgl_domain	yes	no
			opgl_dy_code	yes	no
			opgl_dy_num	yes	no
			opgl_sequence	yes	no
Δ*	opgl_nbr_ref	yes	opgl_domain	yes	no
			opgl_trnbr	yes	no
			opgl_gl_ref	yes	no
			opgl_sequence	yes	no
Δ	opgl_ref_nbr	no	opgl_domain	yes	no
			opgl_gl_ref	yes	no
			opgl_trnbr	yes	no
Δ	opgl_type_nbr_ref	no	opgl_domain	yes	no
			opgl_type	yes	no
			opgl_trnbr	yes	no
			opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_opm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	opm_batch	Batch Size		>,>>>,>>9	
	opm_bom_code	BOM Code		X(18)	
	opm_cmtindx	Comment Index	Comment	>>>>>>>9	
	opm_cyc_rate	Cycles/Hour		>>>,>>9.999	10
	opm_cyc_unit	Units/Cycle		>>>>>9	0
	opm_desc	Description		x(24)	
◊	opm_domain	Domain		x(8)	
	opm_fsc_code	Service Category	Svc Cat	x(8)	
	opm_fsm_type	FSM Type		x(8)	
	opm_inv_val	Inventory Value		>>>>,>>>,>>9.99<<<	10
	opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
	opm_mch	Machine		x(8)	
	opm_mile	Milestone Operation	Milestone	yes/no	
	opm_move	Move Time	Move	>,>>9.9<<	10
	opm_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
	opm_setup	Setup Time	Setup	>,>>9.9<<	10
	opm_std_op	Standard Operation	Std Op	x(8)	

Field Name	Label	Col-Label	Format	Dec
opm_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	10
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>,>>>,>>9.99	10
opm__dec02			>>>,>>>,>>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__qade01	QAD Decimal Field 1		->>,>>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opm_mstr	yes	oid_opm_mstr	yes	no
Δ	opm_desc	yes	opm_domain	yes	no
			opm_desc	yes	no
			opm_std_op	yes	no
Δ*	opm_std_op	yes	opm_domain	yes	no
			opm_std_op	yes	no

ops_ctrl

Operations Plan Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ops_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ops_cover	Maximum Weeks Coverage	Max Wks	>9.99	10
◊	ops_domain	Domain		x(8)	
	ops_move	Move Holiday Production		yes/no	
	ops_plan	Use Operations Plan	Ops Plan	yes/no	
	ops_round	Use Rounding		yes/no	
	ops_user1	Ufld1		x(8)	
	ops_user2	Ufld2		x(8)	
	ops__qadc01			x(8)	
Δ	ops__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ops_ctrl	yes	oid_ops_ctrl	yes	no
Δ*	ops_index1	yes	ops_domain	yes	no

op_hist

Operation Transaction History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_op_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>>,>>9.999	10
	op_act_run	Act Run Time	Act Run	->,>>9.9<<	10
	op_act_setup	Act Setup Time	Act Setup	->,>>9.9<<	10
	op_act_units	Actual Units/Cycle	Act U/C	>>>>>9	0
	op_bdn_cost	Burden Cost	Burden	->>>>,>>9.99	10
	op_bdn_std	Burden Cost Std	Std Burden	->>>>,>>9.99	10
	op_ca_int_type	Work Code		x(8)	
	op_ca_opn_date			99/99/99	
	op_cmtindx	Comment Index		>>>>>>>9	
	op_comment	Comment		x(40)	
	op_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	op_curr	Currency	Cur	x(3)	
	op_date	Effective Date	Date	99/99/99	
	op_dept	Department		x(8)	
◊	op_domain	Domain		x(8)	
	op_earn	Earning Code		x(4)	
	op_emp	Employee		x(8)	
	op_eng_area	Service Area	Area	x(18)	
	op_eng_code	Engineer Code	Eng Code	x(8)	
	op_exru_seq	Sequence		>>>>>>>>9	
	op_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
	op_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	op_ex_ratetype	Rate Type		x(8)	
	op_fcg_code	Charge Code		x(8)	
	op_flbr_cstd	Curr Cost		->>>>,>>9.99	10
	op_flbr_std			->>>>,>>9.99	10
	op_flvrte_accr			->>>>,>>9.99	10
	op_flvrte_post			->>>>,>>9.99	10
	op_from_op	From Operation		>>>>99	
	op_fsc_code	Service Category		x(8)	
	op_fsm_type	FSM Type		x(8)	
	op_itm_line			>>>>9	
	op_lbr_cost	Labor Cost	Labor	->>>>,>>9.99	10
	op_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
	op_lbr_std	Labor Cost Std	Std Labor	->>>>,>>9.99	10
	op_line	Production Line	Line	x(8)	
	op_mch	Machine		x(8)	
	op_milestone	Milestone Operation	Milestone	yes/no	
	op_part	Item Number		x(18)	
	op_pay_calc	Payroll Calculated		yes/no	
	op_po_nbr	Purchase Order	PO	x(8)	
	op_price	Price		>>>>,>>>,>>9.99<<<	10
	op_program	Program		x(12)	
	op_project	Project		x(8)	
	op_pro_pct	Prorate Pct		->>9.99%	10

Field Name	Label	Col-Label	Format	Dec
op_qty_adjust	Qty Adjusted		->,>>>,>>9.9<<<<<<<	10
op_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<	10
op_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<	10
op_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<	10
op_qty_scrap	Qty Scrapped		->,>>>,>>9.9<<<<<<<	10
op_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_rsn_scrap	Scrap Reason		x(8)	
op_sad_line	Contract Line	Ln	>>>>>>>9	
op_sa_nbr	Service Contract		x(8)	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>,>>9.999	10
op_std_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<	10
op_std_setup	Std Setup Time	Std Setup	>,>>9.9<<	10
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0
op_sub_cost	Subcontract Cost	Subcontract	->>>>,>>9.99	10
op_sub_std	Subcontract Std	Std Subcntrct	->>>>,>>9.99	10
op_svc_type			x(1)	
op_sv_code	Contract Type		x(8)	
op_time	Time		>>,>>>,>>9	
op_tool	Tool Code	Tool	x(8)	
op_to_op	To Operation		>>>>99	
op_tran_date	Tran Date	Tran! Date	99/99/99	
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userc03	User Field Character 3		x(24)	
op_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
op_useri01	User Field Integer 1		->>>>>>>9	
op_userid	User ID		x(8)	
op_userl01	User Field Logical 1		yes/no	
op_usert01	User Field Date 1		99/99/99	
op_wip_lotser	Lot/Serial		x(18)	
op_wip_ref	Reference	Ref	x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	
op__chr01			x(8)	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>,>>>,>>9.99	10
op__dec02			>>>,>>>,>>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	
op__qad02			x(8)	

Field Name	Label	Col-Label	Format	Dec
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_op_hist	yes	oid_op_hist	yes	no
Δ	op_date	no	op_domain	yes	no
			op_date	yes	no
			op_trnbr	yes	no
Δ	op_emp	no	op_domain	yes	no
			op_emp	yes	no
			op_site	yes	no
			op_date	yes	no
Δ	op_lot_op	no	op_domain	yes	no
			op_wo_lot	yes	no
			op_wo_op	yes	no
			op_date	yes	no
Δ	op_part	no	op_domain	yes	no
			op_part	yes	no
			op_site	yes	no
			op_wo_op	yes	no
			op_date	yes	no
Δ	op_rsn	no	op_domain	yes	no
			op_rsn	yes	no
			op_site	yes	no
			op_date	yes	no
Δ	op_rsn_rjct	no	op_domain	yes	no
			op_rsn_rjct	yes	no
			op_site	yes	no
			op_date	yes	no
Δ	op_rsn_rwrk	no	op_domain	yes	no
			op_rsn_rwrk	yes	no
			op_site	yes	no
			op_date	yes	no
Δ*	op_trnbr	yes	op_domain	yes	no
			op_trnbr	yes	no
Δ	op_type	no	op_domain	yes	no
			op_site	yes	no
			op_type	yes	no
			op_date	yes	no
Δ	op_wkctr	no	op_domain	yes	no
			op_site	yes	no
			op_wkctr	yes	no
			op_mch	yes	no
			op_date	yes	no
Δ	op_wo_nbr	no	op_domain	yes	no
			op_wo_nbr	yes	no
			op_wo_lot	yes	no
			op_date	yes	no

pac_mstr Purchase Approval Code Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pac_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pac_amt[4]	Minimum Amount		->>>>,>>>,>>9.99	10
	pac_apr_by[4]	Approver		x(8)	
	pac_code	Approval Code	Apv Code	x(8)	
	pac_desc	Description		x(24)	
◊	pac_domain	Domain		x(8)	
	pac_mod_date	Modified Date	Mod Date	99/99/99	
	pac_pl	Product Line	Line	x(4)	
	pac_pur_acct	Purchases Acct	Pur Acct	x(8)	
	pac_pur_cc	Purchases CC	CC	x(4)	
	pac_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
	pac_req_by	Requested By	Req By	x(8)	
	pac_site	Site		x(8)	
	pac_user1	User1		x(8)	
	pac_user2	User2		x(8)	
	pac_userid	User ID		x(8)	
	pac__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pac_mstr	yes	oid_pac_mstr	yes	no
Δ*	pac_code	yes	pac_domain	yes	no
			pac_code	yes	no
Δ	pac_index1	no	pac_domain	yes	no
			pac_site	yes	no
			pac_pl	yes	no
			pac_pur_acct	yes	no
			pac_pur_sub	yes	no
			pac_pur_cc	yes	no
			pac_req_by	yes	no

pald_det Pallet Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pald_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pald_desc	Description		x(24)	
◊	pald_domain	Domain		x(8)	
	pald_height	Height		>>,>>9.99	10
	pald_hght_um	UM		x(2)	
	pald_nbr_lay	Number of Layers		>,>>>,>>9	
	pald_pallet	Pallet Type	Type	x(8)	
	pald_part	Item Number	Item	x(18)	
	pald_um	UM		x(2)	
	pald_unit_lay	Units per Layer		>,>>>,>>9	
	pald_user1	Ufld1		x(8)	
	pald_user2	Ufld2		x(8)	
	pald_weight	Weight		>>,>>9.99	10
	pald_wght_um	UM		x(2)	
	pald__chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
pald__chr02			x(8)	
pald__chr03			x(8)	
pald__chr04			x(8)	
pald__chr05			x(8)	
pald__dec01			->>>,>>>,>>9.99<	10
pald__dec02			->>>,>>>,>>9.99<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pald_det	yes	oid_pald_det	yes	no
Δ*	pald_pallet	yes	pald_domain	yes	no
			pald_pallet	yes	no
			pald_part	yes	no

pal_mstr

Pallet Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pal_desc	Description		x(24)	
◊	pal_domain	Domain		x(8)	
	pal_height	Height		>>,>>9.99	10
	pal_hght_um	UM		x(2)	
	pal_nbr_lay	Number of Layers		>,>>>,>>9	
	pal_pallet	Pallet Type	Type	x(8)	
	pal_um	UM		x(2)	
	pal_unit_lay	Units per Layer		>,>>>,>>9	
	pal_user1	Ufld1		x(8)	
	pal_user2	Ufld2		x(8)	
	pal_weight	Weight		>>,>>9.99	10
	pal_wght_um	UM		x(2)	
	pal__chr01			x(8)	
	pal__chr02			x(8)	
	pal__chr03			x(8)	
	pal__chr04			x(8)	
	pal__chr05			x(8)	
	pal__dec01			->>>,>>>,>>9.99<	10
	pal__dec02			->>>,>>>,>>9.99<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pal_mstr	yes	oid_pal_mstr	yes	no
Δ*	pal_pallet	yes	pal_domain	yes	no
			pal_pallet	yes	no

pcc_ctrl Product Change Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pcc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pcc_auto_nbr	Auto Number	Auto	yes/no	
	pcc_cmmt_type	Comment Type		X(2)	
	pcc_comm_lang	Common Language		X(2)	
	pcc_db_seq	Common DB Sequence		>>>9	
◊	pcc_domain	Domain		x(8)	
	pcc_ecooff_date	ECO Off Date		99/99/99	
	pcc_formula_ok	Formula OK		yes/no	
	pcc_initial_date	Initialization Date		99/99/99	
	pcc_max_wkfl	Max Workfile		>>>9	
	pcc_next_pco[12]	Next Change Number		>>>>>>>>9	
	pcc_pco_pre[12]	Prefix		X(3)	
	pcc_process_ok	Process OK		yes/no	
	pcc_qspec_ok	PSM OK		yes/no	
	pcc_quality_ok	Quality OK		yes/no	
	pcc_routing_ok	Routings OK		yes/no	
	pcc_security_on	Security On		yes/no	
	pcc_struct_ok	Structures OK		yes/no	
	pcc_user1	Ufld1		x(8)	
	pcc_user2	Ufld2		x(8)	
	pcc__qadc01			x(8)	
Δ	pcc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcc_ctrl	yes	oid_pcc_ctrl	yes	no
Δ*	pcc_index	yes	pcc_domain	yes	no

pcd_det Purchase Order Line Cost Element Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pcd_amt	Amount		->>>,>>>,>>9.99<<<	10
	pcd_curr	Currency	Cur	x(3)	
◊	pcd_domain	Domain		x(8)	
	pcd_element	Cost Element	Element	x(8)	
	pcd_line	Line	Ln	>>9	
	pcd_nbr	Purchase Order	Order	x(8)	
	pcd_user1	Ufld1		x(8)	
	pcd_user2	Ufld2		x(8)	
	pcd__qad01			99/99/99	
	pcd__qad02			x(8)	
	pcd__qad03			yes/no	
	pcd__qad04			->>>,>>>,>>9.99<<<<	10
	pcd__qad05			->>>,>>>,>>9.99<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcd_det	yes	oid_pcd_det	yes	no
Δ∗	pcd_ele	yes	pcd_domain	yes	no
			pcd_nbr	yes	no
			pcd_line	yes	no
			pcd_element	yes	no

pcld_det

Product Change Control Group Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pcld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pcld_copies	Copies	Cp	>>9	
	pcld_dev	Output		x(8)	
◊	pcld_domain	Domain		x(8)	
	pcld_expire	Expire Date		99/99/99	
	pcld_group	Group		x(8)	
	pcld_id	User Id		x(8)	
	pcld_mod_date	Modified Date	Mod Date	99/99/99	
	pcld_user1	Ufld1		x(8)	
	pcld_user2	Ufld2		x(8)	
	pcld_userid	User ID		x(8)	
	pcld__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcld_det	yes	oid_pcld_det	yes	no
Δ∗	pcld_groupid	yes	pcld_domain	yes	no
			pcld_group	yes	no
			pcld_id	yes	no

pcl_mstr

Product Change Control Group Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pcl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pcl_bsn_unit	Business Unit		>>>>>>>>9	
	pcl_desc	Description		x(24)	
◊	pcl_domain	Domain		x(8)	
	pcl_group	Group		x(8)	
	pcl_index			>>>>>9	
	pcl_mod_date	Modified Date	Mod Date	99/99/99	
	pcl_type	Type	T	x(2)	
	pcl_user1	Ufld1		x(8)	
	pcl_user2	Ufld2		x(8)	
	pcl_userid	User ID		x(8)	
	pcl__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcl_mstr	yes	oid_pcl_mstr	yes	no
Δ*	pcl_group	yes	pcl_domain	yes	no
			pcl_group	yes	no
			pcl_type	yes	no

pct_mstr

Product Change Control Type Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pct_approval	Approval Code	Approval	x(8)	
	pct_dc_warn	Warning Type		>9	
	pct_desc	Description		x(24)	
	pct_distr	Distribution	Dstrbn	x(8)	
	pct_doc_type	Document Type	Doc Type	X(8)	
◊	pct_domain	Domain		x(8)	
	pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
	pct_mod_date	Modified Date	Mod Date	99/99/99	
	pct_prefix	Prefix	Pre	x(3)	
	pct_secure_admn	Security Profile - Administration	Admn Pfl	X(8)	
	pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
	pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
	pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
	pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
	pct_seqrev_off	Rev Level Off	Off	yes/no	
	pct_type	Type		x(8)	
	pct_user1	Ufld1		x(8)	
	pct_user2	Ufld2		x(8)	
	pct_userid	User ID		x(8)	
	pct__qad01	ECR/ECN		yes/no	
	pct__qad02			99/99/99	
	pct__qad03			x(8)	
	pct__qad04			x(8)	
	pct__qad05			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pct_mstr	yes	oid_pct_mstr	yes	no
Δ*	pct_type	yes	pct_domain	yes	no
			pct_type	yes	no
			pct_dsgn_grp	yes	no

pc_mstr

Price List Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pc_amt[15]	Amount		->>>,>>>,>>9.99<<<	10
	pc_amt_type	Amount Type	T	x(1)	
	pc_curr	Currency	Cur	x(3)	
◊	pc_domain	Domain		x(8)	
	pc_expire	Expire		99/99/99	
	pc_list	Price List	List	x(8)	
	pc_max_price[10]	Maximum Price		->>>,>>>,>>9.99<<<	10
	pc_min_price	Minimum Price		->>>,>>>,>>9.99<<<	10
	pc_min_qty[15]	Min Qty		>>>>>>9	10
	pc_mod_date	Modified Date	Mod Date	99/99/99	
	pc_part	Item Number		x(18)	
	pc_prod_line	Product Line	Line	x(4)	
	pc_start	Start		99/99/99	
	pc_tax_in	Tax In		yes/no	
	pc_um	UM		x(2)	
	pc_user1	Ufld1		x(8)	
	pc_user2	Ufld2		x(8)	
	pc_userid	User ID		x(8)	
	pc__qad01			>>9.99%	10
	pc__qad02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pc_mstr	yes	oid_pc_mstr	yes	no
Δ*	pc_list	yes	pc_domain	yes	no
			pc_list	yes	no
			pc_curr	yes	no
			pc_prod_line	yes	no
			pc_part	yes	no
			pc_um	yes	no
			pc_start	yes	no
Δ	pc_part	no	pc_domain	yes	no
			pc_part	yes	no
			pc_um	yes	no
			pc_list	yes	no
			pc_curr	yes	no
			pc_start	yes	no
Δ	pc_prod_line	no	pc_domain	yes	no
			pc_prod_line	yes	no
			pc_um	yes	no
			pc_list	yes	no
			pc_curr	yes	no
			pc_start	yes	no

pfc_det

Production Forecast Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pfc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pfc_date	Date	Date	99/99/99	
◊	pfc_domain	Domain		x(8)	
	pfc_id_num			>>>>>>9	
	pfc_part	Item Number		x(18)	
	pfc_peg_part	Peg Item	Peg Item Number	x(18)	
	pfc_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	pfc_site	Site		x(8)	
	pfc_user1	Ufld1		x(8)	
	pfc_user2	Ufld2		x(8)	
	pfc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pfc_det	yes	oid_pfc_det	yes	no
Δ	pfc_id_num	no	pfc_domain	yes	no
			pfc_id_num	yes	no
Δ*	pfc_part	yes	pfc_domain	yes	no
			pfc_part	yes	no
			pfc_site	yes	no
			pfc_peg_part	yes	no
			pfc_date	yes	no
Δ	pfc_peg_part	no	pfc_domain	yes	no
			pfc_peg_part	yes	no
			pfc_site	yes	no

pfd_det

Service/Support Item-Site Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pfd_bench_lead	Repair Lead Time	Rp Tm	>>>9	
	pfd_cover	Subs Covered		yes/no	
	pfd_cus_install	Customer Installable		yes/no	
◊	pfd_domain	Domain		x(8)	
	pfd_field_lead	Field Repair Time		>,>>9.99<<	10
	pfd_fru	FRU		yes/no	
	pfd_inst_call	Install		yes/no	
	pfd_ins_bom	Installation BOM		X(18)	
	pfd_ins_route	Installation Routing		X(18)	
	pfd_isb	Installed Base	Inst Base	yes/no	
	pfd_life_cycle	Life Cycle		x(8)	
	pfd_mfg_mtbf	MFG MTBF		->>,>>9.99	10
	pfd_mfg_mttr	MFG MTTR		->>,>>9.99	10
	pfd_mod_date	Modified Date	Mod Date	99/99/99	
	pfd_mod_userid	User ID		X(8)	
	pfd_mtbf	MTBF		>>,>>9.99	10
	pfd_mttr	MTTR		>>,>>9.99	10
	pfd_obs_date	Obsolete Date		99/99/99	
	pfd_origin	Country of Origin		x(12)	

Field Name	Label	Col-Label	Format	Dec
pfd_part	Item		x(18)	
pfd_pm_mrp	Need PM MRP		yes/no	
pfd_pvm_bom	PM BOM		x(18)	
pfd_pvm_days	Days Between PM	PM Days	>>>>9	
pfd_pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd_pvm_limit	PM Limit		>>>>,>>>,>>9.99<<	10
pfd_pvm_replace	Always Replace on PM		yes/no	
pfd_pvm_route	PM Routing		x(18)	
pfd_pvm_saftey	Saftey Limit		>>>>,>>>,>99.99<<<	10
pfd_pvm_um	UM		x(8)	0
pfd_repairable	Repairable		yes/no	
pfd_rp_bom	Repair BOM		x(18)	
pfd_rp_route	Repair Routing		x(18)	
pfd_rp_site	Repair Site		x(8)	
pfd_rp_vendor	Repair Supplier	Supplier	x(8)	
pfd_site	Site		x(8)	
pfd_sttr	STTR		->>,>>9.99	10
pfd_svc_group	Service Group	Svc Grp	x(8)	
pfd_tariff	Tariff		x(8)	0
pfd_trace_active	Trace Active		yes/no	
pfd_unit_isb	Isb Unit Quantity		yes/no	
pfd_user1	Ufld1		x(8)	
pfd_user2	Ufld2		x(8)	
pfd_ven_warr	Supplier Warranty	Sup! Warr	yes/no	
pfd_warr_cd	Warranty Code	Warr Cd	x(8)	
pfd__chr01	Character Field 1		X(8)	
pfd__chr02	Character Field 2		X(8)	
pfd__dte01	Date Field 1		99/99/99	
pfd__dte02	Date Field 2		99/99/99	
pfd__int01	Integer Field 1		->,>>>,>>9	
pfd__int02	Integer Field 2		->,>>>,>>9	
pfd__log01	Logical Field 1		yes/no	
pfd__log02	Logical Field 2		yes/no	
pfd__qadc01	QAD Character Field 1		X(8)	
pfd__qadc02	QAD Character Field 2		X(8)	
pfd__qadd01	QAD Date Field 1		99/99/99	
pfd__qadi01	QAD Integer Field 1		->,>>>,>>9	
pfd__qadi02	QAD Integer Field 2		->,>>>,>>9	
pfd__qadl01	QAD Logical Field 1		yes/no	
pfd__qadl02	QAD Logical Field 2		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pfd_det	yes	oid_pfd_det	yes	no
Δ	pfd_pm_mrp	no	pfd_domain	yes	no
			pfd_pm_mrp	yes	no
			pfd_part	yes	no
			pfd_site	yes	no
Δ*	pfd_ptsite	yes	pfd_domain	yes	no
			pfd_part	yes	no
			pfd_site	yes	no
Δ	pfd_sitept	no	pfd_domain	yes	no
			pfd_site	yes	no
			pfd_part	yes	no

pgc_ctrl

Service/Support Paging Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pgc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
	pgc_addr	Pager Company		x(8)	
	pgc_append_ca	Append Call		yes/no	
◊	pgc_domain	Domain		x(8)	
	pgc_index	Index		>>9	
	pgc_paged_status	Paged Status		x(8)	
	pgc_phone	Pager Number		x(20)	
	pgc_port1	Program		x(32)	
	pgc_port2	Parameter		x(32)	
	pgc_port3	Port #3		x(32)	
	pgc_port4	Port #4		x(32)	
	pgc_post_control	After Phone Number		x(18)	
	pgc_pre_control	Before Phone Number		x(18)	
	pgc_program	Program		x(16)	
	pgc_user1	Ufld1		x(8)	
	pgc_user2	Ufld2		x(8)	
	pgc_wait_status	Waiting for Page Status		x(8)	
	pgc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgc_ctrl	yes	oid_pgc_ctrl	yes	no
Δ*	pgc_index	yes	pgc_domain	yes	no
			pgc_index	yes	no

pgh_hist

Service/Support Paging History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pgh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
	pgh_ca_nbr	Call Number		x(8)	
	pgh_date	Date		99/99/99	
◊	pgh_domain	Domain		x(8)	
	pgh_eng_code	Engineer		x(8)	
	pgh_phone	Phone		x(20)	
	pgh_status	Status		x(8)	
	pgh_time_init	Time		99:99	
	pgh_time_paged	Time Paged		99:99	
	pgh_trnbr	Transaction		>>>>>>>>>9	
	pgh_user1	Ufld1		x(8)	
	pgh_user2	Ufld2		x(8)	
	pgh__chr01	User Character Field 1		X(8)	
	pgh__chr02	User Character Field 2		X(8)	
	pgh__dte01	User Date Field 1		99/99/99	
	pgh__log01	User Logical Field 1		yes/no	
	pgh__qadc01	QAD Character Field 1		X(8)	
	pgh__qadc02	QAD Character Field 2		X(8)	
	pgh__qadl01	QAD Logical Field 1		yes/no	
	pgh__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgh_hist	yes	oid_pgh_hist	yes	no
Δ	pgh_ca_nbr	no	pgh_domain	yes	no
			pgh_ca_nbr	yes	no
			pgh_date	yes	no
			pgh_time_init	yes	no
Δ	pgh_eng_code	no	pgh_domain	yes	no
			pgh_eng_code	yes	no
			pgh_date	yes	no
			pgh_time_init	yes	no
Δ	pgh_status	no	pgh_domain	yes	no
			pgh_status	yes	no
Δ*	pgh_trnbr	yes	pgh_domain	yes	no
			pgh_trnbr	no	no

pgm_det

Program Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pgm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pgm_cmmt[20]	Program Data		x(76)	
	pgm_desc	Description		x(24)	
◊	pgm_domain	Domain		x(8)	
	pgm_eq	Equation Name	Eq Name	x(8)	
	pgm_mod_date	Modified Date	Mod Date	99/99/99	
	pgm_ref	Program Reference		x(40)	
	pgm_seq	Page		>9	
	pgm_type	Type	T	x(2)	
	pgm_user1	Ufld1		x(8)	
	pgm_user2	Ufld2		x(8)	
	pgm_userid	User ID		x(8)	
	pgm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgm_det	yes	oid_pgm_det	yes	no
Δ*	pgm_ref_eq	yes	pgm_domain	yes	no
			pgm_ref	yes	no
			pgm_eq	yes	no
			pgm_type	yes	no
			pgm_seq	yes	no
Δ	pgm_type_eq	no	pgm_domain	yes	no
			pgm_type	yes	no
			pgm_eq	yes	no

pic_ctrl Pricing Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pic_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pic_cust_regen	Customers		yes/no	
	pic_disc_comb	Discount Combination Type		x(24)	
◊	pic_domain	Domain		x(8)	
	pic_fs_date	FSM Default Pricing Date		x(24)	
	pic_fs_fact	Display FSM Discounts as		yes/no	
	pic_fs_linpri	Price Contracts by Line		yes/no	
	pic_fs_rfact	FSM Factor Rounding		>>9	
	pic_item_regen	Items		yes/no	
	pic_list_id	Next Price List ID		>>>>>>>9	
	pic_po_date	PO Default Price Date		x(24)	
	pic_po_fact	Display PO Discounts as		yes/no	
	pic_po_linpri	Price PO by Line		yes/no	
	pic_po_rfact	PO Factor Rounding		>>9	
	pic_promo_pre	Promotions Prefix		x(3)	
	pic_qo_date	QO Default Price Date		x(24)	
	pic_qo_fact	Display QO Discounts as		yes/no	
	pic_qo_linpri	Price QO by Line		yes/no	
	pic_qo_rfact	QO Factor Rounding		>>9	
	pic_so_date	SO Default Pricing Date		x(24)	
	pic_so_fact	Display SO Discounts as		yes/no	
	pic_so_linpri	Price SO by Line		yes/no	
	pic_so_rfact	SO Factor Rounding		>>9	
	pic_user1	Ufld1		x(8)	
	pic_user2	Ufld2		x(8)	
	pic__qadc01			x(8)	
Δ	pic__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pic_ctrl	yes	oid_pic_ctrl	yes	no
Δ*	pic_index1	yes	pic_domain	yes	no

pid_det Price List Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pid_amt	Amount		->>>,>>>,>>9.9<<<	10
	pid_cr_terms	Credit Terms	Terms	x(8)	
◊	pid_domain	Domain		x(8)	
	pid_fr_list	Freight List	Frt List	x(8)	
	pid_fr_terms	Freight Terms		x(8)	
	pid_list_id	List Id		x(8)	
	pid_qty	Min Qty		->>,>>>,>>9.9<<<<<<<<	10
	pid_user1	Ufld1		x(8)	
	pid_user2	Ufld2		x(8)	
	pid__qadc01			x(8)	
	pid__qadd01			->>>,>>>,>>9.9<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pid_det	yes	oid_pid_det	yes	no
Δ*	pid_list_id	yes	pid_domain	yes	no
			pid_list_id	yes	no
			pid_qty	yes	no

pigc_det

Price List Group Customer Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pigc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pigc_amt_type	Amount Type		x(24)	
	pigc_code	Price List Group		x(8)	
	pigc_curr	Currency	Cur	X(3)	
	pigc_div	Division		x(8)	
◊	pigc_domain	Domain		x(8)	
	pigc_expire	Expire		99/99/99	
	pigc_include	Include		yes/no	
	pigc_mem_ref	Member Reference		x(8)	
	pigc_mem_type	Member Type		>>>9	
	pigc_srch_type	Search Type		>>9	
	pigc_start	Start		99/99/99	
	pigc_user1	Ufld1		x(8)	
	pigc_user2	Ufld2		x(8)	
	pigc__qadc01			x(8)	
	pigc__qadc02			x(8)	
	pigc__qadc03			x(8)	
	pigc__qadd01			->>>>,>>>,>>9.9	10
	pigc__qadd02			->>>>,>>>,>>9.9	10
	pigc__qadi01			->,>>>,>>9	
	pigc__qadi02			->,>>>,>>9	
	pigc__qadl01			yes/no	
	pigc__qadl02			yes/no	
	pigc__qadt01			99/99/99	
	pigc__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pigc_det	yes	oid_pigc_det	yes	no
Δ*	pigc_code	yes	pigc_domain	yes	no
			pigc_code	yes	no
			pigc_mem_type	yes	no
			pigc_mem_ref	yes	no
			pigc_amt_type	yes	no
Δ	pigc_member	no	pigc_domain	yes	no
			pigc_div	yes	no
			pigc_mem_type	yes	no
			pigc_mem_ref	yes	no
			pigc_srch_type	yes	no
			pigc_curr	yes	no
			pigc_start	yes	no

pigp_det

Price List Group Item Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pigp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pigp_amt_type	Amount Type		X(24)	
	pigp_code	Price List Group		x(8)	
	pigp_curr	Currency	Cur	X(3)	
	pigp_div	Division		X(8)	
◊	pigp_domain	Domain		x(8)	
	pigp_expire	Expire		99/99/9999	
	pigp_include	Include		yes/no	
	pigp_list_id	List ID		x(8)	
	pigp_prod_ref	Item Reference		X(18)	
	pigp_prod_type	Item Type		9	
	pigp_srch_type	Search Type		>>9	
	pigp_start	Start		99/99/99	
	pigp_user1	Ufld1		x(8)	
	pigp_user2	Ufld2		x(8)	
	pigp__qadc01			x(8)	
	pigp__qadc02			x(8)	
	pigp__qadc03			x(8)	
	pigp__qadd01			->>>>,>>>,>>9.9	10
	pigp__qadd02			->>>>,>>>,>>9.9	10
	pigp__qadi01			->,>>>,>>9	
	pigp__qadi02			->,>>>,>>9	
	pigp__qadl01			yes/no	
	pigp__qadl02			yes/no	
	pigp__qadt01			99/99/99	
	pigp__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pigp_det	yes	oid_pigp_det	yes	no
Δ*	pigp_code	yes	pigp_domain	yes	no
			pigp_code	yes	no
			pigp_prod_type	yes	no
			pigp_prod_ref	yes	no
			pigp_amt_type	yes	no
Δ	pigp_product	no	pigp_domain	yes	no
			pigp_div	yes	no
			pigp_prod_type	yes	no
			pigp_prod_ref	yes	no
			pigp_srch_type	yes	no
			pigp_curr	yes	no
			pigp_start	yes	no

pig_mstr

Price List Group Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pig_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pig_all_custs	All Customers		yes/no	
	pig_all_items	All Items		yes/no	
	pig_amt_type	Amount Type		x(24)	
	pig_code	Price List Group		x(8)	
	pig_curr	Currency	Cur	x(3)	
	pig_desc	Description		x(24)	
	pig_div	Division		x(8)	
◊	pig_domain	Domain		x(8)	
	pig_expire	Expire		99/99/99	
	pig_list	Price List		x(8)	
	pig_list_id	List ID		x(8)	
	pig_priority	Priority		>9	
	pig_ref_code	Reference		x(16)	
	pig_ref_type	Reference Type		99	
	pig_srch_type	Search Type		>>9	
	pig_start	Start		99/99/99	
	pig_user1	Ufld1		x(8)	
	pig_user2	Ufld2		x(8)	
	pig_val_type	Value Type		x(24)	
	pig__qadc01			x(8)	
	pig__qadc02			x(8)	
	pig__qadc03			x(8)	
	pig__qadd01			->>>>,>>>,>>9.9	10
	pig__qadd02			->>>>,>>>,>>9.9	10
	pig__qadi01			->,>>>,>>9	
	pig__qadi02			->,>>>,>>9	
	pig__qadl01			yes/no	
	pig__qadl02			yes/no	
	pig__qadt01			99/99/99	
	pig__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pig_mstr	yes	oid_pig_mstr	yes	no
Δ	pig_all_custs	no	pig_domain	yes	no
			pig_div	yes	no
			pig_all_custs	yes	no
			pig_srch_type	yes	no
			pig_curr	yes	no
			pig_start	yes	no
Δ	pig_all_items	no	pig_domain	yes	no
			pig_div	yes	no
			pig_all_items	yes	no
			pig_srch_type	yes	no
			pig_curr	yes	no
			pig_start	yes	no
Δ*	pig_code	yes	pig_domain	yes	no
			pig_code	yes	no
			pig_amt_type	yes	no
Δ	pig_div_code	yes	pig_domain	yes	no
			pig_div	yes	no
			pig_code	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			pig_amt_type	yes	no
Δ	pig_ref	no	pig_domain	yes	no
			pig_ref_type	yes	no
			pig_ref_code	yes	no

pih_hist

Pricing History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pih_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pih_accr_acct	Accrual Acct		x(8)	
	pih_accr_cc	Accrual CC	CC	x(8)	
	pih_accr_proj	Accrual Proj		x(8)	
	pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
	pih_amt	Amount		->>>>,>>>,>>9.99<<<	10
	pih_amt_type	Amt Type		x(8)	
	pih_bonus_line	Triggering Line Number		>>9	
	pih_break_cat	Break Cat		x(18)	
	pih_comb_type	Comb Type		x(24)	
	pih_confg_disc	Config Disc	Config	yes/no	
	pih_cr_terms	Credit Terms	Terms	x(8)	
	pih_disc_acct	Disc Acct		x(8)	
	pih_disc_amt	Disc Amt		->>>>,>>>,>>9.99<<<	10
	pih_disc_cc	Cost Ctr	CC	x(4)	
	pih_disc_proj	Project		x(8)	
	pih_disc_seq	Disc Sequence		>>,>>9.<<<<<	10
	pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
	pih_doc_type	Doc Type		>>9	
◊	pih_domain	Domain		x(8)	
	pih_feature	Feature		x(12)	
	pih_fr_list	Freight List	Frt List	x(8)	
	pih_fr_terms	Freight Terms		x(8)	
	pih_line	Line		>>9	
	pih_list	Price List	List	x(8)	
	pih_list_id	List Id		x(8)	
	pih_min_net	Min Net Ord		->>>>,>>>,>>9.99<	10
	pih_mod_date	Modified Date	Mod Date	99/99/99	
	pih_nbr	Order		x(8)	
	pih_option	Item Number		x(18)	
	pih_parent	Parent Item		x(18)	
	pih_pid_qty	Break Qty		->>,>>>,>>9.9<<<<<<<<	10
	pih_pig_code	Price List Group		x(8)	
	pih_print	Print		yes/no	
	pih_promo1	Promotion Code		x(8)	
	pih_promo2	Promotion Type		x(8)	
	pih_promo3	APM Code 3		x(8)	
	pih_promo4	APM Code 4		x(8)	
	pih_qty	Qty		->>,>>>,>>9.9<<<<<<<<	10
	pih_qty_type	Qty Type		x(24)	
	pih_source	Source		x(8)	
	pih_time	Time		>>,>>>,>>9	
	pih_um	UM		x(2)	
	pih_user1	Ufld1		x(8)	
	pih_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
pih_userid	User ID		x(8)	
pih__chr01			x(8)	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>,>>>,>>9.99	10
pih__dec02			>>>,>>>,>>9.99	10
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>,>>>,>>9.9<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pih_hist	yes	oid_pih_hist	yes	no
Δ	pih_comp	no	pih_domain	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
			pih_parent	yes	no
			pih_feature	yes	no
			pih_option	yes	no
Δ	pih_list	no	pih_domain	yes	no
			pih_list	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
Δ	pih_list_id	no	pih_domain	yes	no
			pih_list_id	yes	no
Δ*	pih_nbr	yes	pih_domain	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
			pih_confg_disc	yes	no
			pih_source	yes	no
			pih_list_id	yes	no
			pih_amt_type	yes	no
			pih_parent	yes	no
			pih_feature	yes	no
			pih_option	yes	no

pi_mstr

Price List Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pi_accr_acct	Accrual Acct		x(8)	
	pi_accr_cc	Accrual CC	CC	x(8)	
	pi_accr_proj	Accrual Proj		x(8)	
	pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
	pi_amt_type	Amount Type		x(24)	
	pi_break_cat	Break Cat		x(18)	
	pi_cmtindx	Comments		>>>>>>>9	
	pi_comb_type	Comb Type		x(24)	
	pi_confg_disc	Config Disc	Config	yes/no	
	pi_cost_set	Cost Set		x(8)	
	pi_cs_code	Cust/Supplier Cat		x(18)	
	pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
	pi_curr	Currency	Cur	x(3)	
	pi_desc	Description		x(24)	
	pi_disc_acct	Disc Acct		x(8)	
	pi_disc_cc	Cost Ctr	CC	x(8)	
	pi_disc_proj	Project		x(8)	
	pi_disc_seq	Disc Sequence		>>>,>>9.9<<<<<	10
	pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
◊	pi_domain	Domain		x(8)	
	pi_expire	Expire		99/99/99	
	pi_extrec	External Entry	Ext	yes/no	
	pi_list	Price List	List	x(8)	
	pi_list_id	List Id		x(8)	
	pi_list_price	List Price		>>>>,>>>,>>9.99<<<	10
	pi_manual	Manual		yes/no	
	pi_max_ord	Max Orders		>>>9	
	pi_max_price	Max Price		>>>>,>>>,>>9.99<<<	10
	pi_max_qty	Max Qty		->>,>>>,>>9.9<<<<<<<<	10
	pi_min_net	Min Net Ord		->>>>,>>>,>>9.99<	10
	pi_min_price	Min Price		>>>>,>>>,>>9.99<<<	10
	pi_mod_date	Modified Date	Mod Date	99/99/99	
	pi_part_code	Item Cat		x(18)	
	pi_part_type	Type		x(24)	
	pi_pig_code	Price List Group		x(8)	
	pi_print	Print		yes/no	
	pi_promo1	Promotion Code		x(8)	
	pi_promo2	Promotion Type		x(8)	
	pi_promo3	APM Code 3		x(8)	
	pi_promo4	APM Code 4		x(8)	
	pi_qty_type	Qty Type		x(24)	
	pi_srch_type	Search Type		>>9	
	pi_start	Start		99/99/99	
	pi_terms	Terms		x(8)	
	pi_um	UM		x(2)	
	pi_user1	Ufld1		x(8)	
	pi_user2	Ufld2		x(8)	
	pi_userid	User ID		x(8)	
	pi__chr01			x(8)	
	pi__chr02			x(8)	
	pi__chr03			x(8)	
	pi__chr04			x(8)	
	pi__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
pi__chr06			x(8)	
pi__chr07			x(8)	
pi__chr08			x(8)	
pi__chr09			x(8)	
pi__chr10			x(8)	
pi__dec01			>>>,>>>,>>9.99	10
pi__dec02			>>>,>>>,>>9.99	10
pi__dte01			99/99/99	
pi__dte02			99/99/99	
pi__log01			yes/no	
pi__qadc01			x(8)	
pi__qadd01			->>>,>>>,>>9.9<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pi_mstr	yes	oid_pi_mstr	yes	no
Δ	pi_cs_code	no	pi_domain	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_srch_type	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no
Δ*	pi_list	yes	pi_domain	yes	no
			pi_list	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no
Δ	pi_list_id	yes	pi_domain	yes	no
			pi_list_id	yes	no
Δ	pi_part_code	no	pi_domain	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_srch_type	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no

pjc_ctrl Project Realization Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pjc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pjc_auto_mo	Auto Generate MO		yes/no	
	pjc_bg_above	Budget Overrun Limit		->>9.9<%	10
	pjc_bg_below	Budget Warning Limit		->>9.9<%	10
	pjc_close_status	Closed Status		x(8)	
	pjc_comp_status	Complete Status		x(8)	
	pjc_dflt_que	Queue		x(8)	
◊	pjc_domain	Domain		x(8)	
	pjc_global_inv	Global Invoicing		yes/no	
	pjc_hcmmts	Project Header Comments		yes/no	
	pjc_hold_level	Credit Hold Option		>>9	
	pjc_hold_status	Hold Status		x(8)	
	pjc_lcmmts	Project Line Comments		yes/no	
	pjc_mod_date	Modified Date	Mod Date	99/99/99	
	pjc_mod_userid	User ID		x(8)	
	pjc_open_status	Open Status		x(8)	
	pjc_paocmmts	PAO Comments		yes/no	
	pjc_pao_cancel	Cancel Status		x(8)	
	pjc_pao_close	Closed Status		x(8)	
	pjc_pao_complete	Complete Status		x(8)	
	pjc_pao_hold	Hold Status		x(8)	
	pjc_pao_nbr	Next PAO		>>>>>>>9	
	pjc_pao_open	Open Status		x(8)	
	pjc_pao_pre	PAO Prefix		x(3)	
	pjc_par_detail	PAR Detail		yes/no	
	pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
	pjc_par_return	PAR Return Status		x(8)	
	pjc_par_scrap	PAR Scrap Status		x(8)	
	pjc_pjs_hist	Generate Transaction History		yes/no	
	pjc_pj_type	GL Project Type		x(2)	
	pjc_prj_nbr	Next Project		>>>>>>>9	
	pjc_prj_pre	Project Prefix		x(3)	
	pjc_prj_site	Project Site		x(8)	
	pjc_pr_rollup	Auto Price Rollup		yes/no	
	pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
	pjc_pt_prod	Use Item Product Line		yes/no	
	pjc_schedule_pao	Schedule		yes/no	
	pjc_scmmts	Subproject Comments		yes/no	
	pjc_so_nbr	Next Project SO		>>>>>>>9	
	pjc_so_pre	Project SO Prefix		x(3)	
	pjc_sub_det	Subproject Details		yes/no	
	pjc_user1	Ufld1		x(8)	
	pjc_user2	Ufld2		x(8)	
	pjc_use_budgets	Use Budgets		yes/no	
	pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
	pjc__log01			yes/no	
	pjc__log02			yes/no	
	pjc__qadc01			x(24)	
	pjc__qadc02			x(24)	
	pjc__qadd01			->>>>,>>>,>>9.99<<<	10
	pjc__qadi01			>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
Δ	pjc__qadi02			->>>>>>>9	
	pjc__qadl01			yes/no	
	pjc__qadl02			yes/no	
	pjc__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjc_ctrl	yes	oid_pjc_ctrl	yes	no
Δ*	pjc_index1	yes	pjc_domain	yes	no

pjd_det

Project Realization Subproject Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pjd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pjd_budget_type	Budget Type		>>9	
	pjd_ca_int_type	Work Code		x(8)	
	pjd_cmtindx	Comment Index		>>>>>>>9	
	pjd_comm_pct[4]	Commission		>>9.9<%	10
	pjd_cr_terms	Credit Terms		x(8)	
	pjd_desc	Description		x(24)	
	pjd_disc_pct	Discount		->>9.9<%	10
◊	pjd_domain	Domain		x(8)	
	pjd_end_date	End Date		99/99/99	
	pjd_end_orig	Original End		99/99/99	
	pjd_eng_nbr	Engineer		x(8)	
	pjd_eu_nbr	End User		x(8)	
	pjd_global_inv	Global Invoicing		yes/no	
	pjd_inv_det	Details on Invoice		yes/no	
	pjd_inv_det_pr	Prices of Details		yes/no	
	pjd_inv_lvl	Invoice Level		yes/no	
	pjd_list_pr	Total List Price		->>>>,>>>,>>9.99<<<	10
	pjd_loc	Location		x(8)	
	pjd_mod_date	Modified Date	Mod Date	99/99/99	
	pjd_mod_userid	User ID		x(8)	
	pjd_nbr	Project		x(8)	
	pjd_pjt_code	Project Type		x(8)	
	pjd_prepaid	Prepaid		->>>>,>>>,>>9.99<<<	10
	pjd_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
	pjd_prod_line	Product Line		x(4)	
	pjd_pr_list	Price List		x(8)	
	pjd_site	Site		x(8)	
	pjd_slspsn[4]	Slsperson		x(8)	
	pjd_status	Status		x(8)	
	pjd_st_date	Start Date		99/99/99	
	pjd_st_orig	Original Start		99/99/99	
	pjd_sub_nbr	Subproject	Subproj	>>>9	
	pjd_total_price	Total Net Price		->>>>,>>>,>>9.99<<<	10
	pjd_user1	Ufld1		x(8)	
	pjd_user2	Ufld2		x(8)	
	pjd_variation	Variation		yes/no	
	pjd__qadc01			x(24)	
	pjd__qadc02			x(24)	

	Field Name	Label	Col-Label	Format	Dec
	pjd__qadd01			->>>>,>>>,>>9.99<<<	10
	pjd__qadi01			>>>>>>>9	
	pjd__qadl01			yes/no	
	pjd__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjd_det	yes	oid_pjd_det	yes	no
Δ	pjd_pjt_code	no	pjd_domain	yes	no
			pjd_pjt_code	yes	no
Δ*	pjd_sub_nbr	yes	pjd_domain	yes	no
			pjd_nbr	yes	no
			pjd_sub_nbr	yes	no

pjsh_hist

Project Realization Transaction History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pjsh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pjsh_amt_inv	Invoiced Amount		->>>>,>>>,>>9.99<<<	10
	pjsh_amt_inv_chg	Invoiced Amt Change		->>>>,>>>,>>9.99<	10
	pjsh_cost_actual	Actual Cost		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_act_chg	Actual Cost Change		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_iss	Issued Cost		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_iss_chg	Issued Cost Change		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_planned	Planned Cost		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_pln_chg	Planned Cost Change		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_wip	WIP Cost		->>>>,>>>,>>9.99<<<	10
	pjsh_cost_wip_chg	WIP Cost Change		->>>>,>>>,>>9.99<<<	10
◊	pjsh_domain	Domain		x(8)	
	pjsh_mod_date	Modified Date	Mod Date	99/99/99	
	pjsh_mod_userid	User ID		x(8)	
	pjsh_nbr	Project		x(8)	
	pjsh_old_status	Prev Line Status		x(8)	
	pjsh_pjs_line	Project Line		>>>>>>>9	
	pjsh_povar_amt	PO Variance Amt		->>>>,>>>,>>9.99<<<	10
	pjsh_povar_chg	PO Variance Change		->>>>,>>>,>>9.99<<<	10
	pjsh_qty_actual	Qty Actual		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_act_chg	Qty Actual Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_bg_chg	Qty Budgeted Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_budget	Qty Budgeted		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_inv_chg	Qty Invoiced Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_iss_chg	Qty Issued Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_oh	Project QOH		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_oh_chg	Project QOH Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_planned	Qty Planned		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_pln_chg	Qty Planned Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_sel_chg	Qty to Invoice Change		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_sel_inv	Qty to Invoice		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_wip	Qty WIP		->>,>>>,>>9.9<<<<<<<<<	10
	pjsh_qty_wip_chg	Qty WIP Change		->>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
pjsh_rel_nbr	Related Project		x(8)	
pjsh_status	Project Line Status		x(8)	
pjsh_trnbr	Transaction		>>>>>>>9	
pjsh_tr_cost	Transaction Cost		->>>>,>>>,>>9.99<<<	10
pjsh_tr_date	Transaction Date		99/99/99	
pjsh_tr_ind	Transaction Indicator		x(8)	
pjsh_tr_qty	Transaction Qty		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_tr_time	Transaction Time		>>>>>>>>9	
pjsh_tr_type	Transaction Type		x(8)	
pjsh_user1	Ufld1		x(8)	
pjsh_user2	Ufld2		x(8)	
pjsh_userid	User ID		x(8)	
pjsh__qadc01			x(24)	
pjsh__qadd01			->>>>,>>>,>>9.99<<<	10
pjsh__qadi01			>>>>>>>9	
pjsh__qadl01			yes/no	
pjsh__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjsh_hist	yes	oid_pjsh_hist	yes	no
Δ	pjsh_prj_nbr	no	pjsh_domain	yes	no
			pjsh_nbr	yes	no
			pjsh_pjs_line	yes	no
			pjsh_tr_date	yes	no
			pjsh_tr_time	yes	no
Δ*	pjsh_trnbr	yes	pjsh_domain	yes	no
			pjsh_trnbr	yes	no

pjsx_det

Project Structure Cross-Reference Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pjsx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pjsx_date	Last Modified Date		99/99/99	
	pjsx_def_ws	Worksheet		x(8)	
◊	pjsx_domain	Domain		x(8)	
	pjsx_end_date	End Date		99/99/99	
	pjsx_int_stat	Internal Status		x(8)	
	pjsx_line	PAO Line		>>9	
	pjsx_loc	Location		x(8)	
	pjsx_mod_date	Modified Date	Mod Date	99/99/99	
	pjsx_mod_userid	User ID		x(8)	
	pjsx_nbr	PAO		x(8)	
	pjsx_pjs_line	Project Line		>>>>>>>9	
	pjsx_prj_nbr	Project		x(8)	
	pjsx_qty_demand	Demand Qty		->>,>>>,>>9.9<<<<<<<<<	10
	pjsx_qty_in_prog	Qty In Progress		->>,>>>,>>9.9<<<<<<<<<	10
	pjsx_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
	pjsx_qty_ord	Qty Ordered		->>,>>>,>>9.9<<<<<<<<<	10
	pjsx_site	Site		x(8)	
	pjsx_sod_line	MO Line		>>9	
	pjsx_so_nbr	Material Order		x(8)	

Field Name	Label	Col-Label	Format	Dec
pjsx_start_date	Start Date		99/99/99	
pjsx_type	PAO Line Type		x(4)	
pjsx_user1	Ufld1		x(8)	
pjsx_user2	Ufld2		x(8)	
pjsx__dec01			->>>>,>>>,>>9.99<<<	10
pjsx__dte01			99/99/99	
pjsx__log01			yes/no	
pjsx__qadc01			x(24)	
pjsx__qadc02			x(24)	
pjsx__qadd01			->>>>,>>>,>>9.99<<<	10
pjsx__qadi01			>>>>>>>9	
pjsx__qadl01			yes/no	
pjsx__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjsx_det	yes	oid_pjsx_det	yes	no
Δ*	pjsx_nbrln	yes	pjsx_domain	yes	no
			pjsx_nbr	yes	no
			pjsx_line	yes	no
Δ	pjsx_pjs	no	pjsx_domain	yes	no
			pjsx_prj_nbr	yes	no
			pjsx_pjs_line	yes	no
			pjsx_nbr	yes	no
Δ	pjsx_sonbr	no	pjsx_domain	yes	no
			pjsx_so_nbr	yes	no
			pjsx_sod_line	yes	no
Δ	pjsx_type	no	pjsx_domain	yes	no
			pjsx_prj_nbr	yes	no
			pjsx_pjs_line	yes	no
			pjsx_type	yes	no
Δ	pjsx_ws	no	pjsx_domain	yes	no
			pjsx_def_ws	yes	no

pjs_mstr

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
◊ oid_pjs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjs_amt_inv	Amount Invoiced	Amt Inv	->>>>,>>>,>>9.99<<<	10
pjs_budget_type	Budget Type		>9	
pjs_ca_int_type	Work Code		x(8)	
pjs_cmtindx	Comment Index		>>>>>>>9	
pjs_completed	Completed		yes/no	
pjs_cost	Unit Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_actual	Actual Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_iss	Issued Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_wip	WIP Cost		->>>>,>>>,>>9.99<<<	10
pjs_desc	Description		x(24)	
pjs_detail_on_inv	Detail on Invoice		yes/no	
pjs_disc_pct	Discount		->>9.9<%	10
◊ pjs_domain	Domain		x(8)	
pjs_frozen	Frozen		yes/no	

Field Name	Label	Col-Label	Format	Dec
pjs_fsc_code	Category		x(8)	
pjs_inv_group	Invoice Group		x(8)	
pjs_inv_lvl	Invoice Level		yes/no	
pjs_line	Project Line		>>>>>>>9	
pjs_line_disp	Project Line ID		x(12)	
pjs_line_par	Parent Line		>>>>>>>9	
pjs_line_seq	Project Line Seq		>>>9	
pjs_line_sort	Project Line Sort		x(24)	
pjs_link_ok	Link to PAO		yes/no	
pjs_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
pjs_mod_date	Modified Date	Mod Date	99/99/99	
pjs_mod_userid	User ID		x(8)	
pjs_nbr	Project		x(8)	
pjs_part	Item Number		x(18)	
pjs_povar_amt	PO Variance Amount		->>>>,>>>,>>9.99<<<	10
pjs_price	Net Price		->>>>,>>>,>>9.99<<<	10
pjs_price_on_inv	Price on Invoice		yes/no	
pjs_prod_line	Product Line		x(4)	
pjs_qty_actual	Qty Actual		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_budget	Qty Budgeted		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_oh	Project QOH		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_planned	Qty Planned		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_sel_inv	Qty to Invoice		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_wip	Qty WIP		->>,>>>,>>9.9<<<<<<<<<	10
pjs_status	Status		x(8)	
pjs_subassy	Subassembly		yes/no	
pjs_sub_nbr	Subproject		>>>9	
pjs_um	UM		x(2)	
pjs_um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs_user1	Ufld1		x(8)	
pjs_user2	Ufld2		x(8)	
pjs_variation	Variation		yes/no	
pjs__chr01			x(8)	
pjs__dec01			->>>>,>>>,>>9.99<<<	10
pjs__dec02			->>>>,>>>,>>9.99<<<	10
pjs__dte01			99/99/99	
pjs__dte02			99/99/99	
pjs__log01			yes/no	
pjs__log02			yes/no	
pjs__qadc01			x(24)	
pjs__qadc02			x(24)	
pjs__qadc03			x(24)	
pjs__qadd01			->>>>,>>>,>>9.99<<<	10
pjs__qadd02			->>>>,>>>,>>9.99<<<	10
pjs__qadi01			>>>>>>>9	
pjs__qadi02			>>>>>>>9	
pjs__qadl01			yes/no	
pjs__qadl02			yes/no	
pjs__qadt01			99/99/99	
pjs__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjs_mstr	yes	oid_pjs_mstr	yes	no
Δ*	pjs_line	yes	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_line	yes	no
Δ	pjs_status	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_status	yes	no
			pjs_link_ok	yes	no
Δ	pjs_structure	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_sub_nbr	yes	no
			pjs_line_par	yes	no
			pjs_line_seq	yes	no
Δ	pjs_tree	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_line_sort	yes	no

pjt_mstr

Project Realization Project Type Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pjt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pjt_ca_int_type	Work Code		x(8)	
	pjt_cmtindx	Comment Index		>>>>>>>9	
	pjt_code	Project Type		x(8)	
	pjt_desc	Description		x(24)	
◊	pjt_domain	Domain		x(8)	
	pjt_mod_date	Modified Date	Mod Date	99/99/99	
	pjt_mod_userid	User ID		x(8)	
	pjt_priority	Priority		>>>9	
	pjt_prod_line	Product Line		x(4)	
	pjt_pr_list	Price List		x(8)	
	pjt_taxable	Taxable		yes/no	
	pjt_taxc	Tax Class		x(3)	
	pjt_user1	Ufld1		x(8)	
	pjt_user2	Ufld2		x(8)	
	pjt__qadc01			x(24)	
	pjt__qadd01			->>>>,>>>,>>9.99<<<	10
	pjt__qadi01			>>>>>>>9	
	pjt__qadl01			yes/no	
	pjt__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjt_mstr	yes	oid_pjt_mstr	yes	no
Δ*	pjt_code	yes	pjt_domain	yes	no
			pjt_code	yes	no

pj_mstr

Project Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pj_active	Active	Act	yes/no	
	pj_beg_dt	Begin Date	Beg Date	99/99/99	
	pj_cmtindx	Comment Index	Cmmt Indx	>>>>>>>9	
	pj_comp	Actual Completion Date	Comp Dt	99/99/99	
	pj_desc	Description		x(24)	
◊	pj_domain	Domain		x(8)	
	pj_findate	Original Completion Date	Org C Dt	99/99/99	
	pj_project	Project		x(8)	
	pj_revdate	Date Revised	Date Rev	99/99/99	
	pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
	pj_stat	Status Code	S	x(1)	
	pj_type	Project Type	T	x(2)	
	pj_user1	Ufld1		x(8)	
	pj_user2	Ufld2		x(8)	
	pj__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pj_mstr	yes	oid_pj_mstr	yes	no
Δ	pj_active	yes	pj_domain	yes	no
			pj_project	yes	no
			pj_active	yes	no
Δ	pj_desc	no	pj_domain	yes	no
			pj_desc	yes	no
			pj_project	yes	no
Δ*	pj_project	yes	pj_domain	yes	no
			pj_project	yes	no

pk_det

Pick List Work Table

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pk_domain	Domain		x(8)	
	pk_end	End		99/99/99	
	pk_loc	Location		x(8)	
	pk_lot	ID		x(8)	
	pk_part	Item Number		x(18)	
	pk_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	pk_reference	Reference	Ref	x(8)	
	pk_start	Start		99/99/99	
	pk_user			x(8)	
	pk_user1	Ufld1		x(8)	
	pk_user2	Ufld2		x(8)	
	pk__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pk_det	yes	oid_pk_det	yes	no
Δ*	pk_det	yes	pk_domain	yes	no
			pk_user	yes	no
			pk_part	yes	no
			pk_reference	yes	no
			pk_start	yes	no
			pk_end	yes	no

pld_det

Product Line Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
	pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
	pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
◊	pld_domain	Domain		x(8)	
	pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
	pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodline	Product Line	Line	x(4)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	
pld__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pld_det	yes	oid_pld_det	yes	no
Δ*	pld_det	yes	pld_domain	yes	no
			pld_prodline	yes	no
			pld_site	yes	no
			pld_loc	yes	no
Δ	pld_site	yes	pld_domain	yes	no
			pld_site	yes	no
			pld_loc	yes	no
			pld_prodline	yes	no

plid_det

Purchase Ledger Invoice Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_plid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	plid_domain	Domain		x(8)	
	plid_inv_cost	Invoice Cost		->>>>,>>>,>>9.99<<<	10
	plid_inv_qty	Invoice Quantity		->>,>>>,>>>,>>9.99<<<<<<<<<	10
	plid_line	Line		>>>>>>>9	
	plid_mod_date	Modified Date	Mod Date	99/99/99	
	plid_mod_userid	User ID		x(8)	
	plid_order	Order		x(8)	
	plid_order_line	Order Line	Ln	>>9	
	plid_order_type	Order Type	Order! Type	x(2)	
	plid_pli_keyid	Invoice Key ID	Invoice! Key ID	>>>>>>>>>	
	plid_pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
	plid_taxable	Taxable	Tax	yes/no	
	plid_taxc	Tax Class	Tax! Class	x(3)	
	plid_tax_env	Tax Environment	Tax Env	x(16)	
	plid_tax_in	Tax In	Tax! In	yes/no	
	plid_tax_usage	Tax Usage	Tax! Usage	x(8)	
	plid_user1	User Field Character 1		x(24)	
	plid_user2	User Field Character 2		x(24)	
	plid__qadc01			x(24)	
	plid__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plid_det	yes	oid_plid_det	yes	no
Δ	plid_order	no	plid_domain	yes	no
			plid_order	yes	no
			plid_order_line	yes	no
Δ*	plid_pli_keyid	yes	plid_domain	yes	no
			plid_pli_keyid	yes	no
			plid_line	yes	no
Δ	plid_pli_keyid_order	no	plid_domain	yes	no
			plid_pli_keyid	yes	no
			plid_order	yes	no
			plid_order_line	yes	no
Δ	plid_pvo_id	no	plid_domain	yes	no
			plid_pvo_id	yes	no

pli_mstr

Purchase Ledger Invoice Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pli_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pli_curr	Currency	Cur	x(3)	
◊	pli_domain	Domain		x(8)	
	pli_exru_seq	Sequence		>>>>>>>>9	
	pli_ex_rate	Exch Rate		->>>>,>>>,>>9.9<<<<<<<<<	10
	pli_ex_rate2	Exch Rate 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	pli_ex_ratetype	Rate Type		x(8)	
	pli_internal_ref	Internal Reference		x(20)	
	pli_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
	pli_invoice	Invoice Number		x(20)	
	pli_invoice_amt	Invoice Amount		->>,>>>,>>>,>>9.99<	10
	pli_invoice_date	Invoice Date	Inv Date	99/99/99	
	pli_keyid	Key ID		>>>>>>>>>	
	pli_mod_date	Modified Date	Mod Date	99/99/99	
	pli_mod_userid	User ID		x(8)	
	pli_supplier	Supplier		x(8)	
	pli_taxable	Taxable	Tax	yes/no	
	pli_taxc	Tax Class	TxC	x(3)	
	pli_tax_date	Tax Date		99/99/99	
	pli_tax_env	Tax Environment	Tax Env	x(16)	
	pli_tax_in	Tax In	Tax! In	yes/no	
	pli_tax_usage	Tax Usage	TaxUsage	x(8)	
	pli_user1	User Field Character 1		x(24)	
	pli_user2	User Field Character 2		x(24)	
	pli_vo_ref	Voucher		x(8)	
	pli__qadc01			x(24)	
	pli__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pli_mstr	yes	oid_pli_mstr	yes	no
Δ	pli_internal_ref	no	pli_domain	yes	no
			pli_internal_ref	yes	no
			pli_supplier	yes	no
			pli_invoice	yes	no
Δ	pli_invoice	no	pli_domain	yes	no
			pli_supplier	yes	no
			pli_invoice	yes	no
Δ*	pli_keyid	yes	pli_domain	yes	no
			pli_keyid	yes	no
Δ	pli_vo_ref	no	pli_domain	yes	no
			pli_vo_ref	yes	no

plsd_det

Product Line Sales Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_plsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	plsd_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
	plsd_cbdn_cc	COGS Burden CC	CC	x(4)	
	plsd_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
	plsd_channel	Channel		x(8)	
	plsd_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
	plsd_clbr_cc	COGS Labor CC	CC	x(4)	
	plsd_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
	plsd_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
	plsd_cmtl_cc	COGS Material CC	CC	x(4)	
	plsd_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
	plsd_cmtype	Customer Type	Type	x(4)	
	plsd_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
	plsd_covh_cc	COGS Overhead CC	CC	x(4)	
	plsd_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
	plsd_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
	plsd_csub_cc	COGS Subcontract CC	CC	x(4)	
	plsd_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
◊	plsd_domain	Domain		x(8)	
	plsd_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
	plsd_dsc_cc	Sales Disc Ctr	CC	x(4)	
	plsd_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
	plsd_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	plsd_fsaccr_cc	Accrued Revenue CC		x(4)	
	plsd_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	plsd_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	plsd_fsdef_cc	Deferred Revenue CC		x(4)	
	plsd_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
	plsd_mod_date	Modified Date	Mod Date	99/99/99	
	plsd_prodline	Product Line	Line	x(4)	
	plsd_site	Site		x(8)	
	plsd_sls_acct	Sales Acct	Sales	x(8)	
	plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
	plsd_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	plsd_user1	Ufld1		x(8)	
	plsd_user2	Ufld2		x(8)	
	plsd_userid	User ID		x(8)	
	plsd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plsd_det	yes	oid_plsd_det	yes	no
Δ*	plsd_prodline	yes	plsd_domain	yes	no
			plsd_prodline	yes	no
			plsd_site	yes	no
			plsd_cmtype	yes	no
			plsd_channel	yes	no

plt_det

Product Line Tax Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_plt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	plt_domain	Domain		x(8)	
	plt_mod_date	Modified Date	Mod Date	99/99/99	
	plt_prod_line	Product Line	Line	x(4)	
	plt_taxable	Taxable		yes/no	
	plt_taxc	Tax Class	TxC	x(3)	
	plt_tax_type	Tax Type		x(3)	
	plt_user1	User1		x(8)	
	plt_user2	User2		x(8)	
	plt_userid	User ID		x(8)	
	plt__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plt_det	yes	oid_plt_det	yes	no
Δ*	plt_prod_line	yes	plt_domain	yes	no
			plt_prod_line	yes	no
			plt_tax_type	yes	no

pl_mstr

Product Line Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
	pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
	pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
	pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
	pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
	pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
	pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
	pl_cbdn_cc	COGS Burden CC	CC	x(4)	

	Field Name	Label	Col-Label	Format	Dec
	pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
	pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
	pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
	pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
	pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
	pl_clbr_cc	COGS Labor CC	CC	x(4)	
	pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
	pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
	pl_cmtl_cc	COGS Material CC	CC	x(4)	
	pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
	pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
	pl_cog_cc	COG Cost Ctr	CC	x(4)	
	pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
	pl_cop_acct	Cost of Production	COP	x(8)	
	pl_cop_cc	Cost of Prod CC	CC	x(4)	
	pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
	pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
	pl_covh_cc	COGS Overhead CC	CC	x(4)	
	pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
	pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
	pl_csub_cc	COGS Subcontract CC	CC	x(4)	
	pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
	pl_desc	Description		x(24)	
	pl_division			x(8)	
◊	pl_domain	Domain		x(8)	
	pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
	pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
	pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
	pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
	pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
	pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
	pl_esls_acct	Exempt Sales Acct		x(8)	
	pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
	pl_fiscal_class	Fiscal Class		x(18)	
	pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
	pl_flr_cc	Floor Stock CC	CC	x(4)	
	pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
	pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	pl_fsaccr_cc	Accrued Revenue CC		x(4)	
	pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
	pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
	pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
	pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
	pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
	pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
	pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	pl_fsdef_cc	Deferred Revenue CC		x(4)	
	pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
	pl_fsexd_acct	Expense Due Employee		x(8)	
	pl_fsexd_cc	Expenses Due CC	CC	x(4)	
	pl_fsexd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	
	pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
	pl_fsexp_cc	Service Expenses CC	CC	x(4)	
	pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
	pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
	pl_fslbr_cc	Service Labor CC	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
pl_fsrc_inv_acct	Repair Center Inv		x(8)	
pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
pl_fsrc_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
pl_group			x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
pl_mvar_cc	Material Usage Variance CC	CC	x(4)	
pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
pl_xfer_acct	Transfer Variance Account	Account	x(8)	
pl_xfer_cc	Transfer Variance CC	CC	x(4)	
pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
pl__chr01			x(8)	
pl__chr02			x(8)	
pl__chr03			x(8)	
pl__chr04			x(8)	
pl__chr05			x(8)	
pl__dec01			>>>,>>>,>>9.99	10
pl__dec02			>>>,>>>,>>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadc06			x(8)	
pl__qadc07			x(4)	
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>,>>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pl_mstr	yes	oid_pl_mstr	yes	no
Δ	pl_desc	yes	pl_domain	yes	no
			pl_desc	yes	no
			pl_prod_line	yes	no
Δ*	pl_prod_line	yes	pl_domain	yes	no
			pl_prod_line	yes	no

poc_ctrl

Purchase Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_poc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
	poc_apv_req	Approved Reqs Needed for POs		yes/no	
	poc_bill	Bill-To		x(8)	
	poc_crtacc_acct	PO Interest Accrued Acct		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	poc_crtacc_cc	PO Interest Accrued CC	CC	X(4)	
	poc_crtacc_sub	PO Int Accrued Sub-Acct	Sub-Acct	x(8)	
	poc_crtapp_acct	PO Interest Applied Acct		X(8)	
	poc_crtapp_cc	PO Interest Applied CC	CC	X(4)	
	poc_crtapp_sub	PO Int Applied Sub-Acct	Sub-Acct	x(8)	
◊	poc_domain	Domain		x(8)	
	poc_ers_opt	ERS Option	ERS! Opt	x(1)	
	poc_ers_proc	ERS Processing		yes/no	
	poc_ex_ratetype	Rate Type		x(8)	
	poc_fst_id	Company FST ID		x(18)	
	poc_hcmmts	PO Header Comments		yes/no	
	poc_insp_loc	Inspection Location	Inspect	x(8)	
	poc_lcmmts	PO Line Comments		yes/no	
	poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	
	poc_ln_stat	Cancel Backorders	Cancel	x(1)	
	poc_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
	poc_next_batch	Next Fiscal Batch		>>>>>>>>9	
	poc_pc_line	Price by PO Line Due Date		yes/no	
	poc_pl_req	Price List Required		yes/no	
	poc_po_hist	Keep Booking History	Book! Hst	yes/no	
	poc_po_nbr	Next Purchase Order	Next PO	99999999	
	poc_po_pre	PO Prefix	Pre	x(3)	
	poc_pst_id	PST ID		x(18)	
	poc_pt_req	Price Table Required		yes/no	
	poc_rcv_all	Receive All		yes/no	
	poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
	poc_rcv_pre	Receiver Prefix	Pre	x(3)	
	poc_rcv_type	Receiver Type	T	9	0
	poc_req_nbr	Next Req		>>>>>>>9	
	poc_req_pre	Requistion Prefix	Pre	x(3)	
	poc_ship	Ship-To		x(8)	
	poc_sort_by	Sort PO By		Site/Line	
	poc_tol_cst	Tolerance Cost	Tolerance $	>>>>,>>>,>>9.99<<<	10
	poc_tol_pct	Tolerance Percent	Tol %	>>>>.99	10
	poc_user1	Ufld1		x(8)	
	poc_user2	Ufld2		x(8)	
	poc__qad01			99999	
	poc__qadc01	QAD Field		X(8)	0
	poc__qadc02	QAD Field		X(8)	0
	poc__qadc03	QAD Field		X(8)	0
	poc__qadc04			x(8)	
	poc__qadc05			x(4)	
	poc__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	poc__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	poc__qadi01	QAD Field		->,>>>,>>9	
	poc__qadi02	QAD Field		->,>>>,>>9	
Δ	poc__qadi03			->>>>>>>9	
	poc__qadl01	QAD Field		yes/no	
	poc__qadl02	QAD Field		yes/no	
	poc__qadl03	QAD Field		yes/no	
	poc__qadl04	QAD Field		yes/no	
	poc__qadl05	QAD Field		yes/no	
	poc__qadl06	QAD Field		yes/no	
	poc__qadt01	QAD Field		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poc_ctrl	yes	oid_poc_ctrl	yes	no
Δ∗	poc_index1	yes	poc_domain	yes	no

pod_det

Purchase Order Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pod_acct	Pur Acct		x(8)	
	pod_approve	Approved By	Approved	x(8)	
	pod_apr_code	Approval Code	Apr Code	x(8)	
	pod_assay	Assay %		>>9.99%	10
	pod_blanket	Blanket		x(8)	
	pod_blnkt_ln	Blanket Line	Bl Ln	>>9	
	pod_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	pod_cc	Cost Ctr	CC	x(4)	
	pod_cmtindx	Comment Index	Comment	>>>>>>>9	
	pod_consignment	Consignment		yes/no	
	pod_contract	Contract		x(8)	
	pod_contr_id	Contract ID		x(30)	
	pod_cost_chg	Receipt Cost		->>>,>>>,>>9.99<<<	10
	pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	pod_cst_up	Update Current Cost		yes/no	
	pod_cum_date[4]	Cum Start		99/99/99	
	pod_cum_qty[4]	Cum Received		->>>>,>>>,>>9.9<<<<<<<<	10
	pod_curr_rlse_id[3]	Active Rlse ID		x(30)	
	pod_desc	Description		x(40)	
	pod_disc_pct	Disc%		->9.99%	10
	pod_dock	Dock		x(8)	
◊	pod_domain	Domain		x(8)	
	pod_drp_ref	DRP Ref		x(8)	
	pod_due_date	Due Date	Due	99/99/99	
	pod_end_eff[4]	End Effective		99/99/99	
	pod_ers_opt	ERS Option	ERS! Opt	>9	
	pod_expire	Expire Date	Expire	99/99/99	
	pod_fab_days	Fab Auth Days		>,>>9	
	pod_fab_weeks	Fab Auth Weeks		>,>>9	
	pod_firm_days	Firm Days		>,>>9	
	pod_firm_weeks	Firm Weeks		>,>>9	
	pod_fix_pr	Fixed Price		yes/no	
	pod_fr_list	Freight List	Frt List	x(8)	
	pod_fsm_type	FSM Type		x(8)	
	pod_grade	Grade		x(2)	
	pod_insp_rqd	Inspect Req	Insp	yes/no	
	pod_line	Line	Ln	>>9	
	pod_loc	Location		x(8)	
	pod_lot_next	Next Lot/Serial		x(18)	
	pod_lot_rcpt	Single Lot		yes/no	
	pod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	pod_mrp_pct	Supply Percent		>>9.99%	10
	pod_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
	pod_nbr	Purchase Order	Order	x(8)	
	pod_need	Need Date	Need	99/99/99	

Field Name	Label	Col-Label	Format	Dec
pod_op	Operation	Op	>>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pjs_line	Project Line		>>>>>>>9	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pst	PST		yes/no	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<<	10
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>,>>>,>>9.99<<<	10
pod_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
pod_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
pod_qty_rcvd	Qty Received		->,>>>,>>9.9<<<<<<<<	10
pod_qty_rtnd	Qty Returned		->,>>>,>>9.9<<<<<<<<	10
pod_raw_days	Raw Auth Days		>,>>9	
pod_raw_weeks	Raw Auth Weeks		>,>>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->,>>>,>>9.9<<<<<<<<	10
pod_request	Requested By	Req By	x(8)	
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_rev	Revision	Rev	x(4)	
pod_rlse_nbr	Next Release ID		99999999	
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sched	Scheduled		yes/no	
pod_sched_chgd	Scheduled		yes/no	
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sftylt_days	Safety Days		>>9.99	10
pod_sftylt_hrs	Safety Hours		>>9.99	10
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_translt_days	Transport Days		>>9.99	10
pod_translt_hrs	Transport Hours		>>9.99	10
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufld1		x(8)	
pod_user2	Ufld2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wip_lotser	Lot/Serial		x(18)	
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod__chr01			x(8)	
pod__chr02			x(8)	
pod__chr03			x(8)	
pod__chr04			x(8)	
pod__chr05			x(8)	
pod__chr06			x(8)	
pod__chr07			x(8)	
pod__chr08			x(8)	
pod__chr09			x(8)	
pod__chr10			x(8)	
pod__dec01			>>>,>>>,>>9.99	10
pod__dec02			>>>,>>>,>>9.99	10
pod__dte01			99/99/99	
pod__dte02			99/99/99	
pod__log01			yes/no	
pod__qad01			99/99/99	
pod__qad02			->>>>>>>>>9	
pod__qad03			99:99:99	
pod__qad04[5]			x(40)	
pod__qad05			yes/no	
pod__qad06			x(1)	
pod__qad07			x(2)	
pod__qad08			99/99/99	
pod__qad09			->>>,>>>,>>9	
pod__qad10			x(8)	
pod__qad11			x(8)	
pod__qad12			yes/no	
pod__qad13			yes/no	
pod__qad14			99/99/99	
pod__qad15			yes/no	
pod__qad16			x(8)	
pod__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
pod__qadd02	QAD Field		->>>>,>>>,>>9.99	10
pod__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pod_det	yes	oid_pod_det	yes	no
Δ	pod_fsm_type	no	pod_domain	yes	no
			pod_fsm_type	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
Δ*	pod_nbrln	yes	pod_domain	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
Δ	pod_part	yes	pod_domain	yes	no
			pod_part	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
Δ	pod_partdue	no	pod_domain	yes	no
			pod_part	yes	no
			pod_due_date	yes	no
Δ	pod_project	no	pod_domain	yes	no
			pod_project	yes	no
			pod_pjs_line	yes	no

pould_det

Point of Use Location Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pould_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pould_domain	Domain		x(8)	
	pould_loc	Location		x(8)	
	pould_mod_date	Modified Date	Mod Date	99/99/99	
	pould_mod_userid	User ID		x(8)	
	pould_poul_ref_key	Ref ID		>>>>>>>>9	
	pould_preference	Preference		>>>>>>>>9	
	pould_user1	User Field Character 1		x(24)	
	pould_user2	User Field Character 2		x(24)	
	pould__qadc01			x(24)	
	pould__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pould_det	yes	oid_pould_det	yes	no
Δ	pould_preference	no	pould_domain	yes	no
			pould_poul_ref_key	yes	no
			pould_preference	yes	no
			pould_loc	yes	no
Δ*	pould_ref_loc	yes	pould_domain	yes	no
			pould_poul_ref_key	yes	no
			pould_loc	yes	no

poul_mstr Point of Use Location Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_poul_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	poul_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	poul_domain	Domain		x(8)	
	poul_mch	Machine		x(8)	
	poul_mod_date	Modified Date	Mod Date	99/99/99	
	poul_mod_userid	User ID		x(8)	
	poul_pou_code	Point of Use Code		x(18)	
	poul_ref_key	Ref ID		>>>>>>>>9	
	poul_site	Site		x(8)	
	poul_user1	User Field Character 1		x(24)	
	poul_user2	User Field Character 2		x(24)	
	poul_wkctr	Work Center	Work Ctr	x(8)	
	poul__qadc01			x(24)	
	poul__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poul_mstr	yes	oid_poul_mstr	yes	no
Δ*	poul_mstr	yes	poul_domain	yes	no
			poul_pou_code	yes	no
			poul_site	yes	no
			poul_wkctr	yes	no
			poul_mch	yes	no
Δ	poul_ref_key	no	poul_domain	yes	no
			poul_ref_key	yes	no

pou_mstr Point of Use Code Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pou_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pou_cmtindx	Comment Index	Comment	>>>>>>>9	
	pou_code	Point of Use Code		x(18)	
	pou_desc	Description		x(24)	
◊	pou_domain	Domain		x(8)	
	pou_mod_date	Modified Date	Mod Date	99/99/99	
	pou_mod_userid	User ID		x(8)	
	pou_user1	User Field Character 1		x(24)	
	pou_user2	User Field Character 2		x(24)	
	pou__qadc01			x(24)	
	pou__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pou_mstr	yes	oid_pou_mstr	yes	no
Δ*	pou_code	yes	pou_domain	yes	no
			pou_code	yes	no

po_mstr Purchase Order Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_po_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	po_app_owner	Owner Application		x(12)	
	po_ap_acct	AP Acct		x(8)	
	po_ap_cc	Cost Ctr	CC	x(4)	
	po_ap_sub	AP Sub-Acct	Sub-Acct	x(8)	
	po_bank	Bank		x(2)	
	po_bill	Bill-To		x(8)	
	po_blanket	Blanket Order	Blanket	x(8)	
	po_buyer	Buyer		x(8)	
	po_cls_date	Close Date	Closed	99/99/99	
	po_cmtindx	Comment Index	Comment	>>>>>>>9	
	po_confirm	Confirming	Confirm	yes/no	
	po_consignment	Consignment		yes/no	
	po_contact	Contact		x(24)	
	po_contract	Contract		x(18)	
	po_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	po_cr_terms	Credit Terms	Terms	x(8)	
	po_curr	Currency	Cur	x(3)	
	po_cycl	Cycle Code	Cycl	x(2)	
	po_del_to	Deliver To	Delv To	x(4)	
	po_disc_pct	Disc %		->9.99%	10
◊	po_domain	Domain		x(8)	
	po_due_date	Due Date		99/99/99	
	po_duty_type	Duty Type	Dty	x(1)	
	po_eff_strt	Blanket Start	Blanket St	99/99/99	
	po_eff_to	Blanket End		99/99/99	
	po_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	po_ers_opt	ERS Option	ERS! Opt	x(2)	
	po_est_value	Est Value	Est Val	->>,>>>,>>9.99	10
	po_exru_seq	Sequence		>>>>>>>>9	
	po_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	po_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	po_ex_ratetype	Rate Type		x(8)	
	po_fix_pr	Fixed Price		yes/no	
	po_fix_rate	Fixed Rate	Fixed	yes/no	
	po_fob	FOB		x(20)	
	po_frt	Freight		-z,zzz,zzz,zz9.99	10
	po_fsm_type	FSM Type		x(8)	
	po_fst_id	FST ID		x(18)	
	po_inv_mthd	Invoices Via		x(1)	
	po_is_btb	EMT PO		yes/no	
	po_lang	Language		x(2)	
	po_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	po_nbr	Purchase Order	Order	x(8)	
	po_ord_date	Order Date	Date	99/99/99	
	po_partial	Partial OK	Partial	yes/no	
	po_prepaid	Amount Prepaid	Prepaid	->,>>>,>>>,>>9.99	10
	po_priced_dt	Last Price Dt	Last Pri	99/99/99	
	po_pricing_dt	Pricing Date	Price Dt	99/99/99	
	po_print	Print PO	Print	yes/no	
	po_project	Project		x(8)	
	po_pr_list	Disc Tbl		x(8)	
	po_pr_list2	Price Tbl	Pr Tbl	x(8)	
	po_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	

Field Name	Label	Col-Label	Format	Dec
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_release	Release	Rel	yes/no	
po_rel_nbr	Rel		>>9	
po_req_id	Req By		x(8)	
po_rev	Revision	Rev	>>9	10
po_rmks	Remarks		x(40)	
po_sched	Scheduled		yes/no	
po_sch_mthd	Schedules Via		x(1)	
po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
po_ship	Ship-To		x(8)	
po_shipvia	Ship Via		x(20)	
po_site	Site		x(8)	
po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
po_so_nbr	Primary SO	Pr SO	x(8)	
po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
po_stat	Status	St	x(2)	
po_taxable	Taxable	Tax	yes/no	
po_taxc	Tax Class	TxC	x(3)	
po_tax_date	Tax Date		99/99/99	
po_tax_env	Tax Environment	Tax Env	x(16)	
po_tax_pct[3]	Tax		->9.99<%	10
po_tax_usage	Tax Usage	TaxUsage	x(8)	
po_tot_terms_code	Terms of Trade		x(8)	
po_translt_days	Transport Days		>>9.99	10
po_type	Type	Tp	x(1)	
po_user1	Ufld1		x(8)	
po_user2	Ufld2		x(8)	
po_user_id	Entered By	Ent By	x(8)	
po_vend	Supplier		x(8)	
po_xmit	Transm		X	
po__chr01			x(8)	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	
po__chr09			x(8)	
po__chr10			x(8)	
po__dec01			>>>,>>>,>>9.99	10
po__dec02			>>>,>>>,>>9.99	10
po__dte01			99/99/99	
po__dte02			99/99/99	
po__log01			yes/no	
po__qad01			99/99/99	
po__qad02			>>9	
po__qad03			99:99:99	
po__qad04			yes/no	
po__qad05			->>9.99%	10
po__qad06			yes/no	
po__qad07			x(8)	
po__qad08			x(4)	
po__qad09			->>,>>>,>>9.99	10
po__qadc01	QAD Field		X(8)	0

	Field Name	Label	Col-Label	Format	Dec
	po__qadc02	QAD Field		X(8)	0
	po__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	po__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	po__qadi01	QAD Field		->,>>>,>>9	
	po__qadi02	QAD Field		->,>>>,>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_po_mstr	yes	oid_po_mstr	yes	no
Δ	po_buyer	no	po_domain	yes	no
			po_buyer	yes	no
			po_vend	yes	no
			po_nbr	yes	no
Δ	po_fsm_type	no	po_domain	yes	no
			po_fsm_type	yes	no
			po_nbr	yes	no
Δ*	po_nbr	yes	po_domain	yes	no
			po_nbr	yes	no
Δ	po_type	yes	po_domain	yes	no
			po_type	yes	no
			po_nbr	yes	no
Δ	po_vend	no	po_domain	yes	no
			po_vend	yes	no
			po_nbr	yes	no

pp_plan

Product Line Plan

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pp_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pp_bklg_act[12]	Bklog Actual	Bklog Act	->>,>>9.9	10
	pp_bklg_fcst	Bklog Plan		->>,>>9.9	10
	pp_cost_act[12]	Cost Actual	Cost Act	->>,>>9.9	10
	pp_cost_fcst[12]	Cost Plan		->>,>>9.9	10
◊	pp_domain	Domain		x(8)	
	pp_inv_act[12]	Inv Actual	Inv Act	->>,>>9.9	10
	pp_inv_fcst	Inv Plan		->>,>>9.9	10
	pp_ord_act[12]	Order Actual	Order Act	->>,>>9.9	10
	pp_ord_fcst[12]	Order Plan		->>,>>9.9	10
	pp_prod_act[12]	Prod Actual	Prod Act	->>,>>9.9	10
	pp_prod_fcst[12]	Prod Plan		->>,>>9.9	10
	pp_prod_line	Prod Line		x(4)	
	pp_ship_act[12]	Ship Actual	Ship Act	->>,>>9.9	10
	pp_ship_fcst[12]	Ship Plan		->>,>>9.9	10
	pp_site	Site		x(8)	
	pp_user1	Ufld1		x(8)	
	pp_user2	Ufld2		x(8)	
	pp_year	Year		>>>>	
	pp__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pp_plan	yes	oid_pp_plan	yes	no
Δ*	pp_plan	yes	pp_domain	yes	no
			pp_site	yes	no
			pp_prod_line	yes	no
			pp_year	yes	no

pq_mstr

Product Line Requirements Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pq_domain	Domain		x(8)	
	pq_end	End Date	End	99/99/99	
	pq_lead	LT(Months)	LT	>>9	
	pq_lt_off	Offset		->>9	
	pq_prod_line	Product Line	Line	x(4)	
	pq_qty_per	Quantity Per	Qty Per	->>>>,>>9.9<<<<<<<	10
	pq_ref	Reference		x(8)	
	pq_rsc	Resource		x(8)	
	pq_site	Site		x(8)	
	pq_start	Start Date	Start	99/99/99	
	pq_user1	Ufld1		x(8)	
	pq_user2	Ufld2		x(8)	
	pq__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pq_mstr	yes	oid_pq_mstr	yes	no
Δ*	pq_mstr	yes	pq_domain	yes	no
			pq_prod_line	yes	no
			pq_site	yes	no
			pq_rsc	yes	no
			pq_ref	yes	no
			pq_start	yes	no
Δ	pq_rsc	no	pq_domain	yes	no
			pq_rsc	yes	no
			pq_site	yes	no

prd_det

Printer Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_prd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	prd_blank	Blank Lines/Page	BLPP	>>9	
	prd_desc	Description		x(24)	
	prd_dest_type	Destination Type		>9	
	prd_dev	Output To		x(8)	
	prd_end_bc	Bar Code End Ctrl		x(100)	
	prd_init	Initialize Ctrl		x(100)	

	Field Name	Label	Col-Label	Format	Dec
	prd_init_pro	Initialize Command		x(50)	
	prd_length	Lines / Page	LPP	>>>9	
	prd_mapterm	Map To		x(8)	
	prd_max_page	Max Pages		>>>>9	
	prd_neg_line	Neg Line Feed Ctrl		x(100)	
	prd_page	Page Control		x(60)	
	prd_path	Device Pathname		x(40)	
	prd_reset	Reset Ctrl		x(100)	
	prd_rset_pro	Reset Command		x(50)	
	prd_scroll_only	Scroll Output	Scroll	yes/no	
	prd_spooler	Spooler	Spool	yes/no	
	prd_st_132	132-Column Start Ctrl		x(100)	
	prd_st_80	80-Column Start Ctrl		x(100)	
	prd_st_bc	Bar Code Start Ctrl		x(100)	
	prd_type	Printer Type	Type	x(8)	
	prd_user1	Ufld1		x(8)	
	prd_user2	Ufld2		x(8)	
	prd__qad01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prd_det	yes	oid_prd_det	yes	no
*	prd_dev	yes	prd_dev	yes	no

prh_hist

Purchase Order Receipt History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_prh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	prh_approve	Approved By	Approved	x(8)	
	prh_bank	Bank		x(2)	
	prh_bdn_std	Std Bdn Cost	Std Burden	->>>,>>>,>>9.99<<<	10
	prh_bo_qty	Back Order Qty		->,>>>,>>9.9<<<<<<<<	10
	prh_buyer	Buyer		x(8)	
	prh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	prh_cst_up	Update Current Cost		yes/no	
	prh_cum_rcvd	Cum Received		->,>>>,>>9.9<<<<<<<<	10
	prh_cum_req	Cum Qty Required		->,>>>,>>9.9<<<<<<<<	10
	prh_curr	Currency	Cur	x(3)	
	prh_curr_amt	Currency Amt		->>>,>>>,>>9.99<<<	10
	prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
◊	prh_domain	Domain		x(8)	
	prh_element	Cost Element	Element	x(8)	
	prh_exru_seq	Sequence		>>>>>>>>9	
	prh_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	prh_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	prh_ex_ratetype	Rate Type		x(8)	
	prh_fix_pr	Fixed Price		yes/no	
	prh_fix_rate	Fixed Rate	Fixed	yes/no	
	prh_fsm_type	FSM Type		x(8)	
	prh_lbr_std	Std Lbr Cost	Std Labor	->>>,>>>,>>9.99<<<	10
	prh_line	PO Line	Ln	>>9	
	prh_lot	Work Order ID	WO ID	x(8)	

Field Name	Label	Col-Label	Format	Dec
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>,>>>,>>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Ovhead		>>>>,>>>,>>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->,>>>,>>>,>>9.99<<<	10
prh_pur_std	PO Std Cost		->>>,>>>,>>9.99<<<	10
prh_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
prh_shipto	Ship-to		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>,>>>,>>9.99<<<	10
prh_taxc	Tax Class	TxC	x(3)	
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinvoice	Not Used		x(12)	
prh_xinv_cst	Not Used		->,>>>,>>>,>>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	
prh__chr10			x(8)	
prh__dec01			>>>,>>>,>>9.99	10
prh__dec02			>>>,>>>,>>9.99	10
prh__dec03			>>>,>>>,>>9.99	10
prh__dec04			>>>,>>>,>>9.99	10
prh__dec05			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
prh__dte01			99/99/99	
prh__dte02			99/99/99	
prh__dte03			99/99/99	
prh__dte04			99/99/99	
prh__dte05			99/99/99	
prh__log01			yes/no	
prh__log02			yes/no	
prh__qad02			x(8)	
prh__qad03			->,>>>,>>9.9<<<<<<<<	10
prh__qad04			>>>>>>>>	
prh__qadc01			x(24)	
prh__qadc02			x(24)	
prh__qadc03			x(24)	
prh__qadc04			x(24)	
prh__qadc05			x(24)	
prh__qadc06			x(24)	
prh__qadd01			->,>>>,>>9.9<<<<<<<<	10
prh__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prh_hist	yes	oid_prh_hist	yes	no
Δ	prh_buyer	no	prh_domain	yes	no
			prh_buyer	yes	no
			prh_vend	yes	no
			prh_part	yes	no
Δ*	prh_nbr	yes	prh_domain	yes	no
			prh_nbr	yes	no
			prh_receiver	yes	no
			prh_line	yes	no
			prh_element	yes	no
Δ	prh_part	no	prh_domain	yes	no
			prh_part	yes	no
			prh_rcp_date	yes	no
Δ	prh_ps_nbr	no	prh_domain	yes	no
			prh_vend	yes	no
			prh_ps_nbr	yes	no
			prh_part	yes	no
Δ	prh_rcp_date	no	prh_domain	yes	no
			prh_rcp_date	yes	no
Δ	prh_receiver	yes	prh_domain	yes	no
			prh_receiver	yes	no
			prh_line	yes	no
Δ	prh_vend	no	prh_domain	yes	no
			prh_vend	yes	no
			prh_part	yes	no
			prh_rcp_date	yes	no

prj_mstr

Project Realization Project Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_prj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	prj_action_stat	Action Status		x(2)	
	prj_ar_acct	AR Account		x(8)	
	prj_ar_cc	AR Cost Center		x(4)	
	prj_ar_sub	AR Sub-Account		x(8)	
	prj_bg_above	Budget Overrun Limit		->>9.9<%	10
	prj_bg_below	Budget Warning Limit		->>9.9<%	10
	prj_bill_to	Bill-To		x(8)	
	prj_channel	Channel		x(8)	
	prj_close_date	Close Date		99/99/99	
	prj_cmtindx	Comment Index		>>>>>>>9	
	prj_comm_pct[4]	Commission		>>9.9<%	10
	prj_cr_card	Credit Card		x(2)	
	prj_cr_init	Cr Initials		x(3)	
	prj_cr_terms	Credit Terms		x(8)	
	prj_curr	Currency	Cur	x(3)	
	prj_cust	Sold-To		x(8)	
	prj_desc	Desc		x(24)	
◊	prj_domain	Domain		x(8)	
	prj_end_date	End Date		99/99/99	
	prj_eng_nbr	Engineer		x(8)	
	prj_eu_nbr	End User		x(8)	
	prj_exru_seq	Sequence		>>>>>>>>9	
	prj_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	prj_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	prj_ex_ratetype	Rate Type		x(8)	
	prj_fix_rate	Fixed Rate		yes/no	
	prj_global_inv	Global Invoicing		yes/no	
	prj_inv_det	Details on Invoice		yes/no	
	prj_inv_det_pr	Price Details on Invoice		yes/no	
	prj_inv_lvl	Invoice Level		yes/no	
	prj_lang	Language		x(2)	
	prj_loc	Location		x(8)	
	prj_mod_date	Modified Date	Mod Date	99/99/99	
	prj_mod_userid	User ID		x(8)	
	prj_mref	Master Project		x(8)	
	prj_nbr	Project		x(8)	
	prj_ord_date	Order Date		99/99/99	
	prj_pjt_code	Project Type		x(8)	
	prj_po	Purchase Order		x(22)	
	prj_prepaid	Prepaid		->>>>,>>>,>>9.99<<<	10
	prj_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
	prj_pricing_dt	Pricing Date	Price Dt	99/99/99	
	prj_pr_list	Price List		x(8)	
	prj_pr_rollup	Auto Price Rollup		yes/no	
	prj_rmks	Remarks		x(40)	
	prj_shipvia	Ship Via		x(20)	
	prj_ship_date	Ship Date		99/99/99	
	prj_ship_to	Ship-To		x(8)	
	prj_site	Site		x(8)	
	prj_slspsn[4]	Slsperson		x(8)	
	prj_status	Status		x(8)	
	prj_st_date	Start Date		99/99/99	
	prj_taxable	Taxable		yes/no	

Field Name	Label	Col-Label	Format	Dec
prj_taxc	Tax Environment Tax Class		x(3)	
prj_tax_date	Tax Date		99/99/99	
prj_tax_env	Tax Environment		x(16)	
prj_tax_in	Tax In		yes/no	
prj_tax_usage	Tax Usage		x(8)	
prj_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
prj_trl1_cd	Trailer 1		x(2)	
prj_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
prj_trl2_cd	Trailer 2		x(2)	
prj_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
prj_trl3_cd	Trailer 3		x(2)	
prj_type_taxc	Tax Rate Tax Class		x(3)	
prj_user1	Ufld1		x(8)	
prj_user2	Ufld2		x(8)	
prj_userid	Entered By		x(8)	
prj_use_budgets	Use Budgets		yes/no	
prj__dec01			->>>>,>>>,>>9.99<<<	10
prj__dte01			99/99/99	
prj__log01			yes/no	
prj__qadc01			x(24)	
prj__qadc02			x(24)	
prj__qadd01			->>>>,>>>,>>9.99<<<	10
prj__qadd02			->>>>,>>>,>>9.99<<<	10
prj__qadi01			>>>>>>>9	
prj__qadi02			>>>>>>>9	
prj__qadl01			yes/no	
prj__qadl02			yes/no	
prj__qadt01			99/99/99	
prj__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prj_mstr	yes	oid_prj_mstr	yes	no
Δ*	prj_nbr	yes	prj_domain	yes	no
			prj_nbr	yes	no
Δ	prj_pjt_code	no	prj_domain	yes	no
			prj_pjt_code	yes	no
Δ	prj_po	no	prj_domain	yes	no
			prj_po	yes	no
			prj_cust	yes	no

pr_mstr

Printer Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pr_blank	Blank Lines/Page	BLPP	>>9	
	pr_desc	Description		x(24)	
	pr_end_bc	Bar Code End		x(100)	
	pr_init	Initialize		x(100)	
	pr_length	Lines / page	LPP	>>>9	
	pr_neg_line	Neg Line Feed		x(100)	
	pr_page	Page Control		x(60)	

	Field Name	Label	Col-Label	Format	Dec
	pr_reset	Reset		x(100)	
	pr_st_132	132 Column Start		x(100)	
	pr_st_80	80 Column Start		x(100)	
	pr_st_bc	Bar Code Start		x(100)	
	pr_type	Printer Type	Type	x(8)	
	pr_user1	Ufld1		x(8)	
	pr_user2	Ufld2		x(8)	
	pr__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pr_mstr	yes	oid_pr_mstr	yes	no
*	pr_type	yes	pr_type	yes	no

pshc_ctrl Purchase Shipper Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pshc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pshc_domain	Domain		x(8)	
	pshc_master_nr_id	Master Bill Sequence ID		x(8)	
	pshc_mod_date	Modified Date	Mod Date	99/99/99	
	pshc_mod_userid	User ID		x(8)	
	pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
	pshc_user1	User Field Character 1		x(24)	
	pshc_user2	User Field Character 2		x(24)	
	pshc__qadc01			x(24)	
	pshc__qadc02			x(24)	
Δ	pshc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pshc_ctrl	yes	oid_pshc_ctrl	yes	no
Δ*	pshc_index1	yes	pshc_domain	yes	no

ps_mstr Product Structure Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ps_assay	Assay		>>9.99%	10
	ps_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
	ps_cmtindx	Comment Index	Comment	>>>>>>>9	
	ps_comm_code	Commodity Code	Commodity	x(8)	
	ps_comp	Component Item		x(18)	
	ps_comp_um	UM		x(2)	
	ps_cop_qty	Quantity	Qty	->,>>>,>>9.9<<<<<<<<	10
	ps_critical	Critical		yes/no	
	ps_cst_pct	Cost Allocation	Cost! Alloc	>>9.99%	10
	ps_default	Default Option	Default	yes/no	

	Field Name	Label	Col-Label	Format	Dec
◊	ps_domain	Domain		x(8)	
	ps_end	End Effective	End Eff	99/99/99	
	ps_end_ecn	End ECN		x(8)	
	ps_exclusive	Exclusive		yes/no	
	ps_fcst_pct	Forecast	Fcst	>>9.99%	10
	ps_group	Option Group	Group	x(8)	
	ps_item_no	Sequence Number	Seq Nbr	->>>>>>>	
	ps_joint_type	Co/By Type	CT	x(1)	
	ps_lt_off	LT Offset	LTO	->>	
	ps_mandatory	Mandatory		yes/no	
	ps_mod_date	Modified Date	Mod Date	99/99/99	
	ps_non_bal	Non-Balanced	Non-Bal	yes/no	
	ps_op	Op		>>>>>>	
	ps_par	Parent Item		x(18)	
	ps_process	Process		x(8)	
	ps_prod_pct	Process	Process! Percent	>>9.99%	10
	ps_ps_code	Structure Type	T	x(1)	
	ps_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<<	10
	ps_qty_diag	Qty Diagnose		->,>>>,>>9.9<<<<<<<<	10
	ps_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<<<<<<	10
	ps_qty_per	Qty Per		->,>>>,>>9.9<<<<<<<<	10
	ps_qty_per_b	Qty Per		->,>>>,>>9.9<<<<<<<<	10
	ps_qty_type	Qty Type	T	x(1)	
	ps_ref	Reference		x(12)	
	ps_rmks	Remarks		x(24)	
	ps_scrp_pct	Scrap		>>9.99%	10
	ps_start	Start Effective	Start Eff	99/99/99	
	ps_start_ecn	Start ECN		x(8)	
	ps_um_conv	UM Conv		>>>>9.9999<<<<	10
	ps_user1	Ufld1		x(8)	
	ps_user2	Ufld2		x(8)	
	ps_userid	User ID		x(8)	
	ps__chr01	User Character Field 1		X(8)	
	ps__chr02	User Character Field 2		X(8)	
	ps__dec01	User Decimal Field 1		->>>,>>>,>>9.99<<	10
	ps__dec02	User Decimal Field 2		->>>,>>>,>>9.99<<	10
	ps__dte01	User Date Field 1		99/99/99	
	ps__dte02	User Date Field 2		99/99/99	
	ps__log01	User Logical Field 1		yes/no	
	ps__log02	User Logical Field 2		yes/no	
	ps__qad01			yes/no	
	ps__qadc01	QAD Character Field 1		X(8)	
	ps__qadc02	QAD Character Field 2		X(8)	
	ps__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
	ps__qadd02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
	ps__qadl01	QAD Logical Field 1		yes/no	
	ps__qadl02	QAD Logical Field 2		yes/no	
	ps__qadt01	QAD Date Field 1		99/99/99	
	ps__qadt02	QAD Date Field 2		99/99/99	
	ps__qadt03	QAD Date Field 3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ps_mstr	yes	oid_ps_mstr	yes	no
Δ	ps_comp	no	ps_domain	yes	no
			ps_comp	yes	no
			ps_par	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ps_par	no	ps_domain	yes	no
			ps_par	yes	no
			ps_item_no	yes	no
			ps_comp	yes	no
Δ*	ps_parcomp	yes	ps_domain	yes	no
			ps_par	yes	no
			ps_comp	yes	no
			ps_ref	yes	no
			ps_start	yes	no
Δ	ps_parref	yes	ps_domain	yes	no
			ps_par	yes	no
			ps_ref	yes	no
			ps_comp	yes	no
			ps_start	yes	no

pta_det

Associated Item Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pta_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pta_assoc_item	Associated Item		x(18)	
	pta_assoc_qty	Associated Qty		->>,>>>,>>9.9<<	10
	pta_assoc_type	Association Type		x(24)	
	pta_assoc_um	Associated UM	UM	x(2)	
	pta_cmtindx	Comment Index	Comment	>>>>>>>9	
	pta_curr	Currency	Cur	x(3)	
◊	pta_domain	Domain		x(8)	
	pta_expire	Expire		99/99/99	
	pta_extrec	External Entry	Ext	yes/no	
	pta_item	Item		x(18)	
	pta_max_qty	Max Quantity		->>,>>>,>>9.9<<<<<<<<	10
	pta_min_ord	Min Ord Qty		->>,>>>,>>9.9<<<<<<<<	10
	pta_net_price	Net Price		>>>>,>>>,>>9.99	10
	pta_pri_type	Price Type		x(24)	
	pta_qty_mult	Qty Multiple		->>,>>>,>>9.9<<<<<<<<	10
	pta_start	Start		99/99/99	
	pta_um	UM		x(2)	
	pta_user1	Ufld1		x(8)	
	pta_user2	Ufld2		x(8)	
	pta__chr01			x(8)	
	pta__chr02			x(8)	
	pta__chr03			x(8)	
	pta__chr04			x(8)	
	pta__chr05			x(8)	
	pta__chr06			x(8)	
	pta__chr07			x(8)	
	pta__chr08			x(8)	
	pta__chr09			x(8)	
	pta__chr10			x(8)	
	pta__dec01			>>>,>>>,>>9.99	10
	pta__dec02			>>>,>>>,>>9.99	10
	pta__dte01			99/99/99	
	pta__dte02			99/99/99	
	pta__log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
pta__qadc01			x(8)	
pta__qadc02			x(8)	
pta__qadd01			->>>,>>>,>>9.9<<<	10
pta__qadd02			->>>,>>>,>>9.9<<<	10
pta__qadl01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pta_det	yes	oid_pta_det	yes	no
Δ	pta_assoc_item	no	pta_domain	yes	no
			pta_assoc_item	yes	no
			pta_assoc_type	yes	no
			pta_item	yes	no
			pta_start	yes	no
Δ*	pta_item	yes	pta_domain	yes	no
			pta_item	yes	no
			pta_assoc_type	yes	no
			pta_um	yes	no
			pta_assoc_item	yes	no
			pta_curr	yes	no
			pta_start	yes	no

ptc_det

Container Item Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	ptc_charge	Apply Charges		yes/no	
	ptc_charge_type	Charge Type	Charge! Type	x(8)	
	ptc_container_desc	Description		x(24)	
	ptc_container_ref	Reference		x(16)	
	ptc_container_type	Container Type		x(16)	
◊	ptc_domain	Domain		x(8)	
	ptc_mod_date	Modified Date	Mod Date	99/99/99	
	ptc_mod_userid	User ID		x(8)	
	ptc_part	Container		x(18)	
	ptc_userc01	User Field Character 1		x(24)	
	ptc_userc02	User Field Character 2		x(24)	
	ptc__qadc01			x(24)	
	ptc__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptc_det	yes	oid_ptc_det	yes	no
Δ*	ptc_part	yes	ptc_domain	yes	no
			ptc_part	yes	no

pth_hist

Products Sales History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pth_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pth_domain	Domain		x(8)	
	pth_for	For		x(18)	
	pth_part	Item Number		x(18)	
	pth_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
	pth_tot_qty	YTD Qty		->>>,>>>,>>9	10
	pth_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
	pth_type	Ship Type	T	x(1)	
	pth_user1	Ufld1		x(8)	
	pth_user2	Ufld2		x(8)	
	pth_year	Year		9999	
	pth__chr01			x(8)	
	pth__chr02			x(8)	
	pth__chr03			x(8)	
	pth__chr04			x(8)	
	pth__chr05			x(8)	
	pth__dec01			>>>,>>>,>>9.99	10
	pth__dec02			>>>,>>>,>>9.99	10
	pth__dte01			99/99/99	
	pth__dte02			99/99/99	
	pth__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pth_hist	yes	oid_pth_hist	yes	no
Δ	pth_partyear	yes	pth_domain	yes	no
			pth_part	yes	no
			pth_year	yes	no
Δ*	pth_yearpart	yes	pth_domain	yes	no
			pth_year	yes	no
			pth_part	yes	no

ptls_det

Item Lot/Serial Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptls_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ptls_assay	Assay %		>>9.99%	10
	ptls_cmtindx	Comment Index		>>>>>>>9	
◊	ptls_domain	Domain		x(8)	
	ptls_expire	Expire Date	Expire	99/99/99	
	ptls_grade	Grade		x(2)	
	ptls_lotser	Lot/Serial		x(18)	
	ptls_part	Item Number		x(18)	
	ptls_ref	Ref	Reference	x(8)	
	ptls_status	Inventory Status	Status	x(8)	
	ptls_user1	Ufld1		x(8)	
	ptls_user2	Ufld2		x(8)	
	ptls__chr01			x(8)	
	ptls__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
ptls__chr03			x(8)	
ptls__chr04			x(8)	
ptls__chr05			x(8)	
ptls__dec01			->>,>>9.99	10
ptls__dec02			->>,>>9.99	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptls_det	yes	oid_ptls_det	yes	no
Δ*	ptls_partlotr	yes	ptls_domain	yes	no
			ptls_part	yes	no
			ptls_lotser	yes	no
			ptls_ref	yes	no

ptp_det

Item Planning Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ptp_added	Added		99/99/99	
	ptp_assay	Assay %		>>9.99%	10
	ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
	ptp_atp_family	Family ATP	Fam ATP	yes/no	
	ptp_batch	Batch Qty	Batch! Qty	>>,>>>,>>9.9<<<<<<<<	10
	ptp_bom_code	BOM/Formula		x(18)	
	ptp_btb_type	EMT Type		xx	
	ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
	ptp_cfg_type	Configuration	Config	x(1)	
	ptp_cum_lead	Cum LT	Cum! LT	>>9	
◊	ptp_domain	Domain		x(8)	
	ptp_draw	Drawing		x(18)	
	ptp_drp_pct	DRP		>>9.9<%	10
	ptp_eco_pend	ECO Pending	ECO	yes/no	
	ptp_grade	Grade		x(2)	
	ptp_ins_lead	Ins LT	Ins! LT	>>9	
	ptp_ins_rqd	Inspect	Ins! Req	yes/no	
	ptp_iss_pol	Issue Policy	Iss	yes/no	
	ptp_joint_type	Co/By Type	CT	x(1)	
	ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
	ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
	ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
	ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	10
	ptp_mod_date	Modified Date	Mod Date	99/99/99	
	ptp_ms	Master Sched	MS	yes/no	
	ptp_network	Network Code		x(18)	
	ptp_op_yield	Op Based Yield		yes/no	
	ptp_ord_max	Max Ord		>>,>>>,>>9	0
	ptp_ord_min	Min Ord		>>,>>>,>>9	0
	ptp_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
	ptp_ord_per	Order Period	Ord! Per	>>9	
	ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
	ptp_ord_qty	Order Qty		>>,>>>,>>9	10
	ptp_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
ptp_phantom	Phantom		yes/no	
ptp_pick_logic	Pick Logic	Pick	-9	
ptp_plan_ord	Plan Orders	Pln	yes/no	
ptp_pm_code	Pur/Mfg	P/M	x(1)	
ptp_pou_code	Point of Use Code		x(18)	
ptp_po_site	PO Site		x(8)	
ptp_pur_lead	Pur LT	Pur! LT	>>9	
ptp_pur_pct	Purchased	Pur	>>9.9<%	10
ptp_rev	Rev		x(4)	
ptp_rollup	Rollup Reqd		yes/no	
ptp_rollup_id	Rollup ID		x(8)	
ptp_rop	Reorder Point	ROP	>>>,>>9	0
ptp_routing	Routing Code		x(18)	
ptp_run	Run Time	Run	>>>,>>9.999<<<<<<	10
ptp_run_ll	Run LL		>>>,>>9.999<<<<<<	10
ptp_run_seq1	Run Seq 1		x(8)	
ptp_run_seq2	2	Run Seq 2	x(8)	
ptp_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
ptp_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10
ptp_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
ptp_site	Site		x(8)	
ptp_timefnce	Time Fence		->>>9	
ptp_trantype	Transport Type	Tran Type	x(8)	
ptp_user1	Ufld1		x(8)	
ptp_user2	Ufld2		x(8)	
ptp_userid	User ID		x(8)	
ptp_vend	Supplier		x(8)	
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	10
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	10
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	10
ptp_yld_pct	Yield%		>>9.99%	10
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	
ptp__chr09			x(8)	
ptp__chr10			x(8)	
ptp__dec01			>>>,>>>,>>9.99	10
ptp__dec02			>>>,>>>,>>9.99	10
ptp__dte01			99/99/99	
ptp__dte02			99/99/99	
ptp__log01			yes/no	
ptp__log02			yes/no	
ptp__qad01			99/99/99	
ptp__qad02			>>>,>>9.9	0
ptp__qad03			>>9	
ptp__qad04			>>9	
ptp__qad05			>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptp_det	yes	oid_ptp_det	yes	no
Δ	ptp_bom_code	no	ptp_domain	yes	no
			ptp_bom_code	yes	no
			ptp_part	yes	no
Δ	ptp_network	no	ptp_domain	yes	no
			ptp_network	yes	no
			ptp_site	yes	no
			ptp_part	yes	no
Δ*	ptp_part	yes	ptp_domain	yes	no
			ptp_part	yes	no
			ptp_site	yes	no
Δ	ptp_routing	yes	ptp_domain	yes	no
			ptp_routing	yes	no
			ptp_part	yes	no
			ptp_site	yes	no
Δ	ptp_site	yes	ptp_domain	yes	no
			ptp_site	yes	no
			ptp_part	yes	no

ptqa_det

Item Quantitative Analysis Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptqa_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ptqa_cmtindx	Comment Index		>>>>>>>9	
	ptqa_conf_pct	Confidence %	Conf %	>>9.9<%	10
◊	ptqa_domain	Domain		x(8)	
	ptqa_element	Analysis Element	Element	x(8)	
	ptqa_interval	Confidence Interval	Conf Interval	>>>>,>>>,>>9.9<<<<<<<<<	10
	ptqa_part	Item Number		x(18)	
	ptqa_qty	Quantity		>>>>,>>>,>>9.9<<<<<<<<<	10
	ptqa_um	UM		x(4)	
	ptqa_user1	Ufld1		x(8)	
	ptqa_user2	Ufld2		x(8)	
	ptqa__chr01			x(8)	
	ptqa__chr02			x(8)	
	ptqa__chr03			x(8)	
	ptqa__chr04			x(8)	
	ptqa__chr05			x(8)	
	ptqa__dec01			->>,>>9.99	10
	ptqa__dec02			->>,>>9.99	10
	ptqa__log01			yes/no	
	ptqa__log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptqa_det	yes	oid_ptqa_det	yes	no
Δ	ptqa_element	yes	ptqa_domain	yes	no
			ptqa_element	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ptqa_part	yes	no
Δ*	ptqa_part	yes	ptqa_domain	yes	no
			ptqa_part	yes	no
			ptqa_element	yes	no

ptr_det

Item Routing Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ptr_apprdate	Approved Date	Approved	99/99/99	
	ptr_appr_id	Approved By	Appr ID	x(8)	
	ptr_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
	ptr_bom_code	BOM/Formula		x(18)	
	ptr_burden	Burden Cost		>>>>,>>>,>>9.99<<<	10
	ptr_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	ptr_domain	Domain		x(8)	
	ptr_end	End Effective	End Eff	99/99/99	
	ptr_labor	Labor Cost		>>>>,>>>,>>9.99<<<	10
	ptr_material	Material Cost		>>>>,>>>,>>9.99<<<	10
	ptr_mod_date	Modified Date	Mod Date	99/99/99	
	ptr_overhead	Overhead		>>>>,>>>,>>9.99<<<	10
	ptr_part	Item Number		x(18)	
	ptr_routing	Routing Code		x(18)	
	ptr_site	Site		x(8)	
	ptr_start	Start Effective	Start Eff	99/99/99	
	ptr_subcontract	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	ptr_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
	ptr_user1	Ufld1		x(8)	
	ptr_user2	Ufld2		x(8)	
	ptr_userid	User ID		x(8)	
	ptr__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptr_det	yes	oid_ptr_det	yes	no
Δ	ptr_bom_code	no	ptr_domain	yes	no
			ptr_bom_code	yes	no
			ptr_part	yes	no
			ptr_site	yes	no
Δ*	ptr_part	yes	ptr_domain	yes	no
			ptr_part	yes	no
			ptr_site	yes	no
			ptr_routing	yes	no
			ptr_bom_code	yes	no
			ptr_start	yes	no
Δ	ptr_routing	no	ptr_domain	yes	no
			ptr_routing	yes	no
			ptr_part	yes	no
			ptr_site	yes	no

pts_det

Item Substitute Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pts_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pts_cmtindx	Comment Index	Index	>>>>>>>9	
◊	pts_domain	Domain		x(8)	
	pts_mod_date	Modified Date	Mod Date	99/99/99	
	pts_par	Parent Item		x(18)	
	pts_part	Item Number		x(18)	
	pts_qty_per	Substitute Qty	Sub Qty	->>>,>>9.9<<<<<<	10
	pts_rmks	Remarks		x(12)	
	pts_sub_part	Substitute Item		x(18)	
	pts_user1	Ufld1		x(8)	
	pts_user2	Ufld2		x(8)	
	pts_userid	User ID		x(8)	
	pts__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pts_det	yes	oid_pts_det	yes	no
Δ*	pts_det	yes	pts_domain	yes	no
			pts_part	yes	no
			pts_par	yes	no
			pts_sub_part	yes	no
Δ	pts_par	yes	pts_domain	yes	no
			pts_par	yes	no
			pts_part	yes	no
			pts_sub_part	yes	no
Δ	pts_sub_part	yes	pts_domain	yes	no
			pts_sub_part	yes	no
			pts_par	yes	no
			pts_part	yes	no

ptt_det

Item Tax Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	ptt_domain	Domain		x(8)	
	ptt_mod_date	Modified Date	Mod Date	99/99/99	
	ptt_part	Part		x(18)	
	ptt_taxable	Taxable		yes/no	
	ptt_taxc	Tax Class	TxC	x(3)	
	ptt_tax_type	Tax Type		x(3)	
	ptt_user1	Ufld1		x(8)	
	ptt_user2	Ufld2		x(8)	
	ptt_userid	User ID		x(8)	
	ptt__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptt_det	yes	oid_ptt_det	yes	no
Δ*	ptt_part	yes	ptt_domain	yes	no
			ptt_part	yes	no
			ptt_tax_type	yes	no

ptv_det

Item Statistical Value Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ptv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ptv_ctry_exp	Export Country	ExC	x(3)	
	ptv_ctry_imp	Import Country	ImC	x(3)	
◊	ptv_domain	Domain		x(8)	
	ptv_part	Item Number		x(18)	
	ptv_stat_value	Statistical Value	Stat Value	>>>>,>>>,>>9.99	10
	ptv_user1	Ufld1		x(8)	
	ptv_user2	Ufld2		x(8)	
	ptv__chr01			x(8)	
	ptv__dec01			->>>,>>>,>>9.99	10
	ptv__log01			yes/no	
	ptv__qad01			x(8)	
	ptv__qad02			x(8)	
	ptv__qad03			->>>,>>>,>>9.99	10
	ptv__qad04			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptv_det	yes	oid_ptv_det	yes	no
Δ*	ptv_part	yes	ptv_domain	yes	no
			ptv_part	yes	no
			ptv_ctry_exp	yes	no
			ptv_ctry_imp	yes	no

pt_mstr

Item Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pt_abc	ABC Class	ABC	x(1)	
	pt_abc_amt	ABC Value		->,>>>,>>9.9<<<<<<<<	10
	pt_abc_qty	ABC Quantity		->,>>>,>>9.9<<<<<<<<	10
	pt_added	Added		99/99/99	
	pt_app_owner	Owner Application		x(12)	
	pt_article	Article Number		x(18)	
	pt_assay	Assay %		>>9.99%	10
	pt_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
	pt_atp_family	Family ATP	Fam ATP	yes/no	
	pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
	pt_avg_int	Avg Int	Avg! Int	>>9	

	Field Name	Label	Col-Label	Format	Dec
	pt_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<	10
	pt_bom_code	BOM/Formula		x(18)	
	pt_break_cat	Price Break Cat		x(18)	
	pt_btb_type	EMT Type		xx	
	pt_buyer	Buyer/Planner	Buy! Pln	x(8)	
	pt_cfg_type	Configuration	Config	x(1)	
	pt_comm_code	Commodity Code	Comm Code	x(8)	
	pt_cover	Coverage	CV	x(1)	
	pt_critical	Key Item		yes/no	
	pt_cum_lead	Cum LT	Cum! LT	>>9	
	pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
	pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
	pt_dea	DEA Controlled	DEA	yes/no	
	pt_desc1	Description		x(24)	
	pt_desc2	Description		x(24)	
	pt_dim_um	Dimensns UM		x(2)	
◊	pt_domain	Domain		x(8)	
	pt_draw	Drawing		x(18)	
	pt_drp_pct	DRP		>>9.9<%	10
	pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
	pt_drwg_size	Drwg Size	DS	x(2)	
	pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
	pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
	pt_fiscal_class	Fiscal Class		x(18)	
	pt_formula	Formula		yes/no	
	pt_fru	FRU		yes/no	
	pt_fr_class	Freight Class		x(8)	
	pt_fsc_code	Service Category	Svc Cat	x(8)	
	pt_group	Group		x(8)	
	pt_hazard	Hazard		x(8)	
	pt_height	Height		>>,>>9.99	10
	pt_insp_lead	Ins LT	Ins! LT	>>9	
	pt_insp_rqd	Inspect	Ins! Req	yes/no	
	pt_inst_call	Install		yes/no	
	pt_ins_bom	Installation BOM	Ins BOM	X(18)	
	pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
	pt_ins_route	Installation Routing	Ins Route	X(18)	
	pt_isb	Installed Base	Inst Base	yes/no	
	pt_iss_pol	Issue Policy	Iss	yes/no	
	pt_joint_type	Co/By Type	CT	x(1)	
	pt_last_eco	Last ECO		99/99/99	
	pt_length	Length		>>,>>9.99	10
	pt_ll_code	Low Level	Low Lvl	->>>>>9	
	pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
	pt_loc	Location		x(8)	
	pt_loc_type	Location Type	Loc Type	x(8)	
	pt_lot_grp	Lot Group		x(8)	
	pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
	pt_meter_interval	Meter Interval		>>>>,>>>,>>9.99<<<	10
	pt_meter_um	Meter UM		X(2)	
	pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
	pt_mfg_mtbf	MFG MTBF		->>,>>9.99	10
	pt_mfg_mttr	MFG MTTR		->>,>>9.99	10
	pt_mfg_pct	Manufactured	Mfg	>>9.9<%	10
	pt_model	Model		x(18)	0
	pt_mod_date	Modified Date	Mod Date	99/99/99	
	pt_mrp	MRP Required	MRP Req	yes/no	

Field Name	Label	Col-Label	Format	Dec
pt_ms	Master Sched	MS	yes/no	
pt_mtbf	MTBF		>>,>>9.99	10
pt_mttr	MTTR		>>,>>9.99	10
pt_network	Network Code		x(18)	
pt_net_wt	Net Weight		->>,>>9.99<<<<	10
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_obs_date	Obsolete Date		99/99/99	
pt_op_yield	Op Based Yield		yes/no	
pt_ord_max	Max Ord		>>,>>>,>>9	0
pt_ord_min	Min Ord		>>,>>>,>>9	0
pt_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>,>>>,>>9	10
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_pou_code	Point of Use Code		x(18)	
pt_po_site	PO Site		x(8)	
pt_price	Price		>>>>,>>>,>>9.99<<<	10
pt_prod_line	Prod Line	Line	x(4)	
pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	10
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_rctpo_active	Active	Act	yes/no	
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	
pt_repairable	Repairable		yes/no	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Reqd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>,>>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>,>>9.999<<<<<<	10
pt_run_ll	Run LL		>>>,>>9.999<<<<<<	10
pt_run_seq1	Run Seq 1		x(8)	
pt_run_seq2	2	Run Seq 2	x(8)	
pt_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
pt_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10
pt_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelflife	Shelf Life		->,>>>,>>>	

Field Name	Label	Col-Label	Format	Dec
pt_ship_wt	Ship Weight		->>,>>9.99<<<<	10
pt_ship_wt_um	Ship Weight UM	UM	x(2)	
pt_site	Site		x(8)	
pt_size	Size		->>,>>9.99	10
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>,>>9.9<<<	10
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_sttr	STTR		->>,>>9.99	10
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_vend	Supplier		x(8)	
pt_ven_warr	Supplier Warranty	Supp|Warr	yes/no	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_width	Width		>>,>>9.99	10
pt_wks_avg	Average Weeks of Coverage	Avg! Cover	>>9.9	10
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	10
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	10
pt_xbdn_ll	Cur Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>,>>>,>>9.99<<<	10
pt_xbdn_tl	Cur Burden TL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>,>>>,>>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_stdll	Std Mtl LL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>,>>>,>>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pt_xsub_tl	Cur Sub TL		>>>>,>>>,>>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>,>>>,>>9.99<<<	10
pt_xtot_std	Std Total		>>>>,>>>,>>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	10
pt__chr01			x(8)	
pt__chr02			x(8)	
pt__chr03			x(8)	
pt__chr04			x(8)	
pt__chr05			x(8)	
pt__chr06			x(8)	
pt__chr07			x(8)	
pt__chr08			x(8)	
pt__chr09			x(8)	
pt__chr10			x(8)	
pt__dec01			>>>,>>>,>>9.99	10
pt__dec02			>>>,>>>,>>9.99	10
pt__dte01			99/99/99	
pt__dte02			99/99/99	
pt__log01			yes/no	
pt__log02			yes/no	
pt__qad01			->,>>>,>>9.9<<<<<<<	10
pt__qad02			->,>>>,>>9.9<<<<<<<	10
pt__qad03			->>>,>>9.999	10
pt__qad04			->>>,>>9.999	10
pt__qad05			99/99/99	
pt__qad06			99/99/99	
pt__qad07			99/99/99	
pt__qad08			99/99/99	
pt__qad09			->,>>>,>>9.9<<<<<<<	10
pt__qad10			->,>>>,>>9.9<<<<<<<	10
pt__qad11			->,>>>,>>9.9<<<<<<<	10
pt__qad12			>>>>9.9999<<<<	10
pt__qad13	Incorp Rev	Inc! Rev	x(4)	
pt__qad14			99/99/99	
pt__qad15			yes/no	
pt__qad16			>>>,>>9.9	0
pt__qad17			yes/no	
pt__qad18			>>>>,>>>,>>9.99<<<	10
pt__qad19			>>>>,>>>,>>9.99<<<	10
pt__qad20			>>>>,>>>,>>9.99<<<	10
pt__qad21			>>>>,>>>,>>9.99<<<	10
pt__qad22			yes/no	
pt__qad23			>>9	
pt__qad24			>>9	
pt__qad25			>>9	
pt__qad26			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pt_mstr	yes	oid_pt_mstr	yes	no
Δ	pt_bom_code	no	pt_domain	yes	no
			pt_bom_code	yes	no
			pt_part	yes	no
Δ	pt_desc	yes	pt_domain	yes	no
			pt_desc1	yes	no
			pt_desc2	yes	no
			pt_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	pt_group	yes	pt_domain	yes	no
			pt_group	yes	no
			pt_part	yes	no
Δ	pt_ll_mrp_pt	yes	pt_domain	yes	no
			pt_ll_code	yes	no
			pt_mrp	yes	no
			pt_part	yes	no
Δ	pt_model	no	pt_domain	yes	no
			pt_model	yes	no
Δ	pt_network	no	pt_domain	yes	no
			pt_network	yes	no
			pt_part	yes	no
Δ*	pt_part	yes	pt_domain	yes	no
			pt_part	yes	no
Δ	pt_part_type	yes	pt_domain	yes	no
			pt_part_type	yes	no
			pt_part	yes	no
Δ	pt_pm_mrp	no	pt_domain	yes	no
			pt_pm_mrp	yes	no
			pt_part	yes	no
Δ	pt_prod_part	yes	pt_domain	yes	no
			pt_prod_line	yes	no
			pt_part	yes	no
Δ	pt_pvm_bom	no	pt_domain	yes	no
			pt_pvm_bom	yes	no
			pt_part	yes	no
Δ	pt_routing	yes	pt_domain	yes	no
			pt_routing	yes	no
			pt_part	yes	no

pvod_det

Pending Voucher Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pvod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pvod_accrual_acct	Accrual Account	Accrual! Account	x(8)	
	pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
	pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
	pvod_accrued_amt	Accrued Amount		->>>>,>>>,>>9.99<	10
	pvod_channel	Channel		x(8)	
	pvod_cost_update	Update Current Cost		yes/no	
◊	pvod_domain	Domain		x(8)	
	pvod_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
	pvod_id_line	Line	Ln	>>>>>>>9	
	pvod_internal_ref	Internal Reference		x(20)	
	pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
	pvod_mod_date	Modified Date	Mod Date	99/99/99	
	pvod_mod_userid	User ID		x(8)	
	pvod_order	Order		x(8)	
	pvod_order_line	Order Line	Ln	>>9	
	pvod_order_type	Order Type	Order! Type	x(2)	
	pvod_part	Item Number	Item	x(18)	
	pvod_project	Project		x(8)	
	pvod_shipfrom	Ship-From		x(8)	

Field Name	Label	Col-Label	Format	Dec
pvod_shipto	Ship-To		x(8)	
pvod_taxable	Taxable	Tax	yes/no	
pvod_taxc	Tax Class	TxC	x(3)	
pvod_tax_env	Tax Environment	Tax Env	x(16)	
pvod_tax_in	Tax In	Tax! In	yes/no	
pvod_tax_usage	Tax Usage	TaxUsage	x(8)	
pvod_user1	User Field Character 1		x(24)	
pvod_user2	User Field Character 2		x(24)	
pvod_vouchered_amt	Vouchered Amount		->>>>,>>>,>>9.99<	10
pvod__qadc01			x(24)	
pvod__qadc02			x(24)	
pvod__qadc03			x(24)	
pvod__qadc04			x(24)	
pvod__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pvod_det	yes	oid_pvod_det	yes	no
Δ*	pvod_id	yes	pvod_domain	yes	no
			pvod_id	yes	no
			pvod_id_line	yes	no

pvo_mstr

Pending Voucher Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_pvo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	pvo_accrual_acct	Accrual Account	Accrual! Account	x(8)	
	pvo_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
	pvo_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
	pvo_accrued_amt	Accrued Amount		->>>>,>>>,>>9.99<	10
	pvo_approver	Approved By	Approved	x(8)	
	pvo_buyer	Buyer		x(8)	
	pvo_consignment	Consignment		yes/no	
	pvo_cost_update	Update Current Cost		yes/no	
	pvo_curr	Currency	Cur	x(3)	
◊	pvo_domain	Domain		x(8)	
	pvo_eff_date	GL Effective Date	Effective	99/99/99	
	pvo_ers_opt	ERS Option	ERS! Opt	>9	
	pvo_ers_price_lst_opt	ERS Price List Option	ERS! PLO	>9	
	pvo_ers_status	ERS Status	ERS! St	>9	
	pvo_exru_seq	Sequence		>>>>>>>>9	
	pvo_external_ref	External Reference	External! Ref	x(20)	
	pvo_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	pvo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	pvo_ex_ratetype	Rate Type		x(8)	
	pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
	pvo_internal_ref	Internal Reference	Internal! Ref	x(20)	
	pvo_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
	pvo_last_voucher	Voucher		x(8)	
	pvo_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
	pvo_line	Line	Ln	>>9	
	pvo_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
pvo_mod_userid	User ID		x(8)	
pvo_order	Order		x(8)	
pvo_order_type	Order Type	Order! Type	x(2)	
pvo_part	Item Number	Item	x(18)	
pvo_project	Project		x(8)	
pvo_shipfrom	Ship-From		x(8)	
pvo_shipto	Ship-To		x(8)	
pvo_supplier	Supplier		x(8)	
pvo_taxable	Taxable		yes/no	
pvo_taxc	Tax Class	TxC	x(3)	
pvo_tax_env	Tax Environment	Tax Env	x(16)	
pvo_tax_in	Tax In		yes/no	
pvo_tax_usage	Tax Usage	TaxUsage	x(8)	
pvo_trans_date	Transaction Date	Transaction	99/99/99	
pvo_trans_qty	Transaction Qty	Trans Qty	->>,>>>,>>9.9<<<<<<<<<	10
pvo_user1	User Field Character 1		x(24)	
pvo_user2	User Field Character 2		x(24)	
pvo_vouchered_amt	Vouchered Amt		->>>>,>>>,>>9.99<	10
pvo_vouchered_qty	Vouchered Qty		->>,>>>,>>9.9<<<<<<<<<	10
pvo__qadc01			x(24)	
pvo__qadc02			x(24)	
pvo__qadc03			x(24)	
pvo__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pvo_mstr	yes	oid_pvo_mstr	yes	no
Δ	pvo_ers	no	pvo_domain	yes	no
			pvo_ers_status	yes	no
			pvo_lc_charge	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
Δ*	pvo_id	yes	pvo_domain	yes	no
			pvo_id	yes	no
Δ	pvo_internal_ref	no	pvo_domain	yes	no
			pvo_internal_ref	yes	no
Δ	pvo_logistics_charge	no	pvo_domain	yes	no
			pvo_lc_charge	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
			pvo_external_ref	yes	no
Δ	pvo_order	no	pvo_domain	yes	no
			pvo_order	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
Δ	pvo_supplier	no	pvo_domain	yes	no
			pvo_supplier	yes	no
			pvo_last_voucher	yes	no
			pvo_lc_charge	yes	no
Δ	pvo_trans_date	no	pvo_domain	yes	no
			pvo_trans_date	yes	no

◊ qaddb_ctrl Database Control for QADDB

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qaddb_index1	Index		>>>>>9	
qaddb_mod_date	Modified Date	Mod Date	99/99/99	
qaddb_mod_userid	User ID		x(8)	
qaddb_oid_code	OID Generator Code		>>>>>>>>>9	
qaddb_oid_regid	OID Registration ID		>>>>>>>>>9.9<<<<<<<<<	10
qaddb_server_timezone	Server Time Zone		x(8)	
qaddb_user1	User Field Character 1		x(24)	
qaddb_user2	User Field Character 2		x(24)	
qaddb__qadc01			x(24)	
qaddb__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qaddb_ctrl	yes	oid_qaddb_ctrl	yes	no
◊*	qaddb_index1	yes	qaddb_index1	yes	no

qad_wkfl QAD Work Table

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qad_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qad_charfld[15]			x(8)	
	qad_charfld1[15]			x(8)	
	qad_datefld[4]			99/99/99	
	qad_decfld[15]			->>,>>9.99	10
◊	qad_domain	Domain		x(8)	
	qad_intfld[15]			->,>>>,>>9	
	qad_key1			x(8)	
	qad_key2			x(8)	
	qad_key3			x(8)	
	qad_key4			x(8)	
	qad_key5			x(8)	
	qad_key6			x(8)	
	qad_logfld[15]			yes/no	
	qad_user1	Ufld1		x(8)	
	qad_user2	Ufld2		x(8)	
	qad__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qad_wkfl	yes	oid_qad_wkfl	yes	no
Δ*	qad_index1	yes	qad_domain	yes	no
			qad_key1	yes	no
			qad_key2	yes	no
Δ	qad_index2	no	qad_domain	yes	no
			qad_key3	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			qad_key4	yes	no
Δ	qad_index3	no	qad_domain	yes	no
			qad_key5	yes	no
			qad_key6	yes	no

qcc_ctrl

Quality Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qcc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qcc_auto_nbr	Auto Order Numbers		yes/no	
◊	qcc_domain	Domain		x(8)	
	qcc_inspect	Inspection Location		x(8)	
	qcc_lot	Next Batch		>>>>>>>9	
	qcc_nbr	Next Order Number		>>>>>>>9	
	qcc_rcmmts	Procedure Comments		yes/no	
	qcc_site	Inspection Site		x(8)	
	qcc_user1	Ufld1		x(8)	
	qcc_user2	Ufld2		x(8)	
	qcc_wcmmts	Quality Order Comments		yes/no	
	qcc__qadc01			x(8)	
Δ	qcc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcc_ctrl	yes	oid_qcc_ctrl	yes	no
Δ*	qcc_index1	yes	qcc_domain	yes	no

qcd_det

Quality Control Order Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qcd_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	qcd_domain	Domain		x(8)	
	qcd_iss_date	Issue Date	Iss Date	99/99/99	
	qcd_lot	Batch		x(8)	
	qcd_nbr	Quality Order		x(18)	
	qcd_op	Operation	Op	>>>>>>	
	qcd_part	Item Number		x(18)	
	qcd_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
	qcd_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	qcd_user1	Ufld1		x(8)	
	qcd_user2	Ufld2		x(8)	
	qcd__chr01			x(8)	
	qcd__chr02			x(8)	
	qcd__chr03			x(8)	
	qcd__chr04			x(8)	
	qcd__chr05			x(8)	
	qcd__dec01			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	qcd__dec02			>>>,>>>,>>9.99	10
	qcd__dte01			99/99/99	
	qcd__dte02			99/99/99	
	qcd__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcd_det	yes	oid_qcd_det	yes	no
Δ*	qcd_det	yes	qcd_domain	yes	no
			qcd_lot	yes	no
			qcd_part	yes	no
			qcd_op	yes	no
Δ	qcd_nbrpart	no	qcd_domain	yes	no
			qcd_nbr	yes	no
			qcd_lot	yes	no
			qcd_part	yes	no
Δ	qcd_part	no	qcd_domain	yes	no
			qcd_part	yes	no

qcs_mstr Quality Sampling Pattern Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qcs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qcs_days	Days to Expire	Expire	>>>9	
◊	qcs_domain	Domain		x(8)	
	qcs_lot_int	Lot Interval	Interval	>>>>>>9	
	qcs_part	Item Number	Item	x(18)	
	qcs_user1	Ufld1		x(8)	
	qcs_user2	Ufld2		x(8)	
	qcs__chr01			x(8)	
	qcs__chr02			x(8)	
	qcs__chr03			x(8)	
	qcs__chr04			x(8)	
	qcs__chr05			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcs_mstr	yes	oid_qcs_mstr	yes	no
Δ*	qcs_part	yes	qcs_domain	yes	no
			qcs_part	yes	no

qc_mstr Quality Control Order Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qc_autoissue	Auto Issue		yes/no	
	qc_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	qc_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->,>>>,>>9	10
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->,>>>,>>9.9<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->,>>>,>>9.9<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->,>>>,>>9.9<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	
qc__chr01			x(8)	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>,>>>,>>9.99	10
qc__dec02			>>>,>>>,>>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qc_mstr	yes	oid_qc_mstr	yes	no
Δ	qc_due_part	no	qc_domain	yes	no
			qc_due_date	yes	no
			qc_part	yes	no
			qc_site	yes	no
Δ	qc_lot	yes	qc_domain	yes	no
			qc_lot	yes	no
Δ*	qc_nbr	yes	qc_domain	yes	no
			qc_nbr	yes	no
			qc_lot	yes	no
Δ	qc_part	no	qc_domain	yes	no
			qc_part	yes	no
			qc_site	yes	no
			qc_due_date	yes	no
Δ	qc_type_nbr	yes	qc_domain	yes	no
			qc_type	yes	no
			qc_nbr	yes	no
			qc_lot	yes	no

qob_det

Sales Quotation Configuration Bill Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qob_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qob_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	qob_cfg_type	Configuration	Config	x(1)	
	qob_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	qob_domain	Domain		x(8)	
	qob_feature	Feature		x(12)	
	qob_iss_date	Issue Date	Iss Date	99/99/99	
	qob_line	Line		>>9	
	qob_loc	Location		x(8)	
	qob_nbr	Quote		x(8)	
	qob_parent	Parent Item		x(18)	
	qob_part	Item Number		x(18)	
	qob_price	Price		>>>>,>>>,>>9.99<<<	10
	qob_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
	qob_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
	qob_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
	qob_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
	qob_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	qob_serial	Lot/Serial		x(18)	
	qob_site	Site		x(8)	
	qob_tot_std	List Price		->>>,>>9.999	10
	qob_user1	Ufld1		x(8)	
	qob_user2	Ufld2		x(8)	
	qob__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qob_det	yes	oid_qob_det	yes	no
Δ*	qob_det	yes	qob_domain	yes	no
			qob_nbr	yes	no
			qob_line	yes	no
			qob_feature	yes	no
			qob_part	yes	no
Δ	qob_part	yes	qob_domain	yes	no
			qob_part	yes	no
			qob_nbr	yes	no
			qob_line	yes	no
			qob_feature	yes	no

qoc_ctrl

Sales Quotation Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qoc_company	Company Address		x(8)	
	qoc_days	Days Until Expire		>>>>>9	
◊	qoc_domain	Domain		x(8)	
	qoc_ex_ratetype	Rate Type		x(8)	
	qoc_fob	F.O.B.		x(20)	
	qoc_fr_by_site	Calculate Freight by Site		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	qoc_hcmmts	Quote Header Comments		yes/no	
	qoc_lcmmts	Quote Line Comments		yes/no	
	qoc_ln_fmt	Ln Format S/M		single/multi	
	qoc_pc_line	Price by QO Line Due Date		yes/no	
	qoc_pl_req	Price List Required		yes/no	
	qoc_print	Are Quotes Printed		yes/no	
	qoc_pt_req	Price Table Required		yes/no	
	qoc_qo	Next Quote		>>>>>>>9	
	qoc_qo_pre	Quote Prefix	Pre	x(3)	
	qoc_user1	Ufld1		x(8)	
	qoc_user2	Ufld2		x(8)	
	qoc__qad01			>>>>>>9	
Δ	qoc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qoc_ctrl	yes	oid_qoc_ctrl	yes	no
Δ*	qoc_index1	yes	qoc_domain	yes	no

qodr_det

Sales Quotation Relationship Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qodr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	qodr_div	Division		X(8)	
◊	qodr_domain	Domain		x(8)	
	qodr_group	Group		X(8)	
	qodr_line	Line		>>9	
	qodr_nbr	Quote		X(8)	
	qodr_pricing	Pricing		>9	
	qodr_seq	Sequence		>>9	
	qodr_type	Type		>>>9	
	qodr_user1	Ufld1		x(8)	
	qodr_user2	Ufld2		x(8)	
	qodr__qadc01			x(8)	
	qodr__qadc02			x(8)	
	qodr__qadc03			x(8)	
	qodr__qadd01			->>>>,>>>,>>9.9	10
	qodr__qadd02			->>>>,>>>,>>9.9	10
	qodr__qadi01			->,>>>,>>9	
	qodr__qadi02			->,>>>,>>9	
	qodr__qadl01			yes/no	
	qodr__qadl02			yes/no	
	qodr__qadt01			99/99/99	
	qodr__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qodr_det	yes	oid_qodr_det	yes	no
Δ*	qodr_nbrln_seq	yes	qodr_domain	yes	no
			qodr_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			qodr_line	yes	no
			qodr_seq	yes	no
Δ	qodr_type	no	qodr_domain	yes	no
			qodr_type	yes	no

qod_det

Sales Quotation Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qod_abnormal	Abnormal Demand	Abnormal	yes/no	
	qod_acct	Sales Acct	Sales	x(8)	
	qod_bonus	Bonus Stock Line		yes/no	
	qod_cc	Cost Ctr	CC	x(4)	
	qod_cfg_type	Configuration	Config	x(1)	
	qod_cmtindx	Comment Index	Comment	>>>>>>>9	
	qod_comm_pct[2]	Commission	Comm%	>>9.99%	10
	qod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	qod_custpart	Customer Item		x(30)	
	qod_desc	Description		x(24)	
	qod_disc_pct	Disc %		->>9.99%	10
	qod_div	Division		x(8)	
◊	qod_domain	Domain		x(8)	
	qod_dsc_acct	Disc Acct		x(8)	
	qod_dsc_cc	Disc CC	CC	x(4)	
	qod_dsc_project	Disc Project		x(8)	
	qod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	qod_due_date	Due Date	Due	99/99/99	
	qod_fa_nbr	Final Assy	FAS	x(8)	
	qod_fix_pr	Fixed Price		yes/no	
	qod_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
	qod_fr_class	Freight Class		x(8)	
	qod_fr_list	Freight List	Frt List	x(8)	
	qod_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
	qod_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
	qod_fr_wt_um	UM		x(2)	
	qod_fst_list	FST on List		yes/no	
	qod_fst_rate	FST Rate	Rate	->>9%	10
	qod_fst_tax	FST Tax		->>,>>>,>>9.99	10
	qod_line	Line	Ln	>>9	
	qod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
	qod_loc	Location		x(8)	
	qod_lot	ID		x(8)	
	qod_manual_fr_list	Manual Fr List		yes/no	
	qod_nbr	Quote		x(8)	
	qod_part	Item Number		x(18)	
	qod_per_date	Performance Date	Perform	99/99/99	
	qod_pl_priority	P/L Priority		>9	
	qod_price	Price		>>>>,>>>,>>9.99<<<	10
	qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
	qod_prig1	Pricing Group 1		x(8)	
	qod_prig2	Pricing Group 2		x(8)	
	qod_prodline	Product Line	Line	x(4)	
	qod_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->>,>>>,>>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->,>>>,>>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->,>>>,>>9.9<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>,>>>,>>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	
qod__chr01	Price List	List	x(8)	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>,>>>,>>9.99	10
qod__dec02			>>>,>>>,>>9.99	10
qod__dte01			99/99/99	
qod__dte02			99/99/99	
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qod_det	yes	oid_qod_det	yes	no
Δ	qod_fr_list	no	qod_domain	yes	no
			qod_nbr	yes	no
			qod_fr_list	yes	no
Δ*	qod_nbrln	yes	qod_domain	yes	no
			qod_nbr	yes	no
			qod_line	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	qod_part	yes	qod_domain	yes	no
			qod_part	yes	no
			qod_nbr	yes	no
			qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qor_div	Division		X(8)	
◊	qor_domain	Domain		x(8)	
	qor_group	Group		X(8)	
	qor_nbr	Quote		X(8)	
	qor_pricing	Pricing		>9	
	qor_seq	Sequence		>>9	
	qor_type	Type		>>>9	
	qor_user1	Ufld1		x(8)	
	qor_user2	Ufld2		x(8)	
	qor__qadc01			x(8)	
	qor__qadc02			x(8)	
	qor__qadc03			x(8)	
	qor__qadd01			->>>>,>>>,>>9.9	10
	qor__qadd02			->>>>,>>>,>>9.9	10
	qor__qadi01			->,>>>,>>9	
	qor__qadi02			->,>>>,>>9	
	qor__qadl01			yes/no	
	qor__qadl02			yes/no	
	qor__qadt01			99/99/99	
	qor__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qor_mstr	yes	oid_qor_mstr	yes	no
Δ*	qor_nbr_seq	yes	qor_domain	yes	no
			qor_nbr	yes	no
			qor_seq	yes	no
Δ	qor_type	no	qor_domain	yes	no
			qor_type	yes	no

qo_mstr

Sales Quotation Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qo_app_owner	Owner Application		x(12)	
	qo_ar_acct	AR Account	AR	x(8)	
	qo_ar_cc	Cost Ctr	CC	x(4)	
	qo_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
	qo_bank	Bank		x(2)	

	Field Name	Label	Col-Label	Format	Dec
	qo_bill	Bill-To		x(8)	
	qo_bol	BOL		x(18)	
	qo_cartons	Cartons		->,>>>,>>9	
	qo_channel	Channel		x(8)	
	qo_cmtindx	Comment Index	Comment	>>>>>>>9	
	qo_comm_pct[4]	Commission	Comm%	>>9.99%	10
	qo_confirm	Confirm Date	Confirm	99/99/99	
	qo_cr_card	Credit Card	Card	x(2)	
	qo_cr_init	Cr Initials	Initials	x(3)	
	qo_cr_terms	Credit Terms	Terms	x(8)	
	qo_curr	Currency	Curr	x(3)	
	qo_cust	Sold-To		x(8)	
	qo_cycle	Cycle Code	Cy	x(2)	
	qo_disc_pct	Disc %		->9.99%	10
	qo_div	Division		x(8)	
◊	qo_domain	Domain		x(8)	
	qo_due_date	Due Date	Due	99/99/99	
	qo_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	qo_exp_date	Expires		99/99/99	
	qo_exru_seq	Sequence		>>>>>>>>9	
	qo_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	qo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	qo_ex_ratetype	Rate Type		x(8)	
	qo_fix_rate	Fixed Rate	Fixed	yes/no	
	qo_flw_date	Follow-up		99/99/99	
	qo_fob	FOB Point		x(20)	
	qo_fr_list	Freight List	Frt List	x(8)	
	qo_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
	qo_fr_terms	Freight Terms	Fr Terms	x(8)	
	qo_fst_id	FST ID		x(18)	
	qo_inv_mthd	Invoicing Method		x(1)	
	qo_lang	Language	Lang	x(2)	
	qo_manual_fr_terms	Manual Fr Terms		yes/no	
	qo_nbr	Quote		x(8)	
	qo_ord_date	Quote Date	Quote	99/99/99	
	qo_partial	Partial OK	Partial	yes/no	
	qo_po	Purchase Order		x(20)	
	qo_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
	qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
	qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
	qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
	qo_print_pl	Print Pack List	Print Pack	yes/no	
	qo_print_qo	Print Quote	Print QT	yes/no	
	qo_project	Project		x(8)	
	qo_pr_list	Manual	Disc Tbl	x(8)	
	qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
	qo_pst	PST		yes/no	
	qo_pst_id	PST ID		x(18)	
	qo_pst_pct	PST Pct		->9.99<%	10
	qo_recur	Recurring	Rec	yes/no	
	qo_release	Release	Rel	yes/no	
	qo_rel_cnt	Release Count	Cnt	>>9	
	qo_rel_date	Release Date	Release	99/99/99	
	qo_req_date	Required Date	Required	99/99/99	
	qo_rev	Revision	Rev	>>9	
	qo_rmks	Remarks		x(40)	
	qo_ship	Ship-To		x(8)	

Field Name	Label	Col-Label	Format	Dec
qo_shipvia	Ship Via		x(20)	
qo_ship_date	Ship Date		99/99/99	
qo_site	Site		x(8)	
qo_size	Size		->,>>>,>>9.9<<<<<<<<	10
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_source	Order Source	Source	x(8)	
qo_so_nbr	Last Sales Order	Lst Ordr	x(8)	
qo_stat	Action Status	St	x(2)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	10
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>,>>>,>>9.9999	10
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>,>>>,>>9.99	10
qo__dec02			>>>,>>>,>>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	10
qo__qad02			-z,zzz,zzz,zz9.99	10
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	10
qo__qad04			>	
qo__qad05[2]			>>9.9<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qo_mstr	yes	oid_qo_mstr	yes	no
Δ	qo_cust	no	qo_domain	yes	no
			qo_cust	yes	no
Δ*	qo_nbr	yes	qo_domain	yes	no
			qo_nbr	yes	no
Δ	qo_print_qo	no	qo_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			qo_print_qo	yes	no
Δ	qo_release	no	qo_domain	yes	no
			qo_release	yes	no
			qo_nbr	yes	no

qps_det

Quality Test Bill Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qps_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	qps_domain	Domain		x(8)	
	qps_op	Operation	Op	>>>>>>	
	qps_part	Item Number	Item	x(18)	
	qps_qty	Usage Quantity		->,>>>,>>9.9<<<<<<<<	10
	qps_routing	Procedure		x(18)	
	qps_user1	Ufld1		x(8)	
	qps_user2	Ufld2		x(8)	
	qps__chr01			x(8)	
	qps__chr03			x(8)	
	qps__chr04			x(8)	
	qps__chr05			x(8)	
	qps__dec01			>>>,>>>,>>9.99	10
	qps__dec02			>>>,>>>,>>9.99	10
	qps__dec03			>>>,>>>,>>9.99	10
	qps__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qps_det	yes	oid_qps_det	yes	no
Δ*	qps_det	yes	qps_domain	yes	no
			qps_routing	yes	no
			qps_op	yes	no
			qps_part	yes	no

qqc_ctrl

Q/LinQ Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qqc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
	qqc_act	Active		yes/no	
	qqc_code_pg	Code Page		X(15)	
	qqc_date_form	Date Format		X(3)	
◊	qqc_domain	Domain		x(8)	
	qqc_email_flg	E-mail Enabled		yes/no	
	qqc_email_notlvl	E-mail Notification Level		x(1)	
	qqc_email_userid	E-mail Recipient User ID		x(8)	
	qqc_ex_arch_dir	Export File Archive Directory		x(65)	
	qqc_ex_map_flg	Export Mapping Enabled		yes/no	
	qqc_im_arch_dir	Import File Archive Directory		x(65)	

	Field Name	Label	Col-Label	Format	Dec
	qqc_im_map_flg	Import Mapping Enabled		yes/no	
	qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
	qqc_mod_date	Modified Date	Mod Date	99/99/99	
	qqc_mod_userid	User ID		x(8)	
	qqc_mom_cmd	MOM Start Command		X(65)	
	qqc_mom_start	Start at Login		yes/no	
	qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
	qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
	qqc_msg_persist	Message Persistence		X(8)	
	qqc_msg_priority	Message Priority		x(8)	
	qqc_msg_routing	Message Routing		x(8)	
	qqc_msg_secur	Message Security		X(8)	
	qqc_msg_sync	Message Sync Scope		X(8)	
	qqc_msg_ttl	Message Time To Live		x(8)	
	qqc_num_form	Numeric Format		X(8)	
	qqc_pause_sev	Pause Severity Level		x(1)	
	qqc_proc_flg	Import Processing Enabled		yes/no	
	qqc_publ_flg	Publishing Enabled		yes/no	
	qqc_queue_pub	Queue Published Documents		X(1)	
	qqc_rcv_flg	Receiving Enabled		yes/no	
	qqc_send_flg	Sending Enabled		yes/no	
	qqc_shut_proc	Session Shutdown Procedure		x(24)	
	qqc_start_proc	Session Startup Procedure		x(24)	
	qqc_sys_id	System ID		x(10)	
	qqc_sys_ver	System Version		x(8)	
	qqc_timezone	Time Zone		x(5)	
	qqc_user1	Ufld1		x(8)	
	qqc_user2	Ufld2		x(8)	
	qqc__dec01			->>>,>>>,>>9.99<	10
	qqc__dec02			->>>,>>>,>>9.99<	10
	qqc__dte01			99/99/99	
	qqc__dte02			99/99/99	
	qqc__int01			->>>,>>>,>>9	
	qqc__int02			->>>,>>>,>>9	
	qqc__log01			yes/no	
	qqc__log02			yes/no	
	qqc__qadc01			x(8)	
	qqc__qadc02			x(8)	
	qqc__qadc03			x(8)	
	qqc__qadc04			x(8)	
	qqc__qadd01			->>>,>>>,>>9.99<	10
	qqc__qadd02			->>>,>>>,>>9.99<	10
	qqc__qadi01			->>>,>>>,>>9	
	qqc__qadi02			->>>,>>>,>>9	
Δ	qqc__qadi03			->>>>>>>9	
	qqc__qadl01			yes/no	
	qqc__qadl02			yes/no	
	qqc__qadt01			99/99/99	
	qqc__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
∆*	Index1	yes	qqc_domain	yes	no
◊	oid_qqc_ctrl	yes	oid_qqc_ctrl	yes	no

qro_det

Quality Inspection Routing Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qro_cmtindx	Comment Index	Comment	>>>>>>>9	
	qro_desc	Description		x(24)	
◊	qro_domain	Domain		x(8)	
	qro_mch	Machine		x(8)	
	qro_mch_op	Machines per Op	Mach/Op	->,>>>,>>9	
	qro_op	Operation	Op	>>>>9	
	qro_queue	Operation Time	Op Time	>,>>9.9<<	10
	qro_routing	Procedure		x(18)	
	qro_tool	Tool Code	Tool	x(8)	
	qro_user1	Ufld1		x(8)	
	qro_user2	Ufld2		x(8)	
	qro_wkctr	Work Center	Work Ctr	x(8)	
	qro__chr01			x(8)	
	qro__chr02			x(8)	
	qro__chr03			x(8)	
	qro__chr04			x(8)	
	qro__chr05			x(8)	
	qro__dec01			>>>,>>>,>>9.99	10
	qro__dec02			>>>,>>>,>>9.99	10
	qro__dte01			99/99/99	
	qro__dte02			99/99/99	
	qro__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qro_det	yes	oid_qro_det	yes	no
Δ*	qro_routing	yes	qro_domain	yes	no
			qro_routing	yes	no
			qro_op	yes	no
Δ	qro_wkctr	no	qro_domain	yes	no
			qro_wkctr	yes	no
			qro_mch	yes	no

qr_test

Quality Order Test Steps

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qr_test			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	qr_act_op	Actual Operation Time	Act Op	->,>>9.9<<	10
	qr_cmtindx	Comment Index	Comment	>>>>>>>9	
	qr_desc	Description		x(24)	
◊	qr_domain	Domain		x(8)	
	qr_due	Due Date	Due	99/99/99	
	qr_lot	Batch		x(8)	
	qr_mch	Machine		x(8)	
	qr_nbr	Quality Order		x(18)	
	qr_op	Operation	Op	>>>>>9	
	qr_op_time	Operation Time	Op Time	->,>>9.9<<	10
	qr_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
qr_qty_accpt	Qty Accepted		->,>>>,>>9.9<<<<<<<<	10
qr_qty_ord	Qty Pending		->,>>>,>>9.9<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->,>>>,>>9.9<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	
qr__chr01			x(8)	
qr__chr02			x(8)	
qr__chr03			x(8)	
qr__chr04			x(8)	
qr__chr05			x(8)	
qr__dec01			>>>,>>>,>>9.99	10
qr__dec02			>>>,>>>,>>9.99	10
qr__dte01			99/99/99	
qr__dte02			99/99/99	
qr__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qr_test	yes	oid_qr_test	yes	no
Δ	qr_lot	yes	qr_domain	yes	no
			qr_lot	yes	no
			qr_op	yes	no
Δ*	qr_nbrop	yes	qr_domain	yes	no
			qr_nbr	yes	no
			qr_lot	yes	no
			qr_op	yes	no
Δ	qr_part	no	qr_domain	yes	no
			qr_part	yes	no
			qr_op	yes	no

qtbl_ext QAD Table Extension

	Field Name	Label	Col-Label	Format	Dec
◊	oid_qtbl_ext			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	qtbl_key1	Key Field 1		x(24)	
	qtbl_key2	Key Field 2		x(24)	
	qtbl_key3	Key Field 3		x(24)	
	qtbl_key4	Key Field 4		x(24)	
	qtbl_key5	Key Field 5		x(24)	
	qtbl_key6	Key Field 6		x(24)	
	qtbl_owner	Owner		x(8)	
	qtbl_qadc01			x(24)	
	qtbl_qadc02			x(24)	
	qtbl_qadc03			x(24)	
	qtbl_qadc04			x(24)	
	qtbl_qadc05			x(24)	
	qtbl_qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	qtbl_qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
qtbl_qadd03			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd04			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd05			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadl01			yes/no	
qtbl_qadl02			yes/no	
qtbl_qadt01			99/99/99	
qtbl_qadt02			99/99/99	
qtbl_reference	Extension Reference		x(20)	
qtbl_table	Table Name		x(14)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qtbl_ext	yes	oid_qtbl_ext	yes	no
*	qtbl_primary	yes	qtbl_owner	yes	no
			qtbl_table	yes	no
			qtbl_reference	yes	no
			qtbl_key1	yes	no
			qtbl_key2	yes	no
			qtbl_key3	yes	no
			qtbl_key4	yes	no
			qtbl_key5	yes	no
			qtbl_key6	yes	no

rbm_mstr Retrobill Master

Field Name	Label	Col-Label	Format	Dec
◊ oid_rbm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rbm_ar_nbr	A/R Reference		x(18)	
rbm_auth	Authorization Number		x(16)	
rbm_cmtindx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
◊ rbm_domain	Domain		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>,>>>,>>9.99<<<	10
rbm_rsn	Reason Code		x(8)	
rbm_status	Status		x(8)	
rbm_user1	Ufld1		x(8)	
rbm_user2	Ufld2		x(8)	
rbm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rbm_mstr	yes	oid_rbm_mstr	yes	no
Δ*	rbm_cust	yes	rbm_domain	yes	no
			rbm_cust	yes	no
			rbm_auth	yes	no

rcc_mstr

Customer Sequence Schedule Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rcc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rcc_addr	Ship-To		x(8)	
	rcc_asn_edi	Send Sequence with ASN	ASN! Send	yes/no	
	rcc_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
◊	rcc_domain	Domain		x(8)	
	rcc_firm_seq_days	Firm Days	Firm! Days	>>9	
	rcc_inc_in_rss	Include Seq in Req Ship Sched	RSS	yes/no	
	rcc_invoice_edi	Send Sequence with Invoice	Inv! Send	yes/no	
	rcc_invoice_print	Print Sequence on Invoice	Inv! Print	yes/no	
	rcc_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
	rcc_merge_seq	Merge Schedules	Merge	yes/no	
	rcc_mod_date	Modified Date	Mod Date	99/99/99	
	rcc_mod_pgm	Last Program		x(8)	
	rcc_mod_userid	User ID		x(8)	
	rcc_packing_order	Packing Order	Pack! Order	forward/reverse	
	rcc_seq_per_container	Sequences Per Container	Seq Per! Cont	>>>>>>>9	
	rcc_shipper_print	Print Sequence on Shipper	Ship! Print	yes/no	
	rcc_user1	Ufld1		x(8)	
	rcc_user2	Ufld2		x(8)	
	rcc__qadc01			x(8)	
	rcc__qadc02			x(8)	
	rcc__qadd01			->,>>>,>>9.9<<<<<<<<	10
	rcc__qadd02			->,>>>,>>9.9<<<<<<<<	10
	rcc__qadi01			->,>>>,>>9	
	rcc__qadi02			->,>>>,>>9	
	rcc__qadl01			yes/no	
	rcc__qadl02			yes/no	
	rcc__qadl03			yes/no	
	rcc__qadl04			yes/no	
	rcc__qadt01			99/99/99	
	rcc__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcc_mstr	yes	oid_rcc_mstr	yes	no
Δ*	rcc_index1	yes	rcc_domain	yes	no
			rcc_addr	yes	no

rcf_ctrl

Customer Sequence Schedule Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rcf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rcf_active	Enable Sequence Schedules		yes/no	
	rcf_asn_edi	Send Sequence with ASN		yes/no	
	rcf_check_seq_tol	Check Sequence Tolerance		yes/no	
◊	rcf_domain	Domain		x(8)	
	rcf_firm_seq_days	Firm Days		>>9	
	rcf_inc_in_rss	Include Seq in Req Ship Sched		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	rcf_invoice_edi	Send Sequence with Invoice		yes/no	
	rcf_invoice_print	Print Sequence on Invoice		yes/no	
	rcf_max_tol	Maximum Tolerance		>>>>9	
	rcf_merge_seq	Merge Schedules		yes/no	
	rcf_mod_date	Modified Date	Mod Date	99/99/99	
	rcf_mod_pgm	Last Program		x(8)	
	rcf_mod_userid	User ID		x(8)	
	rcf_packing_order	Packing Order		forward/reverse	
	rcf_sch_default	Schedule Order Default		yes/no	
	rcf_seq_per_container	Sequences Per Container		>>>>>>>9	
	rcf_shipper_print	Print Sequence on Shipper		yes/no	
	rcf_user1	Ufld1		x(8)	
	rcf_user2	Ufld2		x(8)	
	rcf__qadc01			x(8)	
	rcf__qadc02			x(8)	
	rcf__qadd01			->,>>>,>>9.9<<<<<<<<	10
	rcf__qadd02			->,>>>,>>9.9<<<<<<<<	10
	rcf__qadi01			->,>>>,>>9	
	rcf__qadi02			->,>>>,>>9	
Δ	rcf__qadi03			->>>>>>>9	
	rcf__qadl01			yes/no	
	rcf__qadl02			yes/no	
	rcf__qadl03			yes/no	
	rcf__qadl04			yes/no	
	rcf__qadt01			99/99/99	
	rcf__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcf_ctrl	yes	oid_rcf_ctrl	yes	no
Δ*	rcf_index1	yes	rcf_domain	yes	no

rcsd_det

Customer Sequence Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rcsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rcsd_cum_qty	Cum Quantity		>>,>>>,>>9.9<<<<<<<<<	10
	rcsd_custref	Customer Ref		x(30)	
	rcsd_cust_build_date	Customer Build Date		99/99/99	
	rcsd_cust_job	Customer Job		x(30)	
	rcsd_cust_part	Customer Item		x(30)	
	rcsd_cust_po	PO Number		x(22)	
	rcsd_cust_ref	Customer Reference		x(30)	
	rcsd_cust_seq	Customer Sequence		x(30)	
	rcsd_date	Date		99/99/99	
	rcsd_deleted	Deleted		yes/no	
	rcsd_derived_rlse_id	Derived Release ID		x(30)	
	rcsd_discr_qty	Quantity		>>,>>>,>>9.9<<<<<<<<<	10
	rcsd_dock	Customer Dock		x(30)	
◊	rcsd_domain	Domain		x(8)	
	rcsd_line	Line		>>9	
	rcsd_line_feed	Line Feed		x(30)	

Field Name	Label	Col-Label	Format	Dec
rcsd_modelyr	Model Year		x(4)	
rcsd_mod_date	Modified Date	Mod Date	99/99/99	
rcsd_mod_pgm	Last Program		x(8)	
rcsd_mod_userid	User ID		x(8)	
rcsd_order	Order		x(8)	
rcsd_part	Item Number		x(18)	
rcsd_picked	Picked		yes/no	
rcsd_rlse_id	Release ID		x(30)	
rcsd_shipfrom	Ship-From		x(8)	
rcsd_shipto	Ship-To		x(8)	
rcsd_status	Status		x(8)	
rcsd_time	Time		99:99	
rcsd_user1	Ufld1		x(8)	
rcsd_user2	Ufld2		x(8)	
rcsd_x_referenced	Cross Referenced		yes/no	
rcsd__qadc01			x(8)	
rcsd__qadc02			x(8)	
rcsd__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcsd__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcsd__qadi01			->,>>>,>>9	
rcsd__qadi02			->,>>>,>>9	
rcsd__qadl01			yes/no	
rcsd__qadl02			yes/no	
rcsd__qadt01			99/99/99	
rcsd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcsd_det	yes	oid_rcsd_det	yes	no
Δ*	rcsd_index1	yes	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_cust_ref	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no
Δ	rcsd_index2	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
Δ	rcsd_index3	no	rcsd_domain	yes	no
			rcsd_order	yes	no
			rcsd_line	yes	no
			rcsd_rlse_id	yes	no
			rcsd_part	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	rcsd_index4	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_picked	yes	no
			rcsd_x_referenced	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
Δ	rcsd_index5	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_part	yes	no
			rcsd_cust_ref	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no

rcsx_ref

Customer Sequence Schedule Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rcsx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rcsx_cust_job	Customer Job		x(30)	
	rcsx_cust_ref	Customer Reference		x(30)	
	rcsx_cust_seq	Customer Sequence		x(30)	
	rcsx_date	Date		99/99/99	
	rcsx_dock	Customer Dock		x(30)	
◊	rcsx_domain	Domain		x(8)	
	rcsx_line_feed	Line Feed		x(30)	
	rcsx_mod_date	Modified Date	Mod Date	99/99/99	
	rcsx_mod_pgm	Last Program		x(8)	
	rcsx_mod_userid	User ID		x(8)	
	rcsx_part	Item Number		x(18)	
	rcsx_picked	Picked		yes/no	
	rcsx_rlse_id	Release ID		x(30)	
	rcsx_shipfrom	Ship-From		x(8)	
	rcsx_shipped	Shipped		yes/no	
	rcsx_shipped_cust_job	Shipped Job		x(30)	
	rcsx_shipped_cust_ref	Shipped Reference		x(30)	
	rcsx_shipped_cust_seq	Shipped Sequence		x(30)	
	rcsx_shipped_date	Scheduled Date		99/99/99	
	rcsx_shipped_dock	Shipped Dock		x(30)	
	rcsx_shipped_line_feed	Shipped Line Feed		x(30)	
	rcsx_shipped_part	Shipped Item Number		x(18)	
	rcsx_shipped_rlse_id	Shipped Release ID		x(30)	
	rcsx_shipped_time	Scheduled Time		99:99	
	rcsx_shipto	Ship-To		x(8)	
	rcsx_time	Time		99:99	
	rcsx_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	rcsx_user2	Ufld2		x(8)	
	rcsx__qadc01			x(8)	
	rcsx__qadc02			x(8)	
	rcsx__qadd01			->,>>>,>>9.9<<<<<<<<	10
	rcsx__qadd02			->,>>>,>>9.9<<<<<<<<	10
	rcsx__qadi01			->,>>>,>>9	
	rcsx__qadi02			->,>>>,>>9	
	rcsx__qadl01			yes/no	
	rcsx__qadl02			yes/no	
	rcsx__qadt01			99/99/99	
	rcsx__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcsx_ref	yes	oid_rcsx_ref	yes	no
Δ*	rcsx_index1	yes	rcsx_domain	yes	no
			rcsx_shipfrom	yes	no
			rcsx_shipto	yes	no
			rcsx_shipped_rlse_id	yes	no
			rcsx_shipped_cust_job	yes	no
			rcsx_shipped_cust_seq	yes	no
			rcsx_shipped_part	yes	no
			rcsx_shipped_date	yes	no
			rcsx_shipped_time	yes	no
			rcsx_shipped_cust_ref	yes	no
			rcsx_shipped_dock	yes	no
			rcsx_shipped_line_feed	yes	no
Δ	rcsx_index2	no	rcsx_domain	yes	no
			rcsx_shipfrom	yes	no
			rcsx_shipto	yes	no
			rcsx_rlse_id	yes	no
			rcsx_cust_job	yes	no
			rcsx_cust_seq	yes	no
			rcsx_part	yes	no
			rcsx_date	yes	no
			rcsx_time	yes	no
			rcsx_cust_ref	yes	no
			rcsx_dock	yes	no
			rcsx_line_feed	yes	no

rcs_mstr Customer Schedule Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rcs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	rcs_active	Active		yes/no	
	rcs_active_date	Active Date	Active! Date	99/99/99	
	rcs_active_end	Active End		99/99/99	
	rcs_active_start	Active Start		99/99/99	
	rcs_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
	rcs_cr_date	Create Date	Create! Date	99/99/99	
	rcs_cr_time	Create Time	Create! Time	x(5)	
	rcs_cumulative	Cumulative		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	rcs_date_type	Schedule Date Type	Schedule! Date! Type	Ship/Delivery	
◊	rcs_domain	Domain		x(8)	
	rcs_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
	rcs_mod_date	Modified Date	Mod Date	99/99/99	
	rcs_mod_pgm	Last Program		x(8)	
	rcs_mod_userid	User ID		x(8)	
	rcs_packing_order	Packing Order	Packing! Order	forward/reverse	
	rcs_rlse_id	Release ID		x(30)	
	rcs_seq_per_container	Sequences Per Container		>>>>>>>9	
	rcs_shipfrom	Ship-From		x(8)	
	rcs_shipto	Ship-To		x(8)	
	rcs_user1	Ufld1		x(8)	
	rcs_user2	Ufld2		x(8)	
	rcs__qadc01			x(8)	
	rcs__qadc02			x(8)	
	rcs__qadd01			->,>>>,>>9.9<<<<<<<<	10
	rcs__qadd02			->,>>>,>>9.9<<<<<<<<	10
	rcs__qadi01			->,>>>,>>9	
	rcs__qadi02			->,>>>,>>9	
	rcs__qadl01			yes/no	
	rcs__qadl02			yes/no	
	rcs__qadt01			99/99/99	
	rcs__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcs_mstr	yes	oid_rcs_mstr	yes	no
Δ*	rcs_index1	yes	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_rlse_id	yes	no
Δ	rcs_index2	no	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_active_date	yes	no
Δ	rcs_index3	no	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_active	yes	no

rdf_mstr

Service/Support Return Defaults Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rdf_addr	Address		x(8)	
	rdf_area	Area		x(8)	
	rdf_bom_code	Bill of Material		x(18)	
	rdf_ca_int_type	Work Code	WK Code	x(8)	
	rdf_ca_type	Call Type		x(8)	0
	rdf_desc	Description		x(24)	
◊	rdf_domain	Domain		x(8)	
	rdf_email	Email Address		x(48)	

Field Name	Label	Col-Label	Format	Dec
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Modified Date	Mod Date	99/99/99	
rdf_mod_userid	User ID		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	
rdf_prod_line	Prod Line	Line	x(4)	
rdf_repair_days	Repair Days		>,>>9.99	10
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_routing	Routing Code		x(18)	
rdf_rrts_loc	Return from RTS Location		x(8)	
rdf_rrts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	10
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtn_loc	Sales Return Location		x(8)	
rdf_srtn_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	Ufld1		x(8)	
rdf_user2	Ufld2		x(8)	
rdf__chr01			x(8)	
rdf__chr02			x(8)	
rdf__chr03			x(8)	
rdf__chr04			x(8)	
rdf__chr05			x(8)	
rdf__dec01			>>>,>>>,>>9.99	10
rdf__dec02			>>>,>>>,>>9.99	10
rdf__dte01			99/99/99	
rdf__dte02			99/99/99	
rdf__log01			yes/no	
rdf__log02			yes/no	
rdf__qadc01	QAD Character Field 1		X(8)	
rdf__qadc02	QAD Character Field 2		X(8)	
rdf__qadc03	QAD Character Field 3		X(8)	
rdf__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
rdf__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
rdf__qadl01	Qad Logical Field 1		yes/no	
rdf__qadl02	QAD Logical Field 2		yes/no	
rdf__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rdf_mstr	yes	oid_rdf_mstr	yes	no
Δ*	rdf_part	yes	rdf_domain	yes	no
			rdf_prod_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

reg_mstr

Service/Support Region Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_reg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	reg_3rd_party	Third Party		yes/no	
	reg_code	Area		x(18)	
	reg_desc	Description		x(24)	
◊	reg_domain	Domain		x(8)	
	reg_lang	Language		x(2)	
	reg_loc	Location		x(8)	
	reg_loc_rtn	Defective Location	Df Loc	x(8)	
	reg_mod_date	Modified Date	Mod Date	99/99/99	
	reg_mod_userid	User ID		X(8)	
	reg_prod_line	Product Line	Prod	x(8)	
	reg_project	Project		x(8)	
	reg_repair	Repair Center		yes/no	
	reg_site	Site		x(8)	
	reg_site_rtn	Defective Site	Df Site	x(8)	
	reg_time_zone	Hours from GMT		>>9	
	reg_type	Type		x(8)	
	reg_user1	Ufld1		x(8)	
	reg_user2	Ufld2		x(8)	
	reg_wkctr	Work Center	Work Ctr	x(8)	
	reg__chr01			x(8)	
	reg__chr02			x(8)	
	reg__chr03			x(8)	
	reg__dec01			->>>,>>>,>>9.99	10
	reg__dec02			->>>,>>>,>>9.99	10
	reg__dte01			99/99/99	
	reg__dte02			99/99/99	
	reg__log01			yes/no	
	reg__log02			yes/no	
	reg__qadc01	QAD Character Field 1		X(8)	
	reg__qadc02	QAD Character Field 2		X(8)	
	reg__qadc03	QAD Character Field 3		X(8)	
	reg__qadc04			x(8)	
	reg__qadc05			x(4)	
	reg__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
	reg__qadl01	QAD Logical Field 1		yes/no	
	reg__qadl02	QAD Logical Field 2		yes/no	
	reg__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_reg_mstr	yes	oid_reg_mstr	yes	no
Δ*	reg_code	yes	reg_domain	yes	no
			reg_code	yes	no

req_det Requisition Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_req_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	req_acct	Pur Acct		x(8)	
	req_approved	Approved	Apr	yes/no	
	req_app_owner	Owner Application		x(12)	
	req_apr_by	Approved By	Aprv By	x(8)	
	req_apr_code	Approval Code	Apr Code	x(8)	
	req_apr_ent	Approved Entered By	Aprv Ent	x(8)	
	req_apr_prnt	Print Approval	Print Apr	yes/no	
	req_cc	Cost Ctr	CC	x(4)	
	req_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	req_domain	Domain		x(8)	
	req_line	Line		>>>	
	req_nbr	Requisition	Req	x(8)	
	req_need	Need Date	Need	99/99/99	
	req_part	Item Number		x(18)	
	req_po_site	PO Site		x(8)	
	req_print	Print Requisition	Print	yes/no	
	req_project	Project		x(8)	
	req_pur_cost	Unit Cost		->,>>>,>>>,>>9.99<<<	10
	req_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	req_rel_date	Release Date	Release	99/99/99	
	req_request	Requested By	Req By	x(8)	
	req_site	Site		x(8)	
	req_so_job	Sales/Job		x(8)	
	req_sub	Pur Sub-Acct	Sub-Acct	x(8)	
	req_um	UM		x(2)	
	req_user1	Ufld1		x(8)	
	req_user2	Ufld2		x(8)	
	req__chr01			x(8)	
	req__chr02			x(8)	
	req__chr03			x(8)	
	req__chr04			x(8)	
	req__chr05			x(8)	
	req__dec01			>>>,>>>,>>9.99	10
	req__dec02			>>>,>>>,>>9.99	10
	req__dte01			99/99/99	
	req__dte02			99/99/99	
	req__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_req_det	yes	oid_req_det	yes	no
Δ	req_apr_code	yes	req_domain	yes	no
			req_apr_code	yes	no
			req_nbr	yes	no
			req_line	yes	no
Δ*	req_nbr	yes	req_domain	yes	no
			req_nbr	yes	no
			req_line	yes	no
Δ	req_part	no	req_domain	yes	no
			req_part	yes	no

rhd_hist

Return Material Authorization Detail History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rhd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	rhd_chg_type	Charge Type		x(8)	
	rhd_cmtindx	Comment Index		>>>>>>>9	
	rhd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10
	rhd_cpl_date	Received Date	Rec Date	99/99/99	
	rhd_cust	Customer		x(8)	
	rhd_customs	Customs Value		>>>>,>>>,>>9.99	10
	rhd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	10
	rhd_desc	Description		X(24)	
◊	rhd_domain	Domain		x(8)	
	rhd_done	Received		yes/no	
	rhd_edit_isb	Edit Installed Base		yes/no	
	rhd_end	End Time		99:99	
	rhd_enduser	End User		x(8)	
	rhd_eng_area	Eng Area		x(8)	
	rhd_eng_code	Engineer Code	Eng Code	x(8)	
	rhd_eu_area	End User Area		x(8)	
	rhd_exp_date	Expected Date	Exp Date	99/99/99	
	rhd_fault_cd	Fault Code	Fault	x(8)	
	rhd_file_type			x(3)	
	rhd_histype	History Type		x(4)	
	rhd_ins_date	Install Date	Ins Date	99/99/99	
	rhd_iss	Inv Iss		yes/no	
	rhd_line	Line	Ln	>>9	
	rhd_link	Line to Line		>>9	
	rhd_loaner	Loaner Sent		yes/no	
	rhd_loc	To Location		x(8)	
	rhd_mod_date	Modified Date	Mod Date	99/99/99	
	rhd_mod_userid	User ID		X(8)	
	rhd_nbr	Sales Order	Order	x(8)	
	rhd_op_tran	Op Tran		X(8)	
	rhd_part	Item		x(18)	
	rhd_par_date	Parent Install Date	Par Ins	99/99/99	
	rhd_par_part	Parent Item		x(18)	
	rhd_par_ser	Parent Serial		x(18)	
	rhd_prefix	Prefix		x(1)	
	rhd_price	Price		>>>>,>>>,>>9.99<<<	10
	rhd_process	Processing		x(2)	
	rhd_prodline	Product Line	Line	x(4)	
	rhd_qty_acp	Qty Received		->,>>>,>>9.9<<<<<<<<	10
	rhd_qty_non	Qty Due Billed		->,>>>,>>9.9<<<	10
	rhd_qty_ord	Qty Expected		->,>>>,>>9.9<<<<<<<<	10
	rhd_qty_rel	Qty Released		->,>>>,>>9.9<<<	10
	rhd_ref	Ref		>>>>>>>9	
	rhd_restock	Restock		>>>,>>9.99<<<	10
	rhd_rev	Item Revision		x(8)	
	rhd_rma_line	RMA Line	Ln	>>9	
	rhd_rma_nbr	Return Id	Return	x(8)	
	rhd_rma_rtrn	Parts Return		yes/no	
	rhd_sa_nbr	Service Contract		x(8)	
	rhd_serial	Serial		x(18)	
	rhd_ser_lon	Loaner Serial		X(18)	
	rhd_ship	Ship To		x(8)	
	rhd_site	To Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
rhd_start	Start Time		99:99	
rhd_status	Status		x(8)	
rhd_sv_code	Contract Type		x(8)	
rhd_trans	Transaction	Tr	x(4)	
rhd_trnbr	Transaction		>>>>>>>>>9	
rhd_type	Type		x(2)	
rhd_um	UM		X(2)	
rhd_um_conv	UM Conv		>>>>9.9999<<<<	10
rhd_user1	Ufld1		x(8)	
rhd_user2	Ufld2		x(8)	
rhd__chr01			x(8)	
rhd__chr02			x(8)	
rhd__chr03			x(8)	
rhd__chr04			x(8)	
rhd__chr05			x(8)	
rhd__chr06			x(8)	
rhd__chr07			x(8)	
rhd__chr08			x(8)	
rhd__chr09			x(8)	
rhd__chr10			x(8)	
rhd__dec01			>>>,>>>,>>9.99	10
rhd__dec02			>>>,>>>,>>9.99	10
rhd__dte01			99/99/99	
rhd__dte02			99/99/99	
rhd__log01			yes/no	
rhd__qadc01	QAD Character Field 1		X(8)	
rhd__qadc02	QAD Character Field 2		X(8)	
rhd__qadc03	QAD Character Field 3		X(8)	
rhd__qadd01	QAD Date Field 1		99/99/99	
rhd__qadd02	QAD Date Field 2		99/99/99	
rhd__qadd03	QAD Date Field 3		99/99/99	
rhd__qadd04	QAD Date Field 4		99/99/99	
rhd__qadd05	QAD Date Field 5		99/99/99	
rhd__qadde01	QAD Decimal Field 1		->>,>>9.99	10
rhd__qadde02	QAD Decimal Field 2		->>,>>9.99	10
rhd__qadde03	QAD decimal Field 3		->>,>>9.99	10
rhd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rhd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rhd__qadi03	QAD Integer Field 3		->,>>>,>>9	
rhd__qadl01	QAD Logical Field 1		yes/no	
rhd__qadl02	QAD Logical Field 2		yes/no	
rhd__qadl03	QAD Logical Field 3		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rhd_hist	yes	oid_rhd_hist	yes	no
Δ	rhd_nbr	no	rhd_domain	yes	no
			rhd_nbr	yes	no
Δ	rhd_part	no	rhd_domain	yes	no
			rhd_part	yes	no
			rhd_nbr	yes	no
			rhd_prefix	yes	no
			rhd_line	yes	no
Δ*	rhd_trnbr	yes	rhd_domain	yes	no
			rhd_file_type	yes	no
			rhd_trnbr	yes	no

rma_mstr Return Material Authorization Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rma_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rma_bill_to	Bill To		x(8)	
	rma_ca_nbr	Call Id		x(8)	
	rma_cmtindx	Comment Index	Comment	>>>>>>>9	
	rma_complete	Complete	Cmp	yes/no	
	rma_contract	RMA Contract		x(8)	
	rma_crprlist	Credit Price List	Cr Price	x(8)	
	rma_cstmlist	Customs List	Customs	x(8)	
	rma_ctype	Contract Type		x(8)	
	rma_cust_ven	Customer		x(8)	
◊	rma_domain	Domain		x(8)	
	rma_enduser	End User		x(8)	
	rma_eng_code	Engineer Code	Eng Code	x(8)	
	rma_exp_date	Expected Date	Expected	99/99/99	
	rma_loc_iss	Issue Location		x(8)	
	rma_loc_rec	Receive Location		x(8)	
	rma_mod_date	Modified Date	Mod Date	99/99/99	
	rma_mod_userid	User ID		X(8)	
	rma_nbr	RMA		x(8)	
	rma_ord_date	Order Date	Ord Date	99/99/99	
	rma_prefix	Prefix		x(1)	
	rma_prt_rec	Print Receiving Doc	Print Rec	yes/no	
	rma_pr_list	Price List	List	x(8)	
	rma_req_date	Required Date	Required	99/99/99	
	rma_rstk_pct	Restocking Charge	Restock	->>9.99%	10
	rma_ship	Ship-To		x(8)	
	rma_shipdate	Ship Date		99/99/99	
	rma_site_iss	Issue Site		x(8)	
	rma_site_rec	Receive Site		x(8)	
	rma_source	Order Source	Source	x(8)	
	rma_stat	Action Status	St	x(2)	
	rma_taxable	Taxable	Tax	yes/no	
	rma_taxc	Tax Class	TxC	x(3)	
	rma_type	Type		x(8)	
	rma_user1	Ufld1		x(8)	
	rma_user2	Ufld2		x(8)	
	rma__chr01			x(8)	
	rma__chr02			x(8)	
	rma__chr03			x(8)	
	rma__chr04			x(8)	
	rma__chr05			x(8)	
	rma__chr06			x(8)	
	rma__chr07			x(8)	
	rma__chr08			x(8)	
	rma__chr09			x(8)	
	rma__chr10			x(8)	
	rma__dec01	PST		>>>,>>>,>>9.99	10
	rma__dec02			>>>,>>>,>>9.99	10
	rma__dte01			99/99/99	
	rma__dte02			99/99/99	
	rma__log01			yes/no	
	rma__qadc01	QAD Character Field 1		X(8)	
	rma__qadc02	QAD Character Field 2		X(8)	
	rma__qadc03	QAD Character Field 3		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	rma__qadc04	QAD Character Field 4		x(8)	
	rma__qadc05	QAD Character Field 5		x(8)	
	rma__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
	rma__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10
	rma__qadd03	QAD Decimal Field 3		->>>>,>>>,>>9.99<<<	10
	rma__qadd04	QAD Decimal Field 4		->>>>,>>>,>>9.99<<<	10
	rma__qadi01	QAD Integer Field 1		->,>>>,>>9	
	rma__qadi02	QAD Integer Field 2		->,>>>,>>9	
	rma__qadi03	QAD Integer Field 3		->,>>>,>>9	
	rma__qadl01	QAD Logical Field 1		yes/no	
	rma__qadl02	QAD Logical Field 2		yes/no	
	rma__qadt01	QAD Date Field 1		99/99/99	
	rma__qadt02	QAD Date Field 2		99/99/99	
	rma__qadt03	QAD Date Field 3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rma_mstr	yes	oid_rma_mstr	yes	no
Δ	rma_ca_nbr	no	rma_domain	yes	no
			rma_ca_nbr	yes	no
			rma_nbr	yes	no
Δ	rma_cust_ven	yes	rma_domain	yes	no
			rma_cust_ven	yes	no
			rma_nbr	yes	no
			rma_prefix	yes	no
Δ*	rma_nbr	yes	rma_domain	yes	no
			rma_nbr	yes	no
			rma_prefix	yes	no

rmc_ctrl

Return Material Authorization Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rmc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rmc_all_days	Allocate Days		>>>>>9	
	rmc_consume	Consume Forecast	Consume Fcst	yes/no	
	rmc_det_all	Detail Allocations		yes/no	
	rmc_dflt_rma	Default RMA Contract		x(8)	
	rmc_disp_trail	RMA Trailer Display		yes/no	
◊	rmc_domain	Domain		x(8)	
	rmc_edit_isb	Edit Installed Base		yes/no	
	rmc_hcmmts	RMA Header Comments		yes/no	
	rmc_hist	Return History		yes/no	
	rmc_history	Keep Booking History		yes/no	
	rmc_issues	Issues First		yes/no	
	rmc_lcmmts	RMA Line Comments		yes/no	
	rmc_loc_is	Customer Return Location		x(8)	
	rmc_loc_iv	Return From Supplier Loc		x(8)	
	rmc_loc_os	Customer Spares Location		x(8)	
	rmc_loc_ov	At Supplier Location		x(8)	
	rmc_mod_date	Modified Date	Mod Date	99/99/99	
	rmc_mod_userid	User ID		X(8)	
	rmc_node	Node		x(8)	

Field Name	Label	Col-Label	Format	Dec
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>>9	
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	
rmc__chr01			x(8)	
rmc__chr02			x(8)	
rmc__chr03			x(8)	
rmc__chr04			x(8)	
rmc__chr05			x(8)	
rmc__chr06			x(8)	
rmc__chr07			x(8)	
rmc__chr08			x(8)	
rmc__chr09			x(8)	
rmc__chr10			x(8)	
rmc__dec01			->>>,>>>,>>9.99	10
rmc__dec02			->>>,>>>,>>9.99	10
rmc__dec03			->>>,>>>,>>9.99	10
rmc__dte01			99/99/99	
rmc__dte02			99/99/99	
rmc__dte03			99/99/99	
rmc__dte04			99/99/99	
rmc__log01			yes/no	
rmc__log02			yes/no	
rmc__log03			yes/no	
rmc__log04			yes/no	
rmc__log05			yes/no	
rmc__qadc01	QAD Character Field 1		X(8)	
rmc__qadc02	QAD Character Field 2		X(8)	
rmc__qadc03	QAD Character Field 3		X(8)	
rmc__qadc04			x(4)	
rmc__qadc05			x(8)	
rmc__qadc06			x(4)	
rmc__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
rmc__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10
rmc__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmc__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmc__qadi03			>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
Δ	rmc__qadi04			->>>>>>>9	
	rmc__qadl01	QAD Logical Field 1		yes/no	
	rmc__qadl02	QAD Logical Field 2		yes/no	
	rmc__qadl03	QAD Logical Field 3		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rmc_ctrl	yes	oid_rmc_ctrl	yes	no
Δ*	rmc_node	yes	rmc_domain	yes	no
			rmc_node	yes	no

rmd_det

Return Material Authorization Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	rmd_chg_type	Charge Type	CT	x(2)	
	rmd_cmtindx	Comment Index	Comment	>>>>>>>9	
	rmd_comment[5]	Comments		x(40)	
	rmd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10
	rmd_cpl_date	Received Date	Rec Date	99/99/99	
	rmd_customs	Customs Value		>>>>,>>>,>>9.99<<<	10
	rmd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	10
	rmd_desc	Description		x(24)	
◊	rmd_domain	Domain		x(8)	
	rmd_done	Received		yes/no	
	rmd_edit_isb	Edit Installed Base		yes/no	
	rmd_end	End Time	End	99:99	
	rmd_eng_code	Engineer Code	Eng Code	x(8)	
	rmd_exp_date	Expected Date	Exp Date	99/99/99	
	rmd_fault_cd	Fault Code	Fault	x(8)	
	rmd_ins_date	Install Date		99/99/99	
	rmd_iss	Inv Iss		yes/no	
	rmd_line	Line	Ln	>>9	
	rmd_link	Line to Line		>>9	
	rmd_loaner	Loaner Sent		yes/no	
	rmd_loc	To Location		x(8)	
	rmd_mod_date	Modified Date	Mod Date	99/99/99	
	rmd_mod_userid	User ID		X(8)	
	rmd_nbr	Sales Order	Order	x(8)	
	rmd_op_tran	Op Tran		x(8)	
	rmd_part	Item		x(18)	
	rmd_par_date	Parent Install Date		99/99/99	
	rmd_par_part	Parent Item		x(18)	
	rmd_par_ser	Parent Serial		x(18)	
	rmd_prefix	Prefix		x(1)	
	rmd_price	Price		>>>>,>>>,>>9.99<<<	10
	rmd_process	Processing		x(2)	
	rmd_prodline	Product Line	Line	x(4)	
	rmd_qty_acp	Qty Received		->,>>>,>>9.9<<<<<<<<	10
	rmd_qty_non	Qty Due Billed		->,>>>,>>9.9<<<<<<<<	10
	rmd_qty_ord	Qty Expected		->,>>>,>>9.9<<<<<<<<	10
	rmd_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
rmd_ref	Ref		>>>>>>>9	
rmd_restock	Restock		>>>,>>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__chr05			x(8)	
rmd__chr06			x(8)	
rmd__chr07			x(8)	
rmd__chr08			x(8)	
rmd__chr09			x(8)	
rmd__chr10			x(8)	
rmd__dec01			>>>,>>>,>>9.99	10
rmd__dec02			>>>,>>>,>>9.99	10
rmd__dte01			99/99/99	
rmd__dte02			99/99/99	
rmd__log01			yes/no	
rmd__qadc01	QAD Character Field 1		X(8)	
rmd__qadc02	QAD Character Field 2		X(8)	
rmd__qadc03	QAD Character Field 3		X(8)	
rmd__qadc04			x(4)	
rmd__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99	10
rmd__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99	10
rmd__qadd03	QAD Decimal Field 3		->>,>>9.99	10
rmd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmd__qadi03	QAD Integer Field 3		->,>>>,>>9	
rmd__qadl01	QAD Logical Field 1		yes/no	
rmd__qadl02	QAD Logical Field 2		yes/no	
rmd__qadl03	QAD Logical Field 3		yes/no	
rmd__qadt01	QAD Date Field 1		99/99/99	
rmd__qadt02	QAD Date Field 2		99/99/99	
rmd__qadt03	QAD Date Field 3		99/99/99	
rmd__qadt04	QAD Date Field 4		99/99/99	
rmd__qadt05	QAD Date Field 5		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rmd_det	yes	oid_rmd_det	yes	no
Δ	rmd_link	no	rmd_domain	yes	no
			rmd_rma_nbr	yes	no
			rmd_rma_line	yes	no
			rmd_prefix	yes	no
Δ*	rmd_nbrln	yes	rmd_domain	yes	no
			rmd_nbr	yes	no
			rmd_prefix	yes	no
			rmd_line	yes	no
Δ	rmd_part	no	rmd_domain	yes	no
			rmd_part	yes	no
			rmd_exp_date	yes	no
			rmd_fault_cd	yes	no
Δ	rmd_type	no	rmd_domain	yes	no
			rmd_prefix	yes	no
			rmd_type	yes	no
			rmd_nbr	yes	no
			rmd_line	yes	no

rnd_mstr

Rounding Method Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rnd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rnd_dec_pt	Decimal Point	Dec! Pt.	x(1)	
	rnd_desc	Description		x(24)	
◊	rnd_domain	Domain		x(8)	
	rnd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
	rnd_thrshld	Rounding Threshold	Threshold	>,>>9.9999	10
	rnd_unit	Rounding Unit	Rnd Unit	>,>>9.999	10
	rnd_user1	Ufld1		x(8)	
	rnd_user2	Ufld2		x(8)	
	rnd__chr01			x(8)	
	rnd__chr02			x(8)	
	rnd__chr03			x(8)	
	rnd__chr04			x(8)	
	rnd__qad01			x(8)	
	rnd__qad02			x(8)	
	rnd__qad03			x(8)	
	rnd__qad04			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rnd_mstr	yes	oid_rnd_mstr	yes	no
Δ	rnd_desc	no	rnd_domain	yes	no
			rnd_desc	yes	no
			rnd_rnd_mthd	yes	no
Δ*	rnd_rnd_mthd	yes	rnd_domain	yes	no
			rnd_rnd_mthd	yes	no

ro_det

Routing Operation Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ro_auto_lbr	Auto Labor Report		yes/no	
	ro_batch	Batch Qty	Batch! Qty	>,>>>,>>9.9<<<<<<<<	10
	ro_bom_code	BOM Code		x(18)	
	ro_cmtindx	Comment Index	Comment	>>>>>>>9	
	ro_cost	Cost		>>>>,>>>,>>9.99<<<	10
	ro_cyc_rate	Cycles/Hour		>>>,>>9.999	10
	ro_cyc_unit	Units/Cycle		>>>>>9	10
	ro_desc	Description		x(24)	
◊	ro_domain	Domain		x(8)	
	ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
	ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
	ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
	ro_end	End Date	End	99/99/99	
	ro_end_ecn	End ECN		x(8)	
	ro_fsc_code	Service Category		X(8)	
	ro_fsm_type	FSM Type		x(8)	
	ro_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
	ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
	ro_mch	Machine		x(8)	
	ro_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
	ro_men_mch	Run Crew		->>,>>9.99	10
	ro_milestone	Milestone Operation	Milestone	yes/no	
	ro_mod_date	Modified Date	Mod Date	99/99/99	
	ro_mod_userid	User ID		X(8)	
	ro_move	Move Time	Move	>,>>9.9<<	10
	ro_mv_nxt_op	Move Next Op		yes/no	
	ro_op	Operation	Op	>>>>9	
	ro_po_line	Line	Ln	>>9	
	ro_po_nbr	Purchase Order	PO	x(8)	
	ro_price	Price		>>>>,>>>,>>9.99<<<	10
	ro_queue	Queue Time	Queue	>,>>9.9<<	10
	ro_rollup	Rollup Reqd		yes/no	
	ro_rollup_id	Rollup ID		x(8)	
	ro_routing	Routing Code		x(18)	
	ro_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
	ro_setup	Setup Time	Setup	>,>>9.9<<	10
	ro_setup_men	Setup Crew		->>,>>9.99	10
	ro_start	Start Date	Start	99/99/99	
	ro_start_ecn	Start ECN		x(8)	
	ro_std_batch	Standard Batch Size	Batch	>>>,>>9.9	10
	ro_std_op	Standard Operation	Std Op	x(8)	
	ro_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	ro_sub_lead	Subcontract LT	Sub LT	>>9	
	ro_tool	Tool Code	Tool	x(8)	
	ro_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
	ro_user1	Ufld1		x(8)	
	ro_user2	Ufld2		x(8)	
	ro_vend	Supplier		x(8)	
	ro_wait	Wait Time	Wait	>,>>9.9<<	10
	ro_wipmtl_part	WIP Item		x(18)	
	ro_wkctr	Work Center	Work Ctr	x(8)	
	ro_yield_pct	Yield%		>>9.99%	10
	ro__chr01			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ro__chr02			x(8)	
	ro__chr03			x(8)	
	ro__chr04			x(8)	
	ro__chr05			x(8)	
	ro__dec01			>>>,>>>,>>9.99	10
	ro__dec02			>>>,>>>,>>9.99	10
	ro__dte01			99/99/99	
	ro__dte02			99/99/99	
	ro__log01			yes/no	
	ro__qadc01	QAD Character Field 1		X(8)	
	ro__qadc02	QAD Character Field 2		X(8)	
	ro__qadc03	QAD Character Field 3		X(8)	
	ro__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
	ro__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
	ro__qadl01	QAD Logical Field 1		yes/no	
	ro__qadl02	QAD Logical Field 2		yes/no	
	ro__qadt01	QAD Date Field 1		99/99/99	
	ro__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ro_det	yes	oid_ro_det	yes	no
Δ	ro_fsm_type	no	ro_domain	yes	no
			ro_fsm_type	yes	no
			ro_routing	yes	no
			ro_op	yes	no
Δ*	ro_routing	yes	ro_domain	yes	no
			ro_routing	yes	no
			ro_op	yes	no
			ro_start	yes	no
Δ	ro_wkctr	no	ro_domain	yes	no
			ro_wkctr	yes	no
			ro_mch	yes	no

rpc_ctrl Repetitive Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	rpc_domain	Domain		x(8)	
	rpc_eff_days	End Eff Days		>>9	
	rpc_eff_dflt	End Eff Default Method		X(1)	
	rpc_inc_yld	Include Yield		yes/no	
	rpc_nbr	Next Picklist	P/L Nbr	>>>>>>>9	
	rpc_nbr_pre	P/L Prefix	Pre	x(3)	
	rpc_sch_bck	Consume Back	Back	->>9	
	rpc_sch_fwd	Consume Forward	Fwd	->>9	
	rpc_user1	Ufld1		x(8)	
	rpc_user2	Ufld2		x(8)	
	rpc_using_new	Enable New Repetitive		yes/no	
	rpc_wk_start	Start Week	Week! Day	9	
	rpc_wxfer_acct	WIP Transfer Acct		X(8)	
	rpc_wxfer_cc	WIP Transfer CC		X(4)	

	Field Name	Label	Col-Label	Format	Dec
	rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
	rpc_xfer_wip	Transfer WIP		yes/no	
	rpc__qadc01			x(8)	
Δ	rpc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rpc_ctrl	yes	oid_rpc_ctrl	yes	no
Δ*	rpc_index1	yes	rpc_domain	yes	no

rps_mstr

Repetitive Production Schedule Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rps_bom_code	BOM/Formula		x(18)	
◊	rps_domain	Domain		x(8)	
	rps_due_date	Due Date		99/99/99	
	rps_line	Production Line	Line	x(8)	
	rps_part	Item Number		x(18)	
	rps_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
	rps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<	10
	rps_record			>>>>>>9	
	rps_rel_date	Release	Rel Date	99/99/99	
	rps_routing	Routing Code		x(18)	
	rps_site	Site		x(8)	
	rps_user1	Ufld1		x(8)	
	rps_user2	Ufld2		x(8)	
	rps__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rps_mstr	yes	oid_rps_mstr	yes	no
Δ*	rps_part	yes	rps_domain	yes	no
			rps_part	yes	no
			rps_site	yes	no
			rps_line	yes	no
			rps_due_date	yes	no
Δ	rps_record	yes	rps_domain	yes	no
			rps_record	yes	no
Δ	rps_site	yes	rps_domain	yes	no
			rps_site	yes	no
			rps_part	yes	no
			rps_line	yes	no
			rps_due_date	yes	no
Δ	rps_site_line	no	rps_domain	yes	no
			rps_site	yes	no
			rps_line	yes	no
			rps_rel_date	yes	no
			rps_part	yes	no

rqa_mstr Requisition Approver Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqa_admin_apr	Administrative Approver	Admin.	x(8)	
	rqa_alt_apr[2]	Alternate Approver	Alt.	x(8)	
	rqa_apr	User Id		x(8)	
	rqa_apr_level	Approval Level	Approval! Level	99	
	rqa_apr_req	Approval Required	Req	yes/no	
	rqa_category	Category		x(8)	
	rqa_cc_from	Cost Ctr From	From! CC	X(4)	
	rqa_cc_to	Cost Ctr To	To! CC	X(4)	
◊	rqa_domain	Domain		x(8)	
	rqa_end	End Effective	End	99/99/99	
	rqa_entity	Entity		X(4)	
	rqa_job	Job		X(8)	
	rqa_prod_line	Product Line	Product! Line	x(8)	
	rqa_rvw_level	Review Level	Review! Level	99	
	rqa_rvw_req	Review Required	Req	yes/no	
	rqa_site	Site		x(8)	
	rqa_start	Start Effective	Start	99/99/99	
	rqa_sub_from	Sub-Account From	From! Sub	X(8)	
	rqa_sub_to	Sub-Account To	To! Sub	X(8)	
	rqa_type	Type		>9	
	rqa__chr01			x(8)	
	rqa__chr02			x(8)	
	rqa__chr03			x(8)	
	rqa__chr04			x(8)	
	rqa__qadc01	QAD Field		X(8)	
	rqa__qadc02	QAD Field		X(8)	
	rqa__qadc03	QAD Field		X(8)	
	rqa__qadc04	QAD Field		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqa_mstr	yes	oid_rqa_mstr	yes	no
Δ*	rqa_apr_type	yes	rqa_domain	yes	no
			rqa_apr	yes	no
			rqa_type	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no
			rqa_start	yes	no
Δ	rqa_type	yes	rqa_domain	yes	no
			rqa_type	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			rqa_start	yes	no
			rqa_apr	yes	no
Δ	rqa_type_apr	yes	rqa_domain	yes	no
			rqa_type	yes	no
			rqa_apr	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no
			rqa_start	yes	no

rqcd_det

Requisition Category Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqcd_acct_from	Account From		x(8)	
	rqcd_acct_to	Account To		x(8)	
	rqcd_category	Category		x(8)	
◊	rqcd_domain	Domain		x(8)	
	rqcd_sub_from	Sub-Account From		x(8)	
	rqcd_sub_to	Sub-Account To		x(8)	
	rqcd__chr01			x(8)	
	rqcd__chr02			x(8)	
	rqcd__chr03			x(8)	
	rqcd__chr04			x(8)	
	rqcd__qadc01	QAD Field		X(8)	0
	rqcd__qadc02	QAD Field		X(8)	0
	rqcd__qadc03	QAD Field		X(8)	0
	rqcd__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqcd_det	yes	oid_rqcd_det	yes	no
Δ	rqcd_acct_from	no	rqcd_domain	yes	no
			rqcd_acct_from	yes	no
			rqcd_sub_from	yes	no
			rqcd_category	yes	no
Δ*	rqcd_category	yes	rqcd_domain	yes	no
			rqcd_category	yes	no
			rqcd_acct_from	yes	no
			rqcd_sub_from	yes	no

rqc_mstr

Requisition Category Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqc_category	Category		x(8)	
	rqc_desc	Description		x(24)	
◊	rqc_domain	Domain		x(8)	
	rqc__chr01			x(8)	
	rqc__chr02			x(8)	
	rqc__chr03			x(8)	
	rqc__chr04			x(8)	
	rqc__qadc01	QAD Field		X(8)	0
	rqc__qadc02	QAD Field		X(8)	0
	rqc__qadc03	QAD Field		X(8)	0
	rqc__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqc_mstr	yes	oid_rqc_mstr	yes	no
Δ*	rqc_category	yes	rqc_domain	yes	no
			rqc_category	yes	no
Δ	rqc_desc	no	rqc_domain	yes	no
			rqc_desc	yes	no

rqda_det

Requisition Approval Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqda_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqda_action	Action		x(20)	
	rqda_apr_userid	User ID		x(8)	
	rqda_date	Date		99/99/99	
◊	rqda_domain	Domain		x(8)	
	rqda_ent_userid	Entered By		x(8)	
	rqda_nbr	Req Nbr		x(8)	
	rqda_time	Time		>>>>>>>9	
	rqda__chr01			x(8)	
	rqda__chr02			x(8)	
	rqda__chr03			x(8)	
	rqda__chr04			x(8)	
	rqda__qadc01	QAD Field		X(8)	0
	rqda__qadc02	QAD Field		X(8)	0
	rqda__qadc03	QAD Field		X(8)	0
	rqda__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqda_det	yes	oid_rqda_det	yes	no
Δ	rqda_apr_userid	no	rqda_domain	yes	no
			rqda_apr_userid	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			rqda_nbr	yes	no
Δ∗	rqda_nbr	yes	rqda_domain	yes	no
			rqda_nbr	yes	no
			rqda_apr_userid	yes	no

rqd_det

Requisition Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqd_acct	Pur Acct		x(8)	
	rqd_aprv_stat	Aprvl Status		x(16)	
	rqd_assay	Assay %		>>9.99%	10
	rqd_category	Category		x(8)	
	rqd_cc	Cost Ctr	CC	x(4)	
	rqd_cmtindx	Comment Index	Comment	>>>>>>>9	
	rqd_desc	Desc		x(30)	
	rqd_disc_pct	Disc%		->9.99%	10
◊	rqd_domain	Domain		x(8)	
	rqd_due_date	Due Date		99/99/99	
	rqd_expire	Expire Date	Expire	99/99/99	
	rqd_grade	Grade		x(2)	
	rqd_insp_rqd	Inspect Req	Insp	yes/no	
	rqd_line	Line		>>>	
	rqd_loc	Location		x(8)	
	rqd_lot_rcpt	Single Lot		yes/no	
	rqd_max_cost	Max Unit Cost		>>>,>>>,>>9.99<<<	10
	rqd_nbr	Req Nbr		x(8)	
	rqd_need_date	Need Date	Need	99/99/99	
	rqd_oot_extra[8]			x(16)	
	rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>,>>>,>>9.99<<<	10
	rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
	rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>,>>>,>>9.99<<<	10
	rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
	rqd_open	Open		yes/no	
	rqd_part	Item Number		x(18)	
	rqd_project	Project		x(8)	
	rqd_pr_list	Disc Tbl		x(8)	
	rqd_pr_list2	Pr Tbl		x(8)	
	rqd_pur_cost	Unit Cost		>>>,>>>,>>9.99<<<	10
	rqd_rctstat	Receipt Status	Status	x(8)	
	rqd_rel_date	Release Date	Release	99/99/99	
	rqd_req_qty	Req Qty		>,>>>,>>9.9<<<<<<<<	10
	rqd_rev	Revision	Rev	x(4)	
	rqd_ship	Ship-to		x(8)	
	rqd_site	Site		x(8)	
	rqd_status	Status		x(1)	
	rqd_taxable	Tax		yes/no	
	rqd_type	Type		x(1)	
	rqd_um	UM		x(2)	
	rqd_um_conv	UM Conv		>>>>9.9999<<<<	10
	rqd_vend	Supplier		x(8)	
	rqd_vpart	Supplier Part		x(30)	
	rqd__chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
rqd__chr02			x(8)	
rqd__chr03			x(8)	
rqd__chr04			x(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0
rqd__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqd_det	yes	oid_rqd_det	yes	no
Δ	rqd_aprv_stat	no	rqd_domain	yes	no
			rqd_aprv_stat	yes	no
			rqd_nbr	yes	no
Δ*	rqd_nbr	yes	rqd_domain	yes	no
			rqd_nbr	yes	no
			rqd_line	yes	no
Δ	rqd_need_date	no	rqd_domain	yes	no
			rqd_need_date	yes	no
			rqd_nbr	yes	no
			rqd_line	yes	no
Δ	rqd_part	no	rqd_domain	yes	no
			rqd_part	yes	no
			rqd_nbr	yes	no
			rqd_line	yes	no
Δ	rqd_site	no	rqd_domain	yes	no
			rqd_site	yes	no
			rqd_nbr	yes	no
			rqd_line	yes	no
Δ	rqd_vend	no	rqd_domain	yes	no
			rqd_vend	yes	no
			rqd_nbr	yes	no
			rqd_line	yes	no

rqf_ctrl Requisition Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqf_appr_curr	Approval Currency		x(3)	
	rqf_diraprs_req	Product Line Approvals Required		>9	
◊	rqf_domain	Domain		x(8)	
	rqf_email_opt	E-mail Option		x(1)	
	rqf_hcmmts	Header Comments		yes/no	
	rqf_horaprs_req	Horizontal Approvals Required		>9	
	rqf_lcmmts	Line Comments		yes/no	
	rqf_ln_fmt	Ln Format (S/M)		single/multi	
	rqf_nbr	Next Requisition Number		99999999	
	rqf_oot_rtg	Out Of Tolerance Routing		x(1)	
	rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)		automatic/manual	
	rqf_pre	Requisition Prefix		x(3)	
	rqf_tol_pct	Tolerance Percent		>>9.99	10
	rqf_tol_val	Tolerance Value		>>>>,>>9.99	10
	rqf_use_tolpct	Use Tolerance Percent		yes/no	
	rqf_use_tolval	Use Tolerance Value		yes/no	
	rqf_vrtaprs_req	Vertical Approvals Required		>9	
	rqf__chr01			x(8)	
	rqf__chr02			x(8)	
	rqf__chr03			x(8)	
	rqf__chr04			x(8)	
	rqf__dec01			->>,>>9.99	10
	rqf__dte01			99/99/99	
	rqf__log01			yes/no	
	rqf__qadc01	QAD Field		X(8)	0
	rqf__qadc02	QAD Field		X(8)	0
	rqf__qadc03	QAD Field		X(8)	0
	rqf__qadc04	QAD Field		X(8)	0
Δ	rqf__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqf_ctrl	yes	oid_rqf_ctrl	yes	no
Δ*	rqf_index1	yes	rqf_domain	yes	no

rqh_hist Requisition History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqh_action	Action		x(20)	
	rqh_apr_userid	User ID		x(8)	
	rqh_date	Date		99/99/99	
◊	rqh_domain	Domain		x(8)	
	rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
	rqh_ent_userid	Entered By		x(8)	
	rqh_line	Line		>>>	

Field Name	Label	Col-Label	Format	Dec
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			99999999	
rqh_time	Time		>>>>>>>9	
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqh_hist	yes	oid_rqh_hist	yes	no
Δ*	rqh_nbr	yes	rqh_domain	yes	no
			rqh_nbr	yes	no
			rqh_date	yes	no
			rqh_time	yes	no
			rqh_seq_nbr	yes	no
Δ	rqh_nbr_usr	no	rqh_domain	yes	no
			rqh_nbr	yes	no
			rqh_apr_userid	yes	no
			rqh_date	yes	no
			rqh_time	yes	no
			rqh_seq_nbr	yes	no

rqj_mstr

Requisition Job Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	rqj_desc	Description		x(24)	
◊	rqj_domain	Domain		x(8)	
	rqj_end	End Effective		99/99/99	
	rqj_job	Job		x(8)	
	rqj_start	Start Effective		99/99/99	
	rqj__chr01			x(8)	
	rqj__chr02			x(8)	
	rqj__chr03			x(8)	
	rqj__chr04			x(8)	
	rqj__qadc01	QAD Field		X(8)	0
	rqj__qadc02	QAD Field		X(8)	0
	rqj__qadc03	QAD Field		X(8)	0
	rqj__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqj_mstr	yes	oid_rqj_mstr	yes	no
Δ*	rqj_job	yes	rqj_domain	yes	no
			rqj_job	yes	no

rql_mstr

Requisition Approval Level Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rql_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rql_amt	Amount		>>>,>>>,>>>,>>9	10
	rql_desc	Description		x(34)	
◊	rql_domain	Domain		x(8)	
	rql_level	Approval Level		99	
	rql__chr01			x(8)	
	rql__chr02			x(8)	
	rql__chr03			x(8)	
	rql__chr04			x(8)	
	rql__dec01			->>,>>9.99	10
	rql__qadc01	QAD Field		X(8)	0
	rql__qadc02	QAD Field		X(8)	0
	rql__qadc03	QAD Field		X(8)	0
	rql__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rql_mstr	yes	oid_rql_mstr	yes	no
Δ*	rql_lev	yes	rql_domain	yes	no
			rql_level	yes	no

rqm_det

Requirement Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqm_cat	Category		x(10)	
	rqm_date	Date		99/99/99	
◊	rqm_domain	Domain		x(8)	
	rqm_interval	Interval		x(1)	
	rqm_line	Line		>>9	
	rqm_nbr	Order		x(8)	
	rqm_reference	Reference	Ref	x(24)	
	rqm_rlse_id	Rlse Id	Rlse! Id	x(30)	
	rqm_time	Time		99:99	
	rqm_type	Type		>9	
	rqm_user1	Ufld1		x(8)	
	rqm_user2	Ufld2		x(8)	
	rqm_value	Value		x(24)	
	rqm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqm_det	yes	oid_rqm_det	yes	no
Δ	rqm_cat_val_date	no	rqm_domain	yes	no
			rqm_cat	yes	no
			rqm_value	yes	no
			rqm_date	yes	no
			rqm_type	yes	no
Δ*	rqm_schd	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_nbr	yes	no
			rqm_line	yes	no
			rqm_rlse_id	yes	no
			rqm_date	yes	no
			rqm_time	yes	no
			rqm_interval	yes	no
			rqm_reference	yes	no
			rqm_cat	yes	no
Δ	rqm_value	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_cat	yes	no
			rqm_date	yes	no
			rqm_value	yes	no

rqm_mstr Requisition Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rqm_acct	Account		x(8)	
	rqm_aprv_stat	Aprvl Status		x(16)	
	rqm_apr_cmtindx	Approval Comments		>>>>>>>9	
	rqm_bill	Bill-To		x(8)	
	rqm_buyer	Buyer		x(8)	
	rqm_category	Category		x(8)	
	rqm_cc	Cost Ctr	CC	x(4)	
	rqm_cls_date	Close Date	Closed	99/99/99	
	rqm_cmtindx	Comments		>>>>>>>9	
	rqm_contact	Contact		x(24)	
	rqm_curr	Currency		x(3)	
	rqm_direct	Direct Matls		yes/no	
	rqm_disc_pct	Disc %		->9.99%	10
◊	rqm_domain	Domain		x(8)	
	rqm_due_date	Due Date		99/99/99	
	rqm_eby_userid	Entered By		x(8)	
	rqm_email_opt	E-mail Option		x(1)	
	rqm_end_userid	End User		x(8)	
	rqm_entity	Entity	Ent	x(4)	
	rqm_ent_date	Ent Date		99/99/99	
	rqm_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	rqm_exru_seq	Sequence		>>>>>>>>9	
	rqm_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	rqm_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	rqm_ex_ratetype	Rate Type		x(8)	
	rqm_fix_pr	Fixed Price		yes/no	

Field Name	Label	Col-Label	Format	Dec
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_ln_fmt	Single/Multi		single/multi	
rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>,>>>,>>9.99<<<	10
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		X(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_pr_list	Disc Tbl		x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	->>>>,>>>,>>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	
rqm__chr01			x(8)	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->>,>>9.99	10
rqm__log01			yes/no	
rqm__qadc01	QAD Field		X(8)	0
rqm__qadc02	QAD Field		X(8)	0
rqm__qadc03	QAD Field		X(8)	0
rqm__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqm_mstr	yes	oid_rqm_mstr	yes	no
Δ	rqm_buyer	no	rqm_domain	yes	no
			rqm_buyer	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
Δ	rqm_job	no	rqm_domain	yes	no
			rqm_job	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
Δ*	rqm_nbr	yes	rqm_domain	yes	no
			rqm_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	rqm_open	no	rqm_domain	yes	no
			rqm_open	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
Δ	rqm_rqby_userid	no	rqm_domain	yes	no
			rqm_rqby_userid	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
Δ	rqm_rtto	no	rqm_domain	yes	no
			rqm_rtto_userid	yes	no
			rqm_open	yes	no
			rqm_nbr	yes	no

rqpo_ref

Requisition/PO Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqpo_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	rqpo_domain	Domain		x(8)	
	rqpo_po_line	PO Line		>>>	
	rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
	rqpo_qty_ord	Qty Ord		->,>>>,>>9.9<<<<<<<<	10
	rqpo_req_line	Req Line		>>>	
	rqpo_req_nbr	Requisition	Req Nbr	x(8)	
	rqpo__chr01			x(8)	
	rqpo__chr02			x(8)	
	rqpo__chr03			x(8)	
	rqpo__chr04			x(8)	
	rqpo__qadc01	QAD Field		X(8)	0
	rqpo__qadc02	QAD Field		X(8)	0
	rqpo__qadc03	QAD Field		X(8)	0
	rqpo__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqpo_ref	yes	oid_rqpo_ref	yes	no
Δ	rqpo_po_nbr	no	rqpo_domain	yes	no
			rqpo_po_nbr	yes	no
			rqpo_po_line	yes	no
			rqpo_req_nbr	yes	no
			rqpo_req_line	yes	no
Δ*	rqpo_req_nbr	yes	rqpo_domain	yes	no
			rqpo_req_nbr	yes	no
			rqpo_req_line	yes	no
			rqpo_po_nbr	yes	no
			rqpo_po_line	yes	no

rqr_mstr Role Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rqr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	rqr_domain	Domain		x(8)	
	rqr_role	Role		x(8)	
	rqr_userid	User ID		x(8)	
	rqr__chr01			x(8)	
	rqr__chr02			x(8)	
	rqr__chr03			x(8)	
	rqr__chr04			x(8)	
	rqr__qadc01	QAD Field		X(8)	0
	rqr__qadc02	QAD Field		X(8)	0
	rqr__qadc03	QAD Field		X(8)	0
	rqr__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqr_mstr	yes	oid_rqr_mstr	yes	no
Δ	rqr_role	yes	rqr_domain	yes	no
			rqr_role	yes	no
			rqr_userid	yes	no
Δ*	rqr_userid	yes	rqr_domain	yes	no
			rqr_userid	yes	no
			rqr_role	yes	no

rq_mstr Requirement Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	rq_domain	Domain		x(8)	
	rq_end	End Date	End	99/99/99	
	rq_lead	Lead Time (Days)	LT	>>9	
	rq_lt_off	Offset (Days)	Offset	->>9	
	rq_part	Item Number		x(18)	
	rq_qty_per	Resource Qty Per	Qty Per	->,>>>,>>9.9<<<<<<<<	10
	rq_ref	Reference		x(8)	
	rq_rsc	Resource		x(8)	
	rq_site	Site		x(8)	
	rq_start	Start Date	Start	99/99/99	
	rq_user1	Ufld1		x(8)	
	rq_user2	Ufld2		x(8)	
	rq__chr01			x(8)	
	rq__chr02			x(8)	
	rq__chr03			x(8)	
	rq__chr04			x(8)	
	rq__chr05			x(8)	
	rq__dec01			>>>,>>>,>>9.99	10
	rq__dec02			>>>,>>>,>>9.99	10
	rq__dte01			99/99/99	
	rq__dte02			99/99/99	
	rq__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rq_mstr	yes	oid_rq_mstr	yes	no
Δ*	rq_part	yes	rq_domain	yes	no
			rq_part	yes	no
			rq_site	yes	no
			rq_rsc	yes	no
			rq_ref	yes	no
			rq_start	yes	no
Δ	rq_rsc	no	rq_domain	yes	no
			rq_rsc	yes	no
			rq_site	yes	no

rsc_ctrl Shipping Schedule Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rsc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	rsc_active	Enable Shipping Schedule		yes/no	
	rsc_auto_update	Auto Update Plan From Ship		yes/no	
◊	rsc_domain	Domain		x(8)	
	rsc_fab_days	Fab Auth Days		>>9	
	rsc_firm_days	Firm Days		>>9	
	rsc_gen_ship	Generate Ship Sched From MRP		yes/no	
	rsc_raw_days	Raw Auth Days		>>9	
	rsc_ship_days	Schedule Days		>>9	
	rsc_ship_months	Schedule Months		>>9	
	rsc_ship_weeks	Schedule Weeks		>>9	
	rsc_user1	Ufld1		x(8)	
	rsc_user2	Ufld2		x(8)	
	rsc_zero_req	Send Zero Requirements		yes/no	
	rsc__qadc01	QAD Field		x(8)	
	rsc__qadc02	QAD Field		x(8)	
	rsc__qadd01	QAD Field		->,>>>,>>9.9<<<<<<<<	10
	rsc__qadd02	QAD Field		->,>>>,>>9.9<<<<<<<<	10
	rsc__qadi01	QAD Field		->,>>>,>>9	
	rsc__qadi02	QAD Field		->,>>>,>>9	
Δ	rsc__qadi03			->>>>>>>9	
	rsc__qadl01	QAD Field		yes/no	
	rsc__qadl02	QAD Field		yes/no	
	rsc__qadl03	QAD Field		yes/no	
	rsc__qadl04	QAD Field		yes/no	
	rsc__qadt01	QAD Field		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsc_ctrl	yes	oid_rsc_ctrl	yes	no
Δ*	rsc_index1	yes	rsc_domain	yes	no

rsd_det

Resource Requirements Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rsd_cap	Cap/Day		->>>,>>9.9	10
◊	rsd_domain	Domain		x(8)	
	rsd_end	End Date		99/99/99	
	rsd_ref	Reference		x(8)	
	rsd_rsc	Resource		x(8)	
	rsd_shift1	Shift1		->>,>>9.99	10
	rsd_shift2	Shift2		->>,>>9.99	10
	rsd_shift3	Shift3		->>,>>9.99	10
	rsd_shift4	Shift4		->>,>>9.99	10
	rsd_site	Site		x(8)	
	rsd_start	Start Date	Start	99/99/99	
	rsd_user1	Ufld1		x(8)	
	rsd_user2	Ufld2		x(8)	
	rsd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsd_det	yes	oid_rsd_det	yes	no
Δ*	rsd_rsc	yes	rsd_domain	yes	no
			rsd_rsc	yes	no
			rsd_site	yes	no
			rsd_ref	yes	no
Δ	rsd_site	yes	rsd_domain	yes	no
			rsd_site	yes	no
			rsd_rsc	yes	no
			rsd_ref	yes	no

rsn_ref

Reason Code Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rsn_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rsn_code	Reason Code	Code	x(8)	
	rsn_desc	Description		x(24)	
◊	rsn_domain	Domain		x(8)	
	rsn_type	Reason Type	Type	x(8)	
	rsn_user1	Ufld1		x(8)	
	rsn_user2	Ufld2		x(8)	
	rsn__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsn_ref	yes	oid_rsn_ref	yes	no
Δ*	rsn_code	yes	rsn_domain	yes	no
			rsn_code	yes	no
			rsn_type	yes	no
Δ	rsn_type	yes	rsn_domain	yes	no
			rsn_type	yes	no
			rsn_code	yes	no

rstd_det

Product Change Control Routing Slip Template Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rstd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
	rstd_appr_code	Routing Slip		x(8)	
	rstd_canreroute	Can Re-Route		yes/no	
◊	rstd_domain	Domain		x(8)	
	rstd_group	Group		x(8)	
	rstd_mod_date	Modified Date	Mod Date	99/99/99	
	rstd_notify_nxt	Notify When Next	Nxt	yes/no	
	rstd_sequence	Sequence	Seq	>>9	
	rstd_svrty_lvl	Severity Level		>>9	
	rstd_user1	Ufld1		x(8)	
	rstd_user2	Ufld2		x(8)	
	rstd_userid	User ID		x(8)	
	rstd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rstd_det	yes	oid_rstd_det	yes	no
Δ*	rstd_codegroup	yes	rstd_domain	yes	no
			rstd_appr_code	yes	no
			rstd_group	yes	no

rst_mstr

Product Change Control Routing Slip Template Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
	rst_appr_code	Routing Slip		x(8)	
	rst_desc	Description		X(24)	
◊	rst_domain	Domain		x(8)	
	rst_mod_date	Modified Date	Mod Date	99/99/99	
	rst_notify1	Notification List 1		X(72)	
	rst_notify1_mail	E-mail List 1		X(255)	
	rst_notify2	Notification List 2		X(72)	
	rst_notify2_mail	E-mail List 2		X(255)	
	rst_svrty_list	Severity List	Severity	x(8)	
	rst_user1	Ufld1		x(8)	
	rst_user2	Ufld2		x(8)	
	rst_userid	User ID		x(8)	
	rst__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rst_mstr	yes	oid_rst_mstr	yes	no
Δ*	rst_code	yes	rst_domain	yes	no
			rst_appr_code	yes	no

rsud_det

Product Change Control Routing Slip Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rsud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rsud_approved	Approved	Appr	yes/no	
	rsud_approverid	Approver ID	ID	X(8)	
	rsud_appr_date	Date Approved	AppDate	99/99/99	
	rsud_canreroute	Can Re-Route	ReRoute	yes/no	
	rsud_cmmtindx	Comment Index	CmtIndex	>>>>>>>>9	
◊	rsud_domain	Domain		x(8)	
	rsud_group	Group		X(8)	
	rsud_index	Index		>>>>>>>>9	
	rsud_notify_nxt	Notify When Next	Nxt	yes/no	
	rsud_reroute_date	Reroute Date		99/99/99	
	rsud_sequence	Sequence	Seq	>>9	
	rsud_svrty_lvl	Severity Level		>>9	
	rsud_user1	Ufld1		X(8)	
	rsud_user2	Ufld2		X(8)	
	rsud__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsud_det	yes	oid_rsud_det	yes	no
Δ*	rsud_indexgroup	yes	rsud_domain	yes	no
			rsud_index	yes	no
			rsud_group	yes	no
Δ	rsud_sequence	no	rsud_domain	yes	no
			rsud_index	yes	no
			rsud_sequence	yes	no

rsu_mstr

Product Change Control Routing Slip Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rsu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rsu_appr_code	Approval Code	Code	X(8)	
	rsu_appr_date	Approved Date	ApprDate	99/99/99	
	rsu_doc_nbr	Document Number	DocNbr	X(40)	0
	rsu_doc_type	Document Type	Doc Type	X(8)	0
◊	rsu_domain	Domain		x(8)	
	rsu_index	Index		>>>>>>>>9	
	rsu_notify2	Notification List 2	NotifyLst2	X(72)	
	rsu_notify2_mail	E-mail List 2		X(255)	
	rsu_route_date	Routed Date	RouteDate	99/99/99	
	rsu_user1	Ufld1		X(8)	
	rsu_user2	Ufld2		X(8)	
	rsu__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsu_mstr	yes	oid_rsu_mstr	yes	no
Δ	rsu_doc_nbr	no	rsu_domain	yes	no
			rsu_doc_nbr	yes	no
			rsu_doc_type	yes	no
Δ*	rsu_index	yes	rsu_domain	yes	no
			rsu_index	yes	no

rs_mstr

Resource Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_rs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rs_desc	Description		x(24)	
◊	rs_domain	Domain		x(8)	
	rs_rsc	Resource		x(8)	
	rs_site	Site		x(8)	
	rs_um	UM		x(2)	
	rs_user1	Ufld1		x(8)	
	rs_user2	Ufld2		x(8)	
	rs__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rs_mstr	yes	oid_rs_mstr	yes	no
Δ	rs_desc	yes	rs_domain	yes	no
			rs_desc	yes	no
			rs_rsc	yes	no
			rs_site	yes	no
Δ*	rs_rsc	yes	rs_domain	yes	no
			rs_rsc	yes	no
			rs_site	yes	no

sab_det

Service Contract Billing Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sab_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sab_amt_type	Amount Type	AT	x(1)	
	sab_billed_date	Billed Date		99/99/99	
	sab_billed_time	Billed Time		x(8)	
	sab_bill_to	Bill To		x(8)	
	sab_curr	Currency	Cur	x(3)	
	sab_cust	Customer		x(8)	
	sab_cycle	Billing Cycle	Cyc	x(2)	
	sab_desc	Description		x(24)	
◊	sab_domain	Domain		x(8)	
	sab_end_cover	End Cover		99/99/99	
	sab_end_date	End Date		99/99/99	
	sab_eu_nbr	End User		x(8)	

Field Name	Label	Col-Label	Format	Dec
sab_exru_seq	Sequence		>>>>>>>>9	
sab_ext_price	Ext Price		->>>>,>>>,>>9.99<	10
sab_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sab_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sab_ex_ratetype	Rate Type		x(8)	
sab_for	Supported Item	Item	x(18)	
sab_line	Contract Line	Con Line	>>>>>>>9	
sab_line_seq	Line Seq		>>>>>>>9	
sab_line_type	Line Type	LT	x(1)	
sab_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
sab_lstcover	Last Billed	Lst Bill	99/99/99	
sab_mod_date	Modified Date	Mod Date	99/99/99	
sab_mod_userid	User ID		x(8)	
sab_nbr	Contract		x(8)	
sab_prefix	Pf		x(1)	
sab_price	Net Price		>>>>,>>>,>>9.99<<<	10
sab_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<	10
sab_qty_per	Duration		->>>9.9<<<	10
sab_ref	Ref		>>>>>>>9	
sab_serial	Lot/Serial		x(18)	
sab_sod_line	Sales Order Line	SO Ln	>>9	
sab_so_nbr	Sales Order	SO	x(8)	
sab_st_cover	Coverage		99/99/99	
sab_st_date	Start Date	Start	99/99/99	
sab_sv_code	Service Type	Svc Type	x(8)	
sab_taxable	Taxable	Tax	yes/no	
sab_taxc	Tax Class	TxC	x(3)	
sab_tax_env	Tax Environment	Tax Env	x(16)	
sab_tax_in	Tax In		yes/no	
sab_tax_usage	Tax Usage	TaxUsage	x(8)	
sab_ui_line	Line		>>>>9	
sab_user1	User Field Character 1		x(24)	
sab_user2	User Field character 2		x(24)	
sab_userd01	User Field Decimal 1		->>>>,>>>,>>9.99<<<<<<<<	10
sab_useri01	User Field Integer 1		->>>>>>>9	
sab_userl01	User Field Logical 1		yes/no	
sab_usert01	User Field Date 1		99/99/99	
sab__qadc01			x(24)	
sab__qadc02			x(24)	
sab__qadd01			->>>>,>>>,>>9.99<<<<<<<<	10
sab__qadi01			->>>>>>>9	
sab__qadl01			yes/no	
sab__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sab_det	yes	oid_sab_det	yes	no
Δ*	sab_nbr	yes	sab_domain	yes	no
			sab_nbr	yes	no
			sab_prefix	yes	no
			sab_line	yes	no
			sab_billed_date	yes	no
			sab_billed_time	yes	no
Δ	sab_so	no	sab_domain	yes	no
			sab_so_nbr	yes	no
			sab_sod_line	yes	no
			sab_line_seq	yes	no

sac_ctrl Service Contract Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sac_add_chrg	Contract Additional Charges		yes/no	
	sac_auto_sa	Automatic Service Contract #		yes/no	
	sac_bill_enduser	Bill End Users		yes/no	
	sac_bill_summary	Bill Summary		yes/no	
	sac_calls_mrp	PM Calls in MRP		yes/no	
	sac_company	Company Address		x(8)	
	sac_contract_pr	Contract Price Lists		yes/no	
	sac_create_pm	Create PM Calls		yes/no	
	sac_deferred	Use Deferred Accounting		yes/no	
◊	sac_domain	Domain		x(8)	
	sac_eu_add_chrg	End User Additional Charges		yes/no	
	sac_eu_totals	End User Totals		yes/no	
	sac_ex_ratetype	Rate Type		x(8)	
	sac_fob	F.O.B.		x(20)	
	sac_free_be	Begin or End of Contract		begin/end	
	sac_free_gt	On Contracts >		>>,>>9	
	sac_free_mth	No Months Free Coverage		>>9	
	sac_gen_def	Generate Deferred Accounting		yes/no	
	sac_hcmmts	Service Header Comments		yes/no	
	sac_index1	Index		>>>>>9	
	sac_item_enduser	Item End Users		yes/no	
	sac_lcmmts	Service Line Comments		yes/no	
	sac_limits_wnd	Contract Limits		yes/no	
	sac_limit_copy	Renew Limits From		X(1)	
	sac_lim_hist	Record Limits History		yes/no	
	sac_ln_fmt	Ln Format S/M		single/multi	
	sac_mod_date	Modified Date	Mod Date	99/99/99	
	sac_mod_userid	User ID		X(8)	
	sac_pm_days	PM Days Scheduling		yes/no	
	sac_print	Are Service Contracts Printed		yes/no	
	sac_pt_isb	Items in Installed Base	IB	yes/no	
	sac_qo	Next Service Quote	Nxt Qte	>>>>>>>9	
	sac_qo_pre	Quote Prefix	Qte	x(1)	
	sac_renewal_days	Renewal Days		->,>>>,>>9	
	sac_renew_fmt	Renew Format		x(4)	
	sac_reval_bill	Revaluate at Billing		yes/no	
	sac_reval_wnd	Revaluation Window		yes/no	
	sac_revenue	Revenue Type		x(1)	
	sac_rvidx_nxtbl	Index at Next Bill		yes/no	
	sac_sa	Next Service Contract		>>>>>>>9	
	sac_saqo_nbr	Same Number for Quote/ Contract		yes/no	
	sac_sa_multi	Multiple Contracts		yes/no	
	sac_sa_pre	Contract Prefix	Ct	x(1)	
	sac_sa_site	Contract Site		x(8)	
	sac_so_hist	Keep Contract History		yes/no	
	sac_so_nbr	Next Service Sales order		>>>>>>>9	
	sac_so_pre	Service SO Prefix		x(3)	
	sac_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
	sac_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	

Field Name	Label	Col-Label	Format	Dec
sac_user1	Ufld1		x(8)	
sac_user2	Ufld2		x(8)	
sac_user_pricing	User Contract Pricing		yes/no	
sac__chr01			x(8)	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac__dec01			->>>,>>>,>>9.99	10
sac__dec02			->>>,>>>,>>9.99	10
sac__dec03			->>>,>>>,>>9.99	10
sac__dte01			99/99/99	
sac__dte02			99/99/99	
sac__dte03			99/99/99	
sac__dte04			99/99/99	
sac__log01			yes/no	
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->,>>>,>>9	
sac__qadi02	QAD Integer Field 2		->,>>>,>>9	
sac__qadl01	QAD Logical Field 1		yes/no	
sac__qadl02	QAD Logical Field 2		yes/no	
sac__qadl03	QAD Logical Field 3		yes/no	
sac__qadl04	QAD Logical Field 4		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sac_ctrl	yes	oid_sac_ctrl	yes	no
Δ*	sac_index1	yes	sac_domain	yes	no

sadh_hist

Service Contract Detail History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sadh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sadh_amt_type	Amount Type	AT	x(1)	
	sadh_area	Area		x(8)	
	sadh_cancel	Cancel Date		99/99/99	
	sadh_ca_nbr	Call		x(8)	
	sadh_cmtindx	Comment Index	Comment	>>>>>>>9	
	sadh_comment[5]	Comments		x(40)	
	sadh_comm_pct[4]	Commission	Comm%	>>9.99%	10

	Field Name	Label	Col-Label	Format	Dec
	sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	sadh_custpart	Customer Item		x(18)	
	sadh_cycle	Billing Cycle	Cyc	x(2)	
	sadh_desc	Description		x(24)	
	sadh_discount	Discountable		yes/no	
	sadh_disc_pct	Disc %		->>9.99%	10
◊	sadh_domain	Domain		x(8)	
	sadh_end_date	End Date	End	99/99/99	
	sadh_es_nbr	Escalation		x(8)	
	sadh_eu_nbr	End User		x(8)	
	sadh_expire	Expires		99/99/99	
	sadh_fix_pr	Fixed Price		yes/no	
	sadh_for	Supported Item	Item	x(18)	
	sadh_fst_list	FST on List		yes/no	
	sadh_lastbill	Date Last Billed		99/99/99	
	sadh_line	Line	Ln	>>9	
	sadh_list_pr	List Price	Lst Price	->>>,>>>,>>9.99<<	10
	sadh_lstcover	Last Billed	Lst Bill	99/99/99	
	sadh_lst_bill	Last Bill		99/99/99	
	sadh_mod_date	Modified Date	Mod Date	99/99/99	
	sadh_mod_userid	User ID		X(8)	
	sadh_mrp	Link Line to MRP		yes/no	
	sadh_nbr	Sales Order	Order	x(10)	
	sadh_nxt_bill	Next Bill		99/99/99	
	sadh_part	Service Type	Svc Type	x(8)	
	sadh_pct_type	Percent Type	PT	x(1)	
	sadh_per_date	Perform Date	Perform	99/99/99	
	sadh_prefix	Pf		x(2)	
	sadh_price	Net Price		>>>>,>>>,>>9.99<<<	10
	sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
	sadh_priority	Priority	Pri	>9	
	sadh_prlist_fnd	Price List Found		yes/no	
	sadh_prodline	Product Line	Line	x(4)	
	sadh_project	Project		x(8)	
	sadh_pr_list	Price List	Prc Lst	x(8)	
	sadh_pst	PST Taxable		yes/no	
	sadh_pvm_bill	Bill PM		yes/no	
	sadh_pvm_bom	Bill of Material		x(18)	
	sadh_pvm_only	PM Only		yes/no	
	sadh_pvm_route	Routing		x(18)	
	sadh_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
	sadh_qty_chg	Qty to Bill		->,>>>,>>9.9<<<<<<<<	10
	sadh_qty_item	Item Quantity	Item Qty	>>,>>9.9	10
	sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
	sadh_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
	sadh_qty_per	Duration		->>>9.9<<<	10
	sadh_ref	Ref		>>>>>>>9	
	sadh_serial	Lot/Serial		x(18)	
	sadh_site	Site		x(8)	
	sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
	sadh_so_line	Sales Order Line		>>9	
	sadh_so_ship	From Sales Order		x(8)	
	sadh_so_shipln	From SO Line		>>9	
	sadh_status	Status		x(8)	
	sadh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
	sadh_st_cover	Coverage		99/99/99	
	sadh_st_date	Start Date	Start	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sadh_total_price	Total Price		>>>>,>>>,>>9.99<<<	10
sadh_trnbr	Transaction		>>>>>>>>>>9	
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	10
sadh__chr01	User Field #1		x(8)	
sadh__chr02	User Field #2		x(8)	
sadh__chr03	User Field #3		x(8)	
sadh__chr04	User Field #4		x(8)	
sadh__chr05	User Field #5		x(8)	
sadh__chr06	User Field #6		x(8)	
sadh__chr07	User Field #7		x(8)	
sadh__chr08	User Field #8		x(8)	
sadh__chr09	User Field #9		x(8)	
sadh__chr10	User Field #10		x(8)	
sadh__dec01	User Decimal Field #1		>>>,>>>,>>9.99	10
sadh__dec02	User Decimal Field #2		>>>,>>>,>>9.99	10
sadh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sadh_hist	yes	oid_sadh_hist	yes	no
Δ	sadh_nbrln	no	sadh_domain	yes	no
			sadh_nbr	yes	no
			sadh_prefix	yes	no
			sadh_line	yes	no
			sadh_end_date	yes	no
Δ	sadh_serial	no	sadh_domain	yes	no
			sadh_serial	yes	no
			sadh_end_date	yes	no
Δ*	sadh_trnbr	yes	sadh_domain	yes	no
			sadh_trnbr	yes	no

sad_det Service Contract Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sad_accrued	Accrued	Accr	yes/no	
	sad_acct	Sales Acct	Sales	x(8)	
	sad_amt_type	Amount Type	AT	x(1)	
	sad_area	Area		x(8)	
	sad_autorenew	Auto Renew	Renew	yes/no	
	sad_bill_to	Bill To		x(8)	
	sad_blanket_eu	Blanket End User		yes/no	
	sad_cancel	Cancel Date		99/99/99	
	sad_ca_nbr	Call		x(8)	
	sad_cc	Cost Ctr	CC	x(4)	
	sad_cmtindx	Comment Index	Comment	>>>>>>>9	
	sad_comment[5]	Comments		x(40)	
	sad_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sad_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	sad_curr	Currency	Cur	x(3)	
	sad_cust	Customer		x(8)	
	sad_custpart	Customer Item		x(18)	
	sad_cycle	Billing Cycle	Cyc	x(2)	
	sad_desc	Description		x(24)	
	sad_discount	Discountable		yes/no	
	sad_disc_pct	Disc %		->>9.99%	10
◊	sad_domain	Domain		x(8)	
	sad_dsc_acct	Disc Acct		x(8)	
	sad_dsc_cc	CC		x(4)	
	sad_dsc_project	Disc Project		x(8)	
	sad_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	sad_end_date	End Date	End	99/99/99	
	sad_es_nbr	Escalation		x(8)	
	sad_eu_nbr	End User		x(8)	
	sad_expire	Expires		99/99/99	
	sad_exru_seq	Sequence		>>>>>>>>9	
	sad_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	sad_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	sad_ex_ratetype	Rate Type		x(8)	
	sad_fix_pr	Fixed Price		yes/no	
	sad_fix_rate	Fixed Rate	Fixed	yes/no	

Field Name	Label	Col-Label	Format	Dec
sad_for	Supported Item	Item	x(18)	
sad_fst_list	FST on List		yes/no	
sad_lastbill	Date Last Billed		99/99/99	
sad_line	Contract Line	Con Line	>>>>>>>9	
sad_line_type	Line Type	LT	x(1)	
sad_list_pr	List Price	Lst Price	->>>>,>>>,>>9.99<<<	10
sad_lstcover	Last Billed	Lst Bill	99/99/99	
sad_lst_bill	Last Bill		99/99/99	
sad_mod_date	Modified Date	Mod Date	99/99/99	
sad_mod_userid	User ID		X(8)	
sad_mrp	Link Line to MRP		yes/no	
sad_nbr	Contract		x(8)	
sad_nxt_bill	Next Bill		99/99/99	
sad_parent_line	Parent Line		>>>>>>>9	
sad_pct_type	Percent Type	PT	x(1)	
sad_per_date	Perform Date	Perform	99/99/99	
sad_po	Purchase Order		x(20)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>,>>>,>>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlist_fnd	Price List Found		yes/no	
sad_prodline	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>,>>9.9	10
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sad_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>>9	
sad_released	Released To Contract	Rel	yes/no	
sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_sod_line	Sales Order Line		>>9	
sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sad_sv_code	Service Type	Svc Type	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	

Field Name	Label	Col-Label	Format	Dec
sad_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sad_type	Ship Type	T	x(1)	
sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	10
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sad_xslspsn[3]	Salesperson	Salespsn	x(8)	0
sad__chr01			x(8)	
sad__chr02			x(8)	
sad__chr03			x(8)	
sad__chr04			x(8)	
sad__chr05			x(8)	
sad__chr06			x(8)	
sad__chr07			x(8)	
sad__chr08			x(8)	
sad__chr09			x(8)	
sad__chr10			x(8)	
sad__dec01			>>>,>>>,>>9.99	10
sad__dec02			>>>,>>>,>>9.99	10
sad__dte01			99/99/99	
sad__dte02			99/99/99	
sad__log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadc05			x(8)	
sad__qadc06			x(4)	
sad__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	
sad__qadt01	Qad Date #1		99/99/99	
sad__qadt02	Qad Date #2		99/99/99	
sad__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sad_det	yes	oid_sad_det	yes	no
Δ	sad_enduser	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_eu_nbr	yes	no
			sad_line	yes	no
Δ	sad_eu_line	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_line_type	yes	no
			sad_eu_nbr	yes	no
			sad_ui_line	yes	no
Δ	sad_line_eu	no	sad_domain	yes	no
			sad_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sad_prefix	yes	no
			sad_line_type	yes	no
			sad_ui_line	yes	no
			sad_eu_nbr	yes	no
Δ*	sad_nbrln	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_line	yes	no
Δ	sad_part	no	sad_domain	yes	no
			sad_for	yes	no
			sad_serial	yes	no
			sad_ref	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
Δ	sad_serial	no	sad_domain	yes	no
			sad_prefix	yes	no
			sad_serial	yes	no

sah_hist Service Contract History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sah_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sah_area	Area		x(8)	
	sah_arrears	Bill Arrears	Arrear	yes/no	
	sah_autornew	Auto Renew	A Renew	yes/no	
	sah_base_pct	Contract Base		>>>9.99<<<	10
	sah_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
	sah_bill_to	Bill To		x(8)	
	sah_bill_type	Billing Type		x(8)	
	sah_blanket	Blanket Contract		yes/no	
	sah_bol	BOL		x(18)	
	sah_calls_allow	Calls Allowed		>>>,>>9	
	sah_calls_total	Total Calls		>>>,>>9	
	sah_cancel	Cancel Date		99/99/99	
	sah_can_tax	PST Pct		->>9.99<<%	10
	sah_channel	Channel		x(8)	
	sah_cmtindx	Comment Index	Comment	>>>>>>>9	
	sah_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sah_complete	Complete	Cplt	yes/no	
	sah_conf_date	Confirmed Date	Confirmed	99/99/99	
	sah_cr_card	Credit Card	Card	x(2)	
	sah_cr_init	Cr Initials	Initials	x(2)	
	sah_cr_terms	Credit Terms	Terms	x(8)	
	sah_curr	Currency	Cur	x(3)	
	sah_cust	Customer		x(8)	
	sah_cycle	Billing Cycle	Cyc	x(2)	
	sah_date_printed	Date Printed		99/99/99	
	sah_disc_pct	Disc %		->9.99%	10
◊	sah_domain	Domain		x(8)	
	sah_enduser	End User		x(8)	
	sah_end_date	End Date		99/99/99	
	sah_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	sah_exp_date	Expire Date	Exp Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_exru_seq	Sequence		>>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_invoiced	Invoiced		yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	10
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_prodline	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah_prt_0itm	Print 0$ Items		yes/no	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_release	Release to Contract	Rel	yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_reval_index	Revaluation Index Month		>>9	

Field Name	Label	Col-Label	Format	Dec
sah_reval_period	Revaluation Period		>>9	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_schedule	Billing Schedule File		yes/no	
sah_sched_start	PM Start Date	Start	yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_shipvia	Ship Via		x(20)	
sah_ship_date	Ship Date		99/99/99	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_source	Order Source	Source	x(8)	
sah_so_nbr	Sales Order	Order	x(8)	
sah_stat	Action Status	St	x(2)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_summarize	Summarize		yes/no	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	10
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sah_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>9	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	10
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0
sah__chr01	User Field#1		x(8)	
sah__chr02	User Field #1		x(8)	
sah__chr03	User Field #3		x(8)	
sah__chr04	User Field #4		x(8)	
sah__chr05	User Field #5		x(8)	
sah__chr06	User Field #6		x(8)	
sah__chr07	User Field #7		x(8)	
sah__chr08	User Field #8		x(8)	
sah__chr09	User Field #9		x(8)	
sah__chr10	User Field #10		x(8)	
sah__dec01	User Decimal #1		>>>,>>>,>>9.99	10
sah__dec02	User Decimal #2		>>>,>>>,>>9.99	10
sah__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sah__dte01	User Date #1		99/99/99	
sah__dte02	User Date #2		99/99/99	
sah__dte03	User Date #3		99/99/99	
sah__log01	User Logical #1		yes/no	
sah__log02	User Logical #2		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	sah__log03	User Logical #3		yes/no	
	sah__qadc01	Qad Field #1		x(8)	
	sah__qadc02	Qad Field #2		x(8)	
	sah__qadc03	Qad Field #3		x(8)	
	sah__qadc04	Qad Field #4		x(8)	
	sah__qadc05			x(8)	
	sah__qadc06			x(4)	
	sah__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
	sah__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
	sah__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
	sah__qadl01	Qad Logical #1		yes/no	
	sah__qadl02	Qad Logical #2		yes/no	
	sah__qadl03	Qad Logical #3		yes/no	
	sah__qadl04	QAD Logical Field		yes/no	
	sah__qadt01	Qad Date #1		99/99/99	
	sah__qadt02	Qad Date #2		99/99/99	
	sah__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sah_hist	yes	oid_sah_hist	yes	no
Δ	sah_enduser	no	sah_domain	yes	no
			sah_enduser	yes	no
			sah_prefix	yes	no
			sah_nbr	yes	no
Δ	sah_nbr	no	sah_domain	yes	no
			sah_nbr	yes	no
			sah_prefix	yes	no
			sah_end_date	yes	no
Δ*	sah_trnbr	yes	sah_domain	yes	no
			sah_trnbr	yes	no

salh_hist

Service/Support Contract Limits History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_salh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	salh_budget	Budget		>>>>,>>>,>>9.99<<<	10
	salh_call	Call		X(8)	0
	salh_calls_allow	Calls Allowed		>>9	
	salh_calls_total	Total Calls		>>9	
	salh_category	Category		X(8)	0
	salh_ca_int_type	Work Code		x(8)	
	salh_code	Limit Code		x(8)	
	salh_consumed_amt	Consumed Amount	Consumed	>>>>,>>>,>>9.99	10
	salh_consumed_date	Activity Date		99/99/99	
	salh_days	Days of Coverage		>,>>>,>>9	
◊	salh_domain	Domain		x(8)	
	salh_end	End Date		99/99/99	
	salh_fcg_code	Charge Code	Charge	x(8)	
	salh_file	File		x(16)	
	salh_first_activity	First Activity		99/99/99	
	salh_fis_sort	Invoice Sort		x(18)	

Field Name	Label	Col-Label	Format	Dec
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	10
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>,>>>,>>9.99<<<	10
salh_trnbr	Trans		>>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>,>>>,>>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufld1		x(8)	
salh_user2	Ufld2		x(8)	
salh__chr01	User Field #1		x(8)	
salh__chr02	User Field #2		x(8)	
salh__chr03	User Field #3		x(8)	
salh__chr04	User Field #4		x(8)	
salh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
salh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
salh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
salh__dte01	User Date #1		99/99/99	
salh__dte02	User Date #2		99/99/99	
salh__dte03	User Date #3		99/99/99	
salh__log01	User Logical #1		yes/no	
salh__log02	User Logical #2		yes/no	
salh__log03	User Logical #3		yes/no	
salh__qadc01	Qad Field #1		x(8)	
salh__qadc02	Qad Field #2		x(8)	
salh__qadc03	Qad Field #3		x(8)	
salh__qadc04	Qad Field #4		x(8)	
salh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
salh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
salh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
salh__qadd04	Qad Decimal #4		->>>,>>>,>>9.99<<<<	10
salh__qadl01	Qad Logical #1		yes/no	
salh__qadl02	Qad Logical #2		yes/no	
salh__qadl03	Qad Logical #3		yes/no	
salh__qadl04	QAD Field		yes/no	
salh__qadt01	Qad Date #1		99/99/99	
salh__qadt02	Qad Date #2		99/99/99	
salh__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_salh_hist	yes	oid_salh_hist	yes	no
Δ	salh_call	no	salh_domain	yes	no
			salh_category	yes	no
			salh_call	yes	no
			salh_itm_line	yes	no
			salh_report	yes	no
			salh_op	yes	no
			salh_usage	yes	no
			salh_trnbr	yes	no
Δ	salh_days	no	salh_domain	yes	no
			salh_file	yes	no
			salh_prefix	yes	no
			salh_nbr	yes	no
			salh_line	yes	no
			salh_type	yes	no
			salh_fis_sort	yes	no
			salh_ca_int_type	yes	no
			salh_fsc_code	yes	no
			salh_sequence	yes	no
Δ	salh_nbr	no	salh_domain	yes	no
			salh_file	yes	no
			salh_prefix	yes	no
			salh_nbr	yes	no
			salh_line	yes	no
			salh_type	yes	no
			salh_fis_sort	yes	no
			salh_ca_int_type	yes	no
			salh_fsc_code	yes	no
			salh_start	yes	no
			salh_trnbr	yes	no
Δ*	salh_trnbr	yes	salh_domain	yes	no
			salh_trnbr	yes	no

sal_mstr

Service/Support Contract Limits Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sal_bg_price	Price		->>>>,>>>,>>9.99<<<	10
	sal_budget	Budget		>>>>,>>>,>>9.99<<<	10
	sal_calls_allow	Calls Allowed		>>9	
	sal_calls_total	Total Calls		>>9	
	sal_ca_int_type	Work Code	Wk Code	x(8)	
	sal_code	Limit Code		x(8)	
	sal_days	Days of Coverage	Days	>,>>>,>>9	
◊	sal_domain	Domain		x(8)	
	sal_end	End Date		99/99/99	
	sal_fcg_code	Charge Code	Charge	x(8)	
	sal_file	File		x(16)	
	sal_first_activity	First Activity		99/99/99	
	sal_fis_sort	Invoice Sort		x(18)	
	sal_fsc_code	Service Category	Svc Cat	x(8)	
	sal_last_activity	Last Activity		99/99/99	

Field Name	Label	Col-Label	Format	Dec
sal_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
sal_line	Line		>>>>>>>9	
sal_listpr_limit	List Price Limit		>>>>,>>>,>>9.99<<<	10
sal_mod_date	Modified Date	Mod Date	99/99/99	
sal_mod_userid	User ID		X(8)	
sal_nbr	Number		x(36)	
sal_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
sal_pct_covered	Percent Covered	%Cv	>>9	10
sal_per_call	Per Call Limit	Call	yes/no	
sal_prefix			x(3)	
sal_sequence	Sequence	Seq	>>9	
sal_start	Start		99/99/99	
sal_total	Consumed		>>>>,>>>,>>9.99<<<	10
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	
sal__chr01	User Field #1		x(8)	
sal__chr02	User Field #2		x(8)	
sal__chr03	User Field #3		x(8)	
sal__chr04	User Field #4		x(8)	
sal__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__dte01	User Date #1		99/99/99	
sal__dte02	User Date #2		99/99/99	
sal__dte03	User Date #3		99/99/99	
sal__log01	User Logical #1		yes/no	
sal__log02	User Logical #2		yes/no	
sal__log03	User Logical #3		yes/no	
sal__qadc01	Qad Field #1		x(8)	
sal__qadc02	Qad Field #2		x(8)	
sal__qadc03	Qad Field #3		x(8)	
sal__qadc04	Qad Field #4		x(8)	
sal__qadd01	Qad Date #1		99/99/99	
sal__qadd02	Qad Date #2		99/99/99	
sal__qadd03	Qad Date #3		99/99/99	
sal__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__qadl01	Qad Logical #1		yes/no	
sal__qadl02	Qad Logical #2		yes/no	
sal__qadl03	Qad Logical #3		yes/no	
sal__qadl04	QAD Field		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sal_mstr	yes	oid_sal_mstr	yes	no
Δ	sal_days	no	sal_domain	yes	no
			sal_file	yes	no
			sal_prefix	yes	no
			sal_nbr	yes	no
			sal_line	yes	no
			sal_type	yes	no
			sal_fis_sort	yes	no
			sal_ca_int_type	yes	no
			sal_fsc_code	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sal_sequence	yes	no
Δ*	sal_nbr	yes	sal_domain	yes	no
			sal_file	yes	no
			sal_prefix	yes	no
			sal_nbr	yes	no
			sal_line	yes	no
			sal_type	yes	no
			sal_fis_sort	yes	no
			sal_ca_int_type	yes	no
			sal_fsc_code	yes	no
			sal_start	yes	no

sap_det

Service Contract Preventive Maintenance Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sap_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sap_act_date	Actual Date	Actual	99/99/99	
	sap_assign	Assigned		X(8)	
	sap_bom_type	BOM Type		x(8)	
	sap_ca_nbr	Call ID		x(8)	
	sap_confirmed	MRP Confirmed		yes/no	
	sap_desc	Comments		x(34)	
◊	sap_domain	Domain		x(8)	
	sap_group	Schedule Group		x(8)	
	sap_line	Contract Line		>>>>>>>9	
	sap_mod_date	Modified Date	Mod Date	99/99/99	
	sap_mod_userid	User ID		X(8)	
	sap_mrp	Link to MRP		yes/no	
	sap_nbr	Contract Number		x(8)	
	sap_prefix	Prefix		x(2)	
	sap_sched_date	Schedule Date	Schedule	99/99/99	
	sap_user1	Ufld1		x(8)	
	sap_user2	Ufld2		x(8)	
	sap__qadc01	QAD Characater Field 1		X(8)	
	sap__qadc02	QAD Character Field 2		X(8)	
	sap__qadd01	QAD Date Field 1		99/99/99	
	sap__qadd02	QAD Date Field 2		99/99/99	
	sap__qadi01	QAD Integer Field 1		->,>>>,>>9	
	sap__qadi02	QAD Integer Field 2		->,>>>,>>9	
	sap__qadl01	QAD Logical Field 1		yes/no	
	sap__qadl02	QAD Logical Field 2		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sap_det	yes	oid_sap_det	yes	no
Δ	sap_assign	no	sap_domain	yes	no
			sap_assign	yes	no
			sap_sched_date	yes	no
Δ	sap_grpsch	no	sap_domain	yes	no
			sap_nbr	yes	no
			sap_prefix	yes	no
			sap_group	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sap_sched_date	yes	no
Δ*	sap_nbrln	yes	sap_domain	yes	no
			sap_nbr	yes	no
			sap_prefix	yes	no
			sap_line	yes	no
			sap_sched_date	yes	no
Δ	sap_sched	no	sap_domain	yes	no
			sap_group	yes	no
			sap_sched_date	yes	no
			sap_prefix	yes	no
			sap_nbr	yes	no
Δ	sap_sched_date	no	sap_domain	yes	no
			sap_sched_date	yes	no

sar_mstr

Service Contract Serial Number Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sar_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	sar_domain	Domain		x(8)	
	sar_nbr	Service Contract	Contract	x(8)	
	sar_part	Item		x(18)	
	sar_prefix	Prefix	P	x(1)	
	sar_ref	Ref		x(18)	
	sar_sad_line	Contract Line		>>>>>>>9	
	sar_serial	Lot/Serial		x(18)	
	sar_user1	Ufld1		x(8)	
	sar_user2	Ufld2		x(8)	
	sar__chr01			x(8)	
	sar__chr02			x(8)	
	sar__chr03			x(8)	
	sar__dec01			->>>,>>>,>>9.99	10
	sar__dec02			->>>,>>>,>>9.99	10
	sar__dte01			99/99/99	
	sar__dte02			99/99/99	
	sar__log01			yes/no	
	sar__log02			yes/no	
	sar__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sar_mstr	yes	oid_sar_mstr	yes	no
Δ*	sar_nbrln	yes	sar_domain	yes	no
			sar_nbr	yes	no
			sar_prefix	yes	no
			sar_sad_line	yes	no
			sar_serial	yes	no
			sar_ref	yes	no
Δ	sar_serial	no	sar_domain	yes	no
			sar_prefix	yes	no
			sar_serial	yes	no
			sar_part	yes	no
			sar_ref	yes	no
			sar_nbr	yes	no
			sar_sad_line	yes	no
Δ	sar_serialref	yes	sar_domain	yes	no
			sar_part	yes	no
			sar_serial	yes	no
			sar_ref	yes	no
			sar_prefix	yes	no
			sar_nbr	yes	no
			sar_sad_line	yes	no

sa_mstr

Service Contract Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sa_area	Area		x(8)	
	sa_arrears	Bill Arrears	Arrear	yes/no	
	sa_ar_acct	AR Account	AR	x(8)	
	sa_ar_cc	Cost Ctr	CC	x(4)	
	sa_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
	sa_autornew	Auto Renew	A Renew	yes/no	
	sa_base_pct	Contract Base		>>>9.99<<<	10
	sa_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
	sa_bill_enduser	Bill End Users		yes/no	
	sa_bill_summary	Bill Summary		yes/no	
	sa_bill_to	Bill To		x(8)	
	sa_bill_type	Billing Type		x(8)	
	sa_blanket	Blanket Contract		yes/no	
	sa_bol	BOL		x(18)	
	sa_calls_allow	Calls Allowed		>>>,>>9	
	sa_calls_total	Total Calls		>>>,>>9	
	sa_call_price	Call Price List	Price	x(8)	
	sa_cancel	Cancel Date		99/99/99	
	sa_can_tax	PST Pct		->>9.99<<%	10
	sa_channel	Channel		x(8)	
	sa_cmtindx	Comment Index	Comment	>>>>>>>9	
	sa_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sa_complete	Complete	Cplt	yes/no	
	sa_conf_date	Confirmed Date	Confirmed	99/99/99	
	sa_cr_card	Credit Card	Card	x(2)	
	sa_cr_init	Cr Initials	Initials	x(2)	
	sa_cr_terms	Credit Terms	Terms	x(8)	
	sa_curr	Currency	Cur	x(3)	
	sa_cust	Customer		x(8)	
	sa_cycle	Billing Cycle	Cyc	x(2)	
	sa_date_printed	Date Printed		99/99/99	
	sa_disc_pct	Disc %		->9.99%	10
◊	sa_domain	Domain		x(8)	
	sa_enduser	End User		x(8)	
	sa_end_date	End Date		99/99/99	
	sa_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	sa_exp_date	Expire Date	Exp Date	99/99/99	
	sa_exru_seq	Sequence		>>>>>>>>9	
	sa_ext_date	Extend Date	Ext Date	99/99/9999	
	sa_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	sa_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	sa_ex_ratetype	Rate Type		x(8)	
	sa_fix_pr	Fixed Price		yes/no	
	sa_fix_rate	Fixed Rate	Fixed	yes/no	
	sa_fob	FOB Point		x(20)	
	sa_free_frm	Free Coverage From		99/99/99	
	sa_free_to	Free Coverage To		99/99/99	
	sa_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	sa_fsaccr_cc	Accrued Revenue CC		x(4)	
	sa_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	sa_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	sa_fsdef_cc	Deferred Revenue CC		x(4)	
	sa_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
sa_fst_id	FST ID		x(18)	
sa_gen_0itm	Generate 0$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_invoiced	Invoiced		yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
sa_item_enduser	Item End Users		yes/no	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Modified Date	Mod Date	99/99/99	
sa_mod_userid	User ID		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>9.99	10
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_periodic	Periodic Billing		yes/no	
sa_per_bill	Period Based Billing	PBB	yes/no	
sa_po	Purchase Order		x(20)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodline	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_0itm	Print 0$ Items		yes/no	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_release	Release To Contract	Rel	yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_revalue_date	Revaluation Date		99/99/99	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_schedule	Billing Schedule File		yes/no	
sa_sched_start	PM Start Date	Start	yes/no	
sa_serial_det	Serial Detail		yes/no	

Field Name	Label	Col-Label	Format	Dec
sa_shipvia	Ship Via		x(20)	
sa_ship_date	Ship Date		99/99/99	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_source	Order Source	Source	x(8)	
sa_so_nbr	Sales Order	Order	x(8)	
sa_stat	Action Status	St	x(2)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_summarize	Summarize		yes/no	
sa_sv_code	Service Type	Svc Type	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	10
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sa_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufld1		x(8)	
sa_user2	Ufld2		x(8)	
sa_visits	Visits		>>9	10
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sa__chr01			x(8)	
sa__chr02			x(8)	
sa__chr03			x(8)	
sa__chr04			x(8)	
sa__chr05			x(8)	
sa__chr06			x(8)	
sa__chr07			x(8)	
sa__chr08			x(8)	
sa__chr09			x(8)	
sa__chr10			x(8)	
sa__dec01			>>>,>>>,>>9.99	10
sa__dec02			>>>,>>>,>>9.99	10
sa__dec03	User Decimal Field		->>,>>9.99	10
sa__dte01			99/99/99	
sa__dte02			99/99/99	
sa__dte03	User Date Field		99/99/99	
sa__log01			yes/no	
sa__log02	User Logical field		yes/no	
sa__log03	User Logical Field		yes/no	
sa__qadc01	Qad Field #1		x(8)	
sa__qadc02	Qad Field #2		x(8)	
sa__qadc03	Qad Field #3		x(8)	
sa__qadc04	Qad Field #4		x(8)	
sa__qadc05[2]			x(8)	0
sa__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sa__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10

Field Name	Label	Col-Label	Format	Dec
sa__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sa__qadl01	Qad Logical #1		yes/no	
sa__qadl02	Qad Logical #2		yes/no	
sa__qadl03	Qad Logical #3		yes/no	
sa__qadl04	QAD Logical Field		yes/no	
sa__qadt01	Qad Date #1		99/99/99	
sa__qadt02	Qad Date #2		99/99/99	
sa__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sa_mstr	yes	oid_sa_mstr	yes	no
Δ	sa_cust	yes	sa_domain	yes	no
			sa_cust	yes	no
			sa_prefix	yes	no
			sa_nbr	yes	no
Δ	sa_enduser	no	sa_domain	yes	no
			sa_enduser	yes	no
			sa_prefix	yes	no
			sa_nbr	yes	no
Δ	sa_end_date	no	sa_domain	yes	no
			sa_end_date	yes	no
Δ*	sa_nbr	yes	sa_domain	yes	no
			sa_nbr	yes	no
			sa_prefix	yes	no
Δ	sa_po_nbr	no	sa_domain	yes	no
			sa_po	yes	no
			sa_cust	yes	no
			sa_nbr	yes	no
			sa_prefix	yes	no

sbc_mstr

Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
◊ oid_sbc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
◊ sbc_domain	Domain		x(8)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	
sbc_qty_bill	Qty to Bill		->,>>>,>>9.9<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	
sbc__chr01			x(8)	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc__qadc01	QAD Character Field 1		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	sbc__qadc02	QAD Character Field 2		X(8)	
	sbc__qadc03	QAD Character Field 3		X(8)	
	sbc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
	sbc__qadl01	QAD Logical Field 1		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbc_mstr	yes	oid_sbc_mstr	yes	no
Δ∗	sbc_code	yes	sbc_domain	yes	no
			sbc_code	yes	no

sbd_det

Sub-Account/Account Validation Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sbd_acc_beg	Range of Accounts	From! Account	x(8)	
	sbd_acc_end	To	To! Account	x(8)	
	sbd_line	Line		>>9	
	sbd_sub	Sub-Account	Sub-Acct	x(8)	
	sbd_user1	Ufld1		x(8)	
	sbd_user2	Ufld2		x(8)	
	sbd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbd_det	yes	oid_sbd_det	yes	no
∗	sbd_index	yes	sbd_sub	yes	no
			sbd_line	yes	no

sbic_ctl

Self-Bill Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sbic_ctl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sbic_active	Enable Self-Billing		yes/no	
◊	sbic_domain	Domain		x(8)	
	sbic_index1	Index		>>>>>9	
	sbic_next_sb	Next Self-Bill		>>>>>>>>>>>>>>>>>>9	
	sbic_prefix	Self-Bill Prefix		X(3)	
	sbic_user1	Ufld1		X(8)	
	sbic_user2	Ufld2		X(8)	
	sbic_user3			X(8)	
	sbic_user4			X(8)	
	sbic__qadc01			X(8)	
	sbic__qadc02			X(8)	
	sbic__qadc03			X(8)	
	sbic__qadc04			X(8)	
	sbic__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	sbic__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
sbic__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadi01			>>>>>>9	
sbic__qadi02			>>>>>>9	
sbic__qadi03			>>>>>>9	
sbic__qadi04			>>>>>>9	
sbic__qadl01			yes/no	
sbic__qadl02			yes/no	
sbic__qadl03			yes/no	
sbic__qadl04			yes/no	
sbic__qadt01			99/99/99	
sbic__qadt02			99/99/99	
sbic__qadt03			99/99/99	
sbic__qadt04			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbic_ctl	yes	oid_sbic_ctl	yes	no
Δ*	sbic_index1	yes	sbic_domain	yes	no

sbid_det

Self-Bill Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sbid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sbid_amt	Paid Amount		->>>>,>>>,>>9.99<<<	10
	sbid_authorization	Authorization		x(24)	
	sbid_bill	Bill-To		x(8)	
	sbid_cust	Sold-To		x(8)	
	sbid_custref	Customer Ref		x(30)	
◊	sbid_domain	Domain		x(8)	
	sbid_inv_nbr	Invoice/Memo	Inv/Memo	x(8)	
	sbid_line	Line		>>>,>>9	
	sbid_modelyr	Model Year		x(4)	
	sbid_mod_date	Modified Date	Mod Date	99/99/99	
	sbid_mod_userid	User ID		X(8)	
	sbid_nbr	Self-Bill		x(20)	
	sbid_order	Sales Order	SO	x(8)	
	sbid_origin	Origin	O	x(1)	
	sbid_part	Self-Bill Item		x(30)	
	sbid_po	Customer PO		x(22)	
	sbid_price	Paid Price		>>,>>>,>>9.99<<<	10
	sbid_qty	Paid Qty		->,>>>,>>9.9<<<<<<<<	10
	sbid_remarks	Remarks		x(40)	
	sbid_ship_id	Shipper		x(20)	
	sbid_tax_amt	Tax Amt		->>>>,>>>,>>9.99<<<	10
	sbid_tax_pct	Tax Rate		->>9.99<<%	10
	sbid_trnbr	Trans		>>>>>>>>	
	sbid_type	Type	T	x(1)	
	sbid_um	UM		x(2)	
	sbid_user1	Ufld1		X(8)	
	sbid_user2	Ufld2		X(8)	
	sbid_user3			X(8)	

Field Name	Label	Col-Label	Format	Dec
sbid_user4			X(8)	
sbid_user5			X(8)	
sbid_user6			X(8)	
sbid_user7			X(8)	
sbid__qadc01			X(8)	
sbid__qadc02			X(8)	
sbid__qadc03			X(8)	
sbid__qadc04			X(8)	
sbid__qadc05			X(8)	
sbid__qadc06			X(8)	
sbid__qadc07			X(8)	
sbid__qadc08			X(8)	
sbid__qadc09			X(8)	
sbid__qadc10			X(8)	
sbid__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadi01			>>>>>>9	
sbid__qadi02			>>>>>>9	
sbid__qadi03			>>>>>>9	
sbid__qadi04			>>>>>>9	
sbid__qadi05			>>>>>>9	
sbid__qadl01			yes/no	
sbid__qadl02			yes/no	
sbid__qadl03			yes/no	
sbid__qadl04			yes/no	
sbid__qadl05			yes/no	
sbid__qadt01			99/99/99	
sbid__qadt02			99/99/99	
sbid__qadt03			99/99/99	
sbid__qadt04			99/99/99	
sbid__qadt05			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbid_det	yes	oid_sbid_det	yes	no
Δ	sbid_authorization	no	sbid_domain	yes	no
			sbid_authorization	yes	no
Δ	sbid_inv_nbr	no	sbid_domain	yes	no
			sbid_inv_nbr	yes	no
Δ*	sbid_nbr_line	yes	sbid_domain	yes	no
			sbid_bill	yes	no
			sbid_nbr	yes	no
			sbid_line	yes	no
Δ	sbid_order	no	sbid_domain	yes	no
			sbid_order	yes	no
Δ	sbid_part	no	sbid_domain	yes	no
			sbid_part	yes	no
			sbid_type	yes	no
Δ	sbid_ship_id	no	sbid_domain	yes	no
			sbid_ship_id	yes	no
Δ	sbid_trnbr	no	sbid_domain	yes	no
			sbid_trnbr	yes	no

sbi_mstr Self-Bill Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sbi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sbi_amt	Amt Total		->>>>,>>>,>>9.99<<<	10
	sbi_bill	Bill-To		x(8)	
	sbi_check	Check		x(8)	
	sbi_ctrl_amt	Amt Control Total		->>>>,>>>,>>9.99<<<	10
	sbi_curr	Currency	Cur	x(3)	
◊	sbi_domain	Domain		x(8)	
	sbi_lines	Lines		>>>>>9	
	sbi_mod_date	Modified Date	Mod Date	99/99/99	
	sbi_mod_userid	User ID		X(8)	
	sbi_nbr	Self-Bill		x(20)	
	sbi_resp_date	Response Date	Response	99/99/99	
	sbi_user1	Ufld1		X(8)	
	sbi_user2	Ufld2		X(8)	
	sbi_user3			X(8)	
	sbi_user4			X(8)	
	sbi_user5			X(8)	
	sbi_xmission	Transmission		x(20)	
	sbi__qadc01			X(8)	
	sbi__qadc02			X(8)	
	sbi__qadc03			X(8)	
	sbi__qadc04			X(8)	
	sbi__qadc05			X(8)	
	sbi__qadc06			X(8)	
	sbi__qadc07			X(8)	
	sbi__qadc08			X(8)	
	sbi__qadc09			X(8)	
	sbi__qadc10			X(8)	
	sbi__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	sbi__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	sbi__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
	sbi__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
	sbi__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
	sbi__qadi01			>>>>>>9	
	sbi__qadi02			>>>>>>9	
	sbi__qadi03			>>>>>>9	
	sbi__qadi04			>>>>>>9	
	sbi__qadi05			>>>>>>9	
	sbi__qadl01			yes/no	
	sbi__qadl02			yes/no	
	sbi__qadl03			yes/no	
	sbi__qadl04			yes/no	
	sbi__qadl05			yes/no	
	sbi__qadt01			99/99/99	
	sbi__qadt02			99/99/99	
	sbi__qadt03			99/99/99	
	sbi__qadt04			99/99/99	
	sbi__qadt05			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbi_mstr	yes	oid_sbi_mstr	yes	no
Δ	sbi_check	no	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_check	yes	no
			sbi_nbr	yes	no
Δ*	sbi_nbr	yes	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_nbr	yes	no
Δ	sbi_xmission	no	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_xmission	yes	no
			sbi_nbr	yes	no

sb_mstr

Sub-Account Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sb_active	Active	Act	yes/no	
	sb_desc	Description		x(24)	
◊	sb_domain	Domain		x(8)	
	sb_sub	Sub-Account	Sub-Acct	x(8)	
	sb_user1	Ufld1		x(8)	
	sb_user2	Ufld2		x(8)	
	sb__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sb_mstr	yes	oid_sb_mstr	yes	no
Δ	sb_desc	no	sb_domain	yes	no
			sb_desc	yes	no
Δ*	sb_sub	yes	sb_domain	yes	no
			sb_sub	yes	no
			sb_active	yes	no

sca_mstr

Service Contract Additional Charge Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sca_amount	Amount		>>>>,>>>,>>9.99<<<	10
	sca_amt_type	Amount Type		x(1)	
	sca_cycle	Billing Cycle		x(8)	
	sca_desc	Description		x(40)	
◊	sca_domain	Domain		x(8)	
	sca_expire	Expire Date		99/99/99	
	sca_mod_date	Modified Date	Mod Date	99/99/99	
	sca_mod_userid	User ID		X(8)	
	sca_part	Item		x(18)	

Field Name	Label	Col-Label	Format	Dec
sca_pct_type	Percent Type		x(8)	
sca_priority	Priority		>>9	
sca_prodline	Product Line	Line	x(4)	
sca_service	Service Type		x(8)	
sca_start	Start Date		99/99/99	
sca_user1	Ufld1		x(8)	
sca_user2	Ufld2		x(8)	
sca__chr01	User Character Field 1		X(8)	
sca__chr02	User Character Field 2		X(8)	
sca__chr03	User Character Field 3		X(8)	
sca__dec01	User Decimal Field 1		->>>>,>>>,>>9.99	10
sca__dte01	User Date Field 1		99/99/99	
sca__dte02	User Date Field 2		99/99/99	
sca__qadc01	QAD Character Field 1		X(8)	
sca__qadc02	QAD Character Field 2		X(8)	
sca__qadc03	QAD Character Field 3		X(8)	
sca__qade01	QAD Decimal Field 1		->>>>,>>>,>>9.99	10
sca__qadt01	QAD Date Field 1		99/99/99	
sca__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sca_mstr	yes	oid_sca_mstr	yes	no
Δ	sca_part	no	sca_domain	yes	no
			sca_part	yes	no
			sca_service	yes	no
Δ*	sca_service	yes	sca_domain	yes	no
			sca_service	yes	no
			sca_part	yes	no

scc_mstr

Customer/Ship-To Shipment Controls Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_scc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	scc_active	Enable Shipment Performance		yes/no	
	scc_customer_source	Customer Source		x(3)	
◊	scc_domain	Domain		x(8)	
	scc_include_do	Include Distribution Orders		yes/no	
	scc_include_mo	Include Material Orders		yes/no	
	scc_include_rma	Include RMA Shipments		yes/no	
	scc_include_sched	Include Scheduled Orders		yes/no	
	scc_include_so	Include Sales Orders		yes/no	
	scc_mod_date	Modified Date	Mod Date	99/99/99	
	scc_mod_userid	User ID		X(8)	
	scc_part	Item Number		x(18)	
	scc_receive_addr	Receive Address		x(8)	
	scc_sched_type	Schedule Type		>9	
	scc_shipfrom	Ship-From		x(8)	
	scc_ship_lt	Transit Lead Time		>>9	
	scc_user1	User Field Character 1		X(24)	

Field Name	Label	Col-Label	Format	Dec
scc_user2	User Field Character 2		X(24)	
scc_use_current	Use Current Release		yes/no	
scc__qadc01			X(24)	
scc__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_scc_mstr	yes	oid_scc_mstr	yes	no
Δ*	scc_customer_source	yes	scc_domain	yes	no
			scc_customer_source	yes	no
			scc_shipfrom	yes	no
			scc_receive_addr	yes	no
			scc_part	yes	no

schd_det

Release Management Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_schd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	schd_all_qty	Qty Pegged		>,>>>,>>9.9<<<<	10
	schd_cmtindx	Comment Index	Comment	>>>>>>>9	
	schd_cum_qty	Cumulative Qty		>>>,>>>,>>9.9<<<<<<	10
	schd_date	Date		99/99/99	
	schd_discr_qty	Discrete Qty		>>,>>>,>>9.9<<<<<<<	10
◊	schd_domain	Domain		x(8)	
	schd_fc_qual	Q		x(1)	
	schd_interval	Interval		x(1)	
	schd_line	Line	Ln	>>9	
	schd_nbr	Order	Sls Order	x(8)	
	schd_per_date	Perform Date	Perform	99/99/99	
	schd_reference	Reference		x(24)	
	schd_reference_type	Reference Type	Ref! Type	x(2)	
	schd_rlse_id	Release ID		x(30)	
	schd_ship_qty	Qty Shipped		>>,>>>,>>9.9<<<<<<<	10
	schd_time	Time		99:99	
	schd_type	Schedule Type		>9	
	schd_upd_qty	Quantity		>>,>>>,>>9.9<<<<<<<	10
	schd_user1	Ufld1		x(8)	
	schd_user2	Ufld2		x(8)	
	schd__chr01			x(8)	
	schd__chr02			x(8)	
	schd__chr03			x(8)	
	schd__chr04			x(8)	
	schd__chr05			x(8)	
	schd__chr06			x(8)	
	schd__chr07			x(8)	
	schd__chr08			x(8)	
	schd__chr09			x(8)	
	schd__chr10			x(8)	
	schd__dec01			>>>,>>>,>>9.99	10
	schd__dec02			>>>,>>>,>>9.99	10
	schd__dec03			>>>,>>>,>>9.99	10
	schd__dec04			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	schd__dec05			>>>,>>>,>>9.99	10
	schd__dec06			>>>,>>>,>>9.99	10
	schd__dec07			>>>,>>>,>>9.99	10
	schd__dec08			>>>,>>>,>>9.99	10
	schd__dec09			>>>,>>>,>>9.99	10
	schd__dec10			>>>,>>>,>>9.99	10
	schd__dte01			99/99/99	
	schd__dte02			99/99/99	
	schd__log01			yes/no	
	schd__log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_schd_det	yes	oid_schd_det	yes	no
Δ*	schd_dtr	yes	schd_domain	yes	no
			schd_type	yes	no
			schd_nbr	yes	no
			schd_line	yes	no
			schd_rlse_id	yes	no
			schd_date	yes	no
			schd_time	yes	no
			schd_interval	yes	no
			schd_reference	yes	no

sch_mstr

Release Management Schedule Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sch_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sch_cmtindx	Comment Index	Comment	>>>>>>>9	
	sch_cr_date	Create Date		99/99/99	
	sch_cr_time	Create Time		>>>>9	
	sch_cumulative	Cumulative	Cum	yes/no	
◊	sch_domain	Domain		x(8)	
	sch_eff_end	Effective End		99/99/99	
	sch_eff_start	Effective Start		99/99/99	
	sch_fab_end	Fab End		99/99/99	
	sch_fab_qty	Fab Qty		>>>,>>>,>>9.9<<<<<<	10
	sch_fab_strt	Fab Start		99/99/99	
	sch_from_pid	From Plan Id		x(30)	
	sch_from_sid	From Ship Id		x(30)	
	sch_line	Line	Ln	>>9	
	sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
	sch_lr_cum_qty[10]	Cum Receipt Qty		>>>,>>>,>>9.9<<<<<<<<	10
	sch_lr_date[10]	Receipt Date		99/99/99	
	sch_lr_qty[10]	Receipt Qty		>>>,>>>,>>9.9<<<<<<<<	10
	sch_lr_time[10]	Time		99:99	
	sch_nbr	Order	Sls Order	x(8)	
	sch_pcr_qty	Prior Cum Req		>>>,>>>,>>9.9<<<<<<	10
	sch_pcs_date	Prior Cum Date		99/99/99	
	sch_pdr_qty	Prior Discrete Req		>>>,>>>,>>9.9<<<<<<	10
	sch_prp_ext	Ext Purpose Code		x(10)	
	sch_prp_int	Int Purpose Code		x(10)	

Field Name	Label	Col-Label	Format	Dec
sch_raw_end	Raw End		99/99/99	
sch_raw_qty	Raw Qty		>>>,>>>,>>9.9<<<<<<	10
sch_raw_strt	Raw Start		99/99/99	
sch_rlse_id	Release ID		x(30)	
sch_sd_dates	Schedule Date Type		Ship/Delivery	
sch_sd_pat	Ship/Dlvy Pattern		x(2)	
sch_sd_time	Ship/Dlvy Time		x(2)	
sch_ship	Ship To		x(8)	
sch_type	Schedule Type		>9	
sch_user1	Ufld1		x(8)	
sch_user2	Ufld2		x(8)	
sch__chr01			x(8)	
sch__chr02			x(8)	
sch__chr03			x(8)	
sch__chr04			x(8)	
sch__chr05			x(8)	
sch__chr06			x(8)	
sch__chr07			x(8)	
sch__chr08			x(8)	
sch__chr09			x(8)	
sch__chr10			x(8)	
sch__dec01			>>>,>>>,>>9.99	10
sch__dec02			>>>,>>>,>>9.99	10
sch__dec03			>>>,>>>,>>9.99	10
sch__dec04			>>>,>>>,>>9.99	10
sch__dec05			>>>,>>>,>>9.99	10
sch__dec06			>>>,>>>,>>9.99	10
sch__dec07			>>>,>>>,>>9.99	10
sch__dec08			>>>,>>>,>>9.99	10
sch__dec09			>>>,>>>,>>9.99	10
sch__dec10			>>>,>>>,>>9.99	10
sch__dte01			99/99/99	
sch__dte02			99/99/99	
sch__log01			yes/no	
sch__log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sch_mstr	yes	oid_sch_mstr	yes	no
Δ	sch_cr_date	no	sch_domain	yes	no
			sch_type	yes	no
			sch_nbr	yes	no
			sch_line	yes	no
			sch_cr_date	yes	no
			sch_cr_time	yes	no
Δ*	sch_tnlr	yes	sch_domain	yes	no
			sch_type	yes	no
			sch_nbr	yes	no
			sch_line	yes	no
			sch_rlse_id	yes	no

sct_det

Cost Simulation Total Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sct_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sct_bdn_ll	Burden LL		>>>>,>>>,>>9.99<<<	10
	sct_bdn_tl	Burden		>>>>,>>>,>>9.99<<<	10
	sct_cost_changed	Cost Changed		yes/no	
	sct_cst_date	Cost Update	Updated	99/99/99	
	sct_cst_tot	Cost Total		>>>>,>>>,>>9.99<<<	10
◊	sct_domain	Domain		x(8)	
	sct_lbr_ll	Labor LL		>>>>,>>>,>>9.99<<<	10
	sct_lbr_tl	Labor		>>>>,>>>,>>9.99<<<	10
	sct_mtl_ll	Material LL		>>>>,>>>,>>9.99<<<	10
	sct_mtl_tl	Material		>>>>,>>>,>>9.99<<<	10
	sct_nrv	Net Realized Value	NR! Value	>>>>,>>>,>>9.99<<<	10
	sct_ovh_ll	Overhead LL		>>>>,>>>,>>9.99<<<	10
	sct_ovh_tl	Overhead		>>>>,>>>,>>9.99<<<	10
	sct_part	Item Number		x(18)	
	sct_rollup	Freeze	Frz	yes/no	
	sct_rollup_id	Rollup ID		x(18)	
	sct_serial	Lot/Serial		x(18)	
	sct_sim	Cost Set		x(8)	
	sct_site	Site		x(8)	
	sct_sub_ll	Subcontract LL		>>>>,>>>,>>9.99<<<	10
	sct_sub_tl	Subcontract		>>>>,>>>,>>9.99<<<	10
	sct_user1	Ufld1		x(8)	
	sct_user2	Ufld2		x(8)	
	sct__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sct_det	yes	oid_sct_det	yes	no
Δ	sct_part_sim	no	sct_domain	yes	no
			sct_part	yes	no
			sct_sim	yes	no
Δ*	sct_sim_pt_site	yes	sct_domain	yes	no
			sct_sim	yes	no
			sct_part	yes	no
			sct_site	yes	no
Δ	sct_site_part	no	sct_domain	yes	no
			sct_site	yes	no
			sct_part	yes	no
Δ	sct_site_sim	no	sct_domain	yes	no
			sct_site	yes	no
			sct_sim	yes	no

scx_ref

Scheduled Order Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	oid_scx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	scx_custref	Customer Ref		x(30)	
◊	scx_domain	Domain		x(8)	
	scx_line	Line		scx_modelyr	Model Year
	x(4)				
	scx_order	Order		x(8)	
	scx_part	Item Number		x(18)	
	scx_po	Purchase Order		x(22)	
	scx_qkey	Quick Key		x(8)	
	scx_shipfrom			x(8)	
	scx_shipto			x(8)	
	scx_type			9	
	scx_user1	Ufld1		x(8)	
	scx_user2	Ufld2		x(8)	
	scx__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_scx_ref	yes	oid_scx_ref	yes	no
Δ	scx_order	yes	scx_domain	yes	no
			scx_type	yes	no
			scx_order	yes	no
			scx_line	yes	no
Δ	scx_po	no	scx_domain	yes	no
			scx_type	yes	no
			scx_po	yes	no
			scx_part	yes	no
			scx_shipto	yes	no
			scx_shipfrom	yes	no
Δ*	scx_shipfrom	yes	scx_domain	yes	no
			scx_type	yes	no
			scx_shipfrom	yes	no
			scx_shipto	yes	no
			scx_part	yes	no
			scx_custref	yes	no
			scx_po	yes	no
			scx_modelyr	yes	no

sc_mstr

Cost Simulation Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sc_category	Category		x(1)	
	sc_desc	Description		x(24)	
◊	sc_domain	Domain		x(8)	
	sc_element	Cost Element	Element	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sc_sim	Cost Set		x(8)	
	sc_user1	Ufld1		x(8)	
	sc_user2	Ufld2		x(8)	
	sc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sc_mstr	yes	oid_sc_mstr	yes	no
Δ	sc_sim_cat	no	sc_domain	yes	no
			sc_sim	yes	no
			sc_category	yes	no
Δ*	sc_sim_elem	yes	sc_domain	yes	no
			sc_sim	yes	no
			sc_element	yes	no

sdtd_det

Shipping Delivery Time Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sdtd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	sdtd_code	SDT Code		x(3)	
◊	sdtd_domain	Domain		x(8)	
	sdtd_mod_date	Modified Date	Mod Date	99/99/99	
	sdtd_mod_userid	User ID		x(8)	
	sdtd_time	SDT Time		99:99	
	sdtd__chr01			x(8)	
	sdtd__chr02			x(8)	
	sdtd__dec01			->>>,>>>,>>9.99<	10
	sdtd__dec02			->>>,>>>,>>9.99<	10
	sdtd__dte01			99/99/99	
	sdtd__dte02			99/99/99	
	sdtd__log01			yes/no	
	sdtd__qadc01			x(8)	
	sdtd__qadc02			x(8)	
	sdtd__qadd01			->>>,>>>,>>9.99<	10
	sdtd__qadd02			->>>,>>>,>>9.99<	10
	sdtd__qadi01			>>>>>>9	
	sdtd__qadi02			>>>>>>9	
	sdtd__qadl01			yes/no	
	sdtd__qadl02			yes/no	
	sdtd__qadt01			99/99/99	
	sdtd__qadt02			99/99/99	
	sdtd__user1			x(8)	
	sdtd__user2			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sdtd_det	yes	oid_sdtd_det	yes	no
Δ*	sdtd_code	yes	sdtd_domain	yes	no
			sdtd_code	yes	no
			sdtd_time	yes	no

sdt_mstr

Shipping Delivery Time Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sdt_code	SDT Code		X(3)	
	sdt_desc	SDT Description		x(40)	
◊	sdt_domain	Domain		x(8)	
	sdt_mod_date	Modified Date	Mod Date	99/99/99	
	sdt_mod_userid	User ID		x(8)	
	sdt__chr01			x(8)	
	sdt__chr02			x(8)	
	sdt__dec01			->>>,>>>,>>9.99<	10
	sdt__dec02			->>>,>>>,>>9.99<	10
	sdt__dte01			99/99/99	
	sdt__dte02			99/99/99	
	sdt__log01			yes/no	
	sdt__log02			yes/no	
	sdt__qadc01			x(8)	
	sdt__qadc02			x(8)	
	sdt__qadd01			->>>,>>>,>>9.99<	10
	sdt__qadd02			->>>,>>>,>>9.99<	10
	sdt__qadi01			>>>>>>9	
	sdt__qadi02			>>>>>>9	
	sdt__qadl01			yes/no	
	sdt__qadl02			yes/no	
	sdt__qadt01			99/99/99	
	sdt__qadt02			99/99/99	
	sdt__user1			x(8)	
	sdt__user2			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sdt_mstr	yes	oid_sdt_mstr	yes	no
Δ*	sdt_code	yes	sdt_domain	yes	no
			sdt_code	yes	no

sd_mstr

Sales Order Discount Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sd_acct	Account		x(8)	
	sd_amt	Amount		->,>>>,>>9.	0
	sd_cc	Cost Ctr	CC	x(4)	
	sd_curr	Currency	Cur	x(3)	
	sd_cust	Customer		x(8)	
	sd_disc_pct	Disc Percent	Disc%	->>9.<<	10
◊	sd_domain	Domain		x(8)	
	sd_expire	Expire		99/99/99	
	sd_ls_type	Customer Type	Cust Typ	x(8)	
	sd_prodline	Product Line	Line	x(4)	
	sd_start	Start		99/99/99	
	sd_sub	Sub-Account	Sub-Acct	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sd_type	Type		x(8)	
	sd_user1	Ufld1		x(8)	
	sd_user2	Ufld2		x(8)	
	sd__chr01			x(8)	
	sd__chr02			x(8)	
	sd__qad01			x(8)	
	sd__qad02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sd_mstr	yes	oid_sd_mstr	yes	no
Δ	sd_cust	no	sd_domain	yes	no
			sd_ls_type	yes	no
			sd_cust	yes	no
			sd_type	yes	no
			sd_amt	yes	no
Δ*	sd_type	yes	sd_domain	yes	no
			sd_type	yes	no
			sd_amt	yes	no
			sd_start	yes	no

seoc_ctrl Material Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_seoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	seoc_all_days	Allocate MO Lines Due in Days		>>>>>9	
	seoc_bo_advice	Next Back Order Advice		>>>>>>>>9	
	seoc_confirm	Confirmed Orders		yes/no	
	seoc_consume	Consume Forecast	Consume Fcst	yes/no	
	seoc_det_all	Detail Allocations		yes/no	
	seoc_dnote	Next Delivery Note		>>>>>>>>9	
◊	seoc_domain	Domain		x(8)	
	seoc_ex_ratetype	Rate Type		x(8)	
	seoc_hcmmts	MO Header Comments		yes/no	
	seoc_immed_ship	Ship Immed		yes/no	
	seoc_index1	Index		>>>>>9	
	seoc_int_cust	Internal Customer		X(8)	
	seoc_kit_auto	Autonumbering for Kits		yes/no	
	seoc_kit_nbr	Next Kit Number		>>>>>>9	
	seoc_kit_pre	Kit Prefix		X(8)	
	seoc_lcmmts	MO Line Comments		yes/no	
	seoc_ln_fmt	Ln Format S/M		single/multi	
	seoc_mod_date	Modified Date	Mod Date	99/99/99	
	seoc_mod_userid	User ID		X(8)	
	seoc_req	Required Qty Reduces Qty Avail		yes/no	
	seoc_ship_to	Ship To		User/Engineer	
	seoc_shp_lead	Shipping Lead Time		>>>9	
	seoc_so	Next Material Order		>>>>>>>9	
	seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
	seoc_so_pre	Material Order Prefix	Pre	x(3)	
	seoc_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
seoc_user2	Ufld2		X(8)	
seoc__chr01			x(8)	
seoc__chr02			x(8)	
seoc__chr03			x(8)	
seoc__chr04			x(8)	
seoc__chr05			x(8)	
seoc__dec01			>>>,>>>,>>9.99	10
seoc__dec02			>>>,>>>,>>9.99	10
seoc__dte01			99/99/99	
seoc__dte02			99/99/99	
seoc__log01			yes/no	
seoc__log02			yes/no	
seoc__qadc02	QAD Character Field 2		X(8)	
seoc__qadc03	QAD Character Field 3		x(8)	
seoc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
seoc__qadd02	QAD Decimal Field 2		->>,>>9.99	10
seoc__qadi01	QAD Field		->,>>>,>>9	
seoc__qadi02	QAD Integer Field 2		->,>>>,>>9	
seoc__qadl01	QAD Logical Field		yes/no	
seoc__qadl02	QAD Logical Field 2		yes/no	
seoc__qadt01	QAD Date Field 1		99/99/99	
seoc__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_seoc_ctrl	yes	oid_seoc_ctrl	yes	no
Δ*	seoc_index1	yes	seoc_domain	yes	no

seq_mstr

Production Line Schedule Sequence Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_seq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	seq_domain	Domain		x(8)	
	seq_due_date	Due Date		99/99/99	
	seq_line	Line		x(8)	
	seq_mode	Mode		yes/no	
	seq_mode_qty			->,>>>,>>9.99	10
	seq_part			x(18)	
	seq_priority			>>9.99	10
	seq_qty_req	Qty Req		->,>>>,>>9.99	10
	seq_release	Release Date		99/99/99	
	seq_shift1	Shift1		>>>9.99	
	seq_shift2	Shift2		>>>9.99	10
	seq_shift3	Shift3		>>>9.99	10
	seq_shift4	Shift4		>>>9.99	10
	seq_site	Site		x(8)	
	seq_start	Start Date		99/99/99	
	seq_type	Type		Forward/Backward	
	seq_user1	Ufld1		x(8)	
	seq_user2	Ufld2		x(8)	
	seq__chr01			x(8)	
	seq__chr02			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	seq__chr03			x(8)	
	seq__chr04			x(8)	
	seq__chr05			x(8)	
	seq__dec01			>>>,>>>,>>9.99	10
	seq__dec02			>>>,>>>,>>9.99	10
	seq__dec03			>>>,>>>,>>9.99	10
	seq__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_seq_mstr	yes	oid_seq_mstr	yes	no
Δ	seq_sequence	yes	seq_domain	yes	no
			seq_site	yes	no
			seq_line	yes	no
			seq_priority	yes	no
Δ*	seq_site	yes	seq_domain	yes	no
			seq_site	yes	no
			seq_line	yes	no
			seq_part	yes	no
			seq_due_date	yes	no

sfb_det

Service/Support Billing Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sfb_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sfb_ca_opn_date			99/99/99	
	sfb_cmtindx	Comment Index	Comment	>>>>>>>9	
	sfb_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	sfb_desc	Description		x(24)	
	sfb_detail			yes/no	
◊	sfb_domain	Domain		x(8)	
	sfb_exchange	Exchange		yes/no	
	sfb_exg_price	Exchange Price		->>>>,>>>,>>9.99<<<	10
	sfb_fcg_code	Charge Code	Charge	x(8)	
	sfb_fis_column	Column	Col	>>9	
	sfb_fis_sort	Type		x(18)	
	sfb_fixed_cost			>>>>,>>>,>>9.99<<<	10
	sfb_fixed_price			->>>,>>>,>>9.99<<<	10
	sfb_fsc_code	Service Category	Svc Cat	x(8)	
	sfb_invoice_cost			>>>>,>>>,>>9.99<<<	10
	sfb_line	Line		>>>9	
	sfb_mod_date	Modified Date	Mod Date	99/99/99	
	sfb_mod_userid	User ID		X(8)	
	sfb_nbr			x(8)	
	sfb_op	Operation	Op	>>>>>9	
	sfb_part	Item		x(18)	
	sfb_price	List Price		->>>,>>>,>>9.99<<<	10
	sfb_price_on_inv	Price on Invoice		yes/no	
	sfb_pst	PST Taxable		yes/no	
	sfb_pt_type			>>9	
	sfb_qty_billed	Qty Billed		->>>,>>9.9<	10
	sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>,>>9.9<	10

Field Name	Label	Col-Label	Format	Dec
sfb_qty_on_inv	Qty on Invoice		yes/no	
sfb_qty_req	Qty Required		->>>,>>9.9<<	10
sfb_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_taxable	Taxable		yes/no	
sfb_taxc	Tax Class		x(8)	0
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	
sfb_tax_usage	Tax Usage		x(8)	0
sfb_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	Ufld1		X(8)	
sfb_user2	Ufld2		X(8)	
sfb__chr01	User Field #1		x(8)	
sfb__chr02	User Field #2		x(8)	
sfb__chr03	User Field #3		x(8)	
sfb__chr04	User Field #4		x(8)	
sfb__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb__dte01	User Date #1		99/99/99	
sfb__dte02	User Date #2		99/99/99	
sfb__dte03	User Date #3		99/99/99	
sfb__log01	User Logical #1		yes/no	
sfb__log02	User Logical #2		yes/no	
sfb__log03	User Logical #3		yes/no	
sfb__qadc01	QAD Character Field		x(8)	0
sfb__qadc02	Qad Field #2		x(8)	
sfb__qadc03	Qad Field #3		x(8)	
sfb__qadc04	QAD Character Field		x(8)	0
sfb__qadd01	Qad Date #1		99/99/99	
sfb__qadd02	Qad Date #2		99/99/99	
sfb__qadd03	Qad Date #3		99/99/99	
sfb__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb__qadl01	QAD Logical Field		yes/no	
sfb__qadl02	QAD Logical Field		yes/no	
sfb__qadl03	QAD Logical Field		yes/no	
sfb__qadl04	QAD Logical Field		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sfb_det	yes	oid_sfb_det	yes	no
Δ*	sfb_line	yes	sfb_domain	yes	no
			sfb_nbr	yes	no
			sfb_so_line	yes	no
			sfb_pt_type	yes	no
			sfb_fis_sort	yes	no
			sfb_line	yes	no
Δ	sfb_report	no	sfb_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sfb_report	yes	no
		sfb_op	yes	no
		sfb_part	yes	no
		sfb_line	yes	no

sfh_hist

Service/Support Billing History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sfh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sfh_ca_opn_date			99/99/99	
	sfh_cmtindx	Comment Index	Comment	>>>>>>>9	
	sfh_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	sfh_desc	Description		x(24)	
	sfh_detail			yes/no	
◊	sfh_domain	Domain		x(8)	
	sfh_exchange	Exchange		yes/no	
	sfh_exg_price	Exchange Price		->>>>,>>>,>>9.99<<<	10
	sfh_fcg_code	Charge Code	Charge	x(8)	
	sfh_fis_column	Column	Col	>>9	
	sfh_fis_sort	Type		x(18)	
	sfh_fixed_cost			>>>>,>>>,>>9.99<<<	10
	sfh_fixed_price			->>>,>>>,>>9.99<<<	10
	sfh_fsc_code	Service Category	Svc Cat	x(8)	
	sfh_invoice_cost			>>>>,>>>,>>9.99<<<	10
	sfh_inv_nbr	Invoice		x(8)	
	sfh_line	Line		>>>9	
	sfh_mod_date	Modified Date	Mod Date	99/99/99	
	sfh_mod_userid	User ID		X(8)	
	sfh_nbr			x(8)	
	sfh_op	Operation	Op	>>>>>9	
	sfh_part	Item		x(18)	
	sfh_price	List Price		->>>,>>>,>>9.99<<<	10
	sfh_price_on_inv	Price on Invoice		yes/no	
	sfh_pst	PST Taxable		yes/no	
	sfh_pt_type			>>9	
	sfh_qty_billed	Qty Billed		->>>,>>9.9<	10
	sfh_qty_inv	Qty to Invoice	Qty to Inv	->>>,>>9.9<	10
	sfh_qty_on_inv	Qty on Invoice		yes/no	
	sfh_qty_req	Qty Required		->>>,>>9.9<<	10
	sfh_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
	sfh_report	Report		X(8)	
	sfh_ret_serial	Returned Serial		X(18)	
	sfh_serial	Serial		x(18)	
	sfh_so_line	SO Line		>>>9	
	sfh_taxable	Taxable		yes/no	
	sfh_taxc	Tax Class		x(8)	0
	sfh_tax_env	Tax Environment		X(16)	0
	sfh_tax_in	Tax In		yes/no	
	sfh_tax_usage	Tax Usage		x(8)	0
	sfh_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
	sfh_trnbr	Transaction		>>>>>>>>>9	
	sfh_um	UM		x(2)	
	sfh_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
sfh_user2	Ufld2		X(8)	
sfh__chr01	User Character Field #1		x(8)	0
sfh__chr02	User Character Field #2		x(8)	0
sfh__chr03	User Character Field #3		x(8)	0
sfh__chr04	User Character Field #4		x(8)	0
sfh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sfh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sfh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sfh__dte01	User Date #1		99/99/99	
sfh__dte02	User Date #2		99/99/99	
sfh__dte03	User Date #3		99/99/99	
sfh__log01	User Logical #1		yes/no	
sfh__log02	User Logical #2		yes/no	
sfh__log03	User Logical #3		yes/no	
sfh__qadc01	QAD Character Field		x(8)	0
sfh__qadc02	Qad Field #2		x(8)	
sfh__qadc03	Qad Field #3		x(8)	
sfh__qadc04	QAD Character Field		x(8)	0
sfh__qadd01	Qad Date #1		99/99/99	
sfh__qadd02	Qad Date #2		99/99/99	
sfh__qadd03	Qad Date #3		99/99/99	
sfh__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sfh__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sfh__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sfh__qadl01	QAD Logical Field		yes/no	
sfh__qadl02	QAD Logical Field		yes/no	
sfh__qadl03	QAD Logical Field		yes/no	
sfh__qadl04	QAD Logical Field		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sfh_hist	yes	oid_sfh_hist	yes	no
Δ	sfh_inv_nbr	no	sfh_domain	yes	no
			sfh_inv_nbr	yes	no
			sfh_so_line	yes	no
			sfh_pt_type	yes	no
			sfh_fis_sort	yes	no
			sfh_line	yes	no
Δ	sfh_line	no	sfh_domain	yes	no
			sfh_nbr	yes	no
			sfh_so_line	yes	no
			sfh_pt_type	yes	no
			sfh_fis_sort	yes	no
			sfh_line	yes	no
Δ*	sfh_trnbr	yes	sfh_domain	yes	no
			sfh_trnbr	yes	no

sgad_det

Shipping Group Address Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sgad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	sgad_addr	Address		x(8)	
	sgad_cons_ship	Consolidate Ship		x(1)	
◊	sgad_domain	Domain		x(8)	
	sgad_grp	Shipping Group	Ship Grp	x(8)	
	sgad_is_src	Source/Dest		Source/Dest	
	sgad_user1	Ufld1		x(8)	
	sgad_user2	Ufld2		x(8)	
	sgad__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgad_det	yes	oid_sgad_det	yes	no
Δ	sgad_addr	yes	sgad_domain	yes	no
			sgad_addr	yes	no
			sgad_is_src	yes	no
			sgad_grp	yes	no
Δ*	sgad_grp	yes	sgad_domain	yes	no
			sgad_grp	yes	no
			sgad_is_src	yes	no
			sgad_addr	yes	no

sgcd_det

Shipping Group Carrier Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sgcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	sgcd_carrier	Carrier		x(8)	
◊	sgcd_domain	Domain		x(8)	
	sgcd_grp	Shipping Group	Ship Grp	x(8)	
	sgcd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	sgcd_seq	Seq		>>9	
	sgcd_user1	Ufld1		x(8)	
	sgcd_user2	Ufld2		x(8)	
	sgcd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgcd_det	yes	oid_sgcd_det	yes	no
Δ	sgcd_carrier	no	sgcd_domain	yes	no
			sgcd_carrier	yes	no
Δ*	sgcd_grp	yes	sgcd_domain	yes	no
			sgcd_grp	yes	no
			sgcd_inv_mov	yes	no
			sgcd_seq	yes	no

sgid_det

Shipping Group and Inventory Movement Code Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sgid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sgid_default	Default		yes/no	
◊	sgid_domain	Domain		x(8)	
	sgid_format	Document Format	Format	x(8)	
	sgid_grp	Shipping Group	Ship Grp	x(8)	
	sgid_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
	sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
	sgid_user1	Ufld1		x(8)	
	sgid_user2	Ufld2		x(8)	
	sgid__qadc01			x(8)	
	sgid__qadc02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgid_det	yes	oid_sgid_det	yes	no
Δ	sgid_default	yes	sgid_domain	yes	no
			sgid_grp	yes	no
			sgid_default	yes	no
			sgid_inv_mov	yes	no
Δ	sgid_format	no	sgid_domain	yes	no
			sgid_format	yes	no
Δ*	sgid_grp	yes	sgid_domain	yes	no
			sgid_grp	yes	no
			sgid_inv_mov	yes	no
Δ	sgid_inv_mov	no	sgid_domain	yes	no
			sgid_inv_mov	yes	no

sg_mstr Shipping Group Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sg_auto_tr	Auto Transfers	Auto Xfers	yes/no	
	sg_desc	Description		x(30)	
◊	sg_domain	Domain		x(8)	
	sg_grp	Shipping Group	Ship Grp	x(8)	
	sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
	sg_user1	Ufld1		x(8)	
	sg_user2	Ufld2		x(8)	
	sg__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sg_mstr	yes	oid_sg_mstr	yes	no
Δ*	sg_grp	yes	sg_domain	yes	no
			sg_grp	yes	no
Δ	sg_inv_mov	no	sg_domain	yes	no
			sg_inv_mov	yes	no

shc_ctrl Shipper Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	shc_domain	Domain		x(8)	
	shc_format	Document Format	Format	x(8)	
	shc_master_nr_id	Master Bill Sequence ID		x(8)	
	shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
	shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
	shc_ship_nr_id	Shipper Sequence ID		x(8)	
	shc_ship_rcpt	Shipment Info For Receipts		yes/no	
	shc_trl_amts	Maintain Trailer Amounts		yes/no	
	shc_user1	Ufld1		x(8)	
	shc_user2	Ufld2		x(8)	
	shc__qadc01			x(8)	
Δ	shc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shc_ctrl	yes	oid_shc_ctrl	yes	no
Δ*	shc_index1	yes	shc_domain	yes	no

shd_det

Shipping Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shd_code	Transport ID	Trans ID	x(8)	
	shd_departs	Ship Date		99/99/99	
◊	shd_domain	Domain		x(8)	
	shd_rec_site	Receiving Site	Rec Site	x(8)	
	shd_src_site	Source Site	Source	x(8)	
	shd_user1	Ufld1		x(8)	
	shd_user2	Ufld2		x(8)	
	shd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shd_det	yes	oid_shd_det	yes	no
Δ*	shd_code	yes	shd_domain	yes	no
			shd_code	yes	no
			shd_src_site	yes	no
			shd_rec_site	yes	no
			shd_departs	yes	no

shft_det

Shift Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shft_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shft_day	Day of Week	Day	9	
◊	shft_domain	Domain		x(8)	
	shft_hour1	Hours		>,>>9.9<	10
	shft_hour2	Hours		>,>>9.9<	10
	shft_hour3	Hours		>,>>9.9<	10
	shft_hour4	Hours		>,>>9.9<	10
	shft_load1	Load		>>9.99%	10
	shft_load2	Load		>>9.99%	10
	shft_load3	Load		>>9.99%	10
	shft_load4	Load		>>9.99%	10
	shft_mch	Machine		x(8)	
	shft_pat1	Pattern		x(8)	
	shft_pat2	Pattern		x(8)	
	shft_pat3	Pattern		x(8)	
	shft_pat4	Pattern		x(8)	
	shft_site	Site		x(8)	
	shft_start1	Start Time	Start	>,>>9.9<<	10
	shft_start2	Start Time	Start	>,>>9.9<<	10
	shft_start3	Start Time	Start	>,>>9.9<<	10
	shft_start4	Start Time	Start	>,>>9.9<<	10
	shft_user1	Ufld1		x(8)	
	shft_user2	Ufld2		x(8)	
	shft_wkctr	Work Center	Work Ctr	x(8)	
	shft__chr01			x(8)	
	shft__chr02			x(8)	
	shft__chr03			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	shft__chr04			x(8)	
	shft__chr05			x(8)	
	shft__dec01			>>>,>>>,>>9.99	10
	shft__dec02			>>>,>>>,>>9.99	10
	shft__dec03			>>>,>>>,>>9.99	10
	shft__dec04			>>>,>>>,>>9.99	10
	shft__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shft_det	yes	oid_shft_det	yes	no
Δ*	shft_day	yes	shft_domain	yes	no
			shft_site	yes	no
			shft_wkctr	yes	no
			shft_mch	yes	no
			shft_day	yes	no

shm_mstr

Shipping Schedule Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shm_cmtindx	Comment Index	Comment	>>>,>>>,>>9	
	shm_code	Transport ID	Trans ID	x(8)	
◊	shm_domain	Domain		x(8)	
	shm_end	End		99/99/99	
	shm_load_lt	Load LT		->>9.9<	10
	shm_no_units	Available Units	Units	->,>>>,>>9	
	shm_rec_day[7]	Receive Days		yes/no	
	shm_rec_site	Receiving Site	Rec Site	x(8)	
	shm_ship_day[7]	Ship Days		yes/no	
	shm_src_site	Source Site	Source	x(8)	
	shm_start	Start		99/99/99	
	shm_transit	Transit LT	Transit	->>9.9<	10
	shm_unld_lt	Unload LT		->>9.9<	10
	shm_user1	Ufld1		x(8)	
	shm_user2	Ufld2		x(8)	
	shm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shm_mstr	yes	oid_shm_mstr	yes	no
Δ*	shm_code	yes	shm_domain	yes	no
			shm_code	yes	no
			shm_src_site	yes	no
			shm_rec_site	yes	no
			shm_start	yes	no
Δ	shm_rec_site	yes	shm_domain	yes	no
			shm_rec_site	yes	no
			shm_src_site	yes	no
			shm_code	yes	no
			shm_start	yes	no
Δ	shm_src_site	yes	shm_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal

Shop Calendar

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shop_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	shop_domain	Domain		x(8)	
	shop_hours[7]	Daily Hours	Hours	->>,>>9.99	10
	shop_mch	Machine		x(8)	
	shop_shifts[7]	Shifts		yes/no	
	shop_site	Site		x(8)	
	shop_user1	Ufld1		x(8)	
	shop_user2	Ufld2		x(8)	
	shop_wdays[7]	Workdays		yes/no	
	shop_wkctr	Work Center	Work Ctr	x(8)	
	shop__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shop_cal	yes	oid_shop_cal	yes	no
Δ*	shop_cal	yes	shop_domain	yes	no
			shop_site	yes	no
			shop_wkctr	yes	no
			shop_mch	yes	no

shpc_ctrl

Shipment Performance Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shpc_active	Enable Shipment Performance		yes/no	
◊	shpc_domain	Domain		x(8)	
	shpc_include_do	Include Distribution Orders		yes/no	
	shpc_include_mo	Include Material Orders		yes/no	
	shpc_include_rma	Include RMA Shipments		yes/no	
	shpc_include_sched	Include Scheduled Orders		yes/no	
	shpc_include_so	Include Sales Orders		yes/no	
	shpc_meas_subtype	Measurement Sub Type		9	
	shpc_mod_date	Modified Date	Mod Date	99/99/99	
	shpc_mod_userid	User ID		x(8)	
	shpc_sched_type	Schedule Type		>9	
	shpc_shipper_reasons	Enter Reason Codes in Workbench		yes/no	
	shpc_user1	User Field Character 1		X(24)	
	shpc_user2	User Field Character 2		X(24)	

	Field Name	Label	Col-Label	Format	Dec
	shpc_use_current	Use Current Release		yes/no	
	shpc__qadc01			X(24)	
	shpc__qadc02			X(24)	
Δ	shpc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shpc_ctrl	yes	oid_shpc_ctrl	yes	no
Δ*	shpc_index1	yes	shpc_domain	yes	no

shpd_hist

Shipment Performance Detail History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shpd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shpd_acceptable	Acceptable		yes/no	
◊	shpd_domain	Domain		x(8)	
	shpd_measurement_type	Type		>	
	shpd_meas_subtype	Measurement Sub Type	Sub Type	9	
	shpd_mod_date	Modified Date	Mod Date	99/99/99	
	shpd_mod_userid	User ID		X(8)	
	shpd_rsn_code	Reason		x(8)	
	shpd_rsn_type	Reason Type	Rsn Type	x(8)	
	shpd_status_code	Status		x(8)	
	shpd_tran_id	Tran ID		>>>>>>>>9	
	shpd_user1	User Field Character 1		X(24)	
	shpd_user2	User Field Character 2		X(24)	
	shpd__qadc01			X(24)	
	shpd__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shpd_hist	yes	oid_shpd_hist	yes	no
Δ	shpd_reason	no	shpd_domain	yes	no
			shpd_acceptable	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no
			shpd_rsn_code	yes	no
Δ	shpd_status	no	shpd_domain	yes	no
			shpd_acceptable	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no
			shpd_status_code	yes	no
Δ*	shpd_tran_id	yes	shpd_domain	yes	no
			shpd_tran_id	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no

shp_hist

Shipment Performance History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shp_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	shp_abs_id	Shipper		x(20)	
	shp_cmtindx	Comment		>>>>>>>9	
	shp_currency	Currency		x(3)	
	shp_cust	Customer		x(8)	
	shp_customer_source	Customer Source		x(3)	
	shp_cust_part	Customer Item		x(30)	
◊	shp_domain	Domain		x(8)	
	shp_do_req	Requisition		x(8)	
	shp_due_date	Due Date		99/99/99	
	shp_ext_price	Extended Price		->>>>,>>>,>>9.99<<<	10
	shp_include	Include in Reporting		yes/no	
	shp_line	Line		>>9	
	shp_mod_date	Modified Date	Mod Date	99/99/99	
	shp_mod_userid	User ID		x(8)	
	shp_nbr	Order		x(8)	
	shp_open_qty	Open Qty		->>,>>>,>>9.9<<<<<<<<	10
	shp_order_category	Category		x(8)	
	shp_ord_um	UM		x(2)	
	shp_ord_um_conv	UM Conversion		>>>>9.9999<<<<	10
	shp_part	Item Number		x(18)	
	shp_perf_date	Performance Date		99/99/99	
	shp_qty_pct	Shipment Percentage		->>9.99	10
	shp_rel_id	Release		x(30)	
	shp_req_date	Required Date		99/99/99	
	shp_sched_time	Schedule Time		99:99	
	shp_shipfrom	Ship-From		x(8)	
	shp_shipto	Ship-To		x(8)	
	shp_ship_date	Ship Date		99/99/99	
	shp_ship_price	Ship Price		->>>>,>>>,>>9.99<<<	10
	shp_ship_qty	Ship Qty		->>,>>>,>>9.9<<<<<<<<	10
	shp_ship_time	Ship Time		99:99	
	shp_ship_um	UM		x(2)	
	shp_ship_um_conv	UM Conversion		>>>>9.9999<<<<	10
	shp_tran_id	Tran ID		>>>>>>>>9	
	shp_user1	User Field Character 1		X(24)	
	shp_user2	User Field Character 2		X(24)	
	shp__qadc01			X(24)	
	shp__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shp_hist	yes	oid_shp_hist	yes	no
Δ	shp_abs_id	no	shp_domain	yes	no
			shp_shipfrom	yes	no
			shp_abs_id	yes	no
Δ	shp_cust	no	shp_domain	yes	no
			shp_include	yes	no
			shp_cust	yes	no
			shp_shipto	yes	no
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	shp_customer_source	no	shp_domain	yes	no
			shp_include	yes	no
			shp_customer_source	yes	no
			shp_cust	yes	no
			shp_shipto	yes	no
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
			shp_ship_date	yes	no
Δ	shp_part	no	shp_domain	yes	no
			shp_include	yes	no
			shp_part	yes	no
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
Δ	shp_ship_date	no	shp_domain	yes	no
			shp_include	yes	no
			shp_ship_date	yes	no
			shp_shipfrom	yes	no
			shp_shipto	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
Δ*	shp_tran_id	yes	shp_domain	yes	no
			shp_tran_id	yes	no

shtr_det

Shipment Trailer Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shtr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	shtr_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
	shtr_cd	Trailer 1	Trl1	x(2)	
	shtr_curr	Currency	Cur	x(3)	
◊	shtr_domain	Domain		x(8)	
	shtr_inv_nbr	Invoice Number	Invoice	x(8)	
	shtr_nbr	Sales Order	Order	x(8)	
	shtr_ship_date	Ship Date		99/99/99	
	shtr_ship_id	Ship Id		x(8)	
	shtr_site	Site		x(8)	
	shtr_user1	Ufld1		x(8)	
	shtr_user2	Ufld2		x(8)	
	shtr__qad01			-z,zzz,zzz,zz9.99	10
	shtr__qad02			-z,zzz,zzz,zz9.99	10
	shtr__qad03			-z,zzz,zzz,zz9.99	10
	shtr__qad04			>	
	shtr__qad05[2]			>>9.9<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shtr_det	yes	oid_shtr_det	yes	no
Δ*	shtr_nbrcd	yes	shtr_domain	yes	no
			shtr_nbr	yes	no
			shtr_ship_id	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			shtr_cd	yes	no
Δ	shtr_shipcd	yes	shtr_domain	yes	no
			shtr_ship_id	yes	no
			shtr_cd	yes	no

shv_mstr

Ship Via Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_shv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	shv_domain	Domain		x(8)	
	shv_mode_transp	Mode Of Transport		x(1)	
	shv_mod_date	Modified Date	Mod Date	99/99/99	
	shv_mod_userid	User ID		x(8)	
	shv_name	Name		x(24)	
	shv_port_mandatory	Port Mandatory		yes/no	
	shv_shipvia	Ship Via		x(20)	
	shv_user1	User Field Character 1		x(24)	
	shv_user2	User Field Character 2		x(24)	
	shv__qadc01			x(24)	
	shv__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shv_mstr	yes	oid_shv_mstr	yes	no
Δ	shv_mode_transp	no	shv_domain	yes	no
			shv_mode_transp	yes	no
Δ*	shv_shipvia	yes	shv_domain	yes	no
			shv_shipvia	yes	no

sim_det

Inventory Movement Site Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sim_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sim_canrun[15]	Groups		x(60)	
◊	sim_domain	Domain		x(8)	
	sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	sim_site	Site		x(8)	
	sim_user1	Ufld1		x(8)	
	sim_user2	Ufld2		x(8)	
	sim__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sim_det	yes	oid_sim_det	yes	no
Δ	sim_inv_mov	yes	sim_domain	yes	no
			sim_inv_mov	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sim_site	yes	no
Δ*	sim_site	yes	sim_domain	yes	no
			sim_site	yes	no
			sim_inv_mov	yes	no

six_ref

Shipment Detail/Invoice Number Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	oid_six_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	six_amt	Ship Amt		->>>>,>>>,>>9.99<<<	10
	six_amt_appld	Amt Applied		->>>>,>>>,>>9.99<<<	10
	six_amt_paid	Paid Amt		->>>>,>>>,>>9.99<<<	10
	six_authorization	Authorization		x(24)	
	six_bill	Bill-To		x(8)	
	six_closed	Close Shipment Line	C	yes/no	
	six_curr	Currency	Cur	x(3)	
	six_cust	Sold-To		x(8)	
	six_custref	Customer Ref		x(30)	
◊	six_domain	Domain		x(8)	
	six_inv_nbr	Invoice		x(8)	
	six_line	Line		>>>9	
	six_modelyr	Model Year		x(4)	
	six_mod_date	Modified Date	Mod Date	99/99/99	
	six_mod_userid	User ID		X(8)	
	six_order	Sales Order	Order	x(8)	
	six_part	Item		x(18)	
	six_po	Customer PO		x(22)	
	six_price	Price		>>,>>>,>>9.99<<<	10
	six_qty	Ship Qty		->,>>>,>>9.9<<<<<<<<	10
	six_qty_paid	Paid Qty		->,>>>,>>9.9<<<<<<<<	10
	six_ship	Ship-To		x(8)	
	six_shipdt	Ship Date		99/99/99	
	six_ship_id	Shipper		x(20)	
	six_site	Ship-From		x(8)	
	six_sopart	Self-Bill Item		x(30)	
	six_trnbr	Trans		>>>>>>>>	
	six_type	Type	T	x(1)	
	six_um	UM		x(2)	
	six_user1	Ufld1		X(8)	
	six_user2	Ufld2		X(8)	
	six_user3			X(8)	
	six_user4			X(8)	
	six_user5			X(8)	
	six__qadc01			X(8)	
	six__qadc02			X(8)	
	six__qadc03			X(8)	
	six__qadc04			X(8)	
	six__qadc05			X(8)	
	six__qadc06			X(8)	
	six__qadc07			X(8)	
	six__qadc08			X(8)	
	six__qadc09			X(8)	
	six__qadc10			X(8)	

Field Name	Label	Col-Label	Format	Dec
six__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadl01			yes/no	
six__qadl02			yes/no	
six__qadl03			yes/no	
six__qadl04			yes/no	
six__qadl05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_six_ref	yes	oid_six_ref	yes	no
Δ	six_auth_sopart	no	six_domain	yes	no
			six_authorization	yes	no
			six_sopart	yes	no
Δ	six_bill_inv	no	six_domain	yes	no
			six_bill	yes	no
			six_inv_nbr	yes	no
			six_type	yes	no
			six_order	yes	no
			six_line	yes	no
			six_ship_id	yes	no
			six_authorization	yes	no
Δ	six_order_sopart	no	six_domain	yes	no
			six_order	yes	no
			six_sopart	yes	no
Δ	six_part	no	six_domain	yes	no
			six_part	yes	no
Δ	six_po_sopart	no	six_domain	yes	no
			six_po	yes	no
			six_sopart	yes	no
Δ	six_ship_sopart	no	six_domain	yes	no
			six_ship_id	yes	no
			six_sopart	yes	no
Δ	six_sopart	no	six_domain	yes	no
			six_sopart	yes	no
Δ*	six_trnbr	yes	six_domain	yes	no
			six_trnbr	yes	no

si_mstr Site Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_si_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	si_auto_loc	Automatic Locations	Auto Loc	yes/no	
	si_btb_vend	EMT Supplier	EMT Supp	x(8)	
	si_canrun	Groups		x(72)	
	si_cur_set	Current Cost Set	Cur Set	x(8)	
Δ	si_db	Domain		x(8)	
	si_decl	Declarant		x(8)	
	si_desc	Description		x(24)	
◊	si_domain	Domain		x(8)	
	si_entity	Entity		x(4)	
	si_ext_vd	External Supplier	Ext Supp	yes/no	
	si_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
	si_git_cc	Cost Center	CC	x(4)	
	si_git_location	PO Transit Location	GIT Loc	x(8)	
	si_git_sub	GIT Sub-Acct	Sub-Acct	x(8)	
	si_gl_set	GL Cost Set	GL Set	x(8)	
	si_site	Site		x(8)	
	si_status	Default Inventory Status	Status	x(8)	
◊	si_type	Type		Primary/Connection	
	si_user1	Ufld1		x(8)	
	si_user2	Ufld2		x(8)	
	si_xfer_acct	Transfer Variance Acct	Transfer	x(8)	
	si_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
	si_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
	si_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
	si__chr01			x(8)	
	si__chr02			x(8)	
	si__chr03			x(8)	
	si__chr04			x(8)	
	si__chr05			x(8)	
	si__dec01			>>>,>>>,>>9.99	10
	si__dec02			>>>,>>>,>>9.99	10
	si__dte01			99/99/99	
	si__dte02			99/99/99	
	si__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_si_mstr	yes	oid_si_mstr	yes	no
Δ	si_decl	no	si_domain	yes	no
			si_decl	yes	no
Δ*	si_site	yes	si_domain	yes	no
			si_site	yes	no
◊	si_type	yes	si_type	yes	no
			si_domain	yes	no
			si_site	yes	no

slrd_det

Site Linking Rules Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_slrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	slrd_attrib_code	Attribute Value		x(18)	
◊	slrd_domain	Domain		x(8)	
	slrd_gl_cost_site	Default GL Cost Site	GL Site	x(8)	
	slrd_inventory_site	Inventory Site	Site	x(8)	
	slrd_linking_rule	Site Linking Rule	Linking! Rule	9	
	slrd_mod_date	Modified Date		99/99/99	
	slrd_mod_userid	User ID		x(8)	
	slrd_userc01	User Field Character 1		x(24)	
	slrd_userc02	User Field Character 2		x(24)	
	slrd_userd01	User Field Decimal		->>>>,>>>,>>9.9<<<<<<<<<	10
	slrd_useri01	User Field Integer		->>>>>>>9	
	slrd_userl01	User Field Logical		yes/no	
	slrd_usert01	User Field Date		99/99/99	
	slrd__qadc01			x(24)	
	slrd__qadc02			x(24)	
	slrd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	slrd__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	slrd__qadi01			->>>>>>>9	
	slrd__qadl01			yes/no	
	slrd__qadt01			99/99/99	
	slrd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_slrd_det	yes	oid_slrd_det	yes	no
Δ	slrd_cost_site	no	slrd_domain	yes	no
			slrd_gl_cost_site	yes	no
Δ*	slrd_site	yes	slrd_domain	yes	no
			slrd_inventory_site	yes	no
			slrd_attrib_code	yes	no

slr_mstr

Site Linking Rules Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_slr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	slr_attribute	Item Attribute		x(1)	
◊	slr_domain	Domain		x(8)	
	slr_inventory_site	Inventory Site	Site	x(8)	
	slr_lsc_active	Linked-Site Costing Active		yes/no	
	slr_mod_date	Modified Date		99/99/99	
	slr_mod_userid	User ID		x(8)	
	slr_userc01	User Field Character 1		x(24)	
	slr_userc02	User Field Character 2		x(24)	
	slr_userd01	User Field Decimal		->>>>,>>>,>>9.9<<<<<<<<<	10
	slr_useri01	User Field Integer		->>>>>>>9	
	slr_userl01	User Field Logical		yes/no	
	slr_usert01	User Field Date		99/99/99	
	slr__qadc01			x(24)	

	Field Name	Label	Col-Label	Format	Dec
	slr__qadc02			x(24)	
	slr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	slr__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
	slr__qadi01			->>>>>>>9	
	slr__qadl01			yes/no	
	slr__qadt01			99/99/99	
	slr__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_slr_mstr	yes	oid_slr_mstr	yes	no
Δ*	slr_site	yes	slr_domain	yes	no
			slr_inventory_site	yes	no

sm_mstr

Source Matrix Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	sm_domain	Domain		x(8)	
	sm_end	End		99/99/99	
	sm_lead	Lead Time		->,>>>	10
	sm_mktg_site	Marketing Site	Marketing	x(8)	
	sm_part	Item Number		x(18)	
	sm_pct	Supply Percent	Percent	>>9.9<%	10
	sm_start	Start		99/99/99	
	sm_sup_site	Supply Site	Supply	x(8)	
	sm_trans	Transport Code	Transport	x(8)	
	sm_type	Type		x(1)	
	sm_user1	Ufld1		x(8)	
	sm_user2	Ufld2		x(8)	
	sm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sm_mstr	yes	oid_sm_mstr	yes	no
Δ*	sm_mstr	yes	sm_domain	yes	no
			sm_part	yes	no
			sm_sup_site	yes	no
			sm_mktg_site	yes	no
			sm_start	yes	no
			sm_type	yes	no

sob_det

Sales Order Configuration Bill Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sob_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sob_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	sob_cfg_type	Configuration	Config	x(1)	
	sob_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	sob_domain	Domain		x(8)	
	sob_feature	Feature		x(12)	
	sob_iss_date	Issue Date	Iss Date	99/99/99	
	sob_line	Line		>>9	
	sob_loc	Location		x(8)	
	sob_nbr	Sales Order	Order	x(8)	
	sob_parent	Parent Item		x(18)	
	sob_part	Item Number		x(18)	
	sob_price	Price		>>>>,>>>,>>9.99<<<	10
	sob_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
	sob_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
	sob_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
	sob_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
	sob_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	sob_scrp_pct	Scrap		>>9.99%	10
	sob_serial	Lot/Serial		x(18)	
	sob_site	Site		x(8)	
	sob_tot_std	List Price		->>>,>>9.999	10
	sob_user1	Ufld1		x(8)	
	sob_user2	Ufld2		x(8)	
	sob__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sob_det	yes	oid_sob_det	yes	no
Δ*	sob_det	yes	sob_domain	yes	no
			sob_nbr	yes	no
			sob_line	yes	no
			sob_parent	yes	no
			sob_feature	yes	no
			sob_part	yes	no
Δ	sob_part	yes	sob_domain	yes	no
			sob_part	yes	no
			sob_nbr	yes	no
			sob_line	yes	no
			sob_parent	yes	no
			sob_feature	yes	no

socc_mstr

Sales Order Credit Card Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_socc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	socc_auth_amt	Authorization Amount	Auth Amt	>>>>,>>>,>>9.99<	10
	socc_auth_date	Authorization Date	Auth Date	99/99/99	
	socc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	socc_auth_nbr	Authorization Number		x(20)	
	socc_billing_addr1	Address		x(28)	
	socc_billing_addr2	Address		x(28)	
	socc_billing_addr3	Address		x(28)	
	socc_billing_city	City		x(20)	
	socc_billing_country	Country		x(28)	
	socc_billing_ctry	Country Code	Ctry	x(3)	
	socc_billing_name	Name		x(28)	
	socc_billing_state	State	St	x(4)	
	socc_billing_zip	Post		x(10)	
	socc_card_type	Card Type		x(8)	
	socc_cc_expire_date	Expire Date	Expire	99/99/99	
	socc_cc_nbr	Credit Card Number		x(24)	
	socc_cc_nbr_tail	End Digits	Ending	x(4)	
◊	socc_domain	Domain		x(8)	
	socc_mod_date	Modified Date	Mod Date	99/99/99	
	socc_mod_userid	User ID		x(8)	
	socc_nbr	Sales Order	Order	x(8)	
	socc_user1	User Field 1		x(24)	
	socc_user2	User Field 2		x(24)	
	socc__qadc01			x(8)	
	socc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	socc__qadi01			>>>>>>9	
	socc__qadl01			yes/no	
	socc__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_socc_mstr	yes	oid_socc_mstr	yes	no
Δ*	socc_nbr	yes	socc_domain	yes	no
			socc_nbr	yes	no
			socc_cc_nbr	yes	no

soc_ctrl

Sales Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_soc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	soc_all	Qty All reduce qty Available		yes/no	
	soc_all_avl	Limit allocate to avail only		yes/no	
	soc_all_days	Allocate Days into Future		>>>>>9	
	soc_apm	Integrate with APM		yes/no	
	soc_ar	Integrate with AR		yes/no	
	soc_atp_enabled	ATP Enforcement Enabled	ATP Enf	yes/no	
	soc_auto_chg	Auto Accept Supplier Changes		yes/no	
	soc_batch	Auto Batch Confirmation		yes/no	
	soc_batch_id	Confirmation Batch ID		X(8)	
	soc_btb_all	Direct Allocation	Dir All	yes/no	
	soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
	soc_btb_type	EMT Type		xx	
	soc_calc_promise_date	Calc Promise Date	Calc Prom Date	yes/no	
	soc_company	Company Address		x(8)	
	soc_confirm	Confirmed Orders		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	soc_crn_next	Next Correction Invoice Nbr		>>>>>>>9	
	soc_crn_pre	Correction Invoice Prefix		x(3)	
	soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
	soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
	soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
	soc_crtapp_acct	SO Interest Applied Account		X(8)	
	soc_crtapp_cc	SO Interest Applied Cost Center	CC	X(4)	
	soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
	soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
	soc_det_all	Detail Allocations		yes/no	
◊	soc_domain	Domain		x(8)	
	soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
	soc_dum_loc	Direct Shipment Location		x(8)	
	soc_edit_isb	SO Edit ISB Defaults		yes/no	
	soc_ex_ratetype	Rate Type		x(8)	
	soc_fcst_bck	Consume Back	Fcst Back	->,>>>,>>9	
	soc_fcst_fwd	Consume Fwd	Fcst Fwd	->,>>>,>>9	
	soc_fob	F.O.B.		x(20)	
	soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
	soc_fr_by_site	Calculate Freight by Site		yes/no	
	soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
	soc_fysm	Fiscal Start Month		>9	
	soc_hcmmts	Sales Order Header Comments		yes/no	
	soc_horizon	ATP Horizon		->,>>>,>>9	
	soc_index1	Index		>>>>>9	
	soc_inv	Next Invoice		>>>>>>>9	
	soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
	soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	10
	soc_inv_pre	Invoice Prefix	Pre	x(3)	
	soc_jrnl	Next Journal		999999	
	soc_lcmmts	Sales Order Line Comments		yes/no	
	soc_ln_fmt	Ln Format S/M		single/multi	
	soc_ln_inv	Print Only Lines to Invoice		yes/no	
	soc_margin	Comm on Margin not Sales		yes/no	
	soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
	soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	10
	soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
	soc_next_abl	Next ASN/BOL		>>>>>>>9	
	soc_next_cid	Next Cntnr Nbr		>>>>>>>9	
	soc_ntaxdesc[10]	Description		x(12)	
	soc_on_ord	Qty avail include qty on order		yes/no	
	soc_pass_curr	Use Customer Currency on PO		yes/no	
	soc_pc_line	Price by SO Line Due Date		yes/no	
	soc_pick	Pick Only Allocated Lines		yes/no	
	soc_pim_isb	Pend Inv Edit ISB		yes/no	
	soc_pl_req	Price List Required		yes/no	
	soc_print	Are Sales Orders Printed		yes/no	
	soc_print_id	Confirmation Printer		X(8)	
	soc_pt_req	Price Table Required		yes/no	
	soc_req	Required qty reduce qty avail		yes/no	
	soc_returns_isb	SO Returns Update ISB		yes/no	

Field Name	Label	Col-Label	Format	Dec
soc_sa	Integrate with SA	SA	yes/no	
soc_shp_lead	Shipping Lead Time		>>>9	
soc_so	Next Sales Order		>>>>>>>9	
soc_so_hist	Keep Booking History	Book! Hst	yes/no	
soc_so_pre	Sales Order Prefix	Pre	x(3)	
soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
soc_user1	Ufld1		x(8)	
soc_user2	Ufld2		x(8)	
soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
soc_use_frt_trl_cd	Use SO Frt List Trailer Code		yes/no	
soc__qad01			yes/no	
soc__qad02			yes/no	
soc__qad03			>>>>>>9	
soc__qadc01	QAD Field		X(8)	0
soc__qadc02	QAD Field		X(8)	0
soc__qadc03	QAD Field		X(8)	0
soc__qadi01	QAD Field		->,>>>,>>9	
soc__qadi02	QAD Field		->,>>>,>>9	
soc__qadl02	Check Customer Item Nbr First		yes/no	
soc__qadl03	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_soc_ctrl	yes	oid_soc_ctrl	yes	no
Δ* soc_index1	yes	soc_domain	yes	no

sodlc_det

Sales Order Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
◊ oid_sodlc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodlc_abs_shipfrom	Ship From		x(8)	
sodlc_acct	Trailer Acct	Account	x(8)	
sodlc_cc	Trailer CC	CC	x(4)	
sodlc_charge_type	Charge Type	Charge! Type	x(8)	
◊ sodlc_domain	Domain		x(8)	
sodlc_ext_price	Extended Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_amt	Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_line	Charge Line	Ln	>>9	
sodlc_mod_date	Modified Date	Mod Date	99/99/99	
sodlc_mod_userid	User ID		x(8)	
sodlc_one_time	One Time Charge	OTC	yes/no	
sodlc_order	Sales Order		x(8)	
sodlc_ord_line	SO Line	SO! Line	>>9	
sodlc_owned_by	Id		x(20)	
sodlc_project	Project		x(8)	
sodlc_ref	Reference		x(24)	
sodlc_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
sodlc_taxable	Taxable		yes/no	
sodlc_taxc	Tax Class	TxC	x(3)	
sodlc_times_charged	Times Charged		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
sodlc_trl_code	Trailer Code	Code	x(2)	
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	
sodlc__qadc01			x(24)	
sodlc__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodlc_det	yes	oid_sodlc_det	yes	no
Δ*	sodlc_order	yes	sodlc_domain	yes	no
			sodlc_order	yes	no
			sodlc_ord_line	yes	no
			sodlc_lc_line	yes	no
Δ	sodlc_owned_by	no	sodlc_domain	yes	no
			sodlc_owned_by	yes	no
			sodlc_abs_shipfrom	yes	no
Δ	sodlc_trl_code	no	sodlc_domain	yes	no
			sodlc_trl_code	yes	no
			sodlc_order	yes	no
			sodlc_ord_line	yes	no

sodr_det

Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
◊ oid_sodr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodr_div	Division		X(8)	
◊ sodr_domain	Domain		x(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufld1		x(8)	
sodr_user2	Ufld2		x(8)	
sodr__qadc01			x(8)	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>>,>>>,>>9.9	10
sodr__qadd02			->>>>,>>>,>>9.9	10
sodr__qadi01			->,>>>,>>9	
sodr__qadi02			->,>>>,>>9	
sodr__qadl01			yes/no	
sodr__qadl02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodr_det	yes	oid_sodr_det	yes	no
Δ*	sodr_nbrln_seq	yes	sodr_domain	yes	no
			sodr_nbr	yes	no
			sodr_line	yes	no
			sodr_seq	yes	no
Δ	sodr_type	no	sodr_domain	yes	no
			sodr_type	yes	no

sod_det

Sales Order Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sod_abnormal	Abnormal Demand	Abnormal	yes/no	
	sod_acct	Sales Acct	Sales	x(8)	
	sod_act_price	Total List Price		->>>>,>>>,>>9.99<<<	10
	sod_alt_pkg	Alternates		yes/no	
	sod_auto_ins	Installation Call		yes/no	
	sod_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
	sod_bonus	Bonus Stock Line		yes/no	
	sod_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<	10
	sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
	sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
	sod_btb_type	EMT Type		xx	
	sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
	sod_calc_isb	Calculate Isb		yes/no	
	sod_car_load	Call Act. Rec. Load		yes/no	
	sod_ca_line	Call Line		>>9	
	sod_ca_nbr	Call		x(8)	
	sod_cc	Cost Ctr	CC	x(4)	
	sod_cfg_type	Configuration	Config	x(1)	
	sod_charge_type	Charge Type	Charge! Type	x(8)	
	sod_cmtindx	Comment Index	Comment	>>>>>>>9	
	sod_comment[5]	Comments		x(40)	
	sod_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sod_confirm	Confirmed		yes/no	
	sod_conrep	Netting Logic	C/R	x(1)	
	sod_consignment	Consignment		yes/no	
	sod_consign_loc	Consignment Location	Consignment! Location	x(8)	
	sod_consume	Consume Forecast	Consume Fcst	yes/no	
	sod_contr_id	PO Number		x(30)	
	sod_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	sod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	sod_cum_date[4]	Cum Start		99/99/99	
	sod_cum_qty[4]	Cum Shipped		->>>>,>>>,>>9.9<<<<<<<<	10
	sod_cum_time[4]	Time		>>,>>>,>>9	
	sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
	sod_custpart	Customer Item		x(30)	
	sod_custref	Customer Ref		x(30)	
	sod_desc	Description		x(24)	
	sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
	sod_disc_pct	Disc %		->>9.99%	10
	sod_div	Division		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sod_dock	Dock		x(8)	
◊	sod_domain	Domain		x(8)	
	sod_drp_ref	DRP Ref		x(8)	
	sod_dsc_acct	Disc Acct		x(8)	
	sod_dsc_cc	Disc CC	CC	x(4)	
	sod_dsc_project	Disc Project		x(8)	
	sod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	sod_due_date	Due Date	Due	99/99/99	
	sod_enduser	End User		x(8)	
	sod_end_eff[4]	End Effective		99/99/99	
	sod_expire	Expires		99/99/99	
	sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
	sod_fab_days	Fab Auth Days		>,>>9	
	sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
	sod_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
	sod_fix_pr	Fixed Price	Fix	yes/no	
	sod_for	For		x(18)	
	sod_for_serial	Parent Item Serial		X(18)	
	sod_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
	sod_fr_class	Freight Class		x(8)	
	sod_fr_list	Freight List	Frt List	x(8)	
	sod_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
	sod_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
	sod_fr_wt_um	UM		x(2)	
	sod_fsm_type	FSM Type		x(8)	
	sod_fst_list	FST on List		yes/no	
	sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
	sod_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
	sod_inv_nbr	Invoice		x(8)	
	sod_isb_loc	Installed Base Location		x(22)	
	sod_isb_ref	ISB Ref		>>>>>>>9	
	sod_line	Line	Ln	>>9	
	sod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
	sod_ln_ref	Line Ref		x(8)	
	sod_loc	Location		x(8)	
	sod_lot	ID		x(8)	
	sod_manual_fr_list	Manual Fr List		yes/no	
	sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	sod_modelyr	Model Year		x(4)	
	sod_mod_date	Modified Date	Mod Date	99/99/99	
	sod_mod_userid	User ID		X(8)	
	sod_nbr	Sales Order	Order	x(8)	
	sod_order_category	Category		x(8)	
	sod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
	sod_out_po	Display PO Number		x(30)	
	sod_override_lmt	Override Limits	Lmt	yes/no	
	sod_owner	Ownership		x(8)	
	sod_part	Item Number		x(18)	
	sod_partial	Partial OK	Partial	yes/no	
	sod_pastdue	Past Due Logic	C/R	x(1)	
	sod_per_date	Perform		99/99/99	
	sod_pickdate	Pick Date		99/99/99	
	sod_pkg_code	Pkg Code		x(18)	
	sod_pl_priority	P/L Priority		>9	
	sod_price	Price		>>>>,>>>,>>9.99<<<	10
	sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
	sod_prig1	Pricing Group 1		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_prig2	Pricing Group 2		x(8)	
sod_prodline	Product Line	Line	x(4)	
sod_project	Project		x(8)	
sod_promise_date	Promise Date	Promise	99/99/99	
sod_pr_list	Price List	List	x(8)	
sod_pst	PST Taxable		yes/no	
sod_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<	10
sod_qty_chg	Qty To Ship		->,>>>,>>9.9<<<<<<<	10
sod_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<	10
sod_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<<<<<	10
sod_qty_inv	Qty to Invoice		->,>>>,>>9.9<<<<<<<	10
sod_qty_item	Item Quantity	Item Qty	->>,>>9.9<<<	10
sod_qty_ivcd	Quantity Invoiced		->,>>>,>>9.9<<<<<<<	10
sod_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<	10
sod_qty_pend	Qty Pending		->,>>>,>>9.9<<<<<<<	10
sod_qty_per	Duration		->>>9.9<<<	10
sod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<	10
sod_qty_qote	Qty Quoted		->,>>>,>>9.9<<<<<<<	10
sod_qty_ret	Qty Returned		->,>>>,>>9.9<<<<<<<	10
sod_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<	10
sod_raw_days	Raw Auth Days		>,>>9	
sod_rbkt_days	Req Schedule Days		>>9	
sod_rbkt_mths	Req Schedule Months		>>9	
sod_rbkt_weeks	Req Schedule Weeks		>>9	
sod_ref	Ref		>>>>>>>9	
sod_req_date	Required Date	Required	99/99/99	
sod_rlse_nbr	Next Release ID		99999999	
sod_rma_type	RMA Type		x(1)	
sod_sad_line	Contract Line		>>>>>>>9	
sod_sa_nbr	Service Contract		x(8)	
sod_sched	Scheduled		yes/no	
sod_sched_chgd	Schedule Changed		yes/no	
sod_sch_data	Schedule Data		x(8)	
sod_sch_mrp	Sched MRP Req		yes/no	
sod_serial	Lot/Serial		x(18)	
sod_ship	Ship-To		x(8)	
sod_ship_part	End Customer Shipping Item		x(30)	
sod_site	Site		x(8)	
sod_slspsn[4]	Salesperson	Salespsn	x(8)	
sod_sob_rev	Revised Date	Revised	99/99/99	
sod_sob_std	Standard Bill	Std BOM	yes/no	
sod_start_eff[4]	Start Effective		99/99/99	
sod_status	Status		x(8)	
sod_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sod_sv_code	Warranty Code		X(8)	
sod_taxable	Taxable	Tax	yes/no	
sod_taxc	Tax Class	TxC	x(3)	
sod_tax_env	Tax Environment	Tax Env	x(16)	
sod_tax_in	Tax In		yes/no	
sod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
sod_tax_usage	Tax Usage	TaxUsage	x(8)	
sod_to_loc	Location		x(8)	
sod_to_ref	Kit Ref		x(8)	
sod_to_site	Site		x(8)	
sod_translt_days	Transport Days		>>9.99	10
sod_translt_hrs	Transport Hours		>>9.99	10

Field Name	Label	Col-Label	Format	Dec
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sod_xslspsn[3]	Salesperson	Salespsn	x(8)	
sod__chr01			x(8)	
sod__chr02			x(8)	
sod__chr03			x(8)	
sod__chr04			x(8)	
sod__chr05			x(8)	
sod__chr06			x(8)	
sod__chr07			x(8)	
sod__chr08			x(8)	
sod__chr09			x(8)	
sod__chr10			x(8)	
sod__dec01			>>>,>>>,>>9.99	10
sod__dec02			>>>,>>>,>>9.99	10
sod__dte01			99/99/99	
sod__dte02			99/99/99	
sod__log01			yes/no	
sod__qad01			->>>>,>>>,>>9	
sod__qad02			yes/no	
sod__qadc01	QAD Field		X(8)	0
sod__qadc02	QAD Field		X(8)	0
sod__qadc03	QAD Field		X(8)	0
sod__qadc04	QAD Field		X(8)	0
sod__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd04			->,>>>,>>9.9<<<<<<<<	10
sod__qadi01	QAD Field		->,>>>,>>9	
sod__qadi02	QAD Field		->,>>>,>>9	
sod__qadl01	QAD Field		yes/no	
sod__qadl02	QAD Field		yes/no	
sod__qadl03	QAD Field		yes/no	
sod__qadt01	QAD Field		99/99/99	
sod__qadt02	QAD Field		99/99/99	
sod__qadt03	QAD Field		99/99/99	
sod__qadt04	QAD Field		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sod_det	yes	oid_sod_det	yes	no
Δ	sod_call	no	sod_domain	yes	no
			sod_ca_nbr	yes	no
			sod_ca_line	yes	no
			sod_part	yes	no
			sod_serial	yes	no
Δ	sod_fr_list	no	sod_domain	yes	no
			sod_nbr	yes	no
			sod_fr_list	yes	no
Δ	sod_fsm_type	no	sod_domain	yes	no
			sod_fsm_type	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sod_nbr	yes	no
			sod_line	yes	no
Δ*	sod_nbrln	yes	sod_domain	yes	no
			sod_nbr	yes	no
			sod_line	yes	no
Δ	sod_part	yes	sod_domain	yes	no
			sod_part	yes	no
			sod_nbr	yes	no
			sod_line	yes	no

sop_det

Cost Simulation Operation Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sop_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sop_batch	Batch Qty	Batch! Qty	>,>>>,>>9.9<<<<<<<<	10
	sop_cost	Cost		>>>>,>>>,>>9.99<<<	10
◊	sop_domain	Domain		x(8)	
	sop_element	Cost Element	Element	x(8)	
	sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
	sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
	sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
	sop_end	End Date	End	99/99/99	
	sop_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
	sop_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
	sop_men_mch	Run Crew		->>,>>9.99	10
	sop_milestone	Milestone Operation	Milestone	yes/no	
	sop_op	Operation		>>>>9	
	sop_routing	Routing Code		x(18)	
	sop_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
	sop_setup	Setup Time	Setup	>,>>9.9<<	10
	sop_setup_men	Setup Crew		->>,>>9.99	10
	sop_sim	Cost Set		x(8)	
	sop_start	Start Date	Start	99/99/99	
	sop_std_batch	Standard Batch Size	Batch	>>>,>>9.9	10
	sop_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	sop_user1	Ufld1		x(8)	
	sop_user2	Ufld2		x(8)	
	sop_wkctr	Work Center	Work Ctr	x(8)	
	sop_yield_pct	Yield%		>>9.99%	10
	sop__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sop_det	yes	oid_sop_det	yes	no
Δ	sop_sim_elem	yes	sop_domain	yes	no
			sop_sim	yes	no
			sop_element	yes	no
			sop_routing	yes	no
			sop_op	yes	no
Δ*	sop_sim_part	yes	sop_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sop_sim	yes	no
		sop_routing	yes	no
		sop_op	yes	no
		sop_element	yes	no

sor_mstr

Sales Order Relationship Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sor_div	Division		X(8)	
◊	sor_domain	Domain		x(8)	
	sor_group	Group		X(8)	
	sor_nbr	Sales Order		X(8)	
	sor_pricing	Pricing		>9	
	sor_seq	Sequence		>>9	
	sor_type	Type		>>>9	
	sor_user1	Ufld1		x(8)	
	sor_user2	Ufld2		x(8)	
	sor__qadc01			x(8)	
	sor__qadc02			x(8)	
	sor__qadc03			x(8)	
	sor__qadd01			->>>>,>>>,>>9.9	10
	sor__qadd02			->>>>,>>>,>>9.9	10
	sor__qadi01			->,>>>,>>9	
	sor__qadi02			->,>>>,>>9	
	sor__qadl01			yes/no	
	sor__qadl02			yes/no	
	sor__qadt01			99/99/99	
	sor__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sor_mstr	yes	oid_sor_mstr	yes	no
Δ*	sor_nbr_seq	yes	sor_domain	yes	no
			sor_nbr	yes	no
			sor_seq	yes	no
Δ	sor_type	no	sor_domain	yes	no
			sor_type	yes	no

sosrd_det

Sales Order Shipment Reason Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sosrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sosrd_abs_id	Shipper		x(20)	
	sosrd_dataset	Dataset		x(12)	
◊	sosrd_domain	Domain		x(8)	
	sosrd_line	Line		>>9	
	sosrd_measurement_type	Type		>	
	sosrd_mod_date	Modified Date	Mod Date	99/99/99	
	sosrd_mod_userid	User ID		X(8)	
	sosrd_nbr	Order		x(8)	
	sosrd_rsn_code	Reason Code		x(8)	
	sosrd_shipfrom	Ship-from		x(8)	
	sosrd_user1	User Field Character 1		X(24)	
	sosrd_user2	User Field Character 2		X(24)	
	sosrd__qadc01			X(24)	
	sosrd__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sosrd_det	yes	oid_sosrd_det	yes	no
Δ*	sosrd_nbr	yes	sosrd_domain	yes	no
			sosrd_nbr	yes	no
			sosrd_line	yes	no
			sosrd_shipfrom	yes	no
			sosrd_abs_id	yes	no
			sosrd_measurement_type	yes	no
			sosrd_dataset	yes	no

sosr_mstr

Sales Order Shipment Reason Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sosr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sosr_abs_id	Shipper		x(20)	
	sosr_cmtindx	Comment		>>>>>>>9	
◊	sosr_domain	Domain		x(8)	
	sosr_line	Line		>>9	
	sosr_mod_date	Modified Date	Mod Date	99/99/99	
	sosr_mod_userid	User ID		X(8)	
	sosr_nbr	Order		x(8)	
	sosr_shipfrom	Ship-From		x(8)	
	sosr_user1	User Field Character 1		X(24)	
	sosr_user2	User Field Character 2		X(24)	
	sosr__qadc01			X(24)	
	sosr__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sosr_mstr	yes	oid_sosr_mstr	yes	no
Δ∗	sosr_order	yes	sosr_domain	yes	no
			sosr_nbr	yes	no
			sosr_line	yes	no
			sosr_shipfrom	yes	no
			sosr_abs_id	yes	no

so_mstr

Sales Order Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_so_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	so_app_owner	Owner Application		x(12)	
	so_ar_acct	AR Account	AR	x(8)	
	so_ar_cc	Cost Ctr	CC	x(4)	
	so_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
	so_auth_days	AUTHNBR Unique Days		>>9	
	so_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
	so_bank	Bank		x(2)	
	so_bill	Bill-To		x(8)	
	so_bol	BOL		x(18)	
	so_bump_all	Unpeg		yes/no	
	so_cartons	Cartons		->,>>>,>>9	
	so_ca_nbr	Call		x(8)	0
	so_channel	Channel		x(8)	
	so_cmtindx	Comment Index	Comment	>>>>>>>9	
	so_cncl_date	Cancel Date	Cancel	99/99/99	
	so_comm_pct[4]	Commission	Comm%	>>9.99%	10
	so_conf_date	Confirmed Date	Confirmed	99/99/99	
	so_conrep	Netting Logic	C/R	x(1)	
	so_consignment	Consignment		yes/no	
	so_consign_loc	Consignment Location	Consignment! Location	x(8)	
	so_credit	Credit	Cr	yes/no	
	so_crprlist	Credit Price List		X(8)	
	so_cr_card	Credit Card	Card	x(2)	
	so_cr_init	Cr Initials	Initials	x(3)	
	so_cr_terms	Credit Terms	Terms	x(8)	
	so_cum_acct	Cumulative Accounting		Cum/Req	
	so_curr	Currency	Cur	x(3)	
	so_cust	Sold-To		x(8)	
	so_custref_val	Customer Ref Is Customer Item		yes/no	
	so_cust_po	End Customer PO	End Cust PO	x(22)	
	so_disc_pct	Disc %		->9.99%	10
	so_div	Division		x(8)	
◊	so_domain	Domain		x(8)	
	so_due_date	Due Date	Due	99/99/99	
	so_eng_code	Engineer		x(8)	
	so_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	so_exru_seq	Sequence		>>>>>>>>9	
	so_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	so_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	so_ex_ratetype	Rate Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
so_fcg_code	Charge Code		x(8)	0
so_firm_seq_days	Firm Days		>>9	
so_fix_pr	Fixed Price		yes/no	
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Frt List	x(8)	
so_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
so_fr_terms	Freight Terms	Fr Terms	x(8)	
so_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
so_fsaccr_cc	Accrued Revenue CC		x(4)	
so_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
so_fsdef_cc	Deferred Revenue CC		x(4)	
so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_incl_iss	Include Saturday/Sunday		yes/no	
so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
so_invoiced	Invoiced		yes/no	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(8)	
so_lang	Language		x(2)	
so_manual_fr_terms	Manual Fr Terms		yes/no	
so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
so_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	
so_project	Project		x(8)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<%	10
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_rev	Revision	Rev	>>9	
so_revenue	Revenue Type		x(1)	
so_rmks	Remarks		x(40)	
so_sa_nbr	Contract		x(8)	
so_sched	Scheduled		yes/no	
so_sch_mthd	Schedules Via		x(1)	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_seq_order	Sequenced	Partial	yes/no	

Field Name	Label	Col-Label	Format	Dec
so_ship	Ship-To		x(8)	
so_shipvia	Ship Via		x(20)	
so_ship_cmplt	Ship Complete		>>9	
so_ship_date	Ship Date		99/99/99	
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO		x(22)	
so_site	Site		x(8)	
so_size	Size		->,>>>,>>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	10
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_trl1_cd	Trailer 1	Trl1	x(2)	
so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_trl2_cd	Trailer 2	Trl2	x(2)	
so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_trl3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>,>>>,>>9.9999	10
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
so_xslspsn[2]	Salesperson	Salespsn	x(8)	
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so__dec01			>>>,>>>,>>9.99	10
so__dec02			>>>,>>>,>>9.99	10
so__dte01			99/99/99	
so__dte02			99/99/99	
so__log01			yes/no	
so__qad01			-z,zzz,zzz,zz9.99	10
so__qad02			-z,zzz,zzz,zz9.99	10
so__qad03			-z,zzz,zzz,zz9.99	10
so__qad04			>	
so__qad05[2]			>>9.9<<	10
so__qadc01	QAD Field		X(8)	0
so__qadc02	QAD Field		X(8)	0
so__qadc03	QAD Field		X(8)	0
so__qadc04	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
so__qadc05	QAD Field		X(8)	0
so__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
so__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
so__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
so__qadi01	QAD Field		->,>>>,>>9	
so__qadi02	QAD Field		->,>>>,>>9	
so__qadi03	QAD Field		->,>>>,>>9	
so__qadl01	QAD Field		yes/no	
so__qadl02	Exclude Planning Data		yes/no	
so__qadl04			yes/no	
so__qadt01	QAD Field		99/99/99	
so__qadt02	QAD Field		99/99/99	
so__qadt03	QAD Field		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_so_mstr	yes	oid_so_mstr	yes	no
Δ	so_bill	no	so_domain	yes	no
			so_bill	yes	no
			so_nbr	yes	no
			so_ord_date	yes	no
Δ	so_ca_nbr	no	so_domain	yes	no
			so_ca_nbr	yes	no
Δ	so_cust	no	so_domain	yes	no
			so_cust	yes	no
Δ	so_cust_po	no	so_domain	yes	no
			so_cust_po	yes	no
			so_cust	yes	no
			so_nbr	yes	no
Δ	so_fsm_type	no	so_domain	yes	no
			so_fsm_type	yes	no
			so_nbr	yes	no
Δ	so_invoice	no	so_domain	yes	no
			so_inv_nbr	yes	no
Δ*	so_nbr	yes	so_domain	yes	no
			so_nbr	yes	no
Δ	so_po_nbr	no	so_domain	yes	no
			so_po	yes	no
			so_cust	yes	no
			so_nbr	yes	no
Δ	so_quote	no	so_domain	yes	no
			so_quote	yes	no
			so_nbr	yes	no
Δ	so_to_inv	yes	so_domain	yes	no
			so_to_inv	yes	no
			so_nbr	yes	no

spc_ctrl Salesperson Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_spc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	spc_domain	Domain		x(8)	
	spc_nbr	Next Salesperson		99999999	
	spc_user1	Ufld1		x(8)	
	spc_user2	Ufld2		x(8)	
	spc__qad01			>>>>>>9	
Δ	spc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spc_ctrl	yes	oid_spc_ctrl	yes	no
Δ*	spc_index1	yes	spc_domain	yes	no

spd_det Salesperson Commission Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_spd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	spd_addr	Salespsn		x(8)	
	spd_comm_pct	Commission	Comm%	>>9.99%	10
	spd_cust	Customer		x(8)	
◊	spd_domain	Domain		x(8)	
	spd_mod_date	Modified Date	Mod Date	99/99/99	
	spd_part	Item Number		x(18)	
	spd_prod_ln	Prod Line	Line	x(4)	
	spd_user1	Ufld1		x(8)	
	spd_user2	Ufld2		x(8)	
	spd_userid	User ID		x(8)	
	spd__chr01			x(8)	
	spd__chr02			x(8)	
	spd__chr03			x(8)	
	spd__chr04			x(8)	
	spd__chr05			x(8)	
	spd__dec01			>>>,>>>,>>9.99	10
	spd__dec02			>>>,>>>,>>9.99	10
	spd__dte01			99/99/99	
	spd__dte02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spd_det	yes	oid_spd_det	yes	no
Δ*	spd_addr	yes	spd_domain	yes	no
			spd_addr	yes	no
			spd_prod_ln	yes	no
			spd_part	yes	no
			spd_cust	yes	no

sph_hist Salesperson Sales History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sph_cost[12]	Cost		->>>,>>>,>>9	10
◊	sph_domain	Domain		x(8)	
	sph_quota[12]	Quota		->>>,>>>,>>9	10
	sph_sales[12]	Sales		->>>,>>>,>>9	10
	sph_slspsn1	Salespsn1		x(8)	
	sph_smonth	Start Month		>9	
	sph_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
	sph_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
	sph_type	Ship Type	T	x(1)	
	sph_user1	Ufld1		x(8)	
	sph_user2	Ufld2		x(8)	
	sph_year	Year		9999	
	sph__chr01			x(8)	
	sph__chr02			x(8)	
	sph__chr03			x(8)	
	sph__chr04			x(8)	
	sph__chr05			x(8)	
	sph__dec01[12]			>>>>,>>>,>>9.99	10
	sph__dec02[12]			>>>>,>>>,>>9.99	10
	sph__dte01			99/99/99	
	sph__dte02			99/99/99	
	sph__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sph_hist	yes	oid_sph_hist	yes	no
Δ	sph_slspsn1	yes	sph_domain	yes	no
			sph_slspsn1	yes	no
			sph_year	yes	no
Δ*	sph_year	yes	sph_domain	yes	no
			sph_year	yes	no
			sph_slspsn1	yes	no

spt_det Cost Simulation Item Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_spt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	spt_ao	Add On	A/O	yes/no	
	spt_cst_ll	Cost LL		>>>>,>>>,>>9.99<<<	10
	spt_cst_tl	Cost		>>>>,>>>,>>9.99<<<	10
◊	spt_domain	Domain		x(8)	
	spt_element	Cost Element	Element	x(8)	
	spt_mod_date	Modified Date	Mod Date	99/99/99	
	spt_part	Item Number		x(18)	
	spt_pct_ll	Seq 1		>>9.99%	10
	spt_pct_tl	Seq 2		>>9.99%	10
	spt_sim	Cost Set		x(8)	
	spt_site	Site		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	spt_user1	Ufld1		x(8)	
	spt_user2	Ufld2		x(8)	
	spt_userid	User ID		x(8)	
	spt__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spt_det	yes	oid_spt_det	yes	no
Δ	spt_sim_elem	yes	spt_domain	yes	no
			spt_sim	yes	no
			spt_element	yes	no
			spt_part	yes	no
			spt_site	yes	no
Δ*	spt_sim_part	yes	spt_domain	yes	no
			spt_site	yes	no
			spt_sim	yes	no
			spt_part	yes	no
			spt_element	yes	no

sp_mstr

Salesperson Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sp_addr	Salespsn		x(8)	
	sp_comm_pct	Commission	Comm%	>>9.99%	10
◊	sp_domain	Domain		x(8)	
	sp_sort	Sort Name		x(28)	
	sp_territory	Territory	Trty	x(4)	
	sp_user1	Ufld1		x(8)	
	sp_user2	Ufld2		x(8)	
	sp__chr01			x(8)	
	sp__chr02			x(8)	
	sp__chr03			x(8)	
	sp__chr04			x(8)	
	sp__chr05			x(8)	
	sp__dec01			>>>,>>>,>>9.99	10
	sp__dec02			>>>,>>>,>>9.99	10
	sp__dte01			99/99/99	
	sp__dte02			99/99/99	
	sp__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sp_mstr	yes	oid_sp_mstr	yes	no
Δ*	sp_addr	yes	sp_domain	yes	no
			sp_addr	yes	no
Δ	sp_sort	no	sp_domain	yes	no
			sp_sort	yes	no

src_ctrl Service Request Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_src_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	src_domain	Domain		x(8)	
	src_nbr	SR Number		>>>>>>9	
	src_user1	Ufld1		x(8)	
	src_user2	Ufld2		x(8)	
	src__qadc01			x(8)	
Δ	src__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_src_ctrl	yes	oid_src_ctrl	yes	no
Δ*	src_index1	yes	src_domain	yes	no

sroc_ctrl Service/Repair Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sroc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	sroc_domain	Domain		x(8)	
	sroc_sro	Next SR/O Number	Next SRO	>>>>>>>9	
	sroc_sro_pre	SRO Prefix	Pre	x(3)	
	sroc_user1	Ufld1		x(8)	
	sroc_user2	Ufld2		x(8)	
	sroc__qad01			>>>>>>9	
Δ	sroc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sroc_ctrl	yes	oid_sroc_ctrl	yes	no
Δ*	sroc_index1	yes	sroc_domain	yes	no

sro_mstr Service/Repair Order Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sro_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	sro_assign	Assigned To	Assigned	x(8)	
	sro_author	Authorized By	Author	x(8)	
	sro_closed	Closed		yes/no	
	sro_cls_date	Closed		99/99/99	
	sro_cmmt[16]			x(76)	
	sro_cmtindx	Comment		>>>>>>>9	
	sro_cr_terms	Credit Terms	Terms	x(8)	
	sro_cust	Customer		x(8)	
	sro_desc	Description		x(24)	
	sro_disc_pct	Disc %		->9.99%	10
◊	sro_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
sro_dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z,zzz,zzz,zz9.99	10
sro_invoiced	Invoiced		yes/no	
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	10
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z,zzz,zzz,zz9.99	10
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	10
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	10
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	
sro__chr01			x(8)	
sro__chr02			x(8)	
sro__chr03			x(8)	
sro__chr04			x(8)	
sro__chr05			x(8)	
sro__dec01			>>>,>>>,>>9.99	10
sro__dec02			>>>,>>>,>>9.99	10
sro__dte01			99/99/99	
sro__dte02			99/99/99	
sro__log01			yes/no	
sro__qadc05			x(8)	
sro__qadc06			x(4)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sro_mstr	yes	oid_sro_mstr	yes	no
Δ	sro_assign	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_assign	yes	no
			sro_ent_date	yes	no
Δ	sro_cust	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_cust	yes	no
			sro_ent_date	yes	no
Δ	sro_desc	yes	sro_domain	yes	no
			sro_desc	yes	no
			sro_nbr	yes	no
Δ	sro_dspstn	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_dspstn	yes	no
			sro_ent_date	yes	no
Δ	sro_ent_date	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_ent_date	yes	no
			sro_nbr	yes	no
Δ	sro_failure1	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_failure1	yes	no
			sro_ent_date	yes	no
Δ*	sro_nbr	yes	sro_domain	yes	no
			sro_nbr	yes	no
Δ	sro_part	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_part	yes	no
			sro_ent_date	yes	no
Δ	sro_status	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_status	yes	no
			sro_ent_date	yes	no
Δ	sro_type	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_type	yes	no
			sro_ent_date	yes	no

srr_mstr Service Request Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_srr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	srr_act_hrs	Actual Hours	Act Hours	->>,>>9.99	10
	srr_assign	Assigned		x(8)	
	srr_ca_nbr	Call		x(8)	
	srr_cls_date	Close Date		99/99/99	
	srr_date	Date Entered		99/99/99	
	srr_desc	Description		x(60)	
◊	srr_domain	Domain		x(8)	
	srr_eco	ECO		x(8)	
	srr_est_hrs	Estimated Hours	Est Hours	->>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	Ufld1		x(8)	
srr_user2	Ufld2		x(8)	
srr__chr01			x(8)	
srr__chr02			x(8)	
srr__chr03			x(8)	
srr__chr04			x(8)	
srr__chr05			x(8)	
srr__chr06			x(8)	
srr__chr07			x(8)	
srr__chr08			x(8)	
srr__chr09			x(8)	
srr__chr10			x(8)	
srr__dec01			>>>,>>>,>>9.99	10
srr__dec02			>>>,>>>,>>9.99	10
srr__dte01			99/99/99	
srr__dte02			99/99/99	
srr__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_srr_mstr	yes	oid_srr_mstr	yes	no
Δ	srr_assign	no	srr_domain	yes	no
			srr_assign	yes	no
Δ	srr_eco	no	srr_domain	yes	no
			srr_eco	yes	no
Δ	srr_eu_nbr	no	srr_domain	yes	no
			srr_eu_nbr	yes	no
Δ*	srr_nbr	yes	srr_domain	yes	no
			srr_nbr	yes	no
Δ	srr_part	yes	srr_domain	yes	no
			srr_part	yes	no
			srr_nbr	yes	no
Δ	srr_problem	no	srr_domain	yes	no
			srr_problem	yes	no

sr_wkfl

Serial Number Work Table

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sr_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sr_assay	Assay %		>>9.99%	10
◊	sr_domain	Domain		x(8)	
	sr_expire	Expire Date	Expire	99/99/99	
	sr_lineid			x(8)	
	sr_loc	Location		x(8)	
	sr_lotser	Lot/Serial		x(18)	
	sr_qty	Quantity		->,>>>,>>9.9<<<<<<<<	10
	sr_ref	Ref	Reference	x(8)	
	sr_rev	Rev		x(4)	
	sr_site	Site		x(8)	
	sr_status	Status		x(8)	
	sr_to_loc	Location		x(8)	
	sr_to_site	Site		x(8)	
	sr_user1	Ufld1		x(8)	
	sr_user2	Ufld2		x(8)	
	sr_userid	User ID		x(8)	
	sr_vend_lot	Supplier Lot		x(18)	
	sr__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sr_wkfl	yes	oid_sr_wkfl	yes	no
Δ*	sr_id	yes	sr_domain	yes	no
			sr_userid	yes	no
			sr_lineid	yes	no
			sr_site	yes	no
			sr_loc	yes	no
			sr_lotser	yes	no
			sr_ref	yes	no

ssd_det

Source of Supply Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ssd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	ssd_domain	Domain		x(8)	
	ssd_end	End		99/99/99	
	ssd_leadtime	Lead Time	LT	->,>>>	
	ssd_network	Network Code		x(18)	
	ssd_percent	Supply Percent	Percent	->>9.9<<%	10
	ssd_rec_site	Receiving Site	Rec Site	x(8)	
	ssd_ref	Reference		x(12)	
	ssd_src_site	Supply Site	Source	x(8)	
	ssd_start	Start		99/99/99	
	ssd_trans	Transportation Code	Ship Via	x(8)	
	ssd_user1	Ufld1		x(8)	
	ssd_user2	Ufld2		x(8)	
	ssd__qadc01			x(8)	
	ssd__qadd01			>>>,>>>,>>9.99	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ssd_det	yes	oid_ssd_det	yes	no
Δ*	ssd_det	yes	ssd_domain	yes	no
			ssd_network	yes	no
			ssd_rec_site	yes	no
			ssd_src_site	yes	no
			ssd_ref	yes	no
Δ	ssd_rec_site	no	ssd_domain	yes	no
			ssd_rec_site	yes	no
			ssd_network	yes	no
			ssd_src_site	yes	no
Δ	ssd_src_site	no	ssd_domain	yes	no
			ssd_src_site	yes	no
			ssd_network	yes	no
			ssd_rec_site	yes	no

ssm_mstr

Source of Supply Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ssm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ssm_desc	Description		x(24)	
◊	ssm_domain	Domain		x(8)	
	ssm_network	Network Code		x(18)	
	ssm_planner	Planner		x(8)	
	ssm_user1	Ufld1		x(8)	
	ssm_user2	Ufld2		x(8)	
	ssm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ssm_mstr	yes	oid_ssm_mstr	yes	no
Δ	ssm_desc	no	ssm_domain	yes	no
			ssm_desc	yes	no
			ssm_network	yes	no
Δ*	ssm_network	yes	ssm_domain	yes	no
			ssm_network	yes	no

sttqd_det

Time-Based/Quantity-Based Status Code Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sttqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sttqd_acceptable	Acceptable		yes/no	
	sttqd_active	Active		yes/no	
	sttqd_customer_source	Customer Source		x(3)	
◊	sttqd_domain	Domain		x(8)	
	sttqd_max_value	Maximum	Max	->>,>>>,>>9.9<<<<<<<<	10
	sttqd_measurement_type	Status Type		>	

	Field Name	Label	Col-Label	Format	Dec
	sttqd_min_value	Minimum	Min	->>,>>>,>>9.9<<<<<<<<	10
	sttqd_mod_date	Modified Date	Mod Date	99/99/99	
	sttqd_mod_userid	User ID		X(8)	
	sttqd_part	Item Number		x(18)	
	sttqd_receive_addr	Receive Address		x(8)	
	sttqd_shipfrom	Ship-From		x(8)	
	sttqd_status_code	Status Code		x(8)	
	sttqd_tracking_measure	Track By		X(8)	
	sttqd_user1	User Field Character 1		X(24)	
	sttqd_user2	User Field Character 2		X(24)	
	sttqd_use_percent	Track By Percentage		yes/no	
	sttqd__qadc01			X(24)	
	sttqd__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sttqd_det	yes	oid_sttqd_det	yes	no
Δ	sttqd_active	no	sttqd_domain	yes	no
			sttqd_active	yes	no
			sttqd_measurement_type	yes	no
			sttqd_customer_source	yes	no
			sttqd_use_percent	yes	no
			sttqd_shipfrom	yes	no
			sttqd_receive_addr	yes	no
			sttqd_part	yes	no
			sttqd_min_value	yes	no
			sttqd_max_value	yes	no
Δ*	sttqd_customer_src	yes	sttqd_domain	yes	no
			sttqd_measurement_type	yes	no
			sttqd_status_code	yes	no
			sttqd_customer_source	yes	no
			sttqd_shipfrom	yes	no
			sttqd_receive_addr	yes	no
			sttqd_part	yes	no

sttq_mstr

Time-Based/Quantity-Based Status Code Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sttq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sttq_desc	Description		x(24)	
◊	sttq_domain	Domain		x(8)	
	sttq_measurement_type	Measurement Type		>	
	sttq_mod_date	Modified Date	Mod Date	99/99/99	
	sttq_mod_userid	User ID		X(8)	
	sttq_status_code	Status Code		x(8)	
	sttq_user1	User Field Character 1		X(24)	
	sttq_user2	User Field Character 2		X(24)	
	sttq__qadc01			X(24)	
	sttq__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sttq_mstr	yes	oid_sttq_mstr	yes	no
Δ*	sttq_type_code	yes	sttq_domain	yes	no
			sttq_measurement_type	yes	no
			sttq_status_code	yes	no

stx_mstr

Suspended Tax Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_stx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	stx_domain	Domain		x(8)	
	stx_key	Key		x(8)	
	stx_mod_date	Modified Date	Mod Date	99/99/99	
	stx_mod_userid	User ID		x(8)	
	stx_paid	Paid		yes/no	
	stx_tax_code	Tax Code		x(8)	
	stx_tran_type	Transaction Type	Tr Type	x(8)	
	stx_user1	User Field Character 1		x(24)	
	stx_user2	User Field Character 2		x(24)	
	stx_use_st	Use Suspended Tax	Susp Tax	yes/no	
	stx__qadc01			x(24)	
	stx__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_stx_mstr	yes	oid_stx_mstr	yes	no
Δ*	stx_tran_key	yes	stx_domain	yes	no
			stx_tran_type	yes	no
			stx_key	yes	no
			stx_tax_code	yes	no

sufd_det

Shipper User Field Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sufd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sufd_abs_fld_name	Shipper Field Name		x(32)	
◊	sufd_domain	Domain		x(8)	
	sufd_fld_name	Field Name		X(30)	
	sufd_fld_prompt	Prompt for Value		yes/no	
	sufd_fld_seq	Field Sequence	Seq	>>9	
	sufd_fld_value	Field Value		X(30)	
	sufd_level	Apply to		>>9	
	sufd_mod_date	Modified Date	Mod Date	99/99/99	
	sufd_mod_userid	User ID		x(8)	
	sufd_shipfrom	Ship From		x(8)	
	sufd_shipto	Ship-To/Dock		x(8)	
	sufd_userc01	User Field Character 1		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	sufd_userc02	User Field Character 2		x(24)	
	sufd_validate	Validate		x(24)	
	sufd__qadc01			x(24)	
	sufd__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sufd_det	yes	oid_sufd_det	yes	no
Δ	sufd_level	no	sufd_domain	yes	no
			sufd_level	yes	no
			sufd_fld_seq	yes	no
			sufd_shipfrom	yes	no
			sufd_shipto	yes	no
Δ*	sufd_shipfrom	yes	sufd_domain	yes	no
			sufd_shipfrom	yes	no
			sufd_shipto	yes	no
			sufd_level	yes	no
			sufd_fld_seq	yes	no

suf_mstr

Shipper User Field Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_suf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
	suf_abs_fld_name	Shipper Field Name		x(32)	
◊	suf_domain	Domain		x(8)	
	suf_fld_name	Field Name		x(32)	
	suf_fld_prompt	Prompt for Value		yes/no	
	suf_fld_seq	Field Sequence	Seq	>>9	
	suf_fld_value	Default Field Value		x(30)	
	suf_level	Apply to		>>9	
	suf_mod_date	Modified Date	Mod Date	99/99/99	
	suf_mod_userid	User ID		x(8)	
	suf_userc01	User Field Character 1		x(24)	
	suf_userc02	User Field Character 2		x(24)	
	suf_validate	Validate		x(32)	
	suf__qadc01			x(24)	
	suf__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_suf_mstr	yes	oid_suf_mstr	yes	no
Δ*	suf_level	yes	suf_domain	yes	no
			suf_level	yes	no
			suf_fld_seq	yes	no

svc_ctrl Service/Support Management Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_svc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	svc_ack_letter	Acknowledge Letter		yes/no	
	svc_arears	Bill Arrears	Arrear	yes/no	
	svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
	svc_autorenew	Auto Renew		yes/no	
	svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
	svc_auto_tim	Total Call Time		yes/no	
	svc_avoidance	Use Call Avoidance		yes/no	
	svc_bill	Use Repair Structure		yes/no	
	svc_call_pdev	Call Print Device		x(8)	
	svc_call_pre	Call Prefix		x(3)	
	svc_cancl_status	Cancel Status		x(8)	
	svc_ca_allow_inv	Invoice From Recording		yes/no	
	svc_ca_cor_type	Corrective Work Code		x(8)	
	svc_ca_coverage	Coverage Window		yes/no	
	svc_ca_est_time	Default Call Length		999:99	
	svc_ca_est_trv	Travel Time		99:99	
	svc_ca_ins_type	Install Work Code		x(8)	
	svc_ca_inv_draft	Draft Invoice		yes/no	
	svc_ca_model	Use Model		yes/no	
	svc_ca_print0	Print zero dollar calls		yes/no	
	svc_ca_pvm_type	PM Work Code		x(8)	
	svc_ca_sys	System Level on Calls		yes/no	
	svc_ca_tec_type	Technical Work Code		x(8)	
	svc_ca_time_wnd	Call Time Window		yes/no	
	svc_ca_upd_type	Update Work Code		x(8)	
	svc_ca_wo_wnd	Call WO Window		yes/no	
	svc_chg_cd	Chargeable Code		x(2)	
	svc_chg_svcode	Charge Service Type		x(8)	
	svc_close	Close Status	Cl Sts	x(8)	
	svc_close_record	Close on Recording		yes/no	
	svc_cmmts	Call Comments	Cmmt	yes/no	
	svc_code	Code		x(8)	
	svc_comp_status	Complete Status		x(8)	
	svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
	svc_corr_est_time	Corrective Call Duration		999:99	
	svc_cp_causer	Copy Call User Fields		yes/no	
	svc_cp_sauser	Copy Contract User Fields		yes/no	
	svc_create_cus	Create Customer		yes/no	
	svc_db_timezone	Database Time Zone		X(8)	
	svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
	svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
	svc_dflt_que	Default Call Queue	Df Queue	x(8)	
	svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
	svc_dflt_warr	Default Warranty Type		x(8)	
	svc_dispatch	Dispatcher		yes/no	
◊	svc_domain	Domain		x(8)	
	svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
	svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
	svc_esc_dflt	Escalation Default		x(8)	
	svc_esc_pause	Escalation Program Pause		>>,>>9	
	svc_esc_prt	Escalation Printer		x(10)	
	svc_esc_sch	Use Escalation		yes/no	

Field Name	Label	Col-Label	Format	Dec
svc_esc_user	Esc User for Messages		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_0itm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold	No Calls	>>9	
svc_hold_status	Hold Status		x(8)	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_ins_days	Installation Days Ahead		>>9	
svc_invoice_acct	Modify Sales Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	
svc_isb_compbom	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_nsbom	Load Standard BOM		yes/no	
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Modified Date	Mod Date	99/99/99	
svc_mod_userid	User ID		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->>,>>9.99<<<<	10
svc_pm_est_time	PM Call Duration		999:99	
svc_project_hndl	Project Code Handling		->,>>>,>>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	
svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
svc_pvm_cl	PM Calls		yes/no	
svc_que_paus	Queue Manager Pause		>>9	
svc_que_prog	Queue Manager		>>9	
svc_rc_transfer	Transfer Inventory		yes/no	
svc_return_sts	Return Status		x(8)	
svc_rma_hist	Rma History		yes/no	
svc_sap_bom_type	Default BOM for PM		x(8)	
svc_sa_account	Update Accounting		yes/no	
svc_sa_accounts	Modify Sales Accounts		yes/no	
svc_sa_cd	Contract Code		x(2)	
svc_scheduler	Scheduler		>>9	
svc_schedule_ca	Schedule New Calls		yes/no	
svc_scrap_sts	Scrap Status		x(8)	
svc_serial	Installed Base Serials		x(1)	

Field Name	Label	Col-Label	Format	Dec
svc_server_timezone	Server Time Zone		X(8)	
svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
svc_site	Repair Site		x(8)	
svc_srr_close	SR Close Status	Cl Sts	x(8)	0
svc_srr_open	SR Open Status	Opn Sts	x(8)	0
svc_srstatus	SR Resolution		x(8)	
svc_sr_pre	Service Request Prefix		x(3)	
svc_sub_cvr	Subs Covered		yes/no	
svc_sv_cd	Service Contract Cd		x(2)	
svc_sys_type			x(2)	
svc_tax_environ	Tax Enviroment		x(8)	
svc_temp_close	Close Call with Temp		yes/no	
svc_temp_cus	Temporary Customer		x(8)	
svc_time_zone	Hours from GMT		>>9	
svc_tm_cd	Time and Materials CD		x(2)	
svc_trace	Enable Tracing		yes/no	
svc_travel_step	Travel Step		>>>>>9	
svc_trvl_um	Travel UM		x(2)	0
svc_um	Contract UM	UM	x(2)	0
svc_upd_est_time	Update Call Duration		999:99	
svc_user1	Ufld1		x(8)	
svc_user2	Ufld2		x(8)	
svc_wait_status	Wait Status		x(8)	
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0
svc__chr01	usfld1		x(8)	
svc__chr02	usrfld2		x(8)	
svc__chr03	usrfld3		x(8)	
svc__chr04	usrfld4		x(8)	
svc__chr05	usrfld5		x(8)	
svc__chr06	usrfld6		x(8)	
svc__chr07	usrfld7		x(8)	
svc__chr08	usrfld8		x(8)	
svc__chr09	usrfld9		x(8)	
svc__chr10	usrfld10		x(8)	
svc__dec01			->>,>>9.99<<<<	10
svc__dec02			->>,>>9.99<<<<	10
svc__dec03			->>,>>9.99<<<<	10
svc__dec04			->>,>>9.99<<<<	10
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
svc__qadc04	QAD Character Field 4		x(8)	
svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		->>,>>9.99	10
svc__qadd02	QAD Decimal Field 2		->>,>>9.99	10
svc__qadd03	QAD Decimal Field 3		->>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
svc__qadi02	QAD Integer Field 2		->,>>>,>>9	
svc__qadi03	QAD Integer Field 3		->,>>>,>>9	
svc__qadi04	QAD Integer Field		>>>9	
svc__qadi05	QAD Integer Field 5		->,>>>,>>9	
svc__qadl01	QAD Logical Field 1		yes/no	
svc__qadl02	QAD Logical Field 2		yes/no	
svc__qadl03	QAD Logical Field 3		yes/no	
svc__qadl04	QAD Logical Field		yes/no	
svc__qadl06	QAD Logical Field		yes/no	
svc__qadl07	QAD Logical Field		yes/no	
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_svc_ctrl	yes	oid_svc_ctrl	yes	no
Δ*	svc_node	yes	svc_domain	yes	no
			svc_node	yes	no

sv_mstr

Service Agreement Terms and Conditions Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_sv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sv_blanket	Blanket		yes/no	
	sv_calls_allow	Calls Allowed		>>>9	0
	sv_call_price	Call Price List		X(8)	
	sv_cmtindx	Comment Index	Comment	>>>>>>>9	
	sv_code	Service Type	Svc Type	x(8)	
	sv_cr_prlist	Credit Price List	Cr Price	x(8)	
	sv_cstmlist	Customs List	Customs	x(8)	
	sv_days[7]	Days		yes/no	
	sv_desc	Description		x(25)	
	sv_dflt_pri	Priority		>>9	
◊	sv_domain	Domain		x(8)	
	sv_duration	Duration	Dur	>>>9	
	sv_dur_um	Contract UM		x(1)	
	sv_ed_time	End Time	End	99:99	
	sv_es_nbr	Escalation		x(8)	
	sv_etime[8]	End Time		99:99	
	sv_holidays	Holidays		yes/no	
	sv_labor_dur	Labor Duration		>>>9	
	sv_labor_um	Labor UM		x(2)	
	sv_off_hours_pt	Off Hours Item		x(18)	
	sv_onsite	Onsite		yes/no	
	sv_prod_line	Prod Line	Line	x(4)	
	sv_pr_list	Contract Price List	CPrice List	x(8)	
	sv_qo_title	Quote Title	Qo Title	x(24)	
	sv_rmaonly	RMA Only		yes/no	
	sv_rmaprice	RMA Price List		x(8)	0
	sv_rsp_time	Response	Rsp Time	>>>>>9	
	sv_rsp_um	Response Time UM		x(1)	

Field Name	Label	Col-Label	Format	Dec
sv_rstk_pct	Restocking Charge		->>9.99%	10
sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
sv_so_title	So title		x(24)	
sv_stime[8]	Start Time		99:99	
sv_st_time	Start Time	Start	99:99	
sv_svc_type	Contract Type	T	x(2)	
sv_taxable	Taxable		yes/no	
sv_taxc	Tax Class	TxC	x(3)	
sv_tax_usage	Nature of Operation	Nature	x(8)	
sv_type	End User Type		x(8)	
sv_user1	Ufld1		x(8)	
sv_user2	Ufld2		x(8)	
sv_visits	Visits Per Year		>>9	10
sv__chr01			x(8)	
sv__chr02			x(8)	
sv__chr03			x(8)	
sv__chr04			x(8)	
sv__chr05			x(8)	
sv__qadc01	Qad Field #1		x(8)	0
sv__qadc02	Qad Field #2		x(8)	0
sv__qadc03	Qad Field #3		x(8)	0
sv__qadc04	Qad Field #4		x(8)	0
sv__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	
sv__qadl02	Qad Logical #2		yes/no	
sv__qadl03	Qad Logical #3		yes/no	
sv__qadt01	Qad Date #1		99/99/99	
sv__qadt02	Qad Date #2		99/99/99	
sv__qadt03	Qad Date #3		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sv_mstr	yes	oid_sv_mstr	yes	no
Δ*	sv_code	yes	sv_domain	yes	no
			sv_code	yes	no
			sv_type	yes	no
Δ	sv_svc_type	no	sv_domain	yes	no
			sv_code	yes	no
			sv_svc_type	yes	no

swc_det

Cost Simulation Work Center Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_swc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	swc_bdn_pct	Lbr Bdn %		>>9.99%	10
	swc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
	swc_bdn_supct	Setup Bdn %		>>9.99%	10
	swc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
	swc_cat	W/C Category		x(1)	
◊	swc_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
swc_element	Cost Element	Element	x(8)	
swc_lbr_rate	Labor Rate		>>>,>>9.99	10
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
swc_men_mch	Run Crew		>>9.999	10
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		->,>>9.999	10
swc_pct_util	Percent Utilization		->,>>9.999	10
swc_run_rate	Lbr/Bdn Rate		->,>>>,>>9.99999	10
swc_setup_men	Setup Crew		->>,>>9.99	10
swc_setup_rte	Setup Rate		>>>,>>9.99	10
swc_set_rate	Setup Rate		->,>>>,>>9.99999	10
swc_sim	Cost Set		x(8)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	
swc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_swc_det	yes	oid_swc_det	yes	no
Δ	swc_sim_elem	yes	swc_domain	yes	no
			swc_sim	yes	no
			swc_element	yes	no
			swc_wkctr	yes	no
			swc_mch	yes	no
Δ*	swc_sim_wc	yes	swc_domain	yes	no
			swc_sim	yes	no
			swc_wkctr	yes	no
			swc_mch	yes	no
			swc_element	yes	no

◊ sypd_det Synch Profile Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sypd_fldname	Field Name		x(21)	
sypd_mod_date	Mod Date		99/99/99	
sypd_mod_userid	User ID		x(8)	
sypd_prereq_add	Prerequisite For Add		yes/no	
sypd_profl_id	Synch Profile ID		x(16)	
sypd_reqd_add	Required on Add		yes/no	
sypd_reqd_chgdel	Required on Change or Delete		yes/no	
sypd_seq	Sequence		>>9	
sypd_user1	Ufld1		x(8)	
sypd_user2	Ufld2		x(8)	
sypd__chr01			x(8)	
sypd__chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
sypd__dec01			->>>,>>>,>>9.99<	10
sypd__dec02			->>>,>>>,>>9.99<	10
sypd__dte01			99/99/99	
sypd__dte02			99/99/99	
sypd__int01			->>>,>>>,>>9	
sypd__int02			->>>,>>>,>>9	
sypd__log01			yes/no	
sypd__log02			yes/no	
sypd__qadc01			x(8)	
sypd__qadc02			x(8)	
sypd__qadc03			x(8)	
sypd__qadc04			x(8)	
sypd__qadd01			->>>,>>>,>>9.99<	10
sypd__qadd02			->>>,>>>,>>9.99<	10
sypd__qadi01			->>>,>>>,>>9	
sypd__qadi02			->>>,>>>,>>9	
sypd__qadl01			yes/no	
sypd__qadl02			yes/no	
sypd__qadt01			99/99/99	
sypd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sypd_det	yes	oid_sypd_det	yes	no
◊*	sypd_proflid_fldname	yes	sypd_profl_id	yes	no
			sypd_fldname	yes	no
◊	sypd_proflid_seq	no	sypd_profl_id	yes	no
			sypd_seq	yes	no

◊ sypj_det

Sync Profile Join Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypj_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sypj_join_crit[4]	Join Criteria		x(255)	
sypj_join_profl	Joined Sync Profile ID		x(16)	
sypj_mod_date	Mod Date		99/99/99	
sypj_mod_userid	User ID		x(8)	
sypj_profl_id	Sync Profile ID		x(16)	
sypj_publ_joined	Publish Child On Parent Changes		yes/no	
sypj_relation	Relationship		x(1)	
sypj_reqd_join	Child Required To Publish Parent		yes/no	
sypj_seq	Sequence		>>9	
sypj_user1	Ufld1		x(8)	
sypj_user2	Ufld2		x(8)	
sypj__chr01			x(8)	
sypj__chr02			x(8)	
sypj__dec01			->>>,>>>,>>9.99<	10
sypj__dec02			->>>,>>>,>>9.99	10
sypj__dte01			99/99/99	
sypj__dte02			99/99/99	
sypj__int01			->>>,>>>,>>9	
sypj__int02			->>>,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
sypj__log01			yes/no	
sypj__log02			yes/no	
sypj__qadc01			x(8)	
sypj__qadc02			x(8)	
sypj__qadc03			x(8)	
sypj__qadc04			x(8)	
sypj__qadd01			->>>,>>>,>>9.99<	10
sypj__qadd02			->>>,>>>,>>9.99<	10
sypj__qadi01			->>>,>>>,>>9	
sypj__qadi02			->>>,>>>,>>9	
sypj__qadl01			yes/no	
sypj__qadl02			yes/no	
sypj__qadt01			99/99/99	
sypj__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sypj_det	yes	oid_sypj_det	yes	no
◊	sypj_join_profl_rel	yes	sypj_join_profl	yes	no
			sypj_profl_id	yes	no
			sypj_relation	yes	no
◊	sypj_join_rel_seq	no	sypj_join_profl	yes	no
			sypj_relation	yes	no
			sypj_seq	yes	no
◊*	sypj_profl_join_rel	yes	sypj_profl_id	yes	no
			sypj_join_profl	yes	no
			sypj_relation	yes	no
◊	sypj_profl_rel_seq	no	sypj_profl_id	yes	no
			sypj_relation	yes	no
			sypj_seq	yes	no

◊ syps_det Synch Profile Subscription Detail

Field Name	Label	Col-Label	Format	Dec
oid_syps_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
syps_app_id	Application ID		x(12)	
syps_doc_rev	Document Revision		x(8)	
syps_doc_std	Document Standard		x(8)	
syps_doc_typ	Document Type		x(21)	
syps_im_doc	Imported Document		yes/no	
syps_mod_date	Mod Date		99/99/99	
syps_mod_userid	User ID		x(8)	
syps_profl_id	Sync Profile ID		x(16)	
syps_tradptr_id	Trading Partner ID		x(32)	
syps_trig_updt	Publish On Table Update		yes/no	
syps_user1	Ufld1		x(8)	
syps_user2	Ufld2		x(8)	
syps__chr01			x(8)	
syps__chr02			x(8)	
syps__dec01			->>>,>>>,>>9.99<	10
syps__dec02			->>>,>>>,>>9.99<	10
syps__dte01			99/99/99	
syps__dte02			99/99/99	
syps__int01			->>>,>>>,>>9	
syps__int02			->>>,>>>,>>9	
syps__log01			yes/no	
syps__log02			yes/no	
syps__qadc01			x(8)	
syps__qadc02			x(8)	
syps__qadc03			x(8)	
syps__qadc04			x(8)	
syps__qadd01			->>>,>>>,>>9.99<	10
syps__qadd02			->>>,>>>,>>9.99<	10
syps__qadi01			->>>,>>>,>>9	
syps__qadi02			->>>,>>>,>>9	
syps__qadl01			yes/no	
syps__qadl02			yes/no	
syps__qadt01			99/99/99	
syps__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_syps_det	yes	oid_syps_det	yes	no
◊*	syps_subscription_id	yes	syps_app_id	yes	no
			syps_doc_std	yes	no
			syps_doc_typ	yes	no
			syps_doc_rev	yes	no
			syps_tradptr_id	yes	no
			syps_im_doc	yes	no
			syps_profl_id	yes	no
◊	syps_subs_by_profile	no	syps_profl_id	yes	no

◊ syp_mstr Synch Profile Master

Field Name	Label	Col-Label	Format	Dec
oid_syp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
syp_add_as_chg	Format as Change		yes/no	
syp_dbname	Database Name		x(8)	
syp_del_as_chg	Format as Change		yes/no	
syp_exp_add	Export Add		yes/no	
syp_exp_chg	Export Change		yes/no	
syp_exp_del	Export Delete		yes/no	
syp_exp_dump	Export As Record Dump		yes/no	
syp_exp_rowid_only	Export Rowid Only		yes/no	
syp_flt_crit[4]	Filter Criteria		x(255)	
syp_mod_date	Mod Date		99/99/99	
syp_mod_userid	User ID		x(8)	
syp_profl_desc	Description		x(40)	
syp_profl_id	Synch Profile ID		x(16)	
syp_publ_proc	Filter Procedure Name		x(16)	
syp_tblname	Table Name		x(16)	
syp_user1	Ufld1		x(8)	
syp_user2	Ufld2		x(8)	
syp__chr01			x(8)	
syp__chr02			x(8)	
syp__dec01			->>>,>>>,>>9.99<	10
syp__dec02			->>>,>>>,>>9.99	10
syp__dte01			99/99/99	
syp__dte02			99/99/99	
syp__int01			->>>,>>>,>>9	
syp__int02			->>>,>>>,>>9	
syp__log01			yes/no	
syp__log02			yes/no	
syp__qadc01			x(8)	
syp__qadc02			x(8)	
syp__qadc03			x(8)	
syp__qadc04			x(8)	
syp__qadd01			->>>,>>>,>>9.99<	10
syp__qadd02			->>>,>>>,>>9.99<	10
syp__qadi01			->>>,>>>,>>9	
syp__qadi02			->>>,>>>,>>9	
syp__qadl01			yes/no	
syp__qadl02			yes/no	
syp__qadt01			99/99/99	
syp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_syp_mstr	yes	oid_syp_mstr	yes	no
◊* syp_profl_id	yes	syp_profl_id	yes	no
◊ syp_tblname	no	syp_tblname	yes	no

◊ sytf_mstr Synchronization Table-Field Master

Field Name	Label	Col-Label	Format	Dec
oid_sytf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sytf_fldname	Field Name		x(16)	
sytf_mod_date	Mod Date		99/99/99	
sytf_mod_userid	User ID		x(8)	
sytf_reqd_add	Required on Add		yes/no	
sytf_reqd_chgdel	Required in Change-Delete		yes/no	
sytf_tblname	Table Name		x(16)	
sytf_user1	Ufld1		x(8)	
sytf_user2	Ufld2		x(8)	
sytf__chr01			x(8)	
sytf__chr02			x(8)	
sytf__dec01			->>>,>>>,>>9.99<	10
sytf__dec02			->>>,>>>,>>9.99<	10
sytf__dte01			99/99/99	
sytf__dte02			99/99/99	
sytf__int01			->>>,>>>,>>9	
sytf__int02			->>>,>>>,>>9	
sytf__log01			yes/no	
sytf__log02			yes/no	
sytf__qadc01			x(8)	
sytf__qadc02			x(8)	
sytf__qadc03			x(8)	
sytf__qadc04			x(8)	
sytf__qadd01			->>>,>>>,>>9.99<	10
sytf__qadd02			->>>,>>>,>>9.99<	10
sytf__qadi01			->>>,>>>,>>9	
sytf__qadi02			->>>,>>>,>>9	
sytf__qadl01			yes/no	
sytf__qadl02			yes/no	
sytf__qadt01			99/99/99	
sytf__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sytf_mstr	yes	oid_sytf_mstr	yes	no
◊	sytf_fldname	no	sytf_fldname	yes	no
◊*	sytf_tbl_fldname	yes	sytf_tblname	yes	no
			sytf_fldname	yes	no

tag_mstr Physical Inventory Tag Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tag_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tag_cnt_cnv	Count Conv		>>>>9.9999	10
	tag_cnt_dt	Date Counted	Cnt Date	99/99/99	
	tag_cnt_nam	Counted By	Cntd By	x(8)	
	tag_cnt_qty	Qty Counted		>,>>>,>>9.9<<<<<<<<	10
	tag_cnt_um	Count UM	UM	x(2)	
	tag_crt_dt	Create Date	Crt Date	99/99/99	
◊	tag_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	>>>>>>>9	
tag_part	Item Number		x(18)	
tag_posted	Posted	Post	yes/no	
tag_prt_dt	Print Date	Prt Date	99/99/99	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	>>>>9.9999	10
tag_rcnt_dt	Date Recounted	RcntDate	99/99/99	
tag_rcnt_nam	Recounted By	Rcntd By	x(8)	
tag_rcnt_qty	Qty Recounted		>,>>>,>>9.9<<<<<<<<	10
tag_rcnt_um	Recount UM	UM	x(2)	
tag_ref	Ref	Reference	x(8)	
tag_rmks	Remarks		x(24)	
tag_serial	Lot/Serial		x(18)	
tag_site	Site		x(8)	
tag_type	Type	T	x(1)	
tag_user1	Ufld1		x(8)	
tag_user2	Ufld2		x(8)	
tag_void	Void		yes/no	
tag__qad01			->>>,>>>,>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tag_mstr	yes	oid_tag_mstr	yes	no
Δ*	tag_nbr	yes	tag_domain	yes	no
			tag_nbr	yes	no
Δ	tag_pslsn	yes	tag_domain	yes	no
			tag_part	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_nbr	yes	no
Δ	tag_pssln	yes	tag_domain	yes	no
			tag_part	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_nbr	yes	no
Δ	tag_slpsn	yes	tag_domain	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_part	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_nbr	yes	no

taxd_det Tax Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_taxd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	taxd_city	City		x(20)	
	taxd_county	County		x(20)	
	taxd_effdate	Effective		99/99/99	
	taxd_ntaxamt[10]	Non Taxable Amount		->>,>>>,>>9.99	10
	taxd_state	State		x(4)	
	taxd_taxamt[3]	Tax Amt		->>,>>>,>>9.99	10
	taxd_totamt	Total Amount		->>,>>>,>>9.99	10
	taxd_tottax	Taxable Sales	Taxable! Sales	->>,>>>,>>9.99	10
	taxd_user1	Ufld1		x(8)	
	taxd_user2	Ufld2		x(8)	
	taxd__qad01			x(8)	
	taxd__qad02			x(8)	
	taxd__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_taxd_det	yes	oid_taxd_det	yes	no
*	taxd_stcocie	yes	taxd_state	yes	no
			taxd_county	yes	no
			taxd_city	yes	no
			taxd_effdate	yes	no

tax_mstr Tax Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tax_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tax_acct[3]	Account		x(8)	
	tax_cc[3]	Cost Center	CC	x(4)	
	tax_city	City		x(20)	
	tax_county	County		x(20)	
	tax_effdate	Effective		99/99/99	
	tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
	tax_mod_date	Modified Date	Mod Date	99/99/99	
	tax_state	State		x(4)	
	tax_tax_pct[3]	Tax		->>9.99<<%	10
	tax_trl	Tax Trailer Amounts	Tax! Trl	yes/no	
	tax_user1	Ufld1		x(8)	
	tax_user2	Ufld2		x(8)	
	tax_userid	User ID		x(8)	
	tax__qad01			x(8)	
	tax__qad02			x(8)	
	tax__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tax_mstr	yes	oid_tax_mstr	yes	no
*	tax_state	yes	tax_state	yes	no
			tax_county	yes	no
			tax_city	yes	no
			tax_effdate	yes	no

tblcd_det

Table Change Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tblcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tblcd_active	Active		yes/no	
	tblcd_desc	Description		x(24)	
◊	tblcd_domain	Domain		x(8)	
	tblcd_fld_name	Field		x(32)	
	tblcd_mod_date	Modified Date	Mod Date	99/99/99	
	tblcd_mod_userid	User ID		X(8)	
	tblcd_table	Table		x(16)	
	tblcd_user1	User Field Character 1		X(24)	
	tblcd_user2	User Field Character 2		X(24)	
	tblcd__qadc01			X(24)	
	tblcd__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tblcd_det	yes	oid_tblcd_det	yes	no
Δ*	tblcd_table	yes	tblcd_domain	yes	no
			tblcd_table	yes	no
			tblcd_fld_name	yes	no

tblc_mstr

Table Change Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tblc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tblc_active	Active		yes/no	
	tblc_delete	Delete		yes/no	
	tblc_desc	Description		x(24)	
◊	tblc_domain	Domain		x(8)	
	tblc_mod_date	Modified Date	Mod Date	99/99/99	
	tblc_mod_userid	User ID		X(24)	
	tblc_table	Table		x(16)	
	tblc_user1	User Field Character 1		X(24)	
	tblc_user2	User Field Character 2		X(24)	
	tblc__qadc01			X(24)	
	tblc__qadc02			X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tblc_mstr	yes	oid_tblc_mstr	yes	no
Δ*	tblc_table	yes	tblc_domain	yes	no
			tblc_table	yes	no

tbl_mstr

Service/Support Parent/Child Relationship Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tbl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tbl_compcode	Component		x(18)	
	tbl_comptype	Component Type	Comp Type	x(12)	
◊	tbl_domain	Domain		x(8)	
	tbl_end	End Effective	End Eff	99/99/99	
	tbl_mod_date	Modified Date	Mod Date	99/99/99	
	tbl_mod_userid	User ID		X(8)	
	tbl_parcode	Parent		x(18)	
	tbl_partype	Parent Type		x(12)	
	tbl_ref	Reference		x(12)	
	tbl_rmks	Remarks		x(24)	
	tbl_start	Start Effective	Start Eff	99/99/99	
	tbl_user1	Ufld1		x(8)	
	tbl_user2	Ufld2		x(8)	
	tbl__chr01	User Character Field 1		x(8)	
	tbl__chr02	User Character Field 2		x(8)	
	tbl__chr03	User Character Field 3		x(8)	
	tbl__chr04	User Character Field 4		x(8)	
	tbl__chr05	User Character Field 5		x(8)	
	tbl__dec01	User Decimal Field 1		->>,>>9.99	10
	tbl__dec02	User Decimal Field 2		->>,>>9.99	10
	tbl__dte01	User Date Field 1		99/99/99	
	tbl__dte02	User Date Field 2		99/99/99	
	tbl__log01	User Logical Field 1		yes/no	
	tbl__log02	User Logical Field 2		yes/no	
	tbl__qadc01	QAD Character Field 1		x(8)	
	tbl__qadc02	QAD Character Field 2		x(8)	
	tbl__qadd01	QAD Date Field 1		99/99/99	
	tbl__qadd02	QAD Date Field 2		99/99/99	
	tbl__qadde01	QAD Decimal Field 1		->>,>>9.99	10
	tbl__qadde02	QAD Decimal Field 2		->>,>>9.99	10
	tbl__qadl01	QAD Logical Field 1		yes/no	
	tbl__qadl02	QAD Logical Field 2		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tbl_mstr	yes	oid_tbl_mstr	yes	no
Δ	tbl_comp	no	tbl_domain	yes	no
			tbl_comptype	yes	no
			tbl_compcode	yes	no
Δ*	tbl_typecode	yes	tbl_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

te_mstr

Transaction Export Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_te_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	te_data	DATA		X(255)	
	te_date	Date Created		99/99/99	
	te_date_deliv	Date Delivered		99/99/99	
	te_date_exp	Date Exported		99/99/99	
	te_dest	Dest ID		x(16)	
◊	te_domain	Domain		x(8)	
	te_exp_type	Export Type		x(16)	
	te_line	Line		9999	
	te_nbr	Number		99999999	
	te_pgm	Program		x(16)	
	te_pgm_errs	Error Count		9999	
	te_pgm_msgs[10]	Errors		x(40)	
	te_pgm_warn	Warn Count		9999	
	te_site	Site		x(8)	
	te_time	Time Created		x(8)	
	te_time_deliv	Time Delivered		x(8)	
	te_time_exp	Time Exported		x(8)	
	te_updt	Update Type		x(3)	
	te_user1	Ufld1		X(8)	
	te_user2	Ufld2		X(8)	
	te_userid	User ID		x(8)	
	te__chr01			X(8)	
	te__chr02			X(8)	
	te__dec01			999999999.99	10
	te__dec02			999999999.99	10
	te__dte01			99/99/99	
	te__dte02			99/99/99	
	te__log01			yes/no	
	te__log02			yes/no	
	te__qadc01			X(8)	
	te__qadc02			X(8)	
	te__qadc03			X(8)	
	te__qadc04			X(8)	
	te__qadd07			999999999.99	10
	te__qadd08			999999999.99	10
	te__qadi05			9999	
	te__qadi06			9999	
	te__qadl11			YES/NO	
	te__qadl12			YES/NO	
	te__qadt09			99/99/99	
	te__qadt10			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_te_mstr	yes	oid_te_mstr	yes	no
Δ	te_date	no	te_domain	yes	no
			te_date	yes	no
Δ	te_date_deliv	no	te_domain	yes	no
			te_date_deliv	yes	no
Δ	te_dest	no	te_domain	yes	no
			te_dest	yes	no
Δ	te_exp_type	no	te_domain	yes	no
			te_exp_type	yes	no
Δ*	te_mstr	yes	te_domain	yes	no
			te_site	yes	no
			te_nbr	yes	no
			te_line	yes	no
Δ	te_nbr	yes	te_domain	yes	no
			te_nbr	yes	no
			te_line	yes	no

tm_mstr Transportation Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tm_cmtindx	Comment Index	Comment	>>>>>>>9	
	tm_code	Transport ID	Trans ID	x(8)	
	tm_cube_um	UM		x(2)	
	tm_desc	Description		x(24)	
◊	tm_domain	Domain		x(8)	
	tm_gross_wt	Gross Vehicle Weight	GVW	->>,>>>,>>9.9<<<	10
	tm_height	Height		>>>,>>>,>>9.9<<<	10
	tm_length	Length		>>>,>>>,>>9.9<<<	10
	tm_load_lt	Load LT		->>9.9<	10
	tm_maxcube	Max Load Volume	Max Vol	>>>,>>>,>>9.9<<<	10
	tm_maxweight	Max Load Weight	Max Load	>>>,>>>,>>9.9<<<	10
	tm_no_units	Available Units	Units	->,>>>,>>9	
	tm_pallets	Pallet Capacity	Pallets	>>>,>>>,>>9	
	tm_rate_code	Rate Table	Rate	x(8)	
	tm_type	Transport Type	Type	x(8)	
	tm_unload_lt	Unload LT		->>9.9<	10
	tm_user1	Ufld1		x(8)	
	tm_user2	Ufld2		x(8)	
	tm_weight_um	UM		x(2)	
	tm_width	Width		>>>,>>>,>>9.9<<<	10
	tm__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tm_mstr	yes	oid_tm_mstr	yes	no
Δ*	tm_code	yes	tm_domain	yes	no
			tm_code	yes	no
Δ	tm_desc	no	tm_domain	yes	no
			tm_desc	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			tm_code	yes	no
Δ	tm_rate	no	tm_domain	yes	no
			tm_rate_code	yes	no
			tm_code	yes	no

totd_det

Terms of Trade Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_totd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	totd_domain	Domain		x(8)	
	totd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
	totd_mod_date	Modified Date	Mod Date	99/99/99	
	totd_mod_userid	User ID		x(8)	
	totd_responsibility	Responsibility		x(2)	
	totd_terms_code	Terms of Trade		x(8)	
	totd_user1	User Field Character 1		x(24)	
	totd_user2	User Field Character 2		x(24)	
	totd__qadc01			x(24)	
	totd__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_totd_det	yes	oid_totd_det	yes	no
Δ*	totd_terms_code	yes	totd_domain	yes	no
			totd_terms_code	yes	no
			totd_lc_charge	yes	no

tot_mstr

Terms of Trade Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tot_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	tot_domain	Domain		x(8)	
	tot_mod_date	Modified Date	Mod Date	99/99/99	
	tot_mod_userid	User ID		x(8)	
	tot_terms_code	Terms of Trade		x(8)	
	tot_terms_desc	Description		x(24)	
	tot_user1	User Field Character 1		x(24)	
	tot_user2	User Field Character 2		x(24)	
	tot__qadc01			x(24)	
	tot__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tot_mstr	yes	oid_tot_mstr	yes	no
Δ*	tot_terms_code	yes	tot_domain	yes	no
			tot_terms_code	yes	no

trcs_det

Transaction Cost Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_trcs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	trcs_bdn_std	Burden		->>>,>>>,>>9.99<<<	10
	trcs_curr	Currency	Cur	x(3)	
◊	trcs_domain	Domain		x(8)	
	trcs_ex_rate	Exch Rate		>>,>>9.99999<<<<<	10
	trcs_lbr_std	Labor		->>>,>>>,>>9.99<<<	10
	trcs_mtl_std	Material		->>>,>>>,>>9.99<<<	10
	trcs_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
	trcs_price	Price		->>>,>>>,>>9.99<<<	10
	trcs_set	Cost Set		x(8)	
	trcs_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
	trcs_trnbr	Trans		>>>>>>>>	
	trcs_user1	Ufld1		x(8)	
	trcs_user2	Ufld2		x(8)	
	trcs_userid	User ID		x(8)	
	trcs__qad01			x(8)	
	trcs__qad02			x(8)	
	trcs__qad03			x(8)	
	trcs__qad04			>>>,>>>,>>9.99	10
	trcs__qad05			>>>,>>>,>>9.99	10
	trcs__qad06			>>>,>>>,>>9.99	10
	trcs__qad07			99/99/99	
	trcs__qad08			99/99/99	
	trcs__qad09			99/99/99	
	trcs__qad10			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trcs_det	yes	oid_trcs_det	yes	no
Δ*	trcs_nbr_set	yes	trcs_domain	yes	no
			trcs_trnbr	yes	no
			trcs_set	yes	no

trgl_det

Inventory Transaction and General Ledger Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
◊	oid_trgl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	trgl_cr_acct	Cr Acct		x(8)	
	trgl_cr_cc	Cr Cost Ctr	CC	x(4)	
	trgl_cr_line	Line		>>>9	
	trgl_cr_proj	Cr Project	Project	x(8)	
	trgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
◊	trgl_domain	Domain		x(8)	
	trgl_dr_acct	Dr Acct		x(8)	
	trgl_dr_cc	Dr Cost Ctr	CC	x(4)	
	trgl_dr_line	Line		>>>9	
	trgl_dr_proj	Dr Project	Project	x(8)	
	trgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
	trgl_dy_code	Daybook		x(8)	

Field Name	Label	Col-Label	Format	Dec
trgl_dy_num	Entry Number		x(40)	
trgl_gl_amt	Amount		->>>>>,>>9.99	10
trgl_gl_ref	GL Reference		x(14)	
trgl_sequence	Sequence		->,>>>,>>9	
trgl_trnbr	Transaction	Trans	>>>>>9	
trgl_type	Type		x(8)	
trgl_user1	Ufld1		x(8)	
trgl_user2	Ufld2		x(8)	
trgl__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trgl_det	yes	oid_trgl_det	yes	no
Δ	trgl_dr_cr	no	trgl_domain	yes	no
			trgl_dr_acct	yes	no
			trgl_dr_sub	yes	no
			trgl_dr_cc	yes	no
			trgl_cr_acct	yes	no
			trgl_cr_sub	yes	no
			trgl_cr_cc	yes	no
Δ	trgl_dy_code	no	trgl_domain	yes	no
			trgl_dy_code	yes	no
			trgl_dy_num	yes	no
Δ*	trgl_nbr_ref	yes	trgl_domain	yes	no
			trgl_trnbr	yes	no
			trgl_gl_ref	yes	no
			trgl_sequence	yes	no
Δ	trgl_ref_nbr	no	trgl_domain	yes	no
			trgl_gl_ref	yes	no
			trgl_trnbr	yes	no
Δ	trgl_type_nbr_ref	no	trgl_domain	yes	no
			trgl_type	yes	no
			trgl_trnbr	yes	no
			trgl_gl_ref	yes	no

trld_det

Trailer Tax Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_trld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	trld_code	Trailer Code	Trl! Code	x(4)	
◊	trld_domain	Domain		x(8)	
	trld_taxable	Taxable		yes/no	
	trld_taxc	Tax Class	TxC	x(3)	
	trld_tax_type	Tax Type		x(16)	
	trld_user1	Ufld1		x(8)	
	trld_user2	Ufld2		x(8)	
	trld__chr01			x(8)	
	trld__log01			yes/no	
	trld__qad01			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	trld__qad02			x(8)	
	trld__qad03			->>>,>>>,>>9.99	10
	trld__qad04			99/99/99	
	trld__qad05			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trld_det	yes	oid_trld_det	yes	no
Δ*	trld_code_type	yes	trld_domain	yes	no
			trld_code	yes	no
			trld_tax_type	yes	no

trl_mstr

Trailer Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_trl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	trl_acct	Trailer Acct	Acct	x(8)	
	trl_cc	Trailer CC	CC	x(4)	
	trl_code	Trailer Code	Code	x(2)	
	trl_desc	Description		x(24)	
◊	trl_domain	Domain		x(8)	
	trl_fst	FST		yes/no	
	trl_project	Project		x(8)	
	trl_pst	PST		yes/no	
	trl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
	trl_taxable	Taxable		yes/no	
	trl_taxc	Tax Class	TxC	x(3)	
	trl_user1	Ufld1		x(8)	
	trl_user2	Ufld2		x(8)	
	trl__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trl_mstr	yes	oid_trl_mstr	yes	no
Δ*	trl_code	yes	trl_domain	yes	no
			trl_code	yes	no

trq_mstr

Transmission Date Reference Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_trq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	trq_add_ref	Add Ref		x(8)	
	trq_doc_ref	Doc Ref		x(8)	
	trq_doc_type	Doc Type		x(3)	
◊	trq_domain	Domain		x(8)	
	trq_id	Transmission Number	Transm	>>>>>>9	
	trq_mod_date	Modified Date	Mod Date	99/99/99	
	trq_mod_userid	User ID		x(16)	

	Field Name	Label	Col-Label	Format	Dec
	trq_msg_type	Type		x(8)	
	trq_user1	Ufld1		x(8)	
	trq_user2	Ufld2		x(8)	
	trq__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trq_mstr	yes	oid_trq_mstr	yes	no
Δ	trq_doc_type	yes	trq_domain	yes	no
			trq_doc_type	yes	no
			trq_doc_ref	yes	no
			trq_add_ref	yes	no
Δ*	trq_id	yes	trq_domain	yes	no
			trq_id	yes	no

tr_hist

Inventory Transaction History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tr_addr	Address		x(8)	
	tr_assay	Assay %		>>9.99%	10
	tr_auto_install	Auto Installed		yes/no	
	tr_batch	Batch		x(18)	
	tr_bdn_std	Burden		->>>,>>>,>>9.99<<<	10
	tr_begin_qoh	Begin Balance		->,>>>,>>9.9<<<<<<<<	10
	tr_ca_int_type	Work Code		x(8)	
	tr_ca_opn_date			99/99/99	
	tr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	tr_cprice	Price		>>>>,>>>,>>9.99<<<	10
	tr_curr	Currency	Cur	x(3)	
	tr_date	Date		99/99/99	
	tr_daycode	Day Code		x(8)	
◊	tr_domain	Domain		x(8)	
	tr_effdate	Effective	Eff Date	99/99/99	
	tr_enduser	End User		X(8)	
	tr_eng_area	Service Area	Area	x(18)	
	tr_eng_code	Engineer Code	Eng Code	x(8)	
	tr_expire	Expire Date		99/99/99	
	tr_exru_seq	Sequence		>>>>>>>>9	
	tr_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	tr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	tr_ex_ratetype	Rate Type		x(8)	
	tr_fcg_code	Charge Code		x(8)	
	tr_fldchg_cmtindx	Comment		>>>>>>>9	
	tr_for	Service Part		x(18)	
	tr_fsc_code	Service Category		x(8)	
	tr_fsm_type	FSM Type		x(8)	
	tr_gl_amt	Amount		->>>>>,>>9.99	10
	tr_gl_date	GL Date		99/99/99	
	tr_grade	Grade		x(2)	
	tr_last_date	Last Activity		99/99/99	
	tr_lbr_std	Labor		->>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->,>>>,>>9.9<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>9	
tr_mtl_std	Material		->>>,>>>,>>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>,>>>,>>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	
tr_program	Program		x(12)	
tr_promise_date	Promise Date	Promise	99/99/99	
tr_qty_chg	Qty Change		->,>>>,>>9.9<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->,>>>,>>9.9<<<<<<<<	10
tr_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
tr_qty_short	Qty Short		->,>>>,>>9.9<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
tr_svc_type			x(1)	
tr_sv_code	Contract Type		x(8)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>,>>>,>>9	
tr_trnbr	Trans		>>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	
tr_user1	Ufld1		x(8)	
tr_user2	Ufld2		x(8)	
tr_userid	User ID		x(8)	
tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
tr_vend_lot	Supplier Lot		x(18)	
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspsn1	Salesperson 1	Salespsn	x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_xslspsn2	Salesperson 2	Salespsn	x(8)	
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>,>>>,>>9.99	10
tr__dec02			>>>,>>>,>>9.99	10
tr__dec03			>>>,>>>,>>9.99	10
tr__dec04			>>>,>>>,>>9.99	10
tr__dec05			>>>,>>>,>>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tr_hist	yes	oid_tr_hist	yes	no
Δ	tr_addr_eff	no	tr_domain	yes	no
			tr_addr	yes	no
			tr_effdate	yes	no
Δ	tr_batch	no	tr_domain	yes	no
			tr_batch	yes	no
Δ	tr_date_trn	yes	tr_domain	yes	no
			tr_date	yes	no
			tr_trnbr	yes	no
Δ	tr_eff_trnbr	no	tr_domain	yes	no
			tr_effdate	yes	no
			tr_trnbr	yes	no
Δ	tr_nbr_eff	no	tr_domain	yes	no
			tr_nbr	yes	no
			tr_effdate	yes	no
Δ	tr_part_eff	no	tr_domain	yes	no
			tr_part	yes	no
			tr_effdate	yes	no
Δ	tr_part_trn	no	tr_domain	yes	no
			tr_part	yes	no
			tr_trnbr	yes	no
Δ	tr_serial	no	tr_domain	yes	no
			tr_serial	yes	no
Δ*	tr_trnbr	yes	tr_domain	yes	no
			tr_trnbr	yes	no
Δ	tr_type	no	tr_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			tr_type	yes	no
			tr_effdate	yes	no
Δ	tr_vend_lot	no	tr_domain	yes	no
			tr_vend_lot	yes	no

tx2d_det

Tax Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tx2d_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tx2d_abs_ret_amt	Base Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_by_line	Tax-By-Line	By! Line	yes/no	
	tx2d_carrier	Carrier		x(8)	
	tx2d_curr	Currency	Cur	x(3)	
	tx2d_cur_abs_ret_amt	Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_cur_nontax_amt	Non-taxable		->>,>>>,>>9.99	10
	tx2d_cur_recov_amt	Recoverable		->>,>>>,>>9.99	10
	tx2d_cur_tax_amt	Tax		->>,>>>,>>9.99	10
◊	tx2d_domain	Domain		x(8)	
	tx2d_edited	Edited	Ed	yes/no	
	tx2d_effdate	Tax Date		99/99/99	
	tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_ent_nontax_amt	Entity Non-Taxable		->>,>>>,>>9.99	10
	tx2d_ent_recov_amt	Entity Recoverable		->>,>>>,>>9.99	10
	tx2d_ent_tax_amt	Entity Tax		->>,>>>,>>9.99	10
	tx2d_line	Line		>>>>>>>9	
	tx2d_line_site_ent	Line Site Entity		x(4)	
	tx2d_nbr	Number		x(8)	
	tx2d_nontax_amt	Base Non-Taxable		->>,>>>,>>9.99	10
	tx2d_posted_date	Posted Date	Post! Date	99/99/99	
	tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
	tx2d_recov_amt	Base Recoverable		->>,>>>,>>9.99	10
	tx2d_ref	Reference	Ref	x(8)	
	tx2d_taxable_amt	Base Taxable		->>,>>>,>>9.99	10
	tx2d_taxc	Tax Class	Tax! Class	x(3)	
	tx2d_tax_amt	Base Tax		->>,>>>,>>9.99	10
	tx2d_tax_code	Tax Code		x(8)	
	tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
	tx2d_tax_in	Tax In	Tax! In	yes/no	
	tx2d_tax_type	Tax Type		x(16)	
	tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
	tx2d_totamt	Total Amount		->>,>>>,>>9.99	10
	tx2d_tottax	Taxable Sales	Taxable! Sales	->>,>>>,>>9.99	10
	tx2d_trans_ent	Transaction Entity		x(4)	
	tx2d_trl	Trailer	Trl	x(18)	
	tx2d_tr_type	Transaction Type	TT	x(2)	
	tx2d_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
	tx2d_user1	Ufld1		x(8)	
	tx2d_user2	Ufld2		x(8)	
	tx2d_zone_from	Ship-From Tax Zone		x(16)	
	tx2d_zone_to	Ship-To Tax Zone		x(16)	
	tx2d__chr01			x(8)	
	tx2d__chr02			x(8)	
	tx2d__dec01			->>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	tx2d__dec02			->>>,>>>,>>9.99	10
	tx2d__dte01			99/99/99	
	tx2d__log01			yes/no	
	tx2d__qad01			x(8)	
	tx2d__qad02			x(8)	
	tx2d__qad03			yes/no	
	tx2d__qad04			->>>,>>>,>>9.99	10
	tx2d__qad05			99/99/99	
	tx2d__qadd01[3]			->>>,>>>,>>9.99<	10
	tx2d__qadd02[10]			->>>,>>>,>>9.99<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tx2d_det	yes	oid_tx2d_det	yes	no
Δ	tx2d_carrier	no	tx2d_domain	yes	no
			tx2d_carrier	yes	no
Δ*	tx2d_ref_nbr	yes	tx2d_domain	yes	no
			tx2d_ref	yes	no
			tx2d_nbr	yes	no
			tx2d_line	yes	no
			tx2d_trl	yes	no
			tx2d_tr_type	yes	no
			tx2d_tax_code	yes	no
Δ	tx2d_tax_code	no	tx2d_domain	yes	no
			tx2d_tax_code	yes	no

tx2_mstr Tax Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tx2_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tx2_apr_acct	AP Retained Tax Account		x(8)	
	tx2_apr_cc	CC		x(4)	
	tx2_apr_sub	AP Retained Tax sub	Sub-Acct	x(8)	
	tx2_apr_use			yes/no	
	tx2_ap_acct	AP Tax Account		x(8)	
	tx2_ap_cc	CC		x(4)	
	tx2_ap_disc_acct	AP Discount Account		x(8)	
	tx2_ap_disc_cc	CC		x(4)	
	tx2_ap_disc_sub	AP Discount Sub-Account	Sub-Acct	x(8)	
	tx2_ap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
	tx2_ara_acct	AR Absorbed Tax Account		x(8)	
	tx2_ara_cc	CC		x(4)	
	tx2_ara_sub	AR Absorbed Tax Sub	Sub-Acct	x(8)	
	tx2_ara_use			yes/no	
	tx2_ar_acct	AR Sales Tax Account		x(8)	
	tx2_ar_cc	CC		x(4)	
	tx2_ar_disc_acct	AR Discount Account		x(8)	
	tx2_ar_disc_cc	CC		x(4)	
	tx2_ar_disc_sub	AR Discount Sub-Account	Sub-Acct	x(8)	
	tx2_ar_sub	AR Sales Tax Sub-Acct	Sub-Acct	x(8)	
	tx2_base	Taxable Base Code	Tax Base	x(8)	
	tx2_by_line	Tax-By-Line	By! Line	yes/no	

	Field Name	Label	Col-Label	Format	Dec
	tx2_cmtindx	Comment Index	Comment	>>>>>>>9	
	tx2_curr	Currency	Cur	x(3)	
	tx2_desc	Description		x(24)	
◊	tx2_domain	Domain		x(8)	
	tx2_ec_process_work	EC Process Work		yes/no	
	tx2_ec_sales_list	EC Sales List		yes/no	
	tx2_effdate	Effective		99/99/99	
	tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
	tx2_group	Tax Group		x(8)	
	tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
	tx2_max	Maximum Taxable Amount	Max Amount	>>>,>>>,>>>,>>9.99<	10
	tx2_method	Tax Method	Tax! Meth	x(2)	
	tx2_min	Minimum Taxable Amount	Min Taxable	>>>,>>>,>>>,>>9.99<	10
	tx2_mod_date	Modified Date	Mod Date	99/99/99	
	tx2_pct_recv	Percent Recoverable	Pct Recov	->>9.99<<%	10
	tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
	tx2_pt_taxc	Item Tax Class	TxC	x(3)	
	tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
	tx2_register	Tax Register		x(2)	
	tx2_stx_acct	Suspended Tax Account		x(8)	
	tx2_stx_cc	CC		x(4)	
	tx2_stx_sub	Suspended Tax Sub Account	Sub-Acct	x(8)	
	tx2_tax_code	Tax Code		x(8)	
	tx2_tax_in	Allow Tax Included		yes/no	
	tx2_tax_pct	Tax Rate		->>9.99<<%	10
	tx2_tax_type	Tax Type		x(16)	
	tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
	tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
	tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
	tx2_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
	tx2_user1	Ufld1		x(8)	
	tx2_user2	Ufld2		x(8)	
	tx2_userid	User ID		x(8)	
	tx2__chr01			x(8)	
	tx2__chr02			x(8)	
	tx2__dec01			->>>,>>>,>>9.99	10
	tx2__dec02			->>>,>>>,>>9.99	10
	tx2__dte01			99/99/99	
	tx2__log01			yes/no	
	tx2__qad01			x(8)	
	tx2__qad02			x(8)	
	tx2__qad03			yes/no	
	tx2__qad04			->>>,>>>,>>9.99	10
	tx2__qad05			99/99/99	
	tx2__qadc01[2]			x(8)	
	tx2__qadc02[2]			x(4)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tx2_mstr	yes	oid_tx2_mstr	yes	no
Δ	tx2_register	no	tx2_domain	yes	no
			tx2_register	yes	no
Δ*	tx2_tax_code	yes	tx2_domain	yes	no
			tx2_tax_code	yes	no
Δ	tx2_type_taxc	yes	tx2_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		tx2_tax_type	yes	no
		tx2_pt_taxc	yes	no
		tx2_tax_usage	yes	no
		tx2_effdate	yes	no

txbd_det

Tax Base Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txbd_base	Tax Base		x(8)	
◊	txbd_domain	Domain		x(8)	
	txbd_tax_type	Tax Type		x(16)	
	txbd_user1	Ufld1		x(8)	
	txbd_user2	Ufld2		x(8)	
	txbd__qad01			x(8)	
	txbd__qad02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txbd_det	yes	oid_txbd_det	yes	no
Δ*	txbd_base_type	yes	txbd_domain	yes	no
			txbd_base	yes	no
			txbd_tax_type	yes	no

txc_ctrl

Tax Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txc_by_line	Tax-By-Line		yes/no	
	txc_ctry_code	Country Code	Ctry	x(3)	
	txc_detrp	Display Detail on Reports		yes/no	
◊	txc_domain	Domain		x(8)	
	txc_edit_hist	Update History Allowed		yes/no	
	txc_index1	Index		>>>>>9	
	txc_inv_disc	Discount Tax at Invoice		yes/no	
	txc_inv_hist	Keep Tax History	Hist	yes/no	
	txc_method	Tax Method		x(2)	
	txc_pmt_disc	Discount Tax at Payment		yes/no	
	txc_prt_vat_reg	Print VAT Registration	Prt! VAT	yes/no	
	txc_rcpt_tax_point	Accrue Tax at Receipt	Accrue! Receipt	yes/no	
	txc_round	Rounding Method	R	x(1)	
	txc_tax_code	Last Tax Code		x(8)	
	txc_tax_env	Tax Environment		x(16)	
	txc_tax_zone	Tax Zone		x(16)	
	txc_update_tax	Update Tax Allowed		yes/no	
	txc_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
	txc_user1	Ufld1		x(8)	
	txc_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
txc_val_vat_reg	Validate VAT Registration	Val! VAT	yes/no	
txc__chr01			x(8)	
txc__chr02			x(8)	
txc__dec01			->>>,>>>,>>9.99	10
txc__dec02			->>>,>>>,>>9.99	10
txc__dte01			99/99/99	
txc__log01			yes/no	
txc__qad01			x(8)	
txc__qad02			x(8)	
txc__qad03			yes/no	
txc__qad04			->>>,>>>,>>9.99	10
txc__qad05			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txc_ctrl	yes	oid_txc_ctrl	yes	no
Δ*	txc_index1	yes	txc_domain	yes	no

txed_det

Tax Environment Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txed_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	txed_domain	Domain		x(8)	
	txed_round	Rounding Method	R	x(1)	
	txed_seq	Sequence	Sq	>9	
	txed_tax_env	Tax Environment	Tax Env	x(16)	
	txed_tax_type	Tax Type		x(16)	
	txed_user1	Ufld1		x(8)	
	txed_user2	Ufld2		x(8)	
	txed__log01			yes/no	
	txed__qad01			x(8)	
	txed__qad02			x(8)	
	txed__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txed_det	yes	oid_txed_det	yes	no
Δ	txed_seq	no	txed_domain	yes	no
			txed_tax_env	yes	no
			txed_seq	yes	no
Δ*	txed_tax_env	yes	txed_domain	yes	no
			txed_tax_env	yes	no
			txed_tax_type	yes	no

txe_mstr Tax Environment Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txe_desc	Tax Environment	Tax Env	x(16)	
◊	txe_domain	Domain		x(8)	
	txe_tax_env	Tax Environment	Tax Env	x(16)	
	txe_user1	Ufld1		x(8)	
	txe_user2	Ufld2		x(8)	
	txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(16)	
	txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	
	txe__log01			yes/no	
	txe__qad01	Description		x(24)	
	txe__qad02			x(8)	
	txe__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txe_mstr	yes	oid_txe_mstr	yes	no
Δ	txe_desc	no	txe_domain	yes	no
			txe_desc	yes	no
Δ*	txe_tax_env	yes	txe_domain	yes	no
			txe_tax_env	yes	no
Δ	txe_to_from	yes	txe_domain	yes	no
			txe_zone_to	yes	no
			txe_zone_from	yes	no

txhd_det Tax History Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txhd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
	txhd_comm_code	Commodity Code	Com Code	x(8)	
	txhd_container	Container Indicator	C	x(1)	
	txhd_curr	Currency	Cur	x(3)	
	txhd_cust_ctry	Cust Tax Reg Ctry	Cust Country	x(3)	
	txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
	txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
	txhd_del_terms	Terms of Delivery	T Δ	x(3)	
	txhd_desdis_ctry	Destination/Dispatch Country	Δ C	x(3)	
	txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
◊	txhd_domain	Domain		x(8)	
	txhd_edit_hist	Editable Record	E	yes/no	
	txhd_effdate	Effective		99/99/99	
	txhd_enter_date	Date Entered	Date Ent	99/99/99	
	txhd_fiscal_class	Fiscal Class		x(18)	
	txhd_flow_in	Flow Indicator	FI	yes/no	
	txhd_inv_value	Invoice Value		->>>>,>>>,>>>,>>9.99	10
	txhd_line	Line		>>>>9	
	txhd_nbr	Number		x(8)	
	txhd_net_wt	Net Weight	Net Wt	->>>>>>>9	
	txhd_orig_ctry	Country of Origin	C O	x(3)	
	txhd_posted	Posted in Tax Book	P	yes/no	
	txhd_proc_ind	Process Indicator	PI	yes/no	
	txhd_program	Program		x(12)	
	txhd_ref	Reference	Ref	x(8)	
	txhd_site	Site		x(8)	
	txhd_stat_proc	Statistical Procedure	SP	x(2)	
	txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
	txhd_stat_value	Statistical Value		->>>>,>>>,>>>,>>9.99	10
	txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>>9	
	txhd_taric	Taric Code	T C	x(3)	
	txhd_tax_code	Tax Code		x(8)	
	txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
	txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
	txhd_tax_usage	Nature of Operation	Nature	x(8)	
	txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
	txhd_transh_port	Transhipment Port	T P	x(8)	
	txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
	txhd_tran_mode	Mode of Transportation	MT	x(1)	
	txhd_trl	Trailer	Trlr	x(4)	
	txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>>>9	
	txhd_tr_type	Transaction Type	TT	x(2)	
	txhd_user1	Ufld1		x(8)	
	txhd_user2	Ufld2		x(8)	
	txhd_user_id	User ID Entered	User ID	x(8)	
	txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
	txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
	txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
	txhd_vat_value	Value of Goods		->>>>,>>>,>>>,>>9.99	10
	txhd__chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
txhd__chr02			x(8)	
txhd__dec01			->>>,>>>,>>9.99	10
txhd__dec02			->>>,>>>,>>9.99	10
txhd__dte01			99/99/99	
txhd__log01			yes/no	
txhd__qad01			x(8)	
txhd__qad02			x(8)	
txhd__qad03			yes/no	
txhd__qad04			->>>,>>>,>>9.99	10
txhd__qad05			->>>,>>>,>>9.99	10
txhd__qad06			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txhd_det	yes	oid_txhd_det	yes	no
Δ	txhd_fiscal_class	no	txhd_domain	yes	no
			txhd_fiscal_class	yes	no
			txhd_tr_type	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
Δ	txhd_post_type	no	txhd_domain	yes	no
			txhd_posted	yes	no
			txhd_tr_type	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
Δ	txhd_ref_nbr	yes	txhd_domain	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
			txhd_trl	yes	no
			txhd_tr_type	yes	no
			txhd_tax_code	yes	no
Δ*	txhd_tr_nbr	yes	txhd_domain	yes	no
			txhd_tr_nbr	yes	no

txrd_det

Tax Register Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	txrd_code	Accounting Transaction Code		x(4)	
◊	txrd_domain	Domain		x(8)	
	txrd_mod_date	Modified Date	Mod Date	99/99/99	
	txrd_mod_userid	User ID		x(8)	
	txrd_ref	Transaction Reference		x(8)	
	txrd_register	Register		x(2)	
	txrd_site	Site		x(8)	
	txrd_tran_type	Transaction Type		x(8)	
	txrd_user1	User Field Character 1		x(24)	
	txrd_user2	User Field Character 2		x(24)	
	txrd_userd01	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	txrd_useri01	User Field Integer 1		->>>>>>>9	
	txrd_userl01	User Field Logical 1		yes/no	
	txrd_usert01	User Field Date 1		99/99/99	
	txrd__qadc01			x(24)	
	txrd__qadc02			x(24)	
	txrd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	txrd__qadi01			->>>>>>>9	
	txrd__qadl01			yes/no	
	txrd__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txrd_det	yes	oid_txrd_det	yes	no
Δ*	txrd_register	yes	txrd_domain	yes	no
			txrd_register	yes	no
			txrd_site	yes	no
			txrd_tran_type	yes	no
			txrd_ref	yes	no
◊	txrd_type_ref	no	txrd_domain	yes	no
			txrd_tran_type	yes	no
			txrd_ref	yes	no

txr_mstr

Tax Register Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txr_active	Active		yes/no	
	txr_ap_page_num	Next AP Tax Reg Page Nbr		99999999	
	txr_ar_page_num	Next AR Tax Reg Page Nbr		99999999	
	txr_co_seqid	Correction Invoice Sequence ID		x(8)	
	txr_cr_seqid	Credit Note Sequence ID		x(8)	
◊	txr_domain	Domain		x(8)	
	txr_ec_report	EC Report		yes/no	
	txr_inv_seqid	Invoice Sequence ID		x(8)	
	txr_mod_date	Modified Date	Mod Date	99/99/99	
	txr_mod_userid	User ID		x(8)	
	txr_register	Tax Register		x(2)	
	txr_site	Site		x(8)	
	txr_user1	User Field Character 1		x(24)	
	txr_user2	User Field Character 2		x(24)	
	txr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	txr_useri01	User Field Integer 1		->>>>>>>9	
	txr_userl01	User Field Logical 1		yes/no	
	txr_usert01	User Field Date 1		99/99/99	
	txr_vo_seqid	Voucher Sequence ID		x(8)	
	txr__qadc01			x(24)	
	txr__qadc02			x(24)	
	txr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	txr__qadi01			->>>>>>>9	
	txr__qadl01			yes/no	
	txr__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txr_mstr	yes	oid_txr_mstr	yes	no
Δ*	txr_register	yes	txr_domain	yes	no
			txr_register	yes	no
			txr_site	yes	no

txz_mstr

Tax Zone Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_txz_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	txz_city	City		x(20)	
	txz_county	County		x(20)	
	txz_ctry_code	Country Code	Ctry	x(3)	
	txz_desc	Description		x(24)	
◊	txz_domain	Domain		x(8)	
	txz_state	State	St	x(4)	
	txz_tax_zone	Tax Zone		x(16)	
	txz_user1	Ufld1		x(8)	
	txz_user2	Ufld2		x(8)	
	txz_zip	Post		x(10)	
	txz__log01			yes/no	
	txz__qad01	Sums-Into Tax Zone	Sums-Into! Tax Zone	x(16)	
	txz__qad02	Use Sums-Into	Use! Sums	x(4)	
	txz__qad03	Subtotal This Level	Sub	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txz_mstr	yes	oid_txz_mstr	yes	no
Δ	txz_ctry_state	yes	txz_domain	yes	no
			txz_ctry_code	yes	no
			txz_state	yes	no
			txz_county	yes	no
			txz_city	yes	no
			txz_zip	yes	no
Δ	txz_desc	no	txz_domain	yes	no
			txz_desc	yes	no
Δ*	txz_tax_zone	yes	txz_domain	yes	no
			txz_tax_zone	yes	no

typ_mstr

Fixed Asset Type Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_typ_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	typ_desc	Description		x(24)	
	typ_method	Depreciation Method	Depr! Method	x(8)	
	typ_type	Type	T	x(2)	
	typ_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	typ_user2	Ufld2		x(8)	
	typ__qad01			yes/no	
	typ__qad02			x(8)	
	typ__qad03			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_typ_mstr	yes	oid_typ_mstr	yes	no
*	typ_type	yes	typ_type	yes	no

tzod_det

Service/Support Time Zone Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tzod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tzod_desc	Time Zone Description		X(60)	
	tzod_eday	Ending Day		>9	
	tzod_eyear	End Year		9999	
	tzod_hour	Hours		>9	
	tzod_min	Minutes		>9	
	tzod_mod_date	Modified Date	Mod Date	99/99/99	
	tzod_mod_userid	User ID		X(8)	
	tzod_month	Start Period Month		>9	
	tzod_offset	GMT Offset		+99999	
	tzod_sday	Start Period Day		>9	
	tzod_std_day	Time Period		X(3)	
	tzod_syear	Start Year		9999	
	tzod_tzone	Time Zone		X(8)	
	tzod_user1	Ufld1		X(8)	
	tzod_user2	Ufld2		X(8)	
	tzod_wday	Weekday		X	
	tzod__chr01	Character Field 1		X(8)	
	tzod__chr02	Character Field 2		X(8)	
	tzod__dte01	Date Field 1		99/99/99	
	tzod__dte02	Date Field 2		99/99/99	
	tzod__int01	Integer Field 1		->,>>>,>>9	
	tzod__int02	Integer Field 2		->,>>>,>>9	
	tzod__log01	Logical Field 1		yes/no	
	tzod__log02	Logical Field 2		yes/no	
	tzod__qadc01	QAD Character Field 1		X(8)	
	tzod__qadc02	QAD Character Field 2		X(8)	
	tzod__qadi01	QAD Integer Field 1		->,>>>,>>9	
	tzod__qadi02	QAD Integer Field 2		->,>>>,>>9	
	tzod__qadl01	QAD Logical Field 1		yes/no	
	tzod__qadl02	QAD Logical Field 2		yes/no	
	tzod__qadt01	QAD Date Field 1		99/99/99	
	tzod__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tzod_det	yes	oid_tzod_det	yes	no
*	tzod_tzond	yes	tzod_tzone	yes	no
			tzod_std_day	yes	no
			tzod_syear	yes	no
			tzod_eyear	yes	no

tzo_mstr

Service/Support Time Zone Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_tzo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	tzo_area	Area		X(8)	
	tzo_auto_adj	Auto Period Adjust		yes/no	
	tzo_desc	Description		X(40)	
	tzo_label	Time Zone		X(8)	
	tzo_mod_date	Modified Date	Mod Date	99/99/99	
	tzo_mod_userid	User ID		X(8)	
	tzo_tzone	Time Zone Tindex		X(20)	
	tzo_user1	Ufld1		X(8)	
	tzo_user2	Ufld2		X(8)	
	tzo__chr01	Character Field 1		X(8)	
	tzo__dte01	Date Field 1		99/99/99	
	tzo__int01	Integer Field 1		->,>>>,>>9	
	tzo__log01	Logical Field 1		yes/no	
	tzo__qadc01	QAD Character Field 1		X(8)	
	tzo__qadi01	QAD Integer Field 1		->,>>>,>>9	
	tzo__qadl01	QAD Logical Field 1		yes/no	
	tzo__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tzo_mstr	yes	oid_tzo_mstr	yes	no
	tzo_area	no	tzo_area	yes	no
*	tzo_label	yes	tzo_label	yes	no
			tzo_area	yes	no

◊ udd_det

User Domain Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_udd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	udd_domain	Domain		x(8)	
	udd_groups	Groups		x(72)	
	udd_mod_date	Modified Date	Mod Date	99/99/99	
	udd_mod_userid	User ID		x(8)	
	udd_primary	Default Domain		yes/no	
	udd_user1	User Field Character 1		x(24)	

	Field Name	Label	Col-Label	Format	Dec
	udd_user2	User Field Character 2		x(24)	
	udd_userid	User ID		x(8)	
	udd__qadc01			x(24)	
	udd__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_udd_det	yes	oid_udd_det	yes	no
◊	udd_domain	no	udd_domain	yes	no
◊	udd_primary	no	udd_userid	yes	no
			udd_primary	yes	no
◊*	udd_userid	yes	udd_userid	yes	no
			udd_domain	yes	no

ufd_det

User Function Key Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ufd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ufd_exec	Execution File		x(14)	
	ufd_fkey	Function Key	Key	>>9	
	ufd_label	Label		x(32)	
	ufd_nbr	Menu		x(16)	
	ufd_nbrsel	Menu/Sel		x(12)	
	ufd_select	Selection	Select	>9	
	ufd_seq	Sequence	Seq	>>9	
	ufd_user1	Ufld1		x(8)	
	ufd_user2	Ufld2		x(8)	
	ufd_userid	User ID		x(8)	
	ufd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ufd_det	yes	oid_ufd_det	yes	no
	ufd_label	no	ufd_userid	yes	no
			ufd_label	yes	no
	ufd_nbrsel	no	ufd_userid	yes	no
			ufd_nbrsel	yes	no
*	ufd_ufs	yes	ufd_userid	yes	no
			ufd_fkey	yes	no
			ufd_seq	yes	no

umsg_det

User Message Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_umsg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	umsg_addr	Address		x(8)	
	umsg_call_pgm	Calling Program		x(14)	
◊	umsg_domain	Domain		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	umsg_exec_pgm	Execution File	Exec File	x(14)	
	umsg_lang	Language		x(2)	
	umsg_level	Severity		9	
	umsg_nbr	Message Number	Msg	>>>9	
	umsg_seq	Message Sequence		>>9	
	umsg_site	Site		x(8)	
	umsg_user1	Ufld1		x(8)	
	umsg_user2	Ufld2		x(8)	
	umsg__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_umsg_det	yes	oid_umsg_det	yes	no
Δ	umsg_call	yes	umsg_domain	yes	no
			umsg_call_pgm	yes	no
			umsg_lang	yes	no
			umsg_site	yes	no
			umsg_addr	yes	no
			umsg_nbr	yes	no
			umsg_seq	yes	no
Δ*	umsg_cm	yes	umsg_domain	yes	no
			umsg_lang	yes	no
			umsg_site	yes	no
			umsg_addr	yes	no
			umsg_call_pgm	yes	no
			umsg_nbr	yes	no
			umsg_seq	yes	no

um_mstr

Unit of Measure Conversion Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_um_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	um_alt_qty	UM Qty		>>>>9.9<<<<	10
	um_alt_um	Alternate UM	Alt	x(2)	
	um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
	um_decimals	Decimals		-9	
	um_desc	Description		x(24)	
◊	um_domain	Domain		x(8)	
	um_part	Item Number		x(18)	
	um_um	Unit of Measure	UM	x(2)	
	um_user1	Ufld1		x(8)	
	um_user2	Ufld2		x(8)	
	um__chr01			x(8)	
	um__chr02			x(8)	
	um__chr03			x(8)	
	um__chr04			x(8)	
	um__chr05			x(8)	
	um__chr06			x(8)	
	um__dec01			>>>,>>>,>>9.99	10
	um__dec02			>>>,>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	um__dte01			99/99/99	
	um__dte02			99/99/99	
	um__log01			yes/no	
	um__log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_um_mstr	yes	oid_um_mstr	yes	no
Δ	um_part	yes	um_domain	yes	no
			um_part	yes	no
			um_um	yes	no
			um_alt_um	yes	no
Δ*	um_um_alt_pt	yes	um_domain	yes	no
			um_um	yes	no
			um_alt_um	yes	no
			um_part	yes	no

upd_det

Printer/User Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_upd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	upd_dev	Output To		x(8)	
	upd_exec	Execution File		x(14)	
	upd_nbr	Menu		x(16)	
	upd_select	Selection	Select	>9	
	upd_user1	Ufld1		x(8)	
	upd_user2	Ufld2		x(8)	
	upd_userid	User ID		x(8)	
	upd__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_upd_det	yes	oid_upd_det	yes	no
*	upd_uns	yes	upd_userid	yes	no
			upd_nbr	yes	no
			upd_select	yes	no

url_mstr

URL Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_url_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	url_addr	User ID		X(8)	
	url_call_pgm	Browse		X(14)	
	url_desc	Description		x(50)	
	url_determine	Determine		yes/no	
	url_exec	URL to execute		x(50)	
	url_field	Field		X(32)	
	url_field_value	Value		x(50)	

	Field Name	Label	Col-Label	Format	Dec
	url_image	GIF File Name		x(15)	
	url_mod_date	Modified Date	Mod Date	99/99/99	
	url_mod_userid	User ID		X(8)	
	url_primary	Primary		yes/no	
	url_script	URL Script		x(60)	
	url_type	Type		x(8)	
	url_user1	Ufld1		X(8)	
	url_user2	Ufld2		X(8)	
	url__qadc02			X(8)	
	url__qadc03			x(8)	
	url__qadd01			->>>>,>>>,>>9.99<<<	10
	url__qadi01			->,>>>,>>9	
	url__qadi02			>>>>>>9	
	url__qadl01			yes/no	
	url__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_url_mstr	yes	oid_url_mstr	yes	no
	url_type_call_pgm	no	url_type	yes	no
			url_call_pgm	yes	no
			url_addr	yes	no
			url_field	yes	no
			url_field_value	yes	no
*	url_type_field	yes	url_type	yes	no
			url_field	yes	no
			url_field_value	yes	no
			url_addr	yes	no
			url_call_pgm	yes	no
			url_exec	yes	no
			url_script	yes	no

usg_det

Application Usage Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_usg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usg_clear_date	Clear Date		99/99/99	
	usg_count	Access Count		>>>,>>>,>>9	
	usg_date	Access Date		99/99/99	
	usg_exec	Program		x(16)	
	usg_product	Application		x(16)	
	usg_user1	User Field Character 1		x(24)	
	usg_user2	User Field Character 2		x(24)	
	usg_userid	Last Accessed By	User ID	x(8)	
	usg__qadc01			x(24)	
	usg__qadc02			x(24)	
	usg__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	usg__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usg_det	yes	oid_usg_det	yes	no
*	usg_product	yes	usg_product	yes	no
			usg_exec	yes	no

◊ uslh_hist

User Logon History

Field Name	Label	Col-Label	Format	Dec
oid_uslh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
uslh_date	Logon Date	Logon! Date	99/99/99	
uslh_domain	Domain		x(8)	
uslh_mod_date	Modified Date	Mod Date	99/99/99	
uslh_mod_userid	User ID		x(8)	
uslh_passwd_valid	Password Valid	Passwd! Valid	yes/no	
uslh_status_code	Logon Status Code	Status! Code	x(8)	
uslh_time	Logon Time		>>>>9	
uslh_timezone	Time Zone	Time! Zone	x(8)	
uslh_user1	User Field Character 1		x(24)	
uslh_user2	User Field Character 2		x(24)	
uslh_userid	User ID		x(8)	
uslh__qadc01			x(24)	
uslh__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_uslh_hist	yes	oid_uslh_hist	yes	no
◊	uslh_status_code	no	uslh_status_code	yes	no
			uslh_date	no	no
			uslh_time	no	no
◊*	uslh_userid	no	uslh_userid	yes	no
			uslh_date	no	no
			uslh_time	no	no

◊ uspw_hist

User Password History

Field Name	Label	Col-Label	Format	Dec
oid_uspw_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
uspw_date	Password Create Date	Create! Date	99/99/99	
uspw_mod_date	Modified Date	Mod Date	99/99/99	
uspw_mod_userid	User ID		x(8)	
uspw_time	Password Create Time	Create! Time	>>>>9	
uspw_timezone	Time Zone	Time! Zone	x(8)	
uspw_user1	User Field Character 1		x(24)	
uspw_user2	User Field Character 2		x(24)	
uspw_userid	User ID		x(8)	
uspw_usr_passwd	Encoded Password	Password	x(16)	
uspw__qadc01			x(24)	
uspw__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_uspw_hist	yes	oid_uspw_hist	yes	no
◊∗	uspw_userid	yes	uspw_userid	yes	no
			uspw_date	no	no
			uspw_time	no	no

usrc_ctrl User Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_usrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	oid_usrg_mstr_admin			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
◊	usrc_active_rsn_type	Active Reason Type	Active Rsn! Type	x(8)	
◊	usrc_deactivation_rsn	Auto-deactivation Reason Code	Deactivation! Reason	x(8)	
◊	usrc_em_system_id	Email System	Email! System	X(8)	
	usrc_expire_days	Password Expiration Days		>>>>9	
	usrc_index1	Index		>>>>>9	
◊	usrc_logon_hist_level	Logon History Level	Logon! History! Level	x(2)	
◊	usrc_max_access_fails	Max Access Failures	Max! Access! Failures	>>9	
◊	usrc_min_length	Minimum Password Length	Min! Passwd! Length	>9	
◊	usrc_min_non_numeric	Minimum Non-numeric Characters	Non! Num! Char	>9	
◊	usrc_min_numeric	Minimum Numeric Characters	Numeric! Char	>9	
◊	usrc_password_create	Password Creation Method	Passwd! Create	x(2)	
◊	usrc_reuse_changes	Min Password Reuse Changes	Reuse! Changes	>9	
◊	usrc_reuse_days	Min Password Reuse Days	Reuse! Days	>>>>9	
◊	usrc_right_hdr_disp	Right Header Display Mode		9	
	usrc_sec_opt	Security Option		x(1)	
	usrc_sess_id	Session ID Prefix		x(3)	
	usrc_timeout_min	Timeout Minutes		>>>>9	
	usrc_user1	Ufld1		x(8)	
	usrc_user2	Ufld2		x(8)	
◊	usrc_warning_days	Warning Days	Passwd! Warning! Days	>>>>9	
	usrc__qad01			x(8)	
	usrc__qad02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrc_ctrl	yes	oid_usrc_ctrl	yes	no
∗	usrc_index1	yes	usrc_index1	yes	no

◊ usrgd_det User Group Detail

Field Name	Label	Col-Label	Format	Dec
oid_usrgd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usrgd_domain	Domain		x(8)	
usrgd_mod_date	Modified Date	Mod Date	99/99/99	
usrgd_mod_userid	User ID		x(8)	
usrgd_user1	User Field Character 1		x(24)	
usrgd_user2	User Field Character 2		x(24)	
usrgd_userid	User ID		x(8)	
usrgd__qadc01			x(24)	
usrgd__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrgd_det	yes	oid_usrgd_det	yes	no
◊*	usrgd_oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
			usrgd_domain	yes	no
			usrgd_userid	yes	no
◊	usrgd_userid	yes	usrgd_userid	yes	no
			oid_usrg_mstr	yes	no
			usrgd_domain	yes	no

◊ usrg_mstr User Group Master

Field Name	Label	Col-Label	Format	Dec
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usrg_group_desc	Group Description		x(24)	
usrg_group_name	Group Name	Group	x(8)	
usrg_mod_date	Modified Date	Mod Date	99/99/99	
usrg_mod_userid	User ID		x(8)	
usrg_user1	User Field Character 1		x(24)	
usrg_user2	User Field Character 2		x(24)	
usrg__qadc01			x(24)	
usrg__qadc02			x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
◊*	usrg_group_name	yes	usrg_group_name	yes	no

usrl_det

User Licensed Application Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_usrl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usrl_active	Active		yes/no	
	usrl_active_date	Activated Date		99/99/99	
	usrl_deactive_by	Deactivated By		x(8)	
	usrl_deactive_date	Deactivated Date		99/99/99	
	usrl_mod_date	Modified Date	Mod Date	99/99/99	
	usrl_mod_userid	User ID		x(8)	
	usrl_product	Application		x(16)	
	usrl_user1	User Field Character 1		x(24)	
	usrl_user2	User Field Character 2		x(24)	
	usrl_userid	User ID		x(8)	
	usrl__qadc01			x(24)	
	usrl__qadc02			x(24)	
	usrl__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	usrl__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrl_det	yes	oid_usrl_det	yes	no
	usrl_product	no	usrl_product	yes	no
			usrl_userid	yes	no
*	usrl_userid	yes	usrl_userid	yes	no
			usrl_product	yes	no

usrw_wkfl

User Work Table

	Field Name	Label	Col-Label	Format	Dec
◊	oid_usrw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usrw_charfld[15]			x(8)	
	usrw_datefld[4]			99/99/99	
	usrw_decfld[15]			->>,>>9.99	10
◊	usrw_domain	Domain		x(8)	
	usrw_intfld[15]			->,>>>,>>9	
	usrw_key1			x(8)	
	usrw_key2			x(8)	
	usrw_key3			x(8)	
	usrw_key4			x(8)	
	usrw_key5			x(8)	
	usrw_key6			x(8)	
	usrw_logfld[15]			yes/no	
	usrw_user1	Ufld1		x(8)	
	usrw_user2	Ufld2		x(8)	
	usrw__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrw_wkfl	yes	oid_usrw_wkfl	yes	no
Δ*	usrw_index1	yes	usrw_domain	yes	no
			usrw_key1	yes	no
			usrw_key2	yes	no
Δ	usrw_index2	no	usrw_domain	yes	no
			usrw_key3	yes	no
			usrw_key4	yes	no
Δ	usrw_index3	no	usrw_domain	yes	no
			usrw_key5	yes	no
			usrw_key6	yes	no

usr_mstr User Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_usr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usr_access_loc	Access Location		x(8)	
	usr_access_type	Access Type		x(8)	
◊	usr_active	Active	Active	yes/no	
◊	usr_active_by	Active By	Active Changed By! User ID	x(8)	
◊	usr_active_date	Active Date	Active! Chg Date	99/99/99	
◊	usr_active_reason	Active Reason	Reason! Code	x(8)	
	usr_addr	Address		x(8)	
	usr_ctry_code	Country Code	Ctry	x(3)	
◊	usr_failed_attempts	Password Failed Attempts	Passwd Failed! Attempts	>>9	
◊	usr_force_change	Password Force Change	Passwd! Force! Change	yes/no	
	usr_lang	Language	Lang	x(2)	
	usr_last_date	Date Password Last Changed	Changed	99/99/99	
◊	usr_logon_date	Last Logon Date	Logon Date	99/99/99	
◊	usr_logon_time	Last Logon Time	Logon Time	>>>>9	
◊	usr_logon_timezone	Last Logon Time Zone	Server! Time! Zone	x(8)	
	usr_mail_address	E-mail Address	E-mail	x(60)	
	usr_name	User Name		x(35)	
	usr_passwd	Password		x(16)	
◊	usr_remark	Remark		x(60)	
	usr_restrict	Restricted		yes/no	
	usr_site	Site		x(8)	
	usr_timezone	Time Zone		x(8)	
	usr_type	User Type		x(8)	
	usr_user1	Ufld1		x(8)	
	usr_user2	Ufld2		x(8)	
	usr_userid	User ID		x(8)	
	usr_variant_code	Variant		x(6)	
	usr__qad01			x(8)	
	usr__qad02			x(8)	
	usr__qadc01	QAD Character Field		X(8)	
	usr__qadc02	QAD Character Field		X(8)	
	usr__qadc03	QAD Character Field		x(8)	
	usr__qadc04	QAD Character Field		X(8)	
Δ	usr__qadc05			x(24)	
	usr__qadi01	QAD Integer Field		>>>9	

	Field Name	Label	Col-Label	Format	Dec
	usr__qadi02	QAD Integer Field		>>9	
	usr__qadl01	QAD Logical Field		yes/no	
	usr__qadl02	QAD Logical Field		yes/no	
	usr__qadl03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usr_mstr	yes	oid_usr_mstr	yes	no
*	usr_userid	yes	usr_userid	yes	no

vdc_ctrl

Supplier Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vdc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	vdc_domain	Domain		x(8)	
	vdc_nbr	Next Supplier		99999999	
	vdc_user1	Ufld1		x(8)	
	vdc_user2	Ufld2		x(8)	
	vdc__qadc01			x(8)	
Δ	vdc__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vdc_ctrl	yes	oid_vdc_ctrl	yes	no
Δ*	vdc_index1	yes	vdc_domain	yes	no

vdf_mstr

Supplier Fiscal Data Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vdf_addr	Supplier		x(8)	
	vdf_birthcity	Birth City		x(20)	
	vdf_birthday	Birth Date		99/99/99	
◊	vdf_domain	Domain		x(8)	
	vdf_fiscal_code	Fiscal Code		x(16)	
	vdf_for_fiscal_code	Foreign Fiscal Code		x(16)	
	vdf_mod_date	Modified Date	Mod Date	99/99/99	
	vdf_mod_userid	User ID		x(8)	
	vdf_rsn_code	Reason Code		x(8)	
	vdf_user1	User Field Character 1		x(24)	
	vdf_user2	User Field Character 2		x(24)	
	vdf_userc03	User Field Character 3		x(24)	
	vdf_userc04	User Field Character 4		x(24)	
	vdf_userc05	User Field Character 5		x(24)	
	vdf_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	vdf_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	vdf_useri01	User Field Integer 1		->>>>>>>9	
	vdf_useri02	User Field Integer 2		->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vdf_userl01	User Field Logical 1		yes/no	
vdf_userl02	User Field Logical 2		yes/no	
vdf_usert01	User Field Date 1		99/99/99	
vdf_usert02	User Field Date 2		99/99/99	
vdf_withholdtax	Withholding Tax		yes/no	
vdf__qadc01			x(24)	
vdf__qadc02			x(24)	
vdf__qadc03			x(24)	
vdf__qadc04			x(24)	
vdf__qadc05			x(24)	
vdf__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
vdf__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
vdf__qadi01			->>>>>>>9	
vdf__qadi02			->>>>>>>9	
vdf__qadl01			yes/no	
vdf__qadl02			yes/no	
vdf__qadt01			99/99/99	
vdf__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vdf_mstr	yes	oid_vdf_mstr	yes	no
Δ*	vdf_addr	yes	vdf_domain	yes	no
			vdf_addr	yes	no

vd_mstr

Supplier Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vd_1099	Tax Report	Tax Rpt	yes/no	
	vd_addr	Supplier		x(8)	
	vd_ap_acct	AP Account	AP Acct	x(8)	
	vd_ap_cc	AP Cost Ctr	CC	x(4)	
	vd_ap_cntct	AP Contact		x(24)	
	vd_ap_sub	AP Sub-Account	Sub-Acct	x(8)	
	vd_balance	Balance		->>>,>>>,>>9.99	10
	vd_bank	Bank		x(2)	
	vd_buyer	Buyer		x(8)	
	vd_ckfrm	Check Form	Ck	x(2)	
	vd_conrep_logic	Consume/Replace Logic		x(1)	
	vd_cr_terms	Cr Terms		x(8)	
	vd_curr	Currency	Cur	x(3)	
	vd_db	DB Number		x(16)	
	vd_debtor	Debtor Number	Debtor	x(10)	
	vd_disc_pct	Disc %		->9.99%	10
◊	vd_domain	Domain		x(8)	
	vd_drft_bal	Draft Balance		->>,>>>,>>>,>>9.99	10
	vd_ex_ratetype	Rate Type		x(8)	
	vd_fix_pr	Fixed Price		yes/no	
	vd_fob	FOB		x(20)	
	vd_fr_list	Freight List	Frt List	x(8)	
	vd_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0

Field Name	Label	Col-Label	Format	Dec
vd_fr_terms	Freight Terms	Fr Terms	x(8)	
vd_hold	Payment Hold	Hold	yes/no	
vd_lang	Language		x(2)	
vd_last_ck	Last Check		99/99/99	
vd_lc_bal	LC Balance		->>,>>>,>>>,>>9.99	10
vd_misc_cr	Miscellaneous Creditor		yes/no	
vd_mod_date	Modified Date	Mod Date	99/99/99	
vd_partial	Partial OK	Partial	yes/no	
vd_pay_spec	Pay Specification	Pay Spec	yes/no	
vd_prepay	Prepayment Balance		->>,>>>,>>>,>>9.99	10
vd_promo	Promotion Group		x(8)	
vd_pr_list	Disc Tbl		x(8)	
vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
vd_pur_acct	Pur Acct		x(8)	
vd_pur_cc	Pur Cost Ctr	CC	x(4)	
vd_pur_cntct	Purchase Contact		x(24)	
vd_pur_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	
vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
vd_remit	Remit-to		x(8)	
vd_rmks	Remarks		x(40)	
vd_shipvia	Ship Via		x(20)	
vd_sort	Sort Name		x(28)	
vd_taxable	Taxable	Tax	yes/no	
vd_tax_id	Tax ID		x(18)	
vd_tid_notice	TID Notice	T! N	x(1)	
vd_tot_terms_code	Terms of Trade		x(8)	
vd_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vd_type	Type		x(4)	
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	
vd__chr01			x(8)	
vd__chr02			x(8)	
vd__chr03			x(8)	
vd__chr04			x(8)	
vd__chr05			x(8)	
vd__chr06			x(8)	
vd__chr07			x(8)	
vd__chr08			x(8)	
vd__chr09			x(8)	
vd__chr10			x(8)	
vd__dec01			>>>,>>>,>>9.99	10
vd__dec02			>>>,>>>,>>9.99	10
vd__dte01			99/99/99	
vd__dte02			99/99/99	
vd__log01			yes/no	
vd__qadc01	QAD Field		X(8)	0
vd__qadc02	QAD Field		X(8)	0
vd__qadc03	QAD Field		X(8)	0
vd__qadc04	QAD Field		X(8)	0
vd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vd__qadi01			>>>>>>9	
vd__qadi02			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vd__qadl01			yes/no	
vd__qadl02			yes/no	
vd__qadl03			yes/no	
vd__qadl04			yes/no	
vd__qadt01			99/99/99	
vd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vd_mstr	yes	oid_vd_mstr	yes	no
Δ*	vd_addr	yes	vd_domain	yes	no
			vd_addr	yes	no
Δ	vd_remit	no	vd_domain	yes	no
			vd_remit	yes	no
			vd_addr	yes	no
Δ	vd_sort	no	vd_domain	yes	no
			vd_sort	yes	no

vecd_det

Supplier Performance Category Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vecd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vecd_category	Category		x(8)	
◊	vecd_domain	Domain		x(8)	
	vecd_mod_date	Modified Date	Mod Date	99/99/99	
	vecd_mod_userid	User ID		x(8)	
	vecd_percent	Percent		>>9.99	10
	vecd_user1	Ufld1		x(8)	
	vecd_user2	Ufld2		x(8)	
	vecd_user3			x(8)	
	vecd_user4			x(8)	
	vecd_value_from	Value From		->>>>,>>9.99	10
	vecd_value_to	Value To		->>>>,>>9.99	10
	vecd__qadc01	QAD Field		X(8)	0
	vecd__qadc02	QAD Field		X(8)	0
	vecd__qadc03	QAD Field		X(8)	0
	vecd__qadc04	QAD Field		X(8)	0
	vecd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vecd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vecd__qadi01			>>>>>>9	
	vecd__qadi02			>>>>>>9	
	vecd__qadl01			yes/no	
	vecd__qadl02			yes/no	
	vecd__qadt01			99/99/99	
	vecd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vecd_det	yes	oid_vecd_det	yes	no
Δ*	vecd_category	yes	vecd_domain	yes	no
			vecd_category	yes	no
			vecd_value_from	yes	no

vec_mstr

Supplier Performance Category Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vec_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vec_active_flag	Use Category		yes/no	
	vec_category	Category		x(8)	
	vec_comp_method	Computation Method		X(12)	
	vec_desc	Description		x(24)	
	vec_discrete_type	Discrete Type		Add/Deduct	
◊	vec_domain	Domain		x(8)	
	vec_max_points	Maximum Points		->,>>>,>>9	
	vec_mod_date	Modified Date	Mod Date	99/99/99	
	vec_mod_userid	User ID		x(8)	
	vec_name	Name		x(12)	
	vec_pp_counter	Parts-Per Counter		Events/Quantity	
	vec_pp_factor	Parts-Per Factor		>,>>>,>>>,>>9	
	vec_table_lookup_flag	Use Lookup Table		yes/no	

Field Name	Label	Col-Label	Format	Dec
vec_threshold_points	Threshold Points		->,>>>,>>9	
vec_user1	Ufld1		x(8)	
vec_user2	Ufld2		x(8)	
vec_user3			x(8)	
vec_user4			x(8)	
vec__qadc01	QAD Field		X(8)	0
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0
vec__qadc04	QAD Field		X(8)	0
vec__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vec__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vec__qadi01			>>>>>>9	
vec__qadi02			>>>>>>9	
vec__qadl01			yes/no	
vec__qadl02			yes/no	
vec__qadt01			99/99/99	
vec__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vec_mstr	yes	oid_vec_mstr	yes	no
Δ*	vec_category	yes	vec_domain	yes	no
			vec_category	yes	no

vee_mstr

Supplier Performance Event Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vee_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vee_desc	Description		x(24)	
◊	vee_domain	Domain		x(8)	
	vee_event	Event Code		x(8)	
	vee_mod_date	Modified Date	Mod Date	99/99/99	
	vee_mod_userid	User ID		x(8)	
	vee_name	Name		x(12)	
	vee_points	Points		>>>>,>>9.99	10
	vee_user1	Ufld1		x(8)	
	vee_user2	Ufld2		x(8)	
	vee_user3			x(8)	
	vee_user4			x(8)	
	vee__qadc01	QAD Field		X(8)	0
	vee__qadc02	QAD Field		X(8)	0
	vee__qadc03	QAD Field		X(8)	0
	vee__qadc04	QAD Field		X(8)	0
	vee__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vee__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vee__qadi01			>>>>>>9	
	vee__qadi02			>>>>>>9	
	vee__qadl01			yes/no	
	vee__qadl02			yes/no	
	vee__qadt01			99/99/99	
	vee__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vee_mstr	yes	oid_vee_mstr	yes	no
Δ*	vee_event	yes	vee_domain	yes	no
			vee_event	yes	no

vef_ctrl

Supplier Performance Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vef_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vef_asn_data	ASN Information		X(8)	
	vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
	vef_days_early	Acceptable Days Early		>>9	
	vef_days_late	Acceptable Days Late		>>9	
◊	vef_domain	Domain		x(8)	
	vef_do_only_flag	Include DO Orders Only		yes/no	
	vef_do_receipts	DO Receipts		X(8)	
	vef_dup_asn	Duplicate ASN		X(8)	
	vef_early_rcpt	Early Receipt		X(8)	
	vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
	vef_enable_po_rtn	Enable PO Return		yes/no	
	vef_fifth_level_max	Maximum Value		>>>	
	vef_fifth_level_title	Fifth Interval Title		x(12)	
	vef_first_level_max	Maximum Value		>>>	
	vef_first_level_title	First Interval Title		x(12)	
	vef_fourth_level_max	Maximum Value		>>>	
	vef_fourth_level_title	Fourth Interval Title		x(12)	
	vef_late_asn	Late ASN		X(8)	
	vef_late_rcpt	Late Receipt		X(8)	
	vef_matl_quality	Material Quality		X(8)	
	vef_missed_ship	Missed Shipment		X(8)	
	vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
	vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
	vef_mod_date	Modified Date	Mod Date	99/99/99	
	vef_mod_userid	User ID		x(8)	
	vef_overship_pct	Acceptable Over Shipment		>>9.99	10
	vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
	vef_overship_qty	Acceptable Over Shipment		>>,>>9	
	vef_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>,>>9.99<<<<<<<<	10
	vef_over_ship	Over Shipment		X(8)	
	vef_points	Default Points		>>>>,>>9.99	10
	vef_po_only_flag	Include PO Orders Only		yes/no	
	vef_po_receipts	PO Receipts		X(8)	
	vef_pp_counter	Parts-Per Counter		Events/Quantity	
	vef_pp_factor	Parts-Per Factor		>,>>>,>>>,>>9	
	vef_rts_receipts	RTS Receipts		X(8)	
	vef_same_day_receipts	Net Same Day Receipts		yes/no	
	vef_second_level_max	Maximum Value		>>>	
	vef_second_level_title	Second Interval Title		x(12)	
	vef_third_level_max	Maximum Value		>>>	
	vef_third_level_title	Third Interval Title		x(12)	
	vef_undership_pct	Acceptable Under Shipment		>>9.99	10
	vef_undership_qty	Acceptable Under Shipment		>>,>>9	
	vef_under_ship	Under Shipment		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	vef_user1	Ufld1		x(8)	
	vef_user2	Ufld2		x(8)	
	vef_user3			x(8)	
	vef_user4			x(8)	
	vef_use_shippct	Use Shipment Percent		yes/no	
	vef_use_shippct_cost	Use Shipment Percent Cost		yes/no	
	vef_use_shipqty	Use Shipment Quantity		yes/no	
	vef_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
	vef_using_sup_perf	Use Supplier Performance		yes/no	
	vef__qadc01	QAD Field		X(8)	0
	vef__qadc02	QAD Field		X(8)	0
	vef__qadc03	QAD Field		X(8)	0
	vef__qadc04	QAD Field		X(8)	0
	vef__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vef__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vef__qadi01			>>>>>>9	
	vef__qadi02			>>>>>>9	
Δ	vef__qadi03			->>>>>>>9	
	vef__qadl01			yes/no	
	vef__qadl02			yes/no	
	vef__qadt01			99/99/99	
	vef__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vef_ctrl	yes	oid_vef_ctrl	yes	no
Δ∗	vef_index1	yes	vef_domain	yes	no

vepd_det

Supplier Performance Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vepd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vepd_category	Category		x(8)	
	vepd_cmtindx	Comments		>>>>>>>9	
	vepd_doc_nbr	Doc Nbr	Doc	x(16)	
◊	vepd_domain	Domain		x(8)	
	vepd_event	Event		x(8)	
	vepd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	vepd_mod_date	Modified Date	Mod Date	99/99/99	
	vepd_mod_userid	User ID		x(8)	
	vepd_reason_code	Reason		x(8)	
	vepd_seq_nbr	Sequence	Seq	>>>>>>>>	
	vepd_site	Site		x(8)	
	vepd_temp_missed_flag	Missed		yes/no	
	vepd_tran_date	Transaction Date	Tran Date	99/99/99	
	vepd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
	vepd_user1	Ufld1		x(8)	
	vepd_user2	Ufld2		x(8)	
	vepd_user3			x(8)	
	vepd_user4			x(8)	
	vepd_vendor	Supplier		x(8)	
	vepd_vendor_source	Supplier Source	Source	x(3)	

	Field Name	Label	Col-Label	Format	Dec
	vepd_vep_tran_date	Receipt Transaction Date		99/99/99	
	vepd_vep_tran_id	Receipt Transaction ID		>>>>>>>>	
	vepd_weight_code	Weight Code	Weight	x(8)	
	vepd__qadc01	QAD Field		X(8)	0
	vepd__qadc02	QAD Field		X(8)	0
	vepd__qadc03	QAD Field		X(8)	0
	vepd__qadc04	QAD Field		X(8)	0
	vepd__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
	vepd__qadd02			->>,>>>,>>9.9<<<<<<<<<	10
	vepd__qadi01			>>>>>>9	
	vepd__qadi02			>>>>>>9	
	vepd__qadl01			yes/no	
	vepd__qadl02			yes/no	
	vepd__qadt01			99/99/99	
	vepd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	missed_event_order	no	vepd_domain	yes	no
			vepd_temp_missed_flag	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_site	yes	no
◊	oid_vepd_det	yes	oid_vepd_det	yes	no
Δ*	transaction_order	yes	vepd_domain	yes	no
			vepd_tran_id	yes	no
			vepd_tran_date	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_site	yes	no
Δ	vendor_event_order	no	vepd_domain	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_category	yes	no
			vepd_event	yes	no
			vepd_site	yes	no
Δ	vepd_vendor_order	yes	vepd_domain	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_vep_tran_date	yes	no
			vepd_vep_tran_id	yes	no
			vepd_category	yes	no
			vepd_seq_nbr	yes	no
			vepd_site	yes	no

vep_mstr Supplier Performance Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vep_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vep_abs_id	Shipper ID	Shipper	x(20)	
	vep_acct	Pur Acct		x(8)	
	vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>>9	
	vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
	vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>>9	
	vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
	vep_asn_ship_qty	ASN Ship Qty		->,>>>,>>9.9<<<<<<<	10
	vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>>9	
	vep_buyer	Buyer		x(8)	
	vep_cc	Cost Ctr	CC	x(4)	
	vep_comm_code	Commodity Code	Commodity	x(20)	
	vep_db	DB Number	DB	x(16)	
	vep_disc_pct	Disc%		->9.99%	10
◊	vep_domain	Domain		x(8)	
	vep_fsm_type	FSM Type		x(1)	
	vep_line	Line	Ln	>>>	
	vep_loc	Loc		x(8)	
	vep_lotser	Lot/Serial	L/S	x(18)	
	vep_mod_date	Modified Date	Mod Date	99/99/99	
	vep_mod_userid	User ID		x(8)	
	vep_nbr	Order Nbr	Order	x(8)	
	vep_open_qty	Open Qty	Qty! Open	->,>>>,>>9.9<<<<<<<	10
	vep_order_source	Order Source	Source	x(3)	
	vep_part	Item Number	Item	x(18)	
	vep_per_date	Perform Date	Perform	99/99/99	
	vep_pod_sched	Scheduled	Sched	yes/no	
	vep_pur_cost	Unit Cost	Unit! Cost	->>>,>>>,>>9.99	10
	vep_qty_ord	Qty Ordered	Qty! Ordered	->,>>>,>>9.9<<<<<<<	10
	vep_rcp_date	Receipt Date	Receipt	99/99/99	
	vep_rcp_time	Receipt Time	Receipt	>>>>>>>9	
	vep_rcp_type	Receipt Type	R	x(1)	
	vep_rcvd_qty	Receipt Qty	Qty! Received	->,>>>,>>9.9<<<<<<<	10
	vep_receiver	Receiver		x(8)	
	vep_ref	Ref		x(8)	
	vep_req_nbr	Requisition	Req	x(8)	
	vep_site	Site		x(8)	
	vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
	vep_sub_type	Subcontract Type	Sub Type	x(12)	
	vep_temp_missed_flag	Missed		yes/no	
	vep_tran_date	Transaction Date	Tran Date	99/99/99	
	vep_tran_id	Transaction ID	Tran ID	>>>>>>>>	
	vep_type	Type		x(1)	
	vep_um	UM		x(2)	
	vep_user1	Ufld1		x(8)	
	vep_user2	Ufld2		x(8)	
	vep_user3			x(8)	
	vep_user4			x(8)	
	vep_vendor	Supplier		x(8)	
	vep_vendor_source	Supplier Source	Source	x(3)	
	vep__qadc01	QAD Field		X(8)	0
	vep__qadc02	QAD Field		X(8)	0
	vep__qadc03	QAD Field		X(8)	0
	vep__qadc04	QAD Field		X(8)	0
	vep__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vep__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vep__qadi01			>>>>>>9	
	vep__qadi02			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vep__qadl01			yes/no	
vep__qadl02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	missed_event_order	no	vep_domain	yes	no
			vep_temp_missed_flag	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
◊	oid_vep_mstr	yes	oid_vep_mstr	yes	no
Δ	vendor_date_order	no	vep_domain	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
			vep_nbr	yes	no
			vep_line	yes	no
			vep_tran_date	yes	no
			vep_receiver	yes	no
			vep_abs_id	yes	no
			vep_part	yes	no
Δ*	vendor_site_order	yes	vep_domain	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_tran_date	yes	no
			vep_tran_id	yes	no
			vep_site	yes	no
Δ	vep_vendor_nbr_order	no	vep_domain	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
			vep_nbr	yes	no
			vep_receiver	yes	no
			vep_line	yes	no
			vep_abs_id	yes	no
			vep_part	yes	no
Δ	vep_vendor_part	no	vep_domain	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
			vep_part	yes	no
			vep_type	yes	no
			vep_sub_type	yes	no
			vep_tran_date	yes	no

verd_det

Supplier Performance Registration Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_verd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	verd_active_flag	Use Category		yes/no	
	verd_category	Category		x(8)	
◊	verd_domain	Domain		x(8)	
	verd_mod_date	Modified Date	Mod Date	99/99/99	
	verd_mod_userid	User ID		x(8)	
	verd_site	Site		x(8)	
	verd_user1	Ufld1		x(8)	
	verd_user2	Ufld2		x(8)	
	verd_user3			x(8)	
	verd_user4			x(8)	
	verd_vendor	Supplier		x(8)	
	verd_vendor_source	Supplier Source		x(3)	
	verd__qadc01	QAD Field		X(8)	0
	verd__qadc02	QAD Field		X(8)	0
	verd__qadc03	QAD Field		X(8)	0
	verd__qadc04	QAD Field		X(8)	0
	verd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	verd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	verd__qadi01			>>>>>>9	
	verd__qadi02			>>>>>>9	
	verd__qadl01			yes/no	
	verd__qadl02			yes/no	
	verd__qadt01			99/99/99	
	verd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_verd_det	yes	oid_verd_det	yes	no
Δ∗	verd_vendor	yes	verd_domain	yes	no
			verd_vendor	yes	no
			verd_vendor_source	yes	no
			verd_site	yes	no
			verd_category	yes	no

ver_mstr

Supplier Performance Registration Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ver_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ver_active_flag	Use Supplier Performance		yes/no	
	ver_asn_leadtime	Maximum ASN Lead-Time		99:99	
	ver_comm_code	Commodity Code		x(20)	
	ver_contact	Contact		X(24)	
	ver_days_early	Acceptable Days Early		>>9	
	ver_days_late	Acceptable Days Late		>>9	
◊	ver_domain	Domain		x(8)	
	ver_email_address	E-mail Address		X(60)	
	ver_end	End Effective		99/99/99	
	ver_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	10
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
ver_overship_qty	Acceptable Over Shipment		>>,>>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>,>>9.99<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	10
ver_undership_qty	Acceptable Under Shipment		>>,>>9	
ver_user1	Ufld1		x(8)	
ver_user2	Ufld2		x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver_use_shipqty	Use Shipment Quantity		yes/no	
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	
ver__qadc01	QAD Field		X(8)	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
ver__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadl01			yes/no	
ver__qadl02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ver_mstr	yes	oid_ver_mstr	yes	no
Δ	ver_comm_code	no	ver_domain	yes	no
			ver_comm_code	yes	no
			ver_vendor	yes	no
			ver_vendor_source	yes	no
			ver_site	yes	no
			ver_part	yes	no
Δ	ver_part	no	ver_domain	yes	no
			ver_part	yes	no
			ver_vendor	yes	no
			ver_vendor_source	yes	no
			ver_site	yes	no
			ver_comm_code	yes	no
Δ	ver_site	no	ver_domain	yes	no
			ver_site	yes	no
			ver_part	yes	no
			ver_comm_code	yes	no
Δ*	ver_vendor	yes	ver_domain	yes	no
			ver_vendor	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no

vesd_det

Supplier Performance Summary Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vesd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vesd_category	Category		x(8)	
◊	vesd_domain	Domain		x(8)	
	vesd_event	Event		x(8)	
	vesd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	vesd_mod_date	Modified Date	Mod Date	99/99/99	
	vesd_mod_userid	User ID		x(8)	
	vesd_part	Item Number	Item	x(18)	
	vesd_rec_type	Rec Type		x(8)	
	vesd_site	Site		x(8)	
	vesd_sub_type	Subcontract Type	Sub Type	x(12)	
	vesd_tran_date	Transaction Date	Tran Date	99/99/99	
	vesd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
	vesd_type	Type		x(1)	
	vesd_user1	Ufld1		x(8)	
	vesd_user2	Ufld2		x(8)	
	vesd_user3			x(8)	
	vesd_user4			x(8)	
	vesd_vendor	Supplier		x(8)	
	vesd_vendor_source	Supplier Source	Source	x(3)	
	vesd_ves_from_date	From Date		99/99/99	
	vesd_ves_to_date	To Date		99/99/99	
	vesd_weight_code	Weight Code	Weight	x(8)	
	vesd__qadc01	QAD Field		X(8)	0
	vesd__qadc02	QAD Field		X(8)	0
	vesd__qadc03	QAD Field		X(8)	0
	vesd__qadc04	QAD Field		X(8)	0
	vesd__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
	vesd__qadd02			->>,>>>,>>9.9<<<<<<<<<	10
	vesd__qadi01			>>>>>>9	
	vesd__qadi02			>>>>>>9	
	vesd__qadl01			yes/no	
	vesd__qadl02			yes/no	
	vesd__qadt01			99/99/99	
	vesd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_vesd_det	yes	oid_vesd_det	yes	no
Δ* vesd_vendor_order	yes	vesd_domain	yes	no
		vesd_vendor	yes	no
		vesd_vendor_source	yes	no
		vesd_ves_from_date	yes	no
		vesd_ves_to_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vesd_site	yes	no
		vesd_part	yes	no
		vesd_rec_type	yes	no
		vesd_type	yes	no
		vesd_sub_type	yes	no
		vesd_category	yes	no
		vesd_tran_id	yes	no

ves_mstr

Supplier Performance Summary Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_ves_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	ves_comm_code	Commodity Code	Commodity	x(20)	
	ves_db	DB Number	DB	x(16)	
◊	ves_domain	Domain		x(8)	
	ves_from_date	From Date		99/99/99	
	ves_mod_date	Modified Date	Mod Date	99/99/99	
	ves_mod_userid	User ID		x(8)	
	ves_occurance_count	Occurance		>>>>,>>>,>>9	
	ves_part	Item Number	Item	x(18)	
	ves_rcvd_qty	Receipt Qty	Qty! Received	>>>>,>>>,>>>,>>9.9<<<<<<<<<	10
	ves_rec_type	Rec Type		x(8)	
	ves_site	Site		x(8)	
	ves_sub_type	Subcontract Type	Sub Type	x(12)	
	ves_to_date	To Date		99/99/99	
	ves_type	Type		x(1)	
	ves_user1	Ufld1		x(8)	
	ves_user2	Ufld2		x(8)	
	ves_user3			x(8)	
	ves_user4			x(8)	
	ves_vendor	Supplier		x(8)	
	ves_vendor_source	Supplier Source	Source	x(3)	
	ves__qadc01	QAD Field		X(8)	0
	ves__qadc02	QAD Field		X(8)	0
	ves__qadc03	QAD Field		X(8)	0
	ves__qadc04	QAD Field		X(8)	0
	ves__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	ves__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	ves__qadi01			>>>>>>9	
	ves__qadi02			>>>>>>9	
	ves__qadl01			yes/no	
	ves__qadl02			yes/no	
	ves__qadt01			99/99/99	
	ves__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ves_mstr	yes	oid_ves_mstr	yes	no
Δ*	ves_vendor_order	yes	ves_domain	yes	no
			ves_vendor	yes	no
			ves_vendor_source	yes	no
			ves_from_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ves_to_date	yes	no
		ves_site	yes	no
		ves_part	yes	no
		ves_rec_type	yes	no
		ves_type	yes	no
		ves_sub_type	yes	no

vew_mstr

Supplier Performance Weighting Factor Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vew_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vew_desc	Description		x(24)	
◊	vew_domain	Domain		x(8)	
	vew_mod_date	Modified Date	Mod Date	99/99/99	
	vew_mod_userid	User ID		x(8)	
	vew_name	Name		x(12)	
	vew_user1	Ufld1		x(8)	
	vew_user2	Ufld2		x(8)	
	vew_user3			x(8)	
	vew_user4			x(8)	
	vew_weight_code	Weight Code		x(8)	
	vew_weight_factor	Weight Factor		>,>>9.99	10
	vew__qadc01	QAD Field		X(8)	0
	vew__qadc02	QAD Field		X(8)	0
	vew__qadc03	QAD Field		X(8)	0
	vew__qadc04	QAD Field		X(8)	0
	vew__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vew__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vew__qadi01			>>>>>>9	
	vew__qadi02			>>>>>>9	
	vew__qadl01			yes/no	
	vew__qadl02			yes/no	
	vew__qadt01			99/99/99	
	vew__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vew_mstr	yes	oid_vew_mstr	yes	no
Δ*	vew_weight_code	yes	vew_domain	yes	no
			vew_weight_code	yes	no

vex_mstr

Supplier Performance Cross-Reference Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vex_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	vex_domain	Domain		x(8)	
	vex_mod_date	Modified Date	Mod Date	99/99/99	
	vex_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
vex_site	Site		x(8)	
vex_to_site	To-Site		x(8)	
vex_to_vendor	To-Supplier		x(8)	
vex_to_vendor_source	To-Supplier Source		x(3)	
vex_user1	Ufld1		x(8)	
vex_user2	Ufld2		x(8)	
vex_user3			x(8)	
vex_user4			x(8)	
vex_vendor	Supplier		x(8)	
vex_vendor_source	Supplier Source		x(3)	
vex__qadc01	QAD Field		X(8)	0
vex__qadc02	QAD Field		X(8)	0
vex__qadc03	QAD Field		X(8)	0
vex__qadc04	QAD Field		X(8)	0
vex__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vex__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vex__qadi01			>>>>>>9	
vex__qadi02			>>>>>>9	
vex__qadl01			yes/no	
vex__qadl02			yes/no	
vex__qadt01			99/99/99	
vex__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vex_mstr	yes	oid_vex_mstr	yes	no
Δ*	vex_site	yes	vex_domain	yes	no
			vex_site	yes	no
			vex_vendor	yes	no
			vex_vendor_source	yes	no
Δ	vex_to_site	no	vex_domain	yes	no
			vex_to_site	yes	no
			vex_vendor	yes	no
			vex_vendor_source	yes	no

vod_det

Voucher Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	vod_acct	Account		x(8)	
	vod_amt	Amount		->>>>,>>>,>>9.99	10
	vod_base_amt	Base Amount		->>>>,>>>,>>9.99	10
	vod_cc	Cost Ctr	CC	x(4)	
	vod_desc	Description		x(24)	
◊	vod_domain	Domain		x(8)	
	vod_dy_code	Daybook		x(8)	
	vod_dy_num	Entry Number		x(40)	
	vod_entity	Entity	Enty	x(4)	
	vod_exp_acct	Expense Acct	Exp Acct	x(8)	
	vod_exp_cc	Expense CC	CC	x(4)	
	vod_exp_sub	Expense Sub-Acct	Sub-Acct	x(8)	
	vod_ln	Line	Ln	>>9	

Field Name	Label	Col-Label	Format	Dec
vod_pjs_line	Project Line		>>>>>>>9	
vod_project	Project		x(8)	
vod_ref	Voucher		x(8)	
vod_sub	Sub-Account	Sub-Acct	x(8)	
vod_tax	Tax		x(1)	
vod_taxable	Taxable	Tax	yes/no	
vod_taxc	Tax Class	TxC	x(3)	
vod_tax_at	Tax	T	x(3)	
vod_tax_env	Tax Environment	Tax Env	x(16)	
vod_tax_in	Tax In		yes/no	
vod_tax_usage	Tax Usage	TaxUsage	x(8)	
vod_type	Type	T	x(1)	
vod_user1	Ufld1		x(8)	
vod_user2	Ufld2		x(8)	
vod__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vod_det	yes	oid_vod_det	yes	no
Δ	vod_dy	no	vod_domain	yes	no
			vod_dy_code	yes	no
			vod_dy_num	yes	no
			vod_ln	yes	no
Δ*	vod_ref	yes	vod_domain	yes	no
			vod_ref	yes	no
			vod_ln	yes	no
Δ	vod_tax	no	vod_domain	yes	no
			vod_ref	yes	no
			vod_tax_at	yes	no

vo_mstr

Voucher Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vo_amt_chg	Amount to Pay		->>>>,>>>,>>9.99	10
	vo_applied	Amount Applied		->>>>,>>>,>>9.99	10
	vo_base_amt_chg	Base Amount to Pay		->>>>,>>>,>>9.99	10
	vo_base_applied	Base Amount Applied		->>>>,>>>,>>9.99	10
	vo_base_disc_chg	Base Disc to Take		->>>>,>>>,>>9.99	10
	vo_base_hold_amt	Base Hold Amt		->>>>,>>>,>>9.99	10
	vo_base_ndisc	Base Non-Disc Amt		->>>>,>>>,>>9.99	10
	vo_cmtindx	Comment Index	Comment	>>>>>>>9	
	vo_confirmed	Confirmed	Cnf	yes/no	
	vo_conf_by	Confirmed By	Conf By	x(8)	
	vo_cr_terms	Credit Terms	Terms	x(8)	
	vo_curr	Currency	Cur	x(3)	
	vo_disc_chg	Disc to Take		->>>>,>>>,>>9.99	10
	vo_disc_date	Disc Date		99/99/99	
◊	vo_domain	Domain		x(8)	
	vo_due_date	Due Date	Due	99/99/99	
	vo_exru_seq	Sequence		>>>>>>>>9	
	vo_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
vo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
vo_ex_ratetype	Rate Type		x(8)	
vo_hold	Hold		yes/no	
vo_hold_amt	Hold Amt		->>>>,>>>,>>9.99	10
vo_invoice	Invoice		x(20)	
vo_is_ers	ERS Voucher		yes/no	
vo_lc_amt	LC Amt		->>,>>>,>>>,>>9.99	10
vo_modok	Modification Allowed	Mod	yes/no	
vo_ndisc_amt	Non-Disc Amt		->>>>,>>>,>>9.99	10
vo_paid_date	Last Paid		99/99/99	
vo_po	PO Number	PO	x(8)	
vo_po_rcvd	Goods Received		yes/no	
vo_prepay	Prepayment Amt		->>,>>>,>>>,>>9.99	10
vo_rcycle	Interval	Int	x(1)	
vo_receiver	Receiver		x(8)	
vo_recur	Recurring Voucher	RV	yes/no	
vo_ref	Voucher		x(8)	
vo_rel_date	Last Release	Release	99/99/99	
vo_resale_amt	Resale Amount		->>>>,>>>,>>9.99<	10
vo_rexpire	Expire		99/99/99	
vo_rnbr_cyc	Nbr Per Voucher	Nbr	>>9	
vo_rstart	Start		99/99/99	
vo_rv_nbr	Recur Voucher	Recur VO	x(8)	
vo_separate	Separate Check	Separate! Check	yes/no	
vo_ship	Ship-To		x(8)	
vo_taxable	Taxable	Tax	yes/no	
vo_taxc	Tax Class	TxC	x(3)	
vo_tax_date	Tax Date		99/99/99	
vo_tax_env	Tax Environment	Tax Env	x(16)	
vo_tax_pct[3]	Tax		->9.99<%	10
vo_tax_usage	Tax Usage	TaxUsage	x(8)	
vo_type	Type		x(4)	
vo_user1	Ufld1		x(8)	
vo_user2	Ufld2		x(8)	
vo_waiting_exp	Waiting Expenses	WE	yes/no	
vo__chr01			x(8)	
vo__chr02			x(8)	
vo__chr03			x(8)	
vo__chr04			x(8)	
vo__chr05			x(8)	
vo__dec01			>>>,>>>,>>9.99	10
vo__dec02			>>>,>>>,>>9.99	10
vo__dte01			99/99/99	
vo__dte02			99/99/99	
vo__log01			yes/no	
vo__qad01	Assigned-To		x(8)	
vo__qad02			x(8)	
vo__qad03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vo_mstr	yes	oid_vo_mstr	yes	no
Δ	vo_invoice	no	vo_domain	yes	no
			vo_invoice	yes	no
Δ*	vo_ref	yes	vo_domain	yes	no
			vo_ref	yes	no

vph_hist

Voucher Invoice History

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vph_acct	Account		x(8)	
	vph_adj_amt	Cost Adjustment		->>>>,>>>,>>9.99<	10
	vph_adj_inv	Inventory/Variance		Inventory/Variance	
	vph_adj_prv_cst	Previous Cost		->>>>,>>>,>>9.99<<<	10
	vph_adj_wip	WIP/Variance		WIP/Variance	
	vph_amt	Amount		->>>>,>>>,>>9.99	10
	vph_avg_post	Post To		x(4)	
	vph_cc	Cost Ctr	CC	x(4)	
	vph_cf_adj_amt	Confirmed Adjustment		->>>>,>>>,>>9.99<	10
	vph_cf_dscr_amt	Confirmed Discrepancy		->>>>,>>>,>>9.99<	10
	vph_costadj_acct	Cost Adj Acct	Cost Adj	x(8)	
	vph_costadj_cc	Cost Adj CC	CC	x(4)	
	vph_costadj_sub	Cost Adj Sub	Sub-Acct	x(8)	
	vph_curr_amt	Currency Amount	Curr Amt	->,>>>,>>>,>>9.99<<<	10
◊	vph_domain	Domain		x(8)	
	vph_dscr_acct	Inventory Dscr Acct	Dscr Acct	x(8)	
	vph_dscr_amt	Cost Discrepancy		->>>>,>>>,>>9.99<	10
	vph_dscr_cc	Inventory Dscr CC	CC	x(4)	
	vph_dscr_sub	Inventory Dscr Sub-Acct	Sub-Acct	x(8)	
	vph_element	Cost Element	Element	x(8)	
	vph_inv_cost	Invoice Cost		->,>>>,>>>,>>9.99<<<	10
	vph_inv_date	Invoice Date	Inv Date	99/99/99	
	vph_inv_qty	Invoice Qty		->,>>>,>>9.9<<<<<<<<	10
	vph_nbr	PO Nbr		x(8)	
	vph_project	Project		x(8)	
	vph_pvod_id_line	Line	Ln	>>>>>>>9	
	vph_pvo_id	Pending Voucher ID		>>>>>>>>>	
	vph_qoh_at_adj	QOH at adjustment		->>,>>>,>>9.9<<<<<<<<<	10
	vph_ref	Voucher		x(8)	
	vph_sub	Sub-Account	Sub-Acct	x(8)	
	vph_user1	Ufld1		x(8)	
	vph_user2	Ufld2		x(8)	
	vph__qadc01			x(8)	
	vph__qadc02			x(24)	
	vph__qadi01			->>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vph_hist	yes	oid_vph_hist	yes	no
Δ	vph_nbr	no	vph_domain	yes	no
			vph_nbr	yes	no
Δ	vph_pvo_id	no	vph_domain	yes	no
			vph_pvo_id	yes	no
			vph_pvod_id_line	yes	no
			vph_ref	yes	no
Δ*	vph_ref	yes	vph_domain	yes	no
			vph_ref	yes	no
			vph_pvo_id	yes	no
			vph_pvod_id_line	yes	no
Δ	vph_refnbr	no	vph_domain	yes	no
			vph_ref	yes	no
			vph_nbr	yes	no

vpo_det

Voucher Purchase Order Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vpo_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	vpo_domain	Domain		x(8)	
	vpo_po	PO Number	PO	x(8)	
	vpo_ref	Voucher		x(8)	
	vpo_user1	Ufld1		x(8)	
	vpo_user2	Ufld2		x(8)	
	vpo__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vpo_det	yes	oid_vpo_det	yes	no
Δ*	vpo_refpo	yes	vpo_domain	yes	no
			vpo_ref	yes	no
			vpo_po	yes	no

vp_mstr

Supplier Item Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vp_appr_date	Approve Date	Approve	99/99/99	
	vp_bkage_amt	Brokerage Amt		->>,>>>,>>9.99	10
	vp_comment	Comment		x(40)	
	vp_curr	Currency	Cur	x(3)	
◊	vp_domain	Domain		x(8)	
	vp_duty_amt	Duty Amt		->>,>>>,>>9.99	10
	vp_duty_type	Duty Type	Dty	x(1)	
	vp_frt_amt	Freight Amt		->>,>>>,>>9.99	10
	vp_ins_rqd	Inspect	Ins! Req	yes/no	
	vp_mfgr	Manufacturer	Mfg	x(8)	
	vp_mfgr_part	Manufacturer Item		x(18)	
	vp_mod_date	Modified Date	Mod Date	99/99/99	
	vp_part	Item Number		x(18)	
	vp_pkg_code	Pkg Code		x(18)	
	vp_pr_list	Price List	List	x(8)	
	vp_q_date	Quote Date	Quote	99/99/99	
	vp_q_price	Quote Price		>>>>,>>>,>>9.99<<<	10
	vp_q_qty	Quote Qty		->,>>>,>>9.9<<<<<<<<	10
	vp_rcpt_stat	Receipt Status	Status	x(8)	
	vp_sch_pct	Schedule	Sch	>>9.99%	10
	vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
	vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
	vp_um	UM		x(2)	
	vp_user1	Ufld1		x(8)	
	vp_user2	Ufld2		x(8)	
	vp_userid	User ID		x(8)	
	vp_vend	Supplier		x(8)	
	vp_vend_lead	Supplier Lead Time	LT	>>9	
	vp_vend_part	Supplier Item		x(30)	
	vp__chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
vp__chr02			x(8)	
vp__chr03			x(8)	
vp__chr04			x(8)	
vp__chr05			x(8)	
vp__dec01			>>>,>>>,>>9.99	10
vp__dec02			>>>,>>>,>>9.99	10
vp__dte01			99/99/99	
vp__dte02			99/99/99	
vp__log01			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vp_mstr	yes	oid_vp_mstr	yes	no
Δ∗	vp_partvend	yes	vp_domain	yes	no
			vp_part	yes	no
			vp_vend	yes	no
			vp_vend_part	yes	no
Δ	vp_vend_part	no	vp_domain	yes	no
			vp_vend	yes	no
			vp_vend_part	yes	no

vrc_ctrl

Version Control

Field Name	Label	Col-Label	Format	Dec
◊ oid_vrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊ vrc_domain	Domain		x(8)	
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	
vrc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vrc_ctrl	yes	oid_vrc_ctrl	yes	no
Δ∗	vrc_id	yes	vrc_domain	yes	no
			vrc_v86	yes	no

vtc_ctrl

Value Added Tax Control

Field Name	Label	Col-Label	Format	Dec
◊ oid_vtc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vtc_disc	Discount VAT at Invoice		yes/no	
vtc_index1	Index		>>>>>9	
vtc_pmt_disc	Discount VAT at Payment		yes/no	
vtc_round	Rounding Method		x(1)	
vtc_user1	Ufld1		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	vtc_user2	Ufld2		x(8)	
	vtc_val_reg	Validate VAT Reg. No.		yes/no	
	vtc_vt_class	Default Tax Class		x(3)	
	vtc__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vtc_ctrl	yes	oid_vtc_ctrl	yes	no
*	vtc_index1	yes	vtc_index1	yes	no

vt_mstr

Value Added Tax Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_vt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vt_ap_acct	AP VAT Acct		x(8)	
	vt_ap_cc	AP VAT CC	CC	x(4)	
	vt_ar_acct	AR VAT Acct		x(8)	
	vt_ar_cc	AR VAT CC	CC	x(4)	
	vt_class	VAT Class		x(1)	
	vt_desc	Description		x(24)	
	vt_end	End Eff		99/99/99	
	vt_project	Project		x(8)	
	vt_start	Start Eff		99/99/99	
	vt_tax_pct	VAT Tax		->>9.99<<%	10
	vt_user1	Ufld1		x(8)	
	vt_user2	Ufld2		x(8)	
	vt__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vt_mstr	yes	oid_vt_mstr	yes	no
*	vt_class	yes	vt_class	yes	no
			vt_start	yes	no

wcr_route

Work Center Routing Standards

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wcr_route			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	wcr_domain	Domain		x(8)	
	wcr_mch	Machine		x(8)	
	wcr_op	Op		>>>>>9	
	wcr_part	Routing Code		x(18)	
	wcr_rate	Std Prod Rate	Std Rate	->,>>>,>>9	
	wcr_user1	Ufld1		x(8)	
	wcr_user2	Ufld2		x(8)	
	wcr_wkctr	Work Center	Work Ctr	x(8)	
	wcr__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wcr_route	yes	oid_wcr_route	yes	no
Δ	wcr_part	yes	wcr_domain	yes	no
			wcr_part	yes	no
			wcr_op	yes	no
			wcr_wkctr	yes	no
			wcr_mch	yes	no
Δ*	wcr_route	yes	wcr_domain	yes	no
			wcr_wkctr	yes	no
			wcr_mch	yes	no
			wcr_part	yes	no
			wcr_op	yes	no

wc_mstr Work Center Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wc_bdn_pct	Lbr Bdn %		>>9.99%	10
	wc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
	wc_bdn_supct	Setup Bdn %		>>9.99%	10
	wc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
	wc_dept	Department	Dept	x(8)	
	wc_desc	Description		x(24)	
◊	wc_domain	Domain		x(8)	
	wc_fsm_type	FSM Type		x(8)	
	wc_lbr_rate	Labor Rate		>>>,>>9.99	10
	wc_mch	Machine		x(8)	
	wc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
	wc_mch_op	Mach/Op		>>9	
	wc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
	wc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
	wc_men_mch	Run Crew		>>9.999	10
	wc_mod_date	Modified Date	Mod Date	99/99/99	
	wc_pct_eff	Percent Efficiency		->,>>9.999	10
	wc_pct_util	Percent Utilization		->,>>9.999	10
	wc_queue	Queue Time	Queue	>,>>9.9<<	10
	wc_setup_men	Setup Crew		->>,>>9.99	10
	wc_setup_rte	Setup Rate		>>>,>>9.99	10
	wc_user1	Ufld1		x(8)	
	wc_user2	Ufld2		x(8)	
	wc_userid	User ID		x(8)	
	wc_wait	Wait Time	Wait	>,>>9.9<<	10
	wc_wkctr	Work Center	Work Ctr	x(8)	
	wc_wk_loc	Work Location		x(4)	
	wc__chr01	User Character Field 1		X(8)	
	wc__chr02	User Character Field 2		X(8)	
	wc__chr03	User character Field 3		X(8)	
	wc__dec01	User Decimal Field 1		->>>,>>9.99<	10
	wc__dec02	User Decimal Field 2		->>>,>>9.99<	10
	wc__log01	User Logical Field 1		yes/no	
	wc__qad01			>,>>9.9	10
	wc__qad02			>>,>>9.999	10
	wc__qadc01	QAD Character Field 1		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	wc__qadc02	QAD Character Field 2		X(8)	
	wc__qadc03	QAD Character Field 3		X(8)	
	wc__qade01	QAD Decimal Field 1		->>>,>>9.99<<	10
	wc__qade02	QAD Decimal Field 2		->>>,>>9.99<<	10
	wc__qadl01	QAD Logical Field 1		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wc_mstr	yes	oid_wc_mstr	yes	no
Δ	wc_dept	no	wc_domain	yes	no
			wc_dept	yes	no
Δ	wc_desc	yes	wc_domain	yes	no
			wc_desc	yes	no
			wc_wkctr	yes	no
			wc_mch	yes	no
Δ	wc_fsm_type	no	wc_domain	yes	no
			wc_fsm_type	yes	no
			wc_wkctr	yes	no
Δ*	wc_wkctr	yes	wc_domain	yes	no
			wc_wkctr	yes	no
			wc_mch	yes	no

whl_mstr Warehouse Location Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_whl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	whl_act	Active		yes/no	
	whl_cust_exp	Customer		yes/no	
	whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
	whl_date	Date Created	Created	99/99/99	
◊	whl_domain	Domain		x(8)	
	whl_do_cmt_exp	Comments		yes/no	
	whl_do_exp	Distribution Order	Distribution! Order	yes/no	
	whl_do_req_cmt_exp	Comments		yes/no	
	whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
	whl_loc	Location		x(8)	
	whl_po_cmt_exp	Comments		yes/no	
	whl_po_exp	Purchase Order	Purchase! Order	yes/no	
	whl_pt_exp	Item		yes/no	
	whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
	whl_site	Site		x(8)	
	whl_so_cmt_exp	Comments		yes/no	
	whl_so_exp	Sales Order	Sales! Order	yes/no	
	whl_src_dest_id	External Warehouse		X(18)	
	whl_sup_exp	Supplier		yes/no	
	whl_sup_item_nbr_exp	Supplier Number		yes/no	
	whl_um_exp	UM		yes/no	
	whl_user1	Ufld1		x(8)	
	whl_user2	Ufld2		x(8)	
	whl_wo_cmt_exp	Comments		yes/no	
	whl_wo_exp	Work Order	Work! Order	yes/no	
	whl_wo_rcpt_exp	Work Order Receipt		yes/no	

Field Name	Label	Col-Label	Format	Dec
whl__chr01	Reserved		x(8)	
whl__dec01			9.99	10
whl__dte01			99/99/99	
whl__log01			yes/no	
whl__qadc01			x(8)	
whl__qadc02			x(8)	
whl__qadd03			9.99	10
whl__qadl05			yes/no	
whl__qadt04			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_whl_mstr	yes	oid_whl_mstr	yes	no
Δ	whl_dest	no	whl_domain	yes	no
			whl_src_dest_id	yes	no
Δ*	whl_site	yes	whl_domain	yes	no
			whl_site	yes	no
			whl_loc	yes	no

wlbd_det

WIP Lot Trace BOM Control Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wlbd_bom_code	BOM Code		x(18)	
	wlbd_comp	Component Item		X(18)	
	wlbd_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
◊	wlbd_domain	Domain		x(8)	
	wlbd_mod_date	Modified Date	Mod Date	99/99/99	
	wlbd_mod_userid	User ID		x(8)	
	wlbd_start	Start Date	Start	99/99/99	
	wlbd_trc_comps	Trace Components	Trace! Components	yes/no	
	wlbd_trc_ref	Trace Reference	Trace! Reference	yes/no	
	wlbd_user1	Ufld1		X(16)	
	wlbd_user2	Ufld2		X(16)	
	wlbd__chr01			X(16)	
	wlbd__chr02			X(16)	
	wlbd__chr03			X(16)	
	wlbd__chr04			X(16)	
	wlbd__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbd__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbd__dte01			99/99/99	
	wlbd__dte02			99/99/99	
	wlbd__int01			->,>>>,>>9	
	wlbd__int02			->,>>>,>>9	
	wlbd__log01			yes/no	
	wlbd__log02			yes/no	
	wlbd__qadc01			X(16)	
	wlbd__qadc02			X(16)	
	wlbd__qadc03			X(16)	
	wlbd__qadc04			X(16)	
	wlbd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
wlbd__qadi01			->,>>>,>>9	
wlbd__qadi02			->,>>>,>>9	
wlbd__qadl01			yes/no	
wlbd__qadl02			yes/no	
wlbd__qadt01			99/99/99	
wlbd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlbd_det	yes	oid_wlbd_det	yes	no
Δ*	wlbd_bom_code	yes	wlbd_domain	yes	no
			wlbd_bom_code	yes	no
			wlbd_start	yes	no
			wlbd_comp	yes	no

wlbm_mstr WIP Lot Trace BOM Control Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlbm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wlbm_bom_code	BOM Code		x(18)	
	wlbm_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
◊	wlbm_domain	Domain		x(8)	
	wlbm_end	End Date	End	99/99/99	
	wlbm_mod_date	Modified Date	Mod Date	99/99/99	
	wlbm_mod_userid	User ID		x(8)	
	wlbm_start	Start Date	Start	99/99/99	
	wlbm_trc_comps	Trace Components	Trace! Components	yes/no	
	wlbm_trc_ref	Trace Reference	Trace! Reference	yes/no	
	wlbm_user1	Ufld1		X(16)	
	wlbm_user2	Ufld2		X(16)	
	wlbm__chr01			X(16)	
	wlbm__chr02			X(16)	
	wlbm__chr03			X(16)	
	wlbm__chr04			X(16)	
	wlbm__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbm__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbm__dte01			99/99/99	
	wlbm__dte02			99/99/99	
	wlbm__int01			->,>>>,>>9	
	wlbm__int02			->,>>>,>>9	
	wlbm__log01			yes/no	
	wlbm__log02			yes/no	
	wlbm__qadc01			X(16)	
	wlbm__qadc02			X(16)	
	wlbm__qadc03			X(16)	
	wlbm__qadc04			X(16)	
	wlbm__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbm__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlbm__qadi01			->,>>>,>>9	
	wlbm__qadi02			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
wlbm__qadl01			yes/no	
wlbm__qadl02			yes/no	
wlbm__qadt01			99/99/99	
wlbm__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlbm_mstr	yes	oid_wlbm_mstr	yes	no
Δ*	wlbm_bom_code	yes	wlbm_domain	yes	no
			wlbm_bom_code	yes	no
			wlbm_start	yes	no

wlc_ctrl WIP Lot Trace Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wlc_comp_cmb_ok	Combine Component Lots		yes/no	
◊	wlc_domain	Domain		x(8)	
	wlc_enable_wlt	Enable WIP Lot Trace		yes/no	
	wlc_maxlotsize	Max Lot Size		>>>,>>>,>>9.9	10
	wlc_mod_date	Modified Date	Mod Date	99/99/99	
	wlc_mod_userid	User ID		x(8)	
	wlc_nrm_id	WIP Lot Number Sequence ID		x(8)	
	wlc_overissue	WIP Lot Overissue		yes/no	
	wlc_trc_comps	Trace Components	Trace! Components	yes/no	
	wlc_trc_parents	Trace Parents	Trace! Parents	yes/no	
	wlc_trc_ref	Trace Reference	Trace! Reference	yes/no	
	wlc_user1	Ufld1		X(16)	
	wlc_user2	Ufld2		X(16)	
	wlc_wip_cmb_ok	Combine WIP Lots		yes/no	
	wlc_wip_split_ok	Split WIP Lots		yes/no	
	wlc__chr01			X(16)	
	wlc__chr02			X(16)	
	wlc__chr03			X(16)	
	wlc__chr04			X(16)	
	wlc__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlc__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlc__dte01			99/99/99	
	wlc__dte02			99/99/99	
	wlc__int01			->,>>>,>>9	
	wlc__int02			->,>>>,>>9	
	wlc__log01			yes/no	
	wlc__log02			yes/no	
	wlc__qadc01			X(16)	
	wlc__qadc02			X(16)	
	wlc__qadc03			X(16)	
	wlc__qadc04			X(16)	
	wlc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlc__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlc__qadi01			->,>>>,>>9	
	wlc__qadi02			->,>>>,>>9	
Δ	wlc__qadi03			->>>>>>>9	
	wlc__qadl01			yes/no	
	wlc__qadl02			yes/no	
	wlc__qadt01			99/99/99	
	wlc__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlc_ctrl	yes	oid_wlc_ctrl	yes	no
Δ*	wlc_index1	yes	wlc_domain	yes	no

wld_det

WIP Lot Inventory Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wld_alloc_id	Alloc To WO ID		x(8)	
	wld_alloc_op	Operation	Op	>>>>9	
	wld_alloc_que	Queue		x(8)	
◊	wld_domain	Domain		x(8)	
	wld_lotser	Lot/Serial		x(18)	
	wld_mch	Machine		x(8)	
	wld_mod_date	Modified Date	Mod Date	99/99/99	
	wld_mod_userid	User ID		x(8)	
	wld_prodby_id	Produced By ID	Prod ID	x(8)	
	wld_prodby_op	Produced By Op	Prod Op	>>>>9	
	wld_qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<<	10
	wld_ref	Reference	Ref	x(8)	
	wld_site	Site		x(8)	
	wld_user1	Ufld1		X(16)	
	wld_user2	Ufld2		X(16)	
	wld_wkctr	Work Center	Work Ctr	x(8)	
	wld__chr01			X(16)	
	wld__chr02			X(16)	
	wld__chr03			X(16)	
	wld__chr04			X(16)	
	wld__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wld__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wld__dte01			99/99/99	
	wld__dte02			99/99/99	
	wld__int01			->,>>>,>>9	
	wld__int02			->,>>>,>>9	
	wld__log01			yes/no	
	wld__log02			yes/no	
	wld__qadc01			X(16)	
	wld__qadc02			X(16)	
	wld__qadc03			X(16)	
	wld__qadc04			X(16)	
	wld__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wld__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	wld__qadi01			->,>>>,>>9	
	wld__qadi02			->,>>>,>>9	
	wld__qadl01			yes/no	
	wld__qadl02			yes/no	
	wld__qadt01			99/99/99	
	wld__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wld_det	yes	oid_wld_det	yes	no
Δ	wld_alloc_loc	no	wld_domain	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_prodby_id	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			wld_prodby_op	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
∆*	wld_id	yes	wld_domain	yes	no
			wld_prodby_id	yes	no
			wld_prodby_op	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no
∆	wld_lotser	no	wld_domain	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
			wld_prodby_id	yes	no
			wld_prodby_op	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no

wlrd_det

WIP Lot Trace Routing Control Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	wlrd_domain	Domain		x(8)	
	wlrd_mod_date	Modified Date	Mod Date	99/99/99	
	wlrd_mod_userid	User ID		x(8)	
	wlrd_op	Operation	Op	>>>>9	
	wlrd_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
	wlrd_routing	Routing Code		x(18)	
	wlrd_start	Start Date	Start	99/99/99	
	wlrd_user1	Ufld1		X(16)	
	wlrd_user2	Ufld2		X(16)	
	wlrd_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
	wlrd_wip_split_ok	Split WIP Lots		yes/no	
	wlrd__chr01			X(16)	
	wlrd__chr02			X(16)	
	wlrd__chr03			X(16)	
	wlrd__chr04			X(16)	
	wlrd__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrd__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrd__dte01			99/99/99	
	wlrd__dte02			99/99/99	
	wlrd__int01			->,>>>,>>9	
	wlrd__int02			->,>>>,>>9	
	wlrd__log01			yes/no	
	wlrd__log02			yes/no	

Field Name	Label	Col-Label	Format	Dec
wlrd__qadc01			X(16)	
wlrd__qadc02			X(16)	
wlrd__qadc03			X(16)	
wlrd__qadc04			X(16)	
wlrd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__qadi01			->,>>>,>>9	
wlrd__qadi02			->,>>>,>>9	
wlrd__qadl01			yes/no	
wlrd__qadl02			yes/no	
wlrd__qadt01			99/99/99	
wlrd__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlrd_det	yes	oid_wlrd_det	yes	no
Δ*	wlrd_routing	yes	wlrd_domain	yes	no
			wlrd_routing	yes	no
			wlrd_start	yes	no
			wlrd_op	yes	no

wlrm_mstr WIP Lot Trace Routing Control Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlrm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	wlrm_domain	Domain		x(8)	
	wlrm_end	End Date	End	99/99/99	
	wlrm_lt_startop	Lot Trace Start Op	Lot Trace! Start Op	>>>>9	
	wlrm_maxlotsize	Max Lot Size		>>>,>>>,>>9.9	10
	wlrm_mod_date	Modified Date	Mod Date	99/99/99	
	wlrm_mod_userid	User ID		x(8)	
	wlrm_nrm_id	WIP Lot Number Sequence ID		x(8)	
	wlrm_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
	wlrm_routing	Routing Code		x(18)	
	wlrm_ser_startop	Serialized WIP Start Op	Serialized WIP! Start Op	>>>>9	
	wlrm_start	Start Date	Start	99/99/99	
	wlrm_trc_parent	Trace Parents	Trace! Parents	yes/no	
	wlrm_user1	Ufld1		X(16)	
	wlrm_user2	Ufld2		X(16)	
	wlrm_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
	wlrm_wip_split_ok	Split WIP Lots		yes/no	
	wlrm__chr01			X(16)	
	wlrm__chr02			X(16)	
	wlrm__chr03			X(16)	
	wlrm__chr04			X(16)	
	wlrm__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrm__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrm__dte01			99/99/99	
	wlrm__dte02			99/99/99	
	wlrm__int01			->,>>>,>>9	
	wlrm__int02			->,>>>,>>9	
	wlrm__log01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	wlrm__log02			yes/no	
	wlrm__qadc01			X(16)	
	wlrm__qadc02			X(16)	
	wlrm__qadc03			X(16)	
	wlrm__qadc04			X(16)	
	wlrm__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrm__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlrm__qadi01			->,>>>,>>9	
	wlrm__qadi02			->,>>>,>>9	
	wlrm__qadl01			yes/no	
	wlrm__qadl02			yes/no	
	wlrm__qadt01			99/99/99	
	wlrm__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlrm_mstr	yes	oid_wlrm_mstr	yes	no
Δ*	wlrm_routing	yes	wlrm_domain	yes	no
			wlrm_routing	yes	no
			wlrm_start	yes	no

wlt_mstr

WIP Lot Trace Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wlt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wlt_cr_date	Date Created		99/99/99	
	wlt_cr_time	Time Created		>>>>>>9	
◊	wlt_domain	Domain		x(8)	
	wlt_lotser	Lot/Serial		x(18)	
	wlt_mod_date	Modified Date	Mod Date	99/99/99	
	wlt_mod_time	Time Modified		>>>>>>>9	
	wlt_mod_userid	User ID		x(8)	
	wlt_mtl_type	Material Type	Type	x(12)	
	wlt_part	Item Number		x(18)	
	wlt_prcons_ind	Produced/Consumed	Prod/Cons	Prod/Cons	
	wlt_prodby_id	Produced By ID	Prod ID	x(8)	
	wlt_prodby_op	Produced By Op	Prod Op	>>>>9	
	wlt_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
	wlt_ref	Reference	Ref	x(8)	
	wlt_trnbr	Trans		>>>>>>>9	
	wlt_tr_type	Trans Type		x(8)	
	wlt_user1	Ufld1		X(16)	
	wlt_user2	Ufld2		X(16)	
	wlt__chr01			X(16)	
	wlt__chr02			X(16)	
	wlt__chr03			X(16)	
	wlt__chr04			X(16)	
	wlt__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlt__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlt__dte01			99/99/99	
	wlt__dte02			99/99/99	
	wlt__int01			->,>>>,>>9	

	Field Name	Label	Col-Label	Format	Dec
	wlt__int02			->,>>>,>>9	
	wlt__log01			yes/no	
	wlt__log02			yes/no	
	wlt__qadc01			X(16)	
	wlt__qadc02			X(16)	
	wlt__qadc03			X(16)	
	wlt__qadc04			X(16)	
	wlt__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	wlt__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	wlt__qadi01			->,>>>,>>9	
	wlt__qadi02			->,>>>,>>9	
	wlt__qadl01			yes/no	
	wlt__qadl02			yes/no	
	wlt__qadt01			99/99/99	
	wlt__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlt_mstr	yes	oid_wlt_mstr	yes	no
Δ	wlt_prcons	no	wlt_domain	yes	no
			wlt_prcons_ind	yes	no
			wlt_mtl_type	yes	no
			wlt_prodby_id	yes	no
			wlt_prodby_op	yes	no
			wlt_part	yes	no
			wlt_lotser	yes	no
			wlt_ref	yes	no
			wlt_tr_type	yes	no
			wlt_trnbr	yes	no
Δ*	wlt_tr_type	yes	wlt_domain	yes	no
			wlt_tr_type	yes	no
			wlt_trnbr	yes	no
			wlt_prcons_ind	yes	no
			wlt_mtl_type	yes	no
			wlt_prodby_id	yes	no
			wlt_prodby_op	yes	no
			wlt_part	yes	no
			wlt_lotser	yes	no
			wlt_ref	yes	no

wl_mstr

WIP Lot Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wl_cert_status	Cert Status		x(8)	
	wl_cr_date	Date Created		99/99/99	
	wl_cr_time	Time Created		>>>>>>9	
◊	wl_domain	Domain		x(8)	
	wl_lotser	Lot/Serial		x(18)	
	wl_mod_date	Modified Date	Mod Date	99/99/99	
	wl_mod_time	Time Modified		>>>>>>>9	
	wl_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
wl_prodby_id	Produced By ID	Prod ID	x(8)	
wl_prodby_op	Produced By Op	Prod Op	>>>>9	
wl_qty_cumadj	Cum Adjusted		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumcons	Cum Consumed		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumprod	Cum Produced		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumrjct	Cum Rejected		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumrwrk	Cum Reworked		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumscrap	Cum Scrapped		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumtrin	Cum Trans In		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumtrout	Cum Trans Out		->,>>>,>>9.9<<<<<<<<	10
wl_user1	Ufld1		X(16)	
wl_user2	Ufld2		X(16)	
wl__chr01			X(16)	
wl__chr02			X(16)	
wl__chr03			X(16)	
wl__chr04			X(16)	
wl__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wl__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wl__dte01			99/99/99	
wl__dte02			99/99/99	
wl__int01			->,>>>,>>9	
wl__int02			->,>>>,>>9	
wl__log01			yes/no	
wl__log02			yes/no	
wl__qadc01			X(16)	
wl__qadc02			X(16)	
wl__qadc03			X(16)	
wl__qadc04			X(16)	
wl__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wl__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wl__qadi01			->,>>>,>>9	
wl__qadi02			->,>>>,>>9	
wl__qadl01			yes/no	
wl__qadl02			yes/no	
wl__qadt01			99/99/99	
wl__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wl_mstr	yes	oid_wl_mstr	yes	no
Δ	wl_lotser	no	wl_domain	yes	no
			wl_lotser	yes	no
			wl_prodby_id	yes	no
			wl_prodby_op	yes	no
Δ*	wl_prodby_id	yes	wl_domain	yes	no
			wl_prodby_id	yes	no
			wl_prodby_op	yes	no
			wl_lotser	yes	no

woc_ctrl Work Order Control

	Field Name	Label	Col-Label	Format	Dec
◊	oid_woc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	woc_auto_nbr	Auto W/O Numbers		yes/no	
	woc_bdn_up	Update Current Burden Cost		yes/no	
◊	woc_domain	Domain		x(8)	
	woc_gl_bdn	Create GL for Burden Variance		yes/no	
	woc_gl_lbr	Create GL for Labor Variance		yes/no	
	woc_lbr_up	Update Current Labor Cost		yes/no	
	woc_move	Move First Operation		yes/no	
	woc_nbr	Next W/O Nbr	Next WO	>>>>>>>9	
	woc_nbr_pre	WO Prefix	Pre	x(3)	
	woc_paper_lt	Paperwork LT	Paper LT	>>9	
	woc_rcmmts	Routing Comments		yes/no	
	woc_sched	Oper Sched Method (Back/Fwd)	Sched	x(1)	
	woc_time_ind	Time Indicator	Time	x(1)	
	woc_user1	Ufld1		x(8)	
	woc_user2	Ufld2		x(8)	
	woc_var	Post variances at SFC		yes/no	
	woc_wcmmts	Work Order Comments		yes/no	
	woc__qadi01			>>>>>>>9	
Δ	woc__qadi02			->>>>>>>9	
	woc__qadl01			yes/no	
	woc__qadl02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_woc_ctrl	yes	oid_woc_ctrl	yes	no
Δ*	woc_index1	yes	woc_domain	yes	no

wod_det Work Order Detail

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>,>>9.999	10
	wod_bom_qty	Frozen BOM Qty	BOM Qty	->,>>>,>>9.9<<<<<<<<	10
	wod_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	wod_ca_int_type	Work Code		x(8)	0
	wod_cmtindx	Comment Index	Comment	>>>>>>>9	
	wod_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	wod_covered_post			>>>>,>>>,>>9.99<<<	10
	wod_critical	Critical		yes/no	
	wod_deliver	Deliver To		x(8)	
◊	wod_domain	Domain		x(8)	
	wod_eng_code	Engineer		x(8)	
	wod_exg_price	Exchange Price		>>>>,>>>,>>9.99<<<	10
	wod_fcg_code	Charge Code	Charge	x(8)	
	wod_fcg_index			->,>>>,>>9	
	wod_fis_column			>>9	

Field Name	Label	Col-Label	Format	Dec
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>,>>>,>>9.99<<<	10
wod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wod_mvrte_accr	Mtl Rate Accrued	Accrued	->>>>,>>9.99	10
wod_mvrte_post	Mtl Rate Posted	Posted	->>>>,>>9.99	10
wod_mvrte_rval	Mtl Rate Revalued	Revalued	->>>>,>>9.99	10
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>,>>9.99	10
wod_mvuse_post	Mtl Use Posted	Posted	->>>>,>>9.99	10
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>,>>9.99	10
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>,>>>,>>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	
wod_project	Project		x(8)	
wod_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
wod_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
wod_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
wod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
wod_qty_posted			->,>>>,>>9.9<	10
wod_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
wod_qty_ret	Qty Returned	Qty Ret	->,>>9.9	10
wod_ref	Ref	Reference	x(8)	
wod_ret_iss			->,>>9.9	10
wod_ret_loc	Return Location		x(8)	
wod_ret_ref	Inventory Reference	Inv Ref	X(8)	
wod_ret_serial	Return Lot/Serial		x(18)	
wod_ret_site	Return Site		x(8)	
wod_seo_load	Loaded from MO		yes/no	
wod_serial	Lot/Serial		x(18)	
wod_site	Site		x(8)	
wod_sod_line	Line	Ln	>>9	
wod_sod_nbr	Sales Order	Order	x(8)	
wod_status	Status		x(8)	
wod_std_cost	Unit Cost		->>>,>>9.999	10
wod_sv_code			x(8)	
wod_tot_std	Std Cost		->>>,>>9.999	10
wod_user1	Ufld1		x(8)	
wod_user2	Ufld2		x(8)	
wod_yield_pct	Yield%		>>9.99%	10
wod__chr01			x(8)	
wod__chr02			x(8)	
wod__chr03			x(8)	
wod__chr04			x(8)	
wod__chr05			x(8)	
wod__dec01			>>>,>>>,>>9.99	10
wod__dec02			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
wod__dte01			99/99/99	
wod__dte02			99/99/99	
wod__log01			yes/no	
wod__qadc01	QAD Character Field 1		X(8)	
wod__qadc02	QAD Character Field 2		X(8)	
wod__qadc03	QAD Character Field 3		X(8)	
wod__qade01	QAD Decimal Field 1		->>>,>>9.99<	10
wod__qade02	QAD Decimal Field 2		->>>,>>9.99<	10
wod__qadl01	QAD Logical Field 1		yes/no	
wod__qadl02	QAD L ogical Field 2		yes/no	
wod__qadt01	QAD Date Field 1		99/99/99	
wod__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wod_det	yes	oid_wod_det	yes	no
Δ*	wod_det	yes	wod_domain	yes	no
			wod_lot	yes	no
			wod_part	yes	no
			wod_op	yes	no
Δ	wod_iss_part	no	wod_domain	yes	no
			wod_iss_date	yes	no
			wod_part	yes	no
Δ	wod_nbrpart	no	wod_domain	yes	no
			wod_nbr	yes	no
			wod_lot	yes	no
			wod_part	yes	no
Δ	wod_op	yes	wod_domain	yes	no
			wod_lot	yes	no
			wod_op	yes	no
			wod_part	yes	no
Δ	wod_part	no	wod_domain	yes	no
			wod_part	yes	no

wo_mstr Work Order Master

Field Name	Label	Col-Label	Format	Dec
◊ oid_wo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	Cls	yes/no	
wo_app_owner	Owner Application		x(12)	
wo_assay	Assay %		>>9.99%	10
wo_base_id	Base ID		x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>,>>9.99	10
wo_bom_code	BOM/Formula		x(18)	
wo_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	

	Field Name	Label	Col-Label	Format	Dec
	wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
	wo_close_eff	Effective	Eff Date	99/99/99	
	wo_cmtindx	Comment Index	Comment	>>>>>>>9	
	wo_date_posted			99/99/99	
◊	wo_domain	Domain		x(8)	
	wo_draw	Drawing		x(18)	
	wo_due_date	Due Date	Due	99/99/99	
	wo_eng_code	Engineer		X(8)	
	wo_expire	Expire Date	Expire	99/99/99	
	wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
	wo_flr_cc	Floor Stock CC	CC	x(4)	
	wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
	wo_fsm_type			x(8)	
	wo_gl_bdn	Create GL for Burden Variance		yes/no	
	wo_gl_lbr	Create GL for Labor Variance		yes/no	
	wo_grade	Grade	Grd	x(2)	
	wo_iss_site	Issue Site		x(8)	
	wo_itm_line	Item Line		>>>>>>>>9	
	wo_joint_type	Co/By Type	CT	x(1)	
	wo_lbr_tot	Labor Cost		->>>,>>9.99	10
	wo_lbr_totx	Labor Cost		->>>,>>9.99	10
	wo_lbr_up	Update Current Labor Cost		yes/no	
	wo_lbr_var	Lbr Variance		->>>>,>>9.99	10
	wo_lead_time	W/O Lead Time	W/O Lead	->,>>>,>>9	
	wo_line	Production Line	Line	x(8)	
	wo_loc	Location		x(8)	
	wo_lot	ID		x(8)	
	wo_lot_next	Lot/Serial		x(18)	
	wo_lot_prev	Previous ID	Prev ID	x(8)	
	wo_lot_rcpt	Single Lot		yes/no	
	wo_mix_var	Mix Variance		->>>>,>>9.99	10
	wo_mthd_var	Mthd Chg Var		->>>>,>>9.99	10
	wo_mtl_tot	Material Cost		->>>,>>>,>>9.99<<<	10
	wo_mtl_totx	Material Cost		->>>,>>>,>>9.99<<<	10
	wo_mtl_var	Mtl Variance		->>>>,>>9.99	10
	wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
	wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
	wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
	wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
	wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
	wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
	wo_myld_var	Mix & Yield Var	M&Y Var	->>>>,>>9.99	10
	wo_nbr	Work Order		x(18)	
	wo_ord_date	Order Date		99/99/99	
	wo_ovh_tot	Ovhead Cost		->>>,>>9.999	10
	wo_ovh_totx	Ovhead Cost		->>>,>>9.999	10
	wo_part	Item Number		x(18)	
	wo_per_date	Performance Date	Perform	99/99/99	
	wo_prod_pct	Process		>>9.99%	10
	wo_project	Project		x(8)	
	wo_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
	wo_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
	wo_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
	wo_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
	wo_qty_type	Qty Type	QT	x(1)	

Field Name	Label	Col-Label	Format	Dec
wo_queue_eff	Queue Pct		>>9.9<	10
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_record_date	Last Record Date		99/99/99	
wo_ref	Reference		x(8)	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->,>>>,>>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>,>>>,>>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_rval_tot	Revalued Total		->>>,>>>,>>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_serial	Lot/Serial		x(18)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_status	Status	St	x(1)	
wo_stat_close_date	WO Close Date	WO Close	99/99/99	
wo_stat_close_userid	WO Close UserID		x(8)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_var	Sub Variance		->>>>,>>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
wo_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>,>>>,>>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>,>>>,>>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	10
wo__chr01			x(8)	
wo__chr02			x(8)	
wo__chr03			x(8)	
wo__chr04			x(8)	
wo__chr05			x(8)	
wo__dec01			>>>,>>>,>>9.99	10
wo__dec02			>>>,>>>,>>9.99	10
wo__dec03			->>>,>>>,>>9.99	10
wo__dec04			->>>,>>>,>>9.99	10
wo__dte01			99/99/99	
wo__dte02			99/99/99	
wo__log01			yes/no	
wo__qad01			x(8)	
wo__qadc01	QAD Character Field 1		X(8)	
wo__qadc02	QAD Character Field 2		X(8)	

Field Name	Label	Col-Label	Format	Dec
wo__qadc03	QAD Character Field 3		X(8)	
wo__qade01	QAD Decimal Field 1		->,>>>,>>9.9<<<	10
wo__qade02	QAD Decimal Field 2		->,>>>,>>9.9<<<	10
wo__qade03	QAD Decimal Field 3		->,>>>,>>9.9<<<	10
wo__qadi01	QAD Integer Field 1		->,>>>,>>9	
wo__qadi02	QAD Integer Field 2		->,>>>,>>9	
wo__qadl01	QAD Logical Field 1		yes/no	
wo__qadl02	QAD Logical Field 2		yes/no	
wo__qadt01	QAD Date Field 1		99/99/99	
wo__qadt02	QAD Date Field 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wo_mstr	yes	oid_wo_mstr	yes	no
Δ	wo_due_part	no	wo_domain	yes	no
			wo_due_date	yes	no
			wo_part	yes	no
			wo_site	yes	no
Δ	wo_fsm_type	no	wo_domain	yes	no
			wo_fsm_type	yes	no
			wo_nbr	yes	no
			wo_itm_line	yes	no
Δ	wo_lot	yes	wo_domain	yes	no
			wo_lot	yes	no
Δ*	wo_nbr	yes	wo_domain	yes	no
			wo_nbr	yes	no
			wo_lot	yes	no
Δ	wo_part	no	wo_domain	yes	no
			wo_part	yes	no
			wo_site	yes	no
			wo_due_date	yes	no
Δ	wo_part_rel	no	wo_domain	yes	no
			wo_part	yes	no
			wo_site	yes	no
			wo_rel_date	yes	no
Δ	wo_site	no	wo_domain	yes	no
			wo_site	yes	no
			wo_nbr	yes	no
			wo_part	yes	no
Δ	wo_type_nbr	yes	wo_domain	yes	no
			wo_type	yes	no
			wo_nbr	yes	no
			wo_lot	yes	no
Δ	wo_type_part	no	wo_domain	yes	no
			wo_type	yes	no
			wo_part	yes	no
			wo_site	yes	no
			wo_due_date	yes	no

wr_route Work Order Routing

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wr_route			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wr_act_posted	Quantity Posted		>>>,>>>,>>9.9<<<	10
	wr_act_run	Act Run Time		->,>>9.9<<	10
	wr_act_setup	Act Setup Time	Act Setup	->,>>9.9<<	10
	wr_auto_lbr	Auto Labor Report		yes/no	
	wr_bdn_act	Burden Act	Act Burden	->>>>,>>9.99	10
	wr_bdn_ll_act	Burden LL Act		->>>>,>>9.99	10
	wr_bdn_ll_totx	Burden		->>>,>>>,>>9.99<<<	10
	wr_bdn_pct	Lbr Bdn %		>>9.99%	10
	wr_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
	wr_bdn_std	Burden Std	Std Burden	->>>>,>>9.99	10
	wr_bdn_totx	Burden		->>>,>>>,>>9.99<<<	10
	wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>,>>9.99	10
	wr_bvrte_post	Bdn Rate Posted	Posted	->>>>,>>9.99	10
	wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>,>>9.99	10
	wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>,>>9.99	10
	wr_bvuse_post	Bdn Use Posted	Posted	->>>>,>>9.99	10
	wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>,>>9.99	10
	wr_ca_int_type	Work Code		x(8)	
	wr_cmtindx	Comment Index	Comment	>>>>>>>9	
	wr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	wr_covered_post			>>>>,>>>,>>9.99<<<	10
	wr_curr	Currency	Cur	x(3)	
	wr_desc	Description		x(24)	
◊	wr_domain	Domain		x(8)	
	wr_due	Due Date	Due	99/99/99	
	wr_end_time	End		99:99	
	wr_eng_code	Engineer		x(8)	
	wr_expense			yes/no	
	wr_fbdn_std			->>>>,>>9.99	10
	wr_fcg_code	Charge Code	Charge	x(8)	
	wr_fcg_index			->,>>>,>>9	
	wr_fis_column			>>9	
	wr_fis_sort			x(18)	
	wr_flbr_cstd	Standard Cost		->>>>,>>9.99	10
	wr_flbr_std	Standard Cost		->>>>,>>9.99	10
	wr_fsc_code	Service Category	Svc Cat	x(8)	
	wr_fsm_type	FSM Type		x(8)	
	wr_itm_line			>>>9	
	wr_lbr_act	Labor Act	Act Labor	->>>>,>>9.99	10
	wr_lbr_ll_act	Labor LL Act		->>>>,>>9.99	10
	wr_lbr_ll_totx	Labor		->>>,>>>,>>9.99<<<	10
	wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
	wr_lbr_rate	Labor Rate		>>>,>>9.99	10
	wr_lbr_std	Labor Std	Std Labor	->>>>,>>9.99	10
	wr_lbr_totx	Labor		->>>,>>>,>>9.99<<<	10
	wr_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
	wr_lot	ID		x(8)	
	wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>,>>9.99	10
	wr_lvrte_post	Lbr Rate Posted	Posted	->>>>,>>9.99	10
	wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>,>>9.99	10
	wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>,>>9.99	10
	wr_lvuse_post	Lbr Usage Posted	Posted	->>>>,>>9.99	10
	wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	10
wr_men_mch	Run Crew		->>,>>9.99	10
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>,>>9.9<<	10
wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>,>>9.99	10
wr_mtl_ll_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
wr_ovh_act	Ovh Act		->>>>,>>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>,>>9.99	10
wr_ovh_ll_totx	Overhead		->>>,>>>,>>9.99<<<	10
wr_ovh_totx	Overhead		>>>>,>>>,>>9.99<<<	10
wr_part	Item Number		x(18)	
wr_posted_run			>>>,>>>,>>9.9<<<<<<<<	10
wr_po_line	Line	Ln	>>9	
wr_po_nbr	Purchase Order	PO	x(8)	
wr_price	Price		>>>>,>>>,>>9.99<<<	10
wr_prod_line	Product Line	Line	x(4)	
wr_project	Project		x(8)	
wr_qty_comp	Qty Complete		->,>>>,>>9.9<<<<<<<<	10
wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_cumrwrk	Cum Reworked	Cum! Reworked Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_inque	In Queue	Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_move	Qty Moved		->,>>>,>>9.9<<<<<<<<	10
wr_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
wr_qty_outque	Out Queue	Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
wr_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
wr_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<<	10
wr_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<<	10
wr_queue	Queue Time	Queue	>,>>9.9<<	10
wr_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<<	10
wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>,>>9.99	10
wr_setup	Std Setup Time	Std Setup	>,>>9.9<<	10
wr_setup_men	Setup Crew		->>,>>9.99	10
wr_setup_rte	Setup Rate		>>>,>>9.99	10
wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_start	Start Date	Start	99/99/99	
wr_status	Status	St	x(1)	

Field Name	Label	Col-Label	Format	Dec
wr_std_op	Standard Operation	Std Op	x(8)	
wr_st_time	Start		99:99	
wr_sub_act	Subcontract Act	Act Sub	->>>>,>>9.99	10
wr_sub_comp	Sub Qty Comp		->,>>>,>>9.9<<<<<<<<	10
wr_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
wr_sub_lead	Subcontract LT	Sub! LT	>>9	
wr_sub_ll_act	Subcontract LL Act		->>>>,>>9.99	10
wr_sub_ll_totx	Subcontract		->>>,>>>,>>9.99<<<	10
wr_sub_std	Subcontract Std	Std Sub	->>>>,>>9.99	10
wr_sub_totx	Subcontract		->>>,>>>,>>9.99<<<	10
wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>,>>9.99	10
wr_svrte_post	Sub Rate Posted	Posted	->>>>,>>9.99	10
wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>,>>9.99	10
wr_svuse_accr	Sub Use Accrued	Accrued	->>>>,>>9.99	10
wr_svuse_post	Sub Usage Posted	Posted	->>>>,>>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>,>>9.99	10
wr_sv_code			x(8)	
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->,>>9.9<<	10
wr_user1	Ufld1		x(8)	
wr_user2	Ufld2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>,>>9.9<<	10
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	10
wr__chr01			x(8)	
wr__chr02			x(8)	
wr__chr03			x(8)	
wr__chr04			x(8)	
wr__chr05			x(8)	
wr__dec01			>>>,>>>,>>9.99	10
wr__dec02			>>>,>>>,>>9.99	10
wr__dte01			99/99/99	
wr__dte02			99/99/99	
wr__log01			yes/no	
wr__qadc01	QAD Character Field 1		X(8)	
wr__qadc02	QAD Character Field 2		X(8)	
wr__qadc03	QAD Character Field 3		X(8)	
wr__qadc04	QAD Character Field 4		X(8)	
wr__qadd05	QAD Decimal Field 5		->,>>>,>>9.99<<<	10
wr__qade01	QAD Decimal Field 1		->,>>>,>>9.99<<<	10
wr__qade02	QAD Decimal Field 2		->,>>>,>>9.99<<<	10
wr__qade03	QAD Decimal Field 3		->,>>>,>>9.99<<<	10
wr__qade04	QAD Decimal Field 4		->,>>>,>>9.99<<<	10
wr__qadi01	QAD Integer Field 1		->,>>>,>>9	
wr__qadi02	QAD Integer Field 2		->,>>>,>>9	
wr__qadl01	QAD Logical Field 1		yes/no	
wr__qadl02	QAD Logical Field 2		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wr_route	yes	oid_wr_route	yes	no
Δ	wr_lot	yes	wr_domain	yes	no
			wr_lot	yes	no
			wr_op	yes	no
Δ*	wr_nbrop	yes	wr_domain	yes	no
			wr_nbr	yes	no
			wr_lot	yes	no
			wr_op	yes	no
Δ	wr_part	no	wr_domain	yes	no
			wr_part	yes	no
			wr_op	yes	no
Δ	wr_wkctr	no	wr_domain	yes	no
			wr_wkctr	yes	no
			wr_mch	yes	no
			wr_start	yes	no

wtx_mstr Withholding Tax Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_wtx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	wtx_acct	Withholding Tax Account		x(8)	
	wtx_addr	Supplier		x(8)	
	wtx_cc	Withholding Tax Cost Center		x(4)	
	wtx_charge_amt	Charge Amount		->>>>,>>>,>>9.99<	10
	wtx_charge_type	Charge Type		Expense/Fee	
	wtx_check	Payment Reference		x(10)	
◊	wtx_domain	Domain		x(8)	
	wtx_invoice	Supplier's Invoice Number		x(12)	
	wtx_ln	Voucher Line		>>9	
	wtx_mod_date	Modified Date	Mod Date	99/99/99	
	wtx_mod_userid	User ID		x(8)	
	wtx_paid_date	Voucher Payment Date		99/99/99	
	wtx_printed	Certificate Printed		yes/no	
	wtx_ref	Voucher Number		x(8)	
	wtx_ret_amt	Retained Amount		->>>>,>>>,>>9.99<	10
	wtx_rsn_code	Reason Code		x(8)	
	wtx_set_date	Settlement Date		99/99/99	
	wtx_sub	Withholding Tax Sub Account		x(8)	
	wtx_taxable_amt	Taxable Fee Amount		->>>>,>>>,>>9.99<	10
	wtx_tax_pct	Withholding Tax Rate		->>9.9<%	10
	wtx_tot_amt	Total Amount		->>>>,>>>,>>9.99<	10
	wtx_tot_paid	Total Paid		->>>>,>>>,>>9.99<	10
	wtx_user1	User Field Character 1		x(24)	
	wtx_user2	User Field Character 2		x(24)	
	wtx_userc03	User Field Character 3		x(24)	
	wtx_userc04	User Field Character 4		x(24)	
	wtx_userc05	User Field Character 5		x(24)	
	wtx_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	wtx_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	wtx_useri01	User Field Integer 1		->>>>>>>9	
	wtx_useri02	User Field Integer 2		->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_usert01	User Field Date 1		99/99/99	
wtx_usert02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		->>>>,>>>,>>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		->>>>,>>>,>>9.99<	10
wtx__qadc01			x(24)	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
wtx__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
wtx__qadi01			->>>>>>>9	
wtx__qadi02			->>>>>>>9	
wtx__qadl01			yes/no	
wtx__qadl02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wtx_mstr	yes	oid_wtx_mstr	yes	no
Δ*	wtx_advoln	yes	wtx_domain	yes	no
			wtx_addr	yes	no
			wtx_ref	yes	no
			wtx_ln	yes	no
			wtx_check	yes	no
Δ	wtx_vo_date	no	wtx_domain	yes	no
			wtx_vo_date	yes	no

Section 2

Summary of Changes

This section contains a summary of fields and indexes that have changed since the last published version of this book.

Changed Fields **686**

Deleted Fields **687**

New Fields **690**

Changed Indexes **715**

Deleted Indexes **716**

New Indexes for Existing Tables **717**

Deleted Tables **731**

New Tables **732**

Changed Fields

The top line for each field lists the current values of the various items. Underneath in italics are the old values.

Field Name	Label	Col-Label	Format	Dec
si_db	Domain	?	x(8)	?
	Database			

Deleted Fields

Table Name	Field Name	Label
adc_ctrl	adc_index1	Index
apc_ctrl	apc_index1	Index
apm_ctrl	apm_index1	Index
arc_ctrl	arc_index1	Index
bic_ctrl	bic_index1	Index
cac_ctrl	cac_index1	Index
ccc_ctrl	ccc_index1	Index
ccl_ctrl	ccl_index1	Index
cfc_ctrl	cfc_index1	Index
clc_ctrl	clc_index1	Index
cmc_ctrl	cmc_index1	Index
cnc_ctrl	cnc_index1	Index
cns_ctrl	cns_index1	Index
co_ctrl	co_index1	Index
crc_ctrl	crc_index1	?
cu_mstr	cu_ex_rnd_acct	Exchange Rounding Account
	cu_ex_rnd_cc	Exchange Rounding CC
	cu_ex_rnd_sub	Exchange Rounding Sub
	cu_rgain_acct	Realized Exchange Gain Acct
	cu_rgain_cc	Realized Exchange Gain CC
	cu_rgain_sub	Realized Exchange Gain
	cu_rloss_acct	Realized Exchange Loss Acct
	cu_rloss_cc	Realized Exchange Loss CC
	cu_rloss_sub	Realized Exchange Loss
	cu_ugain_acct	Unrealized Exchange Gain Acct
	cu_ugain_cc	Unrealized Exchange Gain CC
	cu_ugain_sub	Unrealized Exchange Gain Sub
	cu_uloss_acct	Unrealized Exchange Loss Acct
	cu_uloss_cc	Unrealized Exchange Loss CC
	cu_uloss_sub	Unrealized Exchange Loss Sub
drp_ctrl	drp_index1	Index
emc_ctrl	emc_index1	Index
et_ctrl	et_index1	Index
euc_ctrl	euc_index1	Index
fac_ctrl	fac_index1	Index
icc_ctrl	icc_index1	Index
iec_ctrl	iec_index1	Index
kbc_ctrl	kbc_index1	Index
knb_mstr	knb_cons_ref	Consuming Reference
	knb_cons_source	Consuming Destination
	knb_loop	One/Two Card
	knb_part	Item Number
	knb_rep_time	Replenishment Time
	knb_supp_ref	Supplying Reference
	knb_supp_source	Supplying Source
	knb__qadc03	?
	knb__qadd02	?
	knb__qadi03	?
	knb__qadi04	?
	knb__qadi05	?
	knb__qadi06	?

Table Name	Field Name	Label
knbd_det	knbd_calc_date	Calculate Date
	knbd_card_nbr	Card Number
	knbd_cards	Number of Cards
	knbd_cons_ref	Consuming Reference
	knbd_cons_source	Consuming Destination
	knbd_demand_hr	Max Demand per Hour
	knbd_loop	One/Two Card
	knbd_max_cycle_time	Maximum Cycle Time
	knbd_mod_date	Modified Date
	knbd_mod_userid	User ID
	knbd_part	Item Number
	knbd_pattern	Demand Pattern
	knbd_print_date	Print Date
	knbd_production_line	Production Line
	knbd_rep_time	Replenishment Time
	knbd_supp_ref	Supplying Reference
	knbd_supp_source	Supplying Source
	knbd_user1	Ufld1
	knbd_user2	Ufld2
	knbd_var_factor	Variability Factor
	knbd__chr01	?
	knbd__dec01	?
	knbd__dte01	?
	knbd__int01	?
	knbd__log01	?
	knbd__qadc01	?
	knbd__qadd01	?
	knbd__qadi02	?
	knbd__qadi03	?
	knbd__qadi04	?
	knbd__qadi05	?
	knbd__qadl01	?
	knbd__qadl02	?
	knbd__qadt01	?
knbl_det	knbl_backflush	Backflush
	knbl_batch_size	Batch Size
	knbl_blanket_po	Release Blanket PO
	knbl_calc_mode	Calculate Cards/Qty
	knbl_card_type	Card Type
	knbl_cards	Number of Cards
	knbl_cons_ref	Consuming Reference
	knbl_cons_source	Consuming Destination
	knbl_cont_type	Container Type
	knbl_destination_email	Destination Email
	knbl_destination_fax	Destination Fax
	knbl_destination_fax2	Destination Fax 2
	knbl_dispatch_list	Dispatch List
	knbl_email_disp_list	Email Dispatch List
	knbl_fax_dispatch_list	Fax Disp List
	knbl_id_barcode	Print ID Barcode
	knbl_impact_inventory	Impact Inventory
	knbl_item_barcode	Print Item Barcode
	knbl_kanban_quantity	Kanban Quantity
	knbl_max_cycle_time	Maximum Cycle Time
	knbl_min_cycle_check	Minimum Cycle Check
	knbl_min_cycle_time	Minimum Cycle Time
	knbl_mod_date	Modified Date

Table Name	Field Name	Label
	knbl_mod_userid	User ID
	knbl_part	Item Number
	knbl_print_quantity	Print Quantity
	knbl_safety_stock	Safety Stock
	knbl_source_email	Source Email
	knbl_source_fax	Source Fax
	knbl_source_fax2	Source Fax 2
	knbl_supp_ref	Supplying Reference
	knbl_supp_source	Supplying Source
	knbl_type	Kanban Type
	knbl_user1	User Field Character 1
	knbl_user2	User Field Character 2
	knbl_userc03	User Field Character 3
	knbl_userd01	User Field Decimal 1
	knbl_useri01	User Field Integer 1
	knbl_userl01	User Field Logical 1
	knbl_usert01	User Field Date 1
	knbl_var_factor	Variability Factor
	knbl__qadc01	?
	knbl__qadc02	?
	knbl__qadd01	?
	knbl__qadi01	?
	knbl__qadl01	?
	knbl__qadt01	?
lac_ctrl	lac_index1	Index
mrpc_ctrl	mrpc_index1	Index
ncc_ctrl	ncc_index1	Index
opc_ctrl	opc_index1	Index
ops_ctrl	ops_index1	Index
pcc_ctrl	pcc_index1	Index
pic_ctrl	pic_index1	Index
pjc_ctrl	pjc_index1	Index
poc_ctrl	poc_index1	Index
pshc_ctrl	pshc_index1	Index
qcc_ctrl	qcc_index1	Index
qoc_ctrl	qoc_index1	Index
qqc_ctrl	qqc_index1	Index
rcf_ctrl	rcf_index1	Index
rmc_ctrl	rmc_index1	Index
rpc_ctrl	rpc_index1	Index
rqf_ctrl	rqf_index1	Index
rsc_ctrl	rsc_index1	Index
shc_ctrl	shc_index1	?
shpc_ctrl	shpc_index1	Index
spc_ctrl	spc_index1	Index
src_ctrl	src_index1	Index
sroc_ctrl	sroc_index1	Index
usr_mstr	usr_groups	Groups
vdc_ctrl	vdc_index1	Index
vef_ctrl	vef_index1	Index
wlc_ctrl	wlc_index1	Index
woc_ctrl	woc_index1	Index

New Fields

Table Name	Field Name	Label
abd_det	oid_abd_det	?
abscc_det	abscc_domain	Domain
	oid_abscc_det	?
absc_det	absc_domain	Domain
	oid_absc_det	?
absd_det	absd_domain	Domain
	oid_absd_det	?
absi_mstr	absi_domain	Domain
	oid_absi_mstr	?
absl_det	absl_domain	Domain
	oid_absl_det	?
absr_det	absr_domain	Domain
	oid_absr_det	?
abss_det	abss_domain	Domain
	oid_abss_det	?
abs_mstr	abs_domain	Domain
	oid_abs_mstr	?
accd_det	oid_accd_det	?
acdf_mstr	acdf_domain	Domain
	oid_acdf_mstr	?
acd_det	acd_domain	Domain
	oid_acd_det	?
acm_mstr	acm_domain	Domain
	oid_acm_mstr	?
acod_mstr	acod_domain	Domain
	oid_acod_mstr	?
act_mstr	act_domain	Domain
	oid_act_mstr	?
acx_mstr	acx_domain	Domain
	acx_to_domain	To Domain
	oid_acx_mstr	?
ac_mstr	ac_domain	Domain
	oid_ac_mstr	?
adc_ctrl	adc_domain	Domain
	oid_adc_ctrl	?
adx_det	adx_domain	Domain
	oid_adx_det	?
ad_mstr	ad_domain	Domain
	oid_ad_mstr	?
ald_det	ald_domain	Domain
	oid_ald_det	?
alm_mstr	alm_domain	Domain
	oid_alm_mstr	?
al_mstr	al_domain	Domain
	oid_al_mstr	?
anl_det	anl_domain	Domain
	oid_anl_det	?
ans_det	ans_domain	Domain
	oid_ans_det	?
anx_det	anx_domain	Domain
	oid_anx_det	?

Table Name	Field Name	Label
an_mstr	an_domain	Domain
	oid_an_mstr	?
apc_ctrl	apc_domain	Domain
	oid_apc_ctrl	?
apmr_mstr	apmr_domain	Domain
	oid_apmr_mstr	?
apm_ctrl	apm_domain	Domain
	oid_apm_ctrl	?
aprm_mstr	aprm_domain	Domain
	oid_aprm_mstr	?
apr_mstr	apr_domain	Domain
	oid_apr_mstr	?
ap_mstr	ap_domain	Domain
	oid_ap_mstr	?
arc_ctrl	arc_domain	Domain
	oid_arc_ctrl	?
ard_det	ard_domain	Domain
	oid_ard_det	?
arsd_det	arsd_domain	Domain
	oid_arsd_det	?
art_mstr	art_domain	Domain
	oid_art_mstr	?
ar_mstr	ar_domain	Domain
	oid_ar_mstr	?
asc_mstr	asc_domain	Domain
	oid_asc_mstr	?
ast_mstr	oid_ast_mstr	?
atd_mstr	atd_domain	Domain
	oid_atd_mstr	?
atp_det	atp_domain	Domain
	oid_atp_det	?
aud_det	aud_domain	Domain
	oid_aud_det	?
ba_mstr	ba_domain	Domain
	oid_ba_mstr	?
bcd_det	bcd_domain	Domain
	oid_bcd_det	?
bc_mstr	bc_domain	Domain
	oid_bc_mstr	?
bdld_det	bdld_domain	Domain
	oid_bdld_det	?
bdl_mstr	bdl_domain	Domain
	oid_bdl_mstr	?
bdp_det	bdp_domain	Domain
	oid_bdp_det	?
bgd_det	bgd_domain	Domain
	oid_bgd_det	?
bg_mstr	bg_domain	Domain
	oid_bg_mstr	?
bic_ctrl	bic_domain	Domain
	oid_bic_ctrl	?
bkad_det	bkad_domain	Domain
	oid_bkad_det	?
bkd_det	bkd_domain	Domain
	oid_bkd_det	?
bkfm_mstr	oid_bkfm_mstr	?
bkpd_det	bkpd_domain	Domain

Table Name	Field Name	Label
	oid_bkpd_det	?
bkpm_mstr	bkpm_domain	Domain
	oid_bkpm_mstr	?
bk_mstr	bk_domain	Domain
	oid_bk_mstr	?
bl_ctrl	bl_domain	Domain
	oid_bl_ctrl	?
bom_mstr	bom_domain	Domain
	oid_bom_mstr	?
btb_det	btb_domain	Domain
	oid_btb_det	?
cac_ctrl	cac_domain	Domain
	oid_cac_ctrl	?
cah_hist	cah_domain	Domain
	oid_cah_hist	?
cal_det	cal_domain	Domain
	oid_cal_det	?
caq_mstr	caq_domain	Domain
	oid_caq_mstr	?
cas_mstr	cas_domain	Domain
	oid_cas_mstr	?
ca_mstr	ca_domain	Domain
	oid_ca_mstr	?
cb_mstr	cb_domain	Domain
	oid_cb_mstr	?
ccc_ctrl	ccc_domain	Domain
	oid_ccc_ctrl	?
ccd1_det	oid_ccd1_det	?
ccd2_det	oid_ccd2_det	?
ccd_mstr	ccd_domain	Domain
	oid_ccd_mstr	?
cclscd_det	cclscd_domain	Domain
	oid_cclscd_det	?
cclsc_mstr	cclsc_domain	Domain
	oid_cclsc_mstr	?
ccls_mstr	ccls_domain	Domain
	oid_ccls_mstr	?
ccl_ctrl	ccl_domain	Domain
	oid_ccl_ctrl	?
cctr_hist	cctr_domain	Domain
	oid_cctr_hist	?
cct_mstr	cct_domain	Domain
	oid_cct_mstr	?
cc_mstr	cc_domain	Domain
	oid_cc_mstr	?
cdf_mstr	cdf_domain	Domain
	oid_cdf_mstr	?
cd_det	cd_domain	Domain
	oid_cd_det	?
cfc_ctrl	cfc_domain	Domain
	oid_cfc_ctrl	?
cf_mstr	cf_domain	Domain
	oid_cf_mstr	?
chg_mstr	chg_domain	Domain
	oid_chg_mstr	?
chm_mstr	chm_domain	Domain
	oid_chm_mstr	?

Table Name	Field Name	Label
cild_det	cild_domain	Domain
	oid_cild_det	?
cil_mstr	cil_domain	Domain
	oid_cil_mstr	?
ckd_det	ckd_domain	Domain
	oid_ckd_det	?
cksd_det	cksd_domain	Domain
	oid_cksd_det	?
ck_mstr	ck_domain	Domain
	oid_ck_mstr	?
clc_ctrl	clc_domain	Domain
	oid_clc_ctrl	?
cls_mstr	oid_cls_mstr	?
cmc_ctrl	cmc_domain	Domain
	oid_cmc_ctrl	?
cmd_det	cmd_domain	Domain
	oid_cmd_det	?
cmf_mstr	cmf_domain	Domain
	oid_cmf_mstr	?
cmh_hist	cmh_domain	Domain
	oid_cmh_hist	?
cmt_det	cmt_domain	Domain
	oid_cmt_det	?
cm_mstr	cm_domain	Domain
	oid_cm_mstr	?
cncix_mstr	cncix_domain	Domain
	oid_cncix_mstr	?
cncs_mstr	cncs_domain	Domain
	oid_cncs_mstr	?
cncud_det	cncud_domain	Domain
	oid_cncud_det	?
cncu_mstr	cncu_domain	Domain
	oid_cncu_mstr	?
cnc_ctrl	cnc_domain	Domain
	oid_cnc_ctrl	?
cnsix_mstr	cnsix_domain	Domain
	oid_cnsix_mstr	?
cnss_mstr	cnss_domain	Domain
	oid_cnss_mstr	?
cnsud_det	cnsud_domain	Domain
	oid_cnsud_det	?
cnsu_mstr	cnsu_domain	Domain
	oid_cnsu_mstr	?
cns_ctrl	cns_domain	Domain
	oid_cns_ctrl	?
cnt_mstr	oid_cnt_mstr	?
code_mstr	code_domain	Domain
	oid_code_mstr	?
comd_det	comd_domain	Domain
	oid_comd_det	?
com_mstr	com_domain	Domain
	oid_com_mstr	?
cost_cal	cost_domain	Domain
	oid_cost_cal	?
co_ctrl	co_domain	Domain
	oid_co_ctrl	?
cpcd_det	cpcd_domain	Domain

Table Name	Field Name	Label
	oid_cpcd_det	?
cpc_mstr	cpc_domain	Domain
	oid_cpc_mstr	?
cph_hist	cph_domain	Domain
	oid_cph_hist	?
cp_mstr	cp_domain	Domain
	oid_cp_mstr	?
crc_ctrl	crc_domain	Domain
	oid_crc_ctrl	?
cref_mstr	cref_domain	Domain
	oid_cref_mstr	?
cr_mstr	cr_domain	Domain
	oid_cr_mstr	?
csa_mstr	csa_domain	Domain
	oid_csa_mstr	?
csbd_det	csbd_domain	Domain
	oid_csbd_det	?
csc_mstr	csc_domain	Domain
	oid_csc_mstr	?
csid_det	csid_domain	Domain
	oid_csid_det	?
csil_mstr	csil_domain	Domain
	oid_csil_mstr	?
csim_mstr	csim_domain	Domain
	oid_csim_mstr	?
csld_det	csld_domain	Domain
	oid_csld_det	?
cslm_mstr	cslm_domain	Domain
	oid_cslm_mstr	?
cssi_det	cssi_domain	Domain
	oid_cssi_det	?
css_mstr	css_domain	Domain
	oid_css_mstr	?
cst_mstr	oid_cst_mstr	?
cs_mstr	cs_domain	Domain
	oid_cs_mstr	?
ctd_det	ctd_domain	Domain
	oid_ctd_det	?
ctry_mstr	oid_ctry_mstr	?
ct_mstr	ct_domain	Domain
	oid_ct_mstr	?
cu_mstr	oid_cu_mstr	?
dbk_mstr	oid_dbk_mstr	?
dbs_mstr	oid_dbs_mstr	?
dc_mstr	oid_dc_mstr	?
decl_mstr	decl_domain	Domain
	oid_decl_mstr	?
defr_det	defr_domain	Domain
	oid_defr_det	?
delt_mstr	delt_domain	Domain
	oid_delt_mstr	?
df_mstr	df_domain	Domain
	oid_df_mstr	?
djrc_det	djrc_domain	Domain
	oid_djrc_det	?
djr_mstr	djr_domain	Domain
	oid_djr_mstr	?

Table Name	Field Name	Label
dmw_wkfl	oid_dmw_wkfl	?
dpc_mstr	oid_dpc_mstr	?
dprd_det	oid_dprd_det	?
dprt_det	oid_dprt_det	?
dpr_mstr	oid_dpr_mstr	?
dpt_mstr	dpt_domain	Domain
	oid_dpt_mstr	?
drp_ctrl	drp_domain	Domain
	oid_drp_ctrl	?
dsd_det	dsd_domain	Domain
	oid_dsd_det	?
dsr_mstr	dsr_domain	Domain
	oid_dsr_mstr	?
dss_mstr	dss_domain	Domain
	oid_dss_mstr	?
ds_det	ds_domain	Domain
	oid_ds_det	?
dyd_mstr	dyd_domain	Domain
	oid_dyd_mstr	?
dy_mstr	dy_domain	Domain
	oid_dy_mstr	?
ea_mstr	ea_domain	Domain
	oid_ea_mstr	?
eca_mstr	eca_domain	Domain
	oid_eca_mstr	?
ecd1_det	ecd1_domain	Domain
	oid_ecd1_det	?
ecd2_det	ecd2_domain	Domain
	oid_ecd2_det	?
ecd3_det	ecd3_domain	Domain
	oid_ecd3_det	?
ecd4_det	ecd4_domain	Domain
	oid_ecd4_det	?
ecd5_det	ecd5_domain	Domain
	oid_ecd5_det	?
ecd9_det	ecd9_domain	Domain
	oid_ecd9_det	?
ecd_det	ecd_domain	Domain
	oid_ecd_det	?
ecl_list	ecl_domain	Domain
	oid_ecl_list	?
ecm_mstr	ecm_domain	Domain
	oid_ecm_mstr	?
ect_mstr	ect_domain	Domain
	oid_ect_mstr	?
ecx_ref	ecx_domain	Domain
	oid_ecx_ref	?
ega_mstr	ega_domain	Domain
	oid_ega_mstr	?
egc_ctrl	egc_domain	Domain
	oid_egc_ctrl	?
egd_det	egd_domain	Domain
	oid_egd_det	?
egs_det	egs_domain	Domain
	oid_egs_det	?
egt_mstr	egt_domain	Domain
	oid_egt_mstr	?

Table Name	Field Name	Label
egw_wkfl	egw_domain	Domain
	oid_egw_wkfl	?
elg_hist	elg_domain	Domain
	oid_elg_hist	?
emap_det	emap_domain	Domain
	oid_emap_det	?
emc_ctrl	emc_domain	Domain
	oid_emc_ctrl	?
emg_msg	emg_domain	Domain
	oid_emg_msg	?
emp_mstr	emp_domain	Domain
	oid_emp_mstr	?
emsg_mstr	emsg_domain	Domain
	oid_emsg_mstr	?
em_mstr	oid_em_mstr	?
eng_mstr	eng_domain	Domain
	oid_eng_mstr	?
en_mstr	en_consolidation	Consolidation Entity
	en_domain	Domain
	en_type	Entity Type
	oid_en_mstr	?
eraw_det	eraw_domain	Domain
	oid_eraw_det	?
ers_mstr	ers_domain	Domain
	oid_ers_mstr	?
esc_ctrl	esc_domain	Domain
	oid_esc_ctrl	?
esh_mstr	esh_domain	Domain
	oid_esh_mstr	?
esp_mstr	esp_domain	Domain
	oid_esp_mstr	?
ess_mstr	ess_domain	Domain
	oid_ess_mstr	?
es_mstr	es_domain	Domain
	oid_es_mstr	?
et_ctrl	et_domain	Domain
	oid_et_ctrl	?
euc_ctrl	euc_domain	Domain
	oid_euc_ctrl	?
eud_det	eud_domain	Domain
	oid_eud_det	?
eu_mstr	eu_domain	Domain
	oid_eu_mstr	?
excd_det	excd_domain	Domain
	oid_excd_det	?
exc_mstr	exc_domain	Domain
	oid_exc_mstr	?
exru_usage	oid_exru_usage	?
exr_rate	exr_domain	Domain
	oid_exr_rate	?
faadj_mstr	faadj_domain	Domain
	oid_faadj_mstr	?
faba_det	faba_domain	Domain
	oid_faba_det	?
fabchd_det	fabchd_domain	Domain
	oid_fabchd_det	?
fabch_mstr	fabch_domain	Domain

Table Name	Field Name	Label
	oid_fabch_mstr	?
fabd_det	fabd_domain	Domain
	oid_fabd_det	?
fabk_mstr	fabk_domain	Domain
	oid_fabk_mstr	?
fab_det	fab_domain	Domain
	oid_fab_det	?
facd_det	facd_domain	Domain
	oid_facd_det	?
facld_det	facld_domain	Domain
	oid_facld_det	?
facls_mstr	facls_domain	Domain
	oid_facls_mstr	?
facl_cal	facl_domain	Domain
	oid_facl_cal	?
fact_ctrl	fact_domain	Domain
	oid_fact_ctrl	?
fac_ctrl	fac_domain	Domain
	oid_fac_ctrl	?
fadf_mstr	fadf_domain	Domain
	oid_fadf_mstr	?
fad_det	fad_domain	Domain
	oid_fad_det	?
faloc_mstr	faloc_domain	Domain
	oid_faloc_mstr	?
fal_mstr	oid_fal_mstr	?
famtd_det	famtd_domain	Domain
	oid_famtd_det	?
famtrd_det	famtrd_domain	Domain
	oid_famtrd_det	?
famtr_mstr	famtr_domain	Domain
	oid_famtr_mstr	?
famt_mstr	famt_domain	Domain
	oid_famt_mstr	?
fas_ctrl	oid_fas_ctrl	?
fauop_det	fauop_domain	Domain
	oid_fauop_det	?
fa_mstr	fa_domain	Domain
	oid_fa_mstr	?
fcc_mstr	fcc_domain	Domain
	oid_fcc_mstr	?
fcd_mstr	fcd_domain	Domain
	oid_fcd_mstr	?
fcg_mstr	fcg_domain	Domain
	oid_fcg_mstr	?
fcs_sum	fcs_domain	Domain
	oid_fcs_sum	?
fct_mstr	fct_domain	Domain
	oid_fct_mstr	?
fc_det	fc_domain	Domain
	oid_fc_det	?
ff_mstr	ff_domain	Domain
	oid_ff_mstr	?
fh_mstr	fh_domain	Domain
	oid_fh_mstr	?
fis_mstr	fis_domain	Domain
	oid_fis_mstr	?

Table Name	Field Name	Label
fkt_mstr	fkt_domain	Domain
	oid_fkt_mstr	?
flcrh_hist	flcrh_domain	Domain
	oid_flcrh_hist	?
flcr_mstr	flcr_domain	Domain
	oid_flcr_mstr	?
fldf_mstr	oid_fldf_mstr	?
flff_mstr	flff_domain	Domain
	oid_flff_mstr	?
flh_mstr	oid_flh_mstr	?
flpw_mstr	flpw_domain	Domain
	oid_flpw_mstr	?
flp_plan	flp_domain	Domain
	oid_flp_plan	?
flscd_det	flscd_domain	Domain
	oid_flscd_det	?
flsc_mstr	flsc_domain	Domain
	oid_flsc_mstr	?
flsd_det	flsd_domain	Domain
	flsd_knpd_keyid	Process Detail Key ID
	flsd_shift	Shift
	oid_flsd_det	?
fm_mstr	fm_domain	Domain
	oid_fm_mstr	?
fnd_det	fnd_domain	Domain
	oid_fnd_det	?
fnh_hist	fnh_domain	Domain
	oid_fnh_hist	?
fn_mstr	fn_domain	Domain
	oid_fn_mstr	?
fp1_plan	fp1_domain	Domain
	oid_fp1_plan	?
fp2_plan	fp2_domain	Domain
	oid_fp2_plan	?
fp3_plan	fp3_domain	Domain
	oid_fp3_plan	?
fpci_mstr	fpci_domain	Domain
	oid_fpci_mstr	?
fpc_mstr	fpc_domain	Domain
	oid_fpc_mstr	?
fpd_cost	fpd_domain	Domain
	oid_fpd_cost	?
fpst_mstr	fpst_domain	Domain
	oid_fpst_mstr	?
frcd_det	frcd_domain	Domain
	oid_frcd_det	?
frd_det	frd_domain	Domain
	oid_frd_det	?
frm_mstr	frm_domain	Domain
	oid_frm_mstr	?
frzd_det	frzd_domain	Domain
	oid_frzd_det	?
fr_mstr	fr_domain	Domain
	oid_fr_mstr	?
fsc_mstr	fsc_domain	Domain
	oid_fsc_mstr	?
fsd_det	fsd_domain	Domain

Table Name	Field Name	Label
	oid_fsd_det	?
fsh_mstr	fsh_domain	Domain
	oid_fsh_mstr	?
fslp_pln	fslp_domain	Domain
	oid_fslp_pln	?
fsp1_pln	fsp1_domain	Domain
	oid_fsp1_pln	?
fsp2_pln	fsp2_domain	Domain
	oid_fsp2_pln	?
fsp3_pln	fsp3_domain	Domain
	oid_fsp3_pln	?
fsu_mstr	fsu_domain	Domain
	oid_fsu_mstr	?
ftch_hist	ftch_domain	Domain
	oid_ftch_hist	?
ft_mstr	ft_domain	Domain
	oid_ft_mstr	?
fwk_mstr	fwk_domain	Domain
	oid_fwk_mstr	?
giap_mstr	giap_domain	Domain
	oid_giap_mstr	?
gimd_mstr	gimd_domain	Domain
	oid_gimd_mstr	?
gip_det	gip_domain	Domain
	oid_gip_det	?
gisi_mstr	gisi_domain	Domain
	oid_gisi_mstr	?
glcd_det	glcd_domain	Domain
	oid_glcd_det	?
glc_cal	glc_domain	Domain
	oid_glc_cal	?
glptr_hist	glptr_domain	Domain
	oid_glptr_hist	?
glrd_det	glrd_domain	Domain
	oid_glrd_det	?
glr_mstr	glr_domain	Domain
	oid_glr_mstr	?
glsd_mstr	glsd_domain	Domain
	oid_glsd_mstr	?
gltmd_det	gltmd_domain	Domain
	oid_gltmd_det	?
gltm_mstr	gltm_domain	Domain
	oid_gltm_mstr	?
gltr_hist	gltr_domain	Domain
	oid_gltr_hist	?
gltw_wkfl	gltw_domain	Domain
	oid_gltw_wkfl	?
glt_det	glt_domain	Domain
	oid_glt_det	?
gl_ctrl	gl_domain	Domain
	oid_gl_ctrl	?
grac_det	grac_domain	Domain
	oid_grac_det	?
grad_det	grad_domain	Domain
	oid_grad_det	?
gral_det	gral_domain	Domain
	oid_gral_det	?

Table Name	Field Name	Label
gras_det	gras_domain	Domain
	oid_gras_det	?
gra_mstr	gra_domain	Domain
	oid_gra_mstr	?
grbg_det	grbg_domain	Domain
	oid_grbg_det	?
grcd_det	grcd_domain	Domain
	oid_grcd_det	?
grc_mstr	grc_domain	Domain
	oid_grc_mstr	?
grdf_mtx	grdf_domain	Domain
	oid_grdf_mtx	?
grhd_det	grhd_domain	Domain
	oid_grhd_det	?
grib_det	grib_domain	Domain
	oid_grib_det	?
gric_det	gric_domain	Domain
	oid_gric_det	?
grid_det	grid_domain	Domain
	oid_grid_det	?
grig_mtx	grig_domain	Domain
	oid_grig_mtx	?
grit_wkf	grit_domain	Domain
	oid_grit_wkf	?
gri_mstr	gri_domain	Domain
	oid_gri_mstr	?
grqd_det	grqd_domain	Domain
	oid_grqd_det	?
grrd_det	grrd_domain	Domain
	oid_grrd_det	?
grr_mstr	grr_domain	Domain
	oid_grr_mstr	?
grtx_det	grtx_domain	Domain
	oid_grtx_det	?
grv_det	grv_domain	Domain
	oid_grv_det	?
grx1_wkfl	grx1_domain	Domain
	oid_grx1_wkfl	?
grx2_wkfl	grx2_domain	Domain
	oid_grx2_wkfl	?
grx3_wkfl	grx3_domain	Domain
	oid_grx3_wkfl	?
grx_mstr	grx_domain	Domain
	oid_grx_mstr	?
gr_ctrl	gr_domain	Domain
	oid_gr_ctrl	?
hd_mstr	hd_domain	Domain
	oid_hd_mstr	?
hlp_mstr	oid_hlp_mstr	?
hwm_det	oid_hwm_det	?
ibh_hist	ibh_domain	Domain
	oid_ibh_hist	?
ib_det	ib_domain	Domain
	oid_ib_det	?
icc_ctrl	icc_domain	Domain
	oid_icc_ctrl	?
idhlc_hist	idhlc_domain	Domain

Table Name	Field Name	Label
	oid_idhlc_hist	?
idhr_hist	idhr_domain	Domain
	oid_idhr_hist	?
idh_hist	idh_domain	Domain
	oid_idh_hist	?
iec_ctrl	iec_domain	Domain
	oid_iec_ctrl	?
ied_det	ied_domain	Domain
	oid_ied_det	?
ieh_hist	ieh_domain	Domain
	oid_ieh_hist	?
ie_mstr	ie_domain	Domain
	oid_ie_mstr	?
ifs_mstr	ifs_domain	Domain
	oid_ifs_mstr	?
ihcc_hist	ihcc_domain	Domain
	oid_ihcc_hist	?
ihr_hist	ihr_domain	Domain
	oid_ihr_hist	?
ih_hist	ih_domain	Domain
	oid_ih_hist	?
ild_det	ild_domain	Domain
	oid_ild_det	?
ilg_hist	ilg_domain	Domain
	oid_ilg_hist	?
imap_det	imap_domain	Domain
	oid_imap_det	?
img_msg	img_domain	Domain
	oid_img_msg	?
im_mstr	im_domain	Domain
	oid_im_mstr	?
ind_det	ind_domain	Domain
	oid_ind_det	?
insd_det	insd_domain	Domain
	oid_insd_det	?
ins_mstr	ins_domain	Domain
	oid_ins_mstr	?
in_mstr	in_domain	Domain
	oid_in_mstr	?
ipd_det	ipd_domain	Domain
	oid_ipd_det	?
iph_hist	iph_domain	Domain
	oid_iph_hist	?
ip_mstr	ip_domain	Domain
	oid_ip_mstr	?
iraw_det	iraw_domain	Domain
	oid_iraw_det	?
iro_det	iro_domain	Domain
	oid_iro_det	?
isb_mstr	isb_domain	Domain
	oid_isb_mstr	?
isd_det	isd_domain	Domain
	oid_isd_det	?
isp_mstr	isp_domain	Domain
	oid_isp_mstr	?
iss_mstr	iss_domain	Domain
	oid_iss_mstr	?

Table Name	Field Name	Label
isvc_mstr	isvc_domain	Domain
	oid_isvc_mstr	?
is_mstr	is_domain	Domain
	oid_is_mstr	?
itmh_hist	itmh_domain	Domain
	oid_itmh_hist	?
itm_det	itm_domain	Domain
	oid_itm_det	?
itsd_det	itsd_domain	Domain
	oid_itsd_det	?
its_mstr	its_domain	Domain
	oid_its_mstr	?
ivs_ctrl	ivs_domain	Domain
	oid_ivs_ctrl	?
kbc_ctrl	kbc_card_reporting	Card Reporting
	kbc_cost_set	Cost Set
	kbc_domain	Domain
	kbc_export_directory	Export Directory
	kbc_fifo_entry	Allow Entry of FIFO Process
	kbc_fractional_kanban	Fractional Kanban
	kbc_import_directory	Import Directory
	kbc_lead_time_method	Lead Time Method
	kbc_load_limit	Load Limit
	kbc_min_epe_interval	Min EPE Interval
	kbc_print_consume_ref	Print Consuming Reference
	kbc_ss_template	Safety Stock Template
	kbc_template	Demand Template
	kbc_time_adj	Time Adjustment
	kbc_time_fence	Time Fence
	kbc_tolerance_pct	Tolerance Pct
	oid_kbc_ctrl	?
kbmd_mstr	kbmd_domain	Domain
	oid_kbmd_mstr	?
kbpp_mstr	kbpp_domain	Domain
	oid_kbpp_mstr	?
kbtrd_det	kbtrd_dataset	Table Name
	kbtrd_domain	Domain
	oid_kbtrd_det	?
kbtr_hist	kbtr_curr_process_id	Process Code
	kbtr_daily_demand	Daily Demand
	kbtr_domain	Domain
	kbtr_lead_time	Replenishment Time
	kbtr_loop_type	Loop Type
	kbtr_number_of_cards	Number of Cards
	kbtr_order_qty	Order Quantity
	kbtr_pou_ref	POU Reference
	kbtr_pou_site	POU Site
	kbtr_source_app	Source Application
	kbtr_source_ref1	Source Ref1
	kbtr_source_ref2	Source Ref2
	kbtr_source_ref3	Source Ref3
	kbtr_source_ref4	Source Ref4
	kbtr_source_ref5	Source Ref5
	kbtr_source_type	Source Type
	kbtr_step	Step
	kbtr_supermarket_id	Supermarket
	kbtr_supermarket_site	Supermarket Site

Table Name	Field Name	Label
	kbtr_transaction_event	Event
	kbtr_type_user_ref	Kanban Type
	oid_kbtr_hist	?
lacd_det	lacd_domain	Domain
	oid_lacd_det	?
lac_ctrl	lac_domain	Domain
	oid_lac_ctrl	?
lad_det	lad_domain	Domain
	oid_lad_det	?
lblc_ctrl	oid_lblc_ctrl	?
lcap_hist	oid_lcap_hist	?
lc_mstr	lc_domain	Domain
	oid_lc_mstr	?
ld_det	ld_domain	Domain
	oid_ld_det	?
lgsi_det	lgsi_domain	Domain
	oid_lgsi_det	?
lgs_mstr	lgs_domain	Domain
	oid_lgs_mstr	?
lna_det	lna_domain	Domain
	oid_lna_det	?
lnd_det	lnd_domain	Domain
	oid_lnd_det	?
lnf_det	lnf_domain	Domain
	oid_lnf_det	?
lngd_det	oid_lngd_det	?
lng_mstr	oid_lng_mstr	?
ln_mstr	ln_domain	Domain
	oid_ln_mstr	?
locc_det	locc_domain	Domain
	oid_locc_det	?
loc_mstr	loc_domain	Domain
	oid_loc_mstr	?
lotw_wkfl	lotw_domain	Domain
	oid_lotw_wkfl	?
lot_mstr	lot_domain	Domain
	oid_lot_mstr	?
lpmd_det	oid_lpmd_det	?
lpm_mstr	oid_lpm_mstr	?
ls_mstr	ls_domain	Domain
	oid_ls_mstr	?
lua_det	oid_lua_det	?
lvr_det	oid_lvr_det	?
maxt_det	oid_maxt_det	?
max_mstr	oid_max_mstr	?
ma_mstr	ma_domain	Domain
	oid_ma_mstr	?
mfc_ctrl	mfc_domain	Domain
	oid_mfc_ctrl	?
mnd_det	oid_mnd_det	?
mnp_det	mnp_domain	Domain
	oid_mnp_det	?
mnt_det	oid_mnt_det	?
mof_mstr	oid_mof_mstr	?
mon_mstr	oid_mon_mstr	?
mpd_det	mpd_domain	Domain
	oid_mpd_det	?

Table Name	Field Name	Label
mph_hist	mph_domain	Domain
	oid_mph_hist	?
mpp_det	mpp_domain	Domain
	oid_mpp_det	?
mps_mstr	mps_domain	Domain
	oid_mps_mstr	?
mp_mstr	mp_domain	Domain
	oid_mp_mstr	?
mrpc_ctrl	mrpc_domain	Domain
	oid_mrpc_ctrl	?
mrpp_det	mrpp_domain	Domain
	oid_mrpp_det	?
mrp_det	mrp_domain	Domain
	oid_mrp_det	?
msg_mstr	oid_msg_mstr	?
mu_mstr	mu_domain	Domain
	oid_mu_mstr	?
ncc_ctrl	ncc_domain	Domain
	oid_ncc_ctrl	?
nrh_hist	nrh_domain	Domain
	oid_nrh_hist	?
nr_mstr	nr_domain	Domain
	oid_nr_mstr	?
oa_det	oa_domain	Domain
	oid_oa_det	?
ocm_mstr	ocm_domain	Domain
	oid_ocm_mstr	?
opc_ctrl	oid_opc_ctrl	?
	opc_domain	Domain
opgl_det	oid_opgl_det	?
	opgl_domain	Domain
opm_mstr	oid_opm_mstr	?
	opm_domain	Domain
ops_ctrl	oid_ops_ctrl	?
	ops_domain	Domain
op_hist	oid_op_hist	?
	op_domain	Domain
pac_mstr	oid_pac_mstr	?
	pac_domain	Domain
pald_det	oid_pald_det	?
	pald_domain	Domain
pal_mstr	oid_pal_mstr	?
	pal_domain	Domain
pcc_ctrl	oid_pcc_ctrl	?
	pcc_domain	Domain
pcd_det	oid_pcd_det	?
	pcd_domain	Domain
pcld_det	oid_pcld_det	?
	pcld_domain	Domain
pcl_mstr	oid_pcl_mstr	?
	pcl_domain	Domain
pct_mstr	oid_pct_mstr	?
	pct_domain	Domain
pc_mstr	oid_pc_mstr	?
	pc_domain	Domain
pex_mstr	oid_pex_mstr	?
pfc_det	oid_pfc_det	?

Table Name	Field Name	Label
	pfc_domain	Domain
pfd_det	oid_pfd_det	?
	pfd_domain	Domain
pgc_ctrl	oid_pgc_ctrl	?
	pgc_domain	Domain
pgh_hist	oid_pgh_hist	?
	pgh_domain	Domain
pgm_det	oid_pgm_det	?
	pgm_domain	Domain
pic_ctrl	oid_pic_ctrl	?
	pic_domain	Domain
pid_det	oid_pid_det	?
	pid_domain	Domain
pigc_det	oid_pigc_det	?
	pigc_domain	Domain
pigp_det	oid_pigp_det	?
	pigp_domain	Domain
pig_mstr	oid_pig_mstr	?
	pig_domain	Domain
pih_hist	oid_pih_hist	?
	pih_domain	Domain
pin_mstr	oid_pin_mstr	?
pi_mstr	oid_pi_mstr	?
	pi_domain	Domain
pjc_ctrl	oid_pjc_ctrl	?
	pjc_domain	Domain
pjd_det	oid_pjd_det	?
	pjd_domain	Domain
pjsh_hist	oid_pjsh_hist	?
	pjsh_domain	Domain
pjsx_det	oid_pjsx_det	?
	pjsx_domain	Domain
pjs_mstr	oid_pjs_mstr	?
	pjs_domain	Domain
pjt_mstr	oid_pjt_mstr	?
	pjt_domain	Domain
pj_mstr	oid_pj_mstr	?
	pj_domain	Domain
pk_det	oid_pk_det	?
	pk_domain	Domain
pld_det	oid_pld_det	?
	pld_domain	Domain
plid_det	oid_plid_det	?
	plid_domain	Domain
pli_mstr	oid_pli_mstr	?
	pli_domain	Domain
plsd_det	oid_plsd_det	?
	plsd_domain	Domain
plt_det	oid_plt_det	?
	plt_domain	Domain
pl_mstr	oid_pl_mstr	?
	pl_domain	Domain
poc_ctrl	oid_poc_ctrl	?
	poc_domain	Domain
pod_det	oid_pod_det	?
	pod_domain	Domain
pould_det	oid_pould_det	?

Table Name	Field Name	Label
	pould_domain	Domain
poul_mstr	oid_poul_mstr	?
	poul_domain	Domain
pou_mstr	oid_pou_mstr	?
	pou_domain	Domain
po_mstr	oid_po_mstr	?
	po_domain	Domain
pp_plan	oid_pp_plan	?
	pp_domain	Domain
pq_mstr	oid_pq_mstr	?
	pq_domain	Domain
prd_det	oid_prd_det	?
prh_hist	oid_prh_hist	?
	prh_domain	Domain
prj_mstr	oid_prj_mstr	?
	prj_domain	Domain
pr_mstr	oid_pr_mstr	?
pshc_ctrl	oid_pshc_ctrl	?
	pshc_domain	Domain
ps_mstr	oid_ps_mstr	?
	ps_domain	Domain
pta_det	oid_pta_det	?
	pta_domain	Domain
ptc_det	oid_ptc_det	?
	ptc_domain	Domain
pth_hist	oid_pth_hist	?
	pth_domain	Domain
ptls_det	oid_ptls_det	?
	ptls_domain	Domain
ptp_det	oid_ptp_det	?
	ptp_domain	Domain
ptqa_det	oid_ptqa_det	?
	ptqa_domain	Domain
ptr_det	oid_ptr_det	?
	ptr_domain	Domain
pts_det	oid_pts_det	?
	pts_domain	Domain
ptt_det	oid_ptt_det	?
	ptt_domain	Domain
ptv_det	oid_ptv_det	?
	ptv_domain	Domain
pt_mstr	oid_pt_mstr	?
	pt_domain	Domain
pvod_det	oid_pvod_det	?
	pvod_domain	Domain
pvo_mstr	oid_pvo_mstr	?
	pvo_domain	Domain
qad_wkfl	oid_qad_wkfl	?
	qad_domain	Domain
qcc_ctrl	oid_qcc_ctrl	?
	qcc_domain	Domain
qcd_det	oid_qcd_det	?
	qcd_domain	Domain
qcs_mstr	oid_qcs_mstr	?
	qcs_domain	Domain
qc_mstr	oid_qc_mstr	?
	qc_domain	Domain

Table Name	Field Name	Label
qob_det	oid_qob_det	?
	qob_domain	Domain
qoc_ctrl	oid_qoc_ctrl	?
	qoc_domain	Domain
qodr_det	oid_qodr_det	?
	qodr_domain	Domain
qod_det	oid_qod_det	?
	qod_domain	Domain
qor_mstr	oid_qor_mstr	?
	qor_domain	Domain
qo_mstr	oid_qo_mstr	?
	qo_domain	Domain
qps_det	oid_qps_det	?
	qps_domain	Domain
qqc_ctrl	oid_qqc_ctrl	?
	qqc_domain	Domain
qro_det	oid_qro_det	?
	qro_domain	Domain
qr_test	oid_qr_test	?
	qr_domain	Domain
qtbl_ext	oid_qtbl_ext	?
rbm_mstr	oid_rbm_mstr	?
	rbm_domain	Domain
rcc_mstr	oid_rcc_mstr	?
	rcc_domain	Domain
rcf_ctrl	oid_rcf_ctrl	?
	rcf_domain	Domain
rcsd_det	oid_rcsd_det	?
	rcsd_domain	Domain
rcsx_ref	oid_rcsx_ref	?
	rcsx_domain	Domain
rcs_mstr	oid_rcs_mstr	?
	rcs_domain	Domain
rdf_mstr	oid_rdf_mstr	?
	rdf_domain	Domain
reg_mstr	oid_reg_mstr	?
	reg_domain	Domain
req_det	oid_req_det	?
	req_domain	Domain
rhd_hist	oid_rhd_hist	?
	rhd_domain	Domain
rma_mstr	oid_rma_mstr	?
	rma_domain	Domain
rmc_ctrl	oid_rmc_ctrl	?
	rmc_domain	Domain
rmd_det	oid_rmd_det	?
	rmd_domain	Domain
rnd_mstr	oid_rnd_mstr	?
	rnd_domain	Domain
ro_det	oid_ro_det	?
	ro_domain	Domain
rpc_ctrl	oid_rpc_ctrl	?
	rpc_domain	Domain
rps_mstr	oid_rps_mstr	?
	rps_domain	Domain
rqa_mstr	oid_rqa_mstr	?
	rqa_domain	Domain

Table Name	Field Name	Label
rqcd_det	oid_rqcd_det	?
	rqcd_domain	Domain
rqc_mstr	oid_rqc_mstr	?
	rqc_domain	Domain
rqda_det	oid_rqda_det	?
	rqda_domain	Domain
rqd_det	oid_rqd_det	?
	rqd_domain	Domain
rqf_ctrl	oid_rqf_ctrl	?
	rqf_domain	Domain
rqh_hist	oid_rqh_hist	?
	rqh_domain	Domain
rqj_mstr	oid_rqj_mstr	?
	rqj_domain	Domain
rql_mstr	oid_rql_mstr	?
	rql_domain	Domain
rqm_det	oid_rqm_det	?
	rqm_domain	Domain
rqm_mstr	oid_rqm_mstr	?
	rqm_domain	Domain
rqpo_ref	oid_rqpo_ref	?
	rqpo_domain	Domain
rqr_mstr	oid_rqr_mstr	?
	rqr_domain	Domain
rq_mstr	oid_rq_mstr	?
	rq_domain	Domain
rsc_ctrl	oid_rsc_ctrl	?
	rsc_domain	Domain
rsd_det	oid_rsd_det	?
	rsd_domain	Domain
rsn_ref	oid_rsn_ref	?
	rsn_domain	Domain
rstd_det	oid_rstd_det	?
	rstd_domain	Domain
rst_mstr	oid_rst_mstr	?
	rst_domain	Domain
rsud_det	oid_rsud_det	?
	rsud_domain	Domain
rsu_mstr	oid_rsu_mstr	?
	rsu_domain	Domain
rs_mstr	oid_rs_mstr	?
	rs_domain	Domain
sab_det	oid_sab_det	?
	sab_domain	Domain
sac_ctrl	oid_sac_ctrl	?
	sac_domain	Domain
sadh_hist	oid_sadh_hist	?
	sadh_domain	Domain
sad_det	oid_sad_det	?
	sad_domain	Domain
sah_hist	oid_sah_hist	?
	sah_domain	Domain
salh_hist	oid_salh_hist	?
	salh_domain	Domain
sal_mstr	oid_sal_mstr	?
	sal_domain	Domain
sap_det	oid_sap_det	?

Table Name	Field Name	Label
	sap_domain	Domain
sar_mstr	oid_sar_mstr	?
	sar_domain	Domain
sa_mstr	oid_sa_mstr	?
	sa_domain	Domain
sbc_mstr	oid_sbc_mstr	?
	sbc_domain	Domain
sbd_det	oid_sbd_det	?
sbic_ctl	oid_sbic_ctl	?
	sbic_domain	Domain
sbid_det	oid_sbid_det	?
	sbid_domain	Domain
sbi_mstr	oid_sbi_mstr	?
	sbi_domain	Domain
sb_mstr	oid_sb_mstr	?
	sb_domain	Domain
sca_mstr	oid_sca_mstr	?
	sca_domain	Domain
scc_mstr	oid_scc_mstr	?
	scc_domain	Domain
schd_det	oid_schd_det	?
	schd_domain	Domain
sch_mstr	oid_sch_mstr	?
	sch_domain	Domain
sct_det	oid_sct_det	?
	sct_domain	Domain
scx_ref	oid_scx_ref	?
	scx_domain	Domain
sc_mstr	oid_sc_mstr	?
	sc_domain	Domain
sdtd_det	oid_sdtd_det	?
	sdtd_domain	Domain
sdt_mstr	oid_sdt_mstr	?
	sdt_domain	Domain
sd_mstr	oid_sd_mstr	?
	sd_domain	Domain
seoc_ctrl	oid_seoc_ctrl	?
	seoc_domain	Domain
seq_mstr	oid_seq_mstr	?
	seq_domain	Domain
sfb_det	oid_sfb_det	?
	sfb_domain	Domain
sfh_hist	oid_sfh_hist	?
	sfh_domain	Domain
sgad_det	oid_sgad_det	?
	sgad_domain	Domain
sgcd_det	oid_sgcd_det	?
	sgcd_domain	Domain
sgid_det	oid_sgid_det	?
	sgid_domain	Domain
sg_mstr	oid_sg_mstr	?
	sg_domain	Domain
shc_ctrl	oid_shc_ctrl	?
	shc_domain	Domain
shd_det	oid_shd_det	?
	shd_domain	Domain
shft_det	oid_shft_det	?

Table Name	Field Name	Label
	shft_domain	Domain
shm_mstr	oid_shm_mstr	?
	shm_domain	Domain
shop_cal	oid_shop_cal	?
	shop_domain	Domain
shpc_ctrl	oid_shpc_ctrl	?
	shpc_domain	Domain
shpd_hist	oid_shpd_hist	?
	shpd_domain	Domain
shp_hist	oid_shp_hist	?
	shp_domain	Domain
shtr_det	oid_shtr_det	?
	shtr_domain	Domain
shv_mstr	oid_shv_mstr	?
	shv_domain	Domain
sim_det	oid_sim_det	?
	sim_domain	Domain
six_ref	oid_six_ref	?
	six_domain	Domain
si_mstr	oid_si_mstr	?
	si_domain	Domain
	si_type	Type
slrd_det	oid_slrd_det	?
	slrd_domain	Domain
slr_mstr	oid_slr_mstr	?
	slr_domain	Domain
sm_mstr	oid_sm_mstr	?
	sm_domain	Domain
sob_det	oid_sob_det	?
	sob_domain	Domain
socc_mstr	oid_socc_mstr	?
	socc_domain	Domain
soc_ctrl	oid_soc_ctrl	?
	soc_domain	Domain
sodlc_det	oid_sodlc_det	?
	sodlc_domain	Domain
sodr_det	oid_sodr_det	?
	sodr_domain	Domain
sod_det	oid_sod_det	?
	sod_domain	Domain
sop_det	oid_sop_det	?
	sop_domain	Domain
sor_mstr	oid_sor_mstr	?
	sor_domain	Domain
sosrd_det	oid_sosrd_det	?
	sosrd_domain	Domain
sosr_mstr	oid_sosr_mstr	?
	sosr_domain	Domain
so_mstr	oid_so_mstr	?
	so_domain	Domain
spc_ctrl	oid_spc_ctrl	?
	spc_domain	Domain
spd_det	oid_spd_det	?
	spd_domain	Domain
sph_hist	oid_sph_hist	?
	sph_domain	Domain
spt_det	oid_spt_det	?

Table Name	Field Name	Label
	spt_domain	Domain
sp_mstr	oid_sp_mstr	?
	sp_domain	Domain
src_ctrl	oid_src_ctrl	?
	src_domain	Domain
sroc_ctrl	oid_sroc_ctrl	?
	sroc_domain	Domain
sro_mstr	oid_sro_mstr	?
	sro_domain	Domain
srr_mstr	oid_srr_mstr	?
	srr_domain	Domain
sr_wkfl	oid_sr_wkfl	?
	sr_domain	Domain
ssd_det	oid_ssd_det	?
	ssd_domain	Domain
ssm_mstr	oid_ssm_mstr	?
	ssm_domain	Domain
sttqd_det	oid_sttqd_det	?
	sttqd_domain	Domain
sttq_mstr	oid_sttq_mstr	?
	sttq_domain	Domain
stx_mstr	oid_stx_mstr	?
	stx_domain	Domain
sufd_det	oid_sufd_det	?
	sufd_domain	Domain
suf_mstr	oid_suf_mstr	?
	suf_domain	Domain
svc_ctrl	oid_svc_ctrl	?
	svc_domain	Domain
sv_mstr	oid_sv_mstr	?
	sv_domain	Domain
swc_det	oid_swc_det	?
	swc_domain	Domain
tag_mstr	oid_tag_mstr	?
	tag_domain	Domain
taxd_det	oid_taxd_det	?
tax_mstr	oid_tax_mstr	?
tblcd_det	oid_tblcd_det	?
	tblcd_domain	Domain
tblc_mstr	oid_tblc_mstr	?
	tblc_domain	Domain
tbl_mstr	oid_tbl_mstr	?
	tbl_domain	Domain
te_mstr	oid_te_mstr	?
	te_domain	Domain
tm_mstr	oid_tm_mstr	?
	tm_domain	Domain
totd_det	oid_totd_det	?
	totd_domain	Domain
tot_mstr	oid_tot_mstr	?
	tot_domain	Domain
trcs_det	oid_trcs_det	?
	trcs_domain	Domain
trgl_det	oid_trgl_det	?
	trgl_domain	Domain
trld_det	oid_trld_det	?
	trld_domain	Domain

Table Name	Field Name	Label
trl_mstr	oid_trl_mstr	?
	trl_domain	Domain
trq_mstr	oid_trq_mstr	?
	trq_domain	Domain
tr_hist	oid_tr_hist	?
	tr_domain	Domain
tx2d_det	oid_tx2d_det	?
	tx2d_domain	Domain
tx2_mstr	oid_tx2_mstr	?
	tx2_domain	Domain
txbd_det	oid_txbd_det	?
	txbd_domain	Domain
txc_ctrl	oid_txc_ctrl	?
	txc_domain	Domain
txed_det	oid_txed_det	?
	txed_domain	Domain
txe_mstr	oid_txe_mstr	?
	txe_domain	Domain
txhd_det	oid_txhd_det	?
	txhd_domain	Domain
txrd_det	oid_txrd_det	?
	txrd_domain	Domain
txr_mstr	oid_txr_mstr	?
	txr_domain	Domain
txz_mstr	oid_txz_mstr	?
	txz_domain	Domain
typ_mstr	oid_typ_mstr	?
tzod_det	oid_tzod_det	?
tzo_mstr	oid_tzo_mstr	?
ufd_det	oid_ufd_det	?
umsg_det	oid_umsg_det	?
	umsg_domain	Domain
um_mstr	oid_um_mstr	?
	um_domain	Domain
upd_det	oid_upd_det	?
url_mstr	oid_url_mstr	?
usg_det	oid_usg_det	?
usrc_ctrl	oid_usrc_ctrl	?
	oid_usrg_mstr_admin	?
	usrc_active_rsn_type	Active Reason Type
	usrc_deactivation_rsn	Auto-deactivation Reason Code
	usrc_em_system_id	Email System
	usrc_logon_hist_level	Logon History Level
	usrc_max_access_fails	Max Access Failures
	usrc_min_length	Minimum Password Length
	usrc_min_non_numeric	Minimum Non-numeric Characters
	usrc_min_numeric	Minimum Numeric Characters
	usrc_password_create	Password Creation Method
	usrc_reuse_changes	Min Password Reuse Changes
	usrc_reuse_days	Min Password Reuse Days
	usrc_right_hdr_disp	Right Header Display Mode
	usrc_warning_days	Warning Days
usrl_det	oid_usrl_det	?
usrw_wkfl	oid_usrw_wkfl	?
	usrw_domain	Domain
usr_mstr	oid_usr_mstr	?
	usr_active	Active

Table Name	Field Name	Label
	usr_active_by	Active By
	usr_active_date	Active Date
	usr_active_reason	Active Reason
	usr_failed_attempts	Password Failed Attempts
	usr_force_change	Password Force Change
	usr_logon_date	Last Logon Date
	usr_logon_time	Last Logon Time
	usr_logon_timezone	Last Logon Time Zone
	usr_remark	Remark
vdc_ctrl	oid_vdc_ctrl	?
	vdc_domain	Domain
vdf_mstr	oid_vdf_mstr	?
	vdf_domain	Domain
vd_mstr	oid_vd_mstr	?
	vd_domain	Domain
vecd_det	oid_vecd_det	?
	vecd_domain	Domain
vec_mstr	oid_vec_mstr	?
	vec_domain	Domain
vee_mstr	oid_vee_mstr	?
	vee_domain	Domain
vef_ctrl	oid_vef_ctrl	?
	vef_domain	Domain
vepd_det	oid_vepd_det	?
	vepd_domain	Domain
vep_mstr	oid_vep_mstr	?
	vep_domain	Domain
verd_det	oid_verd_det	?
	verd_domain	Domain
ver_mstr	oid_ver_mstr	?
	ver_domain	Domain
vesd_det	oid_vesd_det	?
	vesd_domain	Domain
ves_mstr	oid_ves_mstr	?
	ves_domain	Domain
vew_mstr	oid_vew_mstr	?
	vew_domain	Domain
vex_mstr	oid_vex_mstr	?
	vex_domain	Domain
vod_det	oid_vod_det	?
	vod_domain	Domain
vo_mstr	oid_vo_mstr	?
	vo_domain	Domain
vph_hist	oid_vph_hist	?
	vph_domain	Domain
vpo_det	oid_vpo_det	?
	vpo_domain	Domain
vp_mstr	oid_vp_mstr	?
	vp_domain	Domain
vrc_ctrl	oid_vrc_ctrl	?
	vrc_domain	Domain
vtc_ctrl	oid_vtc_ctrl	?
vt_mstr	oid_vt_mstr	?
wcr_route	oid_wcr_route	?
	wcr_domain	Domain
wc_mstr	oid_wc_mstr	?
	wc_domain	Domain

Table Name	Field Name	Label
whl_mstr	oid_whl_mstr	?
	whl_domain	Domain
wlbd_det	oid_wlbd_det	?
	wlbd_domain	Domain
wlbm_mstr	oid_wlbm_mstr	?
	wlbm_domain	Domain
wlc_ctrl	oid_wlc_ctrl	?
	wlc_domain	Domain
wld_det	oid_wld_det	?
	wld_domain	Domain
wlrd_det	oid_wlrd_det	?
	wlrd_domain	Domain
wlrm_mstr	oid_wlrm_mstr	?
	wlrm_domain	Domain
wlt_mstr	oid_wlt_mstr	?
	wlt_domain	Domain
wl_mstr	oid_wl_mstr	?
	wl_domain	Domain
woc_ctrl	oid_woc_ctrl	?
	woc_domain	Domain
wod_det	oid_wod_det	?
	wod_domain	Domain
wo_mstr	oid_wo_mstr	?
	wo_domain	Domain
wr_route	oid_wr_route	?
	wr_domain	Domain
wtx_mstr	oid_wtx_mstr	?
	wtx_domain	Domain

Changed Indexes

The Domain field has been added as the first element in each index associated with a table to which it was added. Refer to section on New Fields starting on page 690 for a list of these tables.

Deleted Indexes

Index	Table
AppID	apr_mstr
AppID	ilg_hist
AppID	elg_hist
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
ExtDocKey	ilg_hist
ExtDocKey	elg_hist
GroupID	ilg_hist
GroupID	elg_hist
kbtrd_kbtr_trans	kbtrd_det
kbtrd_tr_trnbr	kbtrd_det
kbtr_card_nbr	kbtr_hist
kbtr_cons_source	kbtr_hist
kbtr_part_supp	kbtr_hist
kbtr_supp_source	kbtr_hist
kbtr_trans_type	kbtr_hist
knbd_cons_source	knbd_det
knbd_part	knbd_det
knbl_part	knbl_det
knb_cons_source	knb_mstr
knb_part	knb_mstr
MfgProKey	ilg_hist
MfgProKey	elg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
Site	ilg_hist
Site	elg_hist

New Indexes for Existing Tables

Index	Table
AppID	apr_mstr
AppID	elg_hist
AppId	ilg_hist
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
elg_date_time_publ	elg_hist
elg_date_time_sent	elg_hist
elg_orig_doc_id	elg_hist
elg_receiver_id	elg_hist
en_type	en_mstr
ExtDocKey	elg_hist
ExtDocKey	ilg_hist
GroupID	elg_hist
GroupID	ilg_hist
ilg_date_time_proc	ilg_hist
ilg_date_time_rcvd	ilg_hist
ilg_orig_doc_id	ilg_hist
ilg_sender_id	ilg_hist
kbtrd_dataset_kbtr	kbtrd_det
kbtrd_dataset_tr	kbtrd_det
kbtr_part_date	kbtr_hist
kbtr_source	kbtr_hist
kbtr_supermarket	kbtr_hist
kbtr_user_time	kbtr_hist
knbd_keyid	knbd_det
knbd_knbl_keyid	knbd_det
knbd_status_disp	knbd_det
knbl_keyid	knbl_det
knbl_knb_keyid	knbl_det
knbl_next_date_time	knbl_det
knb_keyid	knb_mstr
knb_knbi_knbs	knb_mstr
knb_knbi_knbsm	knb_mstr
knb_knbsm_keyid	knb_mstr
knb_knbs_keyid	knb_mstr
MfgProKey	elg_hist
MfgProKey	ilg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
oid_abd_det	abd_det
oid_abscc_det	abscc_det
oid_absc_det	absc_det
oid_absd_det	absd_det
oid_absi_mstr	absi_mstr
oid_absl_det	absl_det
oid_absr_det	absr_det
oid_abss_det	abss_det
oid_abs_mstr	abs_mstr
oid_accd_det	accd_det
oid_acdf_mstr	acdf_mstr
oid_acd_det	acd_det

Index	Table
oid_acm_mstr	acm_mstr
oid_acod_mstr	acod_mstr
oid_act_mstr	act_mstr
oid_acx_mstr	acx_mstr
oid_ac_mstr	ac_mstr
oid_adc_ctrl	adc_ctrl
oid_adx_det	adx_det
oid_ad_mstr	ad_mstr
oid_ald_det	ald_det
oid_alm_mstr	alm_mstr
oid_al_mstr	al_mstr
oid_anl_det	anl_det
oid_ans_det	ans_det
oid_anx_det	anx_det
oid_an_mstr	an_mstr
oid_apc_ctrl	apc_ctrl
oid_apmr_mstr	apmr_mstr
oid_apm_ctrl	apm_ctrl
oid_aprm_mstr	aprm_mstr
oid_apr_mstr	apr_mstr
oid_ap_mstr	ap_mstr
oid_arc_ctrl	arc_ctrl
oid_ard_det	ard_det
oid_arsd_det	arsd_det
oid_art_mstr	art_mstr
oid_ar_mstr	ar_mstr
oid_asc_mstr	asc_mstr
oid_ast_mstr	ast_mstr
oid_atd_mstr	atd_mstr
oid_atp_det	atp_det
oid_aud_det	aud_det
oid_ba_mstr	ba_mstr
oid_bcd_det	bcd_det
oid_bc_mstr	bc_mstr
oid_bdld_det	bdld_det
oid_bdl_mstr	bdl_mstr
oid_bdp_det	bdp_det
oid_bgd_det	bgd_det
oid_bg_mstr	bg_mstr
oid_bic_ctrl	bic_ctrl
oid_bkad_det	bkad_det
oid_bkd_det	bkd_det
oid_bkfm_mstr	bkfm_mstr
oid_bkpd_det	bkpd_det
oid_bkpm_mstr	bkpm_mstr
oid_bk_mstr	bk_mstr
oid_bl_ctrl	bl_ctrl
oid_bom_mstr	bom_mstr
oid_btb_det	btb_det
oid_cac_ctrl	cac_ctrl
oid_cah_hist	cah_hist
oid_cal_det	cal_det
oid_caq_mstr	caq_mstr
oid_cas_mstr	cas_mstr
oid_ca_mstr	ca_mstr
oid_cb_mstr	cb_mstr
oid_ccc_ctrl	ccc_ctrl

Index	Table
oid_ccd1_det	ccd1_det
oid_ccd2_det	ccd2_det
oid_ccd_mstr	ccd_mstr
oid_cclscd_det	cclscd_det
oid_cclsc_mstr	cclsc_mstr
oid_ccls_mstr	ccls_mstr
oid_ccl_ctrl	ccl_ctrl
oid_cctr_hist	cctr_hist
oid_cct_mstr	cct_mstr
oid_cc_mstr	cc_mstr
oid_cdf_mstr	cdf_mstr
oid_cd_det	cd_det
oid_cfc_ctrl	cfc_ctrl
oid_cf_mstr	cf_mstr
oid_chg_mstr	chg_mstr
oid_chm_mstr	chm_mstr
oid_cild_det	cild_det
oid_cil_mstr	cil_mstr
oid_ckd_det	ckd_det
oid_cksd_det	cksd_det
oid_ck_mstr	ck_mstr
oid_clc_ctrl	clc_ctrl
oid_cls_mstr	cls_mstr
oid_cmc_ctrl	cmc_ctrl
oid_cmd_det	cmd_det
oid_cmf_mstr	cmf_mstr
oid_cmh_hist	cmh_hist
oid_cmt_det	cmt_det
oid_cm_mstr	cm_mstr
oid_cncix_mstr	cncix_mstr
oid_cncs_mstr	cncs_mstr
oid_cncud_det	cncud_det
oid_cncu_mstr	cncu_mstr
oid_cnc_ctrl	cnc_ctrl
oid_cnsix_mstr	cnsix_mstr
oid_cnss_mstr	cnss_mstr
oid_cnsud_det	cnsud_det
oid_cnsu_mstr	cnsu_mstr
oid_cns_ctrl	cns_ctrl
oid_cnt_mstr	cnt_mstr
oid_code_mstr	code_mstr
oid_comd_det	comd_det
oid_com_mstr	com_mstr
oid_cost_cal	cost_cal
oid_co_ctrl	co_ctrl
oid_cpcd_det	cpcd_det
oid_cpc_mstr	cpc_mstr
oid_cph_hist	cph_hist
oid_cp_mstr	cp_mstr
oid_crc_ctrl	crc_ctrl
oid_cref_mstr	cref_mstr
oid_cr_mstr	cr_mstr
oid_csa_mstr	csa_mstr
oid_csbd_det	csbd_det
oid_csc_mstr	csc_mstr
oid_csid_det	csid_det
oid_csil_mstr	csil_mstr

Index	Table
oid_csim_mstr	csim_mstr
oid_csld_det	csld_det
oid_cslm_mstr	cslm_mstr
oid_cssi_det	cssi_det
oid_css_mstr	css_mstr
oid_cst_mstr	cst_mstr
oid_cs_mstr	cs_mstr
oid_ctd_det	ctd_det
oid_ctry_mstr	ctry_mstr
oid_ct_mstr	ct_mstr
oid_cu_mstr	cu_mstr
oid_dbk_mstr	dbk_mstr
oid_dbs_mstr	dbs_mstr
oid_dc_mstr	dc_mstr
oid_decl_mstr	decl_mstr
oid_defr_det	defr_det
oid_delt_mstr	delt_mstr
oid_df_mstr	df_mstr
oid_djrc_det	djrc_det
oid_djr_mstr	djr_mstr
oid_dmw_wkfl	dmw_wkfl
oid_dpc_mstr	dpc_mstr
oid_dprd_det	dprd_det
oid_dprt_det	dprt_det
oid_dpr_mstr	dpr_mstr
oid_dpt_mstr	dpt_mstr
oid_drp_ctrl	drp_ctrl
oid_dsd_det	dsd_det
oid_dsr_mstr	dsr_mstr
oid_dss_mstr	dss_mstr
oid_ds_det	ds_det
oid_dyd_mstr	dyd_mstr
oid_dy_mstr	dy_mstr
oid_ea_mstr	ea_mstr
oid_eca_mstr	eca_mstr
oid_ecd1_det	ecd1_det
oid_ecd2_det	ecd2_det
oid_ecd3_det	ecd3_det
oid_ecd4_det	ecd4_det
oid_ecd5_det	ecd5_det
oid_ecd9_det	ecd9_det
oid_ecd_det	ecd_det
oid_ecl_list	ecl_list
oid_ecm_mstr	ecm_mstr
oid_ect_mstr	ect_mstr
oid_ecx_ref	ecx_ref
oid_ega_mstr	ega_mstr
oid_egc_ctrl	egc_ctrl
oid_egd_det	egd_det
oid_egs_det	egs_det
oid_egt_mstr	egt_mstr
oid_egw_wkfl	egw_wkfl
oid_elg_hist	elg_hist
oid_emap_det	emap_det
oid_emc_ctrl	emc_ctrl
oid_emg_msg	emg_msg
oid_emp_mstr	emp_mstr

Index	Table
oid_emsg_mstr	emsg_mstr
oid_em_mstr	em_mstr
oid_eng_mstr	eng_mstr
oid_en_mstr	en_mstr
oid_eraw_det	eraw_det
oid_ers_mstr	ers_mstr
oid_esc_ctrl	esc_ctrl
oid_esh_mstr	esh_mstr
oid_esp_mstr	esp_mstr
oid_ess_mstr	ess_mstr
oid_es_mstr	es_mstr
oid_et_ctrl	et_ctrl
oid_euc_ctrl	euc_ctrl
oid_eud_det	eud_det
oid_eu_mstr	eu_mstr
oid_excd_det	excd_det
oid_exc_mstr	exc_mstr
oid_exru_usage	exru_usage
oid_exr_rate	exr_rate
oid_faadj_mstr	faadj_mstr
oid_faba_det	faba_det
oid_fabchd_det	fabchd_det
oid_fabch_mstr	fabch_mstr
oid_fabd_det	fabd_det
oid_fabk_mstr	fabk_mstr
oid_fab_det	fab_det
oid_facd_det	facd_det
oid_facld_det	facld_det
oid_facls_mstr	facls_mstr
oid_facl_cal	facl_cal
oid_fact_ctrl	fact_ctrl
oid_fac_ctrl	fac_ctrl
oid_fadf_mstr	fadf_mstr
oid_fad_det	fad_det
oid_faloc_mstr	faloc_mstr
oid_fal_mstr	fal_mstr
oid_famtd_det	famtd_det
oid_famtrd_det	famtrd_det
oid_famtr_mstr	famtr_mstr
oid_famt_mstr	famt_mstr
oid_fas_ctrl	fas_ctrl
oid_fauop_det	fauop_det
oid_fa_mstr	fa_mstr
oid_fcc_mstr	fcc_mstr
oid_fcd_mstr	fcd_mstr
oid_fcg_mstr	fcg_mstr
oid_fcs_sum	fcs_sum
oid_fct_mstr	fct_mstr
oid_fc_det	fc_det
oid_ff_mstr	ff_mstr
oid_fh_mstr	fh_mstr
oid_fis_mstr	fis_mstr
oid_fkt_mstr	fkt_mstr
oid_flcrh_hist	flcrh_hist
oid_flcr_mstr	flcr_mstr
oid_fldf_mstr	fldf_mstr
oid_flff_mstr	flff_mstr

Index	Table
oid_flh_mstr	flh_mstr
oid_flpw_mstr	flpw_mstr
oid_flp_plan	flp_plan
oid_flscd_det	flscd_det
oid_flsc_mstr	flsc_mstr
oid_flsd_det	flsd_det
oid_fm_mstr	fm_mstr
oid_fnd_det	fnd_det
oid_fnh_hist	fnh_hist
oid_fn_mstr	fn_mstr
oid_fp1_plan	fp1_plan
oid_fp2_plan	fp2_plan
oid_fp3_plan	fp3_plan
oid_fpci_mstr	fpci_mstr
oid_fpc_mstr	fpc_mstr
oid_fpd_cost	fpd_cost
oid_fpst_mstr	fpst_mstr
oid_frcd_det	frcd_det
oid_frd_det	frd_det
oid_frm_mstr	frm_mstr
oid_frzd_det	frzd_det
oid_fr_mstr	fr_mstr
oid_fsc_mstr	fsc_mstr
oid_fsd_det	fsd_det
oid_fsh_mstr	fsh_mstr
oid_fslp_pln	fslp_pln
oid_fsp1_pln	fsp1_pln
oid_fsp2_pln	fsp2_pln
oid_fsp3_pln	fsp3_pln
oid_fsu_mstr	fsu_mstr
oid_ftch_hist	ftch_hist
oid_ft_mstr	ft_mstr
oid_fwk_mstr	fwk_mstr
oid_giap_mstr	giap_mstr
oid_gimd_mstr	gimd_mstr
oid_gip_det	gip_det
oid_gisi_mstr	gisi_mstr
oid_glcd_det	glcd_det
oid_glc_cal	glc_cal
oid_glptr_hist	glptr_hist
oid_glrd_det	glrd_det
oid_glr_mstr	glr_mstr
oid_glsd_mstr	glsd_mstr
oid_gltmd_det	gltmd_det
oid_gltm_mstr	gltm_mstr
oid_gltr_hist	gltr_hist
oid_gltw_wkfl	gltw_wkfl
oid_glt_det	glt_det
oid_gl_ctrl	gl_ctrl
oid_grac_det	grac_det
oid_grad_det	grad_det
oid_gral_det	gral_det
oid_gras_det	gras_det
oid_gra_mstr	gra_mstr
oid_grbg_det	grbg_det
oid_grcd_det	grcd_det
oid_grc_mstr	grc_mstr

Index	Table
oid_grdf_mtx	grdf_mtx
oid_grhd_det	grhd_det
oid_grib_det	grib_det
oid_gric_det	gric_det
oid_grid_det	grid_det
oid_grig_mtx	grig_mtx
oid_grit_wkf	grit_wkf
oid_gri_mstr	gri_mstr
oid_grqd_det	grqd_det
oid_grrd_det	grrd_det
oid_grr_mstr	grr_mstr
oid_grtx_det	grtx_det
oid_grv_det	grv_det
oid_grx1_wkfl	grx1_wkfl
oid_grx2_wkfl	grx2_wkfl
oid_grx3_wkfl	grx3_wkfl
oid_grx_mstr	grx_mstr
oid_gr_ctrl	gr_ctrl
oid_hd_mstr	hd_mstr
oid_hlp_mstr	hlp_mstr
oid_hwm_det	hwm_det
oid_ibh_hist	ibh_hist
oid_ib_det	ib_det
oid_icc_ctrl	icc_ctrl
oid_idhlc_hist	idhlc_hist
oid_idhr_hist	idhr_hist
oid_idh_hist	idh_hist
oid_iec_ctrl	iec_ctrl
oid_ied_det	ied_det
oid_ieh_hist	ieh_hist
oid_ie_mstr	ie_mstr
oid_ifs_mstr	ifs_mstr
oid_ihcc_hist	ihcc_hist
oid_ihr_hist	ihr_hist
oid_ih_hist	ih_hist
oid_ild_det	ild_det
oid_ilg_hist	ilg_hist
oid_imap_det	imap_det
oid_img_msg	img_msg
oid_im_mstr	im_mstr
oid_ind_det	ind_det
oid_insd_det	insd_det
oid_ins_mstr	ins_mstr
oid_in_mstr	in_mstr
oid_ipd_det	ipd_det
oid_iph_hist	iph_hist
oid_ip_mstr	ip_mstr
oid_iraw_det	iraw_det
oid_iro_det	iro_det
oid_isb_mstr	isb_mstr
oid_isd_det	isd_det
oid_isp_mstr	isp_mstr
oid_iss_mstr	iss_mstr
oid_isvc_mstr	isvc_mstr
oid_is_mstr	is_mstr
oid_itmh_hist	itmh_hist
oid_itm_det	itm_det

Index	Table
oid_itsd_det	itsd_det
oid_its_mstr	its_mstr
oid_ivs_ctrl	ivs_ctrl
oid_kbc_ctrl	kbc_ctrl
oid_kbmd_mstr	kbmd_mstr
oid_kbpp_mstr	kbpp_mstr
oid_kbtrd_det	kbtrd_det
oid_kbtr_hist	kbtr_hist
oid_knbd_det	knbd_det
oid_knbl_det	knbl_det
oid_knb_mstr	knb_mstr
oid_lacd_det	lacd_det
oid_lac_ctrl	lac_ctrl
oid_lad_det	lad_det
oid_lblc_ctrl	lblc_ctrl
oid_lcap_hist	lcap_hist
oid_lc_mstr	lc_mstr
oid_ld_det	ld_det
oid_lgsi_det	lgsi_det
oid_lgs_mstr	lgs_mstr
oid_lna_det	lna_det
oid_lnd_det	lnd_det
oid_lnf_det	lnf_det
oid_lngd_det	lngd_det
oid_lng_mstr	lng_mstr
oid_ln_mstr	ln_mstr
oid_locc_det	locc_det
oid_loc_mstr	loc_mstr
oid_lotw_wkfl	lotw_wkfl
oid_lot_mstr	lot_mstr
oid_lpmd_det	lpmd_det
oid_lpm_mstr	lpm_mstr
oid_ls_mstr	ls_mstr
oid_lua_det	lua_det
oid_lvr_det	lvr_det
oid_maxt_det	maxt_det
oid_max_mstr	max_mstr
oid_ma_mstr	ma_mstr
oid_mfc_ctrl	mfc_ctrl
oid_mnd_det	mnd_det
oid_mnp_det	mnp_det
oid_mnt_det	mnt_det
oid_mof_mstr	mof_mstr
oid_mon_mstr	mon_mstr
oid_mpd_det	mpd_det
oid_mph_hist	mph_hist
oid_mpp_det	mpp_det
oid_mps_mstr	mps_mstr
oid_mp_mstr	mp_mstr
oid_mrpc_ctrl	mrpc_ctrl
oid_mrpp_det	mrpp_det
oid_mrp_det	mrp_det
oid_msg_mstr	msg_mstr
oid_mu_mstr	mu_mstr
oid_ncc_ctrl	ncc_ctrl
oid_nrh_hist	nrh_hist
oid_nr_mstr	nr_mstr

Index	Table
oid_oa_det	oa_det
oid_ocm_mstr	ocm_mstr
oid_opc_ctrl	opc_ctrl
oid_opgl_det	opgl_det
oid_opm_mstr	opm_mstr
oid_ops_ctrl	ops_ctrl
oid_op_hist	op_hist
oid_pac_mstr	pac_mstr
oid_pald_det	pald_det
oid_pal_mstr	pal_mstr
oid_pcc_ctrl	pcc_ctrl
oid_pcd_det	pcd_det
oid_pcld_det	pcld_det
oid_pcl_mstr	pcl_mstr
oid_pct_mstr	pct_mstr
oid_pc_mstr	pc_mstr
oid_pex_mstr	pex_mstr
oid_pfc_det	pfc_det
oid_pfd_det	pfd_det
oid_pgc_ctrl	pgc_ctrl
oid_pgh_hist	pgh_hist
oid_pgm_det	pgm_det
oid_pic_ctrl	pic_ctrl
oid_pid_det	pid_det
oid_pigc_det	pigc_det
oid_pigp_det	pigp_det
oid_pig_mstr	pig_mstr
oid_pih_hist	pih_hist
oid_pin_mstr	pin_mstr
oid_pi_mstr	pi_mstr
oid_pjc_ctrl	pjc_ctrl
oid_pjd_det	pjd_det
oid_pjsh_hist	pjsh_hist
oid_pjsx_det	pjsx_det
oid_pjs_mstr	pjs_mstr
oid_pjt_mstr	pjt_mstr
oid_pj_mstr	pj_mstr
oid_pk_det	pk_det
oid_pld_det	pld_det
oid_plid_det	plid_det
oid_pli_mstr	pli_mstr
oid_plsd_det	plsd_det
oid_plt_det	plt_det
oid_pl_mstr	pl_mstr
oid_poc_ctrl	poc_ctrl
oid_pod_det	pod_det
oid_pould_det	pould_det
oid_poul_mstr	poul_mstr
oid_pou_mstr	pou_mstr
oid_po_mstr	po_mstr
oid_pp_plan	pp_plan
oid_pq_mstr	pq_mstr
oid_prd_det	prd_det
oid_prh_hist	prh_hist
oid_prj_mstr	prj_mstr
oid_pr_mstr	pr_mstr
oid_pshc_ctrl	pshc_ctrl

Index	Table
oid_ps_mstr	ps_mstr
oid_pta_det	pta_det
oid_ptc_det	ptc_det
oid_pth_hist	pth_hist
oid_ptls_det	ptls_det
oid_ptp_det	ptp_det
oid_ptqa_det	ptqa_det
oid_ptr_det	ptr_det
oid_pts_det	pts_det
oid_ptt_det	ptt_det
oid_ptv_det	ptv_det
oid_pt_mstr	pt_mstr
oid_pvod_det	pvod_det
oid_pvo_mstr	pvo_mstr
oid_qad_wkfl	qad_wkfl
oid_qcc_ctrl	qcc_ctrl
oid_qcd_det	qcd_det
oid_qcs_mstr	qcs_mstr
oid_qc_mstr	qc_mstr
oid_qob_det	qob_det
oid_qoc_ctrl	qoc_ctrl
oid_qodr_det	qodr_det
oid_qod_det	qod_det
oid_qor_mstr	qor_mstr
oid_qo_mstr	qo_mstr
oid_qps_det	qps_det
oid_qqc_ctrl	qqc_ctrl
oid_qro_det	qro_det
oid_qr_test	qr_test
oid_qtbl_ext	qtbl_ext
oid_rbm_mstr	rbm_mstr
oid_rcc_mstr	rcc_mstr
oid_rcf_ctrl	rcf_ctrl
oid_rcsd_det	rcsd_det
oid_rcsx_ref	rcsx_ref
oid_rcs_mstr	rcs_mstr
oid_rdf_mstr	rdf_mstr
oid_reg_mstr	reg_mstr
oid_req_det	req_det
oid_rhd_hist	rhd_hist
oid_rma_mstr	rma_mstr
oid_rmc_ctrl	rmc_ctrl
oid_rmd_det	rmd_det
oid_rnd_mstr	rnd_mstr
oid_ro_det	ro_det
oid_rpc_ctrl	rpc_ctrl
oid_rps_mstr	rps_mstr
oid_rqa_mstr	rqa_mstr
oid_rqcd_det	rqcd_det
oid_rqc_mstr	rqc_mstr
oid_rqda_det	rqda_det
oid_rqd_det	rqd_det
oid_rqf_ctrl	rqf_ctrl
oid_rqh_hist	rqh_hist
oid_rqj_mstr	rqj_mstr
oid_rql_mstr	rql_mstr
oid_rqm_det	rqm_det

Index	Table
oid_rqm_mstr	rqm_mstr
oid_rqpo_ref	rqpo_ref
oid_rqr_mstr	rqr_mstr
oid_rq_mstr	rq_mstr
oid_rsc_ctrl	rsc_ctrl
oid_rsd_det	rsd_det
oid_rsn_ref	rsn_ref
oid_rstd_det	rstd_det
oid_rst_mstr	rst_mstr
oid_rsud_det	rsud_det
oid_rsu_mstr	rsu_mstr
oid_rs_mstr	rs_mstr
oid_sab_det	sab_det
oid_sac_ctrl	sac_ctrl
oid_sadh_hist	sadh_hist
oid_sad_det	sad_det
oid_sah_hist	sah_hist
oid_salh_hist	salh_hist
oid_sal_mstr	sal_mstr
oid_sap_det	sap_det
oid_sar_mstr	sar_mstr
oid_sa_mstr	sa_mstr
oid_sbc_mstr	sbc_mstr
oid_sbd_det	sbd_det
oid_sbic_ctl	sbic_ctl
oid_sbid_det	sbid_det
oid_sbi_mstr	sbi_mstr
oid_sb_mstr	sb_mstr
oid_sca_mstr	sca_mstr
oid_scc_mstr	scc_mstr
oid_schd_det	schd_det
oid_sch_mstr	sch_mstr
oid_sct_det	sct_det
oid_scx_ref	scx_ref
oid_sc_mstr	sc_mstr
oid_sdtd_det	sdtd_det
oid_sdt_mstr	sdt_mstr
oid_sd_mstr	sd_mstr
oid_seoc_ctrl	seoc_ctrl
oid_seq_mstr	seq_mstr
oid_sfb_det	sfb_det
oid_sfh_hist	sfh_hist
oid_sgad_det	sgad_det
oid_sgcd_det	sgcd_det
oid_sgid_det	sgid_det
oid_sg_mstr	sg_mstr
oid_shc_ctrl	shc_ctrl
oid_shd_det	shd_det
oid_shft_det	shft_det
oid_shm_mstr	shm_mstr
oid_shop_cal	shop_cal
oid_shpc_ctrl	shpc_ctrl
oid_shpd_hist	shpd_hist
oid_shp_hist	shp_hist
oid_shtr_det	shtr_det
oid_shv_mstr	shv_mstr
oid_sim_det	sim_det

Index	Table
oid_six_ref	six_ref
oid_si_mstr	si_mstr
oid_slrd_det	slrd_det
oid_slr_mstr	slr_mstr
oid_sm_mstr	sm_mstr
oid_sob_det	sob_det
oid_socc_mstr	socc_mstr
oid_soc_ctrl	soc_ctrl
oid_sodlc_det	sodlc_det
oid_sodr_det	sodr_det
oid_sod_det	sod_det
oid_sop_det	sop_det
oid_sor_mstr	sor_mstr
oid_sosrd_det	sosrd_det
oid_sosr_mstr	sosr_mstr
oid_so_mstr	so_mstr
oid_spc_ctrl	spc_ctrl
oid_spd_det	spd_det
oid_sph_hist	sph_hist
oid_spt_det	spt_det
oid_sp_mstr	sp_mstr
oid_src_ctrl	src_ctrl
oid_sroc_ctrl	sroc_ctrl
oid_sro_mstr	sro_mstr
oid_srr_mstr	srr_mstr
oid_sr_wkfl	sr_wkfl
oid_ssd_det	ssd_det
oid_ssm_mstr	ssm_mstr
oid_sttqd_det	sttqd_det
oid_sttq_mstr	sttq_mstr
oid_stx_mstr	stx_mstr
oid_sufd_det	sufd_det
oid_suf_mstr	suf_mstr
oid_svc_ctrl	svc_ctrl
oid_sv_mstr	sv_mstr
oid_swc_det	swc_det
oid_tag_mstr	tag_mstr
oid_taxd_det	taxd_det
oid_tax_mstr	tax_mstr
oid_tblcd_det	tblcd_det
oid_tblc_mstr	tblc_mstr
oid_tbl_mstr	tbl_mstr
oid_te_mstr	te_mstr
oid_tm_mstr	tm_mstr
oid_totd_det	totd_det
oid_tot_mstr	tot_mstr
oid_trcs_det	trcs_det
oid_trgl_det	trgl_det
oid_trld_det	trld_det
oid_trl_mstr	trl_mstr
oid_trq_mstr	trq_mstr
oid_tr_hist	tr_hist
oid_tx2d_det	tx2d_det
oid_tx2_mstr	tx2_mstr
oid_txbd_det	txbd_det
oid_txc_ctrl	txc_ctrl
oid_txed_det	txed_det

Index	Table
oid_txe_mstr	txe_mstr
oid_txhd_det	txhd_det
oid_txrd_det	txrd_det
oid_txr_mstr	txr_mstr
oid_txz_mstr	txz_mstr
oid_typ_mstr	typ_mstr
oid_tzod_det	tzod_det
oid_tzo_mstr	tzo_mstr
oid_ufd_det	ufd_det
oid_umsg_det	umsg_det
oid_um_mstr	um_mstr
oid_upd_det	upd_det
oid_url_mstr	url_mstr
oid_usg_det	usg_det
oid_usrc_ctrl	usrc_ctrl
oid_usrl_det	usrl_det
oid_usrw_wkfl	usrw_wkfl
oid_usr_mstr	usr_mstr
oid_vdc_ctrl	vdc_ctrl
oid_vdf_mstr	vdf_mstr
oid_vd_mstr	vd_mstr
oid_vecd_det	vecd_det
oid_vec_mstr	vec_mstr
oid_vee_mstr	vee_mstr
oid_vef_ctrl	vef_ctrl
oid_vepd_det	vepd_det
oid_vep_mstr	vep_mstr
oid_verd_det	verd_det
oid_ver_mstr	ver_mstr
oid_vesd_det	vesd_det
oid_ves_mstr	ves_mstr
oid_vew_mstr	vew_mstr
oid_vex_mstr	vex_mstr
oid_vod_det	vod_det
oid_vo_mstr	vo_mstr
oid_vph_hist	vph_hist
oid_vpo_det	vpo_det
oid_vp_mstr	vp_mstr
oid_vrc_ctrl	vrc_ctrl
oid_vtc_ctrl	vtc_ctrl
oid_vt_mstr	vt_mstr
oid_wcr_route	wcr_route
oid_wc_mstr	wc_mstr
oid_whl_mstr	whl_mstr
oid_wlbd_det	wlbd_det
oid_wlbm_mstr	wlbm_mstr
oid_wlc_ctrl	wlc_ctrl
oid_wld_det	wld_det
oid_wlrd_det	wlrd_det
oid_wlrm_mstr	wlrm_mstr
oid_wlt_mstr	wlt_mstr
oid_wl_mstr	wl_mstr
oid_woc_ctrl	woc_ctrl
oid_wod_det	wod_det
oid_wo_mstr	wo_mstr
oid_wr_route	wr_route
oid_wtx_mstr	wtx_mstr

Index	Table
Site	elg_hist
Site	ilg_hist
si_type	si_mstr
txrd_type_ref	txrd_det

Deleted Tables

There were no deleted tables in this release.

New Tables

Table Name	Table Description
atak_det	Audit Trail Activated Key Detail
atap_mstr	Audit Trail Activated Profile Master
atc_ctrl	Audit Trail Control
atdc_mstr	Audit Trail Database Connection Master
aterr_mstr	Audit Trail Error Master
atgt_ref	Audit Trail Group – Table Cross-Reference
atg_mstr	Audit Trail Group Master
attmp_mstr	Audit Trail Temporary Master
att_mstr	Audit Trail Table Master
atwk_det	Audit Trail Workbench Key Detail
atwp_mstr	Audit Trail Workbench Profile Master
cont_mstr	Container Type Master
dald_det	Destination Application List Detail
dal_mstr	Destination Application List Master
dom_mstr	Domain Master
edlg_hist	Export Delivery Log
encd_det	Entity Consolidation Detail
glct_det	General Ledger Currency Total Detail
glec_det	GL Entity Consolidation Detail
kbdt_mstr	Kanban Demand Template Master
knbadc_hist	Kanban Average Demand Calculation History
knbfd_det	Kanban FIFO Process Detail
knbism_det	Kanban Item Supermarket Detail
knbi_mstr	Kanban Item Master
knbsm_mstr	Kanban Supermarket Master
knbs_det	Kanban Source Detail
knpd_det	Kanban Process Item Detail
knp_mstr	Kanban Process Master
mfrel_mstr	Master Table Relationships
qaddb_ctrl	Database Control for QADDB
sypd_det	Synch Profile Detail
sypj_det	Sync Profile Join Detail
syps_det	Synch Profile Subscription Detail
syp_mstr	Synch Profile Master
sytf_mstr	Synchronization Table-Field Master
udd_det	User Domain Detail
uslh_hist	User Logon History
uspw_hist	User Password History
usrgd_det	User Group Detail
usrg_mstr	User Group Master

Index of Table Descriptions

A

Account Cross-Reference Master 22
Account Default Master 18
Account Master 23
Account Total Detail 19
Account/Sub-Account/Cost Center Master 43
Accounting Transaction Description Master 48
Accounts Payable Check Detail 93
Accounts Payable Check Master 95
Accounts Payable Control 31
Accounts Payable Master 36
Accounts Receivable Control 37
Accounts Receivable Detail 38
Accounts Receivable Master 40
Accounts Receivable Payment Status Detail 39
Action Message Detail 381
Address Control 24
Address List Detail 366
Address Master 25
Advanced Pricing Management Control 32
Advanced Pricing Management Customer Relationship Master 32
Allocation Account Detail 27
Allocation Account Master 28
Alternate Container Master 21
Analysis Code Exploded Detail 30
Analysis Code Link Detail 28
Analysis Code Master 30
Analysis Code Selection Detail 29
Application Code Master 20
Application Definition Master 249
Application Parameter Master 33
Application Registry 34
Application Return Code Master 40
Application Usage Detail 633
ASN/BOL/Shipper Master 15
Asset Book Detail 8
Asset Cost Change Detail 17
Asset Master 44
Associated Item Detail 440
Audit Detail 53
Audit Trail Activated Key Detail 46
Audit Trail Activated Profile Master 46
Audit Trail Control 47
Audit Trail Database Connection Master 47
Audit Trail Error Master 48
Audit Trail Group – Table Cross Reference 49
Audit Trail Group Master 49
Audit Trail Table Master 52
Audit Trail Temporary Master 50
Audit Trail Workbench Key Detail 52
Audit Trail Workbench Profile Master 52
Automatic Lot Master 27
Available-to-Promise Detail 50

B

Bank Account Format Master 62
Bank Driver Payment Detail 56
Bank Master 65
Batch Control Detail 54
Batch Control Master 55
Batch Data Load Detail 55
Batch Data Load Master 56
Batch Master 54
Budget Detail 57
Budget Master 58

C

Calendar Detail 71
Carrier Control 117

Cash Book Master 77
Cash Flow Control 86
Cash Flow Master 87
Check Status Detail 94
Class Master 96
Code Range Master 118
Commodity Code Detail 111
Commodity Code Master 111
Compliance Control 95
Consigned Shipment Inventory Cross-Reference Master 102
Consolidated Exchange Rate Detail 189
Consolidation Currency Exchange Master 190
Container Charge Type Master 83
Container Item Detail 441
Container Type Master 112
Container/Line Charge Control 82
Container/Line Charge Ship-From/Ship-To Control Master 81
Control Work Table 369
Controlled Substance Authority Master 119
Controlled Substance Customer Master 120
Controlled Substance General License Master 124
Controlled Substance Individual License Detail 123
Controlled Substance Individual License Master 122
Controlled Substance Item Detail 121
Controlled Substance Item Master 122
Controlled Substance Site Master 125
Co-product/By-product Average Cost Master 20
Correction Invoice Link Detail 92
Correction Invoice Link Master 92
Cost Center Master 84
Cost Center/Account Validation Detail 78
Cost Center/Sub-Account Validation Detail 79
Cost Set Calendar 113
Cost Set Master 126
Cost Simulation Item Detail 583
Cost Simulation Master 542
Cost Simulation Operation Detail 575
Cost Simulation Total Detail 541
Cost Simulation Work Center Detail 598
Country Master 127
Credit Card Control 78
Credit Card Transaction History 82
Credit Terms Detail 126
Credit Terms Master 128
Currency Master 128
Customer Consignment Control 106
Customer Consignment Shipment Usage Detail 104
Customer Consignment Shipment Usage Master 105
Customer Consignment Ship-To/Item Master 103
Customer Control 96
Customer Item Master 117
Customer Master 99
Customer Period Calendar Detail 115
Customer Period Calendar Master 115
Customer Sales History 98
Customer Schedule Master 477
Customer Sequence Schedule Control 473
Customer Sequence Schedule Cross-Reference 476
Customer Sequence Schedule Detail 474
Customer Sequence Schedule Master 473
Customer/Item Sales History 116
Customer/Ship-To Shipment Controls Master 537
Customer/Supplier Bank Detail 119

D

Database Connection Master 132
Database Control for QADDB 456
Database Revision Control Master 132
Daybook Journal Report Detail 136
Daybook Journal Report Master 137
Declarant Master 133
Delivery Time Master 135
Department Master 142
Depreciation Book Master 131
Depreciation Convention Master 139
Depreciation Detail 140
Depreciation Method Detail 141
Depreciation Method Master 141
Destination Application List Detail 129
Destination Application List Master 131
Distributed Site Order Detail 147
Distributed Site Order Master 146
Distributed Site Requisition Detail 143
Distributed Site Requisition Master 145
Distribution Requirements Planning Control 143
Document Print Format Master 136
Domain Master 139
Draft Management Work Table 138

E

Earnings Master 149
E-mail Master 175

Employee Control 170
Employee Master 171
EMU Control 185
Engineering Change Approval Detail 155
Engineering Change Approval Master 151
Engineering Change Item Detail 156
Engineering Change Master 158
Engineering Change Master Lists 157
Engineering Change Product Structure Detail 151
Engineering Change Routing Detail 152
Engineering Change Text File Detail 153
Engineering Change Type Master 159
Enterprise Material Transfer Change Management Detail 97
Enterprise Material Transfer Change Management Master 97
Enterprise Material Transfer Primary Business Unit Detail 68
Entity Consolidation Detail 175
Entity Master 177
Evaluated Receipts Settlement Master 179
Exchange Rate Master 191
Exchange Rate Usage 190
Export Delivery Log 160
Export Document Log 167
Export Document Message 170
Export Document Specification Master 181
External Address Cross-Reference Detail 24
External Order Cross-Reference 160

F

Family Hierarchy Master 216
Family Item Cost Detail 235
Family Line Plan 222
Family Production and Shipment Plan 232
Family Production Backlog and Cost Plan 231
Family Production Inventory and Order Plan 231
Family Simulation Backlog and Cost Plan 243
Family Simulation Inventory and Order Plan 244
Family Simulation Production and Shipment Plan 245
Field Default Master 220
Field Help Program Master 221
Field Security Master 222
Final Assembly Control 201
Fixed Asset Account Detail 192
Fixed Asset Adjustment Master 191
Fixed Asset Batch Detail 193
Fixed Asset Batch Master 194
Fixed Asset Book Default Master 201
Fixed Asset Book Depreciation Detail 194
Fixed Asset Book Detail 197
Fixed Asset Book Master 196
Fixed Asset Calendar Detail 198
Fixed Asset Calendar Master 200
Fixed Asset Class Account Detail 198
Fixed Asset Class Master 199
Fixed Asset Component Detail 202
Fixed Asset Control 200
Fixed Asset Custodian Master 126
Fixed Asset Custom Table Detail 204
Fixed Asset Location Code Master 203
Fixed Asset Location Master 203
Fixed Asset Master 208
Fixed Asset Meter Detail 205
Fixed Asset Meter Master 205
Fixed Asset Method Master 206
Fixed Asset System Control 207
Fixed Asset Type Master 627
Fixed Assets UOP Forecast Detail 207
Flow Flex Fence Master 220
Flow Line Capacity Rate History 218
Flow Line Capacity Rate Master 219
Flow Production Line Preference Detail 360
Flow Schedule Code Detail 223
Flow Schedule Code Master 223
Flow Schedule Detail 224
Forecast Summary 213
Format Position Master 226
Freight Charge Detail 237
Freight List Master 239
Freight Rate Detail 238
Freight Rate Master 238
Freight Terms Master 247
Freight Zone Detail 238

G

General Ledger (Company) Control 114
General Ledger Calendar 252
General Ledger Calendar Detail 251
General Ledger Currency Total Detail 252
General Ledger Daybook Master 149
General Ledger Default Daybook Master 148
General Ledger Description Source Master 256
General Ledger Protocol History 254

General Ledger Report Detail 254
General Ledger Report Master 256
General Ledger Transaction History 258
General Ledger Transaction Matching Detail 257
General Ledger Transaction Matching Master 257
General Ledger Unposted Transaction Detail 261
General Ledger Work Table 260
Generalized Code Master 110
GL Entity Consolidation Detail 253
GL Report Writer Account Balance Detail 284
GL Report Writer Account Balances 268
GL Report Writer Analysis Code and Item Type Work Table 279
GL Report Writer Analysis Code Detail 270
GL Report Writer Analysis Code Explosion Work Table 285
GL Report Writer Analysis Code Link-File Detail 270
GL Report Writer Analysis Code Master 271
GL Report Writer Break Group Detail 277
GL Report Writer Budgeted Account Balance Detail 272
GL Report Writer Column Group Detail 274
GL Report Writer Column Group Master 274
GL Report Writer Control 288
GL Report Writer Definition Matrix 275
GL Report Writer Fiscal Quarter Calendar 281
GL Report Writer Group Row/Column Sequence Detail 276
GL Report Writer Image Column Detail 277
GL Report Writer Report Content Master 287
GL Report Writer Report Image Detail 278
GL Report Writer Report Image Master 280
GL Report Writer Report Image Matrix 279
GL Report Writer Row Group Detail 282
GL Report Writer Row Group Master 282
GL Report Writer Row/Column Explosion (Hierarchical) Work Table 286
GL Report Writer Row/Column Explosion (Separate) Work Table 285
GL Report Writer Selection Detail 271
GL Report Writer Text String Detail 283

H

Help Master 289
Holiday Master 288

I

Import Document Log 310
Import Document Map Detail 313
Import Document Message 313
Import Document Specification Master 326
Import/Export Control 298
Import/Export Detail 299
Import/Export History 301
Import/Export Master 303
Independent Demand Detail 315
Interface Session Master 304
Inventory Control 291
Inventory Master 318
Inventory Movement Code Master 314
Inventory Movement Site Detail 560
Inventory Status Detail 326
Inventory Status Master 330
Inventory Transaction and General Ledger Cross-Reference 612
Inventory Transaction History 615
Invoice History Credit Card Master 305
Invoice History Detail 294
Invoice History Line Charge Detail 292
Invoice History Master 307
Invoice History Relationship Detail 293
Invoice History Relationship Master 306
Invoice Schedule Control 337
Invoice Schedule Detail 316
Invoice Schedule Master 317
Invoice Sort Master 216
Item Location Detail 310
Item Lot/Serial Detail 442
Item Master 448
Item Planning Detail 443
Item Quantitative Analysis Detail 445
Item Routing Cost Detail 323
Item Routing Detail 446
Item Site Load Detail 336
Item Site Load Master 336
Item Specification Detail 319
Item Statistical Value Detail 448
Item Substitute Detail 447
Item Tax Detail 447

K

Kanban Average Demand Calculation History 343
Kanban Card Detail 344

Kanban Control 337
Kanban Demand Template Master 338
Kanban FIFO Process Detail 345
Kanban Item Master 346
Kanban Item Supermarket Detail 345
Kanban Loop Detail 347
Kanban Master 349
Kanban Maximum Demand Master 339
Kanban Planning Period Master 340
Kanban Process Item Detail 350
Kanban Process Master 351
Kanban Source Detail 349
Kanban Supermarket Master 348
Kanban Transaction History 341
Kanban Transaction History Detail 340

L

Label Control 354
Language Detail 361
Language Master 362
Line Changeover Master 88
Line Master 362
Location Allocation Detail 353
Location Detail 355
Location Master 364
Logistics Accounting Charge Code Master 354
Logistics Accounting Charge Detail 352
Logistics Accounting Control 353
Logistics Master 357
Logistics Site Detail 357
Lot Master 365
Lot Number Work Table 364

M

Mapped Export Document Detail 169
Master Bill of Lading Control 66
Master Comments 86
Master Production Schedule 375
Master Specification 375
Master Specification Detail 373
Master Specification Test History 373
Master Specification Test Results 321
Master Table Relationships 369
Material Order Control 545
Material Requirements Planning Control 376
Material Requirements Planning Detail 377
Material Requirements Planning Pegging Detail 376
Maximum Table Detail 367
Maximums Master 367
Menu Detail 370
Menu Title Detail 371
Message Master 378
Mirror Account Master 368
Model Definition Master 249
Monetary Union Master 378

N

Net Commerce Control 379
Number Range History 380
Number Range Master 381

O

Operation Transaction History 386
Operations Plan Control 385

P

Pallet Detail 389
Pallet Master 390
Payment Method Detail 61
Payment Selection Allocation Detail 60
Payment Selection Detail 62
Payment Selection Master 64
Pending Voucher Detail 453
Pending Voucher Master 454
Physical Inventory Tag Master 604
Pick List Work Table 415
Point of Use Code Master 428
Point of Use Location Detail 427
Point of Use Location Master 428
Price List Detail 399
Price List Group Customer Detail 400
Price List Group Item Detail 401
Price List Group Master 402
Price List Master 394, 405
Pricing Control 399
Pricing History 320, 403
Printer Detail 432
Printer Master 437
Printer/User Detail 632
Product Change Control 391
Product Change Control Group Detail 392
Product Change Control Group Master 392
Product Change Control Item Routing Detail 154
Product Change Control Routing Slip Detail 508

Product Change Control Routing Slip Master 508
Product Change Control Routing Slip Template Detail 507
Product Change Control Routing Slip Template Master 507
Product Change Control Test Results Detail 154
Product Change Control Type Master 393
Product Line Detail 415
Product Line Master 419
Product Line Plan 431
Product Line Requirements Master 432
Product Line Sales Detail 418
Product Line Tax Detail 419
Product Structure (Bill of Material) Master 67
Product Structure Master 438
Production Forecast Detail 395
Production Line Allocation Detail 358
Production Line Detail 359
Production Line Schedule Sequence Master 546
Products Sales History 442
Program Detail 398
Project Master 414
Project Realization Control 407
Project Realization Project Master 436
Project Realization Project Type Master 414
Project Realization Structure Master 411
Project Realization Subproject Detail 408
Project Realization Transaction History 409
Project Structure Cross-Reference Detail 410
Purchase Approval Code Master 389
Purchase Ledger Invoice Detail 416
Purchase Ledger Invoice Master 417
Purchase Order Control 422
Purchase Order Detail 424
Purchase Order Line Cost Element Detail 391
Purchase Order Master 429
Purchase Order Receipt History 433
Purchase Shipper Control 438

Q

Q/LinQ Control 467
QAD Table Extension 471
QAD Work Table 456
Quality Control Order Detail 457
Quality Control Order Master 458
Quality Inspection Routing Detail 470
Quality Order Control 457
Quality Order Test Steps 470
Quality Sampling Pattern Master 458
Quality Test Bill Detail 467

R

Raw Export Document Detail 178
Raw Import Document Detail 322
Reason Code Master 506
Release Management Schedule Detail 538
Release Management Schedule Master 539
Repetitive Control 491
Repetitive Production Schedule Master 492
Requirement Detail 500
Requirement Master 504
Requisition Approval Detail 495
Requisition Approval Level Master 500
Requisition Approver Master 493
Requisition Category Detail 494
Requisition Category Master 495
Requisition Control 498
Requisition Detail 481, 496
Requisition History 498
Requisition Job Master 499
Requisition Master 501
Requisition/PO Cross-Reference 503
Reserved Locations Detail 363
Resource Master 509
Resource Requirements Detail 506
Retrobill Master 472
Return Material Authorization Control 485
Return Material Authorization Detail 487
Return Material Authorization Detail History 482
Return Material Authorization Master 484
Return Status Master 236
Role Master 504
Rounding Method Master 489
Routing Operation Detail 490

S

Sales Order Configuration Bill Detail 566
Sales Order Configuration Bill History 289
Sales Order Control 567
Sales Order Credit Card Master 566
Sales Order Detail 571
Sales Order Detail Container Charges 9
Sales Order Detail Line Charges 569
Sales Order Discount Master 544

Sales Order Master 578
Sales Order Relationship Detail 570
Sales Order Relationship Master 576
Sales Order Shipment Reason Detail 577
Sales Order Shipment Reason Master 577
Sales Quotation Configuration Bill Detail 460
Sales Quotation Control 460
Sales Quotation Detail 462
Sales Quotation Master 464
Sales Quotation Relationship Detail 461
Sales Quotation Relationship Master 464
Salesperson Commission Detail 582
Salesperson Control 582
Salesperson Master 584
Salesperson Sales History 583
Scheduled Order Cross-Reference 542
Seasonal Build Detail 214
Self-Bill Control 532
Self-Bill Detail 533
Self-Bill Master 535
Serial Number Work Table 589
Service Agreement Terms and Conditions Master 597
Service Category Master 240
Service Contract Additional Charge Master 536
Service Contract Billing Detail 509
Service Contract Control 511
Service Contract Deferred/Accrued Revenue Detail 134
Service Contract Detail 515
Service Contract Detail History 512
Service Contract History 518
Service Contract Master 528
Service Contract Preventive Maintenance Detail 525
Service Contract Serial Number Master 527
Service Request Control 585
Service Request Master 587
Service/Repair Order Control 585
Service/Repair Order Master 585
Service/Support Billing Cycle Master 531
Service/Support Billing Detail 547
Service/Support Billing History 549
Service/Support Call Activity Detail 241
Service/Support Call Default Master 84
Service/Support Call Fault Code Master 79
Service/Support Call History 69
Service/Support Call History Master 88
Service/Support Call Item Detail 333
Service/Support Call Item History 330
Service/Support Call Master 73
Service/Support Call Master Control 68
Service/Support Call Queue Master 72
Service/Support Call Status Master 72
Service/Support Call Type Master 213
Service/Support Charge Code Master 212
Service/Support Charge Code Product Line Master 210
Service/Support Contract Billing Control 59
Service/Support Contract Limits History 521
Service/Support Contract Limits Master 523
Service/Support Cross-Reference Master 118
Service/Support Custom Program Detail 371
Service/Support Custom Program Parameter Detail 374
Service/Support Default Charge Code Master 211
Service/Support End User Control 186
Service/Support End User Detail 186
Service/Support End User Master 187
Service/Support Engineer Availability Master 161
Service/Support Engineer Master 176
Service/Support Engineer Message Master 173
Service/Support Engineer Problem/Skills Detail 164
Service/Support Engineer Schedule Control 162
Service/Support Engineer Schedule Detail 163
Service/Support Engineer Schedule Master 180
Service/Support Engineer Selection Work Table 166
Service/Support Engineer Status Master 183
Service/Support Engineer Tracking Master 165
Service/Support Escalation and Repair Master 183
Service/Support Escalation Control 179
Service/Support Field Notification Detail 226
Service/Support Field Notification History 227
Service/Support Field Notification Master 229
Service/Support Holiday Master 242
Service/Support Installed Base Item Master 324
Service/Support Installed Base Structure 328
Service/Support Installed Configuration Detail 290
Service/Support Item-Site Detail 395
Service/Support Kit Master 217
Service/Support Management Control 594
Service/Support On Call Master 382
Service/Support Paging Control 397
Service/Support Paging History 397
Service/Support Parent/Child Relationship Master 608
Service/Support Price Indexing Master 233

Service/Support Pricing Master 234
Service/Support Region Master 480
Service/Support Return Defaults Master 478
Service/Support Time Zone Detail 628
Service/Support Time Zone Master 629
Service/Support Trace History 246
Service/Support User Preference Master 245
Service/Support Work Code Master 248
Shift Detail 554
Ship Via Master 560
Shipment Carrier Detail 10
Shipment Detail Line Charges 11
Shipment Detail/Invoice Number Cross-Reference 561
Shipment Line Item Detail 10
Shipment Performance Control 556
Shipment Performance Detail History 557
Shipment Performance History 558
Shipment Requirement Detail 12
Shipment Sequence Detail 13
Shipment Trailer Detail 559
Shipper Control 553
Shipper Information Master 11
Shipper User Field Detail 592
Shipper User Field Master 593
Shipping Delivery Time Detail 543
Shipping Delivery Time Master 544
Shipping Group Address Detail 551
Shipping Group and Inventory Movement Code Detail 552
Shipping Group Carrier Detail 551
Shipping Group Master 553
Shipping Schedule Control 505
Shipping Schedule Detail 554
Shipping Schedule Master 555
Ship-To/Container Master 81
Ship-To/Container Price List Detail 80
Shop Calendar 556
Shop Floor Operation General Ledger Detail 383
Shop Floor Operation History Control 383
Simulated Forecast Master 214
Simulation Line Plan 243
Site Cost Detail 124
Site Linking Rules Detail 564
Site Linking Rules Master 564
Site Master 563
Site/Item Model Definition Master 250
Source Matrix Master 565
Source of Supply Detail 589
Source of Supply Master 590
Standard Operation Master 384
Statistical Value Calculation Master 329
Sub-Account Master 536
Sub-Account/Account Validation Detail 532
Supplier Consignment Control 110
Supplier Consignment Receipt Inventory Master 107
Supplier Consignment Receipt Usage Detail 108
Supplier Consignment Receipt Usage Master 109
Supplier Consignment Supplier/Item Master 108
Supplier Control 639
Supplier Fiscal Data Master 639
Supplier Item Master 659
Supplier Master 640
Supplier Performance Category Detail 643
Supplier Performance Category Master 643
Supplier Performance Control 645
Supplier Performance Cross-Reference Master 654
Supplier Performance Detail 646
Supplier Performance Event Master 644
Supplier Performance Master 647
Supplier Performance Registration Detail 650
Supplier Performance Registration Master 650
Supplier Performance Summary Detail 652
Supplier Performance Summary Master 653
Supplier Performance Weighting Factor Master 654
Suspended Tax Master 592
Sync Profile Join Detail 600
Synch Profile Detail 599
Synch Profile Master 603
Synch Profile Subscription Detail 602
Synchronization Table-Field Master 604
System/Account Control 263

T

Table Attribute Detail 250
Table Change Detail 607
Table Change Master 607
Tax Base Detail 621
Tax Control 621
Tax Detail 606, 618
Tax Environment Detail 622
Tax Environment Master 623
Tax History Detail 624
Tax Master 606, 619

Tax Register Detail 625
Tax Register Master 626
Tax Zone Master 627
Terms of Trade Detail 611
Terms of Trade Master 611
Time-Based/Quantity-Based Status Code Detail 590
Time-Based/Quantity-Based Status Code Master 591
Trailer Master 614
Trailer Tax Detail 613
Transaction Comments 99
Transaction Cost Detail 612
Transaction Export Master 609
Transmission Date Reference Master 614
Transportation Master 610

U

Unit of Measure Conversion Master 631
URL Master 632
User Control 635
User Domain Detail 629
User Function Key Detail 630
User Group Detail 636
User Group Master 636
User Licensed Application Detail 637
User Logon History 634
User Master 638
User Message Detail 630
User Password History 634
User Work Table 637

V

Value Added Tax Control 660
Value Added Tax Master 661
Version Control 660
Voucher Detail 655
Voucher Invoice History 658
Voucher Master 656
Voucher Purchase Order Detail 659

W

Warehouse Location Master 663
WIP Lot Inventory Detail 668
WIP Lot Master 672
WIP Lot Trace BOM Control Detail 664
WIP Lot Trace BOM Control Master 665
WIP Lot Trace Control 667
WIP Lot Trace Master 671
WIP Lot Trace Routing Control Detail 669
WIP Lot Trace Routing Control Master 670
Withholding Tax Master 683
Work Center Master 662
Work Center Routing Standards 661
Work Order Control 674
Work Order Detail 674
Work Order Master 676
Work Order Routing 680