



QAD Enterprise Applications 2008  
Enterprise Edition

**Technical Reference**  
**Database Definitions**  
**Part 2**

78-0757A  
QAD 2008 Enterprise Edition  
June 2008

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2008 by QAD Inc.

**QAD Inc.**

100 Innovation Place

Santa Barbara, California 93108

Phone (805) 684-6614

Fax (805) 684-1890

<http://www.qad.com>

# Contents

## Section 1 Database Definitions (Continued) ..... 501

|                |                                                    |     |
|----------------|----------------------------------------------------|-----|
| iss_mstr       | Service/Support Installed Base Structure.....      | 502 |
| isvc_mstr      | Statistical Value Calculation Master .....         | 503 |
| is_mstr        | Inventory Status Master .....                      | 503 |
| ItemSafDefault | Item Saf Default.....                              | 504 |
| ItemUnit       | Item Unit .....                                    | 504 |
| ItemVatLevel   | Item Tax Level .....                               | 505 |
| ItemWarehouse  | Item Warehouse .....                               | 505 |
| itmh_hist      | Service/Support Call Item History .....            | 506 |
| itm_det        | Service/Support Call Item Detail .....             | 508 |
| itsd_det       | Item Site Load Detail .....                        | 511 |
| its_mstr       | Item Site Load Master .....                        | 512 |
| ivs_ctrl       | Invoice Schedule Control .....                     | 512 |
| Journal        | Daybook .....                                      | 513 |
| JournalType    | Daybook Type .....                                 | 514 |
| kbc_ctrl       | Kanban Control .....                               | 514 |
| kbd_t_mstr     | Kanban Demand Template Master .....                | 516 |
| kbmd_mstr      | Kanban Maximum Demand Master .....                 | 516 |
| kbpp_mstr      | Kanban Planning Period Master.....                 | 517 |
| kbtrd_det      | Kanban Transaction History Detail .....            | 518 |
| kbtrr_det      | Kanban Transaction Reject Detail.....              | 518 |
| kbtr_hist      | Kanban Transaction History .....                   | 519 |
| kenb_det       | Ending Inventory Balance and Cost by Location..... | 521 |
| kia_mstr       | Inventory Account Change Master .....              | 522 |
| knbadc_hist    | Kanban Average Demand Calculation History .....    | 524 |
| knbcd_det      | Kanban Cards Dispatch History .....                | 524 |
| knbdd_mstr     | Kanban Document Definition Master.....             | 526 |
| knbd_det       | Kanban Card Detail .....                           | 527 |
| knbfd_det      | Kanban FIFO Process Detail.....                    | 529 |
| knbism_det     | Kanban Item Supermarket Detail .....               | 529 |
| knbi_mstr      | Kanban Item Master .....                           | 530 |
| knble_det      | Kanban Loop Event Detail.....                      | 531 |
| knbl_det       | Kanban Loop Detail.....                            | 532 |

|                    |                                                                          |     |
|--------------------|--------------------------------------------------------------------------|-----|
| <b>knbrs_mstr</b>  | Kanban Dispatch Release Schedule .....                                   | 533 |
| <b>knbsm_mstr</b>  | Kanban Supermarket Master .....                                          | 534 |
| <b>knbs_det</b>    | Kanban Source Detail .....                                               | 534 |
| <b>knb_mstr</b>    | Kanban Master .....                                                      | 535 |
| <b>knpd_det</b>    | Kanban Process Item Detail .....                                         | 536 |
| <b>knpm_mstr</b>   | Kanban Process Master .....                                              | 537 |
| <b>kstc_det</b>    | Ending Inventory Balance by Site .....                                   | 538 |
| <b>LabourC</b>     | Warehousing Labour Management Control .....                              | 538 |
| <b>lacd_det</b>    | Logistics Accounting Charge Detail .....                                 | 539 |
| <b>lac_ctrl</b>    | Logistics Accounting Control .....                                       | 540 |
| <b>lad_det</b>     | Location Allocation Detail .....                                         | 540 |
| <b>LaneAssD</b>    | Warehousing Lane Assignment Detail .....                                 | 541 |
| <b>LaneAssM</b>    | Warehousing Lane Assignment Master .....                                 | 542 |
| <b>LaneGroupD</b>  | Warehousing Lane Group Detail .....                                      | 543 |
| <b>LaneGroupM</b>  | Warehousing Lane Group Master .....                                      | 544 |
| <b>LaneM</b>       | Warehousing Lane Master .....                                            | 545 |
| <b>Layer</b>       | Layer .....                                                              | 547 |
| <b>lbic_ctrl</b>   | Label Control .....                                                      | 548 |
| <b>lc_mstr</b>     | Logistics Accounting Charge Code Master .....                            | 548 |
| <b>ld_det</b>      | Location Detail .....                                                    | 549 |
| <b>lgdc_ctrl</b>   | Legal Document Control .....                                             | 550 |
| <b>lgdd_det</b>    | Legal Document Detail Table .....                                        | 551 |
| <b>lgdnr_det</b>   | Legal Document Address and Sequence ID Detail .....                      | 552 |
| <b>lgdtx_det</b>   | Legal Document Tax Usage of Simultaneous<br>Operation Setup Detail ..... | 553 |
| <b>lgd_mstr</b>    | Legal Document Master .....                                              | 553 |
| <b>lgsi_det</b>    | Logistics Site Detail .....                                              | 555 |
| <b>lgs_mstr</b>    | Logistics Master .....                                                   | 556 |
| <b>lna_det</b>     | Production Line Allocation Detail .....                                  | 557 |
| <b>lnd_det</b>     | Production Line Detail .....                                             | 558 |
| <b>lnf_det</b>     | Flow Production Line Preference Detail .....                             | 559 |
| <b>Lng</b>         | Language .....                                                           | 560 |
| <b>lngd_det</b>    | Language Detail .....                                                    | 560 |
| <b>lng_mstr</b>    | Language Master .....                                                    | 561 |
| <b>ln_mstr</b>     | Line Master .....                                                        | 561 |
| <b>LoadD</b>       | Warehousing Load Detail .....                                            | 562 |
| <b>LoadM</b>       | Warehousing Load Master .....                                            | 563 |
| <b>LoadMasterM</b> | Warehousing Load Master Master .....                                     | 564 |
| <b>LoadSAddrD</b>  | Warehousing Load Setup Address Detail .....                              | 566 |
| <b>LoadSetupM</b>  | Warehousing Load Setup Master .....                                      | 567 |
| <b>LoadSItemD</b>  | Warehousing Load Setup Item Detail .....                                 | 568 |
| <b>LocalExitC</b>  | Warehousing Local Exit Routine Control .....                             | 570 |
| <b>locc_det</b>    | Reserved Locations Detail .....                                          | 571 |
| <b>LocDefD</b>     | Warehousing Location Definition Detail .....                             | 572 |
| <b>LocDefM</b>     | Warehousing Location Definition Master .....                             | 573 |
| <b>LocForD</b>     | Warehousing Location Forecast Detail .....                               | 573 |
| <b>LocM</b>        | Warehousing Location Master .....                                        | 575 |

|                         |                                                      |     |
|-------------------------|------------------------------------------------------|-----|
| <b>LocUMM</b>           | Warehousing Location Unit of Measure Master .....    | 577 |
| <b>LocW</b>             | Warehousing Location Work Table .....                | 578 |
| <b>loc_mstr</b>         | Location Master .....                                | 579 |
| <b>lotw_wkfl</b>        | Lot Number Work Table .....                          | 580 |
| <b>lot_mstr</b>         | Lot Master .....                                     | 580 |
| <b>ls_mstr</b>          | Address List Detail .....                            | 581 |
| <b>ManhourSurcharge</b> | Manhour Surcharge.....                               | 582 |
| <b>maxt_det</b>         | Maximum Table Detail.....                            | 582 |
| <b>max_mstr</b>         | Maximums Master .....                                | 583 |
| <b>ma_mstr</b>          | Mirror Account Master .....                          | 584 |
| <b>mfc_ctrl</b>         | Control Work Table .....                             | 584 |
| <b>mfrel_mstr</b>       | Master Table Relationships.....                      | 585 |
| <b>mfsd_det</b>         | QAD Mobile Field Service User Detail .....           | 586 |
| <b>MirroringGL</b>      | Mirroring Account .....                              | 587 |
| <b>MirroringJournal</b> | Mirroring Daybook.....                               | 588 |
| <b>mnd_det</b>          | Menu Detail .....                                    | 589 |
| <b>mnp_det</b>          | Service/Support Custom Program Detail .....          | 589 |
| <b>mnt_det</b>          | Menu Title Detail .....                              | 590 |
| <b>mon_mstr</b>         | User Activity Monitor .....                          | 590 |
| <b>mpd_det</b>          | Master Specification Detail .....                    | 591 |
| <b>mph_hist</b>         | Master Specification Test History .....              | 592 |
| <b>mpp_det</b>          | Service/Support Custom Program Parameter Detail..... | 592 |
| <b>mps_mstr</b>         | Master Production Schedule .....                     | 593 |
| <b>mp_mstr</b>          | Master Specification .....                           | 594 |
| <b>mrpc_ctrl</b>        | Material Requirements Planning Control.....          | 594 |
| <b>mrpp_det</b>         | Material Requirements Planning Pegging Detail.....   | 595 |
| <b>mrp_det</b>          | Material Requirements Planning Detail .....          | 595 |
| <b>MsgBrokerSetting</b> | Message Broker Setting .....                         | 596 |
| <b>msg_mstr</b>         | Message Master.....                                  | 597 |
| <b>mu_mstr</b>          | Monetary Union Master .....                          | 597 |
| <b>ncc_ctrl</b>         | Net Commerce Control.....                            | 598 |
| <b>Nomenclature</b>     | Nomenclature .....                                   | 599 |
| <b>nrh_hist</b>         | Number Range History.....                            | 600 |
| <b>nr_mstr</b>          | Number Range Master .....                            | 600 |
| <b>nsoc_ctrl</b>        | Non-Sales Order Control.....                         | 601 |
| <b>oa_det</b>           | Action Message Detail.....                           | 602 |
| <b>ObjectStatus</b>     | Object Status .....                                  | 603 |
| <b>ocm_mstr</b>         | Service/Support On Call Master .....                 | 603 |
| <b>opc_ctrl</b>         | Shop Floor Operation History Control .....           | 604 |
| <b>opgl_det</b>         | Shop Floor Operation General Ledger Detail.....      | 604 |
| <b>opm_mstr</b>         | Standard Operation Master .....                      | 605 |
| <b>ops_ctrl</b>         | Operations Plan Control .....                        | 606 |
| <b>op_hist</b>          | Operation Transaction History.....                   | 607 |
| <b>OrdAllocD</b>        | Warehousing Order Allocation Detail .....            | 610 |
| <b>OrdAllocH</b>        | Warehousing Order Allocation History .....           | 611 |
| <b>OrderD</b>           | Warehousing Order Detail.....                        | 612 |
| <b>OrderM</b>           | Warehousing Order Master .....                       | 615 |

|                               |                                                      |     |
|-------------------------------|------------------------------------------------------|-----|
| <b>OrderSelID</b>             | Warehousing Order Batch Selection Detail .....       | 616 |
| <b>OrderSelM</b>              | Warehousing Order Batch Selection Master .....       | 617 |
| <b>pac_mstr</b>               | Purchase Approval Code Master .....                  | 619 |
| <b>pald_det</b>               | Pallet Detail .....                                  | 619 |
| <b>pal_mstr</b>               | Pallet Master .....                                  | 620 |
| <b>PartSLGM</b>               | Warehousing Item/Storage Location Group Master ..... | 621 |
| <b>PartWhseM</b>              | Warehousing Item/Warehouse Master .....              | 622 |
| <b>PayFormatCode</b>          | Pay Format Code .....                                | 623 |
| <b>PayFormatGroup</b>         | Pay Format Group .....                               | 624 |
| <b>PayFormatType</b>          | Pay Format Type .....                                | 624 |
| <b>PaymentCondition</b>       | Credit Terms .....                                   | 625 |
| <b>PaymentConditionStaged</b> | Staged Payment .....                                 | 626 |
| <b>PaymentGroup</b>           | Payment Group .....                                  | 627 |
| <b>PaySel</b>                 | Payment Selection .....                              | 627 |
| <b>PaySelHistory</b>          | Pay Sel Hist .....                                   | 629 |
| <b>PaySelLine</b>             | Payment Selection Line .....                         | 629 |
| <b>PaySelLineStage</b>        | Payment Selection Line Stage .....                   | 630 |
| <b>PaySelPayCode</b>          | Payment Selection Pay Code .....                     | 630 |
| <b>PaySelPrepay</b>           | Payment Selection Prepayment .....                   | 630 |
| <b>pcc_ctrl</b>               | Product Change Control .....                         | 631 |
| <b>pcd_det</b>                | Purchase Order Line Cost Element Detail .....        | 632 |
| <b>pcld_det</b>               | Product Change Control Group Detail .....            | 632 |
| <b>pcl_mstr</b>               | Product Change Control Group Master .....            | 633 |
| <b>pct_mstr</b>               | Product Change Control Type Master .....             | 633 |
| <b>pc_mstr</b>                | Price List Master .....                              | 634 |
| <b>Period</b>                 | GL Period .....                                      | 635 |
| <b>PeriodMark</b>             | Period Mark .....                                    | 636 |
| <b>pfc_det</b>                | Production Forecast Detail .....                     | 637 |
| <b>pfd_det</b>                | Service/Support Item-Site Detail .....               | 638 |
| <b>pgc_ctrl</b>               | Service/Support Paging Control .....                 | 639 |
| <b>pgh_hist</b>               | Service/Support Paging History .....                 | 640 |
| <b>pgm_det</b>                | Program Detail .....                                 | 640 |
| <b>pic_ctrl</b>               | Pricing Control .....                                | 641 |
| <b>pid_det</b>                | Price List Detail .....                              | 642 |
| <b>pigc_det</b>               | Price List Group Customer Detail .....               | 642 |
| <b>pigp_det</b>               | Price List Group Item Detail .....                   | 643 |
| <b>pig_mstr</b>               | Price List Group Master .....                        | 644 |
| <b>pih_hist</b>               | Pricing History .....                                | 645 |
| <b>pi_mstr</b>                | Price List Master .....                              | 648 |
| <b>pjc_ctrl</b>               | Project Realization Control .....                    | 650 |
| <b>pjd_det</b>                | Project Realization Subproject Detail .....          | 651 |
| <b>pjsh_hist</b>              | Project Realization Transaction History .....        | 652 |
| <b>pjsx_det</b>               | Project Structure Cross-Reference Detail .....       | 653 |
| <b>pjs_mstr</b>               | Project Realization Structure Master .....           | 654 |
| <b>pjt_mstr</b>               | Project Realization Project Type Master .....        | 656 |
| <b>pj_mstr</b>                | Project Master .....                                 | 657 |
| <b>pk_det</b>                 | Pick List Work Table .....                           | 657 |

|                           |                                          |     |
|---------------------------|------------------------------------------|-----|
| <b>pld_det</b>            | Product Line Detail .....                | 658 |
| <b>pliabs_ref</b>         | Legal Document Cross-Reference .....     | 659 |
| <b>plid_det</b>           | Purchase Ledger Invoice Detail .....     | 659 |
| <b>pli_mstr</b>           | Purchase Ledger Invoice Master .....     | 660 |
| <b>plsd_det</b>           | Product Line Sales Detail .....          | 661 |
| <b>plt_det</b>            | Product Line Tax Detail .....            | 662 |
| <b>pl_mstr</b>            | Product Line Master .....                | 662 |
| <b>poad_det</b>           | Purchase Order Allocation Detail .....   | 666 |
| <b>poa_mstr</b>           | Purchase Order Allocation Master .....   | 666 |
| <b>poc_ctrl</b>           | Purchase Order Control .....             | 667 |
| <b>pod_det</b>            | Purchase Order Detail .....              | 668 |
| <b>Posting</b>            | Posting .....                            | 671 |
| <b>PostingHist</b>        | Posting History .....                    | 674 |
| <b>PostingLine</b>        | Posting Line .....                       | 675 |
| <b>PostingSaf</b>         | Posting Saf .....                        | 677 |
| <b>PostingSafCombined</b> | Posting Saf Combined .....               | 679 |
| <b>PostingSafHist</b>     | Posting Hist SAF .....                   | 679 |
| <b>PostingTemplate</b>    | Posting Template .....                   | 680 |
| <b>PostingVat</b>         | Posting Tax .....                        | 681 |
| <b>PostingVatDelay</b>    | Posting Tax Delayed .....                | 683 |
| <b>pould_det</b>          | Point of Use Location Detail .....       | 684 |
| <b>poul_mstr</b>          | Point of Use Location Master .....       | 685 |
| <b>pou_mstr</b>           | Point of Use Code Master .....           | 685 |
| <b>po_mstr</b>            | Purchase Order Master .....              | 686 |
| <b>pp_plan</b>            | Product Line Plan .....                  | 688 |
| <b>pq_mstr</b>            | Product Line Requirements Master .....   | 689 |
| <b>prd_det</b>            | Printer Detail .....                     | 690 |
| <b>PrefixC</b>            | Warehousing Prefix Set Control .....     | 690 |
| <b>PreInvoiceBank</b>     | Pre-Invoice Bank .....                   | 691 |
| <b>PreInvoiceLineDet</b>  | Pre-Invoice Line Detail .....            | 692 |
| <b>PreInvoiceLineSaf</b>  | Pre-Invoice Line SAF .....               | 693 |
| <b>PreInvoiceLineXRef</b> | Pre-Invoice Line SO Line Plan .....      | 693 |
| <b>PreInvoiceRev</b>      | Pre-Invoice Revision .....               | 694 |
| <b>PreInvoiceSaf</b>      | Pre-Invoice Saf .....                    | 694 |
| <b>PreInvoiceStage</b>    | Pre-Invoice Stage .....                  | 694 |
| <b>prh_hist</b>           | Purchase Order Receipt History .....     | 695 |
| <b>Price</b>              | Price .....                              | 697 |
| <b>prj_mstr</b>           | Project Realization Project Master ..... | 699 |
| <b>Profile</b>            | Profile .....                            | 701 |
| <b>ProfileLink</b>        | Profile Link .....                       | 701 |
| <b>ProfileType</b>        | Profile Type .....                       | 701 |
| <b>Project</b>            | Project .....                            | 702 |
| <b>ProjectGroup</b>       | Project Group .....                      | 704 |
| <b>ProjectRevCalc</b>     | Project Revenue Calculation .....        | 704 |
| <b>ProjectRevCode</b>     | Project Revenue Code .....               | 705 |
| <b>ProjectSafDefault</b>  | Project Saf Default .....                | 706 |
| <b>ProjectStatus</b>      | Project Status .....                     | 706 |

|                         |                                                  |     |
|-------------------------|--------------------------------------------------|-----|
| <b>pr_mstr</b>          | Printer Master .....                             | 707 |
| <b>pshc_ctrl</b>        | Purchase Shipper Control .....                   | 708 |
| <b>ps_mstr</b>          | Product Structure Master .....                   | 708 |
| <b>pta_det</b>          | Associated Item Detail .....                     | 710 |
| <b>ptc_det</b>          | Container Item Detail .....                      | 711 |
| <b>pth_hist</b>         | Products Sales History .....                     | 711 |
| <b>pti_det</b>          | Item Inventory Data .....                        | 712 |
| <b>ptls_det</b>         | Item Lot/Serial Detail .....                     | 713 |
| <b>ptp_det</b>          | Item Planning Detail .....                       | 714 |
| <b>ptqa_det</b>         | Item Quantitative Analysis Detail .....          | 716 |
| <b>ptre_det</b>         | Item Replacement Detail .....                    | 717 |
| <b>ptr_det</b>          | Item Routing Detail .....                        | 718 |
| <b>pts_det</b>          | Item Substitute Detail .....                     | 719 |
| <b>ptt_det</b>          | Item Tax Detail .....                            | 719 |
| <b>ptv_det</b>          | Item Statistical Value Detail .....              | 721 |
| <b>pt_mstr</b>          | Item Master .....                                | 721 |
| <b>PurchaseCode</b>     | Purchase Code .....                              | 727 |
| <b>PurchaseGLMatrix</b> | Purchase GL Matrix .....                         | 728 |
| <b>PurchaseType</b>     | Purchase Type .....                              | 728 |
| <b>pvod_det</b>         | Pending Voucher Detail .....                     | 729 |
| <b>pvo_mstr</b>         | Pending Voucher Master .....                     | 730 |
| <b>qaddb_ctrl</b>       | Database Control for QADDB .....                 | 732 |
| <b>qaddb_ver</b>        | Table name identifies the database type .....    | 732 |
| <b>qad_wkfl</b>         | QAD Work Table .....                             | 732 |
| <b>qcc_ctrl</b>         | Quality Order Control .....                      | 733 |
| <b>qcd_det</b>          | Quality Control Order Detail .....               | 733 |
| <b>qcs_mstr</b>         | Quality Sampling Pattern Master .....            | 734 |
| <b>qc_mstr</b>          | Quality Control Order Master .....               | 735 |
| <b>qob_det</b>          | Sales Quotation Configuration Bill Detail .....  | 736 |
| <b>qoc_ctrl</b>         | Sales Quotation Control .....                    | 737 |
| <b>qodr_det</b>         | Sales Quotation Relationship Detail .....        | 738 |
| <b>qod_det</b>          | Sales Quotation Detail .....                     | 738 |
| <b>qor_mstr</b>         | Sales Quotation Relationship Master .....        | 740 |
| <b>qo_mstr</b>          | Sales Quotation Master .....                     | 741 |
| <b>QPostingSaf</b>      | Queue Posting Saf (Queue for Daemon) .....       | 744 |
| <b>qps_det</b>          | Quality Test Bill Detail .....                   | 744 |
| <b>qqc_ctrl</b>         | Q/LinQ Control .....                             | 745 |
| <b>qro_det</b>          | Quality Inspection Routing Detail .....          | 746 |
| <b>qr_test</b>          | Quality Order Test Steps .....                   | 747 |
| <b>qtbl_ext</b>         | QAD Table Extension .....                        | 748 |
| <b>rbm_mstr</b>         | Retrobill Master .....                           | 749 |
| <b>rcc_mstr</b>         | Customer Sequence Schedule Master .....          | 749 |
| <b>rcf_ctrl</b>         | Customer Sequence Schedule Control .....         | 750 |
| <b>rcsd_det</b>         | Customer Sequence Schedule Detail .....          | 751 |
| <b>rcsx_ref</b>         | Customer Sequence Schedule Cross-Reference ..... | 753 |
| <b>rcc_mstr</b>         | Customer Schedule Master .....                   | 754 |
| <b>rdf_mstr</b>         | Service/Support Return Defaults Master .....     | 755 |



|                           |                                                      |     |
|---------------------------|------------------------------------------------------|-----|
| <b>Reason</b>             | Invoice Status Code .....                            | 756 |
| <b>RecEntry</b>           | Recurring Entry .....                                | 758 |
| <b>RecEntryLine</b>       | Recurring Entry Line .....                           | 759 |
| <b>RegulationPlan</b>     | Regulation Plan .....                                | 759 |
| <b>reg_mstr</b>           | Service/Support Region Master .....                  | 760 |
| <b>RelStatM</b>           | Warehousing Release Status Master .....              | 761 |
| <b>ReplenC</b>            | Warehousing Replenishment Control .....              | 762 |
| <b>RepListD</b>           | Warehousing Replenishment List Detail .....          | 763 |
| <b>RepListM</b>           | Warehousing Replenishment List Master .....          | 764 |
| <b>RepLocM</b>            | Warehousing Replenishment Location Master .....      | 766 |
| <b>ReportPeriod</b>       | Reporting Period .....                               | 767 |
| <b>RepSLGM</b>            | Warehousing Replenishment SLG Master .....           | 768 |
| <b>req_det</b>            | Requisition Detail .....                             | 769 |
| <b>Resources</b>          | Resource .....                                       | 770 |
| <b>Reval</b>              | Revaluation .....                                    | 771 |
| <b>RevalDet</b>           | Revaluation Detail .....                             | 772 |
| <b>RevalGL</b>            | Revaluation GL .....                                 | 772 |
| <b>RevalGLSafCombined</b> | Revaluation Saf Combined .....                       | 773 |
| <b>RevalHeader</b>        | Revaluation Header .....                             | 774 |
| <b>RevalRate</b>          | Revaluation Rate .....                               | 774 |
| <b>RevisionIndex</b>      | Revision Index .....                                 | 774 |
| <b>RGD</b>                | Warehousing Release Group Detail .....               | 775 |
| <b>RGM</b>                | Warehousing Release Group Master .....               | 776 |
| <b>rhd_hist</b>           | Return Material Authorization Detail History .....   | 778 |
| <b>rma_mstr</b>           | Return Material Authorization Master .....           | 780 |
| <b>rmc_ctrl</b>           | Return Material Authorization Control .....          | 781 |
| <b>rmd_det</b>            | Return Material Authorization Detail .....           | 783 |
| <b>rndc_mstr</b>          | Country Code and Currency with Rounding Method ..... | 785 |
| <b>rnd_mstr</b>           | Rounding Method Master .....                         | 786 |
| <b>Role</b>               | Role .....                                           | 786 |
| <b>RoleResource</b>       | Link Role-Resource .....                             | 788 |
| <b>RoundingMethod</b>     | Rounding Method .....                                | 788 |
| <b>ro_det</b>             | Routing Operation Detail .....                       | 788 |
| <b>rpc_ctrl</b>           | Repetitive Control .....                             | 790 |
| <b>rps_mstr</b>           | Repetitive Production Schedule Master .....          | 791 |
| <b>rqa_mstr</b>           | Requisition Approver Master .....                    | 791 |
| <b>rqcd_det</b>           | Requisition Category Detail .....                    | 793 |
| <b>rqc_mstr</b>           | Requisition Category Master .....                    | 793 |
| <b>rqda_det</b>           | Requisition Approval Detail .....                    | 794 |
| <b>rqd_det</b>            | Requisition Detail .....                             | 794 |
| <b>rqf_ctrl</b>           | Requisition Control .....                            | 796 |
| <b>rqh_hist</b>           | Requisition History .....                            | 797 |
| <b>rqj_mstr</b>           | Requisition Job Master .....                         | 798 |
| <b>rql_mstr</b>           | Requisition Approval Level Master .....              | 798 |
| <b>rqm_det</b>            | Requirement Detail .....                             | 799 |
| <b>rqm_mstr</b>           | Requisition Master .....                             | 799 |
| <b>rqpo_ref</b>           | Requisition/PO Cross-Reference .....                 | 801 |

|                         |                                                           |     |
|-------------------------|-----------------------------------------------------------|-----|
| <b>rqr_mstr</b>         | Role Master .....                                         | 803 |
| <b>rq_mstr</b>          | Requirement Master .....                                  | 803 |
| <b>rsc_ctrl</b>         | Shipping Schedule Control .....                           | 804 |
| <b>rsd_det</b>          | Resource Requirements Detail .....                        | 805 |
| <b>rsn_ref</b>          | Reason Code Master .....                                  | 805 |
| <b>rstd_det</b>         | Product Change Control Routing Slip Template Detail ..... | 806 |
| <b>rst_mstr</b>         | Product Change Control Routing Slip Template Master ..... | 806 |
| <b>rsud_det</b>         | Product Change Control Routing Slip Detail .....          | 807 |
| <b>rsu_mstr</b>         | Product Change Control Routing Slip Master .....          | 807 |
| <b>rs_mstr</b>          | Resource Master .....                                     | 808 |
| <b>RunD</b>             | Warehousing Program Execution Detail .....                | 808 |
| <b>sab_det</b>          | Service Contract Billing Detail .....                     | 809 |
| <b>sac_ctrl</b>         | Service Contract Control .....                            | 811 |
| <b>sadh_hist</b>        | Service Contract Detail History .....                     | 813 |
| <b>sad_det</b>          | Service Contract Detail .....                             | 815 |
| <b>Saf</b>              | Saf .....                                                 | 818 |
| <b>SafConcept</b>       | Saf Concept .....                                         | 819 |
| <b>SafStructure</b>     | Saf Structure .....                                       | 820 |
| <b>SafStructureLine</b> | Saf Structure Line .....                                  | 821 |
| <b>SafStructureLink</b> | Saf Structure Link .....                                  | 822 |
| <b>sah_hist</b>         | Service Contract History .....                            | 823 |
| <b>SalesCode</b>        | Sales Code .....                                          | 826 |
| <b>SalesGLMatrix</b>    | Sales GL Matrix .....                                     | 827 |
| <b>salh_hist</b>        | Service/Support Contract Limits History .....             | 828 |
| <b>sal_mstr</b>         | Service/Support Contract Limits Master .....              | 830 |
| <b>sap_det</b>          | Service Contract Preventive Maintenance Detail .....      | 832 |
| <b>sar_mstr</b>         | Service Contract Serial Number Master .....               | 833 |
| <b>sa_mstr</b>          | Service Contract Master .....                             | 834 |
| <b>sbc_mstr</b>         | Service/Support Billing Cycle Master .....                | 837 |
| <b>sbd_det</b>          | Sub-Account/Account Validation Detail .....               | 838 |
| <b>sbic_ctl</b>         | Self-Bill Control .....                                   | 838 |
| <b>sbid_det</b>         | Self-Bill Detail .....                                    | 839 |
| <b>sbi_mstr</b>         | Self-Bill Master .....                                    | 841 |
| <b>sb_mstr</b>          | Sub-Account Master .....                                  | 842 |
| <b>sca_mstr</b>         | Service Contract Additional Charge Master .....           | 842 |
| <b>scc_mstr</b>         | Customer/Ship-To Shipment Controls Master .....           | 843 |
| <b>schd_det</b>         | Release Management Schedule Detail .....                  | 844 |
| <b>sch_mstr</b>         | Release Management Schedule Master .....                  | 845 |
| <b>scs_ctrl</b>         | Subcontract Shipping Control .....                        | 847 |
| <b>sct_det</b>          | Cost Simulation Total Detail .....                        | 847 |
| <b>scx_ref</b>          | Scheduled Order Cross-Reference .....                     | 848 |
| <b>sc_mstr</b>          | Cost Simulation Master .....                              | 849 |
| <b>sddt_det</b>         | Shipping Delivery Time Detail .....                       | 849 |
| <b>sdt_mstr</b>         | Shipping Delivery Time Master .....                       | 850 |
| <b>sd_mstr</b>          | Sales Order Discount Master .....                         | 851 |
| <b>seoc_ctrl</b>        | Material Order Control .....                              | 851 |
| <b>seq_mstr</b>         | Production Line Schedule Sequence Master .....            | 852 |

|                          |                                                                 |     |
|--------------------------|-----------------------------------------------------------------|-----|
| <b>sfb_det</b>           | Service/Support Billing Detail .....                            | 853 |
| <b>sfn_hist</b>          | Service/Support Billing History .....                           | 855 |
| <b>sgad_det</b>          | Shipping Group Address Detail .....                             | 858 |
| <b>sgcd_det</b>          | Shipping Group Carrier Detail .....                             | 858 |
| <b>sgid_det</b>          | Shipping Group and Inventory Movement Code Detail .....         | 859 |
| <b>sg_mstr</b>           | Shipping Group Master .....                                     | 859 |
| <b>SharedSet</b>         | Shared Set .....                                                | 860 |
| <b>SharedSetMergeLog</b> | Shared Set Merge Log .....                                      | 861 |
| <b>SharedSetProp</b>     | Shared Set Property .....                                       | 861 |
| <b>SharedSetType</b>     | Shared Set Type .....                                           | 861 |
| <b>shcd_det</b>          | Shipper Control Detail Default Export Directories .....         | 862 |
| <b>shc_ctrl</b>          | Shipper Control .....                                           | 862 |
| <b>shd_det</b>           | Shipping Schedule Detail .....                                  | 863 |
| <b>shft_det</b>          | Shift Detail .....                                              | 863 |
| <b>ShipViaM</b>          | Warehousing Ship Via/Service Master .....                       | 864 |
| <b>shm_mstr</b>          | Shipping Schedule Master .....                                  | 865 |
| <b>shop_cal</b>          | Shop Calendar .....                                             | 866 |
| <b>ShortcutAct</b>       | shortcut key .....                                              | 866 |
| <b>shpc_ctrl</b>         | Shipment Performance Control .....                              | 867 |
| <b>shpd_hist</b>         | Shipment Performance Detail History .....                       | 867 |
| <b>shphr_det</b>         | Data Validation Rule Master .....                               | 868 |
| <b>shphvd_det</b>        | Field Validation Allowed Value Detail .....                     | 869 |
| <b>shphvpv_det</b>       | Validation/Prompt Location Detail .....                         | 869 |
| <b>shphv_det</b>         | Rule Field Validation Detail .....                              | 870 |
| <b>shp_hist</b>          | Shipment Performance History .....                              | 870 |
| <b>shtr_det</b>          | Shipment Trailer Detail .....                                   | 872 |
| <b>shv_mstr</b>          | Ship Via Master .....                                           | 873 |
| <b>sim_det</b>           | Inventory Movement Site Detail .....                            | 874 |
| <b>six_ref</b>           | Shipment Detail/Invoice Number Cross-Reference .....            | 874 |
| <b>si_mstr</b>           | Site Master .....                                               | 876 |
| <b>SLGListD</b>          | Warehousing Storage Location Group List Detail .....            | 877 |
| <b>SLGListM</b>          | Warehousing Storage Location Group List Master .....            | 878 |
| <b>SLGM</b>              | Warehousing Storage Location Group Master .....                 | 879 |
| <b>SLGUMD</b>            | Warehousing Storage Location Group/Unit of Measure Detail ..... | 880 |
| <b>slrd_det</b>          | Site Linking Rules Detail .....                                 | 882 |
| <b>slr_mstr</b>          | Site Linking Rules Master .....                                 | 882 |
| <b>sm_mstr</b>           | Source Matrix Master .....                                      | 883 |
| <b>sob_det</b>           | Sales Order Configuration Bill Detail .....                     | 884 |
| <b>socc_mstr</b>         | Sales Order Credit Card Master .....                            | 884 |
| <b>soc_ctrl</b>          | Sales Order Control .....                                       | 885 |
| <b>sodctg_mstr</b>       | Segregation Of Duties Category Master .....                     | 887 |
| <b>sodlc_det</b>         | Sales Order Detail Line Charges .....                           | 888 |
| <b>sodm_det</b>          | Segregation Of Duties Category Matrix .....                     | 889 |
| <b>sodped_det</b>        | Segregation Of Duties Policy Exception Detail .....             | 889 |
| <b>sodpe_mstr</b>        | Segregation Of Duties Policy Exception Master .....             | 890 |
| <b>sodr_det</b>          | Sales Order Relationship Detail .....                           | 890 |

|                    |                                                     |     |
|--------------------|-----------------------------------------------------|-----|
| <b>sodv_hist</b>   | Segregation Of Duties Violation Log .....           | 891 |
| <b>sod_det</b>     | Sales Order Detail .....                            | 892 |
| <b>SOGuarantee</b> | Sales Order Guarantee .....                         | 896 |
| <b>SOLineItem</b>  | SO Line Item.....                                   | 896 |
| <b>SOLineSaf</b>   | Sales Order Line SAF.....                           | 898 |
| <b>sop_det</b>     | Cost Simulation Operation Detail .....              | 898 |
| <b>SORevision</b>  | Sales Order Revisions .....                         | 899 |
| <b>sor_mstr</b>    | Sales Order Relationship Master .....               | 899 |
| <b>SOSaf</b>       | Sales Order SAF .....                               | 900 |
| <b>sosrd_det</b>   | Sales Order Shipment Reason Detail.....             | 901 |
| <b>sosr_mstr</b>   | Sales Order Shipment Reason Master .....            | 901 |
| <b>SOSTage</b>     | Sales Order Stage .....                             | 902 |
| <b>so_mstr</b>     | Sales Order Master .....                            | 902 |
| <b>spc_ctrl</b>    | Salesperson Control .....                           | 906 |
| <b>spd_det</b>     | Salesperson Commission Detail.....                  | 906 |
| <b>sph_hist</b>    | Salesperson Sales History .....                     | 907 |
| <b>spt_det</b>     | Cost Simulation Item Detail .....                   | 908 |
| <b>sp_mstr</b>     | Salesperson Master.....                             | 909 |
| <b>src_ctrl</b>    | Service Request Control.....                        | 909 |
| <b>sroc_ctrl</b>   | Service/Repair Order Control .....                  | 910 |
| <b>sro_mstr</b>    | Service/Repair Order Master .....                   | 910 |
| <b>srr_mstr</b>    | Service Request Master .....                        | 912 |
| <b>sr_wkfl</b>     | Serial Number Work Table .....                      | 913 |
| <b>ssd_det</b>     | Source of Supply Detail .....                       | 914 |
| <b>ssm_mstr</b>    | Source of Supply Master .....                       | 915 |
| <b>State</b>       | State .....                                         | 916 |
| <b>Statistic</b>   | Statistical Code.....                               | 916 |
| <b>sttqd_det</b>   | Time-Based/Quantity-Based Status Code Detail .....  | 917 |
| <b>sttq_mstr</b>   | Time-Based/Quantity-Based Status Code Master.....   | 918 |
| <b>stx_mstr</b>    | Suspended Tax Master .....                          | 919 |
| <b>sufd_det</b>    | Shipper User Field Detail.....                      | 919 |
| <b>suf_mstr</b>    | Shipper User Field Master .....                     | 920 |
| <b>svc_ctrl</b>    | Service/Support Management Control .....            | 920 |
| <b>sv_mstr</b>     | Service Agreement Terms and Conditions Master ..... | 924 |
| <b>swc_det</b>     | Cost Simulation Work Center Detail .....            | 925 |
| <b>sypd_det</b>    | Synch Profile Detail .....                          | 926 |
| <b>sypj_det</b>    | Sync Profile Join Detail.....                       | 927 |
| <b>syps_det</b>    | Synch Profile Subscription Detail .....             | 928 |
| <b>syp_mstr</b>    | Synch Profile Master .....                          | 929 |
| <b>SysProperty</b> | System Property .....                               | 930 |
| <b>Syst</b>        | System.....                                         | 931 |
| <b>SystemC</b>     | Warehousing System Control.....                     | 932 |
| <b>sytf_mstr</b>   | Synchronization Table-Field Master .....            | 933 |
| <b>tag_mstr</b>    | Physical Inventory Tag Master .....                 | 933 |
| <b>TaskAssD</b>    | Warehousing Task Assignment Detail.....             | 935 |
| <b>TaskAssM</b>    | Warehousing Task Assignment Master .....            | 936 |
| <b>TaskD</b>       | Warehousing Task Detail .....                       | 937 |

|                        |                                                                   |     |
|------------------------|-------------------------------------------------------------------|-----|
| <b>TaskM</b>           | Warehousing Task Master .....                                     | 938 |
| <b>tblcd_det</b>       | Table Change Detail .....                                         | 939 |
| <b>tblc_mstr</b>       | Table Change Master .....                                         | 939 |
| <b>tbl_mstr</b>        | Service/Support Parent/Child Relationship Master .....            | 940 |
| <b>TemplateD</b>       | Warehousing Printer Template Detail .....                         | 941 |
| <b>TemplateM</b>       | Warehousing Printer Template Master .....                         | 942 |
| <b>te_mstr</b>         | Transaction Export Master .....                                   | 943 |
| <b>tm_mstr</b>         | Transportation Master .....                                       | 944 |
| <b>totd_det</b>        | Terms of Trade Detail .....                                       | 945 |
| <b>tot_mstr</b>        | Terms of Trade Master .....                                       | 945 |
| <b>TrackingD</b>       | Warehousing Packaging Tracking Detail .....                       | 945 |
| <b>TranD</b>           | Warehousing Transaction Detail .....                              | 947 |
| <b>TranH</b>           | Warehousing Transaction History .....                             | 951 |
| <b>TransactionType</b> | Transaction Type .....                                            | 954 |
| <b>TransportMeans</b>  | Means Of Transport .....                                          | 955 |
| <b>TranTypeM</b>       | Warehousing Transaction Type Master .....                         | 956 |
| <b>TranW</b>           | Warehousing Transaction Work Table .....                          | 957 |
| <b>trcs_det</b>        | Transaction Cost Detail .....                                     | 958 |
| <b>trgl_det</b>        | Inventory Transaction and General Ledger<br>Cross-Reference ..... | 959 |
| <b>trld_det</b>        | Trailer Tax Detail .....                                          | 960 |
| <b>trl_mstr</b>        | Trailer Master .....                                              | 961 |
| <b>trq_mstr</b>        | Transmission Date Reference Master .....                          | 961 |
| <b>tr_hist</b>         | Inventory Transaction History .....                               | 962 |
| <b>tx2d_det</b>        | Tax Detail .....                                                  | 965 |
| <b>tx2_mstr</b>        | Tax Master .....                                                  | 967 |
| <b>txbd_det</b>        | Tax Base Detail .....                                             | 969 |
| <b>txcl_mstr</b>       | Tax Class Master .....                                            | 969 |
| <b>txc_ctrl</b>        | Tax Control .....                                                 | 970 |
| <b>txed_det</b>        | Tax Environment Detail .....                                      | 971 |
| <b>txenv_mstr</b>      | Tax Class Master .....                                            | 971 |
| <b>txe_mstr</b>        | Tax Environment Master .....                                      | 971 |
| <b>txhd_det</b>        | Tax History Detail .....                                          | 972 |
| <b>txty_mstr</b>       | Tax Type Master .....                                             | 974 |
| <b>txu_mstr</b>        | Tax Usage Master .....                                            | 974 |
| <b>txz_mstr</b>        | Tax Zone Master .....                                             | 974 |
| <b>typ_mstr</b>        | Fixed Asset Type Master .....                                     | 975 |
| <b>tzod_det</b>        | Service/Support Time Zone Detail .....                            | 975 |
| <b>tzo_mstr</b>        | Service/Support Time Zone Master .....                            | 976 |
| <b>udd_det</b>         | User Domain Detail .....                                          | 977 |
| <b>udfcls_mstr</b>     | UDF Class Master .....                                            | 977 |
| <b>udfclud_det</b>     | UDF Class Use Table .....                                         | 978 |
| <b>ufd_det</b>         | User Function Key Detail .....                                    | 978 |
| <b>UMGroupD</b>        | Warehousing Unit of Measure Group Detail .....                    | 979 |
| <b>UMGroupM</b>        | Warehousing Unit of Measure Group Master .....                    | 980 |
| <b>umsg_det</b>        | User Message Detail .....                                         | 981 |
| <b>um_mstr</b>         | Unit of Measure Conversion Master .....                           | 982 |

|                        |                                                    |      |
|------------------------|----------------------------------------------------|------|
| <b>upd_det</b>         | Printer/User Detail .....                          | 983  |
| <b>urd_det</b>         | Update Restriction Detail .....                    | 983  |
| <b>url_mstr</b>        | URL Master .....                                   | 984  |
| <b>ursc_det</b>        | Update Status Code Detail .....                    | 985  |
| <b>ur_mstr</b>         | Update Restriction Master .....                    | 985  |
| <b>UserD</b>           | Warehousing RF User Detail .....                   | 986  |
| <b>UserGroupD</b>      | Warehousing RF User Group Detail .....             | 987  |
| <b>UserGroupM</b>      | Warehousing RF User Group Master .....             | 988  |
| <b>UserM</b>           | Warehousing RF User Master .....                   | 989  |
| <b>UserSysM</b>        | Warehousing User System Code Security Master ..... | 990  |
| <b>UserWLGM</b>        | Warehousing User/Work Location Group Master .....  | 991  |
| <b>usg_det</b>         | Application Usage Detail .....                     | 992  |
| <b>uslh_hist</b>       | User Logon History .....                           | 993  |
| <b>uspw_hist</b>       | User Password History .....                        | 993  |
| <b>Usr</b>             | User .....                                         | 994  |
| <b>UsrCompany</b>      | Link User-Company .....                            | 994  |
| <b>usrc_ctrl</b>       | User Control .....                                 | 995  |
| <b>UsrDomain</b>       | Link User-Domain .....                             | 996  |
| <b>usrgd_det</b>       | User Role Detail .....                             | 996  |
| <b>usrgm_det</b>       | Role Compatibility Matrix .....                    | 996  |
| <b>usrg_mstr</b>       | User Role Master .....                             | 997  |
| <b>usrl_det</b>        | User Licensed Application Detail .....             | 997  |
| <b>UsrProperty</b>     | User Property .....                                | 998  |
| <b>UsrRole</b>         | Link User-Role .....                               | 999  |
| <b>UsrRoleCompany</b>  | Link User-Role-Company .....                       | 999  |
| <b>UsrRoleDomain</b>   | Link User-Role-Domain .....                        | 1000 |
| <b>UsrRoleScope</b>    | Link User-Role Scope .....                         | 1000 |
| <b>usrw_wkfl</b>       | User Work Table .....                              | 1001 |
| <b>usr_mstr</b>        | User Master .....                                  | 1001 |
| <b>Vat</b>             | Tax .....                                          | 1002 |
| <b>VatBox</b>          | Tax Box .....                                      | 1004 |
| <b>VatExport</b>       | Tax Export .....                                   | 1004 |
| <b>VatGroup</b>        | Tax Group .....                                    | 1005 |
| <b>VatGroupBoxLink</b> | Tax Group Box Link .....                           | 1005 |
| <b>VatNumber</b>       | Tax Number .....                                   | 1005 |
| <b>VatPercent</b>      | Tax Percent .....                                  | 1007 |
| <b>VatPercentLine</b>  | Tax Percent Line .....                             | 1008 |
| <b>VatPeriod</b>       | Tax Period .....                                   | 1008 |
| <b>VatRule</b>         | Tax Rule .....                                     | 1009 |
| <b>vdf_mstr</b>        | Supplier Fiscal Data Master .....                  | 1011 |
| <b>vd_mstr</b>         | Supplier Master .....                              | 1012 |
| <b>vecd_det</b>        | Supplier Performance Category Detail .....         | 1014 |
| <b>vec_mstr</b>        | Supplier Performance Category Master .....         | 1015 |
| <b>vee_mstr</b>        | Supplier Performance Event Master .....            | 1016 |
| <b>vef_ctrl</b>        | Supplier Performance Control .....                 | 1016 |
| <b>VendPartM</b>       | Warehousing Supplier/Item Master .....             | 1018 |
| <b>vepd_det</b>        | Supplier Performance Detail .....                  | 1019 |

|                          |                                                    |      |
|--------------------------|----------------------------------------------------|------|
| <b>vep_mstr</b>          | Supplier Performance Master .....                  | 1020 |
| <b>VerbH</b>             | Warehousing Verbosity History .....                | 1022 |
| <b>verd_det</b>          | Supplier Performance Registration Detail .....     | 1024 |
| <b>VerifyStatusTrans</b> | Verify Status Trans .....                          | 1024 |
| <b>ver_mstr</b>          | Supplier Performance Registration Master .....     | 1025 |
| <b>vesd_det</b>          | Supplier Performance Summary Detail .....          | 1026 |
| <b>ves_mstr</b>          | Supplier Performance Summary Master .....          | 1027 |
| <b>vew_mstr</b>          | Supplier Performance Weighting Factor Master ..... | 1028 |
| <b>vex_mstr</b>          | Supplier Performance Cross-Reference Master .....  | 1029 |
| <b>vph_hist</b>          | Voucher Invoice History .....                      | 1030 |
| <b>vpo_det</b>           | Voucher Purchase Order Detail .....                | 1031 |
| <b>vp_mstr</b>           | Supplier Item Master .....                         | 1031 |
| <b>vrc_ctrl</b>          | Version Control .....                              | 1032 |
| <b>vw_mstr</b>           | Viewer Enabled Fields Master .....                 | 1033 |
| <b>WarehouseCompany</b>  | Warehouse Company .....                            | 1033 |
| <b>WarehouseLocation</b> | Warehouse Location .....                           | 1033 |
| <b>WaveC</b>             | Warehousing Wave Control .....                     | 1034 |
| <b>WaveD</b>             | Warehousing Wave Detail .....                      | 1036 |
| <b>WaveLoadD</b>         | Warehousing Wave Load Detail .....                 | 1038 |
| <b>WaveM</b>             | Warehousing Wave Master .....                      | 1040 |
| <b>WaveMasterM</b>       | Warehousing Wave Master Master .....               | 1041 |
| <b>WaveTranspC</b>       | Warehousing Wave Transportation Control .....      | 1043 |
| <b>wcr_route</b>         | Work Center Routing Standards .....                | 1046 |
| <b>wc_mstr</b>           | Work Center Master .....                           | 1046 |
| <b>whl_mstr</b>          | Warehouse Location Master .....                    | 1047 |
| <b>WhseC</b>             | Warehouse Control .....                            | 1048 |
| <b>WhseListD</b>         | Warehouse Master List Detail .....                 | 1051 |
| <b>WhseListM</b>         | Warehouse Master List Master .....                 | 1052 |
| <b>WhseM</b>             | Warehouse Master .....                             | 1053 |
| <b>WhseTferOrdD</b>      | Warehouse Transfer Order Detail .....              | 1056 |
| <b>WhseTferOrdM</b>      | Warehouse Transfer Order Master .....              | 1057 |
| <b>WhseTrTypeM</b>       | Warehouse/Transaction Type Master .....            | 1059 |
| <b>wlbd_det</b>          | WIP Lot Trace BOM Control Detail .....             | 1060 |
| <b>wlbm_mstr</b>         | WIP Lot Trace BOM Control Master .....             | 1061 |
| <b>wlc_ctrl</b>          | WIP Lot Trace Control .....                        | 1062 |
| <b>wld_det</b>           | WIP Lot Inventory Detail .....                     | 1063 |
| <b>WLGm</b>              | Work Location Group Master .....                   | 1064 |
| <b>wlrd_det</b>          | WIP Lot Trace Routing Control Detail .....         | 1066 |
| <b>wlrm_mstr</b>         | WIP Lot Trace Routing Control Master .....         | 1067 |
| <b>wlt_mstr</b>          | WIP Lot Trace Master .....                         | 1068 |
| <b>wl_mstr</b>           | WIP Lot Master .....                               | 1070 |
| <b>woc_ctrl</b>          | Work Order Control .....                           | 1071 |
| <b>wod_det</b>           | Work Order Detail .....                            | 1071 |
| <b>WorkLoadD</b>         | Warehousing Work Load Group Details .....          | 1073 |
| <b>WorkLoadM</b>         | Warehousing Work Load Group Master .....           | 1075 |
| <b>wo_mstr</b>           | Work Order Master .....                            | 1076 |
| <b>wr_route</b>          | Work Order Routing .....                           | 1079 |

|             |                              |      |
|-------------|------------------------------|------|
| wtx_mstr    | Withholding Tax Master ..... | 1082 |
| YearClosing | Year Closing .....           | 1084 |

Section 2

Summary of Changes .....

1085

|                                       |      |
|---------------------------------------|------|
| Changed Fields .....                  | 1086 |
| Deleted Fields .....                  | 1094 |
| New Fields .....                      | 1096 |
| Changed Indexes .....                 | 1106 |
| Deleted Indexes .....                 | 1109 |
| New Indexes for Existing Tables ..... | 1110 |
| Deleted Tables .....                  | 1124 |
| New Tables .....                      | 1125 |

INDEX OF TABLE DESCRIPTIONS



The background of the page features a grayscale, close-up photograph of several interlocking mechanical gears. The gears are positioned diagonally, with one gear in the foreground being sharper than the others in the background, which are blurred. The lighting creates highlights and shadows on the teeth of the gears, emphasizing their mechanical nature.

## Section 1

# Database Definitions (Continued)

This section continues the alphabetical listing of database definitions used in the product.

## Service/Support Installed Base Structure

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| iss_comp       | no  | iss_domain   | yes | no   |
|                |     | iss_comp     | yes | no   |
| iss_compref    | yes | iss_domain   | yes | no   |
|                |     | iss_eu_nbr   | yes | no   |
|                |     | iss_comp     | yes | no   |
|                |     | iss_comp_ser | yes | no   |
|                |     | iss_comp_ref | yes | no   |
| iss_par        | no  | iss_domain   | yes | no   |
|                |     | iss_par      | yes | no   |
| * iss_par_comp | yes | iss_domain   | yes | no   |
|                |     | iss_eu_nbr   | yes | no   |
|                |     | iss_par      | yes | no   |
|                |     | iss_par_ser  | yes | no   |
|                |     | iss_par_ref  | yes | no   |
|                |     | iss_comp     | yes | no   |
|                |     | iss_comp_ser | yes | no   |
|                |     | iss_comp_ref | yes | no   |
| ◇ oid iss mstr | yes | oid iss mstr | yes | no   |

## Statistical Value Calculation Master

|   | Index-Name    | Uni | Field-Name          | Asc | Abbr |
|---|---------------|-----|---------------------|-----|------|
| * | isvc_delivery | yes | isvc_domain         | yes | no   |
|   |               |     | isvc_terms_delivery | yes | no   |
|   |               |     | isvc_mode_transp    | yes | no   |
|   |               |     | isvc_shipvia        | yes | no   |
|   |               |     | isvc_flow           | yes | no   |
|   |               |     | isvc_ctr_y_orig     | yes | no   |
|   |               |     | isvc_ctr_y_dest     | yes | no   |
| ◇ | oid isvc mstr | yes | oid isvc mstr       | yes | no   |

## Inventory Status Master

[illegible]

| Index-Name       | Uni | Field-Name  | Asc | Abbr |
|------------------|-----|-------------|-----|------|
| is_avail         | yes | is_domain   | yes | no   |
|                  |     | is_status   | yes | no   |
|                  |     | is_avail    | yes | no   |
|                  |     | is_domain   | yes | no   |
|                  |     | is_status   | yes | no   |
| * is_status      | yes | is_domain   | yes | no   |
|                  |     | is_status   | yes | no   |
|                  |     | is_nettable | yes | no   |
| is_status_unique | yes | is_domain   | yes | no   |
|                  |     | is_status   | yes | no   |
| ◇ oid_is_mstr    | yes | oid_is_mstr | yes | no   |

◇ ItemSafDefaultItem Saf Default

| Field Name        | Label              | Col-Label        | Format     | Dec |
|-------------------|--------------------|------------------|------------|-----|
| Item_ID           | Link to Item       | Link to Item     | 9999999999 |     |
| ItemSafDefault_ID | Record ID          | Record ID        | 9999999999 |     |
| LastModifiedDate  | Last Modified Date | Modif Date       | 99/99/9999 |     |
| LastModifiedTime  | Last Modified Time | Modif Time       | 99999      |     |
| LastModifiedUser  | Last Modified User | Modif User       | x(20)      |     |
| Saf_ID            | SAF Code           | Saf Code         | 9999999999 |     |
| SafConcept_ID     | SAF Concept Code   | Saf Concept Code | 9999999999 |     |

| Index-Name   | Uni | Field-Name        | Asc | Abbr |
|--------------|-----|-------------------|-----|------|
| ◇ Item       | no  | Item_ID           | yes | no   |
| ◇* Prim      | yes | ItemSafDefault_ID | yes | no   |
| ◇ Saf        | no  | Saf_ID            | yes | no   |
| ◇ SafConcept | no  | SafConcept_ID     | yes | no   |
| ◇ UniqueIdx  | yes | Item_ID           | yes | no   |
|              |     | SafConcept_ID     | yes | no   |

◇ ItemUnitItem Unit

| Field Name               | Label                       | Col-Label         | Format            | Dec |
|--------------------------|-----------------------------|-------------------|-------------------|-----|
| BaseUnit_ID              | Base Unit of Measure        | Base UM           | 9999999999        |     |
| Item_ID                  | Link to Item                | Link to Item      | 9999999999        |     |
| ItemUnit_ID              | Record ID                   | Record ID         | 9999999999        |     |
| ItemUnitConversionFactor | Conversion Factor           | Conversion Factor | >>>.>>>.>9.999999 | 10  |
| ItemUnitIsActive         | Active                      | Act               | yes/no            |     |
| ItemUnitIsDefault        | Default                     | Default           | yes/no            |     |
| ItemUnitTypeCode         | UM Type                     | Type              | x(20)             |     |
| LastModifiedDate         | Last Modified Date          | Modif Date        | 99/99/9999        |     |
| LastModifiedTime         | Last Modified Time          | Modif Time        | 99999             |     |
| LastModifiedUser         | Last Modified User          | Modif User        | x(20)             |     |
| TransUnit_ID             | Transaction Unit of Measure | Trans UM          | 9999999999        |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇ BaseUnit  | no  | BaseUnit_ID       | yes | no   |
| ◇ IsDefault | no  | ItemUnitIsDefault | yes | no   |
| ◇ Item      | no  | Item_ID           | yes | no   |
| ◇* Prim     | yes | ItemUnit_ID       | yes | no   |
| ◇ TransUnit | no  | TransUnit_ID      | yes | no   |
| ◇ TypeCode  | no  | ItemUnitTypeCode  | yes | no   |
| ◇ UniqueKey | yes | ItemUnitTypeCode  | yes | no   |
|             |     | Item_ID           | yes | no   |
|             |     | TransUnit_ID      | yes | no   |
| ◇ ViewIndex | no  | ItemUnitIsActive  | yes | no   |
|             |     | ItemUnitTypeCode  | yes | no   |

◇ **ItemVatLevel** Item Tax Level

| Field Name         | Label              | Col-Label    | Format     | Dec |
|--------------------|--------------------|--------------|------------|-----|
| Country_ID         | Country Code       | Country      | 9999999999 |     |
| Item_ID            | Link to Item       | Link to Item | 9999999999 |     |
| ItemVatLevel_ID    | Record ID          | Record ID    | 9999999999 |     |
| LastModifiedDate   | Last Modified Date | Modif Date   | 99/99/9999 |     |
| LastModifiedTime   | Last Modified Time | Modif Time   | 999999     |     |
| LastModifiedUser   | Last Modified User | Modif User   | x(20)      |     |
| VatPercentageLevel | Tax Level          | Tax Level    | x(20)      |     |

| Index-Name  | Uni | Field-Name      | Asc | Abbr |
|-------------|-----|-----------------|-----|------|
| ◇ Country   | no  | Country_ID      | yes | no   |
| ◇ Item      | no  | Item_ID         | yes | no   |
| ◇* Prim     | yes | ItemVatLevel_ID | yes | no   |
| ◇ UniqueIdx | yes | Item_ID         | yes | no   |
|             |     | Country_ID      | yes | no   |

◇ **ItemWarehouse** Item Warehouse

| Field Name                 | Label                     | Col-Label                 | Format              | Dec |
|----------------------------|---------------------------|---------------------------|---------------------|-----|
| Currency_ID                | Link to Currency          | Link to Currency          | 9999999999          |     |
| DivisionProfile_ID         | Link to Profile           | Link to Profile           | 9999999999          |     |
| InvControlGLProfile_ID     | Profile Code              | Profile Code              | 9999999999          |     |
| Item_ID                    | Link to Item              | Link to Item              | 9999999999          |     |
| ItemWarehouse_ID           | Record ID                 | Record ID                 | 9999999999          |     |
| ItemWarehousesActive       | Active                    | Act                       | yes/no              |     |
| ItemWarehousesBatchHist    | Batch History             | Batch Hist                | yes/no              |     |
| ItemWarehousesDefault      | Default                   | Default                   | yes/no              |     |
| ItemWarehouseStdCostTC     | TC Standard Cost          | TC Std Cost               | ->>>,>>>,>>>,>>9.99 | 4   |
| ItemWarehouseValuationType | Valuation Type            | Valuation Type            | x(20)               |     |
| LastModifiedDate           | Last Modified Date        | Modif Date                | 99/99/9999          |     |
| LastModifiedTime           | Last Modified Time        | Modif Time                | 999999              |     |
| LastModifiedUser           | Last Modified User        | Modif User                | x(20)               |     |
| Warehouse_ID               | Warehouse                 | Warehouse                 | 9999999999          |     |
| WarehouseLocation_ID       | Link to WarehouseLocation | Link to WarehouseLocation | 9999999999          |     |

| Index-Name  | Uni | Field-Name             | Asc | Abbr |
|-------------|-----|------------------------|-----|------|
| ◇ GLProfile | no  | InvControlGLProfile_ID | yes | no   |
| ◇ Item      | no  | Item_ID                | yes | no   |
| ◇* Prim     | yes | ItemWarehouse_ID       | yes | no   |
| ◇ UniqueKey | yes | Item_ID                | yes | no   |
|             |     | Warehouse_ID           | yes | no   |
| ◇ Warehouse | no  | Warehouse_ID           | yes | no   |

**itmhist**

Service/Support Call Item History

| Field Name          | Label             | Col-Label | Format                | Dec |
|---------------------|-------------------|-----------|-----------------------|-----|
| itmhist_chr01       | User Field #1     |           | x(8)                  |     |
| itmhist_chr02       | User Field #2     |           | x(8)                  |     |
| itmhist_chr03       | User Field #3     |           | x(8)                  |     |
| itmhist_chr04       | User Field #4     |           | x(8)                  |     |
| itmhist_dec01       | User Decimal #1   |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_dec02       | User Decimal #2   |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_dec03       | User Decimal #3   |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_dte01       | User Date #1      |           | 99/99/99              |     |
| itmhist_dte02       | User Date #2      |           | 99/99/99              |     |
| itmhist_dte03       | User Date #3      |           | 99/99/99              |     |
| itmhist_log01       | User Logical #1   |           | yes/no                |     |
| itmhist_log02       | User Logical #2   |           | yes/no                |     |
| itmhist_log03       | User Logical #3   |           | yes/no                |     |
| itmhist_qadc01      | Qad Field #1      |           | x(8)                  |     |
| itmhist_qadc02      | Qad Field #2      |           | x(8)                  |     |
| itmhist_qadc03      | Qad Field #3      |           | x(8)                  |     |
| itmhist_qadc04      | Qad Field #4      |           | x(8)                  | 0   |
| itmhist_qadc05      |                   |           | x(8)                  |     |
| itmhist_qadc06      |                   |           | x(8)                  |     |
| itmhist_qadd01      | Qad Decimal #1    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_qadd02      | Qad Decimal #2    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_qadd03      | Qad Decimal #3    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itmhist_qadl01      | QAD Logical Field |           | yes/no                |     |
| itmhist_qadl02      | Qad Logical #2    |           | yes/no                |     |
| itmhist_qadl03      | Qad Logical #3    |           | yes/no                |     |
| itmhist_qadt01      | Qad Date #1       |           | 99/99/99              |     |
| itmhist_qadt02      | Qad Date #2       |           | 99/99/99              |     |
| itmhist_qadt03      | Qad Date #3       |           | 99/99/99              |     |
| itmhist_acct        | Sales Acct        | Sales     | x(8)                  |     |
| itmhist_bill_detail | Bill Detail       | Det       | yes/no                |     |
| itmhist_bom_code    | BOM code          |           | x(18)                 |     |
| itmhist_bom_gen     |                   |           | yes/no                |     |
| itmhist_ca_int_type | Work Code         |           | x(8)                  |     |
| itmhist_cc          | Cost Ctr          | CC        | x(4)                  |     |
| itmhist_cmtindx     | Comment Index     | Cmt Index | ->, >>>, >>9          |     |
| itmhist_comp_date   | Date Complete     |           | 99/99/99              |     |
| itmhist_desc        | Description       |           | x(24)                 |     |
| itmhist_domain      | Domain            |           | x(8)                  |     |
| itmhist_dsc_acct    | Disc Acct         |           | x(8)                  |     |
| itmhist_dsc_cc      | Disc CC           | CC        | x(4)                  |     |
| itmhist_dsc_project | Disc Project      |           | x(8)                  |     |
| itmhist_dsc_sub     | Disc Sub-Acct     | Sub-Acct  | x(8)                  |     |
| itmhist_due_date    | Due Date          |           | 99/99/99              |     |

| Field Name        | Label                        | Col-Label | Format                  | Dec |
|-------------------|------------------------------|-----------|-------------------------|-----|
| itmh_endown_date  | End Down                     |           | 99/99/99                |     |
| itmh_endown_time  | Time                         |           | 99:99                   |     |
| itmh_eng_code     | Engineer                     |           | x(8)                    |     |
| itmh_est_time     | Estimated Time               | Est Time  | 999:99                  |     |
| itmh_eu_nbr       | End User                     |           | X(8)                    | 0   |
| itmh_exp_rec      | Date Expected                |           | 99/99/99                |     |
| itmh_fix_pr       | Fixed Price                  | Fix       | yes/no                  |     |
| itmh_fixed_price  | Fixed Price                  |           | ->>>>, >>>>, >>9.99     | 10  |
| itmh_invoiced     | Invoiced                     |           | yes/no                  |     |
| itmh_itm_line     | Sub Line Number              |           | >>9                     |     |
| itmh_line         | Line                         |           | >>9                     |     |
| itmh_loc          | Location                     |           | X(8)                    |     |
| itmh_mod_date     | Modified Date                | Mod Date  | 99/99/99                |     |
| itmh_mod_userid   | User ID                      |           | X(8)                    |     |
| itmh_nbr          | Call/SR                      |           | x(8)                    |     |
| itmh_nxt_act      | Next Status                  |           | x(8)                    |     |
| itmh_nxt_date     | Next Status Date             |           | 99/99/99                |     |
| itmh_nxt_time     | Next Status Time             |           | 99:99                   |     |
| itmh_opn_date     |                              |           | 99/99/99                |     |
| itmh_override_lmt | Override Limits              |           | yes/no                  |     |
| itmh_part         | Item                         |           | x(18)                   |     |
| itmh_pr_list      | Price List                   |           | X(8)                    |     |
| itmh_prefix       | Detail Type                  | Type      | x(3)                    |     |
| itmh_prod_line    | Product Line                 |           | X(4)                    |     |
| itmh_project      | Project                      |           | x(8)                    |     |
| itmh_pst          | PST Taxable                  |           | yes/no                  |     |
| itmh_qty_call     | Qty                          |           | >, >>>>9                | 10  |
| itmh_qty_chg      | To Receive                   |           | ->, >>>9.99             | 10  |
| itmh_qty_rc_rec   | Qty Rec from Repair Center   |           | ->, >>>>, >>9.9<<<<<<<< | 10  |
| itmh_qty_rc_ship  | Qty Shipped to Repair Center |           | ->, >>>>, >>9.9<<<<<<<< | 10  |
| itmh_qty_rec      | Qty Received                 |           | ->, >>>9                | 10  |
| itmh_qty_ship     | Shipped                      |           | ->, >>>9                | 10  |
| itmh_rec_date     | Received Date                |           | 99/99/99                |     |
| itmh_recorded     | Has Been thru CAR            |           | yes/no                  |     |
| itmh_ref          | Ref                          |           | >>>>>>9                 |     |
| itmh_rev          | Revision                     |           | x(8)                    |     |
| itmh_route        | Repair Route                 |           | x(18)                   |     |
| itmh_route_gen    |                              |           | yes/no                  |     |
| itmh_rrc_nbr      | Repair Steps                 |           | X(8)                    |     |
| itmh_rrc_seq      | Sequence                     | Seq       | >>9                     |     |
| itmh_sa_nbr       | Contract                     |           | x(8)                    |     |
| itmh_sa_sv        | Contract Svc Type            |           | x(8)                    |     |
| itmh_sad_line     | Contract Line                |           | >>>>>>>9                |     |
| itmh_sep_doc      | Separate Document            |           | yes/no                  |     |
| itmh_serial       | Serial                       |           | x(18)                   |     |
| itmh_ship_date    | Date Shipped                 |           | 99/99/99                |     |
| itmh_site         | Site                         |           | X(8)                    | 0   |
| itmh_status       | Status                       |           | x(8)                    |     |
| itmh_stdown_date  | Start Down                   |           | 99/99/99                |     |
| itmh_stdown_time  | Time                         |           | 99:99                   |     |
| itmh_stjob_date   | Job Start                    |           | 99/99/99                |     |
| itmh_stjob_time   | Time                         |           | 99:99                   |     |
| itmh_sub          | Sales Sub-Acct               | Sub-Acct  | x(8)                    |     |
| itmh_sv_code      | Contract Type                |           | x(8)                    |     |
| itmh_svc_type     |                              |           | x(1)                    |     |
| itmh_tag          | Tag                          |           | X(1)                    |     |

| <b>Field Name</b> | <b>Label</b>      | <b>Col-Label</b> | <b>Format</b>                                  | <b>Description</b> |
|-------------------|-------------------|------------------|------------------------------------------------|--------------------|
| itmh_tax_env      | Tax Environment   |                  | X(16)                                          |                    |
| itmh_tax_in       | Tax In            |                  | yes/no                                         |                    |
| itmh_tax_usage    |                   |                  | x(8)                                           |                    |
| itmh_taxable      | Taxable           | Tax              | yes/no                                         |                    |
| itmh_taxc         |                   |                  | x(3)                                           |                    |
| itmh_type         | Type              |                  | x(8)                                           |                    |
| itmh_uninvoiced   | Uninvoiced        |                  | yes/no                                         |                    |
| itmh_unprocessed  |                   |                  | yes/no                                         |                    |
| itmh_upd_isb      | Update ISB        | ISB              | yes/no                                         |                    |
| itmh_user1        | Ufld1             |                  | x(8)                                           |                    |
| itmh_user2        | Ufld2             |                  | x(8)                                           |                    |
| itmh_warr_sv      | Warranty Svc Type |                  | x(8)                                           |                    |
| oid_itmh_hist     |                   |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9<br>_9<<<<<<<<<< | 10                 |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| * itmh_nbr      | yes | itmh_domain   | yes | no   |
|                 |     | itmh_nbr      | yes | no   |
|                 |     | itmh_prefix   | yes | no   |
|                 |     | itmh_type     | yes | no   |
|                 |     | itmh_itm_line | yes | no   |
|                 |     | itmh_line     | yes | no   |
| itmh_part       | no  | itmh_domain   | yes | no   |
|                 |     | itmh_part     | yes | no   |
|                 |     | itmh_prefix   | yes | no   |
|                 |     | itmh_serial   | yes | no   |
| itmh_sa_nbr     | no  | itmh_domain   | yes | no   |
|                 |     | itmh_sa_nbr   | yes | no   |
|                 |     | itmh_sad_line | yes | no   |
|                 |     | itmh_nbr      | yes | no   |
|                 |     | itmh_line     | yes | no   |
| itmh_serial     | no  | itmh_domain   | yes | no   |
|                 |     | itmh_serial   | yes | no   |
|                 |     | itmh_prefix   | yes | no   |
|                 |     | itmh_opn_date | yes | no   |
| ◇ oid itmh hist | yes | oid itmh hist | yes | no   |

## itm det

### Service/Support Call Item Detail

| Field Name | Label           | Col-Label | Format              | Dec |
|------------|-----------------|-----------|---------------------|-----|
| itm_chr01  | User Field #1   |           | x(8)                |     |
| itm_chr02  | User Field #2   |           | x(8)                |     |
| itm_chr03  | User Field #3   |           | x(8)                |     |
| itm_chr04  | User Field #4   |           | x(8)                |     |
| itm_dec01  | User Decimal #1 |           | ->>>,>>>,>>9.99<<<< | 10  |
| itm_dec02  | User Decimal #2 |           | ->>>,>>>,>>9.99<<<< | 10  |
| itm_dec03  | User Decimal #3 |           | ->>>,>>>,>>9.99<<<< | 10  |
| itm_dte01  | User Date #1    |           | 99/99/99            |     |
| itm_dte02  | User Date #2    |           | 99/99/99            |     |
| itm_dte03  | User Date #3    |           | 99/99/99            |     |
| itm_log01  | User Logical #1 |           | yes/no              |     |
| itm_log02  | User Logical #2 |           | yes/no              |     |



| Field Name       | Label             | Col-Label | Format                | Dec |
|------------------|-------------------|-----------|-----------------------|-----|
| itm__log03       | User Logical #3   |           | yes/no                |     |
| itm__qadc01      | Qad Field #1      |           | x(8)                  |     |
| itm__qadc02      | Qad Field #2      |           | x(8)                  |     |
| itm__qadc03      | Qad Field #3      |           | x(8)                  |     |
| itm__qadc04      | Qad Field #4      |           | x(8)                  |     |
| itm__qadc05      |                   |           | x(8)                  |     |
| itm__qadc06      |                   |           | x(8)                  |     |
| itm__qadd01      | Qad Date #1       |           | 99/99/99              |     |
| itm__qadd02      | Qad Date #2       |           | 99/99/99              |     |
| itm__qadd03      | Qad Date #3       |           | 99/99/99              |     |
| itm__qadde01     | Qad Decimal #1    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itm__qadde02     | Qad Decimal #2    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itm__qadde03     | Qad Decimal #3    |           | ->>>, >>>, >>9.99<<<< | 10  |
| itm__qadl01      | QAD Logical Field |           | yes/no                |     |
| itm__qadl02      | Qad Logical #2    |           | yes/no                |     |
| itm__qadl03      | Qad Logical #3    |           | yes/no                |     |
| itm_acct         | Sales Acct        | Sales     | x(8)                  |     |
| itm_bill_detail  | Bill Detail       | Det       | yes/no                |     |
| itm_bom_code     | BOM Code          |           | x(18)                 |     |
| itm_bom_gen      |                   |           | yes/no                |     |
| itm_ca_int_type  | Work Code         | WK Code   | x(8)                  |     |
| itm_cc           | Cost Ctr          | CC        | x(4)                  |     |
| itm_cmtindx      | Comment Index     | Cmt Index | ->, >>>, >>9          |     |
| itm_comp_date    | Date Complete     |           | 99/99/99              |     |
| itm_desc         | Description       |           | x(24)                 |     |
| itm_domain       | Domain            |           | x(8)                  |     |
| itm_dsc_acct     | Disc Acct         |           | x(8)                  |     |
| itm_dsc_cc       | Disc CC           | CC        | x(4)                  |     |
| itm_dsc_project  | Disc Project      |           | x(8)                  |     |
| itm_dsc_sub      | Disc Sub-Acct     | Sub-Acct  | x(8)                  |     |
| itm_due_date     | Due Date          |           | 99/99/99              |     |
| itm_endown_date  | End Down          |           | 99/99/99              |     |
| itm_endown_time  | Time              |           | 99:99                 |     |
| itm_eng_code     | Engineer          |           | x(8)                  |     |
| itm_est_time     | Estimated Time    | Est Time  | 999:99                |     |
| itm_eu_nbr       | End User          |           | X(8)                  | 0   |
| itm_exp_rec      | Date Expected     |           | 99/99/99              |     |
| itm_fix_pr       | Fixed Price       | Fix       | yes/no                |     |
| itm_fixed_price  | Fixed Price       |           | ->>>, >>>, >>9.99     | 10  |
| itm_invoiced     | Invoiced          |           | yes/no                |     |
| itm_itm_line     |                   |           | >>9                   |     |
| itm_line         | Line              |           | >>9                   |     |
| itm_loc          | Location          |           | x(8)                  |     |
| itm_mod_date     | Modified Date     | Mod Date  | 99/99/99              |     |
| itm_mod_userid   | User ID           |           | X(8)                  |     |
| itm_nbr          | Call/SR           |           | x(8)                  |     |
| itm_nxt_act      | Next Status       |           | x(8)                  |     |
| itm_nxt_date     | Next Status Date  |           | 99/99/99              |     |
| itm_nxt_time     | Next Status Time  |           | 99:99                 |     |
| itm_override_lmt | Override Limits   | Lmt       | yes/no                |     |
| itm_part         | Item              |           | x(18)                 |     |
| itm_pr_list      | Price List        |           | X(8)                  |     |
| itm_prefix       | Detail Type       | Type      | x(3)                  |     |
| itm_prod_line    | WIP Product Line  | Line      | X(4)                  | 0   |
| itm_project      | Project           |           | x(8)                  |     |
| itm_pst          | PST Taxable       |           | yes/no                |     |
| itm_qty_call     | Quantity          | Call Qty  | ->>, >>9              | 10  |

[illegible]

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| itm_eng_code | no  | itm_domain   | yes | no   |
|              |     | itm_eng_code | yes | no   |
|              |     | itm_nxt_date | yes | no   |
|              |     | itm_nxt_time | yes | no   |
| itm_eu_nbr   | no  | itm_domain   | yes | no   |
|              |     | itm_type     | yes | no   |
|              |     | itm_eu_nbr   | yes | no   |
|              |     | itm_serial   | yes | no   |
| * itm_nbr    | yes | itm_domain   | yes | no   |
|              |     | itm_nbr      | yes | no   |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
|               |     | itm_prefix   | yes | no   |
|               |     | itm_type     | yes | no   |
|               |     | itm_itm_line | yes | no   |
|               |     | itm_line     | yes | no   |
| itm_part      | no  | itm_domain   | yes | no   |
|               |     | itm_part     | yes | no   |
|               |     | itm_prefix   | yes | no   |
|               |     | itm_type     | yes | no   |
|               |     | itm_nbr      | yes | no   |
| itm_sa_nbr    | no  | itm_domain   | yes | no   |
|               |     | itm_sa_nbr   | yes | no   |
|               |     | itm_sad_line | yes | no   |
|               |     | itm_prefix   | yes | no   |
|               |     | itm_type     | yes | no   |
|               |     | itm_nbr      | yes | no   |
|               |     | itm_line     | yes | no   |
| itm_serial    | no  | itm_domain   | yes | no   |
|               |     | itm_prefix   | yes | no   |
|               |     | itm_type     | yes | no   |
|               |     | itm_serial   | yes | no   |
|               |     | itm_nbr      | yes | no   |
|               |     | itm_line     | yes | no   |
| ◇ oid_itm_det | yes | oid_itm_det  | yes | no   |

### Item Site Load Detail

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | itsd_det     | yes | itsd_domain  | yes | no   |
|   |              |     | itsd_part    | yes | no   |
|   |              |     | itsd_site    | yes | no   |
|   |              |     | itsd_date    | yes | no   |
|   |              |     | itsd_type    | yes | no   |
| ◇ | oid_itsd_det | yes | oid_itsd_det | yes | no   |

## Item Site Load Master

| Field Name   | Label            | Col-Label | Format                                     | Dec |
|--------------|------------------|-----------|--------------------------------------------|-----|
| its_dec01    |                  |           | ->, >>>,>>>9.99<<<<                        | 10  |
| its__dec02   |                  |           | ->, >>>,>>9.99<<<                          | 10  |
| its__dec03   |                  |           | ->, >>>,>>9.99<<<                          | 10  |
| its_date     | Created Date     |           | 99/99/99                                   |     |
| its_domain   | Domain           |           | x(8)                                       |     |
| its_part     | Item Number      |           | x(18)                                      |     |
| its_qty_oh   | Quantity On Hand | QOH       | ->>, >>>,>>9.9<<<<<<<<<<                   | 10  |
| its_site     | Site             |           | x(8)                                       |     |
| its_target   | Weeks Cover      |           | >>>>                                       |     |
| its_user1    | Ufld1            |           | x(8)                                       |     |
| its_user2    | Ufld2            |           | x(8)                                       |     |
| oid_its_mstr |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<<< | 10  |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | its_mstr     | yes | its_domain   | yes | no   |
|   |              |     | its_part     | yes | no   |
|   |              |     | its_site     | yes | no   |
| ◇ | oid_its_mstr | yes | oid_its_mstr | yes | no   |

### Invoice Schedule Control

[illegible]

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| * ivs_index1   | yes | ivs_domain   | yes | no   |
| ◇ oid_ivs_ctrl | yes | oid_ivs_ctrl | yes | no   |

## ◇ Journal Daybook

| Field Name               | Label                | Col-Label            | Format        | Dec |
|--------------------------|----------------------|----------------------|---------------|-----|
| CustomCombo0             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9             | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0              | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1              | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2              | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3              | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4              | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0           | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1           | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2           | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3           | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4           | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0           | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1           | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2           | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3           | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4           | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0              | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1              | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote               | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9             | Custom Short Field   | Custom Short Field   | x(20)         |     |
| Journal_ID               | Record ID            | Record ID            | 9999999999    |     |
| JournalCode              | Daybook Code         | Daybook Code         | x(8)          |     |
| JournalControl           | Daybook Control      | Daybook Ctrl         | x(20)         |     |
| JournalDescription       | Description          | Daybook Description  | x(40)         |     |
| JournalsActive           | Active               | Active               | yes/no        |     |
| JournalsProjectProvision | Project Provision    | Project Provision    | yes/no        |     |
| JournalTypeCode          | Daybook Type         | Daybook Type         | x(30)         |     |
| LastModifiedDate         | Last Modified Date   | Modif Date           | 99/99/9999    |     |

| Field Name       | Label              | Col-Label         | Format      | Dec |
|------------------|--------------------|-------------------|-------------|-----|
| LastModifiedTime | Last Modified Time | Modif Time        | 99999       |     |
| LastModifiedUser | Last Modified User | Modif User        | x(20)       |     |
| Layer_ID         | Link to Layer      | Link to Layer     | 99999999999 |     |
| SharedSet_ID     | Link to SharedSet  | Link to SharedSet | 99999999999 |     |

| Index-Name         | Uni | Field-Name      | Asc | Abbr |
|--------------------|-----|-----------------|-----|------|
| ◇ InternalJournal  | no  | JournalTypeCode | yes | no   |
| ◇ JournalControl   | no  | JournalControl  | yes | no   |
| ◇ Layer            | no  | Layer_ID        | yes | no   |
| ◇* Prim            | yes | Journal_ID      | yes | no   |
| ◇ SharedSet        | no  | SharedSet_ID    | yes | no   |
| ◇ SharedSetAndCode | yes | SharedSet_ID    | yes | no   |
|                    |     | JournalCode     | yes | no   |
| ◇ ViewIndex        | no  | SharedSet_ID    | yes | no   |
|                    |     | JournalsActive  | yes | no   |
|                    |     | JournalCode     | yes | no   |

◇ **JournalType** Daybook Type

| Field Name                | Label                     | Col-Label          | Format     | Dec |
|---------------------------|---------------------------|--------------------|------------|-----|
| JournalTypeCode           | Daybook Type Code         | Daybook Type Code  | x(30)      |     |
| JournalTypesActive        | Active                    | Act                | yes/no     |     |
| JournalTypesAllowMgt      | Allow Management Layer    | Allow Mgt          | yes/no     |     |
| JournalTypesAllowOfficial | Allow Official Layer      | Allow Official     | yes/no     |     |
| JournalTypesAllowTrans    | Allow Transient Layer     | Allow Transient    | yes/no     |     |
| JournalTypesCorrection    | Correction Daybook        | Correction Daybook | yes/no     |     |
| JournalTypesMultiJournal  | Multiple Daybooks Allowed | Multi Daybooks     | yes/no     |     |
| JournalTypesStock         | Stock Daybook             | Stock              | yes/no     |     |
| LastModifiedDate          | Last Modified Date        | Modif Date         | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time        | Modif Time         | 999999     |     |
| LastModifiedUser          | Last Modified User        | Modif User         | x(20)      |     |

| Index-Name  | Uni | Field-Name         | Asc | Abbr |
|-------------|-----|--------------------|-----|------|
| ◇* Prim     | yes | JournalTypeCode    | yes | no   |
| ◇ ViewIndex | no  | JournalTypesActive | yes | no   |
|             |     | JournalTypeCode    | yes | no   |

|                 |                |
|-----------------|----------------|
| <b>kbc ctrl</b> | Kanban Control |
|-----------------|----------------|

| Field Name              | Label                     | Col-Label | Format                     | Dec |
|-------------------------|---------------------------|-----------|----------------------------|-----|
| kbc__qadc01             |                           |           | x(8)                       |     |
| kbc__qadc02             |                           |           | x(24)                      |     |
| kbc__qadc03             |                           |           | x(24)                      |     |
| kbc__qadd01             |                           |           | ->>>>, >>>, >>9,<<<<<<<<<< | 10  |
| kbc__qadi01             |                           |           | ->>>>>>>9                  |     |
| kbc__qadi02             |                           |           | ->>>>>>>9                  |     |
| kbc__qadi01             |                           |           | yes/no                     |     |
| kbc__qadt01             |                           |           | 99/99/99                   |     |
| ◇ kbc accumulator pause | Accumulator Monitor Pause | Pause     | >>9                        |     |

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | kbc_index1   | yes | kbc_domain   | yes | no   |
| ◇ | oid kbc ctrl | yes | oid kbc ctrl | yes | no   |

**kbd** **mstr** Kanban Demand Template Master[illegible]

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| * kbd_t_template | yes | kbd_t_domain   | yes | no   |
|                  |     | kbd_t_template | yes | no   |
| ◇ oid kbd_t_mstr | yes | oid kbd_t_mstr | yes | no   |

**kbmd mstr** Kanban Maximum Demand Master

| Field Name        | Label                 | Col-Label              | Format              | Dec |
|-------------------|-----------------------|------------------------|---------------------|-----|
| kbmd__chr01       |                       |                        | x(8)                |     |
| kbmd__dec01       |                       |                        | ->>>,>>>,>>9.99<<<< | 10  |
| kbmd__dte01       |                       |                        | 99/99/99            |     |
| kbmd__int01       |                       |                        | ->>>,>>>,>>9        |     |
| kbmd__log01       |                       |                        | yes/no              |     |
| kbmd__qadc01      |                       |                        | x(8)                |     |
| kbmd__qadd01      |                       |                        | ->>>,>>>,>>9.99<<<< | 10  |
| kbmd__qadi01      |                       |                        | ->>>,>>>,>>9        |     |
| kbmd__qadi01      |                       |                        | yes/no              |     |
| kbmd__qadt01      |                       |                        | 99/99/99            |     |
| kbmd__cons_ref    | Consuming Reference   | Consuming! Reference   | x(8)                |     |
| kbmd__cons_source | Consuming Destination | Consuming! Destination | x(8)                |     |
| kbmd__demand      | Maximum Demand        |                        | >>>,>>>,>>9         |     |
| kbmd__domain      | Domain                |                        | x(8)                |     |
| kbmd__line        | Production Line       | Production! Line       | x(8)                |     |
| kbmd__mod_date    | Modified Date         | Mod Date               | 99/99/99            |     |
| kbmd__mod_userid  | User ID               |                        | x(8)                |     |
| kbmd__part        | Item Number           |                        | x(18)               |     |



[illegible]

|               |     |               |     |    |
|---------------|-----|---------------|-----|----|
| oid_kbmd_mstr | yes | oid_kbmd_mstr | yes | no |
|---------------|-----|---------------|-----|----|

## Kanban Planning Period Master

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| * kbpp_period   | yes | kbpp_domain   | yes | no   |
|                 |     | kbpp_period   | yes | no   |
| ◇ oid kbpp mstr | yes | oid kbpp mstr | yes | no   |

**kbtrd det**

### Kanban Transaction History Detail

[illegible]

|   | Index-Name         | Uni | Field-Name           | Asc | Abbr |
|---|--------------------|-----|----------------------|-----|------|
| * | kbtrd_dataset_kbtr | yes | kbtrd_domain         | yes | no   |
|   |                    |     | kbtrd_dataset        | yes | no   |
|   |                    |     | kbtrd_kbtr_trans_nbr | yes | no   |
|   |                    |     | kbtrd_tr_trnbr       | yes | no   |
|   | kbtrd_dataset_tr   | yes | kbtrd_domain         | yes | no   |
|   |                    |     | kbtrd_dataset        | yes | no   |
|   |                    |     | kbtrd_tr_trnbr       | yes | no   |
|   |                    |     | kbtrd_kbtr_trans_nbr | yes | no   |
|   |                    |     |                      |     |      |
|   | oid kbtrd_det      | yes | oid kbtrd_det        | yes | no   |

**kbtrr\_det**

### Kanban Transaction Reject Detail

| Field Name           | Label           | Col-Label        | Format                       | Dec |
|----------------------|-----------------|------------------|------------------------------|-----|
| kbtrr__qadc01        |                 |                  | x(24)                        |     |
| kbtrr__qadc02        |                 |                  | x(24)                        |     |
| kbtrr__domain        | Domain          |                  | x(8)                         |     |
| kbtrr__mod_date      | Modified Date   | Mod Date         | 99/99/99                     |     |
| kbtrr__mod_userid    | User ID         |                  | x(8)                         |     |
| kbtrr__rjct_qty      | Reject Quantity | Reject! Quantity | ->>>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| kbtrr__rjct_rsn_code | Reason Code     |                  | x(8)                         |     |

| Field Name     | Label                  | Col-Label | Format                           | Dec |
|----------------|------------------------|-----------|----------------------------------|-----|
| kbtrr_user1    | User Field Character 1 |           | x(24)                            |     |
| kbtrr_user2    | User Field Character 2 |           | x(24)                            |     |
| oid_kbtrr_hist |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                |                        |           | .9<<<<<<<<<                      |     |
| oid_kbtrr_det  |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                |                        |           | .9<<<<<<<<<                      |     |

| Index-Name        | Uni | Field-Name          | Asc | Abbr |
|-------------------|-----|---------------------|-----|------|
| * kbtrr_kbtr_rjct | no  | oid_kbtrr_hist      | yes | no   |
|                   |     | kbtrr_rjct_rsn_code | yes | no   |
| oid_kbtrr_det     | yes | oid_kbtrr_det       | yes | no   |

**kbtr\_hist** Kanban Transaction History

| Field Name             | Label                    | Col-Label              | Format                    | Dec |
|------------------------|--------------------------|------------------------|---------------------------|-----|
| kbtr__qadc01           |                          |                        | x(24)                     |     |
| kbtr__qadc02           |                          |                        | x(24)                     |     |
| kbtr__qadc03           |                          |                        | x(24)                     |     |
| kbtr__qadd01           |                          |                        | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| kbtr__qadi01           |                          |                        | ->>>>>>>9                 |     |
| kbtr__qadi01           |                          |                        | yes/no                    |     |
| kbtr__qadt01           |                          |                        | 99/99/99                  |     |
| ◇ kbtr_authorize_date  | Authorize Date           |                        | 99/99/99                  |     |
| ◇ kbtr_authorize_time  | Authorize Time           |                        | >>>>9                     |     |
| kbtr_backflush         | Backflush                |                        | yes/no                    |     |
| kbtr_batch_size        | Batch Size               |                        | >>,>>>,>>9.9<<<<<<<<<<    | 10  |
| kbtr_calc_date         | Calculation Date         | Calc Date              | 99/99/99                  |     |
| kbtr_calc_mode         | Calculate Cards/Qty      | Calculate! Cards/Qty   | Cards/Qty                 |     |
| kbtr_card_nbr          | Card Number              |                        | >>>,>>>,>>9               |     |
| kbtr_card_type         | Card Type                |                        | x(1)                      |     |
| kbtr_cards             | Number of Cards          | Number! of Cards       | >>>,>>>,>>9               |     |
| ◇ kbtr_carrier_id      | Carrier                  |                        | x(8)                      |     |
| kbtr_cons_ref          | Consuming Reference      | Consuming! Reference   | x(8)                      |     |
| kbtr_cons_source       | Consuming Destination    | Consuming! Destination | x(8)                      |     |
| kbtr_cont_size         | Container Capacity       | Container! Capacity    | >>,>>>,>>9.9<<<<<<<<<<    | 10  |
| kbtr_cont_type         | Container Type           | Container! Type        | x(8)                      |     |
| kbtr_curr_process_id   | Process Code             | Process! Code          | x(8)                      |     |
| kbtr_daily_demand      | Daily Demand             |                        | >>,>>>,>>9.9<<<<<<<<<<    | 10  |
| ◇ kbtr_del_status_code | Delivery Status Code     |                        | x(8)                      |     |
| ◇ kbtr_delivery_date   | Delivery Date            |                        | 99/99/99                  |     |
| ◇ kbtr_delivery_time   | Delivery Time            |                        | >>>>9                     |     |
| kbtr_demand_hr         | Max Demand per Hour      | Max Demand! per Hour   | >>,>>>,>>9.9<<<<<<<<<<    | 10  |
| kbtr_disp_list_date    | Dispatch List Print Date | Dispatch! Printed      | 99/99/99                  |     |
| ◇ kbtr_disp_list_time  | Dispatch Time            |                        | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| ◇ kbtr_dispatch_id     | Dispatch ID              |                        | x(24)                     |     |
| kbtr_domain            | Domain                   |                        | x(8)                      |     |
| ◇ kbtr_due_date        | Due Date                 |                        | 99/99/99                  |     |
| ◇ kbtr_due_time        | Due Time                 |                        | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| kbtr_eff_date          | Effective Date           |                        | 99/99/99                  |     |
| kbtr_id                | Kanban ID                |                        | >>>>>>>9                  |     |
| kbtr_impact_inventory  | Impact Inventory         | Impact! Inv            | yes/no                    |     |
| ◇ kbtr_issue_loc       | Issue Location           |                        | x(8)                      |     |
| kbtr_kanban_quantity   | Kanban Quantity          | Kanban! Quantity       | >>,>>>,>>9.9<<<<<<<<<<    | 10  |

| Field Name             | Label                  | Col-Label             | Format                     | Dec |
|------------------------|------------------------|-----------------------|----------------------------|-----|
| kbtr_lead_time         | Replenishment Time     | Repl! Time            | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| kbtr_loop              | One/Two Card           |                       | One/Two                    |     |
| kbtr_loop_type         | Loop Type              |                       | x(8)                       |     |
| ◊ kbtr_lot             | Lot                    |                       | x(18)                      |     |
| kbtr_lot_size          | Kanban Lot Size        |                       | >>, >>>, >>9.9<<<<<<<<     | 10  |
| kbtr_max_cycle_time    | Maximum Cycle Time     | Maximum! Cycle Time   | >>>>>>>9                   |     |
| kbtr_min_cycle_check   | Minimum Cycle Check    | Min! Cycle! Check     | x(1)                       |     |
| kbtr_min_cycle_time    | Minimum Cycle Time     | Minimum! Cycle Time   | >>>>>>>9                   |     |
| kbtr_mod_date          | Modified Date          | Mod Date              | 99/99/99                   |     |
| kbtr_mod_userid        | User ID                |                       | x(8)                       |     |
| kbtr_mode              | Mode                   |                       | x(8)                       |     |
| kbtr_number_of_cards   | Number of Cards        | Number! of Cards      | >>>, >>>, >>9              |     |
| kbtr_order_qty         | Order Quantity         |                       | >>, >>>, >>9.9<<<<<<<<     | 10  |
| kbtr_part              | Item Number            |                       | x(18)                      |     |
| kbtr_pattern           | Demand Pattern         | Demand! Pattern       | x(8)                       |     |
| kbtr_po_nbr            | Purchase Order         | PO                    | x(8)                       |     |
| kbtr_pou_ref           | POU Reference          | POU! Reference        | x(8)                       |     |
| kbtr_pou_site          | POU Site               |                       | x(8)                       |     |
| kbtr_print_date        | Print Date             |                       | 99/99/99                   |     |
| kbtr_print_time        | Print Time             |                       | >>>>9                      |     |
| kbtr_production_line   | Production Line        | Line                  | x(8)                       |     |
| ◊ kbtr_program         | Program                |                       | x(12)                      |     |
| ◊ kbtr_qty_accepted    | Qty Accepted           |                       | ->>>>, >>>, >>9.9<<<<<<<<  | 10  |
| ◊ kbtr_qty_scrapped    | Qty Scrapped           |                       | ->>>>, >>>, >>9.9<<<<<<<<  | 10  |
| ◊ kbtr_receipt_loc     | Receipt Location       |                       | x(8)                       |     |
| ◊ kbtr_ref             | Reference              |                       | x(8)                       |     |
| kbtr_rep_time          | Replenishment Time     | Repl! Time            | >>>9.9<                    | 10  |
| kbtr_safety_stock      | Safety Stock           |                       | >>, >>>, >>9.9<<<<<<<<     | 10  |
| ◊ kbtr_second_card_id  | Second ID              |                       | x(8)                       |     |
| kbtr_source_app        | Source Application     |                       | x(8)                       |     |
| kbtr_source_ref1       | Source Ref1            |                       | x(8)                       |     |
| kbtr_source_ref2       | Source Ref2            |                       | x(8)                       |     |
| kbtr_source_ref3       | Source Ref3            |                       | x(8)                       |     |
| kbtr_source_ref4       | Source Ref4            |                       | x(8)                       |     |
| kbtr_source_ref5       | Source Ref5            |                       | x(8)                       |     |
| kbtr_source_type       | Source Type            | Source! Type          | x(8)                       |     |
| kbtr_step              | Step                   |                       | >>>>9                      |     |
| kbtr_supermarket_id    | Supermarket            |                       | x(8)                       |     |
| kbtr_supermarket_site  | Supermarket Site       | Supermarket! Site     | x(8)                       |     |
| kbtr_supp_ref          | Supplying Reference    | Supplying! Reference  | x(8)                       |     |
| kbtr_supp_source       | Supplying Source       | Supplying! Source     | x(8)                       |     |
| kbtr_trans_date        | Transaction Date       | Trans! Date           | 99/99/99                   |     |
| kbtr_trans_nbr         | Transaction Number     | Trans! Nbr            | >>>>>>>9                   |     |
| kbtr_trans_qty         | Transaction Quantity   | Transaction! Quantity | ->, >>>, >>9.9<<<<<<<<     | 10  |
| kbtr_trans_time        | Transaction Time       | Trans! Time           | >>>>9                      |     |
| kbtr_trans_type        | Transaction Type       | Trans! Type           | x(1)                       |     |
| kbtr_transaction_event | Event                  |                       | x(8)                       |     |
| kbtr_type              | Kanban Type            | Kanban! Type          | x(8)                       |     |
| kbtr_type_user_ref     | Kanban Type            | Kanban! Type          | x(8)                       |     |
| kbtr_user1             | User Field Character 1 |                       | x(24)                      |     |
| kbtr_user2             | User Field Character 2 |                       | x(24)                      |     |
| kbtr_userd01           | User Field Decimal 1   |                       | ->>>>, >>>, >>9.9<<<<<<<<  | 10  |
| kbtr_useri01           | User Field Integer 1   |                       | ->>>>>>>9                  |     |
| kbtr_userl01           | User Field Logical 1   |                       | yes/no                     |     |

[illegible]

| Index-Name       | Uni | Field-Name            | Asc | Abbr |
|------------------|-----|-----------------------|-----|------|
| kbtr_id_date     | no  | kbtr_domain           | yes | no   |
|                  |     | kbtr_id               | yes | no   |
|                  |     | kbtr_trans_date       | yes | no   |
|                  |     | kbtr_trans_time       | yes | no   |
|                  |     | kbtr_trans_nbr        | yes | no   |
| kbtr_part_date   | no  | kbtr_domain           | yes | no   |
|                  |     | kbtr_part             | yes | no   |
|                  |     | kbtr_step             | yes | no   |
|                  |     | kbtr_trans_date       | yes | no   |
|                  |     | kbtr_trans_time       | yes | no   |
| kbtr_source      | no  | kbtr_domain           | yes | no   |
|                  |     | kbtr_source_type      | yes | no   |
|                  |     | kbtr_source_ref1      | yes | no   |
|                  |     | kbtr_source_ref2      | yes | no   |
|                  |     | kbtr_source_ref3      | yes | no   |
|                  |     | kbtr_source_ref4      | yes | no   |
| kbtr_supermarket | no  | kbtr_source_ref5      | yes | no   |
|                  |     | kbtr_domain           | yes | no   |
|                  |     | kbtr_supermarket_site | yes | no   |
|                  |     | kbtr_supermarket_id   | yes | no   |
|                  |     | kbtr_part             | yes | no   |
|                  |     | kbtr_step             | yes | no   |
|                  |     | kbtr_trans_date       | yes | no   |
|                  |     | kbtr_trans_time       | yes | no   |
| * kbtr_trans_nbr | yes | kbtr_domain           | yes | no   |
|                  |     | kbtr_trans_nbr        | yes | no   |
| kbtr_user_time   | no  | kbtr_domain           | yes | no   |
|                  |     | kbtr_mod_userid       | yes | no   |
|                  |     | kbtr_trans_date       | yes | no   |
|                  |     | kbtr_trans_time       | yes | no   |
| ◇ oid_kbtr_hist  | yes | oid_kbtr_hist         | yes | no   |

◇ **kenb\_det** Ending Inventory Balance and Cost by Location

| <b>Field Name</b> | <b>Label</b>              | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|---------------------------|------------------|-------------------------|------------|
| kenb__qadc01      | QAD Character Field 1     |                  | x(24)                   |            |
| kenb__qadc02      | QAD Character Field 2     |                  | x(24)                   |            |
| kenb__quad01      | QAD Decimal Field 1       |                  | ->>>, >>>, >>9.99<<     | 10         |
| kenb__qadt01      | QAD Date Field 1          |                  | 99/99/99                |            |
| kenb_domain       | Domain                    |                  | x(8)                    |            |
| kenb_end_bal      | Ending Inventory Quantity | End Inv Qty      | ->, >>>, >>9.9<<<<<<<<< | 10         |
| kenb_end_cst      | Ending Cost               |                  | >>>, >>>, >>9.99<<<     | 10         |
| kenb_loc          | Location                  |                  | x(8)                    |            |
| kenb_mod_date     | Modified Date             | Mod Date         | 99/99/99                |            |
| kenb_mod_userid   | User ID                   |                  | x(8)                    |            |
| kenb_month        | Month                     |                  | >9                      |            |

| Field Name   | Label                  | Col-Label | Format                         | Dec |
|--------------|------------------------|-----------|--------------------------------|-----|
| kenb_part    | Item Number            |           | x(18)                          |     |
| kenb_period  | Period                 |           | 99/9999                        |     |
| kenb_site    | Site                   |           | x(8)                           |     |
| kenb_user1   | User Field Character 1 |           | x(24)                          |     |
| kenb_user2   | User Field Character 2 |           | x(24)                          |     |
| kenb_year    | Year                   |           | 9999                           |     |
| oid_kenb_det |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                        |           | .9<<<<<<<<<<                   |     |

| Index-Name       | Uni | Field-Name   | Asc | Abbr |
|------------------|-----|--------------|-----|------|
| ◇ kenb_part      | no  | kenb_domain  | yes | no   |
|                  |     | kenb_part    | yes | no   |
|                  |     | kenb_site    | yes | no   |
|                  |     | kenb_loc     | yes | no   |
| ◇* kenb_site_loc | yes | kenb_domain  | yes | no   |
|                  |     | kenb_site    | yes | no   |
|                  |     | kenb_loc     | yes | no   |
|                  |     | kenb_part    | yes | no   |
|                  |     | kenb_year    | yes | no   |
|                  |     | kenb_month   | yes | no   |
| ◇ kenb_year_per  | no  | kenb_domain  | yes | no   |
|                  |     | kenb_year    | yes | no   |
|                  |     | kenb_month   | yes | no   |
|                  |     | kenb_part    | yes | no   |
|                  |     | kenb_site    | yes | no   |
|                  |     | kenb_loc     | yes | no   |
| ◇ oid kenb det   | yes | oid kenb det | yes | no   |

◇ **kia mstr** Inventory Account Change Master

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ kia_prod_line | no  | kia_domain    | yes | no   |
|                 |     | kia_prod_line | yes | no   |
|                 |     | kia_mod_date  | yes | no   |
|                 |     | kia_site      | yes | no   |
|                 |     | kia_loc       | yes | no   |
|                 |     | kia_old_acct  | yes | no   |
| ◇* kia_trnbr    | yes | kia_domain    | yes | no   |
|                 |     | kia_trnbr     | yes | no   |
| ◇ oid_kia_mstr  | yes | oid_kia_mstr  | yes | no   |

**knbadc\_hist** Kanban Average Demand Calculation History[illegible]

| Index-Name        | Uni | Field-Name       | Asc | Abbr |
|-------------------|-----|------------------|-----|------|
| * knbadc_keyid    | yes | knbadc_domain    | yes | no   |
|                   |     | knbadc_keyid     | yes | no   |
| knbadc_site_part  | no  | knbadc_domain    | yes | no   |
|                   |     | knbadc_site      | yes | no   |
|                   |     | knbadc_part      | yes | no   |
|                   |     | knbadc_template  | yes | no   |
|                   |     | knbadc_calc_date | yes | no   |
|                   |     | knbadc_calc_time | yes | no   |
| ◇ oid knbadc_hist | yes | oid knbadc_hist  | yes | no   |

**knbcd det** Kanban Cards Dispatch History

| Field Name          | Label         | Col-Label | Format   | Dec |
|---------------------|---------------|-----------|----------|-----|
| knbcd__qadc01       |               |           | x(8)     |     |
| knbcd__qadc02       |               |           | x(8)     |     |
| knbcd__qadc03       |               |           | x(24)    |     |
| knbcd__qadc04       |               |           | x(24)    |     |
| knbcd__qadl01       |               |           | yes/no   |     |
| knbcd__qadl02       |               |           | yes/no   |     |
| knbcd_closed        | Closed        |           | yes/no   |     |
| knbcd_delivery_date | Delivery Date |           | 99/99/99 |     |
| knbcd_delivery_time | Delivery Time |           | >>>>9    |     |
| knbcd_dispatch_id   | Dispatch ID   |           | x(24)    |     |
| knbcd_domain        | Domain        |           | x(8)     |     |
| knbcd_due_date      | Due Date      |           | 99/99/99 |     |



| Index-Name          | Uni | Field-Name           | Asc | Abbr |
|---------------------|-----|----------------------|-----|------|
| knbcd_blanket       | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_pod_blanket    | yes | no   |
|                     |     | knbcd_pod_blnkt_in   | yes | no   |
|                     |     | knbcd_po_nbr         | yes | no   |
|                     |     | knbcd_pod_line       | yes | no   |
| * knbcd_dispatch_id | yes | knbcd_domain         | yes | no   |
|                     |     | knbcd_dispatch_id    | yes | no   |
|                     |     | knbcd_knbd_id        | yes | no   |
| knbcd_kbtr          | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_kbtr_trans_nbr | yes | no   |
| knbcd_knbd_id       | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_knbd_id        | yes | no   |
|                     |     | knbcd_dispatch_id    | yes | no   |
| knbcd_part_closed   | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_part           | yes | no   |
|                     |     | knbcd_closed         | yes | no   |
| knbcd_part_disp     | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_part           | yes | no   |
|                     |     | knbcd_dispatch_id    | yes | no   |
| knbcd_po_nbr        | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_po_nbr         | yes | no   |
|                     |     | knbcd_pod_line       | yes | no   |
|                     |     | knbcd_closed         | yes | no   |
| knbcd_source        | no  | knbcd_domain         | yes | no   |
|                     |     | knbcd_source type    | yes | no   |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
|                 |     | knbcd_ref1    | yes | no   |
|                 |     | knbcd_ref2    | yes | no   |
|                 |     | knbcd_ref3    | yes | no   |
|                 |     | knbcd_ref4    | yes | no   |
|                 |     | knbcd_ref5    | yes | no   |
|                 |     | knbcd_closed  | yes | no   |
| ◇ oid knbcd det | yes | oid knbcd det | yes | no   |

**knbdd mstr** Kanban Document Definition Master

| Field Name               | Label                        | Col-Label | Format                      | Dec |
|--------------------------|------------------------------|-----------|-----------------------------|-----|
| knbdd__qadc01            |                              |           | x(8)                        |     |
| knbdd__qadc02            |                              |           | x(8)                        |     |
| knbdd__qadc03            |                              |           | x(24)                       |     |
| knbdd__qadc04            |                              |           | x(24)                       |     |
| knbdd__qadd01            |                              |           | ->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| knbdd__qadi01            |                              |           | ->>>>>>>>9                  |     |
| knbdd__qadi01            |                              |           | yes/no                      |     |
| knbdd__qadi02            |                              |           | yes/no                      |     |
| knbdd__qadi03            |                              |           | yes/no                      |     |
| knbdd__qadt01            |                              |           | 99/99/99                    |     |
| knbdd__accum_type        | Accum Type                   |           | yes/no                      |     |
| knbdd__accum_type_desc   | Accum Type Desc              |           | yes/no                      |     |
| knbdd__active_end        | Active End                   |           | yes/no                      |     |
| knbdd__active_start      | Active Start                 |           | yes/no                      |     |
| knbdd__bom_code          | BOM Code                     |           | yes/no                      |     |
| knbdd__card_cmmt_page[5] | Card Comment Page            |           | >>9                         |     |
| knbdd__card_stock        | Card Stock                   |           | x(12)                       |     |
| knbdd__card_type         | Card Type                    |           | yes/no                      |     |
| knbdd__card_type_desc    | Card Type Desc               |           | yes/no                      |     |
| knbdd__cont_size         | Cont Capacity                |           | yes/no                      |     |
| knbdd__cont_type         | Cont Type                    |           | yes/no                      |     |
| knbdd__cycles_allowed    | Cycles                       |           | yes/no                      |     |
| knbdd__del_loc           | Delivery Location            |           | yes/no                      |     |
| knbdd__dest_sm_desc      | Destination Supermarket Desc |           | yes/no                      |     |
| knbdd__dest_sm_id        | Destination Supermarket ID   |           | yes/no                      |     |
| knbdd__document_color    | Label Color                  |           | x(12)                       |     |
| knbdd__document_desc     | Document Description         |           | x(24)                       |     |
| knbdd__document_name     | Document Name                |           | x(12)                       |     |
| knbdd__document_size     | Document Size                |           | x(12)                       |     |
| knbdd__document_type     | Document Type                |           | x(8)                        |     |
| knbdd__domain            | Domain                       |           | x(8)                        |     |
| knbdd__font_size         | Font Size                    |           | x(8)                        |     |
| knbdd__font_style        | Font Style                   |           | x(12)                       |     |
| knbdd__inv_site          | Inventory Site               |           | yes/no                      |     |
| knbdd__inv_site_desc     | Inventory Site Desc          |           | yes/no                      |     |
| knbdd__kanban_id         | Kanban ID                    |           | yes/no                      |     |
| knbdd__kanban_quantity   | Kanban Quantity              |           | yes/no                      |     |
| knbdd__label_type        | Label Type                   |           | x(12)                       |     |
| knbdd__mod_date          | Modified Date                | Mod Date  | 99/99/99                    |     |
| knbdd__mod_userid        | User ID                      |           | x(8)                        |     |
| knbdd__part              | Item Number                  |           | yes/no                      |     |
| knbdd__po_line           | PO Line                      |           | yes/no                      |     |

|   | Index-Name     | Uni | Field-Name          | Asc | Abbr |
|---|----------------|-----|---------------------|-----|------|
| * | knbdd_document | yes | knbdd_domain        | yes | no   |
|   |                |     | knbdd_document_type | yes | no   |
|   |                |     | knbdd_document_name | yes | no   |
| ◇ | oid_knbdd_mstr | yes | oid_knbdd_mstr      | yes | no   |

|                 |                    |
|-----------------|--------------------|
| <b>knbd det</b> | Kanban Card Detail |
|-----------------|--------------------|



[illegible]

|   | <b>Index-Name</b> | <b>Uni</b> | <b>Field-Name</b>   | <b>Asc</b> | <b>Abbr</b> |
|---|-------------------|------------|---------------------|------------|-------------|
| * | knbd_id           | yes        | knbd_domain         | yes        | no          |
|   |                   |            | knbd_id             | yes        | no          |
|   | knbd_keyid        | yes        | knbd_domain         | yes        | no          |
|   |                   |            | knbd_keyid          | yes        | no          |
|   | knbd_knbl_keyid   | no         | knbd_domain         | yes        | no          |
|   |                   |            | knbd_knbl_keyid     | yes        | no          |
|   |                   |            | knbd_id             | yes        | no          |
|   | knbd_knbl_status  | no         | knbd_domain         | yes        | no          |
|   |                   |            | knbd_knbl_keyid     | yes        | no          |
|   |                   |            | knbd_status         | yes        | no          |
|   |                   |            | knbd_active         | yes        | no          |
|   | knbd_status_disp  | no         | knbd_domain         | yes        | no          |
|   |                   |            | knbd_status         | yes        | no          |
|   |                   |            | knbd_print_dispatch | yes        | no          |
|   |                   |            | knbd_active         | yes        | no          |
| ◇ | oid knbd det      | yes        | oid knbd det        | yes        | no          |

**knbfd\_det**

### Kanban FIFO Process Detail

[illegible]

|   | Index-Name       | Uni | Field-Name       | Asc | Abbr |
|---|------------------|-----|------------------|-----|------|
| * | knbfd_keyid      | yes | knbfd_domain     | yes | no   |
|   |                  |     | knbfd_keyid      | yes | no   |
|   | knbfd_knb_keyid  | no  | knbfd_domain     | yes | no   |
|   |                  |     | knbfd_knb_keyid  | yes | no   |
|   |                  |     | knbfd_seq        | yes | no   |
|   | knbfd_knbs_keyid | no  | knbfd_domain     | yes | no   |
|   |                  |     | knbfd_knbs_keyid | yes | no   |
|   |                  |     | knbfd_seq        | yes | no   |
| ◇ | oid_knbfd_det    | yes | oid_knbfd_det    | yes | no   |

**knbism\_det**

### Kanban Item Supermarket Detail

| Field Name             | Label                            | Col-Label        | Format                   | Dec |
|------------------------|----------------------------------|------------------|--------------------------|-----|
| knbism__qadc01         |                                  |                  | x(24)                    |     |
| knbism__qadc02         |                                  |                  | x(24)                    |     |
| knbism_avg_inv_method  | Avg Inventory Calc Method        | Inv Calc! Method | >9                       |     |
| knbism_buf_limit_chg   | Date Limit Changed               |                  | 99/99/99                 |     |
| knbism_buf_limit_disp  | Buffer Limit Method              |                  | x(8)                     |     |
| knbism_buf_method      | Buffer Method                    |                  | x(8)                     |     |
| knbism_buf_modified    | Buffer Modified                  |                  | yes/no                   |     |
| knbism_count_tolerance | Count Tolerance                  | Tol              | >>9.9<%                  | 10  |
| knbism_critical_limit  | Critical Zone Limit              |                  | >>, >>>, >>9.9<<<<<<<<<< | 10  |
| knbism_daily_demand    | Daily Demand                     |                  | >, >>>, >>9.9<<<         | 4   |
| knbism_demand_method   | Demand Method                    |                  | x(8)                     |     |
| knbism_demand_modified | Demand Modified                  |                  | yes/no                   |     |
| knbism_demand_pct      | Demand Percent                   |                  | >>9.99%                  | 10  |
| knbism_dest_email      | Destination Email                |                  | x(48)                    |     |
| knbism_dest_fax        | Destination Fax                  |                  | x(16)                    |     |
| knbism_dest_fax2       | Destination Fax2                 |                  | x(16)                    |     |
| knbism_domain          | Domain                           |                  | x(8)                     |     |
| knbism_keyid           | Key ID                           |                  | ->>>, >>>, >>9.9<<<<<    | 10  |
| knbism_knbi_keyid      | Kanban Item Key ID               |                  | ->>>, >>>, >>9.9<<<<<    | 10  |
| knbism_knbsm_keyid     | Kanban Supermarket Master Key ID |                  | ->>>, >>>, >>9.9<<<<<    | 10  |

| <b>Field Name</b>     | <b>Label</b>           | <b>Col-Label</b>  | <b>Format</b>                             | <b>Dec</b> |
|-----------------------|------------------------|-------------------|-------------------------------------------|------------|
| knbism_lag_factor     | Lag Factor             |                   | -->>>, >>>,>>9.9<<<<<<<<                  | 10         |
| knbism_max_buf        | Max Buffer Size        |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_mod_date       | Modified Date          | Mod Date          | 99/99/99                                  |            |
| knbism_mod_userid     | User ID                |                   | x(8)                                      |            |
| knbism_order_point    | Order Point            |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_pack_qty       | Pack Qty               |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_pack_type      | Pack Type              |                   | x(8)                                      |            |
| knbism_peak_period    | Peak Average Days      | Pk Avg Dys        | >>9                                       |            |
| knbism_safety_stock   | Safety Stock           |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_safety_time    | Safety Days            |                   | >>>>, >>>, >>9.9<<<<<<<<                  | 10         |
| knbism_service_level  | Service Level          | Service! Level    | >>9.99%                                   | 10         |
| knbism_ss_method      | Safety Stock Method    | SS Method         | x(8)                                      |            |
| knbism_ss_template    | Safety Stock Template  | SS! Template      | x(8)                                      |            |
| knbism_ss_total_qty   | Total Quantity         |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_template_used  | Avg Demand Template    | Avg Dem! Template | x(8)                                      |            |
| knbism_user1          | User Field Character 1 |                   | x(24)                                     |            |
| knbism_user2          | User Field Character 2 |                   | x(24)                                     |            |
| knbism_var_factor     | Variability Factor     | Var Factor        | -->>9.99<<                                | 4          |
| knbism_warning_limit  | Warning Zone Limit     |                   | >>, >>>, >>9.9<<<<<<<<                    | 10         |
| knbism_working_buffer | Working Buffer         |                   | ->>>, >>>, >>9.9<<<<                      | 10         |
| oid_knbism_det        |                        |                   | >>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<< | 10         |

|                    | Index-Name         | Uni | Field-Name         | Asc | Abbr |
|--------------------|--------------------|-----|--------------------|-----|------|
| *                  | knbism_keyid       | yes | knbism_domain      | yes | no   |
|                    |                    |     | knbism_keyid       | yes | no   |
|                    | knbism_knbi_keyid  | no  | knbism_domain      | yes | no   |
|                    |                    |     | knbism_knbi_keyid  | yes | no   |
|                    | knbism_knbsm_keyid | no  | knbism_knbsm_keyid | yes | no   |
| knbism_domain      |                    |     | yes                | no  |      |
| knbism_knbsm_keyid |                    |     | yes                | no  |      |
| ◇                  | oid knbism_det     | yes | knbism_knbi_keyid  | yes | no   |
|                    |                    |     | oid knbism_det     | yes | no   |

## knbi mstr Kanban Item Master

| Field Name            | Label                     | Col-Label         | Format                     | Dec |
|-----------------------|---------------------------|-------------------|----------------------------|-----|
| knbi__qadc01          |                           |                   | x(24)                      |     |
| knbi__qadc02          |                           |                   | x(24)                      |     |
| knbi_avg_inv_method   | Avg Inventory Calc Method | Inv Calc! Method  | >9                         |     |
| knbi_bom_code         | BOM Code                  |                   | x(18)                      |     |
| knbi_cmtindx          | Comment Index             | Comment           | >>>>>>9                    |     |
| knbi_cont_type        | Container Type            | Cont! Type        | x(8)                       |     |
| knbi_cost_alloc       | Cost Allocation           | Cost! Alloc       | >>9.9<%                    | 10  |
| knbi_domain           | Domain                    |                   | x(8)                       |     |
| knbi_keyid            | Key ID                    |                   | ->>>, >>>, >>9.9<<<<<      | 10  |
| knbi_min_epe_interval | Min EPE Interval          | Min EPEI          | ->>>, >>>, >>9.9<<<<<<<<<< | 10  |
| knbi_mod_date         | Modified Date             | Mod Date          | 99/99/99                   |     |
| knbi_mod_userid       | User ID                   |                   | x(8)                       |     |
| knbi_part             | Item Number               |                   | x(18)                      |     |
| knbi_routing          | Routing Code              |                   | x(18)                      |     |
| knbi_run_out_material | Run Out Material          | Run Out! Material | x(18)                      |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| knbi_keyid      | yes | knbi_domain   | yes | no   |
|                 |     | knbi_keyid    | yes | no   |
| * knbi_part     | yes | knbi_domain   | yes | no   |
|                 |     | knbi_part     | yes | no   |
|                 |     | knbi_step     | yes | no   |
| ◇ oid_knbi_mstr | yes | oid_knbi_mstr | yes | no   |

[illegible]

| Index-Name          | Uni | Field-Name         | Asc | Abbr |
|---------------------|-----|--------------------|-----|------|
| ◇* knble_oid_parent | no  | oid_parent_dataset | yes | no   |
|                     |     | knble_card_type    | yes | no   |
|                     |     | knble_trans_event  | yes | no   |
| ◇ oid knble det     | yes | oid knble det      | yes | no   |

## knbl\_det

Kanban Loop Detail

| Field Name              | Label                      | Col-Label            | Format                     | Dec |
|-------------------------|----------------------------|----------------------|----------------------------|-----|
| knbl_qadc01             |                            |                      | x(24)                      |     |
| knbl_qadc02             |                            |                      | x(24)                      |     |
| knbl_accum_sch_time     | Schedule Time              |                      | x(255)                     |     |
| knbl_accum_schedule     | Accum Schedule             |                      | x(255)                     |     |
| knbl_accum_type         | Accumulator Type           |                      | x(8)                       |     |
| knbl_backflush          | Backflush                  |                      | yes/no                     |     |
| knbl_blanket_po         | Release Blanket PO         |                      | yes/no                     |     |
| knbl_calc_mode          | Calculate Cards/Qty        | Calculate! Cards/Qty | Cards/Qty                  |     |
| knbl_card_print_option  | Print Option               |                      | x(8)                       |     |
| knbl_card_reporting     | Card Reporting             | Card! Reporting      | >9                         |     |
| knbl_card_type          | Card Type                  | Card! Type           | x(8)                       |     |
| knbl_cmtindx            | Comment Index              | Comment              | >>>>>>>9                   |     |
| knbl_cont_size          | Container Capacity         | Container! Capacity  | >>, >>>, >>9.9<<<<<<<<<    | 10  |
| knbl_cont_type          | Container Type             | Container            | x(8)                       |     |
| ◇ knbl_decrease_at_cons | Decrease at Consume        |                      | x(8)                       |     |
| ◇ knbl_del_loc          | Delivery Location          |                      | x(8)                       |     |
| ◇ knbl_dispatch_edi     | EDI                        |                      | yes/no                     |     |
| knbl_dispatch_list      | Dispatch List              | Dispatch! List       | yes/no                     |     |
| knbl_domain             | Domain                     |                      | x(8)                       |     |
| knbl_email_disp_list    | Email Dispatch List        | Email! Disp          | yes/no                     |     |
| knbl_fax_dispatch_list  | Fax Disp List              | Fax! Disp            | yes/no                     |     |
| ◇ knbl_fifo_ext_time    | FIFO Time Ext              | FIFO Time! External  | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| knbl_fifo_time          | Total FIFO Time            | FIFO Time            | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| knbl_fractional_kanban  | Fractional Kanban          | Fract! Kanban        | >>9.9<%                    | 10  |
| knbl_id_barcode         | Print ID Barcode           | ID! Barcode          | yes/no                     |     |
| knbl_impact_inventory   | Impact Inventory           | Impact! Inv          | yes/no                     |     |
| knbl_interval_time      | Interval Time              |                      | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| ◇ knbl_inv_loc          | Inventory Location         |                      | x(8)                       |     |
| knbl_item_barcode       | Print Item Barcode         | Item! Barcode        | yes/no                     |     |
| ◇ knbl_kanban_label     | Kanban Label               |                      | x(12)                      |     |
| knbl_kanban_quantity    | Kanban Quantity            | Kanban! Quantity     | >>, >>>, >>9.9<<<<<<<<<    | 10  |
| knbl_keyid              | Key ID                     |                      | ->>>, >>>, >>9.9<<<<<      | 10  |
| knbl_knb_keyid          | Kanban Master Key ID       |                      | ->>>, >>>, >>9.9<<<<<      | 10  |
| ◇ knbl_lot_entry        | Lot Entry                  |                      | yes/no                     |     |
| knbl_max_cycle_time     | Maximum Cycle Time         | Maximum! Cycle Time  | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| knbl_min_cycle_check    | Minimum Cycle Check        | Min! Cycle! Check    | x(8)                       |     |
| knbl_min_cycle_time     | Minimum Cycle Time         | Minimum! Cycle Time  | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| knbl_mod_date           | Modified Date              | Mod Date             | 99/99/99                   |     |
| ◇ knbl_mod_inv_data     | Modify Inv Data            |                      | x(8)                       |     |
| ◇ knbl_mod_inv_pct      | Modify Inv Threshold       |                      | >>9.99%                    | 10  |
| knbl_mod_userid         | User ID                    |                      | x(8)                       |     |
| knbl_next_date          | Next Accumulator           |                      | 99/99/99                   |     |
| knbl_next_time          | Accumulator Time           |                      | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| knbl_number_of_cards    | Number of Cards            | Cards                | >>>, >>>, >>9              |     |
| knbl_order_qty          | Order Qty                  |                      | >>, >>>, >>9.9<<<<<<<<<    | 10  |
| ◇ knbl_order_qty_mult   | Order Quantity Multiple    |                      | >>>>9                      |     |
| knbl_po_data_entry      | PO Receipt Data Entry      |                      | yes/no                     |     |
| ◇ knbl_pou_loc          | Point Of Use Location      |                      | x(8)                       |     |
| knbl_print_consume_ref  | Print Consuming Reference  | Print Ref            | yes/no                     |     |
| knbl_print_quantity     | Print Quantity             | Print! Qty           | yes/no                     |     |
| ◇ knbl_qty_violation    | Qty Violation Method       |                      | x(8)                       |     |
| ◇ knbl_regen_enforce    | Regeneration Enforcement   |                      | x(8)                       |     |
| knbl_regen_required     | Regenerate                 | Regen! Required      | yes/no                     |     |
| knbl_rep_time           | Replenishment Time         | Replen Time          | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| ◇ knbl_rounding_pct     | Rounding Threshold Percent |                      | >>9.99%                    | 10  |



[illegible]

|                | Index-Name          | Uni            | Field-Name     | Asc | Abbr |
|----------------|---------------------|----------------|----------------|-----|------|
| *              | knbl_keyid          | yes            | knbl_domain    | yes | no   |
|                |                     |                | knbl_keyid     | yes | no   |
|                | knbl_knb_keyid      | no             | knbl_domain    | yes | no   |
|                |                     |                | knbl_knb_keyid | yes | no   |
|                | knbl_next_date_time | no             | knbl_card_type | yes | no   |
|                |                     |                | knbl_domain    | yes | no   |
| knbl_next_date |                     |                | yes            | no  |      |
| ◇ oid knbl det | yes                 | knbl_next_time | yes            | no  |      |
|                |                     | oid knbl det   | yes            | no  |      |
|                |                     |                |                |     |      |

**knbrs\_mstr** Kanban Dispatch Release Schedule[illegible]

| Index-Name          | Uni | Field-Name          | Asc | Abbr |
|---------------------|-----|---------------------|-----|------|
| knbrs_date_disp     | no  | knbrs_domain        | yes | no   |
|                     |     | knbrs_dispatch_date | yes | no   |
|                     |     | knbrs_dispatch_time | yes | no   |
|                     |     | knbrs_dispatch_id   | yes | no   |
| * knbrs_dispatch_id | yes | knbrs_domain        | yes | no   |
|                     |     | knbrs_dispatch_id   | yes | no   |
| knbrs_export_batch  | no  | knbrs_domain        | yes | no   |
|                     |     | knbrs_export_batch  | yes | no   |
| ◇ oid knbrs mstr    | yes | oid knbrs mstr      | yes | no   |

**knbsm mstr** Kanban Supermarket Master[illegible]

| Index-Name       | Uni | Field-Name           | Asc | Abbr |
|------------------|-----|----------------------|-----|------|
| knbsm_keyid      | yes | knbsm_domain         | yes | no   |
|                  |     | knbsm_keyid          | yes | no   |
| * knbsm_site_id  | yes | knbsm_domain         | yes | no   |
|                  |     | knbsm_site           | yes | no   |
|                  |     | knbsm_supermarket_id | yes | no   |
| ◇ oid knbsm mstr | yes | oid knbsm mstr       | yes | no   |

## knbs\_det Kanban Source Detail

| Field Name   | Label  | Col-Label | Format                 | Dec |
|--------------|--------|-----------|------------------------|-----|
| knbs__qadc01 |        |           | x(24)                  |     |
| knbs__qadc02 |        |           | x(24)                  |     |
| knbs_domain  | Domain |           | x(8)                   |     |
| knbs_keyid   | Key ID |           | -->>>, >>>, >>9.9<<<<< | 10  |

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                                    | <b>Dec</b> |
|-------------------|------------------------|------------------|--------------------------------------------------|------------|
| knbs_mod_date     | Modified Date          | Mod Date         | 99/99/99                                         |            |
| knbs_mod_userid   | User ID                |                  | x(8)                                             |            |
| knbs_ref1         | Reference 1            |                  | x(8)                                             |            |
| knbs_ref2         | Reference 2            |                  | x(8)                                             |            |
| knbs_ref3         | Reference 3            |                  | x(8)                                             |            |
| knbs_ref4         | Reference 4            |                  | x(8)                                             |            |
| knbs_ref5         | Reference 5            |                  | x(8)                                             |            |
| knbs_source_type  | Source Type            | Source! Type     | x(8)                                             |            |
| knbs_user1        | User Field Character 1 |                  | x(24)                                            |            |
| knbs_user2        | User Field Character 2 |                  | x(24)                                            |            |
| oid_knbs_det      |                        |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |            |

|   | Index-Name      | Uni | Field-Name       | Asc | Abbr |
|---|-----------------|-----|------------------|-----|------|
|   | knbs_keyid      | yes | knbs_domain      | yes | no   |
|   |                 |     | knbs_keyid       | yes | no   |
| * | knbs_source_ref | no  | knbs_domain      | yes | no   |
|   |                 |     | knbs_source_type | yes | no   |
|   |                 |     | knbs_ref1        | yes | no   |
|   |                 |     | knbs_ref2        | yes | no   |
|   |                 |     | knbs_ref3        | yes | no   |
|   |                 |     | knbs_ref4        | yes | no   |
|   |                 |     | knbs_ref5        | yes | no   |
| ◇ | oid_knbs_det    | yes | oid_knbs_det     | yes | no   |

**knb\_mstr** Kanban Master

[illegible]

|   | Index-Name    | Uni | Field-Name     | Asc | Abbr |
|---|---------------|-----|----------------|-----|------|
| * | knb_keyid     | yes | knb_domain     | yes | no   |
|   |               |     | knb_keyid      | yes | no   |
|   | knb_knbi_knbs | no  | knb_domain     | yes | no   |
|   |               |     | knb_knbi_keyid | yes | no   |
|   |               |     | knb_knbs_keyid | yes | no   |

| Index-Name      | Uni | Field-Name      | Asc | Abbr |
|-----------------|-----|-----------------|-----|------|
| knb_knbi_knbsm  | no  | knb_domain      | yes | no   |
|                 |     | knb_knbi_keyid  | yes | no   |
|                 |     | knb_knbsm_keyid | yes | no   |
| knb_knbs_keyid  | no  | knb_domain      | yes | no   |
|                 |     | knb_knbs_keyid  | yes | no   |
| knb_knbsm_keyid | no  | knb_domain      | yes | no   |
|                 |     | knb_knbsm_keyid | yes | no   |
| ◇ oid knb mstr  | yes | oid knb mstr    | yes | no   |

**knpd\_det**

### Kanban Process Item Detail

[illegible]

|   | Index-Name      | Uni | Field-Name      | Asc | Abbr |
|---|-----------------|-----|-----------------|-----|------|
| * | knpd_keyid      | yes | knpd_domain     | yes | no   |
|   |                 |     | knpd_keyid      | yes | no   |
|   | knpd_knbi_keyid | no  | knpd_domain     | yes | no   |
|   |                 |     | knpd_knbi_keyid | yes | no   |
|   | knpd_knp_keyid  | no  | knpd_domain     | yes | no   |
|   |                 |     | knpd_knp_keyid  | yes | no   |
| ◇ | oid knpd det    | yes | oid knpd det    | yes | no   |

## Kanban Process Master

| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
| kn_p_keyid        | yes | kn_p_domain     | yes | no   |
|                   |     | kn_p_keyid      | yes | no   |
| kn_p_planner_id   | no  | kn_p_domain     | yes | no   |
|                   |     | kn_p_planner_id | yes | no   |
|                   |     | kn_p_site       | yes | no   |
|                   |     | kn_p_process_id | yes | no   |
| * kn_p_process_id | yes | kn_p_domain     | yes | no   |
|                   |     | kn_p_site       | yes | no   |
|                   |     | kn_p_process_id | yes | no   |
| ◇ oid_kn_p_mstr   | yes | oid_kn_p_mstr   | yes | no   |

◇ **kstc det**

[illegible]

| Index-Name      | Uni | Field-Name   | Asc | Abbr |
|-----------------|-----|--------------|-----|------|
| ◇* kstc_det     | yes | kstc_domain  | yes | no   |
|                 |     | kstc_site    | yes | no   |
|                 |     | kstc_part    | yes | no   |
|                 |     | kstc_year    | yes | no   |
|                 |     | kstc_month   | yes | no   |
| ◇ kstc_part     | no  | kstc_domain  | yes | no   |
|                 |     | kstc_part    | yes | no   |
|                 |     | kstc_site    | yes | no   |
| ◇ kstc_year_per | no  | kstc_domain  | yes | no   |
|                 |     | kstc_year    | yes | no   |
|                 |     | kstc_month   | yes | no   |
|                 |     | kstc_part    | yes | no   |
|                 |     | kstc_site    | yes | no   |
| ◇ oid kstc det  | yes | oid kstc det | yes | no   |

## ◇ LabourC

| Field Name          | Label                         | Col-Label | Format   | Dec |
|---------------------|-------------------------------|-----------|----------|-----|
| Active              | Active                        | Act       | yes/no   |     |
| CheckCalendar       | Check User/Group<br>Calendars |           | yes/no   |     |
| CheckIntRouting     | Include Routing Tasks         |           | yes/no   |     |
| CheckTaskAssignment | Check User Task<br>Assignment |           | yes/no   |     |
| CheckTravelSequence | Check User Travel<br>Sequence |           | yes/no   |     |
| CreateDate          | Create Date                   |           | 99/99/99 |     |
| CreateUserID        | Created                       |           | x(8)     |     |
| DisplayMaxMinutes   | Display Tasks for Next        |           | >>>>>>9  |     |
| DisplayMaxTasks     | Display Next                  |           | >>>>>>9  |     |
| Domain              | Domain                        |           | x(8)     |     |
| ModDate             | Modified                      |           | 99/99/99 |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_LabourC | yes | oid_LabourC | yes | no   |
| ◇* UniqueID   | yes | Domain      | yes | no   |
|               |     | UniqueID    | yes | no   |
| ◇ UsrIdx      | no  | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |

## Logistics Accounting Charge Detail



| Field Name      | Label                  | Col-Label | Format                     | Dec |
|-----------------|------------------------|-----------|----------------------------|-----|
| lacd_mod_userid | User ID                |           | x(8)                       |     |
| lacd_shipfrom   | Ship-From              |           | x(8)                       |     |
| lacd_user1      | User Field Character 1 |           | x(24)                      |     |
| lacd_user2      | User Field Character 2 |           | x(24)                      |     |
| oid_lacd_det    |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                 |                        |           | .9<<<<<<<<<                |     |

|   | Index-Name        | Uni | Field-Name             | Asc | Abbr |
|---|-------------------|-----|------------------------|-----|------|
| * | lacd_internal_ref | yes | lacd_domain            | yes | no   |
|   |                   |     | lacd_internal_ref      | yes | no   |
|   |                   |     | lacd_shipfrom          | yes | no   |
|   |                   |     | lacd_lc_charge         | yes | no   |
|   |                   |     | lacd_internal_ref_type | yes | no   |
| ◇ | oid lacd det      | yes | oid lacd det           | yes | no   |

**lac\_ctrl**      Logistics Accounting Control

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | lac_index1   | yes | lac_domain   | yes | no   |
| ◇ | oid_lac_ctrl | yes | oid_lac_ctrl | yes | no   |

## lad det Location Allocation Detail

|   | Field Name   | Label              | Col-Label | Format                   | Dec |
|---|--------------|--------------------|-----------|--------------------------|-----|
|   | lad_qadc01   |                    |           | x(8)                     |     |
| ◇ | lad_act_pick | Actual Picked      |           | ->>, >>>, >>>9.<<<<<<<<< | 10  |
| ◇ | lad_cont_qty | Container Quantity |           | ->>, >>>, >>>9.<<<<<<<<< | 10  |
|   | lad_dataset  | Data Set           |           | x(12)                    |     |
|   | lad_domain   | Domain             |           | x(8)                     |     |
|   | lad_line     | Line/ID            |           | x(8)                     |     |



|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | lad_det     | yes | lad_domain  | yes | no   |
|   |             |     | lad_dataset | yes | no   |
|   |             |     | lad_nbr     | yes | no   |
|   |             |     | lad_line    | yes | no   |
|   |             |     | lad_part    | yes | no   |
|   |             |     | lad_site    | yes | no   |
|   |             |     | lad_loc     | yes | no   |
|   |             |     | lad_lot     | yes | no   |
|   |             |     | lad_ref     | yes | no   |
|   | lad_site    | no  | lad_domain  | yes | no   |
|   |             |     | lad_site    | yes | no   |
|   |             |     | lad_loc     | yes | no   |
|   |             |     | lad_part    | yes | no   |
|   |             |     | lad_lot     | yes | no   |
|   |             |     | lad_ref     | yes | no   |
| ◇ | oid_lad_det | yes | oid_lad_det | yes | no   |

## ◇ LaneAssD



| Field Name | Label                  | Col-Label | Format                    | Dec |
|------------|------------------------|-----------|---------------------------|-----|
| QadI02     | QAD Field              |           | ->, >>>, >>9              |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9              |     |
| QadL01     | QAD Field              |           | yes/no                    |     |
| QadL02     | QAD Field              |           | yes/no                    |     |
| QadT01     | QAD Field              |           | 99/99/99                  |     |
| QadT02     | QAD Field              |           | 99/99/99                  |     |
| QadT03     | QAD Field              |           | 99/99/99                  |     |
| Site       | Site                   |           | x(8)                      |     |
| User1      | User 1                 |           | x(8)                      |     |
| User2      | User 2                 |           | x(8)                      |     |
| UserC03    | User Field Character 3 |           | x(24)                     |     |
| UserC04    | User Field Character 4 |           | x(24)                     |     |
| UserC05    | User Field Character 5 |           | x(24)                     |     |
| UserD01    | User Field Decimal 1   |           | -->>>, >>>, >>9.<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | -->>>, >>>, >>9.<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                    |     |
| UserL02    | User Field Logical 2   |           | yes/no                    |     |
| UserT01    | User Field Date 1      |           | 99/99/99                  |     |
| UserT02    | User Field Date 2      |           | 99/99/99                  |     |
| Whse       | Warehouse              | Whse      | x(8)                      |     |

| Index-Name                | Uni | Field-Name   | Asc | Abbr |
|---------------------------|-----|--------------|-----|------|
| $\diamond$ oid_LaneAssD   | yes | oid_LaneAssD | yes | no   |
| $\diamond^*$ SiteWhsePart | yes | Domain       | yes | no   |
|                           |     | Site         | yes | no   |
|                           |     | Whse         | yes | no   |
|                           |     | PartType     | yes | no   |
|                           |     | LaneGroup    | yes | no   |
| $\diamond$ UsrIdx         | no  | Domain       | yes | no   |
|                           |     | User1        | yes | no   |
|                           |     | User2        | yes | no   |

◇ **LaneAssM**      Warehousing Lane Assignment Master

| Field Name    | Label               | Col-Label            | Format                                      | Dec |
|---------------|---------------------|----------------------|---------------------------------------------|-----|
| CreateDate    | Create Date         |                      | 99/99/99                                    |     |
| CreateUserID  | Created             |                      | x(8)                                        |     |
| Description   | Description         |                      | x(24)                                       |     |
| Domain        | Domain              |                      | x(8)                                        |     |
| LastLaneGroup | Last Lane Group     | Last                 | x(8)                                        |     |
| ModDate       | Modified Date       | Mod Date             | 99/99/99                                    |     |
| ModUserID     | User ID             |                      | x(8)                                        |     |
| oid_LaneAssM  |                     |                      | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| PartType      | Warehouse Item Type | Warehouse! Item Type | x(8)                                        |     |
| QadC01        | QAD Field           |                      | X(8)                                        | 0   |
| QadC02        | QAD Field           |                      | X(8)                                        | 0   |
| QadC03        | QAD Field           |                      | X(8)                                        | 0   |
| QadC04        | QAD Field           |                      | X(8)                                        | 0   |
| QadD01        | QAD Field           |                      | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD02        | QAD Field           |                      | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD03        | QAD Field           |                      | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadI01        | QAD Field           |                      | ->. >>>, >>9                                |     |



| Field Name | Label                  | Col-Label | Format                     | Dec |
|------------|------------------------|-----------|----------------------------|-----|
| QadD02     | QAD Field              |           | -->>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |           | -->>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9               |     |
| QadL01     | QAD Field              |           | yes/no                     |     |
| QadL02     | QAD Field              |           | yes/no                     |     |
| QadT01     | QAD Field              |           | 99/99/99                   |     |
| QadT02     | QAD Field              |           | 99/99/99                   |     |
| QadT03     | QAD Field              |           | 99/99/99                   |     |
| Seq        | Sequence               | Seq       | >>>9                       |     |
| Site       | Site                   |           | x(8)                       |     |
| User1      | User 1                 |           | x(8)                       |     |
| User2      | User 2                 |           | x(8)                       |     |
| UserC03    | User Field Character 3 |           | x(24)                      |     |
| UserC04    | User Field Character 4 |           | x(24)                      |     |
| UserC05    | User Field Character 5 |           | x(24)                      |     |
| UserD01    | User Field Decimal 1   |           | -->>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | -->>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                     |     |
| UserL02    | User Field Logical 2   |           | yes/no                     |     |
| UserT01    | User Field Date 1      |           | 99/99/99                   |     |
| UserT02    | User Field Date 2      |           | 99/99/99                   |     |
| Whse       | Warehouse              | Whse      | x(8)                       |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ♦* LaneGroup     | yes | Domain         | yes | no   |
|                  |     | Site           | yes | no   |
|                  |     | Whse           | yes | no   |
|                  |     | LaneGroup      | yes | no   |
|                  |     | Seq            | yes | no   |
|                  |     | Lane           | yes | no   |
| ♦ oid_LaneGroupD | yes | oid_LaneGroupD | yes | no   |
| ♦ SiteWhseLane   | no  | Domain         | yes | no   |
|                  |     | Site           | yes | no   |
|                  |     | Whse           | yes | no   |
|                  |     | Lane           | yes | no   |
| ♦ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | User1          | yes | no   |
|                  |     | User2          | yes | no   |

## ◇ LaneGroupM Warehousing Lane Group Master

| Field Name     | Label       | Col-Label | Format                                           | Dec |
|----------------|-------------|-----------|--------------------------------------------------|-----|
| CreateDate     | Create Date |           | 99/99/99                                         |     |
| CreateUserID   | Created     |           | x(8)                                             |     |
| Description    | Description | Desc      | x(24)                                            |     |
| Domain         | Domain      |           | x(8)                                             |     |
| LaneGroup      | Lane Group  | Group     | x(8)                                             |     |
| ModDate        | Modified    |           | 99/99/99                                         |     |
| ModUserID      | Modified    |           | x(8)                                             |     |
| oid_LaneGroupM |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |

| Field Name | Label                  | Col-Label | Format                     | Dec |
|------------|------------------------|-----------|----------------------------|-----|
| QadC01     | QAD Field              |           | X(8)                       | 0   |
| QadC02     | QAD Field              |           | X(8)                       | 0   |
| QadC03     | QAD Field              |           | X(8)                       | 0   |
| QadC04     | QAD Field              |           | X(8)                       | 0   |
| QadD01     | QAD Field              |           | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD02     | QAD Field              |           | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |           | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9               |     |
| QadL01     | QAD Field              |           | yes/no                     |     |
| QadL02     | QAD Field              |           | yes/no                     |     |
| QadT01     | QAD Field              |           | 99/99/99                   |     |
| QadT02     | QAD Field              |           | 99/99/99                   |     |
| QadT03     | QAD Field              |           | 99/99/99                   |     |
| Site       | Site                   |           | x(8)                       |     |
| User1      | User 1                 |           | x(8)                       |     |
| User2      | User 2                 |           | x(8)                       |     |
| UserC03    | User Field Character 3 |           | x(24)                      |     |
| UserC04    | User Field Character 4 |           | x(24)                      |     |
| UserC05    | User Field Character 5 |           | x(24)                      |     |
| UserD01    | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                     |     |
| UserL02    | User Field Logical 2   |           | yes/no                     |     |
| UserT01    | User Field Date 1      |           | 99/99/99                   |     |
| UserT02    | User Field Date 2      |           | 99/99/99                   |     |
| Whse       | Warehouse              | Whse      | x(8)                       |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇* LaneGroup     | yes | Domain         | yes | no   |
|                  |     | Site           | yes | no   |
|                  |     | Whse           | yes | no   |
|                  |     | LaneGroup      | yes | no   |
| ◇ oid_LaneGroupM | yes | oid_LaneGroupM | yes | no   |
| ◇ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | User1          | yes | no   |
|                  |     | User2          | yes | no   |

◇ **LaneM** Warehousing Lane Master

| Field Name   | Label         | Col-Label | Format      | Dec |
|--------------|---------------|-----------|-------------|-----|
| Capacity     | Capacity      | Cap       | ->>, >>9.99 | 2   |
| CapUM        | UM            | UM        | x(2)        |     |
| Carrier      | Carrier       |           | x(8)        |     |
| CreateDate   | Create Date   |           | 99/99/99    |     |
| CreateUserID | Created       |           | x(8)        |     |
| Description  | Description   | Desc      | x(24)       |     |
| Dock         | Dock          |           | x(8)        |     |
| Domain       | Domain        |           | x(8)        |     |
| Lane         | Lane          |           | x(8)        |     |
| ModDate      | Modified Date | Mod Date  | 99/99/99    |     |
| ModUserID    | User ID       |           | x(8)        |     |

| Field Name | Label                  | Col-Label  | Format                    | Dec |
|------------|------------------------|------------|---------------------------|-----|
| oid_LaneM  |                        |            | >>>>>>>>>>>>>>>>>>>>>9    | 10  |
| QadC01     | QAD Field              |            | .9<<<<<<<<                | 0   |
| QadC02     | QAD Field              |            | X(8)                      | 0   |
| QadC03     | QAD Field              |            | X(8)                      | 0   |
| QadC04     | QAD Field              |            | X(8)                      | 0   |
| QadD01     | QAD Field              |            | ->>>, >>>, >>9.99<<<      | 10  |
| QadD02     | QAD Field              |            | ->>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |            | ->>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |            | ->, >>>, >>9              |     |
| QadI02     | QAD Field              |            | ->, >>>, >>9              |     |
| QadI03     | QAD Field              |            | ->, >>>, >>9              |     |
| QadL01     | QAD Field              |            | yes/no                    |     |
| QadL02     | QAD Field              |            | yes/no                    |     |
| QadT01     | QAD Field              |            | 99/99/99                  |     |
| QadT02     | QAD Field              |            | 99/99/99                  |     |
| QadT03     | QAD Field              |            | 99/99/99                  |     |
| Site       | Site                   |            | x(8)                      |     |
| Tasks      | Number of Open Tasks   | Open Tasks | ->, >>>, >>9              |     |
| User1      | User 1                 |            | x(8)                      |     |
| User2      | User 2                 |            | x(8)                      |     |
| UserC03    | User Field Character 3 |            | x(24)                     |     |
| UserC04    | User Field Character 4 |            | x(24)                     |     |
| UserC05    | User Field Character 5 |            | x(24)                     |     |
| UserD01    | User Field Decimal 1   |            | ->>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |            | ->>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |            | yes/no                    |     |
| UserL02    | User Field Logical 2   |            | yes/no                    |     |
| UserT01    | User Field Date 1      |            | 99/99/99                  |     |
| UserT02    | User Field Date 2      |            | 99/99/99                  |     |
| Whse       | Warehouse              | Whse       | x(8)                      |     |

| Index-Name      | Uni | Field-Name | Asc | Abbr |
|-----------------|-----|------------|-----|------|
| ◇ oid_LaneM     | yes | oid_LaneM  | yes | no   |
| ◇* SiteWhseLane | yes | Domain     | yes | no   |
|                 |     | Site       | yes | no   |
|                 |     | Whse       | yes | no   |
|                 |     | Lane       | yes | no   |
| ◇ UsrIdx        | no  | Domain     | yes | no   |
|                 |     | User1      | yes | no   |
|                 |     | User2      | yes | no   |

## ◇ Layer

Layer

| Field Name       | Label                | Col-Label            | Format        | Dec |
|------------------|----------------------|----------------------|---------------|-----|
| CustomCombo0     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote       | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| LastModifiedDate | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime | Last Modified Time   | Modif Time           | 99999         |     |
| LastModifiedUser | Last Modified User   | Modif User           | x(20)         |     |
| Layer_ID         | Record ID            | Record ID            | 9999999999    |     |
| LayerCode        | Layer Code           | Layer Code           | x(20)         |     |
| LayerDescription | Description          | Description          | x(40)         |     |
| LayerIsActive    | Active               | Act                  | yes/no        |     |
| LayerTypeCode    | Layer Type           | Type                 | x(20)         |     |

| Index-Name  | Uni | Field-Name    | Asc | Abbr |
|-------------|-----|---------------|-----|------|
| ◇ Code      | yes | LayerCode     | yes | no   |
| ◇ Prim      | yes | Layer_ID      | yes | no   |
| ◇ Type      | no  | LayerTypeCode | yes | no   |
| ◇ ViewIndex | no  | LayerIsActive | yes | no   |
|             |     | LayerCode     | yes | no   |

**lble ctrl**

## Label Control

[illegible]

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| * | lbkc_index1   | yes | lbkc_index1   | yes | no   |
| ◇ | oid_lbkc_ctrl | yes | oid_lbkc_ctrl | yes | no   |

**lc mstr**

Logistics Accounting Charge Code Master

| <b>Field Name</b>   | <b>Label</b>                    | <b>Col-Label</b> | <b>Format</b>                             | <b>Dec</b> |
|---------------------|---------------------------------|------------------|-------------------------------------------|------------|
| lc_qadc01           |                                 |                  | x(24)                                     |            |
| lc_qadc02           |                                 |                  | x(24)                                     |            |
| lc_apportion_method | Apportion Method                |                  | x(2)                                      |            |
| lc_charge           | Logistics Charge Code           | Chrg Code        | x(8)                                      |            |
| lc_close_accruals   | Close Accruals On First Voucher | Close Accruals   | yes/no                                    |            |
| lc_desc             | Description                     |                  | x(24)                                     |            |
| lc_domain           | Domain                          |                  | x(8)                                      |            |
| lc_element          | Cost Element                    |                  | x(8)                                      |            |
| lc_mod_date         | Modified Date                   | Mod Date         | 99/99/99                                  |            |
| lc_mod_userid       | User ID                         |                  | x(8)                                      |            |
| lc_supplier         | Supplier                        |                  | x(8)                                      |            |
| lc_taxable          | Taxable                         |                  | yes/no                                    |            |
| lc_txc              | Tax Class                       | TxC              | x(3)                                      |            |
| lc_user1            | User Field Character 1          |                  | x(24)                                     |            |
| lc_user2            | User Field Character 2          |                  | x(24)                                     |            |
| oid_lc_mstr         |                                 |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10         |



|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | lc_charge   | yes | lc_domain   | yes | no   |
|   |             |     | lc_charge   | yes | no   |
|   | lc_element  | no  | lc_domain   | yes | no   |
|   |             |     | lc_element  | yes | no   |
|   |             |     | lc_charge   | yes | no   |
| ◇ | oid_lc_mstr | yes | oid_lc_mstr | yes | no   |

### Location Detail

| Field Name           | Label                    | Col-Label             | Format                                        | Dec  |
|----------------------|--------------------------|-----------------------|-----------------------------------------------|------|
| ld__chr01            |                          |                       | x(8)                                          |      |
| ld__chr02            |                          |                       | x(8)                                          |      |
| ld__chr03            |                          |                       | x(8)                                          |      |
| ld__chr04            |                          |                       | x(8)                                          |      |
| ld__chr05            |                          |                       | x(8)                                          |      |
| ld__dec01            |                          |                       | >>>, >>>,>>9.99                               | 10   |
| ld__dec02            |                          |                       | >>>, >>>,>>9.99                               | 10   |
| ld__dte01            |                          |                       | 99/99/99                                      |      |
| ld__dte02            |                          |                       | 99/99/99                                      |      |
| ld__log01            |                          |                       | yes/no                                        |      |
| ◇ ld__alt_um         | Alternate UM             | UM                    | x(2)                                          |      |
| ld__assay            | Assay %                  |                       | >>9.99%                                       | 10   |
| ld__cmtindx          | Comment Index            | Comment               | >>>>>>9                                       |      |
| ld__cnt_date         | Last Count               | Last Cnt              | 99/99/99                                      |      |
| ld__cost             |                          |                       | >>>>, >>>,>>9.99<<<                           | 10   |
| ◇ ld__crt_date       | Create Date              |                       | 99/99/99                                      |      |
| ◇ ld__crt_time       | Create Time              | Time                  | >>>>>>9                                       |      |
| ld__cust_consign_qty | Customer Consignment Qty | Customer! Consignment | ->>, >>>,>>9.<<<<<<<<<                        | 10   |
| ld__date             | Date Created             | Created               | 99/99/99                                      |      |
| ld__date_frz         | Freeze Date              | Frz Date              | 99/99/99                                      |      |
| ld__domain           | Domain                   |                       | x(8)                                          |      |
| ◇ ld__exp_qtyin      | Qty In                   | In                    | ->>, >>>,>>9.<<<<<<<<<                        | 10   |
| ◇ ld__exp_qtyout     | Qty Out                  | Out                   | ->>, >>>,>>9.<<<<<<<<<                        | 10   |
| ld__expire           | Expire Date              | Expire                | 99/99/99                                      |      |
| ld__grade            | Grade                    |                       | x(2)                                          |      |
| ld__loc              | Location                 |                       | x(8)                                          |      |
| ld__lot              | Lot/Serial               |                       | x(18)                                         |      |
| ld__part             | Item Number              |                       | x(18)                                         |      |
| ld__qty_all          | Qty Allocated            |                       | ->, >>>,>>9.<<<<<<<<                          | 10   |
| ld__qty_frz          | Freeze Qty               |                       | ->, >>>,>>9.<<<<<<<<                          | 10   |
| ld__qty_oh           | Qty On Hand              |                       | ->, >>>,>>9.<<<<<<<<                          | 10   |
| ld__ref              | Ref                      | Reference             | x(8)                                          |      |
| ld__rev              | Rev                      |                       | x(4)                                          |      |
| ld__site             | Site                     |                       | x(8)                                          |      |
| ld__status           | Inventory Status         | Status                | x(8)                                          |      |
| ld__supp_consign_qty | Supplier Consignment Qty | Supplier! Consignment | ->>, >>>,>>9.<<<<<<<<                         | 10   |
| ◇ ld__time_frz       | Freeze Time              | Frz Time              | >>, >>9                                       |      |
| ld__user1            | Ufld1                    |                       | x(8)                                          |      |
| ld__user2            | Ufld2                    |                       | x(8)                                          |      |
| ld__vd_lot           | Not Used                 |                       | x(18)                                         |      |
| ld__work             |                          |                       | ->>>, >>>,>>9.<<<<<<<<                        | 10   |
| oid_ld_det           |                          |                       | >>>>>>>>>>>>>>>>>>>>>>>>>>>>><br>9.<<<<<<<<<< | >>10 |

| Index-Name     | Uni | Field-Name | Asc | Abbr |
|----------------|-----|------------|-----|------|
| * ld_loc_p_lot | yes | ld_domain  | yes | no   |
|                |     | ld_site    | yes | no   |
|                |     | ld_loc     | yes | no   |
|                |     | ld_part    | yes | no   |
|                |     | ld_lot     | yes | no   |
|                |     | ld_ref     | yes | no   |
| ld_part_loc    | yes | ld_domain  | yes | no   |
|                |     | ld_part    | yes | no   |
|                |     | ld_site    | yes | no   |
|                |     | ld_loc     | yes | no   |
|                |     | ld_lot     | yes | no   |
|                |     | ld_ref     | yes | no   |
| ld_part_lot    | yes | ld_domain  | yes | no   |
|                |     | ld_part    | yes | no   |
|                |     | ld_lot     | yes | no   |
|                |     | ld_ref     | yes | no   |
|                |     | ld_site    | yes | no   |
|                |     | ld_loc     | yes | no   |
| ld_serial      | no  | ld_domain  | yes | no   |
|                |     | ld_ref     | yes | no   |
|                |     | ld_part    | yes | no   |
|                |     | ld_site    | yes | no   |
| ld_status      | yes | ld_domain  | yes | no   |
|                |     | ld_status  | yes | no   |
|                |     | ld_part    | yes | no   |
|                |     | ld_site    | yes | no   |
|                |     | ld_loc     | yes | no   |
|                |     | ld_lot     | yes | no   |
|                |     | ld_ref     | yes | no   |
| ◇ oid_ld_det   | yes | oid_ld_det | yes | no   |

◇ **lgdc\_ctrl** Legal Document Control

| Field Name           | Label                           | Col-Label | Format            | Dec |
|----------------------|---------------------------------|-----------|-------------------|-----|
| lgdc__qadc01         | QAD Character Field 1           |           | x(24)             |     |
| lgdc__qadc02         | QAD Character Field 2           |           | x(24)             |     |
| lgdc__qadd01         | QAD Decimal Field 1             |           | ->>>,>>>,>>9.99<< | 10  |
| lgdc__qadt01         | QAD Date Field 1                |           | 99/99/99          |     |
| lgdc_custom          | PO Shipper/Invoice              |           | x(14)             |     |
| lgdc_days_cancel_lgd | Days to Cancel a Legal Document |           | >>9               |     |
| lgdc_days_del_so     | Days to Delete a Sales Order    |           | >>9               |     |
| lgdc_domain          | Domain                          |           | x(8)              |     |
| lgdc_eff_date        | Update Effective Date           |           | yes/no            |     |
| lgdc_form_code       | Legal Document Form Code        |           | x(2)              |     |
| lgdc_inconsist       | PO with Inconsistencies         |           | yes/no            |     |
| lgdc_maint_type      | Op Type in Tax Usage            |           | yes/no            |     |
| lgdc_mod_date        | Modified Date                   | Mod Date  | 99/99/99          |     |
| lgdc_mod_userid      | User ID                         |           | x(8)              |     |
| lgdc_phy_receipt     | Physical Receipt                |           | x(14)             |     |
| lgdc_po_cancel       | PO Cancel Program               |           | x(14)             |     |

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇* lgdc_index1  | yes | lgdc_domain   | yes | no   |
| ◇ oid_lgdc_ctrl | yes | oid_lgdc_ctrl | yes | no   |

◇ **lgdd\_det** Legal Document Detail Table

| Field Name         | Label                 | Col-Label     | Format                | Dec |
|--------------------|-----------------------|---------------|-----------------------|-----|
| Igdd_qadc01        | QAD Character Field 1 |               | x(24)                 |     |
| Igdd_qadc02        | QAD Character Field 2 |               | x(24)                 |     |
| Igdd_qadd01        | QAD Decimal Field 1   |               | ->>>, >>>, >>9.99<<   | 10  |
| Igdd_qadt01        | QAD Date Field 1      |               | 99/99/99              |     |
| Igdd_addr          | Legal Doc Addr        |               | x(8)                  |     |
| Igdd_alt_um        | Alternate UM          |               | x(2)                  |     |
| Igdd_cfop_code     | CFOP                  |               | x(20)                 |     |
| Igdd_cmtindx       | Comment Index         | Comment       | >>>>>>9               |     |
| Igdd_desc          | Description           |               | x(48)                 |     |
| Igdd_doc_type      | Doc Type              |               | x(2)                  |     |
| Igdd_domain        | Domain                |               | x(8)                  |     |
| Igdd_expire        | Expire Date           |               | 99/99/99              |     |
| Igdd_ext_price     | Ext Price             |               | ->>>>, >>>, >>9.99<   | 10  |
| Igdd_gwt           | Gross Weight          | Gross Wt      | >, >>>, >>9.9<<<<<<<< | 10  |
| Igdd_item_num      | Item Number           |               | x(30)                 |     |
| Igdd_legal_class   | Legal Classification  | Legal Class   | x(18)                 |     |
| Igdd_line          | Line                  | Ln            | >>9                   |     |
| Igdd_loc           | Location              |               | x(8)                  |     |
| Igdd_lotser        | Lot/Serial            |               | x(18)                 |     |
| Igdd_mod_date      | Modified Date         | Mod Date      | 99/99/99              |     |
| Igdd_mod_userid    | User ID               |               | x(8)                  |     |
| Igdd_nbr           | Legal Doc Nbr         | Legal Doc     | x(12)                 |     |
| Igdd_nfc_st        | Status                |               | yes/no                |     |
| Igdd_nwt           | Net Weight            |               | >, >>>, >>9.9<<<<<<<< | 10  |
| Igdd_order         | Order                 |               | x(8)                  |     |
| Igdd_order_line    | Line                  | Ln            | >>9                   |     |
| Igdd_part          | Item Number           |               | x(18)                 |     |
| Igdd_pm_code       | Pur/Mfg               | P/M           | x(1)                  |     |
| Igdd_price         | Price                 |               | >>>>, >>>, >>9.99<<<  | 10  |
| Igdd_prim_addr     | Orig Addr             |               | x(8)                  |     |
| Igdd_prim_doc_type | Orig Doc Type         |               | x(2)                  |     |
| Igdd_prim_nbr      | Orig Doc              |               | x(12)                 |     |
| Igdd_qty_item      | Item Quantity         | Item Qty      | ->, >>>, >>9.9<<<     | 10  |
| Igdd_ref           | Ref                   |               | x(8)                  |     |
| Igdd_ret_nbr       | Ret Nbr               |               | x(20)                 |     |
| Igdd_service_code  | Service Code          |               | x(8)                  |     |
| Igdd_sh_cmtindx    | Shipper Comment Index | Ship Comm Ind | >>>>>>9               |     |

[illegible]

| Index-Name      | Uni | Field-Name      | Asc | Abbr |
|-----------------|-----|-----------------|-----|------|
| ◇ lgdd_nbr      | no  | lgdd_domain     | yes | no   |
|                 |     | lgdd_nbr        | yes | no   |
|                 |     | lgdd_order      | yes | no   |
| ◇* lgdd_shipper | yes | lgdd_domain     | yes | no   |
|                 |     | lgdd_shipper_id | yes | no   |
|                 |     | lgdd_line       | yes | no   |
|                 |     | lgdd_nbr        | yes | no   |
| ◇ oid lgdd_det  | yes | oid lgdd_det    | yes | no   |

◇ **lqdnr det** Legal Document Address and Sequence ID Detail

[illegible]

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| Ø* lgdnr_addr | yes | lgdnr_domain | yes | no   |
|               |     | lgdnr_addr   | yes | no   |



| Field Name         | Label                          | Col-Label | Format                 | Dec |
|--------------------|--------------------------------|-----------|------------------------|-----|
| lgd_cancel_date    | Void Date                      |           | 99/99/99               |     |
| lgd_cancel_inv     | Void Invoice Number            |           | x(22)                  |     |
| lgd_cancel_rsn     | Void Reason                    |           | x(8)                   |     |
| lgd_cancel_time    | Void Time                      |           | x(8)                   |     |
| lgd_cancel_user    | Voided By                      |           | x(8)                   |     |
| lgd_carrier        | Carrier                        |           | x(8)                   |     |
| lgd_cmtindx        | Comment Index                  | Comment   | >>>>>>9                |     |
| lgd_crdt_notes     | Credit Notes                   |           | x(20)                  |     |
| lgd_cust           | Customer                       |           | x(8)                   |     |
| lgd_doc_type       | Doc Type                       |           | x(2)                   |     |
| lgd_domain         | Domain                         |           | x(8)                   |     |
| lgd_drv            | Driver Name                    |           | x(24)                  |     |
| lgd_dsc_amt        | Discount Amount                | Disc Amt  | ->>>>, >>>, >>9.99<    | 10  |
| lgd_effdate        | Effective Date                 | Eff Date  | 99/99/99               |     |
| lgd_especie        | Ship Pack Desc                 |           | x(20)                  |     |
| lgd_fob            | FOB Point                      | FOB       | x(20)                  |     |
| lgd_goods_amt      | Goods Amount                   |           | ->>>>, >>>, >>9.99<    | 10  |
| lgd_gst_id         | Fed Tax ID                     |           | x(18)                  |     |
| lgd_gwt            | Gross Weight                   | Gross Wt  | >, >>>, >>9.9<<<<<<<<< | 10  |
| lgd_inv_date       | Invoice Date                   | Inv Date  | 99/99/99               |     |
| lgd_inv_nbr        | Invoice Number                 | Invoice   | x(22)                  |     |
| lgd_lic            | License                        |           | x(24)                  |     |
| lgd_loc            | Location                       |           | x(8)                   |     |
| lgd_mod_date       | Modified Date                  | Mod Date  | 99/99/99               |     |
| lgd_mod_userid     | User ID                        |           | x(8)                   |     |
| lgd_nbr            | Legal Doc Nbr                  | Legal Doc | x(12)                  |     |
| lgd_nbr_cpy        | Number of Copies               |           | >9                     |     |
| lgd_nwt            | Net Weight                     |           | >, >>>, >>9.9<<<<<<<<  | 10  |
| lgd_order          | Order Number                   |           | x(8)                   |     |
| lgd_org_doc_nbr    | Original Legal Document Number | Orig Nbr  | x(20)                  |     |
| lgd_posted         | Posted                         |           | yes/no                 |     |
| lgd_prim_addr      | Orig Addr                      |           | x(8)                   |     |
| lgd_prim_doc_typ   | Orig Doc Type                  |           | x(2)                   |     |
| lgd_prim_nbr       | Orig Doc                       |           | x(12)                  |     |
| lgd_print          | Printed                        | Print     | Yes/No                 |     |
| lgd_print_date     | Print Date                     |           | 99/99/99               |     |
| lgd_print_time     | Print Time                     |           | x(8)                   |     |
| lgd_print_user     | Printed By                     |           | x(8)                   |     |
| lgd_prt_cmt        | Print Comments                 | Cmmt      | yes/no                 |     |
| lgd_prt_with_shp   | Print LD With Shipper          |           | yes/no                 |     |
| lgd_pst_id         | PST ID                         |           | x(18)                  |     |
| lgd_pst_id_replace | PST ID (Subst)                 |           | x(18)                  |     |
| lgd_reprint_date   | Reprint Date                   |           | 99/99/99               |     |
| lgd_reprint_rsn    | Reprint Reason                 |           | x(8)                   |     |
| lgd_reprint_time   | Reprint Time                   |           | x(8)                   |     |
| lgd_reprint_user   | Reprinted By                   |           | x(8)                   |     |
| lgd_ret_nbr        | Return Nbr                     |           | x(20)                  |     |
| lgd_rmks           | Remarks                        |           | x(40)                  |     |
| lgd_seq_id         | Sequence ID                    |           | x(8)                   |     |
| lgd_sh_cmtindx     | Comment Index Shipper          | Comment   | >>>>>>9                |     |
| lgd_ship           | Ship-To                        |           | x(8)                   |     |
| lgd_ship_date      | Ship Date                      |           | 99/99/99               |     |
| lgd_shipfrom       | Ship From                      |           | x(8)                   |     |
| lgd_shipper_id     | Shipper ID                     |           | x(20)                  |     |
| lgd_shipvia        | Ship Via                       |           | x(20)                  |     |
| lgd_simul          | Simulation                     |           | yes/no                 |     |

| Index-Name     | Uni | Field-Name     | Asc | Abbr |
|----------------|-----|----------------|-----|------|
| ◇ lgd_addr     | no  | lgd_domain     | yes | no   |
|                |     | lgd_addr       | yes | no   |
|                |     | lgd_ship       | yes | no   |
|                |     | lgd_nbr        | yes | no   |
| ◇* lgd_nbr     | yes | lgd_domain     | yes | no   |
|                |     | lgd_nbr        | yes | no   |
|                |     | lgd_shipper_id | yes | no   |
| ◇ lgd_shipper  | no  | lgd_domain     | yes | no   |
|                |     | lgd_shipper_id | yes | no   |
| ◇ oid_lgd_mstr | yes | oid_lgd_mstr   | yes | no   |

**lgsi\_det**





|   | Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---|---------------|-----|--------------|-----|------|
| * | ApplicationID | yes | lgs_domain   | yes | no   |
|   |               |     | lgs_app_id   | yes | no   |
| ◇ | oid_lgs_mstr  | yes | oid_lgs_mstr | yes | no   |

### Production Line Allocation Detail



[illegible]

|   | Index-Name   | Uni | Field-Name  | Asc | Abbr |
|---|--------------|-----|-------------|-----|------|
| * | Ina_siteline | yes | Ina_domain  | yes | no   |
|   |              |     | Ina_site    | yes | no   |
|   |              |     | Ina_line    | yes | no   |
|   |              |     | Ina_part    | yes | no   |
|   | Ina_sitepart | no  | Ina_domain  | yes | no   |
|   |              |     | Ina_site    | yes | no   |
|   |              |     | Ina_part    | yes | no   |
|   |              |     | Ina_line    | yes | no   |
| ◇ | oid Ina det  | yes | oid Ina det | yes | no   |

**Ind det**

### Production Line Detail

[illegible]

|   | Index-Name   | Uni | Field-Name  | Asc | Abbr |
|---|--------------|-----|-------------|-----|------|
| * | Ind_line     | yes | Ind_domain  | yes | no   |
|   |              |     | Ind_line    | yes | no   |
|   |              |     | Ind_site    | yes | no   |
|   |              |     | Ind_part    | yes | no   |
|   |              |     | Ind_start   | yes | no   |
|   | Ind_linepart | no  | Ind_domain  | yes | no   |
|   |              |     | Ind_line    | yes | no   |
|   |              |     | Ind_part    | yes | no   |
| ◇ | oid_Ind_det  | yes | oid_Ind_det | yes | no   |

### Flow Production Line Preference Detail

| Field Name          | Label                  | Col-Label | Format                                          | Dec |
|---------------------|------------------------|-----------|-------------------------------------------------|-----|
| Inf__qadc01         |                        |           | x(24)                                           |     |
| Inf__qadc02         |                        |           | x(24)                                           |     |
| Inf__qadc03         |                        |           | x(24)                                           |     |
| Inf__qadd01         |                        |           | ->>>>, >>>, >>9.9<<<<<<<<                       | 10  |
| Inf__qadi01         |                        |           | ->>>>>>>9                                       |     |
| Inf__qadi01         |                        |           | yes/no                                          |     |
| Inf__qadt01         |                        |           | 99/99/99                                        |     |
| Inf_domain          | Domain                 |           | x(8)                                            |     |
| Inf_mod_date        | Modified Date          | Mod Date  | 99/99/99                                        |     |
| Inf_mod_userid      | User ID                |           | x(8)                                            |     |
| Inf_part            | Item Number            |           | x(18)                                           |     |
| Inf_preference      | Preference             |           | >>>>>>>9                                        |     |
| Inf_production_line | Production Line        | Line      | x(8)                                            |     |
| Inf_site            | Site                   |           | x(8)                                            |     |
| Inf_user1           | User Field Character 1 |           | x(24)                                           |     |
| Inf_user2           | User field character 2 |           | x(24)                                           |     |
| Inf_userc03         | User Field Character 3 |           | x(24)                                           |     |
| Inf_userd01         | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<                       | 10  |
| Inf_useri01         | User Field Integer 1   |           | ->>>>>>>9                                       |     |
| Inf_userl01         | User Field Logical 1   |           | yes/no                                          |     |
| Inf_usert01         | User Field Date 1      |           | 99/99/99                                        |     |
| oid_Inf_det         |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<< | 10  |

| Index-Name           | Uni | Field-Name          | Asc | Abbr |
|----------------------|-----|---------------------|-----|------|
| Inf_site_part_pref   | no  | Inf_domain          | yes | no   |
|                      |     | Inf_site            | yes | no   |
|                      |     | Inf_part            | yes | no   |
|                      |     | Inf_preference      | yes | no   |
|                      |     | Inf_production_line | yes | no   |
| * Inf_site_prod_line | yes | Inf_domain          | yes | no   |
|                      |     | Inf_site            | yes | no   |
|                      |     | Inf_production_line | yes | no   |
|                      |     | Inf_part            | yes | no   |
| ◇ oid_Inf_det        | yes | oid_Inf_det         | yes | no   |

◇ **Lng**

| Field Name          | Label | Col-Label | Format     | Dec |
|---------------------|-------|-----------|------------|-----|
| LastModifiedDate    |       |           | 99/99/9999 |     |
| LastModifiedTime    |       |           | 99999      |     |
| LastModifiedUser    |       |           | x(20)      |     |
| Lng_ID              |       |           | 9999999999 |     |
| LngAltCode          |       |           | x(2)       |     |
| LngCode             |       |           | x(2)       |     |
| LngDescription      |       |           | x(24)      |     |
| LngDirectory        |       |           | x(32)      |     |
| LngIsActive         |       |           | yes/no     |     |
| LngIsInstalled      |       |           | yes/no     |     |
| LngIsSystemLanguage |       |           | yes/no     |     |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ◇ Code     | yes | LngCode    | yes | no   |
| ◇* Prim    | yes | Lng ID     | yes | no   |

**Ingd\_det**

| <b>Field Name</b> | <b>Label</b>  | <b>Col-Label</b> | <b>Format</b>                               | <b>Description</b> |
|-------------------|---------------|------------------|---------------------------------------------|--------------------|
| Ingd_qadc01       |               |                  | x(8)                                        |                    |
| Ingd_dataset      | Data Set      |                  | x(12)                                       |                    |
| Ingd_desc         | Description   |                  | x(76)                                       |                    |
| Ingd_field        | Field         |                  | x(32)                                       |                    |
| Ingd_key1         | Key Value #1  | Key #1           | x(8)                                        |                    |
| Ingd_key2         | Key Value #2  | Key #2           | x(8)                                        |                    |
| Ingd_key3         | Key Value #3  | Key #3           | x(8)                                        |                    |
| Ingd_key4         | Key Value #4  | Key #4           | x(8)                                        |                    |
| Ingd_lang         | Language      | Lang             | x(2)                                        |                    |
| Ingd_mnemonic     | Mnemonic      |                  | x(8)                                        |                    |
| Ingd_translate2   | Translation 2 |                  | x(24)                                       |                    |
| Ingd_translation  | Label         |                  | x(24)                                       |                    |
| Ingd_user1        | Ufld1         |                  | x(8)                                        |                    |
| Ingd_user2        | Ufld2         |                  | x(8)                                        |                    |
| oid_ingd_det      |               |                  | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |                    |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| * lngd_det    | yes | lngd_dataset  | yes | no   |
|               |     | lngd_key1     | yes | no   |
|               |     | lngd_key2     | yes | no   |
|               |     | lngd_key3     | yes | no   |
|               |     | lngd_key4     | yes | no   |
|               |     | lngd_field    | yes | no   |
|               |     | lngd_lang     | yes | no   |
| lngd_mnemonic | no  | lngd_desc     | yes | no   |
|               |     | lngd_field    | yes | no   |
|               |     | lngd_lang     | yes | no   |
|               |     | lngd_mnemonic | yes | no   |
| lngd_trans    | no  | lngd_dataset  | yes | no   |

**Ing\_mstr**

## In\_mstr

△

[illegible]

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | In_linesite | yes | In_domain   | yes | no   |
|   |             |     | In_line     | yes | no   |
|   |             |     | In_site     | yes | no   |
|   | In_siteline | no  | In_domain   | yes | no   |
|   |             |     | In_site     | yes | no   |
|   |             |     | In_line     | yes | no   |
|   |             |     |             | yes | no   |
| ◇ | oid In_mstr | yes | oid In_mstr | yes | no   |

◇ **LoadD**      Warehousing Load Detail

[illegible]

| Field Name | Label                  | Col-Label | Format                     | Dec |
|------------|------------------------|-----------|----------------------------|-----|
| UserC01    | User Field Character 1 |           | x(24)                      |     |
| UserC02    | User Field Character 2 |           | x(24)                      |     |
| UserC03    | User Field Character 3 |           | x(24)                      |     |
| UserC04    | User Field Character 4 |           | x(24)                      |     |
| UserC05    | User Field Character 5 |           | x(24)                      |     |
| UserD01    | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                     |     |
| UserL02    | User Field Logical 2   |           | yes/no                     |     |
| UserT01    | User Field Date 1      |           | 99/99/99                   |     |
| UserT02    | User Field Date 2      |           | 99/99/99                   |     |
| Whse       | Warehouse              | Whse      | x(8)                       |     |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇* Line     | yes | Domain     | yes | no   |
|             |     | LoadNbr    | yes | no   |
|             |     | DropOffSeq | yes | no   |
|             |     | CarrierRef | yes | no   |
|             |     | SelNbr     | yes | no   |
|             |     | DSet       | yes | no   |
|             |     | Nbr        | yes | no   |
|             |     | OrdSite    | yes | no   |
|             |     | Line       | yes | no   |
|             |     | Part       | yes | no   |
| ◇ oid_LoadD | yes | oid_LoadD  | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | UserC01    | yes | no   |
|             |     | UserC02    | yes | no   |

◇ **LoadM**      Warehousing Load Master

[illegible]

| Field Name | Label                  | Col-Label | Format                      | Dec |
|------------|------------------------|-----------|-----------------------------|-----|
| QadD02     | QAD Field              |           | ->>>>, >>>, >>9.99<<<       | 10  |
| QadD03     | QAD Field              |           | ->>>>, >>>, >>9.99<<<       | 10  |
| QadI01     | QAD Field              |           | ->, >>>, >>9                |     |
| QadI02     | QAD Field              |           | ->, >>>, >>9                |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9                |     |
| QadL01     | QAD Field              |           | yes/no                      |     |
| QadL02     | QAD Field              |           | yes/no                      |     |
| QadT01     | QAD Field              |           | 99/99/99                    |     |
| QadT02     | QAD Field              |           | 99/99/99                    |     |
| QadT03     | QAD Field              |           | 99/99/99                    |     |
| ShipTo     | Ship To                |           | x(8)                        |     |
| ShipVia    | Ship Via               |           | x(20)                       |     |
| Site       | Site                   |           | x(8)                        |     |
| TransMode  | Mode of Transport      |           | x(20)                       |     |
| UserC01    | User Field Character 1 |           | x(24)                       |     |
| UserC02    | User Field Character 2 |           | x(24)                       |     |
| UserC03    | User Field Character 3 |           | x(24)                       |     |
| UserC04    | User Field Character 4 |           | x(24)                       |     |
| UserC05    | User Field Character 5 |           | x(24)                       |     |
| UserD01    | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                      |     |
| UserL02    | User Field Logical 2   |           | yes/no                      |     |
| UserT01    | User Field Date 1      |           | 99/99/99                    |     |
| UserT02    | User Field Date 2      |           | 99/99/99                    |     |
| VehicleID  | Vehicle ID             |           | x(20)                       |     |
| Whse       | Warehouse              | Whse      | x(8)                        |     |

| Index-Name    | Uni | Field-Name | Asc | Abbr |
|---------------|-----|------------|-----|------|
| ◇ ABSID       | no  | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | ABSID      | yes | no   |
| ◇* CarrierRef | yes | Domain     | yes | no   |
|               |     | LoadNbr    | yes | no   |
|               |     | DropOffSeq | yes | no   |
|               |     | CarrierRef | yes | no   |
| ◇ oid_LoadM   | yes | oid_LoadM  | yes | no   |
| ◇ UsrIdx      | no  | Domain     | yes | no   |
|               |     | UserC01    | yes | no   |
|               |     | UserC02    | yes | no   |

◇ LoadMasterM Warehousing Load Master Master

| Field Name    | Label          | Col-Label | Format   | Dec |
|---------------|----------------|-----------|----------|-----|
| ArrivalDate   | Arrival Date   |           | 99/99/99 |     |
| ArrivalTime   | Time           |           | 99:99    |     |
| CloseDate     | Closed         |           | 99/99/99 |     |
| CloseUserID   | Closed By      |           | x(8)     |     |
| CmtIdx        | Comments       |           | >>>>>>>9 |     |
| CreateDate    | Create Date    |           | 99/99/99 |     |
| CreateUserID  | Created        |           | x(8)     |     |
| DepartureDate | Departure Date |           | 99/99/99 |     |
| DepartureTime | Time           |           | 99:99    |     |





| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
|                   |     | Whse            | yes | no   |
| ◇ oid_LoadMasterM | yes | oid_LoadMasterM | yes | no   |
| ◇ SiteWhse        | no  | Domain          | yes | no   |
|                   |     | Site            | yes | no   |
|                   |     | Whse            | yes | no   |
| ◇ Usrldx          | no  | Domain          | yes | no   |
|                   |     | UserC01         | yes | no   |
|                   |     | UserC02         | yes | no   |

### ◇ LoadSAddrD Warehousing Load Setup Address Detail

| Field Name     | Label                  | Col-Label | Format                                  | Dec |
|----------------|------------------------|-----------|-----------------------------------------|-----|
| Addr           | Address                |           | x(8)                                    |     |
| CreateDate     | Create Date            |           | 99/99/99                                |     |
| CreateUserID   | Created                |           | x(8)                                    |     |
| DistrOrder     | Distribution Order     |           | yes/no                                  |     |
| Domain         | Domain                 |           | x(8)                                    |     |
| ModDate        | Modified               |           | 99/99/99                                |     |
| ModUserID      | Modified               |           | x(8)                                    |     |
| oid_LoadSAddrD |                        |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| QadC01         | QAD Field              |           | x(24)                                   | 0   |
| QadC02         | QAD Field              |           | x(24)                                   | 0   |
| QadC03         | QAD Field              |           | x(24)                                   | 0   |
| QadC04         | QAD Field              |           | x(24)                                   | 0   |
| QadD01         | QAD Field              |           | ->>>, >>>, >>9.99<<<                    | 10  |
| QadD02         | QAD Field              |           | ->>>, >>>, >>9.99<<<                    | 10  |
| QadD03         | QAD Field              |           | ->>>, >>>, >>9.99<<<                    | 10  |
| QadiI01        | QAD Field              |           | ->, >>>, >>9                            |     |
| QadiI02        | QAD Field              |           | ->, >>>, >>9                            |     |
| QadiI03        | QAD Field              |           | ->, >>>, >>9                            |     |
| QadL01         | QAD Field              |           | yes/no                                  |     |
| QadL02         | QAD Field              |           | yes/no                                  |     |
| QadT01         | QAD Field              |           | 99/99/99                                |     |
| QadT02         | QAD Field              |           | 99/99/99                                |     |
| QadT03         | QAD Field              |           | 99/99/99                                |     |
| SalesOrder     | Sales Order            |           | yes/no                                  |     |
| Site           | Site                   |           | x(8)                                    |     |
| UserC01        | User Field Character 1 |           | x(24)                                   |     |
| UserC02        | User Field Character 2 |           | x(24)                                   |     |
| UserC03        | User Field Character 3 |           | x(24)                                   |     |
| UserC04        | User Field Character 4 |           | x(24)                                   |     |
| UserC05        | User Field Character 5 |           | x(24)                                   |     |
| UserD01        | User Field Decimal 1   |           | ->>>, >>>, >>9.9<<<<<<<<<               | 10  |
| UserD02        | User Field Decimal 2   |           | ->>>, >>>, >>9.9<<<<<<<<<               | 10  |
| UserL01        | User Field Logical 1   |           | yes/no                                  |     |
| UserL02        | User Field Logical 2   |           | yes/no                                  |     |
| UserT01        | User Field Date 1      |           | 99/99/99                                |     |
| UserT02        | User Field Date 2      |           | 99/99/99                                |     |
| Whse           | Warehouse              | Whse      | x(8)                                    |     |



| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◊* LoadSetupMidx | yes | Domain         | yes | no   |
|                  |     | Site           | yes | no   |
|                  |     | Whse           | yes | no   |
| ◊ oid_LoadSetupM | yes | oid_LoadSetupM | yes | no   |
| ◊ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | UserC01        | yes | no   |
|                  |     | UserC02        | yes | no   |

## ◇ LoadItemD Warehousing Load Setup Item Detail

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>              | <b>Dec</b> |
|-------------------|------------------------|------------------|----------------------------|------------|
| CreateDate        | Create Date            |                  | 99/99/99                   |            |
| CreateUserID      | Created                |                  | x(8)                       |            |
| Domain            | Domain                 |                  | x(8)                       |            |
| ModDate           | Modified               |                  | 99/99/99                   |            |
| ModUserID         | Modified               |                  | x(8)                       |            |
| oid_LoadSItemD    |                        |                  | >>>>>>>>>>>>>>>>>>>>>>9    | 10         |
|                   |                        |                  | .9<<<<<<<<<                |            |
| Part              | Item Number            |                  | x(18)                      |            |
| QadC01            | QAD Field              |                  | x(24)                      | 0          |
| QadC02            | QAD Field              |                  | x(24)                      | 0          |
| QadC03            | QAD Field              |                  | x(24)                      | 0          |
| QadC04            | QAD Field              |                  | x(24)                      | 0          |
| QadD01            | QAD Field              |                  | ->>>>, >>>, >>9.99<<<      | 10         |
| QadD02            | QAD Field              |                  | ->>>>, >>>, >>9.99<<<      | 10         |
| QadD03            | QAD Field              |                  | ->>>>, >>>, >>9.99<<<      | 10         |
| QadI01            | QAD Field              |                  | ->, >>>, >>9               |            |
| QadI02            | QAD Field              |                  | ->, >>>, >>9               |            |
| QadI03            | QAD Field              |                  | ->, >>>, >>9               |            |
| QadL01            | QAD Field              |                  | yes/no                     |            |
| QadL02            | QAD Field              |                  | yes/no                     |            |
| QadT01            | QAD Field              |                  | 99/99/99                   |            |
| QadT02            | QAD Field              |                  | 99/99/99                   |            |
| QadT03            | QAD Field              |                  | 99/99/99                   |            |
| Site              | Site                   |                  | x(8)                       |            |
| UserC01           | User Field Character 1 |                  | x(24)                      |            |
| UserC02           | User Field Character 2 |                  | x(24)                      |            |
| UserC03           | User Field Character 3 |                  | x(24)                      |            |
| UserC04           | User Field Character 4 |                  | x(24)                      |            |
| UserC05           | User Field Character 5 |                  | x(24)                      |            |
| UserD01           | User Field Decimal 1   |                  | ->>>>, >>>, >>9.9<<<<<<<<< | 10         |
| UserD02           | User Field Decimal 2   |                  | ->>>>, >>>, >>9.9<<<<<<<<< | 10         |
| UserL01           | User Field Logical 1   |                  | yes/no                     |            |
| UserL02           | User Field Logical 2   |                  | yes/no                     |            |
| UserT01           | User Field Date 1      |                  | 99/99/99                   |            |
| UserT02           | User Field Date 2      |                  | 99/99/99                   |            |
| Whse              | Warehouse              | Whse             | x(8)                       |            |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇* LoadSItemDIdx | yes | Domain         | yes | no   |
|                  |     | Site           | yes | no   |
|                  |     | Whse           | yes | no   |
|                  |     | Part           | yes | no   |
| ◇ oid_LoadSItemD | yes | oid_LoadSItemD | yes | no   |
| ◇ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | UserC01        | yes | no   |
|                  |     | UserC02        | yes | no   |

## ◆ LocalExitC Warehousing Local Exit Routine Control

| Field Name     | Label                                          | Col-Label                      | Format                                          | Dec |
|----------------|------------------------------------------------|--------------------------------|-------------------------------------------------|-----|
| BatchOrderExp  | Batch Order Export                             |                                | x(10)                                           |     |
| BPPickSheet    | Bulk Pick-Sheet<br>(whbp1x01.p)                | Bulk! Pick-Sheet               | x(10)                                           |     |
| CancelShipment | Cancel Shipment                                |                                | x(10)                                           |     |
| CreateDate     | Create Date                                    |                                | 99/99/99                                        |     |
| CreateUserID   | Created                                        |                                | x(8)                                            |     |
| Domain         | Domain                                         |                                | x(8)                                            |     |
| ICCCAlgo       | Cycle Count Selection Algorithms (whicccclx.p) | Cycle Count! Algorithms        | x(10)                                           |     |
| LMTask         | Task Calculation<br>(whlmlx01.p)               | Task! Calculation              | x(10)                                           |     |
| ModDate        | Modified                                       |                                | 99/99/99                                        |     |
| ModUserID      | Modified                                       |                                | x(8)                                            |     |
| oid_LocalExitC |                                                |                                | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| OMOrderDetail  | Order Detail Update<br>(whomlx01.p)            | Order Detail                   | x(10)                                           |     |
| OrdSel         | Order Select                                   |                                | x(8)                                            |     |
| OverPick       | OverPick                                       |                                | x(8)                                            |     |
| PreShipList    | Pre-Shipper List<br>(whbps01.p)                |                                | x(10)                                           |     |
| PRUserFields   | Printer Template User Fields<br>(whprlx01.p)   | Printer! Template! User Fields | x(10)                                           |     |
| QadC01         | QAD Field                                      |                                | X(8)                                            | 0   |
| QadC02         | QAD Field                                      |                                | X(8)                                            | 0   |
| QadC03         | QAD Field                                      |                                | X(8)                                            | 0   |
| QadC04         | QAD Field                                      |                                | X(8)                                            | 0   |
| QadD01         | QAD Field                                      |                                | ->>>>, >>>, >>9.99<<<                           | 10  |
| QadD02         | QAD Field                                      |                                | ->>>>, >>>, >>9.99<<<                           | 10  |
| QadD03         | QAD Field                                      |                                | ->>>>, >>>, >>9.99<<<                           | 10  |
| QadI01         | QAD Field                                      |                                | ->, >>>, >>9                                    |     |
| QadI02         | QAD Field                                      |                                | ->, >>>, >>9                                    |     |
| QadI03         | QAD Field                                      |                                | ->, >>>, >>9                                    |     |
| QadL01         | QAD Field                                      |                                | yes/no                                          |     |
| QadL02         | QAD Field                                      |                                | yes/no                                          |     |
| QadT01         | QAD Field                                      |                                | 99/99/99                                        |     |
| QadT02         | QAD Field                                      |                                | 99/99/99                                        |     |
| QadT03         | QAD Field                                      |                                | 99/99/99                                        |     |
| ScreenFormat   | Screen Format                                  |                                | x(8)                                            |     |
| SendShipment   | Send Shipment                                  |                                | x(10)                                           |     |
| TaskSort       | Task Sort                                      |                                | x(8)                                            |     |
| TMSControl     | TMS Integration Control                        |                                | x(10)                                           |     |
| TruckShipment  | Truck Shipment                                 |                                | x(10)                                           |     |
| UniqueID       |                                                |                                | 9                                               |     |
| User1          | User 1                                         |                                | x(8)                                            |     |
| User2          | User 2                                         |                                | x(8)                                            |     |
| UserC03        | User Field Character 3                         |                                | x(24)                                           |     |
| UserC04        | User Field Character 4                         |                                | x(24)                                           |     |
| UserC05        | User Field Character 5                         |                                | x(24)                                           |     |
| UserD01        | User Field Decimal 1                           |                                | ->>>>, >>>, >>9.9<<<<<<<<<<                     | 10  |
| UserD02        | User Field Decimal 2                           |                                | ->>>>, >>>, >>9.9<<<<<<<<<<                     | 10  |

| Field Name | Label                | Col-Label | Format   | Dec |
|------------|----------------------|-----------|----------|-----|
| UserL01    | User Field Logical 1 |           | yes/no   |     |
| UserL02    | User Field Logical 2 |           | yes/no   |     |
| UserT01    | User Field Date 1    |           | 99/99/99 |     |
| UserT02    | User Field Date 2    |           | 99/99/99 |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ old_LocalExitC | yes | old_LocalExitC | yes | no   |
| ◇* UniqueID      | yes | Domain         | yes | no   |
|                  |     | UniqueID       | yes | no   |
| ◇ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | User1          | yes | no   |
|                  |     | User2          | yes | no   |

**locc\_det**      Reserved Locations Detail[illegible]

| Index-Name      | Uni | Field-Name       | Asc | Abbr |
|-----------------|-----|------------------|-----|------|
| locc_addr_site  | yes | locc_domain      | yes | no   |
|                 |     | locc_addr        | yes | no   |
|                 |     | locc_site        | yes | no   |
|                 |     | locc_loc         | yes | no   |
| locc_primary    | no  | locc_domain      | yes | no   |
|                 |     | locc_addr        | yes | no   |
|                 |     | locc_site        | yes | no   |
|                 |     | locc_primary_loc | yes | no   |
| * locc_site_loc | yes | locc_domain      | yes | no   |
|                 |     | locc_site        | yes | no   |
|                 |     | locc_loc         | yes | no   |
|                 |     | locc_addr        | yes | no   |
| ◇ oid_locc_det  | yes | oid_locc_det     | yes | no   |

### ◇ LocDefD

### Warehousing Location Definition Detail

[illegible]

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇* LocDefSeq  | yes | Domain      | yes | no   |
|               |     | LocDef      | yes | no   |
|               |     | LDSeq       | yes | no   |
| ◇ oid_LocDefD | yes | oid_LocDefD | yes | no   |
| ◇ UsrIdx      | no  | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |



## Warehousing Location Definition Master

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇* LocDef     | yes | Domain      | yes | no   |
|               |     | LocDef      | yes | no   |
| ◇ oid_LocDefM | yes | oid_LocDefM | yes | no   |
| ◇ UsrIdx      | no  | User1       | yes | no   |
|               |     | User2       | yes | no   |

### Warehousing Location Forecast Detail

| Field Name   | Label       | Col-Label | Format   | Dec |
|--------------|-------------|-----------|----------|-----|
| AltUM        | Alt UM      | Alt! UM   | x(2)     |     |
| CreateDate   | Create Date |           | 99/99/99 |     |
| CreateUserID | Created     |           | x(8)     |     |
| Domain       | Domain      |           | x(8)     |     |

| Field Name  | Label                  | Col-Label   | Format                     | Dec |
|-------------|------------------------|-------------|----------------------------|-----|
| DSet        | Data Set               |             | x(12)                      |     |
| ForType     | Type                   |             | X(2)                       |     |
| Line        | Line/ID                |             | x(8)                       |     |
| Loc         | Location               |             | x(8)                       |     |
| Lot         | Lot/Serial             |             | x(18)                      |     |
| ModDate     | Modified               |             | 99/99/99                   |     |
| ModUserID   | Modified               |             | x(8)                       |     |
| Nbr         | Order                  |             | x(18)                      |     |
| oid_LocForD |                        |             | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |                        |             | .9<<<<<<<<<                |     |
| OrdSite     | Order Site             | Order! Site | x(8)                       |     |
| Part        | Item Number            |             | x(18)                      |     |
| QadC01      | QAD Field              |             | X(8)                       | 0   |
| QadC02      | QAD Field              |             | X(8)                       | 0   |
| QadC03      | QAD Field              |             | X(8)                       | 0   |
| QadC04      | QAD Field              |             | X(8)                       | 0   |
| QadD01      | QAD Field              |             | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD02      | QAD Field              |             | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03      | QAD Field              |             | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01      | QAD Field              |             | ->, >>>, >>9               |     |
| QadI02      | QAD Field              |             | ->, >>>, >>9               |     |
| QadI03      | QAD Field              |             | ->, >>>, >>9               |     |
| QadL01      | QAD Field              |             | yes/no                     |     |
| QadL02      | QAD Field              |             | yes/no                     |     |
| QadT01      | QAD Field              |             | 99/99/99                   |     |
| QadT02      | QAD Field              |             | 99/99/99                   |     |
| QadT03      | QAD Field              |             | 99/99/99                   |     |
| Quantity    | Quantity               |             | ->>>, >>9.9<<<<<<<         | 10  |
| Ref         | Reference              |             | x(8)                       |     |
| Site        | Site                   |             | x(8)                       |     |
| User1       | User 1                 |             | x(8)                       |     |
| User2       | User 2                 |             | x(8)                       |     |
| UserC03     | User Field Character 3 |             | x(24)                      |     |
| UserC04     | User Field Character 4 |             | x(24)                      |     |
| UserC05     | User Field Character 5 |             | x(24)                      |     |
| UserD01     | User Field Decimal 1   |             | ->>>>, >>>, >>9.<<<<<<<<<< | 10  |
| UserD02     | User Field Decimal 2   |             | ->>>>, >>>, >>9.<<<<<<<<<< | 10  |
| UserL01     | User Field Logical 1   |             | yes/no                     |     |
| UserL02     | User Field Logical 2   |             | yes/no                     |     |
| UserT01     | User Field Date 1      |             | 99/99/99                   |     |
| UserT02     | User Field Date 2      |             | 99/99/99                   |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇* LocForIdx  | yes | Domain      | yes | no   |
|               |     | ForType     | yes | no   |
|               |     | DSet        | yes | no   |
|               |     | Nbr         | yes | no   |
|               |     | Line        | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Loc         | yes | no   |
|               |     | Part        | yes | no   |
|               |     | Lot         | yes | no   |
|               |     | Ref         | yes | no   |
| ◇ oid_LocForD | yes | oid_LocForD | yes | no   |
| ◇ OrderIdx    | no  | Domain      | yes | no   |
|               |     | DSet        | yes | no   |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
|             |     | Nbr        | yes | no   |
|             |     | Line       | yes | no   |
| ◇ Part      | no  | Domain     | yes | no   |
|             |     | Part       | yes | no   |
| ◇ TypeOrder | no  | Domain     | yes | no   |
|             |     | ForType    | yes | no   |
|             |     | DSet       | yes | no   |
|             |     | Nbr        | yes | no   |
|             |     | Site       | yes | no   |
|             |     | Line       | yes | no   |
|             |     | Part       | yes | no   |
|             |     | Lot        | yes | no   |
|             |     | Ref        | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |

◇ **LocM**      Warehousing Location Master

[illegible]

| Field Name | Label                  | Col-Label        | Format                    | Dec |
|------------|------------------------|------------------|---------------------------|-----|
| QadT03     | QAD Field              |                  | 99/99/99                  |     |
| Site       | Site                   |                  | x(8)                      |     |
| SLocGp     | Store Loc Group        | SLocGrp          | x(8)                      |     |
| StageIn    | Stage (In)             |                  | X(8)                      |     |
| StageOut   | Stage (Out)            |                  | X(8)                      |     |
| StoreType  | Storage Type           | Storage! Type    | X(8)                      |     |
| TravelSeq  | Travel Sequence        | Travel! Sequence | ->,>>>,>>9                |     |
| User1      | User 1                 |                  | x(8)                      |     |
| User2      | User 2                 |                  | x(8)                      |     |
| UserC03    | User Field Character 3 |                  | x(24)                     |     |
| UserC04    | User Field Character 4 |                  | x(24)                     |     |
| UserC05    | User Field Character 5 |                  | x(24)                     |     |
| UserD01    | User Field Decimal 1   |                  | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |                  | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |                  | yes/no                    |     |
| UserL02    | User Field Logical 2   |                  | yes/no                    |     |
| UserT01    | User Field Date 1      |                  | 99/99/99                  |     |
| UserT02    | User Field Date 2      |                  | 99/99/99                  |     |
| Whse       | Warehouse              | Whse             | x(8)                      |     |
| Width      | Width                  |                  | >>>,>>9.99                | 2   |
| WLocGp     | Work Loc Group         | WLocGrp          | x(8)                      |     |

| Index-Name    | Uni | Field-Name | Asc | Abbr |
|---------------|-----|------------|-----|------|
| ◇ oid_LocM    | yes | oid_LocM   | yes | no   |
| ◇* SiteLoc    | yes | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | Loc        | yes | no   |
| ◇ SiteWhseLoc | yes | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | Whse       | yes | no   |
|               |     | Loc        | yes | no   |
| ◇ SLGLoc      | no  | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | Whse       | yes | no   |
|               |     | SLocGp     | yes | no   |
|               |     | Loc        | yes | no   |
| ◇ SLGPopCode  | no  | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | Whse       | yes | no   |
|               |     | SLocGp     | yes | no   |
|               |     | PopCode    | yes | no   |
|               |     | Full%      | yes | no   |
| ◇ StoreType   | no  | Domain     | yes | no   |
|               |     | Site       | yes | no   |
|               |     | Whse       | yes | no   |
|               |     | StoreType  | yes | no   |
| ◇ UsrIdx      | no  | Domain     | yes | no   |
|               |     | User1      | yes | no   |
|               |     | User2      | yes | no   |

### ◇ LocUMM

[illegible]

| Index-Name           | Uni | Field-Name | Asc | Abbr |
|----------------------|-----|------------|-----|------|
| $\diamond^*$ LUMMidx | yes | Domain     | yes | no   |
|                      |     | Site       | yes | no   |
|                      |     | Whse       | yes | no   |
|                      |     | Loc        | yes | no   |
|                      |     | Part       | yes | no   |
|                      |     | UM         | yes | no   |
| $\diamond$ LUMMPart  | yes | Domain     | yes | no   |
|                      |     | Part       | yes | no   |
|                      |     | UM         | yes | no   |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | Loc        | yes | no   |
| ◇ oid_LocUMM | yes | oid_LocUMM | yes | no   |
| ◇ PartWhse   | no  | Domain     | yes | no   |
|              |     | Part       | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
| ◇ Usrldx     | no  | Domain     | yes | no   |
|              |     | User1      | yes | no   |
|              |     | User2      | yes | no   |

◇ **LocW**      Warehousing Location Work Table

[illegible]

| Field Name | Label             | Col-Label | Format   | Dec |
|------------|-------------------|-----------|----------|-----|
| UserT01    | User Field Date 1 |           | 99/99/99 |     |
| UserT02    | User Field Date 2 |           | 99/99/99 |     |
| Whse       | Warehouse         | Whse      | x(8)     |     |
| WkSeq      | Seq               |           | >>9      |     |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ◇ Location | no  | Domain     | yes | no   |
|            |     | AlgoType   | yes | no   |
|            |     | Site       | yes | no   |
|            |     | Loc        | yes | no   |
| ◇* LWIdx   | yes | Domain     | yes | no   |
|            |     | InternalID | yes | no   |
|            |     | AlgoType   | yes | no   |
|            |     | Site       | yes | no   |
|            |     | Whse       | yes | no   |
|            |     | Loc        | yes | no   |
| ◇ oid_LocW | yes | oid_LocW   | yes | no   |
| ◇ SiteSeq  | no  | Domain     | yes | no   |
|            |     | InternalID | yes | no   |
|            |     | AlgoType   | yes | no   |
|            |     | Site       | yes | no   |
|            |     | WkSeq      | yes | no   |
| ◇ UsrIdx   | no  | Domain     | yes | no   |
|            |     | User1      | yes | no   |
|            |     | User2      | yes | no   |

**loc\_mstr**      Location Master

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | loc_loc      | yes | loc_domain   | yes | no   |
|   |              |     | loc_site     | yes | no   |
|   |              |     | loc_loc      | yes | no   |
| ◇ | oid_loc_mstr | yes | oid_loc_mstr | yes | no   |

## lotw wkfl

### Lot Number Work Table

|   | Field Name    | Label       | Col-Label | Format                           | Dec |
|---|---------------|-------------|-----------|----------------------------------|-----|
|   | lotw__qadc01  |             |           | x(8)                             |     |
|   | lotw_domain   | Domain      |           | x(8)                             |     |
|   | lotw_lotser   | Lot/Serial  |           | x(18)                            |     |
| Δ | lotw_mfguser  |             |           | x(50)                            |     |
|   | lotw_part     | Item Number |           | x(18)                            |     |
|   | lotw_user1    | Ufld1       |           | x(8)                             |     |
|   | lotw_user2    | Ufld2       |           | x(8)                             |     |
| Δ | lotw_userid   | User ID     |           | x(50)                            |     |
|   | oid_lotw_wkfl |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|   |               |             |           | .9<<<<<<<<<<                     |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| lot_user_lot    | yes | lotw_domain   | yes | no   |
|                 |     | lotw_mfguser  | yes | no   |
|                 |     | lotw_lotser   | yes | no   |
|                 |     | lotw_part     | yes | no   |
| * lotw_ser_part | yes | lotw_domain   | yes | no   |
|                 |     | lotw_lotser   | yes | no   |
|                 |     | lotw_part     | yes | no   |
| ◇ oid lotw wkfl | yes | oid lotw wkfl | yes | no   |

**lot mstr**

Lot Master

| Field Name | Label     | Col-Label | Format            | Dec |
|------------|-----------|-----------|-------------------|-----|
| lot_chr01  | Chrflid 1 |           | x(8)              |     |
| lot_chr02  | Chrflid 2 |           | x(8)              |     |
| lot_chr03  | Chrflid 3 |           | x(8)              |     |
| lot_chr04  | Chrflid 4 |           | x(8)              |     |
| lot_chr05  | Chrflid 5 |           | x(8)              |     |
| lot_chr06  | Chrflid 6 |           | x(8)              |     |
| lot_dec01  | Decfld 1  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dec02  | Decfld 2  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dec03  | Decfld 3  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dec04  | Decfld 4  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dec05  | Decfld 5  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dec06  | Decfld 6  |           | ->>>, >>>, >>9.99 | 10  |
| lot_dte01  | Dtefld 1  |           | 99/99/99          |     |
| lot_dte02  | Dtefld 2  |           | 99/99/99          |     |
| lot_dte03  | Dtefld 3  |           | 99/99/99          |     |
| lot_dte04  | Dtefld 4  |           | 99/99/99          |     |



|   | Index-Name      | Uni | Field-Name   | Asc | Abbr |
|---|-----------------|-----|--------------|-----|------|
| * | lot_part_serial | yes | lot_domain   | yes | no   |
|   |                 |     | lot_part     | yes | no   |
|   |                 |     | lot_serial   | yes | no   |
|   | lot_serial_part | no  | lot_domain   | yes | no   |
|   |                 |     | lot_serial   | yes | no   |
|   |                 |     | lot_part     | yes | no   |
| ◇ | oid lot mstr    | yes | oid lot mstr | yes | no   |

### Address List Detail



| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>                                  | <b>Dec</b> |
|-------------------|--------------|------------------|------------------------------------------------|------------|
| ls_domain         | Domain       |                  | x(8)                                           |            |
| ls_type           | List Type    | List             | x(8)                                           |            |
| ls_user1          | Ufld1        |                  | x(8)                                           |            |
| ls_user2          | Ufld2        |                  | x(8)                                           |            |
| oid_ls_mstr       |              |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>_9<<<<<<<<< |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | ls_addrtype | yes | ls_domain   | yes | no   |
|   |             |     | ls_addr     | yes | no   |
|   |             |     | ls_type     | yes | no   |
|   | ls_type     | yes | ls_domain   | yes | no   |
|   |             |     | ls_type     | yes | no   |
|   |             |     | ls_addr     | yes | no   |
| ◇ | oid ls_mstr | yes | oid ls_mstr | yes | no   |

### ◇ **ManhourSurcharge**Manhour Surcharge

| Field Name                | Label            | Col-Label     | Format             | Dec |
|---------------------------|------------------|---------------|--------------------|-----|
| CostCentre_ID             | Cost Center Code | Cost Center   | 9999999999         |     |
| ManhourSurcharge_ID       | Record ID        | Record ID     | 9999999999         |     |
| ManhourSurchargeTariff    | Tariff           | Tariff        | >>>, >>>, >>9.9999 | 4   |
| ManhourSurchargeValidFrom | Valid From       | Valid From    | 99/99/9999         |     |
| Saf_ID                    | Type of Hours    | Type of Hours | 9999999999         |     |

| Index-Name   | Uni | Field-Name               | Asc | Abbr |
|--------------|-----|--------------------------|-----|------|
| ◇ CostCentre | no  | CostCentre_ID            | yes | no   |
| ◇* Prim      | yes | ManhourSurcharge_ID      | yes | no   |
| ◇ Saf        | no  | Saf_ID                   | yes | no   |
| ◇ Uniqueldx  | yes | CostCentre_ID            | yes | no   |
|              |     | Saf_ID                   | yes | no   |
|              |     | ManhourSurchargeValidFro | yes | no   |
|              |     | m                        |     |      |

|                 |                      |
|-----------------|----------------------|
| <b>maxt det</b> | Maximum Table Detail |
|-----------------|----------------------|

| Field Name    | Label          | Col-Label | Format                 | Dec |
|---------------|----------------|-----------|------------------------|-----|
| maxt__qad01   |                |           | yes/no                 |     |
| maxt__qad02   |                |           | x(8)                   |     |
| maxt__qad03   |                |           | x(8)                   |     |
| maxt_amt      | Amount         |           | ->>, >>>, >>>, >>9.99< | 10  |
| maxt_beg_date | Beginning Date | Beg Date  | 99/99/99               |     |
| maxt_book     | Book           |           | x(8)                   |     |
| maxt_class    | Class          | Cls       | x(3)                   |     |
| maxt_end_date | Ending Date    | End Date  | 99/99/99               |     |
| Δ maxt_entity | Entity         | Enty      | x(20)                  |     |

| Field Name   | Label                     | Col-Label | Format                                        | Dec |
|--------------|---------------------------|-----------|-----------------------------------------------|-----|
| maxt_field   | Field to Apply Maximum To |           | x(32)                                         |     |
| maxt_user1   | Ufld1                     |           | x(8)                                          |     |
| maxt_user2   | Ufld2                     |           | x(8)                                          |     |
| oid_maxt_det |                           |           | >>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |

|   | Index-Name   | Uni | Field-Name    | Asc | Abbr |
|---|--------------|-----|---------------|-----|------|
| * | maxt_index   | yes | maxt_field    | yes | no   |
|   |              |     | maxt_book     | yes | no   |
|   |              |     | maxt_entity   | yes | no   |
|   |              |     | maxt_class    | yes | no   |
|   |              |     | maxt_beg_date | yes | no   |
|   |              |     | maxt_end_date | yes | no   |
| ◇ | oid_maxt_det | yes | oid_maxt_det  | yes | no   |

**max\_mstr**      Maximums Master

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | max_ind1     | yes | max_field    | yes | no   |
|   |              |     | max_book     | yes | no   |
|   |              |     | max__qad01   | yes | no   |
|   |              |     | max_class    | yes | no   |
| ◇ | oid_max_mstr | yes | oid_max_mstr | yes | no   |

## Mirror Account Master

|   | Field Name  | Label                | Col-Label    | Format                                          | Dec |
|---|-------------|----------------------|--------------|-------------------------------------------------|-----|
|   | ma_qadc01   |                      |              | x(8)                                            |     |
|   | ma_acct1    | Account 1            |              | x(8)                                            |     |
|   | ma_acct2    | Account 2            |              | x(8)                                            |     |
|   | ma_all_cc   | All Cost Centers     | All CC       | yes/no                                          |     |
|   | ma_all_sub  | All Sub-Accounts     | All Sub-Acct | yes/no                                          |     |
|   | ma_cc1      | Cost Ctr             | CC           | x(4)                                            |     |
|   | ma_cc2      | Cost Ctr 2           | CC 2         | x(4)                                            |     |
|   | ma_domain   | Domain               |              | x(8)                                            |     |
| Δ | ma_entity   | Entity               |              | x(20)                                           |     |
|   | ma_mr_acct1 | Mirror Account 1     | Mir Acct1    | x(8)                                            |     |
|   | ma_mr_acct2 | Mirror Account 2     | Mir Acct 2   | x(8)                                            |     |
|   | ma_mr_cc1   | Cost Ctr             | CC           | x(4)                                            |     |
|   | ma_mr_cc2   | Mirror CC 2          | Mir CC 2     | x(4)                                            |     |
|   | ma_mr_sub1  | Mirror Sub-Account 1 | Sub-Aacct    | x(8)                                            |     |
|   | ma_mr_sub2  | Mirror Sub-Account 2 | Sub-Aacct    | x(8)                                            |     |
|   | ma_sub1     | Sub-Account 1        | Sub-Aacct    | x(8)                                            |     |
|   | ma_sub2     | Sub-Account 2        | Sub-Aacct    | x(8)                                            |     |
|   | ma_tr_type  | Trans Type           | T            | x(2)                                            |     |
|   | ma_user1    | Ufld1                |              | x(8)                                            |     |
|   | ma_user2    | Ufld2                |              | x(8)                                            |     |
|   | oid_ma_mstr |                      |              | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |

|   | Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---|---------------|-----|-------------|-----|------|
| * | ma_all_sub_cc | yes | ma_domain   | yes | no   |
|   |               |     | ma_entity   | yes | no   |
|   |               |     | ma_tr_type  | yes | no   |
|   |               |     | ma_acct1    | yes | no   |
|   |               |     | ma_acct2    | yes | no   |
|   |               |     | ma_sub1     | yes | no   |
|   |               |     | ma_sub2     | yes | no   |
|   |               |     | ma_cc1      | yes | no   |
|   |               |     | ma_cc2      | yes | no   |
|   |               |     | ma_all_sub  | yes | no   |
|   |               |     | ma_all_cc   | yes | no   |
| ◇ | oid_ma_mstr   | yes | oid_ma_mstr | yes | no   |

## Control Work Table

| Field Name  | Label       | Col-Label | Format                 | Dec |
|-------------|-------------|-----------|------------------------|-----|
| mfc__qadc01 |             |           | x(8)                   |     |
| mfc_char    | Character   |           | x(24)                  |     |
| mfc_date    | Date        |           | 99/99/99               |     |
| mfc_decimal | Decimal     |           | ->>>,>>>,>>9.999999999 | 10  |
| mfc_desc    | Description |           | x(24)                  |     |
| mfc_domain  | Domain      |           | x(8)                   |     |
| mfc_field   | Field Name  |           | x(32)                  |     |
| mfc_integer | Integer     |           | >>>>>>>9               |     |
| mfc_label   | Label       |           | x(24)                  |     |
| mfc_logical | Logical     |           | yes/no                 |     |

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | mfc_field    | yes | mfc_domain   | yes | no   |
|   |              |     | mfc_field    | yes | no   |
|   | mfc_mod_seq  | yes | mfc_domain   | yes | no   |
|   |              |     | mfc_module   | yes | no   |
|   |              |     | mfc_seq      | yes | no   |
| ◇ | oid_mfc_ctrl | yes | oid_mfc_ctrl | yes | no   |

**mfrel\_mstr** Master Table Relationships

[illegible]

|   | Index-Name        | Uni | Field-Name        | Asc | Abbr |
|---|-------------------|-----|-------------------|-----|------|
| * | mfrel_source_targ | yes | mfrel_type        | yes | no   |
|   |                   |     | mfrel_source_key1 | yes | no   |
|   |                   |     | mfrel_source_key2 | yes | no   |
|   |                   |     | mfrel_source_key3 | yes | no   |
|   |                   |     | mfrel_target_key1 | yes | no   |
|   |                   |     | mfrel_target_key2 | yes | no   |
|   |                   |     | mfrel_target_key3 | yes | no   |
|   | mfrel_targ_source | yes | mfrel_type        | yes | no   |
|   |                   |     | mfrel_target_key1 | yes | no   |
|   |                   |     | mfrel_target_key2 | yes | no   |
|   |                   |     | mfrel_target_key3 | yes | no   |
|   |                   |     | mfrel_source_key1 | yes | no   |
|   |                   |     | mfrel_source_key2 | yes | no   |
|   |                   |     | mfrel_source_key3 | yes | no   |
| ◇ | oid mfrel mstr    | yes | oid mfrel mstr    | yes | no   |

## mfspd det

## OAD Mobile Field Service User Detail

| Field Name             | Label                            | Col-Label | Format                  | Dec |
|------------------------|----------------------------------|-----------|-------------------------|-----|
| mfsd__qadc01           |                                  |           | x(24)                   |     |
| mfsd__qadc02           |                                  |           | x(24)                   |     |
| mfsd_ca_mo_pre         | Call/MO Unique Prefix            |           | x(3)                    |     |
| mfsd_call_header       | Prioritize Call Header On Client |           | yes/no                  |     |
| mfsd_client_doc_ids    | Generate Doc IDs On Client       |           | yes/no                  |     |
| mfsd_domain            | Domain                           |           | x(8)                    |     |
| mfsd_eng_code          | Engineer                         |           | x(8)                    |     |
| mfsd_eng_id            | Engineer Unique ID               |           | x(3)                    |     |
| mfsd_loc               | Location                         |           | x(8)                    |     |
| mfsd_mod_date          | Modified Date                    | Mod Date  | 99/99/99                |     |
| mfsd_mod_userid        | User ID                          |           | x(8)                    |     |
| mfsd_nonexisting_items | Non-existing Items Allowed       |           | yes/no                  |     |
| mfsd_nonexisting_user  | Non-existing End Users Allowed   |           | yes/no                  |     |
| mfsd_prntsyscmnt       | Comments On Invoice/ Reports     |           | yes/no                  |     |
| mfsd_sa_pre            | Contract Prefix                  | Ct        | x(1)                    |     |
| mfsd_site              | Site                             |           | x(8)                    |     |
| mfsd_svc_group1        | Start Svc Group                  |           | x(8)                    |     |
| mfsd_svc_group2        | End Svc Group                    |           | x(8)                    |     |
| mfsd_sync_auth         | Single Sign-on for Sync Engine   |           | yes/no                  |     |
| mfsd_user1             | User Field Character 1           |           | x(24)                   |     |
| mfsd_user2             | User Field Character 2           |           | x(24)                   |     |
| mfsd_userc03           | User Field Character 3           |           | x(24)                   |     |
| mfsd_userc04           | User Field Character 4           |           | x(24)                   |     |
| mfsd_userc05           | User Field Character 5           |           | x(24)                   |     |
| mfsd_userd01           | User Field Decimal 1             |           | -->>>,>>>, >9.9<<<<<<<< | 10  |
| mfsd_userd02           | User Field Decimal 2             |           | -->>>,>>>, >9.9<<<<<<<< | 10  |
| mfsd_userid            | User ID                          |           | x(8)                    |     |
| mfsd_userl01           | User Field Logical 1             |           | yes/no                  |     |



◇

MirroringJournalMirroring Daybook

| Field Name          | Label                  | Col-Label           | Format     | Dec |
|---------------------|------------------------|---------------------|------------|-----|
| Company_ID          | Entity                 | Entity              | 9999999999 |     |
| Domain_ID           | Domain                 | Domain              | 9999999999 |     |
| LastModifiedDate    | Last Modified Date     | Modif Date          | 99/99/9999 |     |
| LastModifiedTime    | Last Modified Time     | Modif Time          | 99999      |     |
| LastModifiedUser    | Last Modified User     | Modif User          | x(20)      |     |
| MirroringJournal_ID | Record ID              | Record ID           | 9999999999 |     |
| MirrorJournal_ID    | Mirror Daybook Control | Mirror Daybook Ctrl | 9999999999 |     |
| SourceJournal_ID    | Source Daybook Control | Source Daybook Ctrl | 9999999999 |     |

| Index-Name   | Uni | Field-Name          | Asc | Abbr |
|--------------|-----|---------------------|-----|------|
| ◇ Company    | no  | Company_ID          | yes | no   |
| ◇ Domains    | no  | Domain_ID           | yes | no   |
| ◇ MirrorJrnl | no  | MirrorJournal_ID    | yes | no   |
| ◇* Prim      | yes | MirroringJournal_ID | yes | no   |
| ◇ SourceJrnl | no  | SourceJournal_ID    | yes | no   |
| ◇ UniqueIdx  | yes | Domain_ID           | yes | no   |
|              |     | Company_ID          | yes | no   |
|              |     | SourceJournal_ID    | yes | no   |



## Menu Detail

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
|   | mnd_exec    | no  | mnd_exec    | yes | no   |
|   | mnd_name    | no  | mnd_name    | yes | no   |
| * | mnd_nbr     | yes | mnd_nbr     | yes | no   |
|   |             |     | mnd_select  | yes | no   |
| ◇ | mnd_uri     | no  | mnd_uri     | yes | no   |
| ◇ | oid mnd det | yes | oid mnd det | yes | no   |

## Service/Support Custom Program Detail

[illegible]

|   | Index-Name  | Uni | Field-Name    | Asc | Abbr |
|---|-------------|-----|---------------|-----|------|
| * | mnp_program | yes | mnp_domain    | yes | no   |
|   |             |     | mnp_program   | yes | no   |
|   |             |     | mnp_userid    | yes | no   |
|   |             |     | mnp_sequence  | yes | no   |
|   |             |     | mnp_prog_type | yes | no   |
| ◇ | oid mnp det | yes | oid mnp det   | yes | no   |

## mnt det

Menu Title Detail

[illegible]

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | mnt_lang    | no  | mnt_lang    | yes | no   |
| * | mnt_nsl     | yes | mnt_nbr     | yes | no   |
|   |             |     | mnt_select  | yes | no   |
|   |             |     | mnt_lang    | yes | no   |
| ◇ | oid_mnt_det | yes | oid_mnt_det | yes | no   |

**mon mstr**

## User Activity Monitor

| Field Name     | Label              | Col-Label         | Format                   | Dec |
|----------------|--------------------|-------------------|--------------------------|-----|
| mon_qadc01     |                    |                   | x(8)                     |     |
| mon_qadd01     |                    |                   | ->>>, >>>, >>9.9<<<<<<<< | 10  |
| mon_qadi01     |                    |                   | >>>>>>9                  |     |
| mon_qadl01     |                    |                   | yes/no                   |     |
| mon_qadt01     |                    |                   | 99/99/99                 |     |
| mon_date_start | Start Date         | Start! Date       | 99/99/99                 |     |
| mon_idle_time  | Idle Time          | Idle! Time        | >>, >>>, >>9             |     |
| mon_interface  | Interface Type     | UI Type           | x(16)                    |     |
| mon_login_date | Session Login Date | Login! Date       | 99/99/99                 |     |
| mon_login_time | Login Time         | Login! Time       | >>, >>>, >>9             |     |
| mon_ora_id1    | Oracle User ID     | Oracle! User ID   | 99999999                 |     |
| mon_ora_id2    | Oracle Session ID  | Oracle! Sess ID   | 99999999                 |     |
| mon_product    | Application        |                   | x(16)                    |     |
| mon_prog_user  | Progress User ID   | Progress! User ID | x(12)                    |     |
| mon_program    | Program Name       | Program! Name     | x(12)                    |     |
| mon_selection  | Selection Number   | Selection! Number | x(18)                    |     |
| mon_sid        | Session ID         |                   | x(50)                    |     |

[illegible]

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| mon_login_user   | no  | mon_product    | yes | no   |
|                  |     | mon_login_date | yes | no   |
|                  |     | mon_login_time | yes | no   |
|                  |     | mon_userid     | yes | no   |
|                  |     | mon_sid        | yes | no   |
| mon_program_user | no  | mon_program    | yes | no   |
|                  |     | mon_userid     | yes | no   |
| mon_time_user    | no  | mon_time_start | yes | no   |
|                  |     | mon_userid     | yes | no   |
| * mon_user_sid   | yes | mon_userid     | yes | no   |
|                  |     | mon_sid        | yes | no   |
|                  |     | mon_product    | yes | no   |
| ◇ oid_mon_mstr   | yes | oid_mon_mstr   | yes | no   |

**mpd\_det**      Master Specification Detail

[illegible]

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | mpd_nbr     | yes | mpd_domain  | yes | no   |
|   |             |     | mpd_nbr     | yes | no   |
|   |             |     | mpd_type    | yes | no   |
| ◇ | oid_mpd_det | yes | oid_mpd_det | yes | no   |

## mph\_hist

## Master Specification Test History

[illegible]

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| * mph_lot      | yes | mph_domain   | yes | no   |
|                |     | mph_lot      | yes | no   |
|                |     | mph_part     | yes | no   |
|                |     | mph_routing  | yes | no   |
|                |     | mph_op       | yes | no   |
|                |     | mph_test     | yes | no   |
| ◇ oid_mph_hist | yes | oid_mph_hist | yes | no   |

## mpp\_det

### Service/Support Custom Program Parameter Detail

| Field Name     | Label                  | Col-Label | Format    | Dec |
|----------------|------------------------|-----------|-----------|-----|
| mpp_chr01      | User character Field 1 |           | X(8)      |     |
| mpp_log01      | User Logical Field 1   |           | yes/no    |     |
| mpp_qadc01     | QAD Character field 1  |           | X(8)      |     |
| mpp_qade01     | QAD Decimal Field 1    |           | ->, >9.99 | 10  |
| mpp_qadl01     | QAD Logical Field 1    |           | yes/no    |     |
| mpp_qadt01     | QAD Date Field 1       |           | 99/99/99  |     |
| mpp_desc       | Description            |           | x(24)     |     |
| mpp_domain     | Domain                 |           | x(8)      |     |
| mpp_field_type | Field Type             |           | x(16)     |     |
| mpp_line       | Line                   |           | >>9       |     |

[illegible]

|   | Index-Name  | Uni | Field-Name   | Asc | Abbr |
|---|-------------|-----|--------------|-----|------|
| * | mpp_program | yes | mpp_domain   | yes | no   |
|   |             |     | mpp_program  | yes | no   |
|   |             |     | mpp_sequence | yes | no   |
|   |             |     | mpp_line     | yes | no   |
| ◇ | oid_mpp_det | yes | oid_mpp_det  | yes | no   |

|                 |                            |
|-----------------|----------------------------|
| <b>mps_mstr</b> | Master Production Schedule |
|-----------------|----------------------------|

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | mps_part     | yes | mps_domain   | yes | no   |
|   |              |     | mps_part     | yes | no   |
|   |              |     | mps_site     | yes | no   |
|   |              |     | mps_line     | yes | no   |
|   |              |     | mps_due_date | yes | no   |
|   | mps_record   | yes | mps_domain   | yes | no   |
|   |              |     | mps_record   | yes | no   |
|   | mps_site     | yes | mps_domain   | yes | no   |
|   |              |     | mps_site     | yes | no   |
|   |              |     | mps_part     | yes | no   |
|   |              |     | mps_line     | yes | no   |
|   |              |     | mps_due_date | yes | no   |
| ◇ | oid_mps_mstr | yes | oid_mps_mstr | yes | no   |

## Master Specification

[illegible]

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | mp_nbr      | yes | mp_domain   | yes | no   |
|   |             |     | mp_nbr      | yes | no   |
| ◇ | oid_mp mstr | yes | oid_mp mstr | yes | no   |

## Material Requirements Planning Control

[illegible]

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| * | mrpc_index1   | yes | mrpc_domain   | yes | no   |
| ◇ | oid_mrpc_ctrl | yes | oid_mrpc_ctrl | yes | no   |

**mrpp\_det**

## Material Requirements Planning Pegging Detail

| <b>Field Name</b>     | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                                  | <b>Dec</b> |
|-----------------------|------------------------|------------------|------------------------------------------------|------------|
| mrpp__qadc01          |                        |                  | x(24)                                          |            |
| mrpp__qadc02          |                        |                  | x(24)                                          |            |
| mrpp_demand_due_date  | Demand Due Date        |                  | 99/99/99                                       |            |
| mrpp_demand_mrp_keyid | Demand ID              |                  | >>>>>>>9                                       |            |
| mrpp_domain           | Domain                 |                  | x(8)                                           |            |
| mrpp_mod_date         | Modified Date          | Mod Date         | 99/99/99                                       |            |
| mrpp_mod_userid       | User ID                |                  | x(8)                                           |            |
| mrpp_qty_pegged       | Qty Pegged             |                  | ->>>>, >>>, >>9.9<<<<<<<<<                     | 10         |
| mrpp_supply_due_date  | Supply Due Date        |                  | 99/99/99                                       |            |
| mrpp_supply_mrp_keyid | Supply ID              |                  | >>>>>>>9                                       |            |
| mrpp_user1            | User Field Character 1 |                  | x(24)                                          |            |
| mrpp_user2            | User Field Character 2 |                  | x(24)                                          |            |
| oid_mrpp_det          |                        |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<<< | 10         |

| Index-Name     | Uni | Field-Name            | Asc | Abbr |
|----------------|-----|-----------------------|-----|------|
| mrpp_demand    | no  | mrpp_domain           | yes | no   |
|                |     | mrpp_demand_mrp_keyid | yes | no   |
|                |     | mrpp_supply_due_date  | yes | no   |
| * mrpp_det     | yes | mrpp_domain           | yes | no   |
|                |     | mrpp_demand_mrp_keyid | yes | no   |
|                |     | mrpp_supply_mrp_keyid | yes | no   |
| mrpp_supply    | no  | mrpp_domain           | yes | no   |
|                |     | mrpp_supply_mrp_keyid | yes | no   |
|                |     | mrpp_demand_due_date  | yes | no   |
| ◇ oid_mrpp_det | yes | oid_mrpp_det          | yes | no   |

**mrp\_det**

## Material Requirements Planning Detail

| Field Name   | Label        | Col-Label    | Format                                       | Dec |
|--------------|--------------|--------------|----------------------------------------------|-----|
| mrp__qad01   |              |              | yes/no                                       |     |
| mrp_dataset  | Data Set     |              | x(12)                                        |     |
| mrp_detail   | Detail       |              | x(24)                                        |     |
| mrp_domain   | Domain       |              | x(8)                                         |     |
| mrp_due_date | Due Date     |              | 99/99/99                                     |     |
| mrp_keyid    | Key ID       |              | >>>>>>9                                      |     |
| mrp_line     | Line/ID      |              | x(8)                                         |     |
| mrp_line2    | Reference    | Ref          | x(8)                                         |     |
| mrp_nbr      | Order        | Order Number | x(18)                                        |     |
| mrp_ord_site | Order Site   | Ord Site     | x(8)                                         |     |
| mrp_part     | Item Number  |              | x(18)                                        |     |
| mrp_qty      | Qty          |              | -,>, >>, >>9.<<<<<<<<                        | 10  |
| mrp_rel_date | Release Date |              | 99/99/99                                     |     |
| mrp_site     | Site         |              | x(8)                                         |     |
| mrp_type     | Order Type   |              | x(8)                                         |     |
| mrp_user1    | Ufld1        |              | x(8)                                         |     |
| mrp_user2    | Ufld2        |              | x(8)                                         |     |
| oid_mrp_det  |              |              | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<< | 10  |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| * mrp_det     | yes | mrp_domain   | yes | no   |
|               |     | mrp_dataset  | yes | no   |
|               |     | mrp_part     | yes | no   |
|               |     | mrp_nbr      | yes | no   |
|               |     | mrp_line     | yes | no   |
|               |     | mrp_line2    | yes | no   |
| mrp_keyid     | no  | mrp_domain   | yes | no   |
|               |     | mrp_keyid    | yes | no   |
| mrp_nbr       | yes | mrp_domain   | yes | no   |
|               |     | mrp_dataset  | yes | no   |
|               |     | mrp_nbr      | yes | no   |
|               |     | mrp_line     | yes | no   |
|               |     | mrp_line2    | yes | no   |
| mrp_partdate  | no  | mrp_part     | yes | no   |
|               |     | mrp_domain   | yes | no   |
|               |     | mrp_due_date | yes | no   |
|               |     | mrp_type     | no  | no   |
| mrp_site_due  | no  | mrp_domain   | yes | no   |
|               |     | mrp_site     | yes | no   |
|               |     | mrp_part     | yes | no   |
|               |     | mrp_due_date | yes | no   |
|               |     | mrp_type     | yes | no   |
| mrp_sitetype  | no  | mrp_domain   | yes | no   |
|               |     | mrp_site     | yes | no   |
|               |     | mrp_part     | yes | no   |
|               |     | mrp_type     | yes | no   |
|               |     | mrp_due_date | yes | no   |
|               |     | mrp_qty      | yes | no   |
| ◇ oid_mrp_det | yes | oid_mrp_det  | yes | no   |

◇ **MsgBrokerSetting**Message Broker Setting

| Field Name                | Label | Col-Label | Format       | Dec |
|---------------------------|-------|-----------|--------------|-----|
| LastModifiedDate          |       |           | 99/99/9999   |     |
| LastModifiedTime          |       |           | 999999       |     |
| LastModifiedUser          |       |           | x(20)        |     |
| MsgBrokerSetting_ID       |       |           | 999999999999 |     |
| MsgBrokerSettingAdapterCs |       |           | x(255)       |     |
| MsgBrokerSettingBrokerCs  |       |           | x(255)       |     |
| MsgBrokerSettingName      |       |           | x(40)        |     |
| MsgBrokerSettingPassword  |       |           | x(40)        |     |
| MsgBrokerSettingUser      |       |           | x(40)        |     |

| Index-Name      | Uni | Field-Name           | Asc | Abbr |
|-----------------|-----|----------------------|-----|------|
| ◇* MsgBrokerSet | yes | MsgBrokerSetting_ID  | yes | no   |
| ◇ Name          | yes | MsgBrokerSettingName | yes | no   |



**msg\_mstr**

## Message Master

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | msg_ln       | yes | msg_lang     | yes | no   |
|   |              |     | msg_nbr      | yes | no   |
| ◇ | oid msg mstr | yes | oid msg mstr | yes | no   |

## mu mstr

Monetary Union Master

[illegible]

|   | Index-Name     | Uni | Field-Name     | Asc | Abbr |
|---|----------------|-----|----------------|-----|------|
| * | mu_member_curr | yes | mu_domain      | yes | no   |
|   |                |     | mu_member_curr | yes | no   |
|   |                |     | mu_start_date  | no  | no   |
| ◇ | oid_mu_mstr    | yes | oid_mu_mstr    | yes | no   |

## Net Commerce Control

[illegible]

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| * ncc_index1   | yes | ncc_domain   | yes | no   |
| ◇ oid_ncc_ctrl | yes | oid_ncc_ctrl | yes | no   |

◇ **Nomenclature**Nomenclature

| Field Name              | Label | Col-Label | Format          | Dec |
|-------------------------|-------|-----------|-----------------|-----|
| CustomCombo0            |       |           | x(20)           |     |
| CustomCombo1            |       |           | x(20)           |     |
| CustomCombo2            |       |           | x(20)           |     |
| CustomCombo3            |       |           | x(20)           |     |
| CustomCombo4            |       |           | x(20)           |     |
| CustomCombo5            |       |           | x(20)           |     |
| CustomCombo6            |       |           | x(20)           |     |
| CustomCombo7            |       |           | x(20)           |     |
| CustomCombo8            |       |           | x(20)           |     |
| CustomCombo9            |       |           | x(20)           |     |
| CustomDate0             |       |           | 99/99/9999      |     |
| CustomDate1             |       |           | 99/99/9999      |     |
| CustomDate2             |       |           | 99/99/9999      |     |
| CustomDate3             |       |           | 99/99/9999      |     |
| CustomDate4             |       |           | 99/99/9999      |     |
| CustomDecimal0          |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal1          |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal2          |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal3          |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal4          |       |           | ->, >>>, >>9.99 | 4   |
| CustomInteger0          |       |           | ->, >>>, >>9    |     |
| CustomInteger1          |       |           | ->, >>>, >>9    |     |
| CustomInteger2          |       |           | ->, >>>, >>9    |     |
| CustomInteger3          |       |           | ->, >>>, >>9    |     |
| CustomInteger4          |       |           | ->, >>>, >>9    |     |
| CustomLong0             |       |           | x(255)          |     |
| CustomLong1             |       |           | x(255)          |     |
| CustomNote              |       |           | x(2000)         |     |
| CustomShort0            |       |           | x(20)           |     |
| CustomShort1            |       |           | x(20)           |     |
| CustomShort2            |       |           | x(20)           |     |
| CustomShort3            |       |           | x(20)           |     |
| CustomShort4            |       |           | x(20)           |     |
| CustomShort5            |       |           | x(20)           |     |
| CustomShort6            |       |           | x(20)           |     |
| CustomShort7            |       |           | x(20)           |     |
| CustomShort8            |       |           | x(20)           |     |
| CustomShort9            |       |           | x(20)           |     |
| LastModifiedDate        |       |           | 99/99/9999      |     |
| LastModifiedTime        |       |           | 999999          |     |
| LastModifiedUser        |       |           | x(20)           |     |
| Nomenclature_ID         |       |           | 9999999999      |     |
| NomenclatureCode        |       |           | x(20)           |     |
| NomenclatureDescription |       |           | x(40)           |     |
| NomenclatureIsActive    |       |           | yes/no          |     |
| Unit_ID                 |       |           | 9999999999      |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇ ActvIdx   | no  | NomenclaturesActive | yes | no   |
| ◇ CodeIdx   | yes | NomenclatureCode    | yes | no   |
| ◇* Prim     | yes | Nomenclature_ID     | yes | no   |
| ◇ UnitIdx   | no  | Unit_ID             | yes | no   |
| ◇ ViewIndex | no  | NomenclaturesActive | yes | no   |
|             |     | NomenclatureCode    | yes | no   |

**nrh\_hist**

### Number Range History

[illegible]

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | nrh_index    | yes | nrh_domain   | yes | no   |
|   |              |     | nrh_seqid    | yes | no   |
|   |              |     | nrh_number   | yes | no   |
|   |              |     | nrh_action   | yes | no   |
|   |              |     | nrh_line     | yes | no   |
| ◇ | oid_nrh_hist | yes | oid_nrh_hist | yes | no   |

**nr\_mstr**

## Number Range Master

| Field Name       | Label                | Col-Label | Format   | Dec |
|------------------|----------------------|-----------|----------|-----|
| nr__qadc01       |                      |           | x(8)     |     |
| nr_allow_discard | Allow Discarding     |           | yes/no   |     |
| nr_allow_void    | Allow Voiding        |           | yes/no   |     |
| nr_archived      | Archived             |           | yes/no   |     |
| nr_curr_effdate  | Value Effective Date |           | 99/99/99 |     |
| nr_dataset       | Target Dataset       | Dataset   | x(16)    |     |
| nr_desc          | Description          |           | x(40)    |     |
| nr_domain        | Domain               |           | x(8)     |     |
| nr_effdate       | Effective Date       |           | 99/99/99 |     |
| nr_exp_date      | Expiration Date      |           | 99/99/99 |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| * | nr_seqid    | yes | nr_domain   | yes | no   |
|   |             |     | nr_seqid    | yes | no   |
| ◇ | oid nr mstr | yes | oid nr mstr | yes | no   |

## ◇ nsoc ctrl



[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇* nsoc_index1  | yes | nsoc_domain   | yes | no   |
| ◇ oid nsoc ctrl | yes | oid nsoc ctrl | yes | no   |

**oa\_det**

### Action Message Detail

[illegible]

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| * oa_part    | yes | oa_domain  | yes | no   |
|              |     | oa_part    | yes | no   |
|              |     | oa_site    | yes | no   |
|              |     | oa_code    | yes | no   |
|              |     | oa_nbr     | yes | no   |
|              |     | oa_line    | yes | no   |
|              |     | oa_to_date | yes | no   |
| oa_site      | no  | oa_domain  | yes | no   |
|              |     | oa_site    | yes | no   |
|              |     | oa_part    | yes | no   |
| ◇ oid oa det | yes | oid oa det | yes | no   |

## ◇ **ObjectStatus** Object Status

| Field Name              | Label | Col-Label | Format     | Dec |
|-------------------------|-------|-----------|------------|-----|
| LastModifiedDate        |       |           | 99/99/9999 |     |
| LastModifiedTime        |       |           | 99999      |     |
| LastModifiedUser        |       |           | x(20)      |     |
| ObjectStatusCode        |       |           | x(20)      |     |
| ObjectStatusDescription |       |           | x(40)      |     |
| ObjectStatusIsActive    |       |           | yes/no     |     |

| Index-Name | Uni | Field-Name       | Asc | Abbr |
|------------|-----|------------------|-----|------|
| ◇* Prim    | yes | ObjectStatusCode | yes | no   |

**ocm\_mstr**      Service/Support On Call Master

| Field Name     | Label                  | Col-Label | Format                                           | Dec |
|----------------|------------------------|-----------|--------------------------------------------------|-----|
| ocm_chr01      | User Character Field 1 |           | X(8)                                             |     |
| ocm_dte01      | User Date Field 1      |           | 99/99/99                                         |     |
| ocm_log01      | User Logical Field 1   |           | yes/no                                           |     |
| ocm_qadc01     | QAD Character Field 1  |           | X(8)                                             |     |
| ocm_qadl01     | QAD Logical Field 1    |           | yes/no                                           |     |
| ocm_qadt01     | QAD Date Field 1       |           | 99/99/99                                         |     |
| ocm_area       | Area                   |           | x(8)                                             |     |
| ocm_domain     | Domain                 |           | x(8)                                             |     |
| ocm_end_eff    | End Effective          | End       | 99/99/99                                         |     |
| ocm_eng_code   | Engineer Code          | Eng Code  | x(8)                                             |     |
| ocm_mod_date   | Modified Date          | Mod Date  | 99/99/99                                         |     |
| ocm_mod_userid | User ID                |           | X(8)                                             |     |
| ocm_page       | Page                   |           | Call/Page                                        |     |
| ocm_schedule   | On Call Schedule       | Schedule  | X(8)                                             |     |
| ocm_start_eff  | Start Effective        | Start     | 99/99/99                                         |     |
| ocm_user1      | Ufld1                  |           | x(8)                                             |     |
| ocm_user2      | Ufld2                  |           | x(8)                                             |     |
| oid_ocm_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |

| Index-Name       | Uni | Field-Name    | Asc | Abbr |
|------------------|-----|---------------|-----|------|
| * ocm_area       | yes | ocm_domain    | yes | no   |
|                  |     | ocm_area      | yes | no   |
|                  |     | ocm_eng_code  | yes | no   |
|                  |     | ocm_start_eff | yes | no   |
| ocm_eng_code     | no  | ocm_domain    | yes | no   |
|                  |     | ocm_eng_code  | yes | no   |
|                  |     | ocm_start_eff | yes | no   |
| ocm_eng_schedule | no  | ocm_domain    | yes | no   |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
|                |     | ocm_eng_code  | yes | no   |
|                |     | ocm_schedule  | yes | no   |
|                |     | ocm_start_eff | yes | no   |
| ◇ oid ocm mstr | yes | oid ocm mstr  | yes | no   |

## opc\_ctrl

## Shop Floor Operation History Control

| Field Name   | Label               | Col-Label | Format                         | Dec |
|--------------|---------------------|-----------|--------------------------------|-----|
| oid_opc_ctrl |                     |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| opc__qad01   |                     |           | .9<<<<<<<<<                    |     |
| opc__qadi01  |                     |           | >>>>>>9                        |     |
| opc__qadi02  |                     |           | ->>>>>>>9                      |     |
| opc_close_gl | Create GL           |           | >>>>>9                         |     |
| opc_domain   | Domain              |           | yes/no                         |     |
| opc_move     | Move Next Operation |           | x(8)                           |     |
| opc_payroll  | Interface Payroll   |           | yes/no                         |     |
| opc_std_hrs  | Standard Hours      |           | >>9.99                         | 10  |
| opc_std_per  | Standard Period     |           | x(1)                           |     |
| opc_time_ind | Time Indicator      |           | x(1)                           |     |
| opc_user1    | Ufld1               |           | x(8)                           |     |
| opc_user2    | Ufld2               |           | x(8)                           |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_opc_ctrl | yes | oid_opc_ctrl | yes | no   |
| * | opc_index1   | yes | opc_domain   | yes | no   |

## opgl\_det

Shop Floor Operation General Ledger Detail

| Field Name    | Label        | Col-Label | Format                         | Dec |
|---------------|--------------|-----------|--------------------------------|-----|
| oid_opgl_det  |              |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| opgl__qadc01  |              |           | .9<<<<<<<<<                    |     |
| opgl_cr_acct  | Cr Acct      |           | x(8)                           |     |
| opgl_cr_cc    | Cr Cost Ctr  | CC        | x(4)                           |     |
| opgl_cr_line  | Line         |           | >>>9                           |     |
| opgl_cr_proj  | Cr Project   | Project   | x(8)                           |     |
| opgl_cr_sub   | Cr Sub-Acct  | Sub-Acct  | x(8)                           |     |
| opgl_domain   | Domain       |           | x(8)                           |     |
| opgl_dr_acct  | Dr Acct      |           | x(8)                           |     |
| opgl_dr_cc    | Dr Cost Ctr  | CC        | x(4)                           |     |
| opgl_dr_line  | Line         |           | >>>9                           |     |
| opgl_dr_proj  | Dr Project   | Project   | x(8)                           |     |
| opgl_dr_sub   | Dr Sub-Acct  | Sub-Acct  | x(8)                           |     |
| opgl_dy_code  | Daybook      |           | x(8)                           |     |
| opgl_dy_num   | Entry Number |           | x(40)                          |     |
| opgl_gl_amt   | Amount       |           | ->>>>>, >9.99                  | 10  |
| opgl_gl_ref   | GL Reference |           | x(14)                          |     |
| opgl_sequence | Sequence     |           | ->, >>>, >>9                   |     |





| Field Name   | Label               | Col-Label   | Format                   | Dec |
|--------------|---------------------|-------------|--------------------------|-----|
| opm_batch    | Batch Size          |             | >, >>, >>9               |     |
| opm_bom_code | BOM Code            |             | X(18)                    |     |
| opm_cmtindx  | Comment Index       | Comment     | >>>>>>9                  |     |
| opm_cyc_rate | Cycles/Hour         |             | >>>, >>9.999             | 10  |
| opm_cyc_unit | Units/Cycle         |             | >>>>>9                   | 0   |
| opm_desc     | Description         |             | x(24)                    |     |
| opm_domain   | Domain              |             | x(8)                     |     |
| opm_fsc_code | Service Category    | Svc Cat     | x(8)                     |     |
| opm_fsm_type | FSM Type            |             | x(8)                     |     |
| opm_inv_val  | Inventory Value     |             | >>>>, >>>, >>9.99<<<     | 10  |
| opm_lbr_ovhd | Labor Overhead      | Labor Ovhd  | >>, >>9.999              | 10  |
| opm_mch      | Machine             |             | x(8)                     |     |
| opm_mile     | Milestone Operation | Milestone   | yes/no                   |     |
| opm_move     | Move Time           | Move        | >, >>9.9<<               | 10  |
| opm_run      | Run Time            | Run         | >>>, >>>, >>9.9<<<<<<<<< | 10  |
| opm_setup    | Setup Time          | Setup       | >, >>9.9<<               | 10  |
| opm_std_op   | Standard Operation  | Std Op      | x(8)                     |     |
| opm_sub_cost | Subcontract Cost    | Subcontract | >>>>, >>>, >>9.99<<<     | 10  |
| opm_sub_lead | Subcontract LT      | Sub! LT     | >>9                      |     |
| opm_tool     | Tool Code           | Tool        | x(8)                     |     |
| opm_tran_qty | Overlap Units       | Overlap     | ->, >>>, >>9             |     |
| opm_user1    | Ufld1               |             | x(8)                     |     |
| opm_user2    | Ufld2               |             | x(8)                     |     |
| opm_vend     | Supplier            |             | x(8)                     |     |
| opm_wkctr    | Work Center         | Work Ctr    | x(8)                     |     |
| opm_yld_pct  | Yield%              |             | >>9.99%                  | 10  |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_opm_mstr | yes | oid_opm_mstr | yes | no   |
| opm_desc       | yes | opm_domain   | yes | no   |
|                |     | opm_desc     | yes | no   |
|                |     | opm_std_op   | yes | no   |
| * opm_std_op   | yes | opm_domain   | yes | no   |
|                |     | opm_std_op   | yes | no   |

## ops\_ctrl

## Operations Plan Control

| Field Name   | Label                   | Col-Label | Format                      | Dec |
|--------------|-------------------------|-----------|-----------------------------|-----|
| oid_ops_ctrl |                         |           | >>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ops__qadc01  |                         |           | .9<<<<<<<<                  |     |
| ops__qadi01  |                         |           | x(8)                        |     |
| ops_cover    | Maximum Weeks Coverage  | Max Wks   | ->>>>>>>9                   |     |
| ops_domain   | Domain                  |           | >9.99                       | 10  |
| ops_move     | Move Holiday Production |           | x(8)                        |     |
| ops_plan     | Use Operations Plan     | Ops Plan  | yes/no                      |     |
| ops_round    | Use Rounding            |           | yes/no                      |     |
| ops_user1    | Ufld1                   |           | x(8)                        |     |
| ops_user2    | Ufld2                   |           | x(8)                        |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_ops_ctrl | yes | oid_ops_ctrl | yes | no   |
| * | ops_index1   | yes | ops_domain   | yes | no   |

## Operation Transaction History

| Field Name     | Label              | Col-Label  | Format                               | Dec |
|----------------|--------------------|------------|--------------------------------------|-----|
| oid_op_hist    |                    |            | >>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<<< | 10  |
| op_chr01       |                    |            | x(8)                                 |     |
| op_chr02       |                    |            | x(8)                                 |     |
| op_chr03       |                    |            | x(8)                                 |     |
| op_chr04       |                    |            | x(8)                                 |     |
| op_chr05       |                    |            | x(8)                                 |     |
| op_dec01       |                    |            | >>>, >>>, >>9.99                     | 10  |
| op_dec02       |                    |            | >>>, >>>, >>9.99                     | 10  |
| op_dte01       |                    |            | 99/99/99                             |     |
| op_dte02       |                    |            | 99/99/99                             |     |
| op_log01       |                    |            | yes/no                               |     |
| op_qad01       |                    |            | x(8)                                 |     |
| op_qad02       |                    |            | x(8)                                 |     |
| op_qad03       |                    |            | x(4)                                 |     |
| op_qad04       |                    |            | x(4)                                 |     |
| op_qad05       |                    |            | x(8)                                 |     |
| op_qad06       |                    |            | x(4)                                 |     |
| op_qad07       |                    |            | x(8)                                 |     |
| op_qad08       |                    |            | x(4)                                 |     |
| op_act_rate    | Act Cycles/Hour    | Act Cyc/Hr | >>>, >>9.999                         | 10  |
| op_act_run     | Act Run Time       | Act Run    | ->, >>9.9<<                          | 10  |
| op_act_setup   | Act Setup Time     | Act Setup  | ->, >>9.9<<                          | 10  |
| op_act_units   | Actual Units/Cycle | Act U/C    | >>>>>9                               | 0   |
| op_bdn_cost    | Burden Cost        | Burden     | ->>>>, >>9.99                        | 10  |
| op_bdn_std     | Burden Cost Std    | Std Burden | ->>>>, >>9.99                        | 10  |
| op_ca_int_type | Work Code          |            | x(8)                                 |     |
| op_ca_opn_date |                    |            | 99/99/99                             |     |
| op_cmtindx     | Comment Index      |            | >>>>>>>9                             |     |
| op_comment     | Comment            |            | x(40)                                |     |
| op_covered_amt | Covered Amount     |            | >>>>, >>>, >>9.99<<<                 | 10  |
| op_curr        | Currency           | Cur        | x(3)                                 |     |
| op_date        | Effective Date     | Date       | 99/99/99                             |     |
| op_dept        | Department         |            | x(8)                                 |     |
| op_doc_id      | Document ID        |            | x(24)                                |     |
| op_domain      | Domain             |            | x(8)                                 |     |
| op_earn        | Earning Code       |            | x(4)                                 |     |
| op_emp         | Employee           |            | x(8)                                 |     |
| op_eng_area    | Service Area       | Area       | x(18)                                |     |
| op_eng_code    | Engineer Code      | Eng Code   | x(8)                                 |     |
| op_ex_rate     | Exch Rate          |            | >>>>, >>>, >>9.9<<<<<<<<<<<          | 10  |
| op_ex_rate2    | Exch Rate 2        |            | >>>>, >>>, >>9.9<<<<<<<<<<<          | 10  |
| op_ex_ratetype | Rate Type          |            | x(8)                                 |     |
| op_exru_seq    | Sequence           |            | >>>>>>>>9                            |     |
| op_fcg_code    | Charge Code        |            | x(8)                                 |     |
| op_flbr_cstd   | Curr Cost          |            | ->>>>, >>9.99                        | 10  |
| op_flbr_std    |                    |            | ->>>>, >>9.99                        | 10  |

| Field Name      | Label                  | Col-Label     | Format                    | Dec |
|-----------------|------------------------|---------------|---------------------------|-----|
| op_flgvrte_accr |                        |               | ->>>>, >>9.99             | 10  |
| op_flgvrte_post |                        |               | ->>>>, >>9.99             | 10  |
| op_from_op      | From Operation         |               | >>>>99                    |     |
| op_fsc_code     | Service Category       |               | x(8)                      |     |
| op_fsm_type     | FSM Type               |               | x(8)                      |     |
| op_itm_line     |                        |               | >>>>9                     |     |
| op_lbr_cost     | Labor Cost             | Labor         | ->>>>, >>9.99             | 10  |
| op_lbr_ovhd     | Labor Overhead         | Labor Ovhd    | >>, >>9.999               | 10  |
| op_lbr_std      | Labor Cost Std         | Std Labor     | ->>>>, >>9.99             | 10  |
| op_line         | Production Line        | Line          | x(8)                      |     |
| op_mch          | Machine                |               | x(8)                      |     |
| op_milestone    | Milestone Operation    | Milestone     | yes/no                    |     |
| op_part         | Item Number            |               | x(18)                     |     |
| op_pay_calc     | Payroll Calculated     |               | yes/no                    |     |
| op_po_nbr       | Purchase Order         | PO            | x(8)                      |     |
| op_price        | Price                  |               | >>>>, >>>, >>9.99<<<      | 10  |
| op_pro_pct      | Prorate Pct            |               | ->>9.99%                  | 10  |
| op_program      | Program                |               | x(12)                     |     |
| op_project      | Project                |               | x(8)                      |     |
| op_qty_adjust   | Qty Adjusted           |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_qty_comp     | Qty Completed          |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_qty_rjct     | Qty Reject             |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_qty_rwrk     | Qty Rework             |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_qty_scrap    | Qty Scrapped           |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_qty_wip      | Qty WIP                |               | ->, >>>, >>9.9<<<<<<<<    | 10  |
| op_rsn          | Reason                 |               | x(8)                      |     |
| op_rsn_adjust   | Adjust Reason          |               | x(8)                      |     |
| op_rsn_down     | Down Reason            |               | x(8)                      |     |
| op_rsn_rjct     | Reject Reason          | Reject        | x(8)                      |     |
| op_rsn_rwrk     | Rework Reason          | Rework        | x(8)                      |     |
| op_rsn_scrap    | Scrap Reason           |               | x(8)                      |     |
| op_sa_nbr       | Service Contract       |               | x(8)                      |     |
| op_sad_line     | Contract Line          | Ln            | >>>>>>>9                  |     |
| op_shift        | Shift                  |               | x(2)                      |     |
| op_site         | Site                   |               | x(8)                      |     |
| op_std_rate     | Std Cycles/Hour        | Std Cyc/Hr    | >>>, >>9.999              | 10  |
| op_std_run      | Std Run Time           | Std Run       | >>>, >>>, >>9.9<<<<<<<<   | 10  |
| op_std_setup    | Std Setup Time         | Std Setup     | >, >>9.9<<                | 10  |
| op_std_units    | Std Units/Cycle        | Std U/C       | >>>>>9                    | 0   |
| op_sub_cost     | Subcontract Cost       | Subcontract   | ->>>>, >>9.99             | 10  |
| op_sub_std      | Subcontract Std        | Std Subcntrct | ->>>>, >>9.99             | 10  |
| op_sv_code      | Contract Type          |               | x(8)                      |     |
| op_svc_type     |                        |               | x(1)                      |     |
| op_time         | Time                   |               | >>, >>>, >>9              |     |
| op_to_op        | To Operation           |               | >>>>99                    |     |
| op_tool         | Tool Code              | Tool          | x(8)                      |     |
| op_tran_date    | Tran Date              | Tran! Date    | 99/99/99                  |     |
| op_trnbr        | Trans                  |               | >>>>>9                    |     |
| op_type         | Type                   |               | x(8)                      |     |
| op_user1        | Ufld1                  |               | x(8)                      |     |
| op_user2        | Ufld2                  |               | x(8)                      |     |
| op_userc03      | User Field Character 3 |               | x(24)                     |     |
| op_userd01      | User Field Decimal 1   |               | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| op_useri01      | User Field Integer 1   |               | ->>>>>>>9                 |     |
| op_userid       | User ID                |               | x(8)                      |     |
| op_userl01      | User Field Logical 1   |               | yes/no                    |     |
| op_usert01      | User Field Date 1      |               | 99/99/99                  |     |

| Field Name    | Label       | Col-Label | Format | Dec |
|---------------|-------------|-----------|--------|-----|
| op_wip_lotser | Lot/Serial  |           | x(18)  |     |
| op_wip_ref    | Reference   | Ref       | x(8)   |     |
| op_wkctr      | Work Center | Work Ctr  | x(8)   |     |
| op_wo_lot     | ID          |           | x(8)   |     |
| op_wo_nbr     | Work Order  |           | x(18)  |     |
| op_wo_op      | Operation   | Op        | >>>>99 |     |
| op_wo_serial  | Lot/Serial  |           | x(18)  |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_op_hist | yes | oid_op_hist | yes | no   |
| op_date       | no  | op_domain   | yes | no   |
|               |     | op_date     | yes | no   |
|               |     | op_trnbr    | yes | no   |
| op_emp        | no  | op_domain   | yes | no   |
|               |     | op_emp      | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_date     | yes | no   |
| op_lot_op     | no  | op_domain   | yes | no   |
|               |     | op_wo_lot   | yes | no   |
|               |     | op_wo_op    | yes | no   |
|               |     | op_date     | yes | no   |
| op_part       | no  | op_domain   | yes | no   |
|               |     | op_part     | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_wo_op    | yes | no   |
|               |     | op_date     | yes | no   |
| op_rsn        | no  | op_domain   | yes | no   |
|               |     | op_rsn      | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_date     | yes | no   |
| op_rsn_rjct   | no  | op_domain   | yes | no   |
|               |     | op_rsn_rjct | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_date     | yes | no   |
| op_rsn_rwrk   | no  | op_domain   | yes | no   |
|               |     | op_rsn_rwrk | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_date     | yes | no   |
| * op_trnbr    | yes | op_domain   | yes | no   |
|               |     | op_trnbr    | yes | no   |
| op_type       | no  | op_domain   | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_type     | yes | no   |
|               |     | op_date     | yes | no   |
| op_wkctr      | no  | op_domain   | yes | no   |
|               |     | op_site     | yes | no   |
|               |     | op_wkctr    | yes | no   |
|               |     | op_mch      | yes | no   |
|               |     | op_date     | yes | no   |
| op_wo_nbr     | no  | op_domain   | yes | no   |
|               |     | op_wo_nbr   | yes | no   |
|               |     | op_wo_lot   | yes | no   |
|               |     | op_date     | yes | no   |

## ◇ **OrdAllocD**      Warehousing Order Allocation Detail

[illegible]



| Field Name | Label                  | Col-Label | Format                  | Dec |
|------------|------------------------|-----------|-------------------------|-----|
| QadT02     | QAD Field              |           | 99/99/99                |     |
| QadT03     | QAD Field              |           | 99/99/99                |     |
| User1      | User 1                 |           | x(8)                    |     |
| User2      | User 2                 |           | x(8)                    |     |
| UserC03    | User Field Character 3 |           | x(24)                   |     |
| UserC04    | User Field Character 4 |           | x(24)                   |     |
| UserC05    | User Field Character 5 |           | x(24)                   |     |
| UserD01    | User Field Decimal 1   |           | ->>>,>>>, >>9.9<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>,>>>, >>9.9<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                  |     |
| UserL02    | User Field Logical 2   |           | yes/no                  |     |
| UserT01    | User Field Date 1      |           | 99/99/99                |     |
| UserT02    | User Field Date 2      |           | 99/99/99                |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ Dateldx       | no  | Domain        | yes | no   |
|                 |     | CreateDate    | yes | no   |
|                 |     | CreateTime    | yes | no   |
| ◇ oid_OrdAllocH | yes | oid_OrdAllocH | yes | no   |
| ◇* OrderIdx     | no  | Domain        | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | Part          | yes | no   |
| ◇ Part          | no  | Domain        | yes | no   |
|                 |     | Part          | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |

◇ **OrderD**      Warehousing Order Detail

| Field Name   | Label               | Col-Label         | Format   | Dec |
|--------------|---------------------|-------------------|----------|-----|
| Allocation   | Allocation          |                   | x(8)     |     |
| AllocNbr     | Allocation Order    |                   | x(18)    |     |
| AltUM        | Alternate UM        | Alt! UM           | x(2)     |     |
| CreateDate   | Create Date         |                   | 99/99/99 |     |
| CreateUserID | Created             |                   | x(8)     |     |
| Domain       | Domain              |                   | x(8)     |     |
| DSet         | Data Set            |                   | x(12)    |     |
| DueDate      | Due Date            |                   | 99/99/99 |     |
| Explicit     | Explicit Supply     | Explic            | yes/no   |     |
| InspReq      | Inspection Required | Insp Req          | yes/no   |     |
| InternalID   | Internal User ID    | Internal! User ID | x(50)    |     |
| IssueMethod  | Issue Method        |                   | x(8)     |     |
| Line         | Line/ID             |                   | x(8)     |     |
| LoadID       | Load ID             |                   | X(8)     |     |
| LoadOpt      | Load Optimization   | Load              | yes/no   |     |
| LocType      | Location Type       | Location! Type    | X(8)     |     |
| ModDate      | Modified Date       | Mod Date          | 99/99/99 |     |
| ModUserID    | User ID             |                   | x(8)     |     |
| Nbr          | Order               |                   | x(18)    |     |



| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ Allocation | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | Allocation | yes | no   |
|              |     | DueDate    | yes | no   |
| ◇ DueDate    | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | DueDate    | yes | no   |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ Internal   | no  | Domain     | yes | no   |
|              |     | InternalID | yes | no   |
|              |     | PickStatus | yes | no   |
| ◇* Line      | yes | Domain     | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
|              |     | OrdSite    | yes | no   |
|              |     | Line       | yes | no   |
|              |     | Part       | yes | no   |
| ◇ LoadID     | no  | Domain     | yes | no   |
|              |     | PickStatus | yes | no   |
|              |     | LoadID     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | DSet       | yes | no   |
| ◇ Nbr        | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | Nbr        | yes | no   |
| ◇ oid_OrderD | yes | oid_OrderD | yes | no   |
| ◇ Part       | no  | Domain     | yes | no   |
|              |     | Part       | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | Priority   | yes | no   |
| ◇ Preship    | no  | Domain     | yes | no   |
|              |     | PreShipper | yes | no   |
| ◇ Route      | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | Route      | yes | no   |
|              |     | Allocation | yes | no   |
|              |     | DueDate    | yes | no   |
| ◇ ShipTo     | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | ShipTo     | yes | no   |
|              |     | Allocation | yes | no   |
|              |     | DueDate    | yes | no   |
| ◇ ShipVia    | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | ShipVia    | yes | no   |
|              |     | Allocation | yes | no   |
|              |     | DueDate    | yes | no   |
| ◇ UsrIdx     | no  | Domain     | yes | no   |
|              |     | User1      | yes | no   |
|              |     | User2      | yes | no   |
| ◇ WhsePick   | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | PickStatus | yes | no   |



| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
|              |     | DSet       | yes | no   |
| ◇ oid_OrderM | yes | oid_OrderM | yes | no   |
| ◇* OrderIdx  | yes | Domain     | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
|              |     | OrdSite    | yes | no   |
| ◇ OrDType    | no  | Domain     | yes | no   |
|              |     | OrdType    | yes | no   |
| ◇ Priority   | no  | Domain     | yes | no   |
|              |     | Priority   | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
| ◇ Profile    | no  | Domain     | yes | no   |
|              |     | Profile    | yes | no   |
| ◇ ShipTo     | no  | Domain     | yes | no   |
|              |     | ShipTo     | yes | no   |
| ◇ UsrIdx     | no  | Domain     | yes | no   |
|              |     | User1      | yes | no   |
|              |     | User2      | yes | no   |

## OrderSeld Warehousing Order Batch Selection Detail

[illegible]

| Field Name   | Label                  | Col-Label | Format                    | Dec |
|--------------|------------------------|-----------|---------------------------|-----|
| RequiredDate | Required Date          | Required  | 99/99/99                  |     |
| Route        | Route                  |           | x(8)                      |     |
| SelNbr       | Selection Number       | Sel Nbr   | x(8)                      |     |
| ShipTo       | Ship To                |           | x(8)                      |     |
| ShipVia      | Carrier                | Carrier   | x(20)                     |     |
| Site         | Site                   |           | x(8)                      |     |
| TareWeight   | Tare Weight            |           | >, >>>, >>9.9<<<<<<<<     | 10  |
| UM           | UM                     |           | x(2)                      |     |
| UserC01      | User Field Character 1 |           | x(24)                     |     |
| UserC02      | User Field Character 2 |           | x(24)                     |     |
| UserC03      | User Field Character 3 |           | x(24)                     |     |
| UserC04      | User Field Character 4 |           | x(24)                     |     |
| UserC05      | User Field Character 5 |           | x(24)                     |     |
| UserD01      | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| UserD02      | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| UserL01      | User Field Logical 1   |           | yes/no                    |     |
| UserL02      | User Field Logical 2   |           | yes/no                    |     |
| UserT01      | User Field Date 1      |           | 99/99/99                  |     |
| UserT02      | User Field Date 2      |           | 99/99/99                  |     |
| Volume       | Volume                 |           | >, >>>, >>9.9<<<<<<<<     | 10  |
| VolumeUM     | Volume UM              |           | x(2)                      |     |
| WeightUM     | Weight UM              |           | x(2)                      |     |
| Whse         | Warehouse              | Whse      | x(8)                      |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇* Line         | yes | Domain        | yes | no   |
|                 |     | SelNbr        | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | OrdSite       | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | Part          | yes | no   |
| ◇ oid_OrderSelD | yes | oid_OrderSelD | yes | no   |
| ◇ OrderLine     | no  | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | OrdSite       | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | Part          | yes | no   |
| ◇ Usrldx        | no  | Domain        | yes | no   |
|                 |     | UserC01       | yes | no   |
|                 |     | UserC02       | yes | no   |

◇ **OrderSelM**      Warehousing Order Batch Selection Master

| Field Name   | Label          | Col-Label | Format   | Dec |
|--------------|----------------|-----------|----------|-----|
| CreateDate   | Create Date    |           | 99/99/99 |     |
| CreateUserID | Created        |           | x(8)     |     |
| Domain       | Domain         |           | x(8)     |     |
| ExportDate   | Export Date    |           | 99/99/99 |     |
| ExportProg   | Export Program |           | x(10)    |     |

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_OrderSelM | yes | oid_OrderSelM | yes | no   |
| ◇* SelNbr       | yes | Domain        | yes | no   |
|                 |     | SelNbr        | yes | no   |
| ◇ SelStatus     | no  | Domain        | yes | no   |
|                 |     | SelStatus     | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
| ◇ SiteWhse      | no  | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | UserC01       | yes | no   |
|                 |     | UserC02       | yes | no   |

## Purchase Approval Code Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pac_mstr | yes | oid_pac_mstr | yes | no   |
| * | pac_code     | yes | pac_domain   | yes | no   |
|   |              |     | pac_code     | yes | no   |
|   | pac_index1   | no  | pac_domain   | yes | no   |
|   |              |     | pac_site     | yes | no   |
|   |              |     | pac_pl       | yes | no   |
|   |              |     | pac_pur_acct | yes | no   |
|   |              |     | pac_pur_sub  | yes | no   |
|   |              |     | pac_pur_cc   | yes | no   |
|   |              |     | pac_req_by   | yes | no   |

### Pallet Detail

| Field Name   | Label            | Col-Label | Format                         | Dec |
|--------------|------------------|-----------|--------------------------------|-----|
| oid_pald_det |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pald_chr01   |                  |           | .9<<<<<<<<<                    |     |
| pald_chr02   |                  |           | x(8)                           |     |
| pald_chr03   |                  |           | x(8)                           |     |
| pald_chr04   |                  |           | x(8)                           |     |
| pald_chr05   |                  |           | x(8)                           |     |
| pald_dec01   |                  |           | ->>>, >>>, >>9.99<             | 10  |
| pald_dec02   |                  |           | ->>>, >>>, >>9.99<             | 10  |
| pald_desc    | Description      |           | x(24)                          |     |
| pald_domain  | Domain           |           | x(8)                           |     |
| pald_height  | Height           |           | >>, >>9.99                     | 10  |
| pald_hght_um | UM               |           | x(2)                           |     |
| pald_nbr_lay | Number of Layers |           | >, >>>, >>9                    |     |
| pald_pallet  | Pallet Type      | Type      | x(8)                           |     |
| pald_part    | Item Number      | Item      | x(18)                          |     |

| Field Name    | Label           | Col-Label | Format    | Dec |
|---------------|-----------------|-----------|-----------|-----|
| pald_um       | UM              |           | x(2)      |     |
| pald_unit_lay | Units per Layer |           | >,>>>,>>9 |     |
| pald_user1    | Ufld1           |           | x(8)      |     |
| pald_user2    | Ufld2           |           | x(8)      |     |
| pald_weight   | Weight          |           | >>,>>9.99 | 10  |
| pald_wght_um  | UM              |           | x(2)      |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_pald_det | yes | oid_pald_det | yes | no   |
| * pald_pallet  | yes | pald_domain  | yes | no   |
|                |     | pald_pallet  | yes | no   |
|                |     | pald_part    | yes | no   |

pal\_mstr

## Pallet Master

| Field Name   | Label            | Col-Label | Format                   | Dec |
|--------------|------------------|-----------|--------------------------|-----|
| oid_pal_mstr |                  |           | >>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pal_chr01    |                  |           | .9<<<<<<<<<              |     |
| pal_chr02    |                  |           | x(8)                     |     |
| pal_chr03    |                  |           | x(8)                     |     |
| pal_chr04    |                  |           | x(8)                     |     |
| pal_chr05    |                  |           | x(8)                     |     |
| pal_dec01    |                  |           | ->>>, >>>, >>9.99<       | 10  |
| pal_dec02    |                  |           | ->>>, >>>, >>9.99<       | 10  |
| pal_desc     | Description      |           | x(24)                    |     |
| pal_domain   | Domain           |           | x(8)                     |     |
| pal_height   | Height           |           | >>, >>9.99               | 10  |
| pal_hght_um  | UM               |           | x(2)                     |     |
| pal_nbr_lay  | Number of Layers |           | >, >>>, >>9              |     |
| pal_pallet   | Pallet Type      | Type      | x(8)                     |     |
| pal_um       | UM               |           | x(2)                     |     |
| pal_unit_lay | Units per Layer  |           | >, >>>, >>9              |     |
| pal_user1    | Ufld1            |           | x(8)                     |     |
| pal_user2    | Ufld2            |           | x(8)                     |     |
| pal_weight   | Weight           |           | >>, >>9.99               | 10  |
| pal_wght_um  | UM               |           | x(2)                     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_pal_mstr | yes | oid_pal_mstr | yes | no   |
| * pal_pallet   | yes | pal_domain   | yes | no   |
|                |     | pal_pallet   | yes | no   |



## ◇ PartSLGM

## Warehousing Item/Storage Location Group Master

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_PartSLGM | yes | oid_PartSLGM | yes | no   |
| ◇* PartSLG     | yes | Domain       | yes | no   |
|                |     | Part         | yes | no   |
|                |     | Site         | yes | no   |
|                |     | Whse         | yes | no   |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ◇ UsrIdx   | no  | SLocGp     | yes | no   |
|            |     | Domain     | yes | no   |
|            |     | User1      | yes | no   |
|            |     | User2      | yes | no   |

◇ **PartWhseM**    Warehousing Item/Warehouse Master

[illegible]

| Field Name  | Label                        | Col-Label     | Format                    | Dec |
|-------------|------------------------------|---------------|---------------------------|-----|
| SampleQty   | Sample Quantity              | Sample Qty    | ->,>>>,>>9                |     |
| SingleTrans | Single Put-Away Transactions | Single! Trans | yes/no                    |     |
| Site        | Site                         |               | x(8)                      |     |
| SLGList     | SLG List                     |               | x(8)                      |     |
| SLocGp      | Store Loc Group              | SLocGrp       | x(8)                      |     |
| UnplssPrint | Print Unpl Issue Tag         |               | yes/no                    |     |
| User1       | User 1                       |               | x(8)                      |     |
| User2       | User 2                       |               | x(8)                      |     |
| UserC03     | User Field Character 3       |               | x(24)                     |     |
| UserC04     | User Field Character 4       |               | x(24)                     |     |
| UserC05     | User Field Character 5       |               | x(24)                     |     |
| UserD01     | User Field Decimal 1         |               | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserD02     | User Field Decimal 2         |               | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserL01     | User Field Logical 1         |               | yes/no                    |     |
| UserL02     | User Field Logical 2         |               | yes/no                    |     |
| UserT01     | User Field Date 1            |               | 99/99/99                  |     |
| UserT02     | User Field Date 2            |               | 99/99/99                  |     |
| Whse        | Warehouse                    | Whse          | x(8)                      |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_PartWhseM | yes | oid_PartWhseM | yes | no   |
| ◇* PartWhse     | yes | Domain        | yes | no   |
|                 |     | Part          | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |
| ◇ WhsePartType  | no  | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
|                 |     | PartType      | yes | no   |
| ◇ WhseRepType   | no  | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
|                 |     | RepType       | yes | no   |

### ◇ PayFormatCode Pay Format Code

| Field Name               | Label               | Col-Label       | Format     | Dec |
|--------------------------|---------------------|-----------------|------------|-----|
| LastModifiedDate         | Last Modified Date  | Modif Date      | 99/99/9999 |     |
| LastModifiedTime         | Last Modified Time  | Modif Time      | 99999      |     |
| LastModifiedUser         | Last Modified User  | Modif User      | x(20)      |     |
| PayFormatCode            | Attribute Value     | Attribute Value | x(40)      |     |
| PayFormatCode_ID         | Record ID           | Record ID       | 9999999999 |     |
| PayFormatCodeDescription | Description         | Description     | x(40)      |     |
| PayFormatCodeIsActive    | Active              | Active          | yes/no     |     |
| PayFormatCodeIsDefault   | Default             | Default         | yes/no     |     |
| PayFormatGroup_ID        | Payment Format Type | Type            | 9999999999 |     |

| Index-Name  | Uni | Field-Name             | Asc | Abbr |
|-------------|-----|------------------------|-----|------|
| ◇ IsActive  | no  | PayFormatCodeIsActive  | yes | no   |
| ◇ IsDefault | no  | PayFormatCodeIsDefault | yes | no   |
| ◇* Prim     | yes | PayFormatCode_ID       | yes | no   |
| ◇ UniqueIdx | yes | PayFormatCode          | yes | no   |
|             |     | PayFormatGroup_ID      | yes | no   |
| ◇ ViewIndex | no  | PayFormatCodeIsActive  | yes | no   |
|             |     | PayFormatCode          | yes | no   |

◇ **PayFormatGroup** Pay Format Group

| Field Name                | Label               | Col-Label      | Format     | Dec |
|---------------------------|---------------------|----------------|------------|-----|
| LastModifiedDate          | Last Modified Date  | Modif Date     | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time  | Modif Time     | 99999      |     |
| LastModifiedUser          | Last Modified User  | Modif User     | x(20)      |     |
| PayFormatGroup_ID         | Record ID           | Record ID      | 9999999999 |     |
| PayFormatGroupCode        | Attribute Name      | Attribute Name | x(200)     |     |
| PayFormatGroupDataType    | Data Type           | Data Type      | x(20)      |     |
| PayFormatGroupDescription | Description         | Description    | x(40)      |     |
| PayFormatGroupInputOption | Input Option        | Input Option   | x(20)      |     |
| PayFormatGroupIsActive    | Active              | Active         | yes/no     |     |
| PayFormatGroupIsMandatory | Mandatory           | Mandatory      | yes/no     |     |
| PayFormatGroupLevel       | Level               | Level          | x(20)      |     |
| PayFormatGroupSequence    | Group Code          | Group Code     | ->,>>>,>>9 |     |
| PayFormatTypeCode         | Payment Format Type | Type           | x(20)      |     |

| Index-Name      | Uni | Field-Name             | Asc | Abbr |
|-----------------|-----|------------------------|-----|------|
| ◇ FormatTypeSeq | yes | PayFormatTypeCode      | yes | no   |
|                 |     | PayFormatGroupSequence | yes | no   |
| ◇ GroupType     | no  | PayFormatGroupCode     | yes | no   |
|                 |     | PayFormatTypeCode      | yes | no   |
| ◇ IsActive      | no  | PayFormatGroupIsActive | yes | no   |
| ◇* Prim         | yes | PayFormatGroup_ID      | yes | no   |
| ◇ UniqueIdx     | yes | PayFormatTypeCode      | yes | no   |
|                 |     | PayFormatGroupCode     | yes | no   |
| ◇ ViewIndex     | no  | PayFormatGroupIsActive | yes | no   |
|                 |     | PayFormatTypeCode      | yes | no   |

◇ **PayFormatType** Pay Format Type

| Field Name                | Label              | Col-Label          | Format     | Dec |
|---------------------------|--------------------|--------------------|------------|-----|
| Currency_ID               | Currency Code      | Curr               | 9999999999 |     |
| LastModifiedDate          | Last Modified Date | Modif Date         | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time | Modif Time         | 99999      |     |
| LastModifiedUser          | Last Modified User | Modif User         | x(20)      |     |
| PayFormatTypeCode         | Format Name        | Format Name        | x(20)      |     |
| PayFormatTypeDescription  | Description        | Description        | x(40)      |     |
| PayFormatTypeIsActive     | Active             | Active             | yes/no     |     |
| PayFormatTypeLinesPerPage | Invoices per check | Invoices per check | >>>9       |     |
| PayFormatTypeModule       | Module             | Module             | x(20)      |     |
| PayFormatTypeOutFileMask  | Output File Mask   | Output File Mask   | x(40)      |     |

| Field Name                 | Label              | Col-Label          | Format | Dec |
|----------------------------|--------------------|--------------------|--------|-----|
| PayFormatTypePayInstrument | Payment Instrument | Payment Instrument | x(40)  |     |
| PayFormatTypePayType       | Payment Type       | Payment Type       | x(20)  |     |
| PayFormatTypeSubSystem     | Sub System         | Sub System         | x(40)  |     |
| PayFormatTypeTPAddress     | TP Address         | TP Address         | x(40)  |     |
| PayFormatTypeTPSite        | TP Site            | TP Site            | x(40)  |     |

| Index-Name  | Uni | Field-Name            | Asc | Abbr |
|-------------|-----|-----------------------|-----|------|
| ◇ Currency  | no  | Currency_ID           | yes | no   |
| ◇ IsActive  | no  | PayFormatTypeIsActive | yes | no   |
| ◇* Prim     | yes | PayFormatTypeCode     | yes | no   |
| ◇ ViewIndex | no  | PayFormatTypeIsActive | yes | no   |
|             |     | PayFormatTypeCode     | yes | no   |

◇ **PaymentCondition**Credit Terms

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8   | Custom Short Field   | Custom Short Field   | x(20)         |     |

| Field Name                     | Label                           | Col-Label          | Format          | Dec |
|--------------------------------|---------------------------------|--------------------|-----------------|-----|
| CustomShort9                   | Custom Short Field              | Custom Short Field | x(20)           |     |
| LastModifiedDate               | Last Modified Date              | Modif Date         | 99/99/9999      |     |
| LastModifiedTime               | Last Modified Time              | Modif Time         | 999999          |     |
| LastModifiedUser               | Last Modified User              | Modif User         | x(20)           |     |
| PaymentCondition_ID            | Record ID                       | Record ID          | 9999999999      |     |
| PaymentConditionBaseDate       | Base Date                       | Base Date          | 99/99/9999      |     |
| PaymentConditionBaseDays       | Base Days                       | Base Days          | ->, >>>, >>9    |     |
| PaymentConditionCode           | Credit Terms Code               | Credit Terms Code  | x(8)            |     |
| PaymentConditionDayMthDisc     | No of Periods                   | No of Periods      | ->, >>>, >>9    |     |
| PaymentConditionDaysMonth<br>s | No of Periods                   | No of Periods      | ->, >>>, >>9    |     |
| PaymentConditionDescript       | Description                     | Description        | x(40)           |     |
| PaymentConditionDueDays        | Min Due Days                    | Min Due Days       | ->, >>>, >>9    |     |
| PaymentConditionGraceDay       | Grace Days                      | Grace Days         | ->, >>>, >>9    |     |
| PaymentConditionIsActive       | Active                          | Active             | yes/no          |     |
| PaymentConditionLateInt        | Daily Overdue Int<br>Percentage | Late Interest      | ->>>9.99        | 2   |
| PaymentConditionPaymentTy<br>p | Payment Type                    | Pay Type           | x(20)           |     |
| PaymentConditionPdDiscType     | Period Type                     | Type               | x(20)           |     |
| PaymentConditionPercentage     | Discount Percentage             | Percent            | ->, >>>, >>9.99 | 3   |
| PaymentConditionPeriodType     | Period Type                     | Type               | x(20)           |     |
| PaymentConditionSupDayDis<br>c | Supplementary Days              | Suppl Days         | ->, >>>, >>9    |     |
| PaymentConditionSupplDays      | Supplementary Days              | Suppl Days         | ->, >>>, >>9    |     |
| PaymentConditionTermsInt       | Terms Interest Percentage       | Terms Int          | ->>>9.99        | 2   |

| Index-Name  | Uni | Field-Name               | Asc | Abbr |
|-------------|-----|--------------------------|-----|------|
| ◇ Code      | yes | PaymentConditionCode     | yes | no   |
| ◇* Prim     | yes | PaymentCondition_ID      | yes | no   |
| ◇ ViewIndex | no  | PaymentConditionIsActive | yes | no   |
|             |     | PaymentConditionCode     | yes | no   |

## ◇ PaymentConditionStagedStaged Payment

| Field Name                 | Label              | Col-Label         | Format     | Dec |
|----------------------------|--------------------|-------------------|------------|-----|
| LastModifiedDate           | Last Modified Date | Modif Date        | 99/99/9999 |     |
| LastModifiedTime           | Last Modified Time | Modif Time        | 999999     |     |
| LastModifiedUser           | Last Modified User | Modif User        | x(20)      |     |
| PaymentCondition_ID        | Credit Terms Code  | Cred Trm          | 9999999999 |     |
| PaymentConditionStaged_ID  | Record ID          | Record ID         | 9999999999 |     |
| PaymentConditionStagedPerc | Percentage         | Percentage        | ->>>9.99   | 2   |
| StagedPaymentCondition_ID  | Credit Terms       | Payment Condition | 9999999999 |     |

| Index-Name | Uni | Field-Name                | Asc | Abbr |
|------------|-----|---------------------------|-----|------|
| ◇ PayCon   | no  | PaymentCondition_ID       | yes | no   |
| ◇* Prim    | yes | PaymentConditionStaged_ID | yes | no   |
| ◇ Unlidx   | yes | PaymentCondition_ID       | yes | no   |
|            |     | StagedPaymentCondition_ID | yes | no   |

◇ **PaymentGroup** Payment Group

| Field Name              | Label              | Col-Label     | Format     | Dec |
|-------------------------|--------------------|---------------|------------|-----|
| LastModifiedDate        | Last Modified Date | Modif Date    | 99/99/9999 |     |
| LastModifiedTime        | Last Modified Time | Modif Time    | 999999     |     |
| LastModifiedUser        | Last Modified User | Modif User    | x(20)      |     |
| PaymentGroup_ID         | Record ID          | Record ID     | 9999999999 |     |
| PaymentGroupCode        | Payment Group      | Payment Group | x(20)      |     |
| PaymentGroupDescription | Description        | Description   | x(40)      |     |
| PaymentGroupsActive     | Active             | Act           | yes/no     |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇ Code      | yes | PaymentGroupCode    | yes | no   |
| ◇* Prim     | yes | PaymentGroup_ID     | yes | no   |
| ◇ ViewIndex | no  | PaymentGroupsActive | yes | no   |
|             |     | PaymentGroupCode    | yes | no   |

◇ **PaySel** Payment Selection

| Field Name       | Label                 | Col-Label             | Format          | Dec |
|------------------|-----------------------|-----------------------|-----------------|-----|
| BankPayFormat_ID | Link to BankPayFormat | Link to BankPayFormat | 9999999999      |     |
| Company_ID       | Link to Company       | Link to Company       | 9999999999      |     |
| CustomCombo0     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo1     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo2     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo3     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo4     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo5     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo6     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo7     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo8     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomCombo9     | Custom Combo Field    | Custom Combo Field    | x(20)           |     |
| CustomDate0      | Custom Date Field     | Custom Date Field     | 99/99/9999      |     |
| CustomDate1      | Custom Date Field     | Custom Date Field     | 99/99/9999      |     |
| CustomDate2      | Custom Date Field     | Custom Date Field     | 99/99/9999      |     |
| CustomDate3      | Custom Date Field     | Custom Date Field     | 99/99/9999      |     |
| CustomDate4      | Custom Date Field     | Custom Date Field     | 99/99/9999      |     |
| CustomDecimal0   | Custom Decimal Field  | Custom Decimal Field  | ->, >>>, >>9.99 | 4   |
| CustomDecimal1   | Custom Decimal Field  | Custom Decimal Field  | ->, >>>, >>9.99 | 4   |
| CustomDecimal2   | Custom Decimal Field  | Custom Decimal Field  | ->, >>>, >>9.99 | 4   |
| CustomDecimal3   | Custom Decimal Field  | Custom Decimal Field  | ->, >>>, >>9.99 | 4   |
| CustomDecimal4   | Custom Decimal Field  | Custom Decimal Field  | ->, >>>, >>9.99 | 4   |
| CustomInteger0   | Custom Integer Field  | Custom Integer Field  | ->, >>>, >>9    |     |
| CustomInteger1   | Custom Integer Field  | Custom Integer Field  | ->, >>>, >>9    |     |
| CustomInteger2   | Custom Integer Field  | Custom Integer Field  | ->, >>>, >>9    |     |
| CustomInteger3   | Custom Integer Field  | Custom Integer Field  | ->, >>>, >>9    |     |
| CustomInteger4   | Custom Integer Field  | Custom Integer Field  | ->, >>>, >>9    |     |
| CustomLong0      | Custom Long Field     | Custom Long Field     | x(255)          |     |
| CustomLong1      | Custom Long Field     | Custom Long Field     | x(255)          |     |
| CustomNote       | Custom Note Field     | Custom Note Field     | x(2000)         |     |
| CustomShort0     | Custom Short Field    | Custom Short Field    | x(20)           |     |
| CustomShort1     | Custom Short Field    | Custom Short Field    | x(20)           |     |
| CustomShort2     | Custom Short Field    | Custom Short Field    | x(20)           |     |
| CustomShort3     | Custom Short Field    | Custom Short Field    | x(20)           |     |

| Field Name       | Label              | Col-Label          | Format     | Dec |
|------------------|--------------------|--------------------|------------|-----|
| CustomShort4     | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort5     | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort6     | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort7     | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort8     | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort9     | Custom Short Field | Custom Short Field | x(20)      |     |
| GL_ID            | Account            | Account            | 9999999999 |     |
| LastModifiedDate | Last Modified Date | Modif Date         | 99/99/9999 |     |
| LastModifiedTime | Last Modified Time | Modif Time         | 99999      |     |
| LastModifiedUser | Last Modified User | Modif User         | x(20)      |     |
| PaySel_ID        | Record ID          | Record ID          | 9999999999 |     |
| PaySelCode       | Code               | Code               | x(20)      |     |
| PaySelDate       | Execution Date     | Execution Date     | 99/99/9999 |     |
| PaySelStatus     | Status             | Status             | x(20)      |     |

| Index-Name                | Uni | Field-Name   | Asc | Abbr |
|---------------------------|-----|--------------|-----|------|
| ◇ Code                    | no  | PaySelCode   | yes | no   |
| ◇ Company                 | no  | Company_ID   | yes | no   |
| ◇ CompanyGLPaySelCo<br>de | no  | Company_ID   | yes | no   |
|                           |     | GL_ID        | yes | no   |
|                           |     | PaySelCode   | yes | no   |
| ◇ CompanyPaySelDate       | no  | Company_ID   | yes | no   |
|                           |     | PaySelDate   | yes | no   |
| ◇ GL                      | no  | GL_ID        | yes | no   |
| ◇ PaySelDate              | no  | PaySelDate   | yes | no   |
| ◇* Prim                   | yes | PaySel_ID    | yes | no   |
| ◇ StatusField             | no  | PaySelStatus | yes | no   |
| ◇ UniqueKey               | yes | Company_ID   | yes | no   |
|                           |     | PaySelCode   | yes | no   |



## ◇ PaySelHistory Pay Sel Hist

| Field Name               | Label              | Col-Label      | Format     | Dec |
|--------------------------|--------------------|----------------|------------|-----|
| LastModifiedDate         | Last Modified Date | Modif Date     | 99/99/9999 |     |
| LastModifiedTime         | Last Modified Time | Modif Time     | 999999     |     |
| LastModifiedUser         | Last Modified User | Modif User     | x(20)      |     |
| PaySel_ID                | Link to PaySel     | Link to PaySel | 9999999999 |     |
| PaySelHistory_ID         | Record ID          | Record ID      | 9999999999 |     |
| PaySelHistoryDate        | Date               | Date           | 99/99/9999 |     |
| PaySelHistoryDescription | Description        | Description    | x(40)      |     |
| PaySelHistoryOutFileName | File               | File           | x(255)     |     |
| PaySelStatus             | Status             | Status         | x(20)      |     |
| Usr_ID                   | Login              | Login          | 9999999999 |     |

| Index-Name | Uni | Field-Name       | Asc | Abbr |
|------------|-----|------------------|-----|------|
| ◇ PaySel   | no  | PaySel_ID        | yes | no   |
| ◇* Prim    | yes | PaySelHistory_ID | yes | no   |
| ◇ Usr      | no  | Usr_ID           | yes | no   |

## ◇ PaySelLine Payment Selection Line

| Field Name                | Label                                        | Col-Label                                    | Format                 | Dec |
|---------------------------|----------------------------------------------|----------------------------------------------|------------------------|-----|
| BankNumber_ID             | Link to BankNumber                           | Link to BankNumber                           | 9999999999             |     |
| LastModifiedDate          | Last Modified Date                           | Modif Date                                   | 99/99/9999             |     |
| LastModifiedTime          | Last Modified Time                           | Modif Time                                   | 999999                 |     |
| LastModifiedUser          | Last Modified User                           | Modif User                                   | x(20)                  |     |
| PayFormatTypeCode         | Payment format of the payment selection line | Payment format of the payment selection line | x(20)                  |     |
| PaySel_ID                 | Link to PaySel                               | Link to PaySel                               | 9999999999             |     |
| PaySelLine_ID             | Record ID                                    | Record ID                                    | 9999999999             |     |
| PaySelLineAmountTC        | Amount                                       | Amount                                       | ->>>, >>>, >>>, >>9.99 | 4   |
| PaySelLineDiscountTC      | Discount                                     | Discount                                     | ->>>, >>>, >>>, >>9.99 | 4   |
| PaySelLineIsRefInFile     | Ref In File                                  | Ref In File                                  | yes/no                 |     |
| PaySelLineObjectType      | Type                                         | Type                                         | x(20)                  |     |
| PaySelLineParentObject_ID |                                              |                                              | 9999999999             |     |

| Index-Name         | Uni | Field-Name                | Asc | Abbr |
|--------------------|-----|---------------------------|-----|------|
| ◇ BankNumber       | no  | BankNumber_ID             | yes | no   |
| ◇ KeyPayFormatType | no  | PayFormatTypeCode         | yes | no   |
| ◇ ObjectType       | no  | PaySelLineObjectType      | yes | no   |
| ◇ ParentObject     | no  | PaySelLineParentObject_ID | yes | no   |
| ◇ PaySel           | no  | PaySel_ID                 | yes | no   |
| ◇* Prim            | yes | PaySelLine_ID             | yes | no   |

## ◇ PaySelLineStagePayment Selection Line Stage

| Field Name                | Label                 | Col-Label             | Format                 | Dec |
|---------------------------|-----------------------|-----------------------|------------------------|-----|
| CInvoiceStage_ID          | Link to CInvoiceStage | Link to CInvoiceStage | 9999999999             |     |
| DInvoiceStage_ID          | Link to DInvoiceStage | Link to DInvoiceStage | 9999999999             |     |
| PaySelLine_ID             | Link to PaySelLine    | Link to PaySelLine    | 9999999999             |     |
| PaySelLineStage_ID        | Record ID             | Record ID             | 9999999999             |     |
| PaySelLineStageDiscAmntTC | Discount Amount       | Discount Amount       | ->>>, >>>, >>>, >>9.99 | 4   |
| PaySelLineStageOpenAmntTC | Open Amount           | Open Amount           | ->>>, >>>, >>>, >>9.99 | 4   |
| PaySelLineStageOrigAmntTC | Original Amount       | Original Amount       | ->>>, >>>, >>>, >>9.99 | 4   |
| PaySelLineStagePaymAmntTC | Payment Amount        | Payment Amount        | ->>>, >>>, >>>, >>9.99 | 4   |

| Index-Name      | Uni | Field-Name         | Asc | Abbr |
|-----------------|-----|--------------------|-----|------|
| ◇ CInvoiceStage | no  | CInvoiceStage_ID   | yes | no   |
| ◇ DInvoiceStage | no  | DInvoiceStage_ID   | yes | no   |
| ◇ PaySelLine    | no  | PaySelLine_ID      | yes | no   |
| ◇* Prim         | yes | PaySelLineStage_ID | yes | no   |
| ◇ UniqueIdx     | yes | PaySelLine_ID      | yes | no   |
|                 |     | CInvoiceStage_ID   | yes | no   |
|                 |     | DInvoiceStage_ID   | yes | no   |

## ◇ PaySelPayCodePayment Selection Pay Code

| Field Name         | Label                  | Col-Label              | Format     | Dec |
|--------------------|------------------------|------------------------|------------|-----|
| LastModifiedDate   | Last Modified Date     | Modif Date             | 99/99/9999 |     |
| LastModifiedTime   | Last Modified Time     | Modif Time             | 99999      |     |
| LastModifiedUser   | Last Modified User     | Modif User             | x(20)      |     |
| PayFormatCode_ID   | Link to PayFormatCode  | Link to PayFormatCode  | 9999999999 |     |
| PayFormatGroup_ID  | Link to PayFormatGroup | Link to PayFormatGroup | 9999999999 |     |
| PaySel_ID          | Link to PaySel         | Link to PaySel         | 9999999999 |     |
| PaySelPayCode_ID   | Record ID              | Record ID              | 9999999999 |     |
| PaySelPayCodeValue | Value                  | Value                  | x(40)      |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇* Prim     | yes | PaySelPayCode_ID  | yes | no   |
| ◇ UniqueIdx | yes | PaySel_ID         | yes | no   |
|             |     | PayFormatGroup_ID | yes | no   |

## ◇ PaySelPrepayPayment Selection Prepayment

| Field Name          | Label              | Col-Label         | Format     | Dec |
|---------------------|--------------------|-------------------|------------|-----|
| BusinessRelation_ID | Business Relation  | Business Relation | 9999999999 |     |
| Creditor_ID         | Supplier Code      | Supplier          | 9999999999 |     |
| Currency_ID         | Currency Code      | Curr              | 9999999999 |     |
| LastModifiedDate    | Last Modified Date | Modif Date        | 99/99/9999 |     |
| LastModifiedTime    | Last Modified Time | Modif Time        | 99999      |     |

| Field Name                | Label              | Col-Label     | Format                     | Dec |
|---------------------------|--------------------|---------------|----------------------------|-----|
| LastModifiedUser          | Last Modified User | Modif User    | x(20)                      |     |
| PaySelPrepay_ID           | Record ID          | Record ID     | 9999999999                 |     |
| PaySelPrepayAmountToPayTC | Amount to Pay      | Amount to Pay | ->>>, >>>, >>>, >>>, >9.99 | 4   |
| PaySelPrepayReferenceText | Reference          | Reference     | x(40)                      |     |

| Index-Name         | Uni | Field-Name          | Asc | Abbr |
|--------------------|-----|---------------------|-----|------|
| ◇ BusinessRelation | no  | BusinessRelation_ID | yes | no   |
| ◇ Creditor         | no  | Creditor_ID         | yes | no   |
| ◇ Currency         | no  | Currency_ID         | yes | no   |
| ◇* Prim            | yes | PaySelPrepay_ID     | yes | no   |

**pcc\_ctrl**      Product Change Control

| Field Name       | Label                                 | Col-Label   | Format                        | Dec |
|------------------|---------------------------------------|-------------|-------------------------------|-----|
| oid_pcc_ctrl     |                                       |             | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pcc_qadc01       |                                       |             | .9<<<<<<<<<                   |     |
| pcc_qadi01       |                                       |             | x(8)                          |     |
| pcc_auto_nbr     | Auto Number                           | Auto        | ->>>>>>9                      |     |
| pcc_cmmt_type    | Comment Type                          |             | yes/no                        |     |
| pcc_comm_lang    | Common Language                       |             | X(2)                          |     |
| pcc_db_seq       | Common DB Sequence                    |             | X(2)                          |     |
| pcc_domain       | Domain                                |             | >>>9                          |     |
| pcc_ecooff_date  | ECO Off Date                          |             | x(8)                          |     |
| pcc_enforce_seq  | Enforce PCO Approval Group Sequencing | Enforce Seq | 99/99/99                      |     |
| pcc_formula_ok   | Formula OK                            |             | yes/no                        |     |
| pcc_initial_date | Initialization Date                   |             | 99/99/99                      |     |
| pcc_max_wkfl     | Max Workfile                          |             | >>>9                          |     |
| pcc_next_pco[12] | Next Change Number                    |             | >>>>>>>>9                     |     |
| pcc_pco_pre[12]  | Prefix                                |             | X(3)                          |     |
| pcc_process_ok   | Process OK                            |             | yes/no                        |     |
| pcc_qlspec_ok    | PSM OK                                |             | yes/no                        |     |
| pcc_quality_ok   | Quality OK                            |             | yes/no                        |     |
| pcc_routing_ok   | Routings OK                           |             | yes/no                        |     |
| pcc_security_on  | Security On                           |             | yes/no                        |     |
| pcc_struct_ok    | Structures OK                         |             | yes/no                        |     |
| pcc_user1        | Ufld1                                 |             | x(8)                          |     |
| pcc_user2        | Ufld2                                 |             | x(8)                          |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pcc_ctrl | yes | oid_pcc_ctrl | yes | no   |
| * | pcc_index    | yes | pcc_domain   | yes | no   |

### Purchase Order Line Cost Element Detail

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_pcd_det | yes | oid_pcd_det | yes | no   |
| * | pcd_ele     | yes | pcd_domain  | yes | no   |
|   |             |     | pcd_nbr     | yes | no   |
|   |             |     | pcd_line    | yes | no   |
|   |             |     | pcd_element | yes | no   |

### Product Change Control Group Detail

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_pcid_det | yes | oid_pcid_det | yes | no   |
| * pcid_groupid | yes | pcid_domain  | yes | no   |
|                |     | pcid_group   | yes | no   |
|                |     | pcid_id      | yes | no   |

## Product Change Control Group Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pcl_mstr | yes | oid_pcl_mstr | yes | no   |
| * | pcl_group    | yes | pcl_domain   | yes | no   |
|   |              |     | pcl_group    | yes | no   |
|   |              |     | pcl_type     | yes | no   |

## Product Change Control Type Master

| Field Name         | Label                             | Col-Label | Format                                           |   |
|--------------------|-----------------------------------|-----------|--------------------------------------------------|---|
| oid_pct_mstr       |                                   |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |   |
| pct__qad01         | ECR/ECN                           |           | yes/no                                           |   |
| pct__qad02         |                                   |           | 99/99/99                                         |   |
| pct__qad03         |                                   |           | x(8)                                             |   |
| pct__qad04         |                                   |           | x(8)                                             |   |
| pct__qad05         |                                   |           | x(8)                                             |   |
| pct_approval       | Approval Code                     | Approval  | x(8)                                             |   |
| pct_dc_warn        | Warning Type                      |           | >9                                               |   |
| pct_desc           | Description                       |           | x(24)                                            |   |
| pct_distr          | Distribution                      | Dstrbn    | x(8)                                             |   |
| pct_doc_type       | Document Type                     | Doc Type  | X(8)                                             |   |
| pct_domain         | Domain                            |           | x(8)                                             |   |
| pct_dsgn_grp       | Design Group                      | Dsgn Grp  | x(8)                                             |   |
| pct_mod_date       | Modified Date                     | Mod Date  | 99/99/99                                         |   |
| pct_prefix         | Prefix                            | Pre       | x(3)                                             |   |
| pct_secure_admn    | Security Profile - Administration | Admn PFI  | X(8)                                             |   |
| pct_secure_item    | Security Profile - Item           | Item Pfl  | X(8)                                             | 0 |
| pct_secure_routing | Security Profile - Routing        | Rtng Pfl  | X(8)                                             |   |
| pct_secure_stct    | Security Profile - Structure      | Stct Pfl  | X(8)                                             |   |
| pct_secure_text    | Security Profile - Test           | Text Pfl  | X(8)                                             |   |
| pct_seqrev_off     | Rev Level Off                     | Off       | yes/no                                           |   |
| pct_type           | Type                              |           | x(8)                                             |   |
| pct_user1          | Ufld1                             |           | x(8)                                             |   |
| pct_user2          | Ufld2                             |           | x(8)                                             |   |
| pct_userid         | User ID                           |           | x(8)                                             |   |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pct_mstr | yes | oid_pct_mstr | yes | no   |
| * | pct_type     | yes | pct_domain   | yes | no   |
|   |              |     | pct_type     | yes | no   |
|   |              |     | pct_dsgn_grp | yes | no   |

**pc\_mstr**

## Price List Master

| Field Name               | Label            | Col-Label | Format                 | Dec |
|--------------------------|------------------|-----------|------------------------|-----|
| oid_pc_mstr              |                  |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ◇ pc__qadc01             |                  |           | .9<<<<<<<<<            |     |
| ◇ pc__qadd01             |                  |           | x(8)                   |     |
| pc_amt[15]               | Amount           |           | ->, >>, >>9.<<<<<<<<<  | 10  |
| pc_amt_type              | Amount Type      | T         | ->>, >>>, >>9.99<<<    | 10  |
| pc_curr                  | Currency         | Cur       | x(3)                   |     |
| Δ pc_desc                | Price List Desc  |           | x(24)                  |     |
| pc_domain                | Domain           |           | x(8)                   |     |
| pc_expire                | Expire           |           | 99/99/99               |     |
| pc_list                  | Price List       | List      | x(8)                   |     |
| Δ pc_list_classification | Price List Class |           | 9                      | 10  |
| pc_max_price[10]         | Maximum Price    |           | ->>>, >>>, >>9.99<<<   | 10  |
| pc_min_price             | Minimum Price    |           | ->>>, >>>, >>9.99<<<   | 10  |
| pc_min_qty[15]           | Min Qty          |           | >>>>>>9                | 10  |
| pc_mod_date              | Modified Date    | Mod Date  | 99/99/99               |     |
| pc_part                  | Item Number      |           | x(18)                  |     |
| pc_prod_line             | Product Line     | Line      | x(4)                   |     |
| pc_start                 | Start            |           | 99/99/99               |     |
| pc_tax_in                | Tax In           |           | yes/no                 |     |
| pc_um                    | UM               |           | x(2)                   |     |
| pc_user1                 | Ufld1            |           | x(8)                   |     |
| pc_user2                 | Ufld2            |           | x(8)                   |     |
| pc_userid                | User ID          |           | x(8)                   |     |

| Index-Name             | Uni | Field-Name             | Asc | Abbr |
|------------------------|-----|------------------------|-----|------|
| $\diamond$ oid_pc_mstr | yes | oid_pc_mstr            | yes | no   |
| $\Delta^*$ pc_list     | yes | pc_domain              | yes | no   |
|                        |     | pc_list_classification | yes | no   |
|                        |     | pc_list                | yes | no   |
|                        |     | pc_curr                | yes | no   |
|                        |     | pc_prod_line           | yes | no   |
|                        |     | pc_part                | yes | no   |
|                        |     | pc_um                  | yes | no   |
|                        |     | pc_start               | yes | no   |
| pc_part                | no  | pc_domain              | yes | no   |
|                        |     | pc_part                | yes | no   |
|                        |     | pc_um                  | yes | no   |
|                        |     | pc_list                | yes | no   |
|                        |     | pc_curr                | yes | no   |
|                        |     | pc_start               | yes | no   |
| pc_prod_line           | no  | pc_domain              | yes | no   |

| Index-Name | Uni | Field-Name   | Asc | Abbr |
|------------|-----|--------------|-----|------|
|            |     | pc_prod_line | yes | no   |
|            |     | pc_um        | yes | no   |
|            |     | pc_list      | yes | no   |
|            |     | pc_curr      | yes | no   |
|            |     | pc_start     | yes | no   |

◇ **Period** GL Period

| Field Name               | Label                | Col-Label            | Format          | Dec |
|--------------------------|----------------------|----------------------|-----------------|-----|
| Company_ID               | Link to Company      | Link to Company      | 9999999999      |     |
| CustomCombo0             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo1             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo2             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo3             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo4             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo5             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo6             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo7             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo8             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo9             | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomDate0              | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate1              | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate2              | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate3              | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate4              | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDecimal0           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal1           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal2           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal3           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal4           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomInteger0           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger1           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger2           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger3           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger4           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomLong0              | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomLong1              | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomNote               | Custom Note Field    | Custom Note Field    | x(2000)         |     |
| CustomShort0             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort1             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort2             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort3             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort4             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort5             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort6             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort7             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort8             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort9             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| LastModifiedDate         | Last Modified Date   | Modif Date           | 99/99/9999      |     |
| LastModifiedTime         | Last Modified Time   | Modif Time           | 999999          |     |
| LastModifiedUser         | Last Modified User   | Modif User           | x(20)           |     |
| Period_ID                | Record ID            | Record ID            | 9999999999      |     |
| PeriodClosingDate        | Closing Date         | Closing Date         | 99/99/9999      |     |
| PeriodEndDate            | End Date             | End Date             | 99/99/9999      |     |
| PeriodIsPostingGLAllowed | GL                   | GL                   | yes/no          |     |

| Field Name                | Label                      | Col-Label           | Format     | Dec |
|---------------------------|----------------------------|---------------------|------------|-----|
| PeriodIsPostingInvAllowed | Inventory                  | Inventory           | yes/no     |     |
| PeriodIsPostingOtherAllow | Other                      | Other               | yes/no     |     |
| PeriodIsPostingPurchAllow | Purchases                  | AP                  | yes/no     |     |
| PeriodIsPostingSalesAllow | Sales                      | Sales               | yes/no     |     |
| PeriodIsReportChecked     | Checked/Reported           | Checked/Reported    | yes/no     |     |
| PeriodMark_ID             | Mark                       | Mark                | 9999999999 |     |
| PeriodPeriod              | GL Period                  | GL Pd               | 99         |     |
| PeriodReportingPeriod     | Reporting GL Period        | Reporting GL Period | x(20)      |     |
| PeriodStartDate           | Start Date                 | Start Date          | 99/99/9999 |     |
| PeriodStatus              | Status                     | Status              | x(20)      |     |
| PeriodTypeCode            | GL Period Type             | GL Period Type      | x(20)      |     |
| PeriodYear                | GL Calendar Year           | GL Cal Year         | 9999       |     |
| PeriodYearPeriod          | GL Calendar Year/GL Period | GL Year/GL Pd       | 999999     |     |

| Index-Name             | Uni | Field-Name       | Asc | Abbr |
|------------------------|-----|------------------|-----|------|
| ◇ AccYear              | no  | PeriodYear       | yes | no   |
| ◇ Company              | no  | Company_ID       | yes | no   |
| ◇ CompanyAndYearPeriod | yes | Company_ID       | yes | no   |
| ◇ CompanyPeriodEndDate | no  | PeriodYearPeriod | yes | no   |
|                        |     | Company_ID       | yes | no   |
| ◇ EndDate              | no  | PeriodEndDate    | yes | no   |
| ◇ Period               | no  | PeriodPeriod     | yes | no   |
| ◇ PeriodMark           | no  | PeriodMark_ID    | yes | no   |
| ◇* Prim                | yes | Period_ID        | yes | no   |
| ◇ StartDate            | no  | PeriodStartDate  | yes | no   |
| ◇ StatusClosing        | no  | PeriodStatus     | yes | no   |
| ◇ UniqueIdx            | yes | Company_ID       | yes | no   |
|                        |     | PeriodYear       | yes | no   |
|                        |     | PeriodPeriod     | yes | no   |
| ◇ YearPeriod           | no  | PeriodYearPeriod | yes | no   |

◇ **PeriodMark** Period Mark

| Field Name            | Label              | Col-Label       | Format     | Dec |
|-----------------------|--------------------|-----------------|------------|-----|
| Company_ID            | Link to Company    | Link to Company | 9999999999 |     |
| LastModifiedDate      | Last Modified Date | Modif Date      | 99/99/9999 |     |
| LastModifiedTime      | Last Modified Time | Modif Time      | 999999     |     |
| LastModifiedUser      | Last Modified User | Modif User      | x(20)      |     |
| PeriodMark_ID         | Record ID          | Record ID       | 9999999999 |     |
| PeriodMarkCode        | Mark               | Mark            | x(40)      |     |
| PeriodMarkDescription | Description        | Description     | x(60)      |     |
| PeriodMarkIsActive    | Active             | Active          | yes/no     |     |
| PeriodMarkSequence    | Sequence           | Seq             | ->,>>>,>>9 |     |



| Index-Name               | Uni | Field-Name         | Asc | Abbr |
|--------------------------|-----|--------------------|-----|------|
| ◇ Company                | no  | Company_ID         | yes | no   |
| ◇ CompanyAndCode         | yes | Company_ID         | yes | no   |
|                          |     | PeriodMarkCode     | yes | no   |
| ◇ CompanyAndSequenc<br>e | yes | Company_ID         | yes | no   |
|                          |     | PeriodMarkSequence | yes | no   |
| ◇ IsActive               | no  | PeriodMarkIsActive | yes | no   |
| ◇* Prim                  | yes | PeriodMark_ID      | yes | no   |
| ◇ ViewIndex              | no  | Company_ID         | yes | no   |
|                          |     | PeriodMarkIsActive | yes | no   |
|                          |     | PeriodMarkCode     | yes | no   |

### Production Forecast Detail

| Field Name   | Label       | Col-Label       | Format                         | Dec |
|--------------|-------------|-----------------|--------------------------------|-----|
| oid_pfc_det  |             |                 | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pfc__qadc01  |             |                 | .9<<<<<<<<<                    |     |
| pfc_date     | Date        | Date            | x(8)<br>99/99/99               |     |
| pfc_domain   | Domain      |                 | x(8)                           |     |
| pfc_id_num   |             |                 | >>>>>>9                        |     |
| pfc_part     | Item Number |                 | x(18)                          |     |
| pfc_peg_part | Peg Item    | Peg Item Number | x(18)                          |     |
| pfc_qty      | Qty         |                 | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| pfc_site     | Site        |                 | x(8)                           |     |
| pfc_user1    | Ufld1       |                 | x(8)                           |     |
| pfc_user2    | Ufld2       |                 | x(8)                           |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pfc_det  | yes | oid_pfc_det  | yes | no   |
|   | pfc_id_num   | no  | pfc_domain   | yes | no   |
|   |              |     | pfc_id_num   | yes | no   |
| * | pfc_part     | yes | pfc_domain   | yes | no   |
|   |              |     | pfc_part     | yes | no   |
|   |              |     | pfc_site     | yes | no   |
|   |              |     | pfc_peg_part | yes | no   |
|   |              |     | pfc_date     | yes | no   |
|   | pfc_peg_part | no  | pfc_domain   | yes | no   |
|   |              |     | pfc_peg_part | yes | no   |
|   |              |     | pfc site     | yes | no   |

## Service/Support Item-Site Detail

| Field Name      | Label                     | Col-Label | Format                  | Dec |
|-----------------|---------------------------|-----------|-------------------------|-----|
| pfd_pfd_det     |                           |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pfd_chr01       | Character Field 1         |           | .9<<<<<<<<              |     |
| pfd_chr02       | Character Field 2         |           | X(8)                    |     |
| pfd_dte01       | Date Field 1              |           | X(8)                    |     |
| pfd_dte02       | Date Field 2              |           | 99/99/99                |     |
| pfd_int01       | Integer Field 1           |           | 99/99/99                |     |
| pfd_int02       | Integer Field 2           |           | ->, >>>, >>9            |     |
| pfd_log01       | Logical Field 1           |           | ->, >>>, >>9            |     |
| pfd_log02       | Logical Field 2           |           | yes/no                  |     |
| pfd_qadc01      | QAD Character Field 1     |           | yes/no                  |     |
| pfd_qadc02      | QAD Character Field 2     |           | X(8)                    |     |
| pfd_qadd01      | QAD Date Field 1          |           | X(8)                    |     |
| pfd_qadi01      | QAD Integer Field 1       |           | 99/99/99                |     |
| pfd_qadi02      | QAD Integer Field 2       |           | ->, >>>, >>9            |     |
| pfd_qadl01      | QAD Logical Field 1       |           | ->, >>>, >>9            |     |
| pfd_qadl02      | QAD Logical Field 2       |           | yes/no                  |     |
| pfd_bench_lead  | Repair Lead Time          | Rp Tm     | yes/no                  |     |
| pfd_cover       | Subs Covered              |           | >>>9                    |     |
| pfd_cus_install | Customer Installable      |           | yes/no                  |     |
| pfd_domain      | Domain                    |           | x(8)                    |     |
| pfd_field_lead  | Field Repair Time         |           | >, >>9.99<<             | 10  |
| pfd_fru         | FRU                       |           | yes/no                  |     |
| pfd_ins_bom     | Installation BOM          |           | X(18)                   |     |
| pfd_ins_route   | Installation Routing      |           | X(18)                   |     |
| pfd_inst_call   | Install                   |           | yes/no                  |     |
| pfd_isb         | Installed Base            | Inst Base | yes/no                  |     |
| pfd_life_cycle  | Life Cycle                |           | x(8)                    |     |
| pfd_mfg_mtbf    | MFG MTBF                  |           | ->>, >>9.99             | 10  |
| pfd_mfg_mttr    | MFG MTTR                  |           | ->>, >>9.99             | 10  |
| pfd_mod_date    | Modified Date             | Mod Date  | 99/99/99                |     |
| pfd_mod_userid  | User ID                   |           | X(8)                    |     |
| pfd_mtbf        | MTBF                      |           | >>, >>9.99              | 10  |
| pfd_mttr        | MTTR                      |           | >>, >>9.99              | 10  |
| pfd_obs_date    | Obsolete Date             |           | 99/99/99                |     |
| pfd_origin      | Country of Origin         |           | x(12)                   |     |
| pfd_part        | Item                      |           | x(18)                   |     |
| pfd_pm_mrp      | Need PM MRP               |           | yes/no                  |     |
| pfd_pvm_bom     | PM BOM                    |           | x(18)                   |     |
| pfd_pvm_days    | Days Between PM           | PM Days   | >>>>9                   |     |
| pfd_pvm_exceed  | Replace if Limit Exceeded |           | yes/no                  |     |
| pfd_pvm_limit   | PM Limit                  |           | >>>>, >>>, >>9.99<<     | 10  |
| pfd_pvm_replace | Always Replace on PM      |           | yes/no                  |     |
| pfd_pvm_route   | PM Routing                |           | x(18)                   |     |
| pfd_pvm_saftey  | Safety Limit              |           | >>>>, >>>, >99.99<<<    | 10  |
| pfd_pvm_um      | UM                        |           | x(8)                    | 0   |
| pfd_repairable  | Repairable                |           | yes/no                  |     |
| pfd_rp_bom      | Repair BOM                |           | x(18)                   |     |
| pfd_rp_route    | Repair Routing            |           | x(18)                   |     |
| pfd_rp_site     | Repair Site               |           | x(8)                    |     |
| pfd_rp_vendor   | Repair Supplier           | Supplier  | x(8)                    |     |
| pfd_site        | Site                      |           | x(8)                    |     |
| pfd_sttr        | STTR                      |           | ->>, >>9.99             | 10  |
| pfd_svc_group   | Service Group             | Svc Grp   | x(8)                    |     |
| pfd_tariff      | Tariff                    |           | x(8)                    | 0   |

| Field Name       | Label             | Col-Label | Format | Dec |
|------------------|-------------------|-----------|--------|-----|
| pfd_trace_active | Trace Active      |           | yes/no |     |
| pfd_unit_isb     | Isb Unit Quantity |           | yes/no |     |
| pfd_user1        | Ufld1             |           | x(8)   |     |
| pfd_user2        | Ufld2             |           | x(8)   |     |
| pfd_ven_warr     | Supplier Warranty | Sup! Warr | yes/no |     |
| pfd_warr_cd      | Warranty Code     | Warr Cd   | x(8)   |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_pfd_det | yes | oid_pfd_det | yes | no   |
|   | pfd_pm_mrp  | no  | pfd_domain  | yes | no   |
|   |             |     | pfd_pm_mrp  | yes | no   |
|   |             |     | pfd_part    | yes | no   |
|   |             |     | pfd_site    | yes | no   |
| * | pfd_ptsite  | yes | pfd_domain  | yes | no   |
|   |             |     | pfd_part    | yes | no   |
|   |             |     | pfd_site    | yes | no   |
|   | pfd_ssitept | no  | pfd_domain  | yes | no   |
|   |             |     | pfd_site    | yes | no   |
|   |             |     | pfd_part    | yes | no   |

**pgc\_ctrl**

### Service/Support Paging Control

| Field Name       | Label                   | Col-Label | Format                                    | Dec |
|------------------|-------------------------|-----------|-------------------------------------------|-----|
| oid_pgc_ctrl     |                         |           | >>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| pgc__qadc01      |                         |           | x(8)                                      |     |
| pgc_addr         | Pager Company           |           | x(8)                                      |     |
| pgc_append_ca    | Append Call             |           | yes/no                                    |     |
| pgc_domain       | Domain                  |           | x(8)                                      |     |
| pgc_index        | Index                   |           | >>9                                       |     |
| pgc_paged_status | Paged Status            |           | x(8)                                      |     |
| pgc_phone        | Pager Number            |           | x(20)                                     |     |
| pgc_port1        | Program                 |           | x(32)                                     |     |
| pgc_port2        | Parameter               |           | x(32)                                     |     |
| pgc_port3        | Port #3                 |           | x(32)                                     |     |
| pgc_port4        | Port #4                 |           | x(32)                                     |     |
| pgc_post_control | After Phone Number      |           | x(18)                                     |     |
| pgc_pre_control  | Before Phone Number     |           | x(18)                                     |     |
| pgc_program      | Program                 |           | x(16)                                     |     |
| pgc_user1        | Ufld1                   |           | x(8)                                      |     |
| pgc_user2        | Ufld2                   |           | x(8)                                      |     |
| pgc_wait_status  | Waiting for Page Status |           | x(8)                                      |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pgc_ctrl | yes | oid_pgc_ctrl | yes | no   |
| * | pgc_index    | yes | pgc_domain   | yes | no   |
|   |              |     | pgc_index    | yes | no   |

**pgh\_hist**

### Service/Support Paging History

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>              | <b>Dec</b> |
|-------------------|------------------------|------------------|----------------------------|------------|
| oid_pgh_hist      |                        |                  | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| pgh_chr01         | User Character Field 1 |                  | .9<<<<<<<<                 |            |
| pgh_chr02         | User Character Field 2 |                  | X(8)                       |            |
| pgh_dte01         | User Date Field 1      |                  | X(8)                       |            |
| pgh_log01         | User Logical Field 1   |                  | 99/99/99                   |            |
| pgh_qadc01        | QAD Character Field 1  |                  | yes/no                     |            |
| pgh_qadc02        | QAD Character Field 2  |                  | X(8)                       |            |
| pgh_qadl01        | QAD Logical Field 1    |                  | X(8)                       |            |
| pgh_qadt01        | QAD Date Field 1       |                  | yes/no                     |            |
| pgh_ca_nbr        | Call Number            |                  | 99/99/99                   |            |
| pgh_date          | Date                   |                  | x(8)                       |            |
| pgh_domain        | Domain                 |                  | 99/99/99                   |            |
| pgh_eng_code      | Engineer               |                  | x(8)                       |            |
| pgh_phone         | Phone                  |                  | x(20)                      |            |
| pgh_status        | Status                 |                  | x(8)                       |            |
| pgh_time_init     | Time                   |                  | 99:99                      |            |
| pgh_time_paged    | Time Paged             |                  | 99:99                      |            |
| pgh_trnbr         | Transaction            |                  | >>>>>>>>>9                 |            |
| pgh_user1         | Ufld1                  |                  | x(8)                       |            |
| pgh_user2         | Ufld2                  |                  | x(8)                       |            |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_pgh_hist | yes | oid_pgh_hist  | yes | no   |
| pgh_ca_nbr     | no  | pgh_domain    | yes | no   |
|                |     | pgh_ca_nbr    | yes | no   |
|                |     | pgh_date      | yes | no   |
|                |     | pgh_time_init | yes | no   |
| pgh_eng_code   | no  | pgh_domain    | yes | no   |
|                |     | pgh_eng_code  | yes | no   |
|                |     | pgh_date      | yes | no   |
|                |     | pgh_time_init | yes | no   |
| pgh_status     | no  | pgh_domain    | yes | no   |
|                |     | pgh_status    | yes | no   |
| * pgh_trnbr    | yes | pgh_domain    | yes | no   |
|                |     | pgh_trnbr     | no  | no   |

**pgm\_det**

## Program Detail

| Field Name   | Label             | Col-Label | Format                     | Dec |
|--------------|-------------------|-----------|----------------------------|-----|
| oid_pgm_det  |                   |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                   |           | .9<<<<<<<<<                |     |
| pgm__qadc01  |                   |           | x(8)                       |     |
| pgm_cmmt[20] | Program Data      |           | x(76)                      |     |
| pgm_desc     | Description       |           | x(24)                      |     |
| pgm_domain   | Domain            |           | x(8)                       |     |
| pgm_eq       | Equation Name     | Eq Name   | x(8)                       |     |
| pgm_mod_date | Modified Date     | Mod Date  | 99/99/99                   |     |
| pgm_ref      | Program Reference |           | x(40)                      |     |
| pgm_seq      | Page              |           | >9                         |     |

| Field Name | Label   | Col-Label | Format | Dec |
|------------|---------|-----------|--------|-----|
| pgm_type   | Type    | T         | x(2)   |     |
| pgm_user1  | Ufld1   |           | x(8)   |     |
| pgm_user2  | Ufld2   |           | x(8)   |     |
| pgm_userid | User ID |           | x(8)   |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_pgm_det | yes | oid_pgm_det | yes | no   |
| * pgm_ref_eq  | yes | pgm_domain  | yes | no   |
|               |     | pgm_ref     | yes | no   |
|               |     | pgm_eq      | yes | no   |
|               |     | pgm_type    | yes | no   |
|               |     | pgm_seq     | yes | no   |
| pgm_type_eq   | no  | pgm_domain  | yes | no   |
|               |     | pgm_type    | yes | no   |
|               |     | pgm_eq      | yes | no   |

**pic\_ctrl**

## Pricing Control

| <b>Field Name</b> | <b>Label</b>              | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|---------------------------|------------------|-------------------------|------------|
| oid_pic_ctrl      |                           |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| pic__qadc01       |                           |                  | .9<<<<<<<<<             |            |
| pic__qadi01       |                           |                  | x(8)                    |            |
| pic_cust_regen    | Customers                 |                  | ->>>>>>>9               |            |
| pic_disc_comb     | Discount Combination Type |                  | yes/no                  |            |
| pic_domain        | Domain                    |                  | x(24)                   |            |
| pic_fs_date       | FSM Default Pricing Date  |                  | x(8)                    |            |
| pic_fs_fact       | Display FSM Discounts as  |                  | x(24)                   |            |
| pic_fs_linpri     | Price Contracts by Line   |                  | yes/no                  |            |
| pic_fs_rfact      | FSM Factor Rounding       |                  | yes/no                  |            |
| pic_item_regen    | Items                     |                  | >>9                     |            |
| pic_list_id       | Next Price List ID        |                  | yes/no                  |            |
| pic_po_date       | PO Default Price Date     |                  | >>>>>>>9                |            |
| pic_po_fact       | Display PO Discounts as   |                  | x(24)                   |            |
| pic_po_linpri     | Price PO by Line          |                  | yes/no                  |            |
| pic_po_rfact      | PO Factor Rounding        |                  | yes/no                  |            |
| pic_promo_pre     | Promotions Prefix         |                  | >>9                     |            |
| pic_qo_date       | QO Default Price Date     |                  | x(3)                    |            |
| pic_qo_fact       | Display QO Discounts as   |                  | x(24)                   |            |
| pic_qo_linpri     | Price QO by Line          |                  | yes/no                  |            |
| pic_qo_rfact      | QO Factor Rounding        |                  | yes/no                  |            |
| pic_so_date       | SO Default Pricing Date   |                  | >>9                     |            |
| pic_so_fact       | Display SO Discounts as   |                  | x(24)                   |            |
| pic_so_linpri     | Price SO by Line          |                  | yes/no                  |            |
| pic_so_rfact      | SO Factor Rounding        |                  | yes/no                  |            |
| pic_user1         | Ufld1                     |                  | >>9                     |            |
| pic_user2         | Ufld2                     |                  | x(8)                    |            |
|                   |                           |                  | x(8)                    |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pic_ctrl | yes | oid_pic_ctrl | yes | no   |
| * | pic_index1   | yes | pic_domain   | yes | no   |

### Price List Detail

| Field Name   | Label         | Col-Label | Format                  | Dec |
|--------------|---------------|-----------|-------------------------|-----|
| oid_pid_det  |               |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pid__qadc01  |               |           | .9<<<<<<<<<             |     |
| pid__qadd01  |               |           | x(8)                    |     |
| pid_amt      | Amount        |           | ->>, >>>, >>9.9<<<      | 10  |
| pid_cr_terms | Credit Terms  | Terms     | ->>, >>>, >>9.9<<<      | 10  |
| pid_domain   | Domain        |           | x(8)                    |     |
| pid_fr_list  | Freight List  | Frt List  | x(8)                    |     |
| pid_fr_terms | Freight Terms |           | x(8)                    |     |
| pid_list_id  | List Id       |           | x(8)                    |     |
| pid_qty      | Min Qty       |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| pid_user1    | Ufld1         |           | x(8)                    |     |
| pid_user2    | Ufld2         |           | x(8)                    |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_pid_det | yes | oid_pid_det | yes | no   |
| * | pid_list_id | yes | pid_domain  | yes | no   |
|   |             |     | pid_list_id | yes | no   |
|   |             |     | pid_qty     | yes | no   |

### Price List Group Customer Detail

| <b>Field Name</b> | <b>Label</b>     | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|------------------|------------------|-------------------------|------------|
| oid_pigc_det      |                  |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| pigc_qadc01       |                  |                  | .9<<<<<<<<<             |            |
| pigc_qadc02       |                  |                  | x(8)                    |            |
| pigc_qadc03       |                  |                  | x(8)                    |            |
| pigc_qadd01       |                  |                  | ->>>>, >>>, >>9,9       | 10         |
| pigc_qadd02       |                  |                  | ->>>>, >>>, >>9,9       | 10         |
| pigc_qadi01       |                  |                  | ->, >>>, >>9            |            |
| pigc_qadi02       |                  |                  | ->, >>>, >>9            |            |
| pigc_qadl01       |                  |                  | yes/no                  |            |
| pigc_qadl02       |                  |                  | yes/no                  |            |
| pigc_qadt01       |                  |                  | 99/99/99                |            |
| pigc_qadt02       |                  |                  | 99/99/99                |            |
| pigc_amt_type     | Amount Type      |                  | x(24)                   |            |
| pigc_code         | Price List Group |                  | x(8)                    |            |
| pigc_curr         | Currency         | Cur              | X(3)                    |            |
| pigc_div          | Division         |                  | x(8)                    |            |
| pigc_domain       | Domain           |                  | x(8)                    |            |
| pigc_expire       | Expire           |                  | 99/99/99                |            |
| pigc_include      | Include          |                  | yes/no                  |            |
| pigc_mem_ref      | Member Reference |                  | x(8)                    |            |
| pigc_mem_type     | Member Type      |                  | >>>9                    |            |
| pigc_srch_type    | Search Type      |                  | >>9                     |            |
| pigc_start        | Start            |                  | 99/99/99                |            |
| pigc_user1        | Ufld1            |                  | x(8)                    |            |
| pigc_user2        | Ufld2            |                  | x(8)                    |            |

|                |     |                |     |    |
|----------------|-----|----------------|-----|----|
| ◇ oid_pigc_det | yes | oid_pigc_det   | yes | no |
| * pigc_code    | yes | pigc_domain    | yes | no |
|                |     | pigc_code      | yes | no |
|                |     | pigc_mem_type  | yes | no |
|                |     | pigc_mem_ref   | yes | no |
|                |     | pigc_amt_type  | yes | no |
| pigc_member    | no  | pigc_domain    | yes | no |
|                |     | pigc_div       | yes | no |
|                |     | pigc_mem_type  | yes | no |
|                |     | pigc_mem_ref   | yes | no |
|                |     | pigc_srch_type | yes | no |
|                |     | pigc_curr      | yes | no |
|                |     | pigc_start     | yes | no |

**pigp\_det**

### Price List Group Item Detail

| Field Name     | Label            | Col-Label | Format                         | Dec |
|----------------|------------------|-----------|--------------------------------|-----|
| oid_pigp_det   |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pigp__qadc01   |                  |           | .9<<<<<<<<<                    |     |
| pigp__qadc02   |                  |           | x(8)                           |     |
| pigp__qadc03   |                  |           | x(8)                           |     |
| pigp__qadd01   |                  |           | ->>>>, >>>, >>9.9              | 10  |
| pigp__qadd02   |                  |           | ->>>>, >>>, >>9.9              | 10  |
| pigp__qadi01   |                  |           | ->, >>>, >>9                   |     |
| pigp__qadi02   |                  |           | ->, >>>, >>9                   |     |
| pigp__qadl01   |                  |           | yes/no                         |     |
| pigp__qadl02   |                  |           | yes/no                         |     |
| pigp__qadt01   |                  |           | 99/99/99                       |     |
| pigp__qadt02   |                  |           | 99/99/99                       |     |
| pigp_amt_type  | Amount Type      |           | X(24)                          |     |
| pigp_code      | Price List Group |           | x(8)                           |     |
| pigp_curr      | Currency         | Cur       | X(3)                           |     |
| pigp_div       | Division         |           | X(8)                           |     |
| pigp_domain    | Domain           |           | x(8)                           |     |
| pigp_expire    | Expire           |           | 99/99/9999                     |     |
| pigp_include   | Include          |           | yes/no                         |     |
| pigp_list_id   | List ID          |           | x(8)                           |     |
| pigp_prod_ref  | Item Reference   |           | X(18)                          |     |
| pigp_prod_type | Item Type        |           | 9                              |     |
| pigp_srch_type | Search Type      |           | >>9                            |     |
| pigp_start     | Start            |           | 99/99/99                       |     |
| pigp_user1     | Ufld1            |           | x(8)                           |     |
| pigp_user2     | Ufld2            |           | x(8)                           |     |

|                |     |                |     |    |
|----------------|-----|----------------|-----|----|
| ◇ oid_pigp_det | yes | oid_pigp_det   | yes | no |
| * pigp_code    | yes | pigp_domain    | yes | no |
|                |     | pigp_code      | yes | no |
|                |     | pigp_prod_type | yes | no |
|                |     | pigp_prod_ref  | yes | no |





| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| pig_all_items | no  | pig_start     | yes | no   |
|               |     | pig_domain    | yes | no   |
|               |     | pig_div       | yes | no   |
|               |     | pig_all_items | yes | no   |
|               |     | pig_srch_type | yes | no   |
|               |     | pig_curr      | yes | no   |
| * pig_code    | yes | pig_start     | yes | no   |
|               |     | pig_domain    | yes | no   |
|               |     | pig_code      | yes | no   |
|               |     | pig_amt_type  | yes | no   |
| pig_div_code  | yes | pig_domain    | yes | no   |
|               |     | pig_div       | yes | no   |
|               |     | pig_code      | yes | no   |
|               |     | pig_amt_type  | yes | no   |
| pig_ref       | no  | pig_domain    | yes | no   |
|               |     | pig_ref_type  | yes | no   |
|               |     | pig_ref_code  | yes | no   |

### Pricing History

| Field Name      | Label                  | Col-Label | Format                     | Dec |
|-----------------|------------------------|-----------|----------------------------|-----|
| oid_pih_hist    |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pih__chr01      |                        |           | .9<<<<<<<<<                |     |
| pih__chr02      |                        |           | x(8)                       |     |
| pih__chr03      |                        |           | x(8)                       |     |
| pih__chr04      |                        |           | x(8)                       |     |
| pih__chr05      |                        |           | x(8)                       |     |
| pih__chr06      |                        |           | x(8)                       |     |
| pih__chr07      |                        |           | x(8)                       |     |
| pih__chr08      |                        |           | x(8)                       |     |
| pih__chr09      |                        |           | x(8)                       |     |
| pih__chr10      |                        |           | x(8)                       |     |
| pih__dec01      |                        |           | >>>, >>>, >>9.99           | 10  |
| pih__dec02      |                        |           | >>>, >>>, >>9.99           | 10  |
| pih__dte01      |                        |           | 99/99/99                   |     |
| pih__dte02      |                        |           | 99/99/99                   |     |
| pih__log01      |                        |           | yes/no                     |     |
| pih__qadc01     |                        |           | x(8)                       |     |
| pih__qadd01     |                        |           | ->>>, >>>, >>9.9<<<        | 10  |
| pih_accr_acct   | Accrual Acct           |           | x(8)                       |     |
| pih_accr_cc     | Accrual CC             | CC        | x(8)                       |     |
| pih_accr_proj   | Accrual Proj           |           | x(8)                       |     |
| pih_accr_sub    | Accrual Sub            | Sub-Acct  | x(8)                       |     |
| pih_amt         | Amount                 |           | ->>>>, >>>, >>9.99<<<      | 10  |
| pih_amt_type    | Amt Type               |           | x(8)                       |     |
| pih_bonus_line  | Triggering Line Number |           | >>9                        |     |
| pih_break_cat   | Break Cat              |           | x(18)                      |     |
| pih_comb_type   | Comb Type              |           | x(24)                      |     |
| pih_config_disc | Config Disc            | Config    | yes/no                     |     |
| pih_cr_terms    | Credit Terms           | Terms     | x(8)                       |     |
| pih_disc_acct   | Disc Acct              |           | x(8)                       |     |
| pih_disc_amt    | Disc Amt               |           | ->>>>, >>>, >>9.99<<<      | 10  |
| pih_disc_cc     | Cost Ctr               | CC        | x(4)                       |     |

| Field Name    | Label            | Col-Label | Format                | Dec |
|---------------|------------------|-----------|-----------------------|-----|
| pih_disc_proj | Project          |           | x(8)                  |     |
| pih_disc_seq  | Disc Sequence    |           | >>,>9,<<<<<           | 10  |
| pih_disc_sub  | Sub Acct         | Sub-Acct  | x(8)                  |     |
| pih_doc_type  | Doc Type         |           | >>9                   |     |
| pih_domain    | Domain           |           | x(8)                  |     |
| pih_feature   | Feature          |           | x(12)                 |     |
| pih_fr_list   | Freight List     | Fr List   | x(8)                  |     |
| pih_fr_terms  | Freight Terms    |           | x(8)                  |     |
| pih_line      | Line             |           | >>9                   |     |
| pih_list      | Price List       | List      | x(8)                  |     |
| pih_list_id   | List Id          |           | x(8)                  |     |
| pih_min_net   | Min Net Ord      |           | ->>>>,>>>,>>9.99<     | 10  |
| pih_mod_date  | Modified Date    | Mod Date  | 99/99/99              |     |
| pih_nbr       | Order            |           | x(8)                  |     |
| pih_option    | Item Number      |           | x(18)                 |     |
| pih_parent    | Parent Item      |           | x(18)                 |     |
| pih_pid_qty   | Break Qty        |           | ->>,>>>,>>9.<<<<<<<<< | 10  |
| pih_pig_code  | Price List Group |           | x(8)                  |     |
| pih_print     | Print            |           | yes/no                |     |
| pih_promo1    | Promotion Code   |           | x(8)                  |     |
| pih_promo2    | Promotion Type   |           | x(8)                  |     |
| pih_promo3    | APM Code 3       |           | x(8)                  |     |
| pih_promo4    | APM Code 4       |           | x(8)                  |     |
| pih_qty       | Qty              |           | ->>,>>>,>>9.<<<<<<<<< | 10  |
| pih_qty_type  | Qty Type         |           | x(24)                 |     |
| pih_source    | Source           |           | x(8)                  |     |
| pih_time      | Time             |           | >>,>>>,>>9            |     |
| pih_um        | UM               |           | x(2)                  |     |
| pih_user1     | Ufld1            |           | x(8)                  |     |
| pih_user2     | Ufld2            |           | x(8)                  |     |
| pih_userid    | User ID          |           | x(8)                  |     |

| Index-Name     | Uni | Field-Name      | Asc | Abbr |
|----------------|-----|-----------------|-----|------|
| ◇ oid_pih_hist | yes | oid_pih_hist    | yes | no   |
| pih_comp       | no  | pih_domain      | yes | no   |
|                |     | pih_doc_type    | yes | no   |
|                |     | pih_nbr         | yes | no   |
|                |     | pih_line        | yes | no   |
|                |     | pih_parent      | yes | no   |
|                |     | pih_feature     | yes | no   |
|                |     | pih_option      | yes | no   |
| pih_list       | no  | pih_domain      | yes | no   |
|                |     | pih_list        | yes | no   |
|                |     | pih_doc_type    | yes | no   |
|                |     | pih_nbr         | yes | no   |
|                |     | pih_line        | yes | no   |
| pih_list_id    | no  | pih_domain      | yes | no   |
|                |     | pih_list_id     | yes | no   |
| * pih_nbr      | yes | pih_domain      | yes | no   |
|                |     | pih_doc_type    | yes | no   |
|                |     | pih_nbr         | yes | no   |
|                |     | pih_line        | yes | no   |
|                |     | pih_config_disc | yes | no   |
|                |     | pih_source      | yes | no   |
|                |     | pih_list_id     | yes | no   |

| Index-Name | Uni | Field-Name   | Asc | Abbr |
|------------|-----|--------------|-----|------|
|            |     | pih_amt_type | yes | no   |
|            |     | pih_parent   | yes | no   |
|            |     | pih_feature  | yes | no   |
|            |     | pih_option   | yes | no   |

## Price List Master

| Field Name    | Label              | Col-Label | Format                  | Dec |
|---------------|--------------------|-----------|-------------------------|-----|
| oid_pi_mstr   |                    |           | >>>>>>>>>>>>>>>>>>>>>9  | 10  |
| pi_chr01      |                    |           | .9<<<<<<<<              |     |
| pi_chr02      |                    |           | x(8)                    |     |
| pi_chr03      |                    |           | x(8)                    |     |
| pi_chr04      |                    |           | x(8)                    |     |
| pi_chr05      |                    |           | x(8)                    |     |
| pi_chr06      |                    |           | x(8)                    |     |
| pi_chr07      |                    |           | x(8)                    |     |
| pi_chr08      |                    |           | x(8)                    |     |
| pi_chr09      |                    |           | x(8)                    |     |
| pi_chr10      |                    |           | x(8)                    |     |
| pi_dec01      |                    |           | >>>, >>>, >>9.99        | 10  |
| pi_dec02      |                    |           | >>>, >>>, >>9.99        | 10  |
| pi_dte01      |                    |           | 99/99/99                |     |
| pi_dte02      |                    |           | 99/99/99                |     |
| pi_log01      |                    |           | yes/no                  |     |
| pi_qadc01     |                    |           | x(8)                    |     |
| pi_qadd01     |                    |           | ->>>, >>>, >>9.9<<<     | 10  |
| pi_accr_acct  | Accrual Acct       |           | x(8)                    |     |
| pi_accr_cc    | Accrual CC         | CC        | x(8)                    |     |
| pi_accr_proj  | Accrual Proj       |           | x(8)                    |     |
| pi_accr_sub   | Accrual Sub        | Sub-Acct  | x(8)                    |     |
| pi_amt_type   | Amount Type        |           | x(24)                   |     |
| pi_break_cat  | Break Cat          |           | x(18)                   |     |
| pi_cmtindx    | Comments           |           | >>>>>>>9                |     |
| pi_comb_type  | Comb Type          |           | x(24)                   |     |
| pi_cfg_disc   | Config Disc        | Config    | yes/no                  |     |
| pi_cost_set   | Cost Set           |           | x(8)                    |     |
| pi_cs_code    | Cust/Supplier Cat  |           | x(18)                   |     |
| pi_cs_type    | Cust/Supplier Type | C/S Type  | x(24)                   |     |
| pi_curr       | Currency           | Cur       | x(3)                    |     |
| pi_desc       | Description        |           | x(24)                   |     |
| pi_disc_acct  | Disc Acct          |           | x(8)                    |     |
| pi_disc_cc    | Cost Ctr           | CC        | x(8)                    |     |
| pi_disc_proj  | Project            |           | x(8)                    |     |
| pi_disc_seq   | Disc Sequence      |           | >>>, >>9.9<<<<<         | 10  |
| pi_disc_sub   | Sub Acct           | Sub-Acct  | x(8)                    |     |
| pi_domain     | Domain             |           | x(8)                    |     |
| pi_expire     | Expire             |           | 99/99/99                |     |
| pi_extrec     | External Entry     | Ext       | yes/no                  |     |
| pi_list       | Price List         | List      | x(8)                    |     |
| pi_list_id    | List Id            |           | x(8)                    |     |
| pi_list_price | List Price         |           | >>>>, >>>, >>9.99<<<    | 10  |
| pi_manual     | Manual             |           | yes/no                  |     |
| pi_max_ord    | Max Orders         |           | >>>9                    |     |
| pi_max_price  | Max Price          |           | >>>>, >>>, >>9.99<<<    | 10  |
| pi_max_qty    | Max Qty            |           | ->>, >>>, >>9.9<<<<<<<< | 10  |
| pi_min_net    | Min Net Ord        |           | ->>>>, >>>, >>9.99<     | 10  |
| pi_min_price  | Min Price          |           | >>>>, >>>, >>9.99<<<    | 10  |
| pi_mod_date   | Modified Date      | Mod Date  | 99/99/99                |     |
| pi_part_code  | Item Cat           |           | x(18)                   |     |
| pi_part_type  | Type               |           | x(24)                   |     |
| pi_pig_code   | Price List Group   |           | x(8)                    |     |
| pi_print      | Print              |           | yes/no                  |     |

| Field Name   | Label          | Col-Label | Format   | Dec |
|--------------|----------------|-----------|----------|-----|
| pi_promo1    | Promotion Code |           | x(8)     |     |
| pi_promo2    | Promotion Type |           | x(8)     |     |
| pi_promo3    | APM Code 3     |           | x(8)     |     |
| pi_promo4    | APM Code 4     |           | x(8)     |     |
| pi_qty_type  | Qty Type       |           | x(24)    |     |
| pi_srch_type | Search Type    |           | >>9      |     |
| pi_start     | Start          |           | 99/99/99 |     |
| pi_terms     | Terms          |           | x(8)     |     |
| pi_um        | UM             |           | x(2)     |     |
| pi_user1     | Ufld1          |           | x(8)     |     |
| pi_user2     | Ufld2          |           | x(8)     |     |
| pi_userid    | User ID        |           | x(8)     |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_pi_mstr | yes | oid_pi_mstr  | yes | no   |
| pi_cs_code    | no  | pi_domain    | yes | no   |
|               |     | pi_cs_type   | yes | no   |
|               |     | pi_cs_code   | yes | no   |
|               |     | pi_part_type | yes | no   |
|               |     | pi_part_code | yes | no   |
|               |     | pi_srch_type | yes | no   |
|               |     | pi_curr      | yes | no   |
|               |     | pi_um        | yes | no   |
|               |     | pi_start     | yes | no   |
| * pi_list     | yes | pi_domain    | yes | no   |
|               |     | pi_list      | yes | no   |
|               |     | pi_cs_type   | yes | no   |
|               |     | pi_cs_code   | yes | no   |
|               |     | pi_part_type | yes | no   |
|               |     | pi_part_code | yes | no   |
|               |     | pi_curr      | yes | no   |
|               |     | pi_um        | yes | no   |
|               |     | pi_start     | yes | no   |
| pi_list_id    | yes | pi_domain    | yes | no   |
|               |     | pi_list_id   | yes | no   |
| pi_part_code  | no  | pi_domain    | yes | no   |
|               |     | pi_part_type | yes | no   |
|               |     | pi_part_code | yes | no   |
|               |     | pi_cs_type   | yes | no   |
|               |     | pi_cs_code   | yes | no   |
|               |     | pi_srch_type | yes | no   |
|               |     | pi_curr      | yes | no   |
|               |     | pi_um        | yes | no   |
|               |     | pi_start     | yes | no   |

## Project Realization Control

| Field Name       | Label                         | Col-Label | Format                  | Dec |
|------------------|-------------------------------|-----------|-------------------------|-----|
| oid_pjc_ctrl     |                               |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pjc_log01        |                               |           | .9<<<<<<<<              |     |
| pjc_log02        |                               |           | yes/no                  |     |
| pjc_qadc01       |                               |           | yes/no                  |     |
| pjc_qadc02       |                               |           | x(24)                   |     |
| pjc_qadd01       |                               |           | x(24)                   |     |
| pjc_qadi01       |                               |           | ->>>, >>>, >>9.99<<<    | 10  |
| pjc_qadi02       |                               |           | >>>>>>>9                |     |
| pjc_qadl01       |                               |           | ->>>>>>>9               |     |
| pjc_qadl02       |                               |           | yes/no                  |     |
| pjc_qadt01       |                               |           | yes/no                  |     |
| pjc_auto_mo      | Auto Generate MO              |           | 99/99/99                |     |
| pjc_bg_above     | Budget Overrun Limit          |           | yes/no                  |     |
| pjc_bg_below     | Budget Warning Limit          |           | -->9.9<%                | 10  |
| pjc_close_status | Closed Status                 |           | -->9.9<%                | 10  |
| pjc_comp_status  | Complete Status               |           | x(8)                    |     |
| pjc_dflt_que     | Queue                         |           | x(8)                    |     |
| pjc_domain       | Domain                        |           | x(8)                    |     |
| pjc_global_inv   | Global Invoicing              |           | x(8)                    |     |
| pjc_hcmmts       | Project Header Comments       |           | yes/no                  |     |
| pjc_hold_level   | Credit Hold Option            |           | yes/no                  |     |
| pjc_hold_status  | Hold Status                   |           | >>9                     |     |
| pjc_lcmmts       | Project Line Comments         |           | x(8)                    |     |
| pjc_mod_date     | Modified Date                 | Mod Date  | yes/no                  |     |
| pjc_mod_userid   | User ID                       |           | 99/99/99                |     |
| pjc_open_status  | Open Status                   |           | x(8)                    |     |
| pjc_pao_cancel   | Cancel Status                 |           | x(8)                    |     |
| pjc_pao_close    | Closed Status                 |           | x(8)                    |     |
| pjc_pao_complete | Complete Status               |           | x(8)                    |     |
| pjc_pao_hold     | Hold Status                   |           | x(8)                    |     |
| pjc_pao_nbr      | Next PAO                      |           | >>>>>>>9                |     |
| pjc_pao_open     | Open Status                   |           | x(8)                    |     |
| pjc_pao_pre      | PAO Prefix                    |           | x(3)                    |     |
| pjc_paocmmts     | PAO Comments                  |           | yes/no                  |     |
| pjc_par_detail   | PAR Detail                    |           | yes/no                  |     |
| pjc_par_labor_st | PAR Labor Start               |           | Worksheet/PAO           |     |
| pjc_par_return   | PAR Return Status             |           | x(8)                    |     |
| pjc_par_scrap    | PAR Scrap Status              |           | x(8)                    |     |
| pjc_pi_type      | GL Project Type               |           | x(2)                    |     |
| pjc_pjs_hist     | Generate Transaction History  |           | yes/no                  |     |
| pjc_pr_rollup    | Auto Price Rollup             |           | yes/no                  |     |
| pjc_prj_nbr      | Next Project                  |           | >>>>>>>9                |     |
| pjc_prj_pre      | Project Prefix                |           | x(3)                    |     |
| pjc_prj_site     | Project Site                  |           | x(8)                    |     |
| pjc_ps_in_wip    | Book Project Inventory to WIP |           | yes/no                  |     |
| pjc_pt_prod      | Use Item Product Line         |           | yes/no                  |     |
| pjc_schedule_pao | Schedule                      |           | yes/no                  |     |
| pjc_scmmts       | Subproject Comments           |           | yes/no                  |     |
| pjc_so_nbr       | Next Project SO               |           | >>>>>>>9                |     |
| pjc_so_pre       | Project SO Prefix             |           | x(3)                    |     |
| pjc_sub_det      | Subproject Details            |           | yes/no                  |     |

| Field Name       | Label                 | Col-Label | Format | Dec |
|------------------|-----------------------|-----------|--------|-----|
| pjc_use_budgets  | Use Budgets           |           | yes/no |     |
| pjc_use_pay_rate | Use Employee Pay Rate |           | yes/no |     |
| pjc_user1        | Ufld1                 |           | x(8)   |     |
| pjc_user2        | Ufld2                 |           | x(8)   |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pjc_ctrl | yes | oid_pjc_ctrl | yes | no   |
| * | pjc_index1   | yes | pjc_domain   | yes | no   |

**pjd\_det**      Project Realization Subproject Detail

| Field Name      | Label              | Col-Label | Format                     | Dec |
|-----------------|--------------------|-----------|----------------------------|-----|
| oid_pjd_det     |                    |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pjd__qadc01     |                    |           | .9<<<<<<<<<                |     |
| pjd__qadc02     |                    |           | x(24)                      |     |
| pjd__qadd01     |                    |           | x(24)                      |     |
| pjd__qadi01     |                    |           | ->>>>, >>>, >>>9.99<<<     | 10  |
| pjd__qadi01     |                    |           | >>>>>>>9                   |     |
| pjd__qadi01     |                    |           | yes/no                     |     |
| pjd__qadt01     |                    |           | 99/99/99                   |     |
| pjd_budget_type | Budget Type        |           | >>9                        |     |
| pjd_ca_int_type | Work Code          |           | x(8)                       |     |
| pjd_cmtindx     | Comment Index      |           | >>>>>>>>9                  |     |
| pjd_comm_pct[4] | Commission         |           | >>9.9<%                    | 10  |
| pjd_cr_terms    | Credit Terms       |           | x(8)                       |     |
| pjd_desc        | Description        |           | x(24)                      |     |
| pjd_disc_pct    | Discount           |           | ->>9.9<%                   | 10  |
| pjd_domain      | Domain             |           | x(8)                       |     |
| pjd_end_date    | End Date           |           | 99/99/99                   |     |
| pjd_end_orig    | Original End       |           | 99/99/99                   |     |
| pjd_eng_nbr     | Engineer           |           | x(8)                       |     |
| pjd_eu_nbr      | End User           |           | x(8)                       |     |
| pjd_global_inv  | Global Invoicing   |           | yes/no                     |     |
| pjd_inv_det     | Details on Invoice |           | yes/no                     |     |
| pjd_inv_det_pr  | Prices of Details  |           | yes/no                     |     |
| pjd_inv_lvl     | Invoice Level      |           | yes/no                     |     |
| pjd_list_pr     | Total List Price   |           | ->>>>, >>>, >>>9.99<<<     | 10  |
| pjd_loc         | Location           |           | x(8)                       |     |
| pjd_mod_date    | Modified Date      | Mod Date  | 99/99/99                   |     |
| pjd_mod_userid  | User ID            |           | x(8)                       |     |
| pjd_nbr         | Project            |           | x(8)                       |     |
| pjd_pjt_code    | Project Type       |           | x(8)                       |     |
| pjd_pr_list     | Price List         |           | x(8)                       |     |
| pjd_prep_tax    | Prepaid Tax        |           | ->>>>, >>>, >>>9.99<<<     | 10  |
| pjd_prepaid     | Prepaid            |           | ->>>>, >>>, >>>9.99<<<     | 10  |
| pjd_prod_line   | Product Line       |           | x(4)                       |     |
| pjd_site        | Site               |           | x(8)                       |     |
| pjd_slspsn[4]   | Slserson           |           | x(8)                       |     |
| pjd_st_date     | Start Date         |           | 99/99/99                   |     |
| pjd_st_orig     | Original Start     |           | 99/99/99                   |     |
| pjd_status      | Status             |           | x(8)                       |     |
| pjd_sub_nbr     | Subproject         | Subproj   | >>>9                       |     |

| Field Name      | Label           | Col-Label | Format            | Dec |
|-----------------|-----------------|-----------|-------------------|-----|
| pjd_total_price | Total Net Price |           | ->>>,>>>,>9.99<<< | 10  |
| pjd_user1       | Ufld1           |           | x(8)              |     |
| pjd_user2       | Ufld2           |           | x(8)              |     |
| pjd_variation   | Variation       |           | yes/no            |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pjd_det  | yes | oid_pjd_det  | yes | no   |
|   | pjd_pjt_code | no  | pjd_domain   | yes | no   |
|   |              |     | pjd_pjt_code | yes | no   |
| * | pjd_sub_nbr  | yes | pjd_domain   | yes | no   |
|   |              |     | pjd_nbr      | yes | no   |
|   |              |     | pjd_sub_nbr  | yes | no   |

**pjsh hist**      Project Realization Transaction History

| Field Name        | Label               | Col-Label | Format                 | Dec |
|-------------------|---------------------|-----------|------------------------|-----|
| oid_pjsh_hist     |                     |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pjsh__qadc01      |                     |           | .9<<<<<<<<             |     |
| pjsh__qadd01      |                     |           | x(24)                  |     |
| pjsh__qadi01      |                     |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh__quadl01     |                     |           | >>>>>>g                |     |
| pjsh__qadt01      |                     |           | yes/no                 |     |
| pjsh_amt_inv      | Invoiced Amount     |           | 99/99/99               |     |
| pjsh_amt_inv_chg  | Invoiced Amt Change |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_act_chg | Actual Cost Change  |           | ->>>, >>, >>9.99<      | 10  |
| pjsh_cost_actual  | Actual Cost         |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_iss     | Issued Cost         |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_iss_chg | Issued Cost Change  |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_planned | Planned Cost        |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_pln_chg | Planned Cost Change |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_wip     | WIP Cost            |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_cost_wip_chg | WIP Cost Change     |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_domain       | Domain              |           | x(8)                   |     |
| pjsh_mod_date     | Modified Date       | Mod Date  | 99/99/99               |     |
| pjsh_mod_userid   | User ID             |           | x(8)                   |     |
| pjsh_nbr          | Project             |           | x(8)                   |     |
| pjsh_old_status   | Prev Line Status    |           | x(8)                   |     |
| pjsh_pjs_line     | Project Line        |           | >>>>>>g                |     |
| pjsh_povar_amt    | PO Variance Amt     |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_povar_chg    | PO Variance Change  |           | ->>>, >>, >>9.99<<<    | 10  |
| pjsh_qty_act_chg  | Qty Actual Change   |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_actual   | Qty Actual          |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_bg_chg   | Qty Budgeted Change |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_budget   | Qty Budgeted        |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_inv      | Qty Invoiced        |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_inv_chg  | Qty Invoiced Change |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_iss      | Qty Issued          |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_iss_chg  | Qty Issued Change   |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_oh       | Project QOH         |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_oh_chg   | Project QOH Change  |           | ->, >>, >>9.9<<<<<<<<< | 10  |
| pjsh_qty_planned  | Qty Planned         |           | ->, >>, >>9.9<<<<<<<<< | 10  |



|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_pjsh_hist | yes | oid_pjsh_hist | yes | no   |
|   | pjsh_prj_nbr  | no  | pjsh_domain   | yes | no   |
|   |               |     | pjsh_nbr      | yes | no   |
|   |               |     | pjsh_pjs_line | yes | no   |
|   |               |     | pjsh_tr_date  | yes | no   |
|   |               |     | pjsh_tr_time  | yes | no   |
| * | pjsh_trnbr    | yes | pjsh_domain   | yes | no   |
|   |               |     | pjsh_trnbr    | yes | no   |

### Project Structure Cross-Reference Detail





| Field Name        | Label              | Col-Label | Format                   | Dec |
|-------------------|--------------------|-----------|--------------------------|-----|
| pjs__qadl01       |                    |           | yes/no                   |     |
| pjs__qadl02       |                    |           | yes/no                   |     |
| pjs__qadt01       |                    |           | 99/99/99                 |     |
| pjs__qadt02       |                    |           | 99/99/99                 |     |
| pjs_amt_inv       | Amount Invoiced    | Amt Inv   | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_budget_type   | Budget Type        |           | >9                       |     |
| pjs_ca_int_type   | Work Code          |           | x(8)                     |     |
| pjs_cmtindx       | Comment Index      |           | >>>>>>9                  |     |
| pjs_completed     | Completed          |           | yes/no                   |     |
| pjs_cost          | Unit Cost          |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_cost_actual   | Actual Cost        |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_cost_iss      | Issued Cost        |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_cost_wip      | WIP Cost           |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_desc          | Description        |           | x(24)                    |     |
| pjs_detail_on_inv | Detail on Invoice  |           | yes/no                   |     |
| pjs_disc_pct      | Discount           |           | ->>9.9<%                 | 10  |
| pjs_domain        | Domain             |           | x(8)                     |     |
| pjs_frozen        | Frozen             |           | yes/no                   |     |
| pjs_fsc_code      | Category           |           | x(8)                     |     |
| pjs_inv_group     | Invoice Group      |           | x(8)                     |     |
| pjs_inv_lvl       | Invoice Level      |           | yes/no                   |     |
| pjs_line          | Project Line       |           | >>>>>>9                  |     |
| pjs_line_disp     | Project Line ID    |           | x(12)                    |     |
| pjs_line_par      | Parent Line        |           | >>>>>>9                  |     |
| pjs_line_seq      | Project Line Seq   |           | >>>9                     |     |
| pjs_line_sort     | Project Line Sort  |           | x(24)                    |     |
| pjs_link_ok       | Link to PAO        |           | yes/no                   |     |
| pjs_list_pr       | List Price         |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_mod_date      | Modified Date      | Mod Date  | 99/99/99                 |     |
| pjs_mod_userid    | User ID            |           | x(8)                     |     |
| pjs_nbr           | Project            |           | x(8)                     |     |
| pjs_part          | Item Number        |           | x(18)                    |     |
| pjs_povar_amt     | PO Variance Amount |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_price         | Net Price          |           | ->>>>, >>>, >>9.99<<<    | 10  |
| pjs_price_on_inv  | Price on Invoice   |           | yes/no                   |     |
| pjs_prod_line     | Product Line       |           | x(4)                     |     |
| pjs_qty_actual    | Qty Actual         |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_budget    | Qty Budgeted       |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_inv       | Qty Invoiced       |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_iss       | Qty Issued         |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_oh        | Project QOH        |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_planned   | Qty Planned        |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_sel_inv   | Qty to Invoice     |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_qty_wip       | Qty WIP            |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pjs_status        | Status             |           | x(8)                     |     |
| pjs_sub_nbr       | Subproject         |           | >>>9                     |     |
| pjs_subassy       | Subassembly        |           | yes/no                   |     |
| pjs_um            | UM                 |           | x(2)                     |     |
| pjs_um_conv       | UM Conversion      |           | >>>>9.9999<<<<           | 10  |
| pjs_user1         | Ufld1              |           | x(8)                     |     |
| pjs_user2         | Ufld2              |           | x(8)                     |     |
| pjs_variation     | Variation          |           | yes/no                   |     |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_pjs_mstr | yes | oid_pjs_mstr  | yes | no   |
| * pjs_line     | yes | pjs_domain    | yes | no   |
|                |     | pjs_nbr       | yes | no   |
|                |     | pjs_line      | yes | no   |
| pjs_status     | no  | pjs_domain    | yes | no   |
|                |     | pjs_nbr       | yes | no   |
|                |     | pjs_status    | yes | no   |
|                |     | pjs_link_ok   | yes | no   |
| pjs_structure  | no  | pjs_domain    | yes | no   |
|                |     | pjs_nbr       | yes | no   |
|                |     | pjs_sub_nbr   | yes | no   |
|                |     | pjs_line_par  | yes | no   |
|                |     | pjs_line_seq  | yes | no   |
| pjs_tree       | no  | pjs_domain    | yes | no   |
|                |     | pjs_nbr       | yes | no   |
|                |     | pjs_line_sort | yes | no   |

**pjt\_mstr**

Project Realization Project Type Master

| <b>Field Name</b> | <b>Label</b>  | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|---------------|------------------|--------------------------------|------------|
| oid_pjt_mstr      |               |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| pjt__qadc01       |               |                  | .9<<<<<<<<<                    |            |
| pjt__qadd01       |               |                  | x(24)                          |            |
| pjt__qadi01       |               |                  | ->>>>, >>>, >>>.99<<<          | 10         |
| pjt__qadl01       |               |                  | >>>>>>>9                       |            |
| pjt__qadt01       |               |                  | yes/no                         |            |
| pjt_ca_int_type   | Work Code     |                  | 99/99/99                       |            |
| pjt_cmtindx       | Comment Index |                  | x(8)                           |            |
| pjt_code          | Project Type  |                  | >>>>>>>9                       |            |
| pjt_desc          | Description   |                  | x(8)                           |            |
| pjt_domain        | Domain        |                  | x(24)                          |            |
| pjt_mod_date      | Modified Date | Mod Date         | x(8)                           |            |
| pjt_mod_userid    | User ID       |                  | 99/99/99                       |            |
| pjt_pr_list       | Price List    |                  | x(8)                           |            |
| pjt_priority      | Priority      |                  | >>>9                           |            |
| pjt_prod_line     | Product Line  |                  | x(4)                           |            |
| pjt_taxable       | Taxable       |                  | yes/no                         |            |
| pjt_taxc          | Tax Class     |                  | x(3)                           |            |
| pjt_user1         | Ufld1         |                  | x(8)                           |            |
| pjt_user2         | Ufld2         |                  | x(8)                           |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pjt_mstr | yes | oid_pjt_mstr | yes | no   |
| * | pjt_code     | yes | pjt_domain   | yes | no   |
|   |              |     | pjt_code     | yes | no   |

## Project Master

|            | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|------------|-------------|-----|-------------|-----|------|
| $\diamond$ | oid_pj_mstr | yes | oid_pj_mstr | yes | no   |
| $\Delta$   | pj_active   | no  | pj_domain   | yes | no   |
|            |             |     | pj_project  | yes | no   |
|            |             |     | pj_active   | yes | no   |
|            | pj_desc     | no  | pj_domain   | yes | no   |
|            |             |     | pj_desc     | yes | no   |
|            |             |     | pj_project  | yes | no   |
| *          | pj_project  | yes | pj_domain   | yes | no   |
|            |             |     | pj_project  | yes | no   |

### Pick List Work Table

| Field Name   | Label       | Col-Label | Format                         | Dec |
|--------------|-------------|-----------|--------------------------------|-----|
| oid_pk_det   |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pk__qadc01   |             |           | .9<<<<<<<<<                    |     |
| pk_domain    | Domain      |           | x(8)                           |     |
| pk_end       | End         |           | x(8)                           |     |
| pk_loc       | Location    |           | 99/99/99                       |     |
| pk_lot       | ID          |           | x(8)                           |     |
| pk_part      | Item Number |           | x(8)                           |     |
| pk_qty       | Qty         |           | x(18)                          |     |
| pk_reference | Reference   | Ref       | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| pk_start     | Start       |           | x(8)                           |     |
| Δ pk_user    |             |           | 99/99/99                       |     |
| pk_user1     | Ufld1       |           | x(50)                          |     |
| pk_user2     | Ufld2       |           | x(8)                           |     |
|              |             |           | x(8)                           |     |

|   | Index-Name | Uni | Field-Name   | Asc | Abbr |
|---|------------|-----|--------------|-----|------|
| ◇ | oid_pk_det | yes | oid_pk_det   | yes | no   |
| * | pk_det     | yes | pk_domain    | yes | no   |
|   |            |     | pk_user      | yes | no   |
|   |            |     | pk_part      | yes | no   |
|   |            |     | pk_reference | yes | no   |
|   |            |     | pk_start     | yes | no   |
|   |            |     | pk_end       | yes | no   |

**p1d\_det**

### Product Line Detail

| <b>Field Name</b> | <b>Label</b>             | <b>Col-Label</b> | <b>Format</b>            | <b>Dec</b> |
|-------------------|--------------------------|------------------|--------------------------|------------|
| oid_pld_det       |                          |                  | >>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |                          |                  | .9<<<<<<<<               |            |
| pld__qadc01       |                          |                  | x(8)                     |            |
| pld_cchg_acc      | Cost Revalue Acct        | Revalue          | x(8)                     |            |
| pld_cchg_cc       | Inv Cost Change Cost Ctr | CC               | x(4)                     |            |
| pld_cchg_sub      | Cost Revalue Sub-Acct    | Sub-Acct         | x(8)                     |            |
| pld_domain        | Domain                   |                  | x(8)                     |            |
| pld_dscr_cc       | Inv Discrep Cost Ctr     | CC               | x(4)                     |            |
| pld_dscr_sub      | Inv Discrep Sub-Acct     | Sub-Acct         | x(8)                     |            |
| pld_dsccracc      | Inv Discrep Acct         | Discrep          | x(8)                     |            |
| pld_inv_acct      | Inventory Acct           | Inventory        | x(8)                     |            |
| pld_inv_cc        | Inventory Cost Ctr       | CC               | x(4)                     |            |
| pld_inv_sub       | Inventory Sub-Acct       | Sub-Acct         | x(8)                     |            |
| pld_loc           | Location                 |                  | x(8)                     |            |
| pld_mod_date      | Modified Date            | Mod Date         | 99/99/99                 |            |
| pld_prodlne       | Product Line             | Line             | x(4)                     |            |
| pld_scrp_cc       | Scrap Cost Ctr           | CC               | x(4)                     |            |
| pld_scrp_sub      | Scrap Sub-Acct           | Sub-Acct         | x(8)                     |            |
| pld_scrpacct      | Scrap Acct               | Scrap            | x(8)                     |            |
| pld_site          | Site                     |                  | x(8)                     |            |
| pld_user1         | Ufld1                    |                  | x(8)                     |            |
| pld_user2         | Ufld2                    |                  | x(8)                     |            |
| pld_userid        | User ID                  |                  | x(8)                     |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_pld_det | yes | oid_pld_det | yes | no   |
| * | pld_det     | yes | pld_domain  | yes | no   |
|   |             |     | pld_prodlne | yes | no   |
|   |             |     | pld_site    | yes | no   |
|   |             |     | pld_loc     | yes | no   |
|   | pld_site    | yes | pld_domain  | yes | no   |
|   |             |     | pld_site    | yes | no   |
|   |             |     | pld_loc     | yes | no   |
|   |             |     | pld_prodlne | yes | no   |

◇ **pliabs\_ref**

## Legal Document Cross-Reference

| Field Name        | Label                  | Col-Label | Format                     | Dec |
|-------------------|------------------------|-----------|----------------------------|-----|
| oid_pliabs_ref    |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pliabs__qadc01    | QAD Character Field 1  |           | .9<<<<<<<<<<               |     |
| pliabs__qadc02    | QAD Character Field 2  |           | x(24)                      |     |
| pliabs_abs_id     | Shipper ID             |           | x(20)                      |     |
| pliabs_domain     | Domain                 |           | x(8)                       |     |
| pliabs_mod_date   | Modified Date          | Mod Date  | 99/99/99                   |     |
| pliabs_mod_userid | User ID                |           | x(8)                       |     |
| pliabs_pli_keyid  | Key ID                 |           | >>>>>>>>                   |     |
| pliabs_supplier   | Supplier               |           | x(8)                       |     |
| pliabs_user1      | User Field Character 1 |           | x(24)                      |     |
| pliabs_user2      | User Field Character 2 |           | x(24)                      |     |

| Index-Name          | Uni | Field-Name       | Asc | Abbr |
|---------------------|-----|------------------|-----|------|
| ◇ oid_pliabs_ref    | yes | oid_pliabs_ref   | yes | no   |
| ◇* pliabs_pli_keyid | yes | pliabs_domain    | yes | no   |
|                     |     | pliabs_pli_keyid | yes | no   |
| ◇ pliabs_supplier   | no  | pliabs_domain    | yes | no   |
|                     |     | pliabs_supplier  | yes | no   |
|                     |     | pliabs_abs_id    | yes | no   |

**plid\_det**

## Purchase Ledger Invoice Detail

| Field Name      | Label                  | Col-Label       | Format                        | Dec |
|-----------------|------------------------|-----------------|-------------------------------|-----|
| oid_plid_det    |                        |                 | >>>>>>>>>>>>>>>>>>>>>>9       | 10  |
| plid__qadc01    |                        |                 | .9<<<<<<<<<                   |     |
| plid__qadc02    |                        |                 | x(24)                         |     |
| ◇ plid_abs_id   | Shipper ID             | Shipper ID      | x(24)                         |     |
| ◇ plid_cmtindx  | Comment Index          | Comment         | x(20)                         |     |
| plid_domain     | Domain                 |                 | >>>>>>9                       |     |
| ◇ plid_grosswgt | Gross Weight           | Gross Wt        | x(8)                          |     |
| plid_inv_cost   | Invoice Cost           |                 | >, >>, >>9.9<<<<<<<<          | 10  |
| plid_inv_qty    | Invoice Quantity       |                 | ->>>, >>>, >>9.99<<<          | 10  |
| plid_line       | Line                   |                 | ->, >>>, >>>, >>9.99<<<<<<<<< | 10  |
| plid_mod_date   | Modified Date          | Mod Date        | >>>>>>9                       |     |
| plid_mod_userid | User ID                |                 | 99/99/99                      |     |
| ◇ plid_netwgt   | Net Weight             |                 | x(8)                          |     |
| plid_order      | Order                  |                 | >, >>, >>9.9<<<<<<<<          | 10  |
| plid_order_line | Order Line             | Ln              | x(8)                          |     |
| plid_order_type | Order Type             | Order! Type     | >>9                           |     |
| plid_pli_keyid  | Invoice Key ID         | Invoice! Key ID | x(2)                          |     |
| plid_pvo_id     | Pending Voucher ID     | Pend Vchr       | >>>>>>>>                      |     |
| plid_tax_env    | Tax Environment        | Tax Env         | >>>>>>>>                      |     |
| plid_tax_in     | Tax In                 | Tax! In         | x(16)                         |     |
| plid_tax_usage  | Tax Usage              | Tax! Usage      | yes/no                        |     |
| plid_taxable    | Taxable                | Tax             | x(8)                          |     |
| plid_taxc       | Tax Class              | Tax! Class      | yes/no                        |     |
| plid_user1      | User Field Character 1 |                 | x(3)                          |     |
| plid_user2      | User Field Character 2 |                 | x(24)                         |     |
|                 |                        |                 | x(24)                         |     |

| Index-Name           | Uni | Field-Name      | Asc | Abbr |
|----------------------|-----|-----------------|-----|------|
| oid_plid_det         | yes | oid_plid_det    | yes | no   |
| plid_order           | no  | plid_domain     | yes | no   |
|                      |     | plid_order      | yes | no   |
|                      |     | plid_order_line | yes | no   |
|                      |     | plid_domain     | yes | no   |
| * plid_pli_keyid     | yes | plid_pli_keyid  | yes | no   |
| plid_pli_keyid_order | no  | plid_line       | yes | no   |
|                      |     | plid_domain     | yes | no   |
|                      |     | plid_pli_keyid  | yes | no   |
|                      |     | plid_order      | yes | no   |
| plid_order_line      | no  | plid_order_line | yes | no   |
|                      |     | plid_domain     | yes | no   |
|                      |     | plid_pvo_id     | yes | no   |
| plid_pvo_id          | no  | plid_pvo_id     | yes | no   |

**pli mstr**

Purchase Ledger Invoice Master

| <b>Field Name</b> | <b>Label</b>     | <b>Col-Label</b> | <b>Format</b>             | <b>Dec</b> |
|-------------------|------------------|------------------|---------------------------|------------|
| oid_pli_mstr      |                  |                  | >>>>>>>>>>>>>>>>>>>>>9    | 10         |
| pli_qadc01        |                  |                  | .9<<<<<<<<                |            |
| pli__qadc02       |                  |                  | x(24)                     |            |
| Δ pli__qadc03     |                  |                  | x(24)                     |            |
| Δ pli__qadc04     |                  |                  | x(24)                     |            |
| ◇ pli_cinvoice_id | Invoice ID       |                  | 99999999999               |            |
| ◇ pli_cr_terms    | Credit Terms     |                  | x(8)                      |            |
| pli_curr          | Currency         | Cur              | x(3)                      |            |
| ◇ pli_discamt     | Discount Amount  | Disc Amt         | ->>>, >>>, >>9.99<        | 10         |
| ◇ pli_docmodel    | Document Model   |                  | x(3)                      |            |
| pli_domain        | Domain           |                  | x(8)                      |            |
| pli_ex_rate       | Exch Rate        |                  | ->>>, >>>, >>9.9<<<<<<<<< | 10         |
| pli_ex_rate2      | Exch Rate 2      |                  | ->>>, >>>, >>9.9<<<<<<<<< | 10         |
| pli_ex_ratetype   | Rate Type        |                  | x(8)                      |            |
| pli_exru_seq      | Sequence         |                  | >>>>>>>9                  |            |
| ◇ pli_fix_rate    | Fixed Rate       |                  | yes/no                    |            |
| ◇ pli_goodsamt    | Goods Amount     |                  | ->>>, >>>, >>9.99<        | 10         |
| pli_invoice       | Invoice Number   |                  | x(20)                     |            |
| pli_invoice_amt   | Invoice Amount   |                  | ->, >>>, >>>, >>9.99<     | 10         |
| pli_invoice_date  | Invoice Date     | Inv Date         | 99/99/99                  |            |
| pli_keyid         | Key ID           |                  | >>>>>>>>                  |            |
| ◇ pli_ldamt       | Legal Doc Amount |                  | ->>>, >>>, >>9.99<        | 10         |
| pli_mod_date      | Modified Date    | Mod Date         | 99/99/99                  |            |
| pli_mod_userid    | User ID          |                  | x(8)                      |            |
| ◇ pli_shipperid   | Shipper ID       |                  | x(20)                     |            |
| pli_supplier      | Supplier         |                  | x(8)                      |            |
| pli_tax_date      | Tax Date         |                  | 99/99/99                  |            |
| pli_tax_env       | Tax Environment  | Tax Env          | x(16)                     |            |
| pli_tax_in        | Tax In           | Tax! In          | yes/no                    |            |
| pli_tax_usage     | Tax Usage        | TaxUsage         | x(8)                      |            |
| pli_taxable       | Taxable          | Tax              | yes/no                    |            |
| pli_taxc          | Tax Class        | TxC              | x(3)                      |            |
| ◇ pli_totwtg      | Total Weight     |                  | >, >>>, >>9.9<<<<<<<<     | 10         |



|   | Field Name     | Label                  | Col-Label | Format               | Dec |
|---|----------------|------------------------|-----------|----------------------|-----|
| ◇ | pli_traileramt | Trailer Amount         |           | ->>>>,>>>, >>9.99<   | 10  |
|   | pli_user1      | User Field Character 1 |           | x(24)                |     |
|   | pli_user2      | User Field Character 2 |           | x(24)                |     |
| Δ | pli_vo_ref     | Voucher                |           | x(22)                |     |
| ◇ | pli_vol_um     | Volume UM              | Vol UM    | x(2)                 |     |
| ◇ | pli_volume     | Volume                 |           | >,>>>,>>9.9<<<<<<<<< | 10  |
| ◇ | pli_wt_um      | Weight UM              | UM        | x(2)                 |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pli_mstr | yes | oid_pli_mstr | yes | no   |
|   | pli_invoice  | no  | pli_domain   | yes | no   |
|   |              |     | pli_supplier | yes | no   |
|   |              |     | pli_invoice  | yes | no   |
| * | pli_keyid    | yes | pli_domain   | yes | no   |
|   |              |     | pli_keyid    | yes | no   |
|   | pli_vo_ref   | no  | pli_domain   | yes | no   |
|   |              |     | pli_vo_ref   | yes | no   |

### Product Line Sales Detail

| <b>Field Name</b> | <b>Label</b>              | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|---------------------------|------------------|--------------------------------|------------|
| oid_plsd_det      |                           |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |                           |                  | .9<<<<<<<<<                    |            |
| plsd_qadc01       |                           |                  | x(8)                           |            |
| plsd_cbdn_acct    | COGS Burden Acct          | COGS-Bdn         | x(8)                           |            |
| plsd_cbdn_cc      | COGS Burden CC            | CC               | x(4)                           |            |
| plsd_cbdn_sub     | COGS Burden Sub-Acct      | Sub-Acct         | x(8)                           |            |
| plsd_channel      | Channel                   |                  | x(8)                           |            |
| plsd_clbr_acct    | COGS Labor Acct           | COGS-Lbr         | x(8)                           |            |
| plsd_clbr_cc      | COGS Labor CC             | CC               | x(4)                           |            |
| plsd_clbr_sub     | COGS Labor Sub-Acct       | Sub-Acct         | x(8)                           |            |
| plsd_cmtrl_acct   | COGS Material Acct        | COGS-Mtl         | x(8)                           |            |
| plsd_cmtrl_cc     | COGS Material CC          | CC               | x(4)                           |            |
| plsd_cmtrl_sub    | COGS Mtl Sub-Acct         | Sub-Acct         | x(8)                           |            |
| plsd_cmtype       | Customer Type             | Type             | x(4)                           |            |
| plsd_covh_acct    | COGS Overhead Acct        | COGS-Ovh         | x(8)                           |            |
| plsd_covh_cc      | COGS Overhead CC          | CC               | x(4)                           |            |
| plsd_covh_sub     | COGS Overhead Sub         | Sub-Acct         | x(8)                           |            |
| plsd_csub_acct    | COGS Subcontract Acct     | COGS-Sub         | x(8)                           |            |
| plsd_csub_cc      | COGS Subcontract CC       | CC               | x(4)                           |            |
| plsd_csub_sub     | COGS Subcontract Sub      | Sub-Acct         | x(8)                           |            |
| plsd_domain       | Domain                    |                  | x(8)                           |            |
| plsd_dsc_acct     | Sales Disc Acct           | Disc Acct        | x(8)                           |            |
| plsd_dsc_cc       | Sales Disc Ctr            | CC               | x(4)                           |            |
| plsd_dsc_sub      | Sales Disc Sub-Acct       | Sub-Acct         | x(8)                           |            |
| plsd_fsaccr_acct  | Accrued Revenue           | Accrued          | x(8)                           |            |
| plsd_fsaccr_cc    | Accrued Revenue CC        |                  | x(4)                           |            |
| plsd_fsaccr_sub   | Accrued Revenue Sub-Acct  |                  | x(8)                           |            |
| plsd_fsdef_acct   | Deferred Revenue          | Deferred         | x(8)                           |            |
| plsd_fsdef_cc     | Deferred Revenue CC       |                  | x(4)                           |            |
| plsd_fsdef_sub    | Deferred Revenue Sub-Acct |                  | x(8)                           |            |
| plsd_mod_date     | Modified Date             | Mod Date         | 99/99/99                       |            |

| Field Name    | Label          | Col-Label | Format | Dec |
|---------------|----------------|-----------|--------|-----|
| plsd_prodlne  | Product Line   | Line      | x(4)   |     |
| plsd_site     | Site           |           | x(8)   |     |
| plsd_sls_acct | Sales Acct     | Sales     | x(8)   |     |
| plsd_sls_cc   | Sales Cost Ctr | CC        | x(4)   |     |
| plsd_sls_sub  | Sales Sub-Acct | Sub-Acct  | x(8)   |     |
| plsd_user1    | Ufld1          |           | x(8)   |     |
| plsd_user2    | Ufld2          |           | x(8)   |     |
| plsd_userid   | User ID        |           | x(8)   |     |

|   | Index-Name     | Uni | Field-Name     | Asc | Abbr |
|---|----------------|-----|----------------|-----|------|
| ◇ | oid_plsd_det   | yes | oid_plsd_det   | yes | no   |
| * | plsd_prodl ine | yes | plsd_domain    | yes | no   |
|   |                |     | plsd_prodl ine | yes | no   |
|   |                |     | plsd_site      | yes | no   |
|   |                |     | plsd_cmtype    | yes | no   |
|   |                |     | plsd_channel   | yes | no   |

## plt\_det

### Product Line Tax Detail

| Field Name    | Label         | Col-Label | Format                     | Dec |
|---------------|---------------|-----------|----------------------------|-----|
| oid_plt_det   |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|               |               |           | .9<<<<<<<<                 |     |
| plt_qadc01    |               |           | x(8)                       |     |
| plt_domain    | Domain        |           | x(8)                       |     |
| plt_mod_date  | Modified Date | Mod Date  | 99/99/99                   |     |
| plt_prod_line | Product Line  | Line      | x(4)                       |     |
| plt_tax_type  | Tax Type      |           | x(3)                       |     |
| plt_taxable   | Taxable       |           | yes/no                     |     |
| plt_txc       | Tax Class     | TxC       | x(3)                       |     |
| plt_user1     | User1         |           | x(8)                       |     |
| plt_user2     | User2         |           | x(8)                       |     |
| plt_userid    | User ID       |           | x(8)                       |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_plt_det   | yes | oid_plt_det   | yes | no   |
| * | plt_prod_line | yes | plt_domain    | yes | no   |
|   |               |     | plt_prod_line | yes | no   |
|   |               |     | plt_tax_type  | yes | no   |

**pl\_mstr**

## Product Line Master

| Field Name  | Label | Col-Label | Format                   | Dec |
|-------------|-------|-----------|--------------------------|-----|
| oid_pl_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |       |           | .9<<<<<<<<               |     |
| pl__chr01   |       |           | x(8)                     |     |
| pl__chr02   |       |           | x(8)                     |     |
| pl__chr03   |       |           | x(8)                     |     |
| pl__chr04   |       |           | x(8)                     |     |

| Field Name   | Label                 | Col-Label | Format         | Dec |
|--------------|-----------------------|-----------|----------------|-----|
| pl__chr05    |                       |           | x(8)           |     |
| pl__dec01    |                       |           | >>>,>>>,>>9.99 | 10  |
| pl__dec02    |                       |           | >>>,>>>,>>9.99 | 10  |
| pl__dte01    |                       |           | 99/99/99       |     |
| pl__dte02    |                       |           | 99/99/99       |     |
| pl__log01    |                       |           | yes/no         |     |
| pl__qadc01   | QAD Character Field 1 |           | X(8)           |     |
| pl__qadc02   | QAD Character Field 2 |           | X(8)           |     |
| pl__qadc03   | QAD Character Field 3 |           | X(8)           |     |
| pl__qadc04   | QAD Character Field 4 |           | X(8)           |     |
| pl__qadc05   | QAD Character Field 5 |           | X(8)           |     |
| pl__qadc06   |                       |           | x(8)           |     |
| pl__qadc07   |                       |           | x(4)           |     |
| pl__qadc08   |                       |           | x(8)           |     |
| pl__qadc09   |                       |           | x(4)           |     |
| pl__qadc10   |                       |           | x(8)           |     |
| pl__qadc11   |                       |           | x(4)           |     |
| pl__qadc12   |                       |           | x(8)           |     |
| pl__qadc13   |                       |           | x(4)           |     |
| pl__qadc14   |                       |           | x(8)           |     |
| pl__qadc15   |                       |           | x(4)           |     |
| pl__qadd01   | QAD Decimal Field 1   |           | ->>,>>9.99     | 10  |
| pl__qadl01   | QAD Logical Field 1   |           | yes/no         |     |
| pl__qadt01   | QAD Date Field 1      |           | 99/99/99       |     |
| pl_apvr_acct | AP Rate Var Acct      | AP Rate   | x(8)           |     |
| pl_apvr_cc   | AP Rate Var Cost Ctr  | CC        | x(4)           |     |
| pl_apvr_sub  | AP Rate Var Sub-Acct  | Sub-Acct  | x(8)           |     |
| pl_apvu_acct | AP Usage Var Acct     | AP Usage  | x(8)           |     |
| pl_apvu_cc   | AP Usage Var Cost Ctr | CC        | x(4)           |     |
| pl_apvu_sub  | AP Usage Var Sub-Acct | Sub-Acct  | x(8)           |     |
| pl_cbdn_acct | COGS Burden Acct      | COGS-Bdn  | x(8)           |     |
| pl_cbdn_cc   | COGS Burden CC        | CC        | x(4)           |     |
| pl_cbdn_sub  | COGS Burden Sub-Acct  | Sub-Acct  | x(8)           |     |
| pl_cchg_acct | Cost Revalue Acct     | Revalue   | x(8)           |     |
| pl_cchg_cc   | Cost Revalue Cost Ctr | CC        | x(4)           |     |
| pl_cchg_sub  | Cost Revalue Sub-Acct | Sub-Acct  | x(8)           |     |
| pl_clbr_acct | COGS Labor Acct       | COGS-Lbr  | x(8)           |     |
| pl_clbr_cc   | COGS Labor CC         | CC        | x(4)           |     |
| pl_clbr_sub  | COGS Labor Sub-Acct   | Sub-Acct  | x(8)           |     |
| pl_cmtl_acct | COGS Material Acct    | COGS-Mtl  | x(8)           |     |
| pl_cmtl_cc   | COGS Material CC      | CC        | x(4)           |     |
| pl_cmtl_sub  | COGS Mtl Sub-Acct     | Sub-Acct  | x(8)           |     |
| pl_cog_acct  | Cost of Goods Acct    | COGS      | x(8)           |     |
| pl_cog_cc    | COG Cost Ctr          | CC        | x(4)           |     |
| pl_cog_sub   | COGS Sub-Acct         | Sub-Acct  | x(8)           |     |
| pl_cop_acct  | Cost of Production    | COP       | x(8)           |     |
| pl_cop_cc    | Cost of Prod CC       | CC        | x(4)           |     |
| pl_cop_sub   | COP Sub-Acct          | Sub-Acct  | x(8)           |     |
| pl_covh_acct | COGS Overhead Acct    | COGS-Ovh  | x(8)           |     |
| pl_covh_cc   | COGS Overhead CC      | CC        | x(4)           |     |
| pl_covh_sub  | COGS Overhead Sub     | Sub-Acct  | x(8)           |     |
| pl_csub_acct | COGS Subcontract Acct | COGS-Sub  | x(8)           |     |
| pl_csub_cc   | COGS Subcontract CC   | CC        | x(4)           |     |
| pl_csub_sub  | COGS Subcontract Sub  | Sub-Acct  | x(8)           |     |
| pl_desc      | Description           |           | x(24)          |     |
| pl_division  |                       |           | x(8)           |     |
| pl_domain    | Domain                |           | x(8)           |     |

| Field Name       | Label                      | Col-Label | Format   | Dec |
|------------------|----------------------------|-----------|----------|-----|
| pl_dsc_acct      | Sales Disc Acct            | Disc Acct | x(8)     |     |
| pl_dsc_cc        | Sales Disc Ctr             | CC        | x(4)     |     |
| pl_dsc_sub       | Sales Disc Sub-Acct        | Sub-Acct  | x(8)     |     |
| pl_dscr_acct     | Inv Discrep Acct           | Discrep   | x(8)     |     |
| pl_dscr_cc       | Inv Discrep Cost Ctr       | CC        | x(4)     |     |
| pl_dscr_sub      | Inv Discrep Sub-Acct       | Sub-Acct  | x(8)     |     |
| pl_esls_acct     | Exempt Sales Acct          |           | x(8)     |     |
| pl_esls_cc       | Exempt Sales Cost Ctr      |           | x(4)     |     |
| pl_fiscal_class  | Fiscal Class               |           | x(18)    |     |
| pl_flr_acct      | Floor Stock Account        | Flr Acct  | x(8)     |     |
| pl_flr_cc        | Floor Stock CC             | CC        | x(4)     |     |
| pl_flr_sub       | Floor Stock Sub-Acct       | Sub-Acct  | x(8)     |     |
| pl_fsaccr_acct   | Accrued Revenue            | Accrued   | x(8)     |     |
| pl_fsaccr_cc     | Accrued Revenue CC         |           | x(4)     |     |
| pl_fsaccr_sub    | Accrued Revenue Sub-Acct   |           | x(8)     |     |
| pl_fsbdn_acct    | Service Overhead           | Ovh       | x(8)     |     |
| pl_fsbdn_cc      | Service Overhead CC        | CC        | x(4)     |     |
| pl_fsbdn_sub     | Service Overhead Sub       | Sub-Acct  | x(8)     |     |
| pl_fscm_inv_acct | Customer Inventory         | Cus Inv   | x(8)     |     |
| pl_fscm_inv_cc   | Customer Inventory CC      | CC        | x(4)     |     |
| pl_fscm_inv_sub  | Customer Inv Sub-Acct      | Sub-Acct  | x(8)     |     |
| pl_fsdef_acct    | Deferred Revenue           | Deferred  | x(8)     |     |
| pl_fsdef_cc      | Deferred Revenue CC        |           | x(4)     |     |
| pl_fsdef_sub     | Deferred Revenue Sub-Acct  |           | x(8)     |     |
| pl_fsexd_acct    | Expense Due Employee       |           | x(8)     |     |
| pl_fsexd_cc      | Expenses Due CC            | CC        | x(4)     |     |
| pl_fsexd_sub     | Exp Due Employee Sub       | Sub-Acct  | x(8)     |     |
| pl_fsexp_acct    | Service Expense            | Sv Exp    | x(8)     |     |
| pl_fsexp_cc      | Service Expenses CC        | CC        | x(4)     |     |
| pl_fsexp_sub     | Service Exp Sub-Acct       | Sub-Acct  | x(8)     |     |
| pl_fslbr_acct    | Service Labor              | Svc Lbr   | x(8)     |     |
| pl_fslbr_cc      | Service Labor CC           | CC        | x(4)     |     |
| pl_fslbr_sub     | Service Labor Sub-Acct     | Sub-Acct  | x(8)     |     |
| pl_fsrc_inv_acct | Repair Center Inv          |           | x(8)     |     |
| pl_fsrc_inv_cc   | Repair Center CC           | CC        | x(4)     |     |
| pl_fsrc_inv_sub  | Repair Cent Inv Sub        | Sub-Acct  | x(8)     |     |
| Δ pl_group       | Group                      |           | x(8)     |     |
| pl_inv_acct      | Inventory Acct             | Inventory | x(8)     |     |
| pl_inv_cc        | Inventory Cost Ctr         | CC        | x(4)     |     |
| pl_inv_sub       | Inventory Sub-Acct         | Sub-Acct  | x(8)     |     |
| pl_mod_date      | Modified Date              | Mod Date  | 99/99/99 |     |
| pl_mvar_acct     | Material Usage Var         | Mtl Use   | x(8)     |     |
| pl_mvar_cc       | Material Usage Variance CC | CC        | x(4)     |     |
| pl_mvar_sub      | Mat Usage Var Sub          | Sub-Acct  | x(8)     |     |
| pl_mvrr_acct     | Material Rate Var          | Mtl Rate  | x(8)     |     |
| pl_mvrr_cc       | Material Rate Variance CC  | CC        | x(4)     |     |
| pl_mvrr_sub      | Mat Rate Var Sub           | Sub-Acct  | x(8)     |     |
| pl_ovh_acct      | Overhead Appl Acct         | Overhead  | x(8)     |     |
| pl_ovh_cc        | Overhead Appl CC           | CC        | x(4)     |     |
| pl_ovh_sub       | Overhead Appl Sub          | Sub-Acct  | x(8)     |     |
| pl_ppv_acct      | PO Price Var Acct          | PO Var    | x(8)     |     |
| pl_ppv_cc        | PO Price Var Cost Ctr      | CC        | x(4)     |     |
| pl_ppv_sub       | PO Price Var Sub           | Sub-Acct  | x(8)     |     |
| pl_prod_line     | Product Line               | Line      | x(4)     |     |
| pl_pst           | PST Taxed                  |           | yes/no   |     |
| pl_pur_acct      | Purchases Acct             | Purchases | x(8)     |     |
| pl_pur_cc        | Purchases Cost Ctr         | CC        | x(4)     |     |

| Field Name   | Label                      | Col-Label | Format | Dec |
|--------------|----------------------------|-----------|--------|-----|
| pl_pur_sub   | Purchases Sub-Acct         | Sub-Acct  | x(8)   | 0   |
| pl_rcpt_acct | PO Receipts Acct           | PO Rct    | x(8)   |     |
| pl_rcpt_cc   | PO Receipts Cost Ctr       | CC        | x(4)   |     |
| pl_rcpt_sub  | PO Receipts Sub-Acct       | Sub-Acct  | x(8)   |     |
| pl_rmar_acct | Service Returns            |           | x(8)   |     |
| pl_rmar_cc   | RMA Return CC              | CC        | x(4)   |     |
| pl_rmar_sub  | Service Returns Sub        | Sub-Acct  | x(8)   |     |
| pl_scrp_acct | Scrap Acct                 | Scrap     | x(8)   |     |
| pl_scrp_cc   | Scrap Cost Ctr             | CC        | x(4)   |     |
| pl_scrp_sub  | Scrap Sub-Acct             | Sub-Acct  | x(8)   |     |
| pl_sls_acct  | Sales Acct                 | Sales     | x(8)   |     |
| pl_sls_cc    | Sales Cost Ctr             | CC        | x(4)   |     |
| pl_sls_sub   | Sales Sub-Acct             | Sub-Acct  | x(8)   |     |
| pl_svar_acct | Subcontract Usage Var      | Sub Use   | x(8)   |     |
| pl_svar_cc   | Subcontract Usage Variance | CC        | x(4)   |     |
|              | CC                         |           |        |     |
| pl_svar_sub  | Sub Usage Var Sub-Acct     | Sub-Acct  | x(8)   |     |
| pl_svrn_acct | Subcontract Rate Var       | Sub Rate  | x(8)   |     |
| pl_svrn_cc   | Subcontract Rate Variance  | CC        | x(4)   |     |
|              | CC                         |           |        |     |
| pl_svrn_sub  | Sub Rate Var Sub-Acct      | Sub-Acct  | x(8)   |     |
| pl_taxable   | Taxable                    | Tax       | yes/no |     |
| pl_taxc      | Tax Class                  | TxC       | x(3)   |     |
| pl_user1     | Ufld1                      |           | x(8)   |     |
| pl_user2     | Ufld2                      |           | x(8)   |     |
| pl_userid    | User ID                    |           | x(8)   |     |
| pl_wip_acct  | Work in Process Acct       | WIP       | x(8)   |     |
| pl_wip_cc    | WIP Cost Ctr               | CC        | x(4)   |     |
| pl_wip_sub   | WIP Sub-Acct               | Sub-Acct  | x(8)   |     |
| pl_wvar_acct | Method Variance Acct       | Mthd Var  | x(8)   |     |
| pl_wvar_cc   | Method Variance CC         | CC        | x(4)   |     |
| pl_wvar_sub  | Method Var Sub-Acct        | Sub-Acct  | x(8)   |     |
| pl_xfer_acct | Transfer Variance Account  | Account   | x(8)   |     |
| pl_xfer_cc   | Transfer Variance CC       | CC        | x(4)   |     |
| pl_xfer_sub  | Transfer Variance Sub      | Sub-Acct  | x(8)   |     |
| pl_xvar_acct | Mix Var                    | Mix       | x(8)   |     |
| pl_xvar_cc   | Mix Var CC                 | CC        | x(4)   |     |
| pl_xvar_sub  | Mix Var Sub-Acct           | Sub-Acct  | x(8)   |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ old_pl_mstr  | yes | old_pl_mstr  | yes | no   |
| pl_desc        | yes | pl_domain    | yes | no   |
|                |     | pl_desc      | yes | no   |
|                |     | pl_prod_line | yes | no   |
| * pl_prod_line | yes | pl_domain    | yes | no   |
|                |     | pl_prod_line | yes | no   |

◇ **poad det** Purchase Order Allocation Detail

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                        | <b>Decimals</b> |
|-------------------|------------------------|------------------|--------------------------------------|-----------------|
| oid_poa_mstr      |                        |                  | >>>>>>>>>>>>>>>>>>>>>9               | 10              |
| oid_poad_det      |                        |                  | .9<<<<<<<<<br>>>>>>>>>>>>>>>>>>>>>>9 | 10              |
| poad__qadc01      | QAD Character Field 1  |                  | x(24)                                |                 |
| poad__qadc02      | QAD Character Field 2  |                  | x(24)                                |                 |
| poad_domain       | Domain                 |                  | x(8)                                 |                 |
| poad_mod_date     | Modified Date          | Mod Date         | 99/99/99                             |                 |
| poad_mod_userid   | User ID                |                  | x(8)                                 |                 |
| poad_percent      | MRP Percent            | Percent          | >>9.9<                               | 10              |
| poad_po_nbr       | Purchase Order         | Order            | x(8)                                 |                 |
| poad_pod_line     | Line                   |                  | >>9                                  |                 |
| poad_supplier     | Supplier               |                  | x(8)                                 |                 |
| poad_user1        | User Field Character 1 |                  | x(24)                                |                 |
| poad_user2        | User Field Character 2 |                  | x(24)                                |                 |

| Index-Name           | Uni | Field-Name    | Asc | Abbr |
|----------------------|-----|---------------|-----|------|
| ◇ oid_poad_det       | yes | oid_poad_det  | yes | no   |
| ◇* poad_oid_poa_mstr | no  | oid_poa_mstr  | yes | no   |
|                      |     | poad_po_nbr   | yes | no   |
|                      |     | poad_pod_line | yes | no   |
| ◇ poad_supplier      | no  | poad_domain   | yes | no   |
|                      |     | poad_supplier | yes | no   |

◇ **poa mstr** Purchase Order Allocation Master

| Field Name     | Label                  | Col-Label   | Format                         | Dec |
|----------------|------------------------|-------------|--------------------------------|-----|
| oid_poa_mstr   |                        |             | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| poa__qadc01    | QAD Character Field 1  |             | .9<<<<<<<<<                    |     |
| poa__qadc02    | QAD Character Field 2  |             | x(24)                          |     |
| poa_domain     | Domain                 |             | x(8)                           |     |
| poa_eff_date   | Effective Date         | Effective   | 99/99/99                       |     |
| poa_mod_date   | Modified Date          | Mod Date    | 99/99/99                       |     |
| poa_mod_userid | User ID                |             | x(8)                           |     |
| poa_operation  | Operation              | Op          | >>>>9                          |     |
| poa_order_type | Order Type             | Order! Type | >9                             |     |
| poa_part       | Item Number            |             | x(18)                          |     |
| poa_routing    | Routing Code           |             | x(18)                          |     |
| poa_site       | Site                   |             | x(8)                           |     |
| poa_user1      | User Field Character 1 |             | x(24)                          |     |
| poa_user2      | User Field Character 2 |             | x(24)                          |     |

| Index-Name        | Uni | Field-Name     | Asc | Abbr |
|-------------------|-----|----------------|-----|------|
| ◇ oid_poa_mstr    | yes | oid_poa_mstr   | yes | no   |
| ◇* poa_order_type | yes | poa_domain     | yes | no   |
|                   |     | poa_order_type | yes | no   |
|                   |     | poa_site       | yes | no   |
|                   |     | poa_part       | yes | no   |
|                   |     | poa_routing    | yes | no   |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
|                 |     | poa_operation | yes | no   |
|                 |     | poa_eff_date  | yes | no   |
| ◇ poa_part_site | no  | poa_domain    | yes | no   |
|                 |     | poa_part      | yes | no   |
|                 |     | poa_site      | yes | no   |

**poc\_ctrl**

## Purchase Order Control

| Field Name               | Label                          | Col-Label              | Format                         | Dec |
|--------------------------|--------------------------------|------------------------|--------------------------------|-----|
| oid_poc_ctrl             |                                |                        | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| poc__qad01               |                                |                        | .9<<<<<<<<<                    |     |
| poc__qadc01              | QAD Field                      |                        | 99999                          |     |
| poc__qadc02              | QAD Field                      |                        | X(8)                           | 0   |
| poc__qadc03              | QAD Field                      |                        | X(8)                           | 0   |
| poc__qadc04              |                                |                        | X(8)                           | 0   |
| poc__qadc05              |                                |                        | x(4)                           |     |
| poc__qadd01              | QAD Field                      |                        | ->>>>, >>>, >>9.99<<<          | 10  |
| poc__qadd02              | QAD Field                      |                        | ->>>>, >>>, >>9.99<<<          | 10  |
| poc__qadi02              | QAD Field                      |                        | ->, >>>, >>9                   |     |
| poc__qadi03              |                                |                        | ->>>>>>>9                      |     |
| ◇ poc__qadi04            | QAD Field                      |                        | ->, >>>, >>9                   |     |
| poc__qadi01              | QAD Field                      |                        | yes/no                         |     |
| poc__qadi02              | QAD Field                      |                        | yes/no                         |     |
| poc__qadi03              | QAD Field                      |                        | yes/no                         |     |
| poc__qadi04              | QAD Field                      |                        | yes/no                         |     |
| ◇ poc__qadi07            | QAD Field                      |                        | yes/no                         |     |
| ◇ poc__qadi08            |                                |                        | yes/no                         |     |
| poc__qadt01              | QAD Field                      |                        | 99/99/99                       |     |
| poc_ack_req              | Require Acknowledgment         | Req Conf               | yes/no                         |     |
| poc_apv_req              | Approved Reqs Needed for POs   |                        | yes/no                         |     |
| poc_bill                 | Bill-To                        |                        | x(8)                           |     |
| poc_crtacc_acct          | PO Interest Accrued Acct       |                        | X(8)                           |     |
| poc_crtacc_cc            | PO Interest Accrued CC         | CC                     | X(4)                           |     |
| poc_crtacc_sub           | PO Int Accrued Sub-Acct        | Sub-Acct               | x(8)                           |     |
| poc_crtapp_acct          | PO Interest Applied Acct       |                        | X(8)                           |     |
| poc_crtapp_cc            | PO Interest Applied CC         | CC                     | X(4)                           |     |
| poc_crtapp_sub           | PO Int Applied Sub-Acct        | Sub-Acct               | x(8)                           |     |
| △ poc_date_based_rlse_id | Generate Date Based Release ID | Gen Date Based Rlse ID | yes/no                         |     |
| poc_domain               | Domain                         |                        | x(8)                           |     |
| poc_ers_opt              | ERS Option                     | ERS! Opt               | x(1)                           |     |
| poc_ers_proc             | ERS Processing                 |                        | yes/no                         |     |
| poc_ex_ratetype          | Rate Type                      |                        | x(8)                           |     |
| poc_fst_id               | Company FST ID                 |                        | x(18)                          |     |
| poc_hcmmts               | PO Header Comments             |                        | yes/no                         |     |
| poc_insp_loc             | Inspection Location            | Inspect                | x(8)                           |     |
| poc_lcmmts               | PO Line Comments               |                        | yes/no                         |     |
| poc_ln_fmt               | Ln Format S/M                  | Ln Format              | single/multi                   |     |
| poc_ln_stat              | Cancel Backorders              | Cancel                 | x(1)                           |     |
| poc_multi_due_dates      | Multi Due Dates                | Multi! Due! Dates      | yes/no                         |     |
| poc_next_batch           | Next Fiscal Batch              |                        | >>>>>>>>9                      |     |
| poc_pc_line              | Price by PO Line Due Date      |                        | yes/no                         |     |

| Field Name               | Label                     | Col-Label     | Format                | Dec |
|--------------------------|---------------------------|---------------|-----------------------|-----|
| poc_pl_req               | Price List Required       |               | yes/no                |     |
| poc_po_hist              | Keep Booking History      | Book! Hst     | yes/no                |     |
| poc_po_nbr               | Next Purchase Order       | Next PO       | 99999999              |     |
| poc_po_pre               | PO Prefix                 | Pre           | x(3)                  |     |
| poc_pst_id               | PST ID                    |               | x(18)                 |     |
| poc_pt_req               | Price Table Required      |               | yes/no                |     |
| poc_rcv_all              | Receive All               |               | yes/no                |     |
| poc_rcv_nbr              | Next Receiver             | Next Rcvr     | 99999999              | 0   |
| poc_rcv_pre              | Receiver Prefix           | Pre           | x(3)                  |     |
| poc_rcv_type             | Receiver Type             | T             | 9                     | 0   |
| poc_req_nbr              | Next Req                  |               | >>>>>>9               |     |
| poc_req_pre              | Requisition Prefix        | Pre           | x(3)                  |     |
| Δ poc_sched_disc_tbl_req | Sched Disc Table Required |               | yes/no                |     |
| poc_ship                 | Ship-To                   |               | x(8)                  |     |
| poc_sort_by              | Sort PO By                |               | Site/Line             |     |
| poc_tol_cst              | Tolerance Cost            | Tolerance \$  | >>>>, >>>, >>>9.99<<< | 10  |
| poc_tol_pct              | Tolerance Percent         | Tol %         | >>>>.99               | 10  |
| poc_user1                | Ufid1                     |               | x(8)                  |     |
| poc_user2                | Ufid2                     |               | x(8)                  |     |
| Δ poc_zero sched         | Zero Schedule             | Zero Schedule | >>9                   |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_poc_ctrl | yes | oid_poc_ctrl | yes | no   |
| * | poc_index1   | yes | poc_domain   | yes | no   |

**pod\_det**

### Purchase Order Detail

| Field Name   | Label | Col-Label | Format                     | Dec |
|--------------|-------|-----------|----------------------------|-----|
| oid_pod_det  |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pod_chr01    |       |           | .9<<<<<<<<<                |     |
| pod_chr02    |       |           | x(8)                       |     |
| pod_chr03    |       |           | x(8)                       |     |
| pod_chr04    |       |           | x(8)                       |     |
| pod_chr05    |       |           | x(8)                       |     |
| pod_chr06    |       |           | x(8)                       |     |
| pod_chr07    |       |           | x(8)                       |     |
| pod_chr08    |       |           | x(8)                       |     |
| pod_chr09    |       |           | x(8)                       |     |
| pod_chr10    |       |           | x(8)                       |     |
| pod_dec01    |       |           | >>>, >>>, >>9.99           | 10  |
| pod_dec02    |       |           | >>>, >>>, >>9.99           | 10  |
| pod_dte01    |       |           | 99/99/99                   |     |
| pod_dte02    |       |           | 99/99/99                   |     |
| pod_log01    |       |           | yes/no                     |     |
| pod_qad02    |       |           | ->>>>>>>>9                 |     |
| pod_qad03    |       |           | 99:99:99                   |     |
| pod_qad04[5] |       |           | x(40)                      |     |
| pod_qad05    |       |           | yes/no                     |     |
| pod_qad06    |       |           | x(1)                       |     |
| pod_qad07    |       |           | x(2)                       |     |
| pod_qad08    |       |           | 99/99/99                   |     |



| Field Name           | Label               | Col-Label           | Format                    | Dec |
|----------------------|---------------------|---------------------|---------------------------|-----|
| pod__qad09           |                     |                     | ->>>, >>>, >>9            |     |
| pod__qad10           |                     |                     | x(8)                      |     |
| pod__qad11           |                     |                     | x(8)                      |     |
| pod__qad12           |                     |                     | yes/no                    |     |
| pod__qad13           |                     |                     | yes/no                    |     |
| pod__qad14           |                     |                     | 99/99/99                  |     |
| pod__qad15           |                     |                     | yes/no                    |     |
| pod__qad16           |                     |                     | x(8)                      |     |
| pod__qadd02          | QAD Field           |                     | ->>>>, >>>, >>9.99        | 10  |
| pod__qadd03          | QAD Field           |                     | ->>>>, >>>, >>9.99<<<     | 10  |
| ◇ pod__qadd04        | QAD Field           |                     | ->>>>, >>>, >>9.99        | 10  |
| ◇ pod__qadt01        |                     |                     | 99/99/99                  |     |
| pod__acct            | Pur Acct            |                     | x(8)                      |     |
| pod__approve         | Approved By         | Approved            | x(8)                      |     |
| pod__apr_code        | Approval Code       | Apr Code            | x(8)                      |     |
| pod__assay           | Assay %             |                     | >>9.99%                   | 10  |
| pod__blanket         | Blanket             |                     | x(8)                      |     |
| pod__blnkt_ln        | Blanket Line        | Bl Ln               | >>9                       |     |
| pod__bo_chg          | Qty B/O             |                     | ->, >>>, >>9.9<<<<<<<<    | 10  |
| pod__cc              | Cost Ctr            | CC                  | x(4)                      |     |
| pod__cmtindx         | Comment Index       | Comment             | >>>>>>>9                  |     |
| pod__consignment     | Consignment         |                     | yes/no                    |     |
| pod__contr_id        | Contract ID         |                     | x(30)                     |     |
| pod__contract        | Contract            |                     | x(8)                      |     |
| pod__cost_chg        | Receipt Cost        |                     | ->>>, >>>, >>9.99<<<      | 10  |
| pod__crt_int         | Credit Terms Int    | CRT Int             | ->>>9.99                  | 10  |
| pod__cst_up          | Update Current Cost |                     | yes/no                    |     |
| pod__cum_date[4]     | Cum Start           |                     | 99/99/99                  |     |
| pod__cum_qty[4]      | Cum Received        |                     | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| pod__curr_rlse_id[3] | Active Rlse ID      |                     | x(30)                     |     |
| pod__desc            | Description         |                     | x(40)                     |     |
| pod__disc_pct        | Disc%               |                     | ->9.99%                   | 10  |
| pod__dock            | Dock                |                     | x(8)                      |     |
| pod__domain          | Domain              |                     | x(8)                      |     |
| pod__drp_ref         | DRP Ref             |                     | x(8)                      |     |
| pod__due_date        | Due Date            | Due                 | 99/99/99                  |     |
| pod__end_eff[4]      | End Effective       |                     | 99/99/99                  |     |
| pod__ers_opt         | ERS Option          | ERS! Opt            | >9                        |     |
| pod__expire          | Expire Date         | Expire              | 99/99/99                  |     |
| pod__fab_days        | Fab Auth Days       |                     | >, >>9                    |     |
| pod__fab_weeks       | Fab Auth Weeks      |                     | >, >>9                    |     |
| pod__firm_days       | Firm Days           |                     | >, >>9                    |     |
| pod__firm_weeks      | Firm Weeks          |                     | >, >>9                    |     |
| pod__fix_pr          | Fixed Price         |                     | yes/no                    |     |
| pod__fr_list         | Freight List        | Frt List            | x(8)                      |     |
| pod__fsm_type        | FSM Type            |                     | x(8)                      |     |
| pod__grade           | Grade               |                     | x(2)                      |     |
| pod__insp_rqd        | Inspect Req         | Insp                | yes/no                    |     |
| △ pod__item_rev_date | Item Revision Date  | Item Rev Date       | 99/99/99                  |     |
| pod__line            | Line                | Ln                  | >>9                       |     |
| pod__loc             | Location            |                     | x(8)                      |     |
| pod__lot_next        | Next Lot/Serial     |                     | x(18)                     |     |
| pod__lot_rcpt        | Single Lot          |                     | yes/no                    |     |
| pod__max_aging_days  | Maximum Aging Days  | Maximum! Aging Days | >>9                       |     |
| pod__mrp_pct         | Supply Percent      |                     | >>9.99%                   | 10  |
| pod__multi_due_dates | Multi Due Dates     | Multi! Due! Dates   | yes/no                    |     |
| pod__nbr             | Purchase Order      | Order               | x(8)                      |     |

| Field Name         | Label                 | Col-Label     | Format                  | Dec |
|--------------------|-----------------------|---------------|-------------------------|-----|
| pod_need           | Need Date             | Need          | 99/99/99                |     |
| pod_op             | Operation             | Op            | >>>>>9                  |     |
| pod_ord_mult       | Std Pack Qty          | Mult          | >>, >>>, >>9            | 0   |
| pod_part           | Item Number           |               | x(18)                   |     |
| pod_pastdue        | Past Due Logic        | C/R           | x(1)                    |     |
| pod_pay_um         | Pay UM                | UM            | x(2)                    |     |
| pod_per_date       | Perform Date          | Perform       | 99/99/99                |     |
| pod_pjs_line       | Project Line          |               | >>>>>>>9                |     |
| pod_pkg_code       | Pkg Code              |               | x(18)                   |     |
| pod_plan_days      | Plan Sched Days       |               | >>9                     |     |
| pod_plan_mths      | Plan Sched Months     |               | >>9                     |     |
| pod_plan_weeks     | Plan Sched Weeks      |               | >>9                     |     |
| pod_po_db          | PO Database           | PO DB         | x(8)                    |     |
| pod_po_site        | PO Site               |               | x(8)                    |     |
| pod_pr_list        | Price List            | List          | x(8)                    |     |
| pod_pr_lst_tp      | ERS Price List Option | ERS! PLO      | >9                      |     |
| pod_pricing_dt     | Pricing Date          | Price Dt      | 99/99/99                |     |
| pod_project        | Project               |               | x(8)                    |     |
| pod_ps_chg         | Packing Slip Qty      | Pack Slip Qty | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_pst            | PST                   |               | yes/no                  |     |
| pod_pum_conv       | Pay UM Conv           |               | >>>>9.9999<<<<          | 10  |
| pod_pur_cost       | Purchase Cost         |               | ->>>, >>>, >>9.99<<<    | 10  |
| pod_qty_chg        | Receipt Qty           |               | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_qty_ord        | Qty Ordered           |               | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_qty_rcvd       | Qty Received          |               | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_qty_rtnd       | Qty Returned          |               | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_raw_days       | Raw Auth Days         |               | >, >>9                  |     |
| pod_raw_weeks      | Raw Auth Weeks        |               | >, >>9                  |     |
| pod_rctstat        | Receipt Status        | Status        | x(8)                    |     |
| pod_rctstat_active | Active                | Act           | yes/no                  |     |
| pod_reason         | Reason                |               | x(8)                    |     |
| pod_rel_nbr        | Rel                   |               | >>9                     |     |
| pod_rel_qty        | Qty Released          | Rel Qty       | ->, >>>, >>9.9<<<<<<<<< | 10  |
| pod_req_line       | Req Line              | Req Ln        | >>9                     |     |
| pod_req_nbr        | Req                   |               | x(8)                    |     |
| pod_request        | Requested By          | Req By        | x(8)                    |     |
| Δ pod_rev          | Item Revision         | Item Rev      | x(4)                    |     |
| pod_rlse_nbr       | Next Release ID       |               | 999999999               |     |
| pod_rma_type       | RMA Type              |               | x(1)                    |     |
| pod_rum            | UM                    |               | x(2)                    |     |
| pod_rum_conv       | UM Conversion         |               | >>>>9.9999<<<<          | 10  |
| pod_sch_data       | Schedule Data         |               | x(8)                    |     |
| pod_sch_mrp        | Sched MRP Req         |               | yes/no                  |     |
| pod_sched          | Scheduled             |               | yes/no                  |     |
| pod_sched_chgd     | Scheduled             |               | yes/no                  |     |
| pod_sd_pat         | Ship/Dlvy Pattern     |               | x(2)                    |     |
| pod_sd_time        | Ship/Dlvy Time        |               | x(2)                    |     |
| pod_serial         | Lot/Serial            |               | x(18)                   |     |
| pod_sftytl_days    | Safety Days           |               | >>9.99                  | 10  |
| pod_sftytl_hrs     | Safety Hours          |               | >>9.99                  | 10  |
| pod_ship_weeks     | Ship Sched Weeks      |               | >>9                     |     |
| pod_site           | Site                  |               | x(8)                    |     |
| pod_so_job         | Sales/Job             | SO/Job        | x(8)                    |     |
| pod_so_status      | Secondary SO Status   |               | x                       |     |
| pod_sod_line       | Primary SO Line       | Pr SO Ln      | >>9                     |     |
| pod_start_eff[4]   | Start Effective       |               | 99/99/99                |     |
| pod_status         | Status                | St            | x(1)                    |     |

| Field Name             | Label                 | Col-Label        | Format               | Dec |
|------------------------|-----------------------|------------------|----------------------|-----|
| pod_std_cost           | Std Cost              |                  | ->>>, >>>, >>9.99<<< | 10  |
| pod_sub                | Pur Sub-Acct          | Sub-Acct         | x(8)                 |     |
| pod_sub_ship_date      | Subcontract Ship      |                  | 99/99/99             |     |
| pod_sub_type           | Subcontract Type      |                  | x(8)                 |     |
| pod_tax_env            | Tax Environment       | Tax Env          | x(16)                |     |
| pod_tax_in             | Tax In                |                  | yes/no               |     |
| pod_tax_max            | Max Taxable Amount    | Max Amount       | ->>>, >>>, >>9.99    | 10  |
| pod_tax_usage          | Tax Usage             | TaxUsage         | x(8)                 |     |
| pod_taxable            | Taxable               | Tax              | yes/no               |     |
| pod_taxc               | Tax Class             | TxC              | x(3)                 |     |
| pod_translt_days       | Transport Days        |                  | >>9.99               | 10  |
| pod_translt_hrs        | Transport Hours       |                  | >>9.99               | 10  |
| pod_type               | Type                  | T                | x(1)                 |     |
| pod_um                 | UM                    |                  | x(2)                 |     |
| pod_um_conv            | UM Conversion         | UM Conv          | >>>>9.9999<<<<       | 10  |
| pod_user1              | Ufld1                 |                  | x(8)                 |     |
| pod_user2              | Ufld2                 |                  | x(8)                 |     |
| pod_vat                | VAT                   |                  | yes/no               |     |
| pod_vpart              | Supplier Item         |                  | x(30)                |     |
| pod_wip_lotser         | Lot/Serial            |                  | x(18)                |     |
| pod_wo_lot             | Work Order ID         | WO ID            | x(8)                 |     |
| Δ pod_zero_sched_count | Zero Schedule Counter | Zero Sched Count | >>9                  | 10  |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_pod_det | yes | oid_pod_det  | yes | no   |
| pod_fsm_type  | no  | pod_domain   | yes | no   |
|               |     | pod_fsm_type | yes | no   |
|               |     | pod_nbr      | yes | no   |
|               |     | pod_line     | yes | no   |
| * pod_nbrln   | yes | pod_domain   | yes | no   |
|               |     | pod_nbr      | yes | no   |
|               |     | pod_line     | yes | no   |
| pod_part      | yes | pod_domain   | yes | no   |
|               |     | pod_part     | yes | no   |
|               |     | pod_nbr      | yes | no   |
|               |     | pod_line     | yes | no   |
| pod_partdue   | no  | pod_domain   | yes | no   |
|               |     | pod_part     | yes | no   |
|               |     | pod_due_date | yes | no   |
| pod_project   | no  | pod_domain   | yes | no   |
|               |     | pod_project  | yes | no   |
|               |     | pod_pjs_line | yes | no   |

## ◇ Posting Posting

| Field Name    | Label              | Col-Label          | Format     | Dec |
|---------------|--------------------|--------------------|------------|-----|
| Closing_ID    | Link to Closing    | Link to Closing    | 9999999999 |     |
| Company_ID    | Link to Company    | Link to Company    | 9999999999 |     |
| CreatorUsr_ID | Login              | Login              | 9999999999 |     |
| CustomCombo0  | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo1  | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo2  | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo3  | Custom Combo Field | Custom Combo Field | x(20)      |     |

| Field Name                 | Label                | Col-Label                      | Format        | Dec |
|----------------------------|----------------------|--------------------------------|---------------|-----|
| CustomCombo4               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomCombo5               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomCombo6               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomCombo7               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomCombo8               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomCombo9               | Custom Combo Field   | Custom Combo Field             | x(20)         |     |
| CustomDate0                | Custom Date Field    | Custom Date Field              | 99/99/9999    |     |
| CustomDate1                | Custom Date Field    | Custom Date Field              | 99/99/9999    |     |
| CustomDate2                | Custom Date Field    | Custom Date Field              | 99/99/9999    |     |
| CustomDate3                | Custom Date Field    | Custom Date Field              | 99/99/9999    |     |
| CustomDate4                | Custom Date Field    | Custom Date Field              | 99/99/9999    |     |
| CustomDecimal0             | Custom Decimal Field | Custom Decimal Field           | ->,>>>,>>9.99 | 4   |
| CustomDecimal1             | Custom Decimal Field | Custom Decimal Field           | ->,>>>,>>9.99 | 4   |
| CustomDecimal2             | Custom Decimal Field | Custom Decimal Field           | ->,>>>,>>9.99 | 4   |
| CustomDecimal3             | Custom Decimal Field | Custom Decimal Field           | ->,>>>,>>9.99 | 4   |
| CustomDecimal4             | Custom Decimal Field | Custom Decimal Field           | ->,>>>,>>9.99 | 4   |
| CustomInteger0             | Custom Integer Field | Custom Integer Field           | ->,>>>,>>9    |     |
| CustomInteger1             | Custom Integer Field | Custom Integer Field           | ->,>>>,>>9    |     |
| CustomInteger2             | Custom Integer Field | Custom Integer Field           | ->,>>>,>>9    |     |
| CustomInteger3             | Custom Integer Field | Custom Integer Field           | ->,>>>,>>9    |     |
| CustomInteger4             | Custom Integer Field | Custom Integer Field           | ->,>>>,>>9    |     |
| CustomLong0                | Custom Long Field    | Custom Long Field              | x(255)        |     |
| CustomLong1                | Custom Long Field    | Custom Long Field              | x(255)        |     |
| CustomNote                 | Custom Note Field    | Custom Note Field              | x(2000)       |     |
| CustomShort0               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort1               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort2               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort3               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort4               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort5               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort6               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort7               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort8               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| CustomShort9               | Custom Short Field   | Custom Short Field             | x(20)         |     |
| Journal_ID                 | Daybook Code         | Daybook Code                   | 9999999999    |     |
| LastApprovedUsr_ID         | Link to Usr          | Link to Usr                    | 9999999999    |     |
| LastModifiedDate           | Last Modified Date   | Modif Date                     | 99/99/9999    |     |
| LastModifiedTime           | Last Modified Time   | Modif Time                     | 99999         |     |
| LastModifiedUser           | Last Modified User   | Modif User                     | x(20)         |     |
| LastVerifiedUsr_ID         | Link to Usr          | Link to Usr                    | 9999999999    |     |
| Period_ID                  | Link to Period       | Link to Period                 | 9999999999    |     |
| PeriodMark_ID              | Link to PeriodMark   | Link to PeriodMark             | 9999999999    |     |
| Posting_ID                 | Record ID            | Record ID                      | 9999999999    |     |
| PostingAddGLNbr            | Sequence Number      | Sequence Number                | 999999999     |     |
| PostingApproveComments     | Approve Comments     | Approve Comments               | x(40)         |     |
| PostingApprovedDate        | Last Approved Date   | Last Approved Date             | 99/99/9999    |     |
| PostingApprovedTime        | Last Approved Time   | Last Approved Time             | ->,>>>,>>9    |     |
| PostingApproveStatus       | Approve Status       | Approve Status                 | x(40)         |     |
| PostingBusinessRelationTxt | Bus Rel (IC Posting) | Business Relation (IC Posting) | x(40)         |     |
| PostingDate                | Posting Date         | Posting Date                   | 99/99/9999    |     |
| PostingInvoiceReferenceTxt | External Inv Ref     | External Invoice Reference     | x(50)         |     |
| PostingIsReplacement       | Replacement          | Is Replacement                 | yes/no        |     |
| PostingIsReversing         | Reversal             | Is Reversal                    | yes/no        |     |
| PostingIsReversingBySign   | Correction           | Correction                     | yes/no        |     |
| PostingIsSkipAutoAssignLC  | Skip Auto Assign BC  | Skip Auto Assign BC            | yes/no        |     |
| PostingIsZeroValueAllowed  | Zero Value Allowed   | Zero Value Allowed             | yes/no        |     |

| Field Name                 | Label                      | Col-Label                  | Format     | Dec |
|----------------------------|----------------------------|----------------------------|------------|-----|
| PostingMirrorRef           | Mirroring Reference        | Mirroring Reference        | x(20)      |     |
| PostingOriginAddressCode   | Address Code               | Address Code               | x(20)      |     |
| PostingOriginatorReference | Original Posting Reference | Original Posting Reference | x(40)      |     |
| PostingOriginBatchNumber   | Batch Number               | Batch Number               | x(8)       |     |
| PostingOriginDaybookCode   | Origin Daybook Code        | Origin Daybook Code        | x(8)       |     |
| PostingOriginDaybookNumber | Origin Daybook Number      | Origin Daybook Number      | x(40)      |     |
| PostingOriginDocument      | Origin Document            | Origin Doc                 | x(22)      |     |
| PostingOriginDocumentType  | Origin Payment Type        | Origin Pay Type            | x(2)       |     |
| PostingOriginIsExternal    | External Origin            | External Origin            | yes/no     |     |
| PostingOriginReference     | Origin Reference           | Origin Ref                 | x(22)      |     |
| PostingOriginTransType     | Origin Transaction Type    | Origin Trans Type          | x(2)       |     |
| PostingParentText          | Parent Text                | Parent Text                | x(40)      |     |
| PostingPeriod              | GL Period                  | GL Period                  | 99         |     |
| PostingSystemDate          | System Date                | Sys Date                   | 99/99/9999 |     |
| PostingText                | Description                | Description                | x(40)      |     |
| PostingValueDate           | Value Date                 | Value Date                 | 99/99/9999 |     |
| PostingVerifiedDate        | Last Verified Date         | Last Verified Date         | 99/99/9999 |     |
| PostingVerifiedTime        | Last Verified Time         | Last Verified Time         | ->,>>>,>>9 |     |
| PostingVerifyComments      | Verify Comments            | Verify Comments            | x(40)      |     |
| PostingVerifyStatus        | Verify Status              | Verify Status              | x(40)      |     |
| PostingVoucher             | Voucher                    | Voucher                    | 999999999  |     |
| PostingYear                | Year                       | Year                       | 9999       |     |
| PostingYearPeriod          | Year/GL Period             | GL Cal Yr/GL Pd            | 999999     |     |

| Index-Name                  | Uni | Field-Name                 | Asc | Abbr |
|-----------------------------|-----|----------------------------|-----|------|
| ◇ Closing                   | no  | Closing_ID                 | yes | no   |
| ◇ Company                   | no  | Company_ID                 | yes | no   |
| ◇ CyPeriodYearPeriodId<br>x | no  | Company_ID                 | yes | no   |
|                             |     | PostingYearPeriod          | yes | no   |
| ◇ CyPostingDate             | no  | Company_ID                 | yes | no   |
|                             |     | PostingDate                | yes | no   |
| ◇ Journal                   | no  | Journal_ID                 | yes | no   |
| ◇ MirrorRef                 | no  | PostingMirrorRef           | yes | no   |
| ◇ OriginatorRef             | no  | PostingOriginatorReference | yes | no   |
| ◇ Period                    | no  | Period_ID                  | yes | no   |
| ◇ PostingDate               | no  | PostingDate                | yes | no   |
| ◇ PostingOriginIsExt        | no  | PostingOriginIsExternal    | yes | no   |
| ◇ PostingOriginRef          | no  | PostingOriginReference     | yes | no   |
| ◇ PostingYear               | no  | PostingYear                | yes | no   |
| ◇* Prim                     | yes | Posting_ID                 | yes | no   |
| ◇ UniqueIdx                 | yes | Company_ID                 | yes | no   |
|                             |     | PostingYear                | yes | no   |
|                             |     | Journal_ID                 | yes | no   |
|                             |     | PostingVoucher             | yes | no   |
| ◇ ViewIndex                 | no  | Company_ID                 | yes | no   |
|                             |     | PostingYear                | yes | no   |
|                             |     | PostingPeriod              | yes | no   |
|                             |     | Journal_ID                 | yes | no   |
|                             |     | PostingVoucher             | yes | no   |
| ◇ Voucher                   | no  | PostingVoucher             | yes | no   |

## ◇ PostingHist Posting History

| Field Name                 | Label                      | Col-Label                  | Format                 | Dec |
|----------------------------|----------------------------|----------------------------|------------------------|-----|
| Company_ID                 | Link to Company            | Link to Company            | 9999999999             |     |
| CostCentre_ID              | Link to CostCentre         | Link to CostCentre         | 9999999999             |     |
| Currency_ID                | Link to Currency           | Link to Currency           | 9999999999             |     |
| Division_ID                | Link to Division           | Link to Division           | 9999999999             |     |
| GL_ID                      | Link to GL                 | Link to GL                 | 9999999999             |     |
| IntercoBusinessRelation_ID | Link to BusinessRelation   | Link to BusinessRelation   | 9999999999             |     |
| Journal_ID                 | Link to Journal            | Link to Journal            | 9999999999             |     |
| JournalTypeCode            | Daybook Type               | Type                       | x(30)                  |     |
| Layer_ID                   | Link to Layer              | Link to Layer              | 9999999999             |     |
| PostingHist_ID             | Record ID                  | Record ID                  | 9999999999             |     |
| PostingHistBalanceCreditCC | MC Credit Balance          | MC Credit Balance          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceCreditLC | BC Balance Credit          | BC Balance Credit          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceCreditPC | PC Credit Balance          | PC Credit Balance          | ->, >>>, >>9.99        | 4   |
| PostingHistBalanceCreditTC | TC Credit Balance          | TC Credit Balance          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceDebitCC  | MC Debit Balance           | MC Debit Balance           | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceDebitLC  | BC Balance Debit           | BC Balance Debit           | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceDebitPC  | PC Debit Balance           | PC Debit Balance           | ->, >>>, >>9.99        | 4   |
| PostingHistBalanceDebitTC  | TC Debit Balance           | TC Debit Balance           | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistBalanceQTY      | Quantity Balance           | Qty Balance                | ->>>, >>>, >>9.99      | 4   |
| PostingHistMovemntCreditCC | MC Credit Activity         | MC Credit Activity         | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntCreditLC | BC Movement Credit         | BC Movement Credit         | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntCreditPC | PC Credit Activity         | PC Credit Activity         | ->, >>>, >>9.99        | 4   |
| PostingHistMovemntCreditTC | TC Credit Activity         | TC Credit Activity         | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntDebitCC  | MC Debit Activity          | MC Debit Activity          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntDebitLC  | BC Movement Debit          | BC Movement Debit          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntDebitPC  | PC Debit Activity          | PC Debit Activity          | ->, >>>, >>9.99        | 4   |
| PostingHistMovemntDebitTC  | TC Debit Activity          | TC Debit Activity          | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistMovemntQTY      | Qty Activity               | Qty Activity               | ->>>, >>>, >>9.99      | 4   |
| PostingHistYearPeriodFrom  | From Year/GL Period        | From Year/GL Period        | ->, >>>, >>9           |     |
| PostingHistYearPeriodTill  | To Year/GL Period          | To Year/GL Period          | ->, >>>, >>9           |     |
| PostingHistYTDCCreditCC    | MC Credit (YTD)            | MC Credit (YTD)            | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDCCreditLC    | BC YTD Credit              | BC YTD Credit              | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDCCreditPC    | PC Credit (YTD)            | PC Credit (YTD)            | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDCCreditTC    | TC Credit (YTD)            | TC Credit (YTD)            | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDDebitCC      | MC Debit (YTD)             | MC Debit (YTD)             | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDDebitLC      | BC YTD Debit               | BC YTD Debit               | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDDebitPC      | PC Debit (YTD)             | PC Debit (YTD)             | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDDebitTC      | TC Debit (YTD)             | TC Debit (YTD)             | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingHistYTDQTY          | Quantity (YTD)             | Qty (YTD)                  | ->>>, >>>, >>9.99      | 4   |
| PostingSafCombined_ID      | Link to PostingSafCombined | Link to PostingSafCombined | 9999999999             |     |
| Project_ID                 | Link to Project            | Link to Project            | 9999999999             |     |

| Index-Name      | Uni | Field-Name                | Asc | Abbr |
|-----------------|-----|---------------------------|-----|------|
| ◇ Company       | no  | Company_ID                | yes | no   |
| ◇ CompanyYPFrom | no  | Company_ID                | yes | no   |
|                 |     | PostingHistYearPeriodFrom | yes | no   |
| ◇ CostCentre    | no  | CostCentre_ID             | yes | no   |
| ◇ Currency      | no  | Currency_ID               | yes | no   |
| ◇ CyGLFrom      | no  | Company_ID                | yes | no   |
|                 |     | GL_ID                     | yes | no   |
|                 |     | PostingHistYearPeriodFrom | yes | no   |
| ◇ CyGLTill      | no  | Company_ID                | yes | no   |
|                 |     | GL_ID                     | yes | no   |
|                 |     | PostingHistYearPeriodTill | yes | no   |

| Index-Name       | Uni | Field-Name                 | Asc | Abbr |
|------------------|-----|----------------------------|-----|------|
| ◇ Division       | no  | Division_ID                | yes | no   |
| ◇ GL             | no  | GL_ID                      | yes | no   |
| ◇ GLPostSafComb  | no  | GL_ID                      | yes | no   |
|                  |     | PostingSafCombined_ID      | yes | no   |
| ◇ IDsPeriodFrom  | no  | Company_ID                 | yes | no   |
|                  |     | Journal_ID                 | yes | no   |
|                  |     | Layer_ID                   | yes | no   |
|                  |     | GL_ID                      | yes | no   |
|                  |     | Division_ID                | yes | no   |
|                  |     | CostCentre_ID              | yes | no   |
|                  |     | Project_ID                 | yes | no   |
|                  |     | Currency_ID                | yes | no   |
|                  |     | IntercoBusinessRelation_ID | yes | no   |
|                  |     | PostingSafCombined_ID      | yes | no   |
|                  |     | PostingHistYearPeriodFrom  | yes | no   |
| ◇ IDsPeriodTill  | no  | Company_ID                 | yes | no   |
|                  |     | Journal_ID                 | yes | no   |
|                  |     | Layer_ID                   | yes | no   |
|                  |     | GL_ID                      | yes | no   |
|                  |     | Division_ID                | yes | no   |
|                  |     | CostCentre_ID              | yes | no   |
|                  |     | Project_ID                 | yes | no   |
|                  |     | Currency_ID                | yes | no   |
|                  |     | IntercoBusinessRelation_ID | yes | no   |
|                  |     | PostingSafCombined_ID      | yes | no   |
|                  |     | PostingHistYearPeriodTill  | yes | no   |
| ◇ Interco        | no  | IntercoBusinessRelation_ID | yes | no   |
| ◇ Journal        | no  | Journal_ID                 | yes | no   |
| ◇ Layer          | no  | Layer_ID                   | yes | no   |
| ◇ PeriodFrom     | no  | PostingHistYearPeriodFrom  | yes | no   |
| ◇ PeriodTill     | no  | PostingHistYearPeriodTill  | yes | no   |
| ◇ PostingSafComb | no  | PostingSafCombined_ID      | yes | no   |
| ◇* Prim          | yes | PostingHist_ID             | yes | no   |
| ◇ Project        | no  | Project_ID                 | yes | no   |

### ◇ PostingLine Posting Line

| Field Name                 | Label                   | Col-Label               | Format     | Dec |
|----------------------------|-------------------------|-------------------------|------------|-----|
| Company_ID                 | Link to Company         | Link to Company         | 9999999999 |     |
| CostCentre_ID              | Cost Center Code        | Cost Center Code        | 9999999999 |     |
| CrossCompany_ID            | Link to Company         | Link to Company         | 9999999999 |     |
| CrossCompanyPosting_ID     | Posting (Cross-Cy)      | Posting (Cross-Cy)      | 9999999999 |     |
| CrossCompanyPostingLine_ID | Posting line (Cross-Cy) | Posting-line (Cross-Cy) | 9999999999 |     |
| Currency_ID                | Currency Code           | Trans Curr              | 9999999999 |     |
| CustomCombo0               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo1               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo2               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo3               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo4               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo5               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo6               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo7               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo8               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomCombo9               | Custom Combo Field      | Custom Combo Field      | x(20)      |     |
| CustomDate0                | Custom Date Field       | Custom Date Field       | 99/99/9999 |     |

| Field Name                 | Label                    | Col-Label                | Format                  | Dec |
|----------------------------|--------------------------|--------------------------|-------------------------|-----|
| CustomDate1                | Custom Date Field        | Custom Date Field        | 99/99/9999              |     |
| CustomDate2                | Custom Date Field        | Custom Date Field        | 99/99/9999              |     |
| CustomDate3                | Custom Date Field        | Custom Date Field        | 99/99/9999              |     |
| CustomDate4                | Custom Date Field        | Custom Date Field        | 99/99/9999              |     |
| CustomDecimal0             | Custom Decimal Field     | Custom Decimal Field     | ->, >>>, >>9.99         | 4   |
| CustomDecimal1             | Custom Decimal Field     | Custom Decimal Field     | ->, >>>, >>9.99         | 4   |
| CustomDecimal2             | Custom Decimal Field     | Custom Decimal Field     | ->, >>>, >>9.99         | 4   |
| CustomDecimal3             | Custom Decimal Field     | Custom Decimal Field     | ->, >>>, >>9.99         | 4   |
| CustomDecimal4             | Custom Decimal Field     | Custom Decimal Field     | ->, >>>, >>9.99         | 4   |
| CustomInteger0             | Custom Integer Field     | Custom Integer Field     | ->, >>>, >>9            |     |
| CustomInteger1             | Custom Integer Field     | Custom Integer Field     | ->, >>>, >>9            |     |
| CustomInteger2             | Custom Integer Field     | Custom Integer Field     | ->, >>>, >>9            |     |
| CustomInteger3             | Custom Integer Field     | Custom Integer Field     | ->, >>>, >>9            |     |
| CustomInteger4             | Custom Integer Field     | Custom Integer Field     | ->, >>>, >>9            |     |
| CustomLong0                | Custom Long Field        | Custom Long Field        | x(255)                  |     |
| CustomLong1                | Custom Long Field        | Custom Long Field        | x(255)                  |     |
| CustomNote                 | Custom Note Field        | Custom Note Field        | x(2000)                 |     |
| CustomShort0               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort1               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort2               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort3               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort4               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort5               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort6               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort7               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort8               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| CustomShort9               | Custom Short Field       | Custom Short Field       | x(20)                   |     |
| Division_ID                | Sub-Account Code         | Sub-Account Code         | 9999999999              |     |
| GL_ID                      | GL Description           | GL Description           | 9999999999              |     |
| IntercoBusinessRelation_ID | Intercompany Code        | Intercompany Code        | 9999999999              |     |
| LastModifiedDate           | Last Modified Date       | Modif Date               | 99/99/9999              |     |
| LastModifiedTime           | Last Modified Time       | Modif Time               | 99999                   |     |
| LastModifiedUser           | Last Modified User       | Modif User               | x(20)                   |     |
| Period_ID                  | Link to Period           | Link to Period           | 9999999999              |     |
| Posting_ID                 | Link to Posting          | Link to Posting          | 9999999999              |     |
| PostingLine_ID             | Record ID                | Record ID                | 9999999999              |     |
| PostingLineCostCentreText  | Cost Center              | Cost Center              | x(40)                   |     |
| PostingLineCreditCC        | MC Credit                | MC Credit                | ->>>, >>>, >>9.99       | 4   |
| PostingLineCreditLC        | BC Credit                | BC Credit                | ->>>, >>>, >>9.99       | 4   |
| PostingLineCreditPC        | pc Credit                | pc Credit                | ->, >>>, >>9.99         | 4   |
| PostingLineCreditTC        | TC Credit                | TC Credit                | ->>>, >>>, >>9.99       | 4   |
| PostingLineCrossExternRef  | Ext Reference (Cross-Cy) | Ext Reference (Cross-Cy) | x(40)                   |     |
| PostingLineDebitCC         | MC Debit                 | MC Debit                 | ->>>, >>>, >>9.99       | 4   |
| PostingLineDebitLC         | BC Debit                 | BC Debit                 | ->>>, >>>, >>9.99       | 4   |
| PostingLineDebitPC         | pc Debit                 | pc Debit                 | ->, >>>, >>9.99         | 4   |
| PostingLineDebitTC         | TC Debit                 | TC Debit                 | ->>>, >>>, >>9.99       | 4   |
| PostingLineExchangeRate    | Exchange Rate            | Exchange Rate            | ->, >>>, >>9.9999999999 | 10  |
| PostingLineIsProjPosting   | Project Posting          | Proj                     | yes/no                  |     |
| PostingLineMaster_ID       |                          |                          | 9999999999              |     |
| PostingLineMirrorRef       | Mirroring Reference      | Mirroring Reference      | x(20)                   |     |
| PostingLineMirrorType      | Mirroring Type           | Mirroring Type           | x(20)                   |     |
| PostingLineOriginLineNbr   | Origin Line Number       | Origin Line No           | >>>9                    |     |
| PostingLineProjectText     | Project                  | Prj                      | x(40)                   |     |
| PostingLineQTY             | Quantity                 | Quantity                 | ->>>, >>>, >>9.99       | 4   |
| PostingLineRateScale       | Scale Factor             | Scale Factor             | ->, >>>, >>9.9999999999 | 10  |
| PostingLineSafText         | SAF                      | SAF                      | x(40)                   |     |
| PostingLineSequence        | Sequence                 | Seq                      | ->, >>>, >>9            |     |



| Field Name                | Label          | Col-Label       | Format     | Dec |
|---------------------------|----------------|-----------------|------------|-----|
| PostingLineText           | Description    | Description     | x(40)      |     |
| PostingLineTransaction_ID |                |                 | 9999999999 |     |
| PostingYearPeriod         | Year/GL Period | GL Cal Yr/GL Pd | 999999     |     |
| Project_ID                | Description    | Description     | 9999999999 |     |

| Index-Name          | Uni | Field-Name                 | Asc | Abbr |
|---------------------|-----|----------------------------|-----|------|
| ◇ Company           | no  | Company_ID                 | yes | no   |
| ◇ CompanyGLYearPd   | no  | Company_ID                 | yes | no   |
|                     |     | GL_ID                      | yes | no   |
|                     |     | PostingYearPeriod          | yes | no   |
| ◇ CompanyYearPeirod | no  | Company_ID                 | yes | no   |
|                     |     | PostingYearPeriod          | yes | no   |
| ◇ CostCentre        | no  | CostCentre_ID              | yes | no   |
| ◇ CrossCompany      | no  | CrossCompany_ID            | yes | no   |
| ◇ CrossCompanyPost  | no  | CrossCompanyPosting_ID     | yes | no   |
| ◇ CrossCompanyPostL | no  | CrossCompanyPostingLine_ID | yes | no   |
| ◇ Currency          | no  | Currency_ID                | yes | no   |
| ◇ Division          | no  | Division_ID                | yes | no   |
| ◇ ExtCrossIdx       | no  | PostingLineCrossExternRef  | yes | no   |
| ◇ GL                | no  | GL_ID                      | yes | no   |
| ◇ Interco           | no  | IntercoBusinessRelation_ID | yes | no   |
| ◇ Master            | no  | PostingLineMaster_ID       | yes | no   |
| ◇ MirrorRef         | no  | PostingLineMirrorRef       | yes | no   |
| ◇ Period            | no  | Period_ID                  | yes | no   |
| ◇ Posting           | no  | Posting_ID                 | yes | no   |
| ◇ PostingYearPeriod | no  | PostingYearPeriod          | yes | no   |
| ◇* Prim             | yes | PostingLine_ID             | yes | no   |
| ◇ Project           | no  | Project_ID                 | yes | no   |
| ◇ ProjectPosting    | no  | PostingLineProjPosting     | yes | no   |
| ◇ TransactionId     | no  | PostingLineTransaction_ID  | yes | no   |

### ◇ PostingSaf Posting Saf

| Field Name     | Label                | Col-Label            | Format           | Dec |
|----------------|----------------------|----------------------|------------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)            |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999       |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999       |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999       |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999       |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999       |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>>9.99 | 4   |

| Field Name              | Label                | Col-Label            | Format        | Dec |
|-------------------------|----------------------|----------------------|---------------|-----|
| CustomDecimal3          | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4          | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0          | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1          | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2          | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3          | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4          | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0             | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1             | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote              | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9            | Custom Short Field   | Custom Short Field   | x(20)         |     |
| LastModifiedDate        | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime        | Last Modified Time   | Modif Time           | 99999         |     |
| LastModifiedUser        | Last Modified User   | Modif User           | x(20)         |     |
| Posting_ID              | Link to Posting      | Link to Posting      | 9999999999    |     |
| PostingLine_ID          | Link to PostingLine  | Link to PostingLine  | 9999999999    |     |
| PostingSaf_ID           | Record ID            | Record ID            | 9999999999    |     |
| PostingSafInputSequence | Sequence             | Seq                  | 9             |     |
| PostingSafParentType    | Parent Type          | Parent Type          | x(20)         |     |
| Saf_ID                  | SAF Code             | SAF Code             | 9999999999    |     |
| SafStructure_ID         | Structure Code       | Structure            | 9999999999    |     |

| Index-Name    | Uni | Field-Name     | Asc | Abbr |
|---------------|-----|----------------|-----|------|
| ◇ PostingLine | no  | PostingLine_ID | yes | no   |
| ◇* Prim       | yes | PostingSaf_ID  | yes | no   |
| ◇ Saf         | no  | Saf_ID         | yes | no   |

## ◇ PostingSafCombined Posting Saf Combined

| Field Name                | Label                | Col-Label            | Format     | Dec |
|---------------------------|----------------------|----------------------|------------|-----|
| CostCentre1Saf_ID         |                      |                      | 9999999999 |     |
| CostCentre2Saf_ID         |                      |                      | 9999999999 |     |
| CostCentre3Saf_ID         |                      |                      | 9999999999 |     |
| CostCentre4Saf_ID         |                      |                      | 9999999999 |     |
| CostCentre5Saf_ID         |                      |                      | 9999999999 |     |
| CostCentreSafStructure_ID | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| GL1Saf_ID                 |                      |                      | 9999999999 |     |
| GL2Saf_ID                 |                      |                      | 9999999999 |     |
| GL3Saf_ID                 |                      |                      | 9999999999 |     |
| GL4Saf_ID                 |                      |                      | 9999999999 |     |
| GL5Saf_ID                 |                      |                      | 9999999999 |     |
| GLSafStructure_ID         | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| LastModifiedDate          | Last Modified Date   | Modif Date           | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time   | Modif Time           | 99999      |     |
| LastModifiedUser          | Last Modified User   | Modif User           | x(20)      |     |
| PostingSafCombined_ID     | Record ID            | Record ID            | 9999999999 |     |
| Project1Saf_ID            |                      |                      | 9999999999 |     |
| Project2Saf_ID            |                      |                      | 9999999999 |     |
| Project3Saf_ID            |                      |                      | 9999999999 |     |
| Project4Saf_ID            |                      |                      | 9999999999 |     |
| Project5Saf_ID            |                      |                      | 9999999999 |     |
| ProjectSafStructure_ID    | Link to SafStructure | Link to SafStructure | 9999999999 |     |

| Index-Name  | Uni | Field-Name            | Asc | Abbr |
|-------------|-----|-----------------------|-----|------|
| ◇ CostC1Saf | no  | CostCentre1Saf_ID     | yes | no   |
| ◇ CostC2Saf | no  | CostCentre2Saf_ID     | yes | no   |
| ◇ CostC3Saf | no  | CostCentre3Saf_ID     | yes | no   |
| ◇ CostC4Saf | no  | CostCentre4Saf_ID     | yes | no   |
| ◇ CostC5Saf | no  | CostCentre5Saf_ID     | yes | no   |
| ◇ GL1Saf    | no  | GL1Saf_ID             | yes | no   |
| ◇ GL2Saf    | no  | GL2Saf_ID             | yes | no   |
| ◇ GL3Saf    | no  | GL3Saf_ID             | yes | no   |
| ◇ GL4Saf    | no  | GL4Saf_ID             | yes | no   |
| ◇ GL5Saf    | no  | GL5Saf_ID             | yes | no   |
| ◇* Prim     | yes | PostingSafCombined_ID | yes | no   |
| ◇ Proj1Saf  | no  | Project1Saf_ID        | yes | no   |
| ◇ Proj2Saf  | no  | Project2Saf_ID        | yes | no   |
| ◇ Proj3Saf  | no  | Project3Saf_ID        | yes | no   |
| ◇ Proj4Saf  | no  | Project4Saf_ID        | yes | no   |
| ◇ Proj5Saf  | no  | Project5Saf_ID        | yes | no   |

## ◇ PostingSafHist Posting Hist SAF

| Field Name            | Label                      | Col-Label                  | Format     | Dec |
|-----------------------|----------------------------|----------------------------|------------|-----|
| PostingSafCombined_ID | Link to PostingSafCombined | Link to PostingSafCombined | 9999999999 |     |
| PostingSafHist_ID     | Record ID                  | Record ID                  | 9999999999 |     |
| Saf_ID                | Link to Saf                | Link to Saf                | 9999999999 |     |

| Index-Name       | Uni | Field-Name            | Asc | Abbr |
|------------------|-----|-----------------------|-----|------|
| ◇ PostingSafComb | no  | PostingSafCombined_ID | yes | no   |
| ◇* Prim          | yes | PostingSafHist_ID     | yes | no   |
| ◇ Saf            | no  | Saf_ID                | yes | no   |

# ◇ PostingTemplatePosting Template

| Field Name                | Label                | Col-Label            | Format        | Dec |
|---------------------------|----------------------|----------------------|---------------|-----|
| Company_ID                | Link to Company      | Link to Company      | 9999999999    |     |
| CustomCombo0              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9              | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0               | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1               | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2               | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3               | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4               | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0               | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1               | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote                | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9              | Custom Short Field   | Custom Short Field   | x(20)         |     |
| LastModifiedDate          | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime          | Last Modified Time   | Modif Time           | 999999        |     |
| LastModifiedUser          | Last Modified User   | Modif User           | x(20)         |     |
| Posting_ID                | Link to Posting      | Link to Posting      | 9999999999    |     |
| PostingTemplate_ID        | Record ID            | Record ID            | 9999999999    |     |
| PostingTemplateBusRelCode | Business Relation    | Business Relation    | x(20)         |     |
| PostingTemplateCode       | Template Code        | Template Code        | x(20)         |     |

| Field Name                 | Label              | Col-Label   | Format     | Dec |
|----------------------------|--------------------|-------------|------------|-----|
| PostingTemplateCostCtrCode | Cost Center        | Cost Center | x(20)      |     |
| PostingTemplateDateLastMod | Date Last Modified | Modified    | 99/99/9999 |     |
| PostingTemplateDateLastUse | Date Last Used     | Used        | 99/99/9999 |     |
| PostingTemplateDivCode     | Sub-Account        | Sub-Account | x(20)      |     |
| PostingTemplateProjectCode | Project            | Project     | x(20)      |     |
| PostingTemplateTimesUsed   | Times Used         | Used        | >>>9       |     |

| Index-Name | Uni | Field-Name          | Asc | Abbr |
|------------|-----|---------------------|-----|------|
| ◇ Code     | yes | Company_ID          | yes | no   |
|            |     | PostingTemplateCode | yes | no   |
| ◇ Company  | no  | Company_ID          | yes | no   |
| ◇ Posting  | no  | Posting_ID          | yes | no   |
| ◇* prim    | yes | PostingTemplate_ID  | yes | no   |

### ◇ PostingVat Posting Tax

| Field Name     | Label                | Col-Label            | Format          | Dec |
|----------------|----------------------|----------------------|-----------------|-----|
| Currency_ID    | Currency Code        | Curr                 | 9999999999      |     |
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)         |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort5   | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort6   | Custom Short Field   | Custom Short Field   | x(20)           |     |

| Field Name                | Label                   | Col-Label           | Format              | Dec |
|---------------------------|-------------------------|---------------------|---------------------|-----|
| CustomShort7              | Custom Short Field      | Custom Short Field  | x(20)               |     |
| CustomShort8              | Custom Short Field      | Custom Short Field  | x(20)               |     |
| CustomShort9              | Custom Short Field      | Custom Short Field  | x(20)               |     |
| FromTxzTaxZone            | From Tax Zone           | From Tax Zone       | x(16)               |     |
| LastModifiedDate          | Last Modified Date      | Modif Date          | 99/99/9999          |     |
| LastModifiedTime          | Last Modified Time      | Modif Time          | 99999               |     |
| LastModifiedUser          | Last Modified User      | Modif User          | x(20)               |     |
| PeriodMark_ID             | Link to PeriodMark      | Link to PeriodMark  | 9999999999          |     |
| Posting_ID                | Link to Posting         | Link to Posting     | 9999999999          |     |
| PostingLine_ID            | Link to PostingLine     | Link to PostingLine | 9999999999          |     |
| PostingVat_ID             | Record ID               | Record ID           | 9999999999          |     |
| PostingVatBaseCreditCC    | MC Base Credit          | MC Base Credit      | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatBaseCreditLC    | BC Base Credit          | BC Base Credit      | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatBaseCreditTC    | TC Base Credit          | TC Base Credit      | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatBaseDebitCC     | MC Base Debit           | MC Base Debit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatBaseDebitLC     | BC Base Debit           | BC Base Debit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatBaseDebitTC     | TC Base Debit           | TC Base Debit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatExchangeRate    | Exchange Rate           | Rate                | ->,>>>,>>9.99       | 10  |
| PostingVatInOut           | In/Out                  | In/Out              | x(20)               |     |
| PostingVatIsAbsRet        | Absorbed Retained       | Absorbed Retained   | yes/no              |     |
| PostingVatIsReverseCharge | Reverse Charge          | Reverse Charge      | yes/no              |     |
| PostingVatOwnTaxDeclarat  | Own Declaration Tax     | Own Declaration Tax | ->,>>>,>>9          |     |
| PostingVatOwnTaxIDFeder   | Own Federal Tax         | Own Federal Tax     | x(40)               |     |
| PostingVatOwnTaxIDMisc1   | Own Miscellaneous Tax 1 | Own Misc Tax 1      | x(40)               |     |
| PostingVatOwnTaxIDMisc2   | Own Miscellaneous Tax 2 | Own Misc Tax 1      | x(40)               |     |
| PostingVatOwnTaxIDMisc3   | Own Miscellaneous Tax 3 | Own Misc Tax 3      | x(40)               |     |
| PostingVatOwnTaxIDState   | Own State Tax           | Own State Tax       | x(40)               |     |
| PostingVatRateScale       | Scale Factor            | Scale Factor        | ->,>>>,>>9.99       | 10  |
| PostingVatTaxCreditCC     | MC Tax Credit           | MC Tax Credit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxCreditLC     | BC Tax Credit           | BC Tax Credit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxCreditTC     | TC Tax Credit           | TC Tax Credit       | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxDebitCC      | MC Tax Debit            | MC Tax Debit        | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxDebitLC      | BC Tax Debit            | BC Tax Debit        | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxDebitTC      | TC Tax Debit            | TC Tax Debit        | ->>>,>>>,>>>,>>9.99 | 4   |
| PostingVatTaxIDFeder      | Federal Tax             | Federal Tax         | x(40)               |     |
| PostingVatTaxIDMisc1      | Miscellaneous Tax 1     | Misc Tax 1          | x(40)               |     |
| PostingVatTaxIDMisc2      | Miscellaneous Tax 2     | Misc Tax 2          | x(40)               |     |
| PostingVatTaxIDMisc3      | Miscellaneous Tax 3     | Misc Tax 3          | x(40)               |     |
| PostingVatTaxIDState      | State Tax               | State Tax           | x(40)               |     |
| PostingVatTaxPointDate    | Tax Point Date          | Tax Date            | 99/99/9999          |     |
| PostingVatTaxTransType    | Tax Transaction Type    | Tax Trans Type      | 99                  |     |
| PostingVatTransType       | Transaction Type        | Trans Type          | x(20)               |     |
| ToTxzTaxZone              | To Tax Zone             | To Tax Zone         | x(16)               |     |
| TxclTaxCls                | Tax Class               | Tax Class           | x(3)                |     |
| TxenvTaxEnv               | Tax Environment         | Tax Env             | x(16)               |     |
| TxtyTaxType               | Tax Type                | Tax Type            | x(16)               |     |
| TxuTaxUsage               | Tax Usage               | Tax Usage           | x(8)                |     |
| Vat_ID                    | Tax Code                | Tax Code            | 9999999999          |     |
| VatGroup_ID               | Tax Group Code          | Tax Group Code      | 9999999999          |     |
| VatPeriod_ID              | Link to VatPeriod       | Link to VatPeriod   | 9999999999          |     |
| VatRule_ID                | Link to VatRule         | Link to VatRule     | 9999999999          |     |

| Index-Name       | Uni | Field-Name                | Asc | Abbr |
|------------------|-----|---------------------------|-----|------|
| ◇ Currency       | no  | Currency_ID               | yes | no   |
| ◇ OwnTaxDeclarat | no  | PostingVatOwnTaxDeclarat  | yes | no   |
| ◇ OwnTaxIDFeder  | no  | PostingVatOwnTaxIDFeder   | yes | no   |
| ◇ OwnTaxIDMisc1  | no  | PostingVatOwnTaxIDMisc1   | yes | no   |
| ◇ OwnTaxIDMisc2  | no  | PostingVatOwnTaxIDMisc2   | yes | no   |
| ◇ OwnTaxIDMisc3  | no  | PostingVatOwnTaxIDMisc3   | yes | no   |
| ◇ OwnTaxIDState  | no  | PostingVatOwnTaxIDState   | yes | no   |
| ◇ PeriodMark     | no  | PeriodMark_ID             | yes | no   |
| ◇ PostingLine    | no  | PostingLine_ID            | yes | no   |
| ◇* Prim          | yes | PostingVat_ID             | yes | no   |
| ◇ ReverseDate    | no  | PostingVatIsReverseCharge | yes | no   |
|                  |     | PostingVatTaxPointDate    | yes | no   |
| ◇ TaxPointDate   | no  | PostingVatTaxPointDate    | yes | no   |
| ◇ TaxTransType   | no  | PostingVatTaxTransType    | yes | no   |
| ◇ TransType      | no  | PostingVatTransType       | yes | no   |
| ◇ TxclTaxCls     | no  | TxclTaxCls                | yes | no   |
| ◇ TxyTaxType     | no  | TxyTaxType                | yes | no   |
| ◇ Vat            | no  | Vat_ID                    | yes | no   |
| ◇ VatPeriod      | no  | VatPeriod_ID              | yes | no   |
| ◇ VatRule        | no  | VatRule_ID                | yes | no   |

◇ **PostingVatDelay** Posting Tax Delayed

| Field Name                 | Label                | Col-Label            | Format                 | Dec |
|----------------------------|----------------------|----------------------|------------------------|-----|
| Currency_ID                | Currency Code        | Curr                 | 9999999999             |     |
| PeriodMark_ID              | Link to PeriodMark   | Link to PeriodMark   | 9999999999             |     |
| Posting_ID                 | Link to Posting      | Link to Posting      | 9999999999             |     |
| PostingLine_ID             | Link to PostingLine  | Link to PostingLine  | 9999999999             |     |
| PostingVatDelay_ID         | Record ID            | Record ID            | 9999999999             |     |
| PostingVatDelayBaseCredCC  | MC Base Credit       | MC Base Credit       | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayBaseCredLC  | BC Base Credit       | BC Base Credit       | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayBaseCredTC  | TC Base Credit       | TC Base Credit       | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayBaseDebCC   | MC Base Debit        | MC Base Debit        | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayBaseDebLC   | BC Base Debit        | BC Base Debit        | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayBaseDebTC   | TC Base Debit        | TC Base Debit        | ->>>, >>>, >>>, >>9.99 | 4   |
| PostingVatDelayExchRate    | Exchange Rate        | Rate                 | ->, >>>, >>9.99        | 10  |
| PostingVatDelayIsOpen      | Open                 | Open                 | yes/no                 |     |
| PostingVatDelayOwnTaxDecl  | Own Tax Decalaration | Own Tax Decalaration | ->, >>>, >>9           |     |
| PostingVatDelayOwnTaxIDFed | Own Federal Tax ID   | Own Federal Tax ID   | x(40)                  |     |
| PostingVatDelayOwnTaxIDM1  | Own Misc 1 ID        | Own Misc 1 ID        | x(40)                  |     |
| PostingVatDelayOwnTaxIDM2  | Own Misc 2 ID        | Own Misc 2 ID        | x(40)                  |     |
| PostingVatDelayOwnTaxIDM3  | Own Misc 3 ID        | Own Misc 3 ID        | x(40)                  |     |
| PostingVatDelayOwnTaxIDSt  | Own State Tax ID     | Own State Tax ID     | x(40)                  |     |
| PostingVatDelayRateScale   | Scale Factor         | Scale Factor         | ->, >>>, >>9.99        | 10  |
| PostingVatDelayTaxIDFeder  | Federal Tax ID       | Federal Tax ID       | x(40)                  |     |
| PostingVatDelayTaxIDMisc1  | Misc 1               | Misc 1               | x(40)                  |     |
| PostingVatDelayTaxIDMisc2  | Misc 2               | Misc 2               | x(40)                  |     |
| PostingVatDelayTaxIDMisc3  | Misc 3               | Misc 3               | x(40)                  |     |
| PostingVatDelayTaxIDState  | State                | State                | x(40)                  |     |
| PostingVatDelayTaxPntDate  | Tax Point Date       | Tax Point Date       | 99/99/9999             |     |
| PostingVatDelayVATBallC    | BC Tax Balance       | BC Tax Balance       | ->>>, >>>, >>>, >>9.99 | 4   |

| Field Name               | Label             | Col-Label         | Format                 | Dec |
|--------------------------|-------------------|-------------------|------------------------|-----|
| PostingVatDelayVATOrigLC | BC Tax Original   | BC Tax Original   | ->>>, >>>, >>>, >>9.99 | 4   |
| Vat_ID                   | Description       | Description       | 9999999999             |     |
| VatPeriod_ID             | Link to VatPeriod | Link to VatPeriod | 9999999999             |     |
| VatRule_ID               | Link to VatRule   | Link to VatRule   | 9999999999             |     |

| Index-Name    | Uni | Field-Name             | Asc | Abbr |
|---------------|-----|------------------------|-----|------|
| ◇ Currency    | no  | Currency_ID            | yes | no   |
| ◇ IsOpen      | no  | PostingVatDelaysIsOpen | yes | no   |
| ◇ PeriodMark  | no  | PeriodMark_ID          | yes | no   |
| ◇ PostingLine | yes | PostingLine_ID         | yes | no   |
| ◇* Prim       | yes | PostingVatDelay_ID     | yes | no   |
| ◇ Vat         | no  | Vat_ID                 | yes | no   |
| ◇ VatPeriod   | no  | VatPeriod_ID           | yes | no   |
| ◇ VatRule     | no  | VatRule_ID             | yes | no   |

**pould det** Point of Use Location Detail

| Field Name         | Label                  | Col-Label | Format                         | Dec |
|--------------------|------------------------|-----------|--------------------------------|-----|
| oid_pould_det      |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pould__qadc01      |                        |           | .9<<<<<<<<                     |     |
| pould__qadc02      |                        |           | x(24)                          |     |
| pould_domain       | Domain                 |           | x(8)                           |     |
| pould_loc          | Location               |           | x(8)                           |     |
| pould_mod_date     | Modified Date          | Mod Date  | 99/99/99                       |     |
| pould_mod_userid   | User ID                |           | x(8)                           |     |
| pould_poul_ref_key | Ref ID                 |           | >>>>>>>9                       |     |
| pould_preference   | Preference             |           | >>>>>>>9                       |     |
| pould_user1        | User Field Character 1 |           | x(24)                          |     |
| pould_user2        | User Field Character 2 |           | x(24)                          |     |

|                 | Index-Name       | Uni                | Field-Name         | Asc | Abbr |
|-----------------|------------------|--------------------|--------------------|-----|------|
| ◇               | oid_pould_det    | yes                | oid_pould_det      | yes | no   |
|                 | pould_preference | no                 | pould_domain       | yes | no   |
|                 |                  |                    | pould_poul_ref_key | yes | no   |
|                 |                  |                    | pould_preference   | yes | no   |
|                 |                  |                    | pould_loc          | yes | no   |
| * pould_ref_loc | yes              | pould_domain       | yes                | no  |      |
|                 |                  | pould_poul_ref_key | yes                | no  |      |
|                 |                  | pould_loc          | yes                | no  |      |



**poul\_mstr**

## Point of Use Location Master

| Field Name      | Label                  | Col-Label | Format                                    | Dec |
|-----------------|------------------------|-----------|-------------------------------------------|-----|
| oid_poul_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| poul__qadc01    |                        |           | x(24)                                     |     |
| poul__qadc02    |                        |           | x(24)                                     |     |
| poul_cmtindx    | Comment Index          | Comment   | >>>>>>>9                                  |     |
| poul_domain     | Domain                 |           | x(8)                                      |     |
| poul_mch        | Machine                |           | x(8)                                      |     |
| poul_mod_date   | Modified Date          | Mod Date  | 99/99/99                                  |     |
| poul_mod_userid | User ID                |           | x(8)                                      |     |
| poul_pou_code   | Point of Use Code      |           | x(18)                                     |     |
| poul_ref_key    | Ref ID                 |           | >>>>>>>>9                                 |     |
| poul_site       | Site                   |           | x(8)                                      |     |
| poul_user1      | User Field Character 1 |           | x(24)                                     |     |
| poul_user2      | User Field Character 2 |           | x(24)                                     |     |
| poul_wkctr      | Work Center            | Work Ctr  | x(8)                                      |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_poul_mstr | yes | oid_poul_mstr | yes | no   |
| * poul_mstr     | yes | poul_domain   | yes | no   |
|                 |     | poul_pou_code | yes | no   |
|                 |     | poul_site     | yes | no   |
|                 |     | poul_wkctr    | yes | no   |
|                 |     | poul_mch      | yes | no   |
| poul_ref_key    | no  | poul_domain   | yes | no   |
|                 |     | poul_ref_key  | yes | no   |

**pou\_mstr**

### Point of Use Code Master

| Field Name     | Label                  | Col-Label | Format                         | Dec |
|----------------|------------------------|-----------|--------------------------------|-----|
| oid_pou_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pou__qadc01    |                        |           | .9<<<<<<<<<                    |     |
| pou__qadc02    |                        |           | x(24)                          |     |
| pou_cmtindx    | Comment Index          | Comment   | x(24)                          |     |
| pou_code       | Point of Use Code      |           | >>>>>>>9                       |     |
| pou_desc       | Description            |           | x(18)                          |     |
| pou_domain     | Domain                 |           | x(24)                          |     |
| pou_mod_date   | Modified Date          | Mod Date  | x(8)                           |     |
| pou_mod_userid | User ID                |           | 99/99/99                       |     |
| pou_user1      | User Field Character 1 |           | x(8)                           |     |
| pou_user2      | User Field Character 2 |           | x(24)                          |     |
|                |                        |           | x(24)                          |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_pou_mstr | yes | oid_pou_mstr | yes | no   |
| * pou_code     | yes | pou_domain   | yes | no   |
|                |     | pou_code     | yes | no   |

## Purchase Order Master

| Field Name              | Label             | Col-Label | Format                | Dec |
|-------------------------|-------------------|-----------|-----------------------|-----|
| oid_po_mstr             |                   |           | >>>>>>>>>>>>>>>>>>>>9 | 10  |
|                         |                   |           | .9<<<<<<<<            |     |
| po__chr01               |                   |           | x(8)                  |     |
| po__chr02               |                   |           | x(8)                  |     |
| po__chr03               |                   |           | x(8)                  |     |
| po__chr04               |                   |           | x(8)                  |     |
| po__chr05               |                   |           | x(8)                  |     |
| po__chr06               |                   |           | x(8)                  |     |
| po__chr07               |                   |           | x(8)                  |     |
| po__chr08               |                   |           | x(8)                  |     |
| po__chr09               |                   |           | x(8)                  |     |
| po__chr10               |                   |           | x(8)                  |     |
| po__dec01               |                   |           | >>>, >>>, >>9.99      | 10  |
| po__dec02               |                   |           | >>>, >>>, >>9.99      | 10  |
| po__dte01               |                   |           | 99/99/99              |     |
| po__dte02               |                   |           | 99/99/99              |     |
| po__log01               |                   |           | yes/no                |     |
| po__qad02               |                   |           | >>9                   |     |
| po__qad03               |                   |           | 99:99:99              |     |
| po__qad04               |                   |           | yes/no                |     |
| po__qad05               |                   |           | ->>9.99%              | 10  |
| po__qad06               |                   |           | yes/no                |     |
| po__qad07               |                   |           | x(8)                  |     |
| po__qad08               |                   |           | x(4)                  |     |
| po__qad09               |                   |           | ->>, >>>, >>9.99      | 10  |
| ◇ po__qadc02            | QAD Field         |           | X(8)                  | 0   |
| ◇ po__qadc03            |                   |           | x(24)                 |     |
| po__qadd01              | QAD Field         |           | ->>>>, >>>, >>9.99<<< | 10  |
| po__qadd02              | QAD Field         |           | ->>>>, >>>, >>9.99<<< | 10  |
| po__qadi02              | QAD Field         |           | ->, >>>, >>9          |     |
| ◇ po__qadi03            | QAD Field         |           | ->, >>>, >>9          |     |
| ◇ po__qadt01            |                   |           | 99/99/99              |     |
| po_ap_acct              | AP Acct           |           | x(8)                  |     |
| po_ap_cc                | Cost Ctr          | CC        | x(4)                  |     |
| po_ap_sub               | AP Sub-Acct       | Sub-Acct  | x(8)                  |     |
| po_app_owner            | Owner Application |           | x(12)                 |     |
| po_bank                 | Bank              |           | x(2)                  |     |
| po_bill                 | Bill-To           |           | x(8)                  |     |
| po_blanket              | Blanket Order     | Blanket   | x(8)                  |     |
| po_buyer                | Buyer             |           | x(8)                  |     |
| po_cls_date             | Close Date        | Closed    | 99/99/99              |     |
| po_cmtindx              | Comment Index     | Comment   | >>>>>>>9              |     |
| △ po_confirm            | Confirming        | Confirm   | yes/no                |     |
| △ po_consign_cost_point | PO Cost Point     |           | X(8)                  | 0   |
| po_consignment          | Consignment       |           | yes/no                |     |
| po_contact              | Contact           |           | x(24)                 |     |
| po_contract             | Contract          |           | x(18)                 |     |
| po_cr_terms             | Credit Terms      | Terms     | x(8)                  |     |
| po.crt_int              | Credit Terms Int  | CRT Int   | ->>>9.99              | 10  |
| po_curr                 | Currency          | Cur       | x(3)                  |     |
| po_cycl                 | Cycle Code        | Cycl      | x(2)                  |     |
| po_del_to               | Deliver To        | Delv To   | x(4)                  |     |
| po_disc_pct             | Disc %            |           | ->9.99%               | 10  |
| po_domain               | Domain            |           | x(8)                  |     |
| po_due date             | Due Date          |           | 99/99/99              |     |

|   | Field Name        | Label                   | Col-Label           | Format                   | Dec |
|---|-------------------|-------------------------|---------------------|--------------------------|-----|
|   | po_duty_type      | Duty Type               | Dty                 | x(1)                     |     |
| Δ | po_eff_strt       | Start Effective         | Start Eff           | 99/99/99                 |     |
| Δ | po_eff_to         | End Effective           | End Eff             | 99/99/99                 |     |
|   | po_ent_ex         | Exch Rate               |                     | >>,>>9.99999<<<<<        | 10  |
|   | po_ers_opt        | ERS Option              | ERS! Opt            | x(2)                     |     |
|   | po_est_value      | Est Value               | Est Val             | ->,>>>,>>9.99            | 10  |
|   | po_ex_rate        | Exch Rate               |                     | >>>>,>>>,>>9.9<<<<<<<<<< | 10  |
|   | po_ex_rate2       | Exch Rate 2             |                     | >>>>,>>>,>>9.9<<<<<<<<<< | 10  |
|   | po_ex_ratetype    | Rate Type               |                     | x(8)                     |     |
|   | po_exru_seq       | Sequence                |                     | >>>>>>>g                 |     |
|   | po_fix_pr         | Fixed Price             |                     | yes/no                   |     |
|   | po_fix_rate       | Fixed Rate              | Fixed               | yes/no                   |     |
|   | po_fob            | FOB                     |                     | x(20)                    |     |
|   | po_frt            | Freight                 |                     | -z,zzz,zzz,zz9.99        | 10  |
|   | po_fsm_type       | FSM Type                |                     | x(8)                     |     |
|   | po_fst_id         | FST ID                  |                     | x(18)                    |     |
| ◇ | po_incl_iss       | Include Saturday/Sunday |                     | yes/no                   |     |
|   | po_inv_mthd       | Invoices Via            |                     | x(1)                     |     |
|   | po_is_btb         | EMT PO                  |                     | yes/no                   |     |
|   | po_lang           | Language                |                     | x(2)                     |     |
|   | po_max_aging_days | Maximum Aging Days      | Maximum! Aging Days | >>9                      |     |
|   | po_nbr            | Purchase Order          | Order               | x(8)                     |     |
|   | po_ord_date       | Order Date              | Date                | 99/99/99                 |     |
|   | po_partial        | Partial OK              | Partial             | yes/no                   |     |
|   | po_pr_list        | Disc Tbl                |                     | x(8)                     |     |
|   | po_pr_list2       | Price Tbl               | Pr Tbl              | x(8)                     |     |
|   | po_pr_lst_tp      | ERS Price List Option   | ERS! PLO            | >9                       |     |
|   | po_prepaid        | Amount Prepaid          | Prepaid             | ->,>>>,>>>,>>9.99        | 10  |
|   | po_priced_dt      | Last Price Dt           | Last Pri            | 99/99/99                 |     |
|   | po_pricing_dt     | Pricing Date            | Price Dt            | 99/99/99                 |     |
|   | po_print          | Print PO                | Print               | yes/no                   |     |
|   | po_project        | Project                 |                     | x(8)                     |     |
|   | po_pst            | PST                     |                     | yes/no                   |     |
|   | po_pst_id         | PST ID                  |                     | x(18)                    |     |
|   | po_recurr         | Recurr                  | Recu                | yes/no                   |     |
|   | po_rel_nbr        | Rel                     |                     | >>9                      |     |
|   | po_release        | Release                 | Rel                 | yes/no                   |     |
|   | po_req_id         | Req By                  |                     | x(8)                     |     |
| Δ | po_rev            | Order Revision          | Order Rev           | >>9                      | 10  |
| Δ | po_rev_date       | Order Revision Date     | Order Rev Date      | 99/99/99                 |     |
|   | po_rmks           | Remarks                 |                     | x(40)                    |     |
|   | po_sch_mthd       | Schedules Via           |                     | x(1)                     |     |
|   | po_sched          | Scheduled               |                     | yes/no                   |     |
|   | po_serv_chg       | Service Charge          | Service             | -z,zzz,zzz,zz9.99        | 10  |
|   | po_ship           | Ship-To                 |                     | x(8)                     |     |
|   | po_shipvia        | Ship Via                |                     | x(20)                    |     |
|   | po_site           | Site                    |                     | x(8)                     |     |
|   | po_so_hold        | Secondary SO Cr Hold    | SO Cr Hd            | yes/no                   |     |
|   | po_so_nbr         | Primary SO              | Pr SO               | x(8)                     |     |
|   | po_spec_chg       | Special Charge          | Special             | -z,zzz,zzz,zz9.99        | 10  |
|   | po_stat           | Status                  | St                  | x(2)                     |     |
|   | po_tax_date       | Tax Date                |                     | 99/99/99                 |     |
|   | po_tax_env        | Tax Environment         | Tax Env             | x(16)                    |     |
|   | po_tax_pct[3]     | Tax                     |                     | ->9.99<%                 | 10  |
|   | po_tax_usage      | Tax Usage               | TaxUsage            | x(8)                     |     |
|   | po_taxable        | Taxable                 | Tax                 | yes/no                   |     |
|   | po_taxc           | Tax Class               | TxC                 | x(3)                     |     |

|   | Field Name        | Label                | Col-Label      | Format | Dec |
|---|-------------------|----------------------|----------------|--------|-----|
|   | po_tot_terms_code | Terms of Trade       |                | x(8)   |     |
| ◇ | po_trade_sale     | Trade Sales Contract |                | yes/no |     |
| ◇ | po_trade_sale_so  | Trade Sales SO       | TS SO          | x(8)   |     |
|   | po_transit_days   | Transport Days       |                | >>9.99 | 10  |
|   | po_type           | Type                 | Tp             | x(1)   |     |
|   | po_user_id        | Entered By           | Ent By         | x(8)   |     |
|   | po_user1          | Ufld1                |                | x(8)   |     |
|   | po_user2          | Ufld2                |                | x(8)   |     |
|   | po_vend           | Supplier             |                | x(8)   |     |
|   | po_xmit           | Transm               |                | X      |     |
| Δ | po_zero_sched     | Zero Schedules       | Zero Schedules | >>9    |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_po_mstr | yes | oid_po_mstr | yes | no   |
| po_buyer      | no  | po_domain   | yes | no   |
|               |     | po_buyer    | yes | no   |
|               |     | po_vend     | yes | no   |
|               |     | po_nbr      | yes | no   |
| po_fsm_type   | no  | po_domain   | yes | no   |
|               |     | po_fsm_type | yes | no   |
|               |     | po_nbr      | yes | no   |
| * po_nbr      | yes | po_domain   | yes | no   |
|               |     | po_nbr      | yes | no   |
| po_type       | yes | po_domain   | yes | no   |
|               |     | po_type     | yes | no   |
|               |     | po_nbr      | yes | no   |
| po_vend       | no  | po_domain   | yes | no   |
|               |     | po_vend     | yes | no   |
|               |     | po_nbr      | yes | no   |

**pp\_plan**

## Product Line Plan

| Field Name       | Label        | Col-Label | Format                         | Dec |
|------------------|--------------|-----------|--------------------------------|-----|
| oid_pp_plan      |              |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                  |              |           | .9<<<<<<<<<                    |     |
| pp_qadc01        |              |           | x(8)                           |     |
| pp_bklg_act[12]  | Bklog Actual | Bklog Act | ->>, >>9.9                     | 10  |
| pp_bklg_fcst     | Bklog Plan   |           | ->>, >>9.9                     | 10  |
| pp_cost_act[12]  | Cost Actual  | Cost Act  | ->>, >>9.9                     | 10  |
| pp_cost_fcst[12] | Cost Plan    |           | ->>, >>9.9                     | 10  |
| pp_domain        | Domain       |           | x(8)                           |     |
| pp_inv_act[12]   | Inv Actual   | Inv Act   | ->>, >>9.9                     | 10  |
| pp_inv_fcst      | Inv Plan     |           | ->>, >>9.9                     | 10  |
| pp_ord_act[12]   | Order Actual | Order Act | ->>, >>9.9                     | 10  |
| pp_ord_fcst[12]  | Order Plan   |           | ->>, >>9.9                     | 10  |
| pp_prod_act[12]  | Prod Actual  | Prod Act  | ->>, >>9.9                     | 10  |
| pp_prod_fcst[12] | Prod Plan    |           | ->>, >>9.9                     | 10  |
| pp_prod_line     | Prod Line    |           | x(4)                           |     |
| pp_ship_act[12]  | Ship Actual  | Ship Act  | ->>, >>9.9                     | 10  |
| pp_ship_fcst[12] | Ship Plan    |           | ->>, >>9.9                     | 10  |

| Field Name | Label | Col-Label | Format | Dec |
|------------|-------|-----------|--------|-----|
| pp_site    | Site  |           | x(8)   |     |
| pp_user1   | Ufld1 |           | x(8)   |     |
| pp_user2   | Ufld2 |           | x(8)   |     |
| pp_year    | Year  |           | >>>>   |     |

| Index-Name             | Uni | Field-Name   | Asc | Abbr |
|------------------------|-----|--------------|-----|------|
| $\diamond$ oid_pp_plan | yes | oid_pp_plan  | yes | no   |
| * pp_plan              | yes | pp_domain    | yes | no   |
|                        |     | pp_site      | yes | no   |
|                        |     | pp_prod_line | yes | no   |
|                        |     | pp_year      | yes | no   |

**pq\_mstr**

## Product Line Requirements Master

| Field Name   | Label        | Col-Label | Format                    | Dec |
|--------------|--------------|-----------|---------------------------|-----|
| oid_pq_mstr  |              |           | >>>>>>>>>>>>>>>>>>>>>9 10 |     |
| pq_qadc01    |              |           | .9<<<<<<<<<<              |     |
| pq_domain    | Domain       |           | x(8)                      |     |
| pq_end       | End Date     | End       | x(8)                      |     |
| pq_lead      | LT(Months)   | LT        | 99/99/99                  |     |
| pq_lt_off    | Offset       |           | >>9                       |     |
| pq_prod_line | Product Line | Line      | ->>9                      |     |
| pq_qty_per   | Quantity Per | Qty Per   | x(4)                      |     |
| pq_ref       | Reference    |           | ->>>>, >>9.9<<<<<<<<      | 10  |
| pq_rsc       | Resource     |           | x(8)                      |     |
| pq_site      | Site         |           | x(8)                      |     |
| pq_start     | Start Date   | Start     | x(8)                      |     |
| pq_user1     | Ufld1        |           | 99/99/99                  |     |
| pq_user2     | Ufld2        |           | x(8)                      |     |
|              |              |           | x(8)                      |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_pq_mstr | yes | oid_pq_mstr  | yes | no   |
| * pq_mstr     | yes | pq_domain    | yes | no   |
|               |     | pq_prod_line | yes | no   |
|               |     | pq_site      | yes | no   |
|               |     | pq_rsc       | yes | no   |
|               |     | pq_ref       | yes | no   |
|               |     | pq_start     | yes | no   |
| pq_rsc        | no  | pq_domain    | yes | no   |
|               |     | pq_rsc       | yes | no   |
|               |     | pq_site      | yes | no   |

### Printer Detail

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_prd_det | yes | oid_prd_det | yes | no   |
| * | prd_dev     | yes | prd_dev     | yes | no   |

## Warehousing Prefix Set Control



| Field Name | Label                  | Col-Label  | Format                     | Dec |
|------------|------------------------|------------|----------------------------|-----|
| QadI01     | QAD Field              |            | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |            | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |            | ->, >>>, >>9               |     |
| QadL01     | QAD Field              |            | yes/no                     |     |
| QadL02     | QAD Field              |            | yes/no                     |     |
| QadT01     | QAD Field              |            | 99/99/99                   |     |
| QadT02     | QAD Field              |            | 99/99/99                   |     |
| QadT03     | QAD Field              |            | 99/99/99                   |     |
| ScanField  | Scan Field             | Scan Field | x(20)                      |     |
| Site       | Site                   |            | x(8)                       |     |
| User1      | User 1                 |            | x(8)                       |     |
| User2      | User 2                 |            | x(8)                       |     |
| UserC03    | User Field Character 3 |            | x(24)                      |     |
| UserC04    | User Field Character 4 |            | x(24)                      |     |
| UserC05    | User Field Character 5 |            | x(24)                      |     |
| UserD01    | User Field Decimal 1   |            | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |            | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |            | yes/no                     |     |
| UserL02    | User Field Logical 2   |            | yes/no                     |     |
| UserT01    | User Field Date 1      |            | 99/99/99                   |     |
| UserT02    | User Field Date 2      |            | 99/99/99                   |     |
| Whse       | Warehouse              | Whse       | x(8)                       |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_PrefixC | yes | oid_PrefixC | yes | no   |
| ◇* ScanField  | yes | Domain      | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Whse        | yes | no   |
|               |     | ScanField   | yes | no   |
|               |     | PrefValue   | yes | no   |

◇ **PreInvoiceBank**Pre-Invoice Bank

| Field Name            | Label              | Col-Label          | Format                 | Dec |
|-----------------------|--------------------|--------------------|------------------------|-----|
| BankNumber_ID         | Bank Extension     | Extension          | 9999999999             |     |
| LastModifiedDate      | Last Modified Date | Modif Date         | 99/99/9999             |     |
| LastModifiedTime      | Last Modified Time | Modif Time         | 999999                 |     |
| LastModifiedUser      | Last Modified User | Modif User         | x(20)                  |     |
| PreInvoice_ID         | Link to PreInvoice | Link to PreInvoice | 9999999999             |     |
| PreInvoiceBank_ID     | Record ID          | Record ID          | 9999999999             |     |
| PreInvoiceBankToPayTC | TC Payment Amount  | TC Payment Amount  | ->>>, >>>, >>>, >>9.99 | 4   |

| Index-Name   | Uni | Field-Name        | Asc | Abbr |
|--------------|-----|-------------------|-----|------|
| ◇ BankNumber | no  | BankNumber_ID     | yes | no   |
| ◇ PreInvoice | no  | PreInvoice_ID     | yes | no   |
| ◇* Prim      | yes | PreInvoiceBank_ID | yes | no   |
| ◇ UniqueIdx  | yes | PreInvoice_ID     | yes | no   |
|              |     | BankNumber_ID     | yes | no   |

◇ **PreInvoiceLineDet**Pre-Invoice Line Detail

| Field Name                 | Label                      | Col-Label              | Format                 | Dec |
|----------------------------|----------------------------|------------------------|------------------------|-----|
| Activity_ID                | Activity Sheet Number      | AS Number              | 9999999999             |     |
| CustomCombo0               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo1               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo2               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo3               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo4               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo5               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo6               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo7               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo8               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomCombo9               | Custom Combo Field         | Custom Combo Field     | x(20)                  |     |
| CustomDate0                | Custom Date Field          | Custom Date Field      | 99/99/9999             |     |
| CustomDate1                | Custom Date Field          | Custom Date Field      | 99/99/9999             |     |
| CustomDate2                | Custom Date Field          | Custom Date Field      | 99/99/9999             |     |
| CustomDate3                | Custom Date Field          | Custom Date Field      | 99/99/9999             |     |
| CustomDate4                | Custom Date Field          | Custom Date Field      | 99/99/9999             |     |
| CustomDecimal0             | Custom Decimal Field       | Custom Decimal Field   | ->, >>>, >>9.99        | 4   |
| CustomDecimal1             | Custom Decimal Field       | Custom Decimal Field   | ->, >>>, >>9.99        | 4   |
| CustomDecimal2             | Custom Decimal Field       | Custom Decimal Field   | ->, >>>, >>9.99        | 4   |
| CustomDecimal3             | Custom Decimal Field       | Custom Decimal Field   | ->, >>>, >>9.99        | 4   |
| CustomDecimal4             | Custom Decimal Field       | Custom Decimal Field   | ->, >>>, >>9.99        | 4   |
| CustomInteger0             | Custom Integer Field       | Custom Integer Field   | ->, >>>, >>9           |     |
| CustomInteger1             | Custom Integer Field       | Custom Integer Field   | ->, >>>, >>9           |     |
| CustomInteger2             | Custom Integer Field       | Custom Integer Field   | ->, >>>, >>9           |     |
| CustomInteger3             | Custom Integer Field       | Custom Integer Field   | ->, >>>, >>9           |     |
| CustomInteger4             | Custom Integer Field       | Custom Integer Field   | ->, >>>, >>9           |     |
| CustomLong0                | Custom Long Field          | Custom Long Field      | x(255)                 |     |
| CustomLong1                | Custom Long Field          | Custom Long Field      | x(255)                 |     |
| CustomNote                 | Custom Note Field          | Custom Note Field      | x(2000)                |     |
| CustomShort0               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort1               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort2               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort3               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort4               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort5               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort6               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort7               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort8               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| CustomShort9               | Custom Short Field         | Custom Short Field     | x(20)                  |     |
| Item_ID                    | Item Description           | Item Description       | 9999999999             |     |
| LastModifiedDate           | Last Modified Date         | Modif Date             | 99/99/9999             |     |
| LastModifiedTime           | Last Modified Time         | Modif Time             | 99999                  |     |
| LastModifiedUser           | Last Modified User         | Modif User             | x(20)                  |     |
| PreInvoiceLine_ID          | Link to PreInvoiceLine     | Link to PreInvoiceLine | 9999999999             |     |
| PreInvoiceLineDet_ID       | Record ID                  | Record ID              | 9999999999             |     |
| PreInvoiceLineDetAmountTC  | TC Amount                  | TC Amount              | ->>>, >>>, >>>, >>9.99 | 4   |
| PreInvoiceLineDetIsIncl    | Included                   | Incl                   | yes/no                 |     |
| PreInvoiceLineDetIsSel     | Selected                   | Sel                    | yes/no                 |     |
| PreInvoiceLineDetQty       | Quantity                   | Qty                    | ->>>, >>>, >>9.99      | 4   |
| PreInvoiceLineDetText      | Text                       | Text                   | x(40)                  |     |
| PreInvoiceLineDetTransDate | Transaction Date           | Trans Date             | 99/99/9999             |     |
| PreInvoiceLineDetType      | Type                       | Type                   | x(20)                  |     |
| Unit_ID                    | GL Account Unit of Measure | UM                     | 9999999999             |     |



| Index-Name | Uni | Field-Name           | Asc | Abbr |
|------------|-----|----------------------|-----|------|
| ◇ Activity | no  | Activity_ID          | yes | no   |
| ◇ Item     | no  | Item_ID              | yes | no   |
| ◇* Prim    | yes | PreInvoiceLineDet_ID | yes | no   |
| ◇ Unit     | no  | Unit_ID              | yes | no   |

#### ◇ PreInvoiceLineSafPre-Invoice Line SAF

| Field Name                 | Label                  | Col-Label              | Format     | Dec |
|----------------------------|------------------------|------------------------|------------|-----|
| LastModifiedDate           | Last Modified Date     | Modif Date             | 99/99/9999 |     |
| LastModifiedTime           | Last Modified Time     | Modif Time             | 999999     |     |
| LastModifiedUser           | Last Modified User     | Modif User             | x(20)      |     |
| PreInvoiceLine_ID          | Link to PreInvoiceLine | Link to PreInvoiceLine | 9999999999 |     |
| PreInvoiceLineSaf_ID       | Record ID              | Record ID              | 9999999999 |     |
| PreInvoiceLineSafParentTyp | Parent Type            | Parent Type            | x(20)      |     |
| PreInvoiceLineSafSequence  | Sequence               | Seq                    | ->,>>>,>>9 |     |
| Saf_ID                     | SAF Code               | SAF Code               | 9999999999 |     |
| SafStructure_ID            | Structure Code         | Structure              | 9999999999 |     |

| Index-Name   | Uni | Field-Name                 | Asc | Abbr |
|--------------|-----|----------------------------|-----|------|
| ◇ PreInvLine | no  | PreInvoiceLine_ID          | yes | no   |
| ◇* Prim      | yes | PreInvoiceLineSaf_ID       | yes | no   |
| ◇ SafIdx     | no  | Saf_ID                     | yes | no   |
| ◇ SafStruct  | no  | SafStructure_ID            | yes | no   |
| ◇ UniqueIdx  | yes | PreInvoiceLine_ID          | yes | no   |
|              |     | PreInvoiceLineSafParentTyp | yes | no   |
|              |     | PreInvoiceLineSafSequence  | yes | no   |

#### ◇ PreInvoiceLineXRefPre-Invoice Line SO Line Plan

| Field Name            | Label                  | Col-Label              | Format     | Dec |
|-----------------------|------------------------|------------------------|------------|-----|
| LastModifiedDate      | Last Modified Date     | Modif Date             | 99/99/9999 |     |
| LastModifiedTime      | Last Modified Time     | Modif Time             | 999999     |     |
| LastModifiedUser      | Last Modified User     | Modif User             | x(20)      |     |
| PreInvoiceLine_ID     | Link to PreInvoiceLine | Link to PreInvoiceLine | 9999999999 |     |
| PreInvoiceLineXRef_ID | Record ID              | Record ID              | 9999999999 |     |
| SOLine_ID             | Link to SOLine         | Link to SOLine         | 9999999999 |     |
| SOPlan_ID             | Link to SOPlan         | Link to SOPlan         | 9999999999 |     |

| Index-Name   | Uni | Field-Name            | Asc | Abbr |
|--------------|-----|-----------------------|-----|------|
| ◇ PreInvLine | no  | PreInvoiceLine_ID     | yes | no   |
| ◇* Prim      | yes | PreInvoiceLineXRef_ID | yes | no   |
| ◇ SOLine     | no  | SOLine_ID             | yes | no   |
| ◇ SOPlan     | no  | SOPlan_ID             | yes | no   |
| ◇ UniqueIdx  | yes | PreInvoiceLine_ID     | yes | no   |
|              |     | SOLine_ID             | yes | no   |
|              |     | SOPlan_ID             | yes | no   |

◇ **PreInvoiceRev**Pre-Invoice Revision

| Field Name              | Label              | Col-Label          | Format                | Dec |
|-------------------------|--------------------|--------------------|-----------------------|-----|
| Currency_ID             | Currency Code      | Curr               | 9999999999            |     |
| LastModifiedDate        | Last Modified Date | Modif Date         | 99/99/9999            |     |
| LastModifiedTime        | Last Modified Time | Modif Time         | 99999                 |     |
| LastModifiedUser        | Last Modified User | Modif User         | x(20)                 |     |
| PreInvoice_ID           | Link to PreInvoice | Link to PreInvoice | 9999999999            |     |
| PreInvoiceLine_ID       | Item Code          | Item Code          | 9999999999            |     |
| PreInvoiceRev_ID        | Record ID          | Record ID          | 9999999999            |     |
| PreInvoiceRevAmountTC   | TC Amount          | TC Amount          | ->>>,>>>,>>>,>>9.99   | 4   |
| PreInvoiceRevBaseIndex  | Base Index         | Base Index         | ->,>>>,>>9.9999999999 | 10  |
| PreInvoiceRevIndex      | Index              | Index              | ->,>>>,>>9.9999999999 | 10  |
| PreInvoiceRevWeightPerc | Weight Percentage  | Weight %           | 999.99                | 0   |
| RevisionCategory_ID     | Category           | Category           | 9999999999            |     |

| Index-Name       | Uni | Field-Name          | Asc | Abbr |
|------------------|-----|---------------------|-----|------|
| ◇ PreInvoiceIdx  | no  | PreInvoice_ID       | yes | no   |
| ◇ PreInvoiceLine | no  | PreInvoiceLine_ID   | yes | no   |
| ◇* Prim          | yes | PreInvoiceRev_ID    | yes | no   |
| ◇ RevisionCat    | no  | RevisionCategory_ID | yes | no   |

◇ **PreInvoiceSaf**Pre-Invoice Saf

| Field Name              | Label              | Col-Label          | Format     | Dec |
|-------------------------|--------------------|--------------------|------------|-----|
| LastModifiedDate        | Last Modified Date | Modif Date         | 99/99/9999 |     |
| LastModifiedTime        | Last Modified Time | Modif Time         | 99999      |     |
| LastModifiedUser        | Last Modified User | Modif User         | x(20)      |     |
| PreInvoice_ID           | Link to PreInvoice | Link to PreInvoice | 9999999999 |     |
| PreInvoiceSaf_ID        | Record ID          | Record ID          | 9999999999 |     |
| PreInvoiceSafParentType | Parent Type        | Parent Type        | x(20)      |     |
| PreInvoiceSafSequence   | Sequence           | Seq                | ->,>>>,>>9 |     |
| Saf_ID                  | SAF Code           | SAF Code           | 9999999999 |     |
| SafStructure_ID         | Structure Code     | Structure          | 9999999999 |     |

| Index-Name     | Uni | Field-Name              | Asc | Abbr |
|----------------|-----|-------------------------|-----|------|
| ◇ PreInvoice   | no  | PreInvoice_ID           | yes | no   |
| ◇* Prim        | yes | PreInvoiceSaf_ID        | yes | no   |
| ◇ Saf          | no  | Saf_ID                  | yes | no   |
| ◇ SafStructure | no  | SafStructure_ID         | yes | no   |
| ◇ UniquelIdx   | yes | PreInvoice_ID           | yes | no   |
|                |     | PreInvoiceSafSequence   | yes | no   |
|                |     | PreInvoiceSafParentType | yes | no   |

◇ **PreInvoiceStage**Pre-Invoice Stage

| Field Name              | Label              | Col-Label          | Format              | Dec |
|-------------------------|--------------------|--------------------|---------------------|-----|
| PreInvoice_ID           | Link to PreInvoice | Link to PreInvoice | 9999999999          |     |
| PreInvoiceStage_ID      | Record ID          | Record ID          | 9999999999          |     |
| PreInvoiceStageAmountCC | MC Amount          | MC Amount          | ->>>,>>>,>>>,>>9.99 | 4   |

| Field Name                | Label      | Col-Label | Format                 | Dec |
|---------------------------|------------|-----------|------------------------|-----|
| PreInvoiceStageAmountLC   | BC Amount  | BC Amount | ->>>, >>>, >>>, >>9.99 | 4   |
| PreInvoiceStageAmountTC   | TC Amount  | TC Amount | ->>>, >>>, >>>, >>9.99 | 4   |
| PreInvoiceStageDueDate    | Due Date   | Due Date  | 99/99/9999             |     |
| PreInvoiceStagePercentage | Percentage | %         | ->, >>>, >>9.99        | 2   |

| Index-Name   | Uni | Field-Name             | Asc | Abbr |
|--------------|-----|------------------------|-----|------|
| ◇ DueDate    | no  | PrelnvoiceStageDueDate | yes | no   |
| ◇ Prelnvoice | no  | Prelnvoice_ID          | yes | no   |
| ◇* Prim      | yes | PrelnvoiceStage_ID     | yes | no   |
| ◇ Uniqueidx  | yes | PrelnvoiceStageDueDate | yes | no   |
|              |     | Prelnvoice_ID          | yes | no   |

**prh\_hist** Purchase Order Receipt History

| Field Name   | Label       | Col-Label | Format                     | Dec |
|--------------|-------------|-----------|----------------------------|-----|
| oid_prh_hist |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| prh__chr01   |             |           | .9<<<<<<<<<<               |     |
| prh__chr02   |             |           | x(8)                       |     |
| prh__chr03   |             |           | x(8)                       |     |
| prh__chr04   |             |           | x(8)                       |     |
| prh__chr05   |             |           | x(8)                       |     |
| prh__chr06   |             |           | x(8)                       |     |
| prh__chr07   |             |           | x(8)                       |     |
| prh__chr08   |             |           | x(8)                       |     |
| prh__chr09   |             |           | x(8)                       |     |
| prh__chr10   |             |           | x(8)                       |     |
| prh__dec01   |             |           | >>>, >>>, >>9.99           | 10  |
| prh__dec02   |             |           | >>>, >>>, >>9.99           | 10  |
| prh__dec03   |             |           | >>>, >>>, >>9.99           | 10  |
| prh__dec04   |             |           | >>>, >>>, >>9.99           | 10  |
| prh__dec05   |             |           | >>>, >>>, >>9.99           | 10  |
| prh__dte01   |             |           | 99/99/99                   |     |
| prh__dte02   |             |           | 99/99/99                   |     |
| prh__dte03   |             |           | 99/99/99                   |     |
| prh__dte04   |             |           | 99/99/99                   |     |
| prh__dte05   |             |           | 99/99/99                   |     |
| prh__log01   |             |           | yes/no                     |     |
| prh__log02   |             |           | yes/no                     |     |
| prh__qad02   |             |           | x(8)                       |     |
| prh__qad03   |             |           | ->, >>>, >>9.9<<<<<<<<<    | 10  |
| prh__qad04   |             |           | >>>>>>>                    |     |
| prh__qadc01  |             |           | x(24)                      |     |
| prh__qadc02  |             |           | x(24)                      |     |
| prh__qadc03  |             |           | x(24)                      |     |
| prh__qadc04  |             |           | x(24)                      |     |
| prh__qadc05  |             |           | x(24)                      |     |
| prh__qadc06  |             |           | x(24)                      |     |
| prh__qadd01  |             |           | ->, >>>, >>9.9<<<<<<<<<    | 10  |
| prh__qadi01  |             |           | ->>>>>>>9                  |     |
| prh__approve | Approved By | Approved  | x(8)                       |     |
| prh_bank     | Bank        |           | x(2)                       |     |

| Field Name          | Label               | Col-Label     | Format                   | Dec |
|---------------------|---------------------|---------------|--------------------------|-----|
| prh_bdn_std         | Std Bdn Cost        | Std Burden    | ->>>, >>>, >>9.99<<<     | 10  |
| prh_bo_qty          | Back Order Qty      |               | ->, >>>, >>9.9<<<<<<<<<  | 10  |
| prh_buyer           | Buyer               |               | x(8)                     |     |
| prh_crt_int         | Credit Terms Int    | CRT Int       | ->>>9.99                 | 10  |
| prh_cst_up          | Update Current Cost |               | yes/no                   |     |
| prh_cum_rcvd        | Cum Received        |               | ->, >>>, >>9.9<<<<<<<<   | 10  |
| prh_cum_req         | Cum Qty Required    |               | ->, >>>, >>9.9<<<<<<<<   | 10  |
| prh_curr            | Currency            | Cur           | x(3)                     |     |
| prh_curr_amt        | Currency Amt        |               | ->>>, >>>, >>9.99<<<     | 10  |
| prh_curr_rlse_id[3] | Active Rlse ID      |               | x(30)                    |     |
| prh_domain          | Domain              |               | x(8)                     |     |
| prh_element         | Cost Element        | Element       | x(8)                     |     |
| prh_ex_rate         | Exch Rate           |               | >>>>, >>>, >>9.9<<<<<<<< | 10  |
| prh_ex_rate2        | Exch Rate 2         |               | >>>>, >>>, >>9.9<<<<<<<< | 10  |
| prh_ex_ratetype     | Rate Type           |               | x(8)                     |     |
| prh_exru_seq        | Sequence            |               | >>>>>>>9                 |     |
| prh_fix_pr          | Fixed Price         |               | yes/no                   |     |
| prh_fix_rate        | Fixed Rate          | Fixed         | yes/no                   |     |
| prh_fsm_type        | FSM Type            |               | x(8)                     |     |
| prh_lbr_std         | Std Lbr Cost        | Std Labor     | ->>>, >>>, >>9.99<<<     | 10  |
| prh_line            | PO Line             | Ln            | >>9                      |     |
| prh_lot             | Work Order ID       | WO ID         | x(8)                     |     |
| prh_mtl_std         | Std Mtl Cost        | Std Mtl       | ->>>, >>>, >>9.99<<<     | 10  |
| prh_nbr             | Order               | PO            | x(8)                     |     |
| prh_ovh_std         | Std Ovhead          |               | >>>>, >>>, >>9.99<<<     | 10  |
| prh_part            | Item Number         |               | x(18)                    |     |
| prh_pay_um          | Pay UM              | UM            | x(2)                     |     |
| prh_per_date        | Perform Date        | Perform       | 99/99/99                 |     |
| prh_po_site         | PO Site             |               | x(8)                     |     |
| prh_print           | Print Receiver      |               | yes/no                   |     |
| prh_ps_nbr          | Packing Slip        |               | x(20)                    |     |
| prh_ps_qty          | Packing Slip Qty    | Pack Slip Qty | ->, >>>, >>9.9<<<<<<<<   | 10  |
| prh_pum_conv        | Pay UM Conv         |               | >>>>9.9999<<<<           | 10  |
| prh_pur_cost        | PO Cost             |               | ->, >>>, >>>, >>9.99<<<  | 10  |
| prh_pur_std         | PO Std Cost         |               | ->>>, >>>, >>9.99<<<     | 10  |
| prh_qty_ord         | Qty Ordered         |               | ->, >>>, >>9.9<<<<<<<<   | 10  |
| prh_rcp_date        | Receipt Date        | Receipt       | 99/99/99                 |     |
| prh_rcp_type        | Receipt Type        | R             | x(1)                     |     |
| prh_rcvd            | Receipt Qty         |               | ->, >>>, >>9.9<<<<<<<<   | 10  |
| prh_reason          | Reason              |               | x(8)                     |     |
| prh_receiver        | Receiver            |               | x(8)                     |     |
| prh_request         | Requested By        | Req By        | x(8)                     |     |
| prh_rev             | Revision            | Rev           | x(4)                     |     |
| prh_rma_type        | RMA Type            |               | x(1)                     |     |
| prh_ship            | Ship-To             |               | x(8)                     |     |
| prh_ship_date       | Ship Date           | Ship! Date    | 99/99/99                 |     |
| prh_shipto          | Ship-to             |               | x(8)                     |     |
| prh_site            | Site                |               | x(8)                     |     |
| prh_sub_std         | STD Sub Cost        | Std Sub       | ->>>, >>>, >>9.99<<<     | 10  |
| prh_tax_at          | Tax                 |               | x(3)                     |     |
| prh_tax_env         | Tax Environment     | Tax Env       | x(16)                    |     |
| prh_tax_in          | Tax In              |               | yes/no                   |     |
| prh_tax_usage       | Tax Usage           | TaxUsage      | x(8)                     |     |
| prh_taxc            | Tax Class           | TxC           | x(3)                     |     |
| prh_type            | Purchase Type       | T             | x(1)                     |     |
| prh_um              | UM                  |               | x(2)                     |     |
| prh_um_conv         | UM Conversion       | UM Conv       | >>>>9.9999<<<<           | 10  |

| Field Name   | Label        | Col-Label | Format               | Dec |
|--------------|--------------|-----------|----------------------|-----|
| prh_user1    | Ufld1        |           | x(8)                 |     |
| prh_user2    | Ufld2        |           | x(8)                 |     |
| prh_vend     | Supplier     |           | x(8)                 |     |
| prh_vend_lot | Supplier Lot |           | x(18)                |     |
| prh_xinv_cst | Not Used     |           | ->,>>>,>>>,>>9.99<<< | 10  |
| prh_xinv_dt  | Not Used     |           | 99/99/99             |     |
| prh_xinvoice | Not Used     |           | x(12)                |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_prh_hist | yes | oid_prh_hist | yes | no   |
| prh_buyer      | no  | prh_domain   | yes | no   |
|                |     | prh_buyer    | yes | no   |
|                |     | prh_vend     | yes | no   |
|                |     | prh_part     | yes | no   |
| * prh_nbr      | yes | prh_domain   | yes | no   |
|                |     | prh_nbr      | yes | no   |
|                |     | prh_receiver | yes | no   |
|                |     | prh_line     | yes | no   |
|                |     | prh_element  | yes | no   |
| prh_part       | no  | prh_domain   | yes | no   |
|                |     | prh_part     | yes | no   |
|                |     | prh_rcp_date | yes | no   |
| prh_ps_nbr     | no  | prh_domain   | yes | no   |
|                |     | prh_vend     | yes | no   |
|                |     | prh_ps_nbr   | yes | no   |
|                |     | prh_part     | yes | no   |
| prh_rcp_date   | no  | prh_domain   | yes | no   |
|                |     | prh_rcp_date | yes | no   |
| prh_receiver   | yes | prh_domain   | yes | no   |
|                |     | prh_receiver | yes | no   |
|                |     | prh_line     | yes | no   |
| prh_vend       | no  | prh_domain   | yes | no   |
|                |     | prh_vend     | yes | no   |
|                |     | prh_part     | yes | no   |
|                |     | prh_rcp_date | yes | no   |

## ◇ Price Price

| Field Name   | Label              | Col-Label          | Format     | Dec |
|--------------|--------------------|--------------------|------------|-----|
| Currency_ID  | Currency Code      | Curr               | 9999999999 |     |
| CustomCombo0 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo1 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo2 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo3 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo4 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo5 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo6 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo7 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo8 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo9 | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomDate0  | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |
| CustomDate1  | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |
| CustomDate2  | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |

| Field Name              | Label                      | Col-Label            | Format             | Dec |
|-------------------------|----------------------------|----------------------|--------------------|-----|
| CustomDate3             | Custom Date Field          | Custom Date Field    | 99/99/9999         |     |
| CustomDate4             | Custom Date Field          | Custom Date Field    | 99/99/9999         |     |
| CustomDecimal0          | Custom Decimal Field       | Custom Decimal Field | ->,>>>,>>9.99      | 4   |
| CustomDecimal1          | Custom Decimal Field       | Custom Decimal Field | ->,>>>,>>9.99      | 4   |
| CustomDecimal2          | Custom Decimal Field       | Custom Decimal Field | ->,>>>,>>9.99      | 4   |
| CustomDecimal3          | Custom Decimal Field       | Custom Decimal Field | ->,>>>,>>9.99      | 4   |
| CustomDecimal4          | Custom Decimal Field       | Custom Decimal Field | ->,>>>,>>9.99      | 4   |
| CustomInteger0          | Custom Integer Field       | Custom Integer Field | ->,>>>,>>9         |     |
| CustomInteger1          | Custom Integer Field       | Custom Integer Field | ->,>>>,>>9         |     |
| CustomInteger2          | Custom Integer Field       | Custom Integer Field | ->,>>>,>>9         |     |
| CustomInteger3          | Custom Integer Field       | Custom Integer Field | ->,>>>,>>9         |     |
| CustomInteger4          | Custom Integer Field       | Custom Integer Field | ->,>>>,>>9         |     |
| CustomLong0             | Custom Long Field          | Custom Long Field    | x(255)             |     |
| CustomLong1             | Custom Long Field          | Custom Long Field    | x(255)             |     |
| CustomNote              | Custom Note Field          | Custom Note Field    | x(2000)            |     |
| CustomShort0            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort1            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort2            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort3            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort4            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort5            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort6            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort7            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort8            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| CustomShort9            | Custom Short Field         | Custom Short Field   | x(20)              |     |
| ItemPriceGroup_ID       | Item Price Group           | Item Price Group     | 9999999999         |     |
| LastModifiedDate        | Last Modified Date         | Modif Date           | 99/99/9999         |     |
| LastModifiedTime        | Last Modified Time         | Modif Time           | 99999              |     |
| LastModifiedUser        | Last Modified User         | Modif User           | x(20)              |     |
| Price_ID                | Record ID                  | Record ID            | 9999999999         |     |
| PriceDiscountPercentage | Discount %                 | Discount %           | >>9.99             | 0   |
| PriceFromQTY            | Minimum Quantity           | Minimum Qty          | ->>>,>>>,>>9.99    | 4   |
| PriceIsActive           | Active                     | Active               | yes/no             |     |
| PriceList_ID            | Price List Code            | Price List Code      | 9999999999         |     |
| PricePRICE              | Price                      | Price                | ->>>,>>>,>>9.99999 | 10  |
| PriceValidFromDate      | From Date                  | From Date            | 99/99/9999         |     |
| SharedSet_ID            | Link to SharedSet          | Link to SharedSet    | 9999999999         |     |
| Unit_ID                 | GL Account Unit of Measure | UM                   | 9999999999         |     |

| Index-Name          | Uni | Field-Name         | Asc | Abbr |
|---------------------|-----|--------------------|-----|------|
| ◇ Activedx          | no  | PriceIsActive      | yes | no   |
| ◇ AltPrimUniqueldx  | yes | SharedSet_ID       | yes | no   |
|                     |     | PriceList_ID       | yes | no   |
|                     |     | ItemPriceGroup_ID  | yes | no   |
|                     |     | PriceFromQTY       | yes | no   |
|                     |     | PriceValidFromDate | yes | no   |
|                     |     | Unit_ID            | yes | no   |
| ◇ CurrencyIdx       | no  | Currency_ID        | yes | no   |
| ◇ ItemPriceGroupIdx | no  | ItemPriceGroup_ID  | yes | no   |
| ◇ PriceListIdx      | no  | PriceList_ID       | yes | no   |
| ◇* Prim             | yes | Price_ID           | yes | no   |
| ◇ UnitIdx           | no  | Unit_ID            | yes | no   |

## Project Realization Project Master



| Field Name      | Label                     | Col-Label | Format                | Dec |
|-----------------|---------------------------|-----------|-----------------------|-----|
| prj_mref        | Master Project            |           | x(8)                  |     |
| prj_nbr         | Project                   |           | x(8)                  |     |
| prj_ord_date    | Order Date                |           | 99/99/99              |     |
| prj_pjt_code    | Project Type              |           | x(8)                  |     |
| prj_po          | Purchase Order            |           | x(22)                 |     |
| prj_pr_list     | Price List                |           | x(8)                  |     |
| prj_pr_rollup   | Auto Price Rollup         |           | yes/no                |     |
| prj_prep_tax    | Prepaid Tax               |           | ->>>>, >>>, >>9.99<<< | 10  |
| prj_prepaid     | Prepaid                   |           | ->>>>, >>>, >>9.99<<< | 10  |
| prj_pricing_dt  | Pricing Date              | Price Dt  | 99/99/99              |     |
| prj_rmks        | Remarks                   |           | x(40)                 |     |
| prj_ship_date   | Ship Date                 |           | 99/99/99              |     |
| prj_ship_to     | Ship-To                   |           | x(8)                  |     |
| prj_shipvia     | Ship Via                  |           | x(20)                 |     |
| prj_site        | Site                      |           | x(8)                  |     |
| prj_slspsn[4]   | Slsperson                 |           | x(8)                  |     |
| prj_st_date     | Start Date                |           | 99/99/99              |     |
| prj_status      | Status                    |           | x(8)                  |     |
| prj_tax_date    | Tax Date                  |           | 99/99/99              |     |
| prj_tax_env     | Tax Environment           |           | x(16)                 |     |
| prj_tax_in      | Tax In                    |           | yes/no                |     |
| prj_tax_usage   | Tax Usage                 |           | x(8)                  |     |
| prj_taxable     | Taxable                   |           | yes/no                |     |
| prj_taxc        | Tax Environment Tax Class |           | x(3)                  |     |
| prj_trl1_amt    | Trailer Amt 1             |           | -zzzz,zzz,zz9.99      | 10  |
| prj_trl1_cd     | Trailer 1                 |           | x(2)                  |     |
| prj_trl2_amt    | Trailer Amt 2             |           | -zzzz,zzz,zz9.99      | 10  |
| prj_trl2_cd     | Trailer 2                 |           | x(2)                  |     |
| prj_trl3_amt    | Trailer Amt 3             |           | -zzzz,zzz,zz9.99      | 10  |
| prj_trl3_cd     | Trailer 3                 |           | x(2)                  |     |
| prj_type_taxc   | Tax Rate Tax Class        |           | x(3)                  |     |
| prj_use_budgets | Use Budgets               |           | yes/no                |     |
| prj_user1       | Ufld1                     |           | x(8)                  |     |
| prj_user2       | Ufld2                     |           | x(8)                  |     |
| prj_userid      | Entered By                |           | x(8)                  |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_prj_mstr | yes | oid_prj_mstr | yes | no   |
| * prj_nbr      | yes | prj_domain   | yes | no   |
|                |     | prj_nbr      | yes | no   |
|                | no  | prj_domain   | yes | no   |
|                |     | prj_pjt_code | yes | no   |
|                | no  | prj_domain   | yes | no   |
|                |     | prj_po       | yes | no   |
|                |     | prj_cust     | yes | no   |
| ◇ prj_ship     | no  | prj_domain   | yes | no   |
|                |     | prj_ship_to  | yes | no   |



## ◇ Profile Profile

| Field Name         | Label              | Col-Label    | Format     | Dec |
|--------------------|--------------------|--------------|------------|-----|
| LastModifiedDate   | Last Modified Date | Modif Date   | 99/99/9999 |     |
| LastModifiedTime   | Last Modified Time | Modif Time   | 999999     |     |
| LastModifiedUser   | Last Modified User | Modif User   | x(20)      |     |
| Profile_ID         | Record ID          | Record ID    | 9999999999 |     |
| ProfileCode        | Profile Code       | Profile Code | x(20)      |     |
| ProfileDescription | Description        | Description  | x(40)      |     |
| ProfileIsActive    | Active             | Act          | yes/no     |     |
| ProfileTypeCode    | Profile Type       | Profile Type | x(30)      |     |

| Index-Name  | Uni | Field-Name      | Asc | Abbr |
|-------------|-----|-----------------|-----|------|
| ◇ Code      | yes | ProfileCode     | yes | no   |
| ◇* Prim     | yes | Profile_ID      | yes | no   |
| ◇ Type      | no  | ProfileTypeCode | yes | no   |
| ◇ ViewIndex | no  | ProfileIsActive | yes | no   |
|             |     | ProfileCode     | yes | no   |

## ◇ ProfileLink Profile Link

| Field Name           | Label              | Col-Label         | Format     | Dec |
|----------------------|--------------------|-------------------|------------|-----|
| LastModifiedDate     | Last Modified Date | Modif Date        | 99/99/9999 |     |
| LastModifiedTime     | Last Modified Time | Modif Time        | 999999     |     |
| LastModifiedUser     | Last Modified User | Modif User        | x(20)      |     |
| Profile_ID           | Link to Profile    | Link to Profile   | 9999999999 |     |
| ProfileLink_ID       | Record ID          | Record ID         | 9999999999 |     |
| ProfileLinkObject_ID |                    |                   | 9999999999 |     |
| SharedSet_ID         | Link to SharedSet  | Link to SharedSet | 9999999999 |     |

| Index-Name         | Uni | Field-Name     | Asc | Abbr |
|--------------------|-----|----------------|-----|------|
| ◇* Prim            | yes | ProfileLink_ID | yes | no   |
| ◇ Profile          | no  | Profile_ID     | yes | no   |
| ◇ ProfileSharedSet | yes | SharedSet_ID   | yes | no   |
|                    |     | Profile_ID     | yes | no   |
| ◇ SharedSet        | no  | SharedSet_ID   | yes | no   |

## ◇ ProfileType Profile Type

| Field Name            | Label              | Col-Label         | Format     | Dec |
|-----------------------|--------------------|-------------------|------------|-----|
| LastModifiedDate      | Last Modified Date | Modif Date        | 99/99/9999 |     |
| LastModifiedTime      | Last Modified Time | Modif Time        | 999999     |     |
| LastModifiedUser      | Last Modified User | Modif User        | x(20)      |     |
| ProfileTypeCode       | Profile Type Code  | Profile Type Code | x(30)      |     |
| ProfileTypesActive    | Active             | Act               | yes/no     |     |
| ProfileTypesDefault   | Default            | Default           | yes/no     |     |
| ProfileTypeTranslated | Profile Type Code  | Profile Type Code | x(20)      |     |
| SharedSetTypeCode     | Shared Set Type    | Shared Set Type   | x(20)      |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇* Prim     | yes | ProfileTypeCode     | yes | no   |
| ◇ ViewIndex | no  | ProfileTypeIsActive | yes | no   |
|             |     | ProfileTypeCode     | yes | no   |

◇ **Project** Project

| Field Name          | Label                | Col-Label            | Format          | Dec |
|---------------------|----------------------|----------------------|-----------------|-----|
| AdminRespUsr_ID     | Responsible          | Responsible          | 9999999999      |     |
| BudgetGroup_ID      | Budget Group         | Budget Group         | 9999999999      |     |
| BusinessRelation_ID | Business Relation    | Business Relation    | 9999999999      |     |
| ControllerUsr_ID    | Login                | Login                | 9999999999      |     |
| Currency_ID         | Currency             | Curr                 | 9999999999      |     |
| CustomCombo0        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo1        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo2        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo3        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo4        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo5        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo6        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo7        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo8        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo9        | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomDate0         | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate1         | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate2         | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate3         | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate4         | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDecimal0      | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal1      | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal2      | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal3      | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal4      | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomInteger0      | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger1      | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger2      | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger3      | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger4      | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomLong0         | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomLong1         | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomNote          | Custom Note Field    | Custom Note Field    | x(2000)         |     |
| CustomShort0        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort1        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort2        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort3        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort4        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort5        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort6        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort7        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort8        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort9        | Custom Short Field   | Custom Short Field   | x(20)           |     |
| Debtor_ID           | Customer             | Customer             | 9999999999      |     |
| Division_ID         | Link to Division     | Link to Division     | 9999999999      |     |
| DivisionProfile_ID  | Sub-Account Profile  | Sub-Account Profile  | 9999999999      |     |

| Field Name                | Label                          | Col-Label                  | Format              | Dec |
|---------------------------|--------------------------------|----------------------------|---------------------|-----|
| ExchangeRateType_ID       | Exchange Rate Type             | Rate Type                  | 9999999999          |     |
| Industry_ID               | Link to Industry               | Link to Industry           | 9999999999          |     |
| InvoiceAddress_ID         | City                           | City                       | 9999999999          |     |
| LastModifiedDate          | Last Modified Date             | Modif Date                 | 99/99/9999          |     |
| LastModifiedTime          | Last Modified Time             | Modif Time                 | 99999               |     |
| LastModifiedUser          | Last Modified User             | Modif User                 | x(20)               |     |
| MainProject_ID            | Main Project                   | Main Project               | 9999999999          |     |
| PaymentCondition_ID       | Credit Terms                   | Cred Trm                   | 9999999999          |     |
| PenholderCompany_ID       | Link to Company                | Link to Company            | 9999999999          |     |
| PriceList_ID              | Price List                     | Price List                 | 9999999999          |     |
| Project_ID                | Record ID                      | Record ID                  | 9999999999          |     |
| ProjectCode               | Project                        | Project                    | x(8)                |     |
| ProjectContractAmountTC   | TC Contract Amount             | TC Contract Amount         | ->>>,>>>,>>>,>>9.99 | 4   |
| ProjectContractDate       | Contract Date                  | Contract Date              | 99/99/9999          |     |
| ProjectContractReference  | Contract Reference             | Contract Ref               | x(40)               |     |
| ProjectDateRevised        | Date Revised                   | Project Date Revised       | 99/99/9999          |     |
| ProjectDescription        | Description                    | Description                | x(24)               |     |
| ProjectEndDate            | End Date                       | End Date                   | 99/99/9999          |     |
| ProjectGroup_ID           | Project Group                  | Project Group              | 9999999999          |     |
| ProjectIsAltRevProdCalc   | Alt Production Calculation     | Alt Production Calculation | yes/no              |     |
| ProjectIsStructFromGL     | Retrieve SAF Structure from GL | Retrieve Structure from GL | yes/no              |     |
| ProjectIsTemplate         | Save as Template               | Template                   | yes/no              |     |
| ProjectIsWithSaf          | SAF Enabled                    | SAF                        | yes/no              |     |
| ProjectManagerUsr_ID      | Project Administrator          | Project Adminisnistrator   | 9999999999          |     |
| ProjectOriginalCompleDate | Original Completion Date       | Proj Orig Comp Date        | 99/99/9999          |     |
| ProjectPriceTypeCode      | Price Type                     | Price Type                 | x(20)               |     |
| ProjectRevenueRecogType   | Revenue Recognition Type       | Revenue Recognition Type   | x(20)               |     |
| ProjectRevisedCompleDate  | Revised Completion Date        | Proj Rev Comp Date         | 99/99/9999          |     |
| ProjectSafSetOnByUsr_ID   | Link to Usr                    | Link to Usr                | ->,>>>,>>9          |     |
| ProjectSafSetOnOnDate     | Saf Set on Date                | Saf Set on Date            | 99/99/9999          |     |
| ProjectStartDate          | Start Date                     | Start Date                 | 99/99/9999          |     |
| ProjectStatus_ID          | Status Code                    | Status Code                | 9999999999          |     |
| ProjectSystemStatus       | System Status                  | System Status              | x(20)               |     |
| ProjectTypeCode           | Project Type                   | Project Type               | x(20)               |     |
| Region_ID                 | Region                         | Region                     | 9999999999          |     |
| SalesRespUsr_ID           | Login                          | Login                      | 9999999999          |     |
| SharedSet_ID              | Link to SharedSet              | Link to SharedSet          | 9999999999          |     |
| SiteAddress_ID            | Address                        | Address                    | 9999999999          |     |
| TemplateProject_ID        | Template Code                  | Template Code              | 9999999999          |     |

| Index-Name            | Uni | Field-Name          | Asc | Abbr |
|-----------------------|-----|---------------------|-----|------|
| ◇ BudgetGroup         | no  | BudgetGroup_ID      | yes | no   |
| ◇ Code                | no  | ProjectCode         | yes | no   |
| ◇ IsTemplate          | no  | ProjectIsTemplate   | yes | no   |
| ◇* Prim               | yes | Project_ID          | yes | no   |
| ◇ ProjectGroup        | no  | ProjectGroup_ID     | yes | no   |
| ◇ ProjectSystemStatus | no  | ProjectSystemStatus | yes | no   |
| ◇ SharedSet           | no  | SharedSet_ID        | yes | no   |
| ◇ SharedSetAndCode    | yes | SharedSet_ID        | yes | no   |
|                       |     | ProjectCode         | yes | no   |

## ◇ ProjectGroupProject Group

| Field Name              | Label       | Col-Label   | Format     | Dec |
|-------------------------|-------------|-------------|------------|-----|
| ProjectGroup_ID         | Record ID   | Record ID   | 9999999999 |     |
| ProjectGroupCode        | Code        | Code        | x(20)      |     |
| ProjectGroupDescription | Description | Description | x(40)      |     |
| ProjectGroupsActive     | Active      | Active      | yes/no     |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇ IsActive  | no  | ProjectGroupsActive | yes | no   |
| ◇* Prim     | yes | ProjectGroup_ID     | yes | no   |
| ◇ UniqueIdx | yes | ProjectGroupCode    | yes | no   |
| ◇ ViewIndex | no  | ProjectGroupsActive | yes | no   |
|             |     | ProjectGroupCode    | yes | no   |

## ◇ ProjectRevCalcProject Revenue Calculation

| Field Name              | Label                      | Col-Label            | Format                  | Dec |
|-------------------------|----------------------------|----------------------|-------------------------|-----|
| Company_ID              | Link to Company            | Link to Company      | 9999999999              |     |
| Cost1ProjectRevCode_ID  | Indirect Cost Code 1       | Indirect Cost Code 1 | 9999999999              |     |
| Cost2ProjectRevCode_ID  | Indirect Cost Code 2       | Indirect Cost Code 2 | 9999999999              |     |
| Cost3ProjectRevCode_ID  | Project                    | Project              | 9999999999              |     |
| Cost4ProjectRevCode_ID  | Indirect Cost Code 4       | Indirect Cost Code 4 | 9999999999              |     |
| Cost5ProjectRevCode_ID  | Indirect Cost Code 5       | Indirect Cost Code 5 | 9999999999              |     |
| LastModifiedDate        | Last Modified Date         | Modif Date           | 99/99/9999              |     |
| LastModifiedTime        | Last Modified Time         | Modif Time           | 99999                   |     |
| LastModifiedUser        | Last Modified User         | Modif User           | x(20)                   |     |
| LossProjectRevCode_ID   | Project                    | Project              | 9999999999              |     |
| Project_ID              | Project                    | Project              | 9999999999              |     |
| ProjectRevCalc_ID       | Record ID                  | Record ID            | 9999999999              |     |
| ProjectRevCalc1Cost     | Indirect Cost 1            | Indirect Cost 1      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc1CostBase | Indirect Cost Base 1       | Ind Cost Base 1      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc1CostPerc | Indirect Cost Percentage 1 | Ind Cost % 1         | -->9.99                 | 2   |
| ProjectRevCalc1CostQTY  | Indirect Cost Qty 1        | Ind Cost Qty 1       | -->>>,-->>,-->9.99      | 4   |
| ProjectRevCalc1CostUnit | Indirect Cost Unit Cost 1  | Ind Unit Cost 1      | -->>>,-->>,-->9.99999   | 10  |
| ProjectRevCalc2Cost     | Indirect Cost 2            | Indirect Cost 2      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc2CostBase | Indirect Cost Base 2       | Ind Cost Base 2      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc2CostPerc | Indirect Cost Percentage 2 | Ind Cost % 2         | -->9.99                 | 2   |
| ProjectRevCalc2CostQTY  | Indirect Cost Qty 2        | Ind Cost Qty 2       | -->>>,-->>,-->9.99      | 4   |
| ProjectRevCalc2CostUnit | Indirect Cost Unit Cost 2  | Ind Unit Cost 2      | -->>>,-->>,-->9.99999   | 10  |
| ProjectRevCalc3Cost     | Indirect Cost 3            | Indirect Cost 3      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc3CostBase | Indirect Cost Base 3       | Ind Cost Base 3      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc3CostPerc | Indirect Cost Percentage 3 | Ind Cost % 3         | -->9.99                 | 2   |
| ProjectRevCalc3CostQTY  | Indirect Cost Qty 3        | Ind Cost Qty 3       | -->>>,-->>,-->9.99      | 4   |
| ProjectRevCalc3CostUnit | Indirect Cost Unit Cost 3  | Ind Unit Cost 3      | -->>>,-->>,-->9.99999   | 10  |
| ProjectRevCalc4Cost     | Indirect Cost 4            | Indirect Cost 4      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc4CostBase | Indirect Cost Base 4       | Ind Cost Base 4      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc4CostPerc | Indirect Cost Percentage 4 | Ind Cost % 4         | -->9.99                 | 2   |
| ProjectRevCalc4CostQTY  | Indirect Cost Qty 4        | Ind Cost Qty 4       | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc4CostUnit | Indirect Cost Unit Cost 4  | Ind Unit Cost 4      | -->>>,-->>,-->9.99999   | 10  |
| ProjectRevCalc5Cost     | Indirect Cost 5            | Indirect Cost 5      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc5CostBase | Indirect Cost Base 5       | Ind Cost Base 5      | -->>>,-->>,-->>,-->9.99 | 4   |
| ProjectRevCalc5CostPerc | Indirect Cost Percentage 5 | Ind Cost % 5         | -->9.99                 | 2   |
| ProjectRevCalc5CostQTY  | Indirect Cost Qty 5        | Ind Cost Qty 5       | -->>>,-->>,-->9.99      | 4   |

| Field Name                 | Label                      | Col-Label                  | Format                 | Dec |
|----------------------------|----------------------------|----------------------------|------------------------|-----|
| ProjectRevCalc5CostUnit    | Indirect Cost Unit Cost 5  | Ind Unit Cost 5            | ->>>, >>>, >>9.99999   | 10  |
| ProjectRevCalcActDirCstLTD | Direct Costs (A) Total LTD | Direct Costs (A) Total LTD | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcActRevLTD    | Revenue (A) Total LTD      | Revenue (A) Total LTD      | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcCostCorr     | Cost Correction            | Cost Correction            | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcCostJOR      | Indirect Cost JOR          | JOR                        | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcCostJORLTD   | Indirect Cost JOR LTD      | JOR LTD                    | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcCostOverh    | Indirect Cost Overhead     | Overhead                   | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcCostOverhLTD | Indirect Cost Overhead LTD | Overhead Cost LTD          | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcForCostLTE   | Forecast Cost LTE          | Forecast Cost LTE          | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcForRevLTE    | Forecast Revenue LTE       | Forecast Revenue LTE       | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcGrosMargLTD  | Gross Margin LTD           | Gross Margin LTD           | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcIsManualPost | Manual Posting             | Manual Posting             | yes/no                 |     |
| ProjectRevCalcIsPOCBelowMn | POC below Minimum          | POC below Minimum          | yes/no                 |     |
| ProjectRevCalcIsProcessed  | Processed                  | Processed                  | yes/no                 |     |
| ProjectRevCalcIsRevAboveMn | Revenue above Minimum      | Revenue above Minimum      | yes/no                 |     |
| ProjectRevCalcLossProvis   | Loss Provision             | Loss Provision             | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcNetMargLTD   | Net Margin LTD             | Net Margin LTD             | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcPercOfCompl  | Percentage of Completion   | % of Completion            | ->>9.99999             | 4   |
| ProjectRevCalcProductLTD   | Production LTD             | Production LTD             | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCalcRevCorr      | Revenue Correction         | Revenue Correction         | ->>>, >>>, >>>, >>9.99 | 4   |
| ReportPeriod_ID            | Year                       | Rep Year                   | 9999999999             |     |
| RevenueProjectRevCode_ID   | Project                    | Project                    | 9999999999             |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇ Company   | no  | Company_ID        | yes | no   |
| ◇* Prim     | yes | ProjectRevCalc_ID | yes | no   |
| ◇ Project   | no  | Project_ID        | yes | no   |
| ◇ UniqueKey | yes | Company_ID        | yes | no   |
|             |     | Project_ID        | yes | no   |
|             |     | ReportPeriod_ID   | yes | no   |

#### ◇ ProjectRevCodeProject Revenue Code

| Field Name                | Label              | Col-Label       | Format                 | Dec |
|---------------------------|--------------------|-----------------|------------------------|-----|
| LastModifiedDate          | Last Modified Date | Modif Date      | 99/99/9999             |     |
| LastModifiedTime          | Last Modified Time | Modif Time      | 999999                 |     |
| LastModifiedUser          | Last Modified User | Modif User      | x(20)                  |     |
| Project_ID                | Link to Project    | Link to Project | 9999999999             |     |
| ProjectRevCode_ID         | Record ID          | Record ID       | 9999999999             |     |
| ProjectRevCodeBaseAmountL | BC Base Amount     | BC Base Amount  | ->>>, >>>, >>>, >>9.99 | 4   |
| ProjectRevCodeBaseQTY     | Base Qty           | Base Qty        | ->>>, >>>, >>9.99      | 4   |
| ProjectRevCodePercentage  | Percentage         | Percentage      | ->>9.99                | 2   |
| ProjectRevCodeUnitCostLC  | BC Unit Cost       | BC Unit Cost    | ->>>, >>>, >>9.99999   | 10  |
| RevenueCode_ID            | Revenue Code       | Revenue Code    | 9999999999             |     |

| Index-Name    | Uni | Field-Name        | Asc | Abbr |
|---------------|-----|-------------------|-----|------|
| ◇* Prim       | yes | ProjectRevCode_ID | yes | no   |
| ◇ Project     | no  | Project_ID        | yes | no   |
| ◇ RevenueCode | no  | RevenueCode_ID    | yes | no   |
| ◇ UniqueKey   | yes | Project_ID        | yes | no   |
|               |     | RevenueCode_ID    | yes | no   |

◇ ProjectSafDefaultProject Saf Default

| Field Name           | Label              | Col-Label        | Format     | Dec |
|----------------------|--------------------|------------------|------------|-----|
| LastModifiedDate     | Last Modified Date | Modif Date       | 99/99/9999 |     |
| LastModifiedTime     | Last Modified Time | Modif Time       | 99999      |     |
| LastModifiedUser     | Last Modified User | Modif User       | x(20)      |     |
| Project_ID           | Link to Project    | Link to Project  | 9999999999 |     |
| ProjectSafDefault_ID | Record ID          | Record ID        | 9999999999 |     |
| Saf_ID               | SAF Code           | Saf Code         | 9999999999 |     |
| SafConcept_ID        | SAF Concept Code   | Saf Concept Code | 9999999999 |     |

| Index-Name   | Uni | Field-Name           | Asc | Abbr |
|--------------|-----|----------------------|-----|------|
| ◇* Prim      | yes | ProjectSafDefault_ID | yes | no   |
| ◇ Project    | no  | Project_ID           | yes | no   |
| ◇ Saf        | no  | Saf_ID               | yes | no   |
| ◇ SafConcept | no  | SafConcept_ID        | yes | no   |
| ◇ UniqueIdx  | yes | Project_ID           | yes | no   |
|              |     | SafConcept_ID        | yes | no   |

◇ ProjectStatusProject Status

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |

| Field Name                | Label                | Col-Label            | Format       | Dec |
|---------------------------|----------------------|----------------------|--------------|-----|
| CustomInteger2            | Custom Integer Field | Custom Integer Field | ->, >>>, >>9 |     |
| CustomInteger3            | Custom Integer Field | Custom Integer Field | ->, >>>, >>9 |     |
| CustomInteger4            | Custom Integer Field | Custom Integer Field | ->, >>>, >>9 |     |
| CustomLong0               | Custom Long Field    | Custom Long Field    | x(255)       |     |
| CustomLong1               | Custom Long Field    | Custom Long Field    | x(255)       |     |
| CustomNote                | Custom Note Field    | Custom Note Field    | x(2000)      |     |
| CustomShort0              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort1              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort2              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort3              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort4              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort5              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort6              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort7              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort8              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| CustomShort9              | Custom Short Field   | Custom Short Field   | x(20)        |     |
| LastModifiedDate          | Last Modified Date   | Modif Date           | 99/99/9999   |     |
| LastModifiedTime          | Last Modified Time   | Modif Time           | 999999       |     |
| LastModifiedUser          | Last Modified User   | Modif User           | x(20)        |     |
| ProjectStatus_ID          | Record ID            | Record ID            | 9999999999   |     |
| ProjectStatusCode         | Status Code          | Status Code          | x(20)        |     |
| ProjectStatusDescription  | Description          | Status Description   | x(40)        |     |
| ProjectStatusIsActive     | Active               | Active               | yes/no       |     |
| ProjectStatusSystemStatus | System Status        | System Status        | x(20)        |     |

| Index-Name  | Uni | Field-Name            | Asc | Abbr |
|-------------|-----|-----------------------|-----|------|
| ◇ Code      | yes | ProjectStatusCode     | yes | no   |
| ◇ IsActive  | no  | ProjectStatusIsActive | yes | no   |
| ◇* Prim     | yes | ProjectStatus_ID      | yes | no   |
| ◇ ViewIndex | no  | ProjectStatusIsActive | yes | no   |
|             |     | ProjectStatusCode     | yes | no   |

**pr\_mstr**      Printer Master

| Field Name  | Label            | Col-Label | Format                     | Dec |
|-------------|------------------|-----------|----------------------------|-----|
| oid_pr_mstr |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pr__qadc01  |                  |           | .9<<<<<<<<<<               |     |
| pr_blank    | Blank Lines/Page | BLPP      | x(8)                       |     |
| pr_desc     | Description      |           | >>9                        |     |
| pr_end_bc   | Bar Code End     |           | x(24)                      |     |
| pr_init     | Initialize       |           | x(100)                     |     |
| pr_length   | Lines / page     | LPP       | x(100)                     |     |
| pr_neg_line | Neg Line Feed    |           | >>>9                       |     |
| pr_page     | Page Control     |           | x(100)                     |     |
| pr_reset    | Reset            |           | x(60)                      |     |
| pr_st_132   | 132 Column Start |           | x(100)                     |     |
| pr_st_80    | 80 Column Start  |           | x(100)                     |     |
| pr_st_bc    | Bar Code Start   |           | x(100)                     |     |
| pr_type     | Printer Type     | Type      | x(8)                       |     |
| pr_user1    | Ufld1            |           | x(8)                       |     |
| pr_user2    | Ufld2            |           | x(8)                       |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_pr_mstr | yes | oid_pr_mstr | yes | no   |
| * | pr_type     | yes | pr_type     | yes | no   |

**pshc\_ctrl** Purchase Shipper Control

| Field Name          | Label                         | Col-Label | Format                     | Dec |
|---------------------|-------------------------------|-----------|----------------------------|-----|
| oid_pshc_ctrl       |                               |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pshc__qadc01        |                               |           | .9<<<<<<<<<                |     |
| pshc__qadc02        |                               |           | x(24)                      |     |
| pshc__qadi01        |                               |           | x(24)                      |     |
| pshc_domain         | Domain                        |           | ->>>>>>>9                  |     |
| ◇ pshc_inv_sort_seq | Invoice Line Sorting Sequence |           | x(8)                       |     |
| pshc_master_nr_id   | Master Bill Sequence ID       |           | x(8)                       |     |
| pshc_mod_date       | Modified Date                 | Mod Date  | 99/99/99                   |     |
| pshc_mod_userid     | User ID                       |           | x(8)                       |     |
| pshc_shipper_nr_id  | Shipper Sequence ID           |           | x(8)                       |     |
| pshc_user1          | User Field Character 1        |           | x(24)                      |     |
| pshc_user2          | User Field Character 2        |           | x(24)                      |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_pshc_ctrl | yes | oid_pshc_ctrl | yes | no   |
| * | pshc_index1   | yes | pshc_domain   | yes | no   |

**ps\_mstr**      Product Structure Master

| Field Name  | Label                  | Col-Label | Format                         | Dec |
|-------------|------------------------|-----------|--------------------------------|-----|
| oid_ps_mstr |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ps__chr01   | User Character Field 1 |           | .9<<<<<<<<<                    |     |
| ps__chr02   | User Character Field 2 |           | X(8)                           |     |
| ps__dec01   | User Decimal Field 1   |           | ->>>, >>>, >>9.99<<            | 10  |
| ps__dec02   | User Decimal Field 2   |           | ->>>, >>>, >>9.99<<            | 10  |
| ps__dte01   | User Date Field 1      |           | 99/99/99                       |     |
| ps__dte02   | User Date Field 2      |           | 99/99/99                       |     |
| ps__log01   | User Logical Field 1   |           | yes/no                         |     |
| ps__log02   | User Logical Field 2   |           | yes/no                         |     |
| ps__qad01   |                        |           | yes/no                         |     |
| ps__qadc01  | QAD Character Field 1  |           | X(8)                           |     |
| ps__qadc02  | QAD Character Field 2  |           | X(8)                           |     |
| ps__qadd01  | QAD Decimal Field 1    |           | ->>>, >>>, >>9.99<<            | 10  |
| ps__qadd02  | QAD Decimal Field 2    |           | ->>>, >>>, >>9.99<<            | 10  |
| ps__qadl01  | QAD Logical Field 1    |           | yes/no                         |     |
| ps__qadl02  | QAD Logical Field 2    |           | yes/no                         |     |
| ps__qadt01  | QAD Date Field 1       |           | 99/99/99                       |     |
| ps__qadt02  | QAD Date Field 2       |           | 99/99/99                       |     |



| Field Name    | Label            | Col-Label        | Format               | Dec |
|---------------|------------------|------------------|----------------------|-----|
| ps__qadt03    | QAD Date Field 3 |                  | 99/99/99             |     |
| ps_assay      | Assay            |                  | >>9.99%              | 10  |
| ps_batch_pct  | Batch Percent    | Batch %          | ->>>>9.9<<<<%        | 10  |
| ps_cmtindx    | Comment Index    | Comment          | >>>>>>9              |     |
| ps_comm_code  | Commodity Code   | Commodity        | x(8)                 |     |
| ps_comp       | Component Item   |                  | x(18)                |     |
| ps_comp_um    | UM               |                  | x(2)                 |     |
| ps_cop_qty    | Quantity         | Qty              | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_critical   | Critical         |                  | yes/no               |     |
| ps_cst_pct    | Cost Allocation  | Cost! Alloc      | >>9.99%              | 10  |
| ps_default    | Default Option   | Default          | yes/no               |     |
| ps_domain     | Domain           |                  | x(8)                 |     |
| ps_end        | End Effective    | End Eff          | 99/99/99             |     |
| ps_end_ecn    | End ECN          |                  | x(8)                 |     |
| ps_exclusive  | Exclusive        |                  | yes/no               |     |
| ps_fcst_pct   | Forecast         | Fcst             | >>9.99%              | 10  |
| ps_group      | Option Group     | Group            | x(8)                 |     |
| ps_item_no    | Sequence Number  | Seq Nbr          | ->>>>>>>             |     |
| ps_joint_type | Co/By Type       | CT               | x(1)                 |     |
| ps_lt_off     | LT Offset        | LTO              | ->>                  |     |
| ps_mandatory  | Mandatory        |                  | yes/no               |     |
| ps_mod_date   | Modified Date    | Mod Date         | 99/99/99             |     |
| ps_non_bal    | Non-Balanced     | Non-Bal          | yes/no               |     |
| ps_op         | Op               |                  | >>>>>>               |     |
| ps_par        | Parent Item      |                  | x(18)                |     |
| ps_process    | Process          |                  | x(8)                 |     |
| ps_prod_pct   | Process          | Process! Percent | >>9.99%              | 10  |
| ps_ps_code    | Structure Type   | T                | x(1)                 |     |
| ps_qty_cons   | Qty Consumed     |                  | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_qty_diag   | Qty Diagnose     |                  | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_qty_exch   | Qty Exchanged    |                  | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_qty_per    | Qty Per          |                  | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_qty_per_b  | Qty Per          |                  | ->,>>>,>>9.9<<<<<<<< | 10  |
| ps_qty_type   | Qty Type         | T                | x(1)                 |     |
| ps_ref        | Reference        |                  | x(12)                |     |
| ps_rmks       | Remarks          |                  | x(24)                |     |
| ps_scrp_pct   | Scrap            |                  | >>9.99%              | 10  |
| ps_start      | Start Effective  | Start Eff        | 99/99/99             |     |
| ps_start_ecn  | Start ECN        |                  | x(8)                 |     |
| ps_um_conv    | UM Conv          |                  | >>>>9.9999<<<<       | 10  |
| ps_user1      | Ufld1            |                  | x(8)                 |     |
| ps_user2      | Ufld2            |                  | x(8)                 |     |
| ps_userid     | User ID          |                  | x(8)                 |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_ps_mstr | yes | oid_ps_mstr | yes | no   |
| ps_comp       | no  | ps_domain   | yes | no   |
|               |     | ps_comp     | yes | no   |
|               |     | ps_par      | yes | no   |
| ps_par        | no  | ps_domain   | yes | no   |
|               |     | ps_par      | yes | no   |
|               |     | ps_item_no  | yes | no   |
|               |     | ps_comp     | yes | no   |
| * ps_parcomp  | yes | ps_domain   | yes | no   |
|               |     | ps_par      | yes | no   |
|               |     | ps_comp     | yes | no   |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ps_parref  | yes | ps_ref     | yes | no   |
|            |     | ps_start   | yes | no   |
|            |     | ps_domain  | yes | no   |
|            |     | ps_par     | yes | no   |
|            |     | ps_ref     | yes | no   |
|            |     | ps_comp    | yes | no   |
|            |     | ps_start   | yes | no   |

## pta\_det

### Associated Item Detail

| Field Name     | Label            | Col-Label | Format                     | Dec |
|----------------|------------------|-----------|----------------------------|-----|
| oid_pta_det    |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pta__chr01     |                  |           | .9<<<<<<<<<                |     |
| pta__chr02     |                  |           | x(8)                       |     |
| pta__chr03     |                  |           | x(8)                       |     |
| pta__chr04     |                  |           | x(8)                       |     |
| pta__chr05     |                  |           | x(8)                       |     |
| pta__chr06     |                  |           | x(8)                       |     |
| pta__chr07     |                  |           | x(8)                       |     |
| pta__chr08     |                  |           | x(8)                       |     |
| pta__chr09     |                  |           | x(8)                       |     |
| pta__chr10     |                  |           | x(8)                       |     |
| pta__dec01     |                  |           | >>>, >>>, >>9.99           | 10  |
| pta__dec02     |                  |           | >>>, >>>, >>9.99           | 10  |
| pta__dte01     |                  |           | 99/99/99                   |     |
| pta__dte02     |                  |           | 99/99/99                   |     |
| pta__log01     |                  |           | yes/no                     |     |
| pta__qadc01    |                  |           | x(8)                       |     |
| pta__qadc02    |                  |           | x(8)                       |     |
| pta__qadd01    |                  |           | ->>>, >>>, >>9.9<<<        | 10  |
| pta__qadd02    |                  |           | ->>>, >>>, >>9.9<<<        | 10  |
| pta__qadl01    |                  |           | yes/no                     |     |
| pta_assoc_item | Associated Item  |           | x(18)                      |     |
| pta_assoc_qty  | Associated Qty   |           | ->>, >>>, >>9.9<<          | 10  |
| pta_assoc_type | Association Type |           | x(24)                      |     |
| pta_assoc_um   | Associated UM    | UM        | x(2)                       |     |
| pta_cmtindx    | Comment Index    | Comment   | >>>>>>>9                   |     |
| pta_curr       | Currency         | Cur       | x(3)                       |     |
| pta_domain     | Domain           |           | x(8)                       |     |
| pta_expire     | Expire           |           | 99/99/99                   |     |
| pta_extrec     | External Entry   | Ext       | yes/no                     |     |
| pta_item       | Item             |           | x(18)                      |     |
| pta_max_qty    | Max Quantity     |           | ->>, >>>, >>9.9<<<<<<<<<   | 10  |
| pta_min_ord    | Min Ord Qty      |           | ->>, >>>, >>9.9<<<<<<<<<   | 10  |
| pta_net_price  | Net Price        |           | >>>>, >>>, >>9.99          | 10  |
| pta_pri_type   | Price Type       |           | x(24)                      |     |
| pta_qty_mult   | Qty Multiple     |           | ->>, >>>, >>9.9<<<<<<<<<   | 10  |
| pta_start      | Start            |           | 99/99/99                   |     |
| pta_um         | UM               |           | x(2)                       |     |
| pta_user1      | Ufld1            |           | x(8)                       |     |
| pta_user2      | Ufld2            |           | x(8)                       |     |

| oid_pta_det    | yes | oid_pta_det    | yes | no |
|----------------|-----|----------------|-----|----|
| pta_assoc_item | no  | pta_domain     | yes | no |
|                |     | pta_assoc_item | yes | no |
|                |     | pta_assoc_type | yes | no |
|                |     | pta_item       | yes | no |
|                |     | pta_start      | yes | no |
| * pta_item     | yes | pta_domain     | yes | no |
|                |     | pta_item       | yes | no |
|                |     | pta_assoc_type | yes | no |
|                |     | pta_um         | yes | no |
|                |     | pta_assoc_item | yes | no |
|                |     | pta_curr       | yes | no |
|                |     | pta_start      | yes | no |

**ptc\_det** Container Item Detail

| <b>Field Name</b>  | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>        | <b>Dec</b> |
|--------------------|------------------------|------------------|----------------------|------------|
| oid_ptc_det        |                        |                  | >>>>>>>>>>>>>>>>>>>9 | 10         |
|                    |                        |                  | .9<<<<<<<            |            |
| ptc__qadc01        |                        |                  | x(24)                |            |
| ptc__qadc02        |                        |                  | x(24)                |            |
| ptc_charge         | Apply Charges          |                  | yes/no               |            |
| ptc_charge_type    | Charge Type            | Charge! Type     | x(8)                 |            |
| ptc_container_desc | Description            |                  | x(24)                |            |
| ptc_container_ref  | Reference              |                  | x(16)                |            |
| ptc_container_type | Container Type         |                  | x(16)                |            |
| ptc_domain         | Domain                 |                  | x(8)                 |            |
| ptc_mod_date       | Modified Date          | Mod Date         | 99/99/99             |            |
| ptc_mod_userid     | User ID                |                  | x(8)                 |            |
| ptc_part           | Container              |                  | x(18)                |            |
| ptc_userc01        | User Field Character 1 |                  | x(24)                |            |
| ptc_userc02        | User Field Character 2 |                  | x(24)                |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_ptc_det | yes | oid_ptc_det | yes | no   |
| * | ptc_part    | yes | ptc_domain  | yes | no   |
|   |             |     | ptc_part    | yes | no   |

**pth\_hist**      Products Sales History

| Field Name   | Label | Col-Label | Format                                  | Dec |
|--------------|-------|-----------|-----------------------------------------|-----|
| oid_pth_hist |       |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| pth__chr01   |       |           | x(8)                                    |     |
| pth__chr02   |       |           | x(8)                                    |     |
| pth__chr03   |       |           | x(8)                                    |     |
| pth__chr04   |       |           | x(8)                                    |     |
| pth__chr05   |       |           | x(8)                                    |     |

| Field Name   | Label       | Col-Label | Format            | Dec |
|--------------|-------------|-----------|-------------------|-----|
| pth_dec01    |             |           | >>>, >>>, >>9.99  | 10  |
| pth_dec02    |             |           | >>>, >>>, >>9.99  | 10  |
| pth_dte01    |             |           | 99/99/99          |     |
| pth_dte02    |             |           | 99/99/99          |     |
| pth_log01    |             |           | yes/no            |     |
| pth_domain   | Domain      |           | x(8)              |     |
| pth_for      | For         |           | x(18)             |     |
| pth_part     | Item Number |           | x(18)             |     |
| pth_tot_cost | YTD Cost    |           | ->, >>>, >>>, >>9 | 10  |
| pth_tot_qty  | YTD Qty     |           | ->>>, >>>, >>9    | 10  |
| pth_tot_sale | YTD Sales   |           | ->, >>>, >>>, >>9 | 10  |
| pth_type     | Ship Type   | T         | x(1)              |     |
| pth_user1    | Ufld1       |           | x(8)              |     |
| pth_user2    | Ufld2       |           | x(8)              |     |
| pth_year     | Year        |           | 9999              |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pth_hist | yes | oid_pth_hist | yes | no   |
|   | pth_partyear | yes | pth_domain   | yes | no   |
|   |              |     | pth_part     | yes | no   |
|   |              |     | pth_year     | yes | no   |
| * | pth_yearpart | yes | pth_domain   | yes | no   |
|   |              |     | pth_year     | yes | no   |
|   |              |     | pth_part     | yes | no   |

◇ **pti\_det** Item Inventory Data

| Field Name          | Label                                | Col-Label                  | Format                         | Dec |
|---------------------|--------------------------------------|----------------------------|--------------------------------|-----|
| oid_pt_mstr         |                                      |                            | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| oid_pti_det         |                                      |                            | .9<<<<<<<<<<                   |     |
| oid_si_mstr         |                                      |                            | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pti__qadc01         |                                      |                            | .9<<<<<<<<<<                   |     |
| pti__qadc02         |                                      |                            | x(24)                          |     |
| pti__qadd01         |                                      |                            | x(24)                          |     |
| pti__qadi01         |                                      |                            | ->>>>, >>>, >>9.99<<<<<<<<<<   | 10  |
| pti__qadl01         |                                      |                            | ->>>>>>>9                      |     |
| pti__qadt01         |                                      |                            | yes/no                         |     |
| pti_abc             | ABC Class                            | ABC                        | 99/99/99                       |     |
| pti_auto_lot        | Auto Lot Numbers                     | Auto! Lot                  | x(1)                           |     |
| pti_avg_int         | Avg Int                              | Avg! Int                   | yes/no                         |     |
| pti_critical        | Key Item                             |                            | >>9                            |     |
| pti_cyc_int         | Cyc Cnt Int                          | Cyc! Int                   | yes/no                         |     |
| pti_destructive     | Destructive                          | Destr                      | >>9                            |     |
| pti_id_qty          | ID Quantity                          | ID! Qty                    | yes/no                         |     |
| pti_insp_days       | Insp Frequency (Days)                | Insp Freq ( $\Delta$ )     | >>>9                           |     |
| pti_insp_freq       | Insp Frequency                       | Insp Freq.                 | >>9                            |     |
| pti_insp_ref        | Ref                                  |                            | >>>>>>9                        |     |
| pti_insp_req        | Inspection Required                  | Insp Req                   | yes/no                         |     |
| pti_invent_days[10] | Days From Expiration/<br>Manufacture | Days From! Expire!/ Manuf. | >>, >>9                        |     |
| pti_issue_method    | Issue Method                         | Issue! Method              | x(8)                           |     |

| Field Name          | Label                        | Col-Label            | Format                     | Dec |
|---------------------|------------------------------|----------------------|----------------------------|-----|
| pti_kanban_qty      | Default Kanban Qty           |                      | ->, >>>, >>9.9<<<<<<<<     | 10  |
| pti_kanban_replst   | Kanban Replen. List          |                      | x(8)                       |     |
| pti_loc             | Location                     |                      | x(8)                       |     |
| pti_loc_type        | Location Type                | Loc Type             | x(8)                       |     |
| pti_lot_grp         | Lot Group                    |                      | x(8)                       |     |
| pti_lot_ser         | Lot/Serial Control           | Lot/Ser              | x(1)                       |     |
| pti_memo_type       | Memo Order Type              |                      | x(1)                       |     |
| pti_mod_date        | Modified Date                | Mod Date             | 99/99/99                   |     |
| pti_mod_userid      | User ID                      |                      | x(8)                       |     |
| pti_opc_threshold   | OPC Threshold                |                      | ->>>, >>9.9<<<<<<          | 10  |
| pti_part_type       | Warehouse Item Type          | Warehouse! Item Type | x(8)                       |     |
| pti_pop_code        | Popularity                   |                      | X(8)                       |     |
| pti_print_id        | Print ID                     | Print! ID            | yes/no                     |     |
| pti_random_insp_pct | Random Inspection %          |                      | ->>9.99                    | 10  |
| pti_rctpo_active    | Active                       | Act                  | yes/no                     |     |
| pti_rctpo_status    | PO Rcpt Status               | Status               | x(8)                       |     |
| pti_rctwo_active    | Active                       | Act                  | yes/no                     |     |
| pti_rctwo_status    | WO Rcpt Status               | Status               | x(8)                       |     |
| pti_rep_type        | Replenishment Type           | Rep Type             | X(8)                       |     |
| pti_same_days[10]   | Same Day Window              | Same Day! Window     | >>, >>9                    |     |
| pti_sample_pct      | Sample %                     | Sample %             | >>9                        |     |
| pti_sample_qty      | Sample Quantity              | Sample Qty           | ->, >>>, >>9               |     |
| pti_shelflife       | Shelf Life                   |                      | ->, >>>, >>>               |     |
| pti_single_trans    | Single Put-Away Transactions | Single! Trans        | yes/no                     |     |
| pti_site_loc        | Site Location                | Site! Location       | x(8)                       |     |
| pti_sngl_lot        | Allocate Single Lot          | Sngl! Lot            | yes/no                     |     |
| pti_user1           | User Field Character 1       |                      | x(24)                      |     |
| pti_user2           | User Field character 2       |                      | x(24)                      |     |
| pti_userd01         | User Field Decimal 1         |                      | ->>>>, >>>, >>9.99<<<<<<<< | 10  |
| pti_useri01         | User Field Integer 1         |                      | ->>>>>>>9                  |     |
| pti_userl01         | User Field Logical 1         |                      | yes/no                     |     |
| pti_usert01         | User Field Date 1            |                      | 99/99/99                   |     |

|    | Index-Name      | Uni | Field-Name  | Asc | Abbr |
|----|-----------------|-----|-------------|-----|------|
| ◇  | oid_pti_det     | yes | oid_pti_det | yes | no   |
| *◇ | pti_oid_pt_mstr | yes | oid_pt_mstr | yes | no   |
|    |                 |     | oid_si_mstr | yes | no   |
| ◇  | pti_oid_si_mstr | yes | oid_si_mstr | yes | no   |
|    |                 |     | oid_pt_mstr | yes | no   |

**ptls\_det**      Item Lot/Serial Detail

| Field Name   | Label | Col-Label | Format                  | Dec |
|--------------|-------|-----------|-------------------------|-----|
| oid_ptls_det |       |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |       |           | .9<<<<<<<<<             |     |
| ptls_chr01   |       |           | x(8)                    |     |
| ptls_chr02   |       |           | x(8)                    |     |
| ptls_chr03   |       |           | x(8)                    |     |
| ptls_chr04   |       |           | x(8)                    |     |
| ptls_chr05   |       |           | x(8)                    |     |
| ptls_dec01   |       |           | ->>, >>9.99             | 10  |
| ptls_dec02   |       |           | ->>, >>9.99             | 10  |

| Field Name   | Label            | Col-Label | Format   | Dec |
|--------------|------------------|-----------|----------|-----|
| ptls_assay   | Assay %          |           | >>9.99%  | 10  |
| ptls_cmtindx | Comment Index    |           | >>>>>>9  |     |
| ptls_domain  | Domain           |           | x(8)     |     |
| ptls_expire  | Expire Date      | Expire    | 99/99/99 |     |
| ptls_grade   | Grade            |           | x(2)     |     |
| ptls_lotser  | Lot/Serial       |           | x(18)    |     |
| ptls_part    | Item Number      |           | x(18)    |     |
| ptls_ref     | Ref              | Reference | x(8)     |     |
| ptls_status  | Inventory Status | Status    | x(8)     |     |
| ptls_user1   | Ufld1            |           | x(8)     |     |
| ptls_user2   | Ufld2            |           | x(8)     |     |

|   | Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---|---------------|-----|--------------|-----|------|
| ◇ | oid_ptls_det  | yes | oid_ptls_det | yes | no   |
| * | ptls_partlotr | yes | ptls_domain  | yes | no   |
|   |               |     | ptls_part    | yes | no   |
|   |               |     | ptls_lotser  | yes | no   |
|   |               |     | ptls_ref     | yes | no   |

**ptp\_det**

### Item Planning Detail

| Field Name          | Label           | Col-Label  | Format                         | Dec |
|---------------------|-----------------|------------|--------------------------------|-----|
| oid_ptp_det         |                 |            | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ptp_chr01           |                 |            | .9<<<<<<<<                     |     |
| ptp_chr02           |                 |            | x(8)                           |     |
| ptp_chr03           |                 |            | x(8)                           |     |
| ptp_chr04           |                 |            | x(8)                           |     |
| ptp_chr05           |                 |            | x(8)                           |     |
| ptp_chr06           |                 |            | x(8)                           |     |
| ptp_chr07           |                 |            | x(8)                           |     |
| ptp_chr08           |                 |            | x(8)                           |     |
| ptp_chr09           |                 |            | x(8)                           |     |
| ptp_chr10           |                 |            | x(8)                           |     |
| ptp_dec01           |                 |            | >>>, >>>, >>9.99               | 10  |
| ptp_dec02           |                 |            | >>>, >>>, >>9.99               | 10  |
| ptp_dte01           |                 |            | 99/99/99                       |     |
| ptp_dte02           |                 |            | 99/99/99                       |     |
| ptp_log01           |                 |            | yes/no                         |     |
| ptp_log02           |                 |            | yes/no                         |     |
| ptp_qad01           |                 |            | 99/99/99                       |     |
| ptp_qad02           |                 |            | >>>, >>9.9                     | 0   |
| ptp_qad03           |                 |            | >>9                            |     |
| ptp_qad04           |                 |            | >>9                            |     |
| ptp_qad05           |                 |            | >>9                            |     |
| ptp_added           | Added           |            | 99/99/99                       |     |
| ptp_assay           | Assay %         |            | >>9.99%                        | 10  |
| ptp_atp_enforcement | ATP Enforcement | ATP Enf    | x(1)                           |     |
| ptp_atp_family      | Family ATP      | Fam ATP    | yes/no                         |     |
| ◇ ptp_atp_horizon   | ATP Horizon     | Horizon    | >>>9                           |     |
| ptp_batch           | Batch Qty       | Batch! Qty | >>, >>>, >>9.<<<<<<<<<         | 10  |
| ptp_bom_code        | BOM/Formula     |            | x(18)                          |     |

| Field Name     | Label               | Col-Label     | Format             | Dec |
|----------------|---------------------|---------------|--------------------|-----|
| ptp_btb_type   | EMT Type            |               | xx                 |     |
| ptp_buyer      | Buyer/Planner       | Buy! Pln      | x(8)               |     |
| ptp_cfg_type   | Configuration       | Config        | x(1)               |     |
| ptp_cum_lead   | Cum LT              | Cum! LT       | >>9                |     |
| ptp_domain     | Domain              |               | x(8)               |     |
| ptp_draw       | Drawing             |               | x(18)              |     |
| ptp_drp_pct    | DRP                 |               | >>9.9<%            | 10  |
| ptp_eco_pend   | ECO Pending         | ECO           | yes/no             |     |
| ptp_grade      | Grade               |               | x(2)               |     |
| ptp_ins_lead   | Ins LT              | Ins! LT       | >>9                |     |
| ptp_ins_rqd    | Inspect             | Ins! Req      | yes/no             |     |
| ptp_insp_loc   | Inspection Location | Inspect       | x(8)               |     |
| ptp_iss_pol    | Issue Policy        | Iss           | yes/no             |     |
| ptp_joint_type | Co/By Type          | CT            | x(1)               |     |
| ptp_ll_bom     | Low Level           | Low Lvl       | ->>>>>9            |     |
| ptp_ll_drp     | DRP Low Level       | DRP LL        | ->>>>>9            |     |
| ptp_mfg_lead   | Mfg LT              | Mfg! LT       | >>9                | 0   |
| ptp_mfg_pct    | Manufactured        | Mfg           | >>9.9<%            | 10  |
| ptp_mod_date   | Modified Date       | Mod Date      | 99/99/99           |     |
| ptp_ms         | Master Sched        | MS            | yes/no             |     |
| ptp_network    | Network Code        |               | x(18)              |     |
| ptp_op_yield   | Op Based Yield      |               | yes/no             |     |
| ptp_ord_max    | Max Ord             |               | >>, >>>, >>9       | 0   |
| ptp_ord_min    | Min Ord             |               | >>, >>>, >>9       | 0   |
| ptp_ord_mult   | Ord Mult            | Mult          | >>, >>>, >>9       | 0   |
| ptp_ord_per    | Order Period        | Ord! Per      | >>9                |     |
| ptp_ord_pol    | Order Policy        | Ord! Pol      | x(3)               |     |
| ptp_ord_qty    | Order Qty           |               | >>, >>>, >>9       | 10  |
| ptp_part       | Item Number         |               | x(18)              |     |
| ptp_phantom    | Phantom             |               | yes/no             |     |
| ptp_pick_logic | Pick Logic          | Pick          | -9                 |     |
| ptp_plan_ord   | Plan Orders         | Pln           | yes/no             |     |
| ptp_pm_code    | Pur/Mfg             | P/M           | x(1)               |     |
| ptp_po_site    | PO Site             |               | x(8)               |     |
| ptp_pou_code   | Point of Use Code   |               | x(18)              |     |
| ptp_pur_lead   | Pur LT              | Pur! LT       | >>9                |     |
| ptp_pur_pct    | Purchased           | Pur           | >>9.9<%            | 10  |
| ptp_rev        | Rev                 |               | x(4)               |     |
| ptp_rollup     | Rollup Req'd        |               | yes/no             |     |
| ptp_rollup_id  | Rollup ID           |               | x(8)               |     |
| ptp_rop        | Reorder Point       | ROP           | >>>, >>9           | 0   |
| ptp_routing    | Routing Code        |               | x(18)              |     |
| ptp_run        | Run Time            | Run           | >>>, >>9.999<<<<<< | 10  |
| ptp_run_ll     | Run LL              |               | >>>, >>9.999<<<<<< | 10  |
| ptp_run_seq1   | Run Seq 1           |               | x(8)               |     |
| ptp_run_seq2   | 2                   | Run Seq 2     | x(8)               |     |
| ptp_setup      | Setup Time          | Setup         | >>>, >>9.999<<<<<< | 10  |
| ptp_setup_ll   | Setup LL            |               | >>>, >>9.999<<<<<< | 10  |
| ptp_sfty_stk   | Safety Stk          | Safety! Stock | >>, >>>, >>9       | 0   |
| ptp_sfty_tme   | Safety Time         | Safety! Time  | >>9                | 0   |
| ptp_site       | Site                |               | x(8)               |     |
| ptp_timefnce   | Time Fence          |               | ->>>9              |     |
| ptp_trantype   | Transport Type      | Tran Type     | x(8)               |     |
| ptp_user1      | Ufld1               |               | x(8)               |     |
| ptp_user2      | Ufld2               |               | x(8)               |     |
| ptp_userid     | User ID             |               | x(8)               |     |
| ptp_vend       | Supplier            |               | x(8)               |     |

| Field Name  | Label           | Col-Label | Format  | Dec |
|-------------|-----------------|-----------|---------|-----|
| ptp_wks_avg | Avg Weeks Cover | Avg Wks   | >>9.9   | 10  |
| ptp_wks_max | Max Weeks Cover | Max Wks   | >>9.9   | 10  |
| ptp_wks_min | Min Weeks Cover | Min Wks   | >>9.9   | 10  |
| ptp_yld_pct | Yield%          |           | >>9.99% | 10  |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_ptp_det  | yes | oid_ptp_det  | yes | no   |
|   | ptp_bom_code | no  | ptp_domain   | yes | no   |
|   |              |     | ptp_bom_code | yes | no   |
|   |              |     | ptp_part     | yes | no   |
|   | ptp_network  | no  | ptp_domain   | yes | no   |
|   |              |     | ptp_network  | yes | no   |
|   |              |     | ptp_site     | yes | no   |
|   |              |     | ptp_part     | yes | no   |
| * | ptp_part     | yes | ptp_domain   | yes | no   |
|   |              |     | ptp_part     | yes | no   |
|   |              |     | ptp_site     | yes | no   |
|   | ptp_routing  | yes | ptp_domain   | yes | no   |
|   |              |     | ptp_routing  | yes | no   |
|   |              |     | ptp_part     | yes | no   |
|   |              |     | ptp_site     | yes | no   |
|   | ptp_site     | yes | ptp_domain   | yes | no   |
|   |              |     | ptp_site     | yes | no   |
|   |              |     | ptp_part     | yes | no   |

**ptqa\_det**

### Item Quantitative Analysis Detail

| Field Name    | Label               | Col-Label     | Format                         | Dec |
|---------------|---------------------|---------------|--------------------------------|-----|
| oid_ptqa_det  |                     |               | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ptqa__chr01   |                     |               | .9<<<<<<<<<                    |     |
| ptqa__chr02   |                     |               | x(8)                           |     |
| ptqa__chr03   |                     |               | x(8)                           |     |
| ptqa__chr04   |                     |               | x(8)                           |     |
| ptqa__chr05   |                     |               | x(8)                           |     |
| ptqa__dec01   |                     |               | ->>, >>9.99                    | 10  |
| ptqa__dec02   |                     |               | ->>, >>9.99                    | 10  |
| ptqa__log01   |                     |               | yes/no                         |     |
| ptqa__log02   |                     |               | yes/no                         |     |
| ptqa_cmtindx  | Comment Index       |               | >>>>>>>9                       |     |
| ptqa_conf_pct | Confidence %        | Conf %        | >>9.9<%                        | 10  |
| ptqa_domain   | Domain              |               | x(8)                           |     |
| ptqa_element  | Analysis Element    | Element       | x(8)                           |     |
| ptqa_interval | Confidence Interval | Conf Interval | >>>, >>>, >>9.9<<<<<<<<<       | 10  |
| ptqa_part     | Item Number         |               | x(18)                          |     |
| ptqa_qty      | Quantity            |               | >>>, >>>, >>9.9<<<<<<<<<       | 10  |
| ptqa_um       | UM                  |               | x(4)                           |     |
| ptqa_user1    | Ufld1               |               | x(8)                           |     |
| ptqa_user2    | Ufld2               |               | x(8)                           |     |



|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_ptqa_det | yes | oid_ptqa_det | yes | no   |
|   | ptqa_element | yes | ptqa_domain  | yes | no   |
|   |              |     | ptqa_element | yes | no   |
|   |              |     | ptqa_part    | yes | no   |
| * | ptqa_part    | yes | ptqa_domain  | yes | no   |
|   |              |     | ptqa_part    | yes | no   |
|   |              |     | ptqa_element | yes | no   |

◇ **ptre\_det** Item Replacement Detail

| Field Name       | Label                  | Col-Label | Format                         | Dec |
|------------------|------------------------|-----------|--------------------------------|-----|
| oid_ptrc_det     |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ptrc_qadc01      |                        |           | .9<<<<<<<<<                    |     |
| ptrc_qadc02      |                        |           | x(24)                          |     |
| ptrc_qadd01      |                        |           | x(24)                          |     |
| ptrc_qadi01      |                        |           | ->>>>, >>>, >>9.99<<<<<<<<<    | 10  |
| ptrc_qadi01      |                        |           | ->>>>>>>9                      |     |
| ptrc_qadi01      |                        |           | yes/no                         |     |
| ptrc_qadt01      |                        |           | 99/99/99                       |     |
| ptrc_auto_accept | Auto Accept            |           | yes/no                         |     |
| ptrc_cmtindx     | Comment Index          | Comment   | >>>>>>>9                       |     |
| ptrc_cust        | Customer               |           | x(8)                           |     |
| ptrc_default     | Default                |           | yes/no                         |     |
| ptrc_domain      | Domain                 |           | x(8)                           |     |
| ptrc_eff_date    | Eff Date               |           | 99/99/99                       |     |
| ptrc_end_date    | End Eff Date           | End Date  | 99/99/99                       |     |
| ptrc_include     | Include                | Inc       | yes/no                         |     |
| ptrc_mod_date    | Modified Date          | Mod Date  | 99/99/99                       |     |
| ptrc_mod_userid  | User ID                |           | x(8)                           |     |
| ptrc_part        | Item Number            |           | x(18)                          |     |
| ptrc_pco         | PCO Number             | PCO       | x(8)                           |     |
| ptrc_preference  | Preference             |           | >>>>>>>9                       |     |
| ptrc_qty         | Quantity               |           | ->, >>>, >>9.9<<<<<<<<         | 10  |
| ptrc_ref         | Reference              |           | x(18)                          |     |
| ptrc_rep_part    | Replacement Item       |           | x(18)                          |     |
| ptrc_rep_qty     | Replacement Qty        |           | ->, >>>, >>9.9<<<<<<<<         | 10  |
| ptrc_round_qty   | Round Qty              |           | x(8)                           |     |
| ptrc_site        | Site                   |           | x(8)                           |     |
| ptrc_type        | Type                   |           | x(8)                           |     |
| ptrc_user1       | User Field Character 1 |           | x(24)                          |     |
| ptrc_user2       | User Field character 2 |           | x(24)                          |     |
| ptrc_userd01     | User Field Decimal 1   |           | ->>>>, >>>, >>9.99<<<<<<<<     | 10  |
| ptrc_useri01     | User Field Integer 1   |           | ->>>>>>>9                      |     |
| ptrc_userl01     | User Field Logical 1   |           | yes/no                         |     |
| ptrc_usert01     | User Field Date 1      |           | 99/99/99                       |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_ptr_det | yes | oid_ptr_det | yes | no   |
| ◇* ptr_part   | yes | ptr_domain  | yes | no   |
|               |     | ptr_type    | yes | no   |
|               |     | ptr_part    | yes | no   |

| Index-Name | Uni | Field-Name    | Asc | Abbr |
|------------|-----|---------------|-----|------|
|            |     | ptre_site     | yes | no   |
|            |     | ptre_cust     | yes | no   |
|            |     | ptre_eff_date | yes | no   |
|            |     | ptre_rep_part | yes | no   |

**ptr det**

### Item Routing Detail

| Field Name      | Label            | Col-Label   | Format                     | Dec |
|-----------------|------------------|-------------|----------------------------|-----|
| oid_ptr_det     |                  |             | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ptr__qadc01     |                  |             | .9<<<<<<<<<                |     |
| ptr_appr_id     | Approved By      | Appr ID     | x(8)                       |     |
| ptr_apprdate    | Approved Date    | Approved    | 99/99/99                   |     |
| ptr_batch       | Batch Qty        |             | >>, >>>, >>9.9<<<<<<<<<    | 10  |
| ptr_bom_code    | BOM/Formula      |             | x(18)                      |     |
| ptr_burden      | Burden Cost      |             | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_cmtindx     | Comment Index    | Comment     | >>>>>>>9                   |     |
| ptr_domain      | Domain           |             | x(8)                       |     |
| ptr_end         | End Effective    | End Eff     | 99/99/99                   |     |
| ptr_labor       | Labor Cost       |             | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_material    | Material Cost    |             | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_mod_date    | Modified Date    | Mod Date    | 99/99/99                   |     |
| ptr_overhead    | Overhead         |             | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_part        | Item Number      |             | x(18)                      |     |
| ptr_routing     | Routing Code     |             | x(18)                      |     |
| ptr_site        | Site             |             | x(8)                       |     |
| ptr_start       | Start Effective  | Start Eff   | 99/99/99                   |     |
| ptr_subcontract | Subcontract Cost | Subcontract | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_total_cost  | Total Cost       |             | >>>>, >>>, >>9.99<<<       | 10  |
| ptr_user1       | Ufld1            |             | x(8)                       |     |
| ptr_user2       | Ufld2            |             | x(8)                       |     |
| ptr_userid      | User ID          |             | x(8)                       |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_ptr_det | yes | oid_ptr_det  | yes | no   |
| ptr_bom_code  | no  | ptr_domain   | yes | no   |
|               |     | ptr_bom_code | yes | no   |
|               |     | ptr_part     | yes | no   |
|               |     | ptr_site     | yes | no   |
| * ptr_part    | yes | ptr_domain   | yes | no   |
|               |     | ptr_part     | yes | no   |
|               |     | ptr_site     | yes | no   |
|               |     | ptr_routing  | yes | no   |
|               |     | ptr_bom_code | yes | no   |
|               |     | ptr_start    | yes | no   |
| ptr_routing   | no  | ptr_domain   | yes | no   |
|               |     | ptr_routing  | yes | no   |
|               |     | ptr_part     | yes | no   |
|               |     | ptr_site     | yes | no   |

### Item Substitute Detail

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pts_det  | yes | oid_pts_det  | yes | no   |
| * | pts_det      | yes | pts_domain   | yes | no   |
|   |              |     | pts_part     | yes | no   |
|   |              |     | pts_par      | yes | no   |
|   |              |     | pts_sub_part | yes | no   |
|   | pts_par      | yes | pts_domain   | yes | no   |
|   |              |     | pts_par      | yes | no   |
|   |              |     | pts_part     | yes | no   |
|   |              |     | pts_sub_part | yes | no   |
|   | pts_sub_part | yes | pts_domain   | yes | no   |
|   |              |     | pts_sub_part | yes | no   |
|   |              |     | pts_par      | yes | no   |
|   |              |     | pts_part     | yes | no   |

### Item Tax Detail

| Field Name   | Label         | Col-Label | Format                                       | Dec |
|--------------|---------------|-----------|----------------------------------------------|-----|
| oid_ptt_det  |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| ptt__qadc01  |               |           | x(8)                                         |     |
| ptt_domain   | Domain        |           | x(8)                                         |     |
| ptt_mod_date | Modified Date | Mod Date  | 99/99/99                                     |     |
| ptt_part     | Part          |           | x(18)                                        |     |
| ptt_tax_type | Tax Type      |           | x(3)                                         |     |
| ptt_taxable  | Taxable       |           | yes/no                                       |     |
| ptt_taxc     | Tax Class     | TxC       | x(3)                                         |     |
| ptt_user1    | Ufld1         |           | x(8)                                         |     |
| ptt_user2    | Ufld2         |           | x(8)                                         |     |
| ptt_userid   | User ID       |           | x(8)                                         |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_ptt_det | yes | oid_ptt_det  | yes | no   |
| * ptt_part    | yes | ptt_domain   | yes | no   |
|               |     | ptt_part     | yes | no   |
|               |     | ptt_tax_type | yes | no   |

### Item Statistical Value Detail

|   | Index-Name  | Uni | Field-Name   | Asc | Abbr |
|---|-------------|-----|--------------|-----|------|
| ◇ | oid_ptv_det | yes | oid_ptv_det  | yes | no   |
| * | ptv_part    | yes | ptv_domain   | yes | no   |
|   |             |     | ptv_part     | yes | no   |
|   |             |     | ptv_ctry_exp | yes | no   |
|   |             |     | ptv_ctry_imp | yes | no   |

## Item Master

| Field Name  | Label | Col-Label | Format                         | Dec |
|-------------|-------|-----------|--------------------------------|-----|
| oid_pt_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pt_chr01    |       |           | .9<<<<<<<<<                    |     |
| pt_chr02    |       |           | x(8)                           |     |
| pt_chr03    |       |           | x(8)                           |     |
| pt_chr04    |       |           | x(8)                           |     |
| pt_chr05    |       |           | x(8)                           |     |
| pt_chr06    |       |           | x(8)                           |     |
| pt_chr07    |       |           | x(8)                           |     |
| pt_chr08    |       |           | x(8)                           |     |
| pt_chr09    |       |           | x(8)                           |     |
| pt_chr10    |       |           | x(8)                           |     |
| pt_dec01    |       |           | >>>, >>>, >>9.99               | 10  |
| pt_dec02    |       |           | >>>, >>>, >>9.99               | 10  |
| pt_dte01    |       |           | 99/99/99                       |     |
| pt_dte02    |       |           | 99/99/99                       |     |
| pt_log01    |       |           | yes/no                         |     |
| pt_log02    |       |           | yes/no                         |     |

| Field Name         | Label             | Col-Label      | Format                | Dec |
|--------------------|-------------------|----------------|-----------------------|-----|
| pt__qad01          |                   |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt__qad02          |                   |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt__qad03          |                   |                | ->>>,>>9.999          | 10  |
| pt__qad04          |                   |                | ->>>,>>9.999          | 10  |
| pt__qad05          |                   |                | 99/99/99              |     |
| pt__qad06          |                   |                | 99/99/99              |     |
| pt__qad07          |                   |                | 99/99/99              |     |
| pt__qad08          |                   |                | 99/99/99              |     |
| pt__qad09          |                   |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt__qad10          |                   |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt__qad11          |                   |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt__qad12          |                   |                | >>>>9.9999<<<<        | 10  |
| pt__qad13          | Incorp Rev        | Inc! Rev       | x(4)                  |     |
| pt__qad14          |                   |                | 99/99/99              |     |
| pt__qad15          |                   |                | yes/no                |     |
| pt__qad16          |                   |                | >>>,>>9.9             | 0   |
| pt__qad17          |                   |                | yes/no                |     |
| pt__qad18          |                   |                | >>>>,>>>,>>9.99<<<    | 10  |
| pt__qad19          |                   |                | >>>>,>>>,>>9.99<<<    | 10  |
| pt__qad20          |                   |                | >>>>,>>>,>>9.99<<<    | 10  |
| pt__qad21          |                   |                | >>>>,>>>,>>9.99<<<    | 10  |
| pt__qad22          |                   |                | yes/no                |     |
| pt__qad23          |                   |                | >>9                   |     |
| pt__qad24          |                   |                | >>9                   |     |
| pt__qad25          |                   |                | >>9                   |     |
| pt__qad26          |                   |                | yes/no                |     |
| pt_abc             | ABC Class         | ABC            | x(1)                  |     |
| pt_abc_amt         | ABC Value         |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt_abc_qty         | ABC Quantity      |                | ->,>>>,>>9.9<<<<<<<<< | 10  |
| pt_added           | Added             |                | 99/99/99              |     |
| pt_app_owner       | Owner Application |                | x(12)                 |     |
| pt_article         | Article Number    |                | x(18)                 |     |
| pt_assay           | Assay %           |                | >>9.99%               | 10  |
| pt_atp_enforcement | ATP Enforcement   | ATP Enf        | x(1)                  |     |
| pt_atp_family      | Family ATP        | Fam ATP        | yes/no                |     |
| pt_atp_horizon     | ATP Horizon       | Horizon        | >>>9                  |     |
| pt_auto_lot        | Auto Lot Numbers  | Auto! Lot      | yes/no                |     |
| pt_avg_int         | Avg Int           | Avg! Int       | >>9                   |     |
| pt_barcode1        | Barcode 1         | Barcode 1      | x(24)                 |     |
| pt_barcode2        | Barcode 2         | Barcode 2      | x(24)                 |     |
| pt_batch           | Batch Qty         |                | >>,>>>,>>9.9<<<<<<<<< | 10  |
| pt_bom_code        | BOM/Formula       |                | x(18)                 |     |
| pt_break_cat       | Price Break Cat   |                | x(18)                 |     |
| pt_btb_type        | EMT Type          |                | xx                    |     |
| pt_buyer           | Buyer/Planner     | Buy! PIn       | x(8)                  |     |
| pt_cfg_type        | Configuration     | Config         | x(1)                  |     |
| pt_classification  | Classification    |                | x(12)                 |     |
| pt_comm_code       | Commodity Code    | Comm Code      | x(8)                  |     |
| pt_cover           | Coverage          | CV             | x(1)                  |     |
| pt_crit_days       | Critical Days     | Critical! Days | >>,>>9                |     |
| pt_critical        | Key Item          |                | yes/no                |     |
| pt_cum_lead        | Cum LT            | Cum! LT        | >>9                   |     |
| pt_cur_date        | Cur Cost Update   | Cur Update     | 99/99/99              |     |
| pt_cyc_int         | Cyc Cnt Int       | Cyc! Int       | >>9                   |     |
| pt_dea             | DEA Controlled    | DEA            | yes/no                |     |
| pt_desc1           | Description       |                | x(24)                 |     |
| pt_desc2           | Description       |                | x(24)                 |     |

| Field Name           | Label                                | Col-Label                  | Format             | Dec |
|----------------------|--------------------------------------|----------------------------|--------------------|-----|
| ◇ pt_destructive     | Destructive                          | Destr                      | yes/no             |     |
| pt_dim_um            | Dimensns UM                          |                            | x(2)               |     |
| pt_domain            | Domain                               |                            | x(8)               |     |
| pt_draw              | Drawing                              |                            | x(18)              |     |
| pt_drp_pct           | DRP                                  |                            | >>9.9<%            | 10  |
| pt_drwg_loc          | Drawing Loc                          | Drwg Loc                   | x(8)               |     |
| pt_drwg_size         | Drwg Size                            | DS                         | x(2)               |     |
| pt_dsgn_grp          | Design Group                         | Dsgn Grp                   | x(8)               |     |
| pt_ecn_rev           | ECN Rev                              | ECN! Rev                   | x(4)               |     |
| pt_fiscal_class      | Fiscal Class                         |                            | x(18)              |     |
| pt_formula           | Formula                              |                            | yes/no             |     |
| pt_fr_class          | Freight Class                        |                            | x(8)               |     |
| pt_fru               | FRU                                  |                            | yes/no             |     |
| pt_fsc_code          | Service Category                     | Svc Cat                    | x(8)               |     |
| pt_group             | Group                                |                            | x(8)               |     |
| pt_hazard            | Hazard                               |                            | x(8)               |     |
| △ pt_height          | Height                               |                            | >>,>>9.9999        | 10  |
| ◇ pt_id_qty          | ID Quantity                          | ID! Qty                    | >>>9               |     |
| pt_ins_bom           | Installation BOM                     | Ins BOM                    | X(18)              |     |
| pt_ins_call_type     | Installation Call Type               | Ins Call Type              | X(8)               |     |
| pt_ins_route         | Installation Routing                 | Ins Route                  | X(18)              |     |
| ◇ pt_insp_days       | Insp Frequency (Days)                | Insp Freq (Δ)              | >>9                |     |
| ◇ pt_insp_freq       | Insp Frequency                       | Insp Freq.                 | >>>>>>9            |     |
| pt_insp_lead         | Ins LT                               | Ins! LT                    | >>9                |     |
| ◇ pt_insp_ref        | Ref                                  |                            | yes/no             |     |
| ◇ pt_insp_req        | Inspection Required                  | Insp Req                   | yes/no             |     |
| pt_insp_rqd          | Inspect                              | Ins! Req                   | yes/no             |     |
| pt_inst_call         | Install                              |                            | yes/no             |     |
| ◇ pt_invent_days[10] | Days From Expiration/<br>Manufacture | Days From! Expire!/ Manuf. | >>,>>9             |     |
| pt_isb               | Installed Base                       | Inst Base                  | yes/no             |     |
| pt_iss_pol           | Issue Policy                         | Iss                        | yes/no             |     |
| ◇ pt_issue_method    | Issue Method                         | Issue! Method              | x(8)               |     |
| pt_joint_type        | Co/By Type                           | CT                         | x(1)               |     |
| pt_last_eco          | Last ECO                             |                            | 99/99/99           |     |
| △ pt_length          | Length                               |                            | >>,>>9.9999        | 10  |
| pt_ll_code           | Low Level                            | Low Lvl                    | ->>>>>9            |     |
| pt_ll_drp            | DRP Low Level                        | DRP LL                     | ->>>>>9            |     |
| pt_loc               | Location                             |                            | x(8)               |     |
| pt_loc_type          | Location Type                        | Loc Type                   | x(8)               |     |
| pt_lot_grp           | Lot Group                            |                            | x(8)               |     |
| pt_lot_ser           | Lot/Serial Control                   | Lot/Ser                    | x(1)               |     |
| ◇ pt_memo_type       | Memo Order Type                      |                            | x(1)               |     |
| pt_meter_interval    | Meter Interval                       |                            | >>>>,>>>,>>9.99<<< | 10  |
| pt_meter_um          | Meter UM                             |                            | X(2)               |     |
| pt_mfg_lead          | Mfg LT                               | Mfg! LT                    | >>9                | 0   |
| pt_mfg_mtbfbf        | MFG MTBF                             |                            | ->>,>>9.99         | 10  |
| pt_mfg_mttr          | MFG MTTR                             |                            | ->>,>>9.99         | 10  |
| pt_mfg_pct           | Manufactured                         | Mfg                        | >>9.9<%            | 10  |
| pt_mod_date          | Modified Date                        | Mod Date                   | 99/99/99           |     |
| pt_model             | Model                                |                            | x(18)              | 0   |
| pt_mrp               | MRP Required                         | MRP Req                    | yes/no             |     |
| pt_ms                | Master Sched                         | MS                         | yes/no             |     |
| pt_mtbfbf            | MTBF                                 |                            | >>,>>9.99          | 10  |
| pt_mttr              | MTTR                                 |                            | >>,>>9.99          | 10  |
| pt_net_wt            | Net Weight                           |                            | ->>,>>9.99<<<<     | 10  |
| pt_net_wt_um         | Net Weight UM                        | UM                         | x(2)               |     |

| Field Name           | Label               | Col-Label        | Format               | Dec |
|----------------------|---------------------|------------------|----------------------|-----|
| pt_network           | Network Code        |                  | x(18)                |     |
| pt_obs_date          | Obsolete Date       |                  | 99/99/99             |     |
| pt_op_yield          | Op Based Yield      |                  | yes/no               |     |
| ◊ pt_opc_threshold   | OPC Threshold       |                  | ->>>, >>9.9<<<<<<    | 10  |
| pt_ord_max           | Max Ord             |                  | >>, >>>, >>9         | 0   |
| pt_ord_min           | Min Ord             |                  | >>, >>>, >>9         | 0   |
| pt_ord_mult          | Ord Mult            | Mult             | >>, >>>, >>9         | 0   |
| pt_ord_per           | Order Period        | Ord! Per         | >>9                  |     |
| pt_ord_pol           | Order Policy        | Ord! Pol         | x(3)                 |     |
| pt_ord_qty           | Order Qty           |                  | >>, >>>, >>9         | 10  |
| pt_origin            | Country of Origin   |                  | x(12)                |     |
| pt_part              | Item Number         |                  | x(18)                |     |
| pt_part_type         | Item Type           | Type             | x(8)                 |     |
| pt_phantom           | Phantom             |                  | yes/no               |     |
| pt_pick_logic        | Pick Logic          | Pick             | -9                   |     |
| pt_pkg_code          | Pkg Code            |                  | x(18)                |     |
| pt_plan_ord          | Plan Orders         | Pln              | yes/no               |     |
| pt_pm_code           | Pur/Mfg             | P/M              | x(1)                 |     |
| pt_pm_mrp            | Need PM MRP         |                  | yes/no               |     |
| pt_po_site           | PO Site             |                  | x(8)                 |     |
| ◊ pt_pop_code        | Popularity          |                  | X(8)                 |     |
| pt_pou_code          | Point of Use Code   |                  | x(18)                |     |
| pt_price             | Price               |                  | >>>>, >>>, >>9.99<<< | 10  |
| ◊ pt_print_id        | Print ID            | Print! ID        | yes/no               |     |
| pt_prod_line         | Prod Line           | Line             | x(4)                 |     |
| pt_promo             | Promotion Group     |                  | x(10)                |     |
| pt_pur_lead          | Pur LT              | Pur! LT          | >>9                  |     |
| pt_pur_pct           | Purchased           | Pur              | >>9.9<%              | 10  |
| pt_pvm_bom           | PM BOM              |                  | x(18)                |     |
| pt_pvm_days          | Days Between PM     | PM Days          | >>>>9                |     |
| pt_pvm_route         | PM Routing          |                  | x(18)                |     |
| pt_pvm_um            | UM                  |                  | x(2)                 |     |
| pt_qc_lead           | QC LT               |                  | >>9                  |     |
| ◊ pt_random_insp_pct | Random Inspection % |                  | ->>9.99              | 10  |
| pt_rctpo_active      | Active              | Act              | yes/no               |     |
| pt_rctpo_status      | PO Rcpt Status      | Status           | x(8)                 |     |
| pt_rctwo_active      | Active              | Act              | yes/no               |     |
| pt_rctwo_status      | WO Rcpt Status      | Status           | x(8)                 |     |
| ◊ pt_rep_type        | Replenishment Type  | Rep Type         | X(8)                 |     |
| pt_repairable        | Repairable          |                  | yes/no               |     |
| pt_rev               | Rev                 |                  | x(4)                 |     |
| pt_rollup            | Rollup Reqd         |                  | yes/no               |     |
| pt_rollup_id         | Rollup ID           |                  | x(8)                 |     |
| pt_rop               | Reorder Point       | ROP              | >>>, >>9             | 0   |
| pt_routing           | Routing Code        |                  | x(18)                |     |
| pt_rp_bom            | Repair BOM          |                  | x(18)                |     |
| pt_rp_route          | Repair Routing      |                  | x(18)                |     |
| pt_rp_vendor         | Repair Supplier     |                  | x(8)                 |     |
| pt_run               | Run Time            | Run              | >>>, >>9.999<<<<<<   | 10  |
| pt_run_ll            | Run LL              |                  | >>>, >>9.999<<<<<<   | 10  |
| pt_run_seq1          | Run Seq 1           |                  | x(8)                 |     |
| pt_run_seq2          | 2                   | Run Seq 2        | x(8)                 |     |
| ◊ pt_same_days[10]   | Same Day Window     | Same Day! Window | >>, >>9              |     |
| ◊ pt_sample_pct      | Sample %            | Sample %         | >>9                  |     |
| ◊ pt_sample_qty      | Sample Quantity     | Sample Qty       | ->, >>>, >>9         |     |
| pt_setup             | Setup Time          | Setup            | >>>, >>9.999<<<<<<   | 10  |
| pt_setup_ll          | Setup LL            |                  | >>>, >>9.999<<<<<<   | 10  |



| Field Name          | Label                        | Col-Label            | Format               | Dec |
|---------------------|------------------------------|----------------------|----------------------|-----|
| pt_sfty_stk         | Safety Stk                   | Safety! Stock        | >>, >>>, >>9         | 0   |
| pt_sfty_time        | Safety Time                  | Safety! Time         | >>9                  | 0   |
| ◊ pt_shelf_offset   | Shelf Life Offset            | Shelf Life! Offset   | >>, >>9              |     |
| pt_shelflife        | Shelf Life                   |                      | ->, >>>, >>>         |     |
| pt_ship_wt          | Ship Weight                  |                      | ->>, >>9.99<<<<      | 10  |
| pt_ship_wt_um       | Ship Weight UM               | UM                   | x(2)                 |     |
| ◊ pt_single_trans   | Single Put-Away Transactions | Single! Trans        | yes/no               |     |
| pt_site             | Site                         |                      | x(8)                 |     |
| pt_size             | Size                         |                      | ->>, >>9.99          | 10  |
| pt_size_um          | Size UM                      | UM                   | x(2)                 |     |
| pt_sngl_lot         | Allocate Single Lot          | Sngl! Lot            | yes/no               |     |
| pt_spec_grav        | Specific Gravity             | Spec Grav            | >>, >>9.9<<<         | 10  |
| pt_spec_hdlg        | Special Handling Code        |                      | x(8)                 |     |
| pt_status           | Status                       | St                   | x(8)                 |     |
| pt_std_date         | Std Cost Update              |                      | 99/99/99             |     |
| pt_sttr             | STTR                         |                      | ->>, >>9.99          | 10  |
| pt_svc_group        | Service Group                | Svc Grp              | x(8)                 |     |
| pt_svc_type         | Service Type                 | Ser Type             | x(2)                 | 0   |
| pt_sys_type         | System Type                  |                      | x(2)                 |     |
| pt_tariff           | Tariff                       |                      | x(8)                 |     |
| pt_taxable          | Tax                          |                      | yes/no               |     |
| pt_taxc             | Tax Class                    | TxC                  | x(3)                 |     |
| pt_timefence        | Time Fence                   |                      | ->>>9                |     |
| pt_trace_active     | Trace Active                 |                      | yes/no               |     |
| pt_trace_detail     | Trace Detail                 |                      | yes/no               |     |
| pt_transtype        | Transport Type               | Tran Type            | x(8)                 |     |
| pt_um               | UM                           |                      | x(2)                 |     |
| ◊ pt_um_group       | UM Group                     |                      | x(8)                 |     |
| pt_unit_isb         | Isb Unit Quantity            |                      | yes/no               |     |
| pt_upc              | UPC                          |                      | x(12)                |     |
| pt_user1            | Ufld1                        |                      | x(8)                 |     |
| pt_user2            | Ufld2                        |                      | x(8)                 |     |
| pt_user3            | User3                        |                      | x(8)                 |     |
| pt_userid           | User ID                      |                      | x(8)                 |     |
| pt_ven_warr         | Supplier Warranty            | Suppl Warr           | yes/no               |     |
| pt_vend             | Supplier                     |                      | x(8)                 |     |
| pt_warr_cd          | Warranty Code                | Warr Cd              | x(8)                 |     |
| pt_wh               | Warehoused Item              | WH                   | yes/no               |     |
| ◊ pt_whse_part_type | Warehouse Item Type          | Warehouse! Item Type | x(8)                 |     |
| Δ pt_width          | Width                        |                      | >>, >>9.9999         | 10  |
| pt_wks_avg          | Average Weeks of Coverage    | Avg! Cover           | >>9.9                | 10  |
| pt_wks_max          | Maximum Weeks of Coverage    | Max! Cover           | >>9.9                | 10  |
| pt_wks_min          | Minimum Weeks of Coverage    | Min! Cover           | >>9.9                | 10  |
| pt_xbdn_ll          | Cur Burden LL                |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xbdn_stdll       | Std Burden LL                |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xbdn_stdtl       | Std Burden TL                |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xbdn_tl          | Cur Burden TL                |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xlbr_ll          | Cur Labor LL                 |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xlbr_stdll       | Std Lbr LL                   |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xlbr_stdtl       | Std Labor TL                 |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xlbr_tl          | Cur Labor TL                 |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xmtl_ll          | Cur Matl LL                  |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xmtl_stdll       | Std Mtl LL                   |                      | >>>>, >>>, >>9.99<<< | 10  |
| pt_xmtl_stdtl       | Std Matl TL                  |                      | >>>>, >>>, >>9.99<<< | 10  |

| Field Name    | Label         | Col-Label | Format               | Dec |
|---------------|---------------|-----------|----------------------|-----|
| pt_xmtl_tl    | Cur Matl TL   |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xovh_ll    | Cur Ovhead LL |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xovh_stdll | Std Ovhead LL |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xovh_stdtl | Std Ovhead TL |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xovh_tl    | Cur Ovhead TL |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xsub_ll    | Cur Sub LL    |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xsub_stdll | Std Sub LL    |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xsub_stdtl | Std Sub TL    |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xsub_tl    | Cur Sub TL    |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xtot_cur   | Total TL & LL |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_xtot_std   | Std Total     |           | >>>>, >>>, >>9.99<<< | 10  |
| pt_yield_pct  | Yield%        |           | >>9.99%              | 10  |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_pt_mstr | yes | oid_pt_mstr  | yes | no   |
| ◇ pt_barcode1 | no  | pt_domain    | yes | no   |
|               |     | pt_barcode1  | yes | no   |
| ◇ pt_barcode2 | no  | pt_domain    | yes | no   |
|               |     | pt_barcode2  | yes | no   |
| pt_bom_code   | no  | pt_domain    | yes | no   |
|               |     | pt_bom_code  | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_desc       | yes | pt_domain    | yes | no   |
|               |     | pt_desc1     | yes | no   |
|               |     | pt_desc2     | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_group      | yes | pt_domain    | yes | no   |
|               |     | pt_group     | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_ll_mrp_pt  | yes | pt_domain    | yes | no   |
|               |     | pt_ll_code   | yes | no   |
|               |     | pt_mrp       | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_model      | no  | pt_domain    | yes | no   |
|               |     | pt_model     | yes | no   |
| pt_network    | no  | pt_domain    | yes | no   |
|               |     | pt_network   | yes | no   |
|               |     | pt_part      | yes | no   |
| * pt_part     | yes | pt_domain    | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_part_type  | yes | pt_domain    | yes | no   |
|               |     | pt_part_type | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_pm_mrp     | no  | pt_domain    | yes | no   |
|               |     | pt_pm_mrp    | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_prod_part  | yes | pt_domain    | yes | no   |
|               |     | pt_prod_line | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_pvm_bom    | no  | pt_domain    | yes | no   |
|               |     | pt_pvm_bom   | yes | no   |
|               |     | pt_part      | yes | no   |
| pt_routing    | yes | pt_domain    | yes | no   |

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
|              |     | pt_routing   | yes | no   |
|              |     | pt_part      | yes | no   |
| pt_svc_group | no  | pt_domain    | yes | no   |
|              |     | pt_svc_group | yes | no   |

◇ **PurchaseCode**Purchase Code

| Field Name              | Label | Col-Label | Format        | Dec |
|-------------------------|-------|-----------|---------------|-----|
| CustomCombo0            |       |           | x(20)         |     |
| CustomCombo1            |       |           | x(20)         |     |
| CustomCombo2            |       |           | x(20)         |     |
| CustomCombo3            |       |           | x(20)         |     |
| CustomCombo4            |       |           | x(20)         |     |
| CustomCombo5            |       |           | x(20)         |     |
| CustomCombo6            |       |           | x(20)         |     |
| CustomCombo7            |       |           | x(20)         |     |
| CustomCombo8            |       |           | x(20)         |     |
| CustomCombo9            |       |           | x(20)         |     |
| CustomDate0             |       |           | 99/99/9999    |     |
| CustomDate1             |       |           | 99/99/9999    |     |
| CustomDate2             |       |           | 99/99/9999    |     |
| CustomDate3             |       |           | 99/99/9999    |     |
| CustomDate4             |       |           | 99/99/9999    |     |
| CustomDecimal0          |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal1          |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal2          |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal3          |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal4          |       |           | ->,>>>,>>9.99 | 4   |
| CustomInteger0          |       |           | ->,>>>,>>9    |     |
| CustomInteger1          |       |           | ->,>>>,>>9    |     |
| CustomInteger2          |       |           | ->,>>>,>>9    |     |
| CustomInteger3          |       |           | ->,>>>,>>9    |     |
| CustomInteger4          |       |           | ->,>>>,>>9    |     |
| CustomLong0             |       |           | x(255)        |     |
| CustomLong1             |       |           | x(255)        |     |
| CustomNote              |       |           | x(2000)       |     |
| CustomShort0            |       |           | x(20)         |     |
| CustomShort1            |       |           | x(20)         |     |
| CustomShort2            |       |           | x(20)         |     |
| CustomShort3            |       |           | x(20)         |     |
| CustomShort4            |       |           | x(20)         |     |
| CustomShort5            |       |           | x(20)         |     |
| CustomShort6            |       |           | x(20)         |     |
| CustomShort7            |       |           | x(20)         |     |
| CustomShort8            |       |           | x(20)         |     |
| CustomShort9            |       |           | x(20)         |     |
| LastModifiedDate        |       |           | 99/99/9999    |     |
| LastModifiedTime        |       |           | 99999         |     |
| LastModifiedUser        |       |           | x(20)         |     |
| PurchaseCode            |       |           | x(20)         |     |
| PurchaseCode_ID         |       |           | 9999999999    |     |
| PurchaseCodeDescription |       |           | x(40)         |     |
| PurchaseCodeIsActive    |       |           | yes/no        |     |
| PurchaseCodeType        |       |           | x(20)         |     |

| Index-Name     | Uni | Field-Name           | Asc | Abbr |
|----------------|-----|----------------------|-----|------|
| ◇ Active       | no  | PurchaseCodeIsActive | yes | no   |
| ◇* Prim        | yes | PurchaseCode_ID      | yes | no   |
| ◇ PurchaseCode | yes | PurchaseCode         | yes | no   |
| ◇ PurchaseType | no  | PurchaseCodeType     | yes | no   |
| ◇ ViewIndex    | no  | PurchaseCodeIsActive | yes | no   |
|                |     | PurchaseCode         | yes | no   |

◇ PurchaseGLMatrixPurchase GL Matrix

| Field Name              | Label | Col-Label | Format     | Dec |
|-------------------------|-------|-----------|------------|-----|
| CostCentreGL_ID         |       |           | 9999999999 |     |
| CreditorPurchaseCode_ID |       |           | 9999999999 |     |
| ItemPurchaseCode_ID     |       |           | 9999999999 |     |
| LastModifiedDate        |       |           | 99/99/9999 |     |
| LastModifiedTime        |       |           | 99999      |     |
| LastModifiedUser        |       |           | x(20)      |     |
| NoAnalysisGL_ID         |       |           | 9999999999 |     |
| ProjectGL_ID            |       |           | 9999999999 |     |
| PurchaseGLMatrix_ID     |       |           | 9999999999 |     |
| SharedSet_ID            |       |           | 9999999999 |     |
| StockMovementGL_ID      |       |           | 9999999999 |     |

| Index-Name      | Uni | Field-Name              | Asc | Abbr |
|-----------------|-----|-------------------------|-----|------|
| ◇ CostCentreGL  | no  | CostCentreGL_ID         | yes | no   |
| ◇ CreditItemSet | yes | SharedSet_ID            | yes | no   |
|                 |     | CreditorPurchaseCode_ID | yes | no   |
|                 |     | ItemPurchaseCode_ID     | yes | no   |
| ◇ CredPurch     | no  | CreditorPurchaseCode_ID | yes | no   |
| ◇ ItemPurch     | no  | ItemPurchaseCode_ID     | yes | no   |
| ◇ NoAnalysisGL  | no  | NoAnalysisGL_ID         | yes | no   |
| ◇* Prim         | yes | PurchaseGLMatrix_ID     | yes | no   |
| ◇ ProjectGL     | no  | ProjectGL_ID            | yes | no   |
| ◇ SharedSet     | no  | SharedSet_ID            | yes | no   |

◇ PurchaseTypePurchase Type

| Field Name              | Label              | Col-Label     | Format     | Dec |
|-------------------------|--------------------|---------------|------------|-----|
| LastModifiedDate        | Last Modified Date | Modif Date    | 99/99/9999 |     |
| LastModifiedTime        | Last Modified Time | Modif Time    | 99999      |     |
| LastModifiedUser        | Last Modified User | Modif User    | x(20)      |     |
| PurchaseType_ID         | Record ID          | Record ID     | 9999999999 |     |
| PurchaseTypeCode        | Purchase Type      | Purchase Type | x(4)       |     |
| PurchaseTypeDescription | Description        | Description   | x(40)      |     |
| PurchaseTypeIsActive    | Active             | Active        | yes/no     |     |

| Index-Name  | Uni | Field-Name           | Asc | Abbr |
|-------------|-----|----------------------|-----|------|
| ◇ Code      | yes | PurchaseTypeCode     | yes | no   |
| ◇* Prim     | yes | PurchaseType_ID      | yes | no   |
| ◇ ViewIndex | yes | PurchaseTypeIsActive | yes | no   |
|             |     | PurchaseTypeCode     | yes | no   |

### Pending Voucher Detail

| Field Name             | Label                   | Col-Label          | Format                    | Dec |
|------------------------|-------------------------|--------------------|---------------------------|-----|
| oid_pvod_det           |                         |                    | >>>>>>>>>>>>>>>>>>>>>9    | 10  |
| pvod__qadc01           |                         |                    | .9<<<<<<<<                |     |
| pvod__qadc02           |                         |                    | x(24)                     |     |
| pvod__qadc03           |                         |                    | x(24)                     |     |
| pvod__qadc04           |                         |                    | x(24)                     |     |
| pvod__qadd01           |                         |                    | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| pvod_accrual_acct      | Accrual Account         | Accrual! Account   | x(8)                      |     |
| pvod_accrual_cc        | Accrual Cost Ctr        | Accrual! CC        | x(4)                      |     |
| pvod_accrual_sub       | Accrual Sub-Account     | Accrual! Sub-Acct  | x(8)                      |     |
| pvod_accrued_amt       | Accrued Amount          |                    | ->>>>, >>>, >>9.99<       | 10  |
| ◇ pvod_bdn_std         | Item Burden Cost        | Item Burden        | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_channel           | Channel                 |                    | x(8)                      |     |
| ◇ pvod_cinvoice_id     | Invoice ID              |                    | 9999999999                |     |
| pvod_cost_update       | Update Current Cost     |                    | yes/no                    |     |
| pvod_domain            | Domain                  |                    | x(8)                      |     |
| ◇ pvod_eff_date        | Effective Date          | Eff Date           | 99/99/99                  |     |
| ◇ pvod_ex_rate         | Exch Rate               |                    | >>>>, >>>, >>9.9<<<<<<<<  | 10  |
| ◇ pvod_ex_rate2        | Exch Rate 2             |                    | >>>>, >>>, >>9.9<<<<<<<<  | 10  |
| ◇ pvod_ex_ratetype     | Rate Type               |                    | x(8)                      |     |
| ◇ pvod_exru_seq        | Sequence                |                    | >>>>>>>9                  |     |
| pvod_id                | Pending Voucher ID      | Pend Vchr          | >>>>>>>                   |     |
| pvod_id_line           | Line                    | Ln                 | >>>>>>>9                  |     |
| pvod_internal_ref      | Internal Reference      |                    | x(20)                     |     |
| pvod_internal_ref_type | Internal Reference Type | Internal! Ref Type | x(2)                      |     |
| ◇ pvod_last_voucher    | Supplier Invoice        |                    | x(22)                     |     |
| ◇ pvod_lbr_std         | Item Labor Cost         | Item Labor         | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_mod_date          | Modified Date           | Mod Date           | 99/99/99                  |     |
| pvod_mod_userid        | User ID                 |                    | x(8)                      |     |
| ◇ pvod_mtl_std         | Item Material Cost      | Item Material      | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_order             | Order                   |                    | x(8)                      |     |
| pvod_order_line        | Order Line              | Ln                 | >>9                       |     |
| pvod_order_type        | Order Type              | Order! Type        | x(2)                      |     |
| ◇ pvod_ovh_std         | Item Overhead Cost      | Item Overhead      | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_part              | Item Number             | Item               | x(18)                     |     |
| pvod_project           | Project                 |                    | x(8)                      |     |
| ◇ pvod_pur_cost        | PO Cost                 |                    | ->, >>>, >>>, >>9.99<<<   | 10  |
| ◇ pvod_pur_std         | Item PO Cost            |                    | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_shipfrom          | Ship-From               |                    | x(8)                      |     |
| pvod_shipto            | Ship-To                 |                    | x(8)                      |     |
| ◇ pvod_sub_std         | Item Subcontract Cost   | Item Subcontract   | ->>>, >>>, >>9.99<<<      | 10  |
| pvod_tax_env           | Tax Environment         | Tax Env            | x(16)                     |     |
| pvod_tax_in            | Tax In                  | Tax! In            | yes/no                    |     |
| pvod_tax_usage         | Tax Usage               | TaxUsage           | x(8)                      |     |
| pvod_taxable           | Taxable                 | Tax                | yes/no                    |     |

|   | Field Name         | Label                  | Col-Label     | Format                 | Dec |
|---|--------------------|------------------------|---------------|------------------------|-----|
|   | pvod_taxc          | Tax Class              | TxC           | x(3)                   |     |
| ◇ | pvod_trans_date    | Transaction Date       | Trans Date    | 99/99/99               |     |
| ◇ | pvod_trans_qty     | Transaction Qty        | Trans Qty     | -->, >>,>>9.9<<<<<<<<< | 10  |
|   | pvod_user1         | User Field Character 1 |               | x(24)                  |     |
|   | pvod_user2         | User Field Character 2 |               | x(24)                  |     |
|   | pvod_vouchered_amt | Vouchered Amount       |               | -->>>, >>,>>9.99<      | 10  |
| ◇ | pvod_vouchered_qty | Vouchered Qty          | Vouchered Qty | -->, >>,>>9.9<<<<<<<<< | 10  |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_pvod_det | yes | oid_pvod_det | yes | no   |
| * | pvod_id      | yes | pvod_domain  | yes | no   |
|   |              |     | pvod_id      | yes | no   |
|   |              |     | pvod_id line | yes | no   |

**pvo\_mstr** Pending Voucher Master

| Field Name            | Label                   | Col-Label          | Format                         | Dec |
|-----------------------|-------------------------|--------------------|--------------------------------|-----|
| oid_pvo_mstr          |                         |                    | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| pvo__qadc01           |                         |                    | .9<<<<<<<<                     |     |
| pvo__qadc02           |                         |                    | x(24)                          |     |
| pvo__qadc03           |                         |                    | x(24)                          |     |
| Δ pvo__qadc04         |                         |                    | x(24)                          |     |
| pvo__qadd01           |                         |                    | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| Δ pvo__qadd02         |                         |                    | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| Δ pvo__qadd03         |                         |                    | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| Δ pvo__qadi01         |                         |                    | ->>>>>>>g                      |     |
| pvo_accrual_acct      | Accrual Account         | Accrual! Account   | x(8)                           |     |
| pvo_accrual_cc        | Accrual Cost Ctr        | Accrual! CC        | x(4)                           |     |
| pvo_accrual_sub       | Accrual Sub-Account     | Accrual! Sub-Acct  | x(8)                           |     |
| pvo_accrued_amt       | Accrued Amount          |                    | ->>>, >>>, >>9.99<             | 10  |
| pvo_approver          | Approved By             | Approved           | x(8)                           |     |
| pvo_buyer             | Buyer                   |                    | x(8)                           |     |
| ◇ pvo_cinvoice_id     | Invoice ID              |                    | 9999999999                     |     |
| pvo_consignment       | Consignment             |                    | yes/no                         |     |
| pvo_cost_update       | Update Current Cost     |                    | yes/no                         |     |
| pvo_curr              | Currency                | Cur                | x(3)                           |     |
| pvo_domain            | Domain                  |                    | x(8)                           |     |
| pvo_eff_date          | GL Effective Date       | Effective          | 99/99/99                       |     |
| pvo_ers_opt           | ERS Option              | ERS! Opt           | >9                             |     |
| pvo_ers_price_lst_opt | ERS Price List Option   | ERS! PLO           | >9                             |     |
| pvo_ers_status        | ERS Status              | ERS! St            | >9                             |     |
| pvo_external_ref      | External Reference      | External! Ref      | x(20)                          |     |
| pvo_id                | Pending Voucher ID      | Pend Vchr          | >>>>>>>>                       |     |
| pvo_internal_ref      | Internal Reference      | Internal! Ref      | x(20)                          |     |
| pvo_internal_ref_type | Internal Reference Type | Internal! Ref Type | x(2)                           |     |
| Δ pvo_last_voucher    | Voucher                 |                    | x(22)                          |     |
| pvo_lc_charge         | Logistics Charge Code   | Chrg Code          | x(8)                           |     |
| pvo_line              | Line                    | Ln                 | >>9                            |     |
| pvo_mod_date          | Modified Date           | Mod Date           | 99/99/99                       |     |
| pvo_mod_userid        | User ID                 |                    | x(8)                           |     |
| pvo_order             | Order                   |                    | x(8)                           |     |

| Field Name        | Label                  | Col-Label   | Format                   | Dec |
|-------------------|------------------------|-------------|--------------------------|-----|
| pvo_order_type    | Order Type             | Order! Type | x(2)                     |     |
| pvo_part          | Item Number            | Item        | x(18)                    |     |
| pvo_project       | Project                |             | x(8)                     |     |
| pvo_shipfrom      | Ship-From              |             | x(8)                     |     |
| pvo_shipto        | Ship-To                |             | x(8)                     |     |
| pvo_supplier      | Supplier               |             | x(8)                     |     |
| pvo_tax_env       | Tax Environment        | Tax Env     | x(16)                    |     |
| pvo_tax_in        | Tax In                 |             | yes/no                   |     |
| pvo_tax_usage     | Tax Usage              | TaxUsage    | x(8)                     |     |
| pvo_taxable       | Taxable                |             | yes/no                   |     |
| pvo_taxc          | Tax Class              | TxC         | x(3)                     |     |
| pvo_trans_date    | Transaction Date       | Transaction | 99/99/99                 |     |
| pvo_trans_qty     | Transaction Qty        | Trans Qty   | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| pvo_user1         | User Field Character 1 |             | x(24)                    |     |
| pvo_user2         | User Field Character 2 |             | x(24)                    |     |
| pvo_vouchered_amt | Vouchered Amt          |             | ->>>>, >>>, >>9.99<      | 10  |
| pvo_vouchered_qty | Vouchered Qty          |             | ->>, >>>, >>9.9<<<<<<<<< | 10  |

| Index-Name           | Uni | Field-Name       | Asc | Abbr |
|----------------------|-----|------------------|-----|------|
| ◇ oid_pvo_mstr       | yes | oid_pvo_mstr     | yes | no   |
| pvo_ers              | no  | pvo_domain       | yes | no   |
|                      |     | pvo_ers_status   | yes | no   |
|                      |     | pvo_lc_charge    | yes | no   |
|                      |     | pvo_internal_ref | yes | no   |
|                      |     | pvo_line         | yes | no   |
| * pvo_id             | yes | pvo_domain       | yes | no   |
|                      |     | pvo_id           | yes | no   |
| pvo_internal_ref     | no  | pvo_domain       | yes | no   |
|                      |     | pvo_internal_ref | yes | no   |
| pvo_logistics_charge | no  | pvo_domain       | yes | no   |
|                      |     | pvo_lc_charge    | yes | no   |
|                      |     | pvo_internal_ref | yes | no   |
|                      |     | pvo_line         | yes | no   |
|                      |     | pvo_external_ref | yes | no   |
| pvo_order            | no  | pvo_domain       | yes | no   |
|                      |     | pvo_order        | yes | no   |
|                      |     | pvo_internal_ref | yes | no   |
|                      |     | pvo_line         | yes | no   |
| pvo_supplier         | no  | pvo_domain       | yes | no   |
|                      |     | pvo_supplier     | yes | no   |
|                      |     | pvo_last_voucher | yes | no   |
|                      |     | pvo_lc_charge    | yes | no   |
| pvo_trans_date       | no  | pvo_domain       | yes | no   |
|                      |     | pvo_trans_date   | yes | no   |





| Field Name     | Label | Col-Label | Format | Dec |
|----------------|-------|-----------|--------|-----|
| qad_key6       |       |           | x(8)   |     |
| qad_logfld[15] |       |           | yes/no |     |
| qad_user1      | Ufld1 |           | x(8)   |     |
| qad_user2      | Ufld2 |           | x(8)   |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_qad_wkfl | yes | oid_qad_wkfl | yes | no   |
| * qad_index1   | yes | qad_domain   | yes | no   |
|                |     | qad_key1     | yes | no   |
|                |     | qad_key2     | yes | no   |
| qad_index2     | no  | qad_domain   | yes | no   |
|                |     | qad_key3     | yes | no   |
|                |     | qad_key4     | yes | no   |
| qad_index3     | no  | qad_domain   | yes | no   |
|                |     | qad_key5     | yes | no   |
|                |     | qad_key6     | yes | no   |

**qcc\_ctrl**      Quality Order Control

| Field Name   | Label                  | Col-Label | Format                 | Dec |
|--------------|------------------------|-----------|------------------------|-----|
| oid_qcc_ctrl |                        |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qcc__qadc01  |                        |           | .9<<<<<<<<<            |     |
| qcc__qadi01  |                        |           | x(8)                   |     |
| qcc_auto_nbr | Auto Order Numbers     |           | ->>>>>>>9              |     |
| qcc_domain   | Domain                 |           | yes/no                 |     |
| qcc_inspect  | Inspection Location    |           | x(8)                   |     |
| qcc_lot      | Next Batch             |           | x(8)                   |     |
| qcc_nbr      | Next Order Number      |           | >>>>>>>9               |     |
| qcc_rcmmts   | Procedure Comments     |           | >>>>>>>9               |     |
| qcc_site     | Inspection Site        |           | yes/no                 |     |
| qcc_user1    | Ufld1                  |           | x(8)                   |     |
| qcc_user2    | Ufld2                  |           | x(8)                   |     |
| qcc_wcmmts   | Quality Order Comments |           | x(8)                   |     |
|              |                        |           | yes/no                 |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_qcc_ctrl | yes | oid_qcc_ctrl | yes | no   |
| * | qcc_index1   | yes | qcc_domain   | yes | no   |

**qcd\_det**      Quality Control Order Detail

| Field Name  | Label | Col-Label | Format                  | Dec |
|-------------|-------|-----------|-------------------------|-----|
| oid_qcd_det |       |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |       |           | .9<<<<<<<<<             |     |
| qcd__chr01  |       |           | x(8)                    |     |
| qcd__chr02  |       |           | x(8)                    |     |
| qcd__chr03  |       |           | x(8)                    |     |
| qcd__chr04  |       |           | x(8)                    |     |



|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_qcs_mstr | yes | oid_qcs_mstr | yes | no   |
| * | qcs_part     | yes | qcs_domain   | yes | no   |
|   |              |     | qcs_part     | yes | no   |

**qc\_mstr**

## Quality Control Order Master

| Field Name   | Label               | Col-Label | Format                  | Dec |
|--------------|---------------------|-----------|-------------------------|-----|
| oid_qc_mstr  |                     |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qc_chr01     |                     |           | .9<<<<<<<<<             |     |
| qc_chr02     |                     |           | x(8)                    |     |
| qc_chr03     |                     |           | x(8)                    |     |
| qc_chr04     |                     |           | x(8)                    |     |
| qc_chr05     |                     |           | x(8)                    |     |
| qc_dec01     |                     |           | >>>, >>>, >>9.99        | 10  |
| qc_dec02     |                     |           | >>>, >>>, >>9.99        | 10  |
| qc_dte01     |                     |           | 99/99/99                |     |
| qc_dte02     |                     |           | 99/99/99                |     |
| qc_log01     |                     |           | yes/no                  |     |
| qc_autoissue | Auto Issue          |           | yes/no                  |     |
| qc_cmtindx   | Comment Index       | Comment   | >>>>>>9                 |     |
| qc_domain    | Domain              |           | x(8)                    |     |
| qc_due_date  | Due Date            | Due       | 99/99/99                |     |
| qc_insp_loc  | Inspection Location | Insp Loc  | x(8)                    |     |
| qc_inv_stat  | Inventory Status    | Inv Stat  | x(8)                    |     |
| qc_job       | PO/Job              |           | x(8)                    |     |
| qc_lead_time | Lead Time           |           | ->, >>>, >>9            | 10  |
| qc_loc       | Location            |           | x(8)                    |     |
| qc_lot       | Batch               |           | x(8)                    |     |
| qc_nbr       | Quality Order       |           | x(18)                   |     |
| qc_ord_date  | Start Date          | Start     | 99/99/99                |     |
| qc_part      | Item Number         |           | x(18)                   |     |
| qc_project   | Project             |           | x(8)                    |     |
| qc_qty_comp  | Qty Accepted        | Accepted  | ->, >>>, >>9.9<<<<<<<<< | 10  |
| qc_qty_ord   | Qty Pending         | Pending   | ->, >>>, >>9.9<<<<<<<<< | 10  |
| qc_qty_rjct  | Qty Rejected        | Rejected  | ->, >>>, >>9.9<<<<<<<<< | 10  |
| qc_ref       | Reference           | Ref       | x(8)                    |     |
| qc_rel_date  | Release Date        | Release   | 99/99/99                |     |
| qc_rmks      | Remarks             |           | x(40)                   |     |
| qc_serial    | Lot/Serial          | L/S       | x(18)                   |     |
| qc_site      | Site                |           | x(8)                    |     |
| qc_status    | Status              | St        | x(1)                    |     |
| qc_teststep  | Procedure           |           | x(18)                   |     |
| qc_type      | Type                | T         | x(1)                    |     |
| qc_user1     | Ufld1               |           | x(8)                    |     |
| qc_user2     | Ufld2               |           | x(8)                    |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_qc_mstr | yes | oid_qc_mstr | yes | no   |
| qc_due_part   | no  | qc_domain   | yes | no   |
|               |     | qc_due_date | yes | no   |
|               |     | qc_part     | yes | no   |
|               |     | qc_site     | yes | no   |
| qc_lot        | yes | qc_domain   | yes | no   |
|               |     | qc_lot      | yes | no   |
| * qc_nbr      | yes | qc_domain   | yes | no   |
|               |     | qc_nbr      | yes | no   |
|               |     | qc_lot      | yes | no   |
| qc_part       | no  | qc_domain   | yes | no   |
|               |     | qc_part     | yes | no   |
|               |     | qc_site     | yes | no   |
|               |     | qc_due_date | yes | no   |
| qc_type_nbr   | yes | qc_domain   | yes | no   |
|               |     | qc_type     | yes | no   |
|               |     | qc_nbr      | yes | no   |
|               |     | qc_lot      | yes | no   |

**qob\_det**

Sales Quotation Configuration Bill Detail

| Field Name   | Label         | Col-Label | Format                  | Dec |
|--------------|---------------|-----------|-------------------------|-----|
| oid_qob_det  |               |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qob_qadc01   |               |           | .9<<<<<<<<<             |     |
| qob_bo_chg   | Qty B/O       |           | x(8)                    |     |
| qob_cfg_type | Configuration | Config    | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_cmtindx  | Comment Index | Comment   | x(1)                    |     |
| qob_domain   | Domain        |           | >>>>>>>9                |     |
| qob_feature  | Feature       |           | x(8)                    |     |
| qob_iss_date | Issue Date    | Iss Date  | x(12)                   |     |
| qob_line     | Line          |           | 99/99/99                |     |
| qob_loc      | Location      |           | >>9                     |     |
| qob_nbr      | Quote         |           | x(8)                    |     |
| qob_parent   | Parent Item   |           | x(8)                    |     |
| qob_part     | Item Number   |           | x(18)                   |     |
| qob_price    | Price         |           | >>>>, >>>, >>9.99<<<    | 10  |
| qob_qty_all  | Qty Allocated |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_qty_chg  | Qty to Issue  |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_qty_iss  | Qty Issued    |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_qty_pick | Qty Picked    |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_qty_req  | Qty Required  |           | ->, >>>, >>9.9<<<<<<<<  | 10  |
| qob_serial   | Lot/Serial    |           | x(18)                   |     |
| qob_site     | Site          |           | x(8)                    |     |
| qob_tot_std  | List Price    |           | ->>>, >>9.999           | 10  |
| qob_user1    | Ufld1         |           | x(8)                    |     |
| qob_user2    | Ufld2         |           | x(8)                    |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_qob_det | yes | oid_qob_det | yes | no   |
| * qob_det     | yes | qob_domain  | yes | no   |
|               |     | qob_nbr     | yes | no   |
|               |     | qob_line    | yes | no   |
|               |     | qob_feature | yes | no   |
|               |     | qob_part    | yes | no   |
| qob_part      | yes | qob_domain  | yes | no   |
|               |     | qob_part    | yes | no   |
|               |     | qob_nbr     | yes | no   |
|               |     | qob_line    | yes | no   |
|               |     | qob_feature | yes | no   |

## Sales Quotation Control

| Field Name      | Label                     | Col-Label | Format                        | Dec |
|-----------------|---------------------------|-----------|-------------------------------|-----|
| oid_qoc_ctrl    |                           |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qoc__qad01      |                           |           | .9<<<<<<<<<                   |     |
| qoc__qadi01     |                           |           | >>>>>>9                       |     |
| qoc_company     | Company Address           |           | x(8)                          |     |
| qoc_days        | Days Until Expire         |           | >>>>>9                        |     |
| qoc_domain      | Domain                    |           | x(8)                          |     |
| qoc_ex_ratetype | Rate Type                 |           | x(8)                          |     |
| qoc_fob         | F.O.B.                    |           | x(20)                         |     |
| qoc_fr_by_site  | Calculate Freight by Site |           | yes/no                        |     |
| qoc_hcmmts      | Quote Header Comments     |           | yes/no                        |     |
| qoc_lcmmts      | Quote Line Comments       |           | yes/no                        |     |
| qoc_ln_fmt      | Ln Format S/M             |           | single/multi                  |     |
| qoc_pc_line     | Price by QO Line Due Date |           | yes/no                        |     |
| qoc_pl_req      | Price List Required       |           | yes/no                        |     |
| qoc_print       | Are Quotes Printed        |           | yes/no                        |     |
| qoc_pt_req      | Price Table Required      |           | yes/no                        |     |
| qoc_qo          | Next Quote                |           | >>>>>>>9                      |     |
| qoc_qo_pre      | Quote Prefix              | Pre       | x(3)                          |     |
| qoc_user1       | Ufld1                     |           | x(8)                          |     |
| qoc_user2       | Ufld2                     |           | x(8)                          |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_qoc_ctrl | yes | oid_qoc_ctrl | yes | no   |
| * | qoc_index1   | yes | qoc_domain   | yes | no   |

### Sales Quotation Relationship Detail

| Field Name   | Label    | Col-Label | Format                         | Dec |
|--------------|----------|-----------|--------------------------------|-----|
| oid_qodr_det |          |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qodr__qadc01 |          |           | .9<<<<<<<<<                    |     |
| qodr__qadc02 |          |           | x(8)                           |     |
| qodr__qadc03 |          |           | x(8)                           |     |
| qodr__qadd01 |          |           | ->>>>, >>>, >>9.9              | 10  |
| qodr__qadd02 |          |           | ->>>>, >>>, >>9.9              | 10  |
| qodr__qadi01 |          |           | ->, >>>, >>9                   |     |
| qodr__qadi02 |          |           | ->, >>>, >>9                   |     |
| qodr__qadl01 |          |           | yes/no                         |     |
| qodr__qadl02 |          |           | yes/no                         |     |
| qodr__qadt01 |          |           | 99/99/99                       |     |
| qodr__qadt02 |          |           | 99/99/99                       |     |
| qodr_div     | Division |           | X(8)                           |     |
| qodr_domain  | Domain   |           | x(8)                           |     |
| qodr_group   | Group    |           | X(8)                           |     |
| qodr_line    | Line     |           | >>9                            |     |
| qodr_nbr     | Quote    |           | X(8)                           |     |
| qodr_pricing | Pricing  |           | >9                             |     |
| qodr_seq     | Sequence |           | >>9                            |     |
| qodr_type    | Type     |           | >>>9                           |     |
| qodr_user1   | Ufld1    |           | x(8)                           |     |
| qodr_user2   | Ufld2    |           | x(8)                           |     |

| Index-Name       | Uni | Field-Name   | Asc | Abbr |
|------------------|-----|--------------|-----|------|
| ◇ oid_qodr_det   | yes | oid_qodr_det | yes | no   |
| * qodr_nbrln_seq | yes | qodr_domain  | yes | no   |
|                  |     | qodr_nbr     | yes | no   |
|                  |     | qodr_line    | yes | no   |
|                  |     | qodr_seq     | yes | no   |
| qodr_type        | no  | qodr_domain  | yes | no   |
|                  |     | qodr_type    | yes | no   |

### Sales Quotation Detail

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>         | <b>Dec</b> |
|-------------------|--------------|------------------|-----------------------|------------|
| oid_qod_det       |              |                  | >>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |              |                  | .9<<<<<<<<            |            |
| qod__chr01        | Price List   | List             | x(8)                  |            |
| qod__chr02        |              |                  | x(8)                  |            |
| qod__chr03        |              |                  | x(8)                  |            |
| qod__chr04        |              |                  | x(8)                  |            |
| qod__chr05        |              |                  | x(8)                  |            |
| qod__chr06        |              |                  | x(8)                  |            |
| qod__chr07        |              |                  | x(8)                  |            |
| qod__chr08        |              |                  | x(8)                  |            |
| qod__chr09        |              |                  | x(8)                  |            |
| qod__chr10        |              |                  | x(8)                  |            |
| qod__dec01        |              |                  | >>>, >>>, >>9.99      | 10         |
| qod__dec02        |              |                  | >>>, >>>, >>9.99      | 10         |

| Field Name         | Label               | Col-Label  | Format                 | Dec |
|--------------------|---------------------|------------|------------------------|-----|
| qod__dte01         |                     |            | 99/99/99               |     |
| qod__dte02         |                     |            | 99/99/99               |     |
| qod__log01         |                     |            | yes/no                 |     |
| qod__qad01[5]      |                     |            | x(40)                  |     |
| qod__qad02         |                     |            | >                      |     |
| qod__qad03         |                     |            | yes/no                 |     |
| qod_abnormal       | Abnormal Demand     | Abnormal   | yes/no                 |     |
| qod_acct           | Sales Acct          | Sales      | x(8)                   |     |
| qod_bonus          | Bonus Stock Line    |            | yes/no                 |     |
| qod_cc             | Cost Ctr            | CC         | x(4)                   |     |
| qod_cfg_type       | Configuration       | Config     | x(1)                   |     |
| qod_cmtindx        | Comment Index       | Comment    | >>>>>>9                |     |
| qod_comm_pct[2]    | Commission          | Comm%      | >>9.99%                | 10  |
| qod_crt_int        | Credit Terms Int    | CRT Int    | ->>>9.99               | 10  |
| qod_custpart       | Customer Item       |            | x(30)                  |     |
| qod_desc           | Description         |            | x(24)                  |     |
| qod_disc_pct       | Disc %              |            | ->>9.99%               | 10  |
| qod_div            | Division            |            | x(8)                   |     |
| qod_domain         | Domain              |            | x(8)                   |     |
| qod_dsc_acct       | Disc Acct           |            | x(8)                   |     |
| qod_dsc_cc         | Disc CC             | CC         | x(4)                   |     |
| qod_dsc_project    | Disc Project        |            | x(8)                   |     |
| qod_dsc_sub        | Disc Sub-Acct       | Sub-Acct   | x(8)                   |     |
| qod_due_date       | Due Date            | Due        | 99/99/99               |     |
| qod_fa_nbr         | Final Assy          | FAS        | x(8)                   |     |
| qod_fix_pr         | Fixed Price         |            | yes/no                 |     |
| qod_fr_chg         | Unit Freight Charge |            | ->>>, >>>, >>9.99      | 10  |
| qod_fr_class       | Freight Class       |            | x(8)                   |     |
| qod_fr_list        | Freight List        | Frt List   | x(8)                   |     |
| qod_fr_rate        | Freight Rate        |            | >>>, >>>, >>9.99<<     | 10  |
| qod_fr_wt          | Unit Ship Weight    |            | ->, >>>, >>9. <<<<<<<  | 10  |
| qod_fr_wt_um       | UM                  |            | x(2)                   |     |
| qod_fst_list       | FST on List         |            | yes/no                 |     |
| qod_fst_rate       | FST Rate            | Rate       | ->>9%                  | 10  |
| qod_fst_tax        | FST Tax             |            | ->>, >>>, >>9.99       | 10  |
| qod_line           | Line                | Ln         | >>9                    |     |
| qod_list_pr        | List Price          |            | >>>>, >>>, >>9.99<<<   | 10  |
| qod_loc            | Location            |            | x(8)                   |     |
| qod_lot            | ID                  |            | x(8)                   |     |
| qod_manual_fr_list | Manual Fr List      |            | yes/no                 |     |
| qod_nbr            | Quote               |            | x(8)                   |     |
| qod_part           | Item Number         |            | x(18)                  |     |
| qod_per_date       | Performance Date    | Perform    | 99/99/99               |     |
| qod_pl_priority    | P/L Priority        |            | >9                     |     |
| qod_price          | Price               |            | >>>>, >>>, >>9.99<<<   | 10  |
| qod_pricing_dt     | Pricing Date        | Price Dt   | 99/99/99               |     |
| qod_prig1          | Pricing Group 1     |            | x(8)                   |     |
| qod_prig2          | Pricing Group 2     |            | x(8)                   |     |
| qod_procline       | Product Line        | Line       | x(4)                   |     |
| qod_project        | Project             |            | x(8)                   |     |
| qod_pst            | PST                 |            | yes/no                 |     |
| qod_pst_tax        | PST Tax             |            | ->>, >>>, >>9.99       | 10  |
| qod_qob_rev        | Revised Date        | Revised    | 99/99/99               |     |
| qod_qob_std        | Standard Bill       | Std BOM    | yes/no                 |     |
| qod_qty_quot       | Qty Quoted          |            | ->, >>>, >>9.9<<<<<<<< | 10  |
| qod_qty_rel        | Qty Released        |            | ->, >>>, >>9.9<<<<<<<< | 10  |
| qod_rel_chg        | Qty to Release      | To Release | ->, >>>, >>9.9<<<<<<<< | 10  |

| Field Name     | Label              | Col-Label  | Format             | Dec |
|----------------|--------------------|------------|--------------------|-----|
| qod_req_date   | Required Date      | Required   | 99/99/99           |     |
| qod_rsn_lost   | Reason Lost        | Rsn Lost   | x(8)               |     |
| qod_serial     | Lot/Serial         |            | x(18)              |     |
| qod_site       | Site               |            | x(8)               |     |
| qod_slspsn[4]  | Salesperson        | Salespsn   | x(8)               |     |
| qod_status     | Status             | St         | x(1)               |     |
| qod_std_cost   | Cost               |            | ->>>,>>>,>>9.99<<< | 10  |
| qod_sub        | Sales Sub-Acct     | Sub-Acct   | x(8)               |     |
| qod_tax_env    | Tax Environment    | Tax Env    | x(16)              |     |
| qod_tax_in     | Tax In             |            | yes/no             |     |
| qod_tax_max    | Max Taxable Amount | Max Amount | ->>>,>>>,>>9.99    | 10  |
| qod_tax_usage  | Tax Usage          | TaxUsage   | x(8)               |     |
| qod_taxable    | Taxable            | Tax        | yes/no             |     |
| qod_taxc       | Tax Class          | TxC        | x(3)               |     |
| qod_type       | Ship Type          | T          | x(1)               |     |
| qod_um         | UM                 |            | x(2)               |     |
| qod_um_conv    | UM Conversion      | UM Conv    | >>>>9.9999<<<<     | 10  |
| qod_user1      | Ufld1              |            | x(8)               |     |
| qod_user2      | Ufld2              |            | x(8)               |     |
| qod_xslspsn[3] | Salesperson        | Salespsn   | x(8)               |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_qod_det | yes | oid_qod_det | yes | no   |
| qod_fr_list   | no  | qod_domain  | yes | no   |
|               |     | qod_nbr     | yes | no   |
|               |     | qod_fr_list | yes | no   |
| * qod_nbrln   | yes | qod_domain  | yes | no   |
|               |     | qod_nbr     | yes | no   |
|               |     | qod_line    | yes | no   |
| qod_part      | yes | qod_domain  | yes | no   |
|               |     | qod_part    | yes | no   |
|               |     | qod_nbr     | yes | no   |
|               |     | qod_line    | yes | no   |

**qor\_mstr** Sales Quotation Relationship Master

| Field Name   | Label    | Col-Label | Format                         | Dec |
|--------------|----------|-----------|--------------------------------|-----|
| oid_qor_mstr |          |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qor__qadc01  |          |           | .9<<<<<<<<<                    |     |
| qor__qadc02  |          |           | x(8)                           |     |
| qor__qadc03  |          |           | x(8)                           |     |
| qor__qadd01  |          |           | ->>>>, >>>, >>9.9              | 10  |
| qor__qadd02  |          |           | ->>>>, >>>, >>9.9              | 10  |
| qor__qadi01  |          |           | ->, >>>, >>9                   |     |
| qor__qadi02  |          |           | ->, >>>, >>9                   |     |
| qor__qadl01  |          |           | yes/no                         |     |
| qor__qadl02  |          |           | yes/no                         |     |
| qor__qadt01  |          |           | 99/99/99                       |     |
| qor__qadt02  |          |           | 99/99/99                       |     |
| qor_div      | Division |           | X(8)                           |     |
| qor_domain   | Domain   |           | x(8)                           |     |



| Field Name  | Label    | Col-Label | Format | Dec |
|-------------|----------|-----------|--------|-----|
| qor_group   | Group    |           | X(8)   |     |
| qor_nbr     | Quote    |           | X(8)   |     |
| qor_pricing | Pricing  |           | >9     |     |
| qor_seq     | Sequence |           | >>9    |     |
| qor_type    | Type     |           | >>>9   |     |
| qor_user1   | Ufld1    |           | x(8)   |     |
| qor_user2   | Ufld2    |           | x(8)   |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_qor_mstr | yes | oid_qor_mstr | yes | no   |
| * qor_nbr_seq  | yes | qor_domain   | yes | no   |
|                |     | qor_nbr      | yes | no   |
|                |     | qor_seq      | yes | no   |
| qor_type       | no  | qor_domain   | yes | no   |
|                |     | qor_type     | yes | no   |

|                |                        |
|----------------|------------------------|
| <b>qo_mstr</b> | Sales Quotation Master |
|----------------|------------------------|

| Field Name     | Label             | Col-Label | Format                  | Dec |
|----------------|-------------------|-----------|-------------------------|-----|
| oid_qo_mstr    |                   |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qo__chr01      |                   |           | .9<<<<<<<<<             |     |
| qo__chr02      |                   |           | x(8)                    |     |
| qo__chr03      |                   |           | x(8)                    |     |
| qo__chr04      |                   |           | x(8)                    |     |
| qo__chr05      |                   |           | x(8)                    |     |
| qo__chr06      |                   |           | x(8)                    |     |
| qo__chr07      |                   |           | x(8)                    |     |
| qo__chr08      |                   |           | x(8)                    |     |
| qo__chr09      |                   |           | x(8)                    |     |
| qo__chr10      |                   |           | x(8)                    |     |
| qo__dec01      | PST               |           | >>>, >>>, >>9.99        | 10  |
| qo__dec02      |                   |           | >>>, >>>, >>9.99        | 10  |
| qo__dte01      |                   |           | 99/99/99                |     |
| qo__dte02      |                   |           | 99/99/99                |     |
| qo__log01      |                   |           | yes/no                  |     |
| qo__qad01      |                   |           | -z,zzz,zzz,zz9.99       | 10  |
| qo__qad02      |                   |           | -z,zzz,zzz,zz9.99       | 10  |
| qo__qad03      | Fixed Price       |           | -z,zzz,zzz,zz9.99       | 10  |
| qo__qad04      |                   |           | >                       |     |
| qo__qad05[2]   |                   |           | >>9.<<                  | 10  |
| qo_app_owner   | Owner Application |           | x(12)                   |     |
| qo_ar_acct     | AR Account        | AR        | x(8)                    |     |
| qo_ar_cc       | Cost Ctr          | CC        | x(4)                    |     |
| qo_ar_sub      | AR Sub-Acct       | Sub-Acct  | x(8)                    |     |
| qo_bank        | Bank              |           | x(2)                    |     |
| qo_bill        | Bill-To           |           | x(8)                    |     |
| qo_bol         | BOL               |           | x(18)                   |     |
| qo_cartons     | Cartons           |           | -,>, >>>, >>9           |     |
| qo_channel     | Channel           |           | x(8)                    |     |
| qo_cmtindx     | Comment Index     | Comment   | >>>>>>>9                |     |
| qo_comm_pct[4] | Commission        | Comm%     | >>9.99%                 | 10  |

| Field Name         | Label                | Col-Label  | Format                     | Dec |
|--------------------|----------------------|------------|----------------------------|-----|
| qo_confirm         | Confirm Date         | Confirm    | 99/99/99                   |     |
| qo_cr_card         | Credit Card          | Card       | x(2)                       |     |
| qo_cr_init         | Cr Initials          | Initials   | x(3)                       |     |
| qo_cr_terms        | Credit Terms         | Terms      | x(8)                       |     |
| qo_curr            | Currency             | Curr       | x(3)                       |     |
| qo_cust            | Sold-To              |            | x(8)                       |     |
| qo_cycle           | Cycle Code           | Cy         | x(2)                       |     |
| ◇ qo_daybookset    | Daybook Set          | Dybk Set   | x(8)                       |     |
| Δ qo_disc_pct      | Disc %               |            | -->9.99%                   | 10  |
| qo_div             | Division             |            | x(8)                       |     |
| qo_domain          | Domain               |            | x(8)                       |     |
| qo_due_date        | Due Date             | Due        | 99/99/99                   |     |
| qo_ent_ex          | Exch Rate            |            | >>, >>9.99999<<<<<         | 10  |
| qo_ex_rate         | Exch Rate            |            | >>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| qo_ex_rate2        | Exch Rate 2          |            | >>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| qo_ex_ratetype     | Rate Type            |            | x(8)                       |     |
| qo_exp_date        | Expires              |            | 99/99/99                   |     |
| qo_exru_seq        | Sequence             |            | >>>>>>>>>9                 |     |
| qo_fix_rate        | Fixed Rate           | Fixed      | yes/no                     |     |
| qo_flw_date        | Follow-up            |            | 99/99/99                   |     |
| qo_fob             | FOB Point            |            | x(20)                      |     |
| qo_fr_list         | Freight List         | Frt List   | x(8)                       |     |
| qo_fr_min_wt       | Frt Min Wt           |            | -->>>, >>>, >>9            | 10  |
| qo_fr_terms        | Freight Terms        | Fr Terms   | x(8)                       |     |
| qo_fst_id          | FST ID               |            | x(18)                      |     |
| qo_inv_mthd        | Invoicing Method     |            | x(1)                       |     |
| qo_lang            | Language             | Lang       | x(2)                       |     |
| qo_manual_fr_terms | Manual Fr Terms      |            | yes/no                     |     |
| qo_nbr             | Quote                |            | x(8)                       |     |
| qo_ord_date        | Quote Date           | Quote      | 99/99/99                   |     |
| qo_partial         | Partial OK           | Partial    | yes/no                     |     |
| qo_po              | Purchase Order       |            | x(20)                      |     |
| qo_pr_list         | Manual               | Disc Tbl   | x(8)                       |     |
| qo_pr_list2        | Price Tbl            | Pr Tbl     | x(8)                       |     |
| qo_prepaid         | Prepaid Amount       |            | -z, zzz, zzz, zz9.99       | 10  |
| qo_priced_dt       | Last Price Dt        | Last Pri   | 99/99/99                   |     |
| qo_pricing_dt      | Pricing Date         | Price Dt   | 99/99/99                   |     |
| qo_print_bl        | Print Bill of Lading | Print BOL  | yes/no                     |     |
| qo_print_pl        | Print Pack List      | Print Pack | yes/no                     |     |
| qo_print_qo        | Print Quote          | Print QT   | yes/no                     |     |
| qo_project         | Project              |            | x(8)                       |     |
| qo_pst             | PST                  |            | yes/no                     |     |
| qo_pst_id          | PST ID               |            | x(18)                      |     |
| qo_pst_pct         | PST Pct              |            | -->9.99<%                  | 10  |
| qo_recur           | Recurring            | Rec        | yes/no                     |     |
| qo_rel_cnt         | Release Count        | Cnt        | >>9                        |     |
| qo_rel_date        | Release Date         | Release    | 99/99/99                   |     |
| qo_release         | Release              | Rel        | yes/no                     |     |
| qo_req_date        | Required Date        | Required   | 99/99/99                   |     |
| qo_rev             | Revision             | Rev        | >>9                        |     |
| qo_rmks            | Remarks              |            | x(40)                      |     |
| qo_ship            | Ship-To              |            | x(8)                       |     |
| qo_ship_date       | Ship Date            |            | 99/99/99                   |     |
| qo_shipvia         | Ship Via             |            | x(20)                      |     |
| qo_site            | Site                 |            | x(8)                       |     |
| qo_size            | Size                 |            | --, >>>, >>9.9<<<<<<<<<    | 10  |
| qo_size_um         | Size UM              | UM         | x(2)                       |     |

| Field Name      | Label            | Col-Label | Format              | Dec |
|-----------------|------------------|-----------|---------------------|-----|
| qo_slspsn[4]    | Salesperson      | Salespsn  | x(8)                |     |
| qo_so_nbr       | Last Sales Order | Lst Ord   | x(8)                |     |
| qo_source       | Order Source     | Source    | x(8)                |     |
| qo_stat         | Action Status    | St        | x(2)                |     |
| qo_tax_date     | Tax Date         |           | 99/99/99            |     |
| qo_tax_env      | Tax Environment  | Tax Env   | x(16)               |     |
| qo_tax_pct[3]   | Tax              |           | ->9.99<%            | 10  |
| qo_tax_usage    | Tax Usage        | TaxUsage  | x(8)                |     |
| qo_taxable      | Taxable          | Tax       | yes/no              |     |
| qo_taxc         | Tax Class        | TxC       | x(3)                |     |
| qo_trl1_amt     | Trailer Amt 1    |           | -zzzz,zzz,zz9.99    | 10  |
| qo_trl1_cd      | Trailer 1        | Trl 1     | x(4)                |     |
| qo_trl2_amt     | Trailer 2        |           | -zzzz,zzz,zz9.99    | 10  |
| qo_trl2_cd      | Trailer 2        | Trl 2     | x(4)                |     |
| qo_trl3_amt     | Trailer 3        |           | -zzzz,zzz,zz9.99    | 10  |
| qo_trl3_cd      | Trailer 3        | Trl 3     | x(4)                |     |
| qo_user1        | Ufld1            |           | x(8)                |     |
| qo_user2        | Ufld2            |           | x(8)                |     |
| qo_userid       | User ID          |           | x(8)                |     |
| qo_weight       | Weight           |           | ->>>, >>>, >>9.9999 | 10  |
| qo_weight_um    | Weight UM        | UM        | x(2)                |     |
| qo_xcomm_pct[2] | Commission       | Comm%     | >>9.99%             | 10  |
| qo_xslspsn[2]   | Salesperson      | Salespsn  | x(8)                |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_qo_mstr | yes | oid_qo_mstr | yes | no   |
| qo_cust       | no  | qo_domain   | yes | no   |
|               |     | qo_cust     | yes | no   |
| * qo_nbr      | yes | qo_domain   | yes | no   |
|               |     | qo_nbr      | yes | no   |
| qo_print_qo   | no  | qo_domain   | yes | no   |
|               |     | qo_print_qo | yes | no   |
| qo_release    | no  | qo_domain   | yes | no   |
|               |     | qo_release  | yes | no   |
|               |     | qo_nbr      | yes | no   |
| ◇ qo_ship     | no  | qo_domain   | yes | no   |
|               |     | qo_ship     | yes | no   |



| Field Name               | Label                | Col-Label            | Format     | Dec |
|--------------------------|----------------------|----------------------|------------|-----|
| QPostingLine_ID          | Link to QPostingLine | Link to QPostingLine | 9999999999 |     |
| QPostingSaf_ID           | Record ID            | Record ID            | 9999999999 |     |
| QPostingSafInputSequence | SAF Input Sequence   | SAF Input Sequence   | ->,>>,>>9  |     |
| QPostingSafParentType    | SAF Parent Type      | SAF Parent Type      | x(20)      |     |
| Saf_ID                   |                      |                      | 9999999999 |     |
| SafStructure_ID          | Link to SafStructure | Link to SafStructure | 9999999999 |     |

| Index-Name     | Uni | Field-Name      | Asc | Abbr |
|----------------|-----|-----------------|-----|------|
| ◇* Prim        | yes | QPostingSaf_ID  | yes | no   |
| ◇ QPostingLine | no  | QPostingLine_ID | yes | no   |

**qps\_det**

| Field Name  | Label          | Col-Label | Format                   | Dec |
|-------------|----------------|-----------|--------------------------|-----|
| oid_qps_det |                |           | >>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qps_chr01   |                |           | .9<<<<<<<<<              |     |
| qps_chr03   |                |           | x(8)                     |     |
| qps_chr04   |                |           | x(8)                     |     |
| qps_chr05   |                |           | x(8)                     |     |
| qps_dec01   |                |           | >>>, >>>, >>9.99         | 10  |
| qps_dec02   |                |           | >>>, >>>, >>9.99         | 10  |
| qps_dec03   |                |           | >>>, >>>, >>9.99         | 10  |
| qps_log01   |                |           | yes/no                   |     |
| qps_domain  | Domain         |           | x(8)                     |     |
| qps_op      | Operation      | Op        | >>>>>>                   |     |
| qps_part    | Item Number    | Item      | x(18)                    |     |
| qps_qty     | Usage Quantity |           | ->, >>>, >>9.9<<<<<<<<<  | 10  |
| qps_routing | Procedure      |           | x(18)                    |     |
| qps_user1   | Ufld1          |           | x(8)                     |     |
| qps_user2   | Ufld2          |           | x(8)                     |     |

| Index-Name             | Uni | Field-Name  | Asc | Abbr |
|------------------------|-----|-------------|-----|------|
| $\diamond$ oid_qps_det | yes | oid_qps_det | yes | no   |
| * qps_det              | yes | qps_domain  | yes | no   |
|                        |     | qps_routing | yes | no   |
|                        |     | qps_op      | yes | no   |
|                        |     | qps_part    | yes | no   |

**qqc\_ctrl**

## Q/LinQ Control

| Field Name       | Label                           | Col-Label | Format                     | Dec |
|------------------|---------------------------------|-----------|----------------------------|-----|
| oid_qqc_ctrl     |                                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| qqc__dec01       |                                 |           | .9<<<<<<<<<                |     |
| qqc__dec02       |                                 |           | ->>, >>, >>9.99<           | 10  |
| qqc__dte01       |                                 |           | ->>, >>, >>9.99<           | 10  |
| qqc__dte02       |                                 |           | 99/99/99                   |     |
| qqc__int01       |                                 |           | 99/99/99                   |     |
| qqc__int02       |                                 |           | ->>, >>, >>9               |     |
| qqc__log01       |                                 |           | ->>, >>, >>9               |     |
| qqc__log02       |                                 |           | yes/no                     |     |
| qqc__qadc01      |                                 |           | yes/no                     |     |
| qqc__qadc02      |                                 |           | x(8)                       |     |
| qqc__qadc03      |                                 |           | x(8)                       |     |
| qqc__qadc04      |                                 |           | x(8)                       |     |
| qqc__qadd01      |                                 |           | x(8)                       |     |
| qqc__qadd02      |                                 |           | ->>, >>, >>9.99<           | 10  |
| qqc__qadi01      |                                 |           | ->>, >>, >>9.99<           | 10  |
| qqc__qadi02      |                                 |           | ->>, >>, >>9               |     |
| qqc__qadi03      |                                 |           | ->>, >>, >>9               |     |
| qqc__qadi04      |                                 |           | ->>>>>>9                   |     |
| qqc__qadl01      |                                 |           | yes/no                     |     |
| qqc__qadl02      |                                 |           | yes/no                     |     |
| qqc__qadt01      |                                 |           | 99/99/99                   |     |
| qqc__qadt02      |                                 |           | 99/99/99                   |     |
| qqc_ack_lvl_reqd | Autoacknowledgment Level        |           | x(1)                       |     |
| qqc_act          | Active                          |           | yes/no                     |     |
| qqc_code_pg      | Code Page                       |           | X(15)                      |     |
| qqc_date_form    | Date Format                     |           | X(3)                       |     |
| qqc_domain       | Domain                          |           | x(8)                       |     |
| qqc_email_flg    | E-mail Enabled                  |           | yes/no                     |     |
| qqc_email_notlvl | E-mail Notification Level       |           | x(1)                       |     |
| qqc_email_userid | E-mail Recipient User ID        |           | x(8)                       |     |
| qqc_ex_arch_dir  | Export File Archive Directory   |           | x(65)                      |     |
| qqc_ex_map_flg   | Export Mapping Enabled          |           | yes/no                     |     |
| qqc_im_arch_dir  | Import File Archive Directory   |           | x(65)                      |     |
| qqc_im_map_flg   | Import Mapping Enabled          |           | yes/no                     |     |
| qqc_mfgpro_site  | Host MFG/PRO Site               |           | x(8)                       |     |
| qqc_mod_date     | Modified Date                   | Mod Date  | 99/99/99                   |     |
| qqc_mod_userid   | User ID                         |           | x(8)                       |     |
| qqc_mom_cmd      | MOM Start Command               |           | X(65)                      |     |
| qqc_mom_start    | Start at Login                  |           | yes/no                     |     |
| qqc_msg_ack_lvl  | Message Acknowledgment Level    |           | x(8)                       |     |
| qqc_msg_clnt_ord | Message Client Request Ordering |           | x(8)                       |     |
| qqc_msg_persist  | Message Persistence             |           | X(8)                       |     |
| qqc_msg_priority | Message Priority                |           | x(8)                       |     |
| qqc_msg_routing  | Message Routing                 |           | x(8)                       |     |
| qqc_msg_secur    | Message Security                |           | X(8)                       |     |
| qqc_msg_sync     | Message Sync Scope              |           | X(8)                       |     |
| qqc_msg_ttl      | Message Time To Live            |           | x(8)                       |     |
| qqc_num_form     | Numeric Format                  |           | X(8)                       |     |
| qqc_pause_sev    | Pause Severity Level            |           | x(1)                       |     |
| qqc_proc_flg     | Import Processing Enabled       |           | yes/no                     |     |
| qqc_publ_flg     | Publishing Enabled              |           | yes/no                     |     |

| Field Name     | Label                      | Col-Label | Format | Dec |
|----------------|----------------------------|-----------|--------|-----|
| qqc_queue_pub  | Queue Published Documents  |           | X(1)   |     |
| qqc_rcv_flg    | Receiving Enabled          |           | yes/no |     |
| qqc_send_flg   | Sending Enabled            |           | yes/no |     |
| qqc_shut_proc  | Session Shutdown Procedure |           | x(24)  |     |
| qqc_start_proc | Session Startup Procedure  |           | x(24)  |     |
| qqc_sys_id     | System ID                  |           | x(10)  |     |
| qqc_sys_ver    | System Version             |           | x(8)   |     |
| qqc_timezone   | Time Zone                  |           | x(5)   |     |
| qqc_user1      | Ufld1                      |           | x(8)   |     |
| qqc_user2      | Ufld2                      |           | x(8)   |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| * | Index1       | yes | qqc_domain   | yes | no   |
| ◇ | oid qqc ctrl | yes | oid qqc ctrl | yes | no   |

**gro\_det**

### Quality Inspection Routing Detail

| Field Name        |            | Label             | Col-Label  | Format                         | Dec |
|-------------------|------------|-------------------|------------|--------------------------------|-----|
| oid_gro_det       |            |                   |            | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| gro_chr01         |            |                   |            | .9<<<<<<<<<                    |     |
| gro_chr02         |            |                   |            | x(8)                           |     |
| gro_chr03         |            |                   |            | x(8)                           |     |
| gro_chr04         |            |                   |            | x(8)                           |     |
| gro_chr05         |            |                   |            | x(8)                           |     |
| gro_dec01         |            |                   |            | >>>, >>>, >>9.99               | 10  |
| gro_dec02         |            |                   |            | >>>, >>>, >>9.99               | 10  |
| gro_dte01         |            |                   |            | 99/99/99                       |     |
| gro_dte02         |            |                   |            | 99/99/99                       |     |
| gro_log01         |            |                   |            | yes/no                         |     |
| gro_cmtindx       |            | Comment Index     | Comment    | >>>>>>>9                       |     |
| gro_desc          |            | Description       |            | x(24)                          |     |
| gro_domain        |            | Domain            |            | x(8)                           |     |
| gro_mch           |            | Machine           |            | x(8)                           |     |
| gro_mch_op        |            | Machines per Op   | Mach/Op    | ->, >>>, >>9                   |     |
| gro_op            |            | Operation         | Op         | >>>>9                          |     |
| gro_queue         |            | Operation Time    | Op Time    | >, >>9.9<<                     | 10  |
| gro_routing       |            | Procedure         |            | x(18)                          |     |
| gro_tool          |            | Tool Code         | Tool       | x(8)                           |     |
| gro_user1         |            | Ufld1             |            | x(8)                           |     |
| gro_user2         |            | Ufld2             |            | x(8)                           |     |
| gro_wkctr         |            | Work Center       | Work Ctr   | x(8)                           |     |
|                   |            |                   |            |                                |     |
| <b>Index-Name</b> | <b>Uni</b> | <b>Field-Name</b> | <b>Asc</b> | <b>Abbr</b>                    |     |
| ◇ oid_gro_det     | yes        | oid_gro_det       | yes        | no                             |     |
| * gro_routing     | yes        | gro_domain        | yes        | no                             |     |
|                   |            | gro_routing       | yes        | no                             |     |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| gro_wkctr  | no  | gro_op     | yes | no   |
|            |     | gro_domain | yes | no   |
|            |     | gro_wkctr  | yes | no   |
|            |     | gro_mch    | yes | no   |

## Quality Order Test Steps

| Field Name   | Label                 | Col-Label | Format                         |    |
|--------------|-----------------------|-----------|--------------------------------|----|
| oid_qr_test  |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10 |
| qr_chr01     |                       |           | .9<<<<<<<<<                    |    |
| qr_chr02     |                       |           | x(8)                           |    |
| qr_chr03     |                       |           | x(8)                           |    |
| qr_chr04     |                       |           | x(8)                           |    |
| qr_chr05     |                       |           | x(8)                           |    |
| qr_dec01     |                       |           | >>>, >>>, >>9.99               | 10 |
| qr_dec02     |                       |           | >>>, >>>, >>9.99               | 10 |
| qr_dte01     |                       |           | 99/99/99                       |    |
| qr_dte02     |                       |           | 99/99/99                       |    |
| qr_log01     |                       |           | yes/no                         |    |
| qr_act_op    | Actual Operation Time | Act Op    | ->, >>9.9<<                    | 10 |
| qr_cmtindx   | Comment Index         | Comment   | >>>>>>>9                       |    |
| qr_desc      | Description           |           | x(24)                          |    |
| qr_domain    | Domain                |           | x(8)                           |    |
| qr_due       | Due Date              | Due       | 99/99/99                       |    |
| qr_lot       | Batch                 |           | x(8)                           |    |
| qr_mch       | Machine               |           | x(8)                           |    |
| qr_nbr       | Quality Order         |           | x(18)                          |    |
| qr_op        | Operation             | Op        | >>>>>9                         |    |
| qr_op_time   | Operation Time        | Op Time   | ->, >>9.9<<                    | 10 |
| qr_part      | Item Number           |           | x(18)                          |    |
| qr_qty_accpt | Qty Accepted          |           | ->, >>>, >>9.9<<<<<<<<         | 10 |
| qr_qty_ord   | Qty Pending           |           | ->, >>>, >>9.9<<<<<<<<         | 10 |
| qr_qty_rjct  | Qty Rejected          |           | ->, >>>, >>9.9<<<<<<<<         | 10 |
| qr_start     | Start Date            | Start     | 99/99/99                       |    |
| qr_status    | Status                | St        | x(1)                           |    |
| qr_tool      | Tool Code             | Tool      | x(8)                           |    |
| qr_user1     | Ufld1                 |           | x(8)                           |    |
| qr_user2     | Ufld2                 |           | x(8)                           |    |
| qr_wkctr     | Work Center           | Work Ctr  | x(8)                           |    |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_qr_test | yes | oid_qr_test | yes | no   |
|   | qr_lot      | yes | qr_domain   | yes | no   |
|   |             |     | qr_lot      | yes | no   |
|   |             |     | qr_op       | yes | no   |
|   |             |     | qr_domain   | yes | no   |
| * | qr_nbrpop   | yes | qr_nbr      | yes | no   |
|   |             |     | qr_lot      | yes | no   |
|   |             |     |             |     |      |





## Retrobill Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rbm_mstr | yes | oid_rbm_mstr | yes | no   |
| * | rbm_cust     | yes | rbm_domain   | yes | no   |
|   |              |     | rbm_cust     | yes | no   |
|   |              |     | rbm_auth     | yes | no   |

## Customer Sequence Schedule Master

| Field Name        | Label                      | Col-Label  | Format                     | Dec |
|-------------------|----------------------------|------------|----------------------------|-----|
| oid_rcc_mstr      |                            |            | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rcc_qadc01        |                            |            | .9<<<<<<<<<                |     |
| rcc_qadc02        |                            |            | x(8)                       |     |
| rcc_qadd01        |                            |            | x(8)                       |     |
| rcc_qadd02        |                            |            | ->, >>>, >>9.9<<<<<<<<     | 10  |
| rcc_qadi01        |                            |            | ->, >>>, >>9.9<<<<<<<<     | 10  |
| rcc_qadi02        |                            |            | ->, >>>, >>9               |     |
| rcc_qadl01        |                            |            | ->, >>>, >>9               |     |
| rcc_qadl02        |                            |            | yes/no                     |     |
| rcc_qadl03        |                            |            | yes/no                     |     |
| rcc_qadl04        |                            |            | yes/no                     |     |
| rcc_qadt01        |                            |            | yes/no                     |     |
| rcc_qadt02        |                            |            | 99/99/99                   |     |
| rcc_addr          | Ship-To                    |            | 99/99/99                   |     |
| rcc_asn_edi       | Send Sequence with ASN     | ASN! Send  | x(8)                       |     |
| rcc_check_seq_tol | Check Sequence Tolerance   | Check! Tol | yes/no                     |     |
| rcc_domain        | Domain                     |            | x(8)                       |     |
| rcc_firm_seq_days | Firm Days                  | Firm! Days | >>9                        |     |
| rcc_inc_in_rss    | Include Seq in Req Ship    | RSS        | yes/no                     |     |
|                   | Sched                      |            |                            |     |
| rcc_invoice_edi   | Send Sequence with Invoice | Inv! Send  | yes/no                     |     |
| rcc_invoice_print | Print Sequence on Invoice  | Inv! Print | yes/no                     |     |
| rcc_max_tol       | Maximum Tolerance          | Max! Tol   | >>>>9                      |     |
| rcc_merge_seq     | Merge Schedules            | Merge      | yes/no                     |     |
| rcc_mod_date      | Modified Date              | Mod Date   | 99/99/99                   |     |

| Field Name            | Label                     | Col-Label     | Format          | Dec |
|-----------------------|---------------------------|---------------|-----------------|-----|
| rcc_mod_pgm           | Last Program              |               | x(8)            |     |
| rcc_mod_userid        | User ID                   |               | x(8)            |     |
| rcc_packing_order     | Packing Order             | Pack! Order   | forward/reverse |     |
| rcc_seq_per_container | Sequences Per Container   | Seq Per! Cont | >>>>>>9         |     |
| rcc_shipper_print     | Print Sequence on Shipper | Ship! Print   | yes/no          |     |
| rcc_user1             | Ufld1                     |               | x(8)            |     |
| rcc_user2             | Ufld2                     |               | x(8)            |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_rcc_mstr | yes | oid_rcc_mstr | yes | no   |
| * rcc_index1   | yes | rcc_domain   | yes | no   |
|                |     | rcc_addr     | yes | no   |

**rcf ctrl**

### Customer Sequence Schedule Control

| Field Name            | Label                         | Col-Label | Format                         | Dec |
|-----------------------|-------------------------------|-----------|--------------------------------|-----|
| oid_rcf_ctrl          |                               |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rcf__qadc01           |                               |           | .9<<<<<<<<<                    |     |
| rcf__qadc02           |                               |           | x(8)                           |     |
| rcf__qadd01           |                               |           | x(8)                           |     |
| rcf__qadd02           |                               |           | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| rcf__qadi01           |                               |           | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| rcf__qadi02           |                               |           | ->, >>>, >>9                   |     |
| rcf__qadi03           |                               |           | ->, >>>, >>9                   |     |
| rcf__qadi04           |                               |           | ->>>>>>>9                      |     |
| rcf__qadl01           |                               |           | yes/no                         |     |
| rcf__qadl02           |                               |           | yes/no                         |     |
| rcf__qadl03           |                               |           | yes/no                         |     |
| rcf__qadl04           |                               |           | yes/no                         |     |
| rcf__qadt01           |                               |           | 99/99/99                       |     |
| rcf__qadt02           |                               |           | 99/99/99                       |     |
| rcf_active            | Enable Sequence Schedules     |           | yes/no                         |     |
| rcf_asn_edl           | Send Sequence with ASN        |           | yes/no                         |     |
| rcf_check_seq_tol     | Check Sequence Tolerance      |           | yes/no                         |     |
| rcf_domain            | Domain                        |           | x(8)                           |     |
| rcf_firm_seq_days     | Firm Days                     |           | >>9                            |     |
| rcf_inc_in_rss        | Include Seq in Req Ship Sched |           | yes/no                         |     |
| rcf_invoice_edl       | Send Sequence with Invoice    |           | yes/no                         |     |
| rcf_invoice_print     | Print Sequence on Invoice     |           | yes/no                         |     |
| rcf_max_tol           | Maximum Tolerance             |           | >>>>9                          |     |
| rcf_merge_seq         | Merge Schedules               |           | yes/no                         |     |
| rcf_mod_date          | Modified Date                 | Mod Date  | 99/99/99                       |     |
| rcf_mod_pgm           | Last Program                  |           | x(8)                           |     |
| rcf_mod_userid        | User ID                       |           | x(8)                           |     |
| rcf_packing_order     | Packing Order                 |           | forward/reverse                |     |
| rcf_sch_default       | Schedule Order Default        |           | yes/no                         |     |
| rcf_seq_per_container | Sequences Per Container       |           | >>>>>>>9                       |     |
| rcf_shipper_print     | Print Sequence on Shipper     |           | yes/no                         |     |
| rcf_user1             | Ufld1                         |           | x(8)                           |     |
| rcf_user2             | Ufld2                         |           | x(8)                           |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rcf_ctrl | yes | oid_rcf_ctrl | yes | no   |
| * | rcf_index1   | yes | rcf_domain   | yes | no   |

### Customer Sequence Schedule Detail

[illegible]

| Index-Name     | Uni | Field-Name        | Asc | Abbr |
|----------------|-----|-------------------|-----|------|
| ◇ old_rcsd_det | yes | old_rcsd_det      | yes | no   |
| * rcsd_index1  | yes | rcsd_domain       | yes | no   |
|                |     | rcsd_shipfrom     | yes | no   |
|                |     | rcsd_shipto       | yes | no   |
|                |     | rcsd_rlse_id      | yes | no   |
|                |     | rcsd_cust_job     | yes | no   |
|                |     | rcsd_cust_seq     | yes | no   |
|                |     | rcsd_part         | yes | no   |
|                |     | rcsd_date         | yes | no   |
|                |     | rcsd_time         | yes | no   |
|                |     | rcsd_cust_ref     | yes | no   |
|                |     | rcsd_dock         | yes | no   |
|                |     | rcsd_line_feed    | yes | no   |
| rcsd_index2    | no  | rcsd_domain       | yes | no   |
|                |     | rcsd_shipfrom     | yes | no   |
|                |     | rcsd_shipto       | yes | no   |
|                |     | rcsd_rlse_id      | yes | no   |
|                |     | rcsd_date         | yes | no   |
|                |     | rcsd_time         | yes | no   |
|                |     | rcsd_cust_job     | yes | no   |
|                |     | rcsd_cust_seq     | yes | no   |
|                |     | rcsd_part         | yes | no   |
| rcsd_index3    | no  | rcsd_domain       | yes | no   |
|                |     | rcsd_order        | yes | no   |
|                |     | rcsd_line         | yes | no   |
|                |     | rcsd_rlse_id      | yes | no   |
|                |     | rcsd_part         | yes | no   |
|                |     | rcsd_date         | yes | no   |
|                |     | rcsd_time         | yes | no   |
| rcsd_index4    | no  | rcsd_domain       | yes | no   |
|                |     | rcsd_shipfrom     | yes | no   |
|                |     | rcsd_shipto       | yes | no   |
|                |     | rcsd_rlse_id      | yes | no   |
|                |     | rcsd_picked       | yes | no   |
|                |     | rcsd_x_referenced | yes | no   |
|                |     | rcsd_date         | yes | no   |
|                |     | rcsd_time         | yes | no   |
|                |     | rcsd_dock         | yes | no   |
|                |     | rcsd_line_feed    | yes | no   |
|                |     | rcsd_cust_job     | yes | no   |
|                |     | rcsd_cust_seq     | yes | no   |
|                |     | rcsd_part         | yes | no   |
| rcsd_index5    | no  | rcsd_domain       | yes | no   |
|                |     | rcsd_shipfrom     | yes | no   |
|                |     | rcsd_shipto       | yes | no   |
|                |     | rcsd_rlse_id      | yes | no   |
|                |     | rcsd_part         | yes | no   |
|                |     | rcsd_cust_ref     | yes | no   |
|                |     | rcsd_dock         | yes | no   |
|                |     | rcsd_line_feed    | yes | no   |

## Customer Sequence Schedule Cross-Reference

|   | Index-Name   | Uni | Field-Name            | Asc | Abbr |
|---|--------------|-----|-----------------------|-----|------|
| ◇ | oid_rcsx_ref | yes | oid_rcsx_ref          | yes | no   |
| * | rcsx_index1  | yes | rcsx_domain           | yes | no   |
|   |              |     | rcsx_shipfrom         | yes | no   |
|   |              |     | rcsx_shipto           | yes | no   |
|   |              |     | rcsx_shipped_rlse_id  | yes | no   |
|   |              |     | rcsx_shipped_cust_job | yes | no   |
|   |              |     | rcsx_shipped_cust_seq | yes | no   |
|   |              |     | rcsx_shipped_part     | yes | no   |
|   |              |     | rcsx_shipped_date     | yes | no   |
|   |              |     | rcsx_shipped_time     | yes | no   |
|   |              |     | rcsx_shipped_cust_ref | yes | no   |

| Index-Name  | Uni | Field-Name             | Asc | Abbr |
|-------------|-----|------------------------|-----|------|
| rcsx_index2 | no  | rcsx_shipped_dock      | yes | no   |
|             |     | rcsx_shipped_line_feed | yes | no   |
|             |     | rcsx_domain            | yes | no   |
|             |     | rcsx_shipfrom          | yes | no   |
|             |     | rcsx_shipto            | yes | no   |
|             |     | rcsx_rlse_id           | yes | no   |
|             |     | rcsx_cust_job          | yes | no   |
|             |     | rcsx_cust_seq          | yes | no   |
|             |     | rcsx_part              | yes | no   |
|             |     | rcsx_date              | yes | no   |
|             |     | rcsx_time              | yes | no   |
|             |     | rcsx_cust_ref          | yes | no   |
|             |     | rcsx_dock              | yes | no   |
|             |     | rcsx_line_feed         | yes | no   |

**rsc mstr** Customer Schedule Master

| Field Name            | Label                    | Col-Label            | Format                         | Dec |
|-----------------------|--------------------------|----------------------|--------------------------------|-----|
| oid_rcs_mstr          |                          |                      | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rcs__qadc01           |                          |                      | .9<<<<<<<<<                    |     |
| rcs__qadc02           |                          |                      | x(8)                           |     |
| rcs__qadd01           |                          |                      | x(8)                           |     |
| rcs__qadd02           |                          |                      | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| rcs__qadi01           |                          |                      | ->, >>>, >>9.9<<<<<<<<<        | 10  |
| rcs__qadi02           |                          |                      | ->, >>>, >>9                   |     |
| rcs__qadl01           |                          |                      | ->, >>>, >>9                   |     |
| rcs__qadl02           |                          |                      | yes/no                         |     |
| rcs__qadt01           |                          |                      | yes/no                         |     |
| rcs__qadt02           |                          |                      | 99/99/99                       |     |
| rcs_active            | Active                   |                      | 99/99/99                       |     |
| rcs_active_date       | Active Date              | Active! Date         | yes/no                         |     |
| rcs_active_end        | Active End               |                      | 99/99/99                       |     |
| rcs_active_start      | Active Start             |                      | 99/99/99                       |     |
| rcs_check_seq_tol     | Check Sequence Tolerance | Check! Tol           | yes/no                         |     |
| rcs_cr_date           | Create Date              | Create! Date         | 99/99/99                       |     |
| rcs_cr_time           | Create Time              | Create! Time         | x(5)                           |     |
| rcs_cumulative        | Cumulative               |                      | yes/no                         |     |
| rcs_date_type         | Schedule Date Type       | Schedule! Date! Type | Ship/Delivery                  |     |
| rcs_domain            | Domain                   |                      | x(8)                           |     |
| rcs_max_tol           | Maximum Tolerance        | Max! Tol             | >>>>9                          |     |
| rcs_mod_date          | Modified Date            | Mod Date             | 99/99/99                       |     |
| rcs_mod_pgm           | Last Program             |                      | x(8)                           |     |
| rcs_mod_userid        | User ID                  |                      | x(8)                           |     |
| rcs_packing_order     | Packing Order            | Packing! Order       | forward/reverse                |     |
| rcs_rlse_id           | Release ID               |                      | x(30)                          |     |
| rcs_seq_per_container | Sequences Per Container  |                      | >>>>>>>9                       |     |
| rcs_shipfrom          | Ship-From                |                      | x(8)                           |     |
| rcs_shipto            | Ship-To                  |                      | x(8)                           |     |
| rcs_user1             | Ufld1                    |                      | x(8)                           |     |
| rcs_user2             | Ufld2                    |                      | x(8)                           |     |

| oid_rcs_mstr | yes | oid_rcs_mstr    | yes | no |
|--------------|-----|-----------------|-----|----|
| * rcs_index1 | yes | rcs_domain      | yes | no |
|              |     | rcs_shipfrom    | yes | no |
|              |     | rcs_shipto      | yes | no |
|              |     | rcs_rlse_id     | yes | no |
| rcs_index2   | no  | rcs_domain      | yes | no |
|              |     | rcs_shipfrom    | yes | no |
|              |     | rcs_shipto      | yes | no |
|              |     | rcs_active_date | yes | no |
| rcs_index3   | no  | rcs_domain      | yes | no |
|              |     | rcs_shipfrom    | yes | no |
|              |     | rcs_shipto      | yes | no |
|              |     | rcs_active      | yes | no |

**rdf\_mstr**

## Service/Support Return Defaults Master

| Field Name      | Label                 | Col-Label | Format                                    | Dec |
|-----------------|-----------------------|-----------|-------------------------------------------|-----|
| oid_rdf_mstr    |                       |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| rdf_chr01       |                       |           | x(8)                                      |     |
| rdf_chr02       |                       |           | x(8)                                      |     |
| rdf_chr03       |                       |           | x(8)                                      |     |
| rdf_chr04       |                       |           | x(8)                                      |     |
| rdf_chr05       |                       |           | x(8)                                      |     |
| rdf_dec01       |                       |           | >>>, >>>, >>9.99                          | 10  |
| rdf_dec02       |                       |           | >>>, >>>, >>9.99                          | 10  |
| rdf_dte01       |                       |           | 99/99/99                                  |     |
| rdf_dte02       |                       |           | 99/99/99                                  |     |
| rdf_log01       |                       |           | yes/no                                    |     |
| rdf_log02       |                       |           | yes/no                                    |     |
| rdf_qadc01      | QAD Character Field 1 |           | X(8)                                      |     |
| rdf_qadc02      | QAD Character Field 2 |           | X(8)                                      |     |
| rdf_qadc03      | QAD Character Field 3 |           | X(8)                                      |     |
| rdf_qade01      | QAD Decimal Field 1   |           | ->>>, >>>, >>9.99<<                       | 10  |
| rdf_qade02      | QAD Decimal Field 2   |           | ->>>, >>>, >>9.99<<                       | 10  |
| rdf_qadl01      | Qad Logical Field 1   |           | yes/no                                    |     |
| rdf_qadl02      | QAD Logical Field 2   |           | yes/no                                    |     |
| rdf_qadt01      | QAD Date Field 1      |           | 99/99/99                                  |     |
| rdf_addr        | Address               |           | x(8)                                      |     |
| rdf_area        | Area                  |           | x(8)                                      |     |
| rdf_bom_code    | Bill of Material      |           | x(18)                                     |     |
| rdf_ca_int_type | Work Code             | WK Code   | x(8)                                      |     |
| rdf_ca_type     | Call Type             |           | x(8)                                      | 0   |
| rdf_desc        | Description           |           | x(24)                                     |     |
| rdf_domain      | Domain                |           | x(8)                                      |     |
| rdf_email       | Email Address         |           | x(48)                                     |     |
| rdf_es_nbr      | Repair Sequence       | Rep Seq   | x(8)                                      | 0   |
| rdf_fax         | Fax                   |           | x(20)                                     |     |
| rdf_group       | Group                 |           | x(8)                                      |     |
| rdf_mod_date    | Modified Date         | Mod Date  | 99/99/99                                  |     |
| rdf_mod_userid  | User ID               |           | X(8)                                      |     |
| rdf_notify      | Notify                |           | yes/no                                    |     |
| rdf_part        | Item                  |           | x(18)                                     |     |

| Field Name       | Label                    | Col-Label | Format    | Dec |
|------------------|--------------------------|-----------|-----------|-----|
| rdf_prod_line    | Prod Line                | Line      | x(4)      |     |
| rdf_rep_loc      | Repair Location          |           | x(8)      |     |
| rdf_rep_site     | Repair Site              |           | x(8)      |     |
| rdf_repair_days  | Repair Days              |           | >, >>9.99 | 10  |
| rdf_routing      | Routing Code             |           | x(18)     |     |
| rdf_rrts_loc     | Return from RTS Location |           | x(8)      |     |
| rdf_rrts_site    | Return from RTS Site     |           | x(8)      |     |
| rdf_rtn_loc      | Return Location          |           | x(8)      |     |
| rdf_rtn_site     | Return Site              |           | x(8)      |     |
| rdf_rts_loc      | RTS Location             |           | x(8)      |     |
| rdf_rts_site     | RTS Site                 |           | x(8)      |     |
| rdf_scrap_loc    | Scrap Location           |           | x(8)      |     |
| rdf_scrap_site   | Scrap Site               |           | x(8)      |     |
| rdf_ship_time    | Ship Days                |           | >>9       | 10  |
| rdf_spare_loc    | Spares Location          |           | x(8)      |     |
| rdf_spare_site   | Spares Site              |           | x(8)      |     |
| rdf_srtm_loc     | Sales Return Location    |           | x(8)      |     |
| rdf_srtm_site    | Sales Return Site        |           | x(8)      |     |
| rdf_svc_group    | Service Group            | Svc Grp   | x(8)      | 0   |
| rdf_transit_loc  | Transit Location         |           | x(8)      |     |
| rdf_transit_site | Transit Site             |           | x(8)      |     |
| rdf_user1        | Ufld1                    |           | x(8)      |     |
| rdf_user2        | Ufld2                    |           | x(8)      |     |

| Index-Name     | Uni | Field-Name      | Asc | Abbr |
|----------------|-----|-----------------|-----|------|
| ◇ oid_rdf_mstr | yes | oid_rdf_mstr    | yes | no   |
| * rdf_part     | yes | rdf_domain      | yes | no   |
|                |     | rdf_prod_line   | yes | no   |
|                |     | rdf_svc_group   | yes | no   |
|                |     | rdf_ca_int_type | yes | no   |
|                |     | rdf_part        | yes | no   |
|                |     | rdf_area        | yes | no   |

## ◇ Reason Invoice Status Code

| Field Name     | Label                | Col-Label            | Format          | Dec |
|----------------|----------------------|----------------------|-----------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |



| Field Name               | Label                | Col-Label            | Format          | Dec |
|--------------------------|----------------------|----------------------|-----------------|-----|
| CustomDecimal2           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal3           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal4           | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomInteger0           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger1           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger2           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger3           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger4           | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomLong0              | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomLong1              | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomNote               | Custom Note Field    | Custom Note Field    | x(2000)         |     |
| CustomShort0             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort1             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort2             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort3             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort4             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort5             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort6             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort7             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort8             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| CustomShort9             | Custom Short Field   | Custom Short Field   | x(20)           |     |
| LastModifiedDate         | Last Modified Date   | Modif Date           | 99/99/9999      |     |
| LastModifiedTime         | Last Modified Time   | Modif Time           | 999999          |     |
| LastModifiedUser         | Last Modified User   | Modif User           | x(20)           |     |
| MatchingReason_ID        | Status After Match   | Status After Match   | 9999999999      |     |
| Reason_ID                | Record ID            | Record ID            | 9999999999      |     |
| ReasonAllocationStatus   | Allocation Status    | Allocation Status    | x(20)           |     |
| ReasonCode               | Invoice Status Code  | Invoice Status Code  | x(20)           |     |
| ReasonDescription        | Description          | Description          | x(40)           |     |
| ReasonIsActive           | Active               | Active               | yes/no          |     |
| ReasonIsInitialStatus    | Initial Status       | Initial Status       | yes/no          |     |
| ReasonIsInvoiceApproved  | Invoice Approved     | Inv Approved         | yes/no          |     |
| ReasonIsLockPayment      | Blocked for payment  | Blocked for payment  | yes/no          |     |
| ReasonIsLogisticMatching | Receiver Matching    | Receiver Matching    | yes/no          |     |

| Index-Name               | Uni | Field-Name              | Asc | Abbr |
|--------------------------|-----|-------------------------|-----|------|
| ◇ Code                   | yes | ReasonCode              | yes | no   |
| ◇ IsInitialStatus        | no  | ReasonIsInitialStatus   | yes | no   |
| ◇* Prim                  | yes | Reason_ID               | yes | no   |
| ◇ ReasonAllocationStatus | no  | ReasonAllocationStatus  | yes | no   |
| ◇ ReasonIsActive         | no  | ReasonIsActive          | yes | no   |
| ◇ ReasonIsInvApproved    | no  | ReasonIsInvoiceApproved | yes | no   |
| ◇ ReasonIsLockPayment    | no  | ReasonIsLockPayment     | yes | no   |
| ◇ ViewIndex              | no  | ReasonIsActive          | yes | no   |
|                          |     | ReasonCode              | yes | no   |

◇ **RecEntry**      Recurring Entry

| Field Name            | Label                     | Col-Label            | Format                 | Dec |
|-----------------------|---------------------------|----------------------|------------------------|-----|
| Company_ID            | Link to Company           | Link to Company      | 9999999999             |     |
| CustomCombo0          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo1          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo2          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo3          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo4          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo5          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo6          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo7          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo8          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomCombo9          | Custom Combo Field        | Custom Combo Field   | x(20)                  |     |
| CustomDate0           | Custom Date Field         | Custom Date Field    | 99/99/9999             |     |
| CustomDate1           | Custom Date Field         | Custom Date Field    | 99/99/9999             |     |
| CustomDate2           | Custom Date Field         | Custom Date Field    | 99/99/9999             |     |
| CustomDate3           | Custom Date Field         | Custom Date Field    | 99/99/9999             |     |
| CustomDate4           | Custom Date Field         | Custom Date Field    | 99/99/9999             |     |
| CustomDecimal0        | Custom Decimal Field      | Custom Decimal Field | ->, >>>, >>9.99        | 4   |
| CustomDecimal1        | Custom Decimal Field      | Custom Decimal Field | ->, >>>, >>9.99        | 4   |
| CustomDecimal2        | Custom Decimal Field      | Custom Decimal Field | ->, >>>, >>9.99        | 4   |
| CustomDecimal3        | Custom Decimal Field      | Custom Decimal Field | ->, >>>, >>9.99        | 4   |
| CustomDecimal4        | Custom Decimal Field      | Custom Decimal Field | ->, >>>, >>9.99        | 4   |
| CustomInteger0        | Custom Integer Field      | Custom Integer Field | ->, >>>, >>9           |     |
| CustomInteger1        | Custom Integer Field      | Custom Integer Field | ->, >>>, >>9           |     |
| CustomInteger2        | Custom Integer Field      | Custom Integer Field | ->, >>>, >>9           |     |
| CustomInteger3        | Custom Integer Field      | Custom Integer Field | ->, >>>, >>9           |     |
| CustomInteger4        | Custom Integer Field      | Custom Integer Field | ->, >>>, >>9           |     |
| CustomLong0           | Custom Long Field         | Custom Long Field    | x(255)                 |     |
| CustomLong1           | Custom Long Field         | Custom Long Field    | x(255)                 |     |
| CustomNote            | Custom Note Field         | Custom Note Field    | x(2000)                |     |
| CustomShort0          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort1          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort2          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort3          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort4          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort5          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort6          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort7          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort8          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| CustomShort9          | Custom Short Field        | Custom Short Field   | x(20)                  |     |
| Journal_ID            | Daybook Code              | Daybook Code         | 9999999999             |     |
| LastModifiedDate      | Last Modified Date        | Modif Date           | 99/99/9999             |     |
| LastModifiedTime      | Last Modified Time        | Modif Time           | 99999                  |     |
| LastModifiedUser      | Last Modified User        | Modif User           | x(20)                  |     |
| PostingTemplate_ID    | Template Code             | Template Code        | 9999999999             |     |
| RecEntry_ID           | Record ID                 | Record ID            | 9999999999             |     |
| RecEntryAmountLC      | BC Amount                 | BC Amount            | ->>>, >>>, >>>, >>9.99 | 4   |
| RecEntryCode          | Code                      | Code                 | x(20)                  |     |
| RecEntryEndDate       | End Date                  | End Date             | 99/99/9999             |     |
| RecEntryFreq          | Frequency                 | Frequency            | x(20)                  |     |
| RecEntryIsActive      | Active                    | Active               | yes/no                 |     |
| RecEntryIsAmountApply | Apply Amount              | Apply Amount         | yes/no                 |     |
| RecEntryIsOpenEnded   | Open End                  | Open End             | yes/no                 |     |
| RecEntryIsReversing   | Reverse in Next GL Period | Reverse              | yes/no                 |     |
| RecEntryStartDate     | Start Date                | Start Date           | 99/99/9999             |     |
| RecEntryUpdate        | Update Type               | Update Type          | x(20)                  |     |

| Index-Name        | Uni | Field-Name         | Asc | Abbr |
|-------------------|-----|--------------------|-----|------|
| ◇ ActiveIdx       | no  | RecEntryIsActive   | yes | no   |
| ◇ Company         | no  | Company_ID         | yes | no   |
| ◇ Journal         | no  | Journal_ID         | yes | no   |
| ◇ PostingTemplate | no  | PostingTemplate_ID | yes | no   |
| ◇* prim           | yes | RecEntry_ID        | yes | no   |
| ◇ UniqueIdx       | yes | Company_ID         | yes | no   |
|                   |     | RecEntryCode       | yes | no   |
| ◇ ViewIndex       | no  | Company_ID         | yes | no   |
|                   |     | RecEntryIsActive   | yes | no   |
|                   |     | RecEntryCode       | yes | no   |

◇ **RecEntryLine**Recurring Entry Line

| Field Name                | Label              | Col-Label        | Format              | Dec |
|---------------------------|--------------------|------------------|---------------------|-----|
| LastModifiedDate          | Last Modified Date | Modif Date       | 99/99/9999          |     |
| LastModifiedTime          | Last Modified Time | Modif Time       | 99999               |     |
| LastModifiedUser          | Last Modified User | Modif User       | x(20)               |     |
| Period_ID                 | GL Period          | GL Pd            | 9999999999          |     |
| RecEntry_ID               | Link to RecEntry   | Link to RecEntry | 9999999999          |     |
| RecEntryLine_ID           | Record ID          | Record ID        | 9999999999          |     |
| RecEntryLineAmountLC      | BC Amount          | BC Amount        | ->>>,>>>,>>>,>>9.99 | 4   |
| RecEntryLineCode          | Code               | Code             | x(20)               |     |
| RecEntryLinePostingDate   | Posting Date       | Posting Date     | 99/99/9999          |     |
| RecEntryLineReversingDate | Reversing Date     | Reversing Date   | 99/99/9999          |     |
| RecEntryLineStatus        | Status             | Status           | x(20)               |     |

| Index-Name    | Uni | Field-Name         | Asc | Abbr |
|---------------|-----|--------------------|-----|------|
| ◇ CodeIdx     | no  | RecEntryLineCode   | yes | no   |
| ◇ PeriodIdx   | no  | Period_ID          | yes | no   |
| ◇* prim       | yes | RecEntryLine_ID    | yes | no   |
| ◇ RecEntryIdx | no  | RecEntry_ID        | yes | no   |
| ◇ StatusIdx   | no  | RecEntryLineStatus | yes | no   |

◇ **RegulationPlan**Regulation Plan

| Field Name          | Label                    | Col-Label                | Format          | Dec |
|---------------------|--------------------------|--------------------------|-----------------|-----|
| LastModifiedDate    | Last Modified Date       | Modif Date               | 99/99/9999      |     |
| LastModifiedTime    | Last Modified Time       | Modif Time               | 99999           |     |
| LastModifiedUser    | Last Modified User       | Modif User               | x(20)           |     |
| Regulation_ID       | Link to Regulation       | Link to Regulation       | 9999999999      |     |
| RegulationPlan_ID   | Record ID                | Record ID                | 9999999999      |     |
| RegulationPlanFrom1 | Regulation Plan From 1   | Regulation Plan From 1   | ->>>,>>>,>>9.99 | 4   |
| RegulationPlanFrom2 | Regulation Plan From 2   | Regulation Plan From 2   | ->>>,>>>,>>9.99 | 4   |
| RegulationPlanFrom3 | Regulation Plan From 3   | Regulation Plan From 3   | ->>>,>>>,>>9.99 | 4   |
| RegulationPlanSeq   | Regulation Plan Sequence | Regulation Plan Sequence | ->,>>>,>>9      |     |
| RegulationPlanTill1 | Regulation Plan To 1     | Regulation Plan To 1     | ->>>,>>>,>>9.99 | 4   |

| Field Name             | Label                             | Col-Label                         | Format            | Dec |
|------------------------|-----------------------------------|-----------------------------------|-------------------|-----|
| RegulationPlanTill2    | Regulation Plan To 2              | Regulation Plan To 2              | --->,--->,-->9.99 | 4   |
| RegulationPlanTill3    | Regulation Plan To 3              | Regulation Plan To 3              | --->,--->,-->9.99 | 4   |
| RegulationPlanTotalHrs | Regulation Plan Total Hours       | Regulation Plan Total Hours       | --->,--->,-->9.99 | 4   |
| RegulationPlanTotalQTY | Regulation Plan Total<br>Quantity | Regulation Plan Total<br>Quantity | --->,--->,-->9.99 | 4   |

| Index-Name   | Uni | Field-Name        | Asc | Abbr |
|--------------|-----|-------------------|-----|------|
| ◇* Prim      | yes | RegulationPlan_ID | yes | no   |
| ◇ Regulation | no  | Regulation_ID     | yes | no   |
| ◇ Seq        | no  | RegulationPlanSeq | yes | no   |
| ◇ Uniqueidx  | yes | RegulationPlanSeq | yes | no   |
|              |     | Regulation_ID     | yes | no   |

## reg mstr Service/Support Region Master

| <b>Field Name</b> | <b>Label</b>          | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|-----------------------|------------------|------------------------|------------|
| oid_reg_mstr      |                       |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| reg_chr01         |                       |                  | .9<<<<<<<<<            |            |
| reg_chr02         |                       |                  | x(8)                   |            |
| reg_chr03         |                       |                  | x(8)                   |            |
| reg_dec01         |                       |                  | ->>, >>>, >>9.99       | 10         |
| reg_dec02         |                       |                  | ->>, >>>, >>9.99       | 10         |
| reg_dte01         |                       |                  | 99/99/99               |            |
| reg_dte02         |                       |                  | 99/99/99               |            |
| reg_log01         |                       |                  | yes/no                 |            |
| reg_log02         |                       |                  | yes/no                 |            |
| reg_qadc01        | QAD Character Field 1 |                  | X(8)                   |            |
| reg_qadc02        | QAD Character Field 2 |                  | X(8)                   |            |
| reg_qadc03        | QAD Character Field 3 |                  | X(8)                   |            |
| reg_qadc04        |                       |                  | x(8)                   |            |
| reg_qadc05        |                       |                  | x(4)                   |            |
| reg_qade01        | QAD Decimal Field 1   |                  | ->>, >>>, >>9.99<<     | 10         |
| reg_qadl01        | QAD Logical Field 1   |                  | yes/no                 |            |
| reg_qadl02        | QAD Logical Field 2   |                  | yes/no                 |            |
| reg_qadt01        | QAD Date Field 1      |                  | 99/99/99               |            |
| reg_3rd_party     | Third Party           |                  | yes/no                 |            |
| reg_code          | Area                  |                  | x(18)                  |            |
| reg_desc          | Description           |                  | x(24)                  |            |
| reg_domain        | Domain                |                  | x(8)                   |            |
| reg_lang          | Language              |                  | x(2)                   |            |
| reg_loc           | Location              |                  | x(8)                   |            |
| reg_loc_rtn       | Defective Location    | Df Loc           | x(8)                   |            |
| reg_mod_date      | Modified Date         | Mod Date         | 99/99/99               |            |
| reg_mod_userid    | User ID               |                  | X(8)                   |            |
| reg_prod_line     | Product Line          | Prod             | x(8)                   |            |
| reg_project       | Project               |                  | x(8)                   |            |
| reg_repair        | Repair Center         |                  | yes/no                 |            |
| reg_site          | Site                  |                  | x(8)                   |            |
| reg_site_rtn      | Defective Site        | Df Site          | x(8)                   |            |
| reg_time_zone     | Hours from GMT        |                  | >>9                    |            |

| Field Name | Label       | Col-Label | Format | Dec |
|------------|-------------|-----------|--------|-----|
| reg_type   | Type        |           | x(8)   |     |
| reg_user1  | Ufld1       |           | x(8)   |     |
| reg_user2  | Ufld2       |           | x(8)   |     |
| reg_wkctr  | Work Center | Work Ctr  | x(8)   |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_reg_mstr | yes | oid_reg_mstr | yes | no   |
| * | reg_code     | yes | reg_domain   | yes | no   |
|   |              |     | reg_code     | yes | no   |

◇ **RelStatM**      Warehousing Release Status Master

| Field Name   | Label                  | Col-Label   | Format                                      | Dec |
|--------------|------------------------|-------------|---------------------------------------------|-----|
| CreateDate   | Create Date            |             | 99/99/99                                    |     |
| CreateUserID | Created                |             | x(8)                                        |     |
| Domain       | Domain                 |             | x(8)                                        |     |
| InvStatus    | Status                 |             | X(8)                                        |     |
| ModDate      | Modified               |             | 99/99/99                                    |     |
| ModUserID    | Modified               |             | x(8)                                        |     |
| oid_RelStatM |                        |             | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| QadC01       | QAD Field              |             | X(8)                                        | 0   |
| QadC02       | QAD Field              |             | X(8)                                        | 0   |
| QadC03       | QAD Field              |             | X(8)                                        | 0   |
| QadC04       | QAD Field              |             | X(8)                                        | 0   |
| QadC05       | QAD Field              |             | X(8)                                        | 0   |
| QadD01       | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD02       | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD03       | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadI01       | QAD Field              |             | ->, >>>, >>9                                |     |
| QadI02       | QAD Field              |             | ->, >>>, >>9                                |     |
| QadI03       | QAD Field              |             | ->, >>>, >>9                                |     |
| QadL01       | QAD Field              |             | yes/no                                      |     |
| QadL02       | QAD Field              |             | yes/no                                      |     |
| QadT01       | QAD Field              |             | 99/99/99                                    |     |
| QadT02       | QAD Field              |             | 99/99/99                                    |     |
| QadT03       | QAD Field              |             | 99/99/99                                    |     |
| RelStatus    | Release/Inspect Status | Rel/Insp St | x(8)                                        |     |
| User1        | User 1                 |             | x(8)                                        |     |
| User2        | User 2                 |             | x(8)                                        |     |
| UserC03      | User Field Character 3 |             | x(24)                                       |     |
| UserC04      | User Field Character 4 |             | x(24)                                       |     |
| UserC05      | User Field Character 5 |             | x(24)                                       |     |
| UserD01      | User Field Decimal 1   |             | ->>>>, >>>, >>9.9<<<<<<<<<<                 | 10  |
| UserD02      | User Field Decimal 2   |             | ->>>>, >>>, >>9.9<<<<<<<<<<                 | 10  |
| UserL01      | User Field Logical 1   |             | yes/no                                      |     |
| UserL02      | User Field Logical 2   |             | yes/no                                      |     |
| UserT01      | User Field Date 1      |             | 99/99/99                                    |     |
| UserT02      | User Field Date 2      |             | 99/99/99                                    |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇* InvStatus   | yes | Domain       | yes | no   |
|                |     | InvStatus    | yes | no   |
| ◇ oid_RelStatM | yes | oid_RelStatM | yes | no   |
| ◇ RelStatus    | no  | Domain       | yes | no   |
|                |     | RelStatus    | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

## ◇ ReplenC Warehousing Replenishment Control

| Field Name   | Label                  | Col-Label      | Format                                           | Dec |
|--------------|------------------------|----------------|--------------------------------------------------|-----|
| CreateDate   | Create Date            |                | 99/99/99                                         |     |
| CreateUserID | Created                |                | x(8)                                             |     |
| Domain       | Domain                 |                | x(8)                                             |     |
| MinQtyRule   | Minimum Quantity Rule  | Min! Qty! Rule | yes/no                                           |     |
| ModDate      | Modified               |                | 99/99/99                                         |     |
| ModUserID    | Modified               |                | x(8)                                             |     |
| oid_ReplenC  |                        |                | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| QadC01       | QAD Field              |                | X(8)                                             | 0   |
| QadC02       | QAD Field              |                | X(8)                                             | 0   |
| QadC03       | QAD Field              |                | X(8)                                             | 0   |
| QadC04       | QAD Field              |                | X(8)                                             | 0   |
| QadD01       | QAD Field              |                | ->>>>, >>>, >>9.99<<<                            | 10  |
| QadD02       | QAD Field              |                | ->>>>, >>>, >>9.99<<<                            | 10  |
| QadD03       | QAD Field              |                | ->>>>, >>>, >>9.99<<<                            | 10  |
| QadI01       | QAD Field              |                | ->, >>>, >>9                                     |     |
| QadI02       | QAD Field              |                | ->, >>>, >>9                                     |     |
| QadI03       | QAD Field              |                | ->, >>>, >>9                                     |     |
| QadL01       | QAD Field              |                | yes/no                                           |     |
| QadL02       | QAD Field              |                | yes/no                                           |     |
| QadT01       | QAD Field              |                | 99/99/99                                         |     |
| QadT02       | QAD Field              |                | 99/99/99                                         |     |
| QadT03       | QAD Field              |                | 99/99/99                                         |     |
| UniqueID     |                        |                | 9                                                |     |
| User1        | User 1                 |                | x(8)                                             |     |
| User2        | User 2                 |                | x(8)                                             |     |
| UserC03      | User Field Character 3 |                | x(24)                                            |     |
| UserC04      | User Field Character 4 |                | x(24)                                            |     |
| UserC05      | User Field Character 5 |                | x(24)                                            |     |
| UserD01      | User Field Decimal 1   |                | ->>>>, >>>, >>9.9<<<<<<<<<                       | 10  |
| UserD02      | User Field Decimal 2   |                | ->>>>, >>>, >>9.9<<<<<<<<<                       | 10  |
| UserL01      | User Field Logical 1   |                | yes/no                                           |     |
| UserL02      | User Field Logical 2   |                | yes/no                                           |     |
| UserT01      | User Field Date 1      |                | 99/99/99                                         |     |
| UserT02      | User Field Date 2      |                | 99/99/99                                         |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_ReplenC | yes | oid_ReplenC | yes | no   |
| ◇* UniqueID   | yes | Domain      | yes | no   |
|               |     | UniqueID    | yes | no   |
| ◇ UsrIdx      | no  | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |

## RepListD Warehousing Replenishment List Detail

| Field Name   | Label                  | Col-Label | Format                                   | Dec |
|--------------|------------------------|-----------|------------------------------------------|-----|
| CreateDate   | Create Date            |           | 99/99/99                                 |     |
| CreateUserID | Created                |           | x(8)                                     |     |
| Domain       | Domain                 |           | x(8)                                     |     |
| ModDate      | Modified Date          | Mod Date  | 99/99/99                                 |     |
| ModUserID    | User ID                |           | x(8)                                     |     |
| oid_RepListD |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| QadC01       | QAD Field              |           | X(8)                                     | 0   |
| QadC02       | QAD Field              |           | X(8)                                     | 0   |
| QadC03       | QAD Field              |           | X(8)                                     | 0   |
| QadC04       | QAD Field              |           | X(8)                                     | 0   |
| QadD01       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadD02       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadD03       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadI01       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadI02       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadI03       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadL01       | QAD Field              |           | yes/no                                   |     |
| QadL02       | QAD Field              |           | yes/no                                   |     |
| QadT01       | QAD Field              |           | 99/99/99                                 |     |
| QadT02       | QAD Field              |           | 99/99/99                                 |     |
| QadT03       | QAD Field              |           | 99/99/99                                 |     |
| RepList      | Replenishment List     | Rep List  | x(8)                                     |     |
| RepSeq       | Seq                    |           | >>9                                      |     |
| Site         | Site                   |           | x(8)                                     |     |
| SLocGp       | Store Loc Group        | SLocGrp   | x(8)                                     |     |
| User1        | User 1                 |           | x(8)                                     |     |
| User2        | User 2                 |           | x(8)                                     |     |
| UserC03      | User Field Character 3 |           | x(24)                                    |     |
| UserC04      | User Field Character 4 |           | x(24)                                    |     |
| UserC05      | User Field Character 5 |           | x(24)                                    |     |
| UserD01      | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<<              | 10  |
| UserD02      | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<<<              | 10  |
| UserL01      | User Field Logical 1   |           | yes/no                                   |     |
| UserL02      | User Field Logical 2   |           | yes/no                                   |     |
| UserT01      | User Field Date 1      |           | 99/99/99                                 |     |
| UserT02      | User Field Date 2      |           | 99/99/99                                 |     |
| Whse         | Warehouse              | Whse      | x(8)                                     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇* ListSeq     | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | RepList      | yes | no   |
|                |     | RepSeq       | yes | no   |
| ◇ ListSLG      | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | RepList      | yes | no   |
|                |     | Whse         | yes | no   |
|                |     | SLocGp       | yes | no   |
| ◇ oid_RepListD | yes | oid_RepListD | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

## RepListM Warehousing Replenishment List Master

[illegible]



| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_RepListM | yes | oid_RepListM | yes | no   |
| ◇* SiteList    | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | ReplList     | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

◇ **RepLocM**      Warehousing Replenishment Location Master

| Field Name   | Label                  | Col-Label         | Format                     | Dec |
|--------------|------------------------|-------------------|----------------------------|-----|
| CmtIndx      | Comments               |                   | >>>>>9                     |     |
| CreateDate   | Create Date            |                   | 99/99/99                   |     |
| CreateUserID | Created                |                   | x(8)                       |     |
| Domain       | Domain                 |                   | x(8)                       |     |
| EndDate      | End Date               |                   | 99/99/99                   |     |
| Loc          | Location               |                   | x(8)                       |     |
| MaxQty       | Maximum Quantity       | Maximum! Quantity | ->, >>>, >>9.9<<<<<<<      | 10  |
| Min%         | Minimum %              | Min %             | ->>9.99                    | 2   |
| ModDate      | Modified               |                   | 99/99/99                   |     |
| ModUserID    | Modified               |                   | x(8)                       |     |
| oid_RepLocM  |                        |                   | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                        |                   | .9<<<<<<<<<                |     |
| Part         | Item Number            |                   | x(18)                      |     |
| QadC01       | QAD Field              |                   | X(8)                       | 0   |
| QadC02       | QAD Field              |                   | X(8)                       | 0   |
| QadC03       | QAD Field              |                   | X(8)                       | 0   |
| QadC04       | QAD Field              |                   | X(8)                       | 0   |
| QadD01       | QAD Field              |                   | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD02       | QAD Field              |                   | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03       | QAD Field              |                   | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01       | QAD Field              |                   | ->, >>>, >>9               |     |
| QadI02       | QAD Field              |                   | ->, >>>, >>9               |     |
| QadI03       | QAD Field              |                   | ->, >>>, >>9               |     |
| QadL01       | QAD Field              |                   | yes/no                     |     |
| QadL02       | QAD Field              |                   | yes/no                     |     |
| QadT01       | QAD Field              |                   | 99/99/99                   |     |
| QadT02       | QAD Field              |                   | 99/99/99                   |     |
| QadT03       | QAD Field              |                   | 99/99/99                   |     |
| RepList      | Replenishment List     | Rep List          | X(8)                       |     |
| RepQty       | Replenishment Point    | Rep Point         | ->, >>>, >>9.9<<<<<<<      | 10  |
| RepType      | Replenishment Type     | Rep Type          | X(8)                       |     |
| RepUM        | Rep UM                 | Rep! UM           | X(2)                       |     |
| Site         | Site                   |                   | x(8)                       |     |
| StartDate    | Start Date             |                   | 99/99/99                   |     |
| User1        | User 1                 |                   | x(8)                       |     |
| User2        | User 2                 |                   | x(8)                       |     |
| UserC03      | User Field Character 3 |                   | x(24)                      |     |
| UserC04      | User Field Character 4 |                   | x(24)                      |     |
| UserC05      | User Field Character 5 |                   | x(24)                      |     |
| UserD01      | User Field Decimal 1   |                   | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02      | User Field Decimal 2   |                   | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01      | User Field Logical 1   |                   | yes/no                     |     |
| UserL02      | User Field Logical 2   |                   | yes/no                     |     |
| UserT01      | User Field Date 1      |                   | 99/99/99                   |     |
| UserT02      | User Field Date 2      |                   | 99/99/99                   |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇* LocPart    | yes | Domain      | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Loc         | yes | no   |
|               |     | Part        | yes | no   |
|               |     | RepType     | yes | no   |
| ◇ oid_RepLocM | yes | StartDate   | yes | no   |
|               |     | oid_RepLocM | yes | no   |
| ◇ PartLoc     | yes | Domain      | yes | no   |
|               |     | Part        | yes | no   |
|               |     | RepType     | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Loc         | yes | no   |
| ◇ UsrIdx      | no  | StartDate   | yes | no   |
|               |     | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |
|               |     |             |     |      |

## ◇ ReportPeriodReporting Period

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)         |     |

| Field Name             | Label              | Col-Label          | Format     | Decimals |
|------------------------|--------------------|--------------------|------------|----------|
| CustomShort5           | Custom Short Field | Custom Short Field | x(20)      |          |
| CustomShort6           | Custom Short Field | Custom Short Field | x(20)      |          |
| CustomShort7           | Custom Short Field | Custom Short Field | x(20)      |          |
| CustomShort8           | Custom Short Field | Custom Short Field | x(20)      |          |
| CustomShort9           | Custom Short Field | Custom Short Field | x(20)      |          |
| LastModifiedDate       | Last Modified Date | Modif Date         | 99/99/9999 |          |
| LastModifiedTime       | Last Modified Time | Modif Time         | 999999     |          |
| LastModifiedUser       | Last Modified User | Modif User         | x(20)      |          |
| ReportPeriod_ID        | Record ID          | Record ID          | 9999999999 |          |
| ReportPeriodEndDate    | End Date           | End Date           | 99/99/9999 |          |
| ReportPeriodIsReported | Reported           | Reported           | yes/no     |          |
| ReportPeriodPeriod     | GL Period          | GL Period          | 99         |          |
| ReportPeriodStartDate  | Start Date         | Start Date         | 99/99/9999 |          |
| ReportPeriodYear       | Year               | Year               | 9999       |          |

| Index-Name        | Uni | Field-Name             | Asc | Abbr |
|-------------------|-----|------------------------|-----|------|
| ◇ EndDateIdx      | no  | ReportPeriodEndDate    | yes | no   |
| ◇ IsReportedIdx   | no  | ReportPeriodIsReported | yes | no   |
| ◇* Prim           | yes | ReportPeriod_ID        | yes | no   |
| ◇ ReportPeriodIdx | no  | ReportPeriodPeriod     | yes | no   |
| ◇ ReportYearIdx   | no  | ReportPeriodYear       | yes | no   |
| ◇ StartDateIdx    | no  | ReportPeriodStartDate  | yes | no   |
| ◇ UniqueIdx       | yes | ReportPeriodYear       | yes | no   |
|                   |     | ReportPeriodPeriod     | yes | no   |

## RepSLGM Warehousing Replenishment SLG Master

[illegible]

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_RepSLGM | yes | oid_RepSLGM | yes | no   |
| ◇ Part        | yes | Domain      | yes | no   |
|               |     | Part        | yes | no   |
|               |     | RepType     | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Whse        | yes | no   |
|               |     | SLocGp      | yes | no   |
|               |     | StartDate   | yes | no   |
| ◇* SLG        | yes | Domain      | yes | no   |
|               |     | Site        | yes | no   |
|               |     | Whse        | yes | no   |
|               |     | SLocGp      | yes | no   |
|               |     | RepType     | yes | no   |
|               |     | Part        | yes | no   |
|               |     | StartDate   | yes | no   |
| ◇ UsrIdx      | no  | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |

## req\_det



| Field Name    | Label               | Col-Label | Format                  | Dec |
|---------------|---------------------|-----------|-------------------------|-----|
| req__dec02    |                     |           | >>>, >>>, >>9.99        | 10  |
| req__dte01    |                     |           | 99/99/99                |     |
| req__dte02    |                     |           | 99/99/99                |     |
| req__log01    |                     |           | yes/no                  |     |
| req_acct      | Pur Acct            |           | x(8)                    |     |
| req_app_owner | Owner Application   |           | x(12)                   |     |
| req_approved  | Approved            | Apr       | yes/no                  |     |
| req_apr_by    | Approved By         | Aprv By   | x(8)                    |     |
| req_apr_code  | Approval Code       | Apr Code  | x(8)                    |     |
| req_apr_ent   | Approved Entered By | Aprv Ent  | x(8)                    |     |
| req_apr_prnt  | Print Approval      | Print Apr | yes/no                  |     |
| req_cc        | Cost Ctr            | CC        | x(4)                    |     |
| req_cmtindx   | Comment Index       | Comment   | >>>>>>9                 |     |
| req_domain    | Domain              |           | x(8)                    |     |
| req_line      | Line                |           | >>>                     |     |
| req_nbr       | Requisition         | Req       | x(8)                    |     |
| req_need      | Need Date           | Need      | 99/99/99                |     |
| req_part      | Item Number         |           | x(18)                   |     |
| req_po_site   | PO Site             |           | x(8)                    |     |
| req_print     | Print Requisition   | Print     | yes/no                  |     |
| req_project   | Project             |           | x(8)                    |     |
| req_pur_cost  | Unit Cost           |           | ->, >>>, >>>, >>9.99<<< | 10  |
| req_qty       | Qty                 |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| req_rel_date  | Release Date        | Release   | 99/99/99                |     |
| req_request   | Requested By        | Req By    | x(8)                    |     |
| req_site      | Site                |           | x(8)                    |     |
| req_so_job    | Sales/Job           |           | x(8)                    |     |
| req_sub       | Pur Sub-Acct        | Sub-Acct  | x(8)                    |     |
| req_um        | UM                  |           | x(2)                    |     |
| req_user1     | Ufld1               |           | x(8)                    |     |
| req_user2     | Ufld2               |           | x(8)                    |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_req_det | yes | oid_req_det  | yes | no   |
| req_apr_code  | yes | req_domain   | yes | no   |
|               |     | req_apr_code | yes | no   |
|               |     | req_nbr      | yes | no   |
|               |     | req_line     | yes | no   |
| * req_nbr     | yes | req_domain   | yes | no   |
|               |     | req_nbr      | yes | no   |
|               |     | req_line     | yes | no   |
| req_part      | no  | req_domain   | yes | no   |
|               |     | req_part     | yes | no   |

◇ Resources Resource

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| BusActivity_ID   |       |           | 9999999999 |     |
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |
| Resource_ID      |       |           | 9999999999 |     |

| Field Name       | Label | Col-Label | Format | Dec |
|------------------|-------|-----------|--------|-----|
| ResourceCategory |       |           | x(8)   |     |
| ResourceLabel    |       |           | x(60)  |     |
| ResourceType     |       |           | x(1)   |     |
| ResourceURI      |       |           | x(256) |     |

| Index-Name       | Uni | Field-Name       | Asc | Abbr |
|------------------|-----|------------------|-----|------|
| ◇ BusActivity_FK | no  | BusActivity_ID   | yes | no   |
| ◇ Category       | no  | ResourceCategory | yes | no   |
| ◇* Resource_PK   | yes | Resource_ID      | yes | no   |
| ◇ Type           | no  | ResourceType     | yes | no   |
| ◇ URI            | yes | ResourceURI      | yes | no   |

### ◇ Reval Revaluation

| Field Name              | Label               | Col-Label           | Format     | Dec |
|-------------------------|---------------------|---------------------|------------|-----|
| CCRevalPosting_ID       | Link to Posting     | Link to Posting     | 9999999999 |     |
| CCReversePosting_ID     | Link to Posting     | Link to Posting     | 9999999999 |     |
| CCUndoPosting_ID        | Link to Posting     | Link to Posting     | 9999999999 |     |
| CCUndoReversePosting_ID | Link to Posting     | Link to Posting     | 9999999999 |     |
| LastModifiedDate        | Last Modified Date  | Modif Date          | 99/99/9999 |     |
| LastModifiedTime        | Last Modified Time  | Modif Time          | 99999      |     |
| LastModifiedUser        | Last Modified User  | Modif User          | x(20)      |     |
| Reval_ID                | Record ID           | Record ID           | 9999999999 |     |
| RevalHeader_ID          | Link to RevalHeader | Link to RevalHeader | 9999999999 |     |
| RevalRevaluationArea    | Revaluation Area    | Revaluation Area    | x(20)      |     |
| RevalStatusCode         | Status              | Status              | x(20)      |     |
| TCRevalPosting_ID       | Link to Posting     | Link to Posting     | 9999999999 |     |
| TCReversePosting_ID     | Link to Posting     | Link to Posting     | 9999999999 |     |
| TCUndoPosting_ID        | Link to Posting     | Link to Posting     | 9999999999 |     |
| TCUndoReversePosting_ID | Voucher             | Voucher             | 9999999999 |     |

| Index-Name             | Uni | Field-Name              | Asc | Abbr |
|------------------------|-----|-------------------------|-----|------|
| ◇ CCRevalPosting       | no  | CCRevalPosting_ID       | yes | no   |
| ◇ CCReversePosting     | no  | CCReversePosting_ID     | yes | no   |
| ◇ CCUndoPosting        | no  | CCUndoPosting_ID        | yes | no   |
| ◇ CCUndoReversePosting | no  | CCUndoReversePosting_ID | yes | no   |
| ◇* Prim                | yes | Reval_ID                | yes | no   |
| ◇ RevalArea            | no  | RevalRevaluationArea    | yes | no   |
| ◇ RevalHeader          | no  | RevalHeader_ID          | yes | no   |
| ◇ RevalStatus          | no  | RevalStatusCode         | yes | no   |
| ◇ TCRevalPosting       | no  | TCRevalPosting_ID       | yes | no   |
| ◇ TCReverseposting     | no  | TCReversePosting_ID     | yes | no   |
| ◇ TCUndoPosting        | no  | TCUndoPosting_ID        | yes | no   |
| ◇ TCUndoReversePostin  | no  | TCUndoReversePosting_ID | yes | no   |
| ◇ Uniqueldx            | yes | RevalRevaluationArea    | yes | no   |
|                        |     | RevalHeader_ID          | yes | no   |

◇ **RevalDet**      Revaluation Detail

| Field Name               | Label                | Col-Label           | Format              | Dec |
|--------------------------|----------------------|---------------------|---------------------|-----|
| LastModifiedDate         | Last Modified Date   | Modif Date          | 99/99/9999          |     |
| LastModifiedTime         | Last Modified Time   | Modif Time          | 999999              |     |
| LastModifiedUser         | Last Modified User   | Modif User          | x(20)               |     |
| RevalDet_ID              | Record ID            | Record ID           | 9999999999          |     |
| RevalDetCreditCC         | MC Credit            | MC Credit           | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetCreditLC         | BC Credit            | BC Credit           | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetCreditTC         | TC Credit            | TC Credit           | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetDebitCC          | MC Debit             | MC Debit            | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetDebitLC          | BC Debit             | BC Debit            | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetDebitTC          | TC Debit             | TC Debit            | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetParentObject_ID  |                      |                     | 9999999999          |     |
| RevalDetParentObjectType | Object Type          | Object Type         | x(20)               |     |
| RevalDetRevCreditCC      | MC Revaluated Credit | MC Rev Credit       | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetRevCreditLC      | BC Revaluated Credit | BC Rev Credit       | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetRevDebitCC       | MC Revaluated Debit  | MC Rev Debit        | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalDetRevDebitLC       | BC Revaluated Debit  | BC Rev Debit        | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGL_ID               | Link to RevalGL      | Link to RevalGL     | 9999999999          |     |
| RevalHeader_ID           | Link to RevalHeader  | Link to RevalHeader | 9999999999          |     |

| Index-Name     | Uni | Field-Name               | Asc | Abbr |
|----------------|-----|--------------------------|-----|------|
| ◇ ParentObject | no  | RevalDetParentObject_ID  | yes | no   |
| ◇ ParentType   | no  | RevalDetParentObjectType | yes | no   |
| ◇* Prim        | yes | RevalDet_ID              | yes | no   |
| ◇ RevalGL      | no  | RevalGL_ID               | yes | no   |

◇ **RevalGL**      Revaluation GL

| Field Name                 | Label                 | Col-Label              | Format              | Dec |
|----------------------------|-----------------------|------------------------|---------------------|-----|
| CCEXchangeRateType_ID      | Exchange Rate Type    | Rate Type              | 9999999999          |     |
| CostCentre_ID              | Cost Center           | Cost Center            | 9999999999          |     |
| Currency_ID                | Currency Code         | Curr                   | 9999999999          |     |
| Division_ID                | Sub-Account           | Sub-Acct               | 9999999999          |     |
| GL_ID                      | GL Account            | GL Account             | 9999999999          |     |
| IntercoBusinessRelation_ID | Business Relation     | Business Relation Code | 9999999999          |     |
| LastModifiedDate           | Last Modified Date    | Modif Date             | 99/99/9999          |     |
| LastModifiedTime           | Last Modified Time    | Modif Time             | 999999              |     |
| LastModifiedUser           | Last Modified User    | Modif User             | x(20)               |     |
| Project_ID                 | Project               | Project                | 9999999999          |     |
| Reval_ID                   | Link to Reval         | Link to Reval          | 9999999999          |     |
| RevalGL_ID                 | Record ID             | Record ID              | 9999999999          |     |
| RevalGLCreditCC            | MC Credit             | MC Credit              | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLCreditLC            | BC Credit             | BC Credit              | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLCreditTC            | TC Credit             | TC Credit              | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLDebitCC             | MC Debit              | MC Debit               | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLDebitLC             | BC Debit              | BC Debit               | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLDebitTC             | TC Debit              | TC Debit               | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLMethodCC            | MC Revaluation Method | MC Rev Method          | x(20)               |     |
| RevalGLMethodTC            | TC Revaluation Method | TC Rev Method          | x(20)               |     |
| RevalGLRevCreditCC         | MC Revaluated Credit  | MC Rev Credit          | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLRevCreditLC         | BC Revaluated Credit  | BC Rev Credit          | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLRevDebitCC          | MC Revaluated Debit   | MC Rev Debit           | ->>>,>>>,>>>,>>9.99 | 4   |



| Field Name            | Label                         | Col-Label                     | Format              | Dec |
|-----------------------|-------------------------------|-------------------------------|---------------------|-----|
| RevalGLRevDebitLC     | BC Revaluated Debit           | BC Rev Debit                  | ->>>,>>>,>>>,>>9.99 | 4   |
| RevalGLSafCombined_ID | Link to<br>RevalGLSafCombined | Link to<br>RevalGLSafCombined | 9999999999          |     |
| RevalGLType           | GL Type                       | GL Type                       | x(20)               |     |
| RevalHeader_ID        | Link to RevalHeader           | Link to RevalHeader           | 9999999999          |     |
| TCExchangeRateType_ID | TC Revaluation Rate           | Rev Rate TC                   | 9999999999          |     |

| Index-Name    | Uni | Field-Name                 | Asc | Abbr |
|---------------|-----|----------------------------|-----|------|
| ◇ CostCentre  | no  | CostCentre_ID              | yes | no   |
| ◇ Currency    | no  | Currency_ID                | yes | no   |
| ◇ Division    | no  | Division_ID                | yes | no   |
| ◇ GL          | no  | GL_ID                      | yes | no   |
| ◇ Interco     | no  | IntercoBusinessRelation_ID | yes | no   |
| ◇* Prim       | yes | RevalGL_ID                 | yes | no   |
| ◇ Project     | no  | Project_ID                 | yes | no   |
| ◇ Reval       | no  | Reval_ID                   | yes | no   |
| ◇ SafCombined | no  | RevalGLSafCombined_ID      | yes | no   |
| ◇ Type        | no  | RevalGLType                | yes | no   |

◇ **RevalGLSafCombined** Revaluation Saf Combined

| Field Name                | Label                | Col-Label            | Format     | Dec |
|---------------------------|----------------------|----------------------|------------|-----|
| CostCentre1Saf_ID         | Link to Saf          | Link to Saf          | 9999999999 |     |
| CostCentre2Saf_ID         | Link to Saf          | Link to Saf          | 9999999999 |     |
| CostCentre3Saf_ID         | Link to Saf          | Link to Saf          | 9999999999 |     |
| CostCentre4Saf_ID         | Link to Saf          | Link to Saf          | 9999999999 |     |
| CostCentre5Saf_ID         | Link to Saf          | Link to Saf          | 9999999999 |     |
| CostCentreSafStructure_ID | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| GL1Saf_ID                 | Link to Saf          | Link to Saf          | 9999999999 |     |
| GL2Saf_ID                 | Link to Saf          | Link to Saf          | 9999999999 |     |
| GL3Saf_ID                 | Link to Saf          | Link to Saf          | 9999999999 |     |
| GL4Saf_ID                 | Link to Saf          | Link to Saf          | 9999999999 |     |
| GL5Saf_ID                 | Link to Saf          | Link to Saf          | 9999999999 |     |
| GLSafStructure_ID         | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| LastModifiedDate          | Last Modified Date   | Modif Date           | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time   | Modif Time           | 99999      |     |
| LastModifiedUser          | Last Modified User   | Modif User           | x(20)      |     |
| Project1Saf_ID            | Link to Saf          | Link to Saf          | 9999999999 |     |
| Project2Saf_ID            | Link to Saf          | Link to Saf          | 9999999999 |     |
| Project3Saf_ID            | Link to Saf          | Link to Saf          | 9999999999 |     |
| Project4Saf_ID            | Link to Saf          | Link to Saf          | 9999999999 |     |
| Project5Saf_ID            | Link to Saf          | Link to Saf          | 9999999999 |     |
| ProjectSafStructure_ID    | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| RevalGLSafCombined_ID     | Record ID            | Record ID            | 9999999999 |     |

| Index-Name | Uni | Field-Name            | Asc | Abbr |
|------------|-----|-----------------------|-----|------|
| ◇* Prim    | yes | RevalGLSafCombined_ID | yes | no   |

◇ **RevalHeader** Revaluation Header

| Field Name             | Label              | Col-Label       | Format     | Dec |
|------------------------|--------------------|-----------------|------------|-----|
| Company_ID             | Link to Company    | Link to Company | 9999999999 |     |
| LastModifiedDate       | Last Modified Date | Modif Date      | 99/99/9999 |     |
| LastModifiedTime       | Last Modified Time | Modif Time      | 99999      |     |
| LastModifiedUser       | Last Modified User | Modif User      | x(20)      |     |
| Layer_ID               | Layer Code         | Layer Code      | 9999999999 |     |
| Period_ID              | GL Cal Year        | GL Cal Year     | 9999999999 |     |
| RevalHeader_ID         | Record ID          | Record ID       | 9999999999 |     |
| RevalHeaderDescription | Rev Desc           | Rev Desc        | x(40)      |     |
| RevalHeaderNumber      | Rev Number         | Rev Number      | 999999999  |     |
| RevalHeaderRevalDate   | Rev Date           | Rev Date        | 99/99/9999 |     |

| Index-Name    | Uni | Field-Name           | Asc | Abbr |
|---------------|-----|----------------------|-----|------|
| ◇ Company     | no  | Company_ID           | yes | no   |
| ◇ Layer       | no  | Layer_ID             | yes | no   |
| ◇ Period      | no  | Period_ID            | yes | no   |
| ◇* Prim       | yes | RevalHeader_ID       | yes | no   |
| ◇ RevalDate   | no  | RevalHeaderRevalDate | yes | no   |
| ◇ RevalNumber | no  | RevalHeaderNumber    | yes | no   |
| ◇ Uniqueldx   | yes | Company_ID           | yes | no   |
|               |     | Period_ID            | yes | no   |
|               |     | RevalHeaderNumber    | yes | no   |

◇ **RevalRate** Revaluation Rate

| Field Name                 | Label                 | Col-Label           | Format            | Dec |
|----------------------------|-----------------------|---------------------|-------------------|-----|
| ExchangeRateType_ID        | Exchange Rate Type    | Rate Type           | 9999999999        |     |
| FromCurrency_ID            | Currency Code         | Curr                | 9999999999        |     |
| LastModifiedDate           | Last Modified Date    | Modif Date          | 99/99/9999        |     |
| LastModifiedTime           | Last Modified Time    | Modif Time          | 99999             |     |
| LastModifiedUser           | Last Modified User    | Modif User          | x(20)             |     |
| RevalHeader_ID             | Link to RevalHeader   | Link to RevalHeader | 9999999999        |     |
| RevalRate_ID               | Record ID             | Record ID           | 9999999999        |     |
| RevalRateDate              | Revaluation Rate Date | Rev Rate Date       | 99/99/9999        |     |
| RevalRateExchangeRateScale | Scale Fact            | Scale Fact          | >>>>>9.9999999999 | 10  |
| RevalRateExchangeRate      | Revaluation Rate      | Rev Rate            | >>>>>9.9999999999 | 10  |
| ToCurrency_ID              | Currency Code         | Curr                | 9999999999        |     |

| Index-Name    | Uni | Field-Name     | Asc | Abbr |
|---------------|-----|----------------|-----|------|
| ◇* Prim       | yes | RevalRate_ID   | yes | no   |
| ◇ RevalHeader | no  | RevalHeader_ID | yes | no   |

◇ **RevisionIndex** Revision Index

| Field Name          | Label              | Col-Label  | Format     | Dec |
|---------------------|--------------------|------------|------------|-----|
| LastModifiedDate    | Last Modified Date | Modif Date | 99/99/9999 |     |
| LastModifiedTime    | Last Modified Time | Modif Time | 99999      |     |
| LastModifiedUser    | Last Modified User | Modif User | x(20)      |     |
| RevisionCategory_ID | Category           | Category   | 9999999999 |     |



| Field Name | Label                | Col-Label | Format                     | Dec |
|------------|----------------------|-----------|----------------------------|-----|
| UserD01    | User Field Decimal 1 |           | -->>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2 |           | -->>>, >>>, >>9.9<<<<<<<<  | 10  |
| UserL01    | User Field Logical 1 |           | yes/no                     |     |
| UserL02    | User Field Logical 2 |           | yes/no                     |     |
| UserT01    | User Field Date 1    |           | 99/99/99                   |     |
| UserT02    | User Field Date 2    |           | 99/99/99                   |     |
| WaveNbr    | Wave Number          | Wave Nbr  | x(8)                       |     |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ oid_RGD   | yes | oid_RGD    | yes | no   |
| ◇* RelGroup | yes | Domain     | yes | no   |
|             |     | RelNbr     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | DueDate    | yes | no   |
|             |     | ShipVia    | yes | no   |
|             |     | PartType   | yes | no   |
|             |     | DSet       | yes | no   |
|             |     | Nbr        | yes | no   |
|             |     | Line       | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |
| ◇ Wave      | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | RelNbr     | yes | no   |

◇ **RGM**      Warehousing Release Group Master

[illegible]

| Field Name | Label                  | Col-Label | Format                  | Dec |
|------------|------------------------|-----------|-------------------------|-----|
| QadI03     | QAD Field              |           | ->,>>>,>>9              |     |
| QadL01     | QAD Field              |           | yes/no                  |     |
| QadL02     | QAD Field              |           | yes/no                  |     |
| QadT01     | QAD Field              |           | 99/99/99                |     |
| QadT02     | QAD Field              |           | 99/99/99                |     |
| QadT03     | QAD Field              |           | 99/99/99                |     |
| Released   | Released               |           | yes/no                  |     |
| RelNbr     | Release Group Nbr      | Rel Grp   | >>>>>>9                 |     |
| ShipVia    | Carrier                | Carrier   | x(20)                   |     |
| Site       | Site                   |           | x(8)                    |     |
| User1      | User 1                 |           | x(8)                    |     |
| User2      | User 2                 |           | x(8)                    |     |
| UserC03    | User Field Character 3 |           | x(24)                   |     |
| UserC04    | User Field Character 4 |           | x(24)                   |     |
| UserC05    | User Field Character 5 |           | x(24)                   |     |
| UserD01    | User Field Decimal 1   |           | ->>>>,>>>,>>9.<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>,>>>,>>9.<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                  |     |
| UserL02    | User Field Logical 2   |           | yes/no                  |     |
| UserT01    | User Field Date 1      |           | 99/99/99                |     |
| UserT02    | User Field Date 2      |           | 99/99/99                |     |
| WaveNbr    | Wave Number            | Wave Nbr  | x(8)                    |     |
| Whse       | Warehouse              | Whse      | x(8)                    |     |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ Include   | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | Include    | yes | no   |
| ◇ oid_RGM   | yes | oid_RGM    | yes | no   |
| ◇* RelGroup | yes | Domain     | yes | no   |
|             |     | RelNbr     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | DueDate    | yes | no   |
|             |     | ShipVia    | yes | no   |
|             |     | PartType   | yes | no   |
| ◇ SiteWhse  | no  | Domain     | yes | no   |
|             |     | Site       | yes | no   |
|             |     | Whse       | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |
| ◇ Wave      | yes | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | RelNbr     | yes | no   |

## rhb hist

Return Material Authorization Detail History

| Field Name    | Label                 | Col-Label | Format                 | Dec |
|---------------|-----------------------|-----------|------------------------|-----|
| oid_rhd_hist  |                       |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rhd_chr01     |                       |           | .9<<<<<<<<<            |     |
| rhd_chr02     |                       |           | x(8)                   |     |
| rhd_chr03     |                       |           | x(8)                   |     |
| rhd_chr04     |                       |           | x(8)                   |     |
| rhd_chr05     |                       |           | x(8)                   |     |
| rhd_chr06     |                       |           | x(8)                   |     |
| rhd_chr07     |                       |           | x(8)                   |     |
| rhd_chr08     |                       |           | x(8)                   |     |
| rhd_chr09     |                       |           | x(8)                   |     |
| rhd_chr10     |                       |           | x(8)                   |     |
| rhd_dec01     |                       |           | >>>, >>>, >>9.99       | 10  |
| rhd_dec02     |                       |           | >>>, >>>, >>9.99       | 10  |
| rhd_dte01     |                       |           | 99/99/99               |     |
| rhd_dte02     |                       |           | 99/99/99               |     |
| rhd_log01     |                       |           | yes/no                 |     |
| rhd_qadc01    | QAD Character Field 1 |           | X(8)                   |     |
| rhd_qadc02    | QAD Character Field 2 |           | X(8)                   |     |
| rhd_qadc03    | QAD Character Field 3 |           | X(8)                   |     |
| rhd_qadd01    | QAD Date Field 1      |           | 99/99/99               |     |
| rhd_qadd02    | QAD Date Field 2      |           | 99/99/99               |     |
| rhd_qadd03    | QAD Date Field 3      |           | 99/99/99               |     |
| rhd_qadd04    | QAD Date Field 4      |           | 99/99/99               |     |
| rhd_qadd05    | QAD Date Field 5      |           | 99/99/99               |     |
| rhd_qadde01   | QAD Decimal Field 1   |           | ->>, >>9.99            | 10  |
| rhd_qadde02   | QAD Decimal Field 2   |           | ->>, >>9.99            | 10  |
| rhd_qadde03   | QAD decimal Field 3   |           | ->>, >>9.99            | 10  |
| rhd_qadi01    | QAD Integer Field 1   |           | ->, >>>, >>9           |     |
| rhd_qadi02    | QAD Integer Field 2   |           | ->, >>>, >>9           |     |
| rhd_qadi03    | QAD Integer Field 3   |           | ->, >>>, >>9           |     |
| rhd_qadi01    | QAD Logical Field 1   |           | yes/no                 |     |
| rhd_qadi02    | QAD Logical Field 2   |           | yes/no                 |     |
| rhd_qadi03    | QAD Logical Field 3   |           | yes/no                 |     |
| rhd_chg_type  | Charge Type           |           | x(8)                   |     |
| rhd_cmtindx   | Comment Index         |           | >>>>>>9                |     |
| rhd_covered   | Covered Amount        |           | >>>>, >>>, >>9.99<<<   | 10  |
| rhd_cpl_date  | Received Date         | Rec Date  | 99/99/99               |     |
| rhd_cust      | Customer              |           | x(8)                   |     |
| rhd_customs   | Customs Value         |           | >>>>, >>>, >>9.99      | 10  |
| rhd_cvr_pct   | Coverage Percent      | Cvr Per   | ->>, >>9.99            | 10  |
| rhd_desc      | Description           |           | X(24)                  |     |
| rhd_domain    | Domain                |           | x(8)                   |     |
| rhd_done      | Received              |           | yes/no                 |     |
| rhd_edit_isb  | Edit Installed Base   |           | yes/no                 |     |
| rhd_end       | End Time              |           | 99:99                  |     |
| rhd_enduser   | End User              |           | x(8)                   |     |
| rhd_eng_area  | Eng Area              |           | x(8)                   |     |
| rhd_eng_code  | Engineer Code         | Eng Code  | x(8)                   |     |
| rhd_eu_area   | End User Area         |           | x(8)                   |     |
| rhd_exp_date  | Expected Date         | Exp Date  | 99/99/99               |     |
| rhd_fault_cd  | Fault Code            | Fault     | x(8)                   |     |
| rhd_file_type |                       |           | x(3)                   |     |
| rhd_histype   | History Type          |           | x(4)                   |     |
| rhd_ins date  | Install Date          | Ins Date  | 99/99/99               |     |

| Field Name      | Label               | Col-Label | Format                  | Dec |
|-----------------|---------------------|-----------|-------------------------|-----|
| rh_d_iss        | Inv Iss             |           | yes/no                  |     |
| rh_d_line       | Line                | Ln        | >>9                     |     |
| rh_d_link       | Line to Line        |           | >>9                     |     |
| rh_d_loaner     | Loaner Sent         |           | yes/no                  |     |
| rh_d_loc        | To Location         |           | x(8)                    |     |
| rh_d_mod_date   | Modified Date       | Mod Date  | 99/99/99                |     |
| rh_d_mod_userid | User ID             |           | X(8)                    |     |
| rh_d_nbr        | Sales Order         | Order     | x(8)                    |     |
| rh_d_op_tran    | Op Tran             |           | X(8)                    |     |
| rh_d_par_date   | Parent Install Date | Par Ins   | 99/99/99                |     |
| rh_d_par_part   | Parent Item         |           | x(18)                   |     |
| rh_d_par_ser    | Parent Serial       |           | x(18)                   |     |
| rh_d_part       | Item                |           | x(18)                   |     |
| rh_d_prefix     | Prefix              |           | x(1)                    |     |
| rh_d_price      | Price               |           | >>>>, >>>, >>9.99<<<    | 10  |
| rh_d_process    | Processing          |           | x(2)                    |     |
| rh_d_procline   | Product Line        | Line      | x(4)                    |     |
| rh_d_qty_acp    | Qty Received        |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| rh_d_qty_non    | Qty Due Billed      |           | ->, >>>, >>9.9<<<       | 10  |
| rh_d_qty_ord    | Qty Expected        |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| rh_d_qty_rel    | Qty Released        |           | ->, >>>, >>9.9<<<       | 10  |
| rh_d_ref        | Ref                 |           | >>>>>>>9                |     |
| rh_d_restock    | Restock             |           | >>>, >>9.99<<<          | 10  |
| rh_d_rev        | Item Revision       |           | x(8)                    |     |
| rh_d_rma_line   | RMA Line            | Ln        | >>9                     |     |
| rh_d_rma_nbr    | Return Id           | Return    | x(8)                    |     |
| rh_d_rma_rtrn   | Parts Return        |           | yes/no                  |     |
| rh_d_sa_nbr     | Service Contract    |           | x(8)                    |     |
| rh_d_ser_lon    | Loaner Serial       |           | X(18)                   |     |
| rh_d_serial     | Serial              |           | x(18)                   |     |
| rh_d_ship       | Ship To             |           | x(8)                    |     |
| rh_d_site       | To Site             |           | x(8)                    |     |
| rh_d_start      | Start Time          |           | 99:99                   |     |
| rh_d_status     | Status              |           | x(8)                    |     |
| rh_d_sv_code    | Contract Type       |           | x(8)                    |     |
| rh_d_trans      | Transaction         | Tr        | x(4)                    |     |
| rh_d_trnbr      | Transaction         |           | >>>>>>>>>9              |     |
| rh_d_type       | Type                |           | x(2)                    |     |
| rh_d_um         | UM                  |           | X(2)                    |     |
| rh_d_um_conv    | UM Conv             |           | >>>>9.9999<<<<          | 10  |
| rh_d_user1      | Ufld1               |           | x(8)                    |     |
| rh_d_user2      | Ufld2               |           | x(8)                    |     |

| Index-Name      | Uni | Field-Name     | Asc | Abbr |
|-----------------|-----|----------------|-----|------|
| ◇ oid_rh_d_hist | yes | oid_rh_d_hist  | yes | no   |
|                 | no  | rh_d_domain    | yes | no   |
|                 |     | rh_d_nbr       | yes | no   |
|                 | no  | rh_d_domain    | yes | no   |
|                 |     | rh_d_part      | yes | no   |
|                 |     | rh_d_nbr       | yes | no   |
|                 |     | rh_d_prefix    | yes | no   |
|                 |     | rh_d_line      | yes | no   |
| * rh_d_trnbr    | yes | rh_d_domain    | yes | no   |
|                 |     | rh_d_file_type | yes | no   |
|                 |     | rh_d_trnbr     | yes | no   |

## Return Material Authorization Master

| Field Name     | Label                 | Col-Label | Format                         | Dec |
|----------------|-----------------------|-----------|--------------------------------|-----|
| oid_rma_mstr   |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rma_chr01      |                       |           | .9<<<<<<<<<                    |     |
| rma_chr02      |                       |           | x(8)                           |     |
| rma_chr03      |                       |           | x(8)                           |     |
| rma_chr04      |                       |           | x(8)                           |     |
| rma_chr05      |                       |           | x(8)                           |     |
| rma_chr06      |                       |           | x(8)                           |     |
| rma_chr07      |                       |           | x(8)                           |     |
| rma_chr08      |                       |           | x(8)                           |     |
| rma_chr09      |                       |           | x(8)                           |     |
| rma_chr10      |                       |           | x(8)                           |     |
| rma_dec01      | PST                   |           | >>>, >>>, >>9.99               | 10  |
| rma_dec02      |                       |           | >>>, >>>, >>9.99               | 10  |
| rma_dte01      |                       |           | 99/99/99                       |     |
| rma_dte02      |                       |           | 99/99/99                       |     |
| rma_log01      |                       |           | yes/no                         |     |
| rma_qadc01     | QAD Character Field 1 |           | X(8)                           |     |
| rma_qadc02     | QAD Character Field 2 |           | X(8)                           |     |
| rma_qadc03     | QAD Character Field 3 |           | X(8)                           |     |
| rma_qadc04     | QAD Character Field 4 |           | x(8)                           |     |
| rma_qadc05     | QAD Character Field 5 |           | x(8)                           |     |
| rma_qadd01     | QAD Decimal Field 1   |           | ->>>>, >>>, >>9.99<<<          | 10  |
| rma_qadd02     | QAD Decimal Field 2   |           | ->>>>, >>>, >>9.99<<<          | 10  |
| rma_qadd03     | QAD Decimal Field 3   |           | ->>>>, >>>, >>9.99<<<          | 10  |
| rma_qadd04     | QAD Decimal Field 4   |           | ->>>>, >>>, >>9.99<<<          | 10  |
| rma_qadi01     | QAD Integer Field 1   |           | ->, >>>, >>9                   |     |
| rma_qadi02     | QAD Integer Field 2   |           | ->, >>>, >>9                   |     |
| rma_qadi03     | QAD Integer Field 3   |           | ->, >>>, >>9                   |     |
| rma_qadl01     | QAD Logical Field 1   |           | yes/no                         |     |
| rma_qadl02     | QAD Logical Field 2   |           | yes/no                         |     |
| rma_qadt01     | QAD Date Field 1      |           | 99/99/99                       |     |
| rma_qadt02     | QAD Date Field 2      |           | 99/99/99                       |     |
| rma_qadt03     | QAD Date Field 3      |           | 99/99/99                       |     |
| rma_bill_to    | Bill To               |           | x(8)                           |     |
| rma_ca_nbr     | Call Id               |           | x(8)                           |     |
| rma_cmtindx    | Comment Index         | Comment   | >>>>>>>9                       |     |
| rma_complete   | Complete              | Cmp       | yes/no                         |     |
| rma_contract   | RMA Contract          |           | x(8)                           |     |
| rma_crprlist   | Credit Price List     | Cr Price  | x(8)                           |     |
| rma_cstmlist   | Customs List          | Customs   | x(8)                           |     |
| rma_ctype      | Contract Type         |           | x(8)                           |     |
| rma_cust_ven   | Customer              |           | x(8)                           |     |
| rma_domain     | Domain                |           | x(8)                           |     |
| rma_enduser    | End User              |           | x(8)                           |     |
| rma_eng_code   | Engineer Code         | Eng Code  | x(8)                           |     |
| rma_exp_date   | Expected Date         | Expected  | 99/99/99                       |     |
| rma_loc_iss    | Issue Location        |           | x(8)                           |     |
| rma_loc_rec    | Receive Location      |           | x(8)                           |     |
| rma_mod_date   | Modified Date         | Mod Date  | 99/99/99                       |     |
| rma_mod_userid | User ID               |           | X(8)                           |     |
| rma_nbr        | RMA                   |           | x(8)                           |     |
| rma_ord_date   | Order Date            | Ord Date  | 99/99/99                       |     |
| rma_pr_list    | Price List            | List      | x(8)                           |     |
| rma_prefix     | Prefix                |           | x(1)                           |     |



|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rma_mstr | yes | oid_rma_mstr | yes | no   |
|   | rma_ca_nbr   | no  | rma_domain   | yes | no   |
|   |              |     | rma_ca_nbr   | yes | no   |
|   |              |     | rma_nbr      | yes | no   |
|   | rma_cust_ven | yes | rma_domain   | yes | no   |
|   |              |     | rma_cust_ven | yes | no   |
|   |              |     | rma_nbr      | yes | no   |
|   |              |     | rma_prefix   | yes | no   |
| * | rma_nbr      | yes | rma_domain   | yes | no   |
|   |              |     | rma_nbr      | yes | no   |
|   |              |     | rma_prefix   | yes | no   |

## Return Material Authorization Control

| Field Name  | Label | Col-Label | Format                   | Dec |
|-------------|-------|-----------|--------------------------|-----|
| oid_rmc_ctl |       |           | >>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |       |           | .9<<<<<<<<               |     |
| rmc_chr01   |       |           | x(8)                     |     |
| rmc_chr02   |       |           | x(8)                     |     |
| rmc_chr03   |       |           | x(8)                     |     |
| rmc_chr04   |       |           | x(8)                     |     |
| rmc_chr05   |       |           | x(8)                     |     |
| rmc_chr06   |       |           | x(8)                     |     |
| rmc_chr07   |       |           | x(8)                     |     |
| rmc_chr08   |       |           | x(8)                     |     |
| rmc_chr09   |       |           | x(8)                     |     |
| rmc_chr10   |       |           | x(8)                     |     |
| rmc_dec01   |       |           | ->>>, >>>, >>9.99        | 10  |
| rmc_dec02   |       |           | ->>>, >>>, >>9.99        | 10  |
| rmc_dec03   |       |           | ->>>, >>>, >>9.99        | 10  |
| rmc_dte01   |       |           | 99/99/99                 |     |
| rmc_dte02   |       |           | 99/99/99                 |     |
| rmc_dte03   |       |           | 99/99/99                 |     |
| rmc_dte04   |       |           | 99/99/99                 |     |
| rmc_log01   |       |           | yes/no                   |     |
| rmc_log02   |       |           | yes/no                   |     |

| Field Name       | Label                     | Col-Label    | Format                | Dec |
|------------------|---------------------------|--------------|-----------------------|-----|
| rmc__log03       |                           |              | yes/no                |     |
| rmc__log04       |                           |              | yes/no                |     |
| rmc__log05       |                           |              | yes/no                |     |
| rmc__qadc01      | QAD Character Field 1     |              | X(8)                  |     |
| rmc__qadc02      | QAD Character Field 2     |              | X(8)                  |     |
| rmc__qadc03      | QAD Character Field 3     |              | X(8)                  |     |
| rmc__qadc04      |                           |              | x(4)                  |     |
| rmc__qadc05      |                           |              | x(8)                  |     |
| rmc__qadc06      |                           |              | x(4)                  |     |
| rmc__qadd01      | QAD Decimal Field 1       |              | ->>>>, >>>, >>9.99<<< | 10  |
| rmc__qadd02      | QAD Decimal Field 2       |              | ->>>>, >>>, >>9.99<<< | 10  |
| rmc__qadi01      | QAD Integer Field 1       |              | ->, >>>, >>9          |     |
| rmc__qadi02      | QAD Integer Field 2       |              | ->, >>>, >>9          |     |
| rmc__qadi03      |                           |              | >>>>>>9               |     |
| rmc__qadi04      |                           |              | ->>>>>>9              |     |
| rmc__qadi01      | QAD Logical Field 1       |              | yes/no                |     |
| rmc__qadi02      | QAD Logical Field 2       |              | yes/no                |     |
| rmc__qadi03      | QAD Logical Field 3       |              | yes/no                |     |
| rmc_all_days     | Allocate Days             |              | >>>>>9                |     |
| rmc_consume      | Consume Forecast          | Consume Fcst | yes/no                |     |
| rmc_det_all      | Detail Allocations        |              | yes/no                |     |
| rmc_dflt_rma     | Default RMA Contract      |              | x(8)                  |     |
| rmc_disp_trail   | RMA Trailer Display       |              | yes/no                |     |
| rmc_domain       | Domain                    |              | x(8)                  |     |
| rmc_edit_isb     | Edit Installed Base       |              | yes/no                |     |
| rmc_hcmmnts      | RMA Header Comments       |              | yes/no                |     |
| rmc_hist         | Return History            |              | yes/no                |     |
| rmc_history      | Keep Booking History      |              | yes/no                |     |
| rmc_issues       | Issues First              |              | yes/no                |     |
| rmc_lcmmnts      | RMA Line Comments         |              | yes/no                |     |
| rmc_loc_is       | Customer Return Location  |              | x(8)                  |     |
| rmc_loc_iv       | Return From Supplier Loc  |              | x(8)                  |     |
| rmc_loc_os       | Customer Spares Location  |              | x(8)                  |     |
| rmc_loc_ov       | At Supplier Location      |              | x(8)                  |     |
| rmc_mod_date     | Modified Date             | Mod Date     | 99/99/99              |     |
| rmc_mod_userid   | User ID                   |              | X(8)                  |     |
| rmc_node         | Node                      |              | x(8)                  |     |
| rmc_pl           | Item Product Line         |              | yes/no                |     |
| rmc_po_nbr       | Next RTS Purchase Order   |              | >>>>>>>9              |     |
| rmc_po_pre       | Purchase Order Prefix     |              | x(3)                  |     |
| rmc_po_ratetype  | RTS Rate Type             |              | x(8)                  |     |
| rmc_print_trail  | Print Trailer             |              | yes/no                |     |
| rmc_prt_rtn      | Print No Charge Receipts  |              | yes/no                |     |
| rmc_repair_cd    | Repair Code               |              | x(8)                  |     |
| rmc_rma_accounts | Display RMA accounts      |              | yes/no                |     |
| rmc_route        | Schedule                  |              | x(8)                  |     |
| rmc_rtn_taxc     | Tax Class for Returns     |              | x(3)                  |     |
| rmc_rtv_trn      | Default RTV Transaction   |              | x(4)                  |     |
| rmc_site_is      | Customer Return Site      |              | x(8)                  |     |
| rmc_site_iv      | Return From Supplier Site |              | x(8)                  |     |
| rmc_site_lb      | Default Labor Site        |              | x(8)                  |     |
| rmc_site_os      | Customer Spares Site      |              | x(8)                  |     |
| rmc_site_ov      | At Supplier Site          |              | x(8)                  |     |
| rmc_so_nbr       | Next RMA Sales Order      |              | >>>>>>>9              |     |
| rmc_so_pre       | RMA Sales Order Prefix    |              | x(3)                  |     |
| rmc_so_ratetype  | RMA Rate Type             |              | x(8)                  |     |

| Field Name    | Label                     | Col-Label | Format | Dec |
|---------------|---------------------------|-----------|--------|-----|
| rmc_swsa      | Display Service Contracts |           | yes/no |     |
| rmc_turn_days | Turn Around Days          |           | >>9    |     |
| rmc_user1     | Ufld1                     |           | x(8)   |     |
| rmc_user2     | Ufld2                     |           | x(8)   |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_rmc_ctrl | yes | oid_rmc_ctrl | yes | no   |
| * rmc_node     | yes | rmc_domain   | yes | no   |
|                |     | rmc_node     | yes | no   |

## Return Material Authorization Detail

| Field Name     | Label                 | Col-Label | Format                     | Dec |
|----------------|-----------------------|-----------|----------------------------|-----|
| oid_rmd_det    |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rmd_chr01      |                       |           | .9<<<<<<<<                 |     |
| rmd_chr02      |                       |           | x(8)                       |     |
| rmd_chr03      |                       |           | x(8)                       |     |
| rmd_chr04      |                       |           | x(8)                       |     |
| rmd_chr05      |                       |           | x(8)                       |     |
| rmd_chr06      |                       |           | x(8)                       |     |
| rmd_chr07      |                       |           | x(8)                       |     |
| rmd_chr08      |                       |           | x(8)                       |     |
| rmd_chr09      |                       |           | x(8)                       |     |
| rmd_chr10      |                       |           | x(8)                       |     |
| rmd_dec01      |                       |           | >>>, >>>, >>9.99           | 10  |
| rmd_dec02      |                       |           | >>>, >>>, >>9.99           | 10  |
| rmd_dte01      |                       |           | 99/99/99                   |     |
| rmd_dte02      |                       |           | 99/99/99                   |     |
| rmd_log01      |                       |           | yes/no                     |     |
| rmd_qadc01     | QAD Character Field 1 |           | X(8)                       |     |
| rmd_qadc02     | QAD Character Field 2 |           | X(8)                       |     |
| rmd_qadc03     | QAD Character Field 3 |           | X(8)                       |     |
| rmd_qadc04     |                       |           | x(4)                       |     |
| rmd_qadd01     | QAD Decimal Field 1   |           | ->>>>, >>>, >>9.99         | 10  |
| rmd_qadd02     | QAD Decimal Field 2   |           | ->>>>, >>>, >>9.99         | 10  |
| rmd_qadd03     | QAD Decimal Field 3   |           | ->>, >>9.99                | 10  |
| rmd_qadi01     | QAD Integer Field 1   |           | ->, >>>, >>9               |     |
| rmd_qadi02     | QAD Integer Field 2   |           | ->, >>>, >>9               |     |
| rmd_qadi03     | QAD Integer Field 3   |           | ->, >>>, >>9               |     |
| rmd_qadl01     | QAD Logical Field 1   |           | yes/no                     |     |
| rmd_qadl02     | QAD Logical Field 2   |           | yes/no                     |     |
| rmd_qadl03     | QAD Logical Field 3   |           | yes/no                     |     |
| rmd_qadt01     | QAD Date Field 1      |           | 99/99/99                   |     |
| rmd_qadt02     | QAD Date Field 2      |           | 99/99/99                   |     |
| rmd_qadt03     | QAD Date Field 3      |           | 99/99/99                   |     |
| rmd_qadt04     | QAD Date Field 4      |           | 99/99/99                   |     |
| rmd_qadt05     | QAD Date Field 5      |           | 99/99/99                   |     |
| rmd_chg_type   | Charge Type           | CT        | x(2)                       |     |
| rmd_cmtindx    | Comment Index         | Comment   | >>>>>>>9                   |     |
| rmd_comment[5] | Comments              |           | x(40)                      |     |
| rmd_covered    | Covered Amount        |           | >>>>, >>>, >>9.99<<<       | 10  |

| Field Name     | Label               | Col-Label | Format               | Dec |
|----------------|---------------------|-----------|----------------------|-----|
| rmd_cpl_date   | Received Date       | Rec Date  | 99/99/99             |     |
| rmd_customs    | Customs Value       |           | >>>>,>>>,>>9.99<<<   | 10  |
| rmd_cvr_pct    | Coverage Percent    | Cvr Per   | ->>,>>9.99           | 10  |
| rmd_desc       | Description         |           | x(24)                |     |
| rmd_domain     | Domain              |           | x(8)                 |     |
| rmd_done       | Received            |           | yes/no               |     |
| rmd_edit_isb   | Edit Installed Base |           | yes/no               |     |
| rmd_end        | End Time            | End       | 99:99                |     |
| rmd_eng_code   | Engineer Code       | Eng Code  | x(8)                 |     |
| rmd_exp_date   | Expected Date       | Exp Date  | 99/99/99             |     |
| rmd_fault_cd   | Fault Code          | Fault     | x(8)                 |     |
| rmd_ins_date   | Install Date        |           | 99/99/99             |     |
| rmd_iss        | Inv Iss             |           | yes/no               |     |
| rmd_line       | Line                | Ln        | >>9                  |     |
| rmd_link       | Line to Line        |           | >>9                  |     |
| rmd_loaner     | Loaner Sent         |           | yes/no               |     |
| rmd_loc        | To Location         |           | x(8)                 |     |
| rmd_mod_date   | Modified Date       | Mod Date  | 99/99/99             |     |
| rmd_mod_userid | User ID             |           | X(8)                 |     |
| rmd_nbr        | Sales Order         | Order     | x(8)                 |     |
| rmd_op_tran    | Op Tran             |           | x(8)                 |     |
| rmd_par_date   | Parent Install Date |           | 99/99/99             |     |
| rmd_par_part   | Parent Item         |           | x(18)                |     |
| rmd_par_ser    | Parent Serial       |           | x(18)                |     |
| rmd_part       | Item                |           | x(18)                |     |
| rmd_prefix     | Prefix              |           | x(1)                 |     |
| rmd_price      | Price               |           | >>>>,>>>,>>9.99<<<   | 10  |
| rmd_process    | Processing          |           | x(2)                 |     |
| rmd_prodlne    | Product Line        | Line      | x(4)                 |     |
| rmd_qty_acp    | Qty Received        |           | ->,>>>,>>9.9<<<<<<<< | 10  |
| rmd_qty_non    | Qty Due Billed      |           | ->,>>>,>>9.9<<<<<<<< | 10  |
| rmd_qty_ord    | Qty Expected        |           | ->,>>>,>>9.9<<<<<<<< | 10  |
| rmd_qty_rel    | Qty Released        |           | ->,>>>,>>9.9<<<<<<<< | 10  |
| rmd_ref        | Ref                 |           | >>>>>>>9             |     |
| rmd_restock    | Restock             |           | >>>,>>9.99<<<        | 10  |
| rmd_rev        | Item Revision       |           | x(8)                 |     |
| rmd_rma_line   | RMA Line            | Ln        | >>9                  |     |
| rmd_rma_nbr    | Return Id           | Return    | x(8)                 |     |
| rmd_rma_rtrn   | Parts Return        |           | yes/no               |     |
| rmd_route      | Schedule            |           | x(8)                 |     |
| rmd_sa_nbr     | Service Contract    |           | x(8)                 |     |
| rmd_ser        | Lot/Serial          |           | x(18)                |     |
| rmd_ser_lon    | Loaner Serial       |           | x(18)                |     |
| rmd_site       | To Site             |           | x(8)                 |     |
| rmd_start      | Start Time          | Start     | 99:99                |     |
| rmd_status     | Status              |           | x(8)                 |     |
| rmd_sv_code    | Contract Type       |           | x(8)                 |     |
| rmd_type       | Type                |           | x(2)                 |     |
| rmd_um         | UM                  |           | x(2)                 |     |
| rmd_um_conv    | UM Conversion       | UM Conv   | >>>>9.9999<<<<       | 10  |
| rmd_user1      | Ufld1               |           | x(8)                 |     |
| rmd_user2      | Ufld2               |           | x(8)                 |     |



## Rounding Method Master

| Field Name   | Label              | Col-Label | Format                         | Dec |
|--------------|--------------------|-----------|--------------------------------|-----|
| oid_rnd_mstr |                    |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                    |           | .9<<<<<<<<<                    |     |
| rnd_chr01    |                    |           | x(8)                           |     |
| rnd_chr02    |                    |           | x(8)                           |     |
| rnd_chr03    |                    |           | x(8)                           |     |
| rnd_chr04    |                    |           | x(8)                           |     |
| rnd_qad01    |                    |           | x(8)                           |     |
| rnd_qad02    |                    |           | x(8)                           |     |
| rnd_qad03    |                    |           | x(8)                           |     |
| rnd_qad04    |                    |           | x(8)                           |     |
| Δ rnd_qadc01 |                    |           | x(24)                          |     |
| Δ rnd_qadc02 |                    |           | x(24)                          |     |
| rnd_desc     | Description        |           | x(24)                          |     |
| rnd_rnd_mthd | Rounding Method    | Rnd! Mthd | x(1)                           |     |
| rnd_thrshld  | Rounding Threshold | Threshold | >, >>9.9999                    | 10  |
| rnd_unit     | Rounding Unit      | Rnd Unit  | >, >>9.999                     | 10  |
| rnd_user1    | Ufld1              |           | x(8)                           |     |
| rnd_user2    | Ufld2              |           | x(8)                           |     |

| Index-Name      | Uni | Field-Name   | Asc | Abbr |
|-----------------|-----|--------------|-----|------|
| ◇ oid_rnd_mstr  | yes | oid_rnd_mstr | yes | no   |
| Δ rnd_desc      | no  | rnd_desc     | yes | no   |
|                 |     | rnd_rnd_mthd | yes | no   |
| Δ* rnd rnd mthd | yes | rnd rnd mthd | yes | no   |

### Role

| Field Name      | Label | Col-Label | Format          | Dec |
|-----------------|-------|-----------|-----------------|-----|
| BusComponent_ID |       |           | 9999999999      |     |
| CustomCombo0    |       |           | x(20)           |     |
| CustomCombo1    |       |           | x(20)           |     |
| CustomCombo2    |       |           | x(20)           |     |
| CustomCombo3    |       |           | x(20)           |     |
| CustomCombo4    |       |           | x(20)           |     |
| CustomCombo5    |       |           | x(20)           |     |
| CustomCombo6    |       |           | x(20)           |     |
| CustomCombo7    |       |           | x(20)           |     |
| CustomCombo8    |       |           | x(20)           |     |
| CustomCombo9    |       |           | x(20)           |     |
| CustomDate0     |       |           | 99/99/9999      |     |
| CustomDate1     |       |           | 99/99/9999      |     |
| CustomDate2     |       |           | 99/99/9999      |     |
| CustomDate3     |       |           | 99/99/9999      |     |
| CustomDate4     |       |           | 99/99/9999      |     |
| CustomDecimal0  |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal1  |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal2  |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal3  |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal4  |       |           | ->, >>>, >>9.99 | 4   |
| CustomInteger0  |       |           | ->, >>>, >>9    |     |
| CustomInteger1  |       |           | ->, >>>, >>9    |     |

| Field Name              | Label | Col-Label | Format     | Dec |
|-------------------------|-------|-----------|------------|-----|
| CustomInteger2          |       |           | ->,>>>,>>9 |     |
| CustomInteger3          |       |           | ->,>>>,>>9 |     |
| CustomInteger4          |       |           | ->,>>>,>>9 |     |
| CustomLong0             |       |           | x(255)     |     |
| CustomLong1             |       |           | x(255)     |     |
| CustomNote              |       |           | x(4000)    |     |
| CustomShort0            |       |           | x(20)      |     |
| CustomShort1            |       |           | x(20)      |     |
| CustomShort2            |       |           | x(20)      |     |
| CustomShort3            |       |           | x(20)      |     |
| CustomShort4            |       |           | x(20)      |     |
| CustomShort5            |       |           | x(20)      |     |
| CustomShort6            |       |           | x(20)      |     |
| CustomShort7            |       |           | x(20)      |     |
| CustomShort8            |       |           | x(20)      |     |
| CustomShort9            |       |           | x(20)      |     |
| LastModifiedDate        |       |           | 99/99/9999 |     |
| LastModifiedTime        |       |           | 99999      |     |
| LastModifiedUser        |       |           | x(20)      |     |
| Role_ID                 |       |           | 9999999999 |     |
| RoleBusComponentConcept |       |           | x(20)      |     |
| RoleDescription         |       |           | x(24)      |     |
| RoleIsActive            |       |           | yes/no     |     |
| RoleName                |       |           | x(20)      |     |

| Index-Name  | Uni | Field-Name      | Asc | Abbr |
|-------------|-----|-----------------|-----|------|
| ◇ Component | no  | BusComponent_ID | yes | no   |
| ◇* Prim     | yes | Role_ID         | yes | no   |
| ◇ RoleName  | yes | RoleName        | yes | no   |

### ◇ **RoleResource** Link Role-Resource

| Field Name           | Label | Col-Label | Format     | Decimals |
|----------------------|-------|-----------|------------|----------|
| LastModifiedDate     |       |           | 99/99/9999 |          |
| LastModifiedTime     |       |           | 99999      |          |
| LastModifiedUser     |       |           | x(20)      |          |
| Resource_ID          |       |           | 9999999999 |          |
| Role_ID              |       |           | 9999999999 |          |
| RoleResource_ID      |       |           | 9999999999 |          |
| RoleResourcesDefault |       |           | yes/no     |          |

| Index-Name    | Uni | Field-Name      | Asc | Abbr |
|---------------|-----|-----------------|-----|------|
| ♦* Prim       | yes | RoleResource_ID | yes | no   |
| ♦ Resource_FK | no  | Resource_ID     | yes | no   |
| ♦ Role_FK     | no  | Role_ID         | yes | no   |

### ◇ RoundingMethod Rounding Method

| Field Name                | Label       | Col-Label   | Format     | Dec |
|---------------------------|-------------|-------------|------------|-----|
| RoundingMethod_ID         | Record ID   | Record ID   | 9999999999 |     |
| RoundingMethodCode        | Code        | Code        | x(1)       |     |
| RoundingMethodDescription | Description | Description | x(24)      |     |
| RoundingMethodThreshold   | Threshold   | Threshold   | >,>>9.9999 | 4   |
| RoundingMethodUnit        | Unit        | Unit        | >,>>9.999  | 3   |

| Index-Name | Uni | Field-Name         | Asc | Abbr |
|------------|-----|--------------------|-----|------|
| ◇ Code     | yes | RoundingMethodCode | yes | no   |
| ◇* Prim    | yes | RoundingMethod ID  | yes | no   |

|               |                          |
|---------------|--------------------------|
| <b>ro_det</b> | Routing Operation Detail |
|---------------|--------------------------|

| Field Name | Label                 | Col-Label | Format                         | Dec |
|------------|-----------------------|-----------|--------------------------------|-----|
| oid_ro_det |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ro__chr01  |                       |           | .9<<<<<<<<<                    |     |
| ro__chr02  |                       |           | x(8)                           |     |
| ro__chr03  |                       |           | x(8)                           |     |
| ro__chr04  |                       |           | x(8)                           |     |
| ro__chr05  |                       |           | x(8)                           |     |
| ro__dec01  |                       |           | >>>, >>>, >>9.99               | 10  |
| ro__dec02  |                       |           | >>>, >>>, >>9.99               | 10  |
| ro__dte01  |                       |           | 99/99/99                       |     |
| ro__dte02  |                       |           | 99/99/99                       |     |
| ro__log01  |                       |           | yes/no                         |     |
| ro_qadc01  | QAD Character Field 1 |           | X(8)                           |     |



| Field Name    | Label                 | Col-Label   | Format                   | Dec |
|---------------|-----------------------|-------------|--------------------------|-----|
| ro__qadc02    | QAD Character Field 2 |             | X(8)                     |     |
| ro__qadc03    | QAD Character Field 3 |             | X(8)                     |     |
| ro__qade01    | QAD Decimal Field 1   |             | ->>>, >>>, >>9.99<<      | 10  |
| ro__qade02    | QAD Decimal Field 2   |             | ->>>, >>>, >>9.99<<      | 10  |
| ro__qadl01    | QAD Logical Field 1   |             | yes/no                   |     |
| ro__qadl02    | QAD Logical Field 2   |             | yes/no                   |     |
| ro__qadt01    | QAD Date Field 1      |             | 99/99/99                 |     |
| ro__qadt02    | QAD Date Field 2      |             | 99/99/99                 |     |
| ro_auto_lbr   | Auto Labor Report     |             | yes/no                   |     |
| ro_batch      | Batch Qty             | Batch! Qty  | >, >>>, >>9.9<<<<<<<<<   | 10  |
| ro_bom_code   | BOM Code              |             | x(18)                    |     |
| ro_cmtindx    | Comment Index         | Comment     | >>>>>>9                  |     |
| ro_cost       | Cost                  |             | >>>>, >>>, >>9.99<<<     | 10  |
| ro_cyc_rate   | Cycles/Hour           |             | >>>, >>9.999             | 10  |
| ro_cyc_unit   | Units/Cycle           |             | >>>>>9                   | 10  |
| ro_desc       | Description           |             | x(24)                    |     |
| ro_domain     | Domain                |             | x(8)                     |     |
| ro_elm_bdn    | Burden Element        | Bdn Elmt    | x(8)                     |     |
| ro_elm_lbr    | Labor Element         | Lbr Elmt    | x(8)                     |     |
| ro_elm_sub    | Subcontract Element   | Sub Elmt    | x(8)                     |     |
| ro_end        | End Date              | End         | 99/99/99                 |     |
| ro_end_ecn    | End ECN               |             | x(8)                     |     |
| ro_fsc_code   | Service Category      |             | X(8)                     |     |
| ro_fsm_type   | FSM Type              |             | x(8)                     |     |
| ro_inv_value  | Inventory Value       |             | >>>>, >>>, >>9.99<<<     | 10  |
| ro_lbr_ovhd   | Labor Overhead        | Labor Ovhd  | >>, >>9.999              | 10  |
| ro_mch        | Machine               |             | x(8)                     |     |
| ro_mch_op     | Machines per Op       | Mach / Op   | ->, >>>, >>9             |     |
| ro_men_mch    | Run Crew              |             | ->>, >>9.99              | 10  |
| ro_milestone  | Milestone Operation   | Milestone   | yes/no                   |     |
| ro_mod_date   | Modified Date         | Mod Date    | 99/99/99                 |     |
| ro_mod_userid | User ID               |             | X(8)                     |     |
| ro_move       | Move Time             | Move        | >, >>9.9<<               | 10  |
| ro_mv_nxt_op  | Move Next Op          |             | yes/no                   |     |
| ro_op         | Operation             | Op          | >>>>9                    |     |
| ro_po_line    | Line                  | Ln          | >>9                      |     |
| ro_po_nbr     | Purchase Order        | PO          | x(8)                     |     |
| ro_price      | Price                 |             | >>>>, >>>, >>9.99<<<     | 10  |
| ro_queue      | Queue Time            | Queue       | >, >>9.9<<               | 10  |
| ro_rollup     | Rollup Req'd          |             | yes/no                   |     |
| ro_rollup_id  | Rollup ID             |             | x(8)                     |     |
| ro_routing    | Routing Code          |             | x(18)                    |     |
| ro_run        | Run Time              | Run         | >>>, >>>, >>9.9<<<<<<<<< | 10  |
| ro_setup      | Setup Time            | Setup       | >, >>9.9<<               | 10  |
| ro_setup_men  | Setup Crew            |             | ->>, >>9.99              | 10  |
| ro_start      | Start Date            | Start       | 99/99/99                 |     |
| ro_start_ecn  | Start ECN             |             | x(8)                     |     |
| ro_std_batch  | Standard Batch Size   | Batch       | >>>, >>9.9               | 10  |
| ro_std_op     | Standard Operation    | Std Op      | x(8)                     |     |
| ro_sub_cost   | Subcontract Cost      | Subcontract | >>>>, >>>, >>9.99<<<     | 10  |
| ro_sub_lead   | Subcontract LT        | Sub LT      | >>9                      |     |
| ro_tool       | Tool Code             | Tool        | x(8)                     |     |
| ro_tran_qty   | Overlap Units         | Overlap     | ->, >>>, >>9             |     |
| ro_user1      | Ufld1                 |             | x(8)                     |     |
| ro_user2      | Ufld2                 |             | x(8)                     |     |
| ro_vend       | Supplier              |             | x(8)                     |     |



## Repetitive Production Schedule Master

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_rps_mstr | yes | oid_rps_mstr | yes | no   |
| * rps_part     | yes | rps_domain   | yes | no   |
|                |     | rps_part     | yes | no   |
|                |     | rps_site     | yes | no   |
|                |     | rps_line     | yes | no   |
|                |     | rps_due_date | yes | no   |
| rps_record     | yes | rps_domain   | yes | no   |
|                |     | rps_record   | yes | no   |
| rps_site       | yes | rps_domain   | yes | no   |
|                |     | rps_site     | yes | no   |
|                |     | rps_part     | yes | no   |
|                |     | rps_line     | yes | no   |
|                |     | rps_due_date | yes | no   |
| rps_site_line  | no  | rps_domain   | yes | no   |
|                |     | rps_site     | yes | no   |
|                |     | rps_line     | yes | no   |
|                |     | rps_rel_date | yes | no   |
|                |     | rps_part     | yes | no   |

## Requisition Approver Master



| Field Name     | Label                   | Col-Label       | Format   | Dec |
|----------------|-------------------------|-----------------|----------|-----|
| rqa_admin_apr  | Administrative Approver | Admin.          | x(8)     |     |
| rqa_alt_apr[2] | Alternate Approver      | Alt.            | x(8)     |     |
| rqa_apr        | User Id                 |                 | x(8)     |     |
| rqa_apr_level  | Approval Level          | Approval! Level | 99       |     |
| rqa_apr_req    | Approval Required       | Req             | yes/no   |     |
| rqa_category   | Category                |                 | x(8)     |     |
| rqa_cc_from    | Cost Ctr From           | From! CC        | X(4)     |     |
| rqa_cc_to      | Cost Ctr To             | To! CC          | X(4)     |     |
| rqa_domain     | Domain                  |                 | x(8)     |     |
| rqa_end        | End Effective           | End             | 99/99/99 |     |
| Δ rqa_entity   | Entity                  |                 | x(20)    |     |
| rqa_job        | Job                     |                 | X(8)     |     |
| rqa_prod_line  | Product Line            | Product! Line   | x(8)     |     |
| rqa_rvw_level  | Review Level            | Review! Level   | 99       |     |
| rqa_rvw_req    | Review Required         | Req             | yes/no   |     |
| rqa_site       | Site                    |                 | x(8)     |     |
| rqa_start      | Start Effective         | Start           | 99/99/99 |     |
| rqa_sub_from   | Sub-Account From        | From! Sub       | X(8)     |     |
| rqa_sub_to     | Sub-Account To          | To! Sub         | X(8)     |     |
| rqa_type       | Type                    |                 | >9       |     |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_rqa_mstr | yes | oid_rqa_mstr  | yes | no   |
| * rqa_apr_type | yes | rqa_domain    | yes | no   |
|                |     | rqa_apr       | yes | no   |
|                |     | rqa_type      | yes | no   |
|                |     | rqa_site      | yes | no   |
|                |     | rqa_prod_line | yes | no   |
|                |     | rqa_entity    | yes | no   |
|                |     | rqa_job       | yes | no   |
|                |     | rqa_category  | yes | no   |
|                |     | rqa_sub_from  | yes | no   |
|                |     | rqa_cc_from   | yes | no   |
|                |     | rqa_start     | yes | no   |
| rqa_type       | yes | rqa_domain    | yes | no   |
|                |     | rqa_type      | yes | no   |
|                |     | rqa_site      | yes | no   |
|                |     | rqa_prod_line | yes | no   |
|                |     | rqa_entity    | yes | no   |
|                |     | rqa_job       | yes | no   |
|                |     | rqa_category  | yes | no   |
|                |     | rqa_sub_from  | yes | no   |
|                |     | rqa_cc_from   | yes | no   |
|                |     | rqa_start     | yes | no   |
|                |     | rqa_apr       | yes | no   |
| rqa_type_apr   | yes | rqa_domain    | yes | no   |
|                |     | rqa_type      | yes | no   |
|                |     | rqa_apr       | yes | no   |
|                |     | rqa_site      | yes | no   |
|                |     | rqa_prod_line | yes | no   |
|                |     | rqa_entity    | yes | no   |
|                |     | rqa_job       | yes | no   |
|                |     | rqa_category  | yes | no   |
|                |     | rqa_sub_from  | yes | no   |
|                |     | rqa_cc_from   | yes | no   |
|                |     | rqa_start     | yes | no   |

### Requisition Category Detail

|                    | Index-Name     | Uni            | Field-Name     | Asc | Abbr |
|--------------------|----------------|----------------|----------------|-----|------|
| ◇                  | oid_rqcd_det   | yes            | oid_rqcd_det   | yes | no   |
|                    | rqcd_acct_from | no             | rqcd_domain    | yes | no   |
|                    |                |                | rqcd_acct_from | yes | no   |
|                    |                |                | rqcd_sub_from  | yes | no   |
|                    |                |                | rqcd_category  | yes | no   |
| *    rqcd_category | yes            | rqcd_domain    | yes            | no  |      |
|                    |                | rqcd_category  | yes            | no  |      |
|                    |                | rqcd_acct_from | yes            | no  |      |
|                    |                | rqcd_sub_from  | yes            | no  |      |
|                    |                |                |                |     |      |

## Requisition Category Master

| Field Name   | Label       | Col-Label | Format                            | Dec |
|--------------|-------------|-----------|-----------------------------------|-----|
| oid_rqc_mstr |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 |     |
| rqc__chr01   |             |           | .9<<<<<<<<<<                      |     |
| rqc__chr01   |             |           | x(8)                              |     |
| rqc__chr02   |             |           | x(8)                              |     |
| rqc__chr03   |             |           | x(8)                              |     |
| rqc__chr04   |             |           | x(8)                              |     |
| rqc__qadc01  | QAD Field   |           | X(8)                              | 0   |
| rqc__qadc02  | QAD Field   |           | X(8)                              | 0   |
| rqc__qadc03  | QAD Field   |           | X(8)                              | 0   |
| rqc__qadc04  | QAD Field   |           | X(8)                              | 0   |
| rqc_category | Category    |           | x(8)                              |     |
| rqc_desc     | Description |           | x(24)                             |     |
| rqc_domain   | Domain      |           | x(8)                              |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rqc_mstr | yes | oid_rqc_mstr | yes | no   |
| * | rqc_category | yes | rqc_domain   | yes | no   |
|   |              |     | rqc_category | yes | no   |
|   |              |     | rqc_domain   | yes | no   |
|   | rqc_desc     | no  | rqc_desc     | yes | no   |

**rqda\_det**

### Requisition Approval Detail

| Field Name      | Label      | Col-Label | Format                         | Dec |
|-----------------|------------|-----------|--------------------------------|-----|
| oid_rqda_det    |            |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                 |            |           | .9<<<<<<<<<<                   |     |
| rqda__chr01     |            |           | x(8)                           |     |
| rqda__chr02     |            |           | x(8)                           |     |
| rqda__chr03     |            |           | x(8)                           |     |
| rqda__chr04     |            |           | x(8)                           |     |
| rqda__qadc01    | QAD Field  |           | X(8)                           | 0   |
| rqda__qadc02    | QAD Field  |           | X(8)                           | 0   |
| rqda__qadc03    | QAD Field  |           | X(8)                           | 0   |
| rqda__qadc04    | QAD Field  |           | X(8)                           | 0   |
| rqda_action     | Action     |           | x(20)                          |     |
| rqda_apr_userid | User ID    |           | x(8)                           |     |
| rqda_date       | Date       |           | 99/99/99                       |     |
| rqda_domain     | Domain     |           | x(8)                           |     |
| rqda_ent_userid | Entered By |           | x(8)                           |     |
| rqda_nbr        | Req Nbr    |           | x(8)                           |     |
| rqda_time       | Time       |           | >>>>>>>9                       |     |

|   | Index-Name      | Uni | Field-Name      | Asc | Abbr |
|---|-----------------|-----|-----------------|-----|------|
| ◇ | oid_rqda_det    | yes | oid_rqda_det    | yes | no   |
|   | rqda_apr_userid | no  | rqda_domain     | yes | no   |
|   |                 |     | rqda_apr_userid | yes | no   |
|   |                 |     | rqda_nbr        | yes | no   |
| * | rqda_nbr        | yes | rqda_domain     | yes | no   |
|   |                 |     | rqda_nbr        | yes | no   |
|   |                 |     | rqda_apr_userid | yes | no   |

**rqd\_det**

### Requisition Detail

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>             | <b>Dec</b> |
|-------------------|--------------|------------------|---------------------------|------------|
| oid_rqd_det       |              |                  | >>>>>>>>>>>>>>>>>>>>>9 10 |            |
| rqd_chr01         |              |                  | .9<<<<<<<<                |            |
| rqd_chr02         |              |                  | x(8)                      |            |
| rqd_chr03         |              |                  | x(8)                      |            |
| rqd_chr04         |              |                  | x(8)                      |            |
| rqd_qadc01        | QAD Field    |                  | X(8)                      | 0          |
| rqd_qadc02        | QAD Field    |                  | X(8)                      | 0          |
| rqd_qadc03        | QAD Field    |                  | X(8)                      | 0          |

| Field Name          | Label              | Col-Label          | Format               | Dec |
|---------------------|--------------------|--------------------|----------------------|-----|
| rqd__qadc04         | QAD Field          |                    | X(8)                 | 0   |
| rqd_acct            | Pur Acct           |                    | x(8)                 |     |
| rqd_aprv_stat       | Aprvl Status       |                    | x(16)                |     |
| rqd_assay           | Assay %            |                    | >>9.99%              | 10  |
| rqd_category        | Category           |                    | x(8)                 |     |
| rqd_cc              | Cost Ctr           | CC                 | x(4)                 |     |
| rqd_cmtindx         | Comment Index      | Comment            | >>>>>>9              |     |
| rqd_desc            | Desc               |                    | x(30)                |     |
| rqd_disc_pct        | Disc%              |                    | ->9.99%              | 10  |
| rqd_domain          | Domain             |                    | x(8)                 |     |
| rqd_due_date        | Due Date           |                    | 99/99/99             |     |
| rqd_expire          | Expire Date        | Expire             | 99/99/99             |     |
| rqd_grade           | Grade              |                    | x(2)                 |     |
| rqd_insp_rqd        | Inspect Req        | Insp               | yes/no               |     |
| ◇ rqd_item_rev_date | Item Revision Date | Item Rev Date      | 99/99/99             |     |
| rqd_line            | Line               |                    | >>>                  |     |
| rqd_loc             | Location           |                    | x(8)                 |     |
| rqd_lot_rcpt        | Single Lot         |                    | yes/no               |     |
| rqd_max_cost        | Max Unit Cost      |                    | >>>,>>>,>>9.99<<<    | 10  |
| rqd_nbr             | Req Nbr            |                    | x(8)                 |     |
| rqd_need_date       | Need Date          | Need               | 99/99/99             |     |
| rqd_oot_extra[8]    |                    |                    | x(16)                |     |
| rqd_oot_ponetcst    | PO Net Unit Cost   | PO Net! Unit Cost  | >>>,>>>,>>9.99<<<    | 10  |
| rqd_oot_poum        | PO Stock UM        | PO! Stk UM         | x(2)                 |     |
| rqd_oot_rqnetcst    | Req Max Unit Cost  | Req Max! Unit Cost | >>>,>>>,>>9.99<<<    | 10  |
| rqd_oot_rqum        | Req Stock UM       | Req! Stk UM        | x(2)                 |     |
| ◇ rqd_op            | Operation          |                    | >>>>>9               |     |
| rqd_open            | Open               |                    | yes/no               |     |
| rqd_part            | Item Number        |                    | x(18)                |     |
| rqd_pr_list         | Disc Tbl           |                    | x(8)                 |     |
| rqd_pr_list2        | Pr Tbl             |                    | x(8)                 |     |
| rqd_project         | Project            |                    | x(8)                 |     |
| rqd_pur_cost        | Unit Cost          |                    | >>>,>>>,>>9.99<<<    | 10  |
| rqd_rctstat         | Receipt Status     | Status             | x(8)                 |     |
| rqd_rel_date        | Release Date       | Release            | 99/99/99             |     |
| rqd_req_qty         | Req Qty            |                    | >,>>>,>>9.9<<<<<<<<< | 10  |
| △ rqd_rev           | Item Revision      | Item Rev           | x(4)                 |     |
| rqd_ship            | Ship-to            |                    | x(8)                 |     |
| rqd_site            | Site               |                    | x(8)                 |     |
| rqd_status          | Status             |                    | x(1)                 |     |
| ◇ rqd_sub_type      | Subcontract Type   |                    | x(12)                |     |
| rqd_taxable         | Tax                |                    | yes/no               |     |
| rqd_type            | Type               |                    | x(1)                 |     |
| rqd_um              | UM                 |                    | x(2)                 |     |
| rqd_um_conv         | UM Conv            |                    | >>>>9.9999<<<<       | 10  |
| rqd_vend            | Supplier           |                    | x(8)                 |     |
| rqd_vpart           | Supplier Part      |                    | x(30)                |     |
| ◇ rqd_wip_lotser    | Lot/Serial         |                    | x(18)                |     |
| ◇ rqd_wo_lot        | Work Order ID      |                    | x(8)                 |     |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| ◇ oid_rqd_det | yes | oid_rqd_det   | yes | no   |
| rqd_aprv_stat | no  | rqd_domain    | yes | no   |
|               |     | rqd_aprv_stat | yes | no   |
|               |     | rqd_nbr       | yes | no   |
| * rqd_nbr     | yes | rqd_domain    | yes | no   |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| rqd_need_date | no  | rqd_nbr       | yes | no   |
|               |     | rqd_line      | yes | no   |
|               |     | rqd_domain    | yes | no   |
|               |     | rqd_need_date | yes | no   |
| rqd_part      | no  | rqd_nbr       | yes | no   |
|               |     | rqd_line      | yes | no   |
|               |     | rqd_domain    | yes | no   |
|               |     | rqd_part      | yes | no   |
| rqd_site      | no  | rqd_nbr       | yes | no   |
|               |     | rqd_line      | yes | no   |
|               |     | rqd_domain    | yes | no   |
|               |     | rqd_site      | yes | no   |
| rqd_vend      | no  | rqd_nbr       | yes | no   |
|               |     | rqd_line      | yes | no   |
|               |     | rqd_domain    | yes | no   |
|               |     | rqd_vend      | yes | no   |
|               |     | rqd_nbr       | yes | no   |
|               |     | rqd_line      | yes | no   |

**rqf\_ctrl**

## Requisition Control

| Field Name       | Label                                  | Col-Label | Format                         | Dec |
|------------------|----------------------------------------|-----------|--------------------------------|-----|
| oid_rfq_ctrl     |                                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                  |                                        |           | .9<<<<<<<<<                    |     |
| rqf__chr01       |                                        |           | x(8)                           |     |
| rqf__chr02       |                                        |           | x(8)                           |     |
| rqf__chr03       |                                        |           | x(8)                           |     |
| rqf__chr04       |                                        |           | x(8)                           |     |
| rqf__dec01       |                                        |           | ->>, >>9.99                    | 10  |
| rqf__dte01       |                                        |           | 99/99/99                       |     |
| rqf__log01       |                                        |           | yes/no                         |     |
| rqf__qadc01      | QAD Field                              |           | X(8)                           | 0   |
| rqf__qadc02      | QAD Field                              |           | X(8)                           | 0   |
| rqf__qadc03      | QAD Field                              |           | X(8)                           | 0   |
| rqf__qadc04      | QAD Field                              |           | X(8)                           | 0   |
| rqf__qadi01      |                                        |           | ->>>>>>>9                      |     |
| rqf_appr_curr    | Approval Currency                      |           | x(3)                           |     |
| rqf_diraprs_req  | Product Line Approvals<br>Required     |           | >9                             |     |
| rqf_domain       | Domain                                 |           | x(8)                           |     |
| rqf_email_opt    | E-mail Option                          |           | x(1)                           |     |
| rqf_hcmmts       | Header Comments                        |           | yes/no                         |     |
| rqf_horaprs_req  | Horizontal Approvals<br>Required       |           | >9                             |     |
| rqf_lcmmts       | Line Comments                          |           | yes/no                         |     |
| rqf_ln_fmt       | Ln Format (S/M)                        |           | single/multi                   |     |
| rqf_nbr          | Next Requisition Number                |           | 99999999                       |     |
| rqf_oot_rtg      | Out Of Tolerance Routing               |           | x(1)                           |     |
| rqf_oot_rtg_mode | Out of Tolerance Routing<br>Mode (A/M) |           | automatic/manual               |     |
| rqf_pre          | Requisition Prefix                     |           | x(3)                           |     |
| rqf_tol_pct      | Tolerance Percent                      |           | >>9.99                         | 10  |



| Field Name      | Label                       | Col-Label | Format      | Dec |
|-----------------|-----------------------------|-----------|-------------|-----|
| rqf_tol_val     | Tolerance Value             |           | >>>>,>>9.99 | 10  |
| rqf_use_tolpct  | Use Tolerance Percent       |           | yes/no      |     |
| rqf_use_tolval  | Use Tolerance Value         |           | yes/no      |     |
| rqf_vrtaprs_req | Vertical Approvals Required |           | >9          |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rqf_ctrl | yes | oid_rqf_ctrl | yes | no   |
| * | rqf_index1   | yes | rqf_domain   | yes | no   |

| rqh_hist | Requisition History |
|----------|---------------------|
| 1        | 1                   |
| 2        | 2                   |
| 3        | 3                   |
| 4        | 4                   |
| 5        | 5                   |
| 6        | 6                   |
| 7        | 7                   |
| 8        | 8                   |
| 9        | 9                   |
| 10       | 10                  |
| 11       | 11                  |
| 12       | 12                  |
| 13       | 13                  |
| 14       | 14                  |
| 15       | 15                  |
| 16       | 16                  |
| 17       | 17                  |
| 18       | 18                  |
| 19       | 19                  |
| 20       | 20                  |
| 21       | 21                  |
| 22       | 22                  |
| 23       | 23                  |
| 24       | 24                  |
| 25       | 25                  |
| 26       | 26                  |
| 27       | 27                  |
| 28       | 28                  |
| 29       | 29                  |
| 30       | 30                  |
| 31       | 31                  |
| 32       | 32                  |
| 33       | 33                  |
| 34       | 34                  |
| 35       | 35                  |
| 36       | 36                  |
| 37       | 37                  |
| 38       | 38                  |
| 39       | 39                  |
| 40       | 40                  |
| 41       | 41                  |
| 42       | 42                  |
| 43       | 43                  |
| 44       | 44                  |
| 45       | 45                  |
| 46       | 46                  |
| 47       | 47                  |
| 48       | 48                  |
| 49       | 49                  |
| 50       | 50                  |
| 51       | 51                  |
| 52       | 52                  |
| 53       | 53                  |
| 54       | 54                  |
| 55       | 55                  |
| 56       | 56                  |
| 57       | 57                  |
| 58       | 58                  |
| 59       | 59                  |
| 60       | 60                  |
| 61       | 61                  |
| 62       | 62                  |
| 63       | 63                  |
| 64       | 64                  |
| 65       | 65                  |
| 66       | 66                  |
| 67       | 67                  |
| 68       | 68                  |
| 69       | 69                  |
| 70       | 70                  |
| 71       | 71                  |
| 72       | 72                  |
| 73       | 73                  |
| 74       | 74                  |
| 75       | 75                  |
| 76       | 76                  |
| 77       | 77                  |
| 78       | 78                  |
| 79       | 79                  |
| 80       | 80                  |
| 81       | 81                  |
| 82       | 82                  |
| 83       | 83                  |
| 84       | 84                  |
| 85       | 85                  |
| 86       | 86                  |
| 87       | 87                  |
| 88       | 88                  |
| 89       | 89                  |
| 90       | 90                  |
| 91       | 91                  |
| 92       | 92                  |
| 93       | 93                  |
| 94       | 94                  |
| 95       | 95                  |
| 96       | 96                  |
| 97       | 97                  |
| 98       | 98                  |
| 99       | 99                  |
| 100      | 100                 |

| Field Name      | Label                 | Col-Label              | Format                     | Dec |
|-----------------|-----------------------|------------------------|----------------------------|-----|
| oid_rqh_hist    |                       |                        | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rqh_chr01       |                       |                        | .9<<<<<<<<<                |     |
| rqh_chr02       |                       |                        | x(8)                       |     |
| rqh_chr03       |                       |                        | x(8)                       |     |
| rqh_chr04       |                       |                        | x(8)                       |     |
| rqh_qadc01      | QAD Field             |                        | X(8)                       | 0   |
| rqh_qadc02      | QAD Field             |                        | X(8)                       | 0   |
| rqh_qadc03      | QAD Field             |                        | X(8)                       | 0   |
| rqh_qadc04      | QAD Field             |                        | X(8)                       | 0   |
| rqh_action      | Action                |                        | x(20)                      |     |
| rqh_apr_userid  | User ID               |                        | x(8)                       |     |
| rqh_date        | Date                  |                        | 99/99/99                   |     |
| rqh_domain      | Domain                |                        | x(8)                       |     |
| rqh_email_list  | Email Sent To User ID | Email Sent! To User ID | x(255)                     |     |
| rqh_ent_userid  | Entered By            |                        | x(8)                       |     |
| rqh_line        | Line                  |                        | >>>                        |     |
| rqh_nbr         | Req Nbr               |                        | x(8)                       |     |
| rqh_role        | Role                  |                        | x(1)                       |     |
| rqh_role_list   | Role                  |                        | X(255)                     |     |
| rqh_rtto_userid | Route To              |                        | x(8)                       |     |
| rqh_seq_nbr     |                       |                        | 999999999                  |     |
| rqh_time        | Time                  |                        | >>>>>>>9                   |     |

| Index-Name     | Uni | Field-Name     | Asc | Abbr |
|----------------|-----|----------------|-----|------|
| ◇ oid_rqh_hist | yes | oid_rqh_hist   | yes | no   |
| * rqh_nbr      | yes | rqh_domain     | yes | no   |
|                |     | rqh_nbr        | yes | no   |
|                |     | rqh_date       | yes | no   |
|                |     | rqh_time       | yes | no   |
|                |     | rqh_seq_nbr    | yes | no   |
| rqh_nbr_usr    | no  | rqh_domain     | yes | no   |
|                |     | rqh_nbr        | yes | no   |
|                |     | rqh_apr_userid | yes | no   |
|                |     | rqh_date       | yes | no   |
|                |     | rqh_time       | yes | no   |
|                |     | rqh_seq_nbr    | yes | no   |

## Requisition Job Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rqj_mstr | yes | oid_rqj_mstr | yes | no   |
| * | rqj_job      | yes | rqj_domain   | yes | no   |
|   |              |     | rqj_job      | yes | no   |

## Requisition Approval Level Master

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| oid_rql_mstr | yes | oid_rql_mstr | yes | no   |
| rql_lev      | yes | rql_domain   | yes | no   |
|              |     | rql_level    | yes | no   |

### Requirement Detail

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>                            | <b>Dec</b> |
|-------------------|--------------|------------------|------------------------------------------|------------|
| oid_rqm_det       |              |                  | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |            |
| rqm__qadc01       |              |                  | x(8)                                     |            |
| rqm_cat           | Category     |                  | x(10)                                    |            |
| rqm_date          | Date         |                  | 99/99/99                                 |            |
| rqm_domain        | Domain       |                  | x(8)                                     |            |
| rqm_interval      | Interval     |                  | x(1)                                     |            |
| rqm_line          | Line         |                  | >>9                                      |            |
| rqm_nbr           | Order        |                  | x(8)                                     |            |
| rqm_reference     | Reference    | Ref              | x(24)                                    |            |
| rqm_rlse_id       | Rlse Id      | Rlse! Id         | x(30)                                    |            |
| rqm_time          | Time         |                  | 99:99                                    |            |
| rqm_type          | Type         |                  | >9                                       |            |
| rqm_user1         | Ufld1        |                  | x(8)                                     |            |
| rqm_user2         | Ufld2        |                  | x(8)                                     |            |
| rqm_value         | Value        |                  | x(24)                                    |            |

|   | Index-Name       | Uni | Field-Name    | Asc | Abbr       |     |    |
|---|------------------|-----|---------------|-----|------------|-----|----|
| ◇ | oid_rqm_det      | yes | oid_rqm_det   | yes | no         |     |    |
|   | rqm_cat_val_date | no  | rqm_domain    | yes | no         |     |    |
|   |                  |     | rqm_cat       | yes | no         |     |    |
|   |                  |     | rqm_value     | yes | no         |     |    |
|   |                  |     | rqm_date      | yes | no         |     |    |
|   |                  |     | rqm_type      | yes | no         |     |    |
| * | rqm_schd         | no  | rqm_domain    | yes | no         |     |    |
|   |                  |     | rqm_type      | yes | no         |     |    |
|   |                  |     | rqm_nbr       | yes | no         |     |    |
|   |                  |     | rqm_line      | yes | no         |     |    |
|   |                  |     | rqm_rlse_id   | yes | no         |     |    |
|   |                  |     | rqm_date      | yes | no         |     |    |
|   |                  |     | rqm_time      | yes | no         |     |    |
|   |                  |     | rqm_interval  | yes | no         |     |    |
|   |                  |     | rqm_reference | yes | no         |     |    |
|   |                  |     | rqm_cat       | yes | no         |     |    |
|   |                  |     | rqm_value     | no  | rqm_domain | yes | no |
|   |                  |     |               |     | rqm_type   | yes | no |
|   |                  |     |               |     | rqm_cat    | yes | no |
|   | rqm_date         | yes |               |     | no         |     |    |
|   |                  |     | rqm_value     | yes | no         |     |    |

## Requisition Master

| Field Name   | Label | Col-Label | Format                     | Dec |
|--------------|-------|-----------|----------------------------|-----|
| oid_rqm_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>>9 10 |     |
|              |       |           | .9<<<<<<<<<                |     |
| rqm__chr01   |       |           | x(8)                       |     |
| rqm__chr02   |       |           | x(8)                       |     |
| rqm__chr03   |       |           | x(8)                       |     |
| rqm__chr04   |       |           | x(8)                       |     |
| rqm__dec01   |       |           | ->>, >>9.99                | 10  |

| Field Name       | Label                    | Col-Label             | Format                  | Dec |
|------------------|--------------------------|-----------------------|-------------------------|-----|
| rqm__log01       |                          |                       | yes/no                  |     |
| rqm__qadc01      | QAD Field                |                       | X(8)                    | 0   |
| rqm__qadc02      | QAD Field                |                       | X(8)                    | 0   |
| rqm__qadc03      | QAD Field                |                       | X(8)                    | 0   |
| rqm__qadc04      | QAD Field                |                       | X(8)                    | 0   |
| rqm__acct        | Account                  |                       | x(8)                    |     |
| rqm__apr_cmtindx | Approval Comments        |                       | >>>>>>>9                |     |
| rqm__apr_v_stat  | Aprvl Status             |                       | x(16)                   |     |
| rqm__bill        | Bill-To                  |                       | x(8)                    |     |
| rqm__buyer       | Buyer                    |                       | x(8)                    |     |
| rqm__category    | Category                 |                       | x(8)                    |     |
| rqm__cc          | Cost Ctr                 | CC                    | x(4)                    |     |
| rqm__cls_date    | Close Date               | Closed                | 99/99/99                |     |
| rqm__cmtindx     | Comments                 |                       | >>>>>>>9                |     |
| rqm__contact     | Contact                  |                       | x(24)                   |     |
| rqm__curr        | Currency                 |                       | x(3)                    |     |
| rqm__direct      | Direct Matls             |                       | yes/no                  |     |
| rqm__disc_pct    | Disc %                   |                       | ->9.99%                 | 10  |
| rqm__domain      | Domain                   |                       | x(8)                    |     |
| rqm__due_date    | Due Date                 |                       | 99/99/99                |     |
| rqm__eby_userid  | Entered By               |                       | x(8)                    |     |
| rqm__email_opt   | E-mail Option            |                       | x(1)                    |     |
| rqm__end_userid  | End User                 |                       | x(8)                    |     |
| rqm__ent_date    | Ent Date                 |                       | 99/99/99                |     |
| rqm__ent_ex      | Exch Rate                |                       | >>,>>9.99999<<<<<       | 10  |
| Δ rqm__entity    | Entity                   | Ent                   | x(20)                   |     |
| rqm__ex_rate     | Exch Rate                |                       | >>>>,>>>,>>9.9<<<<<<<<< | 10  |
| rqm__ex_rate2    | Exch Rate 2              |                       | >>>>,>>>,>>9.9<<<<<<<<< | 10  |
| rqm__ex_ratetype | Rate Type                |                       | x(8)                    |     |
| rqm__exru_seq    | Sequence                 |                       | >>>>>>>>9               |     |
| rqm__fix_pr      | Fixed Price              |                       | yes/no                  |     |
| rqm__fix_rate    | Fixed Rate               |                       | yes/no                  |     |
| rqm__fob         | FOB                      |                       | x(20)                   |     |
| rqm__job         | Job                      |                       | x(8)                    |     |
| rqm__lang        | Lang                     |                       | x(2)                    |     |
| rqm__ln_fmt      | Single/Multi             |                       | single/multi            |     |
| rqm__max_total   | Max Ext Cost Total       | Max Ext! Cost Total   | ->>>>,>>>,>>9.99<<<     | 10  |
| rqm__nbr         | Req Nbr                  |                       | x(8)                    |     |
| rqm__need_date   | Need Date                |                       | 99/99/99                |     |
| rqm__open        | Open                     |                       | yes/no                  |     |
| rqm__partial     | Partial OK               |                       | yes/no                  |     |
| rqm__pent_userid | Prev Route To Entered By |                       | x(8)                    |     |
| rqm__pr_list     | Disc Tbl                 |                       | x(8)                    |     |
| rqm__pr_list2    | Price Tbl                | Pr Tbl                | x(8)                    |     |
| rqm__prev_rtp    |                          |                       | yes/no                  |     |
| rqm__prev_userid | Prev Route To            |                       | X(8)                    |     |
| rqm__print       | Print Req                |                       | yes/no                  |     |
| rqm__project     | Project                  |                       | x(8)                    |     |
| rqm__reason      | Reason                   |                       | x(30)                   |     |
| rqm__req_date    | Rqstn Date               |                       | 99/99/99                |     |
| rqm__rmks        | Remarks                  |                       | x(40)                   |     |
| rqm__rqby_userid | Requested By             | Req By                | x(8)                    |     |
| rqm__rtdto_purch | Routed To Purchasing     | Routed To! Purchasing | yes/no                  |     |
| rqm__rtto_date   | Date Routed              |                       | 99/99/99                |     |
| rqm__rtto_time   | Time Routed              |                       | >>>>>>>>9               |     |
| rqm__rtto_userid | Route To                 |                       | x(8)                    |     |
| rqm__ship        | Ship to                  |                       | x(8)                    |     |

| Index-Name      | Uni | Field-Name      | Asc | Abbr |
|-----------------|-----|-----------------|-----|------|
| ◇ oid_rqm_mstr  | yes | oid_rqm_mstr    | yes | no   |
| rqm_buyer       | no  | rqm_domain      | yes | no   |
|                 |     | rqm_buyer       | yes | no   |
|                 |     | rqm_rtdto_purch | yes | no   |
|                 |     | rqm_nbr         | yes | no   |
|                 |     | rqm_job         | yes | no   |
| rqm_job         | no  | rqm_domain      | yes | no   |
|                 |     | rqm_job         | yes | no   |
|                 |     | rqm_rtdto_purch | yes | no   |
|                 |     | rqm_nbr         | yes | no   |
| * rqm_nbr       | yes | rqm_domain      | yes | no   |
| rqm_open        | no  | rqm_nbr         | yes | no   |
|                 |     | rqm_domain      | yes | no   |
|                 |     | rqm_open        | yes | no   |
|                 |     | rqm_rtdto_purch | yes | no   |
| rqm_rqby_userid | no  | rqm_nbr         | yes | no   |
|                 |     | rqm_domain      | yes | no   |
|                 |     | rqm_rqby_userid | yes | no   |
|                 |     | rqm_rtdto_purch | yes | no   |
| rqm_rtto        | no  | rqm_nbr         | yes | no   |
|                 |     | rqm_domain      | yes | no   |
|                 |     | rqm_rtto_userid | yes | no   |
|                 |     | rqm_open        | yes | no   |
|                 |     | rqm_nbr         | yes | no   |

## Requisition/PO Cross-Reference

| Field Name    | Label          | Col-Label | Format                  | Dec |
|---------------|----------------|-----------|-------------------------|-----|
| oid_rqpo_ref  |                |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|               |                |           | .9<<<<<<<<<             |     |
| rqpo__chr01   |                |           | x(8)                    |     |
| rqpo__chr02   |                |           | x(8)                    |     |
| rqpo__chr03   |                |           | x(8)                    |     |
| rqpo__chr04   |                |           | x(8)                    |     |
| rqpo__qadc01  | QAD Field      |           | X(8)                    | 0   |
| rqpo__qadc02  | QAD Field      |           | X(8)                    | 0   |
| rqpo__qadc03  | QAD Field      |           | X(8)                    | 0   |
| rqpo__qadc04  | QAD Field      |           | X(8)                    | 0   |
| rqpo_domain   | Domain         |           | x(8)                    |     |
| rqpo_po_line  | PO Line        |           | >>>                     |     |
| rqpo_po_nbr   | Purchase Order | PO Nbr    | x(8)                    |     |
| rqpo_qty_ord  | Qty Ord        |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| rqpo_req_line | Req Line       |           | >>>                     |     |
| rqpo_req_nbr  | Requisition    | Req Nbr   | x(8)                    |     |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_rqpo_ref | yes | oid_rqpo_ref  | yes | no   |
| rqpo_po_nbr    | no  | rqpo_domain   | yes | no   |
|                |     | rqpo_po_nbr   | yes | no   |
|                |     | rqpo_po_line  | yes | no   |
|                |     | rqpo_req_nbr  | yes | no   |
|                |     | rqpo_req_line | yes | no   |
| * rqpo_req_nbr | yes | rqpo_domain   | yes | no   |
|                |     | rqpo_req_nbr  | yes | no   |
|                |     | rqpo_req_line | yes | no   |
|                |     | rqpo_po_nbr   | yes | no   |
|                |     | rqpo_po_line  | yes | no   |

## Role Master

| Field Name   | Label     | Col-Label | Format                         | Dec |
|--------------|-----------|-----------|--------------------------------|-----|
| old_rqr_mstr |           |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rqr__chr01   |           |           | x(8)                           |     |
| rqr__chr02   |           |           | x(8)                           |     |
| rqr__chr03   |           |           | x(8)                           |     |
| rqr__chr04   |           |           | x(8)                           |     |
| rqr__qadc01  | QAD Field |           | X(8)                           | 0   |
| rqr__qadc02  | QAD Field |           | X(8)                           | 0   |
| rqr__qadc03  | QAD Field |           | X(8)                           | 0   |
| rqr__qadc04  | QAD Field |           | X(8)                           | 0   |
| rqr_domain   | Domain    |           | x(8)                           |     |
| rqr_role     | Role      |           | x(8)                           |     |
| rqr_userid   | User ID   |           | x(8)                           |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_rqr_mstr | yes | oid_rqr_mstr | yes | no   |
| rqr_role       | yes | rqr_domain   | yes | no   |
|                |     | rqr_role     | yes | no   |
|                |     | rqr_userid   | yes | no   |
| * rqr_userid   | yes | rqr_domain   | yes | no   |
|                |     | rqr_userid   | yes | no   |
|                |     | rqr_role     | yes | no   |

## Requirement Master

| Field Name  | Label            | Col-Label | Format                  | Dec |
|-------------|------------------|-----------|-------------------------|-----|
| oid_rq_mstr |                  |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |                  |           | .9<<<<<<<<<             |     |
| rq_chr01    |                  |           | x(8)                    |     |
| rq_chr02    |                  |           | x(8)                    |     |
| rq_chr03    |                  |           | x(8)                    |     |
| rq_chr04    |                  |           | x(8)                    |     |
| rq_chr05    |                  |           | x(8)                    |     |
| rq_dec01    |                  |           | >>>, >>>, >>9.99        | 10  |
| rq_dec02    |                  |           | >>>, >>>, >>9.99        | 10  |
| rq_dte01    |                  |           | 99/99/99                |     |
| rq_dte02    |                  |           | 99/99/99                |     |
| rq_log01    |                  |           | yes/no                  |     |
| rq_domain   | Domain           |           | x(8)                    |     |
| rq_end      | End Date         | End       | 99/99/99                |     |
| rq_lead     | Lead Time (Days) | LT        | >>9                     |     |
| rq_lt_off   | Offset (Days)    | Offset    | ->>9                    |     |
| rq_part     | Item Number      |           | x(18)                   |     |
| rq_qty_per  | Resource Qty Per | Qty Per   | ->, >>>, >>9.<<<<<<<<   | 10  |
| rq_ref      | Reference        |           | x(8)                    |     |

| Field Name | Label      | Col-Label | Format   | Dec |
|------------|------------|-----------|----------|-----|
| rq_rsc     | Resource   |           | x(8)     |     |
| rq_site    | Site       |           | x(8)     |     |
| rq_start   | Start Date | Start     | 99/99/99 |     |
| rq_user1   | Ufld1      |           | x(8)     |     |
| rq_user2   | Ufld2      |           | x(8)     |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_rq_mstr | yes | oid_rq_mstr | yes | no   |
| * rq_part     | yes | rq_domain   | yes | no   |
|               |     | rq_part     | yes | no   |
|               |     | rq_site     | yes | no   |
|               |     | rq_rsc      | yes | no   |
|               |     | rq_ref      | yes | no   |
|               |     | rq_start    | yes | no   |
| rq_rsc        | no  | rq_domain   | yes | no   |
|               |     | rq_rsc      | yes | no   |
|               |     | rq_site     | yes | no   |

|            |             |                           |
|------------|-------------|---------------------------|
| <b>rsc</b> | <b>ctrl</b> | Shipping Schedule Control |
|------------|-------------|---------------------------|

| Field Name      | Label                        | Col-Label | Format                         | Dec |
|-----------------|------------------------------|-----------|--------------------------------|-----|
| oid_rsc_ctrl    |                              |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rsc__qadc01     | QAD Field                    |           | .9<<<<<<<<                     |     |
| rsc__qadc02     | QAD Field                    |           | x(8)                           |     |
| rsc__qadd01     | QAD Field                    |           | ->, >>>, >>9.9<<<<<<<<         | 10  |
| rsc__qadd02     | QAD Field                    |           | ->, >>>, >>9.9<<<<<<<<         | 10  |
| rsc__qadi01     | QAD Field                    |           | ->, >>>, >>9                   |     |
| rsc__qadi02     | QAD Field                    |           | ->, >>>, >>9                   |     |
| rsc__qadi03     |                              |           | ->>>>>>>9                      |     |
| rsc__qadl01     | QAD Field                    |           | yes/no                         |     |
| rsc__qadl02     | QAD Field                    |           | yes/no                         |     |
| rsc__qadl03     | QAD Field                    |           | yes/no                         |     |
| rsc__qadl04     | QAD Field                    |           | yes/no                         |     |
| rsc__qadt01     | QAD Field                    |           | 99/99/99                       |     |
| rsc_active      | Enable Shipping Schedule     |           | yes/no                         |     |
| rsc_auto_update | Auto Update Plan From Ship   |           | yes/no                         |     |
| rsc_domain      | Domain                       |           | x(8)                           |     |
| rsc_fab_days    | Fab Auth Days                |           | >>9                            |     |
| rsc_firm_days   | Firm Days                    |           | >>9                            |     |
| rsc_gen_ship    | Generate Ship Sched From MRP |           | yes/no                         |     |
| rsc_raw_days    | Raw Auth Days                |           | >>9                            |     |
| rsc_ship_days   | Schedule Days                |           | >>9                            |     |
| rsc_ship_months | Schedule Months              |           | >>9                            |     |
| rsc_ship_weeks  | Schedule Weeks               |           | >>9                            |     |
| rsc_user1       | Ufld1                        |           | x(8)                           |     |
| rsc_user2       | Ufld2                        |           | x(8)                           |     |
| rsc_zero_req    | Send Zero Requirements       |           | yes/no                         |     |



|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rsc_ctrl | yes | oid_rsc_ctrl | yes | no   |
| * | rsc_index1   | yes | rsc_domain   | yes | no   |

## Resource Requirements Detail

| Field Name  | Label      | Col-Label | Format                                   | Dec |
|-------------|------------|-----------|------------------------------------------|-----|
| oid_rsd_det |            |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| rsd__qadc01 |            |           | x(8)                                     |     |
| rsd_cap     | Cap/Day    |           | ->>>, >>9.9                              | 10  |
| rsd_domain  | Domain     |           | x(8)                                     |     |
| rsd_end     | End Date   |           | 99/99/99                                 |     |
| rsd_ref     | Reference  |           | x(8)                                     |     |
| rsd_rsc     | Resource   |           | x(8)                                     |     |
| rsd_shift1  | Shift1     |           | ->>, >>9.99                              | 10  |
| rsd_shift2  | Shift2     |           | ->>, >>9.99                              | 10  |
| rsd_shift3  | Shift3     |           | ->>, >>9.99                              | 10  |
| rsd_shift4  | Shift4     |           | ->>, >>9.99                              | 10  |
| rsd_site    | Site       |           | x(8)                                     |     |
| rsd_start   | Start Date | Start     | 99/99/99                                 |     |
| rsd_user1   | Ufld1      |           | x(8)                                     |     |
| rsd_user2   | Ufld2      |           | x(8)                                     |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_rsd_det | yes | oid_rsd_det | yes | no   |
| * rsd_rsc     | yes | rsd_domain  | yes | no   |
|               |     | rsd_rsc     | yes | no   |
|               |     | rsd_site    | yes | no   |
|               |     | rsd_ref     | yes | no   |
| rsd_site      | yes | rsd_domain  | yes | no   |
|               |     | rsd_site    | yes | no   |
|               |     | rsd_rsc     | yes | no   |
|               |     | rsd_ref     | yes | no   |

## Reason Code Master

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|--------------|------------------|------------------------|------------|
| oid_rsn_ref       |              |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| rsn__qadc01       |              |                  | .9<<<<<<<<             |            |
| rsn_code          | Reason Code  | Code             | x(8)                   |            |
| rsn_desc          | Description  |                  | x(24)                  |            |
| rsn_domain        | Domain       |                  | x(8)                   |            |
| rsn_type          | Reason Type  | Type             | x(8)                   |            |
| rsn_user1         |              |                  | Ufld1                  |            |
| rsn_user2         |              |                  | Ufld2                  |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_rsn_ref | yes | oid_rsn_ref | yes | no   |
| * | rsn_code    | yes | rsn_domain  | yes | no   |
|   |             |     | rsn_code    | yes | no   |
|   |             |     | rsn_type    | yes | no   |
|   | rsn_type    | yes | rsn_domain  | yes | no   |
|   |             |     | rsn_type    | yes | no   |
|   |             |     | rsn_code    | yes | no   |

**rst** **det**

## Product Change Control Routing Slip Template Detail

| Field Name      | Label            | Col-Label | Format                         | Dec |
|-----------------|------------------|-----------|--------------------------------|-----|
| oid_rstd_det    |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                 |                  |           | .9<<<<<<<<<                    |     |
| rstd_qadc01     |                  |           | x(8)                           |     |
| rstd_appr_code  | Routing Slip     |           | x(8)                           |     |
| rstd_canreroute | Can Re-Route     |           | yes/no                         |     |
| rstd_domain     | Domain           |           | x(8)                           |     |
| rstd_group      | Group            |           | x(8)                           |     |
| rstd_mod_date   | Modified Date    | Mod Date  | 99/99/99                       |     |
| rstd_notify_nxt | Notify When Next | Nxt       | yes/no                         |     |
| rstd_sequence   | Sequence         | Seq       | >>9                            |     |
| rstd_svrty_lvl  | Severity Level   |           | >>9                            |     |
| rstd_user1      | Ufld1            |           | x(8)                           |     |
| rstd_user2      | Ufld2            |           | x(8)                           |     |
| rstd_userid     | User ID          |           | x(8)                           |     |

|   | Index-Name     | Uni | Field-Name     | Asc | Abbr |
|---|----------------|-----|----------------|-----|------|
| ◇ | oid_rstd_det   | yes | oid_rstd_det   | yes | no   |
| * | rstd_codegroup | yes | rstd_domain    | yes | no   |
|   |                |     | rstd_appr_code | yes | no   |
|   |                |     | rstd_group     | yes | no   |

## rst\_mstr

## Product Change Control Routing Slip Template Master

| Field Name       | Label               | Col-Label | Format                                  | Dec |
|------------------|---------------------|-----------|-----------------------------------------|-----|
| oid_rst_mstr     |                     |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| rst__qadc01      |                     |           | x(8)                                    |     |
| rst_appr_code    | Routing Slip        |           | x(8)                                    |     |
| rst_desc         | Description         |           | X(24)                                   |     |
| rst_domain       | Domain              |           | x(8)                                    |     |
| rst_mod_date     | Modified Date       | Mod Date  | 99/99/99                                |     |
| rst_notify1      | Notification List 1 |           | X(72)                                   |     |
| rst_notify1_mail | E-mail List 1       |           | X(255)                                  |     |
| rst_notify2      | Notification List 2 |           | X(72)                                   |     |
| rst_notify2_mail | E-mail List 2       |           | X(255)                                  |     |

| Field Name     | Label         | Col-Label | Format | Dec |
|----------------|---------------|-----------|--------|-----|
| rst_svrty_list | Severity List | Severity  | x(8)   |     |
| rst_user1      | Ufld1         |           | x(8)   |     |
| rst_user2      | Ufld2         |           | x(8)   |     |
| rst_userid     | User ID       |           | x(8)   |     |

|   | Index-Name   | Uni | Field-Name    | Asc | Abbr |
|---|--------------|-----|---------------|-----|------|
| ◇ | oid_rst_mstr | yes | oid_rst_mstr  | yes | no   |
| * | rst_code     | yes | rst_domain    | yes | no   |
|   |              |     | rst appr code | yes | no   |

## rsud\_det Product Change Control Routing Slip Detail

| <b>Field Name</b> | <b>Label</b>     | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|------------------|------------------|--------------------------------|------------|
| oid_rsd_det       |                  |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| rsud__qadc01      |                  |                  | .9<<<<<<<<                     |            |
| rsud_appr_date    | Date Approved    | AppDate          | x(8)                           |            |
| rsud_approved     | Approved         | Appr             | 99/99/99                       |            |
| rsud_approverid   | Approver ID      | ID               | yes/no                         |            |
| rsud_canreroute   | Can Re-Route     | ReRoute          | X(8)                           |            |
| rsud_cmmtindx     | Comment Index    | CmtIndex         | yes/no                         |            |
| rsud_domain       | Domain           |                  | >>>>>>>>9                      |            |
| rsud_group        | Group            |                  | x(8)                           |            |
| rsud_index        | Index            |                  | X(8)                           |            |
| rsud_notify_nxt   | Notify When Next | Nxt              | >>>>>>>>9                      |            |
| rsud_reroute_date | Reroute Date     |                  | yes/no                         |            |
| rsud_sequence     | Sequence         | Seq              | 99/99/99                       |            |
| rsud_svrty_lvl    | Severity Level   |                  | >>9                            |            |
| rsud_user1        | Ufld1            |                  | >>9                            |            |
| rsud_user2        | Ufld2            |                  | X(8)                           |            |
|                   |                  |                  | X(8)                           |            |

| Index-Name        | Uni | Field-Name    | Asc | Abbr |
|-------------------|-----|---------------|-----|------|
| ◇ oid_rsud_det    | yes | oid_rsud_det  | yes | no   |
| * rsud_indexgroup | yes | rsud_domain   | yes | no   |
|                   |     | rsud_index    | yes | no   |
|                   |     | rsud_group    | yes | no   |
| rsud_sequence     | no  | rsud_domain   | yes | no   |
|                   |     | rsud_index    | yes | no   |
|                   |     | rsud_sequence | yes | no   |

## rsu\_mstr Product Change Control Routing Slip Master

| Field Name    | Label         | Col-Label | Format                         | Dec |
|---------------|---------------|-----------|--------------------------------|-----|
| oid_rsu_mstr  |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rsu__qadc01   |               |           | .9<<<<<<<<<<                   |     |
| rsu_appr_code | Approval Code | Code      | x(8)                           |     |
| rsu_appr_date | Approved Date | ApprDate  | X(8)<br>99/99/99               |     |

| Field Name       | Label               | Col-Label  | Format   | Dec |
|------------------|---------------------|------------|----------|-----|
| rsu_doc_nbr      | Document Number     | DocNbr     | X(40)    | 0   |
| rsu_doc_type     | Document Type       | Doc Type   | X(8)     | 0   |
| rsu_domain       | Domain              |            | x(8)     |     |
| rsu_index        | Index               |            | >>>>>>>9 |     |
| rsu_notify2      | Notification List 2 | NotifyLst2 | X(72)    |     |
| rsu_notify2_mail | E-mail List 2       |            | X(255)   |     |
| rsu_route_date   | Routed Date         | RouteDate  | 99/99/99 |     |
| rsu_user1        | Ufld1               |            | X(8)     |     |
| rsu_user2        | Ufld2               |            | X(8)     |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_rsu_mstr | yes | oid_rsu_mstr | yes | no   |
|   | rsu_doc_nbr  | no  | rsu_domain   | yes | no   |
|   |              |     | rsu_doc_nbr  | yes | no   |
|   |              |     | rsu_doc_type | yes | no   |
| * | rsu_index    | yes | rsu_domain   | yes | no   |
|   |              |     | rsu_index    | yes | no   |

## rs mstr Resource Master

| Field Name  | Label       | Col-Label | Format                         | Dec |
|-------------|-------------|-----------|--------------------------------|-----|
| oid_rs_mstr |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| rs_qadc01   |             |           | .9<<<<<<<<<                    |     |
| rs_desc     | Description |           | x(8)                           |     |
| rs_domain   | Domain      |           | x(24)                          |     |
| rs_rsc      | Resource    |           | x(8)                           |     |
| rs_site     | Site        |           | x(8)                           |     |
| rs_um       | UM          |           | x(2)                           |     |
| rs_user1    | Ufld1       |           | x(8)                           |     |
| rs_user2    | Ufld2       |           | x(8)                           |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_rs_mstr | yes | oid_rs_mstr | yes | no   |
|   | rs_desc     | yes | rs_domain   | yes | no   |
|   |             |     | rs_desc     | yes | no   |
|   |             |     | rs_rsc      | yes | no   |
|   |             |     | rs_site     | yes | no   |
| * | rs_rsc      | yes | rs_domain   | yes | no   |
|   |             |     | rs_rsc      | yes | no   |
|   |             |     | rs_site     | yes | no   |

## RunD Warehousing Program Execution Detail

| Field Name   | Label       | Col-Label | Format   | Dec |
|--------------|-------------|-----------|----------|-----|
| CreateDate   | Create Date |           | 99/99/99 |     |
| CreateUserID | Created     |           | x(8)     |     |
| Description  | Description |           | x(64)    |     |
| Domain       | Domain      |           | x(8)     |     |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ◇ oid_RunD | yes | oid_RunD   | yes | no   |
| ◇* OldNew  | yes | Domain     | yes | no   |
|            |     | OldProg    | yes | no   |
|            |     | NewProg    | yes | no   |
| ◇ UsrIdx   | no  | Domain     | yes | no   |
|            |     | User1      | yes | no   |
|            |     | User2      | yes | no   |

**sab\_det**

### Service Contract Billing Detail



| Field Name      | Label                  | Col-Label | Format                    | Dec |
|-----------------|------------------------|-----------|---------------------------|-----|
| sab_amt_type    | Amount Type            | AT        | x(1)                      |     |
| sab_bill_to     | Bill To                |           | x(8)                      |     |
| sab_billed_date | Billed Date            |           | 99/99/99                  |     |
| sab_billed_time | Billed Time            |           | x(8)                      |     |
| sab_curr        | Currency               | Cur       | x(3)                      |     |
| sab_cust        | Customer               |           | x(8)                      |     |
| sab_cycle       | Billing Cycle          | Cyc       | x(2)                      |     |
| sab_desc        | Description            |           | x(24)                     |     |
| sab_domain      | Domain                 |           | x(8)                      |     |
| sab_end_cover   | End Cover              |           | 99/99/99                  |     |
| sab_end_date    | End Date               |           | 99/99/99                  |     |
| sab_eu_nbr      | End User               |           | x(8)                      |     |
| sab_ex_rate     | Exch Rate              |           | >>>>,>>>, >>9.9<<<<<<<<<  | 10  |
| sab_ex_rate2    | Exch Rate 2            |           | >>>>,>>>, >>9.9<<<<<<<<<  | 10  |
| sab_ex_ratetype | Rate Type              |           | x(8)                      |     |
| sab_exru_seq    | Sequence               |           | >>>>>>>g                  |     |
| sab_ext_price   | Ext Price              |           | ->>>>,>>>, >>9.99<        | 10  |
| sab_for         | Supported Item         | Item      | x(18)                     |     |
| sab_line        | Contract Line          | Con Line  | >>>>>>>g                  |     |
| sab_line_seq    | Line Seq               |           | >>>>>>>g                  |     |
| sab_line_type   | Line Type              | LT        | x(1)                      |     |
| sab_list_pr     | List Price             |           | ->>>>,>>>, >>9.99<<<      | 10  |
| sab_lstcover    | Last Billed            | Lst Bill  | 99/99/99                  |     |
| sab_mod_date    | Modified Date          | Mod Date  | 99/99/99                  |     |
| sab_mod_userid  | User ID                |           | x(8)                      |     |
| sab_nbr         | Contract               |           | x(8)                      |     |
| sab_prefix      | Pf                     |           | x(1)                      |     |
| sab_price       | Net Price              |           | >>>>,>>>, >>9.99<<<       | 10  |
| sab_qty_chg     | Qty To Bill            |           | ->,>>>, >>9.9<<<<<<<<<    | 10  |
| sab_qty_per     | Duration               |           | ->>>9.<<<<                | 10  |
| sab_ref         | Ref                    |           | >>>>>>>g                  |     |
| sab_serial      | Lot/Serial             |           | x(18)                     |     |
| sab_so_nbr      | Sales Order            | SO        | x(8)                      |     |
| sab_sod_line    | Sales Order Line       | SO Ln     | >>9                       |     |
| sab_st_cover    | Coverage               |           | 99/99/99                  |     |
| sab_st_date     | Start Date             | Start     | 99/99/99                  |     |
| sab_sv_code     | Service Type           | Svc Type  | x(8)                      |     |
| sab_tax_env     | Tax Environment        | Tax Env   | x(16)                     |     |
| sab_tax_in      | Tax In                 |           | yes/no                    |     |
| sab_tax_usage   | Tax Usage              | TaxUsage  | x(8)                      |     |
| sab_taxable     | Taxable                | Tax       | yes/no                    |     |
| sab_taxc        | Tax Class              | TxC       | x(3)                      |     |
| sab_ui_line     | Line                   |           | >>>>g                     |     |
| sab_user1       | User Field Character 1 |           | x(24)                     |     |
| sab_user2       | User Field character 2 |           | x(24)                     |     |
| sab_userd01     | User Field Decimal 1   |           | ->>>>,>>>, >>9.99<<<<<<<< | 10  |
| sab_useri01     | User Field Integer 1   |           | ->>>>>>>g                 |     |
| sab_userl01     | User Field Logical 1   |           | yes/no                    |     |
| sab_usert01     | User Field Date 1      |           | 99/99/99                  |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_sab_det | yes | oid_sab_det | yes | no   |
| * | sab_nbr     | yes | sab_domain  | yes | no   |
|   |             |     | sab_nbr     | yes | no   |
|   |             |     | sab_prefix  | yes | no   |
|   |             |     | sab_line    | yes | no   |

| Index-Name | Uni | Field-Name      | Asc | Abbr |
|------------|-----|-----------------|-----|------|
| sab_so     | no  | sab_billed_date | yes | no   |
|            |     | sab_billed_time | yes | no   |
|            |     | sab_domain      | yes | no   |
|            |     | sab_so_nbr      | yes | no   |
|            |     | sab_sod_line    | yes | no   |
|            |     | sab_line_seq    | yes | no   |

## Service Contract Control

| Field Name   | Label                 | Col-Label | Format                         | Dec |
|--------------|-----------------------|-----------|--------------------------------|-----|
| oid_sac_ctrl |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sac__chr01   |                       |           | .9<<<<<<<<<                    |     |
| sac__chr02   |                       |           | x(8)                           |     |
| sac__chr03   |                       |           | x(8)                           |     |
| sac__chr04   |                       |           | x(8)                           |     |
| sac__chr05   |                       |           | x(8)                           |     |
| sac__chr06   |                       |           | x(8)                           |     |
| sac__chr07   |                       |           | x(8)                           |     |
| sac__chr08   |                       |           | x(8)                           |     |
| sac__chr09   |                       |           | x(8)                           |     |
| sac__chr10   |                       |           | x(8)                           |     |
| sac__dec01   |                       |           | ->>>, >>>, >>9.99              | 10  |
| sac__dec02   |                       |           | ->>>, >>>, >>9.99              | 10  |
| sac__dec03   |                       |           | ->>>, >>>, >>9.99              | 10  |
| sac__dte01   |                       |           | 99/99/99                       |     |
| sac__dte02   |                       |           | 99/99/99                       |     |
| sac__dte03   |                       |           | 99/99/99                       |     |
| sac__dte04   |                       |           | 99/99/99                       |     |
| sac__log01   |                       |           | yes/no                         |     |
| sac__log02   |                       |           | yes/no                         |     |
| sac__log03   |                       |           | yes/no                         |     |
| sac__log04   |                       |           | yes/no                         |     |
| sac__log05   |                       |           | yes/no                         |     |
| sac__qad01   |                       |           | >>>>>>9                        |     |
| sac__qadc01  | QAD Character Field 1 |           | X(8)                           |     |
| sac__qadc02  | QAD Character Field 2 |           | X(8)                           |     |
| sac__qadc03  | QAD Character Field 3 |           | X(8)                           |     |
| sac__qadi01  | QAD Integer Field 1   |           | ->, >>>, >>9                   |     |
| sac__qadi02  | QAD Integer Field 2   |           | ->, >>>, >>9                   |     |
| sac__qadi03  | QAD Integer Field 3   |           | yes/no                         |     |
| sac__qadi04  | QAD Integer Field 4   |           | yes/no                         |     |
| sac__qadi05  | QAD Integer Field 5   |           | yes/no                         |     |
| sac__qadi06  | QAD Integer Field 6   |           | yes/no                         |     |
| sac__qadi07  | QAD Integer Field 7   |           | yes/no                         |     |
| sac__qadi08  | QAD Integer Field 8   |           | yes/no                         |     |
| sac__qadi09  | QAD Integer Field 9   |           | yes/no                         |     |
| sac__qadi10  | QAD Integer Field 10  |           | yes/no                         |     |
| sac__qadi11  | QAD Integer Field 11  |           | yes/no                         |     |
| sac__qadi12  | QAD Integer Field 12  |           | yes/no                         |     |
| sac__qadi13  | QAD Integer Field 13  |           | yes/no                         |     |
| sac__qadi14  | QAD Integer Field 14  |           | yes/no                         |     |
| sac__qadi15  | QAD Integer Field 15  |           | yes/no                         |     |
| sac__qadi16  | QAD Integer Field 16  |           | yes/no                         |     |
| sac__qadi17  | QAD Integer Field 17  |           | yes/no                         |     |
| sac__qadi18  | QAD Integer Field 18  |           | yes/no                         |     |
| sac__qadi19  | QAD Integer Field 19  |           | yes/no                         |     |
| sac__qadi20  | QAD Integer Field 20  |           | yes/no                         |     |
| sac__qadi21  | QAD Integer Field 21  |           | yes/no                         |     |
| sac__qadi22  | QAD Integer Field 22  |           | yes/no                         |     |
| sac__qadi23  | QAD Integer Field 23  |           | yes/no                         |     |
| sac__qadi24  | QAD Integer Field 24  |           | yes/no                         |     |
| sac__qadi25  | QAD Integer Field 25  |           | yes/no                         |     |
| sac__qadi26  | QAD Integer Field 26  |           | yes/no                         |     |
| sac__qadi27  | QAD Integer Field 27  |           | yes/no                         |     |
| sac__qadi28  | QAD Integer Field 28  |           | yes/no                         |     |
| sac__qadi29  | QAD Integer Field 29  |           | yes/no                         |     |
| sac__qadi30  | QAD Integer Field 30  |           | yes/no                         |     |
| sac__qadi31  | QAD Integer Field 31  |           | yes/no                         |     |
| sac__qadi32  | QAD Integer Field 32  |           | yes/no                         |     |
| sac__qadi33  | QAD Integer Field 33  |           | yes/no                         |     |
| sac__qadi34  | QAD Integer Field 34  |           | yes/no                         |     |
| sac__qadi35  | QAD Integer Field 35  |           | yes/no                         |     |
| sac__qadi36  | QAD Integer Field 36  |           | yes/no                         |     |
| sac__qadi37  | QAD Integer Field 37  |           | yes/no                         |     |
| sac__qadi38  | QAD Integer Field 38  |           | yes/no                         |     |
| sac__qadi39  | QAD Integer Field 39  |           | yes/no                         |     |
| sac__qadi40  | QAD Integer Field 40  |           | yes/no                         |     |
| sac__qadi41  | QAD Integer Field 41  |           | yes/no                         |     |
| sac__qadi42  | QAD Integer Field 42  |           | yes/no                         |     |
| sac__qadi43  | QAD Integer Field 43  |           | yes/no                         |     |
| sac__qadi44  | QAD Integer Field 44  |           | yes/no                         |     |
| sac__qadi45  | QAD Integer Field 45  |           | yes/no                         |     |
| sac__qadi46  | QAD Integer Field 46  |           | yes/no                         |     |
| sac__qadi47  | QAD Integer Field 47  |           | yes/no                         |     |
| sac__qadi48  | QAD Integer Field 48  |           | yes/no                         |     |
| sac__qadi49  | QAD Integer Field 49  |           | yes/no                         |     |
| sac__qadi50  | QAD Integer Field 50  |           | yes/no                         |     |
| sac__qadi51  | QAD Integer Field 51  |           | yes/no                         |     |
| sac__qadi52  | QAD Integer Field 52  |           | yes/no                         |     |
| sac__qadi53  | QAD Integer Field 53  |           | yes/no                         |     |
| sac__qadi54  | QAD Integer Field 54  |           | yes/no                         |     |
| sac__qadi55  | QAD Integer Field 55  |           | yes/no                         |     |
| sac__qadi56  | QAD Integer Field 56  |           | yes/no                         |     |
| sac__qadi57  | QAD Integer Field 57  |           | yes/no                         |     |
| sac__qadi58  | QAD Integer Field 58  |           | yes/no                         |     |
| sac__qadi59  | QAD Integer Field 59  |           | yes/no                         |     |
| sac__qadi60  | QAD Integer Field 60  |           | yes/no                         |     |
| sac__qadi61  | QAD Integer Field 61  |           | yes/no                         |     |
| sac__qadi62  | QAD Integer Field 62  |           | yes/no                         |     |
| sac__qadi63  | QAD Integer Field 63  |           | yes/no                         |     |
| sac__qadi64  | QAD Integer Field 64  |           | yes/no                         |     |
| sac__qadi65  | QAD Integer Field 65  |           | yes/no                         |     |
| sac__qadi66  | QAD Integer Field 66  |           | yes/no                         |     |
| sac__qadi67  | QAD Integer Field 67  |           | yes/no                         |     |
| sac__qadi68  | QAD Integer Field 68  |           | yes/no                         |     |
| sac__qadi69  | QAD Integer Field 69  |           | yes/no                         |     |
| sac__qadi70  | QAD Integer Field 70  |           | yes/no                         |     |
| sac__qadi71  | QAD Integer Field 71  |           | yes/no                         |     |
| sac__qadi72  | QAD Integer Field 72  |           | yes/no                         |     |
| sac__qadi73  | QAD Integer Field 73  |           | yes/no                         |     |
| sac__qadi74  | QAD Integer Field 74  |           | yes/no                         |     |
| sac__qadi75  | QAD Integer Field 75  |           | yes/no                         |     |
| sac__qadi76  | QAD Integer Field 76  |           | yes/no                         |     |
| sac__qadi77  | QAD Integer Field 77  |           | yes/no                         |     |
| sac__qadi78  | QAD Integer Field 78  |           | yes/no                         |     |
| sac__qadi79  | QAD Integer Field 79  |           | yes/no                         |     |
| sac__qadi80  | QAD Integer Field 80  |           | yes/no                         |     |
| sac__qadi81  | QAD Integer Field 81  |           | yes/no                         |     |
| sac__qadi82  | QAD Integer Field 82  |           | yes/no                         |     |
| sac__qadi83  | QAD Integer Field 83  |           | yes/no                         |     |
| sac__qadi84  | QAD Integer Field 84  |           | yes/no                         |     |
| sac__qadi85  | QAD Integer Field 85  |           | yes/no                         |     |
| sac__qadi86  | QAD Integer Field 86  |           | yes/no                         |     |
| sac__qadi87  | QAD Integer Field 87  |           | yes/no                         |     |
| sac__qadi88  | QAD Integer Field 88  |           | yes/no                         |     |
| sac__qadi89  | QAD Integer Field 89  |           | yes/no                         |     |
| sac__qadi90  | QAD Integer Field 90  |           | yes/no                         |     |
| sac__qadi91  | QAD Integer Field 91  |           | yes/no                         |     |
| sac__qadi92  | QAD Integer Field 92  |           | yes/no                         |     |
| sac__qadi93  | QAD Integer Field 93  |           | yes/no                         |     |
| sac__qadi94  | QAD Integer Field 94  |           | yes/no                         |     |
| sac__qadi95  | QAD Integer Field 95  |           | yes/no                         |     |
| sac__qadi96  | QAD Integer Field 96  |           | yes/no                         |     |
| sac__qadi97  | QAD Integer Field 97  |           | yes/no                         |     |
| sac__qadi98  | QAD Integer Field 98  |           | yes/no                         |     |
| sac__qadi99  | QAD Integer Field 99  |           | yes/no                         |     |
| sac__qadi100 | QAD Integer Field 100 |           | yes/no                         |     |
| sac__qadi101 | QAD Integer Field 101 |           | yes/no                         |     |
| sac__qadi102 | QAD Integer Field 102 |           | yes/no                         |     |
| sac__qadi103 | QAD Integer Field 103 |           | yes/no                         |     |
| sac__qadi104 | QAD Integer Field 104 |           | yes/no                         |     |
| sac__qadi105 | QAD Integer Field 105 |           | yes/no                         |     |
| sac__qadi106 | QAD Integer Field 106 |           | yes/no                         |     |
| sac__qadi107 | QAD Integer Field 107 |           | yes/no                         |     |
| sac__qadi108 | QAD Integer Field 108 |           | yes/no                         |     |
| sac__qadi109 | QAD Integer Field 109 |           | yes/no                         |     |
| sac__qadi110 | QAD Integer Field 110 |           | yes/no                         |     |
| sac__qadi111 | QAD Integer Field 111 |           | yes/no                         |     |
| sac__qadi112 | QAD Integer Field 112 |           | yes/no                         |     |
| sac__qadi113 | QAD Integer Field 113 |           | yes/no                         |     |
| sac__qadi114 | QAD Integer Field 114 |           | yes/no                         |     |
| sac__qadi115 | QAD Integer Field 115 |           | yes/no                         |     |
| sac__qadi116 | QAD Integer Field 116 |           | yes/no                         |     |
| sac__qadi117 | QAD Integer Field 117 |           | yes/no                         |     |
| sac__qadi118 | QAD Integer Field 118 |           | yes/no                         |     |
| sac__qadi119 | QAD Integer Field 119 |           | yes/no                         |     |
| sac__qadi120 | QAD Integer Field 120 |           | yes/no                         |     |
| sac__qadi121 | QAD Integer Field 121 |           | yes/no                         |     |
| sac__qadi122 | QAD Integer Field 122 |           | yes/no                         |     |
| sac__qadi123 | QAD Integer Field 123 |           | yes/no                         |     |
| sac__qadi124 | QAD Integer Field 124 |           | yes/no                         |     |
| sac__qadi125 | QAD Integer Field 125 |           | yes/no                         |     |
| sac__qadi126 | QAD Integer Field 126 |           | yes/no                         |     |
| sac__qadi127 | QAD Integer Field 127 |           | yes/no                         |     |
| sac__qadi128 | QAD Integer Field 128 |           | yes/no                         |     |
| sac__qadi129 | QAD Integer Field 129 |           | yes/no                         |     |
| sac__qadi130 | QAD Integer Field 130 |           | yes/no                         |     |
| sac__qadi131 | QAD Integer Field 131 |           | yes/no                         |     |
| sac__qadi132 | QAD Integer Field 132 |           | yes/no                         |     |
| sac__qadi133 | QAD Integer Field 133 |           | yes/no                         |     |
| sac__qadi134 | QAD Integer Field 134 |           | yes/no                         |     |
| sac__qadi135 | QAD Integer Field 135 |           | yes/no                         |     |
| sac__qadi136 | QAD Integer Field 136 |           | yes/no                         |     |
| sac__qadi137 | QAD Integer Field 137 |           | yes/no                         |     |
| sac__qadi138 | QAD Integer Field 138 |           | yes/no                         |     |
| sac__qadi139 | QAD Integer Field 139 |           | yes/no                         |     |
| sac__qadi140 | QAD Integer Field 140 |           | yes/no                         |     |
| sac__qadi141 | QAD Integer Field 141 |           | yes/no                         |     |
| sac__qadi142 | QAD Integer Field 142 |           | yes/no                         |     |
| sac__qadi143 | QAD Integer Field 143 |           | yes/no                         |     |
| sac__qadi144 | QAD Integer Field 144 |           | yes/no                         |     |
| sac__qadi145 | QAD Integer Field 145 |           | yes/no                         |     |
| sac__qadi146 | QAD Integer Field 146 |           | yes/no                         |     |
| sac__qadi147 | QAD Integer Field 147 |           | yes/no                         |     |
| sac__qadi148 | QAD Integer Field 148 |           | yes/no                         |     |
| sac__qadi149 | QAD Integer Field 149 |           | yes/no                         |     |
| sac__qadi150 | QAD Integer Field 150 |           | yes/no                         |     |
| sac__qadi151 | QAD Integer Field 151 |           | yes/no                         |     |
| sac__qadi152 | QAD Integer Field 152 |           | yes/no                         |     |
| sac__qadi153 | QAD Integer Field 153 |           | yes/no                         |     |
| sac__qadi154 | QAD Integer Field 154 |           | yes/no                         |     |
| sac__qadi155 | QAD Integer Field 155 |           | yes/no                         |     |
| sac__qadi156 | QAD Integer Field 156 |           | yes/no                         |     |
| sac__qadi157 | QAD Integer Field 157 |           | yes/no                         |     |
| sac__qadi158 | QAD Integer Field 158 |           | yes/no                         |     |
| sac__qadi159 | QAD Integer Field 159 |           | yes/no                         |     |
| sac__qadi160 | QAD Integer Field 160 |           | yes/no                         |     |
| sac__qadi161 | QAD Integer Field 161 |           | yes/no                         |     |
| sac__qadi162 | QAD Integer Field 162 |           | yes/no                         |     |
| sac__qadi163 | QAD Integer Field 163 |           | yes/no                         |     |
| sac__qadi164 | QAD Integer Field 164 |           | yes/no                         |     |
| sac__qadi165 | QAD Integer Field 165 |           | yes/no                         |     |
| sac__qadi166 | QAD Integer Field 166 |           | yes/no                         |     |
| sac__qadi167 | QAD Integer Field 167 |           | yes/no                         |     |
| sac__qadi168 | QAD Integer Field 168 |           | yes/no                         |     |
| sac__qadi169 | QAD Integer Field 169 |           | yes/no                         |     |
| sac__qadi170 | QAD Integer Field 170 |           | yes/no                         |     |
| sac__qadi171 | QAD Integer Field 171 |           | yes/no                         |     |
| sac__qadi172 | QAD Integer Field 172 |           | yes/no                         |     |
| sac__qadi173 | QAD Integer Field 173 |           | yes/no                         |     |
| sac__qadi174 | QAD Integer Field 174 |           | yes/no                         |     |
| sac__qadi175 | QAD Integer Field 175 |           | yes/no                         |     |
| sac__qadi176 | QAD Integer Field 176 |           | yes/no                         |     |
| sac__qadi177 | QAD Integer Field 177 |           | yes/no                         |     |
| sac__qadi178 | QAD Integer Field 178 |           | yes/no                         |     |
| sac__qadi179 | QAD Integer Field 179 |           | yes/no                         |     |
| sac__qadi180 | QAD Integer Field 180 |           | yes/no                         |     |
| sac__qadi181 | QAD Integer Field 181 |           | yes/no                         |     |
| sac__qadi182 | QAD Integer Field 182 |           | yes/no                         |     |
| sac__qadi183 | QAD Integer Field 183 |           | yes/no                         |     |
| sac__qadi184 | QAD Integer Field 184 |           | yes/no                         |     |
| sac__qadi185 | QAD Integer Field 185 |           | yes/no                         |     |
| sac__qadi186 | QAD Integer Field 186 |           | yes/no                         |     |
| sac__qadi187 | QAD Integer Field 187 |           | yes/no                         |     |
| sac__qadi188 | QAD Integer Field 188 |           | yes/no                         |     |
| sac__qadi189 | QAD Integer Field 189 |           | yes/no                         |     |
| sac__qadi190 | QAD Integer Field 190 |           | yes/no                         |     |
| sac__qadi191 | QAD Integer Field 191 |           | yes/no                         |     |
| sac__qadi192 | QAD Integer Field 192 |           | yes/no                         |     |
| sac__qadi193 | QAD Integer Field 193 |           | yes/no                         |     |
| sac__qadi194 | QAD Integer Field 194 |           | yes/no                         |     |
| sac__qadi195 | QAD Integer Field 195 |           | yes/no                         |     |
| sac__qadi196 | QAD Integer Field 196 |           | yes/no                         |     |
| sac__qadi197 | QAD Integer Field 197 |           | yes/no                         |     |
| sac__qadi198 | QAD Integer Field 198 |           | yes/no                         |     |
| sac__qadi199 | QAD Integer Field 199 |           | yes/no                         |     |
| sac__qadi200 | QAD Integer Field 200 |           | yes/no                         |     |
| sac__qadi201 | QAD Integer Field 201 |           | yes/no                         |     |
| sac__qadi202 | QAD Integer Field 202 |           | yes/no                         |     |
| sac__qadi203 | QAD Integer Field 203 |           | yes/no                         |     |
| sac__qadi204 | QAD Integer Field 204 |           | yes/no                         |     |
| sac__qadi205 | QAD Integer Field 205 |           | yes/no                         |     |
| sac__qadi206 | QAD Integer Field 206 |           | yes/no                         |     |
| sac__qadi207 | QAD Integer Field 207 |           | yes/no                         |     |
| sac__qadi208 | QAD Integer Field 208 |           | yes/no                         |     |
| sac__qadi209 | QAD Integer Field 209 |           | yes/no                         |     |
| sac__qadi210 | QAD Integer Field 210 |           | yes/no                         |     |
| sac__qadi211 | QAD Integer Field 211 |           | yes/no                         |     |
| sac__qadi212 | QAD Integer Field 212 |           | yes/no                         |     |
| sac__qadi213 | QAD Integer Field 213 |           | yes/no                         |     |
| sac__qadi214 | QAD Integer Field 214 |           | yes/no                         |     |
| sac__qadi215 | QAD Integer Field 215 |           | yes/no                         |     |
| sac__qadi216 | QAD Integer Field 216 |           | yes/no                         |     |
| sac__qadi217 | QAD Integer Field 217 |           | yes/no                         |     |
| sac__qadi218 | QAD Integer Field 218 |           | yes/no                         |     |
| sac__qadi219 | QAD Integer Field 219 |           | yes/no                         |     |
| sac__qadi220 | QAD Integer Field 220 |           | yes/no                         |     |
| sac__qadi221 | QAD Integer Field 221 |           | yes/no                         |     |
| sac__qadi222 | QAD Integer Field 222 |           | yes/no                         |     |
| sac__qadi223 | QAD Integer Field 223 |           | yes/no                         |     |
| sac__qadi224 | QAD Integer Field 224 |           | yes/no                         |     |
| sac__qadi225 | QAD Integer Field 225 |           | yes/no                         |     |
| sac__qadi226 | QAD Integer Field 226 |           | yes/no                         |     |
| sac__qadi227 | QAD Integer Field 227 |           | yes/no                         |     |
| sac__qadi228 | QAD Integer Field 228 |           | yes/no                         |     |
| sac__qadi229 | QAD Integer Field 229 |           | yes/no                         |     |
| sac__qadi230 | QAD Integer Field 230 |           | yes/no                         |     |
| sac__qadi231 | QAD Integer Field 231 |           | yes/no                         |     |
| sac__qadi232 | QAD Integer Field 232 |           | yes/no                         |     |
| sac__qadi233 | QAD Integer Field 233 |           | yes/no                         |     |
| sac__qadi234 | QAD Integer Field 234 |           | yes/no                         |     |
| sac__qadi235 | QAD Integer Field 235 |           | yes/no                         |     |
| sac__qadi236 | QAD Integer Field 236 |           | yes/no                         |     |
| sac__qadi237 | QAD Integer Field 237 |           | yes/no                         |     |
| sac__qadi238 | QAD Integer Field 238 |           | yes/no                         |     |
| sac__qadi239 | QAD Integer Field 239 |           | yes/no                         |     |
| sac__qadi240 | QAD Integer Field 240 |           | yes/no                         |     |
| sac__qadi241 | QAD Integer Field 241 |           | yes/no                         |     |
| sac__qadi242 | QAD Integer Field 242 |           | yes/no                         |     |
| sac__qadi243 | QAD Integer Field 243 |           | yes/no                         |     |
| sac__qadi244 | QAD Integer Field 244 |           | yes/no                         |     |
| sac__qadi245 | QAD Integer Field 245 |           | yes/no                         |     |
| sac__qadi246 | QAD Integer Field 246 |           | yes/no                         |     |
| sac__qadi247 | QAD Integer Field 247 |           | yes/no                         |     |
| sac__qadi248 | QAD Integer Field 248 |           | yes/no                         |     |
| sac__qadi249 | QAD Integer Field 249 |           | yes/no                         |     |
| sac__qadi250 | QAD Integer Field 250 |           | yes/no                         |     |
| sac__qadi251 | QAD Integer Field 251 |           | yes/no                         |     |
| sac__qadi252 | QAD Integer Field 252 |           | yes/no                         |     |
| sac__qadi253 | QAD Integer Field 253 |           | yes/no                         |     |
| sac__qadi254 | QAD Integer Field 254 |           | yes/no                         |     |
| sac__qadi255 | QAD Integer Field 255 |           | yes/no                         |     |
| sac__qadi256 | QAD Integer Field 256 |           | yes/no                         |     |
| sac__qadi257 | QAD Integer Field 257 |           | yes/no                         |     |
| sac__qadi258 | QAD Integer Field 258 |           | yes/no                         |     |
| sac__qadi259 | QAD Integer Field 259 |           | yes/no                         |     |
| sac__qadi260 | QAD Integer Field 260 |           |                                |     |

| Field Name       | Label                          | Col-Label              | Format       | Dec |
|------------------|--------------------------------|------------------------|--------------|-----|
| sac_domain       | Domain                         |                        | x(8)         |     |
| sac_eu_add_chrg  | End User Additional Charges    |                        | yes/no       |     |
| sac_eu_totals    | End User Totals                |                        | yes/no       |     |
| sac_ex_ratetype  | Rate Type                      |                        | x(8)         |     |
| sac_fob          | F.O.B.                         |                        | x(20)        |     |
| sac_free_be      | Begin or End of Contract       |                        | begin/end    |     |
| sac_free_gt      | On Contracts >                 |                        | >>,>>9       |     |
| sac_free_mth     | No Months Free Coverage        |                        | >>9          |     |
| sac_gen_def      | Generate Deferred Accounting   |                        | yes/no       |     |
| sac_hcmmts       | Service Header Comments        |                        | yes/no       |     |
| sac_index1       | Index                          |                        | >>>>>9       |     |
| ◇ sac_int_rnd    | Intermediate Rounding          | Intermediate! Rounding | yes/no       |     |
| sac_item_enduser | Item End Users                 |                        | yes/no       |     |
| sac_lcmmts       | Service Line Comments          |                        | yes/no       |     |
| sac_lim_hist     | Record Limits History          |                        | yes/no       |     |
| sac_limit_copy   | Renew Limits From              |                        | X(1)         |     |
| sac_limits_wnd   | Contract Limits                |                        | yes/no       |     |
| sac_ln_fmt       | Ln Format S/M                  |                        | single/multi |     |
| sac_mod_date     | Modified Date                  | Mod Date               | 99/99/99     |     |
| sac_mod_userid   | User ID                        |                        | X(8)         |     |
| sac_pm_days      | PM Days Scheduling             |                        | yes/no       |     |
| sac_print        | Are Service Contracts Printed  |                        | yes/no       |     |
| sac_pt_isb       | Items in Installed Base        | IB                     | yes/no       |     |
| sac_qo           | Next Service Quote             | Nxt Qte                | >>>>>>>9     |     |
| sac_qo_pre       | Quote Prefix                   | Qte                    | x(1)         |     |
| sac_renew_fmt    | Renew Format                   |                        | x(4)         |     |
| sac_renewal_days | Renewal Days                   |                        | ->,>>>,>>9   |     |
| sac_reval_bill   | Revaluate at Billing           |                        | yes/no       |     |
| sac_reval_wnd    | Revaluation Window             |                        | yes/no       |     |
| sac_revenue      | Revenue Type                   |                        | x(1)         |     |
| sac_rvidx_nxtbl  | Index at Next Bill             |                        | yes/no       |     |
| sac_sa           | Next Service Contract          |                        | >>>>>>>9     |     |
| sac_sa_multi     | Multiple Contracts             |                        | yes/no       |     |
| sac_sa_pre       | Contract Prefix                | Ct                     | x(1)         |     |
| sac_sa_site      | Contract Site                  |                        | x(8)         |     |
| sac_saqo_nbr     | Same Number for Quote/Contract |                        | yes/no       |     |
| sac_so_hist      | Keep Contract History          |                        | yes/no       |     |
| sac_so_nbr       | Next Service Sales order       |                        | >>>>>>>9     |     |
| sac_so_pre       | Service SO Prefix              |                        | x(3)         |     |
| sac_trl_ntax[3]  | Nontaxable Trailer Code        |                        | x(2)         |     |
| sac_trl_tax[3]   | Taxable Trailer Code           | Trl                    | x(2)         |     |
| sac_user_pricing | User Contract Pricing          |                        | yes/no       |     |
| sac_user1        | Ufld1                          |                        | x(8)         |     |
| sac_user2        | Ufld2                          |                        | x(8)         |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sac_ctrl | yes | oid_sac_ctrl | yes | no   |
| * sac_index1   | yes | sac_domain   | yes | no   |



### Service Contract Detail History



| Field Name       | Label               | Col-Label | Format                  | Dec |
|------------------|---------------------|-----------|-------------------------|-----|
| sadh_es_nbr      | Escalation          |           | x(8)                    |     |
| sadh_eu_nbr      | End User            |           | x(8)                    |     |
| sadh_expire      | Expires             |           | 99/99/99                |     |
| sadh_fix_pr      | Fixed Price         |           | yes/no                  |     |
| sadh_for         | Supported Item      | Item      | x(18)                   |     |
| sadh_fst_list    | FST on List         |           | yes/no                  |     |
| sadh_lastbill    | Date Last Billed    |           | 99/99/99                |     |
| sadh_line        | Line                | Ln        | >>9                     |     |
| sadh_list_pr     | List Price          | Lst Price | ->>>, >>>, >>9.99<<     | 10  |
| sadh_lst_bill    | Last Bill           |           | 99/99/99                |     |
| sadh_lstcover    | Last Billed         | Lst Bill  | 99/99/99                |     |
| sadh_mod_date    | Modified Date       | Mod Date  | 99/99/99                |     |
| sadh_mod_userid  | User ID             |           | X(8)                    |     |
| sadh_mrp         | Link Line to MRP    |           | yes/no                  |     |
| sadh_nbr         | Sales Order         | Order     | x(10)                   |     |
| sadh_nxt_bill    | Next Bill           |           | 99/99/99                |     |
| sadh_part        | Service Type        | Svc Type  | x(8)                    |     |
| sadh_pct_type    | Percent Type        | PT        | x(1)                    |     |
| sadh_per_date    | Perform Date        | Perform   | 99/99/99                |     |
| sadh_pr_list     | Price List          | Prc Lst   | x(8)                    |     |
| sadh_prefix      | Pf                  |           | x(2)                    |     |
| sadh_price       | Net Price           |           | >>>>, >>>, >>9.99<<<    | 10  |
| sadh_pricing_dt  | Pricing Date        | Price Dt  | 99/99/99                |     |
| sadh_priority    | Priority            | Pri       | >9                      |     |
| sadh_prlist_fnd  | Price List Found    |           | yes/no                  |     |
| sadh_procline    | Product Line        | Line      | x(4)                    |     |
| sadh_project     | Project             |           | x(8)                    |     |
| sadh_pst         | PST Taxable         |           | yes/no                  |     |
| sadh_pvm_bill    | Bill PM             |           | yes/no                  |     |
| sadh_pvm_bom     | Bill of Material    |           | x(18)                   |     |
| sadh_pvm_only    | PM Only             |           | yes/no                  |     |
| sadh_pvm_route   | Routing             |           | x(18)                   |     |
| sadh_qty_bld     | Billed Count        |           | ->>>, >>9.9<<<<<        | 10  |
| sadh_qty_chg     | Qty to Bill         |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| sadh_qty_item    | Item Quantity       | Item Qty  | >>, >>9.9               | 10  |
| sadh_qty_litm    | Last Item Qty       | Last Item | ->>>9.9<<<              | 10  |
| sadh_qty_lst     | Qty Last Billed     | Last Qty  | ->, >>>, >>9.9<<        | 10  |
| sadh_qty_per     | Duration            |           | ->>>9.9<<<              | 10  |
| sadh_ref         | Ref                 |           | >>>>>>>9                |     |
| sadh_serial      | Lot/Serial          |           | x(18)                   |     |
| sadh_site        | Site                |           | x(8)                    |     |
| sadh_slspsn[4]   | Salesperson         | Salespsn  | X(8)                    | 0   |
| sadh_so_line     | Sales Order Line    |           | >>9                     |     |
| sadh_so_ship     | From Sales Order    |           | x(8)                    |     |
| sadh_so_shipln   | From SO Line        |           | >>9                     |     |
| sadh_st_cover    | Coverage            |           | 99/99/99                |     |
| sadh_st_date     | Start Date          | Start     | 99/99/99                |     |
| sadh_status      | Status              |           | x(8)                    |     |
| sadh_std_cost    | Cost                |           | ->>>, >>>, >>9.99<<<    | 10  |
| sadh_tax_env     | Tax Environment     | Tax Env.  | x(16)                   | 0   |
| sadh_tax_in      | Tax In              |           | yes/no                  |     |
| sadh_tax_usage   | Nature of Operation | Nature    | x(8)                    |     |
| sadh_taxable     | Taxable             | Tax       | yes/no                  |     |
| sadh_taxc        | Tax Code            | T         | x(3)                    |     |
| sadh_total_bld   | Total Billed        |           | >>>>, >>>, >>9.99<<<    | 10  |
| sadh_total_price | Total Price         |           | >>>>, >>>, >>9.99<<<    | 10  |
| sadh_trnbr       | Transaction         |           | >>>>>>>>>>9             |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_sadh_hist | yes | oid_sadh_hist | yes | no   |
|   | sadh_nbrln    | no  | sadh_domain   | yes | no   |
|   |               |     | sadh_nbr      | yes | no   |
|   |               |     | sadh_prefix   | yes | no   |
|   |               |     | sadh_line     | yes | no   |
|   |               |     | sadh_end_date | yes | no   |
|   | sadh_serial   | no  | sadh_domain   | yes | no   |
|   |               |     | sadh_serial   | yes | no   |
|   |               |     | sadh_end_date | yes | no   |
| * | sadh_trnbr    | yes | sadh_domain   | yes | no   |
|   |               |     | sadh_trnbr    | yes | no   |

|                |                         |
|----------------|-------------------------|
| <b>sad_det</b> | Service Contract Detail |
|----------------|-------------------------|

| Field Name  | Label             | Col-Label | Format                  | Dec |
|-------------|-------------------|-----------|-------------------------|-----|
| oid_sad_det |                   |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sad__chr01  |                   |           | .9<<<<<<<<<             |     |
| sad__chr02  |                   |           | x(8)                    |     |
| sad__chr03  |                   |           | x(8)                    |     |
| sad__chr04  |                   |           | x(8)                    |     |
| sad__chr05  |                   |           | x(8)                    |     |
| sad__chr06  |                   |           | x(8)                    |     |
| sad__chr07  |                   |           | x(8)                    |     |
| sad__chr08  |                   |           | x(8)                    |     |
| sad__chr09  |                   |           | x(8)                    |     |
| sad__chr10  |                   |           | x(8)                    |     |
| sad__dec01  |                   |           | >>>, >>>, >>9.99        | 10  |
| sad__dec02  |                   |           | >>>, >>>, >>9.99        | 10  |
| sad__dte01  |                   |           | 99/99/99                |     |
| sad__dte02  |                   |           | 99/99/99                |     |
| sad__log01  |                   |           | yes/no                  |     |
| sad__qadc01 | Qad Field #1      |           | x(8)                    |     |
| sad__qadc02 | Qad Field #2      |           | x(8)                    |     |
| sad__qadc03 | Qad Field #3      |           | x(8)                    |     |
| sad__qadc04 | Qad Field #4      |           | x(8)                    |     |
| sad__qadc05 |                   |           | x(8)                    |     |
| sad__qadc06 |                   |           | x(4)                    |     |
| sad__qadd01 | Qad Decimal #1    |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sad__qadd02 | Qad Decimal #2    |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sad__qadd03 | Qad Decimal #3    |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sad__qadl01 | QAD Logical Field |           | yes/no                  |     |
| sad__qadl02 | Qad Logical #2    |           | yes/no                  |     |
| sad__qadl03 | Qad Logical #3    |           | yes/no                  |     |

| Field Name       | Label                | Col-Label    | Format                    | Dec |
|------------------|----------------------|--------------|---------------------------|-----|
| sad__qadt01      | Qad Date #1          |              | 99/99/99                  |     |
| sad__qadt02      | Qad Date #2          |              | 99/99/99                  |     |
| sad__qadt03      | Qad Date #3          |              | 99/99/99                  |     |
| sad_accrued      | Accrued              | Accr         | yes/no                    |     |
| sad_acct         | Sales Acct           | Sales        | x(8)                      |     |
| sad_amt_type     | Amount Type          | AT           | x(1)                      |     |
| sad_area         | Area                 |              | x(8)                      |     |
| sad_autorenew    | Auto Renew           | Renew        | yes/no                    |     |
| sad_bill_to      | Bill To              |              | x(8)                      |     |
| sad_blanket_eu   | Blanket End User     |              | yes/no                    |     |
| sad_ca_nbr       | Call                 |              | x(8)                      |     |
| sad_cancel       | Cancel Date          |              | 99/99/99                  |     |
| sad_cc           | Cost Ctr             | CC           | x(4)                      |     |
| sad_cmtindx      | >>>>>> Comment Index | Comment      | >>>>>>9                   |     |
| sad_comm_pct[4]  | Commission           | Comm%        | >>9.99%                   | 10  |
| sad_comment[5]   | Comments             |              | x(40)                     |     |
| sad_crt_int      | Credit Terms Int     | CRT Int      | ->>>9.99                  | 10  |
| sad_curr         | Currency             | Cur          | x(3)                      |     |
| sad_cust         | Customer             |              | x(8)                      |     |
| sad_custpart     | Customer Item        |              | x(18)                     |     |
| sad_cycle        | Billing Cycle        | Cyc          | x(2)                      |     |
| sad_desc         | Description          |              | x(24)                     |     |
| sad_disc_pct     | Disc %               |              | ->>9.99%                  | 10  |
| sad_discount     | Discountable         |              | yes/no                    |     |
| sad_domain       | Domain               |              | x(8)                      |     |
| sad_dsc_acct     | Disc Acct            |              | x(8)                      |     |
| sad_dsc_cc       | CC                   |              | x(4)                      |     |
| sad_dsc_project  | Disc Project         |              | x(8)                      |     |
| sad_dsc_sub      | Disc Sub-Acct        | Sub-Acct     | x(8)                      |     |
| sad_end_date     | End Date             | End          | 99/99/99                  |     |
| sad_es_nbr       | Escalation           |              | x(8)                      |     |
| sad_eu_nbr       | End User             |              | x(8)                      |     |
| sad_ex_rate      | Exch Rate            |              | >>>>, >>>, >>9.9<<<<<<<<< | 10  |
| sad_ex_rate2     | Exch Rate 2          |              | >>>>, >>>, >>9.9<<<<<<<<< | 10  |
| sad_ex_ratetype  | Rate Type            |              | x(8)                      |     |
| sad_expire       | Expires              |              | 99/99/99                  |     |
| sad_exru_seq     | Sequence             |              | >>>>>>>9                  |     |
| sad_fix_pr       | Fixed Price          |              | yes/no                    |     |
| sad_fix_rate     | Fixed Rate           | Fixed        | yes/no                    |     |
| sad_for          | Supported Item       | Item         | x(18)                     |     |
| ◇ sad_fsrev_acct | Revenue Acct         | Revenue Acct | x(8)                      |     |
| ◇ sad_fsrev_cc   | Revenue CC           | CC           | x(4)                      |     |
| ◇ sad_fsrev_sub  | Revenue Sub-Acct     | Sub-Acct     | x(8)                      |     |
| sad_fst_list     | FST on List          |              | yes/no                    |     |
| sad_lastbill     | Date Last Billed     |              | 99/99/99                  |     |
| sad_line         | Contract Line        | Con Line     | >>>>>>>9                  |     |
| sad_line_type    | Line Type            | LT           | x(1)                      |     |
| sad_list_pr      | List Price           | Lst Price    | ->>>>, >>>, >>9.99<<<     | 10  |
| sad_lst_bill     | Last Bill            |              | 99/99/99                  |     |
| sad_lstcover     | Last Billed          | Lst Bill     | 99/99/99                  |     |
| sad_mod_date     | Modified Date        | Mod Date     | 99/99/99                  |     |
| sad_mod_userid   | User ID              |              | X(8)                      |     |
| sad_mrp          | Link Line to MRP     |              | yes/no                    |     |
| sad_nbr          | Contract             |              | x(8)                      |     |
| sad_nxt_bill     | Next Bill            |              | 99/99/99                  |     |
| sad_parent_line  | Parent Line          |              | >>>>>>>9                  |     |
| sad_pct_type     | Percent Type         | PT           | x(1)                      |     |

| Field Name       | Label                | Col-Label | Format                 | Dec |
|------------------|----------------------|-----------|------------------------|-----|
| sad_per_date     | Perform Date         | Perform   | 99/99/99               |     |
| sad_po           | Purchase Order       |           | x(20)                  |     |
| sad_pr_list      | Price List           | Prc Lst   | x(8)                   |     |
| sad_prefix       | Pf                   |           | x(2)                   |     |
| sad_price        | Net Price            |           | >>>>, >>>, >>9.99<<<   | 10  |
| sad_pricing_dt   | Pricing Date         | Price Dt  | 99/99/99               |     |
| sad_priority     | Priority             | Pri       | >9                     |     |
| sad_prlist_fnd   | Price List Found     |           | yes/no                 |     |
| sad_prodlne      | Product Line         | Line      | x(4)                   |     |
| sad_project      | Project              |           | x(8)                   |     |
| sad_pst          | PST Taxable          |           | yes/no                 |     |
| sad_pvm_bill     | Bill PM              |           | yes/no                 |     |
| sad_pvm_bom      | Bill of Material     |           | x(18)                  |     |
| sad_pvm_only     | PM Item              |           | yes/no                 |     |
| sad_pvm_route    | Routing              |           | x(18)                  |     |
| sad_qty_bld      | Billed Count         |           | ->>>, >>9.9<<<<<       | 10  |
| sad_qty_chg      | Qty To Bill          |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| sad_qty_item     | Item Quantity        | Item Qty  | ->, >>>9.9             | 10  |
| sad_qty_litm     | Last Item Qty        | Last Item | ->>>9.9<<<             | 10  |
| sad_qty_lst      | Qty Last Billed      | Last Qty  | ->, >>>, >>9.9<<       | 10  |
| sad_qty_per      | Duration             |           | ->>>9.9<<<             | 10  |
| sad_ref          | Ref                  |           | >>>>>>>9               |     |
| sad_released     | Released To Contract | Rel       | yes/no                 |     |
| sad_renewed_to   | Renewed To           |           | x(8)                   |     |
| sad_serial       | Lot/Serial           |           | x(18)                  |     |
| sad_site         | Site                 |           | x(8)                   |     |
| sad_slspsn[4]    | Salesperson          | Salespsn  | X(8)                   |     |
| sad_so_nbr       | Sales Order          | Order     | x(8)                   |     |
| sad_so_ship      | From Sales Order     |           | x(8)                   |     |
| sad_so_shipln    | From SO Line         |           | >>9                    |     |
| sad_sod_line     | Sales Order Line     |           | >>9                    |     |
| sad_st_cover     | Coverage             |           | 99/99/99               |     |
| sad_st_date      | Start Date           | Start     | 99/99/99               |     |
| sad_status       | Status               |           | x(8)                   |     |
| sad_std_cost     | Cost                 |           | ->>>, >>>, >>9.99<<<   | 10  |
| sad_sub          | Sales Sub-Acct       | Sub-Acct  | x(8)                   |     |
| sad_sv_code      | Service Type         | Svc Type  | x(8)                   |     |
| sad_tax_env      | Tax Environment      | Tax Env   | x(16)                  |     |
| sad_tax_in       | Tax In               |           | yes/no                 |     |
| sad_tax_usage    | Tax Usage            | TaxUsage  | x(8)                   |     |
| sad_taxable      | Taxable              | Tax       | yes/no                 |     |
| sad_taxc         | Tax Class            | TxC       | x(3)                   |     |
| sad_total_bld    | Total Billed         |           | >>>>, >>>, >>9.99<<<   | 10  |
| sad_type         | Ship Type            | T         | x(1)                   |     |
| sad_ui_line      | Line                 |           | >>>>9                  |     |
| sad_um           | UM                   |           | x(2)                   |     |
| sad_um_conv      | UM Conversion        | UM Conv   | >>>>9.9999<<<<         | 10  |
| sad_user1        | Ufld1                |           | x(8)                   |     |
| sad_user2        | Ufld2                |           | x(8)                   |     |
| sad_visits       | Visits               |           | >>9                    | 10  |
| sad_xcomm_pct[2] | Commission           | Comm%     | >>9.99%                | 10  |
| sad_xslspsn[3]   | Salesperson          | Salespsn  | x(8)                   | 0   |

| Index-Name        | Uni | Field-Name    | Asc | Abbr |
|-------------------|-----|---------------|-----|------|
| ◇ old_sad_det     | yes | old_sad_det   | yes | no   |
| sad_enduser       | yes | sad_domain    | yes | no   |
|                   |     | sad_nbr       | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_eu_nbr    | yes | no   |
|                   |     | sad_line      | yes | no   |
| sad_eu_line       | yes | sad_domain    | yes | no   |
|                   |     | sad_nbr       | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_line_type | yes | no   |
|                   |     | sad_eu_nbr    | yes | no   |
|                   |     | sad_ui_line   | yes | no   |
| sad_line_eu       | no  | sad_domain    | yes | no   |
|                   |     | sad_nbr       | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_line_type | yes | no   |
|                   |     | sad_ui_line   | yes | no   |
|                   |     | sad_eu_nbr    | yes | no   |
| * sad_nbrln       | yes | sad_domain    | yes | no   |
|                   |     | sad_nbr       | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_line      | yes | no   |
| sad_part          | no  | sad_domain    | yes | no   |
|                   |     | sad_for       | yes | no   |
|                   |     | sad_serial    | yes | no   |
|                   |     | sad_ref       | yes | no   |
|                   |     | sad_nbr       | yes | no   |
|                   |     | sad_prefix    | yes | no   |
| ◇ sad_prefix_type | no  | sad_domain    | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_eu_nbr    | yes | no   |
|                   |     | sad_line_type | yes | no   |
| sad_serial        | no  | sad_domain    | yes | no   |
|                   |     | sad_prefix    | yes | no   |
|                   |     | sad_serial    | yes | no   |

## ◇ Saf Saf

| Field Name     | Label              | Col-Label          | Format     | Dec |
|----------------|--------------------|--------------------|------------|-----|
| BudgetGroup_ID | Budget Group       | Budget Group       | 9999999999 |     |
| CustomCombo0   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo1   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo2   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo3   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo4   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo5   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo6   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo7   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo8   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomCombo9   | Custom Combo Field | Custom Combo Field | x(20)      |     |
| CustomDate0    | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |
| CustomDate1    | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |
| CustomDate2    | Custom Date Field  | Custom Date Field  | 99/99/9999 |     |

| Field Name       | Label                | Col-Label            | Format        | Dec |
|------------------|----------------------|----------------------|---------------|-----|
| CustomDate3      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote       | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| LastModifiedDate | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime | Last Modified Time   | Modif Time           | 999999        |     |
| LastModifiedUser | Last Modified User   | Modif User           | x(20)         |     |
| Saf_ID           | Record ID            | Record ID            | 9999999999    |     |
| SafCode          | SAF Code             | SAF Code             | x(20)         |     |
| SafConcept_ID    | SAF Concept Code     | SAF Concept Code     | 9999999999    |     |
| SafDescription   | SAF Description      | SAF Description      | x(40)         |     |
| SafIsActive      | Active               | Active               | yes/no        |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ BudgetGroupIdx | no  | BudgetGroup_ID | yes | no   |
| ◇ Code           | no  | SafCode        | yes | no   |
| ◇ CodeAndConcept | yes | SafConcept_ID  | yes | no   |
|                  |     | SafCode        | yes | no   |
| ◇ Concept        | no  | SafConcept_ID  | yes | no   |
| ◇ IsActive       | no  | SafIsActive    | yes | no   |
| ◇* Prim          | yes | Saf_ID         | yes | no   |
| ◇ ViewIndex      | no  | SafIsActive    | yes | no   |
|                  |     | SafCode        | yes | no   |

◇ **SafConcept** Saf Concept

| Field Name       | Label              | Col-Label  | Format     | Dec |
|------------------|--------------------|------------|------------|-----|
| LastModifiedDate | Last Modified Date | Modif Date | 99/99/9999 |     |
| LastModifiedTime | Last Modified Time | Modif Time | 999999     |     |
| LastModifiedUser | Last Modified User | Modif User | x(20)      |     |
| SafConcept_ID    | Record ID          | Record ID  | 9999999999 |     |

| Field Name            | Label                   | Col-Label               | Format | Dec |
|-----------------------|-------------------------|-------------------------|--------|-----|
| SafConceptCode        | SAF Concept Code        | SAF Concept Code        | x(20)  |     |
| SafConceptDescription | SAF Concept Description | SAF Concept Description | x(40)  |     |
| SafConceptIsActive    | Active                  | Act                     | yes/no |     |
| SafConceptIsSystem    | System                  | System                  | yes/no |     |

| Index-Name  | Uni | Field-Name         | Asc | Abbr |
|-------------|-----|--------------------|-----|------|
| ◇ Code      | yes | SafConceptCode     | yes | no   |
| ◇* Prim     | yes | SafConcept_ID      | yes | no   |
| ◇ ViewIndex | no  | SafConceptIsActive | yes | no   |
|             |     | SafConceptCode     | yes | no   |

◇ **SafStructure** Saf Structure

| Field Name       | Label                | Col-Label            | Format        | Dec |
|------------------|----------------------|----------------------|---------------|-----|
| CustomCombo0     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9     | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4      | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote       | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| LastModifiedDate | Last Modified Date   | Modif Date           | 99/99/9999    |     |



| Field Name              | Label              | Col-Label   | Format     | Dec |
|-------------------------|--------------------|-------------|------------|-----|
| LastModifiedTime        | Last Modified Time | Modif Time  | 99999      |     |
| LastModifiedUser        | Last Modified User | Modif User  | x(20)      |     |
| SafStructure_ID         | Record ID          | Record ID   | 9999999999 |     |
| SafStructureCode        | Structure Code     | Structure   | x(20)      |     |
| SafStructureDescription | Description        | Description | x(40)      |     |
| SafStructureIsActive    | Active             | Act         | yes/no     |     |

| Index-Name  | Uni | Field-Name           | Asc | Abbr |
|-------------|-----|----------------------|-----|------|
| ◇ Code      | yes | SafStructureCode     | yes | no   |
| ◇* Prim     | yes | SafStructure_ID      | yes | no   |
| ◇ ViewIndex | no  | SafStructureIsActive | yes | no   |
|             |     | SafStructureCode     | yes | no   |

◇ **SafStructureLine** Saf Structure Line

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8   | Custom Short Field   | Custom Short Field   | x(20)         |     |

| Field Name                 | Label                | Col-Label            | Format     | Dec |
|----------------------------|----------------------|----------------------|------------|-----|
| CustomShort9               | Custom Short Field   | Custom Short Field   | x(20)      |     |
| LastModifiedDate           | Last Modified Date   | Modif Date           | 99/99/9999 |     |
| LastModifiedTime           | Last Modified Time   | Modif Time           | 99999      |     |
| LastModifiedUser           | Last Modified User   | Modif User           | x(20)      |     |
| Saf_ID                     | Link to Saf          | Link to Saf          | 9999999999 |     |
| SafConcept_ID              | Link to SafConcept   | Link to SafConcept   | 9999999999 |     |
| SafStructure_ID            | Link to SafStructure | Link to SafStructure | 9999999999 |     |
| SafStructureLine_ID        | Record ID            | Record ID            | 9999999999 |     |
| SafStructureLineBComponent | Business Component   | Business Component   | x(30)      |     |
| SafStructureLineNumber     | Line Number          | Line                 | ->,>>>,>>9 |     |

| Index-Name     | Uni | Field-Name                 | Asc | Abbr |
|----------------|-----|----------------------------|-----|------|
| ◇ BusinessComp | no  | SafStructureLineBComponent | yes | no   |
| ◇ Line         | no  | SafStructure_ID            | yes | no   |
|                |     | SafStructureLineNumber     | yes | no   |
| ◇* Prim        | yes | SafStructureLine_ID        | yes | no   |
| ◇ SafConcept   | no  | SafConcept_ID              | yes | no   |
| ◇ SafStructure | no  | SafStructure_ID            | yes | no   |
| ◇ StructConcpt | yes | SafStructure_ID            | yes | no   |
|                |     | SafConcept_ID              | yes | no   |

◇ **SafStructureLink** Saf Structure Link

| Field Name          | Label              | Col-Label        | Format     | Dec |
|---------------------|--------------------|------------------|------------|-----|
| CostCentre_ID       | Cost Center Code   | Cost Center Code | 9999999999 |     |
| GL_ID               | GL Account         | GL Account       | 9999999999 |     |
| LastModifiedDate    | Last Modified Date | Modif Date       | 99/99/9999 |     |
| LastModifiedTime    | Last Modified Time | Modif Time       | 99999      |     |
| LastModifiedUser    | Last Modified User | Modif User       | x(20)      |     |
| Project_ID          | Project            | Project          | 9999999999 |     |
| SafStructure_ID     | Structure Code     | Structure        | 9999999999 |     |
| SafStructureLink_ID | Record ID          | Record ID        | 9999999999 |     |

| Index-Name     | Uni | Field-Name          | Asc | Abbr |
|----------------|-----|---------------------|-----|------|
| ◇ AltPrim      | yes | SafStructure_ID     | yes | no   |
|                |     | GL_ID               | yes | no   |
|                |     | Project_ID          | yes | no   |
|                |     | CostCentre_ID       | yes | no   |
| ◇ CostCentre   | no  | CostCentre_ID       | yes | no   |
| ◇ GL           | no  | GL_ID               | yes | no   |
| ◇ Job          | no  | Project_ID          | yes | no   |
| ◇* Prim        | yes | SafStructureLink_ID | yes | no   |
| ◇ SafStructure | no  | SafStructure_ID     | yes | no   |

### Service Contract History



| Field Name       | Label              | Col-Label  | Format                     | Dec |
|------------------|--------------------|------------|----------------------------|-----|
| sah_cr_card      | Credit Card        | Card       | x(2)                       |     |
| sah_cr_init      | Cr Initials        | Initials   | x(2)                       |     |
| sah_cr_terms     | Credit Terms       | Terms      | x(8)                       |     |
| sah_curr         | Currency           | Cur        | x(3)                       |     |
| sah_cust         | Customer           |            | x(8)                       |     |
| sah_cycle        | Billing Cycle      | Cyc        | x(2)                       |     |
| sah_date_printed | Date Printed       |            | 99/99/99                   |     |
| sah_disc_pct     | Disc %             |            | ->9.99%                    | 10  |
| sah_domain       | Domain             |            | x(8)                       |     |
| sah_end_date     | End Date           |            | 99/99/99                   |     |
| sah_enduser      | End User           |            | x(8)                       |     |
| sah_ent_ex       | Exch Rate          |            | >>, >>9.99999<<<<<         | 10  |
| sah_ex_rate      | Exch Rate          |            | >>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| sah_ex_rate2     | Exch Rate 2        |            | >>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| sah_ex_ratetype  | Rate Type          |            | x(8)                       |     |
| sah_exp_date     | Expire Date        | Exp Date   | 99/99/99                   |     |
| sah_exru_seq     | Sequence           |            | >>>>>>>>9                  |     |
| sah_ext_date     | Extend Date        | Ext Date   | 99/99/9999                 |     |
| sah_fix_pr       | Fixed Price        |            | yes/no                     |     |
| sah_fix_rate     | Fixed Rate         | Fixed      | yes/no                     |     |
| sah_fob          | FOB Point          |            | x(20)                      |     |
| sah_free_frm     | Free Coverage From |            | 99/99/99                   |     |
| sah_free_to      | Free Coverage To   |            | 99/99/99                   |     |
| sah_fst_id       | FST ID             |            | x(16)                      |     |
| sah_gen_0itm     | Generate 0\$ Items |            | yes/no                     |     |
| sah_hold         | Hold Contract      | Hld        | yes/no                     |     |
| sah_inv_date     | Invoice Date       | Inv Date   | 99/99/99                   |     |
| sah_invoiced     | Invoiced           |            | yes/no                     |     |
| sah_lang         | Language           |            | x(2)                       |     |
| sah_last_bill    | Last Bill          | Last Bill  | 99/99/99                   |     |
| sah_limit_copy   | Renew Limits From  |            | X(1)                       |     |
| sah_lst_bill     | Last Bill          |            | 99/99/99                   |     |
| sah_lst_cover    | Last Bill          | Lst Bill   | 99/99/99                   |     |
| sah_mod_date     | Modified Date      | Mod Date   | 99/99/99                   |     |
| sah_mod_userid   | User ID            |            | X(8)                       |     |
| sah_mref         | Master Contract    | Master     | x(8)                       |     |
| sah_mrp          | Link to MRP        |            | yes/no                     |     |
| sah_nbr          | Number             |            | x(10)                      |     |
| sah_next_dur     | Next Duration      |            | >>9.99                     | 10  |
| sah_nxt_bill     | Next Bill          |            | 99/99/99                   |     |
| sah_off_hours_pt | Off Hours Item     |            | x(18)                      |     |
| sah_ord_date     | Order Date         | Ord Date   | 99/99/99                   |     |
| sah_orig_date    | Original Start     |            | 99/99/99                   |     |
| sah_part         | Service Type       | Svc Type   | x(8)                       |     |
| sah_periodic     | Periodic Billing   |            | yes/no                     |     |
| sah_po           | Purchase Order     |            | x(20)                      |     |
| sah_pr_list      | Price List         | List       | x(8)                       |     |
| sah_pr_list2     | List Price List    | List       | x(8)                       |     |
| sah_prefix       | Pf                 |            | x(1)                       |     |
| sah_prepaid      | Prepaid            |            | -z,zzz,zzz,zz9.99          | 10  |
| sah_print        | Print Sales Order  | Print SO   | yes/no                     |     |
| sah_print_pl     | Print Pack List    | Print Pack | yes/no                     |     |
| sah_prodlne      | Product Line       | Line       | x(4)                       |     |
| sah_project      | Project            |            | X(8)                       |     |
| sah_prt_0itm     | Print 0\$ Items    |            | yes/no                     |     |
| sah_pst          | PST                |            | yes/no                     |     |
| sah_pst_id       | PST ID             |            | x(16)                      |     |

| Field Name       | Label                   | Col-Label | Format             | Dec |
|------------------|-------------------------|-----------|--------------------|-----|
| sah_qty_per      | Duration                |           | ->>>9.9<<<         | 10  |
| sah_qty_plst     | Last Qty Billed         | Last Qty  | ->>>9.9<<<         | 10  |
| sah_quote        | Quote                   |           | x(8)               |     |
| sah_quote_mod    | Quote Modified          |           | yes/no             |     |
| sah_rel_date     | Release Date            | Rel Date  | 99/99/99           |     |
| sah_release      | Release to Contract     | Rel       | yes/no             |     |
| sah_renew_count  | Renewal Count           |           | >>9                |     |
| sah_renew_period | Renewal Periods         |           | >>9                |     |
| sah_renewal_date | Renewal Date            |           | 99/99/99           |     |
| sah_renewed_from | Renewed From            |           | X(8)               | 0   |
| sah_renewed_to   | Renewed To              |           | X(8)               | 0   |
| sah_reval_index  | Revaluation Index Month |           | >>9                |     |
| sah_reval_period | Revaluation Period      |           | >>9                |     |
| sah_revalue_date | Revaluation Date        |           | 99/99/99           |     |
| sah_rmks         | Remarks                 |           | x(40)              |     |
| sah_rsn_lost     | Reason Lost             |           | x(8)               |     |
| sah_sah_type     | Type                    |           | x(8)               |     |
| sah_sched_start  | PM Start Date           | Start     | yes/no             |     |
| sah_schedule     | Billing Schedule File   |           | yes/no             |     |
| sah_serial_det   | Serial Detail           |           | yes/no             |     |
| sah_ship_date    | Ship Date               |           | 99/99/99           |     |
| sah_shipvia      | Ship Via                |           | x(20)              |     |
| sah_site         | Site                    |           | x(8)               |     |
| sah_slspsn[4]    | Salesperson             | Salespsn  | X(8)               | 0   |
| sah_so_nbr       | Sales Order             | Order     | x(8)               |     |
| sah_source       | Order Source            | Source    | x(8)               |     |
| sah_st_cover     | Coverage                |           | 99/99/99           |     |
| sah_st_date      | Start Date              |           | 99/99/99           |     |
| sah_stat         | Action Status           | St        | x(2)               |     |
| sah_summarize    | Summarize               |           | yes/no             |     |
| sah_tax_date     | Tax Date                |           | 99/99/99           |     |
| sah_tax_env      | Tax Environment         | Tax Env.  | x(16)              | 0   |
| sah_tax_pct[3]   | Tax                     |           | ->9.99%            | 10  |
| sah_tax_usage    | Nature of Operation     | Nature    | x(8)               |     |
| sah_taxable      | Taxable                 | Tax       | yes/no             |     |
| sah_taxc         | Tax Code                | T         | x(3)               |     |
| sah_total_billed | Total Billed            |           | >>>>,>>>,>>9.99<<< | 10  |
| sah_total_cost   | Total Cost              |           | >>>>,>>>,>>9.99<<< | 10  |
| sah_trl1_amt     | Trailer Amt 1           |           | -zzzz,zzz,zz9.99   | 10  |
| sah_trl1_cd      | Trailer 1               | Trl1      | x(2)               |     |
| sah_trl2_amt     | Trailer Amt 2           |           | -zzzz,zzz,zz9.99   | 10  |
| sah_trl2_cd      | Trailer 2               | Trl2      | x(2)               |     |
| sah_trl3_amt     | Trailer Amt 3           |           | -zzzz,zzz,zz9.99   | 10  |
| sah_trl3_cd      | Trailer 3               | Trl3      | x(2)               |     |
| sah_trnbr        | Transaction             |           | >>>>>>>>>>9        |     |
| sah_type         | Type                    |           | x(8)               |     |
| sah_um           | UM                      |           | x(2)               |     |
| sah_user1        | Ufld1                   |           | x(8)               |     |
| sah_user2        | Ufld2                   |           | x(8)               |     |
| sah_visits       | Visits                  |           | >>9                | 10  |
| sah_xcomm_pct[2] | Commission              | Comm%     | >>9.99%            | 10  |
| sah_xslspsn[2]   | Salesperson             | Salespsn  | x(8)               | 0   |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ old_sah_hist | yes | old_sah_hist | yes | no   |
| sah_enduser    | no  | sah_domain   | yes | no   |
|                |     | sah_enduser  | yes | no   |
|                |     | sah_prefix   | yes | no   |
|                |     | sah_nbr      | yes | no   |
| sah_nbr        | no  | sah_domain   | yes | no   |
|                |     | sah_nbr      | yes | no   |
|                |     | sah_prefix   | yes | no   |
|                |     | sah_end_date | yes | no   |
| * sah_trnbr    | yes | sah_domain   | yes | no   |
|                |     | sah_trnbr    | yes | no   |

## ◇ SalesCode Sales Code

| Field Name     | Label | Col-Label | Format          | Dec |
|----------------|-------|-----------|-----------------|-----|
| CustomCombo0   |       |           | x(20)           |     |
| CustomCombo1   |       |           | x(20)           |     |
| CustomCombo2   |       |           | x(20)           |     |
| CustomCombo3   |       |           | x(20)           |     |
| CustomCombo4   |       |           | x(20)           |     |
| CustomCombo5   |       |           | x(20)           |     |
| CustomCombo6   |       |           | x(20)           |     |
| CustomCombo7   |       |           | x(20)           |     |
| CustomCombo8   |       |           | x(20)           |     |
| CustomCombo9   |       |           | x(20)           |     |
| CustomDate0    |       |           | 99/99/9999      |     |
| CustomDate1    |       |           | 99/99/9999      |     |
| CustomDate2    |       |           | 99/99/9999      |     |
| CustomDate3    |       |           | 99/99/9999      |     |
| CustomDate4    |       |           | 99/99/9999      |     |
| CustomDecimal0 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal1 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal2 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal3 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal4 |       |           | ->, >>>, >>9.99 | 4   |
| CustomInteger0 |       |           | ->, >>>, >>9    |     |
| CustomInteger1 |       |           | ->, >>>, >>9    |     |
| CustomInteger2 |       |           | ->, >>>, >>9    |     |
| CustomInteger3 |       |           | ->, >>>, >>9    |     |
| CustomInteger4 |       |           | ->, >>>, >>9    |     |
| CustomLong0    |       |           | x(255)          |     |
| CustomLong1    |       |           | x(255)          |     |
| CustomNote     |       |           | x(2000)         |     |
| CustomShort0   |       |           | x(20)           |     |
| CustomShort1   |       |           | x(20)           |     |
| CustomShort2   |       |           | x(20)           |     |
| CustomShort3   |       |           | x(20)           |     |
| CustomShort4   |       |           | x(20)           |     |
| CustomShort5   |       |           | x(20)           |     |
| CustomShort6   |       |           | x(20)           |     |
| CustomShort7   |       |           | x(20)           |     |
| CustomShort8   |       |           | x(20)           |     |
| CustomShort9   |       |           | x(20)           |     |

| Field Name           | Label | Col-Label | Format     | Dec |
|----------------------|-------|-----------|------------|-----|
| LastModifiedDate     |       |           | 99/99/9999 |     |
| LastModifiedTime     |       |           | 99999      |     |
| LastModifiedUser     |       |           | x(20)      |     |
| SalesCode            |       |           | x(20)      |     |
| SalesCode_ID         |       |           | 9999999999 |     |
| SalesCodeDescription |       |           | x(40)      |     |
| SalesCodeIsActive    |       |           | yes/no     |     |
| SalesCodeType        |       |           | x(20)      |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇ Active    | no  | SalesCodeIsActive | yes | no   |
| ◇* Prim     | yes | SalesCode_ID      | yes | no   |
| ◇ SalesCode | yes | SalesCode         | yes | no   |
| ◇ ViewIndex | no  | SalesCodeIsActive | yes | no   |
|             |     | SalesCode         | yes | no   |

◇ **SalesGLMatrix** Sales GL Matrix

| Field Name         | Label | Col-Label | Format     | Dec |
|--------------------|-------|-----------|------------|-----|
| CostOfSalesGL_ID   |       |           | 9999999999 |     |
| DebtorSalesCode_ID |       |           | 9999999999 |     |
| DiscountGL_ID      |       |           | 9999999999 |     |
| ItemSalesCode_ID   |       |           | 9999999999 |     |
| LastModifiedDate   |       |           | 99/99/9999 |     |
| LastModifiedTime   |       |           | 99999      |     |
| LastModifiedUser   |       |           | x(20)      |     |
| SalesGL_ID         |       |           | 9999999999 |     |
| SalesGLMatrix_ID   |       |           | 9999999999 |     |
| SharedSet_ID       |       |           | 9999999999 |     |

| Index-Name        | Uni | Field-Name         | Asc | Abbr |
|-------------------|-----|--------------------|-----|------|
| ◇ CostOfSalesGL   | no  | CostOfSalesGL_ID   | yes | no   |
| ◇ DebtItemSet     | yes | SharedSet_ID       | yes | no   |
|                   |     | DebtorSalesCode_ID | yes | no   |
|                   |     | ItemSalesCode_ID   | yes | no   |
| ◇ DebtorSalesCode | no  | DebtorSalesCode_ID | yes | no   |
| ◇ DiscountGL      | no  | DiscountGL_ID      | yes | no   |
| ◇ ItemSalesCode   | no  | ItemSalesCode_ID   | yes | no   |
| ◇* Prim           | yes | SalesGLMatrix_ID   | yes | no   |
| ◇ SalesGL         | no  | SalesGL_ID         | yes | no   |
| ◇ SharedSet       | no  | SharedSet_ID       | yes | no   |

### Service/Support Contract Limits History

| Field Name    | Label | Col-Label | Format                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Dec |
|---------------|-------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| oid_salh_hist |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>&gt |     |



| Field Name        | Label                  | Col-Label | Format               | Dec |
|-------------------|------------------------|-----------|----------------------|-----|
| salh_nbr          | Number                 |           | x(10)                |     |
| salh_op           | Operation              | Oper      | >>>>>9               |     |
| salh_ov_fcg_code  | Over Limit Charge Code | Ovr Chg   | x(8)                 |     |
| salh_pct_covered  | Percent Covered        | %Cv       | >>9                  | 10  |
| salh_per_call     | Per Call Limit         |           | yes/no               |     |
| salh_prefix       |                        |           | x(2)                 |     |
| salh_report       | Report                 |           | X(8)                 | 0   |
| salh_sequence     | Sequence               |           | >>9                  |     |
| salh_start        | Start                  |           | 99/99/99             |     |
| salh_total        | Consumed               |           | >>>>, >>>, >>9.99<<< | 10  |
| salh_trnbr        | Trans                  |           | >>>>>>>              |     |
| salh_type         | Type                   |           | x(2)                 |     |
| salh_unposted_amt | Unpost Amounts         |           | ->>>>, >>>, >>9.99   | 10  |
| salh_usage        | Usage                  |           | X(18)                | 0   |
| salh_user1        | Ufld1                  |           | x(8)                 |     |
| salh_user2        | Ufld2                  |           | x(8)                 |     |

| Index-Name      | Uni | Field-Name       | Asc | Abbr |
|-----------------|-----|------------------|-----|------|
| ◇ oid_salh_hist | yes | oid_salh_hist    | yes | no   |
| salh_call       | no  | salh_domain      | yes | no   |
|                 |     | salh_category    | yes | no   |
|                 |     | salh_call        | yes | no   |
|                 |     | salh_itm_line    | yes | no   |
|                 |     | salh_report      | yes | no   |
|                 |     | salh_op          | yes | no   |
|                 |     | salh_usage       | yes | no   |
|                 |     | salh_trnbr       | yes | no   |
| salh_days       | no  | salh_domain      | yes | no   |
|                 |     | salh_file        | yes | no   |
|                 |     | salh_prefix      | yes | no   |
|                 |     | salh_nbr         | yes | no   |
|                 |     | salh_line        | yes | no   |
|                 |     | salh_type        | yes | no   |
|                 |     | salh_fis_sort    | yes | no   |
|                 |     | salh_ca_int_type | yes | no   |
|                 |     | salh_fsc_code    | yes | no   |
|                 |     | salh_sequence    | yes | no   |
| salh_nbr        | no  | salh_domain      | yes | no   |
|                 |     | salh_file        | yes | no   |
|                 |     | salh_prefix      | yes | no   |
|                 |     | salh_nbr         | yes | no   |
|                 |     | salh_line        | yes | no   |
|                 |     | salh_type        | yes | no   |
|                 |     | salh_fis_sort    | yes | no   |
|                 |     | salh_ca_int_type | yes | no   |
|                 |     | salh_fsc_code    | yes | no   |
|                 |     | salh_start       | yes | no   |
|                 |     | salh_trnbr       | yes | no   |
| * salh_trnbr    | yes | salh_domain      | yes | no   |
|                 |     | salh_trnbr       | yes | no   |

## Service/Support Contract Limits Master

| Field Name         | Label                  | Col-Label | Format                         | Dec |
|--------------------|------------------------|-----------|--------------------------------|-----|
| oid_sal_mstr       |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sal_chr01          | User Field #1          |           | .9<<<<<<<<                     |     |
| sal_chr02          | User Field #2          |           | x(8)                           |     |
| sal_chr03          | User Field #3          |           | x(8)                           |     |
| sal_chr04          | User Field #4          |           | x(8)                           |     |
| sal_dec01          | User Decimal #1        |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_dec02          | User Decimal #2        |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_dec03          | User Decimal #3        |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_dte01          | User Date #1           |           | 99/99/99                       |     |
| sal_dte02          | User Date #2           |           | 99/99/99                       |     |
| sal_dte03          | User Date #3           |           | 99/99/99                       |     |
| sal_log01          | User Logical #1        |           | yes/no                         |     |
| sal_log02          | User Logical #2        |           | yes/no                         |     |
| sal_log03          | User Logical #3        |           | yes/no                         |     |
| sal_qadc01         | Qad Field #1           |           | x(8)                           |     |
| sal_qadc02         | Qad Field #2           |           | x(8)                           |     |
| sal_qadc03         | Qad Field #3           |           | x(8)                           |     |
| sal_qadc04         | Qad Field #4           |           | x(8)                           |     |
| sal_qadd01         | Qad Date #1            |           | 99/99/99                       |     |
| sal_qadd02         | Qad Date #2            |           | 99/99/99                       |     |
| sal_qadd03         | Qad Date #3            |           | 99/99/99                       |     |
| sal_qadde01        | Qad Decimal #1         |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_qadde02        | Qad Decimal #2         |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_qadde03        | Qad Decimal #3         |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sal_qadi01         | Qad Logical #1         |           | yes/no                         |     |
| sal_qadi02         | Qad Logical #2         |           | yes/no                         |     |
| sal_qadi03         | Qad Logical #3         |           | yes/no                         |     |
| sal_qadi04         | QAD Field              |           | yes/no                         |     |
| sal_bg_price       | Price                  |           | ->>>>, >>>, >>9.99<<<          | 10  |
| sal_budget         | Budget                 |           | >>>>, >>>, >>9.99<<<           | 10  |
| sal_ca_int_type    | Work Code              | Wk Code   | x(8)                           |     |
| sal_calls_allow    | Calls Allowed          |           | >>9                            |     |
| sal_calls_total    | Total Calls            |           | >>9                            |     |
| sal_code           | Limit Code             |           | x(8)                           |     |
| sal_days           | Days of Coverage       | Days      | >, >>>, >>9                    |     |
| sal_domain         | Domain                 |           | x(8)                           |     |
| sal_end            | End Date               |           | 99/99/99                       |     |
| sal_fcq_code       | Charge Code            | Charge    | x(8)                           |     |
| sal_file           | File                   |           | x(16)                          |     |
| sal_first_activity | First Activity         |           | 99/99/99                       |     |
| sal_fis_sort       | Invoice Sort           |           | x(18)                          |     |
| sal_fsc_code       | Service Category       | Svc Cat   | x(8)                           |     |
| sal_last_activity  | Last Activity          |           | 99/99/99                       |     |
| sal_limit_amt      | Limit Amount           | Amount    | >>>>, >>>, >>9.99<<<           | 10  |
| sal_line           | Line                   |           | >>>>>>>9                       |     |
| sal_listpr_limit   | List Price Limit       |           | >>>>, >>>, >>9.99<<<           | 10  |
| sal_mod_date       | Modified Date          | Mod Date  | 99/99/99                       |     |
| sal_mod_userid     | User ID                |           | X(8)                           |     |
| sal_nbr            | Number                 |           | x(36)                          |     |
| sal_ov_fcq_code    | Over Limit Charge Code | Ovr Chg   | x(8)                           |     |
| sal_pct_covered    | Percent Covered        | %Cv       | >>9                            | 10  |
| sal_per_call       | Per Call Limit         | Call      | yes/no                         |     |
| sal_prefix         |                        |           | x(3)                           |     |
| sal_sequence       | Sequence               | Seq       | >>9                            |     |

| Field Name       | Label         | Col-Label | Format             | Dec |
|------------------|---------------|-----------|--------------------|-----|
| sal_start        | Start         |           | 99/99/99           |     |
| sal_total        | Consumed      |           | >>>>,>>>,>>9.99<<< | 10  |
| sal_type         | Type          |           | x(2)               |     |
| sal_unposted_amt | Used/Unposted |           | >>>>,>>>,>>9.99<<< | 10  |
| sal_user1        | Ufld1         |           | x(8)               |     |
| sal_user2        | Ufld2         |           | x(8)               |     |

| Index-Name     | Uni | Field-Name      | Asc | Abbr |
|----------------|-----|-----------------|-----|------|
| ◇ oid_sal_mstr | yes | oid_sal_mstr    | yes | no   |
| sal_days       | no  | sal_domain      | yes | no   |
|                |     | sal_file        | yes | no   |
|                |     | sal_prefix      | yes | no   |
|                |     | sal_nbr         | yes | no   |
|                |     | sal_line        | yes | no   |
|                |     | sal_type        | yes | no   |
|                |     | sal_fis_sort    | yes | no   |
|                |     | sal_ca_int_type | yes | no   |
|                |     | sal_fsc_code    | yes | no   |
|                |     | sal_sequence    | yes | no   |
| * sal_nbr      | yes | sal_domain      | yes | no   |
|                |     | sal_file        | yes | no   |
|                |     | sal_prefix      | yes | no   |
|                |     | sal_nbr         | yes | no   |
|                |     | sal_line        | yes | no   |
|                |     | sal_type        | yes | no   |
|                |     | sal_fis_sort    | yes | no   |
|                |     | sal_ca_int_type | yes | no   |
|                |     | sal_fsc_code    | yes | no   |
|                |     | sal_start       | yes | no   |

### Service Contract Preventive Maintenance Detail

| Index-Name    | Uni | Field-Name     | Asc | Abbr |
|---------------|-----|----------------|-----|------|
| ◇ oid_sap_det | yes | oid_sap_det    | yes | no   |
| sap_assign    | no  | sap_domain     | yes | no   |
|               |     | sap_assign     | yes | no   |
|               |     | sap_sched_date | yes | no   |
| sap_grpsch    | no  | sap_domain     | yes | no   |
|               |     | sap_nbr        | yes | no   |
|               |     | sap_prefix     | yes | no   |
|               |     | sap_group      | yes | no   |
|               |     | sap_sched_date | yes | no   |
| * sap_nbrln   | yes | sap_domain     | yes | no   |
|               |     | sap_nbr        | yes | no   |
|               |     | sap_prefix     | yes | no   |
|               |     | sap_line       | yes | no   |
|               |     | sap_sched_date | yes | no   |
| sap_sched     | no  | sap_domain     | yes | no   |
|               |     | sap_group      | yes | no   |
|               |     | sap_sched_date | yes | no   |

| Index-Name     | Uni | Field-Name     | Asc | Abbr |
|----------------|-----|----------------|-----|------|
|                |     | sap_prefix     | yes | no   |
|                |     | sap_nbr        | yes | no   |
| sap_sched_date | no  | sap_domain     | yes | no   |
|                |     | sap_sched_date | yes | no   |

**sar\_mstr**      Service Contract Serial Number Master

| Field Name   | Label            | Col-Label | Format                 | Dec |
|--------------|------------------|-----------|------------------------|-----|
| oid_sar_mstr |                  |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sar__chr01   |                  |           | .9<<<<<<<<<            |     |
| sar__chr02   |                  |           | x(8)                   |     |
| sar__chr03   |                  |           | x(8)                   |     |
| sar__dec01   |                  |           | ->>>, >>>, >>9.99      | 10  |
| sar__dec02   |                  |           | ->>>, >>>, >>9.99      | 10  |
| sar__dte01   |                  |           | 99/99/99               |     |
| sar__dte02   |                  |           | 99/99/99               |     |
| sar__log01   |                  |           | yes/no                 |     |
| sar__log02   |                  |           | yes/no                 |     |
| sar__qadc01  |                  |           | x(8)                   |     |
| sar_domain   | Domain           |           | x(8)                   |     |
| sar_nbr      | Service Contract | Contract  | x(8)                   |     |
| sar_part     | Item             |           | x(18)                  |     |
| sar_prefix   | Prefix           | P         | x(1)                   |     |
| sar_ref      | Ref              |           | x(18)                  |     |
| sar_sad_line | Contract Line    |           | >>>>>>9                |     |
| sar_serial   | Lot/Serial       |           | x(18)                  |     |
| sar_user1    | Ufld1            |           | x(8)                   |     |
| sar_user2    | Ufld2            |           | x(8)                   |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| oid_sar_mstr  | yes | oid_sar_mstr | yes | no   |
| sar_nbrln     | yes | sar_domain   | yes | no   |
|               |     | sar_nbr      | yes | no   |
|               |     | sar_prefix   | yes | no   |
|               |     | sar_sad_line | yes | no   |
|               |     | sar_serial   | yes | no   |
|               |     | sar_ref      | yes | no   |
| sar_serial    | no  | sar_domain   | yes | no   |
|               |     | sar_prefix   | yes | no   |
|               |     | sar_serial   | yes | no   |
|               |     | sar_part     | yes | no   |
|               |     | sar_ref      | yes | no   |
|               |     | sar_nbr      | yes | no   |
|               |     | sar_sad_line | yes | no   |
| sar_serialref | yes | sar_domain   | yes | no   |
|               |     | sar_part     | yes | no   |
|               |     | sar_serial   | yes | no   |
|               |     | sar_ref      | yes | no   |
|               |     | sar_prefix   | yes | no   |
|               |     | sar_nbr      | yes | no   |
|               |     | sar_sad_line | yes | no   |

## Service Contract Master

| Field Name      | Label              | Col-Label | Format                  | Dec |
|-----------------|--------------------|-----------|-------------------------|-----|
| oid_sa_mstr     |                    |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sa__chr01       |                    |           | .9<<<<<<<<              |     |
| sa__chr02       |                    |           | x(8)                    |     |
| sa__chr03       |                    |           | x(8)                    |     |
| sa__chr04       |                    |           | x(8)                    |     |
| sa__chr05       |                    |           | x(8)                    |     |
| sa__chr06       |                    |           | x(8)                    |     |
| sa__chr07       |                    |           | x(8)                    |     |
| sa__chr08       |                    |           | x(8)                    |     |
| sa__chr09       |                    |           | x(8)                    |     |
| sa__chr10       |                    |           | x(8)                    |     |
| sa__dec01       |                    |           | >>>, >>>, >>9.99        | 10  |
| sa__dec02       |                    |           | >>>, >>>, >>9.99        | 10  |
| sa__dec03       | User Decimal Field |           | ->>, >>9.99             | 10  |
| sa__dte01       |                    |           | 99/99/99                |     |
| sa__dte02       |                    |           | 99/99/99                |     |
| sa__dte03       | User Date Field    |           | 99/99/99                |     |
| sa__log01       |                    |           | yes/no                  |     |
| sa__log02       | User Logical field |           | yes/no                  |     |
| sa__log03       | User Logical Field |           | yes/no                  |     |
| sa__qadc01      |                    |           | x(8)                    |     |
| sa__qadc02      |                    |           | x(8)                    |     |
| sa__qadc03      |                    |           | x(8)                    |     |
| sa__qadc04      |                    |           | x(8)                    |     |
| sa__qadc05[2]   |                    |           | x(8)                    | 0   |
| sa__qadd01      | Qad Decimal #1     |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sa__qadd02      | Qad Decimal #2     |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sa__qadd03      | Qad Decimal #3     |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sa__qadl01      | Qad Logical #1     |           | yes/no                  |     |
| sa__qadl02      | Qad Logical #2     |           | yes/no                  |     |
| sa__qadl03      | Qad Logical #3     |           | yes/no                  |     |
| sa__qadl04      | QAD Logical Field  |           | yes/no                  |     |
| sa__qadt01      | Qad Date #1        |           | 99/99/99                |     |
| sa__qadt02      | Qad Date #2        |           | 99/99/99                |     |
| sa__qadt03      | Qad Date #3        |           | 99/99/99                |     |
| sa_ar_acct      | AR Account         | AR        | x(8)                    |     |
| sa_ar_cc        | Cost Ctr           | CC        | x(4)                    |     |
| sa_ar_sub       | AR Sub-Acct        | Sub-Acct  | x(8)                    |     |
| sa_area         | Area               |           | x(8)                    |     |
| sa_arrears      | Bill Arrears       | Arrear    | yes/no                  |     |
| sa_autorenew    | Auto Renew         | A Renew   | yes/no                  |     |
| sa_base_pct     | Contract Base      |           | >>>9.99<<<              | 10  |
| sa_bill_cnt     | Bill Count         | BillCnt   | ->, >>>, >>9            |     |
| sa_bill_enduser | Bill End Users     |           | yes/no                  |     |
| sa_bill_summary | Bill Summary       |           | yes/no                  |     |
| sa_bill_to      | Bill To            |           | x(8)                    |     |
| sa_bill_type    | Billing Type       |           | x(8)                    |     |
| sa_blanket      | Blanket Contract   |           | yes/no                  |     |
| sa_bol          | BOL                |           | x(18)                   |     |
| sa_call_price   | Call Price List    | Price     | x(8)                    |     |
| sa_calls_allow  | Calls Allowed      |           | >>>, >>9                |     |
| sa_calls_total  | Total Calls        |           | >>>, >>9                |     |
| sa_can_tax      | PST Pct            |           | ->>9.99<<%              | 10  |
| sa_cancel       | Cancel Date        |           | 99/99/99                |     |

| Field Name      | Label                     | Col-Label | Format                    | Dec |
|-----------------|---------------------------|-----------|---------------------------|-----|
| sa_channel      | Channel                   |           | x(8)                      |     |
| sa_cmtindx      | Comment Index             | Comment   | >>>>>>9                   |     |
| sa_comm_pct[4]  | Commission                | Comm%     | >>9.99%                   | 10  |
| sa_complete     | Complete                  | Cplt      | yes/no                    |     |
| sa_conf_date    | Confirmed Date            | Confirmed | 99/99/99                  |     |
| sa_cr_card      | Credit Card               | Card      | x(2)                      |     |
| sa_cr_init      | Cr Initials               | Initials  | x(2)                      |     |
| sa_cr_terms     | Credit Terms              | Terms     | x(8)                      |     |
| sa_curr         | Currency                  | Cur       | x(3)                      |     |
| sa_cust         | Customer                  |           | x(8)                      |     |
| sa_cycle        | Billing Cycle             | Cyc       | x(2)                      |     |
| sa_date_printed | Date Printed              |           | 99/99/99                  |     |
| ◇ sa_daybookset | Daybook Set               | Dybk Set  | x(8)                      |     |
| sa_disc_pct     | Disc %                    |           | ->9.99%                   | 10  |
| sa_domain       | Domain                    |           | x(8)                      |     |
| sa_end_date     | End Date                  |           | 99/99/99                  |     |
| sa_enduser      | End User                  |           | x(8)                      |     |
| sa_ent_ex       | Exch Rate                 |           | >>, >>9.99999<<<<<        | 10  |
| sa_ex_rate      | Exch Rate                 |           | >>>>, >>>, >>9.9<<<<<<<<< | 10  |
| sa_ex_rate2     | Exch Rate 2               |           | >>>>, >>>, >>9.9<<<<<<<<  | 10  |
| sa_ex_ratetype  | Rate Type                 |           | x(8)                      |     |
| sa_exp_date     | Expire Date               | Exp Date  | 99/99/99                  |     |
| sa_exru_seq     | Sequence                  |           | >>>>>>>9                  |     |
| sa_ext_date     | Extend Date               | Ext Date  | 99/99/9999                |     |
| sa_fix_pr       | Fixed Price               |           | yes/no                    |     |
| sa_fix_rate     | Fixed Rate                | Fixed     | yes/no                    |     |
| sa_fob          | FOB Point                 |           | x(20)                     |     |
| sa_free_frm     | Free Coverage From        |           | 99/99/99                  |     |
| sa_free_to      | Free Coverage To          |           | 99/99/99                  |     |
| sa_fsaccr_acct  | Accrued Revenue           | Accrued   | x(8)                      |     |
| sa_fsaccr_cc    | Accrued Revenue CC        |           | x(4)                      |     |
| sa_fsaccr_sub   | Accrued Revenue Sub-Acct  |           | x(8)                      |     |
| sa_fsdef_acct   | Deferred Revenue          | Deferred  | x(8)                      |     |
| sa_fsdef_cc     | Deferred Revenue CC       |           | x(4)                      |     |
| sa_fsdef_sub    | Deferred Revenue Sub-Acct |           | x(8)                      |     |
| sa_fst_id       | FST ID                    |           | x(18)                     |     |
| sa_gen_Oitm     | Generate 0\$ Items        |           | yes/no                    |     |
| sa_hold         | Hold Contract             | Hld       | yes/no                    |     |
| sa_inv_date     | Invoice Date              | Inv Date  | 99/99/99                  |     |
| sa_invoiced     | Invoiced                  |           | yes/no                    |     |
| sa_item_enduser | Item End Users            |           | yes/no                    |     |
| sa_lang         | Language                  |           | x(2)                      |     |
| sa_last_bill    | Last Billed               | Last Bill | 99/99/99                  |     |
| sa_limit_copy   | Renew Limits From         |           | X(1)                      |     |
| sa_lst_bill     | Last Bill                 |           | 99/99/99                  |     |
| sa_lst_cover    | Last Bill                 | Lst Bill  | 99/99/99                  |     |
| sa_mod_date     | Modified Date             | Mod Date  | 99/99/99                  |     |
| sa_mod_userid   | User ID                   |           | X(8)                      |     |
| sa_mref         | Master Contract           | Master    | x(8)                      |     |
| sa_mrp          | Link to MRP               |           | yes/no                    |     |
| sa_nbr          | Number                    |           | x(8)                      | 0   |
| sa_next_dur     | Next Duration             |           | >>9.99                    | 10  |
| sa_nxt_bill     | Next Bill                 |           | 99/99/99                  |     |
| sa_off_hours_pt | Off Hours Item            |           | x(18)                     |     |
| sa_ord_date     | Order Date                | Ord Date  | 99/99/99                  |     |
| sa_orig_date    | Original Start            |           | 99/99/99                  |     |
| sa_per_bill     | Period Based Billing      | PBB       | yes/no                    |     |

| Field Name       | Label                   | Col-Label  | Format             | Dec |
|------------------|-------------------------|------------|--------------------|-----|
| sa_periodic      | Periodic Billing        |            | yes/no             |     |
| sa_po            | Purchase Order          |            | x(20)              |     |
| sa_pr_list       | Price List              | List       | x(8)               |     |
| sa_pr_list2      | List Price List         | List       | x(8)               |     |
| sa_prefix        | Pf                      |            | x(1)               |     |
| sa_prepaid       | Prepaid                 |            | -z,zzz,zzz,zz9.99  | 10  |
| sa_print         | Print Sales Order       | Print SO   | yes/no             |     |
| sa_print_pl      | Print Pack List         | Print Pack | yes/no             |     |
| sa_prodlne       | Product Line            | Line       | x(4)               |     |
| sa_project       | Project                 |            | x(8)               |     |
| sa_prorate       | Prorate Partial Periods | Pro        | yes/no             |     |
| sa_prt_0itm      | Print 0\$ Items         |            | yes/no             |     |
| sa_pst           | PST                     |            | yes/no             |     |
| sa_pst_id        | PST ID                  |            | x(18)              |     |
| sa_qty_per       | Duration                |            | ->>>9.9<<<         | 10  |
| sa_qty_plst      | Last Qty Billed         | Last Qty   | ->>>9.9<<<         | 10  |
| sa_quote         | Quote                   |            | x(8)               |     |
| sa_quote_mod     | Quote Modified          |            | yes/no             |     |
| sa_rel_date      | Release Date            | Rel Date   | 99/99/99           |     |
| sa_release       | Release To Contract     | Rel        | yes/no             |     |
| sa_renew_count   | Renewal Count           |            | >>9                |     |
| sa_renew_periods | Renewal Periods         |            | >>9                |     |
| sa_renewal_date  | Renewal Date            |            | 99/99/99           |     |
| sa_renewed_from  | Renewed From            |            | X(8)               |     |
| sa_renewed_to    | Renewed To              |            | X(8)               |     |
| sa_reval_index   | Index Month             |            | >>9                |     |
| sa_reval_period  | Revaluation Period      |            | >>9                |     |
| sa_revalue_date  | Revaluation Date        |            | 99/99/99           |     |
| sa_revenue       | Revenue Type            |            | x(1)               |     |
| sa_rmks          | Remarks                 |            | x(40)              |     |
| sa_rsn_lost      | Reason Lost             |            | x(8)               |     |
| sa_sa_type       | Type                    |            | x(8)               |     |
| sa_sched_start   | PM Start Date           | Start      | yes/no             |     |
| sa_schedule      | Billing Schedule File   |            | yes/no             |     |
| sa_serial_det    | Serial Detail           |            | yes/no             |     |
| sa_ship_date     | Ship Date               |            | 99/99/99           |     |
| sa_shipvia       | Ship Via                |            | x(20)              |     |
| sa_site          | Site                    |            | x(8)               |     |
| sa_slspsn[4]     | Salesperson             | Salespsn   | X(8)               | 0   |
| sa_so_nbr        | Sales Order             | Order      | x(8)               |     |
| sa_source        | Order Source            | Source     | x(8)               |     |
| sa_st_cover      | Coverage                |            | 99/99/99           |     |
| sa_st_date       | Start Date              |            | 99/99/99           |     |
| sa_stat          | Action Status           | St         | x(2)               |     |
| sa_summarize     | Summarize               |            | yes/no             |     |
| sa_sv_code       | Service Type            | Svc Type   | x(8)               |     |
| sa_tax_date      | Tax Date                |            | 99/99/99           |     |
| sa_tax_env       | Tax Environment         | Tax Env    | x(16)              |     |
| sa_tax_pct[3]    | Tax                     |            | ->9.99%            | 10  |
| sa_tax_usage     | Tax Usage               | TaxUsage   | x(8)               |     |
| sa_taxable       | Taxable                 | Tax        | yes/no             |     |
| sa_taxc          | Tax Class               | TxC        | x(3)               |     |
| sa_total_billed  | Total Billed            |            | >>>>,>>>,>>9.99<<< | 10  |
| sa_total_cost    | Total Cost              |            | >>>>,>>>,>>9.99<<< | 10  |
| sa_tr1_amt       | Trailer Amt 1           |            | -zzzz,zzz,zz9.99   | 10  |
| sa_tr1_cd        | Trailer 1               | Tr11       | x(2)               |     |
| sa_tr12_amt      | Trailer Amt 2           |            | -zzzz,zzz,zz9.99   | 10  |



| Field Name      | Label         | Col-Label | Format           | Dec |
|-----------------|---------------|-----------|------------------|-----|
| sa_trl2_cd      | Trailer 2     | Trl2      | x(2)             |     |
| sa_trl3_amt     | Trailer Amt 3 |           | -zzzz,zzz,zz9.99 | 10  |
| sa_trl3_cd      | Trailer 3     | Trl3      | x(2)             |     |
| sa_type         | Type          |           | x(8)             |     |
| sa_um           | UM            |           | x(2)             |     |
| sa_user1        | Ufld1         |           | x(8)             |     |
| sa_user2        | Ufld2         |           | x(8)             |     |
| sa_visits       | Visits        |           | >>9              | 10  |
| sa_xcomm pct[2] | Commission    | Comm%     | >>9.99%          | 10  |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_sa_mstr | yes | oid_sa_mstr | yes | no   |
| sa_cust       | yes | sa_domain   | yes | no   |
|               |     | sa_cust     | yes | no   |
|               |     | sa_prefix   | yes | no   |
|               |     | sa_nbr      | yes | no   |
| sa_end_date   | no  | sa_domain   | yes | no   |
|               |     | sa_end_date | yes | no   |
| sa_enduser    | no  | sa_domain   | yes | no   |
|               |     | sa_enduser  | yes | no   |
|               |     | sa_prefix   | yes | no   |
|               |     | sa_nbr      | yes | no   |
| * sa_nbr      | yes | sa_domain   | yes | no   |
|               |     | sa_nbr      | yes | no   |
|               |     | sa_prefix   | yes | no   |
| sa_po_nbr     | no  | sa_domain   | yes | no   |
|               |     | sa_po       | yes | no   |
|               |     | sa_cust     | yes | no   |
|               |     | sa_nbr      | yes | no   |
|               |     | sa_prefix   | yes | no   |

**sbc mstr** Service/Support Billing Cycle Master

| Field Name     | Label                 | Col-Label | Format                         | Dec |
|----------------|-----------------------|-----------|--------------------------------|-----|
| oid_sbc_mstr   |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sbc__chr01     |                       |           | .9<<<<<<<<<                    |     |
| sbc__chr02     |                       |           | x(8)                           |     |
| sbc__chr03     |                       |           | x(8)                           |     |
| sbc__chr04     |                       |           | x(8)                           |     |
| sbc__chr05     |                       |           | x(8)                           |     |
| sbc__qadc01    | QAD Character Field 1 |           | X(8)                           |     |
| sbc__qadc02    | QAD Character Field 2 |           | X(8)                           |     |
| sbc__qadc03    | QAD Character Field 3 |           | X(8)                           |     |
| sbc__qadd01    | QAD Decimal Field 1   |           | ->>, >>>, >>9.99<<             | 10  |
| sbc__qadl01    | QAD Logical Field 1   |           | yes/no                         |     |
| sbc_code       | Cycle                 |           | x(2)                           |     |
| sbc_desc       | Description           |           | x(24)                          |     |
| sbc_domain     | Domain                |           | x(8)                           |     |
| sbc_duration   | Length                |           | >>>>>9                         |     |
| sbc_mod_date   | Modified Date         | Mod Date  | 99/99/99                       |     |
| sbc_mod_userid | User ID               |           | X(8)                           |     |

| Field Name    | Label       | Col-Label | Format               | Dec |
|---------------|-------------|-----------|----------------------|-----|
| sbcs_qty_bill | Qty to Bill |           | -,>>>,>>9.9<<<<<<<<< | 10  |
| sbcs_um       | UM          |           | x(2)                 |     |
| sbcs_user1    | Ufld1       |           | x(8)                 |     |
| sbcs_user2    | Ufld2       |           | x(8)                 |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sbc_mstr | yes | oid_sbc_mstr | yes | no   |
| * sbc_code     | yes | sbc_domain   | yes | no   |
|                |     | sbc_code     | yes | no   |

**sbd\_det** Sub-Account/Account Validation Detail

| <b>Field Name</b> | <b>Label</b>      | <b>Col-Label</b> | <b>Format</b>            | <b>Dcl</b> |
|-------------------|-------------------|------------------|--------------------------|------------|
| oid_sbd_det       |                   |                  | >>>>>>>>>>>>>>>>>>>>9 10 |            |
| sbd__qadc01       |                   |                  | .9<<<<<<<<               |            |
| sbd_acc_beg       | Range of Accounts | From! Account    | x(8)                     |            |
| sbd_acc_end       | To                | To! Account      | x(8)                     |            |
| sbd_line          | Line              |                  | >>9                      |            |
| sbd_sub           | Sub-Account       | Sub-Acct         | x(8)                     |            |
| sbd_user1         | Ufld1             |                  | x(8)                     |            |
| sbd_user2         | Ufld2             |                  | x(8)                     |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_sbd_det | yes | oid_sbd_det | yes | no   |
| * | sbd_index   | yes | sbd_sub     | yes | no   |
|   |             |     | sbd_line    | yes | no   |

**sbic ctl**      Self-Bill Control

| Field Name   | Label | Col-Label | Format                         | Dec |
|--------------|-------|-----------|--------------------------------|-----|
| oid_sbic_ctl |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sbic__qadc01 |       |           | .9<<<<<<<<<                    |     |
| sbic__qadc02 |       |           | X(8)                           |     |
| sbic__qadc03 |       |           | X(8)                           |     |
| sbic__qadc04 |       |           | X(8)                           |     |
| sbic__qadd01 |       |           | ->>>, >>>, >>9.<<<<<<<<<       | 10  |
| sbic__qadd02 |       |           | ->>>, >>>, >>9.<<<<<<<<<       | 10  |
| sbic__qadd03 |       |           | ->>>, >>>, >>9.<<<<<<<<<       | 10  |
| sbic__qadd04 |       |           | ->>>, >>>, >>9.<<<<<<<<<       | 10  |
| sbic__qadi01 |       |           | >>>>>>>9                       |     |
| sbic__qadi02 |       |           | >>>>>>>9                       |     |
| sbic__qadi03 |       |           | >>>>>>>9                       |     |
| sbic__qadi04 |       |           | >>>>>>>9                       |     |
| sbic__qadl01 |       |           | yes/no                         |     |
| sbic__qadl02 |       |           | yes/no                         |     |
| sbic__qadl03 |       |           | yes/no                         |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_sbic_ctl | yes | oid_sbic_ctl | yes | no   |
| * | sbic_index1  | yes | sbic_domain  | yes | no   |

### Self-Bill Detail



| Field Name         | Label          | Col-Label | Format                  | Dec |
|--------------------|----------------|-----------|-------------------------|-----|
| sbid__qadt04       |                |           | 99/99/99                |     |
| sbid__qadt05       |                |           | 99/99/99                |     |
| sbid_amt           | Paid Amount    |           | ->>>>, >>>, >>9.99<<<   | 10  |
| sbid_authorization | Authorization  |           | x(24)                   |     |
| sbid_bill          | Bill-To        |           | x(8)                    |     |
| sbid_cust          | Sold-To        |           | x(8)                    |     |
| sbid_custref       | Customer Ref   |           | x(30)                   |     |
| sbid_domain        | Domain         |           | x(8)                    |     |
| Δ sbid_inv_nbr     | Invoice/Memo   | Inv/Memo  | x(22)                   |     |
| sbid_line          | Line           |           | >>>, >>9                |     |
| sbid_mod_date      | Modified Date  | Mod Date  | 99/99/99                |     |
| sbid_mod_userid    | User ID        |           | X(8)                    |     |
| sbid_modelyr       | Model Year     |           | x(4)                    |     |
| sbid_nbr           | Self-Bill      |           | x(20)                   |     |
| sbid_order         | Sales Order    | SO        | x(8)                    |     |
| sbid_origin        | Origin         | O         | x(1)                    |     |
| sbid_part          | Self-Bill Item |           | x(30)                   |     |
| sbid_po            | Customer PO    |           | x(22)                   |     |
| sbid_price         | Paid Price     |           | >>, >>>, >>9.99<<<      | 10  |
| sbid_qty           | Paid Qty       |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| sbid_remarks       | Remarks        |           | x(40)                   |     |
| sbid_ship_id       | Shipper        |           | x(20)                   |     |
| sbid_tax_amt       | Tax Amt        |           | ->>>>, >>>, >>9.99<<<   | 10  |
| sbid_tax_pct       | Tax Rate       |           | ->>9.99<<%              | 10  |
| sbid_trnbr         | Trans          |           | >>>>>>>                 |     |
| sbid_type          | Type           | T         | x(1)                    |     |
| sbid_um            | UM             |           | x(2)                    |     |
| sbid_user1         | Ufld1          |           | X(8)                    |     |
| sbid_user2         | Ufld2          |           | X(8)                    |     |
| sbid_user3         |                |           | X(8)                    |     |
| sbid_user4         |                |           | X(8)                    |     |
| sbid_user5         |                |           | X(8)                    |     |
| sbid_user6         |                |           | X(8)                    |     |
| sbid_user7         |                |           | X(8)                    |     |

| Index-Name         | Uni | Field-Name         | Asc | Abbr |
|--------------------|-----|--------------------|-----|------|
| ◇ oid_sbid_det     | yes | oid_sbid_det       | yes | no   |
| sbid_authorization | no  | sbid_domain        | yes | no   |
|                    |     | sbid_authorization | yes | no   |
| sbid_inv_nbr       | no  | sbid_domain        | yes | no   |
|                    |     | sbid_inv_nbr       | yes | no   |
| * sbid_nbr_line    | yes | sbid_domain        | yes | no   |
|                    |     | sbid_bill          | yes | no   |
|                    |     | sbid_nbr           | yes | no   |
|                    |     | sbid_line          | yes | no   |
| sbid_order         | no  | sbid_domain        | yes | no   |
|                    |     | sbid_order         | yes | no   |
| sbid_part          | no  | sbid_domain        | yes | no   |
|                    |     | sbid_part          | yes | no   |
|                    |     | sbid_type          | yes | no   |
| sbid_ship_id       | no  | sbid_domain        | yes | no   |
|                    |     | sbid_ship_id       | yes | no   |
| sbid_trnbr         | no  | sbid_domain        | yes | no   |
|                    |     | sbid_trnbr         | yes | no   |

## Self-Bill Master



| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sbi_mstr | yes | oid_sbi_mstr | yes | no   |
| sbi_check      | no  | sbi_domain   | yes | no   |
|                |     | sbi_bill     | yes | no   |
|                |     | sbi_check    | yes | no   |
|                |     | sbi_nbr      | yes | no   |
| * sbi_nbr      | yes | sbi_domain   | yes | no   |
|                |     | sbi_bill     | yes | no   |
|                |     | sbi_nbr      | yes | no   |
| sbi_xmission   | no  | sbi_domain   | yes | no   |
|                |     | sbi_bill     | yes | no   |
|                |     | sbi_xmission | yes | no   |
|                |     | sbi_nbr      | yes | no   |

**sb mstr**

Sub-Account Master

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|--------------|------------------|--------------------------------|------------|
| oid_sb_mstr       |              |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>   | 9 10       |
| sb__qadc01        |              |                  | .9<<<<<<<<<<<<<<<<<<<<<<<<<<<< |            |
| sb_active         | Active       | Act              | x(8)                           |            |
| sb_desc           | Description  |                  | yes/no                         |            |
| sb_domain         | Domain       |                  | x(24)                          |            |
| sb_sub            | Sub-Account  | Sub-Acct         | x(8)                           |            |
| sb_user1          | Ufld1        |                  | x(8)                           |            |
| sb_user2          | Ufld2        |                  | x(8)                           |            |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_sb_mstr | yes | oid_sb_mstr | yes | no   |
|   | sb_desc     | no  | sb_domain   | yes | no   |
|   |             |     | sb_desc     | yes | no   |
| * | sb_sub      | yes | sb_domain   | yes | no   |
|   |             |     | sb_sub      | yes | no   |
|   |             |     | sb_active   | yes | no   |

**sca\_mstr**

Service Contract Additional Charge Master

| Field Name   | Label                  | Col-Label | Format                         | Dec |
|--------------|------------------------|-----------|--------------------------------|-----|
| oid_sca_mstr |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sca_chr01    | User Character Field 1 |           | .9<<<<<<<<<                    |     |
| sca_chr02    | User Character Field 2 |           | X(8)                           |     |
| sca_chr03    | User Character Field 3 |           | X(8)                           |     |
| sca_dec01    | User Decimal Field 1   |           | ->>>>, >>>, >>9.99             | 10  |
| sca_dte01    | User Date Field 1      |           | 99/99/99                       |     |
| sca_dte02    | User Date Field 2      |           | 99/99/99                       |     |
| sca_qadc01   | QAD Character Field 1  |           | X(8)                           |     |
| sca_qadc02   | QAD Character Field 2  |           | X(8)                           |     |
| sca_qadc03   | QAD Character Field 3  |           | X(8)                           |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_sca_mstr | yes | oid_sca_mstr | yes | no   |
|   | sca_part     | no  | sca_domain   | yes | no   |
|   |              |     | sca_part     | yes | no   |
|   |              |     | sca_service  | yes | no   |
| * | sca_service  | yes | sca_domain   | yes | no   |
|   |              |     | sca_service  | yes | no   |
|   |              |     | sca_part     | yes | no   |

**scc\_mstr**

| Field Name      | Label                  | Col-Label | Format | Dec |
|-----------------|------------------------|-----------|--------|-----|
| scc_shipfrom    | Ship-From              |           | x(8)   |     |
| scc_use_current | Use Current Release    |           | yes/no |     |
| scc_user1       | User Field Character 1 |           | X(24)  |     |
| scc_user2       | User Field Character 2 |           | X(24)  |     |

|   | Index-Name          | Uni | Field-Name          | Asc | Abbr |
|---|---------------------|-----|---------------------|-----|------|
| ◇ | oid_scc_mstr        | yes | oid_scc_mstr        | yes | no   |
| * | scc_customer_source | yes | scc_domain          | yes | no   |
|   |                     |     | scc_customer_source | yes | no   |
|   |                     |     | scc_shipfrom        | yes | no   |
|   |                     |     | scc_receive_addr    | yes | no   |
|   |                     |     | scc_part            | yes | no   |

**schd det** Release Management Schedule Detail

| Field Name     | Label          | Col-Label | Format                     | Dec |
|----------------|----------------|-----------|----------------------------|-----|
| oid_schd_det   |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| schd__chr01    |                |           | .9<<<<<<<<                 |     |
| schd__chr02    |                |           | x(8)                       |     |
| schd__chr03    |                |           | x(8)                       |     |
| schd__chr04    |                |           | x(8)                       |     |
| schd__chr05    |                |           | x(8)                       |     |
| schd__chr06    |                |           | x(8)                       |     |
| schd__chr07    |                |           | x(8)                       |     |
| schd__chr08    |                |           | x(8)                       |     |
| schd__chr09    |                |           | x(8)                       |     |
| schd__chr10    |                |           | x(8)                       |     |
| schd__dec01    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec02    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec03    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec04    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec05    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec06    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec07    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec08    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec09    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dec10    |                |           | >>>, >>>, >>9.99           | 10  |
| schd__dte01    |                |           | 99/99/99                   |     |
| schd__dte02    |                |           | 99/99/99                   |     |
| schd__log01    |                |           | yes/no                     |     |
| schd__log02    |                |           | yes/no                     |     |
| schd_all_qty   | Qty Pegged     |           | >, >>>, >>9.9<<<<          | 10  |
| schd_cmtindx   | Comment Index  | Comment   | >>>>>>>9                   |     |
| schd_cum_qty   | Cumulative Qty |           | >>>, >>>, >>9.9<<<<<<      | 10  |
| schd_date      | Date           |           | 99/99/99                   |     |
| schd_discr_qty | Discrete Qty   |           | >>, >>>, >>9.9<<<<<<       | 10  |
| schd_domain    | Domain         |           | x(8)                       |     |
| schd_fc_qual   | Q              |           | x(1)                       |     |
| schd_interval  | Interval       |           | x(1)                       |     |
| schd_line      | Line           | Ln        | >>9                        |     |
| schd_nbr       | Order          | Sls Order | x(8)                       |     |



| Field Name          | Label            | Col-Label | Format               | Dec |
|---------------------|------------------|-----------|----------------------|-----|
| schd_per_date       | Perform Date     | Perform   | 99/99/99             |     |
| schd_reference      | Reference        |           | x(24)                |     |
| schd_reference_type | Reference Type   | Ref! Type | x(2)                 |     |
| ◇ schd_req_type     | Requirement Type |           | >9                   |     |
| schd_rlse_id        | Release ID       |           | x(30)                |     |
| schd_ship_qty       | Qty Shipped      |           | >>,>>>,>>9.9<<<<<<<< | 10  |
| schd_time           | Time             |           | 99:99                |     |
| schd_type           | Schedule Type    |           | >9                   |     |
| schd_upd_qty        | Quantity         |           | >>,>>>,>>9.9<<<<<<<< | 10  |
| schd_user1          | Ufld1            |           | x(8)                 |     |
| schd_user2          | Ufld2            |           | x(8)                 |     |

| Index-Name     | Uni | Field-Name     | Asc | Abbr |
|----------------|-----|----------------|-----|------|
| ◇ oid_schd_det | yes | oid_schd_det   | yes | no   |
| △* schd_dtr    | yes | schd_domain    | yes | no   |
|                |     | schd_type      | yes | no   |
|                |     | schd_nbr       | yes | no   |
|                |     | schd_line      | yes | no   |
|                |     | schd_rlse_id   | yes | no   |
|                |     | schd_date      | yes | no   |
|                |     | schd_time      | yes | no   |
|                |     | schd_interval  | yes | no   |
|                |     | schd_reference | yes | no   |
|                |     | schd_req_type  | yes | no   |

## Release Management Schedule Master

| Field Name   | Label | Col-Label | Format                                    | Dec |
|--------------|-------|-----------|-------------------------------------------|-----|
| oid_sch_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |
| sch__chr01   |       |           | x(8)                                      |     |
| sch__chr02   |       |           | x(8)                                      |     |
| sch__chr03   |       |           | x(8)                                      |     |
| sch__chr04   |       |           | x(8)                                      |     |
| sch__chr05   |       |           | x(8)                                      |     |
| sch__chr06   |       |           | x(8)                                      |     |
| sch__chr07   |       |           | x(8)                                      |     |
| sch__chr08   |       |           | x(8)                                      |     |
| sch__chr09   |       |           | x(8)                                      |     |
| sch__chr10   |       |           | x(8)                                      |     |
| sch__dec01   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec02   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec03   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec04   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec05   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec06   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec07   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec08   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec09   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dec10   |       |           | >>>, >>>, >>9.99                          | 10  |
| sch__dte01   |       |           | 99/99/99                                  |     |
| sch__dte02   |       |           | 99/99/99                                  |     |

| Field Name         | Label                      | Col-Label | Format                    | Dec |
|--------------------|----------------------------|-----------|---------------------------|-----|
| sch__log01         |                            |           | yes/no                    |     |
| sch__log02         |                            |           | yes/no                    |     |
| sch_cmtindx        | Comment Index              | Comment   | >>>>>>>9                  |     |
| sch_cr_date        | Create Date                |           | 99/99/99                  |     |
| sch_cr_time        | Create Time                |           | >>>>9                     |     |
| sch_cumulative     | Cumulative                 | Cum       | yes/no                    |     |
| ◇ sch_cw_days      | Calendar/Working Firm Days |           | x(1)                      |     |
| sch_domain         | Domain                     |           | x(8)                      |     |
| sch_eff_end        | Effective End              |           | 99/99/99                  |     |
| sch_eff_start      | Effective Start            |           | 99/99/99                  |     |
| sch_fab_end        | Fab End                    |           | 99/99/99                  |     |
| sch_fab_qty        | Fab Qty                    |           | >>>, >>>, >>9.9<<<<<<<    | 10  |
| sch_fab_strt       | Fab Start                  |           | 99/99/99                  |     |
| sch_from_pid       | From Plan Id               |           | x(30)                     |     |
| sch_from_sid       | From Ship Id               |           | x(30)                     |     |
| sch_line           | Line                       | Ln        | >>9                       |     |
| sch_lr_asn[10]     | ASN/Shipper Nbr            |           | x(24)                     |     |
| sch_lr_cum_qty[10] | Cum Receipt Qty            |           | >>>, >>>, >>9.9<<<<<<<<<< | 10  |
| sch_lr_date[10]    | Receipt Date               |           | 99/99/99                  |     |
| sch_lr_qty[10]     | Receipt Qty                |           | >>>, >>>, >>9.9<<<<<<<<<< | 10  |
| sch_lr_time[10]    | Time                       |           | 99:99                     |     |
| sch_nbr            | Order                      | Sls Order | x(8)                      |     |
| sch_pcr_qty        | Prior Cum Req              |           | >>>, >>>, >>9.9<<<<<<<    | 10  |
| sch_pcs_date       | Prior Cum Date             |           | 99/99/99                  |     |
| sch_pdr_qty        | Prior Discrete Req         |           | >>>, >>>, >>9.9<<<<<<<    | 10  |
| sch_prp_ext        | Ext Purpose Code           |           | x(10)                     |     |
| sch_prp_int        | Int Purpose Code           |           | x(10)                     |     |
| sch_raw_end        | Raw End                    |           | 99/99/99                  |     |
| sch_raw_qty        | Raw Qty                    |           | >>>, >>>, >>9.9<<<<<<<    | 10  |
| sch_raw_strt       | Raw Start                  |           | 99/99/99                  |     |
| sch_rlse_id        | Release ID                 |           | x(30)                     |     |
| sch_sd_dates       | Schedule Date Type         |           | Ship/Delivery             |     |
| sch_sd_pat         | Ship/Dlvy Pattern          |           | x(2)                      |     |
| sch_sd_time        | Ship/Dlvy Time             |           | x(2)                      |     |
| sch_ship           | Ship To                    |           | x(8)                      |     |
| sch_type           | Schedule Type              |           | >9                        |     |
| sch_user1          | Ufld1                      |           | x(8)                      |     |
| sch_user2          | Ufld2                      |           | x(8)                      |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sch_mstr | yes | oid_sch_mstr | yes | no   |
| sch_cr_date    | no  | sch_domain   | yes | no   |
|                |     | sch_type     | yes | no   |
|                |     | sch_nbr      | yes | no   |
|                |     | sch_line     | yes | no   |
|                |     | sch_cr_date  | yes | no   |
|                |     | sch_cr_time  | yes | no   |
| * sch_tnlr     | yes | sch_domain   | yes | no   |
|                |     | sch_type     | yes | no   |
|                |     | sch_nbr      | yes | no   |
|                |     | sch_line     | yes | no   |
|                |     | sch_rlse_id  | yes | no   |

◇ **scs ctrl**

| Field Name         | Label                     | Col-Label             | Format                         | Dec |
|--------------------|---------------------------|-----------------------|--------------------------------|-----|
| oid_scs_ctrl       |                           |                       | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| scs__qadc01        |                           |                       | .9<<<<<<<<<                    |     |
| scs__qadc02        |                           |                       | x(24)                          |     |
| scs_domain         | Domain                    |                       | x(8)                           |     |
| scs_enter_shipper  | Manual Shipper Update     | Manual! Update        | yes/no                         |     |
| scs_mod_date       | Modified Date             | Mod Date              | 99/99/99                       |     |
| scs_mod_userid     | User ID                   |                       | x(8)                           |     |
| scs_scrap_material | Scrap Unreturned Material | Scrap                 | yes/no                         |     |
| scs_unassign_sup   | Unassigned Suppliers      | Unassigned! Suppliers | yes/no                         |     |
| scs_user1          | User Field Character 1    |                       | x(24)                          |     |
| scs_user2          | User Field Character 2    |                       | x(24)                          |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_scs_ctrl | yes | oid_scs_ctrl | yes | no   |
| ◇* scs_domain  | yes | scs_domain   | yes | no   |

**sct det**

| Field Name       | Label              | Col-Label | Format                         | Dec |
|------------------|--------------------|-----------|--------------------------------|-----|
| oid_sct_det      |                    |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sct_qadc01       |                    |           | .9<<<<<<<<<<                   |     |
| sct_bdn_ll       | Burden LL          |           | x(8)                           |     |
| sct_bdn_tl       | Burden             |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_cost_changed | Cost Changed       |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_cst_date     | Cost Update        | Updated   | yes/no<br>99/99/99             |     |
| sct_cst_tot      | Cost Total         |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_domain       | Domain             |           | x(8)                           |     |
| sct_lbr_ll       | Labor LL           |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_lbr_tl       | Labor              |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_mtl_ll       | Material LL        |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_mtl_tl       | Material           |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_nrv          | Net Realized Value | NR! Value | >>>>, >>>, >>9.99<<<           | 10  |
| sct_ovh_ll       | Overhead LL        |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_ovh_tl       | Overhead           |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_part         | Item Number        |           | x(18)                          |     |
| sct_rollup       | Freeze             | Frz       | yes/no                         |     |
| sct_rollup_id    | Rollup ID          |           | x(18)                          |     |
| sct_serial       | Lot/Serial         |           | x(18)                          |     |
| sct_sim          | Cost Set           |           | x(8)                           |     |
| sct_site         | Site               |           | x(8)                           |     |
| sct_sub_ll       | Subcontract LL     |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_sub_tl       | Subcontract        |           | >>>>, >>>, >>9.99<<<           | 10  |
| sct_user1        | Ufid1              |           | x(8)                           |     |
| sct_user2        | Ufid2              |           | x(8)                           |     |

| Index-Name        | Uni | Field-Name  | Asc | Abbr |
|-------------------|-----|-------------|-----|------|
| oid_sct_det       | yes | oid_sct_det | yes | no   |
| sct_part_sim      | no  | sct_domain  | yes | no   |
|                   |     | sct_part    | yes | no   |
|                   |     | sct_sim     | yes | no   |
| * sct_sim_pt_site | yes | sct_domain  | yes | no   |
|                   |     | sct_sim     | yes | no   |
|                   |     | sct_part    | yes | no   |
|                   |     | sct_site    | yes | no   |
| sct_site_part     | no  | sct_domain  | yes | no   |
|                   |     | sct_site    | yes | no   |
|                   |     | sct_part    | yes | no   |
| sct_site_sim      | no  | sct_domain  | yes | no   |
|                   |     | sct_site    | yes | no   |
|                   |     | sct_sim     | yes | no   |

**scx ref**

### Scheduled Order Cross-Reference

| Field Name     | Label          | Col-Label | Format                     | Dec        |
|----------------|----------------|-----------|----------------------------|------------|
| oid_scx_ref    |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                |                |           | .9<<<<<<<<<                |            |
| scx__qadc01    |                |           | x(8)                       |            |
| scx_custref    | Customer Ref   |           | x(30)                      |            |
| scx_domain     | Domain         |           | x(8)                       |            |
| scx_line       | Line           |           | scx_modelyr                | Model Year |
| x(4)           |                |           |                            |            |
| scx_order      | Order          |           | x(8)                       |            |
| scx_part       | Item Number    |           | x(18)                      |            |
| scx_po         | Purchase Order |           | x(22)                      |            |
| scx_qkey       | Quick Key      |           | x(8)                       |            |
| Δ scx_shipfrom | Ship-From      |           | x(8)                       |            |
| Δ scx_shipto   | Ship-To        |           | x(8)                       |            |
| scx_type       |                |           | 9                          |            |
| scx_user1      | Ufld1          |           | x(8)                       |            |
| scx_user2      | Ufld2          |           | x(8)                       |            |

|                | Index-Name   | Uni | Field-Name  | Asc        | Abbr       |     |
|----------------|--------------|-----|-------------|------------|------------|-----|
| ◇              | oid_scx_ref  | yes | oid_scx_ref | yes        | no         |     |
|                | scx_order    | yes | scx_domain  | yes        | no         |     |
|                |              |     | scx_type    | yes        | no         |     |
|                |              |     | scx_order   | yes        | no         |     |
|                |              |     | scx_line    | yes        | no         |     |
|                |              |     | scx_po      | no         | scx_domain | yes |
|                | scx_po       | no  | scx_type    | yes        | no         |     |
|                |              |     | scx_po      | yes        | no         |     |
|                |              |     | scx_part    | yes        | no         |     |
|                |              |     | scx_shipto  | yes        | no         |     |
| scx_shipfrom   |              |     | yes         | no         |            |     |
| * scx_shipfrom |              |     | yes         | scx_domain | yes        | no  |
|                |              |     |             | scx_type   | yes        | no  |
|                | scx_shipfrom | yes |             | no         |            |     |

|             |     |    |
|-------------|-----|----|
| scx_shipto  | yes | no |
| scx_part    | yes | no |
| scx_custref | yes | no |
| scx_po      | yes | no |
| scx_modelyr | yes | no |

**sc\_mstr** Cost Simulation Master

| Field Name  | Label        | Col-Label | Format                     | Dec |
|-------------|--------------|-----------|----------------------------|-----|
| oid_sc_mstr |              |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |              |           | .9<<<<<<<<<                |     |
| sc__qadc01  |              |           | x(8)                       |     |
| sc_category | Category     |           | x(1)                       |     |
| sc_desc     | Description  |           | x(24)                      |     |
| sc_domain   | Domain       |           | x(8)                       |     |
| sc_element  | Cost Element | Element   | x(8)                       |     |
| sc_sim      | Cost Set     |           | x(8)                       |     |
| sc_user1    | Ufld1        |           | x(8)                       |     |
| sc_user2    | Ufld2        |           | x(8)                       |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_sc_mstr | yes | oid_sc_mstr | yes | no   |
|   | sc_sim_cat  | no  | sc_domain   | yes | no   |
|   |             |     | sc_sim      | yes | no   |
|   |             |     | sc_category | yes | no   |
| * | sc_sim_elem | yes | sc_domain   | yes | no   |
|   |             |     | sc_sim      | yes | no   |
|   |             |     | sc_element  | yes | no   |

**sdttd\_det** Shipping Delivery Time Detail

| Field Name    | Label | Col-Label | Format                  | Dec |
|---------------|-------|-----------|-------------------------|-----|
| oid_sdtld_det |       |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sdtld_chr01   |       |           | .9<<<<<<<<<             |     |
| sdtld_chr02   |       |           | x(8)                    |     |
| sdtld_dec01   |       |           | ->>>, >>>, >>9.99<      | 10  |
| sdtld_dec02   |       |           | ->>>, >>>, >>9.99<      | 10  |
| sdtld_dte01   |       |           | 99/99/99                |     |
| sdtld_dte02   |       |           | 99/99/99                |     |
| sdtld_log01   |       |           | yes/no                  |     |
| sdtld_qadc01  |       |           | x(8)                    |     |
| sdtld_qadc02  |       |           | x(8)                    |     |
| sdtld_qadd01  |       |           | ->>>, >>>, >>9.99<      | 10  |
| sdtld_qadd02  |       |           | ->>>, >>>, >>9.99<      | 10  |
| sdtld_qadi01  |       |           | >>>>>>9                 |     |
| sdtld_qadi02  |       |           | >>>>>>9                 |     |
| sdtld_qadl01  |       |           | yes/no                  |     |
| sdtld_qadl02  |       |           | yes/no                  |     |

| Field Name      | Label         | Col-Label | Format   | Decimals |
|-----------------|---------------|-----------|----------|----------|
| sdtc__qadt01    |               |           | 99/99/99 |          |
| sdtc__qadt02    |               |           | 99/99/99 |          |
| sdtc__user1     |               |           | x(8)     |          |
| sdtc__user2     |               |           | x(8)     |          |
| sdtc_code       | SDT Code      |           | x(3)     |          |
| sdtc_domain     | Domain        |           | x(8)     |          |
| sdtc_mod_date   | Modified Date | Mod Date  | 99/99/99 |          |
| sdtc_mod_userid | User ID       |           | x(8)     |          |
| sdtc_time       | SDT Time      |           | 99:99    |          |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_sdttd_det | yes | oid_sdttd_det | yes | no   |
| * | sdttd_code    | yes | sdttd_domain  | yes | no   |
|   |               |     | sdttd_code    | yes | no   |
|   |               |     | sdttd_time    | yes | no   |

**sdt\_mstr** Shipping Delivery Time Master

| Field Name     | Label           | Col-Label | Format                     | Dec |
|----------------|-----------------|-----------|----------------------------|-----|
| oid_sdt_mstr   |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sdt_chr01      |                 |           | .9<<<<<<<<                 |     |
| sdt_chr02      |                 |           | x(8)                       |     |
| sdt_dec01      |                 |           | x(8)                       |     |
| sdt_dec02      |                 |           | ->>>, >>>, >>9.99<         | 10  |
| sdt_dte01      |                 |           | ->>>, >>>, >>9.99<         | 10  |
| sdt_dte02      |                 |           | 99/99/99                   |     |
| sdt_log01      |                 |           | 99/99/99                   |     |
| sdt_log02      |                 |           | yes/no                     |     |
| sdt_qadc01     |                 |           | yes/no                     |     |
| sdt_qadc02     |                 |           | x(8)                       |     |
| sdt_qadd01     |                 |           | x(8)                       |     |
| sdt_qadd02     |                 |           | ->>>, >>>, >>9.99<         | 10  |
| sdt_qadi01     |                 |           | ->>>, >>>, >>9.99<         | 10  |
| sdt_qadi02     |                 |           | >>>>>>9                    |     |
| sdt_qadl01     |                 |           | >>>>>>9                    |     |
| sdt_qadl02     |                 |           | yes/no                     |     |
| sdt_qadt01     |                 |           | yes/no                     |     |
| sdt_qadt02     |                 |           | 99/99/99                   |     |
| sdt_user1      |                 |           | 99/99/99                   |     |
| sdt_user2      |                 |           | x(8)                       |     |
| sdt_code       | SDT Code        |           | x(8)                       |     |
| sdt_desc       | SDT Description |           | X(3)                       |     |
| sdt_domain     | Domain          |           | x(40)                      |     |
| sdt_mod_date   | Modified Date   | Mod Date  | x(8)                       |     |
| sdt_mod_userid | User ID         |           | 99/99/99                   |     |
|                |                 |           | x(8)                       |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sdt_mstr | yes | oid_sdt_mstr | yes | no   |
| * sdt_code     | yes | sdt_domain   | yes | no   |
|                |     | sdt_code     | yes | no   |

## Sales Order Discount Master

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_sd_mstr | yes | oid_sd_mstr | yes | no   |
| sd_cust       | no  | sd_domain   | yes | no   |
|               |     | sd_ls_type  | yes | no   |
|               |     | sd_cust     | yes | no   |
|               |     | sd_type     | yes | no   |
|               |     | sd_amt      | yes | no   |
| * sd_type     | yes | sd_domain   | yes | no   |
|               |     | sd_type     | yes | no   |
|               |     | sd_amt      | yes | no   |
|               |     | sd_start    | yes | no   |

## Material Order Control

| Field Name    | Label | Col-Label | Format                         | Dec |
|---------------|-------|-----------|--------------------------------|-----|
| oid_seoc_ctrl |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| seoc__chr01   |       |           | .9<<<<<<<<<                    |     |
| seoc__chr02   |       |           | x(8)                           |     |
| seoc__chr03   |       |           | x(8)                           |     |
| seoc__chr04   |       |           | x(8)                           |     |
| seoc__chr05   |       |           | x(8)                           |     |
| seoc__dec01   |       |           | >>>, >>>, >>9.99               | 10  |
| seoc__dec02   |       |           | >>>, >>>, >>9.99               | 10  |
| seoc__dte01   |       |           | 99/99/99                       |     |
| seoc__dte02   |       |           | 99/99/99                       |     |
| seoc__log01   |       |           | yes/no                         |     |
| seoc__log02   |       |           | yes/no                         |     |

| Field Name       | Label                          | Col-Label    | Format           | Dec |
|------------------|--------------------------------|--------------|------------------|-----|
| seoc__qadc02     | QAD Character Field 2          |              | X(8)             |     |
| seoc__qadc03     | QAD Character Field 3          |              | x(8)             |     |
| seoc__qadd01     | QAD Decimal Field 1            |              | ->>>>>>>>>9.99<< | 10  |
| seoc__qadd02     | QAD Decimal Field 2            |              | ->>>>9.99        | 10  |
| seoc__qadi01     | QAD Field                      |              | ->>>>>>9         |     |
| seoc__qadi02     | QAD Integer Field 2            |              | ->>>>>>9         |     |
| seoc__qadi01     | QAD Logical Field              |              | yes/no           |     |
| seoc__qadi02     | QAD Logical Field 2            |              | yes/no           |     |
| seoc__qadt01     | QAD Date Field 1               |              | 99/99/99         |     |
| seoc__qadt02     | QAD Date Field 2               |              | 99/99/99         |     |
| seoc_all_days    | Allocate MO Lines Due in Days  |              | >>>>>9           |     |
| seoc_bo_advice   | Next Back Order Advice         |              | >>>>>>>9         |     |
| seoc_confirm     | Confirmed Orders               |              | yes/no           |     |
| seoc_consume     | Consume Forecast               | Consume Fcst | yes/no           |     |
| seoc_det_all     | Detail Allocations             |              | yes/no           |     |
| seoc_dnote       | Next Delivery Note             |              | >>>>>>>9         |     |
| seoc_domain      | Domain                         |              | x(8)             |     |
| seoc_ex_ratetype | Rate Type                      |              | x(8)             |     |
| seoc_hcmmts      | MO Header Comments             |              | yes/no           |     |
| seoc_immed_ship  | Ship Immed                     |              | yes/no           |     |
| seoc_index1      | Index                          |              | >>>>>9           |     |
| seoc_int_cust    | Internal Customer              |              | X(8)             |     |
| seoc_kit_auto    | Autonumbering for Kits         |              | yes/no           |     |
| seoc_kit_nbr     | Next Kit Number                |              | >>>>>>9          |     |
| seoc_kit_pre     | Kit Prefix                     |              | X(8)             |     |
| seoc_lcmmts      | MO Line Comments               |              | yes/no           |     |
| seoc_ln_fmt      | Ln Format S/M                  |              | single/multi     |     |
| seoc_mod_date    | Modified Date                  | Mod Date     | 99/99/99         |     |
| seoc_mod_userid  | User ID                        |              | X(8)             |     |
| seoc_req         | Required Qty Reduces Qty Avail |              | yes/no           |     |
| seoc_ship_to     | Ship To                        |              | User/Engineer    |     |
| seoc_shp_lead    | Shipping Lead Time             |              | >>>9             |     |
| seoc_so          | Next Material Order            |              | >>>>>>>9         |     |
| seoc_so_hist     | Keep Booking History           | Book! Hst    | yes/no           |     |
| seoc_so_pre      | Material Order Prefix          | Pre          | x(3)             |     |
| seoc_user1       | Ufld1                          |              | X(8)             |     |
| seoc_user2       | Ufld2                          |              | X(8)             |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_seoc_ctrl | yes | oid_seoc_ctrl | yes | no   |
| * | seoc_index1   | yes | seoc_domain   | yes | no   |

## seq\_mstr Production Line Schedule Sequence Master

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|--------------|------------------|-------------------------|------------|
| oid_seq_mstr      |              |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |              |                  | .9<<<<<<<<<             |            |
| seq_chr01         |              |                  | x(8)                    |            |
| seq_chr02         |              |                  | x(8)                    |            |
| seq_chr03         |              |                  | x(8)                    |            |
| seq_chr04         |              |                  | x(8)                    |            |



| Field Name     | Label        | Col-Label | Format           | Dec |
|----------------|--------------|-----------|------------------|-----|
| seq__chr05     |              |           | x(8)             |     |
| seq__dec01     |              |           | >>>,>>>,>>9.99   | 10  |
| seq__dec02     |              |           | >>>,>>>,>>9.99   | 10  |
| seq__dec03     |              |           | >>>,>>>,>>9.99   | 10  |
| seq__log01     |              |           | yes/no           |     |
| seq_domain     | Domain       |           | x(8)             |     |
| seq_due_date   | Due Date     |           | 99/99/99         |     |
| seq_line       | Line         |           | x(8)             |     |
| seq_mode       | Mode         |           | yes/no           |     |
| seq_mode_qty   |              |           | -,>,>>>,>>9.99   | 10  |
| Δ seq_part     | Item Number  |           | x(18)            |     |
| Δ seq_priority | Sequence     |           | >>9.99           | 10  |
| seq_qty_req    | Qty Req      |           | -,>,>>>,>>9.99   | 10  |
| seq_release    | Release Date |           | 99/99/99         |     |
| seq_shift1     | Shift1       |           | >>>9.99          |     |
| seq_shift2     | Shift2       |           | >>>9.99          | 10  |
| seq_shift3     | Shift3       |           | >>>9.99          | 10  |
| seq_shift4     | Shift4       |           | >>>9.99          | 10  |
| seq_site       | Site         |           | x(8)             |     |
| seq_start      | Start Date   |           | 99/99/99         |     |
| seq_type       | Type         |           | Forward/Backward |     |
| seq_user1      | Ufld1        |           | x(8)             |     |
| seq_user2      | Ufld2        |           | x(8)             |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_seq_mstr | yes | oid_seq_mstr | yes | no   |
| seq_sequence   | yes | seq_domain   | yes | no   |
|                |     | seq_site     | yes | no   |
|                |     | seq_line     | yes | no   |
|                |     | seq_priority | yes | no   |
| * seq_site     | yes | seq_domain   | yes | no   |
|                |     | seq_site     | yes | no   |
|                |     | seq_line     | yes | no   |
|                |     | seq_part     | yes | no   |
|                |     | seq due date | yes | no   |

**sfb det**

### Service/Support Billing Detail

| Field Name  | Label           | Col-Label | Format                         | Dec |
|-------------|-----------------|-----------|--------------------------------|-----|
| oid_sfb_det |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sfb__chr01  | User Field #1   |           | .9<<<<<<<<<                    |     |
| sfb__chr02  | User Field #2   |           | x(8)                           |     |
| sfb__chr03  | User Field #3   |           | x(8)                           |     |
| sfb__chr04  | User Field #4   |           | x(8)                           |     |
| sfb__dec01  | User Decimal #1 |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sfb__dec02  | User Decimal #2 |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sfb__dec03  | User Decimal #3 |           | ->>>, >>>, >>9.99<<<<          | 10  |
| sfb__dte01  | User Date #1    |           | 99/99/99                       |     |
| sfb__dte02  | User Date #2    |           | 99/99/99                       |     |
| sfb__dte03  | User Date #3    |           | 99/99/99                       |     |
| sfb__log01  | User Logical #1 |           | yes/no                         |     |

| Field Name       | Label               | Col-Label  | Format                 | Dec |
|------------------|---------------------|------------|------------------------|-----|
| sfb__log02       | User Logical #2     |            | yes/no                 |     |
| sfb__log03       | User Logical #3     |            | yes/no                 |     |
| sfb__qadc01      | QAD Character Field |            | x(8)                   | 0   |
| sfb__qadc02      | Qad Field #2        |            | x(8)                   |     |
| sfb__qadc03      | Qad Field #3        |            | x(8)                   |     |
| sfb__qadc04      | QAD Character Field |            | x(8)                   | 0   |
| sfb__qadd01      | Qad Date #1         |            | 99/99/99               |     |
| sfb__qadd02      | Qad Date #2         |            | 99/99/99               |     |
| sfb__qadd03      | Qad Date #3         |            | 99/99/99               |     |
| sfb__qadde01     | Qad Decimal #1      |            | ->>>>, >>>, >>9.99<<<< | 10  |
| sfb__qadde02     | Qad Decimal #2      |            | ->>>>, >>>, >>9.99<<<< | 10  |
| sfb__qadde03     | Qad Decimal #3      |            | ->>>>, >>>, >>9.99<<<< | 10  |
| sfb__qadl01      | QAD Logical Field   |            | yes/no                 |     |
| sfb__qadl02      | QAD Logical Field   |            | yes/no                 |     |
| sfb__qadl03      | QAD Logical Field   |            | yes/no                 |     |
| sfb__qadl04      | QAD Logical Field   |            | yes/no                 |     |
| sfb_ca_opn_date  |                     |            | 99/99/99               |     |
| sfb_cmtindx      | Comment Index       | Comment    | >>>>>>>9               |     |
| sfb_covered_amt  | Covered Amount      |            | >>>>, >>>, >>9.99<<<<  | 10  |
| sfb_desc         | Description         |            | x(24)                  |     |
| sfb_detail       |                     |            | yes/no                 |     |
| sfb_domain       | Domain              |            | x(8)                   |     |
| sfb_exchange     | Exchange            |            | yes/no                 |     |
| sfb_exg_price    | Exchange Price      |            | ->>>>, >>>, >>9.99<<<< | 10  |
| sfb_fcg_code     | Charge Code         | Charge     | x(8)                   |     |
| sfb_fis_column   | Column              | Col        | >>9                    |     |
| sfb_fis_sort     | Type                |            | x(18)                  |     |
| sfb_fixed_cost   |                     |            | >>>>, >>>, >>9.99<<<<  | 10  |
| sfb_fixed_price  |                     |            | ->>>>, >>>, >>9.99<<<< | 10  |
| sfb_fsc_code     | Service Category    | Svc Cat    | x(8)                   |     |
| sfb_invoice_cost |                     |            | >>>>, >>>, >>9.99<<<<  | 10  |
| sfb_line         | Line                |            | >>>9                   |     |
| sfb_mod_date     | Modified Date       | Mod Date   | 99/99/99               |     |
| sfb_mod_userid   | User ID             |            | X(8)                   |     |
| sfb_nbr          |                     |            | x(8)                   |     |
| sfb_op           | Operation           | Op         | >>>>>9                 |     |
| sfb_part         | Item                |            | x(18)                  |     |
| sfb_price        | List Price          |            | ->>>, >>>, >>9.99<<<<  | 10  |
| sfb_price_on_inv | Price on Invoice    |            | yes/no                 |     |
| sfb_pst          | PST Taxable         |            | yes/no                 |     |
| sfb_pt_type      |                     |            | >>9                    |     |
| sfb_qty_billed   | Qty Billed          |            | ->>>, >>9.9<           | 10  |
| sfb_qty_inv      | Qty to Invoice      | Qty to Inv | ->>>, >>9.9<           | 10  |
| sfb_qty_on_inv   | Qty on Invoice      |            | yes/no                 |     |
| sfb_qty_req      | Qty Required        |            | ->>>, >>9.9<<          | 10  |
| sfb_qty_ret      | Qty Returned        |            | ->, >>>, >>9.9<<<      | 10  |
| sfb_report       | Report              |            | X(8)                   |     |
| sfb_ret_serial   | Returned Serial     |            | X(18)                  |     |
| sfb_serial       | Serial              |            | x(18)                  |     |
| sfb_so_line      | SO Line             |            | >>>9                   |     |
| sfb_tax_env      | Tax Environment     |            | X(16)                  | 0   |
| sfb_tax_in       | Tax In              |            | yes/no                 |     |
| sfb_tax_usage    | Tax Usage           |            | x(8)                   | 0   |
| sfb_taxable      | Taxable             |            | yes/no                 |     |
| sfb_taxc         | Tax Class           |            | x(8)                   | 0   |

| Field Name    | Label      | Col-Label | Format               | Dec |
|---------------|------------|-----------|----------------------|-----|
| sfb_total_std | Total Cost |           | ->>>, >>>, >>9.99<<< | 10  |
| sfb_um        | UM         |           | x(2)                 |     |
| sfb_user1     | Ufld1      |           | X(8)                 |     |
| sfb_user2     | Ufld2      |           | X(8)                 |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_sfb_det | yes | oid_sfb_det  | yes | no   |
| * sfb_line    | yes | sfb_domain   | yes | no   |
|               |     | sfb_nbr      | yes | no   |
|               |     | sfb_so_line  | yes | no   |
|               |     | sfb_pt_type  | yes | no   |
|               |     | sfb_fis_sort | yes | no   |
|               |     | sfb_line     | yes | no   |
| sfb_report    | no  | sfb_domain   | yes | no   |
|               |     | sfb_report   | yes | no   |
|               |     | sfb_op       | yes | no   |
|               |     | sfb_part     | yes | no   |
|               |     | sfb_line     | yes | no   |

## sfh\_hist

### Service/Support Billing History

| Field Name      | Label                   | Col-Label | Format                  | Dec |
|-----------------|-------------------------|-----------|-------------------------|-----|
| oid_sfh_hist    |                         |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sfh__chr01      | User Character Field #1 |           | .9<<<<<<<<<             | 0   |
| sfh__chr02      | User Character Field #2 |           | x(8)                    | 0   |
| sfh__chr03      | User Character Field #3 |           | x(8)                    | 0   |
| sfh__chr04      | User Character Field #4 |           | x(8)                    | 0   |
| sfh__dec01      | User Decimal #1         |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__dec02      | User Decimal #2         |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__dec03      | User Decimal #3         |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__dte01      | User Date #1            |           | 99/99/99                |     |
| sfh__dte02      | User Date #2            |           | 99/99/99                |     |
| sfh__dte03      | User Date #3            |           | 99/99/99                |     |
| sfh__log01      | User Logical #1         |           | yes/no                  |     |
| sfh__log02      | User Logical #2         |           | yes/no                  |     |
| sfh__log03      | User Logical #3         |           | yes/no                  |     |
| sfh__qadc01     | QAD Character Field     |           | x(8)                    | 0   |
| sfh__qadc02     | Qad Field #2            |           | x(8)                    |     |
| sfh__qadc03     | Qad Field #3            |           | x(8)                    |     |
| sfh__qadc04     | QAD Character Field     |           | x(8)                    | 0   |
| sfh__qadd01     | Qad Date #1             |           | 99/99/99                |     |
| sfh__qadd02     | Qad Date #2             |           | 99/99/99                |     |
| sfh__qadd03     | Qad Date #3             |           | 99/99/99                |     |
| sfh__qadde01    | Qad Decimal #1          |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__qadde02    | Qad Decimal #2          |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__qadde03    | Qad Decimal #3          |           | ->>>, >>>, >>9.99<<<<   | 10  |
| sfh__qadi01     | QAD Logical Field       |           | yes/no                  |     |
| sfh__qadi02     | QAD Logical Field       |           | yes/no                  |     |
| sfh__qadi03     | QAD Logical Field       |           | yes/no                  |     |
| sfh__qadi04     | QAD Logical Field       |           | yes/no                  |     |
| sfh_ca_opn_date |                         |           | 99/99/99                |     |

| Field Name       | Label            | Col-Label  | Format                | Dec |
|------------------|------------------|------------|-----------------------|-----|
| sfh_cmtindx      | Comment Index    | Comment    | >>>>>>>9              |     |
| sfh_covered_amt  | Covered Amount   |            | >>>>, >>>, >>9.99<<<  | 10  |
| sfh_desc         | Description      |            | x(24)                 |     |
| sfh_detail       |                  |            | yes/no                |     |
| sfh_domain       | Domain           |            | x(8)                  |     |
| sfh_exchange     | Exchange         |            | yes/no                |     |
| sfh_exg_price    | Exchange Price   |            | ->>>>, >>>, >>9.99<<< | 10  |
| sfh_fcg_code     | Charge Code      | Charge     | x(8)                  |     |
| sfh_fis_column   | Column           | Col        | >>9                   |     |
| sfh_fis_sort     | Type             |            | x(18)                 |     |
| sfh_fixed_cost   |                  |            | >>>>, >>>, >>9.99<<<  | 10  |
| sfh_fixed_price  |                  |            | ->>>, >>>, >>9.99<<<  | 10  |
| sfh_fsc_code     | Service Category | Svc Cat    | x(8)                  |     |
| Δ sfh_inv_nbr    | Invoice          |            | x(22)                 |     |
| sfh_invoice_cost |                  |            | >>>>, >>>, >>9.99<<<  | 10  |
| sfh_line         | Line             |            | >>>9                  |     |
| sfh_mod_date     | Modified Date    | Mod Date   | 99/99/99              |     |
| sfh_mod_userid   | User ID          |            | X(8)                  |     |
| sfh_nbr          |                  |            | x(8)                  |     |
| sfh_op           | Operation        | Op         | >>>>>9                |     |
| sfh_part         | Item             |            | x(18)                 |     |
| sfh_price        | List Price       |            | ->>>, >>>, >>9.99<<<  | 10  |
| sfh_price_on_inv | Price on Invoice |            | yes/no                |     |
| sfh_pst          | PST Taxable      |            | yes/no                |     |
| sfh_pt_type      |                  |            | >>9                   |     |
| sfh_qty_billed   | Qty Billed       |            | ->>>, >>9.9<          | 10  |
| sfh_qty_inv      | Qty to Invoice   | Qty to Inv | ->>>, >>9.9<          | 10  |
| sfh_qty_on_inv   | Qty on Invoice   |            | yes/no                |     |
| sfh_qty_req      | Qty Required     |            | ->>>, >>9.9<<         | 10  |
| sfh_qty_ret      | Qty Returned     |            | ->, >>>, >>9.9<<<     | 10  |
| sfh_report       | Report           |            | X(8)                  |     |
| sfh_ret_serial   | Returned Serial  |            | X(18)                 |     |
| sfh_serial       | Serial           |            | x(18)                 |     |
| sfh_so_line      | SO Line          |            | >>>9                  |     |
| sfh_tax_env      | Tax Environment  |            | X(16)                 | 0   |
| sfh_tax_in       | Tax In           |            | yes/no                |     |
| sfh_tax_usage    | Tax Usage        |            | x(8)                  | 0   |
| sfh_taxable      | Taxable          |            | yes/no                |     |
| sfh_taxc         | Tax Class        |            | x(8)                  | 0   |
| sfh_total_std    | Total Cost       |            | ->>>, >>>, >>9.99<<<  | 10  |
| sfh_trnbr        | Transaction      |            | >>>>>>>>9             |     |
| sfh_um           | UM               |            | x(2)                  |     |
| sfh_user1        | Ufld1            |            | X(8)                  |     |
| sfh_user2        | Ufld2            |            | X(8)                  |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sfh_hist | yes | oid_sfh_hist | yes | no   |
| sfh_inv_nbr    | no  | sfh_domain   | yes | no   |
|                |     | sfh_inv_nbr  | yes | no   |
|                |     | sfh_so_line  | yes | no   |
|                |     | sfh_pt_type  | yes | no   |
|                |     | sfh_fis_sort | yes | no   |
|                |     | sfh_line     | yes | no   |
| sfh_line       | no  | sfh_domain   | yes | no   |
|                |     | sfh_nbr      | yes | no   |
|                |     | sfh_so_line  | yes | no   |

| Index-Name  | Uni | Field-Name   | Asc | Abbr |
|-------------|-----|--------------|-----|------|
| * sfh_trnbr | yes | sfh_pt_type  | yes | no   |
|             |     | sfh_fis_sort | yes | no   |
|             |     | sfh_line     | yes | no   |
|             |     | sfh_domain   | yes | no   |
|             |     | sfh_trnbr    | yes | no   |

### Shipping Group Address Detail

| <b>Field Name</b> | <b>Label</b>     | <b>Col-Label</b> | <b>Format</b>         | <b>Dec</b> |
|-------------------|------------------|------------------|-----------------------|------------|
| oid_sgad_det      |                  |                  | >>>>>>>>>>>>>>>>>>>>9 | 10         |
| sgad__qadc01      |                  |                  | .9<<<<<<<<            |            |
| sgad_addr         | Address          |                  | x(8)                  |            |
| sgad_cons_ship    | Consolidate Ship |                  | x(1)                  |            |
| sgad_domain       | Domain           |                  | x(8)                  |            |
| sgad_grp          | Shipping Group   | Ship Grp         | x(8)                  |            |
| sgad_is_src       | Source/Dest      |                  | Source/Dest           |            |
| sgad_user1        | Ufld1            |                  | x(8)                  |            |
| sgad_user2        | Ufld2            |                  | x(8)                  |            |

|            | Index-Name   | Uni         | Field-Name   | Asc | Abbr |
|------------|--------------|-------------|--------------|-----|------|
| ◇          | oid_sgad_det | yes         | oid_sgad_det | yes | no   |
|            | sgad_addr    | yes         | sgad_domain  | yes | no   |
|            |              |             | sgad_addr    | yes | no   |
|            |              |             | sgad_is_src  | yes | no   |
|            |              |             | sgad_grp     | yes | no   |
| * sgad_grp | yes          | sgad_domain | yes          | no  |      |
|            |              |             | sgad_grp     | yes | no   |
|            |              |             | sgad_is_src  | yes | no   |
|            |              |             | sgad_addr    | yes | no   |

### Shipping Group Carrier Detail

| <b>Field Name</b> | <b>Label</b>            | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|-------------------------|------------------|--------------------------------|------------|
| oid_sgcd_det      |                         |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>> | 9 10       |
| sgcd__qadc01      |                         |                  | .9<<<<<<<<<<                   |            |
| sgcd_carrier      | Carrier                 |                  | x(8)                           |            |
| sgcd_domain       | Domain                  |                  | x(8)                           |            |
| sgcd_grp          | Shipping Group          | Ship Grp         | x(8)                           |            |
| sgcd_inv_mov      | Inventory Movement Code | Inv Mov          | x(8)                           |            |
| sgcd_seq          | Seq                     |                  | >>9                            |            |
| sgcd_user1        | Ufld1                   |                  | x(8)                           |            |
| sgcd_user2        | Ufld2                   |                  | x(8)                           |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_sgcd_det | yes | oid_sgcd_det | yes | no   |
|   | sgcd_carrier | no  | sgcd_domain  | yes | no   |
|   |              |     | sgcd_carrier | yes | no   |
| * | sgcd_grp     | yes | sgcd_domain  | yes | no   |
|   |              |     | sgcd_grp     | yes | no   |
|   |              |     | sgcd_inv_mov | yes | no   |
|   |              |     | sgcd_seq     | yes | no   |

## Shipping Group and Inventory Movement Code Detail

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sgld_det | yes | oid_sgld_det | yes | no   |
| sgld_default   | yes | sgld_domain  | yes | no   |
|                |     | sgld_grp     | yes | no   |
|                |     | sgld_default | yes | no   |
|                |     | sgld_inv_mov | yes | no   |
| sgld_format    | no  | sgld_domain  | yes | no   |
|                |     | sgld_format  | yes | no   |
| * sgld_grp     | yes | sgld_domain  | yes | no   |
|                |     | sgld_grp     | yes | no   |
|                |     | sgld_inv_mov | yes | no   |
| sgld_inv_mov   | no  | sgld_domain  | yes | no   |
|                |     | sgld_inv_mov | yes | no   |

## Shipping Group Master

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_sg_mstr | yes | oid_sg_mstr | yes | no   |
| * | sg_grp      | yes | sg_domain   | yes | no   |
|   |             |     | sg_grp      | yes | no   |
|   |             |     | sg_domain   | yes | no   |
|   | sg_inv_mov  | no  | sg_inv_mov  | yes | no   |

◇ SharedSet Shared Set

| Field Name           | Label | Col-Label | Format          | Dec |
|----------------------|-------|-----------|-----------------|-----|
| CustomCombo0         |       |           | x(20)           |     |
| CustomCombo1         |       |           | x(20)           |     |
| CustomCombo2         |       |           | x(20)           |     |
| CustomCombo3         |       |           | x(20)           |     |
| CustomCombo4         |       |           | x(20)           |     |
| CustomCombo5         |       |           | x(20)           |     |
| CustomCombo6         |       |           | x(20)           |     |
| CustomCombo7         |       |           | x(20)           |     |
| CustomCombo8         |       |           | x(20)           |     |
| CustomCombo9         |       |           | x(20)           |     |
| CustomDate0          |       |           | 99/99/9999      |     |
| CustomDate1          |       |           | 99/99/9999      |     |
| CustomDate2          |       |           | 99/99/9999      |     |
| CustomDate3          |       |           | 99/99/9999      |     |
| CustomDate4          |       |           | 99/99/9999      |     |
| CustomDecimal0       |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal1       |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal2       |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal3       |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal4       |       |           | ->, >>>, >>9.99 | 4   |
| CustomInteger0       |       |           | ->, >>>, >>9    |     |
| CustomInteger1       |       |           | ->, >>>, >>9    |     |
| CustomInteger2       |       |           | ->, >>>, >>9    |     |
| CustomInteger3       |       |           | ->, >>>, >>9    |     |
| CustomInteger4       |       |           | ->, >>>, >>9    |     |
| CustomLong0          |       |           | x(255)          |     |
| CustomLong1          |       |           | x(255)          |     |
| CustomNote           |       |           | x(4000)         |     |
| CustomShort0         |       |           | x(20)           |     |
| CustomShort1         |       |           | x(20)           |     |
| CustomShort2         |       |           | x(20)           |     |
| CustomShort3         |       |           | x(20)           |     |
| CustomShort4         |       |           | x(20)           |     |
| CustomShort5         |       |           | x(20)           |     |
| CustomShort6         |       |           | x(20)           |     |
| CustomShort7         |       |           | x(20)           |     |
| CustomShort8         |       |           | x(20)           |     |
| CustomShort9         |       |           | x(20)           |     |
| LastModifiedDate     |       |           | 99/99/9999      |     |
| LastModifiedTime     |       |           | 99999           |     |
| LastModifiedUser     |       |           | x(20)           |     |
| SharedSet_ID         |       |           | 9999999999      |     |
| SharedSetCode        |       |           | x(20)           |     |
| SharedSetDescription |       |           | x(40)           |     |
| SharedSetIsActive    |       |           | yes/no          |     |
| SharedSetTypeCode    |       |           | x(20)           |     |

| Index-Name | Uni | Field-Name        | Asc | Abbr |
|------------|-----|-------------------|-----|------|
| ◇ Code     | yes | SharedSetCode     | yes | no   |
| ◇* Prim    | yes | SharedSet_ID      | yes | no   |
| ◇ Type     | no  | SharedSetTypeCode | yes | no   |



◇ **SharedSetMergeLog** Shared Set Merge Log

| Field Name                 | Label                     | Col-Label                 | Format     | Dec |
|----------------------------|---------------------------|---------------------------|------------|-----|
| SharedSetMergeLog_ID       | Record ID                 | Record ID                 | 9999999999 |     |
| SharedSetMergeLogEndDate   | End Date                  | End Date                  | 99/99/9999 |     |
| SharedSetMergeLogEndTime   | End Time                  | End Time                  | 99999      |     |
| SharedSetMergeLogIsFinish  | Is Finished               | Is Finished               | yes/no     |     |
| SharedSetMergeLogMaster    | Master Shared Set Code    | Master Shared Set Code    | x(20)      |     |
| SharedSetMergeLogRedundant | Redundant Shared Set Code | Redundant Shared Set Code | x(20)      |     |
| SharedSetMergeLogStartDate | Start Date                | Start Date                | 99/99/9999 |     |
| SharedSetMergeLogStartTime | Start Time                | Start Time                | 99999      |     |

| Index-Name  | Uni | Field-Name                 | Asc | Abbr |
|-------------|-----|----------------------------|-----|------|
| ◇ Finished  | no  | SharedSetMergeLogIsFinish  | yes | no   |
| ◇ Master    | no  | SharedSetMergeLogMaster    | yes | no   |
| ◇* Prim     | yes | SharedSetMergeLog_ID       | yes | no   |
| ◇ Redundant | no  | SharedSetMergeLogRedundant | yes | no   |

◇ **SharedSetProp** Shared Set Property

| Field Name           | Label              | Col-Label         | Format     | Dec |
|----------------------|--------------------|-------------------|------------|-----|
| LastModifiedDate     | Last Modified Date | Modif Date        | 99/99/9999 |     |
| LastModifiedTime     | Last Modified Time | Modif Time        | 99999      |     |
| LastModifiedUser     | Last Modified User | Modif User        | x(20)      |     |
| SharedSet_ID         | Link to SharedSet  | Link to SharedSet | 9999999999 |     |
| SharedSetProperty_ID |                    |                   | 9999999999 |     |

| Index-Name  | Uni | Field-Name           | Asc | Abbr |
|-------------|-----|----------------------|-----|------|
| ◇* Prim     | yes | SharedSetProperty_ID | yes | no   |
| ◇ SharedSet | yes | SharedSet_ID         | yes | no   |

◇ **SharedSetType** Shared Set Type

| Field Name              | Label | Col-Label | Format     | Dec |
|-------------------------|-------|-----------|------------|-----|
| LastModifiedDate        |       |           | 99/99/9999 |     |
| LastModifiedTime        |       |           | 99999      |     |
| LastModifiedUser        |       |           | x(20)      |     |
| SharedSetTypeCode       |       |           | x(20)      |     |
| SharedSetTypeIsActive   |       |           | yes/no     |     |
| SharedSetTypeTranslated |       |           | x(40)      |     |

| Index-Name | Uni | Field-Name        | Asc | Abbr |
|------------|-----|-------------------|-----|------|
| ◇* Prim    | yes | SharedSetTypeCode | yes | no   |

◇ **shcd det** Shipper Control Detail Default Export Directories

| Field Name            | Label                    | Col-Label | Format                        | Dec |
|-----------------------|--------------------------|-----------|-------------------------------|-----|
| oid_shcd_det          |                          |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 10 |     |
| shcd__qadc01          |                          |           | .9<<<<<<<<<                   |     |
| shcd__qadc02          |                          |           | x(24)                         |     |
| shcd_domain           | Domain                   |           | x(24)                         |     |
| shcd_export_directory | Default Export Directory |           | x(8)                          |     |
| shcd_mod_date         | Modified Date            | Mod Date  | x(60)                         |     |
| shcd_mod_userid       | User ID                  |           | 99/99/99                      |     |
| shcd_user1            | User Field Character 1   |           | x(8)                          |     |
| shcd_user2            | User Field Character 2   |           | x(24)                         |     |

| Index-Name         | Uni | Field-Name            | Asc | Abbr |
|--------------------|-----|-----------------------|-----|------|
| ◇ oid_shcd_det     | yes | oid_shcd_det          | yes | no   |
| ◇* shcd_export_dir | yes | shcd_domain           | yes | no   |
|                    |     | shcd_export_directory | yes | no   |

## shc ctrl Shipper Control

| Field Name              | Label                               | Col-Label | Format                                           | Dec |
|-------------------------|-------------------------------------|-----------|--------------------------------------------------|-----|
| oid_shc_ctrl            |                                     |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| shc__qadc01             |                                     |           | x(8)                                             |     |
| shc__qadi01             |                                     |           | ->>>>>>>9                                        |     |
| ◇ shc_archive_directory | Default Archive Directory           |           | x(60)                                            |     |
| ◇ shc_del_import_file   | Delete Import Files After Archiving |           | yes/no                                           |     |
| shc_domain              | Domain                              |           | x(8)                                             |     |
| shc_format              | Document Format                     | Format    | x(8)                                             |     |
| ◇ shc_import_directory  | Default Import Directory            |           | x(60)                                            |     |
| shc_master_nr_id        | Master Bill Sequence ID             |           | x(8)                                             |     |
| shc_preship_nr_id       | Pre-Shipper Sequence ID             |           | x(8)                                             |     |
| shc_require_inv_mov     | Require Inventory Movement Codes    |           | yes/no                                           |     |
| ◇ shc_rss_cal_option    | RSS Calendar Option                 |           | >>9                                              |     |
| shc_ship_nr_id          | Shipper Sequence ID                 |           | x(8)                                             |     |
| shc_ship_rcpt           | Shipment Info For Receipts          |           | yes/no                                           |     |
| ◇ shc_source_directory  | Default Source Directory            |           | x(60)                                            |     |
| shc_trl_amts            | Maintain Trailer Amounts            |           | yes/no                                           |     |
| shc_user1               | Ufld1                               |           | x(8)                                             |     |
| shc_user2               | Ufld2                               |           | x(8)                                             |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_shc_ctrl | yes | oid_shc_ctrl | yes | no   |
| * | shc_index1   | yes | shc_domain   | yes | no   |

### Shipping Schedule Detail

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_shd_det | yes | oid_shd_det  | yes | no   |
| * shd_code    | yes | shd_domain   | yes | no   |
|               |     | shd_code     | yes | no   |
|               |     | shd_src_site | yes | no   |
|               |     | shd_rec_site | yes | no   |
|               |     | shd_departs  | yes | no   |

### Shift Detail

| Field Name    | Label       | Col-Label | Format                     | Dec |
|---------------|-------------|-----------|----------------------------|-----|
| oid_shift_det |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| shift_chr01   |             |           | .9<<<<<<<<<                |     |
| shift_chr02   |             |           | x(8)                       |     |
| shift_chr03   |             |           | x(8)                       |     |
| shift_chr04   |             |           | x(8)                       |     |
| shift_chr05   |             |           | x(8)                       |     |
| shift_dec01   |             |           | >>>, >>>, >>9.99           | 10  |
| shift_dec02   |             |           | >>>, >>>, >>9.99           | 10  |
| shift_dec03   |             |           | >>>, >>>, >>9.99           | 10  |
| shift_dec04   |             |           | >>>, >>>, >>9.99           | 10  |
| shift_log01   |             |           | yes/no                     |     |
| shift_day     | Day of Week | Day       | 9                          |     |
| shift_domain  | Domain      |           | x(8)                       |     |
| shift_hour1   | Hours       |           | >, >>9.9<                  | 10  |
| shift_hour2   | Hours       |           | >, >>9.9<                  | 10  |
| shift_hour3   | Hours       |           | >, >>9.9<                  | 10  |
| shift_hour4   | Hours       |           | >, >>9.9<                  | 10  |
| shift_load1   | Load        |           | >>9.99%                    | 10  |
| shift_load2   | Load        |           | >>9.99%                    | 10  |
| shift_load3   | Load        |           | >>9.99%                    | 10  |
| shift_load4   | Load        |           | >>9.99%                    | 10  |
| shift_mch     | Machine     |           | x(8)                       |     |
| shift_pat1    | Pattern     |           | x(8)                       |     |
| shift_pat2    | Pattern     |           | x(8)                       |     |
| shift_pat3    | Pattern     |           | x(8)                       |     |
| shift_pat4    | Pattern     |           | x(8)                       |     |
| shift_site    | Site        |           | x(8)                       |     |

| Field Name  | Label       | Col-Label | Format    | Dec |
|-------------|-------------|-----------|-----------|-----|
| shft_start1 | Start Time  | Start     | >,>>9.9<< | 10  |
| shft_start2 | Start Time  | Start     | >,>>9.9<< | 10  |
| shft_start3 | Start Time  | Start     | >,>>9.9<< | 10  |
| shft_start4 | Start Time  | Start     | >,>>9.9<< | 10  |
| shft_user1  | Ufld1       |           | x(8)      |     |
| shft_user2  | Ufld2       |           | x(8)      |     |
| shft_wkctr  | Work Center | Work Ctr  | x(8)      |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_shift_det | yes | oid_shift_det | yes | no   |
| * shift_day     | yes | shift_domain  | yes | no   |
|                 |     | shift_site    | yes | no   |
|                 |     | shift_wkctr   | yes | no   |
|                 |     | shift_mch     | yes | no   |
|                 |     | shift_day     | yes | no   |

◇ **ShipViaM**      Warehousing Ship Via/Service Master

[illegible]

| Field Name | Label                | Col-Label | Format   | Dec |
|------------|----------------------|-----------|----------|-----|
| UserL01    | User Field Logical 1 |           | yes/no   |     |
| UserL02    | User Field Logical 2 |           | yes/no   |     |
| UserT01    | User Field Date 1    |           | 99/99/99 |     |
| UserT02    | User Field Date 2    |           | 99/99/99 |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_ShipViaM | yes | oid_ShipViaM | yes | no   |
| ◇ Service      | no  | Domain       | yes | no   |
|                |     | Service      | yes | no   |
| ◇* ShipViaMIdx | yes | Domain       | yes | no   |
|                |     | ShipVia      | yes | no   |
|                |     | Service      | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | UserC01      | yes | no   |
|                |     | UserC02      | yes | no   |

**shm\_mstr** Shipping Schedule Master

| Field Name      | Label           | Col-Label | Format                        | Dec |
|-----------------|-----------------|-----------|-------------------------------|-----|
| oid_shm_mstr    |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| shm__qadc01     |                 |           | .9<<<<<<<<<<                  |     |
| shm_cmtindx     | Comment Index   | Comment   | x(8)                          |     |
| shm_code        | Transport ID    | Trans ID  | >>>, >>>, >>>9                |     |
| shm_domain      | Domain          |           | x(8)                          |     |
| shm_end         | End             |           | 99/99/99                      |     |
| shm_load_lt     | Load LT         |           | ->>9.9<                       | 10  |
| shm_no_units    | Available Units | Units     | ->, >>>, >>>9                 |     |
| shm_rec_day[7]  | Receive Days    |           | yes/no                        |     |
| shm_rec_site    | Receiving Site  | Rec Site  | x(8)                          |     |
| shm_ship_day[7] | Ship Days       |           | yes/no                        |     |
| shm_src_site    | Source Site     | Source    | x(8)                          |     |
| shm_start       | Start           |           | 99/99/99                      |     |
| shm_transit     | Transit LT      | Transit   | ->>9.9<                       | 10  |
| shm_unld_lt     | Unload LT       |           | ->>9.9<                       | 10  |
| shm_user1       | Ufld1           |           | x(8)                          |     |
| shm_user2       | Ufld2           |           | x(8)                          |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_shm_mstr | yes | oid_shm_mstr | yes | no   |
| * shm_code     | yes | shm_domain   | yes | no   |
|                |     | shm_code     | yes | no   |
|                |     | shm_src_site | yes | no   |
|                |     | shm_rec_site | yes | no   |
|                |     | shm_start    | yes | no   |
| shm_rec_site   | yes | shm_domain   | yes | no   |
|                |     | shm_rec_site | yes | no   |
|                |     | shm_src_site | yes | no   |
|                |     | shm_code     | yes | no   |
|                |     | shm_start    | yes | no   |
| shm_src_site   | yes | shm_domain   | yes | no   |

| Index-Name | Uni | Field-Name   | Asc | Abbr |
|------------|-----|--------------|-----|------|
|            |     | shm_src_site | yes | no   |
|            |     | shm_rec_site | yes | no   |
|            |     | shm_code     | yes | no   |
|            |     | shm_start    | yes | no   |

## shop\_cal Shop Calendar

| Field Name     | Label       | Col-Label | Format                            | Dec |
|----------------|-------------|-----------|-----------------------------------|-----|
| oid_shop_cal   |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 |     |
| shop__qadc01   |             |           | .9<<<<<<<<<<                      |     |
| shop_domain    | Domain      |           | x(8)                              |     |
| shop_hours[7]  | Daily Hours | Hours     | x(8)                              |     |
| shop_mch       | Machine     |           | ->, >9.99                         | 10  |
| shop_shifts[7] | Shifts      |           | x(8)                              |     |
| shop_site      | Site        |           | yes/no                            |     |
| shop_user1     | Ufld1       |           | x(8)                              |     |
| shop_user2     | Ufld2       |           | x(8)                              |     |
| shop_wdays[7]  | Workdays    |           | x(8)                              |     |
| shop_wkctr     | Work Center | Work Ctr  | yes/no                            |     |
|                |             |           | x(8)                              |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_shop_cal | yes | oid_shop_cal | yes | no   |
| * shop_cal     | yes | shop_domain  | yes | no   |
|                |     | shop_site    | yes | no   |
|                |     | shop_wkctr   | yes | no   |
|                |     | shop_mch     | yes | no   |

## ◇ **ShortcutAct** shortcut key

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| BusActivity_ID   |       |           | 9999999999 |     |
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |
| ShortcutAct_ID   |       |           | 9999999999 |     |
| ShortcutActKey   |       |           | x(10)      |     |
| Usr_ID           |       |           | 9999999999 |     |

| Index-Name          | Uni | Field-Name     | Asc | Abbr |
|---------------------|-----|----------------|-----|------|
| ◇ BusActivity       | no  | BusActivity_ID | yes | no   |
| ◇* prim             | yes | ShortcutAct_ID | yes | no   |
| ◇ Usr               | no  | Usr_ID         | yes | no   |
| ◇ UsrIdBusActivity  | yes | Usr_ID         | yes | no   |
|                     |     | BusActivity_ID | yes | no   |
| ◇ UsrIdShortcActKey | yes | Usr_ID         | yes | no   |
|                     |     | ShortcutActKey | yes | no   |

## Shipment Performance Control

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_shpc_ctrl | yes | oid_shpc_ctrl | yes | no   |
| * | shpc_index1   | yes | shpc_domain   | yes | no   |

### Shipment Performance Detail History

| <b>Field Name</b>     | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-----------------------|------------------------|------------------|------------------------|------------|
| oid_shpd_hist         |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| shpd__qadc01          |                        |                  | .9<<<<<<<<<            |            |
| shpd__qadc02          |                        |                  | X(24)                  |            |
| shpd_acceptable       | Acceptable             |                  | yes/no                 |            |
| shpd_domain           | Domain                 |                  | x(8)                   |            |
| shpd_meas_subtype     | Measurement Sub Type   | Sub Type         | 9                      |            |
| shpd_measurement_type | Type                   |                  | >                      |            |
| shpd_mod_date         | Modified Date          | Mod Date         | 99/99/99               |            |
| shpd_mod_userid       | User ID                |                  | X(8)                   |            |
| shpd_rsn_code         | Reason                 |                  | x(8)                   |            |
| shpd_rsn_type         | Reason Type            | Rsn Type         | x(8)                   |            |
| shpd_status_code      | Status                 |                  | x(8)                   |            |
| shpd_tran_id          | Tran ID                |                  | >>>>>>>>9              |            |
| shpd_user1            | User Field Character 1 |                  | X(24)                  |            |
| shpd_user2            | User Field Character 2 |                  | X(24)                  |            |

| Index-Name      | Uni | Field-Name            | Asc | Abbr |
|-----------------|-----|-----------------------|-----|------|
| ◇ oid_shpd_hist | yes | oid_shpd_hist         | yes | no   |
| shpd_reason     | no  | shpd_domain           | yes | no   |
|                 |     | shpd_acceptable       | yes | no   |
|                 |     | shpd_measurement_type | yes | no   |
|                 |     | shpd_meas_subtype     | yes | no   |
|                 |     | shpd_rsn_code         | yes | no   |
| shpd_status     | no  | shpd_domain           | yes | no   |
|                 |     | shpd_acceptable       | yes | no   |
|                 |     | shpd_measurement_type | yes | no   |
|                 |     | shpd_meas_subtype     | yes | no   |
|                 |     | shpd_status_code      | yes | no   |
| * shpd_tran_id  | yes | shpd_domain           | yes | no   |
|                 |     | shpd_tran_id          | yes | no   |
|                 |     | shpd_measurement_type | yes | no   |
|                 |     | shpd_meas_subtype     | yes | no   |

◇ **shphr\_det** Data Validation Rule Master

[illegible]

| Index-Name      | Uni | Field-Name              | Asc        | Abbr     |
|-----------------|-----|-------------------------|------------|----------|
| ◇ oid_shphr_det | yes | oid_shphr_det           | yes        | no       |
| ◇* shphr_id     | yes | oid_dv_mstr<br>shphr id | yes<br>yes | no<br>no |



### ◇ shphvd\_det Field Validation Allowed Value Detail

| <b>Field Name</b>  | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|--------------------|------------------------|------------------|------------------------|------------|
| oid_shphv_det      |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                    |                        |                  | .9<<<<<<<<<            |            |
| oid_shphvd_det     |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                    |                        |                  | .9<<<<<<<<<            |            |
| shphvd__qadc01     |                        |                  | x(24)                  |            |
| shphvd__qadc02     |                        |                  | x(24)                  |            |
| shphvd_field_value | Field Value            |                  | x(30)                  |            |
| shphvd_mod_date    | Modified Date          | Mod Date         | 99/99/99               |            |
| shphvd_mod_userid  | User ID                |                  | x(8)                   |            |
| shphvd_user1       | User Field Character 1 |                  | x(24)                  |            |
| shphvd_user2       | User Field Character 2 |                  | x(24)                  |            |
| shphvd_value_desc  | Value Description      |                  | x(30)                  |            |

| Index-Name            | Uni | Field-Name         | Asc | Abbr |
|-----------------------|-----|--------------------|-----|------|
| ◇ oid_shphvd_det      | yes | oid_shphvd_det     | yes | no   |
| ◇* shphvd_field_value | yes | oid_shphv_det      | yes | no   |
|                       |     | shphvd_field_value | yes | no   |

### ◇ **shphvpv\_det** Validation/Prompt Location Detail

| Field Name         | Label                  | Col-Label | Format                  | Dec |
|--------------------|------------------------|-----------|-------------------------|-----|
| oid_shphv_det      |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| oid_shphvpv_det    |                        |           | .9<<<<<<<<<<<           |     |
|                    |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                    |                        |           | .9<<<<<<<<<<<           |     |
| shphvpv__qadc01    |                        |           | x(24)                   |     |
| shphvpv__qadc02    |                        |           | x(24)                   |     |
| shphvpv_location   | Location               |           | x(22)                   |     |
| shphvpv_mod_date   | Modified Date          | Mod Date  | 99/99/99                |     |
| shphvpv_mod_userid | User ID                |           | x(8)                    |     |
| shphvpv_prompt     | Prompt                 |           | yes/no                  |     |
| shphvpv_type       | Type                   |           | 9                       |     |
| shphvpv_user1      | User Field Character 1 |           | x(24)                   |     |
| shphvpv_user2      | User Field Character 2 |           | x(24)                   |     |
| shphvpv_val_level  | Validation Level       |           | 9                       |     |

| Index-Name           | Uni | Field-Name        | Asc | Abbr |
|----------------------|-----|-------------------|-----|------|
| ◇ oid_shphpvpv_det   | yes | oid_shphpvpv_det  | yes | no   |
| ◇* shphpvpv_location | yes | oid_shphpv_det    | yes | no   |
|                      |     | shphpvpv_type     | yes | no   |
|                      |     | shphpvpv_location | yes | no   |

## ◇ shphv\_det Rule Field Validation Detail

| Field Name             | Label                  | Col-Label | Format                          | Dec |
|------------------------|------------------------|-----------|---------------------------------|-----|
| oid_shphr_det          |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9  | 10  |
| oid_shphv_det          |                        |           | .9<<<<<<<<<<<<<<<<<<<<<<<<<<<<< |     |
| shphv_qadc01           |                        |           | x(24)                           |     |
| shphv_qadc02           |                        |           | x(24)                           |     |
| shphv_allow_blank      | Allow Blank            |           | yes/no                          |     |
| shphv_allow_undefined  | Allow Undefined        |           | yes/no                          |     |
| shphv_cmtindx          | Comments               |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>   | 9   |
| shphv_default          | Default Value          |           | x(30)                           |     |
| shphv_desc             | Description            |           | x(40)                           |     |
| shphv_domain           | Domain                 |           | x(8)                            |     |
| shphv_end_eff          | End Effective          |           | 99/99/99                        |     |
| shphv_enforce_case     | Enforce Case           |           | yes/no                          |     |
| shphv_field            | Field                  |           | x(32)                           |     |
| shphv_field_type       | Type                   |           | 9                               |     |
| shphv_gen_code         | Generalized code       |           | x(32)                           |     |
| shphv_internal_proc    | Internal Procedure     |           | x(32)                           |     |
| shphv_invalid_char     | Invalid Characters     |           | x(8)                            |     |
| shphv_launch_fieldname | Launch Fieldname       |           | x(32)                           |     |
| shphv_max_length       | Max Length             |           | >, >>>, >>>9                    |     |
| shphv_min_length       | Min Length             |           | >, >>>, >>>9                    |     |
| shphv_mod_date         | Modified Date          | Mod Date  | 99/99/99                        |     |
| shphv_mod_userid       | User ID                |           | x(8)                            |     |
| shphv_start_eff        | Start Effective        |           | 99/99/99                        |     |
| shphv_user1            | User Field Character 1 |           | x(24)                           |     |
| shphv_user2            | User Field Character 2 |           | x(24)                           |     |
| shphv_usrflid_applyto  | Apply-To               |           | 999                             |     |
| shphv_validate_msg1    | Message                |           | x(45)                           |     |
| shphv_validate_msg2    | Message                |           | x(75)                           |     |
| shphv_validate_point   | Validation Point       |           | 9                               |     |
| shphv_validate_program | Validation Program     |           | x(24)                           |     |

| Index-Name       | Uni | Field-Name      | Asc | Abbr |
|------------------|-----|-----------------|-----|------|
| ◇* oid_shphr_det | yes | oid_shphr_det   | yes | no   |
|                  |     | shphv_field     | yes | no   |
|                  |     | shphv_start_eff | yes | no   |
| ◇ oid shphv det  | yes | oid shphv det   | yes | no   |

## shp hist Shipment Performance History

| Field Name    | Label         | Col-Label | Format                         | Dec |
|---------------|---------------|-----------|--------------------------------|-----|
| oid_shp_hist  |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| shp__qadc01   |               |           | X(24)                          |     |
| shp__qadc02   |               |           | X(24)                          |     |
| shp_abs_id    | Shipper       |           | x(20)                          |     |
| shp_cmtindx   | Comment       |           | >>>>>>>9                       |     |
| shp_currency  | Currency      |           | x(3)                           |     |
| shp_cust      | Customer      |           | x(8)                           |     |
| shp_cust_part | Customer Item |           | x(30)                          |     |

| Field Name          | Label                  | Col-Label | Format                  | Dec |
|---------------------|------------------------|-----------|-------------------------|-----|
| shp_customer_source | Customer Source        |           | x(3)                    |     |
| shp_do_req          | Requisition            |           | x(8)                    |     |
| shp_domain          | Domain                 |           | x(8)                    |     |
| shp_due_date        | Due Date               |           | 99/99/99                |     |
| shp_ext_price       | Extended Price         |           | ->>>>, >>>, >>9.99<<<   | 10  |
| shp_include         | Include in Reporting   |           | yes/no                  |     |
| shp_line            | Line                   |           | >>9                     |     |
| shp_mod_date        | Modified Date          | Mod Date  | 99/99/99                |     |
| shp_mod_userid      | User ID                |           | x(8)                    |     |
| shp_nbr             | Order                  |           | x(8)                    |     |
| shp_open_qty        | Open Qty               |           | ->>, >>>, >>9.9<<<<<<<< | 10  |
| shp_ord_um          | UM                     |           | x(2)                    |     |
| shp_ord_um_conv     | UM Conversion          |           | >>>>9.9999<<<<          | 10  |
| shp_order_category  | Category               |           | x(8)                    |     |
| shp_part            | Item Number            |           | x(18)                   |     |
| shp_perf_date       | Performance Date       |           | 99/99/99                |     |
| shp_qty_pct         | Shipment Percentage    |           | ->>9.99                 | 10  |
| shp_rel_id          | Release                |           | x(30)                   |     |
| shp_req_date        | Required Date          |           | 99/99/99                |     |
| shp_sched_time      | Schedule Time          |           | 99:99                   |     |
| shp_ship_date       | Ship Date              |           | 99/99/99                |     |
| shp_ship_price      | Ship Price             |           | ->>>>, >>>, >>9.99<<<   | 10  |
| shp_ship_qty        | Ship Qty               |           | ->>, >>>, >>9.9<<<<<<<< | 10  |
| shp_ship_time       | Ship Time              |           | 99:99                   |     |
| shp_ship_um         | UM                     |           | x(2)                    |     |
| shp_ship_um_conv    | UM Conversion          |           | >>>>9.9999<<<<          | 10  |
| shp_shipfrom        | Ship-From              |           | x(8)                    |     |
| shp_shipto          | Ship-To                |           | x(8)                    |     |
| shp_tran_id         | Tran ID                |           | >>>>>>>>9               |     |
| shp_user1           | User Field Character 1 |           | X(24)                   |     |
| shp_user2           | User Field Character 2 |           | X(24)                   |     |

| Index-Name          | Uni | Field-Name          | Asc | Abbr |
|---------------------|-----|---------------------|-----|------|
| oid_shp_hist        | yes | oid_shp_hist        | yes | no   |
| shp_abs_id          | no  | shp_domain          | yes | no   |
|                     |     | shp_shipfrom        | yes | no   |
|                     |     | shp_abs_id          | yes | no   |
| shp_cust            | no  | shp_domain          | yes | no   |
|                     |     | shp_include         | yes | no   |
|                     |     | shp_cust            | yes | no   |
|                     |     | shp_shipto          | yes | no   |
|                     |     | shp_shipfrom        | yes | no   |
|                     |     | shp_nbr             | yes | no   |
|                     |     | shp_line            | yes | no   |
| shp_customer_source | no  | shp_domain          | yes | no   |
|                     |     | shp_include         | yes | no   |
|                     |     | shp_customer_source | yes | no   |
|                     |     | shp_cust            | yes | no   |
|                     |     | shp_shipto          | yes | no   |
|                     |     | shp_shipfrom        | yes | no   |
|                     |     | shp_nbr             | yes | no   |
|                     |     | shp_line            | yes | no   |
| shp_part            | no  | shp_ship_date       | yes | no   |
|                     |     | shp_domain          | yes | no   |
|                     |     | shp_include         | yes | no   |
|                     |     | shp_part            | yes | no   |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| shp_ship_date | no  | shp_shipfrom  | yes | no   |
|               |     | shp_nbr       | yes | no   |
|               |     | shp_line      | yes | no   |
|               |     | shp_domain    | yes | no   |
|               |     | shp_include   | yes | no   |
|               |     | shp_ship_date | yes | no   |
|               |     | shp_shipfrom  | yes | no   |
|               |     | shp_shipto    | yes | no   |
|               |     | shp_nbr       | yes | no   |
|               |     | shp_line      | yes | no   |
| * shp_tran_id | yes | shp_domain    | yes | no   |
|               |     | shp_tran_id   | yes | no   |

## shtr\_det

### Shipment Trailer Detail

| Field Name     | Label          | Col-Label | Format                         | Dec |
|----------------|----------------|-----------|--------------------------------|-----|
| oid_shtr_det   |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| shtr_qad01     |                |           | .9<<<<<<<<<<                   | 10  |
| shtr_qad02     |                |           | -z,zzz,zzz,zz9.99              | 10  |
| shtr_qad03     |                |           | -z,zzz,zzz,zz9.99              | 10  |
| shtr_qad04     |                |           | -z,zzz,zzz,zz9.99              | 10  |
| shtr_qad05[2]  |                |           | >                              | 10  |
| shtr_amt       | Trailer Amt 1  |           | >>9.9<<                        | 10  |
| shtr_cd        | Trailer 1      | Trl1      | -zzzz,zzz,zz9.99               | 10  |
| shtr_curr      | Currency       | Cur       | x(2)                           |     |
| shtr_domain    | Domain         |           | x(3)                           |     |
| Δ shtr_inv_nbr | Invoice Number | Invoice   | x(8)                           |     |
| shtr_nbr       | Sales Order    | Order     | x(22)                          |     |
| shtr_ship_date | Ship Date      |           | x(8)                           |     |
| shtr_ship_id   | Ship Id        |           | 99/99/99                       |     |
| shtr_site      | Site           |           | x(8)                           |     |
| shtr_user1     | Ufld1          |           | x(8)                           |     |
| shtr_user2     | Ufld2          |           | x(8)                           |     |

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| oid_shtr_det | yes | oid_shtr_det | yes | no   |
| * shtr_nbrcd | yes | shtr_domain  | yes | no   |
|              |     | shtr_nbr     | yes | no   |
|              |     | shtr_ship_id | yes | no   |
|              |     | shtr_cd      | yes | no   |
| shtr_shipcd  | yes | shtr_domain  | yes | no   |
|              |     | shtr_ship_id | yes | no   |
|              |     | shtr_cd      | yes | no   |

## shv\_mstr

Ship Via Master

| <b>Field Name</b>  | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                             | <b>Dec</b> |
|--------------------|------------------------|------------------|-------------------------------------------|------------|
| oid_shv_mstr       |                        |                  | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |            |
| shv__qadc01        |                        |                  | x(24)                                     |            |
| shv__qadc02        |                        |                  | x(24)                                     |            |
| shv_domain         | Domain                 |                  | x(8)                                      |            |
| shv_mod_date       | Modified Date          | Mod Date         | 99/99/99                                  |            |
| shv_mod_userid     | User ID                |                  | x(8)                                      |            |
| shv_mode_transp    | Mode Of Transport      |                  | x(1)                                      |            |
| shv_name           | Name                   |                  | x(24)                                     |            |
| shv_port_mandatory | Port Mandatory         |                  | yes/no                                    |            |
| shv_shipvia        | Ship Via               |                  | x(20)                                     |            |
| shv_user1          | User Field Character 1 |                  | x(24)                                     |            |
| shv_user2          | User Field Character 2 |                  | x(24)                                     |            |

|   | Index-Name      | Uni | Field-Name      | Asc | Abbr |
|---|-----------------|-----|-----------------|-----|------|
| ◇ | oid_shv_mstr    | yes | oid_shv_mstr    | yes | no   |
|   | shv_mode_transp | no  | shv_domain      | yes | no   |
|   |                 |     | shv_mode_transp | yes | no   |
| * | shv_shipvia     | yes | shv_domain      | yes | no   |
|   |                 |     | shv_shipvia     | yes | no   |

## Inventory Movement Site Detail

|                   |                         |         |
|-------------------|-------------------------|---------|
| sim__qadc01       |                         |         |
| Δ sim__canrun[15] | Roles                   |         |
| sim__domain       | Domain                  |         |
| sim__inv_mov      | Inventory Movement Code | Inv Mov |
| sim__site         | Site                    |         |
| sim__user1        | Ufld1                   |         |
| sim__user2        | Ufld2                   |         |

|             |     |             |     |    |
|-------------|-----|-------------|-----|----|
| oid_sim_det | yes | oid_sim_det | yes | no |
| sim_inv_mov | yes | sim_domain  | yes | no |
|             |     | sim_inv_mov | yes | no |
|             |     | sim_site    | yes | no |
| * sim_site  | yes | sim_domain  | yes | no |
|             |     | sim_site    | yes | no |
|             |     | sim_inv_mov | yes | no |

### Shipment Detail/Invoice Number Cross-Reference

[illegible]

| Field Name        | Label               | Col-Label | Format                 | Dec |
|-------------------|---------------------|-----------|------------------------|-----|
| six__qadl02       |                     |           | yes/no                 |     |
| six__qadl03       |                     |           | yes/no                 |     |
| six__qadl04       |                     |           | yes/no                 |     |
| six__qadl05       |                     |           | yes/no                 |     |
| six__qadt01       |                     |           | 99/99/99               |     |
| six__qadt02       |                     |           | 99/99/99               |     |
| six__qadt03       |                     |           | 99/99/99               |     |
| six__qadt04       |                     |           | 99/99/99               |     |
| six__qadt05       |                     |           | 99/99/99               |     |
| six_amt           | Ship Amt            |           | ->>>>, >>>, >>9.99<<<  | 10  |
| six_amt_appld     | Amt Applied         |           | ->>>>, >>>, >>9.99<<<  | 10  |
| six_amt_paid      | Paid Amt            |           | ->>>>, >>>, >>9.99<<<  | 10  |
| six_authorization | Authorization       |           | x(24)                  |     |
| six_bill          | Bill-To             |           | x(8)                   |     |
| six_closed        | Close Shipment Line | C         | yes/no                 |     |
| six_curr          | Currency            | Cur       | x(3)                   |     |
| six_cust          | Sold-To             |           | x(8)                   |     |
| six_custref       | Customer Ref        |           | x(30)                  |     |
| six_domain        | Domain              |           | x(8)                   |     |
| Δ six_inv_nbr     | Invoice             |           | x(22)                  |     |
| six_line          | Line                |           | >>>9                   |     |
| six_mod_date      | Modified Date       | Mod Date  | 99/99/99               |     |
| six_mod_userid    | User ID             |           | X(8)                   |     |
| six_modelyr       | Model Year          |           | x(4)                   |     |
| six_order         | Sales Order         | Order     | x(8)                   |     |
| six_part          | Item                |           | x(18)                  |     |
| six_po            | Customer PO         |           | x(22)                  |     |
| six_price         | Price               |           | >>, >>>, >>9.99<<<     | 10  |
| six_qty           | Ship Qty            |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| six_qty_paid      | Paid Qty            |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| six_ship          | Ship-To             |           | x(8)                   |     |
| six_ship_id       | Shipper             |           | x(20)                  |     |
| six_shipdt        | Ship Date           |           | 99/99/99               |     |
| six_site          | Ship-From           |           | x(8)                   |     |
| six_sopart        | Self-Bill Item      |           | x(30)                  |     |
| six_trnbr         | Trans               |           | >>>>>>>>               |     |
| six_type          | Type                | T         | x(1)                   |     |
| six_um            | UM                  |           | x(2)                   |     |
| six_user1         | Ufld1               |           | X(8)                   |     |
| six_user2         | Ufld2               |           | X(8)                   |     |
| six_user3         |                     |           | X(8)                   |     |
| six_user4         |                     |           | X(8)                   |     |
| six_user5         |                     |           | X(8)                   |     |

| Index-Name      | Uni | Field-Name        | Asc | Abbr |
|-----------------|-----|-------------------|-----|------|
| ◇ oid_six_ref   | yes | oid_six_ref       | yes | no   |
| six_auth_sopart | no  | six_domain        | yes | no   |
|                 |     | six_authorization | yes | no   |
|                 |     | six_sopart        | yes | no   |
| six_bill_inv    | no  | six_domain        | yes | no   |
|                 |     | six_bill          | yes | no   |
|                 |     | six_inv_nbr       | yes | no   |
|                 |     | six_type          | yes | no   |
|                 |     | six_order         | yes | no   |
|                 |     | six_line          | yes | no   |
|                 |     | six_ship_id       | yes | no   |

| Index-Name       | Uni | Field-Name        | Asc | Abbr |
|------------------|-----|-------------------|-----|------|
| six_order_sopart | no  | six_authorization | yes | no   |
|                  |     | six_domain        | yes | no   |
|                  |     | six_order         | yes | no   |
| six_part         | no  | six_sopart        | yes | no   |
|                  |     | six_domain        | yes | no   |
|                  |     | six_part          | yes | no   |
| six_po_sopart    | no  | six_domain        | yes | no   |
|                  |     | six_po            | yes | no   |
|                  |     | six_sopart        | yes | no   |
| six_ship_sopart  | no  | six_domain        | yes | no   |
|                  |     | six_ship_id       | yes | no   |
|                  |     | six_sopart        | yes | no   |
| six_sopart       | no  | six_domain        | yes | no   |
|                  |     | six_sopart        | yes | no   |
|                  |     | six_sopart        | yes | no   |
| * six_trnbr      | yes | six_domain        | yes | no   |
|                  |     | six_trnbr         | yes | no   |

**si mstr**

Site Master

| Field Name      | Label                    | Col-Label | Format                  | Dec |
|-----------------|--------------------------|-----------|-------------------------|-----|
| oid_si_mstr     |                          |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                 |                          |           | .9<<<<<<<<<             |     |
| si_chr01        |                          |           | x(8)                    |     |
| si_chr02        |                          |           | x(8)                    |     |
| si_chr03        |                          |           | x(8)                    |     |
| si_chr04        |                          |           | x(8)                    |     |
| si_chr05        |                          |           | x(8)                    |     |
| si_dec01        |                          |           | >>>, >>>, >>9.99        | 10  |
| si_dec02        |                          |           | >>>, >>>, >>9.99        | 10  |
| si_dte01        |                          |           | 99/99/99                |     |
| si_dte02        |                          |           | 99/99/99                |     |
| si_log01        |                          |           | yes/no                  |     |
| si_auto_loc     | Automatic Locations      | Auto Loc  | yes/no                  |     |
| si_btb_vend     | EMT Supplier             | EMT Supp  | x(8)                    |     |
| Δ si_canrun     | Roles                    |           | x(189)                  |     |
| si_cur_set      | Current Cost Set         | Cur Set   | x(8)                    |     |
| si_db           | Domain                   |           | x(8)                    |     |
| si_decl         | Declarant                |           | x(8)                    |     |
| si_desc         | Description              |           | x(24)                   |     |
| si_domain       | Domain                   |           | x(8)                    |     |
| Δ si_entity     | Entity                   |           | x(20)                   |     |
| si_ext_vd       | External Supplier        | Ext Supp  | yes/no                  |     |
| si_git_acct     | Goods In Transit Acct    | GIT Acct  | x(8)                    |     |
| si_git_cc       | Cost Center              | CC        | x(4)                    |     |
| si_git_location | PO Transit Location      | GIT Loc   | x(8)                    |     |
| si_git_sub      | GIT Sub-Acct             | Sub-Acct  | x(8)                    |     |
| si_gl_set       | GL Cost Set              | GL Set    | x(8)                    |     |
| ◇ si_insp_loc   | Inspection Location      | Inspect   | x(8)                    |     |
| si_site         | Site                     |           | x(8)                    |     |
| si_status       | Default Inventory Status | Status    | x(8)                    |     |
| si_type         | Type                     |           | Primary/Connection      |     |
| si_user1        | Ufld1                    |           | x(8)                    |     |
| si_user2        | Ufld2                    |           | x(8)                    |     |



| Field Name        | Label                      | Col-Label           | Format | Dec |
|-------------------|----------------------------|---------------------|--------|-----|
| si_xfer_acct      | Transfer Variance Acct     | Transfer            | x(8)   |     |
| si_xfer_cc        | Transfer Variance Cost Ctr | CC                  | x(4)   |     |
| si_xfer_ownership | Transfer Ownership         | Transfer! Ownership | yes/no |     |
| si_xfer_sub       | Transfer Variance Sub      | Sub-Acct            | x(8)   |     |

|   | Index-Name  | Uni     | Field-Name  | Asc | Abbr |
|---|-------------|---------|-------------|-----|------|
| ◇ | oid_si_mstr | yes     | oid_si_mstr | yes | no   |
|   | si_decl     | no      | si_domain   | yes | no   |
| * |             |         | si_decl     | yes | no   |
|   | si_site     | yes     | si_domain   | yes | no   |
|   |             |         | si_site     | yes | no   |
|   | si_type     | yes     | si_type     | yes | no   |
|   |             |         | si_domain   | yes | no   |
|   |             | si_site | yes         | no  |      |

## ◇ **SLGListD**      Warehousing Storage Location Group List Detail

| Field Name   | Label                  | Col-Label | Format                                   | Dec |
|--------------|------------------------|-----------|------------------------------------------|-----|
| CreateDate   | Create Date            |           | 99/99/99                                 |     |
| CreateUserID | Created                |           | x(8)                                     |     |
| Domain       | Domain                 |           | x(8)                                     |     |
| ModDate      | Modified Date          | Mod Date  | 99/99/99                                 |     |
| ModUserID    | User ID                |           | x(8)                                     |     |
| oid_SLGListD |                        |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| QadC01       | QAD Field              |           | X(8)                                     | 0   |
| QadC02       | QAD Field              |           | X(8)                                     | 0   |
| QadC03       | QAD Field              |           | X(8)                                     | 0   |
| QadC04       | QAD Field              |           | X(8)                                     | 0   |
| QadD01       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadD02       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadD03       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                    | 10  |
| QadI01       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadI02       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadI03       | QAD Field              |           | ->, >>>, >>9                             |     |
| QadL01       | QAD Field              |           | yes/no                                   |     |
| QadL02       | QAD Field              |           | yes/no                                   |     |
| QadT01       | QAD Field              |           | 99/99/99                                 |     |
| QadT02       | QAD Field              |           | 99/99/99                                 |     |
| QadT03       | QAD Field              |           | 99/99/99                                 |     |
| Site         | Site                   |           | x(8)                                     |     |
| SLGList      | SLG List               |           | x(8)                                     |     |
| SLGSeq       | Seq                    |           | >>9                                      |     |
| SLocGp       | Store Loc Group        | SLocGrp   | x(8)                                     |     |
| User1        | User 1                 |           | x(8)                                     |     |
| User2        | User 2                 |           | x(8)                                     |     |
| UserC03      | User Field Character 3 |           | x(24)                                    |     |
| UserC04      | User Field Character 4 |           | x(24)                                    |     |
| UserC05      | User Field Character 5 |           | x(24)                                    |     |
| UserD01      | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<               | 10  |
| UserD02      | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<<               | 10  |
| UserL01      | User Field Logical 1   |           | yes/no                                   |     |



| Field Name | Label                | Col-Label | Format                       | Dec |
|------------|----------------------|-----------|------------------------------|-----|
| UserD01    | User Field Decimal 1 |           | -->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2 |           | -->>>>, >>>, >>9.9<<<<<<<<<  | 10  |
| UserL01    | User Field Logical 1 |           | yes/no                       |     |
| UserL02    | User Field Logical 2 |           | yes/no                       |     |
| UserT01    | User Field Date 1    |           | 99/99/99                     |     |
| UserT02    | User Field Date 2    |           | 99/99/99                     |     |
| Whse       | Warehouse            | Whse      | x(8)                         |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_SLGListM | yes | oid_SLGListM | yes | no   |
| ◇* SLGList     | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | Whse         | yes | no   |
|                |     | SLGList      | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

◇ **SLGM**      Warehousing Storage Location Group Master

[illegible]

| Field Name | Label                  | Col-Label | Format                     | Dec |
|------------|------------------------|-----------|----------------------------|-----|
| QadD02     | QAD Field              |           | -->>>>,>>>,>>9.99<<<       | 10  |
| QadD03     | QAD Field              |           | -->>>>,>>>,>>9.99<<<       | 10  |
| QadI01     | QAD Field              |           | ->,>>>,>>9                 |     |
| QadI02     | QAD Field              |           | ->,>>>,>>9                 |     |
| QadL01     | QAD Field              |           | yes/no                     |     |
| QadL02     | QAD Field              |           | yes/no                     |     |
| QadT01     | QAD Field              |           | 99/99/99                   |     |
| QadT02     | QAD Field              |           | 99/99/99                   |     |
| QadT03     | QAD Field              |           | 99/99/99                   |     |
| RecountUM  | Recount UM             | Rcnt! UM  | x(2)                       |     |
| Site       | Site                   |           | x(8)                       |     |
| SLocGp     | Store Loc Group        | SLocGrp   | x(8)                       |     |
| User1      | User 1                 |           | x(8)                       |     |
| User2      | User 2                 |           | x(8)                       |     |
| UserC03    | User Field Character 3 |           | x(24)                      |     |
| UserC04    | User Field Character 4 |           | x(24)                      |     |
| UserC05    | User Field Character 5 |           | x(24)                      |     |
| UserD01    | User Field Decimal 1   |           | -->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | -->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1   |           | yes/no                     |     |
| UserL02    | User Field Logical 2   |           | yes/no                     |     |
| UserT01    | User Field Date 1      |           | 99/99/99                   |     |
| UserT02    | User Field Date 2      |           | 99/99/99                   |     |
| Whse       | Warehouse              | Whse      | x(8)                       |     |

| Index-Name       | Uni | Field-Name    | Asc | Abbr |
|------------------|-----|---------------|-----|------|
| oid_SLGM         | yes | oid_SLGM      | yes | no   |
| SiteWhseIntGroup | no  | Domain        | yes | no   |
|                  |     | Site          | yes | no   |
|                  |     | Whse          | yes | no   |
|                  |     | IntRouteGroup | yes | no   |
| * SiteWhseSLocGp | yes | Domain        | yes | no   |
|                  |     | Site          | yes | no   |
|                  |     | Whse          | yes | no   |
|                  |     | SLocGp        | yes | no   |
| UsrIdx           | no  | Domain        | yes | no   |
|                  |     | User1         | yes | no   |
|                  |     | User2         | yes | no   |

◇ **SLGUMD**      Warehousing Storage Location Group/Unit of Measure Detail

| Field Name   | Label         | Col-Label    | Format                                   | Dec |
|--------------|---------------|--------------|------------------------------------------|-----|
| AllowSplit   | Allow Split   | Split        | yes/no                                   |     |
| AltUM        | AltUM         | Alt! UM      | x(2)                                     |     |
| CreateDate   | Create Date   |              | 99/99/99                                 |     |
| CreateUserID | Created       |              | x(8)                                     |     |
| Domain       | Domain        |              | x(8)                                     |     |
| ModDate      | Modified Date | Mod Date     | 99/99/99                                 |     |
| ModUserID    | User ID       |              | x(8)                                     |     |
| MultTrans    | Multi-Trans   | Multi! Trans | yes/no                                   |     |
| oid_SLGUMD   |               |              | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| OverPick     | Over Pick     | Over! Pick   | yes/no                                   |     |

| Field Name | Label                  | Col-Label      | Format                     | Dec |
|------------|------------------------|----------------|----------------------------|-----|
| PickMultUM | Picking Multiple UM    | Pick! Mult! UM | x(2)                       |     |
| QadC01     | QAD Field              |                | X(8)                       | 0   |
| QadC02     | QAD Field              |                | X(8)                       | 0   |
| QadC03     | QAD Field              |                | X(8)                       | 0   |
| QadC04     | QAD Field              |                | X(8)                       | 0   |
| QadC05     | QAD Field              |                | X(8)                       | 0   |
| QadD01     | QAD Field              |                | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD02     | QAD Field              |                | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |                | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |                | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |                | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |                | ->, >>>, >>9               |     |
| QadL01     | QAD Field              |                | yes/no                     |     |
| QadL02     | QAD Field              |                | yes/no                     |     |
| QadT01     | QAD Field              |                | 99/99/99                   |     |
| QadT02     | QAD Field              |                | 99/99/99                   |     |
| QadT03     | QAD Field              |                | 99/99/99                   |     |
| Site       | Site                   |                | x(8)                       |     |
| SLocGp     | Store Loc Group        | SLocGrp        | x(8)                       |     |
| User1      | User 1                 |                | x(8)                       |     |
| User2      | User 2                 |                | x(8)                       |     |
| UserC03    | User Field Character 3 |                | x(24)                      |     |
| UserC04    | User Field Character 4 |                | x(24)                      |     |
| UserC05    | User Field Character 5 |                | x(24)                      |     |
| UserD01    | User Field Decimal 1   |                | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |                | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |                | ->>>>>>>9                  |     |
| UserI02    | User Field Integer 2   |                | ->>>>>>>9                  |     |
| UserL01    | User Field Logical 1   |                | yes/no                     |     |
| UserL02    | User Field Logical 2   |                | yes/no                     |     |
| UserT01    | User Field Date 1      |                | 99/99/99                   |     |
| UserT02    | User Field Date 1      |                | 99/99/99                   |     |
| Whse       | Warehouse              | Whse           | x(8)                       |     |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◊ oid_SLGUMD | yes | oid_SLGUMD | yes | no   |
| ◊* SLGUM     | yes | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | SLocGp     | yes | no   |
|              |     | AltUM      | yes | no   |
| ◊ UsrIdx     | no  | Domain     | yes | no   |
|              |     | User1      | yes | no   |
|              |     | User2      | yes | no   |

## Site Linking Rules Detail

| Field Name          | Label                  | Col-Label     | Format                         | Dec |
|---------------------|------------------------|---------------|--------------------------------|-----|
| oid_slrd_det        |                        |               | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| slrd__qadc01        |                        |               | .9<<<<<<<<<                    |     |
| slrd__qadc02        |                        |               | x(24)                          |     |
| slrd__qadd01        |                        |               | x(24)                          |     |
| slrd__qadd02        |                        |               | ->>>>, >>>, >>9.9<<<<<<<<<     | 10  |
| slrd__qadi01        |                        |               | ->>>>, >>>, >>9.9<<<<<<<<<     | 10  |
| slrd__qadi01        |                        |               | ->>>>>>>9                      |     |
| slrd__qadi01        |                        |               | yes/no                         |     |
| slrd__qadt01        |                        |               | 99/99/99                       |     |
| slrd__qadt02        |                        |               | 99/99/99                       |     |
| slrd_attrib_code    | Attribute Value        |               | x(18)                          |     |
| slrd_domain         | Domain                 |               | x(8)                           |     |
| slrd_gl_cost_site   | Default GL Cost Site   | GL Site       | x(8)                           |     |
| slrd_inventory_site | Inventory Site         | Site          | x(8)                           |     |
| slrd_linking_rule   | Site Linking Rule      | Linking! Rule | 9                              |     |
| slrd_mod_date       | Modified Date          |               | 99/99/99                       |     |
| slrd_mod_userid     | User ID                |               | x(8)                           |     |
| slrd_userc01        | User Field Character 1 |               | x(24)                          |     |
| slrd_userc02        | User Field Character 2 |               | x(24)                          |     |
| slrd_userd01        | User Field Decimal     |               | ->>>>, >>>, >>9.9<<<<<<<<<     | 10  |
| slrd_useri01        | User Field Integer     |               | ->>>>>>>9                      |     |
| slrd_userl01        | User Field Logical     |               | yes/no                         |     |
| slrd_usert01        | User Field Date        |               | 99/99/99                       |     |

|   | Index-Name     | Uni | Field-Name          | Asc | Abbr |
|---|----------------|-----|---------------------|-----|------|
| ◇ | oid_slrd_det   | yes | oid_slrd_det        | yes | no   |
|   | slrd_cost_site | no  | slrd_domain         | yes | no   |
|   |                |     | slrd_gl_cost_site   | yes | no   |
| * | slrd_site      | yes | slrd_domain         | yes | no   |
|   |                |     | slrd_inventory_site | yes | no   |
|   |                |     | slrd attrib code    | yes | no   |

## Site Linking Rules Master

| Field Name         | Label                      | Col-Label | Format                                           | Dec |
|--------------------|----------------------------|-----------|--------------------------------------------------|-----|
| oid_slr_mstr       |                            |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| slr__qadc01        |                            |           | x(24)                                            |     |
| slr__qadc02        |                            |           | x(24)                                            |     |
| slr__qadd01        |                            |           | ->>>>, >>>, >>9.9<<<<<<<<<<<<                    | 10  |
| slr__qadd02        |                            |           | ->>>>, >>>, >>9.9<<<<<<<<<<<<                    | 10  |
| slr__qadi01        |                            |           | ->>>>>>>9                                        |     |
| slr__qadl01        |                            |           | yes/no                                           |     |
| slr__qadt01        |                            |           | 99/99/99                                         |     |
| slr__qadt02        |                            |           | 99/99/99                                         |     |
| slr_attribute      | Item Attribute             |           | x(1)                                             |     |
| slr_domain         | Domain                     |           | x(8)                                             |     |
| slr_inventory_site | Inventory Site             | Site      | x(8)                                             |     |
| slr_lsc_active     | Linked-Site Costing Active |           | yes/no                                           |     |
| slr_mod_date       | Modified Date              |           | 99/99/99                                         |     |

| Field Name     | Label                  | Col-Label | Format                    | Dec |
|----------------|------------------------|-----------|---------------------------|-----|
| slr_mod_userid | User ID                |           | x(8)                      |     |
| slr_userc01    | User Field Character 1 |           | x(24)                     |     |
| slr_userc02    | User Field Character 2 |           | x(24)                     |     |
| slr_userd01    | User Field Decimal     |           | ->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| slr_useri01    | User Field Integer     |           | ->>>>>>>9                 |     |
| slr_userl01    | User Field Logical     |           | yes/no                    |     |
| slr_usert01    | User Field Date        |           | 99/99/99                  |     |

|   | Index-Name   | Uni | Field-Name         | Asc | Abbr |
|---|--------------|-----|--------------------|-----|------|
| ◇ | oid_slr_mstr | yes | oid_slr_mstr       | yes | no   |
| * | slr_site     | yes | slr_domain         | yes | no   |
|   |              |     | slr_inventory_site | yes | no   |

**sm mstr**      Source Matrix Master

| Field Name   | Label          | Col-Label | Format                  | Dec |
|--------------|----------------|-----------|-------------------------|-----|
| oid_sm_mstr  |                |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                |           | .9<<<<<<<<<             |     |
| sm__qadc01   |                |           | x(8)                    |     |
| sm_domain    | Domain         |           | x(8)                    |     |
| sm_end       | End            |           | 99/99/99                |     |
| sm_lead      | Lead Time      |           | ->, >>>                 | 10  |
| sm_mktg_site | Marketing Site | Marketing | x(8)                    |     |
| sm_part      | Item Number    |           | x(18)                   |     |
| sm_pct       | Supply Percent | Percent   | >>9.9<%                 | 10  |
| sm_start     | Start          |           | 99/99/99                |     |
| sm_sup_site  | Supply Site    | Supply    | x(8)                    |     |
| sm_trans     | Transport Code | Transport | x(8)                    |     |
| sm_type      | Type           |           | x(1)                    |     |
| sm_user1     | Ufld1          |           | x(8)                    |     |
| sm_user2     | Ufld2          |           | x(8)                    |     |

|   | Index-Name  | Uni | Field-Name   | Asc | Abbr |
|---|-------------|-----|--------------|-----|------|
| ◇ | oid_sm_mstr | yes | oid_sm_mstr  | yes | no   |
| * | sm_mstr     | yes | sm_domain    | yes | no   |
|   |             |     | sm_part      | yes | no   |
|   |             |     | sm_sup_site  | yes | no   |
|   |             |     | sm_mktg_site | yes | no   |
|   |             |     | sm_start     | yes | no   |
|   |             |     | sm_type      | yes | no   |

## Sales Order Configuration Bill Detail

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_sob_det | yes | oid_sob_det | yes | no   |
| * sob_det     | yes | sob_domain  | yes | no   |
|               |     | sob_nbr     | yes | no   |
|               |     | sob_line    | yes | no   |
|               |     | sob_parent  | yes | no   |
|               |     | sob_feature | yes | no   |
|               |     | sob_part    | yes | no   |
| sob_part      | yes | sob_domain  | yes | no   |
|               |     | sob_part    | yes | no   |
|               |     | sob_nbr     | yes | no   |
|               |     | sob_line    | yes | no   |
|               |     | sob_parent  | yes | no   |
|               |     | sob_feature | yes | no   |

## Sales Order Credit Card Master







| Field Name              | Label                                | Col-Label         | Format       | Dec |
|-------------------------|--------------------------------------|-------------------|--------------|-----|
| soc_atp_enabled         | ATP Enforcement Enabled              | ATP Enf           | yes/no       |     |
| soc_auto_chg            | Auto Accept Supplier Changes         |                   | yes/no       |     |
| soc_batch               | Auto Batch Confirmation              |                   | yes/no       |     |
| soc_batch_id            | Confirmation Batch ID                |                   | X(8)         |     |
| soc_btb_all             | Direct Allocation                    | Dir All           | yes/no       |     |
| soc_btb_sel             | EMT Sequence                         | EMT Seq           | xxxx         |     |
| soc_btb_type            | EMT Type                             |                   | xx           |     |
| soc_calc_promise_date   | Calc Promise Date                    | Calc Prom Date    | yes/no       |     |
| soc_company             | Company Address                      |                   | x(8)         |     |
| soc_confirm             | Confirmed Orders                     |                   | yes/no       |     |
| soc_cr_hold             | Hold Orders Over Credit Limit        |                   | yes/no       |     |
| soc_crn_next            | Next Correction Invoice Nbr          |                   | >>>>>>9      |     |
| soc_crn_pre             | Correction Invoice Prefix            |                   | x(3)         |     |
| soc_crtacc_acct         | SO Interest Accrued Acct             |                   | X(8)         |     |
| soc_crtacc_cc           | SO Interest Accrued CC               | CC                | X(4)         |     |
| soc_crtacc_sub          | SO Int Accrued Sub                   | Sub-Acct          | x(8)         |     |
| soc_crtapp_acct         | SO Interest Applied Account          |                   | X(8)         |     |
| soc_crtapp_cc           | SO Interest Applied Cost Center      | CC                | X(4)         |     |
| soc_crtapp_sub          | SO Int Accrued Sub                   | Sub-Acct          | x(8)         |     |
| soc_det_all             | Detail Allocations                   |                   | yes/no       |     |
| ◇ soc_dflt_dybkset      | Default Daybook Set                  | Def Dybk Set      | x(8)         |     |
| soc_domain              | Domain                               |                   | x(8)         |     |
| soc_due_calc            | Calculate Due Date                   | Calc Due Date     | yes/no       |     |
| soc_dum_loc             | Direct Shipment Location             |                   | x(8)         |     |
| ◇ soc_dybkset_by_site   | Use Daybook Set by Site              |                   | yes/no       |     |
| soc_edit_isb            | SO Edit ISB Defaults                 |                   | yes/no       |     |
| soc_ex_ratetype         | Rate Type                            |                   | x(8)         |     |
| soc_fcst_bck            | Consume Back                         | Fcst Back         | -,>,>>>,>>9  |     |
| soc_fcst_fwd            | Consume Fwd                          | Fcst Fwd          | -,>,>>>,>>9  |     |
| soc_fob                 | F.O.B.                               |                   | x(20)        |     |
| soc_fr_by_site          | Calculate Freight by Site            |                   | yes/no       |     |
| soc_fr_shp_calc         | Recalc Freight at Ship Time          |                   | yes/no       |     |
| soc_frc_returns         | Sales Returns Freight Calculation    |                   | X(1)         | 0   |
| soc_fysm                | Fiscal Start Month                   |                   | >9           |     |
| ◇ soc_gst_pst           | Print Tax ID on Invoice              |                   | yes/no       |     |
| soc_hcmmts              | Sales Order Header Comments          |                   | yes/no       |     |
| soc_horizon             | ATP Horizon                          |                   | -,>,>>>,>>9  |     |
| soc_index1              | Index                                |                   | >>>>>9       |     |
| soc_inv                 | Next Invoice                         |                   | >>>>>>9      |     |
| soc_inv_hist            | Keep Invoice History                 | Inv! Hst          | yes/no       |     |
| soc_inv_min             | Minimum Invoice Amount               |                   | >,>>>,>>9.   | 10  |
| soc_inv_pre             | Invoice Prefix                       | Pre               | x(3)         |     |
| soc_jrnl                | Next Journal                         |                   | 999999       |     |
| soc_lcmmts              | Sales Order Line Comments            |                   | yes/no       |     |
| soc_ln_fmt              | Ln Format S/M                        |                   | single/multi |     |
| soc_ln_inv              | Print Only Lines to Invoice          |                   | yes/no       |     |
| ◇ soc_maintain_reviewed | Allow Maintenance of Reviewed Orders | Maintain Reviewed | yes/no       |     |
| soc_margin              | Comm on Margin not Sales             |                   | yes/no       |     |
| soc_min_ship            | Minimum Shipment Amount              |                   | >,>>>,>>9.   | 0   |
| soc_min_shpamt          | Minimum Shipment Amount              |                   | >,>>>,>>9    | 10  |
| soc_mlevel_btb          | Multiple Level EMT                   | Mlevel EMT        | yes/no       |     |



| Index-Name         | Uni | Field-Name      | Asc | Abbr |
|--------------------|-----|-----------------|-----|------|
| ◇ oid_sodctg_mstr  | yes | oid_sodctg_mstr | yes | no   |
| ◇* sodctg_category | yes | sodctg_category | yes | no   |

**sodlc det** Sales Order Detail Line Charges

| Field Name          | Label                  | Col-Label    | Format                         | Dec |
|---------------------|------------------------|--------------|--------------------------------|-----|
| oid_sodlc_det       |                        |              | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sodlc__qadc01       |                        |              | .9<<<<<<<<<                    |     |
| sodlc__qadc02       |                        |              | x(24)                          |     |
| sodlc_abs_shipfrom  | Ship From              |              | x(8)                           |     |
| sodlc_acct          | Trailer Acct           | Account      | x(8)                           |     |
| sodlc_cc            | Trailer CC             | CC           | x(4)                           |     |
| sodlc_charge_type   | Charge Type            | Charge! Type | x(8)                           |     |
| sodlc_domain        | Domain                 |              | x(8)                           |     |
| sodlc_ext_price     | Extended Charge        |              | ->>>>, >>>, >>9.99<<<          | 10  |
| sodlc_lc_amt        | Charge                 |              | ->>>>, >>>, >>9.99<<<          | 10  |
| sodlc_lc_line       | Charge Line            | Ln           | >>9                            |     |
| sodlc_mod_date      | Modified Date          | Mod Date     | 99/99/99                       |     |
| sodlc_mod_userid    | User ID                |              | x(8)                           |     |
| sodlc_one_time      | One Time Charge        | OTC          | yes/no                         |     |
| sodlc_ord_line      | SO Line                | SO! Line     | >>9                            |     |
| sodlc_order         | Sales Order            |              | x(8)                           |     |
| sodlc_owned_by      | Id                     |              | x(20)                          |     |
| sodlc_project       | Project                |              | x(8)                           |     |
| sodlc_ref           | Reference              |              | x(24)                          |     |
| sodlc_sub           | Trailer Sub-Acct       | Sub-Acct     | x(8)                           |     |
| sodlc_taxable       | Taxable                |              | yes/no                         |     |
| sodlc_taxc          | Tax Class              | TxC          | x(3)                           |     |
| sodlc_times_charged | Times Charged          |              | ->, >>>, >>9                   |     |
| sodlc_trl_code      | Trailer Code           | Code         | x(2)                           |     |
| sodlc_userc01       | User Field Character 1 |              | x(24)                          |     |
| sodlc_userc02       | User Field Character 2 |              | x(24)                          |     |

| Index-Name      | Uni | Field-Name         | Asc | Abbr |
|-----------------|-----|--------------------|-----|------|
| o oid_sodlc_det | yes | oid_sodlc_det      | yes | no   |
| * sodlc_order   | yes | sodlc_domain       | yes | no   |
|                 |     | sodlc_order        | yes | no   |
|                 |     | sodlc_ord_line     | yes | no   |
|                 |     | sodlc_lc_line      | yes | no   |
| sodlc_owned_by  | no  | sodlc_domain       | yes | no   |
|                 |     | sodlc_owned_by     | yes | no   |
|                 |     | sodlc_abs_shipfrom | yes | no   |
| sodlc_trl_code  | no  | sodlc_domain       | yes | no   |
|                 |     | sodlc_trl_code     | yes | no   |
|                 |     | sodlc_order        | yes | no   |
|                 |     | sodlc_ord_line     | yes | no   |

◇ **sodm det**

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>            | <b>Dec</b> |
|-------------------|------------------------|------------------|--------------------------|------------|
| oid_sodm_det      |                        |                  | >>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| sodm__qadc01      |                        |                  | .9<<<<<<<<               |            |
| sodm__qadc02      |                        |                  | x(24)                    |            |
| sodm_category1    | SOD Category Code      | Category         | x(8)                     |            |
| sodm_category2    | SOD Category Code      | Category         | x(8)                     |            |
| sodm_mod_date     | Modified Date          | Mod Date         | 99/99/99                 |            |
| sodm_mod_userid   | User ID                |                  | x(8)                     |            |
| sodm_user1        | User Field Character 1 |                  | x(24)                    |            |
| sodm_user2        | User Field Character 2 |                  | x(24)                    |            |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ oid_sodm_det   | yes | oid_sodm_det   | yes | no   |
| ◇* sodm_ctg_pair | yes | sodm_category1 | yes | no   |
|                  |     | sodm_category2 | yes | no   |

◇ **sodped det**

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                          | <b>Dec</b> |
|-------------------|------------------------|------------------|----------------------------------------|------------|
| oid_sodpe_mstr    |                        |                  | >>>>>>>>>>>>>>>>>>>>>>9                | 10         |
| oid_sodped_det    |                        |                  | .9<<<<<<<<<<br>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| sodped__qadc01    |                        |                  | .9<<<<<<<<<                            |            |
| sodped__qadc02    |                        |                  | x(24)                                  |            |
| sodped_company    | Entity                 |                  | x(24)                                  |            |
| sodped_domain     | Domain                 |                  | x(20)                                  |            |
| sodped_group1     | Role Name              |                  | x(8)                                   |            |
| sodped_group2     | Role Name              |                  | x(20)                                  |            |
| sodped_mod_date   | Modified Date          | Mod Date         | x(20)                                  |            |
| sodped_mod_userid | User ID                |                  | 99/99/99                               |            |
| sodped_user1      | User Field Character 1 |                  | x(8)                                   |            |
| sodped_user2      | User Field Character 2 |                  | x(24)                                  |            |
|                   |                        |                  | x(24)                                  |            |

| Index-Name          | Uni | Field-Name     | Asc | Abbr |
|---------------------|-----|----------------|-----|------|
| ◇ oid_sodped_det    | yes | oid_sodped_det | yes | no   |
| ◇* sodped_oid_sodpe | yes | oid_sodpe_mstr | yes | no   |
|                     |     | sodped_group1  | yes | no   |
|                     |     | sodped_group2  | yes | no   |
|                     |     | sodped_domain  | yes | no   |
|                     |     | sodped_company | yes | no   |

◇ **sodpe\_mstr** Segregation Of Duties Policy Exception Master

| Field Name       | Label                     | Col-Label | Format                         | Dec |
|------------------|---------------------------|-----------|--------------------------------|-----|
| oid_sodpe_mstr   |                           |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sodpe__qadc01    |                           |           | .9<<<<<<<<<<                   |     |
| sodpe__qadc02    |                           |           | x(24)                          |     |
| sodpe__qadc02    |                           |           | x(24)                          |     |
| sodpe_approver   | Approver                  |           | x(32)                          |     |
| sodpe_code       | SOD Policy Exception Code | Exception | x(8)                           |     |
| sodpe_desc       | Description               |           | x(60)                          |     |
| sodpe_mod_date   | Modified Date             | Mod Date  | 99/99/99                       |     |
| sodpe_mod_userid | User ID                   |           | x(8)                           |     |
| sodpe_title      | Title                     |           | x(50)                          |     |
| sodpe_user1      | User Field Character 1    |           | x(24)                          |     |
| sodpe_user2      | User Field Character 2    |           | x(24)                          |     |
| sodpe_userid     | User ID                   |           | x(8)                           |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ oid_sodpe_mstr | yes | oid_sodpe_mstr | yes | no   |
| ◇* sodpe_code    | yes | sodpe_code     | yes | no   |
| ◇ sodpe_userid   | no  | sodpe_userid   | yes | no   |

**sodr\_det** Sales Order Relationship Detail

| Field Name   | Label       | Col-Label | Format                         | Dec |
|--------------|-------------|-----------|--------------------------------|-----|
| oid_sodr_det |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sodr__qadc01 |             |           | .9<<<<<<<<<                    |     |
| sodr__qadc02 |             |           | x(8)                           |     |
| sodr__qadc03 |             |           | x(8)                           |     |
| sodr__qadd01 |             |           | ->>>>, >>>, >>9.9              | 10  |
| sodr__qadd02 |             |           | ->>>>, >>>, >>9.9              | 10  |
| sodr__qadi01 |             |           | ->, >>>, >>9                   |     |
| sodr__qadi02 |             |           | ->, >>>, >>9                   |     |
| sodr__qadl01 |             |           | yes/no                         |     |
| sodr__qadl02 |             |           | yes/no                         |     |
| sodr__qadt01 |             |           | 99/99/99                       |     |
| sodr__qadt02 |             |           | 99/99/99                       |     |
| sodr_div     | Division    |           | X(8)                           |     |
| sodr_domain  | Domain      |           | x(8)                           |     |
| sodr_group   | Group       |           | X(8)                           |     |
| sodr_line    | Line        |           | >>9                            |     |
| sodr_nbr     | Sales Order |           | X(8)                           |     |
| sodr_pricing | Pricing     |           | >9                             |     |
| sodr_seq     | Sequence    |           | >>9                            |     |
| sodr_type    | Type        |           | >>>9                           |     |
| sodr_user1   | Ufld1       |           | x(8)                           |     |
| sodr_user2   | Ufld2       |           | x(8)                           |     |

| Index-Name       | Uni | Field-Name   | Asc | Abbr |
|------------------|-----|--------------|-----|------|
| ◇ oid_sodr_det   | yes | oid_sodr_det | yes | no   |
| * sodr_nbrln_seq | yes | sodr_domain  | yes | no   |
|                  |     | sodr_nbr     | yes | no   |
|                  |     | sodr_line    | yes | no   |
|                  |     | sodr_seq     | yes | no   |
| sodr_type        | no  | sodr_domain  | yes | no   |
|                  |     | sodr_type    | yes | no   |

◇ **sodv\_hist** Segregation Of Duties Violation Log

| Field Name           | Label                     | Col-Label | Format                                            | Dec |
|----------------------|---------------------------|-----------|---------------------------------------------------|-----|
| oid_sodv_hist        |                           |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |
| sodv__qadc01         |                           |           | x(24)                                             |     |
| sodv__qadc02         |                           |           | x(24)                                             |     |
| sodv_category1       | SOD Category Code         | Category  | x(8)                                              |     |
| sodv_category2       | SOD Category Code         | Category  | x(8)                                              |     |
| sodv_date            | Created Date              | Created   | 99/99/99                                          |     |
| sodv_fix_date        | Fixed Date                |           | 99/99/99                                          |     |
| sodv_fix_time        | Fixed Time                | Time      | >>>>9                                             |     |
| sodv_fix_userid      | Fixed By                  |           | x(8)                                              |     |
| sodv_group           | Role Name                 |           | x(20)                                             |     |
| sodv_group1          | Role Name                 |           | x(20)                                             |     |
| sodv_group1_conflict | Role 1 Conflict           | Role 1    | yes/no                                            |     |
| sodv_group2          | Role Name                 |           | x(20)                                             |     |
| sodv_group2_conflict | Role 2 Conflict           | Role 2    | yes/no                                            |     |
| sodv_mod_date        | Modified Date             | Mod Date  | 99/99/99                                          |     |
| sodv_mod_userid      | User ID                   |           | x(8)                                              |     |
| sodv_pe_code         | SOD Policy Exception Code |           | x(35)                                             |     |
| sodv_rule_type       | SOD Rule Type             | Type      | x(2)                                              |     |
| sodv_time            | Time                      |           | >>, >>>, >>9                                      |     |
| sodv_user            | User ID                   |           | x(8)                                              |     |
| sodv_user1           | User Field Character 1    |           | x(24)                                             |     |
| sodv_user2           | User Field Character 2    |           | x(24)                                             |     |
| sodv_userid          | User ID                   |           | x(8)                                              |     |

| Index-Name      | Uni | Field-Name      | Asc | Abbr |
|-----------------|-----|-----------------|-----|------|
| ◇ oid_sodv_hist | yes | oid_sodv_hist   | yes | no   |
| ◇* sodv_vio_id  | yes | sodv_rule_type  | yes | no   |
|                 |     | sodv_user       | yes | no   |
|                 |     | sodv_group      | yes | no   |
|                 |     | sodv_category1  | yes | no   |
|                 |     | sodv_category2  | yes | no   |
|                 |     | sodv_group1     | yes | no   |
|                 |     | sodv_group2     | yes | no   |
|                 |     | sodv_userid     | yes | no   |
|                 |     | sodv_date       | yes | no   |
|                 |     | sodv_time       | yes | no   |
|                 |     | sodv_fix_userid | yes | no   |
|                 |     | sodv_fix_date   | yes | no   |
|                 |     | sodv_fix_time   | yes | no   |

## Sales Order Detail

| <b>Field Name</b>  | <b>Label</b>        | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|--------------------|---------------------|------------------|------------------------|------------|
| sod__det           |                     |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| sod__chr01         |                     |                  | .9<<<<<<<              |            |
| sod__chr02         |                     |                  | x(8)                   |            |
| sod__chr03         |                     |                  | x(8)                   |            |
| sod__chr04         |                     |                  | x(8)                   |            |
| sod__chr05         |                     |                  | x(8)                   |            |
| sod__chr06         |                     |                  | x(8)                   |            |
| sod__chr07         |                     |                  | x(8)                   |            |
| sod__chr08         |                     |                  | x(8)                   |            |
| sod__chr09         |                     |                  | x(8)                   |            |
| sod__chr10         |                     |                  | x(8)                   |            |
| sod__dec01         |                     |                  | >>>, >>>, >>9.99       | 10         |
| sod__dec02         |                     |                  | >>>, >>>, >>9.99       | 10         |
| sod__dte01         |                     |                  | 99/99/99               |            |
| sod__dte02         |                     |                  | 99/99/99               |            |
| sod__log01         |                     |                  | yes/no                 |            |
| sod__qad01         |                     |                  | ->>>, >>>, >>9         |            |
| sod__qad02         |                     |                  | yes/no                 |            |
| sod__qadc01        | QAD Field           |                  | X(8)                   | 0          |
| sod__qadc02        | QAD Field           |                  | X(8)                   | 0          |
| sod__qadc03        | QAD Field           |                  | X(8)                   | 0          |
| sod__qadc04        | QAD Field           |                  | X(8)                   | 0          |
| sod__qadd01        | QAD Field           |                  | ->>>, >>>, >>9.99<<<   | 10         |
| sod__qadd02        | QAD Field           |                  | ->>>, >>>, >>9.99<<<   | 10         |
| sod__qadd03        | QAD Field           |                  | ->>>, >>>, >>9.99<<<   | 10         |
| sod__qadd04        | QAD Field           |                  | - , >>>, >>9.9<<<<<<<< | 10         |
| sod__qadi01        | QAD Field           |                  | - , >>>, >>9           |            |
| sod__qadi02        | QAD Field           |                  | - , >>>, >>9           |            |
| sod__qadi03        | QAD Field           |                  | yes/no                 |            |
| sod__qadi04        | QAD Field           |                  | yes/no                 |            |
| sod__qadt01        | QAD Field           |                  | yes/no                 |            |
| sod__qadt02        | QAD Field           |                  | 99/99/99               |            |
| sod__qadt03        | QAD Field           |                  | 99/99/99               |            |
| sod__qadt04        | QAD Field           |                  | 99/99/99               |            |
| sod_abnormal       | Abnormal Demand     | Abnormal         | yes/no                 |            |
| sod_acct           | Sales Acct          | Sales            | x(8)                   |            |
| sod_act_price      | Total List Price    |                  | ->>>, >>>, >>9.99<<<   | 10         |
| sod_alt_pkg        | Alternates          |                  | yes/no                 |            |
| sod_auto_ins       | Installation Call   |                  | yes/no                 |            |
| sod_auto_replenish | Auto Replenish      | Auto! Replenish  | yes/no                 |            |
| sod_bo_chg         | Qty Backord         |                  | - , >>>, >>9.9<<<<<<<< | 10         |
| sod_bonus          | Bonus Stock Line    |                  | yes/no                 |            |
| sod_btb_po         | EMT PO Nbr          | EMT PO           | x(8)                   |            |
| sod_btb_pod_line   | EMT PO Line         | EMT PO Ln        | >>9                    |            |
| sod_btb_type       | EMT Type            |                  | xx                     |            |
| sod_btb_vend       | EMT Supplier        | EMT Supp         | x(8)                   |            |
| sod_ca_line        | Call Line           |                  | >>9                    |            |
| sod_ca_nbr         | Call                |                  | x(8)                   |            |
| sod_calc_isb       | Calculate Isb       |                  | yes/no                 |            |
| sod_car_load       | Call Act. Rec. Load |                  | yes/no                 |            |
| sod_cc             | Cost Ctr            | CC               | x(4)                   |            |
| sod_cfg_type       | Configuration       | Config           | x(1)                   |            |
| sod_charge type    | Charge Type         | Charge! Type     | x(8)                   |            |



| Field Name          | Label                   | Col-Label             | Format                    | Dec |
|---------------------|-------------------------|-----------------------|---------------------------|-----|
| sod_cmtindx         | Comment Index           | Comment               | >>>>>>>9                  |     |
| sod_comm_pct[4]     | Commission              | Comm%                 | >>9.99%                   | 10  |
| sod_comment[5]      | Comments                |                       | x(40)                     |     |
| ◇ sod_compl_date    | Status Date             | Stat Date             | 99/99/99                  |     |
| ◇ sod_compl_stat    | Complete Status         | Status                | x(8)                      |     |
| sod_confirm         | Confirmed               |                       | yes/no                    |     |
| sod_conrep          | Netting Logic           | C/R                   | x(1)                      |     |
| sod_consign_loc     | Consignment Location    | Consignment! Location | x(8)                      |     |
| sod_consignment     | Consignment             |                       | yes/no                    |     |
| sod_consume         | Consume Forecast        | Consume Fcst          | yes/no                    |     |
| sod_contr_id        | PO Number               |                       | x(30)                     |     |
| sod_covered_amt     | Covered Amount          |                       | >>>>, >>>, >>9.99<<<      | 10  |
| sod_crt_int         | Credit Terms Int        | CRT Int               | ->>>9.99                  | 10  |
| sod_cum_date[4]     | Cum Start               |                       | 99/99/99                  |     |
| sod_cum_qty[4]      | Cum Shipped             |                       | ->>>>, >>>, >>9.9<<<<<<<< | 10  |
| sod_cum_time[4]     | Time                    |                       | >>, >>>, >>9              |     |
| sod_curr_rlse_id[3] | Active Rlse ID          |                       | x(30)                     |     |
| sod_custpart        | Customer Item           |                       | x(30)                     |     |
| sod_custref         | Customer Ref            |                       | x(30)                     |     |
| sod_desc            | Description             |                       | x(24)                     |     |
| sod_dir_all         | Allocated Direct        | Alloc Dir             | yes/no                    |     |
| sod_disc_pct        | Disc %                  |                       | ->>9.99%                  | 10  |
| sod_div             | Division                |                       | x(8)                      |     |
| sod_dock            | Dock                    |                       | x(8)                      |     |
| sod_domain          | Domain                  |                       | x(8)                      |     |
| sod_drp_ref         | DRP Ref                 |                       | x(8)                      |     |
| sod_dsc_acct        | Disc Acct               |                       | x(8)                      |     |
| sod_dsc_cc          | Disc CC                 | CC                    | x(4)                      |     |
| sod_dsc_project     | Disc Project            |                       | x(8)                      |     |
| sod_dsc_sub         | Disc Sub-Acct           | Sub-Acct              | x(8)                      |     |
| sod_due_date        | Due Date                | Due                   | 99/99/99                  |     |
| sod_end_eff[4]      | End Effective           |                       | 99/99/99                  |     |
| sod_enduser         | End User                |                       | x(8)                      |     |
| sod_exp_del         | Exp Delivery Date       | Exp Date              | 99/99/99                  |     |
| sod_expire          | Expires                 |                       | 99/99/99                  |     |
| sod_fa_nbr          | FAS W/O                 | Final Assembly W/O    | x(18)                     |     |
| sod_fab_days        | Fab Auth Days           |                       | >, >>9                    |     |
| sod_fix_pr          | Fixed Price             | Fix                   | yes/no                    |     |
| sod_fixed_price     | Fixed Price             |                       | >>>>, >>>, >>9.99<<<      | 10  |
| sod_for             | For                     |                       | x(18)                     |     |
| sod_for_serial      | Parent Item Serial      |                       | X(18)                     |     |
| sod_fr_chg          | Unit Freight Charge     |                       | ->>>, >>>, >>9.99         | 10  |
| sod_fr_class        | Freight Class           |                       | x(8)                      |     |
| sod_fr_list         | Freight List            | Frt List              | x(8)                      |     |
| sod_fr_rate         | Freight Rate            |                       | >>>, >>>, >>9.99<<        | 10  |
| sod_fr_wt           | Unit Ship Weight        |                       | ->, >>>, >>9. <<<<<<<     | 10  |
| sod_fr_wt_um        | UM                      |                       | x(2)                      |     |
| sod_fsm_type        | FSM Type                |                       | x(8)                      |     |
| ◇ sod_fsrev_acct    | Revenue Acct            | Revenue Acct          | x(8)                      |     |
| ◇ sod_fsrev_cc      | Revenue CC              | CC                    | x(4)                      |     |
| ◇ sod_fsrev_sub     | Revenue Sub-Acct        | Sub-Acct              | x(8)                      |     |
| sod_fst_list        | FST on List             |                       | yes/no                    |     |
| ◇ sod_hold_stat     | Hold Status             |                       | x(8)                      |     |
| sod_intrans_loc     | In-Transit Location     | In-Transit! Location  | x(8)                      |     |
| sod_inv_cost        | Invoice Cost            |                       | ->>>, >>>, >>9.99<<<      | 10  |
| △ sod_inv_nbr       | Invoice                 |                       | x(22)                     |     |
| sod_isb_loc         | Installed Base Location |                       | x(22)                     |     |

| Field Name         | Label               | Col-Label           | Format                 | Dec |
|--------------------|---------------------|---------------------|------------------------|-----|
| sod_isb_ref        | ISB Ref             |                     | >>>>>>>9               |     |
| sod_line           | Line                | Ln                  | >>9                    |     |
| sod_list_pr        | List Price          |                     | >>>>, >>>, >>9.99<<<   | 10  |
| sod_ln_ref         | Line Ref            |                     | x(8)                   |     |
| sod_loc            | Location            |                     | x(8)                   |     |
| sod_lot            | ID                  |                     | x(8)                   |     |
| sod_manual_fr_list | Manual Fr List      |                     | yes/no                 |     |
| sod_max_aging_days | Maximum Aging Days  | Maximum! Aging Days | >>9                    |     |
| sod_mod_date       | Modified Date       | Mod Date            | 99/99/99               |     |
| sod_mod_userid     | User ID             |                     | X(8)                   |     |
| sod_modelyr        | Model Year          |                     | x(4)                   |     |
| sod_nbr            | Sales Order         | Order               | x(8)                   |     |
| sod_ord_mult       | Std Pack Qty        | Mult                | >>, >>>, >>9           | 0   |
| sod_order_category | Category            |                     | x(8)                   |     |
| sod_out_po         | Display PO Number   |                     | x(30)                  |     |
| sod_override_lmt   | Override Limits     | Lmt                 | yes/no                 |     |
| sod_owner          | Ownership           |                     | x(8)                   |     |
| sod_part           | Item Number         |                     | x(18)                  |     |
| sod_partial        | Partial OK          | Partial             | yes/no                 |     |
| sod_pastdue        | Past Due Logic      | C/R                 | x(1)                   |     |
| sod_per_date       | Perform             |                     | 99/99/99               |     |
| sod_pickdate       | Pick Date           |                     | 99/99/99               |     |
| sod_pkg_code       | Pkg Code            |                     | x(18)                  |     |
| sod_pl_priority    | P/L Priority        |                     | >9                     |     |
| sod_pr_list        | Price List          | List                | x(8)                   |     |
| sod_price          | Price               |                     | >>>>, >>>, >>9.99<<<   | 10  |
| sod_pricing_dt     | Pricing Date        | Price Dt            | 99/99/99               |     |
| sod_prig1          | Pricing Group 1     |                     | x(8)                   |     |
| sod_prig2          | Pricing Group 2     |                     | x(8)                   |     |
| sod_procline       | Product Line        | Line                | x(4)                   |     |
| sod_project        | Project             |                     | x(8)                   |     |
| sod_promise_date   | Promise Date        | Promise             | 99/99/99               |     |
| sod_pst            | PST Taxable         |                     | yes/no                 |     |
| sod_qty_all        | Qty Allocated       |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_chg        | Qty To Ship         |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_cons       | Qty Consumed        |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_exch       | Qty Exchanged       |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_inv        | Qty to Invoice      |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_item       | Item Quantity       | Item Qty            | ->>, >>9.9<<<<         | 10  |
| sod_qty_ivcd       | Quantity Invoiced   |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_ord        | Qty Ordered         |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_pend       | Qty Pending         |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_per        | Duration            |                     | ->>>>9.9<<<            | 10  |
| sod_qty_pick       | Qty Picked          |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_qote       | Qty Quoted          |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_ret        | Qty Returned        |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_qty_ship       | Qty Shipped         |                     | ->, >>>, >>9.9<<<<<<<< | 10  |
| sod_raw_days       | Raw Auth Days       |                     | >, >>9                 |     |
| sod_rbkt_days      | Req Schedule Days   |                     | >>9                    |     |
| sod_rbkt_mths      | Req Schedule Months |                     | >>9                    |     |
| sod_rbkt_weeks     | Req Schedule Weeks  |                     | >>9                    |     |
| sod_ref            | Ref                 |                     | >>>>>>>9               |     |
| sod_req_date       | Required Date       | Required            | 99/99/99               |     |
| sod_req_time       | Required Time       |                     | 99:99                  |     |
| sod_rlse_nbr       | Next Release ID     |                     | 99999999               |     |
| sod_rma_type       | RMA Type            |                     | x(1)                   |     |
| sod_sa_nbr         | Service Contract    |                     | x(8)                   |     |

| Field Name               | Label                      | Col-Label   | Format               | Dec |
|--------------------------|----------------------------|-------------|----------------------|-----|
| sod_sad_line             | Contract Line              |             | >>>>>>>9             |     |
| sod_sch_data             | Schedule Data              |             | x(8)                 |     |
| sod_sch_mrp              | Sched MRP Req              |             | yes/no               |     |
| sod_sched                | Scheduled                  |             | yes/no               |     |
| sod_sched_chgd           | Schedule Changed           |             | yes/no               |     |
| sod_serial               | Lot/Serial                 |             | x(18)                |     |
| sod_ship                 | Ship-To                    |             | x(8)                 |     |
| sod_ship_part            | End Customer Shipping Item |             | x(30)                |     |
| ◇ sod_shipvia            | Ship Via                   |             | x(20)                |     |
| sod_site                 | Site                       |             | x(8)                 |     |
| sod_slspsn[4]            | Salesperson                | Salespsn    | x(8)                 |     |
| sod_sob_rev              | Revised Date               | Revised     | 99/99/99             |     |
| sod_sob_std              | Standard Bill              | Std BOM     | yes/no               |     |
| sod_start_eff[4]         | Start Effective            |             | 99/99/99             |     |
| sod_status               | Status                     |             | x(8)                 |     |
| sod_std_cost             | Cost                       |             | ->>>, >>>, >>9.99<<< | 10  |
| sod_sub                  | Sales Sub-Acct             | Sub-Acct    | x(8)                 |     |
| sod_sv_code              | Warranty Code              |             | X(8)                 |     |
| sod_tax_env              | Tax Environment            | Tax Env     | x(16)                |     |
| sod_tax_in               | Tax In                     |             | yes/no               |     |
| sod_tax_max              | Max Taxable Amount         | Max Amount  | ->>>, >>>, >>9.99    | 10  |
| sod_tax_usage            | Tax Usage                  | TaxUsage    | x(8)                 |     |
| sod_taxable              | Taxable                    | Tax         | yes/no               |     |
| sod_taxc                 | Tax Class                  | TxC         | x(3)                 |     |
| sod_to_loc               | Location                   |             | x(8)                 |     |
| sod_to_ref               | Kit Ref                    |             | x(8)                 |     |
| sod_to_site              | Site                       |             | x(8)                 |     |
| ◇ sod_trade_sale_po      | Trade Sales PO             | TS PO       | x(8)                 |     |
| ◇ sod_trade_sale_po_line | Trade Sales PO Line        | Line        | >>9                  |     |
|                          | Number                     |             |                      |     |
| ◇ sod_trade_sale_vend    | Trade Sales Supplier       | TS Supplier | x(8)                 |     |
| sod_transit_days         | Transport Days             |             | >>9.99               | 10  |
| sod_transit_hrs          | Transport Hours            |             | >>9.99               | 10  |
| sod_type                 | Ship Type                  | T           | x(1)                 |     |
| sod_um                   | UM                         |             | x(2)                 |     |
| sod_um_conv              | UM Conversion              | UM Conv     | >>>>9.9999<<<<       | 10  |
| sod_upd_isb              | Update Installed Base      |             | yes/no               |     |
| sod_user1                | Ufld1                      |             | x(8)                 |     |
| sod_user2                | Ufld2                      |             | x(8)                 |     |
| sod_warr_start           | Warranty Start Date        |             | 99/99/99             |     |
| sod_xcomm_pct[2]         | Commission                 | Comm%       | >>9.99%              | 10  |
| sod_xslspsn[3]           | Salesperson                | Salespsn    | x(8)                 |     |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_sod_det | yes | oid_sod_det  | yes | no   |
| sod_call      | no  | sod_domain   | yes | no   |
|               |     | sod_ca_nbr   | yes | no   |
|               |     | sod_ca_line  | yes | no   |
|               |     | sod_part     | yes | no   |
|               |     | sod_serial   | yes | no   |
| sod_fr_list   | no  | sod_domain   | yes | no   |
|               |     | sod_nbr      | yes | no   |
|               |     | sod_fr_list  | yes | no   |
| sod_fsm_type  | no  | sod_domain   | yes | no   |
|               |     | sod_fsm_type | yes | no   |
|               |     | sod_nbr      | yes | no   |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| * sod_nbrln | yes | sod_line   | yes | no   |
|             |     | sod_domain | yes | no   |
|             |     | sod_nbr    | yes | no   |
|             |     | sod_line   | yes | no   |
| sod_part    | yes | sod_domain | yes | no   |
|             |     | sod_part   | yes | no   |
|             |     | sod_nbr    | yes | no   |
|             |     | sod_line   | yes | no   |

◇ SOGuaranteeSales Order Guarantee

| Field Name               | Label              | Col-Label      | Format              | Dec |
|--------------------------|--------------------|----------------|---------------------|-----|
| Currency_ID              | Currency Code      | Curr           | 9999999999          |     |
| LastModifiedDate         | Last Modified Date | Modif Date     | 99/99/9999          |     |
| LastModifiedTime         | Last Modified Time | Modif Time     | 99999               |     |
| LastModifiedUser         | Last Modified User | Modif User     | x(20)               |     |
| SO_ID                    | Link to SO         | Link to SO     | 9999999999          |     |
| SOGuarantee_ID           | Record ID          | Record ID      | 9999999999          |     |
| SOGuaranteeAccountNumber | Account Number     | Account Number | x(20)               |     |
| SOGuaranteeAmountTC      | TC Amount          | TC Amount      | ->>>,>>>,>>>,>>9.99 | 4   |
| SOGuaranteeBankName      | Bank Name          | Bank Name      | x(40)               |     |
| SOGuaranteeRetainPerc    | Retain %           | Retain %       | ->,>>>,>>9.99       | 3   |
| SOGuaranteeRetainText    | Retain Text        | Retain Text    | x(40)               |     |
| SOGuaranteeSequence      | Sequence           | Seq            | ->,>>>,>>9          |     |
| SOGuaranteeTypeCode      | Type               | Type           | x(20)               |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇* Prim     | yes | SOGuarantee_ID      | yes | no   |
| ◇ SOkey     | no  | SO_ID               | yes | no   |
| ◇ UniqueKey | yes | SO_ID               | yes | no   |
|             |     | SOGuaranteeSequence | yes | no   |

◇ SOLinelItem SO Line Item

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |

| Field Name       | Label                | Col-Label            | Format        | Dec |
|------------------|----------------------|----------------------|---------------|-----|
| CustomDecimal1   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4   | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4   | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1      | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote       | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9     | Custom Short Field   | Custom Short Field   | x(20)         |     |
| Item_ID          | Item Code            | Item Code            | 9999999999    |     |
| LastModifiedDate | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime | Last Modified Time   | Modif Time           | 999999        |     |
| LastModifiedUser | Last Modified User   | Modif User           | x(20)         |     |
| SOLine_ID        | Link to SOLine       | Link to SOLine       | 9999999999    |     |
| SOLineItem_ID    | Record ID            | Record ID            | 9999999999    |     |

| Index-Name  | Uni | Field-Name    | Asc | Abbr |
|-------------|-----|---------------|-----|------|
| ◇ Item      | no  | Item_ID       | yes | no   |
| ◇* Prim     | yes | SOLineItem_ID | yes | no   |
| ◇ SOLine    | no  | SOLine_ID     | yes | no   |
| ◇ UniqueIdx | yes | SOLine_ID     | yes | no   |
|             |     | Item_ID       | yes | no   |



| Field Name    | Label       | Col-Label | Format  | Dec |
|---------------|-------------|-----------|---------|-----|
| sop_user1     | Ufld1       |           | x(8)    |     |
| sop_user2     | Ufld2       |           | x(8)    |     |
| sop_wkctr     | Work Center | Work Ctr  | x(8)    |     |
| sop_yield_pct | Yield%      |           | >>9.99% | 10  |

|                | Index-Name   | Uni         | Field-Name  | Asc | Abbr |
|----------------|--------------|-------------|-------------|-----|------|
| ◇              | oid_sop_det  | yes         | oid_sop_det | yes | no   |
|                | sop_sim_elem | yes         | sop_domain  | yes | no   |
|                |              |             | sop_sim     | yes | no   |
|                |              |             | sop_element | yes | no   |
|                |              |             | sop_routing | yes | no   |
|                |              |             | sop_op      | yes | no   |
|                |              |             | sop_domain  | yes | no   |
| * sop_sim_part | yes          | sop_sim     | yes         | no  |      |
|                |              | sop_routing | yes         | no  |      |
|                |              | sop_op      | yes         | no  |      |
|                |              | sop_element | yes         | no  |      |

◇ **SORevision** Sales Order Revisions

| Field Name           | Label              | Col-Label  | Format                | Dec |
|----------------------|--------------------|------------|-----------------------|-----|
| LastModifiedDate     | Last Modified Date | Modif Date | 99/99/9999            |     |
| LastModifiedTime     | Last Modified Time | Modif Time | 99999                 |     |
| LastModifiedUser     | Last Modified User | Modif User | x(20)                 |     |
| RevisionCategory_ID  | Category           | Category   | 9999999999            |     |
| SO_ID                | Link to SO         | Link to SO | 9999999999            |     |
| SOLine_ID            | Item Code          | Item Code  | 9999999999            |     |
| SORevision_ID        | Record ID          | Record ID  | 9999999999            |     |
| SORevisionBaseIndex  | Base Index         | Base Index | ->,>>>,>>9.9999999999 | 10  |
| SORevisionWeightPerc | Weight Percentage  | Weight %   | ->>9.999              | 3   |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇* Prim     | yes | SORevision_ID       | yes | no   |
| ◇ SO        | no  | SO_ID               | yes | no   |
| ◇ UniqueKey | yes | SO_ID               | yes | no   |
|             |     | RevisionCategory_ID | yes | no   |

**sor mstr** Sales Order Relationship Master

| Field Name   | Label | Col-Label | Format                 | Dec |
|--------------|-------|-----------|------------------------|-----|
| oid_sor_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sor__qadc01  |       |           | .9<<<<<<<<<            |     |
| sor__qadc02  |       |           | x(8)                   |     |
| sor__qadc03  |       |           | x(8)                   |     |
| sor__qadd01  |       |           | ->>>>, >>>, >>9.9      | 10  |
| sor__qadd02  |       |           | ->>>>, >>>, >>9.9      | 10  |
| sor__qadi01  |       |           | ->, >>>, >>9           |     |
| sor__qadi02  |       |           | ->, >>>, >>9           |     |

| Field Name  | Label       | Col-Label | Format   | Dec |
|-------------|-------------|-----------|----------|-----|
| sor__qadl01 |             |           | yes/no   |     |
| sor__qadl02 |             |           | yes/no   |     |
| sor__qadt01 |             |           | 99/99/99 |     |
| sor__qadt02 |             |           | 99/99/99 |     |
| sor_div     | Division    |           | X(8)     |     |
| sor_domain  | Domain      |           | x(8)     |     |
| sor_group   | Group       |           | X(8)     |     |
| sor_nbr     | Sales Order |           | X(8)     |     |
| sor_pricing | Pricing     |           | >9       |     |
| sor_seq     | Sequence    |           | >>9      |     |
| sor_type    | Type        |           | >>>9     |     |
| sor_user1   | Ufld1       |           | x(8)     |     |
| sor_user2   | Ufld2       |           | x(8)     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◊ oid_sor_mstr | yes | oid_sor_mstr | yes | no   |
| * sor_nbr_seq  | yes | sor_domain   | yes | no   |
|                |     | sor_nbr      | yes | no   |
|                |     | sor_seq      | yes | no   |
| sor_type       | no  | sor_domain   | yes | no   |
|                |     | sor_type     | yes | no   |

◊
SOSaf
Sales Order SAF

| Field Name         | Label              | Col-Label        | Format       | Dec |
|--------------------|--------------------|------------------|--------------|-----|
| LastModifiedDate   | Last Modified Date | Modif Date       | 99/99/9999   |     |
| LastModifiedTime   | Last Modified Time | Modif Time       | 999999       |     |
| LastModifiedUser   | Last Modified User | Modif User       | x(20)        |     |
| Saf_ID             | SAF Concept Code   | SAF Concept Code | 9999999999   |     |
| SafStructure_ID    | Structure Code     | Structure        | 9999999999   |     |
| SO_ID              | Link to SO         | Link to SO       | 9999999999   |     |
| SOSaf_ID           | Record ID          | Record ID        | 9999999999   |     |
| SOSafInputSequence | Sequence           | Seq              | ->, >>>, >>9 |     |
| SOSafParentType    | Parent Type        | Parent Type      | x(20)        |     |

| Index-Name  | Uni | Field-Name         | Asc | Abbr |
|-------------|-----|--------------------|-----|------|
| ◊* Prim     | yes | SOSaf_ID           | yes | no   |
| ◊ SO        | no  | SO_ID              | yes | no   |
| ◊ UniqueKey | yes | SOSafInputSequence | yes | no   |
|             |     | SOSafParentType    | yes | no   |
|             |     | SO_ID              | yes | no   |



## Sales Order Shipment Reason Detail

| Index-Name      | Uni | Field-Name             | Asc | Abbr |
|-----------------|-----|------------------------|-----|------|
| ◇ oid_sosrd_det | yes | oid_sosrd_det          | yes | no   |
| * sosrd_nbr     | yes | sosrd_domain           | yes | no   |
|                 |     | sosrd_nbr              | yes | no   |
|                 |     | sosrd_line             | yes | no   |
|                 |     | sosrd_shipfrom         | yes | no   |
|                 |     | sosrd_abs_id           | yes | no   |
|                 |     | sosrd_measurement_type | yes | no   |
|                 |     | sosrd_dataset          | yes | no   |

## Sales Order Shipment Reason Master

| Field Name      | Label                  | Col-Label | Format                     | Dec |
|-----------------|------------------------|-----------|----------------------------|-----|
| oid_sosr_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sosr__qadc01    |                        |           | .9<<<<<<<<<                |     |
| sosr__qadc02    |                        |           | X(24)                      |     |
| sosr_abs_id     | Shipper                |           | x(20)                      |     |
| sosr_cmtindx    | Comment                |           | >>>>>>>9                   |     |
| sosr_domain     | Domain                 |           | x(8)                       |     |
| sosr_line       | Line                   |           | >>9                        |     |
| sosr_mod_date   | Modified Date          | Mod Date  | 99/99/99                   |     |
| sosr_mod_userid | User ID                |           | X(8)                       |     |
| sosr_nbr        | Order                  |           | x(8)                       |     |
| sosr_shipfrom   | Ship-From              |           | x(8)                       |     |
| sosr_user1      | User Field Character 1 |           | X(24)                      |     |
| sosr_user2      | User Field Character 2 |           | X(24)                      |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_sosr_mstr | yes | oid_sosr_mstr | yes | no   |
| * | sosr_order    | yes | sosr_domain   | yes | no   |
|   |               |     | sosr_nbr      | yes | no   |
|   |               |     | sosr_line     | yes | no   |
|   |               |     | sosr_shipfrom | yes | no   |
|   |               |     | sosr_abs_id   | yes | no   |

◇ **SOSTage** Sales Order Stage

| Field Name        | Label      | Col-Label  | Format                 | Dec |
|-------------------|------------|------------|------------------------|-----|
| SO_ID             | Link to SO | Link to SO | 9999999999             |     |
| SOSTage_ID        | Record ID  | Record ID  | 9999999999             |     |
| SOSTageAmountCC   | MC Amount  | MC Amount  | ->>>, >>>, >>>, >>9.99 | 4   |
| SOSTageAmountLC   | BC Amount  | BC Amount  | ->>>, >>>, >>>, >>9.99 | 4   |
| SOSTageAmountTC   | TC Amount  | TC Amount  | ->>>, >>>, >>>, >>9.99 | 4   |
| SOSTageDueDate    | Due Date   | Due Date   | 99/99/9999             |     |
| SOSTagePercentage | Percentage | %          | ->, >>>, >>9.99        | 2   |

| Index-Name  | Uni | Field-Name     | Asc | Abbr |
|-------------|-----|----------------|-----|------|
| ◇ DueDate   | no  | SOStageDueDate | yes | no   |
| ◇* Prim     | yes | SOStage_ID     | yes | no   |
| ◇ SO        | no  | SO_ID          | yes | no   |
| ◇ UniqueIdx | yes | SOStageDueDate | yes | no   |
|             |     | SO_ID          | yes | no   |

|                |                    |
|----------------|--------------------|
| <b>so mstr</b> | Sales Order Master |
|----------------|--------------------|

| Field Name  | Label | Col-Label | Format                            | Dec |
|-------------|-------|-----------|-----------------------------------|-----|
| oid_so_mstr |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 |     |
|             |       |           | .9<<<<<<<<<                       |     |
| so__chr01   |       |           | x(8)                              |     |
| so__chr02   |       |           | x(8)                              |     |
| so__chr03   |       |           | x(8)                              |     |
| so__chr04   |       |           | x(8)                              |     |
| so__chr05   |       |           | x(8)                              |     |
| so__chr06   |       |           | x(8)                              |     |
| so__chr07   |       |           | x(8)                              |     |
| so__chr08   |       |           | x(8)                              |     |
| so__chr09   |       |           | x(8)                              |     |
| so__chr10   |       |           | x(8)                              |     |
| so__dec01   |       |           | >>>, >>>, >>9.99                  | 10  |
| so__dec02   |       |           | >>>, >>>, >>9.99                  | 10  |
| so__dte01   |       |           | 99/99/99                          |     |
| so__dte02   |       |           | 99/99/99                          |     |
| so__log01   |       |           | yes/no                            |     |
| so__qad01   |       |           | -z,zzz,zzz,zz9.99                 | 10  |
| so__qad02   |       |           | -z,zzz,zzz,zz9.99                 | 10  |
| so__qad03   |       |           | -z,zzz,zzz,zz9.99                 | 10  |
| so__qad04   |       |           | >                                 |     |

| Field Name        | Label                         | Col-Label             | Format                | Dec |
|-------------------|-------------------------------|-----------------------|-----------------------|-----|
| so_qad05[2]       |                               |                       | >>9.9<<               | 10  |
| so_qadc01         | QAD Field                     |                       | X(8)                  | 0   |
| so_qadc02         | QAD Field                     |                       | X(8)                  | 0   |
| so_qadc03         | QAD Field                     |                       | X(8)                  | 0   |
| so_qadc04         | QAD Field                     |                       | X(8)                  | 0   |
| so_qadc05         | QAD Field                     |                       | X(8)                  | 0   |
| so_qadd01         | QAD Field                     |                       | ->>>>, >>>, >>9.99<<< | 10  |
| so_qadd02         | QAD Field                     |                       | ->>>>, >>>, >>9.99<<< | 10  |
| so_qadd03         | QAD Field                     |                       | ->>>>, >>>, >>9.99<<< | 10  |
| so_qadi01         | QAD Field                     |                       | ->, >>>, >>9          |     |
| so_qadi02         | QAD Field                     |                       | ->, >>>, >>9          |     |
| so_qadi03         | QAD Field                     |                       | ->, >>>, >>9          |     |
| so_qadi01         | QAD Field                     |                       | yes/no                |     |
| so_qadi02         | Exclude Planning Data         |                       | yes/no                |     |
| so_qadi04         |                               |                       | yes/no                |     |
| so_qadt01         | QAD Field                     |                       | 99/99/99              |     |
| so_qadt02         | QAD Field                     |                       | 99/99/99              |     |
| so_qadt03         | QAD Field                     |                       | 99/99/99              |     |
| so_app_owner      | Owner Application             |                       | x(12)                 |     |
| so_ar_acct        | AR Account                    | AR                    | x(8)                  |     |
| so_ar_cc          | Cost Ctr                      | CC                    | x(4)                  |     |
| so_ar_sub         | AR Sub-Account                | Sub-Acct              | x(8)                  |     |
| so_auth_days      | AUTHNBR Unique Days           |                       | >>9                   |     |
| so_auto_replenish | Auto Replenish                | Auto! Replenish       | yes/no                |     |
| so_bank           | Bank                          |                       | x(2)                  |     |
| so_bill           | Bill-To                       |                       | x(8)                  |     |
| so_bol            | BOL                           |                       | x(18)                 |     |
| so_bump_all       | Unpeg                         |                       | yes/no                |     |
| so_ca_nbr         | Call                          |                       | x(8)                  | 0   |
| so_cartons        | Cartons                       |                       | ->, >>>, >>9          |     |
| so_channel        | Channel                       |                       | x(8)                  |     |
| so_cmtindx        | Comment Index                 | Comment               | >>>>>>9               |     |
| so_cncl_date      | Cancel Date                   | Cancel                | 99/99/99              |     |
| so_comm_pct[4]    | Commission                    | Comm%                 | >>9.99%               | 10  |
| ◇ so_compl_date   | Status Date                   | Stat Date             | 99/99/99              |     |
| ◇ so_compl_stat   | Complete Status               | Status                | x(8)                  |     |
| so_conf_date      | Confirmed Date                | Confirmed             | 99/99/99              |     |
| so_conrep         | Netting Logic                 | C/R                   | x(1)                  |     |
| so_consign_loc    | Consignment Location          | Consignment! Location | x(8)                  |     |
| so_consignment    | Consignment                   |                       | yes/no                |     |
| so_cr_card        | Credit Card                   | Card                  | x(2)                  |     |
| so_cr_init        | Cr Initials                   | Initials              | x(3)                  |     |
| so_cr_terms       | Credit Terms                  | Terms                 | x(8)                  |     |
| so_credit         | Credit                        | Cr                    | yes/no                |     |
| so_crprlist       | Credit Price List             |                       | X(8)                  |     |
| so_cum_acct       | Cumulative Accounting         |                       | Cum/Req               |     |
| so_curr           | Currency                      | Cur                   | x(3)                  |     |
| so_cust           | Sold-To                       |                       | x(8)                  |     |
| so_cust_po        | End Customer PO               | End Cust PO           | x(22)                 |     |
| so_custref_val    | Customer Ref Is Customer Item |                       | yes/no                |     |
| ◇ so_daybookset   | Daybook Set                   | Dybk Set              | x(8)                  |     |
| △ so_disc_pct     | Disc %                        |                       | ->>9.99%              | 10  |
| so_div            | Division                      |                       | x(8)                  |     |
| so_domain         | Domain                        |                       | x(8)                  |     |
| so_due_date       | Due Date                      | Due                   | 99/99/99              |     |
| so_eng_code       | Engineer                      |                       | x(8)                  |     |

| Field Name         | Label                         | Col-Label            | Format                   | Dec |
|--------------------|-------------------------------|----------------------|--------------------------|-----|
| so_ent_ex          | Exch Rate                     |                      | >>,>>9.99999<<<<<        | 10  |
| so_ex_rate         | Exch Rate                     |                      | >>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| so_ex_rate2        | Exch Rate 2                   |                      | >>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| so_ex_ratetype     | Rate Type                     |                      | x(8)                     |     |
| so_exru_seq        | Sequence                      |                      | >>>>>>>>9                |     |
| so_fcg_code        | Charge Code                   |                      | x(8)                     | 0   |
| so_firm_seq_days   | Firm Days                     |                      | >>9                      |     |
| so_fix_pr          | Fixed Price                   |                      | yes/no                   |     |
| so_fix_rate        | Fixed Rate                    | Fixed                | yes/no                   |     |
| so_fob             | FOB Point                     |                      | x(20)                    |     |
| so_fr_list         | Freight List                  | Frt List             | x(8)                     |     |
| so_fr_min_wt       | Frt Min Wt                    |                      | ->>>,>>>,>>9             | 10  |
| so_fr_terms        | Freight Terms                 | Fr Terms             | x(8)                     |     |
| so_fsaccr_acct     | Accrued Revenue               | Accrued              | x(8)                     |     |
| so_fsaccr_cc       | Accrued Revenue CC            |                      | x(4)                     |     |
| so_fsaccr_sub      | Accrued Revenue Sub-Acct      |                      | x(8)                     |     |
| so_fsdef_acct      | Deferred Revenue              | Deferred             | x(8)                     |     |
| so_fsdef_cc        | Deferred Revenue CC           |                      | x(4)                     |     |
| so_fsdef_sub       | Deferred Revenue Sub-Acct     |                      | x(8)                     |     |
| so_fsm_type        | FSM Type                      |                      | x(8)                     |     |
| so_fst_id          | FST ID                        |                      | x(18)                    |     |
| ◇ so_hold_stat     | Hold Status                   |                      | x(8)                     |     |
| so_inc_in_rss      | Include Seq in Req Ship Sched |                      | yes/no                   |     |
| so_incl_iss        | Include Saturday/Sunday       |                      | yes/no                   |     |
| so_intrans_loc     | In-Transit Location           | In-Transit! Location | x(8)                     |     |
| so_inv_cr          | Invoice To Credit             | Cr Invoice           | x(8)                     |     |
| so_inv_date        | Invoice Date                  | Inv Date             | 99/99/99                 |     |
| so_inv_mthd        | Invoices Via                  |                      | x(1)                     |     |
| Δ so_inv_nbr       | Invoice Number                | Invoice              | x(22)                    |     |
| so_invoiced        | Invoiced                      |                      | yes/no                   |     |
| so_lang            | Language                      |                      | x(2)                     |     |
| so_manual_fr_terms | Manual Fr Terms               |                      | yes/no                   |     |
| so_max_aging_days  | Maximum Aging Days            | Maximum! Aging Days  | >>9                      |     |
| so_merge_rss       | Merge RSS                     |                      | yes/no                   |     |
| so_nbr             | Sales Order                   | Order                | x(8)                     |     |
| ◇ so_nrm           | Sequence ID                   | Seq ID               | x(8)                     |     |
| so_ord_date        | Order Date                    | Ord Date             | 99/99/99                 |     |
| so_partial         | Partial OK                    | Partial              | yes/no                   |     |
| so_po              | Purchase Order                |                      | x(22)                    |     |
| so_pr_list         | Manual                        | Disc Tbl             | x(8)                     |     |
| so_pr_list2        | Price Tbl                     | Pr Tbl               | x(8)                     |     |
| so_prep_tax        | Prepaid Tax                   |                      | ->>>>,>>>,>>9.99<<<      | 10  |
| so_prepaid         | Prepaid                       |                      | -z,zzz,zzz,zz9.99        | 10  |
| so_priced_dt       | Last Price Dt                 | Last Pri             | 99/99/99                 |     |
| so_pricing_dt      | Pricing Date                  | Price Dt             | 99/99/99                 |     |
| so_primary         | Primary SO                    | Pr SO                | yes/no                   |     |
| so_print_bl        | Print Bill of Lading          | Print BOL            | yes/no                   |     |
| so_print_pl        | Print Pack List               | Print Pack           | yes/no                   |     |
| so_print_so        | Print Sales Order             | Print SO             | yes/no                   |     |
| so_project         | Project                       |                      | x(8)                     |     |
| so_pst             | PST                           |                      | yes/no                   |     |
| so_pst_id          | PST ID                        |                      | x(18)                    |     |
| so_pst_pct         | PST Pct                       |                      | ->9.99<%                 | 10  |
| so_quote           | Quote                         |                      | x(8)                     |     |
| so_req_date        | Required Date                 | Required             | 99/99/99                 |     |
| ◇ so_req_time      | Required Time                 |                      | 99:99                    |     |

| Field Name          | Label                | Col-Label | Format                | Dec |
|---------------------|----------------------|-----------|-----------------------|-----|
| so_rev              | Revision             | Rev       | >>9                   |     |
| so_revenue          | Revenue Type         |           | x(1)                  |     |
| ◇ so_reviewed       | Reviewed             |           | yes/no                |     |
| so_rmks             | Remarks              |           | x(40)                 |     |
| ◇ so_rss_cal_option | RSS Calendar Option  |           | >>9                   |     |
| so_sa_nbr           | Contract             |           | x(8)                  |     |
| so_sch_mthd         | Schedules Via        |           | x(1)                  |     |
| so_sched            | Scheduled            |           | yes/no                |     |
| so_secondary        | Secondary EMT Order  | Sec EMT   | yes/no                |     |
| so_seq_order        | Sequenced            | Partial   | yes/no                |     |
| so_ship             | Ship-To              |           | x(8)                  |     |
| so_ship_cmplt       | Ship Complete        |           | >>9                   |     |
| so_ship_date        | Ship Date            |           | 99/99/99              |     |
| so_ship_eng         | Ship-To Engineer     |           | yes/no                |     |
| so_ship_po          | Ship To PO           |           | x(22)                 |     |
| so_shipvia          | Ship Via             |           | x(20)                 |     |
| so_site             | Site                 |           | x(8)                  |     |
| so_size             | Size                 |           | ->,>>>,>>9.9<<<<<<<<< | 10  |
| so_size_um          | Size UM              | UM        | x(2)                  |     |
| so_slspsn[4]        | Salesperson          | Salespsn  | x(8)                  |     |
| so_source           | Order Source         | Source    | x(8)                  |     |
| so_stat             | Action Status        | St        | x(2)                  |     |
| so_tax_date         | Tax Date             |           | 99/99/99              |     |
| so_tax_env          | Tax Environment      | Tax Env   | x(16)                 |     |
| so_tax_pct[3]       | Tax                  |           | ->9.99<%              | 10  |
| so_tax_usage        | Tax Usage            | TaxUsage  | x(8)                  |     |
| so_taxable          | Taxable              | Tax       | yes/no                |     |
| so_taxc             | Tax Class            | TxC       | x(3)                  |     |
| so_to_inv           | Ready to Invoice     | Invoice   | yes/no                |     |
| ◇ so_trade_sale     | Trade Sales Contract |           | yes/no                |     |
| so_trl1_amt         | Trailer Amt 1        |           | -zzzz,zzz,zz9.99      | 10  |
| so_trl1_cd          | Trailer 1            | Trl1      | x(2)                  |     |
| so_trl2_amt         | Trailer Amt 2        |           | -zzzz,zzz,zz9.99      | 10  |
| so_trl2_cd          | Trailer 2            | Trl2      | x(2)                  |     |
| so_trl3_amt         | Trailer Amt 3        |           | -zzzz,zzz,zz9.99      | 10  |
| so_trl3_cd          | Trailer 3            | Trl3      | x(2)                  |     |
| so_type             | Type                 |           | x(8)                  |     |
| so_user1            | Ufld1                |           | x(8)                  |     |
| so_user2            | Ufld2                |           | x(8)                  |     |
| so_userid           | User ID              |           | x(8)                  |     |
| so_weight           | Weight               |           | ->>>,>>>,>>9.9999     | 10  |
| so_weight_um        | Weight UM            | UM        | x(2)                  |     |
| so_xcomm_pct[2]     | Commission           | Comm%     | >>9.99%               | 10  |
| so_xslspsn[2]       | Salesperson          | Salespsn  | x(8)                  |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_so_mstr | yes | oid_so_mstr | yes | no   |
| so_bill       | no  | so_domain   | yes | no   |
|               |     | so_bill     | yes | no   |
|               |     | so_nbr      | yes | no   |
|               |     | so_ord_date | yes | no   |
| so_ca_nbr     | no  | so_domain   | yes | no   |
|               |     | so_ca_nbr   | yes | no   |
| so_cust       | no  | so_domain   | yes | no   |
|               |     | so_cust     | yes | no   |
| so_cust_po    | no  | so_domain   | yes | no   |

| Index-Name  | Uni | Field-Name  | Asc | Abbr |
|-------------|-----|-------------|-----|------|
|             |     | so_cust_po  | yes | no   |
|             |     | so_cust     | yes | no   |
| so_fsm_type | no  | so_nbr      | yes | no   |
|             |     | so_domain   | yes | no   |
|             |     | so_fsm_type | yes | no   |
|             |     | so_nbr      | yes | no   |
| so_invoice  | no  | so_domain   | yes | no   |
|             |     | so_inv_nbr  | yes | no   |
| * so_nbr    | yes | so_domain   | yes | no   |
|             |     | so_nbr      | yes | no   |
| so_po_nbr   | no  | so_domain   | yes | no   |
|             |     | so_po       | yes | no   |
|             |     | so_cust     | yes | no   |
|             |     | so_nbr      | yes | no   |
| so_quote    | no  | so_domain   | yes | no   |
|             |     | so_quote    | yes | no   |
|             |     | so_nbr      | yes | no   |
| ◇ so_ship   | no  | so_domain   | yes | no   |
|             |     | so_ship     | yes | no   |
| so_to_inv   | yes | so_domain   | yes | no   |
|             |     | so_to_inv   | yes | no   |
|             |     | so_nbr      | yes | no   |

## spc\_ctrl

## Salesperson Control

| Field Name   | Label            | Col-Label | Format                     | Dec |
|--------------|------------------|-----------|----------------------------|-----|
| oid_spc_ctrl |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| spc__qad01   |                  |           | .9<<<<<<<<<                |     |
| spc__qadi01  |                  |           | >>>>>9                     |     |
| spc_domain   | Domain           |           | x(8)                       |     |
| spc_nbr      | Next Salesperson |           | 99999999                   |     |
| spc_user1    |                  | Ufld1     | x(8)                       |     |
| spc_user2    |                  | Ufld2     | x(8)                       |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_spc_ctrl | yes | oid_spc_ctrl | yes | no   |
| * | spc_index1   | yes | spc_domain   | yes | no   |

**spd\_det**

### Salesperson Commission Detail

| Field Name  | Label | Col-Label | Format                  | Dec |
|-------------|-------|-----------|-------------------------|-----|
| oid_spd_det |       |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|             |       |           | .9<<<<<<<<              |     |
| spd__chr01  |       |           | x(8)                    |     |
| spd__chr02  |       |           | x(8)                    |     |
| spd__chr03  |       |           | x(8)                    |     |
| spd__chr04  |       |           | x(8)                    |     |
| spd__chr05  |       |           | x(8)                    |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_spd_det | yes | oid_spd_det | yes | no   |
| * spd_addr    | yes | spd_domain  | yes | no   |
|               |     | spd_addr    | yes | no   |
|               |     | spd_prod_ln | yes | no   |
|               |     | spd_part    | yes | no   |
|               |     | spd_cust    | yes | no   |

## Salesperson Sales History



|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_sph_hist | yes | oid_sph_hist | yes | no   |
|   | sph_slspns1  | yes | sph_domain   | yes | no   |
|   |              |     | sph_slspns1  | yes | no   |
|   |              |     | sph_year     | yes | no   |
| * | sph_year     | yes | sph_domain   | yes | no   |
|   |              |     | sph_year     | yes | no   |
|   |              |     | sph_slspns1  | yes | no   |

**spt\_det**

### Cost Simulation Item Detail

| Field Name   | Label         | Col-Label | Format                 | Dec |
|--------------|---------------|-----------|------------------------|-----|
| oid_spt_det  |               |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| spt__qadc01  |               |           | .9<<<<<<<<             |     |
| spt_ao       | Add On        | A/O       | x(8)<br>yes/no         |     |
| spt_cst_ll   | Cost LL       |           | >>>, >>, >>9.99<<<     | 10  |
| spt_cst_tl   | Cost          |           | >>>, >>, >>9.99<<<     | 10  |
| spt_domain   | Domain        |           | x(8)                   |     |
| spt_element  | Cost Element  | Element   | x(8)                   |     |
| spt_mod_date | Modified Date | Mod Date  | 99/99/99               |     |
| spt_part     | Item Number   |           | x(18)                  |     |
| spt_pct_ll   | Seq 1         |           | >>9.99%                | 10  |
| spt_pct_tl   | Seq 2         |           | >>9.99%                | 10  |
| spt_sim      | Cost Set      |           | x(8)                   |     |
| spt_site     | Site          |           | x(8)                   |     |
| spt_user1    | Ufld1         |           | x(8)                   |     |
| spt_user2    | Ufld2         |           | x(8)                   |     |
| spt_userid   | User ID       |           | x(8)                   |     |

| Index-Name     | Uni | Field-Name  | Asc | Abbr |
|----------------|-----|-------------|-----|------|
| ◇ oid_spt_det  | yes | oid_spt_det | yes | no   |
| spt_sim_elem   | yes | spt_domain  | yes | no   |
|                |     | spt_sim     | yes | no   |
|                |     | spt_element | yes | no   |
|                |     | spt_part    | yes | no   |
|                |     | spt_site    | yes | no   |
| * spt_sim_part | yes | spt_domain  | yes | no   |
|                |     | spt_site    | yes | no   |
|                |     | spt_sim     | yes | no   |
|                |     | spt_part    | yes | no   |
|                |     | spt element | yes | no   |



## Salesperson Master

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ old_sp_mstr | yes | old_sp_mstr | yes | no   |
| * sp_addr     | yes | sp_domain   | yes | no   |
|               |     | sp_addr     | yes | no   |
| sp_sort       | no  | sp_domain   | yes | no   |
|               |     | sp_sort     | yes | no   |

## Service Request Control

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_src_ctrl | yes | oid_src_ctrl | yes | no   |
| * | src_index1   | yes | src_domain   | yes | no   |

## sroc ctrl

Service/Repair Order Control

| Field Name    | Label            | Col-Label | Format                  | Dec |
|---------------|------------------|-----------|-------------------------|-----|
| oid_sroc_ctrl |                  |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sroc__qad01   |                  |           | .9<<<<<<<<              |     |
| sroc__qadi01  |                  |           | >>>>>9                  |     |
| sroc_domain   | Domain           |           | ->>>>>>>9               |     |
| sroc_sro      | Next SR/O Number | Next SRO  | x(8)                    |     |
| sroc_sro_pre  | SRO Prefix       | Pre       | >>>>>>9                 |     |
| sroc_user1    | Ufld1            |           | x(3)                    |     |
| sroc_user2    | Ufld2            |           | x(8)                    |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_sroc_ctrl | yes | oid_sroc_ctrl | yes | no   |
| * | sroc_index1   | yes | sroc_domain   | yes | no   |

**sro\_mstr**

## Service/Repair Order Master

| Field Name    | Label          | Col-Label | Format                         | Dec |
|---------------|----------------|-----------|--------------------------------|-----|
| oid_sro_mstr  |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sro__chr01    |                |           | .9<<<<<<<<<                    |     |
| sro__chr02    |                |           | x(8)                           |     |
| sro__chr03    |                |           | x(8)                           |     |
| sro__chr04    |                |           | x(8)                           |     |
| sro__chr05    |                |           | x(8)                           |     |
| sro__dec01    |                |           | >>>, >>>, >>9.99               | 10  |
| sro__dec02    |                |           | >>>, >>>, >>9.99               | 10  |
| sro__dte01    |                |           | 99/99/99                       |     |
| sro__dte02    |                |           | 99/99/99                       |     |
| sro__log01    |                |           | yes/no                         |     |
| sro__qadc05   |                |           | x(8)                           |     |
| sro__qadc06   |                |           | x(4)                           |     |
| sro_assign    | Assigned To    | Assigned  | x(8)                           |     |
| sro_author    | Authorized By  | Author    | x(8)                           |     |
| sro_closed    | Closed         |           | yes/no                         |     |
| sro_cls_date  | Closed         |           | 99/99/99                       |     |
| sro_cmmnt[16] |                |           | x(76)                          |     |
| sro_cmtdx     | Comment        |           | >>>>>>>9                       |     |
| sro_cr_terms  | Credit Terms   | Terms     | x(8)                           |     |
| sro_cust      | Customer       |           | x(8)                           |     |
| sro_desc      | Description    |           | x(24)                          |     |
| sro_disc_pct  | Disc %         |           | ->9.99%                        | 10  |
| sro_domain    | Domain         |           | x(8)                           |     |
| sro_dspstn    | Disposition    | Dspstn    | x(8)                           |     |
| sro_due_date  | Due Date       |           | 99/99/99                       |     |
| sro_ent_date  | Entered        |           | 99/99/99                       |     |
| sro_failure1  | Failure Code   | Failure1  | x(8)                           |     |
| sro_failure2  | Failure Code 2 | Failure2  | x(8)                           |     |
| sro_failure3  | Failure Code 3 | Failure3  | x(8)                           |     |
| sro_failure4  | Failure Code 4 | Failure4  | x(8)                           |     |
| sro_failure5  | Failure Code 5 | Failure5  | x(8)                           |     |

| Field Name     | Label            | Col-Label  | Format                 | Dec |
|----------------|------------------|------------|------------------------|-----|
| sro_frt        | Freight          |            | -z,zzz,zzz,zz9.99      | 10  |
| sro_inv_date   | Invoice Date     | Inv Date   | 99/99/99               |     |
| sro_invoiced   | Invoiced         |            | yes/no                 |     |
| sro_nbr        | S/RO             |            | x(8)                   |     |
| sro_part       | Item             |            | x(18)                  |     |
| sro_po         | PO               |            | x(20)                  |     |
| sro_prepaid    | Prepaid Amount   | Prepaid    | -z,zzz,zzz,zz9.99      | 10  |
| sro_print_pl   | Print Pack List  | Print Pack | yes/no                 |     |
| sro_print_rg   | Print RGA        |            | yes/no                 |     |
| sro_qty        | Qty              |            | ->, >>>, >>9.9<<<<<<<< | 10  |
| sro_repair1    | Repair Code      | Repair1    | x(8)                   |     |
| sro_repair2    | Repair Code 2    | Repair2    | x(8)                   |     |
| sro_repair3    | Repair Code 3    | Repair3    | x(8)                   |     |
| sro_repair4    | Repair Code 4    | Repair4    | x(8)                   |     |
| sro_repair5    | Repair Code 5    | Repair5    | x(8)                   |     |
| sro_rev        | Rev              |            | x(2)                   |     |
| sro_rga        | RGA              |            | x(8)                   |     |
| sro_serial     | Lot/Serial       |            | x(18)                  |     |
| sro_serv_chg   | Service          |            | -z,zzz,zzz,zz9.99      | 10  |
| sro_ship       | Ship-To          |            | x(8)                   |     |
| sro_shipvia    | Ship Via         |            | x(20)                  |     |
| sro_shp_date   | Ship Date        | Shipped    | 99/99/99               |     |
| sro_spec_chg   | Special          |            | -z,zzz,zzz,zz9.99      | 10  |
| sro_status     | Status           |            | x(8)                   |     |
| sro_taken      | Taken By         |            | x(8)                   |     |
| sro_tax_pct[3] | Tax              |            | ->9.99<%               | 10  |
| sro_to_inv     | Ready to Invoice | Invoice    | yes/no                 |     |
| sro_type       | Type             |            | x(8)                   |     |
| sro_user1      | Ufld1            |            | x(8)                   |     |
| sro_user2      | Ufld2            |            | x(8)                   |     |
| sro_wrrnty     | Warranty         | Wrrnty     | yes/no                 |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_sro_mstr | yes | oid_sro_mstr | yes | no   |
| sro_assign     | no  | sro_domain   | yes | no   |
|                |     | sro_closed   | yes | no   |
|                |     | sro_assign   | yes | no   |
|                |     | sro_ent_date | yes | no   |
| sro_cust       | no  | sro_domain   | yes | no   |
|                |     | sro_closed   | yes | no   |
|                |     | sro_cust     | yes | no   |
|                |     | sro_ent_date | yes | no   |
| sro_desc       | yes | sro_domain   | yes | no   |
|                |     | sro_desc     | yes | no   |
|                |     | sro_nbr      | yes | no   |
| sro_dspstn     | no  | sro_domain   | yes | no   |
|                |     | sro_closed   | yes | no   |
|                |     | sro_dspstn   | yes | no   |
|                |     | sro_ent_date | yes | no   |
| sro_ent_date   | no  | sro_domain   | yes | no   |
|                |     | sro_closed   | yes | no   |
|                |     | sro_ent_date | yes | no   |
|                |     | sro_nbr      | yes | no   |
| sro_failure1   | no  | sro_domain   | yes | no   |
|                |     | sro_closed   | yes | no   |
|                |     | sro_failure1 | yes | no   |

| Index-Name | Uni | Field-Name   | Asc | Abbr |
|------------|-----|--------------|-----|------|
| * sro_nbr  | yes | sro_ent_date | yes | no   |
|            |     | sro_domain   | yes | no   |
|            |     | sro_nbr      | yes | no   |
| sro_part   | no  | sro_domain   | yes | no   |
|            |     | sro_closed   | yes | no   |
|            |     | sro_part     | yes | no   |
|            |     | sro_ent_date | yes | no   |
| ◇ sro_ship | no  | sro_domain   | yes | no   |
|            |     | sro_ship     | yes | no   |
| sro_status | no  | sro_domain   | yes | no   |
|            |     | sro_closed   | yes | no   |
|            |     | sro_status   | yes | no   |
|            |     | sro_ent_date | yes | no   |
| sro_type   | no  | sro_domain   | yes | no   |
|            |     | sro_closed   | yes | no   |
|            |     | sro_type     | yes | no   |
|            |     | sro_ent_date | yes | no   |

**srr mstr**

Service Request Master

| Field Name   | Label           | Col-Label | Format                         | Dec |
|--------------|-----------------|-----------|--------------------------------|-----|
| oid_srr_mstr |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| srr_chr01    |                 |           | .9<<<<<<<<<                    |     |
| srr_chr02    |                 |           | x(8)                           |     |
| srr_chr03    |                 |           | x(8)                           |     |
| srr_chr04    |                 |           | x(8)                           |     |
| srr_chr05    |                 |           | x(8)                           |     |
| srr_chr06    |                 |           | x(8)                           |     |
| srr_chr07    |                 |           | x(8)                           |     |
| srr_chr08    |                 |           | x(8)                           |     |
| srr_chr09    |                 |           | x(8)                           |     |
| srr_chr10    |                 |           | x(8)                           |     |
| srr_dec01    |                 |           | >>>, >>>, >>9.99               | 10  |
| srr_dec02    |                 |           | >>>, >>>, >>9.99               | 10  |
| srr_dte01    |                 |           | 99/99/99                       |     |
| srr_dte02    |                 |           | 99/99/99                       |     |
| srr_log01    |                 |           | yes/no                         |     |
| srr_act_hrs  | Actual Hours    | Act Hours | ->>, >>9.99                    | 10  |
| srr_assign   | Assigned        |           | x(8)                           |     |
| srr_ca_nbr   | Call            |           | x(8)                           |     |
| srr_cls_date | Close Date      |           | 99/99/99                       |     |
| srr_date     | Date Entered    |           | 99/99/99                       |     |
| srr_desc     | Description     |           | x(60)                          |     |
| srr_domain   | Domain          |           | x(8)                           |     |
| srr_eco      | ECO             |           | x(8)                           |     |
| srr_est_hrs  | Estimated Hours | Est Hours | ->>, >>9.99                    | 10  |
| srr_eu_nbr   | End User        |           | x(8)                           |     |
| srr_nbr      | SR              |           | x(8)                           |     |
| srr_note     | Note#           |           | x(20)                          |     |
| srr_part     | Item            |           | x(18)                          |     |
| srr_phone    | Phone           |           | x(20)                          |     |
| srr_pri      | Priority        |           | >>>9                           |     |
| srr_probidx  | Problem Index   |           | >>>>>>9                        |     |

|   | Index-Name   | Uni        | Field-Name   | Asc | Abbr |
|---|--------------|------------|--------------|-----|------|
| ◇ | oid_srr_mstr | yes        | oid_srr_mstr | yes | no   |
|   | srr_assign   | no         | srr_domain   | yes | no   |
|   |              |            | srr_assign   | yes | no   |
|   | srr_eco      | no         | srr_domain   | yes | no   |
|   |              |            | srr_eco      | yes | no   |
|   | srr_eu_nbr   | no         | srr_domain   | yes | no   |
|   |              | srr_eu_nbr | yes          | no  |      |
| * | srr_nbr      | yes        | srr_domain   | yes | no   |
|   |              |            | srr_nbr      | yes | no   |
|   | srr_part     | yes        | srr_domain   | yes | no   |
|   |              |            | srr_part     | yes | no   |
|   |              |            | srr_nbr      | yes | no   |
|   | srr_problem  | no         | srr_domain   | yes | no   |
|   |              |            | srr_problem  | yes | no   |

### Serial Number Work Table





## ssm\_mstr

Source of Supply Master

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|--------------|------------------|-------------------------|------------|
| oid_ssm_mstr      |              |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| ssm__qadc01       |              |                  | .9<<<<<<<<              |            |
| ssm_desc          | Description  |                  | x(8)                    |            |
| ssm_domain        | Domain       |                  | x(24)                   |            |
| ssm_network       | Network Code |                  | x(8)                    |            |
| ssm_planner       | Planner      |                  | x(18)                   |            |
| ssm_user1         | Ufld1        |                  | x(8)                    |            |
| ssm_user2         | Ufld2        |                  | x(8)                    |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_ssm_mstr | yes | oid_ssm_mstr | yes | no   |
|   | ssm_desc     | no  | ssm_domain   | yes | no   |
|   |              |     | ssm_desc     | yes | no   |
|   |              |     | ssm_network  | yes | no   |
| * | ssm_network  | yes | ssm_domain   | yes | no   |
|   |              |     | ssm_network  | yes | no   |

◇ State State

| Field Name       | Label              | Col-Label   | Format      | Dec |
|------------------|--------------------|-------------|-------------|-----|
| LastModifiedDate | Last Modified Date | Modif Date  | 99/99/9999  |     |
| LastModifiedTime | Last Modified Time | Modif Time  | 999999      |     |
| LastModifiedUser | Last Modified User | Modif User  | x(20)       |     |
| State_ID         | Record ID          | Record ID   | 99999999999 |     |
| StateCode        | State              | State       | x(4)        |     |
| StateDescription | Description        | Description | x(40)       |     |
| StateIsActive    | Active             | Active      | yes/no      |     |

| Index-Name  | Uni | Field-Name    | Asc | Abbr |
|-------------|-----|---------------|-----|------|
| ◇ Code      | yes | StateCode     | yes | no   |
| ◇ IsActive  | no  | StateIsActive | yes | no   |
| ◇* Prim     | yes | State_ID      | yes | no   |
| ◇ ViewIndex | no  | StateIsActive | yes | no   |
|             |     | StateCode     | yes | no   |

◇ Statistic Statistical Code

| Field Name     | Label | Col-Label | Format          | Dec |
|----------------|-------|-----------|-----------------|-----|
| Country_ID     |       |           | 99999999999     |     |
| CustomCombo0   |       |           | x(20)           |     |
| CustomCombo1   |       |           | x(20)           |     |
| CustomCombo2   |       |           | x(20)           |     |
| CustomCombo3   |       |           | x(20)           |     |
| CustomCombo4   |       |           | x(20)           |     |
| CustomCombo5   |       |           | x(20)           |     |
| CustomCombo6   |       |           | x(20)           |     |
| CustomCombo7   |       |           | x(20)           |     |
| CustomCombo8   |       |           | x(20)           |     |
| CustomCombo9   |       |           | x(20)           |     |
| CustomDate0    |       |           | 99/99/9999      |     |
| CustomDate1    |       |           | 99/99/9999      |     |
| CustomDate2    |       |           | 99/99/9999      |     |
| CustomDate3    |       |           | 99/99/9999      |     |
| CustomDate4    |       |           | 99/99/9999      |     |
| CustomDecimal0 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal1 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal2 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal3 |       |           | ->, >>>, >>9.99 | 4   |
| CustomDecimal4 |       |           | ->, >>>, >>9.99 | 4   |
| CustomInteger0 |       |           | ->, >>>, >>9    |     |
| CustomInteger1 |       |           | ->, >>>, >>9    |     |
| CustomInteger2 |       |           | ->, >>>, >>9    |     |
| CustomInteger3 |       |           | ->, >>>, >>9    |     |
| CustomInteger4 |       |           | ->, >>>, >>9    |     |
| CustomLong0    |       |           | x(255)          |     |
| CustomLong1    |       |           | x(255)          |     |
| CustomNote     |       |           | x(2000)         |     |



| Index-Name   | Uni | Field-Name       | Asc | Abbr |
|--------------|-----|------------------|-----|------|
| ◇ ActvIdx    | no  | StatisticsActive | yes | no   |
| ◇ CntCodeIdx | yes | Country_ID       | yes | no   |
|              |     | StatisticCode    | yes | no   |
| ◇* Prim      | yes | Statistic_ID     | yes | no   |
| ◇ TypIdx     | no  | StatisticType    | yes | no   |
| ◇ ViewIndex  | no  | StatisticsActive | yes | no   |
|              |     | StatisticCode    | yes | no   |

**sttqd\_det**

|                      | Index-Name    | Uni                    | Field-Name             | Asc | Abbr |
|----------------------|---------------|------------------------|------------------------|-----|------|
| ◇                    | oid_sttqd_det | yes                    | oid_sttqd_det          | yes | no   |
|                      | sttqd_active  | no                     | sttqd_domain           | yes | no   |
|                      |               |                        | sttqd_active           | yes | no   |
|                      |               |                        | sttqd_measurement_type | yes | no   |
|                      |               |                        | sttqd_customer_source  | yes | no   |
|                      |               |                        | sttqd_use_percent      | yes | no   |
|                      |               |                        | sttqd_shipfrom         | yes | no   |
|                      |               |                        | sttqd_receive_addr     | yes | no   |
|                      |               |                        | sttqd_part             | yes | no   |
|                      |               |                        | sttqd_min_value        | yes | no   |
| sttqd_max_value      | yes           | no                     |                        |     |      |
| * sttqd_customer_src | yes           | sttqd_domain           | yes                    | no  |      |
|                      |               | sttqd_measurement_type | yes                    | no  |      |
|                      |               | sttqd_status_code      | yes                    | no  |      |
|                      |               | sttqd_customer_source  | yes                    | no  |      |
|                      |               | sttqd_shipfrom         | yes                    | no  |      |
|                      |               | sttqd_receive_addr     | yes                    | no  |      |
|                      |               | sttqd_part             | yes                    | no  |      |

**sttq\_mstr** Time-Based/Quantity-Based Status Code Master

[illegible]

|   | Index-Name     | Uni | Field-Name            | Asc | Abbr |
|---|----------------|-----|-----------------------|-----|------|
| ◇ | oid_sttq_mstr  | yes | oid_sttq_mstr         | yes | no   |
| * | sttq_type_code | yes | sttq_domain           | yes | no   |
|   |                |     | sttq_measurement_type | yes | no   |
|   |                |     | sttq_status_code      | yes | no   |

## Suspended Tax Master

|   | Index-Name   | Uni | Field-Name    | Asc | Abbr |
|---|--------------|-----|---------------|-----|------|
| ◇ | oid_stx_mstr | yes | oid_stx_mstr  | yes | no   |
| * | stx_tran_key | yes | stx_domain    | yes | no   |
|   |              |     | stx_tran_type | yes | no   |
|   |              |     | stx_key       | yes | no   |
|   |              |     | stx tax code  | yes | no   |

### Shipper User Field Detail

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| oid_sufd_det | yes | oid_sufd_det | yes | no   |
| sufd_level   | no  | sufd_domain  | yes | no   |
|              |     | sufd_level   | yes | no   |
|              |     | sufd fld seq | yes | no   |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| * sufd_shipfrom | yes | sufd_shipfrom | yes | no   |
|                 |     | sufd_shipto   | yes | no   |
|                 |     | sufd_domain   | yes | no   |
|                 |     | sufd_shipfrom | yes | no   |
|                 |     | sufd_shipto   | yes | no   |
|                 |     | sufd_level    | yes | no   |
|                 |     | sufd_fld_seq  | yes | no   |

**suf\_mstr**

## Shipper User Field Master

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                  | <b>Dec</b> |
|-------------------|------------------------|------------------|--------------------------------|------------|
| oid_suf_mstr      |                        |                  | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| suf__qadc01       |                        |                  | .9<<<<<<<<                     |            |
| suf__qadc02       |                        |                  | x(24)                          |            |
| suf_abs_fld_name  | Shipper Field Name     |                  | x(24)                          |            |
| suf_domain        | Domain                 |                  | x(32)                          |            |
| suf_fld_name      | Field Name             |                  | x(8)                           |            |
| suf_fld_prompt    | Prompt for Value       |                  | x(32)                          |            |
| suf_fld_seq       | Field Sequence         | Seq              | yes/no                         |            |
| suf_fld_value     | Default Field Value    |                  | >>9                            |            |
| suf_level         | Apply to               |                  | x(30)                          |            |
| suf_mod_date      | Modified Date          | Mod Date         | >>9                            |            |
| suf_mod_userid    | User ID                |                  | 99/99/99                       |            |
| suf_userc01       | User Field Character 1 |                  | x(8)                           |            |
| suf_userc02       | User Field Character 2 |                  | x(24)                          |            |
| suf_validate      | Validate               |                  | x(24)                          |            |
|                   |                        |                  | x(32)                          |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_suf_mstr | yes | oid_suf_mstr | yes | no   |
| * | suf_level    | yes | suf_domain   | yes | no   |
|   |              |     | suf_level    | yes | no   |
|   |              |     | suf fld seq  | yes | no   |

**svc\_ctrl**

Service/Support Management Control

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>              | <b>Dec</b> |
|-------------------|--------------|------------------|----------------------------|------------|
| oid_svc_ctrl      |              |                  | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |              |                  | .9<<<<<<<<                 |            |
| svc_chr01         | usrfld1      |                  | x(8)                       |            |
| svc_chr02         | usrfld2      |                  | x(8)                       |            |
| svc_chr03         | usrfld3      |                  | x(8)                       |            |
| svc_chr04         | usrfld4      |                  | x(8)                       |            |
| svc_chr05         | usrfld5      |                  | x(8)                       |            |
| svc_chr06         | usrfld6      |                  | x(8)                       |            |
| svc_chr07         | usrfld7      |                  | x(8)                       |            |
| svc_chr08         | usrfld8      |                  | x(8)                       |            |
| svc_chr09         | usrfld9      |                  | x(8)                       |            |
| svc_chr10         | usrfld10     |                  | x(8)                       |            |

| Field Name       | Label                           | Col-Label        | Format          | Dec |
|------------------|---------------------------------|------------------|-----------------|-----|
| svc__dec01       |                                 |                  | ->>, >>9.99<<<< | 10  |
| svc__dec02       |                                 |                  | ->>, >>9.99<<<< | 10  |
| svc__dec03       |                                 |                  | ->>, >>9.99<<<< | 10  |
| svc__dec04       |                                 |                  | ->>, >>9.99<<<< | 10  |
| svc__log01       | usrlog01                        |                  | yes/no          |     |
| svc__log02       | usrlog02                        |                  | yes/no          |     |
| svc__log03       | usrlog03                        |                  | yes/no          |     |
| svc__log04       | usrlog04                        |                  | yes/no          |     |
| svc__log05       | usrlog05                        |                  | yes/no          |     |
| svc__log06       | usrlog06                        |                  | yes/no          |     |
| svc__log07       | usrlog07                        |                  | yes/no          |     |
| svc__log08       | usrlog08                        |                  | yes/no          |     |
| svc__log09       | usrlog09                        |                  | yes/no          |     |
| svc__log10       | usrlog10                        |                  | yes/no          |     |
| svc__qadc03      | QAD Character Field 3           |                  | X(8)            |     |
| svc__qadc04      | QAD Character Field 4           |                  | x(8)            |     |
| svc__qadc05      | QAD Character Field 5           |                  | x(8)            |     |
| svc__qadd01      | QAD Decimal Field 1             |                  | ->>, >>9.99     | 10  |
| svc__qadd02      | QAD Decimal Field 2             |                  | ->>, >>9.99     | 10  |
| svc__qadd03      | QAD Decimal Field 3             |                  | ->>, >>9.99     | 10  |
| svc__qadi02      | QAD Integer Field 2             |                  | ->, >>>, >>9    |     |
| svc__qadi03      | QAD Integer Field 3             |                  | ->, >>>, >>9    |     |
| svc__qadi04      | QAD Integer Field               |                  | >>>9            |     |
| svc__qadi05      | QAD Integer Field 5             |                  | ->, >>>, >>9    |     |
| svc__qadl01      | QAD Logical Field 1             |                  | yes/no          |     |
| svc__qadl02      | QAD Logical Field 2             |                  | yes/no          |     |
| svc__qadl03      | QAD Logical Field 3             |                  | yes/no          |     |
| svc__qadl04      | QAD Logical Field               |                  | yes/no          |     |
| svc__qadl06      | QAD Logical Field               |                  | yes/no          |     |
| svc__qadl07      | QAD Logical Field               |                  | yes/no          |     |
| svc__qadt01      | QAD Date Field 1                |                  | 99/99/99        |     |
| svc__qadt02      | QAD Date Field 2                |                  | 99/99/99        |     |
| svc__qadt03      | QAD Date Field 3                |                  | 99/99/99        |     |
| svc_ack_letter   | Acknowledge Letter              |                  | yes/no          |     |
| svc_arears       | Bill Arrears                    | Arrear           | yes/no          |     |
| svc_assign_eng   | Assign Primary Engineer         | Eng              | yes/no          |     |
| svc_auto_ext     | Use Calendar Days in Escalation | Cal Days for Esc | yes/no          |     |
| svc_auto_tim     | Total Call Time                 |                  | yes/no          |     |
| svc_autorenew    | Auto Renew                      |                  | yes/no          |     |
| svc_avoidance    | Use Call Avoidance              |                  | yes/no          |     |
| svc_bill         | Use Repair Structure            |                  | yes/no          |     |
| svc_ca_allow_inv | Invoice From Recording          |                  | yes/no          |     |
| svc_ca_cor_type  | Corrective Work Code            |                  | x(8)            |     |
| svc_ca_coverage  | Coverage Window                 |                  | yes/no          |     |
| svc_ca_est_time  | Default Call Length             |                  | 999:99          |     |
| svc_ca_est_trv   | Travel Time                     |                  | 99:99           |     |
| svc_ca_ins_type  | Install Work Code               |                  | x(8)            |     |
| svc_ca_inv_draft | Draft Invoice                   |                  | yes/no          |     |
| svc_ca_model     | Use Model                       |                  | yes/no          |     |
| svc_ca_print0    | Print zero dollar calls         |                  | yes/no          |     |
| svc_ca_pvm_type  | PM Work Code                    |                  | x(8)            |     |
| svc_ca_sys       | System Level on Calls           |                  | yes/no          |     |
| svc_ca_tec_type  | Technical Work Code             |                  | x(8)            |     |
| svc_ca_time_wnd  | Call Time Window                |                  | yes/no          |     |
| svc_ca_upd_type  | Update Work Code                |                  | x(8)            |     |
| svc_ca_wo_wnd    | Call WO Window                  |                  | yes/no          |     |

| Field Name        | Label                                 | Col-Label    | Format   | Dec |
|-------------------|---------------------------------------|--------------|----------|-----|
| svc_call_pdev     | Call Print Device                     |              | x(8)     |     |
| svc_call_pre      | Call Prefix                           |              | x(3)     |     |
| svc_cancld_status | Cancel Status                         |              | x(8)     |     |
| svc_chg_cd        | Chargeable Code                       |              | x(2)     |     |
| svc_chg_svcode    | Charge Service Type                   |              | x(8)     |     |
| svc_close         | Close Status                          | Cl Sts       | x(8)     |     |
| svc_close_record  | Close on Recording                    |              | yes/no   |     |
| ◊ svc_clsf_filter | Filter ISB by Classification          |              | yes/no   |     |
| svc_cmmts         | Call Comments                         | Cmmt         | yes/no   |     |
| svc_code          | Code                                  |              | x(8)     |     |
| svc_comp_status   | Complete Status                       |              | x(8)     |     |
| svc_con_fsc_code  | Con Service Category                  | Svc Cat      | x(8)     |     |
| svc_corr_est_time | Corrective Call Duration              |              | 999:99   |     |
| svc_cp_causer     | Copy Call User Fields                 |              | yes/no   |     |
| svc_cp_sauser     | Copy Contract User Fields             |              | yes/no   |     |
| svc_create_cus    | Create Customer                       |              | yes/no   |     |
| svc_db_timezone   | Database Time Zone                    |              | X(8)     |     |
| svc_dflt_cyc      | Default Billing Cycle Code            | Cycle Code   | x(2)     |     |
| svc_dflt_pri      | Default Priority                      | Dflt Pri     | >>>9     |     |
| svc_dflt_que      | Default Call Queue                    | Df Queue     | x(8)     |     |
| svc_dflt_tm       | Default Call Service Type             | Svc Type     | x(8)     |     |
| svc_dflt_warr     | Default Warranty Type                 |              | x(8)     |     |
| svc_dispatch      | Dispatcher                            |              | yes/no   |     |
| svc_domain        | Domain                                |              | x(8)     |     |
| svc_eg_tax_usage  | Exchange Tax Nature                   | Nature       | x(8)     |     |
| svc_eng_lbcd      | Engineer Labor Code                   | Eng Lbcd     | x(8)     |     |
| svc_esc_dflt      | Escalation Default                    |              | x(8)     |     |
| svc_esc_pause     | Escalation Program Pause              |              | >>,>>9   |     |
| svc_esc_prt       | Escalation Printer                    |              | x(10)    |     |
| svc_esc_sch       | Use Escalation                        |              | yes/no   |     |
| svc_esc_user      | Esc User for Messages                 |              | x(8)     |     |
| svc_ex_tax_usage  | Expense Tax Nature                    |              | x(8)     |     |
| svc_exch_um       | Exchange UM                           |              | x(2)     |     |
| svc_fault_code    | Fault Codes                           |              | yes/no   |     |
| svc_fixed_um      | Fixed Price UM                        |              | x(2)     |     |
| svc_gen_0itm      | Generate No Charge Lines              |              | yes/no   |     |
| svc_gw_cd         | Good Will CD                          | GW           | x(2)     |     |
| svc_gw_svcode     | Giveaway Service Type                 |              | x(8)     |     |
| svc_hold_call     | No Calls If Customer on Hold No Calls |              | >>9      |     |
| svc_hold_status   | Hold Status                           |              | x(8)     |     |
| svc_ins_days      | Installation Days Ahead               |              | >>9      |     |
| svc_inst_cl       | Auto Install Calls                    |              | yes/no   |     |
| svc_inst_est_time | Installation Call Duration            |              | 999:99   |     |
| svc_invoice_acct  | Modify Sales Accounts                 |              | yes/no   |     |
| svc_invoice_cost  | Total Invoice Cost                    |              | yes/no   |     |
| svc_invoice_sts   | Invoice Ready                         |              | x(8)     |     |
| svc_isb_bom       | Load Available Structure              |              | yes/no   |     |
| svc_isb_compbon   | Component Use BOM                     |              | yes/no   |     |
| svc_isb_hist      | Installed Base History                |              | yes/no   |     |
| svc_isb_nsbom     | Load Standard BOM                     |              | yes/no   |     |
| svc_isb_repair    | ISB Repair Status                     |              | x(8)     |     |
| svc_itm_data      | Service Data in Item Master           | Svc Itm Data | yes/no   |     |
| svc_ivc_hold      | Hold Invoice to Close                 |              | yes/no   |     |
| svc_lb_tax_usage  | Labor Tax Nature                      | Nature       | x(8)     |     |
| svc_loc           | Location                              |              | x(8)     |     |
| svc_mand_po       | Mandatory PO                          |              | yes/no   |     |
| svc_mod_date      | Modified Date                         | Mod Date     | 99/99/99 |     |

| Field Name             | Label                            | Col-Label   | Format          | Dec |
|------------------------|----------------------------------|-------------|-----------------|-----|
| svc_mod_userid         | User ID                          |             | X(8)            |     |
| svc_multi_time_zones   | Multiple Time Zones              |             | yes/no          |     |
| svc_node               | Node                             |             | x(8)            |     |
| svc_open               | Open Status                      | Opn Sts     | x(8)            |     |
| svc_pc_list_type       | Pricing by List Type             |             | yes/no          |     |
| svc_per_bill           | Period Based Billing             | P Bse       | yes/no          |     |
| svc_plst_pct           |                                  |             | ->>, >>9.99<<<< | 10  |
| svc_pm_est_time        | PM Call Duration                 |             | 999:99          |     |
| svc_project_hndl       | Project Code Handling            |             | ->, >>>, >>9    |     |
| svc_prorate            | Prorate Partial Periods          | Pro         | yes/no          |     |
| svc_prt_0itm           | Print No Charge Lines            | Prt No chg  | yes/no          |     |
| svc_pt_isb             | Items in Installed Base          | IB          | yes/no          |     |
| svc_pt_mstr            | Items Must Exist                 |             | yes/no          |     |
| svc_pt_prod            | Use Item Prod Line               |             | yes/no          |     |
| svc_pt_tax_usage       | Item Tax Nature                  | Nature      | x(8)            |     |
| svc_pts_fsc_code       | Item Svc Category                | Svc Cat     | x(8)            | 0   |
| svc_pvm_cl             | PM Calls                         |             | yes/no          |     |
| ◇ svc_qmobile_api_warn | Suppress QAD Mobile API Warnings |             | yes/no          |     |
| svc_que_paus           | Queue Manager Pause              |             | >>9             |     |
| svc_que_prog           | Queue Manager                    |             | >>9             |     |
| svc_rc_transfer        | Transfer Inventory               |             | yes/no          |     |
| svc_return_sts         | Return Status                    |             | x(8)            |     |
| svc_rma_hist           | Rma History                      |             | yes/no          |     |
| svc_sa_account         | Update Accounting                |             | yes/no          |     |
| svc_sa_accounts        | Modify Sales Accounts            |             | yes/no          |     |
| svc_sa_cd              | Contract Code                    |             | x(2)            |     |
| svc_sap_bom_type       | Default BOM for PM               |             | x(8)            |     |
| ◇ svc_sched_status     | Scheduled Status                 |             | x(8)            |     |
| svc_schedule_ca        | Schedule New Calls               |             | yes/no          |     |
| svc_scheduler          | Scheduler                        |             | >>9             |     |
| svc_scrap_sts          | Scrap Status                     |             | x(8)            |     |
| svc_serial             | Installed Base Serials           |             | x(1)            |     |
| svc_server_timezone    | Server Time Zone                 |             | X(8)            |     |
| svc_ship_isb           | Ship to Installed Base           | Ship To ISB | yes/no          |     |
| svc_site               | Repair Site                      |             | x(8)            |     |
| svc_sr_pre             | Service Request Prefix           |             | x(3)            |     |
| svc_srr_close          | SR Close Status                  | Cl Sts      | x(8)            | 0   |
| svc_srr_open           | SR Open Status                   | Opn Sts     | x(8)            | 0   |
| svc_srstatus           | SR Resolution                    |             | x(8)            |     |
| svc_sub_cvr            | Subs Covered                     |             | yes/no          |     |
| svc_sv_cd              | Service Contract Cd              |             | x(2)            |     |
| Δ svc_sys_type         | System Level                     |             | x(2)            |     |
| svc_tax_environ        | Tax Enviroment                   |             | x(8)            |     |
| svc_temp_close         | Close Call with Temp             |             | yes/no          |     |
| svc_temp_cus           | Temporary Customer               |             | x(8)            |     |
| svc_time_zone          | Hours from GMT                   |             | >>9             |     |
| svc_tm_cd              | Time and Materials CD            |             | x(2)            |     |
| svc_trace              | Enable Tracing                   |             | yes/no          |     |
| svc_travel_step        | Travel Step                      |             | >>>>>9          |     |
| ◇ svc_trv_fsc_code     | Travel Svc Category              | Svc Cat     | x(8)            |     |
| svc_trvl_um            | Travel UM                        |             | x(2)            | 0   |
| svc_um                 | Contract UM                      | UM          | x(2)            | 0   |
| svc_upd_est_time       | Update Call Duration             |             | 999:99          |     |
| svc_user1              | Ufld1                            |             | x(8)            |     |
| svc_user2              | Ufld2                            |             | x(8)            |     |
| svc_wait_status        | Wait Status                      |             | x(8)            |     |

| Field Name      | Label               | Col-Label | Format | Dec |
|-----------------|---------------------|-----------|--------|-----|
| svc_warr_cd     | Warranty Code       |           | x(2)   |     |
| svc_warr_st     | Start from Warranty |           | yes/no |     |
| svc_warr_svcode | Warranty Charge     |           | x(8)   |     |
| svc_wkctr       | Service Work Center |           | X(8)   | 0   |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_svc_ctrl | yes | oid_svc_ctrl | yes | no   |
| * svc_node     | yes | svc_domain   | yes | no   |
|                |     | svc_node     | yes | no   |

|                |                                               |
|----------------|-----------------------------------------------|
| <b>sv_mstr</b> | Service Agreement Terms and Conditions Master |
|----------------|-----------------------------------------------|

| Field Name     | Label             | Col-Label | Format                         | Dec |
|----------------|-------------------|-----------|--------------------------------|-----|
| oid_sv_mstr    |                   |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sv_chr01       |                   |           | .9<<<<<<<<                     |     |
| sv__chr01      |                   |           | x(8)                           |     |
| sv__chr02      |                   |           | x(8)                           |     |
| sv__chr03      |                   |           | x(8)                           |     |
| sv__chr04      |                   |           | x(8)                           |     |
| sv__chr05      |                   |           | x(8)                           |     |
| sv__qadc01     | Qad Field #1      |           | x(8)                           | 0   |
| sv__qadc02     | Qad Field #2      |           | x(8)                           | 0   |
| sv__qadc03     | Qad Field #3      |           | x(8)                           | 0   |
| sv__qadc04     | Qad Field #4      |           | x(8)                           | 0   |
| sv__qadd01     | Qad Decimal #1    |           | ->>>, >>>, >>>9.99<<<<         | 10  |
| sv__qadd02     | Qad Decimal #2    |           | ->>>, >>>, >>>9.99<<<<         | 10  |
| sv__qadd03     | Qad Decimal #3    |           | ->>>, >>>, >>>9.99<<<<         | 10  |
| sv__qadl01     | Qad Logical #1    |           | yes/no                         |     |
| sv__qadl02     | Qad Logical #2    |           | yes/no                         |     |
| sv__qadl03     | Qad Logical #3    |           | yes/no                         |     |
| sv__qadt01     | Qad Date #1       |           | 99/99/99                       |     |
| sv__qadt02     | Qad Date #2       |           | 99/99/99                       |     |
| sv__qadt03     | Qad Date #3       |           | 99/99/99                       |     |
| sv_blanket     | Blanket           |           | yes/no                         |     |
| sv_call_price  | Call Price List   |           | X(8)                           |     |
| sv_calls_allow | Calls Allowed     |           | >>>9                           | 0   |
| sv_cmtindx     | Comment Index     | Comment   | >>>>>>9                        |     |
| sv_code        | Service Type      | Svc Type  | x(8)                           |     |
| sv_cr_prlist   | Credit Price List | Cr Price  | x(8)                           |     |
| sv_cstmlist    | Customs List      | Customs   | x(8)                           |     |
| sv_days[7]     | Days              |           | yes/no                         |     |
| sv_desc        | Description       |           | x(25)                          |     |
| sv_dflt_pri    | Priority          |           | >>9                            |     |
| sv_domain      | Domain            |           | x(8)                           |     |
| sv_dur_um      | Contract UM       |           | x(1)                           |     |
| sv_duration    | Duration          | Dur       | >>>9                           |     |
| sv_ed_time     | End Time          | End       | 99:99                          |     |
| sv_es_nbr      | Escalation        |           | x(8)                           |     |
| sv_etime[8]    | End Time          |           | 99:99                          |     |
| sv_holidays    | Holidays          |           | yes/no                         |     |
| sv_labor_dur   | Labor Duration    |           | >>>9                           |     |
| sv_labor_um    | Labor UM          |           | x(2)                           |     |



| Field Name      | Label               | Col-Label   | Format   | Dec |
|-----------------|---------------------|-------------|----------|-----|
| sv_mid_etime[8] | Stop Midday         |             | 99:99    |     |
| sv_mid_stime[8] | Start Midday        |             | 99:99    |     |
| sv_off_hours_pt | Off Hours Item      |             | x(18)    |     |
| sv_onsite       | Onsite              |             | yes/no   |     |
| sv_pr_list      | Contract Price List | CPrice List | x(8)     |     |
| sv_prod_line    | Prod Line           | Line        | x(4)     |     |
| sv_qo_title     | Quote Title         | Qo Title    | x(24)    |     |
| sv_rmaonly      | RMA Only            |             | yes/no   |     |
| sv_rmaprice     | RMA Price List      |             | x(8)     | 0   |
| sv_rsp_time     | Response            | Rsp Time    | >>>>>9   |     |
| sv_rsp_um       | Response Time UM    |             | x(1)     |     |
| sv_rstk_pct     | Restocking Charge   |             | ->>9.99% | 10  |
| sv_shp_b4rtn    | Ship Before Return  | Shp         | yes/no   |     |
| sv_so_title     | So title            |             | x(24)    |     |
| sv_st_time      | Start Time          | Start       | 99:99    |     |
| sv_stime[8]     | Start Time          |             | 99:99    |     |
| sv_svc_type     | Contract Type       | T           | x(2)     |     |
| sv_tax_usage    | Nature of Operation | Nature      | x(8)     |     |
| sv_taxable      | Taxable             |             | yes/no   |     |
| sv_taxc         | Tax Class           | TxC         | x(3)     |     |
| sv_type         | End User Type       |             | x(8)     |     |
| sv_user1        | Ufld1               |             | x(8)     |     |
| sv_user2        | Ufld2               |             | x(8)     |     |
| sv_visits       | Visits Per Year     |             | >>9      | 10  |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_sv_mstr | yes | oid_sv_mstr | yes | no   |
| * sv_code     | yes | sv_domain   | yes | no   |
|               |     | sv_code     | yes | no   |
|               |     | sv_type     | yes | no   |
| sv_svc_type   | no  | sv_domain   | yes | no   |
|               |     | sv_code     | yes | no   |
|               |     | sv_svc_type | yes | no   |

**swc\_det**

### Cost Simulation Work Center Detail

| Field Name     | Label               | Col-Label | Format                  | Dec |
|----------------|---------------------|-----------|-------------------------|-----|
| oid_swc_det    |                     |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| swc__qadc01    |                     |           | .9<<<<<<<<<             |     |
| swc_bdn_pct    | Lbr Bdn %           |           | x(8)                    |     |
| swc_bdn_rate   | Lbr Bdn Rate        |           | >>9.99%                 | 10  |
| swc_bdn_supct  | Setup Bdn %         |           | >>>, >>9.99             | 10  |
| swc_bdn_surate | Setup Bdn Rate      |           | >>9.99%                 | 10  |
| swc_cat        | W/C Category        |           | >>>, >>9.99             | 10  |
| swc_domain     | Domain              |           | x(1)                    |     |
| swc_element    | Cost Element        | Element   | x(8)                    |     |
| swc_lbr_rate   | Labor Rate          |           | x(8)                    |     |
| swc_mch        | Machine             |           | >>>, >>9.99             | 10  |
| swc_mch_bdn    | Mach Bdn Rate       | Mach Bdn  | x(8)                    |     |
| swc_mch_op     | Mach/Op             |           | >>>, >>9.99             | 10  |
| swc_mch_subdn  | Mach Setup Bdn Rate | Mach Bdn  | >>9                     |     |
|                |                     |           | >>>, >>9.99             | 10  |

| Field Name    | Label               | Col-Label | Format           | Dec |
|---------------|---------------------|-----------|------------------|-----|
| swc_mch_wkctr | Mach/Wk Ctr         |           | >>9.999          | 10  |
| swc_men_mch   | Run Crew            |           | >>9.999          | 10  |
| swc_mod_date  | Modified Date       | Mod Date  | 99/99/99         |     |
| swc_pct_eff   | Percent Efficiency  |           | -,>>9.999        | 10  |
| swc_pct_util  | Percent Utilization |           | -,>>9.999        | 10  |
| swc_run_rate  | Lbr/Bdn Rate        |           | -,>>>,>>9.999999 | 10  |
| swc_set_rate  | Setup Rate          |           | -,>>>,>>9.999999 | 10  |
| swc_setup_men | Setup Crew          |           | ->>,>>9.99       | 10  |
| swc_setup_rte | Setup Rate          |           | >>>,>>9.99       | 10  |
| swc_sim       | Cost Set            |           | x(8)             |     |
| swc_user1     | Ufld1               |           | x(8)             |     |
| swc_user2     | Ufld2               |           | x(8)             |     |
| swc_userid    | User ID             |           | x(8)             |     |
| swc_wkctr     | Work Center         |           | x(8)             |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_swc_det | yes | oid_swc_det | yes | no   |
| swc_sim_elem  | yes | swc_domain  | yes | no   |
|               |     | swc_sim     | yes | no   |
|               |     | swc_element | yes | no   |
|               |     | swc_wkctr   | yes | no   |
|               |     | swc_mch     | yes | no   |
| * swc_sim_wc  | yes | swc_domain  | yes | no   |
|               |     | swc_sim     | yes | no   |
|               |     | swc_wkctr   | yes | no   |
|               |     | swc_mch     | yes | no   |
|               |     | swc_element | yes | no   |

**sypd\_det**

### Synch Profile Detail

| Field Name   | Label | Col-Label | Format                         | Dec |
|--------------|-------|-----------|--------------------------------|-----|
| oid_sypd_det |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sypd__chr01  |       |           | .9<<<<<<<<                     |     |
| sypd__chr02  |       |           | x(8)                           |     |
| sypd__dec01  |       |           | ->>>, >>>, >>9.99<             | 10  |
| sypd__dec02  |       |           | ->>>, >>>, >>9.99<             | 10  |
| sypd__dte01  |       |           | 99/99/99                       |     |
| sypd__dte02  |       |           | 99/99/99                       |     |
| sypd__int01  |       |           | ->>>, >>>, >>9                 |     |
| sypd__int02  |       |           | ->>>, >>>, >>9                 |     |
| sypd__log01  |       |           | yes/no                         |     |
| sypd__log02  |       |           | yes/no                         |     |
| sypd__qadc01 |       |           | x(8)                           |     |
| sypd__qadc02 |       |           | x(8)                           |     |
| sypd__qadc03 |       |           | x(8)                           |     |
| sypd__qadc04 |       |           | x(8)                           |     |
| sypd__qadd01 |       |           | ->>>, >>>, >>9.99<             | 10  |
| sypd__qadd02 |       |           | ->>>, >>>, >>9.99<             | 10  |
| sypd__qadi01 |       |           | ->>>, >>>, >>9                 |     |
| sypd__qadi02 |       |           | ->>>, >>>, >>9                 |     |
| sypd__qadl01 |       |           | yes/no                         |     |

| Field Name       | Label                        | Col-Label | Format   | Dec |
|------------------|------------------------------|-----------|----------|-----|
| sypd__qadt02     |                              |           | yes/no   |     |
| sypd__qadt01     |                              |           | 99/99/99 |     |
| sypd__qadt02     |                              |           | 99/99/99 |     |
| sypd_fldname     | Field Name                   |           | x(21)    |     |
| sypd_mod_date    | Mod Date                     |           | 99/99/99 |     |
| sypd_mod_userid  | User ID                      |           | x(8)     |     |
| sypd_prereq_add  | Prerequisite For Add         |           | yes/no   |     |
| sypd_profl_id    | Synch Profile ID             |           | x(16)    |     |
| sypd_reqd_add    | Required on Add              |           | yes/no   |     |
| sypd_reqd_chgdel | Required on Change or Delete |           | yes/no   |     |
| sypd_seq         | Sequence                     |           | >>9      |     |
| sypd_user1       | Ufld1                        |           | x(8)     |     |
| sypd_user2       | Ufld2                        |           | x(8)     |     |

| Index-Name             | Uni | Field-Name    | Asc | Abbr |
|------------------------|-----|---------------|-----|------|
| oid_sydp_det           | yes | oid_sydp_det  | yes | no   |
| * sydp_proflid_fldname | yes | sydp_profl_id | yes | no   |
|                        |     | sydp_fldname  | yes | no   |
| sydp_proflid_seq       | no  | sydp_profl_id | yes | no   |
|                        |     | sydp_seq      | yes | no   |

**sypj\_det** Sync Profile Join Detail

| Field Name        | Label                  | Col-Label | Format                         | Dec |
|-------------------|------------------------|-----------|--------------------------------|-----|
| oid_syjpi_det     |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| sypj_chr01        |                        |           | .9<<<<<<<<<                    |     |
| sypj_chr02        |                        |           | x(8)                           |     |
| sypj_dec01        |                        |           | x(8)                           |     |
| sypj_dec02        |                        |           | ->>>, >>>, >>9.99<             | 10  |
| sypj_dte01        |                        |           | ->>>, >>>, >>9.99              | 10  |
| sypj_dte02        |                        |           | 99/99/99                       |     |
| sypj_int01        |                        |           | 99/99/99                       |     |
| sypj_int02        |                        |           | 99/99/99                       |     |
| sypj_log01        |                        |           | ->>>, >>>, >>9                 |     |
| sypj_log02        |                        |           | ->>>, >>>, >>9                 |     |
| sypj_qadc01       |                        |           | yes/no                         |     |
| sypj_qadc02       |                        |           | yes/no                         |     |
| sypj_qadc03       |                        |           | x(8)                           |     |
| sypj_qadc04       |                        |           | x(8)                           |     |
| sypj_qadd01       |                        |           | x(8)                           |     |
| sypj_qadd02       |                        |           | ->>>, >>>, >>9.99<             | 10  |
| sypj_qadi01       |                        |           | ->>>, >>>, >>9.99<             | 10  |
| sypj_qadi02       |                        |           | ->>>, >>>, >>9                 |     |
| sypj_qadl01       |                        |           | ->>>, >>>, >>9                 |     |
| sypj_qadl02       |                        |           | yes/no                         |     |
| sypj_qadt01       |                        |           | yes/no                         |     |
| sypj_qadt02       |                        |           | 99/99/99                       |     |
| sypj_join_crit[4] | Join Criteria          |           | 99/99/99                       |     |
| sypj_join_prof    | Joined Sync Profile ID |           | x(255)                         |     |
| sypj_mod_date     | Mod Date               |           | x(16)                          |     |
| sypj_mod_userid   | User ID                |           | 99/99/99                       |     |
|                   |                        |           | x(8)                           |     |

| Field Name      | Label                            | Col-Label | Format | Dec |
|-----------------|----------------------------------|-----------|--------|-----|
| syj_prof1_id    | Sync Profile ID                  |           | x(16)  |     |
| syj_publ_joined | Publish Child On Parent Changes  |           | yes/no |     |
| syj_relation    | Relationship                     |           | x(1)   |     |
| syj_reqd_join   | Child Required To Publish Parent |           | yes/no |     |
| syj_seq         | Sequence                         |           | >>9    |     |
| syj_user1       | Ufld1                            |           | x(8)   |     |
| syj_user2       | Ufld2                            |           | x(8)   |     |

| Index-Name            | Uni | Field-Name      | Asc | Abbr |
|-----------------------|-----|-----------------|-----|------|
| ◇ oid_sypj_det        | yes | oid_sypj_det    | yes | no   |
| sypj_join_profl_rel   | yes | sypj_join_profl | yes | no   |
|                       |     | sypj_profl_id   | yes | no   |
|                       |     | sypj_relation   | yes | no   |
| sypj_join_rel_seq     | no  | sypj_join_profl | yes | no   |
|                       |     | sypj_relation   | yes | no   |
|                       |     | sypj_seq        | yes | no   |
| * sypj_profl_join_rel | yes | sypj_profl_id   | yes | no   |
|                       |     | sypj_join_profl | yes | no   |
|                       |     | sypj_relation   | yes | no   |
| sypj_profl_rel_seq    | no  | sypj_profl_id   | yes | no   |
|                       |     | sypj_relation   | yes | no   |
|                       |     | sypj_seq        | yes | no   |

## syps\_det

### Synch Profile Subscription Detail

| Field Name   | Label          | Col-Label | Format                     | Dec |
|--------------|----------------|-----------|----------------------------|-----|
| oid_syps_det |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                |           | .9<<<<<<<<<                |     |
| syps__chr01  |                |           | x(8)                       |     |
| syps__chr02  |                |           | x(8)                       |     |
| syps__dec01  |                |           | ->>, >>, >>9.99<           | 10  |
| syps__dec02  |                |           | ->>, >>, >>9.99<           | 10  |
| syps__dte01  |                |           | 99/99/99                   |     |
| syps__dte02  |                |           | 99/99/99                   |     |
| syps__int01  |                |           | ->>, >>, >>9               |     |
| syps__int02  |                |           | ->>, >>, >>9               |     |
| syps__log01  |                |           | yes/no                     |     |
| syps__log02  |                |           | yes/no                     |     |
| syps__qadc01 |                |           | x(8)                       |     |
| syps__qadc02 |                |           | x(8)                       |     |
| syps__qadc03 |                |           | x(8)                       |     |
| syps__qadc04 |                |           | x(8)                       |     |
| syps__qadd01 |                |           | ->>, >>, >>9.99<           | 10  |
| syps__qadd02 |                |           | ->>, >>, >>9.99<           | 10  |
| syps__qadi01 |                |           | ->>, >>, >>9               |     |
| syps__qadi02 |                |           | ->>, >>, >>9               |     |
| syps__qadl01 |                |           | yes/no                     |     |
| syps__qadl02 |                |           | yes/no                     |     |
| syps__qadt01 |                |           | 99/99/99                   |     |
| syps__qadt02 |                |           | 99/99/99                   |     |
| syps_app_id  | Application ID |           | x(12)                      |     |

|   | Index-Name           | Uni | Field-Name      | Asc | Abbr |
|---|----------------------|-----|-----------------|-----|------|
| ◇ | oid_syys_det         | yes | oid_syys_det    | yes | no   |
|   | syys_subs_by_profile | no  | syys_profil_id  | yes | no   |
| * | syys_subscription_id | yes | syys_app_id     | yes | no   |
|   |                      |     | syys_doc_std    | yes | no   |
|   |                      |     | syys_doc_typ    | yes | no   |
|   |                      |     | syys_doc_rev    | yes | no   |
|   |                      |     | syys_tradptr_id | yes | no   |
|   |                      |     | syys_im_doc     | yes | no   |
|   |                      |     | syys_profil_id  | yes | no   |

## syp\_mstr

| Field Name     | Label            | Col-Label | Format                 | Dec |
|----------------|------------------|-----------|------------------------|-----|
| oid_syp_mstr   |                  |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| syp_chr01      |                  |           | .9<<<<<<<<<            |     |
| syp_chr02      |                  |           | x(8)                   |     |
| syp_dec01      |                  |           | x(8)                   |     |
| syp_dec02      |                  |           | ->>>, >>>, >>9.99<     | 10  |
| syp_dte01      |                  |           | ->>>, >>>, >>9.99      | 10  |
| syp_dte02      |                  |           | 99/99/99               |     |
| syp_int01      |                  |           | 99/99/99               |     |
| syp_int02      |                  |           | ->>>, >>>, >>9         |     |
| syp_log01      |                  |           | ->>>, >>>, >>9         |     |
| syp_log02      |                  |           | yes/no                 |     |
| syp_qadc01     |                  |           | yes/no                 |     |
| syp_qadc02     |                  |           | x(8)                   |     |
| syp_qadc03     |                  |           | x(8)                   |     |
| syp_qadc04     |                  |           | x(8)                   |     |
| syp_qadd01     |                  |           | x(8)                   |     |
| syp_qadd02     |                  |           | ->>>, >>>, >>9.99<     | 10  |
| syp_qadi01     |                  |           | ->>>, >>>, >>9.99<     | 10  |
| syp_qadi02     |                  |           | ->>>, >>>, >>9         |     |
| syp_qadl01     |                  |           | ->>>, >>>, >>9         |     |
| syp_qadl02     |                  |           | yes/no                 |     |
| syp_qadt01     |                  |           | yes/no                 |     |
| syp_qadt02     |                  |           | 99/99/99               |     |
| syp_add_as_chg | Format as Change |           | 99/99/99               |     |
| syp_dbname     | Database Name    |           | yes/no                 |     |
|                |                  |           | x(8)                   |     |

| Field Name         | Label                 | Col-Label | Format   | Dec |
|--------------------|-----------------------|-----------|----------|-----|
| syp_del_as_chg     | Format as Change      |           | yes/no   |     |
| syp_exp_add        | Export Add            |           | yes/no   |     |
| syp_exp_chg        | Export Change         |           | yes/no   |     |
| syp_exp_del        | Export Delete         |           | yes/no   |     |
| syp_exp_dump       | Export As Record Dump |           | yes/no   |     |
| syp_exp_rowid_only | Export Rowid Only     |           | yes/no   |     |
| sypflt_crit[4]     | Filter Criteria       |           | x(255)   |     |
| syp_mod_date       | Mod Date              |           | 99/99/99 |     |
| syp_mod_userid     | User ID               |           | x(8)     |     |
| syp_profl_desc     | Description           |           | x(40)    |     |
| syp_profl_id       | Synch Profile ID      |           | x(16)    |     |
| syp_publ_proc      | Filter Procedure Name |           | x(16)    |     |
| syp_tblname        | Table Name            |           | x(16)    |     |
| syp_user1          | Ufld1                 |           | x(8)     |     |
| syp_user2          | Ufld2                 |           | x(8)     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_syp_mstr | yes | oid_syp_mstr | yes | no   |
| * syp_profl_id | yes | syp_profl_id | yes | no   |
| syp_tblname    | no  | syp_tblname  | yes | no   |

◇ **SysProperty** System Property

| Field Name     | Label                | Col-Label            | Format          | Dec |
|----------------|----------------------|----------------------|-----------------|-----|
| Currency_ID    | MC Currency Code     | MC Curr              | 9999999999      |     |
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)           |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999      |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->, >>>, >>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->, >>>, >>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)          |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)         |     |

| Field Name                 | Label                           | Col-Label                       | Format     | Dec |
|----------------------------|---------------------------------|---------------------------------|------------|-----|
| CustomShort0               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort1               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort2               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort3               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort4               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort5               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort6               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort7               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort8               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| CustomShort9               | Custom Short Field              | Custom Short Field              | x(20)      |     |
| LastModifiedDate           | Last Modified Date              | Modif Date                      | 99/99/9999 |     |
| LastModifiedTime           | Last Modified Time              | Modif Time                      | 999999     |     |
| LastModifiedUser           | Last Modified User              | Modif User                      | x(20)      |     |
| SysProperty_ID             | Record ID                       | Record ID                       | 9999999999 |     |
| SysPropertyIsBudOLCheckCC  | OL Check on Cost Center Budgets | OL Check on Cost Center Budgets | yes/no     |     |
| SysPropertyIsBudOLCheckGL  | OL Check on Budgets             | OL Check on Budgets             | yes/no     |     |
| SysPropertyIsBudOLCheckPrj | OL Check on Project Budgets     | OL Check on Project Budgets     | yes/no     |     |
| SysPropertyIsBudOverCh     | Check Budgets on Overlap        | Check Budgets on Overlap        | yes/no     |     |
| SysPropertyIsSpecCIApprove | Specific SI Approval            | Specific SI Approval            | yes/no     |     |
| SysPropertyIsStockOfficial | Business Relations By Domain    | Business Relations By Domain    | yes/no     |     |
| SysPropertyIsWithBudget    | Budget Enabled                  | Budget Enabled                  | yes/no     |     |

| Index-Name    | Uni | Field-Name     | Asc | Abbr |
|---------------|-----|----------------|-----|------|
| ◇ CurrencyIdx | no  | Currency_ID    | yes | no   |
| ◇* Prim       | yes | SysProperty_ID | yes | no   |

### ◇ Syst System

| Field Name         | Label | Col-Label | Format     | Dec |
|--------------------|-------|-----------|------------|-----|
| Domain_ID          |       |           | 9999999999 |     |
| LastModifiedDate   |       |           | 99/99/9999 |     |
| LastModifiedTime   |       |           | 999999     |     |
| LastModifiedUser   |       |           | x(20)      |     |
| Lng_ID             |       |           | 9999999999 |     |
| RptFolderTimestamp |       |           | x(32)      |     |
| Syst_ID            |       |           | 9999999999 |     |
| SystAdminUserPwd   |       |           | x(100)     |     |
| SystApplicationId  |       |           | x(100)     |     |
| SystCacheDateTime  |       |           | x(30)      |     |
| Usr_ID             |       |           | 9999999999 |     |

| Index-Name     | Uni | Field-Name | Asc | Abbr |
|----------------|-----|------------|-----|------|
| ◇ Domain_FK    | no  | Domain_ID  | yes | no   |
| ◇ LngIdx       | no  | Lng_ID     | yes | no   |
| ◇* Prim        | yes | Syst_ID    | yes | no   |
| ◇ UsrInSyst_FK | no  | Usr_ID     | yes | no   |

## ◇ SystemC

## Warehousing System Control

| Field Name    | Label                           | Col-Label           | Format                                  | Decimals |
|---------------|---------------------------------|---------------------|-----------------------------------------|----------|
| Active        | Active                          | Act                 | yes/no                                  |          |
| AllocHist     | Allocation History              | Alloc! Hist         | yes/no                                  |          |
| CreateDate    | Create Date                     |                     | 99/99/99                                |          |
| CreateUserID  | Created                         |                     | x(8)                                    |          |
| CycleReason   | Cycle Count Reason              | Cycle Count! Reason | X(8)                                    |          |
| Domain        | Domain                          |                     | x(8)                                    |          |
| InventHist    | Inventory History               | Inv! Hist           | yes/no                                  |          |
| LogFormat     | Logical Format                  |                     | yes/no                                  |          |
| ModDate       | Modified                        |                     | 99/99/99                                |          |
| ModUserID     | Modified                        |                     | x(8)                                    |          |
| oid_SystemC   |                                 |                     | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |          |
| QadC01        | QAD Field                       |                     | X(8)                                    | 0        |
| QadC02        | QAD Field                       |                     | X(8)                                    | 0        |
| QadC03        | QAD Field                       |                     | X(8)                                    | 0        |
| QadC04        | QAD Field                       |                     | X(8)                                    | 0        |
| QadC05        | QAD Field                       |                     | X(8)                                    | 0        |
| QadD01        | QAD Field                       |                     | ->>>, >>>, >>9.99<<<                    | 10       |
| QadD02        | QAD Field                       |                     | ->>>, >>>, >>9.99<<<                    | 10       |
| QadD03        | QAD Field                       |                     | ->>>, >>>, >>9.99<<<                    | 10       |
| QadI01        | QAD Field                       |                     | ->, >>>, >>9                            |          |
| QadI02        | QAD Field                       |                     | ->, >>>, >>9                            |          |
| QadI03        | QAD Field                       |                     | ->, >>>, >>9                            |          |
| QadL01        | QAD Field                       |                     | yes/no                                  |          |
| QadL02        | QAD Field                       |                     | yes/no                                  |          |
| QadT01        | QAD Field                       |                     | 99/99/99                                |          |
| QadT02        | QAD Field                       |                     | 99/99/99                                |          |
| QadT03        | QAD Field                       |                     | 99/99/99                                |          |
| RefLevel      | Reference Uniqueness Level Ref! | Uniq                | x(1)                                    |          |
| TemplateDelim | Template Delimiter              | DLim                | x(1)                                    |          |
| UniqueID      |                                 |                     | 9                                       |          |
| User1         | User 1                          |                     | x(8)                                    |          |
| User2         | User 2                          |                     | x(8)                                    |          |
| UserC03       | User Field Character 3          |                     | x(24)                                   |          |
| UserC04       | User Field Character 4          |                     | x(24)                                   |          |
| UserC05       | User Field Characater 5         |                     | x(24)                                   |          |
| UserD01       | User Field Decimal 1            |                     | ->>>>, >>>, >>9.9<<<<<<<<<              | 10       |
| UserD02       | User Field Decimal 2            |                     | ->>>>, >>>, >>9.9<<<<<<<<<              | 10       |
| UserI01       | User Field Integer 1            |                     | ->>>>>>>9                               |          |
| UserI02       | User Field Integer 2            |                     | ->>>>>>>9                               |          |
| UserL01       | User Field Logical 1            |                     | yes/no                                  |          |
| UserL02       | User Field Logical 2            |                     | yes/no                                  |          |
| UserT01       | User Field Date 1               |                     | 99/99/99                                |          |
| UserT02       | User Field Date 1               |                     | 99/99/99                                |          |
| VerbLevel     | Verboosity Level                | Verb! Level         | >>9                                     |          |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_SystemC | yes | oid_SystemC | yes | no   |
| ◇* UniqueID   | yes | Domain      | yes | no   |
|               |     | UniqueID    | yes | no   |
| ◇ UsrIdx      | no  | Domain      | yes | no   |
|               |     | User1       | yes | no   |
|               |     | User2       | yes | no   |



## Synchronization Table-Field Master

|   | Index-Name       | Uni | Field-Name    | Asc | Abbr |
|---|------------------|-----|---------------|-----|------|
| ◇ | oid_syft_mstr    | yes | oid_syft_mstr | yes | no   |
|   | syft_fidname     | no  | syft_fidname  | yes | no   |
| * | syft_tbl_fidname | yes | syft_tblname  | yes | no   |
|   |                  |     | syft_fidname  | yes | no   |

## Physical Inventory Tag Master

| Field Name   | Label        | Col-Label | Format                   | Dec |
|--------------|--------------|-----------|--------------------------|-----|
| oid_tag_mstr |              |           | >>>>>>>>>>>>>>>>>>>>>9   | 10  |
| tag__qad01   |              |           | .9<<<<<<<<<<             |     |
| tag_cnt_conv | Count Conv   |           | ->>, >>, >>9.9<<<<<<<<<< | 10  |
| tag_cnt_dt   | Date Counted | Cnt Date  | >>>>9.9999               | 10  |
| tag_cnt_nam  | Counted By   | Cntd By   | 99/99/99                 |     |
| tag_cnt_qty  | Qty Counted  |           | x(8)                     |     |
| tag_cnt_um   | Count UM     | UM        | >, >>, >>9.9<<<<<<<<<    | 10  |
|              |              |           | x(2)                     |     |

| Field Name   | Label          | Col-Label | Format                | Dec |
|--------------|----------------|-----------|-----------------------|-----|
| tag_crt_dt   | Create Date    | Crt Date  | 99/99/99              |     |
| tag_domain   | Domain         |           | x(8)                  |     |
| tag_loc      | Location       |           | x(8)                  |     |
| tag_nbr      | Tag Number     | Tag Nbr   | >>>>>>9               |     |
| tag_part     | Item Number    |           | x(18)                 |     |
| tag_posted   | Posted         | Post      | yes/no                |     |
| tag_prt_dt   | Print Date     | Prt Date  | 99/99/99              |     |
| tag_rcnt_cnv | Recount Conv   | Rcnt Conv | >>>>9.9999            | 10  |
| tag_rcnt_dt  | Date Recounted | RcntDate  | 99/99/99              |     |
| tag_rcnt_nam | Recounted By   | Rcntd By  | x(8)                  |     |
| tag_rcnt_qty | Qty Recounted  |           | >, >>>, >>9.9<<<<<<<< | 10  |
| tag_rcnt_um  | Recount UM     | UM        | x(2)                  |     |
| tag_ref      | Ref            | Reference | x(8)                  |     |
| tag_rmks     | Remarks        |           | x(24)                 |     |
| tag_serial   | Lot/Serial     |           | x(18)                 |     |
| tag_site     | Site           |           | x(8)                  |     |
| tag_type     | Type           | T         | x(1)                  |     |
| tag_user1    | Ufld1          |           | x(8)                  |     |
| tag_user2    | Ufld2          |           | x(8)                  |     |
| tag_void     | Void           |           | yes/no                |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_tag_mstr | yes | oid_tag_mstr | yes | no   |
| * tag_nbr      | yes | tag_domain   | yes | no   |
|                |     | tag_nbr      | yes | no   |
| tag_pslsn      | yes | tag_domain   | yes | no   |
|                |     | tag_part     | yes | no   |
|                |     | tag_site     | yes | no   |
|                |     | tag_loc      | yes | no   |
|                |     | tag_serial   | yes | no   |
|                |     | tag_ref      | yes | no   |
|                |     | tag_nbr      | yes | no   |
| tag_pssltn     | yes | tag_domain   | yes | no   |
|                |     | tag_part     | yes | no   |
|                |     | tag_serial   | yes | no   |
|                |     | tag_ref      | yes | no   |
|                |     | tag_site     | yes | no   |
|                |     | tag_loc      | yes | no   |
|                |     | tag_nbr      | yes | no   |
| tag_slpsn      | yes | tag_domain   | yes | no   |
|                |     | tag_site     | yes | no   |
|                |     | tag_loc      | yes | no   |
|                |     | tag_part     | yes | no   |
|                |     | tag_serial   | yes | no   |
|                |     | tag_ref      | yes | no   |
|                |     | tag_nbr      | yes | no   |

## ◇ TaskAssD

### Warehousing Task Assignment Detail

| Field Name   | Label                  | Col-Label | Format                               | Dec |
|--------------|------------------------|-----------|--------------------------------------|-----|
| ActUserID    | User ID                |           | x(8)                                 |     |
| ConfMode     | Confirmation Mode      | Conf Mode | X(8)                                 |     |
| CreateDate   | Create Date            |           | 99/99/99                             |     |
| CreateUserID | Created                |           | x(8)                                 |     |
| Domain       | Domain                 |           | x(8)                                 |     |
| ModDate      | Modified Date          | Mod Date  | 99/99/99                             |     |
| ModUserID    | User ID                |           | x(8)                                 |     |
| oid_TaskAssD |                        |           | >>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| QadC01       | QAD Field              |           | X(8)                                 | 0   |
| QadC02       | QAD Field              |           | X(8)                                 | 0   |
| QadC03       | QAD Field              |           | X(8)                                 | 0   |
| QadC04       | QAD Field              |           | X(8)                                 | 0   |
| QadC05       | QAD Field              |           | X(8)                                 | 0   |
| QadD01       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                | 10  |
| QadD02       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                | 10  |
| QadD03       | QAD Field              |           | ->>>>, >>>, >>9.99<<<                | 10  |
| QadI01       | QAD Field              |           | ->, >>>, >>9                         |     |
| QadI02       | QAD Field              |           | ->, >>>, >>9                         |     |
| QadI03       | QAD Field              |           | ->, >>>, >>9                         |     |
| QadL01       | QAD Field              |           | yes/no                               |     |
| QadL02       | QAD Field              |           | yes/no                               |     |
| QadT01       | QAD Field              |           | 99/99/99                             |     |
| QadT02       | QAD Field              |           | 99/99/99                             |     |
| QadT03       | QAD Field              |           | 99/99/99                             |     |
| Queue        | Queue                  |           | >9                                   |     |
| Task         | Task                   |           | x(8)                                 |     |
| TaskSeq      | Seq                    |           | >>9                                  |     |
| User1        | User 1                 |           | x(8)                                 |     |
| User2        | User 2                 |           | x(8)                                 |     |
| UserC03      | User Field Character 3 |           | x(24)                                |     |
| UserC04      | User Field Character 4 |           | x(24)                                |     |
| UserC05      | User Field Character 5 |           | x(24)                                |     |
| UserD01      | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<           | 10  |
| UserD02      | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<<           | 10  |
| UserI01      | User Field Integer 1   |           | ->>>>>>>9                            |     |
| UserI02      | User Field Integer 2   |           | ->>>>>>>9                            |     |
| UserL01      | User Field Logical 1   |           | yes/no                               |     |
| UserL02      | User Field Logical 2   |           | yes/no                               |     |
| UserT01      | User Field Date 1      |           | 99/99/99                             |     |
| UserT02      | User Field Date 1      |           | 99/99/99                             |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_TaskAssD | yes | oid_TaskAssD | yes | no   |
| ◇* UserSeq     | yes | Domain       | yes | no   |
|                |     | ActUserID    | yes | no   |
|                |     | Queue        | yes | no   |
|                |     | TaskSeq      | yes | no   |
| ◇ UserTask     | yes | Domain       | yes | no   |
|                |     | ActUserID    | yes | no   |
|                |     | Task         | yes | no   |
| ◇ Usrldx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

## TaskAssM Warehousing Task Assignment Master

[illegible]

| Index-Name     | Uni | Field-Name               | Asc               | Abbr           |
|----------------|-----|--------------------------|-------------------|----------------|
| ◇* ActUserID   | yes | Domain<br>ActUserID      | yes<br>yes        | no<br>no       |
| ◇ oid_TaskAssM | yes | oid_TaskAssM             | yes               | no             |
| ◇ UsrIdx       | no  | Domain<br>User1<br>User2 | yes<br>yes<br>yes | no<br>no<br>no |

### Warehousing Task Detail

| Index-Name  | Uni | Field-Name   | Asc | Abbr |
|-------------|-----|--------------|-----|------|
| ◇ oid_TaskD | yes | oid_TaskD    | yes | no   |
| ◇* Task     | yes | Domain       | yes | no   |
|             |     | Task         | yes | no   |
|             |     | TrType       | yes | no   |
|             |     | IntRouteCode | yes | no   |
| ◇ UsrIdx    | no  | Domain       | yes | no   |
|             |     | User1        | yes | no   |
|             |     | User2        | yes | no   |

## ◇ TaskM

## Warehousing Task Master

[illegible]

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ oid_TaskM | yes | oid_TaskM  | yes | no   |
| ◇* Task     | yes | Domain     | yes | no   |
|             |     | Task       | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |

**tblcd\_det**

| Field Name       | Label                  | Col-Label | Format                                     | Dec |
|------------------|------------------------|-----------|--------------------------------------------|-----|
| oid_tblcd_det    |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |
| tblcd__qadc01    |                        |           | X(24)                                      |     |
| tblcd__qadc02    |                        |           | X(24)                                      |     |
| tblcd_active     | Active                 |           | yes/no                                     |     |
| tblcd_desc       | Description            |           | x(24)                                      |     |
| tblcd_domain     | Domain                 |           | x(8)                                       |     |
| tblcd_fld_name   | Field                  |           | x(32)                                      |     |
| tblcd_mod_date   | Modified Date          | Mod Date  | 99/99/99                                   |     |
| tblcd_mod_userid | User ID                |           | X(8)                                       |     |
| tblcd_table      | Table                  |           | x(16)                                      |     |
| tblcd_user1      | User Field Character 1 |           | X(24)                                      |     |
| tblcd_user2      | User Field Character 2 |           | X(24)                                      |     |

| Index-Name      | Uni | Field-Name     | Asc | Abbr |
|-----------------|-----|----------------|-----|------|
| ◇ oid_tblcd_det | yes | oid_tblcd_det  | yes | no   |
| * tblcd_table   | yes | tblcd_domain   | yes | no   |
|                 |     | tblcd_table    | yes | no   |
|                 |     | tblcd_fld_name | yes | no   |

**tblc\_mstr**

| Field Name      | Label                  | Col-Label | Format                  | Dec |
|-----------------|------------------------|-----------|-------------------------|-----|
| oid_tblc_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| tblc__qadc01    |                        |           | .9<<<<<<<<<<            |     |
| tblc__qadc02    |                        |           | X(24)                   |     |
| tblc_active     | Active                 |           | X(24)                   |     |
| tblc_delete     | Delete                 |           | yes/no                  |     |
| tblc_desc       | Description            |           | yes/no                  |     |
| tblc_domain     | Domain                 |           | x(24)                   |     |
| tblc_mod_date   | Modified Date          | Mod Date  | x(8)                    |     |
| tblc_mod_userid | User ID                |           | 99/99/99                |     |
| tblc_table      | Table                  |           | X(24)                   |     |
| tblc_user1      | User Field Character 1 |           | x(16)                   |     |
| tblc_user2      | User Field Character 2 |           | X(24)                   |     |
|                 |                        |           | X(24)                   |     |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| oid_tblc_mstr | yes | oid_tblc_mstr | yes | no   |
| tblc_table    | yes | tblc_domain   | yes | no   |
|               |     | tblc_table    | yes | no   |

## Service/Support Parent/Child Relationship Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_tbl_mstr | yes | oid_tbl_mstr | yes | no   |
|   | tbl_comp     | no  | tbl_domain   | yes | no   |
|   |              |     | tbl_comptype | yes | no   |
|   |              |     | tbl_compcode | yes | no   |
| * | tbl_typecode | yes | tbl_domain   | yes | no   |
|   |              |     | tbl_partype  | yes | no   |
|   |              |     | tbl_parcode  | yes | no   |
|   |              |     | tbl_comptype | yes | no   |
|   |              |     | tbl_compcode | yes | no   |





## ◇ TemplateM Warehousing Printer Template Master

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_TemplateM | yes | oid_TemplateM | yes | no   |
| ◇* Tempidx      | yes | Domain        | yes | no   |
|                 |     | Language      | yes | no   |
|                 |     | PrinterType   | yes | no   |
|                 |     | PrintProcCode | yes | no   |
|                 |     | PrintFlavor   | yes | no   |
| ◇ Usrldx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |

## Transaction Export Master

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| oid_te_mstr   | yes | oid_te_mstr   | yes | no   |
| te_date       | no  | te_domain     | yes | no   |
|               |     | te_date       | yes | no   |
| te_date_deliv | no  | te_domain     | yes | no   |
|               |     | te_date_deliv | yes | no   |
| te_dest       | no  | te_domain     | yes | no   |
|               |     | te_dest       | yes | no   |
| te_exp_type   | no  | te_domain     | yes | no   |

| Index-Name | Uni | Field-Name  | Asc | Abbr |
|------------|-----|-------------|-----|------|
| * te_mstr  | yes | te_exp_type | yes | no   |
|            |     | te_domain   | yes | no   |
|            |     | te_site     | yes | no   |
|            |     | te_nbr      | yes | no   |
|            |     | te_line     | yes | no   |
| te_nbr     | yes | te_domain   | yes | no   |
|            |     | te_nbr      | yes | no   |
|            |     | te_line     | yes | no   |

## tm mstr

Transportation Master

| Field Name   | Label                | Col-Label | Format                     | Dec |
|--------------|----------------------|-----------|----------------------------|-----|
| oid_tm_mstr  |                      |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| tm__qadc01   |                      |           | .9<<<<<<<<                 |     |
| tm_cmtindx   | Comment Index        | Comment   | x(8)                       |     |
| tm_code      | Transport ID         | Trans ID  | >>>>>>9                    |     |
| tm_cube_um   | UM                   |           | x(8)                       |     |
| tm_desc      | Description          |           | x(2)                       |     |
| tm_domain    | Domain               |           | x(24)                      |     |
| tm_gross_wt  | Gross Vehicle Weight | GVW       | x(8)                       |     |
| tm_height    | Height               |           | ->, >>, >>9.9<<<           | 10  |
| tm_length    | Length               |           | >>>, >>, >>9.9<<<          | 10  |
| tm_load_lt   | Load LT              |           | >>>, >>, >>9.9<<<          | 10  |
| tm_maxcube   | Max Load Volume      | Max Vol   | -->9.9<                    | 10  |
| tm_maxweight | Max Load Weight      | Max Load  | >>>, >>, >>9.9<<<          | 10  |
| tm_no_units  | Available Units      | Units     | >>>, >>, >>9.9<<<          | 10  |
| tm_pallets   | Pallet Capacity      | Pallets   | ->, >>, >>9                |     |
| tm_rate_code | Rate Table           | Rate      | >>>, >>, >>9               |     |
| tm_type      | Transport Type       | Type      | x(8)                       |     |
| tm_unload_lt | Unload LT            |           | x(8)                       |     |
| tm_user1     | Ufld1                |           | -->9.9<                    | 10  |
| tm_user2     | Ufld2                |           | x(8)                       |     |
| tm_weight_um | UM                   |           | x(8)                       |     |
| tm_width     | Width                |           | x(2)                       |     |
|              |                      |           | >>>, >>, >>9.9<<<          | 10  |

| Index-Name             | Uni | Field-Name   | Asc | Abbr |
|------------------------|-----|--------------|-----|------|
| $\diamond$ oid_tm_mstr | yes | oid_tm_mstr  | yes | no   |
| * tm_code              | yes | tm_domain    | yes | no   |
|                        |     | tm_code      | yes | no   |
| tm_desc                | no  | tm_domain    | yes | no   |
|                        |     | tm_desc      | yes | no   |
|                        |     | tm_code      | yes | no   |
| tm_rate                | no  | tm_domain    | yes | no   |
|                        |     | tm_rate_code | yes | no   |
|                        |     | tm_code      | yes | no   |



| Field Name        | Label                  | Col-Label | Format                                | Dec |
|-------------------|------------------------|-----------|---------------------------------------|-----|
| Domain            | Domain                 |           | x(8)                                  |     |
| MasterTrackingNbr | Master Tracking Nbr    |           | x(35)                                 |     |
| ModDate           | Modified               |           | 99/99/99                              |     |
| ModUserID         | Modified               |           | x(8)                                  |     |
| oid_TrackingD     |                        |           | >>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10  |
| QadC01            | QAD Field              |           | x(24)                                 | 0   |
| QadC02            | QAD Field              |           | x(24)                                 | 0   |
| QadC03            | QAD Field              |           | x(24)                                 | 0   |
| QadC04            | QAD Field              |           | x(24)                                 | 0   |
| QadD01            | QAD Field              |           | ->>>>, >>>, >>9.99<<<                 | 10  |
| QadD02            | QAD Field              |           | ->>>>, >>>, >>9.99<<<                 | 10  |
| QadD03            | QAD Field              |           | ->>>>, >>>, >>9.99<<<                 | 10  |
| QadI01            | QAD Field              |           | ->, >>>, >>9                          |     |
| QadI02            | QAD Field              |           | ->, >>>, >>9                          |     |
| QadI03            | QAD Field              |           | ->, >>>, >>9                          |     |
| QadL01            | QAD Field              |           | yes/no                                |     |
| QadL02            | QAD Field              |           | yes/no                                |     |
| QadT01            | QAD Field              |           | 99/99/99                              |     |
| QadT02            | QAD Field              |           | 99/99/99                              |     |
| QadT03            | QAD Field              |           | 99/99/99                              |     |
| ShipVia           | Ship Via               |           | x(20)                                 |     |
| Site              | Site                   |           | x(8)                                  |     |
| TrackingNumber    | Tracking Number        |           | x(35)                                 |     |
| TrackingURL       | Carrier URL            |           | x(65)                                 |     |
| TransMode         | Mode of Transport      |           | x(20)                                 |     |
| UserC01           | User Field Character 1 |           | x(24)                                 |     |
| UserC02           | User Field Character 2 |           | x(24)                                 |     |
| UserC03           | User Field Character 3 |           | x(24)                                 |     |
| UserC04           | User Field Character 4 |           | x(24)                                 |     |
| UserC05           | User Field Character 5 |           | x(24)                                 |     |
| UserD01           | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<            | 10  |
| UserD02           | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<             | 10  |
| UserL01           | User Field Logical 1   |           | yes/no                                |     |
| UserL02           | User Field Logical 2   |           | yes/no                                |     |
| UserT01           | User Field Date 1      |           | 99/99/99                              |     |
| UserT02           | User Field Date 2      |           | 99/99/99                              |     |
| Whse              | Warehouse              | Whse      | x(8)                                  |     |

| Index-Name          | Uni | Field-Name        | Asc | Abbr |
|---------------------|-----|-------------------|-----|------|
| ◇* ABSID            | yes | Domain            | yes | no   |
|                     |     | Site              | yes | no   |
|                     |     | ABSID             | yes | no   |
|                     |     | ContainerID       | yes | no   |
| ◇ MasterTrackingNbr | no  | Domain            | yes | no   |
|                     |     | MasterTrackingNbr | yes | no   |
|                     |     | ShipVia           | yes | no   |
| ◇ oid_TrackingD     | yes | oid_TrackingD     | yes | no   |
| ◇ SiteWhse          | no  | Domain            | yes | no   |
|                     |     | Site              | yes | no   |
|                     |     | Whse              | yes | no   |
| ◇ TrackingNumber    | no  | Domain            | yes | no   |
|                     |     | TrackingNumber    | yes | no   |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
| ◇ UsrIdx   | no  | ShipVia    | yes | no   |
|            |     | Domain     | yes | no   |
|            |     | UserC01    | yes | no   |
|            |     | UserC02    | yes | no   |

## ◇ TranD Warehousing Transaction Detail

[illegible]

| Field Name     | Label                     | Col-Label                  | Format                  | Dec |
|----------------|---------------------------|----------------------------|-------------------------|-----|
| OrigFrLoc      | Original From Location    | Original! From Loc         | x(8)                    |     |
| OrigFrLot      | Original From Lot/Serial  | Original! From Lot/Serial  | x(18)                   |     |
| OrigFrPart     | Original From Item Number | Original! From Item Number | x(18)                   |     |
| OrigFrRef      | Original From Reference   | Original! From Ref         | x(8)                    |     |
| OrigToLoc      | Original To Location      | Original! To Loc           | x(8)                    |     |
| OrigToLot      | Original To Lot/Serial    | Original! To Lot/Serial    | x(18)                   |     |
| OrigToPart     | Original To Item Number   | Original! To Item Number   | x(18)                   |     |
| OrigToRef      | Original To Reference     | Original! To Reference     | x(8)                    |     |
| Project        | Project                   |                            | x(8)                    |     |
| QadC01         | QAD Field                 |                            | X(8)                    | 0   |
| QadC02         | QAD Field                 |                            | X(8)                    | 0   |
| QadC03         | QAD Field                 |                            | X(8)                    | 0   |
| QadC04         | QAD Field                 |                            | X(8)                    | 0   |
| QadC05         | QAD Field                 |                            | X(8)                    | 0   |
| QadD01         | QAD Field                 |                            | ->>>>, >>>, >>9.99<<<   | 10  |
| QadD02         | QAD Field                 |                            | ->>>>, >>>, >>9.99<<<   | 10  |
| QadD03         | QAD Field                 |                            | ->>>>, >>>, >>9.99<<<   | 10  |
| QadI01         | QAD Field                 |                            | ->, >>>, >>9            |     |
| QadI02         | QAD Field                 |                            | ->, >>>, >>9            |     |
| QadI03         | QAD Field                 |                            | ->, >>>, >>9            |     |
| QadL01         | QAD Field                 |                            | yes/no                  |     |
| QadL02         | QAD Field                 |                            | yes/no                  |     |
| QadT01         | QAD Field                 |                            | 99/99/99                |     |
| QadT02         | QAD Field                 |                            | 99/99/99                |     |
| QadT03         | QAD Field                 |                            | 99/99/99                |     |
| QtyAct         | Actual                    |                            | ->, >>>, >>9.9<<<<<<<<< | 10  |
| QtyExp         | Expected                  |                            | ->, >>>, >>9.9<<<<<<<<< | 10  |
| Reason         | Reason                    |                            | x(8)                    |     |
| RecDSet        | Receipt Data Set          |                            | x(12)                   |     |
| Receiver       | Receiver                  |                            | x(8)                    |     |
| RecLine        | Receipt Line/ID           | Receipt! Line/ID           | x(8)                    |     |
| RecNbr         | Receipt Order             |                            | x(18)                   |     |
| RecReqNbr      | Requisition               |                            | x(8)                    |     |
| RecTrNbr       | Receipt                   |                            | >>>>>>>9                |     |
| RelNbr         | Release Group Nbr         | Rel Grp                    | >>>>>>>9                |     |
| Rmks           | Remarks                   |                            | x(24)                   |     |
| SampleID       | Sample ID                 | ID                         | >>>>>>>9                |     |
| Site           | Site                      |                            | x(8)                    |     |
| SOJob          | SO Job                    |                            | x(8)                    |     |
| StageStatus    | Stage Status              | Stg                        | x(2)                    |     |
| StartDate      | Started                   |                            | 99/99/99                |     |
| StartPrognam   | Started                   |                            | x(10)                   |     |
| StartTime      | Start Time                |                            | ->, >>>, >>9            |     |
| StartUserID    | Started                   |                            | x(8)                    |     |
| SystemCode     | System                    |                            | x(2)                    |     |
| SystemProcCode | Procedure Code            | Proc                       | x(2)                    |     |
| Task           | Task                      |                            | x(8)                    |     |
| ToAltUM        | To UM                     | To! UM                     | x(2)                    |     |
| ToDigit        | To Digit                  |                            | x(8)                    |     |
| ToLoc          | To Location               | To Loc                     | x(8)                    |     |
| ToLot          | To Lot/Serial             |                            | x(18)                   |     |
| ToPart         | To Item Number            |                            | x(18)                   |     |
| ToRef          | To Reference              | To! Reference              | x(8)                    |     |
| ToSite         | To Site                   |                            | x(8)                    |     |
| ToSlocGp       | To SLocGrp                | To! SLocGrp                | x(8)                    |     |
| ToWhse         | To Whse                   |                            | x(8)                    |     |
| ToWlocGp       | To WLocGrp                | To! WLocGrp                | x(8)                    |     |



| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ FromLoc    | no  | Domain     | yes | no   |
|              |     | FromSite   | yes | no   |
|              |     | FromWhse   | yes | no   |
|              |     | FromLoc    | yes | no   |
|              |     | FromPart   | yes | no   |
|              |     | FromLot    | yes | no   |
|              |     | FromRef    | yes | no   |
| ◇ FromPart   | no  | Domain     | yes | no   |
|              |     | FromPart   | yes | no   |
| ◇ FromSLocGp | no  | Domain     | yes | no   |
|              |     | FromSite   | yes | no   |
|              |     | FromWhse   | yes | no   |
|              |     | FromSlocgp | yes | no   |
|              |     | FromPart   | yes | no   |
|              |     | FromLot    | yes | no   |
|              |     | FromRef    | yes | no   |
|              |     | TrNbr      | yes | no   |
| ◇ InventNbr  | no  | Domain     | yes | no   |
|              |     | InventNbr  | yes | no   |
| ◇ IssOrder   | no  | Domain     | yes | no   |
|              |     | IssDSet    | yes | no   |
|              |     | IssNbr     | yes | no   |
|              |     | IssLine    | yes | no   |
| ◇ oid_TranD  | yes | oid_TranD  | yes | no   |
| ◇ RecOrder   | no  | Domain     | yes | no   |
|              |     | RecDSet    | yes | no   |
|              |     | RecNbr     | yes | no   |

| Index-Name   | Uni | Field-Name     | Asc | Abbr |
|--------------|-----|----------------|-----|------|
| ◇ RelGroup   | no  | RecLine        | yes | no   |
|              |     | Domain         | yes | no   |
|              |     | Site           | yes | no   |
|              |     | Whse           | yes | no   |
| ◇ SampleID   | no  | RelNbr         | yes | no   |
|              |     | Domain         | yes | no   |
|              |     | SampleID       | yes | no   |
|              |     | TrType         | yes | no   |
| ◇ SiteWhse   | no  | Domain         | yes | no   |
|              |     | Site           | yes | no   |
|              |     | Whse           | yes | no   |
|              |     | TrStatus       | yes | no   |
| ◇ StatusTo   | no  | Domain         | yes | no   |
|              |     | TrStatus       | yes | no   |
|              |     | ToSite         | yes | no   |
|              |     | ToLoc          | yes | no   |
| ◇ ToLoc      | no  | Domain         | yes | no   |
|              |     | ToSite         | yes | no   |
|              |     | ToWhse         | yes | no   |
|              |     | ToLoc          | yes | no   |
|              |     | ToPart         | yes | no   |
|              |     | ToLot          | yes | no   |
|              |     | ToRef          | yes | no   |
|              |     |                |     |      |
| ◇ ToPart     | no  | Domain         | yes | no   |
|              |     | ToPart         | yes | no   |
| ◇* TrNbr     | yes | Domain         | yes | no   |
| ◇ TrStatus   | no  | TrNbr          | yes | no   |
|              |     | Domain         | yes | no   |
|              |     | TrStatus       | yes | no   |
|              |     | SystemCode     | yes | no   |
| ◇ UltLoc     | no  | SystemProcCode | yes | no   |
|              |     | Domain         | yes | no   |
|              |     | UltSite        | yes | no   |
|              |     | UltWhse        | yes | no   |
|              |     | UltSlocgp      | yes | no   |
| ◇ UltSiteLoc | no  | UltLoc         | yes | no   |
|              |     | Domain         | yes | no   |
|              |     | UltSite        | yes | no   |
|              |     | UltLoc         | yes | no   |
| ◇ UsrIdx     | no  | Domain         | yes | no   |
|              |     | User1          | yes | no   |
|              |     | User2          | yes | no   |
| ◇ Wave       | no  | Domain         | yes | no   |
|              |     | Site           | yes | no   |
|              |     | Whse           | yes | no   |
|              |     | WaveNbr        | yes | no   |
| ◇ WLocGp     | no  | Domain         | yes | no   |
|              |     | Site           | yes | no   |
|              |     | Whse           | yes | no   |
|              |     | WLocGp         | yes | no   |

## Warehousing Transaction History

0

| Field Name     | Label             | Col-Label          | Format                 | Dec |
|----------------|-------------------|--------------------|------------------------|-----|
| QadC02         | QAD Field         |                    | X(8)                   | 0   |
| QadC03         | QAD Field         |                    | X(8)                   | 0   |
| QadC04         | QAD Field         |                    | X(8)                   | 0   |
| QadC05         | QAD Field         |                    | X(8)                   | 0   |
| QadD01         | QAD Field         |                    | ->>, >>9.99            | 10  |
| QadD02         | QAD Field         |                    | ->>>>, >>>, >>9.99<<<  | 10  |
| QadD03         | QAD Field         |                    | ->>>>, >>>, >>9.99<<<  | 10  |
| QadI01         | QAD Field         |                    | ->, >>>, >>9           |     |
| QadI02         | QAD Field         |                    | ->, >>>, >>9           |     |
| QadI03         | QAD Field         |                    | ->, >>>, >>9           |     |
| QadL01         | QAD Field         |                    | yes/no                 |     |
| QadL02         | QAD Field         |                    | yes/no                 |     |
| QadT01         | QAD Field         |                    | 99/99/99               |     |
| QadT02         | QAD Field         |                    | 99/99/99               |     |
| QadT03         | QAD Field         |                    | 99/99/99               |     |
| QtyAct         | Actual            |                    | ->, >>>, >>9.9<<<<<<<< | 10  |
| QtyExp         | Expected          |                    | ->, >>>, >>9.9<<<<<<<< | 10  |
| Reason         | Reason            |                    | x(8)                   |     |
| RecDSet        | Receipt Data Set  |                    | x(12)                  |     |
| Receiver       | Receiver          |                    | x(8)                   |     |
| RecLine        | Receipt Line/ID   | Receipt! Line/ID   | x(8)                   |     |
| RecNbr         | Receipt Order     |                    | x(18)                  |     |
| RecReqNbr      | Requisition       |                    | x(8)                   |     |
| RecTrNbr       | Receipt           |                    | >>>>>>>9               |     |
| RelNbr         | Release Group Nbr | Rel Grp            | >>>>>>>9               |     |
| Rmks           | Remarks           |                    | x(24)                  |     |
| SampleID       | Sample ID         | ID                 | >>>>>>>9               |     |
| Site           | Site              |                    | x(8)                   |     |
| SOJob          | SO Job            |                    | x(8)                   |     |
| StageStatus    | Stage Status      | Stg                | x(2)                   |     |
| StartDate      | Started           |                    | 99/99/99               |     |
| StartPrognome  | Started           |                    | x(10)                  |     |
| StartTime      |                   |                    | ->, >>>, >>9           |     |
| StartUserID    | Started           |                    | x(8)                   |     |
| SystemCode     | System            |                    | x(2)                   |     |
| SystemProcCode | Procedure Code    | Proc               | x(2)                   |     |
| Task           | Task              |                    | x(8)                   |     |
| ToAltUM        | To UM             | To! UM             | x(2)                   |     |
| ToDigit        | To Digit          |                    | x(8)                   |     |
| ToLoc          | To Location       | To Loc             | x(8)                   |     |
| ToLot          | To Lot/Serial     |                    | x(18)                  |     |
| ToPart         | To Item Number    |                    | x(18)                  |     |
| ToRef          | To Reference      | To! Reference      | x(8)                   |     |
| ToSite         | To Site           |                    | x(8)                   |     |
| ToSlocGp       | To SLocGrp        | To! SLocGrp        | x(8)                   |     |
| ToWhse         | To Whse           |                    | x(8)                   |     |
| ToWlocgp       | To WLocGrp        | To! WLocGrp        | x(8)                   |     |
| TrNbr          | Transaction       | Trans              | >>>>>>>9               |     |
| TrPrilnc       | Increment         |                    | ->, >>>, >>9           |     |
| TrPriority     | Priority          |                    | ->, >>>, >>9           |     |
| TrSeq          | Sequence          | Seq                | >>>9                   |     |
| TrStatus       | Status            | St                 | x(8)                   |     |
| TrType         | Type              |                    | x(8)                   |     |
| TwoPhase       | Two Phase         | 2Ph                | yes/no                 |     |
| UltLoc         | Ultimate Location | Ultimate! Location | x(8)                   |     |
| UltSite        | Ultimate Site     | Ultimate! Site     | x(8)                   |     |
| UltSlocgp      | Ultimate SLocGrp  | Ultimate! SLocGrp  | x(8)                   |     |

| Field Name  | Label                  | Col-Label        | Format                      | Dec |
|-------------|------------------------|------------------|-----------------------------|-----|
| UltWhse     | Ultimate Warehouse     | Ultimate! Whse   | x(8)                        |     |
| User1       | User 1                 |                  | x(8)                        |     |
| User2       | User 2                 |                  | x(8)                        |     |
| UserC03     | User Field Character 3 |                  | x(24)                       |     |
| UserC04     | User Field Character 4 |                  | x(24)                       |     |
| UserC05     | User Field Character 5 |                  | x(24)                       |     |
| UserD01     | User Field Decimal 1   |                  | -->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02     | User Field Decimal 2   |                  | -->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserI01     | User Field Integer 1   |                  | -->>>>>>>9                  |     |
| UserI02     | User Field Integer 2   |                  | -->>>>>>>9                  |     |
| UserL01     | User Field Logical 1   |                  | yes/no                      |     |
| UserL02     | User Field Logical 2   |                  | yes/no                      |     |
| UserT01     | User Field Date 1      |                  | 99/99/99                    |     |
| UserT02     | User Field Date 1      |                  | 99/99/99                    |     |
| WaveNbr     | Wave Number            | Wave Nbr         | x(8)                        |     |
| Whse        | Warehouse              | Whse             | x(8)                        |     |
| WLocGp      | Work Loc Group         | WLocGrp          | x(8)                        |     |
| xPrevQtyAct | Previous Actual        | Previous! Actual | ->, >>>, >>9.9<<<<<<<<      | 10  |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ FromLoc    | no  | Domain     | yes | no   |
|              |     | FromSite   | yes | no   |
|              |     | FromWhse   | yes | no   |
|              |     | FromLoc    | yes | no   |
|              |     | FromPart   | yes | no   |
|              |     | FromLot    | yes | no   |
|              |     | FromRef    | yes | no   |
| ◇ FromPart   | no  | Domain     | yes | no   |
|              |     | FromPart   | yes | no   |
| ◇ FromSLocGp | no  | Domain     | yes | no   |
|              |     | FromSite   | yes | no   |
|              |     | FromWhse   | yes | no   |
|              |     | FromSlocgp | yes | no   |
|              |     | FromPart   | yes | no   |
|              |     | FromLot    | yes | no   |
|              |     | FromRef    | yes | no   |
|              |     | TrNbr      | yes | no   |
|              |     | TrSeq      | yes | no   |
| ◇ IssOrder   | no  | Domain     | yes | no   |
|              |     | IssDSet    | yes | no   |
|              |     | IssNbr     | yes | no   |
|              |     | IssLine    | yes | no   |
| ◇ oid_TranH  | yes | oid_TranH  | yes | no   |
| ◇ RecOrder   | no  | Domain     | yes | no   |
|              |     | RecDSet    | yes | no   |
|              |     | RecNbr     | yes | no   |
|              |     | RecLine    | yes | no   |
| ◇ RelGroup   | no  | Domain     | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |
|              |     | RelNbr     | yes | no   |
| ◇ StatusTo   | no  | Domain     | yes | no   |
|              |     | TrStatus   | yes | no   |
|              |     | ToSite     | yes | no   |
|              |     | ToLoc      | yes | no   |
| ◇ ToLoc      | no  | Domain     | yes | no   |

| Index-Name  | Uni | Field-Name     | Asc | Abbr |
|-------------|-----|----------------|-----|------|
|             |     | ToSite         | yes | no   |
|             |     | ToWhse         | yes | no   |
|             |     | ToLoc          | yes | no   |
|             |     | ToPart         | yes | no   |
|             |     | ToLot          | yes | no   |
|             |     | ToRef          | yes | no   |
| ◇ ToPart    | no  | Domain         | yes | no   |
|             |     | ToPart         | yes | no   |
| ◇* TrNbrSeq | yes | Domain         | yes | no   |
|             |     | TrNbr          | yes | no   |
|             |     | TrSeq          | yes | no   |
| ◇ TrStatus  | no  | Domain         | yes | no   |
|             |     | TrStatus       | yes | no   |
|             |     | SystemCode     | yes | no   |
|             |     | SystemProcCode | yes | no   |
| ◇ UsrIdx    | no  | Domain         | yes | no   |
|             |     | User1          | yes | no   |
|             |     | User2          | yes | no   |
| ◇ Wave      | no  | Domain         | yes | no   |
|             |     | Site           | yes | no   |
|             |     | Whse           | yes | no   |
|             |     | WaveNbr        | yes | no   |

◇ TransactionTypeTransaction Type

| Field Name     | Label | Col-Label | Format        | Dec |
|----------------|-------|-----------|---------------|-----|
| Country_ID     |       |           | 9999999999    |     |
| CustomCombo0   |       |           | x(20)         |     |
| CustomCombo1   |       |           | x(20)         |     |
| CustomCombo2   |       |           | x(20)         |     |
| CustomCombo3   |       |           | x(20)         |     |
| CustomCombo4   |       |           | x(20)         |     |
| CustomCombo5   |       |           | x(20)         |     |
| CustomCombo6   |       |           | x(20)         |     |
| CustomCombo7   |       |           | x(20)         |     |
| CustomCombo8   |       |           | x(20)         |     |
| CustomCombo9   |       |           | x(20)         |     |
| CustomDate0    |       |           | 99/99/9999    |     |
| CustomDate1    |       |           | 99/99/9999    |     |
| CustomDate2    |       |           | 99/99/9999    |     |
| CustomDate3    |       |           | 99/99/9999    |     |
| CustomDate4    |       |           | 99/99/9999    |     |
| CustomDecimal0 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 |       |           | ->,>>>,>>9.99 | 4   |
| CustomInteger0 |       |           | ->,>>>,>>9    |     |
| CustomInteger1 |       |           | ->,>>>,>>9    |     |
| CustomInteger2 |       |           | ->,>>>,>>9    |     |
| CustomInteger3 |       |           | ->,>>>,>>9    |     |
| CustomInteger4 |       |           | ->,>>>,>>9    |     |
| CustomLong0    |       |           | x(255)        |     |
| CustomLong1    |       |           | x(255)        |     |
| CustomNote     |       |           | x(2000)       |     |

| Field Name                 | Label | Col-Label | Format     | Dec |
|----------------------------|-------|-----------|------------|-----|
| CustomShort0               |       |           | x(20)      |     |
| CustomShort1               |       |           | x(20)      |     |
| CustomShort2               |       |           | x(20)      |     |
| CustomShort3               |       |           | x(20)      |     |
| CustomShort4               |       |           | x(20)      |     |
| CustomShort5               |       |           | x(20)      |     |
| CustomShort6               |       |           | x(20)      |     |
| CustomShort7               |       |           | x(20)      |     |
| CustomShort8               |       |           | x(20)      |     |
| CustomShort9               |       |           | x(20)      |     |
| LastModifiedDate           |       |           | 99/99/9999 |     |
| LastModifiedTime           |       |           | 99999      |     |
| LastModifiedUser           |       |           | x(20)      |     |
| TransactionType_ID         |       |           | 9999999999 |     |
| TransactionTypeCode        |       |           | x(20)      |     |
| TransactionTypeDescription |       |           | x(40)      |     |
| TransactionTypeIsActive    |       |           | yes/no     |     |

| Index-Name   | Uni | Field-Name              | Asc | Abbr |
|--------------|-----|-------------------------|-----|------|
| ◇ ActivedIx  | no  | TransactionTypeIsActive | yes | no   |
| ◇ CntCodeIdx | yes | Country_ID              | yes | no   |
|              |     | TransactionTypeCode     | yes | no   |
| ◇* Prim      | yes | TransactionType_ID      | yes | no   |
| ◇ ViewIndex  | no  | TransactionTypeIsActive | yes | no   |
|              |     | TransactionTypeCode     | yes | no   |

◇ **TransportMeans** Means Of Transport

| Field Name     | Label | Col-Label | Format        | Dec |
|----------------|-------|-----------|---------------|-----|
| CustomCombo0   |       |           | x(20)         |     |
| CustomCombo1   |       |           | x(20)         |     |
| CustomCombo2   |       |           | x(20)         |     |
| CustomCombo3   |       |           | x(20)         |     |
| CustomCombo4   |       |           | x(20)         |     |
| CustomCombo5   |       |           | x(20)         |     |
| CustomCombo6   |       |           | x(20)         |     |
| CustomCombo7   |       |           | x(20)         |     |
| CustomCombo8   |       |           | x(20)         |     |
| CustomCombo9   |       |           | x(20)         |     |
| CustomDate0    |       |           | 99/99/9999    |     |
| CustomDate1    |       |           | 99/99/9999    |     |
| CustomDate2    |       |           | 99/99/9999    |     |
| CustomDate3    |       |           | 99/99/9999    |     |
| CustomDate4    |       |           | 99/99/9999    |     |
| CustomDecimal0 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 |       |           | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 |       |           | ->,>>>,>>9.99 | 4   |
| CustomInteger0 |       |           | ->,>>>,>>9    |     |
| CustomInteger1 |       |           | ->,>>>,>>9    |     |
| CustomInteger2 |       |           | ->,>>>,>>9    |     |
| CustomInteger3 |       |           | ->,>>>,>>9    |     |

| Field Name                | Label | Col-Label | Format       | Dec |
|---------------------------|-------|-----------|--------------|-----|
| CustomInteger4            |       |           | ->, >>>, >>9 |     |
| CustomLong0               |       |           | x(255)       |     |
| CustomLong1               |       |           | x(255)       |     |
| CustomNote                |       |           | x(2000)      |     |
| CustomShort0              |       |           | x(20)        |     |
| CustomShort1              |       |           | x(20)        |     |
| CustomShort2              |       |           | x(20)        |     |
| CustomShort3              |       |           | x(20)        |     |
| CustomShort4              |       |           | x(20)        |     |
| CustomShort5              |       |           | x(20)        |     |
| CustomShort6              |       |           | x(20)        |     |
| CustomShort7              |       |           | x(20)        |     |
| CustomShort8              |       |           | x(20)        |     |
| CustomShort9              |       |           | x(20)        |     |
| LastModifiedDate          |       |           | 99/99/9999   |     |
| LastModifiedTime          |       |           | 99999        |     |
| LastModifiedUser          |       |           | x(20)        |     |
| TransportMeans_ID         |       |           | 9999999999   |     |
| TransportMeansCode        |       |           | x(20)        |     |
| TransportMeansDescription |       |           | x(40)        |     |
| TransportMeansIsActive    |       |           | yes/no       |     |
| TransportMeansIsDefault   |       |           | yes/no       |     |

| Index-Name  | Uni | Field-Name             | Asc | Abbr |
|-------------|-----|------------------------|-----|------|
| ◇ Activedx  | no  | TransportMeansIsActive | yes | no   |
| ◇ Codeldx   | yes | TransportMeansCode     | yes | no   |
| ◇* Prim     | yes | TransportMeans_ID      | yes | no   |
| ◇ ViewIndex | no  | TransportMeansIsActive | yes | no   |
|             |     | TransportMeansCode     | yes | no   |

## ◇ TranTypeM Warehousing Transaction Type Master

[illegible]



| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_TranTypeM | yes | oid_TranTypeM | yes | no   |
| ◇* TrType       | yes | Domain        | yes | no   |
|                 |     | TrType        | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |

| Field Name     | Label            | Col-Label         | Format                                           | Dec |
|----------------|------------------|-------------------|--------------------------------------------------|-----|
| CreateDate     | Create Date      |                   | 99/99/99                                         |     |
| CreateProgName | Created          |                   | x(10)                                            |     |
| CreateUserID   | Created          |                   | x(8)                                             |     |
| Domain         | Domain           |                   | x(8)                                             |     |
| InternalID     | Internal User ID | Internal! User ID | x(50)                                            |     |
| ModDate        | Modified Date    | Mod Date          | 99/99/99                                         |     |
| ModUserID      | User ID          |                   | x(8)                                             |     |
| oid_TranW      |                  |                   | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| QadC01         | QAD Field        |                   | X(8)                                             | 0   |
| QadC02         | QAD Field        |                   | X(8)                                             | 0   |

| Field Name | Label                  | Col-Label | Format                      | Dec |
|------------|------------------------|-----------|-----------------------------|-----|
| QadC03     | QAD Field              |           | X(8)                        | 0   |
| QadC04     | QAD Field              |           | X(8)                        | 0   |
| QadC05     | QAD Field              |           | X(8)                        | 0   |
| QadD01     | QAD Field              |           | ->>>>, >>>, >>9.99<<<       | 10  |
| QadD02     | QAD Field              |           | ->>>>, >>>, >>9.99<<<       | 10  |
| QadD03     | QAD Field              |           | ->>>>, >>>, >>9.99<<<       | 10  |
| QadI01     | QAD Field              |           | ->, >>>, >>9                |     |
| QadI02     | QAD Field              |           | ->, >>>, >>9                |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9                |     |
| QadL01     | QAD Field              |           | yes/no                      |     |
| QadL02     | QAD Field              |           | yes/no                      |     |
| QadT01     | QAD Field              |           | 99/99/99                    |     |
| QadT02     | QAD Field              |           | 99/99/99                    |     |
| QadT03     | QAD Field              |           | 99/99/99                    |     |
| TrNbr      | Transaction            | Trans     | >>>>>>>9                    |     |
| User1      | User 1                 |           | x(8)                        |     |
| User2      | User 2                 |           | x(8)                        |     |
| UserC03    | User Field Character 3 |           | x(24)                       |     |
| UserC04    | User Field Character 4 |           | x(24)                       |     |
| UserC05    | User Field Character 5 |           | x(24)                       |     |
| UserD01    | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |           | ->>>>>>>9                   |     |
| UserI02    | User Field Integer 2   |           | ->>>>>>>9                   |     |
| UserL01    | User Field Logical 1   |           | yes/no                      |     |
| UserL02    | User Field Logical 2   |           | yes/no                      |     |
| UserT01    | User Field Date 1      |           | 99/99/99                    |     |
| UserT02    | User Field Date 1      |           | 99/99/99                    |     |
| WkType     | Type                   |           | x(8)                        |     |

| Index-Name      | Uni | Field-Name | Asc | Abbr |
|-----------------|-----|------------|-----|------|
| ◇ oid_TranW     | yes | oid_TranW  | yes | no   |
| ◇* UserTypeTran | yes | Domain     | yes | no   |
|                 |     | InternalID | yes | no   |
|                 |     | WkType     | yes | no   |
|                 |     | TrNbr      | yes | no   |
| ◇ UsrIdx        | no  | Domain     | yes | no   |
|                 |     | User1      | yes | no   |
|                 |     | User2      | yes | no   |

**trcs\_det**

### Transaction Cost Detail

| Field Name   | Label | Col-Label | Format                  | Dec |
|--------------|-------|-----------|-------------------------|-----|
| oid_trcs_det |       |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |       |           | .9<<<<<<<<              |     |
| trcs__qad01  |       |           | x(8)                    |     |
| trcs__qad02  |       |           | x(8)                    |     |
| trcs__qad03  |       |           | x(8)                    |     |
| trcs__qad04  |       |           | >>>, >>>, >>9.99        | 10  |
| trcs__qad05  |       |           | >>>, >>>, >>9.99        | 10  |
| trcs__qad06  |       |           | >>>, >>>, >>9.99        | 10  |
| trcs__qad07  |       |           | 99/99/99                |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_trcs_det | yes | oid_trcs_det | yes | no   |
| * | trcs_nbr_set | yes | trcs_domain  | yes | no   |
|   |              |     | trcs_trnbr   | yes | no   |
|   |              |     | trcs_set     | yes | no   |

### Inventory Transaction and General Ledger Cross-Reference



| Index-Name        | Uni | Field-Name    | Asc | Abbr |
|-------------------|-----|---------------|-----|------|
| ◇ oid_trgl_det    | yes | oid_trgl_det  | yes | no   |
| trgl_dr_cr        | no  | trgl_domain   | yes | no   |
|                   |     | trgl_dr_acct  | yes | no   |
|                   |     | trgl_dr_sub   | yes | no   |
|                   |     | trgl_dr_cc    | yes | no   |
|                   |     | trgl_cr_acct  | yes | no   |
|                   |     | trgl_cr_sub   | yes | no   |
|                   |     | trgl_cr_cc    | yes | no   |
| trgl_dy_code      | no  | trgl_domain   | yes | no   |
|                   |     | trgl_dy_code  | yes | no   |
|                   |     | trgl_dy_num   | yes | no   |
| * trgl_nbr_ref    | yes | trgl_domain   | yes | no   |
|                   |     | trgl_trnbr    | yes | no   |
|                   |     | trgl_gl_ref   | yes | no   |
|                   |     | trgl_sequence | yes | no   |
| trgl_ref_nbr      | no  | trgl_domain   | yes | no   |
|                   |     | trgl_gl_ref   | yes | no   |
|                   |     | trgl_trnbr    | yes | no   |
| trgl_type_nbr_ref | no  | trgl_domain   | yes | no   |
|                   |     | trgl_type     | yes | no   |
|                   |     | trgl_trnbr    | yes | no   |
|                   |     | trgl_gl_ref   | yes | no   |

| trld | det |

Trailer Tax Detail

| Field Name    | Label        | Col-Label | Format                         | Dec |
|---------------|--------------|-----------|--------------------------------|-----|
| oid_trld_det  |              |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| trld__chr01   |              |           | .9<<<<<<<<<                    |     |
| trld__log01   |              |           | x(8)                           |     |
| trld__qad01   |              |           | yes/no                         |     |
| trld__qad02   |              |           | x(8)                           |     |
| trld__qad03   |              |           | x(8)                           |     |
| trld__qad04   |              |           | ->>>, >>>, >>>9.99             | 10  |
| trld__qad05   |              |           | 99/99/99                       |     |
| trld_code     | Trailer Code | Trl! Code | yes/no                         |     |
| trld_domain   | Domain       |           | x(4)                           |     |
| trld_tax_type | Tax Type     |           | x(8)                           |     |
| trld_taxable  | Taxable      |           | x(16)                          |     |
| trld_taxc     | Tax Class    | TxC       | yes/no                         |     |
| trld_user1    | Ufld1        |           | x(3)                           |     |
| trld_user2    | Ufld2        |           | x(8)                           |     |

|   | Index-Name     | Uni | Field-Name    | Asc | Abbr |
|---|----------------|-----|---------------|-----|------|
| ◇ | oid_trld_det   | yes | oid_trld_det  | yes | no   |
| * | trld_code_type | yes | trld_domain   | yes | no   |
|   |                |     | trld_code     | yes | no   |
|   |                |     | trld_tax_type | yes | no   |

## Trailer Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_trl_mstr | yes | oid_trl_mstr | yes | no   |
| * | trl_code     | yes | trl_domain   | yes | no   |
|   |              |     | trl_code     | yes | no   |

## Transmission Date Reference Master

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_trq_mstr | yes | oid_trq_mstr | yes | no   |
|   | trq_doc_type | yes | trq_domain   | yes | no   |
|   |              |     | trq_doc_type | yes | no   |
|   |              |     | trq_doc_ref  | yes | no   |
|   |              |     | trq_add_ref  | yes | no   |
| * | trq_id       | yes | trq_domain   | yes | no   |
|   |              |     | trq_id       | yes | no   |

### Inventory Transaction History

| Field Name        | Label          | Col-Label | Format                     | Dec |
|-------------------|----------------|-----------|----------------------------|-----|
| oid_tr_hist       |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| tr__chr01         |                |           | .9<<<<<<<<<                |     |
| tr__chr02         |                |           | x(8)                       |     |
| tr__chr03         |                |           | x(8)                       |     |
| tr__chr04         |                |           | x(8)                       |     |
| tr__chr05         |                |           | x(8)                       |     |
| tr__chr06         |                |           | x(8)                       |     |
| tr__chr07         |                |           | x(8)                       |     |
| tr__chr08         |                |           | x(8)                       |     |
| tr__chr09         |                |           | x(8)                       |     |
| tr__chr10         |                |           | x(8)                       |     |
| tr__chr11         |                |           | x(8)                       |     |
| tr__chr12         |                |           | x(8)                       |     |
| tr__chr13         |                |           | x(8)                       |     |
| tr__chr14         |                |           | x(8)                       |     |
| tr__chr15         |                |           | x(8)                       |     |
| tr__dec01         |                |           | >>>, >>>, >>9.99           | 10  |
| tr__dec02         |                |           | >>>, >>>, >>9.99           | 10  |
| tr__dec03         |                |           | >>>, >>>, >>9.99           | 10  |
| tr__dec04         |                |           | >>>, >>>, >>9.99           | 10  |
| tr__dec05         |                |           | >>>, >>>, >>9.99           | 10  |
| tr__dte01         |                |           | 99/99/99                   |     |
| tr__dte02         |                |           | 99/99/99                   |     |
| tr__dte03         |                |           | 99/99/99                   |     |
| tr__dte04         |                |           | 99/99/99                   |     |
| tr__dte05         |                |           | 99/99/99                   |     |
| tr__log01         |                |           | yes/no                     |     |
| tr__log02         |                |           | yes/no                     |     |
| tr_addr           | Address        |           | x(8)                       |     |
| tr_assay          | Assay %        |           | >>9.99%                    | 10  |
| tr_auto_install   | Auto Installed |           | yes/no                     |     |
| tr_batch          | Batch          |           | x(18)                      |     |
| tr_bdn_std        | Burden         |           | ->>>, >>>, >>9.99<<<       | 10  |
| tr_begin_qoh      | Begin Balance  |           | ->, >>>, >>9.9<<<<<<<<     | 10  |
| tr_ca_int_type    | Work Code      |           | x(8)                       |     |
| tr_ca_opn_date    |                |           | 99/99/99                   |     |
| tr_covered_amt    | Covered Amount |           | >>>>, >>>, >>9.99<<<       | 10  |
| tr_cprice         | Price          |           | >>>>, >>>, >>9.99<<<       | 10  |
| tr_curr           | Currency       | Cur       | x(3)                       |     |
| tr_date           | Date           |           | 99/99/99                   |     |
| tr_daycode        | Day Code       |           | x(8)                       |     |
| tr_doc_id         | Document ID    |           | x(24)                      |     |
| tr_domain         | Domain         |           | x(8)                       |     |
| tr_effdate        | Effective      | Eff Date  | 99/99/99                   |     |
| tr_enduser        | End User       |           | X(8)                       |     |
| tr_eng_area       | Service Area   | Area      | x(18)                      |     |
| tr_eng_code       | Engineer Code  | Eng Code  | x(8)                       |     |
| tr_ex_rate        | Exch Rate      |           | >>>>, >>>, >>9.9<<<<<<<<<  | 10  |
| tr_ex_rate2       | Exch Rate 2    |           | >>>>, >>>, >>9.9<<<<<<<<<  | 10  |
| tr_ex_ratetype    | Rate Type      |           | x(8)                       |     |
| tr_expire         | Expire Date    |           | 99/99/99                   |     |
| tr_exru_seq       | Sequence       |           | >>>>>>>9                   |     |
| tr_fcg_code       | Charge Code    |           | x(8)                       |     |
| tr_fldchg_cmtindx | Comment        |           | >>>>>>>9                   |     |

|   | Field Name      | Label                    | Col-Label | Format                 | Dec |
|---|-----------------|--------------------------|-----------|------------------------|-----|
|   | tr_for          | Service Part             |           | x(18)                  |     |
|   | tr_fsc_code     | Service Category         |           | x(8)                   |     |
|   | tr_fsm_type     | FSM Type                 |           | x(8)                   |     |
|   | tr_gl_amt       | Amount                   |           | ->>>>>, >>9.99         | 10  |
|   | tr_gl_date      | GL Date                  |           | 99/99/99               |     |
|   | tr_grade        | Grade                    |           | x(2)                   |     |
|   | tr_last_date    | Last Activity            |           | 99/99/99               |     |
|   | tr_lbr_std      | Labor                    |           | ->>>, >>>, >>9.99<<<   | 10  |
|   | tr_line         | Line                     | Ln        | >>9                    |     |
|   | tr_loc          | Loc                      | Location  | x(8)                   |     |
|   | tr_loc_begin    | Begin Loc Bal            |           | ->, >>>, >>9.9<<<<<<<< | 10  |
|   | tr_lot          | ID                       |           | x(8)                   |     |
| Δ | tr_msg          | Message Number           | Msg       | >>>>9                  |     |
|   | tr_mtl_std      | Material                 |           | ->>>, >>>, >>9.99<<<   | 10  |
|   | tr_nbr          | Order                    |           | x(18)                  |     |
|   | tr_ord_rev      | Revision                 | Rev       | >>9                    |     |
|   | tr_ovh_std      | Overhead                 |           | >>>>, >>>, >>9.99<<<   | 10  |
|   | tr_part         | Item Number              |           | x(18)                  |     |
|   | tr_per_date     | Performance Date         | Perform   | 99/99/99               |     |
|   | tr_price        | Price                    |           | ->>>, >>>, >>9.99<<<   | 10  |
|   | tr_prod_line    | Product Line             | Line      | x(4)                   |     |
|   | tr_program      | Program                  |           | x(12)                  |     |
|   | tr_promise_date | Promise Date             | Promise   | 99/99/99               |     |
|   | tr_qty_chg      | Qty Change               |           | ->, >>>, >>9.9<<<<<<<  | 10  |
| ◇ | tr_qty_cn_adj   | Consignment Qty Adjusted |           | ->, >>>, >>9.9<<<<<<<  | 10  |
|   | tr_qty_loc      | Loc Qty Change           |           | ->, >>>, >>9.9<<<<<<<  | 10  |
|   | tr_qty_req      | Qty Required             |           | ->, >>>, >>9.9<<<<<<<  | 10  |
|   | tr_qty_short    | Qty Short                |           | ->, >>>, >>9.9<<<<<<<  | 10  |
|   | tr_ref          | Ref                      | Reference | x(8)                   |     |
|   | tr_ref_site     | Reference Site           | Ref Site  | x(8)                   |     |
|   | tr_rev          | Rev                      |           | x(4)                   |     |
|   | tr_rmks         | Remarks                  |           | x(10)                  |     |
|   | tr_rsn_code     | Reason                   |           | x(8)                   |     |
|   | tr_sa_nbr       | Contract                 |           | x(8)                   | 0   |
|   | tr_serial       | Lot/Serial               |           | x(18)                  |     |
|   | tr_ship_date    | Ship Date                |           | 99/99/99               |     |
|   | tr_ship_id      | Shipper Number           |           | x(20)                  |     |
|   | tr_ship_inv_mov | Inventory Movement Code  | Inv Mov   | x(8)                   |     |
|   | tr_ship_type    | Ship Type                | T         | x(1)                   |     |
|   | tr_site         | Site                     |           | x(8)                   |     |
|   | tr_slspsn[4]    | Salesperson              | Salespsn  | x(8)                   |     |
|   | tr_so_job       | Sales/Job                |           | x(8)                   |     |
|   | tr_status       | Inventory Status         | Status    | x(8)                   |     |
|   | tr_sub_std      | Subcontract              |           | ->>>, >>>, >>9.99<<<   | 10  |
|   | tr_sv_code      | Contract Type            |           | x(8)                   |     |
|   | tr_svc_type     |                          |           | x(1)                   |     |
|   | tr_sys_prod     | System Product Line      | S Prod    | x(4)                   |     |
|   | tr_time         | Time                     |           | >>, >>>, >>9           |     |
|   | tr_trnbr        | Trans                    |           | >>>>>>>                |     |
|   | tr_type         | Trans Type               | Type      | x(8)                   |     |
|   | tr_um           | UM                       |           | x(2)                   |     |
|   | tr_upd_isb      |                          |           | yes/no                 |     |
|   | tr_user1        | Ufld1                    |           | x(8)                   |     |
|   | tr_user2        | Ufld2                    |           | x(8)                   |     |
|   | tr_userid       | User ID                  |           | x(8)                   |     |
|   | tr_vend_date    | Supplier Production Date | Prod Date | 99/99/99               |     |
|   | tr_vend_lot     | Supplier Lot             |           | x(18)                  |     |

| Field Name  | Label                  | Col-Label | Format | Dec |
|-------------|------------------------|-----------|--------|-----|
| tr_wod_op   | Operation              | Op        | >>>>>> |     |
| tr_xcr_acct | Not Used. Cr Acct      |           | x(8)   |     |
| tr_xcr_cc   | Not Used. Cr Cost Ctr  | CC        | x(4)   |     |
| tr_xcr_proj | Not used. Cr Project   | Project   | x(8)   |     |
| tr_xdr_acct | Not used. Dr Acct      |           | x(8)   |     |
| tr_xdr_cc   | Not used. Dr Cost Ctr  | CC        | x(4)   |     |
| tr_xdr_proj | Not used. Dr Project   | Project   | x(8)   |     |
| tr_xgl_ref  | Not used. GL Reference |           | x(14)  |     |
| tr_xslspn1  | Salesperson 1          | Salespsn  | x(8)   |     |
| tr_xslspn2  | Salesperson 2          | Salespsn  | x(8)   |     |

| Index-Name         | Uni | Field-Name  | Asc | Abbr |
|--------------------|-----|-------------|-----|------|
| ◇ oid_tr_hist      | yes | oid_tr_hist | yes | no   |
| tr_addr_eff        | no  | tr_domain   | yes | no   |
|                    |     | tr_addr     | yes | no   |
|                    |     | tr_effdate  | yes | no   |
| tr_batch           | no  | tr_domain   | yes | no   |
|                    |     | tr_batch    | yes | no   |
| tr_date_trn        | yes | tr_domain   | yes | no   |
|                    |     | tr_date     | yes | no   |
|                    |     | tr_trnbr    | yes | no   |
| tr_eff_trnbr       | no  | tr_domain   | yes | no   |
|                    |     | tr_effdate  | yes | no   |
|                    |     | tr_trnbr    | yes | no   |
| tr_nbr_eff         | no  | tr_domain   | yes | no   |
|                    |     | tr_nbr      | yes | no   |
|                    |     | tr_effdate  | yes | no   |
| ◇ tr_nbr_rmks_type | no  | tr_domain   | yes | no   |
|                    |     | tr_nbr      | yes | no   |
|                    |     | tr_rmks     | yes | no   |
|                    |     | tr_type     | yes | no   |
| tr_part_eff        | no  | tr_domain   | yes | no   |
|                    |     | tr_part     | yes | no   |
|                    |     | tr_effdate  | yes | no   |
| tr_part_trn        | no  | tr_domain   | yes | no   |
|                    |     | tr_part     | yes | no   |
|                    |     | tr_trnbr    | yes | no   |
| tr_serial          | no  | tr_domain   | yes | no   |
|                    |     | tr_serial   | yes | no   |
| * tr_trnbr         | yes | tr_domain   | yes | no   |
|                    |     | tr_trnbr    | yes | no   |
| tr_type            | no  | tr_domain   | yes | no   |
|                    |     | tr_type     | yes | no   |
|                    |     | tr_effdate  | yes | no   |
| tr_vend_lot        | no  | tr_domain   | yes | no   |
|                    |     | tr_vend_lot | yes | no   |



### Tax Detail



| Field Name     | Label              | Col-Label | Format | Dec |
|----------------|--------------------|-----------|--------|-----|
| tx2d_user1     | Ufld1              |           | x(8)   |     |
| tx2d_user2     | Ufld2              |           | x(8)   |     |
| tx2d_zone_from | Ship-From Tax Zone |           | x(16)  |     |
| tx2d_zone_to   | Ship-To Tax Zone   |           | x(16)  |     |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_tx2d_det | yes | oid_tx2d_det  | yes | no   |
| tx2d_carrier   | no  | tx2d_domain   | yes | no   |
|                |     | tx2d_carrier  | yes | no   |
| * tx2d_ref_nbr | yes | tx2d_domain   | yes | no   |
|                |     | tx2d_ref      | yes | no   |
|                |     | tx2d_nbr      | yes | no   |
|                |     | tx2d_line     | yes | no   |
|                |     | tx2d_trl      | yes | no   |
|                |     | tx2d_tr_type  | yes | no   |
|                |     | tx2d_tax_code | yes | no   |
| tx2d_tax_code  | no  | tx2d_domain   | yes | no   |
|                |     | tx2d_tax_code | yes | no   |

## Tax Master

| Field Name          | Label                     | Col-Label              | Format                     | Dec |
|---------------------|---------------------------|------------------------|----------------------------|-----|
| oid_tx2_mstr        |                           |                        | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| tx2__chr01          |                           |                        | .9<<<<<<<<                 |     |
| tx2__chr02          |                           |                        | x(8)                       |     |
| tx2__dec01          |                           |                        | x(8)                       |     |
| tx2__dec02          |                           |                        | ->>, >>, >>9.99            | 10  |
| tx2__dte01          |                           |                        | ->>, >>, >>9.99            | 10  |
| tx2__log01          |                           |                        | 99/99/99                   |     |
| tx2__qad01          |                           |                        | yes/no                     |     |
| tx2__qad02          |                           |                        | x(8)                       |     |
| tx2__qad03          |                           |                        | x(8)                       |     |
| tx2__qad04          |                           |                        | yes/no                     |     |
| tx2__qad05          |                           |                        | ->>, >>, >>9.99            | 10  |
| tx2__qadc01[2]      |                           |                        | 99/99/99                   |     |
| tx2__qadc02[2]      |                           |                        | x(8)                       |     |
| ◇ tx2_ab_cn_tx_grp  | Absorbed CN Tax Group     | Abs CN Tax Grp         | x(4)                       |     |
| ◇ tx2_ab_inv_tx_grp | Absorbed Inv Tax Group    | Abs Inv Tax Grp        | x(20)                      |     |
| tx2_ap_acct         | AP Tax Account            |                        | x(8)                       |     |
| tx2_ap_cc           | CC                        |                        | x(4)                       |     |
| ◇ tx2_ap_cn_acct    | AP Tax CN Account         | AP Tax CN Acct         | x(8)                       |     |
| ◇ tx2_ap_cn_sub     | AP Tax CN Sub-Account     | AP Tax CN Sub-Acct     | x(8)                       |     |
| ◇ tx2_ap_dis_acct   | AP Discount Account       | AP Disc Acct           | x(8)                       |     |
| ◇ tx2_ap_dis_sub    | AP Discount Sub-Account   | AP Disc Sub-Acct       | x(8)                       |     |
| tx2_ap_disc_acct    | AP Discount Account       |                        | x(8)                       |     |
| tx2_ap_disc_cc      | CC                        |                        | x(4)                       |     |
| tx2_ap_disc_sub     | AP Discount Sub-Account   | Sub-Acct               | x(8)                       |     |
| tx2_ap_sub          | AP Tax Sub-Account        | Sub-Acct               | x(8)                       |     |
| tx2_apr_acct        | AP Retained Tax Account   |                        | x(8)                       |     |
| tx2_apr_cc          | CC                        |                        | x(4)                       |     |
| ◇ tx2_apr_cn_acct   | AP Tax Ret CN Account     | AP Tax Ret CN Acct     | x(8)                       |     |
| ◇ tx2_apr_cn_sub    | AP Tax Ret CN Sub-Account | AP Tax Ret CN Sub-Acct | x(8)                       |     |
| tx2_apr_sub         | AP Retained Tax sub       | Sub-Acct               | x(8)                       |     |
| tx2_apr_use         |                           |                        | yes/no                     |     |
| tx2_ar_acct         | AR Sales Tax Account      |                        | x(8)                       |     |
| tx2_ar_cc           | CC                        |                        | x(4)                       |     |
| ◇ tx2_ar_cn_acct    | Sales Tax CN Account      | Sales Tax CN Acct      | x(8)                       |     |
| ◇ tx2_ar_cn_sub     | Sales Tax CN Sub-Account  | Sales Tax CN Sub-Acct  | x(8)                       |     |
| ◇ tx2_ar_dis_acct   | AR Discount Account       | AR Disc Acct           | x(8)                       |     |
| ◇ tx2_ar_dis_sub    | AR Discount Sub-Account   | AR Disc Sub-Acct       | x(8)                       |     |
| tx2_ar_disc_acct    | AR Discount Account       |                        | x(8)                       |     |
| tx2_ar_disc_cc      | CC                        |                        | x(4)                       |     |
| tx2_ar_disc_sub     | AR Discount Sub-Account   | Sub-Acct               | x(8)                       |     |
| tx2_ar_sub          | AR Sales Tax Sub-Acct     | Sub-Acct               | x(8)                       |     |
| tx2_ara_acct        | AR Absorbed Tax Account   |                        | x(8)                       |     |
| tx2_ara_cc          | CC                        |                        | x(4)                       |     |
| ◇ tx2_ara_cn_acct   | Sales Tax Abs CN Acct     |                        | x(8)                       |     |
| ◇ tx2_ara_cn_sub    | Sales Tax Abs CN Sub-Acct |                        | x(8)                       |     |
| tx2_ara_sub         | AR Absorbed Tax Sub       | Sub-Acct               | x(8)                       |     |
| tx2_ara_use         |                           |                        | yes/no                     |     |
| tx2_base            | Taxable Base Code         | Tax Base               | x(8)                       |     |

| Field Name              | Label                           | Col-Label                | Format              | Dec |
|-------------------------|---------------------------------|--------------------------|---------------------|-----|
| tx2_by_line             | Tax-By-Line                     | By! Line                 | yes/no              |     |
| tx2_cmtindx             | Comment Index                   | Comment                  | >>>>>>>9            |     |
| ◇ tx2_cn_tx_grp         | Customer Credit Note Tax Group  | Cust CN Tax Grp          | x(20)               |     |
| ◇ tx2_cr_voc_tx_grp     | Supplier CN Tax Group           | Sup CN Tax Grp           | x(20)               |     |
| tx2_curr                | Currency                        | Cur                      | x(3)                |     |
| ◇ tx2_daybookset        | Daybook Set                     | Dybk Set                 | x(8)                |     |
| tx2_desc                | Description                     |                          | x(24)               |     |
| ◇ tx2_dltx_cn_acct      | Delayed Tax CN Account          | Delayed Tax CN Acct      | x(8)                |     |
| ◇ tx2_dltx_cn_sub       | Delayed Tax CN Sub-Account      | Delayed Tax CN Sub-Acct  | x(8)                |     |
| ◇ tx2_dltx_inv_acct     | Delayed Tax Invoice Account     | Delayed Tax Inv Acct     | x(8)                |     |
| ◇ tx2_dltx_inv_sub      | Delayed Tax Invoice Sub-Account | Delayed Tax Inv Sub-Acct | x(8)                |     |
| tx2_domain              | Domain                          |                          | x(8)                |     |
| tx2_ec_process_work     | EC Process Work                 |                          | yes/no              |     |
| tx2_ec_sales_list       | EC Sales List                   |                          | yes/no              |     |
| tx2_effdate             | Effective                       |                          | 99/99/99            |     |
| tx2_exp_date            | Expiration Date                 | Expiration! Date         | 99/99/99            |     |
| tx2_group               | Tax Group                       |                          | x(8)                |     |
| tx2_inv_disc            | Discount Tax at Invoice         | Disc! Inv                | yes/no              |     |
| ◇ tx2_inv_tx_grp        | Customer Invoice Tax Group      | Cust Inv Tax Grp         | x(20)               |     |
| tx2_max                 | Maximum Taxable Amount          | Max Amount               | >>>,>>>,>>>,>>9.99< | 10  |
| tx2_method              | Tax Method                      | Tax! Meth                | x(2)                |     |
| tx2_min                 | Minimum Taxable Amount          | Min Taxable              | >>>,>>>,>>>,>>9.99< | 10  |
| tx2_mod_date            | Modified Date                   | Mod Date                 | 99/99/99            |     |
| tx2_pct_rcv             | Percent Recoverable             | Pct Recov                | ->>9.99<<%          | 10  |
| tx2_pmt_disc            | Discount Tax at Payment         | Disc! Pmt                | yes/no              |     |
| tx2_pt_taxc             | Item Tax Class                  | TxC                      | x(3)                |     |
| tx2_rcpt_tax_point      | Accrue Tax at Receipt           |                          | yes/no              |     |
| tx2_register            | Tax Register                    |                          | x(2)                |     |
| ◇ tx2_ret_cr_voc_tx_grp | Retained CN Tax Group           | Retained CN Tax Grp      | x(20)               |     |
| ◇ tx2_ret_voc_tx_grp    | Retained Invoice Tax Group      | Retained Inv Tax Grp     | x(20)               |     |
| ◇ tx2_reverse_charge    | Domestic Reverse Charge         |                          | yes/no              |     |
| tx2_stx_acct            | Suspended Tax Account           |                          | x(8)                |     |
| tx2_stx_cc              | CC                              |                          | x(4)                |     |
| ◇ tx2_stx_cn_acct       | Suspended Tax CN Account        | Susp Tax CN Acct         | x(8)                |     |
| ◇ tx2_stx_cn_sub        | Suspended Tax CN Sub-Account    | Susp Tax CN Sub-Acct     | x(8)                |     |
| ◇ tx2_stx_inv_acct      | Suspended Tax Inv Account       | Susp Tax Inv Acct        | x(8)                |     |
| ◇ tx2_stx_inv_sub       | Suspended Tax Inv Sub-Account   | Susp Tax Inv Sub-Acct    | x(8)                |     |
| tx2_stx_sub             | Suspended Tax Sub Account       | Sub-Acct                 | x(8)                |     |
| tx2_tax_code            | Tax Code                        |                          | x(8)                |     |
| tx2_tax_in              | Allow Tax Included              |                          | yes/no              |     |
| tx2_tax_pct             | Tax Rate                        |                          | ->>9.99<<%          | 10  |
| tx2_tax_type            | Tax Type                        |                          | x(16)               |     |
| tx2_tax_usage           | Tax Usage                       | TaxUsage                 | x(8)                |     |
| tx2_tr1_taxable         | Tax Trailer Amounts             | Tax Trl                  | yes/no              |     |
| tx2_update_tax          | Update Tax Allowed              | Upd! Tax                 | yes/no              |     |
| tx2_usage_tax_point     | Accrue Tax At Usage             | Accrue Tax! At Usage     | yes/no              |     |
| tx2_user1               | Ufld1                           |                          | x(8)                |     |
| tx2_user2               | Ufld2                           |                          | x(8)                |     |
| tx2_userid              | User ID                         |                          | x(8)                |     |
| ◇ tx2_voc_tx_grp        | Supplier Invoice Tax Group      | Sup Inv Tax Grp          | x(20)               |     |

| oid_tx2_mstr   | yes | oid_tx2_mstr  | yes | no |
|----------------|-----|---------------|-----|----|
| tx2_register   | no  | tx2_domain    | yes | no |
|                |     | tx2_register  | yes | no |
| * tx2_tax_code | yes | tx2_domain    | yes | no |
|                |     | tx2_tax_code  | yes | no |
| tx2_type_taxc  | yes | tx2_domain    | yes | no |
|                |     | tx2_tax_type  | yes | no |
|                |     | tx2_pt_taxc   | yes | no |
|                |     | tx2_tax_usage | yes | no |
|                |     | tx2_effdate   | yes | no |

|                 |                 |
|-----------------|-----------------|
| <b>txbd_det</b> | Tax Base Detail |
|-----------------|-----------------|

| Field Name    | Label    | Col-Label | Format                  | Dec |
|---------------|----------|-----------|-------------------------|-----|
| oid_txbd_det  |          |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|               |          |           | .9<<<<<<<<              |     |
| txbd__qad01   |          |           | x(8)                    |     |
| txbd__qad02   |          |           | x(8)                    |     |
| txbd_base     | Tax Base |           | x(8)                    |     |
| txbd_domain   | Domain   |           | x(8)                    |     |
| txbd_tax_type | Tax Type |           | x(16)                   |     |
| txbd_user1    |          | Ufld1     | x(8)                    |     |
| txbd_user2    |          | Ufld2     | x(8)                    |     |

| Index-Name       | Uni | Field-Name    | Asc | Abbr |
|------------------|-----|---------------|-----|------|
| ◇ oid_txbd_det   | yes | oid_txbd_det  | yes | no   |
| * txbd_base_type | yes | txbd_domain   | yes | no   |
|                  |     | txbd_base     | yes | no   |
|                  |     | txbd_tax_type | yes | no   |

◇ **txcl mstr** Tax Class Master

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|------------------------|------------------|------------------------|------------|
| oid_txcl_mstr     |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |                        |                  | .9<<<<<<<<<            |            |
| txcl__qadc01      |                        |                  | x(24)                  |            |
| txcl__qadc02      |                        |                  | x(24)                  |            |
| txcl_mod_date     | Modified Date          | Mod Date         | 99/99/99               |            |
| txcl_mod_userid   | User ID                |                  | x(8)                   |            |
| txcl_tax_cls      | Tax Class              |                  | x(8)                   |            |
| txcl_tax_desc     | Description            |                  | x(24)                  |            |
| txcl_user1        | User Field Character 1 |                  | x(24)                  |            |
| txcl_user2        | User Field Character 2 |                  | x(24)                  |            |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_txcl_mstr | yes | oid_txcl_mstr | yes | no   |
| ◇* txcl_tax_cls | yes | txcl_tax_cls  | yes | no   |

## Tax Control

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_txc_ctrl | yes | oid_txc_ctrl | yes | no   |
| * | txc_index1   | yes | txc_domain   | yes | no   |

## Tax Environment Detail

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_txd_det  | yes | oid_txd_det  | yes | no   |
| Δ txd_seq      | no  | txd_tax_env  | yes | no   |
|                |     | txd_seq      | yes | no   |
| Δ* txd_tax_env | yes | txd_tax_env  | yes | no   |
|                |     | txd_tax_type | yes | no   |

## Tax Class Master

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ oid_txenv_mstr | yes | oid_txenv_mstr | yes | no   |
| ◇* txenv_tax_env | yes | txenv_tax_env  | yes | no   |

## Tax Environment Master

| Field Name   | Label       | Col-Label | Format                         | Dec  |
|--------------|-------------|-----------|--------------------------------|------|
| oid_txe_mstr |             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>   | 9 10 |
| txe__log01   |             |           | .9<<<<<<<<<<<<<<<<<<<<<<<<<<<< |      |
| txe__qad01   | Description |           | yes/no                         |      |
| txe_qad02    |             |           | x(24)                          |      |
|              |             |           | x(8)                           |      |

| Field Name    | Label              | Col-Label      | Format | Dec |
|---------------|--------------------|----------------|--------|-----|
| txe__qad03    |                    |                | yes/no |     |
| txe__qadc01   |                    |                | x(24)  |     |
| txe_desc      | Tax Environment    | Tax Env        | x(16)  |     |
| txe_tax_env   | Tax Environment    | Tax Env        | x(16)  |     |
| txe_user1     | Ufld1              |                | x(8)   |     |
| txe_user2     | Ufld2              |                | x(8)   |     |
| txe_zone_from | Ship-From Tax Zone | Ship-From Zone | x(16)  |     |
| txe zone to   | Ship-To Tax Zone   | Ship-To Zone   | x(16)  |     |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_txe_mstr | yes | oid_txe_mstr  | yes | no   |
| △ txe_desc     | no  | txe_desc      | yes | no   |
| △* txe_tax_env | yes | txe_tax_env   | yes | no   |
| △ txe_to_from  | yes | txe_zone_to   | yes | no   |
|                |     | txe zone from | yes | no   |

**txhd det**

### Tax History Detail

| Field Name        | Label                        | Col-Label    | Format                         | Dec |
|-------------------|------------------------------|--------------|--------------------------------|-----|
| oid_txhd_det      |                              |              | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| txhd__chr01       |                              |              | .9<<<<<<<<<                    |     |
| txhd__chr02       |                              |              | x(8)                           |     |
| txhd__dec01       |                              |              | x(8)                           |     |
| txhd__dec02       |                              |              | ->>>, >>>, >>9.99              | 10  |
| txhd__dte01       |                              |              | ->>>, >>>, >>9.99              | 10  |
| txhd__log01       |                              |              | 99/99/99                       |     |
| txhd__qad01       |                              |              | yes/no                         |     |
| txhd__qad02       |                              |              | x(8)                           |     |
| txhd__qad03       |                              |              | x(8)                           |     |
| txhd__qad04       |                              |              | yes/no                         |     |
| txhd__qad05       |                              |              | ->>>, >>>, >>9.99              | 10  |
| txhd__qad06       |                              |              | ->>>, >>>, >>9.99              | 10  |
| txhd_chg_date     | Date Last Changed            | Chg Date     | 99/99/99                       |     |
| txhd_comm_code    | Commodity Code               | Com Code     | 99/99/99                       |     |
| txhd_container    | Container Indicator          | C            | x(8)                           |     |
| txhd_curr         | Currency                     | Cur          | x(1)                           |     |
| txhd_cust_ctry    | Cust Tax Reg Ctry            | Cust Country | x(3)                           |     |
| txhd_cust_num     | Cust Tax Reg Nbr             | Customer TRN | x(3)                           |     |
| txhd_db_export    | Date Exported From Database  | DBE Date     | x(15)                          |     |
| txhd_del_terms    | Terms of Delivery            | T Δ          | 99/99/99                       |     |
| txhd_desdis_ctry  | Destination/Dispatch Country | Δ C          | x(3)                           |     |
| txhd_desdis_port  | Destination/Dispatch Port    | Δ P          | x(8)                           |     |
| txhd_domain       | Domain                       |              | x(8)                           |     |
| txhd_edit_hist    | Editable Record              | E            | yes/no                         |     |
| txhd_effdate      | Effective                    |              | 99/99/99                       |     |
| txhd_enter_date   | Date Entered                 | Date Ent     | 99/99/99                       |     |
| txhd_fiscal_class | Fiscal Class                 |              | x(18)                          |     |
| txhd_flow_in      | Flow Indicator               | FI           | yes/no                         |     |
| txhd_inv_value    | Invoice Value                |              | ->>>>, >>>, >>>, >>9.99        | 10  |
| txhd_line         | Line                         |              | >>>>9                          |     |



| Field Name       | Label                          | Col-Label | Format                  | Dec |
|------------------|--------------------------------|-----------|-------------------------|-----|
| txhd_nbr         | Number                         |           | x(8)                    |     |
| txhd_net_wt      | Net Weight                     | Net Wt    | ->>>>>>9                |     |
| txhd_orig_ctry   | Country of Origin              | C O       | x(3)                    |     |
| txhd_posted      | Posted in Tax Book             | P         | yes/no                  |     |
| txhd_proc_ind    | Process Indicator              | PI        | yes/no                  |     |
| txhd_program     | Program                        |           | x(12)                   |     |
| txhd_ref         | Reference                      | Ref       | x(8)                    |     |
| txhd_site        | Site                           |           | x(8)                    |     |
| txhd_stat_proc   | Statistical Procedure          | SP        | x(2)                    |     |
| txhd_stat_submit | Statistical Submit Date        | StatDate  | 99/99/99                |     |
| txhd_stat_value  | Statistical Value              |           | ->>>>, >>>, >>>, >>9.99 | 10  |
| txhd_suppl_unit  | Supplementary Units            | Sup Units | >>>>>>>9                |     |
| txhd_taric       | Taric Code                     | T C       | x(3)                    |     |
| txhd_tax_code    | Tax Code                       |           | x(8)                    |     |
| txhd_tax_ctry    | Tax Registration Country       | TRC       | x(3)                    |     |
| txhd_tax_nbr     | Tax Registration Number        | TRN       | x(15)                   |     |
| txhd_tax_usage   | Nature of Operation            | Nature    | x(8)                    |     |
| txhd_td_stat_in  | Included in Trade Statistics   | S         | yes/no                  |     |
| txhd_tr_nbr      | Transaction Number             | Tran Nbr  | >>>>>>>9                |     |
| txhd_tr_type     | Transaction Type               | TT        | x(2)                    |     |
| txhd_tran_mode   | Mode of Transportation         | MT        | x(1)                    |     |
| txhd_trans_ref   | Original Transaction Reference | Orig Ref  | x(14)                   |     |
| txhd_transh_port | Transshipment Port             | T P       | x(8)                    |     |
| txhd_trl         | Trailer                        | Trlr      | x(4)                    |     |
| txhd_user_id     | User ID Entered                | User ID   | x(8)                    |     |
| txhd_user1       | Ufld1                          |           | x(8)                    |     |
| txhd_user2       | Ufld2                          |           | x(8)                    |     |
| txhd_usr_id_chg  | Last Change User ID            | Chg User  | x(8)                    |     |
| txhd_vat_sl_date | VAT Sales List Submit Date     | VSL Date  | 99/99/99                |     |
| txhd_vat_sl_in   | Included in VAT Sales List     | V         | yes/no                  |     |
| txhd_vat_value   | Value of Goods                 |           | ->>>>, >>>, >>>, >>9.99 | 10  |

| Index-Name        | Uni | Field-Name        | Asc | Abbr |
|-------------------|-----|-------------------|-----|------|
| ◇ oid_txhd_det    | yes | oid_txhd_det      | yes | no   |
| txhd_fiscal_class | no  | txhd_domain       | yes | no   |
|                   |     | txhd_fiscal_class | yes | no   |
|                   |     | txhd_tr_type      | yes | no   |
|                   |     | txhd_ref          | yes | no   |
|                   |     | txhd_nbr          | yes | no   |
|                   |     | txhd_line         | yes | no   |
| txhd_post_type    | no  | txhd_domain       | yes | no   |
|                   |     | txhd_posted       | yes | no   |
|                   |     | txhd_tr_type      | yes | no   |
|                   |     | txhd_ref          | yes | no   |
|                   |     | txhd_nbr          | yes | no   |
|                   |     | txhd_line         | yes | no   |
| txhd_ref_nbr      | yes | txhd_domain       | yes | no   |
|                   |     | txhd_ref          | yes | no   |
|                   |     | txhd_nbr          | yes | no   |
|                   |     | txhd_line         | yes | no   |
|                   |     | txhd_trl          | yes | no   |
|                   |     | txhd_tr_type      | yes | no   |
|                   |     | txhd_tax_code     | yes | no   |
| * txhd_tr_nbr     | yes | txhd_domain       | yes | no   |
|                   |     | txhd_tr_nbr       | yes | no   |

◇ **txty\_mstr** Tax Type Master

| Field Name      | Label                  | Col-Label | Format                  | Dec |
|-----------------|------------------------|-----------|-------------------------|-----|
| oid_txty_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| txty__qadc01    |                        |           | .9<<<<<<<<<             |     |
| txty__qadc02    |                        |           | x(24)                   |     |
| txty_mod_date   | Modified Date          | Mod Date  | x(24)                   |     |
| txty_mod_userid | User ID                |           | 99/99/99                |     |
| txty_tax_desc   | Description            |           | x(8)                    |     |
| txty_tax_type   | Code                   | Code      | x(24)                   |     |
| txty_user1      | User Field Character 1 |           | x(16)                   |     |
| txty_user2      | User Field Character 2 |           | x(24)                   |     |
|                 |                        |           | x(24)                   |     |

| Index-Name      | Uni | Field-Name   | Asc | Abbr |
|-----------------|-----|--------------|-----|------|
| ◇ oid_txy_mstr  | yes | oid_txy_mstr | yes | no   |
| ◇* txy_tax_type | yes | txy_tax_type | yes | no   |

◇ **txu\_mstr** Tax Usage Master

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>            | <b>Dec</b> |
|-------------------|------------------------|------------------|--------------------------|------------|
| oid_txu_mstr      |                        |                  | >>>>>>>>>>>>>>>>>>>>>>   | 9 10       |
|                   |                        |                  | .9<<<<<<<<<<<<<<<<<<<<<< |            |
| txu__qadc01       |                        |                  | x(24)                    |            |
| txu__qadc02       |                        |                  | x(24)                    |            |
| txu_mod_date      | Modified Date          | Mod Date         | 99/99/99                 |            |
| txu_mod_userid    | User ID                |                  | x(8)                     |            |
| txu_tax_desc      | Description            |                  | x(24)                    |            |
| txu_tax_usage     | Tax Usage              | Tax Use          | x(8)                     |            |
| txu_user1         | User Field Character 1 |                  | x(24)                    |            |
| txu_user2         | User Field Character 2 |                  | x(24)                    |            |

| Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----------------|-----|---------------|-----|------|
| ◇ oid_txu_mstr | yes | oid_txu_mstr  | yes | no   |
| ◇* txu_tax_usg | yes | txu_tax_usage | yes | no   |

|                 |                 |
|-----------------|-----------------|
| <b>txz mstr</b> | Tax Zone Master |
|-----------------|-----------------|

|   | Field Name    | Label               | Col-Label           | Format                 | Dec |
|---|---------------|---------------------|---------------------|------------------------|-----|
|   | oid_txz_mstr  |                     |                     | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
|   | txz__log01    |                     |                     | .9<<<<<<<<<            |     |
|   | txz__qad01    | Sums-Into Tax Zone  | Sums-Into! Tax Zone | yes/no                 |     |
|   | txz__qad02    | Use Sums-Into       | Use! Sums           | x(16)                  |     |
|   | txz__qad03    | Subtotal This Level | Sub                 | x(4)                   |     |
| Δ | txz__qadc01   |                     |                     | yes/no                 |     |
|   | txz_city      | City                |                     | x(24)                  |     |
|   | txz_county    | County              |                     | x(20)                  |     |
|   | txz_etry_code | Country Code        | Ctry                | x(20)                  |     |
|   | txz_desc      | Description         |                     | x(3)                   |     |
|   |               |                     |                     | x(24)                  |     |
|   |               |                     |                     |                        |     |

|    | Index-Name     | Uni | Field-Name    | Asc | Abbr |
|----|----------------|-----|---------------|-----|------|
| ◇  | oid_txz_mstr   | yes | oid_txz_mstr  | yes | no   |
| Δ  | txz_ctry_state | yes | txz_ctry_code | yes | no   |
|    |                |     | txz_state     | yes | no   |
|    |                |     | txz_county    | yes | no   |
|    |                |     | txz_city      | yes | no   |
|    |                |     | txz_zip       | yes | no   |
| Δ  | txz_desc       | no  | txz_desc      | yes | no   |
| Δ* | txz_tax_zone   | yes | txz_tax_zone  | yes | no   |

**typ\_mstr**

| Field Name   | Label               | Col-Label    | Format                                    | Dec |
|--------------|---------------------|--------------|-------------------------------------------|-----|
| oid_typ_mstr |                     |              | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| typ__qad01   |                     |              | yes/no                                    |     |
| typ__qad02   |                     |              | x(8)                                      |     |
| typ__qad03   |                     |              | x(8)                                      |     |
| typ_desc     | Description         |              | x(24)                                     |     |
| typ_method   | Depreciation Method | Depr! Method | x(8)                                      |     |
| typ_type     | Type                | T            | x(2)                                      |     |
| typ_user1    | Ufld1               |              | x(8)                                      |     |
| typ_user2    | Ufld2               |              | x(8)                                      |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_typ_mstr | yes | oid_typ_mstr | yes | no   |
| * typ_type     | yes | typ_type     | yes | no   |

**tzod\_det**

| Field Name   | Label                 | Col-Label | Format                     | Dec |
|--------------|-----------------------|-----------|----------------------------|-----|
| oid_tzod_det |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|              |                       |           | .9<<<<<<<<<                |     |
| tzod__chr01  | Character Field 1     |           | X(8)                       |     |
| tzod__chr02  | Character Field 2     |           | X(8)                       |     |
| tzod__dte01  | Date Field 1          |           | 99/99/99                   |     |
| tzod__dte02  | Date Field 2          |           | 99/99/99                   |     |
| tzod__int01  | Integer Field 1       |           | -,>,>>>,>>9                |     |
| tzod__int02  | Integer Field 2       |           | -,>,>>>,>>9                |     |
| tzod__log01  | Logical Field 1       |           | yes/no                     |     |
| tzod__log02  | Logical Field 2       |           | yes/no                     |     |
| tzod__qadc01 | QAD Character Field 1 |           | X(8)                       |     |

| Field Name      | Label                 | Col-Label | Format     | Dec |
|-----------------|-----------------------|-----------|------------|-----|
| tzod__qadc02    | QAD Character Field 2 |           | X(8)       |     |
| tzod__qadi01    | QAD Integer Field 1   |           | ->,>>>,>>9 |     |
| tzod__qadi02    | QAD Integer Field 2   |           | ->,>>>,>>9 |     |
| tzod__qadl01    | QAD Logical Field 1   |           | yes/no     |     |
| tzod__qadl02    | QAD Logical Field 2   |           | yes/no     |     |
| tzod__qadt01    | QAD Date Field 1      |           | 99/99/99   |     |
| tzod__qadt02    | QAD Date Field 2      |           | 99/99/99   |     |
| tzod_desc       | Time Zone Description |           | X(60)      |     |
| tzod_eday       | Ending Day            |           | >9         |     |
| tzod_eyear      | End Year              |           | 9999       |     |
| tzod_hour       | Hours                 |           | >9         |     |
| tzod_min        | Minutes               |           | >9         |     |
| tzod_mod_date   | Modified Date         | Mod Date  | 99/99/99   |     |
| tzod_mod_userid | User ID               |           | X(8)       |     |
| tzod_month      | Start Period Month    |           | >9         |     |
| tzod_offset     | GMT Offset            |           | +999999    |     |
| tzod_sday       | Start Period Day      |           | >9         |     |
| tzod_std_day    | Time Period           |           | X(3)       |     |
| tzod_syear      | Start Year            |           | 9999       |     |
| tzod_tzone      | Time Zone             |           | X(8)       |     |
| tzod_user1      | Ufld1                 |           | X(8)       |     |
| tzod_user2      | Ufld2                 |           | X(8)       |     |
| tzod_wday       | Weekday               |           | X          |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_tzod_det | yes | oid_tzod_det | yes | no   |
| * | tzod_tzond   | yes | tzod_tzone   | yes | no   |
|   |              |     | tzod_std_day | yes | no   |
|   |              |     | tzod_syear   | yes | no   |
|   |              |     | tzod_eyear   | yes | no   |

|                 |                                  |
|-----------------|----------------------------------|
| <b>tzo mstr</b> | Service/Support Time Zone Master |
|-----------------|----------------------------------|

| Field Name   | Label                 | Col-Label | Format                         | Dec |
|--------------|-----------------------|-----------|--------------------------------|-----|
| oid_tzo_mstr |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| tzo_chr01    | Character Field 1     |           | .9<<<<<<<<<                    |     |
| tzo_dte01    | Date Field 1          |           | X(8)                           |     |
| tzo_int01    | Integer Field 1       |           | 99/99/99                       |     |
| tzo_log01    | Logical Field 1       |           | -,>,>>,>>9                     |     |
| tzo_qadc01   | QAD Character Field 1 |           | yes/no                         |     |
| tzo_qadi01   | QAD Integer Field 1   |           | X(8)                           |     |
| tzo_qadi01   | QAD Logical Field 1   |           | -,>,>>,>>9                     |     |
| tzo_qadt01   | QAD Date Field 1      |           | yes/no                         |     |
| tzo_area     | Area                  |           | 99/99/99                       |     |
| tzo_auto_adj | Auto Period Adjust    |           | X(8)                           |     |
| tzo_desc     | Description           |           | yes/no                         |     |
| tzo_label    | Time Zone             |           | X(40)                          |     |
| tzo_mod_date | Modified Date         | Mod Date  | X(8)                           |     |
|              |                       |           | 99/99/99                       |     |

| Field Name     | Label            | Col-Label | Format | Dec |
|----------------|------------------|-----------|--------|-----|
| tzo_mod_userid | User ID          |           | X(8)   |     |
| tzo_tzone      | Time Zone Tindex |           | X(20)  |     |
| tzo_user1      | Ufld1            |           | X(8)   |     |
| tzo_user2      | Ufld2            |           | X(8)   |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_tzo_mstr | yes | oid_tzo_mstr | yes | no   |
|   | tzo_area     | no  | tzo_area     | yes | no   |
| * | tzo_label    | yes | tzo_label    | yes | no   |
|   |              |     | tzo_area     | yes | no   |

**udd\_det**      User Domain Detail.

|   | Field Name     | Label                  | Col-Label | Format                      | Dec |
|---|----------------|------------------------|-----------|-----------------------------|-----|
|   | oid_udd_det    |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|   |                |                        |           | .9<<<<<<<<<                 |     |
|   | udd__qadc01    |                        |           | x(24)                       |     |
|   | udd__qadc02    |                        |           | x(24)                       |     |
|   | udd_domain     | Domain                 |           | x(8)                        |     |
| Δ | udd_groups     | Roles                  |           | x(189)                      |     |
|   | udd_mod_date   | Modified Date          | Mod Date  | 99/99/99                    |     |
|   | udd_mod_userid | User ID                |           | x(8)                        |     |
|   | udd_primary    | Default Domain         |           | yes/no                      |     |
|   | udd_user1      | User Field Character 1 |           | x(24)                       |     |
|   | udd_user2      | User Field Character 2 |           | x(24)                       |     |
|   | udd_userid     | User ID                |           | x(8)                        |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_udd_det | yes | oid_udd_det | yes | no   |
|   | udd_domain  | no  | udd_domain  | yes | no   |
|   | udd_primary | no  | udd_userid  | yes | no   |
|   |             |     | udd_primary | yes | no   |
| * | udd_userid  | yes | udd_userid  | yes | no   |
|   |             |     | udd_domain  | yes | no   |

◇ **udfcls\_mstr** UDF Class Master

| <b>Field Name</b> | <b>Label</b>  | <b>Col-Label</b> | <b>Format</b>         | <b>Dec</b> |
|-------------------|---------------|------------------|-----------------------|------------|
| oid_udfcls_mstr   |               |                  | >>>>>>>>>>>>>>>>>>>>9 | 10         |
| udfcls__qadc01    |               |                  | .9<<<<<<<<            |            |
| udfcls__qadc02    |               |                  | x(24)                 |            |
| udfcls_class      | Field Class   |                  | x(8)                  |            |
| udfcls_desc       | Description   |                  | x(48)                 |            |
| udfcls_domain     | Domain        |                  | x(8)                  |            |
| udfcls_mod_date   | Modified Date | Mod Date         | 99/99/99              |            |
| udfcls_mod_userid | User ID       |                  | x(8)                  |            |
| udfcls_user1      | Ufld1         |                  | x(24)                 |            |
| udfcls_user2      | Ufld2         |                  | x(24)                 |            |

| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
| ◇ oid_udfcls_mstr | yes | oid_udfcls_mstr | yes | no   |
| ◇* udfcls_class   | yes | udfcls_domain   | yes | no   |
|                   |     | udfcls_class    | yes | no   |

◇ **udfclud det** UDF Class Use Table

[illegible]

| Index-Name           | Uni | Field-Name        | Asc | Abbr |
|----------------------|-----|-------------------|-----|------|
| ◇ oid_udfclud_det    | yes | oid_udfclud_det   | yes | no   |
| ◇ udfclud_oid_class  | yes | oid_udfcls_mstr   | yes | no   |
|                      |     | oid_owning_record | yes | no   |
| ◇* udfclud_oid_owner | yes | oid_owning_record | yes | no   |
|                      |     | oid_udfcls_mstr   | yes | no   |

**ufd det**      User Function Key Detail

|   | Field Name  | Label          | Col-Label | Format                  | Dec |
|---|-------------|----------------|-----------|-------------------------|-----|
|   | oid_ufd_det |                |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|   |             |                |           | .9<<<<<<<<<             |     |
|   | ufd__qadc01 |                |           | x(8)                    |     |
|   | ufd_exec    | Execution File |           | x(14)                   |     |
|   | ufd_fkey    | Function Key   | Key       | >>9                     |     |
| Δ | ufd_label   | Label          |           | x(40)                   |     |
|   | ufd_nbr     | Menu           |           | x(16)                   |     |
|   | ufd_nbrsel  | Menu/Sel       |           | x(12)                   |     |
|   | ufd_select  | Selection      | Select    | >9                      |     |
|   | ufd_seq     | Sequence       | Seq       | >>9                     |     |
|   | ufd_user1   | Ufld1          |           | x(8)                    |     |
|   | ufd_user2   | Ufld2          |           | x(8)                    |     |
|   | ufd_userid  | User ID        |           | x(8)                    |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_ufd_det | yes | oid_ufd_det | yes | no   |
|   | ufd_label   | no  | ufd_userid  | yes | no   |
|   |             |     | ufd_label   | yes | no   |
|   | ufd_nbrsel  | no  | ufd_userid  | yes | no   |
|   |             |     | ufd_nbrsel  | yes | no   |
| * | ufd_ufs     | yes | ufd_userid  | yes | no   |
|   |             |     | ufd_fkey    | yes | no   |
|   |             |     | ufd_seq     | yes | no   |

## ◇ **UMGroupD**    Warehousing Unit of Measure Group Detail

[illegible]

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇* GroupUM     | yes | Domain       | yes | no   |
|                |     | UMGroup      | yes | no   |
|                |     | AltUM        | yes | no   |
| ◇ oid_UMGroupD | yes | oid_UMGroupD | yes | no   |
| ◇ UMGroup      | yes | Domain       | yes | no   |
|                |     | AltUM        | yes | no   |
|                |     | UMGroup      | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |

◇ **UMGroupM**    Warehousing Unit of Measure Group Master

[illegible]





## Unit of Measure Conversion Master

| Field Name  | Label           | Col-Label | Format                     | Dec |
|-------------|-----------------|-----------|----------------------------|-----|
| oid_um_mstr |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| um__chr01   |                 |           | .9<<<<<<<<<                |     |
| um__chr02   |                 |           | x(8)                       |     |
| um__chr03   |                 |           | x(8)                       |     |
| um__chr04   |                 |           | x(8)                       |     |
| um__chr05   |                 |           | x(8)                       |     |
| um__chr06   |                 |           | x(8)                       |     |
| um__dec01   |                 |           | >>>, >>>, >>9.99           | 10  |
| um__dec02   |                 |           | >>>, >>>, >>9.99           | 10  |
| um__dte01   |                 |           | 99/99/99                   |     |
| um__dte02   |                 |           | 99/99/99                   |     |
| um__log01   |                 |           | yes/no                     |     |
| um__log02   |                 |           | yes/no                     |     |
| um_alt_qty  | UM Qty          |           | >>>>9.9<<<<                | 10  |
| um_alt_um   | Alternate UM    | Alt       | x(2)                       |     |
| um_conv     | UM Conversion   | UM Conv   | >>>>9.9999<<<<             | 10  |
| um_decimals | Decimals        |           | -9                         |     |
| um_desc     | Description     |           | x(24)                      |     |
| um_domain   | Domain          |           | x(8)                       |     |
| um_part     | Item Number     |           | x(18)                      |     |
| um_um       | Unit of Measure | UM        | x(2)                       |     |
| um_user1    | Ufld1           |           | x(8)                       |     |
| um_user2    | Ufld2           |           | x(8)                       |     |

|                | Index-Name  | Uni       | Field-Name  | Asc | Abbr |
|----------------|-------------|-----------|-------------|-----|------|
| ◇              | oid_um_mstr | yes       | oid_um_mstr | yes | no   |
|                | um_part     | yes       | um_domain   | yes | no   |
|                |             |           | um_part     | yes | no   |
|                |             |           | um_um       | yes | no   |
|                |             |           | um_alt_um   | yes | no   |
| * um_um_alt_pt | yes         | um_domain | yes         | no  |      |
|                |             |           | um_um       | yes | no   |
|                |             |           | um_alt_um   | yes | no   |
|                |             |           | um_part     | yes | no   |

## Printer/User Detail

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_upd_det | yes | oid_upd_det | yes | no   |
| * upd_uns     | yes | upd_userid  | yes | no   |
|               |     | upd_nbr     | yes | no   |
|               |     | upd_select  | yes | no   |

### Update Restriction Detail

| <b>Field Name</b>      | <b>Label</b>            | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|------------------------|-------------------------|------------------|-------------------------|------------|
| oid_ur_mstr            |                         |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| oid_urd_det            |                         |                  | .9<<<<<<<<<             |            |
| urdc_qadc01            |                         |                  | x(24)                   |            |
| urdc_qadc02            |                         |                  | x(24)                   |            |
| urdc_account           | Account                 |                  | x(9)                    |            |
| urdc_change_inv_status | Change Inventory Status |                  | yes/no                  |            |
| urdc_cost_center       | Cost Center             |                  | x(5)                    |            |
| urdc_domain            | Domain                  |                  | x(8)                    |            |
| urdc_inv_status        | Inv Status              |                  | x(9)                    |            |
| urdc_inv_status_to     | Inv Status              |                  | x(9)                    |            |
| urdc_location          | Location                |                  | x(9)                    |            |
| urdc_location_to       | Location                |                  | x(9)                    |            |
| urdc_mod_date          | Modified Date           | Mod Date         | 99/99/99                |            |
| urdc_mod_userid        | User ID                 |                  | x(8)                    |            |
| urdc_part              | Item Number             |                  | x(19)                   |            |
| urdc_project           | Project                 |                  | x(9)                    |            |
| urdc_site              | Site                    |                  | x(9)                    |            |
| urdc_site_to           | Site                    |                  | x(9)                    |            |
| urdc_sub_account       | Sub Account             |                  | x(9)                    |            |
| urdc_user1             | User Field Character 1  |                  | x(24)                   |            |
| urdc_user2             | User Field Character 2  |                  | x(24)                   |            |

| Index-Name         | Uni | Field-Name        | Asc | Abbr |
|--------------------|-----|-------------------|-----|------|
| ◇ oid_urd_det      | yes | oid_urd_det       | yes | no   |
| ◇ urd_account      | no  | oid_ur_mstr       | yes | no   |
|                    |     | urd_domain        | yes | no   |
|                    |     | urd_part          | yes | no   |
|                    |     | urd_site          | yes | no   |
|                    |     | urd_location      | yes | no   |
|                    |     | urd_inv_status    | yes | no   |
|                    |     | urd_account       | yes | no   |
|                    |     | urd_sub_account   | yes | no   |
|                    |     | urd_cost_center   | yes | no   |
|                    |     | urd_project       | yes | no   |
| ◇* urd_oid_ur_mstr | no  | oid_ur_mstr       | yes | no   |
|                    |     | urd_domain        | yes | no   |
|                    |     | urd_part          | yes | no   |
|                    |     | urd_site          | yes | no   |
|                    |     | urd_site_to       | yes | no   |
|                    |     | urd_location      | yes | no   |
|                    |     | urd_location_to   | yes | no   |
|                    |     | urd_inv_status    | yes | no   |
|                    |     | urd inv status to | yes | no   |

## url mstr

## URL Master

| Field Name      | Label          | Col-Label | Format                         | Dec |
|-----------------|----------------|-----------|--------------------------------|-----|
| oid_url_mstr    |                |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| url__qadc02     |                |           | .9<<<<<<<<<                    |     |
| url__qadc03     |                |           | X(8)                           |     |
| url__qadd01     |                |           | x(8)                           |     |
| url__qadi01     |                |           | ->>>>, >>>, >>9.99<<<          | 10  |
| url__qadi02     |                |           | ->, >>>, >>9                   |     |
| url__qadl01     |                |           | >>>>>>9                        |     |
| url__qadt01     |                |           | yes/no                         |     |
| url_addr        | User ID        |           | 99/99/99                       |     |
| url_call_pgm    | Browse         |           | X(8)                           |     |
| url_desc        | Description    |           | X(14)                          |     |
| url_determine   | Determine      |           | x(50)                          |     |
| url_exec        | URL to execute |           | yes/no                         |     |
| url_field       | Field          |           | x(50)                          |     |
| url_field_value | Value          |           | X(32)                          |     |
| url_image       | GIF File Name  |           | x(50)                          |     |
| url_mod_date    | Modified Date  | Mod Date  | x(15)                          |     |
| url_mod_userid  | User ID        |           | 99/99/99                       |     |
| url_primary     | Primary        |           | X(8)                           |     |
| url_script      | URL Script     |           | yes/no                         |     |
| url_type        | Type           |           | x(60)                          |     |
| url_user1       | Ufld1          |           | x(8)                           |     |
| url_user2       | Ufld2          |           | X(8)                           |     |

|                   |     |                 |     |    |
|-------------------|-----|-----------------|-----|----|
| oid_url_mstr      | yes | oid_url_mstr    | yes | no |
| url_type_call_pgm | no  | url_type        | yes | no |
|                   |     | url_call_pgm    | yes | no |
|                   |     | url_addr        | yes | no |
|                   |     | url_field       | yes | no |
|                   |     | url_field_value | yes | no |
| * url_type_field  | yes | url_type        | yes | no |
|                   |     | url_field       | yes | no |
|                   |     | url_field_value | yes | no |
|                   |     | url_addr        | yes | no |
|                   |     | url_call_pgm    | yes | no |
|                   |     | url_exec        | yes | no |
|                   |     | url_script      | yes | no |

◇ **ursc\_det**      Update Status Code Detail

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|------------------------|------------------|------------------------|------------|
| oid_urd_det       |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| oid_ursc_det      |                        |                  | .9<<<<<<<<<<           |            |
|                   |                        |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |                        |                  | .9<<<<<<<<<<           |            |
| ursc__qadc01      |                        |                  | x(24)                  |            |
| ursc__qadc02      |                        |                  | x(24)                  |            |
| ursc_inv_status   | Inv Status             |                  | x(9)                   |            |
| ursc_mod_date     | Modified Date          | Mod Date         | 99/99/99               |            |
| ursc_mod_userid   | User ID                |                  | x(8)                   |            |
| ursc_user1        | User Field Character 1 |                  | x(24)                  |            |
| ursc_user2        | User Field Character 2 |                  | x(24)                  |            |

| Index-Name          | Uni | Field-Name      | Asc | Abbr |
|---------------------|-----|-----------------|-----|------|
| ◇ oid_ursc_det      | yes | oid_ursc_det    | yes | no   |
| ◇* ursc_oid_urd_det | yes | oid_urd_det     | yes | no   |
|                     |     | ursc_inv_status | yes | no   |

◇ **ur\_mstr** Update Restriction Master

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                        | <b>Dec</b> |
|-------------------|------------------------|------------------|--------------------------------------|------------|
| oid_lngd_det      |                        |                  | >>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10         |
| oid_ur_mstr       |                        |                  | >>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10         |
| oid_usrgr_mstr    |                        |                  | >>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10         |
| ur__qadc01        |                        |                  | x(24)                                |            |
| ur__qadc02        |                        |                  | x(24)                                |            |
| ur_mod_date       | Modified Date          | Mod Date         | 99/99/99                             |            |
| ur_mod_userid     | User ID                |                  | x(8)                                 |            |
| ur_user1          | User Field Character 1 |                  | x(24)                                |            |
| ur_user2          | User Field Character 2 |                  | x(24)                                |            |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| ◇ oid_ur_mstr | yes | oid_ur_mstr   | yes | no   |
| ◇* ur_role    | yes | oid_usrg_mstr | yes | no   |
|               |     | oid lngd det  | yes | no   |

◇ **UserD**      Warehousing RF User Detail

[illegible]

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| ◇* ActUserID | yes | Domain       | yes | no   |
|              |     | ActUserID    | yes | no   |
|              |     | Task         | yes | no   |
|              |     | TrType       | yes | no   |
|              |     | IntRouteCode | yes | no   |
| ◇ oid_UserD  | yes | oid_UserD    | yes | no   |
| ◇ UsrIdx     | no  | Domain       | yes | no   |
|              |     | User1        | yes | no   |
|              |     | User2        | yes | no   |

### ◇ **UserGroupD** Warehousing RF User Group Detail

| Field Name     | Label                  | Col-Label   | Format                                      | Dec |
|----------------|------------------------|-------------|---------------------------------------------|-----|
| ActUserID      | User ID                |             | x(8)                                        |     |
| CreateDate     | Create Date            |             | 99/99/99                                    |     |
| CreateUserID   | Created                |             | x(8)                                        |     |
| Domain         | Domain                 |             | x(8)                                        |     |
| ModDate        | Modified Date          | Mod Date    | 99/99/99                                    |     |
| ModUserID      | User ID                |             | x(8)                                        |     |
| oid_UserGroupD |                        |             | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| QadC01         | QAD Field              |             | X(8)                                        | 0   |
| QadC02         | QAD Field              |             | X(8)                                        | 0   |
| QadC03         | QAD Field              |             | X(8)                                        | 0   |
| QadC04         | QAD Field              |             | X(8)                                        | 0   |
| QadC05         | QAD Field              |             | X(8)                                        | 0   |
| QadD01         | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD02         | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadD03         | QAD Field              |             | ->>>>, >>>, >>9.99<<<                       | 10  |
| QadI01         | QAD Field              |             | ->, >>>, >>9                                |     |
| QadI02         | QAD Field              |             | ->, >>>, >>9                                |     |
| QadI03         | QAD Field              |             | ->, >>>, >>9                                |     |
| QadT01         | QAD Field              |             | 99/99/99                                    |     |
| QadT02         | QAD Field              |             | 99/99/99                                    |     |
| QadT03         | QAD Field              |             | 99/99/99                                    |     |
| User1          | User 1                 |             | x(8)                                        |     |
| User2          | User 2                 |             | x(8)                                        |     |
| UserC03        | User Field Character 3 |             | x(24)                                       |     |
| UserC04        | User Field Character 4 |             | x(24)                                       |     |
| UserC05        | User Field Character 5 |             | x(24)                                       |     |
| UserD01        | User Field Decimal 1   |             | ->>>>, >>>, >>9.9<<<<<<<<<                  | 10  |
| UserD02        | User Field Decimal 2   |             | ->>>>, >>>, >>9.9<<<<<<<<<                  | 10  |
| UserGroup      | User Group             | User! Group | x(8)                                        |     |
| UserI01        | User Field Integer 1   |             | ->>>>>>>>9                                  |     |
| UserI02        | User Field Integer 2   |             | ->>>>>>>>9                                  |     |
| UserL01        | User Field Logical 1   |             | yes/no                                      |     |
| UserL02        | User Field Logical 2   |             | yes/no                                      |     |
| UserT01        | User Field Date 1      |             | 99/99/99                                    |     |
| UserT02        | User Field Date 1      |             | 99/99/99                                    |     |

| Index-Name       | Uni | Field-Name     | Asc | Abbr |
|------------------|-----|----------------|-----|------|
| ◇ ActUserID      | no  | Domain         | yes | no   |
|                  |     | ActUserID      | yes | no   |
| ◇* GroupUser     | yes | Domain         | yes | no   |
|                  |     | UserGroup      | yes | no   |
|                  |     | ActUserID      | yes | no   |
| ◇ oid_UserGroupD | yes | oid_UserGroupD | yes | no   |
| ◇ UsrIdx         | no  | Domain         | yes | no   |
|                  |     | User1          | yes | no   |
|                  |     | User2          | yes | no   |

## ◇ **UserGroupM** Warehousing RF User Group Master

[illegible]





| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇* ActUserID | yes | Domain     | yes | no   |
|              |     | ActUserID  | yes | no   |
| ◇ oid_UserM  | yes | oid_UserM  | yes | no   |
| ◇ UsrIdx     | no  | Domain     | yes | no   |
|              |     | User1      | yes | no   |
|              |     | User2      | yes | no   |

◇ **UserSysM**      Warehousing User System Code Security Master

[illegible]



| Field Name | Label                  | Col-Label | Format                    | Dec |
|------------|------------------------|-----------|---------------------------|-----|
| UserC04    | User Field Character 4 |           | x(24)                     |     |
| UserC05    | User Field Character 5 |           | x(24)                     |     |
| UserD01    | User Field Decimal 1   |           | ->>>>,>>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>,>>>, >>9.9<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |           | ->>>>>>>9                 |     |
| UserI02    | User Field Integer 2   |           | ->>>>>>>9                 |     |
| UserL01    | User Field Logical 1   |           | yes/no                    |     |
| UserL02    | User Field Logical 2   |           | yes/no                    |     |
| UserT01    | User Field Date 1      |           | 99/99/99                  |     |
| UserT02    | User Field Date 1      |           | 99/99/99                  |     |
| Whse       | Warehouse              | Whse      | x(8)                      |     |
| WLocGp     | Work Loc Group         | WLocGrp   | x(8)                      |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ ActUserID    | no  | Domain       | yes | no   |
|                |     | ActUserID    | yes | no   |
| ◇ oid_UserWLGM | yes | oid_UserWLGM | yes | no   |
| ◇ UserIdx      | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | Whse         | yes | no   |
|                |     | ActUserID    | yes | no   |
|                |     | WLocGp       | yes | no   |
| ◇ UsrIdx       | no  | Domain       | yes | no   |
|                |     | User1        | yes | no   |
|                |     | User2        | yes | no   |
| ◇* UWLGMIdx    | yes | Domain       | yes | no   |
|                |     | Site         | yes | no   |
|                |     | Whse         | yes | no   |
|                |     | WLocGp       | yes | no   |
|                |     | ActUserID    | yes | no   |

**usg\_det**

### Application Usage Detail

| Field Name     | Label                  | Col-Label | Format                         | Dec |
|----------------|------------------------|-----------|--------------------------------|-----|
| oid_usg_det    |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| usg_qadc01     |                        |           | .9<<<<<<<<<                    |     |
| usg_qadc02     |                        |           | x(24)                          |     |
| usg_qadd01     |                        |           | x(24)                          |     |
| usg_qadt01     |                        |           | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| usg_clear_date | Clear Date             |           | 99/99/99                       |     |
| usg_count      | Access Count           |           | 99/99/99                       |     |
| usg_date       | Access Date            |           | >>>, >>>, >>9                  |     |
| usg_exec       | Program                |           | 99/99/99                       |     |
| usg_product    | Application            |           | x(16)                          |     |
| usg_user1      | User Field Character 1 |           | x(16)                          |     |
| usg_user2      | User Field Character 2 |           | x(24)                          |     |
| usg_userid     | Last Accessed By       | User ID   | x(8)                           |     |



| Field Name      | Label                  | Col-Label | Format | Dec |
|-----------------|------------------------|-----------|--------|-----|
| uspw_user1      | User Field Character 1 |           | x(24)  |     |
| uspw_user2      | User Field Character 2 |           | x(24)  |     |
| uspw_userid     | User ID                |           | x(8)   |     |
| uspw_usr_passwd | Encoded Password       | Password  | x(16)  |     |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| oid_uspw_hist | yes | oid_uspw_hist | yes | no   |
| * uspw_userid | yes | uspw_userid   | yes | no   |
|               |     | uspw_date     | no  | no   |
|               |     | uspw_time     | no  | no   |

◇    **Usr**                      User

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| DefaultLng_ID    |       |           | 9999999999 |     |
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |
| Usr_ID           |       |           | 9999999999 |     |
| UsrInitials      |       |           | x(20)      |     |
| UsrIsActive      |       |           | yes/no     |     |
| UsrLogin         |       |           | x(20)      |     |
| UsrMailAddress   |       |           | x(60)      |     |
| UsrName          |       |           | x(40)      |     |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| ◇ InitialsIdx | no  | UsrInitials   | yes | no   |
| ◇ Lng         | no  | DefaultLng_ID | yes | no   |
| ◇ LoginIdx    | yes | UsrLogin      | yes | no   |
| ◇ NameIdx     | no  | UsrName       | yes | no   |
| ◇* Prim       | yes | Usr_ID        | yes | no   |

◇    **UsrCompany**      Link User-Company

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| Company_ID       |       |           | 9999999999 |     |
| Domain_ID        |       |           | 9999999999 |     |
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |
| Usr_ID           |       |           | 9999999999 |     |
| UsrCompany_ID    |       |           | 9999999999 |     |

| Index-Name       | Uni | Field-Name | Asc | Abbr |
|------------------|-----|------------|-----|------|
| ◇ Company        | no  | Company_ID | yes | no   |
| ◇ CompanyAndUser | yes | Usr_ID     | yes | no   |

| Index-Name  | Uni | Field-Name    | Asc | Abbr |
|-------------|-----|---------------|-----|------|
| ◇ Domain_FK | no  | Company_ID    | yes | no   |
| ◇* Prim     | yes | Domain_ID     | yes | no   |
| ◇ Usr       | no  | UsrCompany_ID | yes | no   |
|             |     | Usr_ID        | yes | no   |

**usrc\_ctrl**      User Control

| Field Name             | Label                          | Col-Label             | Format                                           | Dec |
|------------------------|--------------------------------|-----------------------|--------------------------------------------------|-----|
| oid_usrc_ctrl          |                                |                       | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |
| Δ oid_usrg_mstr_admin  | Administrator Group            |                       | >>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |
| usr_c_qad01            |                                |                       | x(8)                                             |     |
| usr_c_qad02            |                                |                       | x(8)                                             |     |
| usr_c_active_rsn_type  | Active Reason Type             | Active Rsn! Type      | x(8)                                             |     |
| usr_c_deactivation_rsn | Auto-deactivation Reason Code  | Deactivation! Reason  | x(8)                                             |     |
| usr_c_em_system_id     | Email System                   | Email! System         | X(8)                                             |     |
| usr_c_expire_days      | Password Expiration Days       |                       | >>>>9                                            |     |
| usr_c_index1           | Index                          |                       | >>>>>>9                                          |     |
| ◇ usr_c_ldap           | LDAP Enabled                   |                       | yes/no                                           |     |
| usr_c_logon_hist_level | Logon History Level            | Logon! History! Level | x(2)                                             |     |
| usr_c_max_access_fails | Max Access Failures            | Max! Access! Failures | >>9                                              |     |
| usr_c_min_length       | Minimum Password Length        | Min! Passwd! Length   | >9                                               |     |
| usr_c_min_non_numeric  | Minimum Non-numeric Characters | Non! Num! Char        | >9                                               |     |
| usr_c_min_numeric      | Minimum Numeric Characters     | Numeric! Char         | >9                                               |     |
| usr_c_password_create  | Password Creation Method       | Passwd! Create        | x(2)                                             |     |
| usr_c_reuse_changes    | Min Password Reuse Changes     | Reuse! Changes        | >9                                               |     |
| usr_c_reuse_days       | Min Password Reuse Days        | Reuse! Days           | >>>>9                                            |     |
| usr_c_right_hdr_disp   | Right Header Display Mode      |                       | 9                                                |     |
| usr_c_sec_opt          | Security Option                |                       | x(1)                                             |     |
| usr_c_sess_id          | Session ID Prefix              |                       | x(3)                                             |     |
| ◇ usr_c_sso            | Single Sign On Enabled         |                       | yes/no                                           |     |
| usr_c_timeout_min      | Timeout Minutes                |                       | >>>>9                                            |     |
| usr_c_user1            | Ufld1                          |                       | x(8)                                             |     |
| usr_c_user2            | Ufld2                          |                       | x(8)                                             |     |
| usr_c_warning_days     | Warning Days                   | Passwd! Warning! Days | >>>>9                                            |     |

|   | Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---|---------------|-----|---------------|-----|------|
| ◇ | oid_usrc_ctrl | yes | oid_usrc_ctrl | yes | no   |
| * | usrc_index1   | yes | usrc_index1   | yes | no   |

◇ **UsrDomain**      Link User-Domain

| Field Name         | Label | Col-Label | Format     | Decimals |
|--------------------|-------|-----------|------------|----------|
| Domain_ID          |       |           | 9999999999 |          |
| LastModifiedDate   |       |           | 99/99/9999 |          |
| LastModifiedTime   |       |           | 999999     |          |
| LastModifiedUser   |       |           | x(20)      |          |
| Usr_ID             |       |           | 9999999999 |          |
| UsrDomain_ID       |       |           | 9999999999 |          |
| UsrDomainIsDefault |       |           | yes/no     |          |

| Index-Name      | Uni | Field-Name   | Asc | Abbr |
|-----------------|-----|--------------|-----|------|
| ◇ Domain_FK     | no  | Domain_ID    | yes | no   |
| ◇ Usr_FK        | no  | Usr_ID       | yes | no   |
| ◇* UsrDomain PK | yes | UsrDomain ID | yes | no   |

**usr\_gd\_det**      User Role Detail

| <b>Field Name</b> | <b>Label</b>           | <b>Col-Label</b> | <b>Format</b>                                            | <b>Description</b> |
|-------------------|------------------------|------------------|----------------------------------------------------------|--------------------|
| oid_usrgr_mstr    |                        |                  | >>>>>>>>>>>>>>>>>>>>>>9 10                               |                    |
| oid_usrgrd_det    |                        |                  | .9<<<<<<<<<<br>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |                    |
| usrgrd__qadc01    |                        |                  | x(24)                                                    |                    |
| usrgrd__qadc02    |                        |                  | x(24)                                                    |                    |
| usrgrd_domain     | Domain                 |                  | x(8)                                                     |                    |
| usrgrd_mod_date   | Modified Date          | Mod Date         | 99/99/99                                                 |                    |
| usrgrd_mod_userid | User ID                |                  | x(8)                                                     |                    |
| usrgrd_user1      | User Field Character 1 |                  | x(24)                                                    |                    |
| usrgrd_user2      | User Field Character 2 |                  | x(24)                                                    |                    |
| usrgrd_userid     | User ID                |                  | x(8)                                                     |                    |

| Index-Name             | Uni | Field-Name     | Asc | Abbr |
|------------------------|-----|----------------|-----|------|
| oid_usrgd_det          | yes | oid_usrgd_det  | yes | no   |
| * usrgd_oid_usrgr_mstr | yes | oid_usrgr_mstr | yes | no   |
|                        |     | usrgr_domain   | yes | no   |
|                        |     | usrgr_userid   | yes | no   |
| usrgr_userid           | yes | usrgr_userid   | yes | no   |
|                        |     | usrgr_domain   | yes | no   |
|                        |     | oid_usrgr_mstr | yes | no   |

◇ **usrgm\_det**      Role Compatibility Matrix

[illegible]



| Field Name       | Label                  | Col-Label | Format   | Dec |
|------------------|------------------------|-----------|----------|-----|
| usrgm_mod_date   | Modified Date          | Mod Date  | 99/99/99 |     |
| usrgm_mod_userid | User ID                |           | x(8)     |     |
| usrgm_user1      | User Field Character 1 |           | x(24)    |     |
| usrgm_user2      | User Field Character 2 |           | x(24)    |     |

| Index-Name          | Uni | Field-Name    | Asc | Abbr |
|---------------------|-----|---------------|-----|------|
| ◇ oid_usrgm_det     | yes | oid_usrgm_det | yes | no   |
| ◇* usrgm_group_pair | yes | usrgm_group1  | yes | no   |
|                     |     | usrgm_group2  | yes | no   |

**usrg\_mstr**      User Role Master

| Field Name           | Label                  | Col-Label | Format                                   | Dec |
|----------------------|------------------------|-----------|------------------------------------------|-----|
| oid_usrgr_mstr       |                        |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<< |     |
| usrgr_qadc01         |                        |           | x(24)                                    |     |
| usrgr_qadc02         |                        |           | x(24)                                    |     |
| ◇ usrgr_active       | Active                 |           | yes/no                                   |     |
| △ usrgr_group_desc   | Role Description       |           | x(24)                                    |     |
| △ usrgr_group_name   | Role Name              | Role      | x(20)                                    |     |
| usrgr_mod_date       | Modified Date          | Mod Date  | 99/99/99                                 |     |
| usrgr_mod_userid     | User ID                |           | x(8)                                     |     |
| ◇ usrgr_sod_conflict | Role Conflict          |           | yes/no                                   |     |
| usrgr_user1          | User Field Character 1 |           | x(24)                                    |     |
| usrgr_user2          | User Field Character 2 |           | x(24)                                    |     |

|   | Index-Name      | Uni | Field-Name      | Asc | Abbr |
|---|-----------------|-----|-----------------|-----|------|
|   | oid_usrg_mstr   | yes | oid_usrg_mstr   | yes | no   |
| * | usrg_group_name | yes | usrg_group_name | yes | no   |

|                 |                                  |
|-----------------|----------------------------------|
| <b>usrl_det</b> | User Licensed Application Detail |
|-----------------|----------------------------------|

| Field Name         | Label            | Col-Label | Format                     | Dec |
|--------------------|------------------|-----------|----------------------------|-----|
| oid_usr1_det       |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| usr1__qadc01       |                  |           | .9<<<<<<<<<                |     |
| usr1__qadc02       |                  |           | x(24)                      |     |
| usr1__qadd01       |                  |           | x(24)                      |     |
| usr1__qadt01       |                  |           | ->>>>, >>>, >>>.9<<<<<<<<< | 10  |
| usr1_active        | Active           |           | 99/99/99                   |     |
| usr1_active_date   | Activated Date   |           | yes/no                     |     |
| usr1_deactive_by   | Deactivated By   |           | 99/99/99                   |     |
| usr1_deactive_date | Deactivated Date |           | x(8)                       |     |
| usr1_mod_date      | Modified Date    | Mod Date  | 99/99/99                   |     |
| usr1_mod_userid    | User ID          |           | 99/99/99                   |     |
|                    |                  |           | x(8)                       |     |

| Field Name    | Label                  | Col-Label | Format | Dec |
|---------------|------------------------|-----------|--------|-----|
| usr_l_product | Application            |           | x(16)  |     |
| usr_l_user1   | User Field Character 1 |           | x(24)  |     |
| usr_l_user2   | User Field Character 2 |           | x(24)  |     |
| usr_l_userid  | User ID                |           | x(8)   |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_usr_l_det | yes | oid_usr_l_det | yes | no   |
| usr_l_product   | no  | usr_l_product | yes | no   |
|                 |     | usr_l_userid  | yes | no   |
| * usr_l_userid  | yes | usr_l_userid  | yes | no   |
|                 |     | usr_l_product | yes | no   |

◇ **UsrProperty**    User Property

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9   | Custom Short Field   | Custom Short Field   | x(20)         |     |

| Field Name       | Label              | Col-Label  | Format     | Dec |
|------------------|--------------------|------------|------------|-----|
| LastModifiedDate | Last Modified Date | Modif Date | 99/99/9999 |     |
| LastModifiedTime | Last Modified Time | Modif Time | 99999      |     |
| LastModifiedUser | Last Modified User | Modif User | x(20)      |     |
| Usr_ID           |                    |            | 9999999999 |     |
| UsrProperty_ID   | Record ID          | Record ID  | 9999999999 |     |

| Index-Name | Uni | Field-Name     | Asc | Abbr |
|------------|-----|----------------|-----|------|
| ◇* Prim    | yes | UsrProperty_ID | yes | no   |
| ◇ UsrId    | yes | Usr_ID         | yes | no   |

### ◇ UsrRole Link User-Role

| Field Name           | Label | Col-Label | Format     | Dec |
|----------------------|-------|-----------|------------|-----|
| LastModifiedDate     |       |           | 99/99/9999 |     |
| LastModifiedTime     |       |           | 99999      |     |
| LastModifiedUser     |       |           | x(20)      |     |
| Role_ID              |       |           | 9999999999 |     |
| Usr_ID               |       |           | 9999999999 |     |
| UsrRole_ID           |       |           | 9999999999 |     |
| UsrRoleIsDefaultRole |       |           | yes/no     |     |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇* Prim      | yes | UsrRole_ID | yes | no   |
| ◇ Role       | no  | Role_ID    | yes | no   |
| ◇ Usr        | no  | Usr_ID     | yes | no   |
| ◇ UsrAndRole | yes | Usr_ID     | yes | no   |
|              |     | Role_ID    | yes | no   |

### ◇ UsrRoleCompany Link User-Role-Company

| Field Name        | Label | Col-Label | Format     | Dec |
|-------------------|-------|-----------|------------|-----|
| Company_ID        |       |           | 9999999999 |     |
| Domain_ID         |       |           | 9999999999 |     |
| LastModifiedDate  |       |           | 99/99/9999 |     |
| LastModifiedTime  |       |           | 99999      |     |
| LastModifiedUser  |       |           | x(20)      |     |
| Role_ID           |       |           | 9999999999 |     |
| Usr_ID            |       |           | 9999999999 |     |
| UsrRole_ID        |       |           | 9999999999 |     |
| UsrRoleCompany_ID |       |           | 9999999999 |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇ Company   | no  | Company_ID        | yes | no   |
| ◇ Domain_FK | no  | Domain_ID         | yes | no   |
| ◇* Prim     | yes | UsrRoleCompany_ID | yes | no   |
| ◇ Role_FK   | no  | Role_ID           | yes | no   |
| ◇ Usr_FK    | no  | Usr_ID            | yes | no   |
| ◇ UsrRole   | no  | UsrRole_ID        | yes | no   |

◇

UsrRoleDomain

Link User-Role-Domain

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| Domain_ID        |       |           | 9999999999 |     |
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |
| Role_ID          |       |           | 9999999999 |     |
| Usr_ID           |       |           | 9999999999 |     |
| UsrRole_ID       |       |           | 9999999999 |     |
| UsrRoleDomain_ID |       |           | 9999999999 |     |

| Index-Name   | Uni | Field-Name       | Asc | Abbr |
|--------------|-----|------------------|-----|------|
| ◇ Domain_FK  | no  | Domain_ID        | yes | no   |
| ◇* prim      | yes | UsrRoleDomain_ID | yes | no   |
| ◇ Role_FK    | no  | Role_ID          | yes | no   |
| ◇ Usr_FK     | no  | Usr_ID           | yes | no   |
| ◇ UsrRole_FK | no  | UsrRole_ID       | yes | no   |

◇

UsrRoleScope

Link User-Role Scope

| Field Name        | Label | Col-Label | Format     | Dec |
|-------------------|-------|-----------|------------|-----|
| Company_ID        |       |           | 9999999999 |     |
| LastModifiedDate  |       |           | 99/99/9999 |     |
| LastModifiedTime  |       |           | 99999      |     |
| LastModifiedUser  |       |           | x(20)      |     |
| SharedSet_ID      |       |           | 9999999999 |     |
| UsrRole_ID        |       |           | 9999999999 |     |
| UsrRoleScope_ID   |       |           | 9999999999 |     |
| UsrRoleScopeValue |       |           | x(20)      |     |

| Index-Name  | Uni | Field-Name        | Asc | Abbr |
|-------------|-----|-------------------|-----|------|
| ◇ Company   | no  | Company_ID        | yes | no   |
| ◇* Prim     | yes | UsrRoleScope_ID   | yes | no   |
| ◇ SharedSet | no  | SharedSet_ID      | yes | no   |
| ◇ UniqueIdx | yes | UsrRoleScopeValue | yes | no   |
|             |     | Company_ID        | yes | no   |
|             |     | SharedSet_ID      | yes | no   |
|             |     | UsrRole_ID        | yes | no   |
| ◇ UsrRole   | no  | UsrRole_ID        | yes | no   |

### User Work Table

| Field Name       | Label  | Col-Label | Format                                   | Dec |
|------------------|--------|-----------|------------------------------------------|-----|
| oid_usrw_wkfl    |        |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| usrw__qadc01     |        |           | x(8)                                     |     |
| usrw_charfld[15] |        |           | x(8)                                     |     |
| usrw_datefld[4]  |        |           | 99/99/99                                 |     |
| usrw_decfld[15]  |        |           | ->, >>9.99                               | 10  |
| usrw_domain      | Domain |           | x(8)                                     |     |
| usrw_intfld[15]  |        |           | ->, >>>, >>9                             |     |
| usrw_key1        |        |           | x(8)                                     |     |
| usrw_key2        |        |           | x(8)                                     |     |
| usrw_key3        |        |           | x(8)                                     |     |
| usrw_key4        |        |           | x(8)                                     |     |
| usrw_key5        |        |           | x(8)                                     |     |
| usrw_key6        |        |           | x(8)                                     |     |
| usrw_logfld[15]  |        |           | yes/no                                   |     |
| usrw_user1       | Ufld1  |           | x(8)                                     |     |
| usrw_user2       | Ufld2  |           | x(8)                                     |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_usrw_wkfl | yes | oid_usrw_wkfl | yes | no   |
| * usrw_index1   | yes | usrw_domain   | yes | no   |
|                 |     | usrw_key1     | yes | no   |
|                 |     | usrw_key2     | yes | no   |
| usrw_index2     | no  | usrw_domain   | yes | no   |
|                 |     | usrw_key3     | yes | no   |
|                 |     | usrw_key4     | yes | no   |
| usrw_index3     | no  | usrw_domain   | yes | no   |
|                 |     | usrw_key5     | yes | no   |
|                 |     | usrw_key6     | yes | no   |

## User Master

| <b>Field Name</b> | <b>Label</b>        | <b>Col-Label</b> | <b>Format</b>           | <b>Dec</b> |
|-------------------|---------------------|------------------|-------------------------|------------|
| oid_usr_mstr      |                     |                  | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
|                   |                     |                  | .9<<<<<<<<              |            |
| usr__qad01        |                     |                  | x(8)                    |            |
| usr__qad02        |                     |                  | x(8)                    |            |
| usr__qadc01       | QAD Character Field |                  | X(8)                    |            |
| usr__qadc02       | QAD Character Field |                  | X(8)                    |            |
| usr__qadc03       | QAD Character Field |                  | x(8)                    |            |
| usr__qadc04       | QAD Character Field |                  | X(8)                    |            |
| usr__qadc05       |                     |                  | x(24)                   |            |
| usr__qadi01       | QAD Integer Field   |                  | >>>9                    |            |
| usr__qadi02       | QAD Integer Field   |                  | >>9                     |            |
| usr__qadi01       | QAD Logical Field   |                  | yes/no                  |            |
| usr__qadi02       | QAD Logical Field   |                  | yes/no                  |            |
| usr__qadi03       |                     |                  | yes/no                  |            |
| usr_access_loc    | Access Location     |                  | x(8)                    |            |
| usr_access_type   | Access Type         |                  | x(8)                    |            |
| usr_active        | Active              | Active           | yes/no                  |            |

| Field Name          | Label                      | Col-Label                  | Format   | Dec |
|---------------------|----------------------------|----------------------------|----------|-----|
| usr_active_by       | Active By                  | Active Changed By! User ID | x(8)     |     |
| usr_active_date     | Active Date                | Active! Chg Date           | 99/99/99 |     |
| usr_active_reason   | Active Reason              | Reason! Code               | x(8)     |     |
| usr_addr            | Address                    |                            | x(8)     |     |
| usr_ctype_code      | Country Code               | Ctry                       | x(3)     |     |
| ◇ usr_enabled       | User Enabled               |                            | yes/no   |     |
| usr_failed_attempts | Password Failed Attempts   | Passwd Failed! Attempts    | >>9      |     |
| usr_force_change    | Password Force Change      | Passwd! Force! Change      | yes/no   |     |
| △ usr_initials      | Initials                   | Init                       | x(20)    |     |
| usr_lang            | Language                   | Lang                       | x(2)     |     |
| usr_last_date       | Date Password Last Changed | Changed                    | 99/99/99 |     |
| usr_logon_date      | Last Logon Date            | Logon Date                 | 99/99/99 |     |
| usr_logon_time      | Last Logon Time            | Logon Time                 | >>>>9    |     |
| usr_logon_timezone  | Last Logon Time Zone       | Server! Time! Zone         | x(8)     |     |
| usr_mail_address    | E-mail Address             | E-mail                     | x(60)    |     |
| usr_name            | User Name                  |                            | x(35)    |     |
| usr_passwd          | Password                   |                            | x(16)    |     |
| usr_remark          | Remark                     |                            | x(60)    |     |
| usr_restrict        | Restricted                 |                            | yes/no   |     |
| usr_site            | Site                       |                            | x(8)     |     |
| usr_timezone        | Time Zone                  |                            | x(8)     |     |
| usr_type            | User Type                  |                            | x(8)     |     |
| ◇ usr_tzdb          | Time Zone DB               |                            | x(16)    |     |
| usr_user1           | Ufld1                      |                            | x(8)     |     |
| usr_user2           | Ufld2                      |                            | x(8)     |     |
| usr_userid          | User ID                    |                            | x(8)     |     |
| usr_variant_code    | Variant                    |                            | x(6)     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ old_usr_mstr | yes | old_usr_mstr | yes | no   |
| * usr_userid   | yes | usr_userid   | yes | no   |

◇ Vat Tax

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |

| Field Name         | Label                | Col-Label            | Format        | Dec |
|--------------------|----------------------|----------------------|---------------|-----|
| CustomDecimal2     | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3     | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4     | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0     | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1     | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2     | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3     | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4     | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0        | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1        | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote         | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort6       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort7       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort8       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort9       | Custom Short Field   | Custom Short Field   | x(20)         |     |
| Domain_ID          | Domain               | Domain               | 9999999999    |     |
| LastModifiedDate   | Last Modified Date   | Modif Date           | 99/99/9999    |     |
| LastModifiedTime   | Last Modified Time   | Modif Time           | 999999        |     |
| LastModifiedUser   | Last Modified User   | Modif User           | x(20)         |     |
| TxuTaxUsage        | Tax Usage            | Tax Usage            | x(8)          |     |
| Vat_ID             | Record ID            | Record ID            | 9999999999    |     |
| VatAVRType         | AVR Code             | AVR Code             | x(20)         |     |
| VatCode            | Tax Code             | Tax Code             | x(20)         |     |
| VatDescription     | Description          | Description          | x(40)         |     |
| VatInOut           | Tax In/Out           | In/Out               | x(20)         |     |
| VatInvoiceText     | Tax Text on Invoice  | Tax Text on Invoice  | x(2000)       |     |
| VatIsAbsorbed      | Absorbed             | Absorbed             | yes/no        |     |
| VatIsActive        | Active               | Act                  | yes/no        |     |
| VatIsDelay         | Delay                | Delay                | yes/no        |     |
| VatIsGlobalTax     | Global Tax           | Global Tax           | yes/no        |     |
| VatIsRetained      | Retained             | Retained             | yes/no        |     |
| VatPercentageLevel | Tax Percentage Level | Perc Level           | x(20)         |     |
| VatTransactionType | Transaction Type     | Trans Type           | x(20)         |     |

| Index-Name  | Uni | Field-Name     | Asc | Abbr |
|-------------|-----|----------------|-----|------|
| ◇ IsGlobal  | no  | VatIsGlobalTax | yes | no   |
| ◇* Prim     | yes | Vat_ID         | yes | no   |
| ◇ Uniqueldx | yes | Domain_ID      | yes | no   |
|             |     | VatCode        | yes | no   |
|             |     | VatInOut       | yes | no   |
| ◇ ViewIndex | no  | VatIsActive    | yes | no   |
|             |     | VatCode        | yes | no   |

◇ VatBox     Tax Box

| Field Name        | Label              | Col-Label   | Format     | Dec |
|-------------------|--------------------|-------------|------------|-----|
| Country_ID        | Tax Country Code   | Country     | 9999999999 |     |
| LastModifiedDate  | Last Modified Date | Modif Date  | 99/99/9999 |     |
| LastModifiedTime  | Last Modified Time | Modif Time  | 99999      |     |
| LastModifiedUser  | Last Modified User | Modif User  | x(20)      |     |
| VatBox_ID         | Record ID          | Record ID   | 9999999999 |     |
| VatBoxCode        | Tax Box Code       | Tax Box     | x(20)      |     |
| VatBoxDescription | Description        | Description | x(40)      |     |
| VatBoxIsActive    | Active             | Active      | yes/no     |     |
| VatBoxType        | Tax Box Type       | Type        | x(20)      |     |

| Index-Name  | Uni | Field-Name     | Asc | Abbr |
|-------------|-----|----------------|-----|------|
| ◇ BoxCode   | yes | VatBoxCode     | yes | no   |
| ◇ Country   | no  | Country_ID     | yes | no   |
| ◇* Prim     | yes | VatBox_ID      | yes | no   |
| ◇ ViewIndex | no  | VatBoxIsActive | yes | no   |
|             |     | VatBoxCode     | yes | no   |

◇ VatExport     Tax Export

| Field Name               | Label                 | Col-Label             | Format             | Dec |
|--------------------------|-----------------------|-----------------------|--------------------|-----|
| Company_ID               | Link to Company       | Link to Company       | 9999999999         |     |
| Country_ID               | Link to Country       | Link to Country       | 9999999999         |     |
| LastModifiedDate         | Last Modified Date    | Modif Date            | 99/99/9999         |     |
| LastModifiedTime         | Last Modified Time    | Modif Time            | ->, >>>, >>9       |     |
| LastModifiedUser         | Last Modified User    | Modif User            | x(20)              |     |
| VatExport_ID             | Record ID             | Record ID             | 9999999999         |     |
| VatExportEstimate        | Estimated Declaration | Estimated Declaration | ->>, >>>, >>>, >>9 |     |
| VatExportFileName        | File Name             | File Name             | x(255)             |     |
| VatExportMessageIdentity | Message ID            | Message ID            | x(20)              |     |
| VatExportPeriodType      | Tax Period Type       | Tax Period Type       | x(20)              |     |
| VatNumber_ID             | Link to VatNumber     | Link to VatNumber     | 9999999999         |     |
| VatPeriod_ID             | GL Period             | GL Period             | 9999999999         |     |

| Index-Name   | Uni | Field-Name               | Asc | Abbr |
|--------------|-----|--------------------------|-----|------|
| ◇ Company    | no  | Company_ID               | yes | no   |
| ◇ Country    | no  | Country_ID               | yes | no   |
| ◇* Prim      | yes | VatExport_ID             | yes | no   |
| ◇ Unique2Idx | yes | VatExportMessageIdentity | yes | no   |
| ◇ UniqueIdx  | yes | Company_ID               | yes | no   |
|              |     | VatExportPeriodType      | yes | no   |
|              |     | VatPeriod_ID             | yes | no   |
|              |     | Country_ID               | yes | no   |
| ◇ VatNumber  | no  | VatNumber_ID             | yes | no   |
| ◇ VatPeriod  | no  | VatPeriod_ID             | yes | no   |



◇ **VatGroup** Tax Group

| Field Name           | Label               | Col-Label           | Format     | Dec |
|----------------------|---------------------|---------------------|------------|-----|
| DiscountGLProfile_ID | Discount GL Profile | Discount GL Profile | 9999999999 |     |
| LastModifiedDate     | Last Modified Date  | Modif Date          | 99/99/9999 |     |
| LastModifiedTime     | Last Modified Time  | Modif Time          | 99999      |     |
| LastModifiedUser     | Last Modified User  | Modif User          | x(20)      |     |
| VatGroup_ID          | Record ID           | Record ID           | 9999999999 |     |
| VatGroupCode         | Tax Group Code      | Tax Group Code      | x(20)      |     |
| VatGroupDescription  | Description         | Description         | x(40)      |     |
| VatGroupsActive      | Active              | Active              | yes/no     |     |

| Index-Name          | Uni | Field-Name           | Asc | Abbr |
|---------------------|-----|----------------------|-----|------|
| ◇ Code              | yes | VatGroupCode         | yes | no   |
| ◇ DiscountGLProfile | no  | DiscountGLProfile_ID | yes | no   |
| ◇* prim             | yes | VatGroup_ID          | yes | no   |
| ◇ ViewIndex         | no  | VatGroupsActive      | yes | no   |
|                     |     | VatGroupCode         | yes | no   |

◇ **VatGroupBoxLink** Tax Group Box Link

| Field Name         | Label              | Col-Label        | Format     | Dec |
|--------------------|--------------------|------------------|------------|-----|
| LastModifiedDate   | Last Modified Date | Modif Date       | 99/99/9999 |     |
| LastModifiedTime   | Last Modified Time | Modif Time       | 99999      |     |
| LastModifiedUser   | Last Modified User | Modif User       | x(20)      |     |
| VatBox_ID          | Tax Box Code       | Tax Box Code     | 9999999999 |     |
| VatGroup_ID        | Link to VatGroup   | Link to VatGroup | 9999999999 |     |
| VatGroupBoxLink_ID | Record ID          | Record ID        | 9999999999 |     |

| Index-Name     | Uni | Field-Name         | Asc | Abbr |
|----------------|-----|--------------------|-----|------|
| ◇* Prim        | yes | VatGroupBoxLink_ID | yes | no   |
| ◇ VatBox       | no  | VatBox_ID          | yes | no   |
| ◇ VatGroup     | no  | VatGroup_ID        | yes | no   |
| ◇ VatGrpVatBox | yes | VatGroup_ID        | yes | no   |
|                |     | VatBox_ID          | yes | no   |

◇ **VatNumber** Tax Number

| Field Name          | Label                    | Col-Label                | Format     | Dec |
|---------------------|--------------------------|--------------------------|------------|-----|
| BusinessRelation_ID | Link to BusinessRelation | Link to BusinessRelation | 9999999999 |     |
| CustomCombo0        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo1        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo2        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo3        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo4        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo5        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo6        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo7        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo8        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomCombo9        | Custom Combo Field       | Custom Combo Field       | x(20)      |     |
| CustomDate0         | Custom Date Field        | Custom Date Field        | 99/99/9999 |     |

| Field Name            | Label                      | Col-Label             | Format         | Dec |
|-----------------------|----------------------------|-----------------------|----------------|-----|
| CustomDate1           | Custom Date Field          | Custom Date Field     | 99/99/9999     |     |
| CustomDate2           | Custom Date Field          | Custom Date Field     | 99/99/9999     |     |
| CustomDate3           | Custom Date Field          | Custom Date Field     | 99/99/9999     |     |
| CustomDate4           | Custom Date Field          | Custom Date Field     | 99/99/9999     |     |
| CustomDecimal0        | Custom Decimal Field       | Custom Decimal Field  | ->,>>>, >>9.99 | 4   |
| CustomDecimal1        | Custom Decimal Field       | Custom Decimal Field  | ->,>>>, >>9.99 | 4   |
| CustomDecimal2        | Custom Decimal Field       | Custom Decimal Field  | ->,>>>, >>9.99 | 4   |
| CustomDecimal3        | Custom Decimal Field       | Custom Decimal Field  | ->,>>>, >>9.99 | 4   |
| CustomDecimal4        | Custom Decimal Field       | Custom Decimal Field  | ->,>>>, >>9.99 | 4   |
| CustomInteger0        | Custom Integer Field       | Custom Integer Field  | ->,>>>, >>9    |     |
| CustomInteger1        | Custom Integer Field       | Custom Integer Field  | ->,>>>, >>9    |     |
| CustomInteger2        | Custom Integer Field       | Custom Integer Field  | ->,>>>, >>9    |     |
| CustomInteger3        | Custom Integer Field       | Custom Integer Field  | ->,>>>, >>9    |     |
| CustomInteger4        | Custom Integer Field       | Custom Integer Field  | ->,>>>, >>9    |     |
| CustomLong0           | Custom Long Field          | Custom Long Field     | x(255)         |     |
| CustomLong1           | Custom Long Field          | Custom Long Field     | x(255)         |     |
| CustomNote            | Custom Note Field          | Custom Note Field     | x(2000)        |     |
| CustomShort0          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort1          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort2          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort3          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort4          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort5          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort6          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort7          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort8          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| CustomShort9          | Custom Short Field         | Custom Short Field    | x(20)          |     |
| DeclarationCountry_ID | Country Tax Declaration    | Country Tax Decl      | 9999999999     |     |
| IdentityCountry_ID    | Country Tax Identification | Country Tax Ident     | 9999999999     |     |
| LastModifiedDate      | Last Modified Date         | Modif Date            | 99/99/9999     |     |
| LastModifiedTime      | Last Modified Time         | Modif Time            | 99999          |     |
| LastModifiedUser      | Last Modified User         | Modif User            | x(20)          |     |
| VatNumber_ID          | Record ID                  | Record ID             | 9999999999     |     |
| VatNumberDeclaration  | Tax Declaration Number     | Tax Declaration No    | x(20)          |     |
| VatNumberIdentity     | Tax Identification Number  | Tax Identification No | x(20)          |     |
| VatNumberIsActive     | Active                     | Active                | yes/no         |     |

| Index-Name           | Uni | Field-Name          | Asc | Abbr |
|----------------------|-----|---------------------|-----|------|
| ◇ BusinessRelation   | no  | BusinessRelation_ID | yes | no   |
| ◇ Country            | no  | IdentityCountry_ID  | yes | no   |
| ◇ Identity           | no  | VatNumberIdentity   | yes | no   |
| ◇* Prim              | yes | VatNumber_ID        | yes | no   |
| ◇ VatNumberUniqueldx | yes | BusinessRelation_ID | yes | no   |
|                      |     | VatNumberIdentity   | yes | no   |
|                      |     | IdentityCountry_ID  | yes | no   |
| ◇ ViewIndex          | no  | VatNumberIsActive   | yes | no   |
|                      |     | VatNumberIdentity   | yes | no   |

## ◇ VatPercent Tax Percent

| Field Name            | Label                | Col-Label            | Format         | Dec |
|-----------------------|----------------------|----------------------|----------------|-----|
| CustomCombo0          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo1          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo2          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo3          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo4          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo5          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo6          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo7          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo8          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomCombo9          | Custom Combo Field   | Custom Combo Field   | x(20)          |     |
| CustomDate0           | Custom Date Field    | Custom Date Field    | 99/99/9999     |     |
| CustomDate1           | Custom Date Field    | Custom Date Field    | 99/99/9999     |     |
| CustomDate2           | Custom Date Field    | Custom Date Field    | 99/99/9999     |     |
| CustomDate3           | Custom Date Field    | Custom Date Field    | 99/99/9999     |     |
| CustomDate4           | Custom Date Field    | Custom Date Field    | 99/99/9999     |     |
| CustomDecimal0        | Custom Decimal Field | Custom Decimal Field | ->,>>>, >>9.99 | 4   |
| CustomDecimal1        | Custom Decimal Field | Custom Decimal Field | ->,>>>, >>9.99 | 4   |
| CustomDecimal2        | Custom Decimal Field | Custom Decimal Field | ->,>>>, >>9.99 | 4   |
| CustomDecimal3        | Custom Decimal Field | Custom Decimal Field | ->,>>>, >>9.99 | 4   |
| CustomDecimal4        | Custom Decimal Field | Custom Decimal Field | ->,>>>, >>9.99 | 4   |
| CustomInteger0        | Custom Integer Field | Custom Integer Field | ->,>>>, >>9    |     |
| CustomInteger1        | Custom Integer Field | Custom Integer Field | ->,>>>, >>9    |     |
| CustomInteger2        | Custom Integer Field | Custom Integer Field | ->,>>>, >>9    |     |
| CustomInteger3        | Custom Integer Field | Custom Integer Field | ->,>>>, >>9    |     |
| CustomInteger4        | Custom Integer Field | Custom Integer Field | ->,>>>, >>9    |     |
| CustomLong0           | Custom Long Field    | Custom Long Field    | x(255)         |     |
| CustomLong1           | Custom Long Field    | Custom Long Field    | x(255)         |     |
| CustomNote            | Custom Note Field    | Custom Note Field    | x(2000)        |     |
| CustomShort0          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort1          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort2          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort3          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort4          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort5          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort6          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort7          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort8          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| CustomShort9          | Custom Short Field   | Custom Short Field   | x(20)          |     |
| LastModifiedDate      | Last Modified Date   | Modif Date           | 99/99/9999     |     |
| LastModifiedTime      | Last Modified Time   | Modif Time           | 999999         |     |
| LastModifiedUser      | Last Modified User   | Modif User           | x(20)          |     |
| VatPercent_ID         | Record ID            | Record ID            | 9999999999     |     |
| VatPercentCode        | Tax Percent Code     | Tax Percent Code     | x(20)          |     |
| VatPercentDescription | Description          | Description          | x(40)          |     |
| VatPercentIsActive    | Active               | Active               | yes/no         |     |

| Index-Name  | Uni | Field-Name         | Asc | Abbr |
|-------------|-----|--------------------|-----|------|
| ◇ Code      | yes | VatPercentCode     | yes | no   |
| ◇* prim     | yes | VatPercent_ID      | yes | no   |
| ◇ ViewIndex | no  | VatPercentIsActive | yes | no   |
|             |     | VatPercentCode     | yes | no   |

## ◇ VatPercentLine Tax Percent Line

| Field Name               | Label              | Col-Label          | Format     | Dec |
|--------------------------|--------------------|--------------------|------------|-----|
| LastModifiedDate         | Last Modified Date | Modif Date         | 99/99/9999 |     |
| LastModifiedTime         | Last Modified Time | Modif Time         | 999999     |     |
| LastModifiedUser         | Last Modified User | Modif User         | x(20)      |     |
| VatPercent_ID            | Link to VatPercent | Link to VatPercent | 9999999999 |     |
| VatPercentLine_ID        | Record ID          | Record ID          | 9999999999 |     |
| VatPercentLineFromDate   | Valid From         | Valid From         | 99/99/9999 |     |
| VatPercentLinePercentage | Percentage         | Percentage         | >>9.99     | 2   |
| VatPercentLineTillDate   | Valid To           | Valid To           | 99/99/9999 |     |

| Index-Name   | Uni | Field-Name        | Asc | Abbr |
|--------------|-----|-------------------|-----|------|
| ◇* prim      | yes | VatPercentLine_ID | yes | no   |
| ◇ VatPercent | no  | VatPercent_ID     | yes | no   |

## ◇ VatPeriod Tax Period

| Field Name     | Label                | Col-Label            | Format        | Dec |
|----------------|----------------------|----------------------|---------------|-----|
| Company_ID     | Link to Company      | Link to Company      | 9999999999    |     |
| CustomCombo0   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo1   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo2   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo3   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo4   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo5   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo6   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo7   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo8   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomCombo9   | Custom Combo Field   | Custom Combo Field   | x(20)         |     |
| CustomDate0    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate1    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate2    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate3    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDate4    | Custom Date Field    | Custom Date Field    | 99/99/9999    |     |
| CustomDecimal0 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal1 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal2 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal3 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomDecimal4 | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99 | 4   |
| CustomInteger0 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger1 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger2 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger3 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomInteger4 | Custom Integer Field | Custom Integer Field | ->,>>>,>>9    |     |
| CustomLong0    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomLong1    | Custom Long Field    | Custom Long Field    | x(255)        |     |
| CustomNote     | Custom Note Field    | Custom Note Field    | x(2000)       |     |
| CustomShort0   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort1   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort2   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort3   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort4   | Custom Short Field   | Custom Short Field   | x(20)         |     |
| CustomShort5   | Custom Short Field   | Custom Short Field   | x(20)         |     |

| Field Name               | Label              | Col-Label          | Format     | Dec |
|--------------------------|--------------------|--------------------|------------|-----|
| CustomShort6             | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort7             | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort8             | Custom Short Field | Custom Short Field | x(20)      |     |
| CustomShort9             | Custom Short Field | Custom Short Field | x(20)      |     |
| LastModifiedDate         | Last Modified Date | Modif Date         | 99/99/9999 |     |
| LastModifiedTime         | Last Modified Time | Modif Time         | 99999      |     |
| LastModifiedUser         | Last Modified User | Modif User         | x(20)      |     |
| PeriodMark_ID            | Mark               | Mark               | 9999999999 |     |
| VatPeriod_ID             | Record ID          | Record ID          | 9999999999 |     |
| VatPeriodEndDate         | End Date           | End Date           | 99/99/9999 |     |
| VatPeriodIsReportChecked | Checked/Reported   | Checked/Reported   | yes/no     |     |
| VatPeriodPeriod          | Tax Period         | Tax Pd             | 99         |     |
| VatPeriodStartDate       | Start Date         | Start Date         | 99/99/9999 |     |
| VatPeriodStatus          | Status             | Status             | x(20)      |     |
| VatPeriodYear            | Tax Year           | Tax Year           | 9999       |     |
| VatPeriodYearPeriod      | Tax Year/GL Period | Tax Year/GL Pd     | 999999     |     |

| Index-Name          | Uni | Field-Name          | Asc | Abbr |
|---------------------|-----|---------------------|-----|------|
| ◇ Company           | no  | Company_ID          | yes | no   |
| ◇ EndDate           | no  | VatPeriodEndDate    | yes | no   |
| ◇ PeriodMark        | no  | PeriodMark_ID       | yes | no   |
| ◇* Prim             | yes | VatPeriod_ID        | yes | no   |
| ◇ StartDate         | no  | VatPeriodStartDate  | yes | no   |
| ◇ VatPeriod         | no  | VatPeriodPeriod     | yes | no   |
| ◇ VatYear           | no  | VatPeriodYear       | yes | no   |
| ◇ YearPeriod        | no  | VatPeriodYearPeriod | yes | no   |
| ◇ YearPeriodCompany | yes | Company_ID          | yes | no   |
|                     |     | VatPeriodYear       | yes | no   |
|                     |     | VatPeriodPeriod     | yes | no   |

◇ **VatRule** Tax Rule

| Field Name                 | Label                 | Col-Label             | Format     | Dec |
|----------------------------|-----------------------|-----------------------|------------|-----|
| AbsorbedCreditNVatGroup_ID | Tax Group Code        | Tax Group Code        | 9999999999 |     |
| AbsorbedInvoiceVatGroup_ID | Tax Group Code        | Tax Group Code        | 9999999999 |     |
| CreditNoteGLProfile_ID     | CN GL Profile         | CN GL Profile         | 9999999999 |     |
| CreditNoteVatGroup_ID      | Credit Note Tax Group | Credit Note Tax Group | 9999999999 |     |
| CreditVoucherVatGroup_ID   | Tax Group Code        | Tax Group Code        | 9999999999 |     |
| CustomCombo0               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo1               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo2               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo3               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo4               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo5               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo6               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo7               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo8               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomCombo9               | Custom Combo Field    | Custom Combo Field    | x(20)      |     |
| CustomDate0                | Custom Date Field     | Custom Date Field     | 99/99/9999 |     |
| CustomDate1                | Custom Date Field     | Custom Date Field     | 99/99/9999 |     |
| CustomDate2                | Custom Date Field     | Custom Date Field     | 99/99/9999 |     |
| CustomDate3                | Custom Date Field     | Custom Date Field     | 99/99/9999 |     |
| CustomDate4                | Custom Date Field     | Custom Date Field     | 99/99/9999 |     |

| Field Name                | Label                | Col-Label            | Format              | Dec |
|---------------------------|----------------------|----------------------|---------------------|-----|
| CustomDecimal0            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99       | 4   |
| CustomDecimal1            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99       | 4   |
| CustomDecimal2            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99       | 4   |
| CustomDecimal3            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99       | 4   |
| CustomDecimal4            | Custom Decimal Field | Custom Decimal Field | ->,>>>,>>9.99       | 4   |
| CustomInteger0            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9          |     |
| CustomInteger1            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9          |     |
| CustomInteger2            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9          |     |
| CustomInteger3            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9          |     |
| CustomInteger4            | Custom Integer Field | Custom Integer Field | ->,>>>,>>9          |     |
| CustomLong0               | Custom Long Field    | Custom Long Field    | x(255)              |     |
| CustomLong1               | Custom Long Field    | Custom Long Field    | x(255)              |     |
| CustomNote                | Custom Note Field    | Custom Note Field    | x(2000)             |     |
| CustomShort0              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort1              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort2              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort3              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort4              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort5              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort6              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort7              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort8              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| CustomShort9              | Custom Short Field   | Custom Short Field   | x(20)               |     |
| DelayedGLProfile_ID       | Delayed GL Profile   | Delayed GL Profile   | 9999999999          |     |
| InvoiceGLProfile_ID       | Invoice GL Profile   | Invoice GL Profile   | 9999999999          |     |
| InvoiceVatGroup_ID        | Invoice Tax Group    | Invoice Tax Group    | 9999999999          |     |
| LastModifiedDate          | Last Modified Date   | Modif Date           | 99/99/9999          |     |
| LastModifiedTime          | Last Modified Time   | Modif Time           | 99999               |     |
| LastModifiedUser          | Last Modified User   | Modif User           | x(20)               |     |
| RetainCVoucherVatGroup_ID | Tax Group Code       | Tax Group Code       | 9999999999          |     |
| RetainVoucherVatGroup_ID  | Tax Group Code       | Tax Group Code       | 9999999999          |     |
| Vat_ID                    | Link to Vat          | Link to Vat          | 9999999999          |     |
| VatPercent_ID             | Tax Percentage       | Tax Percentage       | 9999999999          |     |
| VatRule_ID                | Record ID            | Record ID            | 9999999999          |     |
| VatRuleBaseFull           | Base/Full            | Base/Full            | x(20)               |     |
| VatRuleDelayCorrection    | Delay Correction     | Delay Correction     | 9                   |     |
| VatRuleDescription        | Description          | Description          | x(40)               |     |
| VatRulesDelayed           | Delayed              | Delayed              | yes/no              |     |
| VatRulesPassBaseValue     | Base Value           | Base Value           | yes/no              |     |
| VatRulesPosting           | Posting              | Posting              | yes/no              |     |
| VatRuleMovementType       | Activity Type        | Activity Type        | x(20)               |     |
| VatRuleOperator           | Operator             | Opr                  | x(1)                |     |
| VatRuleRef1               | Reference 1          | Ref 1                | x(20)               |     |
| VatRuleRef2               | Reference 2          | Ref 2                | x(20)               |     |
| VatRuleRounding           | Rounding             | Rounding             | x(20)               |     |
| VatRuleSequence           | Sequence             | Seq                  | ->,>>>,>>9          |     |
| VatRuleUsage              | Usage                | Usage                | x(20)               |     |
| VatRuleValue              | Value                | Value                | ->,>>>,>>>,>>9.9999 | 4   |
| VoucherVatGroup_ID        | Tax Group Code       | Tax Group Code       | 9999999999          |     |

| Index-Name            | Uni | Field-Name             | Asc | Abbr |
|-----------------------|-----|------------------------|-----|------|
| ◇ BaseFull            | no  | VatRuleBaseFull        | yes | no   |
| ◇ CreditNoteGLProfile | no  | CreditNoteGLProfile_ID | yes | no   |
| ◇ CreditNoteVatGroup  | no  | CreditNoteVatGroup_ID  | yes | no   |
| ◇ DiscountGLProfile   | no  | DelayedGLProfile_ID    | yes | no   |
| ◇ InvoiceGLProfileIdx | no  | InvoiceGLProfile_ID    | yes | no   |

| Index-Name            | Uni | Field-Name         | Asc | Abbr |
|-----------------------|-----|--------------------|-----|------|
| ◇ InvoiceVatGroup     | no  | InvoiceVatGroup_ID | yes | no   |
| ◇ LogicalKeyUniqueldx | yes | VatRuleBaseFull    | yes | no   |
|                       |     | VatRuleSequence    | yes | no   |
|                       |     | Vat_ID             | yes | no   |
| ◇* Prim               | yes | VatRule_ID         | yes | no   |
| ◇ Vat                 | no  | Vat_ID             | yes | no   |

## vdf\_mstr

Supplier Fiscal Data Master

| Field Name          | Label                  | Col-Label | Format                     | Dec |
|---------------------|------------------------|-----------|----------------------------|-----|
| oid_vdf_mstr        |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vdf__qadc01         |                        |           | .9<<<<<<<<                 |     |
| vdf__qadc02         |                        |           | x(24)                      |     |
| vdf__qadc03         |                        |           | x(24)                      |     |
| vdf__qadc04         |                        |           | x(24)                      |     |
| vdf__qadc05         |                        |           | x(24)                      |     |
| vdf__qadd01         |                        |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| vdf__qadd02         |                        |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| vdf__qadi01         |                        |           | ->>>>>>>9                  |     |
| vdf__qadi02         |                        |           | ->>>>>>>9                  |     |
| vdf__qadl01         |                        |           | yes/no                     |     |
| vdf__qadl02         |                        |           | yes/no                     |     |
| vdf__qadt01         |                        |           | 99/99/99                   |     |
| vdf__qadt02         |                        |           | 99/99/99                   |     |
| vdf_addr            | Supplier               |           | x(8)                       |     |
| vdf_birthcity       | Birth City             |           | x(20)                      |     |
| vdf_birthday        | Birth Date             |           | 99/99/99                   |     |
| vdf_domain          | Domain                 |           | x(8)                       |     |
| vdf_fiscal_code     | Fiscal Code            |           | x(16)                      |     |
| vdf_for_fiscal_code | Foreign Fiscal Code    |           | x(16)                      |     |
| vdf_mod_date        | Modified Date          | Mod Date  | 99/99/99                   |     |
| vdf_mod_userid      | User ID                |           | x(8)                       |     |
| vdf_rsn_code        | Reason Code            |           | x(8)                       |     |
| vdf_user1           | User Field Character 1 |           | x(24)                      |     |
| vdf_user2           | User Field Character 2 |           | x(24)                      |     |
| vdf_userc03         | User Field Character 3 |           | x(24)                      |     |
| vdf_userc04         | User Field Character 4 |           | x(24)                      |     |
| vdf_userc05         | User Field Character 5 |           | x(24)                      |     |
| vdf_userd01         | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<  | 10  |
| vdf_userd02         | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<  | 10  |
| vdf_useri01         | User Field Integer 1   |           | ->>>>>>>9                  |     |
| vdf_useri02         | User Field Integer 2   |           | ->>>>>>>9                  |     |
| vdf_userl01         | User Field Logical 1   |           | yes/no                     |     |
| vdf_userl02         | User Field Logical 2   |           | yes/no                     |     |
| vdf_usert01         | User Field Date 1      |           | 99/99/99                   |     |
| vdf_usert02         | User Field Date 2      |           | 99/99/99                   |     |
| vdf_withholdtax     | Withholding Tax        |           | yes/no                     |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_vdf_mstr | yes | oid_vdf_mstr | yes | no   |
| * vdf_addr     | yes | vdf_domain   | yes | no   |
|                |     | vdf_addr     | yes | no   |

## vd mstr

## Supplier Master

| Field Name      | Label                 | Col-Label | Format                     | Dec |
|-----------------|-----------------------|-----------|----------------------------|-----|
| oid_btr_mstr    |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| oid_vd_mstr     |                       |           | .9<<<<<<<<<<               |     |
|                 |                       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                 |                       |           | .9<<<<<<<<<<               |     |
| vd__chr01       |                       |           | x(8)                       |     |
| vd__chr02       |                       |           | x(8)                       |     |
| vd__chr03       |                       |           | x(8)                       |     |
| vd__chr04       |                       |           | x(8)                       |     |
| vd__chr05       |                       |           | x(8)                       |     |
| vd__chr06       |                       |           | x(8)                       |     |
| vd__chr07       |                       |           | x(8)                       |     |
| vd__chr08       |                       |           | x(8)                       |     |
| vd__chr09       |                       |           | x(8)                       |     |
| vd__chr10       |                       |           | x(8)                       |     |
| vd__dec01       |                       |           | >>>, >>>, >>9.99           | 10  |
| vd__dec02       |                       |           | >>>, >>>, >>9.99           | 10  |
| vd__dte01       |                       |           | 99/99/99                   |     |
| vd__dte02       |                       |           | 99/99/99                   |     |
| vd__log01       |                       |           | yes/no                     |     |
| vd__qadc01      | QAD Field             |           | X(8)                       | 0   |
| vd__qadc02      | QAD Field             |           | X(8)                       | 0   |
| vd__qadc03      | QAD Field             |           | X(8)                       | 0   |
| vd__qadc04      | QAD Field             |           | X(8)                       | 0   |
| vd__qadd01      |                       |           | ->>>, >>>, >>9.9<<<<<<<<<< | 10  |
| vd__qadd02      |                       |           | ->>>, >>>, >>9.9<<<<<<<<<< | 10  |
| vd__qadi01      |                       |           | >>>>>>9                    |     |
| vd__qadi02      |                       |           | >>>>>>9                    |     |
| vd__qadl01      |                       |           | yes/no                     |     |
| vd__qadl02      |                       |           | yes/no                     |     |
| vd__qadl03      |                       |           | yes/no                     |     |
| vd__qadl04      |                       |           | yes/no                     |     |
| vd__qadt01      |                       |           | 99/99/99                   |     |
| vd__qadt02      |                       |           | 99/99/99                   |     |
| vd_1099         | Tax Report            | Tax Rpt   | yes/no                     |     |
| vd_active       | Active                |           | yes/no                     |     |
| vd_addr         | Supplier              |           | x(8)                       |     |
| vd_ap_acct      | AP Account            | AP Acct   | x(8)                       |     |
| vd_ap_cc        | AP Cost Ctr           | CC        | x(4)                       |     |
| vd_ap_cntct     | AP Contact            |           | x(24)                      |     |
| vd_ap_sub       | AP Sub-Account        | Sub-Acct  | x(8)                       |     |
| vd_balance      | Balance               |           | ->>>, >>>, >>9.99          | 10  |
| vd_bank         | Bank                  |           | x(2)                       |     |
| vd_buyer        | Buyer                 |           | x(8)                       |     |
| vd_carrier_id   | Carrier               |           | x(8)                       |     |
| vd_ckfrm        | Check Form            | Ck        | x(2)                       |     |
| vd_conrep logic | Consume/Replace Logic |           | x(1)                       |     |



| Field Name         | Label                  | Col-Label       | Format               | Dec |
|--------------------|------------------------|-----------------|----------------------|-----|
| vd_cr_terms        | Cr Terms               |                 | x(8)                 |     |
| vd_curr            | Currency               | Cur             | x(3)                 |     |
| vd_data_complete   | Data Complete          |                 | yes/no               |     |
| vd_db              | DB Number              |                 | x(16)                |     |
| vd_debtor          | Debtor Number          | Debtor          | x(10)                |     |
| vd_disc_pct        | Disc %                 |                 | ->9.99%              | 10  |
| vd_domain          | Domain                 |                 | x(8)                 |     |
| vd_drft_bal        | Draft Balance          |                 | ->, >>>, >>>, >>9.99 | 10  |
| vd_ex_ratetype     | Rate Type              |                 | x(8)                 |     |
| vd_fix_pr          | Fixed Price            |                 | yes/no               |     |
| vd_fob             | FOB                    |                 | x(20)                |     |
| vd_fr_list         | Freight List           | Frt List        | x(8)                 |     |
| vd_fr_min_wt       | Min Frt Wt             |                 | ->>>, >>>, >>9       | 0   |
| vd_fr_terms        | Freight Terms          | Fr Terms        | x(8)                 |     |
| vd_gst_id          | Tax ID - Federal       |                 | x(18)                |     |
| vd_hold            | Payment Hold           | Hold            | yes/no               |     |
| vd_kanban_supplier | Kanban Supplier        |                 | yes/no               |     |
| vd_lang            | Language               |                 | x(2)                 |     |
| vd_last_ck         | Last Check             |                 | 99/99/99             |     |
| vd_lc_bal          | LC Balance             |                 | ->, >>>, >>>, >>9.99 | 10  |
| vd_misc_cr         | Miscellaneous Creditor |                 | yes/no               |     |
| vd_misc1_id        | Tax ID - Misc 1        |                 | x(18)                |     |
| vd_misc2_id        | Tax ID - Misc 2        |                 | x(18)                |     |
| vd_misc3_id        | Tax ID - Misc 3        |                 | x(18)                |     |
| vd_mod_date        | Modified Date          | Mod Date        | 99/99/99             |     |
| vd_partial         | Partial OK             | Partial         | yes/no               |     |
| vd_pay_spec        | Pay Specification      | Pay Spec        | yes/no               |     |
| vd_pr_list         | Disc Tbl               |                 | x(8)                 |     |
| vd_pr_list2        | Price Tbl              | Pr Tbl          | x(8)                 |     |
| vd_prepay          | Prepayment Balance     |                 | ->, >>>, >>>, >>9.99 | 10  |
| vd_promo           | Promotion Group        |                 | x(8)                 |     |
| vd_pst_id          | Tax ID - State         |                 | x(18)                |     |
| vd_pur_acct        | Pur Acct               |                 | x(8)                 |     |
| vd_pur_cc          | Pur Cost Ctr           | CC              | x(4)                 |     |
| vd_pur_cntct       | Purchase Contact       |                 | x(24)                |     |
| vd_pur_sub         | Pur Sub-Acct           | Sub-Acct        | x(8)                 |     |
| vd_rcv_held_so     | Send Credit Held SO    | Rec Cr Hd       | yes/no               |     |
| vd_rcv_so_price    | Send SO Price          | Rec Ext Price   | yes/no               |     |
| vd_remit           | Remit-to               |                 | x(8)                 |     |
| vd_rmks            | Remarks                |                 | x(40)                |     |
| vd_shipvia         | Ship Via               |                 | x(20)                |     |
| vd_sort            | Sort Name              |                 | x(28)                |     |
| vd_tax_id          | Tax ID                 |                 | x(18)                |     |
| vd_tax_in          | Tax In                 |                 | yes/no               |     |
| vd_tax_in_city     | In City                |                 | yes/no               |     |
| vd_tax_usage       | Tax Usage              | Tax Use         | x(8)                 |     |
| vd_tax_zone        | Tax Zone               |                 | x(16)                |     |
| vd_taxable         | Taxable                | Tax             | yes/no               |     |
| vd_taxc            | Tax Class              | TxC             | x(3)                 |     |
| vd_tid_notice      | TID Notice             | T! N            | x(1)                 |     |
| vd_tot_terms_code  | Terms of Trade         |                 | x(8)                 |     |
| vd_tp_pct          | SO Price Reduction     | Ext %           | >>9.99%              | 10  |
| vd_tp_use_pct      | Use SO Reduction Price | Use Trans Price | yes/no               |     |
| vd_type            | Type                   |                 | x(4)                 |     |

| Field Name | Label   | Col-Label | Format | Dec |
|------------|---------|-----------|--------|-----|
| vd_user1   | Ufld1   |           | x(8)   |     |
| vd_user2   | Ufld2   |           | x(8)   |     |
| vd_userid  | User ID |           | x(8)   |     |
| vd_vt_id   | VAT ID  |           | x(18)  |     |

| Index-Name        | Uni | Field-Name       | Asc | Abbr |
|-------------------|-----|------------------|-----|------|
| ◇ oid_vd_mstr     | yes | oid_vd_mstr      | yes | no   |
| ◇ vd_active       | no  | vd_domain        | yes | no   |
|                   |     | vd_active        | yes | no   |
| * vd_addr         | yes | vd_domain        | yes | no   |
|                   |     | vd_addr          | yes | no   |
| ◇ vd_datacomplete | no  | vd_domain        | yes | no   |
|                   |     | vd_data_complete | yes | no   |
| vd_remit          | no  | vd_domain        | yes | no   |
|                   |     | vd_remit         | yes | no   |
|                   |     | vd_addr          | yes | no   |
| vd_sort           | no  | vd_domain        | yes | no   |
|                   |     | vd_sort          | yes | no   |

**vecd\_det**

### Supplier Performance Category Detail

| Field Name      | Label         | Col-Label | Format                     | Dec |
|-----------------|---------------|-----------|----------------------------|-----|
| oid_vecd_det    |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vecd__qadc01    | QAD Field     |           | .9<<<<<<<<<                | 0   |
| vecd__qadc02    | QAD Field     |           | X(8)                       | 0   |
| vecd__qadc03    | QAD Field     |           | X(8)                       | 0   |
| vecd__qadc04    | QAD Field     |           | X(8)                       | 0   |
| vecd__qadd01    |               |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vecd__qadd02    |               |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vecd__qadi01    |               |           | >>>>>9                     |     |
| vecd__qadi02    |               |           | >>>>>9                     |     |
| vecd__qadl01    |               |           | yes/no                     |     |
| vecd__qadl02    |               |           | yes/no                     |     |
| vecd__qadt01    |               |           | 99/99/99                   |     |
| vecd__qadt02    |               |           | 99/99/99                   |     |
| vecd_category   | Category      |           | x(8)                       |     |
| vecd_domain     | Domain        |           | x(8)                       |     |
| vecd_mod_date   | Modified Date | Mod Date  | 99/99/99                   |     |
| vecd_mod_userid | User ID       |           | x(8)                       |     |
| vecd_percent    | Percent       |           | >>9.99                     | 10  |
| vecd_user1      | Ufld1         |           | x(8)                       |     |
| vecd_user2      | Ufld2         |           | x(8)                       |     |
| vecd_user3      |               |           | x(8)                       |     |
| vecd_user4      |               |           | x(8)                       |     |
| vecd_value_from | Value From    |           | ->>>>, >>9.99              | 10  |
| vecd_value_to   | Value To      |           | ->>>>, >>9.99              | 10  |

| Index-Name      | Uni | Field-Name      | Asc | Abbr |
|-----------------|-----|-----------------|-----|------|
| ◇ oid_vecd_det  | yes | oid_vecd_det    | yes | no   |
| * vecd_category | yes | vecd_domain     | yes | no   |
|                 |     | vecd_category   | yes | no   |
|                 |     | vecd_value_from | yes | no   |

**vec\_mstr** Supplier Performance Category Master

| Field Name            | Label              | Col-Label | Format                                       | Dec |
|-----------------------|--------------------|-----------|----------------------------------------------|-----|
| oid_vec_mstr          |                    |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| vec__qadc01           | QAD Field          |           | X(8)                                         | 0   |
| vec__qadc02           | QAD Field          |           | X(8)                                         | 0   |
| vec__qadc03           | QAD Field          |           | X(8)                                         | 0   |
| vec__qadc04           | QAD Field          |           | X(8)                                         | 0   |
| vec__qadd01           |                    |           | ->>>, >>>, >>9.9<<<<<<<<<                    | 10  |
| vec__qadd02           |                    |           | ->>>, >>>, >>9.9<<<<<<<<<                    | 10  |
| vec__qadi01           |                    |           | >>>>>>9                                      |     |
| vec__qadi02           |                    |           | >>>>>>9                                      |     |
| vec__qadl01           |                    |           | yes/no                                       |     |
| vec__qadl02           |                    |           | yes/no                                       |     |
| vec__qadt01           |                    |           | 99/99/99                                     |     |
| vec__qadt02           |                    |           | 99/99/99                                     |     |
| vec_active_flag       | Use Category       |           | yes/no                                       |     |
| vec_category          | Category           |           | x(8)                                         |     |
| vec_comp_method       | Computation Method |           | X(12)                                        |     |
| vec_desc              | Description        |           | x(24)                                        |     |
| vec_discrete_type     | Discrete Type      |           | Add/Deduct                                   |     |
| vec_domain            | Domain             |           | x(8)                                         |     |
| vec_max_points        | Maximum Points     |           | ->, >>>, >>9                                 |     |
| vec_mod_date          | Modified Date      | Mod Date  | 99/99/99                                     |     |
| vec_mod_userid        | User ID            |           | x(8)                                         |     |
| vec_name              | Name               |           | x(12)                                        |     |
| vec_pp_counter        | Parts-Per Counter  |           | Events/Quantity                              |     |
| vec_pp_factor         | Parts-Per Factor   |           | >, >>>, >>>, >>9                             |     |
| vec_table_lookup_flag | Use Lookup Table   |           | yes/no                                       |     |
| vec_threshold_points  | Threshold Points   |           | ->, >>>, >>9                                 |     |
| vec_user1             | Ufld1              |           | x(8)                                         |     |
| vec_user2             | Ufld2              |           | x(8)                                         |     |
| vec_user3             |                    |           | x(8)                                         |     |
| vec_user4             |                    |           | x(8)                                         |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_vec_mstr | yes | oid_vec_mstr | yes | no   |
| * | vec_category | yes | vec_domain   | yes | no   |
|   |              |     | vec_category | yes | no   |

## vee\_mstr

| Field Name     | Label         | Col-Label | Format                    | Dec |
|----------------|---------------|-----------|---------------------------|-----|
| oid_vee_mstr   |               |           | >>>>>>>>>>>>>>>>>>>>>>9   | 10  |
| vee__qadc01    | QAD Field     |           | .9<<<<<<<<                | 0   |
| vee__qadc02    | QAD Field     |           | X(8)                      | 0   |
| vee__qadc03    | QAD Field     |           | X(8)                      | 0   |
| vee__qadc04    | QAD Field     |           | X(8)                      | 0   |
| vee__qadd01    |               |           | ->>>, >>>, >>9.9<<<<<<<<< | 10  |
| vee__qadd02    |               |           | ->>>, >>>, >>9.9<<<<<<<<< | 10  |
| vee__qadi01    |               |           | >>>>>>9                   |     |
| vee__qadi02    |               |           | >>>>>>9                   |     |
| vee__qadl01    |               |           | yes/no                    |     |
| vee__qadl02    |               |           | yes/no                    |     |
| vee__qadt01    |               |           | 99/99/99                  |     |
| vee__qadt02    |               |           | 99/99/99                  |     |
| vee_desc       | Description   |           | x(24)                     |     |
| vee_domain     | Domain        |           | x(8)                      |     |
| vee_event      | Event Code    |           | x(8)                      |     |
| vee_mod_date   | Modified Date | Mod Date  | 99/99/99                  |     |
| vee_mod_userid | User ID       |           | x(8)                      |     |
| vee_name       | Name          |           | x(12)                     |     |
| vee_points     | Points        |           | >>>>, >>9.99              | 10  |
| vee_user1      | Ufld1         |           | x(8)                      |     |
| vee_user2      | Ufld2         |           | x(8)                      |     |
| vee_user3      |               |           | x(8)                      |     |
| vee_user4      |               |           | x(8)                      |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_vee_mstr | yes | oid_vee_mstr | yes | no   |
| * | vee_event    | yes | vee_domain   | yes | no   |
|   |              |     | vee_event    | yes | no   |

## vef\_ctrl

| Field Name   | Label           | Col-Label | Format                     | Dec |
|--------------|-----------------|-----------|----------------------------|-----|
| oid_vef_ctrl |                 |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vef__qadc01  | QAD Field       |           | .9<<<<<<<<                 | 0   |
| vef__qadc02  | QAD Field       |           | X(8)                       | 0   |
| vef__qadc03  | QAD Field       |           | X(8)                       | 0   |
| vef__qadc04  | QAD Field       |           | X(8)                       | 0   |
| vef__qadd01  |                 |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vef__qadd02  |                 |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vef__qadi01  |                 |           | >>>>>>g                    |     |
| vef__qadi02  |                 |           | >>>>>>g                    |     |
| vef__qadi03  |                 |           | ->>>>>>>g                  |     |
| vef__qadl01  |                 |           | yes/no                     |     |
| vef__qadl02  |                 |           | yes/no                     |     |
| vef__qadt01  |                 |           | 99/99/99                   |     |
| vef__qadt02  |                 |           | 99/99/99                   |     |
| vef_asn_data | ASN Information |           | X(8)                       |     |

| Field Name               | Label                      | Col-Label | Format                   | Dec |
|--------------------------|----------------------------|-----------|--------------------------|-----|
| vef_asn_leadtime         | Maximum ASN Lead-Time      |           | 99:99                    |     |
| vef_days_early           | Acceptable Days Early      |           | >>9                      |     |
| vef_days_late            | Acceptable Days Late       |           | >>9                      |     |
| vef_do_only_flag         | Include DO Orders Only     |           | yes/no                   |     |
| vef_do_receipts          | DO Receipts                |           | X(8)                     |     |
| vef_domain               | Domain                     |           | x(8)                     |     |
| vef_dup_asn              | Duplicate ASN              |           | X(8)                     |     |
| vef_early_rcpt           | Early Receipt              |           | X(8)                     |     |
| vef_enable_inv_xfer      | Enable Inv Transfer        |           | yes/no                   |     |
| vef_enable_po_rtn        | Enable PO Return           |           | yes/no                   |     |
| vef_fifth_level_max      | Maximum Value              |           | >>>                      |     |
| vef_fifth_level_title    | Fifth Interval Title       |           | x(12)                    |     |
| vef_first_level_max      | Maximum Value              |           | >>>                      |     |
| vef_first_level_title    | First Interval Title       |           | x(12)                    |     |
| vef_fourth_level_max     | Maximum Value              |           | >>>                      |     |
| vef_fourth_level_title   | Fourth Interval Title      |           | x(12)                    |     |
| vef_late_asn             | Late ASN                   |           | X(8)                     |     |
| vef_late_rcpt            | Late Receipt               |           | X(8)                     |     |
| vef_matl_quality         | Material Quality           |           | X(8)                     |     |
| vef_miss_ship_as_of_date | Missed Shipment As-of      |           | 99/99/99                 |     |
| vef_miss_ship_run_date   | Last Missed Shipment Run   |           | 99/99/99                 |     |
| vef_missed_ship          | Missed Shipment            |           | X(8)                     |     |
| vef_mod_date             | Modified Date              | Mod Date  | 99/99/99                 |     |
| vef_mod_userid           | User ID                    |           | x(8)                     |     |
| vef_over_ship            | Over Shipment              |           | X(8)                     |     |
| vef_overship_pct         | Acceptable Over Shipment   |           | >>9.99                   | 10  |
| vef_overship_pct_cost    | Acceptable Over Shipment   |           | >>9.99                   | 10  |
| vef_overship_qty         | Acceptable Over Shipment   |           | >>,>>9                   |     |
| vef_overship_qty_cost    | Acceptable Over Shipment   |           | >>>>,>>>,>>9.99<<<<<<<<< | 10  |
| vef_po_only_flag         | Include PO Orders Only     |           | yes/no                   |     |
| vef_po_receipts          | PO Receipts                |           | X(8)                     |     |
| vef_points               | Default Points             |           | >>>>,>>9.99              | 10  |
| vef_pp_counter           | Parts-Per Counter          |           | Events/Quantity          |     |
| vef_pp_factor            | Parts-Per Factor           |           | >,>>>,>>>,>>9            |     |
| vef_rts_receipts         | RTS Receipts               |           | X(8)                     |     |
| vef_same_day_receipts    | Net Same Day Receipts      |           | yes/no                   |     |
| vef_second_level_max     | Maximum Value              |           | >>>                      |     |
| vef_second_level_title   | Second Interval Title      |           | x(12)                    |     |
| vef_third_level_max      | Maximum Value              |           | >>>                      |     |
| vef_third_level_title    | Third Interval Title       |           | x(12)                    |     |
| vef_under_ship           | Under Shipment             |           | X(8)                     |     |
| vef_undership_pct        | Acceptable Under Shipment  |           | >>9.99                   | 10  |
| vef_undership_qty        | Acceptable Under Shipment  |           | >>,>>9                   |     |
| vef_use_shippct          | Use Shipment Percent       |           | yes/no                   |     |
| vef_use_shippct_cost     | Use Shipment Percent Cost  |           | yes/no                   |     |
| vef_use_shipqty          | Use Shipment Quantity      |           | yes/no                   |     |
| vef_use_shipqty_cost     | Use Shipment Quantity Cost |           | yes/no                   |     |
| vef_user1                | Ufld1                      |           | x(8)                     |     |
| vef_user2                | Ufld2                      |           | x(8)                     |     |
| vef_user3                |                            |           | x(8)                     |     |
| vef_user4                |                            |           | x(8)                     |     |
| vef_using_sup_perf       | Use Supplier Performance   |           | yes/no                   |     |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_vef_ctrl | yes | oid_vef_ctrl | yes | no   |
| * vef_index1   | yes | vef_domain   | yes | no   |

## ◇ VendPartM Warehousing Supplier/Item Master

[illegible]

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇* AddrPart     | yes | Domain        | yes | no   |
|                 |     | Addr          | yes | no   |
|                 |     | Part          | yes | no   |
| ◇ oid_VendPartM | yes | oid_VendPartM | yes | no   |
| ◇ PartAddr      | no  | Domain        | yes | no   |

| Index-Name | Uni | Field-Name | Asc | Abbr |
|------------|-----|------------|-----|------|
|            |     | Part       | yes | no   |
|            |     | Addr       | yes | no   |
| ◇ UsrIdx   | no  | Domain     | yes | no   |
|            |     | User1      | yes | no   |
|            |     | User2      | yes | no   |

**vepd det**

### Supplier Performance Detail

| Field Name            | Label                    | Col-Label | Format                     | Dec |
|-----------------------|--------------------------|-----------|----------------------------|-----|
| oid_vepd_det          |                          |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vepd__qadc01          | QAD Field                |           | .9<<<<<<<<<                | 0   |
| vepd__qadc02          | QAD Field                |           | X(8)                       | 0   |
| vepd__qadc03          | QAD Field                |           | X(8)                       | 0   |
| vepd__qadc04          | QAD Field                |           | X(8)                       | 0   |
| vepd__qadd01          |                          |           | ->, >>, >>9.9<<<<<<<<<     | 10  |
| vepd__qadd02          |                          |           | ->, >>, >>9.9<<<<<<<<<     | 10  |
| vepd__qadi01          |                          |           | >>>>>9                     |     |
| vepd__qadi02          |                          |           | >>>>>9                     |     |
| vepd__qadl01          |                          |           | yes/no                     |     |
| vepd__qadl02          |                          |           | yes/no                     |     |
| vepd__qadt01          |                          |           | 99/99/99                   |     |
| vepd__qadt02          |                          |           | 99/99/99                   |     |
| vepd_category         | Category                 |           | x(8)                       |     |
| vepd_cmtindx          | Comments                 |           | >>>>>>>9                   |     |
| vepd_doc_nbr          | Doc Nbr                  | Doc       | x(16)                      |     |
| vepd_domain           | Domain                   |           | x(8)                       |     |
| vepd_event            | Event                    |           | x(8)                       |     |
| vepd_event_qty        | Qty                      |           | ->, >>, >>9.9<<<<<<<<<     | 10  |
| vepd_mod_date         | Modified Date            | Mod Date  | 99/99/99                   |     |
| vepd_mod_userid       | User ID                  |           | x(8)                       |     |
| vepd_reason_code      | Reason                   |           | x(8)                       |     |
| vepd_seq_nbr          | Sequence                 | Seq       | >>>>>>>                    |     |
| vepd_site             | Site                     |           | x(8)                       |     |
| vepd_temp_missed_flag | Missed                   |           | yes/no                     |     |
| vepd_tran_date        | Transaction Date         | Tran Date | 99/99/99                   |     |
| vepd_tran_id          | Transaction ID           | Tran ID   | >>>>>>>                    |     |
| vepd_user1            | Ufld1                    |           | x(8)                       |     |
| vepd_user2            | Ufld2                    |           | x(8)                       |     |
| vepd_user3            |                          |           | x(8)                       |     |
| vepd_user4            |                          |           | x(8)                       |     |
| vepd_vendor           | Supplier                 |           | x(8)                       |     |
| vepd_vendor_source    | Supplier Source          | Source    | x(3)                       |     |
| vepd_vep_tran_date    | Receipt Transaction Date |           | 99/99/99                   |     |
| vepd_vep_tran_id      | Receipt Transaction ID   |           | >>>>>>>                    |     |
| vepd_weight_code      | Weight Code              | Weight    | x(8)                       |     |

| Index-Name           | Uni | Field-Name            | Asc | Abbr |
|----------------------|-----|-----------------------|-----|------|
| ◇ missed_event_order | no  | vepd_domain           | yes | no   |
|                      |     | vepd_temp_missed_flag | yes | no   |
|                      |     | vepd_vendor           | yes | no   |
|                      |     | vepd_vendor_source    | yes | no   |

| Index-Name          | Uni | Field-Name         | Asc | Abbr |
|---------------------|-----|--------------------|-----|------|
|                     |     | vepd_site          | yes | no   |
| ◇ oid_vepd_det      | yes | oid_vepd_det       | yes | no   |
| * transaction_order | yes | vepd_domain        | yes | no   |
|                     |     | vepd_tran_id       | yes | no   |
|                     |     | vepd_tran_date     | yes | no   |
|                     |     | vepd_vendor        | yes | no   |
|                     |     | vepd_vendor_source | yes | no   |
|                     |     | vepd_site          | yes | no   |
| vendor_event_order  | no  | vepd_domain        | yes | no   |
|                     |     | vepd_vendor        | yes | no   |
|                     |     | vepd_vendor_source | yes | no   |
|                     |     | vepd_category      | yes | no   |
|                     |     | vepd_event         | yes | no   |
|                     |     | vepd_site          | yes | no   |
| vepd_vendor_order   | yes | vepd_domain        | yes | no   |
|                     |     | vepd_vendor        | yes | no   |
|                     |     | vepd_vendor_source | yes | no   |
|                     |     | vepd_vep_tran_date | yes | no   |
|                     |     | vepd_vep_tran_id   | yes | no   |
|                     |     | vepd_category      | yes | no   |
|                     |     | vepd_seq_nbr       | yes | no   |
|                     |     | vepd_site          | yes | no   |

**vep mstr** Supplier Performance Master

| Field Name          | Label            | Col-Label    | Format                     | Dec |
|---------------------|------------------|--------------|----------------------------|-----|
| oid_vep_mstr        |                  |              | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vep__qadc01         | QAD Field        |              | .9<<<<<<<<<                | 0   |
| vep__qadc02         | QAD Field        |              | X(8)                       | 0   |
| vep__qadc03         | QAD Field        |              | X(8)                       | 0   |
| vep__qadc04         | QAD Field        |              | X(8)                       | 0   |
| vep__qadd01         |                  |              | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vep__qadd02         |                  |              | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| vep__qadi01         |                  |              | >>>>>9                     |     |
| vep__qadi02         |                  |              | >>>>>9                     |     |
| vep__qadi01         |                  |              | yes/no                     |     |
| vep__qadi02         |                  |              | yes/no                     |     |
| vep__qadt01         |                  |              | 99/99/99                   |     |
| vep__qadt02         |                  |              | 99/99/99                   |     |
| vep_abs_id          | Shipper ID       | Shipper      | x(20)                      |     |
| vep_acct            | Pur Acct         |              | x(8)                       |     |
| vep_asn_arr_date    | ASN Arrival Date | ASN! Arrival | 99/99/99                   |     |
| vep_asn_arr_time    | ASN Arrival Time | ASN! Arrival | >>>>>>9                    |     |
| vep_asn_create_date | ASN Create Date  | ASN! Create  | 99/99/99                   |     |
| vep_asn_create_time | ASN Create Time  | ASN! Create  | >>>>>>9                    |     |
| vep_asn_ship_date   | ASN Ship Date    | ASN! Ship    | 99/99/99                   |     |
| vep_asn_ship_qty    | ASN Ship Qty     |              | ->, >>>, >>9.9<<<<<<<<     | 10  |
| vep_asn_ship_time   | ASN Ship Time    | ASN! Ship    | >>>>>>9                    |     |
| vep_buyer           | Buyer            |              | x(8)                       |     |
| vep_cc              | Cost Ctr         | CC           | x(4)                       |     |
| vep_comm_code       | Commodity Code   | Commodity    | x(20)                      |     |
| vep_db              | DB Number        | DB           | x(16)                      |     |
| vep_disc_pct        | Disc%            |              | ->9.99%                    | 10  |



| Field Name           | Label            | Col-Label     | Format               | Dec |
|----------------------|------------------|---------------|----------------------|-----|
| vcp_domain           | Domain           |               | x(8)                 |     |
| vcp_fsm_type         | FSM Type         |               | x(1)                 |     |
| vcp_line             | Line             | Ln            | >>>                  |     |
| vcp_loc              | Loc              |               | x(8)                 |     |
| vcp_lotser           | Lot/Serial       | L/S           | x(18)                |     |
| vcp_mod_date         | Modified Date    | Mod Date      | 99/99/99             |     |
| vcp_mod_userid       | User ID          |               | x(8)                 |     |
| vcp_nbr              | Order Nbr        | Order         | x(8)                 |     |
| vcp_open_qty         | Open Qty         | Qty! Open     | ->,>>>,>>9.9<<<<<<<< | 10  |
| vcp_order_source     | Order Source     | Source        | x(3)                 |     |
| vcp_part             | Item Number      | Item          | x(18)                |     |
| vcp_per_date         | Perform Date     | Perform       | 99/99/99             |     |
| vcp_pod_sched        | Scheduled        | Sched         | yes/no               |     |
| vcp_pur_cost         | Unit Cost        | Unit! Cost    | ->>>,>>>,>>9.99      | 10  |
| vcp_qty_ord          | Qty Ordered      | Qty! Ordered  | ->,>>>,>>9.9<<<<<<<< | 10  |
| vcp_rcp_date         | Receipt Date     | Receipt       | 99/99/99             |     |
| vcp_rcp_time         | Receipt Time     | Receipt       | >>>>>>9              |     |
| vcp_rcp_type         | Receipt Type     | R             | x(1)                 |     |
| vcp_rcvd_qty         | Receipt Qty      | Qty! Received | ->,>>>,>>9.9<<<<<<<< | 10  |
| vcp_receiver         | Receiver         |               | x(8)                 |     |
| vcp_ref              | Ref              |               | x(8)                 |     |
| vcp_req_nbr          | Requisition      | Req           | x(8)                 |     |
| vcp_site             | Site             |               | x(8)                 |     |
| vcp_sub              | Pur Sub-Acct     | Sub-Acct      | x(8)                 |     |
| vcp_sub_type         | Subcontract Type | Sub Type      | x(12)                |     |
| vcp_temp_missed_flag | Missed           |               | yes/no               |     |
| vcp_tran_date        | Transaction Date | Tran Date     | 99/99/99             |     |
| vcp_tran_id          | Transaction ID   | Tran ID       | >>>>>>>              |     |
| vcp_type             | Type             |               | x(1)                 |     |
| vcp_um               | UM               |               | x(2)                 |     |
| vcp_user1            | Ufld1            |               | x(8)                 |     |
| vcp_user2            | Ufld2            |               | x(8)                 |     |
| vcp_user3            |                  |               | x(8)                 |     |
| vcp_user4            |                  |               | x(8)                 |     |
| vcp_vendor           | Supplier         |               | x(8)                 |     |
| vcp_vendor_source    | Supplier Source  | Source        | x(3)                 |     |

| Index-Name           | Uni | Field-Name           | Asc | Abbr |
|----------------------|-----|----------------------|-----|------|
| ◇ missed_event_order | no  | vcp_domain           | yes | no   |
|                      |     | vcp_temp_missed_flag | yes | no   |
|                      |     | vcp_vendor           | yes | no   |
|                      |     | vcp_vendor_source    | yes | no   |
|                      |     | vcp_site             | yes | no   |
| ◇ oid_vcp_mstr       | yes | oid_vcp_mstr         | yes | no   |
| vendor_date_order    | no  | vcp_domain           | yes | no   |
|                      |     | vcp_vendor           | yes | no   |
|                      |     | vcp_vendor_source    | yes | no   |
|                      |     | vcp_site             | yes | no   |
|                      |     | vcp_nbr              | yes | no   |
|                      |     | vcp_line             | yes | no   |
|                      |     | vcp_tran_date        | yes | no   |
|                      |     | vcp_receiver         | yes | no   |
|                      |     | vcp_abs_id           | yes | no   |
|                      |     | vcp_part             | yes | no   |
| * vendor_site_order  | yes | vcp_domain           | yes | no   |
|                      |     | vcp_vendor           | yes | no   |

| Index-Name           | Uni | Field-Name        | Asc | Abbr |
|----------------------|-----|-------------------|-----|------|
|                      |     | vcp_vendor_source | yes | no   |
|                      |     | vcp_tran_date     | yes | no   |
|                      |     | vcp_tran_id       | yes | no   |
|                      |     | vcp_site          | yes | no   |
| vcp_vendor_nbr_order | no  | vcp_domain        | yes | no   |
|                      |     | vcp_vendor        | yes | no   |
|                      |     | vcp_vendor_source | yes | no   |
|                      |     | vcp_site          | yes | no   |
|                      |     | vcp_nbr           | yes | no   |
|                      |     | vcp_receiver      | yes | no   |
|                      |     | vcp_line          | yes | no   |
|                      |     | vcp_abs_id        | yes | no   |
|                      |     | vcp_part          | yes | no   |
| vcp_vendor_part      | no  | vcp_domain        | yes | no   |
|                      |     | vcp_vendor        | yes | no   |
|                      |     | vcp_vendor_source | yes | no   |
|                      |     | vcp_site          | yes | no   |
|                      |     | vcp_part          | yes | no   |
|                      |     | vcp_type          | yes | no   |
|                      |     | vcp_sub_type      | yes | no   |
|                      |     | vcp_tran_date     | yes | no   |

## ◊ VerbH

## Warehousing Verbosity History

[illegible]

| Field Name | Label                  | Col-Label   | Format                     | Dec |
|------------|------------------------|-------------|----------------------------|-----|
| UserC03    | User Field Character 3 |             | x(24)                      |     |
| UserC04    | User Field Character 4 |             | x(24)                      |     |
| UserC05    | User Field Character 5 |             | x(24)                      |     |
| UserD01    | User Field Decimal 1   |             | -->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |             | -->>>>,>>>,>>9.9<<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |             | -->>>>>>>9                 |     |
| UserI02    | User Field Integer 2   |             | -->>>>>>>9                 |     |
| UserL01    | User Field Logical 1   |             | yes/no                     |     |
| UserL02    | User Field Logical 2   |             | yes/no                     |     |
| UserT01    | User Field Date 1      |             | 99/99/99                   |     |
| UserT02    | User Field Date 1      |             | 99/99/99                   |     |
| VerbID     | ID                     |             | X(8)                       |     |
| VerbLevel  | Verbosity Level        | Verb! Level | >>9                        |     |
| VerbType   | Type                   |             | X(2)                       |     |
| Whse       | Warehouse              | Whse        | x(8)                       |     |
| WLocGp     | Work Loc Group         | WLocGrp     | x(8)                       |     |

| Index-Name  | Uni | Field-Name   | Asc | Abbr |
|-------------|-----|--------------|-----|------|
| ◇* DateTime | no  | Domain       | yes | no   |
|             |     | CreateDate   | yes | no   |
|             |     | CreateTime   | yes | no   |
| ◇ Location  | no  | Domain       | yes | no   |
|             |     | Site         | yes | no   |
|             |     | Whse         | yes | no   |
|             |     | Loc          | yes | no   |
| ◇ oid_VerbH | yes | oid_VerbH    | yes | no   |
| ◇ SLG       | no  | Domain       | yes | no   |
|             |     | Site         | yes | no   |
|             |     | Whse         | yes | no   |
|             |     | SLocGp       | yes | no   |
| ◇ UserIdx   | no  | Domain       | yes | no   |
|             |     | CreateUserID | yes | no   |
| ◇ UsrIdx    | no  | Domain       | yes | no   |
|             |     | User1        | yes | no   |
|             |     | User2        | yes | no   |
| ◇ WLG       | no  | Domain       | yes | no   |
|             |     | Site         | yes | no   |
|             |     | Whse         | yes | no   |
|             |     | WLocGp       | yes | no   |

### Supplier Performance Registration Detail

| Index-Name     | Uni | Field-Name         | Asc | Abbr |
|----------------|-----|--------------------|-----|------|
| ◇ oid_verd_det | yes | oid_verd_det       | yes | no   |
| * verd_vendor  | yes | verd_domain        | yes | no   |
|                |     | verd_vendor        | yes | no   |
|                |     | verd_vendor_source | yes | no   |
|                |     | verd_site          | yes | no   |
|                |     | verd_category      | yes | no   |

## VerifyStatusTrans

| Field Name                | Label              | Col-Label       | Format     | Dec |
|---------------------------|--------------------|-----------------|------------|-----|
| Company_ID                | Link to Company    | Link to Company | 9999999999 |     |
| LastModifiedDate          | Last Modified Date | Modif Date      | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time | Modif Time      | 99999      |     |
| LastModifiedUser          | Last Modified User | Modif User      | x(20)      |     |
| VerifyStatusTrans_ID      | Record ID          | Record ID       | 9999999999 |     |
| VerifyStatusTransFrStatus | From Status        | From Status     | x(40)      |     |
| VerifyStatusTransToStatus | To Status          | To Status       | x(40)      |     |

| Index-Name  | Uni | Field-Name                | Asc | Abbr |
|-------------|-----|---------------------------|-----|------|
| ◇ Company   | no  | Company_ID                | yes | no   |
| ◇* Prim     | yes | VerifyStatusTrans_ID      | yes | no   |
| ◇ UniqueIdx | yes | Company_ID                | yes | no   |
|             |     | VerifyStatusTransFrStatus | yes | no   |
|             |     | VerifyStatusTransToStatus | yes | no   |

**ver\_mstr** Supplier Performance Registration Master

| Field Name            | Label                      | Col-Label | Format                     | Dec |
|-----------------------|----------------------------|-----------|----------------------------|-----|
| oid_ver_mstr          |                            |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ver__qadc01           | QAD Field                  |           | .9<<<<<<<<<                | 0   |
| ver__qadc02           | QAD Field                  |           | X(8)                       | 0   |
| ver__qadc03           | QAD Field                  |           | X(8)                       | 0   |
| ver__qadc04           | QAD Field                  |           | X(8)                       | 0   |
| ver__qadd01           |                            |           | ->>>, >>>, >>9.9<<<<<<<<<< | 10  |
| ver__qadd02           |                            |           | ->>>, >>>, >>9.9<<<<<<<<<< | 10  |
| ver__qadi01           |                            |           | >>>>>>9                    |     |
| ver__qadi02           |                            |           | >>>>>>9                    |     |
| ver__qadl01           |                            |           | yes/no                     |     |
| ver__qadl02           |                            |           | yes/no                     |     |
| ver__qadt01           |                            |           | 99/99/99                   |     |
| ver__qadt02           |                            |           | 99/99/99                   |     |
| ver_active_flag       | Use Supplier Performance   |           | yes/no                     |     |
| ver_asn_leadtime      | Maximum ASN Lead-Time      |           | 99:99                      |     |
| ver_comm_code         | Commodity Code             |           | x(20)                      |     |
| ver_contact           | Contact                    |           | X(24)                      |     |
| ver_days_early        | Acceptable Days Early      |           | >>9                        |     |
| ver_days_late         | Acceptable Days Late       |           | >>9                        |     |
| ver_domain            | Domain                     |           | x(8)                       |     |
| ver_email_address     | E-mail Address             |           | X(60)                      |     |
| ver_end               | End Effective              |           | 99/99/99                   |     |
| ver_mod_date          | Modified Date              | Mod Date  | 99/99/99                   |     |
| ver_mod_userid        | User ID                    |           | x(8)                       |     |
| ver_overship_pct      | Acceptable Over Shipment   |           | >>9.99                     | 10  |
| ver_overship_pct_cost | Acceptable Over Shipment   |           | >>9.99                     | 10  |
| ver_overship_qty      | Acceptable Over Shipment   |           | >>, >>9                    |     |
| ver_overship_qty_cost | Acceptable Over Shipment   |           | >>>>, >>>, >>9.99<<<<<<<<  | 10  |
| ver_part              | Item Number                |           | x(18)                      |     |
| ver_site              | Site                       |           | x(8)                       |     |
| ver_start             | Start Effective            |           | 99/99/99                   |     |
| ver_undership_pct     | Acceptable Under Shipment  |           | >>9.99                     | 10  |
| ver_undership_qty     | Acceptable Under Shipment  |           | >>, >>9                    |     |
| ver_use_shippct       | Use Shipment Percent       |           | yes/no                     |     |
| ver_use_shippct_cost  | Use Shipment Percent Cost  |           | yes/no                     |     |
| ver_use_shipqty       | Use Shipment Quantity      |           | yes/no                     |     |
| ver_use_shipqty_cost  | Use Shipment Quantity Cost |           | yes/no                     |     |
| ver_user1             | Ufld1                      |           | x(8)                       |     |
| ver_user2             | Ufld2                      |           | x(8)                       |     |
| ver_user3             |                            |           | x(8)                       |     |
| ver_user4             |                            |           | x(8)                       |     |
| ver_vendor            | Supplier                   |           | x(8)                       |     |
| ver_vendor_source     | Supplier Source            |           | x(3)                       |     |

| Index-Name     | Uni | Field-Name        | Asc | Abbr |
|----------------|-----|-------------------|-----|------|
| ◇ oid_ver_mstr | yes | oid_ver_mstr      | yes | no   |
| ver_comm_code  | no  | ver_domain        | yes | no   |
|                |     | ver_comm_code     | yes | no   |
|                |     | ver_vendor        | yes | no   |
|                |     | ver_vendor_source | yes | no   |
|                |     | ver_site          | yes | no   |
|                |     | ver_part          | yes | no   |
| ver_part       | no  | ver_domain        | yes | no   |
|                |     | ver_part          | yes | no   |
|                |     | ver_vendor        | yes | no   |
|                |     | ver_vendor_source | yes | no   |
|                |     | ver_site          | yes | no   |
|                |     | ver_comm_code     | yes | no   |
| ver_site       | no  | ver_domain        | yes | no   |
|                |     | ver_site          | yes | no   |
|                |     | ver_part          | yes | no   |
|                |     | ver_comm_code     | yes | no   |
| * ver_vendor   | yes | ver_domain        | yes | no   |
|                |     | ver_vendor        | yes | no   |
|                |     | ver_vendor_source | yes | no   |
|                |     | ver_site          | yes | no   |
|                |     | ver_part          | yes | no   |
|                |     | ver comm code     | yes | no   |

**vesd det**

### Supplier Performance Summary Detail

| Field Name      | Label            | Col-Label | Format                     | Dec |
|-----------------|------------------|-----------|----------------------------|-----|
| oid_vesd_det    |                  |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vesd__qadc01    | QAD Field        |           | .9<<<<<<<<<                | 0   |
| vesd__qadc02    | QAD Field        |           | X(8)                       | 0   |
| vesd__qadc03    | QAD Field        |           | X(8)                       | 0   |
| vesd__qadc04    | QAD Field        |           | X(8)                       | 0   |
| vesd__qadd01    |                  |           | ->, >>>, >>9.9<<<<<<<<<    | 10  |
| vesd__qadd02    |                  |           | ->, >>>, >>9.9<<<<<<<<<    | 10  |
| vesd__qadi01    |                  |           | >>>>>>9                    |     |
| vesd__qadi02    |                  |           | >>>>>>9                    |     |
| vesd__qadl01    |                  |           | yes/no                     |     |
| vesd__qadl02    |                  |           | yes/no                     |     |
| vesd__qadt01    |                  |           | 99/99/99                   |     |
| vesd__qadt02    |                  |           | 99/99/99                   |     |
| vesd_category   | Category         |           | x(8)                       |     |
| vesd_domain     | Domain           |           | x(8)                       |     |
| vesd_event      | Event            |           | x(8)                       |     |
| vesd_event_qty  | Qty              |           | ->, >>>, >>9.9<<<<<<<<<    | 10  |
| vesd_mod_date   | Modified Date    | Mod Date  | 99/99/99                   |     |
| vesd_mod_userid | User ID          |           | x(8)                       |     |
| vesd_part       | Item Number      | Item      | x(18)                      |     |
| vesd_rec_type   | Rec Type         |           | x(8)                       |     |
| vesd_site       | Site             |           | x(8)                       |     |
| vesd_sub_type   | Subcontract Type | Sub Type  | x(12)                      |     |

| Field Name         | Label            | Col-Label | Format   | Dec |
|--------------------|------------------|-----------|----------|-----|
| vesd_tran_date     | Transaction Date | Tran Date | 99/99/99 |     |
| vesd_tran_id       | Transaction ID   | Tran ID   | >>>>>>>> |     |
| vesd_type          | Type             |           | x(1)     |     |
| vesd_user1         | Ufld1            |           | x(8)     |     |
| vesd_user2         | Ufld2            |           | x(8)     |     |
| vesd_user3         |                  |           | x(8)     |     |
| vesd_user4         |                  |           | x(8)     |     |
| vesd_vendor        | Supplier         |           | x(8)     |     |
| vesd_vendor_source | Supplier Source  | Source    | x(3)     |     |
| vesd_ves_from_date | From Date        |           | 99/99/99 |     |
| vesd_ves_to_date   | To Date          |           | 99/99/99 |     |
| vesd_weight_code   | Weight Code      | Weight    | x(8)     |     |

|   | Index-Name        | Uni | Field-Name         | Asc | Abbr |
|---|-------------------|-----|--------------------|-----|------|
| ◇ | oid_vesd_det      | yes | oid_vesd_det       | yes | no   |
| * | vesd_vendor_order | yes | vesd_domain        | yes | no   |
|   |                   |     | vesd_vendor        | yes | no   |
|   |                   |     | vesd_vendor_source | yes | no   |
|   |                   |     | vesd_ves_from_date | yes | no   |
|   |                   |     | vesd_ves_to_date   | yes | no   |
|   |                   |     | vesd_site          | yes | no   |
|   |                   |     | vesd_part          | yes | no   |
|   |                   |     | vesd_rec_type      | yes | no   |
|   |                   |     | vesd_type          | yes | no   |
|   |                   |     | vesd_sub_type      | yes | no   |
|   |                   |     | vesd_category      | yes | no   |
|   |                   |     | vesd_tran_id       | yes | no   |

## ves\_mstr Supplier Performance Summary Master

| Field Name          | Label          | Col-Label | Format                 | Dec |
|---------------------|----------------|-----------|------------------------|-----|
| oid_ves_mstr        |                |           | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
| ves__qadc01         | QAD Field      |           | .9<<<<<<<<             | 0   |
| ves__qadc02         | QAD Field      |           | X(8)                   | 0   |
| ves__qadc03         | QAD Field      |           | X(8)                   | 0   |
| ves__qadc04         | QAD Field      |           | X(8)                   | 0   |
| ves__qadd01         |                |           | ->>, >>, >>9.9<<<<<<<< | 10  |
| ves__qadd02         |                |           | ->>, >>, >>9.9<<<<<<<< | 10  |
| ves__qadi01         |                |           | >>>>>>9                |     |
| ves__qadi02         |                |           | >>>>>>9                |     |
| ves__qadi01         |                |           | yes/no                 |     |
| ves__qadi02         |                |           | yes/no                 |     |
| ves__qadt01         |                |           | 99/99/99               |     |
| ves__qadt02         |                |           | 99/99/99               |     |
| ves_comm_code       | Commodity Code | Commodity | x(20)                  |     |
| ves_db              | DB Number      | DB        | x(16)                  |     |
| ves_domain          | Domain         |           | x(8)                   |     |
| ves_from_date       | From Date      |           | 99/99/99               |     |
| ves_mod_date        | Modified Date  | Mod Date  | 99/99/99               |     |
| ves_mod_userid      | User ID        |           | x(8)                   |     |
| ves_occurance_count | Occurance      |           | >>>>, >>>, >>9         |     |

| Field Name        | Label            | Col-Label     | Format                      | Dec |
|-------------------|------------------|---------------|-----------------------------|-----|
| ves_part          | Item Number      | Item          | x(18)                       |     |
| ves_rcvd_qty      | Receipt Qty      | Qty! Received | >>>>, >>>, >>,>9.9<<<<<<<<< | 10  |
| ves_rec_type      | Rec Type         |               | x(8)                        |     |
| ves_site          | Site             |               | x(8)                        |     |
| ves_sub_type      | Subcontract Type | Sub Type      | x(12)                       |     |
| ves_to_date       | To Date          |               | 99/99/99                    |     |
| ves_type          | Type             |               | x(1)                        |     |
| ves_user1         | Ufld1            |               | x(8)                        |     |
| ves_user2         | Ufld2            |               | x(8)                        |     |
| ves_user3         |                  |               | x(8)                        |     |
| ves_user4         |                  |               | x(8)                        |     |
| ves_vendor        | Supplier         |               | x(8)                        |     |
| ves_vendor_source | Supplier Source  | Source        | x(3)                        |     |

| Index-Name         | Uni | Field-Name        | Asc | Abbr |
|--------------------|-----|-------------------|-----|------|
| ◇ oid_ves_mstr     | yes | oid_ves_mstr      | yes | no   |
| * ves_vendor_order | yes | ves_domain        | yes | no   |
|                    |     | ves_vendor        | yes | no   |
|                    |     | ves_vendor_source | yes | no   |
|                    |     | ves_from_date     | yes | no   |
|                    |     | ves_to_date       | yes | no   |
|                    |     | ves_site          | yes | no   |
|                    |     | ves_part          | yes | no   |
|                    |     | ves_rec_type      | yes | no   |
|                    |     | ves_type          | yes | no   |
|                    |     | ves sub type      | yes | no   |

**view mstr** Supplier Performance Weighting Factor Master

| Field Name     | Label         | Col-Label | Format                         | Dec |
|----------------|---------------|-----------|--------------------------------|-----|
| oid_vew_mstr   |               |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vew__qadc01    | QAD Field     |           | .9<<<<<<<<<                    | 0   |
| vew__qadc02    | QAD Field     |           | X(8)                           | 0   |
| vew__qadc03    | QAD Field     |           | X(8)                           | 0   |
| vew__qadc04    | QAD Field     |           | X(8)                           | 0   |
| vew__qadd01    |               |           | ->>, >>>, >>9.<<<<<<<<<<       | 10  |
| vew__qadd02    |               |           | ->>, >>>, >>9.<<<<<<<<<<       | 10  |
| vew__qadi01    |               |           | >>>>>>9                        |     |
| vew__qadi02    |               |           | >>>>>>9                        |     |
| vew__qadl01    |               |           | yes/no                         |     |
| vew__qadl02    |               |           | yes/no                         |     |
| vew__qadt01    |               |           | 99/99/99                       |     |
| vew__qadt02    |               |           | 99/99/99                       |     |
| vew_desc       | Description   |           | x(24)                          |     |
| vew_domain     | Domain        |           | x(8)                           |     |
| vew_mod_date   | Modified Date | Mod Date  | 99/99/99                       |     |
| vew_mod_userid | User ID       |           | x(8)                           |     |
| vew_name       | Name          |           | x(12)                          |     |
| vew_user1      | Ufld1         |           | x(8)                           |     |
| vew_user2      | Ufld2         |           | x(8)                           |     |



| Field Name         | Label         | Col-Label | Format   | Dec |
|--------------------|---------------|-----------|----------|-----|
| view_user3         |               |           | x(8)     |     |
| view_user4         |               |           | x(8)     |     |
| view_weight_code   | Weight Code   |           | x(8)     |     |
| view_weight_factor | Weight Factor |           | >,>>9.99 | 10  |

| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
| ◇ oid_vew_mstr    | yes | oid_vew_mstr    | yes | no   |
| * vew_weight_code | yes | vew_domain      | yes | no   |
|                   |     | vew_weight_code | yes | no   |

**vex\_mstr** Supplier Performance Cross-Reference Master

| Field Name           | Label              | Col-Label | Format                         | Dec |
|----------------------|--------------------|-----------|--------------------------------|-----|
| oid_vex_mstr         |                    |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vex__qadc01          | QAD Field          |           | .9<<<<<<<<<                    | 0   |
| vex__qadc02          | QAD Field          |           | X(8)                           | 0   |
| vex__qadc03          | QAD Field          |           | X(8)                           | 0   |
| vex__qadc04          | QAD Field          |           | X(8)                           | 0   |
| vex__qadd01          |                    |           | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| vex__qadd02          |                    |           | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| vex__qadi01          |                    |           | >>>>>>9                        |     |
| vex__qadi02          |                    |           | >>>>>>9                        |     |
| vex__qadl01          |                    |           | yes/no                         |     |
| vex__qadl02          |                    |           | yes/no                         |     |
| vex__qadt01          |                    |           | 99/99/99                       |     |
| vex__qadt02          |                    |           | 99/99/99                       |     |
| vex_domain           | Domain             |           | x(8)                           |     |
| vex_mod_date         | Modified Date      | Mod Date  | 99/99/99                       |     |
| vex_mod_userid       | User ID            |           | x(8)                           |     |
| vex_site             | Site               |           | x(8)                           |     |
| vex_to_site          | To-Site            |           | x(8)                           |     |
| vex_to_vendor        | To-Supplier        |           | x(8)                           |     |
| vex_to_vendor_source | To-Supplier Source |           | x(3)                           |     |
| vex_user1            | Ufld1              |           | x(8)                           |     |
| vex_user2            | Ufld2              |           | x(8)                           |     |
| vex_user3            |                    |           | x(8)                           |     |
| vex_user4            |                    |           | x(8)                           |     |
| vex_vendor           | Supplier           |           | x(8)                           |     |
| vex_vendor_source    | Supplier Source    |           | x(3)                           |     |

| Index-Name     | Uni | Field-Name        | Asc | Abbr |
|----------------|-----|-------------------|-----|------|
| ◇ oid_vex_mstr | yes | oid_vex_mstr      | yes | no   |
| * vex_site     | yes | vex_domain        | yes | no   |
|                |     | vex_site          | yes | no   |
|                |     | vex_vendor        | yes | no   |
|                |     | vex_vendor_source | yes | no   |
| vex_to_site    | no  | vex_domain        | yes | no   |
|                |     | vex_to_site       | yes | no   |
|                |     | vex_vendor        | yes | no   |
|                |     | vex_vendor_source | yes | no   |

### Voucher Invoice History

|   | Field Name       | Label                   | Col-Label | Format                   | Dec |
|---|------------------|-------------------------|-----------|--------------------------|-----|
|   | oid_vph_hist     |                         |           | >>>>>>>>>>>>>>>>>>>>>>9  | 10  |
| Δ | vph__qadc01      |                         |           | .9<<<<<<<<               |     |
|   | vph__qadc02      |                         |           | x(24)                    |     |
|   | vph__qadi01      |                         |           | x(24)                    |     |
|   | vph_acct         | Account                 |           | ->>>>>>9                 |     |
|   | vph_adj_amt      | Cost Adjustment         |           | x(8)                     |     |
|   | vph_adj_inv      | Inventory/Variance      |           | ->>>>, >>>, >>9.99<      | 10  |
|   | vph_adj_prv_cst  | Previous Cost           |           | Inventory/Variance       |     |
|   | vph_adj_wip      | WIP/Variance            |           | ->>>>, >>>, >>9.99<<<    | 10  |
|   | vph_amt          | Amount                  |           | WIP/Variance             |     |
|   | vph_avg_post     | Post To                 |           | ->>>>, >>>, >>9.99       | 10  |
|   | vph_cc           | Cost Ctr                | CC        | x(4)                     |     |
|   | vph_cf_adj_amt   | Confirmed Adjustment    |           | x(4)                     |     |
|   | vph_cf_dscr_amt  | Confirmed Discrepancy   |           | ->>>>, >>>, >>9.99<      | 10  |
| ◇ | vph_cinvoice_id  | Invoice ID              |           | ->>>>, >>>, >>9.99<      | 10  |
|   | vph_costadj_acct | Cost Adj Acct           | Cost Adj  | 99999999999              |     |
|   | vph_costadj_cc   | Cost Adj CC             | CC        | x(8)                     |     |
|   | vph_costadj_sub  | Cost Adj Sub            | Sub-Acct  | x(4)                     |     |
|   | vph_curr_amt     | Currency Amount         | Curr Amt  | x(8)                     |     |
|   | vph_domain       | Domain                  |           | ->, >>>, >>>, >>9.99<<<  | 10  |
|   | vph_dscr_acct    | Inventory Dscr Acct     | Dscr Acct | x(8)                     |     |
|   | vph_dscr_amt     | Cost Discrepancy        |           | ->>>>, >>>, >>9.99<      | 10  |
|   | vph_dscr_cc      | Inventory Dscr CC       | CC        | x(4)                     |     |
|   | vph_dscr_sub     | Inventory Dscr Sub-Acct | Sub-Acct  | x(8)                     |     |
|   | vph_element      | Cost Element            | Element   | x(8)                     |     |
|   | vph_inv_cost     | Invoice Cost            |           | ->, >>>, >>>, >>9.99<<<  | 10  |
|   | vph_inv_date     | Invoice Date            | Inv Date  | 99/99/99                 |     |
|   | vph_inv_qty      | Invoice Qty             |           | ->, >>>, >>9.9<<<<<<<<   | 10  |
|   | vph_nbr          | PO Nbr                  |           | x(8)                     |     |
|   | vph_project      | Project                 |           | x(8)                     |     |
|   | vph_pvo_id       | Pending Voucher ID      |           | >>>>>>>>>                |     |
|   | vph_pvod_id_line | Line                    | Ln        | >>>>>>9                  |     |
|   | vph_qoh_at_adj   | QOH at adjustment       |           | ->>, >>>, >>9.9<<<<<<<<< | 10  |
| Δ | vph_ref          | Voucher                 |           | x(22)                    |     |
|   | vph_sub          | Sub-Account             | Sub-Acct  | x(8)                     |     |
|   | vph_user1        | Ufld1                   |           | x(8)                     |     |
|   | vph_user2        | Ufld2                   |           | x(8)                     |     |

|   | <b>Index-Name</b> | <b>Uni</b> | <b>Field-Name</b> | <b>Asc</b> | <b>Abbr</b> |
|---|-------------------|------------|-------------------|------------|-------------|
| ◇ | oid_vph_hist      | yes        | oid_vph_hist      | yes        | no          |
|   | vph_nbr           | no         | vph_domain        | yes        | no          |
|   |                   |            | vph_nbr           | yes        | no          |
|   | vph_pvo_id        | no         | vph_domain        | yes        | no          |
|   |                   |            | vph_pvo_id        | yes        | no          |
|   |                   |            | vph_pvod_id_line  | yes        | no          |
|   |                   |            | vph_ref           | yes        | no          |
| * | vph_ref           | yes        | vph_domain        | yes        | no          |
|   |                   |            | vph_ref           | yes        | no          |
|   |                   |            | vph_pvo_id        | yes        | no          |

| Index-Name | Uni | Field-Name       | Asc | Abbr |
|------------|-----|------------------|-----|------|
| vph_refnbr | no  | vph_pvod_id_line | yes | no   |
|            |     | vph_domain       | yes | no   |
|            |     | vph_ref          | yes | no   |
|            |     | vph_nbr          | yes | no   |

|                |                               |
|----------------|-------------------------------|
| <b>vpo_det</b> | Voucher Purchase Order Detail |
|----------------|-------------------------------|

| Field Name  | Label     | Col-Label | Format                  | Dec |
|-------------|-----------|-----------|-------------------------|-----|
| oid_vpo_det |           |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| vpo__qadc01 |           |           | .9<<<<<<<<<<            |     |
| vpo_domain  | Domain    |           | x(8)                    |     |
| vpo_po      | PO Number | PO        | x(8)                    |     |
| vpo_ref     | Voucher   |           | x(8)                    |     |
| vpo_user1   | Ufld1     |           | x(8)                    |     |
| vpo_user2   | Ufld2     |           | x(8)                    |     |

|   | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|---|-------------|-----|-------------|-----|------|
| ◇ | oid_vpo_det | yes | oid_vpo_det | yes | no   |
| * | vpo_refpo   | yes | vpo_domain  | yes | no   |
|   |             |     | vpo_ref     | yes | no   |
|   |             |     | vpo_po      | yes | no   |

**vp\_mstr**      Supplier Item Master

| <b>Field Name</b> | <b>Label</b>      | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|-------------------|------------------|------------------------|------------|
| oid_vp_mstr       |                   |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| vp__chr01         |                   |                  | .9<<<<<<<<             |            |
| vp__chr02         |                   |                  | x(8)                   |            |
| vp__chr03         |                   |                  | x(8)                   |            |
| vp__chr04         |                   |                  | x(8)                   |            |
| vp__chr05         |                   |                  | x(8)                   |            |
| vp__dec01         |                   |                  | >>>, >>>, >>9.99       | 10         |
| vp__dec02         |                   |                  | >>>, >>>, >>9.99       | 10         |
| vp__dte01         |                   |                  | 99/99/99               |            |
| vp__dte02         |                   |                  | 99/99/99               |            |
| vp_log01          |                   |                  | yes/no                 |            |
| vp_appr_date      | Approve Date      | Approve          | 99/99/99               |            |
| vp_bkage_amt      | Brokerage Amt     |                  | ->>, >>>, >>9.99       | 10         |
| vp_comment        | Comment           |                  | x(40)                  |            |
| vp_curr           | Currency          | Cur              | x(3)                   |            |
| vp_domain         | Domain            |                  | x(8)                   |            |
| vp_duty_amt       | Duty Amt          |                  | ->>, >>>, >>9.99       | 10         |
| vp_duty_type      | Duty Type         | Dty              | x(1)                   |            |
| vp_frt_amt        | Freight Amt       |                  | ->>, >>>, >>9.99       | 10         |
| vp_ins_rqd        | Inspect           | Ins! Req         | yes/no                 |            |
| vp_mfgr           | Manufacturer      | Mfg              | x(8)                   |            |
| vp_mfgr_part      | Manufacturer Item |                  | x(18)                  |            |

| Field Name    | Label                  | Col-Label       | Format                 | Dec |
|---------------|------------------------|-----------------|------------------------|-----|
| vp_mod_date   | Modified Date          | Mod Date        | 99/99/99               |     |
| vp_part       | Item Number            |                 | x(18)                  |     |
| vp_pkg_code   | Pkg Code               |                 | x(18)                  |     |
| vp_pr_list    | Price List             | List            | x(8)                   |     |
| vp_q_date     | Quote Date             | Quote           | 99/99/99               |     |
| vp_q_price    | Quote Price            |                 | >>>>, >>>, >>9.99<<<   | 10  |
| vp_q_qty      | Quote Qty              |                 | -, >>>, >>9.9<<<<<<<<< | 10  |
| vp_rcpt_stat  | Receipt Status         | Status          | x(8)                   |     |
| vp_sch_pct    | Schedule               | Sch             | >>9.99%                | 10  |
| vp_tp_pct     | SO Price Reduction     | Ext %           | >>9.99%                | 10  |
| vp_tp_use_pct | Use SO Reduction Price | Use Trans Price | yes/no                 |     |
| vp_um         | UM                     |                 | x(2)                   |     |
| vp_user1      | Ufld1                  |                 | x(8)                   |     |
| vp_user2      | Ufld2                  |                 | x(8)                   |     |
| vp_userid     | User ID                |                 | x(8)                   |     |
| vp_vend       | Supplier               |                 | x(8)                   |     |
| vp_vend_lead  | Supplier Lead Time     | LT              | >>9                    |     |
| vp_vend_part  | Supplier Item          |                 | x(30)                  |     |

| Index-Name   | Uni | Field-Name   | Asc | Abbr |
|--------------|-----|--------------|-----|------|
| oid_vp_mstr  | yes | oid_vp_mstr  | yes | no   |
| vp_partvend  | yes | vp_domain    | yes | no   |
|              |     | vp_part      | yes | no   |
|              |     | vp_vend      | yes | no   |
|              |     | vp_vend_part | yes | no   |
| vp_vend_part | no  | vp_domain    | yes | no   |
|              |     | vp_vend      | yes | no   |
|              |     | vp_vend part | yes | no   |

|            |             |                 |
|------------|-------------|-----------------|
| <b>vrc</b> | <b>ctrl</b> | Version Control |
|------------|-------------|-----------------|

| <b>Field Name</b> | <b>Label</b> | <b>Col-Label</b> | <b>Format</b>          | <b>Dec</b> |
|-------------------|--------------|------------------|------------------------|------------|
| oid_vrc_ctrl      |              |                  | >>>>>>>>>>>>>>>>>>>>>9 | 10         |
| vrc__qadc01       |              |                  | .9<<<<<<<<<            |            |
| vrc_domain        | Domain       |                  | x(8)                   |            |
| vrc_user1         | Ufld1        |                  | x(8)                   |            |
| vrc_user2         | Ufld2        |                  | x(8)                   |            |
| vrc_v86           |              |                  | x(50)                  |            |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_vrc_ctrl | yes | oid_vrc_ctrl | yes | no   |
| * vrc_id       | yes | vrc_domain   | yes | no   |
|                |     | vrc_v86      | yes | no   |

◇ **vw\_mstr** Viewer Enabled Fields Master

| Field Name    | Label                  | Col-Label | Format                      | Dec |
|---------------|------------------------|-----------|-----------------------------|-----|
| oid_vw_mstr   |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>9  | 10  |
| vw__qadc01    |                        |           | .9<<<<<<<<<                 |     |
| vw__qadc02    |                        |           | x(24)                       |     |
| vw__qadd01    |                        |           | x(24)                       |     |
| vw__qadi01    |                        |           | ->>>>, >>>, >>9.99<<<<<<<<< | 10  |
| vw__qadl01    |                        |           | ->>>>>>>9                   |     |
| vw__qadt01    |                        |           | yes/no                      |     |
| vw_field      | Enabled Field Name     |           | 99/99/99                    |     |
| vw_frame      | Frame Name             |           | x(22)                       |     |
| vw_mod_date   | Modified Date          | Mod Date  | x(40)                       |     |
| vw_mod_userid | User ID                |           | 99/99/99                    |     |
| vw_pgm        | Viewer Program Name    |           | x(8)                        |     |
| vw_table      | Table Name             |           | x(12)                       |     |
| vw_user1      | User Field Character 1 |           | x(16)                       |     |
| vw_user2      | User Field character 2 |           | x(24)                       |     |
|               |                        |           | x(24)                       |     |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ old_vw_mstr | yes | old_vw_mstr | yes | no   |
| ◇* vw_pgm     | yes | vw_pgm      | yes | no   |
|               |     | vw_table    | yes | no   |
|               |     | vw_field    | yes | no   |
|               |     | vw_frame    | yes | no   |

◇ **WarehouseCompany** Warehouse Company

| Field Name          | Label | Col-Label | Format     | Dec |
|---------------------|-------|-----------|------------|-----|
| Company_ID          |       |           | 9999999999 |     |
| LastModifiedDate    |       |           | 99/99/9999 |     |
| LastModifiedTime    |       |           | 99999      |     |
| LastModifiedUser    |       |           | x(20)      |     |
| Warehouse_ID        |       |           | 9999999999 |     |
| WarehouseCompany_ID |       |           | 9999999999 |     |

| Index-Name  | Uni | Field-Name          | Asc | Abbr |
|-------------|-----|---------------------|-----|------|
| ◇ Company   | no  | Company_ID          | yes | no   |
| ◇ Prim      | yes | WarehouseCompany_ID | yes | no   |
| ◇ Uniqueidx | yes | Company_ID          | yes | no   |
|             |     | Warehouse_ID        | yes | no   |
| ◇ Warehouse | no  | Warehouse_ID        | yes | no   |

◇ **WarehouseLocation** Warehouse Location

| Field Name       | Label | Col-Label | Format     | Dec |
|------------------|-------|-----------|------------|-----|
| LastModifiedDate |       |           | 99/99/9999 |     |
| LastModifiedTime |       |           | 99999      |     |
| LastModifiedUser |       |           | x(20)      |     |

| Field Name                | Label | Col-Label | Format     | Dec |
|---------------------------|-------|-----------|------------|-----|
| Warehouse_ID              |       |           | 9999999999 |     |
| WarehouseLocation_ID      |       |           | 9999999999 |     |
| WarehouseLocationCode     |       |           | x(20)      |     |
| WarehouseLocationIsActive |       |           | yes/no     |     |

| Index-Name  | Uni | Field-Name            | Asc | Abbr |
|-------------|-----|-----------------------|-----|------|
| ◇* Prim     | yes | WarehouseLocation_ID  | yes | no   |
| ◇ UniqueIdx | yes | Warehouse_ID          | yes | no   |
|             |     | WarehouseLocationCode | yes | no   |
| ◇ Warehouse | no  | Warehouse ID          | yes | no   |

◇ **WaveC**      Warehousing Wave Control

[illegible]







| Field Name | Label                  | Col-Label | Format                   | Dec |
|------------|------------------------|-----------|--------------------------|-----|
| QtyOpen    | Qty Open               | Open      | ->,>>>,>>9.9<<<<<<<<<    | 2   |
| Route      | Route                  |           | X(8)                     |     |
| ShipVia    | Carrier                | Carrier   | x(20)                    |     |
| Site       | Site                   |           | x(8)                     |     |
| ToDate     | To Date                | To        | 99/99/99                 |     |
| ToRef      | To Reference           | To Ref    | x(24)                    |     |
| Time       | To Time                |           | x(20)                    |     |
| User1      | User 1                 |           | x(8)                     |     |
| User2      | User 2                 |           | x(8)                     |     |
| UserC03    | User Field Character 3 |           | x(24)                    |     |
| UserC04    | User Field Character 4 |           | x(24)                    |     |
| UserC05    | User Field Character 5 |           | x(24)                    |     |
| UserD01    | User Field Decimal 1   |           | ->>>>,>>>,>>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>,>>>,>>9.9<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |           | ->>>>>>>9                |     |
| UserI02    | User Field Integer 2   |           | ->>>>>>>9                |     |
| UserL01    | User Field Logical 1   |           | yes/no                   |     |
| UserL02    | User Field Logical 2   |           | yes/no                   |     |
| UserT01    | User Field Date 1      |           | 99/99/99                 |     |
| UserT02    | User Field Date 1      |           | 99/99/99                 |     |
| WaveNbr    | Wave Number            | Wave Nbr  | x(8)                     |     |
| Whse       | Warehouse              | Whse      | x(8)                     |     |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ Include    | no  | Domain     | yes | no   |
|              |     | WaveNbr    | yes | no   |
|              |     | Incl       | yes | no   |
| ◇ LoadOpt    | no  | Domain     | yes | no   |
|              |     | WaveNbr    | yes | no   |
|              |     | LoadOpt    | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
|              |     | OrdSite    | yes | no   |
|              |     | ShipVia    | yes | no   |
|              |     | Line       | yes | no   |
| ◇ oid_WaveD  | yes | oid_WaveD  | yes | no   |
| ◇ OrderIdx   | no  | Domain     | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
|              |     | Line       | yes | no   |
|              |     | OrdSite    | yes | no   |
|              |     | WaveNbr    | yes | no   |
| ◇* OrderLine | yes | Domain     | yes | no   |
|              |     | WaveNbr    | yes | no   |
|              |     | DSet       | yes | no   |
|              |     | Nbr        | yes | no   |
|              |     | OrdSite    | yes | no   |
|              |     | ShipVia    | yes | no   |
|              |     | Line       | yes | no   |
| ◇ OrdStatus  | no  | Domain     | yes | no   |
|              |     | WaveNbr    | yes | no   |
|              |     | OrdStatus  | yes | no   |
| ◇ Part       | no  | Domain     | yes | no   |
|              |     | Part       | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |

|   | Index-Name   | Uni | Field-Name | Asc | Abbr |
|---|--------------|-----|------------|-----|------|
| ◇ | ReleaseGroup | no  | Domain     | yes | no   |
|   |              |     | DueDate    | yes | no   |
|   |              |     | ShipVia    | yes | no   |
|   |              |     | PartType   | yes | no   |
| ◇ | UsrldIdx     | no  | Domain     | yes | no   |
|   |              |     | User1      | yes | no   |
|   |              |     | User2      | yes | no   |

## WaveLoadD Warehousing Wave Load Detail

[illegible]

| Field Name | Label                | Col-Label | Format                     | Dec |
|------------|----------------------|-----------|----------------------------|-----|
| UserD02    | User Field Decimal 2 |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserL01    | User Field Logical 1 |           | yes/no                     |     |
| UserL02    | User Field Logical 2 |           | yes/no                     |     |
| UserT01    | User Field Date 1    |           | 99/99/99                   |     |
| UserT02    | User Field Date 2    |           | 99/99/99                   |     |
| WaveNbr    | Wave Number          | Wave Nbr  | x(8)                       |     |
| Whse       | Warehouse            | Whse      | x(8)                       |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ Include       | no  | Domain        | yes | no   |
|                 |     | WaveNbr       | yes | no   |
|                 |     | Incl          | yes | no   |
| ◇ LoadIdx       | no  | Domain        | yes | no   |
|                 |     | LoadNbr       | yes | no   |
|                 |     | DropOffSeq    | yes | no   |
|                 |     | CarrierRef    | yes | no   |
|                 |     | SelNbr        | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | OrdSite       | yes | no   |
|                 |     | Part          | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | WaveNbr       | yes | no   |
| ◇* LoadLine     | yes | Domain        | yes | no   |
|                 |     | WaveNbr       | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | OrdSite       | yes | no   |
|                 |     | ShipVia       | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | LoadNbr       | yes | no   |
|                 |     | DropOffSeq    | yes | no   |
|                 |     | CarrierRef    | yes | no   |
|                 |     | SelNbr        | yes | no   |
| ◇ oid_WaveLoadD | yes | oid_WaveLoadD | yes | no   |
| ◇ OrderIdx      | no  | Domain        | yes | no   |
|                 |     | DSet          | yes | no   |
|                 |     | Nbr           | yes | no   |
|                 |     | Line          | yes | no   |
|                 |     | OrdSite       | yes | no   |
|                 |     | WaveNbr       | yes | no   |
| ◇ Part          | no  | Domain        | yes | no   |
|                 |     | Part          | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | UserC01       | yes | no   |
|                 |     | UserC02       | yes | no   |

## ◇ WaveM

## Warehousing Wave Master

[illegible]

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ DueDate   | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | DueDate    | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ Include   | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | Incl       | yes | no   |
| ◇ NetWeight | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | NetWeight  | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ oid_WaveM | yes | oid_WaveM  | yes | no   |
| ◇* OrderIdx | yes | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | DSet       | yes | no   |
|             |     | Nbr        | yes | no   |
|             |     | OrdSite    | yes | no   |
|             |     | ShipVia    | yes | no   |
| ◇ OrdStatus | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | OrdStatus  | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ Profile   | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | Profile    | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ Route     | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | Route      | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ Seq       | yes | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | Seq        | yes | no   |
| ◇ ShipTo    | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | ShipTo     | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ ShipVia   | no  | Domain     | yes | no   |
|             |     | WaveNbr    | yes | no   |
|             |     | ShipVia    | yes | no   |
|             |     | Nbr        | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |

◇ **WaveMasterM** Warehousing Wave Master Master

| Field Name   | Label          | Col-Label | Format   | Dec |
|--------------|----------------|-----------|----------|-----|
| CreateDate   | Create Date    |           | 99/99/99 |     |
| CreateUserID | Created        |           | x(8)     |     |
| Domain       | Domain         |           | x(8)     |     |
| FromDate     | From Date      | From      | 99/99/99 |     |
| FromRef      | From Reference | From Ref  | x(24)    |     |

| Field Name      | Label                   | Col-Label | Format                     | Dec |
|-----------------|-------------------------|-----------|----------------------------|-----|
| FromTime        | From Time               |           | x(20)                      |     |
| ModDate         | Modified                |           | 99/99/99                   |     |
| ModUserID       | Modified                |           | x(8)                       |     |
| oid_WaveMasterM |                         |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| PickComp        | Pick Complete%          | Pick%     | .9<<<<<<<<                 |     |
| Priority        | Order Priority          | Priority  | ->, >>9.99                 | 2   |
| QadC01          | QAD Field               |           | X(8)                       | 0   |
| QadC02          | QAD Field               |           | X(8)                       | 0   |
| QadC03          | QAD Field               |           | X(8)                       | 0   |
| QadC04          | QAD Field               |           | X(8)                       | 0   |
| QadC05          | QAD Field               |           | X(8)                       | 0   |
| QadD01          | QAD Field               |           | ->>>, >>>, >>9.99<<<       | 10  |
| QadD03          | QAD Field               |           | ->>>, >>>, >>9.99<<<       | 10  |
| QadI01          | QAD Field               |           | ->, >>>, >>9               |     |
| QadI02          | QAD Field               |           | ->, >>>, >>9               |     |
| QadI03          | QAD Field               |           | ->, >>>, >>9               |     |
| QadT01          | QAD Field               |           | 99/99/99                   |     |
| QadT02          | QAD Field               |           | 99/99/99                   |     |
| QadT03          | QAD Field               |           | 99/99/99                   |     |
| Remark          | Remark                  | Rmk       | x(40)                      |     |
| RepComp         | Replenishment Complete% | Rep Comp% | ->, >>9.99                 | 2   |
| ReplenDate      | Replenishment Date      |           | 99/99/99                   |     |
| ReplenTime      | Replenishment Date      |           | ->, >>9.99                 | 10  |
| Site            | Site                    |           | x(8)                       |     |
| SizeLines       | Number of Order Lines   | #Lines    | ->, >>>, >>9               |     |
| SizeOrders      | Number of Orders        | #Orders   | ->, >>>, >>9               |     |
| ToDate          | To Date                 | To        | 99/99/99                   |     |
| ToRef           | To Reference            | To Ref    | x(24)                      |     |
| ToTime          | To Time                 |           | x(20)                      |     |
| User1           | User 1                  |           | x(8)                       |     |
| User2           | User 2                  |           | x(8)                       |     |
| UserC03         | User Field Character 3  |           | x(24)                      |     |
| UserC04         | User Field Character 4  |           | x(24)                      |     |
| UserC05         | User Field Character 5  |           | x(24)                      |     |
| UserD01         | User Field Decimal 1    |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| UserD02         | User Field Decimal 2    |           | ->>>, >>>, >>9.9<<<<<<<<<  | 10  |
| UserI01         | User Field Integer 1    |           | ->>>>>>>9                  |     |
| UserI02         | User Field Integer 2    |           | ->>>>>>>9                  |     |
| UserL01         | User Field Logical 1    |           | yes/no                     |     |
| UserL02         | User Field Logical 2    |           | yes/no                     |     |
| UserT01         | User Field Date 1       |           | 99/99/99                   |     |
| UserT02         | User Field Date 1       |           | 99/99/99                   |     |
| WaveNbr         | Wave Number             | Wave Nbr  | x(8)                       |     |
| WaveStatus      | Wave Status             | Status    | x(8)                       |     |
| Whse            | Warehouse               | Whse      | x(8)                       |     |

| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
| ◊ oid_WaveMasterM | yes | oid_WaveMasterM | yes | no   |
| ◊ SiteWhse        | no  | Domain          | yes | no   |
|                   |     | Site            | yes | no   |
|                   |     | Whse            | yes | no   |
| ◊ UsrIdx          | no  | Domain          | yes | no   |
|                   |     | User1           | yes | no   |
|                   |     | User2           | yes | no   |
| ◊* WaveNbr        | yes | Domain          | yes | no   |

| Index-Name   | Uni | Field-Name | Asc | Abbr |
|--------------|-----|------------|-----|------|
| ◇ WaveStatus | no  | WaveNbr    | yes | no   |
|              |     | Domain     | yes | no   |
|              |     | WaveStatus | yes | no   |
|              |     | Site       | yes | no   |
|              |     | Whse       | yes | no   |

## ◇ WaveTranspC Warehousing Wave Transportation Control

[illegible]

| Field Name | Label     | Col-Label | Format              | Dec |
|------------|-----------|-----------|---------------------|-----|
| QadC30     | QAD Field |           | x(24)               | 0   |
| QadC31     | QAD Field |           | x(24)               | 0   |
| QadC32     | QAD Field |           | x(24)               | 0   |
| QadC33     | QAD Field |           | x(24)               | 0   |
| QadC34     | QAD Field |           | x(24)               | 0   |
| QadC35     | QAD Field |           | x(24)               | 0   |
| QadD01     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD02     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD03     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD04     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD05     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD06     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD07     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD08     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD09     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadD10     | QAD Field |           | ->>>>,>>>,>>9.99<<< | 10  |
| QadI01     | QAD Field |           | ->,>>>,>>9          |     |
| QadI02     | QAD Field |           | ->,>>>,>>9          |     |
| QadI03     | QAD Field |           | ->,>>>,>>9          |     |
| QadI04     | QAD Field |           | ->,>>>,>>9          |     |
| QadI05     | QAD Field |           | ->,>>>,>>9          |     |
| QadI06     | QAD Field |           | ->,>>>,>>9          |     |
| QadI07     | QAD Field |           | ->,>>>,>>9          |     |
| QadI08     | QAD Field |           | ->,>>>,>>9          |     |
| QadI09     | QAD Field |           | ->,>>>,>>9          |     |
| QadI10     | QAD Field |           | ->,>>>,>>9          |     |
| QadI11     | QAD Field |           | ->,>>>,>>9          |     |
| QadI12     | QAD Field |           | ->,>>>,>>9          |     |
| QadI13     | QAD Field |           | ->,>>>,>>9          |     |
| QadI14     | QAD Field |           | ->,>>>,>>9          |     |
| QadI15     | QAD Field |           | ->,>>>,>>9          |     |
| QadI16     | QAD Field |           | ->,>>>,>>9          |     |
| QadI17     | QAD Field |           | ->,>>>,>>9          |     |
| QadI18     | QAD Field |           | ->,>>>,>>9          |     |
| QadI19     | QAD Field |           | ->,>>>,>>9          |     |
| QadI20     | QAD Field |           | ->,>>>,>>9          |     |
| QadI21     | QAD Field |           | ->,>>>,>>9          |     |
| QadI22     | QAD Field |           | ->,>>>,>>9          |     |
| QadI23     | QAD Field |           | ->,>>>,>>9          |     |
| QadI24     | QAD Field |           | ->,>>>,>>9          |     |
| QadI25     | QAD Field |           | ->,>>>,>>9          |     |
| QadL01     | QAD Field |           | yes/no              |     |
| QadL02     | QAD Field |           | yes/no              |     |
| QadL03     | QAD Field |           | yes/no              |     |
| QadL04     | QAD Field |           | yes/no              |     |
| QadL05     | QAD Field |           | yes/no              |     |
| QadL06     | QAD Field |           | yes/no              |     |
| QadL07     | QAD Field |           | yes/no              |     |
| QadL08     | QAD Field |           | yes/no              |     |
| QadL09     | QAD Field |           | yes/no              |     |
| QadL10     | QAD Field |           | yes/no              |     |
| QadL11     | QAD Field |           | yes/no              |     |
| QadL12     | QAD Field |           | yes/no              |     |
| QadL13     | QAD Field |           | yes/no              |     |
| QadL14     | QAD Field |           | yes/no              |     |
| QadL15     | QAD Field |           | yes/no              |     |
| QadL16     | QAD Field |           | yes/no              |     |





## wcr\_route

| Field Name    | Label         | Col-Label | Format                   | Dec |
|---------------|---------------|-----------|--------------------------|-----|
| oid_wcr_route |               |           | >>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wcr_qadc01    |               |           | .9<<<<<<<<<              |     |
| wcr_domain    | Domain        |           | x(8)                     |     |
| wcr_mch       | Machine       |           | x(8)                     |     |
| wcr_op        | Op            |           | >>>>9                    |     |
| wcr_part      | Routing Code  |           | x(18)                    |     |
| wcr_rate      | Std Prod Rate | Std Rate  | ->, >>, >>9              |     |
| wcr_user1     | Ufid1         |           | x(8)                     |     |
| wcr_user2     | Ufid2         |           | x(8)                     |     |
| wcr wkctr     | Work Center   | Work Ctr  | x(8)                     |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_wcr_route | yes | oid_wcr_route | yes | no   |
| wcr_part        | yes | wcr_domain    | yes | no   |
|                 |     | wcr_part      | yes | no   |
|                 |     | wcr_op        | yes | no   |
|                 |     | wcr_wkctr     | yes | no   |
|                 |     | wcr_mch       | yes | no   |
| * wcr_route     | yes | wcr_domain    | yes | no   |
|                 |     | wcr_wkctr     | yes | no   |
|                 |     | wcr_mch       | yes | no   |
|                 |     | wcr_part      | yes | no   |
|                 |     | wcr_op        | yes | no   |

**wc mstr**

| Field Name  | Label                  | Col-Label | Format                         | Dec |
|-------------|------------------------|-----------|--------------------------------|-----|
| oid_wc_mstr |                        |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wc__chr01   | User Character Field 1 |           | .9<<<<<<<<<<                   |     |
| wc__chr02   | User Character Field 2 |           | X(8)                           |     |
| wc__chr03   | User character Field 3 |           | X(8)                           |     |
| wc__dec01   | User Decimal Field 1   |           | ->>, >>9.99<                   | 10  |
| wc__dec02   | User Decimal Field 2   |           | ->>, >>9.99<                   | 10  |
| wc__log01   | User Logical Field 1   |           | yes/no                         |     |
| wc__qad01   |                        |           | >, >>9.9                       | 10  |
| wc__qad02   |                        |           | >, >>9.999                     | 10  |
| wc__qadc01  | QAD Character Field 1  |           | X(8)                           |     |
| wc__qadc02  | QAD Character Field 2  |           | X(8)                           |     |
| wc__qadc03  | QAD Character Field 3  |           | X(8)                           |     |
| wc__qade01  | QAD Decimal Field 1    |           | ->>, >>9.99<<                  | 10  |
| wc__qade02  | QAD Decimal Field 2    |           | ->>, >>9.99<<                  | 10  |
| wc__qadl01  | QAD Logical Field 1    |           | yes/no                         |     |
| wc_bdn_pct  | Lbr Bdn %              |           | >>9.99%                        | 10  |

|           | Index-Name  | Uni | Field-Name  | Asc | Abbr |
|-----------|-------------|-----|-------------|-----|------|
| ◇         | oid_wc_mstr | yes | oid_wc_mstr | yes | no   |
|           | wc_dept     | no  | wc_domain   | yes | no   |
|           |             |     | wc_dept     | yes | no   |
|           | wc_desc     | yes | wc_domain   | yes | no   |
|           |             |     | wc_desc     | yes | no   |
|           |             |     | wc_wkctr    | yes | no   |
|           | wc_fsm_type | no  | wc_mch      | yes | no   |
|           |             |     | wc_domain   | yes | no   |
|           |             |     | wc_fsm_type | yes | no   |
|           | * wc_wkctr  | yes | wc_wkctr    | yes | no   |
| wc_domain |             |     | yes         | no  |      |
| wc_mch    |             |     | yes         | no  |      |

## whl\_mstr Warehouse Location Master



| Field Name            | Label               | Col-Label            | Format   | Dec |
|-----------------------|---------------------|----------------------|----------|-----|
| whl__qadc02           |                     |                      | x(8)     |     |
| whl__qadd03           |                     |                      | 9.99     | 10  |
| whl__qadl05           |                     |                      | yes/no   |     |
| whl__qadt04           |                     |                      | 99/99/99 |     |
| whl_act               | Active              |                      | yes/no   |     |
| whl_cust_exp          | Customer            |                      | yes/no   |     |
| whl_cust_item_nbr_exp | Cust Number         | Customer! Number     | yes/no   |     |
| whl_date              | Date Created        | Created              | 99/99/99 |     |
| whl_do_cmt_exp        | Comments            |                      | yes/no   |     |
| whl_do_exp            | Distribution Order  | Distribution! Order  | yes/no   |     |
| whl_do_req_cmt_exp    | Comments            |                      | yes/no   |     |
| whl_do_req_exp        | Intersite Request   | Intersite! Request   | yes/no   |     |
| whl_domain            | Domain              |                      | x(8)     |     |
| whl_loc               | Location            |                      | x(8)     |     |
| whl_po_cmt_exp        | Comments            |                      | yes/no   |     |
| whl_po_exp            | Purchase Order      | Purchase! Order      | yes/no   |     |
| whl_pt_exp            | Item                |                      | yes/no   |     |
| whl_rps_exp           | Repetitive Picklist | Repetitive! Picklist | yes/no   |     |
| whl_site              | Site                |                      | x(8)     |     |
| whl_so_cmt_exp        | Comments            |                      | yes/no   |     |
| whl_so_exp            | Sales Order         | Sales! Order         | yes/no   |     |
| whl_src_dest_id       | External Warehouse  |                      | X(18)    |     |
| whl_sup_exp           | Supplier            |                      | yes/no   |     |
| whl_sup_item_nbr_exp  | Supplier Number     |                      | yes/no   |     |
| whl_um_exp            | UM                  |                      | yes/no   |     |
| whl_user1             | Ufld1               |                      | x(8)     |     |
| whl_user2             | Ufld2               |                      | x(8)     |     |
| whl_wo_cmt_exp        | Comments            |                      | yes/no   |     |
| whl_wo_exp            | Work Order          | Work! Order          | yes/no   |     |
| whl_wo_rcpt_exp       | Work Order Receipt  |                      | yes/no   |     |

| Index-Name     | Uni | Field-Name      | Asc | Abbr |
|----------------|-----|-----------------|-----|------|
| ◇ oid_whl_mstr | yes | oid_whl_mstr    | yes | no   |
| whl_dest       | no  | whl_domain      | yes | no   |
|                |     | whl_src_dest_id | yes | no   |
| * whl_site     | yes | whl_domain      | yes | no   |
|                |     | whl_site        | yes | no   |
|                |     | whl_loc         | yes | no   |

## ◇ WhseC Warehouse Control

| Field Name   | Label                   | Col-Label        | Format     | Dec |
|--------------|-------------------------|------------------|------------|-----|
| AllowQtyDec  | Allow Quantity Decrease | Qty! Dec         | yes/no     |     |
| AllowQtyInc  | Allow Quantity Increase | Qty! Inc         | yes/no     |     |
| AllowSwitch  | Allow Task Switching    | Switch           | yes/no     |     |
| AltUMOpt     | Alternative UM Option   | AltUM            | >9         |     |
| AutoRep%     | Auto Replenish %        | Auto! Rep%       | >>9.99%    | 2   |
| AutoReplen   | Auto Replenish          | Auto! Rep        | yes/no     |     |
| BlindLoc     | Blind Location          |                  | yes/no     |     |
| CheckDigits  | Check Digits            | Chk              | yes/no     |     |
| CntPriInc    | Count Increment         | Count! Increment | ->,>>>,>>9 |     |
| CntPriority  | Count Priority          | Count! Priority  | ->,>>>,>>9 |     |
| CntStatusOpt | Count Status Option     | Cnt! Stat        | >9         |     |

| Field Name         | Label                            | Col-Label                     | Format           | Dec |
|--------------------|----------------------------------|-------------------------------|------------------|-----|
| CntSystem          | Count System Code                | Cnt! Sys                      | x(2)             |     |
| CntTask            | Count Task                       | Count! Task                   | x(8)             |     |
| CompOpt            | Completion Option                | Comp                          | >9               |     |
| CountOnFail        | Count on Fail                    | Count                         | yes/no           |     |
| CreateDate         | Create Date                      |                               | 99/99/99         |     |
| CreateUserID       | Created                          |                               | x(8)             |     |
| Domain             | Domain                           |                               | x(8)             |     |
| ExpDate            | Expire Date (Days)               | Expire Date! (Days)           | >>>9             |     |
| Ext132             | 132 Mode (External)              | Ext! 132                      | yes/no           |     |
| ExtAcross          | External Printer - Number Across | Ext! Across                   | >9               |     |
| ExtDevPrinter      | External Device Printer          | External! Device! Printer     | X(8)             |     |
| ExtDown            | External Printer - Lines of Each | Ext! Down                     | >9               |     |
| ExtWidth           | External Printer - Width of Each | Ext! Width                    | >>9              |     |
| FailOpt            | Fail Option                      | Fail                          | >9               |     |
| FailStatus         | Fail Status                      | Fail                          | X(8)             |     |
| Form132            | 132 Mode (Form)                  | Form! 132                     | yes/no           |     |
| FormPrinter        | Form Printer                     | Form! Printer                 | X(8)             |     |
| FormUseExt         | Use External                     | Ext                           | yes/no           |     |
| FromLocOpt         | From Location Option             | From! Loc                     | >9               |     |
| FromLotOpt         | From Lot/Serial Option           | From! Lot                     | >9               |     |
| FromPartOpt        | From Item Option                 | From! Item                    | >9               |     |
| FromRefOpt         | From Reference Option            | From! Ref                     | >9               |     |
| HoldAllowCycle     | Allow Cycle Counts               | Cycle                         | yes/no           |     |
| HoldAllowInReturn  | Allow Incoming Returns           | InRet                         | yes/no           |     |
| HoldAllowIssue     | Allow Issues                     | Iss                           | yes/no           |     |
| HoldAllowOutReturn | Allow Outgoing Returns           | OutRet                        | yes/no           |     |
| HoldAllowPick      | Allow Picking                    | Pick                          | yes/no           |     |
| HoldAllowReceipt   | Allow Receipts                   | Rec                           | yes/no           |     |
| HoldTime           | Hold Time (Min)                  | Hld! Time                     | >>>>>>9          |     |
| ID132              | 132 Mode (ID)                    | ID! 132                       | yes/no           |     |
| IDAcross           | ID Printer - Number Across       | ID! Across                    | >9               |     |
| IDDown             | ID Printer - Lines of Each       | ID! Down                      | >9               |     |
| IDPrinter          | ID Printer                       | ID! Printer                   | X(8)             |     |
| IDUseExt           | Use External                     | Ext                           | yes/no           |     |
| IDWidth            | ID Printer - Width of Each       | ID! Width                     | >>9              |     |
| Insp132            | 132 Mode (Insp)                  | Insp! 132                     | yes/no           |     |
| InspAcross         | Insp Printer - Number Across     | Insp! Across                  | >9               |     |
| InspDown           | Insp Printer - Lines of Each     | Insp! Down                    | >9               |     |
| InspPrinter        | Insp Printer                     |                               | x(8)             |     |
| InspUseExt         | Use External                     | Ext                           | yes/no           |     |
| InspWidth          | Insp Printer - Width of Each     | Insp! Width                   | >>9              |     |
| KeepFromStatus     | Keep From Status                 | Keep! From! Status            | yes/no           |     |
| LocThresh%         | Location Capacity Threshold      | Location! Capacity! Threshold | >>9.99%          | 2   |
| LogUMToI%          | Logistics UM Tolerance           | Log UM Tol                    | >>9.99%          | 2   |
| ManCode            | Man Code                         |                               | X(8)             | 0   |
| MaxTrans           | Max Transactions                 |                               | ->>>,>>9.9<<<<<< | 10  |
| MBAssign           | Flav C Hard/Soft Assign.         |                               | Hard/Soft        |     |
| MBPrintID          | Def ID Print Flavor C            |                               | yes/no           |     |
| MBSort             | Multi-bin Pick flav C Sort.      |                               | 9                |     |
| MixStatus          | Allow Mixed Status Codes         | Mix! Status                   | yes/no           |     |
| ModDate            | Modified                         |                               | 99/99/99         |     |
| ModeM              | Mode                             |                               | X(8)             |     |
| ModUserID          | Modified                         |                               | x(8)             |     |

| Field Name     | Label                           | Col-Label           | Format                 | Dec |
|----------------|---------------------------------|---------------------|------------------------|-----|
| oid_WhseC      |                                 |                     | >>>>>>>>>>>>>>>>>>>>>9 | 10  |
|                |                                 |                     | .9<<<<<<<<             |     |
| OneLevelPick   | Single Level Picking            | Single! Level! Pick | yes/no                 |     |
| OPCActive      | Opportunity Counts              | OPC                 | yes/no                 |     |
| OPCFreq        | OPC Frequency                   | OPC Freq            | >>>9                   |     |
| Optimized      | Optimized Storage               | Optim               | yes/no                 |     |
| PickEnd        | End Picking Level               | Pick! End           | >>9                    |     |
| PickStart      | Start Picking Level             | Pick! Start         | >>9                    |     |
| PLDSync        | Inventory Account Sync          | Inv! Acct! Sync     | x(1)                   |     |
| PrintByWLG     | Print By Work Location<br>Group | Print! By WLG       | yes/no                 |     |
| PrintException | Print Exceptions                | Print! Except       | yes/no                 |     |
| PrintFlavor    | Print Flavor                    | Prt! Flv            | x(1)                   |     |
| PrintID        | Print ID                        | Print! ID           | yes/no                 |     |
| PrintModeCI    | Print Mode (Confirmed Tasks)    | Print! Mode CI      | X(8)                   |     |
| PrintModeCr    | Print Mode (Created Tasks)      | Print! Mode Cr      | X(8)                   |     |
| PrintModeEx    | Print Mode (Exceptions)         | Print! Mode Ex      | X(8)                   |     |
| PrintModelD    | Print Mode (ID)                 | Print! Mode ID      | X(8)                   |     |
| PrintModelInsp | Print Mode (ID)                 | Print! Mode ID      | X(8)                   |     |
| PrintTaskCI    | Print Confirmed Tasks           | Print! CI Task      | yes/no                 |     |
| PrintTaskCr    | Print Created Tasks             | Print! Cr Task      | yes/no                 |     |
| QadC01         | QAD Field                       |                     | X(8)                   | 0   |
| QadC02         | QAD Field                       |                     | X(8)                   | 0   |
| QadC03         | QAD Field                       |                     | X(8)                   | 0   |
| QadC05         | QAD Field                       |                     | X(8)                   | 0   |
| QadD01         | QAD Field                       |                     | ->>>, >>>, >>9.99<<<   | 10  |
| QadD03         | QAD Field                       |                     | ->>>, >>>, >>9.99<<<   | 10  |
| QadI01         | QAD Field                       |                     | ->, >>>, >>9           |     |
| QadI02         | QAD Field                       |                     | ->, >>>, >>9           |     |
| QadI03         | QAD Field                       |                     | ->, >>>, >>9           |     |
| QadT01         | QAD Field                       |                     | 99/99/99               |     |
| QadT02         | QAD Field                       |                     | 99/99/99               |     |
| QadT03         | QAD Field                       |                     | 99/99/99               |     |
| QtyOpt         | Quantity Change Option          | Qty                 | >9                     |     |
| RcntPrInc      | Recount Increment               | Recount! Increment  | ->, >>>, >>9           |     |
| RcntPriority   | Recount Priority                | Recount! Priority   | ->, >>>, >>9           |     |
| RcntSystem     | Recount System Code             | Rcnt! Sys           | x(2)                   |     |
| RcntTask       | Recount Task                    | Recount! Task       | x(8)                   |     |
| RefNRID        | Reference NR ID                 | Ref NR ID           | X(8)                   |     |
| RepickOpt      | Repick Option                   | Repick              | >9                     |     |
| RepickType     | Repick Tran Type                | Repick! Tran Type   | x(8)                   |     |
| SearchWindow   | Transaction Search Window       | Trans! Window       | >>9                    |     |
| SystemCode     | System Code                     | Sys                 | x(2)                   |     |
| SystemFlavor   | Flavor                          | Flv                 | x(1)                   |     |
| Task           | Task                            |                     | x(8)                   |     |
| Task132        | 132 Mode (Task)                 | Task! 132           | yes/no                 |     |
| TaskAcross     | Task Printer - Number Across    | Task! Across        | >9                     |     |
| TaskDown       | Task Printer - Lines of Each    | Task! Down          | >9                     |     |
| TaskPrinter    | Task Printer                    | Task! Printer       | X(8)                   |     |
| TaskUseExt     | Use External                    | Ext                 | yes/no                 |     |
| TaskWidth      | Task Printer - Width of Each    | Task! Width         | >>9                    |     |
| ToLocOpt       | To Location Option              | To! Loc             | >9                     |     |
| ToLotOpt       | To Lot/Serial Option            | To! Lot             | >9                     |     |
| ToPartOpt      | To Item Option                  | To! Item            | >9                     |     |
| ToRefOpt       | To Reference Option             | To! Ref             | >9                     |     |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ oid_WhseC | yes | oid_WhseC  | yes | no   |
| ◇* UniqueID | yes | Domain     | yes | no   |
|             |     | UniqueID   | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |

## ◇ WhseListD Warehouse Master List Detail







| Field Name | Label                  | Col-Label | Format                     | Dec |
|------------|------------------------|-----------|----------------------------|-----|
| QadC04     | QAD Field              |           | X(8)                       | 0   |
| QadC05     | QAD Field              |           | X(8)                       | 0   |
| QadD01     | QAD Field              |           | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |           | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |           | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |           | ->, >>>, >>9               |     |
| QadT01     | QAD Field              |           | 99/99/99                   |     |
| QadT02     | QAD Field              |           | 99/99/99                   |     |
| QadT03     | QAD Field              |           | 99/99/99                   |     |
| Site       | Site                   |           | x(8)                       |     |
| User1      | User 1                 |           | x(8)                       |     |
| User2      | User 2                 |           | x(8)                       |     |
| UserC03    | User Field Character 3 |           | x(24)                      |     |
| UserC04    | User Field Character 4 |           | x(24)                      |     |
| UserC05    | User Field Character 5 |           | x(24)                      |     |
| UserD01    | User Field Decimal 1   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |           | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |           | ->>>>>>>9                  |     |
| UserI02    | User Field Integer 2   |           | ->>>>>>>9                  |     |
| UserL01    | User Field Logical 1   |           | yes/no                     |     |
| UserL02    | User Field Logical 2   |           | yes/no                     |     |
| UserT01    | User Field Date 1      |           | 99/99/99                   |     |
| UserT02    | User Field Date 1      |           | 99/99/99                   |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◊ oid_WhseListM | yes | oid_WhseListM | yes | no   |
| ◊* SiteList     | yes | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | MasterList    | yes | no   |
| ◊ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |

◊ **WhseM** Warehouse Master

| Field Name  | Label                      | Col-Label        | Format       | Dec |
|-------------|----------------------------|------------------|--------------|-----|
| Active      | Active                     | Act              | yes/no       |     |
| Addr        | Address                    |                  | x(8)         |     |
| AllowQtyDec | Allow Quantity Decrease    | Qty! Dec         | yes/no       |     |
| AllowQtyInc | Allow Quantity Increase    | Qty! Inc         | yes/no       |     |
| AllowSwitch | Allow Task Switching       | Switch           | yes/no       |     |
| AltUMOpt    | Alternative UM Option      | AltUM            | >9           |     |
| AutoBPOD    | Automatically Recreate BPs | Auto BP          | yes/no       |     |
| AutoRep%    | Auto Replenish %           | Auto! Rep%       | >>9.99%      | 2   |
| AutoReplen  | Auto Replenish             | Auto! Rep        | yes/no       |     |
| BaseUMOnly  | Base UM Only               |                  | yes/no       |     |
| BlindLoc    | Blind Location             |                  | yes/no       |     |
| CanRun      | Roles                      |                  | x(189)       |     |
| CheckDigits | Check Digits               | Chk              | yes/no       |     |
| CmtIndx     | Comments                   |                  | >>>>>>>9     |     |
| CntPrilnc   | Count Increment            | Count! Increment | ->, >>>, >>9 |     |
| CntPriority | Count Priority             | Count! Priority  | ->, >>>, >>9 |     |

| Field Name         | Label                            | Col-Label                     | Format      | Dec |
|--------------------|----------------------------------|-------------------------------|-------------|-----|
| CntStatusOpt       | Count Status Option              | Cnt! Stat                     | >9          |     |
| CntSystem          | Count System Code                | Cnt! Sys                      | x(2)        |     |
| CntTask            | Count Task                       | Count! Task                   | x(8)        |     |
| CompOpt            | Completion Option                | Comp                          | >9          |     |
| CountOnFail        | Count on Fail                    | Count                         | yes/no      |     |
| CreateDate         | Create Date                      |                               | 99/99/99    |     |
| CreateUserID       | Created                          |                               | x(8)        |     |
| Description        | Description                      |                               | x(24)       |     |
| Domain             | Domain                           |                               | x(8)        |     |
| ExpDate            | Expire Date (Days)               | Expire Date! (Days)           | >>>9        |     |
| Ext132             | 132 Mode (External)              | Ext! 132                      | yes/no      |     |
| ExtAcross          | External Printer - Number Across | Ext! Across                   | >9          |     |
| ExtDevPrinter      | External Device Printer          | External! Device! Printer     | X(8)        |     |
| ExtDown            | External Printer - Lines of Each | Ext! Down                     | >9          |     |
| ExtWidth           | External Printer - Width of Each | Ext! Width                    | >>9         |     |
| FailOpt            | Fail Option                      | Fail                          | >9          |     |
| FailStatus         | Fail Status                      | Fail                          | X(8)        |     |
| Form132            | 132 Mode (Form)                  | Form! 132                     | yes/no      |     |
| FormPrinter        | Form Printer                     | Form! Printer                 | X(8)        |     |
| FormUseExt         | Use External                     | Ext                           | yes/no      |     |
| FromLocOpt         | From Location Option             | From! Loc                     | >9          |     |
| FromLotOpt         | From Lot/Serial Option           | From! Lot                     | >9          |     |
| FromPartOpt        | From Item Option                 | From! Item                    | >9          |     |
| FromRefOpt         | From Reference Option            | From! Ref                     | >9          |     |
| HoldAllowCycle     | Allow Cycle Counts               | Cycle                         | yes/no      |     |
| HoldAllowInReturn  | Allow Incoming Returns           | InRet                         | yes/no      |     |
| HoldAllowIssue     | Allow Issues                     | Iss                           | yes/no      |     |
| HoldAllowOutReturn | Allow Outgoing Returns           | OutRet                        | yes/no      |     |
| HoldAllowPick      | Allow Picking                    | Pick                          | yes/no      |     |
| HoldAllowReceipt   | Allow Receipts                   | Rec                           | yes/no      |     |
| HoldTime           | Hold Time (Min)                  | Hld! Time                     | >>>>>>9     |     |
| ID132              | 132 Mode (ID)                    | ID! 132                       | yes/no      |     |
| IDAcross           | ID Printer - Number Across       | ID! Across                    | >9          |     |
| IDDown             | ID Printer - Lines of Each       | ID! Down                      | >9          |     |
| IDPrinter          | ID Printer                       | ID! Printer                   | X(8)        |     |
| IDUseExt           | Use External                     | Ext                           | yes/no      |     |
| IDWidth            | ID Printer - Width of Each       | ID! Width                     | >>9         |     |
| Insp132            | 132 Mode (Insp)                  | Insp! 132                     | yes/no      |     |
| InspAcross         | Insp Printer - Number Across     | Insp! Across                  | >9          |     |
| InspDown           | Insp Printer - Lines of Each     | Insp! Down                    | >9          |     |
| InspPrinter        | Insp Printer                     |                               | x(8)        |     |
| InspUseExt         | Use External                     | Ext                           | yes/no      |     |
| InspWidth          | Insp Printer - Width of Each     | Insp! Width                   | >>9         |     |
| KeepFromStatus     | Keep From Status                 | Keep! From! Status            | yes/no      |     |
| LocThresh%         | Location Capacity Threshold      | Location! Capacity! Threshold | >>9.99%     | 2   |
| LogUMTol%          | Logistics UM Tolerance           | Log UM Tol                    | >>9.99%     | 2   |
| ManCode            | Man Code                         |                               | X(8)        | 0   |
| MaxTrans           | Max Trans                        |                               | ->>, >>9.99 | 10  |
| MBAssign           | Flav C Hard/Soft Assign.         |                               | Hard/Soft   |     |
| MBPrintID          | Def ID Print Flavor C            |                               | yes/no      |     |
| MBSort             | Multi-bin Pick flav C Sort.      |                               | 9           |     |
| MixStatus          | Allow Mixed Status Codes         | Mix! Status                   | yes/no      |     |
| ModDate            | Modified                         |                               | 99/99/99    |     |



| <b>Field Name</b> | <b>Label</b>                 | <b>Col-Label</b> | <b>Format</b>             | <b>Dec</b> |
|-------------------|------------------------------|------------------|---------------------------|------------|
| TaskWidth         | Task Printer - Width of Each | Task! Width      | >>9                       |            |
| ToLocOpt          | To Location Option           | To! Loc          | >9                        |            |
| ToLotOpt          | To Lot/Serial Option         | To! Lot          | >9                        |            |
| ToPartOpt         | To Item Option               | To! Item         | >9                        |            |
| ToRefOpt          | To Reference Option          | To! Ref          | >9                        |            |
| TrPriInc          | Increment                    |                  | ->, >>>, >>9              |            |
| TrPriority        | Priority                     |                  | ->, >>>, >>9              |            |
| TwoPhase          | Two Phase                    | 2Ph              | yes/no                    |            |
| UseFrom           | Confirmed at Source          | Conf! Src        | yes/no                    |            |
| User1             | User 1                       |                  | x(8)                      |            |
| User2             | User 2                       |                  | x(8)                      |            |
| UserC03           | User Field Character 3       |                  | x(24)                     |            |
| UserC04           | User Field Character 4       |                  | x(24)                     |            |
| UserC05           | User Field Character 5       |                  | x(24)                     |            |
| UserD01           | User Field Decimal 1         |                  | -->>>, >>>, >>9.9<<<<<<<< | 10         |
| UserD02           | User Field Decimal 2         |                  | -->>>, >>>, >>9.9<<<<<<<< | 10         |
| UseRecntUM        | Use Recount UM of SLG        | Use! Rcmt! UM    | yes/no                    |            |
| UserI01           | User Field Integer 1         |                  | -->>>>>>9                 |            |
| UserI02           | User Field Integer 2         |                  | -->>>>>>9                 |            |
| UserL01           | User Field Logical 1         |                  | yes/no                    |            |
| UserL02           | User Field Logical 2         |                  | yes/no                    |            |
| UserT01           | User Field Date 1            |                  | 99/99/99                  |            |
| UserT02           | User Field Date 1            |                  | 99/99/99                  |            |
| Whse              | Warehouse                    | Whse             | x(8)                      |            |

| Index-Name  | Uni | Field-Name | Asc | Abbr |
|-------------|-----|------------|-----|------|
| ◇ oid_WhseM | yes | oid_WhseM  | yes | no   |
| ◇* SiteWhse | yes | Domain     | yes | no   |
|             |     | Site       | yes | no   |
|             |     | Whse       | yes | no   |
| ◇ UsrIdx    | no  | Domain     | yes | no   |
|             |     | User1      | yes | no   |
|             |     | User2      | yes | no   |

## ◇ WhseTferOrdD Warehouse Transfer Order Detail

[illegible]



| Field Name | Label                  | Col-Label   | Format                     | Dec |
|------------|------------------------|-------------|----------------------------|-----|
| QadC03     | QAD Field              |             | X(8)                       | 0   |
| QadC04     | QAD Field              |             | X(8)                       | 0   |
| QadC05     | QAD Field              |             | X(8)                       | 0   |
| QadD01     | QAD Field              |             | ->>>>, >>>, >>9.99<<<      | 10  |
| QadD03     | QAD Field              |             | ->>>>, >>>, >>9.99<<<      | 10  |
| QadI01     | QAD Field              |             | ->, >>>, >>9               |     |
| QadI02     | QAD Field              |             | ->, >>>, >>9               |     |
| QadI03     | QAD Field              |             | ->, >>>, >>9               |     |
| QadT01     | QAD Field              |             | 99/99/99                   |     |
| QadT02     | QAD Field              |             | 99/99/99                   |     |
| QadT03     | QAD Field              |             | 99/99/99                   |     |
| ReqDate    | Required               |             | 99/99/99                   |     |
| ShipDate   | Shipped                |             | 99/99/99                   |     |
| ToAddr     | To Address             | To! Address | x(8)                       |     |
| ToSite     | To Site                |             | x(8)                       |     |
| ToWhse     | To Whse                |             | x(8)                       |     |
| Transport  | Transport              |             | x(24)                      |     |
| User1      | User 1                 |             | x(8)                       |     |
| User2      | User 2                 |             | x(8)                       |     |
| UserC03    | User Field Character 3 |             | x(24)                      |     |
| UserC04    | User Field Character 4 |             | x(24)                      |     |
| UserC05    | User Field Character 5 |             | x(24)                      |     |
| UserD01    | User Field Decimal 1   |             | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserD02    | User Field Decimal 2   |             | ->>>>, >>>, >>9.9<<<<<<<<< | 10  |
| UserI01    | User Field Integer 1   |             | ->>>>>>>9                  |     |
| UserI02    | User Field Integer 2   |             | ->>>>>>>9                  |     |
| UserL01    | User Field Logical 1   |             | yes/no                     |     |
| UserL02    | User Field Logical 2   |             | yes/no                     |     |
| UserT01    | User Field Date 1      |             | 99/99/99                   |     |
| UserT02    | User Field Date 1      |             | 99/99/99                   |     |
| WtOrder    | Order                  |             | X(8)                       |     |
| WTStatus   | Status                 | St          | x(8)                       |     |

| Index-Name         | Uni | Field-Name       | Asc | Abbr |
|--------------------|-----|------------------|-----|------|
| ◇ FromWhse         | no  | Domain           | yes | no   |
|                    |     | FromSite         | yes | no   |
|                    |     | FromWhse         | yes | no   |
| ◇ oid_WhseTferOrdM | yes | oid_WhseTferOrdM | yes | no   |
| ◇ ToWhse           | no  | Domain           | yes | no   |
|                    |     | ToSite           | yes | no   |
|                    |     | ToWhse           | yes | no   |
| ◇ UsrIdx           | no  | Domain           | yes | no   |
|                    |     | User1            | yes | no   |
|                    |     | User2            | yes | no   |
| ◇* WtOrder         | yes | Domain           | yes | no   |
|                    |     | WtOrder          | yes | no   |
| ◇ WTStatus         | no  | Domain           | yes | no   |
|                    |     | WTStatus         | yes | no   |
|                    |     | ReqDate          | yes | no   |



| Index-Name        | Uni | Field-Name      | Asc | Abbr |
|-------------------|-----|-----------------|-----|------|
| ◇ oid_WhseTrTypeM | yes | oid_WhseTrTypeM | yes | no   |
| ◇ UsrIdx          | no  | Domain          | yes | no   |
|                   |     | User1           | yes | no   |
|                   |     | User2           | yes | no   |
| ◇* WhseTrType     | yes | Domain          | yes | no   |
|                   |     | Site            | yes | no   |
|                   |     | Whse            | yes | no   |
|                   |     | TrType          | yes | no   |

## wlbđ det

WIP Lot Trace BOM Control Detail

| Field Name       | Label                  | Col-Label               | Format                  | Dec |
|------------------|------------------------|-------------------------|-------------------------|-----|
| oid_wlbd_det     |                        |                         | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wlbd__chr01      |                        |                         | .9<<<<<<<<<             |     |
| wlbd__chr02      |                        |                         | X(16)                   |     |
| wlbd__chr03      |                        |                         | X(16)                   |     |
| wlbd__chr04      |                        |                         | X(16)                   |     |
| wlbd__dec01      |                        |                         | ->>, >>, >>9.9<<<<<<<<< | 10  |
| wlbd__dec02      |                        |                         | ->>, >>, >>9.9<<<<<<<<< | 10  |
| wlbd__dte01      |                        |                         | 99/99/99                |     |
| wlbd__dte02      |                        |                         | 99/99/99                |     |
| wlbd__int01      |                        |                         | ->, >>, >>9             |     |
| wlbd__int02      |                        |                         | ->, >>, >>9             |     |
| wlbd__log01      |                        |                         | yes/no                  |     |
| wlbd__log02      |                        |                         | yes/no                  |     |
| wlbd__qadc01     |                        |                         | X(16)                   |     |
| wlbd__qadc02     |                        |                         | X(16)                   |     |
| wlbd__qadc03     |                        |                         | X(16)                   |     |
| wlbd__qadc04     |                        |                         | X(16)                   |     |
| wlbd__qadd01     |                        |                         | ->>, >>, >>9.9<<<<<<<<< | 10  |
| wlbd__qadd02     |                        |                         | ->>, >>, >>9.9<<<<<<<<< | 10  |
| wlbd__qadi01     |                        |                         | ->, >>, >>9             |     |
| wlbd__qadi02     |                        |                         | ->, >>, >>9             |     |
| wlbd__qadl01     |                        |                         | yes/no                  |     |
| wlbd__qadl02     |                        |                         | yes/no                  |     |
| wlbd__qadt01     |                        |                         | 99/99/99                |     |
| wlbd__qadt02     |                        |                         | 99/99/99                |     |
| wlbd_bom_code    | BOM Code               |                         | x(18)                   |     |
| wlbd_comp        | Component Item         |                         | X(18)                   |     |
| wlbd_comp_cmb_ok | Combine Component Lots | Combine! Component Lots | yes/no                  |     |
| wlbd_domain      | Domain                 |                         | x(8)                    |     |
| wlbd_mod_date    | Modified Date          | Mod Date                | 99/99/99                |     |
| wlbd_mod_userid  | User ID                |                         | x(8)                    |     |
| wlbd_start       | Start Date             | Start                   | 99/99/99                |     |
| wlbd_trc_comps   | Trace Components       | Trace! Components       | yes/no                  |     |
| wlbd_trc_ref     | Trace Reference        | Trace! Reference        | yes/no                  |     |
| wlbd_user1       | Ufld1                  |                         | X(16)                   |     |
| wlbd_user2       | Ufld2                  |                         | X(16)                   |     |





| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇ oid_wlbm_mstr | yes | oid_wlbm_mstr | yes | no   |
| * wlbm_bom_code | yes | wlbm_domain   | yes | no   |
|                 |     | wlbm_bom_code | yes | no   |
|                 |     | wlbm_start    | yes | no   |

## wlc\_ctrl

## WIP Lot Trace Control

| <b>Field Name</b> | <b>Label</b>                  | <b>Col-Label</b>  | <b>Format</b>           | <b>Dec</b> |
|-------------------|-------------------------------|-------------------|-------------------------|------------|
| oid_wlc_ctrl      |                               |                   | >>>>>>>>>>>>>>>>>>>>>>9 | 10         |
| wlc_chr01         |                               |                   | .9<<<<<<<<              |            |
| wlc_chr02         |                               |                   | X(16)                   |            |
| wlc_chr03         |                               |                   | X(16)                   |            |
| wlc_chr04         |                               |                   | X(16)                   |            |
| wlc_dec01         |                               |                   | ->>, >>, >>9.<<<<<<<<<  | 10         |
| wlc_dec02         |                               |                   | ->>, >>, >>9.<<<<<<<<<  | 10         |
| wlc_dte01         |                               |                   | 99/99/99                |            |
| wlc_dte02         |                               |                   | 99/99/99                |            |
| wlc_int01         |                               |                   | ->, >>, >>9             |            |
| wlc_int02         |                               |                   | ->, >>, >>9             |            |
| wlc_log01         |                               |                   | yes/no                  |            |
| wlc_log02         |                               |                   | yes/no                  |            |
| wlc_qadc01        |                               |                   | X(16)                   |            |
| wlc_qadc02        |                               |                   | X(16)                   |            |
| wlc_qadc03        |                               |                   | X(16)                   |            |
| wlc_qadc04        |                               |                   | X(16)                   |            |
| wlc_qadd01        |                               |                   | ->>, >>, >>9.<<<<<<<<<  | 10         |
| wlc_qadd02        |                               |                   | ->>, >>, >>9.<<<<<<<<<  | 10         |
| wlc_qadi01        |                               |                   | ->, >>, >>9             |            |
| wlc_qadi02        |                               |                   | ->, >>, >>9             |            |
| wlc_qadi03        |                               |                   | ->>>>>>>9               |            |
| wlc_qadl01        |                               |                   | yes/no                  |            |
| wlc_qadl02        |                               |                   | yes/no                  |            |
| wlc_qadt01        |                               |                   | 99/99/99                |            |
| wlc_qadt02        |                               |                   | 99/99/99                |            |
| wlc_comp_cmb_ok   | Combine Component Lots        |                   | yes/no                  |            |
| wlc_domain        | Domain                        |                   | x(8)                    |            |
| wlc_enable_wlt    | Enable WIP Lot Trace          |                   | yes/no                  |            |
| wlc_maxlotsize    | Max Lot Size                  |                   | >>>, >>, >>9.9          | 10         |
| wlc_mod_date      | Modified Date                 | Mod Date          | 99/99/99                |            |
| wlc_mod_userid    | User ID                       |                   | x(8)                    |            |
| wlc_nrm_id        | WIP Lot Number Sequence<br>ID |                   | x(8)                    |            |
| wlc_overissue     | WIP Lot Overissue             |                   | yes/no                  |            |
| wlc_trc_comps     | Trace Components              | Trace! Components | yes/no                  |            |
| wlc_trc_parents   | Trace Parents                 | Trace! Parents    | yes/no                  |            |
| wlc_trc_ref       | Trace Reference               | Trace! Reference  | yes/no                  |            |
| wlc_user1         | Ufld1                         |                   | X(16)                   |            |
| wlc_user2         | Ufld2                         |                   | X(16)                   |            |
| wlc_wip_cmb_ok    | Combine WIP Lots              |                   | yes/no                  |            |
| wlc_wip_split_ok  | Split WIP Lots                |                   | yes/no                  |            |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_wlc_ctrl | yes | oid_wlc_ctrl | yes | no   |
| * | wlc_index1   | yes | wlc_domain   | yes | no   |

### WIP Lot Inventory Detail

| Field Name      | Label          | Col-Label | Format                                   | Dec |
|-----------------|----------------|-----------|------------------------------------------|-----|
| oid_wld_det     |                |           | >>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<< |     |
| wld__chr01      |                |           | X(16)                                    |     |
| wld__chr02      |                |           | X(16)                                    |     |
| wld__chr03      |                |           | X(16)                                    |     |
| wld__chr04      |                |           | X(16)                                    |     |
| wld__dec01      |                |           | ->>>, >>>, >>9.9<<<<<<<<<                | 10  |
| wld__dec02      |                |           | ->>>, >>>, >>9.9<<<<<<<<<                | 10  |
| wld__dte01      |                |           | 99/99/99                                 |     |
| wld__dte02      |                |           | 99/99/99                                 |     |
| wld__int01      |                |           | ->, >>>, >>9                             |     |
| wld__int02      |                |           | ->, >>>, >>9                             |     |
| wld__log01      |                |           | yes/no                                   |     |
| wld__log02      |                |           | yes/no                                   |     |
| wld__qadc01     |                |           | X(16)                                    |     |
| wld__qadc02     |                |           | X(16)                                    |     |
| wld__qadc03     |                |           | X(16)                                    |     |
| wld__qadc04     |                |           | X(16)                                    |     |
| wld__qadd01     |                |           | ->>>, >>>, >>9.9<<<<<<<<<                | 10  |
| wld__qadd02     |                |           | ->>>, >>>, >>9.9<<<<<<<<<                | 10  |
| wld__qadi01     |                |           | ->, >>>, >>9                             |     |
| wld__qadi02     |                |           | ->, >>>, >>9                             |     |
| wld__qadl01     |                |           | yes/no                                   |     |
| wld__qadl02     |                |           | yes/no                                   |     |
| wld__qadt01     |                |           | 99/99/99                                 |     |
| wld__qadt02     |                |           | 99/99/99                                 |     |
| wld__alloc_id   | Alloc To WO ID |           | x(8)                                     |     |
| wld__alloc_op   | Operation      | Op        | >>>>9                                    |     |
| wld__alloc_que  | Queue          |           | x(8)                                     |     |
| wld__domain     | Domain         |           | x(8)                                     |     |
| wld__lotser     | Lot/Serial     |           | x(18)                                    |     |
| wld__mch        | Machine        |           | x(8)                                     |     |
| wld__mod_date   | Modified Date  | Mod Date  | 99/99/99                                 |     |
| wld__mod_userid | User ID        |           | x(8)                                     |     |
| wld__prodby_id  | Produced By ID | Prod ID   | x(8)                                     |     |
| wld__prodby_op  | Produced By Op | Prod Op   | >>>>9                                    |     |
| wld__qty_oh     | Qty On Hand    |           | ->, >>>, >>9.9<<<<<<<<<                  | 10  |
| wld__ref        | Reference      | Ref       | x(8)                                     |     |
| wld__site       | Site           |           | x(8)                                     |     |
| wld__user1      | Ufld1          |           | X(16)                                    |     |
| wld__user2      | Ufld2          |           | X(16)                                    |     |
| wld__wkctr      | Work Center    | Work Ctr  | x(8)                                     |     |

| Index-Name    | Uni | Field-Name    | Asc | Abbr |
|---------------|-----|---------------|-----|------|
| ◇ oid_wld_det | yes | oid_wld_det   | yes | no   |
| wld_alloc_loc | no  | wld_domain    | yes | no   |
|               |     | wld_alloc_id  | yes | no   |
|               |     | wld_alloc_op  | yes | no   |
|               |     | wld_alloc_que | yes | no   |
|               |     | wld_site      | yes | no   |
|               |     | wld_wkctr     | yes | no   |
|               |     | wld_mch       | yes | no   |
|               |     | wld_prodby_id | yes | no   |
|               |     | wld_prodby_op | yes | no   |
|               |     | wld_lotser    | yes | no   |
|               |     | wld_ref       | yes | no   |
| * wld_id      | yes | wld_domain    | yes | no   |
|               |     | wld_prodby_id | yes | no   |
|               |     | wld_prodby_op | yes | no   |
|               |     | wld_lotser    | yes | no   |
|               |     | wld_ref       | yes | no   |
|               |     | wld_site      | yes | no   |
|               |     | wld_wkctr     | yes | no   |
|               |     | wld_mch       | yes | no   |
|               |     | wld_alloc_id  | yes | no   |
|               |     | wld_alloc_op  | yes | no   |
|               |     | wld_alloc_que | yes | no   |
| wld_lotser    | no  | wld_domain    | yes | no   |
|               |     | wld_lotser    | yes | no   |
|               |     | wld_ref       | yes | no   |
|               |     | wld_prodby_id | yes | no   |
|               |     | wld_prodby_op | yes | no   |
|               |     | wld_site      | yes | no   |
|               |     | wld_wkctr     | yes | no   |
|               |     | wld_mch       | yes | no   |
|               |     | wld_alloc_id  | yes | no   |
|               |     | wld_alloc_op  | yes | no   |
|               |     | wld_alloc_que | yes | no   |

◇ **WLGM** Work Location Group Master

| Field Name    | Label                     | Col-Label                 | Format     | Dec |
|---------------|---------------------------|---------------------------|------------|-----|
| AllowSwitch   | Allow Task Switching      | Switch                    | yes/no     |     |
| CmtIndx       | Comments                  |                           | >>>>>>9    |     |
| CntPriInc     | Count Increment           | Count! Increment          | ->,>>>,>>9 |     |
| CntPriority   | Count Priority            | Count! Priority           | ->,>>>,>>9 |     |
| CntSystem     | Count System Code         | Cnt! Sys                  | x(2)       |     |
| CntTask       | Count Task                | Count! Task               | x(8)       |     |
| CountOnFail   | Count on Fail             | Count                     | yes/no     |     |
| CreateDate    | Create Date               |                           | 99/99/99   |     |
| CreateUserID  | Created                   |                           | x(8)       |     |
| Description   | Description               |                           | x(24)      |     |
| DevCode       | Device                    |                           | X(8)       |     |
| Domain        | Domain                    |                           | x(8)       |     |
| Ext132        | 132 Mode (External)       | Ext! 132                  | yes/no     |     |
| ExtAcross     | External Printer - Number | Ext! Across               | >9         |     |
|               | Across                    |                           |            |     |
| ExtDevPrinter | External Device Printer   | External! Device! Printer | X(8)       |     |













## WIP Lot Master

| Index-Name  | Uni | Field-Name   | Asc | Abbr |
|-------------|-----|--------------|-----|------|
| oid_wl_mstr | yes | oid_wl_mstr  | yes | no   |
| wl_lotser   | no  | wl_domain    | yes | no   |
|             |     | wl_lotser    | yes | no   |
|             |     | wl_prodby_id | yes | no   |
|             |     | wl_prodby_op | yes | no   |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| * wl_prodby_id | yes | wl_domain    | yes | no   |
|                |     | wl_prodby_id | yes | no   |
|                |     | wl_prodby_op | yes | no   |
|                |     | wl_lotser    | yes | no   |

## woc\_ctrl

## Work Order Control

| Field Name   | Label                         | Col-Label | Format                  | Dec |
|--------------|-------------------------------|-----------|-------------------------|-----|
| oid_woc_ctrl |                               |           | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| woc_qadi01   |                               |           | .9<<<<<<<<<<            |     |
| woc_qadi02   |                               |           | >>>>>>>9                |     |
| woc_qadl01   |                               |           | ->>>>>>>9               |     |
| woc_qadl02   |                               |           | yes/no                  |     |
| woc_auto_nbr | Auto W/O Numbers              |           | yes/no                  |     |
| woc_bdn_up   | Update Current Burden Cost    |           | yes/no                  |     |
| woc_domain   | Domain                        |           | x(8)                    |     |
| woc_gl_bdn   | Create GL for Burden Variance |           | yes/no                  |     |
| woc_gl_lbr   | Create GL for Labor Variance  |           | yes/no                  |     |
| woc_lbr_up   | Update Current Labor Cost     |           | yes/no                  |     |
| woc_move     | Move First Operation          |           | yes/no                  |     |
| woc_nbr      | Next W/O Nbr                  | Next WO   | >>>>>>>9                |     |
| woc_nbr_pre  | WO Prefix                     | Pre       | x(3)                    |     |
| woc_paper_lt | Paperwork LT                  | Paper LT  | >>9                     |     |
| woc_rcmnts   | Routing Comments              |           | yes/no                  |     |
| woc_sched    | Oper Sched Method (Back/Fwd)  | Sched     | x(1)                    |     |
| woc_time_ind | Time Indicator                | Time      | x(1)                    |     |
| woc_user1    | Ufld1                         |           | x(8)                    |     |
| woc_user2    | Ufld2                         |           | x(8)                    |     |
| woc_var      | Post variances at SFC         |           | yes/no                  |     |
| woc_wcmmts   | Work Order Comments           |           | yes/no                  |     |

|   | Index-Name   | Uni | Field-Name   | Asc | Abbr |
|---|--------------|-----|--------------|-----|------|
| ◇ | oid_woc_ctrl | yes | oid_woc_ctrl | yes | no   |
| * | woc_index1   | yes | woc_domain   | yes | no   |

**wod det**

## Work Order Detail

| Field Name  | Label | Col-Label | Format                     | Dec |
|-------------|-------|-----------|----------------------------|-----|
| oid_wod_det |       |           | >>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wod__chr01  |       |           | .9<<<<<<<<<                |     |
| wod__chr02  |       |           | x(8)                       |     |
| wod__chr03  |       |           | x(8)                       |     |
| wod__chr04  |       |           | x(8)                       |     |
| wod__chr05  |       |           | x(8)                       |     |
| wod__dec01  |       |           | >>>, >>>, >>9.99           | 10  |

| Field Name       | Label                    | Col-Label | Format                  | Dec |
|------------------|--------------------------|-----------|-------------------------|-----|
| wod__dec02       |                          |           | >>>, >>>, >>9.99        | 10  |
| wod__dte01       |                          |           | 99/99/99                |     |
| wod__dte02       |                          |           | 99/99/99                |     |
| wod__log01       |                          |           | yes/no                  |     |
| wod__qadc01      | QAD Character Field 1    |           | X(8)                    |     |
| wod__qadc02      | QAD Character Field 2    |           | X(8)                    |     |
| wod__qadc03      | QAD Character Field 3    |           | X(8)                    |     |
| wod__qade01      | QAD Decimal Field 1      |           | ->>>, >>9.99<           | 10  |
| wod__qade02      | QAD Decimal Field 2      |           | ->>>, >>9.99<           | 10  |
| wod__qadl01      | QAD Logical Field 1      |           | yes/no                  |     |
| wod__qadl02      | QAD L ogical Field 2     |           | yes/no                  |     |
| wod__qadt01      | QAD Date Field 1         |           | 99/99/99                |     |
| wod__qadt02      | QAD Date Field 2         |           | 99/99/99                |     |
| wod__bo_chg      | Qty B/O                  |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_bom_amt      | Frozen BOM Cost          | BOM Cost  | ->>>, >>9.999           | 10  |
| wod_bom_qty      | Frozen BOM Qty           | BOM Qty   | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_ca_int_type  | Work Code                |           | x(8)                    | 0   |
| wod_cmtindx      | Comment Index            | Comment   | >>>>>>>9                |     |
| wod_covered_amt  | Covered Amount           |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_covered_post |                          |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_critical     | Critical                 |           | yes/no                  |     |
| wod_deliver      | Deliver To               |           | x(8)                    |     |
| wod_domain       | Domain                   |           | x(8)                    |     |
| wod_eng_code     | Engineer                 |           | x(8)                    |     |
| wod_exg_price    | Exchange Price           |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_fcg_code     | Charge Code              | Charge    | x(8)                    |     |
| wod_fcg_index    |                          |           | ->, >>>, >>9            |     |
| wod_fis_column   |                          |           | >>9                     |     |
| wod_fis_sort     |                          |           | x(18)                   |     |
| wod_from_loc     | Location                 |           | x(8)                    |     |
| wod_from_site    | Site                     |           | x(8)                    |     |
| wod_fsc_code     | Service Category         | Svc Cat   | x(8)                    |     |
| wod_fsm_type     | FSM Type                 |           | x(8)                    |     |
| wod_isb_ref      | Installed Base Reference | Ref       | >>>>>>>9                |     |
| wod_iss_date     | Issue Date               | Iss Date  | 99/99/99                |     |
| wod_itm_line     |                          |           | >>>>9                   |     |
| wod_line_price   | Line Total               |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_list_pr      | List Price               |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_loc          | Location                 |           | x(8)                    |     |
| wod_lot          | ID                       |           | x(8)                    |     |
| wod_mtl_totx     | Material                 |           | ->>>>, >>>, >>9.99<<<   | 10  |
| wod_mvrte_accr   | Mtl Rate Accrued         | Accrued   | ->>>>, >>9.99           | 10  |
| wod_mvrte_post   | Mtl Rate Posted          | Posted    | ->>>>, >>9.99           | 10  |
| wod_mvrte_rval   | Mtl Rate Revalued        | Revalued  | ->>>>, >>9.99           | 10  |
| wod_mvuse_accr   | Mtl Use Accrued          | Accrued   | ->>>>, >>9.99           | 10  |
| wod_mvuse_post   | Mtl Use Posted           | Posted    | ->>>>, >>9.99           | 10  |
| wod_mvuse_rval   | Mtl Use Revalue          | Revalued  | ->>>>, >>9.99           | 10  |
| wod_nbr          | Work Order               |           | x(18)                   |     |
| wod_op           | Operation                | Op        | >>>>>>>                 |     |
| wod_part         | Item Number              |           | x(18)                   |     |
| wod_price        | Price                    |           | >>>>, >>>, >>9.99<<<    | 10  |
| wod_prod_line    | Product Line             | Line      | x(4)                    |     |
| wod_project      | Project                  |           | x(8)                    |     |
| wod_qty_all      | Qty Allocated            |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_qty_chg      | Qty to Issue             |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_qty_iss      | Qty Issued               |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_qty_pick     | Qty Picked               |           | ->, >>>, >>9.9<<<<<<<<< | 10  |

| Field Name     | Label               | Col-Label | Format                  | Dec |
|----------------|---------------------|-----------|-------------------------|-----|
| wod_qty_posted |                     |           | ->, >>>, >>9.9<         | 10  |
| wod_qty_req    | Qty Required        |           | ->, >>>, >>9.9<<<<<<<<< | 10  |
| wod_qty_ret    | Qty Returned        | Qty Ret   | ->, >>9.9               | 10  |
| wod_ref        | Ref                 | Reference | x(8)                    |     |
| wod_ret_iss    |                     |           | ->, >>9.9               | 10  |
| wod_ret_loc    | Return Location     |           | x(8)                    |     |
| wod_ret_ref    | Inventory Reference | Inv Ref   | X(8)                    |     |
| wod_ret_serial | Return Lot/Serial   |           | x(18)                   |     |
| wod_ret_site   | Return Site         |           | x(8)                    |     |
| wod_seo_load   | Loaded from MO      |           | yes/no                  |     |
| wod_serial     | Lot/Serial          |           | x(18)                   |     |
| wod_site       | Site                |           | x(8)                    |     |
| wod_sod_line   | Line                | Ln        | >>9                     |     |
| wod_sod_nbr    | Sales Order         | Order     | x(8)                    |     |
| wod_status     | Status              |           | x(8)                    |     |
| wod_std_cost   | Unit Cost           |           | ->>>, >>9.999           | 10  |
| Δ wod_sv_code  | Service Type Used   |           | x(8)                    |     |
| wod_tot_std    | Std Cost            |           | ->>>, >>9.999           | 10  |
| wod_user1      | Ufld1               |           | x(8)                    |     |
| wod_user2      | Ufld2               |           | x(8)                    |     |
| wod_yield_pct  | Yield%              |           | >>9.99%                 | 10  |

| Index-Name    | Uni | Field-Name   | Asc | Abbr |
|---------------|-----|--------------|-----|------|
| ◇ oid_wod_det | yes | oid_wod_det  | yes | no   |
| * wod_det     | yes | wod_domain   | yes | no   |
|               |     | wod_lot      | yes | no   |
|               |     | wod_part     | yes | no   |
|               |     | wod_op       | yes | no   |
| wod_iss_part  | no  | wod_domain   | yes | no   |
|               |     | wod_iss_date | yes | no   |
|               |     | wod_part     | yes | no   |
| wod_nbrpart   | no  | wod_domain   | yes | no   |
|               |     | wod_nbr      | yes | no   |
|               |     | wod_lot      | yes | no   |
|               |     | wod_part     | yes | no   |
| wod_op        | yes | wod_domain   | yes | no   |
|               |     | wod_lot      | yes | no   |
|               |     | wod_op       | yes | no   |
|               |     | wod_part     | yes | no   |
| wod_part      | no  | wod_domain   | yes | no   |
|               |     | wod_part     | yes | no   |

## WorkLoadD Warehousing Work Load Group Details

| Field Name    | Label          | Col-Label | Format                                     | Dec |
|---------------|----------------|-----------|--------------------------------------------|-----|
| CreateDate    | Create Date    |           | 99/99/99                                   |     |
| CreateUserID  | Created        |           | x(8)                                       |     |
| Domain        | Domain         |           | x(8)                                       |     |
| LoadGroup     | Workload Group | Grp       | x(8)                                       |     |
| ModDate       | Modified Date  | Mod Date  | 99/99/99                                   |     |
| ModUserID     | User ID        |           | x(8)                                       |     |
| oid_WorkLoadD |                |           | >>>>>>>>>>>>>>>>>>>>>>9 10<br>.9<<<<<<<<<< |     |

| Field Name  | Label                  | Col-Label  | Format                    | Dec |
|-------------|------------------------|------------|---------------------------|-----|
| Picks       | Optimal Picks per Wave | Picks/Wave | >>>,>>9                   |     |
| QadC01      | QAD Field              |            | X(8)                      | 0   |
| QadC02      | QAD Field              |            | X(8)                      | 0   |
| QadC03      | QAD Field              |            | X(8)                      | 0   |
| QadC04      | QAD Field              |            | X(8)                      | 0   |
| QadC05      | QAD Field              |            | X(8)                      | 0   |
| QadD01      | QAD Field              |            | ->>>>,>>>,>>9.99<<<       | 10  |
| QadD03      | QAD Field              |            | ->>>>,>>>,>>9.99<<<       | 10  |
| QadI01      | QAD Field              |            | ->,>>>,>>9                |     |
| QadI02      | QAD Field              |            | ->,>>>,>>9                |     |
| QadI03      | QAD Field              |            | ->,>>>,>>9                |     |
| QadT01      | QAD Field              |            | 99/99/99                  |     |
| QadT02      | QAD Field              |            | 99/99/99                  |     |
| QadT03      | QAD Field              |            | 99/99/99                  |     |
| Seq         | Sequence               | Seq        | >>>9                      |     |
| Site        | Site                   |            | x(8)                      |     |
| TimePerPick | Time Per Pick (min)    | Pick (min) | >9.99                     | 2   |
| User1       | User 1                 |            | x(8)                      |     |
| User2       | User 2                 |            | x(8)                      |     |
| UserC03     | User Field Character 3 |            | x(24)                     |     |
| UserC04     | User Field Character 4 |            | x(24)                     |     |
| UserC05     | User Field Character 5 |            | x(24)                     |     |
| UserD01     | User Field Decimal 1   |            | ->>>>,>>>,>>9.<<<<<<<<<<< | 10  |
| UserD02     | User Field Decimal 2   |            | ->>>>,>>>,>>9.<<<<<<<<<<< | 10  |
| UserI01     | User Field Integer 1   |            | ->>>>>>>9                 |     |
| UserI02     | User Field Integer 2   |            | ->>>>>>>9                 |     |
| UserL01     | User Field Logical 1   |            | yes/no                    |     |
| UserL02     | User Field Logical 2   |            | yes/no                    |     |
| UserT01     | User Field Date 1      |            | 99/99/99                  |     |
| UserT02     | User Field Date 1      |            | 99/99/99                  |     |
| Whse        | Warehouse              | Whse       | x(8)                      |     |
| WLocGp      | Work Loc Group         | WLocGrp    | x(8)                      |     |

| Index-Name       | Uni | Field-Name    | Asc | Abbr |
|------------------|-----|---------------|-----|------|
| ◇ oid_WorkLoadD  | yes | oid_WorkLoadD | yes | no   |
| ◇ SiteWhseWLocGp | no  | Domain        | yes | no   |
|                  |     | Site          | yes | no   |
|                  |     | Whse          | yes | no   |
|                  |     | WLocGp        | yes | no   |
| ◇ UsrIdx         | no  | Domain        | yes | no   |
|                  |     | User1         | yes | no   |
|                  |     | User2         | yes | no   |
| ◇* WorkLoad      | yes | Domain        | yes | no   |
|                  |     | Site          | yes | no   |
|                  |     | Whse          | yes | no   |
|                  |     | LoadGroup     | yes | no   |
|                  |     | Seq           | yes | no   |
|                  |     | WLocGp        | yes | no   |

## ◇ WorkLoadM Warehousing Work Load Group Master

| Field Name    | Label                  | Col-Label | Format                                | Dec |
|---------------|------------------------|-----------|---------------------------------------|-----|
| CreateDate    | Create Date            |           | 99/99/99                              |     |
| CreateUserID  | Created                |           | x(8)                                  |     |
| Description   | Description            |           | x(24)                                 |     |
| Domain        | Domain                 |           | x(8)                                  |     |
| LoadGroup     | Workload Group         | Grp       | x(8)                                  |     |
| ModDate       | Modified               |           | 99/99/99                              |     |
| ModUserID     | Modified               |           | x(8)                                  |     |
| oid_WorkLoadM |                        |           | >>>>>>>>>>>>>>>>>>>>>>9<br>.9<<<<<<<< | 10  |
| QadC01        | QAD Field              |           | X(8)                                  | 0   |
| QadC02        | QAD Field              |           | X(8)                                  | 0   |
| QadC03        | QAD Field              |           | X(8)                                  | 0   |
| QadC04        | QAD Field              |           | X(8)                                  | 0   |
| QadC05        | QAD Field              |           | X(8)                                  | 0   |
| QadD01        | QAD Field              |           | ->>>>, >>>, >>9.99<<<                 | 10  |
| QadD03        | QAD Field              |           | ->>>>, >>>, >>9.99<<<                 | 10  |
| QadI01        | QAD Field              |           | ->, >>>, >>9                          |     |
| QadI02        | QAD Field              |           | ->, >>>, >>9                          |     |
| QadI03        | QAD Field              |           | ->, >>>, >>9                          |     |
| QadT01        | QAD Field              |           | 99/99/99                              |     |
| QadT02        | QAD Field              |           | 99/99/99                              |     |
| QadT03        | QAD Field              |           | 99/99/99                              |     |
| ShiftSize     | Shift Size             |           | ->>, >>9.99                           | 10  |
| Site          | Site                   |           | x(8)                                  |     |
| User1         | User 1                 |           | x(8)                                  |     |
| User2         | User 2                 |           | x(8)                                  |     |
| UserC03       | User Field Character 3 |           | x(24)                                 |     |
| UserC04       | User Field Character 4 |           | x(24)                                 |     |
| UserC05       | User Field Character 5 |           | x(24)                                 |     |
| UserD01       | User Field Decimal 1   |           | ->>>>, >>>, >>9.<<<<<<<<<             | 10  |
| UserD02       | User Field Decimal 2   |           | ->>>>, >>>, >>9.<<<<<<<<<             | 10  |
| UserI01       | User Field Integer 1   |           | ->>>>>>>9                             |     |
| UserI02       | User Field Integer 2   |           | ->>>>>>>9                             |     |
| UserL01       | User Field Logical 1   |           | yes/no                                |     |
| UserL02       | User Field Logical 2   |           | yes/no                                |     |
| UserT01       | User Field Date 1      |           | 99/99/99                              |     |
| UserT02       | User Field Date 1      |           | 99/99/99                              |     |
| Whse          | Warehouse              | Whse      | x(8)                                  |     |

| Index-Name      | Uni | Field-Name    | Asc | Abbr |
|-----------------|-----|---------------|-----|------|
| ◇* LoadGroup    | yes | Domain        | yes | no   |
|                 |     | Site          | yes | no   |
|                 |     | Whse          | yes | no   |
|                 |     | LoadGroup     | yes | no   |
| ◇ oid_WorkLoadM | yes | oid_WorkLoadM | yes | no   |
| ◇ UsrIdx        | no  | Domain        | yes | no   |
|                 |     | User1         | yes | no   |
|                 |     | User2         | yes | no   |

## Work Order Master





| Field Name        | Label                            | Col-Label | Format                 | Dec |
|-------------------|----------------------------------|-----------|------------------------|-----|
| wo_flr_acct       | Floor Stock Account              | Flr Acct  | x(8)                   |     |
| wo_flr_cc         | Floor Stock CC                   | CC        | x(4)                   |     |
| wo_flr_sub        | Floor Stock Sub-Acct             | Sub-Acct  | x(8)                   |     |
| Δ wo_fsm_type     | SSM Type                         |           | x(8)                   |     |
| wo_gl_bdn         | Create GL for Burden<br>Variance |           | yes/no                 |     |
| wo_gl_lbr         | Create GL for Labor<br>Variance  |           | yes/no                 |     |
| wo_grade          | Grade                            | Grd       | x(2)                   |     |
| wo_iss_site       | Issue Site                       |           | x(8)                   |     |
| wo_itm_line       | Item Line                        |           | >>>>>>>9               |     |
| wo_joint_type     | Co/By Type                       | CT        | x(1)                   |     |
| wo_lbr_tot        | Labor Cost                       |           | ->>>, >>9.99           | 10  |
| wo_lbr_totx       | Labor Cost                       |           | ->>>, >>9.99           | 10  |
| wo_lbr_up         | Update Current Labor Cost        |           | yes/no                 |     |
| wo_lbr_var        | Lbr Variance                     |           | ->>>, >>9.99           | 10  |
| wo_lead_time      | W/O Lead Time                    | W/O Lead  | ->, >>>, >>9           |     |
| wo_line           | Production Line                  | Line      | x(8)                   |     |
| wo_loc            | Location                         |           | x(8)                   |     |
| wo_lot            | ID                               |           | x(8)                   |     |
| wo_lot_next       | Lot/Serial                       |           | x(18)                  |     |
| wo_lot_prev       | Previous ID                      | Prev ID   | x(8)                   |     |
| wo_lot_rcpt       | Single Lot                       |           | yes/no                 |     |
| wo_mix_var        | Mix Variance                     |           | ->>>, >>9.99           | 10  |
| wo_mthd_var       | Mthd Chg Var                     |           | ->>>, >>9.99           | 10  |
| wo_mtl_tot        | Material Cost                    |           | ->>>, >>>, >>9.99<<<   | 10  |
| wo_mtl_totx       | Material Cost                    |           | ->>>, >>>, >>9.99<<<   | 10  |
| wo_mtl_var        | Mtl Variance                     |           | ->>>, >>9.99           | 10  |
| wo_mvar_acct      | Material Usage Var               | Mtl Use   | x(8)                   |     |
| wo_mvar_cc        | Material Usage Variance CC       | CC        | x(4)                   |     |
| wo_mvar_sub       | Mtl Usage Var Sub                | Sub-Acct  | x(8)                   |     |
| wo_mvrr_acct      | Material Rate Var                | Mtl Rate  | x(8)                   |     |
| wo_mvrr_cc        | Material Rate Variance CC        | CC        | x(4)                   |     |
| wo_mvrr_sub       | Mtl Rate Var Sub                 | Sub-Acct  | x(8)                   |     |
| wo_myld_var       | Mix & Yield Var                  | M&Y Var   | ->>>, >>9.99           | 10  |
| wo_nbr            | Work Order                       |           | x(18)                  |     |
| wo_ord_date       | Order Date                       |           | 99/99/99               |     |
| wo_ovh_tot        | Ovhead Cost                      |           | ->>>, >>9.999          | 10  |
| wo_ovh_totx       | Ovhead Cost                      |           | ->>>, >>9.999          | 10  |
| wo_part           | Item Number                      |           | x(18)                  |     |
| wo_per_date       | Performance Date                 | Perform   | 99/99/99               |     |
| wo_prod_pct       | Process                          |           | >>9.99%                | 10  |
| wo_project        | Project                          |           | x(8)                   |     |
| wo_qty_chg        | Receipt Qty                      |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| wo_qty_comp       | Qty Completed                    |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| wo_qty_ord        | Qty Ordered                      |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| wo_qty_rjct       | Qty Reject                       |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| wo_qty_type       | Qty Type                         | QT        | x(1)                   |     |
| wo_queue_eff      | Queue Pct                        |           | >>9.9<                 | 10  |
| wo_rctstat        | Receipt Status                   | Status    | x(8)                   |     |
| wo_rctstat_active | Active                           | Act       | yes/no                 |     |
| wo_record_date    | Last Record Date                 |           | 99/99/99               |     |
| wo_ref            | Reference                        |           | x(8)                   |     |
| wo_rel_date       | Release Date                     | Release   | 99/99/99               |     |
| wo_rev            | Rev                              |           | x(4)                   |     |
| wo_rjct_chg       | Reject Qty                       |           | ->, >>>, >>9.9<<<<<<<< | 10  |
| wo_rjct_tot       | Rejected Cost                    |           | ->>>, >>>, >>9.99<<<   | 10  |

| Field Name           | Label                      | Col-Label | Format               | Dec |
|----------------------|----------------------------|-----------|----------------------|-----|
| wo_rmks              | Remarks                    |           | x(40)                |     |
| wo_routing           | Routing Code               |           | x(18)                |     |
| wo_rval_tot          | Revalued Total             |           | ->>>, >>>, >>9.99<<< | 10  |
| wo_schd_type         | Schedule Code              |           | x(1)                 |     |
| wo_serial            | Lot/Serial                 |           | x(18)                |     |
| wo_site              | Site                       |           | x(8)                 |     |
| wo_so_job            | Sales/Job                  | SO/Job    | x(8)                 |     |
| wo_stat_close_date   | WO Close Date              | WO Close  | 99/99/99             |     |
| wo_stat_close_userid | WO Close UserID            |           | x(8)                 |     |
| wo_status            | Status                     | St        | x(1)                 |     |
| wo_sub               | Sub-Account                | Sub-Acct  | x(8)                 |     |
| wo_sub_tot           | Subcontract Cost           |           | ->>>, >>>, >>9.99<<< | 10  |
| wo_sub_totx          | Subcontract Cost           |           | ->>>, >>>, >>9.99<<< | 10  |
| wo_sub_var           | Sub Variance               |           | ->>>>, >>9.99        | 10  |
| wo_svar_acct         | Subcontract Usage Var      | Sub Use   | x(8)                 |     |
| wo_svar_cc           | Subcontract Usage Variance | CC        | x(4)                 |     |
| wo_svar_sub          | Sub Usage Var Sub          | Sub-Acct  | x(8)                 |     |
| wo_svr_r_acct        | Subcontract Rate Var       | Sub Rate  | x(8)                 |     |
| wo_svr_r_cc          | Subcontract Rate Variance  | CC        | x(4)                 |     |
| wo_svr_r_sub         | Sub Rate Var Sub           | Sub-Acct  | x(8)                 |     |
| wo_type              | Type                       | T         | x(1)                 |     |
| wo_unit_cost         | Unit Cost                  |           | ->>>, >>>, >>9.99<<< | 10  |
| wo_user1             | Ufld1                      |           | x(8)                 |     |
| wo_user2             | Ufld2                      |           | x(8)                 |     |
| wo_var               | Post variances at SFC      |           | yes/no               |     |
| wo_vend              | Supplier                   |           | x(8)                 |     |
| wo_wip_tot           | Wip Cost                   |           | ->>>, >>>, >>9.99<<< | 10  |
| wo_xvar_acct         | Mix Variance               | Mix       | x(8)                 |     |
| wo_xvar_cc           | Mix Variance CC            | CC        | x(4)                 |     |
| wo_xvar_sub          | Mix Variance Sub-Acct      | Sub-Acct  | x(8)                 |     |
| wo_yield_pct         | Yield                      |           | >>9.99%              | 10  |

| Index-Name    | Uni | Field-Name  | Asc | Abbr |
|---------------|-----|-------------|-----|------|
| ◇ oid_wo_mstr | yes | oid_wo_mstr | yes | no   |
| wo_due_part   | no  | wo_domain   | yes | no   |
|               |     | wo_due_date | yes | no   |
|               |     | wo_part     | yes | no   |
|               |     | wo_site     | yes | no   |
| wo_fsm_type   | no  | wo_domain   | yes | no   |
|               |     | wo_fsm_type | yes | no   |
|               |     | wo_nbr      | yes | no   |
|               |     | wo_itm_line | yes | no   |
| wo_lot        | yes | wo_domain   | yes | no   |
|               |     | wo_lot      | yes | no   |
| * wo_nbr      | yes | wo_domain   | yes | no   |
|               |     | wo_nbr      | yes | no   |
|               |     | wo_lot      | yes | no   |
| wo_part       | no  | wo_domain   | yes | no   |
|               |     | wo_part     | yes | no   |
|               |     | wo_site     | yes | no   |
|               |     | wo_due_date | yes | no   |
| wo_part_rel   | no  | wo_domain   | yes | no   |
|               |     | wo_part     | yes | no   |
|               |     | wo_site     | yes | no   |

| Index-Name   | Uni | Field-Name  | Asc | Abbr |
|--------------|-----|-------------|-----|------|
| wo_site      | no  | wo_rel_date | yes | no   |
|              |     | wo_domain   | yes | no   |
|              |     | wo_site     | yes | no   |
|              |     | wo_nbr      | yes | no   |
| wo_type_nbr  | yes | wo_part     | yes | no   |
|              |     | wo_domain   | yes | no   |
|              |     | wo_type     | yes | no   |
|              |     | wo_nbr      | yes | no   |
| wo_type_part | no  | wo_lot      | yes | no   |
|              |     | wo_domain   | yes | no   |
|              |     | wo_type     | yes | no   |
|              |     | wo_part     | yes | no   |
|              |     | wo_site     | yes | no   |
|              |     | wo_due_date | yes | no   |

|                 |                    |
|-----------------|--------------------|
| <b>wr_route</b> | Work Order Routing |
|-----------------|--------------------|

| Field Name     | Label                 | Col-Label  | Format                  | Dec |
|----------------|-----------------------|------------|-------------------------|-----|
| oid_wr_route   |                       |            | >>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wr_chr01       |                       |            | .9<<<<<<<<<             |     |
| wr_chr02       |                       |            | x(8)                    |     |
| wr_chr03       |                       |            | x(8)                    |     |
| wr_chr04       |                       |            | x(8)                    |     |
| wr_chr05       |                       |            | x(8)                    |     |
| wr_dec01       |                       |            | >>>, >>>, >>9.99        | 10  |
| wr_dec02       |                       |            | >>>, >>>, >>9.99        | 10  |
| wr_dte01       |                       |            | 99/99/99                |     |
| wr_dte02       |                       |            | 99/99/99                |     |
| wr_log01       |                       |            | yes/no                  |     |
| wr_qadc01      | QAD Character Field 1 |            | X(8)                    |     |
| wr_qadc02      | QAD Character Field 2 |            | X(8)                    |     |
| wr_qadc03      | QAD Character Field 3 |            | X(8)                    |     |
| wr_qadc04      | QAD Character Field 4 |            | X(8)                    |     |
| wr_qadd05      | QAD Decimal Field 5   |            | -,>,>>>, >>9.99<<<      | 10  |
| wr_qade01      | QAD Decimal Field 1   |            | -,>,>>>, >>9.99<<<      | 10  |
| wr_qade02      | QAD Decimal Field 2   |            | -,>,>>>, >>9.99<<<      | 10  |
| wr_qade03      | QAD Decimal Field 3   |            | -,>,>>>, >>9.99<<<      | 10  |
| wr_qade04      | QAD Decimal Field 4   |            | -,>,>>>, >>9.99<<<      | 10  |
| wr_qadi01      | QAD Integer Field 1   |            | -,>,>>>, >>9            |     |
| wr_qadi02      | QAD Integer Field 2   |            | -,>,>>>, >>9            |     |
| wr_qadl01      | QAD Logical Field 1   |            | yes/no                  |     |
| wr_qadl02      | QAD Logical Field 2   |            | yes/no                  |     |
| wr_act_posted  | Quantity Posted       |            | >>>, >>>, >>9.9<<<      | 10  |
| wr_act_run     | Act Run Time          |            | -,>,>>9.9<<             | 10  |
| wr_act_setup   | Act Setup Time        | Act Setup  | -,>,>>9.9<<             | 10  |
| wr_auto_lbr    | Auto Labor Report     |            | yes/no                  |     |
| wr_bdn_act     | Burden Act            | Act Burden | ->>>>, >>9.99           | 10  |
| wr_bdn_ll_act  | Burden LL Act         |            | ->>>>, >>9.99           | 10  |
| wr_bdn_ll_totx | Burden                |            | ->>>, >>>, >>9.99<<<    | 10  |
| wr_bdn_pct     | Lbr Bdn %             |            | >>9.99%                 | 10  |
| wr_bdn_rate    | Lbr Bdn Rate          |            | >>>, >>9.99             | 10  |
| wr_bdn_std     | Burden Std            | Std Burden | ->>>>, >>9.99           | 10  |
| wr_bdn_totx    | Burden                |            | ->>>, >>>, >>9.99<<<    | 10  |

| Field Name      | Label                  | Col-Label    | Format             | Dec |
|-----------------|------------------------|--------------|--------------------|-----|
| wr_bvrte_accr   | Bdn Rate Accrued       | Accrued      | ->>>>,>>9.99       | 10  |
| wr_bvrte_post   | Bdn Rate Posted        | Posted       | ->>>>,>>9.99       | 10  |
| wr_bvrte_rval   | Bdn Rate Revalued      | Revalued     | ->>>>,>>9.99       | 10  |
| wr_bvuse_accr   | Bdn Usage Accrued      | Accrued      | ->>>>,>>9.99       | 10  |
| wr_bvuse_post   | Bdn Use Posted         | Posted       | ->>>>,>>9.99       | 10  |
| wr_bvuse_rval   | Bdn Use Revalued       | Revalued     | ->>>>,>>9.99       | 10  |
| wr_ca_int_type  | Work Code              |              | x(8)               |     |
| wr_cmtindx      | Comment Index          | Comment      | >>>>>>9            |     |
| wr_covered_amt  | Covered Amount         |              | >>>>,>>>,>>9.99<<< | 10  |
| wr_covered_post |                        |              | >>>>,>>>,>>9.99<<< | 10  |
| wr_curr         | Currency               | Cur          | x(3)               |     |
| wr_desc         | Description            |              | x(24)              |     |
| wr_domain       | Domain                 |              | x(8)               |     |
| wr_due          | Due Date               | Due          | 99/99/99           |     |
| wr_end_time     | End                    |              | 99:99              |     |
| wr_eng_code     | Engineer               |              | x(8)               |     |
| wr_expense      |                        |              | yes/no             |     |
| wr_fbdn_std     |                        |              | ->>>>,>>9.99       | 10  |
| wr_fcg_code     | Charge Code            | Charge       | x(8)               |     |
| wr_fcg_index    |                        |              | ->,>>>,>>9         |     |
| wr_fis_column   |                        |              | >>9                |     |
| wr_fis_sort     |                        |              | x(18)              |     |
| wr_flbr_cstd    | Standard Cost          |              | ->>>>,>>9.99       | 10  |
| wr_flbr_std     | Standard Cost          |              | ->>>>,>>9.99       | 10  |
| wr_fsc_code     | Service Category       | Svc Cat      | x(8)               |     |
| wr_fsm_type     | FSM Type               |              | x(8)               |     |
| wr_itm_line     |                        |              | >>>9               |     |
| wr_lbr_act      | Labor Act              | Act Labor    | ->>>>,>>9.99       | 10  |
| wr_lbr_ll_act   | Labor LL Act           |              | ->>>>,>>9.99       | 10  |
| wr_lbr_ll_totx  | Labor                  |              | ->>>,>>>,>>9.99<<< | 10  |
| wr_lbr_ovhd     | Labor Overhead         | Labor Ovhd   | >>,>>9.999         | 10  |
| wr_lbr_rate     | Labor Rate             |              | >>>,>>9.99         | 10  |
| wr_lbr_std      | Labor Std              | Std Labor    | ->>>>,>>9.99       | 10  |
| wr_lbr_totx     | Labor                  |              | ->>>,>>>,>>9.99<<< | 10  |
| wr_list_pr      | List Price             |              | >>>>,>>>,>>9.99<<< | 10  |
| wr_lot          | ID                     |              | x(8)               |     |
| wr_lvrte_accr   | Lbr Rate Accrued       | Accrued      | ->>>>,>>9.99       | 10  |
| wr_lvrte_post   | Lbr Rate Posted        | Posted       | ->>>>,>>9.99       | 10  |
| wr_lvrte_rval   | Lbr Rate Revalued      | Revalued     | ->>>>,>>9.99       | 10  |
| wr_lvuse_accr   | Lbr Use Accrued        | Accrued      | ->>>>,>>9.99       | 10  |
| wr_lvuse_post   | Lbr Usage Posted       | Posted       | ->>>>,>>9.99       | 10  |
| wr_lvuse_rval   | Lbr Use Revalued       | Revalued     | ->>>>,>>9.99       | 10  |
| wr_mch          | Machine                |              | x(8)               |     |
| wr_mch_bdn      | Mach Bdn Rate          | Mach Bdn     | >>>,>>9.99         | 10  |
| wr_mch_op       | Machines per Operation | Mach/ Op     | >>9.999            | 10  |
| wr_men_mch      | Run Crew               |              | ->,>>9.99          | 10  |
| wr_milestone    | Milestone Operation    | Milestone    | yes/no             |     |
| wr_move         | Std Move Time          | Move         | >,>>9.9<<          | 10  |
| wr_mtl_act      | Mtl Act                | Act Material | ->>>>,>>9.99       | 10  |
| wr_mtl_ll_act   | Mtl LL Act             |              | ->>>>,>>9.99       | 10  |
| wr_mtl_ll_totx  | Material               |              | ->>>,>>>,>>9.99<<< | 10  |
| wr_mtl_totx     | Material               |              | ->>>,>>>,>>9.99<<< | 10  |
| wr_mv_nxt_op    | Move Next Op           |              | yes/no             |     |
| wr_nbr          | Work Order             |              | x(18)              |     |
| wr_op           | Operation              | Op           | >>>>>9             |     |
| wr_ovh_act      | Ovh Act                |              | ->>>>,>>9.99       | 10  |
| wr_ovh_ll_act   | Ovh LL Act             |              | ->>>>,>>9.99       | 10  |

| Field Name       | Label                  | Col-Label                      | Format                   | Dec |
|------------------|------------------------|--------------------------------|--------------------------|-----|
| wr_ovh_ll_totx   | Overhead               |                                | ->>>, >>>, >>9.99<<<     | 10  |
| wr_ovh_totx      | Overhead               |                                | >>>, >>>, >>9.99<<<      | 10  |
| wr_part          | Item Number            |                                | x(18)                    |     |
| wr_po_line       | Line                   | Ln                             | >>9                      |     |
| wr_po_nbr        | Purchase Order         | PO                             | x(8)                     |     |
| wr_posted_run    |                        |                                | >>>, >>>, >>9.9<<<<<<<<< | 10  |
| wr_price         | Price                  |                                | >>>, >>>, >>9.99<<<      | 10  |
| wr_prod_line     | Product Line           | Line                           | x(4)                     |     |
| wr_project       | Project                |                                | x(8)                     |     |
| wr_qty_comp      | Qty Complete           |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cummove   | Cum Moved Out          | Cum! Moved Out Qty             | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumoadj   | Cum Out Adjust         | Cum Out Queue! Adjusted Qty    | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumoscrap | Cum Out Scrap          | Cum Out Queue! Scrapped Qty    | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumproc   | Cum Processed          | Cum! Processed Qty             | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumradj   | Cum Rjct Adjust        | Cum Reject Queue! Adjusted Qty | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumrjct   | Cum Rejected           | Cum! Rejected Qty              | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumrscrap | Cum Rjct Scrap         | Cum Reject Queue! Scrapped Qty | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_cumrwrk   | Cum Reworked           | Cum! Reworked Qty              | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_inque     | In Queue               | Input! Queue Qty               | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_inqueb    | Begin In Queue         | Begin Input! Queue Qty         | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_move      | Qty Moved              |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_ord       | Qty Ordered            |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_outque    | Out Queue              | Output! Queue Qty              | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_outqueb   | Begin Out Queue        | Begin Output! Queue Qty        | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_rejque    | Rjct Queue             | Reject! Queue Qty              | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_rejqueb   | Begin Rjct Queue       | Begin Reject! Queue Qty        | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_rjct      | Qty Reject             |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_rwrk      | Qty Rework             |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_qty_wip       | Qty WIP                |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_queue         | Queue Time             | Queue                          | >, >>9.9<<               | 10  |
| wr_run           | Std Run Time           | Std Run                        | >>>, >>>, >>9.9<<<<<<<<  | 10  |
| wr_sbvuse_post   | Setup Bdn Usage Posted | Posted                         | ->>>, >>9.99             | 10  |
| wr_setup         | Std Setup Time         | Std Setup                      | >, >>9.9<<               | 10  |
| wr_setup_men     | Setup Crew             |                                | ->>, >>9.99              | 10  |
| wr_setup_rte     | Setup Rate             |                                | >>>, >>9.99              | 10  |
| wr_slvuse_post   | Setup Lbr Usage Posted | Posted                         | ->>>, >>9.99             | 10  |
| wr_st_time       | Start                  |                                | 99:99                    |     |
| wr_start         | Start Date             | Start                          | 99/99/99                 |     |
| wr_status        | Status                 | St                             | x(1)                     |     |
| wr_std_op        | Standard Operation     | Std Op                         | x(8)                     |     |
| wr_sub_act       | Subcontract Act        | Act Sub                        | ->>>>, >>9.99            | 10  |
| wr_sub_comp      | Sub Qty Comp           |                                | ->, >>>, >>9.9<<<<<<<<   | 10  |
| wr_sub_cost      | Subcontract Cost       | Subcontract                    | >>>>, >>>, >>9.99<<<     | 10  |
| wr_sub_lead      | Subcontract LT         | Sub! LT                        | >>9                      |     |
| wr_sub_ll_act    | Subcontract LL Act     |                                | ->>>>, >>9.99            | 10  |
| wr_sub_ll_totx   | Subcontract            |                                | ->>>, >>>, >>9.99<<<     | 10  |
| wr_sub_std       | Subcontract Std        | Std Sub                        | ->>>>, >>9.99            | 10  |
| wr_sub_totx      | Subcontract            |                                | ->>>, >>>, >>9.99<<<     | 10  |
| Δ wr_sv_code     | Service Type Used      |                                | x(8)                     |     |
| wr_svrte_accr    | Sub Rate Accrued       | Accrued                        | ->>>>, >>9.99            | 10  |
| wr_svrte_post    | Sub Rate Posted        | Posted                         | ->>>>, >>9.99            | 10  |
| wr_svrte_rval    | Sub Rate Revalued      | Revalued                       | ->>>>, >>9.99            | 10  |
| wr_svuse_accr    | Sub Use Accrued        | Accrued                        | ->>>>, >>9.99            | 10  |

| Field Name         | Label             | Col-Label | Format       | Dec |
|--------------------|-------------------|-----------|--------------|-----|
| wr_svuse_post      | Sub Usage Posted  | Posted    | ->>>>,>>9.99 | 10  |
| wr_svuse_rval      | Sub Use Revalued  | Revalued  | ->>>>,>>9.99 | 10  |
| wr_tool            | Tool Code         | Tool      | x(8)         |     |
| wr_tran_qty        | Overlap Units     | Overlap   | ->,>>>,>>9   |     |
| wr_um              | UM                |           | x(2)         |     |
| wr_unprocessed_amt | Unprocessed Hours |           | ->,>>9.9<<   | 10  |
| wr_user1           | Ufld1             |           | x(8)         |     |
| wr_user2           | Ufld2             |           | x(8)         |     |
| wr_vend            | Supplier          |           | x(8)         |     |
| wr_wait            | Wait Time         | Wait      | >,>>9.9<<    | 10  |
| wr_wipmtl_part     | WIP Item          |           | x(18)        |     |
| wr_wkctr           | Work Center       | Work Ctr  | x(8)         |     |
| wr_yield_pct       | Yield             |           | >>9.9%       | 10  |

| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_wr_route | yes | oid_wr_route | yes | no   |
| wr_lot         | yes | wr_domain    | yes | no   |
|                |     | wr_lot       | yes | no   |
|                |     | wr_op        | yes | no   |
| * wr_nbrp      | yes | wr_domain    | yes | no   |
|                |     | wr_nbr       | yes | no   |
|                |     | wr_lot       | yes | no   |
|                |     | wr_op        | yes | no   |
| wr_part        | no  | wr_domain    | yes | no   |
|                |     | wr_part      | yes | no   |
|                |     | wr_op        | yes | no   |
| wr_wkctr       | no  | wr_domain    | yes | no   |
|                |     | wr_wkctr     | yes | no   |
|                |     | wr_mch       | yes | no   |
|                |     | wr_start     | yes | no   |

**wtx\_mstr**      Withholding Tax Master

| Field Name   | Label                       | Col-Label | Format                         | Dec |
|--------------|-----------------------------|-----------|--------------------------------|-----|
| oid_wtx_mstr |                             |           | >>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 | 10  |
| wtx__qadc01  |                             |           | .9<<<<<<<<<                    |     |
| wtx__qadc02  |                             |           | x(24)                          |     |
| wtx__qadc03  |                             |           | x(24)                          |     |
| wtx__qadc04  |                             |           | x(24)                          |     |
| wtx__qadc05  |                             |           | x(24)                          |     |
| wtx__qadd01  |                             |           | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| wtx__qadd02  |                             |           | ->>>, >>>, >>9.9<<<<<<<<<      | 10  |
| wtx__qadi01  |                             |           | ->>>>>>>9                      |     |
| wtx__qadi02  |                             |           | ->>>>>>>9                      |     |
| wtx__qadl01  |                             |           | yes/no                         |     |
| wtx__qadl02  |                             |           | yes/no                         |     |
| wtx__qadt01  |                             |           | 99/99/99                       |     |
| wtx__qadt02  |                             |           | 99/99/99                       |     |
| wtx_acct     | Withholding Tax Account     |           | x(8)                           |     |
| wtx_addr     | Supplier                    |           | x(8)                           |     |
| wtx_cc       | Withholding Tax Cost Center |           | x(4)                           |     |

| Field Name      | Label                       | Col-Label | Format                  | Dec |
|-----------------|-----------------------------|-----------|-------------------------|-----|
| wtx_charge_amt  | Charge Amount               |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_charge_type | Charge Type                 |           | Expense/Fee             |     |
| wtx_check       | Payment Reference           |           | x(10)                   |     |
| wtx_domain      | Domain                      |           | x(8)                    |     |
| wtx_invoice     | Supplier's Invoice Number   |           | x(12)                   |     |
| wtx_ln          | Voucher Line                |           | >>9                     |     |
| wtx_mod_date    | Modified Date               | Mod Date  | 99/99/99                |     |
| wtx_mod_userid  | User ID                     |           | x(8)                    |     |
| wtx_paid_date   | Voucher Payment Date        |           | 99/99/99                |     |
| wtx_printed     | Certificate Printed         |           | yes/no                  |     |
| wtx_ref         | Voucher Number              |           | x(8)                    |     |
| wtx_ret_amt     | Retained Amount             |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_rsn_code    | Reason Code                 |           | x(8)                    |     |
| wtx_set_date    | Settlement Date             |           | 99/99/99                |     |
| wtx_sub         | Withholding Tax Sub Account |           | x(8)                    |     |
| wtx_tax_pct     | Withholding Tax Rate        |           | ->>9.9<%                | 10  |
| wtx_taxable_amt | Taxable Fee Amount          |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_tot_amt     | Total Amount                |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_tot_paid    | Total Paid                  |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_user1       | User Field Character 1      |           | x(24)                   |     |
| wtx_user2       | User Field Character 2      |           | x(24)                   |     |
| wtx_userc03     | User Field Character 3      |           | x(24)                   |     |
| wtx_userc04     | User Field Character 4      |           | x(24)                   |     |
| wtx_userc05     | User Field Character 5      |           | x(24)                   |     |
| wtx_userd01     | User Field Decimal 1        |           | ->>>>, >>>, >>9.9<===== | 10  |
| wtx_userd02     | User Field Decimal 2        |           | ->>>>, >>>, >>9.9<===== | 10  |
| wtx_useri01     | User Field Integer 1        |           | ->>>>>>>9               |     |
| wtx_useri02     | User Field Integer 2        |           | ->>>>>>>9               |     |
| wtx_userl01     | User Field Logical 1        |           | yes/no                  |     |
| wtx_userl02     | User Field Logical 2        |           | yes/no                  |     |
| wtx_usert01     | User Field Date 1           |           | 99/99/99                |     |
| wtx_usert02     | User Field Date 2           |           | 99/99/99                |     |
| wtx_vat_amt     | Value Added Tax Amount      |           | ->>>>, >>>, >>9.99<     | 10  |
| wtx_vo_date     | Voucher Effective Date      |           | 99/99/99                |     |
| wtx_wt_amt      | Withholding Tax Amount      |           | ->>>>, >>>, >>9.99<     | 10  |


| Index-Name     | Uni | Field-Name   | Asc | Abbr |
|----------------|-----|--------------|-----|------|
| ◇ oid_wtx_mstr | yes | oid_wtx_mstr | yes | no   |
| * wtx_advln    | yes | wtx_domain   | yes | no   |
|                |     | wtx_addr     | yes | no   |
|                |     | wtx_ref      | yes | no   |
|                |     | wtx_ln       | yes | no   |
|                |     | wtx_check    | yes | no   |
| wtx_vo_date    | no  | wtx_domain   | yes | no   |
|                |     | wtx_vo_date  | yes | no   |

◇ YearClosing      Year Closing

| Field Name                | Label                                  | Col-Label                         | Format     | Dec |
|---------------------------|----------------------------------------|-----------------------------------|------------|-----|
| ClosingBalanceDivGL_ID    | Balance Sheet Closing Sub-Account      | Balance Sheet Closing Sub-Account | 9999999999 |     |
| ClosingBalanceGL_ID       | Balance Sheet Closing Account          | Balance Sheet Closing Account     | 9999999999 |     |
| ClosingBalanceJournal_ID  | Closing Balance Daybook                | Closing Balance Daybook           | 9999999999 |     |
| ClosingPLDivGL_ID         | Profit/Loss Closing Sub-Account        | Profit/Loss Closing Sub-Account   | 9999999999 |     |
| ClosingPLGL_ID            | Profit/Loss Closing Account            | Profit/Loss Closing Account       | 9999999999 |     |
| ClosingPLJournal_ID       | Closing Profit/Loss Daybook            | Closing Profit/Loss Daybook       | 9999999999 |     |
| ClosingTransferJournal_ID | Automated Profit/Loss Transfer Daybook | Automated P&L Transfer Daybook    | 9999999999 |     |
| Company_ID                | Link to Company                        | Link to Company                   | 9999999999 |     |
| LastModifiedDate          | Last Modified Date                     | Modif Date                        | 99/99/9999 |     |
| LastModifiedTime          | Last Modified Time                     | Modif Time                        | 99999      |     |
| LastModifiedUser          | Last Modified User                     | Modif User                        | x(20)      |     |
| YearClosing_ID            | Record ID                              | Record ID                         | 9999999999 |     |
| YearClosingAccountingYear | GL Calendar Year                       | GL Calendar Year                  | 9999       |     |
| YearClosingDefTaxCode     | Default Tax Code                       | Default Tax Code                  | x(8)       |     |
| YearClosingIsInclDivision | Include Sub-Accounts                   | Include Sub-Accounts              | yes/no     |     |
| YearClosingIsTransPLToBal | Auto-Transfer Profit/Loss to BS        | Auto-Transfer Profit/Loss to BS   | yes/no     |     |

| Index-Name  | Uni | Field-Name                | Asc | Abbr |
|-------------|-----|---------------------------|-----|------|
| ◇ Company   | no  | Company_ID                | yes | no   |
| ◇* Prim     | yes | YearClosing_ID            | yes | no   |
| ◇ UniqueIdx | yes | Company_ID                | yes | no   |
|             |     | YearClosingAccountingYear | yes | no   |





## Section 2

# Summary of Changes

This section contains a summary of fields and indexes that have changed since the last published version of this book.

*Changed Fields*    **1086**

*Deleted Fields*    **1094**

*New Fields*    **1096**

*Changed Indexes*    **1106**

*Deleted Indexes*    **1109**

*New Indexes for Existing Tables*    **1110**

*Deleted Tables*    **1124**

*New Tables*    **1125**

## Changed Fields

The top line for each field lists the current values of the various items. Underneath in italics are the old values.

| Field Name    | Label                    | Col-Label | Format                | Dec |
|---------------|--------------------------|-----------|-----------------------|-----|
| abscv_inv_nbr | Invoice Number           | ?         | x(22)<br><i>x(8)</i>  | ?   |
| absl_inv_nbr  | Invoice Number           | ?         | x(22)<br><i>x(8)</i>  | ?   |
| abs_inv_nbr   | Invoice Number           | ?         | x(22)<br><i>x(8)</i>  | ?   |
| acdf_key1     | ?                        | ?         | x(20)<br><i>x(8)</i>  | ?   |
| acd_entity    | Entity                   | Enty      | x(20)<br><i>x(4)</i>  | ?   |
| act_cont_part | Alternate Container<br>? | ?         | x(18)                 | ?   |
| acx_entity    | From Entity              | From!Enty | x(20)<br><i>x(4)</i>  | ?   |
| ad_fax        | Fax/Telex                | ?         | x(20)<br><i>x(16)</i> | ?   |
| ad_fax2       | Fax/Telex                | ?         | x(20)<br><i>x(16)</i> | ?   |
| ad_line1      | Address                  | ?         | x(36)<br><i>x(28)</i> | ?   |
| ad_line2      | Address                  | ?         | x(36)<br><i>x(28)</i> | ?   |
| ad_line3      | Address                  | ?         | x(36)<br><i>x(28)</i> | ?   |
| ad_name       | Name                     | ?         | x(36)<br><i>x(28)</i> | ?   |
| ad_phone      | Telephone                | ?         | x(20)<br><i>x(16)</i> | ?   |
| ad_phone2     | Telephone                | ?         | x(20)<br><i>x(16)</i> | ?   |
| ad_sch_mthd   | Schedules Via            | ?         | x(2)<br><i>x(1)</i>   | ?   |

| Field Name       | Label                                  | Col-Label | Format              | Dec |
|------------------|----------------------------------------|-----------|---------------------|-----|
| an_sec_group     | Security Role<br><i>Security Group</i> | ?         | x(189)<br>x(72)     | ?   |
| apr__qadl02      | Process Outside of Transaction         | ?         | yes/no              | ?   |
| art_mfg_msg_code | MFG/PRO Message Number                 | ?         | >>>>9<br>>>>9       | ?   |
| ast_entity       | Entity                                 | Enty      | x(20)<br>x(4)       | ?   |
| bc_canrun        | Users/Roles<br><i>Users/Groups</i>     | ?         | x(189)<br>x(60)     | ?   |
| bgd_entity       | Entity                                 | Enty      | x(20)<br>x(4)       | ?   |
| bg_entity        | Entity                                 | Enty      | x(20)<br>x(4)       | ?   |
| ccd_opn_date     | Open Date<br>?                         | ?         | 99/99/99            | ?   |
| cctr_inv_nbr     | Invoice Number                         | Invoice   | x(22)<br>x(8)       | ?   |
| cf_entity        | Entity                                 | ?         | x(20)<br>x(4)       | ?   |
| chm_problem      | Prob/Skill<br>?                        | ?         | x(8)                | ?   |
| cild_cor_inv     | Correction Invoice Number              | ?         | x(22)<br>x(8)       | ?   |
| cil_cor_inv      | Correction Invoice Number              | ?         | x(22)<br>x(8)       | ?   |
| cil_prev_inv     | Corrected Invoice                      | ?         | x(22)<br>x(8)       | ?   |
| cm_disc_pct      | Disc %                                 | ?         | ->>9.99%<br>->9.99% | 10  |
| ct_desc          | Description                            | ?         | x(40)<br>x(24)      | ?   |
| dbk_entity       | Entity                                 | Enty      | x(20)<br>x(4)       | ?   |
| decl_branch      | Branch ID                              | ?         | x(5)<br>x(3)        | ?   |
| decl_region      | Declaration Region                     | ?         | x(6)<br>x(3)        | ?   |

| Field Name      | Label                        | Col-Label | Format         | Dec |
|-----------------|------------------------------|-----------|----------------|-----|
| defr_entity     | Entity                       | Enty      | x(20)<br>x(4)  | ?   |
| defr_inv_nbr    | Invoice                      | ?         | x(22)<br>x(8)  | ?   |
| dmw_entity      | Entity                       | Enty      | x(20)<br>x(4)  | ?   |
| dprd_entity     | Entity                       | Enty      | x(20)<br>x(4)  | ?   |
| dyd_entity_fr   | From Entity                  | ?         | x(20)<br>x(4)  | ?   |
| dyd_entity_to   | To Entity                    | ?         | x(20)<br>x(4)  | ?   |
| dy_desc         | Desc                         | ?         | x(40)<br>x(24) | ?   |
| dy_type         | Daybook Type                 | ?         | x(30)<br>x(2)  | ?   |
| egw_userid      | Session ID<br><i>User ID</i> | ?         | x(50)<br>x(8)  | ?   |
| emp_bs_phone    | Business Phone               | Bus Phone | x(20)<br>x(16) | ?   |
| emp_line1       | Address 1                    | ?         | x(36)<br>x(28) | ?   |
| emp_line2       | Address 2                    | ?         | x(36)<br>x(28) | ?   |
| emp_line3       | Address 3                    | ?         | x(36)<br>x(28) | ?   |
| emp_phone       | Home Phone                   | ?         | x(20)<br>x(16) | ?   |
| en_entity       | Entity                       | Ent       | x(20)<br>x(4)  | ?   |
| eud_nametype    | Contact Type<br>?            | ?         | x(1)           | ?   |
| eud_type        | Contact Type                 | ?         | x(20)<br>x(16) | ?   |
| fabd_entity     | Entity                       | Enty      | x(20)<br>x(4)  | ?   |
| fabd_trn_entity | Entity                       | Enty      | x(20)<br>x(4)  | ?   |

| Field Name    | Label                   | Col-Label | Format                         | Dec |
|---------------|-------------------------|-----------|--------------------------------|-----|
| faloc_entity  | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| fa_entity     | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| glcd_entity   | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| glct_entity   | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| glptr_entity  | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| glrd_entity   | Entity                  | Ent       | x(20)<br>x(4)                  | ?   |
| gltmd_entity  | Entity                  | ?         | x(20)<br>x(4)                  | ?   |
| gltm_entity   | Entity                  | ?         | x(20)<br>x(4)                  | ?   |
| gltr_entity   | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| gltw_batch    | Batch                   | ?         | x(50)<br>x(8)                  | ?   |
| gltw_entity   | Entity                  | ?         | x(20)<br>x(8)                  | ?   |
| gltw_ref      | Reference               | ?         | x(60)<br>x(18)                 | ?   |
| gltw_userid   | Session ID<br>User ID   | ?         | x(50)<br>x(8)                  | ?   |
| gl_entity     | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| gl_entity     | Entity                  | Enty      | x(20)<br>x(4)                  | ?   |
| hwm_sid       | ?                       | ?         | x(50)<br>x(16)                 | ?   |
| ibh_inv_nbr   | Invoice                 | ?         | x(22)<br>x(8)                  | ?   |
| icc_ascend    | Ascending or Descending | ?         | yes/no<br>Ascending/Descending | ?   |
| idhlc_inv_nbr | Invoice                 | ?         | x(22)<br>x(8)                  | ?   |

| Field Name    | Label            | Col-Label   | Format                          | Dec |
|---------------|------------------|-------------|---------------------------------|-----|
| idhr_inv_nbr  | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| idh_inv_nbr   | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| idh_qty_item  | Item Quantity    | Item Qty    | ->>, >>9.9<<<<<br>>>, >>9.9<<<< | 10  |
| ieh_ref       | Reference        | ?           | x(22)<br>x(8)                   | ?   |
| ieh_voucher   | Voucher          | ?           | x(17)<br>x(8)                   | ?   |
| ifs_sess_hndl | Session Handle   | ?           | x(50)<br>x(16)                  | ?   |
| ihcc_inv_nbr  | Invoice Number   | Invoice     | x(22)<br>x(8)                   | ?   |
| ihr_inv_nbr   | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| ih_disc_pct   | Disc %           | ?           | ->>9.99%<br>->9.99%             | 10  |
| ih_inv_nbr    | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| ins_inv_nbr   | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| iph_inv_nbr   | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| isb_inv_nbr   | Invoice          | ?           | x(22)<br>x(8)                   | ?   |
| isp__qadl02   | ?                | ?           | yes/no                          | ?   |
| Ind_rate      | Units/Hour<br>?  | ?           | >>>, >>>, >>9.99                | 10  |
| In_desc       | Description<br>? | Description | x(24)                           | ?   |
| lotw_mfguser  | ?                | ?           | x(50)<br>x(8)                   | ?   |
| lotw_userid   | User ID          | ?           | x(50)<br>x(8)                   | ?   |
| lua_sid       | ?                | ?           | x(50)<br>x(16)                  | ?   |

| Field Name  | Label                                   | Col-Label                      | Format                   | Dec |
|-------------|-----------------------------------------|--------------------------------|--------------------------|-----|
| lua__qadc01 | ?                                       | ?                              | x(50)<br>x(24)           | ?   |
| lvr_msg_nbr | ?                                       | ?                              | >>>>9<br>>>>>9           | ?   |
| lvr_sid     | ?                                       | ?                              | x(50)<br>x(16)           | ?   |
| maxt_entity | Entity                                  | Enty                           | x(20)<br>x(4)            | ?   |
| ma_entity   | Entity                                  | ?                              | x(20)<br>x(4)            | ?   |
| mnd_canrun  | Access codes                            | ?                              | x(189)<br>x(60)          | ?   |
| mnd_label   | Selection Label                         | ?                              | x(40)<br>x(32)           | ?   |
| mnd_uri     | Uniform Resource Identifier             | URI                            | x(256)<br>x(255)         | ?   |
| mnt_label   | Selection Label                         | ?                              | x(40)<br>x(32)           | ?   |
| mon_sid     | Session ID                              | ?                              | x(50)<br>x(16)           | ?   |
| msg_nbr     | Message Number                          | Msg                            | >>>>9<br>>>>>9           | ?   |
| pk_user     | ?                                       | ?                              | x(50)<br>x(8)            | ?   |
| pli_vo_ref  | Voucher                                 | ?                              | x(22)<br>x(8)            | ?   |
| pl_group    | Group<br>?                              | ?                              | x(8)                     | ?   |
| pod_rev     | Item Revision<br><i>Revision</i>        | Item Rev<br><i>Rev</i>         | x(4)                     | ?   |
| po_eff_strt | Start Effective<br><i>Blanket Start</i> | Start Eff<br><i>Blanket St</i> | 99/99/99                 | ?   |
| po_eff_to   | End Effective<br><i>Blanket End</i>     | End Eff<br>?                   | 99/99/99                 | ?   |
| po_rev      | Order Revision<br><i>Revision</i>       | Order Rev<br><i>Rev</i>        | >>9                      | 10  |
| pt_height   | Height                                  | ?                              | >>,>>9.9999<br>>>,>>9.99 | 10  |

| Field Name       | Label                     | Col-Label       | Format                     | Dec |
|------------------|---------------------------|-----------------|----------------------------|-----|
| pt_length        | Length                    | ?               | >>, >>9.9999<br>>>, >>9.99 | 10  |
| pt_width         | Width                     | ?               | >>, >>9.9999<br>>>, >>9.99 | 10  |
| pvo_last_voucher | Voucher                   | ?               | x(22)<br>x(8)              | ?   |
| qo_disc_pct      | Disc %                    | ?               | ->>9.99%<br>->9.99%        | 10  |
| rqa_entity       | Entity                    | ?               | x(20)<br>X(4)              | ?   |
| rqd_rev          | Item Revision<br>Revision | Item Rev<br>Rev | x(4)                       | ?   |
| rqm_entity       | Entity                    | Ent             | x(20)<br>x(4)              | ?   |
| sbid_inv_nbr     | Invoice/Memo              | Inv/Memo        | x(22)<br>x(8)              | ?   |
| scx_shipfrom     | Ship-From<br>?            | ?               | x(8)                       | ?   |
| scx_shipto       | Ship-To<br>?              | ?               | x(8)                       | ?   |
| seq_part         | Item Number<br>?          | ?               | x(18)                      | ?   |
| seq_priority     | Sequence<br>?             | ?               | >>9.99                     | 10  |
| sfh_inv_nbr      | Invoice                   | ?               | x(22)<br>x(8)              | ?   |
| shtr_inv_nbr     | Invoice Number            | Invoice         | x(22)<br>x(8)              | ?   |
| sim_canrun       | Roles<br>Groups           | ?               | x(60)                      | ?   |
| six_inv_nbr      | Invoice                   | ?               | x(22)<br>x(8)              | ?   |
| si_canrun        | Roles<br>Groups           | ?               | x(189)<br>x(72)            | ?   |
| si_entity        | Entity                    | ?               | x(20)<br>x(4)              | ?   |
| sod_inv_nbr      | Invoice                   | ?               | x(22)<br>x(8)              | ?   |





## Deleted Fields

| Table Name | Field Name            | Label                   |
|------------|-----------------------|-------------------------|
| absd_det   | absd__qadc01          | ?                       |
| ac_mstr    | ac__qad02             | ?                       |
| cnss_mstr  | cnss__qadc01          | ?                       |
| cns_ctrl   | cns__qadc01           | ?                       |
| gl_ctrl    | gl_bk_val             | Bank Acct Validation    |
| icc_ctrl   | icc_tol_a%            | Class A                 |
|            | icc_tol_b%            | Class B                 |
|            | icc_tol_c%            | Class C                 |
|            | icc_tol_o%            | All Others              |
| in_mstr    | in_abc                | ABC Class               |
|            | in_avg_int            | Avg Int                 |
|            | in_cyc_int            | Cyc Cnt Int             |
|            | in_rctpo_active       | Active                  |
|            | in_rctpo_status       | PO Rcpt Status          |
|            | in_rctwo_active       | Active                  |
|            | in_rctwo_status       | WO Rcpt Status          |
| pc_mstr    | pc__qad01             | ?                       |
|            | pc__qad02             | ?                       |
| pli_mstr   | pli_internal_ref      | Internal Reference      |
|            | pli_internal_ref_type | Internal Reference Type |
| poc_ctrl   | poc__qadi01           | QAD Field               |
|            | poc__qadi05           | QAD Field               |
|            | poc__qadi06           | QAD Field               |
| pod_det    | pod__qad01            | ?                       |
|            | pod__qadd01           | QAD Field               |
| po_mstr    | po__qad01             | ?                       |
|            | po__qadc01            | QAD Field               |
|            | po__qadi01            | QAD Field               |
| pvo_mstr   | pvo_exru_seq          | Sequence                |
|            | pvo_ex_rate           | Exch Rate               |
|            | pvo_ex_rate2          | Exch Rate 2             |
|            | pvo_ex_ratetype       | Rate Type               |
| rnd_mstr   | rnd_dec_pt            | Decimal Point           |
|            | rnd_domain            | Domain                  |
| txed_det   | txed_domain           | Domain                  |

| Table Name | Field Name | Label        |
|------------|------------|--------------|
| txe_mstr   | txe_domain | Domain       |
| txz_mstr   | txz_domain | Domain       |
| usr_mstr   | usr_tzdb   | Time Zone DB |

## New Fields

| Table Name | Field Name           | Label                       |
|------------|----------------------|-----------------------------|
| absd_det   | absd__qadc03         | ?                           |
| abs_mstr   | abs_act_qty          | Actual Qty                  |
|            | abs_bom_code         | BOM/Formula                 |
|            | abs_bulk_qty         | Actual Bulk Qty             |
|            | abs_combined_invoice | Combined Invoice            |
|            | abs_complete         | Complete                    |
|            | abs_consigned_return | Consigned Return            |
|            | abs_production_line  | Production Line             |
|            | abs_rcpt_qty         | Receipt Qty                 |
|            | abs_routing          | Routing Code                |
|            | abs_scrap_qty        | Scrap Qty                   |
|            | abs_vend_lot         | Supplier Lot                |
| ac_mstr    | ac_gl_system_type    | GL Account System Type      |
|            | ac_gl_type           | GL Account Type             |
|            | ac__qad04            | ?                           |
| ad_mstr    | ad_address_id        | Business Relation Address   |
|            | ad_bus_relation      | Business Relation           |
|            | ad_email             | Email                       |
|            | ad_email2            | Email                       |
|            | ad_loadseq           | Load Sequence               |
|            | ad_ns_pr_list        | Non-Sales Price List        |
|            | ad_pick_by_date      | Pick By Date                |
|            | ad_priority          | Priority                    |
|            | ad_profile           | Profile                     |
|            | ad_route             | Route                       |
|            | ad_tax_in_city       | In City                     |
| apc_ctrl   | apc_holdinvoiceamt   | Put variance amount on hold |
|            | apc_recalc_tax       | Recalculate Tax Rates       |
| asc_mstr   | asc_proj             | Project                     |
| cac_ctrl   | cac_mulskill_wnd     | Multiple Skills             |
| ca_mstr    | ca_daybookset        | Daybook Set                 |
| cm_mstr    | cm_active            | Active                      |
|            | cm_datacomplete      | Data Complete               |
|            | cm_daybookset        | Daybook Set                 |
|            | cm_gst_id            | Tax ID - Federal            |
|            | cm_misc1_id          | Tax ID - Misc 1             |
|            | cm_misc2_id          | Tax ID - Misc 2             |
|            | cm_misc3_id          | Tax ID - Misc 3             |
|            | cm_rss_cal_option    | RSS Calendar Option         |
|            | cm_tax_in_city       | In City                     |
|            | cm_tax_usage         | Tax Usage                   |
|            | cm_tax_zone          | Tax Zone                    |
|            | oid_btr_mstr         | ?                           |

| Table Name | Field Name            | Label                            |
|------------|-----------------------|----------------------------------|
| cnss_mstr  | cnss__qadc03          | ?                                |
| cns_ctrl   | cns__qadc03           | ?                                |
| co_ctrl    | co_fa_trans_exp       | Fixed Assets Transactions Posted |
|            | co_gl_batch_size      | GL Posting Batch Size            |
|            | co_ic_trans_exp       | Inventory Transactions Posted    |
|            | co_so_trans_exp       | Sales Order Transactions Posted  |
|            | co_wo_trans_exp       | Work Order Transactions Posted   |
| ctry_mstr  | ctry_active           | Active                           |
|            | ctry_format           | Format                           |
| decl_mstr  | decl_company_id       | Company ID Number                |
|            | decl_intr_division    | Intrastat Division               |
|            | decl_validation_code  | Validation Code                  |
| defr_det   | defr_amt_type         | Amount Type                      |
|            | defr_dsc_acct         | Discount Acct                    |
|            | defr_dsc_cc           | Discount CC                      |
|            | defr_dsc_project      | Project                          |
|            | defr_dsc_sub          | Discount Sub-Acct                |
|            | defr_per_prd_dsc_amt  | Per Period Dsc Amount            |
|            | defr_prd_dsc_curr_amt | Period Dsc Cur Amount            |
| df_mstr    | df_ld_form_code       | LD Form Code                     |
|            | df_ld_max_item        | LD Max Item                      |
| dom_mstr   | dom_propath           | Propath                          |
|            | dom_tzdb              | Time Zone DB                     |
| dy_mstr    | dy_active             | Active                           |
| ecm_mstr   | ecm_dist_date         | Distributed                      |
| ecx_ref    | ecx_ext_bill_to       | Bill To                          |
|            | ecx_ext_part          | Item Number                      |
|            | ecx_ext_ship_to       | Ship To                          |
|            | ecx_ext_um            | UM                               |
| egc_ctrl   | egc_call_header       | Prioritize Call Header           |
| egd_det    | egd_mid_etime         | End Midday                       |
|            | egd_mid_stime         | Start Midday                     |
| egt_mstr   | egt_end_date          | End Date                         |
|            | egt_trv_dist          | Travel Distance                  |
|            | egt_trv_start_loc     | Start Travel Location            |
|            | egt_trv_time          | Travel Time                      |
|            | egt_trv_type_loc      | Start Location Type              |
|            | egt_trv_um            | Travel UM                        |
|            | egt_wo_lot            | ID                               |
| emp_mstr   | emp_active            | Active                           |
|            | emp_entity            | Entity                           |
|            | emp_name              | Name                             |
|            | emp_sort              | Sort Name                        |

| Table Name | Field Name           | Label                         |
|------------|----------------------|-------------------------------|
| en_mstr    | en_active            | Active                        |
|            | en_mirror_type       | Mirror Type                   |
| esh_mstr   | esh_mid_etime        | End Midday                    |
|            | esh_mid_stime        | Start Midday                  |
| euc_ctrl   | euc_schedule         | Operating Schedule            |
| eu_mstr    | eu_schedule          | Operating Schedule            |
| faadj_mstr | faadj_sl             | SL/RL                         |
| faba_det   | faba_fabk_id         | Book                          |
| fabk_mstr  | fabk_primary         | Primary                       |
| fact_ctrl  | fact_delta           | Book Depreciation Deviation   |
| fsh_mstr   | fsh_addr_line1       | Address Line 1                |
|            | fsh_addr_line2       | Address Line 2                |
|            | fsh_addr_line3       | Address Line 3                |
|            | fsh_city             | City                          |
|            | fsh_country          | Country                       |
|            | fsh_county           | County                        |
|            | fsh_end_time         | End Time                      |
|            | fsh_full_day         | Full Day                      |
|            | fsh_rsn_code         | Reason Code                   |
|            | fsh_start_time       | Start Time                    |
|            | fsh_state            | State                         |
|            | fsh_zip              | Post                          |
| fsu_mstr   | fsu_clsif_filter     | Filter ISB by Classification  |
| glcd_det   | glcd_ap_clsd         | AP Closed                     |
|            | glcd_ar_clsd         | AR Closed                     |
|            | glcd_fa_clsd         | FA Closed                     |
|            | glcd_ic_clsd         | WO/IC Closed                  |
|            | glcd_so_clsd         | SO Closed                     |
| glt_det    | glt_exp              | Transaction Posted            |
|            | glt_interco_ref      | Intercompany Reference        |
|            | glt_mgmt_curr        | Management Currency           |
|            | glt_mgmt_curr_amt    | Management Currency Amount    |
|            | glt_mgmt_ex_rate     | Exchange Rate                 |
|            | glt_mgmt_ex_rate2    | Management Curr Exchange Rate |
|            | glt_mgmt_ex_ratetype | Management Exchange Rate Type |
|            | glt_mirror_line_ref  | Mirror Line Ref               |
| gl_ctrl    | glt_mirror_ref       | Mirror Ref                    |
|            | gl_txapr_cn_acct     | AP Tax Ret CN Account         |
|            | gl_txapr_cn_sub      | AP Tax Ret CN Sub-Account     |
|            | gl_txap_cn_acct      | AP Tax CN Account             |
|            | gl_txap_cn_sub       | AP Tax CN Sub-Account         |
|            | gl_txara_cn_acct     | Sales Tax Abs CN Acct         |
|            | gl_txara_cn_sub      | Sales Tax Abs CN Sub-Acct     |
|            | gl_txar_cn_acct      | Sales Tax CN Acct             |

| Table Name | Field Name                                                                                                                                                                                                                                                                                                                                                              | Label                                                                                                                                                                                                                                                                                                                                                                     |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | gl_txar_cn_sub                                                                                                                                                                                                                                                                                                                                                          | Sales Tax CN Sub-Account                                                                                                                                                                                                                                                                                                                                                  |
| iec_ctrl   | iec_add_freight_to_so                                                                                                                                                                                                                                                                                                                                                   | Add Freight to SO Price                                                                                                                                                                                                                                                                                                                                                   |
| ied_det    | ied_net_wt<br>ied_net_wt_um                                                                                                                                                                                                                                                                                                                                             | Net Weight<br>UM                                                                                                                                                                                                                                                                                                                                                          |
| ieh_hist   | ieh_cinvoice_id<br>ieh_stat_val_changed                                                                                                                                                                                                                                                                                                                                 | Invoice ID<br>Statistical Value Changed                                                                                                                                                                                                                                                                                                                                   |
| ih_hist    | ih_batch<br>ih_daybook<br>ih_daybookset<br>ih_invoicetotal<br>ih_invoicetype<br>ih_trl_amt                                                                                                                                                                                                                                                                              | Batch<br>Daybook<br>Daybook Set<br>Total<br>Invoice Type<br>Rounding Trailer Amount                                                                                                                                                                                                                                                                                       |
| im_mstr    | im_flow                                                                                                                                                                                                                                                                                                                                                                 | Transaction Flow                                                                                                                                                                                                                                                                                                                                                          |
| isb_mstr   | isb_classification                                                                                                                                                                                                                                                                                                                                                      | Classification                                                                                                                                                                                                                                                                                                                                                            |
| is_mstr    | is_fail_status                                                                                                                                                                                                                                                                                                                                                          | Fail Status                                                                                                                                                                                                                                                                                                                                                               |
| kbc_ctrl   | kbc_accumulator_pause<br>kbc_barcode_format_ext<br>kbc_barcode_format_int<br>kbc_card_reconcile<br>kbc_decrease_at_cons<br>kbc_dispatch_nrm_id<br>kbc_lot_entry<br>kbc_mod_inv_data<br>kbc_mod_inv_pct<br>kbc_move_card_sizing<br>kbc_move_seq_enforce<br>kbc_phase_in_method<br>kbc_phase_out_method<br>kbc_po_data_entry<br>kbc_regen_enforce<br>kbc_repl_seq_enforce | Accumulator Monitor Pause<br>Barcode External<br>Barcode Internal<br>Card Reconciliation<br>Decrease at Consume<br>Dispatch ID<br>Lot Entry<br>Modify Inv Data<br>Modify Inv Threshold<br>Move Card Sizing<br>Move Sequence Enforcement<br>Phase-In Method<br>Phase-Out Method<br>PO Receipt Data Entry<br>Regeneration Enforcement<br>Replenishment Sequence Enforcement |
| kbtr_hist  | kbtr_authorize_date<br>kbtr_authorize_time<br>kbtr_carrier_id<br>kbtr_delivery_date<br>kbtr_delivery_time<br>kbtr_del_status_code<br>kbtr_dispatch_id<br>kbtr_disp_list_time<br>kbtr_due_date<br>kbtr_due_time<br>kbtr_issue_loc<br>kbtr_lot<br>kbtr_program<br>kbtr_qty_accepted<br>kbtr_qty_scrapped<br>kbtr_receipt_loc<br>kbtr_ref                                  | Authorize Date<br>Authorize Time<br>Carrier<br>Delivery Date<br>Delivery Time<br>Delivery Status Code<br>Dispatch ID<br>Dispatch Time<br>Due Date<br>Due Time<br>Issue Location<br>Lot<br>Program<br>Qty Accepted<br>Qty Scrapped<br>Receipt Location<br>Reference                                                                                                        |

## 1100 Database Definitions

| Table Name | Field Name            | Label                      |
|------------|-----------------------|----------------------------|
|            | kbtr_second_card_id   | Second ID                  |
| knbd_det   | knbd_auto_print_req   | Auto Print                 |
|            | knbd_cmtdindx         | Comment Index              |
|            | knbd_del_loc          | Delivery Location          |
|            | knbd_del_status_code  | Delivery Status Code       |
|            | knbd_dispatch_id      | Dispatch ID                |
|            | knbd_disp_list_date   | Dispatch Date              |
|            | knbd_disp_list_time   | Dispatch Time              |
|            | knbd_due_date         | Due Date                   |
|            | knbd_due_time         | Due Time                   |
|            | knbd_qty_accepted     | Qty Accepted               |
|            | knbd_qty_scrapped     | Qty Scrapped               |
|            | knbd_second_card_id   | Second ID                  |
|            | knbd_status_chg_date  | Change Date                |
|            | knbd_status_chg_time  | Change Time                |
| knbl_det   | knbl_decrease_at_cons | Decrease at Consume        |
|            | knbl_del_loc          | Delivery Location          |
|            | knbl_dispatch_edt     | EDI                        |
|            | knbl_fifo_ext_time    | FIFO Time Ext              |
|            | knbl_inv_loc          | Inventory Location         |
|            | knbl_kanban_label     | Kanban Label               |
|            | knbl_lot_entry        | Lot Entry                  |
|            | knbl_mod_inv_data     | Modify Inv Data            |
|            | knbl_mod_inv_pct      | Modify Inv Threshold       |
|            | knbl_order_qty_mult   | Order Quantity Multiple    |
|            | knbl_pou_loc          | Point Of Use Location      |
|            | knbl_po_data_entry    | PO Receipt Data Entry      |
|            | knbl_qty_violation    | Qty Violation Method       |
|            | knbl_regen_enforce    | Regeneration Enforcement   |
|            | knbl_rounding_pct     | Rounding Threshold Percent |
|            | knbl_sd_pat           | Ship/Dlvy Pattern          |
|            | knbl_sd_time          | Ship/Dlvy Time             |
|            | knbl_shortfall        | Receipt Shortfall          |
| knb_mstr   | knb_carrier_id        | Carrier                    |
|            | knb_planner           | Kanban Planner             |
| lad_det    | lad_act_pick          | Actual Picked              |
|            | lad_cont_qty          | Container Quantity         |
| ld_det     | ld_alt_um             | Alternate UM               |
|            | ld_crt_date           | Create Date                |
|            | ld_crt_time           | Create Time                |
|            | ld_exp_qtyn           | Qty In                     |
|            | ld_exp_qtyout         | Qty Out                    |
|            | ld_time_frz           | Freeze Time                |
| lng_mstr   | lng_active            | Active                     |
|            | lng_installed         | Installed                  |
| op_hist    | op_doc_id             | Document ID                |
| pc_mstr    | pc__qadc01            | ?                          |
|            | pc__qadd01            | ?                          |



| Table Name | Field Name        | Label                            |
|------------|-------------------|----------------------------------|
| plid_det   | plid_abs_id       | Shipper ID                       |
|            | plid_cmtindx      | Comment Index                    |
|            | plid_grosswgt     | Gross Weight                     |
|            | plid_netwgt       | Net Weight                       |
| pli_mstr   | pli_cinvoice_id   | Invoice ID                       |
|            | pli_cr_terms      | Credit Terms                     |
|            | pli_discamt       | Discount Amount                  |
|            | pli_docmodel      | Document Model                   |
|            | pli_fix_rate      | Fixed Rate                       |
|            | pli_goodsamt      | Goods Amount                     |
|            | pli_ldamt         | Legal Doc Amount                 |
|            | pli_shipperid     | Shipper ID                       |
|            | pli_totwgt        | Total Weight                     |
|            | pli_traileramt    | Trailer Amount                   |
|            | pli_volume        | Volume                           |
|            | pli_vol_um        | Volume UM                        |
|            | pli_wt_um         | Weight UM                        |
| poc_ctrl   | poc__qadi04       | QAD Field                        |
|            | poc__qadi07       | QAD Field                        |
|            | poc__qadi08       | ?                                |
| pod_det    | pod__qadd04       | QAD Field                        |
|            | pod__qadt01       | ?                                |
| po_mstr    | po_incl_iss       | Include Saturday/Sunday          |
|            | po_trade_sale     | Trade Sales Contract             |
|            | po_trade_sale_so  | Trade Sales SO                   |
|            | po__qadc03        | ?                                |
|            | po__qadi03        | QAD Field                        |
| po__qadt01 |                   | ?                                |
| prj_mstr   | prj_daybookset    | Daybook Set                      |
| pshc_ctrl  | pshc_inv_sort_seq | Invoice Line Sorting Sequence    |
| ptp_det    | ptp_atp_horizon   | ATP Horizon                      |
|            | ptp_insp_loc      | Inspection Location              |
| pt_mstr    | pt_atp_horizon    | ATP Horizon                      |
|            | pt_barcode1       | Barcode 1                        |
|            | pt_barcode2       | Barcode 2                        |
|            | pt_classification | Classification                   |
|            | pt_crit_days      | Critical Days                    |
|            | pt_destructive    | Destructive                      |
|            | pt_id_qty         | ID Quantity                      |
|            | pt_insp_days      | Insp Frequency (Days)            |
|            | pt_insp_freq      | Insp Frequency                   |
|            | pt_insp_ref       | Ref                              |
|            | pt_insp_req       | Inspection Required              |
|            | pt_invent_days    | Days From Expiration/Manufacture |
|            | pt_issue_method   | Issue Method                     |
|            | pt_memo_type      | Memo Order Type                  |
|            | pt_opc_threshold  | OPC Threshold                    |
|            | pt_pop_code       | Popularity                       |
|            | pt_print_id       | Print ID                         |

| Table Name | Field Name            | Label                               |
|------------|-----------------------|-------------------------------------|
|            | pt_random_insp_pct    | Random Inspection %                 |
|            | pt_rep_type           | Replenishment Type                  |
|            | pt_same_days          | Same Day Window                     |
|            | pt_sample_pct         | Sample %                            |
|            | pt_sample_qty         | Sample Quantity                     |
|            | pt_shelf_offset       | Shelf Life Offset                   |
|            | pt_single_trans       | Single Put-Away Transactions        |
|            | pt_um_group           | UM Group                            |
|            | pt_whse_part_type     | Warehouse Item Type                 |
| pvod_det   | pvod_bdn_std          | Item Burden Cost                    |
|            | pvod_cinvoice_id      | Invoice ID                          |
|            | pvod_eff_date         | Effective Date                      |
|            | pvod_exru_seq         | Sequence                            |
|            | pvod_ex_rate          | Exch Rate                           |
|            | pvod_ex_rate2         | Exch Rate 2                         |
|            | pvod_ex_ratetype      | Rate Type                           |
|            | pvod_last_voucher     | Supplier Invoice                    |
|            | pvod_lbr_std          | Item Labor Cost                     |
|            | pvod_mtl_std          | Item Material Cost                  |
|            | pvod_ovh_std          | Item Overhead Cost                  |
|            | pvod_pur_cost         | PO Cost                             |
|            | pvod_pur_std          | Item PO Cost                        |
|            | pvod_sub_std          | Item Subcontract Cost               |
|            | pvod_trans_date       | Transaction Date                    |
|            | pvod_trans_qty        | Transaction Qty                     |
|            | pvod_vouchered_qty    | Vouchered Qty                       |
| pvo_mstr   | pvo_cinvoice_id       | Invoice ID                          |
| qo_mstr    | qo_daybookset         | Daybook Set                         |
| rpc_ctrl   | rpc_allow_rate        | Allow Zero Run Rate                 |
| rqd_det    | rqd_item_rev_date     | Item Revision Date                  |
|            | rqd_op                | Operation                           |
|            | rqd_sub_type          | Subcontract Type                    |
|            | rqd_wip_lotser        | Lot/Serial                          |
|            | rqd_wo_lot            | Work Order ID                       |
| sac_ctrl   | sac_int_rnd           | Intermediate Rounding               |
| sad_det    | sad_fsrev_acct        | Revenue Acct                        |
|            | sad_fsrev_cc          | Revenue CC                          |
|            | sad_fsrev_sub         | Revenue Sub-Acct                    |
| sa_mstr    | sa_daybookset         | Daybook Set                         |
| schd_det   | schd_req_type         | Requirement Type                    |
| sch_mstr   | sch_cw_days           | Calendar/Working Firm Days          |
| shc_ctrl   | shc_archive_directory | Default Archive Directory           |
|            | shc_del_import_file   | Delete Import Files After Archiving |
|            | shc_import_directory  | Default Import Directory            |
|            | shc_rss_cal_option    | RSS Calendar Option                 |
|            | shc_source_directory  | Default Source Directory            |

| Table Name | Field Name             | Label                                |
|------------|------------------------|--------------------------------------|
| si_mstr    | si_insp_loc            | Inspection Location                  |
| soc_ctrl   | soc_dflt_dybkset       | Default Daybook Set                  |
|            | soc_dybkset_by_site    | Use Daybook Set by Site              |
|            | soc_gst_pst            | Print Tax ID on Invoice              |
|            | soc_maintain_reviewed  | Allow Maintenance of Reviewed Orders |
|            | soc_print_ship         | Shipper On Invoice                   |
|            | soc_rnd_flag           | Enable Rounding Function             |
|            | soc_use_corr_inv       | Use Correction Invoices              |
|            | soc_valueorders_by     | Value Orders Using                   |
| sod_det    | sod_compl_date         | Status Date                          |
|            | sod_compl_stat         | Complete Status                      |
|            | sod_fsrev_acct         | Revenue Acct                         |
|            | sod_fsrev_cc           | Revenue CC                           |
|            | sod_fsrev_sub          | Revenue Sub-Acct                     |
|            | sod_hold_stat          | Hold Status                          |
|            | sod_req_time           | Required Time                        |
|            | sod_shipvia            | Ship Via                             |
|            | sod_trade_sale_po      | Trade Sales PO                       |
|            | sod_trade_sale_po_line | Trade Sales PO Line Number           |
|            | sod_trade_sale_vend    | Trade Sales Supplier                 |
| so_mstr    | so_compl_date          | Status Date                          |
|            | so_compl_stat          | Complete Status                      |
|            | so_daybookset          | Daybook Set                          |
|            | so_hold_stat           | Hold Status                          |
|            | so_nrm                 | Sequence ID                          |
|            | so_req_time            | Required Time                        |
|            | so_reviewed            | Reviewed                             |
|            | so_rss_cal_option      | RSS Calendar Option                  |
|            | so_trade_sale          | Trade Sales Contract                 |
| sr_wkfl    | sr_algo                | Algorithm                            |
|            | sr_alt_um              | Alternate UM                         |
|            | sr_mode                | Mode                                 |
| svc_ctrl   | svc_clsf_filter        | Filter ISB by Classification         |
|            | svc_qmobile_api_warn   | Suppress QAD Mobile API Warnings     |
|            | svc_sched_status       | Scheduled Status                     |
|            | svc_trv_fsc_code       | Travel Svc Category                  |
| sv_mstr    | sv_mid_etime           | Stop Midday                          |
|            | sv_mid_stime           | Start Midday                         |
| tot_mstr   | tot_transport_resp     | Transportation Responsibility        |
| tr_hist    | tr_doc_id              | Document ID                          |
|            | tr_qty_cn_adj          | Consignment Qty Adjusted             |
| tx2_mstr   | tx2_ab_cn_tx_grp       | Absorbed CN Tax Group                |
|            | tx2_ab_inv_tx_grp      | Absorbed Inv Tax Group               |
|            | tx2_apr_cn_acct        | AP Tax Ret CN Account                |
|            | tx2_apr_cn_sub         | AP Tax Ret CN Sub-Account            |
|            | tx2_ap_cn_acct         | AP Tax CN Account                    |
|            | tx2_ap_cn_sub          | AP Tax CN Sub-Account                |

| Table Name | Field Name             | Label                               |
|------------|------------------------|-------------------------------------|
|            | tx2_ap_dis_acct        | AP Discount Account                 |
|            | tx2_ap_dis_sub         | AP Discount Sub-Account             |
|            | tx2_ara_cn_acct        | Sales Tax Abs CN Acct               |
|            | tx2_ara_cn_sub         | Sales Tax Abs CN Sub-Acct           |
|            | tx2_ar_cn_acct         | Sales Tax CN Account                |
|            | tx2_ar_cn_sub          | Sales Tax CN Sub-Account            |
|            | tx2_ar_dis_acct        | AR Discount Account                 |
|            | tx2_ar_dis_sub         | AR Discount Sub-Account             |
|            | tx2_cn_tx_grp          | Customer Credit Note Tax Group      |
|            | tx2_cr_voc_tx_grp      | Supplier CN Tax Group               |
|            | tx2_daybookset         | Daybook Set                         |
|            | tx2_dltx_cn_acct       | Delayed Tax CN Account              |
|            | tx2_dltx_cn_sub        | Delayed Tax CN Sub-Account          |
|            | tx2_dltx_inv_acct      | Delayed Tax Invoice Account         |
|            | tx2_dltx_inv_sub       | Delayed Tax Invoice Sub-Account     |
|            | tx2_inv_tx_grp         | Customer Invoice Tax Group          |
|            | tx2_ret_cr_voc_tx_grp  | Retained CN Tax Group               |
|            | tx2_ret_voc_tx_grp     | Retained Invoice Tax Group          |
|            | tx2_reverse_charge     | Domestic Reverse Charge             |
|            | tx2_stx_cn_acct        | Suspended Tax CN Account            |
|            | tx2_stx_cn_sub         | Suspended Tax CN Sub-Account        |
|            | tx2_stx_inv_acct       | Suspended Tax Inv Account           |
|            | tx2_stx_inv_sub        | Suspended Tax Inv Sub-Account       |
|            | tx2_voc_tx_grp         | Supplier Invoice Tax Group          |
| txc_ctrl   | txc_ar_taxexcl         | Customer Invoice Total Excludes Tax |
|            | txc_comment_type       | Tax Comment Type                    |
|            | txc_default_taxable    | Taxable                             |
|            | txc_is_tax_confirmed   | ?                                   |
|            | txc_tax_accrual_glcode | ?                                   |
|            | txc_tax_in_city        | In City                             |
| usrc_ctrl  | usrc_ldap              | LDAP Enabled                        |
|            | usrc_sso               | Single Sign On Enabled              |
| usrg_mstr  | usrg_active            | Active                              |
|            | usrg_sod_conflict      | Role Conflict                       |
| usr_mstr   | usr_enabled            | User Enabled                        |
|            | usr_tzdb               | Time Zone DB                        |
| vd_mstr    | oid_btr_mstr           | ?                                   |
|            | vd_active              | Active                              |
|            | vd_carrier_id          | Carrier                             |
|            | vd_data_complete       | Data Complete                       |
|            | vd_gst_id              | Tax ID - Federal                    |
|            | vd_kanban_supplier     | Kanban Supplier                     |
|            | vd_misc1_id            | Tax ID - Misc 1                     |
|            | vd_misc2_id            | Tax ID - Misc 2                     |
|            | vd_misc3_id            | Tax ID - Misc 3                     |
|            | vd_pst_id              | Tax ID - State                      |
|            | vd_taxc                | Tax Class                           |
|            | vd_tax_in              | Tax In                              |
|            | vd_tax_in_city         | In City                             |
|            | vd_tax_usage           | Tax Usage                           |
|            | vd_tax_zone            | Tax Zone                            |

| Table Name | Field Name      | Label      |
|------------|-----------------|------------|
| vph_hist   | vph_cinvoice_id | Invoice ID |

## Changed Indexes

The left side for each index lists the current values of the various items; the right side lists the previous values.

| Index Name   | Table Name      | Unique | Current Values |     |     |        | Previous Values |     |     |
|--------------|-----------------|--------|----------------|-----|-----|--------|-----------------|-----|-----|
|              |                 |        | Field Name     | Asc | Abr | Unique | Field Name      | Asc | Abr |
| _Userid      | _Client-Session | no     | _User-id       | yes | no  | yes    | _Userid         | yes | no  |
| ac_active    | ac_mstr         | no     | ac_domain      | yes | no  | yes    | ac_domain       | yes | no  |
|              |                 |        | ac_active      | yes | no  |        | ac_active       | yes | no  |
|              |                 |        | ac_code        | yes | no  |        | ac_code         | yes | no  |
| asc_cc       | asc_mstr        | yes    | asc_domain     | yes | no  | yes    | asc_domain      | yes | no  |
|              |                 |        | asc_cc         | yes | no  |        | asc_cc          | yes | no  |
|              |                 |        | asc_acc        | yes | no  |        | asc_acc         | yes | no  |
|              |                 |        | asc_sub        | yes | no  |        | asc_sub         | yes | no  |
|              |                 |        | asc_proj       | yes | no  |        |                 |     |     |
| asc_index    | asc_mstr        | yes    | asc_domain     | yes | no  | yes    | asc_domain      | yes | no  |
|              |                 |        | asc_acc        | yes | no  |        | asc_acc         | yes | no  |
|              |                 |        | asc_sub        | yes | no  |        | asc_sub         | yes | no  |
|              |                 |        | asc_cc         | yes | no  |        | asc_cc          | yes | no  |
|              |                 |        | asc_proj       | yes | no  |        |                 |     |     |
| asc_sub      | asc_mstr        | yes    | asc_domain     | yes | no  | yes    | asc_domain      | yes | no  |
|              |                 |        | asc_sub        | yes | no  |        | asc_sub         | yes | no  |
|              |                 |        | asc_acc        | yes | no  |        | asc_acc         | yes | no  |
|              |                 |        | asc_cc         | yes | no  |        | asc_cc          | yes | no  |
|              |                 |        | asc_proj       | yes | no  |        |                 |     |     |
| eud_nametype | eud_det         | no     | eud_domain     | yes | no  | no     | eud_domain      | yes | no  |
|              |                 |        | eud_addr       | yes | no  |        | eud_addr        | yes | no  |
|              |                 |        | eud_nametype   | yes | no  |        | eud_nametype    | yes | no  |
|              |                 |        | eud_sort       | yes | no  |        | eud_trnbr       | yes | no  |
| faba_fa_id   | faba_det        | yes    | faba_domain    | yes | no  | yes    | faba_domain     | yes | no  |
|              |                 |        | faba_fa_id     | yes | no  |        | faba_fa_id      | yes | no  |
|              |                 |        | faba_fabk_id   | yes | no  |        | faba_acctype    | yes | no  |
|              |                 |        | faba_acctype   | yes | no  |        | faba_glseq      | yes | no  |
|              |                 |        | faba_glseq     | yes | no  |        |                 |     |     |
| facd_fac_id  | facd_det        | yes    | facd_domain    | yes | no  | yes    | facd_domain     | yes | no  |
|              |                 |        | facd_facfs_id  | yes | no  |        | facd_facfs_id   | yes | no  |
|              |                 |        | facd_fabk_id   | yes | no  |        | facd_acctype    | yes | no  |
|              |                 |        | facd_acctype   | yes | no  |        |                 |     |     |

| Index Name    | Table Name | Unique | Current Values         |     |     |        | Previous Values |     |     |
|---------------|------------|--------|------------------------|-----|-----|--------|-----------------|-----|-----|
|               |            |        | Field Name             | Asc | Abr | Unique | Field Name      | Asc | Abr |
| fsh_codefield | fsh_mstr   | yes    | fsh_domain             | yes | no  | yes    | fsh_domain      | yes | no  |
|               |            |        | fsh_code               | yes | no  |        | fsh_code        | yes | no  |
|               |            |        | fsh_code_field         | yes | no  |        | fsh_code_field  | yes | no  |
|               |            |        | fsh_date               | yes | no  |        | fsh_date        | yes | no  |
|               |            |        | fsh_start_time         | yes | no  |        |                 |     |     |
| lng_nbr       | lng_mstr   | no     | lng_nbr                | yes | no  | yes    | lng_nbr         | yes | no  |
| pc_list       | pc_mstr    | yes    | pc_domain              | yes | no  | yes    | pc_domain       | yes | no  |
|               |            |        | pc_list_classification | yes | no  |        | pc_list         | yes | no  |
|               |            |        | pc_list                | yes | no  |        | pc_curr         | yes | no  |
|               |            |        | pc_curr                | yes | no  |        | pc_prod_line    | yes | no  |
|               |            |        | pc_prod_line           | yes | no  |        | pc_part         | yes | no  |
|               |            |        | pc_part                | yes | no  |        | pc_um           | yes | no  |
|               |            |        | pc_um                  | yes | no  |        | pc_start        | yes | no  |
|               |            |        | pc_start               | yes | no  |        |                 |     |     |
| pj_active     | pj_mstr    | no     | pj_domain              | yes | no  | yes    | pj_domain       | yes | no  |
|               |            |        | pj_project             | yes | no  |        | pj_project      | yes | no  |
|               |            |        | pj_active              | yes | no  |        | pj_active       | yes | no  |
| rnd_desc      | rnd_mstr   | no     | rnd_desc               | yes | no  | no     | rnd_domain      | yes | no  |
|               |            |        | rnd_rnd_mthd           | yes | no  |        | rnd_desc        | yes | no  |
|               |            |        |                        |     |     |        | rnd_rnd_mthd    | yes | no  |
| rnd_rnd_mthd  | rnd_mstr   | yes    | rnd_rnd_mthd           | yes | no  | yes    | rnd_domain      | yes | no  |
|               |            |        |                        |     |     |        | rnd_rnd_mthd    | yes | no  |
| schd_dtr      | schd_det   | yes    | schd_domain            | yes | no  | yes    | schd_domain     | yes | no  |
|               |            |        | schd_type              | yes | no  |        | schd_type       | yes | no  |
|               |            |        | schd_nbr               | yes | no  |        | schd_nbr        | yes | no  |
|               |            |        | schd_line              | yes | no  |        | schd_line       | yes | no  |
|               |            |        | schd_rlse_id           | yes | no  |        | schd_rlse_id    | yes | no  |
|               |            |        | schd_date              | yes | no  |        | schd_date       | yes | no  |
|               |            |        | schd_time              | yes | no  |        | schd_time       | yes | no  |
|               |            |        | schd_interval          | yes | no  |        | schd_interval   | yes | no  |
|               |            |        | schd_reference         | yes | no  |        | schd_reference  | yes | no  |
|               |            |        | schd_req_type          | yes | no  |        |                 |     |     |
| txe_desc      | txe_mstr   | no     | txe_desc               | yes | no  | no     | txe_domain      | yes | no  |
|               |            |        |                        |     |     |        | txe_desc        | yes | no  |
| txe_tax_env   | txe_mstr   | yes    | txe_tax_env            | yes | no  | yes    | txe_domain      | yes | no  |
|               |            |        |                        |     |     |        | txe_tax_env     | yes | no  |
| txe_to_from   | txe_mstr   | yes    | txe_zone_to            | yes | no  | yes    | txe_domain      | yes | no  |
|               |            |        | txe_zone_from          | yes | no  |        | txe_zone_to     | yes | no  |

| Index Name     | Table Name | Unique | Current Values |     |     |        | Previous Values |     |     |
|----------------|------------|--------|----------------|-----|-----|--------|-----------------|-----|-----|
|                |            |        | Field Name     | Asc | Abr | Unique | Field Name      | Asc | Abr |
|                |            |        |                |     |     |        | txe_zone_from   | yes | no  |
| txed_seq       | txed_det   | no     | txed_tax_env   | yes | no  | no     | txed_domain     | yes | no  |
|                |            |        | txed_seq       | yes | no  |        | txed_tax_env    | yes | no  |
|                |            |        |                |     |     |        | txed_seq        | yes | no  |
| txed_tax_env   | txed_det   | yes    | txed_tax_env   | yes | no  | yes    | txed_domain     | yes | no  |
|                |            |        | txed_tax_type  | yes | no  |        | txed_tax_env    | yes | no  |
|                |            |        |                |     |     |        | txed_tax_type   | yes | no  |
| txz_ctry_state | txz_mstr   | yes    | txz_ctry_code  | yes | no  | yes    | txz_domain      | yes | no  |
|                |            |        | txz_state      | yes | no  |        | txz_ctry_code   | yes | no  |
|                |            |        | txz_county     | yes | no  |        | txz_state       | yes | no  |
|                |            |        | txz_city       | yes | no  |        | txz_county      | yes | no  |
|                |            |        | txz_zip        | yes | no  |        | txz_city        | yes | no  |
|                |            |        |                |     |     |        | txz_zip         | yes | no  |
| txz_desc       | txz_mstr   | no     | txz_desc       | yes | no  | no     | txz_domain      | yes | no  |
|                |            |        |                |     |     |        | txz_desc        | yes | no  |
| txz_tax_zone   | txz_mstr   | yes    | txz_tax_zone   | yes | no  | yes    | txz_domain      | yes | no  |
|                |            |        |                |     |     |        | txz_tax_zone    | yes | no  |



## Deleted Indexes

### Index

absd\_abs\_fld\_name  
 absd\_abs\_id  
 ApplD  
 Appld  
 ApplD  
 atak\_oid\_atap\_mstr  
 atap\_oid\_att\_mstr  
 atap\_table\_name  
 atc\_index1  
 aterr\_event\_id  
 aterr\_time  
 atgt\_oid\_atg\_mstr  
 atgt\_oid\_att\_mstr  
 attmp\_event\_id  
 attmp\_time  
 atwk\_oid\_atwp\_mstr  
 atwp\_oid\_att\_mstr  
 DocIDSufx  
 DocIDSufx  
 eud\_trnbr  
 ExtDocKey  
 ExtDocKey  
 GroupID  
 GroupID  
 isb\_ser\_part  
 MfgProKey  
 MfgProKey  
 missed\_event\_order  
 missed\_event\_order  
 oid\_atak\_det  
 oid\_atap\_mstr  
 oid\_atc\_ctrl  
 oid\_atgt\_ref  
 oid\_atwk\_det  
 oid\_atwp\_mstr  
 pli\_internal\_ref  
 Site  
 Site

### Table

absd\_det  
 absd\_det  
 apr\_mstr  
 ilg\_hist  
 elg\_hist  
 atak\_det  
 atap\_mstr  
 atap\_mstr  
 atc\_ctrl  
 aterr\_mstr  
 aterr\_mstr  
 atgt\_ref  
 atgt\_ref  
 attmp\_mstr  
 attmp\_mstr  
 atwk\_det  
 atwp\_mstr  
 ilg\_hist  
 elg\_hist  
 eud\_det  
 ilg\_hist  
 elg\_hist  
 ilg\_hist  
 elg\_hist  
 isb\_mstr  
 ilg\_hist  
 elg\_hist  
 vep\_mstr  
 vepd\_det  
 atak\_det  
 atap\_mstr  
 atc\_ctrl  
 atgt\_ref  
 atwk\_det  
 atwp\_mstr  
 pli\_mstr  
 ilg\_hist  
 elg\_hist

## New Indexes for Existing Tables

| Index              | Table      |
|--------------------|------------|
| _Lock-Id           | _ActLock   |
| _Lock-Id           | _Lock      |
| _Server-Id         | _Servers   |
| _Server-Id         | _ActServer |
| abs_inv_mov        | abs_mstr   |
| absd_fld_name      | absd_det   |
| absd_shipper_id    | absd_det   |
| ad_address_id      | ad_mstr    |
| AppID              | apr_mstr   |
| AppID              | elg_hist   |
| AppId              | ilg_hist   |
| ar_ship            | ar_mstr    |
| asc_proj           | asc_mstr   |
| cm_active          | cm_mstr    |
| cm_datacomplete    | cm_mstr    |
| DocIDSufx          | elg_hist   |
| DocIDSufx          | ilg_hist   |
| eud_addrsort       | eud_det    |
| ExtDocKey          | elg_hist   |
| ExtDocKey          | ilg_hist   |
| glt_costctr        | glt_det    |
| glt_project        | glt_det    |
| glt_subacct        | glt_det    |
| GroupID            | elg_hist   |
| GroupID            | ilg_hist   |
| ih_batch           | ih_hist    |
| isb_classification | isb_mstr   |
| MfgProKey          | elg_hist   |
| MfgProKey          | ilg_hist   |
| missed_event_order | vep_mstr   |
| missed_event_order | vepd_det   |
| mnd_uri            | mnd_det    |
| mnt_lang           | mnt_det    |
| oid_abd_det        | abd_det    |
| oid_abs_mstr       | abs_mstr   |
| oid_abcsc_det      | abcsc_det  |
| oid_abcsc_det      | abcsc_det  |
| oid_absd_det       | absd_det   |
| oid_absi_mstr      | absi_mstr  |
| oid_absl_det       | absl_det   |
| oid_absr_det       | absr_det   |
| oid_abss_det       | abss_det   |
| oid_ac_mstr        | ac_mstr    |
| oid_accd_det       | accd_det   |
| oid_acd_det        | acd_det    |
| oid_acdf_mstr      | acdf_mstr  |
| oid_acm_mstr       | acm_mstr   |
| oid_acod_mstr      | acod_mstr  |
| oid_act_mstr       | act_mstr   |
| oid_acx_mstr       | acx_mstr   |

**Index**

oid\_ad\_mstr  
 oid\_adc\_ctrl  
 oid\_adx\_det  
 oid\_al\_mstr  
 oid\_ald\_det  
 oid\_alm\_mstr  
 oid\_an\_mstr  
 oid\_anl\_det  
 oid\_ans\_det  
 oid\_anx\_det  
 oid\_ap\_mstr  
 oid\_apc\_ctrl  
 oid\_apm\_ctrl  
 oid\_apmr\_mstr  
 oid\_apr\_mstr  
 oid\_aprm\_mstr  
 oid\_ar\_mstr  
 oid\_arc\_ctrl  
 oid\_ard\_det  
 oid\_arsd\_det  
 oid\_art\_mstr  
 oid\_asc\_mstr  
 oid\_ast\_mstr  
 oid\_atd\_mstr  
 oid\_atp\_det  
 oid\_aud\_det  
 oid\_ba\_mstr  
 oid\_bc\_mstr  
 oid\_bcd\_det  
 oid\_bdl\_mstr  
 oid\_bdlld\_det  
 oid\_bdp\_det  
 oid\_bg\_mstr  
 oid\_bgd\_det  
 oid\_bic\_ctrl  
 oid\_bk\_mstr  
 oid\_bkad\_det  
 oid\_bkd\_det  
 oid\_bkfm\_mstr  
 oid\_bkpd\_det  
 oid\_bkpm\_mstr  
 oid\_bl\_ctrl  
 oid\_bom\_mstr  
 oid\_btb\_det  
 oid\_ca\_mstr  
 oid\_cac\_ctrl  
 oid\_cah\_hist  
 oid\_cal\_det  
 oid\_caq\_mstr  
 oid\_cas\_mstr  
 oid\_cb\_mstr  
 oid\_cc\_mstr  
 oid\_ccc\_ctrl  
 oid\_ccd\_mstr  
 oid\_ccd1\_det  
 oid\_ccd2\_det  
 oid\_ccl\_ctrl

**Table**

ad\_mstr  
 adc\_ctrl  
 adx\_det  
 al\_mstr  
 ald\_det  
 alm\_mstr  
 an\_mstr  
 anl\_det  
 ans\_det  
 anx\_det  
 ap\_mstr  
 apc\_ctrl  
 apm\_ctrl  
 apmr\_mstr  
 apr\_mstr  
 aprm\_mstr  
 ar\_mstr  
 arc\_ctrl  
 ard\_det  
 arsd\_det  
 art\_mstr  
 asc\_mstr  
 ast\_mstr  
 atd\_mstr  
 atp\_det  
 aud\_det  
 ba\_mstr  
 bc\_mstr  
 bcd\_det  
 bdl\_mstr  
 bdlld\_det  
 bdp\_det  
 bg\_mstr  
 bgd\_det  
 bic\_ctrl  
 bk\_mstr  
 bkad\_det  
 bkd\_det  
 bkfm\_mstr  
 bkpd\_det  
 bkpm\_mstr  
 bl\_ctrl  
 bom\_mstr  
 btb\_det  
 ca\_mstr  
 cac\_ctrl  
 cah\_hist  
 cal\_det  
 caq\_mstr  
 cas\_mstr  
 cb\_mstr  
 cc\_mstr  
 ccc\_ctrl  
 ccd\_mstr  
 ccd1\_det  
 ccd2\_det  
 ccl\_ctrl

# Index

oid\_ccls\_mstr  
oid\_cclsc\_mstr  
oid\_cclscd\_det  
oid\_cct\_mstr  
oid\_cctr\_hist  
oid\_cd\_det  
oid\_cdf\_mstr  
oid\_cf\_mstr  
oid\_cfc\_ctrl  
oid\_chg\_mstr  
oid\_chm\_mstr  
oid\_cil\_mstr  
oid\_cild\_det  
oid\_ck\_mstr  
oid\_ckd\_det  
oid\_cksd\_det  
oid\_clc\_ctrl  
oid\_cls\_mstr  
oid\_cm\_mstr  
oid\_cmc\_ctrl  
oid\_cmd\_det  
oid\_cmf\_mstr  
oid\_cmh\_hist  
oid\_cmt\_det  
oid\_cnc\_ctrl  
oid\_cncix\_mstr  
oid\_cncc\_mstr  
oid\_cncu\_mstr  
oid\_cncud\_det  
oid\_cns\_ctrl  
oid\_cnsix\_mstr  
oid\_cnss\_mstr  
oid\_cnsu\_mstr  
oid\_cnsud\_det  
oid\_co\_ctrl  
oid\_code\_mstr  
oid\_com\_mstr  
oid\_comd\_det  
oid\_cont\_mstr  
oid\_cost\_cal  
oid\_cp\_mstr  
oid\_cpc\_mstr  
oid\_cpcd\_det  
oid\_cph\_hist  
oid\_cr\_mstr  
oid\_crc\_ctrl  
oid\_cref\_mstr  
oid\_cs\_mstr  
oid\_csa\_mstr  
oid\_csbd\_det  
oid\_csc\_mstr  
oid\_csid\_det  
oid\_csil\_mstr  
oid\_csim\_mstr  
oid\_cslid\_det  
oid\_cslm\_mstr  
oid\_css\_mstr

# Table

ccls\_mstr  
cclsc\_mstr  
cclscd\_det  
cct\_mstr  
cctr\_hist  
cd\_det  
cdf\_mstr  
cf\_mstr  
cfc\_ctrl  
chg\_mstr  
chm\_mstr  
cil\_mstr  
cild\_det  
ck\_mstr  
ckd\_det  
cksd\_det  
clc\_ctrl  
cls\_mstr  
cm\_mstr  
cmc\_ctrl  
cmd\_det  
cmf\_mstr  
cmh\_hist  
cmt\_det  
cnc\_ctrl  
cncix\_mstr  
cncc\_mstr  
cncu\_mstr  
cncud\_det  
cns\_ctrl  
cnsix\_mstr  
cnss\_mstr  
cnsu\_mstr  
cnsud\_det  
co\_ctrl  
code\_mstr  
com\_mstr  
comd\_det  
cont\_mstr  
cost\_cal  
cp\_mstr  
cpc\_mstr  
cpcd\_det  
cph\_hist  
cr\_mstr  
crc\_ctrl  
cref\_mstr  
cs\_mstr  
csa\_mstr  
csbd\_det  
csc\_mstr  
csid\_det  
csil\_mstr  
csim\_mstr  
cslid\_det  
cslm\_mstr  
css\_mstr



# Index

oid\_emsg\_mstr  
oid\_en\_mstr  
oid\_encd\_det  
oid\_eng\_mstr  
oid\_eraw\_det  
oid\_ers\_mstr  
oid\_es\_mstr  
oid\_esc\_ctrl  
oid\_esh\_mstr  
oid\_esp\_mstr  
oid\_ess\_mstr  
oid\_et\_ctrl  
oid\_eu\_mstr  
oid\_euc\_ctrl  
oid\_eud\_det  
oid\_exc\_mstr  
oid\_excd\_det  
oid\_exr\_rate  
oid\_exru\_usage  
oid\_fa\_mstr  
oid\_faadj\_mstr  
oid\_fab\_det  
oid\_faba\_det  
oid\_fabch\_mstr  
oid\_fabchd\_det  
oid\_fabd\_det  
oid\_fabk\_mstr  
oid\_fac\_ctrl  
oid\_facd\_det  
oid\_fac\_l\_cal  
oid\_facld\_det  
oid\_facsl\_mstr  
oid\_fact\_ctrl  
oid\_fad\_det  
oid\_fadf\_mstr  
oid\_fal\_mstr  
oid\_faloc\_mstr  
oid\_famt\_mstr  
oid\_famtd\_det  
oid\_famtr\_mstr  
oid\_famtrd\_det  
oid\_fas\_ctrl  
oid\_fauop\_det  
oid\_fc\_det  
oid\_fcc\_mstr  
oid\_fcd\_mstr  
oid\_fcg\_mstr  
oid\_fcs\_sum  
oid\_fct\_mstr  
oid\_ff\_mstr  
oid\_fh\_mstr  
oid\_fis\_mstr  
oid\_fkt\_mstr  
oid\_flcr\_mstr  
oid\_flcrh\_hist  
oid\_fldf\_mstr  
oid\_flff\_mstr

# Table

emsg\_mstr  
en\_mstr  
encd\_det  
eng\_mstr  
eraw\_det  
ers\_mstr  
es\_mstr  
esc\_ctrl  
esh\_mstr  
esp\_mstr  
ess\_mstr  
et\_ctrl  
eu\_mstr  
euc\_ctrl  
eud\_det  
exc\_mstr  
excd\_det  
exr\_rate  
exru\_usage  
fa\_mstr  
faadj\_mstr  
fab\_det  
faba\_det  
fabch\_mstr  
fabchd\_det  
fabd\_det  
fabk\_mstr  
fac\_ctrl  
facd\_det  
fac\_l\_cal  
facld\_det  
facsl\_mstr  
fact\_ctrl  
fad\_det  
fadf\_mstr  
fal\_mstr  
faloc\_mstr  
famt\_mstr  
famtd\_det  
famtr\_mstr  
famtrd\_det  
fas\_ctrl  
fauop\_det  
fc\_det  
fcc\_mstr  
fcd\_mstr  
fcg\_mstr  
fcs\_sum  
fct\_mstr  
ff\_mstr  
fh\_mstr  
fis\_mstr  
fkt\_mstr  
flcr\_mstr  
flcrh\_hist  
fldf\_mstr  
flff\_mstr

**Index**

oid\_flh\_mstr  
 oid\_flp\_plan  
 oid\_flpw\_mstr  
 oid\_flsc\_mstr  
 oid\_flscd\_det  
 oid\_flsd\_det  
 oid\_fm\_mstr  
 oid\_fn\_mstr  
 oid\_fnd\_det  
 oid\_fnh\_hist  
 oid\_fp1\_plan  
 oid\_fp2\_plan  
 oid\_fp3\_plan  
 oid\_fpc\_mstr  
 oid\_fpci\_mstr  
 oid\_fpd\_cost  
 oid\_fpst\_mstr  
 oid\_fr\_mstr  
 oid\_frcd\_det  
 oid\_frd\_det  
 oid\_frm\_mstr  
 oid\_frzd\_det  
 oid\_fsc\_mstr  
 oid\_fsd\_det  
 oid\_fsh\_mstr  
 oid\_fslp\_pln  
 oid\_fsp1\_pln  
 oid\_fsp2\_pln  
 oid\_fsp3\_pln  
 oid\_fsu\_mstr  
 oid\_ft\_mstr  
 oid\_ftch\_hist  
 oid\_fwkc\_mstr  
 oid\_giap\_mstr  
 oid\_gimd\_mstr  
 oid\_gip\_det  
 oid\_gisi\_mstr  
 oid\_gl\_ctrl  
 oid\_glc\_cal  
 oid\_glcd\_det  
 oid\_glct\_det  
 oid\_glec\_det  
 oid\_glptr\_hist  
 oid\_glr\_mstr  
 oid\_glrd\_det  
 oid\_glsd\_mstr  
 oid\_glt\_det  
 oid\_gltm\_mstr  
 oid\_gltmd\_det  
 oid\_gltr\_hist  
 oid\_gltw\_wkfl  
 oid\_gr\_ctrl  
 oid\_gra\_mstr  
 oid\_grac\_det  
 oid\_grad\_det  
 oid\_gral\_det  
 oid\_gras\_det

**Table**

flh\_mstr  
 flp\_plan  
 flpw\_mstr  
 flsc\_mstr  
 flscd\_det  
 flsd\_det  
 fm\_mstr  
 fn\_mstr  
 fnd\_det  
 fnh\_hist  
 fp1\_plan  
 fp2\_plan  
 fp3\_plan  
 fpc\_mstr  
 fpci\_mstr  
 fpd\_cost  
 fpst\_mstr  
 fr\_mstr  
 frcd\_det  
 frd\_det  
 frm\_mstr  
 frzd\_det  
 fsc\_mstr  
 fsd\_det  
 fsh\_mstr  
 fslp\_pln  
 fsp1\_pln  
 fsp2\_pln  
 fsp3\_pln  
 fsu\_mstr  
 ft\_mstr  
 ftch\_hist  
 fwkc\_mstr  
 giap\_mstr  
 gimd\_mstr  
 gip\_det  
 gisi\_mstr  
 gl\_ctrl  
 glc\_cal  
 glcd\_det  
 glct\_det  
 glec\_det  
 glptr\_hist  
 glr\_mstr  
 glrd\_det  
 glsd\_mstr  
 glt\_det  
 gltm\_mstr  
 gltmd\_det  
 gltr\_hist  
 gltw\_wkfl  
 gr\_ctrl  
 gra\_mstr  
 grac\_det  
 grad\_det  
 gral\_det  
 gras\_det

# Index

oid\_grbg\_det  
oid\_grc\_mstr  
oid\_grcd\_det  
oid\_grdf\_mtx  
oid\_grhd\_det  
oid\_gri\_mstr  
oid\_grib\_det  
oid\_gric\_det  
oid\_grid\_det  
oid\_grig\_mtx  
oid\_grit\_wkf  
oid\_grqd\_det  
oid\_grr\_mstr  
oid\_grrd\_det  
oid\_grtx\_det  
oid\_grv\_det  
oid\_grx\_mstr  
oid\_grx1\_wkfl  
oid\_grx2\_wkfl  
oid\_grx3\_wkfl  
oid\_hd\_mstr  
oid\_hlp\_mstr  
oid\_ib\_det  
oid\_ibh\_hist  
oid\_icc\_ctrl  
oid\_idh\_hist  
oid\_idhlc\_hist  
oid\_idhr\_hist  
oid\_ie\_mstr  
oid\_iec\_ctrl  
oid\_ied\_det  
oid\_ieh\_hist  
oid\_ifs\_mstr  
oid\_ih\_hist  
oid\_ihcc\_hist  
oid\_ihr\_hist  
oid\_ild\_det  
oid\_ilg\_hist  
oid\_im\_mstr  
oid\_imap\_det  
oid\_img\_msg  
oid\_in\_mstr  
oid\_ind\_det  
oid\_ins\_mstr  
oid\_insd\_det  
oid\_ip\_mstr  
oid\_ipd\_det  
oid\_iph\_hist  
oid\_iraw\_det  
oid\_iro\_det  
oid\_is\_mstr  
oid\_isb\_mstr  
oid\_isd\_det  
oid\_isp\_mstr  
oid\_iss\_mstr  
oid\_isvc\_mstr  
oid\_itm\_det

# Table

grbg\_det  
grc\_mstr  
grcd\_det  
grdf\_mtx  
grhd\_det  
gri\_mstr  
grib\_det  
gric\_det  
grid\_det  
grig\_mtx  
grit\_wkf  
grqd\_det  
grr\_mstr  
grrd\_det  
grtx\_det  
grv\_det  
grx\_mstr  
grx1\_wkfl  
grx2\_wkfl  
grx3\_wkfl  
hd\_mstr  
hlp\_mstr  
ib\_det  
ibh\_hist  
icc\_ctrl  
idh\_hist  
idhlc\_hist  
idhr\_hist  
ie\_mstr  
iec\_ctrl  
ied\_det  
ieh\_hist  
ifs\_mstr  
ih\_hist  
ihcc\_hist  
ihr\_hist  
ild\_det  
ilg\_hist  
im\_mstr  
imap\_det  
img\_msg  
in\_mstr  
ind\_det  
ins\_mstr  
insd\_det  
ip\_mstr  
ipd\_det  
iph\_hist  
iraw\_det  
iro\_det  
is\_mstr  
isb\_mstr  
isd\_det  
isp\_mstr  
iss\_mstr  
isvc\_mstr  
itm\_det



**Index**

oid\_itmh\_hist  
 oid\_its\_mstr  
 oid\_itsd\_det  
 oid\_ivs\_ctrl  
 oid\_kbc\_ctrl  
 oid\_kbdt\_mstr  
 oid\_kbmd\_mstr  
 oid\_kbpp\_mstr  
 oid\_kbtr\_hist  
 oid\_kbtrd\_det  
 oid\_knb\_mstr  
 oid\_knbadc\_hist  
 oid\_knbcd\_det  
 oid\_knbd\_det  
 oid\_knbdd\_mstr  
 oid\_knbfd\_det  
 oid\_knbi\_mstr  
 oid\_knbism\_det  
 oid\_knbl\_det  
 oid\_knbrs\_mstr  
 oid\_knbs\_det  
 oid\_knbsm\_mstr  
 oid\_knp\_mstr  
 oid\_knpd\_det  
 oid\_lac\_ctrl  
 oid\_lacd\_det  
 oid\_lad\_det  
 oid\_lblc\_ctrl  
 oid\_lc\_mstr  
 oid\_ld\_det  
 oid\_lgs\_mstr  
 oid\_lgsi\_det  
 oid\_ln\_mstr  
 oid\_lna\_det  
 oid\_lnd\_det  
 oid\_lnf\_det  
 oid\_lng\_mstr  
 oid\_lngd\_det  
 oid\_loc\_mstr  
 oid\_locc\_det  
 oid\_lot\_mstr  
 oid\_lotw\_wkfl  
 oid\_ls\_mstr  
 oid\_ma\_mstr  
 oid\_max\_mstr  
 oid\_maxt\_det  
 oid\_mfc\_ctrl  
 oid\_mfrel\_mstr  
 oid\_mfsd\_det  
 oid\_mnd\_det  
 oid\_mnp\_det  
 oid\_mnt\_det  
 oid\_mp\_mstr  
 oid\_mpd\_det  
 oid\_mph\_hist  
 oid\_mpp\_det  
 oid\_mps\_mstr

**Table**

itmh\_hist  
 its\_mstr  
 itsd\_det  
 ivs\_ctrl  
 kbc\_ctrl  
 kbdt\_mstr  
 kbmd\_mstr  
 kbpp\_mstr  
 kbtr\_hist  
 kbtrd\_det  
 knb\_mstr  
 knbadc\_hist  
 knbcd\_det  
 knbd\_det  
 knbdd\_mstr  
 knbfd\_det  
 knbi\_mstr  
 knbism\_det  
 knbl\_det  
 knbrs\_mstr  
 knbs\_det  
 knbsm\_mstr  
 knp\_mstr  
 knpd\_det  
 lac\_ctrl  
 lacd\_det  
 lad\_det  
 lblc\_ctrl  
 lc\_mstr  
 ld\_det  
 lgs\_mstr  
 lgsi\_det  
 ln\_mstr  
 lna\_det  
 lnd\_det  
 lnf\_det  
 lng\_mstr  
 lngd\_det  
 loc\_mstr  
 locc\_det  
 lot\_mstr  
 lotw\_wkfl  
 ls\_mstr  
 ma\_mstr  
 max\_mstr  
 maxt\_det  
 mfc\_ctrl  
 mfrel\_mstr  
 mfsd\_det  
 mnd\_det  
 mnp\_det  
 mnt\_det  
 mp\_mstr  
 mpd\_det  
 mph\_hist  
 mpp\_det  
 mps\_mstr

# Index

oid\_mrp\_det  
oid\_mrpc\_ctrl  
oid\_mrpp\_det  
oid\_msg\_mstr  
oid\_mu\_mstr  
oid\_ncc\_ctrl  
oid\_nr\_mstr  
oid\_nrh\_hist  
oid\_oa\_det  
oid\_ocm\_mstr  
oid\_op\_hist  
oid\_opc\_ctrl  
oid\_opgl\_det  
oid\_opm\_mstr  
oid\_ops\_ctrl  
oid\_pac\_mstr  
oid\_pal\_mstr  
oid\_pald\_det  
oid\_pc\_mstr  
oid\_pcc\_ctrl  
oid\_pcd\_det  
oid\_pcl\_mstr  
oid\_pclld\_det  
oid\_pct\_mstr  
oid\_pfc\_det  
oid\_pfd\_det  
oid\_pgc\_ctrl  
oid\_pgh\_hist  
oid\_pgm\_det  
oid\_pi\_mstr  
oid\_pic\_ctrl  
oid\_pid\_det  
oid\_pig\_mstr  
oid\_pigc\_det  
oid\_pigp\_det  
oid\_pih\_hist  
oid\_pj\_mstr  
oid\_pjc\_ctrl  
oid\_pjd\_det  
oid\_pjs\_mstr  
oid\_pjsh\_hist  
oid\_pjsx\_det  
oid\_pjt\_mstr  
oid\_pk\_det  
oid\_pl\_mstr  
oid\_pld\_det  
oid\_pli\_mstr  
oid\_plid\_det  
oid\_plsd\_det  
oid\_plt\_det  
oid\_po\_mstr  
oid\_poc\_ctrl  
oid\_pod\_det  
oid\_pou\_mstr  
oid\_poul\_mstr  
oid\_pould\_det  
oid\_pp\_plan

# Table

mrp\_det  
mrpc\_ctrl  
mrpp\_det  
msg\_mstr  
mu\_mstr  
ncc\_ctrl  
nr\_mstr  
nrh\_hist  
oa\_det  
ocm\_mstr  
op\_hist  
opc\_ctrl  
opgl\_det  
opm\_mstr  
ops\_ctrl  
pac\_mstr  
pal\_mstr  
pald\_det  
pc\_mstr  
pcc\_ctrl  
pcd\_det  
pcl\_mstr  
pclld\_det  
pct\_mstr  
pfc\_det  
pfd\_det  
pgc\_ctrl  
pgh\_hist  
pgm\_det  
pi\_mstr  
pic\_ctrl  
pid\_det  
pig\_mstr  
pigc\_det  
pigp\_det  
pih\_hist  
pj\_mstr  
pjc\_ctrl  
pjd\_det  
pjs\_mstr  
pjsh\_hist  
pjsx\_det  
pjt\_mstr  
pk\_det  
pl\_mstr  
pld\_det  
pli\_mstr  
plid\_det  
plsd\_det  
plt\_det  
po\_mstr  
poc\_ctrl  
pod\_det  
pou\_mstr  
poul\_mstr  
pould\_det  
pp\_plan

**Index**

oid\_pq\_mstr  
 oid\_pr\_mstr  
 oid\_prd\_det  
 oid\_prh\_hist  
 oid\_prj\_mstr  
 oid\_ps\_mstr  
 oid\_pshc\_ctrl  
 oid\_pt\_mstr  
 oid\_pta\_det  
 oid\_ptc\_det  
 oid\_pth\_hist  
 oid\_ptls\_det  
 oid\_ptp\_det  
 oid\_ptqa\_det  
 oid\_ptr\_det  
 oid\_pts\_det  
 oid\_ptt\_det  
 oid\_ptv\_det  
 oid\_pvo\_mstr  
 oid\_pvod\_det  
 oid\_qad\_wkfl  
 oid\_qc\_mstr  
 oid\_qcc\_ctrl  
 oid\_qcd\_det  
 oid\_qcs\_mstr  
 oid\_qo\_mstr  
 oid\_qob\_det  
 oid\_qoc\_ctrl  
 oid\_qod\_det  
 oid\_qodr\_det  
 oid\_qor\_mstr  
 oid\_qps\_det  
 oid\_qqc\_ctrl  
 oid\_qr\_test  
 oid\_qro\_det  
 oid\_qtbl\_ext  
 oid\_rbm\_mstr  
 oid\_rcc\_mstr  
 oid\_rcf\_ctrl  
 oid\_rcs\_mstr  
 oid\_rcsd\_det  
 oid\_rcsx\_ref  
 oid\_rdf\_mstr  
 oid\_reg\_mstr  
 oid\_req\_det  
 oid\_rhd\_hist  
 oid\_rma\_mstr  
 oid\_rmc\_ctrl  
 oid\_rmd\_det  
 oid\_rnd\_mstr  
 oid\_ro\_det  
 oid\_rpc\_ctrl  
 oid\_rps\_mstr  
 oid\_rq\_mstr  
 oid\_rqa\_mstr  
 oid\_rqc\_mstr  
 oid\_rqcd\_det

**Table**

pq\_mstr  
 pr\_mstr  
 prd\_det  
 prh\_hist  
 prj\_mstr  
 ps\_mstr  
 pshc\_ctrl  
 pt\_mstr  
 pta\_det  
 ptc\_det  
 pth\_hist  
 ptls\_det  
 ptp\_det  
 ptqa\_det  
 ptr\_det  
 pts\_det  
 ptt\_det  
 ptv\_det  
 pvo\_mstr  
 pvod\_det  
 qad\_wkfl  
 qc\_mstr  
 qcc\_ctrl  
 qcd\_det  
 qcs\_mstr  
 qo\_mstr  
 qob\_det  
 qoc\_ctrl  
 qod\_det  
 qodr\_det  
 qor\_mstr  
 qps\_det  
 qqc\_ctrl  
 qr\_test  
 qro\_det  
 qtbl\_ext  
 rbm\_mstr  
 rcc\_mstr  
 rcf\_ctrl  
 rcs\_mstr  
 rcsd\_det  
 rcsx\_ref  
 rdf\_mstr  
 reg\_mstr  
 req\_det  
 rhd\_hist  
 rma\_mstr  
 rmc\_ctrl  
 rmd\_det  
 rnd\_mstr  
 ro\_det  
 rpc\_ctrl  
 rps\_mstr  
 rq\_mstr  
 rqa\_mstr  
 rqc\_mstr  
 rqcd\_det

# Index

oid\_rqd\_det  
oid\_rqda\_det  
oid\_rqf\_ctrl  
oid\_rqh\_hist  
oid\_rqj\_mstr  
oid\_rql\_mstr  
oid\_rqm\_det  
oid\_rqm\_mstr  
oid\_rqpo\_ref  
oid\_rqr\_mstr  
oid\_rs\_mstr  
oid\_rsc\_ctrl  
oid\_rsd\_det  
oid\_rsn\_ref  
oid\_rst\_mstr  
oid\_rstd\_det  
oid\_rsu\_mstr  
oid\_rsud\_det  
oid\_sa\_mstr  
oid\_sab\_det  
oid\_sac\_ctrl  
oid\_sad\_det  
oid\_sadh\_hist  
oid\_sah\_hist  
oid\_sal\_mstr  
oid\_salh\_hist  
oid\_sap\_det  
oid\_sar\_mstr  
oid\_sb\_mstr  
oid\_sbc\_mstr  
oid\_sbd\_det  
oid\_sbi\_mstr  
oid\_sbic\_ctl  
oid\_sbid\_det  
oid\_sc\_mstr  
oid\_sca\_mstr  
oid\_scc\_mstr  
oid\_sch\_mstr  
oid\_schd\_det  
oid\_sct\_det  
oid\_scx\_ref  
oid\_sd\_mstr  
oid\_sdt\_mstr  
oid\_sdt\_det  
oid\_seoc\_ctrl  
oid\_seq\_mstr  
oid\_sfb\_det  
oid\_sfh\_hist  
oid\_sg\_mstr  
oid\_sgad\_det  
oid\_sgcd\_det  
oid\_sgid\_det  
oid\_shc\_ctrl  
oid\_shd\_det  
oid\_shift\_det  
oid\_shm\_mstr  
oid\_shop\_cal

# Table

rqd\_det  
rqda\_det  
rqf\_ctrl  
rqh\_hist  
rqj\_mstr  
rql\_mstr  
rqm\_det  
rqm\_mstr  
rqpo\_ref  
rqr\_mstr  
rs\_mstr  
rsc\_ctrl  
rsd\_det  
rsn\_ref  
rst\_mstr  
rstd\_det  
rsu\_mstr  
rsud\_det  
sa\_mstr  
sab\_det  
sac\_ctrl  
sad\_det  
sadh\_hist  
sah\_hist  
sal\_mstr  
salh\_hist  
sap\_det  
sar\_mstr  
sb\_mstr  
sbc\_mstr  
sbd\_det  
sbi\_mstr  
sbic\_ctl  
sbid\_det  
sc\_mstr  
sca\_mstr  
scc\_mstr  
sch\_mstr  
schd\_det  
sct\_det  
scx\_ref  
sd\_mstr  
sdt\_mstr  
sdt\_det  
seoc\_ctrl  
seq\_mstr  
sfb\_det  
sfh\_hist  
sg\_mstr  
sgad\_det  
sgcd\_det  
sgid\_det  
shc\_ctrl  
shd\_det  
shift\_det  
shm\_mstr  
shop\_cal

**Index**

oid\_shp\_hist  
 oid\_shpc\_ctrl  
 oid\_shpd\_hist  
 oid\_shtr\_det  
 oid\_shv\_mstr  
 oid\_si\_mstr  
 oid\_sim\_det  
 oid\_six\_ref  
 oid\_slr\_mstr  
 oid\_slrd\_det  
 oid\_sm\_mstr  
 oid\_so\_mstr  
 oid\_sob\_det  
 oid\_soc\_ctrl  
 oid\_socc\_mstr  
 oid\_sod\_det  
 oid\_sodlc\_det  
 oid\_sodr\_det  
 oid\_sop\_det  
 oid\_sor\_mstr  
 oid\_sosr\_mstr  
 oid\_sosrd\_det  
 oid\_sp\_mstr  
 oid\_spc\_ctrl  
 oid\_spd\_det  
 oid\_sph\_hist  
 oid\_spt\_det  
 oid\_sr\_wkfl  
 oid\_src\_ctrl  
 oid\_sro\_mstr  
 oid\_sroc\_ctrl  
 oid\_srr\_mstr  
 oid\_ssd\_det  
 oid\_ssm\_mstr  
 oid\_sttq\_mstr  
 oid\_sttqd\_det  
 oid\_stx\_mstr  
 oid\_suf\_mstr  
 oid\_sufd\_det  
 oid\_sv\_mstr  
 oid\_svc\_ctrl  
 oid\_swc\_det  
 oid\_syp\_mstr  
 oid\_sypd\_det  
 oid\_sypj\_det  
 oid\_syps\_det  
 oid\_sytf\_mstr  
 oid\_tag\_mstr  
 oid\_tax\_mstr  
 oid\_taxd\_det  
 oid\_tbl\_mstr  
 oid\_tblc\_mstr  
 oid\_tblcd\_det  
 oid\_te\_mstr  
 oid\_tm\_mstr  
 oid\_tot\_mstr  
 oid\_totd\_det

**Table**

shp\_hist  
 shpc\_ctrl  
 shpd\_hist  
 shtr\_det  
 shv\_mstr  
 si\_mstr  
 sim\_det  
 six\_ref  
 slr\_mstr  
 slrd\_det  
 sm\_mstr  
 so\_mstr  
 sob\_det  
 soc\_ctrl  
 socc\_mstr  
 sod\_det  
 sodlc\_det  
 sodr\_det  
 sop\_det  
 sor\_mstr  
 sosr\_mstr  
 sosrd\_det  
 sp\_mstr  
 spc\_ctrl  
 spd\_det  
 sph\_hist  
 spt\_det  
 sr\_wkfl  
 src\_ctrl  
 sro\_mstr  
 sroc\_ctrl  
 srr\_mstr  
 ssd\_det  
 ssm\_mstr  
 sttq\_mstr  
 sttqd\_det  
 stx\_mstr  
 suf\_mstr  
 sufd\_det  
 sv\_mstr  
 svc\_ctrl  
 swc\_det  
 syp\_mstr  
 sypd\_det  
 sypj\_det  
 syps\_det  
 sytf\_mstr  
 tag\_mstr  
 tax\_mstr  
 taxd\_det  
 tbl\_mstr  
 tblc\_mstr  
 tblcd\_det  
 te\_mstr  
 tm\_mstr  
 tot\_mstr  
 totd\_det

| Index         | Table     |
|---------------|-----------|
| oid_tr_hist   | tr_hist   |
| oid_trcs_det  | trcs_det  |
| oid_trgl_det  | trgl_det  |
| oid_trl_mstr  | trl_mstr  |
| oid_trld_det  | trld_det  |
| oid_trq_mstr  | trq_mstr  |
| oid_tx2_mstr  | tx2_mstr  |
| oid_tx2d_det  | tx2d_det  |
| oid_txbd_det  | txbd_det  |
| oid_txc_ctrl  | txc_ctrl  |
| oid_txe_mstr  | txe_mstr  |
| oid_txed_det  | txed_det  |
| oid_txhd_det  | txhd_det  |
| oid_txr_mstr  | txr_mstr  |
| oid_txrd_det  | txrd_det  |
| oid_txz_mstr  | txz_mstr  |
| oid_typ_mstr  | typ_mstr  |
| oid_tzo_mstr  | tzo_mstr  |
| oid_tzod_det  | tzod_det  |
| oid_udd_det   | udd_det   |
| oid_ufd_det   | ufd_det   |
| oid_um_mstr   | um_mstr   |
| oid_umsg_det  | umsg_det  |
| oid_upd_det   | upd_det   |
| oid_url_mstr  | url_mstr  |
| oid_usg_det   | usg_det   |
| oid_usr_mstr  | usr_mstr  |
| oid_usrc_ctrl | usrc_ctrl |
| oid_usrl_det  | usrl_det  |
| oid_usrw_wkfl | usrw_wkfl |
| oid_vd_mstr   | vd_mstr   |
| oid_vdc_ctrl  | vdc_ctrl  |
| oid_vdf_mstr  | vdf_mstr  |
| oid_vec_mstr  | vec_mstr  |
| oid_vecd_det  | vecd_det  |
| oid_vee_mstr  | vee_mstr  |
| oid_vef_ctrl  | vef_ctrl  |
| oid_vep_mstr  | vep_mstr  |
| oid_vepd_det  | vepd_det  |
| oid_ver_mstr  | ver_mstr  |
| oid_verd_det  | verd_det  |
| oid_ves_mstr  | ves_mstr  |
| oid_vesd_det  | vesd_det  |
| oid_vew_mstr  | vew_mstr  |
| oid_vex_mstr  | vex_mstr  |
| oid_vo_mstr   | vo_mstr   |
| oid_vod_det   | vod_det   |
| oid_vp_mstr   | vp_mstr   |
| oid_vph_hist  | vph_hist  |
| oid_vpo_det   | vpo_det   |
| oid_vrc_ctrl  | vrc_ctrl  |
| oid_vt_mstr   | vt_mstr   |
| oid_vtc_ctrl  | vtc_ctrl  |
| oid_wc_mstr   | wc_mstr   |
| oid_wcr_route | wcr_route |
| oid_whl_mstr  | whl_mstr  |
| oid_wl_mstr   | wl_mstr   |

**Index**

oid\_wlbd\_det  
oid\_wlbm\_mstr  
oid\_wlc\_ctrl  
oid\_wld\_det  
oid\_wlrd\_det  
oid\_wlrm\_mstr  
oid\_wlt\_mstr  
oid\_wo\_mstr  
oid\_woc\_ctrl  
oid\_wod\_det  
oid\_wr\_route  
oid\_wtx\_mstr  
prj\_ship  
pt\_barcode1  
pt\_barcode2  
qo\_ship  
sad\_prefix\_type  
Site  
Site  
so\_ship  
sro\_ship  
tr\_nbr\_rmks\_type  
vd\_active  
vd\_datacomplete

**Table**

wlbd\_det  
wlbm\_mstr  
wlc\_ctrl  
wld\_det  
wlrd\_det  
wlrm\_mstr  
wlt\_mstr  
wo\_mstr  
woc\_ctrl  
wod\_det  
wr\_route  
wtx\_mstr  
prj\_mstr  
pt\_mstr  
pt\_mstr  
qo\_mstr  
sad\_det  
elg\_hist  
ilg\_hist  
so\_mstr  
sro\_mstr  
tr\_hist  
vd\_mstr  
vd\_mstr

## Deleted Tables

| Table Name | Description                               |
|------------|-------------------------------------------|
| atak_det   | Audit Trail Activated Key Detail          |
| atap_mstr  | Audit Trail Activated Profile Master      |
| atc_ctrl   | Audit Trail Control                       |
| aterr_mstr | Audit Trail Error Master                  |
| atgt_ref   | Audit Trail Group - Table Cross Reference |
| attmp_mstr | Audit Trail Temporary Master              |
| atwk_det   | Audit Trail Workbench Key Detail          |
| atwp_mstr  | Audit Trail Workbench Profile Master      |



## New Tables

| Table Name              | Table Description                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------|
| AAA_qadfinance_20080229 | DB Time Stamp                                                                                     |
| abspli_ref              | Purchase Order Shipper/Invoice Cross Reference                                                    |
| absp_det                | Subshipper PO Cross Reference                                                                     |
| abssc_det               | Shipper Validation Error Log                                                                      |
| absw_det                | ABS Lot/Serial Detail                                                                             |
| absx_det                | Subcontract Shipper PO Shipper Cross Reference                                                    |
| AcctIF                  | Acct IF                                                                                           |
| AcctIFFilter            | Acct IF Filter                                                                                    |
| actf_mstr               | Used to store information on table and the related account, sub-account & cost center field names |
| Activity                | Activity Line                                                                                     |
| ActivityClosing         | Activity Closing                                                                                  |
| ActivityGLMatrix        | Activity GL Matrix                                                                                |
| ActivitySaf             | Activity Saf                                                                                      |
| ActivitySheet           | Activity Sheet                                                                                    |
| Address                 | Address                                                                                           |
| AddressType             | Address Type                                                                                      |
| Agent                   | Salesperson                                                                                       |
| AIMW                    | Warehousing Work Table                                                                            |
| AlgoAssD                | Warehousing Algorithm Assignment Detail                                                           |
| AlgoAssM                | Warehousing Algorithm Assignment Master                                                           |
| AlgoM                   | Warehousing Algorithm Master                                                                      |
| AlgoTypeM               | Warehousing Algorithm Type Master                                                                 |
| Allocation              | Allocation Definition                                                                             |
| AllocationBatch         | Allocation Batch                                                                                  |
| AllocationBatchLine     | Allocation Batch Line                                                                             |
| AllocationLayer         | Allocation Layer                                                                                  |
| AllocationPosting       | Allocation Posting                                                                                |
| AllocationProportional  | Proportional Allocation                                                                           |
| AltTaskM                | Warehousing Alternate Task Master                                                                 |
| AltUMD                  | Warehousing Alternate Unit of Measure Detail                                                      |
| AltUMM                  | Warehousing Alternate Unit of Measure Master                                                      |
| APMatching              | Accounts Payable Matching                                                                         |
| APmatchingLn            | Accounts Payable Matching Line                                                                    |
| APMatchingLnRevTax      | Accounts Payable Matching Line Rev Tax                                                            |
| APMatchingLnTax         | Accounts Payable Matching Line Tax                                                                |
| ApproveStatusTrans      | Approve Status Trans                                                                              |
| AutoNumber              | Automatic Numbering                                                                               |
| BankAccFormat           | Bank Account Format                                                                               |
| BankAccFormatSect       | Bank Account Format Section                                                                       |
| BankFileFormat          | Bank File Format                                                                                  |
| BankFileFormatTransType | Bank File Format Transaction Type                                                                 |
| BankImp                 | Bank Import                                                                                       |
| BankImpLine             | Bank Import Line                                                                                  |
| BankImpLineLog          | Bank Import Line Log                                                                              |
| BankNumber              | Bank Number                                                                                       |
| BankNumberPayCode       | Bank Number Pay Format Code                                                                       |
| BankPayFormat           | Bank Pay Format                                                                                   |
| BankState               | Bank State                                                                                        |
| BankStateAlloc          | Bank State Allocation                                                                             |
| BankStateAllocColl      | Bank State Collection-Allocation                                                                  |
| BankStateImport         | Import Bank Statements                                                                            |

| Table Name              | Table Description                          |
|-------------------------|--------------------------------------------|
| BankStateLine           | Bank State Line                            |
| BankStateStageAlloc     | Bank State Stage Alloc                     |
| BatchPickC              | Warehousing Batch Picking Control          |
| BatchPickM              | Warehousing Batch Picking Master           |
| BLWIGroup               | BLIW Group                                 |
| Box1099                 | Box 1099                                   |
| Box1099PurchaseTypeLink | Box 1099 Purchase Type Link                |
| btrd_det                | Blocked Transaction Detail                 |
| btr_mstr                | Blocked Transaction Master                 |
| Budget                  | Budget                                     |
| BudgetCompany           | Budget Company                             |
| BudgetFDS               | Budget-COA                                 |
| BudgetGroup             | Budget-Group                               |
| BudgetLink              | BudgetLink; Budget Actuals and Commitments |
| BudgetLinkAcc           | Budget Accumulation by Period              |
| BudgetLinkAccDet        | Budget Accumulation by Subledger           |
| BudgetLinkActual        | Budget-Posting Link                        |
| BudgetLinkCommit        | Budget-Commitment Link                     |
| BudgetPeriod            | Budget-Period                              |
| BudgetReport            | BudgetReport                               |
| BudgetReportDetail      | BudgetReport                               |
| BudgetVersion           | Budget-Version                             |
| BudgetVersionFig        | BudgetVersionFigure                        |
| BudgetVersionGLFig      | Budget-Version-GL-Figures                  |
| BudgetWBS               | Budget Topic                               |
| BudgetWBSBusComponent   | Link Budget Topic-Component                |
| BudgetWBSItem           | Budget Topic Item                          |
| BudgetWBSRoster         | Budget Topic-Roster                        |
| BulkPickC               | Warehousing Bulk Pick Control              |
| BulkPickD               | Warehousing Bulk Pick Detail               |
| BulkPickDH              | Warehousing Bulk Pick Detail History       |
| BulkPickM               | Warehousing Bulk Pick Master               |
| BusArea                 | Business Area                              |
| BusAreaComponent        | Business Area - Business Component Link    |
| BusinessRelation        | Business Relation                          |
| BusRelationSafDefault   | Business Relation Saf Default              |
| cald_det                | Calendar Detail                            |
| CalendarD               | Warehousing Calendar Detail                |
| CalendarM               | Warehousing Calendar Master                |
| calh_det                | Calendar Holiday Detail                    |
| calm_mstr               | Calendar Master                            |
| cals_det                | Shift Detail                               |
| CashGroup               | Cash Group                                 |
| CashReport              | Cash Report                                |
| CashReportGL            | Cash Report GL                             |
| CashReportGLLine        | Cash Report GL Line                        |
| CBalance                | Supplier Balance                           |
| CCollection             | Supplier Collection                        |
| CDocInvoiceXrefStage    | CDocument Invoice Xref Stage               |
| CDocument               | Supplier-Document                          |
| CDocumentInvoiceXref    | Supplier-Document/Supplier-Invoice Xref    |
| CDocumentPostingLine    | Supplier Document Posting Line             |
| CDocumentStatus         | Supplier Document Status                   |
| ChargesD                | Warehousing Shipment Detail Charges        |
| CHist                   | Supplier History                           |
| CInvoice                | Supplier Invoice                           |
| CInvoiceBank            | Supplier Invoice: Bank Records             |

| Table Name           | Table Description                                        |
|----------------------|----------------------------------------------------------|
| CInvoiceBankPayCode  | CInvoice Bank Pay Code                                   |
| CInvoiceMovement     | Supplier Invoice: Movement records                       |
| CInvoicePO           | Link Supplier Invoice - PO (Matching)                    |
| CInvoicePosting      | Link Supplier Invoice - Posting                          |
| CInvoiceStage        | Supplier Invoice: Stage Records                          |
| CInvoiceVat          | Supplier Invoice: Tax Records                            |
| clatd_det            | UDF Attribute Value Detail                               |
| clat_mstr            | UDF Attribute Master                                     |
| Closing              | Closing                                                  |
| clsd_det             | UDF Class Table Detail                                   |
| clsf_mstr            | Classification Master                                    |
| CnvXref              | Temporary Table used for converting SCBA 3.1 to EFAS 5.0 |
| Company              | Entity                                                   |
| CompanyProperty      | Company Property                                         |
| CompanySharedSet     | Company Shared Set                                       |
| Consolid             | Consolidation                                            |
| ConsolidCycle        | Consolidation Cycle                                      |
| ConsolidCycleCompany | Consolid Cycle Company                                   |
| ConsolidCycleSaf     | Consolidation Cycle Saf                                  |
| ConsolidDivisionXref | Consolidation Sub-Account Cross-Reference                |
| ConsolidDump         | Consolidation Dump                                       |
| ConsolidGLXref       | Consolidation GL Cross-reference                         |
| ConsolidLayer        | Consolid Layer                                           |
| ConsolidPeriodXref   | Consolidation Period Cross-reference                     |
| ConsolidPostingXref  | Consolidation Posting Xref                               |
| Contact              | Contact                                                  |
| CorporateGroup       | Corporate Group                                          |
| CostCentre           | Cost Center                                              |
| CostCentreSafDefault | Cost Center SAF Default                                  |
| Country              | Country                                                  |
| CountryVatFormat     | Country Tax Format                                       |
| County               | County                                                   |
| CPay                 | C Pay                                                    |
| crd_det              | Call Reminder Detail Table                               |
| Creditor             | Supplier                                                 |
| CreditorSafDefault   | Supplier SAF Default                                     |
| CreditorType         | Supplier Type                                            |
| csd_det              | Service/Support Call Skill Detail                        |
| Currency             | Currency                                                 |
| CustInventM          | Warehousing Customer/Inventory Status Master             |
| CustPartM            | Warehousing Customer/Item Master                         |
| DashboardPeriod      | Dashboard Period                                         |
| DashboardWBS         | Dashboard WBS                                            |
| DBalance             | CustomerBalance                                          |
| DCollection          | Customer Collection                                      |
| DCollectionExport    | Customer Collection Export                               |
| DDocInvoiceXrefStage | DDocument Invoice Xref Stage                             |
| DDocument            | Customer-Document                                        |
| DDocumentInvoiceXref | Customer-Document/Customer-Invoice Xref                  |
| DDocumentPayCode     | DDocument Pay Code                                       |
| DDocumentPostingLine | Customer Document Posting Line                           |
| DDocumentStatus      | Customer Document Status                                 |
| Debtor               | Customer                                                 |
| DebtorCreditRating   | Debtor Credit Rating                                     |
| DebtorEndUser        | Customer End User                                        |
| DebtorSafDefault     | Customer SAF Default                                     |
| DebtorShipTo         | Customer Ship-To                                         |

| Table Name          | Table Description                                    |
|---------------------|------------------------------------------------------|
| DebtorType          | Customer Type                                        |
| ded_det             | Data Entry Detail                                    |
| deed_det            | Data Entry Extension Detail                          |
| dee_mstr            | Data Entry Extension Master                          |
| defc_det            | Data Entry Frame Sequence Condition Detail           |
| defd_det            | Data Entry Frame Detail                              |
| deff_det            | Data Entry Frame Field Detail                        |
| defl_det            | Data Entry Field Detail                              |
| defs_det            | Data Entry Frame Sequence Detail                     |
| DeliveryCond        | DeliveryCondition                                    |
| dep_mstr            | Data Entry Profile Master                            |
| deu_det             | Data Entry User Detail                               |
| de_mstr             | Data Entry Master                                    |
| DHist               | Customer History                                     |
| DInvoice            | Customer Invoice                                     |
| DInvoiceBank        | Customer Invoice: Bank Records                       |
| DInvoiceBankPayCode | DInvoice Bank Pay Code                               |
| DInvoiceMovement    | Customer Invoice: Movement Records                   |
| DInvoiceOpInfo      | Customer Invoice: Operational Information References |
| DInvoicePosting     | Link Customer Invoice - Posting                      |
| DInvoiceShipper     | Customer Invoice: Shipper References                 |
| DInvoiceStage       | Customer Invoice: Stage Records                      |
| DInvoiceVat         | Customer Invoice: Tax Records                        |
| Division            | Sub-Account                                          |
| DomainProperty      | Domain Property                                      |
| Domains             | Domain                                               |
| DomainSharedSet     | Domain Shared Set                                    |
| DPay                | D Pay                                                |
| DPaySelPayCode      | Debtor Payment Selection Pay Code                    |
| dvfv_det            | Data Validation Field Value Detail                   |
| dvf_det             | Data Validation Field Detail                         |
| dvshx_ref           | Data Validation Rule Cross Reference                 |
| dv_mstr             | Data Validation Master                               |
| dybs_mstr           | Daybook Set Master                                   |
| Employee            | Employee                                             |
| EmployeeHoliday     | Employee Holiday                                     |
| EmployeeRegulation  | Employee Regulation                                  |
| EmployeeSafDefault  | Employee Saf Default                                 |
| EngineC             | Warehousing Engine Processing Control                |
| EngineH             | Warehousing Engine Processing History                |
| EngineW             | Warehousing Engine Work Table                        |
| ERAssD              | Warehousing External Routing Assignment Detail       |
| ERD                 | Warehousing External Routing Detail                  |
| ERM                 | Warehousing External Routing Master                  |
| eus_mstr            | Service/Support End User Schedule Master             |
| EventDaemon         | Event daemon                                         |
| ExchangeRate        | Exchange Rate                                        |
| ExchangeRateType    | Exchange Rate Type                                   |
| ExpenseCode         | Expense Code                                         |
| ExpenseGLMatrix     | Expense GL Matrix                                    |
| ExpNoteCInvoice     | Exp Note SInvoice                                    |
| ExpNoteLineSaf      | Expense Note Line Saf                                |
| FAAssetBookDeprec   | Asset Book Depreciations                             |
| FAAssetGLSaf        | FA Asset Book GL SAF                                 |
| FAAssetSaf          | Asset Saf                                            |
| FAAssetTypeFABook   | FA Asset Types with Books Cross-reference            |
| FACapitalAssetBook  | Fixed Asset Capitalisation Asset Book                |

| Table Name            | Table Description                              |
|-----------------------|------------------------------------------------|
| FADepreciationDetSaf  | Depreciation Detail Safs                       |
| FADepreciationPosting | Depreciation Posting                           |
| FADisposalDetSaf      | Fixed Asset Disposal Detail Saf                |
| FARevalDetSaf         | FA Revaluation Detail SAF                      |
| FARevalPosting        | FA Revaluation Posting                         |
| FavBusComponent       | Favorites                                      |
| fcDraftInstanceData   | draft instance                                 |
| fcldmObject           | IDOM document                                  |
| fcInstance            | State                                          |
| fldattr_mstr          | Field Attribute Master                         |
| fspd_det              | Service/Support Parts List Detail              |
| genfldd_det           | Generic Field Detail                           |
| GL                    | General Ledger                                 |
| GLCalendar            | GL Calendar                                    |
| glcor_ctrl            | GL Correction Control File                     |
| GLMask                | GL Mask                                        |
| GLMirror              | GL Mirror                                      |
| GLOpenItem            | GL-Open-Item                                   |
| GLOpenItemMovement    | GL-Open-Item-Movement                          |
| GLReportLink          | GL Report Link                                 |
| GLSafDefault          | GL Saf Default                                 |
| GLSystemType          | GL System Type                                 |
| GLType                | GL Type                                        |
| gtidh_hist            | Golden Tax Invoice History Detail              |
| gtih_hist             | Golden Tax Invoice History Master              |
| gtnbr_det             | Golden Tax Invoice Cross Reference             |
| gt_ctrl               | Golden Tax Control                             |
| HoldM                 | Warehousing Hold Master                        |
| iach_hist             | Inventory Consumption History                  |
| iac_ctrl              | Obsolete Inventory Control Parameters          |
| iad_mstr              | Obsolete Inventory Depreciation Rate Master    |
| iaod_det              | Output File Field Detail                       |
| iao_mstr              | Output File Master                             |
| iasd_det              | Obsolete Inventory Control Site Detail         |
| iatd_det              | Inventory Type Field Detail                    |
| iat_mstr              | Inventory Type Master                          |
| iepl_ctrl             | Poland Intrastat Declaration Control           |
| Industry              | Industry                                       |
| InspC                 | Warehousing Inspection Control                 |
| InspH                 | Warehousing Inspection History                 |
| InspInvD              | Warehousing Inspected Inventory Detail         |
| InstallNetImport      | Install Net Import                             |
| InterWLGm             | Warehousing Inter Work Location Group Master   |
| Intrastat             | Intrastat                                      |
| InventHM              | Warehousing Inventory History Master           |
| InventM               | Warehousing Inventory Master                   |
| IRAssD                | Warehousing Internal Routing Assignment Detail |
| IRD                   | Warehousing Internal Routing Detail            |
| IRGroupM              | Warehousing Internal Routing Group Master      |
| IRM                   | Warehousing Internal Routing Master            |
| ISetup                | Intrastat Setup                                |
| ItemSafDefault        | Item Saf Default                               |
| ItemUnit              | Item Unit                                      |
| ItemVatLevel          | Item Tax Level                                 |
| ItemWarehouse         | Item Warehouse                                 |
| Journal               | Daybook                                        |
| JournalType           | Daybook Type                                   |

**Table Name**

kenb\_det  
 kia\_mstr  
 knble\_det  
 kstc\_det  
 LabourC  
 LaneAssD  
 LaneAssM  
 LaneGroupD  
 LaneGroupM  
 LaneM  
 Layer  
 lgdc\_ctrl  
 lgdd\_det  
 lgdnr\_det  
 lgdtx\_det  
 lgd\_mstr  
 Lng  
 LoadD  
 LoadM  
 LoadMasterM  
 LoadSAddrD  
 LoadSetupM  
 LoadSItemD  
 LocalExitC  
 LocDefD  
 LocDefM  
 LocForD  
 LocM  
 LocUMM  
 LocW  
 ManhourSurcharge  
 MirroringGL  
 MirroringJournal  
 MsgBrokerSetting  
 Nomenclature  
 nsoc\_ctrl  
 ObjectStatus  
 OrdAllocD  
 OrdAllocH  
 OrderD  
 OrderM  
 OrderSelD  
 OrderSelM  
 PartSLGM  
 PartWhseM  
 PayFormatCode  
 PayFormatGroup  
 PayFormatType  
 PaymentCondition  
 PaymentConditionStaged  
 PaymentGroup  
 PaySel  
 PaySelHistory  
 PaySelLine  
 PaySelLineStage  
 PaySelPayCode  
 PaySelPrepay

**Table Description**

Ending Inventory Balance and Cost by Location  
 Inventory Account Change Master  
 Kanban Loop Event Detail  
 Ending Inventory Balance by Site  
 Warehousing Labour Management Control  
 Warehousing Lane Assignment Detail  
 Warehousing Lane Assignment Master  
 Warehousing Lane Group Detail  
 Warehousing Lane Group Master  
 Warehousing Lane Master  
 Layer  
 Legal Document Control  
 Legal Document Detail Table  
 Legal Document Address and Sequence ID Detail  
 Legal Document Tax Usage of Simultaneous Operation Setup Detail  
 Legal Document Master  
 Language  
 Warehousing Load Detail  
 Warehousing Load Master  
 Warehousing Load Master Master  
 Warehousing Load Setup Address Detail  
 Warehousing Load Setup Master  
 Warehousing Load Setup Item Detail  
 Warehousing Local Exit Routine Control  
 Warehousing Location Definition Detail  
 Warehousing Location Definition Master  
 Warehousing Location Forecast Detail  
 Warehousing Location Master  
 Warehousing Location Unit of Measure Master  
 Warehousing Location Work Table  
 Manhour Surcharge  
 Mirroring Account  
 Mirroring Daybook  
 Message Broker Setting  
 Nomenclature  
 Non-Sales Order Control  
 Object Status  
 Warehousing Order Allocation Detail  
 Warehousing Order Allocation History  
 Warehousing Order Detail  
 Warehousing Order Master  
 Warehousing Order Batch Selection Detail  
 Warehousing Order Batch Selection Master  
 Warehousing Item/Storage Location Group Master  
 Warehousing Item/Warehouse Master  
 Pay Format Code  
 Pay Format Group  
 Pay Format Type  
 Credit Terms  
 Staged Payment  
 Payment Group  
 Payment Selection  
 Pay Sel Hist  
 Payment Selection Line  
 Payment Selection Line Stage  
 Payment Selection Pay Code  
 Payment Selection Prepayment

| Table Name         | Table Description                         |
|--------------------|-------------------------------------------|
| Period             | GL Period                                 |
| PeriodMark         | Period Mark                               |
| pliabs_ref         | Legal Document Cross-Reference            |
| poad_det           | Purchase Order Allocation Detail          |
| poa_mstr           | Purchase Order Allocation Master          |
| Posting            | Posting                                   |
| PostingHist        | Posting History                           |
| PostingLine        | Posting Line                              |
| PostingSaf         | Posting Saf                               |
| PostingSafCombined | Posting Saf Combined                      |
| PostingSafHist     | Posting Hist SAF                          |
| PostingTemplate    | Posting Template                          |
| PostingVat         | Posting Tax                               |
| PostingVatDelay    | Posting Tax Delayed                       |
| PrefixC            | Warehousing Prefix Set Control            |
| PreInvoiceBank     | Pre-Invoice Bank                          |
| PreInvoiceLineDet  | Pre-Invoice Line Detail                   |
| PreInvoiceLineSaf  | Pre-Invoice Line SAF                      |
| PreInvoiceLineXRef | Pre-Invoice Line SO Line Plan             |
| PreInvoiceRev      | Pre-Invoice Revision                      |
| PreInvoiceSaf      | Pre-Invoice Saf                           |
| PreInvoiceStage    | Pre-Invoice Stage                         |
| Price              | Price                                     |
| Profile            | Profile                                   |
| ProfileLink        | Profile Link                              |
| ProfileType        | Profile Type                              |
| Project            | Project                                   |
| ProjectGroup       | Project Group                             |
| ProjectRevCalc     | Project Revenue Calculation               |
| ProjectRevCode     | Project Revenue Code                      |
| ProjectSafDefault  | Project Saf Default                       |
| ProjectStatus      | Project Status                            |
| pti_det            | Item Inventory Data                       |
| ptre_det           | Item Replacement Detail                   |
| PurchaseCode       | Purchase Code                             |
| PurchaseGLMatrix   | Purchase GL Matrix                        |
| PurchaseType       | Purchase Type                             |
| qaddb_ver          | Table name identifies the database type.  |
| QPostingSaf        | Queue Posting Saf (Queue for Daemon)      |
| Reason             | Invoice Status Code                       |
| RecEntry           | Recurring Entry                           |
| RecEntryLine       | Recurring Entry Line                      |
| RegulationPlan     | Regulation Plan                           |
| RelStatM           | Warehousing Release Status Master         |
| ReplenC            | Warehousing Replenishment Control         |
| RepListD           | Warehousing Replenishment List Detail     |
| RepListM           | Warehousing Replenishment List Master     |
| RepLocM            | Warehousing Replenishment Location Master |
| ReportPeriod       | Reporting Period                          |
| RepSLGM            | Warehousing Replenishment SLG Master      |
| Resources          | Resource                                  |
| Reval              | Revaluation                               |
| RevalDet           | Revaluation Detail                        |
| RevalGL            | Revaluation GL                            |
| RevalGLSafCombined | Revaluation Saf Combined                  |
| RevalHeader        | Revaluation Header                        |
| RevalRate          | Revaluation Rate                          |

| Table Name        | Table Description                                         |
|-------------------|-----------------------------------------------------------|
| RevisionIndex     | Revision Index                                            |
| RGD               | Warehousing Release Group Detail                          |
| RGM               | Warehousing Release Group Master                          |
| rndc_mstr         | Country Code and Currency with Rounding Method            |
| Role              | Role                                                      |
| RoleResource      | Link Role-Resource                                        |
| RoundingMethod    | Rounding Method                                           |
| RunD              | Warehousing Program Execution Detail                      |
| Saf               | Saf                                                       |
| SafConcept        | Saf Concept                                               |
| SafStructure      | Saf Structure                                             |
| SafStructureLine  | Saf Structure Line                                        |
| SafStructureLink  | Saf Structure Link                                        |
| SalesCode         | Sales Code                                                |
| SalesGLMatrix     | Sales GL Matrix                                           |
| scs_ctrl          | Subcontract Shipping Control                              |
| SharedSet         | Shared Set                                                |
| SharedSetMergeLog | Shared Set Merge Log                                      |
| SharedSetProp     | Shared Set Property                                       |
| SharedSetType     | Shared Set Type                                           |
| shcd_det          | Shipper Control Detail Default Export Directories         |
| ShipViaM          | Warehousing Ship Via/Service Master                       |
| ShortcutAct       | shortcut key                                              |
| shphr_det         | Data Validation Rule Master                               |
| shphvd_det        | Field Validation Allowed Value Detail                     |
| shphvpv_det       | Validation/Prompt Location Detail                         |
| shphv_det         | Rule Field Validation Detail                              |
| SLGListD          | Warehousing Storage Location Group List Detail            |
| SLGListM          | Warehousing Storage Location Group List Master            |
| SLGM              | Warehousing Storage Location Group Master                 |
| SLGUMD            | Warehousing Storage Location Group/Unit of Measure Detail |
| sodctg_mstr       | Segregation Of Duties Category Master                     |
| sodm_det          | Segregation Of Duties Category Matrix                     |
| sodped_det        | Segregation Of Duties Policy Exception Detail             |
| sodpe_mstr        | Segregation Of Duties Policy Exception Master             |
| sodv_hist         | Segregation Of Duties Violation Log                       |
| SOGuarantee       | Sales Order Guarantee                                     |
| SOLineItem        | SO Line Item                                              |
| SOLineSaf         | Sales Order Line SAF                                      |
| SORrevision       | Sales Order Revisions                                     |
| SOSaf             | Sales Order SAF                                           |
| SOStage           | Sales Order Stage                                         |
| State             | State                                                     |
| Statistic         | Statistical Code                                          |
| SysProperty       | System Property                                           |
| Syst              | System                                                    |
| SystemC           | Warehousing System Control                                |
| TaskAssD          | Warehousing Task Assignment Detail                        |
| TaskAssM          | Warehousing Task Assignment Master                        |
| TaskD             | Warehousing Task Detail                                   |
| TaskM             | Warehousing Task Master                                   |
| TemplateD         | Warehousing Printer Template Detail                       |
| TemplateM         | Warehousing Printer Template Master                       |
| TrackingD         | Warehousing Packaging Tracking Detail                     |
| TranD             | Warehousing Transaction Detail                            |
| TranH             | Warehousing Transaction History                           |
| TransactionType   | Transaction Type                                          |



| Table Name        | Table Description                            |
|-------------------|----------------------------------------------|
| TransportMeans    | Means Of Transport                           |
| TranTypeM         | Warehousing Transaction Type Master          |
| TranW             | Warehousing Transaction Work Table           |
| txcl_mstr         | Tax Class Master                             |
| txenv_mstr        | Tax Class Master                             |
| txty_mstr         | Tax Type Master                              |
| txu_mstr          | Tax Usage Master                             |
| udfcls_mstr       | UDF Class Master                             |
| udfclud_det       | UDF Class Use Table                          |
| UMGroupD          | Warehousing Unit of Measure Group Detail     |
| UMGroupM          | Warehousing Unit of Measure Group Master     |
| urd_det           | Update Restriction Detail                    |
| ursc_det          | Update Status Code Detail                    |
| ur_mstr           | Update Restriction Master                    |
| UserD             | Warehousing RF User Detail                   |
| UserGroupD        | Warehousing RF User Group Detail             |
| UserGroupM        | Warehousing RF User Group Master             |
| UserM             | Warehousing RF User Master                   |
| UserSysM          | Warehousing User System Code Security Master |
| UserWLGm          | Warehousing User/Work Location Group Master  |
| Usr               | User                                         |
| UsrCompany        | Link User-Company                            |
| UsrDomain         | Link User-Domain                             |
| usrgm_det         | Role Compatibility Matrix                    |
| UsrProperty       | User Property                                |
| UsrRole           | Link User-Role                               |
| UsrRoleCompany    | Link User-Role-Company                       |
| UsrRoleDomain     | Link User-Role-Domain                        |
| UsrRoleScope      | Link User-Role Scope                         |
| Vat               | Tax                                          |
| VatBox            | Tax Box                                      |
| VatExport         | Tax Export                                   |
| VatGroup          | Tax Group                                    |
| VatGroupBoxLink   | Tax Group Box Link                           |
| VatNumber         | Tax Number                                   |
| VatPercent        | Tax Percent                                  |
| VatPercentLine    | Tax Percent Line                             |
| VatPeriod         | Tax Period                                   |
| VatRule           | Tax Rule                                     |
| VendPartM         | Warehousing Supplier/Item Master             |
| VerbH             | Warehousing Verbosity History                |
| VerifyStatusTrans | Verify Status Trans                          |
| vw_mstr           | Viewer Enabled Fields Master                 |
| WarehouseCompany  | Warehouse Company                            |
| WarehouseLocation | Warehouse Location                           |
| WaveC             | Warehousing Wave Control                     |
| WaveD             | Warehousing Wave Detail                      |
| WaveLoadD         | Warehousing Wave Load Detail                 |
| WaveM             | Warehousing Wave Master                      |
| WaveMasterM       | Warehousing Wave Master Master               |
| WaveTranspC       | Warehousing Wave Transportation Control      |
| WhseC             | Warehouse Control                            |
| WhseListD         | Warehouse Master List Detail                 |
| WhseListM         | Warehouse Master List Master                 |
| WhseM             | Warehouse Master                             |
| WhseTferOrdD      | Warehouse Transfer Order Detail              |
| WhseTferOrdM      | Warehouse Transfer Order Master              |

| Table Name  | Table Description                   |
|-------------|-------------------------------------|
| WhseTrTypeM | Warehouse/Transaction Type Master   |
| WLGm        | Work Location Group Master          |
| WorkLoadD   | Warehousing Work Load Group Details |
| WorkLoadM   | Warehousing Work Load Group Master  |
| YearClosing | Year Closing                        |

# Index of Table Descriptions

## A

ABS Lot/Serial Detail 16  
Account Default Master 21  
Account Master 28  
Account/Sub-Account/Cost Center Master 65  
Accounts Payable Control 51  
Accounts Payable Matching 52  
Accounts Payable Matching Line 53  
Accounts Payable Matching Line Rev Tax 55  
Accounts Payable Matching Line Tax 55  
Accounts Receivable Control 61  
Accounts Receivable Detail 62  
Acct IF 20  
Acct IF Filter 20  
Action Message Detail 602  
Activity Closing 25  
Activity GL Matrix 26  
Activity Line 24  
Activity Saf 26  
Activity Sheet 27  
Address 29  
Address Control 29  
Address List Detail 581  
Address Master 33  
Address Type 31  
Advanced Pricing Management Control 57  
Advanced Pricing Management Customer Relationship Master 56  
Allocation Account Detail 37  
Allocation Account Master 48  
Allocation Batch 42  
Allocation Batch Line 43  
Allocation Definition 42  
Allocation Layer 43  
Allocation Posting 44  
Alternate Container Master 27  
Analysis Code Exploded Detail 50  
Analysis Code Link Detail 49

Analysis Code Master 50  
Analysis Code Selection Detail 49  
Application Code Master 22  
Application Definition Master 411  
Application Parameter Master 58  
Application Registry 59  
Application Return Code Master 63  
Application Usage Detail 992  
Approve Status Trans 58  
ASN/BOL/Shipper Master 17  
Asset Book Depreciations 347  
Asset Saf 348  
Associated Item Detail 710  
Audit Detail 68  
Audit Trail Database Connection Detail 66  
Audit Trail Database Connection Master 66  
Audit Trail Group Master 67  
Audit Trail Table Master 68  
Automatic Lot Master 45  
Automatic Numbering 69  
Available-to-Promise Detail 67

## B

Bank Account Format 70  
Bank Account Format Section 70  
Bank File Format 71  
Bank File Format Transaction Type 71  
Bank Import 71  
Bank Import Line 72  
Bank Import Line Log 73  
Bank Number 73  
Bank Number Pay Format Code 75  
Bank Pay Format 75  
Bank State 76  
Bank State Allocation 77  
Bank State Collection-Allocation 78  
Bank State Line 79  
Blocked Transaction Detail 92

## Database Definitions

Blocked Transaction Master 92  
Budget 92  
Budget Accumulation by Period 96  
Budget Accumulation by Subledger 96  
Budget Actuals and Commitments 95  
Budget Company 94  
Budget Topic 112  
Budget Topic Item 114  
Budget Topic-Roster 115  
Budget-COA 95  
Budget-Commitment Link 98  
Budget-Group 95  
BudgetLink 95  
Budget-Period 99  
Budget-Posting Link 97  
BudgetReport 99, 100  
Budget-Version 101  
BudgetVersionFigure 103  
Budget-Version-GL-Figures 107  
Business Area 122  
Business Area - Business Component Link 122  
Business Relation 122  
Business Relation Saf Default 124

## C

C Pay 205  
Calendar Detail 127, 131  
Calendar Holiday Detail 129  
Calendar Master 129  
Call Reminder Detail Table 208  
Carrier Control 208  
Cash Group 132  
Cash Report 132  
Cash Report GL 133  
Cash Report GL Line 134  
CDocument Invoice Xref Stage 149  
Cinvoice Bank Pay Code 164  
Classification Master 171  
Closing 170  
Commodity Code Detail 187  
Commodity Code Master 191  
Company Property 188  
Company Shared Set 190  
Compliance Control 169  
Consigned Shipment Inventory Cross-Reference Master 178  
Consolid Cycle Company 192  
Consolid Layer 195  
Consolidation 191  
Consolidation Cycle 192  
Consolidation Cycle Saf 193  
Consolidation Dump 194

Consolidation GL Cross-reference 195  
Consolidation Period Cross-reference 195  
Consolidation Posting Xref 196  
Consolidation Sub-Account Cross-Reference 193  
Contact 196  
Container Charge Type Master 146  
Container Item Detail 711  
Container Type Master 197  
Container/Line Charge Control 143  
Container/Line Charge Ship-From/Ship-To Control Master 143  
Control Work Table 584  
Controlled Substance Authority Master 213  
Controlled Substance Customer Master 213  
Controlled Substance General License Master 217  
Controlled Substance Individual License Detail 217  
Controlled Substance Individual License Master 215  
Controlled Substance Item Detail 215  
Controlled Substance Item Master 216  
Controlled Substance Site Master 219  
Co-product/By-product Average Cost Master 22  
Corporate Group 198  
Correction Invoice Link Detail 159  
Correction Invoice Link Master 160  
Cost Center 199  
Cost Center Master 147  
Cost Center SAF Default 201  
Cost Set Calendar 201  
Cost Set Master 220  
Cost Simulation Master 849  
Cost Simulation Total Detail 847  
Cost Simulation Work Center Detail 925  
Country 202  
Country Code and Currency with Rounding Method 785  
Country Master 220  
Country Tax Format 203  
County 203  
Credit Card Control 139  
Credit Card Transaction History 145  
Credit Terms 625  
Credit Terms Detail 220  
Credit Terms Master 221  
Currency 222  
Currency Master 226  
Customer 232, 236  
Customer Collection 230  
Customer Collection Export 232  
Customer Consignment Control 182  
Customer Consignment Shipment Usage Detail 180  
Customer Consignment Shipment Usage Master 181  
Customer Consignment Ship-To/Item Master 179

Customer Control 172  
 Customer Document Posting Line 235  
 Customer Document Status 236  
 Customer End User 239  
 Customer History 252  
 Customer Invoice 254  
     Bank Records 257  
     Movement Records 258  
     Operational Information References 259  
     Shipper References 260  
     Stage Records 261  
     Tax Records 261  
 Customer Item Master 207  
 Customer Master 175  
 Customer Period Calendar Detail 205  
 Customer Period Calendar Master 206  
 Customer SAF Default 240  
 Customer Sales History 173  
 Customer Schedule Master 754  
 Customer Sequence Schedule Control 750  
 Customer Sequence Schedule Cross-Reference 753  
 Customer Sequence Schedule Detail 751  
 Customer Sequence Schedule Master 749  
 Customer Ship-To 240  
 Customer Type 241  
 Customer/Item Sales History 206  
 Customer/Ship-To Shipment Controls Master 843  
 CustomerBalance 229  
 Customer-Document 233  
 Customer-Document/Customer-Invoice Xref 235

## D

D Pay 266  
 Dashboard Period 228  
 Dashboard WBS 229  
 Data Entry Detail 243  
 Data Entry Extension Detail 243  
 Data Entry Extension Master 244  
 Data Entry Field Detail 246  
 Data Entry Frame Detail 245  
 Data Entry Frame Field Detail 245  
 Data Entry Frame Sequence Condition Detail 244  
 Data Entry Frame Sequence Detail 248  
 Data Entry Master 251  
 Data Entry Profile Master 250  
 Data Entry User Detail 251  
 Data Validation Field Detail 275  
 Data Validation Field Value Detail 274  
 Data Validation Master 276  
 Data Validation Rule Cross Reference 275  
 Data Validation Rule Master 868  
 Database Connection Master 232

Database Control for QADDB 732  
 Database Revision Control Master 230  
 Daybook 513  
 Daybook Set Master 276  
 Daybook Type 514  
 DB Time Stamp 8  
 Debtor Credit Rating 239  
 Debtor Payment Selection Pay Code 267  
 Declarant Master 242  
 Delivery Time Master 249  
 DeliveryCondition 249  
 Department Master 267  
 Depreciation Detail Safs 358  
 Depreciation Posting 359  
 Destination Application List Detail 226  
 Destination Application List Master 227  
 DInvoice Bank Pay Code 257  
 Distributed Site Order Detail 272  
 Distributed Site Order Master 271  
 Distributed Site Requisition Detail 269  
 Distributed Site Requisition Master 270  
 Distribution Requirements Planning Control 268  
 Document Invoice Xref Stage 233  
 Document Pay Code 235  
 Document Print Format Master 252  
 Domain 265  
 Domain Master 266  
 Domain Property 265  
 Domain Shared Set 266  
 draft instance 371  
 Draft Management Work Table 264

## E

Earnings Master 278  
 E-mail Master 305  
 Employee 299  
 Employee Holiday 301  
 Employee Master 302  
 Employee Regulation 301  
 Employee Saf Default 302  
 EMU Control 336  
 Ending Inventory Balance and Cost by Location 521  
 Ending Inventory Balance by Site 538  
 Engineering Change Approval Detail 283  
 Engineering Change Approval Master 279  
 Engineering Change Item Detail 284  
 Engineering Change Master 286  
 Engineering Change Master Lists 285  
 Engineering Change Product Structure Detail 279  
 Engineering Change Routing Detail 280  
 Engineering Change Text File Detail 281  
 Engineering Change Type Master 287

## Database Definitions

Enterprise Material Transfer Change Management  
Detail 172  
Enterprise Material Transfer Change Management  
Master 173  
Entity 188  
Entity Master 312  
E-Signature Activated Profile 322  
E-Signature Activated Profile Field 320  
E-Signature Activated Profile Filter 318  
E-Signature Activated Profile Filter Criteria 318  
E-Signature Activated Profile Filter Set 320  
E-Signature Activated Profile Menu Program Cross-  
Reference 321  
E-Signature Activated Profile Structure 321  
E-Signature Category Detail 323  
E-Signature Category Filter Cross-Reference 323  
E-Signature Category Master 322  
E-Signature Category XML Detail 324  
E-Signature Filter 325  
E-Signature Group Category Cross-Reference 325  
E-Signature Master 326  
E-Signature Record List 329  
E-Signature Workbench Profile 333  
E-Signature Workbench Profile Field 331  
E-Signature Workbench Profile Filter 330  
E-Signature Workbench Profile Filter Criteria 330  
E-Signature Workbench Profile Filter Set 331  
E-Signature Workbench Profile Menu Program Cross-  
Reference 332  
E-Signature Workbench Profile Structure 332  
Evaluated Receipts Settlement Master 317  
Event daemon 341  
Exchange Rate 341  
Exchange Rate Master 344  
Exchange Rate Type 342  
Exp Note SInvoice 344  
Expense Code 343  
Expense GL Matrix 343  
Expense Note Line Saf 344  
Export Delivery Log 288  
Export Document Log 296  
Export Document Message 299  
Export Document Specification Master 327  
External Address Cross-Reference Detail 32  
External Order Cross-Reference 288

**F**  
FA Asset Book GL SAF 347  
FA Asset Types with Books Cross-reference 348  
FA Revaluation Detail SAF 365  
FA Revaluation Posting 365  
Family Hierarchy Master 376  
Family Item Cost Detail 396  
Family Line Plan 384  
Family Production and Shipment Plan 393  
Family Production Backlog and Cost Plan 392  
Family Production Inventory and Order Plan 392  
Family Simulation Backlog and Cost Plan 405  
Family Simulation Inventory and Order Plan 406  
Family Simulation Production and Shipment Plan 406  
Favorites 367  
Field Attribute Master 380  
Field Default Master 381  
Field Help Program Master 382  
Field Security Master 382  
Field Validation Allowed Value Detail 869  
Final Assembly Control 358  
Fixed Asset Account Detail 348  
Fixed Asset Adjustment Master 345  
Fixed Asset Batch Detail 349  
Fixed Asset Batch Master 350  
Fixed Asset Book Default Master 359  
Fixed Asset Book Depreciation Detail 351  
Fixed Asset Book Detail 353  
Fixed Asset Book Master 352  
Fixed Asset Calendar Detail 355  
Fixed Asset Calendar Master 356  
Fixed Asset Capitalisation Asset Book 354  
Fixed Asset Class Account Detail 354  
Fixed Asset Class Master 356  
Fixed Asset Component Detail 360  
Fixed Asset Control 357  
Fixed Asset Custodian Master 219  
Fixed Asset Custom Table Detail 362  
Fixed Asset Disposal Detail Saf 360  
Fixed Asset Location Code Master 361  
Fixed Asset Location Master 361  
Fixed Asset Master 367  
Fixed Asset Meter Detail 363  
Fixed Asset Meter Master 363  
Fixed Asset Method Master 364  
Fixed Asset System Control 366  
Fixed Asset Type Master 975  
Fixed Assets UOP Forecast Detail 366  
Flow Flex Fence Master 381  
Flow Line Capacity Rate History 379  
Flow Line Capacity Rate Master 379  
Flow Production Line Preference Detail 559  
Flow Schedule Code Detail 384  
Flow Schedule Code Master 385  
Flow Schedule Detail 386  
Forecast Summary 373  
Freight Charge Detail 398  
Freight List Master 400

Freight Rate Detail 399  
 Freight Rate Master 399  
 Freight Terms Master 409  
 Freight Zone Detail 399

**G**

General Ledger 414  
 General Ledger (Company) Control 204  
 General Ledger Calendar 418  
 General Ledger Calendar Detail 417  
 General Ledger Daybook Master 277  
 General Ledger Default Daybook Master 277  
 General Ledger Unposted Transaction Detail 424  
 General Ledger Work Table 423  
 Generalized Code Master 187  
 Generic Field Detail 411  
 GL Calendar 416  
 GL Correction Control File 417  
 GL Mask 419  
 GL Mirror 419  
 GL Period 635  
 GL Report Link 422  
 GL Saf Default 422  
 GL System Type 422  
 GL Type 424  
 GL-Open-Item 420  
 GL-Open-Item-Movement 420  
 Golden Tax Control 434  
 Golden Tax Invoice Cross Reference 433  
 Golden Tax Invoice History Detail 432  
 Golden Tax Invoice History Master 433

**H**

Help Master 435  
 Holiday Master 434

**I**

IDOM document 373  
 Import Bank Statements 78  
 Import Document Log 463  
 Import Document Map Detail 466  
 Import Document Message 466  
 Import Document Specification Master 498  
 Import/Export Control 450  
 Import/Export Detail 451  
 Import/Export History 453  
 Import/Export Master 456  
 Independent Demand Detail 470  
 Industry 468  
 Install Net Import 476  
 Interface Session Master 457  
 Intrastat 478

Intrastat Setup 496  
 Inventory Account Change Master 522  
 Inventory Consumption History 437  
 Inventory Control 443  
 Inventory Master 482  
 Inventory Movement Code Master 467  
 Inventory Movement Site Detail 874  
 Inventory Status Detail 496  
 Inventory Status Master 503  
 Inventory Transaction and General Ledger Cross-Reference 959  
 Inventory Transaction History 962  
 Inventory Type Field Detail 440  
 Inventory Type Master 441  
 Invoice History Credit Card Master 458  
 Invoice History Detail 446  
 Invoice History Line Charge Detail 444  
 Invoice History Master 460  
 Invoice History Relationship Detail 445  
 Invoice History Relationship Master 459  
 Invoice Schedule Control 512  
 Invoice Schedule Detail 471  
 Invoice Schedule Master 476  
 Invoice Sort Master 377  
 Invoice Status Code 756  
 Item Inventory Data 712  
 Item Location Detail 463  
 Item Lot/Serial Detail 713  
 Item Master 721  
 Item Planning Detail 714  
 Item Quantitative Analysis Detail 716  
 Item Replacement Detail 717  
 Item Routing Cost Detail 493  
 Item Routing Detail 718  
 Item Saf Default 504  
 Item Site Load Detail 511  
 Item Site Load Master 512  
 Item Specification Detail 484  
 Item Statistical Value Detail 721  
 Item Substitute Detail 719  
 Item Tax Detail 719  
 Item Tax Level 505  
 Item Unit 504  
 Item Warehouse 505

**K**

Kanban Average Demand Calculation History 524  
 Kanban Card Detail 527  
 Kanban Cards Dispatch History 524  
 Kanban Control 514  
 Kanban Demand Template Master 516  
 Kanban Dispatch Release Schedule 533

## Database Definitions

Kanban Document Definition Master 526  
Kanban FIFO Process Detail 529  
Kanban Item Master 530  
Kanban Item Supermarket Detail 529  
Kanban Loop Detail 532  
Kanban Loop Event Detail 531  
Kanban Master 535  
Kanban Maximum Demand Master 516  
Kanban Planning Period Master 517  
Kanban Process Item Detail 536  
Kanban Process Master 537  
Kanban Source Detail 534  
Kanban Supermarket Master 534  
Kanban Transaction History 519  
Kanban Transaction History Detail 518  
Kanban Transaction Reject Detail 518

### L

Label Control 548  
Language 560  
Language Detail 560  
Language Master 561  
Layer 547  
Legal Document Address and Sequence ID Detail 552  
Legal Document Control 550  
Legal Document Cross-Reference 659  
Legal Document Detail Table 551  
Legal Document Master 553  
Legal Document Tax Usage of Simultaneous  
Operation Setup Detail 553  
Line Changeover Master 154  
Line Master 561  
Link Budget Topic-Component 114  
Link Customer Invoice - Posting 260  
Link Role-Resource 788  
Link Supplier Invoice - PO (Matching) 166  
Link Supplier Invoice - Posting 166  
Link User-Company 994  
Link User-Domain 996  
Link User-Role 999  
Link User-Role Scope 1000  
Link User-Role-Company 999  
Link User-Role-Domain 1000  
Location Allocation Detail 540  
Location Detail 549  
Location Master 579  
Logistics Accounting Charge Detail 539  
Logistics Accounting Control 540  
Logistics Master 556  
Logistics Site Detail 555  
Lot Master 580  
Lot Number Work Table 580

### M

Manhour Surcharge 582  
Mapped Export Document Detail 298  
Master Comments 152  
Master Production Schedule 593  
Master Specification 594  
Master Specification Detail 591  
Master Specification Test History 592  
Master Specification Test Results 486  
Master Table Relationships 585  
Material Order Control 851  
Material Requirements Planning Control 594  
Material Requirements Planning Detail 595  
Material Requirements Planning Pegging Detail 595  
Maximum Table Detail 582  
Maximums Master 583  
Means Of Transport 955  
Menu Detail 589  
Menu Title Detail 590  
Message Broker Setting 596  
Message Master 597  
message URL [http  
//support.qad.com/](http://support.qad.com/) 4  
[//www.qad.com](http://www.qad.com) ii, 4  
Mirror Account Master 584  
Mirroring Account 587  
Mirroring Daybook 588  
Model Definition Master 412  
Monetary Union Master 597

### N

Net Commerce Control 598  
Nomenclature 599  
Non-Sales Order Control 601  
Number Range History 600  
Number Range Master 600

### O

Object Status 603  
Obsolete Inventory Control Parameters 437  
Obsolete Inventory Control Site Detail 440  
Obsolete Inventory Depreciation Rate Master 438  
Operation Transaction History 607  
Operations Plan Control 606  
Output File Field Detail 438  
Output File Master 440

### P

Pallet Detail 619  
Pallet Master 620  
Pay Format Code 623



Pay Format Group 624  
 Pay Format Type 624  
 Pay Sel Hist 629  
 Payment Group 627  
 Payment Selection 627  
 Payment Selection Line 629  
 Payment Selection Line Stage 630  
 Payment Selection Pay Code 630  
 Payment Selection Prepayment 630  
 Pending Voucher Detail 729  
 Pending Voucher Master 730  
 Period Mark 636  
 Physical Inventory Tag Master 933  
 Pick List Work Table 657  
 Point of Use Code Master 685  
 Point of Use Location Detail 684  
 Point of Use Location Master 685  
 Poland Intrastat Declaration Control 455  
 Posting 671  
 Posting Hist SAF 679  
 Posting History 674  
 Posting Line 675  
 Posting Saf 677  
 Posting Saf Combined 679  
 Posting Tax 681  
 Posting Tax Delayed 683  
 Posting Template 680  
 Pre-Invoice Bank 691  
 Pre-Invoice Line Detail 692  
 Pre-Invoice Line SAF 693  
 Pre-Invoice Line SO Line Plan 693  
 Pre-Invoice Revision 694  
 Pre-Invoice Saf 694  
 Pre-Invoice Stage 694  
 Price 697  
 Price List Detail 642  
 Price List Group Customer Detail 642  
 Price List Group Item Detail 643  
 Price List Group Master 644  
 Price List Master 634, 648  
 Pricing Control 641  
 Pricing History 485, 645  
 Printer Detail 690  
 Printer Master 707  
 Printer/User Detail 983  
 Product Change Control 631  
 Product Change Control Group Detail 632  
 Product Change Control Group Master 633  
 Product Change Control Item Routing Detail 282  
 Product Change Control Routing Slip Detail 807  
 Product Change Control Routing Slip Master 807  
 Product Change Control Routing Slip Template  
     Detail 806  
 Product Change Control Routing Slip Template  
     Master 806  
 Product Change Control Test Results Detail 282  
 Product Change Control Type Master 633  
 Product Line Detail 658  
 Product Line Master 662  
 Product Line Plan 688  
 Product Line Requirements Master 689  
 Product Line Sales Detail 661  
 Product Line Tax Detail 662  
 Product Structure Master 708  
 Production Forecast Detail 637  
 Production Line Allocation Detail 557  
 Production Line Detail 558  
 Production Line Schedule Sequence Master 852  
 Products Sales History 711  
 Profile 701  
 Profile Link 701  
 Profile Type 701  
 Program Detail 640  
 Project 702  
 Project Group 704  
 Project Master 657  
 Project Realization Control 650  
 Project Realization Project Master 699  
 Project Realization Project Type Master 656  
 Project Realization Structure Master 654  
 Project Realization Subproject Detail 651  
 Project Realization Transaction History 652  
 Project Revenue Calculation 704  
 Project Revenue Code 705  
 Project Saf Default 706  
 Project Status 706  
 Project Structure Cross-Reference Detail 653  
 Proportional Allocation 44  
 Purchase Approval Code Master 619  
 Purchase Code 727  
 Purchase GL Matrix 728  
 Purchase Ledger Invoice Detail 659  
 Purchase Ledger Invoice Master 660  
 Purchase Order Allocation Detail 666  
 Purchase Order Allocation Master 666  
 Purchase Order Control 667  
 Purchase Order Detail 668  
 Purchase Order Line Cost Element Detail 632  
 Purchase Order Master 686  
 Purchase Order Receipt History 695  
 Purchase Order Shipper/Invoice Cross Reference 11  
 Purchase Shipper Control 708  
 Purchase Type 728

## Database Definitions

### Q

Q/LinQ Control 745  
QAD Mobile Field Service User Detail 586  
QAD Table Extension 748  
QAD Work Table 732  
Quality Control Order Detail 733  
Quality Control Order Master 735  
Quality Inspection Routing Detail 746  
Quality Order Control 733  
Quality Order Test Steps 747  
Quality Sampling Pattern Master 734  
Quality Test Bill Detail 744  
Queue Posting Saf (Queue for Daemon) 744

### R

Raw Export Document Detail 314  
Raw Import Document Detail 488  
Reason Code Master 805  
Recurring Entry 758  
Recurring Entry Line 759  
Regulation Plan 759  
Release Management Schedule Detail 844  
Release Management Schedule Master 845  
Repetitive Control 790  
Repetitive Production Schedule Master 791  
Reporting Period 767  
Requirement Detail 799  
Requirement Master 803  
Requisition Approval Detail 794  
Requisition Approval Level Master 798  
Requisition Approver Master 791  
Requisition Category Detail 793  
Requisition Category Master 793  
Requisition Control 796  
Requisition Detail 769, 794  
Requisition History 797  
Requisition Job Master 798  
Requisition Master 799  
Requisition/PO Cross-Reference 801  
Reserved Locations Detail 571  
Resource 770  
Resource Master 808  
Resource Requirements Detail 805  
Retrobill Master 749  
Return Material Authorization Control 781  
Return Material Authorization Detail 783  
Return Material Authorization Detail History 778  
Return Material Authorization Master 780  
Return Status Master 397  
Revaluation 771  
Revaluation Detail 772  
Revaluation GL 772

Revaluation Header 774  
Revaluation Rate 774  
Revaluation Saf Combined 773  
Revision Index 774  
Role 786  
Role Compatibility Matrix 996  
Role Master 803  
Rounding Method 788  
Rounding Method Master 786  
Routing Operation Detail 788  
Rule Field Validation Detail 870

### S

Saf 818  
Saf Concept 819  
Saf Structure 820  
Saf Structure Line 821  
Saf Structure Link 822  
Sales Code 826  
Sales GL Matrix 827  
Sales Order Configuration Bill Detail 884  
Sales Order Configuration Bill History 441  
Sales Order Control 885  
Sales Order Credit Card Master 884  
Sales Order Detail 892  
Sales Order Detail Container Charges 8  
Sales Order Detail Line Charges 888  
Sales Order Discount Master 851  
Sales Order Guarantee 896  
Sales Order Relationship Detail 890  
Sales Quotation Configuration Bill Detail 736  
Sales Quotation Control 737  
Sales Quotation Detail 738  
Sales Quotation Master 741  
Sales Quotation Relationship Detail 738  
Sales Quotation Relationship Master 740  
Salesperson 35  
Scheduled Order Cross-Reference 848  
Seasonal Build Detail 375  
Segregation Of Duties Category Master 887  
Segregation Of Duties Category Matrix 889  
Segregation Of Duties Policy Exception Detail 889  
Segregation Of Duties Policy Exception Master 890  
Segregation Of Duties Violation Log 891  
Self-Bill Control 838  
Self-Bill Detail 839  
Self-Bill Master 841  
Service Agreement Terms and Conditions Master 924  
Service Category Master 401  
Service Contract Additional Charge Master 842  
Service Contract Billing Detail 809  
Service Contract Control 811

- Service Contract Deferred/Accrued Revenue Detail 247
- Service Contract Detail 815
- Service Contract Detail History 813
- Service Contract History 823
- Service Contract Master 834
- Service Contract Preventive Maintenance Detail 832
- Service Contract Serial Number Master 833
- Service/Support Billing Cycle Master 837
- Service/Support Billing Detail 853
- Service/Support Billing History 855
- Service/Support Call Activity Detail 402
- Service/Support Call Default Master 147
- Service/Support Call Fault Code Master 141
- Service/Support Call History 125
- Service/Support Call History Master 155
- Service/Support Call Item Detail 508
- Service/Support Call Item History 506
- Service/Support Call Master 135
- Service/Support Call Master Control 124
- Service/Support Call Queue Master 131
- Service/Support Call Skill Detail 214
- Service/Support Call Status Master 134
- Service/Support Call Type Master 374
- Service/Support Charge Code Master 372
- Service/Support Charge Code Product Line Master 369
- Service/Support Contract Limits History 828
- Service/Support Contract Limits Master 830
- Service/Support Cross-Reference Master 212
- Service/Support Custom Program Detail 589
- Service/Support Custom Program Parameter Detail 592
- Service/Support Default Charge Code Master 371
- Service/Support End User Control 337
- Service/Support End User Detail 337
- Service/Support End User Master 339
- Service/Support End User Schedule Master 338
- Service/Support Engineer Availability Master 289
- Service/Support Engineer Master 311
- Service/Support Engineer Message Master 304
- Service/Support Engineer Problem/Skills Detail 292
- Service/Support Engineer Schedule Control 290
- Service/Support Engineer Schedule Detail 291
- Service/Support Engineer Schedule Master 325
- Service/Support Engineer Selection Work Table 295
- Service/Support Engineer Status Master 329
- Service/Support Engineer Tracking Master 293
- Service/Support Escalation and Repair Master 334
- Service/Support Escalation Control 324
- Service/Support Field Notification Detail 387
- Service/Support Field Notification History 388
- Service/Support Field Notification Master 390
- Service/Support Holiday Master 403
- Service/Support Installed Base Item Master 493
- Service/Support Installed Base Structure 502
- Service/Support Installed Configuration Detail 442
- Service/Support Item-Site Detail 638
- Service/Support Kit Master 377
- Service/Support Management Control 920
- Service/Support On Call Master 603
- Service/Support Paging Control 639
- Service/Support Paging History 640
- Service/Support Parent/Child Relationship Master 940
- Service/Support Parts List Detail 407
- Service/Support Price Indexing Master 394
- Service/Support Pricing Master 395
- Service/Support Region Master 760
- Service/Support Return Defaults Master 755
- Service/Support Time Zone Detail 975
- Service/Support Time Zone Master 976
- Service/Support Trace History 408
- Service/Support User Preference Master 408
- Service/Support Work Code Master 410
- Shared Set 860
- Shared Set Merge Log 861
- Shared Set Property 861
- Shared Set Type 861
- Shift Detail 130, 863
- Ship Via Master 873
- Shipment Carrier Detail 9
- Shipment Detail Line Charges 11
- Shipment Detail/Invoice Number Cross-Reference 874
- Shipment Line Item Detail 9
- Shipment Performance Control 867
- Shipment Performance Detail History 867
- Shipment Performance History 870
- Shipment Requirement Detail 12
- Shipment Sequence Detail 14
- Shipment Trailer Detail 872
- Shipper Control 862
- Shipper Control Detail Default Export Directories 862
- Shipper Information Master 10
- Shipper User Field Detail 919
- Shipper User Field Master 920
- Shipper Validation Error Log 13
- Shipping Delivery Time Detail 849
- Shipping Delivery Time Master 850
- Shipping Group Address Detail 858
- Shipping Group and Inventory Movement Code Detail 859
- Shipping Group Carrier Detail 858
- Shipping Group Master 859

## Database Definitions

Shipping Schedule Control 804  
Shipping Schedule Detail 863  
Shipping Schedule Master 865  
Ship-To/Container Master 142  
Ship-To/Container Price List Detail 142  
Shop Calendar 866  
Shop Floor Operation General Ledger Detail 604  
Shop Floor Operation History Control 604  
shortcut key 866  
Simulated Forecast Master 375  
Simulation Line Plan 404  
Site Cost Detail 218  
Site Linking Rules Detail 882  
Site Linking Rules Master 882  
Site Master 876  
Site/Item Model Definition Master 413  
SO Line Item 896  
Source Matrix Master 883  
Staged Payment 626  
Standard Operation Master 605  
State 373, 916  
Statistical Code 916  
Statistical Value Calculation Master 503  
Sub-Account 263  
Sub-Account Master 842  
Sub-Account/Account Validation Detail 838  
Subcontract Shipper PO Shipper Cross Reference 16  
Subcontract Shipping Control 847  
Subshipper PO Cross Reference 12  
Supplier 209  
Supplier Balance 139  
Supplier Collection 144  
Supplier Consignment Control 186  
Supplier Consignment Receipt Inventory Master 183  
Supplier Consignment Receipt Usage Detail 184  
Supplier Consignment Receipt Usage Master 185  
Supplier Consignment Supplier/Item Master 184  
Supplier Document Posting Line 151  
Supplier Document Status 151  
Supplier Fiscal Data Master 1011  
Supplier History 154  
Supplier Invoice 160  
    Bank Records 164  
    Movement records 164  
    Stage Records 167  
    Tax Records 167  
Supplier Item Master 1031  
Supplier Master 1012  
Supplier Performance Category Detail 1014  
Supplier Performance Category Master 1015  
Supplier Performance Control 1016  
Supplier Performance Cross-Reference Master 1029  
Supplier Performance Detail 1019  
Supplier Performance Event Master 1016  
Supplier Performance Master 1020  
Supplier Performance Registration Detail 1024  
Supplier Performance Registration Master 1025  
Supplier Performance Summary Detail 1026  
Supplier Performance Summary Master 1027  
Supplier Performance Weighting Factor Master 1028  
Supplier SAF Default 212  
Supplier Type 212  
Supplier-Document 149  
Supplier-Document/Supplier-Invoice Xref 151  
Suspended Tax Master 919  
Sync Profile Join Detail 927  
Synch Profile Detail 926  
Synch Profile Master 929  
Synch Profile Subscription Detail 928  
Synchronization Table-Field Master 933  
System 931  
System Property 930  
System/Account Control 426

**T**

Table Attribute Detail 412  
Table Change Detail 939  
Table Change Master 939  
Table name identifies the database type. 732  
Tax 1002  
Tax Base Detail 969  
Tax Box 1004  
Tax Class Master 969, 971  
Tax Control 970  
Tax Detail 965  
Tax Environment Detail 971  
Tax Environment Master 971  
Tax Export 1004  
Tax Group 1005  
Tax Group Box Link 1005  
Tax History Detail 972  
Tax Master 967  
Tax Number 1005  
Tax Percent 1007  
Tax Percent Line 1008  
Tax Period 1008  
Tax Rule 1009  
Tax Type Master 974  
Tax Usage Master 974  
Tax Zone Master 974  
Terms of Trade Detail 945  
Terms of Trade Master 945  
Time-Based/Quantity-Based Status Code Detail 917  
Time-Based/Quantity-Based Status Code Master 918

Trailer Master 961  
 Trailer Tax Detail 960  
 Transaction Comments 174  
 Transaction Cost Detail 958  
 Transaction Export Master 943  
 Transaction Type 954  
 Transmission Date Reference Master 961  
 Transportation Master 944

## U

UDF Attribute Master 169  
 UDF Attribute Value Detail 168  
 UDF Class Master 977  
 UDF Class Table Detail 171  
 UDF Class Use Table 978  
 Unit of Measure Conversion Master 982  
 Update Restriction Detail 983  
 Update Restriction Master 985  
 Update Status Code Detail 985  
 URL Master 984  
 Used to store information on table and the related  
     account, sub-account & cost center field  
     names 23  
 User 994  
 User Activity Monitor 590  
 User Control 995  
 User Domain Detail. 977  
 User Function Key Detail 978  
 User Licensed Application Detail 997  
 User Logon History 993  
 User Master 1001  
 User Message Detail 981  
 User Password History 993  
 User Property 998  
 User Role Detail 996  
 User Role Master 997  
 User Work Table 1001

## V

Validation/Prompt Location Detail 869  
 Verify Status Trans 1024  
 Version Control 1032  
 Viewer Enabled Fields Master 1033  
 Voucher Invoice History 1030  
 Voucher Purchase Order Detail 1031

## W

Warehouse Company 1033  
 Warehouse Control 1048  
 Warehouse Location 1033  
 Warehouse Location Master 1047  
 Warehouse Master 1053

Warehouse Master List Detail 1051  
 Warehouse Master List Master 1052  
 Warehouse Transfer Order Detail 1056  
 Warehouse Transfer Order Master 1057  
 Warehouse/Transaction Type Master 1059  
 Warehousing Algorithm Assignment Detail 37  
 Warehousing Algorithm Assignment Master 38  
 Warehousing Algorithm Master 40  
 Warehousing Algorithm Type Master 41  
 Warehousing Alternate Task Master 45  
 Warehousing Alternate Unit of Measure Detail 46  
 Warehousing Alternate Unit of Measure Master 47  
 Warehousing Bulk Pick Control 115  
 Warehousing Bulk Pick Detail 117  
 Warehousing Bulk Pick Detail History 118  
 Warehousing Bulk Pick Master 120  
 Warehousing Calendar Detail 127  
 Warehousing Calendar Master 128  
 Warehousing Customer/Inventory Status Master 223  
 Warehousing Customer/Item Master 224  
 Warehousing Engine Processing Control 306  
 Warehousing Engine Processing History 307  
 Warehousing Engine Work Table 308  
 Warehousing External Routing Assignment Detail 313  
 Warehousing External Routing Detail 315  
 Warehousing External Routing Master 316  
 Warehousing Hold Master 435  
 Warehousing Inspected Inventory Detail 475  
 Warehousing Inspection Control 471  
 Warehousing Inspection History 472  
 Warehousing Inter Work Location Group Master 477  
 Warehousing Internal Routing Assignment Detail 487  
 Warehousing Internal Routing Detail 489  
 Warehousing Internal Routing Group Master 491  
 Warehousing Internal Routing Master 492  
 Warehousing Inventory History Master 480  
 Warehousing Inventory Master 481  
 Warehousing Item/Storage Location Group  
     Master 621  
 Warehousing Item/Warehouse Master 622  
 Warehousing Labour Management Control 538  
 Warehousing Lane Assignment Detail 541  
 Warehousing Lane Assignment Master 542  
 Warehousing Lane Group Detail 543  
 Warehousing Lane Group Master 544  
 Warehousing Lane Master 545  
 Warehousing Load Detail 562  
 Warehousing Load Master 563  
 Warehousing Load Master Master 564  
 Warehousing Load Setup Address Detail 566  
 Warehousing Load Setup Item Detail 568  
 Warehousing Load Setup Master 567

## Database Definitions

|                                                              |      |
|--------------------------------------------------------------|------|
| Warehousing Local Exit Routine Control                       | 570  |
| Warehousing Location Definition Detail                       | 572  |
| Warehousing Location Definition Master                       | 573  |
| Warehousing Location Forecast Detail                         | 573  |
| Warehousing Location Master                                  | 575  |
| Warehousing Location Unit of Measure Master                  | 577  |
| Warehousing Location Work Table                              | 578  |
| Warehousing Order Allocation Detail                          | 610  |
| Warehousing Order Allocation History                         | 611  |
| Warehousing Order Batch Selection Detail                     | 616  |
| Warehousing Order Batch Selection Master                     | 617  |
| Warehousing Order Detail                                     | 612  |
| Warehousing Order Master                                     | 615  |
| Warehousing Packaging Tracking Detail                        | 945  |
| Warehousing Prefix Set Control                               | 690  |
| Warehousing Printer Template Detail                          | 941  |
| Warehousing Printer Template Master                          | 942  |
| Warehousing Program Execution Detail                         | 808  |
| Warehousing Release Group Detail                             | 775  |
| Warehousing Release Group Master                             | 776  |
| Warehousing Release Status Master                            | 761  |
| Warehousing Replenishment Control                            | 762  |
| Warehousing Replenishment List Detail                        | 763  |
| Warehousing Replenishment List Master                        | 764  |
| Warehousing Replenishment Location Master                    | 766  |
| Warehousing Replenishment SLG Master                         | 768  |
| Warehousing RF User Detail                                   | 986  |
| Warehousing RF User Group Detail                             | 987  |
| Warehousing RF User Group Master                             | 988  |
| Warehousing RF User Master                                   | 989  |
| Warehousing Ship Via/Service Master                          | 864  |
| Warehousing Shipment Detail Charges                          | 152  |
| Warehousing Storage Location Group List Detail               | 877  |
| Warehousing Storage Location Group List Master               | 878  |
| Warehousing Storage Location Group Master                    | 879  |
| Warehousing Storage Location Group/Unit of Measure<br>Detail | 880  |
| Warehousing Supplier/Item Master                             | 1018 |
| Warehousing System Control                                   | 932  |
| Warehousing Task Assignment Detail                           | 935  |
| Warehousing Task Assignment Master                           | 936  |
| Warehousing Task Detail                                      | 937  |
| Warehousing Task Master                                      | 938  |
| Warehousing Transaction Detail                               | 947  |
| Warehousing Transaction History                              | 951  |
| Warehousing Transaction Type Master                          | 956  |
| Warehousing Transaction Work Table                           | 957  |
| Warehousing Unit of Measure Group Detail                     | 979  |
| Warehousing Unit of Measure Group Master                     | 980  |
| Warehousing User System Code Security Master                 | 990  |
| Warehousing User/Work Location Group Master                  | 991  |
| Warehousing Verbosity History                                | 1022 |
| Warehousing Wave Control                                     | 1034 |
| Warehousing Wave Detail                                      | 1036 |
| Warehousing Wave Load Detail                                 | 1038 |
| Warehousing Wave Master                                      | 1040 |
| Warehousing Wave Master Master                               | 1041 |
| Warehousing Wave Transportation Control                      | 1043 |
| Warehousing Work Load Group Details                          | 1073 |
| Warehousing Work Load Group Master                           | 1075 |
| Warehousing Work Table                                       | 35   |
| WIP Lot Inventory Detail                                     | 1063 |
| WIP Lot Master                                               | 1070 |
| WIP Lot Trace BOM Control Detail                             | 1060 |
| WIP Lot Trace BOM Control Master                             | 1061 |
| WIP Lot Trace Control                                        | 1062 |
| WIP Lot Trace Master                                         | 1068 |
| WIP Lot Trace Routing Control Detail                         | 1066 |
| WIP Lot Trace Routing Control Master                         | 1067 |
| Withholding Tax Master                                       | 1082 |
| Work Center Master                                           | 1046 |
| Work Center Routing Standards                                | 1046 |
| Work Location Group Master                                   | 1064 |
| Work Order Control                                           | 1071 |
| Work Order Detail                                            | 1071 |
| Work Order Master                                            | 1076 |
| Work Order Routing                                           | 1079 |

## Y

|              |      |
|--------------|------|
| Year Closing | 1084 |
|--------------|------|