QAD Enterprise Applications 2008
Enterprise Edition

Technical Reference
Database Definitions
Part 2

78-0757A
QAD 2008 Enterprise Edition
June 2008

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2008 by QAD Inc.
QAD Inc.
100 Innovation Place
Santa Barbara, California 93108
Phone (805) 684-6614
Fax (805) 684-1890
http://www.qad.com

Contents

Section 1 Database Definitions (Continued) 501

iss_mstr Service/Support Installed Base Structure....502
isvc_mstr Statistical Value Calculation Master....503
is_mstr Inventory Status Master....503
ItemSafDefault Item Saf Default....504
ItemUnit Item Unit....504
ItemVatLevel Item Tax Level....505
ItemWarehouse Item Warehouse....505
itmh_hist Service/Support Call Item History....506
itm_det Service/Support Call Item Detail....508
itsd_det Item Site Load Detail....511
its_mstr Item Site Load Master....512
ivs_ctrl Invoice Schedule Control....512
Journal Daybook....513
JournalType Daybook Type....514
kbc_ctrl Kanban Control....514
kbdt_mstr Kanban Demand Template Master....516
kbmd_mstr Kanban Maximum Demand Master....516
kbpp_mstr Kanban Planning Period Master....517
kbtrd_det Kanban Transaction History Detail....518
kbtrr_det Kanban Transaction Reject Detail....518
kbtr_hist Kanban Transaction History....519
kenb_det Ending Inventory Balance and Cost by Location....521
kia_mstr Inventory Account Change Master....522
knbadc_hist Kanban Average Demand Calculation History....524
knbcd_det Kanban Cards Dispatch History....524
knbdd_mstr Kanban Document Definition Master....526
knbd_det Kanban Card Detail....527
knbfd_det Kanban FIFO Process Detail....529
knbism_det Kanban Item Supermarket Detail....529
knbi_mstr Kanban Item Master....530
knble_det Kanban Loop Event Detail....531
knbl_det Kanban Loop Detail....532

knbrs_mstr Kanban Dispatch Release Schedule 533
knbsm_mstr Kanban Supermarket Master 534
knbs_det Kanban Source Detail 534
knb_mstr Kanban Master 535
knpd_det Kanban Process Item Detail 536
knp_mstr Kanban Process Master 537
kstc_det Ending Inventory Balance by Site 538
LabourC Warehousing Labour Management Control 538
lacd_det Logistics Accounting Charge Detail 539
lac_ctrl Logistics Accounting Control 540
lad_det Location Allocation Detail 540
LaneAssD Warehousing Lane Assignment Detail 541
LaneAssM Warehousing Lane Assignment Master 542
LaneGroupD Warehousing Lane Group Detail 543
LaneGroupM Warehousing Lane Group Master 544
LaneM Warehousing Lane Master 545
Layer Layer 547
lblc_ctrl Label Control 548
lc_mstr Logistics Accounting Charge Code Master 548
ld_det Location Detail 549
lgdc_ctrl Legal Document Control 550
lgdd_det Legal Document Detail Table 551
lgdnr_det Legal Document Address and Sequence ID Detail 552
lgdtx_det Legal Document Tax Usage of Simultaneous Operation Setup Detail 553
lgd_mstr Legal Document Master 553
lgsi_det Logistics Site Detail 555
lgs_mstr Logistics Master 556
lna_det Production Line Allocation Detail 557
lnd_det Production Line Detail 558
lnf_det Flow Production Line Preference Detail 559
Lng Language 560
lngd_det Language Detail 560
lng_mstr Language Master 561
ln_mstr Line Master 561
LoadD Warehousing Load Detail 562
LoadM Warehousing Load Master 563
LoadMasterM Warehousing Load Master Master 564
LoadSAddrD Warehousing Load Setup Address Detail 566
LoadSetupM Warehousing Load Setup Master 567
LoadSItemD Warehousing Load Setup Item Detail 568
LocalExitC Warehousing Local Exit Routine Control 570
locc_det Reserved Locations Detail 571
LocDefD Warehousing Location Definition Detail 572
LocDefM Warehousing Location Definition Master 573
LocForD Warehousing Location Forecast Detail 573
LocM Warehousing Location Master 575

LocUMM Warehousing Location Unit of Measure Master 577
LocW Warehousing Location Work Table 578
loc_mstr Location Master 579
lotw_wkfl Lot Number Work Table 580
lot_mstr Lot Master 580
ls_mstr Address List Detail 581
ManhourSurcharge Manhour Surcharge 582
maxt_det Maximum Table Detail 582
max_mstr Maximums Master 583
ma_mstr Mirror Account Master 584
mfc_ctrl Control Work Table 584
mfrel_mstr Master Table Relationships 585
mfsd_det QAD Mobile Field Service User Detail 586
MirroringGL Mirroring Account 587
MirroringJournal Mirroring Daybook 588
mnd_det Menu Detail 589
mnp_det Service/Support Custom Program Detail 589
mnt_det Menu Title Detail 590
mon_mstr User Activity Monitor 590
mpd_det Master Specification Detail 591
mph_hist Master Specification Test History 592
mpp_det Service/Support Custom Program Parameter Detail 592
mps_mstr Master Production Schedule 593
mp_mstr Master Specification 594
mrpc_ctrl Material Requirements Planning Control 594
mrpp_det Material Requirements Planning Pegging Detail 595
mrp_det Material Requirements Planning Detail 595
MsgBrokerSetting Message Broker Setting 596
msg_mstr Message Master 597
mu_mstr Monetary Union Master 597
ncc_ctrl Net Commerce Control 598
Nomenclature Nomenclature 599
nrh_hist Number Range History 600
nr_mstr Number Range Master 600
nsoc_ctrl Non-Sales Order Control 601
oa_det Action Message Detail 602
ObjectStatus Object Status 603
ocm_mstr Service/Support On Call Master 603
opc_ctrl Shop Floor Operation History Control 604
opgl_det Shop Floor Operation General Ledger Detail 604
opm_mstr Standard Operation Master 605
ops_ctrl Operations Plan Control 606
op_hist Operation Transaction History 607
OrdAllocD Warehousing Order Allocation Detail 610
OrdAllocH Warehousing Order Allocation History 611
OrderD Warehousing Order Detail 612
OrderM Warehousing Order Master 615

OrderSelD Warehousing Order Batch Selection Detail 616
OrderSelM Warehousing Order Batch Selection Master 617
pac_mstr Purchase Approval Code Master 619
pald_det Pallet Detail 619
pal_mstr Pallet Master 620
PartSLGM Warehousing Item/Storage Location Group Master 621
PartWhseM Warehousing Item/Warehouse Master 622
PayFormatCode Pay Format Code 623
PayFormatGroup Pay Format Group 624
PayFormatType Pay Format Type 624
PaymentCondition Credit Terms 625
PaymentConditionStaged Staged Payment 626
PaymentGroup Payment Group 627
PaySel Payment Selection 627
PaySelHistory Pay Sel Hist 629
PaySelLine Payment Selection Line 629
PaySelLineStage Payment Selection Line Stage 630
PaySelPayCode Payment Selection Pay Code 630
PaySelPrepay Payment Selection Prepayment 630
pcc_ctrl Product Change Control 631
pcd_det Purchase Order Line Cost Element Detail 632
pcld_det Product Change Control Group Detail 632
pcl_mstr Product Change Control Group Master 633
pct_mstr Product Change Control Type Master 633
pc_mstr Price List Master 634
Period GL Period 635
PeriodMark Period Mark 636
pfc_det Production Forecast Detail 637
pfd_det Service/Support Item-Site Detail 638
pgc_ctrl Service/Support Paging Control 639
pgh_hist Service/Support Paging History 640
pgm_det Program Detail 640
pic_ctrl Pricing Control 641
pid_det Price List Detail 642
pigc_det Price List Group Customer Detail 642
pigp_det Price List Group Item Detail 643
pig_mstr Price List Group Master 644
pih_hist Pricing History 645
pi_mstr Price List Master 648
pjc_ctrl Project Realization Control 650
pjd_det Project Realization Subproject Detail 651
pjsh_hist Project Realization Transaction History 652
pjsx_det Project Structure Cross-Reference Detail 653
pjs_mstr Project Realization Structure Master 654
pjt_mstr Project Realization Project Type Master 656
pj_mstr Project Master 657
pk_det Pick List Work Table 657

pld_det Product Line Detail 658
pliabs_ref Legal Document Cross-Reference 659
plid_det Purchase Ledger Invoice Detail 659
pli_mstr Purchase Ledger Invoice Master 660
plsd_det Product Line Sales Detail 661
plt_det Product Line Tax Detail 662
pl_mstr Product Line Master 662
poad_det Purchase Order Allocation Detail 666
poa_mstr Purchase Order Allocation Master 666
poc_ctrl Purchase Order Control 667
pod_det Purchase Order Detail 668
Posting Posting 671
PostingHist Posting History 674
PostingLine Posting Line 675
PostingSaf Posting Saf 677
PostingSafCombined Posting Saf Combined 679
PostingSafHist Posting Hist SAF 679
PostingTemplate Posting Template 680
PostingVat Posting Tax 681
PostingVatDelay Posting Tax Delayed 683
pould_det Point of Use Location Detail 684
poul_mstr Point of Use Location Master 685
pou_mstr Point of Use Code Master 685
po_mstr Purchase Order Master 686
pp_plan Product Line Plan 688
pq_mstr Product Line Requirements Master 689
prd_det Printer Detail 690
PrefixC Warehousing Prefix Set Control 690
PreInvoiceBank Pre-Invoice Bank 691
PreInvoiceLineDet Pre-Invoice Line Detail 692
PreInvoiceLineSaf Pre-Invoice Line SAF 693
PreInvoiceLineXRef Pre-Invoice Line SO Line Plan 693
PreInvoiceRev Pre-Invoice Revision 694
PreInvoiceSaf Pre-Invoice Saf 694
PreInvoiceStage Pre-Invoice Stage 694
prh_hist Purchase Order Receipt History 695
Price Price 697
prj_mstr Project Realization Project Master 699
Profile Profile 701
ProfileLink Profile Link 701
ProfileType Profile Type 701
Project Project 702
ProjectGroup Project Group 704
ProjectRevCalc Project Revenue Calculation 704
ProjectRevCode Project Revenue Code 705
ProjectSafDefault Project Saf Default 706
ProjectStatus Project Status 706

pr_mstr Printer Master 707
pshc_ctrl Purchase Shipper Control 708
ps_mstr Product Structure Master 708
pta_det Associated Item Detail 710
ptc_det Container Item Detail 711
pth_hist Products Sales History 711
pti_det Item Inventory Data 712
ptls_det Item Lot/Serial Detail 713
ptp_det Item Planning Detail 714
ptqa_det Item Quantitative Analysis Detail 716
ptre_det Item Replacement Detail 717
ptr_det Item Routing Detail 718
pts_det Item Substitute Detail 719
ptt_det Item Tax Detail 719
ptv_det Item Statistical Value Detail 721
pt_mstr Item Master 721
PurchaseCode Purchase Code 727
PurchaseGLMatrix Purchase GL Matrix 728
PurchaseType Purchase Type 728
pvod_det Pending Voucher Detail 729
pvo_mstr Pending Voucher Master 730
qaddb_ctrl Database Control for QADDB 732
qaddb_ver Table name identifies the database type. 732
qad_wkfl QAD Work Table 732
qcc_ctrl Quality Order Control 733
qcd_det Quality Control Order Detail 733
qcs_mstr Quality Sampling Pattern Master 734
qc_mstr Quality Control Order Master 735
qob_det Sales Quotation Configuration Bill Detail 736
qoc_ctrl Sales Quotation Control 737
qodr_det Sales Quotation Relationship Detail 738
qod_det Sales Quotation Detail 738
qor_mstr Sales Quotation Relationship Master 740
qo_mstr Sales Quotation Master 741
QPostingSaf Queue Posting Saf (Queue for Daemon) 744
qps_det Quality Test Bill Detail 744
qqc_ctrl Q/LinQ Control 745
qro_det Quality Inspection Routing Detail 746
qr_test Quality Order Test Steps 747
qtbl_ext QAD Table Extension 748
rbm_mstr Retrobill Master 749
rcc_mstr Customer Sequence Schedule Master 749
rcf_ctrl Customer Sequence Schedule Control 750
rcsd_det Customer Sequence Schedule Detail 751
rcsx_ref Customer Sequence Schedule Cross-Reference 753
rcs_mstr Customer Schedule Master 754
rdf_mstr Service/Support Return Defaults Master 755

Reason	Invoice Status Code	756
RecEntry	Recurring Entry	758
RecEntryLine	Recurring Entry Line	759
RegulationPlan	Regulation Plan	759
reg_mstr	Service/Support Region Master	760
RelStatM	Warehousing Release Status Master	761
ReplenC	Warehousing Replenishment Control	762
RepListD	Warehousing Replenishment List Detail	763
RepListM	Warehousing Replenishment List Master	764
RepLocM	Warehousing Replenishment Location Master	766
ReportPeriod	Reporting Period	767
RepSLGM	Warehousing Replenishment SLG Master	768
req_det	Requisition Detail	769
Resources	Resource	770
Reval	Revaluation	771
RevalDet	Revaluation Detail	772
RevalGL	Revaluation GL	772
RevalGLSafCombined	Revaluation Saf Combined	773
RevalHeader	Revaluation Header	774
RevalRate	Revaluation Rate	774
RevisionIndex	Revision Index	774
RGD	Warehousing Release Group Detail	775
RGM	Warehousing Release Group Master	776
rhd_hist	Return Material Authorization Detail History	778
rma_mstr	Return Material Authorization Master	780
rmc_ctrl	Return Material Authorization Control	781
rmd_det	Return Material Authorization Detail	783
rndc_mstr	Country Code and Currency with Rounding Method	785
rnd_mstr	Rounding Method Master	786
Role	Role	786
RoleResource	Link Role-Resource	788
RoundingMethod	Rounding Method	788
ro_det	Routing Operation Detail	788
rpc_ctrl	Repetitive Control	790
rps_mstr	Repetitive Production Schedule Master	791
rqa_mstr	Requisition Approver Master	791
rqcd_det	Requisition Category Detail	793
rqc_mstr	Requisition Category Master	793
rqda_det	Requisition Approval Detail	794
rqd_det	Requisition Detail	794
rqf_ctrl	Requisition Control	796
rqh_hist	Requisition History	797
rqj_mstr	Requisition Job Master	798
rql_mstr	Requisition Approval Level Master	798
rqm_det	Requirement Detail	799
rqm_mstr	Requisition Master	799
rqpo_ref	Requisition/PO Cross-Reference	801

rqr_mstr Role Master 803
rq_mstr Requirement Master 803
rsc_ctrl Shipping Schedule Control 804
rsd_det Resource Requirements Detail 805
rsn_ref Reason Code Master 805
rstd_det Product Change Control Routing Slip Template Detail 806
rst_mstr Product Change Control Routing Slip Template Master 806
rsud_det Product Change Control Routing Slip Detail 807
rsu_mstr Product Change Control Routing Slip Master 807
rs_mstr Resource Master 808
RunD Warehousing Program Execution Detail 808
sab_det Service Contract Billing Detail 809
sac_ctrl Service Contract Control 811
sadh_hist Service Contract Detail History 813
sad_det Service Contract Detail 815
Saf Saf 818
SafConcept Saf Concept 819
SafStructure Saf Structure 820
SafStructureLine Saf Structure Line 821
SafStructureLink Saf Structure Link 822
sah_hist Service Contract History 823
SalesCode Sales Code 826
SalesGLMatrix Sales GL Matrix 827
salh_hist Service/Support Contract Limits History 828
sal_mstr Service/Support Contract Limits Master 830
sap_det Service Contract Preventive Maintenance Detail 832
sar_mstr Service Contract Serial Number Master 833
sa_mstr Service Contract Master 834
sbc_mstr Service/Support Billing Cycle Master 837
sbd_det Sub-Account/Account Validation Detail 838
sbic_ctl Self-Bill Control 838
sbid_det Self-Bill Detail 839
sbi_mstr Self-Bill Master 841
sb_mstr Sub-Account Master 842
sca_mstr Service Contract Additional Charge Master 842
scc_mstr Customer/Ship-To Shipment Controls Master 843
schd_det Release Management Schedule Detail 844
sch_mstr Release Management Schedule Master 845
scs_ctrl Subcontract Shipping Control 847
sct_det Cost Simulation Total Detail 847
scx_ref Scheduled Order Cross-Reference 848
sc_mstr Cost Simulation Master 849
sdtd_det Shipping Delivery Time Detail 849
sdt_mstr Shipping Delivery Time Master 850
sd_mstr Sales Order Discount Master 851
seoc_ctrl Material Order Control 851
seq_mstr Production Line Schedule Sequence Master 852

sfb_det Service/Support Billing Detail 853
sfh_hist Service/Support Billing History 855
sgad_det Shipping Group Address Detail 858
sgcd_det Shipping Group Carrier Detail 858
sgid_det Shipping Group and Inventory Movement Code Detail 859
sg_mstr Shipping Group Master 859
SharedSet Shared Set 860
SharedSetMergeLog Shared Set Merge Log 861
SharedSetProp Shared Set Property 861
SharedSetType Shared Set Type 861
shcd_det Shipper Control Detail Default Export Directories 862
shc_ctrl Shipper Control 862
shd_det Shipping Schedule Detail 863
shft_det Shift Detail 863
ShipViaM Warehousing Ship Via/Service Master 864
shm_mstr Shipping Schedule Master 865
shop_cal Shop Calendar 866
ShortcutAct shortcut key 866
shpc_ctrl Shipment Performance Control 867
shpd_hist Shipment Performance Detail History 867
shphr_det Data Validation Rule Master 868
shphvd_det Field Validation Allowed Value Detail 869
shphvpv_det Validation/Prompt Location Detail 869
shphv_det Rule Field Validation Detail 870
shp_hist Shipment Performance History 870
shtr_det Shipment Trailer Detail 872
shv_mstr Ship Via Master 873
sim_det Inventory Movement Site Detail 874
six_ref Shipment Detail/Invoice Number Cross-Reference 874
si_mstr Site Master 876
SLGListD Warehousing Storage Location Group List Detail 877
SLGListM Warehousing Storage Location Group List Master 878
SLGM Warehousing Storage Location Group Master 879
SLGUMD Warehousing Storage Location Group/Unit of Measure Detail 880
slrd_det Site Linking Rules Detail 882
slr_mstr Site Linking Rules Master 882
sm_mstr Source Matrix Master 883
sob_det Sales Order Configuration Bill Detail 884
socc_mstr Sales Order Credit Card Master 884
soc_ctrl Sales Order Control 885
sodctg_mstr Segregation Of Duties Category Master 887
sodlc_det Sales Order Detail Line Charges 888
sodm_det Segregation Of Duties Category Matrix 889
sodped_det Segregation Of Duties Policy Exception Detail 889
sodpe_mstr Segregation Of Duties Policy Exception Master 890
sodr_det Sales Order Relationship Detail 890

sodv_hist Segregation Of Duties Violation Log 891
sod_det Sales Order Detail 892
SOGuarantee Sales Order Guarantee 896
SOLineItem SO Line Item 896
SOLineSaf Sales Order Line SAF 898
sop_det Cost Simulation Operation Detail 898
SORevision Sales Order Revisions 899
sor_mstr Sales Order Relationship Master 899
SOSaf Sales Order SAF 900
sosrd_det Sales Order Shipment Reason Detail 901
sosr_mstr Sales Order Shipment Reason Master 901
SOStage Sales Order Stage 902
so_mstr Sales Order Master 902
spc_ctrl Salesperson Control 906
spd_det Salesperson Commission Detail 906
sph_hist Salesperson Sales History 907
spt_det Cost Simulation Item Detail 908
sp_mstr Salesperson Master 909
src_ctrl Service Request Control 909
sroc_ctrl Service/Repair Order Control 910
sro_mstr Service/Repair Order Master 910
srr_mstr Service Request Master 912
sr_wkfl Serial Number Work Table 913
ssd_det Source of Supply Detail 914
ssm_mstr Source of Supply Master 915
State State 916
Statistic Statistical Code 916
sttqd_det Time-Based/Quantity-Based Status Code Detail 917
sttq_mstr Time-Based/Quantity-Based Status Code Master 918
stx_mstr Suspended Tax Master 919
sufd_det Shipper User Field Detail 919
suf_mstr Shipper User Field Master 920
svc_ctrl Service/Support Management Control 920
sv_mstr Service Agreement Terms and Conditions Master 924
swc_det Cost Simulation Work Center Detail 925
sypd_det Synch Profile Detail 926
sypj_det Sync Profile Join Detail 927
syps_det Synch Profile Subscription Detail 928
syp_mstr Synch Profile Master 929
SysProperty System Property 930
Syst System 931
SystemC Warehousing System Control 932
sytf_mstr Synchronization Table-Field Master 933
tag_mstr Physical Inventory Tag Master 933
TaskAssD Warehousing Task Assignment Detail 935
TaskAssM Warehousing Task Assignment Master 936
TaskD Warehousing Task Detail 937

TaskM Warehousing Task Master 938
tblcd_det Table Change Detail....939
tblc_mstr Table Change Master....939
tbl_mstr Service/Support Parent/Child Relationship Master 940
TemplateD Warehousing Printer Template Detail 941
TemplateM Warehousing Printer Template Master....942
te_mstr Transaction Export Master 943
tm_mstr Transportation Master 944
totd_det Terms of Trade Detail....945
tot_mstr Terms of Trade Master....945
TrackingD Warehousing Packaging Tracking Detail 945
TranD Warehousing Transaction Detail 947
TranH Warehousing Transaction History 951
TransactionType Transaction Type....954
TransportMeans Means Of Transport 955
TranTypeM Warehousing Transaction Type Master 956
TranW Warehousing Transaction Work Table 957
trcs_det Transaction Cost Detail 958
trgl_det Inventory Transaction and General Ledger Cross-Reference 959
trld_det Trailer Tax Detail 960
trl_mstr Trailer Master 961
trq_mstr Transmission Date Reference Master....961
tr_hist Inventory Transaction History....962
tx2d_det Tax Detail 965
tx2_mstr Tax Master 967
txbd_det Tax Base Detail 969
txcl_mstr Tax Class Master 969
txc_ctrl Tax Control....970
txed_det Tax Environment Detail 971
txenv_mstr Tax Class Master 971
txe_mstr Tax Environment Master 971
txhd_det Tax History Detail 972
txty_mstr Tax Type Master 974
txu_mstr Tax Usage Master 974
txz_mstr Tax Zone Master 974
typ_mstr Fixed Asset Type Master....975
tzod_det Service/Support Time Zone Detail 975
tzo_mstr Service/Support Time Zone Master....976
udd_det User Domain Detail. 977
udfcls_mstr UDF Class Master 977
udfclud_det UDF Class Use Table....978
ufd_det User Function Key Detail....978
UMGroupD Warehousing Unit of Measure Group Detail....979
UMGroupM Warehousing Unit of Measure Group Master....980
umsg_det User Message Detail 981
um_mstr Unit of Measure Conversion Master....982

upd_det Printer/User Detail 983
urd_det Update Restriction Detail 983
url_mstr URL Master 984
ursc_det Update Status Code Detail 985
ur_mstr Update Restriction Master 985
UserD Warehousing RF User Detail 986
UserGroupD Warehousing RF User Group Detail 987
UserGroupM Warehousing RF User Group Master 988
UserM Warehousing RF User Master 989
UserSysM Warehousing User System Code Security Master 990
UserWLGM Warehousing User/Work Location Group Master 991
usg_det Application Usage Detail 992
uslh_hist User Logon History 993
uspw_hist User Password History 993
Usr User 994
UsrCompany Link User-Company 994
usrc_ctrl User Control 995
UsrDomain Link User-Domain 996
usrgd_det User Role Detail 996
usrgm_det Role Compatibility Matrix 996
usrg_mstr User Role Master 997
usrl_det User Licensed Application Detail 997
UsrProperty User Property 998
UsrRole Link User-Role 999
UsrRoleCompany Link User-Role-Company 999
UsrRoleDomain Link User-Role-Domain 1000
UsrRoleScope Link User-Role Scope 1000
usrw_wkfl User Work Table 1001
usr_mstr User Master 1001
Vat Tax 1002
VatBox Tax Box 1004
VatExport Tax Export 1004
VatGroup Tax Group 1005
VatGroupBoxLink Tax Group Box Link 1005
VatNumber Tax Number 1005
VatPercent Tax Percent 1007
VatPercentLine Tax Percent Line 1008
VatPeriod Tax Period 1008
VatRule Tax Rule 1009
vdf_mstr Supplier Fiscal Data Master 1011
vd_mstr Supplier Master 1012
vecd_det Supplier Performance Category Detail 1014
vec_mstr Supplier Performance Category Master 1015
vee_mstr Supplier Performance Event Master 1016
vef_ctrl Supplier Performance Control 1016
VendPartM Warehousing Supplier/Item Master 1018
vepd_det Supplier Performance Detail 1019

vep_mstr	Supplier Performance Master	1020
VerbH	Warehousing Verbosity History	1022
verd_det	Supplier Performance Registration Detail	1024
VerifyStatusTrans	Verify Status Trans	1024
ver_mstr	Supplier Performance Registration Master	1025
vesd_det	Supplier Performance Summary Detail	1026
ves_mstr	Supplier Performance Summary Master	1027
vew_mstr	Supplier Performance Weighting Factor Master	1028
vex_mstr	Supplier Performance Cross-Reference Master	1029
vph_hist	Voucher Invoice History	1030
vpo_det	Voucher Purchase Order Detail	1031
vp_mstr	Supplier Item Master	1031
vrc_ctrl	Version Control	1032
vw_mstr	Viewer Enabled Fields Master	1033
WarehouseCompany	Warehouse Company	1033
WarehouseLocation	Warehouse Location	1033
WaveC	Warehousing Wave Control	1034
WaveD	Warehousing Wave Detail	1036
WaveLoadD	Warehousing Wave Load Detail	1038
WaveM	Warehousing Wave Master	1040
WaveMasterM	Warehousing Wave Master Master	1041
WaveTranspC	Warehousing Wave Transportation Control	1043
wcr_route	Work Center Routing Standards	1046
wc_mstr	Work Center Master	1046
whl_mstr	Warehouse Location Master	1047
WhseC	Warehouse Control	1048
WhseListD	Warehouse Master List Detail	1051
WhseListM	Warehouse Master List Master	1052
WhseM	Warehouse Master	1053
WhseTferOrdD	Warehouse Transfer Order Detail	1056
WhseTferOrdM	Warehouse Transfer Order Master	1057
WhseTrTypeM	Warehouse/Transaction Type Master	1059
wlbd_det	WIP Lot Trace BOM Control Detail	1060
wlbm_mstr	WIP Lot Trace BOM Control Master	1061
wlc_ctrl	WIP Lot Trace Control	1062
wld_det	WIP Lot Inventory Detail	1063
WLGM	Work Location Group Master	1064
wlrd_det	WIP Lot Trace Routing Control Detail	1066
wlrm_mstr	WIP Lot Trace Routing Control Master	1067
wlt_mstr	WIP Lot Trace Master	1068
wl_mstr	WIP Lot Master	1070
woc_ctrl	Work Order Control	1071
wod_det	Work Order Detail	1071
WorkLoadD	Warehousing Work Load Group Details	1073
WorkLoadM	Warehousing Work Load Group Master	1075
wo_mstr	Work Order Master	1076
wr_route	Work Order Routing	1079

wtx_mstr Withholding Tax Master 1082
YearClosing Year Closing 1084

Section 2 Summary of Changes 1085

Changed Fields 1086
Deleted Fields 1094
New Fields 1096
Changed Indexes 1106
Deleted Indexes 1109
New Indexes for Existing Tables 1110
Deleted Tables 1124
New Tables 1125

INDEX OF TABLE DESCRIPTIONS

Section 1

Database Definitions

(Continued)

This section continues the alphabetical listing of database definitions used in the product.

iss_mstr

Service/Support Installed Base Structure

Field Name	Label	Col-Label	Format	Dec
iss__chr01			x(8)	
iss__chr02			x(8)	
iss__chr03			x(8)	
iss__dec01			->>>,>>>,>>9.99	10
iss__dec02			->>>,>>>,>>9.99	10
iss__dte01			99/99/99	
iss__dte02			99/99/99	
iss__log01			yes/no	
iss__log02			yes/no	
iss_comp	Component Item	Comp Item	x(18)	
iss_comp_ref	Ref		>>>>>>>9	
iss_comp_ser	Component Serial	Comp Serial	x(18)	
iss_domain	Domain		x(8)	
iss_eu_nbr	End User No	End User	x(8)	
iss_par	Parent Item	Parent	x(18)	
iss_par_ref	Ref		>>>>>>>9	
iss_par_ser	Parent Serial	Par Serial	x(18)	
iss_user1	Ufld1		x(8)	
iss_user2	Ufld2		x(8)	
oid_iss_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	iss_comp	no	iss_domain	yes	no
			iss_comp	yes	no
	iss_compref	yes	iss_domain	yes	no
			iss_eu_nbr	yes	no
			iss_comp	yes	no
			iss_comp_ser	yes	no
			iss_comp_ref	yes	no
	iss_par	no	iss_domain	yes	no
			iss_par	yes	no
*	iss_par_comp	yes	iss_domain	yes	no
			iss_eu_nbr	yes	no
			iss_par	yes	no
			iss_par_ser	yes	no
			iss_par_ref	yes	no
			iss_comp	yes	no
			iss_comp_ser	yes	no
			iss_comp_ref	yes	no
◊	oid_iss_mstr	yes	oid_iss_mstr	yes	no

isvc_mstr Statistical Value Calculation Master

Field Name	Label	Col-Label	Format	Dec
isvc__qadc01			x(24)	
isvc__qadc02			x(24)	
isvc_ctry_dest	Country Of Destination		x(3)	
isvc_ctry_orig	Country Of Origin		x(3)	
isvc_domain	Domain		x(8)	
isvc_flow	Flow Indicator		x(2)	
isvc_min_value	Minimum Value		->>>>,>>>,>>9.99<	10
isvc_mod_date	Modified Date	Mod Date	99/99/99	
isvc_mod_userid	User ID		x(8)	
isvc_mode_transp	Mode Of Transport		x(1)	
isvc_per_unit	Added Value Per Unit		->>>>,>>>,>>9.99<	10
isvc_per_weight	Added Value Per Weight		->>>>,>>>,>>9.99<	10
isvc_percentage	Percentage		->>9.9<%	10
isvc_shipvia	Ship Via		x(20)	
isvc_terms_delivery	Terms Of Delivery		x(4)	
isvc_um	UM		x(2)	
isvc_user1	User Field Character 1		x(24)	
isvc_user2	User Field Character 2		x(24)	
oid_isvc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	isvc_delivery	yes	isvc_domain	yes	no
			isvc_terms_delivery	yes	no
			isvc_mode_transp	yes	no
			isvc_shipvia	yes	no
			isvc_flow	yes	no
			isvc_ctry_orig	yes	no
			isvc_ctry_dest	yes	no
◊	oid_isvc_mstr	yes	oid_isvc_mstr	yes	no

is_mstr Inventory Status Master

Field Name	Label	Col-Label	Format	Dec
is__qadc01			x(8)	
is_avail	Available	Avail	yes/no	
is_cmtindx	Comment Index	Comment	>>>>>>>9	
is_desc	Description		x(24)	
is_domain	Domain		x(8)	
◊ is_fail_status	Fail Status	Fail	X(8)	
is_frozen	Frozen		yes/no	
is_mod_date	Modified Date	Mod Date	99/99/99	
is_nettable	Nettable	Net	yes/no	
is_overissue	Overissue	OvrIs	yes/no	
is_status	Status Code	Status	x(8)	
is_user1	Ufld1		x(8)	
is_user2	Ufld2		x(8)	
is_userid	User ID		x(8)	
oid_is_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	is_avail	yes	is_domain	yes	no
			is_status	yes	no
			is_avail	yes	no
*	is_status	yes	is_domain	yes	no
			is_status	yes	no
			is_nettable	yes	no
	is_status_unique	yes	is_domain	yes	no
			is_status	yes	no
◊	oid_is_mstr	yes	oid_is_mstr	yes	no

◊ ItemSafDefault Item Saf Default

Field Name	Label	Col-Label	Format	Dec
Item_ID	Link to Item	Link to Item	9999999999	
ItemSafDefault_ID	Record ID	Record ID	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Saf_ID	SAF Code	Saf Code	9999999999	
SafConcept_ID	SAF Concept Code	Saf Concept Code	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	ItemSafDefault_ID	yes	no
◊	Saf	no	Saf_ID	yes	no
◊	SafConcept	no	SafConcept_ID	yes	no
◊	UniqueIdx	yes	Item_ID	yes	no
			SafConcept_ID	yes	no

◊ ItemUnit Item Unit

Field Name	Label	Col-Label	Format	Dec
BaseUnit_ID	Base Unit of Measure	Base UM	9999999999	
Item_ID	Link to Item	Link to Item	9999999999	
ItemUnit_ID	Record ID	Record ID	9999999999	
ItemUnitConversionFactor	Conversion Factor	Conversion Factor	>>>,>>>,>>9.999999	10
ItemUnitIsActive	Active	Act	yes/no	
ItemUnitIsDefault	Default	Default	yes/no	
ItemUnitTypeCode	UM Type	Type	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
TransUnit_ID	Transaction Unit of Measure	Trans UM	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BaseUnit	no	BaseUnit_ID	yes	no
◊	IsDefault	no	ItemUnitIsDefault	yes	no
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	ItemUnit_ID	yes	no
◊	TransUnit	no	TransUnit_ID	yes	no
◊	TypeCode	no	ItemUnitTypeCode	yes	no
◊	UniqueKey	yes	ItemUnitTypeCode	yes	no
			Item_ID	yes	no
			TransUnit_ID	yes	no
◊	ViewIndex	no	ItemUnitIsActive	yes	no
			ItemUnitTypeCode	yes	no

◊ ItemVatLevel Item Tax Level

Field Name	Label	Col-Label	Format	Dec
Country_ID	Country Code	Country	9999999999	
Item_ID	Link to Item	Link to Item	9999999999	
ItemVatLevel_ID	Record ID	Record ID	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatPercentageLevel	Tax Level	Tax Level	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Country	no	Country_ID	yes	no
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	ItemVatLevel_ID	yes	no
◊	UniqueIdx	yes	Item_ID	yes	no
			Country_ID	yes	no

◊ ItemWarehouse Item Warehouse

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Link to Currency	Link to Currency	9999999999	
DivisionProfile_ID	Link to Profile	Link to Profile	9999999999	
InvControlGLProfile_ID	Profile Code	Profile Code	9999999999	
Item_ID	Link to Item	Link to Item	9999999999	
ItemWarehouse_ID	Record ID	Record ID	9999999999	
ItemWarehouseIsActive	Active	Act	yes/no	
ItemWarehouseIsBatchHist	Batch History	Batch Hist	yes/no	
ItemWarehouseIsDefault	Default	Default	yes/no	
ItemWarehouseStdCostTC	TC Standard Cost	TC Std Cost	->>>,>>>,>>>,>>9.99	4
ItemWarehouseValuationType	Valuation Type	Valuation Type	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Warehouse_ID	Warehouse	Warehouse	9999999999	
WarehouseLocation_ID	Link to WarehouseLocation	Link to WarehouseLocation	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	GLProfile	no	InvControlGLProfile_ID	yes	no
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	ItemWarehouse_ID	yes	no
◊	UniqueKey	yes	Item_ID	yes	no
			Warehouse_ID	yes	no
◊	Warehouse	no	Warehouse_ID	yes	no

itmh_hist

Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh__chr01	User Field #1		x(8)	
itmh__chr02	User Field #2		x(8)	
itmh__chr03	User Field #3		x(8)	
itmh__chr04	User Field #4		x(8)	
itmh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
itmh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
itmh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
itmh__dte01	User Date #1		99/99/99	
itmh__dte02	User Date #2		99/99/99	
itmh__dte03	User Date #3		99/99/99	
itmh__log01	User Logical #1		yes/no	
itmh__log02	User Logical #2		yes/no	
itmh__log03	User Logical #3		yes/no	
itmh__qadc01	Qad Field #1		x(8)	
itmh__qadc02	Qad Field #2		x(8)	
itmh__qadc03	Qad Field #3		x(8)	
itmh__qadc04	Qad Field #4		x(8)	0
itmh__qadc05			x(8)	
itmh__qadc06			x(8)	
itmh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
itmh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
itmh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
itmh__qadl01	QAD Logical Field		yes/no	
itmh__qadl02	Qad Logical #2		yes/no	
itmh__qadl03	Qad Logical #3		yes/no	
itmh__qadt01	Qad Date #1		99/99/99	
itmh__qadt02	Qad Date #2		99/99/99	
itmh__qadt03	Qad Date #3		99/99/99	
itmh_acct	Sales Acct	Sales	x(8)	
itmh_bill_detail	Bill Detail	Det	yes/no	
itmh_bom_code	BOM code		x(18)	
itmh_bom_gen			yes/no	
itmh_ca_int_type	Work Code		x(8)	
itmh_cc	Cost Ctr	CC	x(4)	
itmh_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itmh_comp_date	Date Complete		99/99/99	
itmh_desc	Description		x(24)	
itmh_domain	Domain		x(8)	
itmh_dsc_acct	Disc Acct		x(8)	
itmh_dsc_cc	Disc CC	CC	x(4)	
itmh_dsc_project	Disc Project		x(8)	
itmh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh_due_date	Due Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date	Mod Date	99/99/99	
itmh_mod_userid	User ID		X(8)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_pr_list	Price List		X(8)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_project	Project		x(8)	
itmh_pst	PST Taxable		yes/no	
itmh_qty_call	Qty		>,>>>9	10
itmh_qty_chg	To Receive		->>,>>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->,>>>,>>9.9<<<<<<<<	10
itmh_qty_rec	Qty Received		->,>>9	10
itmh_qty_ship	Shipped		->,>>>9	10
itmh_rec_date	Received Date		99/99/99	
itmh_recorded	Has Been thru CAR		yes/no	
itmh_ref	Ref		>>>>>>9	
itmh_rev	Revision		x(8)	
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sad_line	Contract Line		>>>>>>>9	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	
itmh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itmh_sv_code	Contract Type		x(8)	
itmh_svc_type			x(1)	
itmh_tag	Tag		X(1)	

Field Name	Label	Col-Label	Format	Dec
itmh_tax_env	Tax Environment		X(16)	
itmh_tax_in	Tax In		yes/no	
itmh_tax_usage			x(8)	
itmh_taxable	Taxable	Tax	yes/no	
itmh_taxc			x(3)	
itmh_type	Type		x(8)	
itmh_uninvoiced	Uninvoiced		yes/no	
itmh_unprocessed			yes/no	
itmh_upd_isb	Update ISB	ISB	yes/no	
itmh_user1	Ufld1		x(8)	
itmh_user2	Ufld2		x(8)	
itmh_warr_sv	Warranty Svc Type		x(8)	
oid_itmh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	itmh_nbr	yes	itmh_domain	yes	no
			itmh_nbr	yes	no
			itmh_prefix	yes	no
			itmh_type	yes	no
			itmh_itm_line	yes	no
			itmh_line	yes	no
	itmh_part	no	itmh_domain	yes	no
			itmh_part	yes	no
			itmh_prefix	yes	no
			itmh_serial	yes	no
	itmh_sa_nbr	no	itmh_domain	yes	no
			itmh_sa_nbr	yes	no
			itmh_sad_line	yes	no
			itmh_nbr	yes	no
			itmh_line	yes	no
	itmh_serial	no	itmh_domain	yes	no
			itmh_serial	yes	no
			itmh_prefix	yes	no
			itmh_opn_date	yes	no
◊	oid_itmh_hist	yes	oid_itmh_hist	yes	no

itm_det

Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm__chr01	User Field #1		x(8)	
itm__chr02	User Field #2		x(8)	
itm__chr03	User Field #3		x(8)	
itm__chr04	User Field #4		x(8)	
itm__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
itm__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
itm__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
itm__dte01	User Date #1		99/99/99	
itm__dte02	User Date #2		99/99/99	
itm__dte03	User Date #3		99/99/99	
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	

Field Name	Label	Col-Label	Format	Dec
itm__log03	User Logical #3		yes/no	
itm__qadc01	Qad Field #1		x(8)	
itm__qadc02	Qad Field #2		x(8)	
itm__qadc03	Qad Field #3		x(8)	
itm__qadc04	Qad Field #4		x(8)	
itm__qadc05			x(8)	
itm__qadc06			x(8)	
itm__qadd01	Qad Date #1		99/99/99	
itm__qadd02	Qad Date #2		99/99/99	
itm__qadd03	Qad Date #3		99/99/99	
itm__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
itm__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
itm__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
itm__qadl01	QAD Logical Field		yes/no	
itm__qadl02	Qad Logical #2		yes/no	
itm__qadl03	Qad Logical #3		yes/no	
itm_acct	Sales Acct	Sales	x(8)	
itm_bill_detail	Bill Detail	Det	yes/no	
itm_bom_code	BOM Code		x(18)	
itm_bom_gen			yes/no	
itm_ca_int_type	Work Code	WK Code	x(8)	
itm_cc	Cost Ctr	CC	x(4)	
itm_cmtindx	Comment Index	Cmt Index	->,>>>,>>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
itm_domain	Domain		x(8)	
itm_dsc_acct	Disc Acct		x(8)	
itm_dsc_cc	Disc CC	CC	x(4)	
itm_dsc_project	Disc Project		x(8)	
itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_fixed_price	Fixed Price		->>>,>>>,>>9.99	10
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Modified Date	Mod Date	99/99/99	
itm_mod_userid	User ID		X(8)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	
itm_part	Item		x(18)	
itm_pr_list	Price List		X(8)	
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0
itm_project	Project		x(8)	
itm_pst	PST Taxable		yes/no	
itm_qty_call	Quantity	Call Qty	->>,>>9	10

Field Name	Label	Col-Label	Format	Dec
itm_qty_chg	To Receive	To Recv	->>,>>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	->>,>>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	->>,>>9	10
itm_qty_rec	Qty Received	Recv	->>,>>9	10
itm_qty_ship	Shipped		->,>>>9	10
itm_rec_date	Received Date		99/99/99	
itm_recorded			yes/no	
itm_ref	Ref		>>>>>>>9	
itm_rev	Revision		x(8)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sad_line	Contract Line		>>>>>>>9	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_status	Status		x(8)	
itm_stdown_date	Start Down		99/99/99	
itm_stdown_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_svc_type			x(1)	
itm_tag			x(1)	
itm_tax_env	Tax Environment	Tax Env	X(16)	
itm_tax_in	Tax In		yes/no	
itm_tax_usage	Tax Usage		x(8)	0
itm_taxable	Taxable	Tax	yes/no	
itm_taxc	Tax Class	TxC	x(3)	
itm_type	Type		x(8)	0
itm_uninvoiced	Uninvoiced		yes/no	
itm_unprocessed			yes/no	
itm_upd_isb	Update Installed Base		yes/no	
itm_user1	Ufld1		x(8)	
itm_user2	Ufld2		x(8)	
itm_warr_sv	Warranty Svc Type		x(8)	
oid_itm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	itm_eng_code	no	itm_domain	yes	no
			itm_eng_code	yes	no
			itm_nxt_date	yes	no
			itm_nxt_time	yes	no
	itm_eu_nbr	no	itm_domain	yes	no
			itm_type	yes	no
			itm_eu_nbr	yes	no
			itm_serial	yes	no
*	itm_nbr	yes	itm_domain	yes	no
			itm_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			itm_prefix	yes	no
			itm_type	yes	no
			itm_itm_line	yes	no
			itm_line	yes	no
	itm_part	no	itm_domain	yes	no
			itm_part	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_nbr	yes	no
	itm_sa_nbr	no	itm_domain	yes	no
			itm_sa_nbr	yes	no
			itm_sad_line	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_nbr	yes	no
			itm_line	yes	no
	itm_serial	no	itm_domain	yes	no
			itm_prefix	yes	no
			itm_type	yes	no
			itm_serial	yes	no
			itm_nbr	yes	no
			itm_line	yes	no
◊	oid_itm_det	yes	oid_itm_det	yes	no

itsd_det

Item Site Load Detail

Field Name	Label	Col-Label	Format	Dec
itsd__qadc01			x(8)	
itsd_date	Effective		99/99/99	
itsd_domain	Domain		x(8)	
itsd_loaded	Loaded		yes/no	
itsd_part	Item Number		x(18)	
itsd_qty	Quantity		->>>,>>>,>>9.9<<<<<<<<<	10
itsd_ref	Reference		x(18)	
itsd_site	Site		x(8)	
itsd_type	Data Type	Type	x(1)	
itsd_user1	Ufld1		x(8)	
itsd_user2	Ufld2		x(8)	
oid_itsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	itsd_det	yes	itsd_domain	yes	no
			itsd_part	yes	no
			itsd_site	yes	no
			itsd_date	yes	no
			itsd_type	yes	no
◊	oid_itsd_det	yes	oid_itsd_det	yes	no

its_mstr

Item Site Load Master

Field Name	Label	Col-Label	Format	Dec
its__dec01			->,>>>,>>>9.99<<<<	10
its__dec02			->,>>>,>>9.99<<<	10
its__dec03			->,>>>,>>9.99<<<	10
its_date	Created Date		99/99/99	
its_domain	Domain		x(8)	
its_part	Item Number		x(18)	
its_qty_oh	Quantity On Hand	QOH	->>,>>>,>>9.9<<<<<<<<<	10
its_site	Site		x(8)	
its_target	Weeks Cover		>>>>	
its_user1	Ufld1		x(8)	
its_user2	Ufld2		x(8)	
oid_its_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	its_mstr	yes	its_domain	yes	no
			its_part	yes	no
			its_site	yes	no
◊	oid_its_mstr	yes	oid_its_mstr	yes	no

ivs_ctrl

Invoice Schedule Control

Field Name	Label	Col-Label	Format	Dec
ivs__qadc01			x(24)	
ivs__qadd01			->>>>,>>>,>>9.99<<<	10
ivs__qadi01			>>>>>>>9	
ivs__qadl01			yes/no	
ivs__qadt01			99/99/99	
ivs_ar_acct	AR Account		x(8)	
ivs_ar_cc	AR Cost Center		x(4)	
ivs_ar_sub	AR Sub-Account		x(8)	
ivs_cmmts	Schedule Comments		yes/no	
ivs_domain	Domain		x(8)	
ivs_index1	Index		>>>>>9	
ivs_inv_type	Invoice Type		x(4)	
ivs_mod_date	Modified Date	Mod Date	99/99/99	
ivs_mod_userid	User ID		x(8)	
ivs_prep_acct	Prepayment Account		x(8)	
ivs_prep_cc	Prepayment Cost Center		x(4)	
ivs_prep_sub	Prepayment Sub-Account		x(8)	
ivs_ptax_acct	Prepayment Tax Account		x(8)	
ivs_ptax_cc	Prepayment Tax Cost Center		x(4)	
ivs_ptax_sub	Prepayment Tax Sub-Account		x(8)	
ivs_so_nbr	Next Pending Invoice		>>>>>>>9	
ivs_so_pre	Pending Invoice Prefix		x(3)	
ivs_user1	Ufld1		x(8)	
ivs_user2	Ufld2		x(8)	
oid_ivs_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ivs_index1	yes	ivs_domain	yes	no
◊	oid_ivs_ctrl	yes	oid_ivs_ctrl	yes	no

◊ Journal

Daybook

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Journal_ID	Record ID	Record ID	9999999999	
JournalCode	Daybook Code	Daybook Code	x(8)	
JournalControl	Daybook Control	Daybook Ctrl	x(20)	
JournalDescription	Description	Daybook Description	x(40)	
JournalIsActive	Active	Active	yes/no	
JournalIsProjectProvision	Project Provision	Project Provision	yes/no	
JournalTypeCode	Daybook Type	Daybook Type	x(30)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Layer_ID	Link to Layer	Link to Layer	9999999999	
SharedSet_ID	Link to SharedSet	Link to SharedSet	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	InternalJournal	no	JournalTypeCode	yes	no
◊	JournalControl	no	JournalControl	yes	no
◊	Layer	no	Layer_ID	yes	no
◊*	Prim	yes	Journal_ID	yes	no
◊	SharedSet	no	SharedSet_ID	yes	no
◊	SharedSetAndCode	yes	SharedSet_ID	yes	no
			JournalCode	yes	no
◊	ViewIndex	no	SharedSet_ID	yes	no
			JournalIsActive	yes	no
			JournalCode	yes	no

◊ JournalType Daybook Type

Field Name	Label	Col-Label	Format	Dec
JournalTypeCode	Daybook Type Code	Daybook Type Code	x(30)	
JournalTypeIsActive	Active	Act	yes/no	
JournalTypeIsAllowMgt	Allow Management Layer	Allow Mgt	yes/no	
JournalTypeIsAllowOfficial	Allow Official Layer	Allow Official	yes/no	
JournalTypeIsAllowTrans	Allow Transient Layer	Allow Transient	yes/no	
JournalTypeIsCorrection	Correction Daybook	Correction Daybook	yes/no	
JournalTypeIsMultiJournal	Multiple Daybooks Allowed	Multi Daybooks	yes/no	
JournalTypeIsStock	Stock Daybook	Stock	yes/no	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	JournalTypeCode	yes	no
◊	ViewIndex	no	JournalTypeIsActive	yes	no
			JournalTypeCode	yes	no

kbc_ctrl Kanban Control

Field Name	Label	Col-Label	Format	Dec
kbc__qadc01			x(8)	
kbc__qadc02			x(24)	
kbc__qadc03			x(24)	
kbc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
kbc__qadi01			->>>>>>>9	
kbc__qadi02			->>>>>>>9	
kbc__qadl01			yes/no	
kbc__qadt01			99/99/99	
◊ kbc_accumulator_pause	Accumulator Monitor Pause	Pause	>>9	

	Field Name	Label	Col-Label	Format	Dec
◊	kbc_barcode_format_ext	Barcode External	Barcode! External	x(8)	
◊	kbc_barcode_format_int	Barcode Internal	Barcode! Internal	x(8)	
◊	kbc_card_reconcile	Card Reconciliation		yes/no	
	kbc_card_reporting	Card Reporting		>9	
	kbc_controlled_entry	Controlled Entry	Controlled! Entry	x(1)	
	kbc_cost_set	Cost Set		x(8)	
◊	kbc_decrease_at_cons	Decrease at Consume		x(8)	
◊	kbc_dispatch_nrm_id	Dispatch ID		x(8)	
	kbc_display_pause	Display Pause	Pause	>>9	
	kbc_domain	Domain		x(8)	
	kbc_eff_date_entry	Enable Eff Date	Enable! Eff! Date	yes/no	
	kbc_export_directory	Export Directory	Export Dir	x(45)	
	kbc_fifo_entry	Allow Entry of FIFO Process	Enable! FIFO	yes/no	
	kbc_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
	kbc_id_barcode	Print ID Barcode	ID Barcode	yes/no	
	kbc_import_directory	Import Directory	Import Dir	x(45)	
	kbc_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
	kbc_lead_time_method	Lead Time Method	LT! Method	>9	
	kbc_load_limit	Load Limit	Load! Limit	>>9.9<%	10
◊	kbc_lot_entry	Lot Entry		yes/no	
	kbc_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
	kbc_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
	kbc_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>>9	
	kbc_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
	kbc_mod_date	Modified Date	Mod Date	99/99/99	
◊	kbc_mod_inv_data	Modify Inv Data		x(8)	
◊	kbc_mod_inv_pct	Modify Inv Threshold		>>9.99%	10
	kbc_mod_userid	User ID		x(8)	
◊	kbc_move_card_sizing	Move Card Sizing		x(8)	
◊	kbc_move_seq_enforce	Move Sequence Enforcement		yes/no	
	kbc_pattern	Current Demand Pattern	Curr Demand! Pattern	x(8)	
◊	kbc_phase_in_method	Phase-In Method		x(8)	
◊	kbc_phase_out_method	Phase-Out Method		x(8)	
◊	kbc_po_data_entry	PO Receipt Data Entry		yes/no	
	kbc_print_consume_ref	Print Consuming Reference	Print Consume	yes/no	
	kbc_print_quantity	Print Quantity		yes/no	
◊	kbc_regen_enforce	Regeneration Enforcement		x(8)	
◊	kbc_repl_seq_enforce	Replenishment Sequence Enforcement		yes/no	
	kbc_ss_template	Safety Stock Template	SS! Template	x(8)	
	kbc_template	Demand Template		x(8)	
	kbc_time_adj[5]	Time Adjustment	Adjust	x(8)	
	kbc_time_fence	Time Fence		>>9	
	kbc_tolerance_pct	Tolerance Pct	Tol Pct	>>9.99%	10
	kbc_user1	Ufld1		x(8)	
	kbc_user2	Ufld2		x(8)	
	kbc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	kbc_useri01	User Field Integer 1		->>>>>>>9	
	kbc_userl01	User Field Logical 1		yes/no	
	kbc_usert01	User Field Date 1		99/99/99	
	oid_kbc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbc_index1	yes	kbc_domain	yes	no
◊	oid_kbc_ctrl	yes	oid_kbc_ctrl	yes	no

kbdt_mstr Kanban Demand Template Master

Field Name	Label	Col-Label	Format	Dec
kbdt__qadc01			x(24)	
kbdt__qadc02			x(24)	
kbdt_desc	Description		x(24)	
kbdt_domain	Domain		x(8)	
kbdt_future_days	Future Days		>>9	
kbdt_future_source	Future Source		x(8)	
kbdt_history_days	Historical Days		>>9	
kbdt_history_source	Historical Source		x(8)	
kbdt_mod_date	Modified Date	Mod Date	99/99/99	
kbdt_mod_userid	User ID		x(8)	
kbdt_template	Template		x(8)	
kbdt_user1	User Field Character 1		x(24)	
kbdt_user2	User Field Character 2		x(24)	
oid_kbdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbdt_template	yes	kbdt_domain	yes	no
			kbdt_template	yes	no
◊	oid_kbdt_mstr	yes	oid_kbdt_mstr	yes	no

kbmd_mstr Kanban Maximum Demand Master

Field Name	Label	Col-Label	Format	Dec
kbmd__chr01			x(8)	
kbmd__dec01			->>>,>>>,>>9.99<<<<	10
kbmd__dte01			99/99/99	
kbmd__int01			->>>,>>>,>>9	
kbmd__log01			yes/no	
kbmd__qadc01			x(8)	
kbmd__qadd01			->>>,>>>,>>9.99<<<<	10
kbmd__qadi01			->>>,>>>,>>9	
kbmd__qadl01			yes/no	
kbmd__qadt01			99/99/99	
kbmd_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
kbmd_cons_source	Consuming Destination	Consuming! Destination	x(8)	
kbmd_demand	Maximum Demand		>>>,>>>,>>9	
kbmd_domain	Domain		x(8)	
kbmd_line	Production Line	Production! Line	x(8)	
kbmd_mod_date	Modified Date	Mod Date	99/99/99	
kbmd_mod_userid	User ID		x(8)	
kbmd_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
kbmd_pattern	Demand Pattern	Demand! Pattern	x(8)	
kbmd_period	Planning Period	Planning! Period	x(8)	
kbmd_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
kbmd_supp_source	Supplying Source	Supplying! Source	x(8)	
kbmd_user1	Ufld1		x(8)	
kbmd_user2	Ufld2		x(8)	
oid_kbmd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbmd_cons_source	yes	kbmd_domain	yes	no
			kbmd_cons_source	yes	no
			kbmd_pattern	yes	no
			kbmd_part	yes	no
			kbmd_cons_ref	yes	no
			kbmd_supp_source	yes	no
			kbmd_supp_ref	yes	no
			kbmd_line	yes	no
	kbmd_cons_source2	no	kbmd_domain	yes	no
			kbmd_cons_source	yes	no
			kbmd_pattern	yes	no
			kbmd_period	yes	no
			kbmd_part	yes	no
	kbmd_part	yes	kbmd_domain	yes	no
			kbmd_part	yes	no
			kbmd_supp_source	yes	no
			kbmd_supp_ref	yes	no
			kbmd_cons_source	yes	no
			kbmd_cons_ref	yes	no
			kbmd_line	yes	no
			kbmd_pattern	yes	no
◊	oid_kbmd_mstr	yes	oid_kbmd_mstr	yes	no

kbpp_mstr Kanban Planning Period Master

Field Name	Label	Col-Label	Format	Dec
kbpp__qadc01			x(8)	
kbpp_calendar_days	Calendar Days	Cal! Days	>>9	
kbpp_desc	Description		x(24)	
kbpp_domain	Domain		x(8)	
kbpp_hours	Hours per Period	Hours per! Period	>>,>>9.99	10
kbpp_mod_date	Modified Date	Mod Date	99/99/99	
kbpp_mod_userid	User ID		x(8)	
kbpp_period	Planning Period	Planning! Period	x(8)	
kbpp_user1	Ufld1		x(8)	
kbpp_user2	Ufld2		x(8)	
kbpp_work_days	Work Days	Work! Days	>>9	
oid_kbpp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbpp_period	yes	kbpp_domain	yes	no
			kbpp_period	yes	no
◊	oid_kbpp_mstr	yes	oid_kbpp_mstr	yes	no

kbtrd_det

Kanban Transaction History Detail

Field Name	Label	Col-Label	Format	Dec
kbtrd__qadc01			x(24)	
kbtrd__qadc02			x(24)	
kbtrd__qadi01			->>>>>>>9	
kbtrd_dataset	Table Name		x(14)	
kbtrd_domain	Domain		x(8)	
kbtrd_kbtr_trans_nbr	Kanban Transaction Number	Kanban! Transaction	>>>>>>>>9	
kbtrd_mod_date	Modified Date	Modified	99/99/99	
kbtrd_mod_userid	User ID		x(8)	
kbtrd_tr_trnbr	Inventory Transaction Number	Inventory! Transaction	>>>>>>>>9	
kbtrd_user1	User Field Character 1		x(24)	
kbtrd_user2	User Field Character 2		x(24)	
kbtrd_useri01	User Field Integer 1		->>>>>>>9	
oid_kbtrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbtrd_dataset_kbtr	yes	kbtrd_domain	yes	no
			kbtrd_dataset	yes	no
			kbtrd_kbtr_trans_nbr	yes	no
			kbtrd_tr_trnbr	yes	no
	kbtrd_dataset_tr	yes	kbtrd_domain	yes	no
			kbtrd_dataset	yes	no
			kbtrd_tr_trnbr	yes	no
			kbtrd_kbtr_trans_nbr	yes	no
◊	oid_kbtrd_det	yes	oid_kbtrd_det	yes	no

kbtrr_det

Kanban Transaction Reject Detail

Field Name	Label	Col-Label	Format	Dec
kbtrr__qadc01			x(24)	
kbtrr__qadc02			x(24)	
kbtrr_domain	Domain		x(8)	
kbtrr_mod_date	Modified Date	Mod Date	99/99/99	
kbtrr_mod_userid	User ID		x(8)	
kbtrr_rjct_qty	Reject Quantity	Reject! Quantity	->>>>,>>>,>>9.9<<<<<<<<<	10
kbtrr_rjct_rsn_code	Reason Code		x(8)	

Field Name	Label	Col-Label	Format	Dec
kbtrr_user1	User Field Character 1		x(24)	
kbtrr_user2	User Field Character 2		x(24)	
oid_kbtr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_kbtrr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	kbtrr_kbtr_rjct	no	oid_kbtr_hist	yes	no
			kbtrr_rjct_rsn_code	yes	no
	oid_kbtrr_det	yes	oid_kbtrr_det	yes	no

kbtr_hist

Kanban Transaction History

	Field Name	Label	Col-Label	Format	Dec
	kbtr__qadc01			x(24)	
	kbtr__qadc02			x(24)	
	kbtr__qadc03			x(24)	
	kbtr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr__qadi01			->>>>>>>9	
	kbtr__qadl01			yes/no	
	kbtr__qadt01			99/99/99	
◊	kbtr_authorize_date	Authorize Date		99/99/99	
◊	kbtr_authorize_time	Authorize Time		>>>>9	
	kbtr_backflush	Backflush		yes/no	
	kbtr_batch_size	Batch Size		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_calc_date	Calculation Date	Calc Date	99/99/99	
	kbtr_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
	kbtr_card_nbr	Card Number		>>>,>>>,>>9	
	kbtr_card_type	Card Type		x(1)	
	kbtr_cards	Number of Cards	Number! of Cards	>>>,>>>,>>9	
◊	kbtr_carrier_id	Carrier		x(8)	
	kbtr_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
	kbtr_cons_source	Consuming Destination	Consuming! Destination	x(8)	
	kbtr_cont_size	Container Capacity	Container! Capacity	>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_cont_type	Container Type	Container! Type	x(8)	
	kbtr_curr_process_id	Process Code	Process! Code	x(8)	
	kbtr_daily_demand	Daily Demand		>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_del_status_code	Delivery Status Code		x(8)	
◊	kbtr_delivery_date	Delivery Date		99/99/99	
◊	kbtr_delivery_time	Delivery Time		>>>>9	
	kbtr_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
◊	kbtr_disp_list_time	Dispatch Time		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_dispatch_id	Dispatch ID		x(24)	
	kbtr_domain	Domain		x(8)	
◊	kbtr_due_date	Due Date		99/99/99	
◊	kbtr_due_time	Due Time		->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_eff_date	Effective Date		99/99/99	
	kbtr_id	Kanban ID		>>>>>>>>9	
	kbtr_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
◊	kbtr_issue_loc	Issue Location		x(8)	
	kbtr_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	kbtr_lead_time	Replenishment Time	Repl! Time	->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_loop	One/Two Card		One/Two	
	kbtr_loop_type	Loop Type		x(8)	
◊	kbtr_lot	Lot		x(18)	
	kbtr_lot_size	Kanban Lot Size		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>>9	
	kbtr_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
	kbtr_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>>9	
	kbtr_mod_date	Modified Date	Mod Date	99/99/99	
	kbtr_mod_userid	User ID		x(8)	
	kbtr_mode	Mode		x(8)	
	kbtr_number_of_cards	Number of Cards	Number! of Cards	>>>,>>>,>>9	
	kbtr_order_qty	Order Quantity		>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_part	Item Number		x(18)	
	kbtr_pattern	Demand Pattern	Demand! Pattern	x(8)	
	kbtr_po_nbr	Purchase Order	PO	x(8)	
	kbtr_pou_ref	POU Reference	POU! Reference	x(8)	
	kbtr_pou_site	POU Site		x(8)	
	kbtr_print_date	Print Date		99/99/99	
	kbtr_print_time	Print Time		>>>>9	
	kbtr_production_line	Production Line	Line	x(8)	
◊	kbtr_program	Program		x(12)	
◊	kbtr_qty_accepted	Qty Accepted		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_qty_scrapped	Qty Scrapped		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_receipt_loc	Receipt Location		x(8)	
◊	kbtr_ref	Reference		x(8)	
	kbtr_rep_time	Replenishment Time	Repl! Time	>>>9.9<	10
	kbtr_safety_stock	Safety Stock		>>,>>>,>>9.9<<<<<<<<<	10
◊	kbtr_second_card_id	Second ID		x(8)	
	kbtr_source_app	Source Application		x(8)	
	kbtr_source_ref1	Source Ref1		x(8)	
	kbtr_source_ref2	Source Ref2		x(8)	
	kbtr_source_ref3	Source Ref3		x(8)	
	kbtr_source_ref4	Source Ref4		x(8)	
	kbtr_source_ref5	Source Ref5		x(8)	
	kbtr_source_type	Source Type	Source! Type	x(8)	
	kbtr_step	Step		>>>>9	
	kbtr_supermarket_id	Supermarket		x(8)	
	kbtr_supermarket_site	Supermarket Site	Supermarket! Site	x(8)	
	kbtr_supp_ref	Supplying Reference	Supplying! Reference	x(8)	
	kbtr_supp_source	Supplying Source	Supplying! Source	x(8)	
	kbtr_trans_date	Transaction Date	Trans! Date	99/99/99	
	kbtr_trans_nbr	Transaction Number	Trans! Nbr	>>>>>>>>9	
	kbtr_trans_qty	Transaction Quantity	Transaction! Quantity	->>,>>>,>>9.9<<<<<<<<<	10
	kbtr_trans_time	Transaction Time	Trans! Time	>>>>9	
	kbtr_trans_type	Transaction Type	Trans! Type	x(1)	
	kbtr_transaction_event	Event		x(8)	
	kbtr_type	Kanban Type	Kanban! Type	x(8)	
	kbtr_type_user_ref	Kanban Type	Kanban! Type	x(8)	
	kbtr_user1	User Field Character 1		x(24)	
	kbtr_user2	User Field Character 2		x(24)	
	kbtr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
	kbtr_useri01	User Field Integer 1		->>>>>>>9	
	kbtr_userl01	User Field Logical 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
kbtr_usert01	User Field Date 1		99/99/99	
kbtr_var_factor	Variability Factor	Variability! Factor	->>9.99<<	10
kbtr_vend	Supplier		x(8)	
oid_kbtr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	kbtr_id_date	no	kbtr_domain	yes	no
			kbtr_id	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
			kbtr_trans_nbr	yes	no
	kbtr_part_date	no	kbtr_domain	yes	no
			kbtr_part	yes	no
			kbtr_step	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
	kbtr_source	no	kbtr_domain	yes	no
			kbtr_source_type	yes	no
			kbtr_source_ref1	yes	no
			kbtr_source_ref2	yes	no
			kbtr_source_ref3	yes	no
			kbtr_source_ref4	yes	no
			kbtr_source_ref5	yes	no
	kbtr_supermarket	no	kbtr_domain	yes	no
			kbtr_supermarket_site	yes	no
			kbtr_supermarket_id	yes	no
			kbtr_part	yes	no
			kbtr_step	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
*	kbtr_trans_nbr	yes	kbtr_domain	yes	no
			kbtr_trans_nbr	yes	no
	kbtr_user_time	no	kbtr_domain	yes	no
			kbtr_mod_userid	yes	no
			kbtr_trans_date	yes	no
			kbtr_trans_time	yes	no
◊	oid_kbtr_hist	yes	oid_kbtr_hist	yes	no

◊ kenb_det

Ending Inventory Balance and Cost by Location

Field Name	Label	Col-Label	Format	Dec
kenb__qadc01	QAD Character Field 1		x(24)	
kenb__qadc02	QAD Character Field 2		x(24)	
kenb__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
kenb__qadt01	QAD Date Field 1		99/99/99	
kenb_domain	Domain		x(8)	
kenb_end_bal	Ending Inventory Quantity	End Inv Qty	->>,>>>,>>9.9<<<<<<<<<	10
kenb_end_cst	Ending Cost		>>>>,>>>,>>9.99<<<	10
kenb_loc	Location		x(8)	
kenb_mod_date	Modified Date	Mod Date	99/99/99	
kenb_mod_userid	User ID		x(8)	
kenb_month	Month		>9	

Field Name	Label	Col-Label	Format	Dec
kenb_part	Item Number		x(18)	
kenb_period	Period		99/9999	
kenb_site	Site		x(8)	
kenb_user1	User Field Character 1		x(24)	
kenb_user2	User Field Character 2		x(24)	
kenb_year	Year		9999	
oid_kenb_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	kenb_part	no	kenb_domain	yes	no
			kenb_part	yes	no
			kenb_site	yes	no
			kenb_loc	yes	no
◊*	kenb_site_loc	yes	kenb_domain	yes	no
			kenb_site	yes	no
			kenb_loc	yes	no
			kenb_part	yes	no
			kenb_year	yes	no
			kenb_month	yes	no
◊	kenb_year_per	no	kenb_domain	yes	no
			kenb_year	yes	no
			kenb_month	yes	no
			kenb_part	yes	no
			kenb_site	yes	no
			kenb_loc	yes	no
◊	oid_kenb_det	yes	oid_kenb_det	yes	no

◊ kia_mstr

Inventory Account Change Master

Field Name	Label	Col-Label	Format	Dec
kia__qadc01	QAD Character Field 1		x(24)	
kia__qadc02	QAD Character Field 2		x(24)	
kia__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
kia__qadt01	QAD Date Field 1		99/99/99	
kia_domain	Domain		x(8)	
kia_loc	Location		x(8)	
kia_mod_date	Modified Date	Mod Date	99/99/99	
kia_mod_userid	User ID		x(8)	
kia_new_acct	New Inventory Account	New Inv Acct	x(8)	
kia_old_acct	Old Inventory Account	Old Inv Acct	x(8)	
kia_prod_line	Product Line	Line	x(4)	
kia_site	Site		x(8)	
kia_trnbr	Transaction Number	Trans	>>>>>>>9	
kia_user1	User Field Character 1		x(24)	
kia_user2	User Field Character 2		x(24)	
oid_kia_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	kia_prod_line	no	kia_domain	yes	no
			kia_prod_line	yes	no
			kia_mod_date	yes	no
			kia_site	yes	no
			kia_loc	yes	no
			kia_old_acct	yes	no
◊*	kia_trnbr	yes	kia_domain	yes	no
			kia_trnbr	yes	no
◊	oid_kia_mstr	yes	oid_kia_mstr	yes	no

knbadc_hist Kanban Average Demand Calculation History

Field Name	Label	Col-Label	Format	Dec
knbadc__qadc01			x(24)	
knbadc__qadc02			x(24)	
knbadc_calc_date	Calculation Date		99/99/99	
knbadc_calc_time	Calculation Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knbadc_daily_demand	Daily Demand		>,>>>,>>9.9<<<	4
knbadc_domain	Domain		x(8)	
knbadc_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbadc_knbism_keyid	Kanban Item Supermarket Key ID		->>>,>>>,>>9.9<<<<<	10
knbadc_mod_date	Modified Date	Mod Date	99/99/99	
knbadc_mod_userid	User ID		x(8)	
knbadc_part	Item Number		x(18)	
knbadc_site	Site		x(8)	
knbadc_template	Template		x(8)	
knbadc_user1	User Field Character 1		x(24)	
knbadc_user2	User Field Character 2		x(24)	
oid_knbadc_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbadc_keyid	yes	knbadc_domain	yes	no
			knbadc_keyid	yes	no
	knbadc_site_part	no	knbadc_domain	yes	no
			knbadc_site	yes	no
			knbadc_part	yes	no
			knbadc_template	yes	no
			knbadc_calc_date	yes	no
			knbadc_calc_time	yes	no
◊	oid_knbadc_hist	yes	oid_knbadc_hist	yes	no

knbcd_det Kanban Cards Dispatch History

Field Name	Label	Col-Label	Format	Dec
knbcd__qadc01			x(8)	
knbcd__qadc02			x(8)	
knbcd__qadc03			x(24)	
knbcd__qadc04			x(24)	
knbcd__qadl01			yes/no	
knbcd__qadl02			yes/no	
knbcd_closed	Closed		yes/no	
knbcd_delivery_date	Delivery Date		99/99/99	
knbcd_delivery_time	Delivery Time		>>>>9	
knbcd_dispatch_id	Dispatch ID		x(24)	
knbcd_domain	Domain		x(8)	
knbcd_due_date	Due Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
knbcd_due_time	Due Time		>>>>9	
knbcd_fill_date	Fill Date		99/99/99	
knbcd_fill_time	Fill Time		>>>>9	
knbcd_kbtr_trans_nbr	Transaction Number	Trans! Nbr	>>>>>>>>9	
knbcd_knbd_id	Kanban ID		>>>>>>>>9	
knbcd_mfd_seq	EDI Sequence		>>>>>9	
knbcd_mod_date	Modified Date	Mod Date	99/99/99	
knbcd_mod_userid	User ID		x(8)	
knbcd_part	Item Number		x(18)	
knbcd_po_nbr	Purchase Order	Order	x(8)	
knbcd_pod_blanket	Blanket Order		x(8)	
knbcd_pod_blnkt_ln	Blanket Line	Ln	>>9	
knbcd_pod_line	Line	Ln	>>9	
knbcd_process_edi	Process EDI		yes/no	
knbcd_ref1	Reference 1	Ref1	x(8)	
knbcd_ref2	Reference 2	Ref2	x(8)	
knbcd_ref3	Reference 3	Ref3	x(8)	
knbcd_ref4	Reference 4	Ref4	x(8)	
knbcd_ref5	Reference 5	Ref5	x(8)	
knbcd_ship_date	Ship Date		99/99/99	
knbcd_ship_time	Ship Time		>>>>9	
knbcd_source_email	Source Email		x(48)	
knbcd_source_fax	Source Fax		x(16)	
knbcd_source_fax2	Source Fax 2		x(16)	
knbcd_source_type	Source Type	Source! Type	x(8)	
knbcd_user1	Ufld1		x(8)	
knbcd_user2	Ufld2		x(8)	
oid_knbcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knbcd_blanket	no	knbcd_domain	yes	no
			knbcd_pod_blanket	yes	no
			knbcd_pod_blnkt_ln	yes	no
			knbcd_po_nbr	yes	no
			knbcd_pod_line	yes	no
*	knbcd_dispatch_id	yes	knbcd_domain	yes	no
			knbcd_dispatch_id	yes	no
			knbcd_knbd_id	yes	no
	knbcd_kbtr	no	knbcd_domain	yes	no
			knbcd_kbtr_trans_nbr	yes	no
	knbcd_knbd_id	no	knbcd_domain	yes	no
			knbcd_knbd_id	yes	no
			knbcd_dispatch_id	yes	no
	knbcd_part_closed	no	knbcd_domain	yes	no
			knbcd_part	yes	no
			knbcd_closed	yes	no
	knbcd_part_disp	no	knbcd_domain	yes	no
			knbcd_part	yes	no
			knbcd_dispatch_id	yes	no
	knbcd_po_nbr	no	knbcd_domain	yes	no
			knbcd_po_nbr	yes	no
			knbcd_pod_line	yes	no
			knbcd_closed	yes	no
	knbcd_source	no	knbcd_domain	yes	no
			knbcd_source_type	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			knbcd_ref1	yes	no
			knbcd_ref2	yes	no
			knbcd_ref3	yes	no
			knbcd_ref4	yes	no
			knbcd_ref5	yes	no
			knbcd_closed	yes	no
◊	oid_knbcd_det	yes	oid_knbcd_det	yes	no

knbdd_mstr Kanban Document Definition Master

Field Name	Label	Col-Label	Format	Dec
knbdd__qadc01			x(8)	
knbdd__qadc02			x(8)	
knbdd__qadc03			x(24)	
knbdd__qadc04			x(24)	
knbdd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
knbdd__qadi01			->>>>>>>>9	
knbdd__qadl01			yes/no	
knbdd__qadl02			yes/no	
knbdd__qadl03			yes/no	
knbdd__qadt01			99/99/99	
knbdd_accum_type	Accum Type		yes/no	
knbdd_accum_type_desc	Accum Type Desc		yes/no	
knbdd_active_end	Active End		yes/no	
knbdd_active_start	Active Start		yes/no	
knbdd_bom_code	BOM Code		yes/no	
knbdd_card_cmmt_page[5]	Card Comment Page		>>9	
knbdd_card_stock	Card Stock		x(12)	
knbdd_card_type	Card Type		yes/no	
knbdd_card_type_desc	Card Type Desc		yes/no	
knbdd_cont_size	Cont Capacity		yes/no	
knbdd_cont_type	Cont Type		yes/no	
knbdd_cycles_allowed	Cycles		yes/no	
knbdd_del_loc	Delivery Location		yes/no	
knbdd_dest_sm_desc	Destination Supermarket Desc		yes/no	
knbdd_dest_sm_id	Destination Supermarket ID		yes/no	
knbdd_document_color	Label Color		x(12)	
knbdd_document_desc	Document Description		x(24)	
knbdd_document_name	Document Name		x(12)	
knbdd_document_size	Document Size		x(12)	
knbdd_document_type	Document Type		x(8)	
knbdd_domain	Domain		x(8)	
knbdd_font_size	Font Size		x(8)	
knbdd_font_style	Font Style		x(12)	
knbdd_inv_site	Inventory Site		yes/no	
knbdd_inv_site_desc	Inventory Site Desc		yes/no	
knbdd_kanban_id	Kanban ID		yes/no	
knbdd_kanban_quantity	Kanban Quantity		yes/no	
knbdd_label_type	Label Type		x(12)	
knbdd_mod_date	Modified Date	Mod Date	99/99/99	
knbdd_mod_userid	User ID		x(8)	
knbdd_part	Item Number		yes/no	
knbdd_po_line	PO Line		yes/no	

Field Name	Label	Col-Label	Format	Dec
knbdd_po_nbr	Purchase Order		yes/no	
knbdd_pou_loc	POU Location		yes/no	
knbdd_prcs_site_desc	Process Site Desc		yes/no	
knbdd_print_date	Print Date		yes/no	
knbdd_print_time	Print Time		yes/no	
knbdd_process_desc	Process Desc		yes/no	
knbdd_process_id	Process ID		yes/no	
knbdd_process_site	Process Site		yes/no	
knbdd_pt_desc1	Item Desc 1		yes/no	
knbdd_pt_desc2	Item Desc 2		yes/no	
knbdd_pt_rev	Item Revision		yes/no	
knbdd_pt_um	Item UM		yes/no	
knbdd_routing	Routing Code		yes/no	
knbdd_second_card_id	Second Card ID		yes/no	
knbdd_sm_inv_location	SM Inv Location		yes/no	
knbdd_sm_site	SM Site		yes/no	
knbdd_sm_site_desc	SM Site Desc		yes/no	
knbdd_source_sm_desc	Source Supermarket Desc		yes/no	
knbdd_source_sm_id	Source Supermarket ID		yes/no	
knbdd_step	Item Step		yes/no	
knbdd_supplier	Supplier		yes/no	
knbdd_supplier_desc	Supplier Desc		yes/no	
knbdd_text_color	Text Color		x(12)	
knbdd_text_font	Text Font		x(24)	
knbdd_user1	Ufld1		x(8)	
knbdd_user2	Ufld2		x(8)	
knbdd_user3	Ufld1		x(8)	
oid_knbdd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbdd_document	yes	knbdd_domain	yes	no
			knbdd_document_type	yes	no
			knbdd_document_name	yes	no
◊	oid_knbdd_mstr	yes	oid_knbdd_mstr	yes	no

knbd_det

Kanban Card Detail

	Field Name	Label	Col-Label	Format	Dec
	knbd__qadc01			x(24)	
	knbd__qadc02			x(24)	
	knbd_active	Active		yes/no	
	knbd_active_code	Active Code		x(8)	
	knbd_active_end_date	Active End	Active! End	99/99/99	
	knbd_active_start_date	Active Start	Active! Start	99/99/99	
	knbd_authorize_date	Authorize Date		99/99/99	
	knbd_authorize_time	Authorize Time		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	knbd_auto_print_req	Auto Print		yes/no	
	knbd_bom_code	BOM Code		x(18)	
◊	knbd_cmtindx	Comment Index	Comment	>>>>>>>9	
	knbd_cycles_allowed	Cycles		>>>>>>>>9	
	knbd_cycles_used	Cycles Used		>>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
◊	knbd_del_loc	Delivery Location		x(8)	
◊	knbd_del_status_code	Delivery Status Code		x(8)	
◊	knbd_disp_list_date	Dispatch Date		99/99/99	
◊	knbd_disp_list_time	Dispatch Time		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	knbd_dispatch_id	Dispatch ID		x(24)	
	knbd_domain	Domain		x(8)	
◊	knbd_due_date	Due Date		99/99/99	
◊	knbd_due_time	Due Time		->>>>,>>>,>>9.9<<<<<<<<<	10
	knbd_id	Kanban ID		>>>>>>>>9	
	knbd_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10
	knbd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
	knbd_knbl_keyid	Kanban Loop Key ID		->>>,>>>,>>9.9<<<<<	10
	knbd_mod_date	Modified Date	Mod Date	99/99/99	
	knbd_mod_userid	User ID		x(8)	
	knbd_next_process_id	Process Code	Process! Code	x(8)	
	knbd_pou_ref	POU Reference	POU! Reference	x(8)	
	knbd_pou_site	POU Site	POU! Site	x(8)	
	knbd_print_date	Print Date		99/99/99	
	knbd_print_dispatch	Print Dispatch	Print! Disp	yes/no	
	knbd_print_time	Print Time		->>>>>>>>>9.9<<<<<<<<<	10
◊	knbd_qty_accepted	Qty Accepted		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	knbd_qty_scrapped	Qty Scrapped		->>>>,>>>,>>9.9<<<<<<<<<	10
	knbd_ref1	Reference 1	Ref1	x(8)	
	knbd_ref2	Reference 2	Ref2	x(8)	
	knbd_ref3	Reference 3	Ref3	x(8)	
	knbd_ref4	Reference 4	Ref4	x(8)	
	knbd_ref5	Reference 5	Ref5	x(8)	
	knbd_routing	Routing Code		x(18)	
◊	knbd_second_card_id	Second ID		x(8)	
	knbd_source_type	Source Type	Source! Type	x(8)	
	knbd_status	Status		x(8)	
◊	knbd_status_chg_date	Change Date		99/99/99	
◊	knbd_status_chg_time	Change Time		->>>>,>>>,>>9.9<<<<<<<<<	10
	knbd_user1	Ufld1		x(24)	
	knbd_user2	Ufld2		x(24)	
	oid_knbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbd_id	yes	knbd_domain	yes	no
			knbd_id	yes	no
	knbd_keyid	yes	knbd_domain	yes	no
			knbd_keyid	yes	no
	knbd_knbl_keyid	no	knbd_domain	yes	no
			knbd_knbl_keyid	yes	no
			knbd_id	yes	no
	knbd_knbl_status	no	knbd_domain	yes	no
			knbd_knbl_keyid	yes	no
			knbd_status	yes	no
			knbd_active	yes	no
	knbd_status_disp	no	knbd_domain	yes	no
			knbd_status	yes	no
			knbd_print_dispatch	yes	no
			knbd_active	yes	no
◊	oid_knbd_det	yes	oid_knbd_det	yes	no

knbfd_det Kanban FIFO Process Detail

Field Name	Label	Col-Label	Format	Dec
knbfd__qadc01			x(24)	
knbfd__qadc02			x(24)	
knbfd_domain	Domain		x(8)	
knbfd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knb_keyid	Kanban Master Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knbs_keyid	Kanban Source Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_knp_keyid	Process Master Key ID		->>>,>>>,>>9.9<<<<<	10
knbfd_mod_date	Modified Date	Mod Date	99/99/99	
knbfd_mod_userid	User ID		x(8)	
knbfd_seq	Sequence Number	Sequence! Number	>>>>>>>>9	
knbfd_user1	User Field Character 1		x(24)	
knbfd_user2	User Field Character 2		x(24)	
oid_knbfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbfd_keyid	yes	knbfd_domain	yes	no
			knbfd_keyid	yes	no
	knbfd_knb_keyid	no	knbfd_domain	yes	no
			knbfd_knb_keyid	yes	no
			knbfd_seq	yes	no
	knbfd_knbs_keyid	no	knbfd_domain	yes	no
			knbfd_knbs_keyid	yes	no
			knbfd_seq	yes	no
◊	oid_knbfd_det	yes	oid_knbfd_det	yes	no

knbism_det Kanban Item Supermarket Detail

Field Name	Label	Col-Label	Format	Dec
knbism__qadc01			x(24)	
knbism__qadc02			x(24)	
knbism_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbism_buf_limit_chg	Date Limit Changed		99/99/99	
knbism_buf_limit_disp	Buffer Limit Method		x(8)	
knbism_buf_method	Buffer Method		x(8)	
knbism_buf_modified	Buffer Modified		yes/no	
knbism_count_tolerance	Count Tolerance	Tol	>>9.9<%	10
knbism_critical_limit	Critical Zone Limit		>>,>>>,>>9.9<<<<<<<<<	10
knbism_daily_demand	Daily Demand		>,>>>,>>9.9<<<	4
knbism_demand_method	Demand Method		x(8)	
knbism_demand_modified	Demand Modified		yes/no	
knbism_demand_pct	Demand Percent		>>9.99%	10
knbism_dest_email	Destination Email		x(48)	
knbism_dest_fax	Destination Fax		x(16)	
knbism_dest_fax2	Destination Fax2		x(16)	
knbism_domain	Domain		x(8)	
knbism_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbism_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
knbism_knbsm_keyid	Kanban Supermarket Master Key ID		->>>,>>>,>>9.9<<<<<	10

Field Name	Label	Col-Label	Format	Dec
knbism_lag_factor	Lag Factor		->>>>,>>>,>>9.9<<<<<<<<<	10
knbism_max_buf	Max Buffer Size		>>,>>>,>>9.9<<<<<<<<<	10
knbism_mod_date	Modified Date	Mod Date	99/99/99	
knbism_mod_userid	User ID		x(8)	
knbism_order_point	Order Point		>>,>>>,>>9.9<<<<<<<<<	10
knbism_pack_qty	Pack Qty		>>,>>>,>>9.9<<<<<<<<<	10
knbism_pack_type	Pack Type		x(8)	
knbism_peak_period	Peak Average Days	Pk Avg Dys	>>9	
knbism_safety_stock	Safety Stock		>>,>>>,>>9.9<<<<<<<<<	10
knbism_safety_time	Safety Days		>>>>,>>>,>>9.9<<<<<<<<<	10
knbism_service_level	Service Level	Service! Level	>>9.99%	10
knbism_ss_method	Safety Stock Method	SS Method	x(8)	
knbism_ss_template	Safety Stock Template	SS! Template	x(8)	
knbism_ss_total_qty	Total Quantity		>>,>>>,>>9.9<<<<<<<<<	10
knbism_template_used	Avg Demand Template	Avg Dem! Template	x(8)	
knbism_user1	User Field Character 1		x(24)	
knbism_user2	User Field Character 2		x(24)	
knbism_var_factor	Variability Factor	Var Factor	->>9.99<<	4
knbism_warning_limit	Warning Zone Limit		>>,>>>,>>9.9<<<<<<<<<	10
knbism_working_buffer	Working Buffer		->>>,>>>,>>9.9<<<<<	10
oid_knbism_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbism_keyid	yes	knbism_domain	yes	no
			knbism_keyid	yes	no
	knbism_knbi_keyid	no	knbism_domain	yes	no
			knbism_knbi_keyid	yes	no
			knbism_knbsm_keyid	yes	no
	knbism_knbsm_keyid	no	knbism_domain	yes	no
			knbism_knbsm_keyid	yes	no
			knbism_knbi_keyid	yes	no
◊	oid_knbism_det	yes	oid_knbism_det	yes	no

knbi_mstr Kanban Item Master

Field Name	Label	Col-Label	Format	Dec
knbi__qadc01			x(24)	
knbi__qadc02			x(24)	
knbi_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbi_bom_code	BOM Code		x(18)	
knbi_cmtindx	Comment Index	Comment	>>>>>>>9	
knbi_cont_type	Container Type	Cont! Type	x(8)	
knbi_cost_alloc	Cost Allocation	Cost! Alloc	>>9.9<%	10
knbi_domain	Domain		x(8)	
knbi_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbi_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_mod_date	Modified Date	Mod Date	99/99/99	
knbi_mod_userid	User ID		x(8)	
knbi_part	Item Number		x(18)	
knbi_routing	Routing Code		x(18)	
knbi_run_out_material	Run Out Material	Run Out! Material	x(18)	

Field Name	Label	Col-Label	Format	Dec
knbi_run_out_option	Run Out Option		>9	
knbi_run_out_qty_per	Run Out Quantity Per	Run Out! Qty Per	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_run_out_qty_um	UM		x(2)	
knbi_run_out_qtyper_um	UM		x(2)	
knbi_run_out_quantity	Run Out Quantity	Run Out! Quantity	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_run_out_setup	Run Out Changeover	Run Out! Changeover	->>>>,>>>,>>9.9<<<<<<<<<	10
knbi_step	Step		>>>>9	
knbi_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
knbi_user1	User Field Character 1		x(24)	
knbi_user2	User Field Character 2		x(24)	
oid_knbi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knbi_keyid	yes	knbi_domain	yes	no
			knbi_keyid	yes	no
*	knbi_part	yes	knbi_domain	yes	no
			knbi_part	yes	no
			knbi_step	yes	no
◊	oid_knbi_mstr	yes	oid_knbi_mstr	yes	no

◊ knble_det

Kanban Loop Event Detail

Field Name	Label	Col-Label	Format	Dec
knble__qadc01			x(8)	
knble__qadc02			x(8)	
knble__qadc03			x(24)	
knble__qadc04			x(24)	
knble__qadl01			yes/no	
knble__qadl02			yes/no	
knble_auto_print	Auto Print		yes/no	
knble_card_type	Card Type		x(8)	
knble_mod_date	Modified Date	Mod Date	99/99/99	
knble_mod_userid	User ID		x(8)	
knble_parent_dataset	Parent Table		x(14)	
knble_seq_enforce	Sequence Enforcement	Sequence! Enforce	x(8)	
knble_trans_event	Status		x(8)	
knble_user1	Ufld1		x(8)	
knble_user2	Ufld2		x(8)	
oid_knble_det			>>>>>>>>>>>>>>>>>>>9.9<<<<< <<	10
oid_parent_dataset			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	knble_oid_parent	no	oid_parent_dataset	yes	no
			knble_card_type	yes	no
			knble_trans_event	yes	no
◊	oid_knble_det	yes	oid_knble_det	yes	no

knbl_det Kanban Loop Detail

	Field Name	Label	Col-Label	Format	Dec
	knbl__qadc01			x(24)	
	knbl__qadc02			x(24)	
	knbl_accum_sch_time	Schedule Time		x(255)	
	knbl_accum_schedule	Accum Schedule		x(255)	
	knbl_accum_type	Accumulator Type		x(8)	
	knbl_backflush	Backflush		yes/no	
	knbl_blanket_po	Release Blanket PO		yes/no	
	knbl_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
	knbl_card_print_option	Print Option		x(8)	
	knbl_card_reporting	Card Reporting	Card! Reporting	>9	
	knbl_card_type	Card Type	Card! Type	x(8)	
	knbl_cmtindx	Comment Index	Comment	>>>>>>>9	
	knbl_cont_size	Container Capacity	Container! Capacity	>>,>>>,>>9.9<<<<<<<<<	10
	knbl_cont_type	Container Type	Container	x(8)	
◊	knbl_decrease_at_cons	Decrease at Consume		x(8)	
◊	knbl_del_loc	Delivery Location		x(8)	
◊	knbl_dispatch_edi	EDI		yes/no	
	knbl_dispatch_list	Dispatch List	Dispatch! List	yes/no	
	knbl_domain	Domain		x(8)	
	knbl_email_disp_list	Email Dispatch List	Email! Disp	yes/no	
	knbl_fax_dispatch_list	Fax Disp List	Fax! Disp	yes/no	
◊	knbl_fifo_ext_time	FIFO Time Ext	FIFO Time! External	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_fifo_time	Total FIFO Time	FIFO Time	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
	knbl_id_barcode	Print ID Barcode	ID! Barcode	yes/no	
	knbl_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
	knbl_interval_time	Interval Time		->>>>,>>>,>>9.9<<<<<<<<<	10
◊	knbl_inv_loc	Inventory Location		x(8)	
	knbl_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
◊	knbl_kanban_label	Kanban Label		x(12)	
	knbl_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>,>>>,>>9.9<<<<<<<<<	10
	knbl_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
	knbl_knb_keyid	Kanban Master Key ID		->>>,>>>,>>9.9<<<<<	10
◊	knbl_lot_entry	Lot Entry		yes/no	
	knbl_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(8)	
	knbl_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_mod_date	Modified Date	Mod Date	99/99/99	
◊	knbl_mod_inv_data	Modify Inv Data		x(8)	
◊	knbl_mod_inv_pct	Modify Inv Threshold		>>9.99%	10
	knbl_mod_userid	User ID		x(8)	
	knbl_next_date	Next Accumulator		99/99/99	
	knbl_next_time	Accumulator Time		->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_number_of_cards	Number of Cards	Cards	>>>,>>>,>>9	
	knbl_order_qty	Order Qty		>>,>>>,>>9.9<<<<<<<<<	10
◊	knbl_order_qty_mult	Order Quantity Multiple		>>>>9	
◊	knbl_po_data_entry	PO Receipt Data Entry		yes/no	
◊	knbl_pou_loc	Point Of Use Location		x(8)	
	knbl_print_consume_ref	Print Consuming Reference	Print Ref	yes/no	
	knbl_print_quantity	Print Quantity	Print! Qty	yes/no	
◊	knbl_qty_violation	Qty Violation Method		x(8)	
◊	knbl_regen_enforce	Regeneration Enforcement		x(8)	
	knbl_regen_required	Regenerate	Regen! Required	yes/no	
	knbl_rep_time	Replenishment Time	Replen Time	->>>>,>>>,>>9.9<<<<<<<<<	10
◊	knbl_rounding_pct	Rounding Threshold Percent		>>9.99%	10

	Field Name	Label	Col-Label	Format	Dec
	knbl_run_out_option	Run Out Option		>9	
◊	knbl_sd_pat	Ship/Dlvy Pattern		x(2)	
◊	knbl_sd_time	Ship/Dlvy Time		x(2)	
◊	knbl_shortfall	Receipt Shortfall		->>>>,>>>,>>9.9<<<<<<<<<	10
	knbl_source_email	Source Email		x(48)	
	knbl_source_fax	Source Fax		x(16)	
	knbl_source_fax2	Source Fax 2		x(16)	
	knbl_type_user_ref	Kanban Type	Kanban! Type	x(8)	
	knbl_user1	User Field Character 1		x(24)	
	knbl_user2	User Field Character 2		x(24)	
	oid_knbl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knbl_keyid	yes	knbl_domain	yes	no
			knbl_keyid	yes	no
	knbl_knb_keyid	no	knbl_domain	yes	no
			knbl_knb_keyid	yes	no
			knbl_card_type	yes	no
	knbl_next_date_time	no	knbl_domain	yes	no
			knbl_next_date	yes	no
			knbl_next_time	yes	no
◊	oid_knbl_det	yes	oid_knbl_det	yes	no

knbrs_mstr Kanban Dispatch Release Schedule

Field Name	Label	Col-Label	Format	Dec
knbrs__qadc01			x(8)	
knbrs__qadc02			x(8)	
knbrs__qadc03			x(24)	
knbrs__qadc04			x(24)	
knbrs__qadl01			yes/no	
knbrs__qadl02			yes/no	
knbrs_dispatch_date	Dispatch Date		99/99/99	
knbrs_dispatch_id	Dispatch ID		x(24)	
knbrs_dispatch_time	Dispatch Time		>>>>9	
knbrs_domain	Domain		x(8)	
knbrs_export_batch	Batch		>>>>>>>>9	
knbrs_mod_date	Modified Date		99/99/99	
knbrs_mod_userid	User ID		x(8)	
knbrs_proc_sess	EDI Process Session Number	EDI! Session	>>>>>>>9	
knbrs_user1	Ufld1		x(8)	
knbrs_user2	Ufld2		x(8)	
oid_knbrs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knbrs_date_disp	no	knbrs_domain	yes	no
			knbrs_dispatch_date	yes	no
			knbrs_dispatch_time	yes	no
			knbrs_dispatch_id	yes	no
*	knbrs_dispatch_id	yes	knbrs_domain	yes	no
			knbrs_dispatch_id	yes	no
	knbrs_export_batch	no	knbrs_domain	yes	no
			knbrs_export_batch	yes	no
◊	oid_knbrs_mstr	yes	oid_knbrs_mstr	yes	no

knbsm_mstr Kanban Supermarket Master

Field Name	Label	Col-Label	Format	Dec
knbsm__qadc01			x(24)	
knbsm__qadc02			x(24)	
knbsm_cmtindx	Comment Index	Comment	>>>>>>>9	
knbsm_desc	Description		x(24)	
knbsm_dest_email	Destination Email		x(48)	
knbsm_dest_fax	Destination Fax		x(16)	
knbsm_dest_fax2	Destination Fax 2	Destination! Fax 2	x(16)	
knbsm_domain	Domain		x(8)	
knbsm_inv_loc	Location		x(8)	
knbsm_inv_loc_type	Location Type		x(8)	
knbsm_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knbsm_mod_date	Modified Date	Mod Date	99/99/99	
knbsm_mod_userid	User ID		x(8)	
knbsm_site	Site		x(8)	
knbsm_supermarket_id	Supermarket ID		x(8)	
knbsm_user1	User Field Character 1		x(24)	
knbsm_user2	User Field Character 2		x(24)	
oid_knbsm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knbsm_keyid	yes	knbsm_domain	yes	no
			knbsm_keyid	yes	no
*	knbsm_site_id	yes	knbsm_domain	yes	no
			knbsm_site	yes	no
			knbsm_supermarket_id	yes	no
◊	oid_knbsm_mstr	yes	oid_knbsm_mstr	yes	no

knbs_det Kanban Source Detail

Field Name	Label	Col-Label	Format	Dec
knbs__qadc01			x(24)	
knbs__qadc02			x(24)	
knbs_domain	Domain		x(8)	
knbs_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10

Field Name	Label	Col-Label	Format	Dec
knbs_mod_date	Modified Date	Mod Date	99/99/99	
knbs_mod_userid	User ID		x(8)	
knbs_ref1	Reference 1		x(8)	
knbs_ref2	Reference 2		x(8)	
knbs_ref3	Reference 3		x(8)	
knbs_ref4	Reference 4		x(8)	
knbs_ref5	Reference 5		x(8)	
knbs_source_type	Source Type	Source! Type	x(8)	
knbs_user1	User Field Character 1		x(24)	
knbs_user2	User Field Character 2		x(24)	
oid_knbs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knbs_keyid	yes	knbs_domain	yes	no
			knbs_keyid	yes	no
*	knbs_source_ref	no	knbs_domain	yes	no
			knbs_source_type	yes	no
			knbs_ref1	yes	no
			knbs_ref2	yes	no
			knbs_ref3	yes	no
			knbs_ref4	yes	no
			knbs_ref5	yes	no
◊	oid_knbs_det	yes	oid_knbs_det	yes	no

knb_mstr

Kanban Master

	Field Name	Label	Col-Label	Format	Dec
	knb__qadc01			x(24)	
	knb__qadc02			x(24)	
◊	knb_carrier_id	Carrier		x(8)	
	knb_domain	Domain		x(8)	
	knb_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
	knb_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
	knb_knbs_keyid	Kanban Source Key ID		->>>,>>>,>>9.9<<<<<	10
	knb_knbsm_keyid	Supermarket Key ID		->>>,>>>,>>9.9<<<<<	10
	knb_loop_type	Loop Type		x(8)	
	knb_mod_date	Modified Date	Mod Date	99/99/99	
	knb_mod_userid	User ID		x(8)	
◊	knb_planner	Kanban Planner		x(8)	
	knb_user1	Ufld1		x(24)	
	knb_user2	Ufld2		x(24)	
	oid_knb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knb_keyid	yes	knb_domain	yes	no
			knb_keyid	yes	no
	knb_knbi_knbs	no	knb_domain	yes	no
			knb_knbi_keyid	yes	no
			knb_knbs_keyid	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
	knb_knbi_knbsm	no	knb_domain	yes	no
			knb_knbi_keyid	yes	no
			knb_knbsm_keyid	yes	no
	knb_knbs_keyid	no	knb_domain	yes	no
			knb_knbs_keyid	yes	no
	knb_knbsm_keyid	no	knb_domain	yes	no
			knb_knbsm_keyid	yes	no
◊	oid_knb_mstr	yes	oid_knb_mstr	yes	no

knpd_det

Kanban Process Item Detail

Field Name	Label	Col-Label	Format	Dec
knpd__qadc01			x(24)	
knpd__qadc02			x(24)	
knpd_cycle_time	Cycle Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_domain	Domain		x(8)	
knpd_epe_interval	EPE Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_epei_auto_calc	EPEI Auto		yes/no	
knpd_equip_time	Equipment Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_knbi_keyid	Kanban Item Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_knp_keyid	Process Master Key ID		->>>,>>>,>>9.9<<<<<	10
knpd_lead_time	Lead Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_mfg_seq	Level Mix Seq Nbr		>>>9	
knpd_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_mix_pct	Mix %		>>9.99%	10
knpd_mod_date	Modified Date	Mod Date	99/99/99	
knpd_mod_userid	User ID		x(8)	
knpd_move_time	Move Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_op_end	End Op	End! Op	>>>>9	
knpd_op_start	Start Op	Start! Op	>>>>9	
knpd_req_operators	Req Operators		>,>>>,>>9.9<<<	4
knpd_setup_time	Setup Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_user1	User Field Character 1		x(24)	
knpd_user2	User Field Character 2		x(24)	
knpd_work_content	Work Content		->>>>,>>>,>>9.9<<<<<<<<<	10
knpd_yield_pct	Yield%		>>9.99%	10
oid_knpd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	knpd_keyid	yes	knpd_domain	yes	no
			knpd_keyid	yes	no
	knpd_knbi_keyid	no	knpd_domain	yes	no
			knpd_knbi_keyid	yes	no
	knpd_knp_keyid	no	knpd_domain	yes	no
			knpd_knp_keyid	yes	no
◊	oid_knpd_det	yes	oid_knpd_det	yes	no

knp_mstr Kanban Process Master

Field Name	Label	Col-Label	Format	Dec
knp__qadc01			x(24)	
knp__qadc02			x(24)	
knp_chg_over_avail	Changeover Available		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_cmtindx	Comment Index	Comment	>>>>>>>9	
knp_co_per_interval	Changeover Per Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_cycle_time	Cycle Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_desc	Description		x(24)	
knp_domain	Domain		x(8)	
knp_epe_interval	EPE Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_epei_disp	EPEI Disp		9	
knp_keyid	Key ID		->>>,>>>,>>9.9<<<<<	10
knp_lead_time_method	Lead Time Method	LT! Method	>9	
knp_level_mix_seq	Level Mix Seq		x(8)	
knp_load_limit	Load Limit	Load! Limit	>>9.9<%	10
knp_loc	Location		x(8)	
knp_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>,>>9.9<<<<<<<<<	10
knp_mod_date	Modified Date	Mod Date	99/99/99	
knp_mod_userid	User ID		x(8)	
knp_move_time	Move Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_pct_uptime	Uptime %		>>9.99%	10
knp_pitch_interval	Pitch Interval		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_pitch_quantity	Pitch Quantity		>>>,>>9.999<<<<<<	10
knp_pitch_um	Pitch UM		x(2)	
knp_planner_id	Planner ID		x(8)	
knp_process_function	Process Function		x(8)	
knp_process_id	Process Code	Process! Code	x(8)	
knp_production_line	Production Line	Line	x(8)	
knp_resources	Resources		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_site	Site		x(8)	
knp_takt_time	Takt Time		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_takt_time_calc	Takt Time Calc By		x(8)	
knp_time_avail	Time Avail		->>>>,>>>,>>9.9<<<<<<<<<	10
knp_user1	User Field Character 1		x(24)	
knp_user2	User Field Character 2		x(24)	
oid_knp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	knp_keyid	yes	knp_domain	yes	no
			knp_keyid	yes	no
	knp_planner_id	no	knp_domain	yes	no
			knp_planner_id	yes	no
			knp_site	yes	no
			knp_process_id	yes	no
*	knp_process_id	yes	knp_domain	yes	no
			knp_site	yes	no
			knp_process_id	yes	no
◊	oid_knp_mstr	yes	oid_knp_mstr	yes	no

◊ kstc_det

Ending Inventory Balance by Site

Field Name	Label	Col-Label	Format	Dec
kstc__qadc01	QAD Character Field 1		x(24)	
kstc__qadc02	QAD Character Field 2		x(24)	
kstc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
kstc__qadt01	QAD Date Field 1		99/99/99	
kstc_domain	Domain		x(8)	
kstc_end_bal	Ending Inventory Quantity	End Inv Qty	->>,>>>,>>9.9<<<<<<<<<	10
kstc_end_cst	Ending Cost		>>>>,>>>,>>9.99<<<	10
kstc_mod_date	Modified Date	Mod Date	99/99/99	
kstc_mod_userid	User ID		x(8)	
kstc_month	Month		>9	
kstc_part	Item Number		x(18)	
kstc_period	Period		99/9999	
kstc_site	Site		x(8)	
kstc_user1	User Field Character 1		x(24)	
kstc_user2	User Field Character 2		x(24)	
kstc_year	Year		9999	
oid_kstc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	kstc_det	yes	kstc_domain	yes	no
			kstc_site	yes	no
			kstc_part	yes	no
			kstc_year	yes	no
			kstc_month	yes	no
◊	kstc_part	no	kstc_domain	yes	no
			kstc_part	yes	no
			kstc_site	yes	no
◊	kstc_year_per	no	kstc_domain	yes	no
			kstc_year	yes	no
			kstc_month	yes	no
			kstc_part	yes	no
			kstc_site	yes	no
◊	oid_kstc_det	yes	oid_kstc_det	yes	no

◊ LabourC

Warehousing Labour Management Control

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
CheckCalendar	Check User/Group Calendars		yes/no	
CheckIntRouting	Include Routing Tasks		yes/no	
CheckTaskAssignment	Check User Task Assignment		yes/no	
CheckTravelSequence	Check User Travel Sequence		yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DisplayMaxMinutes	Display Tasks for Next		>>>>>>9	
DisplayMaxTasks	Display Next		>>>>>>9	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ModUserID	Modified		x(8)	
oid_LabourC			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LabourC	yes	oid_LabourC	yes	no
◊*	UniqueID	yes	Domain	yes	no
			UniqueID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

lacd_det

Logistics Accounting Charge Detail

Field Name	Label	Col-Label	Format	Dec
lacd__qadc01			x(24)	
lacd__qadc02			x(24)	
lacd_accrual_level	Accrual Level	Accrual! Level	x(2)	
lacd_domain	Domain		x(8)	
lacd_element	Cost Element		x(8)	
lacd_internal_ref	Internal Reference		x(20)	
lacd_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
lacd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lacd_log_supplier	Supplier		x(8)	
lacd_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
lacd_mod_userid	User ID		x(8)	
lacd_shipfrom	Ship-From		x(8)	
lacd_user1	User Field Character 1		x(24)	
lacd_user2	User Field Character 2		x(24)	
oid_lacd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lacd_internal_ref	yes	lacd_domain	yes	no
			lacd_internal_ref	yes	no
			lacd_shipfrom	yes	no
			lacd_lc_charge	yes	no
			lacd_internal_ref_type	yes	no
◊	oid_lacd_det	yes	oid_lacd_det	yes	no

lac_ctrl

Logistics Accounting Control

Field Name	Label	Col-Label	Format	Dec
lac__qadc01			x(24)	
lac__qadc02			x(24)	
lac__qadi01			->>>>>>>9	
lac_blank_suppliers	Match Blank Suppliers		yes/no	
lac_domain	Domain		x(8)	
lac_doship_nrm_id	Distribution Order Shipment Sequence ID		x(8)	
lac_mod_date	Modified Date	Mod Date	99/99/99	
lac_mod_userid	User ID		x(8)	
lac_soship_nrm_id	Sales Order Shipment Sequence ID		x(8)	
lac_use_logistics	Use Logistics Accounting		yes/no	
lac_user1	User Field Character 1		x(24)	
lac_user2	User Field Character 2		x(24)	
oid_lac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lac_index1	yes	lac_domain	yes	no
◊	oid_lac_ctrl	yes	oid_lac_ctrl	yes	no

lad_det

Location Allocation Detail

Field Name	Label	Col-Label	Format	Dec
lad__qadc01			x(8)	
◊ lad_act_pick	Actual Picked		->>,>>>,>>9.9<<<<<<<<<	10
◊ lad_cont_qty	Container Quantity		->>,>>>,>>9.9<<<<<<<<<	10
lad_dataset	Data Set		x(12)	
lad_domain	Domain		x(8)	
lad_line	Line/ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
lad_loc	Location		x(8)	
lad_lot	Lot/Serial		x(18)	
lad_nbr	Order	Order Number	x(18)	
lad_ord_site	Order Site	Ord Site	x(8)	
lad_part	Item Number		x(18)	
lad_qty_all	Qty Allocated	Qty Alloc	->>>,>>9.9<<<<<<	10
lad_qty_chg	Qty to Iss		->>>,>>9.9<<<<<<	10
lad_qty_pick	Qty Picked		->>>,>>9.9<<<<<<	10
lad_ref	Ref	Reference	x(8)	
lad_site	Site		x(8)	
lad_user1	Ufld1		x(8)	
lad_user2	Ufld2		x(8)	
oid_lad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lad_det	yes	lad_domain	yes	no
			lad_dataset	yes	no
			lad_nbr	yes	no
			lad_line	yes	no
			lad_part	yes	no
			lad_site	yes	no
			lad_loc	yes	no
			lad_lot	yes	no
			lad_ref	yes	no
	lad_site	no	lad_domain	yes	no
			lad_site	yes	no
			lad_loc	yes	no
			lad_part	yes	no
			lad_lot	yes	no
			lad_ref	yes	no
◊	oid_lad_det	yes	oid_lad_det	yes	no

◊ LaneAssD

Warehousing Lane Assignment Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LaneAssD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LaneAssD	yes	oid_LaneAssD	yes	no
◊*	SiteWhsePart	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			PartType	yes	no
			LaneGroup	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LaneAssM

Warehousing Lane Assignment Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LastLaneGroup	Last Lane Group	Last	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LaneAssM			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LaneAssM	yes	oid_LaneAssM	yes	no
◊	PartSiteWhse	yes	Domain	yes	no
			PartType	yes	no
			Site	yes	no
			Whse	yes	no
◊*	SiteWhsePart	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			PartType	yes	no
◊	UserIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LaneGroupD Warehousing Lane Group Detail

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Lane	Lane		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LaneGroupD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LaneGroup	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			LaneGroup	yes	no
			Seq	yes	no
			Lane	yes	no
◊	oid_LaneGroupD	yes	oid_LaneGroupD	yes	no
◊	SiteWhseLane	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Lane	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LaneGroupM Warehousing Lane Group Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description	Desc	x(24)	
Domain	Domain		x(8)	
LaneGroup	Lane Group	Group	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LaneGroupM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LaneGroup	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			LaneGroup	yes	no
◊	oid_LaneGroupM	yes	oid_LaneGroupM	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LaneM

Warehousing Lane Master

Field Name	Label	Col-Label	Format	Dec
Capacity	Capacity	Cap	->>,>>9.99	2
CapUM	UM	UM	x(2)	
Carrier	Carrier		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description	Desc	x(24)	
Dock	Dock		x(8)	
Domain	Domain		x(8)	
Lane	Lane		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_LaneM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
Tasks	Number of Open Tasks	Open Tasks	->,>>>,>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LaneM	yes	oid_LaneM	yes	no
◊*	SiteWhseLane	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Lane	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ Layer Layer

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Layer_ID	Record ID	Record ID	9999999999	
LayerCode	Layer Code	Layer Code	x(20)	
LayerDescription	Description	Description	x(40)	
LayerIsActive	Active	Act	yes/no	
LayerTypeCode	Layer Type	Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	LayerCode	yes	no
◊*	Prim	yes	Layer_ID	yes	no
◊	Type	no	LayerTypeCode	yes	no
◊	ViewIndex	no	LayerIsActive	yes	no
			LayerCode	yes	no

lblc_ctrl Label Control

Field Name	Label	Col-Label	Format	Dec
lblc__qadc01			x(8)	
lblc__qadc02			x(8)	
lblc__qadl01			yes/no	
lblc__qadl02			yes/no	
lblc_index1	Index		>>>>>>9	
lblc_mod_date	Modified date	Mod Date	99/99/99	
lblc_mod_userid	User ID		x(8)	
lblc_trans_frame	Translate Frames		yes/no	
lblc_user1	Ufld1		x(8)	
lblc_user2	Ufld2		x(8)	
oid_lblc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lblc_index1	yes	lblc_index1	yes	no
◊	oid_lblc_ctrl	yes	oid_lblc_ctrl	yes	no

lc_mstr Logistics Accounting Charge Code Master

Field Name	Label	Col-Label	Format	Dec
lc__qadc01			x(24)	
lc__qadc02			x(24)	
lc_apportion_method	Apportion Method		x(2)	
lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no	
lc_desc	Description		x(24)	
lc_domain	Domain		x(8)	
lc_element	Cost Element		x(8)	
lc_mod_date	Modified Date	Mod Date	99/99/99	
lc_mod_userid	User ID		x(8)	
lc_supplier	Supplier		x(8)	
lc_taxable	Taxable		yes/no	
lc_taxc	Tax Class	TxC	x(3)	
lc_user1	User Field Character 1		x(24)	
lc_user2	User Field Character 2		x(24)	
oid_lc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lc_charge	yes	lc_domain	yes	no
			lc_charge	yes	no
	lc_element	no	lc_domain	yes	no
			lc_element	yes	no
			lc_charge	yes	no
◊	oid_lc_mstr	yes	oid_lc_mstr	yes	no

ld_det

Location Detail

	Field Name	Label	Col-Label	Format	Dec
	ld__chr01			x(8)	
	ld__chr02			x(8)	
	ld__chr03			x(8)	
	ld__chr04			x(8)	
	ld__chr05			x(8)	
	ld__dec01			>>>,>>>,>>9.99	10
	ld__dec02			>>>,>>>,>>9.99	10
	ld__dte01			99/99/99	
	ld__dte02			99/99/99	
	ld__log01			yes/no	
◊	ld_alt_um	Alternate UM	UM	x(2)	
	ld_assay	Assay %		>>9.99%	10
	ld_cmtindx	Comment Index	Comment	>>>>>>>9	
	ld_cnt_date	Last Count	Last Cnt	99/99/99	
	ld_cost			>>>>,>>>,>>9.99<<<	10
◊	ld_crt_date	Create Date		99/99/99	
◊	ld_crt_time	Create Time	Time	>>>>>>>9	
	ld_cust_consign_qty	Customer Consignment Qty	Customer! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
	ld_date	Date Created	Created	99/99/99	
	ld_date_frz	Freeze Date	Frz Date	99/99/99	
	ld_domain	Domain		x(8)	
◊	ld_exp_qtyin	Qty In	In	->>,>>>,>>9.9<<<<<<<<<	10
◊	ld_exp_qtyout	Qty Out	Out	->>,>>>,>>9.9<<<<<<<<<	10
	ld_expire	Expire Date	Expire	99/99/99	
	ld_grade	Grade		x(2)	
	ld_loc	Location		x(8)	
	ld_lot	Lot/Serial		x(18)	
	ld_part	Item Number		x(18)	
	ld_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
	ld_qty_frz	Freeze Qty		->,>>>,>>9.9<<<<<<<<	10
	ld_qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<<	10
	ld_ref	Ref	Reference	x(8)	
	ld_rev	Rev		x(4)	
	ld_site	Site		x(8)	
	ld_status	Inventory Status	Status	x(8)	
	ld_supp_consign_qty	Supplier Consignment Qty	Supplier! Consignment	->>,>>>,>>9.9<<<<<<<<<	10
◊	ld_time_frz	Freeze Time	Frz Time	>>,>>9	
	ld_user1	Ufld1		x(8)	
	ld_user2	Ufld2		x(8)	
	ld_vd_lot	Not Used		x(18)	
	ld_work			->>>,>>>,>>9.9<<<<<<<<<	10
	oid_ld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ld_loc_p_lot	yes	ld_domain	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_part	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
	ld_part_loc	yes	ld_domain	yes	no
			ld_part	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
	ld_part_lot	yes	ld_domain	yes	no
			ld_part	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
			ld_site	yes	no
			ld_loc	yes	no
	ld_serial	no	ld_domain	yes	no
			ld_ref	yes	no
			ld_part	yes	no
			ld_site	yes	no
	ld_status	yes	ld_domain	yes	no
			ld_status	yes	no
			ld_part	yes	no
			ld_site	yes	no
			ld_loc	yes	no
			ld_lot	yes	no
			ld_ref	yes	no
◊	oid_ld_det	yes	oid_ld_det	yes	no

◊ lgdc_ctrl Legal Document Control

Field Name	Label	Col-Label	Format	Dec
lgdc__qadc01	QAD Character Field 1		x(24)	
lgdc__qadc02	QAD Character Field 2		x(24)	
lgdc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
lgdc__qadt01	QAD Date Field 1		99/99/99	
lgdc_custom	PO Shipper/Invoice		x(14)	
lgdc_days_cancel_lgd	Days to Cancel a Legal Document		>>9	
lgdc_days_del_so	Days to Delete a Sales Order		>>9	
lgdc_domain	Domain		x(8)	
lgdc_eff_date	Update Effective Date		yes/no	
lgdc_form_code	Legal Document Form Code		x(2)	
lgdc_inconsist	PO with Inconsistencies		yes/no	
lgdc_maint_type	Op Type in Tax Usage		yes/no	
lgdc_mod_date	Modified Date	Mod Date	99/99/99	
lgdc_mod_userid	User ID		x(8)	
lgdc_phy_receipt	Physical Receipt		x(14)	
lgdc_po_cancel	PO Cancel Program		x(14)	

Field Name	Label	Col-Label	Format	Dec
lgdc_precision	Precision		>9	
lgdc_print	Document Printing		yes/no	
lgdc_sim_id	Simulation ID		x(8)	
lgdc_type	Type		x(8)	
lgdc_user1	User Field Character 1		x(24)	
lgdc_user2	User Field Character 2		x(24)	
oid_lgdc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	lgdc_index1	yes	lgdc_domain	yes	no
◊	oid_lgdc_ctrl	yes	oid_lgdc_ctrl	yes	no

◊ lgdd_det

Legal Document Detail Table

Field Name	Label	Col-Label	Format	Dec
lgdd__qadc01	QAD Character Field 1		x(24)	
lgdd__qadc02	QAD Character Field 2		x(24)	
lgdd__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
lgdd__qadt01	QAD Date Field 1		99/99/99	
lgdd_addr	Legal Doc Addr		x(8)	
lgdd_alt_um	Alternate UM		x(2)	
lgdd_cfop_code	CFOP		x(20)	
lgdd_cmtindx	Comment Index	Comment	>>>>>>>9	
lgdd_desc	Description		x(48)	
lgdd_doc_type	Doc Type		x(2)	
lgdd_domain	Domain		x(8)	
lgdd_expire	Expire Date		99/99/99	
lgdd_ext_price	Ext Price		->>>>,>>>,>>9.99<	10
lgdd_gwt	Gross Weight	Gross Wt	>,>>>,>>9.9<<<<<<<<	10
lgdd_item_num	Item Number		x(30)	
lgdd_legal_class	Legal Classification	Legal Class	x(18)	
lgdd_line	Line	Ln	>>9	
lgdd_loc	Location		x(8)	
lgdd_lotser	Lot/Serial		x(18)	
lgdd_mod_date	Modified Date	Mod Date	99/99/99	
lgdd_mod_userid	User ID		x(8)	
lgdd_nbr	Legal Doc Nbr	Legal Doc	x(12)	
lgdd_nfc_st	Status		yes/no	
lgdd_nwt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
lgdd_order	Order		x(8)	
lgdd_order_line	Line	Ln	>>9	
lgdd_part	Item Number		x(18)	
lgdd_pm_code	Pur/Mfg	P/M	x(1)	
lgdd_price	Price		>>>>,>>>,>>9.99<<<	10
lgdd_prim_addr	Orig Addr		x(8)	
lgdd_prim_doc_type	Orig Doc Type		x(2)	
lgdd_prim_nbr	Orig Doc		x(12)	
lgdd_qty_item	Item Quantity	Item Qty	->,>>>,>>9.9<<<	10
lgdd_ref	Ref		x(8)	
lgdd_ret_nbr	Ret Nbr		x(20)	
lgdd_service_code	Service Code		x(8)	
lgdd_sh_cmtindx	Shipper Comment Index	Ship Comm Ind	>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
lgdd_shipfrom	Ship From		x(8)	
lgdd_shipper_id	Shipper ID		x(20)	
lgdd_tax_env	Tax Environment	Tax Env	x(16)	
lgdd_tax_in	Tax In		yes/no	
lgdd_tax_usage	Tax Usage	TaxUsage	x(8)	
lgdd_taxable	Taxable	Tax	yes/no	
lgdd_taxc	Tax Class	TxC	x(3)	
lgdd_trib_sit	Tax SIT Code		x(3)	
lgdd_type	Ship Type	T	x(1)	
lgdd_um	UM		x(2)	
lgdd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
lgdd_user1	User Field Character 1		x(24)	
lgdd_user2	User Field Character 2		x(24)	
lgdd_wt_um	Weight UM		x(2)	
oid_lgdd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	lgdd_nbr	no	lgdd_domain	yes	no
			lgdd_nbr	yes	no
			lgdd_order	yes	no
◊*	lgdd_shipper	yes	lgdd_domain	yes	no
			lgdd_shipper_id	yes	no
			lgdd_line	yes	no
			lgdd_nbr	yes	no
◊	oid_lgdd_det	yes	oid_lgdd_det	yes	no

◊ lgdnr_det

Legal Document Address and Sequence ID Detail

Field Name	Label	Col-Label	Format	Dec
lgdnr__qadc01	QAD Character Field 1		x(24)	
lgdnr__qadc02	QAD Character Field 2		x(24)	
lgdnr__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
lgdnr__qadt01	QAD Date Field 1		99/99/99	
lgdnr_addr	Address		x(8)	
lgdnr_default	Default		yes/no	
lgdnr_domain	Domain		x(8)	
lgdnr_form_code	Legal Document Form Code		x(2)	
lgdnr_mod_date	Modified Date	Mod Date	99/99/99	
lgdnr_mod_userid	User ID		x(8)	
lgdnr_move	Movement		yes/no	
lgdnr_seq_id	Sequence ID	Seq ID	x(8)	
lgdnr_user1	User Field Character 1		x(24)	
lgdnr_user2	User Field Character 2		x(24)	
oid_lgdnr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	lgdnr_addr	yes	lgdnr_domain	yes	no
			lgdnr_addr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			lgdnr_seq_id	yes	no
			lgdnr_move	yes	no
			lgdnr_form_code	yes	no
◊	oid_lgdnr_det	yes	oid_lgdnr_det	yes	no

◊ lgdtx_det

Legal Document Tax Usage of Simultaneous Operation Setup Detail

Field Name	Label	Col-Label	Format	Dec
lgdtx__qadc01	QAD Character Field 1		x(24)	
lgdtx__qadc02	QAD Character Field 2		x(24)	
lgdtx__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
lgdtx__qadt01	QAD Date Field 1		99/99/99	
lgdtx_active	Active		yes/no	
lgdtx_domain	Domain		x(8)	
lgdtx_mod_date	Modified Date	Mod Date	99/99/99	
lgdtx_mod_userid	User ID		x(8)	
lgdtx_po_nbr	Purchase Order	Order	x(8)	
lgdtx_sender	Sender		x(8)	
lgdtx_ship_tax_usage	Ship Tax Usage	Ship Usage	x(8)	
lgdtx_shipfrom	Ship From		x(8)	
lgdtx_shipto	Ship To		x(8)	
lgdtx_so_nbr	Sales Order	Order	x(8)	
lgdtx_so_tax_usage	SO Tax Usage	SO Usage	x(8)	
lgdtx_soldto	Sold To		x(8)	
lgdtx_supplier	Supplier		x(8)	
lgdtx_tax_type	Tax Type		x(16)	
lgdtx_type	Type		x(8)	
lgdtx_user1	User Field Character 1		x(24)	
lgdtx_user2	User Field Character 2		x(24)	
oid_lgdtx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	lgdtx_shipfrom	no	lgdtx_domain	yes	no
			lgdtx_shipfrom	yes	no
◊*	lgdtx_shipto	no	lgdtx_domain	yes	no
			lgdtx_shipto	yes	no
◊	oid_lgdtx_det	yes	oid_lgdtx_det	yes	no

◊ lgd_mstr

Legal Document Master

Field Name	Label	Col-Label	Format	Dec
lgd__qadc01	QAD Character Field 1		x(24)	
lgd__qadc02	QAD Character Field 2		x(24)	
lgd__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
lgd__qadt01	QAD Date Field 1		99/99/99	
lgd_addr	Legal Doc Address	Address	x(8)	
lgd_amt	Legal Doc Amount		->>>>,>>>,>>9.99<	10
lgd_ar_amt	AR Amount		->>>>,>>>,>>9.99<	10
lgd_bill	Bill-To		x(8)	
lgd_bol	BOL		x(18)	

Field Name	Label	Col-Label	Format	Dec
lgd_cancel_date	Void Date		99/99/99	
lgd_cancel_inv	Void Invoice Number		x(22)	
lgd_cancel_rsn	Void Reason		x(8)	
lgd_cancel_time	Void Time		x(8)	
lgd_cancel_user	Voided By		x(8)	
lgd_carrier	Carrier		x(8)	
lgd_cmtindx	Comment Index	Comment	>>>>>>>9	
lgd_crdt_notes	Credit Notes		x(20)	
lgd_cust	Customer		x(8)	
lgd_doc_type	Doc Type		x(2)	
lgd_domain	Domain		x(8)	
lgd_drv	Driver Name		x(24)	
lgd_dsc_amt	Discount Amount	Disc Amt	->>>>,>>>,>>9.99<	10
lgd_effdate	Effective Date	Eff Date	99/99/99	
lgd_especie	Ship Pack Desc		x(20)	
lgd_fob	FOB Point	FOB	x(20)	
lgd_goods_amt	Goods Amount		->>>>,>>>,>>9.99<	10
lgd_gst_id	Fed Tax ID		x(18)	
lgd_gwt	Gross Weight	Gross Wt	>,>>>,>>9.9<<<<<<<<	10
lgd_inv_date	Invoice Date	Inv Date	99/99/99	
lgd_inv_nbr	Invoice Number	Invoice	x(22)	
lgd_lic	License		x(24)	
lgd_loc	Location		x(8)	
lgd_mod_date	Modified Date	Mod Date	99/99/99	
lgd_mod_userid	User ID		x(8)	
lgd_nbr	Legal Doc Nbr	Legal Doc	x(12)	
lgd_nbr_cpy	Number of Copies		>9	
lgd_nwt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
lgd_order	Order Number		x(8)	
lgd_org_doc_nbr	Original Legal Document Number	Orig Nbr	x(20)	
lgd_posted	Posted		yes/no	
lgd_prim_addr	Orig Addr		x(8)	
lgd_prim_doc_typ	Orig Doc Type		x(2)	
lgd_prim_nbr	Orig Doc		x(12)	
lgd_print	Printed	Print	Yes/No	
lgd_print_date	Print Date		99/99/99	
lgd_print_time	Print Time		x(8)	
lgd_print_user	Printed By		x(8)	
lgd_prt_cmt	Print Comments	Cmmt	yes/no	
lgd_prt_with_shp	Print LD With Shipper		yes/no	
lgd_pst_id	PST ID		x(18)	
lgd_pst_id_replace	PST ID (Subst)		x(18)	
lgd_reprint_date	Reprint Date		99/99/99	
lgd_reprint_rsn	Reprint Reason		x(8)	
lgd_reprint_time	Reprint Time		x(8)	
lgd_reprint_user	Reprinted By		x(8)	
lgd_ret_nbr	Return Nbr		x(20)	
lgd_rmks	Remarks		x(40)	
lgd_seq_id	Sequence ID		x(8)	
lgd_sh_cmtindx	Comment Index Shipper	Comment	>>>>>>>9	
lgd_ship	Ship-To		x(8)	
lgd_ship_date	Ship Date		99/99/99	
lgd_shipfrom	Ship From		x(8)	
lgd_shipper_id	Shipper ID		x(20)	
lgd_shipvia	Ship Via		x(20)	
lgd_simul	Simulation		yes/no	

Field Name	Label	Col-Label	Format	Dec
lgd_so_job	Sales/Job		x(8)	
lgd_status	Status		x(8)	
lgd_tax_date	Tax Date		99/99/99	
lgd_tax_env	Tax Environment	Tax Env	x(16)	
lgd_tax_usage	Tax Usage	TaxUsage	x(8)	
lgd_taxable	Taxable		yes/no	
lgd_taxc	Tax Class	TxC	x(3)	
lgd_trib_replace	Tributary Subst		yes/no	
lgd_trl1_amt	Trailer Amt 1		->>>>,>>>,>>9.99<	10
lgd_trl2_amt	Trailer Amt 2		->>>>,>>>,>>9.99<	10
lgd_trl3_amt	Trailer Amt 3		->>>>,>>>,>>9.99<	10
lgd_type	Legal Document Type	Type	yes/no	
lgd_user1	User Field Character 1		x(24)	
lgd_user2	User Field Character 2		x(24)	
lgd_userid	User ID		x(8)	
lgd_veh_ref	Vehicle Reference		x(20)	
lgd_vol	Volume		>,>>>,>>9.9<<<<<<<<	10
lgd_vol_um	Volume UM	Vol UM	x(2)	
lgd_weight_um	Weight UM	UM	x(2)	
oid_lgd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	lgd_addr	no	lgd_domain	yes	no
			lgd_addr	yes	no
			lgd_ship	yes	no
			lgd_nbr	yes	no
◊*	lgd_nbr	yes	lgd_domain	yes	no
			lgd_nbr	yes	no
			lgd_shipper_id	yes	no
◊	lgd_shipper	no	lgd_domain	yes	no
			lgd_shipper_id	yes	no
◊	oid_lgd_mstr	yes	oid_lgd_mstr	yes	no

lgsi_det

Logistics Site Detail

Field Name	Label	Col-Label	Format	Dec
lgsi__dec01			->>>,>>>,>>9.99<	10
lgsi__dec02			->>>,>>>,>>9.99<	10
lgsi__dte01			99/99/99	
lgsi__dte02			99/99/99	
lgsi__int01			->>>,>>>,>>9	
lgsi__int02			->>>,>>>,>>9	
lgsi__log01			yes/no	
lgsi__log02			yes/no	
lgsi__qadc01			x(8)	
lgsi__qadc02			x(8)	
lgsi__qadc03			x(8)	
lgsi__qadc04			x(8)	
lgsi__qadd01			->>>,>>>,>>9.99<	10
lgsi__qadd02			->>>,>>>,>>9.99<	10
lgsi__qadi01			->>>,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
lgsi__qadi02			->>>,>>>,>>9	
lgsi__qadl01			yes/no	
lgsi__qadl02			yes/no	
lgsi__qadt01			99/99/99	
lgsi__qadt02			99/99/99	
lgsi_app_id	Application ID		x(12)	
lgsi_domain	Domain		x(8)	
lgsi_mod_date	Modified Date	Mod Date	99/99/99	
lgsi_mod_userid	User ID		x(8)	
lgsi_site	Site		x(8)	
lgsi_user1	Ufld1		x(8)	
lgsi_user2	Ufld2		x(8)	
oid_lgsi_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	AppIDSite	yes	lgsi_domain	yes	no
			lgsi_app_id	yes	no
			lgsi_site	yes	no
◊	oid_lgsi_det	yes	oid_lgsi_det	yes	no

lgs_mstr Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs__dec01			->>>,>>>,>>9.99<	10
lgs__dec02			->>>,>>>,>>9.99<	10
lgs__dte01			99/99/99	
lgs__dte02			99/99/99	
lgs__int01			->>>,>>>,>>9	
lgs__int02			->>>,>>>,>>9	
lgs__log01			yes/no	
lgs__log02			yes/no	
lgs__qadc01			x(8)	
lgs__qadc02			x(8)	
lgs__qadc03			x(8)	
lgs__qadc04			x(8)	
lgs__qadd01			->>>,>>>,>>9.99<	10
lgs__qadd02			->>>,>>>,>>9.99<	10
lgs__qadi01			->>>,>>>,>>9	
lgs__qadi02			->>>,>>>,>>9	
lgs__qadl01			yes/no	
lgs__qadl02			yes/no	
lgs__qadt01			99/99/99	
lgs__qadt02			99/99/99	
lgs_act	Logistics Active		yes/no	
lgs_app_id	Application ID		x(12)	
lgs_ar_bal_exp	A/R Balance Exports		yes/no	
lgs_ar_imp	A/R Item Exports		yes/no	
lgs_cm_mnt	Customers		yes/no	
lgs_domain	Domain		x(8)	
lgs_inv_exp	Inventory Balance Exports		yes/no	
lgs_invc_exp	Invoice Data Exports		yes/no	

Field Name	Label	Col-Label	Format	Dec
lgs_invc_imp	Import Invoices		yes/no	
lgs_lad_exp	Inventory Allocation Exports		yes/no	
lgs_lad_mnt	Detailed Allocations		yes/no	
lgs_mod_date	Modified Date	Mod Date	99/99/99	
lgs_mod_userid	User ID		x(8)	
lgs_pick_exp	Picklist Exports		yes/no	
lgs_price_imp	Import Prices		yes/no	
lgs_pt_cst_exp	Item Cost Exports		yes/no	
lgs_pt_mnt	Items		yes/no	
lgs_pymt_exp	Payment Exports		yes/no	
lgs_ship_exp	Sales Order Shipment Exports		yes/no	
lgs_so_imp	Sales Order Imports		yes/no	
lgs_so_mnt	Sales Orders		yes/no	
lgs_tax_env	Tax Environment		x(16)	
lgs_tax_imp	Import Taxes		yes/no	
lgs_taxc	Tax Class		x(3)	
lgs_user1	Ufld1		x(8)	
lgs_user2	Ufld2		x(8)	
oid_lgs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ApplicationID	yes	lgs_domain	yes	no
			lgs_app_id	yes	no
◊	oid_lgs_mstr	yes	oid_lgs_mstr	yes	no

lna_det

Production Line Allocation Detail

Field Name	Label	Col-Label	Format	Dec
lna__chr01			x(8)	
lna__chr02			x(8)	
lna__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
lna__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
lna__dte01			99/99/99	
lna__dte02			99/99/99	
lna__log01			yes/no	
lna__log02			yes/no	
lna__qadc01			x(8)	
lna__qadc02			x(8)	
lna__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
lna__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
lna__qadi01			->,>>>,>>9	
lna__qadi02			->,>>>,>>9	
lna__qadl01			yes/no	
lna__qadl02			yes/no	
lna__qadt01			99/99/99	
lna__qadt02			99/99/99	
lna_allocation	Allocation%	Alloc%	>>9.99%	10
lna_domain	Domain		x(8)	
lna_line	Line		x(8)	
lna_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
lna_site	Site		x(8)	
lna_user1	Ufld1		x(8)	
lna_user2	Ufld2		x(8)	
oid_lna_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lna_siteline	yes	lna_domain	yes	no
			lna_site	yes	no
			lna_line	yes	no
			lna_part	yes	no
	lna_sitepart	no	lna_domain	yes	no
			lna_site	yes	no
			lna_part	yes	no
			lna_line	yes	no
◊	oid_lna_det	yes	oid_lna_det	yes	no

lnd_det

Production Line Detail

Field Name	Label	Col-Label	Format	Dec
lnd__chr01			x(8)	
lnd__chr02			x(8)	
lnd__chr03			x(8)	
lnd__chr04			x(8)	
lnd__chr05			x(8)	
lnd__dec01			>>>,>>>,>>9.99	10
lnd__dec02			>>>,>>>,>>9.99	10
lnd__dec03			>>>,>>>,>>9.99	10
lnd__log01			yes/no	
lnd__qadl01			yes/no	
lnd_bom			x(18)	
lnd_cmtindx	Comment Index	Comment	>>>>>>>9	
lnd_domain	Domain		x(8)	
lnd_expire	Expire		99/99/99	
lnd_line	Line		x(8)	
lnd_part	Part		x(18)	
lnd_prod_um	Production UM	UM	x(2)	
Δ lnd_rate	Units/Hour		>>>,>>>,>>9.99	10
lnd_run	Run Crew	Run	x(8)	
lnd_run_seq1	Run Seq 1		x(8)	
lnd_run_seq2	2	Run Seq 2	x(8)	
lnd_run_size	Size		>>>9	
lnd_sequence			>>>.99	10
lnd_set_size	Size		>>>9	
lnd_setup	Setup Crew	Setup	x(8)	
lnd_site	Site		x(8)	
lnd_start	Start		99/99/99	
lnd_tool	Tool ID	Tool	x(8)	
lnd_user1	Ufld1		x(50)	
lnd_user2	Ufld2		x(50)	
oid_lnd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lnd_line	yes	lnd_domain	yes	no
			lnd_line	yes	no
			lnd_site	yes	no
			lnd_part	yes	no
			lnd_start	yes	no
	lnd_linepart	no	lnd_domain	yes	no
			lnd_line	yes	no
			lnd_part	yes	no
◊	oid_lnd_det	yes	oid_lnd_det	yes	no

lnf_det

Flow Production Line Preference Detail

Field Name	Label	Col-Label	Format	Dec
lnf__qadc01			x(24)	
lnf__qadc02			x(24)	
lnf__qadc03			x(24)	
lnf__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
lnf__qadi01			->>>>>>>9	
lnf__qadl01			yes/no	
lnf__qadt01			99/99/99	
lnf_domain	Domain		x(8)	
lnf_mod_date	Modified Date	Mod Date	99/99/99	
lnf_mod_userid	User ID		x(8)	
lnf_part	Item Number		x(18)	
lnf_preference	Preference		>>>>>>>>9	
lnf_production_line	Production Line	Line	x(8)	
lnf_site	Site		x(8)	
lnf_user1	User Field Character 1		x(24)	
lnf_user2	User field character 2		x(24)	
lnf_userc03	User Field Character 3		x(24)	
lnf_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
lnf_useri01	User Field Integer 1		->>>>>>>9	
lnf_userl01	User Field Logical 1		yes/no	
lnf_usert01	User Field Date 1		99/99/99	
oid_lnf_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	lnf_site_part_pref	no	lnf_domain	yes	no
			lnf_site	yes	no
			lnf_part	yes	no
			lnf_preference	yes	no
			lnf_production_line	yes	no
*	lnf_site_prod_line	yes	lnf_domain	yes	no
			lnf_site	yes	no
			lnf_production_line	yes	no
			lnf_part	yes	no
◊	oid_lnf_det	yes	oid_lnf_det	yes	no

◊ Lng

Language

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Lng_ID			9999999999	
LngAltCode			x(2)	
LngCode			x(2)	
LngDescription			x(24)	
LngDirectory			x(32)	
LngIsActive			yes/no	
LngIsInstalled			yes/no	
LngIsSystemLanguage			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	LngCode	yes	no
◊*	Prim	yes	Lng_ID	yes	no

lngd_det

Language Detail

Field Name	Label	Col-Label	Format	Dec
lngd__qadc01			x(8)	
lngd_dataset	Data Set		x(12)	
lngd_desc	Description		x(76)	
lngd_field	Field		x(32)	
lngd_key1	Key Value #1	Key #1	x(8)	
lngd_key2	Key Value #2	Key #2	x(8)	
lngd_key3	Key Value #3	Key #3	x(8)	
lngd_key4	Key Value #4	Key #4	x(8)	
lngd_lang	Language	Lang	x(2)	
lngd_mnemonic	Mnemonic		x(8)	
lngd_translate2	Translation 2		x(24)	
lngd_translation	Label		x(24)	
lngd_user1	Ufld1		x(8)	
lngd_user2	Ufld2		x(8)	
oid_lngd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lngd_det	yes	lngd_dataset	yes	no
			lngd_key1	yes	no
			lngd_key2	yes	no
			lngd_key3	yes	no
			lngd_key4	yes	no
			lngd_field	yes	no
			lngd_lang	yes	no
	lngd_mnemonic	no	lngd_desc	yes	no
			lngd_field	yes	no
			lngd_lang	yes	no
			lngd_mnemonic	yes	no
	lngd_trans	no	lngd_dataset	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			lngd_field	yes	no
			lngd_lang	yes	no
			lngd_translation	yes	no
◊	oid_lngd_det	yes	oid_lngd_det	yes	no

lng_mstr

Language Master

	Field Name	Label	Col-Label	Format	Dec
	lng__qad01			x(8)	
	lng__qad02			x(8)	
◊	lng_active	Active		yes/no	
	lng_desc	Description		x(24)	
	lng_dir	Directory		x(32)	
◊	lng_installed	Installed		yes/no	
	lng_lang	Language ID	Lang	x(2)	
	lng_nbr	Language Number		>>9	
	lng_user1	Ufld1		x(8)	
	lng_user2	Ufld2		x(8)	
	oid_lng_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lng_lang	yes	lng_lang	yes	no
Δ	lng_nbr	no	lng_nbr	yes	no
◊	oid_lng_mstr	yes	oid_lng_mstr	yes	no

ln_mstr

Line Master

	Field Name	Label	Col-Label	Format	Dec
	ln__chr01			x(8)	
	ln__chr03			x(8)	
	ln__chr04			x(8)	
	ln__chr05			x(8)	
	ln__dec01			>>>,>>>,>>9.99	10
	ln__dec02			>>>,>>>,>>9.99	10
	ln__dec03			>>>,>>>,>>9.99	10
	ln__log01			yes/no	
Δ	ln_desc	Description	Description	x(24)	
	ln_domain	Domain		x(8)	
	ln_freeze_period	Freeze Period		>>>>>>>>9	
	ln_kanban_receipts	Post Kanban Receipts	Post! Kanban! Receipts	yes/no	
	ln_line	Line		x(8)	
	ln_rate	Units/Hour		>>>,>>>,>>9.99	10
	ln_rate_base	Line Sequenced		yes/no	
	ln_rate_code	Rate code	Rate! Code	x(8)	
	ln_schedule_code	Schedule Code	Sched! Code	x(8)	
	ln_shift1	Shift1		>>>9.99	10
	ln_shift2	Shift2		>>>9.99	10
	ln_shift3	Shift3		>>>9.99	10

Field Name	Label	Col-Label	Format	Dec
ln_shift4	Shift4		>>>9.99	10
ln_site	Site		x(8)	
ln_user1	Ufld1		x(50)	
ln_user2	Ufld2		x(50)	
oid_ln_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ln_linesite	yes	ln_domain	yes	no
			ln_line	yes	no
			ln_site	yes	no
	ln_siteline	no	ln_domain	yes	no
			ln_site	yes	no
			ln_line	yes	no
◊	oid_ln_mstr	yes	oid_ln_mstr	yes	no

◊ LoadD

Warehousing Load Detail

Field Name	Label	Col-Label	Format	Dec
CarrierRef	Carrier Shipment Ref		x(20)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DropOffSeq	Drop Off Sequence	Drop Off	>>>>>9	
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
LoadNbr	Load Number	Load Nbr	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
oid_LoadD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Qty	Quantity	Qty	->,>>>,>>9.9<<<<<<<<	10
SelNbr	Selection Number	Sel Nbr	x(8)	
Site	Site		x(8)	
UM	UM		x(2)	

Field Name	Label	Col-Label	Format	Dec
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Line	yes	Domain	yes	no
			LoadNbr	yes	no
			DropOffSeq	yes	no
			CarrierRef	yes	no
			SelNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			Line	yes	no
			Part	yes	no
◊	oid_LoadD	yes	oid_LoadD	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ LoadM

Warehousing Load Master

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
CarrierAccount	Carrier Account		x(20)	
CarrierRef	Carrier Shipment Ref		x(20)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DropOffSeq	Drop Off Sequence	Drop Off	>>>>>9	
DSet	Data Set		x(12)	
FOB	FOB Point		x(20)	
LoadNbr	Load Number	Load Nbr	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PaymentType	Payment Type		x(20)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShipTo	Ship To		x(8)	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VehicleID	Vehicle ID		x(20)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ABSID	no	Domain	yes	no
			Site	yes	no
			ABSID	yes	no
◊*	CarrierRef	yes	Domain	yes	no
			LoadNbr	yes	no
			DropOffSeq	yes	no
			CarrierRef	yes	no
◊	oid_LoadM	yes	oid_LoadM	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ LoadMasterM Warehousing Load Master Master

Field Name	Label	Col-Label	Format	Dec
ArrivalDate	Arrival Date		99/99/99	
ArrivalTime	Time		99:99	
CloseDate	Closed		99/99/99	
CloseUserID	Closed By		x(8)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DepartureDate	Departure Date		99/99/99	
DepartureTime	Time		99:99	

Field Name	Label	Col-Label	Format	Dec
Domain	Domain		x(8)	
FOB	FOB Point		x(20)	
Language	Language		x(2)	
LoadNbr	Load Number	Load Nbr	x(8)	
LoadStatus	Status	St	x(2)	
LoadType	Type		x(8)	
MBOL	Master Bill	MBOL	x(20)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadMasterM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Remark	Remark	Rmk	x(40)	
ShipDate	Due Date		99/99/99	
ShipTime	Time		99:99	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VehicleID	Vehicle ID		x(20)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LoadNbr	yes	Domain	yes	no
			LoadNbr	yes	no
◊	LoadStatus	no	Domain	yes	no
			LoadStatus	yes	no
			Site	yes	no
			Whse	yes	no
◊	LoadType	no	Domain	yes	no
			LoadType	yes	no
			Site	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			Whse	yes	no
◊	oid_LoadMasterM	yes	oid_LoadMasterM	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ **LoadSAddrD** Warehousing Load Setup Address Detail

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DistrOrder	Distribution Order		yes/no	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSAddrD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SalesOrder	Sales Order		yes/no	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LoadSAddrDIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Addr	yes	no
◊	oid_LoadSAddrD	yes	oid_LoadSAddrD	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ LoadSetupM Warehousing Load Setup Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExclShipViaList	Excl Ship Via		x(72)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSetupM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LoadSetupMIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	oid_LoadSetupM	yes	oid_LoadSetupM	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ LoadSItemD Warehousing Load Setup Item Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LoadSItemD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LoadSItemDIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Part	yes	no
◊	oid_LoadSItemD	yes	oid_LoadSItemD	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ LocalExitC Warehousing Local Exit Routine Control

Field Name	Label	Col-Label	Format	Dec
BatchOrderExp	Batch Order Export		x(10)	
BPPickSheet	Bulk Pick-Sheet (whbplx01.p)	Bulk! Pick-Sheet	x(10)	
CancelShipment	Cancel Shipment		x(10)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ICCCAlgo	Cycle Count Selection Algorithms (whiccclx.p)	Cycle Count! Algorithms	x(10)	
LMTask	Task Calculation (whlmlx01.p)	Task! Calculation	x(10)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocalExitC			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OMOrderDetail	Order Detail Update (whomlx01.p)	Order Detail	x(10)	
OrdSel	Order Select		x(8)	
OverPick	OverPick		x(8)	
PreShipList	Pre-Shipper List (whbpps01.p)		x(10)	
PRUserFields	Printer Template User Fields (whprlx01.p)	Printer! Template! User Fields	x(10)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScreenFormat	Screen Format		x(8)	
SendShipment	Send Shipment		x(10)	
TaskSort	Task Sort		x(8)	
TMSControl	TMS Integration Control		x(10)	
TruckShipment	Truck Shipment		x(10)	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LocalExitC	yes	oid_LocalExitC	yes	no
◊*	UniqueID	yes	Domain	yes	no
			UniqueID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

locc_det

Reserved Locations Detail

Field Name	Label	Col-Label	Format	Dec
locc__qadc01			x(24)	
locc__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
locc__qadi01			->>>>>>9	
locc__qadl01			yes/no	
locc__qadt01			99/99/99	
locc_addr	Address		x(8)	
locc_domain	Domain		x(8)	
locc_loc	Reserved Location	Reserved! Location	x(8)	
locc_mod_date	Modified Date	Mod Date	99/99/99	
locc_mod_userid	User ID		x(8)	
locc_primary_loc	Primary Location	Primary! Location	yes/no	
locc_site	Site		x(8)	
locc_userc01	User Field 1		x(24)	
locc_userc02	User Field 2		x(24)	
locc_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
locc_useri01	User Field Integer 1		->>>>>>9	
locc_userl01	User Field Logical 1		yes/no	
locc_usert01	User Field Date 1		99/99/99	
oid_locc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	locc_addr_site	yes	locc_domain	yes	no
			locc_addr	yes	no
			locc_site	yes	no
			locc_loc	yes	no
	locc_primary	no	locc_domain	yes	no
			locc_addr	yes	no
			locc_site	yes	no
			locc_primary_loc	yes	no
*	locc_site_loc	yes	locc_domain	yes	no
			locc_site	yes	no
			locc_loc	yes	no
			locc_addr	yes	no
◊	oid_locc_det	yes	oid_locc_det	yes	no

◊ LocDefD

Warehousing Location Definition Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(64)	
Domain	Domain		x(8)	
LDFormat	Format		X(8)	
LDInc	Increment	Inc	->9	
LDMax	Maximum Value	Max	X(8)	
LDMin	Minimum Value	Min	X(8)	
LDSeq	Seq		9	
LDSet	Type	T	x(1)	
LDType	Type	T	x(1)	
LocDef	Location Definition	Location! Definition	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LocDefD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* LocDefSeq	yes	Domain	yes	no
		LocDef	yes	no
		LDSeq	yes	no
◊ oid_LocDefD	yes	oid_LocDefD	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

◊ LocDefM

Warehousing Location Definition Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LocDef	Location Definition	Location! Definition	X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocDefM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* LocDef	yes	Domain	yes	no
		LocDef	yes	no
◊ oid_LocDefM	yes	oid_LocDefM	yes	no
◊ UsrIdx	no	User1	yes	no
		User2	yes	no

◊ LocForD

Warehousing Location Forecast Detail

Field Name	Label	Col-Label	Format	Dec
AltUM	Alt UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
DSet	Data Set		x(12)	
ForType	Type		X(2)	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
oid_LocForD			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>,>>9.9<<<<<<	10
Ref	Reference		x(8)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LocForIdx	yes	Domain	yes	no
			ForType	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
			Site	yes	no
			Loc	yes	no
			Part	yes	no
			Lot	yes	no
			Ref	yes	no
◊	oid_LocForD	yes	oid_LocForD	yes	no
◊	OrderIdx	no	Domain	yes	no
			DSet	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			Nbr	yes	no
			Line	yes	no
◊	Part	no	Domain	yes	no
			Part	yes	no
◊	TypeOrder	no	Domain	yes	no
			ForType	yes	no
			DSet	yes	no
			Nbr	yes	no
			Site	yes	no
			Line	yes	no
			Part	yes	no
			Lot	yes	no
			Ref	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LocM

Warehousing Location Master

Field Name	Label	Col-Label	Format	Dec
CheckDigit	Check Digit	Check! Digit	x(8)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Dedicated	Dedicated	Ded	yes/no	
DimUM	Dimensional UM	UM	x(2)	
Domain	Domain		x(8)	
Full%	% Full		->>9.99	10
Height	Height		>>>,>>9.99	2
LastOPC	Last OPC		99/99/99	
Length	Length		>>>,>>9.99	2
Loc	Location		x(8)	
LocType	Warehouse Location Type	Warehouse! Location! Type	X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OPCFreq	OPC Frequency	OPC Freq	>>>9	
PickType	Picking Type		X(8)	
PopCode	Popularity		X(8)	
PrefUM	Preferred UM	Pref	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	

Field Name	Label	Col-Label	Format	Dec
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
StageIn	Stage (In)		X(8)	
StageOut	Stage (Out)		X(8)	
StoreType	Storage Type	Storage! Type	X(8)	
TravelSeq	Travel Sequence	Travel! Sequence	->,>>>,>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
Width	Width		>>>,>>9.99	2
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_LocM	yes	oid_LocM	yes	no
◊*	SiteLoc	yes	Domain	yes	no
			Site	yes	no
			Loc	yes	no
◊	SiteWhseLoc	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
◊	SLGLoc	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			Loc	yes	no
◊	SLGPopCode	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			PopCode	yes	no
			Full%	yes	no
◊	StoreType	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			StoreType	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LocUMM

Warehousing Location Unit of Measure Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Height	Height		>>>,>>9.99	2
Length	Length		>>>,>>9.99	2
Loc	Location		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_LocUMM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		>>>>9.9999<<<<	10
Site	Site		x(8)	
UM	UM		x(2)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
Width	Width		>>>,>>9.99	2

Index-Name	Uni	Field-Name	Asc	Abbr
◊* LUMMIdx	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		Loc	yes	no
		Part	yes	no
		UM	yes	no
◊ LUMMPart	yes	Domain	yes	no
		Part	yes	no
		UM	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
◊	oid_LocUMM	yes	oid_LocUMM	yes	no
◊	PartWhse	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ LocW

Warehousing Location Work Table

Field Name	Label	Col-Label	Format	Dec
AlgoNbr	Algorithm	Algo	>>9	
AlgoType	Type		X(8)	
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
InternalID	Internal User ID	Internal! User ID	x(50)	
Loc	Location		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_LocW			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>,>>9.9<<<<<<	10
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	

Field Name	Label	Col-Label	Format	Dec
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	
WkSeq	Seq		>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Location	no	Domain	yes	no
			AlgoType	yes	no
			Site	yes	no
			Loc	yes	no
◊*	LWIdx	yes	Domain	yes	no
			InternalID	yes	no
			AlgoType	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
◊	oid_LocW	yes	oid_LocW	yes	no
◊	SiteSeq	no	Domain	yes	no
			InternalID	yes	no
			AlgoType	yes	no
			Site	yes	no
			WkSeq	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

loc_mstr Location Master

Field Name	Label	Col-Label	Format	Dec
loc__qad01			yes/no	
loc__qadc01			x(8)	
loc__qadc02			x(4)	
loc_cap	Capacity		>>>>,>>>,>>9.9<<<<<<<<	10
loc_cap_um	Capacity UM		x(2)	
loc_date	Date Created	Created	99/99/99	
loc_desc	Description		x(24)	
loc_domain	Domain		x(8)	
loc_loc	Location		x(8)	
loc_perm	Permanent	Perm	yes/no	
loc_phys_addr	Physical Address	Physical	x(8)	
loc_project	Project		x(8)	
loc_single	Single Item	Single! Item	yes/no	
loc_site	Site		x(8)	
loc_status	Inventory Status	Status	x(8)	
loc_type	Type		x(8)	
loc_user1	Ufld1		x(8)	
loc_user2	Ufld2		x(8)	
loc_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
oid_loc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	loc_loc	yes	loc_domain	yes	no
			loc_site	yes	no
			loc_loc	yes	no
◊	oid_loc_mstr	yes	oid_loc_mstr	yes	no

lotw_wkfl

Lot Number Work Table

	Field Name	Label	Col-Label	Format	Dec
	lotw__qadc01			x(8)	
	lotw_domain	Domain		x(8)	
	lotw_lotser	Lot/Serial		x(18)	
Δ	lotw_mfguser			x(50)	
	lotw_part	Item Number		x(18)	
	lotw_user1	Ufld1		x(8)	
	lotw_user2	Ufld2		x(8)	
Δ	lotw_userid	User ID		x(50)	
	oid_lotw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	lot_user_lot	yes	lotw_domain	yes	no
			lotw_mfguser	yes	no
			lotw_lotser	yes	no
			lotw_part	yes	no
*	lotw_ser_part	yes	lotw_domain	yes	no
			lotw_lotser	yes	no
			lotw_part	yes	no
◊	oid_lotw_wkfl	yes	oid_lotw_wkfl	yes	no

lot_mstr

Lot Master

Field Name	Label	Col-Label	Format	Dec
lot__chr01	Chrfld 1		x(8)	
lot__chr02	Chrfld 2		x(8)	
lot__chr03	Chrfld 3		x(8)	
lot__chr04	Chrfld 4		x(8)	
lot__chr05	Chrfld 5		x(8)	
lot__chr06	Chrfld 6		x(8)	
lot__dec01	Decfld 1		->>>,>>>,>>9.99	10
lot__dec02	Decfld 2		->>>,>>>,>>9.99	10
lot__dec03	Decfld 3		->>>,>>>,>>9.99	10
lot__dec04	Decfld 4		->>>,>>>,>>9.99	10
lot__dec05	Decfld 5		->>>,>>>,>>9.99	10
lot__dec06	Decfld 6		->>>,>>>,>>9.99	10
lot__dte01	Dtefld 1		99/99/99	
lot__dte02	Dtefld 2		99/99/99	
lot__dte03	Dtefld 3		99/99/99	
lot__dte04	Dtefld 4		99/99/99	

Field Name	Label	Col-Label	Format	Dec
lot__dte05	Dtefld 5		99/99/99	
lot__dte06	Dtefld 6		99/99/99	
lot_cmtindx	Comment Index		>>>>>>>9	
lot_create	Created		99/99/99	
lot_domain	Domain		x(8)	
lot_line	Line/ID		x(8)	
lot_nbr	Order Number		x(18)	
lot_part	Item Number		x(18)	
lot_pot_conv	Lot UM Conversion	Lot UM Conv	>>>>9.9999<<<<	10
lot_pot_um	Lot UM	UM	x(2)	
lot_serial	Lot/Serial		x(18)	
lot_trans	Expired Inv Trans	Trans	x(8)	
lot_user1	Ufld1		x(8)	
lot_user2	Ufld2		x(8)	
lot_userid	User ID		x(8)	
oid_lot_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lot_part_serial	yes	lot_domain	yes	no
			lot_part	yes	no
			lot_serial	yes	no
	lot_serial_part	no	lot_domain	yes	no
			lot_serial	yes	no
			lot_part	yes	no
◊	oid_lot_mstr	yes	oid_lot_mstr	yes	no

ls_mstr

Address List Detail

Field Name	Label	Col-Label	Format	Dec
ls__dec01			->>>,>>>,>>9.99<	10
ls__dec02			->>>,>>>,>>9.99<	10
ls__dte01			99/99/9999	
ls__dte02			99/99/9999	
ls__int01			->>>,>>>,>>9	
ls__int02			->>>,>>>,>>9	
ls__log01			yes/no	
ls__log02			yes/no	
ls__qadc01			x(8)	
ls__qadc02			x(8)	
ls__qadc03			x(8)	
ls__qadc04			x(8)	
ls__qadd01			->>>,>>>,>>9.99<	10
ls__qadd02			->>>,>>>,>>9.99<	10
ls__qadi01			->>>,>>>,>>9	
ls__qadi02			->>>,>>>,>>9	
ls__qadl01			yes/no	
ls__qadl02			yes/no	
ls__qadt01			99/99/9999	
ls__qadt02			99/99/9999	
ls_addr	Address		x(8)	
ls_app_owner	Owner Application		x(12)	

Field Name	Label	Col-Label	Format	Dec
ls_domain	Domain		x(8)	
ls_type	List Type	List	x(8)	
ls_user1	Ufld1		x(8)	
ls_user2	Ufld2		x(8)	
oid_ls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ls_addrtype	yes	ls_domain	yes	no
			ls_addr	yes	no
			ls_type	yes	no
	ls_type	yes	ls_domain	yes	no
			ls_type	yes	no
			ls_addr	yes	no
◊	oid_ls_mstr	yes	oid_ls_mstr	yes	no

◊ **ManhourSurcharge** Manhour Surcharge

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Cost Center Code	Cost Center	9999999999	
ManhourSurcharge_ID	Record ID	Record ID	9999999999	
ManhourSurchargeTariff	Tariff	Tariff	>>>,>>>,>>9.9999	4
ManhourSurchargeValidFrom	Valid From	Valid From	99/99/9999	
Saf_ID	Type of Hours	Type of Hours	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CostCentre	no	CostCentre_ID	yes	no
◊*	Prim	yes	ManhourSurcharge_ID	yes	no
◊	Saf	no	Saf_ID	yes	no
◊	UniqueIdx	yes	CostCentre_ID	yes	no
			Saf_ID	yes	no
			ManhourSurchargeValidFrom	yes	no

maxt_det Maximum Table Detail

Field Name	Label	Col-Label	Format	Dec
maxt__qad01			yes/no	
maxt__qad02			x(8)	
maxt__qad03			x(8)	
maxt_amt	Amount		->>,>>>,>>>,>>9.99<	10
maxt_beg_date	Beginning Date	Beg Date	99/99/99	
maxt_book	Book		x(8)	
maxt_class	Class	Cls	x(3)	
maxt_end_date	Ending Date	End Date	99/99/99	
Δ maxt_entity	Entity	Enty	x(20)	

Field Name	Label	Col-Label	Format	Dec
maxt_field	Field to Apply Maximum To		x(32)	
maxt_user1	Ufld1		x(8)	
maxt_user2	Ufld2		x(8)	
oid_maxt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	maxt_index	yes	maxt_field	yes	no
			maxt_book	yes	no
			maxt_entity	yes	no
			maxt_class	yes	no
			maxt_beg_date	yes	no
			maxt_end_date	yes	no
◊	oid_maxt_det	yes	oid_maxt_det	yes	no

max_mstr Maximums Master

Field Name	Label	Col-Label	Format	Dec
max__qad01			x(4)	
max__qad02			x(8)	
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>,>>>,>>>,>>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>,>>>,>>>,>>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum by	Reduce Maximum by	->>,>>>,>>>,>>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>,>>>,>>>,>>9.99<	10
max_user1	Ufld1		x(8)	
max_user2	Ufld2		x(8)	
max_userid	User ID		x(8)	
max_yr_cost	Total Asset Cost		->>,>>>,>>>,>>9.99<	10
max_yr_max	Maximum		->>,>>>,>>>,>>9.99<	10
oid_max_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	max_ind1	yes	max_field	yes	no
			max_book	yes	no
			max__qad01	yes	no
			max_class	yes	no
◊	oid_max_mstr	yes	oid_max_mstr	yes	no

ma_mstr

Mirror Account Master

	Field Name	Label	Col-Label	Format	Dec
	ma__qadc01			x(8)	
	ma_acct1	Account 1		x(8)	
	ma_acct2	Account 2		x(8)	
	ma_all_cc	All Cost Centers	All CC	yes/no	
	ma_all_sub	All Sub-Accounts	All Sub-Acct	yes/no	
	ma_cc1	Cost Ctr	CC	x(4)	
	ma_cc2	Cost Ctr 2	CC 2	x(4)	
	ma_domain	Domain		x(8)	
Δ	ma_entity	Entity		x(20)	
	ma_mr_acct1	Mirror Account 1	Mir Acct1	x(8)	
	ma_mr_acct2	Mirror Account 2	Mir Acct 2	x(8)	
	ma_mr_cc1	Cost Ctr	CC	x(4)	
	ma_mr_cc2	Mirror CC 2	Mir CC 2	x(4)	
	ma_mr_sub1	Mirror Sub-Account 1	Sub-Acct	x(8)	
	ma_mr_sub2	Mirror Sub-Account 2	Sub-Acct	x(8)	
	ma_sub1	Sub-Account 1	Sub-Acct	x(8)	
	ma_sub2	Sub-Account 2	Sub-Acct	x(8)	
	ma_tr_type	Trans Type	T	x(2)	
	ma_user1	Ufld1		x(8)	
	ma_user2	Ufld2		x(8)	
	oid_ma_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ma_all_sub_cc	yes	ma_domain	yes	no
			ma_entity	yes	no
			ma_tr_type	yes	no
			ma_acct1	yes	no
			ma_acct2	yes	no
			ma_sub1	yes	no
			ma_sub2	yes	no
			ma_cc1	yes	no
			ma_cc2	yes	no
			ma_all_sub	yes	no
			ma_all_cc	yes	no
◊	oid_ma_mstr	yes	oid_ma_mstr	yes	no

mfc_ctrl

Control Work Table

Field Name	Label	Col-Label	Format	Dec
mfc__qadc01			x(8)	
mfc_char	Character		x(24)	
mfc_date	Date		99/99/99	
mfc_decimal	Decimal		->>>,>>>,>>9.999999999	10
mfc_desc	Description		x(24)	
mfc_domain	Domain		x(8)	
mfc_field	Field Name		x(32)	
mfc_integer	Integer		>>>>>>>>9	
mfc_label	Label		x(24)	
mfc_logical	Logical		yes/no	

Field Name	Label	Col-Label	Format	Dec
mfc_module	Module		x(4)	
mfc_seq	Sequence	Seq	>>9	
mfc_type	Type	T	x(2)	
mfc_user1	Ufld1		x(8)	
mfc_user2	Ufld2		x(8)	
oid_mfc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mfc_field	yes	mfc_domain	yes	no
			mfc_field	yes	no
	mfc_mod_seq	yes	mfc_domain	yes	no
			mfc_module	yes	no
			mfc_seq	yes	no
◊	oid_mfc_ctrl	yes	oid_mfc_ctrl	yes	no

mfrel_mstr Master Table Relationships

Field Name	Label	Col-Label	Format	Dec
mfrel__qadc01			x(24)	
mfrel__qadc02			x(24)	
mfrel__qadc03			x(24)	
mfrel__qadc04			x(24)	
mfrel__qadc05			x(24)	
mfrel__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd03			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd04			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qadd05			->>>>,>>>,>>9.9<<<<<<<<<	10
mfrel__qaddt01			99/99/99	
mfrel__qaddt02			99/99/99	
mfrel__qadl01			yes/no	
mfrel__qadl02			yes/no	
mfrel_mod_date	Modified Date	Mod Date	99/99/99	
mfrel_mod_userid	User ID		x(8)	
mfrel_source_key1	Source Key Field 1		x(24)	
mfrel_source_key2	Source Key Field 2		x(24)	
mfrel_source_key3	Source Key Field 3		x(24)	
mfrel_target_key1	Target Key Field 1		x(24)	
mfrel_target_key2	Target Key Field 2		x(24)	
mfrel_target_key3	Target Key Field 3		x(24)	
mfrel_type	Type		x(8)	
mfrel_user1	User Field Character 1		x(24)	
mfrel_user2	User Field Character 2		x(24)	
oid_mfrel_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mfrel_source_targ	yes	mfrel_type	yes	no
			mfrel_source_key1	yes	no
			mfrel_source_key2	yes	no
			mfrel_source_key3	yes	no
			mfrel_target_key1	yes	no
			mfrel_target_key2	yes	no
			mfrel_target_key3	yes	no
	mfrel_targ_source	yes	mfrel_type	yes	no
			mfrel_target_key1	yes	no
			mfrel_target_key2	yes	no
			mfrel_target_key3	yes	no
			mfrel_source_key1	yes	no
			mfrel_source_key2	yes	no
			mfrel_source_key3	yes	no
◊	oid_mfrel_mstr	yes	oid_mfrel_mstr	yes	no

mfsd_det QAD Mobile Field Service User Detail

Field Name	Label	Col-Label	Format	Dec
mfsd__qadc01			x(24)	
mfsd__qadc02			x(24)	
mfsd_ca_mo_pre	Call/MO Unique Prefix		x(3)	
mfsd_call_header	Prioritize Call Header On Client		yes/no	
mfsd_client_doc_ids	Generate Doc IDs On Client		yes/no	
mfsd_domain	Domain		x(8)	
mfsd_eng_code	Engineer		x(8)	
mfsd_eng_id	Engineer Unique ID		x(3)	
mfsd_loc	Location		x(8)	
mfsd_mod_date	Modified Date	Mod Date	99/99/99	
mfsd_mod_userid	User ID		x(8)	
mfsd_nonexisting_items	Non-existing Items Allowed		yes/no	
mfsd_nonexisting_user	Non-existing End Users Allowed		yes/no	
mfsd_prntsyscmnt	Comments On Invoice/ Reports		yes/no	
mfsd_sa_pre	Contract Prefix	Ct	x(1)	
mfsd_site	Site		x(8)	
mfsd_svc_group1	Start Svc Group		x(8)	
mfsd_svc_group2	End Svc Group		x(8)	
mfsd_sync_auth	Single Sign-on for Sync Engine		yes/no	
mfsd_user1	User Field Character 1		x(24)	
mfsd_user2	User Field Character 2		x(24)	
mfsd_userc03	User Field Character 3		x(24)	
mfsd_userc04	User Field Character 4		x(24)	
mfsd_userc05	User Field Character 5		x(24)	
mfsd_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
mfsd_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
mfsd_userid	User ID		x(8)	
mfsd_userl01	User Field Logical 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
mfsd_userl02	User Field Logical 2		yes/no	
mfsd_usert01	User Field Date 1		99/99/99	
mfsd_usert02	User Field Date 2		99/99/99	
oid_mfsd_det	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	mfsd_eng_id	yes	mfsd_eng_id	yes	no
*	mfsd_userid	yes	mfsd_userid	yes	no
◊	oid_mfsd_det	yes	oid_mfsd_det	yes	no

◊ MirroringGL Mirroring Account

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity	Entity	9999999999	
Domain_ID	Domain	Domain	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Mirror1CostCentre_ID	Mirror 1 Cost Center	Mirror 1 Cost Center	9999999999	
Mirror1Division_ID	Mirror 1 Sub-Account	Mirror 1 Sub-Account	9999999999	
Mirror1GL_ID	Mirror 1 Account	Mirror 1 Account	9999999999	
Mirror1Project_ID	Mirror 1 Project	Mirror 1 Project	9999999999	
Mirror2CostCentre_ID	Mirror 2 Cost Center	Mirror 2 Cost Center	9999999999	
Mirror2Division_ID	Mirror 2 Sub-Account	Mirror 2 Sub-Account	9999999999	
Mirror2GL_ID	Mirror 2 Account	Mirror 2 Account	9999999999	
Mirror2Project_ID	Mirror 2 Project	Mirror 2 Project	9999999999	
MirroringGL_ID	Record ID	Record ID	9999999999	
MirroringGLSplitGLType	Account Split Type	Account Split Type	x(20)	
MirroringGLTrans1Journal	Transaction 1 Daybook	Transaction 1 Daybook	x(20)	
MirroringGLTrans2Journal	Transaction 2 Daybook	Transaction 2 Daybook	x(20)	
Source1CostCentre_ID	Source 1 Cost Center	Source 1 Cost Center	9999999999	
Source1Division_ID	Source 1 Sub-Account	Source 1 Sub-Account	9999999999	
Source1GL_ID	Soruce 1 Account Type	Source 1 Account Type	9999999999	
Source1Project_ID	Source 1 Project	Source 1 Project	9999999999	
Source2CostCentre_ID	Source 2 Cost Center	Source 2 Cost Center	9999999999	
Source2Division_ID	Source 2 Sub-Account	Source 2 Sub-Account	9999999999	
Source2GL_ID	Source 2 Account Type	Source 2 Account Type	9999999999	
Source2Project_ID	Source 2 Project	Source 2 Project	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	MirroringGL_ID	yes	no
◊	UniqueIdx	yes	Domain_ID	yes	no
			Company_ID	yes	no
			Source1GL_ID	yes	no
			Source1Division_ID	yes	no
			Source1CostCentre_ID	yes	no
			Source1Project_ID	yes	no
			Source2GL_ID	yes	no
			Source2Division_ID	yes	no
			Source2CostCentre_ID	yes	no
			Source2Project_ID	yes	no

◊ **MirroringJournal** Mirroring Daybook

Field Name	Label	Col-Label	Format	Dec
Company_ID	Entity	Entity	9999999999	
Domain_ID	Domain	Domain	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
MirroringJournal_ID	Record ID	Record ID	9999999999	
MirrorJournal_ID	Mirror Daybook Control	Mirror Daybook Ctrl	9999999999	
SourceJournal_ID	Source Daybook Control	Source Daybook Ctrl	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	Domains	no	Domain_ID	yes	no
◊	MirrorJrnl	no	MirrorJournal_ID	yes	no
◊*	Prim	yes	MirroringJournal_ID	yes	no
◊	SourceJrnl	no	SourceJournal_ID	yes	no
◊	UniqueIdx	yes	Domain_ID	yes	no
			Company_ID	yes	no
			SourceJournal_ID	yes	no

mnd_det Menu Detail

	Field Name	Label	Col-Label	Format	Dec
	mnd__qadc01			x(8)	
Δ	mnd_canrun	Access codes		x(189)	
	mnd_exec	Execution File	Exec File	x(14)	
	mnd_fkey	F Key	Key	>>9	
	mnd_help	Help File		x(12)	
Δ	mnd_label	Selection Label		x(40)	
	mnd_name	Name		x(8)	
	mnd_nbr	Menu		x(16)	
	mnd_select	Selection	Sel	>9	
Δ	mnd_uri	Uniform Resource Identifier	URI	x(256)	
	mnd_user1	Ufld1		x(8)	
	mnd_user2	Ufld2		x(8)	
	oid_mnd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	mnd_exec	no	mnd_exec	yes	no
	mnd_name	no	mnd_name	yes	no
*	mnd_nbr	yes	mnd_nbr	yes	no
			mnd_select	yes	no
◊	mnd_uri	no	mnd_uri	yes	no
◊	oid_mnd_det	yes	oid_mnd_det	yes	no

mnp_det Service/Support Custom Program Detail

Field Name	Label	Col-Label	Format	Dec
mnp__qadc01			x(8)	
mnp_domain	Domain		x(8)	
mnp_exec	Program to Execute		x(12)	
mnp_menu	Menu		x(12)	
mnp_prog_type	Program Type		x(8)	
mnp_program	Program		x(12)	
mnp_repeat_group	Repeat Group		x(8)	
mnp_select	Selection		>>9	
mnp_sequence	Sequence	Seq	>>>9	
mnp_user1	Ufld1		x(8)	
mnp_user2	Ufld2		x(8)	
mnp_userid	User ID		x(8)	
oid_mnp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mnp_program	yes	mnp_domain	yes	no
			mnp_program	yes	no
			mnp_userid	yes	no
			mnp_sequence	yes	no
			mnp_prog_type	yes	no
◊	oid_mnp_det	yes	oid_mnp_det	yes	no

mnt_det

Menu Title Detail

	Field Name	Label	Col-Label	Format	Dec
	mnt__qadc01			x(8)	
Δ	mnt_label	Selection Label		x(40)	
	mnt_lang	Language		x(2)	
	mnt_nbr	Menu		x(16)	
	mnt_select	Selection		>9	
	mnt_user1	Ufld1		x(8)	
	mnt_user2	Ufld2		x(8)	
	oid_mnt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	mnt_lang	no	mnt_lang	yes	no
*	mnt_nsl	yes	mnt_nbr	yes	no
			mnt_select	yes	no
			mnt_lang	yes	no
◊	oid_mnt_det	yes	oid_mnt_det	yes	no

mon_mstr

User Activity Monitor

	Field Name	Label	Col-Label	Format	Dec
	mon__qadc01			x(8)	
	mon__qadd01			->>>,>>>,>>9.9<<<<<<<<	10
	mon__qadi01			>>>>>>9	
	mon__qadl01			yes/no	
	mon__qadt01			99/99/99	
	mon_date_start	Start Date	Start! Date	99/99/99	
	mon_idle_time	Idle Time	Idle! Time	>>,>>>,>>9	
	mon_interface	Interface Type	UI Type	x(16)	
	mon_login_date	Session Login Date	Login! Date	99/99/99	
	mon_login_time	Login Time	Login! Time	>>,>>>,>>9	
	mon_ora_id1	Oracle User ID	Oracle! User ID	99999999	
	mon_ora_id2	Oracle Session ID	Oracle! Sess ID	99999999	
	mon_product	Application		x(16)	
	mon_prog_user	Progress User ID	Progress! User ID	x(12)	
	mon_program	Program Name	Program! Name	x(12)	
	mon_selection	Selection Number	Selection! Number	x(18)	
Δ	mon_sid	Session ID		x(50)	

Field Name	Label	Col-Label	Format	Dec
mon_time_start	Start Time	Start! Time	>>,>>>,>>9	
mon_user1	Ufld1		x(8)	
mon_user2	Ufld2		x(8)	
mon_userid	User ID		x(8)	
oid_mon_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	mon_login_user	no	mon_product	yes	no
			mon_login_date	yes	no
			mon_login_time	yes	no
			mon_userid	yes	no
			mon_sid	yes	no
	mon_program_user	no	mon_program	yes	no
			mon_userid	yes	no
	mon_time_user	no	mon_time_start	yes	no
			mon_userid	yes	no
*	mon_user_sid	yes	mon_userid	yes	no
			mon_sid	yes	no
			mon_product	yes	no
◊	oid_mon_mstr	yes	oid_mon_mstr	yes	no

mpd_det

Master Specification Detail

Field Name	Label	Col-Label	Format	Dec
mpd__chr01			x(8)	
mpd__chr02			x(8)	
mpd__chr03			x(8)	
mpd__chr04			x(8)	
mpd__chr05			x(8)	
mpd__dec01			>>>,>>>,>>9.99	10
mpd__dec02			>>>,>>>,>>9.99	10
mpd_cmtindx	Comment Index	Comment	>>>>>>>9	
mpd_domain	Domain		x(8)	
mpd_label	Characteristic		x(24)	
mpd_nbr	Document		x(8)	
mpd_tol	Specification		x(26)	
mpd_tol_type	Measure		x(12)	
mpd_type	Number		x(8)	
mpd_user1	Ufld1		x(8)	
mpd_user2	Ufld2		x(8)	
oid_mpd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mpd_nbr	yes	mpd_domain	yes	no
			mpd_nbr	yes	no
			mpd_type	yes	no
◊	oid_mpd_det	yes	oid_mpd_det	yes	no

mph_hist

Master Specification Test History

Field Name	Label	Col-Label	Format	Dec
mph__chr01			x(8)	
mph__chr02			x(8)	
mph__chr03			x(8)	
mph__chr04			x(8)	
mph__chr05			x(8)	
mph__dec01			>>>,>>>,>>9.99	10
mph__dec02			>>>,>>>,>>9.99	10
mph_attribute	Attribute		X(8)	0
mph_cmtindx	Comment Index	Comment	>>>>>>>9	
mph_date	Test Date		99/99/99	
mph_domain	Domain		x(8)	
mph_lot	ID/Batch		x(8)	
mph_mch	Machine		x(8)	
mph_op	Operation	Op	>>>>>9	
mph_op_trnbr	Trans		>>>>>9	
mph_part	Item Number		x(18)	
mph_pass	Pass		yes/no	
mph_procedure	Document		x(8)	
mph_routing	Routing/Procedure		x(18)	
mph_rsult	Results	Actual Results	x(25)	
mph_test	Characteristic		x(24)	
mph_testmthd	Test Method		X(8)	0
mph_user1	Ufld1		x(8)	
mph_user2	Ufld2		x(8)	
mph_wr_nbr	Order Number		x(18)	
oid_mph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mph_lot	yes	mph_domain	yes	no
			mph_lot	yes	no
			mph_part	yes	no
			mph_routing	yes	no
			mph_op	yes	no
			mph_test	yes	no
◊	oid_mph_hist	yes	oid_mph_hist	yes	no

mpp_det

Service/Support Custom Program Parameter Detail

Field Name	Label	Col-Label	Format	Dec
mpp__chr01	User character Field 1		X(8)	
mpp__log01	User Logical Field 1		yes/no	
mpp__qadc01	QAD Character field 1		X(8)	
mpp__qade01	QAD Decimal Field 1		->>,>>9.99	10
mpp__qadl01	QAD Logical Field 1		yes/no	
mpp__qadt01	QAD Date Field 1		99/99/99	
mpp_desc	Description		x(24)	
mpp_domain	Domain		x(8)	
mpp_field_type	Field Type		x(16)	
mpp_line	Line		>>9	

Field Name	Label	Col-Label	Format	Dec
mpp_mod_date	Modified Date	Mod Date	99/99/99	
mpp_mod_userid	User ID		X(8)	0
mpp_parm	Field Name		x(18)	
mpp_program			x(18)	
mpp_sequence			>>>9	
mpp_user1	Ufld1		X(8)	
mpp_user2	Ufld2		X(8)	
oid_mpp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mpp_program	yes	mpp_domain	yes	no
			mpp_program	yes	no
			mpp_sequence	yes	no
			mpp_line	yes	no
◊	oid_mpp_det	yes	oid_mpp_det	yes	no

mps_mstr

Master Production Schedule

Field Name	Label	Col-Label	Format	Dec
mps__qadc01			x(8)	
mps_bom_code	BOM/Formula		x(18)	
mps_domain	Domain		x(8)	
mps_due_date	Due Date		99/99/99	
mps_line	Production Line	Line	x(8)	
mps_part	Item Number		x(18)	
mps_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<<	10
mps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<	10
mps_record			>>>>>>9	
mps_rel_date	Release	Rel Date	99/99/99	
mps_routing	Routing Code		x(18)	
mps_site	Site		x(8)	
mps_user1	Ufld1		x(8)	
mps_user2	Ufld2		x(8)	
oid_mps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mps_part	yes	mps_domain	yes	no
			mps_part	yes	no
			mps_site	yes	no
			mps_line	yes	no
			mps_due_date	yes	no
	mps_record	yes	mps_domain	yes	no
			mps_record	yes	no
	mps_site	yes	mps_domain	yes	no
			mps_site	yes	no
			mps_part	yes	no
			mps_line	yes	no
			mps_due_date	yes	no
◊	oid_mps_mstr	yes	oid_mps_mstr	yes	no

mp_mstr Master Specification

Field Name	Label	Col-Label	Format	Dec
mp__chr01			x(8)	
mp__chr02			x(8)	
mp__chr03			x(8)	
mp__chr04			x(8)	
mp__chr05			x(8)	
mp__dec01			>>>,>>>,>>9.99	10
mp__dec02			>>>,>>>,>>9.99	10
mp_desc	Description		x(24)	
mp_domain	Domain		x(8)	
mp_expire	Expire Date		99/99/99	
mp_nbr	Document		x(8)	
mp_user1	Ufld1		x(8)	
mp_user2	Ufld2		x(8)	
oid_mp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mp_nbr	yes	mp_domain	yes	no
			mp_nbr	yes	no
◊	oid_mp_mstr	yes	oid_mp_mstr	yes	no

mrpc_ctrl Material Requirements Planning Control

Field Name	Label	Col-Label	Format	Dec
mrpc__qadc01			x(8)	
mrpc__qadi01			->>>>>>>9	
mrpc_domain	Domain		x(8)	
mrpc_drp	MRP/DRP Combined	MRP/DRP	yes/no	
mrpc_horizon	MRP Horizon		->,>>>,>>9	
mrpc_op_yield	Enable Op Based Yield		yes/no	
mrpc_reldays	Order Release Horizon	Rel Horizon	>>9	
mrpc_sum_def	Summary Default	D	>	
mrpc_user1	Ufld1		x(8)	
mrpc_user2	Ufld2		x(8)	
oid_mrpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mrpc_index1	yes	mrpc_domain	yes	no
◊	oid_mrpc_ctrl	yes	oid_mrpc_ctrl	yes	no

mrpp_det Material Requirements Planning Pegging Detail

Field Name	Label	Col-Label	Format	Dec
mrpp__qadc01			x(24)	
mrpp__qadc02			x(24)	
mrpp_demand_due_date	Demand Due Date		99/99/99	
mrpp_demand_mrp_keyid	Demand ID		>>>>>>>>9	
mrpp_domain	Domain		x(8)	
mrpp_mod_date	Modified Date	Mod Date	99/99/99	
mrpp_mod_userid	User ID		x(8)	
mrpp_qty_pegged	Qty Pegged		->>>>,>>>,>>9.9<<<<<<<<<	10
mrpp_supply_due_date	Supply Due Date		99/99/99	
mrpp_supply_mrp_keyid	Supply ID		>>>>>>>>9	
mrpp_user1	User Field Character 1		x(24)	
mrpp_user2	User Field Character 2		x(24)	
oid_mrpp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
	mrpp_demand	no	mrpp_domain	yes	no
			mrpp_demand_mrp_keyid	yes	no
			mrpp_supply_due_date	yes	no
*	mrpp_det	yes	mrpp_domain	yes	no
			mrpp_demand_mrp_keyid	yes	no
			mrpp_supply_mrp_keyid	yes	no
	mrpp_supply	no	mrpp_domain	yes	no
			mrpp_supply_mrp_keyid	yes	no
			mrpp_demand_due_date	yes	no
◊	oid_mrpp_det	yes	oid_mrpp_det	yes	no

mrp_det Material Requirements Planning Detail

Field Name	Label	Col-Label	Format	Dec
mrp__qad01			yes/no	
mrp_dataset	Data Set		x(12)	
mrp_detail	Detail		x(24)	
mrp_domain	Domain		x(8)	
mrp_due_date	Due Date		99/99/99	
mrp_keyid	Key ID		>>>>>>>>9	
mrp_line	Line/ID		x(8)	
mrp_line2	Reference	Ref	x(8)	
mrp_nbr	Order	Order Number	x(18)	
mrp_ord_site	Order Site	Ord Site	x(8)	
mrp_part	Item Number		x(18)	
mrp_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
mrp_rel_date	Release Date		99/99/99	
mrp_site	Site		x(8)	
mrp_type	Order Type		x(8)	
mrp_user1	Ufld1		x(8)	
mrp_user2	Ufld2		x(8)	
oid_mrp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mrp_det	yes	mrp_domain	yes	no
			mrp_dataset	yes	no
			mrp_part	yes	no
			mrp_nbr	yes	no
			mrp_line	yes	no
			mrp_line2	yes	no
	mrp_keyid	no	mrp_domain	yes	no
			mrp_keyid	yes	no
	mrp_nbr	yes	mrp_domain	yes	no
			mrp_dataset	yes	no
			mrp_nbr	yes	no
			mrp_line	yes	no
			mrp_line2	yes	no
			mrp_part	yes	no
	mrp_partdate	no	mrp_domain	yes	no
			mrp_part	yes	no
			mrp_due_date	yes	no
			mrp_type	no	no
	mrp_site_due	no	mrp_domain	yes	no
			mrp_site	yes	no
			mrp_part	yes	no
			mrp_due_date	yes	no
			mrp_type	yes	no
	mrp_sitetype	no	mrp_domain	yes	no
			mrp_site	yes	no
			mrp_part	yes	no
			mrp_type	yes	no
			mrp_due_date	yes	no
			mrp_qty	yes	no
◊	oid_mrp_det	yes	oid_mrp_det	yes	no

◊ MsgBrokerSetting Message Broker Setting

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
MsgBrokerSetting_ID			9999999999	
MsgBrokerSettingAdapterCs			x(255)	
MsgBrokerSettingBrokerCs			x(255)	
MsgBrokerSettingName			x(40)	
MsgBrokerSettingPassword			x(40)	
MsgBrokerSettingUser			x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	MsgBrokerSet	yes	MsgBrokerSetting_ID	yes	no
◊	Name	yes	MsgBrokerSettingName	yes	no

msg_mstr Message Master

	Field Name	Label	Col-Label	Format	Dec
	msg__qadc01			x(8)	
	msg_desc	Message		x(64)	
	msg_explanation[11]	Explanation		x(76)	
	msg_lang	Language		x(2)	
Δ	msg_nbr	Message Number	Msg	>>>>9	
	msg_type	Type		x(8)	
	msg_user1	Ufld1		x(8)	
	msg_user2	Ufld2		x(8)	
	oid_msg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	msg_ln	yes	msg_lang	yes	no
			msg_nbr	yes	no
◊	oid_msg_mstr	yes	oid_msg_mstr	yes	no

mu_mstr Monetary Union Master

Field Name	Label	Col-Label	Format	Dec
mu__qadc01			x(8)	
mu__qadd01			->>>>,>>>,>>9.99	10
mu__qadl01			yes/no	
mu__qadt01			99/99/99	
mu_domain	Domain		x(8)	
mu_end_date	End		99/99/99	
mu_member_curr	Member Currency	Member	x(3)	
mu_mod_date	Modified Date	Mod Date	99/99/99	
mu_mod_userid	User ID		x(8)	
mu_start_date	Start		99/99/99	
mu_union_curr	Union Currency	Union	x(3)	
mu_user1	Ufld1		x(8)	
mu_user2	Ufld2		x(8)	
oid_mu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	mu_member_curr	yes	mu_domain	yes	no
			mu_member_curr	yes	no
			mu_start_date	no	no
◊	oid_mu_mstr	yes	oid_mu_mstr	yes	no

ncc_ctrl Net Commerce Control

Field Name	Label	Col-Label	Format	Dec
ncc__qadc01			x(8)	
ncc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
ncc__qadi01			>>>>>>9	
ncc__qadi02			->>>>>>>9	
ncc__qadl01			yes/no	
ncc__qadt01			99/99/99	
ncc_ar_acct	AR Acct		x(8)	
ncc_ar_cc	AR Cost Ctr	CC	x(4)	
ncc_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
ncc_channel	Channel		x(8)	
ncc_class	Class		x(8)	
ncc_confirmed	Confirmed		x(8)	
ncc_county	County		x(20)	
ncc_cr_init	CR Initials	Initials	x(3)	
ncc_cr_limit	Credit Limit	Cr Limit	>>>,>>>,>>>,>>9	0
ncc_cr_rating	Credit Rating	Cr Rate	x(8)	
ncc_cr_terms	Terms		x(8)	
ncc_disc_pct	Disc %		->>9.9<%	10
ncc_disp_weight	Display Weights		yes/no	
ncc_domain	Domain		x(8)	
ncc_fix_pr	Fixed Price		yes/no	
ncc_fr_list	Freight List	Frt List	x(8)	
ncc_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
ncc_fr_terms	Freight Terms	Fr Terms	x(8)	
ncc_lang	Language		x(2)	
ncc_ln_fmt	Ln Format S/M		single/multi	
ncc_ln_pricing	Line Pricing		yes/no	
ncc_mod_date	Modified Date	Mod Date	99/99/99	
ncc_mod_userid	User ID		x(8)	
ncc_nc_app_id	NC App ID		x(12)	
ncc_partial	Partial OK	Partial	yes/no	
ncc_po_reqd	PO Required	PO Reqd	yes/no	
ncc_pr_list	Manual		x(8)	
ncc_region	Region		x(4)	
ncc_rmks	Remarks		x(40)	
ncc_shipvia	Ship Via		x(20)	
ncc_show_inv	Show Inventory		yes/no	
ncc_site	Site		x(8)	
ncc_slspsn[4]	Salesperson	Salespsn	x(8)	
ncc_stat	Action Status	St	x(2)	
ncc_tax_in	Tax In		yes/no	
ncc_tax_usage	Tax Usage		x(8)	
ncc_taxable	Taxable	Tax	yes/no	
ncc_taxc	Tax Class	TxC	x(3)	
ncc_tx_in_city	In City		yes/no	
ncc_type	Type		x(4)	
ncc_user1	User Field 1		x(24)	
ncc_user2	User Field 2		x(24)	
oid_ncc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ncc_index1	yes	ncc_domain	yes	no
◊	oid_ncc_ctrl	yes	oid_ncc_ctrl	yes	no

◊ Nomenclature Nomenclature

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Nomenclature_ID			9999999999	
NomenclatureCode			x(20)	
NomenclatureDescription			x(40)	
NomenclatureIsActive			yes/no	
Unit_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	NomenclatureIsActive	yes	no
◊	CodeIdx	yes	NomenclatureCode	yes	no
◊*	Prim	yes	Nomenclature_ID	yes	no
◊	UnitIdx	no	Unit_ID	yes	no
◊	ViewIndex	no	NomenclatureIsActive	yes	no
			NomenclatureCode	yes	no

nrh_hist

Number Range History

Field Name	Label	Col-Label	Format	Dec
nrh__qadc01			x(8)	
nrh_action	Action		x(8)	
nrh_date	Date		99/99/99	
nrh_desc	Description		x(40)	
nrh_domain	Domain		x(8)	
nrh_inc	Incrementing Value		x(40)	
nrh_line	Line		>,>>>,>>9	
nrh_non_inc	Non Incrementing Value		x(40)	
nrh_number	Sequence Value		x(40)	
nrh_seqid	Sequence ID	Id	x(8)	
nrh_time	Time		x(8)	
nrh_user1	Ufld1		x(8)	
nrh_user2	Ufld2		x(8)	
nrh_userid	User ID		x(8)	
oid_nrh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	nrh_index	yes	nrh_domain	yes	no
			nrh_seqid	yes	no
			nrh_number	yes	no
			nrh_action	yes	no
			nrh_line	yes	no
◊	oid_nrh_hist	yes	oid_nrh_hist	yes	no

nr_mstr

Number Range Master

Field Name	Label	Col-Label	Format	Dec
nr__qadc01			x(8)	
nr_allow_discard	Allow Discarding		yes/no	
nr_allow_void	Allow Voiding		yes/no	
nr_archived	Archived		yes/no	
nr_curr_effdate	Value Effective Date		99/99/99	
nr_dataset	Target Dataset	Dataset	x(16)	
nr_desc	Description		x(40)	
nr_domain	Domain		x(8)	
nr_effdate	Effective Date		99/99/99	
nr_exp_date	Expiration Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
nr_internal	Internal		yes/no	
nr_next_set	Next Value Set		yes/no	
nr_seg_format	Format		x(40)	
nr_seg_ini	Initial Value		x(40)	
nr_seg_max	Maximum Value		x(40)	
nr_seg_min	Minimum Value		x(40)	
nr_seg_nbr	Segment Number	Seg	x(40)	
nr_seg_rank	Segment rank		x(40)	
nr_seg_reset	Reset Value		x(40)	
nr_seg_type	Type		x(8)	
nr_seg_value	Next Value		x(40)	
nr_segcount	Segment Count	Segs	>9	
nr_seqid	Sequence Id	Id	x(8)	
nr_user1	Ufld1		x(8)	
nr_user2	Ufld2		x(8)	
nr_valuemask	Valuemask		x(40)	
oid_nr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	nr_seqid	yes	nr_domain	yes	no
			nr_seqid	yes	no
◊	oid_nr_mstr	yes	oid_nr_mstr	yes	no

◊ nsoc_ctrl

Non-Sales Order Control

Field Name	Label	Col-Label	Format	Dec
nsoc__qadc01	QAD Character Field 1		x(24)	
nsoc__qadc02	QAD Character Field 2		x(24)	
nsoc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
nsoc__qadt01	QAD Date Field 1		99/99/99	
nsoc_all_days	Allocate NSO Lines Due in Days		>>>>>9	
nsoc_bo_advice	Next Back Order Advice		>>>>>>>>9	
nsoc_confirm	Confirmed Orders		yes/no	
nsoc_consume	Consume Forecast	Consume Fcst	yes/no	
nsoc_det_all	Detail Allocations		yes/no	
nsoc_dnote	Next Delivery Note		>>>>>>>>9	
nsoc_domain	Domain		x(8)	
nsoc_ex_ratetype	Rate Type		x(8)	
nsoc_hcmmts	NSO Header Comments		yes/no	
nsoc_immed_ship	Ship Immed		yes/no	
nsoc_int_cust	Internal Customer		x(8)	
nsoc_kit_auto	Autonumbering for Kits		yes/no	
nsoc_kit_nbr	Next Kit Number		>>>>>>9	
nsoc_kit_pre	Kit Prefix		x(8)	
nsoc_lcmmts	NSO Line Comments		yes/no	
nsoc_ln_fmt	Ln Format S/M		yes/no	
nsoc_mod_date	Modified Date	Mod Date	99/99/99	
nsoc_mod_userid	User ID		x(8)	
nsoc_req	Required Qty Reduces Qty Avail		yes/no	
nsoc_ship_to	Ship To		yes/no	
nsoc_shp_lead	Shipping Lead Time		>>>9	

Field Name	Label	Col-Label	Format	Dec
nsoc_so	Next Non-Sales Order		>>>>>>>9	
nsoc_so_hist	Keep Booking History	Book! Hst	yes/no	
nsoc_so_pre	Non-Sales Order Prefix	Pre	x(3)	
nsoc_user1	User Field Character 1		x(24)	
nsoc_user2	User Field Character 2		x(24)	
oid_nsoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	nsoc_index1	yes	nsoc_domain	yes	no
◊	oid_nsoc_ctrl	yes	oid_nsoc_ctrl	yes	no

oa_det

Action Message Detail

Field Name	Label	Col-Label	Format	Dec
oa__qadc01			x(8)	
oa_code	Action Code	Code	999999	
oa_detail	Action Message Detail		x(24)	
oa_domain	Domain		x(8)	
oa_fr_date	From Date	From	99/99/99	
oa_line	Line/ID		x(8)	
oa_nbr	Order	Order Number	x(18)	
oa_part	Item Number		x(18)	
oa_qty	Action Qty	Quantity	->,>>>,>>9.9<<<<<<<<	10
oa_review	Reviewed By	By	x(2)	
oa_site	Site		x(8)	
oa_to_date	To Date	Date	99/99/99	
oa_user1	Ufld1		x(8)	
oa_user2	Ufld2		x(8)	
oid_oa_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	oa_part	yes	oa_domain	yes	no
			oa_part	yes	no
			oa_site	yes	no
			oa_code	yes	no
			oa_nbr	yes	no
			oa_line	yes	no
			oa_to_date	yes	no
	oa_site	no	oa_domain	yes	no
			oa_site	yes	no
			oa_part	yes	no
◊	oid_oa_det	yes	oid_oa_det	yes	no

◊ **ObjectStatus** Object Status

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
ObjectStatusCode			x(20)	
ObjectStatusDescription			x(40)	
ObjectStatusIsActive			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	ObjectStatusCode	yes	no

ocm_mstr Service/Support On Call Master

Field Name	Label	Col-Label	Format	Dec
ocm__chr01	User Character Field 1		X(8)	
ocm__dte01	User Date Field 1		99/99/99	
ocm__log01	User Logical Field 1		yes/no	
ocm__qadc01	QAD Character Field 1		X(8)	
ocm__qadl01	QAD Logical Field 1		yes/no	
ocm__qadt01	QAD Date Field 1		99/99/99	
ocm_area	Area		x(8)	
ocm_domain	Domain		x(8)	
ocm_end_eff	End Effective	End	99/99/99	
ocm_eng_code	Engineer Code	Eng Code	x(8)	
ocm_mod_date	Modified Date	Mod Date	99/99/99	
ocm_mod_userid	User ID		X(8)	
ocm_page	Page		Call/Page	
ocm_schedule	On Call Schedule	Schedule	X(8)	
ocm_start_eff	Start Effective	Start	99/99/99	
ocm_user1	Ufld1		x(8)	
ocm_user2	Ufld2		x(8)	
oid_ocm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ocm_area	yes	ocm_domain	yes	no
			ocm_area	yes	no
			ocm_eng_code	yes	no
			ocm_start_eff	yes	no
	ocm_eng_code	no	ocm_domain	yes	no
			ocm_eng_code	yes	no
			ocm_start_eff	yes	no
	ocm_eng_schedule	no	ocm_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ocm_eng_code	yes	no
			ocm_schedule	yes	no
			ocm_start_eff	yes	no
◊	oid_ocm_mstr	yes	oid_ocm_mstr	yes	no

opc_ctrl

Shop Floor Operation History Control

Field Name	Label	Col-Label	Format	Dec
oid_opc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
opc__qad01			>>>>>>9	
opc__qadi01			->>>>>>>9	
opc__qadi02			>>>>>9	
opc_close_gl	Create GL		yes/no	
opc_domain	Domain		x(8)	
opc_move	Move Next Operation		yes/no	
opc_payroll	Interface Payroll		yes/no	
opc_std_hrs	Standard Hours		>>9.99	10
opc_std_per	Standard Period		x(1)	
opc_time_ind	Time Indicator		x(1)	
opc_user1	Ufld1		x(8)	
opc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opc_ctrl	yes	oid_opc_ctrl	yes	no
*	opc_index1	yes	opc_domain	yes	no

opgl_det

Shop Floor Operation General Ledger Detail

Field Name	Label	Col-Label	Format	Dec
oid_opgl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
opgl__qadc01			x(8)	
opgl_cr_acct	Cr Acct		x(8)	
opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
opgl_cr_line	Line		>>>9	
opgl_cr_proj	Cr Project	Project	x(8)	
opgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
opgl_domain	Domain		x(8)	
opgl_dr_acct	Dr Acct		x(8)	
opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
opgl_dr_line	Line		>>>9	
opgl_dr_proj	Dr Project	Project	x(8)	
opgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
opgl_dy_code	Daybook		x(8)	
opgl_dy_num	Entry Number		x(40)	
opgl_gl_amt	Amount		->>>>>,>>9.99	10
opgl_gl_ref	GL Reference		x(14)	
opgl_sequence	Sequence		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
opgl_trnbr	OP Transaction	Trans	>>>>>9	
opgl_type	Type		x(8)	
opgl_user1	Ufld1		x(8)	
opgl_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opgl_det	yes	oid_opgl_det	yes	no
	opgl_dr_cr	no	opgl_domain	yes	no
			opgl_dr_acct	yes	no
			opgl_dr_sub	yes	no
			opgl_dr_cc	yes	no
			opgl_cr_acct	yes	no
			opgl_cr_sub	yes	no
			opgl_cr_cc	yes	no
	opgl_dy	no	opgl_domain	yes	no
			opgl_dy_code	yes	no
			opgl_dy_num	yes	no
			opgl_sequence	yes	no
*	opgl_nbr_ref	yes	opgl_domain	yes	no
			opgl_trnbr	yes	no
			opgl_gl_ref	yes	no
			opgl_sequence	yes	no
	opgl_ref_nbr	no	opgl_domain	yes	no
			opgl_gl_ref	yes	no
			opgl_trnbr	yes	no
	opgl_type_nbr_ref	no	opgl_domain	yes	no
			opgl_type	yes	no
			opgl_trnbr	yes	no
			opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
oid_opm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>,>>>,>>9.99	10
opm__dec02			>>>,>>>,>>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__qade01	QAD Decimal Field 1		->>,>>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	

Field Name	Label	Col-Label	Format	Dec
opm_batch	Batch Size		>,>>>,>>9	
opm_bom_code	BOM Code		X(18)	
opm_cmtindx	Comment Index	Comment	>>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>,>>9.999	10
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_domain	Domain		x(8)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>,>>>,>>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>,>>9.9<<	10
opm_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
opm_setup	Setup Time	Setup	>,>>9.9<<	10
opm_std_op	Standard Operation	Std Op	x(8)	
opm_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_opm_mstr	yes	oid_opm_mstr	yes	no
	opm_desc	yes	opm_domain	yes	no
			opm_desc	yes	no
			opm_std_op	yes	no
*	opm_std_op	yes	opm_domain	yes	no
			opm_std_op	yes	no

ops_ctrl

Operations Plan Control

Field Name	Label	Col-Label	Format	Dec
oid_ops_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ops__qadc01			x(8)	
ops__qadi01			->>>>>>>9	
ops_cover	Maximum Weeks Coverage	Max Wks	>9.99	10
ops_domain	Domain		x(8)	
ops_move	Move Holiday Production		yes/no	
ops_plan	Use Operations Plan	Ops Plan	yes/no	
ops_round	Use Rounding		yes/no	
ops_user1	Ufld1		x(8)	
ops_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ops_ctrl	yes	oid_ops_ctrl	yes	no
*	ops_index1	yes	ops_domain	yes	no

op_hist

Operation Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_op_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
op__chr01			x(8)	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>,>>>,>>9.99	10
op__dec02			>>>,>>>,>>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	
op__qad02			x(8)	
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	
op_act_rate	Act Cycles/Hour	Act Cyc/Hr	>>>,>>9.999	10
op_act_run	Act Run Time	Act Run	->,>>9.9<<	10
op_act_setup	Act Setup Time	Act Setup	->,>>9.9<<	10
op_act_units	Actual Units/Cycle	Act U/C	>>>>>9	0
op_bdn_cost	Burden Cost	Burden	->>>>,>>9.99	10
op_bdn_std	Burden Cost Std	Std Burden	->>>>,>>9.99	10
op_ca_int_type	Work Code		x(8)	
op_ca_opn_date			99/99/99	
op_cmtindx	Comment Index		>>>>>>>9	
op_comment	Comment		x(40)	
op_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
op_curr	Currency	Cur	x(3)	
op_date	Effective Date	Date	99/99/99	
op_dept	Department		x(8)	
◊ op_doc_id	Document ID		x(24)	
op_domain	Domain		x(8)	
op_earn	Earning Code		x(4)	
op_emp	Employee		x(8)	
op_eng_area	Service Area	Area	x(18)	
op_eng_code	Engineer Code	Eng Code	x(8)	
op_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<<	10
op_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
op_ex_ratetype	Rate Type		x(8)	
op_exru_seq	Sequence		>>>>>>>>9	
op_fcg_code	Charge Code		x(8)	
op_flbr_cstd	Curr Cost		->>>>,>>9.99	10
op_flbr_std			->>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
op_flvrte_accr			->>>>,>>9.99	10
op_flvrte_post			->>>>,>>9.99	10
op_from_op	From Operation		>>>>99	
op_fsc_code	Service Category		x(8)	
op_fsm_type	FSM Type		x(8)	
op_itm_line			>>>>9	
op_lbr_cost	Labor Cost	Labor	->>>>,>>9.99	10
op_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
op_lbr_std	Labor Cost Std	Std Labor	->>>>,>>9.99	10
op_line	Production Line	Line	x(8)	
op_mch	Machine		x(8)	
op_milestone	Milestone Operation	Milestone	yes/no	
op_part	Item Number		x(18)	
op_pay_calc	Payroll Calculated		yes/no	
op_po_nbr	Purchase Order	PO	x(8)	
op_price	Price		>>>>,>>>,>>9.99<<<	10
op_pro_pct	Prorate Pct		->>9.99%	10
op_program	Program		x(12)	
op_project	Project		x(8)	
op_qty_adjust	Qty Adjusted		->,>>>,>>9.9<<<<<<<<	10
op_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
op_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
op_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<<	10
op_qty_scrap	Qty Scrapped		->,>>>,>>9.9<<<<<<<<	10
op_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_rsn_scrap	Scrap Reason		x(8)	
op_sa_nbr	Service Contract		x(8)	
op_sad_line	Contract Line	Ln	>>>>>>>9	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>,>>9.999	10
op_std_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<<	10
op_std_setup	Std Setup Time	Std Setup	>,>>9.9<<	10
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0
op_sub_cost	Subcontract Cost	Subcontract	->>>>,>>9.99	10
op_sub_std	Subcontract Std	Std Subcntrct	->>>>,>>9.99	10
op_sv_code	Contract Type		x(8)	
op_svc_type			x(1)	
op_time	Time		>>,>>>,>>9	
op_to_op	To Operation		>>>>99	
op_tool	Tool Code	Tool	x(8)	
op_tran_date	Tran Date	Tran! Date	99/99/99	
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userc03	User Field Character 3		x(24)	
op_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
op_useri01	User Field Integer 1		->>>>>>>9	
op_userid	User ID		x(8)	
op_userl01	User Field Logical 1		yes/no	
op_usert01	User Field Date 1		99/99/99	

Field Name	Label	Col-Label	Format	Dec
op_wip_lotser	Lot/Serial		x(18)	
op_wip_ref	Reference	Ref	x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_op_hist	yes	oid_op_hist	yes	no
	op_date	no	op_domain	yes	no
			op_date	yes	no
			op_trnbr	yes	no
	op_emp	no	op_domain	yes	no
			op_emp	yes	no
			op_site	yes	no
			op_date	yes	no
	op_lot_op	no	op_domain	yes	no
			op_wo_lot	yes	no
			op_wo_op	yes	no
			op_date	yes	no
	op_part	no	op_domain	yes	no
			op_part	yes	no
			op_site	yes	no
			op_wo_op	yes	no
			op_date	yes	no
	op_rsn	no	op_domain	yes	no
			op_rsn	yes	no
			op_site	yes	no
			op_date	yes	no
	op_rsn_rjct	no	op_domain	yes	no
			op_rsn_rjct	yes	no
			op_site	yes	no
			op_date	yes	no
	op_rsn_rwrk	no	op_domain	yes	no
			op_rsn_rwrk	yes	no
			op_site	yes	no
			op_date	yes	no
*	op_trnbr	yes	op_domain	yes	no
			op_trnbr	yes	no
	op_type	no	op_domain	yes	no
			op_site	yes	no
			op_type	yes	no
			op_date	yes	no
	op_wkctr	no	op_domain	yes	no
			op_site	yes	no
			op_wkctr	yes	no
			op_mch	yes	no
			op_date	yes	no
	op_wo_nbr	no	op_domain	yes	no
			op_wo_nbr	yes	no
			op_wo_lot	yes	no
			op_date	yes	no

◊ OrdAllocD Warehousing Order Allocation Detail

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ABSShipFrom	Ship From		x(8)	
AlgoNbr	Algorithm	Algo	>>9	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateTrans	Create Transaction	Create! Trans	yes/no	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
Loc	Location		x(8)	
Lot	Lot/Serial		x(18)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_OrdAllocD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
Ref	Reference		x(8)	
Rmks	Remarks		x(24)	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	DSetNbrLine	no	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
◊*	DSetSiteLoc	no	Domain	yes	no
			DSet	yes	no
			Site	yes	no
			Loc	yes	no
			Part	yes	no
			Lot	yes	no
			Ref	yes	no
◊	oid_OrdAllocD	yes	oid_OrdAllocD	yes	no
◊	ShipFromID	no	Domain	yes	no
			ABSShipFrom	yes	no
			ABSID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ OrdAllocH

Warehousing Order Allocation History

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateProgName	Program		x(10)	
CreateTime			->,>>>,>>9	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
Line	Line/ID		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
NewQtyAlloc	New Allocated		->,>>>,>>9.9<<<<<<<	10
NewQtyPick	New Picked		->,>>>,>>9.9<<<<<<<	10
oid_OrdAllocH			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OldQtyAlloc	Old Allocated		->,>>>,>>9.9<<<<<<<	10
OldQtyPick	Old Picked		->,>>>,>>9.9<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	

Field Name	Label	Col-Label	Format	Dec
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	DateIdx	no	Domain	yes	no
			CreateDate	yes	no
			CreateTime	yes	no
◊	oid_OrdAllocH	yes	oid_OrdAllocH	yes	no
◊*	OrderIdx	no	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
			Part	yes	no
◊	Part	no	Domain	yes	no
			Part	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ OrderD

Warehousing Order Detail

Field Name	Label	Col-Label	Format	Dec
Allocation	Allocation		x(8)	
AllocNbr	Allocation Order		x(18)	
AltUM	Alternate UM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
Explicit	Explicit Supply	Explic	yes/no	
InspReq	Inspection Required	Insp Req	yes/no	
InternalID	Internal User ID	Internal! User ID	x(50)	
IssueMethod	Issue Method		x(8)	
Line	Line/ID		x(8)	
LoadID	Load ID		X(8)	
LoadOpt	Load Optimization	Load	yes/no	
LocType	Location Type	Location! Type	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	

Field Name	Label	Col-Label	Format	Dec
oid_OrderD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Status	Stat	x(8)	
Part	Item Number		x(18)	
Picked	Picked	Pick	yes/no	
PickStatus	Pick Status	St	x(1)	
PreShipper	PreShipper		X(8)	
Priority	Priority		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Rmks	Remarks		x(24)	
Route	Route		X(8)	
Shipper	Shipper	Shipper	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Short	Short		yes/no	
ShortQty	Qty Short	Qty! Short	->,>>>,>>9.9<<<<<<<<	2
Site	Site		x(8)	
User1	User Field Character 1		x(24)	
User2	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Allocation	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Allocation	yes	no
			DueDate	yes	no
◊	DueDate	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			DueDate	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Internal	no	Domain	yes	no
			InternalID	yes	no
			PickStatus	yes	no
◊*	Line	yes	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			Line	yes	no
			Part	yes	no
◊	LoadID	no	Domain	yes	no
			PickStatus	yes	no
			LoadID	yes	no
			Site	yes	no
			DSet	yes	no
◊	Nbr	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Nbr	yes	no
◊	oid_OrderD	yes	oid_OrderD	yes	no
◊	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
			Priority	yes	no
◊	Preship	no	Domain	yes	no
			PreShipper	yes	no
◊	Route	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Route	yes	no
			Allocation	yes	no
			DueDate	yes	no
◊	ShipTo	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			ShipTo	yes	no
			Allocation	yes	no
			DueDate	yes	no
◊	ShipVia	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			ShipVia	yes	no
			Allocation	yes	no
			DueDate	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	WhsePick	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			PickStatus	yes	no

◊ OrderM

Warehousing Order Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
LoadSeq	Load Sequence	Load! Sequence	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
oid_OrderM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Status	Stat	x(8)	
OrdType	Type	T	x(1)	
Priority	Priority		X(8)	
Profile	Profile	Prof	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Route	Route		X(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
User1	User Field Character 1		x(8)	
User2	User Field Character 1		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ DSetPriority	no	Domain	yes	no
		DSet	yes	no
		Priority	yes	no
◊ Nbr	no	Domain	yes	no
		Nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			DSet	yes	no
◊	oid_OrderM	yes	oid_OrderM	yes	no
◊*	OrderIdx	yes	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
◊	OrDType	no	Domain	yes	no
			OrdType	yes	no
◊	Priority	no	Domain	yes	no
			Priority	yes	no
			DSet	yes	no
			Nbr	yes	no
◊	Profile	no	Domain	yes	no
			Profile	yes	no
◊	ShipTo	no	Domain	yes	no
			ShipTo	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ OrderSelD

Warehousing Order Batch Selection Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date	Due	99/99/99	
GrossWeight	Gross Weight		>,>>>,>>9.9<<<<<<<<	10
Line	Line/ID		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight		>,>>>,>>9.9<<<<<<<<	10
oid_OrderSelD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
PromiseDate	Promise Date	Promise	99/99/99	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Qty	Quantity	Qty	->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
RequiredDate	Required Date	Required	99/99/99	
Route	Route		x(8)	
SelNbr	Selection Number	Sel Nbr	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
TareWeight	Tare Weight		>,>>>,>>9.9<<<<<<<<	10
UM	UM		x(2)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Volume	Volume		>,>>>,>>9.9<<<<<<<<	10
VolumeUM	Volume UM		x(2)	
WeightUM	Weight UM		x(2)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Line	yes	Domain	yes	no
			SelNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			Line	yes	no
			Part	yes	no
◊	oid_OrderSelD	yes	oid_OrderSelD	yes	no
◊	OrderLine	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			Line	yes	no
			Part	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ OrderSelM

Warehousing Order Batch Selection Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExportDate	Export Date		99/99/99	
ExportProg	Export Program		x(10)	

Field Name	Label	Col-Label	Format	Dec
ExportTime	Export Time		>>>>>>>9	
ExportUserID	Exported		x(24)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_OrderSelM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Remark	Remark	Rmk	x(40)	
SelNbr	Selection Number	Sel Nbr	x(8)	
SelStatus	Selection Status	Status	x(8)	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_OrderSelM	yes	oid_OrderSelM	yes	no
◊*	SelNbr	yes	Domain	yes	no
			SelNbr	yes	no
◊	SelStatus	no	Domain	yes	no
			SelStatus	yes	no
			Site	yes	no
			Whse	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

pac_mstr Purchase Approval Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pac_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pac__qadc01			x(8)	
pac_amt[4]	Minimum Amount		->>>>,>>>,>>9.99	10
pac_apr_by[4]	Approver		x(8)	
pac_code	Approval Code	Apv Code	x(8)	
pac_desc	Description		x(24)	
pac_domain	Domain		x(8)	
pac_mod_date	Modified Date	Mod Date	99/99/99	
pac_pl	Product Line	Line	x(4)	
pac_pur_acct	Purchases Acct	Pur Acct	x(8)	
pac_pur_cc	Purchases CC	CC	x(4)	
pac_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pac_req_by	Requested By	Req By	x(8)	
pac_site	Site		x(8)	
pac_user1	User1		x(8)	
pac_user2	User2		x(8)	
pac_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pac_mstr	yes	oid_pac_mstr	yes	no
*	pac_code	yes	pac_domain	yes	no
			pac_code	yes	no
	pac_index1	no	pac_domain	yes	no
			pac_site	yes	no
			pac_pl	yes	no
			pac_pur_acct	yes	no
			pac_pur_sub	yes	no
			pac_pur_cc	yes	no
			pac_req_by	yes	no

pald_det Pallet Detail

Field Name	Label	Col-Label	Format	Dec
oid_pald_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pald__chr01			x(8)	
pald__chr02			x(8)	
pald__chr03			x(8)	
pald__chr04			x(8)	
pald__chr05			x(8)	
pald__dec01			->>>,>>>,>>9.99<	10
pald__dec02			->>>,>>>,>>9.99<	10
pald_desc	Description		x(24)	
pald_domain	Domain		x(8)	
pald_height	Height		>>,>>9.99	10
pald_hght_um	UM		x(2)	
pald_nbr_lay	Number of Layers		>,>>>,>>9	
pald_pallet	Pallet Type	Type	x(8)	
pald_part	Item Number	Item	x(18)	

Field Name	Label	Col-Label	Format	Dec
pald_um	UM		x(2)	
pald_unit_lay	Units per Layer		>,>>>,>>9	
pald_user1	Ufld1		x(8)	
pald_user2	Ufld2		x(8)	
pald_weight	Weight		>>,>>9.99	10
pald_wght_um	UM		x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pald_det	yes	oid_pald_det	yes	no
*	pald_pallet	yes	pald_domain	yes	no
			pald_pallet	yes	no
			pald_part	yes	no

pal_mstr

Pallet Master

Field Name	Label	Col-Label	Format	Dec
oid_pal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pal__chr01			x(8)	
pal__chr02			x(8)	
pal__chr03			x(8)	
pal__chr04			x(8)	
pal__chr05			x(8)	
pal__dec01			->>>,>>>,>>9.99<	10
pal__dec02			->>>,>>>,>>9.99<	10
pal_desc	Description		x(24)	
pal_domain	Domain		x(8)	
pal_height	Height		>>,>>9.99	10
pal_hght_um	UM		x(2)	
pal_nbr_lay	Number of Layers		>,>>>,>>9	
pal_pallet	Pallet Type	Type	x(8)	
pal_um	UM		x(2)	
pal_unit_lay	Units per Layer		>,>>>,>>9	
pal_user1	Ufld1		x(8)	
pal_user2	Ufld2		x(8)	
pal_weight	Weight		>>,>>9.99	10
pal_wght_um	UM		x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pal_mstr	yes	oid_pal_mstr	yes	no
*	pal_pallet	yes	pal_domain	yes	no
			pal_pallet	yes	no

◊ PartSLGM

Warehousing Item/Storage Location Group Master

Field Name	Label	Col-Label	Format	Dec
AllowInReturn	Allow Incoming Returns	InRet	yes/no	
AllowIssue	Allow Issues	Iss	yes/no	
AllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
AllowReceipt	Allow Receipts	Rec	yes/no	
CmtIndx	Comments		>>>>>>>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_PartSLGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OPCThreshold	OPC Threshold		->,>>>,>>9.9<<<<<<<<	10
Part	Item Number		x(18)	
PopCode	Popularity		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RecountUM	Recount UM	Rcnt! UM	x(2)	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_PartSLGM	yes	oid_PartSLGM	yes	no
◊* PartSLG	yes	Domain	yes	no
		Part	yes	no
		Site	yes	no
		Whse	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			SLocGp	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ PartWhseM Warehousing Item/Warehouse Master

Field Name	Label	Col-Label	Format	Dec
AutoRep%	Auto Replenish %	Auto! Rep%	->>9.99%	2
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
ByRef	By Reference		yes/no	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Destructive	Destructive	Destr	yes/no	
Domain	Domain		x(8)	
IDQty	ID Quantity	ID! Qty	>>>9	
InspFreqDays	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
InspFrequency	Insp Frequency	Insp Freq.	>>>>>>9	
InspReq	Inspection Required	Insp Req	yes/no	
InventDays[10]	Days From Expiration/ Manufacture	Days From! Expire/! Manuf.	>>,>>9	
IssueMethod	Issue Method	Issue! Method	x(8)	
Loc	Location		x(8)	
LogUM	Logistics UM	Log! UM	x(2)	
LogUMTol%	Logistics UM Tolerance	Log UM Tol	->>9.99%	2
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_PartWhseM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OPCThreshold	OPC Threshold		->>>,>>9.9<<<<<<	10
PalMaxHeight	Pallet Max Height		->>,>>9.99	10
Part	Item Number		x(18)	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
PopCode	Popularity		X(8)	
PrintID	Print ID	Print! ID	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RandomInsp%	Random Inspection %		->>9.99	10
RepType	Replenishment Type	Rep Type	X(8)	
SameDays[10]	Same Day Window	Same Day! Window	>>,>>9	
Sample%	Sample %	Sample %	>>9	

Field Name	Label	Col-Label	Format	Dec
SampleQty	Sample Quantity	Sample Qty	->,>>>,>>9	
SingleTrans	Single Put-Away Transactions	Single! Trans	yes/no	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
UnpIssPrint	Print Unpl Issue Tag		yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_PartWhseM	yes	oid_PartWhseM	yes	no
◊*	PartWhse	yes	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	WhsePartType	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			PartType	yes	no
◊	WhseRepType	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			RepType	yes	no

◊ PayFormatCode Pay Format Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PayFormatCode	Attribute Value	Attribute Value	x(40)	
PayFormatCode_ID	Record ID	Record ID	9999999999	
PayFormatCodeDescription	Description	Description	x(40)	
PayFormatCodeIsActive	Active	Active	yes/no	
PayFormatCodeIsDefault	Default	Default	yes/no	
PayFormatGroup_ID	Payment Format Type	Type	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	IsActive	no	PayFormatCodeIsActive	yes	no
◊	IsDefault	no	PayFormatCodeIsDefault	yes	no
◊*	Prim	yes	PayFormatCode_ID	yes	no
◊	UniqueIdx	yes	PayFormatCode	yes	no
			PayFormatGroup_ID	yes	no
◊	ViewIndex	no	PayFormatCodeIsActive	yes	no
			PayFormatCode	yes	no

◊ PayFormatGroup Pay Format Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PayFormatGroup_ID	Record ID	Record ID	9999999999	
PayFormatGroupCode	Attribute Name	Attribute Name	x(200)	
PayFormatGroupDataType	Data Type	Data Type	x(20)	
PayFormatGroupDescription	Description	Description	x(40)	
PayFormatGroupInputOption	Input Option	Input Option	x(20)	
PayFormatGroupIsActive	Active	Active	yes/no	
PayFormatGroupIsMandatory	Mandatory	Mandatory	yes/no	
PayFormatGroupLevel	Level	Level	x(20)	
PayFormatGroupSequence	Group Code	Group Code	->,>>>,>>9	
PayFormatTypeCode	Payment Format Type	Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	FormatTypeSeq	yes	PayFormatTypeCode	yes	no
			PayFormatGroupSequence	yes	no
◊	GroupType	no	PayFormatGroupCode	yes	no
			PayFormatTypeCode	yes	no
◊	IsActive	no	PayFormatGroupIsActive	yes	no
◊*	Prim	yes	PayFormatGroup_ID	yes	no
◊	UniqueIdx	yes	PayFormatTypeCode	yes	no
			PayFormatGroupCode	yes	no
◊	ViewIndex	no	PayFormatGroupIsActive	yes	no
			PayFormatTypeCode	yes	no

◊ PayFormatType Pay Format Type

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PayFormatTypeCode	Format Name	Format Name	x(20)	
PayFormatTypeDescription	Description	Description	x(40)	
PayFormatTypeIsActive	Active	Active	yes/no	
PayFormatTypeLinesPerPage	Invoices per check	Invoices per check	>>>9	
PayFormatTypeModule	Module	Module	x(20)	
PayFormatTypeOutFileMask	Output File Mask	Output File Mask	x(40)	

Field Name	Label	Col-Label	Format	Dec
PayFormatTypePayInstrument	Payment Instrument	Payment Instrument	x(40)	
PayFormatTypePayType	Payment Type	Payment Type	x(20)	
PayFormatTypeSubSystem	Sub System	Sub System	x(40)	
PayFormatTypeTPAddress	TP Address	TP Address	x(40)	
PayFormatTypeTPSite	TP Site	TP Site	x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Currency	no	Currency_ID	yes	no
◊	IsActive	no	PayFormatTypeIsActive	yes	no
◊*	Prim	yes	PayFormatTypeCode	yes	no
◊	ViewIndex	no	PayFormatTypeIsActive	yes	no
			PayFormatTypeCode	yes	no

◊ PaymentCondition Credit Terms

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaymentCondition_ID	Record ID	Record ID	9999999999	
PaymentConditionBaseDate	Base Date	Base Date	99/99/9999	
PaymentConditionBaseDays	Base Days	Base Days	->,>>>,>>9	
PaymentConditionCode	Credit Terms Code	Credit Terms Code	x(8)	
PaymentConditionDayMthDisc	No of Periods	No of Periods	->,>>>,>>9	
PaymentConditionDaysMonths	No of Periods	No of Periods	->,>>>,>>9	
PaymentConditionDescript	Description	Description	x(40)	
PaymentConditionDueDays	Min Due Days	Min Due Days	->,>>>,>>9	
PaymentConditionGraceDay	Grace Days	Grace Days	->,>>>,>>9	
PaymentConditionIsActive	Active	Active	yes/no	
PaymentConditionLateInt	Daily Overdue Int Percentage	Late Interest	->>>9.99	2
PaymentConditionPaymentTyp	Payment Type	Pay Type	x(20)	
PaymentConditionPdDiscType	Period Type	Type	x(20)	
PaymentConditionPercentage	Discount Percentage	Percent	->,>>>,>>9.99	3
PaymentConditionPeriodType	Period Type	Type	x(20)	
PaymentConditionSupDayDisc	Supplementary Days	Suppl Days	->,>>>,>>9	
PaymentConditionSupplDays	Supplementary Days	Suppl Days	->,>>>,>>9	
PaymentConditionTermsInt	Terms Interest Percentage	Terms Int	->>>9.99	2

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	PaymentConditionCode	yes	no
◊*	Prim	yes	PaymentCondition_ID	yes	no
◊	ViewIndex	no	PaymentConditionIsActive	yes	no
			PaymentConditionCode	yes	no

◊ PaymentConditionStaged Staged Payment

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaymentCondition_ID	Credit Terms Code	Cred Trm	9999999999	
PaymentConditionStaged_ID	Record ID	Record ID	9999999999	
PaymentConditionStagedPerc	Percentage	Percentage	->>>9.99	2
StagedPaymentCondition_ID	Credit Terms	Payment Condition	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PayCon	no	PaymentCondition_ID	yes	no
◊*	Prim	yes	PaymentConditionStaged_ID	yes	no
◊	UniIdx	yes	PaymentCondition_ID	yes	no
			StagedPaymentCondition_ID	yes	no

◊ PaymentGroup Payment Group

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaymentGroup_ID	Record ID	Record ID	9999999999	
PaymentGroupCode	Payment Group	Payment Group	x(20)	
PaymentGroupDescription	Description	Description	x(40)	
PaymentGroupIsActive	Active	Act	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	PaymentGroupCode	yes	no
◊* Prim	yes	PaymentGroup_ID	yes	no
◊ ViewIndex	no	PaymentGroupIsActive	yes	no
		PaymentGroupCode	yes	no

◊ PaySel Payment Selection

Field Name	Label	Col-Label	Format	Dec
BankPayFormat_ID	Link to BankPayFormat	Link to BankPayFormat	9999999999	
Company_ID	Link to Company	Link to Company	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
GL_ID	Account	Account	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaySel_ID	Record ID	Record ID	9999999999	
PaySelCode	Code	Code	x(20)	
PaySelDate	Execution Date	Execution Date	99/99/9999	
PaySelStatus	Status	Status	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	no	PaySelCode	yes	no
◊	Company	no	Company_ID	yes	no
◊	CompanyGLPaySelCode	no	Company_ID	yes	no
			GL_ID	yes	no
			PaySelCode	yes	no
◊	CompanyPaySelDate	no	Company_ID	yes	no
			PaySelDate	yes	no
◊	GL	no	GL_ID	yes	no
◊	PaySelDate	no	PaySelDate	yes	no
◊*	Prim	yes	PaySel_ID	yes	no
◊	StatusField	no	PaySelStatus	yes	no
◊	UniqueKey	yes	Company_ID	yes	no
			PaySelCode	yes	no

◊ **PaySelHistory** Pay Sel Hist

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaySel_ID	Link to PaySel	Link to PaySel	9999999999	
PaySelHistory_ID	Record ID	Record ID	9999999999	
PaySelHistoryDate	Date	Date	99/99/9999	
PaySelHistoryDescription	Description	Description	x(40)	
PaySelHistoryOutFileName	File	File	x(255)	
PaySelStatus	Status	Status	x(20)	
Usr_ID	Login	Login	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PaySel	no	PaySel_ID	yes	no
◊*	Prim	yes	PaySelHistory_ID	yes	no
◊	Usr	no	Usr_ID	yes	no

◊ **PaySelLine** Payment Selection Line

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Link to BankNumber	Link to BankNumber	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PayFormatTypeCode	Payment format of the payment selection line	Payment format of the payment selection line	x(20)	
PaySel_ID	Link to PaySel	Link to PaySel	9999999999	
PaySelLine_ID	Record ID	Record ID	9999999999	
PaySelLineAmountTC	Amount	Amount	->>>,>>>,>>>,>>9.99	4
PaySelLineDiscountTC	Discount	Discount	->>>,>>>,>>>,>>9.99	4
PaySelLineIsRefInFile	Ref In File	Ref In File	yes/no	
PaySelLineObjectType	Type	Type	x(20)	
PaySelLineParentObject_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BankNumber	no	BankNumber_ID	yes	no
◊	KeyPayFormatType	no	PayFormatTypeCode	yes	no
◊	ObjectType	no	PaySelLineObjectType	yes	no
◊	ParentObject	no	PaySelLineParentObject_ID	yes	no
◊	PaySel	no	PaySel_ID	yes	no
◊*	Prim	yes	PaySelLine_ID	yes	no

◊ **PaySelLineStage** Payment Selection Line Stage

Field Name	Label	Col-Label	Format	Dec
CInvoiceStage_ID	Link to CInvoiceStage	Link to CInvoiceStage	9999999999	
DInvoiceStage_ID	Link to DInvoiceStage	Link to DInvoiceStage	9999999999	
PaySelLine_ID	Link to PaySelLine	Link to PaySelLine	9999999999	
PaySelLineStage_ID	Record ID	Record ID	9999999999	
PaySelLineStageDiscAmntTC	Discount Amount	Discount Amount	->>>,>>>,>>>,>>9.99	4
PaySelLineStageOpenAmntTC	Open Amount	Open Amount	->>>,>>>,>>>,>>9.99	4
PaySelLineStageOrigAmntTC	Original Amount	Original Amount	->>>,>>>,>>>,>>9.99	4
PaySelLineStagePaymAmntTC	Payment Amount	Payment Amount	->>>,>>>,>>>,>>9.99	4

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CInvoiceStage	no	CInvoiceStage_ID	yes	no
◊	DInvoiceStage	no	DInvoiceStage_ID	yes	no
◊	PaySelLine	no	PaySelLine_ID	yes	no
◊*	Prim	yes	PaySelLineStage_ID	yes	no
◊	UniqueIdx	yes	PaySelLine_ID	yes	no
			CInvoiceStage_ID	yes	no
			DInvoiceStage_ID	yes	no

◊ **PaySelPayCode** Payment Selection Pay Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PayFormatCode_ID	Link to PayFormatCode	Link to PayFormatCode	9999999999	
PayFormatGroup_ID	Link to PayFormatGroup	Link to PayFormatGroup	9999999999	
PaySel_ID	Link to PaySel	Link to PaySel	9999999999	
PaySelPayCode_ID	Record ID	Record ID	9999999999	
PaySelPayCodeValue	Value	Value	x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	PaySelPayCode_ID	yes	no
◊	UniqueIdx	yes	PaySel_ID	yes	no
			PayFormatGroup_ID	yes	no

◊ **PaySelPrepay** Payment Selection Prepayment

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Business Relation	Business Relation	9999999999	
Creditor_ID	Supplier Code	Supplier	9999999999	
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedUser	Last Modified User	Modif User	x(20)	
PaySelPrepay_ID	Record ID	Record ID	9999999999	
PaySelPrepayAmountToPayTC	Amount to Pay	Amount to Pay	->>>,>>>,>>>,>>9.99	4
PaySelPrepayReferenceText	Reference	Reference	x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BusinessRelation	no	BusinessRelation_ID	yes	no
◊	Creditor	no	Creditor_ID	yes	no
◊	Currency	no	Currency_ID	yes	no
◊*	Prim	yes	PaySelPrepay_ID	yes	no

pcc_ctrl

Product Change Control

Field Name	Label	Col-Label	Format	Dec
oid_pcc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pcc__qadc01			x(8)	
pcc__qadi01			->>>>>>>9	
pcc_auto_nbr	Auto Number	Auto	yes/no	
pcc_cmmt_type	Comment Type		X(2)	
pcc_comm_lang	Common Language		X(2)	
pcc_db_seq	Common DB Sequence		>>>9	
pcc_domain	Domain		x(8)	
pcc_ecooff_date	ECO Off Date		99/99/99	
pcc_enforce_seq	Enforce PCO Approval Group Sequencing	Enforce Seq	yes/no	
pcc_formula_ok	Formula OK		yes/no	
pcc_initial_date	Initialization Date		99/99/99	
pcc_max_wkfl	Max Workfile		>>>9	
pcc_next_pco[12]	Next Change Number		>>>>>>>>9	
pcc_pco_pre[12]	Prefix		X(3)	
pcc_process_ok	Process OK		yes/no	
pcc_qspec_ok	PSM OK		yes/no	
pcc_quality_ok	Quality OK		yes/no	
pcc_routing_ok	Routings OK		yes/no	
pcc_security_on	Security On		yes/no	
pcc_struct_ok	Structures OK		yes/no	
pcc_user1	Ufld1		x(8)	
pcc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcc_ctrl	yes	oid_pcc_ctrl	yes	no
*	pcc_index	yes	pcc_domain	yes	no

pcd_det

Purchase Order Line Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
oid_pcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pcd__qad01			99/99/99	
pcd__qad02			x(8)	
pcd__qad03			yes/no	
pcd__qad04			->>>,>>>,>>9.99<<<<	10
pcd__qad05			->>>,>>>,>>9.99<<<<	10
pcd_amt	Amount		->>>,>>>,>>9.99<<<	10
pcd_curr	Currency	Cur	x(3)	
pcd_domain	Domain		x(8)	
pcd_element	Cost Element	Element	x(8)	
pcd_line	Line	Ln	>>9	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1	Ufld1		x(8)	
pcd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcd_det	yes	oid_pcd_det	yes	no
*	pcd_ele	yes	pcd_domain	yes	no
			pcd_nbr	yes	no
			pcd_line	yes	no
			pcd_element	yes	no

pcld_det

Product Change Control Group Detail

Field Name	Label	Col-Label	Format	Dec
oid_pcld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pcld__qadc01			x(8)	
pcld_copies	Copies	Cp	>>9	
pcld_dev	Output		x(8)	
pcld_domain	Domain		x(8)	
pcld_expire	Expire Date		99/99/99	
pcld_group	Group		x(8)	
pcld_id	User Id		x(8)	
pcld_mod_date	Modified Date	Mod Date	99/99/99	
pcld_user1	Ufld1		x(8)	
pcld_user2	Ufld2		x(8)	
pcld_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcld_det	yes	oid_pcld_det	yes	no
*	pcld_groupid	yes	pcld_domain	yes	no
			pcld_group	yes	no
			pcld_id	yes	no

pcl_mstr

Product Change Control Group Master

Field Name	Label	Col-Label	Format	Dec
oid_pcl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pcl__qadc01			x(8)	
pcl_bsn_unit	Business Unit		>>>>>>>>9	
pcl_desc	Description		x(24)	
pcl_domain	Domain		x(8)	
pcl_group	Group		x(8)	
pcl_index			>>>>>9	
pcl_mod_date	Modified Date	Mod Date	99/99/99	
pcl_type	Type	T	x(2)	
pcl_user1	Ufld1		x(8)	
pcl_user2	Ufld2		x(8)	
pcl_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pcl_mstr	yes	oid_pcl_mstr	yes	no
*	pcl_group	yes	pcl_domain	yes	no
			pcl_group	yes	no
			pcl_type	yes	no

pct_mstr

Product Change Control Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pct_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pct__qad01	ECR/ECN		yes/no	
pct__qad02			99/99/99	
pct__qad03			x(8)	
pct__qad04			x(8)	
pct__qad05			x(8)	
pct_approval	Approval Code	Approval	x(8)	
pct_dc_warn	Warning Type		>9	
pct_desc	Description		x(24)	
pct_distr	Distribution	Dstrbn	x(8)	
pct_doc_type	Document Type	Doc Type	X(8)	
pct_domain	Domain		x(8)	
pct_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pct_mod_date	Modified Date	Mod Date	99/99/99	
pct_prefix	Prefix	Pre	x(3)	
pct_secure_admn	Security Profile - Administration	Admn Pfl	X(8)	
pct_secure_item	Security Profile - Item	Item Pfl	X(8)	0
pct_secure_routing	Security Profile - Routing	Rtng Pfl	X(8)	
pct_secure_stct	Security Profile - Structure	Stct Pfl	X(8)	
pct_secure_text	Security Profile - Test	Text Pfl	X(8)	
pct_seqrev_off	Rev Level Off	Off	yes/no	
pct_type	Type		x(8)	
pct_user1	Ufld1		x(8)	
pct_user2	Ufld2		x(8)	
pct_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pct_mstr	yes	oid_pct_mstr	yes	no
*	pct_type	yes	pct_domain	yes	no
			pct_type	yes	no
			pct_dsgn_grp	yes	no

pc_mstr

Price List Master

	Field Name	Label	Col-Label	Format	Dec
	oid_pc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
◊	pc__qadc01			x(8)	
◊	pc__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
	pc_amt[15]	Amount		->>>,>>>,>>9.99<<<	10
	pc_amt_type	Amount Type	T	x(1)	
	pc_curr	Currency	Cur	x(3)	
Δ	pc_desc	Price List Desc		x(24)	
	pc_domain	Domain		x(8)	
	pc_expire	Expire		99/99/99	
	pc_list	Price List	List	x(8)	
Δ	pc_list_classification	Price List Class		9	10
	pc_max_price[10]	Maximum Price		->>>,>>>,>>9.99<<<	10
	pc_min_price	Minimum Price		->>>,>>>,>>9.99<<<	10
	pc_min_qty[15]	Min Qty		>>>>>>9	10
	pc_mod_date	Modified Date	Mod Date	99/99/99	
	pc_part	Item Number		x(18)	
	pc_prod_line	Product Line	Line	x(4)	
	pc_start	Start		99/99/99	
	pc_tax_in	Tax In		yes/no	
	pc_um	UM		x(2)	
	pc_user1	Ufld1		x(8)	
	pc_user2	Ufld2		x(8)	
	pc_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pc_mstr	yes	oid_pc_mstr	yes	no
Δ*	pc_list	yes	pc_domain	yes	no
			pc_list_classification	yes	no
			pc_list	yes	no
			pc_curr	yes	no
			pc_prod_line	yes	no
			pc_part	yes	no
			pc_um	yes	no
			pc_start	yes	no
	pc_part	no	pc_domain	yes	no
			pc_part	yes	no
			pc_um	yes	no
			pc_list	yes	no
			pc_curr	yes	no
			pc_start	yes	no
	pc_prod_line	no	pc_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pc_prod_line	yes	no
		pc_um	yes	no
		pc_list	yes	no
		pc_curr	yes	no
		pc_start	yes	no

◊ Period

GL Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Period_ID	Record ID	Record ID	9999999999	
PeriodClosingDate	Closing Date	Closing Date	99/99/9999	
PeriodEndDate	End Date	End Date	99/99/9999	
PeriodIsPostingGLAllowed	GL	GL	yes/no	

Field Name	Label	Col-Label	Format	Dec
PeriodIsPostingInvAllowed	Inventory	Inventory	yes/no	
PeriodIsPostingOtherAllow	Other	Other	yes/no	
PeriodIsPostingPurchAllow	Purchases	AP	yes/no	
PeriodIsPostingSalesAllow	Sales	Sales	yes/no	
PeriodIsReportChecked	Checked/Reported	Checked/Reported	yes/no	
PeriodMark_ID	Mark	Mark	9999999999	
PeriodPeriod	GL Period	GL Pd	99	
PeriodReportingPeriod	Reporting GL Period	Reporting GL Period	x(20)	
PeriodStartDate	Start Date	Start Date	99/99/9999	
PeriodStatus	Status	Status	x(20)	
PeriodTypeCode	GL Period Type	GL Period Type	x(20)	
PeriodYear	GL Calendar Year	GL Cal Year	9999	
PeriodYearPeriod	GL Calendar Year/GL Period	GL Year/GL Pd	999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	AccYear	no	PeriodYear	yes	no
◊	Company	no	Company_ID	yes	no
◊	CompanyAndYearPeriod	yes	Company_ID	yes	no
			PeriodYearPeriod	yes	no
◊	CompanyPeriodEndDate	no	Company_ID	yes	no
			PeriodEndDate	yes	no
◊	EndDate	no	PeriodEndDate	yes	no
◊	Period	no	PeriodPeriod	yes	no
◊	PeriodMark	no	PeriodMark_ID	yes	no
◊*	Prim	yes	Period_ID	yes	no
◊	StartDate	no	PeriodStartDate	yes	no
◊	StatusClosing	no	PeriodStatus	yes	no
◊	UniqueIdx	yes	Company_ID	yes	no
			PeriodYear	yes	no
			PeriodPeriod	yes	no
◊	YearPeriod	no	PeriodYearPeriod	yes	no

◊ PeriodMark Period Mark

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PeriodMark_ID	Record ID	Record ID	9999999999	
PeriodMarkCode	Mark	Mark	x(40)	
PeriodMarkDescription	Description	Description	x(60)	
PeriodMarkIsActive	Active	Active	yes/no	
PeriodMarkSequence	Sequence	Seq	->,>>>,>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	CompanyAndCode	yes	Company_ID	yes	no
			PeriodMarkCode	yes	no
◊	CompanyAndSequence	yes	Company_ID	yes	no
			PeriodMarkSequence	yes	no
◊	IsActive	no	PeriodMarkIsActive	yes	no
◊*	Prim	yes	PeriodMark_ID	yes	no
◊	ViewIndex	no	Company_ID	yes	no
			PeriodMarkIsActive	yes	no
			PeriodMarkCode	yes	no

pfc_det

Production Forecast Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pfc__qadc01			x(8)	
pfc_date	Date	Date	99/99/99	
pfc_domain	Domain		x(8)	
pfc_id_num			>>>>>>9	
pfc_part	Item Number		x(18)	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
pfc_site	Site		x(8)	
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pfc_det	yes	oid_pfc_det	yes	no
	pfc_id_num	no	pfc_domain	yes	no
			pfc_id_num	yes	no
*	pfc_part	yes	pfc_domain	yes	no
			pfc_part	yes	no
			pfc_site	yes	no
			pfc_peg_part	yes	no
			pfc_date	yes	no
	pfc_peg_part	no	pfc_domain	yes	no
			pfc_peg_part	yes	no
			pfc_site	yes	no

pfd_det

Service/Support Item-Site Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pfd__chr01	Character Field 1		X(8)	
pfd__chr02	Character Field 2		X(8)	
pfd__dte01	Date Field 1		99/99/99	
pfd__dte02	Date Field 2		99/99/99	
pfd__int01	Integer Field 1		->,>>>,>>9	
pfd__int02	Integer Field 2		->,>>>,>>9	
pfd__log01	Logical Field 1		yes/no	
pfd__log02	Logical Field 2		yes/no	
pfd__qadc01	QAD Character Field 1		X(8)	
pfd__qadc02	QAD Character Field 2		X(8)	
pfd__qadd01	QAD Date Field 1		99/99/99	
pfd__qadi01	QAD Integer Field 1		->,>>>,>>9	
pfd__qadi02	QAD Integer Field 2		->,>>>,>>9	
pfd__qadl01	QAD Logical Field 1		yes/no	
pfd__qadl02	QAD Logical Field 2		yes/no	
pfd_bench_lead	Repair Lead Time	Rp Tm	>>>9	
pfd_cover	Subs Covered		yes/no	
pfd_cus_install	Customer Installable		yes/no	
pfd_domain	Domain		x(8)	
pfd_field_lead	Field Repair Time		>,>>9.99<<	10
pfd_fru	FRU		yes/no	
pfd_ins_bom	Installation BOM		X(18)	
pfd_ins_route	Installation Routing		X(18)	
pfd_inst_call	Install		yes/no	
pfd_isb	Installed Base	Inst Base	yes/no	
pfd_life_cycle	Life Cycle		x(8)	
pfd_mfg_mtbf	MFG MTBF		->>,>>9.99	10
pfd_mfg_mttr	MFG MTTR		->>,>>9.99	10
pfd_mod_date	Modified Date	Mod Date	99/99/99	
pfd_mod_userid	User ID		X(8)	
pfd_mtbf	MTBF		>>,>>9.99	10
pfd_mttr	MTTR		>>,>>9.99	10
pfd_obs_date	Obsolete Date		99/99/99	
pfd_origin	Country of Origin		x(12)	
pfd_part	Item		x(18)	
pfd_pm_mrp	Need PM MRP		yes/no	
pfd_pvm_bom	PM BOM		x(18)	
pfd_pvm_days	Days Between PM	PM Days	>>>>9	
pfd_pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd_pvm_limit	PM Limit		>>>>,>>>,>>9.99<<	10
pfd_pvm_replace	Always Replace on PM		yes/no	
pfd_pvm_route	PM Routing		x(18)	
pfd_pvm_saftey	Saftey Limit		>>>>,>>>,>99.99<<<	10
pfd_pvm_um	UM		x(8)	0
pfd_repairable	Repairable		yes/no	
pfd_rp_bom	Repair BOM		x(18)	
pfd_rp_route	Repair Routing		x(18)	
pfd_rp_site	Repair Site		x(8)	
pfd_rp_vendor	Repair Supplier	Supplier	x(8)	
pfd_site	Site		x(8)	
pfd_sttr	STTR		->>,>>9.99	10
pfd_svc_group	Service Group	Svc Grp	x(8)	
pfd_tariff	Tariff		x(8)	0

Field Name	Label	Col-Label	Format	Dec
pfd_trace_active	Trace Active		yes/no	
pfd_unit_isb	Isb Unit Quantity		yes/no	
pfd_user1	Ufld1		x(8)	
pfd_user2	Ufld2		x(8)	
pfd_ven_warr	Supplier Warranty	Sup! Warr	yes/no	
pfd_warr_cd	Warranty Code	Warr Cd	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pfd_det	yes	oid_pfd_det	yes	no
	pfd_pm_mrp	no	pfd_domain	yes	no
			pfd_pm_mrp	yes	no
			pfd_part	yes	no
			pfd_site	yes	no
*	pfd_ptsite	yes	pfd_domain	yes	no
			pfd_part	yes	no
			pfd_site	yes	no
	pfd_sitept	no	pfd_domain	yes	no
			pfd_site	yes	no
			pfd_part	yes	no

pgc_ctrl

Service/Support Paging Control

Field Name	Label	Col-Label	Format	Dec
oid_pgc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pgc__qadc01			x(8)	
pgc_addr	Pager Company		x(8)	
pgc_append_ca	Append Call		yes/no	
pgc_domain	Domain		x(8)	
pgc_index	Index		>>9	
pgc_paged_status	Paged Status		x(8)	
pgc_phone	Pager Number		x(20)	
pgc_port1	Program		x(32)	
pgc_port2	Parameter		x(32)	
pgc_port3	Port #3		x(32)	
pgc_port4	Port #4		x(32)	
pgc_post_control	After Phone Number		x(18)	
pgc_pre_control	Before Phone Number		x(18)	
pgc_program	Program		x(16)	
pgc_user1	Ufld1		x(8)	
pgc_user2	Ufld2		x(8)	
pgc_wait_status	Waiting for Page Status		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgc_ctrl	yes	oid_pgc_ctrl	yes	no
*	pgc_index	yes	pgc_domain	yes	no
			pgc_index	yes	no

pgh_hist

Service/Support Paging History

Field Name	Label	Col-Label	Format	Dec
oid_pgh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pgh__chr01	User Character Field 1		X(8)	
pgh__chr02	User Character Field 2		X(8)	
pgh__dte01	User Date Field 1		99/99/99	
pgh__log01	User Logical Field 1		yes/no	
pgh__qadc01	QAD Character Field 1		X(8)	
pgh__qadc02	QAD Character Field 2		X(8)	
pgh__qadl01	QAD Logical Field 1		yes/no	
pgh__qadt01	QAD Date Field 1		99/99/99	
pgh_ca_nbr	Call Number		x(8)	
pgh_date	Date		99/99/99	
pgh_domain	Domain		x(8)	
pgh_eng_code	Engineer		x(8)	
pgh_phone	Phone		x(20)	
pgh_status	Status		x(8)	
pgh_time_init	Time		99:99	
pgh_time_paged	Time Paged		99:99	
pgh_trnbr	Transaction		>>>>>>>>>9	
pgh_user1	Ufld1		x(8)	
pgh_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgh_hist	yes	oid_pgh_hist	yes	no
	pgh_ca_nbr	no	pgh_domain	yes	no
			pgh_ca_nbr	yes	no
			pgh_date	yes	no
			pgh_time_init	yes	no
	pgh_eng_code	no	pgh_domain	yes	no
			pgh_eng_code	yes	no
			pgh_date	yes	no
			pgh_time_init	yes	no
	pgh_status	no	pgh_domain	yes	no
			pgh_status	yes	no
*	pgh_trnbr	yes	pgh_domain	yes	no
			pgh_trnbr	no	no

pgm_det

Program Detail

Field Name	Label	Col-Label	Format	Dec
oid_pgm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pgm__qadc01			x(8)	
pgm_cmmt[20]	Program Data		x(76)	
pgm_desc	Description		x(24)	
pgm_domain	Domain		x(8)	
pgm_eq	Equation Name	Eq Name	x(8)	
pgm_mod_date	Modified Date	Mod Date	99/99/99	
pgm_ref	Program Reference		x(40)	
pgm_seq	Page		>9	

Field Name	Label	Col-Label	Format	Dec
pgm_type	Type	T	x(2)	
pgm_user1	Ufld1		x(8)	
pgm_user2	Ufld2		x(8)	
pgm_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pgm_det	yes	oid_pgm_det	yes	no
*	pgm_ref_eq	yes	pgm_domain	yes	no
			pgm_ref	yes	no
			pgm_eq	yes	no
			pgm_type	yes	no
			pgm_seq	yes	no
	pgm_type_eq	no	pgm_domain	yes	no
			pgm_type	yes	no
			pgm_eq	yes	no

pic_ctrl Pricing Control

Field Name	Label	Col-Label	Format	Dec
oid_pic_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pic__qadc01			x(8)	
pic__qadi01			->>>>>>>9	
pic_cust_regen	Customers		yes/no	
pic_disc_comb	Discount Combination Type		x(24)	
pic_domain	Domain		x(8)	
pic_fs_date	FSM Default Pricing Date		x(24)	
pic_fs_fact	Display FSM Discounts as		yes/no	
pic_fs_linpri	Price Contracts by Line		yes/no	
pic_fs_rfact	FSM Factor Rounding		>>9	
pic_item_regen	Items		yes/no	
pic_list_id	Next Price List ID		>>>>>>>9	
pic_po_date	PO Default Price Date		x(24)	
pic_po_fact	Display PO Discounts as		yes/no	
pic_po_linpri	Price PO by Line		yes/no	
pic_po_rfact	PO Factor Rounding		>>9	
pic_promo_pre	Promotions Prefix		x(3)	
pic_qo_date	QO Default Price Date		x(24)	
pic_qo_fact	Display QO Discounts as		yes/no	
pic_qo_linpri	Price QO by Line		yes/no	
pic_qo_rfact	QO Factor Rounding		>>9	
pic_so_date	SO Default Pricing Date		x(24)	
pic_so_fact	Display SO Discounts as		yes/no	
pic_so_linpri	Price SO by Line		yes/no	
pic_so_rfact	SO Factor Rounding		>>9	
pic_user1	Ufld1		x(8)	
pic_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pic_ctrl	yes	oid_pic_ctrl	yes	no
*	pic_index1	yes	pic_domain	yes	no

pid_det

Price List Detail

Field Name	Label	Col-Label	Format	Dec
oid_pid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pid__qadc01			x(8)	
pid__qadd01			->>>,>>>,>>9.9<<<	10
pid_amt	Amount		->>>,>>>,>>9.9<<<	10
pid_cr_terms	Credit Terms	Terms	x(8)	
pid_domain	Domain		x(8)	
pid_fr_list	Freight List	Frt List	x(8)	
pid_fr_terms	Freight Terms		x(8)	
pid_list_id	List Id		x(8)	
pid_qty	Min Qty		->>,>>>,>>9.9<<<<<<<<	10
pid_user1	Ufld1		x(8)	
pid_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pid_det	yes	oid_pid_det	yes	no
*	pid_list_id	yes	pid_domain	yes	no
			pid_list_id	yes	no
			pid_qty	yes	no

pigc_det

Price List Group Customer Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pigc__qadc01			x(8)	
pigc__qadc02			x(8)	
pigc__qadc03			x(8)	
pigc__qadd01			->>>>,>>>,>>9.9	10
pigc__qadd02			->>>>,>>>,>>9.9	10
pigc__qadi01			->,>>>,>>9	
pigc__qadi02			->,>>>,>>9	
pigc__qadl01			yes/no	
pigc__qadl02			yes/no	
pigc__qadt01			99/99/99	
pigc__qadt02			99/99/99	
pigc_amt_type	Amount Type		x(24)	
pigc_code	Price List Group		x(8)	
pigc_curr	Currency	Cur	X(3)	
pigc_div	Division		x(8)	
pigc_domain	Domain		x(8)	
pigc_expire	Expire		99/99/99	
pigc_include	Include		yes/no	
pigc_mem_ref	Member Reference		x(8)	
pigc_mem_type	Member Type		>>>9	
pigc_srch_type	Search Type		>>9	
pigc_start	Start		99/99/99	
pigc_user1	Ufld1		x(8)	
pigc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pigc_det	yes	oid_pigc_det	yes	no
*	pigc_code	yes	pigc_domain	yes	no
			pigc_code	yes	no
			pigc_mem_type	yes	no
			pigc_mem_ref	yes	no
			pigc_amt_type	yes	no
	pigc_member	no	pigc_domain	yes	no
			pigc_div	yes	no
			pigc_mem_type	yes	no
			pigc_mem_ref	yes	no
			pigc_srch_type	yes	no
			pigc_curr	yes	no
			pigc_start	yes	no

pigp_det

Price List Group Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pigp__qadc01			x(8)	
pigp__qadc02			x(8)	
pigp__qadc03			x(8)	
pigp__qadd01			->>>>,>>>,>>9.9	10
pigp__qadd02			->>>>,>>>,>>9.9	10
pigp__qadi01			->,>>>,>>9	
pigp__qadi02			->,>>>,>>9	
pigp__qadl01			yes/no	
pigp__qadl02			yes/no	
pigp__qadt01			99/99/99	
pigp__qadt02			99/99/99	
pigp_amt_type	Amount Type		X(24)	
pigp_code	Price List Group		x(8)	
pigp_curr	Currency	Cur	X(3)	
pigp_div	Division		X(8)	
pigp_domain	Domain		x(8)	
pigp_expire	Expire		99/99/9999	
pigp_include	Include		yes/no	
pigp_list_id	List ID		x(8)	
pigp_prod_ref	Item Reference		X(18)	
pigp_prod_type	Item Type		9	
pigp_srch_type	Search Type		>>9	
pigp_start	Start		99/99/99	
pigp_user1	Ufld1		x(8)	
pigp_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pigp_det	yes	oid_pigp_det	yes	no
*	pigp_code	yes	pigp_domain	yes	no
			pigp_code	yes	no
			pigp_prod_type	yes	no
			pigp_prod_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pigp_amt_type	yes	no
pigp_product	no	pigp_domain	yes	no
		pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

pig_mstr

Price List Group Master

Field Name	Label	Col-Label	Format	Dec
oid_pig_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pig__qadc01			x(8)	
pig__qadc02			x(8)	
pig__qadc03			x(8)	
pig__qadd01			->>>>,>>>,>>9.9	10
pig__qadd02			->>>>,>>>,>>9.9	10
pig__qadi01			->,>>>,>>9	
pig__qadi02			->,>>>,>>9	
pig__qadl01			yes/no	
pig__qadl02			yes/no	
pig__qadt01			99/99/99	
pig__qadt02			99/99/99	
pig_all_custs	All Customers		yes/no	
pig_all_items	All Items		yes/no	
pig_amt_type	Amount Type		x(24)	
pig_code	Price List Group		x(8)	
pig_curr	Currency	Cur	x(3)	
pig_desc	Description		x(24)	
pig_div	Division		x(8)	
pig_domain	Domain		x(8)	
pig_expire	Expire		99/99/99	
pig_list	Price List		x(8)	
pig_list_id	List ID		x(8)	
pig_priority	Priority		>9	
pig_ref_code	Reference		x(16)	
pig_ref_type	Reference Type		99	
pig_srch_type	Search Type		>>9	
pig_start	Start		99/99/99	
pig_user1	Ufld1		x(8)	
pig_user2	Ufld2		x(8)	
pig_val_type	Value Type		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pig_mstr	yes	oid_pig_mstr	yes	no
	pig_all_custs	no	pig_domain	yes	no
			pig_div	yes	no
			pig_all_custs	yes	no
			pig_srch_type	yes	no
			pig_curr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			pig_start	yes	no
	pig_all_items	no	pig_domain	yes	no
			pig_div	yes	no
			pig_all_items	yes	no
			pig_srch_type	yes	no
			pig_curr	yes	no
			pig_start	yes	no
*	pig_code	yes	pig_domain	yes	no
			pig_code	yes	no
			pig_amt_type	yes	no
	pig_div_code	yes	pig_domain	yes	no
			pig_div	yes	no
			pig_code	yes	no
			pig_amt_type	yes	no
	pig_ref	no	pig_domain	yes	no
			pig_ref_type	yes	no
			pig_ref_code	yes	no

pih_hist Pricing History

Field Name	Label	Col-Label	Format	Dec
oid_pih_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pih__chr01			x(8)	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>,>>>,>>9.99	10
pih__dec02			>>>,>>>,>>9.99	10
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>,>>>,>>9.9<<<	10
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC	CC	x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pih_amt	Amount		->>>>,>>>,>>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_confg_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>,>>>,>>9.99<<<	10
pih_disc_cc	Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>,>>9.<<<<<	10
pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
pih_doc_type	Doc Type		>>9	
pih_domain	Domain		x(8)	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frt List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>,>>>,>>9.99<	10
pih_mod_date	Modified Date	Mod Date	99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>,>>>,>>9.9<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	
pih_promo4	APM Code 4		x(8)	
pih_qty	Qty		->>,>>>,>>9.9<<<<<<<<	10
pih_qty_type	Qty Type		x(24)	
pih_source	Source		x(8)	
pih_time	Time		>>,>>>,>>9	
pih_um	UM		x(2)	
pih_user1	Ufld1		x(8)	
pih_user2	Ufld2		x(8)	
pih_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pih_hist	yes	oid_pih_hist	yes	no
	pih_comp	no	pih_domain	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
			pih_parent	yes	no
			pih_feature	yes	no
			pih_option	yes	no
	pih_list	no	pih_domain	yes	no
			pih_list	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
	pih_list_id	no	pih_domain	yes	no
			pih_list_id	yes	no
*	pih_nbr	yes	pih_domain	yes	no
			pih_doc_type	yes	no
			pih_nbr	yes	no
			pih_line	yes	no
			pih_confg_disc	yes	no
			pih_source	yes	no
			pih_list_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

pi_mstr

Price List Master

Field Name	Label	Col-Label	Format	Dec
oid_pi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pi__chr01			x(8)	
pi__chr02			x(8)	
pi__chr03			x(8)	
pi__chr04			x(8)	
pi__chr05			x(8)	
pi__chr06			x(8)	
pi__chr07			x(8)	
pi__chr08			x(8)	
pi__chr09			x(8)	
pi__chr10			x(8)	
pi__dec01			>>>,>>>,>>9.99	10
pi__dec02			>>>,>>>,>>9.99	10
pi__dte01			99/99/99	
pi__dte02			99/99/99	
pi__log01			yes/no	
pi__qadc01			x(8)	
pi__qadd01			->>>,>>>,>>9.9<<<	10
pi_accr_acct	Accrual Acct		x(8)	
pi_accr_cc	Accrual CC	CC	x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	
pi_cmtindx	Comments		>>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_confg_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr	CC	x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>,>>9.9<<<<<	10
pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
pi_domain	Domain		x(8)	
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>>,>>>,>>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>,>>>,>>9.99<<<	10
pi_max_qty	Max Qty		->>,>>>,>>9.9<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>,>>>,>>9.99<	10
pi_min_price	Min Price		>>>>,>>>,>>9.99<<<	10
pi_mod_date	Modified Date	Mod Date	99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	

Field Name	Label	Col-Label	Format	Dec
pi_promo1	Promotion Code		x(8)	
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	
pi_user2	Ufld2		x(8)	
pi_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pi_mstr	yes	oid_pi_mstr	yes	no
	pi_cs_code	no	pi_domain	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_srch_type	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no
*	pi_list	yes	pi_domain	yes	no
			pi_list	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no
	pi_list_id	yes	pi_domain	yes	no
			pi_list_id	yes	no
	pi_part_code	no	pi_domain	yes	no
			pi_part_type	yes	no
			pi_part_code	yes	no
			pi_cs_type	yes	no
			pi_cs_code	yes	no
			pi_srch_type	yes	no
			pi_curr	yes	no
			pi_um	yes	no
			pi_start	yes	no

pjc_ctrl Project Realization Control

Field Name	Label	Col-Label	Format	Dec
oid_pjc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjc__log01			yes/no	
pjc__log02			yes/no	
pjc__qadc01			x(24)	
pjc__qadc02			x(24)	
pjc__qadd01			->>>>,>>>,>>9.99<<<	10
pjc__qadi01			>>>>>>>9	
pjc__qadi02			->>>>>>>9	
pjc__qadl01			yes/no	
pjc__qadl02			yes/no	
pjc__qadt01			99/99/99	
pjc_auto_mo	Auto Generate MO		yes/no	
pjc_bg_above	Budget Overrun Limit		->>9.9<%	10
pjc_bg_below	Budget Warning Limit		->>9.9<%	10
pjc_close_status	Closed Status		x(8)	
pjc_comp_status	Complete Status		x(8)	
pjc_dflt_que	Queue		x(8)	
pjc_domain	Domain		x(8)	
pjc_global_inv	Global Invoicing		yes/no	
pjc_hcmmts	Project Header Comments		yes/no	
pjc_hold_level	Credit Hold Option		>>9	
pjc_hold_status	Hold Status		x(8)	
pjc_lcmmts	Project Line Comments		yes/no	
pjc_mod_date	Modified Date	Mod Date	99/99/99	
pjc_mod_userid	User ID		x(8)	
pjc_open_status	Open Status		x(8)	
pjc_pao_cancel	Cancel Status		x(8)	
pjc_pao_close	Closed Status		x(8)	
pjc_pao_complete	Complete Status		x(8)	
pjc_pao_hold	Hold Status		x(8)	
pjc_pao_nbr	Next PAO		>>>>>>>9	
pjc_pao_open	Open Status		x(8)	
pjc_pao_pre	PAO Prefix		x(3)	
pjc_paocmmts	PAO Comments		yes/no	
pjc_par_detail	PAR Detail		yes/no	
pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
pjc_par_return	PAR Return Status		x(8)	
pjc_par_scrap	PAR Scrap Status		x(8)	
pjc_pj_type	GL Project Type		x(2)	
pjc_pjs_hist	Generate Transaction History		yes/no	
pjc_pr_rollup	Auto Price Rollup		yes/no	
pjc_prj_nbr	Next Project		>>>>>>>9	
pjc_prj_pre	Project Prefix		x(3)	
pjc_prj_site	Project Site		x(8)	
pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
pjc_pt_prod	Use Item Product Line		yes/no	
pjc_schedule_pao	Schedule		yes/no	
pjc_scmmts	Subproject Comments		yes/no	
pjc_so_nbr	Next Project SO		>>>>>>>9	
pjc_so_pre	Project SO Prefix		x(3)	
pjc_sub_det	Subproject Details		yes/no	

Field Name	Label	Col-Label	Format	Dec
pjc_use_budgets	Use Budgets		yes/no	
pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
pjc_user1	Ufld1		x(8)	
pjc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjc_ctrl	yes	oid_pjc_ctrl	yes	no
*	pjc_index1	yes	pjc_domain	yes	no

pjd_det

Project Realization Subproject Detail

Field Name	Label	Col-Label	Format	Dec
oid_pjd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjd__qadc01			x(24)	
pjd__qadc02			x(24)	
pjd__qadd01			->>>>,>>>,>>9.99<<<	10
pjd__qadi01			>>>>>>>9	
pjd__qadl01			yes/no	
pjd__qadt01			99/99/99	
pjd_budget_type	Budget Type		>>9	
pjd_ca_int_type	Work Code		x(8)	
pjd_cmtindx	Comment Index		>>>>>>>9	
pjd_comm_pct[4]	Commission		>>9.9<%	10
pjd_cr_terms	Credit Terms		x(8)	
pjd_desc	Description		x(24)	
pjd_disc_pct	Discount		->>9.9<%	10
pjd_domain	Domain		x(8)	
pjd_end_date	End Date		99/99/99	
pjd_end_orig	Original End		99/99/99	
pjd_eng_nbr	Engineer		x(8)	
pjd_eu_nbr	End User		x(8)	
pjd_global_inv	Global Invoicing		yes/no	
pjd_inv_det	Details on Invoice		yes/no	
pjd_inv_det_pr	Prices of Details		yes/no	
pjd_inv_lvl	Invoice Level		yes/no	
pjd_list_pr	Total List Price		->>>>,>>>,>>9.99<<<	10
pjd_loc	Location		x(8)	
pjd_mod_date	Modified Date	Mod Date	99/99/99	
pjd_mod_userid	User ID		x(8)	
pjd_nbr	Project		x(8)	
pjd_pjt_code	Project Type		x(8)	
pjd_pr_list	Price List		x(8)	
pjd_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
pjd_prepaid	Prepaid		->>>>,>>>,>>9.99<<<	10
pjd_prod_line	Product Line		x(4)	
pjd_site	Site		x(8)	
pjd_slspsn[4]	Slsperson		x(8)	
pjd_st_date	Start Date		99/99/99	
pjd_st_orig	Original Start		99/99/99	
pjd_status	Status		x(8)	
pjd_sub_nbr	Subproject	Subproj	>>>9	

Field Name	Label	Col-Label	Format	Dec
pjd_total_price	Total Net Price		->>>>,>>>,>>9.99<<<	10
pjd_user1	Ufld1		x(8)	
pjd_user2	Ufld2		x(8)	
pjd_variation	Variation		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjd_det	yes	oid_pjd_det	yes	no
	pjd_pjt_code	no	pjd_domain	yes	no
			pjd_pjt_code	yes	no
*	pjd_sub_nbr	yes	pjd_domain	yes	no
			pjd_nbr	yes	no
			pjd_sub_nbr	yes	no

pjsh_hist

Project Realization Transaction History

Field Name	Label	Col-Label	Format	Dec
oid_pjsh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjsh__qadc01			x(24)	
pjsh__qadd01			->>>>,>>>,>>9.99<<<	10
pjsh__qadi01			>>>>>>>9	
pjsh__qadl01			yes/no	
pjsh__qadt01			99/99/99	
pjsh_amt_inv	Invoiced Amount		->>>>,>>>,>>9.99<<<	10
pjsh_amt_inv_chg	Invoiced Amt Change		->>>>,>>>,>>9.99<	10
pjsh_cost_act_chg	Actual Cost Change		->>>>,>>>,>>9.99<<<	10
pjsh_cost_actual	Actual Cost		->>>>,>>>,>>9.99<<<	10
pjsh_cost_iss	Issued Cost		->>>>,>>>,>>9.99<<<	10
pjsh_cost_iss_chg	Issued Cost Change		->>>>,>>>,>>9.99<<<	10
pjsh_cost_planned	Planned Cost		->>>>,>>>,>>9.99<<<	10
pjsh_cost_pln_chg	Planned Cost Change		->>>>,>>>,>>9.99<<<	10
pjsh_cost_wip	WIP Cost		->>>>,>>>,>>9.99<<<	10
pjsh_cost_wip_chg	WIP Cost Change		->>>>,>>>,>>9.99<<<	10
pjsh_domain	Domain		x(8)	
pjsh_mod_date	Modified Date	Mod Date	99/99/99	
pjsh_mod_userid	User ID		x(8)	
pjsh_nbr	Project		x(8)	
pjsh_old_status	Prev Line Status		x(8)	
pjsh_pjs_line	Project Line		>>>>>>>9	
pjsh_povar_amt	PO Variance Amt		->>>>,>>>,>>9.99<<<	10
pjsh_povar_chg	PO Variance Change		->>>>,>>>,>>9.99<<<	10
pjsh_qty_act_chg	Qty Actual Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_actual	Qty Actual		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_bg_chg	Qty Budgeted Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_budget	Qty Budgeted		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_inv_chg	Qty Invoiced Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_iss_chg	Qty Issued Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_oh	Project QOH		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_oh_chg	Project QOH Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_planned	Qty Planned		->>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
pjsh_qty_pln_chg	Qty Planned Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_sel_chg	Qty to Invoice Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_sel_inv	Qty to Invoice		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_wip	Qty WIP		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_qty_wip_chg	Qty WIP Change		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_rel_nbr	Related Project		x(8)	
pjsh_status	Project Line Status		x(8)	
pjsh_tr_cost	Transaction Cost		->>>>,>>>,>>9.99<<<	10
pjsh_tr_date	Transaction Date		99/99/99	
pjsh_tr_ind	Transaction Indicator		x(8)	
pjsh_tr_qty	Transaction Qty		->>,>>>,>>9.9<<<<<<<<<	10
pjsh_tr_time	Transaction Time		>>>>>>>>9	
pjsh_tr_type	Transaction Type		x(8)	
pjsh_trnbr	Transaction		>>>>>>>9	
pjsh_user1	Ufld1		x(8)	
pjsh_user2	Ufld2		x(8)	
pjsh_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjsh_hist	yes	oid_pjsh_hist	yes	no
	pjsh_prj_nbr	no	pjsh_domain	yes	no
			pjsh_nbr	yes	no
			pjsh_pjs_line	yes	no
			pjsh_tr_date	yes	no
			pjsh_tr_time	yes	no
*	pjsh_trnbr	yes	pjsh_domain	yes	no
			pjsh_trnbr	yes	no

pjsx_det

Project Structure Cross-Reference Detail

Field Name	Label	Col-Label	Format	Dec
oid_pjsx_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
pjsx__dec01			->>>>,>>>,>>9.99<<<	10
pjsx__dte01			99/99/99	
pjsx__log01			yes/no	
pjsx__qadc01			x(24)	
pjsx__qadc02			x(24)	
pjsx__qadd01			->>>>,>>>,>>9.99<<<	10
pjsx__qadi01			>>>>>>>9	
pjsx__qadl01			yes/no	
pjsx__qadt01			99/99/99	
pjsx_date	Last Modified Date		99/99/99	
pjsx_def_ws	Worksheet		x(8)	
pjsx_domain	Domain		x(8)	
pjsx_end_date	End Date		99/99/99	
pjsx_int_stat	Internal Status		x(8)	
pjsx_line	PAO Line		>>9	
pjsx_loc	Location		x(8)	
pjsx_mod_date	Modified Date	Mod Date	99/99/99	
pjsx_mod_userid	User ID		x(8)	
pjsx_nbr	PAO		x(8)	

Field Name	Label	Col-Label	Format	Dec
pjsx_pjs_line	Project Line		>>>>>>>9	
pjsx_prj_nbr	Project		x(8)	
pjsx_qty_demand	Demand Qty		->>,>>>,>>9.9<<<<<<<<<	10
pjsx_qty_in_prog	Qty In Progress		->>,>>>,>>9.9<<<<<<<<<	10
pjsx_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
pjsx_qty_ord	Qty Ordered		->>,>>>,>>9.9<<<<<<<<<	10
pjsx_site	Site		x(8)	
pjsx_so_nbr	Material Order		x(8)	
pjsx_sod_line	MO Line		>>9	
pjsx_start_date	Start Date		99/99/99	
pjsx_type	PAO Line Type		x(4)	
pjsx_user1	Ufld1		x(8)	
pjsx_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjsx_det	yes	oid_pjsx_det	yes	no
*	pjsx_nbrln	yes	pjsx_domain	yes	no
			pjsx_nbr	yes	no
			pjsx_line	yes	no
	pjsx_pjs	no	pjsx_domain	yes	no
			pjsx_prj_nbr	yes	no
			pjsx_pjs_line	yes	no
			pjsx_nbr	yes	no
	pjsx_sonbr	no	pjsx_domain	yes	no
			pjsx_so_nbr	yes	no
			pjsx_sod_line	yes	no
	pjsx_type	no	pjsx_domain	yes	no
			pjsx_prj_nbr	yes	no
			pjsx_pjs_line	yes	no
			pjsx_type	yes	no
	pjsx_ws	no	pjsx_domain	yes	no
			pjsx_def_ws	yes	no

pjs_mstr

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_pjs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjs__chr01			x(8)	
pjs__dec01			->>>>,>>>,>>9.99<<<	10
pjs__dec02			->>>>,>>>,>>9.99<<<	10
pjs__dte01			99/99/99	
pjs__dte02			99/99/99	
pjs__log01			yes/no	
pjs__log02			yes/no	
pjs__qadc01			x(24)	
pjs__qadc02			x(24)	
pjs__qadc03			x(24)	
pjs__qadd01			->>>>,>>>,>>9.99<<<	10
pjs__qadd02			->>>>,>>>,>>9.99<<<	10
pjs__qadi01			>>>>>>>9	
pjs__qadi02			>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
pjs__qadl01			yes/no	
pjs__qadl02			yes/no	
pjs__qadt01			99/99/99	
pjs__qadt02			99/99/99	
pjs_amt_inv	Amount Invoiced	Amt Inv	->>>>,>>>,>>9.99<<<	10
pjs_budget_type	Budget Type		>9	
pjs_ca_int_type	Work Code		x(8)	
pjs_cmtindx	Comment Index		>>>>>>>9	
pjs_completed	Completed		yes/no	
pjs_cost	Unit Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_actual	Actual Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_iss	Issued Cost		->>>>,>>>,>>9.99<<<	10
pjs_cost_wip	WIP Cost		->>>>,>>>,>>9.99<<<	10
pjs_desc	Description		x(24)	
pjs_detail_on_inv	Detail on Invoice		yes/no	
pjs_disc_pct	Discount		->>9.9<%	10
pjs_domain	Domain		x(8)	
pjs_frozen	Frozen		yes/no	
pjs_fsc_code	Category		x(8)	
pjs_inv_group	Invoice Group		x(8)	
pjs_inv_lvl	Invoice Level		yes/no	
pjs_line	Project Line		>>>>>>>9	
pjs_line_disp	Project Line ID		x(12)	
pjs_line_par	Parent Line		>>>>>>>9	
pjs_line_seq	Project Line Seq		>>>9	
pjs_line_sort	Project Line Sort		x(24)	
pjs_link_ok	Link to PAO		yes/no	
pjs_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
pjs_mod_date	Modified Date	Mod Date	99/99/99	
pjs_mod_userid	User ID		x(8)	
pjs_nbr	Project		x(8)	
pjs_part	Item Number		x(18)	
pjs_povar_amt	PO Variance Amount		->>>>,>>>,>>9.99<<<	10
pjs_price	Net Price		->>>>,>>>,>>9.99<<<	10
pjs_price_on_inv	Price on Invoice		yes/no	
pjs_prod_line	Product Line		x(4)	
pjs_qty_actual	Qty Actual		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_budget	Qty Budgeted		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_inv	Qty Invoiced		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_iss	Qty Issued		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_oh	Project QOH		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_planned	Qty Planned		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_sel_inv	Qty to Invoice		->>,>>>,>>9.9<<<<<<<<<	10
pjs_qty_wip	Qty WIP		->>,>>>,>>9.9<<<<<<<<<	10
pjs_status	Status		x(8)	
pjs_sub_nbr	Subproject		>>>9	
pjs_subassy	Subassembly		yes/no	
pjs_um	UM		x(2)	
pjs_um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs_user1	Ufld1		x(8)	
pjs_user2	Ufld2		x(8)	
pjs_variation	Variation		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjs_mstr	yes	oid_pjs_mstr	yes	no
*	pjs_line	yes	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_line	yes	no
	pjs_status	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_status	yes	no
			pjs_link_ok	yes	no
	pjs_structure	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_sub_nbr	yes	no
			pjs_line_par	yes	no
			pjs_line_seq	yes	no
	pjs_tree	no	pjs_domain	yes	no
			pjs_nbr	yes	no
			pjs_line_sort	yes	no

pjt_mstr

Project Realization Project Type Master

Field Name	Label	Col-Label	Format	Dec
oid_pjt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pjt__qadc01			x(24)	
pjt__qadd01			->>>>,>>>,>>9.99<<<	10
pjt__qadi01			>>>>>>>9	
pjt__qadl01			yes/no	
pjt__qadt01			99/99/99	
pjt_ca_int_type	Work Code		x(8)	
pjt_cmtindx	Comment Index		>>>>>>>9	
pjt_code	Project Type		x(8)	
pjt_desc	Description		x(24)	
pjt_domain	Domain		x(8)	
pjt_mod_date	Modified Date	Mod Date	99/99/99	
pjt_mod_userid	User ID		x(8)	
pjt_pr_list	Price List		x(8)	
pjt_priority	Priority		>>>9	
pjt_prod_line	Product Line		x(4)	
pjt_taxable	Taxable		yes/no	
pjt_taxc	Tax Class		x(3)	
pjt_user1	Ufld1		x(8)	
pjt_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pjt_mstr	yes	oid_pjt_mstr	yes	no
*	pjt_code	yes	pjt_domain	yes	no
			pjt_code	yes	no

pj_mstr Project Master

Field Name	Label	Col-Label	Format	Dec
oid_pj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pj__qadc01			x(8)	
pj_active	Active	Act	yes/no	
pj_beg_dt	Begin Date	Beg Date	99/99/99	
pj_cmtindx	Comment Index	Cmmt Indx	>>>>>>>9	
pj_comp	Actual Completion Date	Comp Dt	99/99/99	
pj_desc	Description		x(24)	
pj_domain	Domain		x(8)	
pj_findate	Original Completion Date	Org C Dt	99/99/99	
pj_project	Project		x(8)	
pj_revdate	Date Revised	Date Rev	99/99/99	
pj_revfin	Revised Completion Date	Rev C Dt	99/99/99	
pj_stat	Status Code	S	x(1)	
pj_type	Project Type	T	x(2)	
pj_user1	Ufld1		x(8)	
pj_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pj_mstr	yes	oid_pj_mstr	yes	no
Δ	pj_active	no	pj_domain	yes	no
			pj_project	yes	no
			pj_active	yes	no
	pj_desc	no	pj_domain	yes	no
			pj_desc	yes	no
			pj_project	yes	no
*	pj_project	yes	pj_domain	yes	no
			pj_project	yes	no

pk_det Pick List Work Table

Field Name	Label	Col-Label	Format	Dec
oid_pk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pk__qadc01			x(8)	
pk_domain	Domain		x(8)	
pk_end	End		99/99/99	
pk_loc	Location		x(8)	
pk_lot	ID		x(8)	
pk_part	Item Number		x(18)	
pk_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
pk_reference	Reference	Ref	x(8)	
pk_start	Start		99/99/99	
Δ pk_user			x(50)	
pk_user1	Ufld1		x(8)	
pk_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pk_det	yes	oid_pk_det	yes	no
*	pk_det	yes	pk_domain	yes	no
			pk_user	yes	no
			pk_part	yes	no
			pk_reference	yes	no
			pk_start	yes	no
			pk_end	yes	no

pld_det

Product Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_pld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pld__qadc01			x(8)	
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pld_domain	Domain		x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodline	Product Line	Line	x(4)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pld_det	yes	oid_pld_det	yes	no
*	pld_det	yes	pld_domain	yes	no
			pld_prodline	yes	no
			pld_site	yes	no
			pld_loc	yes	no
	pld_site	yes	pld_domain	yes	no
			pld_site	yes	no
			pld_loc	yes	no
			pld_prodline	yes	no

◊ pliabs_ref Legal Document Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_pliabs_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pliabs__qadc01	QAD Character Field 1		x(24)	
pliabs__qadc02	QAD Character Field 2		x(24)	
pliabs_abs_id	Shipper ID		x(20)	
pliabs_domain	Domain		x(8)	
pliabs_mod_date	Modified Date	Mod Date	99/99/99	
pliabs_mod_userid	User ID		x(8)	
pliabs_pli_keyid	Key ID		>>>>>>>>>	
pliabs_supplier	Supplier		x(8)	
pliabs_user1	User Field Character 1		x(24)	
pliabs_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pliabs_ref	yes	oid_pliabs_ref	yes	no
◊*	pliabs_pli_keyid	yes	pliabs_domain	yes	no
			pliabs_pli_keyid	yes	no
◊	pliabs_supplier	no	pliabs_domain	yes	no
			pliabs_supplier	yes	no
			pliabs_abs_id	yes	no

plid_det Purchase Ledger Invoice Detail

Field Name	Label	Col-Label	Format	Dec
oid_plid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
plid__qadc01			x(24)	
plid__qadc02			x(24)	
◊ plid_abs_id	Shipper ID	Shipper ID	x(20)	
◊ plid_cmtindx	Comment Index	Comment	>>>>>>>9	
plid_domain	Domain		x(8)	
◊ plid_grosswgt	Gross Weight	Gross Wt	>,>>>,>>9.9<<<<<<<<	10
plid_inv_cost	Invoice Cost		->>>>,>>>,>>9.99<<<	10
plid_inv_qty	Invoice Quantity		->>,>>>,>>>,>>9.99<<<<<<<<<	10
plid_line	Line		>>>>>>>9	
plid_mod_date	Modified Date	Mod Date	99/99/99	
plid_mod_userid	User ID		x(8)	
◊ plid_netwgt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
plid_order	Order		x(8)	
plid_order_line	Order Line	Ln	>>9	
plid_order_type	Order Type	Order! Type	x(2)	
plid_pli_keyid	Invoice Key ID	Invoice! Key ID	>>>>>>>>>	
plid_pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
plid_tax_env	Tax Environment	Tax Env	x(16)	
plid_tax_in	Tax In	Tax! In	yes/no	
plid_tax_usage	Tax Usage	Tax! Usage	x(8)	
plid_taxable	Taxable	Tax	yes/no	
plid_taxc	Tax Class	Tax! Class	x(3)	
plid_user1	User Field Character 1		x(24)	
plid_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plid_det	yes	oid_plid_det	yes	no
	plid_order	no	plid_domain	yes	no
			plid_order	yes	no
			plid_order_line	yes	no
*	plid_pli_keyid	yes	plid_domain	yes	no
			plid_pli_keyid	yes	no
			plid_line	yes	no
	plid_pli_keyid_order	no	plid_domain	yes	no
			plid_pli_keyid	yes	no
			plid_order	yes	no
			plid_order_line	yes	no
	plid_pvo_id	no	plid_domain	yes	no
			plid_pvo_id	yes	no

pli_mstr

Purchase Ledger Invoice Master

	Field Name	Label	Col-Label	Format	Dec
	oid_pli_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pli__qadc01			x(24)	
	pli__qadc02			x(24)	
Δ	pli__qadc03			x(24)	
Δ	pli__qadc04			x(24)	
◊	pli_cinvoice_id	Invoice ID		9999999999	
◊	pli_cr_terms	Credit Terms		x(8)	
	pli_curr	Currency	Cur	x(3)	
◊	pli_discamt	Discount Amount	Disc Amt	->>>>,>>>,>>9.99<	10
◊	pli_docmodel	Document Model		x(3)	
	pli_domain	Domain		x(8)	
	pli_ex_rate	Exch Rate		->>>>,>>>,>>9.9<<<<<<<<<	10
	pli_ex_rate2	Exch Rate 2		->>>>,>>>,>>9.9<<<<<<<<<	10
	pli_ex_ratetype	Rate Type		x(8)	
	pli_exru_seq	Sequence		>>>>>>>>9	
◊	pli_fix_rate	Fixed Rate		yes/no	
◊	pli_goodsamt	Goods Amount		->>>>,>>>,>>9.99<	10
	pli_invoice	Invoice Number		x(20)	
	pli_invoice_amt	Invoice Amount		->>,>>>,>>>,>>9.99<	10
	pli_invoice_date	Invoice Date	Inv Date	99/99/99	
	pli_keyid	Key ID		>>>>>>>>>	
◊	pli_ldamt	Legal Doc Amount		->>>>,>>>,>>9.99<	10
	pli_mod_date	Modified Date	Mod Date	99/99/99	
	pli_mod_userid	User ID		x(8)	
◊	pli_shipperid	Shipper ID		x(20)	
	pli_supplier	Supplier		x(8)	
	pli_tax_date	Tax Date		99/99/99	
	pli_tax_env	Tax Environment	Tax Env	x(16)	
	pli_tax_in	Tax In	Tax! In	yes/no	
	pli_tax_usage	Tax Usage	TaxUsage	x(8)	
	pli_taxable	Taxable	Tax	yes/no	
	pli_taxc	Tax Class	TxC	x(3)	
◊	pli_totwgt	Total Weight		>,>>>,>>9.9<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
◊	pli_traileramt	Trailer Amount		->>>>,>>>,>>9.99<	10
	pli_user1	User Field Character 1		x(24)	
	pli_user2	User Field Character 2		x(24)	
Δ	pli_vo_ref	Voucher		x(22)	
◊	pli_vol_um	Volume UM	Vol UM	x(2)	
◊	pli_volume	Volume		>,>>>,>>9.9<<<<<<<<	10
◊	pli_wt_um	Weight UM	UM	x(2)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pli_mstr	yes	oid_pli_mstr	yes	no
	pli_invoice	no	pli_domain	yes	no
			pli_supplier	yes	no
			pli_invoice	yes	no
*	pli_keyid	yes	pli_domain	yes	no
			pli_keyid	yes	no
	pli_vo_ref	no	pli_domain	yes	no
			pli_vo_ref	yes	no

plsd_det

Product Line Sales Detail

Field Name	Label	Col-Label	Format	Dec
oid_plsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
plsd__qadc01			x(8)	
plsd_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
plsd_cbdn_cc	COGS Burden CC	CC	x(4)	
plsd_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
plsd_channel	Channel		x(8)	
plsd_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
plsd_clbr_cc	COGS Labor CC	CC	x(4)	
plsd_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
plsd_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
plsd_cmtl_cc	COGS Material CC	CC	x(4)	
plsd_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
plsd_cmtype	Customer Type	Type	x(4)	
plsd_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
plsd_covh_cc	COGS Overhead CC	CC	x(4)	
plsd_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
plsd_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
plsd_csub_cc	COGS Subcontract CC	CC	x(4)	
plsd_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
plsd_domain	Domain		x(8)	
plsd_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
plsd_dsc_cc	Sales Disc Ctr	CC	x(4)	
plsd_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
plsd_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
plsd_fsaccr_cc	Accrued Revenue CC		x(4)	
plsd_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
plsd_fsdef_acct	Deferred Revenue	Deferred	x(8)	
plsd_fsdef_cc	Deferred Revenue CC		x(4)	
plsd_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
plsd_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
plsd_prodline	Product Line	Line	x(4)	
plsd_site	Site		x(8)	
plsd_sls_acct	Sales Acct	Sales	x(8)	
plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
plsd_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
plsd_user1	Ufld1		x(8)	
plsd_user2	Ufld2		x(8)	
plsd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plsd_det	yes	oid_plsd_det	yes	no
*	plsd_prodline	yes	plsd_domain	yes	no
			plsd_prodline	yes	no
			plsd_site	yes	no
			plsd_cmtype	yes	no
			plsd_channel	yes	no

plt_det

Product Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_plt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
plt__qadc01			x(8)	
plt_domain	Domain		x(8)	
plt_mod_date	Modified Date	Mod Date	99/99/99	
plt_prod_line	Product Line	Line	x(4)	
plt_tax_type	Tax Type		x(3)	
plt_taxable	Taxable		yes/no	
plt_taxc	Tax Class	TxC	x(3)	
plt_user1	User1		x(8)	
plt_user2	User2		x(8)	
plt_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_plt_det	yes	oid_plt_det	yes	no
*	plt_prod_line	yes	plt_domain	yes	no
			plt_prod_line	yes	no
			plt_tax_type	yes	no

pl_mstr

Product Line Master

Field Name	Label	Col-Label	Format	Dec
oid_pl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pl__chr01			x(8)	
pl__chr02			x(8)	
pl__chr03			x(8)	
pl__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
pl__chr05			x(8)	
pl__dec01			>>>,>>>,>>9.99	10
pl__dec02			>>>,>>>,>>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadc06			x(8)	
pl__qadc07			x(4)	
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>,>>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	
pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	
pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
pl_desc	Description		x(24)	
pl_division			x(8)	
pl_domain	Domain		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
	pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
	pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
	pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
	pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
	pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
	pl_esls_acct	Exempt Sales Acct		x(8)	
	pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
	pl_fiscal_class	Fiscal Class		x(18)	
	pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
	pl_flr_cc	Floor Stock CC	CC	x(4)	
	pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
	pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	pl_fsaccr_cc	Accrued Revenue CC		x(4)	
	pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
	pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
	pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
	pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
	pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
	pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
	pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	pl_fsdef_cc	Deferred Revenue CC		x(4)	
	pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
	pl_fsexd_acct	Expense Due Employee		x(8)	
	pl_fsexd_cc	Expenses Due CC	CC	x(4)	
	pl_fsexd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	
	pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
	pl_fsexp_cc	Service Expenses CC	CC	x(4)	
	pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
	pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
	pl_fslbr_cc	Service Labor CC	CC	x(4)	
	pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
	pl_fsrc_inv_acct	Repair Center Inv		x(8)	
	pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
	pl_fsrc_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
Δ	pl_group	Group		x(8)	
	pl_inv_acct	Inventory Acct	Inventory	x(8)	
	pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
	pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
	pl_mod_date	Modified Date	Mod Date	99/99/99	
	pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
	pl_mvar_cc	Material Usage Variance CC	CC	x(4)	
	pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
	pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
	pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
	pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
	pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
	pl_ovh_cc	Overhead Appl CC	CC	x(4)	
	pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
	pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
	pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
	pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
	pl_prod_line	Product Line	Line	x(4)	
	pl_pst	PST Taxed		yes/no	
	pl_pur_acct	Purchases Acct	Purchases	x(8)	
	pl_pur_cc	Purchases Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	
pl_xfer_acct	Transfer Variance Account	Account	x(8)	
pl_xfer_cc	Transfer Variance CC	CC	x(4)	
pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pl_mstr	yes	oid_pl_mstr	yes	no
	pl_desc	yes	pl_domain	yes	no
			pl_desc	yes	no
			pl_prod_line	yes	no
*	pl_prod_line	yes	pl_domain	yes	no
			pl_prod_line	yes	no

◊ poad_det Purchase Order Allocation Detail

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_poad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
poad__qadc01	QAD Character Field 1		x(24)	
poad__qadc02	QAD Character Field 2		x(24)	
poad_domain	Domain		x(8)	
poad_mod_date	Modified Date	Mod Date	99/99/99	
poad_mod_userid	User ID		x(8)	
poad_percent	MRP Percent	Percent	>>9.9<	10
poad_po_nbr	Purchase Order	Order	x(8)	
poad_pod_line	Line		>>9	
poad_supplier	Supplier		x(8)	
poad_user1	User Field Character 1		x(24)	
poad_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poad_det	yes	oid_poad_det	yes	no
◊*	poad_oid_poa_mstr	no	oid_poa_mstr	yes	no
			poad_po_nbr	yes	no
			poad_pod_line	yes	no
◊	poad_supplier	no	poad_domain	yes	no
			poad_supplier	yes	no

◊ poa_mstr Purchase Order Allocation Master

Field Name	Label	Col-Label	Format	Dec
oid_poa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
poa__qadc01	QAD Character Field 1		x(24)	
poa__qadc02	QAD Character Field 2		x(24)	
poa_domain	Domain		x(8)	
poa_eff_date	Effective Date	Effective	99/99/99	
poa_mod_date	Modified Date	Mod Date	99/99/99	
poa_mod_userid	User ID		x(8)	
poa_operation	Operation	Op	>>>>9	
poa_order_type	Order Type	Order! Type	>9	
poa_part	Item Number		x(18)	
poa_routing	Routing Code		x(18)	
poa_site	Site		x(8)	
poa_user1	User Field Character 1		x(24)	
poa_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poa_mstr	yes	oid_poa_mstr	yes	no
◊*	poa_order_type	yes	poa_domain	yes	no
			poa_order_type	yes	no
			poa_site	yes	no
			poa_part	yes	no
			poa_routing	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			poa_operation	yes	no
			poa_eff_date	yes	no
◊	poa_part_site	no	poa_domain	yes	no
			poa_part	yes	no
			poa_site	yes	no

poc_ctrl Purchase Order Control

	Field Name	Label	Col-Label	Format	Dec
	oid_poc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	poc__qad01			99999	
	poc__qadc01	QAD Field		X(8)	0
	poc__qadc02	QAD Field		X(8)	0
	poc__qadc03	QAD Field		X(8)	0
	poc__qadc04			x(8)	
	poc__qadc05			x(4)	
	poc__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	poc__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	poc__qadi02	QAD Field		->,>>>,>>9	
	poc__qadi03			->>>>>>>9	
◊	poc__qadi04	QAD Field		->,>>>,>>9	
	poc__qadl01	QAD Field		yes/no	
	poc__qadl02	QAD Field		yes/no	
	poc__qadl03	QAD Field		yes/no	
	poc__qadl04	QAD Field		yes/no	
◊	poc__qadl07	QAD Field		yes/no	
◊	poc__qadl08			yes/no	
	poc__qadt01	QAD Field		99/99/99	
	poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
	poc_apv_req	Approved Reqs Needed for POs		yes/no	
	poc_bill	Bill-To		x(8)	
	poc_crtacc_acct	PO Interest Accrued Acct		X(8)	
	poc_crtacc_cc	PO Interest Accrued CC	CC	X(4)	
	poc_crtacc_sub	PO Int Accrued Sub-Acct	Sub-Acct	x(8)	
	poc_crtapp_acct	PO Interest Applied Acct		X(8)	
	poc_crtapp_cc	PO Interest Applied CC	CC	X(4)	
	poc_crtapp_sub	PO Int Applied Sub-Acct	Sub-Acct	x(8)	
Δ	poc_date_based_rlse_id	Generate Date Based Release ID	Gen Date Based Rlse ID	yes/no	
	poc_domain	Domain		x(8)	
	poc_ers_opt	ERS Option	ERS! Opt	x(1)	
	poc_ers_proc	ERS Processing		yes/no	
	poc_ex_ratetype	Rate Type		x(8)	
	poc_fst_id	Company FST ID		x(18)	
	poc_hcmmts	PO Header Comments		yes/no	
	poc_insp_loc	Inspection Location	Inspect	x(8)	
	poc_lcmmts	PO Line Comments		yes/no	
	poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	
	poc_ln_stat	Cancel Backorders	Cancel	x(1)	
	poc_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
	poc_next_batch	Next Fiscal Batch		>>>>>>>>9	
	poc_pc_line	Price by PO Line Due Date		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	poc_pl_req	Price List Required		yes/no	
	poc_po_hist	Keep Booking History	Book! Hst	yes/no	
	poc_po_nbr	Next Purchase Order	Next PO	99999999	
	poc_po_pre	PO Prefix	Pre	x(3)	
	poc_pst_id	PST ID		x(18)	
	poc_pt_req	Price Table Required		yes/no	
	poc_rcv_all	Receive All		yes/no	
	poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
	poc_rcv_pre	Receiver Prefix	Pre	x(3)	
	poc_rcv_type	Receiver Type	T	9	0
	poc_req_nbr	Next Req		>>>>>>>9	
	poc_req_pre	Requistion Prefix	Pre	x(3)	
Δ	poc_sched_disc_tbl_req	Sched Disc Table Required		yes/no	
	poc_ship	Ship-To		x(8)	
	poc_sort_by	Sort PO By		Site/Line	
	poc_tol_cst	Tolerance Cost	Tolerance $	>>>>,>>>,>>9.99<<<	10
	poc_tol_pct	Tolerance Percent	Tol %	>>>>.99	10
	poc_user1	Ufld1		x(8)	
	poc_user2	Ufld2		x(8)	
Δ	poc_zero_sched	Zero Schedule	Zero Schedule	>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poc_ctrl	yes	oid_poc_ctrl	yes	no
*	poc_index1	yes	poc_domain	yes	no

pod_det

Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_pod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pod__chr01			x(8)	
pod__chr02			x(8)	
pod__chr03			x(8)	
pod__chr04			x(8)	
pod__chr05			x(8)	
pod__chr06			x(8)	
pod__chr07			x(8)	
pod__chr08			x(8)	
pod__chr09			x(8)	
pod__chr10			x(8)	
pod__dec01			>>>,>>>,>>9.99	10
pod__dec02			>>>,>>>,>>9.99	10
pod__dte01			99/99/99	
pod__dte02			99/99/99	
pod__log01			yes/no	
pod__qad02			->>>>>>>>>9	
pod__qad03			99:99:99	
pod__qad04[5]			x(40)	
pod__qad05			yes/no	
pod__qad06			x(1)	
pod__qad07			x(2)	
pod__qad08			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	pod__qad09			->>>,>>>,>>9	
	pod__qad10			x(8)	
	pod__qad11			x(8)	
	pod__qad12			yes/no	
	pod__qad13			yes/no	
	pod__qad14			99/99/99	
	pod__qad15			yes/no	
	pod__qad16			x(8)	
	pod__qadd02	QAD Field		->>>>,>>>,>>9.99	10
	pod__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
◊	pod__qadd04	QAD Field		->>>>,>>>,>>9.99	10
◊	pod__qadt01			99/99/99	
	pod_acct	Pur Acct		x(8)	
	pod_approve	Approved By	Approved	x(8)	
	pod_apr_code	Approval Code	Apr Code	x(8)	
	pod_assay	Assay %		>>9.99%	10
	pod_blanket	Blanket		x(8)	
	pod_blnkt_ln	Blanket Line	Bl Ln	>>9	
	pod_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
	pod_cc	Cost Ctr	CC	x(4)	
	pod_cmtindx	Comment Index	Comment	>>>>>>>9	
	pod_consignment	Consignment		yes/no	
	pod_contr_id	Contract ID		x(30)	
	pod_contract	Contract		x(8)	
	pod_cost_chg	Receipt Cost		->>>,>>>,>>9.99<<<	10
	pod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	pod_cst_up	Update Current Cost		yes/no	
	pod_cum_date[4]	Cum Start		99/99/99	
	pod_cum_qty[4]	Cum Received		->>>>,>>>,>>9.9<<<<<<<<	10
	pod_curr_rlse_id[3]	Active Rlse ID		x(30)	
	pod_desc	Description		x(40)	
	pod_disc_pct	Disc%		->9.99%	10
	pod_dock	Dock		x(8)	
	pod_domain	Domain		x(8)	
	pod_drp_ref	DRP Ref		x(8)	
	pod_due_date	Due Date	Due	99/99/99	
	pod_end_eff[4]	End Effective		99/99/99	
	pod_ers_opt	ERS Option	ERS! Opt	>9	
	pod_expire	Expire Date	Expire	99/99/99	
	pod_fab_days	Fab Auth Days		>,>>9	
	pod_fab_weeks	Fab Auth Weeks		>,>>9	
	pod_firm_days	Firm Days		>,>>9	
	pod_firm_weeks	Firm Weeks		>,>>9	
	pod_fix_pr	Fixed Price		yes/no	
	pod_fr_list	Freight List	Frt List	x(8)	
	pod_fsm_type	FSM Type		x(8)	
	pod_grade	Grade		x(2)	
	pod_insp_rqd	Inspect Req	Insp	yes/no	
Δ	pod_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
	pod_line	Line	Ln	>>9	
	pod_loc	Location		x(8)	
	pod_lot_next	Next Lot/Serial		x(18)	
	pod_lot_rcpt	Single Lot		yes/no	
	pod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	pod_mrp_pct	Supply Percent		>>9.99%	10
	pod_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
	pod_nbr	Purchase Order	Order	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	pod_need	Need Date	Need	99/99/99	
	pod_op	Operation	Op	>>>>>9	
	pod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
	pod_part	Item Number		x(18)	
	pod_pastdue	Past Due Logic	C/R	x(1)	
	pod_pay_um	Pay UM	UM	x(2)	
	pod_per_date	Perform Date	Perform	99/99/99	
	pod_pjs_line	Project Line		>>>>>>>9	
	pod_pkg_code	Pkg Code		x(18)	
	pod_plan_days	Plan Sched Days		>>9	
	pod_plan_mths	Plan Sched Months		>>9	
	pod_plan_weeks	Plan Sched Weeks		>>9	
	pod_po_db	PO Database	PO DB	x(8)	
	pod_po_site	PO Site		x(8)	
	pod_pr_list	Price List	List	x(8)	
	pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
	pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
	pod_project	Project		x(8)	
	pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<	10
	pod_pst	PST		yes/no	
	pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
	pod_pur_cost	Purchase Cost		->>>,>>>,>>9.99<<<	10
	pod_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<	10
	pod_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<	10
	pod_qty_rcvd	Qty Received		->,>>>,>>9.9<<<<<<<	10
	pod_qty_rtnd	Qty Returned		->,>>>,>>9.9<<<<<<<	10
	pod_raw_days	Raw Auth Days		>,>>9	
	pod_raw_weeks	Raw Auth Weeks		>,>>9	
	pod_rctstat	Receipt Status	Status	x(8)	
	pod_rctstat_active	Active	Act	yes/no	
	pod_reason	Reason		x(8)	
	pod_rel_nbr	Rel		>>9	
	pod_rel_qty	Qty Released	Rel Qty	->,>>>,>>9.9<<<<<<<	10
	pod_req_line	Req Line	Req Ln	>>9	
	pod_req_nbr	Req		x(8)	
	pod_request	Requested By	Req By	x(8)	
Δ	pod_rev	Item Revision	Item Rev	x(4)	
	pod_rlse_nbr	Next Release ID		99999999	
	pod_rma_type	RMA Type		x(1)	
	pod_rum	UM		x(2)	
	pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
	pod_sch_data	Schedule Data		x(8)	
	pod_sch_mrp	Sched MRP Req		yes/no	
	pod_sched	Scheduled		yes/no	
	pod_sched_chgd	Scheduled		yes/no	
	pod_sd_pat	Ship/Dlvy Pattern		x(2)	
	pod_sd_time	Ship/Dlvy Time		x(2)	
	pod_serial	Lot/Serial		x(18)	
	pod_sftylt_days	Safety Days		>>9.99	10
	pod_sftylt_hrs	Safety Hours		>>9.99	10
	pod_ship_weeks	Ship Sched Weeks		>>9	
	pod_site	Site		x(8)	
	pod_so_job	Sales/Job	SO/Job	x(8)	
	pod_so_status	Secondary SO Status		x	
	pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
	pod_start_eff[4]	Start Effective		99/99/99	
	pod_status	Status	St	x(1)	

	Field Name	Label	Col-Label	Format	Dec
	pod_std_cost	Std Cost		->>>,>>>,>>9.99<<<	10
	pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
	pod_sub_ship_date	Subcontract Ship		99/99/99	
	pod_sub_type	Subcontract Type		x(8)	
	pod_tax_env	Tax Environment	Tax Env	x(16)	
	pod_tax_in	Tax In		yes/no	
	pod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
	pod_tax_usage	Tax Usage	TaxUsage	x(8)	
	pod_taxable	Taxable	Tax	yes/no	
	pod_taxc	Tax Class	TxC	x(3)	
	pod_translt_days	Transport Days		>>9.99	10
	pod_translt_hrs	Transport Hours		>>9.99	10
	pod_type	Type	T	x(1)	
	pod_um	UM		x(2)	
	pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
	pod_user1	Ufld1		x(8)	
	pod_user2	Ufld2		x(8)	
	pod_vat	VAT		yes/no	
	pod_vpart	Supplier Item		x(30)	
	pod_wip_lotser	Lot/Serial		x(18)	
	pod_wo_lot	Work Order ID	WO ID	x(8)	
Δ	pod_zero_sched_count	Zero Schedule Counter	Zero Sched Count	>>9	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pod_det	yes	oid_pod_det	yes	no
	pod_fsm_type	no	pod_domain	yes	no
			pod_fsm_type	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
*	pod_nbrln	yes	pod_domain	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
	pod_part	yes	pod_domain	yes	no
			pod_part	yes	no
			pod_nbr	yes	no
			pod_line	yes	no
	pod_partdue	no	pod_domain	yes	no
			pod_part	yes	no
			pod_due_date	yes	no
	pod_project	no	pod_domain	yes	no
			pod_project	yes	no
			pod_pjs_line	yes	no

◊ Posting

Posting

Field Name	Label	Col-Label	Format	Dec
Closing_ID	Link to Closing	Link to Closing	9999999999	
Company_ID	Link to Company	Link to Company	9999999999	
CreatorUsr_ID	Login	Login	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Journal_ID	Daybook Code	Daybook Code	9999999999	
LastApprovedUsr_ID	Link to Usr	Link to Usr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
LastVerifiedUsr_ID	Link to Usr	Link to Usr	9999999999	
Period_ID	Link to Period	Link to Period	9999999999	
PeriodMark_ID	Link to PeriodMark	Link to PeriodMark	9999999999	
Posting_ID	Record ID	Record ID	9999999999	
PostingAddGLNbr	Sequence Number	Sequence Number	999999999	
PostingApproveComments	Approve Comments	Approve Comments	x(40)	
PostingApprovedDate	Last Approved Date	Last Approved Date	99/99/9999	
PostingApprovedTime	Last Approved Time	Last Approved Time	->,>>>,>>9	
PostingApproveStatus	Approve Status	Approve Status	x(40)	
PostingBusinessRelationTxt	Bus Rel (IC Posting)	Business Relation (IC Posting)	x(40)	
PostingDate	Posting Date	Posting Date	99/99/9999	
PostingInvoiceReferenceTxt	External Inv Ref	External Invoice Reference	x(50)	
PostingIsReplacement	Replacement	Is Replacement	yes/no	
PostingIsReversing	Reversal	Is Reversal	yes/no	
PostingIsReversingBySign	Correction	Correction	yes/no	
PostingIsSkipAutoAssignLC	Skip Auto Assign BC	Skip Auto Assign BC	yes/no	
PostingIsZeroValueAllowed	Zero Value Allowed	Zero Value Allowed	yes/no	

Field Name	Label	Col-Label	Format	Dec
PostingMirrorRef	Mirroring Reference	Mirroring Reference	x(20)	
PostingOriginAddressCode	Address Code	Address Code	x(20)	
PostingOriginatorReference	Original Posting Reference	Original Posting Reference	x(40)	
PostingOriginBatchNumber	Batch Number	Batch Number	x(8)	
PostingOriginDaybookCode	Origin Daybook Code	Origin Daybook Code	x(8)	
PostingOriginDaybookNumber	Origin Daybook Number	Origin Daybook Number	x(40)	
PostingOriginDocument	Origin Document	Origin Doc	x(22)	
PostingOriginDocumentType	Origin Payment Type	Origin Pay Type	x(2)	
PostingOriginIsExternal	External Origin	External Origin	yes/no	
PostingOriginReference	Origin Reference	Origin Ref	x(22)	
PostingOriginTransType	Origin Transaction Type	Origin Trans Type	x(2)	
PostingParentText	Parent Text	Parent Text	x(40)	
PostingPeriod	GL Period	GL Period	99	
PostingSystemDate	System Date	Sys Date	99/99/9999	
PostingText	Description	Description	x(40)	
PostingValueDate	Value Date	Value Date	99/99/9999	
PostingVerifiedDate	Last Verified Date	Last Verified Date	99/99/9999	
PostingVerifiedTime	Last Verified Time	Last Verified Time	->,>>>,>>9	
PostingVerifyComments	Verify Comments	Verify Comments	x(40)	
PostingVerifyStatus	Verify Status	Verify Status	x(40)	
PostingVoucher	Voucher	Voucher	999999999	
PostingYear	Year	Year	9999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Closing	no	Closing_ID	yes	no
◊	Company	no	Company_ID	yes	no
◊	CyPeriodYearPeriodIdx	no	Company_ID	yes	no
			PostingYearPeriod	yes	no
◊	CyPostingDate	no	Company_ID	yes	no
			PostingDate	yes	no
◊	Journal	no	Journal_ID	yes	no
◊	MirrorRef	no	PostingMirrorRef	yes	no
◊	OriginatorRef	no	PostingOriginatorReference	yes	no
◊	Period	no	Period_ID	yes	no
◊	PostingDate	no	PostingDate	yes	no
◊	PostingOriginIsExt	no	PostingOriginIsExternal	yes	no
◊	PostingOriginRef	no	PostingOriginReference	yes	no
◊	PostingYear	no	PostingYear	yes	no
◊*	Prim	yes	Posting_ID	yes	no
◊	UniqueIdx	yes	Company_ID	yes	no
			PostingYear	yes	no
			Journal_ID	yes	no
			PostingVoucher	yes	no
◊	ViewIndex	no	Company_ID	yes	no
			PostingYear	yes	no
			PostingPeriod	yes	no
			Journal_ID	yes	no
			PostingVoucher	yes	no
◊	Voucher	no	PostingVoucher	yes	no

◊ PostingHist Posting History

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CostCentre_ID	Link to CostCentre	Link to CostCentre	9999999999	
Currency_ID	Link to Currency	Link to Currency	9999999999	
Division_ID	Link to Division	Link to Division	9999999999	
GL_ID	Link to GL	Link to GL	9999999999	
IntercoBusinessRelation_ID	Link to BusinessRelation	Link to BusinessRelation	9999999999	
Journal_ID	Link to Journal	Link to Journal	9999999999	
JournalTypeCode	Daybook Type	Type	x(30)	
Layer_ID	Link to Layer	Link to Layer	9999999999	
PostingHist_ID	Record ID	Record ID	9999999999	
PostingHistBalanceCreditCC	MC Credit Balance	MC Credit Balance	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceCreditLC	BC Balance Credit	BC Balance Credit	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceCreditPC	PC Credit Balance	PC Credit Balance	->,>>>,>>9.99	4
PostingHistBalanceCreditTC	TC Credit Balance	TC Credit Balance	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceDebitCC	MC Debit Balance	MC Debit Balance	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceDebitLC	BC Balance Debit	BC Balance Debit	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceDebitPC	PC Debit Balance	PC Debit Balance	->,>>>,>>9.99	4
PostingHistBalanceDebitTC	TC Debit Balance	TC Debit Balance	->>>,>>>,>>>,>>9.99	4
PostingHistBalanceQTY	Quantity Balance	Qty Balance	->>>,>>>,>>9.99	4
PostingHistMovemntCreditCC	MC Credit Activity	MC Credit Activity	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntCreditLC	BC Movement Credit	BC Movement Credit	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntCreditPC	PC Credit Activity	PC Credit Activity	->,>>>,>>9.99	4
PostingHistMovemntCreditTC	TC Credit Activity	TC Credit Activity	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntDebitCC	MC Debit Activity	MC Debit Activity	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntDebitLC	BC Movement Debit	BC Movement Debit	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntDebitPC	PC Debit Activity	PC Debit Activity	->,>>>,>>9.99	4
PostingHistMovemntDebitTC	TC Debit Activity	TC Debit Activity	->>>,>>>,>>>,>>9.99	4
PostingHistMovemntQTY	Qty Activity	Qty Activity	->>>,>>>,>>9.99	4
PostingHistYearPeriodFrom	From Year/GL Period	From Year/GL Period	->,>>>,>>9	
PostingHistYearPeriodTill	To Year/GL Period	To Year/GL Period	->,>>>,>>9	
PostingHistYTDCreditCC	MC Credit (YTD)	MC Credit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDCreditLC	BC YTD Credit	BC YTD Credit	->>>,>>>,>>>,>>9.99	4
PostingHistYTDCreditPC	PC Credit (YTD)	PC Credit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDCreditTC	TC Credit (YTD)	TC Credit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDDebitCC	MC Debit (YTD)	MC Debit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDDebitLC	BC YTD Debit	BC YTD Debit	->>>,>>>,>>>,>>9.99	4
PostingHistYTDDebitPC	PC Debit (YTD)	PC Debit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDDebitTC	TC Debit (YTD)	TC Debit (YTD)	->>>,>>>,>>>,>>9.99	4
PostingHistYTDQTY	Quantity (YTD)	Qty (YTD)	->>>,>>>,>>9.99	4
PostingSafCombined_ID	Link to PostingSafCombined	Link to PostingSafCombined	9999999999	
Project_ID	Link to Project	Link to Project	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Company	no	Company_ID	yes	no
◊ CompanyYPFrom	no	Company_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
◊ CostCentre	no	CostCentre_ID	yes	no
◊ Currency	no	Currency_ID	yes	no
◊ CyGLFrom	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodFrom	yes	no
◊ CyGLTill	no	Company_ID	yes	no
		GL_ID	yes	no
		PostingHistYearPeriodTill	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Division	no	Division_ID	yes	no
◊	GL	no	GL_ID	yes	no
◊	GLPostSafComb	no	GL_ID	yes	no
			PostingSafCombined_ID	yes	no
◊	IDsPeriodFrom	no	Company_ID	yes	no
			Journal_ID	yes	no
			Layer_ID	yes	no
			GL_ID	yes	no
			Division_ID	yes	no
			CostCentre_ID	yes	no
			Project_ID	yes	no
			Currency_ID	yes	no
			IntercoBusinessRelation_ID	yes	no
			PostingSafCombined_ID	yes	no
			PostingHistYearPeriodFrom	yes	no
◊	IDsPeriodTill	no	Company_ID	yes	no
			Journal_ID	yes	no
			Layer_ID	yes	no
			GL_ID	yes	no
			Division_ID	yes	no
			CostCentre_ID	yes	no
			Project_ID	yes	no
			Currency_ID	yes	no
			IntercoBusinessRelation_ID	yes	no
			PostingSafCombined_ID	yes	no
			PostingHistYearPeriodTill	yes	no
◊	Interco	no	IntercoBusinessRelation_ID	yes	no
◊	Journal	no	Journal_ID	yes	no
◊	Layer	no	Layer_ID	yes	no
◊	PeriodFrom	no	PostingHistYearPeriodFrom	yes	no
◊	PeriodTill	no	PostingHistYearPeriodTill	yes	no
◊	PostingSafComb	no	PostingSafCombined_ID	yes	no
◊*	Prim	yes	PostingHist_ID	yes	no
◊	Project	no	Project_ID	yes	no

◊ PostingLine Posting Line

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CostCentre_ID	Cost Center Code	Cost Center Code	9999999999	
CrossCompany_ID	Link to Company	Link to Company	9999999999	
CrossCompanyPosting_ID	Posting (Cross-Cy)	Posting (Cross-Cy)	9999999999	
CrossCompanyPostingLine_ID	Posting line (Cross-Cy)	Posting-line (Cross-Cy)	9999999999	
Currency_ID	Currency Code	Trans Curr	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Division_ID	Sub-Account Code	Sub-Account Code	9999999999	
GL_ID	GL Description	GL Description	9999999999	
IntercoBusinessRelation_ID	Intercompany Code	Intercompany Code	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Period_ID	Link to Period	Link to Period	9999999999	
Posting_ID	Link to Posting	Link to Posting	9999999999	
PostingLine_ID	Record ID	Record ID	9999999999	
PostingLineCostCentreText	Cost Center	Cost Center	x(40)	
PostingLineCreditCC	MC Credit	MC Credit	->>>,>>>,>>>,>>9.99	4
PostingLineCreditLC	BC Credit	BC Credit	->>>,>>>,>>>,>>9.99	4
PostingLineCreditPC	pc Credit	pc Credit	->,>>>,>>9.99	4
PostingLineCreditTC	TC Credit	TC Credit	->>>,>>>,>>>,>>9.99	4
PostingLineCrossExternRef	Ext Reference (Cross-Cy)	Ext Reference (Cross-Cy)	x(40)	
PostingLineDebitCC	MC Debit	MC Debit	->>>,>>>,>>>,>>9.99	4
PostingLineDebitLC	BC Debit	BC Debit	->>>,>>>,>>>,>>9.99	4
PostingLineDebitPC	pc Debit	pc Debit	->,>>>,>>9.99	4
PostingLineDebitTC	TC Debit	TC Debit	->>>,>>>,>>>,>>9.99	4
PostingLineExchangeRate	Exchange Rate	Exchange Rate	->,>>>,>>9.9999999999	10
PostingLineIsProjPosting	Project Posting	Proj	yes/no	
PostingLineMaster_ID			9999999999	
PostingLineMirrorRef	Mirroring Reference	Mirroring Reference	x(20)	
PostingLineMirrorType	Mirroring Type	Mirroring Type	x(20)	
PostingLineOriginLineNbr	Origin Line Number	Origin Line No	>>>9	
PostingLineProjectText	Project	Prj	x(40)	
PostingLineQTY	Quantity	Quantity	->>>,>>>,>>9.99	4
PostingLineRateScale	Scale Factor	Scale Factor	->,>>>,>>9.9999999999	10
PostingLineSafText	SAF	SAF	x(40)	
PostingLineSequence	Sequence	Seq	->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
PostingLineText	Description	Description	x(40)	
PostingLineTransaction_ID			9999999999	
PostingYearPeriod	Year/GL Period	GL Cal Yr/GL Pd	999999	
Project_ID	Description	Description	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	CompanyGLYearPd	no	Company_ID	yes	no
			GL_ID	yes	no
			PostingYearPeriod	yes	no
◊	CompanyYearPeirod	no	Company_ID	yes	no
			PostingYearPeriod	yes	no
◊	CostCentre	no	CostCentre_ID	yes	no
◊	CrossCompany	no	CrossCompany_ID	yes	no
◊	CrossCompanyPost	no	CrossCompanyPosting_ID	yes	no
◊	CrossCompanyPostL	no	CrossCompanyPostingLine_ ID	yes	no
◊	Currency	no	Currency_ID	yes	no
◊	Division	no	Division_ID	yes	no
◊	ExtCrossIdx	no	PostingLineCrossExternRef	yes	no
◊	GL	no	GL_ID	yes	no
◊	Interco	no	IntercoBusinessRelation_ID	yes	no
◊	Master	no	PostingLineMaster_ID	yes	no
◊	MirrorRef	no	PostingLineMirrorRef	yes	no
◊	Period	no	Period_ID	yes	no
◊	Posting	no	Posting_ID	yes	no
◊	PostingYearPeriod	no	PostingYearPeriod	yes	no
◊*	Prim	yes	PostingLine_ID	yes	no
◊	Project	no	Project_ID	yes	no
◊	ProjectPosting	no	PostingLineIsProjPosting	yes	no
◊	TransactionId	no	PostingLineTransaction_ID	yes	no

◊ PostingSaf Posting Saf

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Posting_ID	Link to Posting	Link to Posting	9999999999	
PostingLine_ID	Link to PostingLine	Link to PostingLine	9999999999	
PostingSaf_ID	Record ID	Record ID	9999999999	
PostingSafInputSequence	Sequence	Seq	9	
PostingSafParentType	Parent Type	Parent Type	x(20)	
Saf_ID	SAF Code	SAF Code	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PostingLine	no	PostingLine_ID	yes	no
◊*	Prim	yes	PostingSaf_ID	yes	no
◊	Saf	no	Saf_ID	yes	no

◊ PostingSafCombined Posting Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID			9999999999	
CostCentre2Saf_ID			9999999999	
CostCentre3Saf_ID			9999999999	
CostCentre4Saf_ID			9999999999	
CostCentre5Saf_ID			9999999999	
CostCentreSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
GL1Saf_ID			9999999999	
GL2Saf_ID			9999999999	
GL3Saf_ID			9999999999	
GL4Saf_ID			9999999999	
GL5Saf_ID			9999999999	
GLSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PostingSafCombined_ID	Record ID	Record ID	9999999999	
Project1Saf_ID			9999999999	
Project2Saf_ID			9999999999	
Project3Saf_ID			9999999999	
Project4Saf_ID			9999999999	
Project5Saf_ID			9999999999	
ProjectSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ CostC1Saf	no	CostCentre1Saf_ID	yes	no
◊ CostC2Saf	no	CostCentre2Saf_ID	yes	no
◊ CostC3Saf	no	CostCentre3Saf_ID	yes	no
◊ CostC4Saf	no	CostCentre4Saf_ID	yes	no
◊ CostC5Saf	no	CostCentre5Saf_ID	yes	no
◊ GL1Saf	no	GL1Saf_ID	yes	no
◊ GL2Saf	no	GL2Saf_ID	yes	no
◊ GL3Saf	no	GL3Saf_ID	yes	no
◊ GL4Saf	no	GL4Saf_ID	yes	no
◊ GL5Saf	no	GL5Saf_ID	yes	no
◊* Prim	yes	PostingSafCombined_ID	yes	no
◊ Proj1Saf	no	Project1Saf_ID	yes	no
◊ Proj2Saf	no	Project2Saf_ID	yes	no
◊ Proj3Saf	no	Project3Saf_ID	yes	no
◊ Proj4Saf	no	Project4Saf_ID	yes	no
◊ Proj5Saf	no	Project5Saf_ID	yes	no

◊ PostingSafHist Posting Hist SAF

Field Name	Label	Col-Label	Format	Dec
PostingSafCombined_ID	Link to PostingSafCombined	Link to PostingSafCombined	9999999999	
PostingSafHist_ID	Record ID	Record ID	9999999999	
Saf_ID	Link to Saf	Link to Saf	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PostingSafComb	no	PostingSafCombined_ID	yes	no
◊*	Prim	yes	PostingSafHist_ID	yes	no
◊	Saf	no	Saf_ID	yes	no

◊ PostingTemplate Posting Template

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Posting_ID	Link to Posting	Link to Posting	9999999999	
PostingTemplate_ID	Record ID	Record ID	9999999999	
PostingTemplateBusRelCode	Business Relation	Business Relation	x(20)	
PostingTemplateCode	Template Code	Template Code	x(20)	

Field Name	Label	Col-Label	Format	Dec
PostingTemplateCostCtrCode	Cost Center	Cost Center	x(20)	
PostingTemplateDateLastMod	Date Last Modified	Modified	99/99/9999	
PostingTemplateDateLastUse	Date Last Used	Used	99/99/9999	
PostingTemplateDivCode	Sub-Account	Sub-Account	x(20)	
PostingTemplateProjectCode	Project	Project	x(20)	
PostingTemplateTimesUsed	Times Used	Used	>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	Company_ID	yes	no
			PostingTemplateCode	yes	no
◊	Company	no	Company_ID	yes	no
◊	Posting	no	Posting_ID	yes	no
◊*	prim	yes	PostingTemplate_ID	yes	no

◊ PostingVat Posting Tax

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
FromTxzTaxZone	From Tax Zone	From Tax Zone	x(16)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PeriodMark_ID	Link to PeriodMark	Link to PeriodMark	9999999999	
Posting_ID	Link to Posting	Link to Posting	9999999999	
PostingLine_ID	Link to PostingLine	Link to PostingLine	9999999999	
PostingVat_ID	Record ID	Record ID	9999999999	
PostingVatBaseCreditCC	MC Base Credit	MC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatBaseCreditLC	BC Base Credit	BC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatBaseCreditTC	TC Base Credit	TC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitCC	MC Base Debit	MC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitLC	BC Base Debit	BC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatBaseDebitTC	TC Base Debit	TC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatExchangeRate	Exchange Rate	Rate	->,>>>,>>9.99	10
PostingVatInOut	In/Out	In/Out	x(20)	
PostingVatIsAbsRet	Absorbed Retained	Absorbed Retained	yes/no	
PostingVatIsReverseCharge	Reverse Charge	Reverse Charge	yes/no	
PostingVatOwnTaxDeclarat	Own Declaration Tax	Own Declaration Tax	->,>>>,>>9	
PostingVatOwnTaxIDFeder	Own Federal Tax	Own Federal Tax	x(40)	
PostingVatOwnTaxIDMisc1	Own Miscellaneous Tax 1	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc2	Own Miscellaneous Tax 2	Own Misc Tax 1	x(40)	
PostingVatOwnTaxIDMisc3	Own Miscellaneous Tax 3	Own Misc Tax 3	x(40)	
PostingVatOwnTaxIDState	Own State Tax	Own State Tax	x(40)	
PostingVatRateScale	Scale Factor	Scale Factor	->,>>>,>>9.99	10
PostingVatTaxCreditCC	MC Tax Credit	MC Tax Credit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxCreditLC	BC Tax Credit	BC Tax Credit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxCreditTC	TC Tax Credit	TC Tax Credit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxDebitCC	MC Tax Debit	MC Tax Debit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxDebitLC	BC Tax Debit	BC Tax Debit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxDebitTC	TC Tax Debit	TC Tax Debit	->>>,>>>,>>>,>>9.99	4
PostingVatTaxIDFeder	Federal Tax	Federal Tax	x(40)	
PostingVatTaxIDMisc1	Miscellaneous Tax 1	Misc Tax 1	x(40)	
PostingVatTaxIDMisc2	Miscellaneous Tax 2	Misc Tax 2	x(40)	
PostingVatTaxIDMisc3	Miscellaneous Tax 3	Misc Tax 3	x(40)	
PostingVatTaxIDState	State Tax	State Tax	x(40)	
PostingVatTaxPointDate	Tax Point Date	Tax Date	99/99/9999	
PostingVatTaxTransType	Tax Transaction Type	Tax Trans Type	99	
PostingVatTransType	Transaction Type	Trans Type	x(20)	
ToTxzTaxZone	To Tax Zone	To Tax Zone	x(16)	
TxclTaxCls	Tax Class	Tax Class	x(3)	
TxenvTaxEnv	Tax Environment	Tax Env	x(16)	
TxtyTaxType	Tax Type	Tax Type	x(16)	
TxuTaxUsage	Tax Usage	Tax Usage	x(8)	
Vat_ID	Tax Code	Tax Code	9999999999	
VatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
VatPeriod_ID	Link to VatPeriod	Link to VatPeriod	9999999999	
VatRule_ID	Link to VatRule	Link to VatRule	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Currency	no	Currency_ID	yes	no
◊	OwnTaxDeclarat	no	PostingVatOwnTaxDeclarat	yes	no
◊	OwnTaxIDFeder	no	PostingVatOwnTaxIDFeder	yes	no
◊	OwnTaxIDMisc1	no	PostingVatOwnTaxIDMisc1	yes	no
◊	OwnTaxIDMisc2	no	PostingVatOwnTaxIDMisc2	yes	no
◊	OwnTaxIDMisc3	no	PostingVatOwnTaxIDMisc3	yes	no
◊	OwnTaxIDState	no	PostingVatOwnTaxIDState	yes	no
◊	PeriodMark	no	PeriodMark_ID	yes	no
◊	PostingLine	no	PostingLine_ID	yes	no
◊*	Prim	yes	PostingVat_ID	yes	no
◊	ReverseDate	no	PostingVatIsReverseCharge	yes	no
			PostingVatTaxPointDate	yes	no
◊	TaxPointDate	no	PostingVatTaxPointDate	yes	no
◊	TaxTransType	no	PostingVatTaxTransType	yes	no
◊	TransType	no	PostingVatTransType	yes	no
◊	TxclTaxCls	no	TxclTaxCls	yes	no
◊	TxtyTaxType	no	TxtyTaxType	yes	no
◊	Vat	no	Vat_ID	yes	no
◊	VatPeriod	no	VatPeriod_ID	yes	no
◊	VatRule	no	VatRule_ID	yes	no

◊ PostingVatDelay Posting Tax Delayed

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
PeriodMark_ID	Link to PeriodMark	Link to PeriodMark	9999999999	
Posting_ID	Link to Posting	Link to Posting	9999999999	
PostingLine_ID	Link to PostingLine	Link to PostingLine	9999999999	
PostingVatDelay_ID	Record ID	Record ID	9999999999	
PostingVatDelayBaseCredCC	MC Base Credit	MC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayBaseCredLC	BC Base Credit	BC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayBaseCredTC	TC Base Credit	TC Base Credit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayBaseDebCC	MC Base Debit	MC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayBaseDebLC	BC Base Debit	BC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayBaseDebTC	TC Base Debit	TC Base Debit	->>>,>>>,>>>,>>9.99	4
PostingVatDelayExchRate	Exchange Rate	Rate	->,>>>,>>9.99	10
PostingVatDelayIsOpen	Open	Open	yes/no	
PostingVatDelayOwnTaxDecl	Own Tax Decalaration	Own Tax Decalaration	->,>>>,>>9	
PostingVatDelayOwnTaxIDFed	Own Federal Tax ID	Own Federal Tax ID	x(40)	
PostingVatDelayOwnTaxIDM1	Own Misc 1 ID	Own Misc 1 ID	x(40)	
PostingVatDelayOwnTaxIDM2	Own Misc 2 ID	Own Misc 2 ID	x(40)	
PostingVatDelayOwnTaxIDM3	Own Misc 3 ID	Own Misc 3 ID	x(40)	
PostingVatDelayOwnTaxIDSt	Own State Tax ID	Own State Tax ID	x(40)	
PostingVatDelayRateScale	Scale Factor	Scale Factor	->,>>>,>>9.99	10
PostingVatDelayTaxIDFeder	Federal Tax ID	Federal Tax ID	x(40)	
PostingVatDelayTaxIDMisc1	Misc 1	Misc 1	x(40)	
PostingVatDelayTaxIDMisc2	Misc 2	Misc 2	x(40)	
PostingVatDelayTaxIDMisc3	Misc 3	Misc 3	x(40)	
PostingVatDelayTaxIDState	State	State	x(40)	
PostingVatDelayTaxPntDate	Tax Point Date	Tax Point Date	99/99/9999	
PostingVatDelayVATBalLC	BC Tax Balance	BC Tax Balance	->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
PostingVatDelayVATOrigLC	BC Tax Original	BC Tax Original	->>>,>>>,>>>,>>9.99	4
Vat_ID	Description	Description	9999999999	
VatPeriod_ID	Link to VatPeriod	Link to VatPeriod	9999999999	
VatRule_ID	Link to VatRule	Link to VatRule	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Currency	no	Currency_ID	yes	no
◊	IsOpen	no	PostingVatDelayIsOpen	yes	no
◊	PeriodMark	no	PeriodMark_ID	yes	no
◊	PostingLine	yes	PostingLine_ID	yes	no
◊*	Prim	yes	PostingVatDelay_ID	yes	no
◊	Vat	no	Vat_ID	yes	no
◊	VatPeriod	no	VatPeriod_ID	yes	no
◊	VatRule	no	VatRule_ID	yes	no

pould_det

Point of Use Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_pould_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pould__qadc01			x(24)	
pould__qadc02			x(24)	
pould_domain	Domain		x(8)	
pould_loc	Location		x(8)	
pould_mod_date	Modified Date	Mod Date	99/99/99	
pould_mod_userid	User ID		x(8)	
pould_poul_ref_key	Ref ID		>>>>>>>>9	
pould_preference	Preference		>>>>>>>>9	
pould_user1	User Field Character 1		x(24)	
pould_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pould_det	yes	oid_pould_det	yes	no
	pould_preference	no	pould_domain	yes	no
			pould_poul_ref_key	yes	no
			pould_preference	yes	no
			pould_loc	yes	no
*	pould_ref_loc	yes	pould_domain	yes	no
			pould_poul_ref_key	yes	no
			pould_loc	yes	no

poul_mstr Point of Use Location Master

Field Name	Label	Col-Label	Format	Dec
oid_poul_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
poul__qadc01			x(24)	
poul__qadc02			x(24)	
poul_cmtindx	Comment Index	Comment	>>>>>>>9	
poul_domain	Domain		x(8)	
poul_mch	Machine		x(8)	
poul_mod_date	Modified Date	Mod Date	99/99/99	
poul_mod_userid	User ID		x(8)	
poul_pou_code	Point of Use Code		x(18)	
poul_ref_key	Ref ID		>>>>>>>>9	
poul_site	Site		x(8)	
poul_user1	User Field Character 1		x(24)	
poul_user2	User Field Character 2		x(24)	
poul_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_poul_mstr	yes	oid_poul_mstr	yes	no
*	poul_mstr	yes	poul_domain	yes	no
			poul_pou_code	yes	no
			poul_site	yes	no
			poul_wkctr	yes	no
			poul_mch	yes	no
	poul_ref_key	no	poul_domain	yes	no
			poul_ref_key	yes	no

pou_mstr Point of Use Code Master

Field Name	Label	Col-Label	Format	Dec
oid_pou_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pou__qadc01			x(24)	
pou__qadc02			x(24)	
pou_cmtindx	Comment Index	Comment	>>>>>>>9	
pou_code	Point of Use Code		x(18)	
pou_desc	Description		x(24)	
pou_domain	Domain		x(8)	
pou_mod_date	Modified Date	Mod Date	99/99/99	
pou_mod_userid	User ID		x(8)	
pou_user1	User Field Character 1		x(24)	
pou_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pou_mstr	yes	oid_pou_mstr	yes	no
*	pou_code	yes	pou_domain	yes	no
			pou_code	yes	no

po_mstr

Purchase Order Master

	Field Name	Label	Col-Label	Format	Dec
	oid_po_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	po__chr01			x(8)	
	po__chr02			x(8)	
	po__chr03			x(8)	
	po__chr04			x(8)	
	po__chr05			x(8)	
	po__chr06			x(8)	
	po__chr07			x(8)	
	po__chr08			x(8)	
	po__chr09			x(8)	
	po__chr10			x(8)	
	po__dec01			>>>,>>>,>>9.99	10
	po__dec02			>>>,>>>,>>9.99	10
	po__dte01			99/99/99	
	po__dte02			99/99/99	
	po__log01			yes/no	
	po__qad02			>>9	
	po__qad03			99:99:99	
	po__qad04			yes/no	
	po__qad05			->>9.99%	10
	po__qad06			yes/no	
	po__qad07			x(8)	
	po__qad08			x(4)	
	po__qad09			->>,>>>,>>9.99	10
	po__qadc02	QAD Field		X(8)	0
◊	po__qadc03			x(24)	
	po__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	po__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	po__qadi02	QAD Field		->,>>>,>>9	
◊	po__qadi03	QAD Field		->,>>>,>>9	
◊	po__qadt01			99/99/99	
	po_ap_acct	AP Acct		x(8)	
	po_ap_cc	Cost Ctr	CC	x(4)	
	po_ap_sub	AP Sub-Acct	Sub-Acct	x(8)	
	po_app_owner	Owner Application		x(12)	
	po_bank	Bank		x(2)	
	po_bill	Bill-To		x(8)	
	po_blanket	Blanket Order	Blanket	x(8)	
	po_buyer	Buyer		x(8)	
	po_cls_date	Close Date	Closed	99/99/99	
	po_cmtindx	Comment Index	Comment	>>>>>>>9	
	po_confirm	Confirming	Confirm	yes/no	
Δ	po_consign_cost_point	PO Cost Point		X(8)	0
	po_consignment	Consignment		yes/no	
	po_contact	Contact		x(24)	
	po_contract	Contract		x(18)	
	po_cr_terms	Credit Terms	Terms	x(8)	
	po_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	po_curr	Currency	Cur	x(3)	
	po_cycl	Cycle Code	Cycl	x(2)	
	po_del_to	Deliver To	Delv To	x(4)	
	po_disc_pct	Disc %		->9.99%	10
	po_domain	Domain		x(8)	
	po_due_date	Due Date		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	po_duty_type	Duty Type	Dty	x(1)	
Δ	po_eff_strt	Start Effective	Start Eff	99/99/99	
Δ	po_eff_to	End Effective	End Eff	99/99/99	
	po_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	po_ers_opt	ERS Option	ERS! Opt	x(2)	
	po_est_value	Est Value	Est Val	->>,>>>,>>9.99	10
	po_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	po_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	po_ex_ratetype	Rate Type		x(8)	
	po_exru_seq	Sequence		>>>>>>>>9	
	po_fix_pr	Fixed Price		yes/no	
	po_fix_rate	Fixed Rate	Fixed	yes/no	
	po_fob	FOB		x(20)	
	po_frt	Freight		-z,zzz,zzz,zz9.99	10
	po_fsm_type	FSM Type		x(8)	
	po_fst_id	FST ID		x(18)	
◊	po_incl_iss	Include Saturday/Sunday		yes/no	
	po_inv_mthd	Invoices Via		x(1)	
	po_is_btb	EMT PO		yes/no	
	po_lang	Language		x(2)	
	po_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	po_nbr	Purchase Order	Order	x(8)	
	po_ord_date	Order Date	Date	99/99/99	
	po_partial	Partial OK	Partial	yes/no	
	po_pr_list	Disc Tbl		x(8)	
	po_pr_list2	Price Tbl	Pr Tbl	x(8)	
	po_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
	po_prepaid	Amount Prepaid	Prepaid	->,>>>,>>>,>>9.99	10
	po_priced_dt	Last Price Dt	Last Pri	99/99/99	
	po_pricing_dt	Pricing Date	Price Dt	99/99/99	
	po_print	Print PO	Print	yes/no	
	po_project	Project		x(8)	
	po_pst	PST		yes/no	
	po_pst_id	PST ID		x(18)	
	po_recurr	Recurr	Recu	yes/no	
	po_rel_nbr	Rel		>>9	
	po_release	Release	Rel	yes/no	
	po_req_id	Req By		x(8)	
Δ	po_rev	Order Revision	Order Rev	>>9	10
Δ	po_rev_date	Order Revision Date	Order Rev Date	99/99/99	
	po_rmks	Remarks		x(40)	
	po_sch_mthd	Schedules Via		x(1)	
	po_sched	Scheduled		yes/no	
	po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
	po_ship	Ship-To		x(8)	
	po_shipvia	Ship Via		x(20)	
	po_site	Site		x(8)	
	po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
	po_so_nbr	Primary SO	Pr SO	x(8)	
	po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
	po_stat	Status	St	x(2)	
	po_tax_date	Tax Date		99/99/99	
	po_tax_env	Tax Environment	Tax Env	x(16)	
	po_tax_pct[3]	Tax		->9.99<%	10
	po_tax_usage	Tax Usage	TaxUsage	x(8)	
	po_taxable	Taxable	Tax	yes/no	
	po_taxc	Tax Class	TxC	x(3)	

	Field Name	Label	Col-Label	Format	Dec
	po_tot_terms_code	Terms of Trade		x(8)	
◊	po_trade_sale	Trade Sales Contract		yes/no	
◊	po_trade_sale_so	Trade Sales SO	TS SO	x(8)	
	po_translt_days	Transport Days		>>9.99	10
	po_type	Type	Tp	x(1)	
	po_user_id	Entered By	Ent By	x(8)	
	po_user1	Ufld1		x(8)	
	po_user2	Ufld2		x(8)	
	po_vend	Supplier		x(8)	
	po_xmit	Transm		X	
Δ	po_zero_sched	Zero Schedules	Zero Schedules	>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_po_mstr	yes	oid_po_mstr	yes	no
	po_buyer	no	po_domain	yes	no
			po_buyer	yes	no
			po_vend	yes	no
			po_nbr	yes	no
	po_fsm_type	no	po_domain	yes	no
			po_fsm_type	yes	no
			po_nbr	yes	no
*	po_nbr	yes	po_domain	yes	no
			po_nbr	yes	no
	po_type	yes	po_domain	yes	no
			po_type	yes	no
			po_nbr	yes	no
	po_vend	no	po_domain	yes	no
			po_vend	yes	no
			po_nbr	yes	no

pp_plan

Product Line Plan

Field Name	Label	Col-Label	Format	Dec
oid_pp_plan			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pp__qadc01			x(8)	
pp_bklg_act[12]	Bklog Actual	Bklog Act	->>,>>9.9	10
pp_bklg_fcst	Bklog Plan		->>,>>9.9	10
pp_cost_act[12]	Cost Actual	Cost Act	->>,>>9.9	10
pp_cost_fcst[12]	Cost Plan		->>,>>9.9	10
pp_domain	Domain		x(8)	
pp_inv_act[12]	Inv Actual	Inv Act	->>,>>9.9	10
pp_inv_fcst	Inv Plan		->>,>>9.9	10
pp_ord_act[12]	Order Actual	Order Act	->>,>>9.9	10
pp_ord_fcst[12]	Order Plan		->>,>>9.9	10
pp_prod_act[12]	Prod Actual	Prod Act	->>,>>9.9	10
pp_prod_fcst[12]	Prod Plan		->>,>>9.9	10
pp_prod_line	Prod Line		x(4)	
pp_ship_act[12]	Ship Actual	Ship Act	->>,>>9.9	10
pp_ship_fcst[12]	Ship Plan		->>,>>9.9	10

Field Name	Label	Col-Label	Format	Dec
pp_site	Site		x(8)	
pp_user1	Ufld1		x(8)	
pp_user2	Ufld2		x(8)	
pp_year	Year		>>>>	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pp_plan	yes	oid_pp_plan	yes	no
*	pp_plan	yes	pp_domain	yes	no
			pp_site	yes	no
			pp_prod_line	yes	no
			pp_year	yes	no

pq_mstr

Product Line Requirements Master

Field Name	Label	Col-Label	Format	Dec
oid_pq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<	10
pq__qadc01			x(8)	
pq_domain	Domain		x(8)	
pq_end	End Date	End	99/99/99	
pq_lead	LT(Months)	LT	>>9	
pq_lt_off	Offset		->>9	
pq_prod_line	Product Line	Line	x(4)	
pq_qty_per	Quantity Per	Qty Per	->>>>,>>9.9<<<<<<<	10
pq_ref	Reference		x(8)	
pq_rsc	Resource		x(8)	
pq_site	Site		x(8)	
pq_start	Start Date	Start	99/99/99	
pq_user1	Ufld1		x(8)	
pq_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pq_mstr	yes	oid_pq_mstr	yes	no
*	pq_mstr	yes	pq_domain	yes	no
			pq_prod_line	yes	no
			pq_site	yes	no
			pq_rsc	yes	no
			pq_ref	yes	no
			pq_start	yes	no
	pq_rsc	no	pq_domain	yes	no
			pq_rsc	yes	no
			pq_site	yes	no

prd_det Printer Detail

Field Name	Label	Col-Label	Format	Dec
oid_prd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
prd__qad01			x(8)	
prd_blank	Blank Lines/Page	BLPP	>>9	
prd_desc	Description		x(24)	
prd_dest_type	Destination Type		>9	
prd_dev	Output To		x(8)	
prd_end_bc	Bar Code End Ctrl		x(100)	
prd_init	Initialize Ctrl		x(100)	
prd_init_pro	Initialize Command		x(50)	
prd_length	Lines / Page	LPP	>>>9	
prd_mapterm	Map To		x(8)	
prd_max_page	Max Pages		>>>>9	
prd_neg_line	Neg Line Feed Ctrl		x(100)	
prd_page	Page Control		x(60)	
prd_path	Device Pathname		x(40)	
prd_reset	Reset Ctrl		x(100)	
prd_rset_pro	Reset Command		x(50)	
prd_scroll_only	Scroll Output	Scroll	yes/no	
prd_spooler	Spooler	Spool	yes/no	
prd_st_132	132-Column Start Ctrl		x(100)	
prd_st_80	80-Column Start Ctrl		x(100)	
prd_st_bc	Bar Code Start Ctrl		x(100)	
prd_type	Printer Type	Type	x(8)	
prd_user1	Ufld1		x(8)	
prd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prd_det	yes	oid_prd_det	yes	no
*	prd_dev	yes	prd_dev	yes	no

◊ PrefixC Warehousing Prefix Set Control

Field Name	Label	Col-Label	Format	Dec
CodeValue	Code Value		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Enforce	Enforce		yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_PrefixC			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PrefValue	Prefix	Pref	x(4)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanField	Scan Field	Scan Field	x(20)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_PrefixC	yes	oid_PrefixC	yes	no
◊*	ScanField	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			ScanField	yes	no
			PrefValue	yes	no

◊ PreInvoiceBank Pre-Invoice Bank

Field Name	Label	Col-Label	Format	Dec
BankNumber_ID	Bank Extension	Extension	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoice_ID	Link to PreInvoice	Link to PreInvoice	9999999999	
PreInvoiceBank_ID	Record ID	Record ID	9999999999	
PreInvoiceBankToPayTC	TC Payment Amount	TC Payment Amount	->>>,>>>,>>>,>>9.99	4

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BankNumber	no	BankNumber_ID	yes	no
◊	PreInvoice	no	PreInvoice_ID	yes	no
◊*	Prim	yes	PreInvoiceBank_ID	yes	no
◊	UniqueIdx	yes	PreInvoice_ID	yes	no
			BankNumber_ID	yes	no

◊ PreInvoiceLineDet Pre-Invoice Line Detail

Field Name	Label	Col-Label	Format	Dec
Activity_ID	Activity Sheet Number	AS Number	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Item_ID	Item Description	Item Description	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoiceLine_ID	Link to PreInvoiceLine	Link to PreInvoiceLine	9999999999	
PreInvoiceLineDet_ID	Record ID	Record ID	9999999999	
PreInvoiceLineDetAmountTC	TC Amount	TC Amount	->>>,>>>,>>>,>>9.99	4
PreInvoiceLineDetIsIncl	Included	Incl	yes/no	
PreInvoiceLineDetIsSel	Selected	Sel	yes/no	
PreInvoiceLineDetQty	Quantity	Qty	->>>,>>>,>>9.99	4
PreInvoiceLineDetText	Text	Text	x(40)	
PreInvoiceLineDetTransDate	Transaction Date	Trans Date	99/99/9999	
PreInvoiceLineDetType	Type	Type	x(20)	
Unit_ID	GL Account Unit of Measure	UM	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Activity	no	Activity_ID	yes	no
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	PreInvoiceLineDet_ID	yes	no
◊	Unit	no	Unit_ID	yes	no

◊ PreInvoiceLineSaf Pre-Invoice Line SAF

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoiceLine_ID	Link to PreInvoiceLine	Link to PreInvoiceLine	9999999999	
PreInvoiceLineSaf_ID	Record ID	Record ID	9999999999	
PreInvoiceLineSafParentTyp	Parent Type	Parent Type	x(20)	
PreInvoiceLineSafSequence	Sequence	Seq	->,>>>,>>9	
Saf_ID	SAF Code	SAF Code	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PreInvLine	no	PreInvoiceLine_ID	yes	no
◊*	Prim	yes	PreInvoiceLineSaf_ID	yes	no
◊	SafIdx	no	Saf_ID	yes	no
◊	SafStruct	no	SafStructure_ID	yes	no
◊	UniqueIdx	yes	PreInvoiceLine_ID	yes	no
			PreInvoiceLineSafParentTyp	yes	no
			PreInvoiceLineSafSequence	yes	no

◊ PreInvoiceLineXRef Pre-Invoice Line SO Line Plan

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoiceLine_ID	Link to PreInvoiceLine	Link to PreInvoiceLine	9999999999	
PreInvoiceLineXRef_ID	Record ID	Record ID	9999999999	
SOLine_ID	Link to SOLine	Link to SOLine	9999999999	
SOPlan_ID	Link to SOPlan	Link to SOPlan	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PreInvLine	no	PreInvoiceLine_ID	yes	no
◊*	Prim	yes	PreInvoiceLineXRef_ID	yes	no
◊	SOLine	no	SOLine_ID	yes	no
◊	SOPlan	no	SOPlan_ID	yes	no
◊	UniqueIdx	yes	PreInvoiceLine_ID	yes	no
			SOLine_ID	yes	no
			SOPlan_ID	yes	no

◊ PreInvoiceRev Pre-Invoice Revision

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoice_ID	Link to PreInvoice	Link to PreInvoice	9999999999	
PreInvoiceLine_ID	Item Code	Item Code	9999999999	
PreInvoiceRev_ID	Record ID	Record ID	9999999999	
PreInvoiceRevAmountTC	TC Amount	TC Amount	->>>,>>>,>>>,>>9.99	4
PreInvoiceRevBaseIndex	Base Index	Base Index	->,>>>,>>9.9999999999	10
PreInvoiceRevIndex	Index	Index	->,>>>,>>9.9999999999	10
PreInvoiceRevWeightPerc	Weight Percentage	Weight %	999.99	0
RevisionCategory_ID	Category	Category	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PreInvoiceIdx	no	PreInvoice_ID	yes	no
◊	PreInvoiceLine	no	PreInvoiceLine_ID	yes	no
◊*	Prim	yes	PreInvoiceRev_ID	yes	no
◊	RevisionCat	no	RevisionCategory_ID	yes	no

◊ PreInvoiceSaf Pre-Invoice Saf

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PreInvoice_ID	Link to PreInvoice	Link to PreInvoice	9999999999	
PreInvoiceSaf_ID	Record ID	Record ID	9999999999	
PreInvoiceSafParentType	Parent Type	Parent Type	x(20)	
PreInvoiceSafSequence	Sequence	Seq	->,>>>,>>9	
Saf_ID	SAF Code	SAF Code	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	PreInvoice	no	PreInvoice_ID	yes	no
◊*	Prim	yes	PreInvoiceSaf_ID	yes	no
◊	Saf	no	Saf_ID	yes	no
◊	SafStructure	no	SafStructure_ID	yes	no
◊	UniqueIdx	yes	PreInvoice_ID	yes	no
			PreInvoiceSafSequence	yes	no
			PreInvoiceSafParentType	yes	no

◊ PreInvoiceStage Pre-Invoice Stage

Field Name	Label	Col-Label	Format	Dec
PreInvoice_ID	Link to PreInvoice	Link to PreInvoice	9999999999	
PreInvoiceStage_ID	Record ID	Record ID	9999999999	
PreInvoiceStageAmountCC	MC Amount	MC Amount	->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
PreInvoiceStageAmountLC	BC Amount	BC Amount	->>>,>>>,>>>,>>9.99	4
PreInvoiceStageAmountTC	TC Amount	TC Amount	->>>,>>>,>>>,>>9.99	4
PreInvoiceStageDueDate	Due Date	Due Date	99/99/9999	
PreInvoiceStagePercentage	Percentage	%	->,>>>,>>9.99	2

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	DueDate	no	PreInvoiceStageDueDate	yes	no
◊	PreInvoice	no	PreInvoice_ID	yes	no
◊*	Prim	yes	PreInvoiceStage_ID	yes	no
◊	UniqueIdx	yes	PreInvoiceStageDueDate	yes	no
			PreInvoice_ID	yes	no

prh_hist

Purchase Order Receipt History

Field Name	Label	Col-Label	Format	Dec
oid_prh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	
prh__chr10			x(8)	
prh__dec01			>>>,>>>,>>9.99	10
prh__dec02			>>>,>>>,>>9.99	10
prh__dec03			>>>,>>>,>>9.99	10
prh__dec04			>>>,>>>,>>9.99	10
prh__dec05			>>>,>>>,>>9.99	10
prh__dte01			99/99/99	
prh__dte02			99/99/99	
prh__dte03			99/99/99	
prh__dte04			99/99/99	
prh__dte05			99/99/99	
prh__log01			yes/no	
prh__log02			yes/no	
prh__qad02			x(8)	
prh__qad03			->,>>>,>>9.9<<<<<<<<	10
prh__qad04			>>>>>>>>	
prh__qadc01			x(24)	
prh__qadc02			x(24)	
prh__qadc03			x(24)	
prh__qadc04			x(24)	
prh__qadc05			x(24)	
prh__qadc06			x(24)	
prh__qadd01			->,>>>,>>9.9<<<<<<<<	10
prh__qadi01			->>>>>>>9	
prh_approve	Approved By	Approved	x(8)	
prh_bank	Bank		x(2)	

Field Name	Label	Col-Label	Format	Dec
prh_bdn_std	Std Bdn Cost	Std Burden	->>>,>>>,>>9.99<<<	10
prh_bo_qty	Back Order Qty		->,>>>,>>9.9<<<<<<<<	10
prh_buyer	Buyer		x(8)	
prh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
prh_cst_up	Update Current Cost		yes/no	
prh_cum_rcvd	Cum Received		->,>>>,>>9.9<<<<<<<<	10
prh_cum_req	Cum Qty Required		->,>>>,>>9.9<<<<<<<<	10
prh_curr	Currency	Cur	x(3)	
prh_curr_amt	Currency Amt		->>>,>>>,>>9.99<<<	10
prh_curr_rlse_id[3]	Active Rlse ID		x(30)	
prh_domain	Domain		x(8)	
prh_element	Cost Element	Element	x(8)	
prh_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
prh_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
prh_ex_ratetype	Rate Type		x(8)	
prh_exru_seq	Sequence		>>>>>>>>9	
prh_fix_pr	Fixed Price		yes/no	
prh_fix_rate	Fixed Rate	Fixed	yes/no	
prh_fsm_type	FSM Type		x(8)	
prh_lbr_std	Std Lbr Cost	Std Labor	->>>,>>>,>>9.99<<<	10
prh_line	PO Line	Ln	>>9	
prh_lot	Work Order ID	WO ID	x(8)	
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>,>>>,>>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Ovhead		>>>>,>>>,>>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->,>>>,>>9.9<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->,>>>,>>>,>>9.99<<<	10
prh_pur_std	PO Std Cost		->>>,>>>,>>9.99<<<	10
prh_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_shipto	Ship-to		x(8)	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>,>>>,>>9.99<<<	10
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_taxc	Tax Class	TxC	x(3)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10

Field Name	Label	Col-Label	Format	Dec
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinv_cst	Not Used		->,>>>,>>>,>>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh_xinvoice	Not Used		x(12)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prh_hist	yes	oid_prh_hist	yes	no
	prh_buyer	no	prh_domain	yes	no
			prh_buyer	yes	no
			prh_vend	yes	no
			prh_part	yes	no
*	prh_nbr	yes	prh_domain	yes	no
			prh_nbr	yes	no
			prh_receiver	yes	no
			prh_line	yes	no
			prh_element	yes	no
	prh_part	no	prh_domain	yes	no
			prh_part	yes	no
			prh_rcp_date	yes	no
	prh_ps_nbr	no	prh_domain	yes	no
			prh_vend	yes	no
			prh_ps_nbr	yes	no
			prh_part	yes	no
	prh_rcp_date	no	prh_domain	yes	no
			prh_rcp_date	yes	no
	prh_receiver	yes	prh_domain	yes	no
			prh_receiver	yes	no
			prh_line	yes	no
	prh_vend	no	prh_domain	yes	no
			prh_vend	yes	no
			prh_part	yes	no
			prh_rcp_date	yes	no

◊ Price

Price

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
ItemPriceGroup_ID	Item Price Group	Item Price Group	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Price_ID	Record ID	Record ID	9999999999	
PriceDiscountPercentage	Discount %	Discount %	>>9.99	0
PriceFromQTY	Minimum Quantity	Minimum Qty	->>>,>>>,>>9.99	4
PriceIsActive	Active	Active	yes/no	
PriceList_ID	Price List Code	Price List Code	9999999999	
PricePRICE	Price	Price	->>>,>>>,>>9.99999	10
PriceValidFromDate	From Date	From Date	99/99/9999	
SharedSet_ID	Link to SharedSet	Link to SharedSet	9999999999	
Unit_ID	GL Account Unit of Measure	UM	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	PriceIsActive	yes	no
◊	AltPrimUniqueIdx	yes	SharedSet_ID	yes	no
			PriceList_ID	yes	no
			ItemPriceGroup_ID	yes	no
			PriceFromQTY	yes	no
			PriceValidFromDate	yes	no
			Unit_ID	yes	no
◊	CurrencyIdx	no	Currency_ID	yes	no
◊	ItemPriceGroupIdx	no	ItemPriceGroup_ID	yes	no
◊	PriceListIdx	no	PriceList_ID	yes	no
◊*	Prim	yes	Price_ID	yes	no
◊	UnitIdx	no	Unit_ID	yes	no

prj_mstr Project Realization Project Master

	Field Name	Label	Col-Label	Format	Dec
	oid_prj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	prj__dec01			->>>>,>>>,>>9.99<<<	10
	prj__dte01			99/99/99	
	prj__log01			yes/no	
	prj__qadc01			x(24)	
	prj__qadc02			x(24)	
	prj__qadd01			->>>>,>>>,>>9.99<<<	10
	prj__qadd02			->>>>,>>>,>>9.99<<<	10
	prj__qadi01			>>>>>>>9	
	prj__qadi02			>>>>>>>9	
	prj__qadl01			yes/no	
	prj__qadl02			yes/no	
	prj__qadt01			99/99/99	
	prj__qadt02			99/99/99	
	prj_action_stat	Action Status		x(2)	
	prj_ar_acct	AR Account		x(8)	
	prj_ar_cc	AR Cost Center		x(4)	
	prj_ar_sub	AR Sub-Account		x(8)	
	prj_bg_above	Budget Overrun Limit		->>9.9<%	10
	prj_bg_below	Budget Warning Limit		->>9.9<%	10
	prj_bill_to	Bill-To		x(8)	
	prj_channel	Channel		x(8)	
	prj_close_date	Close Date		99/99/99	
	prj_cmtindx	Comment Index		>>>>>>>9	
	prj_comm_pct[4]	Commission		>>9.9<%	10
	prj_cr_card	Credit Card		x(2)	
	prj_cr_init	Cr Initials		x(3)	
	prj_cr_terms	Credit Terms		x(8)	
	prj_curr	Currency	Cur	x(3)	
	prj_cust	Sold-To		x(8)	
◊	prj_daybookset	Daybook Set	Dybk Set	x(8)	
	prj_desc	Desc		x(24)	
	prj_domain	Domain		x(8)	
	prj_end_date	End Date		99/99/99	
	prj_eng_nbr	Engineer		x(8)	
	prj_eu_nbr	End User		x(8)	
	prj_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	prj_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	prj_ex_ratetype	Rate Type		x(8)	
	prj_exru_seq	Sequence		>>>>>>>>9	
	prj_fix_rate	Fixed Rate		yes/no	
	prj_global_inv	Global Invoicing		yes/no	
	prj_inv_det	Details on Invoice		yes/no	
	prj_inv_det_pr	Price Details on Invoice		yes/no	
	prj_inv_lvl	Invoice Level		yes/no	
	prj_lang	Language		x(2)	
	prj_loc	Location		x(8)	
	prj_mod_date	Modified Date	Mod Date	99/99/99	
	prj_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
prj_mref	Master Project		x(8)	
prj_nbr	Project		x(8)	
prj_ord_date	Order Date		99/99/99	
prj_pjt_code	Project Type		x(8)	
prj_po	Purchase Order		x(22)	
prj_pr_list	Price List		x(8)	
prj_pr_rollup	Auto Price Rollup		yes/no	
prj_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
prj_prepaid	Prepaid		->>>>,>>>,>>9.99<<<	10
prj_pricing_dt	Pricing Date	Price Dt	99/99/99	
prj_rmks	Remarks		x(40)	
prj_ship_date	Ship Date		99/99/99	
prj_ship_to	Ship-To		x(8)	
prj_shipvia	Ship Via		x(20)	
prj_site	Site		x(8)	
prj_slspsn[4]	Slsperson		x(8)	
prj_st_date	Start Date		99/99/99	
prj_status	Status		x(8)	
prj_tax_date	Tax Date		99/99/99	
prj_tax_env	Tax Environment		x(16)	
prj_tax_in	Tax In		yes/no	
prj_tax_usage	Tax Usage		x(8)	
prj_taxable	Taxable		yes/no	
prj_taxc	Tax Environment Tax Class		x(3)	
prj_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
prj_trl1_cd	Trailer 1		x(2)	
prj_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
prj_trl2_cd	Trailer 2		x(2)	
prj_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
prj_trl3_cd	Trailer 3		x(2)	
prj_type_taxc	Tax Rate Tax Class		x(3)	
prj_use_budgets	Use Budgets		yes/no	
prj_user1	Ufld1		x(8)	
prj_user2	Ufld2		x(8)	
prj_userid	Entered By		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_prj_mstr	yes	oid_prj_mstr	yes	no
*	prj_nbr	yes	prj_domain	yes	no
			prj_nbr	yes	no
	prj_pjt_code	no	prj_domain	yes	no
			prj_pjt_code	yes	no
	prj_po	no	prj_domain	yes	no
			prj_po	yes	no
			prj_cust	yes	no
◊	prj_ship	no	prj_domain	yes	no
			prj_ship_to	yes	no

◊ Profile

Profile

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Profile_ID	Record ID	Record ID	9999999999	
ProfileCode	Profile Code	Profile Code	x(20)	
ProfileDescription	Description	Description	x(40)	
ProfileIsActive	Active	Act	yes/no	
ProfileTypeCode	Profile Type	Profile Type	x(30)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	ProfileCode	yes	no
◊* Prim	yes	Profile_ID	yes	no
◊ Type	no	ProfileTypeCode	yes	no
◊ ViewIndex	no	ProfileIsActive	yes	no
		ProfileCode	yes	no

◊ ProfileLink

Profile Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Profile_ID	Link to Profile	Link to Profile	9999999999	
ProfileLink_ID	Record ID	Record ID	9999999999	
ProfileLinkObject_ID			9999999999	
SharedSet_ID	Link to SharedSet	Link to SharedSet	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	ProfileLink_ID	yes	no
◊ Profile	no	Profile_ID	yes	no
◊ ProfileSharedSet	yes	SharedSet_ID	yes	no
		Profile_ID	yes	no
◊ SharedSet	no	SharedSet_ID	yes	no

◊ ProfileType

Profile Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
ProfileTypeCode	Profile Type Code	Profile Type Code	x(30)	
ProfileTypeIsActive	Active	Act	yes/no	
ProfileTypeIsDefault	Default	Default	yes/no	
ProfileTypeTranslated	Profile Type Code	Profile Type Code	x(20)	
SharedSetTypeCode	Shared Set Type	Shared Set Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	ProfileTypeCode	yes	no
◊	ViewIndex	no	ProfileTypeIsActive	yes	no
			ProfileTypeCode	yes	no

◊ Project

Project

Field Name	Label	Col-Label	Format	Dec
AdminRespUsr_ID	Responsible	Responsible	9999999999	
BudgetGroup_ID	Budget Group	Budget Group	9999999999	
BusinessRelation_ID	Business Relation	Business Relation	9999999999	
ControllerUsr_ID	Login	Login	9999999999	
Currency_ID	Currency	Curr	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Debtor_ID	Customer	Customer	9999999999	
Division_ID	Link to Division	Link to Division	9999999999	
DivisionProfile_ID	Sub-Account Profile	Sub-Account Profile	9999999999	

Field Name	Label	Col-Label	Format	Dec
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
Industry_ID	Link to Industry	Link to Industry	9999999999	
InvoiceAddress_ID	City	City	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
MainProject_ID	Main Project	Main Project	9999999999	
PaymentCondition_ID	Credit Terms	Cred Trm	9999999999	
PenholderCompany_ID	Link to Company	Link to Company	9999999999	
PriceList_ID	Price List	Price List	9999999999	
Project_ID	Record ID	Record ID	9999999999	
ProjectCode	Project	Project	x(8)	
ProjectContractAmountTC	TC Contract Amount	TC Contract Amount	->>>,>>>,>>>,>>9.99	4
ProjectContractDate	Contract Date	Contract Date	99/99/9999	
ProjectContractReference	Contract Reference	Contract Ref	x(40)	
ProjectDateRevised	Date Revised	Project Date Revised	99/99/9999	
ProjectDescription	Description	Description	x(24)	
ProjectEndDate	End Date	End Date	99/99/9999	
ProjectGroup_ID	Project Group	Project Group	9999999999	
ProjectIsAltRevProdCalc	Alt Production Calculation	Alt Production Calculation	yes/no	
ProjectIsStructFromGL	Retrieve SAF Structure from GL	Retrieve Structure from GL	yes/no	
ProjectIsTemplate	Save as Template	Template	yes/no	
ProjectIsWithSaf	SAF Enabled	SAF	yes/no	
ProjectManagerUsr_ID	Project Administrator	Project Admisnistrator	9999999999	
ProjectOriginalCompletDate	Original Completion Date	Proj Orig Comp Date	99/99/9999	
ProjectPriceTypeCode	Price Type	Price Type	x(20)	
ProjectRevenueRecogType	Revenue Recognition Type	Revenue Recognition Type	x(20)	
ProjectRevisedCompletDate	Revised Completion Date	Proj Rev Comp Date	99/99/9999	
ProjectSafSetOnByUsr_ID	Link to Usr	Link to Usr	->,>>>,>>9	
ProjectSafSetOnOnDate	Saf Set on Date	Saf Set on Date	99/99/9999	
ProjectStartDate	Start Date	Start Date	99/99/9999	
ProjectStatus_ID	Status Code	Status Code	9999999999	
ProjectSystemStatus	System Status	System Status	x(20)	
ProjectTypeCode	Project Type	Project Type	x(20)	
Region_ID	Region	Region	9999999999	
SalesRespUsr_ID	Login	Login	9999999999	
SharedSet_ID	Link to SharedSet	Link to SharedSet	9999999999	
SiteAddress_ID	Address	Address	9999999999	
TemplateProject_ID	Template Code	Template Code	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BudgetGroup	no	BudgetGroup_ID	yes	no
◊	Code	no	ProjectCode	yes	no
◊	IsTemplate	no	ProjectIsTemplate	yes	no
◊*	Prim	yes	Project_ID	yes	no
◊	ProjectGroup	no	ProjectGroup_ID	yes	no
◊	ProjectSystemStatus	no	ProjectSystemStatus	yes	no
◊	SharedSet	no	SharedSet_ID	yes	no
◊	SharedSetAndCode	yes	SharedSet_ID	yes	no
			ProjectCode	yes	no

◊ ProjectGroup Project Group

Field Name	Label	Col-Label	Format	Dec
ProjectGroup_ID	Record ID	Record ID	9999999999	
ProjectGroupCode	Code	Code	x(20)	
ProjectGroupDescription	Description	Description	x(40)	
ProjectGroupIsActive	Active	Active	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	IsActive	no	ProjectGroupIsActive	yes	no
◊*	Prim	yes	ProjectGroup_ID	yes	no
◊	UniqueIdx	yes	ProjectGroupCode	yes	no
◊	ViewIndex	no	ProjectGroupIsActive	yes	no
			ProjectGroupCode	yes	no

◊ ProjectRevCalc Project Revenue Calculation

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
Cost1ProjectRevCode_ID	Indirect Cost Code 1	Indirect Cost Code 1	9999999999	
Cost2ProjectRevCode_ID	Indirect Cost Code 2	Indirect Cost Code 2	9999999999	
Cost3ProjectRevCode_ID	Project	Project	9999999999	
Cost4ProjectRevCode_ID	Indirect Cost Code 4	Indirect Cost Code 4	9999999999	
Cost5ProjectRevCode_ID	Indirect Cost Code 5	Indirect Cost Code 5	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
LossProjectRevCode_ID	Project	Project	9999999999	
Project_ID	Project	Project	9999999999	
ProjectRevCalc_ID	Record ID	Record ID	9999999999	
ProjectRevCalc1Cost	Indirect Cost 1	Indirect Cost 1	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc1CostBase	Indirect Cost Base 1	Ind Cost Base 1	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc1CostPerc	Indirect Cost Percentage 1	Ind Cost % 1	->>9.99	2
ProjectRevCalc1CostQTY	Indirect Cost Qty 1	Ind Cost Qty 1	->>>,>>>,>>9.99	4
ProjectRevCalc1CostUnit	Indirect Cost Unit Cost 1	Ind Unit Cost 1	->>>,>>>,>>9.99999	10
ProjectRevCalc2Cost	Indirect Cost 2	Indirect Cost 2	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc2CostBase	Indirect Cost Base 2	Ind Cost Base 2	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc2CostPerc	Indirect Cost Percentage 2	Ind Cost % 2	->>9.99	2
ProjectRevCalc2CostQTY	Indirect Cost Qty 2	Ind Cost Qty 2	->>>,>>>,>>9.99	4
ProjectRevCalc2CostUnit	Indirect Cost Unit Cost 2	Ind Unit Cost 2	->>>,>>>,>>9.99999	10
ProjectRevCalc3Cost	Indirect Cost 3	Indirect Cost 3	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc3CostBase	Indirect Cost Base 3	Ind Cost Base 3	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc3CostPerc	Indirect Cost Percentage 3	Ind Cost % 3	->>9.99	2
ProjectRevCalc3CostQTY	Indirect Cost Qty 3	Ind Cost Qty 3	->>>,>>>,>>9.99	4
ProjectRevCalc3CostUnit	Indirect Cost Unit Cost 3	Ind Unit Cost 3	->>>,>>>,>>9.99999	10
ProjectRevCalc4Cost	Indirect Cost 4	Indirect Cost 4	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc4CostBase	Indirect Cost Base 4	Ind Cost Base 4	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc4CostPerc	Indirect Cost Percentage 4	Ind Cost % 4	->>9.99	2
ProjectRevCalc4CostQTY	Indirect Cost Qty 4	Ind Cost Qty 4	->>>,>>>,>>9.99	4
ProjectRevCalc4CostUnit	Indirect Cost Unit Cost 4	Ind Unit Cost 4	->>>,>>>,>>9.99999	10
ProjectRevCalc5Cost	Indirect Cost 5	Indirect Cost 5	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc5CostBase	Indirect Cost Base 5	Ind Cost Base 5	->>>,>>>,>>>,>>9.99	4
ProjectRevCalc5CostPerc	Indirect Cost Percentage 5	Ind Cost % 5	->>9.99	2
ProjectRevCalc5CostQTY	Indirect Cost Qty 5	Ind Cost Qty 5	->>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
ProjectRevCalc5CostUnit	Indirect Cost Unit Cost 5	Ind Unit Cost 5	->>>,>>>,>>9.99999	10
ProjectRevCalcActDirCstLTD	Direct Costs (A) Total LTD	Direct Costs (A) Total LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcActRevLTD	Revenue (A) Total LTD	Revenue (A) Total LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcCostCorr	Cost Correction	Cost Correction	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcCostJOR	Indirect Cost JOR	JOR	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcCostJORLTD	Indirect Cost JOR LTD	JOR LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcCostOverh	Indirect Cost Overhead	Overhead	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcCostOverhLTD	Indirect Cost Overhead LTD	Overhead Cost LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcForCostLTE	Forecast Cost LTE	Forecast Cost LTE	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcForRevLTE	Forecast Revenue LTE	Forecast Revenue LTE	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcGrosMargLTD	Gross Margin LTD	Gross Margin LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcIsManualPost	Manual Posting	Manual Posting	yes/no	
ProjectRevCalcIsPOCBelowMin	POC below Minimum	POC below Minimum	yes/no	
ProjectRevCalcIsProcessed	Processed	Processed	yes/no	
ProjectRevCalcIsRevAboveMin	Revenue above Minimum	Revenue above Minimum	yes/no	
ProjectRevCalcLossProvis	Loss Provision	Loss Provision	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcNetMargLTD	Net Margin LTD	Net Margin LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcPercOfCompl	Percentage of Completion	% of Completion	->>9.9999	4
ProjectRevCalcProductLTD	Production LTD	Production LTD	->>>,>>>,>>>,>>9.99	4
ProjectRevCalcRevCorr	Revenue Correction	Revenue Correction	->>>,>>>,>>>,>>9.99	4
ReportPeriod_ID	Year	Rep Year	9999999999	
RevenueProjectRevCode_ID	Project	Project	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊*	Prim	yes	ProjectRevCalc_ID	yes	no
◊	Project	no	Project_ID	yes	no
◊	UniqueKey	yes	Company_ID	yes	no
			Project_ID	yes	no
			ReportPeriod_ID	yes	no

◊ ProjectRevCode Project Revenue Code

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Project_ID	Link to Project	Link to Project	9999999999	
ProjectRevCode_ID	Record ID	Record ID	9999999999	
ProjectRevCodeBaseAmountLC	BC Base Amount	BC Base Amount	->>>,>>>,>>>,>>9.99	4
ProjectRevCodeBaseQTY	Base Qty	Base Qty	->>>,>>>,>>9.99	4
ProjectRevCodePercentage	Percentage	Percentage	->>9.99	2
ProjectRevCodeUnitCostLC	BC Unit Cost	BC Unit Cost	->>>,>>>,>>9.99999	10
RevenueCode_ID	Revenue Code	Revenue Code	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	ProjectRevCode_ID	yes	no
◊ Project	no	Project_ID	yes	no
◊ RevenueCode	no	RevenueCode_ID	yes	no
◊ UniqueKey	yes	Project_ID	yes	no
		RevenueCode_ID	yes	no

◊ ProjectSafDefault Project Saf Default

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Project_ID	Link to Project	Link to Project	9999999999	
ProjectSafDefault_ID	Record ID	Record ID	9999999999	
Saf_ID	SAF Code	Saf Code	9999999999	
SafConcept_ID	SAF Concept Code	Saf Concept Code	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	ProjectSafDefault_ID	yes	no
◊ Project	no	Project_ID	yes	no
◊ Saf	no	Saf_ID	yes	no
◊ SafConcept	no	SafConcept_ID	yes	no
◊ UniqueIdx	yes	Project_ID	yes	no
		SafConcept_ID	yes	no

◊ ProjectStatus Project Status

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
ProjectStatus_ID	Record ID	Record ID	9999999999	
ProjectStatusCode	Status Code	Status Code	x(20)	
ProjectStatusDescription	Description	Status Description	x(40)	
ProjectStatusIsActive	Active	Active	yes/no	
ProjectStatusSystemStatus	System Status	System Status	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	ProjectStatusCode	yes	no
◊	IsActive	no	ProjectStatusIsActive	yes	no
◊*	Prim	yes	ProjectStatus_ID	yes	no
◊	ViewIndex	no	ProjectStatusIsActive	yes	no
			ProjectStatusCode	yes	no

pr_mstr

Printer Master

Field Name	Label	Col-Label	Format	Dec
oid_pr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pr__qadc01			x(8)	
pr_blank	Blank Lines/Page	BLPP	>>9	
pr_desc	Description		x(24)	
pr_end_bc	Bar Code End		x(100)	
pr_init	Initialize		x(100)	
pr_length	Lines / page	LPP	>>>9	
pr_neg_line	Neg Line Feed		x(100)	
pr_page	Page Control		x(60)	
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pr_mstr	yes	oid_pr_mstr	yes	no
*	pr_type	yes	pr_type	yes	no

pshc_ctrl Purchase Shipper Control

Field Name	Label	Col-Label	Format	Dec
oid_pshc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pshc__qadc01			x(24)	
pshc__qadc02			x(24)	
pshc__qadi01			->>>>>>>9	
pshc_domain	Domain		x(8)	
◊ pshc_inv_sort_seq	Invoice Line Sorting Sequence		x(8)	
pshc_master_nr_id	Master Bill Sequence ID		x(8)	
pshc_mod_date	Modified Date	Mod Date	99/99/99	
pshc_mod_userid	User ID		x(8)	
pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
pshc_user1	User Field Character 1		x(24)	
pshc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pshc_ctrl	yes	oid_pshc_ctrl	yes	no
*	pshc_index1	yes	pshc_domain	yes	no

ps_mstr Product Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_ps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ps__chr01	User Character Field 1		X(8)	
ps__chr02	User Character Field 2		X(8)	
ps__dec01	User Decimal Field 1		->>>,>>>,>>9.99<<	10
ps__dec02	User Decimal Field 2		->>>,>>>,>>9.99<<	10
ps__dte01	User Date Field 1		99/99/99	
ps__dte02	User Date Field 2		99/99/99	
ps__log01	User Logical Field 1		yes/no	
ps__log02	User Logical Field 2		yes/no	
ps__qad01			yes/no	
ps__qadc01	QAD Character Field 1		X(8)	
ps__qadc02	QAD Character Field 2		X(8)	
ps__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
ps__qadd02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
ps__qadl01	QAD Logical Field 1		yes/no	
ps__qadl02	QAD Logical Field 2		yes/no	
ps__qadt01	QAD Date Field 1		99/99/99	
ps__qadt02	QAD Date Field 2		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ps__qadt03	QAD Date Field 3		99/99/99	
ps_assay	Assay		>>9.99%	10
ps_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ps_cmtindx	Comment Index	Comment	>>>>>>>9	
ps_comm_code	Commodity Code	Commodity	x(8)	
ps_comp	Component Item		x(18)	
ps_comp_um	UM		x(2)	
ps_cop_qty	Quantity	Qty	->,>>>,>>9.9<<<<<<<<	10
ps_critical	Critical		yes/no	
ps_cst_pct	Cost Allocation	Cost! Alloc	>>9.99%	10
ps_default	Default Option	Default	yes/no	
ps_domain	Domain		x(8)	
ps_end	End Effective	End Eff	99/99/99	
ps_end_ecn	End ECN		x(8)	
ps_exclusive	Exclusive		yes/no	
ps_fcst_pct	Forecast	Fcst	>>9.99%	10
ps_group	Option Group	Group	x(8)	
ps_item_no	Sequence Number	Seq Nbr	->>>>>>>	
ps_joint_type	Co/By Type	CT	x(1)	
ps_lt_off	LT Offset	LTO	->>	
ps_mandatory	Mandatory		yes/no	
ps_mod_date	Modified Date	Mod Date	99/99/99	
ps_non_bal	Non-Balanced	Non-Bal	yes/no	
ps_op	Op		>>>>>>	
ps_par	Parent Item		x(18)	
ps_process	Process		x(8)	
ps_prod_pct	Process	Process! Percent	>>9.99%	10
ps_ps_code	Structure Type	T	x(1)	
ps_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<<	10
ps_qty_diag	Qty Diagnose		->,>>>,>>9.9<<<<<<<<	10
ps_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<<<<<<	10
ps_qty_per	Qty Per		->,>>>,>>9.9<<<<<<<<	10
ps_qty_per_b	Qty Per		->,>>>,>>9.9<<<<<<<<	10
ps_qty_type	Qty Type	T	x(1)	
ps_ref	Reference		x(12)	
ps_rmks	Remarks		x(24)	
ps_scrp_pct	Scrap		>>9.99%	10
ps_start	Start Effective	Start Eff	99/99/99	
ps_start_ecn	Start ECN		x(8)	
ps_um_conv	UM Conv		>>>>9.9999<<<<	10
ps_user1	Ufld1		x(8)	
ps_user2	Ufld2		x(8)	
ps_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ps_mstr	yes	oid_ps_mstr	yes	no
	ps_comp	no	ps_domain	yes	no
			ps_comp	yes	no
			ps_par	yes	no
	ps_par	no	ps_domain	yes	no
			ps_par	yes	no
			ps_item_no	yes	no
			ps_comp	yes	no
*	ps_parcomp	yes	ps_domain	yes	no
			ps_par	yes	no
			ps_comp	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ps_ref	yes	no
		ps_start	yes	no
ps_parref	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

pta_det

Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pta_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pta__chr01			x(8)	
pta__chr02			x(8)	
pta__chr03			x(8)	
pta__chr04			x(8)	
pta__chr05			x(8)	
pta__chr06			x(8)	
pta__chr07			x(8)	
pta__chr08			x(8)	
pta__chr09			x(8)	
pta__chr10			x(8)	
pta__dec01			>>>,>>>,>>9.99	10
pta__dec02			>>>,>>>,>>9.99	10
pta__dte01			99/99/99	
pta__dte02			99/99/99	
pta__log01			yes/no	
pta__qadc01			x(8)	
pta__qadc02			x(8)	
pta__qadd01			->>>,>>>,>>9.9<<<	10
pta__qadd02			->>>,>>>,>>9.9<<<	10
pta__qadl01			yes/no	
pta_assoc_item	Associated Item		x(18)	
pta_assoc_qty	Associated Qty		->>,>>>,>>9.9<<	10
pta_assoc_type	Association Type		x(24)	
pta_assoc_um	Associated UM	UM	x(2)	
pta_cmtindx	Comment Index	Comment	>>>>>>>9	
pta_curr	Currency	Cur	x(3)	
pta_domain	Domain		x(8)	
pta_expire	Expire		99/99/99	
pta_extrec	External Entry	Ext	yes/no	
pta_item	Item		x(18)	
pta_max_qty	Max Quantity		->>,>>>,>>9.9<<<<<<<<	10
pta_min_ord	Min Ord Qty		->>,>>>,>>9.9<<<<<<<<	10
pta_net_price	Net Price		>>>>,>>>,>>9.99	10
pta_pri_type	Price Type		x(24)	
pta_qty_mult	Qty Multiple		->>,>>>,>>9.9<<<<<<<<	10
pta_start	Start		99/99/99	
pta_um	UM		x(2)	
pta_user1	Ufld1		x(8)	
pta_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pta_det	yes	oid_pta_det	yes	no
	pta_assoc_item	no	pta_domain	yes	no
			pta_assoc_item	yes	no
			pta_assoc_type	yes	no
			pta_item	yes	no
			pta_start	yes	no
*	pta_item	yes	pta_domain	yes	no
			pta_item	yes	no
			pta_assoc_type	yes	no
			pta_um	yes	no
			pta_assoc_item	yes	no
			pta_curr	yes	no
			pta_start	yes	no

ptc_det

Container Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptc__qadc01			x(24)	
ptc__qadc02			x(24)	
ptc_charge	Apply Charges		yes/no	
ptc_charge_type	Charge Type	Charge! Type	x(8)	
ptc_container_desc	Description		x(24)	
ptc_container_ref	Reference		x(16)	
ptc_container_type	Container Type		x(16)	
ptc_domain	Domain		x(8)	
ptc_mod_date	Modified Date	Mod Date	99/99/99	
ptc_mod_userid	User ID		x(8)	
ptc_part	Container		x(18)	
ptc_userc01	User Field Character 1		x(24)	
ptc_userc02	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptc_det	yes	oid_ptc_det	yes	no
*	ptc_part	yes	ptc_domain	yes	no
			ptc_part	yes	no

pth_hist

Products Sales History

Field Name	Label	Col-Label	Format	Dec
oid_pth_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pth__chr01			x(8)	
pth__chr02			x(8)	
pth__chr03			x(8)	
pth__chr04			x(8)	
pth__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
pth__dec01			>>>,>>>,>>9.99	10
pth__dec02			>>>,>>>,>>9.99	10
pth__dte01			99/99/99	
pth__dte02			99/99/99	
pth__log01			yes/no	
pth_domain	Domain		x(8)	
pth_for	For		x(18)	
pth_part	Item Number		x(18)	
pth_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
pth_tot_qty	YTD Qty		->>>,>>>,>>9	10
pth_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
pth_type	Ship Type	T	x(1)	
pth_user1	Ufld1		x(8)	
pth_user2	Ufld2		x(8)	
pth_year	Year		9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pth_hist	yes	oid_pth_hist	yes	no
	pth_partyear	yes	pth_domain	yes	no
			pth_part	yes	no
			pth_year	yes	no
*	pth_yearpart	yes	pth_domain	yes	no
			pth_year	yes	no
			pth_part	yes	no

◊ pti_det

Item Inventory Data

Field Name	Label	Col-Label	Format	Dec
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_pti_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_si_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pti__qadc01			x(24)	
pti__qadc02			x(24)	
pti__qadd01			->>>>,>>>,>>9.99<<<<<<<<	10
pti__qadi01			->>>>>>>9	
pti__qadl01			yes/no	
pti__qadt01			99/99/99	
pti_abc	ABC Class	ABC	x(1)	
pti_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
pti_avg_int	Avg Int	Avg! Int	>>9	
pti_critical	Key Item		yes/no	
pti_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pti_destructive	Destructive	Destr	yes/no	
pti_id_qty	ID Quantity	ID! Qty	>>>9	
pti_insp_days	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
pti_insp_freq	Insp Frequency	Insp Freq.	>>>>>>9	
pti_insp_ref	Ref		yes/no	
pti_insp_req	Inspection Required	Insp Req	yes/no	
pti_invent_days[10]	Days From Expiration/ Manufacture	Days From! Expire/! Manuf.	>>,>>9	
pti_issue_method	Issue Method	Issue! Method	x(8)	

Field Name	Label	Col-Label	Format	Dec
pti_kanban_qty	Default Kanban Qty		->,>>>,>>9.9<<<<<<<<	10
pti_kanban_replist	Kanban Replen. List		x(8)	
pti_loc	Location		x(8)	
pti_loc_type	Location Type	Loc Type	x(8)	
pti_lot_grp	Lot Group		x(8)	
pti_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pti_memo_type	Memo Order Type		x(1)	
pti_mod_date	Modified Date	Mod Date	99/99/99	
pti_mod_userid	User ID		x(8)	
pti_opc_threshold	OPC Threshold		->>>,>>9.9<<<<<<	10
pti_part_type	Warehouse Item Type	Warehouse! Item Type	x(8)	
pti_pop_code	Popularity		X(8)	
pti_print_id	Print ID	Print! ID	yes/no	
pti_random_insp_pct	Random Inspection %		->>9.99	10
pti_rctpo_active	Active	Act	yes/no	
pti_rctpo_status	PO Rcpt Status	Status	x(8)	
pti_rctwo_active	Active	Act	yes/no	
pti_rctwo_status	WO Rcpt Status	Status	x(8)	
pti_rep_type	Replenishment Type	Rep Type	X(8)	
pti_same_days[10]	Same Day Window	Same Day! Window	>>,>>9	
pti_sample_pct	Sample %	Sample %	>>9	
pti_sample_qty	Sample Quantity	Sample Qty	->,>>>,>>9	
pti_shelflife	Shelf Life		->,>>>,>>>	
pti_single_trans	Single Put-Away Transactions	Single! Trans	yes/no	
pti_site_loc	Site Location	Site! Location	x(8)	
pti_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pti_user1	User Field Character 1		x(24)	
pti_user2	User Field character 2		x(24)	
pti_userd01	User Field Decimal 1		->>>>,>>>,>>9.99<<<<<<<<	10
pti_useri01	User Field Integer 1		->>>>>>>9	
pti_userl01	User Field Logical 1		yes/no	
pti_usert01	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pti_det	yes	oid_pti_det	yes	no
◊*	pti_oid_pt_mstr	yes	oid_pt_mstr	yes	no
			oid_si_mstr	yes	no
◊	pti_oid_si_mstr	yes	oid_si_mstr	yes	no
			oid_pt_mstr	yes	no

ptls_det

Item Lot/Serial Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptls_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptls__chr01			x(8)	
ptls__chr02			x(8)	
ptls__chr03			x(8)	
ptls__chr04			x(8)	
ptls__chr05			x(8)	
ptls__dec01			->>,>>9.99	10
ptls__dec02			->>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
ptls_assay	Assay %		>>9.99%	10
ptls_cmtindx	Comment Index		>>>>>>>9	
ptls_domain	Domain		x(8)	
ptls_expire	Expire Date	Expire	99/99/99	
ptls_grade	Grade		x(2)	
ptls_lotser	Lot/Serial		x(18)	
ptls_part	Item Number		x(18)	
ptls_ref	Ref	Reference	x(8)	
ptls_status	Inventory Status	Status	x(8)	
ptls_user1	Ufld1		x(8)	
ptls_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptls_det	yes	oid_ptls_det	yes	no
*	ptls_partlotr	yes	ptls_domain	yes	no
			ptls_part	yes	no
			ptls_lotser	yes	no
			ptls_ref	yes	no

ptp_det

Item Planning Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	
ptp__chr09			x(8)	
ptp__chr10			x(8)	
ptp__dec01			>>>,>>>,>>9.99	10
ptp__dec02			>>>,>>>,>>9.99	10
ptp__dte01			99/99/99	
ptp__dte02			99/99/99	
ptp__log01			yes/no	
ptp__log02			yes/no	
ptp__qad01			99/99/99	
ptp__qad02			>>>,>>9.9	0
ptp__qad03			>>9	
ptp__qad04			>>9	
ptp__qad05			>>9	
ptp_added	Added		99/99/99	
ptp_assay	Assay %		>>9.99%	10
ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
ptp_atp_family	Family ATP	Fam ATP	yes/no	
◊ ptp_atp_horizon	ATP Horizon	Horizon	>>>9	
ptp_batch	Batch Qty	Batch! Qty	>>,>>>,>>9.9<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	

	Field Name	Label	Col-Label	Format	Dec
	ptp_btb_type	EMT Type		xx	
	ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
	ptp_cfg_type	Configuration	Config	x(1)	
	ptp_cum_lead	Cum LT	Cum! LT	>>9	
	ptp_domain	Domain		x(8)	
	ptp_draw	Drawing		x(18)	
	ptp_drp_pct	DRP		>>9.9<%	10
	ptp_eco_pend	ECO Pending	ECO	yes/no	
	ptp_grade	Grade		x(2)	
	ptp_ins_lead	Ins LT	Ins! LT	>>9	
	ptp_ins_rqd	Inspect	Ins! Req	yes/no	
◊	ptp_insp_loc	Inspection Location	Inspect	x(8)	
	ptp_iss_pol	Issue Policy	Iss	yes/no	
	ptp_joint_type	Co/By Type	CT	x(1)	
	ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
	ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
	ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
	ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	10
	ptp_mod_date	Modified Date	Mod Date	99/99/99	
	ptp_ms	Master Sched	MS	yes/no	
	ptp_network	Network Code		x(18)	
	ptp_op_yield	Op Based Yield		yes/no	
	ptp_ord_max	Max Ord		>>,>>>,>>9	0
	ptp_ord_min	Min Ord		>>,>>>,>>9	0
	ptp_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
	ptp_ord_per	Order Period	Ord! Per	>>9	
	ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
	ptp_ord_qty	Order Qty		>>,>>>,>>9	10
	ptp_part	Item Number		x(18)	
	ptp_phantom	Phantom		yes/no	
	ptp_pick_logic	Pick Logic	Pick	-9	
	ptp_plan_ord	Plan Orders	Pln	yes/no	
	ptp_pm_code	Pur/Mfg	P/M	x(1)	
	ptp_po_site	PO Site		x(8)	
	ptp_pou_code	Point of Use Code		x(18)	
	ptp_pur_lead	Pur LT	Pur! LT	>>9	
	ptp_pur_pct	Purchased	Pur	>>9.9<%	10
	ptp_rev	Rev		x(4)	
	ptp_rollup	Rollup Reqd		yes/no	
	ptp_rollup_id	Rollup ID		x(8)	
	ptp_rop	Reorder Point	ROP	>>>,>>9	0
	ptp_routing	Routing Code		x(18)	
	ptp_run	Run Time	Run	>>>,>>9.999<<<<<<	10
	ptp_run_ll	Run LL		>>>,>>9.999<<<<<<	10
	ptp_run_seq1	Run Seq 1		x(8)	
	ptp_run_seq2	2	Run Seq 2	x(8)	
	ptp_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
	ptp_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10
	ptp_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
	ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
	ptp_site	Site		x(8)	
	ptp_timefnce	Time Fence		->>>9	
	ptp_trantype	Transport Type	Tran Type	x(8)	
	ptp_user1	Ufld1		x(8)	
	ptp_user2	Ufld2		x(8)	
	ptp_userid	User ID		x(8)	
	ptp_vend	Supplier		x(8)	

Field Name	Label	Col-Label	Format	Dec
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	10
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	10
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	10
ptp_yld_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptp_det	yes	oid_ptp_det	yes	no
	ptp_bom_code	no	ptp_domain	yes	no
			ptp_bom_code	yes	no
			ptp_part	yes	no
	ptp_network	no	ptp_domain	yes	no
			ptp_network	yes	no
			ptp_site	yes	no
			ptp_part	yes	no
*	ptp_part	yes	ptp_domain	yes	no
			ptp_part	yes	no
			ptp_site	yes	no
	ptp_routing	yes	ptp_domain	yes	no
			ptp_routing	yes	no
			ptp_part	yes	no
			ptp_site	yes	no
	ptp_site	yes	ptp_domain	yes	no
			ptp_site	yes	no
			ptp_part	yes	no

ptqa_det

Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptqa_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	
ptqa__dec01			->>,>>9.99	10
ptqa__dec02			->>,>>9.99	10
ptqa__log01			yes/no	
ptqa__log02			yes/no	
ptqa_cmtindx	Comment Index		>>>>>>>9	
ptqa_conf_pct	Confidence %	Conf %	>>9.9<%	10
ptqa_domain	Domain		x(8)	
ptqa_element	Analysis Element	Element	x(8)	
ptqa_interval	Confidence Interval	Conf Interval	>>>>,>>>,>>9.9<<<<<<<<<	10
ptqa_part	Item Number		x(18)	
ptqa_qty	Quantity		>>>>,>>>,>>9.9<<<<<<<<<	10
ptqa_um	UM		x(4)	
ptqa_user1	Ufld1		x(8)	
ptqa_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptqa_det	yes	oid_ptqa_det	yes	no
	ptqa_element	yes	ptqa_domain	yes	no
			ptqa_element	yes	no
			ptqa_part	yes	no
*	ptqa_part	yes	ptqa_domain	yes	no
			ptqa_part	yes	no
			ptqa_element	yes	no

◊ ptre_det

Item Replacement Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptre_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptre__qadc01			x(24)	
ptre__qadc02			x(24)	
ptre__qadd01			->>>>,>>>,>>9.99<<<<<<<<	10
ptre__qadi01			->>>>>>>9	
ptre__qadl01			yes/no	
ptre__qadt01			99/99/99	
ptre_auto_accept	Auto Accept		yes/no	
ptre_cmtindx	Comment Index	Comment	>>>>>>>9	
ptre_cust	Customer		x(8)	
ptre_default	Default		yes/no	
ptre_domain	Domain		x(8)	
ptre_eff_date	Eff Date		99/99/99	
ptre_end_date	End Eff Date	End Date	99/99/99	
ptre_include	Include	Inc	yes/no	
ptre_mod_date	Modified Date	Mod Date	99/99/99	
ptre_mod_userid	User ID		x(8)	
ptre_part	Item Number		x(18)	
ptre_pco	PCO Number	PCO	x(8)	
ptre_preference	Preference		>>>>>>>9	
ptre_qty	Quantity		->,>>>,>>9.9<<<<<<<<	10
ptre_ref	Reference		x(18)	
ptre_rep_part	Replacement Item		x(18)	
ptre_rep_qty	Replacement Qty		->,>>>,>>9.9<<<<<<<<	10
ptre_round_qty	Round Qty		x(8)	
ptre_site	Site		x(8)	
ptre_type	Type		x(8)	
ptre_user1	User Field Character 1		x(24)	
ptre_user2	User Field character 2		x(24)	
ptre_userd01	User Field Decimal 1		->>>>,>>>,>>9.99<<<<<<<<	10
ptre_useri01	User Field Integer 1		->>>>>>>9	
ptre_userl01	User Field Logical 1		yes/no	
ptre_usert01	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptre_det	yes	oid_ptre_det	yes	no
◊*	ptre_part	yes	ptre_domain	yes	no
			ptre_type	yes	no
			ptre_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ptre_site	yes	no
		ptre_cust	yes	no
		ptre_eff_date	yes	no
		ptre_rep_part	yes	no

ptr_det

Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptr__qadc01			x(8)	
ptr_appr_id	Approved By	Appr ID	x(8)	
ptr_apprdate	Approved Date	Approved	99/99/99	
ptr_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<<	10
ptr_bom_code	BOM/Formula		x(18)	
ptr_burden	Burden Cost		>>>>,>>>,>>9.99<<<	10
ptr_cmtindx	Comment Index	Comment	>>>>>>>9	
ptr_domain	Domain		x(8)	
ptr_end	End Effective	End Eff	99/99/99	
ptr_labor	Labor Cost		>>>>,>>>,>>9.99<<<	10
ptr_material	Material Cost		>>>>,>>>,>>9.99<<<	10
ptr_mod_date	Modified Date	Mod Date	99/99/99	
ptr_overhead	Overhead		>>>>,>>>,>>9.99<<<	10
ptr_part	Item Number		x(18)	
ptr_routing	Routing Code		x(18)	
ptr_site	Site		x(8)	
ptr_start	Start Effective	Start Eff	99/99/99	
ptr_subcontract	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
ptr_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
ptr_user1	Ufld1		x(8)	
ptr_user2	Ufld2		x(8)	
ptr_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptr_det	yes	oid_ptr_det	yes	no
	ptr_bom_code	no	ptr_domain	yes	no
			ptr_bom_code	yes	no
			ptr_part	yes	no
			ptr_site	yes	no
*	ptr_part	yes	ptr_domain	yes	no
			ptr_part	yes	no
			ptr_site	yes	no
			ptr_routing	yes	no
			ptr_bom_code	yes	no
			ptr_start	yes	no
	ptr_routing	no	ptr_domain	yes	no
			ptr_routing	yes	no
			ptr_part	yes	no
			ptr_site	yes	no

pts_det

Item Substitute Detail

Field Name	Label	Col-Label	Format	Dec
oid_pts_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pts__qadc01			x(8)	
pts_cmtindx	Comment Index	Index	>>>>>>>9	
pts_domain	Domain		x(8)	
pts_mod_date	Modified Date	Mod Date	99/99/99	
pts_par	Parent Item		x(18)	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	->>>,>>9.9<<<<<<	10
pts_rmks	Remarks		x(12)	
pts_sub_part	Substitute Item		x(18)	
pts_user1	Ufld1		x(8)	
pts_user2	Ufld2		x(8)	
pts_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pts_det	yes	oid_pts_det	yes	no
*	pts_det	yes	pts_domain	yes	no
			pts_part	yes	no
			pts_par	yes	no
			pts_sub_part	yes	no
	pts_par	yes	pts_domain	yes	no
			pts_par	yes	no
			pts_part	yes	no
			pts_sub_part	yes	no
	pts_sub_part	yes	pts_domain	yes	no
			pts_sub_part	yes	no
			pts_par	yes	no
			pts_part	yes	no

ptt_det

Item Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptt__qadc01			x(8)	
ptt_domain	Domain		x(8)	
ptt_mod_date	Modified Date	Mod Date	99/99/99	
ptt_part	Part		x(18)	
ptt_tax_type	Tax Type		x(3)	
ptt_taxable	Taxable		yes/no	
ptt_taxc	Tax Class	TxC	x(3)	
ptt_user1	Ufld1		x(8)	
ptt_user2	Ufld2		x(8)	
ptt_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptt_det	yes	oid_ptt_det	yes	no
*	ptt_part	yes	ptt_domain	yes	no
			ptt_part	yes	no
			ptt_tax_type	yes	no

ptv_det

Item Statistical Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ptv__chr01			x(8)	
ptv__dec01			->>>,>>>,>>9.99	10
ptv__log01			yes/no	
ptv__qad01			x(8)	
ptv__qad02			x(8)	
ptv__qad03			->>>,>>>,>>9.99	10
ptv__qad04			yes/no	
ptv_ctry_exp	Export Country	ExC	x(3)	
ptv_ctry_imp	Import Country	ImC	x(3)	
ptv_domain	Domain		x(8)	
ptv_part	Item Number		x(18)	
ptv_stat_value	Statistical Value	Stat Value	>>>>,>>>,>>9.99	10
ptv_user1	Ufld1		x(8)	
ptv_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ptv_det	yes	oid_ptv_det	yes	no
*	ptv_part	yes	ptv_domain	yes	no
			ptv_part	yes	no
			ptv_ctry_exp	yes	no
			ptv_ctry_imp	yes	no

pt_mstr

Item Master

Field Name	Label	Col-Label	Format	Dec
oid_pt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
pt__chr01			x(8)	
pt__chr02			x(8)	
pt__chr03			x(8)	
pt__chr04			x(8)	
pt__chr05			x(8)	
pt__chr06			x(8)	
pt__chr07			x(8)	
pt__chr08			x(8)	
pt__chr09			x(8)	
pt__chr10			x(8)	
pt__dec01			>>>,>>>,>>9.99	10
pt__dec02			>>>,>>>,>>9.99	10
pt__dte01			99/99/99	
pt__dte02			99/99/99	
pt__log01			yes/no	
pt__log02			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	pt__qad01			->,>>>,>>9.9<<<<<<<	10
	pt__qad02			->,>>>,>>9.9<<<<<<<	10
	pt__qad03			->>>,>>9.999	10
	pt__qad04			->>>,>>9.999	10
	pt__qad05			99/99/99	
	pt__qad06			99/99/99	
	pt__qad07			99/99/99	
	pt__qad08			99/99/99	
	pt__qad09			->,>>>,>>9.9<<<<<<<	10
	pt__qad10			->,>>>,>>9.9<<<<<<<	10
	pt__qad11			->,>>>,>>9.9<<<<<<<	10
	pt__qad12			>>>>9.9999<<<<	10
	pt__qad13	Incorp Rev	Inc! Rev	x(4)	
	pt__qad14			99/99/99	
	pt__qad15			yes/no	
	pt__qad16			>>>,>>9.9	0
	pt__qad17			yes/no	
	pt__qad18			>>>>,>>>,>>9.99<<<	10
	pt__qad19			>>>>,>>>,>>9.99<<<	10
	pt__qad20			>>>>,>>>,>>9.99<<<	10
	pt__qad21			>>>>,>>>,>>9.99<<<	10
	pt__qad22			yes/no	
	pt__qad23			>>9	
	pt__qad24			>>9	
	pt__qad25			>>9	
	pt__qad26			yes/no	
	pt_abc	ABC Class	ABC	x(1)	
	pt_abc_amt	ABC Value		->,>>>,>>9.9<<<<<<<	10
	pt_abc_qty	ABC Quantity		->,>>>,>>9.9<<<<<<<	10
	pt_added	Added		99/99/99	
	pt_app_owner	Owner Application		x(12)	
	pt_article	Article Number		x(18)	
	pt_assay	Assay %		>>9.99%	10
	pt_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
	pt_atp_family	Family ATP	Fam ATP	yes/no	
◊	pt_atp_horizon	ATP Horizon	Horizon	>>>9	
	pt_auto_lot	Auto Lot Numbers	Auto! Lot	yes/no	
	pt_avg_int	Avg Int	Avg! Int	>>9	
◊	pt_barcode1	Barcode 1	Barcode 1	x(24)	
◊	pt_barcode2	Barcode 2	Barcode 2	x(24)	
	pt_batch	Batch Qty		>>,>>>,>>9.9<<<<<<<	10
	pt_bom_code	BOM/Formula		x(18)	
	pt_break_cat	Price Break Cat		x(18)	
	pt_btb_type	EMT Type		xx	
	pt_buyer	Buyer/Planner	Buy! Pln	x(8)	
	pt_cfg_type	Configuration	Config	x(1)	
◊	pt_classification	Classification		x(12)	
	pt_comm_code	Commodity Code	Comm Code	x(8)	
	pt_cover	Coverage	CV	x(1)	
◊	pt_crit_days	Critical Days	Critical! Days	>>,>>9	
	pt_critical	Key Item		yes/no	
	pt_cum_lead	Cum LT	Cum! LT	>>9	
	pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
	pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
	pt_dea	DEA Controlled	DEA	yes/no	
	pt_desc1	Description		x(24)	
	pt_desc2	Description		x(24)	

	Field Name	Label	Col-Label	Format	Dec
◊	pt_destructive	Destructive	Destr	yes/no	
	pt_dim_um	Dimensns UM		x(2)	
	pt_domain	Domain		x(8)	
	pt_draw	Drawing		x(18)	
	pt_drp_pct	DRP		>>9.9<%	10
	pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
	pt_drwg_size	Drwg Size	DS	x(2)	
	pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
	pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
	pt_fiscal_class	Fiscal Class		x(18)	
	pt_formula	Formula		yes/no	
	pt_fr_class	Freight Class		x(8)	
	pt_fru	FRU		yes/no	
	pt_fsc_code	Service Category	Svc Cat	x(8)	
	pt_group	Group		x(8)	
	pt_hazard	Hazard		x(8)	
Δ	pt_height	Height		>>,>>9.9999	10
◊	pt_id_qty	ID Quantity	ID! Qty	>>>9	
	pt_ins_bom	Installation BOM	Ins BOM	X(18)	
	pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
	pt_ins_route	Installation Routing	Ins Route	X(18)	
◊	pt_insp_days	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
◊	pt_insp_freq	Insp Frequency	Insp Freq.	>>>>>>9	
	pt_insp_lead	Ins LT	Ins! LT	>>9	
◊	pt_insp_ref	Ref		yes/no	
◊	pt_insp_req	Inspection Required	Insp Req	yes/no	
	pt_insp_rqd	Inspect	Ins! Req	yes/no	
	pt_inst_call	Install		yes/no	
◊	pt_invent_days[10]	Days From Expiration/ Manufacture	Days From! Expire/! Manuf.	>>,>>9	
	pt_isb	Installed Base	Inst Base	yes/no	
	pt_iss_pol	Issue Policy	Iss	yes/no	
◊	pt_issue_method	Issue Method	Issue! Method	x(8)	
	pt_joint_type	Co/By Type	CT	x(1)	
	pt_last_eco	Last ECO		99/99/99	
Δ	pt_length	Length		>>,>>9.9999	10
	pt_ll_code	Low Level	Low Lvl	->>>>>9	
	pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
	pt_loc	Location		x(8)	
	pt_loc_type	Location Type	Loc Type	x(8)	
	pt_lot_grp	Lot Group		x(8)	
	pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
◊	pt_memo_type	Memo Order Type		x(1)	
	pt_meter_interval	Meter Interval		>>>>,>>>,>>9.99<<<	10
	pt_meter_um	Meter UM		X(2)	
	pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
	pt_mfg_mtbf	MFG MTBF		->>,>>9.99	10
	pt_mfg_mttr	MFG MTTR		->>,>>9.99	10
	pt_mfg_pct	Manufactured	Mfg	>>9.9<%	10
	pt_mod_date	Modified Date	Mod Date	99/99/99	
	pt_model	Model		x(18)	0
	pt_mrp	MRP Required	MRP Req	yes/no	
	pt_ms	Master Sched	MS	yes/no	
	pt_mtbf	MTBF		>>,>>9.99	10
	pt_mttr	MTTR		>>,>>9.99	10
	pt_net_wt	Net Weight		->>,>>9.99<<<<	10
	pt_net_wt_um	Net Weight UM	UM	x(2)	

	Field Name	Label	Col-Label	Format	Dec
	pt_network	Network Code		x(18)	
	pt_obs_date	Obsolete Date		99/99/99	
	pt_op_yield	Op Based Yield		yes/no	
◊	pt_opc_threshold	OPC Threshold		->>>,>>9.9<<<<<<	10
	pt_ord_max	Max Ord		>>,>>>,>>9	0
	pt_ord_min	Min Ord		>>,>>>,>>9	0
	pt_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
	pt_ord_per	Order Period	Ord! Per	>>9	
	pt_ord_pol	Order Policy	Ord! Pol	x(3)	
	pt_ord_qty	Order Qty		>>,>>>,>>9	10
	pt_origin	Country of Origin		x(12)	
	pt_part	Item Number		x(18)	
	pt_part_type	Item Type	Type	x(8)	
	pt_phantom	Phantom		yes/no	
	pt_pick_logic	Pick Logic	Pick	-9	
	pt_pkg_code	Pkg Code		x(18)	
	pt_plan_ord	Plan Orders	Pln	yes/no	
	pt_pm_code	Pur/Mfg	P/M	x(1)	
	pt_pm_mrp	Need PM MRP		yes/no	
	pt_po_site	PO Site		x(8)	
◊	pt_pop_code	Popularity		X(8)	
	pt_pou_code	Point of Use Code		x(18)	
	pt_price	Price		>>>>,>>>,>>9.99<<<	10
◊	pt_print_id	Print ID	Print! ID	yes/no	
	pt_prod_line	Prod Line	Line	x(4)	
	pt_promo	Promotion Group		x(10)	
	pt_pur_lead	Pur LT	Pur! LT	>>9	
	pt_pur_pct	Purchased	Pur	>>9.9<%	10
	pt_pvm_bom	PM BOM		x(18)	
	pt_pvm_days	Days Between PM	PM Days	>>>>9	
	pt_pvm_route	PM Routing		x(18)	
	pt_pvm_um	UM		x(2)	
	pt_qc_lead	QC LT		>>9	
◊	pt_random_insp_pct	Random Inspection %		->>9.99	10
	pt_rctpo_active	Active	Act	yes/no	
	pt_rctpo_status	PO Rcpt Status	Status	x(8)	
	pt_rctwo_active	Active	Act	yes/no	
	pt_rctwo_status	WO Rcpt Status	Status	x(8)	
◊	pt_rep_type	Replenishment Type	Rep Type	X(8)	
	pt_repairable	Repairable		yes/no	
	pt_rev	Rev		x(4)	
	pt_rollup	Rollup Reqd		yes/no	
	pt_rollup_id	Rollup ID		x(8)	
	pt_rop	Reorder Point	ROP	>>>,>>9	0
	pt_routing	Routing Code		x(18)	
	pt_rp_bom	Repair BOM		x(18)	
	pt_rp_route	Repair Routing		x(18)	
	pt_rp_vendor	Repair Supplier		x(8)	
	pt_run	Run Time	Run	>>>,>>9.999<<<<<<	10
	pt_run_ll	Run LL		>>>,>>9.999<<<<<<	10
	pt_run_seq1	Run Seq 1		x(8)	
	pt_run_seq2	2	Run Seq 2	x(8)	
◊	pt_same_days[10]	Same Day Window	Same Day! Window	>>,>>9	
◊	pt_sample_pct	Sample %	Sample %	>>9	
◊	pt_sample_qty	Sample Quantity	Sample Qty	->,>>>,>>9	
	pt_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
	pt_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	pt_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
	pt_sfty_time	Safety Time	Safety! Time	>>9	0
◊	pt_shelf_offset	Shelf Life Offset	Shelf Life! Offset	>>,>>9	
	pt_shelflife	Shelf Life		->,>>>,>>>	
	pt_ship_wt	Ship Weight		->>,>>9.99<<<<	10
	pt_ship_wt_um	Ship Weight UM	UM	x(2)	
◊	pt_single_trans	Single Put-Away Transactions	Single! Trans	yes/no	
	pt_site	Site		x(8)	
	pt_size	Size		->>,>>9.99	10
	pt_size_um	Size UM	UM	x(2)	
	pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
	pt_spec_grav	Specific Gravity	Spec Grav	>>,>>9.9<<<	10
	pt_spec_hdlg	Special Handling Code		x(8)	
	pt_status	Status	St	x(8)	
	pt_std_date	Std Cost Update		99/99/99	
	pt_sttr	STTR		->>,>>9.99	10
	pt_svc_group	Service Group	Svc Grp	x(8)	
	pt_svc_type	Service Type	Ser Type	x(2)	0
	pt_sys_type	System Type		x(2)	
	pt_tariff	Tariff		x(8)	
	pt_taxable	Tax		yes/no	
	pt_taxc	Tax Class	TxC	x(3)	
	pt_timefence	Time Fence		->>>9	
	pt_trace_active	Trace Active		yes/no	
	pt_trace_detail	Trace Detail		yes/no	
	pt_transtype	Transport Type	Tran Type	x(8)	
	pt_um	UM		x(2)	
◊	pt_um_group	UM Group		x(8)	
	pt_unit_isb	Isb Unit Quantity		yes/no	
	pt_upc	UPC		x(12)	
	pt_user1	Ufld1		x(8)	
	pt_user2	Ufld2		x(8)	
	pt_user3	User3		x(8)	
	pt_userid	User ID		x(8)	
	pt_ven_warr	Supplier Warranty	Supp|Warr	yes/no	
	pt_vend	Supplier		x(8)	
	pt_warr_cd	Warranty Code	Warr Cd	x(8)	
	pt_wh	Warehoused Item	WH	yes/no	
◊	pt_whse_part_type	Warehouse Item Type	Warehouse! Item Type	x(8)	
Δ	pt_width	Width		>>,>>9.9999	10
	pt_wks_avg	Average Weeks of Coverage	Avg! Cover	>>9.9	10
	pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	10
	pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	10
	pt_xbdn_ll	Cur Burden LL		>>>>,>>>,>>9.99<<<	10
	pt_xbdn_stdll	Std Burden LL		>>>>,>>>,>>9.99<<<	10
	pt_xbdn_stdtl	Std Burden TL		>>>>,>>>,>>9.99<<<	10
	pt_xbdn_tl	Cur Burden TL		>>>>,>>>,>>9.99<<<	10
	pt_xlbr_ll	Cur Labor LL		>>>>,>>>,>>9.99<<<	10
	pt_xlbr_stdll	Std Lbr LL		>>>>,>>>,>>9.99<<<	10
	pt_xlbr_stdtl	Std Labor TL		>>>>,>>>,>>9.99<<<	10
	pt_xlbr_tl	Cur Labor TL		>>>>,>>>,>>9.99<<<	10
	pt_xmtl_ll	Cur Matl LL		>>>>,>>>,>>9.99<<<	10
	pt_xmtl_stdll	Std Mtl LL		>>>>,>>>,>>9.99<<<	10
	pt_xmtl_stdtl	Std Matl TL		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pt_xmtl_tl	Cur Matl TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>,>>>,>>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>,>>>,>>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>,>>>,>>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>,>>>,>>9.99<<<	10
pt_xsub_tl	Cur Sub TL		>>>>,>>>,>>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>,>>>,>>9.99<<<	10
pt_xtot_std	Std Total		>>>>,>>>,>>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pt_mstr	yes	oid_pt_mstr	yes	no
◊	pt_barcode1	no	pt_domain	yes	no
			pt_barcode1	yes	no
◊	pt_barcode2	no	pt_domain	yes	no
			pt_barcode2	yes	no
	pt_bom_code	no	pt_domain	yes	no
			pt_bom_code	yes	no
			pt_part	yes	no
	pt_desc	yes	pt_domain	yes	no
			pt_desc1	yes	no
			pt_desc2	yes	no
			pt_part	yes	no
	pt_group	yes	pt_domain	yes	no
			pt_group	yes	no
			pt_part	yes	no
	pt_ll_mrp_pt	yes	pt_domain	yes	no
			pt_ll_code	yes	no
			pt_mrp	yes	no
			pt_part	yes	no
	pt_model	no	pt_domain	yes	no
			pt_model	yes	no
	pt_network	no	pt_domain	yes	no
			pt_network	yes	no
			pt_part	yes	no
*	pt_part	yes	pt_domain	yes	no
			pt_part	yes	no
	pt_part_type	yes	pt_domain	yes	no
			pt_part_type	yes	no
			pt_part	yes	no
	pt_pm_mrp	no	pt_domain	yes	no
			pt_pm_mrp	yes	no
			pt_part	yes	no
	pt_prod_part	yes	pt_domain	yes	no
			pt_prod_line	yes	no
			pt_part	yes	no
	pt_pvm_bom	no	pt_domain	yes	no
			pt_pvm_bom	yes	no
			pt_part	yes	no
	pt_routing	yes	pt_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		pt_routing	yes	no
		pt_part	yes	no
pt_svc_group	no	pt_domain	yes	no
		pt_svc_group	yes	no

◊ **PurchaseCode** Purchase Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
PurchaseCode			x(20)	
PurchaseCode_ID			9999999999	
PurchaseCodeDescription			x(40)	
PurchaseCodeIsActive			yes/no	
PurchaseCodeType			x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Active	no	PurchaseCodeIsActive	yes	no
◊*	Prim	yes	PurchaseCode_ID	yes	no
◊	PurchaseCode	yes	PurchaseCode	yes	no
◊	PurchaseType	no	PurchaseCodeType	yes	no
◊	ViewIndex	no	PurchaseCodeIsActive	yes	no
			PurchaseCode	yes	no

◊ **PurchaseGLMatrix** Purchase GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostCentreGL_ID			9999999999	
CreditorPurchaseCode_ID			9999999999	
ItemPurchaseCode_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
NoAnalysisGL_ID			9999999999	
ProjectGL_ID			9999999999	
PurchaseGLMatrix_ID			9999999999	
SharedSet_ID			9999999999	
StockMovementGL_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CostCentreGL	no	CostCentreGL_ID	yes	no
◊	CredItemSet	yes	SharedSet_ID	yes	no
			CreditorPurchaseCode_ID	yes	no
			ItemPurchaseCode_ID	yes	no
◊	CredPurch	no	CreditorPurchaseCode_ID	yes	no
◊	ItemPurch	no	ItemPurchaseCode_ID	yes	no
◊	NoAnalysisGL	no	NoAnalysisGL_ID	yes	no
◊*	Prim	yes	PurchaseGLMatrix_ID	yes	no
◊	ProjectGL	no	ProjectGL_ID	yes	no
◊	SharedSet	no	SharedSet_ID	yes	no

◊ **PurchaseType** Purchase Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PurchaseType_ID	Record ID	Record ID	9999999999	
PurchaseTypeCode	Purchase Type	Purchase Type	x(4)	
PurchaseTypeDescription	Description	Description	x(40)	
PurchaseTypeIsActive	Active	Active	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	PurchaseTypeCode	yes	no
◊*	Prim	yes	PurchaseType_ID	yes	no
◊	ViewIndex	yes	PurchaseTypeIsActive	yes	no
			PurchaseTypeCode	yes	no

pvod_det

Pending Voucher Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_pvod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pvod__qadc01			x(24)	
	pvod__qadc02			x(24)	
	pvod__qadc03			x(24)	
	pvod__qadc04			x(24)	
	pvod__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	pvod_accrual_acct	Accrual Account	Accrual! Account	x(8)	
	pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
	pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
	pvod_accrued_amt	Accrued Amount		->>>>,>>>,>>9.99<	10
◊	pvod_bdn_std	Item Burden Cost	Item Burden	->>>,>>>,>>9.99<<<	10
	pvod_channel	Channel		x(8)	
◊	pvod_cinvoice_id	Invoice ID		9999999999	
	pvod_cost_update	Update Current Cost		yes/no	
	pvod_domain	Domain		x(8)	
◊	pvod_eff_date	Effective Date	Eff Date	99/99/99	
◊	pvod_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
◊	pvod_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
◊	pvod_ex_ratetype	Rate Type		x(8)	
◊	pvod_exru_seq	Sequence		>>>>>>>>9	
	pvod_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
	pvod_id_line	Line	Ln	>>>>>>>9	
	pvod_internal_ref	Internal Reference		x(20)	
	pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
◊	pvod_last_voucher	Supplier Invoice		x(22)	
◊	pvod_lbr_std	Item Labor Cost	Item Labor	->>>,>>>,>>9.99<<<	10
	pvod_mod_date	Modified Date	Mod Date	99/99/99	
	pvod_mod_userid	User ID		x(8)	
◊	pvod_mtl_std	Item Material Cost	Item Material	->>>,>>>,>>9.99<<<	10
	pvod_order	Order		x(8)	
	pvod_order_line	Order Line	Ln	>>9	
	pvod_order_type	Order Type	Order! Type	x(2)	
◊	pvod_ovh_std	Item Overhead Cost	Item Overhead	->>>,>>>,>>9.99<<<	10
	pvod_part	Item Number	Item	x(18)	
	pvod_project	Project		x(8)	
◊	pvod_pur_cost	PO Cost		->,>>>,>>>,>>9.99<<<	10
◊	pvod_pur_std	Item PO Cost		->>>,>>>,>>9.99<<<	10
	pvod_shipfrom	Ship-From		x(8)	
	pvod_shipto	Ship-To		x(8)	
◊	pvod_sub_std	Item Subcontract Cost	Item Subcontract	->>>,>>>,>>9.99<<<	10
	pvod_tax_env	Tax Environment	Tax Env	x(16)	
	pvod_tax_in	Tax In	Tax! In	yes/no	
	pvod_tax_usage	Tax Usage	TaxUsage	x(8)	
	pvod_taxable	Taxable	Tax	yes/no	

	Field Name	Label	Col-Label	Format	Dec
	pvod_taxc	Tax Class	TxC	x(3)	
◊	pvod_trans_date	Transaction Date	Trans Date	99/99/99	
◊	pvod_trans_qty	Transaction Qty	Trans Qty	->>,>>>,>>9.9<<<<<<<<<	10
	pvod_user1	User Field Character 1		x(24)	
	pvod_user2	User Field Character 2		x(24)	
	pvod_vouchered_amt	Vouchered Amount		->>>>,>>>,>>9.99<	10
◊	pvod_vouchered_qty	Vouchered Qty	Vouchered Qty	->>,>>>,>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pvod_det	yes	oid_pvod_det	yes	no
*	pvod_id	yes	pvod_domain	yes	no
			pvod_id	yes	no
			pvod_id_line	yes	no

pvo_mstr

Pending Voucher Master

	Field Name	Label	Col-Label	Format	Dec
	oid_pvo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	pvo__qadc01			x(24)	
	pvo__qadc02			x(24)	
	pvo__qadc03			x(24)	
Δ	pvo__qadc04			x(24)	
	pvo__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	pvo__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	pvo__qadd03			->>>>,>>>,>>9.9<<<<<<<<<	10
Δ	pvo__qadi01			->>>>>>>>9	
	pvo_accrual_acct	Accrual Account	Accrual! Account	x(8)	
	pvo_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(4)	
	pvo_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(8)	
	pvo_accrued_amt	Accrued Amount		->>>>,>>>,>>9.99<	10
	pvo_approver	Approved By	Approved	x(8)	
	pvo_buyer	Buyer		x(8)	
◊	pvo_cinvoice_id	Invoice ID		9999999999	
	pvo_consignment	Consignment		yes/no	
	pvo_cost_update	Update Current Cost		yes/no	
	pvo_curr	Currency	Cur	x(3)	
	pvo_domain	Domain		x(8)	
	pvo_eff_date	GL Effective Date	Effective	99/99/99	
	pvo_ers_opt	ERS Option	ERS! Opt	>9	
	pvo_ers_price_lst_opt	ERS Price List Option	ERS! PLO	>9	
	pvo_ers_status	ERS Status	ERS! St	>9	
	pvo_external_ref	External Reference	External! Ref	x(20)	
	pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
	pvo_internal_ref	Internal Reference	Internal! Ref	x(20)	
	pvo_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(2)	
Δ	pvo_last_voucher	Voucher		x(22)	
	pvo_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
	pvo_line	Line	Ln	>>9	
	pvo_mod_date	Modified Date	Mod Date	99/99/99	
	pvo_mod_userid	User ID		x(8)	
	pvo_order	Order		x(8)	

Field Name	Label	Col-Label	Format	Dec
pvo_order_type	Order Type	Order! Type	x(2)	
pvo_part	Item Number	Item	x(18)	
pvo_project	Project		x(8)	
pvo_shipfrom	Ship-From		x(8)	
pvo_shipto	Ship-To		x(8)	
pvo_supplier	Supplier		x(8)	
pvo_tax_env	Tax Environment	Tax Env	x(16)	
pvo_tax_in	Tax In		yes/no	
pvo_tax_usage	Tax Usage	TaxUsage	x(8)	
pvo_taxable	Taxable		yes/no	
pvo_taxc	Tax Class	TxC	x(3)	
pvo_trans_date	Transaction Date	Transaction	99/99/99	
pvo_trans_qty	Transaction Qty	Trans Qty	->>,>>>,>>9.9<<<<<<<<<	10
pvo_user1	User Field Character 1		x(24)	
pvo_user2	User Field Character 2		x(24)	
pvo_vouchered_amt	Vouchered Amt		->>>>,>>>,>>9.99<	10
pvo_vouchered_qty	Vouchered Qty		->>,>>>,>>9.9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_pvo_mstr	yes	oid_pvo_mstr	yes	no
	pvo_ers	no	pvo_domain	yes	no
			pvo_ers_status	yes	no
			pvo_lc_charge	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
*	pvo_id	yes	pvo_domain	yes	no
			pvo_id	yes	no
	pvo_internal_ref	no	pvo_domain	yes	no
			pvo_internal_ref	yes	no
	pvo_logistics_charge	no	pvo_domain	yes	no
			pvo_lc_charge	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
			pvo_external_ref	yes	no
	pvo_order	no	pvo_domain	yes	no
			pvo_order	yes	no
			pvo_internal_ref	yes	no
			pvo_line	yes	no
	pvo_supplier	no	pvo_domain	yes	no
			pvo_supplier	yes	no
			pvo_last_voucher	yes	no
			pvo_lc_charge	yes	no
	pvo_trans_date	no	pvo_domain	yes	no
			pvo_trans_date	yes	no

qaddb_ctrl Database Control for QADDB

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qaddb__qadc01			x(24)	
qaddb__qadc02			x(24)	
qaddb_index1	Index		>>>>>9	
qaddb_mod_date	Modified Date	Mod Date	99/99/99	
qaddb_mod_userid	User ID		x(8)	
qaddb_oid_code	OID Generator Code		>>>>>>>>>9	
qaddb_oid_regid	OID Registration ID		>>>>>>>>>9.9<<<<<<<<<	10
qaddb_server_timezone	Server Time Zone		x(8)	
qaddb_user1	User Field Character 1		x(24)	
qaddb_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_qaddb_ctrl	yes	oid_qaddb_ctrl	yes	no
*	qaddb_index1	yes	qaddb_index1	yes	no

◊ qaddb_ver Table name identifies the database type.

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ver	OID		>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qaddb_ver_001_0004	Schema Version		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	oid_qaddb_ver	yes	oid_qaddb_ver	yes	no

qad_wkfl QAD Work Table

Field Name	Label	Col-Label	Format	Dec
oid_qad_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qad__qadc01			x(8)	
qad_charfld[15]			x(8)	
qad_charfld1[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->>,>>9.99	10
qad_domain	Domain		x(8)	
qad_intfld[15]			->,>>>,>>9	
qad_key1			x(8)	
qad_key2			x(8)	
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	

Field Name	Label	Col-Label	Format	Dec
qad_key6			x(8)	
qad_logfld[15]			yes/no	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qad_wkfl	yes	oid_qad_wkfl	yes	no
*	qad_index1	yes	qad_domain	yes	no
			qad_key1	yes	no
			qad_key2	yes	no
	qad_index2	no	qad_domain	yes	no
			qad_key3	yes	no
			qad_key4	yes	no
	qad_index3	no	qad_domain	yes	no
			qad_key5	yes	no
			qad_key6	yes	no

qcc_ctrl

Quality Order Control

Field Name	Label	Col-Label	Format	Dec
oid_qcc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
qcc__qadc01			x(8)	
qcc__qadi01			->>>>>>>9	
qcc_auto_nbr	Auto Order Numbers		yes/no	
qcc_domain	Domain		x(8)	
qcc_inspect	Inspection Location		x(8)	
qcc_lot	Next Batch		>>>>>>>9	
qcc_nbr	Next Order Number		>>>>>>>9	
qcc_rcmmts	Procedure Comments		yes/no	
qcc_site	Inspection Site		x(8)	
qcc_user1	Ufld1		x(8)	
qcc_user2	Ufld2		x(8)	
qcc_wcmmts	Quality Order Comments		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcc_ctrl	yes	oid_qcc_ctrl	yes	no
*	qcc_index1	yes	qcc_domain	yes	no

qcd_det

Quality Control Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_qcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
qcd__chr01			x(8)	
qcd__chr02			x(8)	
qcd__chr03			x(8)	
qcd__chr04			x(8)	

Field Name	Label	Col-Label	Format	Dec
qcd__chr05			x(8)	
qcd__dec01			>>>,>>>,>>9.99	10
qcd__dec02			>>>,>>>,>>9.99	10
qcd__dte01			99/99/99	
qcd__dte02			99/99/99	
qcd__log01			yes/no	
qcd_cmtindx	Comment Index	Comment	>>>>>>>9	
qcd_domain	Domain		x(8)	
qcd_iss_date	Issue Date	Iss Date	99/99/99	
qcd_lot	Batch		x(8)	
qcd_nbr	Quality Order		x(18)	
qcd_op	Operation	Op	>>>>>>	
qcd_part	Item Number		x(18)	
qcd_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
qcd_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
qcd_user1	Ufld1		x(8)	
qcd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcd_det	yes	oid_qcd_det	yes	no
*	qcd_det	yes	qcd_domain	yes	no
			qcd_lot	yes	no
			qcd_part	yes	no
			qcd_op	yes	no
	qcd_nbrpart	no	qcd_domain	yes	no
			qcd_nbr	yes	no
			qcd_lot	yes	no
			qcd_part	yes	no
	qcd_part	no	qcd_domain	yes	no
			qcd_part	yes	no

qcs_mstr Quality Sampling Pattern Master

Field Name	Label	Col-Label	Format	Dec
oid_qcs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qcs__chr01			x(8)	
qcs__chr02			x(8)	
qcs__chr03			x(8)	
qcs__chr04			x(8)	
qcs__chr05			x(8)	
qcs_days	Days to Expire	Expire	>>>9	
qcs_domain	Domain		x(8)	
qcs_lot_int	Lot Interval	Interval	>>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qcs_mstr	yes	oid_qcs_mstr	yes	no
*	qcs_part	yes	qcs_domain	yes	no
			qcs_part	yes	no

qc_mstr

Quality Control Order Master

Field Name	Label	Col-Label	Format	Dec
oid_qc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
qc__chr01			x(8)	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>,>>>,>>9.99	10
qc__dec02			>>>,>>>,>>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc__log01			yes/no	
qc_autoissue	Auto Issue		yes/no	
qc_cmtindx	Comment Index	Comment	>>>>>>>9	
qc_domain	Domain		x(8)	
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->,>>>,>>9	10
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->,>>>,>>9.9<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->,>>>,>>9.9<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->,>>>,>>9.9<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qc_mstr	yes	oid_qc_mstr	yes	no
	qc_due_part	no	qc_domain	yes	no
			qc_due_date	yes	no
			qc_part	yes	no
			qc_site	yes	no
	qc_lot	yes	qc_domain	yes	no
			qc_lot	yes	no
*	qc_nbr	yes	qc_domain	yes	no
			qc_nbr	yes	no
			qc_lot	yes	no
	qc_part	no	qc_domain	yes	no
			qc_part	yes	no
			qc_site	yes	no
			qc_due_date	yes	no
	qc_type_nbr	yes	qc_domain	yes	no
			qc_type	yes	no
			qc_nbr	yes	no
			qc_lot	yes	no

qob_det

Sales Quotation Configuration Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_qob_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qob__qadc01			x(8)	
qob_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
qob_cfg_type	Configuration	Config	x(1)	
qob_cmtindx	Comment Index	Comment	>>>>>>>9	
qob_domain	Domain		x(8)	
qob_feature	Feature		x(12)	
qob_iss_date	Issue Date	Iss Date	99/99/99	
qob_line	Line		>>9	
qob_loc	Location		x(8)	
qob_nbr	Quote		x(8)	
qob_parent	Parent Item		x(18)	
qob_part	Item Number		x(18)	
qob_price	Price		>>>>,>>>,>>9.99<<<	10
qob_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
qob_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
qob_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
qob_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
qob_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
qob_serial	Lot/Serial		x(18)	
qob_site	Site		x(8)	
qob_tot_std	List Price		->>>,>>9.999	10
qob_user1	Ufld1		x(8)	
qob_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qob_det	yes	oid_qob_det	yes	no
*	qob_det	yes	qob_domain	yes	no
			qob_nbr	yes	no
			qob_line	yes	no
			qob_feature	yes	no
			qob_part	yes	no
	qob_part	yes	qob_domain	yes	no
			qob_part	yes	no
			qob_nbr	yes	no
			qob_line	yes	no
			qob_feature	yes	no

qoc_ctrl Sales Quotation Control

Field Name	Label	Col-Label	Format	Dec
oid_qoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qoc__qad01			>>>>>>9	
qoc__qadi01			->>>>>>>9	
qoc_company	Company Address		x(8)	
qoc_days	Days Until Expire		>>>>>9	
qoc_domain	Domain		x(8)	
qoc_ex_ratetype	Rate Type		x(8)	
qoc_fob	F.O.B.		x(20)	
qoc_fr_by_site	Calculate Freight by Site		yes/no	
qoc_hcmmts	Quote Header Comments		yes/no	
qoc_lcmmts	Quote Line Comments		yes/no	
qoc_ln_fmt	Ln Format S/M		single/multi	
qoc_pc_line	Price by QO Line Due Date		yes/no	
qoc_pl_req	Price List Required		yes/no	
qoc_print	Are Quotes Printed		yes/no	
qoc_pt_req	Price Table Required		yes/no	
qoc_qo	Next Quote		>>>>>>>9	
qoc_qo_pre	Quote Prefix	Pre	x(3)	
qoc_user1	Ufld1		x(8)	
qoc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qoc_ctrl	yes	oid_qoc_ctrl	yes	no
*	qoc_index1	yes	qoc_domain	yes	no

qodr_det

Sales Quotation Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_qodr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qodr__qadc01			x(8)	
qodr__qadc02			x(8)	
qodr__qadc03			x(8)	
qodr__qadd01			->>>>,>>>,>>9.9	10
qodr__qadd02			->>>>,>>>,>>9.9	10
qodr__qadi01			->,>>>,>>9	
qodr__qadi02			->,>>>,>>9	
qodr__qadl01			yes/no	
qodr__qadl02			yes/no	
qodr__qadt01			99/99/99	
qodr__qadt02			99/99/99	
qodr_div	Division		X(8)	
qodr_domain	Domain		x(8)	
qodr_group	Group		X(8)	
qodr_line	Line		>>9	
qodr_nbr	Quote		X(8)	
qodr_pricing	Pricing		>9	
qodr_seq	Sequence		>>9	
qodr_type	Type		>>>9	
qodr_user1	Ufld1		x(8)	
qodr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qodr_det	yes	oid_qodr_det	yes	no
*	qodr_nbrln_seq	yes	qodr_domain	yes	no
			qodr_nbr	yes	no
			qodr_line	yes	no
			qodr_seq	yes	no
	qodr_type	no	qodr_domain	yes	no
			qodr_type	yes	no

qod_det

Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
oid_qod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qod__chr01	Price List	List	x(8)	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>,>>>,>>9.99	10
qod__dec02			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
qod__dte01			99/99/99	
qod__dte02			99/99/99	
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	
qod_abnormal	Abnormal Demand	Abnormal	yes/no	
qod_acct	Sales Acct	Sales	x(8)	
qod_bonus	Bonus Stock Line		yes/no	
qod_cc	Cost Ctr	CC	x(4)	
qod_cfg_type	Configuration	Config	x(1)	
qod_cmtindx	Comment Index	Comment	>>>>>>>9	
qod_comm_pct[2]	Commission	Comm%	>>9.99%	10
qod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
qod_custpart	Customer Item		x(30)	
qod_desc	Description		x(24)	
qod_disc_pct	Disc %		->>9.99%	10
qod_div	Division		x(8)	
qod_domain	Domain		x(8)	
qod_dsc_acct	Disc Acct		x(8)	
qod_dsc_cc	Disc CC	CC	x(4)	
qod_dsc_project	Disc Project		x(8)	
qod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
qod_due_date	Due Date	Due	99/99/99	
qod_fa_nbr	Final Assy	FAS	x(8)	
qod_fix_pr	Fixed Price		yes/no	
qod_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
qod_fr_class	Freight Class		x(8)	
qod_fr_list	Freight List	Frt List	x(8)	
qod_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
qod_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
qod_fr_wt_um	UM		x(2)	
qod_fst_list	FST on List		yes/no	
qod_fst_rate	FST Rate	Rate	->>9%	10
qod_fst_tax	FST Tax		->>,>>>,>>9.99	10
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
qod_manual_fr_list	Manual Fr List		yes/no	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>,>>>,>>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodline	Product Line	Line	x(4)	
qod_project	Project		x(8)	
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->>,>>>,>>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->,>>>,>>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->,>>>,>>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>,>>>,>>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qod_det	yes	oid_qod_det	yes	no
	qod_fr_list	no	qod_domain	yes	no
			qod_nbr	yes	no
			qod_fr_list	yes	no
*	qod_nbrln	yes	qod_domain	yes	no
			qod_nbr	yes	no
			qod_line	yes	no
	qod_part	yes	qod_domain	yes	no
			qod_part	yes	no
			qod_nbr	yes	no
			qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_qor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qor__qadc01			x(8)	
qor__qadc02			x(8)	
qor__qadc03			x(8)	
qor__qadd01			->>>>,>>>,>>9.9	10
qor__qadd02			->>>>,>>>,>>9.9	10
qor__qadi01			->,>>>,>>9	
qor__qadi02			->,>>>,>>9	
qor__qadl01			yes/no	
qor__qadl02			yes/no	
qor__qadt01			99/99/99	
qor__qadt02			99/99/99	
qor_div	Division		X(8)	
qor_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
qor_group	Group		X(8)	
qor_nbr	Quote		X(8)	
qor_pricing	Pricing		>9	
qor_seq	Sequence		>>9	
qor_type	Type		>>>9	
qor_user1	Ufld1		x(8)	
qor_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qor_mstr	yes	oid_qor_mstr	yes	no
*	qor_nbr_seq	yes	qor_domain	yes	no
			qor_nbr	yes	no
			qor_seq	yes	no
	qor_type	no	qor_domain	yes	no
			qor_type	yes	no

qo_mstr

Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
oid_qo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>,>>>,>>9.99	10
qo__dec02			>>>,>>>,>>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	10
qo__qad02			-z,zzz,zzz,zz9.99	10
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	10
qo__qad04			>	
qo__qad05[2]			>>9.9<<	10
qo_app_owner	Owner Application		x(12)	
qo_ar_acct	AR Account	AR	x(8)	
qo_ar_cc	Cost Ctr	CC	x(4)	
qo_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
qo_bank	Bank		x(2)	
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	
qo_cartons	Cartons		->,>>>,>>9	
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	10

	Field Name	Label	Col-Label	Format	Dec
	qo_confirm	Confirm Date	Confirm	99/99/99	
	qo_cr_card	Credit Card	Card	x(2)	
	qo_cr_init	Cr Initials	Initials	x(3)	
	qo_cr_terms	Credit Terms	Terms	x(8)	
	qo_curr	Currency	Curr	x(3)	
	qo_cust	Sold-To		x(8)	
	qo_cycle	Cycle Code	Cy	x(2)	
◊	qo_daybookset	Daybook Set	Dybk Set	x(8)	
Δ	qo_disc_pct	Disc %		->>9.99%	10
	qo_div	Division		x(8)	
	qo_domain	Domain		x(8)	
	qo_due_date	Due Date	Due	99/99/99	
	qo_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	qo_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	qo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	qo_ex_ratetype	Rate Type		x(8)	
	qo_exp_date	Expires		99/99/99	
	qo_exru_seq	Sequence		>>>>>>>>9	
	qo_fix_rate	Fixed Rate	Fixed	yes/no	
	qo_flw_date	Follow-up		99/99/99	
	qo_fob	FOB Point		x(20)	
	qo_fr_list	Freight List	Frt List	x(8)	
	qo_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
	qo_fr_terms	Freight Terms	Fr Terms	x(8)	
	qo_fst_id	FST ID		x(18)	
	qo_inv_mthd	Invoicing Method		x(1)	
	qo_lang	Language	Lang	x(2)	
	qo_manual_fr_terms	Manual Fr Terms		yes/no	
	qo_nbr	Quote		x(8)	
	qo_ord_date	Quote Date	Quote	99/99/99	
	qo_partial	Partial OK	Partial	yes/no	
	qo_po	Purchase Order		x(20)	
	qo_pr_list	Manual	Disc Tbl	x(8)	
	qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
	qo_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
	qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
	qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
	qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
	qo_print_pl	Print Pack List	Print Pack	yes/no	
	qo_print_qo	Print Quote	Print QT	yes/no	
	qo_project	Project		x(8)	
	qo_pst	PST		yes/no	
	qo_pst_id	PST ID		x(18)	
	qo_pst_pct	PST Pct		->9.99<%	10
	qo_recur	Recurring	Rec	yes/no	
	qo_rel_cnt	Release Count	Cnt	>>9	
	qo_rel_date	Release Date	Release	99/99/99	
	qo_release	Release	Rel	yes/no	
	qo_req_date	Required Date	Required	99/99/99	
	qo_rev	Revision	Rev	>>9	
	qo_rmks	Remarks		x(40)	
	qo_ship	Ship-To		x(8)	
	qo_ship_date	Ship Date		99/99/99	
	qo_shipvia	Ship Via		x(20)	
	qo_site	Site		x(8)	
	qo_size	Size		->,>>>,>>9.9<<<<<<<<	10
	qo_size_um	Size UM	UM	x(2)	

Field Name	Label	Col-Label	Format	Dec
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_so_nbr	Last Sales Order	Lst Ordr	x(8)	
qo_source	Order Source	Source	x(8)	
qo_stat	Action Status	St	x(2)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	10
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>,>>>,>>9.9999	10
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qo_mstr	yes	oid_qo_mstr	yes	no
	qo_cust	no	qo_domain	yes	no
			qo_cust	yes	no
*	qo_nbr	yes	qo_domain	yes	no
			qo_nbr	yes	no
	qo_print_qo	no	qo_domain	yes	no
			qo_print_qo	yes	no
	qo_release	no	qo_domain	yes	no
			qo_release	yes	no
			qo_nbr	yes	no
◊	qo_ship	no	qo_domain	yes	no
			qo_ship	yes	no

◊ **QPostingSaf** Queue Posting Saf (Queue for Daemon)

Field Name	Label	Col-Label	Format	Dec
QPostingLine_ID	Link to QPostingLine	Link to QPostingLine	9999999999	
QPostingSaf_ID	Record ID	Record ID	9999999999	
QPostingSafInputSequence	SAF Input Sequence	SAF Input Sequence	->,>>>,>>9	
QPostingSafParentType	SAF Parent Type	SAF Parent Type	x(20)	
Saf_ID			9999999999	
SafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	QPostingSaf_ID	yes	no
◊	QPostingLine	no	QPostingLine_ID	yes	no

qps_det Quality Test Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_qps_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qps__chr01			x(8)	
qps__chr03			x(8)	
qps__chr04			x(8)	
qps__chr05			x(8)	
qps__dec01			>>>,>>>,>>9.99	10
qps__dec02			>>>,>>>,>>9.99	10
qps__dec03			>>>,>>>,>>9.99	10
qps__log01			yes/no	
qps_domain	Domain		x(8)	
qps_op	Operation	Op	>>>>>>	
qps_part	Item Number	Item	x(18)	
qps_qty	Usage Quantity		->,>>>,>>9.9<<<<<<<<	10
qps_routing	Procedure		x(18)	
qps_user1	Ufld1		x(8)	
qps_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qps_det	yes	oid_qps_det	yes	no
*	qps_det	yes	qps_domain	yes	no
			qps_routing	yes	no
			qps_op	yes	no
			qps_part	yes	no

qqc_ctrl Q/LinQ Control

Field Name	Label	Col-Label	Format	Dec
oid_qqc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qqc__dec01			->>>,>>>,>>9.99<	10
qqc__dec02			->>>,>>>,>>9.99<	10
qqc__dte01			99/99/99	
qqc__dte02			99/99/99	
qqc__int01			->>>,>>>,>>9	
qqc__int02			->>>,>>>,>>9	
qqc__log01			yes/no	
qqc__log02			yes/no	
qqc__qadc01			x(8)	
qqc__qadc02			x(8)	
qqc__qadc03			x(8)	
qqc__qadc04			x(8)	
qqc__qadd01			->>>,>>>,>>9.99<	10
qqc__qadd02			->>>,>>>,>>9.99<	10
qqc__qadi01			->>>,>>>,>>9	
qqc__qadi02			->>>,>>>,>>9	
qqc__qadi03			->>>>>>>9	
qqc__qadl01			yes/no	
qqc__qadl02			yes/no	
qqc__qadt01			99/99/99	
qqc__qadt02			99/99/99	
qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
qqc_act	Active		yes/no	
qqc_code_pg	Code Page		X(15)	
qqc_date_form	Date Format		X(3)	
qqc_domain	Domain		x(8)	
qqc_email_flg	E-mail Enabled		yes/no	
qqc_email_notlvl	E-mail Notification Level		x(1)	
qqc_email_userid	E-mail Recipient User ID		x(8)	
qqc_ex_arch_dir	Export File Archive Directory		x(65)	
qqc_ex_map_flg	Export Mapping Enabled		yes/no	
qqc_im_arch_dir	Import File Archive Directory		x(65)	
qqc_im_map_flg	Import Mapping Enabled		yes/no	
qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
qqc_mod_date	Modified Date	Mod Date	99/99/99	
qqc_mod_userid	User ID		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	
qqc_proc_flg	Import Processing Enabled		yes/no	
qqc_publ_flg	Publishing Enabled		yes/no	

Field Name	Label	Col-Label	Format	Dec
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(24)	
qqc_start_proc	Session Startup Procedure		x(24)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1	Ufld1		x(8)	
qqc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	Index1	yes	qqc_domain	yes	no
◊	oid_qqc_ctrl	yes	oid_qqc_ctrl	yes	no

qro_det

Quality Inspection Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_qro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qro__chr01			x(8)	
qro__chr02			x(8)	
qro__chr03			x(8)	
qro__chr04			x(8)	
qro__chr05			x(8)	
qro__dec01			>>>,>>>,>>9.99	10
qro__dec02			>>>,>>>,>>9.99	10
qro__dte01			99/99/99	
qro__dte02			99/99/99	
qro__log01			yes/no	
qro_cmtindx	Comment Index	Comment	>>>>>>>9	
qro_desc	Description		x(24)	
qro_domain	Domain		x(8)	
qro_mch	Machine		x(8)	
qro_mch_op	Machines per Op	Mach/Op	->,>>>,>>9	
qro_op	Operation	Op	>>>>9	
qro_queue	Operation Time	Op Time	>,>>9.9<<	10
qro_routing	Procedure		x(18)	
qro_tool	Tool Code	Tool	x(8)	
qro_user1	Ufld1		x(8)	
qro_user2	Ufld2		x(8)	
qro_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qro_det	yes	oid_qro_det	yes	no
*	qro_routing	yes	qro_domain	yes	no
			qro_routing	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		qro_op	yes	no
qro_wkctr	no	qro_domain	yes	no
		qro_wkctr	yes	no
		qro_mch	yes	no

qr_test

Quality Order Test Steps

Field Name	Label	Col-Label	Format	Dec
oid_qr_test			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qr__chr01			x(8)	
qr__chr02			x(8)	
qr__chr03			x(8)	
qr__chr04			x(8)	
qr__chr05			x(8)	
qr__dec01			>>>,>>>,>>9.99	10
qr__dec02			>>>,>>>,>>9.99	10
qr__dte01			99/99/99	
qr__dte02			99/99/99	
qr__log01			yes/no	
qr_act_op	Actual Operation Time	Act Op	->,>>9.9<<	10
qr_cmtindx	Comment Index	Comment	>>>>>>>9	
qr_desc	Description		x(24)	
qr_domain	Domain		x(8)	
qr_due	Due Date	Due	99/99/99	
qr_lot	Batch		x(8)	
qr_mch	Machine		x(8)	
qr_nbr	Quality Order		x(18)	
qr_op	Operation	Op	>>>>>9	
qr_op_time	Operation Time	Op Time	->,>>9.9<<	10
qr_part	Item Number		x(18)	
qr_qty_accpt	Qty Accepted		->,>>>,>>9.9<<<<<<<<	10
qr_qty_ord	Qty Pending		->,>>>,>>9.9<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->,>>>,>>9.9<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qr_test	yes	oid_qr_test	yes	no
	qr_lot	yes	qr_domain	yes	no
			qr_lot	yes	no
			qr_op	yes	no
*	qr_nbrop	yes	qr_domain	yes	no
			qr_nbr	yes	no
			qr_lot	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		qr_op	yes	no
qr_part	no	qr_domain	yes	no
		qr_part	yes	no
		qr_op	yes	no

qtbl_ext

QAD Table Extension

Field Name	Label	Col-Label	Format	Dec
oid_qtbl_ext			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
qtbl_key1	Key Field 1		x(24)	
qtbl_key2	Key Field 2		x(24)	
qtbl_key3	Key Field 3		x(24)	
qtbl_key4	Key Field 4		x(24)	
qtbl_key5	Key Field 5		x(24)	
qtbl_key6	Key Field 6		x(24)	
qtbl_owner	Owner		x(8)	
qtbl_qadc01			x(24)	
qtbl_qadc02			x(24)	
qtbl_qadc03			x(24)	
qtbl_qadc04			x(24)	
qtbl_qadc05			x(24)	
qtbl_qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd03			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd04			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadd05			->>>>,>>>,>>9.9<<<<<<<<<	10
qtbl_qadl01			yes/no	
qtbl_qadl02			yes/no	
qtbl_qadt01			99/99/99	
qtbl_qadt02			99/99/99	
qtbl_reference	Extension Reference		x(20)	
qtbl_table	Table Name		x(14)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_qtbl_ext	yes	oid_qtbl_ext	yes	no
*	qtbl_primary	yes	qtbl_owner	yes	no
			qtbl_table	yes	no
			qtbl_reference	yes	no
			qtbl_key1	yes	no
			qtbl_key2	yes	no
			qtbl_key3	yes	no
			qtbl_key4	yes	no
			qtbl_key5	yes	no
			qtbl_key6	yes	no

rbm_mstr Retrobill Master

Field Name	Label	Col-Label	Format	Dec
oid_rbm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rbm__qadc01			x(8)	
rbm_ar_nbr	A/R Reference		x(18)	
rbm_auth	Authorization Number		x(16)	
rbm_cmtindx	Comment Index		>>>9	
rbm_cust	Sold-To		x(8)	
rbm_domain	Domain		x(8)	
rbm_eff	Effective		99/99/99	
rbm_newprice	New Price		>>>>,>>>,>>9.99<<<	10
rbm_rsn	Reason Code		x(8)	
rbm_status	Status		x(8)	
rbm_user1	Ufld1		x(8)	
rbm_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rbm_mstr	yes	oid_rbm_mstr	yes	no
*	rbm_cust	yes	rbm_domain	yes	no
			rbm_cust	yes	no
			rbm_auth	yes	no

rcc_mstr Customer Sequence Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rcc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rcc__qadc01			x(8)	
rcc__qadc02			x(8)	
rcc__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcc__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcc__qadi01			->,>>>,>>9	
rcc__qadi02			->,>>>,>>9	
rcc__qadl01			yes/no	
rcc__qadl02			yes/no	
rcc__qadl03			yes/no	
rcc__qadl04			yes/no	
rcc__qadt01			99/99/99	
rcc__qadt02			99/99/99	
rcc_addr	Ship-To		x(8)	
rcc_asn_edi	Send Sequence with ASN	ASN! Send	yes/no	
rcc_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rcc_domain	Domain		x(8)	
rcc_firm_seq_days	Firm Days	Firm! Days	>>9	
rcc_inc_in_rss	Include Seq in Req Ship Sched	RSS	yes/no	
rcc_invoice_edi	Send Sequence with Invoice	Inv! Send	yes/no	
rcc_invoice_print	Print Sequence on Invoice	Inv! Print	yes/no	
rcc_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rcc_merge_seq	Merge Schedules	Merge	yes/no	
rcc_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
rcc_mod_pgm	Last Program		x(8)	
rcc_mod_userid	User ID		x(8)	
rcc_packing_order	Packing Order	Pack! Order	forward/reverse	
rcc_seq_per_container	Sequences Per Container	Seq Per! Cont	>>>>>>>9	
rcc_shipper_print	Print Sequence on Shipper	Ship! Print	yes/no	
rcc_user1	Ufld1		x(8)	
rcc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcc_mstr	yes	oid_rcc_mstr	yes	no
*	rcc_index1	yes	rcc_domain	yes	no
			rcc_addr	yes	no

rcf_ctrl

Customer Sequence Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rcf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rcf__qadc01			x(8)	
rcf__qadc02			x(8)	
rcf__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcf__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcf__qadi01			->,>>>,>>9	
rcf__qadi02			->,>>>,>>9	
rcf__qadi03			->>>>>>>9	
rcf__qadl01			yes/no	
rcf__qadl02			yes/no	
rcf__qadl03			yes/no	
rcf__qadl04			yes/no	
rcf__qadt01			99/99/99	
rcf__qadt02			99/99/99	
rcf_active	Enable Sequence Schedules		yes/no	
rcf_asn_edi	Send Sequence with ASN		yes/no	
rcf_check_seq_tol	Check Sequence Tolerance		yes/no	
rcf_domain	Domain		x(8)	
rcf_firm_seq_days	Firm Days		>>9	
rcf_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
rcf_invoice_edi	Send Sequence with Invoice		yes/no	
rcf_invoice_print	Print Sequence on Invoice		yes/no	
rcf_max_tol	Maximum Tolerance		>>>>9	
rcf_merge_seq	Merge Schedules		yes/no	
rcf_mod_date	Modified Date	Mod Date	99/99/99	
rcf_mod_pgm	Last Program		x(8)	
rcf_mod_userid	User ID		x(8)	
rcf_packing_order	Packing Order		forward/reverse	
rcf_sch_default	Schedule Order Default		yes/no	
rcf_seq_per_container	Sequences Per Container		>>>>>>>9	
rcf_shipper_print	Print Sequence on Shipper		yes/no	
rcf_user1	Ufld1		x(8)	
rcf_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcf_ctrl	yes	oid_rcf_ctrl	yes	no
*	rcf_index1	yes	rcf_domain	yes	no

rcsd_det

Customer Sequence Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_rcsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rcsd__qadc01			x(8)	
rcsd__qadc02			x(8)	
rcsd__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcsd__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcsd__qadi01			->,>>>,>>9	
rcsd__qadi02			->,>>>,>>9	
rcsd__qadl01			yes/no	
rcsd__qadl02			yes/no	
rcsd__qadt01			99/99/99	
rcsd__qadt02			99/99/99	
rcsd_cum_qty	Cum Quantity		>>,>>>,>>9.9<<<<<<<<<	10
rcsd_cust_build_date	Customer Build Date		99/99/99	
rcsd_cust_job	Customer Job		x(30)	
rcsd_cust_part	Customer Item		x(30)	
rcsd_cust_po	PO Number		x(22)	
rcsd_cust_ref	Customer Reference		x(30)	
rcsd_cust_seq	Customer Sequence		x(30)	
rcsd_custref	Customer Ref		x(30)	
rcsd_date	Date		99/99/99	
rcsd_deleted	Deleted		yes/no	
rcsd_derived_rlse_id	Derived Release ID		x(30)	
rcsd_discr_qty	Quantity		>>,>>>,>>9.9<<<<<<<<<	10
rcsd_dock	Customer Dock		x(30)	
rcsd_domain	Domain		x(8)	
rcsd_line	Line		>>9	
rcsd_line_feed	Line Feed		x(30)	
rcsd_mod_date	Modified Date	Mod Date	99/99/99	
rcsd_mod_pgm	Last Program		x(8)	
rcsd_mod_userid	User ID		x(8)	
rcsd_modelyr	Model Year		x(4)	
rcsd_order	Order		x(8)	
rcsd_part	Item Number		x(18)	
rcsd_picked	Picked		yes/no	
rcsd_rlse_id	Release ID		x(30)	
rcsd_shipfrom	Ship-From		x(8)	
rcsd_shipto	Ship-To		x(8)	
rcsd_status	Status		x(8)	
rcsd_time	Time		99:99	
rcsd_user1	Ufld1		x(8)	
rcsd_user2	Ufld2		x(8)	
rcsd_x_referenced	Cross Referenced		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcsd_det	yes	oid_rcsd_det	yes	no
*	rcsd_index1	yes	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_cust_ref	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no
	rcsd_index2	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
	rcsd_index3	no	rcsd_domain	yes	no
			rcsd_order	yes	no
			rcsd_line	yes	no
			rcsd_rlse_id	yes	no
			rcsd_part	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
	rcsd_index4	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_picked	yes	no
			rcsd_x_referenced	yes	no
			rcsd_date	yes	no
			rcsd_time	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no
			rcsd_cust_job	yes	no
			rcsd_cust_seq	yes	no
			rcsd_part	yes	no
	rcsd_index5	no	rcsd_domain	yes	no
			rcsd_shipfrom	yes	no
			rcsd_shipto	yes	no
			rcsd_rlse_id	yes	no
			rcsd_part	yes	no
			rcsd_cust_ref	yes	no
			rcsd_dock	yes	no
			rcsd_line_feed	yes	no

rcsx_ref

Customer Sequence Schedule Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_rcsx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rcsx__qadc01			x(8)	
rcsx__qadc02			x(8)	
rcsx__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcsx__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcsx__qadi01			->,>>>,>>9	
rcsx__qadi02			->,>>>,>>9	
rcsx__qadl01			yes/no	
rcsx__qadl02			yes/no	
rcsx__qadt01			99/99/99	
rcsx__qadt02			99/99/99	
rcsx_cust_job	Customer Job		x(30)	
rcsx_cust_ref	Customer Reference		x(30)	
rcsx_cust_seq	Customer Sequence		x(30)	
rcsx_date	Date		99/99/99	
rcsx_dock	Customer Dock		x(30)	
rcsx_domain	Domain		x(8)	
rcsx_line_feed	Line Feed		x(30)	
rcsx_mod_date	Modified Date	Mod Date	99/99/99	
rcsx_mod_pgm	Last Program		x(8)	
rcsx_mod_userid	User ID		x(8)	
rcsx_part	Item Number		x(18)	
rcsx_picked	Picked		yes/no	
rcsx_rlse_id	Release ID		x(30)	
rcsx_shipfrom	Ship-From		x(8)	
rcsx_shipped	Shipped		yes/no	
rcsx_shipped_cust_job	Shipped Job		x(30)	
rcsx_shipped_cust_ref	Shipped Reference		x(30)	
rcsx_shipped_cust_seq	Shipped Sequence		x(30)	
rcsx_shipped_date	Scheduled Date		99/99/99	
rcsx_shipped_dock	Shipped Dock		x(30)	
rcsx_shipped_line_feed	Shipped Line Feed		x(30)	
rcsx_shipped_part	Shipped Item Number		x(18)	
rcsx_shipped_rlse_id	Shipped Release ID		x(30)	
rcsx_shipped_time	Scheduled Time		99:99	
rcsx_shipto	Ship-To		x(8)	
rcsx_time	Time		99:99	
rcsx_user1	Ufld1		x(8)	
rcsx_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcsx_ref	yes	oid_rcsx_ref	yes	no
*	rcsx_index1	yes	rcsx_domain	yes	no
			rcsx_shipfrom	yes	no
			rcsx_shipto	yes	no
			rcsx_shipped_rlse_id	yes	no
			rcsx_shipped_cust_job	yes	no
			rcsx_shipped_cust_seq	yes	no
			rcsx_shipped_part	yes	no
			rcsx_shipped_date	yes	no
			rcsx_shipped_time	yes	no
			rcsx_shipped_cust_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rcsx_shipped_dock	yes	no
		rcsx_shipped_line_feed	yes	no
rcsx_index2	no	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_rlse_id	yes	no
		rcsx_cust_job	yes	no
		rcsx_cust_seq	yes	no
		rcsx_part	yes	no
		rcsx_date	yes	no
		rcsx_time	yes	no
		rcsx_cust_ref	yes	no
		rcsx_dock	yes	no
		rcsx_line_feed	yes	no

rcs_mstr

Customer Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rcs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rcs__qadc01			x(8)	
rcs__qadc02			x(8)	
rcs__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcs__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcs__qadi01			->,>>>,>>9	
rcs__qadi02			->,>>>,>>9	
rcs__qadl01			yes/no	
rcs__qadl02			yes/no	
rcs__qadt01			99/99/99	
rcs__qadt02			99/99/99	
rcs_active	Active		yes/no	
rcs_active_date	Active Date	Active! Date	99/99/99	
rcs_active_end	Active End		99/99/99	
rcs_active_start	Active Start		99/99/99	
rcs_check_seq_tol	Check Sequence Tolerance	Check! Tol	yes/no	
rcs_cr_date	Create Date	Create! Date	99/99/99	
rcs_cr_time	Create Time	Create! Time	x(5)	
rcs_cumulative	Cumulative		yes/no	
rcs_date_type	Schedule Date Type	Schedule! Date! Type	Ship/Delivery	
rcs_domain	Domain		x(8)	
rcs_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rcs_mod_date	Modified Date	Mod Date	99/99/99	
rcs_mod_pgm	Last Program		x(8)	
rcs_mod_userid	User ID		x(8)	
rcs_packing_order	Packing Order	Packing! Order	forward/reverse	
rcs_rlse_id	Release ID		x(30)	
rcs_seq_per_container	Sequences Per Container		>>>>>>>9	
rcs_shipfrom	Ship-From		x(8)	
rcs_shipto	Ship-To		x(8)	
rcs_user1	Ufld1		x(8)	
rcs_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rcs_mstr	yes	oid_rcs_mstr	yes	no
*	rcs_index1	yes	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_rlse_id	yes	no
	rcs_index2	no	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_active_date	yes	no
	rcs_index3	no	rcs_domain	yes	no
			rcs_shipfrom	yes	no
			rcs_shipto	yes	no
			rcs_active	yes	no

rdf_mstr

Service/Support Return Defaults Master

Field Name	Label	Col-Label	Format	Dec
oid_rdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rdf__chr01			x(8)	
rdf__chr02			x(8)	
rdf__chr03			x(8)	
rdf__chr04			x(8)	
rdf__chr05			x(8)	
rdf__dec01			>>>,>>>,>>9.99	10
rdf__dec02			>>>,>>>,>>9.99	10
rdf__dte01			99/99/99	
rdf__dte02			99/99/99	
rdf__log01			yes/no	
rdf__log02			yes/no	
rdf__qadc01	QAD Character Field 1		X(8)	
rdf__qadc02	QAD Character Field 2		X(8)	
rdf__qadc03	QAD Character Field 3		X(8)	
rdf__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
rdf__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
rdf__qadl01	Qad Logical Field 1		yes/no	
rdf__qadl02	QAD Logical Field 2		yes/no	
rdf__qadt01	QAD Date Field 1		99/99/99	
rdf_addr	Address		x(8)	
rdf_area	Area		x(8)	
rdf_bom_code	Bill of Material		x(18)	
rdf_ca_int_type	Work Code	WK Code	x(8)	
rdf_ca_type	Call Type		x(8)	0
rdf_desc	Description		x(24)	
rdf_domain	Domain		x(8)	
rdf_email	Email Address		x(48)	
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Modified Date	Mod Date	99/99/99	
rdf_mod_userid	User ID		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	

Field Name	Label	Col-Label	Format	Dec
rdf_prod_line	Prod Line	Line	x(4)	
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_repair_days	Repair Days		>,>>9.99	10
rdf_routing	Routing Code		x(18)	
rdf_rrts_loc	Return from RTS Location		x(8)	
rdf_rrts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	10
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtn_loc	Sales Return Location		x(8)	
rdf_srtn_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	Ufld1		x(8)	
rdf_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rdf_mstr	yes	oid_rdf_mstr	yes	no
*	rdf_part	yes	rdf_domain	yes	no
			rdf_prod_line	yes	no
			rdf_svc_group	yes	no
			rdf_ca_int_type	yes	no
			rdf_part	yes	no
			rdf_area	yes	no

◊ Reason

Invoice Status Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
MatchingReason_ID	Status After Match	Status After Match	9999999999	
Reason_ID	Record ID	Record ID	9999999999	
ReasonAllocationStatus	Allocation Status	Allocation Status	x(20)	
ReasonCode	Invoice Status Code	Invoice Status Code	x(20)	
ReasonDescription	Description	Description	x(40)	
ReasonIsActive	Active	Active	yes/no	
ReasonIsInitialStatus	Initial Status	Initial Status	yes/no	
ReasonIsInvoiceApproved	Invoice Approved	Inv Approved	yes/no	
ReasonIsLockPayment	Blocked for payment	Blocked for payment	yes/no	
ReasonIsLogisticMatching	Receiver Matching	Receiver Matching	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	ReasonCode	yes	no
◊	IsInitialStatus	no	ReasonIsInitialStatus	yes	no
◊*	Prim	yes	Reason_ID	yes	no
◊	ReasonAllocationStatus	no	ReasonAllocationStatus	yes	no
◊	ReasonIsActive	no	ReasonIsActive	yes	no
◊	ReasonIsInvApproved	no	ReasonIsInvoiceApproved	yes	no
◊	ReasonIsLockPayment	no	ReasonIsLockPayment	yes	no
◊	ViewIndex	no	ReasonIsActive	yes	no
			ReasonCode	yes	no

◊ RecEntry Recurring Entry

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Journal_ID	Daybook Code	Daybook Code	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PostingTemplate_ID	Template Code	Template Code	9999999999	
RecEntry_ID	Record ID	Record ID	9999999999	
RecEntryAmountLC	BC Amount	BC Amount	->>>,>>>,>>>,>>9.99	4
RecEntryCode	Code	Code	x(20)	
RecEntryEndDate	End Date	End Date	99/99/9999	
RecEntryFreq	Frequency	Frequency	x(20)	
RecEntryIsActive	Active	Active	yes/no	
RecEntryIsAmountApply	Apply Amount	Apply Amount	yes/no	
RecEntryIsOpenEnded	Open End	Open End	yes/no	
RecEntryIsReversing	Reverse in Next GL Period	Reverse	yes/no	
RecEntryStartDate	Start Date	Start Date	99/99/9999	
RecEntryUpdate	Update Type	Update Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	RecEntryIsActive	yes	no
◊	Company	no	Company_ID	yes	no
◊	Journal	no	Journal_ID	yes	no
◊	PostingTemplate	no	PostingTemplate_ID	yes	no
◊*	prim	yes	RecEntry_ID	yes	no
◊	UniqueIdx	yes	Company_ID	yes	no
			RecEntryCode	yes	no
◊	ViewIndex	no	Company_ID	yes	no
			RecEntryIsActive	yes	no
			RecEntryCode	yes	no

◊ RecEntryLine Recurring Entry Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Period_ID	GL Period	GL Pd	9999999999	
RecEntry_ID	Link to RecEntry	Link to RecEntry	9999999999	
RecEntryLine_ID	Record ID	Record ID	9999999999	
RecEntryLineAmountLC	BC Amount	BC Amount	->>>,>>>,>>>,>>9.99	4
RecEntryLineCode	Code	Code	x(20)	
RecEntryLinePostingDate	Posting Date	Posting Date	99/99/9999	
RecEntryLineReversingDate	Reversing Date	Reversing Date	99/99/9999	
RecEntryLineStatus	Status	Status	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CodeIdx	no	RecEntryLineCode	yes	no
◊	PeriodIdx	no	Period_ID	yes	no
◊*	prim	yes	RecEntryLine_ID	yes	no
◊	RecEntryIdx	no	RecEntry_ID	yes	no
◊	StatusIdx	no	RecEntryLineStatus	yes	no

◊ RegulationPlan Regulation Plan

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Regulation_ID	Link to Regulation	Link to Regulation	9999999999	
RegulationPlan_ID	Record ID	Record ID	9999999999	
RegulationPlanFrom1	Regulation Plan From 1	Regulation Plan From 1	->>>,>>>,>>9.99	4
RegulationPlanFrom2	Regulation Plan From 2	Regulation Plan From 2	->>>,>>>,>>9.99	4
RegulationPlanFrom3	Regulation Plan From 3	Regulation Plan From 3	->>>,>>>,>>9.99	4
RegulationPlanSeq	Regulation Plan Sequence	Regulation Plan Sequence	->,>>>,>>9	
RegulationPlanTill1	Regulation Plan To 1	Regulation Plan To 1	->>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
RegulationPlanTill2	Regulation Plan To 2	Regulation Plan To 2	->>>,>>>,>>9.99	4
RegulationPlanTill3	Regulation Plan To 3	Regulation Plan To 3	->>>,>>>,>>9.99	4
RegulationPlanTotalHrs	Regulation Plan Total Hours	Regulation Plan Total Hours	->>>,>>>,>>9.99	4
RegulationPlanTotalQTY	Regulation Plan Total Quantity	Regulation Plan Total Quantity	->>>,>>>,>>9.99	4

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	RegulationPlan_ID	yes	no
◊	Regulation	no	Regulation_ID	yes	no
◊	Seq	no	RegulationPlanSeq	yes	no
◊	UniqueIdx	yes	RegulationPlanSeq	yes	no
			Regulation_ID	yes	no

reg_mstr

Service/Support Region Master

Field Name	Label	Col-Label	Format	Dec
oid_reg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
reg__chr01			x(8)	
reg__chr02			x(8)	
reg__chr03			x(8)	
reg__dec01			->>>,>>>,>>9.99	10
reg__dec02			->>>,>>>,>>9.99	10
reg__dte01			99/99/99	
reg__dte02			99/99/99	
reg__log01			yes/no	
reg__log02			yes/no	
reg__qadc01	QAD Character Field 1		X(8)	
reg__qadc02	QAD Character Field 2		X(8)	
reg__qadc03	QAD Character Field 3		X(8)	
reg__qadc04			x(8)	
reg__qadc05			x(4)	
reg__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
reg__qadl01	QAD Logical Field 1		yes/no	
reg__qadl02	QAD Logical Field 2		yes/no	
reg__qadt01	QAD Date Field 1		99/99/99	
reg_3rd_party	Third Party		yes/no	
reg_code	Area		x(18)	
reg_desc	Description		x(24)	
reg_domain	Domain		x(8)	
reg_lang	Language		x(2)	
reg_loc	Location		x(8)	
reg_loc_rtn	Defective Location	Df Loc	x(8)	
reg_mod_date	Modified Date	Mod Date	99/99/99	
reg_mod_userid	User ID		X(8)	
reg_prod_line	Product Line	Prod	x(8)	
reg_project	Project		x(8)	
reg_repair	Repair Center		yes/no	
reg_site	Site		x(8)	
reg_site_rtn	Defective Site	Df Site	x(8)	
reg_time_zone	Hours from GMT		>>9	

Field Name	Label	Col-Label	Format	Dec
reg_type	Type		x(8)	
reg_user1	Ufld1		x(8)	
reg_user2	Ufld2		x(8)	
reg_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_reg_mstr	yes	oid_reg_mstr	yes	no
*	reg_code	yes	reg_domain	yes	no
			reg_code	yes	no

◊ RelStatM

Warehousing Release Status Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
InvStatus	Status		X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_RelStatM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RelStatus	Release/Inspect Status	Rel/Insp St	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	InvStatus	yes	Domain	yes	no
			InvStatus	yes	no
◊	oid_RelStatM	yes	oid_RelStatM	yes	no
◊	RelStatus	no	Domain	yes	no
			RelStatus	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ ReplenC

Warehousing Replenishment Control

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
MinQtyRule	Minimum Quantity Rule	Min! Qty! Rule	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_ReplenC			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ReplenC	yes	oid_ReplenC	yes	no
◊*	UniqueID	yes	Domain	yes	no
			UniqueID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ RepListD

Warehousing Replenishment List Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_RepListD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RepList	Replenishment List	Rep List	x(8)	
RepSeq	Seq		>>9	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	ListSeq	yes	Domain	yes	no
			Site	yes	no
			RepList	yes	no
			RepSeq	yes	no
◊	ListSLG	yes	Domain	yes	no
			Site	yes	no
			RepList	yes	no
			Whse	yes	no
			SLocGp	yes	no
◊	oid_RepListD	yes	oid_RepListD	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ RepListM

Warehousing Replenishment List Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_RepListM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RepList	Replenishment List	Rep List	X(8)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_RepListM	yes	oid_RepListM	yes	no
◊*	SiteList	yes	Domain	yes	no
			Site	yes	no
			RepList	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ RepLocM

Warehousing Replenishment Location Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
EndDate	End Date		99/99/99	
Loc	Location		x(8)	
MaxQty	Maximum Quantity	Maximum! Quantity	->,>>>,>>9.9<<<<<<<<	10
Min%	Minimum %	Min %	->>9.99	2
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_RepLocM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RepList	Replenishment List	Rep List	X(8)	
RepQty	Replenishment Point	Rep Point	->,>>>,>>9.9<<<<<<<<	10
RepType	Replenishment Type	Rep Type	X(8)	
RepUM	Rep UM	Rep! UM	X(2)	
Site	Site		x(8)	
StartDate	Start Date		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	LocPart	yes	Domain	yes	no
			Site	yes	no
			Loc	yes	no
			Part	yes	no
			RepType	yes	no
			StartDate	yes	no
◊	oid_RepLocM	yes	oid_RepLocM	yes	no
◊	PartLoc	yes	Domain	yes	no
			Part	yes	no
			RepType	yes	no
			Site	yes	no
			Loc	yes	no
			StartDate	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ **ReportPeriod** Reporting Period

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
ReportPeriod_ID	Record ID	Record ID	9999999999	
ReportPeriodEndDate	End Date	End Date	99/99/9999	
ReportPeriodIsReported	Reported	Reported	yes/no	
ReportPeriodPeriod	GL Period	GL Period	99	
ReportPeriodStartDate	Start Date	Start Date	99/99/9999	
ReportPeriodYear	Year	Year	9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	EndDateIdx	no	ReportPeriodEndDate	yes	no
◊	IsReportedIdx	no	ReportPeriodIsReported	yes	no
◊*	Prim	yes	ReportPeriod_ID	yes	no
◊	ReportPeriodIdx	no	ReportPeriodPeriod	yes	no
◊	ReportYearIdx	no	ReportPeriodYear	yes	no
◊	StartDateIdx	no	ReportPeriodStartDate	yes	no
◊	UniqueIdx	yes	ReportPeriodYear	yes	no
			ReportPeriodPeriod	yes	no

◊ RepSLGM

Warehousing Replenishment SLG Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
EndDate	End Date		99/99/99	
MaxQty	Maximum Quantity	Maximum! Quantity	->,>>>,>>9.9<<<<<<<	10
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_RepSLGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	

Field Name	Label	Col-Label	Format	Dec
QadT03	QAD Field		99/99/99	
RepList	Replenishment List	Rep List	X(8)	
RepQty	Replenishment Point	Rep Point	->,>>>,>>9.9<<<<<<<<	10
RepType	Replenishment Type	Rep Type	X(8)	
RepUM	RepUM	Rep! UM	X(2)	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
StartDate	Start Date		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_RepSLGM	yes	oid_RepSLGM	yes	no
◊	Part	yes	Domain	yes	no
			Part	yes	no
			RepType	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			StartDate	yes	no
◊*	SLG	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			RepType	yes	no
			Part	yes	no
			StartDate	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

req_det

Requisition Detail

Field Name	Label	Col-Label	Format	Dec
oid_req_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
req__chr01			x(8)	
req__chr02			x(8)	
req__chr03			x(8)	
req__chr04			x(8)	
req__chr05			x(8)	
req__dec01			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
req__dec02			>>>,>>>,>>9.99	10
req__dte01			99/99/99	
req__dte02			99/99/99	
req__log01			yes/no	
req_acct	Pur Acct		x(8)	
req_app_owner	Owner Application		x(12)	
req_approved	Approved	Apr	yes/no	
req_apr_by	Approved By	Aprv By	x(8)	
req_apr_code	Approval Code	Apr Code	x(8)	
req_apr_ent	Approved Entered By	Aprv Ent	x(8)	
req_apr_prnt	Print Approval	Print Apr	yes/no	
req_cc	Cost Ctr	CC	x(4)	
req_cmtindx	Comment Index	Comment	>>>>>>>9	
req_domain	Domain		x(8)	
req_line	Line		>>>	
req_nbr	Requisition	Req	x(8)	
req_need	Need Date	Need	99/99/99	
req_part	Item Number		x(18)	
req_po_site	PO Site		x(8)	
req_print	Print Requisition	Print	yes/no	
req_project	Project		x(8)	
req_pur_cost	Unit Cost		->,>>>,>>>,>>9.99<<<	10
req_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
req_rel_date	Release Date	Release	99/99/99	
req_request	Requested By	Req By	x(8)	
req_site	Site		x(8)	
req_so_job	Sales/Job		x(8)	
req_sub	Pur Sub-Acct	Sub-Acct	x(8)	
req_um	UM		x(2)	
req_user1	Ufld1		x(8)	
req_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_req_det	yes	oid_req_det	yes	no
	req_apr_code	yes	req_domain	yes	no
			req_apr_code	yes	no
			req_nbr	yes	no
			req_line	yes	no
*	req_nbr	yes	req_domain	yes	no
			req_nbr	yes	no
			req_line	yes	no
	req_part	no	req_domain	yes	no
			req_part	yes	no

◊ Resources Resource

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Resource_ID			9999999999	

Field Name	Label	Col-Label	Format	Dec
ResourceCategory			x(8)	
ResourceLabel			x(60)	
ResourceType			x(1)	
ResourceURI			x(256)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BusActivity_FK	no	BusActivity_ID	yes	no
◊	Category	no	ResourceCategory	yes	no
◊*	Resource_PK	yes	Resource_ID	yes	no
◊	Type	no	ResourceType	yes	no
◊	URI	yes	ResourceURI	yes	no

◊ Reval

Revaluation

Field Name	Label	Col-Label	Format	Dec
CCRevalPosting_ID	Link to Posting	Link to Posting	9999999999	
CCReversePosting_ID	Link to Posting	Link to Posting	9999999999	
CCUndoPosting_ID	Link to Posting	Link to Posting	9999999999	
CCUndoReversePosting_ID	Link to Posting	Link to Posting	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Reval_ID	Record ID	Record ID	9999999999	
RevalHeader_ID	Link to RevalHeader	Link to RevalHeader	9999999999	
RevalRevaluationArea	Revaluation Area	Revaluation Area	x(20)	
RevalStatusCode	Status	Status	x(20)	
TCRevalPosting_ID	Link to Posting	Link to Posting	9999999999	
TCReversePosting_ID	Link to Posting	Link to Posting	9999999999	
TCUndoPosting_ID	Link to Posting	Link to Posting	9999999999	
TCUndoReversePosting_ID	Voucher	Voucher	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CCRevalPosting	no	CCRevalPosting_ID	yes	no
◊	CCReversePosting	no	CCReversePosting_ID	yes	no
◊	CCUndoPosting	no	CCUndoPosting_ID	yes	no
◊	CCUndoReversePosting	no	CCUndoReversePosting_ID	yes	no
◊*	Prim	yes	Reval_ID	yes	no
◊	RevalArea	no	RevalRevaluationArea	yes	no
◊	RevalHeader	no	RevalHeader_ID	yes	no
◊	RevalStatus	no	RevalStatusCode	yes	no
◊	TCRevalPosting	no	TCRevalPosting_ID	yes	no
◊	TCReverseposting	no	TCReversePosting_ID	yes	no
◊	TCUndoPosting	no	TCUndoPosting_ID	yes	no
◊	TCUndoReversePosting	no	TCUndoReversePosting_ID	yes	no
◊	UniqueIdx	yes	RevalRevaluationArea	yes	no
			RevalHeader_ID	yes	no

◊ RevalDet Revaluation Detail

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
RevalDet_ID	Record ID	Record ID	9999999999	
RevalDetCreditCC	MC Credit	MC Credit	->>>,>>>,>>>,>>9.99	4
RevalDetCreditLC	BC Credit	BC Credit	->>>,>>>,>>>,>>9.99	4
RevalDetCreditTC	TC Credit	TC Credit	->>>,>>>,>>>,>>9.99	4
RevalDetDebitCC	MC Debit	MC Debit	->>>,>>>,>>>,>>9.99	4
RevalDetDebitLC	BC Debit	BC Debit	->>>,>>>,>>>,>>9.99	4
RevalDetDebitTC	TC Debit	TC Debit	->>>,>>>,>>>,>>9.99	4
RevalDetParentObject_ID			9999999999	
RevalDetParentObjectType	Object Type	Object Type	x(20)	
RevalDetRevCreditCC	MC Revaluated Credit	MC Rev Credit	->>>,>>>,>>>,>>9.99	4
RevalDetRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>,>>>,>>>,>>9.99	4
RevalDetRevDebitCC	MC Revaluated Debit	MC Rev Debit	->>>,>>>,>>>,>>9.99	4
RevalDetRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>,>>>,>>>,>>9.99	4
RevalGL_ID	Link to RevalGL	Link to RevalGL	9999999999	
RevalHeader_ID	Link to RevalHeader	Link to RevalHeader	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ ParentObject	no	RevalDetParentObject_ID	yes	no
◊ ParentType	no	RevalDetParentObjectType	yes	no
◊* Prim	yes	RevalDet_ID	yes	no
◊ RevalGL	no	RevalGL_ID	yes	no

◊ RevalGL Revaluation GL

Field Name	Label	Col-Label	Format	Dec
CCExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
CostCentre_ID	Cost Center	Cost Center	9999999999	
Currency_ID	Currency Code	Curr	9999999999	
Division_ID	Sub-Account	Sub-Acct	9999999999	
GL_ID	GL Account	GL Account	9999999999	
IntercoBusinessRelation_ID	Business Relation	Business Relation Code	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Project_ID	Project	Project	9999999999	
Reval_ID	Link to Reval	Link to Reval	9999999999	
RevalGL_ID	Record ID	Record ID	9999999999	
RevalGLCreditCC	MC Credit	MC Credit	->>>,>>>,>>>,>>9.99	4
RevalGLCreditLC	BC Credit	BC Credit	->>>,>>>,>>>,>>9.99	4
RevalGLCreditTC	TC Credit	TC Credit	->>>,>>>,>>>,>>9.99	4
RevalGLDebitCC	MC Debit	MC Debit	->>>,>>>,>>>,>>9.99	4
RevalGLDebitLC	BC Debit	BC Debit	->>>,>>>,>>>,>>9.99	4
RevalGLDebitTC	TC Debit	TC Debit	->>>,>>>,>>>,>>9.99	4
RevalGLMethodCC	MC Revaluation Method	MC Rev Method	x(20)	
RevalGLMethodTC	TC Revaluation Method	TC Rev Method	x(20)	
RevalGLRevCreditCC	MC Revaluated Credit	MC Rev Credit	->>>,>>>,>>>,>>9.99	4
RevalGLRevCreditLC	BC Revaluated Credit	BC Rev Credit	->>>,>>>,>>>,>>9.99	4
RevalGLRevDebitCC	MC Revaluated Debit	MC Rev Debit	->>>,>>>,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
RevalGLRevDebitLC	BC Revaluated Debit	BC Rev Debit	->>>,>>>,>>>,>>9.99	4
RevalGLSafCombined_ID	Link to RevalGLSafCombined	Link to RevalGLSafCombined	9999999999	
RevalGLType	GL Type	GL Type	x(20)	
RevalHeader_ID	Link to RevalHeader	Link to RevalHeader	9999999999	
TCExchangeRateType_ID	TC Revaluation Rate	Rev Rate TC	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CostCentre	no	CostCentre_ID	yes	no
◊	Currency	no	Currency_ID	yes	no
◊	Division	no	Division_ID	yes	no
◊	GL	no	GL_ID	yes	no
◊	Interco	no	IntercoBusinessRelation_ID	yes	no
◊*	Prim	yes	RevalGL_ID	yes	no
◊	Project	no	Project_ID	yes	no
◊	Reval	no	Reval_ID	yes	no
◊	SafCombined	no	RevalGLSafCombined_ID	yes	no
◊	Type	no	RevalGLType	yes	no

◊ RevalGLSafCombined Revaluation Saf Combined

Field Name	Label	Col-Label	Format	Dec
CostCentre1Saf_ID	Link to Saf	Link to Saf	9999999999	
CostCentre2Saf_ID	Link to Saf	Link to Saf	9999999999	
CostCentre3Saf_ID	Link to Saf	Link to Saf	9999999999	
CostCentre4Saf_ID	Link to Saf	Link to Saf	9999999999	
CostCentre5Saf_ID	Link to Saf	Link to Saf	9999999999	
CostCentreSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
GL1Saf_ID	Link to Saf	Link to Saf	9999999999	
GL2Saf_ID	Link to Saf	Link to Saf	9999999999	
GL3Saf_ID	Link to Saf	Link to Saf	9999999999	
GL4Saf_ID	Link to Saf	Link to Saf	9999999999	
GL5Saf_ID	Link to Saf	Link to Saf	9999999999	
GLSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Project1Saf_ID	Link to Saf	Link to Saf	9999999999	
Project2Saf_ID	Link to Saf	Link to Saf	9999999999	
Project3Saf_ID	Link to Saf	Link to Saf	9999999999	
Project4Saf_ID	Link to Saf	Link to Saf	9999999999	
Project5Saf_ID	Link to Saf	Link to Saf	9999999999	
ProjectSafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
RevalGLSafCombined_ID	Record ID	Record ID	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	RevalGLSafCombined_ID	yes	no

◊ RevalHeader Revaluation Header

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Layer_ID	Layer Code	Layer Code	9999999999	
Period_ID	GL Cal Year	GL Cal Year	9999999999	
RevalHeader_ID	Record ID	Record ID	9999999999	
RevalHeaderDescription	Rev Desc	Rev Desc	x(40)	
RevalHeaderNumber	Rev Number	Rev Number	999999999	
RevalHeaderRevalDate	Rev Date	Rev Date	99/99/9999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Company	no	Company_ID	yes	no
◊ Layer	no	Layer_ID	yes	no
◊ Period	no	Period_ID	yes	no
◊* Prim	yes	RevalHeader_ID	yes	no
◊ RevalDate	no	RevalHeaderRevalDate	yes	no
◊ RevalNumber	no	RevalHeaderNumber	yes	no
◊ UniqueIdx	yes	Company_ID	yes	no
		Period_ID	yes	no
		RevalHeaderNumber	yes	no

◊ RevalRate Revaluation Rate

Field Name	Label	Col-Label	Format	Dec
ExchangeRateType_ID	Exchange Rate Type	Rate Type	9999999999	
FromCurrency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
RevalHeader_ID	Link to RevalHeader	Link to RevalHeader	9999999999	
RevalRate_ID	Record ID	Record ID	9999999999	
RevalRateDate	Revaluation Rate Date	Rev Rate Date	99/99/9999	
RevalRateExchageRateScale	Scale Fact	Scale Fact	>>>>>>9.9999999999	10
RevalRateExchangeRate	Revaluation Rate	Rev Rate	>>>>>>9.9999999999	10
ToCurrency_ID	Currency Code	Curr	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	RevalRate_ID	yes	no
◊ RevalHeader	no	RevalHeader_ID	yes	no

◊ RevisionIndex Revision Index

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
RevisionCategory_ID	Category	Category	9999999999	

Field Name	Label	Col-Label	Format	Dec
RevisionIndex_ID	Record ID	Record ID	9999999999	
RevisionIndexValidFromDate	Valid From	Valid From	99/99/9999	
RevisionIndexValidTillDate	Valid To	Valid To	99/99/9999	
RevisionIndexValue	Index Value	Index Value	->,>>>,>>9.9999999999	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CategoryIdx	no	RevisionCategory_ID	yes	no
◊	FromDateCat	yes	RevisionIndexValidFromDate	yes	no
			RevisionCategory_ID	yes	no
◊*	Prim	yes	RevisionIndex_ID	yes	no
◊	TillDateIdx	no	RevisionIndexValidTillDate	yes	no

◊ RGD

Warehousing Release Group Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
Line	Line/ID		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight	Net Wgt	->>,>>9.99	2
oid_RGD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
Picks	Picks	Picks	>>>,>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
ShipVia	Carrier	Carrier	x(20)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_RGD	yes	oid_RGD	yes	no
◊*	RelGroup	yes	Domain	yes	no
			RelNbr	yes	no
			WaveNbr	yes	no
			DueDate	yes	no
			ShipVia	yes	no
			PartType	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	Wave	no	Domain	yes	no
			WaveNbr	yes	no
			RelNbr	yes	no

◊ RGM

Warehousing Release Group Master

Field Name	Label	Col-Label	Format	Dec
Algo	Algorithm	Algo	>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DueDate	Due Date		99/99/99	
Include	Include	Inc	yes/no	
Lane	Lane		x(8)	
LoadNbr	Load Number	Load Nbr	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
NetWeight	Net Weight	Net Wgt	->>,>>9.99	2
oid_RGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
Picks	Picks	Picks	>>>,>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Released	Released		yes/no	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Include	no	Domain	yes	no
			WaveNbr	yes	no
			Include	yes	no
◊	oid_RGM	yes	oid_RGM	yes	no
◊*	RelGroup	yes	Domain	yes	no
			RelNbr	yes	no
			WaveNbr	yes	no
			DueDate	yes	no
			ShipVia	yes	no
			PartType	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	Wave	yes	Domain	yes	no
			WaveNbr	yes	no
			RelNbr	yes	no

rhd_hist

Return Material Authorization Detail History

Field Name	Label	Col-Label	Format	Dec
oid_rhd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rhd__chr01			x(8)	
rhd__chr02			x(8)	
rhd__chr03			x(8)	
rhd__chr04			x(8)	
rhd__chr05			x(8)	
rhd__chr06			x(8)	
rhd__chr07			x(8)	
rhd__chr08			x(8)	
rhd__chr09			x(8)	
rhd__chr10			x(8)	
rhd__dec01			>>>,>>>,>>9.99	10
rhd__dec02			>>>,>>>,>>9.99	10
rhd__dte01			99/99/99	
rhd__dte02			99/99/99	
rhd__log01			yes/no	
rhd__qadc01	QAD Character Field 1		X(8)	
rhd__qadc02	QAD Character Field 2		X(8)	
rhd__qadc03	QAD Character Field 3		X(8)	
rhd__qadd01	QAD Date Field 1		99/99/99	
rhd__qadd02	QAD Date Field 2		99/99/99	
rhd__qadd03	QAD Date Field 3		99/99/99	
rhd__qadd04	QAD Date Field 4		99/99/99	
rhd__qadd05	QAD Date Field 5		99/99/99	
rhd__qadde01	QAD Decimal Field 1		->>,>>9.99	10
rhd__qadde02	QAD Decimal Field 2		->>,>>9.99	10
rhd__qadde03	QAD decimal Field 3		->>,>>9.99	10
rhd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rhd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rhd__qadi03	QAD Integer Field 3		->,>>>,>>9	
rhd__qadl01	QAD Logical Field 1		yes/no	
rhd__qadl02	QAD Logical Field 2		yes/no	
rhd__qadl03	QAD Logical Field 3		yes/no	
rhd_chg_type	Charge Type		x(8)	
rhd_cmtindx	Comment Index		>>>>>>>9	
rhd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10
rhd_cpl_date	Received Date	Rec Date	99/99/99	
rhd_cust	Customer		x(8)	
rhd_customs	Customs Value		>>>>,>>>,>>9.99	10
rhd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	10
rhd_desc	Description		X(24)	
rhd_domain	Domain		x(8)	
rhd_done	Received		yes/no	
rhd_edit_isb	Edit Installed Base		yes/no	
rhd_end	End Time		99:99	
rhd_enduser	End User		x(8)	
rhd_eng_area	Eng Area		x(8)	
rhd_eng_code	Engineer Code	Eng Code	x(8)	
rhd_eu_area	End User Area		x(8)	
rhd_exp_date	Expected Date	Exp Date	99/99/99	
rhd_fault_cd	Fault Code	Fault	x(8)	
rhd_file_type			x(3)	
rhd_histype	History Type		x(4)	
rhd_ins_date	Install Date	Ins Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
rhd_iss	Inv Iss		yes/no	
rhd_line	Line	Ln	>>9	
rhd_link	Line to Line		>>9	
rhd_loaner	Loaner Sent		yes/no	
rhd_loc	To Location		x(8)	
rhd_mod_date	Modified Date	Mod Date	99/99/99	
rhd_mod_userid	User ID		X(8)	
rhd_nbr	Sales Order	Order	x(8)	
rhd_op_tran	Op Tran		X(8)	
rhd_par_date	Parent Install Date	Par Ins	99/99/99	
rhd_par_part	Parent Item		x(18)	
rhd_par_ser	Parent Serial		x(18)	
rhd_part	Item		x(18)	
rhd_prefix	Prefix		x(1)	
rhd_price	Price		>>>>,>>>,>>9.99<<<	10
rhd_process	Processing		x(2)	
rhd_prodline	Product Line	Line	x(4)	
rhd_qty_acp	Qty Received		->,>>>,>>9.9<<<<<<<<	10
rhd_qty_non	Qty Due Billed		->,>>>,>>9.9<<<	10
rhd_qty_ord	Qty Expected		->,>>>,>>9.9<<<<<<<<	10
rhd_qty_rel	Qty Released		->,>>>,>>9.9<<<	10
rhd_ref	Ref		>>>>>>>9	
rhd_restock	Restock		>>>,>>9.99<<<	10
rhd_rev	Item Revision		x(8)	
rhd_rma_line	RMA Line	Ln	>>9	
rhd_rma_nbr	Return Id	Return	x(8)	
rhd_rma_rtrn	Parts Return		yes/no	
rhd_sa_nbr	Service Contract		x(8)	
rhd_ser_lon	Loaner Serial		X(18)	
rhd_serial	Serial		x(18)	
rhd_ship	Ship To		x(8)	
rhd_site	To Site		x(8)	
rhd_start	Start Time		99:99	
rhd_status	Status		x(8)	
rhd_sv_code	Contract Type		x(8)	
rhd_trans	Transaction	Tr	x(4)	
rhd_trnbr	Transaction		>>>>>>>>>9	
rhd_type	Type		x(2)	
rhd_um	UM		X(2)	
rhd_um_conv	UM Conv		>>>>9.9999<<<<	10
rhd_user1	Ufld1		x(8)	
rhd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rhd_hist	yes	oid_rhd_hist	yes	no
	rhd_nbr	no	rhd_domain	yes	no
			rhd_nbr	yes	no
	rhd_part	no	rhd_domain	yes	no
			rhd_part	yes	no
			rhd_nbr	yes	no
			rhd_prefix	yes	no
			rhd_line	yes	no
*	rhd_trnbr	yes	rhd_domain	yes	no
			rhd_file_type	yes	no
			rhd_trnbr	yes	no

rma_mstr Return Material Authorization Master

Field Name	Label	Col-Label	Format	Dec
oid_rma_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rma__chr01			x(8)	
rma__chr02			x(8)	
rma__chr03			x(8)	
rma__chr04			x(8)	
rma__chr05			x(8)	
rma__chr06			x(8)	
rma__chr07			x(8)	
rma__chr08			x(8)	
rma__chr09			x(8)	
rma__chr10			x(8)	
rma__dec01	PST		>>>,>>>,>>9.99	10
rma__dec02			>>>,>>>,>>9.99	10
rma__dte01			99/99/99	
rma__dte02			99/99/99	
rma__log01			yes/no	
rma__qadc01	QAD Character Field 1		X(8)	
rma__qadc02	QAD Character Field 2		X(8)	
rma__qadc03	QAD Character Field 3		X(8)	
rma__qadc04	QAD Character Field 4		x(8)	
rma__qadc05	QAD Character Field 5		x(8)	
rma__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
rma__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10
rma__qadd03	QAD Decimal Field 3		->>>>,>>>,>>9.99<<<	10
rma__qadd04	QAD Decimal Field 4		->>>>,>>>,>>9.99<<<	10
rma__qadi01	QAD Integer Field 1		->,>>>,>>9	
rma__qadi02	QAD Integer Field 2		->,>>>,>>9	
rma__qadi03	QAD Integer Field 3		->,>>>,>>9	
rma__qadl01	QAD Logical Field 1		yes/no	
rma__qadl02	QAD Logical Field 2		yes/no	
rma__qadt01	QAD Date Field 1		99/99/99	
rma__qadt02	QAD Date Field 2		99/99/99	
rma__qadt03	QAD Date Field 3		99/99/99	
rma_bill_to	Bill To		x(8)	
rma_ca_nbr	Call Id		x(8)	
rma_cmtindx	Comment Index	Comment	>>>>>>>9	
rma_complete	Complete	Cmp	yes/no	
rma_contract	RMA Contract		x(8)	
rma_crprlist	Credit Price List	Cr Price	x(8)	
rma_cstmlist	Customs List	Customs	x(8)	
rma_ctype	Contract Type		x(8)	
rma_cust_ven	Customer		x(8)	
rma_domain	Domain		x(8)	
rma_enduser	End User		x(8)	
rma_eng_code	Engineer Code	Eng Code	x(8)	
rma_exp_date	Expected Date	Expected	99/99/99	
rma_loc_iss	Issue Location		x(8)	
rma_loc_rec	Receive Location		x(8)	
rma_mod_date	Modified Date	Mod Date	99/99/99	
rma_mod_userid	User ID		X(8)	
rma_nbr	RMA		x(8)	
rma_ord_date	Order Date	Ord Date	99/99/99	
rma_pr_list	Price List	List	x(8)	
rma_prefix	Prefix		x(1)	

Field Name	Label	Col-Label	Format	Dec
rma_prt_rec	Print Receiving Doc	Print Rec	yes/no	
rma_req_date	Required Date	Required	99/99/99	
rma_rstk_pct	Restocking Charge	Restock	->>9.99%	10
rma_ship	Ship-To		x(8)	
rma_shipdate	Ship Date		99/99/99	
rma_site_iss	Issue Site		x(8)	
rma_site_rec	Receive Site		x(8)	
rma_source	Order Source	Source	x(8)	
rma_stat	Action Status	St	x(2)	
rma_taxable	Taxable	Tax	yes/no	
rma_taxc	Tax Class	TxC	x(3)	
rma_type	Type		x(8)	
rma_user1	Ufld1		x(8)	
rma_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rma_mstr	yes	oid_rma_mstr	yes	no
	rma_ca_nbr	no	rma_domain	yes	no
			rma_ca_nbr	yes	no
			rma_nbr	yes	no
	rma_cust_ven	yes	rma_domain	yes	no
			rma_cust_ven	yes	no
			rma_nbr	yes	no
			rma_prefix	yes	no
*	rma_nbr	yes	rma_domain	yes	no
			rma_nbr	yes	no
			rma_prefix	yes	no

rmc_ctrl

Return Material Authorization Control

Field Name	Label	Col-Label	Format	Dec
oid_rmc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rmc__chr01			x(8)	
rmc__chr02			x(8)	
rmc__chr03			x(8)	
rmc__chr04			x(8)	
rmc__chr05			x(8)	
rmc__chr06			x(8)	
rmc__chr07			x(8)	
rmc__chr08			x(8)	
rmc__chr09			x(8)	
rmc__chr10			x(8)	
rmc__dec01			->>>,>>>,>>9.99	10
rmc__dec02			->>>,>>>,>>9.99	10
rmc__dec03			->>>,>>>,>>9.99	10
rmc__dte01			99/99/99	
rmc__dte02			99/99/99	
rmc__dte03			99/99/99	
rmc__dte04			99/99/99	
rmc__log01			yes/no	
rmc__log02			yes/no	

Field Name	Label	Col-Label	Format	Dec
rmc__log03			yes/no	
rmc__log04			yes/no	
rmc__log05			yes/no	
rmc__qadc01	QAD Character Field 1		X(8)	
rmc__qadc02	QAD Character Field 2		X(8)	
rmc__qadc03	QAD Character Field 3		X(8)	
rmc__qadc04			x(4)	
rmc__qadc05			x(8)	
rmc__qadc06			x(4)	
rmc__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
rmc__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99<<<	10
rmc__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmc__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmc__qadi03			>>>>>>9	
rmc__qadi04			->>>>>>>9	
rmc__qadl01	QAD Logical Field 1		yes/no	
rmc__qadl02	QAD Logical Field 2		yes/no	
rmc__qadl03	QAD Logical Field 3		yes/no	
rmc_all_days	Allocate Days		>>>>>9	
rmc_consume	Consume Forecast	Consume Fcst	yes/no	
rmc_det_all	Detail Allocations		yes/no	
rmc_dflt_rma	Default RMA Contract		x(8)	
rmc_disp_trail	RMA Trailer Display		yes/no	
rmc_domain	Domain		x(8)	
rmc_edit_isb	Edit Installed Base		yes/no	
rmc_hcmmts	RMA Header Comments		yes/no	
rmc_hist	Return History		yes/no	
rmc_history	Keep Booking History		yes/no	
rmc_issues	Issues First		yes/no	
rmc_lcmmts	RMA Line Comments		yes/no	
rmc_loc_is	Customer Return Location		x(8)	
rmc_loc_iv	Return From Supplier Loc		x(8)	
rmc_loc_os	Customer Spares Location		x(8)	
rmc_loc_ov	At Supplier Location		x(8)	
rmc_mod_date	Modified Date	Mod Date	99/99/99	
rmc_mod_userid	User ID		X(8)	
rmc_node	Node		x(8)	
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>>9	
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rmc_ctrl	yes	oid_rmc_ctrl	yes	no
*	rmc_node	yes	rmc_domain	yes	no
			rmc_node	yes	no

rmd_det

Return Material Authorization Detail

Field Name	Label	Col-Label	Format	Dec
oid_rmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__chr05			x(8)	
rmd__chr06			x(8)	
rmd__chr07			x(8)	
rmd__chr08			x(8)	
rmd__chr09			x(8)	
rmd__chr10			x(8)	
rmd__dec01			>>>,>>>,>>9.99	10
rmd__dec02			>>>,>>>,>>9.99	10
rmd__dte01			99/99/99	
rmd__dte02			99/99/99	
rmd__log01			yes/no	
rmd__qadc01	QAD Character Field 1		X(8)	
rmd__qadc02	QAD Character Field 2		X(8)	
rmd__qadc03	QAD Character Field 3		X(8)	
rmd__qadc04			x(4)	
rmd__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99	10
rmd__qadd02	QAD Decimal Field 2		->>>>,>>>,>>9.99	10
rmd__qadd03	QAD Decimal Field 3		->>,>>9.99	10
rmd__qadi01	QAD Integer Field 1		->,>>>,>>9	
rmd__qadi02	QAD Integer Field 2		->,>>>,>>9	
rmd__qadi03	QAD Integer Field 3		->,>>>,>>9	
rmd__qadl01	QAD Logical Field 1		yes/no	
rmd__qadl02	QAD Logical Field 2		yes/no	
rmd__qadl03	QAD Logical Field 3		yes/no	
rmd__qadt01	QAD Date Field 1		99/99/99	
rmd__qadt02	QAD Date Field 2		99/99/99	
rmd__qadt03	QAD Date Field 3		99/99/99	
rmd__qadt04	QAD Date Field 4		99/99/99	
rmd__qadt05	QAD Date Field 5		99/99/99	
rmd_chg_type	Charge Type	CT	x(2)	
rmd_cmtindx	Comment Index	Comment	>>>>>>>9	
rmd_comment[5]	Comments		x(40)	
rmd_covered	Covered Amount		>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
rmd_cpl_date	Received Date	Rec Date	99/99/99	
rmd_customs	Customs Value		>>>>,>>>,>>9.99<<<	10
rmd_cvr_pct	Coverage Percent	Cvr Per	->>,>>9.99	10
rmd_desc	Description		x(24)	
rmd_domain	Domain		x(8)	
rmd_done	Received		yes/no	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	99:99	
rmd_eng_code	Engineer Code	Eng Code	x(8)	
rmd_exp_date	Expected Date	Exp Date	99/99/99	
rmd_fault_cd	Fault Code	Fault	x(8)	
rmd_ins_date	Install Date		99/99/99	
rmd_iss	Inv Iss		yes/no	
rmd_line	Line	Ln	>>9	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		yes/no	
rmd_loc	To Location		x(8)	
rmd_mod_date	Modified Date	Mod Date	99/99/99	
rmd_mod_userid	User ID		X(8)	
rmd_nbr	Sales Order	Order	x(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_par_date	Parent Install Date		99/99/99	
rmd_par_part	Parent Item		x(18)	
rmd_par_ser	Parent Serial		x(18)	
rmd_part	Item		x(18)	
rmd_prefix	Prefix		x(1)	
rmd_price	Price		>>>>,>>>,>>9.99<<<	10
rmd_process	Processing		x(2)	
rmd_prodline	Product Line	Line	x(4)	
rmd_qty_acp	Qty Received		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_non	Qty Due Billed		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->,>>>,>>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->,>>>,>>9.9<<<<<<<<	10
rmd_ref	Ref		>>>>>>>9	
rmd_restock	Restock		>>>,>>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rmd_det	yes	oid_rmd_det	yes	no
	rmd_link	no	rmd_domain	yes	no
			rmd_rma_nbr	yes	no
			rmd_rma_line	yes	no
			rmd_prefix	yes	no
*	rmd_nbrln	yes	rmd_domain	yes	no
			rmd_nbr	yes	no
			rmd_prefix	yes	no
			rmd_line	yes	no
	rmd_part	no	rmd_domain	yes	no
			rmd_part	yes	no
			rmd_exp_date	yes	no
			rmd_fault_cd	yes	no
	rmd_type	no	rmd_domain	yes	no
			rmd_prefix	yes	no
			rmd_type	yes	no
			rmd_nbr	yes	no
			rmd_line	yes	no

◊ rndc_mstr Country Code and Currency with Rounding Method

Field Name	Label	Col-Label	Format	Dec
oid_rndc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rndc__qadc01	QAD Character Field 1		x(24)	
rndc__qadc02	QAD Character Field 2		x(24)	
rndc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
rndc__qadt01	QAD Date Field 1		99/99/99	
rndc_acct	Account	Account	x(8)	
rndc_curr	Currency	Cur	x(3)	
rndc_dest_ctry	Destination Country	Dest Ctry	x(3)	
rndc_domain	Domain		x(8)	
rndc_mod_date	Modified Date	Mod Date	99/99/99	
rndc_mod_userid	User ID		x(8)	
rndc_orig_ctry	Originating Country	Orig Ctry	x(3)	
rndc_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rndc_sub	Sub-Account	Sub-Acct	x(8)	
rndc_user1	User Field Character 1		x(24)	
rndc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rndc_mstr	yes	oid_rndc_mstr	yes	no
◊*	rndc_rnd_mthd	yes	rndc_domain	yes	no
			rndc_curr	yes	no
			rndc_orig_ctry	yes	no
			rndc_dest_ctry	yes	no

rnd_mstr Rounding Method Master

	Field Name	Label	Col-Label	Format	Dec
	oid_rnd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	rnd__chr01			x(8)	
	rnd__chr02			x(8)	
	rnd__chr03			x(8)	
	rnd__chr04			x(8)	
	rnd__qad01			x(8)	
	rnd__qad02			x(8)	
	rnd__qad03			x(8)	
	rnd__qad04			x(8)	
Δ	rnd__qadc01			x(24)	
Δ	rnd__qadc02			x(24)	
	rnd_desc	Description		x(24)	
	rnd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
	rnd_thrshld	Rounding Threshold	Threshold	>,>>9.9999	10
	rnd_unit	Rounding Unit	Rnd Unit	>,>>9.999	10
	rnd_user1	Ufld1		x(8)	
	rnd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rnd_mstr	yes	oid_rnd_mstr	yes	no
Δ	rnd_desc	no	rnd_desc	yes	no
			rnd_rnd_mthd	yes	no
Δ*	rnd_rnd_mthd	yes	rnd_rnd_mthd	yes	no

◊ Role Role

Field Name	Label	Col-Label	Format	Dec
BusComponent_ID			9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(4000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Role_ID			9999999999	
RoleBusComponentConcept			x(20)	
RoleDescription			x(24)	
RoleIsActive			yes/no	
RoleName			x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Component	no	BusComponent_ID	yes	no
◊*	Prim	yes	Role_ID	yes	no
◊	RoleName	yes	RoleName	yes	no

◊ RoleResource Link Role-Resource

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Resource_ID			9999999999	
Role_ID			9999999999	
RoleResource_ID			9999999999	
RoleResourceIsDefault			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	RoleResource_ID	yes	no
◊ Resource_FK	no	Resource_ID	yes	no
◊ Role_FK	no	Role_ID	yes	no

◊ RoundingMethod Rounding Method

Field Name	Label	Col-Label	Format	Dec
RoundingMethod_ID	Record ID	Record ID	9999999999	
RoundingMethodCode	Code	Code	x(1)	
RoundingMethodDescription	Description	Description	x(24)	
RoundingMethodThreshold	Threshold	Threshold	>,>>9.9999	4
RoundingMethodUnit	Unit	Unit	>,>>9.999	3

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	RoundingMethodCode	yes	no
◊* Prim	yes	RoundingMethod_ID	yes	no

ro_det Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_ro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ro__chr01			x(8)	
ro__chr02			x(8)	
ro__chr03			x(8)	
ro__chr04			x(8)	
ro__chr05			x(8)	
ro__dec01			>>>,>>>,>>9.99	10
ro__dec02			>>>,>>>,>>9.99	10
ro__dte01			99/99/99	
ro__dte02			99/99/99	
ro__log01			yes/no	
ro__qadc01	QAD Character Field 1		X(8)	

Field Name	Label	Col-Label	Format	Dec
ro__qadc02	QAD Character Field 2		X(8)	
ro__qadc03	QAD Character Field 3		X(8)	
ro__qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
ro__qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
ro__qadl01	QAD Logical Field 1		yes/no	
ro__qadl02	QAD Logical Field 2		yes/no	
ro__qadt01	QAD Date Field 1		99/99/99	
ro__qadt02	QAD Date Field 2		99/99/99	
ro_auto_lbr	Auto Labor Report		yes/no	
ro_batch	Batch Qty	Batch! Qty	>,>>>,>>9.9<<<<<<<<	10
ro_bom_code	BOM Code		x(18)	
ro_cmtindx	Comment Index	Comment	>>>>>>>9	
ro_cost	Cost		>>>>,>>>,>>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>>,>>9.999	10
ro_cyc_unit	Units/Cycle		>>>>>9	10
ro_desc	Description		x(24)	
ro_domain	Domain		x(8)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
ro_end	End Date	End	99/99/99	
ro_end_ecn	End ECN		x(8)	
ro_fsc_code	Service Category		X(8)	
ro_fsm_type	FSM Type		x(8)	
ro_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
ro_mch	Machine		x(8)	
ro_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
ro_men_mch	Run Crew		->>,>>9.99	10
ro_milestone	Milestone Operation	Milestone	yes/no	
ro_mod_date	Modified Date	Mod Date	99/99/99	
ro_mod_userid	User ID		X(8)	
ro_move	Move Time	Move	>,>>9.9<<	10
ro_mv_nxt_op	Move Next Op		yes/no	
ro_op	Operation	Op	>>>>9	
ro_po_line	Line	Ln	>>9	
ro_po_nbr	Purchase Order	PO	x(8)	
ro_price	Price		>>>>,>>>,>>9.99<<<	10
ro_queue	Queue Time	Queue	>,>>9.9<<	10
ro_rollup	Rollup Reqd		yes/no	
ro_rollup_id	Rollup ID		x(8)	
ro_routing	Routing Code		x(18)	
ro_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
ro_setup	Setup Time	Setup	>,>>9.9<<	10
ro_setup_men	Setup Crew		->>,>>9.99	10
ro_start	Start Date	Start	99/99/99	
ro_start_ecn	Start ECN		x(8)	
ro_std_batch	Standard Batch Size	Batch	>>>,>>9.9	10
ro_std_op	Standard Operation	Std Op	x(8)	
ro_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
ro_sub_lead	Subcontract LT	Sub LT	>>9	
ro_tool	Tool Code	Tool	x(8)	
ro_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
ro_user1	Ufld1		x(8)	
ro_user2	Ufld2		x(8)	
ro_vend	Supplier		x(8)	

Field Name	Label	Col-Label	Format	Dec
ro_wait	Wait Time	Wait	>,>>9.9<<	10
ro_wipmtl_part	WIP Item		x(18)	
ro_wkctr	Work Center	Work Ctr	x(8)	
ro_yield_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ro_det	yes	oid_ro_det	yes	no
	ro_fsm_type	no	ro_domain	yes	no
			ro_fsm_type	yes	no
			ro_routing	yes	no
			ro_op	yes	no
*	ro_routing	yes	ro_domain	yes	no
			ro_routing	yes	no
			ro_op	yes	no
			ro_start	yes	no
	ro_wkctr	no	ro_domain	yes	no
			ro_wkctr	yes	no
			ro_mch	yes	no

rpc_ctrl Repetitive Control

Field Name	Label	Col-Label	Format	Dec
oid_rpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rpc__qadc01			x(8)	
rpc__qadi01			->>>>>>>9	
◊ rpc_allow_rate	Allow Zero Run Rate		yes/no	
rpc_domain	Domain		x(8)	
rpc_eff_days	End Eff Days		>>9	
rpc_eff_dflt	End Eff Default Method		X(1)	
rpc_inc_yld	Include Yield		yes/no	
rpc_nbr	Next Picklist	P/L Nbr	>>>>>>>9	
rpc_nbr_pre	P/L Prefix	Pre	x(3)	
rpc_sch_bck	Consume Back	Back	->>9	
rpc_sch_fwd	Consume Forward	Fwd	->>9	
rpc_user1	Ufld1		x(8)	
rpc_user2	Ufld2		x(8)	
rpc_using_new	Enable New Repetitive		yes/no	
rpc_wk_start	Start Week	Week! Day	9	
rpc_wxfer_acct	WIP Transfer Acct		X(8)	
rpc_wxfer_cc	WIP Transfer CC		X(4)	
rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
rpc_xfer_wip	Transfer WIP		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rpc_ctrl	yes	oid_rpc_ctrl	yes	no
*	rpc_index1	yes	rpc_domain	yes	no

rps_mstr Repetitive Production Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rps__qadc01			x(8)	
rps_bom_code	BOM/Formula		x(18)	
rps_domain	Domain		x(8)	
rps_due_date	Due Date		99/99/99	
rps_line	Production Line	Line	x(8)	
rps_part	Item Number		x(18)	
rps_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
rps_qty_req	Qty Scheduled		->,>>>,>>9.9<<<<<<<<	10
rps_record			>>>>>>9	
rps_rel_date	Release	Rel Date	99/99/99	
rps_routing	Routing Code		x(18)	
rps_site	Site		x(8)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rps_mstr	yes	oid_rps_mstr	yes	no
*	rps_part	yes	rps_domain	yes	no
			rps_part	yes	no
			rps_site	yes	no
			rps_line	yes	no
			rps_due_date	yes	no
	rps_record	yes	rps_domain	yes	no
			rps_record	yes	no
	rps_site	yes	rps_domain	yes	no
			rps_site	yes	no
			rps_part	yes	no
			rps_line	yes	no
			rps_due_date	yes	no
	rps_site_line	no	rps_domain	yes	no
			rps_site	yes	no
			rps_line	yes	no
			rps_rel_date	yes	no
			rps_part	yes	no

rqa_mstr Requisition Approver Master

Field Name	Label	Col-Label	Format	Dec
oid_rqa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqa__chr01			x(8)	
rqa__chr02			x(8)	
rqa__chr03			x(8)	
rqa__chr04			x(8)	
rqa__qadc01	QAD Field		X(8)	
rqa__qadc02	QAD Field		X(8)	
rqa__qadc03	QAD Field		X(8)	
rqa__qadc04	QAD Field		X(8)	

	Field Name	Label	Col-Label	Format	Dec
	rqa_admin_apr	Administrative Approver	Admin.	x(8)	
	rqa_alt_apr[2]	Alternate Approver	Alt.	x(8)	
	rqa_apr	User Id		x(8)	
	rqa_apr_level	Approval Level	Approval! Level	99	
	rqa_apr_req	Approval Required	Req	yes/no	
	rqa_category	Category		x(8)	
	rqa_cc_from	Cost Ctr From	From! CC	X(4)	
	rqa_cc_to	Cost Ctr To	To! CC	X(4)	
	rqa_domain	Domain		x(8)	
	rqa_end	End Effective	End	99/99/99	
Δ	rqa_entity	Entity		x(20)	
	rqa_job	Job		X(8)	
	rqa_prod_line	Product Line	Product! Line	x(8)	
	rqa_rvw_level	Review Level	Review! Level	99	
	rqa_rvw_req	Review Required	Req	yes/no	
	rqa_site	Site		x(8)	
	rqa_start	Start Effective	Start	99/99/99	
	rqa_sub_from	Sub-Account From	From! Sub	X(8)	
	rqa_sub_to	Sub-Account To	To! Sub	X(8)	
	rqa_type	Type		>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqa_mstr	yes	oid_rqa_mstr	yes	no
*	rqa_apr_type	yes	rqa_domain	yes	no
			rqa_apr	yes	no
			rqa_type	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no
			rqa_start	yes	no
	rqa_type	yes	rqa_domain	yes	no
			rqa_type	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no
			rqa_start	yes	no
			rqa_apr	yes	no
	rqa_type_apr	yes	rqa_domain	yes	no
			rqa_type	yes	no
			rqa_apr	yes	no
			rqa_site	yes	no
			rqa_prod_line	yes	no
			rqa_entity	yes	no
			rqa_job	yes	no
			rqa_category	yes	no
			rqa_sub_from	yes	no
			rqa_cc_from	yes	no
			rqa_start	yes	no

rqcd_det

Requisition Category Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqcd__chr01			x(8)	
rqcd__chr02			x(8)	
rqcd__chr03			x(8)	
rqcd__chr04			x(8)	
rqcd__qadc01	QAD Field		X(8)	0
rqcd__qadc02	QAD Field		X(8)	0
rqcd__qadc03	QAD Field		X(8)	0
rqcd__qadc04	QAD Field		X(8)	0
rqcd_acct_from	Account From		x(8)	
rqcd_acct_to	Account To		x(8)	
rqcd_category	Category		x(8)	
rqcd_domain	Domain		x(8)	
rqcd_sub_from	Sub-Account From		x(8)	
rqcd_sub_to	Sub-Account To		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqcd_det	yes	oid_rqcd_det	yes	no
	rqcd_acct_from	no	rqcd_domain	yes	no
			rqcd_acct_from	yes	no
			rqcd_sub_from	yes	no
			rqcd_category	yes	no
*	rqcd_category	yes	rqcd_domain	yes	no
			rqcd_category	yes	no
			rqcd_acct_from	yes	no
			rqcd_sub_from	yes	no

rqc_mstr

Requisition Category Master

Field Name	Label	Col-Label	Format	Dec
oid_rqc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqc__chr01			x(8)	
rqc__chr02			x(8)	
rqc__chr03			x(8)	
rqc__chr04			x(8)	
rqc__qadc01	QAD Field		X(8)	0
rqc__qadc02	QAD Field		X(8)	0
rqc__qadc03	QAD Field		X(8)	0
rqc__qadc04	QAD Field		X(8)	0
rqc_category	Category		x(8)	
rqc_desc	Description		x(24)	
rqc_domain	Domain		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqc_mstr	yes	oid_rqc_mstr	yes	no
*	rqc_category	yes	rqc_domain	yes	no
			rqc_category	yes	no
	rqc_desc	no	rqc_domain	yes	no
			rqc_desc	yes	no

rqda_det

Requisition Approval Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqda_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqda__chr01			x(8)	
rqda__chr02			x(8)	
rqda__chr03			x(8)	
rqda__chr04			x(8)	
rqda__qadc01	QAD Field		X(8)	0
rqda__qadc02	QAD Field		X(8)	0
rqda__qadc03	QAD Field		X(8)	0
rqda__qadc04	QAD Field		X(8)	0
rqda_action	Action		x(20)	
rqda_apr_userid	User ID		x(8)	
rqda_date	Date		99/99/99	
rqda_domain	Domain		x(8)	
rqda_ent_userid	Entered By		x(8)	
rqda_nbr	Req Nbr		x(8)	
rqda_time	Time		>>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqda_det	yes	oid_rqda_det	yes	no
	rqda_apr_userid	no	rqda_domain	yes	no
			rqda_apr_userid	yes	no
			rqda_nbr	yes	no
*	rqda_nbr	yes	rqda_domain	yes	no
			rqda_nbr	yes	no
			rqda_apr_userid	yes	no

rqd_det

Requisition Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqd__chr01			x(8)	
rqd__chr02			x(8)	
rqd__chr03			x(8)	
rqd__chr04			x(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0

	Field Name	Label	Col-Label	Format	Dec
	rqd__qadc04	QAD Field		X(8)	0
	rqd_acct	Pur Acct		x(8)	
	rqd_aprv_stat	Aprvl Status		x(16)	
	rqd_assay	Assay %		>>9.99%	10
	rqd_category	Category		x(8)	
	rqd_cc	Cost Ctr	CC	x(4)	
	rqd_cmtindx	Comment Index	Comment	>>>>>>>9	
	rqd_desc	Desc		x(30)	
	rqd_disc_pct	Disc%		->9.99%	10
	rqd_domain	Domain		x(8)	
	rqd_due_date	Due Date		99/99/99	
	rqd_expire	Expire Date	Expire	99/99/99	
	rqd_grade	Grade		x(2)	
	rqd_insp_rqd	Inspect Req	Insp	yes/no	
◊	rqd_item_rev_date	Item Revision Date	Item Rev Date	99/99/99	
	rqd_line	Line		>>>	
	rqd_loc	Location		x(8)	
	rqd_lot_rcpt	Single Lot		yes/no	
	rqd_max_cost	Max Unit Cost		>>>,>>>,>>9.99<<<	10
	rqd_nbr	Req Nbr		x(8)	
	rqd_need_date	Need Date	Need	99/99/99	
	rqd_oot_extra[8]			x(16)	
	rqd_oot_ponetcst	PO Net Unit Cost	PO Net! Unit Cost	>>>,>>>,>>9.99<<<	10
	rqd_oot_poum	PO Stock UM	PO! Stk UM	x(2)	
	rqd_oot_rqnetcst	Req Max Unit Cost	Req Max! Unit Cost	>>>,>>>,>>9.99<<<	10
	rqd_oot_rqum	Req Stock UM	Req! Stk UM	x(2)	
◊	rqd_op	Operation		>>>>>9	
	rqd_open	Open		yes/no	
	rqd_part	Item Number		x(18)	
	rqd_pr_list	Disc Tbl		x(8)	
	rqd_pr_list2	Pr Tbl		x(8)	
	rqd_project	Project		x(8)	
	rqd_pur_cost	Unit Cost		>>>,>>>,>>9.99<<<	10
	rqd_rctstat	Receipt Status	Status	x(8)	
	rqd_rel_date	Release Date	Release	99/99/99	
	rqd_req_qty	Req Qty		>,>>>,>>9.9<<<<<<<	10
Δ	rqd_rev	Item Revision	Item Rev	x(4)	
	rqd_ship	Ship-to		x(8)	
	rqd_site	Site		x(8)	
	rqd_status	Status		x(1)	
◊	rqd_sub_type	Subcontract Type		x(12)	
	rqd_taxable	Tax		yes/no	
	rqd_type	Type		x(1)	
	rqd_um	UM		x(2)	
	rqd_um_conv	UM Conv		>>>>9.9999<<<<	10
	rqd_vend	Supplier		x(8)	
	rqd_vpart	Supplier Part		x(30)	
◊	rqd_wip_lotser	Lot/Serial		x(18)	
◊	rqd_wo_lot	Work Order ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqd_det	yes	oid_rqd_det	yes	no
	rqd_aprv_stat	no	rqd_domain	yes	no
			rqd_aprv_stat	yes	no
			rqd_nbr	yes	no
*	rqd_nbr	yes	rqd_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_need_date	no	rqd_domain	yes	no
		rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_part	no	rqd_domain	yes	no
		rqd_part	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_site	no	rqd_domain	yes	no
		rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
rqd_vend	no	rqd_domain	yes	no
		rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl Requisition Control

Field Name	Label	Col-Label	Format	Dec
oid_rqf_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqf__chr01			x(8)	
rqf__chr02			x(8)	
rqf__chr03			x(8)	
rqf__chr04			x(8)	
rqf__dec01			->>,>>9.99	10
rqf__dte01			99/99/99	
rqf__log01			yes/no	
rqf__qadc01	QAD Field		X(8)	0
rqf__qadc02	QAD Field		X(8)	0
rqf__qadc03	QAD Field		X(8)	0
rqf__qadc04	QAD Field		X(8)	0
rqf__qadi01			->>>>>>>9	
rqf_appr_curr	Approval Currency		x(3)	
rqf_diraprs_req	Product Line Approvals Required		>9	
rqf_domain	Domain		x(8)	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	
rqf_horaprs_req	Horizontal Approvals Required		>9	
rqf_lcmmts	Line Comments		yes/no	
rqf_ln_fmt	Ln Format (S/M)		single/multi	
rqf_nbr	Next Requisition Number		99999999	
rqf_oot_rtg	Out Of Tolerance Routing		x(1)	
rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)		automatic/manual	
rqf_pre	Requisition Prefix		x(3)	
rqf_tol_pct	Tolerance Percent		>>9.99	10

Field Name	Label	Col-Label	Format	Dec
rqf_tol_val	Tolerance Value		>>>>,>>9.99	10
rqf_use_tolpct	Use Tolerance Percent		yes/no	
rqf_use_tolval	Use Tolerance Value		yes/no	
rqf_vrtaprs_req	Vertical Approvals Required		>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqf_ctrl	yes	oid_rqf_ctrl	yes	no
*	rqf_index1	yes	rqf_domain	yes	no

rqh_hist

Requisition History

Field Name	Label	Col-Label	Format	Dec
oid_rqh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0
rqh_action	Action		x(20)	
rqh_apr_userid	User ID		x(8)	
rqh_date	Date		99/99/99	
rqh_domain	Domain		x(8)	
rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
rqh_ent_userid	Entered By		x(8)	
rqh_line	Line		>>>	
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			99999999	
rqh_time	Time		>>>>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqh_hist	yes	oid_rqh_hist	yes	no
*	rqh_nbr	yes	rqh_domain	yes	no
			rqh_nbr	yes	no
			rqh_date	yes	no
			rqh_time	yes	no
			rqh_seq_nbr	yes	no
	rqh_nbr_usr	no	rqh_domain	yes	no
			rqh_nbr	yes	no
			rqh_apr_userid	yes	no
			rqh_date	yes	no
			rqh_time	yes	no
			rqh_seq_nbr	yes	no

rqj_mstr

Requisition Job Master

Field Name	Label	Col-Label	Format	Dec
oid_rqj_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqj__chr01			x(8)	
rqj__chr02			x(8)	
rqj__chr03			x(8)	
rqj__chr04			x(8)	
rqj__qadc01	QAD Field		X(8)	0
rqj__qadc02	QAD Field		X(8)	0
rqj__qadc03	QAD Field		X(8)	0
rqj__qadc04	QAD Field		X(8)	0
rqj_desc	Description		x(24)	
rqj_domain	Domain		x(8)	
rqj_end	End Effective		99/99/99	
rqj_job	Job		x(8)	
rqj_start	Start Effective		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqj_mstr	yes	oid_rqj_mstr	yes	no
*	rqj_job	yes	rqj_domain	yes	no
			rqj_job	yes	no

rql_mstr

Requisition Approval Level Master

Field Name	Label	Col-Label	Format	Dec
oid_rql_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rql__chr01			x(8)	
rql__chr02			x(8)	
rql__chr03			x(8)	
rql__chr04			x(8)	
rql__dec01			->>,>>9.99	10
rql__qadc01	QAD Field		X(8)	0
rql__qadc02	QAD Field		X(8)	0
rql__qadc03	QAD Field		X(8)	0
rql__qadc04	QAD Field		X(8)	0
rql_amt	Amount		>>>,>>>,>>>,>>9	10
rql_desc	Description		x(34)	
rql_domain	Domain		x(8)	
rql_level	Approval Level		99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rql_mstr	yes	oid_rql_mstr	yes	no
*	rql_lev	yes	rql_domain	yes	no
			rql_level	yes	no

rqm_det Requirement Detail

Field Name	Label	Col-Label	Format	Dec
oid_rqm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqm__qadc01			x(8)	
rqm_cat	Category		x(10)	
rqm_date	Date		99/99/99	
rqm_domain	Domain		x(8)	
rqm_interval	Interval		x(1)	
rqm_line	Line		>>9	
rqm_nbr	Order		x(8)	
rqm_reference	Reference	Ref	x(24)	
rqm_rlse_id	Rlse Id	Rlse! Id	x(30)	
rqm_time	Time		99:99	
rqm_type	Type		>9	
rqm_user1	Ufld1		x(8)	
rqm_user2	Ufld2		x(8)	
rqm_value	Value		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqm_det	yes	oid_rqm_det	yes	no
	rqm_cat_val_date	no	rqm_domain	yes	no
			rqm_cat	yes	no
			rqm_value	yes	no
			rqm_date	yes	no
			rqm_type	yes	no
*	rqm_schd	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_nbr	yes	no
			rqm_line	yes	no
			rqm_rlse_id	yes	no
			rqm_date	yes	no
			rqm_time	yes	no
			rqm_interval	yes	no
			rqm_reference	yes	no
			rqm_cat	yes	no
	rqm_value	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_cat	yes	no
			rqm_date	yes	no
			rqm_value	yes	no

rqm_mstr Requisition Master

Field Name	Label	Col-Label	Format	Dec
oid_rqm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqm__chr01			x(8)	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	rqm__log01			yes/no	
	rqm__qadc01	QAD Field		X(8)	0
	rqm__qadc02	QAD Field		X(8)	0
	rqm__qadc03	QAD Field		X(8)	0
	rqm__qadc04	QAD Field		X(8)	0
	rqm_acct	Account		x(8)	
	rqm_apr_cmtindx	Approval Comments		>>>>>>>9	
	rqm_aprv_stat	Aprvl Status		x(16)	
	rqm_bill	Bill-To		x(8)	
	rqm_buyer	Buyer		x(8)	
	rqm_category	Category		x(8)	
	rqm_cc	Cost Ctr	CC	x(4)	
	rqm_cls_date	Close Date	Closed	99/99/99	
	rqm_cmtindx	Comments		>>>>>>>9	
	rqm_contact	Contact		x(24)	
	rqm_curr	Currency		x(3)	
	rqm_direct	Direct Matls		yes/no	
	rqm_disc_pct	Disc %		->9.99%	10
	rqm_domain	Domain		x(8)	
	rqm_due_date	Due Date		99/99/99	
	rqm_eby_userid	Entered By		x(8)	
	rqm_email_opt	E-mail Option		x(1)	
	rqm_end_userid	End User		x(8)	
	rqm_ent_date	Ent Date		99/99/99	
	rqm_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
Δ	rqm_entity	Entity	Ent	x(20)	
	rqm_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	rqm_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	rqm_ex_ratetype	Rate Type		x(8)	
	rqm_exru_seq	Sequence		>>>>>>>>9	
	rqm_fix_pr	Fixed Price		yes/no	
	rqm_fix_rate	Fixed Rate		yes/no	
	rqm_fob	FOB		x(20)	
	rqm_job	Job		x(8)	
	rqm_lang	Lang		x(2)	
	rqm_ln_fmt	Single/Multi		single/multi	
	rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>,>>>,>>9.99<<<	10
	rqm_nbr	Req Nbr		x(8)	
	rqm_need_date	Need Date		99/99/99	
	rqm_open	Open		yes/no	
	rqm_partial	Partial OK		yes/no	
	rqm_pent_userid	Prev Route To Entered By		x(8)	
	rqm_pr_list	Disc Tbl		x(8)	
	rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
	rqm_prev_rtp			yes/no	
	rqm_prev_userid	Prev Route To		X(8)	
	rqm_print	Print Req		yes/no	
	rqm_project	Project		x(8)	
	rqm_reason	Reason		x(30)	
	rqm_req_date	Rqstn Date		99/99/99	
	rqm_rmks	Remarks		x(40)	
	rqm_rqby_userid	Requested By	Req By	x(8)	
	rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
	rqm_rtto_date	Date Routed		99/99/99	
	rqm_rtto_time	Time Routed		>>>>>>>9	
	rqm_rtto_userid	Route To		x(8)	
	rqm_ship	Ship to		x(8)	

Field Name	Label	Col-Label	Format	Dec
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	->>>>,>>>,>>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqm_mstr	yes	oid_rqm_mstr	yes	no
	rqm_buyer	no	rqm_domain	yes	no
			rqm_buyer	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
	rqm_job	no	rqm_domain	yes	no
			rqm_job	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
*	rqm_nbr	yes	rqm_domain	yes	no
			rqm_nbr	yes	no
	rqm_open	no	rqm_domain	yes	no
			rqm_open	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
	rqm_rqby_userid	no	rqm_domain	yes	no
			rqm_rqby_userid	yes	no
			rqm_rtdto_purch	yes	no
			rqm_nbr	yes	no
	rqm_rtto	no	rqm_domain	yes	no
			rqm_rtto_userid	yes	no
			rqm_open	yes	no
			rqm_nbr	yes	no

rqpo_ref

Requisition/PO Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_rqpo_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqpo__chr01			x(8)	
rqpo__chr02			x(8)	
rqpo__chr03			x(8)	
rqpo__chr04			x(8)	
rqpo__qadc01	QAD Field		X(8)	0
rqpo__qadc02	QAD Field		X(8)	0
rqpo__qadc03	QAD Field		X(8)	0
rqpo__qadc04	QAD Field		X(8)	0
rqpo_domain	Domain		x(8)	
rqpo_po_line	PO Line		>>>	
rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
rqpo_qty_ord	Qty Ord		->,>>>,>>9.9<<<<<<<<	10
rqpo_req_line	Req Line		>>>	
rqpo_req_nbr	Requisition	Req Nbr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqpo_ref	yes	oid_rqpo_ref	yes	no
	rqpo_po_nbr	no	rqpo_domain	yes	no
			rqpo_po_nbr	yes	no
			rqpo_po_line	yes	no
			rqpo_req_nbr	yes	no
			rqpo_req_line	yes	no
*	rqpo_req_nbr	yes	rqpo_domain	yes	no
			rqpo_req_nbr	yes	no
			rqpo_req_line	yes	no
			rqpo_po_nbr	yes	no
			rqpo_po_line	yes	no

rqr_mstr Role Master

Field Name	Label	Col-Label	Format	Dec
oid_rqr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rqr__chr01			x(8)	
rqr__chr02			x(8)	
rqr__chr03			x(8)	
rqr__chr04			x(8)	
rqr__qadc01	QAD Field		X(8)	0
rqr__qadc02	QAD Field		X(8)	0
rqr__qadc03	QAD Field		X(8)	0
rqr__qadc04	QAD Field		X(8)	0
rqr_domain	Domain		x(8)	
rqr_role	Role		x(8)	
rqr_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rqr_mstr	yes	oid_rqr_mstr	yes	no
	rqr_role	yes	rqr_domain	yes	no
			rqr_role	yes	no
			rqr_userid	yes	no
*	rqr_userid	yes	rqr_domain	yes	no
			rqr_userid	yes	no
			rqr_role	yes	no

rq_mstr Requirement Master

Field Name	Label	Col-Label	Format	Dec
oid_rq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rq__chr01			x(8)	
rq__chr02			x(8)	
rq__chr03			x(8)	
rq__chr04			x(8)	
rq__chr05			x(8)	
rq__dec01			>>>,>>>,>>9.99	10
rq__dec02			>>>,>>>,>>9.99	10
rq__dte01			99/99/99	
rq__dte02			99/99/99	
rq__log01			yes/no	
rq_domain	Domain		x(8)	
rq_end	End Date	End	99/99/99	
rq_lead	Lead Time (Days)	LT	>>9	
rq_lt_off	Offset (Days)	Offset	->>9	
rq_part	Item Number		x(18)	
rq_qty_per	Resource Qty Per	Qty Per	->,>>>,>>9.9<<<<<<<<	10
rq_ref	Reference		x(8)	

Field Name	Label	Col-Label	Format	Dec
rq_rsc	Resource		x(8)	
rq_site	Site		x(8)	
rq_start	Start Date	Start	99/99/99	
rq_user1	Ufld1		x(8)	
rq_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rq_mstr	yes	oid_rq_mstr	yes	no
*	rq_part	yes	rq_domain	yes	no
			rq_part	yes	no
			rq_site	yes	no
			rq_rsc	yes	no
			rq_ref	yes	no
			rq_start	yes	no
	rq_rsc	no	rq_domain	yes	no
			rq_rsc	yes	no
			rq_site	yes	no

rsc_ctrl

Shipping Schedule Control

Field Name	Label	Col-Label	Format	Dec
oid_rsc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rsc__qadc01	QAD Field		x(8)	
rsc__qadc02	QAD Field		x(8)	
rsc__qadd01	QAD Field		->,>>>,>>9.9<<<<<<<<	10
rsc__qadd02	QAD Field		->,>>>,>>9.9<<<<<<<<	10
rsc__qadi01	QAD Field		->,>>>,>>9	
rsc__qadi02	QAD Field		->,>>>,>>9	
rsc__qadi03			->>>>>>>9	
rsc__qadl01	QAD Field		yes/no	
rsc__qadl02	QAD Field		yes/no	
rsc__qadl03	QAD Field		yes/no	
rsc__qadl04	QAD Field		yes/no	
rsc__qadt01	QAD Field		99/99/99	
rsc_active	Enable Shipping Schedule		yes/no	
rsc_auto_update	Auto Update Plan From Ship		yes/no	
rsc_domain	Domain		x(8)	
rsc_fab_days	Fab Auth Days		>>9	
rsc_firm_days	Firm Days		>>9	
rsc_gen_ship	Generate Ship Sched From MRP		yes/no	
rsc_raw_days	Raw Auth Days		>>9	
rsc_ship_days	Schedule Days		>>9	
rsc_ship_months	Schedule Months		>>9	
rsc_ship_weeks	Schedule Weeks		>>9	
rsc_user1	Ufld1		x(8)	
rsc_user2	Ufld2		x(8)	
rsc_zero_req	Send Zero Requirements		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsc_ctrl	yes	oid_rsc_ctrl	yes	no
*	rsc_index1	yes	rsc_domain	yes	no

rsd_det

Resource Requirements Detail

Field Name	Label	Col-Label	Format	Dec
oid_rsd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rsd__qadc01			x(8)	
rsd_cap	Cap/Day		->>>,>>9.9	10
rsd_domain	Domain		x(8)	
rsd_end	End Date		99/99/99	
rsd_ref	Reference		x(8)	
rsd_rsc	Resource		x(8)	
rsd_shift1	Shift1		->>,>>9.99	10
rsd_shift2	Shift2		->>,>>9.99	10
rsd_shift3	Shift3		->>,>>9.99	10
rsd_shift4	Shift4		->>,>>9.99	10
rsd_site	Site		x(8)	
rsd_start	Start Date	Start	99/99/99	
rsd_user1	Ufld1		x(8)	
rsd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsd_det	yes	oid_rsd_det	yes	no
*	rsd_rsc	yes	rsd_domain	yes	no
			rsd_rsc	yes	no
			rsd_site	yes	no
			rsd_ref	yes	no
	rsd_site	yes	rsd_domain	yes	no
			rsd_site	yes	no
			rsd_rsc	yes	no
			rsd_ref	yes	no

rsn_ref

Reason Code Master

Field Name	Label	Col-Label	Format	Dec
oid_rsn_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rsn__qadc01			x(8)	
rsn_code	Reason Code	Code	x(8)	
rsn_desc	Description		x(24)	
rsn_domain	Domain		x(8)	
rsn_type	Reason Type	Type	x(8)	
rsn_user1	Ufld1		x(8)	
rsn_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsn_ref	yes	oid_rsn_ref	yes	no
*	rsn_code	yes	rsn_domain	yes	no
			rsn_code	yes	no
			rsn_type	yes	no
	rsn_type	yes	rsn_domain	yes	no
			rsn_type	yes	no
			rsn_code	yes	no

rstd_det

Product Change Control Routing Slip Template Detail

Field Name	Label	Col-Label	Format	Dec
oid_rstd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rstd__qadc01			x(8)	
rstd_appr_code	Routing Slip		x(8)	
rstd_canreroute	Can Re-Route		yes/no	
rstd_domain	Domain		x(8)	
rstd_group	Group		x(8)	
rstd_mod_date	Modified Date	Mod Date	99/99/99	
rstd_notify_nxt	Notify When Next	Nxt	yes/no	
rstd_sequence	Sequence	Seq	>>9	
rstd_svrty_lvl	Severity Level		>>9	
rstd_user1	Ufld1		x(8)	
rstd_user2	Ufld2		x(8)	
rstd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rstd_det	yes	oid_rstd_det	yes	no
*	rstd_codegroup	yes	rstd_domain	yes	no
			rstd_appr_code	yes	no
			rstd_group	yes	no

rst_mstr

Product Change Control Routing Slip Template Master

Field Name	Label	Col-Label	Format	Dec
oid_rst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rst__qadc01			x(8)	
rst_appr_code	Routing Slip		x(8)	
rst_desc	Description		X(24)	
rst_domain	Domain		x(8)	
rst_mod_date	Modified Date	Mod Date	99/99/99	
rst_notify1	Notification List 1		X(72)	
rst_notify1_mail	E-mail List 1		X(255)	
rst_notify2	Notification List 2		X(72)	
rst_notify2_mail	E-mail List 2		X(255)	

Field Name	Label	Col-Label	Format	Dec
rst_svrty_list	Severity List	Severity	x(8)	
rst_user1	Ufld1		x(8)	
rst_user2	Ufld2		x(8)	
rst_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rst_mstr	yes	oid_rst_mstr	yes	no
*	rst_code	yes	rst_domain	yes	no
			rst_appr_code	yes	no

rsud_det

Product Change Control Routing Slip Detail

Field Name	Label	Col-Label	Format	Dec
oid_rsud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rsud__qadc01			x(8)	
rsud_appr_date	Date Approved	AppDate	99/99/99	
rsud_approved	Approved	Appr	yes/no	
rsud_approverid	Approver ID	ID	X(8)	
rsud_canreroute	Can Re-Route	ReRoute	yes/no	
rsud_cmmtindx	Comment Index	CmtIndex	>>>>>>>>9	
rsud_domain	Domain		x(8)	
rsud_group	Group		X(8)	
rsud_index	Index		>>>>>>>>9	
rsud_notify_nxt	Notify When Next	Nxt	yes/no	
rsud_reroute_date	Reroute Date		99/99/99	
rsud_sequence	Sequence	Seq	>>9	
rsud_svrty_lvl	Severity Level		>>9	
rsud_user1	Ufld1		X(8)	
rsud_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsud_det	yes	oid_rsud_det	yes	no
*	rsud_indexgroup	yes	rsud_domain	yes	no
			rsud_index	yes	no
			rsud_group	yes	no
	rsud_sequence	no	rsud_domain	yes	no
			rsud_index	yes	no
			rsud_sequence	yes	no

rsu_mstr

Product Change Control Routing Slip Master

Field Name	Label	Col-Label	Format	Dec
oid_rsu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
rsu__qadc01			x(8)	
rsu_appr_code	Approval Code	Code	X(8)	
rsu_appr_date	Approved Date	ApprDate	99/99/99	

Field Name	Label	Col-Label	Format	Dec
rsu_doc_nbr	Document Number	DocNbr	X(40)	0
rsu_doc_type	Document Type	Doc Type	X(8)	0
rsu_domain	Domain		x(8)	
rsu_index	Index		>>>>>>>>9	
rsu_notify2	Notification List 2	NotifyLst2	X(72)	
rsu_notify2_mail	E-mail List 2		X(255)	
rsu_route_date	Routed Date	RouteDate	99/99/99	
rsu_user1	Ufld1		X(8)	
rsu_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rsu_mstr	yes	oid_rsu_mstr	yes	no
	rsu_doc_nbr	no	rsu_domain	yes	no
			rsu_doc_nbr	yes	no
			rsu_doc_type	yes	no
*	rsu_index	yes	rsu_domain	yes	no
			rsu_index	yes	no

rs_mstr

Resource Master

Field Name	Label	Col-Label	Format	Dec
oid_rs_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
rs__qadc01			x(8)	
rs_desc	Description		x(24)	
rs_domain	Domain		x(8)	
rs_rsc	Resource		x(8)	
rs_site	Site		x(8)	
rs_um	UM		x(2)	
rs_user1	Ufld1		x(8)	
rs_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_rs_mstr	yes	oid_rs_mstr	yes	no
	rs_desc	yes	rs_domain	yes	no
			rs_desc	yes	no
			rs_rsc	yes	no
			rs_site	yes	no
*	rs_rsc	yes	rs_domain	yes	no
			rs_rsc	yes	no
			rs_site	yes	no

◊ RunD

Warehousing Program Execution Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(64)	
Domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
NewProg	Custom Program		x(12)	
oid_RunD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OldProg	Mfg/Pro Program		x(12)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_RunD	yes	oid_RunD	yes	no
◊*	OldNew	yes	Domain	yes	no
			OldProg	yes	no
			NewProg	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

sab_det

Service Contract Billing Detail

Field Name	Label	Col-Label	Format	Dec
oid_sab_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sab__qadc01			x(24)	
sab__qadc02			x(24)	
sab__qadd01			->>>>,>>>,>>9.99<<<<<<<<	10
sab__qadi01			->>>>>>>9	
sab__qadl01			yes/no	
sab__qadt01			99/99/99	

Field Name	Label	Col-Label	Format	Dec
sab_amt_type	Amount Type	AT	x(1)	
sab_bill_to	Bill To		x(8)	
sab_billed_date	Billed Date		99/99/99	
sab_billed_time	Billed Time		x(8)	
sab_curr	Currency	Cur	x(3)	
sab_cust	Customer		x(8)	
sab_cycle	Billing Cycle	Cyc	x(2)	
sab_desc	Description		x(24)	
sab_domain	Domain		x(8)	
sab_end_cover	End Cover		99/99/99	
sab_end_date	End Date		99/99/99	
sab_eu_nbr	End User		x(8)	
sab_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sab_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sab_ex_ratetype	Rate Type		x(8)	
sab_exru_seq	Sequence		>>>>>>>>9	
sab_ext_price	Ext Price		->>>>,>>>,>>9.99<	10
sab_for	Supported Item	Item	x(18)	
sab_line	Contract Line	Con Line	>>>>>>>9	
sab_line_seq	Line Seq		>>>>>>>9	
sab_line_type	Line Type	LT	x(1)	
sab_list_pr	List Price		->>>>,>>>,>>9.99<<<	10
sab_lstcover	Last Billed	Lst Bill	99/99/99	
sab_mod_date	Modified Date	Mod Date	99/99/99	
sab_mod_userid	User ID		x(8)	
sab_nbr	Contract		x(8)	
sab_prefix	Pf		x(1)	
sab_price	Net Price		>>>>,>>>,>>9.99<<<	10
sab_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<	10
sab_qty_per	Duration		->>>9.9<<<	10
sab_ref	Ref		>>>>>>>9	
sab_serial	Lot/Serial		x(18)	
sab_so_nbr	Sales Order	SO	x(8)	
sab_sod_line	Sales Order Line	SO Ln	>>9	
sab_st_cover	Coverage		99/99/99	
sab_st_date	Start Date	Start	99/99/99	
sab_sv_code	Service Type	Svc Type	x(8)	
sab_tax_env	Tax Environment	Tax Env	x(16)	
sab_tax_in	Tax In		yes/no	
sab_tax_usage	Tax Usage	TaxUsage	x(8)	
sab_taxable	Taxable	Tax	yes/no	
sab_taxc	Tax Class	TxC	x(3)	
sab_ui_line	Line		>>>>9	
sab_user1	User Field Character 1		x(24)	
sab_user2	User Field character 2		x(24)	
sab_userd01	User Field Decimal 1		->>>>,>>>,>>9.99<<<<<<<<	10
sab_useri01	User Field Integer 1		->>>>>>>9	
sab_userl01	User Field Logical 1		yes/no	
sab_usert01	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sab_det	yes	oid_sab_det	yes	no
*	sab_nbr	yes	sab_domain	yes	no
			sab_nbr	yes	no
			sab_prefix	yes	no
			sab_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sab_billed_date	yes	no
		sab_billed_time	yes	no
sab_so	no	sab_domain	yes	no
		sab_so_nbr	yes	no
		sab_sod_line	yes	no
		sab_line_seq	yes	no

sac_ctrl

Service Contract Control

Field Name	Label	Col-Label	Format	Dec
oid_sac_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sac__chr01			x(8)	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac__dec01			->>>,>>>,>>9.99	10
sac__dec02			->>>,>>>,>>9.99	10
sac__dec03			->>>,>>>,>>9.99	10
sac__dte01			99/99/99	
sac__dte02			99/99/99	
sac__dte03			99/99/99	
sac__dte04			99/99/99	
sac__log01			yes/no	
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->,>>>,>>9	
sac__qadi02	QAD Integer Field 2		->,>>>,>>9	
sac__qadl01	QAD Logical Field 1		yes/no	
sac__qadl02	QAD Logical Field 2		yes/no	
sac__qadl03	QAD Logical Field 3		yes/no	
sac__qadl04	QAD Logical Field 4		yes/no	
sac_add_chrg	Contract Additional Charges		yes/no	
sac_auto_sa	Automatic Service Contract #		yes/no	
sac_bill_enduser	Bill End Users		yes/no	
sac_bill_summary	Bill Summary		yes/no	
sac_calls_mrp	PM Calls in MRP		yes/no	
sac_company	Company Address		x(8)	
sac_contract_pr	Contract Price Lists		yes/no	
sac_create_pm	Create PM Calls		yes/no	
sac_deferred	Use Deferred Accounting		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	sac_domain	Domain		x(8)	
	sac_eu_add_chrg	End User Additional Charges		yes/no	
	sac_eu_totals	End User Totals		yes/no	
	sac_ex_ratetype	Rate Type		x(8)	
	sac_fob	F.O.B.		x(20)	
	sac_free_be	Begin or End of Contract		begin/end	
	sac_free_gt	On Contracts >		>>,>>9	
	sac_free_mth	No Months Free Coverage		>>9	
	sac_gen_def	Generate Deferred Accounting		yes/no	
	sac_hcmmts	Service Header Comments		yes/no	
	sac_index1	Index		>>>>>9	
◊	sac_int_rnd	Intermediate Rounding	Intermediate! Rounding	yes/no	
	sac_item_enduser	Item End Users		yes/no	
	sac_lcmmts	Service Line Comments		yes/no	
	sac_lim_hist	Record Limits History		yes/no	
	sac_limit_copy	Renew Limits From		X(1)	
	sac_limits_wnd	Contract Limits		yes/no	
	sac_ln_fmt	Ln Format S/M		single/multi	
	sac_mod_date	Modified Date	Mod Date	99/99/99	
	sac_mod_userid	User ID		X(8)	
	sac_pm_days	PM Days Scheduling		yes/no	
	sac_print	Are Service Contracts Printed		yes/no	
	sac_pt_isb	Items in Installed Base	IB	yes/no	
	sac_qo	Next Service Quote	Nxt Qte	>>>>>>>9	
	sac_qo_pre	Quote Prefix	Qte	x(1)	
	sac_renew_fmt	Renew Format		x(4)	
	sac_renewal_days	Renewal Days		->,>>>,>>9	
	sac_reval_bill	Revaluate at Billing		yes/no	
	sac_reval_wnd	Revaluation Window		yes/no	
	sac_revenue	Revenue Type		x(1)	
	sac_rvidx_nxtbl	Index at Next Bill		yes/no	
	sac_sa	Next Service Contract		>>>>>>>9	
	sac_sa_multi	Multiple Contracts		yes/no	
	sac_sa_pre	Contract Prefix	Ct	x(1)	
	sac_sa_site	Contract Site		x(8)	
	sac_saqo_nbr	Same Number for Quote/ Contract		yes/no	
	sac_so_hist	Keep Contract History		yes/no	
	sac_so_nbr	Next Service Sales order		>>>>>>>9	
	sac_so_pre	Service SO Prefix		x(3)	
	sac_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
	sac_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
	sac_user_pricing	User Contract Pricing		yes/no	
	sac_user1	Ufld1		x(8)	
	sac_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sac_ctrl	yes	oid_sac_ctrl	yes	no
*	sac_index1	yes	sac_domain	yes	no

sadh_hist Service Contract Detail History

Field Name	Label	Col-Label	Format	Dec
oid_sadh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sadh__chr01	User Field #1		x(8)	
sadh__chr02	User Field #2		x(8)	
sadh__chr03	User Field #3		x(8)	
sadh__chr04	User Field #4		x(8)	
sadh__chr05	User Field #5		x(8)	
sadh__chr06	User Field #6		x(8)	
sadh__chr07	User Field #7		x(8)	
sadh__chr08	User Field #8		x(8)	
sadh__chr09	User Field #9		x(8)	
sadh__chr10	User Field #10		x(8)	
sadh__dec01	User Decimal Field #1		>>>,>>>,>>9.99	10
sadh__dec02	User Decimal Field #2		>>>,>>>,>>9.99	10
sadh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	
sadh_amt_type	Amount Type	AT	x(1)	
sadh_area	Area		x(8)	
sadh_ca_nbr	Call		x(8)	
sadh_cancel	Cancel Date		99/99/99	
sadh_cmtindx	Comment Index	Comment	>>>>>>>9	
sadh_comm_pct[4]	Commission	Comm%	>>9.99%	10
sadh_comment[5]	Comments		x(40)	
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_desc	Description		x(24)	
sadh_disc_pct	Disc %		->>9.99%	10
sadh_discount	Discountable		yes/no	
sadh_domain	Domain		x(8)	
sadh_end_date	End Date	End	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>,>>>,>>9.99<<	10
sadh_lst_bill	Last Bill		99/99/99	
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_mod_date	Modified Date	Mod Date	99/99/99	
sadh_mod_userid	User ID		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>,>>>,>>9.99<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlist_fnd	Price List Found		yes/no	
sadh_prodline	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	
sadh_pvm_only	PM Only		yes/no	
sadh_pvm_route	Routing		x(18)	
sadh_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
sadh_qty_chg	Qty to Bill		->,>>>,>>9.9<<<<<<<<	10
sadh_qty_item	Item Quantity	Item Qty	>>,>>9.9	10
sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sadh_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
sadh_qty_per	Duration		->>>9.9<<<	10
sadh_ref	Ref		>>>>>>>9	
sadh_serial	Lot/Serial		x(18)	
sadh_site	Site		x(8)	
sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
sadh_so_line	Sales Order Line		>>9	
sadh_so_ship	From Sales Order		x(8)	
sadh_so_shipln	From SO Line		>>9	
sadh_st_cover	Coverage		99/99/99	
sadh_st_date	Start Date	Start	99/99/99	
sadh_status	Status		x(8)	
sadh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sadh_total_price	Total Price		>>>>,>>>,>>9.99<<<	10
sadh_trnbr	Transaction		>>>>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sadh_hist	yes	oid_sadh_hist	yes	no
	sadh_nbrln	no	sadh_domain	yes	no
			sadh_nbr	yes	no
			sadh_prefix	yes	no
			sadh_line	yes	no
			sadh_end_date	yes	no
	sadh_serial	no	sadh_domain	yes	no
			sadh_serial	yes	no
			sadh_end_date	yes	no
*	sadh_trnbr	yes	sadh_domain	yes	no
			sadh_trnbr	yes	no

sad_det

Service Contract Detail

Field Name	Label	Col-Label	Format	Dec
oid_sad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sad__chr01			x(8)	
sad__chr02			x(8)	
sad__chr03			x(8)	
sad__chr04			x(8)	
sad__chr05			x(8)	
sad__chr06			x(8)	
sad__chr07			x(8)	
sad__chr08			x(8)	
sad__chr09			x(8)	
sad__chr10			x(8)	
sad__dec01			>>>,>>>,>>9.99	10
sad__dec02			>>>,>>>,>>9.99	10
sad__dte01			99/99/99	
sad__dte02			99/99/99	
sad__log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadc05			x(8)	
sad__qadc06			x(4)	
sad__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	sad__qadt01	Qad Date #1		99/99/99	
	sad__qadt02	Qad Date #2		99/99/99	
	sad__qadt03	Qad Date #3		99/99/99	
	sad_accrued	Accrued	Accr	yes/no	
	sad_acct	Sales Acct	Sales	x(8)	
	sad_amt_type	Amount Type	AT	x(1)	
	sad_area	Area		x(8)	
	sad_autorenew	Auto Renew	Renew	yes/no	
	sad_bill_to	Bill To		x(8)	
	sad_blanket_eu	Blanket End User		yes/no	
	sad_ca_nbr	Call		x(8)	
	sad_cancel	Cancel Date		99/99/99	
	sad_cc	Cost Ctr	CC	x(4)	
	sad_cmtindx	Comment Index	Comment	>>>>>>>9	
	sad_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sad_comment[5]	Comments		x(40)	
	sad_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	sad_curr	Currency	Cur	x(3)	
	sad_cust	Customer		x(8)	
	sad_custpart	Customer Item		x(18)	
	sad_cycle	Billing Cycle	Cyc	x(2)	
	sad_desc	Description		x(24)	
	sad_disc_pct	Disc %		->>9.99%	10
	sad_discount	Discountable		yes/no	
	sad_domain	Domain		x(8)	
	sad_dsc_acct	Disc Acct		x(8)	
	sad_dsc_cc	CC		x(4)	
	sad_dsc_project	Disc Project		x(8)	
	sad_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	sad_end_date	End Date	End	99/99/99	
	sad_es_nbr	Escalation		x(8)	
	sad_eu_nbr	End User		x(8)	
	sad_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	sad_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	sad_ex_ratetype	Rate Type		x(8)	
	sad_expire	Expires		99/99/99	
	sad_exru_seq	Sequence		>>>>>>>>9	
	sad_fix_pr	Fixed Price		yes/no	
	sad_fix_rate	Fixed Rate	Fixed	yes/no	
	sad_for	Supported Item	Item	x(18)	
◊	sad_fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
◊	sad_fsrev_cc	Revenue CC	CC	x(4)	
◊	sad_fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
	sad_fst_list	FST on List		yes/no	
	sad_lastbill	Date Last Billed		99/99/99	
	sad_line	Contract Line	Con Line	>>>>>>>9	
	sad_line_type	Line Type	LT	x(1)	
	sad_list_pr	List Price	Lst Price	->>>>,>>>,>>9.99<<<	10
	sad_lst_bill	Last Bill		99/99/99	
	sad_lstcover	Last Billed	Lst Bill	99/99/99	
	sad_mod_date	Modified Date	Mod Date	99/99/99	
	sad_mod_userid	User ID		X(8)	
	sad_mrp	Link Line to MRP		yes/no	
	sad_nbr	Contract		x(8)	
	sad_nxt_bill	Next Bill		99/99/99	
	sad_parent_line	Parent Line		>>>>>>>9	
	sad_pct_type	Percent Type	PT	x(1)	

Field Name	Label	Col-Label	Format	Dec
sad_per_date	Perform Date	Perform	99/99/99	
sad_po	Purchase Order		x(20)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>,>>>,>>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlist_fnd	Price List Found		yes/no	
sad_prodline	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>,>>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->,>>>,>>9.9<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>,>>9.9	10
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sad_qty_lst	Qty Last Billed	Last Qty	->,>>>,>>9.9<<	10
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>>9	
sad_released	Released To Contract	Rel	yes/no	
sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_sod_line	Sales Order Line		>>9	
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>,>>>,>>9.99<<<	10
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sad_sv_code	Service Type	Svc Type	x(8)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sad_type	Ship Type	T	x(1)	
sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	10
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sad_xslspsn[3]	Salesperson	Salespsn	x(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sad_det	yes	oid_sad_det	yes	no
	sad_enduser	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_eu_nbr	yes	no
			sad_line	yes	no
	sad_eu_line	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_line_type	yes	no
			sad_eu_nbr	yes	no
			sad_ui_line	yes	no
	sad_line_eu	no	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_line_type	yes	no
			sad_ui_line	yes	no
			sad_eu_nbr	yes	no
*	sad_nbrln	yes	sad_domain	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
			sad_line	yes	no
	sad_part	no	sad_domain	yes	no
			sad_for	yes	no
			sad_serial	yes	no
			sad_ref	yes	no
			sad_nbr	yes	no
			sad_prefix	yes	no
◊	sad_prefix_type	no	sad_domain	yes	no
			sad_prefix	yes	no
			sad_eu_nbr	yes	no
			sad_line_type	yes	no
	sad_serial	no	sad_domain	yes	no
			sad_prefix	yes	no
			sad_serial	yes	no

◊ Saf

Saf

Field Name	Label	Col-Label	Format	Dec
BudgetGroup_ID	Budget Group	Budget Group	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Saf_ID	Record ID	Record ID	9999999999	
SafCode	SAF Code	SAF Code	x(20)	
SafConcept_ID	SAF Concept Code	SAF Concept Code	9999999999	
SafDescription	SAF Description	SAF Description	x(40)	
SafIsActive	Active	Active	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BudgetGroupIdx	no	BudgetGroup_ID	yes	no
◊	Code	no	SafCode	yes	no
◊	CodeAndConcept	yes	SafConcept_ID	yes	no
			SafCode	yes	no
◊	Concept	no	SafConcept_ID	yes	no
◊	IsActive	no	SafIsActive	yes	no
◊*	Prim	yes	Saf_ID	yes	no
◊	ViewIndex	no	SafIsActive	yes	no
			SafCode	yes	no

◊ SafConcept Saf Concept

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SafConcept_ID	Record ID	Record ID	9999999999	

Field Name	Label	Col-Label	Format	Dec
SafConceptCode	SAF Concept Code	SAF Concept Code	x(20)	
SafConceptDescription	SAF Concept Description	SAF Concept Description	x(40)	
SafConceptIsActive	Active	Act	yes/no	
SafConceptIsSystem	System	System	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	SafConceptCode	yes	no
◊*	Prim	yes	SafConcept_ID	yes	no
◊	ViewIndex	no	SafConceptIsActive	yes	no
			SafConceptCode	yes	no

◊ SafStructure Saf Structure

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	

Field Name	Label	Col-Label	Format	Dec
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SafStructure_ID	Record ID	Record ID	9999999999	
SafStructureCode	Structure Code	Structure	x(20)	
SafStructureDescription	Description	Description	x(40)	
SafStructureIsActive	Active	Act	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	SafStructureCode	yes	no
◊*	Prim	yes	SafStructure_ID	yes	no
◊	ViewIndex	no	SafStructureIsActive	yes	no
			SafStructureCode	yes	no

◊ **SafStructureLine** Saf Structure Line

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Saf_ID	Link to Saf	Link to Saf	9999999999	
SafConcept_ID	Link to SafConcept	Link to SafConcept	9999999999	
SafStructure_ID	Link to SafStructure	Link to SafStructure	9999999999	
SafStructureLine_ID	Record ID	Record ID	9999999999	
SafStructureLineBComponent	Business Component	Business Component	x(30)	
SafStructureLineNumber	Line Number	Line	->,>>>,>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BusinessComp	no	SafStructureLineBComponent	yes	no
◊	Line	no	SafStructure_ID	yes	no
			SafStructureLineNumber	yes	no
◊*	Prim	yes	SafStructureLine_ID	yes	no
◊	SafConcept	no	SafConcept_ID	yes	no
◊	SafStructure	no	SafStructure_ID	yes	no
◊	StructConcpt	yes	SafStructure_ID	yes	no
			SafConcept_ID	yes	no

◊ **SafStructureLink** Saf Structure Link

Field Name	Label	Col-Label	Format	Dec
CostCentre_ID	Cost Center Code	Cost Center Code	9999999999	
GL_ID	GL Account	GL Account	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Project_ID	Project	Project	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	
SafStructureLink_ID	Record ID	Record ID	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	AltPrim	yes	SafStructure_ID	yes	no
			GL_ID	yes	no
			Project_ID	yes	no
			CostCentre_ID	yes	no
◊	CostCentre	no	CostCentre_ID	yes	no
◊	GL	no	GL_ID	yes	no
◊	Job	no	Project_ID	yes	no
◊*	Prim	yes	SafStructureLink_ID	yes	no
◊	SafStructure	no	SafStructure_ID	yes	no

sah_hist Service Contract History

Field Name	Label	Col-Label	Format	Dec
oid_sah_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sah__chr01	User Field#1		x(8)	
sah__chr02	User Field #1		x(8)	
sah__chr03	User Field #3		x(8)	
sah__chr04	User Field #4		x(8)	
sah__chr05	User Field #5		x(8)	
sah__chr06	User Field #6		x(8)	
sah__chr07	User Field #7		x(8)	
sah__chr08	User Field #8		x(8)	
sah__chr09	User Field #9		x(8)	
sah__chr10	User Field #10		x(8)	
sah__dec01	User Decimal #1		>>>,>>>,>>9.99	10
sah__dec02	User Decimal #2		>>>,>>>,>>9.99	10
sah__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sah__dte01	User Date #1		99/99/99	
sah__dte02	User Date #2		99/99/99	
sah__dte03	User Date #3		99/99/99	
sah__log01	User Logical #1		yes/no	
sah__log02	User Logical #2		yes/no	
sah__log03	User Logical #3		yes/no	
sah__qadc01	Qad Field #1		x(8)	
sah__qadc02	Qad Field #2		x(8)	
sah__qadc03	Qad Field #3		x(8)	
sah__qadc04	Qad Field #4		x(8)	
sah__qadc05			x(8)	
sah__qadc06			x(4)	
sah__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sah__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sah__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sah__qadl01	Qad Logical #1		yes/no	
sah__qadl02	Qad Logical #2		yes/no	
sah__qadl03	Qad Logical #3		yes/no	
sah__qadl04	QAD Logical Field		yes/no	
sah__qadt01	Qad Date #1		99/99/99	
sah__qadt02	Qad Date #2		99/99/99	
sah__qadt03	Qad Date #3		99/99/99	
sah_area	Area		x(8)	
sah_arrears	Bill Arrears	Arrear	yes/no	
sah_autornew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		>>>9.99<<<	10
sah_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
sah_bill_to	Bill To		x(8)	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		yes/no	
sah_bol	BOL		x(18)	
sah_calls_allow	Calls Allowed		>>>,>>9	
sah_calls_total	Total Calls		>>>,>>9	
sah_can_tax	PST Pct		->>9.99<<%	10
sah_cancel	Cancel Date		99/99/99	
sah_channel	Channel		x(8)	
sah_cmtindx	Comment Index	Comment	>>>>>>>9	
sah_comm_pct[4]	Commission	Comm%	>>9.99%	10
sah_complete	Complete	Cplt	yes/no	
sah_conf_date	Confirmed Date	Confirmed	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_cr_card	Credit Card	Card	x(2)	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(8)	
sah_curr	Currency	Cur	x(3)	
sah_cust	Customer		x(8)	
sah_cycle	Billing Cycle	Cyc	x(2)	
sah_date_printed	Date Printed		99/99/99	
sah_disc_pct	Disc %		->9.99%	10
sah_domain	Domain		x(8)	
sah_end_date	End Date		99/99/99	
sah_enduser	End User		x(8)	
sah_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
sah_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_exp_date	Expire Date	Exp Date	99/99/99	
sah_exru_seq	Sequence		>>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_0itm	Generate 0$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_invoiced	Invoiced		yes/no	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	10
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_prodline	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah_prt_0itm	Print 0$ Items		yes/no	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	

Field Name	Label	Col-Label	Format	Dec
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_release	Release to Contract	Rel	yes/no	
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_reval_index	Revaluation Index Month		>>9	
sah_reval_period	Revaluation Period		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_sched_start	PM Start Date	Start	yes/no	
sah_schedule	Billing Schedule File		yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_ship_date	Ship Date		99/99/99	
sah_shipvia	Ship Via		x(20)	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_so_nbr	Sales Order	Order	x(8)	
sah_source	Order Source	Source	x(8)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_stat	Action Status	St	x(2)	
sah_summarize	Summarize		yes/no	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	10
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sah_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>9	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	10
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sah_hist	yes	oid_sah_hist	yes	no
	sah_enduser	no	sah_domain	yes	no
			sah_enduser	yes	no
			sah_prefix	yes	no
			sah_nbr	yes	no
	sah_nbr	no	sah_domain	yes	no
			sah_nbr	yes	no
			sah_prefix	yes	no
			sah_end_date	yes	no
*	sah_trnbr	yes	sah_domain	yes	no
			sah_trnbr	yes	no

◊ SalesCode Sales Code

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
SalesCode			x(20)	
SalesCode_ID			9999999999	
SalesCodeDescription			x(40)	
SalesCodeIsActive			yes/no	
SalesCodeType			x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Active	no	SalesCodeIsActive	yes	no
◊*	Prim	yes	SalesCode_ID	yes	no
◊	SalesCode	yes	SalesCode	yes	no
◊	ViewIndex	no	SalesCodeIsActive	yes	no
			SalesCode	yes	no

◊ SalesGLMatrix Sales GL Matrix

Field Name	Label	Col-Label	Format	Dec
CostOfSalesGL_ID			9999999999	
DebtorSalesCode_ID			9999999999	
DiscountGL_ID			9999999999	
ItemSalesCode_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
SalesGL_ID			9999999999	
SalesGLMatrix_ID			9999999999	
SharedSet_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CostOfSalesGL	no	CostOfSalesGL_ID	yes	no
◊	DebItemSet	yes	SharedSet_ID	yes	no
			DebtorSalesCode_ID	yes	no
			ItemSalesCode_ID	yes	no
◊	DebtorSalesCode	no	DebtorSalesCode_ID	yes	no
◊	DiscountGL	no	DiscountGL_ID	yes	no
◊	ItemSalesCode	no	ItemSalesCode_ID	yes	no
◊*	Prim	yes	SalesGLMatrix_ID	yes	no
◊	SalesGL	no	SalesGL_ID	yes	no
◊	SharedSet	no	SharedSet_ID	yes	no

salh_hist

Service/Support Contract Limits History

Field Name	Label	Col-Label	Format	Dec
oid_salh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
salh__chr01	User Field #1		x(8)	
salh__chr02	User Field #2		x(8)	
salh__chr03	User Field #3		x(8)	
salh__chr04	User Field #4		x(8)	
salh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
salh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
salh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
salh__dte01	User Date #1		99/99/99	
salh__dte02	User Date #2		99/99/99	
salh__dte03	User Date #3		99/99/99	
salh__log01	User Logical #1		yes/no	
salh__log02	User Logical #2		yes/no	
salh__log03	User Logical #3		yes/no	
salh__qadc01	Qad Field #1		x(8)	
salh__qadc02	Qad Field #2		x(8)	
salh__qadc03	Qad Field #3		x(8)	
salh__qadc04	Qad Field #4		x(8)	
salh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
salh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
salh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
salh__qadd04	Qad Decimal #4		->>>,>>>,>>9.99<<<<	10
salh__qadl01	Qad Logical #1		yes/no	
salh__qadl02	Qad Logical #2		yes/no	
salh__qadl03	Qad Logical #3		yes/no	
salh__qadl04	QAD Field		yes/no	
salh__qadt01	Qad Date #1		99/99/99	
salh__qadt02	Qad Date #2		99/99/99	
salh__qadt03	Qad Date #3		99/99/99	
salh_budget	Budget		>>>>,>>>,>>9.99<<<	10
salh_ca_int_type	Work Code		x(8)	
salh_call	Call		X(8)	0
salh_calls_allow	Calls Allowed		>>9	
salh_calls_total	Total Calls		>>9	
salh_category	Category		X(8)	0
salh_code	Limit Code		x(8)	
salh_consumed_amt	Consumed Amount	Consumed	>>>>,>>>,>>9.99	10
salh_consumed_date	Activity Date		99/99/99	
salh_days	Days of Coverage		>,>>>,>>9	
salh_domain	Domain		x(8)	
salh_end	End Date		99/99/99	
salh_fcg_code	Charge Code	Charge	x(8)	
salh_file	File		x(16)	
salh_first_activity	First Activity		99/99/99	
salh_fis_sort	Invoice Sort		x(18)	
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	

Field Name	Label	Col-Label	Format	Dec
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	10
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>,>>>,>>9.99<<<	10
salh_trnbr	Trans		>>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>,>>>,>>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufld1		x(8)	
salh_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_salh_hist	yes	oid_salh_hist	yes	no
	salh_call	no	salh_domain	yes	no
			salh_category	yes	no
			salh_call	yes	no
			salh_itm_line	yes	no
			salh_report	yes	no
			salh_op	yes	no
			salh_usage	yes	no
			salh_trnbr	yes	no
	salh_days	no	salh_domain	yes	no
			salh_file	yes	no
			salh_prefix	yes	no
			salh_nbr	yes	no
			salh_line	yes	no
			salh_type	yes	no
			salh_fis_sort	yes	no
			salh_ca_int_type	yes	no
			salh_fsc_code	yes	no
			salh_sequence	yes	no
	salh_nbr	no	salh_domain	yes	no
			salh_file	yes	no
			salh_prefix	yes	no
			salh_nbr	yes	no
			salh_line	yes	no
			salh_type	yes	no
			salh_fis_sort	yes	no
			salh_ca_int_type	yes	no
			salh_fsc_code	yes	no
			salh_start	yes	no
			salh_trnbr	yes	no
*	salh_trnbr	yes	salh_domain	yes	no
			salh_trnbr	yes	no

sal_mstr Service/Support Contract Limits Master

Field Name	Label	Col-Label	Format	Dec
oid_sal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sal__chr01	User Field #1		x(8)	
sal__chr02	User Field #2		x(8)	
sal__chr03	User Field #3		x(8)	
sal__chr04	User Field #4		x(8)	
sal__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__dte01	User Date #1		99/99/99	
sal__dte02	User Date #2		99/99/99	
sal__dte03	User Date #3		99/99/99	
sal__log01	User Logical #1		yes/no	
sal__log02	User Logical #2		yes/no	
sal__log03	User Logical #3		yes/no	
sal__qadc01	Qad Field #1		x(8)	
sal__qadc02	Qad Field #2		x(8)	
sal__qadc03	Qad Field #3		x(8)	
sal__qadc04	Qad Field #4		x(8)	
sal__qadd01	Qad Date #1		99/99/99	
sal__qadd02	Qad Date #2		99/99/99	
sal__qadd03	Qad Date #3		99/99/99	
sal__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__qadl01	Qad Logical #1		yes/no	
sal__qadl02	Qad Logical #2		yes/no	
sal__qadl03	Qad Logical #3		yes/no	
sal__qadl04	QAD Field		yes/no	
sal_bg_price	Price		->>>>,>>>,>>9.99<<<	10
sal_budget	Budget		>>>>,>>>,>>9.99<<<	10
sal_ca_int_type	Work Code	Wk Code	x(8)	
sal_calls_allow	Calls Allowed		>>9	
sal_calls_total	Total Calls		>>9	
sal_code	Limit Code		x(8)	
sal_days	Days of Coverage	Days	>,>>>,>>9	
sal_domain	Domain		x(8)	
sal_end	End Date		99/99/99	
sal_fcg_code	Charge Code	Charge	x(8)	
sal_file	File		x(16)	
sal_first_activity	First Activity		99/99/99	
sal_fis_sort	Invoice Sort		x(18)	
sal_fsc_code	Service Category	Svc Cat	x(8)	
sal_last_activity	Last Activity		99/99/99	
sal_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
sal_line	Line		>>>>>>>9	
sal_listpr_limit	List Price Limit		>>>>,>>>,>>9.99<<<	10
sal_mod_date	Modified Date	Mod Date	99/99/99	
sal_mod_userid	User ID		X(8)	
sal_nbr	Number		x(36)	
sal_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
sal_pct_covered	Percent Covered	%Cv	>>9	10
sal_per_call	Per Call Limit	Call	yes/no	
sal_prefix			x(3)	
sal_sequence	Sequence	Seq	>>9	

Field Name	Label	Col-Label	Format	Dec
sal_start	Start		99/99/99	
sal_total	Consumed		>>>>,>>>,>>9.99<<<	10
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sal_mstr	yes	oid_sal_mstr	yes	no
	sal_days	no	sal_domain	yes	no
			sal_file	yes	no
			sal_prefix	yes	no
			sal_nbr	yes	no
			sal_line	yes	no
			sal_type	yes	no
			sal_fis_sort	yes	no
			sal_ca_int_type	yes	no
			sal_fsc_code	yes	no
			sal_sequence	yes	no
*	sal_nbr	yes	sal_domain	yes	no
			sal_file	yes	no
			sal_prefix	yes	no
			sal_nbr	yes	no
			sal_line	yes	no
			sal_type	yes	no
			sal_fis_sort	yes	no
			sal_ca_int_type	yes	no
			sal_fsc_code	yes	no
			sal_start	yes	no

sap_det

Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
oid_sap_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sap__qadc01	QAD Characater Field 1		X(8)	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		99/99/99	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		->,>>>,>>9	
sap__qadi02	QAD Integer Field 2		->,>>>,>>9	
sap__qadl01	QAD Logical Field 1		yes/no	
sap__qadl02	QAD Logical Field 2		yes/no	
sap_act_date	Actual Date	Actual	99/99/99	
sap_assign	Assigned		X(8)	
sap_bom_type	BOM Type		x(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		yes/no	
sap_desc	Comments		x(34)	
sap_domain	Domain		x(8)	
sap_group	Schedule Group		x(8)	
sap_line	Contract Line		>>>>>>>9	
sap_mod_date	Modified Date	Mod Date	99/99/99	
sap_mod_userid	User ID		X(8)	
sap_mrp	Link to MRP		yes/no	
sap_nbr	Contract Number		x(8)	
sap_prefix	Prefix		x(2)	
sap_sched_date	Schedule Date	Schedule	99/99/99	
sap_user1	Ufld1		x(8)	
sap_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sap_det	yes	oid_sap_det	yes	no
	sap_assign	no	sap_domain	yes	no
			sap_assign	yes	no
			sap_sched_date	yes	no
	sap_grpsch	no	sap_domain	yes	no
			sap_nbr	yes	no
			sap_prefix	yes	no
			sap_group	yes	no
			sap_sched_date	yes	no
*	sap_nbrln	yes	sap_domain	yes	no
			sap_nbr	yes	no
			sap_prefix	yes	no
			sap_line	yes	no
			sap_sched_date	yes	no
	sap_sched	no	sap_domain	yes	no
			sap_group	yes	no
			sap_sched_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sap_prefix	yes	no
		sap_nbr	yes	no
sap_sched_date	no	sap_domain	yes	no
		sap_sched_date	yes	no

sar_mstr

Service Contract Serial Number Master

Field Name	Label	Col-Label	Format	Dec
oid_sar_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sar__chr01			x(8)	
sar__chr02			x(8)	
sar__chr03			x(8)	
sar__dec01			->>>,>>>,>>9.99	10
sar__dec02			->>>,>>>,>>9.99	10
sar__dte01			99/99/99	
sar__dte02			99/99/99	
sar__log01			yes/no	
sar__log02			yes/no	
sar__qadc01			x(8)	
sar_domain	Domain		x(8)	
sar_nbr	Service Contract	Contract	x(8)	
sar_part	Item		x(18)	
sar_prefix	Prefix	P	x(1)	
sar_ref	Ref		x(18)	
sar_sad_line	Contract Line		>>>>>>>9	
sar_serial	Lot/Serial		x(18)	
sar_user1	Ufld1		x(8)	
sar_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sar_mstr	yes	oid_sar_mstr	yes	no
*	sar_nbrln	yes	sar_domain	yes	no
			sar_nbr	yes	no
			sar_prefix	yes	no
			sar_sad_line	yes	no
			sar_serial	yes	no
			sar_ref	yes	no
	sar_serial	no	sar_domain	yes	no
			sar_prefix	yes	no
			sar_serial	yes	no
			sar_part	yes	no
			sar_ref	yes	no
			sar_nbr	yes	no
			sar_sad_line	yes	no
	sar_serialref	yes	sar_domain	yes	no
			sar_part	yes	no
			sar_serial	yes	no
			sar_ref	yes	no
			sar_prefix	yes	no
			sar_nbr	yes	no
			sar_sad_line	yes	no

sa_mstr Service Contract Master

Field Name	Label	Col-Label	Format	Dec
oid_sa_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sa__chr01			x(8)	
sa__chr02			x(8)	
sa__chr03			x(8)	
sa__chr04			x(8)	
sa__chr05			x(8)	
sa__chr06			x(8)	
sa__chr07			x(8)	
sa__chr08			x(8)	
sa__chr09			x(8)	
sa__chr10			x(8)	
sa__dec01			>>>,>>>,>>9.99	10
sa__dec02			>>>,>>>,>>9.99	10
sa__dec03	User Decimal Field		->>,>>9.99	10
sa__dte01			99/99/99	
sa__dte02			99/99/99	
sa__dte03	User Date Field		99/99/99	
sa__log01			yes/no	
sa__log02	User Logical field		yes/no	
sa__log03	User Logical Field		yes/no	
sa__qadc01	Qad Field #1		x(8)	
sa__qadc02	Qad Field #2		x(8)	
sa__qadc03	Qad Field #3		x(8)	
sa__qadc04	Qad Field #4		x(8)	
sa__qadc05[2]			x(8)	0
sa__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sa__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sa__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sa__qadl01	Qad Logical #1		yes/no	
sa__qadl02	Qad Logical #2		yes/no	
sa__qadl03	Qad Logical #3		yes/no	
sa__qadl04	QAD Logical Field		yes/no	
sa__qadt01	Qad Date #1		99/99/99	
sa__qadt02	Qad Date #2		99/99/99	
sa__qadt03	Qad Date #3		99/99/99	
sa_ar_acct	AR Account	AR	x(8)	
sa_ar_cc	Cost Ctr	CC	x(4)	
sa_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
sa_area	Area		x(8)	
sa_arrears	Bill Arrears	Arrear	yes/no	
sa_autornew	Auto Renew	A Renew	yes/no	
sa_base_pct	Contract Base		>>>9.99<<<	10
sa_bill_cnt	Bill Count	Bill Cnt	->,>>>,>>9	
sa_bill_enduser	Bill End Users		yes/no	
sa_bill_summary	Bill Summary		yes/no	
sa_bill_to	Bill To		x(8)	
sa_bill_type	Billing Type		x(8)	
sa_blanket	Blanket Contract		yes/no	
sa_bol	BOL		x(18)	
sa_call_price	Call Price List	Price	x(8)	
sa_calls_allow	Calls Allowed		>>>,>>9	
sa_calls_total	Total Calls		>>>,>>9	
sa_can_tax	PST Pct		->>9.99<<%	10
sa_cancel	Cancel Date		99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	sa_channel	Channel		x(8)	
	sa_cmtindx	Comment Index	Comment	>>>>>>>9	
	sa_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sa_complete	Complete	Cplt	yes/no	
	sa_conf_date	Confirmed Date	Confirmed	99/99/99	
	sa_cr_card	Credit Card	Card	x(2)	
	sa_cr_init	Cr Initials	Initials	x(2)	
	sa_cr_terms	Credit Terms	Terms	x(8)	
	sa_curr	Currency	Cur	x(3)	
	sa_cust	Customer		x(8)	
	sa_cycle	Billing Cycle	Cyc	x(2)	
	sa_date_printed	Date Printed		99/99/99	
◊	sa_daybookset	Daybook Set	Dybk Set	x(8)	
	sa_disc_pct	Disc %		->9.99%	10
	sa_domain	Domain		x(8)	
	sa_end_date	End Date		99/99/99	
	sa_enduser	End User		x(8)	
	sa_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	sa_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	sa_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	sa_ex_ratetype	Rate Type		x(8)	
	sa_exp_date	Expire Date	Exp Date	99/99/99	
	sa_exru_seq	Sequence		>>>>>>>>9	
	sa_ext_date	Extend Date	Ext Date	99/99/9999	
	sa_fix_pr	Fixed Price		yes/no	
	sa_fix_rate	Fixed Rate	Fixed	yes/no	
	sa_fob	FOB Point		x(20)	
	sa_free_frm	Free Coverage From		99/99/99	
	sa_free_to	Free Coverage To		99/99/99	
	sa_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	sa_fsaccr_cc	Accrued Revenue CC		x(4)	
	sa_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	sa_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	sa_fsdef_cc	Deferred Revenue CC		x(4)	
	sa_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
	sa_fst_id	FST ID		x(18)	
	sa_gen_0itm	Generate 0$ Items		yes/no	
	sa_hold	Hold Contract	Hld	yes/no	
	sa_inv_date	Invoice Date	Inv Date	99/99/99	
	sa_invoiced	Invoiced		yes/no	
	sa_item_enduser	Item End Users		yes/no	
	sa_lang	Language		x(2)	
	sa_last_bill	Last Billed	Last Bill	99/99/99	
	sa_limit_copy	Renew Limits From		X(1)	
	sa_lst_bill	Last Bill		99/99/99	
	sa_lst_cover	Last Bill	Lst Bill	99/99/99	
	sa_mod_date	Modified Date	Mod Date	99/99/99	
	sa_mod_userid	User ID		X(8)	
	sa_mref	Master Contract	Master	x(8)	
	sa_mrp	Link to MRP		yes/no	
	sa_nbr	Number		x(8)	0
	sa_next_dur	Next Duration		>>9.99	10
	sa_nxt_bill	Next Bill		99/99/99	
	sa_off_hours_pt	Off Hours Item		x(18)	
	sa_ord_date	Order Date	Ord Date	99/99/99	
	sa_orig_date	Original Start		99/99/99	
	sa_per_bill	Period Based Billing	PBB	yes/no	

Field Name	Label	Col-Label	Format	Dec
sa_periodic	Periodic Billing		yes/no	
sa_po	Purchase Order		x(20)	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodline	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_0itm	Print 0$ Items		yes/no	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_release	Release To Contract	Rel	yes/no	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
sa_revalue_date	Revaluation Date		99/99/99	
sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_sched_start	PM Start Date	Start	yes/no	
sa_schedule	Billing Schedule File		yes/no	
sa_serial_det	Serial Detail		yes/no	
sa_ship_date	Ship Date		99/99/99	
sa_shipvia	Ship Via		x(20)	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_so_nbr	Sales Order	Order	x(8)	
sa_source	Order Source	Source	x(8)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_stat	Action Status	St	x(2)	
sa_summarize	Summarize		yes/no	
sa_sv_code	Service Type	Svc Type	x(8)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	10
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sa_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10

Field Name	Label	Col-Label	Format	Dec
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufld1		x(8)	
sa_user2	Ufld2		x(8)	
sa_visits	Visits		>>9	10
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sa_mstr	yes	oid_sa_mstr	yes	no
	sa_cust	yes	sa_domain	yes	no
			sa_cust	yes	no
			sa_prefix	yes	no
			sa_nbr	yes	no
	sa_end_date	no	sa_domain	yes	no
			sa_end_date	yes	no
	sa_enduser	no	sa_domain	yes	no
			sa_enduser	yes	no
			sa_prefix	yes	no
			sa_nbr	yes	no
*	sa_nbr	yes	sa_domain	yes	no
			sa_nbr	yes	no
			sa_prefix	yes	no
	sa_po_nbr	no	sa_domain	yes	no
			sa_po	yes	no
			sa_cust	yes	no
			sa_nbr	yes	no
			sa_prefix	yes	no

sbc_mstr

Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
oid_sbc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sbc__chr01			x(8)	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc__qadc01	QAD Character Field 1		X(8)	
sbc__qadc02	QAD Character Field 2		X(8)	
sbc__qadc03	QAD Character Field 3		X(8)	
sbc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
sbc__qadl01	QAD Logical Field 1		yes/no	
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_domain	Domain		x(8)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	

Field Name	Label	Col-Label	Format	Dec
sbc_qty_bill	Qty to Bill		->,>>>,>>9.9<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbc_mstr	yes	oid_sbc_mstr	yes	no
*	sbc_code	yes	sbc_domain	yes	no
			sbc_code	yes	no

sbd_det

Sub-Account/Account Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sbd__qadc01			x(8)	
sbd_acc_beg	Range of Accounts	From! Account	x(8)	
sbd_acc_end	To	To! Account	x(8)	
sbd_line	Line		>>9	
sbd_sub	Sub-Account	Sub-Acct	x(8)	
sbd_user1	Ufld1		x(8)	
sbd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbd_det	yes	oid_sbd_det	yes	no
*	sbd_index	yes	sbd_sub	yes	no
			sbd_line	yes	no

sbic_ctl

Self-Bill Control

Field Name	Label	Col-Label	Format	Dec
oid_sbic_ctl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sbic__qadc01			X(8)	
sbic__qadc02			X(8)	
sbic__qadc03			X(8)	
sbic__qadc04			X(8)	
sbic__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
sbic__qadi01			>>>>>>9	
sbic__qadi02			>>>>>>9	
sbic__qadi03			>>>>>>9	
sbic__qadi04			>>>>>>9	
sbic__qadl01			yes/no	
sbic__qadl02			yes/no	
sbic__qadl03			yes/no	

Field Name	Label	Col-Label	Format	Dec
sbic__qadl04			yes/no	
sbic__qadt01			99/99/99	
sbic__qadt02			99/99/99	
sbic__qadt03			99/99/99	
sbic__qadt04			99/99/99	
sbic_active	Enable Self-Billing		yes/no	
sbic_domain	Domain		x(8)	
sbic_index1	Index		>>>>>9	
sbic_next_sb	Next Self-Bill		>>>>>>>>>>>>>>>>>>9	
sbic_prefix	Self-Bill Prefix		X(3)	
sbic_user1	Ufld1		X(8)	
sbic_user2	Ufld2		X(8)	
sbic_user3			X(8)	
sbic_user4			X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbic_ctl	yes	oid_sbic_ctl	yes	no
*	sbic_index1	yes	sbic_domain	yes	no

sbid_det

Self-Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_sbid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
sbid__qadc01			X(8)	
sbid__qadc02			X(8)	
sbid__qadc03			X(8)	
sbid__qadc04			X(8)	
sbid__qadc05			X(8)	
sbid__qadc06			X(8)	
sbid__qadc07			X(8)	
sbid__qadc08			X(8)	
sbid__qadc09			X(8)	
sbid__qadc10			X(8)	
sbid__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
sbid__qadi01			>>>>>>9	
sbid__qadi02			>>>>>>9	
sbid__qadi03			>>>>>>9	
sbid__qadi04			>>>>>>9	
sbid__qadi05			>>>>>>9	
sbid__qadl01			yes/no	
sbid__qadl02			yes/no	
sbid__qadl03			yes/no	
sbid__qadl04			yes/no	
sbid__qadl05			yes/no	
sbid__qadt01			99/99/99	
sbid__qadt02			99/99/99	
sbid__qadt03			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	sbid__qadt04			99/99/99	
	sbid__qadt05			99/99/99	
	sbid_amt	Paid Amount		->>>>,>>>,>>9.99<<<	10
	sbid_authorization	Authorization		x(24)	
	sbid_bill	Bill-To		x(8)	
	sbid_cust	Sold-To		x(8)	
	sbid_custref	Customer Ref		x(30)	
	sbid_domain	Domain		x(8)	
Δ	sbid_inv_nbr	Invoice/Memo	Inv/Memo	x(22)	
	sbid_line	Line		>>>,>>9	
	sbid_mod_date	Modified Date	Mod Date	99/99/99	
	sbid_mod_userid	User ID		X(8)	
	sbid_modelyr	Model Year		x(4)	
	sbid_nbr	Self-Bill		x(20)	
	sbid_order	Sales Order	SO	x(8)	
	sbid_origin	Origin	O	x(1)	
	sbid_part	Self-Bill Item		x(30)	
	sbid_po	Customer PO		x(22)	
	sbid_price	Paid Price		>>,>>>,>>9.99<<<	10
	sbid_qty	Paid Qty		->,>>>,>>9.9<<<<<<<<	10
	sbid_remarks	Remarks		x(40)	
	sbid_ship_id	Shipper		x(20)	
	sbid_tax_amt	Tax Amt		->>>>,>>>,>>9.99<<<	10
	sbid_tax_pct	Tax Rate		->>9.99<<%	10
	sbid_trnbr	Trans		>>>>>>>>	
	sbid_type	Type	T	x(1)	
	sbid_um	UM		x(2)	
	sbid_user1	Ufld1		X(8)	
	sbid_user2	Ufld2		X(8)	
	sbid_user3			X(8)	
	sbid_user4			X(8)	
	sbid_user5			X(8)	
	sbid_user6			X(8)	
	sbid_user7			X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbid_det	yes	oid_sbid_det	yes	no
	sbid_authorization	no	sbid_domain	yes	no
			sbid_authorization	yes	no
	sbid_inv_nbr	no	sbid_domain	yes	no
			sbid_inv_nbr	yes	no
*	sbid_nbr_line	yes	sbid_domain	yes	no
			sbid_bill	yes	no
			sbid_nbr	yes	no
			sbid_line	yes	no
	sbid_order	no	sbid_domain	yes	no
			sbid_order	yes	no
	sbid_part	no	sbid_domain	yes	no
			sbid_part	yes	no
			sbid_type	yes	no
	sbid_ship_id	no	sbid_domain	yes	no
			sbid_ship_id	yes	no
	sbid_trnbr	no	sbid_domain	yes	no
			sbid_trnbr	yes	no

sbi_mstr Self-Bill Master

Field Name	Label	Col-Label	Format	Dec
oid_sbi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sbi__qadc01			X(8)	
sbi__qadc02			X(8)	
sbi__qadc03			X(8)	
sbi__qadc04			X(8)	
sbi__qadc05			X(8)	
sbi__qadc06			X(8)	
sbi__qadc07			X(8)	
sbi__qadc08			X(8)	
sbi__qadc09			X(8)	
sbi__qadc10			X(8)	
sbi__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
sbi__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
sbi__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
sbi__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
sbi__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
sbi__qadi01			>>>>>>9	
sbi__qadi02			>>>>>>9	
sbi__qadi03			>>>>>>9	
sbi__qadi04			>>>>>>9	
sbi__qadi05			>>>>>>9	
sbi__qadl01			yes/no	
sbi__qadl02			yes/no	
sbi__qadl03			yes/no	
sbi__qadl04			yes/no	
sbi__qadl05			yes/no	
sbi__qadt01			99/99/99	
sbi__qadt02			99/99/99	
sbi__qadt03			99/99/99	
sbi__qadt04			99/99/99	
sbi__qadt05			99/99/99	
sbi_amt	Amt Total		->>>>,>>>,>>9.99<<<	10
sbi_bill	Bill-To		x(8)	
sbi_check	Check		x(8)	
sbi_ctrl_amt	Amt Control Total		->>>>,>>>,>>9.99<<<	10
sbi_curr	Currency	Cur	x(3)	
sbi_domain	Domain		x(8)	
sbi_lines	Lines		>>>>>9	
sbi_mod_date	Modified Date	Mod Date	99/99/99	
sbi_mod_userid	User ID		X(8)	
sbi_nbr	Self-Bill		x(20)	
sbi_resp_date	Response Date	Response	99/99/99	
sbi_user1	Ufld1		X(8)	
sbi_user2	Ufld2		X(8)	
sbi_user3			X(8)	
sbi_user4			X(8)	
sbi_user5			X(8)	
sbi_xmission	Transmission		x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sbi_mstr	yes	oid_sbi_mstr	yes	no
	sbi_check	no	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_check	yes	no
			sbi_nbr	yes	no
*	sbi_nbr	yes	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_nbr	yes	no
	sbi_xmission	no	sbi_domain	yes	no
			sbi_bill	yes	no
			sbi_xmission	yes	no
			sbi_nbr	yes	no

sb_mstr

Sub-Account Master

Field Name	Label	Col-Label	Format	Dec
oid_sb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sb__qadc01			x(8)	
sb_active	Active	Act	yes/no	
sb_desc	Description		x(24)	
sb_domain	Domain		x(8)	
sb_sub	Sub-Account	Sub-Acct	x(8)	
sb_user1	Ufld1		x(8)	
sb_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sb_mstr	yes	oid_sb_mstr	yes	no
	sb_desc	no	sb_domain	yes	no
			sb_desc	yes	no
*	sb_sub	yes	sb_domain	yes	no
			sb_sub	yes	no
			sb_active	yes	no

sca_mstr

Service Contract Additional Charge Master

Field Name	Label	Col-Label	Format	Dec
oid_sca_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sca__chr01	User Character Field 1		X(8)	
sca__chr02	User Character Field 2		X(8)	
sca__chr03	User Character Field 3		X(8)	
sca__dec01	User Decimal Field 1		->>>>,>>>,>>9.99	10
sca__dte01	User Date Field 1		99/99/99	
sca__dte02	User Date Field 2		99/99/99	
sca__qadc01	QAD Character Field 1		X(8)	
sca__qadc02	QAD Character Field 2		X(8)	
sca__qadc03	QAD Character Field 3		X(8)	

Field Name	Label	Col-Label	Format	Dec
sca__qade01	QAD Decimal Field 1		->>>>,>>>,>>9.99	10
sca__qadt01	QAD Date Field 1		99/99/99	
sca__qadt02	QAD Date Field 2		99/99/99	
sca_amount	Amount		>>>>,>>>,>>9.99<<<	10
sca_amt_type	Amount Type		x(1)	
sca_cycle	Billing Cycle		x(8)	
sca_desc	Description		x(40)	
sca_domain	Domain		x(8)	
sca_expire	Expire Date		99/99/99	
sca_mod_date	Modified Date	Mod Date	99/99/99	
sca_mod_userid	User ID		X(8)	
sca_part	Item		x(18)	
sca_pct_type	Percent Type		x(8)	
sca_priority	Priority		>>9	
sca_prodline	Product Line	Line	x(4)	
sca_service	Service Type		x(8)	
sca_start	Start Date		99/99/99	
sca_user1	Ufld1		x(8)	
sca_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sca_mstr	yes	oid_sca_mstr	yes	no
	sca_part	no	sca_domain	yes	no
			sca_part	yes	no
			sca_service	yes	no
*	sca_service	yes	sca_domain	yes	no
			sca_service	yes	no
			sca_part	yes	no

scc_mstr

Customer/Ship-To Shipment Controls Master

Field Name	Label	Col-Label	Format	Dec
oid_scc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
scc__qadc01			X(24)	
scc__qadc02			X(24)	
scc_active	Enable Shipment Performance		yes/no	
scc_customer_source	Customer Source		x(3)	
scc_domain	Domain		x(8)	
scc_include_do	Include Distribution Orders		yes/no	
scc_include_mo	Include Material Orders		yes/no	
scc_include_rma	Include RMA Shipments		yes/no	
scc_include_sched	Include Scheduled Orders		yes/no	
scc_include_so	Include Sales Orders		yes/no	
scc_mod_date	Modified Date	Mod Date	99/99/99	
scc_mod_userid	User ID		X(8)	
scc_part	Item Number		x(18)	
scc_receive_addr	Receive Address		x(8)	
scc_sched_type	Schedule Type		>9	
scc_ship_lt	Transit Lead Time		>>9	

Field Name	Label	Col-Label	Format	Dec
scc_shipfrom	Ship-From		x(8)	
scc_use_current	Use Current Release		yes/no	
scc_user1	User Field Character 1		X(24)	
scc_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_scc_mstr	yes	oid_scc_mstr	yes	no
*	scc_customer_source	yes	scc_domain	yes	no
			scc_customer_source	yes	no
			scc_shipfrom	yes	no
			scc_receive_addr	yes	no
			scc_part	yes	no

schd_det

Release Management Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_schd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
schd__chr01			x(8)	
schd__chr02			x(8)	
schd__chr03			x(8)	
schd__chr04			x(8)	
schd__chr05			x(8)	
schd__chr06			x(8)	
schd__chr07			x(8)	
schd__chr08			x(8)	
schd__chr09			x(8)	
schd__chr10			x(8)	
schd__dec01			>>>,>>>,>>9.99	10
schd__dec02			>>>,>>>,>>9.99	10
schd__dec03			>>>,>>>,>>9.99	10
schd__dec04			>>>,>>>,>>9.99	10
schd__dec05			>>>,>>>,>>9.99	10
schd__dec06			>>>,>>>,>>9.99	10
schd__dec07			>>>,>>>,>>9.99	10
schd__dec08			>>>,>>>,>>9.99	10
schd__dec09			>>>,>>>,>>9.99	10
schd__dec10			>>>,>>>,>>9.99	10
schd__dte01			99/99/99	
schd__dte02			99/99/99	
schd__log01			yes/no	
schd__log02			yes/no	
schd_all_qty	Qty Pegged		>,>>>,>>9.9<<<<	10
schd_cmtindx	Comment Index	Comment	>>>>>>>9	
schd_cum_qty	Cumulative Qty		>>>,>>>,>>9.9<<<<<<	10
schd_date	Date		99/99/99	
schd_discr_qty	Discrete Qty		>>,>>>,>>9.9<<<<<<<	10
schd_domain	Domain		x(8)	
schd_fc_qual	Q		x(1)	
schd_interval	Interval		x(1)	
schd_line	Line	Ln	>>9	
schd_nbr	Order	Sls Order	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	schd_per_date	Perform Date	Perform	99/99/99	
	schd_reference	Reference		x(24)	
	schd_reference_type	Reference Type	Ref! Type	x(2)	
◊	schd_req_type	Requirement Type		>9	
	schd_rlse_id	Release ID		x(30)	
	schd_ship_qty	Qty Shipped		>>,>>>,>>9.9<<<<<<<	10
	schd_time	Time		99:99	
	schd_type	Schedule Type		>9	
	schd_upd_qty	Quantity		>>,>>>,>>9.9<<<<<<<	10
	schd_user1	Ufld1		x(8)	
	schd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_schd_det	yes	oid_schd_det	yes	no
Δ*	schd_dtr	yes	schd_domain	yes	no
			schd_type	yes	no
			schd_nbr	yes	no
			schd_line	yes	no
			schd_rlse_id	yes	no
			schd_date	yes	no
			schd_time	yes	no
			schd_interval	yes	no
			schd_reference	yes	no
			schd_req_type	yes	no

sch_mstr

Release Management Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_sch_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sch__chr01			x(8)	
sch__chr02			x(8)	
sch__chr03			x(8)	
sch__chr04			x(8)	
sch__chr05			x(8)	
sch__chr06			x(8)	
sch__chr07			x(8)	
sch__chr08			x(8)	
sch__chr09			x(8)	
sch__chr10			x(8)	
sch__dec01			>>>,>>>,>>9.99	10
sch__dec02			>>>,>>>,>>9.99	10
sch__dec03			>>>,>>>,>>9.99	10
sch__dec04			>>>,>>>,>>9.99	10
sch__dec05			>>>,>>>,>>9.99	10
sch__dec06			>>>,>>>,>>9.99	10
sch__dec07			>>>,>>>,>>9.99	10
sch__dec08			>>>,>>>,>>9.99	10
sch__dec09			>>>,>>>,>>9.99	10
sch__dec10			>>>,>>>,>>9.99	10
sch__dte01			99/99/99	
sch__dte02			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	sch__log01			yes/no	
	sch__log02			yes/no	
	sch_cmtindx	Comment Index	Comment	>>>>>>>9	
	sch_cr_date	Create Date		99/99/99	
	sch_cr_time	Create Time		>>>>9	
	sch_cumulative	Cumulative	Cum	yes/no	
◊	sch_cw_days	Calendar/Working Firm Days		x(1)	
	sch_domain	Domain		x(8)	
	sch_eff_end	Effective End		99/99/99	
	sch_eff_start	Effective Start		99/99/99	
	sch_fab_end	Fab End		99/99/99	
	sch_fab_qty	Fab Qty		>>>,>>>,>>9.9<<<<<<	10
	sch_fab_strt	Fab Start		99/99/99	
	sch_from_pid	From Plan Id		x(30)	
	sch_from_sid	From Ship Id		x(30)	
	sch_line	Line	Ln	>>9	
	sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
	sch_lr_cum_qty[10]	Cum Receipt Qty		>>>,>>>,>>9.9<<<<<<<<	10
	sch_lr_date[10]	Receipt Date		99/99/99	
	sch_lr_qty[10]	Receipt Qty		>>>,>>>,>>9.9<<<<<<<<	10
	sch_lr_time[10]	Time		99:99	
	sch_nbr	Order	Sls Order	x(8)	
	sch_pcr_qty	Prior Cum Req		>>>,>>>,>>9.9<<<<<<	10
	sch_pcs_date	Prior Cum Date		99/99/99	
	sch_pdr_qty	Prior Discrete Req		>>>,>>>,>>9.9<<<<<<	10
	sch_prp_ext	Ext Purpose Code		x(10)	
	sch_prp_int	Int Purpose Code		x(10)	
	sch_raw_end	Raw End		99/99/99	
	sch_raw_qty	Raw Qty		>>>,>>>,>>9.9<<<<<<	10
	sch_raw_strt	Raw Start		99/99/99	
	sch_rlse_id	Release ID		x(30)	
	sch_sd_dates	Schedule Date Type		Ship/Delivery	
	sch_sd_pat	Ship/Dlvy Pattern		x(2)	
	sch_sd_time	Ship/Dlvy Time		x(2)	
	sch_ship	Ship To		x(8)	
	sch_type	Schedule Type		>9	
	sch_user1	Ufld1		x(8)	
	sch_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sch_mstr	yes	oid_sch_mstr	yes	no
	sch_cr_date	no	sch_domain	yes	no
			sch_type	yes	no
			sch_nbr	yes	no
			sch_line	yes	no
			sch_cr_date	yes	no
			sch_cr_time	yes	no
*	sch_tnlr	yes	sch_domain	yes	no
			sch_type	yes	no
			sch_nbr	yes	no
			sch_line	yes	no
			sch_rlse_id	yes	no

◊ scs_ctrl Subcontract Shipping Control

Field Name	Label	Col-Label	Format	Dec
oid_scs_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
scs__qadc01			x(24)	
scs__qadc02			x(24)	
scs_domain	Domain		x(8)	
scs_enter_shipper	Manual Shipper Update	Manual! Update	yes/no	
scs_mod_date	Modified Date	Mod Date	99/99/99	
scs_mod_userid	User ID		x(8)	
scs_scrap_material	Scrap Unreturned Material	Scrap	yes/no	
scs_unassign_sup	Unassigned Suppliers	Unassigned! Suppliers	yes/no	
scs_user1	User Field Character 1		x(24)	
scs_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_scs_ctrl	yes	oid_scs_ctrl	yes	no
◊*	scs_domain	yes	scs_domain	yes	no

sct_det Cost Simulation Total Detail

Field Name	Label	Col-Label	Format	Dec
oid_sct_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sct__qadc01			x(8)	
sct_bdn_ll	Burden LL		>>>>,>>>,>>9.99<<<	10
sct_bdn_tl	Burden		>>>>,>>>,>>9.99<<<	10
sct_cost_changed	Cost Changed		yes/no	
sct_cst_date	Cost Update	Updated	99/99/99	
sct_cst_tot	Cost Total		>>>>,>>>,>>9.99<<<	10
sct_domain	Domain		x(8)	
sct_lbr_ll	Labor LL		>>>>,>>>,>>9.99<<<	10
sct_lbr_tl	Labor		>>>>,>>>,>>9.99<<<	10
sct_mtl_ll	Material LL		>>>>,>>>,>>9.99<<<	10
sct_mtl_tl	Material		>>>>,>>>,>>9.99<<<	10
sct_nrv	Net Realized Value	NR! Value	>>>>,>>>,>>9.99<<<	10
sct_ovh_ll	Overhead LL		>>>>,>>>,>>9.99<<<	10
sct_ovh_tl	Overhead		>>>>,>>>,>>9.99<<<	10
sct_part	Item Number		x(18)	
sct_rollup	Freeze	Frz	yes/no	
sct_rollup_id	Rollup ID		x(18)	
sct_serial	Lot/Serial		x(18)	
sct_sim	Cost Set		x(8)	
sct_site	Site		x(8)	
sct_sub_ll	Subcontract LL		>>>>,>>>,>>9.99<<<	10
sct_sub_tl	Subcontract		>>>>,>>>,>>9.99<<<	10
sct_user1	Ufld1		x(8)	
sct_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sct_det	yes	oid_sct_det	yes	no
	sct_part_sim	no	sct_domain	yes	no
			sct_part	yes	no
			sct_sim	yes	no
*	sct_sim_pt_site	yes	sct_domain	yes	no
			sct_sim	yes	no
			sct_part	yes	no
			sct_site	yes	no
	sct_site_part	no	sct_domain	yes	no
			sct_site	yes	no
			sct_part	yes	no
	sct_site_sim	no	sct_domain	yes	no
			sct_site	yes	no
			sct_sim	yes	no

scx_ref

Scheduled Order Cross-Reference

	Field Name	Label	Col-Label	Format	Dec
	oid_scx_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	scx__qadc01			x(8)	
	scx_custref	Customer Ref		x(30)	
	scx_domain	Domain		x(8)	
	scx_line	Line		scx_modelyr	Model Year
	x(4)				
	scx_order	Order		x(8)	
	scx_part	Item Number		x(18)	
	scx_po	Purchase Order		x(22)	
	scx_qkey	Quick Key		x(8)	
Δ	scx_shipfrom	Ship-From		x(8)	
Δ	scx_shipto	Ship-To		x(8)	
	scx_type			9	
	scx_user1	Ufld1		x(8)	
	scx_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_scx_ref	yes	oid_scx_ref	yes	no
	scx_order	yes	scx_domain	yes	no
			scx_type	yes	no
			scx_order	yes	no
			scx_line	yes	no
	scx_po	no	scx_domain	yes	no
			scx_type	yes	no
			scx_po	yes	no
			scx_part	yes	no
			scx_shipto	yes	no
			scx_shipfrom	yes	no
*	scx_shipfrom	yes	scx_domain	yes	no
			scx_type	yes	no
			scx_shipfrom	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		scx_shipto	yes	no
		scx_part	yes	no
		scx_custref	yes	no
		scx_po	yes	no
		scx_modelyr	yes	no

sc_mstr

Cost Simulation Master

Field Name	Label	Col-Label	Format	Dec
oid_sc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sc__qadc01			x(8)	
sc_category	Category		x(1)	
sc_desc	Description		x(24)	
sc_domain	Domain		x(8)	
sc_element	Cost Element	Element	x(8)	
sc_sim	Cost Set		x(8)	
sc_user1	Ufld1		x(8)	
sc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sc_mstr	yes	oid_sc_mstr	yes	no
	sc_sim_cat	no	sc_domain	yes	no
			sc_sim	yes	no
			sc_category	yes	no
*	sc_sim_elem	yes	sc_domain	yes	no
			sc_sim	yes	no
			sc_element	yes	no

sdtd_det

Shipping Delivery Time Detail

Field Name	Label	Col-Label	Format	Dec
oid_sdtd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sdtd__chr01			x(8)	
sdtd__chr02			x(8)	
sdtd__dec01			->>>,>>>,>>9.99<	10
sdtd__dec02			->>>,>>>,>>9.99<	10
sdtd__dte01			99/99/99	
sdtd__dte02			99/99/99	
sdtd__log01			yes/no	
sdtd__qadc01			x(8)	
sdtd__qadc02			x(8)	
sdtd__qadd01			->>>,>>>,>>9.99<	10
sdtd__qadd02			->>>,>>>,>>9.99<	10
sdtd__qadi01			>>>>>>9	
sdtd__qadi02			>>>>>>9	
sdtd__qadl01			yes/no	
sdtd__qadl02			yes/no	

Field Name	Label	Col-Label	Format	Dec
sdtd__qadt01			99/99/99	
sdtd__qadt02			99/99/99	
sdtd__user1			x(8)	
sdtd__user2			x(8)	
sdtd_code	SDT Code		x(3)	
sdtd_domain	Domain		x(8)	
sdtd_mod_date	Modified Date	Mod Date	99/99/99	
sdtd_mod_userid	User ID		x(8)	
sdtd_time	SDT Time		99:99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sdtd_det	yes	oid_sdtd_det	yes	no
*	sdtd_code	yes	sdtd_domain	yes	no
			sdtd_code	yes	no
			sdtd_time	yes	no

sdt_mstr

Shipping Delivery Time Master

Field Name	Label	Col-Label	Format	Dec
oid_sdt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sdt__chr01			x(8)	
sdt__chr02			x(8)	
sdt__dec01			->>>,>>>,>>9.99<	10
sdt__dec02			->>>,>>>,>>9.99<	10
sdt__dte01			99/99/99	
sdt__dte02			99/99/99	
sdt__log01			yes/no	
sdt__log02			yes/no	
sdt__qadc01			x(8)	
sdt__qadc02			x(8)	
sdt__qadd01			->>>,>>>,>>9.99<	10
sdt__qadd02			->>>,>>>,>>9.99<	10
sdt__qadi01			>>>>>>9	
sdt__qadi02			>>>>>>9	
sdt__qadl01			yes/no	
sdt__qadl02			yes/no	
sdt__qadt01			99/99/99	
sdt__qadt02			99/99/99	
sdt__user1			x(8)	
sdt__user2			x(8)	
sdt_code	SDT Code		X(3)	
sdt_desc	SDT Description		x(40)	
sdt_domain	Domain		x(8)	
sdt_mod_date	Modified Date	Mod Date	99/99/99	
sdt_mod_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sdt_mstr	yes	oid_sdt_mstr	yes	no
*	sdt_code	yes	sdt_domain	yes	no
			sdt_code	yes	no

sd_mstr

Sales Order Discount Master

Field Name	Label	Col-Label	Format	Dec
oid_sd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sd__chr01			x(8)	
sd__chr02			x(8)	
sd__qad01			x(8)	
sd__qad02			x(8)	
sd_acct	Account		x(8)	
sd_amt	Amount		->,>>>,>>9.	0
sd_cc	Cost Ctr	CC	x(4)	
sd_curr	Currency	Cur	x(3)	
sd_cust	Customer		x(8)	
sd_disc_pct	Disc Percent	Disc%	->>9.<<	10
sd_domain	Domain		x(8)	
sd_expire	Expire		99/99/99	
sd_ls_type	Customer Type	Cust Typ	x(8)	
sd_prodline	Product Line	Line	x(4)	
sd_start	Start		99/99/99	
sd_sub	Sub-Account	Sub-Acct	x(8)	
sd_type	Type		x(8)	
sd_user1	Ufld1		x(8)	
sd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sd_mstr	yes	oid_sd_mstr	yes	no
	sd_cust	no	sd_domain	yes	no
			sd_ls_type	yes	no
			sd_cust	yes	no
			sd_type	yes	no
			sd_amt	yes	no
*	sd_type	yes	sd_domain	yes	no
			sd_type	yes	no
			sd_amt	yes	no
			sd_start	yes	no

seoc_ctrl

Material Order Control

Field Name	Label	Col-Label	Format	Dec
oid_seoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
seoc__chr01			x(8)	
seoc__chr02			x(8)	
seoc__chr03			x(8)	
seoc__chr04			x(8)	
seoc__chr05			x(8)	
seoc__dec01			>>>,>>>,>>9.99	10
seoc__dec02			>>>,>>>,>>9.99	10
seoc__dte01			99/99/99	
seoc__dte02			99/99/99	
seoc__log01			yes/no	
seoc__log02			yes/no	

Field Name	Label	Col-Label	Format	Dec
seoc__qadc02	QAD Character Field 2		X(8)	
seoc__qadc03	QAD Character Field 3		x(8)	
seoc__qadd01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
seoc__qadd02	QAD Decimal Field 2		->>,>>9.99	10
seoc__qadi01	QAD Field		->,>>>,>>9	
seoc__qadi02	QAD Integer Field 2		->,>>>,>>9	
seoc__qadl01	QAD Logical Field		yes/no	
seoc__qadl02	QAD Logical Field 2		yes/no	
seoc__qadt01	QAD Date Field 1		99/99/99	
seoc__qadt02	QAD Date Field 2		99/99/99	
seoc_all_days	Allocate MO Lines Due in Days		>>>>>9	
seoc_bo_advice	Next Back Order Advice		>>>>>>>>9	
seoc_confirm	Confirmed Orders		yes/no	
seoc_consume	Consume Forecast	Consume Fcst	yes/no	
seoc_det_all	Detail Allocations		yes/no	
seoc_dnote	Next Delivery Note		>>>>>>>>9	
seoc_domain	Domain		x(8)	
seoc_ex_ratetype	Rate Type		x(8)	
seoc_hcmmts	MO Header Comments		yes/no	
seoc_immed_ship	Ship Immed		yes/no	
seoc_index1	Index		>>>>>9	
seoc_int_cust	Internal Customer		X(8)	
seoc_kit_auto	Autonumbering for Kits		yes/no	
seoc_kit_nbr	Next Kit Number		>>>>>>9	
seoc_kit_pre	Kit Prefix		X(8)	
seoc_lcmmts	MO Line Comments		yes/no	
seoc_ln_fmt	Ln Format S/M		single/multi	
seoc_mod_date	Modified Date	Mod Date	99/99/99	
seoc_mod_userid	User ID		X(8)	
seoc_req	Required Qty Reduces Qty Avail		yes/no	
seoc_ship_to	Ship To		User/Engineer	
seoc_shp_lead	Shipping Lead Time		>>>9	
seoc_so	Next Material Order		>>>>>>>9	
seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
seoc_so_pre	Material Order Prefix	Pre	x(3)	
seoc_user1	Ufld1		X(8)	
seoc_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_seoc_ctrl	yes	oid_seoc_ctrl	yes	no
*	seoc_index1	yes	seoc_domain	yes	no

seq_mstr

Production Line Schedule Sequence Master

Field Name	Label	Col-Label	Format	Dec
oid_seq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
seq__chr01			x(8)	
seq__chr02			x(8)	
seq__chr03			x(8)	
seq__chr04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	seq__chr05			x(8)	
	seq__dec01			>>>,>>>,>>9.99	10
	seq__dec02			>>>,>>>,>>9.99	10
	seq__dec03			>>>,>>>,>>9.99	10
	seq__log01			yes/no	
	seq_domain	Domain		x(8)	
	seq_due_date	Due Date		99/99/99	
	seq_line	Line		x(8)	
	seq_mode	Mode		yes/no	
	seq_mode_qty			->,>>>,>>9.99	10
Δ	seq_part	Item Number		x(18)	
Δ	seq_priority	Sequence		>>9.99	10
	seq_qty_req	Qty Req		->,>>>,>>9.99	10
	seq_release	Release Date		99/99/99	
	seq_shift1	Shift1		>>>9.99	
	seq_shift2	Shift2		>>>9.99	10
	seq_shift3	Shift3		>>>9.99	10
	seq_shift4	Shift4		>>>9.99	10
	seq_site	Site		x(8)	
	seq_start	Start Date		99/99/99	
	seq_type	Type		Forward/Backward	
	seq_user1	Ufld1		x(8)	
	seq_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_seq_mstr	yes	oid_seq_mstr	yes	no
	seq_sequence	yes	seq_domain	yes	no
			seq_site	yes	no
			seq_line	yes	no
			seq_priority	yes	no
*	seq_site	yes	seq_domain	yes	no
			seq_site	yes	no
			seq_line	yes	no
			seq_part	yes	no
			seq_due_date	yes	no

sfb_det

Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
oid_sfb_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sfb__chr01	User Field #1		x(8)	
sfb__chr02	User Field #2		x(8)	
sfb__chr03	User Field #3		x(8)	
sfb__chr04	User Field #4		x(8)	
sfb__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb__dte01	User Date #1		99/99/99	
sfb__dte02	User Date #2		99/99/99	
sfb__dte03	User Date #3		99/99/99	
sfb__log01	User Logical #1		yes/no	

Field Name	Label	Col-Label	Format	Dec
sfb__log02	User Logical #2		yes/no	
sfb__log03	User Logical #3		yes/no	
sfb__qadc01	QAD Character Field		x(8)	0
sfb__qadc02	Qad Field #2		x(8)	
sfb__qadc03	Qad Field #3		x(8)	
sfb__qadc04	QAD Character Field		x(8)	0
sfb__qadd01	Qad Date #1		99/99/99	
sfb__qadd02	Qad Date #2		99/99/99	
sfb__qadd03	Qad Date #3		99/99/99	
sfb__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sfb__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sfb__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sfb__qadl01	QAD Logical Field		yes/no	
sfb__qadl02	QAD Logical Field		yes/no	
sfb__qadl03	QAD Logical Field		yes/no	
sfb__qadl04	QAD Logical Field		yes/no	
sfb_ca_opn_date			99/99/99	
sfb_cmtindx	Comment Index	Comment	>>>>>>>9	
sfb_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_domain	Domain		x(8)	
sfb_exchange	Exchange		yes/no	
sfb_exg_price	Exchange Price		->>>>,>>>,>>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>,>>>,>>9.99<<<	10
sfb_fixed_price			->>>,>>>,>>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>>,>>>,>>9.99<<<	10
sfb_line	Line		>>>9	
sfb_mod_date	Modified Date	Mod Date	99/99/99	
sfb_mod_userid	User ID		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	>>>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		->>>,>>>,>>9.99<<<	10
sfb_price_on_inv	Price on Invoice		yes/no	
sfb_pst	PST Taxable		yes/no	
sfb_pt_type			>>9	
sfb_qty_billed	Qty Billed		->>>,>>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>,>>9.9<	10
sfb_qty_on_inv	Qty on Invoice		yes/no	
sfb_qty_req	Qty Required		->>>,>>9.9<<	10
sfb_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	
sfb_tax_usage	Tax Usage		x(8)	0
sfb_taxable	Taxable		yes/no	
sfb_taxc	Tax Class		x(8)	0

Field Name	Label	Col-Label	Format	Dec
sfb_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	Ufld1		X(8)	
sfb_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sfb_det	yes	oid_sfb_det	yes	no
*	sfb_line	yes	sfb_domain	yes	no
			sfb_nbr	yes	no
			sfb_so_line	yes	no
			sfb_pt_type	yes	no
			sfb_fis_sort	yes	no
			sfb_line	yes	no
	sfb_report	no	sfb_domain	yes	no
			sfb_report	yes	no
			sfb_op	yes	no
			sfb_part	yes	no
			sfb_line	yes	no

sfh_hist

Service/Support Billing History

Field Name	Label	Col-Label	Format	Dec
oid_sfh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sfh__chr01	User Character Field #1		x(8)	0
sfh__chr02	User Character Field #2		x(8)	0
sfh__chr03	User Character Field #3		x(8)	0
sfh__chr04	User Character Field #4		x(8)	0
sfh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sfh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sfh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sfh__dte01	User Date #1		99/99/99	
sfh__dte02	User Date #2		99/99/99	
sfh__dte03	User Date #3		99/99/99	
sfh__log01	User Logical #1		yes/no	
sfh__log02	User Logical #2		yes/no	
sfh__log03	User Logical #3		yes/no	
sfh__qadc01	QAD Character Field		x(8)	0
sfh__qadc02	Qad Field #2		x(8)	
sfh__qadc03	Qad Field #3		x(8)	
sfh__qadc04	QAD Character Field		x(8)	0
sfh__qadd01	Qad Date #1		99/99/99	
sfh__qadd02	Qad Date #2		99/99/99	
sfh__qadd03	Qad Date #3		99/99/99	
sfh__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sfh__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sfh__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sfh__qadl01	QAD Logical Field		yes/no	
sfh__qadl02	QAD Logical Field		yes/no	
sfh__qadl03	QAD Logical Field		yes/no	
sfh__qadl04	QAD Logical Field		yes/no	
sfh_ca_opn_date			99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	sfh_cmtindx	Comment Index	Comment	>>>>>>>9	
	sfh_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	sfh_desc	Description		x(24)	
	sfh_detail			yes/no	
	sfh_domain	Domain		x(8)	
	sfh_exchange	Exchange		yes/no	
	sfh_exg_price	Exchange Price		->>>>,>>>,>>9.99<<<	10
	sfh_fcg_code	Charge Code	Charge	x(8)	
	sfh_fis_column	Column	Col	>>9	
	sfh_fis_sort	Type		x(18)	
	sfh_fixed_cost			>>>>,>>>,>>9.99<<<	10
	sfh_fixed_price			->>>,>>>,>>9.99<<<	10
	sfh_fsc_code	Service Category	Svc Cat	x(8)	
Δ	sfh_inv_nbr	Invoice		x(22)	
	sfh_invoice_cost			>>>>,>>>,>>9.99<<<	10
	sfh_line	Line		>>>9	
	sfh_mod_date	Modified Date	Mod Date	99/99/99	
	sfh_mod_userid	User ID		X(8)	
	sfh_nbr			x(8)	
	sfh_op	Operation	Op	>>>>>9	
	sfh_part	Item		x(18)	
	sfh_price	List Price		->>>,>>>,>>9.99<<<	10
	sfh_price_on_inv	Price on Invoice		yes/no	
	sfh_pst	PST Taxable		yes/no	
	sfh_pt_type			>>9	
	sfh_qty_billed	Qty Billed		->>>,>>9.9<	10
	sfh_qty_inv	Qty to Invoice	Qty to Inv	->>>,>>9.9<	10
	sfh_qty_on_inv	Qty on Invoice		yes/no	
	sfh_qty_req	Qty Required		->>>,>>9.9<<	10
	sfh_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
	sfh_report	Report		X(8)	
	sfh_ret_serial	Returned Serial		X(18)	
	sfh_serial	Serial		x(18)	
	sfh_so_line	SO Line		>>>9	
	sfh_tax_env	Tax Environment		X(16)	0
	sfh_tax_in	Tax In		yes/no	
	sfh_tax_usage	Tax Usage		x(8)	0
	sfh_taxable	Taxable		yes/no	
	sfh_taxc	Tax Class		x(8)	0
	sfh_total_std	Total Cost		->>>,>>>,>>9.99<<<	10
	sfh_trnbr	Transaction		>>>>>>>>>9	
	sfh_um	UM		x(2)	
	sfh_user1	Ufld1		X(8)	
	sfh_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sfh_hist	yes	oid_sfh_hist	yes	no
	sfh_inv_nbr	no	sfh_domain	yes	no
			sfh_inv_nbr	yes	no
			sfh_so_line	yes	no
			sfh_pt_type	yes	no
			sfh_fis_sort	yes	no
			sfh_line	yes	no
	sfh_line	no	sfh_domain	yes	no
			sfh_nbr	yes	no
			sfh_so_line	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sfh_pt_type	yes	no
			sfh_fis_sort	yes	no
			sfh_line	yes	no
*	sfh_trnbr	yes	sfh_domain	yes	no
			sfh_trnbr	yes	no

sgad_det

Shipping Group Address Detail

Field Name	Label	Col-Label	Format	Dec
oid_sgad_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sgad__qadc01			x(8)	
sgad_addr	Address		x(8)	
sgad_cons_ship	Consolidate Ship		x(1)	
sgad_domain	Domain		x(8)	
sgad_grp	Shipping Group	Ship Grp	x(8)	
sgad_is_src	Source/Dest		Source/Dest	
sgad_user1	Ufld1		x(8)	
sgad_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgad_det	yes	oid_sgad_det	yes	no
	sgad_addr	yes	sgad_domain	yes	no
			sgad_addr	yes	no
			sgad_is_src	yes	no
			sgad_grp	yes	no
*	sgad_grp	yes	sgad_domain	yes	no
			sgad_grp	yes	no
			sgad_is_src	yes	no
			sgad_addr	yes	no

sgcd_det

Shipping Group Carrier Detail

Field Name	Label	Col-Label	Format	Dec
oid_sgcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sgcd__qadc01			x(8)	
sgcd_carrier	Carrier		x(8)	
sgcd_domain	Domain		x(8)	
sgcd_grp	Shipping Group	Ship Grp	x(8)	
sgcd_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgcd_seq	Seq		>>9	
sgcd_user1	Ufld1		x(8)	
sgcd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgcd_det	yes	oid_sgcd_det	yes	no
	sgcd_carrier	no	sgcd_domain	yes	no
			sgcd_carrier	yes	no
*	sgcd_grp	yes	sgcd_domain	yes	no
			sgcd_grp	yes	no
			sgcd_inv_mov	yes	no
			sgcd_seq	yes	no

sgid_det

Shipping Group and Inventory Movement Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_sgid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sgid__qadc01			x(8)	
sgid__qadc02			x(8)	
sgid_default	Default		yes/no	
sgid_domain	Domain		x(8)	
sgid_format	Document Format	Format	x(8)	
sgid_grp	Shipping Group	Ship Grp	x(8)	
sgid_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgid_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgid_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgid_user1	Ufld1		x(8)	
sgid_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sgid_det	yes	oid_sgid_det	yes	no
	sgid_default	yes	sgid_domain	yes	no
			sgid_grp	yes	no
			sgid_default	yes	no
			sgid_inv_mov	yes	no
	sgid_format	no	sgid_domain	yes	no
			sgid_format	yes	no
*	sgid_grp	yes	sgid_domain	yes	no
			sgid_grp	yes	no
			sgid_inv_mov	yes	no
	sgid_inv_mov	no	sgid_domain	yes	no
			sgid_inv_mov	yes	no

sg_mstr

Shipping Group Master

Field Name	Label	Col-Label	Format	Dec
oid_sg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sg__qadc01			x(8)	
sg_auto_tr	Auto Transfers	Auto Xfers	yes/no	
sg_desc	Description		x(30)	
sg_domain	Domain		x(8)	
sg_grp	Shipping Group	Ship Grp	x(8)	
sg_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sg_master_nr_id	Master Bill Sequence ID	MBOL Seq	x(8)	
sg_user1	Ufld1		x(8)	
sg_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sg_mstr	yes	oid_sg_mstr	yes	no
*	sg_grp	yes	sg_domain	yes	no
			sg_grp	yes	no
	sg_inv_mov	no	sg_domain	yes	no
			sg_inv_mov	yes	no

◊ SharedSet Shared Set

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(4000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
SharedSet_ID			9999999999	
SharedSetCode			x(20)	
SharedSetDescription			x(40)	
SharedSetIsActive			yes/no	
SharedSetTypeCode			x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	SharedSetCode	yes	no
◊* Prim	yes	SharedSet_ID	yes	no
◊ Type	no	SharedSetTypeCode	yes	no

◊ SharedSetMergeLog Shared Set Merge Log

Field Name	Label	Col-Label	Format	Dec
SharedSetMergeLog_ID	Record ID	Record ID	9999999999	
SharedSetMergeLogEndDate	End Date	End Date	99/99/9999	
SharedSetMergeLogEndTime	End Time	End Time	99999	
SharedSetMergeLogIsFinish	Is Finished	Is Finished	yes/no	
SharedSetMergeLogMaster	Master Shared Set Code	Master Shared Set Code	x(20)	
SharedSetMergeLogRedundant	Redundant Shared Set Code	Redundant Shared Set Code	x(20)	
SharedSetMergeLogStartDate	Start Date	Start Date	99/99/9999	
SharedSetMergeLogStartTime	Start Time	Start Time	99999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Finished	no	SharedSetMergeLogIsFinish	yes	no
◊	Master	no	SharedSetMergeLogMaster	yes	no
◊*	Prim	yes	SharedSetMergeLog_ID	yes	no
◊	Redundant	no	SharedSetMergeLogRedundant	yes	no

◊ SharedSetProp Shared Set Property

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SharedSet_ID	Link to SharedSet	Link to SharedSet	9999999999	
SharedSetProperty_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	SharedSetProperty_ID	yes	no
◊	SharedSet	yes	SharedSet_ID	yes	no

◊ SharedSetType Shared Set Type

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
SharedSetTypeCode			x(20)	
SharedSetTypeIsActive			yes/no	
SharedSetTypeTranslated			x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	SharedSetTypeCode	yes	no

◊ shcd_det Shipper Control Detail Default Export Directories

Field Name	Label	Col-Label	Format	Dec
oid_shcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shcd__qadc01			x(24)	
shcd__qadc02			x(24)	
shcd_domain	Domain		x(8)	
shcd_export_directory	Default Export Directory		x(60)	
shcd_mod_date	Modified Date	Mod Date	99/99/99	
shcd_mod_userid	User ID		x(8)	
shcd_user1	User Field Character 1		x(24)	
shcd_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shcd_det	yes	oid_shcd_det	yes	no
◊*	shcd_export_dir	yes	shcd_domain	yes	no
			shcd_export_directory	yes	no

shc_ctrl Shipper Control

Field Name	Label	Col-Label	Format	Dec
oid_shc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shc__qadc01			x(8)	
shc__qadi01			->>>>>>>9	
◊ shc_archive_directory	Default Archive Directory		x(60)	
◊ shc_del_import_file	Delete Import Files After Archiving		yes/no	
shc_domain	Domain		x(8)	
shc_format	Document Format	Format	x(8)	
◊ shc_import_directory	Default Import Directory		x(60)	
shc_master_nr_id	Master Bill Sequence ID		x(8)	
shc_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
shc_require_inv_mov	Require Inventory Movement Codes		yes/no	
◊ shc_rss_cal_option	RSS Calendar Option		>>9	
shc_ship_nr_id	Shipper Sequence ID		x(8)	
shc_ship_rcpt	Shipment Info For Receipts		yes/no	
◊ shc_source_directory	Default Source Directory		x(60)	
shc_trl_amts	Maintain Trailer Amounts		yes/no	
shc_user1	Ufld1		x(8)	
shc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shc_ctrl	yes	oid_shc_ctrl	yes	no
*	shc_index1	yes	shc_domain	yes	no

shd_det

Shipping Schedule Detail

Field Name	Label	Col-Label	Format	Dec
oid_shd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shd__qadc01			x(8)	
shd_code	Transport ID	Trans ID	x(8)	
shd_departs	Ship Date		99/99/99	
shd_domain	Domain		x(8)	
shd_rec_site	Receiving Site	Rec Site	x(8)	
shd_src_site	Source Site	Source	x(8)	
shd_user1	Ufld1		x(8)	
shd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shd_det	yes	oid_shd_det	yes	no
*	shd_code	yes	shd_domain	yes	no
			shd_code	yes	no
			shd_src_site	yes	no
			shd_rec_site	yes	no
			shd_departs	yes	no

shft_det

Shift Detail

Field Name	Label	Col-Label	Format	Dec
oid_shft_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shft__chr01			x(8)	
shft__chr02			x(8)	
shft__chr03			x(8)	
shft__chr04			x(8)	
shft__chr05			x(8)	
shft__dec01			>>>,>>>,>>9.99	10
shft__dec02			>>>,>>>,>>9.99	10
shft__dec03			>>>,>>>,>>9.99	10
shft__dec04			>>>,>>>,>>9.99	10
shft__log01			yes/no	
shft_day	Day of Week	Day	9	
shft_domain	Domain		x(8)	
shft_hour1	Hours		>,>>9.9<	10
shft_hour2	Hours		>,>>9.9<	10
shft_hour3	Hours		>,>>9.9<	10
shft_hour4	Hours		>,>>9.9<	10
shft_load1	Load		>>9.99%	10
shft_load2	Load		>>9.99%	10
shft_load3	Load		>>9.99%	10
shft_load4	Load		>>9.99%	10
shft_mch	Machine		x(8)	
shft_pat1	Pattern		x(8)	
shft_pat2	Pattern		x(8)	
shft_pat3	Pattern		x(8)	
shft_pat4	Pattern		x(8)	
shft_site	Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
shft_start1	Start Time	Start	>,>>9.9<<	10
shft_start2	Start Time	Start	>,>>9.9<<	10
shft_start3	Start Time	Start	>,>>9.9<<	10
shft_start4	Start Time	Start	>,>>9.9<<	10
shft_user1	Ufld1		x(8)	
shft_user2	Ufld2		x(8)	
shft_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shft_det	yes	oid_shft_det	yes	no
*	shft_day	yes	shft_domain	yes	no
			shft_site	yes	no
			shft_wkctr	yes	no
			shft_mch	yes	no
			shft_day	yes	no

◊ ShipViaM

Warehousing Ship Via/Service Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(40)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_ShipViaM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Service	Service		x(20)	
ShipVia	Carrier		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ShipViaM	yes	oid_ShipViaM	yes	no
◊	Service	no	Domain	yes	no
			Service	yes	no
◊*	ShipViaMIdx	yes	Domain	yes	no
			ShipVia	yes	no
			Service	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

shm_mstr

Shipping Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_shm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shm__qadc01			x(8)	
shm_cmtindx	Comment Index	Comment	>>>,>>>,>>9	
shm_code	Transport ID	Trans ID	x(8)	
shm_domain	Domain		x(8)	
shm_end	End		99/99/99	
shm_load_lt	Load LT		->>9.9<	10
shm_no_units	Available Units	Units	->,>>>,>>9	
shm_rec_day[7]	Receive Days		yes/no	
shm_rec_site	Receiving Site	Rec Site	x(8)	
shm_ship_day[7]	Ship Days		yes/no	
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	->>9.9<	10
shm_unld_lt	Unload LT		->>9.9<	10
shm_user1	Ufld1		x(8)	
shm_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shm_mstr	yes	oid_shm_mstr	yes	no
*	shm_code	yes	shm_domain	yes	no
			shm_code	yes	no
			shm_src_site	yes	no
			shm_rec_site	yes	no
			shm_start	yes	no
	shm_rec_site	yes	shm_domain	yes	no
			shm_rec_site	yes	no
			shm_src_site	yes	no
			shm_code	yes	no
			shm_start	yes	no
	shm_src_site	yes	shm_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_code	yes	no
		shm_start	yes	no

shop_cal Shop Calendar

Field Name	Label	Col-Label	Format	Dec
oid_shop_cal			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shop__qadc01			x(8)	
shop_domain	Domain		x(8)	
shop_hours[7]	Daily Hours	Hours	->>,>>9.99	10
shop_mch	Machine		x(8)	
shop_shifts[7]	Shifts		yes/no	
shop_site	Site		x(8)	
shop_user1	Ufld1		x(8)	
shop_user2	Ufld2		x(8)	
shop_wdays[7]	Workdays		yes/no	
shop_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shop_cal	yes	oid_shop_cal	yes	no
*	shop_cal	yes	shop_domain	yes	no
			shop_site	yes	no
			shop_wkctr	yes	no
			shop_mch	yes	no

◊ ShortcutAct shortcut key

Field Name	Label	Col-Label	Format	Dec
BusActivity_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
ShortcutAct_ID			9999999999	
ShortcutActKey			x(10)	
Usr_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BusActivity	no	BusActivity_ID	yes	no
◊*	prim	yes	ShortcutAct_ID	yes	no
◊	Usr	no	Usr_ID	yes	no
◊	UsrIdBusActivity	yes	Usr_ID	yes	no
			BusActivity_ID	yes	no
◊	UsrIdShortcActKey	yes	Usr_ID	yes	no
			ShortcutActKey	yes	no

shpc_ctrl Shipment Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_shpc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shpc__qadc01			X(24)	
shpc__qadc02			X(24)	
shpc__qadi01			->>>>>>>9	
shpc_active	Enable Shipment Performance		yes/no	
shpc_domain	Domain		x(8)	
shpc_include_do	Include Distribution Orders		yes/no	
shpc_include_mo	Include Material Orders		yes/no	
shpc_include_rma	Include RMA Shipments		yes/no	
shpc_include_sched	Include Scheduled Orders		yes/no	
shpc_include_so	Include Sales Orders		yes/no	
shpc_meas_subtype	Measurement Sub Type		9	
shpc_mod_date	Modified Date	Mod Date	99/99/99	
shpc_mod_userid	User ID		x(8)	
shpc_sched_type	Schedule Type		>9	
shpc_shipper_reasons	Enter Reason Codes in Workbench		yes/no	
shpc_use_current	Use Current Release		yes/no	
shpc_user1	User Field Character 1		X(24)	
shpc_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shpc_ctrl	yes	oid_shpc_ctrl	yes	no
*	shpc_index1	yes	shpc_domain	yes	no

shpd_hist Shipment Performance Detail History

Field Name	Label	Col-Label	Format	Dec
oid_shpd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shpd__qadc01			X(24)	
shpd__qadc02			X(24)	
shpd_acceptable	Acceptable		yes/no	
shpd_domain	Domain		x(8)	
shpd_meas_subtype	Measurement Sub Type	Sub Type	9	
shpd_measurement_type	Type		>	
shpd_mod_date	Modified Date	Mod Date	99/99/99	
shpd_mod_userid	User ID		X(8)	
shpd_rsn_code	Reason		x(8)	
shpd_rsn_type	Reason Type	Rsn Type	x(8)	
shpd_status_code	Status		x(8)	
shpd_tran_id	Tran ID		>>>>>>>>9	
shpd_user1	User Field Character 1		X(24)	
shpd_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shpd_hist	yes	oid_shpd_hist	yes	no
	shpd_reason	no	shpd_domain	yes	no
			shpd_acceptable	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no
			shpd_rsn_code	yes	no
	shpd_status	no	shpd_domain	yes	no
			shpd_acceptable	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no
			shpd_status_code	yes	no
*	shpd_tran_id	yes	shpd_domain	yes	no
			shpd_tran_id	yes	no
			shpd_measurement_type	yes	no
			shpd_meas_subtype	yes	no

◊ shphr_det Data Validation Rule Master

Field Name	Label	Col-Label	Format	Dec
oid_dv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_shphr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shphr__qadc01			x(24)	
shphr__qadc02			x(24)	
shphr_allow_import	Allow Import		yes/no	
shphr_category	Category		x(8)	
shphr_desc	Description		x(24)	
shphr_domain	Domain		x(8)	
shphr_id	Rule ID		x(8)	
shphr_import_date	Last Imported		99/99/99	
shphr_import_filename	Import Filename		x(18)	
shphr_import_userid	User ID		x(8)	
shphr_mod_date	Modified Date	Mod Date	99/99/99	
shphr_mod_userid	User ID		x(8)	
shphr_user1	User Field Character 1		x(24)	
shphr_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shphr_det	yes	oid_shphr_det	yes	no
◊*	shphr_id	yes	oid_dv_mstr	yes	no
			shphr_id	yes	no

◊ shphvd_det Field Validation Allowed Value Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_shphvd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shphvd__qadc01			x(24)	
shphvd__qadc02			x(24)	
shphvd_field_value	Field Value		x(30)	
shphvd_mod_date	Modified Date	Mod Date	99/99/99	
shphvd_mod_userid	User ID		x(8)	
shphvd_user1	User Field Character 1		x(24)	
shphvd_user2	User Field Character 2		x(24)	
shphvd_value_desc	Value Description		x(30)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shphvd_det	yes	oid_shphvd_det	yes	no
◊*	shphvd_field_value	yes	oid_shphv_det	yes	no
			shphvd_field_value	yes	no

◊ shphvpv_det Validation/Prompt Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_shphvpv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shphvpv__qadc01			x(24)	
shphvpv__qadc02			x(24)	
shphvpv_location	Location		x(22)	
shphvpv_mod_date	Modified Date	Mod Date	99/99/99	
shphvpv_mod_userid	User ID		x(8)	
shphvpv_prompt	Prompt		yes/no	
shphvpv_type	Type		9	
shphvpv_user1	User Field Character 1		x(24)	
shphvpv_user2	User Field Character 2		x(24)	
shphvpv_val_level	Validation Level		9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shphvpv_det	yes	oid_shphvpv_det	yes	no
◊*	shphvpv_location	yes	oid_shphv_det	yes	no
			shphvpv_type	yes	no
			shphvpv_location	yes	no

◊ shphv_det Rule Field Validation Detail

Field Name	Label	Col-Label	Format	Dec
oid_shphr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_shphv_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shphv__qadc01			x(24)	
shphv__qadc02			x(24)	
shphv_allow_blank	Allow Blank		yes/no	
shphv_allow_undefined	Allow Undefined		yes/no	
shphv_cmtindx	Comments		>>>>>>>9	
shphv_default	Default Value		x(30)	
shphv_desc	Description		x(40)	
shphv_domain	Domain		x(8)	
shphv_end_eff	End Effective		99/99/99	
shphv_enforce_case	Enforce Case		yes/no	
shphv_field	Field		x(32)	
shphv_field_type	Type		9	
shphv_gen_code	Generalized code		x(32)	
shphv_internal_proc	Internal Procedure		x(32)	
shphv_invalid_char	Invalid Characters		x(8)	
shphv_launch_fieldname	Launch Fieldname		x(32)	
shphv_max_length	Max Length		>,>>>,>>9	
shphv_min_length	Min Length		>,>>>,>>9	
shphv_mod_date	Modified Date	Mod Date	99/99/99	
shphv_mod_userid	User ID		x(8)	
shphv_start_eff	Start Effective		99/99/99	
shphv_user1	User Field Character 1		x(24)	
shphv_user2	User Field Character 2		x(24)	
shphv_usrfld_applyto	Apply-To		999	
shphv_validate_msg1	Message		x(45)	
shphv_validate_msg2	Message		x(75)	
shphv_validate_point	Validation Point		9	
shphv_validate_program	Validation Program		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	oid_shphr_det	yes	oid_shphr_det	yes	no
			shphv_field	yes	no
			shphv_start_eff	yes	no
◊	oid_shphv_det	yes	oid_shphv_det	yes	no

shp_hist Shipment Performance History

Field Name	Label	Col-Label	Format	Dec
oid_shp_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
shp__qadc01			X(24)	
shp__qadc02			X(24)	
shp_abs_id	Shipper		x(20)	
shp_cmtindx	Comment		>>>>>>>9	
shp_currency	Currency		x(3)	
shp_cust	Customer		x(8)	
shp_cust_part	Customer Item		x(30)	

Field Name	Label	Col-Label	Format	Dec
shp_customer_source	Customer Source		x(3)	
shp_do_req	Requisition		x(8)	
shp_domain	Domain		x(8)	
shp_due_date	Due Date		99/99/99	
shp_ext_price	Extended Price		->>>>,>>>,>>9.99<<<	10
shp_include	Include in Reporting		yes/no	
shp_line	Line		>>9	
shp_mod_date	Modified Date	Mod Date	99/99/99	
shp_mod_userid	User ID		x(8)	
shp_nbr	Order		x(8)	
shp_open_qty	Open Qty		->>,>>>,>>9.9<<<<<<<<	10
shp_ord_um	UM		x(2)	
shp_ord_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_order_category	Category		x(8)	
shp_part	Item Number		x(18)	
shp_perf_date	Performance Date		99/99/99	
shp_qty_pct	Shipment Percentage		->>9.99	10
shp_rel_id	Release		x(30)	
shp_req_date	Required Date		99/99/99	
shp_sched_time	Schedule Time		99:99	
shp_ship_date	Ship Date		99/99/99	
shp_ship_price	Ship Price		->>>>,>>>,>>9.99<<<	10
shp_ship_qty	Ship Qty		->>,>>>,>>9.9<<<<<<<<	10
shp_ship_time	Ship Time		99:99	
shp_ship_um	UM		x(2)	
shp_ship_um_conv	UM Conversion		>>>>9.9999<<<<	10
shp_shipfrom	Ship-From		x(8)	
shp_shipto	Ship-To		x(8)	
shp_tran_id	Tran ID		>>>>>>>>9	
shp_user1	User Field Character 1		X(24)	
shp_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shp_hist	yes	oid_shp_hist	yes	no
	shp_abs_id	no	shp_domain	yes	no
			shp_shipfrom	yes	no
			shp_abs_id	yes	no
	shp_cust	no	shp_domain	yes	no
			shp_include	yes	no
			shp_cust	yes	no
			shp_shipto	yes	no
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
	shp_customer_source	no	shp_domain	yes	no
			shp_include	yes	no
			shp_customer_source	yes	no
			shp_cust	yes	no
			shp_shipto	yes	no
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
			shp_ship_date	yes	no
	shp_part	no	shp_domain	yes	no
			shp_include	yes	no
			shp_part	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			shp_shipfrom	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
	shp_ship_date	no	shp_domain	yes	no
			shp_include	yes	no
			shp_ship_date	yes	no
			shp_shipfrom	yes	no
			shp_shipto	yes	no
			shp_nbr	yes	no
			shp_line	yes	no
*	shp_tran_id	yes	shp_domain	yes	no
			shp_tran_id	yes	no

shtr_det

Shipment Trailer Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_shtr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
	shtr__qad01			-z,zzz,zzz,zz9.99	10
	shtr__qad02			-z,zzz,zzz,zz9.99	10
	shtr__qad03			-z,zzz,zzz,zz9.99	10
	shtr__qad04			>	
	shtr__qad05[2]			>>9.9<<	10
	shtr_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
	shtr_cd	Trailer 1	Trl1	x(2)	
	shtr_curr	Currency	Cur	x(3)	
	shtr_domain	Domain		x(8)	
Δ	shtr_inv_nbr	Invoice Number	Invoice	x(22)	
	shtr_nbr	Sales Order	Order	x(8)	
	shtr_ship_date	Ship Date		99/99/99	
	shtr_ship_id	Ship Id		x(8)	
	shtr_site	Site		x(8)	
	shtr_user1	Ufld1		x(8)	
	shtr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shtr_det	yes	oid_shtr_det	yes	no
*	shtr_nbrcd	yes	shtr_domain	yes	no
			shtr_nbr	yes	no
			shtr_ship_id	yes	no
			shtr_cd	yes	no
	shtr_shipcd	yes	shtr_domain	yes	no
			shtr_ship_id	yes	no
			shtr_cd	yes	no

shv_mstr Ship Via Master

Field Name	Label	Col-Label	Format	Dec
oid_shv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
shv__qadc01			x(24)	
shv__qadc02			x(24)	
shv_domain	Domain		x(8)	
shv_mod_date	Modified Date	Mod Date	99/99/99	
shv_mod_userid	User ID		x(8)	
shv_mode_transp	Mode Of Transport		x(1)	
shv_name	Name		x(24)	
shv_port_mandatory	Port Mandatory		yes/no	
shv_shipvia	Ship Via		x(20)	
shv_user1	User Field Character 1		x(24)	
shv_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_shv_mstr	yes	oid_shv_mstr	yes	no
	shv_mode_transp	no	shv_domain	yes	no
			shv_mode_transp	yes	no
*	shv_shipvia	yes	shv_domain	yes	no
			shv_shipvia	yes	no

sim_det

Inventory Movement Site Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_sim_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	sim__qadc01			x(8)	
Δ	sim_canrun[15]	Roles		x(60)	
	sim_domain	Domain		x(8)	
	sim_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	sim_site	Site		x(8)	
	sim_user1	Ufld1		x(8)	
	sim_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sim_det	yes	oid_sim_det	yes	no
	sim_inv_mov	yes	sim_domain	yes	no
			sim_inv_mov	yes	no
			sim_site	yes	no
*	sim_site	yes	sim_domain	yes	no
			sim_site	yes	no
			sim_inv_mov	yes	no

six_ref

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_six_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
six__qadc01			X(8)	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	
six__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd03			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd04			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadd05			->>>,>>>,>>9.9<<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadl01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	six__qadl02			yes/no	
	six__qadl03			yes/no	
	six__qadl04			yes/no	
	six__qadl05			yes/no	
	six__qadt01			99/99/99	
	six__qadt02			99/99/99	
	six__qadt03			99/99/99	
	six__qadt04			99/99/99	
	six__qadt05			99/99/99	
	six_amt	Ship Amt		->>>>,>>>,>>9.99<<<	10
	six_amt_appld	Amt Applied		->>>>,>>>,>>9.99<<<	10
	six_amt_paid	Paid Amt		->>>>,>>>,>>9.99<<<	10
	six_authorization	Authorization		x(24)	
	six_bill	Bill-To		x(8)	
	six_closed	Close Shipment Line	C	yes/no	
	six_curr	Currency	Cur	x(3)	
	six_cust	Sold-To		x(8)	
	six_custref	Customer Ref		x(30)	
	six_domain	Domain		x(8)	
Δ	six_inv_nbr	Invoice		x(22)	
	six_line	Line		>>>9	
	six_mod_date	Modified Date	Mod Date	99/99/99	
	six_mod_userid	User ID		X(8)	
	six_modelyr	Model Year		x(4)	
	six_order	Sales Order	Order	x(8)	
	six_part	Item		x(18)	
	six_po	Customer PO		x(22)	
	six_price	Price		>>,>>>,>>9.99<<<	10
	six_qty	Ship Qty		->,>>>,>>9.9<<<<<<<<	10
	six_qty_paid	Paid Qty		->,>>>,>>9.9<<<<<<<<	10
	six_ship	Ship-To		x(8)	
	six_ship_id	Shipper		x(20)	
	six_shipdt	Ship Date		99/99/99	
	six_site	Ship-From		x(8)	
	six_sopart	Self-Bill Item		x(30)	
	six_trnbr	Trans		>>>>>>>>	
	six_type	Type	T	x(1)	
	six_um	UM		x(2)	
	six_user1	Ufld1		X(8)	
	six_user2	Ufld2		X(8)	
	six_user3			X(8)	
	six_user4			X(8)	
	six_user5			X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_six_ref	yes	oid_six_ref	yes	no
	six_auth_sopart	no	six_domain	yes	no
			six_authorization	yes	no
			six_sopart	yes	no
	six_bill_inv	no	six_domain	yes	no
			six_bill	yes	no
			six_inv_nbr	yes	no
			six_type	yes	no
			six_order	yes	no
			six_line	yes	no
			six_ship_id	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			six_authorization	yes	no
	six_order_sopart	no	six_domain	yes	no
			six_order	yes	no
			six_sopart	yes	no
	six_part	no	six_domain	yes	no
			six_part	yes	no
	six_po_sopart	no	six_domain	yes	no
			six_po	yes	no
			six_sopart	yes	no
	six_ship_sopart	no	six_domain	yes	no
			six_ship_id	yes	no
			six_sopart	yes	no
	six_sopart	no	six_domain	yes	no
			six_sopart	yes	no
*	six_trnbr	yes	six_domain	yes	no
			six_trnbr	yes	no

si_mstr Site Master

	Field Name	Label	Col-Label	Format	Dec
	oid_si_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	si__chr01			x(8)	
	si__chr02			x(8)	
	si__chr03			x(8)	
	si__chr04			x(8)	
	si__chr05			x(8)	
	si__dec01			>>>,>>>,>>9.99	10
	si__dec02			>>>,>>>,>>9.99	10
	si__dte01			99/99/99	
	si__dte02			99/99/99	
	si__log01			yes/no	
	si_auto_loc	Automatic Locations	Auto Loc	yes/no	
	si_btb_vend	EMT Supplier	EMT Supp	x(8)	
Δ	si_canrun	Roles		x(189)	
	si_cur_set	Current Cost Set	Cur Set	x(8)	
	si_db	Domain		x(8)	
	si_decl	Declarant		x(8)	
	si_desc	Description		x(24)	
	si_domain	Domain		x(8)	
Δ	si_entity	Entity		x(20)	
	si_ext_vd	External Supplier	Ext Supp	yes/no	
	si_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
	si_git_cc	Cost Center	CC	x(4)	
	si_git_location	PO Transit Location	GIT Loc	x(8)	
	si_git_sub	GIT Sub-Acct	Sub-Acct	x(8)	
	si_gl_set	GL Cost Set	GL Set	x(8)	
◊	si_insp_loc	Inspection Location	Inspect	x(8)	
	si_site	Site		x(8)	
	si_status	Default Inventory Status	Status	x(8)	
	si_type	Type		Primary/Connection	
	si_user1	Ufld1		x(8)	
	si_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
si_xfer_acct	Transfer Variance Acct	Transfer	x(8)	
si_xfer_cc	Transfer Variance Cost Ctr	CC	x(4)	
si_xfer_ownership	Transfer Ownership	Transfer! Ownership	yes/no	
si_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_si_mstr	yes	oid_si_mstr	yes	no
	si_decl	no	si_domain	yes	no
			si_decl	yes	no
*	si_site	yes	si_domain	yes	no
			si_site	yes	no
	si_type	yes	si_type	yes	no
			si_domain	yes	no
			si_site	yes	no

◊ SLGListD

Warehousing Storage Location Group List Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_SLGListD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
SLGSeq	Seq		>>9	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	

Field Name	Label	Col-Label	Format	Dec
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_SLGListD	yes	oid_SLGListD	yes	no
◊	SLGGroup	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLGList	yes	no
			SLocGp	yes	no
◊*	SLGIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLGList	yes	no
			SLGSeq	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ SLGListM

Warehousing Storage Location Group List Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_SLGListM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLGList	SLG List		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_SLGListM	yes	oid_SLGListM	yes	no
◊*	SLGList	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLGList	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ SLGM

Warehousing Storage Location Group Master

Field Name	Label	Col-Label	Format	Dec
AcquisUM	Acquis UM	Acq! UM	x(2)	
AllowInReturn	Allow Incoming Returns	InRet	yes/no	
AllowIssue	Allow Issues	Iss	yes/no	
AllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
AllowReceipt	Allow Receipts	Rec	yes/no	
CapacityCheckOTF	Capacity Check when OTF		yes/no	
CheckDigits	Check Digits	Chk	yes/no	
CmtIndx	Comments		>>>>>>>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
DetOFSlocGp	Det.OverFlow Gr.	Det.OF.Gr.	x(8)	
Domain	Domain		x(8)	
ExcludePicking	Exclude From Picking	Excl! Pick	yes/no	
IntRouteGroup	Internal Routing Group	Internal! Routing! Group	x(8)	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
MultTrans	Multi-Trans	Multi! Trans	yes/no	
oid_SLGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OPCActive	Opportunity Counts	OPC	yes/no	
OPCFreq	OPC Frequency	OPC Freq	>>>9	
Optimized	Optimized Storage	Optim	yes/no	
OverPick	Over Pick	Over! Pick	yes/no	
PickLevel	Picking Level	Pick! Level	>>9	
PickMultUM	Pick/Mult of	Pk/! Mult! of	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RecountUM	Recount UM	Rcnt! UM	x(2)	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_SLGM	yes	oid_SLGM	yes	no
◊	SiteWhseIntGroup	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			IntRouteGroup	yes	no
◊*	SiteWhseSLocGp	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ SLGUMD

Warehousing Storage Location Group/Unit of Measure Detail

Field Name	Label	Col-Label	Format	Dec
AllowSplit	Allow Split	Split	yes/no	
AltUM	AltUM	Alt! UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
MultTrans	Multi-Trans	Multi! Trans	yes/no	
oid_SLGUMD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OverPick	Over Pick	Over! Pick	yes/no	

Field Name	Label	Col-Label	Format	Dec
PickMultUM	Picking Multiple UM	Pick! Mult! UM	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_SLGUMD	yes	oid_SLGUMD	yes	no
◊*	SLGUM	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
			AltUM	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

slrd_det

Site Linking Rules Detail

Field Name	Label	Col-Label	Format	Dec
oid_slrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
slrd__qadc01			x(24)	
slrd__qadc02			x(24)	
slrd__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
slrd__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
slrd__qadi01			->>>>>>>9	
slrd__qadl01			yes/no	
slrd__qadt01			99/99/99	
slrd__qadt02			99/99/99	
slrd_attrib_code	Attribute Value		x(18)	
slrd_domain	Domain		x(8)	
slrd_gl_cost_site	Default GL Cost Site	GL Site	x(8)	
slrd_inventory_site	Inventory Site	Site	x(8)	
slrd_linking_rule	Site Linking Rule	Linking! Rule	9	
slrd_mod_date	Modified Date		99/99/99	
slrd_mod_userid	User ID		x(8)	
slrd_userc01	User Field Character 1		x(24)	
slrd_userc02	User Field Character 2		x(24)	
slrd_userd01	User Field Decimal		->>>>,>>>,>>9.9<<<<<<<<<	10
slrd_useri01	User Field Integer		->>>>>>>9	
slrd_userl01	User Field Logical		yes/no	
slrd_usert01	User Field Date		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_slrd_det	yes	oid_slrd_det	yes	no
	slrd_cost_site	no	slrd_domain	yes	no
			slrd_gl_cost_site	yes	no
*	slrd_site	yes	slrd_domain	yes	no
			slrd_inventory_site	yes	no
			slrd_attrib_code	yes	no

slr_mstr

Site Linking Rules Master

Field Name	Label	Col-Label	Format	Dec
oid_slr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
slr__qadc01			x(24)	
slr__qadc02			x(24)	
slr__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
slr__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
slr__qadi01			->>>>>>>9	
slr__qadl01			yes/no	
slr__qadt01			99/99/99	
slr__qadt02			99/99/99	
slr_attribute	Item Attribute		x(1)	
slr_domain	Domain		x(8)	
slr_inventory_site	Inventory Site	Site	x(8)	
slr_lsc_active	Linked-Site Costing Active		yes/no	
slr_mod_date	Modified Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
slr_mod_userid	User ID		x(8)	
slr_userc01	User Field Character 1		x(24)	
slr_userc02	User Field Character 2		x(24)	
slr_userd01	User Field Decimal		->>>>,>>>,>>9.9<<<<<<<<<	10
slr_useri01	User Field Integer		->>>>>>>9	
slr_userl01	User Field Logical		yes/no	
slr_usert01	User Field Date		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_slr_mstr	yes	oid_slr_mstr	yes	no
*	slr_site	yes	slr_domain	yes	no
			slr_inventory_site	yes	no

sm_mstr

Source Matrix Master

Field Name	Label	Col-Label	Format	Dec
oid_sm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sm__qadc01			x(8)	
sm_domain	Domain		x(8)	
sm_end	End		99/99/99	
sm_lead	Lead Time		->,>>>	10
sm_mktg_site	Marketing Site	Marketing	x(8)	
sm_part	Item Number		x(18)	
sm_pct	Supply Percent	Percent	>>9.9<%	10
sm_start	Start		99/99/99	
sm_sup_site	Supply Site	Supply	x(8)	
sm_trans	Transport Code	Transport	x(8)	
sm_type	Type		x(1)	
sm_user1	Ufld1		x(8)	
sm_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sm_mstr	yes	oid_sm_mstr	yes	no
*	sm_mstr	yes	sm_domain	yes	no
			sm_part	yes	no
			sm_sup_site	yes	no
			sm_mktg_site	yes	no
			sm_start	yes	no
			sm_type	yes	no

sob_det

Sales Order Configuration Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_sob_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sob__qadc01			x(8)	
sob_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
sob_cfg_type	Configuration	Config	x(1)	
sob_cmtindx	Comment Index	Comment	>>>>>>>9	
sob_domain	Domain		x(8)	
sob_feature	Feature		x(12)	
sob_iss_date	Issue Date	Iss Date	99/99/99	
sob_line	Line		>>9	
sob_loc	Location		x(8)	
sob_nbr	Sales Order	Order	x(8)	
sob_parent	Parent Item		x(18)	
sob_part	Item Number		x(18)	
sob_price	Price		>>>>,>>>,>>9.99<<<	10
sob_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
sob_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
sob_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
sob_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
sob_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
sob_scrp_pct	Scrap		>>9.99%	10
sob_serial	Lot/Serial		x(18)	
sob_site	Site		x(8)	
sob_tot_std	List Price		->>>,>>9.999	10
sob_user1	Ufld1		x(8)	
sob_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sob_det	yes	oid_sob_det	yes	no
*	sob_det	yes	sob_domain	yes	no
			sob_nbr	yes	no
			sob_line	yes	no
			sob_parent	yes	no
			sob_feature	yes	no
			sob_part	yes	no
	sob_part	yes	sob_domain	yes	no
			sob_part	yes	no
			sob_nbr	yes	no
			sob_line	yes	no
			sob_parent	yes	no
			sob_feature	yes	no

socc_mstr

Sales Order Credit Card Master

Field Name	Label	Col-Label	Format	Dec
oid_socc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
socc__qadc01			x(8)	
socc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
socc__qadi01			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
socc__qadl01			yes/no	
socc__qadt01			99/99/99	
socc_auth_amt	Authorization Amount	Auth Amt	>>>>,>>>,>>9.99<	10
socc_auth_date	Authorization Date	Auth Date	99/99/99	
socc_auth_expire_date	Authorization Expires	Auth Expires	99/99/99	
socc_auth_nbr	Authorization Number		x(20)	
socc_billing_addr1	Address		x(28)	
socc_billing_addr2	Address		x(28)	
socc_billing_addr3	Address		x(28)	
socc_billing_city	City		x(20)	
socc_billing_country	Country		x(28)	
socc_billing_ctry	Country Code	Ctry	x(3)	
socc_billing_name	Name		x(28)	
socc_billing_state	State	St	x(4)	
socc_billing_zip	Post		x(10)	
socc_card_type	Card Type		x(8)	
socc_cc_expire_date	Expire Date	Expire	99/99/99	
socc_cc_nbr	Credit Card Number		x(24)	
socc_cc_nbr_tail	End Digits	Ending	x(4)	
socc_domain	Domain		x(8)	
socc_mod_date	Modified Date	Mod Date	99/99/99	
socc_mod_userid	User ID		x(8)	
socc_nbr	Sales Order	Order	x(8)	
socc_user1	User Field 1		x(24)	
socc_user2	User Field 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_socc_mstr	yes	oid_socc_mstr	yes	no
*	socc_nbr	yes	socc_domain	yes	no
			socc_nbr	yes	no
			socc_cc_nbr	yes	no

soc_ctrl

Sales Order Control

Field Name	Label	Col-Label	Format	Dec
oid_soc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
soc__qad01			yes/no	
soc__qad02			yes/no	
soc__qad03			>>>>>>9	
soc__qadc01	QAD Field		X(8)	0
soc__qadc02	QAD Field		X(8)	0
soc__qadc03	QAD Field		X(8)	0
soc__qadi01	QAD Field		->,>>>,>>9	
soc__qadi02	QAD Field		->,>>>,>>9	
soc__qadl02	Check Customer Item Nbr First		yes/no	
soc__qadl03	QAD Field		yes/no	
soc_all	Qty All reduce qty Available		yes/no	
soc_all_avl	Limit allocate to avail only		yes/no	
soc_all_days	Allocate Days into Future		>>>>>9	
soc_apm	Integrate with APM		yes/no	
soc_ar	Integrate with AR		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	soc_atp_enabled	ATP Enforcement Enabled	ATP Enf	yes/no	
	soc_auto_chg	Auto Accept Supplier Changes		yes/no	
	soc_batch	Auto Batch Confirmation		yes/no	
	soc_batch_id	Confirmation Batch ID		X(8)	
	soc_btb_all	Direct Allocation	Dir All	yes/no	
	soc_btb_sel	EMT Sequence	EMT Seq	xxxx	
	soc_btb_type	EMT Type		xx	
	soc_calc_promise_date	Calc Promise Date	Calc Prom Date	yes/no	
	soc_company	Company Address		x(8)	
	soc_confirm	Confirmed Orders		yes/no	
	soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
	soc_crn_next	Next Correction Invoice Nbr		>>>>>>>9	
	soc_crn_pre	Correction Invoice Prefix		x(3)	
	soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
	soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
	soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
	soc_crtapp_acct	SO Interest Applied Account		X(8)	
	soc_crtapp_cc	SO Interest Applied Cost Center	CC	X(4)	
	soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
	soc_det_all	Detail Allocations		yes/no	
◊	soc_dflt_dybkset	Default Daybook Set	Def Dybk Set	x(8)	
	soc_domain	Domain		x(8)	
	soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
	soc_dum_loc	Direct Shipment Location		x(8)	
◊	soc_dybkset_by_site	Use Daybook Set by Site		yes/no	
	soc_edit_isb	SO Edit ISB Defaults		yes/no	
	soc_ex_ratetype	Rate Type		x(8)	
	soc_fcst_bck	Consume Back	Fcst Back	->,>>>,>>9	
	soc_fcst_fwd	Consume Fwd	Fcst Fwd	->,>>>,>>9	
	soc_fob	F.O.B.		x(20)	
	soc_fr_by_site	Calculate Freight by Site		yes/no	
	soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
	soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
	soc_fysm	Fiscal Start Month		>9	
◊	soc_gst_pst	Print Tax ID on Invoice		yes/no	
	soc_hcmmts	Sales Order Header Comments		yes/no	
	soc_horizon	ATP Horizon		->,>>>,>>9	
	soc_index1	Index		>>>>>9	
	soc_inv	Next Invoice		>>>>>>>9	
	soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
	soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	10
	soc_inv_pre	Invoice Prefix	Pre	x(3)	
	soc_jrnl	Next Journal		999999	
	soc_lcmmts	Sales Order Line Comments		yes/no	
	soc_ln_fmt	Ln Format S/M		single/multi	
	soc_ln_inv	Print Only Lines to Invoice		yes/no	
◊	soc_maintain_reviewed	Allow Maintenance of Reviewed Orders	Maintain Reviewed	yes/no	
	soc_margin	Comm on Margin not Sales		yes/no	
	soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
	soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	10
	soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	

	Field Name	Label	Col-Label	Format	Dec
	soc_next_abl	Next ASN/BOL		>>>>>>>9	
	soc_next_cid	Next Cntnr Nbr		>>>>>>>9	
	soc_ntaxdesc[10]	Description		x(12)	
	soc_on_ord	Qty avail include qty on order		yes/no	
	soc_pass_curr	Use Customer Currency on PO		yes/no	
	soc_pc_line	Price by SO Line Due Date		yes/no	
	soc_pick	Pick Only Allocated Lines		yes/no	
	soc_pim_isb	Pend Inv Edit ISB		yes/no	
	soc_pl_req	Price List Required		yes/no	
	soc_print	Are Sales Orders Printed		yes/no	
	soc_print_id	Confirmation Printer		X(8)	
◊	soc_print_ship	Shipper On Invoice		yes/no	
	soc_pt_req	Price Table Required		yes/no	
	soc_req	Required qty reduce qty avail		yes/no	
	soc_returns_isb	SO Returns Update ISB		yes/no	
◊	soc_rnd_flag	Enable Rounding Function		yes/no	
	soc_sa	Integrate with SA	SA	yes/no	
	soc_shp_lead	Shipping Lead Time		>>>9	
	soc_so	Next Sales Order		>>>>>>>9	
	soc_so_hist	Keep Booking History	Book! Hst	yes/no	
	soc_so_pre	Sales Order Prefix	Pre	x(3)	
	soc_trl_ntax[3]	Nontaxable Trailer Code		x(2)	
	soc_trl_tax[3]	Taxable Trailer Code	Trl	x(2)	
	soc_use_btb	Use Enterprise Material Transfer	Use EMT	yes/no	
◊	soc_use_corr_inv	Use Correction Invoices		yes/no	
	soc_use_frt_trl_cd	Use SO Frt List Trailer Code		yes/no	
	soc_user1	Ufld1		x(8)	
	soc_user2	Ufld2		x(8)	
◊	soc_valueorders_by	Value Orders Using		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_soc_ctrl	yes	oid_soc_ctrl	yes	no
*	soc_index1	yes	soc_domain	yes	no

◊ sodctg_mstr Segregation Of Duties Category Master

Field Name	Label	Col-Label	Format	Dec
oid_sodctg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodctg__qadc01			x(24)	
sodctg__qadc02			x(24)	
sodctg_category	SOD Category Code	Category	x(8)	
sodctg_desc	SOD Category Description	Description	x(24)	
sodctg_mod_date	Modified Date	Mod Date	99/99/99	
sodctg_mod_userid	User ID		x(8)	
sodctg_user1	User Field Character 1		x(24)	
sodctg_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodctg_mstr	yes	oid_sodctg_mstr	yes	no
◊*	sodctg_category	yes	sodctg_category	yes	no

sodlc_det

Sales Order Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
oid_sodlc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodlc__qadc01			x(24)	
sodlc__qadc02			x(24)	
sodlc_abs_shipfrom	Ship From		x(8)	
sodlc_acct	Trailer Acct	Account	x(8)	
sodlc_cc	Trailer CC	CC	x(4)	
sodlc_charge_type	Charge Type	Charge! Type	x(8)	
sodlc_domain	Domain		x(8)	
sodlc_ext_price	Extended Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_amt	Charge		->>>>,>>>,>>9.99<<<	10
sodlc_lc_line	Charge Line	Ln	>>9	
sodlc_mod_date	Modified Date	Mod Date	99/99/99	
sodlc_mod_userid	User ID		x(8)	
sodlc_one_time	One Time Charge	OTC	yes/no	
sodlc_ord_line	SO Line	SO! Line	>>9	
sodlc_order	Sales Order		x(8)	
sodlc_owned_by	Id		x(20)	
sodlc_project	Project		x(8)	
sodlc_ref	Reference		x(24)	
sodlc_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
sodlc_taxable	Taxable		yes/no	
sodlc_taxc	Tax Class	TxC	x(3)	
sodlc_times_charged	Times Charged		->,>>>,>>9	
sodlc_trl_code	Trailer Code	Code	x(2)	
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodlc_det	yes	oid_sodlc_det	yes	no
*	sodlc_order	yes	sodlc_domain	yes	no
			sodlc_order	yes	no
			sodlc_ord_line	yes	no
			sodlc_lc_line	yes	no
	sodlc_owned_by	no	sodlc_domain	yes	no
			sodlc_owned_by	yes	no
			sodlc_abs_shipfrom	yes	no
	sodlc_trl_code	no	sodlc_domain	yes	no
			sodlc_trl_code	yes	no
			sodlc_order	yes	no
			sodlc_ord_line	yes	no

◊ sodm_det Segregation Of Duties Category Matrix

Field Name	Label	Col-Label	Format	Dec
oid_sodm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodm__qadc01			x(24)	
sodm__qadc02			x(24)	
sodm_category1	SOD Category Code	Category	x(8)	
sodm_category2	SOD Category Code	Category	x(8)	
sodm_mod_date	Modified Date	Mod Date	99/99/99	
sodm_mod_userid	User ID		x(8)	
sodm_user1	User Field Character 1		x(24)	
sodm_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodm_det	yes	oid_sodm_det	yes	no
◊*	sodm_ctg_pair	yes	sodm_category1	yes	no
			sodm_category2	yes	no

◊ sodped_det Segregation Of Duties Policy Exception Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_sodped_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodped__qadc01			x(24)	
sodped__qadc02			x(24)	
sodped_company	Entity		x(20)	
sodped_domain	Domain		x(8)	
sodped_group1	Role Name		x(20)	
sodped_group2	Role Name		x(20)	
sodped_mod_date	Modified Date	Mod Date	99/99/99	
sodped_mod_userid	User ID		x(8)	
sodped_user1	User Field Character 1		x(24)	
sodped_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodped_det	yes	oid_sodped_det	yes	no
◊*	sodped_oid_sodpe	yes	oid_sodpe_mstr	yes	no
			sodped_group1	yes	no
			sodped_group2	yes	no
			sodped_domain	yes	no
			sodped_company	yes	no

◊ **sodpe_mstr** Segregation Of Duties Policy Exception Master

Field Name	Label	Col-Label	Format	Dec
oid_sodpe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodpe__qadc01			x(24)	
sodpe__qadc02			x(24)	
sodpe_approver	Approver		x(32)	
sodpe_code	SOD Policy Exception Code	Exception	x(8)	
sodpe_desc	Description		x(60)	
sodpe_mod_date	Modified Date	Mod Date	99/99/99	
sodpe_mod_userid	User ID		x(8)	
sodpe_title	Title		x(50)	
sodpe_user1	User Field Character 1		x(24)	
sodpe_user2	User Field Character 2		x(24)	
sodpe_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_sodpe_mstr	yes	oid_sodpe_mstr	yes	no
◊* sodpe_code	yes	sodpe_code	yes	no
◊ sodpe_userid	no	sodpe_userid	yes	no

sodr_det Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodr__qadc01			x(8)	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>>,>>>,>>9.9	10
sodr__qadd02			->>>>,>>>,>>9.9	10
sodr__qadi01			->,>>>,>>9	
sodr__qadi02			->,>>>,>>9	
sodr__qadl01			yes/no	
sodr__qadl02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	
sodr_div	Division		X(8)	
sodr_domain	Domain		x(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufld1		x(8)	
sodr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodr_det	yes	oid_sodr_det	yes	no
*	sodr_nbrln_seq	yes	sodr_domain	yes	no
			sodr_nbr	yes	no
			sodr_line	yes	no
			sodr_seq	yes	no
	sodr_type	no	sodr_domain	yes	no
			sodr_type	yes	no

◊ sodv_hist

Segregation Of Duties Violation Log

Field Name	Label	Col-Label	Format	Dec
oid_sodv_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sodv__qadc01			x(24)	
sodv__qadc02			x(24)	
sodv_category1	SOD Category Code	Category	x(8)	
sodv_category2	SOD Category Code	Category	x(8)	
sodv_date	Created Date	Created	99/99/99	
sodv_fix_date	Fixed Date		99/99/99	
sodv_fix_time	Fixed Time	Time	>>>>9	
sodv_fix_userid	Fixed By		x(8)	
sodv_group	Role Name		x(20)	
sodv_group1	Role Name		x(20)	
sodv_group1_conflict	Role 1 Conflict	Role 1	yes/no	
sodv_group2	Role Name		x(20)	
sodv_group2_conflict	Role 2 Conflict	Role 2	yes/no	
sodv_mod_date	Modified Date	Mod Date	99/99/99	
sodv_mod_userid	User ID		x(8)	
sodv_pe_code	SOD Policy Exception Code		x(35)	
sodv_rule_type	SOD Rule Type	Type	x(2)	
sodv_time	Time		>>,>>>,>>9	
sodv_user	User ID		x(8)	
sodv_user1	User Field Character 1		x(24)	
sodv_user2	User Field Character 2		x(24)	
sodv_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sodv_hist	yes	oid_sodv_hist	yes	no
◊*	sodv_vio_id	yes	sodv_rule_type	yes	no
			sodv_user	yes	no
			sodv_group	yes	no
			sodv_category1	yes	no
			sodv_category2	yes	no
			sodv_group1	yes	no
			sodv_group2	yes	no
			sodv_userid	yes	no
			sodv_date	yes	no
			sodv_time	yes	no
			sodv_fix_userid	yes	no
			sodv_fix_date	yes	no
			sodv_fix_time	yes	no

sod_det

Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_sod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sod__chr01			x(8)	
sod__chr02			x(8)	
sod__chr03			x(8)	
sod__chr04			x(8)	
sod__chr05			x(8)	
sod__chr06			x(8)	
sod__chr07			x(8)	
sod__chr08			x(8)	
sod__chr09			x(8)	
sod__chr10			x(8)	
sod__dec01			>>>,>>>,>>9.99	10
sod__dec02			>>>,>>>,>>9.99	10
sod__dte01			99/99/99	
sod__dte02			99/99/99	
sod__log01			yes/no	
sod__qad01			->>>>,>>>,>>9	
sod__qad02			yes/no	
sod__qadc01	QAD Field		X(8)	0
sod__qadc02	QAD Field		X(8)	0
sod__qadc03	QAD Field		X(8)	0
sod__qadc04	QAD Field		X(8)	0
sod__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
sod__qadd04			->,>>>,>>9.9<<<<<<<<	10
sod__qadi01	QAD Field		->,>>>,>>9	
sod__qadi02	QAD Field		->,>>>,>>9	
sod__qadl01	QAD Field		yes/no	
sod__qadl02	QAD Field		yes/no	
sod__qadl03	QAD Field		yes/no	
sod__qadt01	QAD Field		99/99/99	
sod__qadt02	QAD Field		99/99/99	
sod__qadt03	QAD Field		99/99/99	
sod__qadt04	QAD Field		99/99/99	
sod_abnormal	Abnormal Demand	Abnormal	yes/no	
sod_acct	Sales Acct	Sales	x(8)	
sod_act_price	Total List Price		->>>>,>>>,>>9.99<<<	10
sod_alt_pkg	Alternates		yes/no	
sod_auto_ins	Installation Call		yes/no	
sod_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
sod_bo_chg	Qty Backord		->,>>>,>>9.9<<<<<<<<	10
sod_bonus	Bonus Stock Line		yes/no	
sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod_btb_type	EMT Type		xx	
sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
sod_ca_line	Call Line		>>9	
sod_ca_nbr	Call		x(8)	
sod_calc_isb	Calculate Isb		yes/no	
sod_car_load	Call Act. Rec. Load		yes/no	
sod_cc	Cost Ctr	CC	x(4)	
sod_cfg_type	Configuration	Config	x(1)	
sod_charge_type	Charge Type	Charge! Type	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sod_cmtindx	Comment Index	Comment	>>>>>>>9	
	sod_comm_pct[4]	Commission	Comm%	>>9.99%	10
	sod_comment[5]	Comments		x(40)	
◊	sod_compl_date	Status Date	Stat Date	99/99/99	
◊	sod_compl_stat	Complete Status	Status	x(8)	
	sod_confirm	Confirmed		yes/no	
	sod_conrep	Netting Logic	C/R	x(1)	
	sod_consign_loc	Consignment Location	Consignment! Location	x(8)	
	sod_consignment	Consignment		yes/no	
	sod_consume	Consume Forecast	Consume Fcst	yes/no	
	sod_contr_id	PO Number		x(30)	
	sod_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	sod_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
	sod_cum_date[4]	Cum Start		99/99/99	
	sod_cum_qty[4]	Cum Shipped		->>>>,>>>,>>9.9<<<<<<<<	10
	sod_cum_time[4]	Time		>>,>>>,>>9	
	sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
	sod_custpart	Customer Item		x(30)	
	sod_custref	Customer Ref		x(30)	
	sod_desc	Description		x(24)	
	sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
	sod_disc_pct	Disc %		->>9.99%	10
	sod_div	Division		x(8)	
	sod_dock	Dock		x(8)	
	sod_domain	Domain		x(8)	
	sod_drp_ref	DRP Ref		x(8)	
	sod_dsc_acct	Disc Acct		x(8)	
	sod_dsc_cc	Disc CC	CC	x(4)	
	sod_dsc_project	Disc Project		x(8)	
	sod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
	sod_due_date	Due Date	Due	99/99/99	
	sod_end_eff[4]	End Effective		99/99/99	
	sod_enduser	End User		x(8)	
	sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
	sod_expire	Expires		99/99/99	
	sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
	sod_fab_days	Fab Auth Days		>,>>9	
	sod_fix_pr	Fixed Price	Fix	yes/no	
	sod_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
	sod_for	For		x(18)	
	sod_for_serial	Parent Item Serial		X(18)	
	sod_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
	sod_fr_class	Freight Class		x(8)	
	sod_fr_list	Freight List	Frt List	x(8)	
	sod_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
	sod_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
	sod_fr_wt_um	UM		x(2)	
	sod_fsm_type	FSM Type		x(8)	
◊	sod_fsrev_acct	Revenue Acct	Revenue Acct	x(8)	
◊	sod_fsrev_cc	Revenue CC	CC	x(4)	
◊	sod_fsrev_sub	Revenue Sub-Acct	Sub-Acct	x(8)	
	sod_fst_list	FST on List		yes/no	
◊	sod_hold_stat	Hold Status		x(8)	
	sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
	sod_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
Δ	sod_inv_nbr	Invoice		x(22)	
	sod_isb_loc	Installed Base Location		x(22)	

	Field Name	Label	Col-Label	Format	Dec
	sod_isb_ref	ISB Ref		>>>>>>>9	
	sod_line	Line	Ln	>>9	
	sod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
	sod_ln_ref	Line Ref		x(8)	
	sod_loc	Location		x(8)	
	sod_lot	ID		x(8)	
	sod_manual_fr_list	Manual Fr List		yes/no	
	sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	sod_mod_date	Modified Date	Mod Date	99/99/99	
	sod_mod_userid	User ID		X(8)	
	sod_modelyr	Model Year		x(4)	
	sod_nbr	Sales Order	Order	x(8)	
	sod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
	sod_order_category	Category		x(8)	
	sod_out_po	Display PO Number		x(30)	
	sod_override_lmt	Override Limits	Lmt	yes/no	
	sod_owner	Ownership		x(8)	
	sod_part	Item Number		x(18)	
	sod_partial	Partial OK	Partial	yes/no	
	sod_pastdue	Past Due Logic	C/R	x(1)	
	sod_per_date	Perform		99/99/99	
	sod_pickdate	Pick Date		99/99/99	
	sod_pkg_code	Pkg Code		x(18)	
	sod_pl_priority	P/L Priority		>9	
	sod_pr_list	Price List	List	x(8)	
	sod_price	Price		>>>>,>>>,>>9.99<<<	10
	sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
	sod_prig1	Pricing Group 1		x(8)	
	sod_prig2	Pricing Group 2		x(8)	
	sod_prodline	Product Line	Line	x(4)	
	sod_project	Project		x(8)	
	sod_promise_date	Promise Date	Promise	99/99/99	
	sod_pst	PST Taxable		yes/no	
	sod_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<	10
	sod_qty_chg	Qty To Ship		->,>>>,>>9.9<<<<<<<	10
	sod_qty_cons	Qty Consumed		->,>>>,>>9.9<<<<<<<	10
	sod_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<<<<<	10
	sod_qty_inv	Qty to Invoice		->,>>>,>>9.9<<<<<<<	10
	sod_qty_item	Item Quantity	Item Qty	->>,>>9.9<<<<	10
	sod_qty_ivcd	Quantity Invoiced		->,>>>,>>9.9<<<<<<<	10
	sod_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<	10
	sod_qty_pend	Qty Pending		->,>>>,>>9.9<<<<<<<	10
	sod_qty_per	Duration		->>>9.9<<<	10
	sod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<	10
	sod_qty_qote	Qty Quoted		->,>>>,>>9.9<<<<<<<	10
	sod_qty_ret	Qty Returned		->,>>>,>>9.9<<<<<<<	10
	sod_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<	10
	sod_raw_days	Raw Auth Days		>,>>9	
	sod_rbkt_days	Req Schedule Days		>>9	
	sod_rbkt_mths	Req Schedule Months		>>9	
	sod_rbkt_weeks	Req Schedule Weeks		>>9	
	sod_ref	Ref		>>>>>>>9	
	sod_req_date	Required Date	Required	99/99/99	
◊	sod_req_time	Required Time		99:99	
	sod_rlse_nbr	Next Release ID		99999999	
	sod_rma_type	RMA Type		x(1)	
	sod_sa_nbr	Service Contract		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sod_sad_line	Contract Line		>>>>>>>9	
	sod_sch_data	Schedule Data		x(8)	
	sod_sch_mrp	Sched MRP Req		yes/no	
	sod_sched	Scheduled		yes/no	
	sod_sched_chgd	Schedule Changed		yes/no	
	sod_serial	Lot/Serial		x(18)	
	sod_ship	Ship-To		x(8)	
	sod_ship_part	End Customer Shipping Item		x(30)	
◊	sod_shipvia	Ship Via		x(20)	
	sod_site	Site		x(8)	
	sod_slspsn[4]	Salesperson	Salespsn	x(8)	
	sod_sob_rev	Revised Date	Revised	99/99/99	
	sod_sob_std	Standard Bill	Std BOM	yes/no	
	sod_start_eff[4]	Start Effective		99/99/99	
	sod_status	Status		x(8)	
	sod_std_cost	Cost		->>>,>>>,>>9.99<<<	10
	sod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
	sod_sv_code	Warranty Code		X(8)	
	sod_tax_env	Tax Environment	Tax Env	x(16)	
	sod_tax_in	Tax In		yes/no	
	sod_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
	sod_tax_usage	Tax Usage	TaxUsage	x(8)	
	sod_taxable	Taxable	Tax	yes/no	
	sod_taxc	Tax Class	TxC	x(3)	
	sod_to_loc	Location		x(8)	
	sod_to_ref	Kit Ref		x(8)	
	sod_to_site	Site		x(8)	
◊	sod_trade_sale_po	Trade Sales PO	TS PO	x(8)	
◊	sod_trade_sale_po_line	Trade Sales PO Line Number	Line	>>9	
◊	sod_trade_sale_vend	Trade Sales Supplier	TS Supplier	x(8)	
	sod_translt_days	Transport Days		>>9.99	10
	sod_translt_hrs	Transport Hours		>>9.99	10
	sod_type	Ship Type	T	x(1)	
	sod_um	UM		x(2)	
	sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
	sod_upd_isb	Update Installed Base		yes/no	
	sod_user1	Ufld1		x(8)	
	sod_user2	Ufld2		x(8)	
	sod_warr_start	Warranty Start Date		99/99/99	
	sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
	sod_xslspsn[3]	Salesperson	Salespsn	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sod_det	yes	oid_sod_det	yes	no
	sod_call	no	sod_domain	yes	no
			sod_ca_nbr	yes	no
			sod_ca_line	yes	no
			sod_part	yes	no
			sod_serial	yes	no
	sod_fr_list	no	sod_domain	yes	no
			sod_nbr	yes	no
			sod_fr_list	yes	no
	sod_fsm_type	no	sod_domain	yes	no
			sod_fsm_type	yes	no
			sod_nbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sod_line	yes	no
*	sod_nbrln	yes	sod_domain	yes	no
			sod_nbr	yes	no
			sod_line	yes	no
	sod_part	yes	sod_domain	yes	no
			sod_part	yes	no
			sod_nbr	yes	no
			sod_line	yes	no

◊ SOGuarantee Sales Order Guarantee

Field Name	Label	Col-Label	Format	Dec
Currency_ID	Currency Code	Curr	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SO_ID	Link to SO	Link to SO	9999999999	
SOGuarantee_ID	Record ID	Record ID	9999999999	
SOGuaranteeAccountNumber	Account Number	Account Number	x(20)	
SOGuaranteeAmountTC	TC Amount	TC Amount	->>>,>>>,>>>,>>9.99	4
SOGuaranteeBankName	Bank Name	Bank Name	x(40)	
SOGuaranteeRetainPerc	Retain %	Retain %	->,>>>,>>9.99	3
SOGuaranteeRetainText	Retain Text	Retain Text	x(40)	
SOGuaranteeSequence	Sequence	Seq	->,>>>,>>9	
SOGuaranteeTypeCode	Type	Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	SOGuarantee_ID	yes	no
◊	SOkey	no	SO_ID	yes	no
◊	UniqueKey	yes	SO_ID	yes	no
			SOGuaranteeSequence	yes	no

◊ SOLineItem SO Line Item

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Item_ID	Item Code	Item Code	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SOLine_ID	Link to SOLine	Link to SOLine	9999999999	
SOLineItem_ID	Record ID	Record ID	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Item	no	Item_ID	yes	no
◊*	Prim	yes	SOLineItem_ID	yes	no
◊	SOLine	no	SOLine_ID	yes	no
◊	UniqueIdx	yes	SOLine_ID	yes	no
			Item_ID	yes	no

◊ SOLineSaf Sales Order Line SAF

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Saf_ID	SAF Concept Code	SAF Concept Code	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	
SOLine_ID	Link to SOLine	Link to SOLine	9999999999	
SOLineSaf_ID	Record ID	Record ID	9999999999	
SOLineSafInputSequence	Sequence	Seq	->,>>>,>>9	
SOLineSafParentType	Parent Type	Parent Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	SOLineSaf_ID	yes	no
◊ Saf	no	Saf_ID	yes	no
◊ SOLine	no	SOLine_ID	yes	no
◊ UniqueKey	yes	SOLineSafInputSequence	yes	no
		SOLineSafParentType	yes	no
		SOLine_ID	yes	no

sop_det Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sop_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sop__qadc01			x(8)	
sop_batch	Batch Qty	Batch! Qty	>,>>>,>>9.9<<<<<<<<	10
sop_cost	Cost		>>>>,>>>,>>9.99<<<	10
sop_domain	Domain		x(8)	
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>,>>>,>>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	->,>>>,>>9	
sop_men_mch	Run Crew		->>,>>9.99	10
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>,>>>,>>9.9<<<<<<<<	10
sop_setup	Setup Time	Setup	>,>>9.9<<	10
sop_setup_men	Setup Crew		->>,>>9.99	10
sop_sim	Cost Set		x(8)	
sop_start	Start Date	Start	99/99/99	
sop_std_batch	Standard Batch Size	Batch	>>>,>>9.9	10
sop_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
sop_user1	Ufld1		x(8)	
sop_user2	Ufld2		x(8)	
sop_wkctr	Work Center	Work Ctr	x(8)	
sop_yield_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sop_det	yes	oid_sop_det	yes	no
	sop_sim_elem	yes	sop_domain	yes	no
			sop_sim	yes	no
			sop_element	yes	no
			sop_routing	yes	no
			sop_op	yes	no
*	sop_sim_part	yes	sop_domain	yes	no
			sop_sim	yes	no
			sop_routing	yes	no
			sop_op	yes	no
			sop_element	yes	no

◊ SORevision Sales Order Revisions

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
RevisionCategory_ID	Category	Category	9999999999	
SO_ID	Link to SO	Link to SO	9999999999	
SOLine_ID	Item Code	Item Code	9999999999	
SORevision_ID	Record ID	Record ID	9999999999	
SORevisionBaseIndex	Base Index	Base Index	->,>>>,>>9.9999999999	10
SORevisionWeightPerc	Weight Percentage	Weight %	->>9.999	3

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	SORevision_ID	yes	no
◊	SO	no	SO_ID	yes	no
◊	UniqueKey	yes	SO_ID	yes	no
			RevisionCategory_ID	yes	no

sor_mstr Sales Order Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_sor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sor__qadc01			x(8)	
sor__qadc02			x(8)	
sor__qadc03			x(8)	
sor__qadd01			->>>>,>>>,>>9.9	10
sor__qadd02			->>>>,>>>,>>9.9	10
sor__qadi01			->,>>>,>>9	
sor__qadi02			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
sor__qadl01			yes/no	
sor__qadl02			yes/no	
sor__qadt01			99/99/99	
sor__qadt02			99/99/99	
sor_div	Division		X(8)	
sor_domain	Domain		x(8)	
sor_group	Group		X(8)	
sor_nbr	Sales Order		X(8)	
sor_pricing	Pricing		>9	
sor_seq	Sequence		>>9	
sor_type	Type		>>>9	
sor_user1	Ufld1		x(8)	
sor_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sor_mstr	yes	oid_sor_mstr	yes	no
*	sor_nbr_seq	yes	sor_domain	yes	no
			sor_nbr	yes	no
			sor_seq	yes	no
	sor_type	no	sor_domain	yes	no
			sor_type	yes	no

◊ SOSaf

Sales Order SAF

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Saf_ID	SAF Concept Code	SAF Concept Code	9999999999	
SafStructure_ID	Structure Code	Structure	9999999999	
SO_ID	Link to SO	Link to SO	9999999999	
SOSaf_ID	Record ID	Record ID	9999999999	
SOSafInputSequence	Sequence	Seq	->,>>>,>>9	
SOSafParentType	Parent Type	Parent Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	SOSaf_ID	yes	no
◊	SO	no	SO_ID	yes	no
◊	UniqueKey	yes	SOSafInputSequence	yes	no
			SOSafParentType	yes	no
			SO_ID	yes	no

sosrd_det

Sales Order Shipment Reason Detail

Field Name	Label	Col-Label	Format	Dec
oid_sosrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sosrd__qadc01			X(24)	
sosrd__qadc02			X(24)	
sosrd_abs_id	Shipper		x(20)	
sosrd_dataset	Dataset		x(12)	
sosrd_domain	Domain		x(8)	
sosrd_line	Line		>>9	
sosrd_measurement_type	Type		>	
sosrd_mod_date	Modified Date	Mod Date	99/99/99	
sosrd_mod_userid	User ID		X(8)	
sosrd_nbr	Order		x(8)	
sosrd_rsn_code	Reason Code		x(8)	
sosrd_shipfrom	Ship-from		x(8)	
sosrd_user1	User Field Character 1		X(24)	
sosrd_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sosrd_det	yes	oid_sosrd_det	yes	no
*	sosrd_nbr	yes	sosrd_domain	yes	no
			sosrd_nbr	yes	no
			sosrd_line	yes	no
			sosrd_shipfrom	yes	no
			sosrd_abs_id	yes	no
			sosrd_measurement_type	yes	no
			sosrd_dataset	yes	no

sosr_mstr

Sales Order Shipment Reason Master

Field Name	Label	Col-Label	Format	Dec
oid_sosr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sosr__qadc01			X(24)	
sosr__qadc02			X(24)	
sosr_abs_id	Shipper		x(20)	
sosr_cmtindx	Comment		>>>>>>>9	
sosr_domain	Domain		x(8)	
sosr_line	Line		>>9	
sosr_mod_date	Modified Date	Mod Date	99/99/99	
sosr_mod_userid	User ID		X(8)	
sosr_nbr	Order		x(8)	
sosr_shipfrom	Ship-From		x(8)	
sosr_user1	User Field Character 1		X(24)	
sosr_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sosr_mstr	yes	oid_sosr_mstr	yes	no
*	sosr_order	yes	sosr_domain	yes	no
			sosr_nbr	yes	no
			sosr_line	yes	no
			sosr_shipfrom	yes	no
			sosr_abs_id	yes	no

◊ SOStage

Sales Order Stage

Field Name	Label	Col-Label	Format	Dec
SO_ID	Link to SO	Link to SO	9999999999	
SOStage_ID	Record ID	Record ID	9999999999	
SOStageAmountCC	MC Amount	MC Amount	->>>,>>>,>>>,>>9.99	4
SOStageAmountLC	BC Amount	BC Amount	->>>,>>>,>>>,>>9.99	4
SOStageAmountTC	TC Amount	TC Amount	->>>,>>>,>>>,>>9.99	4
SOStageDueDate	Due Date	Due Date	99/99/9999	
SOStagePercentage	Percentage	%	->,>>>,>>9.99	2

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	DueDate	no	SOStageDueDate	yes	no
◊*	Prim	yes	SOStage_ID	yes	no
◊	SO	no	SO_ID	yes	no
◊	UniqueIdx	yes	SOStageDueDate	yes	no
			SO_ID	yes	no

so_mstr

Sales Order Master

Field Name	Label	Col-Label	Format	Dec
oid_so_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so__dec01			>>>,>>>,>>9.99	10
so__dec02			>>>,>>>,>>9.99	10
so__dte01			99/99/99	
so__dte02			99/99/99	
so__log01			yes/no	
so__qad01			-z,zzz,zzz,zz9.99	10
so__qad02			-z,zzz,zzz,zz9.99	10
so__qad03			-z,zzz,zzz,zz9.99	10
so__qad04			>	

	Field Name	Label	Col-Label	Format	Dec
	so__qad05[2]			>>9.9<<	10
	so__qadc01	QAD Field		X(8)	0
	so__qadc02	QAD Field		X(8)	0
	so__qadc03	QAD Field		X(8)	0
	so__qadc04	QAD Field		X(8)	0
	so__qadc05	QAD Field		X(8)	0
	so__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
	so__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
	so__qadd03	QAD Field		->>>>,>>>,>>9.99<<<	10
	so__qadi01	QAD Field		->,>>>,>>9	
	so__qadi02	QAD Field		->,>>>,>>9	
	so__qadi03	QAD Field		->,>>>,>>9	
	so__qadl01	QAD Field		yes/no	
	so__qadl02	Exclude Planning Data		yes/no	
	so__qadl04			yes/no	
	so__qadt01	QAD Field		99/99/99	
	so__qadt02	QAD Field		99/99/99	
	so__qadt03	QAD Field		99/99/99	
	so_app_owner	Owner Application		x(12)	
	so_ar_acct	AR Account	AR	x(8)	
	so_ar_cc	Cost Ctr	CC	x(4)	
	so_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
	so_auth_days	AUTHNBR Unique Days		>>9	
	so_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
	so_bank	Bank		x(2)	
	so_bill	Bill-To		x(8)	
	so_bol	BOL		x(18)	
	so_bump_all	Unpeg		yes/no	
	so_ca_nbr	Call		x(8)	0
	so_cartons	Cartons		->,>>>,>>9	
	so_channel	Channel		x(8)	
	so_cmtindx	Comment Index	Comment	>>>>>>>9	
	so_cncl_date	Cancel Date	Cancel	99/99/99	
	so_comm_pct[4]	Commission	Comm%	>>9.99%	10
◊	so_compl_date	Status Date	Stat Date	99/99/99	
◊	so_compl_stat	Complete Status	Status	x(8)	
	so_conf_date	Confirmed Date	Confirmed	99/99/99	
	so_conrep	Netting Logic	C/R	x(1)	
	so_consign_loc	Consignment Location	Consignment! Location	x(8)	
	so_consignment	Consignment		yes/no	
	so_cr_card	Credit Card	Card	x(2)	
	so_cr_init	Cr Initials	Initials	x(3)	
	so_cr_terms	Credit Terms	Terms	x(8)	
	so_credit	Credit	Cr	yes/no	
	so_crprlist	Credit Price List		X(8)	
	so_cum_acct	Cumulative Accounting		Cum/Req	
	so_curr	Currency	Cur	x(3)	
	so_cust	Sold-To		x(8)	
	so_cust_po	End Customer PO	End Cust PO	x(22)	
	so_custref_val	Customer Ref Is Customer Item		yes/no	
◊	so_daybookset	Daybook Set	Dybk Set	x(8)	
Δ	so_disc_pct	Disc %		->>9.99%	10
	so_div	Division		x(8)	
	so_domain	Domain		x(8)	
	so_due_date	Due Date	Due	99/99/99	
	so_eng_code	Engineer		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	so_ent_ex	Exch Rate		>>,>>9.99999<<<<<	10
	so_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	so_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	so_ex_ratetype	Rate Type		x(8)	
	so_exru_seq	Sequence		>>>>>>>>9	
	so_fcg_code	Charge Code		x(8)	0
	so_firm_seq_days	Firm Days		>>9	
	so_fix_pr	Fixed Price		yes/no	
	so_fix_rate	Fixed Rate	Fixed	yes/no	
	so_fob	FOB Point		x(20)	
	so_fr_list	Freight List	Frt List	x(8)	
	so_fr_min_wt	Frt Min Wt		->>>,>>>,>>9	10
	so_fr_terms	Freight Terms	Fr Terms	x(8)	
	so_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
	so_fsaccr_cc	Accrued Revenue CC		x(4)	
	so_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
	so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
	so_fsdef_cc	Deferred Revenue CC		x(4)	
	so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
	so_fsm_type	FSM Type		x(8)	
	so_fst_id	FST ID		x(18)	
◊	so_hold_stat	Hold Status		x(8)	
	so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
	so_incl_iss	Include Saturday/Sunday		yes/no	
	so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
	so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
	so_inv_date	Invoice Date	Inv Date	99/99/99	
	so_inv_mthd	Invoices Via		x(1)	
Δ	so_inv_nbr	Invoice Number	Invoice	x(22)	
	so_invoiced	Invoiced		yes/no	
	so_lang	Language		x(2)	
	so_manual_fr_terms	Manual Fr Terms		yes/no	
	so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
	so_merge_rss	Merge RSS		yes/no	
	so_nbr	Sales Order	Order	x(8)	
◊	so_nrm	Sequence ID	Seq ID	x(8)	
	so_ord_date	Order Date	Ord Date	99/99/99	
	so_partial	Partial OK	Partial	yes/no	
	so_po	Purchase Order		x(22)	
	so_pr_list	Manual	Disc Tbl	x(8)	
	so_pr_list2	Price Tbl	Pr Tbl	x(8)	
	so_prep_tax	Prepaid Tax		->>>>,>>>,>>9.99<<<	10
	so_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
	so_priced_dt	Last Price Dt	Last Pri	99/99/99	
	so_pricing_dt	Pricing Date	Price Dt	99/99/99	
	so_primary	Primary SO	Pr SO	yes/no	
	so_print_bl	Print Bill of Lading	Print BOL	yes/no	
	so_print_pl	Print Pack List	Print Pack	yes/no	
	so_print_so	Print Sales Order	Print SO	yes/no	
	so_project	Project		x(8)	
	so_pst	PST		yes/no	
	so_pst_id	PST ID		x(18)	
	so_pst_pct	PST Pct		->9.99<%	10
	so_quote	Quote		x(8)	
	so_req_date	Required Date	Required	99/99/99	
◊	so_req_time	Required Time		99:99	

	Field Name	Label	Col-Label	Format	Dec
	so_rev	Revision	Rev	>>9	
	so_revenue	Revenue Type		x(1)	
◊	so_reviewed	Reviewed		yes/no	
	so_rmks	Remarks		x(40)	
◊	so_rss_cal_option	RSS Calendar Option		>>9	
	so_sa_nbr	Contract		x(8)	
	so_sch_mthd	Schedules Via		x(1)	
	so_sched	Scheduled		yes/no	
	so_secondary	Secondary EMT Order	Sec EMT	yes/no	
	so_seq_order	Sequenced	Partial	yes/no	
	so_ship	Ship-To		x(8)	
	so_ship_cmplt	Ship Complete		>>9	
	so_ship_date	Ship Date		99/99/99	
	so_ship_eng	Ship-To Engineer		yes/no	
	so_ship_po	Ship To PO		x(22)	
	so_shipvia	Ship Via		x(20)	
	so_site	Site		x(8)	
	so_size	Size		->,>>>,>>9.9<<<<<<<<	10
	so_size_um	Size UM	UM	x(2)	
	so_slspsn[4]	Salesperson	Salespsn	x(8)	
	so_source	Order Source	Source	x(8)	
	so_stat	Action Status	St	x(2)	
	so_tax_date	Tax Date		99/99/99	
	so_tax_env	Tax Environment	Tax Env	x(16)	
	so_tax_pct[3]	Tax		->9.99<%	10
	so_tax_usage	Tax Usage	TaxUsage	x(8)	
	so_taxable	Taxable	Tax	yes/no	
	so_taxc	Tax Class	TxC	x(3)	
	so_to_inv	Ready to Invoice	Invoice	yes/no	
◊	so_trade_sale	Trade Sales Contract		yes/no	
	so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
	so_trl1_cd	Trailer 1	Trl1	x(2)	
	so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
	so_trl2_cd	Trailer 2	Trl2	x(2)	
	so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
	so_trl3_cd	Trailer 3	Trl3	x(2)	
	so_type	Type		x(8)	
	so_user1	Ufld1		x(8)	
	so_user2	Ufld2		x(8)	
	so_userid	User ID		x(8)	
	so_weight	Weight		->>>,>>>,>>9.9999	10
	so_weight_um	Weight UM	UM	x(2)	
	so_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
	so_xslspsn[2]	Salesperson	Salespsn	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_so_mstr	yes	oid_so_mstr	yes	no
	so_bill	no	so_domain	yes	no
			so_bill	yes	no
			so_nbr	yes	no
			so_ord_date	yes	no
	so_ca_nbr	no	so_domain	yes	no
			so_ca_nbr	yes	no
	so_cust	no	so_domain	yes	no
			so_cust	yes	no
	so_cust_po	no	so_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			so_cust_po	yes	no
			so_cust	yes	no
			so_nbr	yes	no
	so_fsm_type	no	so_domain	yes	no
			so_fsm_type	yes	no
			so_nbr	yes	no
	so_invoice	no	so_domain	yes	no
			so_inv_nbr	yes	no
*	so_nbr	yes	so_domain	yes	no
			so_nbr	yes	no
	so_po_nbr	no	so_domain	yes	no
			so_po	yes	no
			so_cust	yes	no
			so_nbr	yes	no
	so_quote	no	so_domain	yes	no
			so_quote	yes	no
			so_nbr	yes	no
◊	so_ship	no	so_domain	yes	no
			so_ship	yes	no
	so_to_inv	yes	so_domain	yes	no
			so_to_inv	yes	no
			so_nbr	yes	no

spc_ctrl Salesperson Control

Field Name	Label	Col-Label	Format	Dec
oid_spc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
spc__qad01			>>>>>>9	
spc__qadi01			->>>>>>>9	
spc_domain	Domain		x(8)	
spc_nbr	Next Salesperson		99999999	
spc_user1	Ufld1		x(8)	
spc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spc_ctrl	yes	oid_spc_ctrl	yes	no
*	spc_index1	yes	spc_domain	yes	no

spd_det Salesperson Commission Detail

Field Name	Label	Col-Label	Format	Dec
oid_spd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
spd__chr01			x(8)	
spd__chr02			x(8)	
spd__chr03			x(8)	
spd__chr04			x(8)	
spd__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
spd__dec01			>>>,>>>,>>9.99	10
spd__dec02			>>>,>>>,>>9.99	10
spd__dte01			99/99/99	
spd__dte02			99/99/99	
spd_addr	Salespsn		x(8)	
spd_comm_pct	Commission	Comm%	>>9.99%	10
spd_cust	Customer		x(8)	
spd_domain	Domain		x(8)	
spd_mod_date	Modified Date	Mod Date	99/99/99	
spd_part	Item Number		x(18)	
spd_prod_ln	Prod Line	Line	x(4)	
spd_user1	Ufld1		x(8)	
spd_user2	Ufld2		x(8)	
spd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spd_det	yes	oid_spd_det	yes	no
*	spd_addr	yes	spd_domain	yes	no
			spd_addr	yes	no
			spd_prod_ln	yes	no
			spd_part	yes	no
			spd_cust	yes	no

sph_hist

Salesperson Sales History

Field Name	Label	Col-Label	Format	Dec
oid_sph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sph__chr01			x(8)	
sph__chr02			x(8)	
sph__chr03			x(8)	
sph__chr04			x(8)	
sph__chr05			x(8)	
sph__dec01[12]			>>>>,>>>,>>9.99	10
sph__dec02[12]			>>>>,>>>,>>9.99	10
sph__dte01			99/99/99	
sph__dte02			99/99/99	
sph__log01			yes/no	
sph_cost[12]	Cost		->>>,>>>,>>9	10
sph_domain	Domain		x(8)	
sph_quota[12]	Quota		->>>,>>>,>>9	10
sph_sales[12]	Sales		->>>,>>>,>>9	10
sph_slspsn1	Salespsn1		x(8)	
sph_smonth	Start Month		>9	
sph_tot_cost	YTD Cost		->,>>>,>>>,>>9	10
sph_tot_sale	YTD Sales		->,>>>,>>>,>>9	10
sph_type	Ship Type	T	x(1)	
sph_user1	Ufld1		x(8)	
sph_user2	Ufld2		x(8)	
sph_year	Year		9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sph_hist	yes	oid_sph_hist	yes	no
	sph_slspsn1	yes	sph_domain	yes	no
			sph_slspsn1	yes	no
			sph_year	yes	no
*	sph_year	yes	sph_domain	yes	no
			sph_year	yes	no
			sph_slspsn1	yes	no

spt_det

Cost Simulation Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_spt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
spt__qadc01			x(8)	
spt_ao	Add On	A/O	yes/no	
spt_cst_ll	Cost LL		>>>>,>>>,>>9.99<<<	10
spt_cst_tl	Cost		>>>>,>>>,>>9.99<<<	10
spt_domain	Domain		x(8)	
spt_element	Cost Element	Element	x(8)	
spt_mod_date	Modified Date	Mod Date	99/99/99	
spt_part	Item Number		x(18)	
spt_pct_ll	Seq 1		>>9.99%	10
spt_pct_tl	Seq 2		>>9.99%	10
spt_sim	Cost Set		x(8)	
spt_site	Site		x(8)	
spt_user1	Ufld1		x(8)	
spt_user2	Ufld2		x(8)	
spt_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_spt_det	yes	oid_spt_det	yes	no
	spt_sim_elem	yes	spt_domain	yes	no
			spt_sim	yes	no
			spt_element	yes	no
			spt_part	yes	no
			spt_site	yes	no
*	spt_sim_part	yes	spt_domain	yes	no
			spt_site	yes	no
			spt_sim	yes	no
			spt_part	yes	no
			spt_element	yes	no

sp_mstr Salesperson Master

Field Name	Label	Col-Label	Format	Dec
oid_sp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sp__chr01			x(8)	
sp__chr02			x(8)	
sp__chr03			x(8)	
sp__chr04			x(8)	
sp__chr05			x(8)	
sp__dec01			>>>,>>>,>>9.99	10
sp__dec02			>>>,>>>,>>9.99	10
sp__dte01			99/99/99	
sp__dte02			99/99/99	
sp__log01			yes/no	
sp_addr	Salespsn		x(8)	
sp_comm_pct	Commission	Comm%	>>9.99%	10
sp_domain	Domain		x(8)	
sp_sort	Sort Name		x(28)	
sp_territory	Territory	Trty	x(4)	
sp_user1	Ufld1		x(8)	
sp_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sp_mstr	yes	oid_sp_mstr	yes	no
*	sp_addr	yes	sp_domain	yes	no
			sp_addr	yes	no
	sp_sort	no	sp_domain	yes	no
			sp_sort	yes	no

src_ctrl Service Request Control

Field Name	Label	Col-Label	Format	Dec
oid_src_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
src__qadc01			x(8)	
src__qadi01			->>>>>>>9	
src_domain	Domain		x(8)	
src_nbr	SR Number		>>>>>>9	
src_user1	Ufld1		x(8)	
src_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_src_ctrl	yes	oid_src_ctrl	yes	no
*	src_index1	yes	src_domain	yes	no

sroc_ctrl Service/Repair Order Control

Field Name	Label	Col-Label	Format	Dec
oid_sroc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sroc__qad01			>>>>>>9	
sroc__qadi01			->>>>>>>9	
sroc_domain	Domain		x(8)	
sroc_sro	Next SR/O Number	Next SRO	>>>>>>>9	
sroc_sro_pre	SRO Prefix	Pre	x(3)	
sroc_user1	Ufld1		x(8)	
sroc_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sroc_ctrl	yes	oid_sroc_ctrl	yes	no
*	sroc_index1	yes	sroc_domain	yes	no

sro_mstr Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
oid_sro_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sro__chr01			x(8)	
sro__chr02			x(8)	
sro__chr03			x(8)	
sro__chr04			x(8)	
sro__chr05			x(8)	
sro__dec01			>>>,>>>,>>9.99	10
sro__dec02			>>>,>>>,>>9.99	10
sro__dte01			99/99/99	
sro__dte02			99/99/99	
sro__log01			yes/no	
sro__qadc05			x(8)	
sro__qadc06			x(4)	
sro_assign	Assigned To	Assigned	x(8)	
sro_author	Authorized By	Author	x(8)	
sro_closed	Closed		yes/no	
sro_cls_date	Closed		99/99/99	
sro_cmmt[16]			x(76)	
sro_cmtindx	Comment		>>>>>>>9	
sro_cr_terms	Credit Terms	Terms	x(8)	
sro_cust	Customer		x(8)	
sro_desc	Description		x(24)	
sro_disc_pct	Disc %		->9.99%	10
sro_domain	Domain		x(8)	
sro_dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	

Field Name	Label	Col-Label	Format	Dec
sro_frt	Freight		-z,zzz,zzz,zz9.99	10
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_invoiced	Invoiced		yes/no	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	10
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z,zzz,zzz,zz9.99	10
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	10
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	10
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sro_mstr	yes	oid_sro_mstr	yes	no
	sro_assign	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_assign	yes	no
			sro_ent_date	yes	no
	sro_cust	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_cust	yes	no
			sro_ent_date	yes	no
	sro_desc	yes	sro_domain	yes	no
			sro_desc	yes	no
			sro_nbr	yes	no
	sro_dspstn	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_dspstn	yes	no
			sro_ent_date	yes	no
	sro_ent_date	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_ent_date	yes	no
			sro_nbr	yes	no
	sro_failure1	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_failure1	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sro_ent_date	yes	no
*	sro_nbr	yes	sro_domain	yes	no
			sro_nbr	yes	no
	sro_part	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_part	yes	no
			sro_ent_date	yes	no
◊	sro_ship	no	sro_domain	yes	no
			sro_ship	yes	no
	sro_status	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_status	yes	no
			sro_ent_date	yes	no
	sro_type	no	sro_domain	yes	no
			sro_closed	yes	no
			sro_type	yes	no
			sro_ent_date	yes	no

srr_mstr Service Request Master

Field Name	Label	Col-Label	Format	Dec
oid_srr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
srr__chr01			x(8)	
srr__chr02			x(8)	
srr__chr03			x(8)	
srr__chr04			x(8)	
srr__chr05			x(8)	
srr__chr06			x(8)	
srr__chr07			x(8)	
srr__chr08			x(8)	
srr__chr09			x(8)	
srr__chr10			x(8)	
srr__dec01			>>>,>>>,>>9.99	10
srr__dec02			>>>,>>>,>>9.99	10
srr__dte01			99/99/99	
srr__dte02			99/99/99	
srr__log01			yes/no	
srr_act_hrs	Actual Hours	Act Hours	->>,>>9.99	10
srr_assign	Assigned		x(8)	
srr_ca_nbr	Call		x(8)	
srr_cls_date	Close Date		99/99/99	
srr_date	Date Entered		99/99/99	
srr_desc	Description		x(60)	
srr_domain	Domain		x(8)	
srr_eco	ECO		x(8)	
srr_est_hrs	Estimated Hours	Est Hours	->>,>>9.99	10
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	Ufld1		x(8)	
srr_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_srr_mstr	yes	oid_srr_mstr	yes	no
	srr_assign	no	srr_domain	yes	no
			srr_assign	yes	no
	srr_eco	no	srr_domain	yes	no
			srr_eco	yes	no
	srr_eu_nbr	no	srr_domain	yes	no
			srr_eu_nbr	yes	no
*	srr_nbr	yes	srr_domain	yes	no
			srr_nbr	yes	no
	srr_part	yes	srr_domain	yes	no
			srr_part	yes	no
			srr_nbr	yes	no
	srr_problem	no	srr_domain	yes	no
			srr_problem	yes	no

sr_wkfl

Serial Number Work Table

Field Name	Label	Col-Label	Format	Dec
oid_sr_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sr__qadc01			x(8)	
◊ sr_algo	Algorithm	Algo	x(8)	
◊ sr_alt_um	Alternate UM	Alt UM	x(2)	
sr_assay	Assay %		>>9.99%	10
sr_domain	Domain		x(8)	
sr_expire	Expire Date	Expire	99/99/99	
sr_lineid			x(8)	
sr_loc	Location		x(8)	
sr_lotser	Lot/Serial		x(18)	
◊ sr_mode	Mode	Mode	x(8)	
sr_qty	Quantity		->,>>>,>>9.9<<<<<<<<	10
sr_ref	Ref	Reference	x(8)	
sr_rev	Rev		x(4)	
sr_site	Site		x(8)	
sr_status	Status		x(8)	
sr_to_loc	Location		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	sr_to_site	Site		x(8)	
	sr_user1	Ufld1		x(8)	
	sr_user2	Ufld2		x(8)	
Δ	sr_userid	Session ID		x(60)	
	sr_vend_lot	Supplier Lot		x(18)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sr_wkfl	yes	oid_sr_wkfl	yes	no
*	sr_id	yes	sr_domain	yes	no
			sr_userid	yes	no
			sr_lineid	yes	no
			sr_site	yes	no
			sr_loc	yes	no
			sr_lotser	yes	no
			sr_ref	yes	no

ssd_det

Source of Supply Detail

Field Name	Label	Col-Label	Format	Dec
oid_ssd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ssd__qadc01			x(8)	
ssd__qadd01			>>>,>>>,>>9.99	10
ssd_domain	Domain		x(8)	
ssd_end	End		99/99/99	
ssd_leadtime	Lead Time	LT	->,>>>	
ssd_network	Network Code		x(18)	
ssd_percent	Supply Percent	Percent	->>9.9<<%	10
ssd_rec_site	Receiving Site	Rec Site	x(8)	
ssd_ref	Reference		x(12)	
ssd_src_site	Supply Site	Source	x(8)	
ssd_start	Start		99/99/99	
ssd_trans	Transportation Code	Ship Via	x(8)	
ssd_user1	Ufld1		x(8)	
ssd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ssd_det	yes	oid_ssd_det	yes	no
*	ssd_det	yes	ssd_domain	yes	no
			ssd_network	yes	no
			ssd_rec_site	yes	no
			ssd_src_site	yes	no
			ssd_ref	yes	no
	ssd_rec_site	no	ssd_domain	yes	no
			ssd_rec_site	yes	no
			ssd_network	yes	no
			ssd_src_site	yes	no
	ssd_src_site	no	ssd_domain	yes	no
			ssd_src_site	yes	no
			ssd_network	yes	no
			ssd_rec_site	yes	no

ssm_mstr Source of Supply Master

Field Name	Label	Col-Label	Format	Dec
oid_ssm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ssm__qadc01			x(8)	
ssm_desc	Description		x(24)	
ssm_domain	Domain		x(8)	
ssm_network	Network Code		x(18)	
ssm_planner	Planner		x(8)	
ssm_user1	Ufld1		x(8)	
ssm_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ssm_mstr	yes	oid_ssm_mstr	yes	no
	ssm_desc	no	ssm_domain	yes	no
			ssm_desc	yes	no
			ssm_network	yes	no
*	ssm_network	yes	ssm_domain	yes	no
			ssm_network	yes	no

◊ State

State

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
State_ID	Record ID	Record ID	9999999999	
StateCode	State	State	x(4)	
StateDescription	Description	Description	x(40)	
StateIsActive	Active	Active	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Code	yes	StateCode	yes	no
◊	IsActive	no	StateIsActive	yes	no
◊*	Prim	yes	State_ID	yes	no
◊	ViewIndex	no	StateIsActive	yes	no
			StateCode	yes	no

◊ Statistic

Statistical Code

Field Name	Label	Col-Label	Format	Dec
Country_ID			9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	

Field Name	Label	Col-Label	Format	Dec
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Statistic_ID			9999999999	
StatisticCode			x(20)	
StatisticDescription			x(40)	
StatisticIsActive			yes/no	
StatisticType			x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	StatisticIsActive	yes	no
◊	CntCodeIdx	yes	Country_ID	yes	no
			StatisticCode	yes	no
◊*	Prim	yes	Statistic_ID	yes	no
◊	TypeIdx	no	StatisticType	yes	no
◊	ViewIndex	no	StatisticIsActive	yes	no
			StatisticCode	yes	no

sttqd_det

Time-Based/Quantity-Based Status Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_sttqd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sttqd__qadc01			X(24)	
sttqd__qadc02			X(24)	
sttqd_acceptable	Acceptable		yes/no	
sttqd_active	Active		yes/no	
sttqd_customer_source	Customer Source		x(3)	
sttqd_domain	Domain		x(8)	
sttqd_max_value	Maximum	Max	->>,>>>,>>9.9<<<<<<<<	10
sttqd_measurement_type	Status Type		>	
sttqd_min_value	Minimum	Min	->>,>>>,>>9.9<<<<<<<<	10
sttqd_mod_date	Modified Date	Mod Date	99/99/99	
sttqd_mod_userid	User ID		X(8)	
sttqd_part	Item Number		x(18)	
sttqd_receive_addr	Receive Address		x(8)	
sttqd_shipfrom	Ship-From		x(8)	
sttqd_status_code	Status Code		x(8)	
sttqd_tracking_measure	Track By		X(8)	
sttqd_use_percent	Track By Percentage		yes/no	
sttqd_user1	User Field Character 1		X(24)	
sttqd_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sttqd_det	yes	oid_sttqd_det	yes	no
	sttqd_active	no	sttqd_domain	yes	no
			sttqd_active	yes	no
			sttqd_measurement_type	yes	no
			sttqd_customer_source	yes	no
			sttqd_use_percent	yes	no
			sttqd_shipfrom	yes	no
			sttqd_receive_addr	yes	no
			sttqd_part	yes	no
			sttqd_min_value	yes	no
			sttqd_max_value	yes	no
*	sttqd_customer_src	yes	sttqd_domain	yes	no
			sttqd_measurement_type	yes	no
			sttqd_status_code	yes	no
			sttqd_customer_source	yes	no
			sttqd_shipfrom	yes	no
			sttqd_receive_addr	yes	no
			sttqd_part	yes	no

sttq_mstr

Time-Based/Quantity-Based Status Code Master

Field Name	Label	Col-Label	Format	Dec
oid_sttq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sttq__qadc01			X(24)	
sttq__qadc02			X(24)	
sttq_desc	Description		x(24)	
sttq_domain	Domain		x(8)	
sttq_measurement_type	Measurement Type		>	
sttq_mod_date	Modified Date	Mod Date	99/99/99	
sttq_mod_userid	User ID		X(8)	
sttq_status_code	Status Code		x(8)	
sttq_user1	User Field Character 1		X(24)	
sttq_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sttq_mstr	yes	oid_sttq_mstr	yes	no
*	sttq_type_code	yes	sttq_domain	yes	no
			sttq_measurement_type	yes	no
			sttq_status_code	yes	no

stx_mstr Suspended Tax Master

Field Name	Label	Col-Label	Format	Dec
oid_stx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
stx__qadc01			x(24)	
stx__qadc02			x(24)	
stx_domain	Domain		x(8)	
stx_key	Key		x(8)	
stx_mod_date	Modified Date	Mod Date	99/99/99	
stx_mod_userid	User ID		x(8)	
stx_paid	Paid		yes/no	
stx_tax_code	Tax Code		x(8)	
stx_tran_type	Transaction Type	Tr Type	x(8)	
stx_use_st	Use Suspended Tax	Susp Tax	yes/no	
stx_user1	User Field Character 1		x(24)	
stx_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_stx_mstr	yes	oid_stx_mstr	yes	no
*	stx_tran_key	yes	stx_domain	yes	no
			stx_tran_type	yes	no
			stx_key	yes	no
			stx_tax_code	yes	no

sufd_det Shipper User Field Detail

Field Name	Label	Col-Label	Format	Dec
oid_sufd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sufd__qadc01			x(24)	
sufd__qadc02			x(24)	
sufd_abs_fld_name	Shipper Field Name		x(32)	
sufd_domain	Domain		x(8)	
sufd_fld_name	Field Name		X(30)	
sufd_fld_prompt	Prompt for Value		yes/no	
sufd_fld_seq	Field Sequence	Seq	>>9	
sufd_fld_value	Field Value		X(30)	
sufd_level	Apply to		>>9	
sufd_mod_date	Modified Date	Mod Date	99/99/99	
sufd_mod_userid	User ID		x(8)	
sufd_shipfrom	Ship From		x(8)	
sufd_shipto	Ship-To/Dock		x(8)	
sufd_userc01	User Field Character 1		x(24)	
sufd_userc02	User Field Character 2		x(24)	
sufd_validate	Validate		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sufd_det	yes	oid_sufd_det	yes	no
	sufd_level	no	sufd_domain	yes	no
			sufd_level	yes	no
			sufd_fld_seq	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			sufd_shipfrom	yes	no
			sufd_shipto	yes	no
*	sufd_shipfrom	yes	sufd_domain	yes	no
			sufd_shipfrom	yes	no
			sufd_shipto	yes	no
			sufd_level	yes	no
			sufd_fld_seq	yes	no

suf_mstr

Shipper User Field Master

Field Name	Label	Col-Label	Format	Dec
oid_suf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
suf__qadc01			x(24)	
suf__qadc02			x(24)	
suf_abs_fld_name	Shipper Field Name		x(32)	
suf_domain	Domain		x(8)	
suf_fld_name	Field Name		x(32)	
suf_fld_prompt	Prompt for Value		yes/no	
suf_fld_seq	Field Sequence	Seq	>>9	
suf_fld_value	Default Field Value		x(30)	
suf_level	Apply to		>>9	
suf_mod_date	Modified Date	Mod Date	99/99/99	
suf_mod_userid	User ID		x(8)	
suf_userc01	User Field Character 1		x(24)	
suf_userc02	User Field Character 2		x(24)	
suf_validate	Validate		x(32)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_suf_mstr	yes	oid_suf_mstr	yes	no
*	suf_level	yes	suf_domain	yes	no
			suf_level	yes	no
			suf_fld_seq	yes	no

svc_ctrl

Service/Support Management Control

Field Name	Label	Col-Label	Format	Dec
oid_svc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
svc__chr01	usfld1		x(8)	
svc__chr02	usrfld2		x(8)	
svc__chr03	usrfld3		x(8)	
svc__chr04	usrfld4		x(8)	
svc__chr05	usrfld5		x(8)	
svc__chr06	usrfld6		x(8)	
svc__chr07	usrfld7		x(8)	
svc__chr08	usrfld8		x(8)	
svc__chr09	usrfld9		x(8)	
svc__chr10	usrfld10		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc__dec01			->>,>>9.99<<<<	10
svc__dec02			->>,>>9.99<<<<	10
svc__dec03			->>,>>9.99<<<<	10
svc__dec04			->>,>>9.99<<<<	10
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
svc__qadc04	QAD Character Field 4		x(8)	
svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		->>,>>9.99	10
svc__qadd02	QAD Decimal Field 2		->>,>>9.99	10
svc__qadd03	QAD Decimal Field 3		->>,>>9.99	10
svc__qadi02	QAD Integer Field 2		->,>>>,>>9	
svc__qadi03	QAD Integer Field 3		->,>>>,>>9	
svc__qadi04	QAD Integer Field		>>>9	
svc__qadi05	QAD Integer Field 5		->,>>>,>>9	
svc__qadl01	QAD Logical Field 1		yes/no	
svc__qadl02	QAD Logical Field 2		yes/no	
svc__qadl03	QAD Logical Field 3		yes/no	
svc__qadl04	QAD Logical Field		yes/no	
svc__qadl06	QAD Logical Field		yes/no	
svc__qadl07	QAD Logical Field		yes/no	
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	
svc_ack_letter	Acknowledge Letter		yes/no	
svc_arears	Bill Arrears	Arrear	yes/no	
svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
svc_auto_tim	Total Call Time		yes/no	
svc_autorenew	Auto Renew		yes/no	
svc_avoidance	Use Call Avoidance		yes/no	
svc_bill	Use Repair Structure		yes/no	
svc_ca_allow_inv	Invoice From Recording		yes/no	
svc_ca_cor_type	Corrective Work Code		x(8)	
svc_ca_coverage	Coverage Window		yes/no	
svc_ca_est_time	Default Call Length		999:99	
svc_ca_est_trv	Travel Time		99:99	
svc_ca_ins_type	Install Work Code		x(8)	
svc_ca_inv_draft	Draft Invoice		yes/no	
svc_ca_model	Use Model		yes/no	
svc_ca_print0	Print zero dollar calls		yes/no	
svc_ca_pvm_type	PM Work Code		x(8)	
svc_ca_sys	System Level on Calls		yes/no	
svc_ca_tec_type	Technical Work Code		x(8)	
svc_ca_time_wnd	Call Time Window		yes/no	
svc_ca_upd_type	Update Work Code		x(8)	
svc_ca_wo_wnd	Call WO Window		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	svc_call_pdev	Call Print Device		x(8)	
	svc_call_pre	Call Prefix		x(3)	
	svc_cancl_status	Cancel Status		x(8)	
	svc_chg_cd	Chargeable Code		x(2)	
	svc_chg_svcode	Charge Service Type		x(8)	
	svc_close	Close Status	Cl Sts	x(8)	
	svc_close_record	Close on Recording		yes/no	
◊	svc_clsf_filter	Filter ISB by Classification		yes/no	
	svc_cmmts	Call Comments	Cmmt	yes/no	
	svc_code	Code		x(8)	
	svc_comp_status	Complete Status		x(8)	
	svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
	svc_corr_est_time	Corrective Call Duration		999:99	
	svc_cp_causer	Copy Call User Fields		yes/no	
	svc_cp_sauser	Copy Contract User Fields		yes/no	
	svc_create_cus	Create Customer		yes/no	
	svc_db_timezone	Database Time Zone		X(8)	
	svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
	svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
	svc_dflt_que	Default Call Queue	Df Queue	x(8)	
	svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
	svc_dflt_warr	Default Warranty Type		x(8)	
	svc_dispatch	Dispatcher		yes/no	
	svc_domain	Domain		x(8)	
	svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
	svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
	svc_esc_dflt	Escalation Default		x(8)	
	svc_esc_pause	Escalation Program Pause		>>,>>9	
	svc_esc_prt	Escalation Printer		x(10)	
	svc_esc_sch	Use Escalation		yes/no	
	svc_esc_user	Esc User for Messages		x(8)	
	svc_ex_tax_usage	Expense Tax Nature		x(8)	
	svc_exch_um	Exchange UM		x(2)	
	svc_fault_code	Fault Codes		yes/no	
	svc_fixed_um	Fixed Price UM		x(2)	
	svc_gen_0itm	Generate No Charge Lines		yes/no	
	svc_gw_cd	Good Will CD	GW	x(2)	
	svc_gw_svcode	Giveaway Service Type		x(8)	
	svc_hold_call	No Calls If Customer on Hold	No Calls	>>9	
	svc_hold_status	Hold Status		x(8)	
	svc_ins_days	Installation Days Ahead		>>9	
	svc_inst_cl	Auto Install Calls		yes/no	
	svc_inst_est_time	Installation Call Duration		999:99	
	svc_invoice_acct	Modify Sales Accounts		yes/no	
	svc_invoice_cost	Total Invoice Cost		yes/no	
	svc_invoice_sts	Invoice Ready		x(8)	
	svc_isb_bom	Load Available Structure		yes/no	
	svc_isb_compbom	Component Use BOM		yes/no	
	svc_isb_hist	Installed Base History		yes/no	
	svc_isb_nsbom	Load Standard BOM		yes/no	
	svc_isb_repair	ISB Repair Status		x(8)	
	svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
	svc_ivc_hold	Hold Invoice to Close		yes/no	
	svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
	svc_loc	Location		x(8)	
	svc_mand_po	Mandatory PO		yes/no	
	svc_mod_date	Modified Date	Mod Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	svc_mod_userid	User ID		X(8)	
	svc_multi_time_zones	Multiple Time Zones		yes/no	
	svc_node	Node		x(8)	
	svc_open	Open Status	Opn Sts	x(8)	
	svc_pc_list_type	Pricing by List Type		yes/no	
	svc_per_bill	Period Based Billing	P Bse	yes/no	
	svc_plst_pct			->>,>>9.99<<<<	10
	svc_pm_est_time	PM Call Duration		999:99	
	svc_project_hndl	Project Code Handling		->,>>>,>>9	
	svc_prorate	Prorate Partial Periods	Pro	yes/no	
	svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
	svc_pt_isb	Items in Installed Base	IB	yes/no	
	svc_pt_mstr	Items Must Exist		yes/no	
	svc_pt_prod	Use Item Prod Line		yes/no	
	svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
	svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
	svc_pvm_cl	PM Calls		yes/no	
◊	svc_qmobile_api_warn	Suppress QAD Mobile API Warnings		yes/no	
	svc_que_paus	Queue Manager Pause		>>9	
	svc_que_prog	Queue Manager		>>9	
	svc_rc_transfer	Transfer Inventory		yes/no	
	svc_return_sts	Return Status		x(8)	
	svc_rma_hist	Rma History		yes/no	
	svc_sa_account	Update Accounting		yes/no	
	svc_sa_accounts	Modify Sales Accounts		yes/no	
	svc_sa_cd	Contract Code		x(2)	
	svc_sap_bom_type	Default BOM for PM		x(8)	
◊	svc_sched_status	Scheduled Status		x(8)	
	svc_schedule_ca	Schedule New Calls		yes/no	
	svc_scheduler	Scheduler		>>9	
	svc_scrap_sts	Scrap Status		x(8)	
	svc_serial	Installed Base Serials		x(1)	
	svc_server_timezone	Server Time Zone		X(8)	
	svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
	svc_site	Repair Site		x(8)	
	svc_sr_pre	Service Request Prefix		x(3)	
	svc_srr_close	SR Close Status	Cl Sts	x(8)	0
	svc_srr_open	SR Open Status	Opn Sts	x(8)	0
	svc_srstatus	SR Resolution		x(8)	
	svc_sub_cvr	Subs Covered		yes/no	
	svc_sv_cd	Service Contract Cd		x(2)	
Δ	svc_sys_type	System Level		x(2)	
	svc_tax_environ	Tax Enviroment		x(8)	
	svc_temp_close	Close Call with Temp		yes/no	
	svc_temp_cus	Temporary Customer		x(8)	
	svc_time_zone	Hours from GMT		>>9	
	svc_tm_cd	Time and Materials CD		x(2)	
	svc_trace	Enable Tracing		yes/no	
	svc_travel_step	Travel Step		>>>>>9	
◊	svc_trv_fsc_code	Travel Svc Category	Svc Cat	x(8)	
	svc_trvl_um	Travel UM		x(2)	0
	svc_um	Contract UM	UM	x(2)	0
	svc_upd_est_time	Update Call Duration		999:99	
	svc_user1	Ufld1		x(8)	
	svc_user2	Ufld2		x(8)	
	svc_wait_status	Wait Status		x(8)	

Field Name	Label	Col-Label	Format	Dec
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_svc_ctrl	yes	oid_svc_ctrl	yes	no
*	svc_node	yes	svc_domain	yes	no
			svc_node	yes	no

sv_mstr

Service Agreement Terms and Conditions Master

Field Name	Label	Col-Label	Format	Dec
oid_sv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sv__chr01			x(8)	
sv__chr02			x(8)	
sv__chr03			x(8)	
sv__chr04			x(8)	
sv__chr05			x(8)	
sv__qadc01	Qad Field #1		x(8)	0
sv__qadc02	Qad Field #2		x(8)	0
sv__qadc03	Qad Field #3		x(8)	0
sv__qadc04	Qad Field #4		x(8)	0
sv__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	
sv__qadl02	Qad Logical #2		yes/no	
sv__qadl03	Qad Logical #3		yes/no	
sv__qadt01	Qad Date #1		99/99/99	
sv__qadt02	Qad Date #2		99/99/99	
sv__qadt03	Qad Date #3		99/99/99	
sv_blanket	Blanket		yes/no	
sv_call_price	Call Price List		X(8)	
sv_calls_allow	Calls Allowed		>>>9	0
sv_cmtindx	Comment Index	Comment	>>>>>>>9	
sv_code	Service Type	Svc Type	x(8)	
sv_cr_prlist	Credit Price List	Cr Price	x(8)	
sv_cstmlist	Customs List	Customs	x(8)	
sv_days[7]	Days		yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_domain	Domain		x(8)	
sv_dur_um	Contract UM		x(1)	
sv_duration	Duration	Dur	>>>9	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	

	Field Name	Label	Col-Label	Format	Dec
◊	sv_mid_etime[8]	Stop Midday		99:99	
◊	sv_mid_stime[8]	Start Midday		99:99	
	sv_off_hours_pt	Off Hours Item		x(18)	
	sv_onsite	Onsite		yes/no	
	sv_pr_list	Contract Price List	CPrice List	x(8)	
	sv_prod_line	Prod Line	Line	x(4)	
	sv_qo_title	Quote Title	Qo Title	x(24)	
	sv_rmaonly	RMA Only		yes/no	
	sv_rmaprice	RMA Price List		x(8)	0
	sv_rsp_time	Response	Rsp Time	>>>>>9	
	sv_rsp_um	Response Time UM		x(1)	
	sv_rstk_pct	Restocking Charge		->>9.99%	10
	sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
	sv_so_title	So title		x(24)	
	sv_st_time	Start Time	Start	99:99	
	sv_stime[8]	Start Time		99:99	
	sv_svc_type	Contract Type	T	x(2)	
	sv_tax_usage	Nature of Operation	Nature	x(8)	
	sv_taxable	Taxable		yes/no	
	sv_taxc	Tax Class	TxC	x(3)	
	sv_type	End User Type		x(8)	
	sv_user1	Ufld1		x(8)	
	sv_user2	Ufld2		x(8)	
	sv_visits	Visits Per Year		>>9	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sv_mstr	yes	oid_sv_mstr	yes	no
*	sv_code	yes	sv_domain	yes	no
			sv_code	yes	no
			sv_type	yes	no
	sv_svc_type	no	sv_domain	yes	no
			sv_code	yes	no
			sv_svc_type	yes	no

swc_det

Cost Simulation Work Center Detail

Field Name	Label	Col-Label	Format	Dec
oid_swc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
swc__qadc01			x(8)	
swc_bdn_pct	Lbr Bdn %		>>9.99%	10
swc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
swc_bdn_supct	Setup Bdn %		>>9.99%	10
swc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
swc_cat	W/C Category		x(1)	
swc_domain	Domain		x(8)	
swc_element	Cost Element	Element	x(8)	
swc_lbr_rate	Labor Rate		>>>,>>9.99	10
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
swc_men_mch	Run Crew		>>9.999	10
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		->,>>9.999	10
swc_pct_util	Percent Utilization		->,>>9.999	10
swc_run_rate	Lbr/Bdn Rate		->,>>>,>>9.99999	10
swc_set_rate	Setup Rate		->,>>>,>>9.99999	10
swc_setup_men	Setup Crew		->>,>>9.99	10
swc_setup_rte	Setup Rate		>>>,>>9.99	10
swc_sim	Cost Set		x(8)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_swc_det	yes	oid_swc_det	yes	no
	swc_sim_elem	yes	swc_domain	yes	no
			swc_sim	yes	no
			swc_element	yes	no
			swc_wkctr	yes	no
			swc_mch	yes	no
*	swc_sim_wc	yes	swc_domain	yes	no
			swc_sim	yes	no
			swc_wkctr	yes	no
			swc_mch	yes	no
			swc_element	yes	no

sypd_det Synch Profile Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sypd__chr01			x(8)	
sypd__chr02			x(8)	
sypd__dec01			->>>,>>>,>>9.99<	10
sypd__dec02			->>>,>>>,>>9.99<	10
sypd__dte01			99/99/99	
sypd__dte02			99/99/99	
sypd__int01			->>>,>>>,>>9	
sypd__int02			->>>,>>>,>>9	
sypd__log01			yes/no	
sypd__log02			yes/no	
sypd__qadc01			x(8)	
sypd__qadc02			x(8)	
sypd__qadc03			x(8)	
sypd__qadc04			x(8)	
sypd__qadd01			->>>,>>>,>>9.99<	10
sypd__qadd02			->>>,>>>,>>9.99<	10
sypd__qadi01			->>>,>>>,>>9	
sypd__qadi02			->>>,>>>,>>9	
sypd__qadl01			yes/no	

Field Name	Label	Col-Label	Format	Dec
sypd__qadl02			yes/no	
sypd__qadt01			99/99/99	
sypd__qadt02			99/99/99	
sypd_fldname	Field Name		x(21)	
sypd_mod_date	Mod Date		99/99/99	
sypd_mod_userid	User ID		x(8)	
sypd_prereq_add	Prerequisite For Add		yes/no	
sypd_profl_id	Synch Profile ID		x(16)	
sypd_reqd_add	Required on Add		yes/no	
sypd_reqd_chgdel	Required on Change or Delete		yes/no	
sypd_seq	Sequence		>>9	
sypd_user1	Ufld1		x(8)	
sypd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sypd_det	yes	oid_sypd_det	yes	no
*	sypd_proflid_fldname	yes	sypd_profl_id	yes	no
			sypd_fldname	yes	no
	sypd_proflid_seq	no	sypd_profl_id	yes	no
			sypd_seq	yes	no

sypj_det

Sync Profile Join Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypj_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sypj__chr01			x(8)	
sypj__chr02			x(8)	
sypj__dec01			->>>,>>>,>>9.99<	10
sypj__dec02			->>>,>>>,>>9.99	10
sypj__dte01			99/99/99	
sypj__dte02			99/99/99	
sypj__int01			->>>,>>>,>>9	
sypj__int02			->>>,>>>,>>9	
sypj__log01			yes/no	
sypj__log02			yes/no	
sypj__qadc01			x(8)	
sypj__qadc02			x(8)	
sypj__qadc03			x(8)	
sypj__qadc04			x(8)	
sypj__qadd01			->>>,>>>,>>9.99<	10
sypj__qadd02			->>>,>>>,>>9.99<	10
sypj__qadi01			->>>,>>>,>>9	
sypj__qadi02			->>>,>>>,>>9	
sypj__qadl01			yes/no	
sypj__qadl02			yes/no	
sypj__qadt01			99/99/99	
sypj__qadt02			99/99/99	
sypj_join_crit[4]	Join Criteria		x(255)	
sypj_join_profl	Joined Sync Profile ID		x(16)	
sypj_mod_date	Mod Date		99/99/99	
sypj_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
sypj_profl_id	Sync Profile ID		x(16)	
sypj_publ_joined	Publish Child On Parent Changes		yes/no	
sypj_relation	Relationship		x(1)	
sypj_reqd_join	Child Required To Publish Parent		yes/no	
sypj_seq	Sequence		>>9	
sypj_user1	Ufld1		x(8)	
sypj_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sypj_det	yes	oid_sypj_det	yes	no
	sypj_join_profl_rel	yes	sypj_join_profl	yes	no
			sypj_profl_id	yes	no
			sypj_relation	yes	no
	sypj_join_rel_seq	no	sypj_join_profl	yes	no
			sypj_relation	yes	no
			sypj_seq	yes	no
*	sypj_profl_join_rel	yes	sypj_profl_id	yes	no
			sypj_join_profl	yes	no
			sypj_relation	yes	no
	sypj_profl_rel_seq	no	sypj_profl_id	yes	no
			sypj_relation	yes	no
			sypj_seq	yes	no

syps_det

Synch Profile Subscription Detail

Field Name	Label	Col-Label	Format	Dec
oid_syps_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
syps__chr01			x(8)	
syps__chr02			x(8)	
syps__dec01			->>>,>>>,>>9.99<	10
syps__dec02			->>>,>>>,>>9.99<	10
syps__dte01			99/99/99	
syps__dte02			99/99/99	
syps__int01			->>>,>>>,>>9	
syps__int02			->>>,>>>,>>9	
syps__log01			yes/no	
syps__log02			yes/no	
syps__qadc01			x(8)	
syps__qadc02			x(8)	
syps__qadc03			x(8)	
syps__qadc04			x(8)	
syps__qadd01			->>>,>>>,>>9.99<	10
syps__qadd02			->>>,>>>,>>9.99<	10
syps__qadi01			->>>,>>>,>>9	
syps__qadi02			->>>,>>>,>>9	
syps__qadl01			yes/no	
syps__qadl02			yes/no	
syps__qadt01			99/99/99	
syps__qadt02			99/99/99	
syps_app_id	Application ID		x(12)	

Field Name	Label	Col-Label	Format	Dec
syps_doc_rev	Document Revision		x(8)	
syps_doc_std	Document Standard		x(8)	
syps_doc_typ	Document Type		x(21)	
syps_im_doc	Imported Document		yes/no	
syps_mod_date	Mod Date		99/99/99	
syps_mod_userid	User ID		x(8)	
syps_profl_id	Sync Profile ID		x(16)	
syps_tradptr_id	Trading Partner ID		x(32)	
syps_trig_updt	Publish On Table Update		yes/no	
syps_user1	Ufld1		x(8)	
syps_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_syps_det	yes	oid_syps_det	yes	no
	syps_subs_by_profile	no	syps_profl_id	yes	no
*	syps_subscription_id	yes	syps_app_id	yes	no
			syps_doc_std	yes	no
			syps_doc_typ	yes	no
			syps_doc_rev	yes	no
			syps_tradptr_id	yes	no
			syps_im_doc	yes	no
			syps_profl_id	yes	no

syp_mstr Synch Profile Master

Field Name	Label	Col-Label	Format	Dec
oid_syp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
syp__chr01			x(8)	
syp__chr02			x(8)	
syp__dec01			->>>,>>>,>>9.99<	10
syp__dec02			->>>,>>>,>>9.99	10
syp__dte01			99/99/99	
syp__dte02			99/99/99	
syp__int01			->>>,>>>,>>9	
syp__int02			->>>,>>>,>>9	
syp__log01			yes/no	
syp__log02			yes/no	
syp__qadc01			x(8)	
syp__qadc02			x(8)	
syp__qadc03			x(8)	
syp__qadc04			x(8)	
syp__qadd01			->>>,>>>,>>9.99<	10
syp__qadd02			->>>,>>>,>>9.99<	10
syp__qadi01			->>>,>>>,>>9	
syp__qadi02			->>>,>>>,>>9	
syp__qadl01			yes/no	
syp__qadl02			yes/no	
syp__qadt01			99/99/99	
syp__qadt02			99/99/99	
syp_add_as_chg	Format as Change		yes/no	
syp_dbname	Database Name		x(8)	

Field Name	Label	Col-Label	Format	Dec
syp_del_as_chg	Format as Change		yes/no	
syp_exp_add	Export Add		yes/no	
syp_exp_chg	Export Change		yes/no	
syp_exp_del	Export Delete		yes/no	
syp_exp_dump	Export As Record Dump		yes/no	
syp_exp_rowid_only	Export Rowid Only		yes/no	
syp_flt_crit[4]	Filter Criteria		x(255)	
syp_mod_date	Mod Date		99/99/99	
syp_mod_userid	User ID		x(8)	
syp_profl_desc	Description		x(40)	
syp_profl_id	Synch Profile ID		x(16)	
syp_publ_proc	Filter Procedure Name		x(16)	
syp_tblname	Table Name		x(16)	
syp_user1	Ufld1		x(8)	
syp_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_syp_mstr	yes	oid_syp_mstr	yes	no
*	syp_profl_id	yes	syp_profl_id	yes	no
	syp_tblname	no	syp_tblname	yes	no

◊ SysProperty System Property

Field Name	Label	Col-Label	Format	Dec
Currency_ID	MC Currency Code	MC Curr	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	

Field Name	Label	Col-Label	Format	Dec
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
SysProperty_ID	Record ID	Record ID	9999999999	
SysPropertyIsBudOLCheckCC	OL Check on Cost Center Budgets	OL Check on Cost Center Budgets	yes/no	
SysPropertyIsBudOLCheckGL	OL Check on Budgets	OL Check on Budgets	yes/no	
SysPropertyIsBudOLCheckPrj	OL Check on Project Budgets	OL Check on Project Budgets	yes/no	
SysPropertyIsBudOverCh	Check Budgets on Overlap	Check Budgets on Overlap	yes/no	
SysPropertyIsSpecCIApprove	Specific SI Approval	Specific SI Approval	yes/no	
SysPropertyIsStockOfficial	Business Relations By Domain	Business Relations By Domain	yes/no	
SysPropertyIsWithBudget	Budget Enabled	Budget Enabled	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	CurrencyIdx	no	Currency_ID	yes	no
◊*	Prim	yes	SysProperty_ID	yes	no

◊ Syst System

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Lng_ID			9999999999	
RptFolderTimestamp			x(32)	
Syst_ID			9999999999	
SystAdminUserPwd			x(100)	
SystApplicationId			x(100)	
SystCacheDateTime			x(30)	
Usr_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Domain_FK	no	Domain_ID	yes	no
◊	LngIdx	no	Lng_ID	yes	no
◊*	Prim	yes	Syst_ID	yes	no
◊	UsrInSyst_FK	no	Usr_ID	yes	no

◊ SystemC Warehousing System Control

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
AllocHist	Allocation History	Alloc! Hist	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
CycleReason	Cycle Count Reason	Cycle Count! Reason	X(8)	
Domain	Domain		x(8)	
InventHist	Inventory History	Inv! Hist	yes/no	
LogFormat	Logical Format		yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_SystemC			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RefLevel	Reference Uniqueness Level	Ref! Uniq	x(1)	
TemplateDelim	Template Delimiter	DLim	x(1)	
UniqueID			9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
VerbLevel	Verbosity Level	Verb! Level	>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_SystemC	yes	oid_SystemC	yes	no
◊* UniqueID	yes	Domain	yes	no
		UniqueID	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

sytf_mstr Synchronization Table-Field Master

Field Name	Label	Col-Label	Format	Dec
oid_sytf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
sytf__chr01			x(8)	
sytf__chr02			x(8)	
sytf__dec01			->>>,>>>,>>9.99<	10
sytf__dec02			->>>,>>>,>>9.99<	10
sytf__dte01			99/99/99	
sytf__dte02			99/99/99	
sytf__int01			->>>,>>>,>>9	
sytf__int02			->>>,>>>,>>9	
sytf__log01			yes/no	
sytf__log02			yes/no	
sytf__qadc01			x(8)	
sytf__qadc02			x(8)	
sytf__qadc03			x(8)	
sytf__qadc04			x(8)	
sytf__qadd01			->>>,>>>,>>9.99<	10
sytf__qadd02			->>>,>>>,>>9.99<	10
sytf__qadi01			->>>,>>>,>>9	
sytf__qadi02			->>>,>>>,>>9	
sytf__qadl01			yes/no	
sytf__qadl02			yes/no	
sytf__qadt01			99/99/99	
sytf__qadt02			99/99/99	
sytf_fldname	Field Name		x(16)	
sytf_mod_date	Mod Date		99/99/99	
sytf_mod_userid	User ID		x(8)	
sytf_reqd_add	Required on Add		yes/no	
sytf_reqd_chgdel	Required in Change-Delete		yes/no	
sytf_tblname	Table Name		x(16)	
sytf_user1	Ufld1		x(8)	
sytf_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_sytf_mstr	yes	oid_sytf_mstr	yes	no
	sytf_fldname	no	sytf_fldname	yes	no
*	sytf_tbl_fldname	yes	sytf_tblname	yes	no
			sytf_fldname	yes	no

tag_mstr Physical Inventory Tag Master

Field Name	Label	Col-Label	Format	Dec
oid_tag_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
tag__qad01			->>>,>>>,>>9.9<<<<<<<<<	10
tag_cnt_cnv	Count Conv		>>>>9.9999	10
tag_cnt_dt	Date Counted	Cnt Date	99/99/99	
tag_cnt_nam	Counted By	Cntd By	x(8)	
tag_cnt_qty	Qty Counted		>,>>>,>>9.9<<<<<<<<	10
tag_cnt_um	Count UM	UM	x(2)	

Field Name	Label	Col-Label	Format	Dec
tag_crt_dt	Create Date	Crt Date	99/99/99	
tag_domain	Domain		x(8)	
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	>>>>>>>9	
tag_part	Item Number		x(18)	
tag_posted	Posted	Post	yes/no	
tag_prt_dt	Print Date	Prt Date	99/99/99	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	>>>>9.9999	10
tag_rcnt_dt	Date Recounted	RcntDate	99/99/99	
tag_rcnt_nam	Recounted By	Rcntd By	x(8)	
tag_rcnt_qty	Qty Recounted		>,>>>,>>9.9<<<<<<<<	10
tag_rcnt_um	Recount UM	UM	x(2)	
tag_ref	Ref	Reference	x(8)	
tag_rmks	Remarks		x(24)	
tag_serial	Lot/Serial		x(18)	
tag_site	Site		x(8)	
tag_type	Type	T	x(1)	
tag_user1	Ufld1		x(8)	
tag_user2	Ufld2		x(8)	
tag_void	Void		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tag_mstr	yes	oid_tag_mstr	yes	no
*	tag_nbr	yes	tag_domain	yes	no
			tag_nbr	yes	no
	tag_pslsn	yes	tag_domain	yes	no
			tag_part	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_nbr	yes	no
	tag_pssln	yes	tag_domain	yes	no
			tag_part	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_nbr	yes	no
	tag_slpsn	yes	tag_domain	yes	no
			tag_site	yes	no
			tag_loc	yes	no
			tag_part	yes	no
			tag_serial	yes	no
			tag_ref	yes	no
			tag_nbr	yes	no

◊ TaskAssD Warehousing Task Assignment Detail

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
ConfMode	Confirmation Mode	Conf Mode	X(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TaskAssD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Queue	Queue		>9	
Task	Task		x(8)	
TaskSeq	Seq		>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_TaskAssD	yes	oid_TaskAssD	yes	no
◊* UserSeq	yes	Domain	yes	no
		ActUserID	yes	no
		Queue	yes	no
		TaskSeq	yes	no
◊ UserTask	yes	Domain	yes	no
		ActUserID	yes	no
		Task	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

◊ TaskAssM

Warehousing Task Assignment Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TaskAssM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* ActUserID	yes	Domain	yes	no
		ActUserID	yes	no
◊ oid_TaskAssM	yes	oid_TaskAssM	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

◊ TaskD

Warehousing Task Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
EstTime	Estimated Time	Est Time	->,>>>,>>9	
EstTimeOld	Old Estimated Time	Old Est Time	->,>>>,>>9	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TaskD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Task	Task		x(8)	
TaskCount	Task Count	Tasks	>,>>>,>>9	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_TaskD	yes	oid_TaskD	yes	no
◊* Task	yes	Domain	yes	no
		Task	yes	no
		TrType	yes	no
		IntRouteCode	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

◊ TaskM

Warehousing Task Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
ConfMode	Confirmation Mode	Conf Mode	X(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TaskM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SystemProcCode	Procedure Code	Proc	x(2)	
Task	Task		x(8)	
TaskTime	Time		->>,>>9.99	10
TotalTask	Total Task		->>,>>9.99	10
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_TaskM	yes	oid_TaskM	yes	no
◊*	Task	yes	Domain	yes	no
			Task	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

tblcd_det

Table Change Detail

Field Name	Label	Col-Label	Format	Dec
oid_tblcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
tblcd__qadc01			X(24)	
tblcd__qadc02			X(24)	
tblcd_active	Active		yes/no	
tblcd_desc	Description		x(24)	
tblcd_domain	Domain		x(8)	
tblcd_fld_name	Field		x(32)	
tblcd_mod_date	Modified Date	Mod Date	99/99/99	
tblcd_mod_userid	User ID		X(8)	
tblcd_table	Table		x(16)	
tblcd_user1	User Field Character 1		X(24)	
tblcd_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tblcd_det	yes	oid_tblcd_det	yes	no
*	tblcd_table	yes	tblcd_domain	yes	no
			tblcd_table	yes	no
			tblcd_fld_name	yes	no

tblc_mstr

Table Change Master

Field Name	Label	Col-Label	Format	Dec
oid_tblc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
tblc__qadc01			X(24)	
tblc__qadc02			X(24)	
tblc_active	Active		yes/no	
tblc_delete	Delete		yes/no	
tblc_desc	Description		x(24)	
tblc_domain	Domain		x(8)	
tblc_mod_date	Modified Date	Mod Date	99/99/99	
tblc_mod_userid	User ID		X(24)	
tblc_table	Table		x(16)	
tblc_user1	User Field Character 1		X(24)	
tblc_user2	User Field Character 2		X(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tblc_mstr	yes	oid_tblc_mstr	yes	no
*	tblc_table	yes	tblc_domain	yes	no
			tblc_table	yes	no

tbl_mstr

Service/Support Parent/Child Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_tbl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
tbl__chr01	User Character Field 1		x(8)	
tbl__chr02	User Character Field 2		x(8)	
tbl__chr03	User Character Field 3		x(8)	
tbl__chr04	User Character Field 4		x(8)	
tbl__chr05	User Character Field 5		x(8)	
tbl__dec01	User Decimal Field 1		->>,>>9.99	10
tbl__dec02	User Decimal Field 2		->>,>>9.99	10
tbl__dte01	User Date Field 1		99/99/99	
tbl__dte02	User Date Field 2		99/99/99	
tbl__log01	User Logical Field 1		yes/no	
tbl__log02	User Logical Field 2		yes/no	
tbl__qadc01	QAD Character Field 1		x(8)	
tbl__qadc02	QAD Character Field 2		x(8)	
tbl__qadd01	QAD Date Field 1		99/99/99	
tbl__qadd02	QAD Date Field 2		99/99/99	
tbl__qadde01	QAD Decimal Field 1		->>,>>9.99	10
tbl__qadde02	QAD Decimal Field 2		->>,>>9.99	10
tbl__qadl01	QAD Logical Field 1		yes/no	
tbl__qadl02	QAD Logical Field 2		yes/no	
tbl_compcode	Component		x(18)	
tbl_comptype	Component Type	Comp Type	x(12)	
tbl_domain	Domain		x(8)	
tbl_end	End Effective	End Eff	99/99/99	
tbl_mod_date	Modified Date	Mod Date	99/99/99	
tbl_mod_userid	User ID		X(8)	
tbl_parcode	Parent		x(18)	
tbl_partype	Parent Type		x(12)	
tbl_ref	Reference		x(12)	
tbl_rmks	Remarks		x(24)	
tbl_start	Start Effective	Start Eff	99/99/99	
tbl_user1	Ufld1		x(8)	
tbl_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tbl_mstr	yes	oid_tbl_mstr	yes	no
	tbl_comp	no	tbl_domain	yes	no
			tbl_comptype	yes	no
			tbl_compcode	yes	no
*	tbl_typecode	yes	tbl_domain	yes	no
			tbl_partype	yes	no
			tbl_parcode	yes	no
			tbl_comptype	yes	no
			tbl_compcode	yes	no

◊ TemplateD Warehousing Printer Template Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
Language	Language	Lang	x(2)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TemplateD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PrinterType	Printer Type	Printer! Type	X(8)	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintLine	Print Line		x(132)	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
PrintSeq	Seq		>>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_TemplateD	yes	oid_TemplateD	yes	no
◊* TempSeq	yes	Domain	yes	no
		Language	yes	no
		PrinterType	yes	no
		PrintProcCode	yes	no
		PrintFlavor	yes	no
		PrintSeq	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

◊ TemplateM Warehousing Printer Template Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
Language	Language	Lang	x(2)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TemplateM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrigFile	File		x(72)	
PrinterType	Printer Type	Printer! Type	X(8)	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_TemplateM	yes	oid_TemplateM	yes	no
◊*	Tempidx	yes	Domain	yes	no
			Language	yes	no
			PrinterType	yes	no
			PrintProcCode	yes	no
			PrintFlavor	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

te_mstr

Transaction Export Master

Field Name	Label	Col-Label	Format	Dec
oid_te_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
te__chr01			X(8)	
te__chr02			X(8)	
te__dec01			999999999.99	10
te__dec02			999999999.99	10
te__dte01			99/99/99	
te__dte02			99/99/99	
te__log01			yes/no	
te__log02			yes/no	
te__qadc01			X(8)	
te__qadc02			X(8)	
te__qadc03			X(8)	
te__qadc04			X(8)	
te__qadd07			999999999.99	10
te__qadd08			999999999.99	10
te__qadi05			9999	
te__qadi06			9999	
te__qadl11			YES/NO	
te__qadl12			YES/NO	
te__qadt09			99/99/99	
te__qadt10			99/99/99	
te_data	DATA		X(255)	
te_date	Date Created		99/99/99	
te_date_deliv	Date Delivered		99/99/99	
te_date_exp	Date Exported		99/99/99	
te_dest	Dest ID		x(16)	
te_domain	Domain		x(8)	
te_exp_type	Export Type		x(16)	
te_line	Line		9999	
te_nbr	Number		99999999	
te_pgm	Program		x(16)	
te_pgm_errs	Error Count		9999	
te_pgm_msgs[10]	Errors		x(40)	
te_pgm_warn	Warn Count		9999	
te_site	Site		x(8)	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(3)	
te_user1	Ufld1		X(8)	
te_user2	Ufld2		X(8)	
te_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_te_mstr	yes	oid_te_mstr	yes	no
te_date	no	te_domain	yes	no
		te_date	yes	no
te_date_deliv	no	te_domain	yes	no
		te_date_deliv	yes	no
te_dest	no	te_domain	yes	no
		te_dest	yes	no
te_exp_type	no	te_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			te_exp_type	yes	no
*	te_mstr	yes	te_domain	yes	no
			te_site	yes	no
			te_nbr	yes	no
			te_line	yes	no
	te_nbr	yes	te_domain	yes	no
			te_nbr	yes	no
			te_line	yes	no

tm_mstr

Transportation Master

Field Name	Label	Col-Label	Format	Dec
oid_tm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
tm__qadc01			x(8)	
tm_cmtindx	Comment Index	Comment	>>>>>>>9	
tm_code	Transport ID	Trans ID	x(8)	
tm_cube_um	UM		x(2)	
tm_desc	Description		x(24)	
tm_domain	Domain		x(8)	
tm_gross_wt	Gross Vehicle Weight	GVW	->>,>>>,>>9.9<<<	10
tm_height	Height		>>>,>>>,>>9.9<<<	10
tm_length	Length		>>>,>>>,>>9.9<<<	10
tm_load_lt	Load LT		->>9.9<	10
tm_maxcube	Max Load Volume	Max Vol	>>>,>>>,>>9.9<<<	10
tm_maxweight	Max Load Weight	Max Load	>>>,>>>,>>9.9<<<	10
tm_no_units	Available Units	Units	->,>>>,>>9	
tm_pallets	Pallet Capacity	Pallets	>>>,>>>,>>9	
tm_rate_code	Rate Table	Rate	x(8)	
tm_type	Transport Type	Type	x(8)	
tm_unload_lt	Unload LT		->>9.9<	10
tm_user1	Ufld1		x(8)	
tm_user2	Ufld2		x(8)	
tm_weight_um	UM		x(2)	
tm_width	Width		>>>,>>>,>>9.9<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tm_mstr	yes	oid_tm_mstr	yes	no
*	tm_code	yes	tm_domain	yes	no
			tm_code	yes	no
	tm_desc	no	tm_domain	yes	no
			tm_desc	yes	no
			tm_code	yes	no
	tm_rate	no	tm_domain	yes	no
			tm_rate_code	yes	no
			tm_code	yes	no

totd_det Terms of Trade Detail

Field Name	Label	Col-Label	Format	Dec
oid_totd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
totd__qadc01			x(24)	
totd__qadc02			x(24)	
totd_domain	Domain		x(8)	
totd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
totd_mod_date	Modified Date	Mod Date	99/99/99	
totd_mod_userid	User ID		x(8)	
totd_responsibility	Responsibility		x(2)	
totd_terms_code	Terms of Trade		x(8)	
totd_user1	User Field Character 1		x(24)	
totd_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_totd_det	yes	oid_totd_det	yes	no
*	totd_terms_code	yes	totd_domain	yes	no
			totd_terms_code	yes	no
			totd_lc_charge	yes	no

tot_mstr Terms of Trade Master

Field Name	Label	Col-Label	Format	Dec
oid_tot_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
tot__qadc01			x(24)	
tot__qadc02			x(24)	
tot_domain	Domain		x(8)	
tot_mod_date	Modified Date	Mod Date	99/99/99	
tot_mod_userid	User ID		x(8)	
tot_terms_code	Terms of Trade		x(8)	
tot_terms_desc	Description		x(24)	
◊ tot_transport_resp	Transportation Responsibility		x(2)	
tot_user1	User Field Character 1		x(24)	
tot_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tot_mstr	yes	oid_tot_mstr	yes	no
*	tot_terms_code	yes	tot_domain	yes	no
			tot_terms_code	yes	no

◊ TrackingD Warehousing Packaging Tracking Detail

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ContainerID	Container ID		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	

Field Name	Label	Col-Label	Format	Dec
Domain	Domain		x(8)	
MasterTrackingNbr	Master Tracking Nbr		x(35)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_TrackingD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShipVia	Ship Via		x(20)	
Site	Site		x(8)	
TrackingNumber	Tracking Number		x(35)	
TrackingURL	Carrier URL		x(65)	
TransMode	Mode of Transport		x(20)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	ABSID	yes	Domain	yes	no
			Site	yes	no
			ABSID	yes	no
			ContainerID	yes	no
◊	MasterTrackingNbr	no	Domain	yes	no
			MasterTrackingNbr	yes	no
			ShipVia	yes	no
◊	oid_TrackingD	yes	oid_TrackingD	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	TrackingNumber	no	Domain	yes	no
			TrackingNumber	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ShipVia	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ TranD

Warehousing Transaction Detail

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ABSShipFrom	Ship From		x(8)	
Addr	Address		x(8)	
AlgoNbr	Algorithm	Algo	>>9	
AlgoType	Type		X(2)	
AverageTime	Time		->>,>>9.99	10
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
CloseProgname	Closed		x(10)	
CloseTime	Close Time		->,>>>,>>9	
CloseUserID	Closed		x(8)	
CmtIndx	Comments		>>>>>>>9	
CompDate	Completed Date		99/99/99	
CompTime			->,>>>,>>9	
CreateDate	Create Date		99/99/99	
CreateProgName	Created ProgName		x(10)	
CreateTime	Created Time		->,>>>,>>9	
CreateUserID	Created UserID		x(8)	
CurrUserID	Current		x(8)	
Domain	Domain		x(8)	
ExistSample	Exist Sample		yes/no	
Fail	Fail		yes/no	
FromAltUM	From UM	Fr! UM	x(2)	
FromDigit	From Digit	From! Digit	x(8)	
FromLoc	From Location	From! Location	x(8)	
FromLot	From Lot/Serial		x(18)	
FromPart	From Item Number		x(18)	
FromRef	From Reference	From! Reference	x(8)	
FromSite	From Site	From! Site	x(8)	
FromSlocgp	From SLocGrp	From! SLocGrp	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
FromWlocgp	From WLocGrp	From! WLocGrp	x(8)	
HardAssign	Hard Assignment	Hard	yes/no	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
IntRouteSeq	Seq		>>9	
InventNbr	Internal Inventory ID	Internal! Invent ID	99999999	
IssDSet	Issue Data Set		x(12)	
IssLine	Issue Line/ID	Issue! Line/ID	x(8)	
IssNbr	Issue Order		x(18)	
IssTrNbr	Issue		>>>>>>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
NumTasks	Num Tasks		->>,>>9.99	10
oid_TranD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
OrigFrLoc	Original From Location	Original! From Loc	x(8)	
OrigFrLot	Original From Lot/Serial	Original! From Lot/Serial	x(18)	
OrigFrPart	Original From Item Number	Original! From Item Number	x(18)	
OrigFrRef	Original From Reference	Original! From Ref	x(8)	
OrigToLoc	Original To Location	Original! To Loc	x(8)	
OrigToLot	Original To Lot/Serial	Original! To Lot/Serial	x(18)	
OrigToPart	Original To Item Number	Original! To Item Number	x(18)	
OrigToRef	Original To Reference	Original! To Reference	x(8)	
Project	Project		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyAct	Actual		->,>>>,>>9.9<<<<<<<	10
QtyExp	Expected		->,>>>,>>9.9<<<<<<<	10
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
RecTrNbr	Receipt		>>>>>>>9	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
Rmks	Remarks		x(24)	
SampleID	Sample ID	ID	>>>>>>>9	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
StageStatus	Stage Status	Stg	x(2)	
StartDate	Started		99/99/99	
StartProgname	Started		x(10)	
StartTime	Start Time		->,>>>,>>9	
StartUserID	Started		x(8)	
SystemCode	System		x(2)	
SystemProcCode	Procedure Code	Proc	x(2)	
Task	Task		x(8)	
ToAltUM	To UM	To! UM	x(2)	
ToDigit	To Digit		x(8)	
ToLoc	To Location	To Loc	x(8)	
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToSlocGp	To SLocGrp	To! SLocGrp	x(8)	
ToWhse	To Whse		x(8)	
ToWlocgp	To WLocGrp	To! WLocGrp	x(8)	

Field Name	Label	Col-Label	Format	Dec
TrNbr	Transaction	Trans	>>>>>>>9	
TrPriInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TrStatus	Status	St	x(8)	
TrType	Type		x(8)	
TwoPhase	Two Phase	2Ph	yes/no	
UltLoc	Ultimate Location	Ultimate! Location	x(8)	
UltSite	Ultimate Site	Ultimate! Site	x(8)	
UltSlocgp	Ultimate SLocGrp	Ultimate! SLocGrp	x(8)	
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	
xPrevQtyAct	Previous Actual	Previous! Actual	->,>>>,>>9.9<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	FromLoc	no	Domain	yes	no
			FromSite	yes	no
			FromWhse	yes	no
			FromLoc	yes	no
			FromPart	yes	no
			FromLot	yes	no
			FromRef	yes	no
◊	FromPart	no	Domain	yes	no
			FromPart	yes	no
◊	FromSLocGp	no	Domain	yes	no
			FromSite	yes	no
			FromWhse	yes	no
			FromSlocgp	yes	no
			FromPart	yes	no
			FromLot	yes	no
			FromRef	yes	no
			TrNbr	yes	no
◊	InventNbr	no	Domain	yes	no
			InventNbr	yes	no
◊	IssOrder	no	Domain	yes	no
			IssDSet	yes	no
			IssNbr	yes	no
			IssLine	yes	no
◊	oid_TranD	yes	oid_TranD	yes	no
◊	RecOrder	no	Domain	yes	no
			RecDSet	yes	no
			RecNbr	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			RecLine	yes	no
◊	RelGroup	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			RelNbr	yes	no
◊	SampleID	no	Domain	yes	no
			SampleID	yes	no
			TrType	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			TrStatus	yes	no
◊	StatusTo	no	Domain	yes	no
			TrStatus	yes	no
			ToSite	yes	no
			ToLoc	yes	no
◊	ToLoc	no	Domain	yes	no
			ToSite	yes	no
			ToWhse	yes	no
			ToLoc	yes	no
			ToPart	yes	no
			ToLot	yes	no
			ToRef	yes	no
◊	ToPart	no	Domain	yes	no
			ToPart	yes	no
◊*	TrNbr	yes	Domain	yes	no
			TrNbr	yes	no
◊	TrStatus	no	Domain	yes	no
			TrStatus	yes	no
			SystemCode	yes	no
			SystemProcCode	yes	no
◊	UltLoc	no	Domain	yes	no
			UltSite	yes	no
			UltWhse	yes	no
			UltSlocgp	yes	no
			UltLoc	yes	no
◊	UltSiteLoc	no	Domain	yes	no
			UltSite	yes	no
			UltLoc	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	Wave	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WaveNbr	yes	no
◊	WLocGp	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no

◊ TranH

Warehousing Transaction History

Field Name	Label	Col-Label	Format	Dec
ABSID	ABS ID		x(8)	
ABSShipFrom	Ship From		x(8)	
Addr	Address		x(8)	
AlgoNbr	Algorithm	Algo	>>9	
AlgoType	Type		X(2)	
BulkPick	Bulk Pick	Bulk! Pick	x(8)	
CloseDate	Closed		99/99/99	
CloseProgname	Closed		x(10)	
CloseTime			->,>>>,>>9	
CloseUserID	Closed		x(8)	
CmtIndx	Comments		>>>>>>>9	
CompDate	Completed		99/99/99	
CompTime			->,>>>,>>9	
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateTime	Created Time		->,>>>,>>9	
CreateUserID	Created UserID		x(8)	
CurrUserID	Current		x(8)	
Domain	Domain		x(8)	
ExistSample	Exist Sample		yes/no	
Fail	Fail		yes/no	
FromAltUM	From UM	Fr! UM	x(2)	
FromDigit	From Digit	From! Digit	x(8)	
FromLoc	From Location	From! Location	x(8)	
FromLot	From Lot/Serial		x(18)	
FromPart	From Item Number		x(18)	
FromRef	From Reference	From! Reference	x(8)	
FromSite	From Site	From! Site	x(8)	
FromSlocgp	From SLocGrp	From! SLocGrp	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
FromWlocgp	From WLocGrp	From! WLocGrp	x(8)	
HardAssign	Hard Assignment	Hard	yes/no	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
IntRouteSeq	Seq		>>9	
InventNbr	Internal Inventory ID	Internal! Invent ID	99999999	
IssDSet	Issue Data Set		x(12)	
IssLine	Issue Line/ID	Issue! Line/ID	x(8)	
IssNbr	Issue Order		x(18)	
IssTrNbr	Issue		>>>>>>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
oid_TranH			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrigFrLoc	Original From Location	Original! From Loc	x(8)	
OrigFrLot	Original From Lot/Serial	Original! From Lot/Serial	x(18)	
OrigFrPart	Original From Item Number	Original! From Item Number	x(18)	
OrigFrRef	Original From Reference	Original! From Ref	x(8)	
OrigToLoc	Original To Location	Original! To Loc	x(8)	
OrigToLot	Original To Lot/Serial	Original! To Lot/Serial	x(18)	
OrigToPart	Original To Item Number	Original! To Item Number	x(18)	
OrigToRef	Original To Reference	Original! To Reference	x(8)	
Project	Project		x(8)	
QadC01	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>,>>9.99	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyAct	Actual		->,>>>,>>9.9<<<<<<<<	10
QtyExp	Expected		->,>>>,>>9.9<<<<<<<<	10
Reason	Reason		x(8)	
RecDSet	Receipt Data Set		x(12)	
Receiver	Receiver		x(8)	
RecLine	Receipt Line/ID	Receipt! Line/ID	x(8)	
RecNbr	Receipt Order		x(18)	
RecReqNbr	Requisition		x(8)	
RecTrNbr	Receipt		>>>>>>>9	
RelNbr	Release Group Nbr	Rel Grp	>>>>>>>9	
Rmks	Remarks		x(24)	
SampleID	Sample ID	ID	>>>>>>>9	
Site	Site		x(8)	
SOJob	SO Job		x(8)	
StageStatus	Stage Status	Stg	x(2)	
StartDate	Started		99/99/99	
StartProgname	Started		x(10)	
StartTime			->,>>>,>>9	
StartUserID	Started		x(8)	
SystemCode	System		x(2)	
SystemProcCode	Procedure Code	Proc	x(2)	
Task	Task		x(8)	
ToAltUM	To UM	To! UM	x(2)	
ToDigit	To Digit		x(8)	
ToLoc	To Location	To Loc	x(8)	
ToLot	To Lot/Serial		x(18)	
ToPart	To Item Number		x(18)	
ToRef	To Reference	To! Reference	x(8)	
ToSite	To Site		x(8)	
ToSlocGp	To SLocGrp	To! SLocGrp	x(8)	
ToWhse	To Whse		x(8)	
ToWlocgp	To WLocGrp	To! WLocGrp	x(8)	
TrNbr	Transaction	Trans	>>>>>>>9	
TrPriInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TrSeq	Sequence	Seq	>>>9	
TrStatus	Status	St	x(8)	
TrType	Type		x(8)	
TwoPhase	Two Phase	2Ph	yes/no	
UltLoc	Ultimate Location	Ultimate! Location	x(8)	
UltSite	Ultimate Site	Ultimate! Site	x(8)	
UltSlocgp	Ultimate SLocGrp	Ultimate! SLocGrp	x(8)	

Field Name	Label	Col-Label	Format	Dec
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	
xPrevQtyAct	Previous Actual	Previous! Actual	->,>>>,>>9.9<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	FromLoc	no	Domain	yes	no
			FromSite	yes	no
			FromWhse	yes	no
			FromLoc	yes	no
			FromPart	yes	no
			FromLot	yes	no
			FromRef	yes	no
◊	FromPart	no	Domain	yes	no
			FromPart	yes	no
◊	FromSLocGp	no	Domain	yes	no
			FromSite	yes	no
			FromWhse	yes	no
			FromSlocgp	yes	no
			FromPart	yes	no
			FromLot	yes	no
			FromRef	yes	no
			TrNbr	yes	no
			TrSeq	yes	no
◊	IssOrder	no	Domain	yes	no
			IssDSet	yes	no
			IssNbr	yes	no
			IssLine	yes	no
◊	oid_TranH	yes	oid_TranH	yes	no
◊	RecOrder	no	Domain	yes	no
			RecDSet	yes	no
			RecNbr	yes	no
			RecLine	yes	no
◊	RelGroup	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			RelNbr	yes	no
◊	StatusTo	no	Domain	yes	no
			TrStatus	yes	no
			ToSite	yes	no
			ToLoc	yes	no
◊	ToLoc	no	Domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			ToSite	yes	no
			ToWhse	yes	no
			ToLoc	yes	no
			ToPart	yes	no
			ToLot	yes	no
			ToRef	yes	no
◊	ToPart	no	Domain	yes	no
			ToPart	yes	no
◊*	TrNbrSeq	yes	Domain	yes	no
			TrNbr	yes	no
			TrSeq	yes	no
◊	TrStatus	no	Domain	yes	no
			TrStatus	yes	no
			SystemCode	yes	no
			SystemProcCode	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	Wave	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WaveNbr	yes	no

◊ **TransactionType** Transaction Type

Field Name	Label	Col-Label	Format	Dec
Country_ID			9999999999	
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	

Field Name	Label	Col-Label	Format	Dec
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
TransactionType_ID			9999999999	
TransactionTypeCode			x(20)	
TransactionTypeDescription			x(40)	
TransactionTypeIsActive			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	TransactionTypeIsActive	yes	no
◊	CntCodeIdx	yes	Country_ID	yes	no
			TransactionTypeCode	yes	no
◊*	Prim	yes	TransactionType_ID	yes	no
◊	ViewIndex	no	TransactionTypeIsActive	yes	no
			TransactionTypeCode	yes	no

◊ **TransportMeans** Means Of Transport

Field Name	Label	Col-Label	Format	Dec
CustomCombo0			x(20)	
CustomCombo1			x(20)	
CustomCombo2			x(20)	
CustomCombo3			x(20)	
CustomCombo4			x(20)	
CustomCombo5			x(20)	
CustomCombo6			x(20)	
CustomCombo7			x(20)	
CustomCombo8			x(20)	
CustomCombo9			x(20)	
CustomDate0			99/99/9999	
CustomDate1			99/99/9999	
CustomDate2			99/99/9999	
CustomDate3			99/99/9999	
CustomDate4			99/99/9999	
CustomDecimal0			->,>>>,>>9.99	4
CustomDecimal1			->,>>>,>>9.99	4
CustomDecimal2			->,>>>,>>9.99	4
CustomDecimal3			->,>>>,>>9.99	4
CustomDecimal4			->,>>>,>>9.99	4
CustomInteger0			->,>>>,>>9	
CustomInteger1			->,>>>,>>9	
CustomInteger2			->,>>>,>>9	
CustomInteger3			->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CustomInteger4			->,>>>,>>9	
CustomLong0			x(255)	
CustomLong1			x(255)	
CustomNote			x(2000)	
CustomShort0			x(20)	
CustomShort1			x(20)	
CustomShort2			x(20)	
CustomShort3			x(20)	
CustomShort4			x(20)	
CustomShort5			x(20)	
CustomShort6			x(20)	
CustomShort7			x(20)	
CustomShort8			x(20)	
CustomShort9			x(20)	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
TransportMeans_ID			9999999999	
TransportMeansCode			x(20)	
TransportMeansDescription			x(40)	
TransportMeansIsActive			yes/no	
TransportMeansIsDefault			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActiveIdx	no	TransportMeansIsActive	yes	no
◊	CodeIdx	yes	TransportMeansCode	yes	no
◊*	Prim	yes	TransportMeans_ID	yes	no
◊	ViewIndex	no	TransportMeansIsActive	yes	no
			TransportMeansCode	yes	no

◊ TranTypeM Warehousing Transaction Type Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
Consolidate	Consolidate	Cons	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
oid_TranTypeM			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OverPick	Over Pick	Over! Pick	yes/no	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShortAction	Shortage Action	Short! Act	>>9	
ShortDef	Shortage Definition	Short! Def	>>9	
ShortQtyDef	Shortage Quantity Definition	Short! Qty Def	>>9	
ShortWindow	Shortage Window	Short! Wind	>>9	
SLGListSearchExt	SLG List Search Extension	SLG List Ext	yes/no	
SLGOPControl	Control Over-Pick at SLG		yes/no	
SLGSearchExt	SLG Search Extension	SLG Ext	yes/no	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_TranTypeM	yes	oid_TranTypeM	yes	no
◊*	TrType	yes	Domain	yes	no
			TrType	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ TranW

Warehousing Transaction Work Table

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateProgName	Created		x(10)	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
InternalID	Internal User ID	Internal! User ID	x(50)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_TranW			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
TrNbr	Transaction	Trans	>>>>>>>9	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WkType	Type		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_TranW	yes	oid_TranW	yes	no
◊*	UserTypeTran	yes	Domain	yes	no
			InternalID	yes	no
			WkType	yes	no
			TrNbr	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

trcs_det

Transaction Cost Detail

Field Name	Label	Col-Label	Format	Dec
oid_trcs_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
trcs__qad01			x(8)	
trcs__qad02			x(8)	
trcs__qad03			x(8)	
trcs__qad04			>>>,>>>,>>9.99	10
trcs__qad05			>>>,>>>,>>9.99	10
trcs__qad06			>>>,>>>,>>9.99	10
trcs__qad07			99/99/99	

Field Name	Label	Col-Label	Format	Dec
trcs__qad08			99/99/99	
trcs__qad09			99/99/99	
trcs__qad10			yes/no	
trcs_bdn_std	Burden		->>>,>>>,>>9.99<<<	10
trcs_curr	Currency	Cur	x(3)	
trcs_domain	Domain		x(8)	
trcs_ex_rate	Exch Rate		>>,>>9.99999<<<<<	10
trcs_lbr_std	Labor		->>>,>>>,>>9.99<<<	10
trcs_mtl_std	Material		->>>,>>>,>>9.99<<<	10
trcs_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
trcs_price	Price		->>>,>>>,>>9.99<<<	10
trcs_set	Cost Set		x(8)	
trcs_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
trcs_trnbr	Trans		>>>>>>>>	
trcs_user1	Ufld1		x(8)	
trcs_user2	Ufld2		x(8)	
trcs_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trcs_det	yes	oid_trcs_det	yes	no
*	trcs_nbr_set	yes	trcs_domain	yes	no
			trcs_trnbr	yes	no
			trcs_set	yes	no

trgl_det

Inventory Transaction and General Ledger Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_trgl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
trgl__qadc01			x(8)	
trgl_cr_acct	Cr Acct		x(8)	
trgl_cr_cc	Cr Cost Ctr	CC	x(4)	
trgl_cr_line	Line		>>>9	
trgl_cr_proj	Cr Project	Project	x(8)	
trgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
trgl_domain	Domain		x(8)	
trgl_dr_acct	Dr Acct		x(8)	
trgl_dr_cc	Dr Cost Ctr	CC	x(4)	
trgl_dr_line	Line		>>>9	
trgl_dr_proj	Dr Project	Project	x(8)	
trgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
trgl_dy_code	Daybook		x(8)	
trgl_dy_num	Entry Number		x(40)	
trgl_gl_amt	Amount		->>>>>,>>9.99	10
trgl_gl_ref	GL Reference		x(14)	
trgl_sequence	Sequence		->,>>>,>>9	
trgl_trnbr	Transaction	Trans	>>>>>9	
trgl_type	Type		x(8)	
trgl_user1	Ufld1		x(8)	
trgl_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trgl_det	yes	oid_trgl_det	yes	no
	trgl_dr_cr	no	trgl_domain	yes	no
			trgl_dr_acct	yes	no
			trgl_dr_sub	yes	no
			trgl_dr_cc	yes	no
			trgl_cr_acct	yes	no
			trgl_cr_sub	yes	no
			trgl_cr_cc	yes	no
	trgl_dy_code	no	trgl_domain	yes	no
			trgl_dy_code	yes	no
			trgl_dy_num	yes	no
*	trgl_nbr_ref	yes	trgl_domain	yes	no
			trgl_trnbr	yes	no
			trgl_gl_ref	yes	no
			trgl_sequence	yes	no
	trgl_ref_nbr	no	trgl_domain	yes	no
			trgl_gl_ref	yes	no
			trgl_trnbr	yes	no
	trgl_type_nbr_ref	no	trgl_domain	yes	no
			trgl_type	yes	no
			trgl_trnbr	yes	no
			trgl_gl_ref	yes	no

trld_det

Trailer Tax Detail

Field Name	Label	Col-Label	Format	Dec
oid_trld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
trld__chr01			x(8)	
trld__log01			yes/no	
trld__qad01			x(8)	
trld__qad02			x(8)	
trld__qad03			->>>,>>>,>>9.99	10
trld__qad04			99/99/99	
trld__qad05			yes/no	
trld_code	Trailer Code	Trl! Code	x(4)	
trld_domain	Domain		x(8)	
trld_tax_type	Tax Type		x(16)	
trld_taxable	Taxable		yes/no	
trld_taxc	Tax Class	TxC	x(3)	
trld_user1	Ufld1		x(8)	
trld_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trld_det	yes	oid_trld_det	yes	no
*	trld_code_type	yes	trld_domain	yes	no
			trld_code	yes	no
			trld_tax_type	yes	no

trl_mstr Trailer Master

Field Name	Label	Col-Label	Format	Dec
oid_trl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
trl__qadc01			x(8)	
trl_acct	Trailer Acct	Acct	x(8)	
trl_cc	Trailer CC	CC	x(4)	
trl_code	Trailer Code	Code	x(2)	
trl_desc	Description		x(24)	
trl_domain	Domain		x(8)	
trl_fst	FST		yes/no	
trl_project	Project		x(8)	
trl_pst	PST		yes/no	
trl_sub	Trailer Sub-Acct	Sub-Acct	x(8)	
trl_taxable	Taxable		yes/no	
trl_taxc	Tax Class	TxC	x(3)	
trl_user1	Ufld1		x(8)	
trl_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trl_mstr	yes	oid_trl_mstr	yes	no
*	trl_code	yes	trl_domain	yes	no
			trl_code	yes	no

trq_mstr Transmission Date Reference Master

Field Name	Label	Col-Label	Format	Dec
oid_trq_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
trq__qadc01			x(8)	
trq_add_ref	Add Ref		x(8)	
trq_doc_ref	Doc Ref		x(8)	
trq_doc_type	Doc Type		x(3)	
trq_domain	Domain		x(8)	
trq_id	Transmission Number	Transm	>>>>>>9	
trq_mod_date	Modified Date	Mod Date	99/99/99	
trq_mod_userid	User ID		x(16)	
trq_msg_type	Type		x(8)	
trq_user1	Ufld1		x(8)	
trq_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_trq_mstr	yes	oid_trq_mstr	yes	no
	trq_doc_type	yes	trq_domain	yes	no
			trq_doc_type	yes	no
			trq_doc_ref	yes	no
			trq_add_ref	yes	no
*	trq_id	yes	trq_domain	yes	no
			trq_id	yes	no

tr_hist

Inventory Transaction History

	Field Name	Label	Col-Label	Format	Dec
	oid_tr_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tr__chr01			x(8)	
	tr__chr02			x(8)	
	tr__chr03			x(8)	
	tr__chr04			x(8)	
	tr__chr05			x(8)	
	tr__chr06			x(8)	
	tr__chr07			x(8)	
	tr__chr08			x(8)	
	tr__chr09			x(8)	
	tr__chr10			x(8)	
	tr__chr11			x(8)	
	tr__chr12			x(8)	
	tr__chr13			x(8)	
	tr__chr14			x(8)	
	tr__chr15			x(8)	
	tr__dec01			>>>,>>>,>>9.99	10
	tr__dec02			>>>,>>>,>>9.99	10
	tr__dec03			>>>,>>>,>>9.99	10
	tr__dec04			>>>,>>>,>>9.99	10
	tr__dec05			>>>,>>>,>>9.99	10
	tr__dte01			99/99/99	
	tr__dte02			99/99/99	
	tr__dte03			99/99/99	
	tr__dte04			99/99/99	
	tr__dte05			99/99/99	
	tr__log01			yes/no	
	tr__log02			yes/no	
	tr_addr	Address		x(8)	
	tr_assay	Assay %		>>9.99%	10
	tr_auto_install	Auto Installed		yes/no	
	tr_batch	Batch		x(18)	
	tr_bdn_std	Burden		->>>,>>>,>>9.99<<<	10
	tr_begin_qoh	Begin Balance		->,>>>,>>9.9<<<<<<<<	10
	tr_ca_int_type	Work Code		x(8)	
	tr_ca_opn_date			99/99/99	
	tr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
	tr_cprice	Price		>>>>,>>>,>>9.99<<<	10
	tr_curr	Currency	Cur	x(3)	
	tr_date	Date		99/99/99	
	tr_daycode	Day Code		x(8)	
◊	tr_doc_id	Document ID		x(24)	
	tr_domain	Domain		x(8)	
	tr_effdate	Effective	Eff Date	99/99/99	
	tr_enduser	End User		X(8)	
	tr_eng_area	Service Area	Area	x(18)	
	tr_eng_code	Engineer Code	Eng Code	x(8)	
	tr_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
	tr_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
	tr_ex_ratetype	Rate Type		x(8)	
	tr_expire	Expire Date		99/99/99	
	tr_exru_seq	Sequence		>>>>>>>>9	
	tr_fcg_code	Charge Code		x(8)	
	tr_fldchg_cmtindx	Comment		>>>>>>>9	

	Field Name	Label	Col-Label	Format	Dec
	tr_for	Service Part		x(18)	
	tr_fsc_code	Service Category		x(8)	
	tr_fsm_type	FSM Type		x(8)	
	tr_gl_amt	Amount		->>>>>,>>9.99	10
	tr_gl_date	GL Date		99/99/99	
	tr_grade	Grade		x(2)	
	tr_last_date	Last Activity		99/99/99	
	tr_lbr_std	Labor		->>>,>>>,>>9.99<<<	10
	tr_line	Line	Ln	>>9	
	tr_loc	Loc	Location	x(8)	
	tr_loc_begin	Begin Loc Bal		->,>>>,>>9.9<<<<<<<<	10
	tr_lot	ID		x(8)	
Δ	tr_msg	Message Number	Msg	>>>>9	
	tr_mtl_std	Material		->>>,>>>,>>9.99<<<	10
	tr_nbr	Order		x(18)	
	tr_ord_rev	Revision	Rev	>>9	
	tr_ovh_std	Overhead		>>>>,>>>,>>9.99<<<	10
	tr_part	Item Number		x(18)	
	tr_per_date	Performance Date	Perform	99/99/99	
	tr_price	Price		->>>,>>>,>>9.99<<<	10
	tr_prod_line	Product Line	Line	x(4)	
	tr_program	Program		x(12)	
	tr_promise_date	Promise Date	Promise	99/99/99	
	tr_qty_chg	Qty Change		->,>>>,>>9.9<<<<<<<<	10
◊	tr_qty_cn_adj	Consignment Qty Adjusted		->,>>>,>>9.9<<<<<<<<	10
	tr_qty_loc	Loc Qty Change		->,>>>,>>9.9<<<<<<<<	10
	tr_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	tr_qty_short	Qty Short		->,>>>,>>9.9<<<<<<<<	10
	tr_ref	Ref	Reference	x(8)	
	tr_ref_site	Reference Site	Ref Site	x(8)	
	tr_rev	Rev		x(4)	
	tr_rmks	Remarks		x(10)	
	tr_rsn_code	Reason		x(8)	
	tr_sa_nbr	Contract		x(8)	0
	tr_serial	Lot/Serial		x(18)	
	tr_ship_date	Ship Date		99/99/99	
	tr_ship_id	Shipper Number		x(20)	
	tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	tr_ship_type	Ship Type	T	x(1)	
	tr_site	Site		x(8)	
	tr_slspsn[4]	Salesperson	Salespsn	x(8)	
	tr_so_job	Sales/Job		x(8)	
	tr_status	Inventory Status	Status	x(8)	
	tr_sub_std	Subcontract		->>>,>>>,>>9.99<<<	10
	tr_sv_code	Contract Type		x(8)	
	tr_svc_type			x(1)	
	tr_sys_prod	System Product Line	S Prod	x(4)	
	tr_time	Time		>>,>>>,>>9	
	tr_trnbr	Trans		>>>>>>>>	
	tr_type	Trans Type	Type	x(8)	
	tr_um	UM		x(2)	
	tr_upd_isb			yes/no	
	tr_user1	Ufld1		x(8)	
	tr_user2	Ufld2		x(8)	
	tr_userid	User ID		x(8)	
	tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
	tr_vend_lot	Supplier Lot		x(18)	

Field Name	Label	Col-Label	Format	Dec
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspsn1	Salesperson 1	Salespsn	x(8)	
tr_xslspsn2	Salesperson 2	Salespsn	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tr_hist	yes	oid_tr_hist	yes	no
	tr_addr_eff	no	tr_domain	yes	no
			tr_addr	yes	no
			tr_effdate	yes	no
	tr_batch	no	tr_domain	yes	no
			tr_batch	yes	no
	tr_date_trn	yes	tr_domain	yes	no
			tr_date	yes	no
			tr_trnbr	yes	no
	tr_eff_trnbr	no	tr_domain	yes	no
			tr_effdate	yes	no
			tr_trnbr	yes	no
	tr_nbr_eff	no	tr_domain	yes	no
			tr_nbr	yes	no
			tr_effdate	yes	no
◊	tr_nbr_rmks_type	no	tr_domain	yes	no
			tr_nbr	yes	no
			tr_rmks	yes	no
			tr_type	yes	no
	tr_part_eff	no	tr_domain	yes	no
			tr_part	yes	no
			tr_effdate	yes	no
	tr_part_trn	no	tr_domain	yes	no
			tr_part	yes	no
			tr_trnbr	yes	no
	tr_serial	no	tr_domain	yes	no
			tr_serial	yes	no
*	tr_trnbr	yes	tr_domain	yes	no
			tr_trnbr	yes	no
	tr_type	no	tr_domain	yes	no
			tr_type	yes	no
			tr_effdate	yes	no
	tr_vend_lot	no	tr_domain	yes	no
			tr_vend_lot	yes	no

tx2d_det Tax Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_tx2d_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tx2d__chr01			x(8)	
	tx2d__chr02			x(8)	
	tx2d__dec01			->>>,>>>,>>9.99	10
	tx2d__dec02			->>>,>>>,>>9.99	10
	tx2d__dte01			99/99/99	
	tx2d__log01			yes/no	
	tx2d__qad01			x(8)	
	tx2d__qad02			x(8)	
	tx2d__qad03			yes/no	
	tx2d__qad04			->>>,>>>,>>9.99	10
	tx2d__qad05			99/99/99	
	tx2d__qadd01[3]			->>>,>>>,>>9.99<	10
	tx2d__qadd02[10]			->>>,>>>,>>9.99<	10
	tx2d_abs_ret_amt	Base Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_by_line	Tax-By-Line	By! Line	yes/no	
	tx2d_carrier	Carrier		x(8)	
	tx2d_cur_abs_ret_amt	Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_cur_nontax_amt	Non-taxable		->>,>>>,>>9.99	10
	tx2d_cur_recov_amt	Recoverable		->>,>>>,>>9.99	10
	tx2d_cur_tax_amt	Tax		->>,>>>,>>9.99	10
	tx2d_curr	Currency	Cur	x(3)	
	tx2d_domain	Domain		x(8)	
	tx2d_edited	Edited	Ed	yes/no	
	tx2d_effdate	Tax Date		99/99/99	
	tx2d_ent_abs_ret_amt	Entity Absorbed/Retained		->>,>>>,>>9.99	10
	tx2d_ent_nontax_amt	Entity Non-Taxable		->>,>>>,>>9.99	10
	tx2d_ent_recov_amt	Entity Recoverable		->>,>>>,>>9.99	10
	tx2d_ent_tax_amt	Entity Tax		->>,>>>,>>9.99	10
	tx2d_line	Line		>>>>>>>9	
	tx2d_line_site_ent	Line Site Entity		x(4)	
	tx2d_nbr	Number		x(8)	
	tx2d_nontax_amt	Base Non-Taxable		->>,>>>,>>9.99	10
	tx2d_posted_date	Posted Date	Post! Date	99/99/99	
	tx2d_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
	tx2d_recov_amt	Base Recoverable		->>,>>>,>>9.99	10
Δ	tx2d_ref	Reference	Ref	x(22)	
	tx2d_tax_amt	Base Tax		->>,>>>,>>9.99	10
	tx2d_tax_code	Tax Code		x(8)	
	tx2d_tax_env	Tax Environment	Tax! Env	x(16)	
	tx2d_tax_in	Tax In	Tax! In	yes/no	
	tx2d_tax_type	Tax Type		x(16)	
	tx2d_tax_usage	Tax Usage	Tax! Usage	x(8)	
	tx2d_taxable_amt	Base Taxable		->>,>>>,>>9.99	10
	tx2d_taxc	Tax Class	Tax! Class	x(3)	
	tx2d_totamt	Total Amount		->>,>>>,>>9.99	10
	tx2d_tottax	Taxable Sales	Taxable! Sales	->>,>>>,>>9.99	10
	tx2d_tr_type	Transaction Type	TT	x(2)	
	tx2d_trans_ent	Transaction Entity		x(4)	
	tx2d_trl	Trailer	Trl	x(18)	
	tx2d_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	

Field Name	Label	Col-Label	Format	Dec
tx2d_user1	Ufld1		x(8)	
tx2d_user2	Ufld2		x(8)	
tx2d_zone_from	Ship-From Tax Zone		x(16)	
tx2d_zone_to	Ship-To Tax Zone		x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tx2d_det	yes	oid_tx2d_det	yes	no
	tx2d_carrier	no	tx2d_domain	yes	no
			tx2d_carrier	yes	no
*	tx2d_ref_nbr	yes	tx2d_domain	yes	no
			tx2d_ref	yes	no
			tx2d_nbr	yes	no
			tx2d_line	yes	no
			tx2d_trl	yes	no
			tx2d_tr_type	yes	no
			tx2d_tax_code	yes	no
	tx2d_tax_code	no	tx2d_domain	yes	no
			tx2d_tax_code	yes	no

tx2_mstr Tax Master

	Field Name	Label	Col-Label	Format	Dec
	oid_tx2_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	tx2__chr01			x(8)	
	tx2__chr02			x(8)	
	tx2__dec01			->>>,>>>,>>9.99	10
	tx2__dec02			->>>,>>>,>>9.99	10
	tx2__dte01			99/99/99	
	tx2__log01			yes/no	
	tx2__qad01			x(8)	
	tx2__qad02			x(8)	
	tx2__qad03			yes/no	
	tx2__qad04			->>>,>>>,>>9.99	10
	tx2__qad05			99/99/99	
	tx2__qadc01[2]			x(8)	
	tx2__qadc02[2]			x(4)	
◊	tx2_ab_cn_tx_grp	Absorbed CN Tax Group	Abs CN Tax Grp	x(20)	
◊	tx2_ab_inv_tx_grp	Absorbed Inv Tax Group	Abs Inv Tax Grp	x(20)	
	tx2_ap_acct	AP Tax Account		x(8)	
	tx2_ap_cc	CC		x(4)	
◊	tx2_ap_cn_acct	AP Tax CN Account	AP Tax CN Acct	x(8)	
◊	tx2_ap_cn_sub	AP Tax CN Sub-Account	AP Tax CN Sub-Acct	x(8)	
◊	tx2_ap_dis_acct	AP Discount Account	AP Disc Acct	x(8)	
◊	tx2_ap_dis_sub	AP Discount Sub-Account	AP Disc Sub-Acct	x(8)	
	tx2_ap_disc_acct	AP Discount Account		x(8)	
	tx2_ap_disc_cc	CC		x(4)	
	tx2_ap_disc_sub	AP Discount Sub-Account	Sub-Acct	x(8)	
	tx2_ap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
	tx2_apr_acct	AP Retained Tax Account		x(8)	
	tx2_apr_cc	CC		x(4)	
◊	tx2_apr_cn_acct	AP Tax Ret CN Account	AP Tax Ret CN Acct	x(8)	
◊	tx2_apr_cn_sub	AP Tax Ret CN Sub-Account	AP Tax Ret CN Sub-Acct	x(8)	
	tx2_apr_sub	AP Retained Tax sub	Sub-Acct	x(8)	
	tx2_apr_use			yes/no	
	tx2_ar_acct	AR Sales Tax Account		x(8)	
	tx2_ar_cc	CC		x(4)	
◊	tx2_ar_cn_acct	Sales Tax CN Account	Sales Tax CN Acct	x(8)	
◊	tx2_ar_cn_sub	Sales Tax CN Sub-Account	Sales Tax CN Sub-Acct	x(8)	
◊	tx2_ar_dis_acct	AR Discount Account	AR Disc Acct	x(8)	
◊	tx2_ar_dis_sub	AR Discount Sub-Account	AR Disc Sub-Acct	x(8)	
	tx2_ar_disc_acct	AR Discount Account		x(8)	
	tx2_ar_disc_cc	CC		x(4)	
	tx2_ar_disc_sub	AR Discount Sub-Account	Sub-Acct	x(8)	
	tx2_ar_sub	AR Sales Tax Sub-Acct	Sub-Acct	x(8)	
	tx2_ara_acct	AR Absorbed Tax Account		x(8)	
	tx2_ara_cc	CC		x(4)	
◊	tx2_ara_cn_acct	Sales Tax Abs CN Acct		x(8)	
◊	tx2_ara_cn_sub	Sales Tax Abs CN Sub-Acct		x(8)	
	tx2_ara_sub	AR Absorbed Tax Sub	Sub-Acct	x(8)	
	tx2_ara_use			yes/no	
	tx2_base	Taxable Base Code	Tax Base	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	tx2_by_line	Tax-By-Line	By! Line	yes/no	
	tx2_cmtindx	Comment Index	Comment	>>>>>>>9	
◊	tx2_cn_tx_grp	Customer Credit Note Tax Group	Cust CN Tax Grp	x(20)	
◊	tx2_cr_voc_tx_grp	Supplier CN Tax Group	Sup CN Tax Grp	x(20)	
	tx2_curr	Currency	Cur	x(3)	
◊	tx2_daybookset	Daybook Set	Dybk Set	x(8)	
	tx2_desc	Description		x(24)	
◊	tx2_dltx_cn_acct	Delayed Tax CN Account	Delayed Tax CN Acct	x(8)	
◊	tx2_dltx_cn_sub	Delayed Tax CN Sub-Account	Delayed Tax CN Sub-Acct	x(8)	
◊	tx2_dltx_inv_acct	Delayed Tax Invoice Account	Delayed Tax Inv Acct	x(8)	
◊	tx2_dltx_inv_sub	Delayed Tax Invoice Sub-Account	Delayed Tax Inv Sub-Acct	x(8)	
	tx2_domain	Domain		x(8)	
	tx2_ec_process_work	EC Process Work		yes/no	
	tx2_ec_sales_list	EC Sales List		yes/no	
	tx2_effdate	Effective		99/99/99	
	tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
	tx2_group	Tax Group		x(8)	
	tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
◊	tx2_inv_tx_grp	Customer Invoice Tax Group	Cust Inv Tax Grp	x(20)	
	tx2_max	Maximum Taxable Amount	Max Amount	>>>,>>>,>>>,>>9.99<	10
	tx2_method	Tax Method	Tax! Meth	x(2)	
	tx2_min	Minimum Taxable Amount	Min Taxable	>>>,>>>,>>>,>>9.99<	10
	tx2_mod_date	Modified Date	Mod Date	99/99/99	
	tx2_pct_recv	Percent Recoverable	Pct Recov	->>9.99<<%	10
	tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
	tx2_pt_taxc	Item Tax Class	TxC	x(3)	
	tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
	tx2_register	Tax Register		x(2)	
◊	tx2_ret_cr_voc_tx_grp	Retained CN Tax Group	Retained CN Tax Grp	x(20)	
◊	tx2_ret_voc_tx_grp	Retained Invoice Tax Group	Retained Inv Tax Grp	x(20)	
◊	tx2_reverse_charge	Domestic Reverse Charge		yes/no	
	tx2_stx_acct	Suspended Tax Account		x(8)	
	tx2_stx_cc	CC		x(4)	
◊	tx2_stx_cn_acct	Suspended Tax CN Account	Susp Tax CN Acct	x(8)	
◊	tx2_stx_cn_sub	Suspended Tax CN Sub-Account	Susp Tax CN Sub-Acct	x(8)	
◊	tx2_stx_inv_acct	Suspended Tax Inv Account	Susp Tax Inv Acct	x(8)	
◊	tx2_stx_inv_sub	Suspended Tax Inv Sub-Account	Susp Tax Inv Sub-Acct	x(8)	
	tx2_stx_sub	Suspended Tax Sub Account	Sub-Acct	x(8)	
	tx2_tax_code	Tax Code		x(8)	
	tx2_tax_in	Allow Tax Included		yes/no	
	tx2_tax_pct	Tax Rate		->>9.99<<%	10
	tx2_tax_type	Tax Type		x(16)	
	tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
	tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
	tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
	tx2_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
	tx2_user1	Ufld1		x(8)	
	tx2_user2	Ufld2		x(8)	
	tx2_userid	User ID		x(8)	
◊	tx2_voc_tx_grp	Supplier Invoice Tax Group	Sup Inv Tax Grp	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tx2_mstr	yes	oid_tx2_mstr	yes	no
	tx2_register	no	tx2_domain	yes	no
			tx2_register	yes	no
*	tx2_tax_code	yes	tx2_domain	yes	no
			tx2_tax_code	yes	no
	tx2_type_taxc	yes	tx2_domain	yes	no
			tx2_tax_type	yes	no
			tx2_pt_taxc	yes	no
			tx2_tax_usage	yes	no
			tx2_effdate	yes	no

txbd_det

Tax Base Detail

Field Name	Label	Col-Label	Format	Dec
oid_txbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
txbd__qad01			x(8)	
txbd__qad02			x(8)	
txbd_base	Tax Base		x(8)	
txbd_domain	Domain		x(8)	
txbd_tax_type	Tax Type		x(16)	
txbd_user1	Ufld1		x(8)	
txbd_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txbd_det	yes	oid_txbd_det	yes	no
*	txbd_base_type	yes	txbd_domain	yes	no
			txbd_base	yes	no
			txbd_tax_type	yes	no

◊ txcl_mstr

Tax Class Master

Field Name	Label	Col-Label	Format	Dec
oid_txcl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
txcl__qadc01			x(24)	
txcl__qadc02			x(24)	
txcl_mod_date	Modified Date	Mod Date	99/99/99	
txcl_mod_userid	User ID		x(8)	
txcl_tax_cls	Tax Class		x(8)	
txcl_tax_desc	Description		x(24)	
txcl_user1	User Field Character 1		x(24)	
txcl_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txcl_mstr	yes	oid_txcl_mstr	yes	no
◊*	txcl_tax_cls	yes	txcl_tax_cls	yes	no

txc_ctrl Tax Control

	Field Name	Label	Col-Label	Format	Dec
	oid_txc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txc__chr01			x(8)	
	txc__chr02			x(8)	
	txc__dec01			->>>,>>>,>>9.99	10
	txc__dec02			->>>,>>>,>>9.99	10
	txc__dte01			99/99/99	
	txc__log01			yes/no	
	txc__qad01			x(8)	
	txc__qad02			x(8)	
	txc__qad03			yes/no	
	txc__qad04			->>>,>>>,>>9.99	10
	txc__qad05			99/99/99	
◊	txc_ar_taxexcl	Customer Invoice Total Excludes Tax		yes/no	
	txc_by_line	Tax-By-Line		yes/no	
◊	txc_comment_type	Tax Comment Type		x(2)	
	txc_ctry_code	Country Code	Ctry	x(3)	
◊	txc_default_taxable	Taxable		yes/no	
	txc_detrp	Display Detail on Reports		yes/no	
	txc_domain	Domain		x(8)	
	txc_edit_hist	Update History Allowed		yes/no	
	txc_index1	Index		>>>>>9	
	txc_inv_disc	Discount Tax at Invoice		yes/no	
	txc_inv_hist	Keep Tax History	Hist	yes/no	
◊	txc_is_tax_confirmed			yes/no	
	txc_method	Tax Method		x(2)	
	txc_pmt_disc	Discount Tax at Payment		yes/no	
	txc_prt_vat_reg	Print VAT Registration	Prt! VAT	yes/no	
	txc_rcpt_tax_point	Accrue Tax at Receipt	Accrue! Receipt	yes/no	
	txc_round	Rounding Method	R	x(1)	
◊	txc_tax_accrual_glcode			x(8)	
	txc_tax_code	Last Tax Code		x(8)	
	txc_tax_env	Tax Environment		x(16)	
◊	txc_tax_in_city	In City		yes/no	
	txc_tax_zone	Tax Zone		x(16)	
	txc_update_tax	Update Tax Allowed		yes/no	
	txc_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
	txc_user1	Ufld1		x(8)	
	txc_user2	Ufld2		x(8)	
	txc_val_vat_reg	Validate VAT Registration	Val! VAT	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txc_ctrl	yes	oid_txc_ctrl	yes	no
*	txc_index1	yes	txc_domain	yes	no

txed_det Tax Environment Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_txed_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	txed__log01			yes/no	
	txed__qad01			x(8)	
	txed__qad02			x(8)	
	txed__qad03			yes/no	
Δ	txed__qadc01			x(24)	
	txed_round	Rounding Method	R	x(1)	
	txed_seq	Sequence	Sq	>9	
	txed_tax_env	Tax Environment	Tax Env	x(16)	
	txed_tax_type	Tax Type		x(16)	
	txed_user1	Ufld1		x(8)	
	txed_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txed_det	yes	oid_txed_det	yes	no
Δ	txed_seq	no	txed_tax_env	yes	no
			txed_seq	yes	no
Δ*	txed_tax_env	yes	txed_tax_env	yes	no
			txed_tax_type	yes	no

◊ txenv_mstr Tax Class Master

	Field Name	Label	Col-Label	Format	Dec
	oid_txenv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	txenv__qadc01			x(24)	
	txenv__qadc02			x(24)	
	txenv_mod_date	Modified Date	Mod Date	99/99/99	
	txenv_mod_userid	User ID		x(8)	
	txenv_tax_desc	Description		x(24)	
	txenv_tax_env	Tax Environment	Code	x(16)	
	txenv_user1	User Field Character 1		x(24)	
	txenv_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txenv_mstr	yes	oid_txenv_mstr	yes	no
◊*	txenv_tax_env	yes	txenv_tax_env	yes	no

txe_mstr Tax Environment Master

	Field Name	Label	Col-Label	Format	Dec
	oid_txe_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	txe__log01			yes/no	
	txe__qad01	Description		x(24)	
	txe__qad02			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	txe__qad03			yes/no	
Δ	txe__qadc01			x(24)	
	txe_desc	Tax Environment	Tax Env	x(16)	
	txe_tax_env	Tax Environment	Tax Env	x(16)	
	txe_user1	Ufld1		x(8)	
	txe_user2	Ufld2		x(8)	
	txe_zone_from	Ship-From Tax Zone	Ship-From Zone	x(16)	
	txe_zone_to	Ship-To Tax Zone	Ship-To Zone	x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txe_mstr	yes	oid_txe_mstr	yes	no
Δ	txe_desc	no	txe_desc	yes	no
Δ*	txe_tax_env	yes	txe_tax_env	yes	no
Δ	txe_to_from	yes	txe_zone_to	yes	no
			txe_zone_from	yes	no

txhd_det

Tax History Detail

Field Name	Label	Col-Label	Format	Dec
oid_txhd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
txhd__chr01			x(8)	
txhd__chr02			x(8)	
txhd__dec01			->>>,>>>,>>9.99	10
txhd__dec02			->>>,>>>,>>9.99	10
txhd__dte01			99/99/99	
txhd__log01			yes/no	
txhd__qad01			x(8)	
txhd__qad02			x(8)	
txhd__qad03			yes/no	
txhd__qad04			->>>,>>>,>>9.99	10
txhd__qad05			->>>,>>>,>>9.99	10
txhd__qad06			99/99/99	
txhd_chg_date	Date Last Changed	Chg Date	99/99/99	
txhd_comm_code	Commodity Code	Com Code	x(8)	
txhd_container	Container Indicator	C	x(1)	
txhd_curr	Currency	Cur	x(3)	
txhd_cust_ctry	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
txhd_del_terms	Terms of Delivery	T Δ	x(3)	
txhd_desdis_ctry	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_domain	Domain		x(8)	
txhd_edit_hist	Editable Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>,>>>,>>>,>>9.99	10
txhd_line	Line		>>>>9	

Field Name	Label	Col-Label	Format	Dec
txhd_nbr	Number		x(8)	
txhd_net_wt	Net Weight	Net Wt	->>>>>>>9	
txhd_orig_ctry	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>,>>>,>>>,>>9.99	10
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_transh_port	Transhipment Port	T P	x(8)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>,>>>,>>>,>>9.99	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txhd_det	yes	oid_txhd_det	yes	no
	txhd_fiscal_class	no	txhd_domain	yes	no
			txhd_fiscal_class	yes	no
			txhd_tr_type	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
	txhd_post_type	no	txhd_domain	yes	no
			txhd_posted	yes	no
			txhd_tr_type	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
	txhd_ref_nbr	yes	txhd_domain	yes	no
			txhd_ref	yes	no
			txhd_nbr	yes	no
			txhd_line	yes	no
			txhd_trl	yes	no
			txhd_tr_type	yes	no
			txhd_tax_code	yes	no
*	txhd_tr_nbr	yes	txhd_domain	yes	no
			txhd_tr_nbr	yes	no

◊ txty_mstr Tax Type Master

	Field Name	Label	Col-Label	Format	Dec
	oid_txty_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txty__qadc01			x(24)	
	txty__qadc02			x(24)	
	txty_mod_date	Modified Date	Mod Date	99/99/99	
	txty_mod_userid	User ID		x(8)	
	txty_tax_desc	Description		x(24)	
	txty_tax_type	Code	Code	x(16)	
	txty_user1	User Field Character 1		x(24)	
	txty_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txty_mstr	yes	oid_txty_mstr	yes	no
◊*	txty_tax_type	yes	txty_tax_type	yes	no

◊ txu_mstr Tax Usage Master

	Field Name	Label	Col-Label	Format	Dec
	oid_txu_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txu__qadc01			x(24)	
	txu__qadc02			x(24)	
	txu_mod_date	Modified Date	Mod Date	99/99/99	
	txu_mod_userid	User ID		x(8)	
	txu_tax_desc	Description		x(24)	
	txu_tax_usage	Tax Usage	Tax Use	x(8)	
	txu_user1	User Field Character 1		x(24)	
	txu_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txu_mstr	yes	oid_txu_mstr	yes	no
◊*	txu_tax_usg	yes	txu_tax_usage	yes	no

txz_mstr Tax Zone Master

	Field Name	Label	Col-Label	Format	Dec
	oid_txz_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	txz__log01			yes/no	
	txz__qad01	Sums-Into Tax Zone	Sums-Into! Tax Zone	x(16)	
	txz__qad02	Use Sums-Into	Use! Sums	x(4)	
	txz__qad03	Subtotal This Level	Sub	yes/no	
Δ	txz__qadc01			x(24)	
	txz_city	City		x(20)	
	txz_county	County		x(20)	
	txz_ctry_code	Country Code	Ctry	x(3)	
	txz_desc	Description		x(24)	

Field Name	Label	Col-Label	Format	Dec
txz_state	State	St	x(4)	
txz_tax_zone	Tax Zone		x(16)	
txz_user1	Ufld1		x(8)	
txz_user2	Ufld2		x(8)	
txz_zip	Post		x(10)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_txz_mstr	yes	oid_txz_mstr	yes	no
Δ	txz_ctry_state	yes	txz_ctry_code	yes	no
			txz_state	yes	no
			txz_county	yes	no
			txz_city	yes	no
			txz_zip	yes	no
Δ	txz_desc	no	txz_desc	yes	no
Δ*	txz_tax_zone	yes	txz_tax_zone	yes	no

typ_mstr

Fixed Asset Type Master

Field Name	Label	Col-Label	Format	Dec
oid_typ_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
typ__qad01			yes/no	
typ__qad02			x(8)	
typ__qad03			x(8)	
typ_desc	Description		x(24)	
typ_method	Depreciation Method	Depr! Method	x(8)	
typ_type	Type	T	x(2)	
typ_user1	Ufld1		x(8)	
typ_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_typ_mstr	yes	oid_typ_mstr	yes	no
*	typ_type	yes	typ_type	yes	no

tzod_det

Service/Support Time Zone Detail

Field Name	Label	Col-Label	Format	Dec
oid_tzod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
tzod__chr01	Character Field 1		X(8)	
tzod__chr02	Character Field 2		X(8)	
tzod__dte01	Date Field 1		99/99/99	
tzod__dte02	Date Field 2		99/99/99	
tzod__int01	Integer Field 1		->,>>>,>>9	
tzod__int02	Integer Field 2		->,>>>,>>9	
tzod__log01	Logical Field 1		yes/no	
tzod__log02	Logical Field 2		yes/no	
tzod__qadc01	QAD Character Field 1		X(8)	

Field Name	Label	Col-Label	Format	Dec
tzod__qadc02	QAD Character Field 2		X(8)	
tzod__qadi01	QAD Integer Field 1		->,>>>,>>9	
tzod__qadi02	QAD Integer Field 2		->,>>>,>>9	
tzod__qadl01	QAD Logical Field 1		yes/no	
tzod__qadl02	QAD Logical Field 2		yes/no	
tzod__qadt01	QAD Date Field 1		99/99/99	
tzod__qadt02	QAD Date Field 2		99/99/99	
tzod_desc	Time Zone Description		X(60)	
tzod_eday	Ending Day		>9	
tzod_eyear	End Year		9999	
tzod_hour	Hours		>9	
tzod_min	Minutes		>9	
tzod_mod_date	Modified Date	Mod Date	99/99/99	
tzod_mod_userid	User ID		X(8)	
tzod_month	Start Period Month		>9	
tzod_offset	GMT Offset		+99999	
tzod_sday	Start Period Day		>9	
tzod_std_day	Time Period		X(3)	
tzod_syear	Start Year		9999	
tzod_tzone	Time Zone		X(8)	
tzod_user1	Ufld1		X(8)	
tzod_user2	Ufld2		X(8)	
tzod_wday	Weekday		X	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tzod_det	yes	oid_tzod_det	yes	no
*	tzod_tzond	yes	tzod_tzone	yes	no
			tzod_std_day	yes	no
			tzod_syear	yes	no
			tzod_eyear	yes	no

tzo_mstr

Service/Support Time Zone Master

Field Name	Label	Col-Label	Format	Dec
oid_tzo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
tzo__chr01	Character Field 1		X(8)	
tzo__dte01	Date Field 1		99/99/99	
tzo__int01	Integer Field 1		->,>>>,>>9	
tzo__log01	Logical Field 1		yes/no	
tzo__qadc01	QAD Character Field 1		X(8)	
tzo__qadi01	QAD Integer Field 1		->,>>>,>>9	
tzo__qadl01	QAD Logical Field 1		yes/no	
tzo__qadt01	QAD Date Field 1		99/99/99	
tzo_area	Area		X(8)	
tzo_auto_adj	Auto Period Adjust		yes/no	
tzo_desc	Description		X(40)	
tzo_label	Time Zone		X(8)	
tzo_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
tzo_mod_userid	User ID		X(8)	
tzo_tzone	Time Zone Tindex		X(20)	
tzo_user1	Ufld1		X(8)	
tzo_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_tzo_mstr	yes	oid_tzo_mstr	yes	no
	tzo_area	no	tzo_area	yes	no
*	tzo_label	yes	tzo_label	yes	no
			tzo_area	yes	no

udd_det

User Domain Detail.

Field Name	Label	Col-Label	Format	Dec
oid_udd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
udd__qadc01			x(24)	
udd__qadc02			x(24)	
udd_domain	Domain		x(8)	
Δ udd_groups	Roles		x(189)	
udd_mod_date	Modified Date	Mod Date	99/99/99	
udd_mod_userid	User ID		x(8)	
udd_primary	Default Domain		yes/no	
udd_user1	User Field Character 1		x(24)	
udd_user2	User Field Character 2		x(24)	
udd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_udd_det	yes	oid_udd_det	yes	no
	udd_domain	no	udd_domain	yes	no
	udd_primary	no	udd_userid	yes	no
			udd_primary	yes	no
*	udd_userid	yes	udd_userid	yes	no
			udd_domain	yes	no

◊ udfcls_mstr

UDF Class Master

Field Name	Label	Col-Label	Format	Dec
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
udfcls__qadc01			x(24)	
udfcls__qadc02			x(24)	
udfcls_class	Field Class		x(8)	
udfcls_desc	Description		x(48)	
udfcls_domain	Domain		x(8)	
udfcls_mod_date	Modified Date	Mod Date	99/99/99	
udfcls_mod_userid	User ID		x(8)	
udfcls_user1	Ufld1		x(24)	
udfcls_user2	Ufld2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_udfcls_mstr	yes	oid_udfcls_mstr	yes	no
◊*	udfcls_class	yes	udfcls_domain	yes	no
			udfcls_class	yes	no

◊ **udfclud_det** UDF Class Use Table

Field Name	Label	Col-Label	Format	Dec
oid_owning_record			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_udfcls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_udfclud_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
udfclud__qadc01			x(24)	
udfclud__qadc02			x(24)	
udfclud_mod_date	Modified Date	Mod Date	99/99/99	
udfclud_mod_userid	User ID		x(8)	
udfclud_table_name	Table		x(14)	
udfclud_user1	Ufld1		x(24)	
udfclud_user2	Ufld2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_udfclud_det	yes	oid_udfclud_det	yes	no
◊	udfclud_oid_class	yes	oid_udfcls_mstr	yes	no
			oid_owning_record	yes	no
◊*	udfclud_oid_owner	yes	oid_owning_record	yes	no
			oid_udfcls_mstr	yes	no

ufd_det User Function Key Detail

Field Name	Label	Col-Label	Format	Dec
oid_ufd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ufd__qadc01			x(8)	
ufd_exec	Execution File		x(14)	
ufd_fkey	Function Key	Key	>>9	
Δ ufd_label	Label		x(40)	
ufd_nbr	Menu		x(16)	
ufd_nbrsel	Menu/Sel		x(12)	
ufd_select	Selection	Select	>9	
ufd_seq	Sequence	Seq	>>9	
ufd_user1	Ufld1		x(8)	
ufd_user2	Ufld2		x(8)	
ufd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ufd_det	yes	oid_ufd_det	yes	no
	ufd_label	no	ufd_userid	yes	no
			ufd_label	yes	no
	ufd_nbrsel	no	ufd_userid	yes	no
			ufd_nbrsel	yes	no
*	ufd_ufs	yes	ufd_userid	yes	no
			ufd_fkey	yes	no
			ufd_seq	yes	no

◊ UMGroupD

Warehousing Unit of Measure Group Detail

Field Name	Label	Col-Label	Format	Dec
AllowSplit	Allow Split	Split	yes/no	
AltUM	Alternative UM	Alt UM	x(2)	
Conv	Conversion		>>>>9.9999<<<<	10
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
IDQty	ID Quantity	ID! Qty	>>>9	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_UMGroupD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PrintID	Print ID	Print! ID	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UMGroup	UM Group	Group	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	GroupUM	yes	Domain	yes	no
			UMGroup	yes	no
			AltUM	yes	no
◊	oid_UMGroupD	yes	oid_UMGroupD	yes	no
◊	UMGroup	yes	Domain	yes	no
			AltUM	yes	no
			UMGroup	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UMGroupM Warehousing Unit of Measure Group Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UMGroupM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
UM	UM		x(2)	
UMGroup	UM Group	Group	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_UMGroupM	yes	oid_UMGroupM	yes	no
◊*	UMGroup	yes	Domain	yes	no
			UMGroup	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

umsg_det

User Message Detail

Field Name	Label	Col-Label	Format	Dec
oid_umsg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
umsg__qadc01			x(8)	
umsg_addr	Address		x(8)	
umsg_call_pgm	Calling Program		x(14)	
umsg_domain	Domain		x(8)	
umsg_exec_pgm	Execution File	Exec File	x(14)	
umsg_lang	Language		x(2)	
umsg_level	Severity		9	
Δ umsg_nbr	Message Number	Msg	>>>>9	
umsg_seq	Message Sequence		>>9	
umsg_site	Site		x(8)	
umsg_user1	Ufld1		x(8)	
umsg_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_umsg_det	yes	oid_umsg_det	yes	no
	umsg_call	yes	umsg_domain	yes	no
			umsg_call_pgm	yes	no
			umsg_lang	yes	no
			umsg_site	yes	no
			umsg_addr	yes	no
			umsg_nbr	yes	no
			umsg_seq	yes	no
*	umsg_cm	yes	umsg_domain	yes	no
			umsg_lang	yes	no
			umsg_site	yes	no
			umsg_addr	yes	no
			umsg_call_pgm	yes	no
			umsg_nbr	yes	no
			umsg_seq	yes	no

um_mstr

Unit of Measure Conversion Master

Field Name	Label	Col-Label	Format	Dec
oid_um_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
um__chr01			x(8)	
um__chr02			x(8)	
um__chr03			x(8)	
um__chr04			x(8)	
um__chr05			x(8)	
um__chr06			x(8)	
um__dec01			>>>,>>>,>>9.99	10
um__dec02			>>>,>>>,>>9.99	10
um__dte01			99/99/99	
um__dte02			99/99/99	
um__log01			yes/no	
um__log02			yes/no	
um_alt_qty	UM Qty		>>>>9.9<<<<	10
um_alt_um	Alternate UM	Alt	x(2)	
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
um_domain	Domain		x(8)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_um_mstr	yes	oid_um_mstr	yes	no
	um_part	yes	um_domain	yes	no
			um_part	yes	no
			um_um	yes	no
			um_alt_um	yes	no
*	um_um_alt_pt	yes	um_domain	yes	no
			um_um	yes	no
			um_alt_um	yes	no
			um_part	yes	no

upd_det Printer/User Detail

Field Name	Label	Col-Label	Format	Dec
oid_upd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
upd__qadc01			x(8)	
upd_dev	Output To		x(8)	
upd_exec	Execution File		x(14)	
upd_nbr	Menu		x(16)	
upd_select	Selection	Select	>9	
upd_user1	Ufld1		x(8)	
upd_user2	Ufld2		x(8)	
upd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_upd_det	yes	oid_upd_det	yes	no
*	upd_uns	yes	upd_userid	yes	no
			upd_nbr	yes	no
			upd_select	yes	no

◊ urd_det Update Restriction Detail

Field Name	Label	Col-Label	Format	Dec
oid_ur_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_urd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
urd__qadc01			x(24)	
urd__qadc02			x(24)	
urd_account	Account		x(9)	
urd_change_inv_status	Change Inventory Status		yes/no	
urd_cost_center	Cost Center		x(5)	
urd_domain	Domain		x(8)	
urd_inv_status	Inv Status		x(9)	
urd_inv_status_to	Inv Status		x(9)	
urd_location	Location		x(9)	
urd_location_to	Location		x(9)	
urd_mod_date	Modified Date	Mod Date	99/99/99	
urd_mod_userid	User ID		x(8)	
urd_part	Item Number		x(19)	
urd_project	Project		x(9)	
urd_site	Site		x(9)	
urd_site_to	Site		x(9)	
urd_sub_account	Sub Account		x(9)	
urd_user1	User Field Character 1		x(24)	
urd_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_urd_det	yes	oid_urd_det	yes	no
◊	urd_account	no	oid_ur_mstr	yes	no
			urd_domain	yes	no
			urd_part	yes	no
			urd_site	yes	no
			urd_location	yes	no
			urd_inv_status	yes	no
			urd_account	yes	no
			urd_sub_account	yes	no
			urd_cost_center	yes	no
			urd_project	yes	no
◊*	urd_oid_ur_mstr	no	oid_ur_mstr	yes	no
			urd_domain	yes	no
			urd_part	yes	no
			urd_site	yes	no
			urd_site_to	yes	no
			urd_location	yes	no
			urd_location_to	yes	no
			urd_inv_status	yes	no
			urd_inv_status_to	yes	no

url_mstr URL Master

Field Name	Label	Col-Label	Format	Dec
oid_url_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
url__qadc02			X(8)	
url__qadc03			x(8)	
url__qadd01			->>>>,>>>,>>9.99<<<	10
url__qadi01			->,>>>,>>9	
url__qadi02			>>>>>>9	
url__qadl01			yes/no	
url__qadt01			99/99/99	
url_addr	User ID		X(8)	
url_call_pgm	Browse		X(14)	
url_desc	Description		x(50)	
url_determine	Determine		yes/no	
url_exec	URL to execute		x(50)	
url_field	Field		X(32)	
url_field_value	Value		x(50)	
url_image	GIF File Name		x(15)	
url_mod_date	Modified Date	Mod Date	99/99/99	
url_mod_userid	User ID		X(8)	
url_primary	Primary		yes/no	
url_script	URL Script		x(60)	
url_type	Type		x(8)	
url_user1	Ufld1		X(8)	
url_user2	Ufld2		X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_url_mstr	yes	oid_url_mstr	yes	no
	url_type_call_pgm	no	url_type	yes	no
			url_call_pgm	yes	no
			url_addr	yes	no
			url_field	yes	no
			url_field_value	yes	no
*	url_type_field	yes	url_type	yes	no
			url_field	yes	no
			url_field_value	yes	no
			url_addr	yes	no
			url_call_pgm	yes	no
			url_exec	yes	no
			url_script	yes	no

◊ ursc_det

Update Status Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_urd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_ursc_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ursc__qadc01			x(24)	
ursc__qadc02			x(24)	
ursc_inv_status	Inv Status		x(9)	
ursc_mod_date	Modified Date	Mod Date	99/99/99	
ursc_mod_userid	User ID		x(8)	
ursc_user1	User Field Character 1		x(24)	
ursc_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ursc_det	yes	oid_ursc_det	yes	no
◊*	ursc_oid_urd_det	yes	oid_urd_det	yes	no
			ursc_inv_status	yes	no

◊ ur_mstr

Update Restriction Master

Field Name	Label	Col-Label	Format	Dec
oid_lngd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_ur_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ur__qadc01			x(24)	
ur__qadc02			x(24)	
ur_mod_date	Modified Date	Mod Date	99/99/99	
ur_mod_userid	User ID		x(8)	
ur_user1	User Field Character 1		x(24)	
ur_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ur_mstr	yes	oid_ur_mstr	yes	no
◊*	ur_role	yes	oid_usrg_mstr	yes	no
			oid_lngd_det	yes	no

◊ UserD

Warehousing RF User Detail

Field Name	Label	Col-Label	Format	Dec
ActTask	Tasks Confirmed	Conf	->,>>>,>>9	
ActTime	Actual Time	Act Time	->,>>>,>>9	
ActTimeOld	Old Actual Time	Old Act Time	->,>>>,>>9	
ActUserID	User ID		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
IntRouteCode	Internal Routing	Internal! Routing	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Task	Task		x(8)	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	ActUserID	yes	Domain	yes	no
			ActUserID	yes	no
			Task	yes	no
			TrType	yes	no
			IntRouteCode	yes	no
◊	oid_UserD	yes	oid_UserD	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UserGroupD Warehousing RF User Group Detail

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_UserGroupD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserGroup	User Group	User! Group	x(8)	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActUserID	no	Domain	yes	no
			ActUserID	yes	no
◊*	GroupUser	yes	Domain	yes	no
			UserGroup	yes	no
			ActUserID	yes	no
◊	oid_UserGroupD	yes	oid_UserGroupD	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UserGroupM Warehousing RF User Group Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserGroupM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserGroup	User Group	User! Group	x(8)	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_UserGroupM	yes	oid_UserGroupM	yes	no
◊*	UserGroup	yes	Domain	yes	no
			UserGroup	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UserM

Warehousing RF User Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
Calendar	Calendar	Calendar	x(8)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Desc2	Description		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LineSort	Line Sort		x(8)	
MaxPalLoad	Max Pallet Load		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSort	Order Sort		x(8)	
Picking	Picking		x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ScanLot	Scan Lot		yes/no	
ScanRef	Scan Ref		yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	ActUserID	yes	Domain	yes	no
			ActUserID	yes	no
◊	oid_UserM	yes	oid_UserM	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UserSysM

Warehousing User System Code Security Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
MenuExec	Exec		x(10)	
MenuOption	Menu Option		x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserSysM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SystemCode	System		x(2)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ExecSystemUser	yes	Domain	yes	no
			MenuExec	yes	no
			SystemCode	yes	no
			ActUserID	yes	no
◊	oid_UserSysM	yes	oid_UserSysM	yes	no
◊*	UserSystemOption	yes	Domain	yes	no
			ActUserID	yes	no
			SystemCode	yes	no
			MenuOption	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ UserWLGM Warehousing User/Work Location Group Master

Field Name	Label	Col-Label	Format	Dec
ActUserID	User ID		x(8)	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DevCode	Device		X(8)	
Domain	Domain		x(8)	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_UserWLGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SystemFlavor	Flavor	Flv	x(1)	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	

Field Name	Label	Col-Label	Format	Dec
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ActUserID	no	Domain	yes	no
			ActUserID	yes	no
◊	oid_UserWLGM	yes	oid_UserWLGM	yes	no
◊	UserIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			ActUserID	yes	no
			WLocGp	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊*	UWLGMIdx	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no
			ActUserID	yes	no

usg_det

Application Usage Detail

Field Name	Label	Col-Label	Format	Dec
oid_usg_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usg__qadc01			x(24)	
usg__qadc02			x(24)	
usg__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
usg__qadt01			99/99/99	
usg_clear_date	Clear Date		99/99/99	
usg_count	Access Count		>>>,>>>,>>9	
usg_date	Access Date		99/99/99	
usg_exec	Program		x(16)	
usg_product	Application		x(16)	
usg_user1	User Field Character 1		x(24)	
usg_user2	User Field Character 2		x(24)	
usg_userid	Last Accessed By	User ID	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usg_det	yes	oid_usg_det	yes	no
*	usg_product	yes	usg_product	yes	no
			usg_exec	yes	no

uslh_hist

User Logon History

Field Name	Label	Col-Label	Format	Dec
oid_uslh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
uslh__qadc01			x(24)	
uslh__qadc02			x(24)	
uslh_access_type	Access Type	Access! Type	9	
uslh_date	Logon Date	Logon! Date	99/99/99	
uslh_domain	Domain		x(8)	
uslh_mod_date	Modified Date	Mod Date	99/99/99	
uslh_mod_userid	User ID		x(8)	
uslh_passwd_valid	Password Valid	Passwd! Valid	yes/no	
uslh_status_code	Logon Status Code	Status! Code	x(8)	
uslh_time	Logon Time		>>>>9	
uslh_timezone	Time Zone	Time! Zone	x(8)	
uslh_user1	User Field Character 1		x(24)	
uslh_user2	User Field Character 2		x(24)	
uslh_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_uslh_hist	yes	oid_uslh_hist	yes	no
	uslh_status_code	no	uslh_status_code	yes	no
			uslh_date	no	no
			uslh_time	no	no
*	uslh_userid	no	uslh_access_type	yes	no
			uslh_userid	yes	no
			uslh_date	no	no
			uslh_time	no	no
			uslh_passwd_valid	yes	no

uspw_hist

User Password History

Field Name	Label	Col-Label	Format	Dec
oid_uspw_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
uspw__qadc01			x(24)	
uspw__qadc02			x(24)	
uspw_date	Password Create Date	Create! Date	99/99/99	
uspw_mod_date	Modified Date	Mod Date	99/99/99	
uspw_mod_userid	User ID		x(8)	
uspw_time	Password Create Time	Create! Time	>>>>9	
uspw_timezone	Time Zone	Time! Zone	x(8)	

Field Name	Label	Col-Label	Format	Dec
uspw_user1	User Field Character 1		x(24)	
uspw_user2	User Field Character 2		x(24)	
uspw_userid	User ID		x(8)	
uspw_usr_passwd	Encoded Password	Password	x(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_uspw_hist	yes	oid_uspw_hist	yes	no
*	uspw_userid	yes	uspw_userid	yes	no
			uspw_date	no	no
			uspw_time	no	no

◊ Usr User

Field Name	Label	Col-Label	Format	Dec
DefaultLng_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Usr_ID			9999999999	
UsrInitials			x(20)	
UsrIsActive			yes/no	
UsrLogin			x(20)	
UsrMailAddress			x(60)	
UsrName			x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	InitialsIdx	no	UsrInitials	yes	no
◊	Lng	no	DefaultLng_ID	yes	no
◊	LoginIdx	yes	UsrLogin	yes	no
◊	NameIdx	no	UsrName	yes	no
◊*	Prim	yes	Usr_ID	yes	no

◊ UsrCompany Link User-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Usr_ID			9999999999	
UsrCompany_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	CompanyAndUser	yes	Usr_ID	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			Company_ID	yes	no
◊	Domain_FK	no	Domain_ID	yes	no
◊*	Prim	yes	UsrCompany_ID	yes	no
◊	Usr	no	Usr_ID	yes	no

usrc_ctrl User Control

	Field Name	Label	Col-Label	Format	Dec
	oid_usrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Δ	oid_usrg_mstr_admin	Administrator Group		>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usrc__qad01			x(8)	
	usrc__qad02			x(8)	
	usrc_active_rsn_type	Active Reason Type	Active Rsn! Type	x(8)	
	usrc_deactivation_rsn	Auto-deactivation Reason Code	Deactivation! Reason	x(8)	
	usrc_em_system_id	Email System	Email! System	X(8)	
	usrc_expire_days	Password Expiration Days		>>>>9	
	usrc_index1	Index		>>>>>9	
◊	usrc_ldap	LDAP Enabled		yes/no	
	usrc_logon_hist_level	Logon History Level	Logon! History! Level	x(2)	
	usrc_max_access_fails	Max Access Failures	Max! Access! Failures	>>9	
	usrc_min_length	Minimum Password Length	Min! Passwd! Length	>9	
	usrc_min_non_numeric	Minimum Non-numeric Characters	Non! Num! Char	>9	
	usrc_min_numeric	Minimum Numeric Characters	Numeric! Char	>9	
	usrc_password_create	Password Creation Method	Passwd! Create	x(2)	
	usrc_reuse_changes	Min Password Reuse Changes	Reuse! Changes	>9	
	usrc_reuse_days	Min Password Reuse Days	Reuse! Days	>>>>9	
	usrc_right_hdr_disp	Right Header Display Mode		9	
	usrc_sec_opt	Security Option		x(1)	
	usrc_sess_id	Session ID Prefix		x(3)	
◊	usrc_sso	Single Sign On Enabled		yes/no	
	usrc_timeout_min	Timeout Minutes		>>>>9	
	usrc_user1	Ufld1		x(8)	
	usrc_user2	Ufld2		x(8)	
	usrc_warning_days	Warning Days	Passwd! Warning! Days	>>>>9	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrc_ctrl	yes	oid_usrc_ctrl	yes	no
*	usrc_index1	yes	usrc_index1	yes	no

◊ UsrDomain Link User-Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Usr_ID			9999999999	
UsrDomain_ID			9999999999	
UsrDomainIsDefault			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Domain_FK	no	Domain_ID	yes	no
◊	Usr_FK	no	Usr_ID	yes	no
◊*	UsrDomain_PK	yes	UsrDomain_ID	yes	no

usrgd_det User Role Detail

Field Name	Label	Col-Label	Format	Dec
oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
oid_usrgd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usrgd__qadc01			x(24)	
usrgd__qadc02			x(24)	
usrgd_domain	Domain		x(8)	
usrgd_mod_date	Modified Date	Mod Date	99/99/99	
usrgd_mod_userid	User ID		x(8)	
usrgd_user1	User Field Character 1		x(24)	
usrgd_user2	User Field Character 2		x(24)	
usrgd_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrgd_det	yes	oid_usrgd_det	yes	no
*	usrgd_oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
			usrgd_domain	yes	no
			usrgd_userid	yes	no
	usrgd_userid	yes	usrgd_userid	yes	no
			usrgd_domain	yes	no
			oid_usrg_mstr	yes	no

◊ usrgm_det Role Compatibility Matrix

Field Name	Label	Col-Label	Format	Dec
oid_usrgm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usrgm__qadc01			x(24)	
usrgm__qadc02			x(24)	
usrgm_group1	Role Name		x(20)	
usrgm_group2	Role Name		x(20)	

	Field Name	Label	Col-Label	Format	Dec
	usrgm_mod_date	Modified Date	Mod Date	99/99/99	
	usrgm_mod_userid	User ID		x(8)	
	usrgm_user1	User Field Character 1		x(24)	
	usrgm_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrgm_det	yes	oid_usrgm_det	yes	no
◊*	usrgm_group_pair	yes	usrgm_group1	yes	no
			usrgm_group2	yes	no

usrg_mstr

User Role Master

	Field Name	Label	Col-Label	Format	Dec
	oid_usrg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usrg__qadc01			x(24)	
	usrg__qadc02			x(24)	
◊	usrg_active	Active		yes/no	
Δ	usrg_group_desc	Role Description		x(24)	
Δ	usrg_group_name	Role Name	Role	x(20)	
	usrg_mod_date	Modified Date	Mod Date	99/99/99	
	usrg_mod_userid	User ID		x(8)	
◊	usrg_sod_conflict	Role Conflict		yes/no	
	usrg_user1	User Field Character 1		x(24)	
	usrg_user2	User Field Character 2		x(24)	

	Index-Name	Uni	Field-Name	Asc	Abbr
	oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
*	usrg_group_name	yes	usrg_group_name	yes	no

usrl_det

User Licensed Application Detail

	Field Name	Label	Col-Label	Format	Dec
	oid_usrl_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	usrl__qadc01			x(24)	
	usrl__qadc02			x(24)	
	usrl__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
	usrl__qadt01			99/99/99	
	usrl_active	Active		yes/no	
	usrl_active_date	Activated Date		99/99/99	
	usrl_deactive_by	Deactivated By		x(8)	
	usrl_deactive_date	Deactivated Date		99/99/99	
	usrl_mod_date	Modified Date	Mod Date	99/99/99	
	usrl_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
usrl_product	Application		x(16)	
usrl_user1	User Field Character 1		x(24)	
usrl_user2	User Field Character 2		x(24)	
usrl_userid	User ID		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrl_det	yes	oid_usrl_det	yes	no
	usrl_product	no	usrl_product	yes	no
			usrl_userid	yes	no
*	usrl_userid	yes	usrl_userid	yes	no
			usrl_product	yes	no

◊ UsrProperty User Property

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
Usr_ID			9999999999	
UsrProperty_ID	Record ID	Record ID	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	UsrProperty_ID	yes	no
◊	UsrId	yes	Usr_ID	yes	no

◊ UsrRole

Link User-Role

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleIsDefaultRole			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	UsrRole_ID	yes	no
◊	Role	no	Role_ID	yes	no
◊	Usr	no	Usr_ID	yes	no
◊	UsrAndRole	yes	Usr_ID	yes	no
			Role_ID	yes	no

◊ UsrRoleCompany

Link User-Role-Company

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleCompany_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	Domain_FK	no	Domain_ID	yes	no
◊*	Prim	yes	UsrRoleCompany_ID	yes	no
◊	Role_FK	no	Role_ID	yes	no
◊	Usr_FK	no	Usr_ID	yes	no
◊	UsrRole	no	UsrRole_ID	yes	no

◊ **UsrRoleDomain** Link User-Role-Domain

Field Name	Label	Col-Label	Format	Dec
Domain_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Role_ID			9999999999	
Usr_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleDomain_ID			9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Domain_FK	no	Domain_ID	yes	no
◊*	prim	yes	UsrRoleDomain_ID	yes	no
◊	Role_FK	no	Role_ID	yes	no
◊	Usr_FK	no	Usr_ID	yes	no
◊	UsrRole_FK	no	UsrRole_ID	yes	no

◊ **UsrRoleScope** Link User-Role Scope

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
SharedSet_ID			9999999999	
UsrRole_ID			9999999999	
UsrRoleScope_ID			9999999999	
UsrRoleScopeValue			x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊*	Prim	yes	UsrRoleScope_ID	yes	no
◊	SharedSet	no	SharedSet_ID	yes	no
◊	UniqueIdx	yes	UsrRoleScopeValue	yes	no
			Company_ID	yes	no
			SharedSet_ID	yes	no
			UsrRole_ID	yes	no
◊	UsrRole	no	UsrRole_ID	yes	no

usrw_wkfl User Work Table

Field Name	Label	Col-Label	Format	Dec
oid_usrw_wkfl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usrw__qadc01			x(8)	
usrw_charfld[15]			x(8)	
usrw_datefld[4]			99/99/99	
usrw_decfld[15]			->>,>>9.99	10
usrw_domain	Domain		x(8)	
usrw_intfld[15]			->,>>>,>>9	
usrw_key1			x(8)	
usrw_key2			x(8)	
usrw_key3			x(8)	
usrw_key4			x(8)	
usrw_key5			x(8)	
usrw_key6			x(8)	
usrw_logfld[15]			yes/no	
usrw_user1	Ufld1		x(8)	
usrw_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usrw_wkfl	yes	oid_usrw_wkfl	yes	no
*	usrw_index1	yes	usrw_domain	yes	no
			usrw_key1	yes	no
			usrw_key2	yes	no
	usrw_index2	no	usrw_domain	yes	no
			usrw_key3	yes	no
			usrw_key4	yes	no
	usrw_index3	no	usrw_domain	yes	no
			usrw_key5	yes	no
			usrw_key6	yes	no

usr_mstr User Master

Field Name	Label	Col-Label	Format	Dec
oid_usr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
usr__qad01			x(8)	
usr__qad02			x(8)	
usr__qadc01	QAD Character Field		X(8)	
usr__qadc02	QAD Character Field		X(8)	
usr__qadc03	QAD Character Field		x(8)	
usr__qadc04	QAD Character Field		X(8)	
usr__qadc05			x(24)	
usr__qadi01	QAD Integer Field		>>>9	
usr__qadi02	QAD Integer Field		>>9	
usr__qadl01	QAD Logical Field		yes/no	
usr__qadl02	QAD Logical Field		yes/no	
usr__qadl03			yes/no	
usr_access_loc	Access Location		x(8)	
usr_access_type	Access Type		x(8)	
usr_active	Active	Active	yes/no	

1002 Vat

	Field Name	Label	Col-Label	Format	Dec
	usr_active_by	Active By	Active Changed By! User ID	x(8)	
	usr_active_date	Active Date	Active! Chg Date	99/99/99	
	usr_active_reason	Active Reason	Reason! Code	x(8)	
	usr_addr	Address		x(8)	
	usr_ctry_code	Country Code	Ctry	x(3)	
◊	usr_enabled	User Enabled		yes/no	
	usr_failed_attempts	Password Failed Attempts	Passwd Failed! Attempts	>>9	
	usr_force_change	Password Force Change	Passwd! Force! Change	yes/no	
Δ	usr_initials	Initials	Init	x(20)	
	usr_lang	Language	Lang	x(2)	
	usr_last_date	Date Password Last Changed	Changed	99/99/99	
	usr_logon_date	Last Logon Date	Logon Date	99/99/99	
	usr_logon_time	Last Logon Time	Logon Time	>>>>9	
	usr_logon_timezone	Last Logon Time Zone	Server! Time! Zone	x(8)	
	usr_mail_address	E-mail Address	E-mail	x(60)	
	usr_name	User Name		x(35)	
	usr_passwd	Password		x(16)	
	usr_remark	Remark		x(60)	
	usr_restrict	Restricted		yes/no	
	usr_site	Site		x(8)	
	usr_timezone	Time Zone		x(8)	
	usr_type	User Type		x(8)	
◊	usr_tzdb	Time Zone DB		x(16)	
	usr_user1	Ufld1		x(8)	
	usr_user2	Ufld2		x(8)	
	usr_userid	User ID		x(8)	
	usr_variant_code	Variant		x(6)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_usr_mstr	yes	oid_usr_mstr	yes	no
*	usr_userid	yes	usr_userid	yes	no

◊ Vat

Tax

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4

Field Name	Label	Col-Label	Format	Dec
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
Domain_ID	Domain	Domain	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
TxuTaxUsage	Tax Usage	Tax Usage	x(8)	
Vat_ID	Record ID	Record ID	9999999999	
VatAVRType	AVR Code	AVR Code	x(20)	
VatCode	Tax Code	Tax Code	x(20)	
VatDescription	Description	Description	x(40)	
VatInOut	Tax In/Out	In/Out	x(20)	
VatInvoiceText	Tax Text on Invoice	Tax Text on Invoice	x(2000)	
VatIsAbsorbed	Absorbed	Absorbed	yes/no	
VatIsActive	Active	Act	yes/no	
VatIsDelay	Delay	Delay	yes/no	
VatIsGlobalTax	Global Tax	Global Tax	yes/no	
VatIsRetained	Retained	Retained	yes/no	
VatPercentageLevel	Tax Percentage Level	Perc Level	x(20)	
VatTransactionType	Transaction Type	Trans Type	x(20)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	IsGlobal	no	VatIsGlobalTax	yes	no
◊*	Prim	yes	Vat_ID	yes	no
◊	UniqueIdx	yes	Domain_ID	yes	no
			VatCode	yes	no
			VatInOut	yes	no
◊	ViewIndex	no	VatIsActive	yes	no
			VatCode	yes	no

◊ VatBox

Tax Box

Field Name	Label	Col-Label	Format	Dec
Country_ID	Tax Country Code	Country	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatBox_ID	Record ID	Record ID	9999999999	
VatBoxCode	Tax Box Code	Tax Box	x(20)	
VatBoxDescription	Description	Description	x(40)	
VatBoxIsActive	Active	Active	yes/no	
VatBoxType	Tax Box Type	Type	x(20)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ BoxCode	yes	VatBoxCode	yes	no
◊ Country	no	Country_ID	yes	no
◊* Prim	yes	VatBox_ID	yes	no
◊ ViewIndex	no	VatBoxIsActive	yes	no
		VatBoxCode	yes	no

◊ VatExport

Tax Export

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
Country_ID	Link to Country	Link to Country	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	->,>>>,>>9	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatExport_ID	Record ID	Record ID	9999999999	
VatExportEstimate	Estimated Declaration	Estimated Declaration	->>,>>>,>>>,>>9	
VatExportFileName	File Name	File Name	x(255)	
VatExportMessageIdentity	Message ID	Message ID	x(20)	
VatExportPeriodType	Tax Period Type	Tax Period Type	x(20)	
VatNumber_ID	Link to VatNumber	Link to VatNumber	9999999999	
VatPeriod_ID	GL Period	GL Period	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Company	no	Company_ID	yes	no
◊ Country	no	Country_ID	yes	no
◊* Prim	yes	VatExport_ID	yes	no
◊ Unique2Idx	yes	VatExportMessageIdentity	yes	no
◊ UniqueIdx	yes	Company_ID	yes	no
		VatExportPeriodType	yes	no
		VatPeriod_ID	yes	no
		Country_ID	yes	no
◊ VatNumber	no	VatNumber_ID	yes	no
◊ VatPeriod	no	VatPeriod_ID	yes	no

◊ VatGroup Tax Group

Field Name	Label	Col-Label	Format	Dec
DiscountGLProfile_ID	Discount GL Profile	Discount GL Profile	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatGroup_ID	Record ID	Record ID	9999999999	
VatGroupCode	Tax Group Code	Tax Group Code	x(20)	
VatGroupDescription	Description	Description	x(40)	
VatGroupIsActive	Active	Active	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	VatGroupCode	yes	no
◊ DiscountGLProfile	no	DiscountGLProfile_ID	yes	no
◊* prim	yes	VatGroup_ID	yes	no
◊ ViewIndex	no	VatGroupIsActive	yes	no
		VatGroupCode	yes	no

◊ VatGroupBoxLink Tax Group Box Link

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatBox_ID	Tax Box Code	Tax Box Code	9999999999	
VatGroup_ID	Link to VatGroup	Link to VatGroup	9999999999	
VatGroupBoxLink_ID	Record ID	Record ID	9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* Prim	yes	VatGroupBoxLink_ID	yes	no
◊ VatBox	no	VatBox_ID	yes	no
◊ VatGroup	no	VatGroup_ID	yes	no
◊ VatGrpVatBox	yes	VatGroup_ID	yes	no
		VatBox_ID	yes	no

◊ VatNumber Tax Number

Field Name	Label	Col-Label	Format	Dec
BusinessRelation_ID	Link to BusinessRelation	Link to BusinessRelation	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	

1006 VatNumber

Field Name	Label	Col-Label	Format	Dec
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
DeclarationCountry_ID	Country Tax Declaration	Country Tax Decl	9999999999	
IdentityCountry_ID	Country Tax Identification	Country Tax Ident	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatNumber_ID	Record ID	Record ID	9999999999	
VatNumberDeclaration	Tax Declaration Number	Tax Declaration No	x(20)	
VatNumberIdentity	Tax Identification Number	Tax Identification No	x(20)	
VatNumberIsActive	Active	Active	yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BusinessRelation	no	BusinessRelation_ID	yes	no
◊	Country	no	IdentityCountry_ID	yes	no
◊	Indentity	no	VatNumberIdentity	yes	no
◊*	Prim	yes	VatNumber_ID	yes	no
◊	VatNumberUniqueIdx	yes	BusinessRelation_ID	yes	no
			VatNumberIdentity	yes	no
			IdentityCountry_ID	yes	no
◊	ViewIndex	no	VatNumberIsActive	yes	no
			VatNumberIdentity	yes	no

◊ VatPercent Tax Percent

Field Name	Label	Col-Label	Format	Dec
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatPercent_ID	Record ID	Record ID	9999999999	
VatPercentCode	Tax Percent Code	Tax Percent Code	x(20)	
VatPercentDescription	Description	Description	x(40)	
VatPercentIsActive	Active	Active	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Code	yes	VatPercentCode	yes	no
◊* prim	yes	VatPercent_ID	yes	no
◊ ViewIndex	no	VatPercentIsActive	yes	no
		VatPercentCode	yes	no

◊ VatPercentLine Tax Percent Line

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VatPercent_ID	Link to VatPercent	Link to VatPercent	9999999999	
VatPercentLine_ID	Record ID	Record ID	9999999999	
VatPercentLineFromDate	Valid From	Valid From	99/99/9999	
VatPercentLinePercentage	Percentage	Percentage	>>9.99	2
VatPercentLineTillDate	Valid To	Valid To	99/99/9999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	prim	yes	VatPercentLine_ID	yes	no
◊	VatPercent	no	VatPercent_ID	yes	no

◊ VatPeriod Tax Period

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	

Field Name	Label	Col-Label	Format	Dec
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
PeriodMark_ID	Mark	Mark	9999999999	
VatPeriod_ID	Record ID	Record ID	9999999999	
VatPeriodEndDate	End Date	End Date	99/99/9999	
VatPeriodIsReportChecked	Checked/Reported	Checked/Reported	yes/no	
VatPeriodPeriod	Tax Period	Tax Pd	99	
VatPeriodStartDate	Start Date	Start Date	99/99/9999	
VatPeriodStatus	Status	Status	x(20)	
VatPeriodYear	Tax Year	Tax Year	9999	
VatPeriodYearPeriod	Tax Year/GL Period	Tax Year/GL Pd	999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊	EndDate	no	VatPeriodEndDate	yes	no
◊	PeriodMark	no	PeriodMark_ID	yes	no
◊*	Prim	yes	VatPeriod_ID	yes	no
◊	StartDate	no	VatPeriodStartDate	yes	no
◊	VatPeriod	no	VatPeriodPeriod	yes	no
◊	VatYear	no	VatPeriodYear	yes	no
◊	YearPeriod	no	VatPeriodYearPeriod	yes	no
◊	YearPeriodCompany	yes	Company_ID	yes	no
			VatPeriodYear	yes	no
			VatPeriodPeriod	yes	no

◊ VatRule

Tax Rule

Field Name	Label	Col-Label	Format	Dec
AbsorbedCreditNVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
AbsorbedInvoiceVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
CreditNoteGLProfile_ID	CN GL Profile	CN GL Profile	9999999999	
CreditNoteVatGroup_ID	Credit Note Tax Group	Credit Note Tax Group	9999999999	
CreditVoucherVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
CustomCombo0	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo1	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo2	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo3	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo4	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo5	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo6	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo7	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo8	Custom Combo Field	Custom Combo Field	x(20)	
CustomCombo9	Custom Combo Field	Custom Combo Field	x(20)	
CustomDate0	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate1	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate2	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate3	Custom Date Field	Custom Date Field	99/99/9999	
CustomDate4	Custom Date Field	Custom Date Field	99/99/9999	

1010 VatRule

Field Name	Label	Col-Label	Format	Dec
CustomDecimal0	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal1	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal2	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal3	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomDecimal4	Custom Decimal Field	Custom Decimal Field	->,>>>,>>9.99	4
CustomInteger0	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger1	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger2	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger3	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomInteger4	Custom Integer Field	Custom Integer Field	->,>>>,>>9	
CustomLong0	Custom Long Field	Custom Long Field	x(255)	
CustomLong1	Custom Long Field	Custom Long Field	x(255)	
CustomNote	Custom Note Field	Custom Note Field	x(2000)	
CustomShort0	Custom Short Field	Custom Short Field	x(20)	
CustomShort1	Custom Short Field	Custom Short Field	x(20)	
CustomShort2	Custom Short Field	Custom Short Field	x(20)	
CustomShort3	Custom Short Field	Custom Short Field	x(20)	
CustomShort4	Custom Short Field	Custom Short Field	x(20)	
CustomShort5	Custom Short Field	Custom Short Field	x(20)	
CustomShort6	Custom Short Field	Custom Short Field	x(20)	
CustomShort7	Custom Short Field	Custom Short Field	x(20)	
CustomShort8	Custom Short Field	Custom Short Field	x(20)	
CustomShort9	Custom Short Field	Custom Short Field	x(20)	
DelayedGLProfile_ID	Delayed GL Profile	Delayed GL Profile	9999999999	
InvoiceGLProfile_ID	Invoice GL Profile	Invoice GL Profile	9999999999	
InvoiceVatGroup_ID	Invoice Tax Group	Invoice Tax Group	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
RetainCVoucherVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
RetainVoucherVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	
Vat_ID	Link to Vat	Link to Vat	9999999999	
VatPercent_ID	Tax Percentage	Tax Percentage	9999999999	
VatRule_ID	Record ID	Record ID	9999999999	
VatRuleBaseFull	Base/Full	Base/Full	x(20)	
VatRuleDelayCorrection	Delay Correction	Delay Correction	9	
VatRuleDescription	Description	Description	x(40)	
VatRuleIsDelayed	Delayed	Delayed	yes/no	
VatRuleIsPassBaseValue	Base Value	Base Value	yes/no	
VatRuleIsPosting	Posting	Posting	yes/no	
VatRuleMovementType	Activity Type	Activity Type	x(20)	
VatRuleOperator	Operator	Opr	x(1)	
VatRuleRef1	Reference 1	Ref 1	x(20)	
VatRuleRef2	Reference 2	Ref 2	x(20)	
VatRuleRounding	Rounding	Rounding	x(20)	
VatRuleSequence	Sequence	Seq	->,>>>,>>9	
VatRuleUsage	Usage	Usage	x(20)	
VatRuleValue	Value	Value	->>,>>>,>>>,>>9.9999	4
VoucherVatGroup_ID	Tax Group Code	Tax Group Code	9999999999	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	BaseFull	no	VatRuleBaseFull	yes	no
◊	CreditNoteGLProfile	no	CreditNoteGLProfile_ID	yes	no
◊	CreditNoteVatGroup	no	CreditNoteVatGroup_ID	yes	no
◊	DiscountGLProfile	no	DelayedGLProfile_ID	yes	no
◊	InvoiceGLProfileIdx	no	InvoiceGLProfile_ID	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	InvoiceVatGroup	no	InvoiceVatGroup_ID	yes	no
◊	LogicalKeyUniqueIdx	yes	VatRuleBaseFull	yes	no
			VatRuleSequence	yes	no
			Vat_ID	yes	no
◊*	Prim	yes	VatRule_ID	yes	no
◊	Vat	no	Vat_ID	yes	no

vdf_mstr

Supplier Fiscal Data Master

Field Name	Label	Col-Label	Format	Dec
oid_vdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vdf__qadc01			x(24)	
vdf__qadc02			x(24)	
vdf__qadc03			x(24)	
vdf__qadc04			x(24)	
vdf__qadc05			x(24)	
vdf__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
vdf__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
vdf__qadi01			->>>>>>>9	
vdf__qadi02			->>>>>>>9	
vdf__qadl01			yes/no	
vdf__qadl02			yes/no	
vdf__qadt01			99/99/99	
vdf__qadt02			99/99/99	
vdf_addr	Supplier		x(8)	
vdf_birthcity	Birth City		x(20)	
vdf_birthday	Birth Date		99/99/99	
vdf_domain	Domain		x(8)	
vdf_fiscal_code	Fiscal Code		x(16)	
vdf_for_fiscal_code	Foreign Fiscal Code		x(16)	
vdf_mod_date	Modified Date	Mod Date	99/99/99	
vdf_mod_userid	User ID		x(8)	
vdf_rsn_code	Reason Code		x(8)	
vdf_user1	User Field Character 1		x(24)	
vdf_user2	User Field Character 2		x(24)	
vdf_userc03	User Field Character 3		x(24)	
vdf_userc04	User Field Character 4		x(24)	
vdf_userc05	User Field Character 5		x(24)	
vdf_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
vdf_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
vdf_useri01	User Field Integer 1		->>>>>>>9	
vdf_useri02	User Field Integer 2		->>>>>>>9	
vdf_userl01	User Field Logical 1		yes/no	
vdf_userl02	User Field Logical 2		yes/no	
vdf_usert01	User Field Date 1		99/99/99	
vdf_usert02	User Field Date 2		99/99/99	
vdf_withholdtax	Withholding Tax		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vdf_mstr	yes	oid_vdf_mstr	yes	no
*	vdf_addr	yes	vdf_domain	yes	no
			vdf_addr	yes	no

vd_mstr Supplier Master

	Field Name	Label	Col-Label	Format	Dec
◊	oid_btr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	oid_vd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
	vd__chr01			x(8)	
	vd__chr02			x(8)	
	vd__chr03			x(8)	
	vd__chr04			x(8)	
	vd__chr05			x(8)	
	vd__chr06			x(8)	
	vd__chr07			x(8)	
	vd__chr08			x(8)	
	vd__chr09			x(8)	
	vd__chr10			x(8)	
	vd__dec01			>>>,>>>,>>9.99	10
	vd__dec02			>>>,>>>,>>9.99	10
	vd__dte01			99/99/99	
	vd__dte02			99/99/99	
	vd__log01			yes/no	
	vd__qadc01	QAD Field		X(8)	0
	vd__qadc02	QAD Field		X(8)	0
	vd__qadc03	QAD Field		X(8)	0
	vd__qadc04	QAD Field		X(8)	0
	vd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
	vd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
	vd__qadi01			>>>>>>9	
	vd__qadi02			>>>>>>9	
	vd__qadl01			yes/no	
	vd__qadl02			yes/no	
	vd__qadl03			yes/no	
	vd__qadl04			yes/no	
	vd__qadt01			99/99/99	
	vd__qadt02			99/99/99	
	vd_1099	Tax Report	Tax Rpt	yes/no	
◊	vd_active	Active		yes/no	
	vd_addr	Supplier		x(8)	
	vd_ap_acct	AP Account	AP Acct	x(8)	
	vd_ap_cc	AP Cost Ctr	CC	x(4)	
	vd_ap_cntct	AP Contact		x(24)	
	vd_ap_sub	AP Sub-Account	Sub-Acct	x(8)	
	vd_balance	Balance		->>>,>>>,>>9.99	10
	vd_bank	Bank		x(2)	
	vd_buyer	Buyer		x(8)	
◊	vd_carrier_id	Carrier		x(8)	
	vd_ckfrm	Check Form	Ck	x(2)	
	vd_conrep_logic	Consume/Replace Logic		x(1)	

	Field Name	Label	Col-Label	Format	Dec
	vd_cr_terms	Cr Terms		x(8)	
	vd_curr	Currency	Cur	x(3)	
◊	vd_data_complete	Data Complete		yes/no	
	vd_db	DB Number		x(16)	
	vd_debtor	Debtor Number	Debtor	x(10)	
	vd_disc_pct	Disc %		->9.99%	10
	vd_domain	Domain		x(8)	
	vd_drft_bal	Draft Balance		->>,>>>,>>>,>>9.99	10
	vd_ex_ratetype	Rate Type		x(8)	
	vd_fix_pr	Fixed Price		yes/no	
	vd_fob	FOB		x(20)	
	vd_fr_list	Freight List	Frt List	x(8)	
	vd_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
	vd_fr_terms	Freight Terms	Fr Terms	x(8)	
◊	vd_gst_id	Tax ID - Federal		x(18)	
	vd_hold	Payment Hold	Hold	yes/no	
◊	vd_kanban_supplier	Kanban Supplier		yes/no	
	vd_lang	Language		x(2)	
	vd_last_ck	Last Check		99/99/99	
	vd_lc_bal	LC Balance		->>,>>>,>>>,>>9.99	10
	vd_misc_cr	Miscellaneous Creditor		yes/no	
◊	vd_misc1_id	Tax ID - Misc 1		x(18)	
◊	vd_misc2_id	Tax ID - Misc 2		x(18)	
◊	vd_misc3_id	Tax ID - Misc 3		x(18)	
	vd_mod_date	Modified Date	Mod Date	99/99/99	
	vd_partial	Partial OK	Partial	yes/no	
	vd_pay_spec	Pay Specification	Pay Spec	yes/no	
	vd_pr_list	Disc Tbl		x(8)	
	vd_pr_list2	Price Tbl	Pr Tbl	x(8)	
	vd_prepay	Prepayment Balance		->>,>>>,>>>,>>9.99	10
	vd_promo	Promotion Group		x(8)	
◊	vd_pst_id	Tax ID - State		x(18)	
	vd_pur_acct	Pur Acct		x(8)	
	vd_pur_cc	Pur Cost Ctr	CC	x(4)	
	vd_pur_cntct	Purchase Contact		x(24)	
	vd_pur_sub	Pur Sub-Acct	Sub-Acct	x(8)	
	vd_rcv_held_so	Send Credit Held SO	Rec Cr Hd	yes/no	
	vd_rcv_so_price	Send SO Price	Rec Ext Price	yes/no	
	vd_remit	Remit-to		x(8)	
	vd_rmks	Remarks		x(40)	
	vd_shipvia	Ship Via		x(20)	
	vd_sort	Sort Name		x(28)	
	vd_tax_id	Tax ID		x(18)	
◊	vd_tax_in	Tax In		yes/no	
◊	vd_tax_in_city	In City		yes/no	
◊	vd_tax_usage	Tax Usage	Tax Use	x(8)	
◊	vd_tax_zone	Tax Zone		x(16)	
	vd_taxable	Taxable	Tax	yes/no	
◊	vd_taxc	Tax Class	TxC	x(3)	
	vd_tid_notice	TID Notice	T! N	x(1)	
	vd_tot_terms_code	Terms of Trade		x(8)	
	vd_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
	vd_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
	vd_type	Type		x(4)	

Field Name	Label	Col-Label	Format	Dec
vd_user1	Ufld1		x(8)	
vd_user2	Ufld2		x(8)	
vd_userid	User ID		x(8)	
vd_vt_id	VAT ID		x(18)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vd_mstr	yes	oid_vd_mstr	yes	no
◊	vd_active	no	vd_domain	yes	no
			vd_active	yes	no
*	vd_addr	yes	vd_domain	yes	no
			vd_addr	yes	no
◊	vd_datacomplete	no	vd_domain	yes	no
			vd_data_complete	yes	no
	vd_remit	no	vd_domain	yes	no
			vd_remit	yes	no
			vd_addr	yes	no
	vd_sort	no	vd_domain	yes	no
			vd_sort	yes	no

vecd_det

Supplier Performance Category Detail

Field Name	Label	Col-Label	Format	Dec
oid_vecd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vecd__qadc01	QAD Field		X(8)	0
vecd__qadc02	QAD Field		X(8)	0
vecd__qadc03	QAD Field		X(8)	0
vecd__qadc04	QAD Field		X(8)	0
vecd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vecd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vecd__qadi01			>>>>>>9	
vecd__qadi02			>>>>>>9	
vecd__qadl01			yes/no	
vecd__qadl02			yes/no	
vecd__qadt01			99/99/99	
vecd__qadt02			99/99/99	
vecd_category	Category		x(8)	
vecd_domain	Domain		x(8)	
vecd_mod_date	Modified Date	Mod Date	99/99/99	
vecd_mod_userid	User ID		x(8)	
vecd_percent	Percent		>>9.99	10
vecd_user1	Ufld1		x(8)	
vecd_user2	Ufld2		x(8)	
vecd_user3			x(8)	
vecd_user4			x(8)	
vecd_value_from	Value From		->>>>,>>9.99	10
vecd_value_to	Value To		->>>>,>>9.99	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vecd_det	yes	oid_vecd_det	yes	no
*	vecd_category	yes	vecd_domain	yes	no
			vecd_category	yes	no
			vecd_value_from	yes	no

vec_mstr

Supplier Performance Category Master

Field Name	Label	Col-Label	Format	Dec
oid_vec_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vec__qadc01	QAD Field		X(8)	0
vec__qadc02	QAD Field		X(8)	0
vec__qadc03	QAD Field		X(8)	0
vec__qadc04	QAD Field		X(8)	0
vec__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vec__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vec__qadi01			>>>>>>9	
vec__qadi02			>>>>>>9	
vec__qadl01			yes/no	
vec__qadl02			yes/no	
vec__qadt01			99/99/99	
vec__qadt02			99/99/99	
vec_active_flag	Use Category		yes/no	
vec_category	Category		x(8)	
vec_comp_method	Computation Method		X(12)	
vec_desc	Description		x(24)	
vec_discrete_type	Discrete Type		Add/Deduct	
vec_domain	Domain		x(8)	
vec_max_points	Maximum Points		->,>>>,>>9	
vec_mod_date	Modified Date	Mod Date	99/99/99	
vec_mod_userid	User ID		x(8)	
vec_name	Name		x(12)	
vec_pp_counter	Parts-Per Counter		Events/Quantity	
vec_pp_factor	Parts-Per Factor		>,>>>,>>>,>>9	
vec_table_lookup_flag	Use Lookup Table		yes/no	
vec_threshold_points	Threshold Points		->,>>>,>>9	
vec_user1	Ufld1		x(8)	
vec_user2	Ufld2		x(8)	
vec_user3			x(8)	
vec_user4			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vec_mstr	yes	oid_vec_mstr	yes	no
*	vec_category	yes	vec_domain	yes	no
			vec_category	yes	no

vee_mstr

Supplier Performance Event Master

Field Name	Label	Col-Label	Format	Dec
oid_vee_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vee__qadc01	QAD Field		X(8)	0
vee__qadc02	QAD Field		X(8)	0
vee__qadc03	QAD Field		X(8)	0
vee__qadc04	QAD Field		X(8)	0
vee__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vee__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vee__qadi01			>>>>>>9	
vee__qadi02			>>>>>>9	
vee__qadl01			yes/no	
vee__qadl02			yes/no	
vee__qadt01			99/99/99	
vee__qadt02			99/99/99	
vee_desc	Description		x(24)	
vee_domain	Domain		x(8)	
vee_event	Event Code		x(8)	
vee_mod_date	Modified Date	Mod Date	99/99/99	
vee_mod_userid	User ID		x(8)	
vee_name	Name		x(12)	
vee_points	Points		>>>>,>>9.99	10
vee_user1	Ufld1		x(8)	
vee_user2	Ufld2		x(8)	
vee_user3			x(8)	
vee_user4			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vee_mstr	yes	oid_vee_mstr	yes	no
*	vee_event	yes	vee_domain	yes	no
			vee_event	yes	no

vef_ctrl

Supplier Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_vef_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vef__qadc01	QAD Field		X(8)	0
vef__qadc02	QAD Field		X(8)	0
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vef__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vef__qadi01			>>>>>>9	
vef__qadi02			>>>>>>9	
vef__qadi03			->>>>>>>9	
vef__qadl01			yes/no	
vef__qadl02			yes/no	
vef__qadt01			99/99/99	
vef__qadt02			99/99/99	
vef_asn_data	ASN Information		X(8)	

Field Name	Label	Col-Label	Format	Dec
vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
vef_days_early	Acceptable Days Early		>>9	
vef_days_late	Acceptable Days Late		>>9	
vef_do_only_flag	Include DO Orders Only		yes/no	
vef_do_receipts	DO Receipts		X(8)	
vef_domain	Domain		x(8)	
vef_dup_asn	Duplicate ASN		X(8)	
vef_early_rcpt	Early Receipt		X(8)	
vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
vef_enable_po_rtn	Enable PO Return		yes/no	
vef_fifth_level_max	Maximum Value		>>>	
vef_fifth_level_title	Fifth Interval Title		x(12)	
vef_first_level_max	Maximum Value		>>>	
vef_first_level_title	First Interval Title		x(12)	
vef_fourth_level_max	Maximum Value		>>>	
vef_fourth_level_title	Fourth Interval Title		x(12)	
vef_late_asn	Late ASN		X(8)	
vef_late_rcpt	Late Receipt		X(8)	
vef_matl_quality	Material Quality		X(8)	
vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
vef_missed_ship	Missed Shipment		X(8)	
vef_mod_date	Modified Date	Mod Date	99/99/99	
vef_mod_userid	User ID		x(8)	
vef_over_ship	Over Shipment		X(8)	
vef_overship_pct	Acceptable Over Shipment		>>9.99	10
vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
vef_overship_qty	Acceptable Over Shipment		>>,>>9	
vef_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>,>>9.99<<<<<<<<	10
vef_po_only_flag	Include PO Orders Only		yes/no	
vef_po_receipts	PO Receipts		X(8)	
vef_points	Default Points		>>>>,>>9.99	10
vef_pp_counter	Parts-Per Counter		Events/Quantity	
vef_pp_factor	Parts-Per Factor		>,>>>,>>>,>>9	
vef_rts_receipts	RTS Receipts		X(8)	
vef_same_day_receipts	Net Same Day Receipts		yes/no	
vef_second_level_max	Maximum Value		>>>	
vef_second_level_title	Second Interval Title		x(12)	
vef_third_level_max	Maximum Value		>>>	
vef_third_level_title	Third Interval Title		x(12)	
vef_under_ship	Under Shipment		X(8)	
vef_undership_pct	Acceptable Under Shipment		>>9.99	10
vef_undership_qty	Acceptable Under Shipment		>>,>>9	
vef_use_shippct	Use Shipment Percent		yes/no	
vef_use_shippct_cost	Use Shipment Percent Cost		yes/no	
vef_use_shipqty	Use Shipment Quantity		yes/no	
vef_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
vef_user1	Ufld1		x(8)	
vef_user2	Ufld2		x(8)	
vef_user3			x(8)	
vef_user4			x(8)	
vef_using_sup_perf	Use Supplier Performance		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vef_ctrl	yes	oid_vef_ctrl	yes	no
*	vef_index1	yes	vef_domain	yes	no

◊ VendPartM Warehousing Supplier/Item Master

Field Name	Label	Col-Label	Format	Dec
Addr	Address		x(8)	
ByRef	Ref		yes/no	
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Destructive	Destructive	Destr	yes/no	
Domain	Domain		x(8)	
InspFreqDays	Insp Frequency (Days)	Insp Freq (Δ)	>>9	
InspFrequency	Insp Frequency	Insp Freq	>>>>>>9	
InspReq	Inspection Required	Insp Req	yes/no	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_VendPartM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Part	Item Number		x(18)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Quantity	Quantity		->>>,>>9.9<<<<<<	10
RandomInsp%	Random Inspection %		->>9.99	10
Sample%	Sample %	Sample %	>>9	
SampleQty	Sample Quantity	Sample Qty	->,>>>,>>9	
UM	UM		x(2)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* AddrPart	yes	Domain	yes	no
		Addr	yes	no
		Part	yes	no
◊ oid_VendPartM	yes	oid_VendPartM	yes	no
◊ PartAddr	no	Domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			Part	yes	no
			Addr	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

vepd_det

Supplier Performance Detail

Field Name	Label	Col-Label	Format	Dec
oid_vepd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vepd__qadc01	QAD Field		X(8)	0
vepd__qadc02	QAD Field		X(8)	0
vepd__qadc03	QAD Field		X(8)	0
vepd__qadc04	QAD Field		X(8)	0
vepd__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
vepd__qadd02			->>,>>>,>>9.9<<<<<<<<<	10
vepd__qadi01			>>>>>>9	
vepd__qadi02			>>>>>>9	
vepd__qadl01			yes/no	
vepd__qadl02			yes/no	
vepd__qadt01			99/99/99	
vepd__qadt02			99/99/99	
vepd_category	Category		x(8)	
vepd_cmtindx	Comments		>>>>>>>9	
vepd_doc_nbr	Doc Nbr	Doc	x(16)	
vepd_domain	Domain		x(8)	
vepd_event	Event		x(8)	
vepd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
vepd_mod_date	Modified Date	Mod Date	99/99/99	
vepd_mod_userid	User ID		x(8)	
vepd_reason_code	Reason		x(8)	
vepd_seq_nbr	Sequence	Seq	>>>>>>>>	
vepd_site	Site		x(8)	
vepd_temp_missed_flag	Missed		yes/no	
vepd_tran_date	Transaction Date	Tran Date	99/99/99	
vepd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vepd_user1	Ufld1		x(8)	
vepd_user2	Ufld2		x(8)	
vepd_user3			x(8)	
vepd_user4			x(8)	
vepd_vendor	Supplier		x(8)	
vepd_vendor_source	Supplier Source	Source	x(3)	
vepd_vep_tran_date	Receipt Transaction Date		99/99/99	
vepd_vep_tran_id	Receipt Transaction ID		>>>>>>>>	
vepd_weight_code	Weight Code	Weight	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	missed_event_order	no	vepd_domain	yes	no
			vepd_temp_missed_flag	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			vepd_site	yes	no
◊	oid_vepd_det	yes	oid_vepd_det	yes	no
*	transaction_order	yes	vepd_domain	yes	no
			vepd_tran_id	yes	no
			vepd_tran_date	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_site	yes	no
	vendor_event_order	no	vepd_domain	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_category	yes	no
			vepd_event	yes	no
			vepd_site	yes	no
	vepd_vendor_order	yes	vepd_domain	yes	no
			vepd_vendor	yes	no
			vepd_vendor_source	yes	no
			vepd_vep_tran_date	yes	no
			vepd_vep_tran_id	yes	no
			vepd_category	yes	no
			vepd_seq_nbr	yes	no
			vepd_site	yes	no

vep_mstr Supplier Performance Master

Field Name	Label	Col-Label	Format	Dec
oid_vep_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vep__qadc01	QAD Field		X(8)	0
vep__qadc02	QAD Field		X(8)	0
vep__qadc03	QAD Field		X(8)	0
vep__qadc04	QAD Field		X(8)	0
vep__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vep__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vep__qadi01			>>>>>>9	
vep__qadi02			>>>>>>9	
vep__qadl01			yes/no	
vep__qadl02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	
vep_abs_id	Shipper ID	Shipper	x(20)	
vep_acct	Pur Acct		x(8)	
vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	
vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>>9	
vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>>9	
vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vep_asn_ship_qty	ASN Ship Qty		->,>>>,>>9.9<<<<<<<<	10
vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>>9	
vep_buyer	Buyer		x(8)	
vep_cc	Cost Ctr	CC	x(4)	
vep_comm_code	Commodity Code	Commodity	x(20)	
vep_db	DB Number	DB	x(16)	
vep_disc_pct	Disc%		->9.99%	10

Field Name	Label	Col-Label	Format	Dec
vep_domain	Domain		x(8)	
vep_fsm_type	FSM Type		x(1)	
vep_line	Line	Ln	>>>	
vep_loc	Loc		x(8)	
vep_lotser	Lot/Serial	L/S	x(18)	
vep_mod_date	Modified Date	Mod Date	99/99/99	
vep_mod_userid	User ID		x(8)	
vep_nbr	Order Nbr	Order	x(8)	
vep_open_qty	Open Qty	Qty! Open	->,>>>,>>9.9<<<<<<<<	10
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>,>>>,>>9.99	10
vep_qty_ord	Qty Ordered	Qty! Ordered	->,>>>,>>9.9<<<<<<<<	10
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->,>>>,>>9.9<<<<<<<<	10
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1	Ufld1		x(8)	
vep_user2	Ufld2		x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep_vendor_source	Supplier Source	Source	x(3)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	missed_event_order	no	vep_domain	yes	no
			vep_temp_missed_flag	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
◊	oid_vep_mstr	yes	oid_vep_mstr	yes	no
	vendor_date_order	no	vep_domain	yes	no
			vep_vendor	yes	no
			vep_vendor_source	yes	no
			vep_site	yes	no
			vep_nbr	yes	no
			vep_line	yes	no
			vep_tran_date	yes	no
			vep_receiver	yes	no
			vep_abs_id	yes	no
			vep_part	yes	no
*	vendor_site_order	yes	vep_domain	yes	no
			vep_vendor	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
vep_vendor_nbr_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
vep_vendor_part	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

◊ VerbH

Warehousing Verbosity History

Field Name	Label	Col-Label	Format	Dec
Comments	Comments		x(64)	
CreateDate	Create Date		99/99/99	
createETime	Elapsed Time	Elap! Time	>>,>>9.99	2
CreateProgName	Created ProgName		x(10)	
CreateTime	Created Time		->,>>>,>>9	
CreateUserID	Created UserID		x(8)	
Domain	Domain		x(8)	
InternalID	Internal User ID	Internal! User ID	x(50)	
Loc	Location		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_VerbH			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
SLocGp	Store Loc Group	SLocGrp	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	

Field Name	Label	Col-Label	Format	Dec
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
VerbID	ID		X(8)	
VerbLevel	Verbosity Level	Verb! Level	>>9	
VerbType	Type		X(2)	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	DateTime	no	Domain	yes	no
			CreateDate	yes	no
			CreateTime	yes	no
◊	Location	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			Loc	yes	no
◊	oid_VerbH	yes	oid_VerbH	yes	no
◊	SLG	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			SLocGp	yes	no
◊	UserIdx	no	Domain	yes	no
			CreateUserID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	WLG	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no

verd_det Supplier Performance Registration Detail

Field Name	Label	Col-Label	Format	Dec
oid_verd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
verd__qadc01	QAD Field		X(8)	0
verd__qadc02	QAD Field		X(8)	0
verd__qadc03	QAD Field		X(8)	0
verd__qadc04	QAD Field		X(8)	0
verd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
verd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
verd__qadi01			>>>>>>9	
verd__qadi02			>>>>>>9	
verd__qadl01			yes/no	
verd__qadl02			yes/no	
verd__qadt01			99/99/99	
verd__qadt02			99/99/99	
verd_active_flag	Use Category		yes/no	
verd_category	Category		x(8)	
verd_domain	Domain		x(8)	
verd_mod_date	Modified Date	Mod Date	99/99/99	
verd_mod_userid	User ID		x(8)	
verd_site	Site		x(8)	
verd_user1	Ufld1		x(8)	
verd_user2	Ufld2		x(8)	
verd_user3			x(8)	
verd_user4			x(8)	
verd_vendor	Supplier		x(8)	
verd_vendor_source	Supplier Source		x(3)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_verd_det	yes	oid_verd_det	yes	no
*	verd_vendor	yes	verd_domain	yes	no
			verd_vendor	yes	no
			verd_vendor_source	yes	no
			verd_site	yes	no
			verd_category	yes	no

◊ VerifyStatusTrans Verify Status Trans

Field Name	Label	Col-Label	Format	Dec
Company_ID	Link to Company	Link to Company	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
VerifyStatusTrans_ID	Record ID	Record ID	9999999999	
VerifyStatusTransFrStatus	From Status	From Status	x(40)	
VerifyStatusTransToStatus	To Status	To Status	x(40)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Company	no	Company_ID	yes	no
◊*	Prim	yes	VerifyStatusTrans_ID	yes	no
◊	UniqueIdx	yes	Company_ID	yes	no
			VerifyStatusTransFrStatus	yes	no
			VerifyStatusTransToStatus	yes	no

ver_mstr

Supplier Performance Registration Master

Field Name	Label	Col-Label	Format	Dec
oid_ver_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ver__qadc01	QAD Field		X(8)	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
ver__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadl01			yes/no	
ver__qadl02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	
ver_active_flag	Use Supplier Performance		yes/no	
ver_asn_leadtime	Maximum ASN Lead-Time		99:99	
ver_comm_code	Commodity Code		x(20)	
ver_contact	Contact		X(24)	
ver_days_early	Acceptable Days Early		>>9	
ver_days_late	Acceptable Days Late		>>9	
ver_domain	Domain		x(8)	
ver_email_address	E-mail Address		X(60)	
ver_end	End Effective		99/99/99	
ver_mod_date	Modified Date	Mod Date	99/99/99	
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	10
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
ver_overship_qty	Acceptable Over Shipment		>>,>>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>,>>>,>>9.99<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	10
ver_undership_qty	Acceptable Under Shipment		>>,>>9	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver_use_shipqty	Use Shipment Quantity		yes/no	
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_user1	Ufld1		x(8)	
ver_user2	Ufld2		x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ver_mstr	yes	oid_ver_mstr	yes	no
	ver_comm_code	no	ver_domain	yes	no
			ver_comm_code	yes	no
			ver_vendor	yes	no
			ver_vendor_source	yes	no
			ver_site	yes	no
			ver_part	yes	no
	ver_part	no	ver_domain	yes	no
			ver_part	yes	no
			ver_vendor	yes	no
			ver_vendor_source	yes	no
			ver_site	yes	no
			ver_comm_code	yes	no
	ver_site	no	ver_domain	yes	no
			ver_site	yes	no
			ver_part	yes	no
			ver_comm_code	yes	no
*	ver_vendor	yes	ver_domain	yes	no
			ver_vendor	yes	no
			ver_vendor_source	yes	no
			ver_site	yes	no
			ver_part	yes	no
			ver_comm_code	yes	no

vesd_det

Supplier Performance Summary Detail

Field Name	Label	Col-Label	Format	Dec
oid_vesd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vesd__qadc01	QAD Field		X(8)	0
vesd__qadc02	QAD Field		X(8)	0
vesd__qadc03	QAD Field		X(8)	0
vesd__qadc04	QAD Field		X(8)	0
vesd__qadd01			->>,>>>,>>9.9<<<<<<<<<	10
vesd__qadd02			->>,>>>,>>9.9<<<<<<<<<	10
vesd__qadi01			>>>>>>9	
vesd__qadi02			>>>>>>9	
vesd__qadl01			yes/no	
vesd__qadl02			yes/no	
vesd__qadt01			99/99/99	
vesd__qadt02			99/99/99	
vesd_category	Category		x(8)	
vesd_domain	Domain		x(8)	
vesd_event	Event		x(8)	
vesd_event_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
vesd_mod_date	Modified Date	Mod Date	99/99/99	
vesd_mod_userid	User ID		x(8)	
vesd_part	Item Number	Item	x(18)	
vesd_rec_type	Rec Type		x(8)	
vesd_site	Site		x(8)	
vesd_sub_type	Subcontract Type	Sub Type	x(12)	

Field Name	Label	Col-Label	Format	Dec
vesd_tran_date	Transaction Date	Tran Date	99/99/99	
vesd_tran_id	Transaction ID	Tran ID	>>>>>>>>	
vesd_type	Type		x(1)	
vesd_user1	Ufld1		x(8)	
vesd_user2	Ufld2		x(8)	
vesd_user3			x(8)	
vesd_user4			x(8)	
vesd_vendor	Supplier		x(8)	
vesd_vendor_source	Supplier Source	Source	x(3)	
vesd_ves_from_date	From Date		99/99/99	
vesd_ves_to_date	To Date		99/99/99	
vesd_weight_code	Weight Code	Weight	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vesd_det	yes	oid_vesd_det	yes	no
*	vesd_vendor_order	yes	vesd_domain	yes	no
			vesd_vendor	yes	no
			vesd_vendor_source	yes	no
			vesd_ves_from_date	yes	no
			vesd_ves_to_date	yes	no
			vesd_site	yes	no
			vesd_part	yes	no
			vesd_rec_type	yes	no
			vesd_type	yes	no
			vesd_sub_type	yes	no
			vesd_category	yes	no
			vesd_tran_id	yes	no

ves_mstr

Supplier Performance Summary Master

Field Name	Label	Col-Label	Format	Dec
oid_ves_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
ves__qadc01	QAD Field		X(8)	0
ves__qadc02	QAD Field		X(8)	0
ves__qadc03	QAD Field		X(8)	0
ves__qadc04	QAD Field		X(8)	0
ves__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
ves__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
ves__qadi01			>>>>>>9	
ves__qadi02			>>>>>>9	
ves__qadl01			yes/no	
ves__qadl02			yes/no	
ves__qadt01			99/99/99	
ves__qadt02			99/99/99	
ves_comm_code	Commodity Code	Commodity	x(20)	
ves_db	DB Number	DB	x(16)	
ves_domain	Domain		x(8)	
ves_from_date	From Date		99/99/99	
ves_mod_date	Modified Date	Mod Date	99/99/99	
ves_mod_userid	User ID		x(8)	
ves_occurance_count	Occurance		>>>>,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
ves_part	Item Number	Item	x(18)	
ves_rcvd_qty	Receipt Qty	Qty! Received	>>>>,>>>,>>>,>>9.9<<<<<<<<<	10
ves_rec_type	Rec Type		x(8)	
ves_site	Site		x(8)	
ves_sub_type	Subcontract Type	Sub Type	x(12)	
ves_to_date	To Date		99/99/99	
ves_type	Type		x(1)	
ves_user1	Ufld1		x(8)	
ves_user2	Ufld2		x(8)	
ves_user3			x(8)	
ves_user4			x(8)	
ves_vendor	Supplier		x(8)	
ves_vendor_source	Supplier Source	Source	x(3)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_ves_mstr	yes	oid_ves_mstr	yes	no
*	ves_vendor_order	yes	ves_domain	yes	no
			ves_vendor	yes	no
			ves_vendor_source	yes	no
			ves_from_date	yes	no
			ves_to_date	yes	no
			ves_site	yes	no
			ves_part	yes	no
			ves_rec_type	yes	no
			ves_type	yes	no
			ves_sub_type	yes	no

vew_mstr

Supplier Performance Weighting Factor Master

Field Name	Label	Col-Label	Format	Dec
oid_vew_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vew__qadc01	QAD Field		X(8)	0
vew__qadc02	QAD Field		X(8)	0
vew__qadc03	QAD Field		X(8)	0
vew__qadc04	QAD Field		X(8)	0
vew__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vew__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vew__qadi01			>>>>>>9	
vew__qadi02			>>>>>>9	
vew__qadl01			yes/no	
vew__qadl02			yes/no	
vew__qadt01			99/99/99	
vew__qadt02			99/99/99	
vew_desc	Description		x(24)	
vew_domain	Domain		x(8)	
vew_mod_date	Modified Date	Mod Date	99/99/99	
vew_mod_userid	User ID		x(8)	
vew_name	Name		x(12)	
vew_user1	Ufld1		x(8)	
vew_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
vew_user3			x(8)	
vew_user4			x(8)	
vew_weight_code	Weight Code		x(8)	
vew_weight_factor	Weight Factor		>,>>9.99	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vew_mstr	yes	oid_vew_mstr	yes	no
*	vew_weight_code	yes	vew_domain	yes	no
			vew_weight_code	yes	no

vex_mstr

Supplier Performance Cross-Reference Master

Field Name	Label	Col-Label	Format	Dec
oid_vex_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vex__qadc01	QAD Field		X(8)	0
vex__qadc02	QAD Field		X(8)	0
vex__qadc03	QAD Field		X(8)	0
vex__qadc04	QAD Field		X(8)	0
vex__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
vex__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
vex__qadi01			>>>>>>9	
vex__qadi02			>>>>>>9	
vex__qadl01			yes/no	
vex__qadl02			yes/no	
vex__qadt01			99/99/99	
vex__qadt02			99/99/99	
vex_domain	Domain		x(8)	
vex_mod_date	Modified Date	Mod Date	99/99/99	
vex_mod_userid	User ID		x(8)	
vex_site	Site		x(8)	
vex_to_site	To-Site		x(8)	
vex_to_vendor	To-Supplier		x(8)	
vex_to_vendor_source	To-Supplier Source		x(3)	
vex_user1	Ufld1		x(8)	
vex_user2	Ufld2		x(8)	
vex_user3			x(8)	
vex_user4			x(8)	
vex_vendor	Supplier		x(8)	
vex_vendor_source	Supplier Source		x(3)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vex_mstr	yes	oid_vex_mstr	yes	no
*	vex_site	yes	vex_domain	yes	no
			vex_site	yes	no
			vex_vendor	yes	no
			vex_vendor_source	yes	no
	vex_to_site	no	vex_domain	yes	no
			vex_to_site	yes	no
			vex_vendor	yes	no
			vex_vendor_source	yes	no

vph_hist

Voucher Invoice History

	Field Name	Label	Col-Label	Format	Dec
	oid_vph_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
Δ	vph__qadc01			x(24)	
	vph__qadc02			x(24)	
	vph__qadi01			->>>>>>>9	
	vph_acct	Account		x(8)	
	vph_adj_amt	Cost Adjustment		->>>>,>>>,>>9.99<	10
	vph_adj_inv	Inventory/Variance		Inventory/Variance	
	vph_adj_prv_cst	Previous Cost		->>>>,>>>,>>9.99<<<	10
	vph_adj_wip	WIP/Variance		WIP/Variance	
	vph_amt	Amount		->>>>,>>>,>>9.99	10
	vph_avg_post	Post To		x(4)	
	vph_cc	Cost Ctr	CC	x(4)	
	vph_cf_adj_amt	Confirmed Adjustment		->>>>,>>>,>>9.99<	10
	vph_cf_dscr_amt	Confirmed Discrepancy		->>>>,>>>,>>9.99<	10
◊	vph_cinvoice_id	Invoice ID		9999999999	
	vph_costadj_acct	Cost Adj Acct	Cost Adj	x(8)	
	vph_costadj_cc	Cost Adj CC	CC	x(4)	
	vph_costadj_sub	Cost Adj Sub	Sub-Acct	x(8)	
	vph_curr_amt	Currency Amount	Curr Amt	->,>>>,>>>,>>9.99<<<	10
	vph_domain	Domain		x(8)	
	vph_dscr_acct	Inventory Dscr Acct	Dscr Acct	x(8)	
	vph_dscr_amt	Cost Discrepancy		->>>>,>>>,>>9.99<	10
	vph_dscr_cc	Inventory Dscr CC	CC	x(4)	
	vph_dscr_sub	Inventory Dscr Sub-Acct	Sub-Acct	x(8)	
	vph_element	Cost Element	Element	x(8)	
	vph_inv_cost	Invoice Cost		->,>>>,>>>,>>9.99<<<	10
	vph_inv_date	Invoice Date	Inv Date	99/99/99	
	vph_inv_qty	Invoice Qty		->,>>>,>>9.9<<<<<<<<	10
	vph_nbr	PO Nbr		x(8)	
	vph_project	Project		x(8)	
	vph_pvo_id	Pending Voucher ID		>>>>>>>>>	
	vph_pvod_id_line	Line	Ln	>>>>>>>9	
	vph_qoh_at_adj	QOH at adjustment		->>,>>>,>>9.9<<<<<<<<<	10
Δ	vph_ref	Voucher		x(22)	
	vph_sub	Sub-Account	Sub-Acct	x(8)	
	vph_user1	Ufld1		x(8)	
	vph_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vph_hist	yes	oid_vph_hist	yes	no
	vph_nbr	no	vph_domain	yes	no
			vph_nbr	yes	no
	vph_pvo_id	no	vph_domain	yes	no
			vph_pvo_id	yes	no
			vph_pvod_id_line	yes	no
			vph_ref	yes	no
*	vph_ref	yes	vph_domain	yes	no
			vph_ref	yes	no
			vph_pvo_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vph_pvod_id_line	yes	no
vph_refnbr	no	vph_domain	yes	no
		vph_ref	yes	no
		vph_nbr	yes	no

vpo_det

Voucher Purchase Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_vpo_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vpo__qadc01			x(8)	
vpo_domain	Domain		x(8)	
vpo_po	PO Number	PO	x(8)	
vpo_ref	Voucher		x(8)	
vpo_user1	Ufld1		x(8)	
vpo_user2	Ufld2		x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vpo_det	yes	oid_vpo_det	yes	no
*	vpo_refpo	yes	vpo_domain	yes	no
			vpo_ref	yes	no
			vpo_po	yes	no

vp_mstr

Supplier Item Master

Field Name	Label	Col-Label	Format	Dec
oid_vp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vp__chr01			x(8)	
vp__chr02			x(8)	
vp__chr03			x(8)	
vp__chr04			x(8)	
vp__chr05			x(8)	
vp__dec01			>>>,>>>,>>9.99	10
vp__dec02			>>>,>>>,>>9.99	10
vp__dte01			99/99/99	
vp__dte02			99/99/99	
vp__log01			yes/no	
vp_appr_date	Approve Date	Approve	99/99/99	
vp_bkage_amt	Brokerage Amt		->>,>>>,>>9.99	10
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	
vp_domain	Domain		x(8)	
vp_duty_amt	Duty Amt		->>,>>>,>>9.99	10
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->>,>>>,>>9.99	10
vp_ins_rqd	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	

Field Name	Label	Col-Label	Format	Dec
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>>,>>>,>>9.99<<<	10
vp_q_qty	Quote Qty		->,>>>,>>9.9<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	10
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufld1		x(8)	
vp_user2	Ufld2		x(8)	
vp_userid	User ID		x(8)	
vp_vend	Supplier		x(8)	
vp_vend_lead	Supplier Lead Time	LT	>>9	
vp_vend_part	Supplier Item		x(30)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vp_mstr	yes	oid_vp_mstr	yes	no
*	vp_partvend	yes	vp_domain	yes	no
			vp_part	yes	no
			vp_vend	yes	no
			vp_vend_part	yes	no
	vp_vend_part	no	vp_domain	yes	no
			vp_vend	yes	no
			vp_vend_part	yes	no

vrc_ctrl

Version Control

Field Name	Label	Col-Label	Format	Dec
oid_vrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vrc__qadc01			x(8)	
vrc_domain	Domain		x(8)	
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_vrc_ctrl	yes	oid_vrc_ctrl	yes	no
*	vrc_id	yes	vrc_domain	yes	no
			vrc_v86	yes	no

◊ vw_mstr Viewer Enabled Fields Master

Field Name	Label	Col-Label	Format	Dec
oid_vw_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
vw__qadc01			x(24)	
vw__qadc02			x(24)	
vw__qadd01			->>>>,>>>,>>9.99<<<<<<<<	10
vw__qadi01			->>>>>>>9	
vw__qadl01			yes/no	
vw__qadt01			99/99/99	
vw_field	Enabled Field Name		x(22)	
vw_frame	Frame Name		x(40)	
vw_mod_date	Modified Date	Mod Date	99/99/99	
vw_mod_userid	User ID		x(8)	
vw_pgm	Viewer Program Name		x(12)	
vw_table	Table Name		x(16)	
vw_user1	User Field Character 1		x(24)	
vw_user2	User Field character 2		x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_vw_mstr	yes	oid_vw_mstr	yes	no
◊* vw_pgm	yes	vw_pgm	yes	no
		vw_table	yes	no
		vw_field	yes	no
		vw_frame	yes	no

◊ WarehouseCompany Warehouse Company

Field Name	Label	Col-Label	Format	Dec
Company_ID			9999999999	
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	
Warehouse_ID			9999999999	
WarehouseCompany_ID			9999999999	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Company	no	Company_ID	yes	no
◊* Prim	yes	WarehouseCompany_ID	yes	no
◊ UniqueIdx	yes	Company_ID	yes	no
		Warehouse_ID	yes	no
◊ Warehouse	no	Warehouse_ID	yes	no

◊ WarehouseLocation Warehouse Location

Field Name	Label	Col-Label	Format	Dec
LastModifiedDate			99/99/9999	
LastModifiedTime			99999	
LastModifiedUser			x(20)	

Field Name	Label	Col-Label	Format	Dec
Warehouse_ID			9999999999	
WarehouseLocation_ID			9999999999	
WarehouseLocationCode			x(20)	
WarehouseLocationIsActive			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊*	Prim	yes	WarehouseLocation_ID	yes	no
◊	UniqueIdx	yes	Warehouse_ID	yes	no
			WarehouseLocationCode	yes	no
◊	Warehouse	no	Warehouse_ID	yes	no

◊ WaveC

Warehousing Wave Control

Field Name	Label	Col-Label	Format	Dec
ActivateRG	Activate RG in Wave Release	Activate RG! in Wave Release	yes/no	
AllowSplit	Allow Split	Split	yes/no	
AutoAll	Auto Allocation		yes/no	
AvoidRelease	Avoid Release Without Replen		yes/no	
ChangeInc	Change Include	Change! Inc	yes/no	
ContMultTrans	Mult Trans for Boxes	Mult Trans! for Boxes	yes/no	
ContUM	Box Pick UM	Box! Pick UM	x(2)	
CreateDate	Create Date		99/99/99	
CreateRG	Create RG in Wave Release	RG in Wave! Release	yes/no	
CreateUserID	Created		x(8)	
DaysNewPreship	New Preshipper if older (days)		->,>>>,>>9	
DefaultIncl	Default Include	Def Incl	yes/no	
DisplayAll	Display Qty Alloc/Open	Alloc/Open	Alloc/Open	
Domain	Domain		x(8)	
DOOnlyAlloc	Only Alloc DO		yes/no	
FromDays	Def From Due Date	From Days	>,>>9	
FromSign	Def From Due Sign	From Sign	x(1)	
FromType	From Order Type	From! Type	x(2)	
FullBox	Pick Boxes in Pallet Area	Pick Boxes! Pallet Area	yes/no	
GenerateRG	Def Generate Release Groups	Gen RG	yes/no	
LaneAlgo	Lane Algorithm	Lane Algo	>>9	
LaneGroup	Default Lane Group	Def Lane Grp	x(8)	
LaneLoadOpt	Lane Load Algo	Lane Load! Algo	>>9	
LinesPerRG	Order Lines per Rel Group	Lines per RG	>>,>>9	
LoadAlgo	WorkLoad Algorithm	Load Algo	>>9	
LoadGroup	Default Workload Group	Def Grp	x(8)	
MaxLines	Def Max Order Lines	Max Lines	->,>>>,>>9	
ModDate	Modified		99/99/99	
ModDetail	Modify Details	Det	yes/no	
ModUserID	Modified		x(8)	
NewPreshipWave	New Preshipper by Wave		yes/no	
NextNbr	Next Number	Next Nbr	>>>>>>>9	
NoLimit	Use Limit in Add Frame	Limit	yes/no	
oid_WaveC			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OnlyAlloc	Display Only Allocated Lines	Only Alloc	yes/no	

Field Name	Label	Col-Label	Format	Dec
OpenQty	Open Qty Calculation	Open Qty	>9	
PalPickEnd	Pallet SLG Level	Pallet SLG Level	>>9	
PalPickStart	Pallet SLG Level	Pallet SLG Level	>>9	
Pick%	Def Pick Trigger %	Pick! Trigger	>>9	
PickMulti	Pick Multi-Item Pal (Step1)		yes/no	
PlUM	Pallet UM	Pallet UM	x(2)	
Prefix	Prefix	Pre	x(8)	
PreventRelease	Avoid Release Without Replen		yes/no	
Priority	Order Priority	Priority	>>>>>>>9	
PriorityAA	Def Priority After Activ	Pri AA	>>9	
PriorityTC	Def Pri at Task Creation	Pri TC	>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RelAlgo	Release Group Algo	RG Algo	>>9	
RepAllowSplit	Allow Split Replen	Allow Split! Replen	yes/no	
ReplenPrio	Std Repl Task Priority		>>>>>>>9	
RepList	Replenishment List	Rep List	X(8)	
RepMultTrans	Replen Mult Trans	Replen! Mult Trans	yes/no	
RepMultUM	Replen Pick UM	Rep! Pick UM	x(2)	
RepOverPick	Replenishment OverPick	Rep! OverPick	yes/no	
RepPriority	Def Pal/Box Init Priority	Pallet/Nox! Priority	>>9	
RoundAbove	Round Above/Below	Above/Below	Above/Below	
Site	Site		x(8)	
SOPickFirst	SO Pick First	SO Pick! First	yes/no	
SortAlgo	Default Sort Algorithm	Def Sort Algo	>>9	
SplitMulti	Spl.Mult-Item Pal(Step1)		yes/no	
TimePerPick	Time Per Pick (min)	Pick (min)	>9.99	2
ToDays	Def To Due Date	To Days	>,>>9	
ToSign	Def To Due Sign	To Sign	x(1)	
ToType	To Order Type	To! Type	x(2)	
UseDefAlgo	Use Def WL Algo	Def WL Algo	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	

Field Name	Label	Col-Label	Format	Dec
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WavePause	Pause Between Waves (s)	Pause! Waves	>>>9	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WaveC	yes	oid_WaveC	yes	no
◊*	SiteWhse	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WaveD

Warehousing Wave Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
FromDate	From Date	From	99/99/99	
FromRef	From Reference	From Ref	x(24)	
FromTime	From Time		x(20)	
Incl	Included	Incl	yes/no	
Line	Line/ID		x(8)	
LoadOpt	Load Optimized	Load	yes/no	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight	Net Wgt	->>,>>9.99	2
oid_WaveD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Order Line Status	Status	x(8)	
Part	Item Number		x(18)	
PartType	Warehouse Item Type	Warehouse! Item Type	x(8)	
Priority	Priority		X(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyAlloc	Quantity Allocated	Qty All	->,>>>,>>9.9<<<<<<<<	2

Field Name	Label	Col-Label	Format	Dec
QtyOpen	Qty Open	Open	->,>>>,>>9.9<<<<<<<	2
Route	Route		X(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
ToDate	To Date	To	99/99/99	
ToRef	To Reference	To Ref	x(24)	
ToTime	To Time		x(20)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Include	no	Domain	yes	no
			WaveNbr	yes	no
			Incl	yes	no
◊	LoadOpt	no	Domain	yes	no
			WaveNbr	yes	no
			LoadOpt	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			ShipVia	yes	no
			Line	yes	no
◊	oid_WaveD	yes	oid_WaveD	yes	no
◊	OrderIdx	no	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
			OrdSite	yes	no
			WaveNbr	yes	no
◊*	OrderLine	yes	Domain	yes	no
			WaveNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			ShipVia	yes	no
			Line	yes	no
◊	OrdStatus	no	Domain	yes	no
			WaveNbr	yes	no
			OrdStatus	yes	no
◊	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	ReleaseGroup	no	Domain	yes	no
			DueDate	yes	no
			ShipVia	yes	no
			PartType	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WaveLoadD Warehousing Wave Load Detail

Field Name	Label	Col-Label	Format	Dec
CarrierRef	Carrier Shipment Ref		x(20)	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DropOffSeq	Drop Off Sequence	Drop Off	>>>>>9	
DSet	Data Set		x(12)	
Incl	Included	Incl	yes/no	
Line	Line/ID		x(8)	
LoadNbr	Load Number	Load Nbr	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight	Net Wgt	->>,>>9.99	2
oid_WaveLoadD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
Part	Item Number		x(18)	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpen	Quantity	Qty	->,>>>,>>9.9<<<<<<<<	10
QtyPicked	Qty Picked	Pick	->,>>>,>>9.9<<<<<<<<	10
SelNbr	Selection Number	Sel Nbr	x(8)	
ShipTo	Ship To		x(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	Include	no	Domain	yes	no
			WaveNbr	yes	no
			Incl	yes	no
◊	LoadIdx	no	Domain	yes	no
			LoadNbr	yes	no
			DropOffSeq	yes	no
			CarrierRef	yes	no
			SelNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			Part	yes	no
			Line	yes	no
			WaveNbr	yes	no
◊*	LoadLine	yes	Domain	yes	no
			WaveNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			ShipVia	yes	no
			Line	yes	no
			LoadNbr	yes	no
			DropOffSeq	yes	no
			CarrierRef	yes	no
			SelNbr	yes	no
◊	oid_WaveLoadD	yes	oid_WaveLoadD	yes	no
◊	OrderIdx	no	Domain	yes	no
			DSet	yes	no
			Nbr	yes	no
			Line	yes	no
			OrdSite	yes	no
			WaveNbr	yes	no
◊	Part	no	Domain	yes	no
			Part	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

◊ WaveM

Warehousing Wave Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
DSet	Data Set		x(12)	
DueDate	Due Date		99/99/99	
Incl	Included	Incl	yes/no	
Lines	Number of Lines	Lines	->,>>>,>>9	
LoadOptLines	Optimized Lines	Optimized	->,>>>,>>9	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
Nbr	Order		x(18)	
NetWeight	Net Weight	Net Wgt	->>,>>9.99	2
oid_WaveM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OrdSite	Order Site	Order! Site	x(8)	
OrdStatus	Status	Stat	x(8)	
Priority	Priority		X(8)	
Profile	Profile	Prof	x(8)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Route	Route		X(8)	
Seq	Sequence	Seq	>,>>>,>>9	
ShipTo	Ship To	Ship To	x(8)	
ShipVia	Carrier	Carrier	x(20)	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	DueDate	no	Domain	yes	no
			WaveNbr	yes	no
			DueDate	yes	no
			Nbr	yes	no
◊	Include	no	Domain	yes	no
			WaveNbr	yes	no
			Incl	yes	no
◊	NetWeight	no	Domain	yes	no
			WaveNbr	yes	no
			NetWeight	yes	no
			Nbr	yes	no
◊	oid_WaveM	yes	oid_WaveM	yes	no
◊*	OrderIdx	yes	Domain	yes	no
			WaveNbr	yes	no
			DSet	yes	no
			Nbr	yes	no
			OrdSite	yes	no
			ShipVia	yes	no
◊	OrdStatus	no	Domain	yes	no
			WaveNbr	yes	no
			OrdStatus	yes	no
			Nbr	yes	no
◊	Profile	no	Domain	yes	no
			WaveNbr	yes	no
			Profile	yes	no
			Nbr	yes	no
◊	Route	no	Domain	yes	no
			WaveNbr	yes	no
			Route	yes	no
			Nbr	yes	no
◊	Seq	yes	Domain	yes	no
			WaveNbr	yes	no
			Seq	yes	no
◊	ShipTo	no	Domain	yes	no
			WaveNbr	yes	no
			ShipTo	yes	no
			Nbr	yes	no
◊	ShipVia	no	Domain	yes	no
			WaveNbr	yes	no
			ShipVia	yes	no
			Nbr	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ **WaveMasterM** Warehousing Wave Master Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
FromDate	From Date	From	99/99/99	
FromRef	From Reference	From Ref	x(24)	

Field Name	Label	Col-Label	Format	Dec
FromTime	From Time		x(20)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WaveMasterM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PickComp	Pick Complete%	Pick%	->>,>>9.99	2
Priority	Order Priority	Priority	>,>>>,>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Remark	Remark	Rmk	x(40)	
RepComp	Replenishment Complete%	Rep Comp%	->>,>>9.99	2
ReplenDate	Replenishment Date		99/99/99	
ReplenTime	Replenishment Date		->>,>>9.99	10
Site	Site		x(8)	
SizeLines	Number of Order Lines	#Lines	->,>>>,>>9	
SizeOrders	Number of Orders	#Orders	->,>>>,>>9	
ToDate	To Date	To	99/99/99	
ToRef	To Reference	To Ref	x(24)	
ToTime	To Time		x(20)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WaveNbr	Wave Number	Wave Nbr	x(8)	
WaveStatus	Wave Status	Status	x(8)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WaveMasterM	yes	oid_WaveMasterM	yes	no
◊	SiteWhse	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊*	WaveNbr	yes	Domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			WaveNbr	yes	no
◊	WaveStatus	no	Domain	yes	no
			WaveStatus	yes	no
			Site	yes	no
			Whse	yes	no

◊ WaveTranspC Warehousing Wave Transportation Control

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
DefaultIncl	Default Include	Def Incl	yes/no	
Domain	Domain		x(8)	
ExportAlgo	Export Algorithm	Exp Algo	>>9	
FromDays	Def From Due Date	From Days	>,>>9	
FromSign	Def From Due Sign	From Sign	x(1)	
FromType	From Order Type	From! Type	x(2)	
LoadHeaderCmmts	Load Header Comments		yes/no	
LoadLineCmmts	Load Line Comments		yes/no	
MaxLines	Def Max Order Lines	Max Lines	->,>>>,>>9	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
NoLimit	Use Limit in Add Frame	Limit	yes/no	
oid_WaveTranspC			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OnlyAlloc	Select Only Allocated Lines	Only Alloc	yes/no	
QadC01	QAD Field		x(24)	0
QadC02	QAD Field		x(24)	0
QadC03	QAD Field		x(24)	0
QadC04	QAD Field		x(24)	0
QadC05	QAD Field		x(24)	0
QadC06	QAD Field		x(24)	0
QadC07	QAD Field		x(24)	0
QadC08	QAD Field		x(24)	0
QadC09	QAD Field		x(24)	0
QadC10	QAD Field		x(24)	0
QadC11	QAD Field		x(24)	0
QadC12	QAD Field		x(24)	0
QadC13	QAD Field		x(24)	0
QadC14	QAD Field		x(24)	0
QadC15	QAD Field		x(24)	0
QadC16	QAD Field		x(24)	0
QadC17	QAD Field		x(24)	0
QadC18	QAD Field		x(24)	0
QadC19	QAD Field		x(24)	0
QadC20	QAD Field		x(24)	0
QadC21	QAD Field		x(24)	0
QadC22	QAD Field		x(24)	0
QadC23	QAD Field		x(24)	0
QadC24	QAD Field		x(24)	0
QadC25	QAD Field		x(24)	0
QadC26	QAD Field		x(24)	0
QadC27	QAD Field		x(24)	0
QadC28	QAD Field		x(24)	0
QadC29	QAD Field		x(24)	0

Field Name	Label	Col-Label	Format	Dec
QadC30	QAD Field		x(24)	0
QadC31	QAD Field		x(24)	0
QadC32	QAD Field		x(24)	0
QadC33	QAD Field		x(24)	0
QadC34	QAD Field		x(24)	0
QadC35	QAD Field		x(24)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD02	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD04	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD05	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD06	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD07	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD08	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD09	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD10	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadI04	QAD Field		->,>>>,>>9	
QadI05	QAD Field		->,>>>,>>9	
QadI06	QAD Field		->,>>>,>>9	
QadI07	QAD Field		->,>>>,>>9	
QadI08	QAD Field		->,>>>,>>9	
QadI09	QAD Field		->,>>>,>>9	
QadI10	QAD Field		->,>>>,>>9	
QadI11	QAD Field		->,>>>,>>9	
QadI12	QAD Field		->,>>>,>>9	
QadI13	QAD Field		->,>>>,>>9	
QadI14	QAD Field		->,>>>,>>9	
QadI15	QAD Field		->,>>>,>>9	
QadI16	QAD Field		->,>>>,>>9	
QadI17	QAD Field		->,>>>,>>9	
QadI18	QAD Field		->,>>>,>>9	
QadI19	QAD Field		->,>>>,>>9	
QadI20	QAD Field		->,>>>,>>9	
QadI21	QAD Field		->,>>>,>>9	
QadI22	QAD Field		->,>>>,>>9	
QadI23	QAD Field		->,>>>,>>9	
QadI24	QAD Field		->,>>>,>>9	
QadI25	QAD Field		->,>>>,>>9	
QadL01	QAD Field		yes/no	
QadL02	QAD Field		yes/no	
QadL03	QAD Field		yes/no	
QadL04	QAD Field		yes/no	
QadL05	QAD Field		yes/no	
QadL06	QAD Field		yes/no	
QadL07	QAD Field		yes/no	
QadL08	QAD Field		yes/no	
QadL09	QAD Field		yes/no	
QadL10	QAD Field		yes/no	
QadL11	QAD Field		yes/no	
QadL12	QAD Field		yes/no	
QadL13	QAD Field		yes/no	
QadL14	QAD Field		yes/no	
QadL15	QAD Field		yes/no	
QadL16	QAD Field		yes/no	

Field Name	Label	Col-Label	Format	Dec
QadL17	QAD Field		yes/no	
QadL18	QAD Field		yes/no	
QadL19	QAD Field		yes/no	
QadL20	QAD Field		yes/no	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QadT04	QAD Field		99/99/99	
QadT05	QAD Field		99/99/99	
QadT06	QAD Field		99/99/99	
QadT07	QAD Field		99/99/99	
QadT08	QAD Field		99/99/99	
QadT09	QAD Field		99/99/99	
QadT10	QAD Field		99/99/99	
Site	Site		x(8)	
ToDays	Def To Due Date	To Days	>,>>9	
ToSign	Def To Due Sign	To Sign	x(1)	
ToType	To Order Type	To! Type	x(2)	
UserC01	User Field Character 1		x(24)	
UserC02	User Field Character 2		x(24)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 2		99/99/99	
VolumeUM	Volume UM	UM	x(2)	
WeightUM	Net Weight UM	UM	x(2)	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WaveTranspC	yes	oid_WaveTranspC	yes	no
◊*	SiteWhse	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			UserC01	yes	no
			UserC02	yes	no

wcr_route Work Center Routing Standards

Field Name	Label	Col-Label	Format	Dec
oid_wcr_route			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wcr__qadc01			x(8)	
wcr_domain	Domain		x(8)	
wcr_mch	Machine		x(8)	
wcr_op	Op		>>>>>9	
wcr_part	Routing Code		x(18)	
wcr_rate	Std Prod Rate	Std Rate	->,>>>,>>9	
wcr_user1	Ufld1		x(8)	
wcr_user2	Ufld2		x(8)	
wcr_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wcr_route	yes	oid_wcr_route	yes	no
	wcr_part	yes	wcr_domain	yes	no
			wcr_part	yes	no
			wcr_op	yes	no
			wcr_wkctr	yes	no
			wcr_mch	yes	no
*	wcr_route	yes	wcr_domain	yes	no
			wcr_wkctr	yes	no
			wcr_mch	yes	no
			wcr_part	yes	no
			wcr_op	yes	no

wc_mstr Work Center Master

Field Name	Label	Col-Label	Format	Dec
oid_wc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wc__chr01	User Character Field 1		X(8)	
wc__chr02	User Character Field 2		X(8)	
wc__chr03	User character Field 3		X(8)	
wc__dec01	User Decimal Field 1		->>>,>>9.99<	10
wc__dec02	User Decimal Field 2		->>>,>>9.99<	10
wc__log01	User Logical Field 1		yes/no	
wc__qad01			>,>>9.9	10
wc__qad02			>>,>>9.999	10
wc__qadc01	QAD Character Field 1		X(8)	
wc__qadc02	QAD Character Field 2		X(8)	
wc__qadc03	QAD Character Field 3		X(8)	
wc__qade01	QAD Decimal Field 1		->>>,>>9.99<<	10
wc__qade02	QAD Decimal Field 2		->>>,>>9.99<<	10
wc__qadl01	QAD Logical Field 1		yes/no	
wc_bdn_pct	Lbr Bdn %		>>9.99%	10

Field Name	Label	Col-Label	Format	Dec
wc_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
wc_bdn_supct	Setup Bdn %		>>9.99%	10
wc_bdn_surate	Setup Bdn Rate		>>>,>>9.99	10
wc_dept	Department	Dept	x(8)	
wc_desc	Description		x(24)	
wc_domain	Domain		x(8)	
wc_fsm_type	FSM Type		x(8)	
wc_lbr_rate	Labor Rate		>>>,>>9.99	10
wc_mch	Machine		x(8)	
wc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_op	Mach/Op		>>9	
wc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
wc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
wc_men_mch	Run Crew		>>9.999	10
wc_mod_date	Modified Date	Mod Date	99/99/99	
wc_pct_eff	Percent Efficiency		->,>>9.999	10
wc_pct_util	Percent Utilization		->,>>9.999	10
wc_queue	Queue Time	Queue	>,>>9.9<<	10
wc_setup_men	Setup Crew		->>,>>9.99	10
wc_setup_rte	Setup Rate		>>>,>>9.99	10
wc_user1	Ufld1		x(8)	
wc_user2	Ufld2		x(8)	
wc_userid	User ID		x(8)	
wc_wait	Wait Time	Wait	>,>>9.9<<	10
wc_wk_loc	Work Location		x(4)	
wc_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wc_mstr	yes	oid_wc_mstr	yes	no
	wc_dept	no	wc_domain	yes	no
			wc_dept	yes	no
	wc_desc	yes	wc_domain	yes	no
			wc_desc	yes	no
			wc_wkctr	yes	no
			wc_mch	yes	no
	wc_fsm_type	no	wc_domain	yes	no
			wc_fsm_type	yes	no
			wc_wkctr	yes	no
*	wc_wkctr	yes	wc_domain	yes	no
			wc_wkctr	yes	no
			wc_mch	yes	no

whl_mstr

Warehouse Location Master

Field Name	Label	Col-Label	Format	Dec
oid_whl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
whl__chr01	Reserved		x(8)	
whl__dec01			9.99	10
whl__dte01			99/99/99	
whl__log01			yes/no	
whl__qadc01			x(8)	

Field Name	Label	Col-Label	Format	Dec
whl__qadc02			x(8)	
whl__qadd03			9.99	10
whl__qadl05			yes/no	
whl__qadt04			99/99/99	
whl_act	Active		yes/no	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_domain	Domain		x(8)	
whl_loc	Location		x(8)	
whl_po_cmt_exp	Comments		yes/no	
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
whl_wo_rcpt_exp	Work Order Receipt		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_whl_mstr	yes	oid_whl_mstr	yes	no
	whl_dest	no	whl_domain	yes	no
			whl_src_dest_id	yes	no
*	whl_site	yes	whl_domain	yes	no
			whl_site	yes	no
			whl_loc	yes	no

◊ WhseC

Warehouse Control

Field Name	Label	Col-Label	Format	Dec
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoRep%	Auto Replenish %	Auto! Rep%	>>9.99%	2
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
BlindLoc	Blind Location		yes/no	
CheckDigits	Check Digits	Chk	yes/no	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	
CntStatusOpt	Count Status Option	Cnt! Stat	>9	

Field Name	Label	Col-Label	Format	Dec
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThresh%	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMTol%	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Transactions		->>>,>>9.9<<<<<<	10
MBAssign	Flav C Hard/Soft Assign.		Hard/Soft	
MBPrintID	Def ID Print Flavor C		yes/no	
MBSort	Multi-bin Pick flav C Sort.		9	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	

Field Name	Label	Col-Label	Format	Dec
oid_WhseC			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OneLevelPick	Single Level Picking	Single! Level! Pick	yes/no	
OPCActive	Opportunity Counts	OPC	yes/no	
OPCFreq	OPC Frequency	OPC Freq	>>>9	
Optimized	Optimized Storage	Optim	yes/no	
PickEnd	End Picking Level	Pick! End	>>9	
PickStart	Start Picking Level	Pick! Start	>>9	
PLDSync	Inventory Account Sync	Inv! Acct! Sync	x(1)	
PrintByWLG	Print By Work Location Group	Print! By WLG	yes/no	
PrintException	Print Exceptions	Print! Except	yes/no	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintID	Print ID	Print! ID	yes/no	
PrintModeCl	Print Mode (Confirmed Tasks)	Print! Mode Cl	X(8)	
PrintModeCr	Print Mode (Created Tasks)	Print! Mode Cr	X(8)	
PrintModeEx	Print Mode (Exceptions)	Print! Mode Ex	X(8)	
PrintModeID	Print Mode (ID)	Print! Mode ID	X(8)	
PrintModeInsp	Print Mode (ID)	Print! Mode ID	X(8)	
PrintTaskCl	Print Confirmed Tasks	Print! Cl Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpt	Quantity Change Option	Qty	>9	
RcntPriInc	Recount Increment	Recount! Increment	->,>>>,>>9	
RcntPriority	Recount Priority	Recount! Priority	->,>>>,>>9	
RcntSystem	Recount System Code	Rcnt! Sys	x(2)	
RcntTask	Recount Task	Recount! Task	x(8)	
RefNRID	Reference NR ID	Ref NR ID	X(8)	
RepickOpt	Repick Option	Repick	>9	
RepickType	Repick Tran Type	Repick! Tran Type	x(8)	
SearchWindow	Transaction Search Window	Trans! Window	>>9	
SystemCode	System Code	Sys	x(2)	
SystemFlavor	Flavor	Flv	x(1)	
Task	Task		x(8)	
Task132	132 Mode (Task)	Task! 132	yes/no	
TaskAcross	Task Printer - Number Across	Task! Across	>9	
TaskDown	Task Printer - Lines of Each	Task! Down	>9	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
TaskWidth	Task Printer - Width of Each	Task! Width	>>9	
ToLocOpt	To Location Option	To! Loc	>9	
ToLotOpt	To Lot/Serial Option	To! Lot	>9	
ToPartOpt	To Item Option	To! Item	>9	
ToRefOpt	To Reference Option	To! Ref	>9	

Field Name	Label	Col-Label	Format	Dec
TrPriInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TwoPhase	Two Phase	2Ph	yes/no	
UniqueID			9	
UseFrom	Confirmed at Source	Conf! Src	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UseRecntUM	Use Recount UM of SLG	Use! Rcnt! UM	yes/no	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WhseInvStatus	Default Whse Inv Status	Whse! Inv Stat	X(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseC	yes	oid_WhseC	yes	no
◊*	UniqueID	yes	Domain	yes	no
			UniqueID	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WhseListD

Warehouse Master List Detail

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ListSeq	Seq		>>9	
Loc	Location		x(8)	
MasterList	Master List	Master! List	X(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_WhseListD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	

Field Name	Label	Col-Label	Format	Dec
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
TrType	Type		x(8)	
UltSite	Ultimate Site	Ultimate! Site	x(8)	
UltWhse	Ultimate Warehouse	Ultimate! Whse	x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseListD	yes	oid_WhseListD	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊	Whse	yes	Domain	yes	no
			Site	yes	no
			MasterList	yes	no
			TrType	yes	no
			Whse	yes	no
◊*	WMLDIdx	yes	Domain	yes	no
			Site	yes	no
			MasterList	yes	no
			TrType	yes	no
			ListSeq	yes	no

◊ WhseListM

Warehouse Master List Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
MasterList	Master List	Master! List	X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WhseListM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseListM	yes	oid_WhseListM	yes	no
◊*	SiteList	yes	Domain	yes	no
			Site	yes	no
			MasterList	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WhseM

Warehouse Master

Field Name	Label	Col-Label	Format	Dec
Active	Active	Act	yes/no	
Addr	Address		x(8)	
AllowQtyDec	Allow Quantity Decrease	Qty! Dec	yes/no	
AllowQtyInc	Allow Quantity Increase	Qty! Inc	yes/no	
AllowSwitch	Allow Task Switching	Switch	yes/no	
AltUMOpt	Alternative UM Option	AltUM	>9	
AutoBPOD	Automatically Recreate BPs	Auto BP	yes/no	
AutoRep%	Auto Replenish %	Auto! Rep%	>>9.99%	2
AutoReplen	Auto Replenish	Auto! Rep	yes/no	
BaseUMOnly	Base UM Only		yes/no	
BlindLoc	Blind Location		yes/no	
CanRun	Roles		x(189)	
CheckDigits	Check Digits	Chk	yes/no	
CmtIndx	Comments		>>>>>>>9	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
CntStatusOpt	Count Status Option	Cnt! Stat	>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CompOpt	Completion Option	Comp	>9	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
ExpDate	Expire Date (Days)	Expire Date! (Days)	>>>9	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
FailOpt	Fail Option	Fail	>9	
FailStatus	Fail Status	Fail	X(8)	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
FromLocOpt	From Location Option	From! Loc	>9	
FromLotOpt	From Lot/Serial Option	From! Lot	>9	
FromPartOpt	From Item Option	From! Item	>9	
FromRefOpt	From Reference Option	From! Ref	>9	
HoldAllowCycle	Allow Cycle Counts	Cycle	yes/no	
HoldAllowInReturn	Allow Incoming Returns	InRet	yes/no	
HoldAllowIssue	Allow Issues	Iss	yes/no	
HoldAllowOutReturn	Allow Outgoing Returns	OutRet	yes/no	
HoldAllowPick	Allow Picking	Pick	yes/no	
HoldAllowReceipt	Allow Receipts	Rec	yes/no	
HoldTime	Hold Time (Min)	Hld! Time	>>>>>>>9	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
LocThresh%	Location Capacity Threshold	Location! Capacity! Threshold	>>9.99%	2
LogUMTol%	Logistics UM Tolerance	Log UM Tol	>>9.99%	2
ManCode	Man Code		X(8)	0
MaxTrans	Max Trans		->>,>>9.99	10
MBAssign	Flav C Hard/Soft Assign.		Hard/Soft	
MBPrintID	Def ID Print Flavor C		yes/no	
MBSort	Multi-bin Pick flav C Sort.		9	
MixStatus	Allow Mixed Status Codes	Mix! Status	yes/no	
ModDate	Modified		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
oid_WhseM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
OneLevelPick	Single Level Picking	Single! Level! Pick	yes/no	
OPCActive	Opportunity Counts	OPC	yes/no	
OPCFreq	OPC Frequency	OPC Freq	>>>9	
Optimized	Optimized Storage	Optim	yes/no	
PackNrID	Packaging Seq ID	Pck! Seq! ID	x(8)	
PickEnd	End Picking Level	Pick! End	>>9	
PickStart	Start Picking Level	Pick! Start	>>9	
PLDSync	Inventory Account Sync	Inv! Acct! Sync	x(1)	
PrintByWLG	Print By Work Location Group	Print! By WLG	yes/no	
PrintException	Print Exceptions	Print! Except	yes/no	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintID	Print ID	Print! ID	yes/no	
PrintModeCl	Print Mode (Confirmed Tasks)	Print! Mode Cl	X(8)	
PrintModeCr	Print Mode (Created Tasks)	Print! Mode Cr	X(8)	
PrintModeEx	Print Mode (Exceptions)	Print! Mode Ex	X(8)	
PrintModeID	Print Mode (ID)	Print! Mode ID	X(8)	
PrintModeInsp	Print Mode (ID)	Print! Mode ID	X(8)	
PrintTaskCl	Print Confirmed Tasks	Print! Cl Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOpt	Quantity Change Option	Qty	>9	
RcntPriInc	Recount Increment	Recount! Increment	->,>>>,>>9	
RcntPriority	Recount Priority	Recount! Priority	->,>>>,>>9	
RcntSystem	Recount System Code	Rcnt! Sys	x(2)	
RcntTask	Recount Task	Recount! Task	x(8)	
RefNRID	Reference Seq ID	Ref Sq ID	X(8)	
RepickOpt	Repick Option	Repick	>9	
RepickType	Repick Tran Type	Repick! Tran Type	x(8)	
SearchWindow	Transaction Search Window	Trans! Window	>>9	
Site	Site		x(8)	
SystemCode	System Code	Sys	x(2)	
SystemFlavor	Flavor	Flv	x(1)	
Task	Task		x(8)	
Task132	132 Mode (Task)	Task! 132	yes/no	
TaskAcross	Task Printer - Number Across	Task! Across	>9	
TaskDown	Task Printer - Lines of Each	Task! Down	>9	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	

Field Name	Label	Col-Label	Format	Dec
TaskWidth	Task Printer - Width of Each	Task! Width	>>9	
ToLocOpt	To Location Option	To! Loc	>9	
ToLotOpt	To Lot/Serial Option	To! Lot	>9	
ToPartOpt	To Item Option	To! Item	>9	
ToRefOpt	To Reference Option	To! Ref	>9	
TrPriInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TwoPhase	Two Phase	2Ph	yes/no	
UseFrom	Confirmed at Source	Conf! Src	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UseRecntUM	Use Recount UM of SLG	Use! Rcnt! UM	yes/no	
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseM	yes	oid_WhseM	yes	no
◊*	SiteWhse	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WhseTferOrdD Warehouse Transfer Order Detail

Field Name	Label	Col-Label	Format	Dec
Conv	Conversion	Conv	>>>>9.9999<<<<	10
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_WhseTferOrdD			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	

Field Name	Label	Col-Label	Format	Dec
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
QtyOrd	Quantity Ordered	Quantity! Ordered	->,>>>,>>9.9<<<<<<<	10
QtyPick	Quantity Picked	Quantity! Picked	->,>>>,>>9.9<<<<<<<	10
QtyShip	Quantity Shipped	Quantity! Shipped	->,>>>,>>9.9<<<<<<<	10
UM	UM		x(2)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WTLine	Line		>>>9	
WTOrder	Order		X(8)	
WTPart	Item Number		x(18)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseTferOrdD	yes	oid_WhseTferOrdD	yes	no
◊*	OrderLine	yes	Domain	yes	no
			WTOrder	yes	no
			WTLine	yes	no
◊	Part	no	Domain	yes	no
			WTPart	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

◊ WhseTferOrdM Warehouse Transfer Order Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
FromAddr	From Address	From! Address	x(8)	
FromSite	From Site	From! Site	x(8)	
FromWhse	From Whse	From! Whse	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WhseTferOrdM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ReqDate	Required		99/99/99	
ShipDate	Shipped		99/99/99	
ToAddr	To Address	To! Address	x(8)	
ToSite	To Site		x(8)	
ToWhse	To Whse		x(8)	
Transport	Transport		x(24)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
WTOrder	Order		X(8)	
WTStatus	Status	St	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	FromWhse	no	Domain	yes	no
			FromSite	yes	no
			FromWhse	yes	no
◊	oid_WhseTferOrdM	yes	oid_WhseTferOrdM	yes	no
◊	ToWhse	no	Domain	yes	no
			ToSite	yes	no
			ToWhse	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊*	WTOrder	yes	Domain	yes	no
			WTOrder	yes	no
◊	WTStatus	no	Domain	yes	no
			WTStatus	yes	no
			ReqDate	yes	no

◊ **WhseTrTypeM** Warehouse/Transaction Type Master

Field Name	Label	Col-Label	Format	Dec
CmtIndx	Comments		>>>>>>>9	
Consolidate	Consolidate	Cons	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
ModDate	Modified		99/99/99	
ModeM	Mode		X(8)	
ModUserID	Modified		x(8)	
oid_WhseTrTypeM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
OneLevelPick	Single Level Picking	Single! Level! Pick	yes/no	
OverPick	Over Pick	Over! Pick	yes/no	
PickEnd	End Picking Level	Pick! End	>>9	
PickStart	Start Picking Level	Pick! Start	>>9	
PrintProcCode	Print Procedure Code	Print! Proc	x(2)	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
SearchWindow	Transaction Search Window	Trans! Window	>>9	
ShortAction	Shortage Action	Short! Act	>>9	
ShortDef	Shortage Definition	Short! Def	>>9	
ShortQtyDef	Shortage Quantity Definition	Short! Qty Def	>>9	
ShortWindow	Shortage Window	Short! Wind	>>9	
Site	Site		x(8)	
SLGListSearchExt	SLG List Search Extension	SLG List Ext	yes/no	
SLGOPControl	Control Over-Pick at SLG		yes/no	
SLGSearchExt	SLG Search Extension	SLG Ext	yes/no	
TrType	Type		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WhseTrTypeM	yes	oid_WhseTrTypeM	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊*	WhseTrType	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			TrType	yes	no

wlbd_det

WIP Lot Trace BOM Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlbd__chr01			X(16)	
wlbd__chr02			X(16)	
wlbd__chr03			X(16)	
wlbd__chr04			X(16)	
wlbd__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlbd__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlbd__dte01			99/99/99	
wlbd__dte02			99/99/99	
wlbd__int01			->,>>>,>>9	
wlbd__int02			->,>>>,>>9	
wlbd__log01			yes/no	
wlbd__log02			yes/no	
wlbd__qadc01			X(16)	
wlbd__qadc02			X(16)	
wlbd__qadc03			X(16)	
wlbd__qadc04			X(16)	
wlbd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlbd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlbd__qadi01			->,>>>,>>9	
wlbd__qadi02			->,>>>,>>9	
wlbd__qadl01			yes/no	
wlbd__qadl02			yes/no	
wlbd__qadt01			99/99/99	
wlbd__qadt02			99/99/99	
wlbd_bom_code	BOM Code		x(18)	
wlbd_comp	Component Item		X(18)	
wlbd_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbd_domain	Domain		x(8)	
wlbd_mod_date	Modified Date	Mod Date	99/99/99	
wlbd_mod_userid	User ID		x(8)	
wlbd_start	Start Date	Start	99/99/99	
wlbd_trc_comps	Trace Components	Trace! Components	yes/no	
wlbd_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbd_user1	Ufld1		X(16)	
wlbd_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlbd_det	yes	oid_wlbd_det	yes	no
*	wlbd_bom_code	yes	wlbd_domain	yes	no
			wlbd_bom_code	yes	no
			wlbd_start	yes	no
			wlbd_comp	yes	no

wlbm_mstr WIP Lot Trace BOM Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlbm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlbm__chr01			X(16)	
wlbm__chr02			X(16)	
wlbm__chr03			X(16)	
wlbm__chr04			X(16)	
wlbm__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlbm__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlbm__dte01			99/99/99	
wlbm__dte02			99/99/99	
wlbm__int01			->,>>>,>>9	
wlbm__int02			->,>>>,>>9	
wlbm__log01			yes/no	
wlbm__log02			yes/no	
wlbm__qadc01			X(16)	
wlbm__qadc02			X(16)	
wlbm__qadc03			X(16)	
wlbm__qadc04			X(16)	
wlbm__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlbm__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlbm__qadi01			->,>>>,>>9	
wlbm__qadi02			->,>>>,>>9	
wlbm__qadl01			yes/no	
wlbm__qadl02			yes/no	
wlbm__qadt01			99/99/99	
wlbm__qadt02			99/99/99	
wlbm_bom_code	BOM Code		x(18)	
wlbm_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbm_domain	Domain		x(8)	
wlbm_end	End Date	End	99/99/99	
wlbm_mod_date	Modified Date	Mod Date	99/99/99	
wlbm_mod_userid	User ID		x(8)	
wlbm_start	Start Date	Start	99/99/99	
wlbm_trc_comps	Trace Components	Trace! Components	yes/no	
wlbm_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbm_user1	Ufld1		X(16)	
wlbm_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlbm_mstr	yes	oid_wlbm_mstr	yes	no
*	wlbm_bom_code	yes	wlbm_domain	yes	no
			wlbm_bom_code	yes	no
			wlbm_start	yes	no

wlc_ctrl

WIP Lot Trace Control

Field Name	Label	Col-Label	Format	Dec
oid_wlc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlc__chr01			X(16)	
wlc__chr02			X(16)	
wlc__chr03			X(16)	
wlc__chr04			X(16)	
wlc__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlc__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlc__dte01			99/99/99	
wlc__dte02			99/99/99	
wlc__int01			->,>>>,>>9	
wlc__int02			->,>>>,>>9	
wlc__log01			yes/no	
wlc__log02			yes/no	
wlc__qadc01			X(16)	
wlc__qadc02			X(16)	
wlc__qadc03			X(16)	
wlc__qadc04			X(16)	
wlc__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlc__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlc__qadi01			->,>>>,>>9	
wlc__qadi02			->,>>>,>>9	
wlc__qadi03			->>>>>>>9	
wlc__qadl01			yes/no	
wlc__qadl02			yes/no	
wlc__qadt01			99/99/99	
wlc__qadt02			99/99/99	
wlc_comp_cmb_ok	Combine Component Lots		yes/no	
wlc_domain	Domain		x(8)	
wlc_enable_wlt	Enable WIP Lot Trace		yes/no	
wlc_maxlotsize	Max Lot Size		>>>,>>>,>>9.9	10
wlc_mod_date	Modified Date	Mod Date	99/99/99	
wlc_mod_userid	User ID		x(8)	
wlc_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlc_overissue	WIP Lot Overissue		yes/no	
wlc_trc_comps	Trace Components	Trace! Components	yes/no	
wlc_trc_parents	Trace Parents	Trace! Parents	yes/no	
wlc_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlc_user1	Ufld1		X(16)	
wlc_user2	Ufld2		X(16)	
wlc_wip_cmb_ok	Combine WIP Lots		yes/no	
wlc_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlc_ctrl	yes	oid_wlc_ctrl	yes	no
*	wlc_index1	yes	wlc_domain	yes	no

wld_det

WIP Lot Inventory Detail

Field Name	Label	Col-Label	Format	Dec
oid_wld_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
wld__chr01			X(16)	
wld__chr02			X(16)	
wld__chr03			X(16)	
wld__chr04			X(16)	
wld__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wld__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wld__dte01			99/99/99	
wld__dte02			99/99/99	
wld__int01			->,>>>,>>9	
wld__int02			->,>>>,>>9	
wld__log01			yes/no	
wld__log02			yes/no	
wld__qadc01			X(16)	
wld__qadc02			X(16)	
wld__qadc03			X(16)	
wld__qadc04			X(16)	
wld__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wld__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wld__qadi01			->,>>>,>>9	
wld__qadi02			->,>>>,>>9	
wld__qadl01			yes/no	
wld__qadl02			yes/no	
wld__qadt01			99/99/99	
wld__qadt02			99/99/99	
wld_alloc_id	Alloc To WO ID		x(8)	
wld_alloc_op	Operation	Op	>>>>9	
wld_alloc_que	Queue		x(8)	
wld_domain	Domain		x(8)	
wld_lotser	Lot/Serial		x(18)	
wld_mch	Machine		x(8)	
wld_mod_date	Modified Date	Mod Date	99/99/99	
wld_mod_userid	User ID		x(8)	
wld_prodby_id	Produced By ID	Prod ID	x(8)	
wld_prodby_op	Produced By Op	Prod Op	>>>>9	
wld_qty_oh	Qty On Hand		->,>>>,>>9.9<<<<<<<<	10
wld_ref	Reference	Ref	x(8)	
wld_site	Site		x(8)	
wld_user1	Ufld1		X(16)	
wld_user2	Ufld2		X(16)	
wld_wkctr	Work Center	Work Ctr	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wld_det	yes	oid_wld_det	yes	no
	wld_alloc_loc	no	wld_domain	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_prodby_id	yes	no
			wld_prodby_op	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
*	wld_id	yes	wld_domain	yes	no
			wld_prodby_id	yes	no
			wld_prodby_op	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no
	wld_lotser	no	wld_domain	yes	no
			wld_lotser	yes	no
			wld_ref	yes	no
			wld_prodby_id	yes	no
			wld_prodby_op	yes	no
			wld_site	yes	no
			wld_wkctr	yes	no
			wld_mch	yes	no
			wld_alloc_id	yes	no
			wld_alloc_op	yes	no
			wld_alloc_que	yes	no

◊ **WLGM** Work Location Group Master

Field Name	Label	Col-Label	Format	Dec
AllowSwitch	Allow Task Switching	Switch	yes/no	
CmtIndx	Comments		>>>>>>>9	
CntPriInc	Count Increment	Count! Increment	->,>>>,>>9	
CntPriority	Count Priority	Count! Priority	->,>>>,>>9	
CntSystem	Count System Code	Cnt! Sys	x(2)	
CntTask	Count Task	Count! Task	x(8)	
CountOnFail	Count on Fail	Count	yes/no	
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
DevCode	Device		X(8)	
Domain	Domain		x(8)	
Ext132	132 Mode (External)	Ext! 132	yes/no	
ExtAcross	External Printer - Number Across	Ext! Across	>9	
ExtDevPrinter	External Device Printer	External! Device! Printer	X(8)	

Field Name	Label	Col-Label	Format	Dec
ExtDown	External Printer - Lines of Each	Ext! Down	>9	
ExtWidth	External Printer - Width of Each	Ext! Width	>>9	
Form132	132 Mode (Form)	Form! 132	yes/no	
FormPrinter	Form Printer	Form! Printer	X(8)	
FormUseExt	Use External	Ext	yes/no	
ID132	132 Mode (ID)	ID! 132	yes/no	
IDAcross	ID Printer - Number Across	ID! Across	>9	
IDDown	ID Printer - Lines of Each	ID! Down	>9	
IDPrinter	ID Printer	ID! Printer	X(8)	
IDUseExt	Use External	Ext	yes/no	
IDWidth	ID Printer - Width of Each	ID! Width	>>9	
Insp132	132 Mode (Insp)	Insp! 132	yes/no	
InspAcross	Insp Printer - Number Across	Insp! Across	>9	
InspDown	Insp Printer - Lines of Each	Insp! Down	>9	
InspPrinter	Insp Printer		x(8)	
InspUseExt	Use External	Ext	yes/no	
InspWidth	Insp Printer - Width of Each	Insp! Width	>>9	
KeepFromStatus	Keep From Status	Keep! From! Status	yes/no	
ManCode	Man Code		X(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WLGM			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
PrintException	Print Exceptions	Print! Except	yes/no	
PrintFlavor	Print Flavor	Prt! Flv	x(1)	
PrintID	Print ID		yes/no	
PrintModeCl	Print Mode (Confirmed Tasks)	Print! Mode Cl	X(8)	
PrintModeCr	Print Mode (Created Tasks)	Print! Mode Cr	X(8)	
PrintModeEx	Print Mode (Exceptions)	Print! Mode Ex	X(8)	
PrintModeID	Print Mode ID		x(8)	
PrintModeInsp	Print Mode (ID)	Print! Mode ID	X(8)	
PrintTaskCl	Print Confirmed Tasks	Print! Cl Task	yes/no	
PrintTaskCr	Print Created Tasks	Print! Cr Task	yes/no	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
RcntPriInc	Recount Increment	Recount! Increment	->,>>>,>>9	
RcntPriority	Recount Priority	Recount! Priority	->,>>>,>>9	
RcntSystem	Recount System Code	Rcnt! Sys	x(2)	
RcntTask	Recount Task	Recount! Task	x(8)	
Site	Site		x(8)	
SystemCode	System Code	Sys	x(2)	
SystemFlavor	Flavor	Flv	x(1)	
Task	Task		x(8)	

Field Name	Label	Col-Label	Format	Dec
Task132	132 Mode (Task)	Task! 132	yes/no	
TaskAcross	Task Printer - Number Across	Task! Across	>9	
TaskDown	Task Printer - Lines of Each	Task! Down	>9	
TaskPrinter	Task Printer	Task! Printer	X(8)	
TaskUseExt	Use External	Ext	yes/no	
TaskWidth	Task Printer - Width of Each	Task! Width	>>9	
TrPriInc	Increment		->,>>>,>>9	
TrPriority	Priority		->,>>>,>>9	
TwoPhase	Two Phase	2Ph	yes/no	
UseFrom	Confirmed at Source	Conf! Src	yes/no	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WLGM	yes	oid_WLGM	yes	no
◊*	SiteWhseWLocGp	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no

wlrd_det

WIP Lot Trace Routing Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlrd__chr01			X(16)	
wlrd__chr02			X(16)	
wlrd__chr03			X(16)	
wlrd__chr04			X(16)	
wlrd__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__dte01			99/99/99	
wlrd__dte02			99/99/99	
wlrd__int01			->,>>>,>>9	
wlrd__int02			->,>>>,>>9	
wlrd__log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
wlrd__log02			yes/no	
wlrd__qadc01			X(16)	
wlrd__qadc02			X(16)	
wlrd__qadc03			X(16)	
wlrd__qadc04			X(16)	
wlrd__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlrd__qadi01			->,>>>,>>9	
wlrd__qadi02			->,>>>,>>9	
wlrd__qadl01			yes/no	
wlrd__qadl02			yes/no	
wlrd__qadt01			99/99/99	
wlrd__qadt02			99/99/99	
wlrd_domain	Domain		x(8)	
wlrd_mod_date	Modified Date	Mod Date	99/99/99	
wlrd_mod_userid	User ID		x(8)	
wlrd_op	Operation	Op	>>>>9	
wlrd_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrd_routing	Routing Code		x(18)	
wlrd_start	Start Date	Start	99/99/99	
wlrd_user1	Ufld1		X(16)	
wlrd_user2	Ufld2		X(16)	
wlrd_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrd_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlrd_det	yes	oid_wlrd_det	yes	no
*	wlrd_routing	yes	wlrd_domain	yes	no
			wlrd_routing	yes	no
			wlrd_start	yes	no
			wlrd_op	yes	no

wlrm_mstr WIP Lot Trace Routing Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlrm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlrm__chr01			X(16)	
wlrm__chr02			X(16)	
wlrm__chr03			X(16)	
wlrm__chr04			X(16)	
wlrm__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlrm__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlrm__dte01			99/99/99	
wlrm__dte02			99/99/99	
wlrm__int01			->,>>>,>>9	
wlrm__int02			->,>>>,>>9	
wlrm__log01			yes/no	
wlrm__log02			yes/no	
wlrm__qadc01			X(16)	
wlrm__qadc02			X(16)	
wlrm__qadc03			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlrm__qadc04			X(16)	
wlrm__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlrm__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlrm__qadi01			->,>>>,>>9	
wlrm__qadi02			->,>>>,>>9	
wlrm__qadl01			yes/no	
wlrm__qadl02			yes/no	
wlrm__qadt01			99/99/99	
wlrm__qadt02			99/99/99	
wlrm_domain	Domain		x(8)	
wlrm_end	End Date	End	99/99/99	
wlrm_lt_startop	Lot Trace Start Op	Lot Trace! Start Op	>>>>9	
wlrm_maxlotsize	Max Lot Size		>>>,>>>,>>9.9	10
wlrm_mod_date	Modified Date	Mod Date	99/99/99	
wlrm_mod_userid	User ID		x(8)	
wlrm_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlrm_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrm_routing	Routing Code		x(18)	
wlrm_ser_startop	Serialized WIP Start Op	Serialized WIP! Start Op	>>>>9	
wlrm_start	Start Date	Start	99/99/99	
wlrm_trc_parent	Trace Parents	Trace! Parents	yes/no	
wlrm_user1	Ufld1		X(16)	
wlrm_user2	Ufld2		X(16)	
wlrm_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrm_wip_split_ok	Split WIP Lots		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlrm_mstr	yes	oid_wlrm_mstr	yes	no
*	wlrm_routing	yes	wlrm_domain	yes	no
			wlrm_routing	yes	no
			wlrm_start	yes	no

wlt_mstr WIP Lot Trace Master

Field Name	Label	Col-Label	Format	Dec
oid_wlt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wlt__chr01			X(16)	
wlt__chr02			X(16)	
wlt__chr03			X(16)	
wlt__chr04			X(16)	
wlt__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wlt__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wlt__dte01			99/99/99	
wlt__dte02			99/99/99	
wlt__int01			->,>>>,>>9	
wlt__int02			->,>>>,>>9	
wlt__log01			yes/no	
wlt__log02			yes/no	
wlt__qadc01			X(16)	
wlt__qadc02			X(16)	
wlt__qadc03			X(16)	

Field Name	Label	Col-Label	Format	Dec
wlt__qadc04			X(16)	
wlt__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wlt__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wlt__qadi01			->,>>>,>>9	
wlt__qadi02			->,>>>,>>9	
wlt__qadl01			yes/no	
wlt__qadl02			yes/no	
wlt__qadt01			99/99/99	
wlt__qadt02			99/99/99	
wlt_cr_date	Date Created		99/99/99	
wlt_cr_time	Time Created		>>>>>>9	
wlt_domain	Domain		x(8)	
wlt_lotser	Lot/Serial		x(18)	
wlt_mod_date	Modified Date	Mod Date	99/99/99	
wlt_mod_time	Time Modified		>>>>>>>9	
wlt_mod_userid	User ID		x(8)	
wlt_mtl_type	Material Type	Type	x(12)	
wlt_part	Item Number		x(18)	
wlt_prcons_ind	Produced/Consumed	Prod/Cons	Prod/Cons	
wlt_prodby_id	Produced By ID	Prod ID	x(8)	
wlt_prodby_op	Produced By Op	Prod Op	>>>>9	
wlt_qty	Qty		->,>>>,>>9.9<<<<<<<<	10
wlt_ref	Reference	Ref	x(8)	
wlt_tr_type	Trans Type		x(8)	
wlt_trnbr	Trans		>>>>>>>9	
wlt_user1	Ufld1		X(16)	
wlt_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wlt_mstr	yes	oid_wlt_mstr	yes	no
	wlt_prcons	no	wlt_domain	yes	no
			wlt_prcons_ind	yes	no
			wlt_mtl_type	yes	no
			wlt_prodby_id	yes	no
			wlt_prodby_op	yes	no
			wlt_part	yes	no
			wlt_lotser	yes	no
			wlt_ref	yes	no
			wlt_tr_type	yes	no
			wlt_trnbr	yes	no
*	wlt_tr_type	yes	wlt_domain	yes	no
			wlt_tr_type	yes	no
			wlt_trnbr	yes	no
			wlt_prcons_ind	yes	no
			wlt_mtl_type	yes	no
			wlt_prodby_id	yes	no
			wlt_prodby_op	yes	no
			wlt_part	yes	no
			wlt_lotser	yes	no
			wlt_ref	yes	no

wl_mstr WIP Lot Master

Field Name	Label	Col-Label	Format	Dec
oid_wl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wl__chr01			X(16)	
wl__chr02			X(16)	
wl__chr03			X(16)	
wl__chr04			X(16)	
wl__dec01			->>>,>>>,>>9.9<<<<<<<<<	10
wl__dec02			->>>,>>>,>>9.9<<<<<<<<<	10
wl__dte01			99/99/99	
wl__dte02			99/99/99	
wl__int01			->,>>>,>>9	
wl__int02			->,>>>,>>9	
wl__log01			yes/no	
wl__log02			yes/no	
wl__qadc01			X(16)	
wl__qadc02			X(16)	
wl__qadc03			X(16)	
wl__qadc04			X(16)	
wl__qadd01			->>>,>>>,>>9.9<<<<<<<<<	10
wl__qadd02			->>>,>>>,>>9.9<<<<<<<<<	10
wl__qadi01			->,>>>,>>9	
wl__qadi02			->,>>>,>>9	
wl__qadl01			yes/no	
wl__qadl02			yes/no	
wl__qadt01			99/99/99	
wl__qadt02			99/99/99	
wl_cert_status	Cert Status		x(8)	
wl_cr_date	Date Created		99/99/99	
wl_cr_time	Time Created		>>>>>>9	
wl_domain	Domain		x(8)	
wl_lotser	Lot/Serial		x(18)	
wl_mod_date	Modified Date	Mod Date	99/99/99	
wl_mod_time	Time Modified		>>>>>>>9	
wl_mod_userid	User ID		x(8)	
wl_prodby_id	Produced By ID	Prod ID	x(8)	
wl_prodby_op	Produced By Op	Prod Op	>>>>9	
wl_qty_cumadj	Cum Adjusted		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumcons	Cum Consumed		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumprod	Cum Produced		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumrjct	Cum Rejected		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumrwrk	Cum Reworked		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumscrap	Cum Scrapped		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumtrin	Cum Trans In		->,>>>,>>9.9<<<<<<<<	10
wl_qty_cumtrout	Cum Trans Out		->,>>>,>>9.9<<<<<<<<	10
wl_user1	Ufld1		X(16)	
wl_user2	Ufld2		X(16)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wl_mstr	yes	oid_wl_mstr	yes	no
	wl_lotser	no	wl_domain	yes	no
			wl_lotser	yes	no
			wl_prodby_id	yes	no
			wl_prodby_op	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
*	wl_prodby_id	yes	wl_domain	yes	no
			wl_prodby_id	yes	no
			wl_prodby_op	yes	no
			wl_lotser	yes	no

woc_ctrl Work Order Control

Field Name	Label	Col-Label	Format	Dec
oid_woc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
woc__qadi01			>>>>>>>9	
woc__qadi02			->>>>>>>9	
woc__qadl01			yes/no	
woc__qadl02			yes/no	
woc_auto_nbr	Auto W/O Numbers		yes/no	
woc_bdn_up	Update Current Burden Cost		yes/no	
woc_domain	Domain		x(8)	
woc_gl_bdn	Create GL for Burden Variance		yes/no	
woc_gl_lbr	Create GL for Labor Variance		yes/no	
woc_lbr_up	Update Current Labor Cost		yes/no	
woc_move	Move First Operation		yes/no	
woc_nbr	Next W/O Nbr	Next WO	>>>>>>>9	
woc_nbr_pre	WO Prefix	Pre	x(3)	
woc_paper_lt	Paperwork LT	Paper LT	>>9	
woc_rcmmts	Routing Comments		yes/no	
woc_sched	Oper Sched Method (Back/Fwd)	Sched	x(1)	
woc_time_ind	Time Indicator	Time	x(1)	
woc_user1	Ufld1		x(8)	
woc_user2	Ufld2		x(8)	
woc_var	Post variances at SFC		yes/no	
woc_wcmmts	Work Order Comments		yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_woc_ctrl	yes	oid_woc_ctrl	yes	no
*	woc_index1	yes	woc_domain	yes	no

wod_det Work Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_wod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wod__chr01			x(8)	
wod__chr02			x(8)	
wod__chr03			x(8)	
wod__chr04			x(8)	
wod__chr05			x(8)	
wod__dec01			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
wod__dec02			>>>,>>>,>>9.99	10
wod__dte01			99/99/99	
wod__dte02			99/99/99	
wod__log01			yes/no	
wod__qadc01	QAD Character Field 1		X(8)	
wod__qadc02	QAD Character Field 2		X(8)	
wod__qadc03	QAD Character Field 3		X(8)	
wod__qade01	QAD Decimal Field 1		->>>,>>9.99<	10
wod__qade02	QAD Decimal Field 2		->>>,>>9.99<	10
wod__qadl01	QAD Logical Field 1		yes/no	
wod__qadl02	QAD L ogical Field 2		yes/no	
wod__qadt01	QAD Date Field 1		99/99/99	
wod__qadt02	QAD Date Field 2		99/99/99	
wod_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
wod_bom_amt	Frozen BOM Cost	BOM Cost	->>>,>>9.999	10
wod_bom_qty	Frozen BOM Qty	BOM Qty	->,>>>,>>9.9<<<<<<<<	10
wod_ca_int_type	Work Code		x(8)	0
wod_cmtindx	Comment Index	Comment	>>>>>>>9	
wod_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
wod_covered_post			>>>>,>>>,>>9.99<<<	10
wod_critical	Critical		yes/no	
wod_deliver	Deliver To		x(8)	
wod_domain	Domain		x(8)	
wod_eng_code	Engineer		x(8)	
wod_exg_price	Exchange Price		>>>>,>>>,>>9.99<<<	10
wod_fcg_code	Charge Code	Charge	x(8)	
wod_fcg_index			->,>>>,>>9	
wod_fis_column			>>9	
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>,>>>,>>9.99<<<	10
wod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wod_mvrte_accr	Mtl Rate Accrued	Accrued	->>>>,>>9.99	10
wod_mvrte_post	Mtl Rate Posted	Posted	->>>>,>>9.99	10
wod_mvrte_rval	Mtl Rate Revalued	Revalued	->>>>,>>9.99	10
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>,>>9.99	10
wod_mvuse_post	Mtl Use Posted	Posted	->>>>,>>9.99	10
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>,>>9.99	10
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>,>>>,>>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	
wod_project	Project		x(8)	
wod_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
wod_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
wod_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
wod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10

	Field Name	Label	Col-Label	Format	Dec
	wod_qty_posted			->,>>>,>>9.9<	10
	wod_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
	wod_qty_ret	Qty Returned	Qty Ret	->,>>9.9	10
	wod_ref	Ref	Reference	x(8)	
	wod_ret_iss			->,>>9.9	10
	wod_ret_loc	Return Location		x(8)	
	wod_ret_ref	Inventory Reference	Inv Ref	X(8)	
	wod_ret_serial	Return Lot/Serial		x(18)	
	wod_ret_site	Return Site		x(8)	
	wod_seo_load	Loaded from MO		yes/no	
	wod_serial	Lot/Serial		x(18)	
	wod_site	Site		x(8)	
	wod_sod_line	Line	Ln	>>9	
	wod_sod_nbr	Sales Order	Order	x(8)	
	wod_status	Status		x(8)	
	wod_std_cost	Unit Cost		->>>,>>9.999	10
Δ	wod_sv_code	Service Type Used		x(8)	
	wod_tot_std	Std Cost		->>>,>>9.999	10
	wod_user1	Ufld1		x(8)	
	wod_user2	Ufld2		x(8)	
	wod_yield_pct	Yield%		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wod_det	yes	oid_wod_det	yes	no
*	wod_det	yes	wod_domain	yes	no
			wod_lot	yes	no
			wod_part	yes	no
			wod_op	yes	no
	wod_iss_part	no	wod_domain	yes	no
			wod_iss_date	yes	no
			wod_part	yes	no
	wod_nbrpart	no	wod_domain	yes	no
			wod_nbr	yes	no
			wod_lot	yes	no
			wod_part	yes	no
	wod_op	yes	wod_domain	yes	no
			wod_lot	yes	no
			wod_op	yes	no
			wod_part	yes	no
	wod_part	no	wod_domain	yes	no
			wod_part	yes	no

◊ WorkLoadD Warehousing Work Load Group Details

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Domain	Domain		x(8)	
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified Date	Mod Date	99/99/99	
ModUserID	User ID		x(8)	
oid_WorkLoadD			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
Picks	Optimal Picks per Wave	Picks/Wave	>>>,>>9	
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
Seq	Sequence	Seq	>>>9	
Site	Site		x(8)	
TimePerPick	Time Per Pick (min)	Pick (min)	>9.99	2
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	
WLocGp	Work Loc Group	WLocGrp	x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_WorkLoadD	yes	oid_WorkLoadD	yes	no
◊	SiteWhseWLocGp	no	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			WLocGp	yes	no
◊	UsrIdx	no	Domain	yes	no
			User1	yes	no
			User2	yes	no
◊*	WorkLoad	yes	Domain	yes	no
			Site	yes	no
			Whse	yes	no
			LoadGroup	yes	no
			Seq	yes	no
			WLocGp	yes	no

◊ WorkLoadM Warehousing Work Load Group Master

Field Name	Label	Col-Label	Format	Dec
CreateDate	Create Date		99/99/99	
CreateUserID	Created		x(8)	
Description	Description		x(24)	
Domain	Domain		x(8)	
LoadGroup	Workload Group	Grp	x(8)	
ModDate	Modified		99/99/99	
ModUserID	Modified		x(8)	
oid_WorkLoadM			>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
QadC01	QAD Field		X(8)	0
QadC02	QAD Field		X(8)	0
QadC03	QAD Field		X(8)	0
QadC04	QAD Field		X(8)	0
QadC05	QAD Field		X(8)	0
QadD01	QAD Field		->>>>,>>>,>>9.99<<<	10
QadD03	QAD Field		->>>>,>>>,>>9.99<<<	10
QadI01	QAD Field		->,>>>,>>9	
QadI02	QAD Field		->,>>>,>>9	
QadI03	QAD Field		->,>>>,>>9	
QadT01	QAD Field		99/99/99	
QadT02	QAD Field		99/99/99	
QadT03	QAD Field		99/99/99	
ShiftSize	Shift Size		->>,>>9.99	10
Site	Site		x(8)	
User1	User 1		x(8)	
User2	User 2		x(8)	
UserC03	User Field Character 3		x(24)	
UserC04	User Field Character 4		x(24)	
UserC05	User Field Character 5		x(24)	
UserD01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
UserD02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
UserI01	User Field Integer 1		->>>>>>>9	
UserI02	User Field Integer 2		->>>>>>>9	
UserL01	User Field Logical 1		yes/no	
UserL02	User Field Logical 2		yes/no	
UserT01	User Field Date 1		99/99/99	
UserT02	User Field Date 1		99/99/99	
Whse	Warehouse	Whse	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* LoadGroup	yes	Domain	yes	no
		Site	yes	no
		Whse	yes	no
		LoadGroup	yes	no
◊ oid_WorkLoadM	yes	oid_WorkLoadM	yes	no
◊ UsrIdx	no	Domain	yes	no
		User1	yes	no
		User2	yes	no

wo_mstr Work Order Master

Field Name	Label	Col-Label	Format	Dec
oid_wo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wo__chr01			x(8)	
wo__chr02			x(8)	
wo__chr03			x(8)	
wo__chr04			x(8)	
wo__chr05			x(8)	
wo__dec01			>>>,>>>,>>9.99	10
wo__dec02			>>>,>>>,>>9.99	10
wo__dec03			->>>,>>>,>>9.99	10
wo__dec04			->>>,>>>,>>9.99	10
wo__dte01			99/99/99	
wo__dte02			99/99/99	
wo__log01			yes/no	
wo__qad01			x(8)	
wo__qadc01	QAD Character Field 1		X(8)	
wo__qadc02	QAD Character Field 2		X(8)	
wo__qadc03	QAD Character Field 3		X(8)	
wo__qade01	QAD Decimal Field 1		->,>>>,>>9.9<<<	10
wo__qade02	QAD Decimal Field 2		->,>>>,>>9.9<<<	10
wo__qade03	QAD Decimal Field 3		->,>>>,>>9.9<<<	10
wo__qadi01	QAD Integer Field 1		->,>>>,>>9	
wo__qadi02	QAD Integer Field 2		->,>>>,>>9	
wo__qadl01	QAD Logical Field 1		yes/no	
wo__qadl02	QAD Logical Field 2		yes/no	
wo__qadt01	QAD Date Field 1		99/99/99	
wo__qadt02	QAD Date Field 2		99/99/99	
wo_acct	Account		x(8)	
wo_acct_close	Accounting Closed	Cls	yes/no	
wo_app_owner	Owner Application		x(12)	
wo_assay	Assay %		>>9.99%	10
wo_base_id	Base ID		x(8)	
wo_batch	Batch		x(18)	
wo_bdn_tot	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_totx	Burden Cost		->>>,>>>,>>9.99<<<	10
wo_bdn_up	Update Current Burden Cost		yes/no	
wo_bdn_var	Bdn Variance		->>>>,>>9.99	10
wo_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
wo_bom_code	BOM/Formula		x(18)	
wo_ca_int_type	Work Code		x(8)	
wo_cc	Cost Center	CC	x(4)	
wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>>9	
wo_date_posted			99/99/99	
wo_domain	Domain		x(8)	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
	wo_flr_cc	Floor Stock CC	CC	x(4)	
	wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
Δ	wo_fsm_type	SSM Type		x(8)	
	wo_gl_bdn	Create GL for Burden Variance		yes/no	
	wo_gl_lbr	Create GL for Labor Variance		yes/no	
	wo_grade	Grade	Grd	x(2)	
	wo_iss_site	Issue Site		x(8)	
	wo_itm_line	Item Line		>>>>>>>>9	
	wo_joint_type	Co/By Type	CT	x(1)	
	wo_lbr_tot	Labor Cost		->>>,>>9.99	10
	wo_lbr_totx	Labor Cost		->>>,>>9.99	10
	wo_lbr_up	Update Current Labor Cost		yes/no	
	wo_lbr_var	Lbr Variance		->>>>,>>9.99	10
	wo_lead_time	W/O Lead Time	W/O Lead	->,>>>,>>9	
	wo_line	Production Line	Line	x(8)	
	wo_loc	Location		x(8)	
	wo_lot	ID		x(8)	
	wo_lot_next	Lot/Serial		x(18)	
	wo_lot_prev	Previous ID	Prev ID	x(8)	
	wo_lot_rcpt	Single Lot		yes/no	
	wo_mix_var	Mix Variance		->>>>,>>9.99	10
	wo_mthd_var	Mthd Chg Var		->>>>,>>9.99	10
	wo_mtl_tot	Material Cost		->>>,>>>,>>9.99<<<	10
	wo_mtl_totx	Material Cost		->>>,>>>,>>9.99<<<	10
	wo_mtl_var	Mtl Variance		->>>>,>>9.99	10
	wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
	wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
	wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
	wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
	wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
	wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
	wo_myld_var	Mix & Yield Var	M&Y Var	->>>>,>>9.99	10
	wo_nbr	Work Order		x(18)	
	wo_ord_date	Order Date		99/99/99	
	wo_ovh_tot	Ovhead Cost		->>>,>>9.999	10
	wo_ovh_totx	Ovhead Cost		->>>,>>9.999	10
	wo_part	Item Number		x(18)	
	wo_per_date	Performance Date	Perform	99/99/99	
	wo_prod_pct	Process		>>9.99%	10
	wo_project	Project		x(8)	
	wo_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<	10
	wo_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<	10
	wo_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<	10
	wo_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<	10
	wo_qty_type	Qty Type	QT	x(1)	
	wo_queue_eff	Queue Pct		>>9.9<	10
	wo_rctstat	Receipt Status	Status	x(8)	
	wo_rctstat_active	Active	Act	yes/no	
	wo_record_date	Last Record Date		99/99/99	
	wo_ref	Reference		x(8)	
	wo_rel_date	Release Date	Release	99/99/99	
	wo_rev	Rev		x(4)	
	wo_rjct_chg	Reject Qty		->,>>>,>>9.9<<<<<<<	10
	wo_rjct_tot	Rejected Cost		->>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_rval_tot	Revalued Total		->>>,>>>,>>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_serial	Lot/Serial		x(18)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_stat_close_date	WO Close Date	WO Close	99/99/99	
wo_stat_close_userid	WO Close UserID		x(8)	
wo_status	Status	St	x(1)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_var	Sub Variance		->>>>,>>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
wo_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>,>>>,>>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>,>>>,>>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wo_mstr	yes	oid_wo_mstr	yes	no
	wo_due_part	no	wo_domain	yes	no
			wo_due_date	yes	no
			wo_part	yes	no
			wo_site	yes	no
	wo_fsm_type	no	wo_domain	yes	no
			wo_fsm_type	yes	no
			wo_nbr	yes	no
			wo_itm_line	yes	no
	wo_lot	yes	wo_domain	yes	no
			wo_lot	yes	no
*	wo_nbr	yes	wo_domain	yes	no
			wo_nbr	yes	no
			wo_lot	yes	no
	wo_part	no	wo_domain	yes	no
			wo_part	yes	no
			wo_site	yes	no
			wo_due_date	yes	no
	wo_part_rel	no	wo_domain	yes	no
			wo_part	yes	no
			wo_site	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		wo_rel_date	yes	no
wo_site	no	wo_domain	yes	no
		wo_site	yes	no
		wo_nbr	yes	no
		wo_part	yes	no
wo_type_nbr	yes	wo_domain	yes	no
		wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
wo_type_part	no	wo_domain	yes	no
		wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

wr_route Work Order Routing

Field Name	Label	Col-Label	Format	Dec
oid_wr_route			>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
wr__chr01			x(8)	
wr__chr02			x(8)	
wr__chr03			x(8)	
wr__chr04			x(8)	
wr__chr05			x(8)	
wr__dec01			>>>,>>>,>>9.99	10
wr__dec02			>>>,>>>,>>9.99	10
wr__dte01			99/99/99	
wr__dte02			99/99/99	
wr__log01			yes/no	
wr__qadc01	QAD Character Field 1		X(8)	
wr__qadc02	QAD Character Field 2		X(8)	
wr__qadc03	QAD Character Field 3		X(8)	
wr__qadc04	QAD Character Field 4		X(8)	
wr__qadd05	QAD Decimal Field 5		->,>>>,>>9.99<<<	10
wr__qade01	QAD Decimal Field 1		->,>>>,>>9.99<<<	10
wr__qade02	QAD Decimal Field 2		->,>>>,>>9.99<<<	10
wr__qade03	QAD Decimal Field 3		->,>>>,>>9.99<<<	10
wr__qade04	QAD Decimal Field 4		->,>>>,>>9.99<<<	10
wr__qadi01	QAD Integer Field 1		->,>>>,>>9	
wr__qadi02	QAD Integer Field 2		->,>>>,>>9	
wr__qadl01	QAD Logical Field 1		yes/no	
wr__qadl02	QAD Logical Field 2		yes/no	
wr_act_posted	Quantity Posted		>>>,>>>,>>9.9<<<	10
wr_act_run	Act Run Time		->,>>9.9<<	10
wr_act_setup	Act Setup Time	Act Setup	->,>>9.9<<	10
wr_auto_lbr	Auto Labor Report		yes/no	
wr_bdn_act	Burden Act	Act Burden	->>>>,>>9.99	10
wr_bdn_ll_act	Burden LL Act		->>>>,>>9.99	10
wr_bdn_ll_totx	Burden		->>>,>>>,>>9.99<<<	10
wr_bdn_pct	Lbr Bdn %		>>9.99%	10
wr_bdn_rate	Lbr Bdn Rate		>>>,>>9.99	10
wr_bdn_std	Burden Std	Std Burden	->>>>,>>9.99	10
wr_bdn_totx	Burden		->>>,>>>,>>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
wr_bvrte_accr	Bdn Rate Accrued	Accrued	->>>>,>>9.99	10
wr_bvrte_post	Bdn Rate Posted	Posted	->>>>,>>9.99	10
wr_bvrte_rval	Bdn Rate Revalued	Revalued	->>>>,>>9.99	10
wr_bvuse_accr	Bdn Usage Accrued	Accrued	->>>>,>>9.99	10
wr_bvuse_post	Bdn Use Posted	Posted	->>>>,>>9.99	10
wr_bvuse_rval	Bdn Use Revalued	Revalued	->>>>,>>9.99	10
wr_ca_int_type	Work Code		x(8)	
wr_cmtindx	Comment Index	Comment	>>>>>>>9	
wr_covered_amt	Covered Amount		>>>>,>>>,>>9.99<<<	10
wr_covered_post			>>>>,>>>,>>9.99<<<	10
wr_curr	Currency	Cur	x(3)	
wr_desc	Description		x(24)	
wr_domain	Domain		x(8)	
wr_due	Due Date	Due	99/99/99	
wr_end_time	End		99:99	
wr_eng_code	Engineer		x(8)	
wr_expense			yes/no	
wr_fbdn_std			->>>>,>>9.99	10
wr_fcg_code	Charge Code	Charge	x(8)	
wr_fcg_index			->,>>>,>>9	
wr_fis_column			>>9	
wr_fis_sort			x(18)	
wr_flbr_cstd	Standard Cost		->>>>,>>9.99	10
wr_flbr_std	Standard Cost		->>>>,>>9.99	10
wr_fsc_code	Service Category	Svc Cat	x(8)	
wr_fsm_type	FSM Type		x(8)	
wr_itm_line			>>>9	
wr_lbr_act	Labor Act	Act Labor	->>>>,>>9.99	10
wr_lbr_ll_act	Labor LL Act		->>>>,>>9.99	10
wr_lbr_ll_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_lbr_ovhd	Labor Overhead	Labor Ovhd	>>,>>9.999	10
wr_lbr_rate	Labor Rate		>>>,>>9.99	10
wr_lbr_std	Labor Std	Std Labor	->>>>,>>9.99	10
wr_lbr_totx	Labor		->>>,>>>,>>9.99<<<	10
wr_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wr_lot	ID		x(8)	
wr_lvrte_accr	Lbr Rate Accrued	Accrued	->>>>,>>9.99	10
wr_lvrte_post	Lbr Rate Posted	Posted	->>>>,>>9.99	10
wr_lvrte_rval	Lbr Rate Revalued	Revalued	->>>>,>>9.99	10
wr_lvuse_accr	Lbr Use Accrued	Accrued	->>>>,>>9.99	10
wr_lvuse_post	Lbr Usage Posted	Posted	->>>>,>>9.99	10
wr_lvuse_rval	Lbr Use Revalued	Revalued	->>>>,>>9.99	10
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	10
wr_men_mch	Run Crew		->>,>>9.99	10
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>,>>9.9<<	10
wr_mtl_act	Mtl Act	Act Material	->>>>,>>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>,>>9.99	10
wr_mtl_ll_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
wr_ovh_act	Ovh Act		->>>>,>>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>,>>9.99	10

	Field Name	Label	Col-Label	Format	Dec
	wr_ovh_ll_totx	Overhead		->>>,>>>,>>9.99<<<	10
	wr_ovh_totx	Overhead		>>>>,>>>,>>9.99<<<	10
	wr_part	Item Number		x(18)	
	wr_po_line	Line	Ln	>>9	
	wr_po_nbr	Purchase Order	PO	x(8)	
	wr_posted_run			>>>,>>>,>>9.9<<<<<<<<	10
	wr_price	Price		>>>>,>>>,>>9.99<<<	10
	wr_prod_line	Product Line	Line	x(4)	
	wr_project	Project		x(8)	
	wr_qty_comp	Qty Complete		->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_cumrwrk	Cum Reworked	Cum! Reworked Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_inque	In Queue	Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_move	Qty Moved		->,>>>,>>9.9<<<<<<<<	10
	wr_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
	wr_qty_outque	Out Queue	Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->,>>>,>>9.9<<<<<<<<	10
	wr_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
	wr_qty_rwrk	Qty Rework		->,>>>,>>9.9<<<<<<<<	10
	wr_qty_wip	Qty WIP		->,>>>,>>9.9<<<<<<<<	10
	wr_queue	Queue Time	Queue	>,>>9.9<<	10
	wr_run	Std Run Time	Std Run	>>>,>>>,>>9.9<<<<<<<<	10
	wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>,>>9.99	10
	wr_setup	Std Setup Time	Std Setup	>,>>9.9<<	10
	wr_setup_men	Setup Crew		->>,>>9.99	10
	wr_setup_rte	Setup Rate		>>>,>>9.99	10
	wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>,>>9.99	10
	wr_st_time	Start		99:99	
	wr_start	Start Date	Start	99/99/99	
	wr_status	Status	St	x(1)	
	wr_std_op	Standard Operation	Std Op	x(8)	
	wr_sub_act	Subcontract Act	Act Sub	->>>>,>>9.99	10
	wr_sub_comp	Sub Qty Comp		->,>>>,>>9.9<<<<<<<<	10
	wr_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
	wr_sub_lead	Subcontract LT	Sub! LT	>>9	
	wr_sub_ll_act	Subcontract LL Act		->>>>,>>9.99	10
	wr_sub_ll_totx	Subcontract		->>>,>>>,>>9.99<<<	10
	wr_sub_std	Subcontract Std	Std Sub	->>>>,>>9.99	10
	wr_sub_totx	Subcontract		->>>,>>>,>>9.99<<<	10
Δ	wr_sv_code	Service Type Used		x(8)	
	wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>,>>9.99	10
	wr_svrte_post	Sub Rate Posted	Posted	->>>>,>>9.99	10
	wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>,>>9.99	10
	wr_svuse_accr	Sub Use Accrued	Accrued	->>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
wr_svuse_post	Sub Usage Posted	Posted	->>>>,>>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>,>>9.99	10
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->,>>9.9<<	10
wr_user1	Ufld1		x(8)	
wr_user2	Ufld2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>,>>9.9<<	10
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wr_route	yes	oid_wr_route	yes	no
	wr_lot	yes	wr_domain	yes	no
			wr_lot	yes	no
			wr_op	yes	no
*	wr_nbrop	yes	wr_domain	yes	no
			wr_nbr	yes	no
			wr_lot	yes	no
			wr_op	yes	no
	wr_part	no	wr_domain	yes	no
			wr_part	yes	no
			wr_op	yes	no
	wr_wkctr	no	wr_domain	yes	no
			wr_wkctr	yes	no
			wr_mch	yes	no
			wr_start	yes	no

wtx_mstr Withholding Tax Master

Field Name	Label	Col-Label	Format	Dec
oid_wtx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<	10
wtx__qadc01			x(24)	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			->>>>,>>>,>>9.9<<<<<<<<<	10
wtx__qadd02			->>>>,>>>,>>9.9<<<<<<<<<	10
wtx__qadi01			->>>>>>>9	
wtx__qadi02			->>>>>>>9	
wtx__qadl01			yes/no	
wtx__qadl02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	
wtx_acct	Withholding Tax Account		x(8)	
wtx_addr	Supplier		x(8)	
wtx_cc	Withholding Tax Cost Center		x(4)	

Field Name	Label	Col-Label	Format	Dec
wtx_charge_amt	Charge Amount		->>>>,>>>,>>9.99<	10
wtx_charge_type	Charge Type		Expense/Fee	
wtx_check	Payment Reference		x(10)	
wtx_domain	Domain		x(8)	
wtx_invoice	Supplier's Invoice Number		x(12)	
wtx_ln	Voucher Line		>>9	
wtx_mod_date	Modified Date	Mod Date	99/99/99	
wtx_mod_userid	User ID		x(8)	
wtx_paid_date	Voucher Payment Date		99/99/99	
wtx_printed	Certificate Printed		yes/no	
wtx_ref	Voucher Number		x(8)	
wtx_ret_amt	Retained Amount		->>>>,>>>,>>9.99<	10
wtx_rsn_code	Reason Code		x(8)	
wtx_set_date	Settlement Date		99/99/99	
wtx_sub	Withholding Tax Sub Account		x(8)	
wtx_tax_pct	Withholding Tax Rate		->>9.9<%	10
wtx_taxable_amt	Taxable Fee Amount		->>>>,>>>,>>9.99<	10
wtx_tot_amt	Total Amount		->>>>,>>>,>>9.99<	10
wtx_tot_paid	Total Paid		->>>>,>>>,>>9.99<	10
wtx_user1	User Field Character 1		x(24)	
wtx_user2	User Field Character 2		x(24)	
wtx_userc03	User Field Character 3		x(24)	
wtx_userc04	User Field Character 4		x(24)	
wtx_userc05	User Field Character 5		x(24)	
wtx_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
wtx_userd02	User Field Decimal 2		->>>>,>>>,>>9.9<<<<<<<<<	10
wtx_useri01	User Field Integer 1		->>>>>>>9	
wtx_useri02	User Field Integer 2		->>>>>>>9	
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_usert01	User Field Date 1		99/99/99	
wtx_usert02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		->>>>,>>>,>>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		->>>>,>>>,>>9.99<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
◊	oid_wtx_mstr	yes	oid_wtx_mstr	yes	no
*	wtx_advoln	yes	wtx_domain	yes	no
			wtx_addr	yes	no
			wtx_ref	yes	no
			wtx_ln	yes	no
			wtx_check	yes	no
	wtx_vo_date	no	wtx_domain	yes	no
			wtx_vo_date	yes	no

◊ YearClosing Year Closing

Field Name	Label	Col-Label	Format	Dec
ClosingBalanceDivGL_ID	Balance Sheet Closing Sub-Account	Balance Sheet Closing Sub-Account	9999999999	
ClosingBalanceGL_ID	Balance Sheet Closing Account	Balance Sheet Closing Account	9999999999	
ClosingBalanceJournal_ID	Closing Balance Daybook	Closing Balance Daybook	9999999999	
ClosingPLDivGL_ID	Profit/Loss Closing Sub-Account	Profit/Loss Closing Sub-Account	9999999999	
ClosingPLGL_ID	Profit/Loss Closing Account	Profit/Loss Closing Account	9999999999	
ClosingPLJournal_ID	Closing Profit/Loss Daybook	Closing Profit/Loss Daybook	9999999999	
ClosingTransferJournal_ID	Automated Profit/Loss Transfer Daybook	Automated P&L Transfer Daybook	9999999999	
Company_ID	Link to Company	Link to Company	9999999999	
LastModifiedDate	Last Modified Date	Modif Date	99/99/9999	
LastModifiedTime	Last Modified Time	Modif Time	99999	
LastModifiedUser	Last Modified User	Modif User	x(20)	
YearClosing_ID	Record ID	Record ID	9999999999	
YearClosingAccountingYear	GL Calendar Year	GL Calendar Year	9999	
YearClosingDefTaxCode	Default Tax Code	Default Tax Code	x(8)	
YearClosingIsInclDivision	Include Sub-Accounts	Include Sub-Accounts	yes/no	
YearClosingIsTransPLToBal	Auto-Transfer Profit/Loss to BS	Auto-Transfer Profit/Loss to BS	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ Company	no	Company_ID	yes	no
◊* Prim	yes	YearClosing_ID	yes	no
◊ UniqueIdx	yes	Company_ID	yes	no
		YearClosingAccountingYear	yes	no

Section 2

Summary of Changes

This section contains a summary of fields and indexes that have changed since the last published version of this book.

Changed Fields **1086**

Deleted Fields **1094**

New Fields **1096**

Changed Indexes **1106**

Deleted Indexes **1109**

New Indexes for Existing Tables **1110**

Deleted Tables **1124**

New Tables **1125**

Changed Fields

The top line for each field lists the current values of the various items. Underneath in italics are the old values.

Field Name	Label	Col-Label	Format	Dec
abscc_inv_nbr	Invoice Number	?	x(22) *x(8)*	?
absl_inv_nbr	Invoice Number	?	x(22) *x(8)*	?
abs_inv_nbr	Invoice Number	?	x(22) *x(8)*	?
acdf_key1	?	?	x(20) *x(8)*	?
acd_entity	Entity	Enty	x(20) *x(4)*	?
act_cont_part	Alternate Container *?*	?	x(18)	?
acx_entity	From Entity	From!Enty	x(20) *x(4)*	?
ad_fax	Fax/Telex	?	x(20) *x(16)*	?
ad_fax2	Fax/Telex	?	x(20) *x(16)*	?
ad_line1	Address	?	x(36) *x(28)*	?
ad_line2	Address	?	x(36) *x(28)*	?
ad_line3	Address	?	x(36) *x(28)*	?
ad_name	Name	?	x(36) *x(28)*	?
ad_phone	Telephone	?	x(20) *x(16)*	?
ad_phone2	Telephone	?	x(20) *x(16)*	?
ad_sch_mthd	Schedules Via	?	x(2) *x(1)*	?

Field Name	Label	Col-Label	Format	Dec
an_sec_group	Security Role *Security Group*	? 	x(189) *x(72)*	?
apr__qadl02	Process Outside of Transaction	?	yes/no	?
art_mfg_msg_code	MFG/PRO Message Number	?	>>>>9 *>>>9*	?
ast_entity	Entity	Enty	x(20) *x(4)*	?
bc_canrun	Users/Roles *Users/Groups*	? 	x(189) *x(60)*	?
bgd_entity	Entity	Enty	x(20) *x(4)*	?
bg_entity	Entity	Enty	x(20) *x(4)*	?
ccd_opn_date	Open Date *?*	?	99/99/99	?
cctr_inv_nbr	Invoice Number	Invoice	x(22) *x(8)*	?
cf_entity	Entity	?	x(20) *x(4)*	?
chm_problem	Prob/Skill *?*	?	x(8)	?
cild_cor_inv	Correction Invoice Number	?	x(22) *x(8)*	?
cil_cor_inv	Correction Invoice Number	?	x(22) *x(8)*	?
cil_prev_inv	Corrected Invoice	?	x(22) *x(8)*	?
cm_disc_pct	Disc %	?	->>9.99% *->9.99%*	10
ct_desc	Description	?	x(40) *x(24)*	?
dbk_entity	Entity	Enty	x(20) *x(4)*	?
decl_branch	Branch ID	?	x(5) *x(3)*	?
decl_region	Declaration Region	?	x(6) *x(3)*	?

Field Name	Label	Col-Label	Format	Dec
defr_entity	Entity	Enty	x(20) *x(4)*	?
defr_inv_nbr	Invoice	?	x(22) *x(8)*	?
dmw_entity	Entity	Enty	x(20) *x(4)*	?
dprd_entity	Entity	Enty	x(20) *x(4)*	?
dyd_entity_fr	From Entity	?	x(20) *x(4)*	?
dyd_entity_to	To Entity	?	x(20) *x(4)*	?
dy_desc	Desc	?	x(40) *x(24)*	?
dy_type	Daybook Type	?	x(30) *x(2)*	?
egw_userid	Session ID *User ID*	?	x(50) *x(8)*	?
emp_bs_phone	Business Phone	Bus Phone	x(20) *x(16)*	?
emp_line1	Address 1	?	x(36) *x(28)*	?
emp_line2	Address 2	?	x(36) *x(28)*	?
emp_line3	Address 3	?	x(36) *x(28)*	?
emp_phone	Home Phone	?	x(20) *x(16)*	?
en_entity	Entity	Ent	x(20) *x(4)*	?
eud_nametype	Contact Type *?*	?	x(1)	?
eud_type	Contact Type	?	x(20) *x(16)*	?
fabd_entity	Entity	Enty	x(20) *x(4)*	?
fabd_trn_entity	Entity	Enty	x(20) *x(4)*	?

Field Name	Label	Col-Label	Format	Dec
faloc_entity	Entity	Enty	x(20) *x(4)*	?
fa_entity	Entity	Enty	x(20) *x(4)*	?
glcd_entity	Entity	Enty	x(20) *x(4)*	?
glct_entity	Entity	Enty	x(20) *x(4)*	?
glptr_entity	Entity	Enty	x(20) *x(4)*	?
glrd_entity	Entity	Ent	x(20) *x(4)*	?
gltmd_entity	Entity	?	x(20) *x(4)*	?
gltm_entity	Entity	?	x(20) *x(4)*	?
gltr_entity	Entity	Enty	x(20) *x(4)*	?
gltw_batch	Batch	?	x(50) *x(8)*	?
gltw_entity	Entity	?	x(20) *x(8)*	?
gltw_ref	Reference	?	x(60) *x(18)*	?
gltw_userid	Session ID *User ID*	?	x(50) *x(8)*	?
glt_entity	Entity	Enty	x(20) *x(4)*	?
gl_entity	Entity	Enty	x(20) *x(4)*	?
hwm_sid	?	?	x(50) *x(16)*	?
ibh_inv_nbr	Invoice	?	x(22) *x(8)*	?
icc_ascend	Ascending or Descending	?	yes/no *Ascending/Descending*	?
idhlc_inv_nbr	Invoice	?	x(22) *x(8)*	?

Field Name	Label	Col-Label	Format	Dec
idhr_inv_nbr	Invoice	?	x(22) *x(8)*	?
idh_inv_nbr	Invoice	?	x(22) *x(8)*	?
idh_qty_item	Item Quantity	Item Qty	->>,>>9.9<<<< *>>,>>9.9<<<<*	10
ieh_ref	Reference	?	x(22) *x(8)*	?
ieh_voucher	Voucher	?	x(17) *x(8)*	?
ifs_sess_hndl	Session Handle	?	x(50) *x(16)*	?
ihcc_inv_nbr	Invoice Number	Invoice	x(22) *x(8)*	?
ihr_inv_nbr	Invoice	?	x(22) *x(8)*	?
ih_disc_pct	Disc %	?	->>9.99% *->9.99%*	10
ih_inv_nbr	Invoice	?	x(22) *x(8)*	?
ins_inv_nbr	Invoice	?	x(22) *x(8)*	?
iph_inv_nbr	Invoice	?	x(22) *x(8)*	?
isb_inv_nbr	Invoice	?	x(22) *x(8)*	?
isp__qadl02	?	?	yes/no	?
lnd_rate	Units/Hour *?*	?	>>>,>>>,>>9.99	10
ln_desc	Description *?*	Description	x(24)	?
lotw_mfguser	?	?	x(50) *x(8)*	?
lotw_userid	User ID	?	x(50) *x(8)*	?
lua_sid	?	?	x(50) *x(16)*	?

Field Name	Label	Col-Label	Format	Dec
lua__qadc01	? 	? 	x(50) *x(24)*	?
lvr_msg_nbr	? 	? 	>>>>9 *>>>9*	?
lvr_sid	? 	? 	x(50) *x(16)*	?
maxt_entity	Entity 	Enty 	x(20) *x(4)*	?
ma_entity	Entity 	? 	x(20) *x(4)*	?
mnd_canrun	Access codes 	? 	x(189) *x(60)*	?
mnd_label	Selection Label 	? 	x(40) *x(32)*	?
mnd_uri	Uniform Resource Identifier 	URI 	x(256) *x(255)*	?
mnt_label	Selection Label 	? 	x(40) *x(32)*	?
mon_sid	Session ID 	? 	x(50) *x(16)*	?
msg_nbr	Message Number 	Msg 	>>>>9 *>>>9*	?
pk_user	? 	? 	x(50) *x(8)*	?
pli_vo_ref	Voucher 	? 	x(22) *x(8)*	?
pl_group	Group *?*	? 	x(8) 	?
pod_rev	Item Revision *Revision*	Item Rev *Rev*	x(4) 	?
po_eff_strt	Start Effective *Blanket Start*	Start Eff *Blanket St*	99/99/99 	?
po_eff_to	End Effective *Blanket End*	End Eff *?*	99/99/99 	?
po_rev	Order Revision *Revision*	Order Rev *Rev*	>>9 	10
pt_height	Height 	? 	>>,>>9.9999 *>>,>>9.99*	10

Field Name	Label	Col-Label	Format	Dec
pt_length	Length	?	>>,>>9.9999 *>>,>>9.99*	10
pt_width	Width	?	>>,>>9.9999 *>>,>>9.99*	10
pvo_last_voucher	Voucher	?	x(22) *x(8)*	?
qo_disc_pct	Disc %	?	->>9.99% *->9.99%*	10
rqa_entity	Entity	?	x(20) *X(4)*	?
rqd_rev	Item Revision *Revision*	Item Rev *Rev*	x(4)	?
rqm_entity	Entity	Ent	x(20) *x(4)*	?
sbid_inv_nbr	Invoice/Memo	Inv/Memo	x(22) *x(8)*	?
scx_shipfrom	Ship-From *?*	?	x(8)	?
scx_shipto	Ship-To *?*	?	x(8)	?
seq_part	Item Number *?*	?	x(18)	?
seq_priority	Sequence *?*	?	>>9.99	10
sfh_inv_nbr	Invoice	?	x(22) *x(8)*	?
shtr_inv_nbr	Invoice Number	Invoice	x(22) *x(8)*	?
sim_canrun	Roles *Groups*	?	x(60)	?
six_inv_nbr	Invoice	?	x(22) *x(8)*	?
si_canrun	Roles *Groups*	?	x(189) *x(72)*	?
si_entity	Entity	?	x(20) *x(4)*	?
sod_inv_nbr	Invoice	?	x(22) *x(8)*	?

Field Name	Label	Col-Label	Format	Dec
so_disc_pct	Disc % *?*	?	->>9.99% *->9.99%*	10
so_inv_nbr	Invoice Number	Invoice	x(22) *x(8)*	?
sr_userid	Session ID *User ID*	?	x(60) *x(8)*	?
svc_sys_type	System Level *?*	?	x(2)	?
tr_msg	Message Number	Msg	>>>>9 *>>>9*	?
tx2d_ref	Reference	Ref	x(22) *x(8)*	?
udd_groups	Roles *Groups*	?	x(189) *x(72)*	?
ufd_label	Label	?	x(40) *x(32)*	?
umsg_nbr	Message Number	Msg	>>>>9 *>>>9*	?
oid_usrg_mstr_admin	Administrator Group *?*	?	>>>>>>>>>>>>>>>>>>>>>> >>>>>9.9<<<<<<<<<	10
usrg_group_desc	Role Description *Group Description*	?	x(24)	?
usrg_group_name	Role Name *Group Name*	Role *Group*	x(20) *x(8)*	?
vph_ref	Voucher	?	x(22) *x(8)*	?
vph__qadc01	?	?	x(24) *x(8)*	?
wod_sv_code	Service Type Used *?*	?	x(8)	?
wo_fsm_type	SSM Type *?*	?	x(8)	?
wr_sv_code	Service Type Used *?*	?	x(8)	?

Deleted Fields

Table Name	Field Name	Label
absd_det	absd__qadc01	?
ac_mstr	ac__qad02	?
cnss_mstr	cnss__qadc01	?
cns_ctrl	cns__qadc01	?
gl_ctrl	gl_bk_val	Bank Acct Validation
icc_ctrl	icc_tol_a%	Class A
	icc_tol_b%	Class B
	icc_tol_c%	Class C
	icc_tol_o%	All Others
in_mstr	in_abc	ABC Class
	in_avg_int	Avg Int
	in_cyc_int	Cyc Cnt Int
	in_rctpo_active	Active
	in_rctpo_status	PO Rcpt Status
	in_rctwo_active	Active
	in_rctwo_status	WO Rcpt Status
pc_mstr	pc__qad01	?
	pc__qad02	?
pli_mstr	pli_internal_ref	Internal Reference
	pli_internal_ref_type	Internal Reference Type
poc_ctrl	poc__qadi01	QAD Field
	poc__qadl05	QAD Field
	poc__qadl06	QAD Field
pod_det	pod__qad01	?
	pod__qadd01	QAD Field
po_mstr	po__qad01	?
	po__qadc01	QAD Field
	po__qadi01	QAD Field
pvo_mstr	pvo_exru_seq	Sequence
	pvo_ex_rate	Exch Rate
	pvo_ex_rate2	Exch Rate 2
	pvo_ex_ratetype	Rate Type
rnd_mstr	rnd_dec_pt	Decimal Point
	rnd_domain	Domain
txed_det	txed_domain	Domain

Table Name	Field Name	Label
txe_mstr	txe_domain	Domain
txz_mstr	txz_domain	Domain
usr_mstr	usr_tzdb	Time Zone DB

New Fields

Table Name	Field Name	Label
absd_det	absd__qadc03	?
abs_mstr	abs_act_qty	Actual Qty
	abs_bom_code	BOM/Formula
	abs_bulk_qty	Actual Bulk Qty
	abs_combined_invoice	Combined Invoice
	abs_complete	Complete
	abs_consigned_return	Consigned Return
	abs_production_line	Production Line
	abs_rcpt_qty	Receipt Qty
	abs_routing	Routing Code
	abs_scrap_qty	Scrap Qty
	abs_vend_lot	Supplier Lot
ac_mstr	ac_gl_system_type	GL Account System Type
	ac_gl_type	GL Account Type
	ac__qad04	?
ad_mstr	ad_address_id	Business Relation Address
	ad_bus_relation	Business Relation
	ad_email	Email
	ad_email2	Email
	ad_loadseq	Load Sequence
	ad_ns_pr_list	Non-Sales Price List
	ad_pick_by_date	Pick By Date
	ad_priority	Priority
	ad_profile	Profile
	ad_route	Route
	ad_tax_in_city	In City
apc_ctrl	apc_holdinvoiceamt	Put variance amount on hold
	apc_recalc_tax	Recalculate Tax Rates
asc_mstr	asc_proj	Project
cac_ctrl	cac_mulskill_wnd	Multiple Skills
ca_mstr	ca_daybookset	Daybook Set
cm_mstr	cm_active	Active
	cm_datacomplete	Data Complete
	cm_daybookset	Daybook Set
	cm_gst_id	Tax ID - Federal
	cm_misc1_id	Tax ID - Misc 1
	cm_misc2_id	Tax ID - Misc 2
	cm_misc3_id	Tax ID - Misc 3
	cm_rss_cal_option	RSS Calendar Option
	cm_tax_in_city	In City
	cm_tax_usage	Tax Usage
	cm_tax_zone	Tax Zone
	oid_btr_mstr	?

Table Name	Field Name	Label
cnss_mstr	cnss__qadc03	?
cns_ctrl	cns__qadc03	?
co_ctrl	co_fa_trans_exp	Fixed Assets Transactions Posted
	co_gl_batch_size	GL Posting Batch Size
	co_ic_trans_exp	Inventory Transactions Posted
	co_so_trans_exp	Sales Order Transactions Posted
	co_wo_trans_exp	Work Order Transactions Posted
ctry_mstr	ctry_active	Active
	ctry_format	Format
decl_mstr	decl_company_id	Company ID Number
	decl_intr_division	Intrastat Division
	decl_validation_code	Validation Code
defr_det	defr_amt_type	Amount Type
	defr_dsc_acct	Discount Acct
	defr_dsc_cc	Discount CC
	defr_dsc_project	Project
	defr_dsc_sub	Discount Sub-Acct
	defr_per_prd_dsc_amt	Per Period Dsc Amount
	defr_prd_dsc_curr_amt	Period Dsc Cur Amount
df_mstr	df_ld_form_code	LD Form Code
	df_ld_max_item	LD Max Item
dom_mstr	dom_propath	Propath
	dom_tzdb	Time Zone DB
dy_mstr	dy_active	Active
ecm_mstr	ecm_dist_date	Distributed
ecx_ref	ecx_ext_bill_to	Bill To
	ecx_ext_part	Item Number
	ecx_ext_ship_to	Ship To
	ecx_ext_um	UM
egc_ctrl	egc_call_header	Prioritize Call Header
egd_det	egd_mid_etime	End Midday
	egd_mid_stime	Start Midday
egt_mstr	egt_end_date	End Date
	egt_trv_dist	Travel Distance
	egt_trv_start_loc	Start Travel Location
	egt_trv_time	Travel Time
	egt_trv_type_loc	Start Location Type
	egt_trv_um	Travel UM
	egt_wo_lot	ID
emp_mstr	emp_active	Active
	emp_entity	Entity
	emp_name	Name
	emp_sort	Sort Name

Table Name	Field Name	Label
en_mstr	en_active	Active
	en_mirror_type	Mirror Type
esh_mstr	esh_mid_etime	End Midday
	esh_mid_stime	Start Midday
euc_ctrl	euc_schedule	Operating Schedule
eu_mstr	eu_schedule	Operating Schedule
faadj_mstr	faadj_sl	SL/RL
faba_det	faba_fabk_id	Book
fabk_mstr	fabk_primary	Primary
fact_ctrl	fact_delta	Book Depreciation Deviation
fsh_mstr	fsh_addr_line1	Address Line 1
	fsh_addr_line2	Address Line 2
	fsh_addr_line3	Address Line 3
	fsh_city	City
	fsh_country	Country
	fsh_county	County
	fsh_end_time	End Time
	fsh_full_day	Full Day
	fsh_rsn_code	Reason Code
	fsh_start_time	Start Time
	fsh_state	State
	fsh_zip	Post
fsu_mstr	fsu_clsf_filter	Filter ISB by Classification
glcd_det	glcd_ap_clsd	AP Closed
	glcd_ar_clsd	AR Closed
	glcd_fa_clsd	FA Closed
	glcd_ic_clsd	WO/IC Closed
	glcd_so_clsd	SO Closed
glt_det	glt_exp	Transaction Posted
	glt_interco_ref	Intercompany Reference
	glt_mgmt_curr	Management Currency
	glt_mgmt_curr_amt	Management Currency Amount
	glt_mgmt_ex_rate	Exchange Rate
	glt_mgmt_ex_rate2	Management Curr Exchange Rate
	glt_mgmt_ex_ratetype	Management Exchange Rate Type
	glt_mirror_line_ref	Mirror Line Ref
	glt_mirror_ref	Mirror Ref
gl_ctrl	gl_txapr_cn_acct	AP Tax Ret CN Account
	gl_txapr_cn_sub	AP Tax Ret CN Sub-Account
	gl_txap_cn_acct	AP Tax CN Account
	gl_txap_cn_sub	AP Tax CN Sub-Account
	gl_txara_cn_acct	Sales Tax Abs CN Acct
	gl_txara_cn_sub	Sales Tax Abs CN Sub-Acct
	gl_txar_cn_acct	Sales Tax CN Acct

Table Name	Field Name	Label
	gl_txar_cn_sub	Sales Tax CN Sub-Account
iec_ctrl	iec_add_freight_to_so	Add Freight to SO Price
ied_det	ied_net_wt	Net Weight
	ied_net_wt_um	UM
ieh_hist	ieh_cinvoice_id	Invoice ID
	ieh_stat_val_changed	Statistical Value Changed
ih_hist	ih_batch	Batch
	ih_daybook	Daybook
	ih_daybookset	Daybook Set
	ih_invoicetotal	Total
	ih_invoicetype	Invoice Type
	ih_trl_amt	Rounding Trailer Amount
im_mstr	im_flow	Transaction Flow
isb_mstr	isb_classification	Classification
is_mstr	is_fail_status	Fail Status
kbc_ctrl	kbc_accumulator_pause	Accumulator Monitor Pause
	kbc_barcode_format_ext	Barcode External
	kbc_barcode_format_int	Barcode Internal
	kbc_card_reconcile	Card Reconciliation
	kbc_decrease_at_cons	Decrease at Consume
	kbc_dispatch_nrm_id	Dispatch ID
	kbc_lot_entry	Lot Entry
	kbc_mod_inv_data	Modify Inv Data
	kbc_mod_inv_pct	Modify Inv Threshold
	kbc_move_card_sizing	Move Card Sizing
	kbc_move_seq_enforce	Move Sequence Enforcement
	kbc_phase_in_method	Phase-In Method
	kbc_phase_out_method	Phase-Out Method
	kbc_po_data_entry	PO Receipt Data Entry
	kbc_regen_enforce	Regeneration Enforcement
	kbc_repl_seq_enforce	Replenishment Sequence Enforcement
kbtr_hist	kbtr_authorize_date	Authorize Date
	kbtr_authorize_time	Authorize Time
	kbtr_carrier_id	Carrier
	kbtr_delivery_date	Delivery Date
	kbtr_delivery_time	Delivery Time
	kbtr_del_status_code	Delivery Status Code
	kbtr_dispatch_id	Dispatch ID
	kbtr_disp_list_time	Dispatch Time
	kbtr_due_date	Due Date
	kbtr_due_time	Due Time
	kbtr_issue_loc	Issue Location
	kbtr_lot	Lot
	kbtr_program	Program
	kbtr_qty_accepted	Qty Accepted
	kbtr_qty_scrapped	Qty Scrapped
	kbtr_receipt_loc	Receipt Location
	kbtr_ref	Reference

Table Name	Field Name	Label
	kbtr_second_card_id	Second ID
knbd_det	knbd_auto_print_req	Auto Print
	knbd_cmtindx	Comment Index
	knbd_del_loc	Delivery Location
	knbd_del_status_code	Delivery Status Code
	knbd_dispatch_id	Dispatch ID
	knbd_disp_list_date	Dispatch Date
	knbd_disp_list_time	Dispatch Time
	knbd_due_date	Due Date
	knbd_due_time	Due Time
	knbd_qty_accepted	Qty Accepted
	knbd_qty_scrapped	Qty Scrapped
	knbd_second_card_id	Second ID
	knbd_status_chg_date	Change Date
	knbd_status_chg_time	Change Time
knbl_det	knbl_decrease_at_cons	Decrease at Consume
	knbl_del_loc	Delivery Location
	knbl_dispatch_edi	EDI
	knbl_fifo_ext_time	FIFO Time Ext
	knbl_inv_loc	Inventory Location
	knbl_kanban_label	Kanban Label
	knbl_lot_entry	Lot Entry
	knbl_mod_inv_data	Modify Inv Data
	knbl_mod_inv_pct	Modify Inv Threshold
	knbl_order_qty_mult	Order Quantity Multiple
	knbl_pou_loc	Point Of Use Location
	knbl_po_data_entry	PO Receipt Data Entry
	knbl_qty_violation	Qty Violation Method
	knbl_regen_enforce	Regeneration Enforcement
	knbl_rounding_pct	Rounding Threshold Percent
	knbl_sd_pat	Ship/Dlvy Pattern
	knbl_sd_time	Ship/Dlvy Time
	knbl_shortfall	Receipt Shortfall
knb_mstr	knb_carrier_id	Carrier
	knb_planner	Kanban Planner
lad_det	lad_act_pick	Actual Picked
	lad_cont_qty	Container Quantity
ld_det	ld_alt_um	Alternate UM
	ld_crt_date	Create Date
	ld_crt_time	Create Time
	ld_exp_qtyin	Qty In
	ld_exp_qtyout	Qty Out
	ld_time_frz	Freeze Time
lng_mstr	lng_active	Active
	lng_installed	Installed
op_hist	op_doc_id	Document ID
pc_mstr	pc__qadc01	?
	pc__qadd01	?

Table Name	Field Name	Label
plid_det	plid_abs_id	Shipper ID
	plid_cmtindx	Comment Index
	plid_grosswgt	Gross Weight
	plid_netwgt	Net Weight
pli_mstr	pli_cinvoice_id	Invoice ID
	pli_cr_terms	Credit Terms
	pli_discamt	Discount Amount
	pli_docmodel	Document Model
	pli_fix_rate	Fixed Rate
	pli_goodsamt	Goods Amount
	pli_ldamt	Legal Doc Amount
	pli_shipperid	Shipper ID
	pli_totwgt	Total Weight
	pli_traileramt	Trailer Amount
	pli_volume	Volume
	pli_vol_um	Volume UM
	pli_wt_um	Weight UM
poc_ctrl	poc__qadi04	QAD Field
	poc__qadl07	QAD Field
	poc__qadl08	?
pod_det	pod__qadd04	QAD Field
	pod__qadt01	?
po_mstr	po_incl_iss	Include Saturday/Sunday
	po_trade_sale	Trade Sales Contract
	po_trade_sale_so	Trade Sales SO
	po__qadc03	?
	po__qadi03	QAD Field
	po__qadt01	?
prj_mstr	prj_daybookset	Daybook Set
pshc_ctrl	pshc_inv_sort_seq	Invoice Line Sorting Sequence
ptp_det	ptp_atp_horizon	ATP Horizon
	ptp_insp_loc	Inspection Location
pt_mstr	pt_atp_horizon	ATP Horizon
	pt_barcode1	Barcode 1
	pt_barcode2	Barcode 2
	pt_classification	Classification
	pt_crit_days	Critical Days
	pt_destructive	Destructive
	pt_id_qty	ID Quantity
	pt_insp_days	Insp Frequency (Days)
	pt_insp_freq	Insp Frequency
	pt_insp_ref	Ref
	pt_insp_req	Inspection Required
	pt_invent_days	Days From Expiration/Manufacture
	pt_issue_method	Issue Method
	pt_memo_type	Memo Order Type
	pt_opc_threshold	OPC Threshold
	pt_pop_code	Popularity
	pt_print_id	Print ID

Table Name	Field Name	Label
	pt_random_insp_pct	Random Inspection %
	pt_rep_type	Replenishment Type
	pt_same_days	Same Day Window
	pt_sample_pct	Sample %
	pt_sample_qty	Sample Quantity
	pt_shelf_offset	Shelf Life Offset
	pt_single_trans	Single Put-Away Transactions
	pt_um_group	UM Group
	pt_whse_part_type	Warehouse Item Type
pvod_det	pvod_bdn_std	Item Burden Cost
	pvod_cinvoice_id	Invoice ID
	pvod_eff_date	Effective Date
	pvod_exru_seq	Sequence
	pvod_ex_rate	Exch Rate
	pvod_ex_rate2	Exch Rate 2
	pvod_ex_ratetype	Rate Type
	pvod_last_voucher	Supplier Invoice
	pvod_lbr_std	Item Labor Cost
	pvod_mtl_std	Item Material Cost
	pvod_ovh_std	Item Overhead Cost
	pvod_pur_cost	PO Cost
	pvod_pur_std	Item PO Cost
	pvod_sub_std	Item Subcontract Cost
	pvod_trans_date	Transaction Date
	pvod_trans_qty	Transaction Qty
	pvod_vouchered_qty	Vouchered Qty
pvo_mstr	pvo_cinvoice_id	Invoice ID
qo_mstr	qo_daybookset	Daybook Set
rpc_ctrl	rpc_allow_rate	Allow Zero Run Rate
rqd_det	rqd_item_rev_date	Item Revision Date
	rqd_op	Operation
	rqd_sub_type	Subcontract Type
	rqd_wip_lotser	Lot/Serial
	rqd_wo_lot	Work Order ID
sac_ctrl	sac_int_rnd	Intermediate Rounding
sad_det	sad_fsrev_acct	Revenue Acct
	sad_fsrev_cc	Revenue CC
	sad_fsrev_sub	Revenue Sub-Acct
sa_mstr	sa_daybookset	Daybook Set
schd_det	schd_req_type	Requirement Type
sch_mstr	sch_cw_days	Calendar/Working Firm Days
shc_ctrl	shc_archive_directory	Default Archive Directory
	shc_del_import_file	Delete Import Files After Archiving
	shc_import_directory	Default Import Directory
	shc_rss_cal_option	RSS Calendar Option
	shc_source_directory	Default Source Directory

Table Name	Field Name	Label
si_mstr	si_insp_loc	Inspection Location
soc_ctrl	soc_dflt_dybkset	Default Daybook Set
	soc_dybkset_by_site	Use Daybook Set by Site
	soc_gst_pst	Print Tax ID on Invoice
	soc_maintain_reviewed	Allow Maintenance of Reviewed Orders
	soc_print_ship	Shipper On Invoice
	soc_rnd_flag	Enable Rounding Function
	soc_use_corr_inv	Use Correction Invoices
	soc_valueorders_by	Value Orders Using
sod_det	sod_compl_date	Status Date
	sod_compl_stat	Complete Status
	sod_fsrev_acct	Revenue Acct
	sod_fsrev_cc	Revenue CC
	sod_fsrev_sub	Revenue Sub-Acct
	sod_hold_stat	Hold Status
	sod_req_time	Required Time
	sod_shipvia	Ship Via
	sod_trade_sale_po	Trade Sales PO
	sod_trade_sale_po_line	Trade Sales PO Line Number
	sod_trade_sale_vend	Trade Sales Supplier
so_mstr	so_compl_date	Status Date
	so_compl_stat	Complete Status
	so_daybookset	Daybook Set
	so_hold_stat	Hold Status
	so_nrm	Sequence ID
	so_req_time	Required Time
	so_reviewed	Reviewed
	so_rss_cal_option	RSS Calendar Option
	so_trade_sale	Trade Sales Contract
sr_wkfl	sr_algo	Algorithm
	sr_alt_um	Alternate UM
	sr_mode	Mode
svc_ctrl	svc_clsf_filter	Filter ISB by Classification
	svc_qmobile_api_warn	Suppress QAD Mobile API Warnings
	svc_sched_status	Scheduled Status
	svc_trv_fsc_code	Travel Svc Category
sv_mstr	sv_mid_etime	Stop Midday
	sv_mid_stime	Start Midday
tot_mstr	tot_transport_resp	Transportation Responsibility
tr_hist	tr_doc_id	Document ID
	tr_qty_cn_adj	Consignment Qty Adjusted
tx2_mstr	tx2_ab_cn_tx_grp	Absorbed CN Tax Group
	tx2_ab_inv_tx_grp	Absorbed Inv Tax Group
	tx2_apr_cn_acct	AP Tax Ret CN Account
	tx2_apr_cn_sub	AP Tax Ret CN Sub-Account
	tx2_ap_cn_acct	AP Tax CN Account
	tx2_ap_cn_sub	AP Tax CN Sub-Account

Table Name	Field Name	Label
	tx2_ap_dis_acct	AP Discount Account
	tx2_ap_dis_sub	AP Discount Sub-Account
	tx2_ara_cn_acct	Sales Tax Abs CN Acct
	tx2_ara_cn_sub	Sales Tax Abs CN Sub-Acct
	tx2_ar_cn_acct	Sales Tax CN Account
	tx2_ar_cn_sub	Sales Tax CN Sub-Account
	tx2_ar_dis_acct	AR Discount Account
	tx2_ar_dis_sub	AR Discount Sub-Account
	tx2_cn_tx_grp	Customer Credit Note Tax Group
	tx2_cr_voc_tx_grp	Supplier CN Tax Group
	tx2_daybookset	Daybook Set
	tx2_dltx_cn_acct	Delayed Tax CN Account
	tx2_dltx_cn_sub	Delayed Tax CN Sub-Account
	tx2_dltx_inv_acct	Delayed Tax Invoice Account
	tx2_dltx_inv_sub	Delayed Tax Invoice Sub-Account
	tx2_inv_tx_grp	Customer Invoice Tax Group
	tx2_ret_cr_voc_tx_grp	Retained CN Tax Group
	tx2_ret_voc_tx_grp	Retained Invoice Tax Group
	tx2_reverse_charge	Domestic Reverse Charge
	tx2_stx_cn_acct	Suspended Tax CN Account
	tx2_stx_cn_sub	Suspended Tax CN Sub-Account
	tx2_stx_inv_acct	Suspended Tax Inv Account
	tx2_stx_inv_sub	Suspended Tax Inv Sub-Account
	tx2_voc_tx_grp	Supplier Invoice Tax Group
txc_ctrl	txc_ar_taxexcl	Customer Invoice Total Excludes Tax
	txc_comment_type	Tax Comment Type
	txc_default_taxable	Taxable
	txc_is_tax_confirmed	?
	txc_tax_accrual_glcode	?
	txc_tax_in_city	In City
usrc_ctrl	usrc_ldap	LDAP Enabled
	usrc_sso	Single Sign On Enabled
usrg_mstr	usrg_active	Active
	usrg_sod_conflict	Role Conflict
usr_mstr	usr_enabled	User Enabled
	usr_tzdb	Time Zone DB
vd_mstr	oid_btr_mstr	?
	vd_active	Active
	vd_carrier_id	Carrier
	vd_data_complete	Data Complete
	vd_gst_id	Tax ID - Federal
	vd_kanban_supplier	Kanban Supplier
	vd_misc1_id	Tax ID - Misc 1
	vd_misc2_id	Tax ID - Misc 2
	vd_misc3_id	Tax ID - Misc 3
	vd_pst_id	Tax ID - State
	vd_taxc	Tax Class
	vd_tax_in	Tax In
	vd_tax_in_city	In City
	vd_tax_usage	Tax Usage
	vd_tax_zone	Tax Zone

Table Name	Field Name	Label
vph_hist	vph_cinvoice_id	Invoice ID

Changed Indexes

The left side for each index lists the current values of the various items; the right side lists the previous values.

			Current Values				Previous Values		
Index Name	**Table Name**	**Unique**	**Field Name**	**Asc**	**Abr**	**Unique**	**Field Name**	**Asc**	**Abr**
_Userid	_Client-Session	no	_User-id	yes	no	yes	_Userid	yes	no
ac_active	ac_mstr	no	ac_domain	yes	no	yes	ac_domain	yes	no
			ac_active	yes	no		ac_active	yes	no
			ac_code	yes	no		ac_code	yes	no
asc_cc	asc_mstr	yes	asc_domain	yes	no	yes	asc_domain	yes	no
			asc_cc	yes	no		asc_cc	yes	no
			asc_acc	yes	no		asc_acc	yes	no
			asc_sub	yes	no		asc_sub	yes	no
			asc_proj	yes	no				
asc_index	asc_mstr	yes	asc_domain	yes	no	yes	asc_domain	yes	no
			asc_acc	yes	no		asc_acc	yes	no
			asc_sub	yes	no		asc_sub	yes	no
			asc_cc	yes	no		asc_cc	yes	no
			asc_proj	yes	no				
asc_sub	asc_mstr	yes	asc_domain	yes	no	yes	asc_domain	yes	no
			asc_sub	yes	no		asc_sub	yes	no
			asc_acc	yes	no		asc_acc	yes	no
			asc_cc	yes	no		asc_cc	yes	no
			asc_proj	yes	no				
eud_nametype	eud_det	no	eud_domain	yes	no	no	eud_domain	yes	no
			eud_addr	yes	no		eud_addr	yes	no
			eud_nametype	yes	no		eud_nametype	yes	no
			eud_sort	yes	no		eud_trnbr	yes	no
faba_fa_id	faba_det	yes	faba_domain	yes	no	yes	faba_domain	yes	no
			faba_fa_id	yes	no		faba_fa_id	yes	no
			faba_fabk_id	yes	no		faba_acctype	yes	no
			faba_acctype	yes	no		faba_glseq	yes	no
			faba_glseq	yes	no				
facd_fac_id	facd_det	yes	facd_domain	yes	no	yes	facd_domain	yes	no
			facd_facls_id	yes	no		facd_facls_id	yes	no
			facd_fabk_id	yes	no		facd_acctype	yes	no
			facd_acctype	yes	no				

			Current Values				Previous Values		
Index Name	**Table Name**	**Unique**	**Field Name**	**Asc**	**Abr**	**Unique**	**Field Name**	**Asc**	**Abr**
fsh_codefield	fsh_mstr	yes	fsh_domain	yes	no	yes	fsh_domain	yes	no
			fsh_code	yes	no		fsh_code	yes	no
			fsh_code_field	yes	no		fsh_code_field	yes	no
			fsh_date	yes	no		fsh_date	yes	no
			fsh_start_time	yes	no				
lng_nbr	lng_mstr	no	lng_nbr	yes	no	yes	lng_nbr	yes	no
pc_list	pc_mstr	yes	pc_domain	yes	no	yes	pc_domain	yes	no
			pc_list_classification	yes	no		pc_list	yes	no
			pc_list	yes	no		pc_curr	yes	no
			pc_curr	yes	no		pc_prod_line	yes	no
			pc_prod_line	yes	no		pc_part	yes	no
			pc_part	yes	no		pc_um	yes	no
			pc_um	yes	no		pc_start	yes	no
			pc_start	yes	no				
pj_active	pj_mstr	no	pj_domain	yes	no	yes	pj_domain	yes	no
			pj_project	yes	no		pj_project	yes	no
			pj_active	yes	no		pj_active	yes	no
rnd_desc	rnd_mstr	no	rnd_desc	yes	no	no	rnd_domain	yes	no
			rnd_rnd_mthd	yes	no		rnd_desc	yes	no
							rnd_rnd_mthd	yes	no
rnd_rnd_mthd	rnd_mstr	yes	rnd_rnd_mthd	yes	no	yes	rnd_domain	yes	no
							rnd_rnd_mthd	yes	no
schd_dtr	schd_det	yes	schd_domain	yes	no	yes	schd_domain	yes	no
			schd_type	yes	no		schd_type	yes	no
			schd_nbr	yes	no		schd_nbr	yes	no
			schd_line	yes	no		schd_line	yes	no
			schd_rlse_id	yes	no		schd_rlse_id	yes	no
			schd_date	yes	no		schd_date	yes	no
			schd_time	yes	no		schd_time	yes	no
			schd_interval	yes	no		schd_interval	yes	no
			schd_reference	yes	no		schd_reference	yes	no
			schd_req_type	yes	no				
txe_desc	txe_mstr	no	txe_desc	yes	no	no	txe_domain	yes	no
							txe_desc	yes	no
txe_tax_env	txe_mstr	yes	txe_tax_env	yes	no	yes	txe_domain	yes	no
							txe_tax_env	yes	no
txe_to_from	txe_mstr	yes	txe_zone_to	yes	no	yes	txe_domain	yes	no
			txe_zone_from	yes	no		txe_zone_to	yes	no

			Current Values				Previous Values		
Index Name	**Table Name**	**Unique**	**Field Name**	**Asc**	**Abr**	**Unique**	**Field Name**	**Asc**	**Abr**
							txe_zone_from	yes	no
txed_seq	txed_det	no	txed_tax_env	yes	no	no	txed_domain	yes	no
			txed_seq	yes	no		txed_tax_env	yes	no
							txed_seq	yes	no
txed_tax_env	txed_det	yes	txed_tax_env	yes	no	yes	txed_domain	yes	no
			txed_tax_type	yes	no		txed_tax_env	yes	no
							txed_tax_type	yes	no
txz_ctry_state	txz_mstr	yes	txz_ctry_code	yes	no	yes	txz_domain	yes	no
			txz_state	yes	no		txz_ctry_code	yes	no
			txz_county	yes	no		txz_state	yes	no
			txz_city	yes	no		txz_county	yes	no
			txz_zip	yes	no		txz_city	yes	no
							txz_zip	yes	no
txz_desc	txz_mstr	no	txz_desc	yes	no	no	txz_domain	yes	no
							txz_desc	yes	no
txz_tax_zone	txz_mstr	yes	txz_tax_zone	yes	no	yes	txz_domain	yes	no
							txz_tax_zone	yes	no

Deleted Indexes

Index	Table
absd_abs_fld_name	absd_det
absd_abs_id	absd_det
AppID	apr_mstr
AppId	ilg_hist
AppID	elg_hist
atak_oid_atap_mstr	atak_det
atap_oid_att_mstr	atap_mstr
atap_table_name	atap_mstr
atc_index1	atc_ctrl
aterr_event_id	aterr_mstr
aterr_time	aterr_mstr
atgt_oid_atg_mstr	atgt_ref
atgt_oid_att_mstr	atgt_ref
attmp_event_id	attmp_mstr
attmp_time	attmp_mstr
atwk_oid_atwp_mstr	atwk_det
atwp_oid_att_mstr	atwp_mstr
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
eud_trnbr	eud_det
ExtDocKey	ilg_hist
ExtDocKey	elg_hist
GroupID	ilg_hist
GroupID	elg_hist
isb_ser_part	isb_mstr
MfgProKey	ilg_hist
MfgProKey	elg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
oid_atak_det	atak_det
oid_atap_mstr	atap_mstr
oid_atc_ctrl	atc_ctrl
oid_atgt_ref	atgt_ref
oid_atwk_det	atwk_det
oid_atwp_mstr	atwp_mstr
pli_internal_ref	pli_mstr
Site	ilg_hist
Site	elg_hist

New Indexes for Existing Tables

Index	Table
_Lock-Id	_ActLock
_Lock-Id	_Lock
_Server-Id	_Servers
_Server-Id	_ActServer
abs_inv_mov	abs_mstr
absd_fld_name	absd_det
absd_shipper_id	absd_det
ad_address_id	ad_mstr
AppID	apr_mstr
AppID	elg_hist
AppId	ilg_hist
ar_ship	ar_mstr
asc_proj	asc_mstr
cm_active	cm_mstr
cm_datacomplete	cm_mstr
DocIDSufx	elg_hist
DocIDSufx	ilg_hist
eud_addrsort	eud_det
ExtDocKey	elg_hist
ExtDocKey	ilg_hist
glt_costctr	glt_det
glt_project	glt_det
glt_subacct	glt_det
GroupID	elg_hist
GroupID	ilg_hist
ih_batch	ih_hist
isb_classification	isb_mstr
MfgProKey	elg_hist
MfgProKey	ilg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
mnd_uri	mnd_det
mnt_lang	mnt_det
oid_abd_det	abd_det
oid_abs_mstr	abs_mstr
oid_absc_det	absc_det
oid_abscc_det	abscc_det
oid_absd_det	absd_det
oid_absi_mstr	absi_mstr
oid_absl_det	absl_det
oid_absr_det	absr_det
oid_abss_det	abss_det
oid_ac_mstr	ac_mstr
oid_accd_det	accd_det
oid_acd_det	acd_det
oid_acdf_mstr	acdf_mstr
oid_acm_mstr	acm_mstr
oid_acod_mstr	acod_mstr
oid_act_mstr	act_mstr
oid_acx_mstr	acx_mstr

Index	Table
oid_ad_mstr	ad_mstr
oid_adc_ctrl	adc_ctrl
oid_adx_det	adx_det
oid_al_mstr	al_mstr
oid_ald_det	ald_det
oid_alm_mstr	alm_mstr
oid_an_mstr	an_mstr
oid_anl_det	anl_det
oid_ans_det	ans_det
oid_anx_det	anx_det
oid_ap_mstr	ap_mstr
oid_apc_ctrl	apc_ctrl
oid_apm_ctrl	apm_ctrl
oid_apmr_mstr	apmr_mstr
oid_apr_mstr	apr_mstr
oid_aprm_mstr	aprm_mstr
oid_ar_mstr	ar_mstr
oid_arc_ctrl	arc_ctrl
oid_ard_det	ard_det
oid_arsd_det	arsd_det
oid_art_mstr	art_mstr
oid_asc_mstr	asc_mstr
oid_ast_mstr	ast_mstr
oid_atd_mstr	atd_mstr
oid_atp_det	atp_det
oid_aud_det	aud_det
oid_ba_mstr	ba_mstr
oid_bc_mstr	bc_mstr
oid_bcd_det	bcd_det
oid_bdl_mstr	bdl_mstr
oid_bdld_det	bdld_det
oid_bdp_det	bdp_det
oid_bg_mstr	bg_mstr
oid_bgd_det	bgd_det
oid_bic_ctrl	bic_ctrl
oid_bk_mstr	bk_mstr
oid_bkad_det	bkad_det
oid_bkd_det	bkd_det
oid_bkfm_mstr	bkfm_mstr
oid_bkpd_det	bkpd_det
oid_bkpm_mstr	bkpm_mstr
oid_bl_ctrl	bl_ctrl
oid_bom_mstr	bom_mstr
oid_btb_det	btb_det
oid_ca_mstr	ca_mstr
oid_cac_ctrl	cac_ctrl
oid_cah_hist	cah_hist
oid_cal_det	cal_det
oid_caq_mstr	caq_mstr
oid_cas_mstr	cas_mstr
oid_cb_mstr	cb_mstr
oid_cc_mstr	cc_mstr
oid_ccc_ctrl	ccc_ctrl
oid_ccd_mstr	ccd_mstr
oid_ccd1_det	ccd1_det
oid_ccd2_det	ccd2_det
oid_ccl_ctrl	ccl_ctrl

Index	Table
oid_ccls_mstr	ccls_mstr
oid_cclsc_mstr	cclsc_mstr
oid_cclscd_det	cclscd_det
oid_cct_mstr	cct_mstr
oid_cctr_hist	cctr_hist
oid_cd_det	cd_det
oid_cdf_mstr	cdf_mstr
oid_cf_mstr	cf_mstr
oid_cfc_ctrl	cfc_ctrl
oid_chg_mstr	chg_mstr
oid_chm_mstr	chm_mstr
oid_cil_mstr	cil_mstr
oid_cild_det	cild_det
oid_ck_mstr	ck_mstr
oid_ckd_det	ckd_det
oid_cksd_det	cksd_det
oid_clc_ctrl	clc_ctrl
oid_cls_mstr	cls_mstr
oid_cm_mstr	cm_mstr
oid_cmc_ctrl	cmc_ctrl
oid_cmd_det	cmd_det
oid_cmf_mstr	cmf_mstr
oid_cmh_hist	cmh_hist
oid_cmt_det	cmt_det
oid_cnc_ctrl	cnc_ctrl
oid_cncix_mstr	cncix_mstr
oid_cncs_mstr	cncs_mstr
oid_cncu_mstr	cncu_mstr
oid_cncud_det	cncud_det
oid_cns_ctrl	cns_ctrl
oid_cnsix_mstr	cnsix_mstr
oid_cnss_mstr	cnss_mstr
oid_cnsu_mstr	cnsu_mstr
oid_cnsud_det	cnsud_det
oid_co_ctrl	co_ctrl
oid_code_mstr	code_mstr
oid_com_mstr	com_mstr
oid_comd_det	comd_det
oid_cont_mstr	cont_mstr
oid_cost_cal	cost_cal
oid_cp_mstr	cp_mstr
oid_cpc_mstr	cpc_mstr
oid_cpcd_det	cpcd_det
oid_cph_hist	cph_hist
oid_cr_mstr	cr_mstr
oid_crc_ctrl	crc_ctrl
oid_cref_mstr	cref_mstr
oid_cs_mstr	cs_mstr
oid_csa_mstr	csa_mstr
oid_csbd_det	csbd_det
oid_csc_mstr	csc_mstr
oid_csid_det	csid_det
oid_csil_mstr	csil_mstr
oid_csim_mstr	csim_mstr
oid_csld_det	csld_det
oid_cslm_mstr	cslm_mstr
oid_css_mstr	css_mstr

Index	Table
oid_cssi_det	cssi_det
oid_cst_mstr	cst_mstr
oid_ct_mstr	ct_mstr
oid_ctd_det	ctd_det
oid_ctry_mstr	ctry_mstr
oid_cu_mstr	cu_mstr
oid_dal_mstr	dal_mstr
oid_dald_det	dald_det
oid_dbk_mstr	dbk_mstr
oid_dbs_mstr	dbs_mstr
oid_dc_mstr	dc_mstr
oid_decl_mstr	decl_mstr
oid_defr_det	defr_det
oid_delt_mstr	delt_mstr
oid_df_mstr	df_mstr
oid_djr_mstr	djr_mstr
oid_djrc_det	djrc_det
oid_dmw_wkfl	dmw_wkfl
oid_dom_mstr	dom_mstr
oid_dpc_mstr	dpc_mstr
oid_dpr_mstr	dpr_mstr
oid_dprd_det	dprd_det
oid_dprt_det	dprt_det
oid_dpt_mstr	dpt_mstr
oid_drp_ctrl	drp_ctrl
oid_ds_det	ds_det
oid_dsd_det	dsd_det
oid_dsr_mstr	dsr_mstr
oid_dss_mstr	dss_mstr
oid_dy_mstr	dy_mstr
oid_dyd_mstr	dyd_mstr
oid_ea_mstr	ea_mstr
oid_eca_mstr	eca_mstr
oid_ecd_det	ecd_det
oid_ecd1_det	ecd1_det
oid_ecd2_det	ecd2_det
oid_ecd3_det	ecd3_det
oid_ecd4_det	ecd4_det
oid_ecd5_det	ecd5_det
oid_ecd9_det	ecd9_det
oid_ecl_list	ecl_list
oid_ecm_mstr	ecm_mstr
oid_ect_mstr	ect_mstr
oid_ecx_ref	ecx_ref
oid_edlg_hist	edlg_hist
oid_ega_mstr	ega_mstr
oid_egc_ctrl	egc_ctrl
oid_egd_det	egd_det
oid_egs_det	egs_det
oid_egt_mstr	egt_mstr
oid_egw_wkfl	egw_wkfl
oid_elg_hist	elg_hist
oid_em_mstr	em_mstr
oid_emap_det	emap_det
oid_emc_ctrl	emc_ctrl
oid_emg_msg	emg_msg
oid_emp_mstr	emp_mstr

Index	Table
oid_emsg_mstr	emsg_mstr
oid_en_mstr	en_mstr
oid_encd_det	encd_det
oid_eng_mstr	eng_mstr
oid_eraw_det	eraw_det
oid_ers_mstr	ers_mstr
oid_es_mstr	es_mstr
oid_esc_ctrl	esc_ctrl
oid_esh_mstr	esh_mstr
oid_esp_mstr	esp_mstr
oid_ess_mstr	ess_mstr
oid_et_ctrl	et_ctrl
oid_eu_mstr	eu_mstr
oid_euc_ctrl	euc_ctrl
oid_eud_det	eud_det
oid_exc_mstr	exc_mstr
oid_excd_det	excd_det
oid_exr_rate	exr_rate
oid_exru_usage	exru_usage
oid_fa_mstr	fa_mstr
oid_faadj_mstr	faadj_mstr
oid_fab_det	fab_det
oid_faba_det	faba_det
oid_fabch_mstr	fabch_mstr
oid_fabchd_det	fabchd_det
oid_fabd_det	fabd_det
oid_fabk_mstr	fabk_mstr
oid_fac_ctrl	fac_ctrl
oid_facd_det	facd_det
oid_facl_cal	facl_cal
oid_facld_det	facld_det
oid_facls_mstr	facls_mstr
oid_fact_ctrl	fact_ctrl
oid_fad_det	fad_det
oid_fadf_mstr	fadf_mstr
oid_fal_mstr	fal_mstr
oid_faloc_mstr	faloc_mstr
oid_famt_mstr	famt_mstr
oid_famtd_det	famtd_det
oid_famtr_mstr	famtr_mstr
oid_famtrd_det	famtrd_det
oid_fas_ctrl	fas_ctrl
oid_fauop_det	fauop_det
oid_fc_det	fc_det
oid_fcc_mstr	fcc_mstr
oid_fcd_mstr	fcd_mstr
oid_fcg_mstr	fcg_mstr
oid_fcs_sum	fcs_sum
oid_fct_mstr	fct_mstr
oid_ff_mstr	ff_mstr
oid_fh_mstr	fh_mstr
oid_fis_mstr	fis_mstr
oid_fkt_mstr	fkt_mstr
oid_flcr_mstr	flcr_mstr
oid_flcrh_hist	flcrh_hist
oid_fldf_mstr	fldf_mstr
oid_flff_mstr	flff_mstr

Index	Table
oid_flh_mstr	flh_mstr
oid_flp_plan	flp_plan
oid_flpw_mstr	flpw_mstr
oid_flsc_mstr	flsc_mstr
oid_flscd_det	flscd_det
oid_flsd_det	flsd_det
oid_fm_mstr	fm_mstr
oid_fn_mstr	fn_mstr
oid_fnd_det	fnd_det
oid_fnh_hist	fnh_hist
oid_fp1_plan	fp1_plan
oid_fp2_plan	fp2_plan
oid_fp3_plan	fp3_plan
oid_fpc_mstr	fpc_mstr
oid_fpci_mstr	fpci_mstr
oid_fpd_cost	fpd_cost
oid_fpst_mstr	fpst_mstr
oid_fr_mstr	fr_mstr
oid_frcd_det	frcd_det
oid_frd_det	frd_det
oid_frm_mstr	frm_mstr
oid_frzd_det	frzd_det
oid_fsc_mstr	fsc_mstr
oid_fsd_det	fsd_det
oid_fsh_mstr	fsh_mstr
oid_fslp_pln	fslp_pln
oid_fsp1_pln	fsp1_pln
oid_fsp2_pln	fsp2_pln
oid_fsp3_pln	fsp3_pln
oid_fsu_mstr	fsu_mstr
oid_ft_mstr	ft_mstr
oid_ftch_hist	ftch_hist
oid_fwk_mstr	fwk_mstr
oid_giap_mstr	giap_mstr
oid_gimd_mstr	gimd_mstr
oid_gip_det	gip_det
oid_gisi_mstr	gisi_mstr
oid_gl_ctrl	gl_ctrl
oid_glc_cal	glc_cal
oid_glcd_det	glcd_det
oid_glct_det	glct_det
oid_glec_det	glec_det
oid_glptr_hist	glptr_hist
oid_glr_mstr	glr_mstr
oid_glrd_det	glrd_det
oid_glsd_mstr	glsd_mstr
oid_glt_det	glt_det
oid_gltm_mstr	gltm_mstr
oid_gltmd_det	gltmd_det
oid_gltr_hist	gltr_hist
oid_gltw_wkfl	gltw_wkfl
oid_gr_ctrl	gr_ctrl
oid_gra_mstr	gra_mstr
oid_grac_det	grac_det
oid_grad_det	grad_det
oid_gral_det	gral_det
oid_gras_det	gras_det

Index	Table
oid_grbg_det	grbg_det
oid_grc_mstr	grc_mstr
oid_grcd_det	grcd_det
oid_grdf_mtx	grdf_mtx
oid_grhd_det	grhd_det
oid_gri_mstr	gri_mstr
oid_grib_det	grib_det
oid_gric_det	gric_det
oid_grid_det	grid_det
oid_grig_mtx	grig_mtx
oid_grit_wkf	grit_wkf
oid_grqd_det	grqd_det
oid_grr_mstr	grr_mstr
oid_grrd_det	grrd_det
oid_grtx_det	grtx_det
oid_grv_det	grv_det
oid_grx_mstr	grx_mstr
oid_grx1_wkfl	grx1_wkfl
oid_grx2_wkfl	grx2_wkfl
oid_grx3_wkfl	grx3_wkfl
oid_hd_mstr	hd_mstr
oid_hlp_mstr	hlp_mstr
oid_ib_det	ib_det
oid_ibh_hist	ibh_hist
oid_icc_ctrl	icc_ctrl
oid_idh_hist	idh_hist
oid_idhlc_hist	idhlc_hist
oid_idhr_hist	idhr_hist
oid_ie_mstr	ie_mstr
oid_iec_ctrl	iec_ctrl
oid_ied_det	ied_det
oid_ieh_hist	ieh_hist
oid_ifs_mstr	ifs_mstr
oid_ih_hist	ih_hist
oid_ihcc_hist	ihcc_hist
oid_ihr_hist	ihr_hist
oid_ild_det	ild_det
oid_ilg_hist	ilg_hist
oid_im_mstr	im_mstr
oid_imap_det	imap_det
oid_img_msg	img_msg
oid_in_mstr	in_mstr
oid_ind_det	ind_det
oid_ins_mstr	ins_mstr
oid_insd_det	insd_det
oid_ip_mstr	ip_mstr
oid_ipd_det	ipd_det
oid_iph_hist	iph_hist
oid_iraw_det	iraw_det
oid_iro_det	iro_det
oid_is_mstr	is_mstr
oid_isb_mstr	isb_mstr
oid_isd_det	isd_det
oid_isp_mstr	isp_mstr
oid_iss_mstr	iss_mstr
oid_isvc_mstr	isvc_mstr
oid_itm_det	itm_det

Index	Table
oid_itmh_hist	itmh_hist
oid_its_mstr	its_mstr
oid_itsd_det	itsd_det
oid_ivs_ctrl	ivs_ctrl
oid_kbc_ctrl	kbc_ctrl
oid_kbdt_mstr	kbdt_mstr
oid_kbmd_mstr	kbmd_mstr
oid_kbpp_mstr	kbpp_mstr
oid_kbtr_hist	kbtr_hist
oid_kbtrd_det	kbtrd_det
oid_knb_mstr	knb_mstr
oid_knbadc_hist	knbadc_hist
oid_knbcd_det	knbcd_det
oid_knbd_det	knbd_det
oid_knbdd_mstr	knbdd_mstr
oid_knbfd_det	knbfd_det
oid_knbi_mstr	knbi_mstr
oid_knbism_det	knbism_det
oid_knbl_det	knbl_det
oid_knbrs_mstr	knbrs_mstr
oid_knbs_det	knbs_det
oid_knbsm_mstr	knbsm_mstr
oid_knp_mstr	knp_mstr
oid_knpd_det	knpd_det
oid_lac_ctrl	lac_ctrl
oid_lacd_det	lacd_det
oid_lad_det	lad_det
oid_lblc_ctrl	lblc_ctrl
oid_lc_mstr	lc_mstr
oid_ld_det	ld_det
oid_lgs_mstr	lgs_mstr
oid_lgsi_det	lgsi_det
oid_ln_mstr	ln_mstr
oid_lna_det	lna_det
oid_lnd_det	lnd_det
oid_lnf_det	lnf_det
oid_lng_mstr	lng_mstr
oid_lngd_det	lngd_det
oid_loc_mstr	loc_mstr
oid_locc_det	locc_det
oid_lot_mstr	lot_mstr
oid_lotw_wkfl	lotw_wkfl
oid_ls_mstr	ls_mstr
oid_ma_mstr	ma_mstr
oid_max_mstr	max_mstr
oid_maxt_det	maxt_det
oid_mfc_ctrl	mfc_ctrl
oid_mfrel_mstr	mfrel_mstr
oid_mfsd_det	mfsd_det
oid_mnd_det	mnd_det
oid_mnp_det	mnp_det
oid_mnt_det	mnt_det
oid_mp_mstr	mp_mstr
oid_mpd_det	mpd_det
oid_mph_hist	mph_hist
oid_mpp_det	mpp_det
oid_mps_mstr	mps_mstr

Index	Table
oid_mrp_det	mrp_det
oid_mrpc_ctrl	mrpc_ctrl
oid_mrpp_det	mrpp_det
oid_msg_mstr	msg_mstr
oid_mu_mstr	mu_mstr
oid_ncc_ctrl	ncc_ctrl
oid_nr_mstr	nr_mstr
oid_nrh_hist	nrh_hist
oid_oa_det	oa_det
oid_ocm_mstr	ocm_mstr
oid_op_hist	op_hist
oid_opc_ctrl	opc_ctrl
oid_opgl_det	opgl_det
oid_opm_mstr	opm_mstr
oid_ops_ctrl	ops_ctrl
oid_pac_mstr	pac_mstr
oid_pal_mstr	pal_mstr
oid_pald_det	pald_det
oid_pc_mstr	pc_mstr
oid_pcc_ctrl	pcc_ctrl
oid_pcd_det	pcd_det
oid_pcl_mstr	pcl_mstr
oid_pcld_det	pcld_det
oid_pct_mstr	pct_mstr
oid_pfc_det	pfc_det
oid_pfd_det	pfd_det
oid_pgc_ctrl	pgc_ctrl
oid_pgh_hist	pgh_hist
oid_pgm_det	pgm_det
oid_pi_mstr	pi_mstr
oid_pic_ctrl	pic_ctrl
oid_pid_det	pid_det
oid_pig_mstr	pig_mstr
oid_pigc_det	pigc_det
oid_pigp_det	pigp_det
oid_pih_hist	pih_hist
oid_pj_mstr	pj_mstr
oid_pjc_ctrl	pjc_ctrl
oid_pjd_det	pjd_det
oid_pjs_mstr	pjs_mstr
oid_pjsh_hist	pjsh_hist
oid_pjsx_det	pjsx_det
oid_pjt_mstr	pjt_mstr
oid_pk_det	pk_det
oid_pl_mstr	pl_mstr
oid_pld_det	pld_det
oid_pli_mstr	pli_mstr
oid_plid_det	plid_det
oid_plsd_det	plsd_det
oid_plt_det	plt_det
oid_po_mstr	po_mstr
oid_poc_ctrl	poc_ctrl
oid_pod_det	pod_det
oid_pou_mstr	pou_mstr
oid_poul_mstr	poul_mstr
oid_pould_det	pould_det
oid_pp_plan	pp_plan

Index	Table
oid_pq_mstr	pq_mstr
oid_pr_mstr	pr_mstr
oid_prd_det	prd_det
oid_prh_hist	prh_hist
oid_prj_mstr	prj_mstr
oid_ps_mstr	ps_mstr
oid_pshc_ctrl	pshc_ctrl
oid_pt_mstr	pt_mstr
oid_pta_det	pta_det
oid_ptc_det	ptc_det
oid_pth_hist	pth_hist
oid_ptls_det	ptls_det
oid_ptp_det	ptp_det
oid_ptqa_det	ptqa_det
oid_ptr_det	ptr_det
oid_pts_det	pts_det
oid_ptt_det	ptt_det
oid_ptv_det	ptv_det
oid_pvo_mstr	pvo_mstr
oid_pvod_det	pvod_det
oid_qad_wkfl	qad_wkfl
oid_qc_mstr	qc_mstr
oid_qcc_ctrl	qcc_ctrl
oid_qcd_det	qcd_det
oid_qcs_mstr	qcs_mstr
oid_qo_mstr	qo_mstr
oid_qob_det	qob_det
oid_qoc_ctrl	qoc_ctrl
oid_qod_det	qod_det
oid_qodr_det	qodr_det
oid_qor_mstr	qor_mstr
oid_qps_det	qps_det
oid_qqc_ctrl	qqc_ctrl
oid_qr_test	qr_test
oid_qro_det	qro_det
oid_qtbl_ext	qtbl_ext
oid_rbm_mstr	rbm_mstr
oid_rcc_mstr	rcc_mstr
oid_rcf_ctrl	rcf_ctrl
oid_rcs_mstr	rcs_mstr
oid_rcsd_det	rcsd_det
oid_rcsx_ref	rcsx_ref
oid_rdf_mstr	rdf_mstr
oid_reg_mstr	reg_mstr
oid_req_det	req_det
oid_rhd_hist	rhd_hist
oid_rma_mstr	rma_mstr
oid_rmc_ctrl	rmc_ctrl
oid_rmd_det	rmd_det
oid_rnd_mstr	rnd_mstr
oid_ro_det	ro_det
oid_rpc_ctrl	rpc_ctrl
oid_rps_mstr	rps_mstr
oid_rq_mstr	rq_mstr
oid_rqa_mstr	rqa_mstr
oid_rqc_mstr	rqc_mstr
oid_rqcd_det	rqcd_det

Index	Table
oid_rqd_det	rqd_det
oid_rqda_det	rqda_det
oid_rqf_ctrl	rqf_ctrl
oid_rqh_hist	rqh_hist
oid_rqj_mstr	rqj_mstr
oid_rql_mstr	rql_mstr
oid_rqm_det	rqm_det
oid_rqm_mstr	rqm_mstr
oid_rqpo_ref	rqpo_ref
oid_rqr_mstr	rqr_mstr
oid_rs_mstr	rs_mstr
oid_rsc_ctrl	rsc_ctrl
oid_rsd_det	rsd_det
oid_rsn_ref	rsn_ref
oid_rst_mstr	rst_mstr
oid_rstd_det	rstd_det
oid_rsu_mstr	rsu_mstr
oid_rsud_det	rsud_det
oid_sa_mstr	sa_mstr
oid_sab_det	sab_det
oid_sac_ctrl	sac_ctrl
oid_sad_det	sad_det
oid_sadh_hist	sadh_hist
oid_sah_hist	sah_hist
oid_sal_mstr	sal_mstr
oid_salh_hist	salh_hist
oid_sap_det	sap_det
oid_sar_mstr	sar_mstr
oid_sb_mstr	sb_mstr
oid_sbc_mstr	sbc_mstr
oid_sbd_det	sbd_det
oid_sbi_mstr	sbi_mstr
oid_sbic_ctl	sbic_ctl
oid_sbid_det	sbid_det
oid_sc_mstr	sc_mstr
oid_sca_mstr	sca_mstr
oid_scc_mstr	scc_mstr
oid_sch_mstr	sch_mstr
oid_schd_det	schd_det
oid_sct_det	sct_det
oid_scx_ref	scx_ref
oid_sd_mstr	sd_mstr
oid_sdt_mstr	sdt_mstr
oid_sdtd_det	sdtd_det
oid_seoc_ctrl	seoc_ctrl
oid_seq_mstr	seq_mstr
oid_sfb_det	sfb_det
oid_sfh_hist	sfh_hist
oid_sg_mstr	sg_mstr
oid_sgad_det	sgad_det
oid_sgcd_det	sgcd_det
oid_sgid_det	sgid_det
oid_shc_ctrl	shc_ctrl
oid_shd_det	shd_det
oid_shft_det	shft_det
oid_shm_mstr	shm_mstr
oid_shop_cal	shop_cal

Index	Table
oid_shp_hist	shp_hist
oid_shpc_ctrl	shpc_ctrl
oid_shpd_hist	shpd_hist
oid_shtr_det	shtr_det
oid_shv_mstr	shv_mstr
oid_si_mstr	si_mstr
oid_sim_det	sim_det
oid_six_ref	six_ref
oid_slr_mstr	slr_mstr
oid_slrd_det	slrd_det
oid_sm_mstr	sm_mstr
oid_so_mstr	so_mstr
oid_sob_det	sob_det
oid_soc_ctrl	soc_ctrl
oid_socc_mstr	socc_mstr
oid_sod_det	sod_det
oid_sodlc_det	sodlc_det
oid_sodr_det	sodr_det
oid_sop_det	sop_det
oid_sor_mstr	sor_mstr
oid_sosr_mstr	sosr_mstr
oid_sosrd_det	sosrd_det
oid_sp_mstr	sp_mstr
oid_spc_ctrl	spc_ctrl
oid_spd_det	spd_det
oid_sph_hist	sph_hist
oid_spt_det	spt_det
oid_sr_wkfl	sr_wkfl
oid_src_ctrl	src_ctrl
oid_sro_mstr	sro_mstr
oid_sroc_ctrl	sroc_ctrl
oid_srr_mstr	srr_mstr
oid_ssd_det	ssd_det
oid_ssm_mstr	ssm_mstr
oid_sttq_mstr	sttq_mstr
oid_sttqd_det	sttqd_det
oid_stx_mstr	stx_mstr
oid_suf_mstr	suf_mstr
oid_sufd_det	sufd_det
oid_sv_mstr	sv_mstr
oid_svc_ctrl	svc_ctrl
oid_swc_det	swc_det
oid_syp_mstr	syp_mstr
oid_sypd_det	sypd_det
oid_sypj_det	sypj_det
oid_syps_det	syps_det
oid_sytf_mstr	sytf_mstr
oid_tag_mstr	tag_mstr
oid_tax_mstr	tax_mstr
oid_taxd_det	taxd_det
oid_tbl_mstr	tbl_mstr
oid_tblc_mstr	tblc_mstr
oid_tblcd_det	tblcd_det
oid_te_mstr	te_mstr
oid_tm_mstr	tm_mstr
oid_tot_mstr	tot_mstr
oid_totd_det	totd_det

Index	Table
oid_tr_hist	tr_hist
oid_trcs_det	trcs_det
oid_trgl_det	trgl_det
oid_trl_mstr	trl_mstr
oid_trld_det	trld_det
oid_trq_mstr	trq_mstr
oid_tx2_mstr	tx2_mstr
oid_tx2d_det	tx2d_det
oid_txbd_det	txbd_det
oid_txc_ctrl	txc_ctrl
oid_txe_mstr	txe_mstr
oid_txed_det	txed_det
oid_txhd_det	txhd_det
oid_txr_mstr	txr_mstr
oid_txrd_det	txrd_det
oid_txz_mstr	txz_mstr
oid_typ_mstr	typ_mstr
oid_tzo_mstr	tzo_mstr
oid_tzod_det	tzod_det
oid_udd_det	udd_det
oid_ufd_det	ufd_det
oid_um_mstr	um_mstr
oid_umsg_det	umsg_det
oid_upd_det	upd_det
oid_url_mstr	url_mstr
oid_usg_det	usg_det
oid_usr_mstr	usr_mstr
oid_usrc_ctrl	usrc_ctrl
oid_usrl_det	usrl_det
oid_usrw_wkfl	usrw_wkfl
oid_vd_mstr	vd_mstr
oid_vdc_ctrl	vdc_ctrl
oid_vdf_mstr	vdf_mstr
oid_vec_mstr	vec_mstr
oid_vecd_det	vecd_det
oid_vee_mstr	vee_mstr
oid_vef_ctrl	vef_ctrl
oid_vep_mstr	vep_mstr
oid_vepd_det	vepd_det
oid_ver_mstr	ver_mstr
oid_verd_det	verd_det
oid_ves_mstr	ves_mstr
oid_vesd_det	vesd_det
oid_vew_mstr	vew_mstr
oid_vex_mstr	vex_mstr
oid_vo_mstr	vo_mstr
oid_vod_det	vod_det
oid_vp_mstr	vp_mstr
oid_vph_hist	vph_hist
oid_vpo_det	vpo_det
oid_vrc_ctrl	vrc_ctrl
oid_vt_mstr	vt_mstr
oid_vtc_ctrl	vtc_ctrl
oid_wc_mstr	wc_mstr
oid_wcr_route	wcr_route
oid_whl_mstr	whl_mstr
oid_wl_mstr	wl_mstr

Index	Table
oid_wlbd_det	wlbd_det
oid_wlbm_mstr	wlbm_mstr
oid_wlc_ctrl	wlc_ctrl
oid_wld_det	wld_det
oid_wlrd_det	wlrd_det
oid_wlrm_mstr	wlrm_mstr
oid_wlt_mstr	wlt_mstr
oid_wo_mstr	wo_mstr
oid_woc_ctrl	woc_ctrl
oid_wod_det	wod_det
oid_wr_route	wr_route
oid_wtx_mstr	wtx_mstr
prj_ship	prj_mstr
pt_barcode1	pt_mstr
pt_barcode2	pt_mstr
qo_ship	qo_mstr
sad_prefix_type	sad_det
Site	elg_hist
Site	ilg_hist
so_ship	so_mstr
sro_ship	sro_mstr
tr_nbr_rmks_type	tr_hist
vd_active	vd_mstr
vd_datacomplete	vd_mstr

Deleted Tables

Table Name	Description
atak_det	Audit Trail Activated Key Detail
atap_mstr	Audit Trail Activated Profile Master
atc_ctrl	Audit Trail Control
aterr_mstr	Audit Trail Error Master
atgt_ref	Audit Trail Group - Table Cross Reference
attmp_mstr	Audit Trail Temporary Master
atwk_det	Audit Trail Workbench Key Detail
atwp_mstr	Audit Trail Workbench Profile Master

New Tables

Table Name	Table Description
AAA_qadfinance_20080229	DB Time Stamp
abspli_ref	Purchase Order Shipper/Invoice Cross Reference
absp_det	Subshipper PO Cross Reference
abssc_det	Shipper Validation Error Log
absw_det	ABS Lot/Serial Detail
absx_det	Subcontract Shipper PO Shipper Cross Reference
AcctIF	Acct IF
AcctIFFilter	Acct IF Filter
actf_mstr	Used to store information on table and the related account, sub-account & cost center field names
Activity	Activity Line
ActivityClosing	Activity Closing
ActivityGLMatrix	Activity GL Matrix
ActivitySaf	Activity Saf
ActivitySheet	Activity Sheet
Address	Address
AddressType	Address Type
Agent	Salesperson
AIMW	Warehousing Work Table
AlgoAssD	Warehousing Algorithm Assignment Detail
AlgoAssM	Warehousing Algorithm Assignment Master
AlgoM	Warehousing Algorithm Master
AlgoTypeM	Warehousing Algorithm Type Master
Allocation	Allocation Definition
AllocationBatch	Allocation Batch
AllocationBatchLine	Allocation Batch Line
AllocationLayer	Allocation Layer
AllocationPosting	Allocation Posting
AllocationProportional	Proportional Allocation
AltTaskM	Warehousing Alternate Task Master
AltUMD	Warehousing Alternate Unit of Measure Detail
AltUMM	Warehousing Alternate Unit of Measure Master
APMatching	Accounts Payable Matching
APmatchingLn	Accounts Payable Matching Line
APMatchingLnRevTax	Accounts Payable Matching Line Rev Tax
APMatchingLnTax	Accounts Payable Matching Line Tax
ApproveStatusTrans	Approve Status Trans
AutoNumber	Automatic Numbering
BankAccFormat	Bank Account Format
BankAccFormatSect	Bank Account Format Section
BankFileFormat	Bank File Format
BankFileFormatTransType	Bank File Format Transaction Type
BankImp	Bank Import
BankImpLine	Bank Import Line
BankImpLineLog	Bank Import Line Log
BankNumber	Bank Number
BankNumberPayCode	Bank Number Pay Format Code
BankPayFormat	Bank Pay Format
BankState	Bank State
BankStateAlloc	Bank State Allocation
BankStateAllocColl	Bank State Collection-Allocation
BankStateImport	Import Bank Statements

Table Name	Table Description
BankStateLine	Bank State Line
BankStateStageAlloc	Bank State Stage Alloc
BatchPickC	Warehousing Batch Picking Contol
BatchPickM	Warehousing Batch Picking Master
BLWIGroup	BLIW Group
Box1099	Box 1099
Box1099PurchaseTypeLink	Box 1099 Purchase Type Link
btrd_det	Blocked Transaction Detail
btr_mstr	Blocked Transaction Master
Budget	Budget
BudgetCompany	Budget Company
BudgetFDS	Budget-COA
BudgetGroup	Budget-Group
BudgetLink	BudgetLink; Budget Actuals and Commitments
BudgetLinkAcc	Budget Accumulation by Period
BudgetLinkAccDet	Budget Accumulation by Subledger
BudgetLinkActual	Budget-Posting Link
BudgetLinkCommit	Budget-Commitment Link
BudgetPeriod	Budget-Period
BudgetReport	BudgetReport
BudgetReportDetail	BudgetReport
BudgetVersion	Budget-Version
BudgetVersionFig	BudgetVersionFigure
BudgetVersionGLFig	Budget-Version-GL-Figures
BudgetWBS	Budget Topic
BudgetWBSBusComponent	Link Budget Topic-Component
BudgetWBSItem	Budget Topic Item
BudgetWBSRoster	Budget Topic-Roster
BulkPickC	Warehousing Bulk Pick Control
BulkPickD	Warehousing Bulk Pick Detail
BulkPickDH	Warehousing Bulk Pick Detail History
BulkPickM	Warehousing Bulk Pick Master
BusArea	Business Area
BusAreaComponent	Business Area - Business Component Link
BusinessRelation	Business Relation
BusRelationSafDefault	Business Relation Saf Default
cald_det	Calendar Detail
CalendarD	Warehousing Calendar Detail
CalendarM	Warehousing Calendar Master
calh_det	Calendar Holiday Detail
calm_mstr	Calendar Master
cals_det	Shift Detail
CashGroup	Cash Group
CashReport	Cash Report
CashReportGL	Cash Report GL
CashReportGLLine	Cash Report GL Line
CBalance	Supplier Balance
CCollection	Supplier Collection
CDocInvoiceXrefStage	CDocument Invoice Xref Stage
CDocument	Supplier-Document
CDocumentInvoiceXref	Supplier-Document/Supplier-Invoice Xref
CDocumentPostingLine	Supplier Document Posting Line
CDocumentStatus	Supplier Document Status
ChargesD	Warehousing Shipment Detail Charges
CHist	Supplier History
CInvoice	Supplier Invoice
CInvoiceBank	Supplier Invoice: Bank Records

Table Name	Table Description
CInvoiceBankPayCode	Cinvoice Bank Pay Code
CInvoiceMovement	Supplier Invoice: Movement records
CInvoicePO	Link Supplier Invoice - PO (Matching)
CInvoicePosting	Link Supplier Invoice - Posting
CInvoiceStage	Supplier Invoice: Stage Records
CInvoiceVat	Supplier Invoice: Tax Records
clatd_det	UDF Attribute Value Detail
clat_mstr	UDF Attribute Master
Closing	Closing
clsd_det	UDF Class Table Detail
clsf_mstr	Classification Master
CnvXref	Temporary Table used for converting SCBA 3.1 to EFAS 5.0
Company	Entity
CompanyProperty	Company Property
CompanySharedSet	Company Shared Set
Consolid	Consolidation
ConsolidCycle	Consolidation Cycle
ConsolidCycleCompany	Consolid Cycle Company
ConsolidCycleSaf	Consolidation Cycle Saf
ConsolidDivisionXref	Consolidation Sub-Account Cross-Reference
ConsolidDump	Consolidation Dump
ConsolidGLXref	Consolidation GL Cross-reference
ConsolidLayer	Consolid Layer
ConsolidPeriodXref	Consolidation Period Cross-reference
ConsolidPostingXref	Consolidation Posting Xref
Contact	Contact
CorporateGroup	Corporate Group
CostCentre	Cost Center
CostCentreSafDefault	Cost Center SAF Default
Country	Country
CountryVatFormat	Country Tax Format
County	County
CPay	C Pay
crd_det	Call Reminder Detail Table
Creditor	Supplier
CreditorSafDefault	Supplier SAF Default
CreditorType	Supplier Type
csd_det	Service/Support Call Skill Detail
Currency	Currency
CustInventM	Warehousing Customer/Inventory Status Master
CustPartM	Warehousing Customer/Item Master
DashboardPeriod	Dashboard Period
DashboardWBS	Dashboard WBS
DBalance	CustomerBalance
DCollection	Customer Collection
DCollectionExport	Customer Collection Export
DDocInvoiceXrefStage	DDocument Invoice Xref Stage
DDocument	Customer-Document
DDocumentInvoiceXref	Customer-Document/Customer-Invoice Xref
DDocumentPayCode	DDocument Pay Code
DDocumentPostingLine	Customer Document Posting Line
DDocumentStatus	Customer Document Status
Debtor	Customer
DebtorCreditRating	Debtor Credit Rating
DebtorEndUser	Customer End User
DebtorSafDefault	Customer SAF Default
DebtorShipTo	Customer Ship-To

Table Name	Table Description
DebtorType	Customer Type
ded_det	Data Entry Detail
deed_det	Data Entry Extension Detail
dee_mstr	Data Entry Extension Master
defc_det	Data Entry Frame Sequence Condition Detail
defd_det	Data Entry Frame Detail
deff_det	Data Entry Frame Field Detail
defl_det	Data Entry Field Detail
defs_det	Data Entry Frame Sequence Detail
DeliveryCond	DeliveryCondition
dep_mstr	Data Entry Profile Master
deu_det	Data Entry User Detail
de_mstr	Data Entry Master
DHist	Customer History
DInvoice	Customer Invoice
DInvoiceBank	Customer Invoice: Bank Records
DInvoiceBankPayCode	DInvoice Bank Pay Code
DInvoiceMovement	Customer Invoice: Movement Records
DInvoiceOpInfo	Customer Invoice: Operational Information References
DInvoicePosting	Link Customer Invoice - Posting
DInvoiceShipper	Customer Invoice: Shipper References
DInvoiceStage	Customer Invoice: Stage Records
DInvoiceVat	Customer Invoice: Tax Records
Division	Sub-Account
DomainProperty	Domain Property
Domains	Domain
DomainSharedSet	Domain Shared Set
DPay	D Pay
DPaySelPayCode	Debtor Payment Selection Pay Code
dvfv_det	Data Validation Field Value Detail
dvf_det	Data Validation Field Detail
dvshx_ref	Data Validation Rule Cross Reference
dv_mstr	Data Validation Master
dybs_mstr	Daybook Set Master
Employee	Employee
EmployeeHoliday	Employee Holiday
EmployeeRegulation	Employee Regulation
EmployeeSafDefault	Employee Saf Default
EngineC	Warehousing Engine Processing Control
EngineH	Warehousing Engine Processing History
EngineW	Warehousing Engine Work Table
ERAssD	Warehousing External Routing Assignment Detail
ERD	Warehousing External Routing Detail
ERM	Warehousing External Routing Master
eus_mstr	Service/Support End User Schedule Master
EventDaemon	Event daemon
ExchangeRate	Exchange Rate
ExchangeRateType	Exchange Rate Type
ExpenseCode	Expense Code
ExpenseGLMatrix	Expense GL Matrix
ExpNoteCInvoice	Exp Note SInvoice
ExpNoteLineSaf	Expense Note Line Saf
FAAssetBookDeprec	Asset Book Depreciations
FAAssetGLSaf	FA Asset Book GL SAF
FAAssetSaf	Asset Saf
FAAssetTypeFABook	FA Asset Types with Books Cross-reference
FACapitalAssetBook	Fixed Asset Capitalisation Asset Book

Table Name	Table Description
FADepreciationDetSaf	Depreciation Detail Safs
FADepreciationPosting	Depreciation Posting
FADisposalDetSaf	Fixed Asset Disposal Detail Saf
FARevalDetSaf	FA Revaluation Detail SAF
FARevalPosting	FA Revaluation Posting
FavBusComponent	Favorites
fcDraftInstanceData	draft instance
fcIdmObject	IDOM document
fcInstance	State
fldattr_mstr	Field Attribute Master
fspd_det	Service/Support Parts List Detail
genfldd_det	Generic Field Detail
GL	General Ledger
GLCalendar	GL Calendar
glcor_ctrl	GL Correction Control File
GLMask	GL Mask
GLMirror	GL Mirror
GLOpenItem	GL-Open-Item
GLOpenItemMovement	GL-Open-Item-Movement
GLReportLink	GL Report Link
GLSafDefault	GL Saf Default
GLSystemType	GL System Type
GLType	GL Type
gtidh_hist	Golden Tax Invoice History Detail
gtih_hist	Golden Tax Invoice History Master
gtnbr_det	Golden Tax Invoice Cross Reference
gt_ctrl	Golden Tax Control
HoldM	Warehousing Hold Master
iach_hist	Inventory Consumption History
iac_ctrl	Obsolete Inventory Control Parameters
iad_mstr	Obsolete Inventory Depreciation Rate Master
iaod_det	Output File Field Detail
iao_mstr	Output File Master
iasd_det	Obsolete Inventory Control Site Detail
iatd_det	Inventory Type Field Detail
iat_mstr	Inventory Type Master
iepl_ctrl	Poland Intrastat Declaration Control
Industry	Industry
InspC	Warehousing Inspection Control
InspH	Warehousing Inspection History
InspInvD	Warehousing Inspected Inventory Detail
InstallNetImport	Install Net Import
InterWLGM	Warehousing Inter Work Location Group Master
Intrastat	Intrastat
InventHM	Warehousing Inventory History Master
InventM	Warehousing Inventory Master
IRAssD	Warehousing Internal Routing Assignment Detail
IRD	Warehousing Internal Routing Detail
IRGroupM	Warehousing Internal Routing Group Master
IRM	Warehousing Internal Routing Master
ISetup	Intrastat Setup
ItemSafDefault	Item Saf Default
ItemUnit	Item Unit
ItemVatLevel	Item Tax Level
ItemWarehouse	Item Warehouse
Journal	Daybook
JournalType	Daybook Type

Table Name	Table Description
kenb_det	Ending Inventory Balance and Cost by Location
kia_mstr	Inventory Account Change Master
knble_det	Kanban Loop Event Detail
kstc_det	Ending Inventory Balance by Site
LabourC	Warehousing Labour Management Control
LaneAssD	Warehousing Lane Assignment Detail
LaneAssM	Warehousing Lane Assignment Master
LaneGroupD	Warehousing Lane Group Detail
LaneGroupM	Warehousing Lane Group Master
LaneM	Warehousing Lane Master
Layer	Layer
lgdc_ctrl	Legal Document Control
lgdd_det	Legal Document Detail Table
lgdnr_det	Legal Document Address and Sequence ID Detail
lgdtx_det	Legal Document Tax Usage of Simultaneous Operation Setup Detail
lgd_mstr	Legal Document Master
Lng	Language
LoadD	Warehousing Load Detail
LoadM	Warehousing Load Master
LoadMasterM	Warehousing Load Master Master
LoadSAddrD	Warehousing Load Setup Address Detail
LoadSetupM	Warehousing Load Setup Master
LoadSItemD	Warehousing Load Setup Item Detail
LocalExitC	Warehousing Local Exit Routine Control
LocDefD	Warehousing Location Definition Detail
LocDefM	Warehousing Location Definition Master
LocForD	Warehousing Location Forecast Detail
LocM	Warehousing Location Master
LocUMM	Warehousing Location Unit of Measure Master
LocW	Warehousing Location Work Table
ManhourSurcharge	Manhour Surcharge
MirroringGL	Mirroring Account
MirroringJournal	Mirroring Daybook
MsgBrokerSetting	Message Broker Setting
Nomenclature	Nomenclature
nsoc_ctrl	Non-Sales Order Control
ObjectStatus	Object Status
OrdAllocD	Warehousing Order Allocation Detail
OrdAllocH	Warehousing Order Allocation History
OrderD	Warehousing Order Detail
OrderM	Warehousing Order Master
OrderSelD	Warehousing Order Batch Selection Detail
OrderSelM	Warehousing Order Batch Selection Master
PartSLGM	Warehousing Item/Storage Location Group Master
PartWhseM	Warehousing Item/Warehouse Master
PayFormatCode	Pay Format Code
PayFormatGroup	Pay Format Group
PayFormatType	Pay Format Type
PaymentCondition	Credit Terms
PaymentConditionStaged	Staged Payment
PaymentGroup	Payment Group
PaySel	Payment Selection
PaySelHistory	Pay Sel Hist
PaySelLine	Payment Selection Line
PaySelLineStage	Payment Selection Line Stage
PaySelPayCode	Payment Selection Pay Code
PaySelPrepay	Payment Selection Prepayment

Table Name	Table Description
Period	GL Period
PeriodMark	Period Mark
pliabs_ref	Legal Document Cross-Reference
poad_det	Purchase Order Allocation Detail
poa_mstr	Purchase Order Allocation Master
Posting	Posting
PostingHist	Posting History
PostingLine	Posting Line
PostingSaf	Posting Saf
PostingSafCombined	Posting Saf Combined
PostingSafHist	Posting Hist SAF
PostingTemplate	Posting Template
PostingVat	Posting Tax
PostingVatDelay	Posting Tax Delayed
PrefixC	Warehousing Prefix Set Control
PreInvoiceBank	Pre-Invoice Bank
PreInvoiceLineDet	Pre-Invoice Line Detail
PreInvoiceLineSaf	Pre-Invoice Line SAF
PreInvoiceLineXRef	Pre-Invoice Line SO Line Plan
PreInvoiceRev	Pre-Invoice Revision
PreInvoiceSaf	Pre-Invoice Saf
PreInvoiceStage	Pre-Invoice Stage
Price	Price
Profile	Profile
ProfileLink	Profile Link
ProfileType	Profile Type
Project	Project
ProjectGroup	Project Group
ProjectRevCalc	Project Revenue Calculation
ProjectRevCode	Project Revenue Code
ProjectSafDefault	Project Saf Default
ProjectStatus	Project Status
pti_det	Item Inventory Data
ptre_det	Item Replacement Detail
PurchaseCode	Purchase Code
PurchaseGLMatrix	Purchase GL Matrix
PurchaseType	Purchase Type
qaddb_ver	Table name identifies the database type.
QPostingSaf	Queue Posting Saf (Queue for Daemon)
Reason	Invoice Status Code
RecEntry	Recurring Entry
RecEntryLine	Recurring Entry Line
RegulationPlan	Regulation Plan
RelStatM	Warehousing Release Status Master
ReplenC	Warehousing Replenishment Control
RepListD	Warehousing Replenishment List Detail
RepListM	Warehousing Replenishment List Master
RepLocM	Warehousing Replenishment Location Master
ReportPeriod	Reporting Period
RepSLGM	Warehousing Replenishment SLG Master
Resources	Resource
Reval	Revaluation
RevalDet	Revaluation Detail
RevalGL	Revaluation GL
RevalGLSafCombined	Revaluation Saf Combined
RevalHeader	Revaluation Header
RevalRate	Revaluation Rate

Table Name	Table Description
RevisionIndex	Revision Index
RGD	Warehousing Release Group Detail
RGM	Warehousing Release Group Master
rndc_mstr	Country Code and Currency with Rounding Method
Role	Role
RoleResource	Link Role-Resource
RoundingMethod	Rounding Method
RunD	Warehousing Program Execution Detail
Saf	Saf
SafConcept	Saf Concept
SafStructure	Saf Structure
SafStructureLine	Saf Structure Line
SafStructureLink	Saf Structure Link
SalesCode	Sales Code
SalesGLMatrix	Sales GL Matrix
scs_ctrl	Subcontract Shipping Control
SharedSet	Shared Set
SharedSetMergeLog	Shared Set Merge Log
SharedSetProp	Shared Set Property
SharedSetType	Shared Set Type
shcd_det	Shipper Control Detail Default Export Directories
ShipViaM	Warehousing Ship Via/Service Master
ShortcutAct	shortcut key
shphr_det	Data Validation Rule Master
shphvd_det	Field Validation Allowed Value Detail
shphvpv_det	Validation/Prompt Location Detail
shphv_det	Rule Field Validation Detail
SLGListD	Warehousing Storage Location Group List Detail
SLGListM	Warehousing Storage Location Group List Master
SLGM	Warehousing Storage Location Group Master
SLGUMD	Warehousing Storage Location Group/Unit of Measure Detail
sodctg_mstr	Segregation Of Duties Category Master
sodm_det	Segregation Of Duties Category Matrix
sodped_det	Segregation Of Duties Policy Exception Detail
sodpe_mstr	Segregation Of Duties Policy Exception Master
sodv_hist	Segregation Of Duties Violation Log
SOGuarantee	Sales Order Guarantee
SOLineItem	SO Line Item
SOLineSaf	Sales Order Line SAF
SORevision	Sales Order Revisions
SOSaf	Sales Order SAF
SOStage	Sales Order Stage
State	State
Statistic	Statistical Code
SysProperty	System Property
Syst	System
SystemC	Warehousing System Control
TaskAssD	Warehousing Task Assignment Detail
TaskAssM	Warehousing Task Assignment Master
TaskD	Warehousing Task Detail
TaskM	Warehousing Task Master
TemplateD	Warehousing Printer Template Detail
TemplateM	Warehousing Printer Template Master
TrackingD	Warehousing Packaging Tracking Detail
TranD	Warehousing Transaction Detail
TranH	Warehousing Transaction History
TransactionType	Transaction Type

Table Name	Table Description
TransportMeans	Means Of Transport
TranTypeM	Warehousing Transaction Type Master
TranW	Warehousing Transaction Work Table
txcl_mstr	Tax Class Master
txenv_mstr	Tax Class Master
txty_mstr	Tax Type Master
txu_mstr	Tax Usage Master
udfcls_mstr	UDF Class Master
udfclud_det	UDF Class Use Table
UMGroupD	Warehousing Unit of Measure Group Detail
UMGroupM	Warehousing Unit of Measure Group Master
urd_det	Update Restriction Detail
ursc_det	Update Status Code Detail
ur_mstr	Update Restriction Master
UserD	Warehousing RF User Detail
UserGroupD	Warehousing RF User Group Detail
UserGroupM	Warehousing RF User Group Master
UserM	Warehousing RF User Master
UserSysM	Warehousing User System Code Security Master
UserWLGM	Warehousing User/Work Location Group Master
Usr	User
UsrCompany	Link User-Company
UsrDomain	Link User-Domain
usrgm_det	Role Compatibility Matrix
UsrProperty	User Property
UsrRole	Link User-Role
UsrRoleCompany	Link User-Role-Company
UsrRoleDomain	Link User-Role-Domain
UsrRoleScope	Link User-Role Scope
Vat	Tax
VatBox	Tax Box
VatExport	Tax Export
VatGroup	Tax Group
VatGroupBoxLink	Tax Group Box Link
VatNumber	Tax Number
VatPercent	Tax Percent
VatPercentLine	Tax Percent Line
VatPeriod	Tax Period
VatRule	Tax Rule
VendPartM	Warehousing Supplier/Item Master
VerbH	Warehousing Verbosity History
VerifyStatusTrans	Verify Status Trans
vw_mstr	Viewer Enabled Fields Master
WarehouseCompany	Warehouse Company
WarehouseLocation	Warehouse Location
WaveC	Warehousing Wave Control
WaveD	Warehousing Wave Detail
WaveLoadD	Warehousing Wave Load Detail
WaveM	Warehousing Wave Master
WaveMasterM	Warehousing Wave Master Master
WaveTranspC	Warehousing Wave Transportation Control
WhseC	Warehouse Control
WhseListD	Warehouse Master List Detail
WhseListM	Warehouse Master List Master
WhseM	Warehouse Master
WhseTferOrdD	Warehouse Transfer Order Detail
WhseTferOrdM	Warehouse Transfer Order Master

Table Name	Table Description
WhseTrTypeM	Warehouse/Transaction Type Master
WLGM	Work Location Group Master
WorkLoadD	Warehousing Work Load Group Details
WorkLoadM	Warehousing Work Load Group Master
YearClosing	Year Closing

Index of Table Descriptions

A

ABS Lot/Serial Detail 16
Account Default Master 21
Account Master 28
Account/Sub-Account/Cost Center Master 65
Accounts Payable Control 51
Accounts Payable Matching 52
Accounts Payable Matching Line 53
Accounts Payable Matching Line Rev Tax 55
Accounts Payable Matching Line Tax 55
Accounts Receivable Control 61
Accounts Receivable Detail 62
Acct IF 20
Acct IF Filter 20
Action Message Detail 602
Activity Closing 25
Activity GL Matrix 26
Activity Line 24
Activity Saf 26
Activity Sheet 27
Address 29
Address Control 29
Address List Detail 581
Address Master 33
Address Type 31
Advanced Pricing Management Control 57
Advanced Pricing Management Customer Relationship Master 56
Allocation Account Detail 37
Allocation Account Master 48
Allocation Batch 42
Allocation Batch Line 43
Allocation Definition 42
Allocation Layer 43
Allocation Posting 44
Alternate Container Master 27
Analysis Code Exploded Detail 50
Analysis Code Link Detail 49
Analysis Code Master 50
Analysis Code Selection Detail 49
Application Code Master 22
Application Definition Master 411
Application Parameter Master 58
Application Registry 59
Application Return Code Master 63
Application Usage Detail 992
Approve Status Trans 58
ASN/BOL/Shipper Master 17
Asset Book Depreciations 347
Asset Saf 348
Associated Item Detail 710
Audit Detail 68
Audit Trail Database Connection Detail 66
Audit Trail Database Connection Master 66
Audit Trail Group Master 67
Audit Trail Table Master 68
Automatic Lot Master 45
Automatic Numbering 69
Available-to-Promise Detail 67

B

Bank Account Format 70
Bank Account Format Section 70
Bank File Format 71
Bank File Format Transaction Type 71
Bank Import 71
Bank Import Line 72
Bank Import Line Log 73
Bank Number 73
Bank Number Pay Format Code 75
Bank Pay Format 75
Bank State 76
Bank State Allocation 77
Bank State Collection-Allocation 78
Bank State Line 79
Blocked Transaction Detail 92

Blocked Transaction Master 92
Budget 92
Budget Accumulation by Period 96
Budget Accumulation by Subledger 96
Budget Actuals and Commitments 95
Budget Company 94
Budget Topic 112
Budget Topic Item 114
Budget Topic-Roster 115
Budget-COA 95
Budget-Commitment Link 98
Budget-Group 95
BudgetLink 95
Budget-Period 99
Budget-Posting Link 97
BudgetReport 99, 100
Budget-Version 101
BudgetVersionFigure 103
Budget-Version-GL-Figures 107
Business Area 122
Business Area - Business Component Link 122
Business Relation 122
Business Relation Saf Default 124

C

C Pay 205
Calendar Detail 127, 131
Calendar Holiday Detail 129
Calendar Master 129
Call Reminder Detail Table 208
Carrier Control 208
Cash Group 132
Cash Report 132
Cash Report GL 133
Cash Report GL Line 134
CDocument Invoice Xref Stage 149
Cinvoice Bank Pay Code 164
Classification Master 171
Closing 170
Commodity Code Detail 187
Commodity Code Master 191
Company Property 188
Company Shared Set 190
Compliance Control 169
Consigned Shipment Inventory Cross-Reference Master 178
Consolid Cycle Company 192
Consolid Layer 195
Consolidation 191
Consolidation Cycle 192
Consolidation Cycle Saf 193
Consolidation Dump 194
Consolidation GL Cross-reference 195
Consolidation Period Cross-reference 195
Consolidation Posting Xref 196
Consolidation Sub-Account Cross-Reference 193
Contact 196
Container Charge Type Master 146
Container Item Detail 711
Container Type Master 197
Container/Line Charge Control 143
Container/Line Charge Ship-From/Ship-To Control Master 143
Control Work Table 584
Controlled Substance Authority Master 213
Controlled Substance Customer Master 213
Controlled Substance General License Master 217
Controlled Substance Individual License Detail 217
Controlled Substance Individual License Master 215
Controlled Substance Item Detail 215
Controlled Substance Item Master 216
Controlled Substance Site Master 219
Co-product/By-product Average Cost Master 22
Corporate Group 198
Correction Invoice Link Detail 159
Correction Invoice Link Master 160
Cost Center 199
Cost Center Master 147
Cost Center SAF Default 201
Cost Set Calendar 201
Cost Set Master 220
Cost Simulation Master 849
Cost Simulation Total Detail 847
Cost Simulation Work Center Detail 925
Country 202
Country Code and Currency with Rounding Method 785
Country Master 220
Country Tax Format 203
County 203
Credit Card Control 139
Credit Card Transaction History 145
Credit Terms 625
Credit Terms Detail 220
Credit Terms Master 221
Currency 222
Currency Master 226
Customer 232, 236
Customer Collection 230
Customer Collection Export 232
Customer Consignment Control 182
Customer Consignment Shipment Usage Detail 180
Customer Consignment Shipment Usage Master 181
Customer Consignment Ship-To/Item Master 179

Customer Control 172
Customer Document Posting Line 235
Customer Document Status 236
Customer End User 239
Customer History 252
Customer Invoice 254
  Bank Records 257
  Movement Records 258
  Operational Information References 259
  Shipper References 260
  Stage Records 261
  Tax Records 261
Customer Item Master 207
Customer Master 175
Customer Period Calendar Detail 205
Customer Period Calendar Master 206
Customer SAF Default 240
Customer Sales History 173
Customer Schedule Master 754
Customer Sequence Schedule Control 750
Customer Sequence Schedule Cross-Reference 753
Customer Sequence Schedule Detail 751
Customer Sequence Schedule Master 749
Customer Ship-To 240
Customer Type 241
Customer/Item Sales History 206
Customer/Ship-To Shipment Controls Master 843
CustomerBalance 229
Customer-Document 233
Customer-Document/Customer-Invoice Xref 235

D

D Pay 266
Dashboard Period 228
Dashboard WBS 229
Data Entry Detail 243
Data Entry Extension Detail 243
Data Entry Extension Master 244
Data Entry Field Detail 246
Data Entry Frame Detail 245
Data Entry Frame Field Detail 245
Data Entry Frame Sequence Condition Detail 244
Data Entry Frame Sequence Detail 248
Data Entry Master 251
Data Entry Profile Master 250
Data Entry User Detail 251
Data Validation Field Detail 275
Data Validation Field Value Detail 274
Data Validation Master 276
Data Validation Rule Cross Reference 275
Data Validation Rule Master 868
Database Connection Master 232
Database Control for QADDB 732
Database Revision Control Master 230
Daybook 513
Daybook Set Master 276
Daybook Type 514
DB Time Stamp 8
Debtor Credit Rating 239
Debtor Payment Selection Pay Code 267
Declarant Master 242
Delivery Time Master 249
DeliveryCondition 249
Department Master 267
Depreciation Detail Safs 358
Depreciation Posting 359
Destination Application List Detail 226
Destination Application List Master 227
DInvoice Bank Pay Code 257
Distributed Site Order Detail 272
Distributed Site Order Master 271
Distributed Site Requisition Detail 269
Distributed Site Requisition Master 270
Distribution Requirements Planning Control 268
Document Invoice Xref Stage 233
Document Pay Code 235
Document Print Format Master 252
Domain 265
Domain Master 266
Domain Property 265
Domain Shared Set 266
draft instance 371
Draft Management Work Table 264

E

Earnings Master 278
E-mail Master 305
Employee 299
Employee Holiday 301
Employee Master 302
Employee Regulation 301
Employee Saf Default 302
EMU Control 336
Ending Inventory Balance and Cost by Location 521
Ending Inventory Balance by Site 538
Engineering Change Approval Detail 283
Engineering Change Approval Master 279
Engineering Change Item Detail 284
Engineering Change Master 286
Engineering Change Master Lists 285
Engineering Change Product Structure Detail 279
Engineering Change Routing Detail 280
Engineering Change Text File Detail 281
Engineering Change Type Master 287

Enterprise Material Transfer Change Management Detail 172
Enterprise Material Transfer Change Management Master 173
Entity 188
Entity Master 312
E-Signature Activated Profile 322
E-Signature Activated Profile Field 320
E-Signature Activated Profile Filter 318
E-Signature Activated Profile Filter Criteria 318
E-Signature Activated Profile Filter Set 320
E-Signature Activated Profile Menu Program Cross-Reference 321
E-Signature Activated Profile Structure 321
E-Signature Category Detail 323
E-Signature Category Filter Cross-Reference 323
E-Signature Category Master 322
E-Signature Category XML Detail 324
E-Signature Filter 325
E-Signature Group Category Cross-Reference 325
E-Signature Master 326
E-Signature Record List 329
E-Signature Workbench Profile 333
E-Signature Workbench Profile Field 331
E-Signature Workbench Profile Filter 330
E-Signature Workbench Profile Filter Criteria 330
E-Signature Workbench Profile Filter Set 331
E-Signature Workbench Profile Menu Program Cross-Reference 332
E-Signature Workbench Profile Structure 332
Evaluated Receipts Settlement Master 317
Event daemon 341
Exchange Rate 341
Exchange Rate Master 344
Exchange Rate Type 342
Exp Note SInvoice 344
Expense Code 343
Expense GL Matrix 343
Expense Note Line Saf 344
Export Delivery Log 288
Export Document Log 296
Export Document Message 299
Export Document Specification Master 327
External Address Cross-Reference Detail 32
External Order Cross-Reference 288

F

FA Asset Book GL SAF 347
FA Asset Types with Books Cross-reference 348
FA Revaluation Detail SAF 365
FA Revaluation Posting 365
Family Hierarchy Master 376
Family Item Cost Detail 396
Family Line Plan 384
Family Production and Shipment Plan 393
Family Production Backlog and Cost Plan 392
Family Production Inventory and Order Plan 392
Family Simulation Backlog and Cost Plan 405
Family Simulation Inventory and Order Plan 406
Family Simulation Production and Shipment Plan 406
Favorites 367
Field Attribute Master 380
Field Default Master 381
Field Help Program Master 382
Field Security Master 382
Field Validation Allowed Value Detail 869
Final Assembly Control 358
Fixed Asset Account Detail 348
Fixed Asset Adjustment Master 345
Fixed Asset Batch Detail 349
Fixed Asset Batch Master 350
Fixed Asset Book Default Master 359
Fixed Asset Book Depreciation Detail 351
Fixed Asset Book Detail 353
Fixed Asset Book Master 352
Fixed Asset Calendar Detail 355
Fixed Asset Calendar Master 356
Fixed Asset Capitalisation Asset Book 354
Fixed Asset Class Account Detail 354
Fixed Asset Class Master 356
Fixed Asset Component Detail 360
Fixed Asset Control 357
Fixed Asset Custodian Master 219
Fixed Asset Custom Table Detail 362
Fixed Asset Disposal Detail Saf 360
Fixed Asset Location Code Master 361
Fixed Asset Location Master 361
Fixed Asset Master 367
Fixed Asset Meter Detail 363
Fixed Asset Meter Master 363
Fixed Asset Method Master 364
Fixed Asset System Control 366
Fixed Asset Type Master 975
Fixed Assets UOP Forecast Detail 366
Flow Flex Fence Master 381
Flow Line Capacity Rate History 379
Flow Line Capacity Rate Master 379
Flow Production Line Preference Detail 559
Flow Schedule Code Detail 384
Flow Schedule Code Master 385
Flow Schedule Detail 386
Forecast Summary 373
Freight Charge Detail 398
Freight List Master 400

Freight Rate Detail 399
Freight Rate Master 399
Freight Terms Master 409
Freight Zone Detail 399

G

General Ledger 414
General Ledger (Company) Control 204
General Ledger Calendar 418
General Ledger Calendar Detail 417
General Ledger Daybook Master 277
General Ledger Default Daybook Master 277
General Ledger Unposted Transaction Detail 424
General Ledger Work Table 423
Generalized Code Master 187
Generic Field Detail 411
GL Calendar 416
GL Correction Control File 417
GL Mask 419
GL Mirror 419
GL Period 635
GL Report Link 422
GL Saf Default 422
GL System Type 422
GL Type 424
GL-Open-Item 420
GL-Open-Item-Movement 420
Golden Tax Control 434
Golden Tax Invoice Cross Reference 433
Golden Tax Invoice History Detail 432
Golden Tax Invoice History Master 433

H

Help Master 435
Holiday Master 434

I

IDOM document 373
Import Bank Statements 78
Import Document Log 463
Import Document Map Detail 466
Import Document Message 466
Import Document Specification Master 498
Import/Export Control 450
Import/Export Detail 451
Import/Export History 453
Import/Export Master 456
Independent Demand Detail 470
Industry 468
Install Net Import 476
Interface Session Master 457
Intrastat 478
Intrastat Setup 496
Inventory Account Change Master 522
Inventory Consumption History 437
Inventory Control 443
Inventory Master 482
Inventory Movement Code Master 467
Inventory Movement Site Detail 874
Inventory Status Detail 496
Inventory Status Master 503
Inventory Transaction and General Ledger Cross-Reference 959
Inventory Transaction History 962
Inventory Type Field Detail 440
Inventory Type Master 441
Invoice History Credit Card Master 458
Invoice History Detail 446
Invoice History Line Charge Detail 444
Invoice History Master 460
Invoice History Relationship Detail 445
Invoice History Relationship Master 459
Invoice Schedule Control 512
Invoice Schedule Detail 471
Invoice Schedule Master 476
Invoice Sort Master 377
Invoice Status Code 756
Item Inventory Data 712
Item Location Detail 463
Item Lot/Serial Detail 713
Item Master 721
Item Planning Detail 714
Item Quantitative Analysis Detail 716
Item Replacement Detail 717
Item Routing Cost Detail 493
Item Routing Detail 718
Item Saf Default 504
Item Site Load Detail 511
Item Site Load Master 512
Item Specification Detail 484
Item Statistical Value Detail 721
Item Substitute Detail 719
Item Tax Detail 719
Item Tax Level 505
Item Unit 504
Item Warehouse 505

K

Kanban Average Demand Calculation History 524
Kanban Card Detail 527
Kanban Cards Dispatch History 524
Kanban Control 514
Kanban Demand Template Master 516
Kanban Dispatch Release Schedule 533

Kanban Document Definition Master 526
Kanban FIFO Process Detail 529
Kanban Item Master 530
Kanban Item Supermarket Detail 529
Kanban Loop Detail 532
Kanban Loop Event Detail 531
Kanban Master 535
Kanban Maximum Demand Master 516
Kanban Planning Period Master 517
Kanban Process Item Detail 536
Kanban Process Master 537
Kanban Source Detail 534
Kanban Supermarket Master 534
Kanban Transaction History 519
Kanban Transaction History Detail 518
Kanban Transaction Reject Detail 518

L

Label Control 548
Language 560
Language Detail 560
Language Master 561
Layer 547
Legal Document Address and Sequence ID Detail 552
Legal Document Control 550
Legal Document Cross-Reference 659
Legal Document Detail Table 551
Legal Document Master 553
Legal Document Tax Usage of Simultaneous Operation Setup Detail 553
Line Changeover Master 154
Line Master 561
Link Budget Topic-Component 114
Link Customer Invoice - Posting 260
Link Role-Resource 788
Link Supplier Invoice - PO (Matching) 166
Link Supplier Invoice - Posting 166
Link User-Company 994
Link User-Domain 996
Link User-Role 999
Link User-Role Scope 1000
Link User-Role-Company 999
Link User-Role-Domain 1000
Location Allocation Detail 540
Location Detail 549
Location Master 579
Logistics Accounting Charge Detail 539
Logistics Accounting Control 540
Logistics Master 556
Logistics Site Detail 555
Lot Master 580
Lot Number Work Table 580

M

Manhour Surcharge 582
Mapped Export Document Detail 298
Master Comments 152
Master Production Schedule 593
Master Specification 594
Master Specification Detail 591
Master Specification Test History 592
Master Specification Test Results 486
Master Table Relationships 585
Material Order Control 851
Material Requirements Planning Control 594
Material Requirements Planning Detail 595
Material Requirements Planning Pegging Detail 595
Maximum Table Detail 582
Maximums Master 583
Means Of Transport 955
Menu Detail 589
Menu Title Detail 590
Message Broker Setting 596
Message Master 597
message URL http
  //support.qad.com/ 4
  //www.qad.com ii, 4
Mirror Account Master 584
Mirroring Account 587
Mirroring Daybook 588
Model Definition Master 412
Monetary Union Master 597

N

Net Commerce Control 598
Nomenclature 599
Non-Sales Order Control 601
Number Range History 600
Number Range Master 600

O

Object Status 603
Obsolete Inventory Control Parameters 437
Obsolete Inventory Control Site Detail 440
Obsolete Inventory Depreciation Rate Master 438
Operation Transaction History 607
Operations Plan Control 606
Output File Field Detail 438
Output File Master 440

P

Pallet Detail 619
Pallet Master 620
Pay Format Code 623

Pay Format Group 624
Pay Format Type 624
Pay Sel Hist 629
Payment Group 627
Payment Selection 627
Payment Selection Line 629
Payment Selection Line Stage 630
Payment Selection Pay Code 630
Payment Selection Prepayment 630
Pending Voucher Detail 729
Pending Voucher Master 730
Period Mark 636
Physical Inventory Tag Master 933
Pick List Work Table 657
Point of Use Code Master 685
Point of Use Location Detail 684
Point of Use Location Master 685
Poland Intrastat Declaration Control 455
Posting 671
Posting Hist SAF 679
Posting History 674
Posting Line 675
Posting Saf 677
Posting Saf Combined 679
Posting Tax 681
Posting Tax Delayed 683
Posting Template 680
Pre-Invoice Bank 691
Pre-Invoice Line Detail 692
Pre-Invoice Line SAF 693
Pre-Invoice Line SO Line Plan 693
Pre-Invoice Revision 694
Pre-Invoice Saf 694
Pre-Invoice Stage 694
Price 697
Price List Detail 642
Price List Group Customer Detail 642
Price List Group Item Detail 643
Price List Group Master 644
Price List Master 634, 648
Pricing Control 641
Pricing History 485, 645
Printer Detail 690
Printer Master 707
Printer/User Detail 983
Product Change Control 631
Product Change Control Group Detail 632
Product Change Control Group Master 633
Product Change Control Item Routing Detail 282
Product Change Control Routing Slip Detail 807
Product Change Control Routing Slip Master 807
Product Change Control Routing Slip Template Detail 806
Product Change Control Routing Slip Template Master 806
Product Change Control Test Results Detail 282
Product Change Control Type Master 633
Product Line Detail 658
Product Line Master 662
Product Line Plan 688
Product Line Requirements Master 689
Product Line Sales Detail 661
Product Line Tax Detail 662
Product Structure Master 708
Production Forecast Detail 637
Production Line Allocation Detail 557
Production Line Detail 558
Production Line Schedule Sequence Master 852
Products Sales History 711
Profile 701
Profile Link 701
Profile Type 701
Program Detail 640
Project 702
Project Group 704
Project Master 657
Project Realization Control 650
Project Realization Project Master 699
Project Realization Project Type Master 656
Project Realization Structure Master 654
Project Realization Subproject Detail 651
Project Realization Transaction History 652
Project Revenue Calculation 704
Project Revenue Code 705
Project Saf Default 706
Project Status 706
Project Structure Cross-Reference Detail 653
Proportional Allocation 44
Purchase Approval Code Master 619
Purchase Code 727
Purchase GL Matrix 728
Purchase Ledger Invoice Detail 659
Purchase Ledger Invoice Master 660
Purchase Order Allocation Detail 666
Purchase Order Allocation Master 666
Purchase Order Control 667
Purchase Order Detail 668
Purchase Order Line Cost Element Detail 632
Purchase Order Master 686
Purchase Order Receipt History 695
Purchase Order Shipper/Invoice Cross Reference 11
Purchase Shipper Control 708
Purchase Type 728

Q

Q/LinQ Control 745
QAD Mobile Field Service User Detail 586
QAD Table Extension 748
QAD Work Table 732
Quality Control Order Detail 733
Quality Control Order Master 735
Quality Inspection Routing Detail 746
Quality Order Control 733
Quality Order Test Steps 747
Quality Sampling Pattern Master 734
Quality Test Bill Detail 744
Queue Posting Saf (Queue for Daemon) 744

R

Raw Export Document Detail 314
Raw Import Document Detail 488
Reason Code Master 805
Recurring Entry 758
Recurring Entry Line 759
Regulation Plan 759
Release Management Schedule Detail 844
Release Management Schedule Master 845
Repetitive Control 790
Repetitive Production Schedule Master 791
Reporting Period 767
Requirement Detail 799
Requirement Master 803
Requisition Approval Detail 794
Requisition Approval Level Master 798
Requisition Approver Master 791
Requisition Category Detail 793
Requisition Category Master 793
Requisition Control 796
Requisition Detail 769, 794
Requisition History 797
Requisition Job Master 798
Requisition Master 799
Requisition/PO Cross-Reference 801
Reserved Locations Detail 571
Resource 770
Resource Master 808
Resource Requirements Detail 805
Retrobill Master 749
Return Material Authorization Control 781
Return Material Authorization Detail 783
Return Material Authorization Detail History 778
Return Material Authorization Master 780
Return Status Master 397
Revaluation 771
Revaluation Detail 772
Revaluation GL 772
Revaluation Header 774
Revaluation Rate 774
Revaluation Saf Combined 773
Revision Index 774
Role 786
Role Compatibility Matrix 996
Role Master 803
Rounding Method 788
Rounding Method Master 786
Routing Operation Detail 788
Rule Field Validation Detail 870

S

Saf 818
Saf Concept 819
Saf Structure 820
Saf Structure Line 821
Saf Structure Link 822
Sales Code 826
Sales GL Matrix 827
Sales Order Configuration Bill Detail 884
Sales Order Configuration Bill History 441
Sales Order Control 885
Sales Order Credit Card Master 884
Sales Order Detail 892
Sales Order Detail Container Charges 8
Sales Order Detail Line Charges 888
Sales Order Discount Master 851
Sales Order Guarantee 896
Sales Order Relationship Detail 890
Sales Quotation Configuration Bill Detail 736
Sales Quotation Control 737
Sales Quotation Detail 738
Sales Quotation Master 741
Sales Quotation Relationship Detail 738
Sales Quotation Relationship Master 740
Salesperson 35
Scheduled Order Cross-Reference 848
Seasonal Build Detail 375
Segregation Of Duties Category Master 887
Segregation Of Duties Category Matrix 889
Segregation Of Duties Policy Exception Detail 889
Segregation Of Duties Policy Exception Master 890
Segregation Of Duties Violation Log 891
Self-Bill Control 838
Self-Bill Detail 839
Self-Bill Master 841
Service Agreement Terms and Conditions Master 924
Service Category Master 401
Service Contract Additional Charge Master 842
Service Contract Billing Detail 809
Service Contract Control 811

Service Contract Deferred/Accrued Revenue Detail 247
Service Contract Detail 815
Service Contract Detail History 813
Service Contract History 823
Service Contract Master 834
Service Contract Preventive Maintenance Detail 832
Service Contract Serial Number Master 833
Service/Support Billing Cycle Master 837
Service/Support Billing Detail 853
Service/Support Billing History 855
Service/Support Call Activity Detail 402
Service/Support Call Default Master 147
Service/Support Call Fault Code Master 141
Service/Support Call History 125
Service/Support Call History Master 155
Service/Support Call Item Detail 508
Service/Support Call Item History 506
Service/Support Call Master 135
Service/Support Call Master Control 124
Service/Support Call Queue Master 131
Service/Support Call Skill Detail 214
Service/Support Call Status Master 134
Service/Support Call Type Master 374
Service/Support Charge Code Master 372
Service/Support Charge Code Product Line Master 369
Service/Support Contract Limits History 828
Service/Support Contract Limits Master 830
Service/Support Cross-Reference Master 212
Service/Support Custom Program Detail 589
Service/Support Custom Program Parameter Detail 592
Service/Support Default Charge Code Master 371
Service/Support End User Control 337
Service/Support End User Detail 337
Service/Support End User Master 339
Service/Support End User Schedule Master 338
Service/Support Engineer Availability Master 289
Service/Support Engineer Master 311
Service/Support Engineer Message Master 304
Service/Support Engineer Problem/Skills Detail 292
Service/Support Engineer Schedule Control 290
Service/Support Engineer Schedule Detail 291
Service/Support Engineer Schedule Master 325
Service/Support Engineer Selection Work Table 295
Service/Support Engineer Status Master 329
Service/Support Engineer Tracking Master 293
Service/Support Escalation and Repair Master 334
Service/Support Escalation Control 324
Service/Support Field Notification Detail 387
Service/Support Field Notification History 388
Service/Support Field Notification Master 390
Service/Support Holiday Master 403
Service/Support Installed Base Item Master 493
Service/Support Installed Base Structure 502
Service/Support Installed Configuration Detail 442
Service/Support Item-Site Detail 638
Service/Support Kit Master 377
Service/Support Management Control 920
Service/Support On Call Master 603
Service/Support Paging Control 639
Service/Support Paging History 640
Service/Support Parent/Child Relationship Master 940
Service/Support Parts List Detail 407
Service/Support Price Indexing Master 394
Service/Support Pricing Master 395
Service/Support Region Master 760
Service/Support Return Defaults Master 755
Service/Support Time Zone Detail 975
Service/Support Time Zone Master 976
Service/Support Trace History 408
Service/Support User Preference Master 408
Service/Support Work Code Master 410
Shared Set 860
Shared Set Merge Log 861
Shared Set Property 861
Shared Set Type 861
Shift Detail 130, 863
Ship Via Master 873
Shipment Carrier Detail 9
Shipment Detail Line Charges 11
Shipment Detail/Invoice Number Cross-Reference 874
Shipment Line Item Detail 9
Shipment Performance Control 867
Shipment Performance Detail History 867
Shipment Performance History 870
Shipment Requirement Detail 12
Shipment Sequence Detail 14
Shipment Trailer Detail 872
Shipper Control 862
Shipper Control Detail Default Export Directories 862
Shipper Information Master 10
Shipper User Field Detail 919
Shipper User Field Master 920
Shipper Validation Error Log 13
Shipping Delivery Time Detail 849
Shipping Delivery Time Master 850
Shipping Group Address Detail 858
Shipping Group and Inventory Movement Code Detail 859
Shipping Group Carrier Detail 858
Shipping Group Master 859

Shipping Schedule Control 804
Shipping Schedule Detail 863
Shipping Schedule Master 865
Ship-To/Container Master 142
Ship-To/Container Price List Detail 142
Shop Calendar 866
Shop Floor Operation General Ledger Detail 604
Shop Floor Operation History Control 604
shortcut key 866
Simulated Forecast Master 375
Simulation Line Plan 404
Site Cost Detail 218
Site Linking Rules Detail 882
Site Linking Rules Master 882
Site Master 876
Site/Item Model Definition Master 413
SO Line Item 896
Source Matrix Master 883
Staged Payment 626
Standard Operation Master 605
State 373, 916
Statistical Code 916
Statistical Value Calculation Master 503
Sub-Account 263
Sub-Account Master 842
Sub-Account/Account Validation Detail 838
Subcontract Shipper PO Shipper Cross Reference 16
Subcontract Shipping Control 847
Subshipper PO Cross Reference 12
Supplier 209
Supplier Balance 139
Supplier Collection 144
Supplier Consignment Control 186
Supplier Consignment Receipt Inventory Master 183
Supplier Consignment Receipt Usage Detail 184
Supplier Consignment Receipt Usage Master 185
Supplier Consignment Supplier/Item Master 184
Supplier Document Posting Line 151
Supplier Document Status 151
Supplier Fiscal Data Master 1011
Supplier History 154
Supplier Invoice 160
  Bank Records 164
  Movement records 164
  Stage Records 167
  Tax Records 167
Supplier Item Master 1031
Supplier Master 1012
Supplier Performance Category Detail 1014
Supplier Performance Category Master 1015
Supplier Performance Control 1016
Supplier Performance Cross-Reference Master 1029
Supplier Performance Detail 1019
Supplier Performance Event Master 1016
Supplier Performance Master 1020
Supplier Performance Registration Detail 1024
Supplier Performance Registration Master 1025
Supplier Performance Summary Detail 1026
Supplier Performance Summary Master 1027
Supplier Performance Weighting Factor Master 1028
Supplier SAF Default 212
Supplier Type 212
Supplier-Document 149
Supplier-Document/Supplier-Invoice Xref 151
Suspended Tax Master 919
Sync Profile Join Detail 927
Synch Profile Detail 926
Synch Profile Master 929
Synch Profile Subscription Detail 928
Synchronization Table-Field Master 933
System 931
System Property 930
System/Account Control 426

T

Table Attribute Detail 412
Table Change Detail 939
Table Change Master 939
Table name identifies the database type. 732
Tax 1002
Tax Base Detail 969
Tax Box 1004
Tax Class Master 969, 971
Tax Control 970
Tax Detail 965
Tax Environment Detail 971
Tax Environment Master 971
Tax Export 1004
Tax Group 1005
Tax Group Box Link 1005
Tax History Detail 972
Tax Master 967
Tax Number 1005
Tax Percent 1007
Tax Percent Line 1008
Tax Period 1008
Tax Rule 1009
Tax Type Master 974
Tax Usage Master 974
Tax Zone Master 974
Terms of Trade Detail 945
Terms of Trade Master 945
Time-Based/Quantity-Based Status Code Detail 917
Time-Based/Quantity-Based Status Code Master 918

Trailer Master 961
Trailer Tax Detail 960
Transaction Comments 174
Transaction Cost Detail 958
Transaction Export Master 943
Transaction Type 954
Transmission Date Reference Master 961
Transportation Master 944

U

UDF Attribute Master 169
UDF Attribute Value Detail 168
UDF Class Master 977
UDF Class Table Detail 171
UDF Class Use Table 978
Unit of Measure Conversion Master 982
Update Restriction Detail 983
Update Restriction Master 985
Update Status Code Detail 985
URL Master 984
Used to store information on table and the related account, sub-account & cost center field names 23
User 994
User Activity Monitor 590
User Control 995
User Domain Detail. 977
User Function Key Detail 978
User Licensed Application Detail 997
User Logon History 993
User Master 1001
User Message Detail 981
User Password History 993
User Property 998
User Role Detail 996
User Role Master 997
User Work Table 1001

V

Validation/Prompt Location Detail 869
Verify Status Trans 1024
Version Control 1032
Viewer Enabled Fields Master 1033
Voucher Invoice History 1030
Voucher Purchase Order Detail 1031

W

Warehouse Company 1033
Warehouse Control 1048
Warehouse Location 1033
Warehouse Location Master 1047
Warehouse Master 1053
Warehouse Master List Detail 1051
Warehouse Master List Master 1052
Warehouse Transfer Order Detail 1056
Warehouse Transfer Order Master 1057
Warehouse/Transaction Type Master 1059
Warehousing Algorithm Assignment Detail 37
Warehousing Algorithm Assignment Master 38
Warehousing Algorithm Master 40
Warehousing Algorithm Type Master 41
Warehousing Alternate Task Master 45
Warehousing Alternate Unit of Measure Detail 46
Warehousing Alternate Unit of Measure Master 47
Warehousing Bulk Pick Control 115
Warehousing Bulk Pick Detail 117
Warehousing Bulk Pick Detail History 118
Warehousing Bulk Pick Master 120
Warehousing Calendar Detail 127
Warehousing Calendar Master 128
Warehousing Customer/Inventory Status Master 223
Warehousing Customer/Item Master 224
Warehousing Engine Processing Control 306
Warehousing Engine Processing History 307
Warehousing Engine Work Table 308
Warehousing External Routing Assignment Detail 313
Warehousing External Routing Detail 315
Warehousing External Routing Master 316
Warehousing Hold Master 435
Warehousing Inspected Inventory Detail 475
Warehousing Inspection Control 471
Warehousing Inspection History 472
Warehousing Inter Work Location Group Master 477
Warehousing Internal Routing Assignment Detail 487
Warehousing Internal Routing Detail 489
Warehousing Internal Routing Group Master 491
Warehousing Internal Routing Master 492
Warehousing Inventory History Master 480
Warehousing Inventory Master 481
Warehousing Item/Storage Location Group Master 621
Warehousing Item/Warehouse Master 622
Warehousing Labour Management Control 538
Warehousing Lane Assignment Detail 541
Warehousing Lane Assignment Master 542
Warehousing Lane Group Detail 543
Warehousing Lane Group Master 544
Warehousing Lane Master 545
Warehousing Load Detail 562
Warehousing Load Master 563
Warehousing Load Master Master 564
Warehousing Load Setup Address Detail 566
Warehousing Load Setup Item Detail 568
Warehousing Load Setup Master 567

Warehousing Local Exit Routine Control 570
Warehousing Location Definition Detail 572
Warehousing Location Definition Master 573
Warehousing Location Forecast Detail 573
Warehousing Location Master 575
Warehousing Location Unit of Measure Master 577
Warehousing Location Work Table 578
Warehousing Order Allocation Detail 610
Warehousing Order Allocation History 611
Warehousing Order Batch Selection Detail 616
Warehousing Order Batch Selection Master 617
Warehousing Order Detail 612
Warehousing Order Master 615
Warehousing Packaging Tracking Detail 945
Warehousing Prefix Set Control 690
Warehousing Printer Template Detail 941
Warehousing Printer Template Master 942
Warehousing Program Execution Detail 808
Warehousing Release Group Detail 775
Warehousing Release Group Master 776
Warehousing Release Status Master 761
Warehousing Replenishment Control 762
Warehousing Replenishment List Detail 763
Warehousing Replenishment List Master 764
Warehousing Replenishment Location Master 766
Warehousing Replenishment SLG Master 768
Warehousing RF User Detail 986
Warehousing RF User Group Detail 987
Warehousing RF User Group Master 988
Warehousing RF User Master 989
Warehousing Ship Via/Service Master 864
Warehousing Shipment Detail Charges 152
Warehousing Storage Location Group List Detail 877
Warehousing Storage Location Group List Master 878
Warehousing Storage Location Group Master 879
Warehousing Storage Location Group/Unit of Measure Detail 880
Warehousing Supplier/Item Master 1018
Warehousing System Control 932
Warehousing Task Assignment Detail 935
Warehousing Task Assignment Master 936
Warehousing Task Detail 937
Warehousing Task Master 938
Warehousing Transaction Detail 947
Warehousing Transaction History 951
Warehousing Transaction Type Master 956
Warehousing Transaction Work Table 957
Warehousing Unit of Measure Group Detail 979
Warehousing Unit of Measure Group Master 980
Warehousing User System Code Security Master 990
Warehousing User/Work Location Group Master 991
Warehousing Verbosity History 1022
Warehousing Wave Control 1034
Warehousing Wave Detail 1036
Warehousing Wave Load Detail 1038
Warehousing Wave Master 1040
Warehousing Wave Master Master 1041
Warehousing Wave Transportation Control 1043
Warehousing Work Load Group Details 1073
Warehousing Work Load Group Master 1075
Warehousing Work Table 35
WIP Lot Inventory Detail 1063
WIP Lot Master 1070
WIP Lot Trace BOM Control Detail 1060
WIP Lot Trace BOM Control Master 1061
WIP Lot Trace Control 1062
WIP Lot Trace Master 1068
WIP Lot Trace Routing Control Detail 1066
WIP Lot Trace Routing Control Master 1067
Withholding Tax Master 1082
Work Center Master 1046
Work Center Routing Standards 1046
Work Location Group Master 1064
Work Order Control 1071
Work Order Detail 1071
Work Order Master 1076
Work Order Routing 1079

Y

Year Closing 1084