

Industry-specific

QAD SOLUTIONS

Manufacturing Applications

MFG/PRO eB2.1 Technical Reference Database Definitions



78-0604B
MFG/PRO eB2.1
January 2004

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

QAD and MFG/PRO are registered trademarks of QAD Inc. The QAD logo is a trademark of QAD Inc.

Designations used by other companies to distinguish their products are often claimed as trademarks. In this document, the product names appear in initial capital or all capital letters. Contact the appropriate companies for more information regarding trademarks and registration.

Copyright © 2004 by QAD Inc.
78-0604B

QAD Inc.
6450 Via Real
Carpinteria, California 93013
Phone (805) 684-6614
Fax (805) 684-1890
<http://www.qad.com>

Contents

About This Guide	1
Introduction	2
How This Book Is Organized	2
Symbols and Conventions	3
Other MFG/PRO Documentation	4
Online Help	5
QAD Web Site	5
 Section 1 Database Definitions	 7
abd_det Asset Book Detail	8
absc_det Sales Order Detail Container Charges	9
absc_det Shipment Carrier Detail	10
absd_det Shipment Line Item Detail.....	10
absi_mstr Shipper Information Master	11
absl_det Shipment Detail Line Charges	11
absr_det Shipment Requirement Detail	12
abss_det Shipment Sequence Detail	13
abs_mstr ASN/BOL/Shipper Master	15
accd_det Asset Cost Change Detail.....	17
acdf_mstr Account Default Master	18
acd_det Account Total Detail.....	19
acm_mstr Co-product/By-product Average Cost Master	20
acod_mstr Application Code Master.....	20
act_mstr Alternate Container Master	21
acx_mstr Account Cross-Reference Master.....	22
ac_mstr Account Master	23
adc_ctrl Address Control	24
adx_det External Address Cross-Reference Detail	24
ad_mstr Address Master.....	25
ald_det Allocation Account Detail	27
alm_mstr Automatic Lot Master	27
al_mstr Allocation Account Master	28

anl_det	Analysis Code Link Detail	28
ans_det	Analysis Code Selection Detail	29
anx_det	Analysis Code Exploded Detail	30
an_mstr	Analysis Code Master	30
apc_ctrl	Accounts Payable Control.....	31
apmr_mstr	Advanced Pricing Management Customer Relationship Master.....	32
apm_ctrl	Advanced Pricing Management Control	32
aprm_mstr	Application Parameter Master	33
apr_mstr	Application Registry	34
ap_mstr	Accounts Payable Master	36
arc_ctrl	Accounts Receivable Control.....	37
ard_det	Accounts Receivable Detail	38
arsd_det	Accounts Receivable Payment Status Detail.....	39
art_mstr	Application Return Code Master	40
ar_mstr	Accounts Receivable Master	40
asc_mstr	Account/Sub-Account/Cost Center Master	43
ast_mstr	Asset Master	44
atak_det	Audit Trail Activated Key Detail.....	46
atap_mstr	Audit Trail Activated Profile Master	46
atc_ctrl	Audit Trail Control	47
atdc_mstr	Audit Trail Database Connection Master	47
atd_mstr	Accounting Transaction Description Master.....	48
aterr_mstr	Audit Trail Error Master	48
atgt_ref	Audit Trail Group – Table Cross-Reference.....	49
atg_mstr	Audit Trail Group Master.....	49
atp_det	Available-to-Promise Detail.....	50
attmp_mstr	Audit Trail Temporary Master	50
att_mstr	Audit Trail Table Master	52
atwk_det	Audit Trail Workbench Key Detail	52
atwp_mstr	Audit Trail Workbench Profile Master.....	52
aud_det	Audit Detail.....	53
ba_mstr	Batch Master	54
bcd_det	Batch Control Detail	54
bc_mstr	Batch Control Master	55
bdlld_det	Batch Data Load Detail	55
bdl_mstr	Batch Data Load Master	56
bdp_det	Bank Driver Payment Detail.....	56
bgd_det	Budget Detail	57
bg_mstr	Budget Master.....	58
bic_ctrl	Service/Support Contract Billing Control.....	59
bkad_det	Payment Selection Allocation Detail	60
bkd_det	Payment Method Detail.....	61
bkm_mstr	Bank Account Format Master	62
bkpd_det	Payment Selection Detail.....	62
bkpm_mstr	Payment Selection Master	64
bk_mstr	Bank Master.....	65
bl_ctrl	Master Bill of Lading Control.....	66

bom_mstr	Product Structure (Bill of Material) Master	67
btb_det	Enterprise Material Transfer Primary Business Unit Detail	68
cac_ctrl	Service/Support Call Master Control	68
cah_hist	Service/Support Call History	69
cal_det	Calendar Detail	71
caq_mstr	Service/Support Call Queue Master	72
cas_mstr	Service/Support Call Status Master	72
ca_mstr	Service/Support Call Master	73
cb_mstr	Cash Book Master	77
ccc_ctrl	Credit Card Control	78
ccd1_det	Cost Center/Account Validation Detail	78
ccd2_det	Cost Center/Sub-Account Validation Detail	79
ccd_mstr	Service/Support Call Fault Code Master	79
cclscd_det	Ship-To/Container Price List Detail	80
cclsc_mstr	Ship-To/Container Master	81
ccls_mstr	Container/Line Charge Ship-From/Ship-To Control Master	81
ccl_ctrl	Container/Line Charge Control	82
cctr_hist	Credit Card Transaction History	82
cct_mstr	Container Charge Type Master	83
cc_mstr	Cost Center Master	84
cdf_mstr	Service/Support Call Default Master	84
cd_det	Master Comments	86
cfc_ctrl	Cash Flow Control	86
cf_mstr	Cash Flow Master	87
chg_mstr	Line Changeover Master	88
chm_mstr	Service/Support Call History Master	88
cild_det	Correction Invoice Link Detail	92
cil_mstr	Correction Invoice Link Master	92
ckd_det	Accounts Payable Check Detail	93
cksd_det	Check Status Detail	94
ck_mstr	Accounts Payable Check Master	95
clc_ctrl	Compliance Control	95
cls_mstr	Class Master	96
cmc_ctrl	Customer Control	96
cmd_det	Enterprise Material Transfer Change Management Detail	97
cmf_mstr	Enterprise Material Transfer Change Management Master	97
cmh_hist	Customer Sales History	98
cmt_det	Transaction Comments	99
cm_mstr	Customer Master	99
cncix_mstr	Consigned Shipment Inventory Cross-Reference Master	102
cncs_mstr	Customer Consignment Ship-To/Item Master	103
cncud_det	Customer Consignment Shipment Usage Detail	104
cncu_mstr	Customer Consignment Shipment Usage Master	105
cnc_ctrl	Customer Consignment Control	106
cnsix_mstr	Supplier Consignment Receipt Inventory Master	107
cnss_mstr	Supplier Consignment Supplier/Item Master	108
cnsud_det	Supplier Consignment Receipt Usage Detail	108

cnsu_mstr	Supplier Consignment Receipt Usage Master	109
cns_ctrl	Supplier Consignment Control	110
code_mstr	Generalized Code Master	110
comd_det	Commodity Code Detail	111
com_mstr	Commodity Code Master	111
cont_mstr	Container Type Master	112
cost_cal	Cost Set Calendar.....	113
co_ctrl	General Ledger (Company) Control.....	114
cpcd_det	Customer Period Calendar Detail	115
cpc_mstr	Customer Period Calendar Master	115
cph_hist	Customer/Item Sales History	116
cp_mstr	Customer Item Master	117
crc_ctrl	Carrier Control	117
cref_mstr	Service/Support Cross-Reference Master	118
cr_mstr	Code Range Master.....	118
csa_mstr	Controlled Substance Authority Master	119
csbd_det	Customer/Supplier Bank Detail.....	119
csc_mstr	Controlled Substance Customer Master	120
csid_det	Controlled Substance Item Detail	121
csil_mstr	Controlled Substance Individual License Master	122
csim_mstr	Controlled Substance Item Master.....	122
csld_det	Controlled Substance Individual License Detail.....	123
cslm_mstr	Controlled Substance General License Master	124
cssi_det	Site Cost Detail	124
css_mstr	Controlled Substance Site Master	125
cst_mstr	Fixed Asset Custodian Master	126
cs_mstr	Cost Set Master	126
ctd_det	Credit Terms Detail	126
ctry_mstr	Country Master	127
ct_mstr	Credit Terms Master	128
cu_mstr	Currency Master	128
dald_det	Destination Application List Detail.....	129
dal_mstr	Destination Application List Master	131
dbk_mstr	Depreciation Book Master.....	131
dbm_mstr	Database Revision Control Master	132
dc_mstr	Database Connection Master	132
decl_mstr	Declarant Master.....	133
defr_det	Service Contract Deferred/Accrued Revenue Detail.....	134
delt_mstr	Delivery Time Master	135
df_mstr	Document Print Format Master	136
djrc_det	Daybook Journal Report Detail	136
djr_mstr	Daybook Journal Report Master	137
dmw_wkfl	Draft Management Work Table	138
dom_mstr	Domain Master.....	139
dpc_mstr	Depreciation Convention Master.....	139
dprd_det	Depreciation Detail.....	140
dprt_det	Depreciation Method Detail.....	141

dpr_mstr	Depreciation Method Master	141
dpt_mstr	Department Master	142
drp_ctrl	Distribution Requirements Planning Control	143
dsd_det	Distributed Site Requisition Detail	143
dsr_mstr	Distributed Site Requisition Master	145
dss_mstr	Distributed Site Order Master	146
ds_det	Distributed Site Order Detail	147
dyd_mstr	General Ledger Default Daybook Master	148
dy_mstr	General Ledger Daybook Master	149
ea_mstr	Earnings Master	149
eca_mstr	Engineering Change Approval Master	151
ecd1_det	Engineering Change Product Structure Detail	151
ecd2_det	Engineering Change Routing Detail	152
ecd3_det	Engineering Change Text File Detail	153
ecd4_det	Product Change Control Test Results Detail	154
ecd5_det	Product Change Control Item Routing Detail	154
ecd9_det	Engineering Change Approval Detail	155
ecd_det	Engineering Change Item Detail	156
ecl_list	Engineering Change Master Lists	157
ecm_mstr	Engineering Change Master	158
ect_mstr	Engineering Change Type Master	159
ecx_ref	External Order Cross-Reference	160
edlg_hist	Export Delivery Log	160
ega_mstr	Service/Support Engineer Availability Master	161
egc_ctrl	Service/Support Engineer Schedule Control	162
egd_det	Service/Support Engineer Schedule Detail	163
egs_det	Service/Support Engineer Problem/Skills Detail	164
egt_mstr	Service/Support Engineer Tracking Master	165
egw_wkfl	Service/Support Engineer Selection Work Table	166
elg_hist	Export Document Log	167
emap_det	Mapped Export Document Detail	169
emc_ctrl	Employee Control	170
emg_msg	Export Document Message	170
emp_mstr	Employee Master	171
emsg_mstr	Service/Support Engineer Message Master	173
em_mstr	E-mail Master	175
encl_det	Entity Consolidation Detail	175
eng_mstr	Service/Support Engineer Master	176
en_mstr	Entity Master	177
eraw_det	Raw Export Document Detail	178
ers_mstr	Evaluated Receipts Settlement Master	179
esc_ctrl	Service/Support Escalation Control	179
esh_mstr	Service/Support Engineer Schedule Master	180
esp_mstr	Export Document Specification Master	181
ess_mstr	Service/Support Engineer Status Master	183
es_mstr	Service/Support Escalation and Repair Master	183
et_ctrl	EMU Control	185

euc_ctrl	Service/Support End User Control	186
eud_det	Service/Support End User Detail	186
eu_mstr	Service/Support End User Master	187
excd_det	Consolidated Exchange Rate Detail	189
exc_mstr	Consolidation Currency Exchange Master	190
exru_usage	Exchange Rate Usage	190
exr_rate	Exchange Rate Master	191
faadj_mstr	Fixed Asset Adjustment Master	191
faba_det	Fixed Asset Account Detail	192
fabchd_det	Fixed Asset Batch Detail	193
fabch_mstr	Fixed Asset Batch Master	194
fabd_det	Fixed Asset Book Depreciation Detail	194
fabk_mstr	Fixed Asset Book Master	196
fab_det	Fixed Asset Book Detail	197
facd_det	Fixed Asset Class Account Detail	198
facld_det	Fixed Asset Calendar Detail	198
facls_mstr	Fixed Asset Class Master	199
fac_cal	Fixed Asset Calendar Master	200
fact_ctrl	Fixed Asset Control	200
fac_ctrl	Final Assembly Control	201
fadf_mstr	Fixed Asset Book Default Master	201
fad_det	Fixed Asset Component Detail	202
faloc_mstr	Fixed Asset Location Master	203
fal_mstr	Fixed Asset Location Code Master	203
famtd_det	Fixed Asset Custom Table Detail	204
famtrd_det	Fixed Asset Meter Detail	205
famtr_mstr	Fixed Asset Meter Master	205
famt_mstr	Fixed Asset Method Master	206
fas_ctrl	Fixed Asset System Control	207
fauop_det	Fixed Assets UOP Forecast Detail	207
fa_mstr	Fixed Asset Master	208
fcc_mstr	Service/Support Charge Code Product Line Master	210
fcd_mstr	Service/Support Default Charge Code Master	211
fcg_mstr	Service/Support Charge Code Master	212
fcs_sum	Forecast Summary	213
fct_mstr	Service/Support Call Type Master	213
fc_det	Seasonal Build Detail	214
ff_mstr	Simulated Forecast Master	214
fh_mstr	Family Hierarchy Master	216
fis_mstr	Invoice Sort Master	216
fkt_mstr	Service/Support Kit Master	217
flcr_hist	Flow Line Capacity Rate History	218
flcr_mstr	Flow Line Capacity Rate Master	219
fldf_mstr	Field Default Master	220
flff_mstr	Flow Flex Fence Master	220
flh_mstr	Field Help Program Master	221
flpw_mstr	Field Security Master	222

flp_plan	Family Line Plan	222
flscd_det	Flow Schedule Code Detail	223
flsc_mstr	Flow Schedule Code Master	223
flsd_det	Flow Schedule Detail	224
fm_mstr	Format Position Master	226
fnd_det	Service/Support Field Notification Detail	226
fnh_hist	Service/Support Field Notification History	227
fn_mstr	Service/Support Field Notification Master	229
fp1_plan	Family Production Backlog and Cost Plan	231
fp2_plan	Family Production Inventory and Order Plan	231
fp3_plan	Family Production and Shipment Plan	232
fpci_mstr	Service/Support Price Indexing Master	233
fpc_mstr	Service/Support Pricing Master	234
fpd_cost	Family Item Cost Detail	235
fpst_mstr	Return Status Master	236
frcd_det	Freight Charge Detail	237
frd_det	Freight Rate Detail	238
frm_mstr	Freight Rate Master	238
frzd_det	Freight Zone Detail	238
fr_mstr	Freight List Master	239
fsc_mstr	Service Category Master	240
fsd_det	Service/Support Call Activity Detail	241
fsh_mstr	Service/Support Holiday Master	242
fslp_pln	Simulation Line Plan	243
fsp1_pln	Family Simulation Backlog and Cost Plan	243
fsp2_pln	Family Simulation Inventory and Order Plan	244
fsp3_pln	Family Simulation Production and Shipment Plan	245
fsu_mstr	Service/Support User Preference Master	245
ftch_hist	Service/Support Trace History	246
ft_mstr	Freight Terms Master	247
fwk_mstr	Service/Support Work Code Master	248
giap_mstr	Application Definition Master	249
gimd_mstr	Model Definition Master	249
gip_det	Table Attribute Detail	250
gisi_mstr	Site/Item Model Definition Master	250
glcd_det	General Ledger Calendar Detail	251
glct_det	General Ledger Currency Total Detail	252
glc_cal	General Ledger Calendar	252
glec_det	GL Entity Consolidation Detail	253
glptr_hist	General Ledger Protocol History	254
glrd_det	General Ledger Report Detail	254
glr_mstr	General Ledger Report Master	256
glsd_mstr	General Ledger Description Source Master	256
gltdm_det	General Ledger Transaction Matching Detail	257
gltm_mstr	General Ledger Transaction Matching Master	257
gltr_hist	General Ledger Transaction History	258
gltw_wkfl	General Ledger Work Table	260

glt_det	General Ledger Unposted Transaction Detail.....	261
gl_ctrl	System/Account Control	263
grac_det	GL Report Writer Account Balances	268
grad_det	GL Report Writer Analysis Code Detail.....	270
gral_det	GL Report Writer Analysis Code Link-File Detail	270
gras_det	GL Report Writer Selection Detail.....	271
grm_mstr	GL Report Writer Analysis Code Master.....	271
grbg_det	GL Report Writer Budgeted Account Balance Detail	272
grcd_det	GL Report Writer Column Group Detail	274
grc_mstr	GL Report Writer Column Group Master.....	274
grdf_mtx	GL Report Writer Definition Matrix	275
grhd_det	GL Report Writer Group Row/Column Sequence Detail.....	276
grib_det	GL Report Writer Break Group Detail	277
gric_det	GL Report Writer Image Column Detail	277
grid_det	GL Report Writer Report Image Detail.....	278
grig_mtx	GL Report Writer Report Image Matrix	279
grit_wkf	GL Report Writer Analysis Code and Item Type Work Table.....	279
gri_mstr	GL Report Writer Report Image Master	280
grqd_det	GL Report Writer Fiscal Quarter Calendar	281
grrd_det	GL Report Writer Row Group Detail.....	282
grr_mstr	GL Report Writer Row Group Master.....	282
grtx_det	GL Report Writer Text String Detail	283
grv_det	GL Report Writer Account Balance Detail.....	284
grx1_wkfl	GL Report Writer Analysis Code Explosion Work Table	285
grx2_wkfl	GL Report Writer Row/Column Explosion (Separate) Work Table	285
grx3_wkfl	GL Report Writer Row/Column Explosion (Hierarchical) Work Table	286
grx_mstr	GL Report Writer Report Content Master.....	287
gr_ctrl	GL Report Writer Control	288
hd_mstr	Holiday Master	288
hlp_mstr	Help Master.....	289
ibh_hist	Sales Order Configuration Bill History.....	289
ib_det	Service/Support Installed Configuration Detail	290
icc_ctrl	Inventory Control.....	291
idhlc_hist	Invoice History Line Charge Detail.....	292
idhr_hist	Invoice History Relationship Detail	293
idh_hist	Invoice History Detail	294
iec_ctrl	Import/Export Control.....	298
ied_det	Import/Export Detail	299
ieh_hist	Import/Export History	301
ie_mstr	Import/Export Master	303
ifs_mstr	Interface Session Master	304
ihcc_hist	Invoice History Credit Card Master	305
ihr_hist	Invoice History Relationship Master.....	306
ih_hist	Invoice History Master	307
ild_det	Item Location Detail	310
ilg_hist	Import Document Log	310
imap_det	Import Document Map Detail	313

img_msg	Import Document Message.....	313
im_mstr	Inventory Movement Code Master.....	314
ind_det	Independent Demand Detail	315
insd_det	Invoice Schedule Detail	316
ins_mstr	Invoice Schedule Master	317
in_mstr	Inventory Master	318
ipd_det	Item Specification Detail	319
iph_hist	Pricing History.....	320
ip_mstr	Master Specification Test Results	321
iraw_det	Raw Import Document Detail.....	322
iro_det	Item Routing Cost Detail.....	323
isb_mstr	Service/Support Installed Base Item Master	324
isd_det	Inventory Status Detail.....	326
isp_mstr	Import Document Specification Master.....	326
iss_mstr	Service/Support Installed Base Structure	328
isvc_mstr	Statistical Value Calculation Master	329
is_mstr	Inventory Status Master.....	330
itmhist	Service/Support Call Item History	330
itm_det	Service/Support Call Item Detail.....	333
itsd_det	Item Site Load Detail	336
its_mstr	Item Site Load Master.....	336
ivs_ctrl	Invoice Schedule Control	337
kbc_ctrl	Kanban Control.....	337
kbdm_mstr	Kanban Demand Template Master	338
kbmd_mstr	Kanban Maximum Demand Master	339
kbpp_mstr	Kanban Planning Period Master	340
kbtrd_det	Kanban Transaction History Detail	340
kbtr_hist	Kanban Transaction History	341
knbadc_hist	Kanban Average Demand Calculation History	343
knbd_det	Kanban Card Detail	344
knbfd_det	Kanban FIFO Process Detail	345
knbism_det	Kanban Item Supermarket Detail.....	345
knbi_mstr	Kanban Item Master	346
knbl_det	Kanban Loop Detail	347
knbsm_mstr	Kanban Supermarket Master	348
knbs_det	Kanban Source Detail	349
knb_mstr	Kanban Master	349
knpd_det	Kanban Process Item Detail	350
knp_mstr	Kanban Process Master	351
lacd_det	Logistics Accounting Charge Detail	352
lac_ctrl	Logistics Accounting Control	353
lad_det	Location Allocation Detail	353
lblc_ctrl	Label Control	354
lc_mstr	Logistics Accounting Charge Code Master.....	354
ld_det	Location Detail	355
lgsi_det	Logistics Site Detail	357
lgs_mstr	Logistics Master	357

lna_det	Production Line Allocation Detail	358
lnd_det	Production Line Detail	359
lnf_det	Flow Production Line Preference Detail	360
lngd_det	Language Detail	361
lng_mstr	Language Master	362
ln_mstr	Line Master	362
locc_det	Reserved Locations Detail	363
loc_mstr	Location Master	364
lotw_wkfl	Lot Number Work Table	364
lot_mstr	Lot Master	365
ls_mstr	Address List Detail	366
maxt_det	Maximum Table Detail	367
max_mstr	Maximums Master	367
ma_mstr	Mirror Account Master	368
mfc_ctrl	Control Work Table	369
mfrel_mstr	Master Table Relationships	369
mnd_det	Menu Detail	370
mnp_det	Service/Support Custom Program Detail	371
mnt_det	Menu Title Detail	371
mpd_det	Master Specification Detail	373
mph_hist	Master Specification Test History	373
mpp_det	Service/Support Custom Program Parameter Detail	374
mps_mstr	Master Production Schedule	375
mp_mstr	Master Specification	375
mrpc_ctrl	Material Requirements Planning Control	376
mrpp_det	Material Requirements Planning Pegging Detail	376
mrp_det	Material Requirements Planning Detail	377
msg_mstr	Message Master	378
mu_mstr	Monetary Union Master	378
ncc_ctrl	Net Commerce Control	379
nrh_hist	Number Range History	380
nr_mstr	Number Range Master	381
oa_det	Action Message Detail	381
ocm_mstr	Service/Support On Call Master	382
opc_ctrl	Shop Floor Operation History Control	383
opgl_det	Shop Floor Operation General Ledger Detail	383
opm_mstr	Standard Operation Master	384
ops_ctrl	Operations Plan Control	385
op_hist	Operation Transaction History	386
pac_mstr	Purchase Approval Code Master	389
pald_det	Pallet Detail	389
pal_mstr	Pallet Master	390
pcc_ctrl	Product Change Control	391
pcd_det	Purchase Order Line Cost Element Detail	391
pcld_det	Product Change Control Group Detail	392
pcl_mstr	Product Change Control Group Master	392
pct_mstr	Product Change Control Type Master	393

pc_mstr	Price List Master	394
pfc_det	Production Forecast Detail	395
pdf_det	Service/Support Item-Site Detail	395
pgc_ctrl	Service/Support Paging Control	397
pgh_hist	Service/Support Paging History	397
pgm_det	Program Detail	398
pic_ctrl	Pricing Control	399
pid_det	Price List Detail	399
pigc_det	Price List Group Customer Detail	400
pigp_det	Price List Group Item Detail	401
pig_mstr	Price List Group Master	402
pih_hist	Pricing History	403
pi_mstr	Price List Master	405
pjc_ctrl	Project Realization Control	407
pjd_det	Project Realization Subproject Detail	408
pjsh_hist	Project Realization Transaction History	409
pjsx_det	Project Structure Cross-Reference Detail	410
pjs_mstr	Project Realization Structure Master	411
pjt_mstr	Project Realization Project Type Master	414
pj_mstr	Project Master	414
pk_det	Pick List Work Table	415
pld_det	Product Line Detail	415
plid_det	Purchase Ledger Invoice Detail	416
pli_mstr	Purchase Ledger Invoice Master	417
plsd_det	Product Line Sales Detail	418
plt_det	Product Line Tax Detail	419
pl_mstr	Product Line Master	419
poc_ctrl	Purchase Order Control	422
pod_det	Purchase Order Detail	424
pould_det	Point of Use Location Detail	427
poul_mstr	Point of Use Location Master	428
pou_mstr	Point of Use Code Master	428
po_mstr	Purchase Order Master	429
pp_plan	Product Line Plan	431
pq_mstr	Product Line Requirements Master	432
prd_det	Printer Detail	432
prh_hist	Purchase Order Receipt History	433
prj_mstr	Project Realization Project Master	436
pr_mstr	Printer Master	437
pshc_ctrl	Purchase Shipper Control	438
ps_mstr	Product Structure Master	438
pta_det	Associated Item Detail	440
ptc_det	Container Item Detail	441
pth_hist	Products Sales History	442
ptls_det	Item Lot/Serial Detail	442
ptp_det	Item Planning Detail	443
ptqa_det	Item Quantitative Analysis Detail	445

ptr_det	Item Routing Detail	446
pts_det	Item Substitute Detail	447
ptt_det	Item Tax Detail	447
ptv_det	Item Statistical Value Detail	448
pt_mstr	Item Master	448
pvod_det	Pending Voucher Detail	453
pvo_mstr	Pending Voucher Master	454
qaddb_ctrl	Database Control for QADDB	456
qad_wkfl	QAD Work Table	456
qcc_ctrl	Quality Order Control	457
qcd_det	Quality Control Order Detail	457
qcs_mstr	Quality Sampling Pattern Master	458
qc_mstr	Quality Control Order Master	458
qob_det	Sales Quotation Configuration Bill Detail	460
qoc_ctrl	Sales Quotation Control	460
qodr_det	Sales Quotation Relationship Detail	461
qod_det	Sales Quotation Detail	462
qor_mstr	Sales Quotation Relationship Master	464
qo_mstr	Sales Quotation Master	464
qps_det	Quality Test Bill Detail	467
qqc_ctrl	Q/LinQ Control	467
qro_det	Quality Inspection Routing Detail	470
qr_test	Quality Order Test Steps	470
qtbl_ext	QAD Table Extension	471
rbm_mstr	Retrobill Master	472
rcc_mstr	Customer Sequence Schedule Master	473
rcf_ctrl	Customer Sequence Schedule Control	473
rcsd_det	Customer Sequence Schedule Detail	474
rcsx_ref	Customer Sequence Schedule Cross-Reference	476
rcc_mstr	Customer Schedule Master	477
rdf_mstr	Service/Support Return Defaults Master	478
reg_mstr	Service/Support Region Master	480
req_det	Requisition Detail	481
rh_d_hist	Return Material Authorization Detail History	482
rma_mstr	Return Material Authorization Master	484
rmc_ctrl	Return Material Authorization Control	485
rmd_det	Return Material Authorization Detail	487
rnd_mstr	Rounding Method Master	489
ro_det	Routing Operation Detail	490
rpc_ctrl	Repetitive Control	491
rps_mstr	Repetitive Production Schedule Master	492
rqa_mstr	Requisition Approver Master	493
rqcd_det	Requisition Category Detail	494
rqc_mstr	Requisition Category Master	495
rqda_det	Requisition Approval Detail	495
rqd_det	Requisition Detail	496
rqf_ctrl	Requisition Control	498


rqh_hist	Requisition History	498
rqj_mstr	Requisition Job Master	499
rqj_mstr	Requisition Approval Level Master	500
rqm_det	Requirement Detail	500
rqm_mstr	Requisition Master	501
rqpo_ref	Requisition/PO Cross-Reference	503
rqr_mstr	Role Master	504
rq_mstr	Requirement Master	504
rsc_ctrl	Shipping Schedule Control	505
rsd_det	Resource Requirements Detail	506
rsn_ref	Reason Code Master	506
rstd_det	Product Change Control Routing Slip Template Detail	507
rst_mstr	Product Change Control Routing Slip Template Master	507
rsud_det	Product Change Control Routing Slip Detail	508
rsu_mstr	Product Change Control Routing Slip Master	508
rs_mstr	Resource Master	509
sab_det	Service Contract Billing Detail	509
sac_ctrl	Service Contract Control	511
sadh_hist	Service Contract Detail History	512
sad_det	Service Contract Detail	515
sah_hist	Service Contract History	518
salh_hist	Service/Support Contract Limits History	521
sal_mstr	Service/Support Contract Limits Master	523
sap_det	Service Contract Preventive Maintenance Detail	525
sar_mstr	Service Contract Serial Number Master	527
sa_mstr	Service Contract Master	528
sbc_mstr	Service/Support Billing Cycle Master	531
sbd_det	Sub-Account/Account Validation Detail	532
sbic_ctl	Self-Bill Control	532
sbid_det	Self-Bill Detail	533
sbi_mstr	Self-Bill Master	535
sb_mstr	Sub-Account Master	536
sca_mstr	Service Contract Additional Charge Master	536
scc_mstr	Customer/Ship-To Shipment Controls Master	537
schd_det	Release Management Schedule Detail	538
sch_mstr	Release Management Schedule Master	539
sct_det	Cost Simulation Total Detail	541
scx_ref	Scheduled Order Cross-Reference	542
sc_mstr	Cost Simulation Master	542
sddt_det	Shipping Delivery Time Detail	543
sdt_mstr	Shipping Delivery Time Master	544
sd_mstr	Sales Order Discount Master	544
seoc_ctrl	Material Order Control	545
seq_mstr	Production Line Schedule Sequence Master	546
sfb_det	Service/Support Billing Detail	547
sfh_hist	Service/Support Billing History	549
sgad_det	Shipping Group Address Detail	551

sgcd_det	Shipping Group Carrier Detail	551
sgid_det	Shipping Group and Inventory Movement Code Detail	552
sg_mstr	Shipping Group Master	553
shc_ctrl	Shipper Control	553
shd_det	Shipping Schedule Detail	554
shft_det	Shift Detail	554
shm_mstr	Shipping Schedule Master	555
shop_cal	Shop Calendar	556
shpc_ctrl	Shipment Performance Control	556
shpd_hist	Shipment Performance Detail History	557
shp_hist	Shipment Performance History	558
shtr_det	Shipment Trailer Detail	559
shv_mstr	Ship Via Master	560
sim_det	Inventory Movement Site Detail	560
six_ref	Shipment Detail/Invoice Number Cross-Reference	561
si_mstr	Site Master	563
slrd_det	Site Linking Rules Detail	564
slr_mstr	Site Linking Rules Master	564
sm_mstr	Source Matrix Master	565
sob_det	Sales Order Configuration Bill Detail	566
socc_mstr	Sales Order Credit Card Master	566
soc_ctrl	Sales Order Control	567
sodlc_det	Sales Order Detail Line Charges	569
sodr_det	Sales Order Relationship Detail	570
sod_det	Sales Order Detail	571
sop_det	Cost Simulation Operation Detail	575
sor_mstr	Sales Order Relationship Master	576
sosrd_det	Sales Order Shipment Reason Detail	577
sosr_mstr	Sales Order Shipment Reason Master	577
so_mstr	Sales Order Master	578
spc_ctrl	Salesperson Control	582
spd_det	Salesperson Commission Detail	582
sph_hist	Salesperson Sales History	583
spt_det	Cost Simulation Item Detail	583
sp_mstr	Salesperson Master	584
src_ctrl	Service Request Control	585
sroc_ctrl	Service/Repair Order Control	585
sro_mstr	Service/Repair Order Master	585
srr_mstr	Service Request Master	587
sr_wkfl	Serial Number Work Table	589
ssd_det	Source of Supply Detail	589
ssm_mstr	Source of Supply Master	590
sttqd_det	Time-Based/Quantity-Based Status Code Detail	590
sttq_mstr	Time-Based/Quantity-Based Status Code Master	591
stx_mstr	Suspended Tax Master	592
sufd_det	Shipper User Field Detail	592
suf_mstr	Shipper User Field Master	593

svc_ctrl	Service/Support Management Control.....	594
sv_mstr	Service Agreement Terms and Conditions Master	597
swc_det	Cost Simulation Work Center Detail	598
sypd_det	Synch Profile Detail	599
sypj_det	Sync Profile Join Detail.....	600
syps_det	Synch Profile Subscription Detail.....	602
syp_mstr	Synch Profile Master.....	603
sytf_mstr	Synchronization Table-Field Master	604
tag_mstr	Physical Inventory Tag Master	604
taxd_det	Tax Detail.....	606
tax_mstr	Tax Master	606
tblcd_det	Table Change Detail	607
tblc_mstr	Table Change Master	607
tbl_mstr	Service/Support Parent/Child Relationship Master.....	608
te_mstr	Transaction Export Master.....	609
tm_mstr	Transportation Master.....	610
totd_det	Terms of Trade Detail	611
tot_mstr	Terms of Trade Master	611
trcs_det	Transaction Cost Detail	612
trgl_det	Inventory Transaction and General Ledger Cross-Reference	612
trld_det	Trailer Tax Detail	613
trl_mstr	Trailer Master.....	614
trq_mstr	Transmission Date Reference Master	614
tr_hist	Inventory Transaction History	615
tx2d_det	Tax Detail.....	618
tx2_mstr	Tax Master	619
txbd_det	Tax Base Detail	621
txc_ctrl	Tax Control	621
txed_det	Tax Environment Detail	622
txe_mstr	Tax Environment Master.....	623
txhd_det	Tax History Detail	624
txrd_det	Tax Register Detail	625
txr_mstr	Tax Register Master	626
txz_mstr	Tax Zone Master.....	627
typ_mstr	Fixed Asset Type Master	627
tzod_det	Service/Support Time Zone Detail.....	628
tzo_mstr	Service/Support Time Zone Master	629
udd_det	User Domain Detail.....	629
ufd_det	User Function Key Detail	630
umsg_det	User Message Detail	630
um_mstr	Unit of Measure Conversion Master	631
upd_det	Printer/User Detail	632
url_mstr	URL Master.....	632
usg_det	Application Usage Detail.....	633
uslh_hist	User Logon History	634
uspw_hist	User Password History	634
usrc_ctrl	User Control.....	635

usrgd_det	User Group Detail	636
usrg_mstr	User Group Master	636
usrl_det	User Licensed Application Detail	637
usrw_wkfl	User Work Table	637
usr_mstr	User Master	638
vdc_ctrl	Supplier Control	639
vdf_mstr	Supplier Fiscal Data Master	639
vd_mstr	Supplier Master	640
vecd_det	Supplier Performance Category Detail	643
vec_mstr	Supplier Performance Category Master	643
vee_mstr	Supplier Performance Event Master	644
vef_ctrl	Supplier Performance Control	645
vepd_det	Supplier Performance Detail	646
vep_mstr	Supplier Performance Master	647
verd_det	Supplier Performance Registration Detail	650
ver_mstr	Supplier Performance Registration Master	650
vesd_det	Supplier Performance Summary Detail	652
ves_mstr	Supplier Performance Summary Master	653
view_mstr	Supplier Performance Weighting Factor Master	654
vex_mstr	Supplier Performance Cross-Reference Master	654
vod_det	Voucher Detail	655
vo_mstr	Voucher Master	656
vph_hist	Voucher Invoice History	658
vpo_det	Voucher Purchase Order Detail	659
vp_mstr	Supplier Item Master	659
vrc_ctrl	Version Control	660
vtc_ctrl	Value Added Tax Control	660
vt_mstr	Value Added Tax Master	661
wcr_route	Work Center Routing Standards	661
wc_mstr	Work Center Master	662
whl_mstr	Warehouse Location Master	663
wlbd_det	WIP Lot Trace BOM Control Detail	664
wlbm_mstr	WIP Lot Trace BOM Control Master	665
wlc_ctrl	WIP Lot Trace Control	667
wld_det	WIP Lot Inventory Detail	668
wlrd_det	WIP Lot Trace Routing Control Detail	669
wlrm_mstr	WIP Lot Trace Routing Control Master	670
wlt_mstr	WIP Lot Trace Master	671
wl_mstr	WIP Lot Master	672
woc_ctrl	Work Order Control	674
wod_det	Work Order Detail	674
wo_mstr	Work Order Master	676
wr_route	Work Order Routing	680
wtx_mstr	Withholding Tax Master	683

Section 2	Summary of Changes	685
Changed Fields		686
Deleted Fields		687
New Fields		690
Changed Indexes		715
Deleted Indexes		716
New Indexes for Existing Tables		717
Deleted Tables		731
New Tables		732
Index of Table Descriptions		733



About This Guide

Introduction 2

How This Book Is Organized 2

Symbols and Conventions 3

Other MFG/PRO Documentation 4

Online Help 5

QAD Web Site 5

Introduction

This book is intended for system administrators and programmers doing software conversions and custom programming. Cross-references for identifying new, changed, and deleted tables, fields, and indexes are included after the main section.

How This Book Is Organized

See “Symbols and Conventions” on page 3 for symbols.

Database tables are grouped by module and listed alphabetically, with the following information.

abd_det Asset Book Detail				
Field Name	Field Label	Column Label	Format	Dec
abd_active	Active	Act	yes/no	
abd_asset	Asset		x(12)	
abd_bonus	Bonus Percent	Bonus %	->>9.9<%	10

- *Field Name.* The name of the field.
- *Field Label.* The label as it appears on screens.
- *Column Label.* The label that appears on reports.
- *Format.* How, and what kind of, data can be displayed.
- *Dec.* The maximum number of decimal places that can be stored.

Some fields in the database are not currently used. These fields are either:

- Reserved for custom programming
- Reserved for future use by QAD
- Obsolete (only used in earlier versions of MFG/PRO)

Each database table has at least one index. By default, Progress sorts and retrieves records using the primary index, which is indicated by an asterisk (*). Indexes have the following attributes.

Index Name	Uni	Field Name	Asc	Abbr
abd_active	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
* abd_asset	yes	abd_asset	yes	no
		abd_book	yes	no

- *Primary Index*. Indicated with an asterisk. The most frequently used index. Each table has one and only one primary index. Progress uses the primary index when retrieving records or ordering records for a list (like a report) if you don't specify another index. The primary index reflects the most common order, or the most natural order, by which records are sorted.
- *Index Name*. The name of the index.
- *Uni (Unique)*. Yes indicates only one record in the table can have a particular index value.
- *Field Name*. Each index has one or more field components.
- *Asc (Ascending)*. Yes indicates that records are ordered and accessed by ascending field values.
- *Abbr (Abbreviated)*. For character data fields, a sort option that examines partial records. Tables with abbreviated indexes sort faster but require more disk space.

Symbols and Conventions

The following symbols are used in this book. For this version of *Database Definitions*, new and changed are relative to the previous publication, based on MFG/PRO Version eB2.

Symbol	Meaning
*	Primary Index
◇	New table, field, index
Δ	Changed field/index
!	Shows where a column label wraps to next line

The following conventions are used in this book.

Convention for Designating Fields	Meaning
[x]	Extent of array field
<prefix>__user<number>	User field (ac__user1)
<prefix>__dec<number>	User decimal data field (ac__dec01)
<prefix>__chr<number>	User character field (ac__chr01)
<prefix>__qad<number>	QAD reserved field (ac__qad01)
<prefix>__x<number>	Obsolete field (ac__xctr)

Other MFG/PRO Documentation

Updated Documents for eB2.1

The following books have been updated for the MFG/PRO eB2.1 release:

- *User Guide: MFG/PRO eB2.1 New Features* includes information about all changes included in the eB2.1 release.
- For software installation instructions, refer to the appropriate installation guide for your system.
- For conversion information, refer to the MFG/PRO eB2.1 *Conversion Guide*.
- For technical details, refer to *Entity Diagrams* and *Database Definitions*.

Additional Documents for eB2

For information on other features of MFG/PRO, use the following documents:

- For information on using MFG/PRO, refer to the MFG/PRO eB2 *User Guides*.
- For instructions on navigating and using the QAD Desktop interface, see *User Guide: QAD Desktop*.
- For instructions on navigating the MFG/PRO Windows and character environments, refer to MFG/PRO eB2 *User Guide Volume 1: Introduction*.
- For information on using features that let MFG/PRO work with external applications, see the *External Interface Guides*. Each book in this set describes a separate interface such as the Sales and Use Tax application program interface (API) and Q/LinQ, the tool set for building and using data exchange tools.
- For information on Q/Xtend, the QAD interoperability framework, see *Technical Reference: QXtend Inbound*.
- To view documents online in PDF format, see the *Documents on CD* and *Supplemental Documents on CD*. The CD-ROM media includes complete instructions for loading the documents on a Windows network server and making them accessible to client computers.

Note MFG/PRO installation guides are not included on a CD. Printed copies are packaged with your software. Electronic copies of the latest versions are available on the QAD Web site.

Online Help

MFG/PRO has an extensive online help system. Help is available for most fields found on a screen. Procedure help is available for most programs that update the database. Most inquiries, reports, and browses do not have procedure help.

For information on using the help system in the different MFG/PRO environments, refer to *User Guide Volume 1: Introduction* and *User Guide: QAD Desktop*.

QAD Web Site

The QAD Web site provides a wide variety of information about the company and its products. You can access the Web site at:

<http://www.qad.com>

For MFG/PRO users with a QAD Web account, product documentation is available for viewing or downloading at:

<http://support.qad.com/documentation/>

You can register for a QAD Web account by accessing the Web site and clicking the Accounts link at the top of the screen. Your customer ID number is required. Access to certain areas is dependent on the type of agreement you have with QAD.

Most user documentation is available in two formats:

- Portable document format (PDF). PDF files can be downloaded from the QAD Web site to your computer. You can view them with the free Adobe Acrobat Reader. A link for downloading this program is also available on the QAD Web site.
- HTML. You can view user documentation through your Web browser. The documents include search tools for easily locating topics of interest.

6 MFG/PRO eB2.1 Database Definitions

Features also include an online solution database to help MFG/PRO users answer questions about setting up and using the product. Additionally, the QAD Web site has information about training classes and other services that can help you learn about MFG/PRO.

The background of the page features a grayscale, close-up photograph of several interlocking mechanical gears. The gears are positioned diagonally, with one gear in the foreground being sharper than the others in the background, which are blurred. The lighting creates highlights and shadows on the teeth of the gears, emphasizing their mechanical nature.

Section 1

Database Definitions

This section contains an alphabetical listing of database definitions used in MFG/PRO.

Asset Book Detail



Index-Name	Uni	Field-Name	Asc	Abbr
abd_active	yes	abd_active	yes	no
		abd_asset	yes	no
		abd_book	yes	no
* abd_asset	yes	abd_asset	yes	no
		abd_book	yes	no
◇ oid abd det	yes	oid abd det	yes	no

absc_det[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* abscc_id	yes	abscc_domain	yes	no
		abscc_abs_id	yes	no
		abscc_abs_shipfrom	yes	no
Δ abscc_inv_nbr	no	abscc_domain	yes	no
		abscc_inv_nbr	yes	no
		abscc_order	yes	no
Δ abscc_ordln	no	abscc_domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	absd_abs_fld_name	no	absd_domain	yes	no
			absd_abs_id	yes	no
			absd_shipfrom	yes	no
			absd_abs_fld_name	yes	no
			absd_fld_seq	yes	no
Δ*	absd_abs_id	yes	absd_domain	yes	no
			absd_abs_id	yes	no
			absd_shipfrom	yes	no
			absd_fld_seq	yes	no
◇	oid_absd_det	yes	oid_absd_det	yes	no

absi_mstr

Shipper Information Master

	Field Name	Label	Col-Label	Format	Dec
	absi_abs_id	Shipper ID	Shipper	x(20)	
	absi_carrier_ref2	Carrier Reference 2		x(20)	
	absi_contents	Contents		x(60)	
◇	absi_domain	Domain		x(8)	
	absi_due_date	Due Date	Due	99/99/99	
	absi_mod_date	Modified Date	Mod Date	99/99/99	
	absi_mod_userid	User ID		x(8)	
	absi_origin	Origin		x(30)	
	absi_port_arrive	Port of Arrival		x(30)	
	absi_port_depart	Port of Departure		x(30)	
	absi_shipfrom	Ship-From		x(8)	
	absi_user1	User Field Character 1		x(24)	
	absi_user2	User Field Character 2		x(24)	
	absi_voyage	Voyage		x(20)	
	absi__qadc01			x(24)	
	absi__qadc02			x(24)	
◇	oid_absi_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* absi_abs_id	yes	absi_domain	yes	no
		absi_shipfrom	yes	no
		absi_abs_id	yes	no
$\diamond$ oid_absi_mstr	yes	oid_absi_mstr	yes	no

absl_det

Shipment Detail Line Charges

Field Name	Label	Col-Label	Format	Dec
absl_abs_id	ID		x(20)	
absl_abs_shipfrom	Ship From		x(8)	
absl_acct	Trailer Acct	Account	x(8)	
absl_cc	Trailer CC	CC	x(4)	
absl_charge_type	Charge Type	Charge! Type	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* absl_abs_id	yes	absl_domain	yes	no
		absl_abs_id	yes	no
		absl_abs_shipfrom	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_lc_line	yes	no
Δ absl_order	no	absl_domain	yes	no
		absl_order	yes	no
		absl_ord_line	yes	no
		absl_inv_post	yes	no
$\diamond$ oid_absl_det	yes	oid_absl_det	yes	no

absr det

Shipment Requirement Detail

Field Name	Label	Col-Label	Format	Dec
absr_cnfrmd	Confirmed		yes/no	
absr_date	Date		99/99/99	
absr_domain	Domain		x(8)	
absr_id	Id		x(8)	
absr_interval	Interval		x(1)	
absr_line	Line	Ln	>>9	
absr_nbr	Order	Sls Order	x(8)	
absr_qty	Qty Pegged		>, >>>, >>9.9<<<<	10
absr_reference	Reference		x(24)	
absr_rlse_id	Release ID		x(30)	
absr_shipfrom	Ship-from Id		x(8)	
absr_ship_id	ID		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* absr_dtl	yes	absr_domain	yes	no
		absr_shipfrom	yes	no
		absr_id	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
Δ absr_nbr	no	absr_domain	yes	no
		absr_cnfrmd	yes	no
		absr_type	yes	no
		absr_nbr	yes	no
		absr_line	yes	no
		absr_rlse_id	yes	no
		absr_date	yes	no
		absr_time	yes	no
		absr_interval	yes	no
		absr_reference	yes	no
$\diamond$ oid_absr_det	yes	oid_absr_det	yes	no

abss_det Shipment Sequence Detail

	Field Name	Label	Col-Label	Format	Dec
	abss_abs_id	ID		x(20)	
	abss_confirmed	Confirmed		yes/no	
	abss_cust_job	Customer Job		x(30)	
	abss_cust_ref	Customer Reference		x(30)	
	abss_cust_seq	Customer Sequence		x(30)	
	abss_date	Schedule Date	Date	99/99/99	
	abss_dock	Customer Dock		x(30)	
◇	abss_domain	Domain		x(8)	
	abss_invoice	Invoice		x(8)	
	abss_line	Line		>>9	
	abss_line_feed	Line Feed		x(30)	
	abss_mod_date	Modified Date	Mod Date	99/99/99	
	abss_mod_pgm	Last Program		x(8)	
	abss_mod_userid	User ID		x(8)	
	abss_order	Order		x(8)	
	abss_part	Item Number		x(18)	
	abss_qty	Quantity		>>, >>>, >>9.9<<<<<<<<<	10

14

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* abss_index1	yes	abss_domain	yes	no
		abss_abs_id	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_ref	yes	no
		abss_dock	yes	no
		abss_line_feed	yes	no
Δ abss_index2	no	abss_domain	yes	no
		abss_shipfrom	yes	no
		abss_shipto	yes	no
		abss_rlse_id	yes	no
		abss_cust_ref	yes	no
		abss_part	yes	no
Δ abss_index3	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_part	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
Δ abss_index4	no	abss_domain	yes	no
		abss_ship_id	yes	no
		abss_date	yes	no
		abss_time	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
Δ abss_index5	no	abss_part	yes	no
		abss_domain	yes	no
		abss_ship_id	yes	no
		abss_order	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
△ abss_index6	no	abss_line	yes	no
		abss_domain	yes	no
		abss_invoice	yes	no
		abss_order	yes	no
		abss_line	yes	no
△ abss_index7	no	abss_domain	yes	no
		abss_invoice	yes	no
		abss_cust_job	yes	no
		abss_cust_seq	yes	no
		abss_part	yes	no
◇ oid_abss_det	yes	oid_abss_det	yes	no

abs_mstr ASN/BOL/Shipper Master

Field Name	Label	Col-Label	Format	Dec
abs_act_fcst	Act Frt Cost		>>>>, >>>, >>9.99	10
abs_apr_date	Approval Date		99/99/99	
abs_apr_time	Approval Time		>>>>>>9	
abs_apr_userid	Approved By		x(8)	
abs_arr_date	Arrive Date		99/99/99	
abs_arr_time	Arrive Time		>>>>>>9	
abs_asn_crt_date	ASN Create Date		99/99/99	
abs_asn_crt_time	ASN Create Time		>>>>>>9	
abs_canceled	Canceled		Yes/No	
abs_cancel_date	Cancel Date		99/99/99	
abs_charge_type	Charge Type	Charge! Type	x(8)	
abs_cmtindx	Comment Index		>>>>>>9	
abs_cons_ship	Consolidate		x(8)	
abs_crt_date	Create Date		99/99/99	
abs_crt_time	Create Time		>>>>>>9	
abs_cum_qty	Cum Ship Qty		>, >>>, >>9.9<<<<<<<<<	10
abs_cust_ref	Customer Ref		x(24)	
abs_dataset	Data Set		x(12)	
abs_desc	Description		x(48)	
abs_dim_um	Dimensions UM		x(2)	
abs_doc_data[5]			x(8)	
◇ abs_domain	Domain		x(8)	
abs_eff_date	Effective		99/99/99	
abs_est_fcst	Est Frt Cost		>>>>, >>>, >>9.99	10
abs_export_batch	Batch		>>>>>>9	
abs_export_date	Export Date		99/99/99	
abs_export_time	Export Time		>>>>>>9	
abs_fa_lot	Final Assembly ID	ID	x(8)	
abs_format	Document Format	Format	x(8)	
abs_fr_class	Frt Class		x(8)	
abs_fr_curr	Currency		x(3)	
abs_gwt	Gross Weight		>, >>>, >>9.9<<<<<<<<	10
abs_id	Id		x(20)	
abs_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
abs_inv_nbr	Invoice Number		x(8)	
abs_item	Container Item		x(18)	
abs_lang	Language		x(2)	
abs_line	Order Line		x(8)	
abs_loc	Location		x(8)	

16 abs_mstr

Field Name	Label	Col-Label	Format	Dec
abs_lotser	Lot/Serial		x(18)	
abs_master_id	Master Bill ID		x(20)	
abs_master_shipfrom	Master Bill Ship-From	MBOL! ShipFrom	x(8)	
abs_nr_id	Sequence ID		x(8)	
abs_nwt	Net Weight		>,>>>,>>9.9<<<<<<<<	10
abs_order	Order		x(8)	
abs_par_id	Parent ID		x(24)	
abs_preship_id	Pre-Shipper Number		x(20)	
abs_preship_nr_id	Pre-Shipper Sequence ID		x(8)	
abs_price	Price		->>>>,>>>,>>9.99<<<	10
abs_qty	Qty To Ship		>,>>>,>>9.9<<<<<<<<	10
abs_ref	Ref		x(8)	
abs_shipfrom	Ship-from Id		x(8)	
abs_shipto	Ship-to Id		x(8)	
abs_ship_qty	Quantity Shipped		>,>>>,>>9.9<<<<<<<<	10
abs_shp_date	Ship Date		99/99/99	
abs_shp_time	Ship Time		>>>>>>9	
abs_site	Site		x(8)	
abs_status	Status		x(8)	
abs_timezone	Time Zone		x(2)	
abs_trl_cmtindx	Trailer Comments		>>>>>>9	
abs_type	Type		x(1)	
abs_user1	Ufld1		x(8)	
abs_user2	Ufld2		x(8)	
abs_vol	Volume		>,>>>,>>9.9<<<<<<<<	10
abs_vol_um	Volume UM		x(2)	
abs_wt_um	Weight UM		x(2)	
abs_chr01			x(8)	
abs_chr02			x(8)	
abs_chr03			x(8)	
abs_chr04			x(8)	
abs_chr05			x(8)	
abs_chr06			x(8)	
abs_chr07			x(8)	
abs_chr08			x(8)	
abs_chr09			x(8)	
abs_chr10			x(8)	
abs_dec01			>>>,>>>,>>9.99	10
abs_dec02			>>>,>>>,>>9.99	10
abs_dec03			>>>,>>>,>>9.99	10
abs_dec04			>>>,>>>,>>9.99	10
abs_dec05			>>>,>>>,>>9.99	10
abs_dec06			>>>,>>>,>>9.99	10
abs_dec07			>>>,>>>,>>9.99	10
abs_dec08			>>>,>>>,>>9.99	10
abs_dec09			>>>,>>>,>>9.99	10
abs_dec10			>>>,>>>,>>9.99	10
abs_qad01			x(8)	
abs_qad02			x(8)	
abs_qad03			x(8)	
abs_qad04			x(8)	
abs_qad05			x(8)	
abs_qad06			x(8)	
abs_qad07			x(8)	
abs_qad08			x(8)	
abs_qad09			x(8)	

◆

◆

acdf_mstr

◆

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* acdf_index1	yes	acdf_domain	yes	no
		acdf_module	yes	no
		acdf_type	yes	no
		acdf_key1	yes	no
		acdf_key2	yes	no
		acdf_key3	yes	no
		acdf_key4	yes	no
		acdf_key5	yes	no
◇ oid_acdf_mstr	yes	acdf_key6	yes	no
		oid_acdf_mstr	yes	no

acd_det

Account Total Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ acd_ind2	no	acd_domain	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_entity	yes	no
		acd_year	yes	no
		acd_per	yes	no
Δ^* acd_index	yes	acd_domain	yes	no
		acd_acc	yes	no
		acd_sub	yes	no
		acd_cc	yes	no
		acd_project	yes	no
		acd_entity	yes	no
		acd_year	yes	no

△

acm_mstr

 Δ **acod_mstr**

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
$\emptyset$ oid_acod_mstr	yes	oid_acod_mstr	yes	no
Δ^* SourceValue	yes	acod_domain	yes	no
		acod_app_id	yes	no
		acod_doc_std	yes	no
		acod_doc_typ	yes	no
		acod_doc_rev	yes	no
		acod_tradptr_id	yes	no
		acod_fidname	yes	no
		acod_src_val	yes	no

act_mstr	Alternate Container Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* act_order	yes	act_domain	yes	no
		act_nbr	yes	no
		act_line	yes	no
		act_cont_part	yes	no
◇ oid_act_mstr	yes	oid_act_mstr	yes	no

acx_mstr

Account Cross-Reference Master

	Field Name	Label	Col-Label	Format	Dec
	acx_acc	Account		x(8)	
	acx_cc	Cost Center	CC	x(4)	
◇	acx_domain	Domain		x(8)	
	acx_entity	From Entity	From! Enty	x(4)	
	acx_sub	Sub-Account	Sub-Acct	x(8)	
	acx_to_acc	To Account	To-Aacct	x(8)	
	acx_to_cc	To Cost Center	To-CC	x(4)	
◇	acx_to_domain	To Domain		x(8)	
	acx_to_ent	To Entity	To-Ent	x(8)	
	acx_to_sub	To Sub-Account	To-Sub	x(8)	
	acx_user1	Ufld1		x(8)	
	acx_user2	Ufld2		x(8)	
	acx_xcons_cc			yes/no	
	acx__qad01			yes/no	
◇	oid_acx_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.g<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* acx_index	yes	acx_domain	yes	no
		acx_entity	yes	no
		acx_to_ent	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
Δ acx_to_index	no	acx_domain	yes	no
		acx_to_ent	yes	no
		acx_entity	yes	no
		acx_acc	yes	no
		acx_sub	yes	no
		acx_cc	yes	no
$\diamond$ oid_acx_mstr	yes	oid_acx_mstr	yes	no

Account Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ac_active	yes	ac_domain	yes	no
		ac_active	yes	no
		ac_code	yes	no
Δ* ac_code	yes	ac_domain	yes	no
		ac_code	yes	no
Δ ac_curr	no	ac_domain	yes	no
		ac_curr	yes	no
Δ ac_desc	no	ac_domain	yes	no
		ac_desc	yes	no
		ac_code	yes	no
Δ ac_fpos	no	ac_domain	yes	no
		ac_fpos	yes	no
		ac_code	yes	no
Δ ac_type	no	ac_domain	yes	no
		ac_type	yes	no
		ac_code	yes	no
◇ oid ac mstr	yes	oid ac mstr	yes	no

ad_mstr

Address Master

Field Name	Label	Col-Label	Format	Dec
ad_addr	Address		x(8)	
ad_asn_data	ASN Default Data		x(8)	
ad_attn	Attention		x(24)	
ad_attn2	Attention		x(24)	
ad_barlbl_prt	Barcode Label Print Program		x(10)	
ad_barlbl_val	Barcode Validation Program		x(10)	
ad_bk_acct1	Bank Acct 1		x(24)	
ad_bk_acct2	Bank Acct 2		x(24)	
ad_calendar	Calendar		x(8)	
ad_city	City		x(20)	
ad_coc_reg	CoC Number	CoC	x(8)	
ad_conrep	Netting Logic	C/R	x(1)	
ad_country	Country		x(28)	
ad_county	County		x(20)	
ad_ctry	Country Code	Ctry	x(3)	
ad_date	Added		99/99/99	
◇ ad_domain	Domain		x(8)	
ad_edi_ctrl[5]	EDI Control		x(50)	
ad_edi_id	Trading Prtnr EDI ID		x(24)	
ad_edi_level	EDI Standard Level		x(8)	
ad_edi_std	EDI Standard		x(8)	
ad_edi_tpid	Trading Prtnr Interface ID		x(24)	
ad_ext	Ext		x(4)	
ad_ext2	Ext		x(4)	
ad_fax	Fax/Telex		x(16)	
ad_fax2	Fax/Telex		x(16)	
ad_format	Format		>9	
ad_gst_id	Tax ID - Federal		x(18)	
ad_intr_division	IntraStat Division		x(3)	
ad_inv_mthd	Invoices Via		x(1)	
ad_lang	Language		x(2)	
ad_last_file	Last Filing		yes/no	
ad_line1	Address		x(28)	
ad_line2	Address		x(28)	
ad_line3	Address		x(28)	
ad_misc1_id	Tax ID - Misc 1		x(18)	
ad_misc2_id	Tax ID - Misc 2		x(18)	
ad_misc3_id	Tax ID - Misc 3		x(18)	
ad_mod_date	Modified Date	Mod Date	99/99/99	
ad_name	Name		x(28)	
ad_name_control	Name Control		x(4)	
ad_phone	Telephone		x(16)	
ad_phone2	Telephone		x(16)	
ad_po_mthd	Purchase Orders Via		x(1)	
ad_pst_id	Tax ID - State		x(18)	
ad_ref	Reference		x(8)	
ad_sch_mthd	Schedules Via		x(1)	
ad_sort	Sort Name		x(28)	
ad_state	State	St	x(4)	
ad_taxable	Taxable		yes/no	
ad_taxc	Tax Class	TxC	x(3)	
ad_tax_in	Tax In		yes/no	
ad_tax_report	Tax Report		yes/no	
ad_tax_type	Tax Type		x(3)	
ad_tax_usage	Tax Usage	TaxUsage	x(8)	

Field Name	Label	Col-Label	Format	Dec
ad_tax_zone	Tax Zone		x(16)	
ad_temp	Temporary	Temp	yes/no	
ad_timezone	Time Zone		x(8)	
ad_tp_loc_code	Trd Partner Location Code		x(24)	
ad_type	List Type	List	x(8)	
ad_user1	Ufld1		x(8)	
ad_user2	Ufld2		x(8)	
ad_userid	User ID		x(8)	
ad_vat_reg	VAT Registration		x(18)	
ad_wk_offset	Week Offset		9	
ad_zip	Post		x(10)	
ad__chr01			x(8)	
ad__chr02			x(8)	
ad__chr03			x(8)	
ad__chr04			x(8)	
ad__chr05			x(8)	
ad__qad01			x(8)	
ad__qad02			x(8)	
ad__qad03			x(8)	
ad__qad04			x(8)	
ad__qad05			x(8)	
oid_ad_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ad_addr	yes	ad_domain	yes	no
		ad_addr	yes	no
Δ ad_edi_tpid	no	ad_domain	yes	no
		ad_edi_tpid	yes	no
Δ ad_gst	yes	ad_domain	yes	no
		ad_gst_id	yes	no
		ad_addr	yes	no
		ad_sort	yes	no
Δ ad_ref	no	ad_domain	yes	no
		ad_ref	yes	no
		ad_addr	yes	no
Δ ad_sort	yes	ad_domain	yes	no
		ad_sort	yes	no
		ad_addr	yes	no
Δ ad_type	yes	ad_domain	yes	no
		ad_type	yes	no
		ad_addr	yes	no
Δ ad_zip	no	ad_domain	yes	no
		ad_zip	yes	no
		ad_addr	yes	no
◇ oid_ad_mstr	yes	oid_ad_mstr	yes	no

Allocation Account Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ald_index	yes	ald_domain	yes	no
		ald_code	yes	no
		ald_acc	yes	no
		ald_sub	yes	no
		ald_cc	yes	no
		ald_project	yes	no
◇ oid_ald_det	yes	oid_ald_det	yes	no

Automatic Lot Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* alm_lot_grp	yes	alm_domain	yes	no
		alm_lot_grp	yes	no
		alm_site	yes	no
◇ oid alm_mstr	yes	oid alm_mstr	yes	no

Analysis Code Selection Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ans_type_code	yes	ans_domain	yes	no
		ans_type	yes	no
		ans_code	yes	no
		ans_field	yes	no
		ans_sel_low	yes	no
$\diamond$ oid_ans_det	yes	oid_ans_det	yes	no

Analysis Code Exploded Detail

 $\bar{\Delta}$

Analysis Code Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ an_code_type	yes	an_domain	yes	no
		an_code	yes	no
		an_type	yes	no
Δ* an_type_code	yes	an_domain	yes	no
		an_type	yes	no
		an_code	yes	no
◇ oid_an_mstr	yes	oid_an_mstr	yes	no

apc_ctrl

Accounts Payable Control

Field Name	Label	Col-Label	Format	Dec
apc_approv	Use Assigned-To Field		yes/no	
apc_bank	Default Bank	Bank	x(2)	
apc_batch	Next Batch	Batch	>>>>>>>9	
apc_ckfrm	Check Form		x(2)	
apc_confirm	Enter Vouchers Confirmed		yes/no	
◇ apc_domain	Domain		x(8)	
apc_ers_ps_err	ERS Packing Slip Error	P/S! Err	yes/no	
apc_ers_vo_tp	ERS Voucher Date Option	ERS! VDO	>9	
apc_expvar	Use Expensed Item Var		yes/no	
	Accts			
apc_ext_ref	External Voucher		yes/no	
	References Allowed			
apc_ex_ratetype	Rate Type		x(8)	
apc_ex_tol	Exchange Tolerance		>9.99%	10
apc_gl_avg_cst	Update GL Average Cost	Avg! Cst	yes/no	
apc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
apc_jrnl	Next Journal	Journl	999999	
apc_multi_entity_pay	Multi-Entity Payments		yes/no	
apc_pip	Use Payment In Process	PIP	yes/no	
	Acct			
apc_rv_conf	Release Recur VOs		yes/no	
	Confirmed			
apc_ship	Ship-To		x(8)	
apc_sum_lvl	AP Summarization Level	AP! Summ! Lvl	9	
apc_user1	Ufld1		x(8)	
apc_user2	Ufld2		x(8)	
apc_use_drft	Use Draft Management	Use! DM	yes/no	
apc_vchr_all	Voucher All		yes/no	
apc_voucher	Next Voucher	Voucher	>>>>>>>9	
apc_vo_pre	Voucher Prefix	Pre	x(3)	
apc__qad01			>>>>>>>9	
apc__qad02			99/99/99	
apc__qad03			x(8)	
apc__qad04	External Memo References		yes/no	
	Allowed			
apc__qadc01			x(8)	
apc__qadc02			x(4)	
apc__qadc03			x(24)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* apc_index1	yes	apc_domain	yes	no
$\diamond$ oid_apc_ctrl	yes	oid_apc_ctrl	yes	no

apmr_mstr Advanced Pricing Management Customer Relationship Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* apmr_seq	yes	apmr_domain	yes	no
		apmr_seq	yes	no
Δ apmr_type	yes	apmr_domain	yes	no
		apmr_type	yes	no
$\diamond$ oid_apmr_mstr	yes	oid_apmr_mstr	yes	no

apm_ctrl	Advanced Pricing Management Control

Field Name	Label	Col-Label	Format	Dec
apm_div	Default Division		x(8)	
◇ apm_domain	Domain		x(8)	
apm_line_rel	Line Relationships		yes/no	
apm_manual	Manual P/L Selection		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* apm_index1	yes	apm_domain	yes	no
$\diamond$ oid_apm_ctrl	yes	oid_apm_ctrl	yes	no

aprm_mstr Application Parameter Master

Field Name	Label	Col-Label	Format	Dec
aprm_app_id	Application ID		x(12)	
aprm_code	Parameter Code		x(8)	
aprm_desc	Parameter Description		x(60)	
aprm_doc_std	Document Standard		X(8)	
◇ aprm_domain	Domain		x(8)	
aprm_mod_date	Modified Date	Mod Date	99/99/99	
aprm_mod_userid	User ID		x(8)	
aprm_mthd_name	Method Name		x(1)	
aprm_seq	Parameter Sequence Number.		9	
aprm_user1	Ufld1		x(8)	
aprm_user2	Ufld2		x(8)	
aprm_val	Parameter Value		x(12)	
aprm__dec01			->>>, >>>, >>9.99<	10
aprm__dec02			->>>, >>>, >>9.99<	10
aprm__dte01			99/99/99	
aprm__dte02			99/99/99	
aprm__int01			->>>, >>>, >>9	
aprm__int02			->>>, >>>, >>9	
aprm__log01			yes/no	
aprm__log02			yes/no	
aprm_qadc01			x(8)	

apr_mstr

Field Name	Label	Col-Label	Format	Dec
apr_ex_init_conn	Initiate Export Connection		yes/no	
apr_ex_ip_addr	IP Address For Export		x(16)	
apr_ex_map_flg	Map Exports		yes/no	
apr_ex_port_nbr	Port Number For Export		>>>>9	
apr_ex_prc_typ	Process Type		x(8)	
apr_ex_xml	XML Exported		x(1)	
apr_im_arch_dir	Import File Archive Directory		x(65)	
apr_im_delim	ASCII Delimiter for Import		>>9	
apr_im_dest_mthd	Method		x(24)	
apr_im_dest_proc	In MFG/PRO		x(24)	
apr_im_doc_std	Document Standard for Import		X(8)	
apr_im_init_conn	Initiate Import Connection		yes/no	
apr_im_ip_addr	IP Address For Import		x(16)	
apr_im_map_flg	Map Imports		yes/no	
apr_im_port_nbr	Port Number For Import		>>>>9	
apr_im_prc_typ	Process Type		x(8)	
apr_im_xml	XML Imported		x(1)	
apr_mapper_proc	Data Mapper Procedure		x(24)	
apr_map_parm[10]	Mapper Parameter Codes		X(8)	
apr_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
apr_map_spec	Mapping Specification ID		x(24)	
apr_mod_date	Modified Date	Mod Date	99/99/99	
apr_mod_userid	User ID		x(8)	
apr_msg_ack_lvl	Acknowledgment Level		x(8)	
apr_msg_clnt_ord	Message Ordering		x(8)	
apr_msg_persist	Persistence		X(8)	
apr_msg_priority	Priority		x(8)	
apr_msg_routing	Routing		x(8)	
apr_msg_secur	Security		X(8)	
apr_msg_sync	Sync Scope		X(8)	
apr_msg_ttl	Time To Live		x(8)	
apr_name	Name		x(20)	
apr_num_form	Numeric Format		X(8)	
apr_pause_sev	Pause Severity Level		>>9	
apr_proc_flag	Process Imports		yes/no	
apr_publ_flg	Publish Exports		yes/no	
apr_queue_pub	Queue Published Documents		X(1)	
apr_rcv_flg	Receive Imports		yes/no	
apr_send_flg	Send Exports		yes/no	
apr_src_comp	Source Component		x(10)	
apr_src_task	Task		x(10)	
apr_src_userid	Source User ID		x(8)	
apr_user1	Ufld1		x(8)	
apr_user2	Ufld2		x(8)	
apr__dec01			->>>, >>>, >>9.99<	10
apr__dec02			->>>, >>>, >>9.99<	10
apr__dte01			99/99/99	
apr__dte02			99/99/99	
apr__int01			->>>, >>>, >>9	
apr__int02			->>>, >>>, >>9	
apr__log01			yes/no	
apr__log02			yes/no	
apr__qadc01			x(8)	
apr__qadc02			x(8)	

◆

Accounts Payable Master

Field Name	Label	Col-Label	Format	Dec
ap_user2	Ufid2		x(8)	
ap_vend	Supplier		x(8)	
ap__qad01			x(8)	
ap__qad02			x(8)	
ap__qad03			yes/no	
◇ oid_ap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ap_batch_ref	yes	ap_domain	yes	no
		ap_batch	yes	no
		ap_ref	yes	no
Δ ap_open	yes	ap_domain	yes	no
		ap_open	yes	no
		ap_vend	yes	no
		ap_ref	yes	no
Δ* ap_type_ref	yes	ap_domain	yes	no
		ap_type	yes	no
		ap_ref	yes	no
Δ ap_unapplied	no	ap_domain	yes	no
		ap_unapplied_ref	yes	no
Δ ap_vend_date	no	ap_domain	yes	no
		ap_vend	yes	no
		ap_date	yes	no
◇ oid_ap_mstr	yes	oid_ap_mstr	yes	no

Accounts Receivable Control

Field Name	Label	Col-Label	Format	Dec
arc_auto_drft	Auto Post Drafts	Auto! Post	yes/no	
arc_auto_late_int	Auto Calculate Late Interest	Auto! Late! Int	yes/no	
arc_batch	Next Batch	Batch	99999999	
arc_coll_mthd	Collection Method	M	x(1)	
◇ arc_domain	Domain		x(8)	
arc_drft_acc	Drafts Receivable Account	Drft Rcv	x(8)	
arc_drft_cc	Drafts Receivable Cost Center	CC	x(4)	
arc_drft_max	Max Draft Amt		->>>>, >>>, >>9.99	10
arc_drft_min	Min Draft Amt		->>>>, >>>, >>9.99	10
arc_drft_sub	Drafts Receivable Sub	Sub-Acct	x(8)	
arc_ext_drft_ref	External Draft Ref Allowed	ERA	yes/no	
arc_ex_ratetype	Rate Type		x(8)	
arc_ex_tol	Exchange Tolerance		>9.99%	10
arc_gl_sum	Summarized Journal	Summ Jrnl	yes/no	
arc_jrnl	Next Journal	Journal	999999	
arc_memo	Next Memo	Memo	99999999	
arc_memo_pre	Memo Prefix	Pre	x(3)	
arc_nxt_drft	Next Draft	Draft	x(8)	
arc_nxt_pmt	Next Payment	Payment	x(8)	
arc_sum_lvl	AR Summarization Level	AR! Summ! Lvl	9	
arc_user1	Ufld1		x(8)	
arc_user2	Ufld2		x(8)	
arc_use_drft	Use Draft Management	Use! Drft	yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* arc_index1	yes	arc_domain	yes	no
$\diamond$ oid_arc_ctrl	yes	oid_arc_ctrl	yes	no

ard_det Accounts Receivable Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ard_dy	no	ard_domain	yes	no
		ard_dy_code	yes	no
		ard_dy_num	yes	no
Δ* ard_nbr	yes	ard_domain	yes	no
		ard_nbr	yes	no
		ard_ref	yes	no
		ard_type	yes	no
		ard_tax_at	yes	no
		ard_entity	yes	no
		ard_acct	yes	no
		ard_sub	yes	no
		ard_cc	yes	no
		ard_tax	yes	no
Δ ard_ref	no	ard_domain	yes	no
		ard_ref	yes	no
Δ ard_tax	no	ard_domain	yes	no
		ard_nbr	yes	no
		ard_tax_at	yes	no
◇ oid_ard_det	yes	oid_ard_det	yes	no

arsd_det

Accounts Receivable Payment Status Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* arsd_batch	yes	arsd_domain	yes	no
		arsd_batch	yes	no
		arsd_line	yes	no
		arsd_nbr	yes	no
Δ arsd_nbr	no	arsd_domain	yes	no
		arsd_nbr	yes	no
◇ oid arsd det	yes	oid arsd det	yes	no

art_mstr	Application Return Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* AppRetCode	yes	art_domain	yes	no
		art_app_id	yes	no
		art_mthd_name	yes	no
		art_return_code	yes	no
◇ oid_art_mstr	yes	oid_art_mstr	yes	no

ar_mstr	Accounts Receivable Master

Field Name	Label	Col-Label	Format	Dec
ar_acct	Account		x(8)	
ar_amt	Amount		->>>>,>>>,>>9.99	10
ar_amt_chg	Amount to Pay		->>>>,>>>,>>9.99	10
ar_applied	Applied Amt		->>>>,>>>,>>9.99	10
ar_app_owner	Owner Application		x(12)	
ar_bank	Bank		x(2)	

Field Name	Label	Col-Label	Format	Dec
ar_base_amt	Base Amt		->>>>, >>>, >>9.99	10
ar_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
ar_base_applied	Base Applied Amt		->>>>, >>>, >>9.99	10
ar_base_comm_amt[4]	Base Commission Amt		->>>>, >>>, >>9.99	10
ar_batch	Batch		x(8)	
ar_bill	Bill-To		x(8)	
ar_cc	Cost Ctr	CC	x(4)	
ar_check	Check		x(8)	
ar_cmtindx	Comment Index	Comment	>>>>>>>9	
ar_coll_mthd	Collection Method	M	x(1)	
ar_comm_amt[4]	Commission Amt	Comm Amt	->>>>, >>>, >>9.99	10
ar_comm_pct[4]	Commission	Comm%	>>9.99%	10
ar_contested	Contested	Contest	yes/no	
ar_cr_terms	Cr Terms		x(8)	
ar_curr	Currency	Cur	x(3)	
ar_cust	Sold-To		x(8)	
ar_customer_bank	Customer Bank		x(8)	
ar_customer_initiated	Customer Initiated		yes/no	
ar_date	Date		99/99/99	
ar_dd_curr	Draft Discount Currency	Draft Disc Cur	x(3)	
ar_dd_exru_seq	Sequence		>>>>>>>9	
ar_dd_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_dd_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_disc_acct	Disc Acct	Dsc Acct	x(8)	
ar_disc_cc	Disc Cost Ctr	CC	x(4)	
ar_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
ar_disc_date	Disc Date		99/99/99	
ar_disc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
◇ ar_domain	Domain		x(8)	
ar_draft	Approved	Aprvd	yes/no	
ar_draft_disc_date	Draft Discounting Date		99/99/99	
ar_draft_submit_date	Draft Submission Date		99/99/99	
ar_drft_sel	Sel		yes/no	
ar_due_date	Due Date		99/99/99	
ar_dun_level	Dun Level	Dn! Lv	>9	
ar_dy_code	Daybook		x(8)	
ar_effdate	Effective	Eff Date	99/99/99	
ar_entity	Entity	Enty	x(4)	
ar_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ar_expt_date	Expect Pay Date	Expect	99/99/99	
ar_exru_seq	Sequence		>>>>>>>9	
ar_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ar_ex_ratetype	Rate Type		x(8)	
ar_fr_terms	Freight Terms	Fr Terms	x(8)	
ar_fsm_type	FSM Type		x(8)	
ar_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ar_ldue_date	Last Due Date		99/99/99	
ar_mrgn_amt	Gr Margin		->>>>, >>>>, >>9.99	10
ar_nbr	Reference		x(18)	
ar_open	Open		yes/no	
ar_paid_date	Paid Date	Paid	99/99/99	
ar_pay_method	Payment Method	PM	x(2)	
ar_po	Remark		x(22)	
ar_prepayment	Prepayment		yes/no	
ar_print	Printed		yes/no	
ar_recon_date	Reconciliation Date		99/99/99	

 $\overline{\Delta}$

Index-Name	Uni	Field-Name	Asc	Abbr
Δ asc_fsac	no	asc_acc	yes	no
		asc_sub	yes	no
		asc_domain	yes	no
		asc_fpos	yes	no
		asc_sub	yes	no
Δ asc_fsca	no	asc_acc	yes	no
		asc_cc	yes	no
		asc_domain	yes	no
		asc_fpos	yes	no
		asc_sub	yes	no
Δ asc_ind1	no	asc_cc	yes	no
		asc_acc	yes	no
		asc_domain	yes	no
		asc_sub	yes	no
Δ* asc_index	yes	asc_cc	yes	no
		asc_acc	yes	no
		asc_domain	yes	no
		asc_sub	yes	no
Δ asc_sub	yes	asc_cc	yes	no
		asc_acc	yes	no
		asc_domain	yes	no
		asc_sub	yes	no
◇ oid_asc_mstr	yes	oid_asc_mstr	yes	no

ast_mstr Asset Master

Field Name	Label	Col-Label	Format	Dec
ast_acct	Asset Account	Asset! Account	x(8)	
ast_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
ast_ac_cc	Cost Center	CC	x(4)	
ast_ac_proj	Project		x(8)	
ast_ac_sub	Sub-Account	Sub-Acct	x(8)	
ast_asset	Asset		x(12)	
ast_at_risk	At-Risk Basis		->>, >>>, >>>, >>9.99<	10
ast_cc	Cost Center	CC	x(4)	
ast_class	Class	Cls	x(3)	
ast_cust	Custodian		x(12)	
ast_date	Depreciation Start Date	Start! Date	99/99/99	
ast_desc	Description		x(24)	
ast_entity	Entity	Enty	x(4)	
ast_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
ast_exp_cc	Cost Center	CC	x(4)	
ast_exp_proj	Project		x(8)	
ast_exp_sub	Sub-Account	Sub-Acct	x(8)	
ast_fa_loc	Fixed Asset Location	Loc	x(4)	
ast_ins_co	Insurance Company		x(24)	
ast_ins_date	Insurance Date	Ins Date	99/99/9999	
ast_ins_nbr	Insurance Policy	Ins Policy	x(12)	
ast_ins_value	Insurance Value		->>, >>>, >>>, >>9.99<	10
ast_inv_nbr	Inventory Number		x(18)	

◆

*

Index-Name	Uni	Field-Name	Asc	Abbr
		atap_begin_date	no	no
◇ atap_table_name	yes	atap_table_name	yes	no
		atap_begin_date	no	no
◇ oid_atap_mstr	yes	oid_atap_mstr	yes	no

◇ **atc_ctrl** Audit Trail Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* atc_index1	yes	atc_index1	yes	no
◇ oid_atc_ctrl	yes	oid_atc_ctrl	yes	no

◇ **atdc_mstr** Audit Trail Database Connection Master

Field Name	Label	Col-Label	Format	Dec
atdc_begin_date	Begin Date		99/99/99	
atdc_desc	Description		x(24)	
atdc_dir	Database Directory		X(50)	
atdc_end_date	End Date		99/99/99	
atdc_host	Host		X(24)	
atdc_mod_date	Modified Date	Mod Date	99/99/99	
atdc_mod_userid	User ID		x(8)	
atdc_name	Database Name	DB Name	x(8)	
atdc_network	Network		x(8)	
atdc_online	Database Online	Online	yes/no	
atdc_parmfile	Parameter File	ParmFile	x(32)	
atdc_phy_name	Physical Database Name	Phys DB Name	x(32)	
atdc_server	Server		x(24)	
atdc_type	Type		X(8)	
atdc_user1	User Field Character 1		x(24)	
atdc_user2	User Field Character 2		x(24)	
atdc__qadc01			x(24)	
atdc__qadc02			x(24)	
oid_atdc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* atdc_begin_date	yes	atdc_begin_date	no	no
◇ atdc_name	yes	atdc_name	yes	no
◇ oid_atdc_mstr	yes	oid_atdc_mstr	yes	no

atd_mstr Accounting Transaction Description Master

	Field Name	Label	Col-Label	Format	Dec
	atd_code	Accounting Transaction Code	Code	x(8)	
	atd_desc	Description		x(24)	
◇	atd_domain	Domain		x(8)	
	atd_group	Group		x(2)	
	atd_mod_date	Modified Date	Mod Date	99/99/99	
	atd_mod_userid	User ID		x(8)	
	atd_user1	User Field Character 1		x(24)	
	atd_user2	User Field Character 2		x(24)	
	atd__qadc01			x(24)	
	atd__qadc02			x(24)	
◇	oid_atd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* atd_code	yes	atd_domain	yes	no
		atd_code	yes	no
◇ oid_atd_mstr	yes	oid_atd_mstr	yes	no

◇ **aterr_mstr** Audit Trail Error Master

Field Name	Label	Col-Label	Format	Dec
aterr_date	Date		99/99/99	
aterr_event_type	Event Type		X(2)	
aterr_field_data	Packed Field Data		X(3000)	
aterr_pgmi_exec	Program Name		x(14)	
aterr_record_order			>9	
aterr_source	Source		X(2)	
aterr_status	Status		X(2)	
aterr_table_name			x(32)	
aterr_time	Time		>>>>9	
aterr_timezone	Time Zone		X(8)	
aterr_userid	User ID		x(8)	
aterr_user_name	User Name		x(35)	
aterr__qadc01			x(24)	
aterr__qadc02			x(24)	

Field Name	Label	Col-Label	Format	Dec
oid_atap_mstr			>>>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
oid_aterr_first_record			>>>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
oid_aterr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	
oid_errecord			>>>>>>>>>>>>>>>>>>>>>>>>	9 10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ atterr_oid_atterr_fi	yes	oid_atterr_first_record	yes	no
		atterr_record_order	yes	no
◇* atterr_time	no	atterr_status	yes	no
		atterr_date	yes	no
		atterr_time	yes	no
◇ oid_atterr_mstr	yes	oid_atterr_mstr	yes	no

◇ **atgt_ref** Audit Trail Group – Table Cross-Reference

Field Name	Label	Col-Label	Format	Dec
atgt_mod_date	Modified Date	Mod Date	99/99/99	
atgt_mod_userid	User ID		x(8)	
atgt_user1	User Field Character 1		x(24)	
atgt_user2	User Field Character 2		x(24)	
atgt__qadc01			x(24)	
atgt__qadc02			x(24)	
oid_atgt_ref			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_atg_mstr			.9<<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◊* atgt_oid_atgt_mstr	yes	oid_atgt_mstr	yes	no
		oid_att_mstr	yes	no
◊ atgt_oid_att_mstr	yes	oid_att_mstr	yes	no
		oid_atgt_mstr	yes	no
◊ oid_atgt_ref	yes	oid_atgt_ref	yes	no

◇ **atg_mstr** Audit Trail Group Master

Field Name	Label	Col-Label	Format	Dec
atg_group_desc	Description		X(24)	
atg_group_name	Group Name	Group	X(8)	
atg_group_type	Group Type	Type	X(2)	
atg_mod_date	Modified Date	Mod Date	99/99/99	
atg_mod_userid	User ID		x(8)	
atg_origin	Origin		X(2)	
atg_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
atg_user2	User Field Character 2		x(24)	
atg__qadc01			x(24)	
atg__qadc02			x(24)	
oid_atg_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
∅* atg_type_name	yes	atg_group_type	yes	no
		atg_group_name	yes	no
∅ oid_atg_mstr	yes	oid_atg_mstr	yes	no

atp_det

Available-to-Promise Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ atp_id_num	yes	atp_domain	yes	no
		atp_id_num	yes	no
Δ^* atp_part	yes	atp_domain	yes	no
		atp_part	yes	no
		atp_site	yes	no
		atp_date	yes	no
		atp_id_num	yes	no
$\diamond$ oid_atp_det	yes	oid_atp_det	yes	no

◇ **attmp_mstr** Audit Trail Temporary Master

Field Name	Label	Col-Label	Format	Dec
attmp_date	Date		99/99/99	
attmp_event_type	Event Type		X(2)	
attmp_field_data	Packed Field Data		X(3000)	
attmp_pgmi_exec	Program Name		x(14)	
attmp_record_order			>9	
attmp_source	Source		X(2)	
attmp_table_name			x(32)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ attmp_oid_attmp_fi	yes	oid_attmp_first_record	yes	no
◇* attmp_time	no	attmp_record_order	yes	no
		attmp_date	yes	no
		attmp_time	yes	no
◇ oid_attmp_mstr	yes	oid_attmp_mstr	yes	no

att_mstr

Field Name	Label	Col-Label	Format	Dec
att_audit_enabled	Audit Trail Enabled	Enabled	yes/no	
att_mod_date	Modified Date	Mod Date	99/99/99	
att_mod_userid	User ID		x(8)	
att_table_name	Table Name		X(32)	
att_user1	User Field Character 1		x(24)	
att_user2	User Field Character 2		x(24)	
att__qadc01			x(24)	
att__qadc02			x(24)	
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ att_audit_enabled	yes	att_audit_enabled	yes	no
		att_table_name	yes	no
◇* att_table_name	yes	att_table_name	yes	no
◇ oid_att_mstr	yes	oid_att_mstr	yes	no

Field Name	Label	Col-Label	Format	Dec
atwk_field_name	Field Name		X(32)	
atwk_key_type	Key Type	Key	X(2)	
atwk_mod_date	Modified Date	Mod Date	99/99/99	
atwk_mod_userid	User ID		x(8)	
atwk_user1	User Field Character 1		x(24)	
atwk_user2	User Field Character 2		x(24)	
atwk__qadc01			x(24)	
atwk__qadc02			x(24)	
oid_atwk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
oid_atwp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* atwk_oid_atwp_mstr	yes	oid_atwp_mstr	yes	no
		atwk_field_name	yes	no
◇ oid_atwk_det	yes	oid_atwk_det	yes	no

◆

Field Name	Label	Col-Label	Format	Dec
atwp_all_fields	Audit All Fields	All	yes/no	
atwp_audit_active	Audit Trail Active	Active	yes/no	
atwp_collection	Collection		X(16)	
atwp_filter_criteria	Filter Criteria		X(1024)	
atwp_mod_date	Modified Date	Mod Date	99/99/99	
atwp_mod_userid	User ID		x(8)	
atwp_profile_type	Profile Type	Type	X(2)	

Field Name	Label	Col-Label	Format	Dec
atwp_user1	User Field Character 1		x(24)	
atwp_user2	User Field Character 2		x(24)	
atwp__qadc01			x(24)	
atwp__qadc02			x(24)	
oid_att_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
oid_atwp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* atwp_oid_att_mstr	yes	atwp_profile_type	yes	no
		atwp_collection	yes	no
		oid_att_mstr	yes	no
◇ oid_atwp_mstr	yes	oid_atwp_mstr	yes	no

aud det

Audit Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ aud_dataset	yes	aud_domain	yes	no
		aud_dataset	yes	no
		aud_key1	yes	no
		aud_key2	yes	no
		aud_key3	yes	no
		aud_key4	yes	no
		aud_key5	yes	no
		aud_key6	yes	no
		aud_key7	yes	no
		aud_date	yes	no

ba_mstr

Batch Master

Batch Masterba_mstr

Batch Control Detail

Batch Control Detail

```
◇ oid_bcd_det >>>>>>>>>>>>>>>>>>>>>9 10  
              .9<<<<<<<<
```

oid_bcd_det	yes	oid_bcd_det	yes	no
◇				

Batch Control Master

```
◇ oid_bc_mstr >>>>>>>>>>>>>>>>>>>>>>>>>9 10  
          .9<<<<<<<<<
```

◇ oid_bc_mstr	yes	oid_bc_mstr	yes	no

Batch Data Load Detail

bdld_domain	Domain	x(8)
bdld_id	Group Id	>>>>>>9
bdld_line	Line Number	>>>9
bdld_source	Source	x(16)

	Field Name	Label	Col-Label	Format	Dec
	bdlid_user1	Ufid1		x(8)	
	bdlid_user2	Ufid2		x(8)	
	bdlid__qadc01			x(8)	
◇	oid_bdlid_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* bdd_id	yes	bdd_domain	yes	no
		bdd_source	yes	no
		bdd_id	yes	no
		bdd_line	yes	no
$\diamond$ oid_bdd_det	yes	oid_bdd_det	yes	no

bdl_mstr

Batch Data Load Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* bdl_id	yes	bdl_domain	yes	no
		bdl_source	yes	no
		bdl_id	yes	no
$\diamond$ oid_bdl_mstr	yes	oid_bdl_mstr	yes	no

bdp_det

Bank Driver Payment Detail

Field Name	Label	Col-Label	Format	Dec
bdp_addr	Customer/Supplier		x(8)	
bdp_bank	Bank		x(2)	
bdp_character	Character		x(48)	
bdp_date	Date		99/99/99	
bdp_decimal	Decimal		->,>>>,>>>,>>9.99<	10
◇ bdp_domain	Domain		x(8)	
bdp_integer	Integer		->,>>>,>>9	

◆

Budget Detail

Field Name	Label	Col-Label	Format	Dec
bgd_user2	UfId2		x(8)	
bgd_userid	User ID		x(8)	
bgd_year	Year		9999	
bgd__qadc01			x(8)	
oid_bgd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ bgd_ind1	no	bgd_domain	yes	no
		bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
Δ* bgd_index	yes	bgd_domain	yes	no
		bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_fpos	yes	no
		bgd_project	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
Δ bgd_period	no	bgd_domain	yes	no
		bgd_year	yes	no
		bgd_per	yes	no
		bgd_code	yes	no
		bgd_entity	yes	no
		bgd_acc	yes	no
		bgd_sub	yes	no
		bgd_cc	yes	no
		bgd_project	yes	no
◇ oid_bgd_det	yes	oid_bgd_det	yes	no

bg_mstr

Budget Master

Field Name	Label	Col-Label	Format	Dec
bg_acc	Account		x(8)	
bg_budg_acc	Base Account	Base! Acct	x(8)	
bg_budg_cc	Base Cost Center	Base! CC	x(4)	
bg_budg_fpos	Base Fmt Pos	Base! Fmt	>>>>9	
bg_budg_sub	Base Sub-Account	Base! Sub-Acct	x(8)	
bg_cc	Cost Ctr	CC	x(4)	
bg_code	Budget Code	Budget	x(8)	
bg_domain	Domain		x(8)	
bg_entity	Entity	Enty	x(4)	
bg_fpos	Format Position	Format	>>>>9	
bg_project	Project		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	bg_sub	Sub-Account	Sub-Acct	x(8)	
	bg_user1	Ufid1		x(8)	
	bg_user2	Ufid2		x(8)	
	bg__qadc01			x(8)	
◇	oid_bg_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	bg_ind1	no	bg_domain	yes	no
			bg_code	yes	no
			bg_fpos	yes	no
			bg_entity	yes	no
Δ*	bg_index	yes	bg_domain	yes	no
			bg_code	yes	no
			bg_entity	yes	no
			bg_acc	yes	no
			bg_sub	yes	no
			bg_cc	yes	no
			bg_fpos	yes	no
			bg_project	yes	no
◇	oid_bg_mstr	yes	oid_bg_mstr	yes	no

bic_ctrl

Service/Support Contract Billing Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* bic_index1	yes	bic_domain	yes	no
$\diamond$ oid_bic_ctrl	yes	oid_bic_ctrl	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		bkad_curr	yes	no
		bkad_payment_nbr	yes	no
		bkad_amt_chg	yes	no
Δ bkad_ref	no	bkad_domain	yes	no
		bkad_processed	yes	no
		bkad_module	yes	no
		bkad_ref	yes	no
◇ oid_bkad_det	yes	oid_bkad_det	yes	no

Payment Method Detail

[illegible]

Δ^* bkd_bank	yes	bkd_domain	yes	no
		bkd_bank	yes	no
		bkd_pay_method	yes	no
		bkd_module	yes	no
$\diamond$ oid bkd det	yes	oid bkd det	yes	no

bkfm mstr

Bank Account Format Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Ab
*	bkfm_val_seq	yes	bkfm_validation	yes	no
			bkfm_sequence	yes	no
◇	oid bkfm mstr	yes	oid bkfm mstr	yes	no

bkpd_det

Payment Selection Detail

Field Name	Label	Col-Label	Format	Dec
bkpd_addr	Customer/Supplier		x(8)	
bkpd_amt	Amount		->>, >>>, >>>, >>9.99<	10
bkpd_bank	Bank		x(2)	
bkpd_bk_acct	Bank Account		x(35)	
bkpd_cs_bank	Customer/Supplier Bank		x(8)	
bkpd_curr	Currency		x(3)	
bkpd_domain	Domain		x(8)	
bkpd_due_date	Due Date		99/99/99	
bkpd_full_bk_acct	Full Bank Account		x(35)	
bkpd_module	Module		x(2)	
bkpd_mod_date	Modified Date	Mod Date	99/99/99	
bkpd_mod_userid	User ID		x(8)	
bkpd_nbr	Payment Reference		x(16)	
bkpd_payment_nbr	Payment Number		>>>, >>9	
bkpd_pay_method	Payment Method		x(2)	
bkpd_processed	Processed		yes/no	
bkpd_ref	Reference		x(8)	

◆

bkpm_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* bkpm_bank	yes	bkpm_domain	yes	no
		bkpm_bank	yes	no
		bkpm_pay_method	yes	no
		bkpm_module	yes	no
		bkpm_seq	yes	no
Δ bkpm_module	no	bkpm_domain	yes	no
		bkpm_module	yes	no
		bkpm_batch	yes	no
Δ bkpm_processed	no	bkpm_domain	yes	no
		bkpm_processed	yes	no
		bkpm_bank	yes	no
		bkpm_pay_method	yes	no
		bkpm_module	yes	no
◇ oid_bkpm_mstr	yes	bkpm_seq	yes	no
		oid_bkpm_mstr	yes	no

bk_mstr

Bank Master

Field Name	Label	Col-Label	Format	Dec
bk_acct	Cash Account	Cash Acct	x(8)	
bk_bkchg_acct	Bank Charges Acct	Bank! Chg Acct	x(8)	
bk_bkchg_cc		CC	x(4)	
bk_bkchg_sub	Bank Charges Sub-Acct	Sub-Acct	x(8)	
bk_bktx_acct	Bank Taxes Acct	Bank! Tax Acct	x(8)	
bk_bktx_cc		CC	x(4)	
bk_bktx_sub	Bank Taxes Sub-Acct	Sub-Acct	x(8)	
bk_bk_acct1	Bank Acct 1		x(35)	
bk_bk_acct2	Bank Acct 2		x(35)	
bk_cc	Cash Cost Ctr	CC	x(4)	
bk_cdft_acct	Cashed Drafts Acct	Cashed! Dft Acct	x(8)	
bk_cdft_cc		CC	x(4)	
bk_cdft_sub	Cashed Drafts Sub-Acct	Sub-Acct	x(8)	
bk_check	Next Check	Check	99999999	
bk_code	Bank	Bk	x(2)	
bk_curr	Currency	Cur	x(3)	
bk_ddft_acct	Disc Drafts Acct	Disc! Dft Acct	x(8)	
bk_ddft_cc		CC	x(4)	
bk_ddft_sub	Disc Drafts Sub-Acct	Sub-Acct	x(8)	
bk_desc	Description		x(40)	
bk_dftap_acct	Drafts Payable Acct	Drafts! Pay Acct	x(8)	
bk_dftap_cc		CC	x(4)	
bk_dftap_sub	Drafts Payable Sub	Sub-Acct	x(8)	
bk_dftar_acct	Draft Rec Acct	Draft! Rec Acct	x(8)	
bk_dftar_cc		CC	x(4)	
bk_dftar_sub	Draft Rec Sub-Acct	Sub-Acct	x(8)	
bk_disc_acct	Disc Charges Acct	Disc! Chg Acct	x(8)	
bk_disc_cc		CC	x(4)	
bk_disc_sub	Disc Charges Sub-Acct	Sub-Acct	x(8)	
◇ bk_domain	Domain		x(8)	
bk_drft_chg	Draft Charge Amount		->>, >>>, >>>, >>9.99	10
bk_drft_chg_pct	Draft Charge Percent		->9.9999%	10
bk_edft_acct	Endorsed Drafts Acct	Endorsed! Dft Acct	x(8)	
bk_edft_cc		CC	x(4)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* bk_code	yes	bk_domain	yes	no
		bk_code	yes	no
Δ bk_curr	no	bk_domain	yes	no
		bk_curr	yes	no
		bk_code	yes	no
Δ bk_desc	yes	bk_domain	yes	no
		bk_desc	yes	no
		bk_code	yes	no
◇ oid bk_mstr	yes	oid bk_mstr	yes	no

bl_ctrl

Master Bill of Lading Control

	Field Name	Label	Col-Label	Format	Dec
◇	bl_domain	Domain		x(8)	
	bl_master_id	Next Master Bill ID		x(8)	
	bl_user1		Ufld1	x(8)	
	bl_user2		Ufld2	x(8)	
	bl__qadc01			x(8)	
◇	oid_bl_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* bl_master	yes	bl_domain	yes	no
		bl_master_id	yes	no
◇ oid_bl_ctrl	yes	oid_bl_ctrl	yes	no

bom_mstr Product Structure (Bill of Material) Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ bom_fsm_type	no	bom_domain	yes	no
		bom_fsm_type	yes	no
		bom_parent	yes	no
Δ^* bom_parent	yes	bom_domain	yes	no
		bom_parent	yes	no
$\diamond$ oid_bom_mstr	yes	oid_bom_mstr	yes	no

btb_det

Enterprise Material Transfer Primary Business Unit Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* btb_so	yes	btb_domain	yes	no
		btb_so	yes	no
		btb_sod_line	yes	no
◇ oid_btb_det	yes	oid_btb_det	yes	no

cac_ctrl

Service/Support Call Master Control

Field Name	Label	Col-Label	Format	Dec
cac_domain	Domain		x(8)	
cac_ex_ratetype	Rate Type		x(8)	
cac_mod_date	Modified Date	Mod Date	99/99/99	
cac_mod_userid	User ID		X(8)	
cac_nbr	Next Call Id		99999999	
cac_quote	Next Quote Id		99999999	
cac_quote_days	Days Until Expire		->,>>>,>>9	
cac_quote_pre	Quote Prefix		x(3)	
cac_quote_que	Default Quote Queue		x(8)	
cac_upd_isb	Calls Update ISB	Update ISB	yes/no	
cac_user1	Ufid1		x(8)	
cac_user2	Ufid2		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cac_index1	yes	cac_domain	yes	no
$\diamond$ oid_cac_ctrl	yes	oid_cac_ctrl	yes	no

Service/Support Call History

Field Name	Label	Col-Label	Format	Dec
cah_area	Area		x(8)	
cah_assign	Assigned		x(8)	0
cah_billed	Billed		yes/no	
cah_category	Category		x(8)	0
cah_cmmt_mod	Comments Modified	Cmt	yes/no	
cah_cmtindx	Index		>>>>>>9	
cah_code			x(8)	
cah_contract	Contract		x(8)	
cah_date_stmp	Date		99/99/99	
cah_desc	Description		x(60)	
cah_domain	Domain		x(8)	
cah_eng_area	Engineer Area		x(8)	
cah_eng_group	Group		x(8)	
cah_enter_by	Entered by		x(8)	
cah_escalate	Escalate	Esc	x(2)	
cah_es_nbr	Escalation	Esc	x(8)	0
cah_es_seq	Sequence	Seq	>>9	
cah_eu_date	End User Date		99/99/99	
cah_eu_nbr	End User		x(8)	
cah_eu_time	End User Time		99:99	
cah_evt_date	Event Date	Evt Date	99/99/99	
cah_evt_time	Event Time	Time	99:99	
cah_from_que	From Que	Fr Que	x(8)	
cah_int_type	Work Code	WK Code	x(8)	
cah_name	Caller Name	Name	x(24)	
cah_nbr	Call Id		x(8)	
cah_nxt_act	Next Status	Nxt Sts	x(8)	
cah_nxt_date	Next Status Date	Nxt Date	99/99/99	
cah_nxt_time	Next Status Time	Time	99:99	
cah_opn_date	Open Date		99/99/99	
cah_part	Part No		x(18)	
cah_phone	Phone		x(16)	
cah_pri	Priority	Pri	>>>9	
cah_problem	Prob/Skill	Prob	x(8)	
cah_que	Queue		x(8)	0
cah_ref	ISB Ref		>>>>>9	
cah_resolve	Resolution		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cah_nbr	yes	cah_domain	yes	no
		cah_nbr	yes	no
		cah_opn_date	yes	no
		cah_seq	yes	no
Δ cah_part	no	cah_domain	yes	no
		cah_part	yes	no
◇ oid_cah_hist	yes	oid_cah_hist	yes	no

Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cal_det	yes	cal_domain	yes	no
		cal_site	yes	no
		cal_wkctr	yes	no
		cal_mch	yes	no
		cal_ref	yes	no
		cal_start	yes	no
$\diamond$ oid_cal_det	yes	oid_cal_det	yes	no

caq_mstr

Service/Support Call Queue Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* caq_que	yes	caq_domain	yes	no
		caq_que	yes	no
		caq_file_type	yes	no
$\diamond$ oid_caq_mstr	yes	oid_caq_mstr	yes	no

cas_mstr

Service/Support Call Status Master

Field Name	Label	Col-Label	Format	Dec
cas_desc	Description		x(24)	
cas_domain	Domain		x(8)	
cas_field	Field	Fld	yes/no	
cas_file_type			x(3)	
cas_hold	Hold		yes/no	
cas_id	Status ID	Sts Id	>>9	
cas_mod_date	Modified Date	Mod Date	99/99/99	
cas_mod_userid	User ID		X(8)	
cas_nxt_que	Next Queue		x(8)	
cas_nxt_stat	Next Status	Nxt Sts	x(8)	
cas_prog	Program To Invoke	Program	x(12)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cas_id	yes	cas_domain	yes	no
		cas_id	yes	no
		cas_file_type	yes	no
Δ* cas_status	yes	cas_domain	yes	no
		cas_status	yes	no
		cas_file_type	yes	no
◇ oid_cas_mstr	yes	oid_cas_mstr	yes	no

ca mstr

Service/Support Call Master

Field Name	Label	Col-Label	Format	Dec
ca_3rd_party	Third Party Service		yes/no	
ca_3rd_party_id	Third Party ID		x(12)	
ca_ack_cmtindx			>>>>>>>>>9	
ca_ack_letter	Send Ack Letter		yes/no	
ca_activity	Activity		yes/no	
ca_area	Area		x(8)	
ca_assign	Assigned		x(8)	0
ca_bill	Bill-To		x(8)	
ca_billed	Billed		yes/no	
ca_category	Category		x(8)	
ca_channel	Channel		X(8)	0
ca_cline	Contract Line		>>>>>>>9	
ca_cls_date	Date Closed		99/99/99	
ca_cls_time	Close Time		99:99	
ca_cmmt_mod	Comments Modified	Cmt	yes/no	
ca_cmtindx	Index		>>>>>>>9	
ca_code			x(8)	
ca_comp_date	Complete Date		99/99/99	

Field Name	Label	Col-Label	Format	Dec
ca_comp_time	Complete Time		99:99	
ca_contract	Contract		x(8)	
ca_created	Created	Cr	x(1)	0
ca_cr_terms	Terms		x(8)	
ca_curr	Currency	Cur	x(3)	
ca_customer	Customer		X(8)	
ca_date_stmp	Date		99/99/99	
ca_def_ws	Default Worksheet		x(8)	
ca_desc	Description		x(60)	
ca_domain	Domain		x(8)	
ca_ecmtindx			>>>>>>9	
ca_end_date	End Date		99/99/99	
ca_eng_area	Engineer Area	Eng Area	x(8)	
ca_eng_group	Engineer Group		x(8)	
ca_enter_by	Entered by		x(8)	
ca_ent_ex	Exch Rate		>>, >>9.99999<<<	10
ca_est_time	Estimated Length		999:99	
ca_es_nbr	Escalation	Esc	x(8)	
ca_es_seq	Sequence	Seq	>>9	
ca_eu_changed	End User Changed		yes/no	
ca_eu_date	End User Date		99/99/99	
ca_eu_nbr	End User		x(8)	
ca_eu_time	End User Time		99:99	
ca_evt_date	Event Date	Evt Date	99/99/99	
ca_evt_tim	Event Time	Evt Time	>>>>>>9	
ca_evt_time	Event Time	Evt Time	99:99	
ca_exru_seq	Sequence		>>>>>>>9	
ca_ex_rate	Exch Rate		>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_rate2	Exch Rate 2		>>>, >>>, >>9.9<<<<<<<<<	10
ca_ex_ratetype	Rate Type		x(8)	
ca_fix_rate	Fixed Rate	Fixed	yes/no	
ca_fn_nbr	Field Notification		x(8)	
ca_from_que	From Que	Fr Que	x(8)	
ca_inc_stats	Include in Stats		yes/no	
ca_int_type	Work Code	WK Code	x(8)	
ca_inv_draft			yes/no	
ca_lang	Language		x(2)	
ca_mod_date	Modified Date	Mod Date	99/99/99	
ca_mod_userid	User ID		X(8)	
ca_name	Caller		x(24)	
ca_nbr	Call ID		x(8)	
ca_nxt_act	Next Status	Nxt Sts	x(8)	0
ca_nxt_date	Next Status Date	Nxt Date	99/99/99	
ca_nxt_tim	Next Status Time	Nxt Time	>>>>>>>9	
ca_nxt_time	Next Status Time	Time	99:99	
ca_opn_date	Call Date	CL Date	99/99/99	
ca_opn_time	Time Opened	Tm Open	x(8)	
ca_part	Item Number		x(18)	
ca_phone	Phone		x(20)	
ca_po_nbr	PO		x(22)	
ca_pri	Priority	Pri	>>>9	
ca_printed	Call Printed		yes/no	
ca_prj_nbr	Project		x(8)	
ca_problem	Prob/Skill	Prob	x(8)	
ca_pr_list	Price List		x(8)	0
ca_qo_cmtindx			>>>>>>>>9	
ca_que	Queue		x(8)	

Field Name	Label	Col-Label	Format	Dec
ca_quote	Quote Required		yes/no	
ca_quote_exp	Expire		99/99/99	
ca_quote_nbr	Quote Number	Quote	X(8)	
ca_quote_price	Quote Price		>>>>,>>>,>>9.99<<<	10
ca_rc_site	Repair Center Site		x(8)	
ca_recorded			yes/no	
ca_ref	Ref		>>>>>>9	
ca_repair_ctr			yes/no	
ca_resolve	Resolution		x(8)	0
ca_resolve_desc	Resolution		x(68)	0
ca_res_cmtidx			>>>>>9	
ca_rev	Rev Level	Rev	x(10)	
ca_rma_nbr	RMA		x(8)	
ca_rp_bom	Bill of Material		x(18)	
ca_rp_route	Routing		x(18)	
ca_rrc_nbr	Repair Sequence		X(8)	0
ca_rrc_seq	Repair Step		>>9	
ca_schedule_ca	Schedule		yes/no	
ca_seq	Sequence	Seq	>>>>>>9	
ca_serial	Serial		x(18)	
ca_severity	Severity		x(8)	
ca_ship_to	Ship To		x(8)	
ca_site	Site		x(8)	
ca_snt_date			99/99/99	
ca_snt_time			->,>>>,>>9	
ca_so_nbr	So No		x(8)	
ca_sq_nbr	Sale Quote		x(8)	
ca_sr	Update SR		x(8)	
ca_start_date	Start Date		99/99/99	
ca_status	Status		x(8)	
ca_suspended	Suspended		yes/no	
ca_svc_type			x(1)	
ca_sv_code	Service Type	Svc Type	x(8)	
ca_taxable	Taxable	Tax	yes/no	
ca_taxc	Tax Class	TxC	x(3)	
ca_tax_date	Tax Date		99/99/99	
ca_tax_env	Tax Environment	Tax Env	X(16)	
ca_tax_pct			->>9.99%	10
ca_tax_usage	Tax Usage	TaxUsage	X(8)	
ca_time_log	Time Spent		>>9.99	10
ca_time_stmp	Time		99:99	
ca_to_que	To Queue	Queue	x(8)	
ca_trv_dist	Travel Dist	Trvl Dst	->,>>>,>>9	
ca_trv_time	Travel Time		999:99	0
ca_trv_um	Travel UM	UM	x(2)	
ca_type	Type		x(8)	
ca_upd_isb	Update ISB		yes/no	
ca_user1	Ufld1		x(8)	
ca_user2	Ufld2		x(8)	
ca_waiting_parts	Awaiting Items		yes/no	
ca__chr01			x(8)	
ca__chr02			x(8)	
ca__chr03			x(8)	
ca__chr04			x(8)	
ca__chr05			x(8)	
ca__chr06			x(8)	
ca__chr07			x(8)	

 $\overline{\Delta}$

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ca_nbr_only	no	ca_domain	yes	no
		ca_nbr	yes	no
Δ ca_nxt_date	no	ca_domain	yes	no
		ca_category	yes	no
		ca_nxt_date	yes	no
		ca_nxt_tim	yes	no
Δ ca_part	no	ca_domain	yes	no
		ca_part	yes	no
Δ ca_que	no	ca_domain	yes	no
		ca_category	yes	no
		ca_que	yes	no
		ca_pri	yes	no
Δ ca_serial	no	ca_domain	yes	no
		ca_serial	yes	no
		ca_ref	yes	no
Δ ca_sr	no	ca_domain	yes	no
		ca_sr	yes	no
◇ oid_ca_mstr	yes	oid_ca_mstr	yes	no

cb_mstr

Cash Book Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cb_batch	yes	cb_domain	yes	no
		cb_batch	yes	no
		cb_line	yes	no
$\diamond$ oid_cb_mstr	yes	oid_cb_mstr	yes	no

Credit Card Control

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ccc_index1	yes	ccc_domain	yes	no
$\diamond$ oid_ccc_ctrl	yes	oid_ccc_ctrl	yes	no

Cost Center/Account Validation Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccd1_index	yes	ccd1_cc ccd1_line	yes yes	no no
◇	oid_ccd1_det	yes	oid_ccd1_det	yes	no

Cost Center/Sub-Account Validation Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
*	ccd2_index	yes	ccd2_cc	yes	no
			ccd2_line	yes	no
◇	oid_ccd2_det	yes	oid_ccd2_det	yes	no

Service/Support Call Fault Code Master

	Field Name	Label	Col-Label	Format	Dec
	ccd__qadc02	QAD Character Field 2		X(8)	
	ccd__qadc03	QAD Character Field 3		X(8)	
	ccd__qadc04	QAD Character Field 4		X(8)	
◇	oid_ccd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ccd_ca_nbr	yes	ccd_domain	yes	no
		ccd_ca_nbr	yes	no
		ccd_opn_date	yes	no
		ccd_itm_line	yes	no
		ccd_part	yes	no
		ccd_line	yes	no
Δ ccd_part	no	ccd_domain	yes	no
		ccd_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
Δ ccd_sys_part	no	ccd_domain	yes	no
		ccd_sys_part	yes	no
		ccd_date	yes	no
		ccd_problem	yes	no
◇ oid_ccd_mstr	yes	oid_ccd_mstr	yes	no

cclscd_det Ship-To/Container Price List Detail[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* cclscd_shipto	yes	cclscd_domain	yes	no
		cclscd_shipto	yes	no
		cclscd_part	yes	no
		cclscd_curr	yes	no
		cclscd_start	yes	no
◇ oid_cclscd_det	yes	oid_cclscd_det	yes	no

cclsc_mstr

	Field Name	Label	Col-Label	Format	Dec
	cclsc_charge_type	Charge Type	Charge! Type	x(8)	
	cclsc_curr	Currency	Cur	x(3)	
◇	cclsc_domain	Domain		x(8)	
	cclsc_mod_date	Modified Date	Mod Date	99/99/99	
	cclsc_mod_userid	User ID		x(8)	
	cclsc_part	Container		x(18)	
	cclsc_shipto	Ship-To/Dock		x(8)	
	cclsc_userc01	User Field Character 1		x(24)	
	cclsc_userc02	User Field Character 2		x(24)	
	cclsc__qadc01			x(24)	
	cclsc__qadc02			x(24)	
◇	oid_cclsc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cclsc_shipto	yes	cclsc_domain	yes	no
		cclsc_shipto	yes	no
		cclsc_part	yes	no
		cclsc_curr	yes	no
◇ oid_cclsc_mstr	yes	oid_cclsc_mstr	yes	no

ccls_mstr

Field Name	Label	Col-Label	Format	Dec
ccls_cc_asn	Include Container Charges on ASN		yes/no	
ccls_cc_invoice	Include Container Charges on Invoice		yes/no	
ccls_charge_type	Line Charge Calculation Type		x(8)	
◇ ccls_domain	Domain		x(8)	
ccls_edit_lc_shipper	Edit Line Charges on Shipper		yes/no	
ccls_lc_asn	Include Line Charges on ASN		yes/no	
ccls_lc_invoice	Include Line Charges on Invoice		yes/no	
ccls_mod_date	Modified Date	Mod Date	99/99/99	
ccls_mod_userid	User ID		x(8)	
ccls_shipfrom	Ship-From		x(8)	
ccls_shipto	Ship-To/Dock		x(8)	
ccls_userc01	User Field Character 1		x(24)	
ccls_userc02	User Field Character 2		x(24)	
ccls__qadc01			x(24)	
ccls__qadc02			x(24)	
◇ oid_ccls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ccls_shipfrom	yes	ccls_domain	yes	no
		ccls_shipfrom	yes	no
		ccls_shipto	yes	no
$\diamond$ oid_ccls_mstr	yes	oid_ccls_mstr	yes	no

ccl_ctrl

Container/Line Charge Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ccl_index1	yes	ccl_domain	yes	no
$\diamond$ oid_ccl_ctrl	yes	oid_ccl_ctrl	yes	no

cctr_hist

Credit Card Transaction History

Field Name	Label	Col-Label	Format	Dec
cctr_action_code	Action Code	Action	x(3)	
cctr_amt	Authorized Amount	Auth Amt	->>>>, >>>, >>9.99<	10
cctr_auth_code	Authorization Code	Auth Code	x(8)	
cctr_auth_expire_date	Expire Date	Expire	99/99/99	
cctr_auth_nbr	Authorization Number		x(20)	
cctr_aux_msg	Auxiliary Message		x(60)	
cctr_avs_code	AVS Code		x(4)	
cctr_cc_nbr	Credit Card Number		x(24)	
cctr_cust_txn	Customer Trans ID		x(20)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cctr_auth_nbr	no	cctr_domain	yes	no
		cctr_auth_nbr	yes	no
		cctr_tx_date	yes	no
Δ cctr_date_time	no	cctr_domain	yes	no
		cctr_tx_date	yes	no
		cctr_tx_time	yes	no
Δ cctr_inv_nbr	no	cctr_domain	yes	no
		cctr_inv_nbr	yes	no
Δ cctr_nbr	no	cctr_domain	yes	no
		cctr_nbr	yes	no
		cctr_tx_date	yes	no
Δ* cctr_trnbr	yes	cctr_domain	yes	no
		cctr_trnbr	yes	no
◇ oid_cctr_hist	yes	oid_cctr_hist	yes	no

cct mstr	Container Charge Type Master

Field Name	Label	Col-Label	Format	Dec
cct_charge_type	Charge Type		x(8)	
cct_container_type	Applies To		Container/Line	
cct_desc1	Description		x(32)	
cct_desc2	Description		x(32)	
cct_desc3	Description		x(32)	
cct_desc4	Description		x(32)	
◇ cct_domain	Domain		x(8)	
cct_mod_date	Modified Date	Mod Date	99/99/99	
cct_mod_userid	User ID		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cdf_gpmdd	yes	cdf_domain	yes	no
		cdf_ca_category	yes	no
		cdf_ca_int_type	yes	no
		cdf_model	yes	no
		cdf_group	yes	no
		cdf_status_type	yes	no
◇ oid_cdf_mstr	yes	oid_cdf_mstr	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cfc_index1	yes	cfc_domain	yes	no
$\diamond$ oid_cfc_ctrl	yes	oid_cfc_ctrl	yes	no

cf_mstr Cash Flow Master

[illegible]

Field Name	Label	Col-Label	Format	Dec
chm_channel	Channel		X(8)	0
chm_cline	Contract Line		>>>>>>>9	
chm_cls_date	Closed Date	Cls Date	99/99/99	
chm_cls_time	Closed Time	Cls Time	99:99	
chm_cmtindx	Index		>>>>>>>9	
chm_code			x(8)	
chm_comp_date	Complete Date		99/99/99	
chm_comp_time	Complete Time		99:99	
chm_contract	Contract		x(8)	
chm_created	Created	Cr	x(3)	
chm_cr_terms	Terms		x(8)	
chm_curr	Currency	Cur	x(3)	
chm_customer	Customer		X(8)	
chm_date_stmp	Date		99/99/99	
chm_desc	Description		x(60)	
◇ chm_domain	Domain		x(8)	
chm_ecmtindx			>>>>>>>9	
chm_enddown_date	End Down		99/99/99	
chm_enddown_time	Time		99:99	
chm_eng_area	Engineer Area		x(8)	
chm_eng_group	Group		x(8)	
chm_enter_by	Entered by		x(8)	
chm_ent_ex	Exchange Rate		>>,>>9.99999<<<	10
chm_est_time	Estimated Length		999:99	
chm_es_nbr	Escalation	Esc	x(8)	
chm_es_seq	Sequence	Seq	>>9	
chm_eu_date	End User Date		99/99/99	
chm_eu_nbr	End User		x(8)	
chm_eu_time	End User Time		99:99	
chm_eu_timezone	End User Time Zone		X(8)	
chm_exru_seq	Sequence		>>>>>>>9	
chm_ex_rate	Exch Rate		>>>>,>>>,>>9.9<<<<<<<<<	10
chm_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
chm_ex_ratetype	Rate Type		x(8)	
chm_fix_rate	Fixed Rate		yes/no	
chm_fn_nbr	Field Notification		x(8)	
chm_from_que	From Que	Fr Que	x(8)	
chm_inc_stats	Include in Stats		yes/no	
chm_int_type	Work Code	WK Code	x(8)	
chm_inv_draft			yes/no	
chm_lang	Language		X(2)	
chm_name	Caller Name	Name	x(24)	
chm_nbr	Call Id		x(8)	
chm_opn_date	Call Date	Opn Date	99/99/99	
chm_opn_time	Time Opened	Tm Open	x(8)	
chm_part	Part No		x(18)	
chm_phone	Phone		x(16)	
chm_po_nbr	PO		x(22)	
chm_printed	Call Printed		yes/no	
chm_problem			x(8)	
chm_pr_list	Price List		x(8)	
chm_qo_cmtindx			>>>>>>>>>9	
chm_queue	Queue		x(8)	
chm_quote	Quote Required		yes/no	
chm_quote_curr	Currency	Cur	x(3)	
chm_quote_exp	Quote Expires		99/99/99	
chm_quote_nbr	Quote Number	Quote	X(8)	

Field Name	Label	Col-Label	Format	Dec
chm_quote_price	Quote Price		>>>>,>>>,>>9.99<<<	10
chm_rc_site	Repair Center Site		x(8)	
chm_ref	Ref		>>>>>>>9	
chm_repair_ctr			yes/no	
chm_resolve	Resolution		x(8)	
chm_resolve_desc	Resolution		x(68)	
chm_res_cmtidx			>>>>>9	
chm_rev	Rev Level	Rev	x(10)	
chm_rma_nbr	RMA		x(8)	
chm_rp_bom	Bill of Material		X(18)	
chm_rp_route	Routing		X(18)	
chm_rrc_nbr	Repair Sequence		X(8)	
chm_rrc_seq	Repair Step		>>9	
chm_schedule_ca	Schedule Call		yes/no	
chm_serial	Serial		x(18)	
chm_severity	Severity		x(8)	
chm_ship_to	Ship To		x(8)	
chm_site	Site		x(8)	
chm_so_nbr	So No		x(8)	
chm_sq_nbr	Sale Quote		x(8)	
chm_sr	Update SR		x(8)	
chm_srv_timezone	Server Time Zone		X(8)	
chm_status	Status		x(8)	
chm_stdwn_date	Start Down		99/99/99	
chm_stdwn_time	Time		99:99	
chm_stjob_date	Job Start		99/99/99	
chm_stjob_time	Start Time		99:99	
chm_svc_type			x(1)	
chm_sv_code	Service Type	Svc Type	x(8)	
chm_taxable	Taxable	Tax	yes/no	
chm_taxc	Tax Class	TxC	x(3)	
chm_tax_date	Tax Date		99/99/99	
chm_tax_env	Tax Environment		X(16)	
chm_tax_pct	Tax Percent		->>9.99%	10
chm_tax_usage	Tax Usage		X(8)	
chm_time_log	Time Spent		>>9.99	10
chm_time_stmp	Time		99:99	
chm_to_que	To Queue	Queue	x(8)	
chm_trv_dist	Travel Dist	Trvl Dst	->,>>>,>>9	
chm_trv_time	Travel Time		99:99	
chm_trv_um	Travel UM	UM	x(2)	
chm_type	Type		x(8)	
chm_user1	Ufld1		x(8)	
chm_user2	Ufld2		x(8)	
chm_wo_lot	WO ID		x(8)	
chm_wo_nbr	Work Order		x(18)	
chm__chr01			x(8)	
chm__chr02			x(8)	
chm__chr03			x(8)	
chm__chr04			x(8)	
chm__chr05			x(8)	
chm__chr06			x(8)	
chm__chr07			x(8)	
chm__chr08			x(8)	
chm__chr09			x(8)	
chm__chr10			x(8)	
chm__dec01			->>>,>>>,>>9.99	10

◇ oid_chm_mstr

Δ chm_assign	no	chm_domain	yes	no
		chm_assign	yes	no
Δ chm_cls_date	no	chm_domain	yes	no
		chm_cls_date	yes	no
		chm_nbr	yes	no
Δ chm_contract	no	chm_domain	yes	no
		chm_contract	yes	no
		chm_opn_date	yes	no
Δ chm_eu_nbr	no	chm_domain	yes	no
		chm_eu_nbr	yes	no
		chm_category	yes	no
		chm_nbr	yes	no
Δ* chm_nbr	yes	chm_domain	yes	no
		chm_category	yes	no
		chm_nbr	yes	no
		chm_opn_date	yes	no
Δ chm_opn_date	no	chm_domain	yes	no
		chm_opn_date	yes	no
		chm_opn_time	yes	no
Δ chm_part	no	chm_domain	yes	no
		chm_part	yes	no
		chm_serial	yes	no
		chm_ref	yes	no
Δ chm que	no	chm domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		chm_category	yes	no
		chm_que	yes	no
Δ chm_sr	no	chm_domain	yes	no
		chm_sr	yes	no
◇ oid_chm_mstr	yes	oid_chm_mstr	yes	no

cild_det

Correction Invoice Link Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cild_cor_line	yes	cild_domain	yes	no
		cild_cor_inv	yes	no
		cild_cor_so_nbr	yes	no
		cild_cor_line	yes	no
		cild_line_type	yes	no
		cild_domain	yes	no
Δ cild_prev_inv	no	cild_prev_inv	yes	no
		cild_prev_so_nbr	yes	no
		cild_prev_line	yes	no
		oid_cild_det	yes	no
$\diamond$ oid_cild_det	yes			

cil_mstr

Correction Invoice Link Master

Field Name	Label	Col-Label	Format	Dec
cil_cor_inv	Correction Invoice Number		x(8)	
cil_cor_rsn	Reason For Correction		x(8)	
cil_cor_so_nbr	Correction Invoice Sales Order		x(8)	
◇ cil_domain	Domain		x(8)	
cil_mod_date	Modified Date	Mod Date	99/99/99	
cil_mod_userid	User ID		x(8)	

Field Name	Label	Col-Label	Format	Dec
cil_mstr_inv	Original Invoice		x(8)	
cil_prev_inv	Corrected Invoice		x(8)	
cil_prev_so_nbr	Corrected Invoice Sales Order		x(8)	
cil_user1	User Field Character 1		x(24)	
cil_user2	User Field Character 2		x(24)	
cil__qadc01			x(24)	
cil__qadc02			x(24)	
◇ oid_cil_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cil_cor_inv	yes	cil_domain	yes	no
		cil_cor_inv	yes	no
		cil_cor_so_nbr	yes	no
Δ cil_cor_nbr	no	cil_domain	yes	no
		cil_cor_so_nbr	yes	no
Δ cil_mstr_inv	no	cil_domain	yes	no
		cil_mstr_inv	yes	no
Δ cil_prev_inv	yes	cil_domain	yes	no
		cil_prev_inv	yes	no
		cil_prev_so_nbr	yes	no
◇ oid_cil_mstr	yes	oid_cil_mstr	yes	no

Accounts Payable Check Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ckd_dy	no	ckd_domain	yes	no
		ckd_dy_code	yes	no
		ckd_dy_num	yes	no
Δ* ckd_ref	yes	ckd_domain	yes	no
		ckd_ref	yes	no
		ckd_voucher	yes	no
		ckd_type	yes	no
		ckd_entity	yes	no
		ckd_acct	yes	no
		ckd_sub	yes	no
		ckd_cc	yes	no
		ckd_project	yes	no
Δ ckd_voucher	no	ckd_domain	yes	no
		ckd_voucher	yes	no
◇ oid_ckd_det	yes	oid_ckd_det	yes	no

cksd_det

Check Status Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cksd_batch	yes	cksd_domain	yes	no
		cksd_batch	yes	no
		cksd_line	yes	no
		cksd_nbr	yes	no
Δ cksd_nbr	no	cksd_domain	yes	no
		cksd_nbr	yes	no
$\diamond$ oid_cksd_det	yes	oid_cksd_det	yes	no

Accounts Payable Check Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ck_nbr_bank	yes	ck_domain	yes	no
		ck_nbr	yes	no
		ck_bank	yes	no
Δ^* ck_ref	yes	ck_domain	yes	no
		ck_ref	yes	no
$\diamond$ oid_ck_mstr	yes	oid_ck_mstr	yes	no

Compliance Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* clc_index1	yes	clc_domain	yes	no
$\diamond$ oid_clc_ctrl	yes	oid_clc_ctrl	yes	no

cls_mstr

Class Master

Field Name	Label	Col-Label	Format	Dec
cls_acct	Asset Account	Account	x(8)	
cls_ac_acct	Accumulated Depreciation Acct	Acc Depr! Account	x(8)	
cls_class	Class	Cls	x(3)	
cls_desc	Description		x(24)	
cls_exp_acct	Depreciation Expense Account	Depr Exp! Account	x(8)	
cls_mod_date	Modified Date	Mod Date	99/99/99	
cls_user1	Ufld1		x(8)	
cls_user2	Ufld2		x(8)	
cls_userid	User ID		x(8)	
cls__qad01			yes/no	
cls__qad02			x(8)	
cls__qad03			x(8)	
oid_cls_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cls_class	yes	cls_class	yes	no
◇	oid_cls_mstr	yes	oid_cls_mstr	yes	no

cmc_ctrl

Customer Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cmc_index1	yes	cmc_domain	yes	no
$\diamond$ oid_cmc_ctrl	yes	oid_cmc_ctrl	yes	no

Enterprise Material Transfer Change Management Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cmd_trans_nbr	yes	cmd_domain	yes	no
		cmd_trans_nbr	yes	no
		cmd_file	yes	no
		cmd_field	yes	no
		cmd_key_val	yes	no
$\diamond$ oid_cmd_det	yes	oid_cmd_det	yes	no

Enterprise Material Transfer Change Management Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cmf_doc	yes	cmf_domain	yes	no
		cmf_doc_type	yes	no
		cmf_doc_ref	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cmf_trans_nbr	yes	cmf_status	yes	no
		cmf_domain	yes	no
		cmf_trans_nbr	yes	no
$\diamond$ oid_cmf_mstr	yes	oid_cmf_mstr	yes	no

cmh_hist

Customer Sales History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cmh_custyear	yes	cmh_domain	yes	no
		cmh_cust	yes	no
		cmh_year	yes	no
Δ* cmh_yearcust	yes	cmh_domain	yes	no
		cmh_year	yes	no
		cmh_cust	yes	no
◇ oid_cmh_hist	yes	oid_cmh_hist	yes	no

Transaction Comments

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cmt_ref	yes	cmt_domain	yes	no
		cmt_indx	yes	no
		cmt_seq	yes	no
$\diamond$ oid_cmt_det	yes	oid_cmt_det	yes	no

Customer Master

Field Name	Label	Col-Label	Format	Dec
cm_addr	Customer		x(8)	
cm_ar_acct	AR Acct		x(8)	
cm_ar_cc	AR Cost Ctr	CC	x(4)	
cm_ar_sub	AR Sub-Acct	Sub-Acct	x(8)	
cm_avg_pay	Avg Days Paid Late	Avg! Days Late	->>, >>9	
cm_balance	Balance		->>, >>>, >>>, >>9.99	10
cm_bank	Bank	Bk	x(2)	
cm_bill	Bill-To		x(8)	
cm_btb_cr	EMT Credit Flow		yes/no	
cm_btb_mthd	Confirmed EMT SO		yes/no	
cm_btb_type	EMT Type		xx	
cm_class	Class		x(8)	
cm_coll_mthd	Collection Method	M	x(1)	
cm_conrep_logic	Consume/Replace Logic		x(1)	
cm_cr_hold	Credit Hold	Hold	yes/no	
cm_cr_limit	Credit Limit	Cr Limit	>>>, >>>, >>>, >>9	0
cm_cr_rating	Credit Rating	Cr Rate	x(8)	
cm_cr_review	Last Credit Review	Cr Limit! Review	99/99/99	
cm_cr_terms	Terms		x(8)	
cm_cr_update	Last Credit Update	Cr Limit! Update	99/99/99	
cm_curr	Currency	Cur	x(3)	
cm_db	DB Number		x(12)	
cm_disc_comb	Discount Combination Type		x(24)	
cm_disc_pct	Disc %		->9.99%	10
cm_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
cm_drft_apv	Approved	Apv	yes/no	
cm_drft_bal	Draft Balance		->,>>>,>>>,>>9.99	10
cm_drft_disc	Discountable	Dsc	yes/no	
cm_drft_max	Max Draft Amt		->>>>,>>>,>>9.99	10
cm_drft_min	Min Draft Amt		->>>>,>>>,>>9.99	10
cm_dun	Dun Letter	Dun	yes/no	
cm_ex_ratetype	Rate Type		x(8)	
cm_fin	Finance Chg	Fin	yes/no	
cm_fin_date	Last Finance Charge Date	Last Finance! Charge Date	99/99/99	
cm_fix_pr	Fixed Price		yes/no	
cm_fr_list	Freight List	Fr List	x(8)	
cm_fr_min_wt	Min Frt Wt		->>>,>>>,>>9	0
cm_fr_terms	Freight Terms	Fr Terms	x(8)	
cm_fst_id	FST ID		x(18)	
cm_high_cr	High Credit		->,>>>,>>>,>>9	10
cm_high_date	High Date		99/99/99	
cm_internal	Internal		yes/no	
cm_invoices	Total Invoices	Invoices	>,>>>,>>9	
cm_lang	Language		x(2)	
cm_lc_bal	LC Balance		->,>>>,>>>,>>9.99	10
cm_mod_date	Modified Date	Mod Date	99/99/99	
cm_partial	Partial OK		yes/no	
cm_pay_date	Last Payment	Last Pay	99/99/99	
cm_pay_method	Payment Method	PM	x(2)	
cm_po_reqd	PO Required	PO Reqd	yes/no	
cm_promo	Promotion Group		x(10)	
cm_pr_list	Disc Tbl		x(8)	
cm_pr_list2	Price Tbl	Pr Tbl	x(8)	
cm_pst	PST Taxable		yes/no	
cm_pst_id	PST ID		x(18)	
cm_region	Region		x(4)	
cm_resale	Resale		x(20)	
cm_rmks	Remarks		x(40)	
cm_sale_date	Last Sale		99/99/99	
cm_scurr	Second Cur	2nd Cur	x(3)	
cm_serv_terms	Service Terms		X(8)	
cm_ship	Ship-To		x(8)	
cm_shipvia	Ship Via		x(20)	
cm_ship_lt	Customer Shipping LT	Cust Ship LT	>>9	
cm_sic	SIC		x(4)	
cm_site	Site		x(8)	
cm_slspsn[4]	Salesperson	Salespsn	x(8)	
cm_sort	Sort Name		x(28)	
cm_stmt	Statement	Stmt	yes/no	
cm_stmt_cyc	Stmt Cycle	Cycle	x(4)	
cm_submit_prop	Allow Submission Proposed		yes/no	
	Drft			
cm_svc_list	Service Price List		x(8)	
cm_taxable	Taxable	Tax	yes/no	
cm_taxc	Tax Class	TxC	x(3)	
cm_tax_in	Tax In		yes/no	
cm_type	Type		x(4)	
cm_user1	Ufld1		x(8)	
cm_user2	Ufld2		x(8)	
cm_userid	User ID		x(8)	
cm_xslspsn	Slspsn[1]		x(8)	
cm_xslspsn2	Slspsn[2]		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cm_addr	yes	cm_domain	yes	no
		cm_addr	yes	no
Δ cm_sort	no	cm_domain	yes	no
		cm_sort	yes	no
◇ oid_cm_mstr	yes	oid_cm_mstr	yes	no

cncix_mstr

cncix_mstr

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cncix_loc_part	no	cncix_domain	yes	no
			cncix_site	yes	no
			cncix_current_loc	yes	no
			cncix_part	yes	no
			cncix_ship_date	yes	no
			cncix_lotser	yes	no
			cncix_ref	yes	no
Δ	cncix_order_line	no	cncix_domain	yes	no
			cncix_so_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		cncix_sod_line	yes	no
		cncix_aged_date	yes	no
Δ* cncix_primary_key	yes	cncix_domain	yes	no
		cncix_pkey	yes	no
Δ cncix_shipper	no	cncix_domain	yes	no
		cncix_asn_shipper	yes	no
Δ cncix_site_cust	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_part	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
Δ cncix_site_part	no	cncix_domain	yes	no
		cncix_site	yes	no
		cncix_part	yes	no
		cncix_cust	yes	no
		cncix_shipto	yes	no
		cncix_so_nbr	yes	no
		cncix_po	yes	no
		cncix_modelyr	yes	no
		cncix_current_loc	yes	no
		cncix_lotser	yes	no
		cncix_ref	yes	no
		cncix_auth	yes	no
◇ oid_cncix_mstr	yes	oid_cncix_mstr	yes	no

cncs_mstr Customer Consignment Ship-To/Item Master

[illegible]

cncu_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cncu_batch	no	cncu_domain	yes	no
		cncu_batch	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_lotser	yes	no
		cncu_ref	yes	no
		cncu_auth	yes	no
Δ cncu_invoice	no	cncu_domain	yes	no
		cncu_invoice	yes	no
Δ cncu_order	no	cncu_domain	yes	no
		cncu_so_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cncu_origin	no	cncu_sod_line	yes	no
		cncu_domain	yes	no
		cncu_origin	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
Δ* cncu_primary_key	yes	cncu_trans_date	yes	no
		cncu_domain	yes	no
		cncu_pkey	yes	no
Δ cncu_shipfrom	no	cncu_domain	yes	no
		cncu_site	yes	no
		cncu_shipto	yes	no
		cncu_cust_usage_ref	yes	no
		cncu_cust_usage_date	yes	no
		cncu_so_nbr	yes	no
		cncu_sod_line	yes	no
		cncu_lotser	yes	no
		cncu_ref	yes	no
		cncu_auth	yes	no
		Δ cncu_trnbr	no	cncu_domain
cncu_trnbr	yes			no
◇ oid_cncu_mstr	yes	oid_cncu_mstr	yes	no

cnc_ctrl

Customer Consignment Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cnc_index1	yes	cnc_domain	yes	no
$\diamond$ oid_cnc_ctrl	yes	oid_cnc_ctrl	yes	no

cnsix_mstr Supplier Consignment Receipt Inventory Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cnsix_item_order	no	cnsix_domain	yes	no
		cnsix_part	yes	no
		cnsix_site	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
Δ cnsix_order_line	no	cnsix_domain	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_aged_date	yes	no
Δ* cnsix_primary_key	yes	cnsix_domain	yes	no
		cnsix_pkey	yes	no
Δ cnsix_receiver_ln	no	cnsix_domain	yes	no
		cnsix_receiver	yes	no
		cnsix_po_nbr	yes	no
		cnsix_pod_line	yes	no
		cnsix_lotser	yes	no
		cnsix_ref	yes	no
Δ cnsix_shipper	no	cnsix_domain	yes	no
		cnsix_asn_shipper	yes	no
◇ oid_cnsix_mstr	yes	oid_cnsix_mstr	yes	no

cnss_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cnss_supplier_part	yes	cnss_domain	yes	no
		cnss_supplier	yes	no
		cnss_part	yes	no
$\diamond$ oid_cnss_mstr	yes	oid_cnss_mstr	yes	no

cnsud det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cnsud_cnsu_pkey	no	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_receiver	yes	no
Δ^* cnsud_primary_key	yes	cnsud_domain	yes	no
		cnsud_cnsu_pkey	yes	no
		cnsud_cnsix_pkey	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	cnsud_reverse_key	no	cnsud_domain	yes	no
			cnsud_cnsix_pkey	yes	no
			cnsud_cnsu_pkey	yes	no
$\diamond$	oid_cnsud_det	yes	oid_cnsud_det	yes	no

cnsu_mstr Supplier Consignment Receipt Usage Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cnsu_batch	no	cnsu_domain	yes	no
		cnsu_batch	yes	no
		cnsu_trnbr	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
		cnsu_lotser	yes	no
		cnsu_ref	yes	no
Δ cnsu_edt_batch	no	cnsu_domain	yes	no
		cnsu_edt_batch	yes	no
Δ cnsu_order	no	cnsu_domain	yes	no
		cnsu_po_nbr	yes	no
		cnsu_pod_line	yes	no
Δ cnsu_part_site	no	cnsu_domain	yes	no
		cnsu_part	yes	no
		cnsu_site	yes	no
Δ* cnsu primary key	yes	cnsu domain	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
			cnsu_pkey	yes	no
Δ	cnsu_trnbr	no	cnsu_domain	yes	no
			cnsu_trnbr	yes	no
◇	oid_cnsu_mstr	yes	oid_cnsu_mstr	yes	no

cns ctrl

Supplier Consignment Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* <code>cns_index1</code>	yes	<code>cns_domain</code>	yes	no
$\diamond$ <code>oid_cns_ctrl</code>	yes	<code>oid_cns_ctrl</code>	yes	no

code_mstr

Generalized Code Master

	Field Name	Label	Col-Label	Format	Dec
	code_cmmt	Comments		x(40)	
	code_desc	Description		x(24)	
◇	code_domain	Domain		x(8)	
	code_fldname	Field Name		x(32)	
	code_user1	Ufld1		x(8)	
	code_user2	Ufld2		x(8)	
	code_value	Value		x(8)	
	code__qadc01			x(8)	
◇	oid_code_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* code_fidval	yes	code_domain	yes	no
		code_fidname	yes	no
		code_value	yes	no
$\diamond$ oid code mstr	yes	oid code mstr	yes	no

Commodity Code Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* comd_comm_code	yes	comd_domain	yes	no
		comd_comm_code	yes	no
		comd_part	yes	no
Δ comd_part	yes	comd_domain	yes	no
		comd_part	yes	no
◇ oid_comd_det	yes	oid_comd_det	yes	no

Commodity Code Master

	Field Name	Label	Col-Label	Format	Dec
	com_comm_code	Commodity Code	Com Code	x(20)	
	com_desc	Description		x(24)	
◇	com_domain	Domain		x(8)	
	com_suppl	Supplementary Units Required	S	yes/no	
	com_uom	Supplementary UOM	UOM	x(2)	
	com_user1	Ufld1		x(8)	
	com_user2	Ufld2		x(8)	
	com__log01			yes/no	
	com__qad01			x(8)	
	com__qad02			x(8)	
	com__qad03			yes/no	
◇	oid_com_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10	
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* com_comm_code	yes	com_domain	yes	no
		com_comm_code	yes	no
◇ oid_com_mstr	yes	oid_com_mstr	yes	no

◇ **cont_mstr** Container Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* cont_type	yes	cont_domain	yes	no
		cont_type	yes	no
◇ oid cont mstr	yes	oid cont mstr	yes	no

cost_cal

Cost Set Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cost_cal	yes	cost_domain	yes	no
		cost_site	yes	no
		cost_set	yes	no
		cost_start	yes	no
Δ* cost_date	yes	cost_domain	yes	no
		cost_start	yes	no
		cost_site	yes	no
Δ cost_site	yes	cost_domain	yes	no
		cost_site	yes	no
		cost_start	yes	no
◇ oid_cost_cal	yes	oid_cost_cal	yes	no

Customer Period Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* cpcd_per	yes	cpcd_domain	yes	no
		cpcd_cust	yes	no
		cpcd_year	yes	no
		cpcd_type	yes	no
		cpcd_per	yes	no
◇ oid_cpcd_det	yes	oid_cpcd_det	yes	no

Customer Period Calendar Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cpc_cust	yes	cpc_domain	yes	no
		cpc_cust	yes	no
		cpc_year	yes	no
		cpc_type	yes	no
$\diamond$ oid_cpc_mstr	yes	oid_cpc_mstr	yes	no

cph_hist

Customer/Item Sales History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cph_cust	yes	cph_domain	yes	no
		cph_cust	yes	no
		cph_ship	yes	no
		cph_pl	yes	no
		cph_part	yes	no
		cph_type	yes	no
		cph_year	yes	no
		cph_site	yes	no
Δ^* cph_part	no	cph_domain	yes	no
		cph_pl	yes	no

Customer Item Master

△

Carrier Control

1

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* cr_code	yes	cr_domain	yes	no
		cr_code	yes	no
		cr_type	yes	no
		cr_code_beg	yes	no
		cr_code_end	yes	no
Δ cr_type	no	cr_domain	yes	no
		cr_type	yes	no
		cr_code_beg	yes	no
		cr_code_end	yes	no
$\diamond$ oid_cr_mstr	yes	cr_code	yes	no
		oid_cr_mstr	yes	no

Controlled Substance Authority Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* csa_auth	yes	csa_domain	yes	no
		csa_auth	yes	no
Δ csa_group	no	csa_domain	yes	no
		csa_group	yes	no
Δ csa_name	no	csa_domain	yes	no
		csa_name	yes	no
◇ oid_csa_mstr	yes	oid_csa_mstr	yes	no

Customer/Supplier Bank Detail

Field Name	Label	Col-Label	Format	Dec
csbd_addr	Address		x(8)	
csbd_bank	Bank		x(8)	
csbd_beg_date	Beginning Date	Begin! Date	99/99/99	
csbd_bk_acct	Bank Account		x(35)	
csbd_branch	Branch		x(8)	
◇ csbd_domain	Domain		x(8)	
csbd_edi	EDI		x(8)	
csbd_end_date	Ending Date	End! Date	99/99/99	

	Field Name	Label	Col-Label	Format	Dec
	csc_user1	Ufid1		x(8)	
	csc_user2	Ufid2		x(8)	
	csc__qadc01			x(8)	
◇	oid_csc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ csc_addr_auth	no	csc_domain	yes	no
		csc_addr	yes	no
		csc_auth	yes	no
Δ csc_ctrl_addr	no	csc_domain	yes	no
		csc_ctrl	yes	no
		csc_addr	yes	no
Δ* csc_etry_auth	yes	csc_domain	yes	no
		csc_etry_code	yes	no
		csc_auth	yes	no
		csc_addr	yes	no
◇ oid_csc_mstr	yes	oid_csc_mstr	yes	no

csid_det

Controlled Substance Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ csid_ctrl_part	no	csid_domain	yes	no
		csid_ctrl	yes	no
		csid_part	yes	no
Δ* csid_etry_auth	yes	csid_domain	yes	no
		csid_etry_code	yes	no
		csid_auth	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ csid_part_auth	yes	csid_ctrl	yes	no
		csid_part	yes	no
		csid_domain	yes	no
		csid_part	yes	no
		csid_ctype_code	yes	no
◇ oid_csid_det	yes	csid_auth	yes	no
		oid_csid_det	yes	no

csil_mstr

Controlled Substance Individual License Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ csil_addr4_licen	no	csil_domain	yes	no
		csil_addr4	yes	no
		csil_licen	yes	no
Δ* csil_ctype_auth	yes	csil_domain	yes	no
		csil_ctype_code	yes	no
		csil_auth	yes	no
		csil_licen	yes	no
Δ csil_licen	no	csil_domain	yes	no
		csil_licen	yes	no
◇ oid_csil_mstr	yes	oid_csil_mstr	yes	no

csim_mstr

Controlled Substance Item Master

Field Name	Label	Col-Label	Format	Dec
csim_auth	Authority	Auth	x(8)	
csim_cmtdindx	Comment Index	Comments	>>>>>>>9	
csim_ctrl	Control Number		x(20)	
csim_ctry_code	Country	Ctry	x(3)	
csim_desc	Description		x(28)	

	Field Name	Label	Col-Label	Format	Dec
◇	csm_domain	Domain		x(8)	
	csm_um	Unit of Measure	UM	x(2)	
	csm_user1	Ufld1		x(8)	
	csm_user2	Ufld2		x(8)	
	csm__qadc01			x(8)	
◇	oid_csim_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ csim_auth_ctrl	no	csim_domain	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no
Δ* csim_ctype_auth	yes	csim_domain	yes	no
		csim_ctype_code	yes	no
		csim_auth	yes	no
		csim_ctrl	yes	no
Δ csim_desc	no	csim_domain	yes	no
		csim_auth	yes	no
		csim_desc	yes	no
◇ oid_csim_mstr	yes	oid_csim_mstr	yes	no

Controlled Substance Individual License Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* csld_ctry_auth	yes	csld_domain	yes	no
		csld_ctry_code	yes	no
		csld_auth	yes	no
		csld_licen	yes	no
		csld_part	yes	no
Δ csld_licen_part	no	csld_domain	yes	no
		csld_licen	yes	no
		csld_part	yes	no

Δ	csld_part_licen	no	csld_domain	yes	no
			csld_part	yes	no
			csld_licen	yes	no
$\diamond$	oid_csld_det	yes	oid_csld_det	yes	no

cslm mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Ab
Δ cs1m_ctrl_licen	no	cs1m_domain	yes	no
		cs1m_ctrl	yes	no
		cs1m_licen	yes	no
Δ* cs1m_ctr_y_auth	yes	cs1m_domain	yes	no
		cs1m_ctr_y_code	yes	no
		cs1m_auth	yes	no
		cs1m_licen	yes	no
		cs1m_ctrl	yes	no
Δ cs1m_grp	no	cs1m_domain	yes	no
		cs1m_group	yes	no
◇ oid cs1m mstr	yes	oid cs1m mstr	yes	no

cssi det

Field Name	Label	Col-Label	Format	Dec
cssi_active	Active	Act	yes/no	
cssi_cur	Currency	Cur	x(3)	
cssi_domain	Domain		x(8)	
cssi_mod_date	Modified Date	Mod Date	99/99/99	
cssi_set	Cost Set		x(8)	

	Field Name	Label	Col-Label	Format	Dec
	cssi_site	Site		x(8)	
	cssi_user1	Ufld1		x(8)	
	cssi_user2	Ufld2		x(8)	
	cssi_userid	User ID		x(8)	
	cssi_qadc01			x(8)	
◇	oid_cssi_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ cssi_set_site	yes	cssi_domain	yes	no
		cssi_set	yes	no
		cssi_site	yes	no
		cssi_active	yes	no
Δ^* cssi_site_set	yes	cssi_domain	yes	no
		cssi_site	yes	no
		cssi_set	yes	no
		cssi_active	yes	no
$\diamond$ oid_cssi_det	yes	oid_cssi_det	yes	no

Controlled Substance Site Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ css_ctrl_site	no	css_domain	yes	no
		css_ctrl	yes	no
		css_site	yes	no
Δ* css_ctry_auth	yes	css_domain	yes	no
		css_ctry_code	yes	no
		css_auth	yes	no
		css_site	yes	no
Δ css_site_auth	no	css_domain	yes	no
		css_site	yes	no
		css_auth	yes	no
◇ oid css mstr	yes	oid css mstr	yes	no


```
◇ oid_ctd_det >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10  
9<<<<<<<<<
```

◇ oid ctd det	yes	oid ctd det	yes	no

Country Master

[illegible]

	yes	no
oid ctr y mstr	yes	no

Credit Terms Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ct_code	yes	ct_domain	yes	no
		ct_code	yes	no
Δ ct_desc	yes	ct_domain	yes	no
		ct_desc	yes	no
		ct_code	yes	no
◇ oid_ct_mstr	yes	oid_ct_mstr	yes	no

Currency Master

Field Name	Label	Col-Label	Format	Dec
cu_active	Active		yes/no	
cu_curr	Currency	Cur	x(3)	
cu_desc	Description		x(24)	
cu_iso_curr	ISO Currency		x(3)	
cu_mod_date	Modified Date	Mod Date	99/99/99	
cu_mod_userid	User ID		x(8)	
cu_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
cu_user1	Ufld1		x(8)	
cu_user2	Ufld2		x(8)	

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	cu_curr	yes	cu_curr	yes	no
◇	oid_cu_mstr	yes	oid_cu_mstr	yes	no

◇ **dald_det** Destination Application List Detail

Field Name	Label	Col-Label	Format	Dec
dald_app_id	Application ID		x(12)	
dald_domain	Domain		x(8)	
dald_eff_dt_in	Effective Date In		99/99/99	
dald_eff_dt_out	Effective Date Out		99/99/99	
dald_list_id	Destination List ID		x(12)	
dald_mod_date	Mod Date		99/99/99	
dald_mod_userid	User ID		x(8)	
dald_user1	Ufld1		x(8)	
dald_user2	Ufld2		x(8)	
dald__chr01			x(8)	
dald__chr02			x(8)	
dald__dec01			->>>, >>>, >>9.99<	10
dald__dec02			->>>, >>>, >>9.99<	10
dald__dte01			99/99/99	
dald__dte02			99/99/99	
dald__int01			->>>, >>>, >>9	
dald__int02			->>>, >>>, >>9	
dald__log01			yes/no	
dald__log02			yes/no	
dald__qadc01			x(8)	
dald__qadc02			x(8)	
dald__qadc03			x(8)	
dald__qadc04			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ dald_appid_dtin	no	dald_domain	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
◇* dald_list_appid_dtin	yes	dald_domain	yes	no
		dald_list_id	yes	no
		dald_app_id	yes	no
		dald_eff_dt_in	yes	no
◇ oid_dald_det	yes	oid_dald_det	yes	no

◇ **dal_mstr**

Destination Application List Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* dal_list_id	yes	dal_domain	yes	no
		dal_list_id	yes	no
◇ oid_dal_mstr	yes	oid_dal_mstr	yes	no

dbk_mstr

Depreciation Book Master

Field Name	Label	Col-Label	Format	Dec
dbk_bank	Bank	Bk	x(2)	
dbk_beg_dt	Depreciation Year Starts	Year! Starts	99/99/99	
dbk_book	Book		x(8)	
dbk_curr	Currency	Cur	x(3)	
dbk_curr_pd	Current Depreciation Period	Cur! Pd	999	
dbk_desc	Description		x(24)	
dbk_entity	Entity	Enty	x(4)	
dbk_mod_date	Modified Date	Mod Date	99/99/99	
dbk_pd_taken	Depr Periods Taken YTD	YTD! Pds	999	
dbk_pd_yr	Depreciation Periods per Year	Pds! Year	999	

Field Name	Label	Col-Label	Format	Dec
dbk_post	Post to General Ledger	Post	yes/no	
dbk_rep_cost	Use Current Costs	Curr! Cost	yes/no	
dbk_user1	Ufld1		x(8)	
dbk_user2	Ufld2		x(8)	
dbk_userid	User ID		x(8)	
dbk_ytd	Depreciate Using YTD Amounts	YTD	yes/no	
dbk__qad01			yes/no	
dbk__qad02			x(8)	
dbk__qad03			x(8)	
◇ oid_dbk_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10 9<<<<<<<<<

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dbk_bk_ent	yes	dbk_book	yes	no
			dbk_entity	yes	no
	dbk_post	no	dbk_entity	yes	no
			dbk_post	yes	no
◇	oid dbk mstr	yes	oid dbk mstr	yes	no

db **ms**

Database Revision Control Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	db _s _rev	yes	db _s _major	no	no
			db _s _minor	no	no
◇	oid db _s mstr	yes	oid db _s mstr	yes	no

dc mstr

Database Connection Master

Field Name	Label	Col-Label	Format	Dec
dc_active	Active	Act	yes/no	
dc_cmtindx	Comment Index	Comment	>>>>>>>9	
dc_desc	Description		x(24)	
dc_dir	Database Directory		x(50)	
dc_host	Host		x(24)	

Field Name	Label	Col-Label	Format	Dec
dc_name	Database Name	DB name	x(8)	
dc_network	Network		x(8)	
dc_parmfile	Parameter File	ParmFile	x(8)	
dc_phy_name	Physical Database Name	Phys DB Name	x(12)	
dc_server	Server		x(24)	
dc_type	Type		x(8)	
dc_user1	Ufld1		x(8)	
dc_user2	Ufld2		x(8)	
dc_use_app	Use AppServer		yes/no	
dc__chr01			x(8)	
dc__chr02			x(8)	
dc__qadc01			x(8)	
dc__qadc02			x(8)	
dc__qadl01			yes/no	
dc__qadl02			yes/no	
oid_dc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dc_name	yes	dc_name	yes	no
◇	oid_dc_mstr	yes	oid_dc_mstr	yes	no

decl mstr Declarant Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* decl_addr	yes	decl_domain	yes	no
		decl_addr	yes	no
$\diamond$ oid decl_mstr	yes	oid_decl_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		defr_prefix	yes	no
		defr_line	yes	no
		defr_inv_nbr	yes	no
◇ oid_defr_det	yes	oid_defr_det	yes	no

delt_mstr Delivery Time Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ delt_site	yes	delt_domain	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_use_category	yes	no
		delt_method	yes	no
Δ* delt_use_category	yes	delt_domain	yes	no
		delt_use_category	yes	no
		delt_site	yes	no
		delt_ctry	yes	no
		delt_state	yes	no
		delt_city	yes	no
		delt_method	yes	no
◇ oid_delt_mstr	yes	oid_delt_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		djrc_type	yes	no
		djrc_order	yes	no
		djrc_element	yes	no
◇ oid_djrc_det	yes	oid_djrc_det	yes	no

Daybook Journal Report Master

Field Name	Label	Col-Label	Format	Dec
djr_acc_skip	Skip Line After Acc Code		yes/no	
djr_bank	Bank Code		x(2)	
djr_cc1	From Cost Center		x(4)	
djr_cc2	To Cost Center		x(4)	
djr_code	Report Code		x(8)	
djr_crit1	From Criteria		x(16)	
djr_crit2	To Criteria		x(16)	
djr_desc	Description		x(24)	
djr_disp_curr	Display Currency Value		yes/no	
djr_domain	Domain		x(8)	
djr_ent1	From Entity		x(8)	
djr_ent2	To Entity		x(8)	
djr_inc_memo	Include Memo Accounts		yes/no	
djr_inc_stat	Include Statistical Accounts		yes/no	
djr_mod_date	Modified Date	Mod Date	99/99/99	
djr_mod_userid	User ID		x(8)	
djr_newpage	New Page For Each Account		yes/no	
djr_pagenum	Starting Page Number		>>>9	
djr_per1	From Period		>9	
djr_per2	To Period		>9	
djr_sub1	From Sub-Account		x(8)	
djr_sub2	To Sub-Account		x(8)	
djr_summary	Summary/Detail		Summary/Detail	
djr_title	Report Title		x(50)	
djr_type	Report Type		x(3)	
djr_user1	User Field Character 1		x(24)	
djr_user2	User Field Character 2		x(24)	
djr_userc03	User Field Character 3		x(24)	
djr_userc04	User Field Character 4		x(24)	
djr_userc05	User Field Character 5		x(24)	
djr_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<	10
djr_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<	10
djr_useri01	User Field Integer 1		->>>>>>9	
djr_useri02	User Field Integer 2		->>>>>>9	
djr_userl01	User Field Logical 1		yes/no	
djr_userl02	User Field Logical 2		yes/no	
djr_usert01	User Field Date 1		99/99/99	
djr_usert02	User Field Date 2		99/99/99	
djr_year	Fiscal Year		9999	
djr__qadc01			x(24)	
djr__qadc02			x(24)	
djr__qadc03			x(24)	
djr__qadc04			x(24)	
djr__qadc05			x(24)	
djr__qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
djr__qadd02			->>>>, >>>, >>9.9<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* djr_code	yes	djr_domain	yes	no
		djr_code	yes	no
Δ djr_desc	yes	djr_domain	yes	no
		djr_desc	yes	no
$\diamond$ oid_djr_mstr	yes	oid_djr_mstr	yes	no

dmw_wkfl

Draft Management Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
dmw_bill	no	dmw_bill	yes	no
		dmw_entity	yes	no
		dmw_curr	yes	no
* dmw_nbr	yes	dmw_nbr	yes	no
		dmw_bill	yes	no
		dmw_sel	yes	no
◇ oid_dmw_wkfl	yes	oid_dmw_wkfl	yes	no

◇ **dom_mstr** Domain Master

Field Name	Label	Col-Label	Format	Dec
dom_active	Active		yes/no	
dom_db	Database		x(8)	
dom_domain	Domain		x(8)	
dom_mod_date	Modified Date	Mod Date	99/99/99	
dom_mod_userid	User ID		x(8)	
dom_name	Name		x(28)	
dom_sname	Short Name		x(14)	
dom_type	Domain Type		x(8)	
dom_user1	User Field Character 1		x(24)	
dom_user2	User Field Character 2		x(24)	
dom__qadc01			x(24)	
dom__qadc02			x(24)	
oid_dom_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* dom_domain	yes	dom_domain	yes	no
◇ dom_name	yes	dom_name	yes	no
◇ oid dom_mstr	yes	oid_dom_mstr	yes	no

dpc_mstr Depreciation Convention Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	dpc_conv	yes	dpc_conv	yes	no
◇	oid_dpc_mstr	yes	oid_dpc_mstr	yes	no

◆

Depreciation Method Detail

◆

Depreciation Method Master

Index-Name	Uni	Field-Name	Asc	Abbr
* dpr_method	yes	dpr_method	yes	no
dpr_table	no	dpr_method	yes	no
		dpr_table	yes	no
◇ oid_dpr_mstr	yes	oid_dpr_mstr	yes	no

dpt_mstr Department Master

Field Name	Label	Col-Label	Format	Dec
dpt_bdn_acct	Burden		x(8)	
dpt_bdn_cc	Burden Cost Ctr	CC	x(4)	
dpt_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
dpt_bvar_acc	Burden Usage Variance	Bdn Use	x(8)	
dpt_bvar_cc	Burden Usage Variance CC	CC	x(4)	
dpt_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
dpt_bvrr_acc	Burden Rate Variance	Bdn Rate	x(8)	
dpt_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
dpt_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
dpt_cop_acct	Cost of Production	COP	x(8)	
dpt_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
dpt_cop_sub	Cost of Production Sub	Sub-Acct	x(8)	
dpt_dept	Department	Dept	x(8)	
dpt_desc	Description		x(24)	
◇ dpt_domain	Domain		x(8)	
dpt_lbr_acct	Labor		x(8)	
dpt_lbr_cap	Labor capacity		->,>>>,>>9	
dpt_lbr_cc	Labor Cost Ctr	CC	x(4)	
dpt_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
dpt_lvar_acc	Labor Usage Variance	Lbr Use	x(8)	
dpt_lvar_cc	Labor Usage Variance CC	CC	x(4)	
dpt_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
dpt_lvrr_acc	Labor Rate Variance	Lbr Rate	x(8)	
dpt_lvrr_cc	Labor Rate Variance CC	CC	x(4)	
dpt_lvrr_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
dpt_mod_date	Modified Date	Mod Date	99/99/99	
dpt_user1	Ufld1		x(8)	
dpt_user2	Ufld2		x(8)	
dpt_userid	User ID		x(8)	
dpt__chr01			x(8)	
dpt__chr02			x(8)	
dpt__chr03			x(8)	
dpt__chr04			x(8)	
dpt__chr05			x(8)	
dpt__dec01			>>>,>>>,>>9.99	10
dpt__dec02			>>>,>>>,>>9.99	10
dpt__dte01			99/99/99	
dpt__dte02			99/99/99	
dpt__log01			yes/no	
dpt__qadc01			x(8)	
dpt__qadc02			x(4)	
dpt__qadc03			x(8)	
dpt__qadc04			x(4)	
dpt__qadc05			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	dpt__qadc06			x(4)	
	dpt__qadc07			x(8)	
	dpt__qadc08			x(4)	
◇	oid_dpt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* dpt_dept	yes	dpt_domain	yes	no
		dpt_dept	yes	no
Δ dpt_desc	yes	dpt_domain	yes	no
		dpt_desc	yes	no
		dpt_dept	yes	no
◇ oid_dpt_mstr	yes	oid_dpt_mstr	yes	no

drp_ctrl

Distribution Requirements Planning Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* drp_ctrl	yes	drp_domain	yes	no
◇ oid_drp_ctrl	yes	oid_drp_ctrl	yes	no

dsd_det

Distributed Site Requisition Detail

Field Name	Label	Col-Label	Format	Dec
dsd_cmtindx	Comment Index	Comment	>>>>>>9	
◇ dsd_domain	Domain		x(8)	
dsd_due_date	Due Date		99/99/99	
dsd_git_acct	Goods in Transit Acct	GIT Acct	x(8)	
dsd_git_cc	Cost Center	CC	x(4)	
dsd_git_site	In Transit Site	GIT Site	x(8)	

 Δ

Index-Name	Uni	Field-Name	Asc	Abbr
		dsd_part	yes	no
		dsd_shipsite	yes	no
		dsd_shipdate	yes	no
◇ oid_dsd_det	yes	oid_dsd_det	yes	no

dsr mstr

Distributed Site Requisition Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* dsr_mstr	yes	dsr_domain	yes	no
		dsr_site	yes	no
		dsr_req_nbr	yes	no
Δ dsr_part	no	dsr_domain	yes	no
		dsr_part	yes	no
		dsr_site	yes	no
		dsr_due_date	yes	no
Δ dsr_req_nbr	yes	dsr_domain	yes	no
		dsr_req_nbr	yes	no
		dsr_site	yes	no
◇ oid dsr mstr	yes	oid dsr mstr	yes	no

dss_mstr

dss_mstr

Distributed Site Order Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* dss_nbr	yes	dss_domain	yes	no
		dss_nbr	yes	no
		dss_shipsite	yes	no
Δ dss_rec_site	no	dss_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		dss_rec_site	yes	no
		dss_shipsite	yes	no
		dss_nbr	yes	no
Δ dss_shipsite	no	dss_domain	yes	no
		dss_shipsite	yes	no
		dss_rec_site	yes	no
		dss_nbr	yes	no
◇ oid_dss_mstr	yes	oid_dss_mstr	yes	no

ds_det

Distributed Site Order Detail

Field Name	Label	Col-Label	Format	Dec
ds_cmtindx	Comment Index	Comment	>>>>>>9	
◇ ds_domain	Domain		x(8)	
ds_due_date	Due Date		99/99/99	
ds_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
ds_fr_class	Freight Class		x(8)	
ds_fr_list	Freight List	Frft List	x(8)	
ds_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
ds_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<	10
ds_fr_wt_um	UM		x(2)	
ds_git_acct	Goods In Transit Acct	GIT Acct	x(8)	
ds_git_cc	Cost Center	CC	x(4)	
ds_git_site	In Transit Site	GIT Site	x(8)	
ds_git_sub	Goods In Tran Sub-Acct	Sub-Acct	x(8)	
ds_line	Line	Ln	>>>>>>>9	
ds_loc	Location		x(8)	
ds_nbr	Order Number	Order	x(8)	
ds_order_category	Category		x(8)	
ds_part	Item Number		x(18)	
ds_per_date	Performance Date	Perform	99/99/99	
ds_project	Project		x(8)	
ds_qty_all	Qty Allocated	Allocated	->, >>>, >>9.<<<<<<<<	10
ds_qty_chg	Qty To Issue	Issue Qty	->, >>>, >>9.<<<<<<<<	10
ds_qty_conf	Qty Confirmed	Qty Conf	->, >>>, >>9.<<<	10
ds_qty_ord	Qty Ordered		->, >>>, >>9.<<<	10
ds_qty_pick	Qty Picked		->, >>>, >>9.<<<<<<<<	10
ds_qty_ship	Qty Shipped		->, >>>, >>9.<<<	10
ds_req_nbr	Requisition Number	Req Nbr	x(8)	
ds_residual	In Transit Value		->>>, >>>, >>9.99	10
ds_rev	Rev		x(4)	
ds_rmks	Remarks		x(40)	
ds_shipdate	Ship Date	Ship	99/99/99	
ds_shipsite	Shipping Site	Source	x(8)	
ds_site	Site		x(8)	
ds_sod_line	Line	Ln	>>9	
ds_so_nbr	Sales Order	S/O Nbr	x(8)	
ds_status	Status	St	x(1)	
ds_trans_id	Transport ID	Transport	x(8)	
ds_user1	Ufld1		x(8)	
ds_user2	Ufld2		x(8)	
ds_chr01			x(8)	
ds_chr02			x(8)	
ds_chr03			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ds_det	yes	ds_domain	yes	no
		ds_shipsite	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
Δ ds_fr_list	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_fr_list	yes	no
Δ ds_nbr	no	ds_domain	yes	no
		ds_nbr	yes	no
		ds_shipsite	yes	no
		ds_line	yes	no
Δ ds_part	no	ds_domain	yes	no
		ds_part	yes	no
		ds_shipsite	yes	no
		ds_shipdate	yes	no
Δ* ds_req_nbr	yes	ds_domain	yes	no
		ds_req_nbr	yes	no
		ds_site	yes	no
		ds_shipsite	yes	no
◇ oid_ds_det	yes	oid_ds_det	yes	no

dyd_mstr

General Ledger Default Daybook Master

	Field Name	Label	Col-Label	Format	Dec
	dvd_doc_type	Doc Type		x(8)	
◇	dvd_domain	Domain		x(8)	
	dvd_dy_code	Daybook		x(8)	
	dvd_entity_fr	From Entity		x(4)	
	dvd_entity_to	To Entity		x(4)	
	dvd_tr_type	Trans Type	Trans	x(2)	
	dvd_user1	Ufld1		x(8)	
	dvd_user2	Ufld2		x(8)	
	dvd__qadc01			x(8)	
◇	oid_dvd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
△* dyd_type	yes	dyd_domain	yes	no
		dyd_tr_type	yes	no
		dyd_doc_type	yes	no
		dyd_entity_fr	yes	no
		dyd_entity_to	yes	no
◇ oid_dyd_mstr	yes	oid_dyd_mstr	yes	no

General Ledger Daybook Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* dy_code	yes	dy_domain	yes	no
		dy_dy_code	yes	no
$\diamond$ oid_dy_mstr	yes	oid_dy_mstr	yes	no

Earnings Master

Field Name	Label	Col-Label	Format	Dec
ea_acc	Default Account	Account	x(8)	
ea_cc	Default Cost Ctr	CC	x(4)	
ea_desc	Description		x(24)	
ea_domain	Domain		x(8)	
ea_earn	Earnings Code	Earn	x(4)	
ea_fed_yn	Piece Rate		yes/no	
ea_mod_date	Modified Date	Mod Date	99/99/99	
ea_piece	Piece Rate	Pc	yes/no	
ea_rate	Pay Rate Multiplier	Mult	->>>.99<<	10
ea_reg_earn	Majority earnings code	Major! Earn	x(4)	
ea_sub	Default Sub-Account	Sub-Acct	x(8)	
ea_type	Earnings Type	Type	x(1)	
ea_user1	Ufld1		x(8)	
ea_user2	Ufld2		x(8)	
ea_userid	User ID		x(8)	
ea_qad01			yes/no	

Field Name	Label	Col-Label	Format	Dec
ea__qad02			yes/no	
ea__qad03			yes/no	
ea__qad04			yes/no	
ea__qad05			yes/no	
ea__qad06			yes/no	
◇ oid_ea_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ea_desc	yes	ea_domain	yes	no
		ea_desc	yes	no
		ea_earn	yes	no
Δ* ea_earn	yes	ea_domain	yes	no
		ea_earn	yes	no
◇ oid ea_mstr	yes	oid ea_mstr	yes	no

Engineering Change Approval Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* eca_code_group	yes	eca_domain	yes	no
		eca_code	yes	no
		eca_group	yes	no
$\diamond$ oid_eca_mstr	yes	oid_eca_mstr	yes	no

Engineering Change Product Structure Detail

Field Name	Label	Col-Label	Format	Dec
ecd1_batch	Batch Size		>>>, >>>, >>9.9<<<<<<<<	10
ecd1_batch_pct	Batch Percent	Batch %	->>>>9.9<<<<%	10
ecd1_batch_um	UM		x(2)	
ecd1_cmtdindx	Comment Index	Comment	>>>>>>>9	
ecd1_comp	Component Item		x(18)	
ecd1_deactivate	Deactivate		yes/no	
ecd1_default	Default Option	Default	yes/no	
ecd1_domain	Domain		x(8)	
ecd1_fcst_pct	Forecast	Fcst	>>9.99%	10
ecd1_group	Option Group	Group	x(8)	0
ecd1_item_no	Number		->>>>>>>	
ecd1_lt_off	LT Offset	LTO	->>	
ecd1_mandatory	Mandatory		yes/no	
ecd1_mod_date	Modified Date	Mod Date	99/99/99	
ecd1_nbr	ECN Number	ECN	x(8)	
ecd1_op	Op		>>>>>>>	
ecd1_par	Parent Item		x(18)	
ecd1_process	Process		x(8)	
ecd1_psprocess	Process		x(8)	0
ecd1_ps_code	Structure Type	T	x(1)	0
ecd1_qty_per	Qty Per		->, >>>, >>>9.9<<<<<<<<	10
ecd1_qty_per_b	Qty Per		->, >>>, >>>9.9<<<<<<<<	10
ecd1_qty_type	Qty Type	T	x(1)	
ecd1_recindx	Cross Reference	Xref	>>>>>>>9	

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ecd1_comp_par	no	ecd1_domain	yes	no
			ecd1_nbr	yes	no
			ecd1_comp	yes	no
			ecd1_par	yes	no
Δ*	ecd1_par_comp	yes	ecd1_domain	yes	no
			ecd1_nbr	yes	no
			ecd1_par	yes	no
			ecd1_comp	yes	no
			ecd1_ref	yes	no
◇	oid ecd1 det	yes	oid ecd1 det	yes	no

ecd2 det

Engineering Change Routing Detail

Field Name	Label	Col-Label	Format	Dec
ecd2_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ecd2_cmtindx	Comment Index	Comment	>>>>>>9	
ecd2_desc	Description		x(24)	
ecd2_domain	Domain		x(8)	
ecd2_mch	Machine		x(8)	
ecd2_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
ecd2_men_mch	Run Crew		->>, >>9.99	10
ecd2_mod_date	Modified Date	Mod Date	99/99/99	
ecd2_nbr	ECN Number	ECN	x(8)	
ecd2_op	Operation	Op	>>>>9	
ecd2_process	Process		x(8)	
ecd2_recindx	Cross Reference	Xref	>>>>>>>9	
ecd2_routing	Routing Code		x(18)	
ecd2_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
ecd2_run_per_b	Run Time/Batch Qty	R/B	>>>, >>>, >>9.9<<<<<<<<	10
ecd2_setup	Setup Time	Setup	>, >>9.9<<	10
ecd2_setup_men	Setup Crew		->>, >>9.99	10
ecd2_std_op	Standard Operation	Std Op	x(8)	
ecd2_subcntrt	Subcontract	Sub	yes/no	
ecd2_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ecd2_tool	Tool Code	Tool	x(8)	
ecd2_user1	Ufld1		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ecd2_ro_op	yes	ecd2_domain	yes	no
		ecd2_nbr	yes	no
		ecd2_routing	yes	no
		ecd2_op	yes	no
◇ oid_ecd2_det	yes	oid_ecd2_det	yes	no

Engineering Change Text File Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ecd3_cmt	yes	ecd3_domain	yes	no
		ecd3_nbr	yes	no
		ecd3_cmtindx	yes	no
$\diamond$ oid_ecd3_det	yes	oid_ecd3_det	yes	no

△

Engineering Change Approval Detail

	Field Name	Label	Col-Label	Format	Dec
	ecd9__qad02			99/99/99	
	ecd9__qad03	ReRoute Level	Re Lvl	x(8)	
	ecd9__qad04	ReRoute		x(8)	
	ecd9__qad05	Approver ID	Approver	x(8)	
◇	oid_ecd9_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ecd9_group	yes	ecd9_domain	yes	no
		ecd9_nbr	yes	no
		ecd9_group	yes	no
$\diamond$ oid_ecd9_det	yes	oid_ecd9_det	yes	no

ecd_det

Engineering Change Item Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ecd_det	yes	ecd_domain	yes	no
		ecd_nbr	yes	no
		ecd_part	yes	no
		ecd_new	yes	no
Δ ecd_part_rev	no	ecd_domain	yes	no
		ecd_part	yes	no
		ecd_new_rev	yes	no
◇ oid_ecd_det	yes	oid_ecd_det	yes	no

Engineering Change Master Lists

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ecl_id_type	yes	ecl_domain	yes	no
		ecl_id	yes	no
		ecl_group	yes	no
		ecl_type	yes	no
Δ* ecl_type_id	yes	ecl_domain	yes	no
		ecl_type	yes	no
		ecl_group	yes	no
		ecl_id	yes	no
◇ oid_ecl_list	yes	oid_ecl_list	yes	no

ecm_mstr

Engineering Change Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ecm_approval	yes	ecm_domain	yes	no
		ecm_approval	yes	no
		ecm_rel_date	yes	no
		ecm_nbr	yes	no
Δ ecm_eff_date	no	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_eff_date	yes	no
Δ* ecm_mstr	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
Δ ecm_nbrdoc	yes	ecm_domain	yes	no
		ecm_nbr	yes	no
		ecm_doc_type	yes	no
◇ oid_ecm_mstr	yes	oid_ecm_mstr	yes	no

Engineering Change Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ect_type	yes	ect_domain	yes	no
		ect_type	yes	no
		ect_dsgn_grp	yes	no
$\diamond$ oid_ect_mstr	yes	oid_ect_mstr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
♦* edlg_docid	yes	edlg_doc_id	yes	no
		edlg_doc_sufx	yes	no
		edlg_app_id	yes	no
		edlg_domain	yes	no
◇ oid edlg_hist	yes	oid_edlg_hist	yes	no

Service/Support Engineer Availability Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ega eng code	yes	ega domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		ega_eng_code	yes	no
		ega_week	yes	no
		ega_esh_schedule	yes	no
◇ oid_ega_mstr	yes	oid_ega_mstr	yes	no

egc_ctrl

Service/Support Engineer Schedule Control

Field Name	Label	Col-Label	Format	Dec
egc_area_limit	Limit by Service Area		yes/no	
egc_area_points	Area Points		>9	
egc_avail_limit	Limit by Availability		X	
egc_avail_points	Available Points		>9	
egc_by_calls	Display by Calls		yes/no	
egc_call_list	On call List		x(8)	
◇ egc_domain	Domain		x(8)	
egc_eng_lhr	Lunch Duration		99:99	
egc_hours_display	Standard Hours Display		yes/no	
egc_index			>>9	
egc_mod_date	Modified Date	Mod Date	99/99/99	
egc_mod_userid	User ID		X(8)	
egc_nbr	Next Engineer Number		->,>>>,>>9	
egc_override_opt	Override Scheduling Options		yes/no	
egc_prim_points	Primary Eng Points		>9	
egc_prob_limit	Limit by Problem/Skill		yes/no	
egc_prob_points	Problem Points		>9	
egc_tz_eng_hours	Range of Hours to Consider		X(2)	
egc_tz_limit	Limit by Time Zone		yes/no	
egc_tz_points	Time Zone Points		>9	
egc_user1	Ufld1		x(8)	
egc_user2	Ufld2		x(8)	
egc__chr01	Character Field 1		X(8)	
egc__chr02	Character Field 2		X(8)	
egc__int01	Integer Field 1		->,>>>,>>9	
egc__int02	Integer Field 2		->,>>>,>>9	
egc__log01	Logical Field 1		yes/no	
egc__log02	Logical Field 2		yes/no	
egc__qadc03	QAD Character Field 3		X(8)	
egc__qadc04	QAD Character Field 4		X(8)	
egc__qadc05[4]	QAD Field		99:99	0
egc__qadc06[4]	QAD Character Field		x(8)	0
egc__qadc07	QAD Character Field 7		x(8)	
egc__qadd01	QAD Decimal Field 1		->,>>,>>9.99	10
egc__qadd02	QAD Decimal Field 2		->,>>,>>9.99	10
egc__qadd03	QAD Decimal Field 3		->,>>,>>9.99	10
egc__qadi01	Next Engineer Number		>>>>>>>9	
egc__qadi04	QAD Integer Field 4		->,>>>,>>9	
egc__qadi05	QAD Integer Field 5		->,>>>,>>9	
egc__qadi05	QAD Logical Field 5		yes/no	
egc__qadi06	QAD Logical Field 6		yes/no	
egc__qadi07	QAD Logical Field 7		yes/no	

Field Name	Label	Col-Label	Format	Dec
egc__qadt01	QAD Date Field 1		99/99/99	
egc__qadt02	QAD Date Field 2		99/99/99	
egc__qadt03	QAD Date Field 3		99/99/99	
◇ oid_egc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* egc_index	yes	egc_domain	yes	no
		egc_index	yes	no
$\diamond$ oid_egc_ctrl	yes	oid_egc_ctrl	yes	no

egd_det

Service/Support Engineer Schedule Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* egd_eng_code	yes	egd_domain	yes	no
		egd_eng_code	yes	no
		egd_start_eff	yes	no
Δ egd_eng_sched	no	egd_domain	yes	no

◆

egs_det

Service/Support Engineer Problem/Skills Detail

 $\overline{\Delta}$

Service/Support Engineer Tracking Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ egt_ca_line	no	egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_itm_prefix	yes	no
		egt_itm_type	yes	no
		egt_itm_itm_line	yes	no
		egt_itm_line	yes	no
Δ egt_ca_nbr	no	egt_domain	yes	no
		egt_ca_nbr	yes	no
		egt_eng_code	yes	no
		egt_trnbr	yes	no
Δ egt_eng_ca	no	egt_domain	yes	no
		egt_eng_code	yes	no
		egt_ca_nbr	yes	no
		egt_trnbr	yes	no
Δ egt_eng_code	no	egt_domain	yes	no
		egt_eng_code	yes	no
		egt_sched_date	yes	no
		egt_start_time	yes	no
Δ* egt_trnbr	yes	egt_domain	yes	no
		egt_trnbr	yes	no
◇ oid_egt_mstr	yes	oid_egt_mstr	yes	no

egw_wkfl Service/Support Engineer Selection Work Table

Field Name	Label	Col-Label	Format	Dec
egw_area	Area		x(8)	
egw_available	Available		yes/no	
egw_avail_hours[7]	Available	Avl	x(3)	
egw_calls[7]	Call		x(3)	
◇ egw_domain	Domain		x(8)	
egw_ega_recid			>>>>>>>>9	
egw_end_time	End Time	End	99:99	
egw_eng_code	Engineer Code	Engineer	x(8)	
egw_hours[7]	Day Of Week		>>9	10
egw_name	Name		x(24)	
egw_overtime	Overtime	O/T	yes/no	
egw_points	Points	Pts	>>>9	
egw_prob	Prb		yes/no	
egw_schedule	Schedule	Sched	X(8)	
egw_st_time	Start Time	Start	99:99	
egw_tag	Select		*/	
egw_user1	Ufld1		x(8)	
egw_user2	Ufld2		x(8)	
egw_userid	User ID		x(8)	
egw_week	Week of		99/99/99	
egw__qadc02	QAD Field		X(8)	0
egw__qadc03	QAD Field		x(8)	
egw__qadi01	QAD Field		->, >>>, >>9	
egw__qadi02	QAD Field		->, >>>, >>9	
egw__qadi01	QAD Field		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	egw__qadt02	QAD Field		yes/no	
	egw__qadt01	QAD Field		99/99/99	
	egw__qadt02	QAD Field		99/99/99	
◇	oid_egw_wkfl			>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ egw_area	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_area	yes	no
		egw_points	no	no
Δ* egw_eng_code	yes	egw_domain	yes	no
		egw_userid	yes	no
		egw_eng_code	yes	no
Δ egw_points	no	egw_domain	yes	no
		egw_userid	yes	no
		egw_points	no	no
		egw_eng_code	yes	no
◇ oid_egw_wkfl	yes	oid_egw_wkfl	yes	no

Export Document Log

Field Name	Label	Col-Label	Format	Dec
elg_access_code	Access Code		x(60)	
elg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
elg_ack_rcvd	Autoacknowledgment Received		yes/no	
elg_ack_stat	Autoacknowledgment Status		X(1)	
elg_app_id	Application ID		x(12)	
elg_app_ver	Application Version		x(8)	
elg_archive_id	Archive ID		x(12)	
elg_code_pg	Code Page		X(15)	
elg_ctrl_tot_1	Control Total 1		>>>,>>9	
elg_ctrl_tot_2	Control Total 2		->>>,>>>,>>9.99<<<	10
elg_ctrl_tot_3	Control Total 3		->>>,>>>,>>9.99<<<	10
elg_date_ack	Date Acknowledged		99/99/9999	
elg_date_form	Date Format		X(3)	
elg_date_map	Date Mapped		99/99/9999	
elg_date_publ	Date Published		99/99/9999	
elg_date_sent	Date Sent		99/99/9999	
elg_dest_mthd	Destination Method		x(24)	
elg_dest_proc	Destination Procedure		x(24)	
elg_doc_id	Document ID		>>>>>>>9	
elg_doc_lng	Document Language		x(3)	
elg_doc_rev	Document Revision		x(8)	
elg_doc_std	Document Standard		x(8)	
elg_doc_sufx	Document Suffix		>>	
elg_doc_typ	Document Type		x(21)	
◇ elg_domain	Domain		x(8)	
elg_email_notlvl	E-mail Notification Level		x(1)	
elg_email_userid	E-mail Recipient User ID		x(8)	
elg_err_stat	Error Status		X(1)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ AppID	no	elg_domain	yes	no
		elg_app_id	yes	no
		elg_prcg_stage	yes	no
◇* DocIDSufx	yes	elg_doc_id	yes	no
		elg_doc_sufx	yes	no
		elg_domain	yes	no
◇ elg_date_time_publ	no	elg_date_publ	yes	no
		elg_time_publ	yes	no
		elg_domain	yes	no
◇ elg_date_time_sent	no	elg_date_sent	yes	no
		elg_time_sent	yes	no
		elg_domain	yes	no
◇ elg_orig_doc_id	no	elg_orig_doc_id	yes	no
		elg_domain	yes	no
◇ elg_receiver_id	no	elg_app_id	yes	no
		elg_tradptr_id	yes	no
		elg_domain	yes	no
◇ ExtDockKey	no	elg_domain	yes	no
		elg_ext_doc_key	yes	no
◇ GroupID	no	elg_grp_id	yes	no
		elg_domain	yes	no
◇ MfgProKey	no	elg_domain	yes	no
		elg_mfgpro_key	yes	no
◇ oid_elg_hist	yes	oid_elg_hist	yes	no
◇ Site	no	elg_domain	yes	no
		elg_mfgpro_site	yes	no

emap_det

Mapped Export Document Detail

Field Name	Label	Col-Label	Format	Dec
emap_data	Mapped Export Document Data		x(255)	
emap_doc_id	Document ID		>>>>>>9	
emap_doc_line	Document Line Number		>>9	
emap_doc_sufx	Document Suffix		>>	
◇ emap_domain	Domain		x(8)	
emap_line_cont	Line Continued		yes/no	
emap_mod_date	Modified Date	Mod Date	99/99/99	
emap_mod_userid	User ID		x(8)	
emap_user1	Ufld1		x(8)	
emap_user2	Ufld2		x(8)	
emap__dec01			->>>, >>>, >>9.99<	10
emap__dec02			->>>, >>>, >>9.99<	10
emap__dte01			99/99/99	
emap__dte02			99/99/99	
emap__int01			->>>, >>>, >>9	
emap__int02			->>>, >>>, >>9	
emap__log01			yes/no	
emap__log02			yes/no	
emap__qadc01			x(8)	
emap__qadc02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ExpReturnCode	yes	emg_domain	yes	no
		emg_doc_id	yes	no
		emg_doc_sufx	yes	no
		emg_prcg_stage	yes	no
		emg_return_code	yes	no
◇ oid emg msg	yes	oid emg msg	yes	no

emp_mstr

Employee Master



Field Name	Label	Col-Label	Format	Dec
emp_city	City		x(20)	
emp_country	Country		x(28)	
emp_ctry	Country Code	Ctry	x(3)	
emp_dept	Department	Dept	x(8)	
◇ emp_domain	Domain		x(8)	
emp_emp_date	Date Employed	Dt Empld	99/99/99	
emp_exempt	Personal Exemptions	Ex	>9	
emp_ext	Ext		x(4)	
emp_fname	First Name		x(16)	
emp_freq	Pay Frequency	Fr	x(2)	
emp_last_dt	Date of Last Pay Rate Change	Last Chg	99/99/99	
emp_last_pay	Prior Pay Rate	Prior Pay	->>>, >>9.99	10
emp_line1	Address 1		x(28)	
emp_line2	Address 2		x(28)	
emp_line3	Address 3		x(28)	
emp_lname	Last Name		x(16)	
emp_marital	Marital Status	MS	x(2)	
emp_mod_date	Modified Date	Mod Date	99/99/99	
emp_pay_rate	Rate of Pay	Pay Rate	->>>, >>9.99<<	10
emp_pay_type	Pay Type	T	x(2)	
emp_phone	Home Phone		x(16)	
emp_project	Default Project	Project	x(8)	
emp_shift	Employee Shift	Sh	x(2)	
emp_sick_hrs	Accrued Sick Leave	Sick Leave	->, >>9.999	10
emp_ssn	SSN		x(18)	
emp_state	State		x(4)	
emp_status	Employment Status	St	x(2)	
emp_title	Job Title		x(24)	
emp_transit1	Transit Number 1	Transit 1	x(10)	
emp_transit2	Transit Number 2	Transit 2	x(10)	
emp_trm_date	Date Terminated	Term Dt	99/99/99	
emp_units	Normal Hrs/Units	Hrs/Uts	->>, >>9.99	10
emp_user1	Ufld1		x(8)	
emp_user2	Ufld2		x(8)	
emp_user3	User3		x(8)	
emp_user4	User4		->>>, >>9.99	10
emp_user5	User5		->>>, >>9.99	10
emp_user6	User6		99/99/99	
emp_userid	User ID		x(8)	
emp_vac_hrs	Accrued Vacation	Vacation	->, >>9.999	10
emp_wc_class	Worker Comp Class	W/C	x(2)	
emp_wk_loc	Default Work Location	Wk Loc	x(4)	
emp_zip	Post		x(10)	
emp_chr01			x(8)	
emp_chr02			x(8)	
emp_chr03			x(8)	
emp_chr04			x(8)	
emp_chr05			x(8)	
emp_dec01			>>>, >>>, >>9.99	10
emp_dec02			>>>, >>>, >>9.99	10
emp_dte01			99/99/99	
emp_dte02			99/99/99	
emp_dte03			99/99/99	
emp_dte04			99/99/99	
emp_dte05			99/99/99	
emp_log01			yes/no	

	Field Name	Label	Col-Label	Format	Dec
	emp__log02			yes/no	
	emp__qad01			x(8)	
	emp__qad02			x(4)	
◇	oid_emp_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* emp_addr	yes	emp_domain	yes	no
		emp_addr	yes	no
Δ emp_bank	no	emp_domain	yes	no
		emp_bank	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
Δ emp_dept	no	emp_domain	yes	no
		emp_dept	yes	no
Δ emp_frq_mar	no	emp_domain	yes	no
		emp_freq	yes	no
		emp_marital	yes	no
Δ emp_name	no	emp_domain	yes	no
		emp_lname	yes	no
		emp_fname	yes	no
Δ emp_ssn	no	emp_domain	yes	no
		emp_ssn	yes	no
Δ emp_wc_ind	no	emp_domain	yes	no
		emp_wc_class	yes	no
		emp_wk_loc	yes	no
◇ oid_emp_mstr	yes	oid_emp_mstr	yes	no

emsg_mstr Service/Support Engineer Message Master

Field Name	Label	Col-Label	Format	Dec
emsg_action	Action		x(8)	
emsg_act_date	Action Date		99/99/99	
emsg_act_time	Action Time		99:99	
emsg_cmtindx	Comment		>>>>>>9	
emsg_complete	Completed		yes/no	
emsg_date	Date		99/99/99	
emsg_desc	Description		x(60)	
◇ emsg_domain	Domain		x(8)	
emsg_eng_code	Engineer		x(8)	
emsg_entered	Entered By		x(8)	
emsg_file_date1	Date 1		99/99/99	
emsg_file_date2	Date 2		99/99/99	
emsg_file_name	File		x(16)	
emsg_file_nbr1	Number 1		x(8)	
emsg_file_nbr2	Number 2		x(8)	
emsg_file_nbr3	Number 3		x(18)	
emsg_file_nbr4	Number 4		x(18)	
emsg_file_trnbr	file Transaction	File Trn	>>>>>>>9	
emsg_msg_type	Message Type		x(8)	
emsg_name_date1	Date Field 1		x(16)	
emsg_name_date2	Date Field 2		x(16)	

em_mstr E-mail Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	em_system_id	yes	em_system_id	yes	no
			em_opsys	yes	no
			em_start	yes	no
◇	oid_em_mstr	yes	oid_em_mstr	yes	no

◇ **encl_det** Entity Consolidation Detail

Field Name	Label	Col-Label	Format	Dec
enccd_consolidate	Summarize	Sum	yes/no	
enccd_cons_entity	Consolidation Entity		x(4)	
enccd_domain	Domain		x(8)	
enccd_mod_date	Modified Date	Mod Date	99/99/99	
enccd_mod_userid	User ID		x(8)	
enccd_pct	Consolidation Percentage		>>9.99%	2
enccd_sub_domain	Subsidiary Entity Domain		x(8)	
enccd_sub_entity	Subsidiary Entity		x(4)	
enccd_user1	User Field Character 1		x(24)	

Field Name	Label	Col-Label	Format	Dec
encd_user2	User Field Character 2		x(24)	
encd__qadc01			x(24)	
encd__qadc02			x(24)	
oid_encd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* encd_domain	yes	encd_domain	yes	no
		encd_cons_entity	yes	no
		encd_sub_entity	yes	no
◇ oid_encd_det	yes	oid_encd_det	yes	no

eng_mstr

Service/Support Engineer Master

Field Name	Label	Col-Label	Format	Dec
eng_3rd_party	Third Party Engineer		yes/no	
eng_addr	Engineer		x(8)	
eng_address	Engineer Address		X(8)	0
eng_area	Service Area	Area	x(18)	
eng_avail_ot	Available for Overtime		yes/no	
eng_call_load	Calls per Day	Calls	>>9	
eng_code	Engineer Code	Eng Code	x(8)	
eng_cplt_dt	Completion Date	Comp Date	99/99/99	
eng_cplt_tm	Completion Time	Comp Time	>>>>>>>>>>>>9	
eng_domain	Domain		x(8)	
eng_esh_schedule	Schedule		x(8)	
eng_field	Field Engineer		yes/no	
eng_group	Group		x(8)	
eng_labor	Labor Part		x(8)	
eng_loc	Location		x(8)	0
eng_location	Current Location	Loc	x(8)	0
eng_loc_rtn	Return Location		x(8)	
eng_mod_date	Modified Date	Mod Date	99/99/99	
eng_mod_userid	User ID		X(8)	
eng_pager	Pager		x(20)	
eng_site	Site		x(8)	0
eng_site_rtn	Return Site		x(8)	
eng_skills	Skills		x(8)	
eng_sort	Name		X(24)	
eng_status	Status		x(8)	
eng_sub	Subcontractor		yes/no	
eng_user1	Ufld1		x(8)	
eng_user2	Ufld2		x(8)	
eng__chr01			x(8)	
eng__chr02			x(8)	
eng__chr03			x(8)	
eng__chr04			x(8)	
eng__chr05			x(8)	
eng__chr06			x(8)	
eng__chr07			x(8)	
eng__chr08			x(8)	
eng__chr09			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* eng_addr	yes	eng_domain	yes	no
		eng_addr	yes	no
Δ eng_area	no	eng_domain	yes	no
		eng_area	yes	no
		eng_code	yes	no
Δ eng_code	yes	eng_domain	yes	no
		eng_code	yes	no
Δ eng_schedule	no	eng_domain	yes	no
		eng_esh_schedule	yes	no
		eng_area	yes	no
		eng_code	yes	no
Δ eng_sort	no	eng_domain	yes	no
		eng_sort	yes	no
◇ oid_eng_mstr	yes	oid_eng_mstr	yes	no

Entity Master

Field Name	Label	Col-Label	Format	Dec
en_addr	Company Address		x(8)	
en_adj_bs	Post Translation Adj to (B/I)	Post Adj	Bal Sheet/Inc Stmt	
◇ en_consolidation	Consolidation Entity	Cons! Enty	yes/no	
en_curr	Currency	Cur	x(3)	
◇ en_domain	Domain		x(8)	
en_entity	Entity	Ent	x(4)	
en_name	Description		x(24)	
en_next_prot	Next Protocol Number	Next Prot	999999999	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* en_entity	yes	en_domain	yes	no
		en_entity	yes	no
$\diamond$ en_type	no	en_entity	yes	no
		en_type	yes	no
$\diamond$ oid_en_mstr	yes	oid_en_mstr	yes	no

eraw_det

Raw Export Document Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_eraw_det	yes	oid_eraw_det	yes	no
Δ^* RawExport	yes	eraw_doc_id	yes	no
		eraw_doc_line	yes	no
		eraw_domain	yes	no

Evaluated Receipts Settlement Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ers_part	no	ers_domain	yes	no
		ers_part	yes	no
		ers_vend	yes	no
Δ ers_si	no	ers_domain	yes	no
		ers_site	yes	no
		ers_vend	yes	no
		ers_part	yes	no
Δ* ers_vd_si_pt	yes	ers_domain	yes	no
		ers_vend	yes	no
		ers_site	yes	no
		ers_part	yes	no
◇ oid ers_mstr	yes	oid ers_mstr	yes	no

Service/Support Escalation Control

Field Name	Label	Col-Label	Format	Dec
esc_domain	Domain		x(8)	
esc_es_prefix	Escalation Prefix		x(3)	
esc_index	Index		>>9	
esc_mod_date	Modified Date	Mod Date	99/99/99	
esc_mod_userid	User ID		X(8)	
esc_nbr	Escalation Number		>>>>>9	
esc_rrc_nbr	Repair Step Number		>>>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* esc_index	yes	esc_domain	yes	no
		esc_index	yes	no
◇ oid_esc_ctrl	yes	oid_esc_ctrl	yes	no

esh_mstr

Service/Support Engineer Schedule Master

Field Name	Label	Col-Label	Format	Dec
esh_days[8]	Days		yes/no	
esh_domain	Domain		x(8)	
esh_end_eff	End Effective		99/99/99	
esh_end_time[8]	End Time		99:99	
esh_holidays	Holidays		yes/no	
esh_mod_date	Modified Date	Mod Date	99/99/99	
esh_mod_userid	User ID		X(8)	
esh_oncall	On Call Schedule	Call	yes/no	
esh_reg_code	Region Code		x(8)	
esh_schedule	Schedule		x(8)	
esh_sched_type	Schedule Type		x(8)	
esh_shift_code	Shift		x(8)	
esh_start_eff	Start Effective		99/99/99	
esh_start_time[8]	Start time		99:99	
esh_status	Status		x(8)	
esh_user1	Ufld1		x(8)	
esh_user2	Ufld2		x(8)	
esh_chr01	User Character Field 1		X(8)	
esh_chr02	User Character Field 2		X(8)	
esh_dte01	User Date Field 1		99/99/99	
esh_dte02	User Date Field 2		99/99/99	
esh_log01	User Logical Field 1		yes/no	
esh_log02	User Logical Field 2		yes/no	
esh_qadc01	QAD Character Field 1		X(8)	
esh_qadc02	QAD Character Field 2		X(8)	
esh_qadi01	QAD Integer Field 1		->,>>>,>>9	
esh_qadi02	QAD Integer Field 2		X(8)	0
esh_qadi01	QAD Logical Field 1		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	esh__qadt02	QAD Logical Field 2		yes/no	
	esh__qadt01	QAD Date Field 1		99/99/99	
	esh__qadt02	QAD Date Field 2		99/99/99	
◇	oid_esh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* esh_schedule	yes	esh_domain	yes	no
		esh_schedule	yes	no
		esh_start_eff	yes	no
$\diamond$ oid esh mstr	yes	oid esh mstr	yes	no

esp_mstr

Export Document Specification Master

Field Name	Label	Col-Label	Format	Dec
esp_access_code	Access Code		x(60)	
esp_ack_doc_rev	Document Revision		x(8)	
esp_ack_doc_std	Document Standard		x(8)	
esp_ack_doc_typ	Document Type		x(21)	
esp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	
esp_app_id	Application ID		x(12)	
esp_app_ver	Application Version		x(8)	
esp_code_pg	Code Page		X(15)	
esp_date_form	Date Format		X(3)	
esp_delim	ASCII Document Element Delimiter		>>9	
esp_del_err_det	Delete Error Detail		x(1)	
esp_desc	Description		x(60)	
esp_dest_mthd	Destination Method		x(24)	
esp_dest_proc	Destination Procedure		x(24)	
esp_doc_lng	Document Language		x(3)	
esp_doc_rev	Document Revision		x(8)	
esp_doc_std	Document Standard		x(8)	
esp_doc_typ	Document Type		x(21)	
esp_domain	Domain		x(8)	
esp_dtd_name	DTD Filename		x(40)	
esp_email_notlvl	E-mail Level		x(1)	
esp_email_userid	Default E-mail User ID		x(8)	
esp_eol_delim	End of Line Delimiter for Export		yes/no	
esp_ex_map_flg	Export Mapping Enabled		yes/no	
esp_mapper_proc	Data Mapper Procedure		x(24)	
esp_map_parm[10]	Mapper Parameter Codes		x(8)	
esp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
esp_map_spec	Mapping Specification ID		x(24)	
esp_mod_date	Modified Date	Mod Date	99/99/99	
esp_mod_userid	User ID		x(8)	
esp_msg_ack_lvl	Acknowledgment Level		x(8)	
esp_msg_clnt_ord	Message Ordering		x(8)	
esp_msg_persist	Persistence		X(8)	
esp_msg_priority	Priority		x(8)	
esp_msg_routing	Routing		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ExportSpec	yes	esp_domain	yes	no
		esp_app_id	yes	no
		esp_doc_std	yes	no
		esp_doc_typ	yes	no
		esp_doc_rev	yes	no
		esp_tradptr_id	yes	no
◇ oid esp mstr	yes	oid esp mstr	yes	no

Service/Support Engineer Status Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ess_status	yes	ess_domain	yes	no
		ess_status	yes	no
Δ ess_statusav	no	ess_domain	yes	no
		ess_status	yes	no
		ess_available	yes	no
◇ oid_ess_mstr	yes	oid_ess_mstr	yes	no

Service/Support Escalation and Repair Master


```
◇ oid_es_mstr >>>>>>>>>>>>>>>>>>>>>>>>>9 10  
9<<<<<<<<<
```

Δ^* es_nbr	yes	es_domain	yes	no
		es_nbr	yes	no
		es_prefix	yes	no
		es_itm_line	yes	no
		es_ca_status	yes	no
		es_ca_int_type	yes	no
		es_ca_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		es_ca_severity	yes	no
		es_ca_problem	yes	no
		es_seq	yes	no
◇ oid_es_mstr	yes	oid_es_mstr	yes	no

EMU Control

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* et_index1	yes	et_domain	yes	no
$\diamond$ oid_et_ctrl	yes	oid_et_ctrl	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ eud_addr	no	eud_domain	yes	no
		eud_addr	yes	no
		eud_ls_type	yes	no
		eud_sort	yes	no
Δ eud_nametype	no	eud_domain	yes	no
		eud_addr	yes	no
		eud_nametype	yes	no
		eud_trnbr	yes	no
Δ eud_phone	no	eud_domain	yes	no
		eud_phone	yes	no
Δ eud_sort	no	eud_domain	yes	no
		eud_sort	yes	no
Δ* eud_trnbr	yes	eud_domain	yes	no
		eud_trnbr	yes	no
◇ oid eud det	yes	oid eud det	yes	no

eu mstr

Service/Support End User Master

Field Name	Label	Col-Label	Format	Dec
eu_addr	End User		x(8)	
eu_application	Application		x(40)	
eu_autorenew	Auto Renew Contracts		yes/no	
eu_channel	Channel	Chan	x(4)	
eu_cmtindx	Comment Idx		>>>>>9	
eu_cm_nbr	Customer No	Cus No	x(8)	
eu_create_isb	Create ISB		yes/no	
eu_disc_pct	Disc %		->>9.99%	10
◇ eu_domain	Domain		x(8)	
eu_ed_time	End Time	Ed Tm	99:99	
eu_eng_code	Engineer Code	Eng Cd	x(8)	
eu_eng_group	Engineer Group		x(8)	
eu_eng_sec	Secondary Eng		x(8)	0
eu_es_nbr	Escalation	Esc	x(8)	
eu_lang	Language		x(2)	
eu_login	Login		x(12)	
eu_modem	Modem Phone	Modem	x(20)	
eu_mod_date	Modified Date	Mod Date	99/99/99	
eu_mod_userid	User ID		X(8)	
eu_msg	Message		x(60)	
eu_msg_end	End Date		99/99/99	
eu_name	Name		x(35)	
eu_node	Node		x(8)	
eu_node_type	Node Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
eu_office	Office		x(8)	
eu_phone	Phone		x(20)	
eu_po_accum	Accumulated PO Total		>>>>,>>>,>>9.99<<<	10
eu_po_limit	PO Limit		>>>>,>>>,>>9.99<<<	10
eu_po_nbr	Purchase Order	PO	x(22)	
eu_po_reqd	PO Required		yes/no	
eu_pri	Call Priority	Pri	>>>9	
eu_rebuild_isb	Rebuild Isb		yes/no	
eu_receipt_days	Days to Receive		>>9	
eu_renew_days	Days to Renew		>>9	
eu_reseller	Reseller		yes/no	
eu_review	Review Date		99/99/99	
eu_rsb	Responsible		x(24)	
eu_sep_invoice	Separate Invoice		yes/no	
eu_ship_days	Days to Ship		>>9	
eu_sic_code	SIC Code		x(8)	
eu_sort	Name		x(35)	
eu_status	Status		x(4)	
eu_st_time	Start Time	St Tm	99:99	
eu_svc_area	Service Area	Svc Area	x(18)	
eu_time_zone	Hours from GMT		>>9	
eu_trv_dist	Travel Dist	Trvl Dst	>>9	
eu_trv_time	Travel Time		999:99	0
eu_trv_um	Travel UM	TU	x(2)	
eu_type	Type		x(8)	
eu_un_billed	Un Billed		>>>>,>>>,>>9.99<<<	10
eu_updates	Updates		x(8)	
eu_user1	Ufld1		x(8)	
eu_user2	Ufld2		x(8)	
eu_zip	Post		x(10)	
eu__chr01			x(8)	
eu__chr02			x(8)	
eu__chr03			x(8)	
eu__chr04			x(8)	
eu__chr05			x(8)	
eu__chr06			x(8)	
eu__chr07			x(8)	
eu__chr08			x(8)	
eu__chr09			x(8)	
eu__chr10			x(8)	
eu__dec01			->>>,>>>,>>9.99	10
eu__dec02			->>>,>>>,>>9.99	10
eu__dec03			->>>,>>>,>>9.99	10
eu__dte01			99/99/99	
eu__dte02			99/99/99	
eu__dte03			99/99/99	
eu__dte04			99/99/99	
eu__log01			yes/no	
eu__log02			yes/no	
eu__log03			yes/no	
eu__log04			yes/no	
eu__log05			yes/no	
eu__qadc01	QAD Character Field 1		X(8)	
eu__qadc02	QAD Character Field 2		X(8)	
eu__qadc03	QAD Character Field 3		X(8)	
eu__qadd01	QAD Decimal Field 1		->>>>,>>>,>>9.99<<<	10
eu__qadi01	QAD Integer Field 1		->,>>>,>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* eu_addr	yes	eu_domain	yes	no
		eu_addr	yes	no
Δ eu_cmeu_nbr	yes	eu_domain	yes	no
		eu_cm_nbr	yes	no
		eu_addr	yes	no
Δ eu_sort_addr	yes	eu_domain	yes	no
		eu_sort	yes	no
		eu_addr	yes	no
Δ eu_zip	no	eu_domain	yes	no
		eu_zip	yes	no
		eu_addr	yes	no
◇ oid_eu_mstr	yes	oid_eu_mstr	yes	no

Consolidated Exchange Rate Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* excd_index	yes	excd_domain	yes	no
		excd_curr	yes	no
		excd_curr2	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		excd_acc	yes	no
		excd_year	yes	no
		excd_per	yes	no
◇ oid_excd_det	yes	oid_excd_det	yes	no

exc_mstr Consolidation Currency Exchange Master

	Field Name	Label	Col-Label	Format	Dec
	exc_acc	Account		x(8)	
	exc_curr	Currency	Cur	x(3)	
	exc_curr2	Currency 2	Cur 2	x(3)	
◇	exc_domain	Domain		x(8)	
	exc_user1	Ufld1		x(8)	
	exc_user2	Ufld2		x(8)	
	exc_xac_type	Not Used		x(1)	
	exc_xall_cc	Not Used		yes/no	
	exc_xcc	Not Used		x(4)	
	exc__qadc01			x(8)	
◇	oid_exc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* exc_index	yes	exc_domain	yes	no
		exc_curr	yes	no
		exc_curr2	yes	no
		exc_acc	yes	no
◇ oid_exc_mstr	yes	oid_exc_mstr	yes	no

exru_usage Exchange Rate Usage

Field Name	Label	Col-Label	Format	Dec
exru_curr1	Cur 1		x(3)	
exru_curr2	Cur 2		x(3)	
exru_ex_rate	Exch Rate		>>>,>>>,>9.9<<<<<<<<<	10
exru_ex_rate2	Exch Rate 2		>>>,>>>,>9.9<<<<<<<<<	10
exru_seq	Sequence		>>>>>>>g	
exru_step	Step		>>g	
exru__qadc01			x(8)	
exru__qadd01			->,>>>,>9.99	10
exru__qadl01			yes/no	
exru__qadt01			99/99/99	
oid_exru_usage			>>>>>>>>>>>>>>>>>>>>>>>>>g .9<<<<<<<<<	10

	Index-Name	Uni	Field-Name	Asc	Abbr
*	exru_seq	yes	exru_seq	yes	no
			exru_step	yes	no
◇	oid exru usage	yes	oid exru usage	yes	no

exr_rate

Exchange Rate Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ exr_curr2	no	exr_domain	yes	no
		exr_curr2	yes	no
Δ* exr_currs	yes	exr_domain	yes	no
		exr_curr1	yes	no
		exr_curr2	yes	no
		exr_ratetype	yes	no
		exr_start_date	no	no
Δ exr_ratetype	no	exr_domain	yes	no
		exr_ratetype	yes	no
◇ oid_exr_rate	yes	oid_exr_rate	yes	no

faadj_mstr

Fixed Asset Adjustment Master

Field Name	Label	Col-Label	Format	Dec
faadj_amt	Adjustment Amount	Adj Amt	->>>>, >>>, >>>9.99<	10
faadj_domain	Domain		x(8)	
faadj_fabk_id	Book		x(4)	
faadj_famt_id	Method		x(8)	
faadj_fa_id	Asset		x(12)	
faadj_life	Life		->>9.99<	10
faadj_migrate	Migrated		yes/no	
faadj_mod_date	Modified Date	Mod Date	99/99/9999	
faadj_mod_userid	User ID		x(8)	
faadj_resrv	Reserve		->, >>>, >>9	
faadj_type	Adj Type		x(2)	
faadj_user1	Ufld1		x(8)	
faadj_user2	Ufld2		x(8)	
faadj_yrper	Year/Period	Yr-Per	x(6)	
faadj_chr01			x(8)	
faadj_dec01			->>>>, >>>, >>>9.99<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* faadj_fa_id	yes	faadj_domain	yes	no
		faadj_fa_id	yes	no
		faadj_fabk_id	yes	no
		faadj_resrv	yes	no
$\diamond$ oid_faadj_mstr	yes	oid_faadj_mstr	yes	no

faba det

Fixed Asset Account Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ faba_acctype	no	faba_domain	yes	no
		faba_acctype	yes	no
Δ^* faba_fa_id	yes	faba_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		faba_fa_id	yes	no
		faba_acctype	yes	no
		faba_glseq	yes	no
◇ oid_faba_det	yes	oid_faba_det	yes	no

fabchd_det Fixed Asset Batch Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fabchd_fa_id	yes	fabchd_domain	yes	no
		fabchd_fabch_id	yes	no
		fabchd_fa_id	yes	no
$\diamond$ oid_fabchd_det	yes	oid_fabchd_det	yes	no

fabch_mstr

Fixed Asset Batch Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fabch_id	yes	fabch_domain	yes	no
		fabch_id	yes	no
$\diamond$ oid_fabch_mstr	yes	oid_fabch_mstr	yes	no

fabd_det

Fixed Asset Book Depreciation Detail

Field Name	Label	Col-Label	Format	Dec
fabd_accamt	Accumulated Depreciation		->>>>, >>>, >>>9.99<	10
fabd_accup	Units Consumed		>, >>>, >>>, >>9	
fabd_adj_yrper	Adj Year/Period	Adj! Yr-Per	x(6)	
fabd_domain	Domain		x(8)	
fabd_entity	Entity	Enty	x(4)	
fabd_fabk_id	Book		x(4)	
fabd_facfs_id	Class		x(8)	
fabd_faloc_id	Location		x(8)	
fabd_fa_id	Asset		x(12)	
fabd_glseq	GL Sequence		->>>, >>>, >>9	
fabd_migrate	Migrated		yes/no	
fabd_mod_date	Modified Date	Mod Date	99/99/9999	
fabd_mod_userid	User ID		x(8)	
fabd_peramt	Period Depreciation		->>>>, >>>, >>>9.99<	10
fabd_post	Posted To GL	Posted	yes/no	
fabd_resrv	Reserve		->, >>>, >>9	
fabd_resrv_type	Res Type		x(2)	
fabd_retired	Retired		yes/no	
fabd_rt_period	Retire Period		yes/no	
fabd_seq	Sort	Sort	>>>>>>>9	
fabd_suspend	Suspend		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ fabd_entity	no	fabd_domain	yes	no
		fabd_entity	yes	no
Δ fabd_fa_id	no	fabd_domain	yes	no
		fabd_fa_id	yes	no
		fabd_fabk_id	yes	no
		fabd_yrper	yes	no
		fabd_resrv	yes	no
		fabd_seq	yes	no
Δ fabd_glseq	no	fabd_domain	yes	no
		fabd_glseq	yes	no
Δ fabd_post	no	fabd_domain	yes	no
		fabd_post	yes	no
Δ fabd_resrv	no	fabd_domain	yes	no
		fabd_resrv	yes	no
Δ fabd_rt_period	no	fabd_domain	yes	no
		fabd_rt_period	yes	no
Δ* fabd_seq	yes	fabd_domain	yes	no
		fabd_seq	yes	no
Δ fabd_suspend	no	fabd_domain	yes	no
		fabd_suspend	yes	no
Δ fabd_trn_entity	no	fabd_domain	yes	no
		fabd_trn_entity	yes	no
Δ fabd_yrper	no	fabd_domain	yes	no
		fabd_fabk_id	yes	no
		fabd_post	yes	no
		fabd_yrper	yes	no
◇ oid fabd det	yes	oid fabd det	yes	no

fabk_mstr

Fixed Asset Book Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fabk_id	yes	fabk_domain	yes	no
Δ fabk_seq	no	fabk_id	yes	no
		fabk_domain	yes	no
		fabk_seq	yes	no
$\diamond$ oid_fabk_mstr	yes	oid_fabk_mstr	yes	no

Fixed Asset Book Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fab_fa_id	yes	fab_domain	yes	no
		fab_fa_id	yes	no
		fab_fabk_seq	yes	no
		fab_fabk_id	yes	no
		fab_resrv	yes	no
Δ fab_meter	no	fab_domain	yes	no
		fab_famtr_id	yes	no
Δ fab_resrv	no	fab_domain	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* facld_facld_id	yes	facld_domain	yes	no
		facld_facld_id	yes	no
		facld_year	yes	no
		facld_per	yes	no
$\diamond$ oid_facld_det	yes	oid_facld_det	yes	no

facsl_mstr Fixed Asset Class Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* facts_id	yes	facts_domain	yes	no
		facts_id	yes	no
$\diamond$ oid_facts_mstr	yes	oid_facts_mstr	yes	no

◀

fac_ctrl

◀

◀

fadf_mstr

faloc_mstr

Fixed Asset Location Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* faloc_id	yes	faloc_domain	yes	no
		faloc_id	yes	no
$\diamond$ oid_faloc_mstr	yes	oid_faloc_mstr	yes	no

fal mstr

Fixed Asset Location Code Master

Field Name	Label	Col-Label	Format	Dec
fal_ac_cc	Accumulated Depreciation CC	Acc! CC	x(4)	
fal_ac_sub	Acc Depr Sub-Account	Acc Depr! Sub-Acct	x(8)	
fal_bldg	Building		x(8)	
fal_cc	Asset Cost Center	Asst! CC	x(4)	
fal_dept	Department	Dept	x(8)	
fal_desc	Description		x(24)	
fal_exp_cc	Depreciation Expense CC	Exp! CC	x(4)	
fal_exp_sub	Depr Expense Sub-Account	Depr Exp! Sub-Acct	x(8)	
fal_fa_loc	Fixed Asset Location Code	Loc! Code	x(4)	
fal_loc	Site		x(8)	
fal_mod_date	Modified Date	Mod Date	99/99/99	
fal_sub	Asset Sub-Account	Asset! Sub-Acct	x(8)	
fal_user1	Ufld1		x(8)	
fal_user2	Ufld2		x(8)	
fal_userid	User ID		x(8)	

famtrd_det Fixed Asset Meter Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* famtrd_famtr_id	yes	famtrd_domain	yes	no
		famtrd_famtr_id	yes	no
		famtrd_seq	no	no
◇ oid_famtrd_det	yes	oid_famtrd_det	yes	no

famtr_mstr Fixed Asset Meter Master

Field Name	Label	Col-Label	Format	Dec
famtr_desc	Description		x(30)	
◇ famtr_domain	Domain		x(8)	
famtr_id	Meter		x(12)	
famtr_init	Initial Setting		->>>,>>>,>>9	
famtr_initdt	Date		99/99/9999	
famtr_mod_date	Modified Date	Mod Date	99/99/9999	
famtr_mod_userid	User ID		x(8)	
famtr_rollover	Rollover		>>>,>>>,>>9	
famtr_user1	Ufld1		x(8)	
famtr_user2	Ufld2		x(8)	
famtr__chr01			x(8)	
famtr__dec01			->>>>,>>>,>>9.99<	10
famtr__dte01			99/99/9999	
famtr__int01			->,>>>,>>9	
famtr__log01			yes/no	
famtr__qadc01			x(20)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* famtr_id	yes	famtr_domain	yes	no
		famtr_id	yes	no
$\diamond$ oid_famtr_mstr	yes	oid_famtr_mstr	yes	no

famt_mstr

Fixed Asset Method Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* famt_id	yes	famt_domain famt_id	yes yes	no no
$\diamond$ oid famt mstr	yes	oid famt mstr	yes	no

 $\overline{\Delta}$

Index-Name	Uni	Field-Name	Asc	Abbr
		fcc_fsc_code	yes	no
		fcc_sv_code	yes	no
		fcc_pt_prod_line	yes	no
		fcc_pt_svc_group	yes	no
◇ oid_fcc_mstr	yes	oid_fcc_mstr	yes	no

fcd_mstr Service/Support Default Charge Code Master[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fcd_sv_code	yes	fcd_domain	yes	no
		fcd_sv_code	yes	no
		fcd_ca_int_type	yes	no
		fcd_fsc_code	yes	no
		fcd_eu_type	yes	no
		oid fcd_mstr	yes	no
$\diamond$ oid fcd_mstr	yes	oid fcd_mstr	yes	no

fcs_sum

Forecast Summary

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fcs_partyear	yes	fcs_domain	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
		fcs_year	yes	no
Δ fcs_yearpart	yes	fcs_domain	yes	no
		fcs_year	yes	no
		fcs_part	yes	no
		fcs_site	yes	no
◇ oid_fcs_sum	yes	oid_fcs_sum	yes	no

fct_mstr

Service/Support Call Type Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fct_type	yes	fct_domain	yes	no
		fct_type	yes	no
$\diamond$ oid_fct_mstr	yes	oid_fct_mstr	yes	no

fc_det

Seasonal Build Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fc_part	yes	fc_domain	yes	no
		fc_part	yes	no
		fc_site	yes	no
		fc_start	yes	no
Δ fc_ref_part	no	fc_domain	yes	no
		fc_ref	yes	no
		fc_part	yes	no
Δ fc_site	yes	fc_domain	yes	no
		fc_site	yes	no
		fc_part	yes	no
		fc_start	yes	no
◇ oid_fc_det	yes	oid_fc_det	yes	no

ff_mstr

Simulated Forecast Master

Field Name	Label	Col-Label	Format	Dec
ff_adj_fc[24]	Adjusted F/C	Adj F/C	->>>>>>9	10
ff_cust	Customer		x(8)	
ff_date	Date		99/99/99	
ff_domain	Domain		x(8)	
ff_his_yr[5]	Hist Years		9999	
ff_id	Forecasting ID	F/C ID	x(8)	
ff_method	F/C Method		>9	
ff_orig_fc[24]	Original F/C	Orig F/C	->>>>>>9	10
ff_part	Item Number		x(18)	
ff_site	Site		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fc_id	yes	ff_domain	yes	no
		ff_id	yes	no
		ff_user	yes	no
		ff_year	yes	no
		ff_method	yes	no
		ff_part	yes	no
		ff_site	yes	no
		ff_cust	yes	no
$\diamond$ oid_ff_mstr	yes	oid_ff_mstr	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ fis_order	no	fis_domain	yes	no
		fis_row_type	yes	no
		fis_order	yes	no
Δ* fis_sort_type	yes	fis_domain	yes	no
		fis_sort	yes	no
		fis_row_type	yes	no
◇ oid_fis_mstr	yes	oid_fis_mstr	yes	no

Service/Support Kit Master

Field Name	Label	Col-Label	Format	Dec
fkt_bom_code	BOM Code		x(18)	0
fkt_complete	Complete		yes/no	
fkt_curr_loc	Current Location	Curr Loc	x(8)	
fkt_curr_site	Current Site		x(8)	
◇ fkt_domain	Domain		x(8)	
fkt_eff_date	Effective		99/99/99	
fkt_eng_code	Engineer		x(8)	
fkt_in_use	In Use		yes/no	
fkt_loc	Home Location		x(8)	
fkt_mod_date	Modified Date	Mod Date	99/99/99	
fkt_mod_userid	User ID		X(8)	
fkt_order	Available to Order		yes/no	
fkt_part	Kit		x(18)	0
fkt_rev	Rev		x(4)	
fkt_serial	Serial		x(8)	
fkt_site	Home Site		x(8)	
fkt_type	Type		x(8)	
fkt_user1	Ufld1		X(8)	
fkt_user2	Ufld2		X(8)	
fkt_chr01	User Character Field #1		x(8)	0

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ fkt_bom_code	no	fkt_domain	yes	no
		fkt_bom_code	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
Δ fkt_part	no	fkt_domain	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
Δ* fkt_serial	yes	fkt_domain	yes	no
		fkt_serial	yes	no
Δ fkt_site	no	fkt_domain	yes	no
		fkt_site	yes	no
		fkt_loc	yes	no
		fkt_part	yes	no
		fkt_serial	yes	no
◇ oid_fkt_mstr	yes	oid_fkt_mstr	yes	no

flcrh hist

Flow Line Capacity Rate History

Field Name	Label	Col-Label	Format	Dec
flcrh_domain	Domain		x(8)	
flcrh_entry_mode	Default Entry Mode	Entry! Mode	single/multi	
flcrh_mod_date	Modified Date	Mod Date	99/99/99	
flcrh_mod_userid	User ID		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* flcrh_site	yes	flcrh_domain	yes	no
		flcrh_site	yes	no
		flcrh_production_line	yes	no
		flcrh_schedule_code	yes	no
		flcrh_start_date	yes	no
◇ oid_flcrh_hist	yes	oid_flcrh_hist	yes	no

Flow Line Capacity Rate Master

Field Name	Label	Col-Label	Format	Dec
flcr_domain	Domain		x(8)	
flcr_mod_date	Modified Date	Mod Date	99/99/99	
flcr_mod_userid	User ID		x(8)	
flcr_production_line	Production Line	Line	x(8)	
flcr_rate	Hourly Rate	Rate	>>>,>>>,>>9.9<<<<<<<<<	10
flcr_rate_code	Rate Code	Code	x(8)	
flcr_schedule_code	Schedule code	Schedule	x(8)	
flcr_site	Site		x(8)	
flcr_type_code	Type		x(1)	
flcr_type_value	Value		x(18)	
flcr_user1	User Field Character 1		x(24)	
flcr_user2	User field character 2		x(24)	
flcr_userc03	User Field Character 3		x(24)	
flcr_userd01	User Field Decimal 1		->>>>,>>>,>>9.9<<<<<<<<<	10
flcr_useri01	User Field Integer 1		->>>>>>>9	
flcr_userl01	User Field Logical 1		yes/no	
flcr_usert01	User Field Date 1		99/99/99	
flcr__qadc01			x(24)	
flcr__qadc02			x(24)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fclr_rate_code	yes	fclr_domain	yes	no
		fclr_site	yes	no
		fclr_production_line	yes	no
		fclr_schedule_code	yes	no
		fclr_type_code	yes	no
		fclr_type_value	yes	no
		fclr_rate_code	yes	no
◇ oid_fclr_mstr	yes	oid_fclr_mstr	yes	no

fldf_mstr	Field Default Master

Field Default Master

Field Name	Label	Col-Label	Format	Dec
fldf_call_pg	Procedure		x(10)	
fldf_desc	Description		x(30)	
fldf_field	Field Name		x(32)	
fldf_user1	Ufld1		x(8)	
fldf_user2	Ufld2		x(8)	
fldf_userid	User ID		x(8)	
fldf_value	Default Value		x(24)	
fldf__qadc01			x(8)	
◇ oid_fldf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
* fldf_field	yes	fldf_field	yes	no
		fldf_call_pg	yes	no
		fldf_userid	yes	no
◇ oid_fldf_mstr	yes	oid_fldf_mstr	yes	no

flff mstr Flow Flex Fence Master

Flow Flex Fence Master

Field Name	Label	Col-Label	Format	Dec
fiff_domain	Domain		x(8)	
fiff_mod_date	Modified Date	Mod Date	99/99/99	
fiff_mod_userid	User ID		x(8)	
fiff_pct	Flex Fence Pct	Flex Pct	>>9.9<<%	10
fiff_period_number	Period Nbr	Period	>9	
fiff_production_line	Production Line	Line	x(8)	
fiff_schedule_code	Schedule Code	Schedule	x(8)	

◆

Field Help Program Master

◆

Flow Schedule Code Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* flscd_schedule_code	yes	flscd_domain	yes	no
		flscd_schedule_code	yes	no
		flscd_site	yes	no
		flscd_production_line	yes	no
Δ flscd_site	no	flscd_domain	yes	no
		flscd_site	yes	no
		flscd_production_line	yes	no
		flscd_schedule_code	yes	no
◇ oid_flscd_det	yes	oid_flscd_det	yes	no

Flow Schedule Code Master

Field Name	Label	Col-Label	Format	Dec
flsc_daily_time_usage	Check Daily Time Usage	Daily! Time! Usage	yes/no	
flsc_desc	Description		x(24)	
flsc_domain	Domain		x(8)	
flsc_entry_mode	Entry Mode	Entry! Mode	single/multi	
flsc_flex_fences	Check Flex Fences	Flex! Fences	yes/no	
flsc_mod_date	Modified Date	Mod Date	99/99/99	
flsc_mod_userid	User ID		x(8)	
flsc_period_code	Period Code	Period	x(8)	
flsc_physical_usage	Check Physical Usage	Phys! Usg	yes/no	
flsc_rate_expression	Rate Expression	Rate! Expression	x(1)	
flsc_schedule_code	Schedule code	Schedule	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* flsc_schedule_code	yes	flsc_domain	yes	no
		flsc_schedule_code	yes	no
$\diamond$ oid_flsc_mstr	yes	oid_flsc_mstr	yes	no

flsd det

Flow Schedule Detail

	Field Name	Label	Col-Label	Format	Dec
	fbsd_closed	Closed		yes/no	
	fbsd_cmindx	Comment Index	Comment	>>>>>>9	
◇	fbsd_domain	Domain		x(8)	
	fbsd_due_date	Due Date	Due	99/99/99	
	fbsd_due_time	Time		>>>>9	
	fbsd_flow_wo_lot	Flow ID		x(8)	
	fbsd_flow_wo_nbr	Flow Work Order		x(18)	
◇	fbsd_knpd_keyid	Process Detail Key ID		->>, >>>, >>9.9<<<<<	10
	fbsd_mod_date	Modified Date	Mod Date	99/99/99	
	fbsd_mod_userid	User ID		x(8)	
	fbsd_note	Note		x(24)	
	fbsd_part	Item Number		x(18)	
	fbsd_posted_to_rep	Repetitive	Posted! Rep	yes/no	
	fbsd_production_line	Production Line	Line	x(8)	
	fbsd_qty_comp	Qty Completed	Qty! Complete	->>, >>>, >>9.9<<<<<<<<<<	10
	fbsd_qty_ord	Qty Ordered	Qty! Ord	->>, >>>, >>9.9<<<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* flsd_site_line_seq	yes	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_seq	yes	no
Δ flsd_site_line_time	no	flsd_domain	yes	no
		flsd_site	yes	no
		flsd_production_line	yes	no
		flsd_due_date	yes	no
		flsd_due_time	yes	no
Δ flsd_wo_nbr	no	flsd_domain	yes	no
		flsd_flow_wo_nbr	yes	no
		flsd_flow_wo_lot	yes	no
◇ oid flsd det	yes	oid flsd det	yes	no

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	fnd_ca_nbr	no	fnd_domain	yes	no
			fnd_ca_nbr	yes	no
			fnd_nbr	yes	no
Δ	fnd_comp	no	fnd_domain	yes	no
			fnd_nbr	yes	no
			fnd_comp_date	yes	no
Δ	fnd_eco	no	fnd_domain	yes	no
			fnd_ecm_nbr	yes	no
			fnd_nbr	yes	no
Δ*	fnd_nbr	yes	fnd_domain	yes	no
			fnd_nbr	yes	no
			fnd_ca_nbr	yes	no
◇	oid_fnd_det	yes	oid_fnd_det	yes	no

fnh_hist

Service/Support Field Notification History

Field Name	Label	Col-Label	Format	Dec
fnh_account_eng	Account Engineer		yes/no	
fnh_ca_desc	Call Description		x(68)	
fnh_ca_int_type	Work Code		x(8)	
fnh_ca_opn_date	Call Open Date	Call Date	99/99/99	
fnh_ca_pri	Priority		>>9	
fnh_ca_problem	Problem		x(8)	
fnh_ca_que	Queue		x(8)	
fnh_ca_severity	Severity		x(8)	
fnh_ca_status	Status		x(8)	
fnh_ca_type	Call Type		x(8)	
fnh_cmtindx	Comment Index		>>>>>>9	
fnh_combine	Combine with PM		yes/no	
fnh_complete	Completed		yes/no	

Field Name	Label	Col-Label	Format	Dec
fnh_comp_date	Date Completed		99/99/99	
fnh_copy_cmmts	Copy Comments to Call		yes/no	
fnh_copy_eco_cmt	Copy ECO Comments		yes/no	
fnh_desc	Description		x(24)	
fnh_document	Reference Document Number	Doc Nbr	X(24)	0
◇ fnh_domain	Domain		x(8)	
fnh_eff_date	Effective Date		99/99/99	
fnh_ent_date	Date Entered		99/99/99	
fnh_ent_userid	Entered By		X(8)	
fnh_esc_nbr	Escalation		x(8)	
fnh_from_ca_nbr	From Call		X(8)	
fnh_from_eu_nbr	From End User		x(8)	
fnh_from_part	From Item		x(18)	
fnh_from_serial	From Serial		x(18)	
fnh_fr_ship_date	From Ship Date		99/99/99	
fnh_generated	Calls Generated		yes/no	
fnh_model	Model		X(8)	
fnh_mod_date	Modified Date	Mod Date	99/99/99	
fnh_mod_userid	User ID		X(8)	
fnh_nbr	Notification		x(8)	
fnh_sequence	Sequence Number		->,>>>,>>9	
fnh_top_level	Top Level Only		yes/no	
fnh_to_ca_nbr	To Call		X(8)	
fnh_to_eu_nbr	To End User		x(8)	
fnh_to_part	To Item		x(18)	
fnh_to_serial	To Serial		x(18)	
fnh_to_ship_date	To Ship date		99/99/99	
fnh_user1	Ufld1		X(8)	
fnh_user2	Ufld2		X(8)	
fnh__chr01	User Character Field #1		x(8)	0
fnh__chr02	User Character Field #2		x(8)	0
fnh__chr03	User Character Field #3		x(8)	0
fnh__chr04	User Character Field #4		x(8)	0
fnh__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fnh__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fnh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fnh__dte01	User Date #1		99/99/99	
fnh__dte02	User Date #2		99/99/99	
fnh__dte03	User Date #3		99/99/99	
fnh__log01	User Logical #1		yes/no	
fnh__log02	User Logical #2		yes/no	
fnh__log03	User Logical #3		yes/no	
fnh__qadc01	Qad Field #1		x(8)	
fnh__qadc02	Qad Field #2		x(8)	
fnh__qadc03	Qad Field #3		x(8)	
fnh__qadc04	Qad Field #4		x(8)	
fnh__qade01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
fnh__qade02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
fnh__qade03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
fnh__qadl01	QAD Logical #1		yes/no	
fnh__qadl03	Qad Logical #3		yes/no	
fnh__qadl04	Qad Logical #4		yes/no	

	Field Name	Label	Col-Label	Format	Dec
	fnn__qadt01	QAD Date #1		99/99/99	
	fnn__qadt02	Qad Date #2		99/99/99	
	fnn__qadt03	Qad Date #3		99/99/99	
◇	oid_fnn_hist			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ fnh_document	no	fnh_domain	yes	no
		fnh_document	yes	no
		fnh_nbr	yes	no
Δ fnh_effnbr	no	fnh_domain	yes	no
		fnh_eff_date	yes	no
		fnh_nbr	yes	no
Δ* fnh_nbr	yes	fnh_domain	yes	no
		fnh_nbr	yes	no
		fnh_eff_date	yes	no
		fnh_sequence	yes	no
Δ fnh_parteff	no	fnh_domain	yes	no
		fnh_from_part	yes	no
		fnh_eff_date	yes	no
◇ oid_fnh_hist	yes	oid_fnh_hist	yes	no

Service/Support Field Notification Master

Field Name	Label	Col-Label	Format	Dec
fn_account_eng	Account Engineer		yes/no	
fn_ca_desc	Call Description		x(68)	
fn_ca_int_type	Work Code		x(8)	
fn_ca_opn_date	Call Open Date	Call Date	99/99/99	
fn_ca_pri	Priority		>>9	
fn_ca_problem	Problem		x(8)	
fn_ca_que	Queue		x(8)	
fn_ca_severity	Severity		x(8)	
fn_ca_status	Status		x(8)	
fn_ca_type	Call Type		x(8)	
fn_cmtindx	Comment Index		>>>>>>9	
fn_combine	Combine with PM		yes/no	
fn_comb_date	Combine Date		99/99/99	
fn_complete	Completed		yes/no	
fn_comp_date	Date Completed		99/99/99	
fn_copy_cmmts	Copy Comments to Call		yes/no	
fn_copy_eco_cmt	Copy ECO Comments		yes/no	
fn_desc	Description		x(24)	
fn_document	Reference Document	Reference	X(24)	
fn_domain	Domain		x(8)	
fn_eff_date	Effective Date		99/99/99	
fn_ent_date	Date Entered		99/99/99	
fn_ent_userid	Entered By		X(8)	
fn_es_nbr	Escalation		x(8)	
fn_from_eu_nbr	From End User		x(8)	
fn_from_part	From Item		x(18)	
fn_from_serial	From Serial		x(18)	

Family Production Backlog and Cost Plan

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fp1_siteyear	yes	fp1_domain	yes	no
		fp1_site	yes	no
		fp1_part	yes	no
		fp1_year	yes	no
Δ fp1_yearsite	yes	fp1_domain	yes	no
		fp1_year	yes	no
		fp1_part	yes	no
		fp1_site	yes	no
$\diamond$ oid_fp1_plan	yes	oid_fp1_plan	yes	no

Family Production Inventory and Order Plan



[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fp2_sityear	yes	fp2_domain	yes	no
		fp2_site	yes	no
		fp2_part	yes	no
		fp2_year	yes	no
Δ fp2_yearsite	yes	fp2_domain	yes	no
		fp2_year	yes	no
		fp2_part	yes	no
		fp2_site	yes	no
$\diamond$ oid_fp2_plan	yes	oid_fp2_plan	yes	no

fp3_plan

Family Production and Shipment Plan

Field Name	Label	Col-Label	Format	Dec
fp3_apprv_list	Approval List		x(8)	
fp3_beg_inv	Beginning Inventory	Begin Inv	->>>, >>>, >>>9.9<<<<<<<<<<	10
fp3_domain	Domain		x(8)	
fp3_mod_date	Modified Date	Mod Date	99/99/99	
fp3_mod_userid	User ID		x(8)	
fp3_part	Item Number	Item	x(18)	
fp3_prod_act[52]	Production Actual	Prod Act	->>, >>>, >>>9.9<<<<<<<<<<	10
fp3_prod_fcst[52]	Production Forecast	Prod Fcst	->>, >>>, >>>9.9<<<<<<<<<<	10
fp3_ship_act[52]	Ship Actual	Ship Act	->>, >>>, >>>9.9<<<<<<<<<<	10
fp3_ship_fcst[52]	Ship Forecast	Ship Fcst	->>, >>>, >>>9.9<<<<<<<<<<	10
fp3_site	Site		x(8)	
fp3_target	Coverage	Cov	>>>9.9	10
fp3_user1	Ufld1		x(8)	
fp3_user2	Ufld2		x(8)	
fp3_wo_list	Work Order List		x(8)	
fp3_year	Year		>>>>	
fp3__chr01			x(8)	
fp3__chr02			x(8)	
fp3__chr03			x(8)	
fp3__chr04			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fp3_siteyear	yes	fp3_domain	yes	no
		fp3_site	yes	no
		fp3_part	yes	no
		fp3_year	yes	no
Δ fp3_yearsite	yes	fp3_domain	yes	no
		fp3_year	yes	no
		fp3_part	yes	no
		fp3_site	yes	no
$\diamond$ oid_fp3_plan	yes	oid_fp3_plan	yes	no

Service/Support Price Indexing Master

Field Name	Label	Col-Label	Format	Dec
fpci_domain	Domain		x(8)	
fpci_index	Index		x(8)	
fpci_mod_date	Modified Date	Mod Date	99/99/99	
fpci_reval_link	Reevaluation Link	Link	->>>,>>9.99<<<<	10
fpci_user1	Ufld1		X(8)	
fpci_user2	Ufld2		X(8)	
fpci_userid	User ID		x(8)	
fpci_values[12]	Value		->>>,>>9.99<<<<	10
fpci_year	Year		>>>9	
fpci__chr01	User Character Field #1		x(8)	0
fpci__chr02	User Character Field #2		x(8)	0
fpci__chr03	User Character Field #3		x(8)	0
fpci__chr04	User Character Field #4		x(8)	0
fpci__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
fpci__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
fpci__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
fpci__dte01	User Date #1		99/99/99	
fpci__dte02	User Date #2		99/99/99	
fpci__dte03	User Date #3		99/99/99	
fpci__log01	User Logical #1		yes/no	
fpci__log02	User Logical #2		yes/no	
fpci__log03	User Logical #3		yes/no	
fpci__qadc01	Qad Field #1		x(8)	
fpci__qadc02	Qad Field #2		x(8)	
fpci__qadc03	Qad Field #3		x(8)	
fpci__qadc04	Qad Field #4		x(8)	
fpci__qadd01	Qad Date #1		99/99/99	
fpci__qadd02	Qad Date #2		99/99/99	
fpci__qadd03	Qad Date #3		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fpci_index	yes	fpci_domain	yes	no
		fpci_index	yes	no
		fpci_year	yes	no
$\diamond$ oid_fpci_mstr	yes	oid_fpci_mstr	yes	no

fpc_mstr

Service/Support Pricing Master

Field Name	Label	Col-Label	Format	Dec
fpc_amt[15]	Price		->>>, >>>, >>9.99<<<	10
fpc_amt_type	Amount Type	T	x(1)	
fpc_ca_int_type	Work Code	Work CD	x(8)	
fpc_curr	Currency	Curr	x(4)	0
fpc_domain	Domain		x(8)	
fpc_expire	Expiration	Expire	99/99/99	
fpc_fsc_code	Service Category	Svc Cat	x(8)	
fpc_list	Price List	List	x(8)	
fpc_list_type	Type		x(3)	
fpc_max_price[15]	Maximum Price		->>>, >>>, >>9.99<<<	10
fpc_min_price	Minimum Price		->>>, >>>, >>9.99<<<	10
fpc_min_qty[15]	Min Qty		>>>>>9	10
fpc_mod_date	Modified Date	Mod Date	99/99/99	
fpc_part	Item		x(18)	
fpc_prod_line	Product Line	Line	x(4)	
fpc_start	Start		99/99/99	
fpc_svc_group	Service Group	Svc Grp	x(8)	
fpc_sv_code	Service Type	Svc Type	x(8)	0
fpc_tax_in	Tax In		yes/no	
fpc_um	UM		x(2)	
fpc_user1	Ufld1		X(8)	
fpc_user2	Ufld2		X(8)	
fpc_userid	User ID		x(8)	
fpc_chr01	User Character Field #1		x(8)	0
fpc_chr02	User Character Field #2		x(8)	0
fpc_chr03	User Character Field #3		x(8)	0
fpc_chr04	User Character Field #4		x(8)	0
fpc_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fpc_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fpc_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fpc_dte01	User Date #1		99/99/99	
fpc_dte02	User Date #2		99/99/99	
fpc_dte03	User Date #3		99/99/99	
fpc_log01	User Logical #1		yes/no	

[illegible]

◇ oid_fpc_mstr	yes	oid_fpc_mstr	yes	no

Family Item Cost Detail

fpd_user2	Ufld2	x(8)

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fpd_cost	yes	fpd_domain	yes	no
		fpd_sim	yes	no
		fpd_site	yes	no
		fpd_part	yes	no
$\diamond$ oid_fpd_cost	yes	oid_fpd_cost	yes	no

fpst_mstr

Return Status Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fpst_status	yes	fpst_domain	yes	no
		fpst_status	yes	no
$\diamond$ oid_fpst_mstr	yes	oid_fpst_mstr	yes	no

Freight Charge Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* frcd_fr_list	yes	frcd_domain	yes	no
		frcd_fr_list	yes	no
		frcd_site	yes	no
		frcd_curr	yes	no
		frcd_zone	yes	no
		frcd_class	yes	no
		frcd_max_wt	yes	no
		frcd_start	yes	no
$\diamond$ oid frcd det	yes	oid frcd det	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* frzd_fr_list	yes	frzd_domain	yes	no
		frzd_fr_list	yes	no
		frzd_site	yes	no
		frzd_zone	yes	no
		frzd_post_st	yes	no
		frzd_start	yes	no
◇ oid_frzd_det	yes	oid_frzd_det	yes	no

Freight List Master

Field Name	Label	Col-Label	Format	Dec
fr_curr	Currency	Curr	x(3)	
fr_desc	Description		x(24)	
◇ fr_domain	Domain		x(8)	
fr_list	Freight List	Frt List	x(8)	
fr_mode	Freight Mode		x(8)	
fr_site	Site		x(8)	
fr_trl_cd	Trailer Code	Trl	x(2)	
fr_type	Type		UNIT/BULK	
fr_um	UM		x(2)	
fr_user1	Ufld1		x(8)	
fr_user2	Ufld2		x(8)	
fr__chr01			x(8)	
fr__chr02			x(8)	
fr__chr03			x(8)	
fr__chr04			x(8)	
fr__chr05			x(8)	
fr__chr06			x(8)	
fr__chr07			x(8)	
fr__chr08			x(8)	
fr__dec01			>>>,>>>,>>9.99	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fr_list	yes	fr_domain	yes	no
		fr_list	yes	no
		fr_site	yes	no
		fr_curr	yes	no
$\diamond$ oid_fr_mstr	yes	oid_fr_mstr	yes	no

fsc_mstr

Service Category Master

Field Name	Label	Col-Label	Format	Dec
fsc_bdn_pct	Labor Burden Percent	Lbr Bdn %	>>>9.99%	10
fsc_bdn_rate	Labor Burden Rate	Lbr Bdn Rate	>>>, >>9.99	10
fsc_code	Service Category	Svc Cat	x(8)	
fsc_con_parts	Consumable Items	Con	yes/no	
fsc_customer	Customer Chargeable		yes/no	
fsc_cus_non_prod	Customer Non-Productive	Cus NP	yes/no	
fsc_desc	Description		x(24)	
fsc_domain	Domain		x(8)	
fsc_exg_parts	Exchanged Items	Exg	yes/no	
fsc_expense	Expense	Exp	yes/no	
fsc_fis_column	Column	Col	>>9	
fsc_fis_sort	Invoice Sort		x(18)	
fsc_labor	Labor	Lab	yes/no	
fsc_lbr_rate	Standard Labor Rate	Std Lbr Rate	>>>, >>9.99	10
fsc_non_prod	Non-Productive	Non P	yes/no	
fsc_other	Other	Oth	yes/no	
fsc_parts	Items	Itm	yes/no	
fsc_sick	Sick		yes/no	
fsc_taxable	Taxable		yes/no	
fsc_taxc	Tax Class		x(8)	0
fsc_training	Training	Trn	yes/no	
fsc_travel_exp	Travel Expenses	TE	yes/no	
fsc_travel_labor	Travel Labor	TL	yes/no	
fsc_user1	Ufld1		X(8)	
fsc_user2	Ufld2		X(8)	
fsc_vacation	Vacation	Vac	yes/no	
fsc__chr01	User Character Field #1		x(8)	0
fsc__chr02	User Character Field #2		x(8)	0
fsc__chr03	User Character Field #3		x(8)	0
fsc__chr04	User Character Field #4		x(8)	0
fsc__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
fsc__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
fsc__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
fsc__dte01	User Date #1		99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fsc_code	yes	fsc_domain	yes	no
		fsc_code	yes	no
$\diamond$ oid_fsc_mstr	yes	oid_fsc_mstr	yes	no

Service/Support Call Activity Detail

Field Name	Label	Col-Label	Format	Dec
fsd_domain	Domain		x(8)	
fsd_file			x(8)	
fsd_file_line			>>9	
fsd_inv_ref	Ref	Reference	X(8)	
fsd_isb_ref	Installed Base Reference	ISB Ref	>>>>>>9	
fsd_line	Line		>>>9	
fsd_loc	Location		x(8)	
fsd_lotser	Lot/Serial		x(18)	
fsd_nbr			x(8)	
fsd_part	Item		x(18)	
fsd_qty_post			-,>>>,>>9.9<<<<<<<<	10
fsd_qty_tran	Quantity		-,>>>,>>9.9<<<<<<<<	10
fsd_ref	Ref	Reference	x(8)	
fsd_ret_loc	Return Location		x(8)	
fsd_ret_site	Return Site		x(8)	
fsd_rev	Rev		x(4)	
fsd_site	Site		x(8)	
fsd_status	Status		x(8)	
fsd_user1	Ufld1		x(8)	
fsd_user2	Ufld2		x(8)	
fsd__chr01	User Character Field 1		X(8)	
fsd__chr02	User Character Field 2		X(8)	
fsd__dec01	User Decimal Field 1		->>>,>>>,>>9.9<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fsd_nbr	yes	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_line	yes	no
Δ fsd_part	no	fsd_domain	yes	no
		fsd_nbr	yes	no
		fsd_file	yes	no
		fsd_file_line	yes	no
		fsd_part	yes	no
		fsd_site	yes	no
		fsd_loc	yes	no
		fsd_lotser	yes	no
$\diamond$ oid_fsd_det	yes	fsd_ref	yes	no
		oid_fsd_det	yes	no

fsh_mstr

Service/Support Holiday Master

	Field Name	Label	Col-Label	Format	Dec
	fsh_code	Code		x(8)	
	fsh_code_field	Field		x(32)	
	fsh_covered	Covered		yes/no	
	fsh_date	Holiday		99/99/99	
	fsh_desc	Description		x(24)	
◇	fsh_domain	Domain		x(8)	
	fsh_user1	Ufld1		x(8)	
	fsh_user2	Ufld2		x(8)	
	fsh__qadc01			x(8)	
◇	oid_fsh_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fsh_codefield	yes	fsh_domain	yes	no
		fsh_code	yes	no
		fsh_code_field	yes	no
		fsh_date	yes	no
◇ oid_fsh_mstr	yes	oid_fsh_mstr	yes	no

Simulation Line Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fslp_pln	yes	fslp_domain	yes	no
		fslp_plan_id	yes	no
		fslp_part	yes	no
		fslp_site	yes	no
		fslp_line	yes	no
		fslp_year	yes	no
◇ oid_fslp_pln	yes	oid_fslp_pln	yes	no

Family Simulation Backlog and Cost Plan

Field Name	Label	Col-Label	Format	Dec
fsp1_beg_inv	Beginning Inventory	Begin Inv	->>>, >>>, >>9.9<<<<<<<<<<	10
fsp1_bklg_act[52]	Backlog Actual	Bklg Act	->, >>>, >>9.9<<<<<<<<<<	10
fsp1_bklg_fcst[52]	Backlog Forecast	Bklg Fcst	->, >>>, >>9.9<<<<<<<<<<	10
fsp1_cost_act[52]	Cost Actual	Cost Act	->, >>>, >>9.9<<<<<<<<<<	10
fsp1_cost_fcst[52]	Cost Forecast	Cost Fcst	->, >>>, >>9.9<<<<<<<<<<	10
◇ fsp1_domain	Domain		x(8)	
fsp1_mod_date	Modified Date	Mod Date	99/99/99	
fsp1_mod_userid	User ID		x(8)	
fsp1_part	Item Number	Item	x(18)	
fsp1_percent	Percent		->>9.9<%	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fsp1_pln	yes	fsp1_domain	yes	no
		fsp1_plan_id	yes	no
		fsp1_site	yes	no
		fsp1_part	yes	no
		fsp1_year	yes	no
		oid_fsp1_pln	yes	no
$\diamond$ oid_fsp1_pln	yes	oid_fsp1_pln	yes	no

fsp2_pln

Family Simulation Inventory and Order Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fsp2_pln	yes	fsp2_domain	yes	no
		fsp2_plan_id	yes	no
		fsp2_site	yes	no
		fsp2_part	yes	no
		fsp2_year	yes	no
◇ oid_fsp2_pln	yes	oid_fsp2_pln	yes	no

Family Simulation Production and Shipment Plan

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fsp3_pln	yes	fsp3_domain	yes	no
		fsp3_plan_id	yes	no
		fsp3_site	yes	no
		fsp3_part	yes	no
		fsp3_year	yes	no
◇ oid_fsp3_pln	yes	oid_fsp3_pln	yes	no

Service/Support User Preference Master

Field Name	Label	Col-Label	Format	Dec
fsu_ca_time_wnd	Call Time Window		yes/no	
fsu_ca_wo_wnd	Call WO Window		yes/no	
fsu_dflt_pri	Call Priority	Call! Priority	>>>9	
fsu_dflt_que	Call Queue	Call! Queue	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* fsu_userid	yes	fsu_domain	yes	no
		fsu_userid	yes	no
◇ oid_fsu_mstr	yes	oid_fsu_mstr	yes	no

ftch_hist

Service/Support Trace History

Field Name	Label	Col-Label	Format	Dec
ftch_desc	Description		x(24)	
ftch_domain	Domain		x(8)	
ftch_eff_date	Effective Date		99/99/99	
ftch_eng_code	Engineer		x(8)	
ftch_ent_date	Create Date		99/99/99	
ftch_model			x(8)	
ftch_mod_date	Modified Date	Mod Date	99/99/99	
ftch_mod_userid	User ID		X(8)	
ftch_nbr	Order		x(8)	
ftch_part	Item		x(18)	
ftch_prior_value	Prior Value		x(18)	
ftch_serial	Serial		x(18)	
ftch_swapped	Model		yes/no	
ftch_trans	Transaction Type	TR Type	x(8)	
ftch_trnbr	Tran Number		>>>>>>>>>>>>>>>9	
ftch_user1	Ufld1		x(8)	

[illegible]

	yes	no
oid_ftch_hist	yes	no

Freight Terms Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ *ft_terms	yes	ft_domain	yes	no
		ft_terms	yes	no
$\diamond$ oid_ft_mstr	yes	oid_ft_mstr	yes	no

fwk_mstr

Service/Support Work Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* fwk_ca_int_type	yes	fwk_domain	yes	no
		fwk_ca_int_type	yes	no
$\diamond$ oid_fwkw_mstr	yes	oid_fwkw_mstr	yes	no

Application Definition Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* giap_app_code	yes	giap_domain	yes	no
		giap_app_code	yes	no
Δ giap_ref_key	yes	giap_domain	yes	no
		giap_ref_key	yes	no
◇ oid_giap_mstr	yes	oid_giap_mstr	yes	no

Model Definition Master

[illegible]

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gisi_model	yes	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_model_name	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
Δ gisi_ref_key	yes	gisi_domain	yes	no
		gisi_ref_key	yes	no
Δ gisi_site_part	no	gisi_domain	yes	no
		gisi_app_code	yes	no
		gisi_site	yes	no
		gisi_part	yes	no
◇ oid_gisi_mstr	yes	oid_gisi_mstr	yes	no

glcd_det

General Ledger Calendar Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* glcd_index	yes	glcd_domain	yes	no
		glcd_year	yes	no
		glcd_per	yes	no
		glcd_entity	yes	no
$\diamond$ oid_glcd_det	yes	oid_glcd_det	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* glc_index	yes	glc_domain	yes	no
		glc_year	yes	no
		glc_per	yes	no
Δ glc_start	no	glc_domain	yes	no
		glc_start	yes	no
◇ oid_glc_cal	yes	oid_glc_cal	yes	no

◇ **glec_det** GL Entity Consolidation Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* glec_domain	yes	glec_domain	yes	no
		glec_cons_ref	yes	no
		glec_cons_rflag	yes	no
		glec_cons_line	yes	no
		glec_sub_domain	yes	no
		glec_sub_ref	yes	no
		glec_sub_rflag	yes	no
		glec_sub_line	yes	no
◇ glec_sub_domain	yes	glec_sub_domain	yes	no
		glec_sub_ref	yes	no
		glec_sub_rflag	yes	no
		glec_sub_line	yes	no
		glec_domain	yes	no
		glec_cons_ref	yes	no
		glec_cons_rflag	yes	no
		glec_cons_line	yes	no
◇ oid_glec_det	yes	oid_glec_det	yes	no

glr_mstr

General Ledger Report Master

	Field Name	Label	Col-Label	Format	Dec
	glr_code	Custom Code	Custom	x(8)	
◇	glr_domain	Domain		x(8)	
	glr_title	Report Title		x(24)	
	glr_user1	Ufld1		x(8)	
	glr_user2	Ufld2		x(8)	
	glr__qadc01			x(8)	
◇	oid_glr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* glr_code	yes	glr_domain	yes	no
		glr_code	yes	no
◇ oid_glr_mstr	yes	oid_glr_mstr	yes	no

glsd_mstr

General Ledger Description Source Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ glsd_exec	no	glsd_domain	yes	no
		glsd_exec	yes	no
Δ* glsd_lang	yes	glsd_domain	yes	no
		glsd_nbr	yes	no
		glsd_select	yes	no
		glsd_lang	yes	no
◇ oid_glsd_mstr	yes	oid_glsd_mstr	yes	no

gltmd_det

General Ledger Transaction Matching Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gltmd_match_nbr	yes	gltmd_domain	yes	no
		gltmd_entity	yes	no
		gltmd_acct	yes	no
		gltmd_match_nbr	yes	no
		gltmd_ref	yes	no
		gltmd_rflag	yes	no
		gltmd_line	yes	no
Δ gltmd_ref	yes	gltmd_domain	yes	no
		gltmd_ref	yes	no
		gltmd_rflag	yes	no
		gltmd_line	yes	no
◇ oid_gltmd_det	yes	oid_gltmd_det	yes	no

gltm_mstr

General Ledger Transaction Matching Master

	Field Name	Label	Col-Label	Format	Dec
	gltm_acct	Account		x(8)	
◇	gltm_domain	Domain		x(8)	
	gltm_eff_dt	Effective		99/99/99	
	gltm_entity	Entity		x(4)	
	gltm_line	Line		>>>9	
	gltm_match_nbr	Matching Number		>>>>>>9	
	gltm_mod_date	Modified Date	Mod Date	99/99/99	

Field Name	Label	Col-Label	Format	Dec
gltm_mod_userid	User ID		x(8)	
gltm_ref	GL Reference		x(14)	
gltm_rflag	Reversing/Retroactive		yes/no	
gltm_user1	User Field Character 1		x(24)	
gltm_user2	User Field Character 2		x(24)	
gltm_userd01	User Field Decimal 1		->>>>, >>>,>>>9.9<<<<<<<<<<	10
gltm_useri01	User Field Integer 1		->>>>>>>9	
gltm_userl01	User Field Logical 1		yes/no	
gltm_usert01	User Field Date 1		99/99/99	
gltm__qadc01			x(24)	
gltm__qadc02			x(24)	
gltm__qadd01			->>>>, >>>,>>>9.9<<<<<<<<<<	10
gltm__qadi01			->>>>>>>9	
gltm__quadl01			yes/no	
gltm__qadt01			99/99/99	
◇ oid_gltm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gltm_match_nbr	yes	gltm_domain	yes	no
		gltm_entity	yes	no
		gltm_acct	yes	no
		gltm_match_nbr	yes	no
		oid_gltm_mstr	yes	no
◇ oid_gltm_mstr	yes	oid_gltm_mstr	yes	no

gltr_hist

General Ledger Transaction History

Field Name	Label	Col-Label	Format	Dec
gltr_acc	Account		x(8)	
gltr_addr	Address		x(8)	
gltr_amt	Amount		>>,>>>,>>>,>>9.99cr	10
gltr_batch	Batch		x(8)	
gltr_correction	Correction	Corr	yes/no	
gltr_ctr	Cost Ctr	CC	x(4)	
gltr_curr	Currency	Cur	x(3)	
gltr_curramt	Currency Amount		->>,>>>,>>>,>>9.99	10
gltr_desc	Description		x(24)	
gltr_doc	Document		x(16)	
gltr_doc_typ	Document Type	T	x(2)	
gltr_domain	Domain		x(8)	
gltr_dy_code	Daybook		x(8)	
gltr_dy_num	Entry Number		x(40)	
gltr_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->>,>>>,>>>,>>9.99	10
gltr_eff_dt	Effective	Eff Date	99/99/99	
gltr_entity	Entity	Enty	x(4)	
gltr_ent_dt	Entered		99/99/99	
gltr_en_exrate	Entity Exch Rate		>>>>,>>>,>>9.9<<<<<<<<	10
gltr_en_exrate2	Entity Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<	10
gltr_en_exru_seq	Sequence		>>>>>>>9	
gltr_error	Error Message		x(16)	
gltr_export	Exported	Exp	yes/no	
gltr_exru_seq	Sequence		>>>>>>>9	

[illegible]

Δ gltr_acc_ctr	no	gltr_domain	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_entity	yes	no
		gltr_project	yes	no
		gltr_eff_dt	yes	no
Δ gltr_addr	no	gltr_domain	yes	no
		gltr_addr	yes	no
		gltr_eff_dt	yes	no
Δ gltr_batch	no	gltr_domain	yes	no
		gltr_batch	yes	no
Δ gltr_cc	no	gltr_domain	yes	no
		gltr_ctr	yes	no
Δ gltr_ctr	no	gltr_domain	yes	no
		gltr_entity	yes	no
		gltr_ctr	yes	no
		gltr_acc	yes	no
		gltr_eff_dt	yes	no
Δ gltr_doctype	no	gltr_domain	yes	no
		gltr_doc_typ	yes	no
		gltr_eff_dt	yes	no
		gltr_doc	yes	no
Δ gltr_dy_code	no	gltr_domain	yes	no
		gltr_dy_code	yes	no
		gltr_dy_num	yes	no
Δ gltr_eff_dt	no	gltr_domain	yes	no
		gltr_eff_dt	yes	no
Δ gltr_ent_dt	no	gltr_domain	yes	no
		gltr_entity	yes	no
		gltr_ent_dt	yes	no
		gltr_ref	yes	no
		gltr_line	yes	no
Δ gltr_export	no	gltr_domain	yes	no
		gltr_entity	yes	no
		gltr_export	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ gltr_ind1	no	gltr_domain	yes	no
		gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
		gltr_project	yes	no
Δ gltr_ind2	no	gltr_eff_dt	yes	no
		gltr_domain	yes	no
		gltr_entity	yes	no
		gltr_ref	yes	no
Δ gltr_project	no	gltr_line	yes	no
		gltr_domain	yes	no
		gltr_project	yes	no
		gltr_acc	yes	no
		gltr_sub	yes	no
		gltr_ctr	yes	no
Δ* gltr_ref	yes	gltr_entity	yes	no
		gltr_eff_dt	yes	no
		gltr_domain	yes	no
		gltr_ref	yes	no
		gltr_rflag	yes	no
Δ gltr_sub	no	gltr_line	yes	no
		gltr_domain	yes	no
		gltr_sub	yes	no
		gltr_entity	yes	no
		gltr_acc	yes	no
		gltr_ctr	yes	no
◇ oid_gltr_hist	yes	gltr_eff_dt	yes	no
		oid_gltr_hist	yes	no

gltw_wkfl General Ledger Work Table

Field Name	Label	Col-Label	Format	Dec
gltw_acct	Account		x(8)	
gltw_addr	Address		x(8)	
gltw_amt	Amount		->, >>>, >>>, >>9.99<<<<<<<<	10
gltw_batch	Batch		x(8)	
gltw_cc	Cost Ctr	CC	x(4)	
gltw_correction	Correction	Corr	yes/no	
gltw_curr	Currency	Cur	x(3)	
gltw_curramt	Currency Amount		->, >>>, >>>, >>9.99<<<<<<<<	10
gltw_date	Date		99/99/99	
gltw_desc	Description		x(24)	
gltw_doc	Document		x(16)	
gltw_doc_typ	Document Type	T	x(2)	
◇ gltw_domain	Domain		x(8)	
gltw_dy_code	Daybook		x(8)	
gltw_dy_num	Entry Num		x(40)	
gltw_ecur_amt	Amount in Entity Currency	Amt in Entity Curr	->, >>>, >>>, >>9.99	10
gltw_effdate	Effective	Eff Date	99/99/99	
gltw_entity	Entity		x(8)	
gltw_exru_seq	Sequence		>>>>>>>>9	
gltw_ex_rate	Exchange Rate		>>>>, >>>>, >>9.9<<<<<<<<	10
gltw_ex_rate2	Exch Rate 2		>>>>, >>>>, >>9.9<<<<<<<<	10

△

General Ledger Unposted Transaction Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ glt_acc	no	glt_domain	yes	no
		glt_acct	yes	no
Δ glt_batch	no	glt_domain	yes	no
		glt_batch	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
Δ glt_dy_code	no	glt_domain	yes	no
		glt_dy_code	yes	no
		glt_dy_num	yes	no
Δ glt_index	no	glt_domain	yes	no
		glt_entity	yes	no
		glt_acct	yes	no
		glt_sub	yes	no
		glt_cc	yes	no
		glt_effdate	yes	no
		glt_project	yes	no
		glt_ref	yes	no
Δ* glt_ref	yes	glt_domain	yes	no
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
Δ glt_tr_type	no	glt_domain	yes	no
		glt_tr_type	yes	no
		glt_ref	yes	no
		glt_line	yes	no
Δ glt_unb	no	glt_domain	yes	no
		glt_unb	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		glt_ref	yes	no
		glt_rflag	yes	no
		glt_line	yes	no
◇ oid_glt_det	yes	oid_glt_det	yes	no

gl_ctrl

System/Account Control

Field Name	Label	Col-Label	Format	Dec
gl_apds_acct	AP Discount	AP Disc	x(8)	
gl_apds_cc	AP Disc Cost Ctr	CC	x(4)	
gl_apds_sub	AP Discount Sub	Sub-Acct	x(8)	
gl_apvr_x_acct	Expensed Item Rate Var	AP Rate	x(8)	
gl_apvr_x_cc	Expensed Items Rate Var CC	CC	x(4)	
gl_apvr_x_sub	Exp Item Rate Var Sub	Sub-Acct	x(8)	
gl_apvr_acct	AP Rate Variance	AP Rate	x(8)	
gl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
gl_apvr_sub	AP Rate Variance Sub	Sub-Acct	x(8)	
gl_apvux_acct	Expensed Item Usage Var	AP Usage	x(8)	
gl_apvux_cc	Expense Items Use Var CC	CC	x(4)	
gl_apvux_sub	Exp Item Usage Sub	Sub-Acct	x(8)	
gl_apvu_acct	AP Usage Variance	AP Usage	x(8)	
gl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
gl_apvu_sub	AP Usage Variance Sub	Sub-Acct	x(8)	
gl_ap_acct	Payables		x(8)	
gl_ap_cc	AP Cost Ctr	CC	x(4)	
gl_ap_sub	Payables Sub-Acct	Sub-Acct	x(8)	
gl_ar_acct	Receivables		x(8)	
gl_ar_cc	AR Cost Ctr	CC	x(4)	
gl_ar_sub	Receivables Sub-Acct	Sub-Acct	x(8)	
gl_base_curr	Base Currency	Cur	x(3)	
gl_bdn_acct	Burden		x(8)	
gl_bdn_cc	Burden Cost Ctr	CC	x(4)	
gl_bdn_sub	Burden Sub-Acct	Sub-Acct	x(8)	
gl_bk_val	Bank Acct Validation		x(2)	
gl_bvar_acct	Burden Usage Var	Bdn Use	x(8)	
gl_bvar_cc	Burden Usage Variance CC	CC	x(4)	
gl_bvar_sub	Burden Usage Var Sub	Sub-Acct	x(8)	
gl_bvrr_acct	Burden Rate Var	Bdn Rate	x(8)	
gl_bvrr_cc	Burden Rate Variance CC	CC	x(4)	
gl_bvrr_sub	Burden Rate Var Sub	Sub-Acct	x(8)	
gl_can	Canadian Tax		yes/no	
gl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
gl_cbdn_cc	COGS Burden CC	CC	x(4)	
gl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
gl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
gl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
gl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
gl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
gl_clbr_cc	COGS Labor CC	CC	x(4)	
gl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
gl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
gl_cmtl_cc	COGS Material CC	CC	x(4)	
gl_cmtl_sub	COGS Material Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_cog_acct	Cost of Goods	COGS	x(8)	
gl_cog_cc	Cost of Goods Cost Ctr	CC	x(4)	
gl_cog_sub	Cost of Goods Sub-Acct	Sub-Acct	x(8)	
gl_cop_acct	Cost Of Production	COP	x(8)	
gl_cop_cc	Cost of Production Cost Ctr	CC	x(4)	
gl_cop_sub	Cost Of Production Sub	Sub-Acct	x(8)	
gl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
gl_covh_cc	COGS Overhead CC	CC	x(4)	
gl_covh_sub	COGS Overhead Sub-Acct	Sub-Acct	x(8)	
gl_crterms_acct	Credit Terms Interest Account		x(8)	
gl_crterms_cc	Credit Terms Interest CC	CC	x(4)	
gl_crterms_sub	Credit Terms Int Sub	Sub-Acct	x(8)	
gl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
gl_csub_cc	COGS Subcontract CC	CC	x(4)	
gl_csub_sub	COGS Subcontract Sub-Acct	Sub-Acct	x(8)	
gl_cs_acct	Sales Cash	Cash	x(8)	
gl_cs_cc	Cash Cost Ctr	CC	X(4)	
gl_cs_sub	Sales Cash Sub-Acct	Sub-Acct	x(8)	
gl_disc_acct	Sales Discount	Disc	x(8)	
gl_disc_cc	Disc Cost Ctr	CC	x(4)	
gl_disc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
◇ gl_domain	Domain		x(8)	
gl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
gl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
gl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
gl_entity	Entity	Enty	x(4)	
gl_esls_acct	Exempt Sales Acct	Exempt Sls	x(8)	
gl_esls_cc	Exempt Sales Cost Ctr	Exempt Sls	x(4)	
gl_ex_ratetype	Exchange Rate Type	Rate Type	x(8)	
gl_ex_rnd_acct	Exchange Rounding Acct	Exch Rnd	x(8)	
gl_ex_rnd_cc	Exchange Rounding CC	CC	x(4)	
gl_ex_rnd_sub	Exchange Rounding Sub	Sub-Acct	x(8)	
gl_ex_round	Round Factor		->9	
gl_fin_acct	Sales Finance	Finance	x(8)	
gl_fin_cc	Finance Cost Ctr	CC	x(4)	
gl_fin_sub	Sales Finance Sub	Sub-Acct	x(8)	
gl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
gl_flr_cc	Floor Stock CC	CC	x(4)	
gl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
gl_frtacc_acct	Sales Freight Accrued Account	Frt Accr	x(8)	
gl_frtacc_cc	Cost Center	CC	x(4)	
gl_frtacc_sub	Sales Frt Accrued Sub	Sub-Acct	x(8)	
gl_frtapp_acct	Sales Freight Applied Account	Frt Appl	x(8)	
gl_frtapp_cc	Cost Center	CC	x(4)	
gl_frtapp_sub	Sales Frt Applied Sub	Sub-Acct	x(8)	
gl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
gl_fsaccr_cc	Accrued Revenue CC		x(4)	
gl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
gl_fsbdn_acct	Service Burden		X(8)	
gl_fsbdn_cc	Service Burden CC	CC	X(4)	
gl_fsbdn_sub	Service Burden Sub	Sub-Acct	x(8)	
gl_fscm_inv_acct	Customer Inventory	Cust Inv	X(8)	
gl_fscm_inv_cc	Customer Inventory CC	CC	X(4)	

Field Name	Label	Col-Label	Format	Dec
gl_fscm_inv_sub	Customer Inv Sub	Sub-Acct	x(8)	
gl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
gl_fsdef_cc	Deferred Revenue CC		x(4)	
gl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
gl_fsexd_acct	Expense Due Employee	Exp Due	X(8)	
gl_fsexd_cc	Expense Due CC	CC	X(4)	
gl_fsexd_sub	Expense Due Emp Sub	Sub-Acct	x(8)	
gl_fsexp_acct	Service Expense		X(8)	
gl_fsexp_cc	Service Expense CC	CC	X(4)	
gl_fsexp_sub	Service Expense Sub	Sub-Acct	x(8)	
gl_fslbr_acct	Service Labor		X(8)	
gl_fslbr_cc	Service Labor CC	CC	X(4)	
gl_fslbr_sub	Service Labor Sub	Sub-Acct	x(8)	
gl_fsrc_inv_acct	Repair Center Inventory	Repair Ctr Inv	X(8)	
gl_fsrc_inv_cc	Repair Center Inv CC	CC	X(4)	
gl_fsrc_inv_sub	Repair Center Inv Sub	Sub-Acct	x(8)	
gl_index1	Index		>>>>>9	
gl_inv_acct	Inventory Acct	Inventory	x(8)	
gl_inv_cc	Inventory Cost Ctr	CC	x(4)	
gl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
gl_lang	Default System Language		x(2)	
gl_late_acct	Credit Terms Late Interest Acct	Late Acct	x(8)	
gl_late_cc	Credit Terms Late Interest CC	CC	x(4)	
gl_late_sub	Cr Terms Late Inte Sub	Sub-Acct	x(8)	
gl_lbr_acct	Labor		x(8)	
gl_lbr_cc	Labor Cost Ctr	CC	x(4)	
gl_lbr_sub	Labor Sub-Acct	Sub-Acct	x(8)	
gl_lvar_acct	Labor Usage Var	Lbr Use	x(8)	
gl_lvar_cc	Labor Usage Variance CC	CC	x(4)	
gl_lvar_sub	Labor Usage Var Sub	Sub-Acct	x(8)	
gl_lvrn_acct	Labor Rate Var	Lbr Rate	x(8)	
gl_lvrn_cc	Labor Rate Variance CC	CC	x(4)	
gl_lvrn_sub	Labor Rate Var Sub	Sub-Acct	x(8)	
gl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
gl_mvar_cc	Material Usage Variance CC	CC	x(4)	
gl_mvar_sub	Material Usage Var Sub	Sub-Acct	x(8)	
gl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
gl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
gl_mvrr_sub	Material Rate Var Sub	Sub-Acct	x(8)	
gl_ot_acct	Overtime		x(8)	
gl_ot_cc	Overtime Cost Ctr	CC	x(4)	
gl_ot_sub	Overtime Sub-Acct	Sub-Acct	x(8)	
gl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
gl_ovh_cc	Overhead Appl CC	CC	x(4)	
gl_ovh_sub	Overhead Appl Sub-Acct	Sub-Acct	x(8)	
gl_ppv_acct	PO Price Variance	PO Var	x(8)	
gl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
gl_ppv_sub	PO Price Variance Sub	Sub-Acct	x(8)	
gl_pur_acct	Purchases		x(8)	
gl_pur_cc	Purchases Cost Ctr	CC	x(4)	
gl_pur_sub	Purchases Sub	Sub-Acct	x(8)	
gl_rcptx_acct	Expensed Item Receipts	PO Rct	x(8)	
gl_rcptx_cc	Expensed Receipts Cost Ctr	CC	x(4)	
gl_rcptx_sub	Exp Item Receipts Sub	Sub-Acct	x(8)	
gl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	

Field Name	Label	Col-Label	Format	Dec
gl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
gl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
gl_rgain_acct	Realized Exchange Gain Acct	Realized Gain	x(8)	
gl_rgain_cc	Realized Exchange Gain CC	CC	x(4)	
gl_rgain_sub	Realized Exch Gain Sub	Sub-Acct	x(8)	
gl_rloss_acct	Realized Exchange Loss Acct	Realized Loss	x(8)	
gl_rloss_cc	Realized Exchange Loss CC	CC	x(4)	
gl_rloss_sub	Realized Exch Loss Sub	Sub-Acct	x(8)	
gl_rmar_acct	Service Returns	Returns	X(8)	
gl_rmar_cc	Service Returns CC	CC	X(4)	
gl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
gl_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
gl_rtns_acct	Sales Returns	Returns	x(8)	
gl_rtns_cc	Returns Cost Ctr	CC	x(4)	
gl_rtns_sub	Sales Returns Sub	Sub-Acct	x(8)	
gl_scrp_acct	Scrap		x(8)	
gl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
gl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
gl_sls_acct	Sales		x(8)	
gl_sls_cc	Sales Cost Ctr	CC	x(4)	
gl_sls_sub	Sales Sub-Account	Sub-Acct	x(8)	
gl_sub_len	Sub-Module Sub-Account Length	Sub! Len	9	
gl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
gl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
gl_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
gl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
gl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
gl_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
gl_symbol	Symbol		x(1)	
gl_tax1_acct	Sales Tax 1	Tax1	x(8)	
gl_tax1_cc	Tax Cost Ctr	CC	x(4)	
gl_tax2_acct	Sales Tax 2	Tax2	x(8)	
gl_tax2_cc	Tax Cost Ctr	CC	x(4)	
gl_tax3_acct	Sales Tax 3	Tax3	x(8)	
gl_tax3_cc	Tax Cost Ctr	CC	x(4)	
gl_tax_type	Tax Type		x(3)	
gl_term_acct	Sales Terms	Terms	x(8)	
gl_term_cc	Terms Cost Ctr	CC	x(4)	
gl_term_sub	Sales Terms Sub	Sub-Acct	x(8)	
gl_timezone	Server Time Zone		x(8)	
gl_txapr_acct	AP Retained Tax Acct	Ret Tax	x(8)	
gl_txapr_cc	AP Retained Tax CC	CC	x(4)	
gl_txapr_sub	AP Retained Tax Sub-Account	Sub-Acct	x(8)	
gl_txap_acct	AP Tax Account	AP Tax	x(8)	
gl_txap_cc	AP Tax Cost Center	CC	x(4)	
gl_txap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
gl_txara_acct	AR Absorbed Tax Acct	Abs Tax	x(8)	
gl_txara_cc	AR Absorbed Tax CC	CC	x(4)	
gl_txara_sub	AR Absorbed Tax Sub-Account	Sub-Acct	x(8)	
gl_txar_acct	AR Sales Tax Account	AR Tax	x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gl_index1	yes	gl_domain	yes	no
Δ gl_verify	no	gl_domain	yes	no
		gl_verify	yes	no
◇ oid_gl_ctrl	yes	oid_gl_ctrl	yes	no

GL Report Writer Account Balances

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grac_ypace	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_cc	yes	no
		grac_entity	yes	no
Δ grac_ypaes	no	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac_entity	yes	no
		grac_sub	yes	no
Δ* grac_ypascej	yes	grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_acc	yes	no
		grac sub	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grac_ypceja	no	grac_cc	yes	no
		grac_entity	yes	no
		grac_project	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
Δ grac_ypcja	no	grac_entity	yes	no
		grac_project	yes	no
		grac_acc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_cc	yes	no
Δ grac_ypejas	no	grac_project	yes	no
		grac_acc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_entity	yes	no
		grac_project	yes	no
Δ grac_ypjasc	no	grac_acc	yes	no
		grac_sub	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_project	yes	no
		grac_acc	yes	no
Δ grac_ypscej	no	grac_sub	yes	no
		grac_cc	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_cc	yes	no
Δ grac_ypsej	no	grac_entity	yes	no
		grac_project	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_entity	yes	no
Δ grac_ypsje	no	grac_project	yes	no
		grac_domain	yes	no
		grac_year	yes	no
		grac_per	yes	no
		grac_sub	yes	no
		grac_project	yes	no
		grac_cc	yes	no
◇ oid_grac_det	yes	oid_grac_det	yes	no

gras_det

GL Report Writer Selection Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gras_an_code	yes	gras_domain	yes	no
		gras_an_code	yes	no
		gras_gl_type	yes	no
		gras_include	yes	no
		gras_sel_low	yes	no
		gras_sel_high	yes	no
◇ oid_gras_det	yes	oid_gras_det	yes	no

gra_mstr

GL Report Writer Analysis Code Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* gra_an_code	yes	gra_domain	yes	no
		gra_an_code	yes	no
Δ gra_desc	yes	gra_domain	yes	no
		gra_gl_type	yes	no
		gra_desc	yes	no
		gra_an_code	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	gra_type	yes	gra_domain	yes	no
			gra_gl_type	yes	no
			gra_an_code	yes	no
$\diamond$	oid_gra_mstr	yes	oid_gra_mstr	yes	no

grbg_det

GL Report Writer Budgeted Account Balance Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grbg_bypace	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_domain	yes	no
Δ grbg_bypaes	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_entity	yes	no
		grbg_sub	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
Δ* grbg_bypascej	yes	grbg_year	yes	no
		grbg_per	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
Δ grbg_bypceja	no	grbg_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grbg_bypcja	no	grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
Δ grbg_bypejas	no	grbg_per	yes	no
		grbg_cc	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
Δ grbg_bypjasc	no	grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_project	yes	no
		grbg_acc	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
Δ grbg_bypscej	no	grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_cc	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
Δ grbg_bypsej	no	grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
Δ grbg_bypsjc	no	grbg_entity	yes	no
		grbg_project	yes	no
		grbg_domain	yes	no
		grbg_code	yes	no
		grbg_year	yes	no
		grbg_per	yes	no
		grbg_sub	yes	no
		grbg_project	yes	no
		grbg_cc	yes	no
		oid_grbg_det	yes	no
◇ oid_grbg_det	yes	oid_grbg_det	yes	no

GL Report Writer Column Group Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* grcd_col_group	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col	yes	no
Δ grcd_col_type	yes	grcd_domain	yes	no
		grcd_col_group	yes	no
		grcd_col_type	yes	no
		grcd_col	yes	no
◇ oid_grcd_det	yes	oid_grcd_det	yes	no

GL Report Writer Column Group Master

Field Name	Label	Col-Label	Format	Dec
grc_add_date	Date Created		99/99/99	
grc_add_id	Originator		x(8)	
grc_cmtindx	Comment Index		>>>>>>>9	
grc_col_group	Column Group		x(8)	
grc_desc	Description		x(24)	
◇ grc_domain	Domain		x(8)	
grc_group	Security Groups		x(72)	

	Field Name	Label	Col-Label	Format	Dec
	grc_mod_date	Modified Date	Mod Date	99/99/99	
	grc_mod_id	Modified By		x(8)	
	grc_status	Status		Live/Test	
	grc_user1	Ufld1		x(8)	
	grc_user2	Ufld2		x(8)	
	grc__qadc01			x(8)	
◇	oid_grc_mstr			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* grc_col_group	yes	grc_domain	yes	no
		grc_col_group	yes	no
◇ oid_grc_mstr	yes	oid_grc_mstr	yes	no

grdf_mtx

GL Report Writer Definition Matrix

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grdf_col	yes	grdf_domain	yes	no
		grdf_run_id	yes	no
		grdf_col	yes	no
		grdf_row	yes	no
Δ^* grdf_row	yes	grdf_domain	yes	no
		grdf_run_id	yes	no
		grdf_row	yes	no
		grdf_col	yes	no
$\diamond$ oid_grdf_mtx	yes	oid_grdf_mtx	yes	no

grhd_det

GL Report Writer Group Row/Column Sequence Detail

	Field Name	Label	Col-Label	Format	Dec
	grhd_code	Code		x(8)	
◇	grhd_domain	Domain		x(8)	
	grhd_explode	Explode		yes/no	
	grhd_group	Group		x(8)	
	grhd_link	Link		CODE/ITEM	
	grhd_link_type	Link Type	T	x(1)	
	grhd_priority	Priority		Z	
	grhd_seq	Sequence	Seq	9999	
	grhd_sub_indent	Sub Total Indent	SB Ind	zz	
	grhd_type	Group Type	T	x(1)	
	grhd_user1	Ufld1		x(8)	
	grhd_user2	Ufld2		x(8)	
	grhd_qadc01			x(8)	
◇	oid_grhd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grhd_code	no	grhd_domain	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
Δ* grhd_group	yes	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_code	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
Δ grhd_link	yes	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_link	yes	no
		grhd_link_type	yes	no
		grhd_code	yes	no
Δ grhd_link_type	no	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
Δ grhd_priority	no	grhd_domain	yes	no
		grhd_group	yes	no
		grhd_type	yes	no
		grhd_seq	yes	no
		grhd_priority	yes	no
		grhd_explode	yes	no
		grhd_link	yes	no
Δ grhd_type_link	no	grhd_domain	yes	no
		grhd_type	yes	no
		grhd_link_type	yes	no
◇ oid_grhd_det	yes	oid_grhd_det	yes	no

GL Report Writer Break Group Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* grib_an_code	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_an_code	yes	no
		grib_link_code	yes	no
Δ grib_level	no	grib_domain	yes	no
		grib_run_id	no	no
		grib_level	no	no
		grib_an_code	no	no
		grib_link	yes	no
Δ grib_link	no	grib_domain	yes	no
		grib_run_id	yes	no
		grib_link_type	yes	no
		grib_link_code	yes	no
		grib_an_code	yes	no
◇ oid_grib_det	yes	oid_grib_det	yes	no

GL Report Writer Image Column Detail

Field Name	Label	Col-Label	Format	Dec
gric_activity	Activity		x(1)	
gric_bg_code	Budget Code		x(8)	
gric_col	Column		>>>9	
gric_col_type	Column Type		x(1)	
gric_currency	Currency	Curr	Foreign/Base	
gric_domain	Domain		x(8)	
gric_label[3]	Column Label		x(20)	
gric_per_from	Period		>>9	
gric_per_to	To		>>9	
gric_print	Print Cell		yes/no	
gric_quarter	Quarter		9	
gric_run_id	Report Run ID		>>>>>>9	
gric_select	Sel		yes/no	
gric_symbol	Currency Symbol	Sym	x(3)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* gric_col	yes	gric_domain	yes	no
		gric_run_id	yes	no
		gric_col	yes	no
$\diamond$ oid_gric_det	yes	oid_gric_det	yes	no

grid_det

GL Report Writer Report Image Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* grid_row	yes	grid_domain	yes	no
		grid_run_id	yes	no
		grid_row	yes	no
		grid_line	yes	no
		grid_stl	yes	no
$\diamond$ oid grid det	yes	oid grid det	yes	no

GL Report Writer Report Image Matrix

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grig_col	no	grig_domain	yes	no
		grig_run_id	yes	no
		grig_col	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
Δ* grig_row	yes	grig_domain	yes	no
		grig_run_id	yes	no
		grig_brk_gp	yes	no
		grig_row	yes	no
		grig_line	yes	no
		grig_stl	yes	no
		grig_col	yes	no
◇ oid_grig_mtx	yes	oid_grig_mtx	yes	no

GL Report Writer Analysis Code and Item Type Work Table

	Field Name	Label	Col-Label	Format	Dec
	grit_an_code	Analysis Code		x(8)	
	grit_desc	Description		x(28)	
◇	grit_domain	Domain		x(8)	
	grit_gl_code	G/L Code		x(8)	
	grit_gl_type	GL Type	T	x(1)	
	grit_marker	Select	Sel	x(1)	
	grit_runid	runid		x(18)	
	grit_user1	Ufld1		x(8)	
	grit_user2	Ufld2		x(8)	
	grit__qadc01			x(8)	
◇	oid_grit_wkf			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
		gri_run_id	yes	no
Δ gri_run_id	yes	gri_domain	yes	no
		gri_run_id	yes	no
◇ oid_gri_mstr	yes	oid_gri_mstr	yes	no

grqd_det

GL Report Writer Fiscal Quarter Calendar

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grqd_period	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_per_start	yes	no
		grqd_per_end	yes	no
Δ* grqd_quarter	yes	grqd_domain	yes	no
		grqd_year	yes	no
		grqd_quarter	yes	no
◇ oid_grqd_det	yes	oid_grqd_det	yes	no

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grr_brk_ac	no	grr_domain	yes	no
		grr_brk_ac	yes	no
		grr_brk_gl	yes	no
		grr_row_group	yes	no
Δ* grr_row_group	yes	grr_domain	yes	no
		grr_row_group	yes	no
◇ oid_grr_mstr	yes	oid_grr_mstr	yes	no

grtx_det

GL Report Writer Text String Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* grtx_index	yes	grtx_domain	yes	no
		grtx_indx	yes	no
		grtx_seq	yes	no
$\diamond$ oid_grtx_det	yes	oid_grtx_det	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	grv_sjc	no	grv_entity	yes	no
			grv_project	yes	no
			grv_domain	yes	no
			grv_sub	yes	no
			grv_project	yes	no
			grv_cc	yes	no
◇	oid_grv_det	yes	oid_grv_det	yes	no

grx1_wkfl

GL Report Writer Analysis Code Explosion Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* grx1_an_code	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_an_code	yes	no
		grx1_link_code	yes	no
Δ grx1_link	no	grx1_domain	yes	no
		grx1_run_id	yes	no
		grx1_link_type	yes	no
		grx1_link_code	yes	no
		grx1_an_code	yes	no
◇ oid_grx1_wkfl	yes	oid_grx1_wkfl	yes	no

grx2_wkfl

GL Report Writer Row/Column Explosion (Separate) Work Table

Field Name	Label	Col-Label	Format	Dec
grx2_acct	Account		x(8)	
grx2_actual	Actual/Budget		yes/no	
grx2_bg_code	Budget Code		x(8)	
grx2_cc	Cost Center	CC	x(8)	
◇ grx2_domain	Domain		x(8)	
grx2_entity	Entity		x(8)	
grx2_level	Level		999	
grx2_nbr	Row or Column Number		9999	
grx2_project	Project		x(8)	
grx2_run_id	Report Run ID		>>>>>>9	
grx2_sub	Sub-Account	Sub-Acct	x(8)	

	Field Name	Label	Col-Label	Format	Dec
	grx2_type	Type - Row or Column		Row/Col	
	grx2_user1	Ufld1		x(8)	
	grx2_user2	Ufld2		x(8)	
	grx2_qadc01			x(8)	
◇	oid_grx2_wkfl			>>>>>>>>>>>>>>>>>>>>>>9	10 .9<<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* grx2_level	no	grx2_domain	yes	no
		grx2_run_id	yes	no
		grx2_type	yes	no
		grx2_nbr	yes	no
		grx2_level	yes	no
			yes	no
$\diamond$ oid_grx2_wkfl	yes	oid_grx2_wkfl	yes	no

grx3_wkfl

GL Report Writer Row/Column Explosion (Hierarchical) Work Table

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grx3_element	no	grx3_domain	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no
Δ grx3_line	no	grx3_domain	yes	no
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_line	yes	no
Δ* grx3_row	no	grx3_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		grx3_run_id	yes	no
		grx3_row	yes	no
		grx3_col	yes	no
		grx3_element1	yes	no
		grx3_element2	yes	no
		grx3_element3	yes	no
		grx3_element4	yes	no
		grx3_element5	yes	no
◇ oid_grx3_wkfl	yes	oid_grx3_wkfl	yes	no

grx_mstr

GL Report Writer Report Content Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ grx_col_group	no	grx_domain	yes	no
		grx_col_group	yes	no
Δ grx_ctl_ac	no	grx_domain	yes	no
		grx_ctl_ac	yes	no
		grx_ctl_gl	yes	no
		grx_report	yes	no

	Field Name	Label	Col-Label	Format	Dec
	hd_user1	Ufid1		x(8)	
	hd_user2	Ufid2		x(8)	
	hd__qadc01			x(8)	
◇	oid_hd_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* hd_mstr	yes	hd_domain	yes	no
		hd_site	yes	no
		hd_date	yes	no
$\diamond$ oid_hd_mstr	yes	oid_hd_mstr	yes	no

Help Master

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	hlp_primary	no	hlp_context_str	yes	no
◇	oid_hlp_mstr	yes	oid_hlp_mstr	yes	no

Sales Order Configuration Bill History

Field Name	Label	Col-Label	Format	Dec
ibh_bo_chg	Qty B/O		->,>>>,>>9.9<<<<<<<<	10
ibh_cfg_type	Configuration	Config	x(1)	
ibh_cmtindx	Comment Index	Comment	>>>>>>>9	
ibh_domain	Domain		x(8)	
ibh_feature	Feature		x(12)	
ibh_inv_nbr	Invoice		x(8)	
ibh_iss_date	Issue Date	Iss Date	99/99/99	
ibh_line	Line		>>9	
ibh_loc	Location		x(8)	
ibh_nbr	Sales Order	Order	x(8)	
ibh_parent	Parent Item		x(18)	
ibh_part	Item Number		x(18)	
ibh_price	Price		>>>>,>>>,>>9.99<<<	10
ibh_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
ibh_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
ibh_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
ibh_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ibd_inv_nbr	yes	ibh_domain	yes	no
		ibh_inv_nbr	yes	no
		ibh_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
		ibh_part	yes	no
Δ ibh_part	yes	ibh_domain	yes	no
		ibh_part	yes	no
		ibh_inv_nbr	yes	no
		ibh_line	yes	no
		ibh_feature	yes	no
◇ oid ibh hist	yes	oid ibh hist	yes	no

ib_det

Service/Support Installed Configuration Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ib_compser	yes	ib_domain	yes	no
		ib_comp	yes	no
		ib_comp_ser	yes	no
		ib_comp_ref	yes	no
Δ ib_eutag	no	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_tag	yes	no
		ib_sys_seq	yes	no
Δ ib_eu_comp	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_comp	yes	no
		ib_comp_ref	yes	no
Δ ib_serial	no	ib_comp_ser	yes	no
		ib_domain	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
Δ* ib_sys_seq	yes	ib_domain	yes	no
		ib_eu_nbr	yes	no
		ib_config	yes	no
		ib_sys_part	yes	no
		ib_sys_serial	yes	no
		ib_sys_ref	yes	no
		ib_sys_seq	yes	no
		ib_comp	yes	no
◇ oid_ib_det	yes	oid_ib_det	yes	no

icc_ctrl

Inventory Control

Field Name	Label	Col-Label	Format	Dec
icc_ascend	Ascending or Descending		Ascending/Descending	
icc_cogs	Sum LL Costs Into Matl Cost COGS		yes/no	
icc_cur_ap	Current Cost from AP		yes/no	
icc_cur_cost	Current Cost (AVG/LAST/ NONE)		x(4)	
icc_cur_set	Default Current Cost Set	Cur Set	x(8)	
◇ icc_domain	Domain		x(8)	
icc_gl_set	Default GL Cost Set	GL Set	x(8)	
icc_gl_sum	Summarized Journal		yes/no	
icc_gl_tran	Create GL Transactions		yes/no	
icc_iss_days	Issue Days		->,>>>,>>9	
icc_jrnl	Next Journal		999999	
icc_mirror	Mirror Accounting	Mirror	yes/no	
icc_pk_ord	Picking Order		>	
icc_site	Default Site	Site	x(8)	
icc_tol_a	Class A		->>>,>>9.99	10
icc_tol_a%	Class A		->9.99%	10
icc_tol_b	Class B		->>>,>>9.99	10
icc_tol_b%	Class B		->9.99%	10
icc_tol_c	Class C		->>>,>>9.99	10
icc_tol_c%	Class C		->9.99%	10
icc_tol_flag	Tolerance Method		Qoh/Usage	
icc_tol_o	All Others		->>>,>>9.99	10
icc_tol_o%	All Others		->9.99%	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* icc_index1	yes	icc_domain	yes	no
$\diamond$ oid_icc_ctrl	yes	oid_icc_ctrl	yes	no

idhlc_hist

Invoice History Line Charge Detail

Field Name	Label	Col-Label	Format	Dec
idhlc_acct	Sales Acct	Account	x(8)	
idhlc_cc	Cost Ctr	CC	x(4)	
idhlc_charge_category	Category		x(8)	
idhlc_charge_type	Charge Type	Charge! Type	x(8)	
idhlc_desc	Description		x(24)	
idhlc_desc1	Description		x(24)	
idhlc_desc2	Description		x(24)	
idhlc_domain	Domain		x(8)	
idhlc_fr_class	Freight Class		x(8)	
idhlc_fr_wt	Unit Ship Weight		->>, >>>, >>9.9<<<<<<<<<<	10
idhlc_fr_wt_um	UM		x(2)	
idhlc_inv_nbr	Invoice		x(8)	
idhlc_line	SO Line	SO! Line	>>9	
idhlc_mod_date	Modified Date	Mod Date	99/99/99	
idhlc_mod_userid	User ID		X(8)	
idhlc_nbr	Sales Order	Order	x(8)	
idhlc_part	Item Number		x(18)	
idhlc_price	Price		->>>>, >>>, >>9.99<<<	10
idhlc_prodline	Product Line	Line	x(4)	
idhlc_project	Project		x(8)	
idhlc_qty_inv	Qty Invoiced		->>, >>>, >>9.9<<<<<<<<<<	10
idhlc_sub	Sales Sub-Acct	Sub-Acct	x(8)	
idhlc_sub_line	Charge Line	Charge! Ln	>>>>9	
idhlc_taxable	Taxable	Tax	yes/no	
idhlc_taxc	Tax Class	TxC	x(3)	
idhlc_tax_env	Tax Environment	Tax Env	x(16)	
idhlc_tax_usage	Tax Usage	TaxUsage	x(8)	
idhlc_trl	Trailer	Trl	x(4)	
idhlc_um	UM		x(2)	

	Field Name	Label	Col-Label	Format	Dec
	idhlc_userc01	User Field Character 1		x(24)	
	idhlc_userc02	User Field Character 2		x(24)	
	idhlc__qadc01			x(24)	
	idhlc__qadc02			x(24)	
◇	oid_idhlc_hist			>>>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* idhlc_invln	yes	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_sub_line	yes	no
Δ idhlc_part	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_part	yes	no
		idhlc_charge_category	yes	no
		idhlc_price	yes	no
Δ idhlc_trl	no	idhlc_domain	yes	no
		idhlc_inv_nbr	yes	no
		idhlc_nbr	yes	no
		idhlc_line	yes	no
		idhlc_charge_category	yes	no
		idhlc_trl	yes	no
◇ oid_idhlc_hist	yes	oid_idhlc_hist	yes	no

idhr_hist

Invoice History Relationship Detail

Field Name	Label	Col-Label	Format	Dec
idhr_div	Division		x(8)	
idhr_domain	Domain		x(8)	
idhr_group	Group		x(8)	
idhr_inv_nbr	Invoice		x(8)	
idhr_line	Line		>>9	
idhr_nbr	Sales Order		x(8)	
idhr_pricing	Pricing		>9	
idhr_seq	Sequence		>>9	
idhr_type	Type		>>>9	
idhr_user1	Ufld1		x(8)	
idhr_user2	Ufld2		x(8)	
idhr__qadc01			x(8)	
idhr__qadc02			x(8)	
idhr__qadc03			x(8)	
idhr__qadd01			->>>>,>>>,>>9.9	10
idhr__qadd02			->>>>,>>>,>>9.9	10
idhr__qadi01			-,>>>,>>9	
idhr__qadi02			-,>>>,>>9	
idhr__qadi01			yes/no	

```
oid_idhr_hist >>>>>>>>>>>>>>>>>>>9 10  
          .9<<<<<<<<
```

Δ idhr_invln_seq	yes	idhr_domain	yes	no
		idhr_inv_nbr	yes	no
		idhr_nbr	yes	no
		idhr_line	yes	no
		idhr_seq	yes	no
Δ idhr_type	no	idhr_domain	yes	no
		idhr_type	yes	no
$\diamond$ oid_idhr_hist	yes	oid_idhr_hist	yes	no

idh_hist

Invoice History Detail

idh_abnormal	Abnormal Demand	Abnormal	yes/no	
idh_acct	Sales Acct	Sales	x(8)	
idh_act_price	Actual Price		>>>>, >>>, >>9.99<<<	10
idh_auto_ins	Installation Call		yes/no	
idh_bonus	Bonus Stock Line		yes/no	
idh_bo_chg	Qty Backord		->, >>>, >>9.9<<<<<<<<	10
idh_btb_po	EMT PO		x(8)	
idh_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
idh_btb_type	EMT Type		xx	
idh_btb_vend	EMT Supplier	EMT Supp	X(8)	
idh_calc_isb	Calculate Isb		yes/no	
idh_car_load	Call Act. Rec. Load		yes/no	
idh_ca_line	Call Line		>>9	
idh_ca_nbr	Call Number		X(8)	
idh_cc	Cost Ctr	CC	x(4)	
idh_cfg_type	Configuration	Config	x(1)	
idh_cmtindx	Comment Index	Comment	>>>>>>>9	
idh_comment[5]	Comments		x(40)	
idh_comm_pct[4]	Commission	Comm%	>>9.99%	10
idh_conrep	Netting Logic	C/R	X(1)	
idh_consume	Consume Forecast	Consume Fcst	yes/no	
idh_contr_id	Contract ID		x(30)	
idh_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
idh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
idh_cum_date[4]	Cum Start		99/99/99	
idh_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<<	10
idh_curr_rlse_id[3]	Current Rlse ID		x(30)	
idh_custpart	Customer Item		x(18)	
idh_custref	Customer Ref		x(30)	
idh_desc	Description		x(24)	
idh_disc_pct	Disc %		->>9.99%	10
idh_div	Division		x(8)	
idh_dock	Dock		X(8)	

Field Name	Label	Col-Label	Format	Dec
idh_domain	Domain		x(8)	
idh_drp_ref	DRP Ref		X(8)	
idh_dsc_acct	Disc Acct	?	x(8)	
idh_dsc_cc	Disc CC	CC	x(4)	
idh_dsc_project	Disc Project		x(8)	
idh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
idh_due_date	Due Date	Due	99/99/99	
idh_enduser	End User		x(8)	
idh_end_eff[4]	End Effective		99/99/99	
idh_expire	Expires		99/99/99	
idh_exp_del	Exp Delivery Date	Exp Date	99/99/99	
idh_fab_days	Fab Auth Days		>,>>9	
idh_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
idh_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
idh_fix_pr	Fixed Price		yes/no	
idh_for	For		x(18)	
idh_for_serial	Parent Item Serial		X(18)	
idh_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
idh_fr_class	Freight Class		x(8)	
idh_fr_list	Freight List	Fr List	x(8)	
idh_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
idh_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<<	10
idh_fr_wt_um	UM		x(2)	
idh_fsm_type	FSM Type		x(8)	
idh_fst_list	FST on List		yes/no	
idh_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
idh_inv_nbr	Invoice		x(8)	
idh_isb_loc	Installed Base Location		x(22)	
idh_isb_ref	ISB Ref		>>>>>>>9	
idh_line	Line	Ln	>>9	
idh_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
idh_ln_ref	Line Ref		X(8)	
idh_loc	Location		x(8)	
idh_lot	ID		x(8)	
idh_modelyr	Model Year		x(4)	
idh_mod_date	Modified Date	Mod Date	99/99/99	
idh_mod_userid	User ID		X(8)	
idh_nbr	Sales Order	Order	x(8)	
idh_ord_mult	Ord Mult	Mult	>>,>>>,>>9	0
idh_out_po	Display PO Number		X(30)	
idh_override_lmt	Override Limits	Lmt	yes/no	
idh_owner	Ownership		x(8)	
idh_part	Item Number		x(18)	
idh_partial	Partial OK	Partial	yes/no	
idh_pastdue	Past Due Logic		X(1)	
idh_per_date	Perform Date	Perform	99/99/99	
idh_pickdate	Pick Date		99/99/99	
idh_pkg_code	Pkg Code		x(18)	
idh_pl_priority	P/L Priority		>9	
idh_price	Price		>>>>,>>>,>>9.99<<<	10
idh_pricing_dt	Pricing Date	Price Dt	99/99/99	
idh_prig1	Pricing Group 1		x(8)	
idh_prig2	Pricing Group 2		x(8)	
idh_prodline	Product Line	Line	x(4)	
idh_project	Project		x(8)	
idh_promise_date	Promise Date	Promise	99/99/99	
idh_pr_list	Price List		X(8)	

Field Name	Label	Col-Label	Format	Dec
idh_pst	PST Taxable		yes/no	
idh_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_chg	Qty To Ship		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_cons	Qty Consumed		->,>>>,>>9.9<<<	10
idh_qty_exch	Qty Exchanged		->,>>>,>>9.9<<<	10
idh_qty_inv	Qty Invoiced		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_item	Item Quantity	Item Qty	>>,>>9.9<<<<	10
idh_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_pend	Qty Pending		->,>>>,>>9.9<<<	10
idh_qty_per	Duration		->>>9.9<<<	10
idh_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_qote	Qty Quoted		->,>>>,>>9.9<<<<<<<<<	10
idh_qty_ret	Qty Returned		->,>>>,>>9.9<<<	10
idh_qty_ship	Qty Shipped		->,>>>,>>9.9<<<<<<<<<	10
idh_raw_days	Raw Auth Days		>,>>9	
idh_rbkt_days	Req Schedule Days		>>9	
idh_rbkt_mths	Req Schedule Months		>>9	
idh_rbkt_weeks	Req Schedule Weeks		>>9	
idh_ref	Ref		>>>>>>>9	
idh_req_date	Required Date	Required	99/99/99	
idh_retro_price	Retro Invoice Price		>>>>,>>>,>>9.99<<<	10
idh_rlse_nbr	Next Release ID		999999999	
idh_rma_type	RMA Type		x(1)	
idh_sad_line	Contract Line		>>>>>>>>9	
idh_sa_nbr	Service Contract	Contract	x(8)	
idh_sched	Scheduled		yes/no	
idh_sched_chgd	Schedule Changed		yes/no	
idh_sch_data	Schedule Data		x(8)	
idh_sch_mrp	Sched MRP Req		yes/no	
idh_serial	Lot/Serial		x(18)	
idh_ship	Ship-To		x(8)	
idh_site	Site		x(8)	
idh_slspsn[4]	Salesperson	Salespsn	x(8)	
idh_sob_rev	Revised Date	Revised	99/99/99	
idh_sob_std	Standard Bill	Std BOM	yes/no	
idh_start_eff[4]	Start Effective		99/99/99	
idh_status	Status		x(8)	
idh_std_cost	Cost		->>>,>>>,>>9.99<<<	10
idh_sub	Sales Sub-Acct	Sub-Acct	x(8)	
idh_sv_code	Warranty Type		X(8)	
idh_taxable	Taxable	Tax	yes/no	
idh_taxc	Tax Class	TxC	x(3)	
idh_tax_env	Tax Environment	Tax Env	x(16)	
idh_tax_in	Tax In		yes/no	
idh_tax_max	Max Taxable Amount	Max Amount	->>>,>>>,>>9.99	10
idh_tax_usage	Tax Usage	TaxUsage	x(8)	
idh_to_loc	Location		X(8)	
idh_to_ref	Kit Ref		X(8)	
idh_to_site	Site		X(8)	
idh_translt_hrs	Transport Hours		>>9.99	10
idh_trans_lt	Transport Leadtime		>>9.99	10
idh_type	Ship Type	T	x(1)	
idh_um	UM		x(2)	
idh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
idh_upd_isb	Update Installed Base		yes/no	
idh_user1	Ufld1		x(8)	
idh_user2	Ufld2		x(8)	

◆

Index-Name	Uni	Field-Name	Asc	Abbr
Δ idh_fsm_type	no	idh_domain	yes	no
		idh_fsm_type	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
Δ* idh_invl	yes	idh_domain	yes	no
		idh_inv_nbr	yes	no
		idh_nbr	yes	no
		idh_line	yes	no
Δ idh_part	no	idh_domain	yes	no
		idh_part	yes	no
		idh_inv_nbr	yes	no
		idh_line	yes	no
◇ oid_idh_hist	yes	oid_idh_hist	yes	no

iec_ctrl

Import/Export Control

Field Name	Label	Col-Label	Format	Dec
iec_act_ex_type_list	Active ExtraStat Type List		x(30)	
iec_act_in_type_list	Active IntraStat Type List		x(30)	
iec_agent	Agent		x(8)	
iec_agent_id	Branch ID		x(3)	
iec_authority	Authority	Auth	x(8)	
iec_com_code	Commodity Code		x(20)	
iec_container	Container		yes/no	
iec_corr_flow_arr	Correction Flow Of Arrival		x(2)	
iec_corr_flow_disp	Correction Flow Of Dispatch		x(2)	
iec_declarant	Declarant		x(8)	
iec_declarant_id	Branch ID		x(3)	
iec_declaration_id	Declaration ID		>>>>>>>>	
◇ iec_domain	Domain		x(8)	
iec_flow_arr	Flow Indicator - Arrivals		x(2)	
iec_flow_disp	Flow Indicator - Dispatches		x(2)	
iec_impexp	Imp/Exp Default		yes/no	
iec_incl_memo	Include Memo Items		yes/no	
iec_int_com_code	Intangible Items Commodity Code		x(20)	
iec_mode_transp	Mode of Transport		x(1)	
iec_mod_date	Modified Date	Mod Date	99/99/99	
iec_nat_trans	Nature of Transaction		x(2)	
iec_net_wt_min	Intrastat Net Weight Minimum		>>>,>>>,>>9.99	10
iec_net_wt_um	Intrastat Net Weight UM		x(2)	
iec_port_arrrdisp	Port of Arr/Disp		x(8)	
iec_port_transh	Port of Transshipment		x(8)	
iec_preference	Preference		999	
iec_ref_logic	Reference Date Logic		x(1)	
iec_region	Region of Origin/Dest		x(3)	
iec_stat_proc	Statistical Procedure		x(8)	
iec_terms_deliv	Terms of Delivery		x(4)	
iec_user1	Ufld1		x(8)	
iec_user2	Ufld2		x(8)	
iec_userid	User ID		x(8)	
iec_use_extrastat	Use ExtraStat		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* iec_index1	yes	iec_domain	yes	no
$\diamond$ oid_iec_ctrl	yes	oid_iec_ctrl	yes	no

ied_det

Import/Export Detail

Field Name	Label	Col-Label	Format	Dec
ied_affiliation	Affiliation		x(1)	
ied_com_code	Commodity Code	Com Code	x(20)	
ied_container	Container		yes/no	
ied_csa	CSA code		9	
ied_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
ied_etry_origin	Country of Origin	CO	x(3)	
ied_decl_region	Declaration Region		x(3)	
ied_domain	Domain		x(8)	
ied_intrastat	Intrastat Item	Intrastat	yes/no	
ied_item_spec	Item Specification		x(2)	
ied_line	Order Line	Line	>>9	
ied_mode_transp	Mode of Transport	T	x(1)	
ied_mod_date	Modified Date	Mod Date	99/99/99	
ied_nat_trans	Nature of Transaction	NT	x(2)	
ied_nbr	Order Number	Order	x(8)	
ied_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ied_port_transh	Port of Transshipment	PT	x(8)	
ied_preference	Preference		999	
ied_region	Region of Origin/Dest	ROD	x(3)	
ied_req_nbr	Requisition Number		x(8)	
ied_shipvia	Ship Via		x(20)	
ied_stat_proc	Statistical Procedure	SP	x(8)	
ied_terms_deliv	Terms of Delivery	TD	x(4)	
ied_trnabr	Trans		>>>>>>>>	
ied_type	Order Type	Type	x(2)	

ieh_hist

Import/Export History

Field Name	Label	Col-Label	Format	Dec
ieh_addr	Address		x(8)	
ieh_affiliation	Affiliation		x(1)	
ieh_agent	Agent		x(8)	
ieh_agent_id	Agent Branch ID		x(3)	
ieh_authority	Authority	Auth	x(8)	
ieh_com_code	Commodity Code	Com Code	x(20)	
ieh_container	Container		yes/no	
ieh_correction	Correction		yes/no	
ieh_csa	CSA Code		9	
ieh_ctype_desdisp	Country of Dest/Disp	CDD	x(3)	
ieh_ctype_origin	Country of Origin	CO	x(3)	
ieh_declarant	Declarant		x(8)	
ieh_declarant_id	Declarant Branch ID		x(3)	
ieh_declaration_id	Declaration ID		>>>>>>>>	
ieh_decl_cur	Declaration Currency	Cur	x(3)	
ieh_decl_date	Submit Date		99/99/99	
ieh_decl_inv_amt	Reported Invoice Value		->>>, >>>, >>9.99<	10
ieh_decl_period	Period		x(2)	
ieh_decl_region	Declaration Region		x(3)	
ieh_decl_statval	Reported Statistical Value		->>>, >>>, >>9.99<	10
ieh_decl_year	Year		x(4)	
ieh_domain	Domain		x(8)	
ieh_effdate	Effective	Eff Date	99/99/99	
ieh_flow	Flow Indicator	Flow	x(2)	
ieh_inv_amt_cur	Invoice Value Foreign		->>>, >>>, >>9.99<	10
ieh_inv_amt_gl	Invoice Value		->>>, >>>, >>9.99<	10
ieh_inv_cur	Invoice Currency	Inv! Cur	x(3)	
ieh_inv_date	Invoice Date	Inv! Date	99/99/99	
ieh_item_spec	Item Specification		x(2)	
ieh_line	Order Line	Line	>>9	
ieh_mode_transp	Mode of Transport	T	x(1)	
ieh_mod_date	Modified Date	Mod Date	99/99/99	
ieh_nat_trans	Nature of Transaction	NT	x(2)	
ieh_nbr	Order Number	Order	x(8)	
ieh_net_wt	Net Weight		->>>, >>>, >>9.99<	10
ieh_net_wt_um	UM		x(2)	
ieh_orig_doc	Original Document		x(8)	
ieh_orig_month	Original Month		99	
ieh_orig_year	Original Year		9999	
ieh_part	Item Number		x(18)	
ieh_port_arrrdisp	Port of Arr/Disp	PAD	x(8)	
ieh_port_transh	Port of Transshipment	PT	x(8)	
ieh_preference	Preference		999	
ieh_program	Program		x(12)	
ieh_pst_id	Tax ID - State		x(18)	
ieh_qty	Quantity		->>>, >>>, >>9.99<	10
ieh_qty_um	UM		x(2)	
ieh_ref	Reference		x(8)	
ieh_ref_date	Reference Date	Ref! Date	99/99/99	
ieh_region	Region of Origin/Dest	ROD	x(3)	
ieh_reported	Reported		yes/no	
ieh_req_nbr	Requisition Number		x(8)	
ieh_shipvia	Ship Via		x(20)	
ieh_site	Site		x(8)	
ieh_stat_proc	Statistical Procedure	SP	x(8)	

 $\overline{\Delta}$

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ieh_ref	yes	ieh_ref	yes	no
		ieh_trans_id	yes	no
		ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_type	yes	no
Δ ieh_reported	no	ieh_ref	yes	no
		ieh_trans_id	yes	no
		ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_reported	yes	no
Δ* ieh_trans	yes	ieh_domain	yes	no
		ieh_trans_id	yes	no
Δ ieh_voucher	yes	ieh_domain	yes	no
		ieh_authority	yes	no
		ieh_voucher	yes	no
		ieh_trans_id	yes	no
◇ oid_ieh_hist	yes	oid_ieh_hist	yes	no

ie_mstr

Import/Export Master

Field Name	Label	Col-Label	Format	Dec
ie_affiliation	Affiliation		x(1)	
ie_correction	Correction		yes/no	
ie_etry_desdisp	Country of Dest/Disp	CDD	x(3)	
◇ ie_domain	Domain		x(8)	
ie_incl_memo	Include Memo Items		yes/no	
ie_mode_transp	Mode of Transport	T	x(1)	
ie_mod_date	Modified Date	Mod Date	99/99/99	
ie_nat_trans	Nature of Transaction	NT	x(2)	
ie_nbr	Order		x(8)	
ie_orig_doc	Original Document		x(8)	
ie_orig_month	Original Month		99	
ie_orig_year	Original Year		9999	
ie_port_arrdisp	Port of Arr/Disp	PAD	x(8)	
ie_port_transh	Port of Transshipment	PT	x(8)	
ie_region	Region Of Origin/Dest	ROD	x(3)	
ie_stat_proc	Statistical Procedure	SP	x(8)	
ie_terms_deliv	Terms of Delivery	TD	x(4)	
ie_type	Order Type	Type	x(2)	
ie_user1	Ufld1		x(8)	
ie_user2	Ufld2		x(8)	
ie_userid	User ID		x(8)	
ie__chr01			x(8)	
ie__chr02			x(8)	
ie__chr03			x(8)	
ie__chr04			x(8)	
ie__chr05			x(8)	
ie__log01			yes/no	
ie__log02			yes/no	
ie__qadc01			x(8)	
ie__qadc02			x(8)	
ie__qadc03			x(8)	
ie__qadc04			x(8)	

	Field Name	Label	Col-Label	Format	Dec
	ie__qadc05			x(8)	
	ie__qadl01			yes/no	
	ie__qadl02			yes/no	
◇	oid_ie_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ie_nbr	yes	ie_domain	yes	no
		ie_type	yes	no
		ie_nbr	yes	no
$\diamond$ oid_ie_mstr	yes	oid_ie_mstr	yes	no

ifs_mstr

Interface Session Master

Field Name	Label	Col-Label	Format	Dec
ifs_app_id	Application ID		x(12)	
ifs_doc_err_cnt	Document Error Count		>>>>>>9	
ifs_doc_tot_cnt	Total Document Count		>>>>>>9	
ifs_domain	Domain		x(8)	
ifs_filename	Filename		x(65)	
ifs_grp_id	Group ID		>>>>>>9	
ifs_lst_doc_proc	Last Document Processed		>>>>>>9	
ifs_mod_date	Modified Date	Mod Date	99/99/99	
ifs_sess_hndl	Session Handle		x(16)	
ifs_sess_id	Session ID		>>>>>>9	
ifs_sess_stat	Session Status		x(1)	
ifs_sess_tpy	Session Type		x(1)	
ifs_start_date	Start Date		99/99/9999	
ifs_start_time	Start Time		x(8)	
ifs_start_userid	Starting User		x(8)	
ifs_unit_wrk_tpy	Unit of Work Type		x(1)	
ifs_user1	Ufld1		x(8)	
ifs_user2	Ufld2		x(8)	
ifs_userid	User ID		x(8)	
ifs_dec01			->>>, >>>, >>9.99<	10
ifs_dec02			->>>, >>>, >>9.99<	10
ifs_dte01			99/99/99	
ifs_dte02			99/99/99	
ifs_int01			->>>, >>>, >>9	
ifs_int02			->>>, >>>, >>9	
ifs_log01			yes/no	
ifs_log02			yes/no	
ifs_qadc01			x(8)	
ifs_qadc02			x(8)	
ifs_qadc03			x(8)	
ifs_qadc04			x(8)	
ifs_qadd01			->>>, >>>, >>9.99<	10
ifs_qadd02			->>>, >>>, >>9.99<	10
ifs_qadi01			->>>, >>>, >>9	
ifs_qadi02			->>>, >>>, >>9	
ifs_qadi03			>>>>>>9	
ifs_qadi04			>>>>>>9	

	ifs__qadl01	yes/no
	ifs__qadl02	yes/no
	ifs__qadt01	99/99/99
	ifs__qadt02	99/99/99
◇	oid_ifs_mstr	>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ifs_mstr	yes	oid_ifs_mstr	yes	no
△* SessionID	yes	ifs_sess_id	yes	no
		ifs_app_id	yes	no
		ifs_domain	yes	no

ihcc_hist

Invoice History Credit Card Master

[illegible]

ih_hist

Invoice History Master

Field Name	Label	Col-Label	Format	Dec
ih_ar_acct	AR Account	AR	x(8)	
ih_ar_cc	Cost Ctr	CC	x(4)	
ih_ar_sub	AR Sub-Account	Sub-Acct	x(8)	
ih_bank	Bank		x(2)	
ih_bill	Bill-To		x(8)	
ih_bol	BOL		x(18)	
ih_cartons	Cartons		->, >>>, >>9	
ih_ca_nbr	Call		X(8)	
ih_channel	Channel		x(8)	
ih_cmtindx	Comment Index	Comment	>>>>>>9	
ih_cncl_date	Cancel Date		99/99/99	
ih_comm_pct[4]	Commission	Comm%	>>9.99%	10
ih_conf_date	Confirmed Date	Confirmed	99/99/99	
ih_conrep	Netting Logic		X(1)	
ih_credit	Credit	Cr	yes/no	
ih_crprlist	Credit Price List		X(8)	
ih_cr_card	Credit Card	Card	x(2)	
ih_cr_init	Cr Initials	Initials	x(2)	
ih_cr_terms	Credit Terms	Terms	x(8)	
ih_curr	Currency	Cur	x(3)	
ih_cust	Customer		x(8)	
ih_custref_val	Customer Ref Is Customer Item		yes/no	
ih_cust_po	End Customer PO	End Cust PO	x(22)	
ih_disc_pct	Disc %		->9.99%	10
ih_div	Division		x(8)	
◇ ih_domain	Domain		x(8)	
ih_due_date	Due Date	Due	99/99/99	
ih_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
ih_export_batch	Batch		>>>>>>9	
ih_export_date	Export Date		99/99/99	
ih_export_time	Export Time		>>>>>>9	
ih_exru_seq	Sequence		>>>>>>9	
ih_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
ih_ex_ratetype	Rate Type		x(8)	
ih_fcg_code	Charge Code		X(8)	
ih_fix_pr	Fixed Price		yes/no	
ih_fix_rate	Fixed Rate	Fixed	yes/no	
ih_fob	FOB Point		x(20)	
ih_fr_list	Freight List	Fr List	x(8)	
ih_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
ih_fr_terms	Freight Terms	Fr Terms	x(8)	
ih_fsm_type	FSM Type		x(8)	
ih_fst_id	FST ID		x(18)	
ih_invoiced	Invoiced		yes/no	
ih_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
ih_inv_date	Invoice Date	Inv Date	99/99/99	
ih_inv_mthd	Invoices Via		x(1)	
ih_inv_nbr	Invoice		x(8)	
ih_lang	Language		x(2)	
ih_mod_date	Modified Date	Mod Date	99/99/99	
ih_nbr	Sales Order	Order	x(8)	
ih_ord_date	Order Date	Ord Date	99/99/99	
ih_partial	Partial OK	Partial	yes/no	

Field Name	Label	Col-Label	Format	Dec
ih_po	Purchase Order		x(22)	
ih_prepaid	Prepaid Amount		-z,zzz,zzz,zz9.99	10
ih_prep_tax	Prepaid Tax		->>>>,>>>, >>9.99<<<	10
ih_priced_dt	Last Price Dt	Last Pri	99/99/99	
ih_pricing_dt	Pricing Date	Price Dt	99/99/99	
ih_primary	Primary SO	Pr SO	yes/no	
ih_print_bl	Print Bill of Lading	Print BOL	yes/no	
ih_print_pl	Print Pack List	Print Pack	yes/no	
ih_print_so	Print Sales Order	Print SO	yes/no	
ih_project	Project		x(8)	
ih_pr_list	Price List	List	x(8)	
ih_pr_list2	List Price List	List	x(8)	
ih_pst	PST		yes/no	
ih_pst_id	PST ID		x(18)	
ih_pst_pct	PST Pct		->9.99<%	10
ih_quote	Quote		x(8)	
ih_req_date	Required Date	Required	99/99/99	
ih_rev	Revision	Rev	>>9	
ih_rmks	Remarks		x(40)	
ih_rstk_pct	Restocking Charge	Restock	->>9.99%	10
ih_sa_nbr	Contract		x(8)	
ih_sched	Scheduled		yes/no	
ih_sch_mthd	Schedules Via		X(1)	
ih_secondary	Secondary EMT Order	Sec EMT	yes/no	
ih_ship	Ship-To		x(8)	
ih_shipvia	Ship Via		x(20)	
ih_ship_date	Ship Date		99/99/99	
ih_ship_eng	Ship-To Engineer		yes/no	
ih_ship_po	Ship To PO		x(22)	
ih_site	Site		x(8)	
ih_size	Size		->, >>>, >>9.9<<<<<<<<<	10
ih_size_um	Size UM	UM	x(2)	
ih_slspsn[4]	Salesperson	Salespsn	x(8)	
ih_source	Order Source	Source	x(8)	
ih_stat	Action Status	St	x(2)	
ih_taxable	Taxable	Tax	yes/no	
ih_taxc	Tax Class	TxC	x(3)	
ih_tax_date	Tax Date		99/99/99	
ih_tax_env	Tax Environment	Tax Env	x(16)	
ih_tax_pct[3]	Tax		->9.99<%	10
ih_tax_usage	Tax Usage	TaxUsage	x(8)	
ih_to_inv	Ready to Invoice	Invoice	yes/no	
ih_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
ih_trl1_cd	Trailer 1	Trl1	x(2)	
ih_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
ih_trl2_cd	Trailer 2	Trl2	x(2)	
ih_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
ih_trl3_cd	Trailer 3	Trl3	x(2)	
ih_type	Type		x(8)	
ih_user1	Ufld1		x(8)	
ih_user2	Ufld2		x(8)	
ih_userid	User ID		x(8)	
ih_weight	Weight		->>>, >>>, >>9.9999	10
ih_weight_um	Weight UM	UM	x(2)	
ih_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
ih_xslspsn[2]	Salesperson	Salespsn	x(8)	
ih__chr01			x(8)	

[illegible]

Δ ih_cust	no	ih_domain	yes	no
		ih_cust	yes	no
		ih_inv_date	yes	no
Δ ih_export_batch	no	ih_domain	yes	no
		ih_export_batch	yes	no
Δ ih_inv_date	no	ih_domain	yes	no
		ih_inv_date	yes	no
		ih_inv_nbr	yes	no
Δ* ih_inv_nbr	yes	ih_domain	yes	no
		ih_inv_nbr	yes	no
		ih_nbr	yes	no
Δ ih_nbr	no	ih_domain	yes	no
		ih_nbr	yes	no
		ih_inv_date	yes	no

	Index-Name	Uni	Field-Name	Asc	Abbr
Δ	ih_po	no	ih_domain	yes	no
			ih_po	yes	no
			ih_cust	yes	no
$\diamond$	oid_ih_hist	yes	oid_ih_hist	yes	no

ild_det

Item Location Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ild_part	yes	ild_domain	yes	no
		ild_part	yes	no
		ild_site	yes	no
		ild_loc	yes	no
$\diamond$ oid_ild_det	yes	oid_ild_det	yes	no

ilg_hist

Import Document Log

Field Name	Label	Col-Label	Format	Dec
ilg_access_code	Access Code		x(60)	
ilg_ack_lvl_reqd	Autoacknowledgment Level Requested		x(1)	
ilg_ack_sent	Autoacknowledgment Sent		yes/no	
ilg_app_id	Application ID		x(12)	
ilg_app_ver	Application Version		x(8)	
ilg_archive_id	Archive ID		x(12)	
ilg_code_pg	Code Page		X(15)	
ilg_ctrl_tot_1	Control Total 1		>>>,>>>,>>9	
ilg_ctrl_tot_2	Control Total 2		->>>,>>>,>>9.99<<<	10
ilg_ctrl_tot_3	Control Total 3		->>>,>>>,>>9.99<<<	10
ilg_date_ack	Date Acknowledged		99/99/9999	
ilg_date_create	Date Created		99/99/9999	
ilg_date_form	Date Format		X(3)	
ilg_date_map	Date Mapped		99/99/9999	

Field Name	Label	Col-Label	Format	Dec
ilg_date_proc	Date Processed		99/99/9999	
ilg_date_rcvd	Date Received		99/99/9999	
ilg_dest_app_id	Destination Application ID		x(12)	
ilg_dest_app_ver	Destination Application Version		x(8)	
ilg_dest_doc_rev	Destination Document Revision		x(8)	
ilg_dest_doc_std	Destination Document Standard		x(8)	
ilg_dest_doc_typ	Destination Document Type		x(21)	
ilg_dest_mthd	Destination Method		x(24)	
ilg_dest_proc	Destination Procedure		x(24)	
ilg_doc_id	Document ID		>>>>>>9	
ilg_doc_lng	Document Language		x(3)	
ilg_doc_rev	Document Revision		x(8)	
ilg_doc_std	Document Standard		x(8)	
ilg_doc_sufx	Document Suffix		>>	
ilg_doc_typ	Document Type		x(21)	
◇ ilg_domain	Domain		x(8)	
ilg_email_notlvl	E-mail Notification Level		x(1)	
ilg_email_userid	E-mail Recipient User ID		x(8)	
ilg_err_stat	Error Status		x(1)	
ilg_ext_doc_key	External Document Key		x(40)	
ilg_grp_id	Group ID		>>>>>>9	
ilg_grp_seq	Sequence		>,>>>,>>9	
ilg_mapper_proc	Data Mapper Procedure		x(24)	
ilg_map_doc_now	Map Document Now		yes/no	
ilg_map_log_file	Mapper Error Log File		x(60)	
ilg_map_spec	Map Specification		x(12)	
ilg_mfgpro_key	MFG/PRO Key		X(18)	
ilg_mfgpro_site	MFG/PRO Site		X(8)	
ilg_mod_date	Modified Date	Mod Date	99/99/99	
ilg_mod_userid	User ID		x(8)	
ilg_num_form	Numeric Format		X(8)	
ilg_orig_doc_id	Original Document ID		>>>>>>9	
ilg_prccg_stage	Processing Stage		x(1)	
ilg_process_typ	Process Type		x(8)	
ilg_sess_id	Session ID		>>>>>>9	
ilg_src_comp	Source Component		x(10)	
ilg_src_proc	Source Procedure		x(24)	
ilg_src_task	Source Task		x(10)	
ilg_src_userid	Source User ID		x(16)	
ilg_timezone	Creation Timezone		X(5)	
ilg_time_ack	Time Acknowledged		x(8)	
ilg_time_create	Time Created		X(8)	
ilg_time_map	Time Mapped		x(8)	
ilg_time_proc	Time Processed		x(8)	
ilg_time_rcvd	Time Received		x(8)	
ilg_tradptr_id	Trading Partner ID		x(32)	
ilg_unit_wrk_typ	Unit of Work Type		x(1)	
ilg_user1	Ufld1		x(8)	
ilg_user2	Ufld2		x(8)	
ilg_use_im_queue	Use Import Queue		yes/no	
ilg__dec01			->>>,>>>,>>9.99<	10
ilg__dec02			->>>,>>>,>>9.99<	10
ilg__dte01			99/99/99	
ilg__dte02			99/99/99	

Import Document Map Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* MappedImport	yes	imap_doc_id	yes	no
		imap_doc_sufx	yes	no
		imap_doc_line	yes	no
		imap_domain	yes	no
$\diamond$ oid_imap_det	yes	oid_imap_det	yes	no

Import Document Message

Field Name	Label	Col-Label	Format	Dec
img_app_id	Application ID		x(12)	
img_doc_id	Document ID		>>>>>>>9	
img_doc_sufx	Document Suffix		>>	
◇ img_domain	Domain		x(8)	
img_email_sent	Email Message Sent		yes/no	
img_mod_date	Modified Date	Mod Date	99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ImpReturnCode	yes	img_domain	yes	no
		img_doc_id	yes	no
		img_doc_sufx	yes	no
		img_prcg_stage	yes	no
		img_return_code	yes	no
◇ oid_img_msg	yes	oid_img_msg	yes	no

im_mstr

Inventory Movement Code Master

	Field Name	Label	Col-Label	Format	Dec
	im_desc	Description		x(30)	
◇	im_domain	Domain		x(8)	
	im_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
	im_tr_type	Transaction Type	Tr Type	x(8)	
	im_unplanned_acct	Unplanned Account	Account	x(8)	
	im_unplanned_cc	Unplanned Cost Center	CC	x(4)	
	im_unplanned_sub	Unplanned Sub Account	Sub Acct	x(8)	
	im_user1	Ufld1		x(8)	
	im_user2	Ufld2		x(8)	
	im__qadc01			x(8)	
◇	oid_im_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* im_inv_mov	yes	im_domain	yes	no
		im_inv_mov	yes	no
$\diamond$ oid_im_mstr	yes	oid_im_mstr	yes	no

Independent Demand Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ind_det	yes	ind_domain	yes	no
		ind_site	yes	no
		ind_nbr	yes	no
		ind_part	yes	no
Δ ind_nbr	yes	ind_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ind_part	yes	ind_nbr	yes	no
		ind_site	yes	no
		ind_part	yes	no
		ind_domain	yes	no
		ind_part	yes	no
		ind_site	yes	no
◇ oid_ind_det	yes	ind_nbr	yes	no
		oid_ind_det	yes	no

insd det

Invoice Schedule Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* insd_line	yes	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_sub_nbr	yes	no
		insd_sched_nbr	yes	no
		insd_pjs_line	yes	no
Δ insd_nbrln	no	insd_domain	yes	no
		insd_prj_nbr	yes	no
		insd_pjs_line	yes	no
$\diamond$ oid insd det	yes	oid insd det	yes	no

Invoice Schedule Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ins_schedule	yes	ins_domain	yes	no
		ins_prj_nbr	yes	no
		ins_sub_nbr	yes	no
		ins_sched_nbr	yes	no
Δ ins_so	no	ins_domain	yes	no
		ins_so_nbr	yes	no
◇ oid_ins_mstr	yes	oid_ins_mstr	yes	no

in_mstr

Inventory Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ in_gl_cost_site	no	in_domain	yes	no
		in_gl_cost_site	yes	no
		in_part	yes	no
Δ in_level	no	in_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* in_part	yes	in_level	yes	no
		in_mrp	yes	no
		in_part	yes	no
		in_site	yes	no
		in_domain	yes	no
		in_part	yes	no
Δ in_site	yes	in_site	yes	no
		in_domain	yes	no
		in_site	yes	no
$\diamond$ oid_in_mstr	yes	in_part	yes	no
		oid_in_mstr	yes	no

Item Specification Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ipd_itemtype	yes	ipd_domain	yes	no
		ipd_part	yes	no
		ipd_routing	yes	no
		ipd_op	yes	no
		ipd_test	yes	no
		ipd_start	yes	no
Δ* ipd_nbr	no	ipd_domain	yes	no
		ipd_nbr	yes	no
◇ oid_ipd_det	yes	oid_ipd_det	yes	no

iph_hist

Pricing History

Field Name	Label	Col-Label	Format	Dec
iph_accr_acct	Accrual Acct		x(8)	
iph_accr_cc	Accrual CC	CC	x(8)	
iph_accr_proj	Accrual Proj		x(8)	
iph_accr_sub	Accrual Sub	Sub-Acct	x(8)	
iph_amt	Amount		->>>>, >>>, >>9.99<<<	10
iph_amt_type	Amt Type		x(8)	
iph_bonus_line	Triggering Line Number		>>9	
iph_break_cat	Break Cat		x(18)	
iph_comb_type	Comb Type		x(24)	
iph_config_disc	Config Disc	Config	yes/no	
iph_cr_terms	Credit Terms	Terms	x(8)	
iph_disc_acct	Disc Acct		x(8)	
iph_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
iph_disc_cc	Cost Ctr	CC	x(4)	
iph_disc_proj	Project		x(8)	
iph_disc_seq	Disc Sequence		>>, >>9.<<<<<<	10
iph_disc_sub	Sub Acct	Sub-Acct	x(8)	
iph_domain	Domain		x(8)	
iph_feature	Feature		x(12)	
iph_fr_list	Freight List	Fr List	x(8)	
iph_fr_terms	Freight Terms		x(8)	
iph_inv_nbr	Invoice		x(8)	
iph_line	Line		>>9	
iph_list	Price List	List	x(8)	
iph_list_id	List Id		x(8)	
iph_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
iph_mod_date	Modified Date	Mod Date	99/99/99	
iph_nbr	Order		x(8)	
iph_option	Item Number		x(18)	
iph_parent	Parent Item		x(18)	
iph_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<	10
iph_pig_code	Price List Group		x(8)	
iph_print	Print		yes/no	
iph_promo1	Promotion Code		x(8)	
iph_promo2	Promotion Type		x(8)	
iph_promo3	APM Code 3		x(8)	
iph_promo4	APM Code 4		x(8)	
iph_qty	Qty		->>, >>>, >>9.9<<<<<<<<	10
iph_qty_type	Qty Type		x(24)	
iph_source	Source		x(8)	
iph_time	Time		>>, >>>, >>9	
iph_um	UM		x(2)	
iph_user1	Ufld1		x(8)	
iph_user2	Ufld2		x(8)	
iph_userid	User ID		x(8)	
iph__chr01			x(8)	
iph__chr02			x(8)	
iph__chr03			x(8)	
iph__chr04			x(8)	
iph__chr05			x(8)	
iph__chr06			x(8)	
iph__chr07			x(8)	
iph__chr08			x(8)	
iph__chr09			x(8)	
iph__chr10			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ iph_comp	no	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
Δ iph_list	no	iph_domain	yes	no
		iph_list	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
Δ iph_list_id	no	iph_domain	yes	no
		iph_list_id	yes	no
Δ* iph_nbr	yes	iph_domain	yes	no
		iph_inv_nbr	yes	no
		iph_nbr	yes	no
		iph_line	yes	no
		iph_config_disc	yes	no
		iph_source	yes	no
		iph_list_id	yes	no
		iph_amt_type	yes	no
		iph_parent	yes	no
		iph_feature	yes	no
		iph_option	yes	no
◇ oid_iph_hist	yes	oid_iph_hist	yes	no

ip_mstr

Master Specification Test Results

Field Name	Label	Col-Label	Format	Dec
ip_domain	Domain		x(8)	
ip_nbr	Document		x(8)	
ip_op	Operation	Op	>>>>9	
ip_part	Item Number		x(18)	
ip_routing	Routing/Procedure		x(18)	
ip_user1	Ufld1		x(8)	
ip_user2	Ufld2		x(8)	
ip__chr01			x(8)	
ip__chr02			x(8)	
ip__chr03			x(8)	
ip__chr04			x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ip_itemtest	yes	ip_domain	yes	no
		ip_part	yes	no
		ip_routing	yes	no
		ip_op	yes	no
Δ ip_test	no	ip_domain	yes	no
		ip_nbr	yes	no
◇ oid_ip_mstr	yes	oid_ip_mstr	yes	no

iraw_det

Raw Import Document Detail

[illegible]

◇ oid_raw_det	yes	oid_raw_det	yes	no
Δ* RawImport	yes	iraw_doc_id	yes	no
		iraw_doc_line	yes	no
		iraw_domain	yes	no

Item Routing Cost Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* iro_det	yes	iro_domain	yes	no
		iro_part	yes	no
		iro_site	yes	no
		iro_cost_set	yes	no
		iro_routing	yes	no
		iro_op	yes	no
◇ oid_iro_det	yes	oid_iro_det	yes	no

isb_mstr

Service/Support Installed Base Item Master

Field Name	Label	Col-Label	Format	Dec
isb_article	Article Number		x(18)	
isb_calibration	Calibration		->,>>>, >>9.9<<<<<<<<	10
isb_calib_date	Calibration Date		99/99/99	
isb_cmtindx	Comment Index	Comment	>>>>>>>9	
isb_comp	Component	Comp	yes/no	
isb_customer_id	Customer Id		x(18)	
isb_desc1	Description		x(24)	
isb_desc2	Description		x(24)	
isb_domain	Domain		x(8)	
isb_eco	ECO		x(8)	
isb_eng_code	Engineer		x(8)	
isb_eud_tnrbr	End User ID		>>>>>>>>9	
isb_eu_nbr	End User		x(8)	
isb_ic_ref	Inventory Ref		x(18)	
isb_ins_date	Install Date	Install	99/99/99	
isb_inv_nbr	Invoice		x(8)	
isb_last_pm	Last PM date	Last PM	99/99/99	
isb_lb_warr_exp	Labor Warranty Exp	Lbr Exp	99/99/99	
isb_location	Location		x(24)	
isb_lst_upd	Last Updated		99/99/99	
isb_meter_date	Meter Reading Date		99/99/99	
isb_meter_interval	Meter Reading Interval	Interval	>>>>, >>>, >>9.99<<<	10
isb_meter_rdg	Latest Meter Reading	Meter	>>>>, >>>, >>9.99<<<	10
isb_meter_um	Meter Reading Units		X(2)	
isb_model	Model		x(18)	
isb_mod_date	Modified Date	Mod Date	99/99/99	
isb_mod_userid	User ID		X(8)	
isb_next_pm	Next PM Date	Next PM	99/99/99	
isb_origin	Country of Origin		x(12)	
isb_orig_ins	Original Install		99/99/99	
isb_owner	Ownership		x(8)	
isb_parent	Parent		yes/no	
isb_part	Item Number	Item	x(18)	
isb_plant_maint	Internal Plant Maint		yes/no	
isb_pm_days	PM days		>>>>>9	
isb_pm_um	UM		x(2)	
isb_price_sold	Price Sold		>>>>, >>>, >>9.99<<<	10
isb_qty	Qty		>, >>>, >>>, >>9.9<<	10
isb_rebuild	Rebuild ISB		yes/no	
isb_ref	Ref		>>>>>>>9	
isb_rev	Rev Level	Rev	x(10)	
isb_seq	Seq		>>>>>>>9	
isb_serial	Serial		x(18)	
isb_ship_date	Ship Date		99/99/99	
isb_sold_to	Sold to		x(8)	
isb_so_line	Sales Order Line	SO Line	>>>>>9	
isb_so_nbr	Sales Order	Order	x(8)	
isb_status	Status		x(8)	
isb_sys_type	Item Type		x(2)	
isb_tariff	Tariff		x(8)	
isb_updates	Updates		x(8)	
isb_user1	Ufld1		x(8)	
isb_user2	Ufld2		x(8)	
isb_warr_cd	Warranty Code	Warr Cd	x(8)	
isb_warr_dur	Warranty Duration	War Dur	>>>>>9	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* isb_eupartsr	yes	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
Δ isb_eu_ser	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_serial	yes	no
		isb_part	yes	no
Δ isb_model	no	isb_domain	yes	no
		isb_eu_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		isb_model	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
Δ isb_part_ser	yes	isb_domain	yes	no
		isb_part	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
Δ isb_serial	no	isb_domain	yes	no
		isb_serial	yes	no
		isb_ref	yes	no
Δ isb_ser_part	no	isb_domain	yes	no
		isb_serial	yes	no
		isb_part	yes	no
		isb_ref	yes	no
Δ isb_sys_bld	no	isb_domain	yes	no
		isb_eu_nbr	yes	no
		isb_rebuild	yes	no
		isb_sys_type	yes	no
◇ oid_isb_mstr	yes	oid_isb_mstr	yes	no

isd_det

Inventory Status Detail

	Field Name	Label	Col-Label	Format	Dec
	isd_bdl_allowed	CIM Allowed	CIM! Allowed	yes/no	
◇	isd_domain	Domain		x(8)	
	isd_status	Status		x(8)	
	isd_tr_type	Restricted Trans		x(8)	
	isd_type	Type		x(8)	
	isd_user1	Ufld1		x(8)	
	isd_user2	Ufld2		x(8)	
	isd_qadc01			x(8)	
◇	oid_isd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ isd_status	yes	isd_domain	yes	no
		isd_status	yes	no
		isd_tr_type	yes	no
		isd_type	yes	no
$\diamond$ oid_isd_det	yes	oid_isd_det	yes	no

isp_mstr

Import Document Specification Master

Field Name	Label	Col-Label	Format	Dec
isp_access_code	Access Code		x(60)	
isp_ack_doc_rev	Document Revision		x(8)	
isp_ack_doc_std	Document Standard		x(8)	
isp_ack_doc_typ	Document Type		x(21)	
isp_ack_lvl_reqd	Autoacknowledgment Level		x(1)	

Field Name	Label	Col-Label	Format	Dec
isp_app_id	Application ID		x(12)	
isp_app_ver	Application Version		x(8)	
isp_cim_proc	CIM/API Process		yes/no	
isp_code_pg	Code Page		X(15)	
isp_date_form	Date Format		X(3)	
isp_delim	ASCII Document Element Delimiter		>>9	
isp_del_err_det	Delete Error Detail		x(1)	
isp_desc	Description		x(60)	
isp_dest_app_id	Destination Application ID		x(12)	
isp_dest_app_ver	Destination Application Version		x(8)	
isp_dest_doc_rev	Destination Document Revision		x(8)	
isp_dest_doc_std	Destination Document Standard		x(8)	
isp_dest_doc_typ	Destination Document Type		x(21)	
isp_dest_mthd	Destination Method		x(24)	
isp_dest_proc	MFG/PRO Destination Procedure		x(24)	
isp_doc_lng	Document Language		x(3)	
isp_doc_rev	Document Revision		x(8)	
isp_doc_std	Document Standard		x(8)	
isp_doc_typ	Document Type		x(21)	
◇ isp_domain	Domain		x(8)	
isp_email_notlvl	E-mail Level		x(1)	
isp_email_userid	Default E-mail User ID		x(8)	
isp_im_map_flg	Import Mapping Enabled		yes/no	
isp_mapper_proc	Data Mapper Procedure		x(24)	
isp_map_parm[10]	Mapper Parameter Codes		x(8)	
isp_map_parm_val[10]	Mapper Parameter Code Values		x(12)	
isp_map_spec	Mapping Specification ID		x(24)	
isp_mod_date	Modified Date	Mod Date	99/99/99	
isp_mod_userid	User ID		x(8)	
isp_num_form	Numeric Format		X(8)	
isp_pause_sev	Pause Severity Level		9	
isp_process_typ	Process Type		x(8)	
isp_proc_flg	Import Processing Enabled		yes/no	
isp_rcv_flg	Receiving Enabled		yes/no	
isp_src_comp	Source Component		x(10)	
isp_src_proc	Source Procedure		x(24)	
isp_src_task	Source Task		x(10)	
isp_src_userid	Source User ID		x(8)	
isp_tradptr_id	Trading Partner ID		x(32)	
isp_user1	Ufld1		x(8)	
isp_user2	Ufld2		x(8)	
isp_use_im_queue	Use Import Queue		yes/no	
isp_xml	XML Imported		x(1)	
isp__dec01			->>>, >>>, >>9.99<	10
isp__dec02			->>>, >>>, >>9.99<	10
isp__dte01			99/99/99	
isp__dte02			99/99/99	
isp__int01			->>>, >>>, >>9	
isp__int02			->>>, >>>, >>9	
isp__log01			yes/no	
isp__log02			yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ * ImportSpec	yes	isp_domain	yes	no
		isp_app_id	yes	no
		isp_doc_std	yes	no
		isp_doc_typ	yes	no
		isp_doc_rev	yes	no
		isp_tradptr_id	yes	no
$\diamond$ oid_isp_mstr	yes	oid_isp_mstr	yes	no

iss_mstr

Service/Support Installed Base Structure

[illegible]

Δ iss_comp	no	iss_domain	yes	no
		iss_comp	yes	no
Δ iss_compref	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
Δ iss_par	no	iss_domain	yes	no
		iss_par	yes	no
Δ* iss_par_comp	yes	iss_domain	yes	no
		iss_eu_nbr	yes	no
		iss_par	yes	no
		iss_par_ser	yes	no
		iss_par_ref	yes	no
		iss_comp	yes	no
		iss_comp_ser	yes	no
		iss_comp_ref	yes	no
◇ oid_iss_mstr	yes	oid_iss_mstr	yes	no

isvc_mstr

Statistical Value Calculation Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* isvc_delivery	yes	isvc_domain	yes	no
		isvc_terms_delivery	yes	no
		isvc_mode_transp	yes	no
		isvc_shipvia	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		isvc_flow	yes	no
		isvc_ctr_y_orig	yes	no
		isvc_ctr_y_dest	yes	no
◇ oid_isvc_mstr	yes	oid_isvc_mstr	yes	no

is_mstr

Inventory Status Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ is_avail	yes	is_domain	yes	no
		is_status	yes	no
		is_avail	yes	no
Δ* is_status	yes	is_domain	yes	no
		is_status	yes	no
		is_nettable	yes	no
Δ is_status_unique	yes	is_domain	yes	no
		is_status	yes	no
◇ oid_is_mstr	yes	oid_is_mstr	yes	no

itmh_hist

Service/Support Call Item History

Field Name	Label	Col-Label	Format	Dec
itmh_acct	Sales Acct	Sales	x(8)	
itmh_bill_detail	Bill Detail	Det	yes/no	
itmh_bom_code	BOM code		x(18)	
itmh_bom_gen			yes/no	
itmh_ca_int_type	Work Code		x(8)	
itmh_cc	Cost Ctr	CC	x(4)	
itmh_cmtindx	Comment Index	Cmt Index	->,>,>>,>>9	
itmh_comp_date	Date Complete		99/99/99	
itmh_desc	Description		x(24)	
◇ itmh_domain	Domain		x(8)	
itmh_dsc_acct	Disc Acct		x(8)	

Field Name	Label	Col-Label	Format	Dec
itmh_dsc_cc	Disc CC	CC	x(4)	
itmh_dsc_project	Disc Project		x(8)	
itmh_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itmh_due_date	Due Date		99/99/99	
itmh_endown_date	End Down		99/99/99	
itmh_endown_time	Time		99:99	
itmh_eng_code	Engineer		x(8)	
itmh_est_time	Estimated Time	Est Time	999:99	
itmh_eu_nbr	End User		X(8)	0
itmh_exp_rec	Date Expected		99/99/99	
itmh_fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itmh_fix_pr	Fixed Price	Fix	yes/no	
itmh_invoiced	Invoiced		yes/no	
itmh_itm_line	Sub Line Number		>>9	
itmh_line	Line		>>9	
itmh_loc	Location		X(8)	
itmh_mod_date	Modified Date	Mod Date	99/99/99	
itmh_mod_userid	User ID		X(8)	
itmh_nbr	Call/SR		x(8)	
itmh_nxt_act	Next Status		x(8)	
itmh_nxt_date	Next Status Date		99/99/99	
itmh_nxt_time	Next Status Time		99:99	
itmh_opn_date			99/99/99	
itmh_override_lmt	Override Limits		yes/no	
itmh_part	Item		x(18)	
itmh_prefix	Detail Type	Type	x(3)	
itmh_prod_line	Product Line		X(4)	
itmh_project	Project		x(8)	
itmh_pr_list	Price List		X(8)	
itmh_pst	PST Taxable		yes/no	
itmh_qty_call	Qty		>, >>>9	10
itmh_qty_chg	To Receive		->, >>9.99	10
itmh_qty_rc_rec	Qty Rec from Repair Center		->, >>>, >>9.9<<<<<<<<	10
itmh_qty_rc_ship	Qty Shipped to Repair Center		->, >>>, >>9.9<<<<<<<<	10
itmh_qty_rec	Qty Received		->, >>9	10
itmh_qty_ship	Shipped		->, >>>9	10
itmh_recorded	Has Been thru CAR		yes/no	
itmh_rec_date	Received Date		99/99/99	
itmh_ref	Ref		>>>>>>9	
itmh_rev	Revision		x(8)	
itmh_route	Repair Route		x(18)	
itmh_route_gen			yes/no	
itmh_rrc_nbr	Repair Steps		X(8)	
itmh_rrc_seq	Sequence	Seq	>>9	
itmh_sad_line	Contract Line		>>>>>>>9	
itmh_sa_nbr	Contract		x(8)	
itmh_sa_sv	Contract Svc Type		x(8)	
itmh_sep_doc	Separate Document		yes/no	
itmh_serial	Serial		x(18)	
itmh_ship_date	Date Shipped		99/99/99	
itmh_site	Site		X(8)	0
itmh_status	Status		x(8)	
itmh_stdown_date	Start Down		99/99/99	
itmh_stdown_time	Time		99:99	
itmh_stjob_date	Job Start		99/99/99	
itmh_stjob_time	Time		99:99	

```
◇ oid_itmh_hist >>>>>>>>>>>>>>>>>>>>>9 10  
          .9<<<<<<<<<
```

Δ^* itmh_nbr	yes	itmh_domain	yes	no
		itmh_nbr	yes	no
		itmh_prefix	yes	no
		itmh_type	yes	no
		itmh_itm_line	yes	no
		itmh_line	yes	no
Δ itmh_part	no	itmh_domain	yes	no
		itmh_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ itm_sa_nbr	no	itmh_prefix	yes	no
		itmh_serial	yes	no
		itmh_domain	yes	no
		itmh_sa_nbr	yes	no
		itmh_sad_line	yes	no
Δ itmh_serial	no	itmh_nbr	yes	no
		itmh_line	yes	no
		itmh_domain	yes	no
		itmh_serial	yes	no
		itmh_prefix	yes	no
◇ oid_itmh_hist	yes	itmh_opn_date	yes	no
		oid_itmh_hist	yes	no

itm_det

Service/Support Call Item Detail

Field Name	Label	Col-Label	Format	Dec
itm_acct	Sales Acct	Sales	x(8)	
itm_bill_detail	Bill Detail	Det	yes/no	
itm_bom_code	BOM Code		x(18)	
itm_bom_gen			yes/no	
itm_ca_int_type	Work Code	WK Code	x(8)	
itm_cc	Cost Ctr	CC	x(4)	
itm_cmtindx	Comment Index	Cmt Index	->, >>>, >>9	
itm_comp_date	Date Complete		99/99/99	
itm_desc	Description		x(24)	
◇ itm_domain	Domain		x(8)	
itm_dsc_acct	Disc Acct		x(8)	
itm_dsc_cc	Disc CC	CC	x(4)	
itm_dsc_project	Disc Project		x(8)	
itm_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
itm_due_date	Due Date		99/99/99	
itm_endown_date	End Down		99/99/99	
itm_endown_time	Time		99:99	
itm_eng_code	Engineer		x(8)	
itm_est_time	Estimated Time	Est Time	999:99	
itm_eu_nbr	End User		X(8)	0
itm_exp_rec	Date Expected		99/99/99	
itm_fixed_price	Fixed Price		->>>, >>>, >>9.99	10
itm_fix_pr	Fixed Price	Fix	yes/no	
itm_invoiced	Invoiced		yes/no	
itm_itm_line			>>9	
itm_line	Line		>>9	
itm_loc	Location		x(8)	
itm_mod_date	Modified Date	Mod Date	99/99/99	
itm_mod_userid	User ID		X(8)	
itm_nbr	Call/SR		x(8)	
itm_nxt_act	Next Status		x(8)	
itm_nxt_date	Next Status Date		99/99/99	
itm_nxt_time	Next Status Time		99:99	
itm_override_lmt	Override Limits	Lmt	yes/no	
itm_part	Item		x(18)	
itm_prefix	Detail Type	Type	x(3)	
itm_prod_line	WIP Product Line	Line	X(4)	0
itm_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
itm_pr_list	Price List		X(8)	
itm_pst	PST Taxable		yes/no	
itm_qty_call	Quantity	Call Qty	->>, >>9	10
itm_qty_chg	To Receive	To Recv	->>, >>9	10
itm_qty_rc_rec	Qty Rec from Repair Center	Recv	->>, >>9	10
itm_qty_rc_ship	Qty Shipped to Repair Center	Shipped	->>, >>9	10
itm_qty_rec	Qty Received	Recv	->>, >>9	10
itm_qty_ship	Shipped		->, >>>9	10
itm_recorded			yes/no	
itm_rec_date	Received Date		99/99/99	
itm_ref	Ref		>>>>>>9	
itm_rev	Revision		x(8)	
itm_route	Routing		x(18)	
itm_route_gen			yes/no	
itm_rrc_nbr	Repair Sequence		x(8)	
itm_rrc_seq	Sequence	Seq	>>9	
itm_sad_line	Contract Line		>>>>>>9	
itm_sa_nbr	Contract		x(8)	0
itm_sa_sv	Contract Svc Type		x(8)	
itm_sep_doc	Separate Document		yes/no	
itm_serial	Serial		x(18)	
itm_ship_date	Date Shipped		99/99/99	
itm_site	Site		x(8)	
itm_status	Status		x(8)	
itm_stdown_date	Start Down		99/99/99	
itm_stdown_time	Time		99:99	
itm_stjob_date	Job Start		99/99/99	
itm_stjob_time	Time		99:99	
itm_sub	Sales Sub-Acct	Sub-Acct	x(8)	
itm_svc_type			x(1)	
itm_sv_code	Service Type Used	Servc Tp	x(8)	
itm_tag			x(1)	
itm_taxable	Taxable	Tax	yes/no	
itm_taxc	Tax Class	TxC	x(3)	
itm_tax_env	Tax Environment	Tax Env	X(16)	
itm_tax_in	Tax In		yes/no	
itm_tax_usage	Tax Usage		x(8)	0
itm_type	Type		x(8)	0
itm_uninvoiced	Uninvoiced		yes/no	
itm_unprocessed			yes/no	
itm_upd_isb	Update Installed Base		yes/no	
itm_user1	Ufld1		x(8)	
itm_user2	Ufld2		x(8)	
itm_warr_sv	Warranty Svc Type		x(8)	
itm__chr01	User Field #1		x(8)	
itm__chr02	User Field #2		x(8)	
itm__chr03	User Field #3		x(8)	
itm__chr04	User Field #4		x(8)	
itm__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
itm__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
itm__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
itm__dte01	User Date #1		99/99/99	
itm__dte02	User Date #2		99/99/99	
itm__dte03	User Date #3		99/99/99	
itm__log01	User Logical #1		yes/no	
itm__log02	User Logical #2		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ itm_eng_code	no	itm_domain	yes	no
		itm_eng_code	yes	no
		itm_nxt_date	yes	no
		itm_nxt_time	yes	no
Δ itm_eu_nbr	no	itm_domain	yes	no
		itm_type	yes	no
		itm_eu_nbr	yes	no
		itm_serial	yes	no
Δ* itm_nbr	yes	itm_domain	yes	no
		itm_nbr	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_itm_line	yes	no
		itm_line	yes	no
Δ itm_part	no	itm_domain	yes	no
		itm_part	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
Δ itm_sa_nbr	no	itm_domain	yes	no
		itm_sa_nbr	yes	no
		itm_sad_line	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_nbr	yes	no
		itm_line	yes	no
Δ itm_serial	no	itm_domain	yes	no
		itm_prefix	yes	no
		itm_type	yes	no
		itm_serial	yes	no
		itm_nbr	yes	no
		itm_line	yes	no
◇ oid_itm_det	yes	oid_itm_det	yes	no

Invoice Schedule Control

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ivs_index1	yes	ivs_domain	yes	no
$\diamond$ oid_ivs_ctrl	yes	oid_ivs_ctrl	yes	no

Kanban Control

Field Name	Label	Col-Label	Format	Dec
◇ kbc_card_reporting	Card Reporting		>9	
kbc_controlled_entry	Controlled Entry	Controlled! Entry	x(1)	
◇ kbc_cost_set	Cost Set		x(8)	
kbc_display_pause	Display Pause	Pause	>>9	
◇ kbc_domain	Domain		x(8)	
kbc_eff_date_entry	Enable Eff Date	Enable! Eff! Date	yes/no	
◇ kbc_export_directory	Export Directory	Export Dir	x(45)	
◇ kbc_fifo_entry	Allow Entry of FIFO Process	Enable! FIFO	yes/no	
◇ kbc_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
kbc_id_barcode	Print ID Barcode	ID Barcode	yes/no	
◇ kbc_import_directory	Import Directory	Import Dir	x(45)	
kbc_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
◇ kbc_lead_time_method	Lead Time Method	LT! Method	>9	
◇ kbc_load_limit	Load Limit	Load! Limit	>>9.9<%	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* kbc_index1	yes	kbc_domain	yes	no
$\diamond$ oid_kbc_ctrl	yes	oid_kbc_ctrl	yes	no

◇ **kbd_t_mstr** Kanban Demand Template Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* kbd_t_template	yes	kbd_t_domain	yes	no
		kbd_t_template	yes	no
◇ oid_kbd_mstr	yes	oid_kbd_mstr	yes	no

kbmd_mstr	Kanban Maximum Demand Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* kbmd_cons_source	yes	kbmd_domain	yes	no
		kbmd_cons_source	yes	no
		kbmd_pattern	yes	no
		kbmd_part	yes	no
		kbmd_cons_ref	yes	no
		kbmd_supp_source	yes	no
		kbmd_supp_ref	yes	no
		kbmd_line	yes	no
Δ kbmd_cons_source2	no	kbmd_domain	yes	no
		kbmd_cons_source	yes	no
		kbmd_pattern	yes	no
		kbmd_period	yes	no
		kbmd_part	yes	no
Δ kbmd_part	yes	kbmd_domain	yes	no
		kbmd_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇* kbtrd_dataset_kbtr	yes	kbtrd_domain	yes	no
		kbtrd_dataset	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
		kbtrd_tr_trnbr	yes	no
◇ kbtrd_dataset_tr	yes	kbtrd_domain	yes	no
		kbtrd_dataset	yes	no
		kbtrd_tr_trnbr	yes	no
		kbtrd_kbtr_trans_nbr	yes	no
◇ oid_kbtrd_det	yes	oid_kbtrd_det	yes	no

Kanban Transaction History

Field Name	Label	Col-Label	Format	Dec
kbrt_backflush	Backflush		yes/no	
kbrt_batch_size	Batch Size		>>, >>, >>9.9<<<<<<<<	10
kbrt_calc_date	Calculation Date	Calc Date	99/99/99	
kbrt_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
kbrt_cards	Number of Cards	Number! of Cards	>>, >>, >>9	
kbrt_card_nbr	Card Number		>>, >>, >>9	
kbrt_card_type	Card Type		x(1)	
kbrt_cons_ref	Consuming Reference	Consuming! Reference	x(8)	
kbrt_cons_source	Consuming Destination	Consuming! Destination	x(8)	
kbrt_cont_size	Container Capacity	Container! Capacity	>>, >>, >>9.9<<<<<<<<	10
kbrt_cont_type	Container Type	Container! Type	x(8)	
◇ kbrt_curr_process_id	Process Code	Process! Code	x(8)	
◇ kbrt_daily_demand	Daily Demand		>>, >>, >>9.9<<<<<<<<	10
kbrt_demand_hr	Max Demand per Hour	Max Demand! per Hour	>>, >>, >>9.9<<<<<<<<	10
kbrt_disp_list_date	Dispatch List Print Date	Dispatch! Printed	99/99/99	
◇ kbrt_domain	Domain		x(8)	
kbrt_eff_date	Effective Date		99/99/99	
kbrt_id	Kanban ID		>>>>>>>9	
kbrt_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
kbrt_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>, >>9.9<<<<<<<<	10
◇ kbrt_lead_time	Replenishment Time	Rep! Time	->>>, >>, >>9.9<<<<<<<<	10
kbrt_loop	One/Two Card		One/Two	
◇ kbrt_loop_type	Loop Type		x(8)	
kbrt_lot_size	Kanban Lot Size		>>, >>, >>9.9<<<<<<<<	10
kbrt_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	>>>>>>>9	
kbrt_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(1)	
kbrt_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	>>>>>>>9	
kbrt_mode	Mode		x(8)	
kbrt_mod_date	Modified Date	Mod Date	99/99/99	
kbrt_mod_userid	User ID		x(8)	
◇ kbrt_number_of_cards	Number of Cards	Number! of Cards	>>, >>, >>9	
◇ kbrt_order_qty	Order Quantity		>>, >>, >>9.9<<<<<<<<	10
kbrt_part	Item Number		x(18)	
kbrt_pattern	Demand Pattern	Demand! Pattern	x(8)	
◇ kbrt_pou_ref	POU Reference	POU! Reference	x(8)	
◇ kbrt_pou_site	POU Site		x(8)	
kbrt_po_nbr	Purchase Order	PO	x(8)	
kbrt_print_date	Print Date		99/99/99	
kbrt_print_time	Print Time		>>>>9	
kbrt_production_line	Production Line	Line	x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
		kbtr_source_ref4	yes	no
		kbtr_source_ref5	yes	no
◇ kbtr_supermarket	no	kbtr_domain	yes	no
		kbtr_supermarket_site	yes	no
		kbtr_supermarket_id	yes	no
		kbtr_part	yes	no
		kbtr_step	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
Δ* kbtr_trans_nbr	yes	kbtr_domain	yes	no
		kbtr_trans_nbr	yes	no
◇ kbtr_user_time	no	kbtr_domain	yes	no
		kbtr_mod_userid	yes	no
		kbtr_trans_date	yes	no
		kbtr_trans_time	yes	no
◇ oid_kbtr_hist	yes	oid_kbtr_hist	yes	no

◇ **knbadc_hist** Kanban Average Demand Calculation History

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knbadc_keyid	yes	knbadc_domain	yes	no
		knbadc_keyid	yes	no
◇ knbadc_site_part	no	knbadc_domain	yes	no
		knbadc_site	yes	no
		knbadc_part	yes	no
		knbadc_template	yes	no
		knbadc_calc_date	yes	no
		knbadc_calc_time	yes	no
◇ oid_knbadc_hist	yes	oid_knbadc_hist	yes	no

knbd_det

knbd_det

Kanban Card Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* knbd_id	yes	knbd_domain	yes	no
		knbd_id	yes	no
$\diamond$ knbd_keyid	yes	knbd_domain	yes	no
		knbd_keyid	yes	no
$\diamond$ knbd_knbl_keyid	no	knbd_domain	yes	no
		knbd_knbl_keyid	yes	no
		knbd_id	yes	no
$\diamond$ knbd_status_disp	no	knbd_domain	yes	no
		knbd_status	yes	no
		knbd_print_dispatch	yes	no
		knbd_active	yes	no
$\diamond$ oid knbd det	yes	oid knbd det	yes	no

◆ knbfd_det

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
♦* knbfd_keyid	yes	knbfd_domain	yes	no
		knbfd_keyid	yes	no
◇ knbfd_knbs_keyid	no	knbfd_domain	yes	no
		knbfd_knbs_keyid	yes	no
		knbfd_seq	yes	no
◇ knbfd_knb_keyid	no	knbfd_domain	yes	no
		knbfd_knb_keyid	yes	no
		knbfd_seq	yes	no
◇ oid_knbfd_det	yes	oid_knbfd_det	yes	no

◇ **knbism_det**

Field Name	Label	Col-Label	Format	Dec
knbism_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbism_buf_limit_chg	Date Limit Changed		99/99/99	
knbism_buf_limit_disp	Buffer Limit Method		x(8)	
knbism_buf_method	Buffer Method		x(8)	
knbism_buf_modified	Buffer Modified		yes/no	
knbism_count_tolerance	Count Tolerance	Tol	>>9.9<%	10
knbism_critical_limit	Critical Zone Limit		>>, >>, >>9.9<<<<<<<<<<	10
knbism_daily_demand	Daily Demand		>, >>, >>9.9<<<	4
knbism_demand_method	Demand Method		x(8)	
knbism_demand_modified	Demand Modified		yes/no	
knbism_demand_pct	Demand Percent		>>9.99%	10
knbism_dest_email	Destination Email		x(48)	
knbism_dest_fax	Destination Fax		x(16)	
knbism_dest_fax2	Destination Fax2		x(16)	
knbism_domain	Domain		x(8)	
knbism_keyid	Key ID		->>>, >>>, >>9.9<<<<<	10
knbism_knbi_keyid	Kanban Item Key ID		->>>, >>>, >>9.9<<<<<	10
knbism_knbsm_keyid	Kanban Supermarket Master		->>>, >>>, >>9.9<<<<<	10
	Key ID			
knbism_lag_factor	Lag Factor		->>>>, >>>, >>9.9<<<<<<<<<<	10
knbism_max_buf	Max Buffer Size		->>>, >>>, >>9.9<<<<<<<<<	10
knbism_mod_date	Modified Date	Mod Date	99/99/99	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knbism_keyid	yes	knbism_domain	yes	no
		knbism_keyid	yes	no
◇ knbism_knbi_keyid	no	knbism_domain	yes	no
		knbism_knbi_keyid	yes	no
		knbism_knbsm_keyid	yes	no
◇ knbism_knbsm_keyid	no	knbism_domain	yes	no
		knbism_knbsm_keyid	yes	no
		knbism_knbi_keyid	yes	no
◇ oid_knbism_det	yes	oid_knbism_det	yes	no

◇ **knbi_mstr** Kanban Item Master

Field Name	Label	Col-Label	Format	Dec
knbi_avg_inv_method	Avg Inventory Calc Method	Inv Calc! Method	>9	
knbi_bom_code	BOM Code		x(18)	
knbi_cmtindx	Comment Index	Comment	>>>>>>9	
knbi_cont_type	Container Type	Cont! Type	x(8)	
knbi_cost_alloc	Cost Allocation	Cost! Alloc	>>9.9<%	10
knbi_domain	Domain		x(8)	
knbi_keyid	Key ID		->>>, >>>, >>9.9<<<<<	10
knbi_min_epe_interval	Min EPE Interval	Min EPEI	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_mod_date	Modified Date	Mod Date	99/99/99	
knbi_mod_userid	User ID		x(8)	
knbi_part	Item Number		x(18)	
knbi_routing	Routing Code		x(18)	
knbi_run_out_material	Run Out Material	Run Out! Material	x(18)	
knbi_run_out_option	Run Out Option		>9	
knbi_run_out_qtyper_um	UM		x(2)	
knbi_run_out_qty_per	Run Out Quantity Per	Run Out! Qty Per	->>>, >>>, >>9.9<<<<<<<<<	10
knbi_run_out_qty_um	UM		x(2)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ knbi_keyid	yes	knbi_domain	yes	no
		knbi_keyid	yes	no
◇* knbi_part	yes	knbi_domain	yes	no
		knbi_part	yes	no
		knbi_step	yes	no
◇ oid_knbi_mstr	yes	oid_knbi_mstr	yes	no

knbl_det

Field Name	Label	Col-Label	Format	Dec
Δ knbl_accum_schedule	Accum Schedule		x(255)	
Δ knbl_accum_sch_time	Schedule Time		x(255)	
Δ knbl_accum_type	Accumulator Type		x(8)	
Δ knbl_backflush	Backflush		yes/no	
Δ knbl_blanket_po	Release Blanket PO		yes/no	
Δ knbl_calc_mode	Calculate Cards/Qty	Calculate! Cards/Qty	Cards/Qty	
Δ knbl_card_print_option	Print Option		x(8)	
Δ knbl_card_reporting	Card Reporting	Card! Reporting	>9	
Δ knbl_card_type	Card Type	Card! Type	x(8)	
Δ knbl_cmtindx	Comment Index	Comment	>>>>>>9	
knbl_cont_size	Container Capacity	Container! Capacity	>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_cont_type	Container Type	Container	x(8)	
Δ knbl_dispatch_list	Dispatch List	Dispatch! List	yes/no	
Δ knbl_domain	Domain		x(8)	
Δ knbl_email_disp_list	Email Dispatch List	Email! Disp	yes/no	
Δ knbl_fax_dispatch_list	Fax Disp List	Fax! Disp	yes/no	
Δ knbl_fifo_time	Total FIFO Time	FIFO Time	->>>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_fractional_kanban	Fractional Kanban	Fract! Kanban	>>9.9<%	10
Δ knbl_id_barcode	Print ID Barcode	ID! Barcode	yes/no	
Δ knbl_impact_inventory	Impact Inventory	Impact! Inv	yes/no	
Δ knbl_interval_time	Interval Time		->>>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_item_barcode	Print Item Barcode	Item! Barcode	yes/no	
Δ knbl_kanban_quantity	Kanban Quantity	Kanban! Quantity	>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_keyid	Key ID		->>>, >>>, >>9.9<<<<	10
Δ knbl_knb_keyid	Kanban Master Key ID		->>>, >>>, >>9.9<<<<<	10
Δ knbl_max_cycle_time	Maximum Cycle Time	Maximum! Cycle Time	->>>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_min_cycle_check	Minimum Cycle Check	Min! Cycle! Check	x(8)	
Δ knbl_min_cycle_time	Minimum Cycle Time	Minimum! Cycle Time	->>>>, >>>, >>9.9<<<<<<<<<	10
Δ knbl_mod_date	Modified Date	Mod Date	99/99/99	
Δ knbl_mod_userid	User ID		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knbl_keyid	yes	knbl_domain	yes	no
		knbl_keyid	yes	no
◇ knbl_knb_keyid	no	knbl_domain	yes	no
		knbl_knb_keyid	yes	no
		knbl_card_type	yes	no
◇ knbl_next_date_time	no	knbl_domain	yes	no
		knbl_next_date	yes	no
		knbl_next_time	yes	no
◇ oid_knbl_det	yes	oid_knbl_det	yes	no

◇ **knbsm mstr** Kanban Supermarket Master

[illegible]

◊ knbsm_keyid	yes	knbsm_domain	yes	no
		knbsm_keyid	yes	no
◊* knbsm_site_id	yes	knbsm_domain	yes	no
		knbsm_site	yes	no
		knbsm_supermarket_id	yes	no
◊ oid_knbsm_mstr	yes	oid_knbsm_mstr	yes	no

◇ **knbs_det** Kanban Source Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◊ knbs_keyid	yes	knbs_domain	yes	no
		knbs_keyid	yes	no
◊* knbs_source_ref	no	knbs_domain	yes	no
		knbs_source_type	yes	no
		knbs_ref1	yes	no
		knbs_ref2	yes	no
		knbs_ref3	yes	no
		knbs_ref4	yes	no
		knbs_ref5	yes	no
◊ oid_knbs_det	yes	oid_knbs_det	yes	no

knb_mstr Kanban Master

Field Name	Label	Col-Label	Format	Dec
Δ knb_domain	Domain		x(8)	
Δ knb_keyid	Key ID		->>>, >>>, >>9.9<<<<<	10
Δ knb_knbi_keyid	Kanban Item Key ID		->>>, >>>, >>9.9<<<<<	10
Δ knb_knbsm_keyid	Supermarket Key ID		->>>, >>>, >>9.9<<<<<	10
Δ knb_knbs_keyid	Kanban Source Key ID		->>>, >>>, >>9.9<<<<<	10
Δ knb_loop_type	Loop Type		x(8)	

Field Name	Label	Col-Label	Format	Dec
Δ knb_mod_date	Modified Date	Mod Date	99/99/99	
Δ knb_mod_userid	User ID		x(8)	
Δ knb_user1	Ufld1		x(24)	
Δ knb_user2	Ufld2		x(24)	
Δ knb__qadc01			x(24)	
Δ knb__qadc02			x(24)	
Δ oid_knb_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knb_keyid	yes	knb_domain	yes	no
		knb_keyid	yes	no
◇ knb_knbi_knbs	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbs_keyid	yes	no
◇ knb_knbi_knbsm	no	knb_domain	yes	no
		knb_knbi_keyid	yes	no
		knb_knbsm_keyid	yes	no
◇ knb_knbsm_keyid	no	knb_domain	yes	no
		knb_knbsm_keyid	yes	no
◇ knb_knbs_keyid	no	knb_domain	yes	no
		knb_knbs_keyid	yes	no
◇ oid_knb_mstr	yes	oid_knb_mstr	yes	no

◇ **knpd_det** Kanban Process Item Detail

Field Name	Label	Col-Label	Format	Dec
knpd_cycle_time	Cycle Time		->>>>,>>>, >>>9.9<<<<<<<<<	10
knpd_domain	Domain		x(8)	
knpd_epei_auto_calc	EPEI Auto		yes/no	
knpd_epe_interval	EPE Interval		->>>>,>>>, >>>9.9<<<<<<<<	10
knpd equip_time	Equipment Time		->>>>,>>>, >>>9.9<<<<<<<<	10
knpd_keyid	Key ID		->>>, >>>, >>>9.9<<<<<	10
knpd_knbi_keyid	Kanban Item Key ID		->>>, >>>, >>>9.9<<<<<	10
knpd_knp_keyid	Process Master Key ID		->>>, >>>, >>>9.9<<<<<	10
knpd_lead_time	Lead Time		->>>>,>>>, >>>9.9<<<<<<<<	10
knpd_mfg_seq	Level Mix Seq Nbr		>>>9	
knpd_min_epe_interval	Min EPE Interval	Min EPEI	->>>>,>>>, >>>9.9<<<<<<<<	10
knpd_mix_pct	Mix %		>>9.99%	10
knpd_mod_date	Modified Date	Mod Date	99/99/99	
knpd_mod_userid	User ID		x(8)	
knpd_move_time	Move Time		->>>>,>>>, >>>9.9<<<<<<<<	10
knpd_op_end	End Op	End! Op	>>>>9	
knpd_op_start	Start Op	Start! Op	>>>>9	
knpd_req_operators	Req Operators		>,>>>, >>>9.9<<<	4
knpd_setup_time	Setup Time		->>>>,>>>, >>>9.9<<<<<<<<	10
knpd_user1	User Field Character 1		x(24)	
knpd_user2	User Field Character 2		x(24)	
knpd_work_content	Work Content		->>>>,>>>, >>>9.9<<<<<<<<	10

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* knpd_keyid	yes	knpd_domain	yes	no
		knpd_keyid	yes	no
◇ knpd_knbi_keyid	no	knpd_domain	yes	no
		knpd_knbi_keyid	yes	no
◇ knpd_knp_keyid	no	knpd_domain	yes	no
		knpd_knp_keyid	yes	no
◇ oid_knpd_det	yes	oid_knpd_det	yes	no

◇ **knp_mstr** Kanban Process Master

Field Name	Label	Col-Label	Format	Dec
knp_chg_over_avail	Changeover Available		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_cmtindx	Comment Index	Comment	>>>>>>9	
knp_co_per_interval	Changeover Per Interval		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_cycle_time	Cycle Time		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_desc	Description		x(24)	
knp_domain	Domain		x(8)	
knp_epei_disp	EPEI Disp		9	
knp_epe_interval	EPE Interval		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_keyid	Key ID		->>>, >>>,>>9.9<<<<<	10
knp_lead_time_method	Lead Time Method	LT! Method	>9	
knp_level_mix_seq	Level Mix Seq		x(8)	
knp_load_limit	Load Limit	Load! Limit	>>9.9<%	10
knp_loc	Location		x(8)	
knp_min_epe_interval	Min EPE Interval	Min EPEI	->>>>, >>>,>>9.9<<<<<<<<<	10
knp_mod_date	Modified Date	Mod Date	99/99/99	
knp_mod_userid	User ID		x(8)	
knp_move_time	Move Time		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_pct_uptime	Uptime %		>>9.99%	10
knp_pitch_interval	Pitch Interval		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_pitch_quantity	Pitch Quantity		>>>,>9.999<<<<<<	10
knp_pitch_um	Pitch UM		x(2)	
knp_planner_id	Planner ID		x(8)	
knp_process_function	Process Function		x(8)	
knp_process_id	Process Code	Process! Code	x(8)	
knp_production_line	Production Line	Line	x(8)	
knp_resources	Resources		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_site	Site		x(8)	
knp_takt_time	Takt Time		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_takt_time_calc	Takt Time Calc By		x(8)	
knp_time_avail	Time Avail		->>>>, >>>,>>9.9<<<<<<<<<	10
knp_user1	User Field Character 1		x(24)	

Logistics Accounting Control

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* lac_index1	yes	lac_domain	yes	no
$\diamond$ oid_lac_ctrl	yes	oid_lac_ctrl	yes	no

Location Allocation Detail

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* lad_det	yes	lad_domain	yes	no
		lad_dataset	yes	no
		lad_nbr	yes	no
		lad_line	yes	no
		lad_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ lad_site	no	lad_site	yes	no
		lad_loc	yes	no
		lad_lot	yes	no
		lad_ref	yes	no
		lad_domain	yes	no
		lad_site	yes	no
		lad_loc	yes	no
		lad_part	yes	no
		lad_lot	yes	no
◇ oid_lad_det	yes	lad_ref	yes	no
		oid_lad_det	yes	no

lbic_ctrl

Label Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	lblc_index1	yes	lblc_index1	yes	no
◇	oid_lblc_ctrl	yes	oid_lblc_ctrl	yes	no

lc_mstr

Logistics Accounting Charge Code Master

Field Name	Label	Col-Label	Format	Dec
lc_apportion_method	Apportion Method		x(2)	
lc_charge	Logistics Charge Code	Chrg Code	x(8)	
lc_close_accruals	Close Accruals On First Voucher	Close Accruals	yes/no	
lc_desc	Description		x(24)	
lc_domain	Domain		x(8)	
lc_element	Cost Element		x(8)	
lc_mod_date	Modified Date	Mod Date	99/99/99	
lc_mod_userid	User ID		x(8)	
lc_supplier	Supplier		x(8)	
lc_taxable	Taxable		yes/no	
lc_taxc	Tax Class	TxC	x(3)	
lc_user1	User Field Character 1		x(24)	

Logistics Site Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ApplDSite	yes	lgsi_domain	yes	no
		lgsi_app_id	yes	no
		lgsi_site	yes	no
◇ oid_lgsi_det	yes	oid_lgsi_det	yes	no

Logistics Master

Field Name	Label	Col-Label	Format	Dec
lgs_act	Logistics Active		yes/no	
lgs_app_id	Application ID		x(12)	
lgs_ar_bal_exp	A/R Balance Exports		yes/no	
lgs_ar_imp	A/R Item Exports		yes/no	
lgs_cm_mnt	Customers		yes/no	
lgs_domain	Domain		x(8)	
lgs_invc_exp	Invoice Data Exports		yes/no	
lgs_invc_imp	Import Invoices		yes/no	
lgs_inv_exp	Inventory Balance Exports		yes/no	
lgs_lad_exp	Inventory Allocation Exports		yes/no	
lgs_lad_mnt	Detailed Allocations		yes/no	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* ApplicationID	yes	lgs_domain	yes	no
		lgs_app_id	yes	no
$\diamond$ oid_lgs_mstr	yes	oid_lgs_mstr	yes	no

Ina det

Production Line Allocation Detail

	Field Name	Label	Col-Label	Format	Dec
	Ina_allocation	Allocation%	Alloc%	>>9.99%	10
◇	Ina_domain	Domain		x(8)	
	Ina_line	Line		x(8)	
	Ina_part	Item Number		x(18)	
	Ina_site	Site		x(8)	
	Ina_user1	Ufld1		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* lna_siteline	yes	lna_domain	yes	no
		lna_site	yes	no
		lna_line	yes	no
		lna_part	yes	no
Δ lna_sitepart	no	lna_domain	yes	no
		lna_site	yes	no
		lna_part	yes	no
		lna_line	yes	no
$\diamond$ oid_lna_det	yes	oid_lna_det	yes	no

Ind_det

Production Line Detail

Field Name	Label	Col-Label	Format	Dec
Ind_bom			x(18)	
Ind_cmtindx	Comment Index	Comment	>>>>>>9	
Ind_domain	Domain		x(8)	
Ind_expire	Expire		99/99/99	
Ind_line	Line		x(8)	
Ind_part	Part		x(18)	
Ind_prod_um	Production UM	UM	x(2)	
Ind_rate			>>>,>>>,>>9.99	10
Ind_run	Run Crew	Run	x(8)	
Ind_run_seq1	Run Seq 1		x(8)	
Ind_run_seq2	2	Run Seq 2	x(8)	
Ind_run_size	Size		>>>9	
Ind_sequence			>>>,.99	10
Ind_setup	Setup Crew	Setup	x(8)	
Ind_set_size	Size		>>>9	
Ind_site	Site		x(8)	

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* Ind_line	yes	Ind_domain	yes	no
		Ind_line	yes	no
		Ind_site	yes	no
		Ind_part	yes	no
		Ind_start	yes	no
Δ Ind_linepart	no	Ind_domain	yes	no
		Ind_line	yes	no
		Ind_part	yes	no
$\diamond$ oid_Ind_det	yes	oid_Ind_det	yes	no

Inf_det

Flow Production Line Preference Detail

Field Name	Label	Col-Label	Format	Dec
Inf_domain	Domain		x(8)	
Inf_mod_date	Modified Date	Mod Date	99/99/99	
Inf_mod_userid	User ID		x(8)	
Inf_part	Item Number		x(18)	
Inf_preference	Preference		>>>>>>>9	
Inf_production_line	Production Line	Line	x(8)	
Inf_site	Site		x(8)	
Inf_user1	User Field Character 1		x(24)	
Inf_user2	User field character 2		x(24)	
Inf_userc03	User Field Character 3		x(24)	
Inf_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
Inf_useri01	User Field Integer 1		->>>>>>>9	
Inf_userl01	User Field Logical 1		yes/no	
Inf_usert01	User Field Date 1		99/99/99	
Inf__qadc01			x(24)	
Inf__qadc02			x(24)	
Inf__qadc03			x(24)	
Inf__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10

◆

Ing_mstr Language Master

Language Master

In_mstr Line Master

Line Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* In_linesite	yes	In_domain	yes	no
		In_line	yes	no
		In_site	yes	no
Δ In_siteline	no	In_domain	yes	no
		In_site	yes	no
		In_line	yes	no
◇ oid_in_mstr	yes	oid_in_mstr	yes	no

Reserved Locations Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ locc_addr_site	yes	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_loc	yes	no
Δ locc_primary	no	locc_domain	yes	no
		locc_addr	yes	no
		locc_site	yes	no
		locc_primary_loc	yes	no
Δ* locc_site_loc	yes	locc_domain	yes	no

loc_mstr

Location Master

lotw_wkfl

Lot Number Work Table

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* lotw_ser_part	yes	lotw_domain	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
Δ lot_user_lot	yes	lotw_domain	yes	no
		lotw_mfguser	yes	no
		lotw_lotser	yes	no
		lotw_part	yes	no
◇ oid_lotw_wkfl	yes	oid_lotw_wkfl	yes	no

Lot Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* lot_part_serial	yes	lot_domain	yes	no
		lot_part	yes	no
		lot_serial	yes	no
Δ lot_serial_part	no	lot_domain	yes	no
		lot_serial	yes	no
		lot_part	yes	no
◇ oid_lot_mstr	yes	oid_lot_mstr	yes	no

ls_mstr

Address List Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ls_addrtype	yes	ls_domain	yes	no
		ls_addr	yes	no
		ls_type	yes	no
Δ ls_type	yes	ls_domain	yes	no
		ls_type	yes	no
		ls_addr	yes	no
◇ oid_ls_mstr	yes	oid_ls_mstr	yes	no

Maximum Table Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
*	maxt_index	yes	maxt_field	yes	no
			maxt_book	yes	no
			maxt_entity	yes	no
			maxt_class	yes	no
			maxt_beg_date	yes	no
			maxt_end_date	yes	no
◇	oid maxt det	yes	oid maxt det	yes	no

Maximums Master

Field Name	Label	Col-Label	Format	Dec
max_basis	Maximum Basis		x(24)	
max_basis_yr	Years	Yrs	99	
max_beg_date	Beginning Date	Beg Date	99/99/99	
max_book	Book		x(8)	
max_class	Class	Cls	x(3)	
max_cost	Total Asset Cost		->>, >>>, >>>, >>9.99<	10
max_desc	Description		x(24)	
max_end_date	Ending Date	End Date	99/99/99	
max_field	Field		x(32)	
max_max	Maximum		->>, >>>, >>>, >>9.99<	10
max_mod_date	Modified Date	Mod Date	99/99/99	
max_reduce	Amount to Reduce Maximum	Reduce Maximum by	->>, >>>, >>>, >>9.99<	10
max_table	Type		Table/Fixed Amount	
max_used	Amount of Maximum Used	Maximum Amount Used	->>, >>>, >>>, >>9.99<	10
max_user1	Ufld1		x(8)	
max_user2	Ufld2		x(8)	
max_userid	User ID		x(8)	
max_yr_cost	Total Asset Cost		->>, >>>, >>>, >>9.99<	10

ma mstr

Mirror Account Master

 $\overline{\Delta}$

◀

Control Work Table

◀

△

◀

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇* mfrel_source_targ	yes	mfrel_type	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
◇ mfrel_targ_source	yes	mfrel_type	yes	no
		mfrel_target_key1	yes	no
		mfrel_target_key2	yes	no
		mfrel_target_key3	yes	no
		mfrel_source_key1	yes	no
		mfrel_source_key2	yes	no
		mfrel_source_key3	yes	no
◇ oid_mfrel_mstr	yes	oid_mfrel_mstr	yes	no

mnd_det

Menu Detail

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
	mnd_exec	no	mnd_exec	yes	no
	mnd_name	no	mnd_name	yes	no
*	mnd_nbr	yes	mnd_nbr	yes	no
			mnd_select	yes	no
◇	oid_mnd_det	yes	oid_mnd_det	yes	no

mnp_det

Service/Support Custom Program Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* mnp_program	yes	mnp_domain	yes	no
		mnp_program	yes	no
		mnp_userid	yes	no
		mnp_sequence	yes	no
		mnp_prog_type	yes	no
◇ oid_mnp_det	yes	oid_mnp_det	yes	no

mnt_det

Menu Title Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
* mnt_nsl	yes	mnt_nbr	yes	no
		mnt_select	yes	no
		mnt_lang	yes	no
◇ oid_mnt_det	yes	oid_mnt_det	yes	no

mpd_det

Master Specification Detail

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* mpd_nbr	yes	mpd_domain	yes	no
		mpd_nbr	yes	no
		mpd_type	yes	no
$\diamond$ oid_mpd_det	yes	oid_mpd_det	yes	no

mph_hist

Master Specification Test History

Field Name	Label	Col-Label	Format	Dec
mph_attribute	Attribute		X(8)	0
mph_cmtindx	Comment Index	Comment	>>>>>>9	
mph_date	Test Date		99/99/99	
mph_domain	Domain		x(8)	
mph_lot	ID/Batch		x(8)	
mph_mch	Machine		x(8)	
mph_op	Operation	Op	>>>>>9	
mph_op_trnbr	Trans		>>>>>9	
mph_part	Item Number		x(18)	
mph_pass	Pass		yes/no	
mph_procedure	Document		x(8)	
mph_routing	Routing/Procedure		x(18)	
mph_rslt	Results	Actual Results	x(25)	
mph_test	Characteristic		x(24)	
mph_testmthd	Test Method		X(8)	0
mph_user1	Ufld1		x(8)	
mph_user2	Ufld2		x(8)	
mph_wr_nbr	Order Number		x(18)	
mph_chr01			x(8)	
mph_chr02			x(8)	
mph_chr03			x(8)	
mph_chr04			x(8)	

mps_mstr[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* mps_part	yes	mps_domain	yes	no
		mps_part	yes	no
		mps_site	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
Δ mps_record	yes	mps_domain	yes	no
		mps_record	yes	no
Δ mps_site	yes	mps_domain	yes	no
		mps_site	yes	no
		mps_part	yes	no
		mps_line	yes	no
		mps_due_date	yes	no
◇ oid_mps_mstr	yes	oid_mps_mstr	yes	no

mp_mstr

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
Δ mrpp_demand	no	mrpp_domain	yes	no
		mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_due_date	yes	no
Δ* mrpp_det	yes	mrpp_domain	yes	no
		mrpp_demand_mrp_keyid	yes	no
		mrpp_supply_mrp_keyid	yes	no
Δ mrpp_supply	no	mrpp_domain	yes	no
		mrpp_supply_mrp_keyid	yes	no
		mrpp_demand_due_date	yes	no
◇ oid_mrpp_det	yes	oid_mrpp_det	yes	no

mrp_det

Material Requirements Planning Detail

Field Name	Label	Col-Label	Format	Dec
mrp_dataset	Data Set		x(12)	
mrp_detail	Detail		x(24)	
◇ mrp_domain	Domain		x(8)	
mrp_due_date	Due Date		99/99/99	
mrp_keyid	Key ID		>>>>>>>9	
mrp_line	Line/ID		x(8)	
mrp_line2	Reference	Ref	x(8)	
mrp_nbr	Order	Order Number	x(18)	
mrp_ord_site	Order Site	Ord Site	x(8)	
mrp_part	Item Number		x(18)	
mrp_qty	Qty		-,>,>>>,>>9.9<<<<<<<<<	10
mrp_rel_date	Release Date		99/99/99	
mrp_site	Site		x(8)	
mrp_type	Order Type		x(8)	
mrp_user1	Ufld1		x(8)	
mrp_user2	Ufld2		x(8)	
mrp__qad01			yes/no	
◇ oid_mrp_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* mrp_det	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_part	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
Δ mrp_keyid	no	mrp_domain	yes	no
		mrp_keyid	yes	no
Δ mrp_nbr	yes	mrp_domain	yes	no
		mrp_dataset	yes	no
		mrp_nbr	yes	no
		mrp_line	yes	no
		mrp_line2	yes	no
		mrp_part	yes	no
Δ mrp_partdate	no	mrp_domain	yes	no
		mrp_part	yes	no

Field Name	Label	Col-Label	Format	Dec
ncc_tax_usage	Tax Usage		x(8)	
ncc_tx_in_city	In City		yes/no	
ncc_type	Type		x(4)	
ncc_user1	User Field 1		x(24)	
ncc_user2	User Field 2		x(24)	
ncc__qadc01			x(8)	
ncc__qadd01			->>>, >>>, >>9.9<<<<<<<<<<	10
ncc__qadi01			>>>>>>9	
Δ ncc__qadi02			->>>>>>>9	
ncc__qadl01			yes/no	
ncc__qadt01			99/99/99	
◇ oid_ncc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ncc_index1	yes	ncc_domain	yes	no
◇ oid_ncc_ctrl	yes	oid_ncc_ctrl	yes	no

nrh_hist

Number Range History

Field Name	Label	Col-Label	Format	Dec
nrh_action	Action		x(8)	
nrh_date	Date		99/99/99	
nrh_desc	Description		x(40)	
◇ nrh_domain	Domain		x(8)	
nrh_inc	Incrementing Value		x(40)	
nrh_line	Line		>, >>>, >>9	
nrh_non_inc	Non Incrementing Value		x(40)	
nrh_number	Sequence Value		x(40)	
nrh_seqid	Sequence ID	Id	x(8)	
nrh_time	Time		x(8)	
nrh_user1	Ufld1		x(8)	
nrh_user2	Ufld2		x(8)	
nrh_userid	User ID		x(8)	
nrh__qadc01			x(8)	
◇ oid_nrh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* nrh_index	yes	nrh_domain	yes	no
		nrh_seqid	yes	no
		nrh_number	yes	no
		nrh_action	yes	no
		nrh_line	yes	no
◇ oid_nrh_hist	yes	oid_nrh_hist	yes	no

Number Range Master

Index-Name	Uni	Field-Name	Asc	Abbr
Δ^* nr_seqid	yes	nr_domain	yes	no
		nr_seqid	yes	no
$\diamond$ oid nr_mstr	yes	oid nr_mstr	yes	no

Action Message Detail

Field Name	Label	Col-Label	Format	Dec
oa_code	Action Code	Code	999999	
oa_detail	Action Message Detail		x(24)	
◇ oa_domain	Domain		x(8)	
oa_fr_date	From Date	From	99/99/99	
oa_line	Line/ID		x(8)	
oa_nbr	Order	Order Number	x(18)	
oa_part	Item Number		x(18)	
oa_qty	Action Qty	Quantity	-,>>>,>>9.9<<<<<<<<<	10
oa_review	Reviewed By	By	x(2)	
oa_site	Site		x(8)	
oa_to date	To Date	Date	99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
		ocm_eng_code	yes	no
		ocm_schedule	yes	no
		ocm_start_eff	yes	no
◇ oid ocm mstr	yes	oid ocm mstr	yes	no

Shop Floor Operation History Control

	Field Name	Label	Col-Label	Format	Dec
◇	oid_opc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
	opc_close_gl	Create GL		.9<<<<<<<<<	
◇	opc_domain	Domain		x(8)	
	opc_move	Move Next Operation		yes/no	
	opc_payroll	Interface Payroll		yes/no	
	opc_std_hrs	Standard Hours		>>9.99	10
	opc_std_per	Standard Period		x(1)	
	opc_time_ind	Time Indicator		x(1)	
	opc_user1	Ufld1		x(8)	
	opc_user2	Ufld2		x(8)	
	opc__qad01			>>>>>>g	
△	opc__qadi01			->>>>>>>g	
	opc_qadi02			>>>>>>g	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_opc_ctrl	yes	oid_opc_ctrl	yes	no
Δ* opc_index1	yes	opc_domain	yes	no

Shop Floor Operation General Ledger Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_opgl_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
opgl_cr_acct	Cr Acct		x(8)	
opgl_cr_cc	Cr Cost Ctr	CC	x(4)	
opgl_cr_line	Line		>>>9	
opgl_cr_proj	Cr Project	Project	x(8)	
opgl_cr_sub	Cr Sub-Acct	Sub-Acct	x(8)	
◇ opgl_domain	Domain		x(8)	
opgl_dr_acct	Dr Acct		x(8)	
opgl_dr_cc	Dr Cost Ctr	CC	x(4)	
opgl_dr_line	Line		>>>9	
opgl_dr_proj	Dr Project	Project	x(8)	
opgl_dr_sub	Dr Sub-Acct	Sub-Acct	x(8)	
opgl_dy_code	Daybook		x(8)	
opgl_dy_num	Entry Number		x(40)	
opgl_gl_amt	Amount		->>>>>, >9.99	10
opgl_gl_ref	GL Reference		x(14)	
opgl_sequence	Sequence		->, >>>, >>9	
opgl_trnbr	OP Transaction	Trans	>>>>>9	

Field Name	Label	Col-Label	Format	Dec
opgl_type	Type		x(8)	
opgl_user1	Ufld1		x(8)	
opgl_user2	Ufld2		x(8)	
opgl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_opgl_det	yes	oid_opgl_det	yes	no
Δ opgl_dr_cr	no	opgl_domain	yes	no
		opgl_dr_acct	yes	no
		opgl_dr_sub	yes	no
		opgl_dr_cc	yes	no
		opgl_cr_acct	yes	no
		opgl_cr_sub	yes	no
		opgl_cr_cc	yes	no
Δ opgl_dy	no	opgl_domain	yes	no
		opgl_dy_code	yes	no
		opgl_dy_num	yes	no
		opgl_sequence	yes	no
Δ* opgl_nbr_ref	yes	opgl_domain	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no
		opgl_sequence	yes	no
Δ opgl_ref_nbr	no	opgl_domain	yes	no
		opgl_gl_ref	yes	no
		opgl_trnbr	yes	no
Δ opgl_type_nbr_ref	no	opgl_domain	yes	no
		opgl_type	yes	no
		opgl_trnbr	yes	no
		opgl_gl_ref	yes	no

opm_mstr Standard Operation Master

Field Name	Label	Col-Label	Format	Dec
oid_opm_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
opm_batch	Batch Size		.9<<<<<<<<<	
opm_bom_code	BOM Code		>, >>>, >>9	
opm_cmtindx	Comment Index	Comment	>>>>>>>9	
opm_cyc_rate	Cycles/Hour		>>>, >>9.999	10
opm_cyc_unit	Units/Cycle		>>>>>9	0
opm_desc	Description		x(24)	
opm_domain	Domain		x(8)	
opm_fsc_code	Service Category	Svc Cat	x(8)	
opm_fsm_type	FSM Type		x(8)	
opm_inv_val	Inventory Value		>>>>, >>>, >>9.99<<<	10
opm_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
opm_mch	Machine		x(8)	
opm_mile	Milestone Operation	Milestone	yes/no	
opm_move	Move Time	Move	>, >>9.9<<	10
opm_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<<	10
opm_setup	Setup Time	Setup	>, >>9.9<<	10
opm_std_op	Standard Operation	Std Op	x(8)	

Field Name	Label	Col-Label	Format	Dec
opm_sub_cost	Subcontract Cost	Subcontract	>>>>,>>>,>>9.99<<<	10
opm_sub_lead	Subcontract LT	Sub! LT	>>9	
opm_tool	Tool Code	Tool	x(8)	
opm_tran_qty	Overlap Units	Overlap	->,>>>,>>9	
opm_user1	Ufld1		x(8)	
opm_user2	Ufld2		x(8)	
opm_vend	Supplier		x(8)	
opm_wkctr	Work Center	Work Ctr	x(8)	
opm_yld_pct	Yield%		>>9.99%	10
opm__chr01			x(8)	
opm__chr02			x(8)	
opm__chr03			x(8)	
opm__chr04			x(8)	
opm__chr05			x(8)	
opm__dec01			>>>,>>>,>>9.99	10
opm__dec02			>>>,>>>,>>9.99	10
opm__dte01			99/99/99	
opm__dte02			99/99/99	
opm__log01			yes/no	
opm__qadc01	QAD Character Field 1		X(8)	
opm__qadc02	QAD Character Field 2		X(8)	
opm__qadc03	QAD Character Field 3		X(8)	
opm__qade01	QAD Decimal Field 1		->>,>>9.99	10
opm__qadl01	QAD Logical Field 1		yes/no	
opm__qadl02	QAD Logical Field 2		yes/no	
opm__qadt01	QAd Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_opm_mstr	yes	oid_opm_mstr	yes	no
△ opm_desc	yes	opm_domain	yes	no
		opm_desc	yes	no
		opm_std_op	yes	no
△* opm_std_op	yes	opm_domain	yes	no
		opm_std_op	yes	no

ops_ctrl

Operations Plan Control

	Field Name	Label	Col-Label	Format	Dec
◇	oid_ops_ctl			>>><<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<9	10
	ops_cover	Maximum Weeks Coverage	Max Wks	.9>9.99	10
◇	ops_domain	Domain		x(8)	
	ops_move	Move Holiday Production		yes/no	
	ops_plan	Use Operations Plan	Ops Plan	yes/no	
	ops_round	Use Rounding		yes/no	
	ops_user1	Ufld1		x(8)	
	ops_user2	Ufld2		x(8)	
	ops__qadc01			x(8)	
△	ops__qadi01			->>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
op_qty_adjust	Qty Adjusted		->, >>>, >>9.9<<<<<<<<	10
op_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<	10
op_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
op_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<	10
op_qty_scrap	Qty Scrapped		->, >>>, >>9.9<<<<<<<<	10
op_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<	10
op_rsn	Reason		x(8)	
op_rsn_adjust	Adjust Reason		x(8)	
op_rsn_down	Down Reason		x(8)	
op_rsn_rjct	Reject Reason	Reject	x(8)	
op_rsn_rwrk	Rework Reason	Rework	x(8)	
op_rsn_scrap	Scrap Reason		x(8)	
op_sad_line	Contract Line	Ln	>>>>>>9	
op_sa_nbr	Service Contract		x(8)	
op_shift	Shift		x(2)	
op_site	Site		x(8)	
op_std_rate	Std Cycles/Hour	Std Cyc/Hr	>>>, >>9.999	10
op_std_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<	10
op_std_setup	Std Setup Time	Std Setup	>, >>9.9<<	10
op_std_units	Std Units/Cycle	Std U/C	>>>>>9	0
op_sub_cost	Subcontract Cost	Subcontract	->>>>, >>9.99	10
op_sub_std	Subcontract Std	Std Subcntrct	->>>>, >>9.99	10
op_svc_type			x(1)	
op_sv_code	Contract Type		x(8)	
op_time	Time		>>, >>>, >>9	
op_tool	Tool Code	Tool	x(8)	
op_to_op	To Operation		>>>>99	
op_tran_date	Tran Date	Tran! Date	99/99/99	
op_trnbr	Trans		>>>>>9	
op_type	Type		x(8)	
op_user1	Ufld1		x(8)	
op_user2	Ufld2		x(8)	
op_userc03	User Field Character 3		x(24)	
op_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<<<<<<<<<	10
op_useri01	User Field Integer 1		->>>>>>>9	
op_userid	User ID		x(8)	
op_userl01	User Field Logical 1		yes/no	
op_usert01	User Field Date 1		99/99/99	
op_wip_lotser	Lot/Serial		x(18)	
op_wip_ref	Reference	Ref	x(8)	
op_wkctr	Work Center	Work Ctr	x(8)	
op_wo_lot	ID		x(8)	
op_wo_nbr	Work Order		x(18)	
op_wo_op	Operation	Op	>>>>99	
op_wo_serial	Lot/Serial		x(18)	
op__chr01			x(8)	
op__chr02			x(8)	
op__chr03			x(8)	
op__chr04			x(8)	
op__chr05			x(8)	
op__dec01			>>>, >>>, >>9.99	10
op__dec02			>>>, >>>, >>9.99	10
op__dte01			99/99/99	
op__dte02			99/99/99	
op__log01			yes/no	
op__qad01			x(8)	
op__qad02			x(8)	

Field Name	Label	Col-Label	Format	Dec
op__qad03			x(4)	
op__qad04			x(4)	
op__qad05			x(8)	
op__qad06			x(4)	
op__qad07			x(8)	
op__qad08			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_op_hist	yes	oid_op_hist	yes	no
Δ op_date	no	op_domain	yes	no
		op_date	yes	no
		op_trnbr	yes	no
Δ op_emp	no	op_domain	yes	no
		op_emp	yes	no
		op_site	yes	no
		op_date	yes	no
Δ op_lot_op	no	op_domain	yes	no
		op_wo_lot	yes	no
		op_wo_op	yes	no
		op_date	yes	no
Δ op_part	no	op_domain	yes	no
		op_part	yes	no
		op_site	yes	no
		op_wo_op	yes	no
		op_date	yes	no
Δ op_rsn	no	op_domain	yes	no
		op_rsn	yes	no
		op_site	yes	no
		op_date	yes	no
Δ op_rsn_rjct	no	op_domain	yes	no
		op_rsn_rjct	yes	no
		op_site	yes	no
		op_date	yes	no
Δ op_rsn_rwrk	no	op_domain	yes	no
		op_rsn_rwrk	yes	no
		op_site	yes	no
		op_date	yes	no
Δ* op_trnbr	yes	op_domain	yes	no
		op_trnbr	yes	no
Δ op_type	no	op_domain	yes	no
		op_site	yes	no
		op_type	yes	no
		op_date	yes	no
Δ op_wkctr	no	op_domain	yes	no
		op_site	yes	no
		op_wkctr	yes	no
		op_mch	yes	no
		op_date	yes	no
Δ op_wo_nbr	no	op_domain	yes	no
		op_wo_nbr	yes	no
		op_wo_lot	yes	no
		op_date	yes	no

Purchase Approval Code Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pac_mstr	yes	oid_pac_mstr	yes	no
Δ* pac_code	yes	pac_domain	yes	no
		pac_code	yes	no
Δ pac_index1	no	pac_domain	yes	no
		pac_site	yes	no
		pac_pl	yes	no
		pac_pur_acct	yes	no
		pac_pur_sub	yes	no
		pac_pur_cc	yes	no
		pac_req_by	yes	no

Pallet Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_pald_det			>>&	

Field Name	Label	Col-Label	Format	Dec
pald__chr02			x(8)	
pald__chr03			x(8)	
pald__chr04			x(8)	
pald__chr05			x(8)	
pald__dec01			->>>, >>>, >>9.99<	10
pald__dec02			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_pald_det	yes	oid_pald_det	yes	no
Δ^* pald_pallet	yes	pald_domain	yes	no
		pald_pallet	yes	no
		pald_part	yes	no

pal_mstr

Pallet Master

Field Name	Label	Col-Label	Format	Dec
oid_pal_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pal_desc	Description		.9<<<<<<<<<	
pal_domain	Domain		x(24)	
pal_height	Height		x(8)	
pal_hght_um	UM		>>, >>9.99	10
pal_nbr_lay	Number of Layers		x(2)	
pal_pallet	Pallet Type	Type	>, >>>, >>9	
pal_um	UM		x(8)	
pal_unit_lay	Units per Layer		x(2)	
pal_user1	Ufld1		>, >>>, >>9	
pal_user2	Ufld2		x(8)	
pal_weight	Weight		x(8)	
pal_wght_um	UM		>>, >>9.99	10
pal__chr01			x(2)	
pal__chr02			x(8)	
pal__chr03			x(8)	
pal__chr04			x(8)	
pal__chr05			x(8)	
pal_dec01			->>>, >>>, >>9.99<	10
pal_dec02			->>>, >>>, >>9.99<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pal_mstr	yes	oid_pal_mstr	yes	no
△* pal_pallet	yes	pal_domain	yes	no
		pal_pallet	yes	no

Product Change Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pcc_ctrl	yes	oid_pcc_ctrl	yes	no
Δ* pcc_index	yes	pcc_domain	yes	no

Purchase Order Line Cost Element Detail

Field Name	Label	Col-Label	Format	Dec
oid_pcd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pcd_amt	Amount		.9<<<<<<<<<	10
pcd_curr	Currency	Cur	->>>, >>>, >>9.99<<<	
pcd_domain	Domain		x(8)	
pcd_element	Cost Element	Element	x(8)	
pcd_line	Line	Ln	>>9	
pcd_nbr	Purchase Order	Order	x(8)	
pcd_user1	Ufid1		x(8)	
pcd_user2	Ufid2		x(8)	
pcd__qad01			99/99/99	
pcd__qad02			x(8)	
pcd__qad03			yes/no	
pcd__qad04			->>>, >>>, >>9.99<<<<	10
pcd__qad05			->>>, >>>, >>9.99<<<<	10

pfc_det

Production Forecast Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_pfc_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
pfc_date	Date	Date	.9<<<<<<<<	
◇ pfc_domain	Domain		99/99/99	
pfc_id_num			x(8)	
pfc_part	Item Number		>>>>>9	
pfc_peg_part	Peg Item	Peg Item Number	x(18)	
pfc_qty	Qty		x(18)	
pfc_site	Site		-,>,>>>,>>9.9<<<<<<<<	10
pfc_user1	Ufld1		x(8)	
pfc_user2	Ufld2		x(8)	
pfc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pfc_det	yes	oid_pfc_det	yes	no
△ pfc_id_num	no	pfc_domain	yes	no
		pfc_id_num	yes	no
Δ* pfc_part	yes	pfc_domain	yes	no
		pfc_part	yes	no
		pfc_site	yes	no
		pfc_peg_part	yes	no
		pfc_date	yes	no
△ pfc_peg_part	no	pfc_domain	yes	no
		pfc_peg_part	yes	no
		pfc_site	yes	no

pfd_det

Service/Support Item-Site Detail

Field Name	Label	Col-Label	Format	Dec
oid_pfd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pfd_bench_lead	Repair Lead Time	Rp Tm	.9<<<<<<<<	
pfd_cover	Subs Covered		>>>9	
pfd_cus_install	Customer Installable		yes/no	
pfd_domain	Domain		x(8)	
pfd_field_lead	Field Repair Time		>, >>9.99<<	10
pfd_fru	FRU		yes/no	
pfd_inst_call	Install		yes/no	
pfd_ins_bom	Installation BOM		X(18)	
pfd_ins_route	Installation Routing		X(18)	
pfd_isb	Installed Base	Inst Base	yes/no	
pfd_life_cycle	Life Cycle		x(8)	
pfd_mfg_mtbf	MFG MTBF		->, >>9.99	10
pfd_mfg_mttr	MFG MTTR		->, >>9.99	10
pfd_mod_date	Modified Date	Mod Date	99/99/99	
pfd_mod_userid	User ID		X(8)	
pfd_mtbf	MTBF		>>, >>9.99	10
pfd_mttr	MTTR		>>, >>9.99	10
pfd_obs_date	Obsolete Date		99/99/99	
pfd_origin	Country of Origin		x(12)	

Field Name	Label	Col-Label	Format	Dec
pfd_part	Item		x(18)	
pfd_pm_mrp	Need PM MRP		yes/no	
pfd_pvm_bom	PM BOM		x(18)	
pfd_pvm_days	Days Between PM	PM Days	>>>>9	
pfd_pvm_exceed	Replace if Limit Exceeded		yes/no	
pfd_pvm_limit	PM Limit		>>>>, >>>, >>9.99<<	10
pfd_pvm_replace	Always Replace on PM		yes/no	
pfd_pvm_route	PM Routing		x(18)	
pfd_pvm_saftey	Saftey Limit		>>>>, >>>, >99.99<<<	10
pfd_pvm_um	UM		x(8)	0
pfd_repairable	Repairable		yes/no	
pfd_rp_bom	Repair BOM		x(18)	
pfd_rp_route	Repair Routing		x(18)	
pfd_rp_site	Repair Site		x(8)	
pfd_rp_vendor	Repair Supplier	Supplier	x(8)	
pfd_site	Site		x(8)	
pfd_sttr	STTR		->>, >>9.99	10
pfd_svc_group	Service Group	Svc Grp	x(8)	
pfd_tariff	Tariff		x(8)	0
pfd_trace_active	Trace Active		yes/no	
pfd_unit_isb	Isb Unit Quantity		yes/no	
pfd_user1	Ufld1		x(8)	
pfd_user2	Ufld2		x(8)	
pfd_ven_warr	Supplier Warranty	Supl Warr	yes/no	
pfd_warr_cd	Warranty Code	Warr Cd	x(8)	
pfd__chr01	Character Field 1		X(8)	
pfd__chr02	Character Field 2		X(8)	
pfd__dte01	Date Field 1		99/99/99	
pfd__dte02	Date Field 2		99/99/99	
pfd__int01	Integer Field 1		->, >>>, >>9	
pfd__int02	Integer Field 2		->, >>>, >>9	
pfd__log01	Logical Field 1		yes/no	
pfd__log02	Logical Field 2		yes/no	
pfd__qadc01	QAD Character Field 1		X(8)	
pfd__qadc02	QAD Character Field 2		X(8)	
pfd__qadd01	QAD Date Field 1		99/99/99	
pfd__qadi01	QAD Integer Field 1		->, >>>, >>9	
pfd__qadi02	QAD Integer Field 2		->, >>>, >>9	
pfd__qadl01	QAD Logical Field 1		yes/no	
pfd__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pfd_det	yes	oid_pfd_det	yes	no
Δ pfd_pm_mrp	no	pfd_domain	yes	no
		pfd_pm_mrp	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
Δ* pfd_ptsite	yes	pfd_domain	yes	no
		pfd_part	yes	no
		pfd_site	yes	no
Δ pfd_sitept	no	pfd_domain	yes	no
		pfd_site	yes	no
		pfd_part	yes	no

Service/Support Paging Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pgctrl	yes	oid_pgctrl	yes	no
Δ* pgc_index	yes	pgc_domain	yes	no
		pgc_index	yes	no

Service/Support Paging History

Field Name	Label	Col-Label	Format	Dec
oid_pgh_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
pgh_ca_nbr	Call Number		.9<<<<<<<<	
pgh_date	Date		x(8)	
pgh_domain	Domain		99/99/99	
pgh_eng_code	Engineer		x(8)	
pgh_phone	Phone		x(20)	
pgh_status	Status		x(8)	
pgh_time_init	Time		99:99	
pgh_time_paged	Time Paged		99:99	
pgh_trnbr	Transaction		>>>>>>>>9	
pgh_user1	Ufld1		x(8)	
pgh_user2	Ufld2		x(8)	
pgh_chr01	User Character Field 1		X(8)	
pgh_chr02	User Character Field 2		X(8)	
pgh_dte01	User Date Field 1		99/99/99	
pgh_log01	User Logical Field 1		yes/no	
pgh_qadc01	QAD Character Field 1		X(8)	
pgh_qadc02	QAD Character Field 2		X(8)	
pgh_qadl01	QAD Logical Field 1		yes/no	
pgh_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
o oid_pgh_hist	yes	oid_pgh_hist	yes	no
Δ pgh_ca_nbr	no	pgh_domain	yes	no
		pgh_ca_nbr	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
Δ pgh_eng_code	no	pgh_domain	yes	no
		pgh_eng_code	yes	no
		pgh_date	yes	no
		pgh_time_init	yes	no
Δ pgh_status	no	pgh_domain	yes	no
		pgh_status	yes	no
Δ* pgh_trnbr	yes	pgh_domain	yes	no
		pgh_trnbr	no	no

pgm_det

Program Detail

Field Name	Label	Col-Label	Format	Dec
oid_pgm_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pgm_cmmt[20]	Program Data		x(76)	.9<<<<<<<<<<
pgm_desc	Description		x(24)	
pgm_domain	Domain		x(8)	
pgm_eq	Equation Name	Eq Name	x(8)	
pgm_mod_date	Modified Date	Mod Date	99/99/99	
pgm_ref	Program Reference		x(40)	
pgm_seq	Page		>9	
pgm_type	Type	T	x(2)	
pgm_user1	Ufld1		x(8)	
pgm_user2	Ufld2		x(8)	
pgm_userid	User ID		x(8)	
pgm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_pgm_det	yes	oid_pgm_det	yes	no
Δ^* pgm_ref_eq	yes	pgm_domain	yes	no
		pgm_ref	yes	no
		pgm_eq	yes	no
		pgm_type	yes	no
		pgm_seq	yes	no
Δ pgm_type_eq	no	pgm_domain	yes	no
		pgm_type	yes	no
		pgm_eq	yes	no

Pricing Control

Field Name	Label	Col-Label	Format	Dec
oid_pic_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pic_cust_regen	Customers		yes/no	
pic_disc_comb	Discount Combination Type		x(24)	
pic_domain	Domain		x(8)	
pic_fs_date	FSM Default Pricing Date		x(24)	
pic_fs_fact	Display FSM Discounts as		yes/no	
pic_fs_linpri	Price Contracts by Line		yes/no	
pic_fs_rfact	FSM Factor Rounding		>>9	
pic_item_regen	Items		yes/no	
pic_list_id	Next Price List ID		>>>>>>>9	
pic_po_date	PO Default Price Date		x(24)	
pic_po_fact	Display PO Discounts as		yes/no	
pic_po_linpri	Price PO by Line		yes/no	
pic_po_rfact	PO Factor Rounding		>>9	
pic_promo_pre	Promotions Prefix		x(3)	
pic_qo_date	QO Default Price Date		x(24)	
pic_qo_fact	Display QO Discounts as		yes/no	
pic_qo_linpri	Price QO by Line		yes/no	
pic_qo_rfact	QO Factor Rounding		>>9	
pic_so_date	SO Default Pricing Date		x(24)	
pic_so_fact	Display SO Discounts as		yes/no	
pic_so_linpri	Price SO by Line		yes/no	
pic_so_rfact	SO Factor Rounding		>>9	
pic_user1	Ufld1		x(8)	
pic_user2	Ufld2		x(8)	
pic__qadc01			x(8)	
pic__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pic_ctrl	yes	oid_pic_ctrl	yes	no
Δ* pic_index1	yes	pic_domain	yes	no

Price List Detail

Field Name	Label	Col-Label	Format	Dec
oid_pid_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pid_amt	Amount		.9<<<<<<<<<	10
pid_cr_terms	Credit Terms	Terms	->>>, >>>, >>9.9<<<	10
pid_domain	Domain		x(8)	
pid_fr_list	Freight List	Frt List	x(8)	
pid_fr_terms	Freight Terms		x(8)	
pid_list_id	List Id		x(8)	
pid_qty	Min Qty		->>, >>>, >>9.9<<<<<<<<<	10
pid_user1	Ufld1		x(8)	
pid_user2	Ufld2		x(8)	
pid_qadc01			x(8)	
pid_qadd01			->>>, >>>, >>9.9<<<	10

pigp_det

Price List Group Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pigp_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pigp_amt_type	Amount Type		.9<<<<<<<<<<	
pigp_code	Price List Group		X(24)	
pigp_curr	Currency	Cur	x(8)	
pigp_div	Division		X(3)	
pigp_domain	Domain		X(8)	
pigp_expire	Expire		99/99/9999	
pigp_include	Include		yes/no	
pigp_list_id	List ID		x(8)	
pigp_prod_ref	Item Reference		X(18)	
pigp_prod_type	Item Type		9	
pigp_srch_type	Search Type		>>9	
pigp_start	Start		99/99/99	
pigp_user1	Ufld1		x(8)	
pigp_user2	Ufld2		x(8)	
pigp__qadc01			x(8)	
pigp__qadc02			x(8)	
pigp__qadc03			x(8)	
pigp__qadd01			->>>>, >>>, >>9.9	10
pigp__qadd02			->>>>, >>>, >>9.9	10
pigp__qadi01			->, >>>, >>9	
pigp__qadi02			->, >>>, >>9	
pigp__qadl01			yes/no	
pigp__qadl02			yes/no	
pigp__qadt01			99/99/99	
pigp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_pigp_det	yes	oid_pigp_det	yes	no
Δ^* pigp_code	yes	pigp_domain	yes	no
		pigp_code	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_amt_type	yes	no
Δ pigp_product	no	pigp_domain	yes	no
		pigp_div	yes	no
		pigp_prod_type	yes	no
		pigp_prod_ref	yes	no
		pigp_srch_type	yes	no
		pigp_curr	yes	no
		pigp_start	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ pig_ref	no	pig_amt_type	yes	no
		pig_domain	yes	no
		pig_ref_type	yes	no
		pig_ref_code	yes	no

Pricing History

Field Name	Label	Col-Label	Format	Dec
oid_pih_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
pih_accr_acct	Accrual Acct		x(8)	
pih_accr_cc	Accrual CC	CC	x(8)	
pih_accr_proj	Accrual Proj		x(8)	
pih_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pih_amt	Amount		->>>>, >>>, >>9.99<<<	10
pih_amt_type	Amt Type		x(8)	
pih_bonus_line	Triggering Line Number		>>9	
pih_break_cat	Break Cat		x(18)	
pih_comb_type	Comb Type		x(24)	
pih_config_disc	Config Disc	Config	yes/no	
pih_cr_terms	Credit Terms	Terms	x(8)	
pih_disc_acct	Disc Acct		x(8)	
pih_disc_amt	Disc Amt		->>>>, >>>, >>9.99<<<	10
pih_disc_cc	Cost Ctr	CC	x(4)	
pih_disc_proj	Project		x(8)	
pih_disc_seq	Disc Sequence		>>, >>9.<<<<<<	10
pih_disc_sub	Sub Acct	Sub-Acct	x(8)	
pih_doc_type	Doc Type		>>9	
pih_domain	Domain		x(8)	
pih_feature	Feature		x(12)	
pih_fr_list	Freight List	Frt List	x(8)	
pih_fr_terms	Freight Terms		x(8)	
pih_line	Line		>>9	
pih_list	Price List	List	x(8)	
pih_list_id	List Id		x(8)	
pih_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pih_mod_date	Modified Date	Mod Date	99/99/99	
pih_nbr	Order		x(8)	
pih_option	Item Number		x(18)	
pih_parent	Parent Item		x(18)	
pih_pid_qty	Break Qty		->>, >>>, >>9.9<<<<<<<<<	10
pih_pig_code	Price List Group		x(8)	
pih_print	Print		yes/no	
pih_promo1	Promotion Code		x(8)	
pih_promo2	Promotion Type		x(8)	
pih_promo3	APM Code 3		x(8)	
pih_promo4	APM Code 4		x(8)	
pih_qty	Qty		->>, >>>, >>9.9<<<<<<<<<	10
pih_qty_type	Qty Type		x(24)	
pih_source	Source		x(8)	
pih_time	Time		>>, >>>, >>9	
pih_um	UM		x(2)	
pih_user1	Ufld1		x(8)	
pih_user2	Ufld2		x(8)	

Field Name	Label	Col-Label	Format	Dec
pih_userid	User ID		x(8)	
pih__chr01			x(8)	
pih__chr02			x(8)	
pih__chr03			x(8)	
pih__chr04			x(8)	
pih__chr05			x(8)	
pih__chr06			x(8)	
pih__chr07			x(8)	
pih__chr08			x(8)	
pih__chr09			x(8)	
pih__chr10			x(8)	
pih__dec01			>>>,>>>,>>9.99	10
pih__dec02			>>>,>>>,>>9.99	10
pih__dte01			99/99/99	
pih__dte02			99/99/99	
pih__log01			yes/no	
pih__qadc01			x(8)	
pih__qadd01			->>>,>>>,>>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pih_hist	yes	oid_pih_hist	yes	no
Δ pih_comp	no	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no
Δ pih_list	no	pih_domain	yes	no
		pih_list	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
Δ pih_list_id	no	pih_domain	yes	no
		pih_list_id	yes	no
Δ* pih_nbr	yes	pih_domain	yes	no
		pih_doc_type	yes	no
		pih_nbr	yes	no
		pih_line	yes	no
		pih_config_disc	yes	no
		pih_source	yes	no
		pih_list_id	yes	no
		pih_amt_type	yes	no
		pih_parent	yes	no
		pih_feature	yes	no
		pih_option	yes	no

pi_mstr

Price List Master

Field Name	Label	Col-Label	Format	Dec
oid_pi_mstr			>>>>>>>>>>>>>>>>>>>>>>>9	10
pi_accr_acct	Accrual Acct		.9<<<<<<<<	
pi_accr_cc	Accrual CC	CC	x(8)	
pi_accr_proj	Accrual Proj		x(8)	
pi_accr_sub	Accrual Sub	Sub-Acct	x(8)	
pi_amt_type	Amount Type		x(24)	
pi_break_cat	Break Cat		x(18)	
pi_cmtindx	Comments		>>>>>>9	
pi_comb_type	Comb Type		x(24)	
pi_config_disc	Config Disc	Config	yes/no	
pi_cost_set	Cost Set		x(8)	
pi_cs_code	Cust/Supplier Cat		x(18)	
pi_cs_type	Cust/Supplier Type	C/S Type	x(24)	
pi_curr	Currency	Cur	x(3)	
pi_desc	Description		x(24)	
pi_disc_acct	Disc Acct		x(8)	
pi_disc_cc	Cost Ctr	CC	x(8)	
pi_disc_proj	Project		x(8)	
pi_disc_seq	Disc Sequence		>>>, >>9.9<<<<<	10
pi_disc_sub	Sub Acct	Sub-Acct	x(8)	
pi_domain	Domain		x(8)	
pi_expire	Expire		99/99/99	
pi_extrec	External Entry	Ext	yes/no	
pi_list	Price List	List	x(8)	
pi_list_id	List Id		x(8)	
pi_list_price	List Price		>>>, >>>, >>9.99<<<	10
pi_manual	Manual		yes/no	
pi_max_ord	Max Orders		>>>9	
pi_max_price	Max Price		>>>>, >>>, >>9.99<<<	10
pi_max_qty	Max Qty		->, >>>, >>9.9<<<<<<<<<	10
pi_min_net	Min Net Ord		->>>>, >>>, >>9.99<	10
pi_min_price	Min Price		>>>>, >>>, >>9.99<<<	10
pi_mod_date	Modified Date	Mod Date	99/99/99	
pi_part_code	Item Cat		x(18)	
pi_part_type	Type		x(24)	
pi_pig_code	Price List Group		x(8)	
pi_print	Print		yes/no	
pi_promo1	Promotion Code		x(8)	
pi_promo2	Promotion Type		x(8)	
pi_promo3	APM Code 3		x(8)	
pi_promo4	APM Code 4		x(8)	
pi_qty_type	Qty Type		x(24)	
pi_srch_type	Search Type		>>9	
pi_start	Start		99/99/99	
pi_terms	Terms		x(8)	
pi_um	UM		x(2)	
pi_user1	Ufld1		x(8)	
pi_user2	Ufld2		x(8)	
pi_userid	User ID		x(8)	
pi__chr01			x(8)	
pi__chr02			x(8)	
pi__chr03			x(8)	
pi__chr04			x(8)	
pi__chr05			x(8)	

Field Name	Label	Col-Label	Format	Dec
pi__chr06			x(8)	
pi__chr07			x(8)	
pi__chr08			x(8)	
pi__chr09			x(8)	
pi__chr10			x(8)	
pi__dec01			>>>,>>>,>>9.99	10
pi__dec02			>>>,>>>,>>9.99	10
pi__dte01			99/99/99	
pi__dte02			99/99/99	
pi__log01			yes/no	
pi__qadc01			x(8)	
pi__qadd01			->>>,>>>,>>9.9<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pi_mstr	yes	oid_pi_mstr	yes	no
Δ pi_cs_code	no	pi_domain	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
Δ* pi_list	yes	pi_domain	yes	no
		pi_list	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no
Δ pi_list_id	yes	pi_domain	yes	no
		pi_list_id	yes	no
Δ pi_part_code	no	pi_domain	yes	no
		pi_part_type	yes	no
		pi_part_code	yes	no
		pi_cs_type	yes	no
		pi_cs_code	yes	no
		pi_srch_type	yes	no
		pi_curr	yes	no
		pi_um	yes	no
		pi_start	yes	no

pjc_ctrl

Project Realization Control

Field Name	Label	Col-Label	Format	Dec
pjc_oid_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
pjc_auto_mo	Auto Generate MO		.9<<<<<<<<	
pjc_bg_above	Budget Overrun Limit		->>9.9<%	10
pjc_bg_below	Budget Warning Limit		->>9.9<%	10
pjc_close_status	Closed Status		x(8)	
pjc_comp_status	Complete Status		x(8)	
pjc_dflt_que	Queue		x(8)	
pjc_domain	Domain		x(8)	
pjc_global_inv	Global Invoicing		yes/no	
pjc_hcmmts	Project Header Comments		yes/no	
pjc_hold_level	Credit Hold Option		>>9	
pjc_hold_status	Hold Status		x(8)	
pjc_lcmmts	Project Line Comments		yes/no	
pjc_mod_date	Modified Date	Mod Date	99/99/99	
pjc_mod_userid	User ID		x(8)	
pjc_open_status	Open Status		x(8)	
pjc_paocmmts	PAO Comments		yes/no	
pjc_pao_cancel	Cancel Status		x(8)	
pjc_pao_close	Closed Status		x(8)	
pjc_pao_complete	Complete Status		x(8)	
pjc_pao_hold	Hold Status		x(8)	
pjc_pao_nbr	Next PAO		>>>>>>>9	
pjc_pao_open	Open Status		x(8)	
pjc_pao_pre	PAO Prefix		x(3)	
pjc_par_detail	PAR Detail		yes/no	
pjc_par_labor_st	PAR Labor Start		Worksheet/PAO	
pjc_par_return	PAR Return Status		x(8)	
pjc_par_scrap	PAR Scrap Status		x(8)	
pjc_pjs_hist	Generate Transaction History		yes/no	
pjc_pj_type	GL Project Type		x(2)	
pjc_prj_nbr	Next Project		>>>>>>>9	
pjc_prj_pre	Project Prefix		x(3)	
pjc_prj_site	Project Site		x(8)	
pjc_pr_rollup	Auto Price Rollup		yes/no	
pjc_ps_in_wip	Book Project Inventory to WIP		yes/no	
pjc_pt_prod	Use Item Product Line		yes/no	
pjc_schedule_pao	Schedule		yes/no	
pjc_scmmts	Subproject Comments		yes/no	
pjc_so_nbr	Next Project SO		>>>>>>>9	
pjc_so_pre	Project SO Prefix		x(3)	
pjc_sub_det	Subproject Details		yes/no	
pjc_user1	Ufid1		x(8)	
pjc_user2	Ufid2		x(8)	
pjc_use_budgets	Use Budgets		yes/no	
pjc_use_pay_rate	Use Employee Pay Rate		yes/no	
pjc__log01			yes/no	
pjc__log02			yes/no	
pjc__qadc01			x(24)	
pjc__qadc02			x(24)	
pjc__qadd01			->>>>, >>>, >>>9.99<<<	10
pjc__qadi01			>>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
pjd__qadd01			-->>>>, >>>, >>9.99<<<	10
pjd__qadi01			>>>>>>9	
pjd__qadi01			yes/no	
pjd__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pjd_det	yes	oid_pjd_det	yes	no
△ pjd_pjt_code	no	pjd_domain	yes	no
		pjd_pjt_code	yes	no
△* pjd_sub_nbr	yes	pjd_domain	yes	no
		pjd_nbr	yes	no
		pjd_sub_nbr	yes	no

pjsh_hist

Project Realization Transaction History

[illegible]

Field Name	Label	Col-Label	Format	Dec
pjsh_rel_nbr	Related Project		x(8)	
pjsh_status	Project Line Status		x(8)	
pjsh_trnbr	Transaction		>>>>>>9	
pjsh_tr_cost	Transaction Cost		->>>>, >>>, >>9.99<<<	10
pjsh_tr_date	Transaction Date		99/99/99	
pjsh_tr_ind	Transaction Indicator		x(8)	
pjsh_tr_qty	Transaction Qty		->>, >>>, >>9.9<<<<<<<<<	10
pjsh_tr_time	Transaction Time		>>>>>>>9	
pjsh_tr_type	Transaction Type		x(8)	
pjsh_user1	Ufld1		x(8)	
pjsh_user2	Ufld2		x(8)	
pjsh_userid	User ID		x(8)	
pjsh__qadc01			x(24)	
pjsh__qadd01			->>>>, >>>, >>9.99<<<	10
pjsh__qadi01			>>>>>>9	
pjsh__qadi01			yes/no	
pjsh__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pjsh_hist	yes	oid_pjsh_hist	yes	no
△ pjsh_prj_nbr	no	pjsh_domain	yes	no
		pjsh_nbr	yes	no
		pjsh_pjs_line	yes	no
		pjsh_tr_date	yes	no
		pjsh_tr_time	yes	no
△* pjsh_trnbr	yes	pjsh_domain	yes	no
		pjsh_trnbr	yes	no

pjsx_det

Project Structure Cross-Reference Detail

Field Name	Label	Col-Label	Format	Dec
pjsx_det			>>>>>>>>>>>>>>>>>>>>>9	10
pjsx_date	Last Modified Date		.9<<<<<<<<	
pjsx_def_ws	Worksheet		99/99/99	
pjsx_domain	Domain		x(8)	
pjsx_end_date	End Date		99/99/99	
pjsx_int_stat	Internal Status		x(8)	
pjsx_line	PAO Line		>>9	
pjsx_loc	Location		x(8)	
pjsx_mod_date	Modified Date	Mod Date	99/99/99	
pjsx_mod_userid	User ID		x(8)	
pjsx_nbr	PAO		x(8)	
pjsx_pjs_line	Project Line		>>>>>>>9	
pjsx_prj_nbr	Project		x(8)	
pjsx_qty_demand	Demand Qty		->, >>, >>9.9<<<<<<<<	10
pjsx_qty_in_prog	Qty In Progress		->, >>, >>9.9<<<<<<<<	10
pjsx_qty_iss	Qty Issued		->, >>, >>9.9<<<<<<<<	10
pjsx_qty_ord	Qty Ordered		->, >>, >>9.9<<<<<<<<	10
pjsx_site	Site		x(8)	
pjsx_sod_line	MO Line		>>9	
pjsx_so_nbr	Material Order		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pjxs_det	yes	oid_pjxs_det	yes	no
Δ* pjxs_nbrln	yes	pjxs_domain	yes	no
		pjxs_nbr	yes	no
		pjxs_line	yes	no
Δ pjxs_pjs	no	pjxs_domain	yes	no
		pjxs_prj_nbr	yes	no
		pjxs_pjs_line	yes	no
		pjxs_nbr	yes	no
Δ pjxs_sonbr	no	pjxs_domain	yes	no
		pjxs_so_nbr	yes	no
		pjxs_sod_line	yes	no
Δ pjxs_type	no	pjxs_domain	yes	no
		pjxs_prj_nbr	yes	no
		pjxs_pjs_line	yes	no
		pjxs_type	yes	no
Δ pjxs_ws	no	pjxs_domain	yes	no
		pjxs_def_ws	yes	no

Project Realization Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_pjs_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pjs_amt_inv	Amount Invoiced	Amt Inv	.9<<<<<<<<<	
pjs_budget_type	Budget Type		->>>>, >>>, >>9.99<<<	10
pjs_ca_int_type	Work Code		>9	
pjs_cmtindx	Comment Index		x(8)	
pjs_completed	Completed		>>>>>>>9	
pjs_cost	Unit Cost		yes/no	
pjs_cost_actual	Actual Cost		->>>>, >>>, >>9.99<<<	10
pjs_cost_iss	Issued Cost		->>>>, >>>, >>9.99<<<	10
pjs_cost_wip	WIP Cost		->>>>, >>>, >>9.99<<<	10
pjs_desc	Description		x(24)	
pjs_detail_on_inv	Detail on Invoice		yes/no	
pjs_disc_pct	Discount		->>9.9<%	10
pjs_domain	Domain		x(8)	
pjs_frozen	Frozen		yes/no	

Field Name	Label	Col-Label	Format	Dec
pjs_fsc_code	Category		x(8)	
pjs_inv_group	Invoice Group		x(8)	
pjs_inv_lvl	Invoice Level		yes/no	
pjs_line	Project Line		>>>>>>9	
pjs_line_disp	Project Line ID		x(12)	
pjs_line_par	Parent Line		>>>>>>9	
pjs_line_seq	Project Line Seq		>>>9	
pjs_line_sort	Project Line Sort		x(24)	
pjs_link_ok	Link to PAO		yes/no	
pjs_list_pr	List Price		->>>>, >>>, >>9.99<<<	10
pjs_mod_date	Modified Date	Mod Date	99/99/99	
pjs_mod_userid	User ID		x(8)	
pjs_nbr	Project		x(8)	
pjs_part	Item Number		x(18)	
pjs_povar_amt	PO Variance Amount		->>>>, >>>, >>9.99<<<	10
pjs_price	Net Price		->>>>, >>>, >>9.99<<<	10
pjs_price_on_inv	Price on Invoice		yes/no	
pjs_prod_line	Product Line		x(4)	
pjs_qty_actual	Qty Actual		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_budget	Qty Budgeted		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_inv	Qty Invoiced		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_iss	Qty Issued		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_oh	Project QOH		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_planned	Qty Planned		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_sel_inv	Qty to Invoice		->, >>>, >>9.9<<<<<<<<<	10
pjs_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<<	10
pjs_status	Status		x(8)	
pjs_subassy	Subassembly		yes/no	
pjs_sub_nbr	Subproject		>>>9	
pjs_um	UM		x(2)	
pjs_um_conv	UM Conversion		>>>>9.9999<<<<	10
pjs_user1	Ufld1		x(8)	
pjs_user2	Ufld2		x(8)	
pjs_variation	Variation		yes/no	
pjs__chr01			x(8)	
pjs__dec01			->>>>, >>>, >>9.99<<<	10
pjs__dec02			->>>>, >>>, >>9.99<<<	10
pjs__dte01			99/99/99	
pjs__dte02			99/99/99	
pjs__log01			yes/no	
pjs__log02			yes/no	
pjs__qadc01			x(24)	
pjs__qadc02			x(24)	
pjs__qadc03			x(24)	
pjs__qadd01			->>>>, >>>, >>9.99<<<	10
pjs__qadd02			->>>>, >>>, >>9.99<<<	10
pjs__qadi01			>>>>>>9	
pjs__qadi02			>>>>>>9	
pjs__qadi01			yes/no	
pjs__qadi02			yes/no	
pjs__qadt01			99/99/99	
pjs__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pjs_mstr	yes	oid_pjs_mstr	yes	no
Δ* pjs_line	yes	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line	yes	no
Δ pjs_status	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_status	yes	no
		pjs_link_ok	yes	no
Δ pjs_structure	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_sub_nbr	yes	no
		pjs_line_par	yes	no
		pjs_line_seq	yes	no
Δ pjs_tree	no	pjs_domain	yes	no
		pjs_nbr	yes	no
		pjs_line_sort	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pj_mstr	yes	oid_pj_mstr	yes	no
pj_active	yes	pj_domain	yes	no
		pj_project	yes	no
		pj_active	yes	no
pj_desc	no	pj_domain	yes	no
		pj_desc	yes	no
		pj_project	yes	no
Δ* pj_project	yes	pj_domain	yes	no
		pj_project	yes	no

pk_det

Pick List Work Table

Field Name	Label	Col-Label	Format	Dec
oid_pk_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pk_domain	Domain		.9<<<<<<<<<	
pk_end	End		x(8)	
pk_loc	Location		99/99/99	
pk_lot	ID		x(8)	
pk_part	Item Number		x(8)	
pk_qty	Qty		x(18)	
pk_reference	Reference	Ref	-,>, >>>, >>9.9<<<<<<<<<	10
pk_start	Start		x(8)	
pk_user			99/99/99	
pk_user1	Ufld1		x(8)	
pk_user2	Ufld2		x(8)	
pk_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_pk_det	yes	oid_pk_det	yes	no
Δ* pk_det	yes	pk_domain	yes	no
		pk_user	yes	no
		pk_part	yes	no
		pk_reference	yes	no
		pk_start	yes	no
		pk_end	yes	no

p1d_det

Product Line Detail

Field Name	Label	Col-Label	Format	Dec
oid_pld_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
pld_cchg_acc	Cost Revalue Acct	Revalue	x(8)	
pld_cchg_cc	Inv Cost Change Cost Ctr	CC	x(4)	
pld_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pld_domain	Domain		x(8)	
pld_dscracct	Inv Discrep Acct	Discrep	x(8)	
pld_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pld_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pld_inv_acct	Inventory Acct	Inventory	x(8)	
pld_inv_cc	Inventory Cost Ctr	CC	x(4)	
pld_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pld_loc	Location		x(8)	
pld_mod_date	Modified Date	Mod Date	99/99/99	
pld_prodlne	Product Line	Line	x(4)	
pld_scrpacct	Scrap Acct	Scrap	x(8)	
pld_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pld_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pld_site	Site		x(8)	
pld_user1	Ufld1		x(8)	
pld_user2	Ufld2		x(8)	
pld_userid	User ID		x(8)	
pld_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pld_det	yes	oid_pld_det	yes	no
Δ* pld_det	yes	pld_domain	yes	no
		pld_prodlne	yes	no
		pld_site	yes	no
		pld_loc	yes	no
Δ pld_site	yes	pld_domain	yes	no
		pld_site	yes	no
		pld_loc	yes	no
		pld_prodlne	yes	no

plid_det

Purchase Ledger Invoice Detail

Field Name	Label	Col-Label	Format	Dec
oid_plid_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
plid_domain	Domain		.9<<<<<<<<<	
plid_inv_cost	Invoice Cost		x(8)	
plid_inv_qty	Invoice Quantity		->>>>, >>>, >>9.99<<<	10
plid_line	Line		->, >>>, >>>, >>9.99<<<<<<<<<<	10
plid_mod_date	Modified Date	Mod Date	>>>>>>9	
plid_mod_userid	User ID		99/99/99	
plid_order	Order		x(8)	
plid_order_line	Order Line	Ln	x(8)	
plid_order_type	Order Type	Order! Type	>>9	
plid_pki_keyid	Invoice Key ID	Invoice! Key ID	x(2)	
plid_pvo_id	Pending Voucher ID	Pend Vchr	>>>>>>>>>	
plid_taxable	Taxable	Tax	>>>>>>>>>	
plid_taxc	Tax Class	Tax! Class	yes/no	
plid_tax_env	Tax Environment	Tax Env	x(3)	
plid_tax_in	Tax In	Tax! In	x(16)	
plid_tax_usage	Tax Usage	Tax! Usage	yes/no	
plid_user1	User Field Character 1		x(8)	
plid_user2	User Field Character 2		x(24)	
plid__qadc01			x(24)	
plid__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_plid_det	yes	oid_plid_det	yes	no
Δ plid_order	no	plid_domain	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
Δ* plid_pli_keyid	yes	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_line	yes	no
Δ plid_pli_keyid_order	no	plid_domain	yes	no
		plid_pli_keyid	yes	no
		plid_order	yes	no
		plid_order_line	yes	no
Δ plid_pvo_id	no	plid_domain	yes	no
		plid_pvo_id	yes	no

Purchase Ledger Invoice Master

Field Name	Label	Col-Label	Format	Dec
oid_pli_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pli_curr	Currency	Cur	.9<<<<<<<<	
pli_domain	Domain		x(3)	
pli_exru_seq	Sequence		x(8)	
pli_ex_rate	Exch Rate		>>>>>>>9	
pli_ex_rate2	Exch Rate 2		->>>>, >>>, >>9.<<<<<<<<<<	10
pli_ex_ratetype	Rate Type		->>>>, >>>, >>9.<<<<<<<<<<	10
pli_internal_ref	Internal Reference		x(8)	
pli_internal_ref_type	Internal Reference Type	Internal Ref Type	x(20)	
pli_invoice	Invoice Number		x(2)	
pli_invoice_amt	Invoice Amount		x(20)	
pli_invoice_date	Invoice Date	Inv Date	->>, >>>, >>>, >>9.99<	10
pli_keyid	Key ID		99/99/99	
pli_mod_date	Modified Date	Mod Date	>>>>>>>>	
pli_mod_userid	User ID		99/99/99	
pli_supplier	Supplier		x(8)	
pli_taxable	Taxable	Tax	x(8)	
pli_taxc	Tax Class	TxC	yes/no	
pli_tax_date	Tax Date		x(3)	
pli_tax_env	Tax Environment	Tax Env	99/99/99	
pli_tax_in	Tax In	Tax! In	x(16)	
pli_tax_usage	Tax Usage	TaxUsage	yes/no	
pli_user1	User Field Character 1		x(8)	
pli_user2	User Field Character 2		x(24)	
pli_vo_ref	Voucher		x(24)	
pli__qadc01			x(8)	
pli_e_qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pli_mstr	yes	oid_pli_mstr	yes	no
Δ pli_internal_ref	no	pli_domain	yes	no
		pli_internal_ref	yes	no
		pli_supplier	yes	no
		pli_invoice	yes	no
Δ pli_invoice	no	pli_domain	yes	no
		pli_supplier	yes	no
		pli_invoice	yes	no
Δ* pli_keyid	yes	pli_domain	yes	no
		pli_keyid	yes	no
Δ pli_vo_ref	no	pli_domain	yes	no
		pli_vo_ref	yes	no

plsd_det Product Line Sales Detail

Field Name	Label	Col-Label	Format	Dec
oid_plsd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
plsd_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
plsd_cbdn_cc	COGS Burden CC	CC	x(4)	
plsd_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
plsd_channel	Channel		x(8)	
plsd_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
plsd_clbr_cc	COGS Labor CC	CC	x(4)	
plsd_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
plsd_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
plsd_cmtl_cc	COGS Material CC	CC	x(4)	
plsd_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
plsd_cmtype	Customer Type	Type	x(4)	
plsd_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
plsd_covh_cc	COGS Overhead CC	CC	x(4)	
plsd_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
plsd_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
plsd_csub_cc	COGS Subcontract CC	CC	x(4)	
plsd_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
plsd_domain	Domain		x(8)	
plsd_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
plsd_dsc_cc	Sales Disc Ctr	CC	x(4)	
plsd_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
plsd_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
plsd_fsaccr_cc	Accrued Revenue CC		x(4)	
plsd_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
plsd_fsdef_acct	Deferred Revenue	Deferred	x(8)	
plsd_fsdef_cc	Deferred Revenue CC		x(4)	
plsd_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
plsd_mod_date	Modified Date	Mod Date	99/99/99	
plsd_prodlne	Product Line	Line	x(4)	
plsd_site	Site		x(8)	
plsd_sls_acct	Sales Acct	Sales	x(8)	
plsd_sls_cc	Sales Cost Ctr	CC	x(4)	
plsd_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
plsd_user1	Ufld1		x(8)	
plsd_user2	Ufld2		x(8)	
plsd_userid	User ID		x(8)	
plsd__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_plsd_det	yes	oid_plsd_det	yes	no
△* plsd_prodl ine	yes	plsd_domain	yes	no
		plsd_prodl ine	yes	no
		plsd_site	yes	no
		plsd_cmttype	yes	no
		plsd_channel	yes	no

plt_det

Product Line Tax Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_plt_det			>>>>>>>>>>>>>>>>>>>9	10
◇ plt_domain	Domain		.g<<<<<<<<	
plt_mod_date	Modified Date	Mod Date	x(8)	
plt_prod_line	Product Line	Line	99/99/99	
plt_taxable	Taxable		x(4)	
plt_taxe	Taxe		yes/no	
plt_txc	Tax Class	TxC	x(3)	
plt_tax_type	Tax Type		x(3)	
plt_user1	User1		x(8)	
plt_user2	User2		x(8)	
plt_userid	User ID		x(8)	
plt_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_plt_det	yes	oid_plt_det	yes	no
Δ^* plt_prod_line	yes	plt_domain	yes	no
		plt_prod_line	yes	no
		plt_tax_type	yes	no

pl_mstr

Product Line Master

Field Name	Label	Col-Label	Format	Dec
oid_pl_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
pl_apvr_acct	AP Rate Var Acct	AP Rate	x(8)	
pl_apvr_cc	AP Rate Var Cost Ctr	CC	x(4)	
pl_apvr_sub	AP Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_apvu_acct	AP Usage Var Acct	AP Usage	x(8)	
pl_apvu_cc	AP Usage Var Cost Ctr	CC	x(4)	
pl_apvu_sub	AP Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_cbdn_acct	COGS Burden Acct	COGS-Bdn	x(8)	
pl_cbdn_cc	COGS Burden CC	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_cbdn_sub	COGS Burden Sub-Acct	Sub-Acct	x(8)	
pl_cchg_acct	Cost Revalue Acct	Revalue	x(8)	
pl_cchg_cc	Cost Revalue Cost Ctr	CC	x(4)	
pl_cchg_sub	Cost Revalue Sub-Acct	Sub-Acct	x(8)	
pl_clbr_acct	COGS Labor Acct	COGS-Lbr	x(8)	
pl_clbr_cc	COGS Labor CC	CC	x(4)	
pl_clbr_sub	COGS Labor Sub-Acct	Sub-Acct	x(8)	
pl_cmtl_acct	COGS Material Acct	COGS-Mtl	x(8)	
pl_cmtl_cc	COGS Material CC	CC	x(4)	
pl_cmtl_sub	COGS Mtl Sub-Acct	Sub-Acct	x(8)	
pl_cog_acct	Cost of Goods Acct	COGS	x(8)	
pl_cog_cc	COG Cost Ctr	CC	x(4)	
pl_cog_sub	COGS Sub-Acct	Sub-Acct	x(8)	
pl_cop_acct	Cost of Production	COP	x(8)	
pl_cop_cc	Cost of Prod CC	CC	x(4)	
pl_cop_sub	COP Sub-Acct	Sub-Acct	x(8)	
pl_covh_acct	COGS Overhead Acct	COGS-Ovh	x(8)	
pl_covh_cc	COGS Overhead CC	CC	x(4)	
pl_covh_sub	COGS Overhead Sub	Sub-Acct	x(8)	
pl_csub_acct	COGS Subcontract Acct	COGS-Sub	x(8)	
pl_csub_cc	COGS Subcontract CC	CC	x(4)	
pl_csub_sub	COGS Subcontract Sub	Sub-Acct	x(8)	
pl_desc	Description		x(24)	
pl_division			x(8)	
◇ pl_domain	Domain		x(8)	
pl_dscr_acct	Inv Discrep Acct	Discrep	x(8)	
pl_dscr_cc	Inv Discrep Cost Ctr	CC	x(4)	
pl_dscr_sub	Inv Discrep Sub-Acct	Sub-Acct	x(8)	
pl_dsc_acct	Sales Disc Acct	Disc Acct	x(8)	
pl_dsc_cc	Sales Disc Ctr	CC	x(4)	
pl_dsc_sub	Sales Disc Sub-Acct	Sub-Acct	x(8)	
pl_esls_acct	Exempt Sales Acct		x(8)	
pl_esls_cc	Exempt Sales Cost Ctr		x(4)	
pl_fiscal_class	Fiscal Class		x(18)	
pl_flr_acct	Floor Stock Account	Flr Acct	x(8)	
pl_flr_cc	Floor Stock CC	CC	x(4)	
pl_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
pl_fsaccr_acct	Accrued Revenue	Accrued	x(8)	
pl_fsaccr_cc	Accrued Revenue CC		x(4)	
pl_fsaccr_sub	Accrued Revenue Sub-Acct		x(8)	
pl_fsbdn_acct	Service Overhead	Ovh	x(8)	
pl_fsbdn_cc	Service Overhead CC	CC	x(4)	
pl_fsbdn_sub	Service Overhead Sub	Sub-Acct	x(8)	
pl_fscm_inv_acct	Customer Inventory	Cus Inv	x(8)	
pl_fscm_inv_cc	Customer Inventory CC	CC	x(4)	
pl_fscm_inv_sub	Customer Inv Sub-Acct	Sub-Acct	x(8)	
pl_fsdef_acct	Deferred Revenue	Deferred	x(8)	
pl_fsdef_cc	Deferred Revenue CC		x(4)	
pl_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
pl_fsxd_acct	Expense Due Employee		x(8)	
pl_fsxd_cc	Expenses Due CC	CC	x(4)	
pl_fsxd_sub	Exp Due Employee Sub	Sub-Acct	x(8)	
pl_fsexp_acct	Service Expense	Sv Exp	x(8)	
pl_fsexp_cc	Service Expenses CC	CC	x(4)	
pl_fsexp_sub	Service Exp Sub-Acct	Sub-Acct	x(8)	
pl_fslbr_acct	Service Labor	Svc Lbr	x(8)	
pl_fslbr_cc	Service Labor CC	CC	x(4)	

Field Name	Label	Col-Label	Format	Dec
pl_fslbr_sub	Service Labor Sub-Acct	Sub-Acct	x(8)	
pl_fsrc_inv_acct	Repair Center Inv		x(8)	
pl_fsrc_inv_cc	Repair Center CC	CC	x(4)	
pl_fsrc_inv_sub	Repair Cent Inv Sub	Sub-Acct	x(8)	
pl_group			x(8)	
pl_inv_acct	Inventory Acct	Inventory	x(8)	
pl_inv_cc	Inventory Cost Ctr	CC	x(4)	
pl_inv_sub	Inventory Sub-Acct	Sub-Acct	x(8)	
pl_mod_date	Modified Date	Mod Date	99/99/99	
pl_mvar_acct	Material Usage Var	Mtl Use	x(8)	
pl_mvar_cc	Material Usage Variance CC	CC	x(4)	
pl_mvar_sub	Mat Usage Var Sub	Sub-Acct	x(8)	
pl_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
pl_mvrr_cc	Material Rate Variance CC	CC	x(4)	
pl_mvrr_sub	Mat Rate Var Sub	Sub-Acct	x(8)	
pl_ovh_acct	Overhead Appl Acct	Overhead	x(8)	
pl_ovh_cc	Overhead Appl CC	CC	x(4)	
pl_ovh_sub	Overhead Appl Sub	Sub-Acct	x(8)	
pl_ppv_acct	PO Price Var Acct	PO Var	x(8)	
pl_ppv_cc	PO Price Var Cost Ctr	CC	x(4)	
pl_ppv_sub	PO Price Var Sub	Sub-Acct	x(8)	
pl_prod_line	Product Line	Line	x(4)	
pl_pst	PST Taxed		yes/no	
pl_pur_acct	Purchases Acct	Purchases	x(8)	
pl_pur_cc	Purchases Cost Ctr	CC	x(4)	
pl_pur_sub	Purchases Sub-Acct	Sub-Acct	x(8)	
pl_rcpt_acct	PO Receipts Acct	PO Rct	x(8)	
pl_rcpt_cc	PO Receipts Cost Ctr	CC	x(4)	
pl_rcpt_sub	PO Receipts Sub-Acct	Sub-Acct	x(8)	
pl_rmar_acct	Service Returns		x(8)	0
pl_rmar_cc	RMA Return CC	CC	x(4)	
pl_rmar_sub	Service Returns Sub	Sub-Acct	x(8)	
pl_scrp_acct	Scrap Acct	Scrap	x(8)	
pl_scrp_cc	Scrap Cost Ctr	CC	x(4)	
pl_scrp_sub	Scrap Sub-Acct	Sub-Acct	x(8)	
pl_sls_acct	Sales Acct	Sales	x(8)	
pl_sls_cc	Sales Cost Ctr	CC	x(4)	
pl_sls_sub	Sales Sub-Acct	Sub-Acct	x(8)	
pl_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
pl_svar_cc	Subcontract Usage Variance CC	CC	x(4)	
pl_svar_sub	Sub Usage Var Sub-Acct	Sub-Acct	x(8)	
pl_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
pl_svrr_cc	Subcontract Rate Variance CC	CC	x(4)	
pl_svrr_sub	Sub Rate Var Sub-Acct	Sub-Acct	x(8)	
pl_taxable	Taxable	Tax	yes/no	
pl_taxc	Tax Class	TxC	x(3)	
pl_user1	Ufld1		x(8)	
pl_user2	Ufld2		x(8)	
pl_userid	User ID		x(8)	
pl_wip_acct	Work in Process Acct	WIP	x(8)	
pl_wip_cc	WIP Cost Ctr	CC	x(4)	
pl_wip_sub	WIP Sub-Acct	Sub-Acct	x(8)	
pl_wvar_acct	Method Variance Acct	Mthd Var	x(8)	
pl_wvar_cc	Method Variance CC	CC	x(4)	
pl_wvar_sub	Method Var Sub-Acct	Sub-Acct	x(8)	

Field Name	Label	Col-Label	Format	Dec
pl_xfer_acct	Transfer Variance Account	Account	x(8)	
pl_xfer_cc	Transfer Variance CC	CC	x(4)	
pl_xfer_sub	Transfer Variance Sub	Sub-Acct	x(8)	
pl_xvar_acct	Mix Var	Mix	x(8)	
pl_xvar_cc	Mix Var CC	CC	x(4)	
pl_xvar_sub	Mix Var Sub-Acct	Sub-Acct	x(8)	
pl__chr01			x(8)	
pl__chr02			x(8)	
pl__chr03			x(8)	
pl__chr04			x(8)	
pl__chr05			x(8)	
pl__dec01			>>>, >>>, >>9.99	10
pl__dec02			>>>, >>>, >>9.99	10
pl__dte01			99/99/99	
pl__dte02			99/99/99	
pl__log01			yes/no	
pl__qadc01	QAD Character Field 1		X(8)	
pl__qadc02	QAD Character Field 2		X(8)	
pl__qadc03	QAD Character Field 3		X(8)	
pl__qadc04	QAD Character Field 4		X(8)	
pl__qadc05	QAD Character Field 5		X(8)	
pl__qadc06			x(8)	
pl__qadc07			x(4)	
pl__qadc08			x(8)	
pl__qadc09			x(4)	
pl__qadc10			x(8)	
pl__qadc11			x(4)	
pl__qadc12			x(8)	
pl__qadc13			x(4)	
pl__qadc14			x(8)	
pl__qadc15			x(4)	
pl__qadd01	QAD Decimal Field 1		->>, >>9.99	10
pl__qadl01	QAD Logical Field 1		yes/no	
pl__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pl_mstr	yes	oid_pl_mstr	yes	no
△ pl_desc	yes	pl_domain	yes	no
		pl_desc	yes	no
		pl_prod_line	yes	no
△* pl_prod_line	yes	pl_domain	yes	no
		pl_prod_line	yes	no

poc ctrl

Purchase Order Control

Field Name	Label	Col-Label	Format	Dec
oid_poc_ctrl			>>>>>>>>>>>>>>>>>>>>>>	9 10
poc_ack_req	Require Acknowledgment	Req Conf	yes/no	
poc_apv_req	Approved Reqs Needed for POs		yes/no	
poc_bill	Bill-To		x(8)	
poc crtacc acct	PO Interest Accrued Acct		X(8)	

Field Name	Label	Col-Label	Format	Dec
poc_crtacc_cc	PO Interest Accrued CC	CC	X(4)	
poc_crtacc_sub	PO Int Accrued Sub-Acct	Sub-Acct	x(8)	
poc_crtapp_acct	PO Interest Applied Acct		X(8)	
poc_crtapp_cc	PO Interest Applied CC	CC	X(4)	
poc_crtapp_sub	PO Int Applied Sub-Acct	Sub-Acct	x(8)	
◇ poc_domain	Domain		x(8)	
poc_ers_opt	ERS Option	ERS! Opt	x(1)	
poc_ers_proc	ERS Processing		yes/no	
poc_ex_ratetype	Rate Type		x(8)	
poc_fst_id	Company FST ID		x(18)	
poc_hcmmts	PO Header Comments		yes/no	
poc_insp_loc	Inspection Location	Inspect	x(8)	
poc_lcmmts	PO Line Comments		yes/no	
poc_ln_fmt	Ln Format S/M	Ln Format	single/multi	
poc_ln_stat	Cancel Backorders	Cancel	x(1)	
poc_multi_due_dates	Multi Due Dates	Multi! Due! Dates	yes/no	
poc_next_batch	Next Fiscal Batch		>>>>>>>9	
poc_pc_line	Price by PO Line Due Date		yes/no	
poc_pl_req	Price List Required		yes/no	
poc_po_hist	Keep Booking History	Book! Hst	yes/no	
poc_po_nbr	Next Purchase Order	Next PO	99999999	
poc_po_pre	PO Prefix	Pre	x(3)	
poc_pst_id	PST ID		x(18)	
poc_pt_req	Price Table Required		yes/no	
poc_rcv_all	Receive All		yes/no	
poc_rcv_nbr	Next Receiver	Next Rcvr	99999999	0
poc_rcv_pre	Receiver Prefix	Pre	x(3)	
poc_rcv_type	Receiver Type	T	9	0
poc_req_nbr	Next Req		>>>>>>>9	
poc_req_pre	Requisition Prefix	Pre	x(3)	
poc_ship	Ship-To		x(8)	
poc_sort_by	Sort PO By		Site/Line	
poc_tol_cst	Tolerance Cost	Tolerance \$	>>>>,>>>,>>9.99<<<	10
poc_tol_pct	Tolerance Percent	Tol %	>>>>.>>	10
poc_user1	Ufld1		x(8)	
poc_user2	Ufld2		x(8)	
poc__qad01			99999	
poc__qadc01	QAD Field		X(8)	0
poc__qadc02	QAD Field		X(8)	0
poc__qadc03	QAD Field		X(8)	0
poc__qadc04			x(8)	
poc__qadc05			x(4)	
poc__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
poc__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
poc__qadi01	QAD Field		->,>>>,>>9	
poc__qadi02	QAD Field		->,>>>,>>9	
△ poc__qadi03			->>>>>>>9	
poc__qadl01	QAD Field		yes/no	
poc__qadl02	QAD Field		yes/no	
poc__qadl03	QAD Field		yes/no	
poc__qadl04	QAD Field		yes/no	
poc__qadl05	QAD Field		yes/no	
poc__qadl06	QAD Field		yes/no	
poc__qadt01	QAD Field		99/99/99	

Field Name	Label	Col-Label	Format	Dec
pod_op	Operation	Op	>>>>9	
pod_ord_mult	Std Pack Qty	Mult	>>, >>, >>9	0
pod_part	Item Number		x(18)	
pod_pastdue	Past Due Logic	C/R	x(1)	
pod_pay_um	Pay UM	UM	x(2)	
pod_per_date	Perform Date	Perform	99/99/99	
pod_pjs_line	Project Line		>>>>>>9	
pod_pkg_code	Pkg Code		x(18)	
pod_plan_days	Plan Sched Days		>>9	
pod_plan_mths	Plan Sched Months		>>9	
pod_plan_weeks	Plan Sched Weeks		>>9	
pod_po_db	PO Database	PO DB	x(8)	
pod_po_site	PO Site		x(8)	
pod_pricing_dt	Pricing Date	Price Dt	99/99/99	
pod_project	Project		x(8)	
pod_pr_list	Price List	List	x(8)	
pod_pr_lst_tp	ERS Price List Option	ERS! PLO	>9	
pod_pst	PST		yes/no	
pod_ps_chg	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<	10
pod_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
pod_pur_cost	Purchase Cost		->>>, >>>, >>9.99<<<	10
pod_qty_chg	Receipt Qty		->, >>>, >>9.9<<<<<<<<	10
pod_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rcvd	Qty Received		->, >>>, >>9.9<<<<<<<<	10
pod_qty_rtn	Qty Returned		->, >>>, >>9.9<<<<<<<<	10
pod_raw_days	Raw Auth Days		>, >>9	
pod_raw_weeks	Raw Auth Weeks		>, >>9	
pod_rctstat	Receipt Status	Status	x(8)	
pod_rctstat_active	Active	Act	yes/no	
pod_reason	Reason		x(8)	
pod_rel_nbr	Rel		>>9	
pod_rel_qty	Qty Released	Rel Qty	->, >>>, >>9.9<<<<<<<<	10
pod_request	Requested By	Req By	x(8)	
pod_req_line	Req Line	Req Ln	>>9	
pod_req_nbr	Req		x(8)	
pod_rev	Revision	Rev	x(4)	
pod_rlse_nbr	Next Release ID		99999999	
pod_rma_type	RMA Type		x(1)	
pod_rum	UM		x(2)	
pod_rum_conv	UM Conversion		>>>>9.9999<<<<	10
pod_sched	Scheduled		yes/no	
pod_sched_chg	Scheduled		yes/no	
pod_sch_data	Schedule Data		x(8)	
pod_sch_mrp	Sched MRP Req		yes/no	
pod_sd_pat	Ship/Dlvy Pattern		x(2)	
pod_sd_time	Ship/Dlvy Time		x(2)	
pod_serial	Lot/Serial		x(18)	
pod_sfty/t_days	Safety Days		>>9.99	10
pod_sfty/t_hrs	Safety Hours		>>9.99	10
pod_ship_weeks	Ship Sched Weeks		>>9	
pod_site	Site		x(8)	
pod_sod_line	Primary SO Line	Pr SO Ln	>>9	
pod_so_job	Sales/Job	SO/Job	x(8)	
pod_so_status	Secondary SO Status		x	
pod_start_eff[4]	Start Effective		99/99/99	
pod_status	Status	St	x(1)	
pod_std_cost	Std Cost		->>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pod_sub	Pur Sub-Acct	Sub-Acct	x(8)	
pod_sub_ship_date	Subcontract Ship		99/99/99	
pod_sub_type	Subcontract Type		x(8)	
pod_taxable	Taxable	Tax	yes/no	
pod_taxc	Tax Class	TxC	x(3)	
pod_tax_env	Tax Environment	Tax Env	x(16)	
pod_tax_in	Tax In		yes/no	
pod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
pod_tax_usage	Tax Usage	TaxUsage	x(8)	
pod_translt_days	Transport Days		>>>9.99	10
pod_translt_hrs	Transport Hours		>>9.99	10
pod_type	Type	T	x(1)	
pod_um	UM		x(2)	
pod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
pod_user1	Ufld1		x(8)	
pod_user2	Ufld2		x(8)	
pod_vat	VAT		yes/no	
pod_vpart	Supplier Item		x(30)	
pod_wip_lotser	Lot/Serial		x(18)	
pod_wo_lot	Work Order ID	WO ID	x(8)	
pod__chr01			x(8)	
pod__chr02			x(8)	
pod__chr03			x(8)	
pod__chr04			x(8)	
pod__chr05			x(8)	
pod__chr06			x(8)	
pod__chr07			x(8)	
pod__chr08			x(8)	
pod__chr09			x(8)	
pod__chr10			x(8)	
pod__dec01			>>>, >>>, >>9.99	10
pod__dec02			>>>, >>>, >>9.99	10
pod__dte01			99/99/99	
pod__dte02			99/99/99	
pod__log01			yes/no	
pod__qad01			99/99/99	
pod__qad02			->>>>>>>>9	
pod__qad03			99:99:99	
pod__qad04[5]			x(40)	
pod__qad05			yes/no	
pod__qad06			x(1)	
pod__qad07			x(2)	
pod__qad08			99/99/99	
pod__qad09			->>>, >>>, >>9	
pod__qad10			x(8)	
pod__qad11			x(8)	
pod__qad12			yes/no	
pod__qad13			yes/no	
pod__qad14			99/99/99	
pod__qad15			yes/no	
pod__qad16			x(8)	
pod__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
pod__qadd02	QAD Field		->>>>, >>>, >>9.99	10
pod__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pod_det	yes	oid_pod_det	yes	no
Δ pod_fsm_type	no	pod_domain	yes	no
		pod_fsm_type	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
Δ* pod_nbrln	yes	pod_domain	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
Δ pod_part	yes	pod_domain	yes	no
		pod_part	yes	no
		pod_nbr	yes	no
		pod_line	yes	no
Δ pod_partdue	no	pod_domain	yes	no
		pod_part	yes	no
		pod_due_date	yes	no
Δ pod_project	no	pod_domain	yes	no
		pod_project	yes	no
		pod_pjs_line	yes	no

pould_det Point of Use Location Detail

Field Name	Label	Col-Label	Format	Dec
oid_pould_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pould_domain	Domain		x(8)	.9<<<<<<<<<
pould_loc	Location		x(8)	
pould_mod_date	Modified Date	Mod Date	99/99/99	
pould_mod_userid	User ID		x(8)	
pould_poul_ref_key	Ref ID		>>>>>>>9	
pould_preference	Preference		>>>>>>>9	
pould_user1	User Field Character 1		x(24)	
pould_user2	User Field Character 2		x(24)	
pould__qadc01			x(24)	
pould__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pould_det	yes	oid_pould_det	yes	no
△ pould_preference	no	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_preference	yes	no
		pould_loc	yes	no
△* pould_ref_loc	yes	pould_domain	yes	no
		pould_poul_ref_key	yes	no
		pould_loc	yes	no

poul_mstr Point of Use Location Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_poul_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
poul_cmtindx	Comment Index	Comment	.9<<<<<<<<<<	
◇ poul_domain	Domain		>>>>>>>9	
poul_mch	Machine		x(8)	
poul_mod_date	Modified Date	Mod Date	99/99/99	
poul_mod_userid	User ID		x(8)	
poul_pou_code	Point of Use Code		x(18)	
poul_ref_key	Ref ID		>>>>>>>9	
poul_site	Site		x(8)	
poul_user1	User Field Character 1		x(24)	
poul_user2	User Field Character 2		x(24)	
poul_wkctr	Work Center	Work Ctr	x(8)	
poul__qadc01			x(24)	
poul__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_poul_mstr	yes	oid_poul_mstr	yes	no
Δ* poul_mstr	yes	poul_domain	yes	no
		poul_pou_code	yes	no
		poul_site	yes	no
		poul_wkctr	yes	no
		poul_mch	yes	no
Δ poul_ref_key	no	poul_domain	yes	no
		poul_ref_key	yes	no

pou_mstr Point of Use Code Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_pou_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
pou_cmtindx	Comment Index	Comment	.9<<<<<<<<	
pou_code	Point of Use Code		>>>>>>>9	
pou_desc	Description		x(18)	
◇ pou_domain	Domain		x(24)	
pou_mod_date	Modified Date	Mod Date	x(8)	
pou_mod_userid	User ID		99/99/99	
pou_user1	User Field Character 1		x(8)	
pou_user2	User Field Character 2		x(24)	
pou__qadc01			x(24)	
pou__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ old_pou_mstr	yes	old_pou_mstr	yes	no
△* pou_code	yes	pou_domain	yes	no
		pou_code	yes	no

Purchase Order Master



Field Name	Label	Col-Label	Format	Dec
po_pst	PST		yes/no	
po_pst_id	PST ID		x(18)	
po_recurr	Recurr	Recu	yes/no	
po_release	Release	Rel	yes/no	
po_rel_nbr	Rel		>>9	
po_req_id	Req By		x(8)	
po_rev	Revision	Rev	>>9	10
po_rmks	Remarks		x(40)	
po_sched	Scheduled		yes/no	
po_sch_mthd	Schedules Via		x(1)	
po_serv_chg	Service Charge	Service	-z,zzz,zzz,zz9.99	10
po_ship	Ship-To		x(8)	
po_shipvia	Ship Via		x(20)	
po_site	Site		x(8)	
po_so_hold	Secondary SO Cr Hold	SO Cr Hd	yes/no	
po_so_nbr	Primary SO	Pr SO	x(8)	
po_spec_chg	Special Charge	Special	-z,zzz,zzz,zz9.99	10
po_stat	Status	St	x(2)	
po_taxable	Taxable	Tax	yes/no	
po_taxc	Tax Class	TxC	x(3)	
po_tax_date	Tax Date		99/99/99	
po_tax_env	Tax Environment	Tax Env	x(16)	
po_tax_pct[3]	Tax		->9.99<%	10
po_tax_usage	Tax Usage	TaxUsage	x(8)	
po_tot_terms_code	Terms of Trade		x(8)	
po_translt_days	Transport Days		>>9.99	10
po_type	Type	Tp	x(1)	
po_user1	Ufld1		x(8)	
po_user2	Ufld2		x(8)	
po_user_id	Entered By	Ent By	x(8)	
po_vend	Supplier		x(8)	
po_xmit	Transm		X	
po__chr01			x(8)	
po__chr02			x(8)	
po__chr03			x(8)	
po__chr04			x(8)	
po__chr05			x(8)	
po__chr06			x(8)	
po__chr07			x(8)	
po__chr08			x(8)	
po__chr09			x(8)	
po__chr10			x(8)	
po_dec01			>>>, >>>, >>9.99	10
po_dec02			>>>, >>>, >>9.99	10
po_dte01			99/99/99	
po_dte02			99/99/99	
po_log01			yes/no	
po_qad01			99/99/99	
po_qad02			>>9	
po_qad03			99:99:99	
po_qad04			yes/no	
po_qad05			->>9.99%	10
po_qad06			yes/no	
po_qad07			x(8)	
po_qad08			x(4)	
po_qad09			->>, >>>, >>9.99	10
po_qadc01	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
po__qadc02	QAD Field		X(8)	0
po__qadd01	QAD Field		->>>>,>>>,>>9.99<<<	10
po__qadd02	QAD Field		->>>>,>>>,>>9.99<<<	10
po__qadi01	QAD Field		->,>>>,>>>9	
po__qadi02	QAD Field		->,>>>,>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_po_mstr	yes	oid_po_mstr	yes	no
Δ po_buyer	no	po_domain	yes	no
		po_buyer	yes	no
		po_vend	yes	no
		po_nbr	yes	no
Δ po_fsm_type	no	po_domain	yes	no
		po_fsm_type	yes	no
		po_nbr	yes	no
Δ* po_nbr	yes	po_domain	yes	no
		po_nbr	yes	no
Δ po_type	yes	po_domain	yes	no
		po_type	yes	no
		po_nbr	yes	no
Δ po_vend	no	po_domain	yes	no
		po_vend	yes	no
		po_nbr	yes	no

pp_plan

Product Line Plan

Field Name	Label	Col-Label	Format	Dec
oid_pp_plan			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pp_bklog_act[12]	Bklog Actual	Bklog Act	.9<<<<<<<<<	
pp_bklog_fcst	Bklog Plan		->>, >>9.9	10
pp_cost_act[12]	Cost Actual	Cost Act	->>, >>9.9	10
pp_cost_fcst[12]	Cost Plan		->>, >>9.9	10
pp_domain	Domain		x(8)	
pp_inv_act[12]	Inv Actual	Inv Act	->>, >>9.9	10
pp_inv_fcst	Inv Plan		->>, >>9.9	10
pp_ord_act[12]	Order Actual	Order Act	->>, >>9.9	10
pp_ord_fcst[12]	Order Plan		->>, >>9.9	10
pp_prod_act[12]	Prod Actual	Prod Act	->>, >>9.9	10
pp_prod_fcst[12]	Prod Plan		->>, >>9.9	10
pp_prod_line	Prod Line		x(4)	
pp_ship_act[12]	Ship Actual	Ship Act	->>, >>9.9	10
pp_ship_fcst[12]	Ship Plan		->>, >>9.9	10
pp_site	Site		x(8)	
pp_user1	Ufld1		x(8)	
pp_user2	Ufld2		x(8)	
pp_year	Year		>>>>	
pp_qadc01			x(8)	

Field Name	Label	Col-Label	Format	Dec
prh_mtl_std	Std Mtl Cost	Std Mtl	->>>, >>>, >>9.99<<<	10
prh_nbr	Order	PO	x(8)	
prh_ovh_std	Std Overhead		>>>>, >>>, >>9.99<<<	10
prh_part	Item Number		x(18)	
prh_pay_um	Pay UM	UM	x(2)	
prh_per_date	Perform Date	Perform	99/99/99	
prh_po_site	PO Site		x(8)	
prh_print	Print Receiver		yes/no	
prh_ps_nbr	Packing Slip		x(20)	
prh_ps_qty	Packing Slip Qty	Pack Slip Qty	->, >>>, >>9.9<<<<<<<<<	10
prh_pum_conv	Pay UM Conv		>>>>9.9999<<<<	10
prh_pur_cost	PO Cost		->, >>>, >>>, >>9.99<<<	10
prh_pur_std	PO Std Cost		->>>, >>>, >>9.99<<<	10
prh_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<<	10
prh_rcp_date	Receipt Date	Receipt	99/99/99	
prh_rcp_type	Receipt Type	R	x(1)	
prh_rcvd	Receipt Qty		->, >>>, >>9.9<<<<<<<<<	10
prh_reason	Reason		x(8)	
prh_receiver	Receiver		x(8)	
prh_request	Requested By	Req By	x(8)	
prh_rev	Revision	Rev	x(4)	
prh_rma_type	RMA Type		x(1)	
prh_ship	Ship-To		x(8)	
prh_shipto	Ship-to		x(8)	
prh_ship_date	Ship Date	Ship! Date	99/99/99	
prh_site	Site		x(8)	
prh_sub_std	STD Sub Cost	Std Sub	->>>, >>>, >>9.99<<<	10
prh_taxc	Tax Class	TxC	x(3)	
prh_tax_at	Tax		x(3)	
prh_tax_env	Tax Environment	Tax Env	x(16)	
prh_tax_in	Tax In		yes/no	
prh_tax_usage	Tax Usage	TaxUsage	x(8)	
prh_type	Purchase Type	T	x(1)	
prh_um	UM		x(2)	
prh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
prh_user1	Ufld1		x(8)	
prh_user2	Ufld2		x(8)	
prh_vend	Supplier		x(8)	
prh_vend_lot	Supplier Lot		x(18)	
prh_xinvoice	Not Used		x(12)	
prh_xinv_cst	Not Used		->, >>>, >>>, >>9.99<<<	10
prh_xinv_dt	Not Used		99/99/99	
prh__chr01			x(8)	
prh__chr02			x(8)	
prh__chr03			x(8)	
prh__chr04			x(8)	
prh__chr05			x(8)	
prh__chr06			x(8)	
prh__chr07			x(8)	
prh__chr08			x(8)	
prh__chr09			x(8)	
prh__chr10			x(8)	
prh__dec01			>>>, >>>, >>9.99	10
prh__dec02			>>>, >>>, >>9.99	10
prh__dec03			>>>, >>>, >>9.99	10
prh__dec04			>>>, >>>, >>9.99	10
prh__dec05			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
prh__dte01			99/99/99	
prh__dte02			99/99/99	
prh__dte03			99/99/99	
prh__dte04			99/99/99	
prh__dte05			99/99/99	
prh__log01			yes/no	
prh__log02			yes/no	
prh__qad02			x(8)	
prh__qad03			->, >>>, >>>9.9<<<<<<<<<	10
prh__qad04			>>>>>>>>	
prh__qadc01			x(24)	
prh__qadc02			x(24)	
prh__qadc03			x(24)	
prh__qadc04			x(24)	
prh__qadc05			x(24)	
prh__qadc06			x(24)	
prh__qadd01			->, >>>, >>>9.9<<<<<<<<	10
prh__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_prh_hist	yes	oid_prh_hist	yes	no
Δ prh_buyer	no	prh_domain	yes	no
		prh_buyer	yes	no
		prh_vend	yes	no
		prh_part	yes	no
Δ* prh_nbr	yes	prh_domain	yes	no
		prh_nbr	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
		prh_element	yes	no
Δ prh_part	no	prh_domain	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no
Δ prh_ps_nbr	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_ps_nbr	yes	no
		prh_part	yes	no
Δ prh_rcp_date	no	prh_domain	yes	no
		prh_rcp_date	yes	no
Δ prh_receiver	yes	prh_domain	yes	no
		prh_receiver	yes	no
		prh_line	yes	no
Δ prh_vend	no	prh_domain	yes	no
		prh_vend	yes	no
		prh_part	yes	no
		prh_rcp_date	yes	no

Field Name	Label	Col-Label	Format	Dec
pr_reset	Reset		x(100)	
pr_st_132	132 Column Start		x(100)	
pr_st_80	80 Column Start		x(100)	
pr_st_bc	Bar Code Start		x(100)	
pr_type	Printer Type	Type	x(8)	
pr_user1	Ufld1		x(8)	
pr_user2	Ufld2		x(8)	
pr__qadc01			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_pr_mstr	yes	oid_pr_mstr	yes	no
*	pr_type	yes	pr_type	yes	no

pshc_ctrl Purchase Shipper Control

Field Name	Label	Col-Label	Format	Dec
◇ oid_pshc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
◇ pshc_domain	Domain		x(8)	
pshc_master_nr_id	Master Bill Sequence ID		x(8)	
pshc_mod_date	Modified Date	Mod Date	99/99/99	
pshc_mod_userid	User ID		x(8)	
pshc_shipper_nr_id	Shipper Sequence ID		x(8)	
pshc_user1	User Field Character 1		x(24)	
pshc_user2	User Field Character 2		x(24)	
pshc__qadc01			x(24)	
pshc__qadc02			x(24)	
Δ pshc_qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pshc_ctrl	yes	oid_pshc_ctrl	yes	no
△* pshc_index1	yes	pshc_domain	yes	no

ps_mstr Product Structure Master

Field Name	Label	Col-Label	Format	Dec
oid_ps_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
ps_assay	Assay		.9<<<<<<<<<	
ps_batch_pct	Batch Percent	Batch %	>>9.99%	10
ps_cmtindx	Comment Index	Comment	->>>>>9.9<<<<%	10
ps_comm_code	Commodity Code	Commodity	>>>>>>>9	
ps_comp	Component Item		x(8)	
ps_comp_um	UM		x(18)	
ps_cop_qty	Quantity	Qty	x(2)	
ps_critical	Critical		-,>, >>>, >>9.9<<<<<<<<<	10
ps_cst_pct	Cost Allocation	Cost! Alloc	yes/no	
ps_default	Default Option	Default	>>9.99%	10
			yes/no	

Field Name	Label	Col-Label	Format	Dec
◇ ps_domain	Domain		x(8)	
ps_end	End Effective	End Eff	99/99/99	
ps_end_ecn	End ECN		x(8)	
ps_exclusive	Exclusive		yes/no	
ps_fcst_pct	Forecast	Fcst	>>9.99%	10
ps_group	Option Group	Group	x(8)	
ps_item_no	Sequence Number	Seq Nbr	->>>>>>	
ps_joint_type	Co/By Type	CT	x(1)	
ps_lt_off	LT Offset	LTO	->>	
ps_mandatory	Mandatory		yes/no	
ps_mod_date	Modified Date	Mod Date	99/99/99	
ps_non_bal	Non-Balanced	Non-Bal	yes/no	
ps_op	Op		>>>>>>	
ps_par	Parent Item		x(18)	
ps_process	Process		x(8)	
ps_prod_pct	Process	Process! Percent	>>9.99%	10
ps_ps_code	Structure Type	T	x(1)	
ps_qty_cons	Qty Consumed		->, >>>, >>9.9<<<<<<<<	10
ps_qty_diag	Qty Diagnose		->, >>>, >>9.9<<<<<<<<	10
ps_qty_exch	Qty Exchanged		->, >>>, >>9.9<<<<<<<<	10
ps_qty_per	Qty Per		->, >>>, >>9.9<<<<<<<<	10
ps_qty_per_b	Qty Per		->, >>>, >>9.9<<<<<<<<	10
ps_qty_type	Qty Type	T	x(1)	
ps_ref	Reference		x(12)	
ps_rmks	Remarks		x(24)	
ps_scrp_pct	Scrap		>>9.99%	10
ps_start	Start Effective	Start Eff	99/99/99	
ps_start_ecn	Start ECN		x(8)	
ps_um_conv	UM Conv		>>>>9.9999<<<<	10
ps_user1	Ufld1		x(8)	
ps_user2	Ufld2		x(8)	
ps_userid	User ID		x(8)	
ps_chr01	User Character Field 1		X(8)	
ps_chr02	User Character Field 2		X(8)	
ps_dec01	User Decimal Field 1		->>>, >>>, >>9.99<<	10
ps_dec02	User Decimal Field 2		->>>, >>>, >>9.99<<	10
ps_dte01	User Date Field 1		99/99/99	
ps_dte02	User Date Field 2		99/99/99	
ps_log01	User Logical Field 1		yes/no	
ps_log02	User Logical Field 2		yes/no	
ps_qad01			yes/no	
ps_qadc01	QAD Character Field 1		X(8)	
ps_qadc02	QAD Character Field 2		X(8)	
ps_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
ps_qadd02	QAD Decimal Field 2		->>>, >>>, >>9.99<<	10
ps_qadl01	QAD Logical Field 1		yes/no	
ps_qadl02	QAD Logical Field 2		yes/no	
ps_qadt01	QAD Date Field 1		99/99/99	
ps_qadt02	QAD Date Field 2		99/99/99	
ps_qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ps_mstr	yes	oid_ps_mstr	yes	no
△ ps_comp	no	ps_domain	yes	no
		ps_comp	yes	no
		ps_par	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ ps_par	no	ps_domain	yes	no
		ps_par	yes	no
		ps_item_no	yes	no
		ps_comp	yes	no
Δ^* ps_parcomp	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_comp	yes	no
		ps_ref	yes	no
		ps_start	yes	no
Δ ps_parref	yes	ps_domain	yes	no
		ps_par	yes	no
		ps_ref	yes	no
		ps_comp	yes	no
		ps_start	yes	no

pta_det

Associated Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_pta_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pta_assoc_item	Associated Item		.9<<<<<<<<	
pta_assoc_qty	Associated Qty		x(18)	
pta_assoc_type	Association Type		->, >>, >>9.9<<	10
pta_assoc_um	Associated UM	UM	x(24)	
pta_cmtindx	Comment Index	Comment	x(2)	
pta_curr	Currency	Cur	>>>>>>9	
pta_domain	Domain		x(3)	
pta_expire	Expire		x(8)	
pta_extrec	External Entry	Ext	99/99/99	
pta_item	Item		yes/no	
pta_max_qty	Max Quantity		x(18)	
pta_min_ord	Min Ord Qty		->, >>, >>9.9<<<<<<<<	10
pta_net_price	Net Price		->, >>, >>9.9<<<<<<<<	10
pta_pri_type	Price Type		>>>, >>, >>9.99	10
pta_qty_mult	Qty Multiple		x(24)	
pta_start	Start		->, >>, >>9.9<<<<<<<<	10
pta_um	UM		99/99/99	
pta_user1	Ufld1		x(2)	
pta_user2	Ufld2		x(8)	
pta__chr01			x(8)	
pta__chr02			x(8)	
pta__chr03			x(8)	
pta__chr04			x(8)	
pta__chr05			x(8)	
pta__chr06			x(8)	
pta__chr07			x(8)	
pta__chr08			x(8)	
pta__chr09			x(8)	
pta__chr10			x(8)	
pta__dec01			>>>, >>, >>9.99	10
pta__dec02			>>>, >>, >>9.99	10
pta__dte01			99/99/99	
pta__dte02			99/99/99	
pta_log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
pta__qadc01			x(8)	
pta__qadc02			x(8)	
pta__qadd01			->>>,>>>,>>9.9<<<	10
pta__qadd02			->>>,>>>,>>9.9<<<	10
pta__qadl01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_pta_det	yes	oid_pta_det	yes	no
Δ pta_assoc_item	no	pta_domain	yes	no
		pta_assoc_item	yes	no
		pta_assoc_type	yes	no
		pta_item	yes	no
		pta_start	yes	no
Δ^* pta_item	yes	pta_domain	yes	no
		pta_item	yes	no
		pta_assoc_type	yes	no
		pta_um	yes	no
		pta_assoc_item	yes	no
		pta_curr	yes	no
		pta_start	yes	no

ptc_det Container Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
ptc_charge	Apply Charges		.9<<<<<<<<<	
ptc_charge_type	Charge Type	Charge! Type	yes/no	
ptc_container_desc	Description		x(8)	
ptc_container_ref	Reference		x(24)	
ptc_container_type	Container Type		x(16)	
ptc_domain	Domain		x(16)	
ptc_mod_date	Modified Date	Mod Date	x(8)	
ptc_mod_userid	User ID		99/99/99	
ptc_part	Container		x(8)	
ptc_userc01	User Field Character 1		x(18)	
ptc_userc02	User Field Character 2		x(24)	
ptc__qadc01			x(24)	
ptc __qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ptc_det	yes	oid_ptc_det	yes	no
Δ* ptc_part	yes	ptc_domain	yes	no
		ptc_part	yes	no

Field Name	Label	Col-Label	Format	Dec
ptls__chr03			x(8)	
ptls__chr04			x(8)	
ptls__chr05			x(8)	
ptls__dec01			->>, >>9.99	10
ptls__dec02			->>, >>9.99	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_ptls_det	yes	oid_ptls_det	yes	no
Δ^* ptls_partlotr	yes	ptls_domain	yes	no
		ptls_part	yes	no
		ptls_lotser	yes	no
		ptls_ref	yes	no

Item Planning Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptp_det			>>>>>>>>>>>>>>>>>>>>>>9	10
ptp_added	Added		.9<<<<<<<<	
ptp_assay	Assay %		>>9.99%	10
ptp_atp_enforcement	ATP Enforcement	ATP Enf	x(1)	
ptp_atp_family	Family ATP	Fam ATP	yes/no	
ptp_batch	Batch Qty	Batch! Qty	>>, >>>, >>9.9<<<<<<<<	10
ptp_bom_code	BOM/Formula		x(18)	
ptp_btbt_type	EMT Type		xx	
ptp_buyer	Buyer/Planner	Buy! Pln	x(8)	
ptp_cfg_type	Configuration	Config	x(1)	
ptp_cum_lead	Cum LT	Cum! LT	>>9	
ptp_domain	Domain		x(8)	
ptp_draw	Drawing		x(18)	
ptp_drp_pct	DRP		>>9.9<%	10
ptp_eco_pend	ECO Pending	ECO	yes/no	
ptp_grade	Grade		x(2)	
ptp_ins_lead	Ins LT	Ins! LT	>>9	
ptp_ins_rqd	Inspect	Ins! Req	yes/no	
ptp_iss_pol	Issue Policy	Iss	yes/no	
ptp_joint_type	Co/By Type	CT	x(1)	
ptp_ll_bom	Low Level	Low Lvl	->>>>>9	
ptp_ll_drp	DRP Low Level	DRP LL	->>>>>9	
ptp_mfg_lead	Mfg LT	Mfg! LT	>>9	0
ptp_mfg_pct	Manufactured	Mfg	>>9.9<%	10
ptp_mod_date	Modified Date	Mod Date	99/99/99	
ptp_ms	Master Sched	MS	yes/no	
ptp_network	Network Code		x(18)	
ptp_op_yield	Op Based Yield		yes/no	
ptp_ord_max	Max Ord		>>, >>>, >>9	0
ptp_ord_min	Min Ord		>>, >>>, >>9	0
ptp_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
ptp_ord_per	Order Period	Ord! Per	>>9	
ptp_ord_pol	Order Policy	Ord! Pol	x(3)	
ptp_ord_qty	Order Qty		>>, >>>, >>9	10
ptp_part	Item Number		x(18)	

Field Name	Label	Col-Label	Format	Dec
ptp_phantom	Phantom		yes/no	
ptp_pick_logic	Pick Logic	Pick	-9	
ptp_plan_ord	Plan Orders	Pln	yes/no	
ptp_pm_code	Pur/Mfg	P/M	x(1)	
ptp_pou_code	Point of Use Code		x(18)	
ptp_po_site	PO Site		x(8)	
ptp_pur_lead	Pur LT	Pur! LT	>>9	
ptp_pur_pct	Purchased	Pur	>>9.9<%	10
ptp_rev	Rev		x(4)	
ptp_rollup	Rollup Req'd		yes/no	
ptp_rollup_id	Rollup ID		x(8)	
ptp_rop	Reorder Point	ROP	>>>,>>9	0
ptp_routing	Routing Code		x(18)	
ptp_run	Run Time	Run	>>>,>>9.999<<<<<<	10
ptp_run_ll	Run LL		>>>,>>9.999<<<<<<	10
ptp_run_seq1	Run Seq 1		x(8)	
ptp_run_seq2	2	Run Seq 2	x(8)	
ptp_setup	Setup Time	Setup	>>>,>>9.999<<<<<<	10
ptp_setup_ll	Setup LL		>>>,>>9.999<<<<<<	10
ptp_sfty_stk	Safety Stk	Safety! Stock	>>,>>>,>>9	0
ptp_sfty_tme	Safety Time	Safety! Time	>>9	0
ptp_site	Site		x(8)	
ptp_timefnce	Time Fence		->>>9	
ptp_trantype	Transport Type	Tran Type	x(8)	
ptp_user1	Ufld1		x(8)	
ptp_user2	Ufld2		x(8)	
ptp_userid	User ID		x(8)	
ptp_vend	Supplier		x(8)	
ptp_wks_avg	Avg Weeks Cover	Avg Wks	>>9.9	10
ptp_wks_max	Max Weeks Cover	Max Wks	>>9.9	10
ptp_wks_min	Min Weeks Cover	Min Wks	>>9.9	10
ptp_yld_pct	Yield%		>>9.99%	10
ptp__chr01			x(8)	
ptp__chr02			x(8)	
ptp__chr03			x(8)	
ptp__chr04			x(8)	
ptp__chr05			x(8)	
ptp__chr06			x(8)	
ptp__chr07			x(8)	
ptp__chr08			x(8)	
ptp__chr09			x(8)	
ptp__chr10			x(8)	
ptp__dec01			>>>,>>>,>>9.99	10
ptp__dec02			>>>,>>>,>>9.99	10
ptp__dte01			99/99/99	
ptp__dte02			99/99/99	
ptp__log01			yes/no	
ptp__log02			yes/no	
ptp__qad01			99/99/99	
ptp__qad02			>>>,>>9.9	0
ptp__qad03			>>9	
ptp__qad04			>>9	
ptp__qad05			>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ptp_det	yes	oid_ptp_det	yes	no
Δ ptp_bom_code	no	ptp_domain	yes	no
		ptp_bom_code	yes	no
		ptp_part	yes	no
Δ ptp_network	no	ptp_domain	yes	no
		ptp_network	yes	no
		ptp_site	yes	no
		ptp_part	yes	no
Δ* ptp_part	yes	ptp_domain	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
Δ ptp_routing	yes	ptp_domain	yes	no
		ptp_routing	yes	no
		ptp_part	yes	no
		ptp_site	yes	no
Δ ptp_site	yes	ptp_domain	yes	no
		ptp_site	yes	no
		ptp_part	yes	no

ptqa_det

Item Quantitative Analysis Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptqa_det			>>>>>>>>>>>>>>>>>>>>>9	10
ptqa_cmtindx	Comment Index		.9<<<<<<<<	
ptqa_conf_pct	Confidence %	Conf %	>>>>>>9	
ptqa_domain	Domain		>>9.9<%	10
ptqa_element	Analysis Element	Element	x(8)	
ptqa_interval	Confidence Interval	Conf Interval	x(8)	
ptqa_part	Item Number		>>>, >>, >>9.9<<<<<<<<<	10
ptqa_qty	Quantity		x(18)	
ptqa_um	UM		>>>, >>, >>9.9<<<<<<<<<	10
ptqa_user1	Ufld1		x(4)	
ptqa_user2	Ufld2		x(8)	
ptqa__chr01			x(8)	
ptqa__chr02			x(8)	
ptqa__chr03			x(8)	
ptqa__chr04			x(8)	
ptqa__chr05			x(8)	
ptqa__dec01			->>, >>9.99	10
ptqa__dec02			->>, >>9.99	10
ptqa_log01			yes/no	
ptqa_log02			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_ptqa_det	yes	oid_ptqa_det	yes	no
△	ptqa_element	yes	ptqa_domain	yes	no
			ptqa_element	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* ptqa_part	yes	ptqa_part	yes	no
		ptqa_domain	yes	no
		ptqa_part	yes	no
		ptqa_element	yes	no

ptr_det

Item Routing Detail

Field Name	Label	Col-Label	Format	Dec
oid_ptr_det			>>>>>>>>>>>>>>>>>>>>>>>>9	10
ptr_apprdate	Approved Date	Approved	.9<<<<<<<<<	
ptr_appr_id	Approved By	Appr ID	99/99/99	
ptr_batch	Batch Qty		>>, >>>, >>9.9<<<<<<<<	10
ptr_bom_code	BOM/Formula		x(18)	
ptr_burden	Burden Cost		>>>>, >>>, >>9.99<<<	10
ptr_cmtindx	Comment Index	Comment	>>>>>>9	
ptr_domain	Domain		x(8)	
ptr_end	End Effective	End Eff	99/99/99	
ptr_labor	Labor Cost		>>>>, >>>, >>9.99<<<	10
ptr_material	Material Cost		>>>>, >>>, >>9.99<<<	10
ptr_mod_date	Modified Date	Mod Date	99/99/99	
ptr_overhead	Overhead		>>>>, >>>, >>9.99<<<	10
ptr_part	Item Number		x(18)	
ptr_routing	Routing Code		x(18)	
ptr_site	Site		x(8)	
ptr_start	Start Effective	Start Eff	99/99/99	
ptr_subcontract	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ptr_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
ptr_user1	Ufld1		x(8)	
ptr_user2	Ufld2		x(8)	
ptr_userid	User ID		x(8)	
ptr_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ptr_det	yes	oid_ptr_det	yes	no
Δ ptr_bom_code	no	ptr_domain	yes	no
		ptr_bom_code	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
Δ* ptr_part	yes	ptr_domain	yes	no
		ptr_part	yes	no
		ptr_site	yes	no
		ptr_routing	yes	no
		ptr_bom_code	yes	no
		ptr_start	yes	no
Δ ptr_routing	no	ptr_domain	yes	no
		ptr_routing	yes	no
		ptr_part	yes	no
		ptr_site	yes	no

pts_det

Field Name	Label	Col-Label	Format	Dec
oid_pts_det			>>>>>>>>>>>>>>>>>>>>>>9	10
pts_cmtindx	Comment Index	Index	.9<<<<<<<<<<<< >>>>>>>9	
pts_domain	Domain		x(8)	
pts_mod_date	Modified Date	Mod Date	99/99/99	
pts_par	Parent Item		x(18)	
pts_part	Item Number		x(18)	
pts_qty_per	Substitute Qty	Sub Qty	->>>, >>9.9<<<<<<	10
pts_rmks	Remarks		x(12)	
pts_sub_part	Substitute Item		x(18)	
pts_user1	Ufid1		x(8)	
pts_user2	Ufid2		x(8)	
pts_userid	User ID		x(8)	
pts__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pts_det	yes	oid_pts_det	yes	no
Δ* pts_det	yes	pts_domain	yes	no
		pts_part	yes	no
		pts_par	yes	no
		pts_sub_part	yes	no
Δ pts_par	yes	pts_domain	yes	no
		pts_par	yes	no
		pts_part	yes	no
		pts_sub_part	yes	no
Δ pts_sub_part	yes	pts_domain	yes	no
		pts_sub_part	yes	no
		pts_par	yes	no
		pts_part	yes	no

ptt_det

Field Name	Label	Col-Label	Format	Dec
oid_ptt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ptt_domain	Domain		.9<<<<<<<<<	
ptt_mod_date	Modified Date	Mod Date	x(8)	
ptt_part	Part		99/99/99	
ptt_taxable	Taxable		x(18)	
ptt_taxc	Tax Class	TxC	yes/no	
ptt_tax_type	Tax Type		x(3)	
ptt_user1	Ufld1		x(3)	
ptt_user2	Ufld2		x(8)	
ptt_userid	User ID		x(8)	
ptt_qadc01			x(8)	

Field Name	Label	Col-Label	Format	Dec
pt_batch	Batch Qty		>>, >>, >>9.9<<<<<<<<	10
pt_bom_code	BOM/Formula		x(18)	
pt_break_cat	Price Break Cat		x(18)	
pt_btb_type	EMT Type		xx	
pt_buyer	Buyer/Planner	Buy! Pln	x(8)	
pt_cfg_type	Configuration	Config	x(1)	
pt_comm_code	Commodity Code	Comm Code	x(8)	
pt_cover	Coverage	CV	x(1)	
pt_critical	Key Item		yes/no	
pt_cum_lead	Cum LT	Cum! LT	>>9	
pt_cur_date	Cur Cost Update	Cur Update	99/99/99	
pt_cyc_int	Cyc Cnt Int	Cyc! Int	>>9	
pt_dea	DEA Controlled	DEA	yes/no	
pt_desc1	Description		x(24)	
pt_desc2	Description		x(24)	
pt_dim_um	Dimensns UM		x(2)	
pt_domain	Domain		x(8)	
pt_draw	Drawing		x(18)	
pt_drp_pct	DRP		>>9.9<%	10
pt_drwg_loc	Drawing Loc	Drwg Loc	x(8)	
pt_drwg_size	Drwg Size	DS	x(2)	
pt_dsgn_grp	Design Group	Dsgn Grp	x(8)	
pt_ecn_rev	ECN Rev	ECN! Rev	x(4)	
pt_fiscal_class	Fiscal Class		x(18)	
pt_formula	Formula		yes/no	
pt_fru	FRU		yes/no	
pt_fr_class	Freight Class		x(8)	
pt_fsc_code	Service Category	Svc Cat	x(8)	
pt_group	Group		x(8)	
pt_hazard	Hazard		x(8)	
pt_height	Height		>>, >>9.99	10
pt_insp_lead	Ins LT	Ins! LT	>>9	
pt_insp_rq	Inspect	Ins! Req	yes/no	
pt_inst_call	Install		yes/no	
pt_ins_bom	Installation BOM	Ins BOM	X(18)	
pt_ins_call_type	Installation Call Type	Ins Call Type	X(8)	
pt_ins_route	Installation Routing	Ins Route	X(18)	
pt_isb	Installed Base	Inst Base	yes/no	
pt_iss_pol	Issue Policy	Iss	yes/no	
pt_joint_type	Co/By Type	CT	x(1)	
pt_last_eco	Last ECO		99/99/99	
pt_length	Length		>>, >>9.99	10
pt_ll_code	Low Level	Low Lvl	->>>>>9	
pt_ll_drp	DRP Low Level	DRP LL	->>>>>9	
pt_loc	Location		x(8)	
pt_loc_type	Location Type	Loc Type	x(8)	
pt_lot_grp	Lot Group		x(8)	
pt_lot_ser	Lot/Serial Control	Lot/Ser	x(1)	
pt_meter_interval	Meter Interval		>>>>, >>>, >>9.99<<<	10
pt_meter_um	Meter UM		X(2)	
pt_mfg_lead	Mfg LT	Mfg! LT	>>9	0
pt_mfg_mtb	MFG MTBF		->, >>9.99	10
pt_mfg_mttr	MFG MTTR		->, >>9.99	10
pt_mfg_pct	Manufactured	Mfg	>>9.9<%	10
pt_model	Model		x(18)	0
pt_mod_date	Modified Date	Mod Date	99/99/99	
pt_mrp	MRP Required	MRP Req	yes/no	

Field Name	Label	Col-Label	Format	Dec
pt_ms	Master Sched	MS	yes/no	
pt_mtbfb	MTBF		>>, >>9.99	10
pt_mttr	MTTR		>>, >>9.99	10
pt_network	Network Code		x(18)	
pt_net_wt	Net Weight		->>, >>9.99<<<<	10
pt_net_wt_um	Net Weight UM	UM	x(2)	
pt_obs_date	Obsolete Date		99/99/99	
pt_op_yield	Op Based Yield		yes/no	
pt_ord_max	Max Ord		>>, >>>, >>9	0
pt_ord_min	Min Ord		>>, >>>, >>9	0
pt_ord_mult	Ord Mult	Mult	>>, >>>, >>9	0
pt_ord_per	Order Period	Ord! Per	>>9	
pt_ord_pol	Order Policy	Ord! Pol	x(3)	
pt_ord_qty	Order Qty		>>, >>>, >>9	10
pt_origin	Country of Origin		x(12)	
pt_part	Item Number		x(18)	
pt_part_type	Item Type	Type	x(8)	
pt_phantom	Phantom		yes/no	
pt_pick_logic	Pick Logic	Pick	-9	
pt_pkg_code	Pkg Code		x(18)	
pt_plan_ord	Plan Orders	Pln	yes/no	
pt_pm_code	Pur/Mfg	P/M	x(1)	
pt_pm_mrp	Need PM MRP		yes/no	
pt_pou_code	Point of Use Code		x(18)	
pt_po_site	PO Site		x(8)	
pt_price	Price		>>>>, >>>, >>9.99<<<<	10
pt_prod_line	Prod Line	Line	x(4)	
pt_promo	Promotion Group		x(10)	
pt_pur_lead	Pur LT	Pur! LT	>>9	
pt_pur_pct	Purchased	Pur	>>9.9<%	10
pt_pvm_bom	PM BOM		x(18)	
pt_pvm_days	Days Between PM	PM Days	>>>>9	
pt_pvm_route	PM Routing		x(18)	
pt_pvm_um	UM		x(2)	
pt_qc_lead	QC LT		>>9	
pt_rctpo_active	Active	Act	yes/no	
pt_rctpo_status	PO Rcpt Status	Status	x(8)	
pt_rctwo_active	Active	Act	yes/no	
pt_rctwo_status	WO Rcpt Status	Status	x(8)	
pt_repairable	Repairable		yes/no	
pt_rev	Rev		x(4)	
pt_rollup	Rollup Req'd		yes/no	
pt_rollup_id	Rollup ID		x(8)	
pt_rop	Reorder Point	ROP	>>>, >>9	0
pt_routing	Routing Code		x(18)	
pt_rp_bom	Repair BOM		x(18)	
pt_rp_route	Repair Routing		x(18)	
pt_rp_vendor	Repair Supplier		x(8)	
pt_run	Run Time	Run	>>>, >>9.999<<<<<<	10
pt_run_ll	Run LL		>>>, >>9.999<<<<<<	10
pt_run_seq1	Run Seq 1		x(8)	
pt_run_seq2	2	Run Seq 2	x(8)	
pt_setup	Setup Time	Setup	>>>, >>9.999<<<<<<	10
pt_setup_ll	Setup LL		>>>, >>9.999<<<<<<	10
pt_sfty_stk	Safety Stk	Safety! Stock	>>, >>>, >>9	0
pt_sfty_time	Safety Time	Safety! Time	>>9	0
pt_shelflife	Shelf Life		->, >>>, >>>	

Field Name	Label	Col-Label	Format	Dec
pt_ship_wt	Ship Weight		->>, >>9.99<<<<	10
pt_ship_wt_um	Ship Weight UM	UM	x(2)	
pt_site	Site		x(8)	
pt_size	Size		->>, >>9.99	10
pt_size_um	Size UM	UM	x(2)	
pt_sngl_lot	Allocate Single Lot	Sngl! Lot	yes/no	
pt_spec_grav	Specific Gravity	Spec Grav	>>, >>9.9<<<	10
pt_spec_hdlg	Special Handling Code		x(8)	
pt_status	Status	St	x(8)	
pt_std_date	Std Cost Update		99/99/99	
pt_sttr	STTR		->>, >>9.99	10
pt_svc_group	Service Group	Svc Grp	x(8)	
pt_svc_type	Service Type	Ser Type	x(2)	0
pt_sys_type	System Type		x(2)	
pt_tariff	Tariff		x(8)	
pt_taxable	Tax		yes/no	
pt_taxc	Tax Class	TxC	x(3)	
pt_timefence	Time Fence		->>>9	
pt_trace_active	Trace Active		yes/no	
pt_trace_detail	Trace Detail		yes/no	
pt_transtype	Transport Type	Tran Type	x(8)	
pt_um	UM		x(2)	
pt_unit_isb	Isb Unit Quantity		yes/no	
pt_upc	UPC		x(12)	
pt_user1	Ufld1		x(8)	
pt_user2	Ufld2		x(8)	
pt_user3	User3		x(8)	
pt_userid	User ID		x(8)	
pt_vend	Supplier		x(8)	
pt_ven_warr	Supplier Warranty	Suppl Warr	yes/no	
pt_warr_cd	Warranty Code	Warr Cd	x(8)	
pt_wh	Warehoused Item	WH	yes/no	
pt_width	Width		>>, >>9.99	10
pt_wks_avg	Average Weeks of Coverage Avg! Cover		>>9.9	10
pt_wks_max	Maximum Weeks of Coverage	Max! Cover	>>9.9	10
pt_wks_min	Minimum Weeks of Coverage	Min! Cover	>>9.9	10
pt_xbdn_ll	Cur Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdll	Std Burden LL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_stdtl	Std Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xbdn_tl	Cur Burden TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_ll	Cur Labor LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdll	Std Lbr LL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_stdtl	Std Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xlbr_tl	Cur Labor TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_ll	Cur Matl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdll	Std Mtl LL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_stdtl	Std Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xmtl_tl	Cur Matl TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_ll	Cur Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdll	Std Ovhead LL		>>>>, >>>, >>9.99<<<	10
pt_xovh_stdtl	Std Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xovh_tl	Cur Ovhead TL		>>>>, >>>, >>9.99<<<	10
pt_xsub_ll	Cur Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdll	Std Sub LL		>>>>, >>>, >>9.99<<<	10
pt_xsub_stdtl	Std Sub TL		>>>>, >>>, >>9.99<<<	10

Field Name	Label	Col-Label	Format	Dec
pt_xsub_tl	Cur Sub TL		>>>>, >>>, >>9.99<<<	10
pt_xtot_cur	Total TL & LL		>>>>, >>>, >>9.99<<<	10
pt_xtot_std	Std Total		>>>>, >>>, >>9.99<<<	10
pt_yield_pct	Yield%		>>9.99%	10
pt__chr01			x(8)	
pt__chr02			x(8)	
pt__chr03			x(8)	
pt__chr04			x(8)	
pt__chr05			x(8)	
pt__chr06			x(8)	
pt__chr07			x(8)	
pt__chr08			x(8)	
pt__chr09			x(8)	
pt__chr10			x(8)	
pt__dec01			>>>, >>>, >>9.99	10
pt__dec02			>>>, >>>, >>9.99	10
pt__dte01			99/99/99	
pt__dte02			99/99/99	
pt__log01			yes/no	
pt__log02			yes/no	
pt__qad01			->, >>>, >>9.9<<<<<<<<<	10
pt__qad02			->, >>>, >>9.9<<<<<<<<<	10
pt__qad03			->>>, >>9.999	10
pt__qad04			->>>, >>9.999	10
pt__qad05			99/99/99	
pt__qad06			99/99/99	
pt__qad07			99/99/99	
pt__qad08			99/99/99	
pt__qad09			->, >>>, >>9.9<<<<<<<<<	10
pt__qad10			->, >>>, >>9.9<<<<<<<<<	10
pt__qad11			->, >>>, >>9.9<<<<<<<<<	10
pt__qad12			>>>>9.9999<<<<	10
pt__qad13	Incorp Rev	Inc! Rev	x(4)	
pt__qad14			99/99/99	
pt__qad15			yes/no	
pt__qad16			>>>, >>9.9	0
pt__qad17			yes/no	
pt__qad18			>>>>, >>>, >>9.99<<<	10
pt__qad19			>>>>, >>>, >>9.99<<<	10
pt__qad20			>>>>, >>>, >>9.99<<<	10
pt__qad21			>>>>, >>>, >>9.99<<<	10
pt__qad22			yes/no	
pt__qad23			>>9	
pt__qad24			>>9	
pt__qad25			>>9	
pt__qad26			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_pt_mstr	yes	oid_pt_mstr	yes	no
Δ pt_bom_code	no	pt_domain	yes	no
		pt_bom_code	yes	no
		pt_part	yes	no
Δ pt_desc	yes	pt_domain	yes	no
		pt_desc1	yes	no
		pt_desc2	yes	no
		pt_part	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ pt_group	yes	pt_domain	yes	no
		pt_group	yes	no
		pt_part	yes	no
Δ pt_ll_mrp_pt	yes	pt_domain	yes	no
		pt_ll_code	yes	no
		pt_mrp	yes	no
Δ pt_model	no	pt_part	yes	no
		pt_domain	yes	no
Δ pt_network	no	pt_model	yes	no
		pt_domain	yes	no
Δ* pt_part	yes	pt_network	yes	no
		pt_part	yes	no
		pt_domain	yes	no
Δ pt_part_type	yes	pt_part	yes	no
		pt_domain	yes	no
		pt_part_type	yes	no
Δ pt_pm_mrp	no	pt_part	yes	no
		pt_domain	yes	no
		pt_pm_mrp	yes	no
Δ pt_prod_part	yes	pt_part	yes	no
		pt_domain	yes	no
		pt_prod_line	yes	no
Δ pt_pvm_bom	no	pt_part	yes	no
		pt_domain	yes	no
		pt_pvm_bom	yes	no
Δ pt_routing	yes	pt_part	yes	no
		pt_domain	yes	no
		pt_routing	yes	no
		pt_part	yes	no

pvod_det

Pending Voucher Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_pvod_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
pvod_accrual_acct	Accrual Account	Accrual! Account	.9<<<<<<<<<	
pvod_accrual_cc	Accrual Cost Ctr	Accrual! CC	x(8)	
pvod_accrual_sub	Accrual Sub-Account	Accrual! Sub-Acct	x(4)	
pvod_accrued_amt	Accrued Amount		x(8)	
pvod_channel	Channel		->>>>, >>>, >>9.99<	10
pvod_cost_update	Update Current Cost		x(8)	
◇ pvod_domain	Domain		yes/no	
pvod_id	Pending Voucher ID	Pend Vchr	x(8)	
pvod_id_line	Line	Ln	>>>>>>>>	
pvod_internal_ref	Internal Reference		>>>>>>>9	
pvod_internal_ref_type	Internal Reference Type	Internal! Ref Type	x(20)	
pvod_mod_date	Modified Date	Mod Date	x(2)	
pvod_mod_userid	User ID		99/99/99	
pvod_order	Order		x(8)	
pvod_order_line	Order Line	Ln	x(8)	
pvod_order_type	Order Type	Order! Type	>>9	
pvod_part	Item Number	Item	x(2)	
pvod_project	Project		x(18)	
pvod_shipfrom	Ship-From		x(8)	
			x(8)	

Field Name	Label	Col-Label	Format	Dec
pvo_mod_userid	User ID		x(8)	
pvo_order	Order		x(8)	
pvo_order_type	Order Type	Order! Type	x(2)	
pvo_part	Item Number	Item	x(18)	
pvo_project	Project		x(8)	
pvo_shipfrom	Ship-From		x(8)	
pvo_shipto	Ship-To		x(8)	
pvo_supplier	Supplier		x(8)	
pvo_taxable	Taxable		yes/no	
pvo_taxc	Tax Class	TxC	x(3)	
pvo_tax_env	Tax Environment	Tax Env	x(16)	
pvo_tax_in	Tax In		yes/no	
pvo_tax_usage	Tax Usage	TaxUsage	x(8)	
pvo_trans_date	Transaction Date	Transaction	99/99/99	
pvo_trans_qty	Transaction Qty	Trans Qty	->>, >>>, >>>9.9<<<<<<<<<<	10
pvo_user1	User Field Character 1		x(24)	
pvo_user2	User Field Character 2		x(24)	
pvo_vouchered_amt	Vouchered Amt		->>>>, >>>, >>>9.99<	10
pvo_vouchered_qty	Vouchered Qty		->>, >>>, >>>9.9<<<<<<<<<<	10
pvo__qadc01			x(24)	
pvo__qadc02			x(24)	
pvo__qadc03			x(24)	
pvo__qadd01			->>>>, >>>, >>>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_pvo_mstr	yes	oid_pvo_mstr	yes	no
Δ pvo_ers	no	pvo_domain	yes	no
		pvo_ers_status	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
Δ* pvo_id	yes	pvo_domain	yes	no
		pvo_id	yes	no
Δ pvo_internal_ref	no	pvo_domain	yes	no
		pvo_internal_ref	yes	no
Δ pvo_logistics_charge	no	pvo_domain	yes	no
		pvo_lc_charge	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
		pvo_external_ref	yes	no
Δ pvo_order	no	pvo_domain	yes	no
		pvo_order	yes	no
		pvo_internal_ref	yes	no
		pvo_line	yes	no
Δ pvo_supplier	no	pvo_domain	yes	no
		pvo_supplier	yes	no
		pvo_last_voucher	yes	no
		pvo_lc_charge	yes	no
Δ pvo_trans_date	no	pvo_domain	yes	no
		pvo_trans_date	yes	no

qaddb_ctrl

◇ **qaddb_ctrl** Database Control for QADDB

Field Name	Label	Col-Label	Format	Dec
oid_qaddb_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
qaddb_index1	Index		.9<<<<<<<<	
qaddb_mod_date	Modified Date	Mod Date	>>>>9	
qaddb_mod_userid	User ID		x(8)	
qaddb_oid_code	OID Generator Code		>>>>>>>>9	
qaddb_oid_regid	OID Registration ID		>>>>>>>>9.9<<<<<<<<<	10
qaddb_server_timezone	Server Time Zone		x(8)	
qaddb_user1	User Field Character 1		x(24)	
qaddb_user2	User Field Character 2		x(24)	
qaddb__qadc01			x(24)	
qaddb__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qaddb_ctrl	yes	oid_qaddb_ctrl	yes	no
◇* qaddb_index1	yes	qaddb_index1	yes	no

qad_wkfl QAD Work Table

Field Name	Label	Col-Label	Format	Dec
oid_qad_wkfl			>>>>>>>>>>>>>>>>>>>>>>9.10	
			.9<<<<<<<<<	
qad_charfld[15]			x(8)	
qad_charfld1[15]			x(8)	
qad_datefld[4]			99/99/99	
qad_decfld[15]			->, >>9.99	10
◇ qad_domain	Domain		x(8)	
qad_intfld[15]			->, >>>, >>9	
qad_key1			x(8)	
qad_key2			x(8)	
qad_key3			x(8)	
qad_key4			x(8)	
qad_key5			x(8)	
qad_key6			x(8)	
qad_logfld[15]			yes/no	
qad_user1	Ufld1		x(8)	
qad_user2	Ufld2		x(8)	
qad__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_qad_wkfl	yes	oid_qad_wkfl	yes	no
Δ* qad_index1	yes	qad_domain	yes	no
		qad_key1	yes	no
		qad_key2	yes	no
Δ qad_index2	no	qad_domain	yes	no
		qad_key3	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ qad_index3	no	qad_key4	yes	no
		qad_domain	yes	no
		qad_key5	yes	no
		qad_key6	yes	no

Quality Order Control

	Field Name	Label	Col-Label	Format	Dec
◇	oid_qcc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	qcc_auto_nbr	Auto Order Numbers		yes/no	
◇	qcc_domain	Domain		x(8)	
	qcc_inspect	Inspection Location		x(8)	
	qcc_lot	Next Batch		>>>>>>>9	
	qcc_nbr	Next Order Number		>>>>>>>9	
	qcc_rcmmts	Procedure Comments		yes/no	
	qcc_site	Inspection Site		x(8)	
	qcc_user1	Ufid1		x(8)	
	qcc_user2	Ufid2		x(8)	
	qcc_wcmmts	Quality Order Comments		yes/no	
	qcc__qadc01			x(8)	
Δ	qcc__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qcc_ctrl	yes	oid_qcc_ctrl	yes	no
Δ* qcc_index1	yes	qcc_domain	yes	no

Quality Control Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_qcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qcd_cmtindx	Comment Index	Comment	.9<<<<<<<<<	
qcd_domain	Domain		>>>>>>>9	
qcd_iss_date	Issue Date	Iss Date	x(8)	
qcd_lot	Batch		99/99/99	
qcd_nbr	Quality Order		x(8)	
qcd_op	Operation	Op	x(18)	
qcd_part	Item Number		>>>>>	
qcd_qty_iss	Qty Issued		x(18)	
qcd_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<<	10
qcd_user1	Ufid1		->, >>>, >>9.9<<<<<<<<<	10
qcd_user2	Ufid2		x(8)	
qcd_chr01			x(8)	
qcd_chr02			x(8)	
qcd_chr03			x(8)	
qcd_chr04			x(8)	
qcd_chr05			x(8)	
qcd_dec01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
qcd__dec02			>>>, >>>, >>9.99	10
qcd__dte01			99/99/99	
qcd__dte02			99/99/99	
qcd__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qcd_det	yes	oid_qcd_det	yes	no
Δ* qcd_det	yes	qcd_domain	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
		qcd_op	yes	no
Δ qcd_nbrpart	no	qcd_domain	yes	no
		qcd_nbr	yes	no
		qcd_lot	yes	no
		qcd_part	yes	no
Δ qcd_part	no	qcd_domain	yes	no
		qcd_part	yes	no

qcs_mstr

Quality Sampling Pattern Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_qcs_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
qcs_days	Days to Expire	Expire	>>>9	
◇ qcs_domain	Domain		x(8)	
qcs_lot_int	Lot Interval	Interval	>>>>>>9	
qcs_part	Item Number	Item	x(18)	
qcs_user1	Ufld1		x(8)	
qcs_user2	Ufld2		x(8)	
qcs__chr01			x(8)	
qcs__chr02			x(8)	
qcs__chr03			x(8)	
qcs__chr04			x(8)	
qcs__chr05			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qcs_mstr	yes	oid_qcs_mstr	yes	no
△* qcs_part	yes	qcs_domain	yes	no
		qcs_part	yes	no

qc_mstr

Quality Control Order Master

	Field Name	Label	Col-Label	Format	Dec
◇	oid_qc_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
	qc_autoissue	Auto Issue		.9<<<<<<<<<	
	qc_cmtindx	Comment Index	Comment	yes/no	
◇	qc_domain	Domain		>>>>>>>9	
				x(8)	

Field Name	Label	Col-Label	Format	Dec
qc_due_date	Due Date	Due	99/99/99	
qc_insp_loc	Inspection Location	Insp Loc	x(8)	
qc_inv_stat	Inventory Status	Inv Stat	x(8)	
qc_job	PO/Job		x(8)	
qc_lead_time	Lead Time		->, >>>, >>9	10
qc_loc	Location		x(8)	
qc_lot	Batch		x(8)	
qc_nbr	Quality Order		x(18)	
qc_ord_date	Start Date	Start	99/99/99	
qc_part	Item Number		x(18)	
qc_project	Project		x(8)	
qc_qty_comp	Qty Accepted	Accepted	->, >>>, >>9.9<<<<<<<<	10
qc_qty_ord	Qty Pending	Pending	->, >>>, >>9.9<<<<<<<<	10
qc_qty_rjct	Qty Rejected	Rejected	->, >>>, >>9.9<<<<<<<<	10
qc_ref	Reference	Ref	x(8)	
qc_rel_date	Release Date	Release	99/99/99	
qc_rmks	Remarks		x(40)	
qc_serial	Lot/Serial	L/S	x(18)	
qc_site	Site		x(8)	
qc_status	Status	St	x(1)	
qc_teststep	Procedure		x(18)	
qc_type	Type	T	x(1)	
qc_user1	Ufld1		x(8)	
qc_user2	Ufld2		x(8)	
qc__chr01			x(8)	
qc__chr02			x(8)	
qc__chr03			x(8)	
qc__chr04			x(8)	
qc__chr05			x(8)	
qc__dec01			>>>, >>>, >>9.99	10
qc__dec02			>>>, >>>, >>9.99	10
qc__dte01			99/99/99	
qc__dte02			99/99/99	
qc__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qc_mstr	yes	oid_qc_mstr	yes	no
Δ qc_due_part	no	qc_domain	yes	no
		qc_due_date	yes	no
		qc_part	yes	no
		qc_site	yes	no
Δ qc_lot	yes	qc_domain	yes	no
		qc_lot	yes	no
Δ* qc_nbr	yes	qc_domain	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no
Δ qc_part	no	qc_domain	yes	no
		qc_part	yes	no
		qc_site	yes	no
		qc_due_date	yes	no
Δ qc_type_nbr	yes	qc_domain	yes	no
		qc_type	yes	no
		qc_nbr	yes	no
		qc_lot	yes	no

Field Name	Label	Col-Label	Format	Dec
qoc_hcmmts	Quote Header Comments		yes/no	
qoc_lcmmts	Quote Line Comments		yes/no	
qoc_ln_fmt	Ln Format S/M		single/multi	
qoc_pc_line	Price by QO Line Due Date		yes/no	
qoc_pl_req	Price List Required		yes/no	
qoc_print	Are Quotes Printed		yes/no	
qoc_pt_req	Price Table Required		yes/no	
qoc_qo	Next Quote		>>>>>>9	
qoc_qo_pre	Quote Prefix	Pre	x(3)	
qoc_user1	Ufld1		x(8)	
qoc_user2	Ufld2		x(8)	
qoc__qad01			>>>>>>9	
Δ qoc__qadi01			->>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qoc_ctrl	yes	oid_qoc_ctrl	yes	no
Δ* qoc_index1	yes	qoc_domain	yes	no

godr det Sales Quotation Relationship Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_qodr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
qodr_div	Division		.9<<<<<<<<	
◇ qodr_domain	Domain		X(8)	
qodr_group	Group		x(8)	
qodr_line	Line		>>9	
qodr_nbr	Quote		X(8)	
qodr_pricing	Pricing		>9	
qodr_seq	Sequence		>>9	
qodr_type	Type		>>>9	
qodr_user1	Ufld1		x(8)	
qodr_user2	Ufld2		x(8)	
qodr__qadc01			x(8)	
qodr__qadc02			x(8)	
qodr__qadc03			x(8)	
qodr__qadd01			->>>>, >>>, >>9.9	10
qodr__qadd02			->>>>, >>>, >>9.9	10
qodr__qadi01			->, >>>, >>9	
qodr__qadi02			->, >>>, >>9	
qodr__qadl01			yes/no	
qodr__qadl02			yes/no	
qodr__qadt01			99/99/99	
qodr __qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qodr_det	yes	oid_qodr_det	yes	no
△* qodr_nbrln_seq	yes	qodr_domain	yes	no
		qodr_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ qodr_type	no	qodr_line	yes	no
		qodr_seq	yes	no
		qodr_domain	yes	no
		qodr_type	yes	no

qod_det

Sales Quotation Detail

Field Name	Label	Col-Label	Format	Dec
oid_qod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qod_abnormal	Abnormal Demand	Abnormal	.9<<<<<<<<<	
qod_acct	Sales Acct	Sales	yes/no	
qod_bonus	Bonus Stock Line		x(8)	
qod_cc	Cost Ctr	CC	yes/no	
qod_cfg_type	Configuration	Config	x(4)	
qod_cmtindx	Comment Index	Comment	x(1)	
qod_comm_pct[2]	Commission	Comm%	>>>>>>>9	
qod crt_int	Credit Terms Int	CRT Int	->>9.99%	10
qod_custpart	Customer Item		->>>9.99	10
qod_desc	Description		x(30)	
qod_disc_pct	Disc %		x(24)	
qod_div	Division		->>9.99%	10
qod_domain	Domain		x(8)	
qod_dsc_acct	Disc Acct		x(8)	
qod_dsc_cc	Disc CC	CC	x(4)	
qod_dsc_project	Disc Project		x(8)	
qod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
qod_due_date	Due Date	Due	99/99/99	
qod_fa_nbr	Final Assy	FAS	x(8)	
qod_fix_pr	Fixed Price		yes/no	
qod_fr_chg	Unit Freight Charge		->>>, >>>, >>9.99	10
qod_fr_class	Freight Class		x(8)	
qod_fr_list	Freight List	Fr List	x(8)	
qod_fr_rate	Freight Rate		>>>, >>>, >>9.99<<	10
qod_fr_wt	Unit Ship Weight		->, >>>, >>9.<<<<<<	10
qod_fr_wt_um	UM		x(2)	
qod_fst_list	FST on List		yes/no	
qod_fst_rate	FST Rate	Rate	->>9%	10
qod_fst_tax	FST Tax		->>, >>>, >>9.99	10
qod_line	Line	Ln	>>9	
qod_list_pr	List Price		>>>>, >>>, >>9.99<<<	10
qod_loc	Location		x(8)	
qod_lot	ID		x(8)	
qod_manual_fr_list	Manual Fr List		yes/no	
qod_nbr	Quote		x(8)	
qod_part	Item Number		x(18)	
qod_per_date	Performance Date	Perform	99/99/99	
qod_pl_priority	P/L Priority		>9	
qod_price	Price		>>>>, >>>, >>9.99<<<	10
qod_pricing_dt	Pricing Date	Price Dt	99/99/99	
qod_prig1	Pricing Group 1		x(8)	
qod_prig2	Pricing Group 2		x(8)	
qod_prodlne	Product Line	Line	x(4)	
qod_project	Project		x(8)	

Field Name	Label	Col-Label	Format	Dec
qod_pst	PST		yes/no	
qod_pst_tax	PST Tax		->, >>>, >>9.99	10
qod_qob_rev	Revised Date	Revised	99/99/99	
qod_qob_std	Standard Bill	Std BOM	yes/no	
qod_qty_quot	Qty Quoted		->, >>>, >>9.9<<<<<<<<	10
qod_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10
qod_rel_chg	Qty to Release	To Release	->, >>>, >>9.9<<<<<<<<	10
qod_req_date	Required Date	Required	99/99/99	
qod_rsn_lost	Reason Lost	Rsn Lost	x(8)	
qod_serial	Lot/Serial		x(18)	
qod_site	Site		x(8)	
qod_slspsn[4]	Salesperson	Salespsn	x(8)	
qod_status	Status	St	x(1)	
qod_std_cost	Cost		->>>, >>>, >>9.99<<<	10
qod_sub	Sales Sub-Acct	Sub-Acct	x(8)	
qod_taxable	Taxable	Tax	yes/no	
qod_taxc	Tax Class	TxC	x(3)	
qod_tax_env	Tax Environment	Tax Env	x(16)	
qod_tax_in	Tax In		yes/no	
qod_tax_max	Max Taxable Amount	Max Amount	->>>, >>>, >>9.99	10
qod_tax_usage	Tax Usage	TaxUsage	x(8)	
qod_type	Ship Type	T	x(1)	
qod_um	UM		x(2)	
qod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
qod_user1	Ufld1		x(8)	
qod_user2	Ufld2		x(8)	
qod_xslspsn[3]	Salesperson	Salespsn	x(8)	
qod__chr01	Price List	List	x(8)	
qod__chr02			x(8)	
qod__chr03			x(8)	
qod__chr04			x(8)	
qod__chr05			x(8)	
qod__chr06			x(8)	
qod__chr07			x(8)	
qod__chr08			x(8)	
qod__chr09			x(8)	
qod__chr10			x(8)	
qod__dec01			>>>, >>>, >>9.99	10
qod__dec02			>>>, >>>, >>9.99	10
qod__dte01			99/99/99	
qod__dte02			99/99/99	
qod__log01			yes/no	
qod__qad01[5]			x(40)	
qod__qad02			>	
qod__qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qod_det	yes	oid_qod_det	yes	no
Δ qod_fr_list	no	qod_domain	yes	no
		qod_nbr	yes	no
		qod_fr_list	yes	no
Δ* qod_nbrln	yes	qod_domain	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ qod_part	yes	qod_domain	yes	no
		qod_part	yes	no
		qod_nbr	yes	no
		qod_line	yes	no

qor_mstr

Sales Quotation Relationship Master

Field Name	Label	Col-Label	Format	Dec
oid_qor_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qor_div	Division		.9<<<<<<<<<	
qor_domain	Domain		X(8)	
qor_group	Group		x(8)	
qor_nbr	Quote		X(8)	
qor_pricing	Pricing		>9	
qor_seq	Sequence		>>9	
qor_type	Type		>>>9	
qor_user1	Ufld1		x(8)	
qor_user2	Ufld2		x(8)	
qor__qadc01			x(8)	
qor__qadc02			x(8)	
qor__qadc03			x(8)	
qor__qadd01			->>>>, >>>, >>9,9	10
qor__qadd02			->>>>, >>>, >>9,9	10
qor__qadi01			->, >>>, >>9	
qor__qadi02			->, >>>, >>9	
qor__qadi01			yes/no	
qor__qadi02			yes/no	
qor__qadt01			99/99/99	
qor__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qor_mstr	yes	oid_qor_mstr	yes	no
Δ* qor_nbr_seq	yes	qor_domain	yes	no
		qor_nbr	yes	no
		qor_seq	yes	no
Δ qor_type	no	qor_domain	yes	no
		qor_type	yes	no

qo_mstr

Sales Quotation Master

Field Name	Label	Col-Label	Format	Dec
oid_qo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qo_app_owner	Owner Application		.9<<<<<<<<<	
qo_ar_acct	AR Account	AR	x(12)	
qo_ar_cc	Cost Ctr	CC	x(8)	
qo_ar_sub	AR Sub-Acct	Sub-Acct	x(4)	
qo_bank	Bank		x(8)	
			x(2)	

Field Name	Label	Col-Label	Format	Dec
qo_bill	Bill-To		x(8)	
qo_bol	BOL		x(18)	
qo_cartons	Cartons		->, >>>, >>9	
qo_channel	Channel		x(8)	
qo_cmtindx	Comment Index	Comment	>>>>>>>9	
qo_comm_pct[4]	Commission	Comm%	>>9.99%	10
qo_confirm	Confirm Date	Confirm	99/99/99	
qo_cr_card	Credit Card	Card	x(2)	
qo_cr_init	Cr Initials	Initials	x(3)	
qo_cr_terms	Credit Terms	Terms	x(8)	
qo_curr	Currency	Curr	x(3)	
qo_cust	Sold-To		x(8)	
qo_cycle	Cycle Code	Cy	x(2)	
qo_disc_pct	Disc %		->9.99%	10
qo_div	Division		x(8)	
qo_domain	Domain		x(8)	
qo_due_date	Due Date	Due	99/99/99	
qo_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
qo_exp_date	Expires		99/99/99	
qo_exru_seq	Sequence		>>>>>>>9	
qo_ex_rate	Exch Rate		>>>, >>>, >>9.9<<<<<<<<	10
qo_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
qo_ex_ratetype	Rate Type		x(8)	
qo_fix_rate	Fixed Rate	Fixed	yes/no	
qo_flw_date	Follow-up		99/99/99	
qo_fob	FOB Point		x(20)	
qo_fr_list	Freight List	Fr List	x(8)	
qo_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
qo_fr_terms	Freight Terms	Fr Terms	x(8)	
qo_fst_id	FST ID		x(18)	
qo_inv_mthd	Invoicing Method		x(1)	
qo_lang	Language	Lang	x(2)	
qo_manual_fr_terms	Manual Fr Terms		yes/no	
qo_nbr	Quote		x(8)	
qo_ord_date	Quote Date	Quote	99/99/99	
qo_partial	Partial OK	Partial	yes/no	
qo_po	Purchase Order		x(20)	
qo_prepaid	Prepaid Amount		-z, zzz, zzz, zz9.99	10
qo_priced_dt	Last Price Dt	Last Pri	99/99/99	
qo_pricing_dt	Pricing Date	Price Dt	99/99/99	
qo_print_bl	Print Bill of Lading	Print BOL	yes/no	
qo_print_pl	Print Pack List	Print Pack	yes/no	
qo_print_qo	Print Quote	Print QT	yes/no	
qo_project	Project		x(8)	
qo_pr_list	Manual	Disc Tbl	x(8)	
qo_pr_list2	Price Tbl	Pr Tbl	x(8)	
qo_pst	PST		yes/no	
qo_pst_id	PST ID		x(18)	
qo_pst_pct	PST Pct		->9.99<%	10
qo_recur	Recurring	Rec	yes/no	
qo_release	Release	Rel	yes/no	
qo_rel_cnt	Release Count	Cnt	>>9	
qo_rel_date	Release Date	Release	99/99/99	
qo_req_date	Required Date	Required	99/99/99	
qo_rev	Revision	Rev	>>9	
qo_rmks	Remarks		x(40)	
qo_ship	Ship-To		x(8)	

Field Name	Label	Col-Label	Format	Dec
qo_shipvia	Ship Via		x(20)	
qo_ship_date	Ship Date		99/99/99	
qo_site	Site		x(8)	
qo_size	Size		->,>>>,>>9.9<<<<<<<<<	10
qo_size_um	Size UM	UM	x(2)	
qo_slspsn[4]	Salesperson	Salespsn	x(8)	
qo_source	Order Source	Source	x(8)	
qo_so_nbr	Last Sales Order	Lst Ord	x(8)	
qo_stat	Action Status	St	x(2)	
qo_taxable	Taxable	Tax	yes/no	
qo_taxc	Tax Class	TxC	x(3)	
qo_tax_date	Tax Date		99/99/99	
qo_tax_env	Tax Environment	Tax Env	x(16)	
qo_tax_pct[3]	Tax		->9.99<%	10
qo_tax_usage	Tax Usage	TaxUsage	x(8)	
qo_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
qo_trl1_cd	Trailer 1	Trl 1	x(4)	
qo_trl2_amt	Trailer 2		-zzzz,zzz,zz9.99	10
qo_trl2_cd	Trailer 2	Trl 2	x(4)	
qo_trl3_amt	Trailer 3		-zzzz,zzz,zz9.99	10
qo_trl3_cd	Trailer 3	Trl 3	x(4)	
qo_user1	Ufld1		x(8)	
qo_user2	Ufld2		x(8)	
qo_userid	User ID		x(8)	
qo_weight	Weight		->>>,>>>,>>9.9999	10
qo_weight_um	Weight UM	UM	x(2)	
qo_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
qo_xslspsn[2]	Salesperson	Salespsn	x(8)	
qo__chr01			x(8)	
qo__chr02			x(8)	
qo__chr03			x(8)	
qo__chr04			x(8)	
qo__chr05			x(8)	
qo__chr06			x(8)	
qo__chr07			x(8)	
qo__chr08			x(8)	
qo__chr09			x(8)	
qo__chr10			x(8)	
qo__dec01	PST		>>>,>>>,>>9.99	10
qo__dec02			>>>,>>>,>>9.99	10
qo__dte01			99/99/99	
qo__dte02			99/99/99	
qo__log01			yes/no	
qo__qad01			-z,zzz,zzz,zz9.99	10
qo__qad02			-z,zzz,zzz,zz9.99	10
qo__qad03	Fixed Price		-z,zzz,zzz,zz9.99	10
qo__qad04			>	
qo__qad05[2]			>>9.9<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_qo_mstr	yes	oid_qo_mstr	yes	no
Δ qo_cust	no	qo_domain	yes	no
		qo_cust	yes	no
Δ* qo_nbr	yes	qo_domain	yes	no
		qo_nbr	yes	no
Δ qo_print_qo	no	qo_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ qo_release	no	qo_print_qo	yes	no
		qo_domain	yes	no
		qo_release	yes	no
		qo_nbr	yes	no

Quality Test Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_qps_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
qps_domain	Domain		.9<<<<<<<<<	
qps_op	Operation	Op	x(8)	
qps_part	Item Number	Item	>>>>>>	
qps_qty	Usage Quantity		x(18)	
qps_routing	Procedure		-,>,>>>, >>9.9<<<<<<<<<	10
qps_user1	Ufid1		x(8)	
qps_user2	Ufid2		x(8)	
qps_chr01			x(8)	
qps_chr03			x(8)	
qps_chr04			x(8)	
qps_chr05			x(8)	
qps_dec01			>>>, >>>, >>9.99	10
qps_dec02			>>>, >>>, >>9.99	10
qps_dec03			>>>, >>>, >>9.99	10
qps_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_qps_det	yes	oid_qps_det	yes	no
Δ^* qps_det	yes	qps_domain	yes	no
		qps_routing	yes	no
		qps_op	yes	no
		qps_part	yes	no

Q/LinQ Control

Field Name	Label	Col-Label	Format	Dec
◇ oid_qqc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
qqc_ack_lvl_reqd	Autoacknowledgment Level		x(1)	.9<<<<<<<
qqc_act	Active		yes/no	
qqc_code_pg	Code Page		X(15)	
qqc_date_form	Date Format		X(3)	
◇ qqc_domain	Domain		x(8)	
qqc_email_flg	E-mail Enabled		yes/no	
qqc_email_notlvl	E-mail Notification Level		x(1)	
qqc_email_userid	E-mail Recipient User ID		x(8)	
qqc_ex_arch_dir	Export File Archive Directory		x(65)	
qqc_ex_map_flg	Export Mapping Enabled		yes/no	
qqc_im_arch_dir	Import File Archive Directory		x(65)	

Field Name	Label	Col-Label	Format	Dec
qqc_im_map_flg	Import Mapping Enabled		yes/no	
qqc_mfgpro_site	Host MFG/PRO Site		x(8)	
qqc_mod_date	Modified Date	Mod Date	99/99/99	
qqc_mod_userid	User ID		x(8)	
qqc_mom_cmd	MOM Start Command		X(65)	
qqc_mom_start	Start at Login		yes/no	
qqc_msg_ack_lvl	Message Acknowledgment Level		x(8)	
qqc_msg_clnt_ord	Message Client Request Ordering		x(8)	
qqc_msg_persist	Message Persistence		X(8)	
qqc_msg_priority	Message Priority		x(8)	
qqc_msg_routing	Message Routing		x(8)	
qqc_msg_secur	Message Security		X(8)	
qqc_msg_sync	Message Sync Scope		X(8)	
qqc_msg_ttl	Message Time To Live		x(8)	
qqc_num_form	Numeric Format		X(8)	
qqc_pause_sev	Pause Severity Level		x(1)	
qqc_proc_flg	Import Processing Enabled		yes/no	
qqc_publ_flg	Publishing Enabled		yes/no	
qqc_queue_pub	Queue Published Documents		X(1)	
qqc_rcv_flg	Receiving Enabled		yes/no	
qqc_send_flg	Sending Enabled		yes/no	
qqc_shut_proc	Session Shutdown Procedure		x(24)	
qqc_start_proc	Session Startup Procedure		x(24)	
qqc_sys_id	System ID		x(10)	
qqc_sys_ver	System Version		x(8)	
qqc_timezone	Time Zone		x(5)	
qqc_user1	Ufld1		x(8)	
qqc_user2	Ufld2		x(8)	
qqc__dec01			->>>, >>>, >>9.99<	10
qqc__dec02			->>>, >>>, >>9.99<	10
qqc__dte01			99/99/99	
qqc__dte02			99/99/99	
qqc__int01			->>>, >>>, >>9	
qqc__int02			->>>, >>>, >>9	
qqc__log01			yes/no	
qqc__log02			yes/no	
qqc__qadc01			x(8)	
qqc__qadc02			x(8)	
qqc__qadc03			x(8)	
qqc__qadc04			x(8)	
qqc__qadd01			->>>, >>>, >>9.99<	10
qqc__qadd02			->>>, >>>, >>9.99<	10
qqc__qadi01			->>>, >>>, >>9	
qqc__qadi02			->>>, >>>, >>9	
Δ qqc__qadi03			->>>>>>>9	
qqc__qadi01			yes/no	
qqc__qadi02			yes/no	
qqc__qadt01			99/99/99	
qqc__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* Index1	yes	qqc_domain	yes	no
◇ oid_qqc_ctrl	yes	oid_qqc_ctrl	yes	no

Field Name	Label	Col-Label	Format	Dec
qr_qty_accpt	Qty Accepted		->, >>>, >>9.9<<<<<<<<<	10
qr_qty_ord	Qty Pending		->, >>>, >>9.9<<<<<<<<<	10
qr_qty_rjct	Qty Rejected		->, >>>, >>9.9<<<<<<<<<	10
qr_start	Start Date	Start	99/99/99	
qr_status	Status	St	x(1)	
qr_tool	Tool Code	Tool	x(8)	
qr_user1	Ufld1		x(8)	
qr_user2	Ufld2		x(8)	
qr_wkctr	Work Center	Work Ctr	x(8)	
qr__chr01			x(8)	
qr__chr02			x(8)	
qr__chr03			x(8)	
qr__chr04			x(8)	
qr__chr05			x(8)	
qr__dec01			>>>, >>>, >>9.99	10
qr__dec02			>>>, >>>, >>9.99	10
qr__dte01			99/99/99	
qr__dte02			99/99/99	
qr__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_qr_test	yes	oid_qr_test	yes	no
qr_lot	yes	qr_domain	yes	no
		qr_lot	yes	no
		qr_op	yes	no
Δ* qr_nbropp	yes	qr_domain	yes	no
		qr_nbr	yes	no
		qr_lot	yes	no
		qr_op	yes	no
Δ qr_part	no	qr_domain	yes	no
		qr_part	yes	no
		qr_op	yes	no

qtbl_ext

QAD Table Extension

Field Name	Label	Col-Label	Format	Dec
oid_qtbl_ext			>>>>>>>>>>>>>>>>>>>>>>9	10
qtbl_key1	Key Field 1		.9<<<<<<<<	
qtbl_key2	Key Field 2		x(24)	
qtbl_key3	Key Field 3		x(24)	
qtbl_key4	Key Field 4		x(24)	
qtbl_key5	Key Field 5		x(24)	
qtbl_key6	Key Field 6		x(24)	
qtbl_owner	Owner		x(8)	
qtbl_qadc01			x(24)	
qtbl_qadc02			x(24)	
qtbl_qadc03			x(24)	
qtbl_qadc04			x(24)	
qtbl_qadc05			x(24)	
qtbl_qadd01			->>>>, >>>, >>9.9<<<<<<<<	10
qtbl_qadd02			->>>>, >>>, >>9.9<<<<<<<<	10

Customer Sequence Schedule Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rcc_mstr	yes	oid_rcc_mstr	yes	no
Δ* rcc_index1	yes	rcc_domain	yes	no
		rcc_addr	yes	no

Customer Sequence Schedule Control



Field Name	Label	Col-Label	Format	Dec
rcf_invoice edi	Send Sequence with Invoice		yes/no	
rcf_invoice_print	Print Sequence on Invoice		yes/no	
rcf_max_tol	Maximum Tolerance		>>>>9	
rcf_merge_seq	Merge Schedules		yes/no	
rcf_mod_date	Modified Date	Mod Date	99/99/99	
rcf_mod_pgm	Last Program		x(8)	
rcf_mod_userid	User ID		x(8)	
rcf_packing_order	Packing Order		forward/reverse	
rcf_sch_default	Schedule Order Default		yes/no	
rcf_seq_per_container	Sequences Per Container		>>>>>>>9	
rcf_shipper_print	Print Sequence on Shipper		yes/no	
rcf_user1	Ufld1		x(8)	
rcf_user2	Ufld2		x(8)	
rcf__qadc01			x(8)	
rcf__qadc02			x(8)	
rcf__qadd01			->, >>>, >>9.9<<<<<<<<	10
rcf__qadd02			->, >>>, >>9.9<<<<<<<<	10
rcf__qadi01			->, >>>, >>9	
rcf__qadi02			->, >>>, >>9	
rcf__qadi03			->>>>>>>9	
rcf__qadi01			yes/no	
rcf__qadi02			yes/no	
rcf__qadi03			yes/no	
rcf__qadi04			yes/no	
rcf__qadt01			99/99/99	
rcf__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_rcf_ctrl	yes	oid_rcf_ctrl	yes	no
Δ^* rcf_index1	yes	rcf_domain	yes	no

rcsd_det

Customer Sequence Schedule Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_rcsd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
rcsd_cum_qty	Cum Quantity		.9<<<<<<<<<	10
rcsd_custref	Customer Ref		>>, >>>, >>9.9<<<<<<<<<	
rcsd_cust_build_date	Customer Build Date		x(30)	
rcsd_cust_job	Customer Job		99/99/99	
rcsd_cust_part	Customer Item		x(30)	
rcsd_cust_po	PO Number		x(30)	
rcsd_cust_ref	Customer Reference		x(22)	
rcsd_cust_seq	Customer Sequence		x(30)	
rcsd_date	Date		x(30)	
rcsd_deleted	Deleted		99/99/99	
rcsd_derived_rlse_id	Derived Release ID		yes/no	
rcsd_discr_qty	Quantity		x(30)	
rcsd_dock	Customer Dock		>>, >>>, >>9.9<<<<<<<<<	10
◇ rcsd_domain	Domain		x(30)	
rcsd_line	Line		x(8)	
rcsd_line_feed	Line Feed		>>9	
			x(30)	

Field Name	Label	Col-Label	Format	Dec
rcsd_modelyr	Model Year		x(4)	
rcsd_mod_date	Modified Date	Mod Date	99/99/99	
rcsd_mod_pgm	Last Program		x(8)	
rcsd_mod_userid	User ID		x(8)	
rcsd_order	Order		x(8)	
rcsd_part	Item Number		x(18)	
rcsd_picked	Picked		yes/no	
rcsd_rlse_id	Release ID		x(30)	
rcsd_shipfrom	Ship-From		x(8)	
rcsd_shipto	Ship-To		x(8)	
rcsd_status	Status		x(8)	
rcsd_time	Time		99:99	
rcsd_user1	Ufld1		x(8)	
rcsd_user2	Ufld2		x(8)	
rcsd_x_referenced	Cross Referenced		yes/no	
rcsd__qadc01			x(8)	
rcsd__qadc02			x(8)	
rcsd__qadd01			->,>>>,>>9.9<<<<<<<<<	10
rcsd__qadd02			->,>>>,>>9.9<<<<<<<<<	10
rcsd__qadi01			->,>>>,>>9	
rcsd__qadi02			->,>>>,>>9	
rcsd__qadi01			yes/no	
rcsd__qadi02			yes/no	
rcsd__qadt01			99/99/99	
rcsd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rcsd_det	yes	oid_rcsd_det	yes	no
Δ* rcsd_index1	yes	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_ref	yes	no
		rcsd_dock	yes	no
		rcsd_line_feed	yes	no
Δ rcsd_index2	no	rcsd_domain	yes	no
		rcsd_shipfrom	yes	no
		rcsd_shipto	yes	no
		rcsd_rlse_id	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no
		rcsd_cust_job	yes	no
		rcsd_cust_seq	yes	no
		rcsd_part	yes	no
Δ rcsd_index3	no	rcsd_domain	yes	no
		rcsd_order	yes	no
		rcsd_line	yes	no
		rcsd_rlse_id	yes	no
		rcsd_part	yes	no
		rcsd_date	yes	no
		rcsd_time	yes	no

Field Name	Label	Col-Label	Format	Dec
rctx_user2	Ufid2		x(8)	
rctx_qadc01			x(8)	
rctx_qadc02			x(8)	
rctx_qadd01			->, >>>, >>9.9<<<<<<<<<	10
rctx_qadd02			->, >>>, >>9.9<<<<<<<<<	10
rctx_qadi01			->, >>>, >>9	
rctx_qadi02			->, >>>, >>9	
rctx_qadi01			yes/no	
rctx_qadi02			yes/no	
rctx_qadt01			99/99/99	
rctx_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rcsx_ref	yes	oid_rcsx_ref	yes	no
Δ* rcsx_index1	yes	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_shipped_rlse_id	yes	no
		rcsx_shipped_cust_job	yes	no
		rcsx_shipped_cust_seq	yes	no
		rcsx_shipped_part	yes	no
		rcsx_shipped_date	yes	no
		rcsx_shipped_time	yes	no
		rcsx_shipped_cust_ref	yes	no
		rcsx_shipped_dock	yes	no
		rcsx_shipped_line_feed	yes	no
Δ rcsx_index2	no	rcsx_domain	yes	no
		rcsx_shipfrom	yes	no
		rcsx_shipto	yes	no
		rcsx_rlse_id	yes	no
		rcsx_cust_job	yes	no
		rcsx_cust_seq	yes	no
		rcsx_part	yes	no
		rcsx_date	yes	no
		rcsx_time	yes	no
		rcsx_cust_ref	yes	no
		rcsx_dock	yes	no
		rcsx_line_feed	yes	no

rsc_mstr Customer Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rcs_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
racs_active	Active		.9<<<<<<<<<	
racs_active_date	Active Date	Active! Date	yes/no	
racs_active_end	Active End		99/99/99	
racs_active_start	Active Start		99/99/99	
racs_check_seq_tol	Check Sequence Tolerance	Check! Tol	99/99/99	
racs_cr_date	Create Date	Create! Date	yes/no	
racs_cr_time	Create Time	Create! Time	99/99/99	
racs_cumulative	Cumulative		x(5)	
			yes/no	

Field Name	Label	Col-Label	Format	Dec
rcs_date_type	Schedule Date Type	Schedule! Date! Type	Ship/Delivery	
◇ rcs_domain	Domain		x(8)	
rcs_max_tol	Maximum Tolerance	Max! Tol	>>>>9	
rcs_mod_date	Modified Date	Mod Date	99/99/99	
rcs_mod_pgm	Last Program		x(8)	
rcs_mod_userid	User ID		x(8)	
rcs_packing_order	Packing Order	Packing! Order	forward/reverse	
rcs_rlse_id	Release ID		x(30)	
rcs_seq_per_container	Sequences Per Container		>>>>>>9	
rcs_shipfrom	Ship-From		x(8)	
rcs_shipto	Ship-To		x(8)	
rcs_user1	Ufld1		x(8)	
rcs_user2	Ufld2		x(8)	
rcs__qadc01			x(8)	
rcs__qadc02			x(8)	
rcs__qadd01			->,>>>,>>9.9<<<<<<<<	10
rcs__qadd02			->,>>>,>>9.9<<<<<<<<	10
rcs__qadi01			->,>>>,>>9	
rcs__qadi02			->,>>>,>>9	
rcs__qadi01			yes/no	
rcs__qadi02			yes/no	
rcs__qadt01			99/99/99	
rcs__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rcs_mstr	yes	oid_rcs_mstr	yes	no
Δ* rcs_index1	yes	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_rlse_id	yes	no
Δ rcs_index2	no	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_active_date	yes	no
Δ rcs_index3	no	rcs_domain	yes	no
		rcs_shipfrom	yes	no
		rcs_shipto	yes	no
		rcs_active	yes	no

rdf mstr

Service/Support Return Defaults Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_rdf_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<<	
rdf_addr	Address		x(8)	
rdf_area	Area		x(8)	
rdf_bom_code	Bill of Material		x(18)	
rdf_ca_int_type	Work Code	WK Code	x(8)	
rdf_ca_type	Call Type		x(8)	0
rdf_desc	Description		x(24)	
◇ rdf_domain	Domain		x(8)	
rdf_email	Email Address		x(48)	

Field Name	Label	Col-Label	Format	Dec
rdf_es_nbr	Repair Sequence	Rep Seq	x(8)	0
rdf_fax	Fax		x(20)	
rdf_group	Group		x(8)	
rdf_mod_date	Modified Date	Mod Date	99/99/99	
rdf_mod_userid	User ID		X(8)	
rdf_notify	Notify		yes/no	
rdf_part	Item		x(18)	
rdf_prod_line	Prod Line	Line	x(4)	
rdf_repair_days	Repair Days		>,>>9.99	10
rdf_rep_loc	Repair Location		x(8)	
rdf_rep_site	Repair Site		x(8)	
rdf_routing	Routing Code		x(18)	
rdf_rrts_loc	Return from RTS Location		x(8)	
rdf_rrts_site	Return from RTS Site		x(8)	
rdf_rtn_loc	Return Location		x(8)	
rdf_rtn_site	Return Site		x(8)	
rdf_rts_loc	RTS Location		x(8)	
rdf_rts_site	RTS Site		x(8)	
rdf_scrap_loc	Scrap Location		x(8)	
rdf_scrap_site	Scrap Site		x(8)	
rdf_ship_time	Ship Days		>>9	10
rdf_spare_loc	Spares Location		x(8)	
rdf_spare_site	Spares Site		x(8)	
rdf_srtm_loc	Sales Return Location		x(8)	
rdf_srtm_site	Sales Return Site		x(8)	
rdf_svc_group	Service Group	Svc Grp	x(8)	0
rdf_transit_loc	Transit Location		x(8)	
rdf_transit_site	Transit Site		x(8)	
rdf_user1	Ufld1		x(8)	
rdf_user2	Ufld2		x(8)	
rdf_chr01			x(8)	
rdf_chr02			x(8)	
rdf_chr03			x(8)	
rdf_chr04			x(8)	
rdf_chr05			x(8)	
rdf_dec01			>>>,>>>,>>9.99	10
rdf_dec02			>>>,>>>,>>9.99	10
rdf_dte01			99/99/99	
rdf_dte02			99/99/99	
rdf_log01			yes/no	
rdf_log02			yes/no	
rdf_qadc01	QAD Character Field 1		X(8)	
rdf_qadc02	QAD Character Field 2		X(8)	
rdf_qadc03	QAD Character Field 3		X(8)	
rdf_qade01	QAD Decimal Field 1		->>>,>>>,>>9.99<<	10
rdf_qade02	QAD Decimal Field 2		->>>,>>>,>>9.99<<	10
rdf_qadl01	Qad Logical Field 1		yes/no	
rdf_qadl02	QAD Logical Field 2		yes/no	
rdf_qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rdf_mstr	yes	oid_rdf_mstr	yes	no
△* rdf_part	yes	rdf_domain	yes	no
		rdf_prod_line	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		rdf_svc_group	yes	no
		rdf_ca_int_type	yes	no
		rdf_part	yes	no
		rdf_area	yes	no

reg_mstr

Service/Support Region Master

Field Name	Label	Col-Label	Format	Dec
oid_reg_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
reg_3rd_party	Third Party		.9<<<<<<<<<	
reg_code	Area		yes/no	
reg_desc	Description		x(18)	
reg_domain	Domain		x(24)	
reg_lang	Language		x(8)	
reg_loc	Location		x(2)	
reg_loc_rtn	Defective Location	Df Loc	x(8)	
reg_mod_date	Modified Date	Mod Date	99/99/99	
reg_mod_userid	User ID		X(8)	
reg_prod_line	Product Line	Prod	x(8)	
reg_project	Project		x(8)	
reg_repair	Repair Center		yes/no	
reg_site	Site		x(8)	
reg_site_rtn	Defective Site	Df Site	x(8)	
reg_time_zone	Hours from GMT		>>9	
reg_type	Type		x(8)	
reg_user1	Ufld1		x(8)	
reg_user2	Ufld2		x(8)	
reg_wkctr	Work Center	Work Ctr	x(8)	
reg__chr01			x(8)	
reg__chr02			x(8)	
reg__chr03			x(8)	
reg__dec01			->>>, >>>, >>9.99	10
reg__dec02			->>>, >>>, >>9.99	10
reg__dte01			99/99/99	
reg__dte02			99/99/99	
reg__log01			yes/no	
reg__log02			yes/no	
reg__qadc01	QAD Character Field 1		X(8)	
reg__qadc02	QAD Character Field 2		X(8)	
reg__qadc03	QAD Character Field 3		X(8)	
reg__qadc04			x(8)	
reg__qadc05			x(4)	
reg__qade01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
reg__qadl01	QAD Logical Field 1		yes/no	
reg__qadl02	QAD Logical Field 2		yes/no	
reg__qadt01	QAD Date Field 1		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_reg_mstr	yes	oid_reg_mstr	yes	no
△* reg_code	yes	reg_domain	yes	no
		reg_code	yes	no

Requisition Detail

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_req_det	yes	oid_req_det	yes	no
Δ req_apr_code	yes	req_domain	yes	no
		req_apr_code	yes	no
		req_nbr	yes	no
		req_line	yes	no
Δ* req_nbr	yes	req_domain	yes	no
		req_nbr	yes	no
		req_line	yes	no
Δ req_part	no	req_domain	yes	no
		req_part	yes	no

rh_d_hist

Return Material Authorization Detail History

Field Name	Label	Col-Label	Format	Dec
oid_rhd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rhd_chg_type	Charge Type		x(8)	
rhd_cmtindx	Comment Index		>>>>>>>9	
rhd_covered	Covered Amount		>>>, >>>, >>9.99<<<	10
rhd_cpl_date	Received Date	Rec Date	99/99/99	
rhd_cust	Customer		x(8)	
rhd_customs	Customs Value		>>>, >>>, >>9.99	10
rhd_cvr_pct	Coverage Percent	Cvr Per	->, >>9.99	10
rhd_desc	Description		X(24)	
rhd_domain	Domain		x(8)	
rhd_done	Received		yes/no	
rhd_edit_isb	Edit Installed Base		yes/no	
rhd_end	End Time		99:99	
rhd_enduser	End User		x(8)	
rhd_eng_area	Eng Area		x(8)	
rhd_eng_code	Engineer Code	Eng Code	x(8)	
rhd_eu_area	End User Area		x(8)	
rhd_exp_date	Expected Date	Exp Date	99/99/99	
rhd_fault_cd	Fault Code	Fault	x(8)	
rhd_file_type			x(3)	
rhd_histype	History Type		x(4)	
rhd_ins_date	Install Date	Ins Date	99/99/99	
rhd_iss	Inv Iss		yes/no	
rhd_line	Line	Ln	>>9	
rhd_link	Line to Line		>>9	
rhd_loaner	Loaner Sent		yes/no	
rhd_loc	To Location		x(8)	
rhd_mod_date	Modified Date	Mod Date	99/99/99	
rhd_mod_userid	User ID		X(8)	
rhd_nbr	Sales Order	Order	x(8)	
rhd_op_tran	Op Tran		X(8)	
rhd_part	Item		x(18)	
rhd_par_date	Parent Install Date	Par Ins	99/99/99	
rhd_par_part	Parent Item		x(18)	
rhd_par_ser	Parent Serial		x(18)	
rhd_prefix	Prefix		x(1)	
rhd_price	Price		>>>, >>>, >>9.99<<<	10
rhd_process	Processing		x(2)	
rhd_prodlne	Product Line	Line	x(4)	
rhd_qty_acp	Qty Received		->, >>>, >>9.9<<<<<<<<<	10
rhd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<	10
rhd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<<	10
rhd_qty_rel	Qty Released		->, >>>, >>9.9<<<	10
rhd_ref	Ref		>>>>>>>9	
rhd_restock	Restock		>>>, >>9.99<<<	10
rhd_rev	Item Revision		x(8)	
rhd_rma_line	RMA Line	Ln	>>9	
rhd_rma_nbr	Return Id	Return	x(8)	
rhd_rma_rtn	Parts Return		yes/no	
rhd_sa_nbr	Service Contract		x(8)	
rhd_serial	Serial		x(18)	
rhd_ser_lon	Loaner Serial		X(18)	
rhd_ship	Ship To		x(8)	
rhd_site	To Site		x(8)	

Field Name	Label	Col-Label	Format	Dec
rhd_start	Start Time		99:99	
rhd_status	Status		x(8)	
rhd_sv_code	Contract Type		x(8)	
rhd_trans	Transaction	Tr	x(4)	
rhd_trnbr	Transaction		>>>>>>>9	
rhd_type	Type		x(2)	
rhd_um	UM		X(2)	
rhd_um_conv	UM Conv		>>>>9.9999<<<<	10
rhd_user1	Ufld1		x(8)	
rhd_user2	Ufld2		x(8)	
rhd_chr01			x(8)	
rhd_chr02			x(8)	
rhd_chr03			x(8)	
rhd_chr04			x(8)	
rhd_chr05			x(8)	
rhd_chr06			x(8)	
rhd_chr07			x(8)	
rhd_chr08			x(8)	
rhd_chr09			x(8)	
rhd_chr10			x(8)	
rhd_dec01			>>>, >>>, >>9.99	10
rhd_dec02			>>>, >>>, >>9.99	10
rhd_dte01			99/99/99	
rhd_dte02			99/99/99	
rhd_log01			yes/no	
rhd_qadc01	QAD Character Field 1		X(8)	
rhd_qadc02	QAD Character Field 2		X(8)	
rhd_qadc03	QAD Character Field 3		X(8)	
rhd_qadd01	QAD Date Field 1		99/99/99	
rhd_qadd02	QAD Date Field 2		99/99/99	
rhd_qadd03	QAD Date Field 3		99/99/99	
rhd_qadd04	QAD Date Field 4		99/99/99	
rhd_qadd05	QAD Date Field 5		99/99/99	
rhd_qadde01	QAD Decimal Field 1		->>, >>9.99	10
rhd_qadde02	QAD Decimal Field 2		->>, >>9.99	10
rhd_qadde03	QAD decimal Field 3		->>, >>9.99	10
rhd_qadi01	QAD Integer Field 1		->, >>>, >>9	
rhd_qadi02	QAD Integer Field 2		->, >>>, >>9	
rhd_qadi03	QAD Integer Field 3		->, >>>, >>9	
rhd_qadl01	QAD Logical Field 1		yes/no	
rhd_qadl02	QAD Logical Field 2		yes/no	
rhd_qadl03	QAD Logical Field 3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rhd_hist	yes	oid_rhd_hist	yes	no
Δ rhd_nbr	no	rhd_domain	yes	no
		rhd_nbr	yes	no
Δ rhd_part	no	rhd_domain	yes	no
		rhd_part	yes	no
		rhd_nbr	yes	no
		rhd_prefix	yes	no
		rhd_line	yes	no
Δ* rhd_trnbr	yes	rhd_domain	yes	no
		rhd_file_type	yes	no
		rhd_trnbr	yes	no

rma_mstr

Return Material Authorization Master

[illegible]

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rma_mstr	yes	oid_rma_mstr	yes	no
△ rma_ca_nbr	no	rma_domain	yes	no
		rma_ca_nbr	yes	no
		rma_nbr	yes	no
△ rma_cust_ven	yes	rma_domain	yes	no
		rma_cust_ven	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no
△* rma_nbr	yes	rma_domain	yes	no
		rma_nbr	yes	no
		rma_prefix	yes	no

Return Material Authorization Control

Field Name	Label	Col-Label	Format	Dec
rmc_pl	Item Product Line		yes/no	
rmc_po_nbr	Next RTS Purchase Order		>>>>>>9	
rmc_po_pre	Purchase Order Prefix		x(3)	
rmc_po_ratetype	RTS Rate Type		x(8)	
rmc_print_trail	Print Trailer		yes/no	
rmc_prt_rtn	Print No Charge Receipts		yes/no	
rmc_repair_cd	Repair Code		x(8)	
rmc_rma_accounts	Display RMA accounts		yes/no	
rmc_route	Schedule		x(8)	
rmc_rtn_taxc	Tax Class for Returns		x(3)	
rmc_rtv_trn	Default RTV Transaction		x(4)	
rmc_site_is	Customer Return Site		x(8)	
rmc_site_iv	Return From Supplier Site		x(8)	
rmc_site_lb	Default Labor Site		x(8)	
rmc_site_os	Customer Spares Site		x(8)	
rmc_site_ov	At Supplier Site		x(8)	
rmc_so_nbr	Next RMA Sales Order		>>>>>>9	
rmc_so_pre	RMA Sales Order Prefix		x(3)	
rmc_so_ratetype	RMA Rate Type		x(8)	
rmc_swsa	Display Service Contracts		yes/no	
rmc_turn_days	Turn Around Days		>>9	
rmc_user1	Ufld1		x(8)	
rmc_user2	Ufld2		x(8)	
rmc_chr01			x(8)	
rmc_chr02			x(8)	
rmc_chr03			x(8)	
rmc_chr04			x(8)	
rmc_chr05			x(8)	
rmc_chr06			x(8)	
rmc_chr07			x(8)	
rmc_chr08			x(8)	
rmc_chr09			x(8)	
rmc_chr10			x(8)	
rmc_dec01			->>>, >>>, >>9.99	10
rmc_dec02			->>>, >>>, >>9.99	10
rmc_dec03			->>>, >>>, >>9.99	10
rmc_dte01			99/99/99	
rmc_dte02			99/99/99	
rmc_dte03			99/99/99	
rmc_dte04			99/99/99	
rmc_log01			yes/no	
rmc_log02			yes/no	
rmc_log03			yes/no	
rmc_log04			yes/no	
rmc_log05			yes/no	
rmc_qadc01	QAD Character Field 1		X(8)	
rmc_qadc02	QAD Character Field 2		X(8)	
rmc_qadc03	QAD Character Field 3		X(8)	
rmc_qadc04			x(4)	
rmc_qadc05			x(8)	
rmc_qadc06			x(4)	
rmc_qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99<<<	10
rmc_qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99<<<	10
rmc_qadi01	QAD Integer Field 1		->, >>>, >>9	
rmc_qadi02	QAD Integer Field 2		->, >>>, >>9	
rmc_qadi03			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
Δ rmc_qadi04			->>>>>>9	
rmc_qadi01	QAD Logical Field 1		yes/no	
rmc_qadi02	QAD Logical Field 2		yes/no	
rmc_qadi03	QAD Logical Field 3		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rmc_ctrl	yes	oid_rmc_ctrl	yes	no
Δ* rmc_node	yes	rmc_domain	yes	no
		rmc_node	yes	no

rmd_det	Return Material Authorization Detail

Field Name	Label	Col-Label	Format	Dec
oid_rmd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rmd_chg_type	Charge Type	CT	.9<<<<<<<<	
rmd_cmtindx	Comment Index	Comment	x(2)	
rmd_comment[5]	Comments		>>>>>>9	
rmd_covered	Covered Amount		x(40)	
rmd_cpl_date	Received Date	Rec Date	>>>>, >>>, >>9.99<<<	10
rmd_customs	Customs Value		99/99/99	
rmd_cvr_pct	Coverage Percent	Cvr Per	>>>>, >>>, >>9.99<<<	10
rmd_desc	Description		->, >>9.99	10
rmd_domain	Domain		x(24)	
rmd_done	Received		x(8)	
rmd_edit_isb	Edit Installed Base		yes/no	
rmd_end	End Time	End	yes/no	
rmd_eng_code	Engineer Code	Eng Code	99:99	
rmd_exp_date	Expected Date	Exp Date	x(8)	
rmd_fault_cd	Fault Code	Fault	99/99/99	
rmd_ins_date	Install Date		x(8)	
rmd_iss	Inv Iss		99/99/99	
rmd_line	Line	Ln	yes/no	
rmd_link	Line to Line		>>9	
rmd_loaner	Loaner Sent		>>9	
rmd_loc	To Location		yes/no	
rmd_mod_date	Modified Date	Mod Date	x(8)	
rmd_mod_userid	User ID		99/99/99	
rmd_nbr	Sales Order	Order	X(8)	
rmd_op_tran	Op Tran		x(8)	
rmd_part	Item		x(8)	
rmd_par_date	Parent Install Date		x(18)	
rmd_par_part	Parent Item		99/99/99	
rmd_par_ser	Parent Serial		x(18)	
rmd_prefix	Prefix		x(18)	
rmd_price	Price		x(1)	
rmd_process	Processing		>>>>, >>>, >>9.99<<<	10
rmd_procline	Product Line	Line	x(2)	
rmd_qty_acp	Qty Received		x(4)	
rmd_qty_non	Qty Due Billed		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_ord	Qty Expected		->, >>>, >>9.9<<<<<<<<	10
rmd_qty_rel	Qty Released		->, >>>, >>9.9<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
rmd_ref	Ref		>>>>>>>9	
rmd_restock	Restock		>>>, >>9.99<<<	10
rmd_rev	Item Revision		x(8)	
rmd_rma_line	RMA Line	Ln	>>9	
rmd_rma_nbr	Return Id	Return	x(8)	
rmd_rma_rtrn	Parts Return		yes/no	
rmd_route	Schedule		x(8)	
rmd_sa_nbr	Service Contract		x(8)	
rmd_ser	Lot/Serial		x(18)	
rmd_ser_lon	Loaner Serial		x(18)	
rmd_site	To Site		x(8)	
rmd_start	Start Time	Start	99:99	
rmd_status	Status		x(8)	
rmd_sv_code	Contract Type		x(8)	
rmd_type	Type		x(2)	
rmd_um	UM		x(2)	
rmd_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
rmd_user1	Ufld1		x(8)	
rmd_user2	Ufld2		x(8)	
rmd__chr01			x(8)	
rmd__chr02			x(8)	
rmd__chr03			x(8)	
rmd__chr04			x(8)	
rmd__chr05			x(8)	
rmd__chr06			x(8)	
rmd__chr07			x(8)	
rmd__chr08			x(8)	
rmd__chr09			x(8)	
rmd__chr10			x(8)	
rmd__dec01			>>>, >>>, >>9.99	10
rmd__dec02			>>>, >>>, >>9.99	10
rmd__dte01			99/99/99	
rmd__dte02			99/99/99	
rmd__log01			yes/no	
rmd__qadc01	QAD Character Field 1		X(8)	
rmd__qadc02	QAD Character Field 2		X(8)	
rmd__qadc03	QAD Character Field 3		X(8)	
rmd__qadc04			x(4)	
rmd__qadd01	QAD Decimal Field 1		->>>>, >>>, >>9.99	10
rmd__qadd02	QAD Decimal Field 2		->>>>, >>>, >>9.99	10
rmd__qadd03	QAD Decimal Field 3		->, >>9.99	10
rmd__qadi01	QAD Integer Field 1		->, >>>, >>9	
rmd__qadi02	QAD Integer Field 2		->, >>>, >>9	
rmd__qadi03	QAD Integer Field 3		->, >>>, >>9	
rmd__qadl01	QAD Logical Field 1		yes/no	
rmd__qadl02	QAD Logical Field 2		yes/no	
rmd__qadl03	QAD Logical Field 3		yes/no	
rmd__qadt01	QAD Date Field 1		99/99/99	
rmd__qadt02	QAD Date Field 2		99/99/99	
rmd__qadt03	QAD Date Field 3		99/99/99	
rmd__qadt04	QAD Date Field 4		99/99/99	
rmd__qadt05	QAD Date Field 5		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rmd_det	yes	oid_rmd_det	yes	no
Δ rmd_link	no	rmd_domain	yes	no
		rmd_rma_nbr	yes	no
		rmd_rma_line	yes	no
		rmd_prefix	yes	no
Δ* rmd_nbrln	yes	rmd_domain	yes	no
		rmd_nbr	yes	no
		rmd_prefix	yes	no
		rmd_line	yes	no
Δ rmd_part	no	rmd_domain	yes	no
		rmd_part	yes	no
		rmd_exp_date	yes	no
		rmd_fault_cd	yes	no
Δ rmd_type	no	rmd_domain	yes	no
		rmd_prefix	yes	no
		rmd_type	yes	no
		rmd_nbr	yes	no
		rmd_line	yes	no

rnd_mstr

Rounding Method Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_rnd_mstr			>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<	10
rnd_dec_pt	Decimal Point	Dec! Pt.	x(1)	
rnd_desc	Description		x(24)	
◇ rnd_domain	Domain		x(8)	
rnd_rnd_mthd	Rounding Method	Rnd! Mthd	x(1)	
rnd_thrshld	Rounding Threshold	Threshold	>, >>9.9999	10
rnd_unit	Rounding Unit	Rnd Unit	>, >>9.999	10
rnd_user1	Ufld1		x(8)	
rnd_user2	Ufld2		x(8)	
rnd__chr01			x(8)	
rnd__chr02			x(8)	
rnd__chr03			x(8)	
rnd__chr04			x(8)	
rnd_qad01			x(8)	
rnd_qad02			x(8)	
rnd_qad03			x(8)	
rnd_qad04			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rnd_mstr	yes	oid_rnd_mstr	yes	no
△ rnd_desc	no	rnd_domain	yes	no
		rnd_desc	yes	no
		rnd_rnd_mthd	yes	no
△* rnd_rnd_mthd	yes	rnd_domain	yes	no
		rnd_rnd_mthd	yes	no

ro_det

Routing Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_ro_det			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ro_auto_lbr	Auto Labor Report		.9<<<<<<<<	
ro_batch	Batch Qty	Batch! Qty	>, >>, >>>9.9<<<<<<<<	10
ro_bom_code	BOM Code		x(18)	
ro_cmtindx	Comment Index	Comment	>>>>>>>9	
ro_cost	Cost		>>>, >>>, >>9.99<<<	10
ro_cyc_rate	Cycles/Hour		>>>, >>9.999	10
ro_cyc_unit	Units/Cycle		>>>>>9	10
ro_desc	Description		x(24)	
ro_domain	Domain		x(8)	
ro_elm_bdn	Burden Element	Bdn Elmt	x(8)	
ro_elm_lbr	Labor Element	Lbr Elmt	x(8)	
ro_elm_sub	Subcontract Element	Sub Elmt	x(8)	
ro_end	End Date	End	99/99/99	
ro_end_ecn	End ECN		x(8)	
ro_fsc_code	Service Category		X(8)	
ro_fsm_type	FSM Type		x(8)	
ro_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
ro_lbr_ovhd	Labor Overhead	Labor Ovhd	>>, >>9.999	10
ro_mch	Machine		x(8)	
ro_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
ro_men_mch	Run Crew		->, >>, >>9.99	10
ro_milestone	Milestone Operation	Milestone	yes/no	
ro_mod_date	Modified Date	Mod Date	99/99/99	
ro_mod_userid	User ID		X(8)	
ro_move	Move Time	Move	>, >>9.9<<	10
ro_mv_nxt_op	Move Next Op		yes/no	
ro_op	Operation	Op	>>>>9	
ro_po_line	Line	Ln	>>9	
ro_po_nbr	Purchase Order	PO	x(8)	
ro_price	Price		>>>>, >>>, >>9.99<<<	10
ro_queue	Queue Time	Queue	>, >>9.9<<	10
ro_rollup	Rollup Req'd		yes/no	
ro_rollup_id	Rollup ID		x(8)	
ro_routing	Routing Code		x(18)	
ro_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
ro_setup	Setup Time	Setup	>, >>9.9<<	10
ro_setup_men	Setup Crew		->, >>, >>9.99	10
ro_start	Start Date	Start	99/99/99	
ro_start_ecn	Start ECN		x(8)	
ro_std_batch	Standard Batch Size	Batch	>>>, >>9.9	10
ro_std_op	Standard Operation	Std Op	x(8)	
ro_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
ro_sub_lead	Subcontract LT	Sub LT	>>9	
ro_tool	Tool Code	Tool	x(8)	
ro_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
ro_user1	Ufld1		x(8)	
ro_user2	Ufld2		x(8)	
ro_vend	Supplier		x(8)	
ro_wait	Wait Time	Wait	>, >>9.9<<	10
ro_wipmtl_part	WIP Item		x(18)	
ro_wkctr	Work Center	Work Ctr	x(8)	
ro_yield_pct	Yield%		>>9.99%	10
ro_chr01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_ro_det	yes	oid_ro_det	yes	no
Δ ro_fsm_type	no	ro_domain	yes	no
		ro_fsm_type	yes	no
		ro_routing	yes	no
		ro_op	yes	no
Δ* ro_routing	yes	ro_domain	yes	no
		ro_routing	yes	no
		ro_op	yes	no
		ro_start	yes	no
Δ ro_wkctr	no	ro_domain	yes	no
		ro_wkctr	yes	no
		ro_mch	yes	no

Repetitive Control

Field Name	Label	Col-Label	Format	Dec
rpc_wxfer_sub	WIP Transit Sub-Acct	Sub-Acct	x(8)	
rpc_xfer_wip	Transfer WIP		yes/no	
rpc__qadc01			x(8)	
Δ rpc__qadi01			->>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_rpc_ctrl	yes	oid_rpc_ctrl	yes	no
Δ^* rpc_index1	yes	rpc_domain	yes	no

rps_mstr

Repetitive Production Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_rps_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
rps_bom_code	BOM/Formula		x(18)	.9<<<<<<<<<
rps_domain	Domain		x(8)	
rps_due_date	Due Date		99/99/99	
rps_line	Production Line	Line	x(8)	
rps_part	Item Number		x(18)	
rps_qty_comp	Qty Completed		->, >>>, >>9.9<<<<<<<<<	10
rps_qty_req	Qty Scheduled		->, >>>, >>9.9<<<<<<<<<	10
rps_record			>>>>>>9	
rps_rel_date	Release	Rel Date	99/99/99	
rps_routing	Routing Code		x(18)	
rps_site	Site		x(8)	
rps_user1	Ufld1		x(8)	
rps_user2	Ufld2		x(8)	
rps_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rps_mstr	yes	oid_rps_mstr	yes	no
Δ* rps_part	yes	rps_domain	yes	no
		rps_part	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
Δ rps_record	yes	rps_domain	yes	no
		rps_record	yes	no
Δ rps_site	yes	rps_domain	yes	no
		rps_site	yes	no
		rps_part	yes	no
		rps_line	yes	no
		rps_due_date	yes	no
Δ rps_site_line	no	rps_domain	yes	no
		rps_site	yes	no
		rps_line	yes	no
		rps_rel_date	yes	no
		rps_part	yes	no

Requisition Approver Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rqa_mstr	yes	oid_rqa_mstr	yes	no
Δ* rqa_apr_type	yes	rqa_domain	yes	no
		rqa_apr	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no
Δ rqa_type	yes	rqa_domain	yes	no
		rqa_type	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ rqa_type_apr	yes	rqa_start	yes	no
		rqa_apr	yes	no
		rqa_domain	yes	no
		rqa_type	yes	no
		rqa_apr	yes	no
		rqa_site	yes	no
		rqa_prod_line	yes	no
		rqa_entity	yes	no
		rqa_job	yes	no
		rqa_category	yes	no
		rqa_sub_from	yes	no
		rqa_cc_from	yes	no
		rqa_start	yes	no

rqcd_det

Requisition Category Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_rqcd_det			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
rqcd_acct_from	Account From		x(8)	
rqcd_acct_to	Account To		x(8)	
rqcd_category	Category		x(8)	
◇ rqcd_domain	Domain		x(8)	
rqcd_sub_from	Sub-Account From		x(8)	
rqcd_sub_to	Sub-Account To		x(8)	
rqcd__chr01			x(8)	
rqcd__chr02			x(8)	
rqcd__chr03			x(8)	
rqcd__chr04			x(8)	
rqcd__qadc01	QAD Field		X(8)	0
rqcd__qadc02	QAD Field		X(8)	0
rqcd__qadc03	QAD Field		X(8)	0
rqcd__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_rqcd_det	yes	oid_rqcd_det	yes	no
Δ rqcd_acct_from	no	rqcd_domain	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no
		rqcd_category	yes	no
Δ^* rqcd_category	yes	rqcd_domain	yes	no
		rqcd_category	yes	no
		rqcd_acct_from	yes	no
		rqcd_sub_from	yes	no

Requisition Category Master

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_rqc_mstr	yes	oid_rqc_mstr	yes	no
Δ^* rqc_category	yes	rqc_domain	yes	no
		rqc_category	yes	no
Δ rqc_desc	no	rqc_domain	yes	no
		rqc_desc	yes	no

Requisition Approval Detail

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_rqda_det	yes	oid_rqda_det	yes	no
△	rqda_apr_userid	no	rqda_domain	yes	no
			rqda_apr_userid	yes	no

Field Name	Label	Col-Label	Format	Dec
rqd__chr02			X(8)	
rqd__chr03			X(8)	
rqd__chr04			X(8)	
rqd__qadc01	QAD Field		X(8)	0
rqd__qadc02	QAD Field		X(8)	0
rqd__qadc03	QAD Field		X(8)	0
rqd__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rqd_det	yes	oid_rqd_det	yes	no
Δ rqd_aprv_stat	no	rqd_domain	yes	no
		rqd_aprv_stat	yes	no
		rqd_nbr	yes	no
Δ* rqd_nbr	yes	rqd_domain	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
Δ rqd_need_date	no	rqd_domain	yes	no
		rqd_need_date	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
Δ rqd_part	no	rqd_domain	yes	no
		rqd_part	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
Δ rqd_site	no	rqd_domain	yes	no
		rqd_site	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no
Δ rqd_vend	no	rqd_domain	yes	no
		rqd_vend	yes	no
		rqd_nbr	yes	no
		rqd_line	yes	no

rqf_ctrl

Requisition Control

Field Name	Label	Col-Label	Format	Dec
◇ oid_rqf_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
	rqf_appr_curr	Approval Currency	x(3)	
	rqf_diraprs_req	Product Line Approvals Required	>9	
◇ rqf_domain	Domain		x(8)	
rqf_email_opt	E-mail Option		x(1)	
rqf_hcmmts	Header Comments		yes/no	
rqf_horaprs_req	Horizontal Approvals Required		>9	
	rqf_lcmmts	Line Comments	yes/no	
	rqf_ln_fmt	Ln Format (S/M)	single/multi	
	rqf_nbr	Next Requisition Number	99999999	
	rqf_oot_rtg	Out Of Tolerance Routing	x(1)	
	rqf_oot_rtg_mode	Out of Tolerance Routing Mode (A/M)	automatic/manual	
	rqf_pre	Requisition Prefix	x(3)	
	rqf_tol_pct	Tolerance Percent	>>9.99	10
	rqf_tol_val	Tolerance Value	>>>>, >>9.99	10
	rqf_use_tolpct	Use Tolerance Percent	yes/no	
	rqf_use_tolval	Use Tolerance Value	yes/no	
	rqf_vrtaprs_req	Vertical Approvals Required	>9	
	rqf__chr01		x(8)	
	rqf__chr02		x(8)	
	rqf__chr03		x(8)	
	rqf__chr04		x(8)	
	rqf__dec01		->>, >>9.99	10
	rqf__dte01		99/99/99	
	rqf__log01		yes/no	
	rqf__qadc01	QAD Field	X(8)	0
	rqf__qadc02	QAD Field	X(8)	0
	rqf__qadc03	QAD Field	X(8)	0
	rqf__qadc04	QAD Field	X(8)	0
△ rqf_qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rfq_ctrl	yes	oid_rfq_ctrl	yes	no
Δ* rqf_index1	yes	rqf_domain	yes	no

rqh_hist

Requisition History

Field Name	Label	Col-Label	Format	Dec
◇ oid_rqh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
rqh_action	Action		x(20)	
rqh_apr_userid	User ID		x(8)	
rqh_date	Date		99/99/99	
◇ rqh_domain	Domain		x(8)	
rqh_email_list	Email Sent To User ID	Email Sent! To User ID	x(255)	
rqh_ent_userid	Entered By		x(8)	
rqh_line	Line		>>>	

Field Name	Label	Col-Label	Format	Dec
rqh_nbr	Req Nbr		x(8)	
rqh_role	Role		x(1)	
rqh_role_list	Role		X(255)	
rqh_rtto_userid	Route To		x(8)	
rqh_seq_nbr			99999999	
rqh_time	Time		>>>>>>>9	
rqh__chr01			x(8)	
rqh__chr02			x(8)	
rqh__chr03			x(8)	
rqh__chr04			x(8)	
rqh__qadc01	QAD Field		X(8)	0
rqh__qadc02	QAD Field		X(8)	0
rqh__qadc03	QAD Field		X(8)	0
rqh__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rqh_hist	yes	oid_rqh_hist	yes	no
Δ* rqh_nbr	yes	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no
Δ rqh_nbr_usr	no	rqh_domain	yes	no
		rqh_nbr	yes	no
		rqh_apr_userid	yes	no
		rqh_date	yes	no
		rqh_time	yes	no
		rqh_seq_nbr	yes	no

Requisition Job Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_rqj_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
rqj_desc	Description		x(24)	
◇ rqj_domain	Domain		x(8)	
rqj_end	End Effective		99/99/99	
rqj_job	Job		x(8)	
rqj_start	Start Effective		99/99/99	
rqj__chr01			x(8)	
rqj__chr02			x(8)	
rqj__chr03			x(8)	
rqj__chr04			x(8)	
rqj__qadc01	QAD Field		X(8)	0
rqj__qadc02	QAD Field		X(8)	0
rqj__qadc03	QAD Field		X(8)	0
rqj__qadc04	QAD Field		X(8)	0

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_rqm_det	yes	oid_rqm_det	yes	no
Δ	rqm_cat_val_date	no	rqm_domain	yes	no
			rqm_cat	yes	no
			rqm_value	yes	no
			rqm_date	yes	no
			rqm_type	yes	no
Δ*	rqm_schd	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_nbr	yes	no
			rqm_line	yes	no
			rqm_rlse_id	yes	no
			rqm_date	yes	no
			rqm_time	yes	no
			rqm_interval	yes	no
			rqm_reference	yes	no
			rqm_cat	yes	no
Δ	rqm_value	no	rqm_domain	yes	no
			rqm_type	yes	no
			rqm_cat	yes	no
			rqm_date	yes	no
			rqm_value	yes	no

Requisition Master

Field Name	Label	Col-Label	Format	Dec
oid_rqm_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
rqm_acct	Account		.9<<<<<<<<	
rqm_aprv_stat	Aprvl Status		x(8)	
rqm_apr_cmtindx	Approval Comments		x(16)	
rqm_bill	Bill-To		>>>>>>>9	
rqm_buyer	Buyer		x(8)	
rqm_category	Category		x(8)	
rqm_cc	Cost Ctr	CC	x(4)	
rqm_cls_date	Close Date	Closed	99/99/99	
rqm_cmtindx	Comments		>>>>>>>9	
rqm_contact	Contact		x(24)	
rqm_curr	Currency		x(3)	
rqm_direct	Direct Matls		yes/no	
rqm_disc_pct	Disc %		->9.99%	10
rqm_domain	Domain		x(8)	
rqm_due_date	Due Date		99/99/99	
rqm_eby_userid	Entered By		x(8)	
rqm_email_opt	E-mail Option		x(1)	
rqm_end_userid	End User		x(8)	
rqm_entity	Entity	Ent	x(4)	
rqm_ent_date	Ent Date		99/99/99	
rqm_ent_ex	Exch Rate		>>, >>9.99999<<<<<	10
rqm_exru_seq	Sequence		>>>>>>>9	
rqm_ex_rate	Exch Rate		>>>, >>, >>9.9<<<<<<<<<	10
rqm_ex_rate2	Exch Rate 2		>>>, >>, >>9.9<<<<<<<<<	10
rqm_ex_ratetype	Rate Type		x(8)	
rqm_fix_pr	Fixed Price		yes/no	

Field Name	Label	Col-Label	Format	Dec
rqm_fix_rate	Fixed Rate		yes/no	
rqm_fob	FOB		x(20)	
rqm_job	Job		x(8)	
rqm_lang	Lang		x(2)	
rqm_ln_fmt	Single/Multi		single/multi	
rqm_max_total	Max Ext Cost Total	Max Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_nbr	Req Nbr		x(8)	
rqm_need_date	Need Date		99/99/99	
rqm_open	Open		yes/no	
rqm_partial	Partial OK		yes/no	
rqm_pent_userid	Prev Route To Entered By		x(8)	
rqm_prev_rtp			yes/no	
rqm_prev_userid	Prev Route To		X(8)	
rqm_print	Print Req		yes/no	
rqm_project	Project		x(8)	
rqm_pr_list	Disc Tbl		x(8)	
rqm_pr_list2	Price Tbl	Pr Tbl	x(8)	
rqm_reason	Reason		x(30)	
rqm_req_date	Rqstn Date		99/99/99	
rqm_rmks	Remarks		x(40)	
rqm_rqby_userid	Requested By	Req By	x(8)	
rqm_rtdto_purch	Routed To Purchasing	Routed To! Purchasing	yes/no	
rqm_rtto_date	Date Routed		99/99/99	
rqm_rtto_time	Time Routed		>>>>>>>9	
rqm_rtto_userid	Route To		x(8)	
rqm_ship	Ship to		x(8)	
rqm_shipvia	Ship Via		x(20)	
rqm_site	Site		x(8)	
rqm_status	Status		x(1)	
rqm_sub	Sub-Account	Sub-Acct	x(8)	
rqm_total	Ext Cost Total	Ext! Cost Total	->>>>, >>>, >>9.99<<<	10
rqm_type	Type		x(1)	
rqm_vend	Supplier		x(8)	
rqm__chr01			x(8)	
rqm__chr02			x(8)	
rqm__chr03			x(8)	
rqm__chr04			x(8)	
rqm__dec01			->, >>9.99	10
rqm__log01			yes/no	
rqm__qadc01	QAD Field		X(8)	0
rqm__qadc02	QAD Field		X(8)	0
rqm__qadc03	QAD Field		X(8)	0
rqm__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rqm_mstr	yes	oid_rqm_mstr	yes	no
Δ rqm_buyer	no	rqm_domain	yes	no
		rqm_buyer	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
Δ rqm_job	no	rqm_domain	yes	no
		rqm_job	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
Δ* rqm_nbr	yes	rqm_domain	yes	no
		rqm_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ rqm_open	no	rqm_domain	yes	no
		rqm_open	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
Δ rqm_rqby_userid	no	rqm_domain	yes	no
		rqm_rqby_userid	yes	no
		rqm_rtdto_purch	yes	no
		rqm_nbr	yes	no
Δ rqm_rtto	no	rqm_domain	yes	no
		rqm_rtto_userid	yes	no
		rqm_open	yes	no
		rqm_nbr	yes	no

Requisition/PO Cross-Reference

Field Name	Label	Col-Label	Format	Dec
◇ oid_rqpo_ref			>>>>>>>>>>>>>>>>>>>>>>9	10
◇ rqpo_domain	Domain		x(8)	
rqpo_po_line	PO Line		>>>	
rqpo_po_nbr	Purchase Order	PO Nbr	x(8)	
rqpo_qty_ord	Qty Ord		->, >>>, >>9.<<<<<<<<<	10
rqpo_req_line	Req Line		>>>	
rqpo_req_nbr	Requisition	Req Nbr	x(8)	
rqpo__chr01			x(8)	
rqpo__chr02			x(8)	
rqpo__chr03			x(8)	
rqpo__chr04			x(8)	
rqpo__qadc01	QAD Field		X(8)	0
rqpo__qadc02	QAD Field		X(8)	0
rqpo__qadc03	QAD Field		X(8)	0
rqpo__qadc04	QAD Field		X(8)	0

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rqpo_ref	yes	oid_rqpo_ref	yes	no
△ rqpo_po_nbr	no	rqpo_domain	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
△* rqpo_req_nbr	yes	rqpo_domain	yes	no
		rqpo_req_nbr	yes	no
		rqpo_req_line	yes	no
		rqpo_po_nbr	yes	no
		rqpo_po_line	yes	no

Product Change Control Routing Slip Template Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_rstd_det			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
rstd_appr_code	Routing Slip		x(8)	
rstd_canreroute	Can Re-Route		yes/no	
◇ rstd_domain	Domain		x(8)	
rstd_group	Group		x(8)	
rstd_mod_date	Modified Date	Mod Date	99/99/99	
rstd_notify_nxt	Notify When Next	Nxt	yes/no	
rstd_sequence	Sequence	Seq	>>9	
rstd_svrtv_lvl	Severity Level		>>9	
rstd_user1	Ufld1		x(8)	
rstd_user2	Ufld2		x(8)	
rstd_userid	User ID		x(8)	
rstd_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rstd_det	yes	oid_rstd_det	yes	no
△* rstd_codegroup	yes	rstd_domain	yes	no
		rstd_appr_code	yes	no
		rstd_group	yes	no

Product Change Control Routing Slip Template Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_rst_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
rst_appr_code	Routing Slip		x(8)	
rst_desc	Description		X(24)	
◇ rst_domain	Domain		x(8)	
rst_mod_date	Modified Date	Mod Date	99/99/99	
rst_notify1	Notification List 1		X(72)	
rst_notify1_mail	E-mail List 1		X(255)	
rst_notify2	Notification List 2		X(72)	
rst_notify2_mail	E-mail List 2		X(255)	
rst_svrty_list	Severity List	Severity	x(8)	
rst_user1	Ufld1		x(8)	
rst_user2	Ufld2		x(8)	
rst_userid	User ID		x(8)	
rst_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rst_mstr	yes	oid_rst_mstr	yes	no
Δ* rst_code	yes	rst_domain	yes	no
		rst_appr_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ old_rsu_mstr	yes	old_rsu_mstr	yes	no
Δ rsu_doc_nbr	no	rsu_domain	yes	no
		rsu_doc_nbr	yes	no
		rsu_doc_type	yes	no
Δ* rsu_index	yes	rsu_domain	yes	no
		rsu_index	yes	no

rs_mstr	Resource Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_rs_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
	rs_desc	Description	x(24)	.9<<<<<<<<<<
◇ rs_domain	Domain		x(8)	
	rs_rsc	Resource	x(8)	
	rs_site	Site	x(8)	
	rs_um	UM	x(2)	
	rs_user1	Ufld1	x(8)	
	rs_user2	Ufld2	x(8)	
	rs_qadc01		x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_rs_mstr	yes	oid_rs_mstr	yes	no
Δ rs_desc	yes	rs_domain	yes	no
		rs_desc	yes	no
		rs_rsc	yes	no
		rs_site	yes	no
Δ* rs_rsc	yes	rs_domain	yes	no
		rs_rsc	yes	no
		rs_site	yes	no

sab_det Service Contract Billing Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_sab_det			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
sab_amt_type	Amount Type	AT	x(1)	
sab_billed_date	Billed Date		99/99/99	
sab_billed_time	Billed Time		x(8)	
sab_bill_to	Bill To		x(8)	
sab_curr	Currency	Cur	x(3)	
sab_cust	Customer		x(8)	
sab_cycle	Billing Cycle	Cyc	x(2)	
sab_desc	Description		x(24)	
◇ sab_domain	Domain		x(8)	
sab_end_cover	End Cover		99/99/99	
sab_end_date	End Date		99/99/99	
sab_eu_nbr	End User		x(8)	

Field Name	Label	Col-Label	Format	Dec
sab_exru_seq	Sequence		>>>>>>>9	
sab_ext_price	Ext Price		->>>>, >>>, >>9.99<	10
sab_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sab_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<	10
sab_ex_ratetype	Rate Type		x(8)	
sab_for	Supported Item	Item	x(18)	
sab_line	Contract Line	Con Line	>>>>>>>9	
sab_line_seq	Line Seq		>>>>>>>9	
sab_line_type	Line Type	LT	x(1)	
sab_list_pr	List Price		->>>>, >>>, >>9.99<<<	10
sab_lstcover	Last Billed	Lst Bill	99/99/99	
sab_mod_date	Modified Date	Mod Date	99/99/99	
sab_mod_userid	User ID		x(8)	
sab_nbr	Contract		x(8)	
sab_prefix	Pf		x(1)	
sab_price	Net Price		>>>>, >>>, >>9.99<<<	10
sab_qty_chg	Qty To Bill		->, >>>, >>9.9<<<<<<<<<	10
sab_qty_per	Duration		->>>>9.9<<<<	10
sab_ref	Ref		>>>>>>>9	
sab_serial	Lot/Serial		x(18)	
sab_sod_line	Sales Order Line	SO Ln	>>9	
sab_so_nbr	Sales Order	SO	x(8)	
sab_st_cover	Coverage		99/99/99	
sab_st_date	Start Date	Start	99/99/99	
sab_sv_code	Service Type	Svc Type	x(8)	
sab_taxable	Taxable	Tax	yes/no	
sab_taxc	Tax Class	TxC	x(3)	
sab_tax_env	Tax Environment	Tax Env	x(16)	
sab_tax_in	Tax In		yes/no	
sab_tax_usage	Tax Usage	TaxUsage	x(8)	
sab_ui_line	Line		>>>>9	
sab_user1	User Field Character 1		x(24)	
sab_user2	User Field character 2		x(24)	
sab_userd01	User Field Decimal 1		->>>>, >>>, >>9.99<<<<<<<<<	10
sab_useri01	User Field Integer 1		->>>>>>>9	
sab_userl01	User Field Logical 1		yes/no	
sab_usert01	User Field Date 1		99/99/99	
sab__qadc01			x(24)	
sab__qadc02			x(24)	
sab__qadd01			->>>>, >>>, >>9.99<<<<<<<<<	10
sab__qadi01			->>>>>>>9	
sab__qadl01			yes/no	
sab__qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_sab_det	yes	oid_sab_det	yes	no
Δ* sab_nbr	yes	sab_domain	yes	no
		sab_nbr	yes	no
		sab_prefix	yes	no
		sab_line	yes	no
		sab_billed_date	yes	no
		sab_billed_time	yes	no
Δ sab_so	no	sab_domain	yes	no
		sab_so_nbr	yes	no
		sab_sod_line	yes	no
		sab_line_seq	yes	no

sac_ctrl

Service Contract Control

[illegible]

Field Name	Label	Col-Label	Format	Dec
sac_user1	Ufld1		x(8)	
sac_user2	Ufld2		x(8)	
sac_user_pricing	User Contract Pricing		yes/no	
sac__chr01			x(8)	
sac__chr02			x(8)	
sac__chr03			x(8)	
sac__chr04			x(8)	
sac__chr05			x(8)	
sac__chr06			x(8)	
sac__chr07			x(8)	
sac__chr08			x(8)	
sac__chr09			x(8)	
sac__chr10			x(8)	
sac__dec01			->>>, >>>, >>9.99	10
sac__dec02			->>>, >>>, >>9.99	10
sac__dec03			->>>, >>>, >>9.99	10
sac__dte01			99/99/99	
sac__dte02			99/99/99	
sac__dte03			99/99/99	
sac__dte04			99/99/99	
sac__log01			yes/no	
sac__log02			yes/no	
sac__log03			yes/no	
sac__log04			yes/no	
sac__log05			yes/no	
sac__qad01			>>>>>>9	
sac__qadc01	QAD Character Field 1		X(8)	
sac__qadc02	QAD Character Field 2		X(8)	
sac__qadc03	QAD Character Field 3		X(8)	
sac__qadi01	QAD Integer Field 1		->, >>>, >>9	
sac__qadi02	QAD Integer Field 2		->, >>>, >>9	
sac__qadi01	QAD Logical Field 1		yes/no	
sac__qadi02	QAD Logical Field 2		yes/no	
sac__qadi03	QAD Logical Field 3		yes/no	
sac__qadi04	QAD Logical Field 4		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sac_ctrl	yes	oid_sac_ctrl	yes	no
△* sac_index1	yes	sac_domain	yes	no

sadh_hist

Service Contract Detail History

Field Name	Label	Col-Label	Format	Dec
oid_sadh_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sadh_amt_type	Amount Type	AT	.9<<<<<<<<	
sadh_area	Area		x(1)	
sadh_cancel	Cancel Date		x(8)	
sadh_ca_nbr	Call		99/99/99	
sadh_cmtindx	Comment Index	Comment	x(8)	
sadh_comment[5]	Comments		>>>>>>>9	
sadh_comm_pct[4]	Commission	Comm%	x(40)	
			>>9.99%	10

Field Name	Label	Col-Label	Format	Dec
sadh_crt_int	Credit Terms Int	CRT Int	->>>9.99	10
sadh_custpart	Customer Item		x(18)	
sadh_cycle	Billing Cycle	Cyc	x(2)	
sadh_desc	Description		x(24)	
sadh_discount	Discountable		yes/no	
sadh_disc_pct	Disc %		->>9.99%	10
◇ sadh_domain	Domain		x(8)	
sadh_end_date	End Date	End	99/99/99	
sadh_es_nbr	Escalation		x(8)	
sadh_eu_nbr	End User		x(8)	
sadh_expire	Expires		99/99/99	
sadh_fix_pr	Fixed Price		yes/no	
sadh_for	Supported Item	Item	x(18)	
sadh_fst_list	FST on List		yes/no	
sadh_lastbill	Date Last Billed		99/99/99	
sadh_line	Line	Ln	>>9	
sadh_list_pr	List Price	Lst Price	->>>, >>>, >>9.99<<	10
sadh_lstcover	Last Billed	Lst Bill	99/99/99	
sadh_lst_bill	Last Bill		99/99/99	
sadh_mod_date	Modified Date	Mod Date	99/99/99	
sadh_mod_userid	User ID		X(8)	
sadh_mrp	Link Line to MRP		yes/no	
sadh_nbr	Sales Order	Order	x(10)	
sadh_nxt_bill	Next Bill		99/99/99	
sadh_part	Service Type	Svc Type	x(8)	
sadh_pct_type	Percent Type	PT	x(1)	
sadh_per_date	Perform Date	Perform	99/99/99	
sadh_prefix	Pf		x(2)	
sadh_price	Net Price		>>>>, >>>, >>9.99<<<	10
sadh_pricing_dt	Pricing Date	Price Dt	99/99/99	
sadh_priority	Priority	Pri	>9	
sadh_prlist_fnd	Price List Found		yes/no	
sadh_prodlne	Product Line	Line	x(4)	
sadh_project	Project		x(8)	
sadh_pr_list	Price List	Prc Lst	x(8)	
sadh_pst	PST Taxable		yes/no	
sadh_pvm_bill	Bill PM		yes/no	
sadh_pvm_bom	Bill of Material		x(18)	
sadh_pvm_only	PM Only		yes/no	
sadh_pvm_route	Routing		x(18)	
sadh_qty_bld	Billed Count		->>>, >>9.9<<<<<	10
sadh_qty_chg	Qty to Bill		->, >>>, >>9.9<<<<<<<<<	10
sadh_qty_item	Item Quantity	Item Qty	>>, >>9.9	10
sadh_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sadh_qty_lst	Qty Last Billed	Last Qty	->, >>>, >>9.9<<	10
sadh_qty_per	Duration		->>>9.9<<<	10
sadh_ref	Ref		>>>>>>9	
sadh_serial	Lot/Serial		x(18)	
sadh_site	Site		x(8)	
sadh_slspsn[4]	Salesperson	Salespsn	X(8)	0
sadh_so_line	Sales Order Line		>>9	
sadh_so_ship	From Sales Order		x(8)	
sadh_so_shipln	From SO Line		>>9	
sadh_status	Status		x(8)	
sadh_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sadh_st_cover	Coverage		99/99/99	
sadh_st_date	Start Date	Start	99/99/99	

Field Name	Label	Col-Label	Format	Dec
sadh_taxable	Taxable	Tax	yes/no	
sadh_taxc	Tax Code	T	x(3)	
sadh_tax_env	Tax Environment	Tax Env.	x(16)	0
sadh_tax_in	Tax In		yes/no	
sadh_tax_usage	Nature of Operation	Nature	x(8)	
sadh_total_bld	Total Billed		>>>>,>>>,>>9.99<<<<	10
sadh_total_price	Total Price		>>>>,>>>,>>9.99<<<<	10
sadh_trnbr	Transaction		>>>>>>>>>>9	
sadh_type	Ship Type	T	x(1)	
sadh_um	UM		x(2)	
sadh_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sadh_user1	Ufld1		x(8)	
sadh_user2	Ufld2		x(8)	
sadh_visits	Visits		>>9	10
sadh__chr01	User Field #1		x(8)	
sadh__chr02	User Field #2		x(8)	
sadh__chr03	User Field #3		x(8)	
sadh__chr04	User Field #4		x(8)	
sadh__chr05	User Field #5		x(8)	
sadh__chr06	User Field #6		x(8)	
sadh__chr07	User Field #7		x(8)	
sadh__chr08	User Field #8		x(8)	
sadh__chr09	User Field #9		x(8)	
sadh__chr10	User Field #10		x(8)	
sadh__dec01	User Decimal Field #1		>>>,>>>,>>9.99	10
sadh__dec02	User Decimal Field #2		>>>,>>>,>>9.99	10
sadh__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__dte01	User Date Field #1		99/99/99	
sadh__dte02	User Date Field #2		99/99/99	
sadh__dte03	User Date #3		99/99/99	
sadh__log01	User Logical #1		yes/no	
sadh__log02	User Logical #2		yes/no	
sadh__log03	User Logical #3		yes/no	
sadh__qadc01	Qad Field #1		x(8)	
sadh__qadc02	Qad Field #2		x(8)	
sadh__qadc03	Qad Field #3		x(8)	
sadh__qadc04	Qad Field #4		x(8)	
sadh__qadc05			x(8)	
sadh__qadc06			x(4)	
sadh__qadc07			x(8)	
sadh__qadc08			x(4)	
sadh__qadc09			x(8)	
sadh__qadc10			x(4)	
sadh__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sadh__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sadh__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sadh__qadl01	QAD Logical Field		yes/no	
sadh__qadl02	Qad Logical #2		yes/no	
sadh__qadl03	Qad Logical #3		yes/no	
sadh__qadt01	Qad Date #1		99/99/99	
sadh__qadt02	Qad Date #2		99/99/99	
sadh__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sadh_hist	yes	oid_sadh_hist	yes	no
Δ sadh_nbrln	no	sadh_domain	yes	no
		sadh_nbr	yes	no
		sadh_prefix	yes	no
		sadh_line	yes	no
		sadh_end_date	yes	no
Δ sadh_serial	no	sadh_domain	yes	no
		sadh_serial	yes	no
		sadh_end_date	yes	no
Δ* sadh_trnbr	yes	sadh_domain	yes	no
		sadh_trnbr	yes	no

Service Contract Detail

Field Name	Label	Col-Label	Format	Dec
oid_sad_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sad_accrued	Accrued	Accr	.9<<<<<<<<<	
sad_acct	Sales Acct	Sales	yes/no	
sad_amt_type	Amount Type	AT	x(8)	
sad_area	Area		x(1)	
sad_autorenew	Auto Renew	Renew	x(8)	
sad_bill_to	Bill To		yes/no	
sad_blanket_eu	Blanket End User		x(8)	
sad_cancel	Cancel Date		yes/no	
sad_ca_nbr	Call		99/99/99	
sad_cc	Cost Ctr	CC	x(8)	
sad_cmtindx	Comment Index	Comment	x(4)	
sad_comment[5]	Comments		>>>>>>9	
sad_comm_pct[4]	Commission	Comm%	x(40)	
sad_crt_int	Credit Terms Int	CRT Int	>>9.99%	10
sad_curr	Currency	Cur	->>9.99	10
sad_cust	Customer		x(3)	
sad_custpart	Customer Item		x(8)	
sad_cycle	Billing Cycle	Cyc	x(18)	
sad_desc	Description		x(2)	
sad_discount	Discountable		x(24)	
sad_disc_pct	Disc %		yes/no	
sad_domain	Domain		->>9.99%	10
sad_dsc_acct	Disc Acct		x(8)	
sad_dsc_cc	CC		x(8)	
sad_dsc_project	Disc Project		x(4)	
sad_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sad_end_date	End Date	End	99/99/99	
sad_es_nbr	Escalation		x(8)	
sad_eu_nbr	End User		x(8)	
sad_expire	Expires		99/99/99	
sad_exru_seq	Sequence		>>>>>>>9	
sad_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<<	10
sad_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<<<	10
sad_ex_ratetype	Rate Type		x(8)	
sad_fix_pr	Fixed Price		yes/no	
sad_fix_rate	Fixed Rate	Fixed	yes/no	

Field Name	Label	Col-Label	Format	Dec
sad_for	Supported Item	Item	x(18)	
sad_fst_list	FST on List		yes/no	
sad_lastbill	Date Last Billed		99/99/99	
sad_line	Contract Line	Con Line	>>>>>>9	
sad_line_type	Line Type	LT	x(1)	
sad_list_pr	List Price	Lst Price	->>>>, >>>, >>9.99<<<	10
sad_lstcover	Last Billed	Lst Bill	99/99/99	
sad_lst_bill	Last Bill		99/99/99	
sad_mod_date	Modified Date	Mod Date	99/99/99	
sad_mod_userid	User ID		X(8)	
sad_mrp	Link Line to MRP		yes/no	
sad_nbr	Contract		x(8)	
sad_nxt_bill	Next Bill		99/99/99	
sad_parent_line	Parent Line		>>>>>>9	
sad_pct_type	Percent Type	PT	x(1)	
sad_per_date	Perform Date	Perform	99/99/99	
sad_po	Purchase Order		x(20)	
sad_prefix	Pf		x(2)	
sad_price	Net Price		>>>>, >>>, >>9.99<<<	10
sad_pricing_dt	Pricing Date	Price Dt	99/99/99	
sad_priority	Priority	Pri	>9	
sad_prlist_fnd	Price List Found		yes/no	
sad_prodlne	Product Line	Line	x(4)	
sad_project	Project		x(8)	
sad_pr_list	Price List	Prc Lst	x(8)	
sad_pst	PST Taxable		yes/no	
sad_pvm_bill	Bill PM		yes/no	
sad_pvm_bom	Bill of Material		x(18)	
sad_pvm_only	PM Item		yes/no	
sad_pvm_route	Routing		x(18)	
sad_qty_bld	Billed Count		->>>, >>9.9<<<<<	10
sad_qty_chg	Qty To Bill		->, >>>, >>9.9<<<<<<<<<	10
sad_qty_item	Item Quantity	Item Qty	->>, >>9.9	10
sad_qty_litm	Last Item Qty	Last Item	->>>9.9<<<	10
sad_qty_lst	Qty Last Billed	Last Qty	->, >>>, >>9.9<<	10
sad_qty_per	Duration		->>>9.9<<<	10
sad_ref	Ref		>>>>>>9	
sad_released	Released To Contract	Rel	yes/no	
sad_renewed_to	Renewed To		x(8)	
sad_serial	Lot/Serial		x(18)	
sad_site	Site		x(8)	
sad_slspsn[4]	Salesperson	Salespsn	X(8)	
sad_sod_line	Sales Order Line		>>9	
sad_so_nbr	Sales Order	Order	x(8)	
sad_so_ship	From Sales Order		x(8)	
sad_so_shipln	From SO Line		>>9	
sad_status	Status		x(8)	
sad_std_cost	Cost		->>>, >>>, >>9.99<<<	10
sad_st_cover	Coverage		99/99/99	
sad_st_date	Start Date	Start	99/99/99	
sad_sub	Sales Sub-Acct	Sub-Acct	x(8)	
sad_sv_code	Service Type	Svc Type	x(8)	
sad_taxable	Taxable	Tax	yes/no	
sad_taxc	Tax Class	TxC	x(3)	
sad_tax_env	Tax Environment	Tax Env	x(16)	
sad_tax_in	Tax In		yes/no	
sad_tax_usage	Tax Usage	TaxUsage	x(8)	

Field Name	Label	Col-Label	Format	Dec
sad_total_bld	Total Billed		>>>>,>>>,>>9.99<<<	10
sad_type	Ship Type	T	x(1)	
sad_ui_line	Line		>>>>9	
sad_um	UM		x(2)	
sad_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sad_user1	Ufld1		x(8)	
sad_user2	Ufld2		x(8)	
sad_visits	Visits		>>9	10
sad_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sad_xslspn[3]	Salesperson	Salespsn	x(8)	0
sad__chr01			x(8)	
sad__chr02			x(8)	
sad__chr03			x(8)	
sad__chr04			x(8)	
sad__chr05			x(8)	
sad__chr06			x(8)	
sad__chr07			x(8)	
sad__chr08			x(8)	
sad__chr09			x(8)	
sad__chr10			x(8)	
sad__dec01			>>>,>>>,>>9.99	10
sad__dec02			>>>,>>>,>>9.99	10
sad__dte01			99/99/99	
sad__dte02			99/99/99	
sad__log01			yes/no	
sad__qadc01	Qad Field #1		x(8)	
sad__qadc02	Qad Field #2		x(8)	
sad__qadc03	Qad Field #3		x(8)	
sad__qadc04	Qad Field #4		x(8)	
sad__qadc05			x(8)	
sad__qadc06			x(4)	
sad__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sad__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sad__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sad__qadl01	QAD Logical Field		yes/no	
sad__qadl02	Qad Logical #2		yes/no	
sad__qadl03	Qad Logical #3		yes/no	
sad__qadt01	Qad Date #1		99/99/99	
sad__qadt02	Qad Date #2		99/99/99	
sad__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sad_det	yes	oid_sad_det	yes	no
△ sad_enduser	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_eu_nbr	yes	no
		sad_line	yes	no
△ sad_eu_line	yes	sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
		sad_line_type	yes	no
		sad_eu_nbr	yes	no
		sad_ui_line	yes	no
△ sad_line_eu	no	sad_domain	yes	no
		sad_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* sad_nbrln	yes	sad_prefix	yes	no
		sad_line_type	yes	no
		sad_ui_line	yes	no
		sad_eu_nbr	yes	no
		sad_domain	yes	no
		sad_nbr	yes	no
		sad_prefix	yes	no
Δ sad_part	no	sad_line	yes	no
		sad_domain	yes	no
		sad_for	yes	no
		sad_serial	yes	no
		sad_ref	yes	no
		sad_nbr	yes	no
Δ sad_serial	no	sad_prefix	yes	no
		sad_domain	yes	no
		sad_prefix	yes	no
		sad_serial	yes	no

sah_hist

Service Contract History

Field Name	Label	Col-Label	Format	Dec
oid_sah_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sah_area	Area		.9<<<<<<<<<	
sah_arrears	Bill Arrears	Arrear	x(8)	
sah_autorenew	Auto Renew	A Renew	yes/no	
sah_base_pct	Contract Base		yes/no	
sah_bill_cnt	Bill Count	Bill Cnt	>>>9.99<<<	10
sah_bill_to	Bill To		->, >>>, >>9	
sah_bill_type	Billing Type		x(8)	
sah_blanket	Blanket Contract		x(8)	
sah_bol	BOL		yes/no	
sah_calls_allow	Calls Allowed		x(18)	
sah_calls_total	Total Calls		>>>, >>9	
sah_cancel	Cancel Date		>>>, >>9	
sah_can_tax	PST Pct		99/99/99	
sah_channel	Channel		->>9.99<<%	10
sah_cmtindx	Comment Index	Comment	x(8)	
sah_comm_pct[4]	Commission	Comm%	>>>>>>>9	
sah_complete	Complete	Cplt	>>>9.99%	10
sah_conf_date	Confirmed Date	Confirmed	yes/no	
sah_cr_card	Credit Card	Card	99/99/99	
sah_cr_init	Cr Initials	Initials	x(2)	
sah_cr_terms	Credit Terms	Terms	x(2)	
sah_curr	Currency	Cur	x(8)	
sah_cust	Customer		x(3)	
sah_cycle	Billing Cycle	Cyc	x(8)	
sah_date_printed	Date Printed		x(2)	
sah_disc_pct	Disc %		99/99/99	
sah_domain	Domain		->9.99%	10
sah_enduser	End User		x(8)	
sah_end_date	End Date		x(8)	
sah_ent_ex	Exch Rate		99/99/99	
sah_exp_date	Expire Date	Exp Date	>>, >>9.99999<<<<<	10
			99/99/99	

Field Name	Label	Col-Label	Format	Dec
sah_exru_seq	Sequence		>>>>>>>9	
sah_ext_date	Extend Date	Ext Date	99/99/9999	
sah_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10
sah_ex_rate2	Exch Rate 2		>>>>, >>>, >>9.9<<<<<<<<	10
sah_ex_ratetype	Rate Type		x(8)	
sah_fix_pr	Fixed Price		yes/no	
sah_fix_rate	Fixed Rate	Fixed	yes/no	
sah_fob	FOB Point		x(20)	
sah_free_frm	Free Coverage From		99/99/99	
sah_free_to	Free Coverage To		99/99/99	
sah_fst_id	FST ID		x(16)	
sah_gen_Oitm	Generate 0\$ Items		yes/no	
sah_hold	Hold Contract	Hld	yes/no	
sah_invoiced	Invoiced		yes/no	
sah_inv_date	Invoice Date	Inv Date	99/99/99	
sah_lang	Language		x(2)	
sah_last_bill	Last Billed	Last Bill	99/99/99	
sah_limit_copy	Renew Limits From		X(1)	
sah_lst_bill	Last Bill		99/99/99	
sah_lst_cover	Last Bill	Lst Bill	99/99/99	
sah_mod_date	Modified Date	Mod Date	99/99/99	
sah_mod_userid	User ID		X(8)	
sah_mref	Master Contract	Master	x(8)	
sah_mrp	Link to MRP		yes/no	
sah_nbr	Number		x(10)	
sah_next_dur	Next Duration		>>9.99	10
sah_nxt_bill	Next Bill		99/99/99	
sah_off_hours_pt	Off Hours Item		x(18)	
sah_ord_date	Order Date	Ord Date	99/99/99	
sah_orig_date	Original Start		99/99/99	
sah_part	Service Type	Svc Type	x(8)	
sah_periodic	Periodic Billing		yes/no	
sah_po	Purchase Order		x(20)	
sah_prefix	Pf		x(1)	
sah_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sah_print	Print Sales Order	Print SO	yes/no	
sah_print_pl	Print Pack List	Print Pack	yes/no	
sah_prodlne	Product Line	Line	x(4)	
sah_project	Project		X(8)	
sah_prt_Oitm	Print 0\$ Items		yes/no	
sah_pr_list	Price List	List	x(8)	
sah_pr_list2	List Price List	List	x(8)	
sah_pst	PST		yes/no	
sah_pst_id	PST ID		x(16)	
sah_qty_per	Duration		->>>9.9<<<	10
sah_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sah_quote	Quote		x(8)	
sah_quote_mod	Quote Modified		yes/no	
sah_release	Release to Contract	Rel	yes/no	
sah_rel_date	Release Date	Rel Date	99/99/99	
sah_renewal_date	Renewal Date		99/99/99	
sah_renewed_from	Renewed From		X(8)	0
sah_renewed_to	Renewed To		X(8)	0
sah_renew_count	Renewal Count		>>9	
sah_renew_period	Renewal Periods		>>9	
sah_revalue_date	Revaluation Date		99/99/99	
sah_reval_index	Revaluation Index Month		>>9	

Field Name	Label	Col-Label	Format	Dec
sah_reval_period	Revaluation Period		>>9	
sah_rmks	Remarks		x(40)	
sah_rsn_lost	Reason Lost		x(8)	
sah_sah_type	Type		x(8)	
sah_schedule	Billing Schedule File		yes/no	
sah_sched_start	PM Start Date	Start	yes/no	
sah_serial_det	Serial Detail		yes/no	
sah_shipvia	Ship Via		x(20)	
sah_ship_date	Ship Date		99/99/99	
sah_site	Site		x(8)	
sah_slspsn[4]	Salesperson	Salespsn	X(8)	0
sah_source	Order Source	Source	x(8)	
sah_so_nbr	Sales Order	Order	x(8)	
sah_stat	Action Status	St	x(2)	
sah_st_cover	Coverage		99/99/99	
sah_st_date	Start Date		99/99/99	
sah_summarize	Summarize		yes/no	
sah_taxable	Taxable	Tax	yes/no	
sah_taxc	Tax Code	T	x(3)	
sah_tax_date	Tax Date		99/99/99	
sah_tax_env	Tax Environment	Tax Env.	x(16)	0
sah_tax_pct[3]	Tax		->9.99%	10
sah_tax_usage	Nature of Operation	Nature	x(8)	
sah_total_billed	Total Billed		>>>>, >>>, >>9.99<<<	10
sah_total_cost	Total Cost		>>>>, >>>, >>9.99<<<	10
sah_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sah_trl1_cd	Trailer 1	Trl1	x(2)	
sah_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sah_trl2_cd	Trailer 2	Trl2	x(2)	
sah_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sah_trl3_cd	Trailer 3	Trl3	x(2)	
sah_trnbr	Transaction		>>>>>>>>>>9	
sah_type	Type		x(8)	
sah_um	UM		x(2)	
sah_user1	Ufld1		x(8)	
sah_user2	Ufld2		x(8)	
sah_visits	Visits		>>9	10
sah_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sah_xslspsn[2]	Salesperson	Salespsn	x(8)	0
sah__chr01	User Field#1		x(8)	
sah__chr02	User Field #1		x(8)	
sah__chr03	User Field #3		x(8)	
sah__chr04	User Field #4		x(8)	
sah__chr05	User Field #5		x(8)	
sah__chr06	User Field #6		x(8)	
sah__chr07	User Field #7		x(8)	
sah__chr08	User Field #8		x(8)	
sah__chr09	User Field #9		x(8)	
sah__chr10	User Field #10		x(8)	
sah__dec01	User Decimal #1		>>>, >>>, >>9.99	10
sah__dec02	User Decimal #2		>>>, >>>, >>9.99	10
sah__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sah__dte01	User Date #1		99/99/99	
sah__dte02	User Date #2		99/99/99	
sah__dte03	User Date #3		99/99/99	
sah__log01	User Logical #1		yes/no	
sah__log02	User Logical #2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sah_hist	yes	oid_sah_hist	yes	no
△ sah_enduser	no	sah_domain	yes	no
		sah_enduser	yes	no
		sah_prefix	yes	no
		sah_nbr	yes	no
△ sah_nbr	no	sah_domain	yes	no
		sah_nbr	yes	no
		sah_prefix	yes	no
		sah_end_date	yes	no
△* sah_trnbr	yes	sah_domain	yes	no
		sah_trnbr	yes	no

Service/Support Contract Limits History



Field Name	Label	Col-Label	Format	Dec
salh_fsc_code	Service Category		x(8)	
salh_itm_line	Call Item	Line	>>9	
salh_itm_part	Item Serviced		x(18)	
salh_last_activity	Last Activity Date		99/99/99	
salh_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
salh_line	Line		>>9	
salh_listpr_limit	List Price Limit		->>>>,>>>,>>9.99	10
salh_mod_date	Modified Date	Mod Date	99/99/99	
salh_mod_userid	User ID		X(8)	
salh_nbr	Number		x(10)	
salh_op	Operation	Oper	>>>>>9	
salh_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
salh_pct_covered	Percent Covered	%Cv	>>9	10
salh_per_call	Per Call Limit		yes/no	
salh_prefix			x(2)	
salh_report	Report		X(8)	0
salh_sequence	Sequence		>>9	
salh_start	Start		99/99/99	
salh_total	Consumed		>>>>,>>>,>>9.99<<<	10
salh_trnbr	Trans		>>>>>>>	
salh_type	Type		x(2)	
salh_unposted_amt	Unpost Amounts		->>>>,>>>,>>9.99	10
salh_usage	Usage		X(18)	0
salh_user1	Ufld1		x(8)	
salh_user2	Ufld2		x(8)	
salh_chr01	User Field #1		x(8)	
salh_chr02	User Field #2		x(8)	
salh_chr03	User Field #3		x(8)	
salh_chr04	User Field #4		x(8)	
salh_dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
salh_dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
salh_dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
salh_dte01	User Date #1		99/99/99	
salh_dte02	User Date #2		99/99/99	
salh_dte03	User Date #3		99/99/99	
salh_log01	User Logical #1		yes/no	
salh_log02	User Logical #2		yes/no	
salh_log03	User Logical #3		yes/no	
salh_qadc01	Qad Field #1		x(8)	
salh_qadc02	Qad Field #2		x(8)	
salh_qadc03	Qad Field #3		x(8)	
salh_qadc04	Qad Field #4		x(8)	
salh_qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
salh_qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
salh_qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
salh_qadd04	Qad Decimal #4		->>>,>>>,>>9.99<<<<	10
salh_qadl01	Qad Logical #1		yes/no	
salh_qadl02	Qad Logical #2		yes/no	
salh_qadl03	Qad Logical #3		yes/no	
salh_qadl04	QAD Field		yes/no	
salh_qadt01	Qad Date #1		99/99/99	
salh_qadt02	Qad Date #2		99/99/99	
salh_qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_salh_hist	yes	oid_salh_hist	yes	no
Δ salh_call	no	salh_domain	yes	no
		salh_category	yes	no
		salh_call	yes	no
		salh_itm_line	yes	no
		salh_report	yes	no
		salh_op	yes	no
		salh_usage	yes	no
		salh_trnbr	yes	no
Δ salh_days	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_sequence	yes	no
Δ salh_nbr	no	salh_domain	yes	no
		salh_file	yes	no
		salh_prefix	yes	no
		salh_nbr	yes	no
		salh_line	yes	no
		salh_type	yes	no
		salh_fis_sort	yes	no
		salh_ca_int_type	yes	no
		salh_fsc_code	yes	no
		salh_start	yes	no
		salh_trnbr	yes	no
Δ* salh_trnbr	yes	salh_domain	yes	no
		salh_trnbr	yes	no

sal_mstr

Service/Support Contract Limits Master

Field Name	Label	Col-Label	Format	Dec
oid_sal_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
sal_bg_price	Price		.9<<<<<<<<	
sal_budget	Budget		->>>, >>>, >>9.99<<<	10
sal_calls_allow	Calls Allowed		>>>, >>>, >>9.99<<<	10
sal_calls_total	Total Calls		>>9	
sal_ca_int_type	Work Code	Wk Code	>>9	
sal_code	Limit Code		x(8)	
sal_days	Days of Coverage	Days	x(8)	
sal_domain	Domain		>, >>>, >>9	
sal_end	End Date		x(8)	
sal_fcg_code	Charge Code	Charge	99/99/99	
sal_file	File		x(8)	
sal_first_activity	First Activity		x(16)	
sal_fis_sort	Invoice Sort		99/99/99	
sal_fsc_code	Service Category	Svc Cat	x(18)	
sal_last_activity	Last Activity		x(8)	
			99/99/99	

Field Name	Label	Col-Label	Format	Dec
sal_limit_amt	Limit Amount	Amount	>>>>,>>>,>>9.99<<<	10
sal_line	Line		>>>>>>>9	
sal_listpr_limit	List Price Limit		>>>>,>>>,>>9.99<<<	10
sal_mod_date	Modified Date	Mod Date	99/99/99	
sal_mod_userid	User ID		X(8)	
sal_nbr	Number		x(36)	
sal_ov_fcg_code	Over Limit Charge Code	Ovr Chg	x(8)	
sal_pct_covered	Percent Covered	%Cv	>>9	10
sal_per_call	Per Call Limit	Call	yes/no	
sal_prefix			x(3)	
sal_sequence	Sequence	Seq	>>9	
sal_start	Start		99/99/99	
sal_total	Consumed		>>>>,>>>,>>9.99<<<	10
sal_type	Type		x(2)	
sal_unposted_amt	Used/Unposted		>>>>,>>>,>>9.99<<<	10
sal_user1	Ufld1		x(8)	
sal_user2	Ufld2		x(8)	
sal__chr01	User Field #1		x(8)	
sal__chr02	User Field #2		x(8)	
sal__chr03	User Field #3		x(8)	
sal__chr04	User Field #4		x(8)	
sal__dec01	User Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__dec02	User Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__dec03	User Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__dte01	User Date #1		99/99/99	
sal__dte02	User Date #2		99/99/99	
sal__dte03	User Date #3		99/99/99	
sal__log01	User Logical #1		yes/no	
sal__log02	User Logical #2		yes/no	
sal__log03	User Logical #3		yes/no	
sal__qadc01	Qad Field #1		x(8)	
sal__qadc02	Qad Field #2		x(8)	
sal__qadc03	Qad Field #3		x(8)	
sal__qadc04	Qad Field #4		x(8)	
sal__qadd01	Qad Date #1		99/99/99	
sal__qadd02	Qad Date #2		99/99/99	
sal__qadd03	Qad Date #3		99/99/99	
sal__qadde01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sal__qadde02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10
sal__qadde03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sal__qadl01	Qad Logical #1		yes/no	
sal__qadl02	Qad Logical #2		yes/no	
sal__qadl03	Qad Logical #3		yes/no	
sal__qadl04	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sal_mstr	yes	oid_sal_mstr	yes	no
Δ sal_days	no	sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* sal_nbr	yes	sal_sequence	yes	no
		sal_domain	yes	no
		sal_file	yes	no
		sal_prefix	yes	no
		sal_nbr	yes	no
		sal_line	yes	no
		sal_type	yes	no
		sal_fis_sort	yes	no
		sal_ca_int_type	yes	no
		sal_fsc_code	yes	no
		sal_start	yes	no

Service Contract Preventive Maintenance Detail

Field Name	Label	Col-Label	Format	Dec
oid_sap_det			>>>>>>>>>>>>>>>>>>>>>9	10
sap_act_date	Actual Date	Actual	.9<<<<<<<<<<	
sap_assign	Assigned		99/99/99	
sap_bom_type	BOM Type		X(8)	
sap_ca_nbr	Call ID		x(8)	
sap_confirmed	MRP Confirmed		yes/no	
sap_desc	Comments		x(34)	
sap_domain	Domain		x(8)	
sap_group	Schedule Group		x(8)	
sap_line	Contract Line		>>>>>>>9	
sap_mod_date	Modified Date	Mod Date	99/99/99	
sap_mod_userid	User ID		X(8)	
sap_mrp	Link to MRP		yes/no	
sap_nbr	Contract Number		x(8)	
sap_prefix	Prefix		x(2)	
sap_sched_date	Schedule Date	Schedule	99/99/99	
sap_user1	Ufid1		x(8)	
sap_user2	Ufid2		x(8)	
sap__qadc01	QAD Characater Field 1		X(8)	
sap__qadc02	QAD Character Field 2		X(8)	
sap__qadd01	QAD Date Field 1		99/99/99	
sap__qadd02	QAD Date Field 2		99/99/99	
sap__qadi01	QAD Integer Field 1		->, >>>, >>9	
sap__qadi02	QAD Integer Field 2		->, >>>, >>9	
sap__qadl01	QAD Logical Field 1		yes/no	
sap__qadl02	QAD Logical Field 2		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sap_det	yes	oid_sap_det	yes	no
△ sap_assign	no	sap_domain	yes	no
		sap_assign	yes	no
		sap_sched_date	yes	no
△ sap_grpsch	no	sap_domain	yes	no
		sap_nbr	yes	no
		sap_prefix	yes	no
		sap_group	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* sap_nbrln	yes	sap_sched_date	yes	no
		sap_domain	yes	no
		sap_nbr	yes	no
		sap_prefix	yes	no
		sap_line	yes	no
Δ sap_sched	no	sap_sched_date	yes	no
		sap_domain	yes	no
		sap_group	yes	no
		sap_sched_date	yes	no
		sap_prefix	yes	no
Δ sap_sched_date	no	sap_nbr	yes	no
		sap_domain	yes	no
		sap_sched_date	yes	no

Service Contract Serial Number Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sar_mstr	yes	oid_sar_mstr	yes	no
Δ* sar_nbrln	yes	sar_domain	yes	no
		sar_nbr	yes	no
		sar_prefix	yes	no
		sar_sad_line	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
Δ sar_serial	no	sar_domain	yes	no
		sar_prefix	yes	no
		sar_serial	yes	no
		sar_part	yes	no
		sar_ref	yes	no
		sar_nbr	yes	no
		sar_sad_line	yes	no
Δ sar_serialref	yes	sar_domain	yes	no
		sar_part	yes	no
		sar_serial	yes	no
		sar_ref	yes	no
		sar_prefix	yes	no
		sar_nbr	yes	no
		sar_sad_line	yes	no

Field Name	Label	Col-Label	Format	Dec
sa_fst_id	FST ID		x(18)	
sa_gen_0itm	Generate 0\$ Items		yes/no	
sa_hold	Hold Contract	Hld	yes/no	
sa_invoiced	Invoiced		yes/no	
sa_inv_date	Invoice Date	Inv Date	99/99/99	
sa_item_enduser	Item End Users		yes/no	
sa_lang	Language		x(2)	
sa_last_bill	Last Billed	Last Bill	99/99/99	
sa_limit_copy	Renew Limits From		X(1)	
sa_lst_bill	Last Bill		99/99/99	
sa_lst_cover	Last Bill	Lst Bill	99/99/99	
sa_mod_date	Modified Date	Mod Date	99/99/99	
sa_mod_userid	User ID		X(8)	
sa_mref	Master Contract	Master	x(8)	
sa_mrp	Link to MRP		yes/no	
sa_nbr	Number		x(8)	0
sa_next_dur	Next Duration		>>9.99	10
sa_nxt_bill	Next Bill		99/99/99	
sa_off_hours_pt	Off Hours Item		x(18)	
sa_ord_date	Order Date	Ord Date	99/99/99	
sa_orig_date	Original Start		99/99/99	
sa_periodic	Periodic Billing		yes/no	
sa_per_bill	Period Based Billing	PBB	yes/no	
sa_po	Purchase Order		x(20)	
sa_prefix	Pf		x(1)	
sa_prepaid	Prepaid		-z,zzz,zzz,zz9.99	10
sa_print	Print Sales Order	Print SO	yes/no	
sa_print_pl	Print Pack List	Print Pack	yes/no	
sa_prodlne	Product Line	Line	x(4)	
sa_project	Project		x(8)	
sa_prorate	Prorate Partial Periods	Pro	yes/no	
sa_prt_0itm	Print 0\$ Items		yes/no	
sa_pr_list	Price List	List	x(8)	
sa_pr_list2	List Price List	List	x(8)	
sa_pst	PST		yes/no	
sa_pst_id	PST ID		x(18)	
sa_qty_per	Duration		->>>9.9<<<	10
sa_qty_plst	Last Qty Billed	Last Qty	->>>9.9<<<	10
sa_quote	Quote		x(8)	
sa_quote_mod	Quote Modified		yes/no	
sa_release	Release To Contract	Rel	yes/no	
sa_rel_date	Release Date	Rel Date	99/99/99	
sa_renewal_date	Renewal Date		99/99/99	
sa_renewed_from	Renewed From		X(8)	
sa_renewed_to	Renewed To		X(8)	
sa_renew_count	Renewal Count		>>9	
sa_renew_periods	Renewal Periods		>>9	
sa_revalue_date	Revaluation Date		99/99/99	
sa_reval_index	Index Month		>>9	
sa_reval_period	Revaluation Period		>>9	
sa_revenue	Revenue Type		x(1)	
sa_rmks	Remarks		x(40)	
sa_rsn_lost	Reason Lost		x(8)	
sa_sa_type	Type		x(8)	
sa_schedule	Billing Schedule File		yes/no	
sa_sched_start	PM Start Date	Start	yes/no	
sa_serial_det	Serial Detail		yes/no	

Field Name	Label	Col-Label	Format	Dec
sa_shipvia	Ship Via		x(20)	
sa_ship_date	Ship Date		99/99/99	
sa_site	Site		x(8)	
sa_slspsn[4]	Salesperson	Salespsn	X(8)	0
sa_source	Order Source	Source	x(8)	
sa_so_nbr	Sales Order	Order	x(8)	
sa_stat	Action Status	St	x(2)	
sa_st_cover	Coverage		99/99/99	
sa_st_date	Start Date		99/99/99	
sa_summarize	Summarize		yes/no	
sa_sv_code	Service Type	Svc Type	x(8)	
sa_taxable	Taxable	Tax	yes/no	
sa_taxc	Tax Class	TxC	x(3)	
sa_tax_date	Tax Date		99/99/99	
sa_tax_env	Tax Environment	Tax Env	x(16)	
sa_tax_pct[3]	Tax		->9.99%	10
sa_tax_usage	Tax Usage	TaxUsage	x(8)	
sa_total_billed	Total Billed		>>>>,>>>,>>9.99<<<	10
sa_total_cost	Total Cost		>>>>,>>>,>>9.99<<<	10
sa_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
sa_trl1_cd	Trailer 1	Trl1	x(2)	
sa_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
sa_trl2_cd	Trailer 2	Trl2	x(2)	
sa_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
sa_trl3_cd	Trailer 3	Trl3	x(2)	
sa_type	Type		x(8)	
sa_um	UM		x(2)	
sa_user1	Ufld1		x(8)	
sa_user2	Ufld2		x(8)	
sa_visits	Visits		>>9	10
sa_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sa__chr01			x(8)	
sa__chr02			x(8)	
sa__chr03			x(8)	
sa__chr04			x(8)	
sa__chr05			x(8)	
sa__chr06			x(8)	
sa__chr07			x(8)	
sa__chr08			x(8)	
sa__chr09			x(8)	
sa__chr10			x(8)	
sa__dec01			>>>,>>>,>>9.99	10
sa__dec02			>>>,>>>,>>9.99	10
sa__dec03	User Decimal Field		->,>>9.99	10
sa__dte01			99/99/99	
sa__dte02			99/99/99	
sa__dte03	User Date Field		99/99/99	
sa__log01			yes/no	
sa__log02	User Logical field		yes/no	
sa__log03	User Logical Field		yes/no	
sa__qadc01	Qad Field #1		x(8)	
sa__qadc02	Qad Field #2		x(8)	
sa__qadc03	Qad Field #3		x(8)	
sa__qadc04	Qad Field #4		x(8)	
sa__qadc05[2]			x(8)	0
sa__qadd01	Qad Decimal #1		->>>,>>>,>>9.99<<<<	10
sa__qadd02	Qad Decimal #2		->>>,>>>,>>9.99<<<<	10

Field Name	Label	Col-Label	Format	Dec
sa__qadd03	Qad Decimal #3		->>>,>>>,>>9.99<<<<	10
sa__qadl01	Qad Logical #1		yes/no	
sa__qadl02	Qad Logical #2		yes/no	
sa__qadl03	Qad Logical #3		yes/no	
sa__qadl04	QAD Logical Field		yes/no	
sa__qadt01	Qad Date #1		99/99/99	
sa__qadt02	Qad Date #2		99/99/99	
sa__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sa_mstr	yes	oid_sa_mstr	yes	no
Δ sa_cust	yes	sa_domain	yes	no
		sa_cust	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
Δ sa_enduser	no	sa_domain	yes	no
		sa_enduser	yes	no
		sa_prefix	yes	no
		sa_nbr	yes	no
Δ sa_end_date	no	sa_domain	yes	no
		sa_end_date	yes	no
Δ* sa_nbr	yes	sa_domain	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no
Δ sa_po_nbr	no	sa_domain	yes	no
		sa_po	yes	no
		sa_cust	yes	no
		sa_nbr	yes	no
		sa_prefix	yes	no

sbc_mstr Service/Support Billing Cycle Master

Field Name	Label	Col-Label	Format	Dec
oid_sbc_mstr			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
sbc_code	Cycle		x(2)	
sbc_desc	Description		x(24)	
sbc_domain	Domain		x(8)	
sbc_duration	Length		>>>>>9	
sbc_mod_date	Modified Date	Mod Date	99/99/99	
sbc_mod_userid	User ID		X(8)	
sbc_qty_bill	Qty to Bill		-,>, >>, >>9.9<<<<<<<<	10
sbc_um	UM		x(2)	
sbc_user1	Ufld1		x(8)	
sbc_user2	Ufld2		x(8)	
sbc__chr01			x(8)	
sbc__chr02			x(8)	
sbc__chr03			x(8)	
sbc__chr04			x(8)	
sbc__chr05			x(8)	
sbc_qadc01	QAD Character Field 1		X(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sbic_ctl	yes	oid_sbic_ctl	yes	no
Δ* sbic_index1	yes	sbic_domain	yes	no

sbid det

Self-Bill Detail

Field Name	Label	Col-Label	Format	Dec
oid_sbld_det			>>>>>>>>>>>>>>>>>>>>>9	10
sbld_amt	Paid Amount		.9<<<<<<<<	
sbld_authorization	Authorization		->>>, >>>, >>9.99<<<	10
sbld_bill	Bill-To		x(8)	
sbld_cust	Sold-To		x(8)	
sbld_custref	Customer Ref		x(30)	
sbld_domain	Domain		x(8)	
sbld_inv_nbr	Invoice/Memo	Inv/Memo	x(8)	
sbld_line	Line		>>>, >>9	
sbld_modelyr	Model Year		x(4)	
sbld_mod_date	Modified Date	Mod Date	99/99/99	
sbld_mod_userid	User ID		X(8)	
sbld_nbr	Self-Bill		x(20)	
sbld_order	Sales Order	SO	x(8)	
sbld_origin	Origin	O	x(1)	
sbld_part	Self-Bill Item		x(30)	
sbld_po	Customer PO		x(22)	
sbld_price	Paid Price		>>, >>>, >>9.99<<<	10
sbld_qty	Paid Qty		->, >>>, >>9.9<<<<<<<<	10
sbld_remarks	Remarks		x(40)	
sbld_ship_id	Shipper		x(20)	
sbld_tax_amt	Tax Amt		->>>, >>>, >>9.99<<<	10
sbld_tax_pct	Tax Rate		->>9.99<<%	10
sbld_trnbr	Trans		>>>>>>>>	
sbld_type	Type	T	x(1)	
sbld_um	UM		x(2)	
sbld_user1	Ufld1		X(8)	
sbld_user2	Ufld2		X(8)	
sbld_user3			X(8)	

Field Name	Label	Col-Label	Format	Dec
sbid_user4			X(8)	
sbid_user5			X(8)	
sbid_user6			X(8)	
sbid_user7			X(8)	
sbid__qadc01			X(8)	
sbid__qadc02			X(8)	
sbid__qadc03			X(8)	
sbid__qadc04			X(8)	
sbid__qadc05			X(8)	
sbid__qadc06			X(8)	
sbid__qadc07			X(8)	
sbid__qadc08			X(8)	
sbid__qadc09			X(8)	
sbid__qadc10			X(8)	
sbid__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
sbid__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
sbid__qadd03			->>>, >>>, >>9.9<<<<<<<<<	10
sbid__qadd04			->>>, >>>, >>9.9<<<<<<<<<	10
sbid__qadd05			->>>, >>>, >>9.9<<<<<<<<<	10
sbid__qadi01			>>>>>>9	
sbid__qadi02			>>>>>>9	
sbid__qadi03			>>>>>>9	
sbid__qadi04			>>>>>>9	
sbid__qadi05			>>>>>>9	
sbid__qadi01			yes/no	
sbid__qadi02			yes/no	
sbid__qadi03			yes/no	
sbid__qadi04			yes/no	
sbid__qadi05			yes/no	
sbid__qadt01			99/99/99	
sbid__qadt02			99/99/99	
sbid__qadt03			99/99/99	
sbid__qadt04			99/99/99	
sbid__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_sbid_det	yes	oid_sbid_det	yes	no
Δ sbid_authorization	no	sbid_domain	yes	no
		sbid_authorization	yes	no
Δ sbid_inv_nbr	no	sbid_domain	yes	no
		sbid_inv_nbr	yes	no
Δ* sbid_nbr_line	yes	sbid_domain	yes	no
		sbid_bill	yes	no
		sbid_nbr	yes	no
		sbid_line	yes	no
Δ sbid_order	no	sbid_domain	yes	no
		sbid_order	yes	no
Δ sbid_part	no	sbid_domain	yes	no
		sbid_part	yes	no
		sbid_type	yes	no
Δ sbid_ship_id	no	sbid_domain	yes	no
		sbid_ship_id	yes	no
Δ sbid_trnbr	no	sbid_domain	yes	no
		sbid_trnbr	yes	no

Self-Bill Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sbi_mstr	yes	oid_sbi_mstr	yes	no
Δ sbi_check	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_check	yes	no
		sbi_nbr	yes	no
Δ* sbi_nbr	yes	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_nbr	yes	no
Δ sbi_xmission	no	sbi_domain	yes	no
		sbi_bill	yes	no
		sbi_xmission	yes	no
		sbi_nbr	yes	no

sb_mstr

Sub-Account Master

Field Name	Label	Col-Label	Format	Dec
oid_sb_mstr			>>>>>>>>>>>>>>>>>>>>>>>>9	10
sb_active	Active	Act	.9<<<<<<<<<	
sb_desc	Description		yes/no	
sb_domain	Domain		x(24)	
sb_sub	Sub-Account	Sub-Acct	x(8)	
sb_user1	Ufld1		x(8)	
sb_user2	Ufld2		x(8)	
sb__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sb_mstr	yes	oid_sb_mstr	yes	no
△ sb_desc	no	sb_domain	yes	no
		sb_desc	yes	no
△* sb_sub	yes	sb_domain	yes	no
		sb_sub	yes	no
		sb_active	yes	no

sca_mstr

Service Contract Additional Charge Master

Field Name	Label	Col-Label	Format	Dec
oid_sca_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
sca_amount	Amount		.9<<<<<<<<<	
sca_amt_type	Amount Type		>>>>, >>>, >>9.99<<<	10
sca_cycle	Billing Cycle		x(1)	
sca_desc	Description		x(8)	
sca_domain	Domain		x(40)	
sca_expire	Expire Date		x(8)	
sca_mod_date	Modified Date	Mod Date	99/99/99	
sca_mod_userid	User ID		99/99/99	
sca_part	Item		X(8)	
			x(18)	

Field Name	Label	Col-Label	Format	Dec
schd__dec05			>>>, >>>, >>9.99	10
schd__dec06			>>>, >>>, >>9.99	10
schd__dec07			>>>, >>>, >>9.99	10
schd__dec08			>>>, >>>, >>9.99	10
schd__dec09			>>>, >>>, >>9.99	10
schd__dec10			>>>, >>>, >>9.99	10
schd__dte01			99/99/99	
schd__dte02			99/99/99	
schd__log01			yes/no	
schd__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_schd_det	yes	oid_schd_det	yes	no
Δ^* schd_dtr	yes	schd_domain	yes	no
		schd_type	yes	no
		schd_nbr	yes	no
		schd_line	yes	no
		schd_rlse_id	yes	no
		schd_date	yes	no
		schd_time	yes	no
		schd_interval	yes	no
		schd_reference	yes	no

Release Management Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_sch_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sch_cmtindx	Comment Index	Comment	.9<<<<<<<<<<	
sch_cr_date	Create Date		>>>>>>>9	
sch_cr_time	Create Time		>>>>9	
sch_cumulative	Cumulative	Cum	yes/no	
sch_domain	Domain		x(8)	
sch_eff_end	Effective End		99/99/99	
sch_eff_start	Effective Start		99/99/99	
sch_fab_end	Fab End		99/99/99	
sch_fab_qty	Fab Qty		>>, >>, >>9.9<<<<<<<	10
sch_fab_strt	Fab Start		99/99/99	
sch_from_pid	From Plan Id		x(30)	
sch_from_sid	From Ship Id		x(30)	
sch_line	Line	Ln	>>9	
sch_lr_asn[10]	ASN/Shipper Nbr		x(24)	
sch_lr_cum_qty[10]	Cum Receipt Qty		>>, >>, >>9.9<<<<<<<<	10
sch_lr_date[10]	Receipt Date		99/99/99	
sch_lr_qty[10]	Receipt Qty		>>, >>, >>9.9<<<<<<<<	10
sch_lr_time[10]	Time		99:99	
sch_nbr	Order	Sls Order	x(8)	
sch_pcr_qty	Prior Cum Req		>>, >>, >>9.9<<<<<<	10
sch_pcs_date	Prior Cum Date		99/99/99	
sch_pdr_qty	Prior Discrete Req		>>, >>, >>9.9<<<<<<	10
sch_prp_ext	Ext Purpose Code		x(10)	
sch_prp_int	Int Purpose Code		x(10)	

Field Name	Label	Col-Label	Format	Dec
sch_raw_end	Raw End		99/99/99	
sch_raw_qty	Raw Qty		>>>, >>>, >>9.9<<<<<<	10
sch_raw_strt	Raw Start		99/99/99	
sch_rlse_id	Release ID		x(30)	
sch_sd_dates	Schedule Date Type		Ship/Delivery	
sch_sd_pat	Ship/Dlvy Pattern		x(2)	
sch_sd_time	Ship/Dlvy Time		x(2)	
sch_ship	Ship To		x(8)	
sch_type	Schedule Type		>9	
sch_user1	Ufld1		x(8)	
sch_user2	Ufld2		x(8)	
sch__chr01			x(8)	
sch__chr02			x(8)	
sch__chr03			x(8)	
sch__chr04			x(8)	
sch__chr05			x(8)	
sch__chr06			x(8)	
sch__chr07			x(8)	
sch__chr08			x(8)	
sch__chr09			x(8)	
sch__chr10			x(8)	
sch__dec01			>>>, >>>, >>9.99	10
sch__dec02			>>>, >>>, >>9.99	10
sch__dec03			>>>, >>>, >>9.99	10
sch__dec04			>>>, >>>, >>9.99	10
sch__dec05			>>>, >>>, >>9.99	10
sch__dec06			>>>, >>>, >>9.99	10
sch__dec07			>>>, >>>, >>9.99	10
sch__dec08			>>>, >>>, >>9.99	10
sch__dec09			>>>, >>>, >>9.99	10
sch__dec10			>>>, >>>, >>9.99	10
sch__dte01			99/99/99	
sch__dte02			99/99/99	
sch__log01			yes/no	
sch__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sch_mstr	yes	oid_sch_mstr	yes	no
Δ sch_cr_date	no	sch_domain	yes	no
		sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_cr_date	yes	no
		sch_cr_time	yes	no
Δ* sch_tnlr	yes	sch_domain	yes	no
		sch_type	yes	no
		sch_nbr	yes	no
		sch_line	yes	no
		sch_rlse_id	yes	no

Cost Simulation Total Detail

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_sct_det	yes	oid_sct_det	yes	no
Δ sct_part_sim	no	sct_domain	yes	no
		sct_part	yes	no
		sct_sim	yes	no
Δ^* sct_sim_pt_site	yes	sct_domain	yes	no
		sct_sim	yes	no
		sct_part	yes	no
		sct_site	yes	no
Δ sct_site_part	no	sct_domain	yes	no
		sct_site	yes	no
		sct_part	yes	no
Δ sct_site_sim	no	sct_domain	yes	no
		sct_site	yes	no
		sct_sim	yes	no

Field Name	Label	Col-Label	Format	Dec
sc_sim	Cost Set		x(8)	
sc_user1	Ufld1		x(8)	
sc_user2	Ufld2		x(8)	
sc__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sc_mstr	yes	oid_sc_mstr	yes	no
△ sc_sim_cat	no	sc_domain	yes	no
		sc_sim	yes	no
		sc_category	yes	no
△* sc_sim_elem	yes	sc_domain	yes	no
		sc_sim	yes	no
		sc_element	yes	no

sdttd_det Shipping Delivery Time Detail

Field Name	Label	Col-Label	Format	Dec
oid_sdt_dct			>>>>>>>>>>>>>>>>>>>>>>9	10
sdt_code	SDT Code		.9<<<<<<<<	
sdt_domain	Domain		x(3)	
sdt_mod_date	Modified Date	Mod Date	x(8)	
sdt_mod_userid	User ID		99/99/99	
sdt_time	SDT Time		x(8)	
sdt_chr01			99:99	
sdt_chr02			x(8)	
sdt_dec01			x(8)	
sdt_dec02			->>>, >>>, >>9.99<	10
sdt_dte01			->>>, >>>, >>9.99<	10
sdt_dte02			99/99/99	
sdt_log01			99/99/99	
sdt_qadc01			yes/no	
sdt_qadc02			x(8)	
sdt_qadd01			x(8)	
sdt_qadd02			->>>, >>>, >>9.99<	10
sdt_qadi01			->>>, >>>, >>9.99<	10
sdt_qadi02			>>>>>>9	
sdt_qadl01			>>>>>>9	
sdt_qadl02			yes/no	
sdt_qadt01			yes/no	
sdt_qadt02			99/99/99	
sdt_user1			99/99/99	
sdt_user2			x(8)	
			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_sdttd_det	yes	oid_sdttd_det	yes	no
Δ^* sdttd_code	yes	sdttd_domain	yes	no
		sdttd_code	yes	no
		sdttd_time	yes	no

Field Name	Label	Col-Label	Format	Dec
sd_type	Type		x(8)	
sd_user1	Ufld1		x(8)	
sd_user2	Ufld2		x(8)	
sd__chr01			x(8)	
sd__chr02			x(8)	
sd__qad01			x(8)	
sd__qad02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sd_mstr	yes	oid_sd_mstr	yes	no
Δ sd_cust	no	sd_domain	yes	no
		sd_ls_type	yes	no
		sd_cust	yes	no
		sd_type	yes	no
		sd_amt	yes	no
Δ* sd_type	yes	sd_domain	yes	no
		sd_type	yes	no
		sd_amt	yes	no
		sd_start	yes	no

Material Order Control

Field Name	Label	Col-Label	Format	Dec
oid_seoc_ctrl			>>>>>>>>>>>>>>>>>>>>>>9	10
seoc_all_days	Allocate MO Lines Due in Days		.9<<<<<<<<	
seoc_bo_advice	Next Back Order Advice		>>>>>9	
seoc_confirm	Confirmed Orders		yes/no	
seoc_consume	Consume Forecast	Consume Fcst	yes/no	
seoc_det_all	Detail Allocations		yes/no	
seoc_dnote	Next Delivery Note		>>>>>>>9	
seoc_domain	Domain		x(8)	
seoc_ex_ratetype	Rate Type		x(8)	
seoc_hcmmts	MO Header Comments		yes/no	
seoc_immed_ship	Ship Immed		yes/no	
seoc_index1	Index		>>>>>9	
seoc_int_cust	Internal Customer		X(8)	
seoc_kit_auto	Autonumbering for Kits		yes/no	
seoc_kit_nbr	Next Kit Number		>>>>>>9	
seoc_kit_pre	Kit Prefix		X(8)	
seoc_lcmmts	MO Line Comments		yes/no	
seoc_ln_fmt	Ln Format S/M		single/multi	
seoc_mod_date	Modified Date	Mod Date	99/99/99	
seoc_mod_userid	User ID		X(8)	
seoc_req	Required Qty Reduces Qty Avail		yes/no	
seoc_ship_to	Ship To		User/Engineer	
seoc_shp_lead	Shipping Lead Time		>>>9	
seoc_so	Next Material Order		>>>>>>>9	
seoc_so_hist	Keep Booking History	Book! Hst	yes/no	
seoc_so_pre	Material Order Prefix	Pre	x(3)	
seoc_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
seoc_user2	Ufld2		X(8)	
seoc_chr01			x(8)	
seoc_chr02			x(8)	
seoc_chr03			x(8)	
seoc_chr04			x(8)	
seoc_chr05			x(8)	
seoc_dec01			>>>, >>>, >>9.99	10
seoc_dec02			>>>, >>>, >>9.99	10
seoc_dte01			99/99/99	
seoc_dte02			99/99/99	
seoc_log01			yes/no	
seoc_log02			yes/no	
seoc_qadc02	QAD Character Field 2		X(8)	
seoc_qadc03	QAD Character Field 3		x(8)	
seoc_qadd01	QAD Decimal Field 1		->>>, >>>, >>9.99<<	10
seoc_qadd02	QAD Decimal Field 2		->, >>9.99	10
seoc_qadi01	QAD Field		->, >>>, >>9	
seoc_qadi02	QAD Integer Field 2		->, >>>, >>9	
seoc_qadl01	QAD Logical Field		yes/no	
seoc_qadl02	QAD Logical Field 2		yes/no	
seoc_qadt01	QAD Date Field 1		99/99/99	
seoc_qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_seoc_ctrl	yes	oid_seoc_ctrl	yes	no
△* seoc_index1	yes	seoc_domain	yes	no

seq_mstr

Production Line Schedule Sequence Master

Field Name	Label	Col-Label	Format	Dec
oid_seq_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
seq_domain	Domain		.9<<<<<<<<	
seq_due_date	Due Date		x(8)	
seq_line	Line		99/99/99	
seq_mode	Mode		x(8)	
seq_mode_qty			yes/no	
seq_part			->, >>>, >>9.99	10
seq_priority			x(18)	
seq_qty_req			>>9.99	10
seq_release	Qty Req		->, >>>, >>9.99	10
seq_shift1	Release Date		99/99/99	
seq_shift2	Shift1		>>>9.99	
seq_shift3	Shift2		>>>9.99	10
seq_shift4	Shift3		>>>9.99	10
seq_site	Shift4		>>>9.99	10
seq_start	Site		x(8)	
seq_type	Start Date		99/99/99	
seq_user1	Type		Forward/Backward	
seq_user2	Ufld1		x(8)	
seq_chr01	Ufld2		x(8)	
seq_chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
seq__chr03			x(8)	
seq__chr04			x(8)	
seq__chr05			x(8)	
seq__dec01			>>>, >>>, >>9.99	10
seq__dec02			>>>, >>>, >>9.99	10
seq__dec03			>>>, >>>, >>9.99	10
seq__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_seq_mstr	yes	oid_seq_mstr	yes	no
△ seq_sequence	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_priority	yes	no
Δ* seq_site	yes	seq_domain	yes	no
		seq_site	yes	no
		seq_line	yes	no
		seq_part	yes	no
		seq_due_date	yes	no

Service/Support Billing Detail

Field Name	Label	Col-Label	Format	Dec
oid_sfb_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sfb_ca_opn_date			.9<<<<<<<<<	
sfb_cmtindx	Comment Index	Comment	99/99/99	
sfb_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sfb_desc	Description		x(24)	
sfb_detail			yes/no	
sfb_domain	Domain		x(8)	
sfb_exchange	Exchange		yes/no	
sfb_exg_price	Exchange Price		->>>>, >>>>, >>9.99<<<	10
sfb_fcg_code	Charge Code	Charge	x(8)	
sfb_fis_column	Column	Col	>>9	
sfb_fis_sort	Type		x(18)	
sfb_fixed_cost			>>>>, >>>, >>9.99<<<	10
sfb_fixed_price			->>>, >>>, >>9.99<<<	10
sfb_fsc_code	Service Category	Svc Cat	x(8)	
sfb_invoice_cost			>>>>, >>>, >>9.99<<<	10
sfb_line	Line		>>>9	
sfb_mod_date	Modified Date	Mod Date	99/99/99	
sfb_mod_userid	User ID		X(8)	
sfb_nbr			x(8)	
sfb_op	Operation	Op	>>>>>9	
sfb_part	Item		x(18)	
sfb_price	List Price		->>>, >>>, >>9.99<<<	10
sfb_price_on_inv	Price on Invoice		yes/no	
sfb_pst	PST Taxable		yes/no	
sfb_pt_type			>>9	
sfb_qty_billed	Qty Billed		->>>, >>9.9<	10
sfb_qty_inv	Qty to Invoice	Qty to Inv	->>>, >>9.9<	10

Field Name	Label	Col-Label	Format	Dec
sfb_qty_on_inv	Qty on Invoice		yes/no	
sfb_qty_req	Qty Required		->>>, >>9.9<<	10
sfb_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
sfb_report	Report		X(8)	
sfb_ret_serial	Returned Serial		X(18)	
sfb_serial	Serial		x(18)	
sfb_so_line	SO Line		>>>9	
sfb_taxable	Taxable		yes/no	
sfb_taxc	Tax Class		x(8)	0
sfb_tax_env	Tax Environment		X(16)	0
sfb_tax_in	Tax In		yes/no	
sfb_tax_usage	Tax Usage		x(8)	0
sfb_total_std	Total Cost		->>>, >>>, >>9.99<<<	10
sfb_um	UM		x(2)	
sfb_user1	Ufld1		X(8)	
sfb_user2	Ufld2		X(8)	
sfb__chr01	User Field #1		x(8)	
sfb__chr02	User Field #2		x(8)	
sfb__chr03	User Field #3		x(8)	
sfb__chr04	User Field #4		x(8)	
sfb__dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
sfb__dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
sfb__dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sfb__dte01	User Date #1		99/99/99	
sfb__dte02	User Date #2		99/99/99	
sfb__dte03	User Date #3		99/99/99	
sfb__log01	User Logical #1		yes/no	
sfb__log02	User Logical #2		yes/no	
sfb__log03	User Logical #3		yes/no	
sfb__qadc01	QAD Character Field		x(8)	0
sfb__qadc02	Qad Field #2		x(8)	
sfb__qadc03	Qad Field #3		x(8)	
sfb__qadc04	QAD Character Field		x(8)	0
sfb__qadd01	Qad Date #1		99/99/99	
sfb__qadd02	Qad Date #2		99/99/99	
sfb__qadd03	Qad Date #3		99/99/99	
sfb__qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sfb__qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sfb__qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sfb__qadl01	QAD Logical Field		yes/no	
sfb__qadl02	QAD Logical Field		yes/no	
sfb__qadl03	QAD Logical Field		yes/no	
sfb__qadl04	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sfb_det	yes	oid_sfb_det	yes	no
Δ* sfb_line	yes	sfb_domain	yes	no
		sfb_nbr	yes	no
		sfb_so_line	yes	no
		sfb_pt_type	yes	no
		sfb_fis_sort	yes	no
		sfb_line	yes	no
Δ sfb_report	no	sfb_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sfb_report	yes	no
		sfb_op	yes	no
		sfb_part	yes	no
		sfb_line	yes	no

sfh_hist

Service/Support Billing History

Field Name	Label	Col-Label	Format	Dec
oid_sf_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
sf_ca_opn_date			.9<<<<<<<<<<	
sf_cmtindx	Comment Index	Comment	>>>>>>9	
sf_covered_amt	Covered Amount		>>>, >>>, >>9.99<<<	10
sf_desc	Description		x(24)	
sf_detail			yes/no	
sf_domain	Domain		x(8)	
sf_exchange	Exchange		yes/no	
sf_exg_price	Exchange Price		->>>, >>>, >>9.99<<<	10
sf_fcg_code	Charge Code	Charge	x(8)	
sf_fis_column	Column	Col	>>9	
sf_fis_sort	Type		x(18)	
sf_fixed_cost			>>>, >>>, >>9.99<<<	10
sf_fixed_price			->>, >>>, >>9.99<<<	10
sf_fsc_code	Service Category	Svc Cat	x(8)	
sf_invoice_cost			>>>, >>>, >>9.99<<<	10
sf_inv_nbr	Invoice		x(8)	
sf_line	Line		>>>9	
sf_mod_date	Modified Date	Mod Date	99/99/99	
sf_mod_userid	User ID		X(8)	
sf_nbr			x(8)	
sf_op	Operation	Op	>>>>>9	
sf_part	Item		x(18)	
sf_price	List Price		->>, >>>, >>9.99<<<	10
sf_price_on_inv	Price on Invoice		yes/no	
sf_pst	PST Taxable		yes/no	
sf_pt_type			>>9	
sf_qty_billed	Qty Billed		->>, >>9.9<	10
sf_qty_inv	Qty to Invoice	Qty to Inv	->>, >>9.9<	10
sf_qty_on_inv	Qty on Invoice		yes/no	
sf_qty_req	Qty Required		->>, >>9.9<<	10
sf_qty_ret	Qty Returned		->, >>>, >>9.9<<<	10
sf_report	Report		X(8)	
sf_ret_serial	Returned Serial		X(18)	
sf_serial	Serial		x(18)	
sf_so_line	SO Line		>>>9	
sf_taxable	Taxable		yes/no	
sf_taxc	Tax Class		x(8)	0
sf_tax_env	Tax Environment		X(16)	0
sf_tax_in	Tax In		yes/no	
sf_tax_usage	Tax Usage		x(8)	0
sf_total_std	Total Cost		->>>, >>>, >>9.99<<<	10
sf_trnbr	Transaction		>>>>>>>>>9	
sf_um	UM		x(2)	
sf_user1	Ufld1		X(8)	

Field Name	Label	Col-Label	Format	Dec
sfh_user2	Ufld2		X(8)	
sfh_chr01	User Character Field #1		x(8)	0
sfh_chr02	User Character Field #2		x(8)	0
sfh_chr03	User Character Field #3		x(8)	0
sfh_chr04	User Character Field #4		x(8)	0
sfh_dec01	User Decimal #1		->>>, >>>, >>9.99<<<<	10
sfh_dec02	User Decimal #2		->>>, >>>, >>9.99<<<<	10
sfh_dec03	User Decimal #3		->>>, >>>, >>9.99<<<<	10
sfh_dte01	User Date #1		99/99/99	
sfh_dte02	User Date #2		99/99/99	
sfh_dte03	User Date #3		99/99/99	
sfh_log01	User Logical #1		yes/no	
sfh_log02	User Logical #2		yes/no	
sfh_log03	User Logical #3		yes/no	
sfh_qadc01	QAD Character Field		x(8)	0
sfh_qadc02	Qad Field #2		x(8)	
sfh_qadc03	Qad Field #3		x(8)	
sfh_qadc04	QAD Character Field		x(8)	0
sfh_qadd01	Qad Date #1		99/99/99	
sfh_qadd02	Qad Date #2		99/99/99	
sfh_qadd03	Qad Date #3		99/99/99	
sfh_qadde01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sfh_qadde02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sfh_qadde03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sfh_qadl01	QAD Logical Field		yes/no	
sfh_qadl02	QAD Logical Field		yes/no	
sfh_qadl03	QAD Logical Field		yes/no	
sfh_qadl04	QAD Logical Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_sfh_hist	yes	oid_sfh_hist	yes	no
Δ sfh_inv_nbr	no	sfh_domain	yes	no
		sfh_inv_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
Δ sfh_line	no	sfh_domain	yes	no
		sfh_nbr	yes	no
		sfh_so_line	yes	no
		sfh_pt_type	yes	no
		sfh_fis_sort	yes	no
		sfh_line	yes	no
Δ* sfh_trnbr	yes	sfh_domain	yes	no
		sfh_trnbr	yes	no

Shipping Group Address Detail

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_sgad_det	yes	oid_sgad_det	yes	no
Δ sgad_addr	yes	sgad_domain	yes	no
		sgad_addr	yes	no
		sgad_is_src	yes	no
		sgad_grp	yes	no
Δ^* sgad_grp	yes	sgad_domain	yes	no
		sgad_grp	yes	no
		sgad_is_src	yes	no
		sgad_addr	yes	no

Shipping Group Carrier Detail

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sgcd_det	yes	oid_sgcd_det	yes	no
△ sgcd_carrier	no	sgcd_domain	yes	no
		sgcd_carrier	yes	no
△* sgcd_grp	yes	sgcd_domain	yes	no
		sgcd_grp	yes	no
		sgcd_inv_mov	yes	no
		sgcd_seq	yes	no

sgid_det

Shipping Group and Inventory Movement Code Detail

Field Name	Label	Col-Label	Format	Dec
oid_sgld_det			9 10	
sgld_default	Default		yes/no	
sgld_domain	Domain		x(8)	
sgld_format	Document Format	Format	x(8)	
sgld_grp	Shipping Group	Ship Grp	x(8)	
sgld_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
sgld_preship_nr_id	Pre-Shipper Sequence ID	PS Seq	x(8)	
sgld_ship_nr_id	Shipper Sequence ID	Ship Seq	x(8)	
sgld_user1	Ufld1		x(8)	
sgld_user2	Ufld2		x(8)	
sgld__qadc01			x(8)	
sgld_qadc02			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_sgld_det	yes	oid_sgld_det	yes	no
Δ sgld_default	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_default	yes	no
		sgld_inv_mov	yes	no
Δ sgld_format	no	sgld_domain	yes	no
		sgld_format	yes	no
Δ* sgld_grp	yes	sgld_domain	yes	no
		sgld_grp	yes	no
		sgld_inv_mov	yes	no
Δ sgld_inv_mov	no	sgld_domain	yes	no
		sgld_inv_mov	yes	no

Shipping Group Master

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_sg_mstr	yes	oid_sg_mstr	yes	no
Δ^* sg_grp	yes	sg_domain	yes	no
		sg_grp	yes	no
Δ sg_inv_mov	no	sg_domain	yes	no
		sg_inv_mov	yes	no

Shipper Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_shc_ctrl	yes	oid_shc_ctrl	yes	no
Δ* shc_index1	yes	shc_domain	yes	no

Field Name	Label	Col-Label	Format	Dec
shft__chr04			x(8)	
shft__chr05			x(8)	
shft__dec01			>>>,>>>,>>9.99	10
shft__dec02			>>>,>>>,>>9.99	10
shft__dec03			>>>,>>>,>>9.99	10
shft__dec04			>>>,>>>,>>9.99	10
shft__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_shift_det	yes	oid_shift_det	yes	no
△* shift_day	yes	shift_domain	yes	no
		shift_site	yes	no
		shift_wkctr	yes	no
		shift_mch	yes	no
		shift_day	yes	no

shm_mstr Shipping Schedule Master

Field Name	Label	Col-Label	Format	Dec
oid_shm_mstr			>>>>>>>>>>>>>>>>>>9	10
shm_cmtindx	Comment Index	Comment	.9<<<<<<<	
shm_code	Transport ID	Trans ID	>>>, >>>, >>9	
◇ shm_domain	Domain		x(8)	
shm_end	End		99/99/99	
shm_load_lt	Load LT		->>9.9<	10
shm_no_units	Available Units	Units	->, >>>, >>9	
shm_rec_day[7]	Receive Days		yes/no	
shm_rec_site	Receiving Site	Rec Site	x(8)	
shm_ship_day[7]	Ship Days		yes/no	
shm_src_site	Source Site	Source	x(8)	
shm_start	Start		99/99/99	
shm_transit	Transit LT	Transit	->>9.9<	10
shm_unld.lt	Unload LT		->>9.9<	10
shm_user1	Ufld1		x(8)	
shm_user2	Ufld2		x(8)	
shm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_shm_mstr	yes	oid_shm_mstr	yes	no
Δ* shm_code	yes	shm_domain	yes	no
		shm_code	yes	no
		shm_src_site	yes	no
		shm_rec_site	yes	no
		shm_start	yes	no
Δ shm_rec_site	yes	shm_domain	yes	no
		shm_rec_site	yes	no
		shm_src_site	yes	no
		shm_code	yes	no
		shm_start	yes	no
Δ shm_src_site	yes	shm_domain	yes	no

Field Name	Label	Col-Label	Format	Dec
shpc_use_current	Use Current Release		yes/no	
shpc__qadc01			X(24)	
shpc__qadc02			X(24)	
Δ shpc__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_shpc_ctrl	yes	oid_shpc_ctrl	yes	no
Δ^* shpc_index1	yes	shpc_domain	yes	no

shpd_hist Shipment Performance Detail History

Field Name	Label	Col-Label	Format	Dec
oid_shpd_hist			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
shpd_acceptable	Acceptable		.9<<<<<<<<<	
shpd_domain	Domain		yes/no	
shpd_measurement_type	Type		x(8)	
shpd_meas_subtype	Measurement Sub Type	Sub Type	>	
shpd_mod_date	Modified Date	Mod Date	9	
shpd_mod_userid	User ID		99/99/99	
shpd_rsn_code	Reason		X(8)	
shpd_rsn_type	Reason Type	Rsn Type	x(8)	
shpd_status_code	Status		x(8)	
shpd_tran_id	Tran ID		>>>>>>>>9	
shpd_user1	User Field Character 1		X(24)	
shpd_user2	User Field Character 2		X(24)	
shpd__qadc01			X(24)	
shpd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_shpd_hist	yes	oid_shpd_hist	yes	no
△ shpd_reason	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_rsn_code	yes	no
△ shpd_status	no	shpd_domain	yes	no
		shpd_acceptable	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no
		shpd_status_code	yes	no
△* shpd_tran_id	yes	shpd_domain	yes	no
		shpd_tran_id	yes	no
		shpd_measurement_type	yes	no
		shpd_meas_subtype	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ shp_customer_source	no	shp_domain	yes	no
		shp_include	yes	no
		shp_customer_source	yes	no
		shp_cust	yes	no
		shp_shipto	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
		shp_ship_date	yes	no
Δ shp_part	no	shp_domain	yes	no
		shp_include	yes	no
		shp_part	yes	no
		shp_shipfrom	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
Δ shp_ship_date	no	shp_domain	yes	no
		shp_include	yes	no
		shp_ship_date	yes	no
		shp_shipfrom	yes	no
		shp_shipto	yes	no
		shp_nbr	yes	no
		shp_line	yes	no
Δ* shp_tran_id	yes	shp_domain	yes	no
		shp_tran_id	yes	no

Shipment Trailer Detail

Field Name	Label	Col-Label	Format	Dec
oid_shtr_det			>>>>>>>>>>>>>>>>>>>>>>9	10
shtr_amt	Trailer Amt 1		.9<<<<<<<<<	
shtr_cd	Trailer 1	Trl1	-zzzz,zzz,zz9.99	10
shtr_curr	Currency	Cur	x(2)	
shtr_domain	Domain		x(3)	
shtr_inv_nbr	Invoice Number	Invoice	x(8)	
shtr_nbr	Sales Order	Order	x(8)	
shtr_ship_date	Ship Date		x(8)	
shtr_ship_id	Ship Id		99/99/99	
shtr_site	Site		x(8)	
shtr_user1	Ufld1		x(8)	
shtr_user2	Ufld2		x(8)	
shtr__qad01			-z,zzz,zzz,zz9.99	10
shtr__qad02			-z,zzz,zzz,zz9.99	10
shtr__qad03			-z,zzz,zzz,zz9.99	10
shtr__qad04			>	
shtr__qad05[2]			>>9.9<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_shtr_det	yes	oid_shtr_det	yes	no
Δ^* shtr_nbrcd	yes	shtr_domain	yes	no
		shtr_nbr	yes	no
		shtr_ship_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* sim_site	yes	sim_site	yes	no
		sim_domain	yes	no
		sim_site	yes	no
		sim_inv_mov	yes	no

Shipment Detail/Invoice Number Cross-Reference

Field Name	Label	Col-Label	Format	Dec
oid_six_ref			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
six_amt	Ship Amt		.9<<<<<<<<<	
six_amt_appld	Amt Applied		->>>>, >>>, >>9.99<<<	10
six_amt_paid	Paid Amt		->>>>, >>>, >>9.99<<<	10
six_authorization	Authorization		x(24)	
six_bill	Bill-To		x(8)	
six_closed	Close Shipment Line	C	yes/no	
six_curr	Currency	Cur	x(3)	
six_cust	Sold-To		x(8)	
six_custref	Customer Ref		x(30)	
six_domain	Domain		x(8)	
six_inv_nbr	Invoice		x(8)	
six_line	Line		>>>9	
six_modelyr	Model Year		x(4)	
six_mod_date	Modified Date	Mod Date	99/99/99	
six_mod_userid	User ID		X(8)	
six_order	Sales Order	Order	x(8)	
six_part	Item		x(18)	
six_po	Customer PO		x(22)	
six_price	Price		>>, >>>, >>9.99<<<	10
six_qty	Ship Qty		->, >>>, >>9.9<<<<<<<<<	10
six_qty_paid	Paid Qty		->, >>>, >>9.9<<<<<<<<<	10
six_ship	Ship-To		x(8)	
six_shipdt	Ship Date		99/99/99	
six_ship_id	Shipper		x(20)	
six_site	Ship-From		x(8)	
six_sopart	Self-Bill Item		x(30)	
six_trnbr	Trans		>>>>>>>>	
six_type	Type	T	x(1)	
six_um	UM		x(2)	
six_user1	Ufld1		X(8)	
six_user2	Ufld2		X(8)	
six_user3			X(8)	
six_user4			X(8)	
six_user5			X(8)	
six__qadc01			X(8)	
six__qadc02			X(8)	
six__qadc03			X(8)	
six__qadc04			X(8)	
six__qadc05			X(8)	
six__qadc06			X(8)	
six__qadc07			X(8)	
six__qadc08			X(8)	
six__qadc09			X(8)	
six__qadc10			X(8)	

Field Name	Label	Col-Label	Format	Dec
six__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
six__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
six__qadd03			->>>, >>>, >>9.9<<<<<<<<	10
six__qadd04			->>>, >>>, >>9.9<<<<<<<<	10
six__qadd05			->>>, >>>, >>9.9<<<<<<<<	10
six__qadi01			>>>>>>9	
six__qadi02			>>>>>>9	
six__qadi03			>>>>>>9	
six__qadi04			>>>>>>9	
six__qadi05			>>>>>>9	
six__qadl01			yes/no	
six__qadl02			yes/no	
six__qadl03			yes/no	
six__qadl04			yes/no	
six__qadl05			yes/no	
six__qadt01			99/99/99	
six__qadt02			99/99/99	
six__qadt03			99/99/99	
six__qadt04			99/99/99	
six__qadt05			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_six_ref	yes	oid_six_ref	yes	no
six_auth_sopart	no	six_domain	yes	no
		six_authorization	yes	no
		six_sopart	yes	no
six_bill_inv	no	six_domain	yes	no
		six_bill	yes	no
		six_inv_nbr	yes	no
		six_type	yes	no
		six_order	yes	no
		six_line	yes	no
		six_ship_id	yes	no
		six_authorization	yes	no
six_order_sopart	no	six_domain	yes	no
		six_order	yes	no
		six_sopart	yes	no
six_part	no	six_domain	yes	no
		six_part	yes	no
six_po_sopart	no	six_domain	yes	no
		six_po	yes	no
		six_sopart	yes	no
six_ship_sopart	no	six_domain	yes	no
		six_ship_id	yes	no
		six_sopart	yes	no
six_sopart	no	six_domain	yes	no
		six_sopart	yes	no
six_trnbr	yes	six_domain	yes	no
		six_trnbr	yes	no

Site Master

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_si_mstr	yes	oid_si_mstr	yes	no
Δ si_decl	no	si_domain	yes	no
		si_decl	yes	no
Δ* si_site	yes	si_domain	yes	no
		si_site	yes	no
◊ si_type	yes	si_type	yes	no
		si_domain	yes	no
		si_site	yes	no

Field Name	Label	Col-Label	Format	Dec
slr__qadc02			x(24)	
slr__qadd01			->>>>, >>>, >>9.9<<<<<<<<<<	10
slr__qadd02			->>>>, >>>, >>9.9<<<<<<<<<<	10
slr__qadi01			->>>>>>>9	
slr__qadi01			yes/no	
slr__qadt01			99/99/99	
slr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_slr_mstr	yes	oid_slr_mstr	yes	no
Δ* slr_site	yes	slr_domain	yes	no
		slr_inventory_site	yes	no

Source Matrix Master

Field Name	Label	Col-Label	Format	Dec
oid_sm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sm_domain	Domain		x(8)	
sm_end	End		99/99/99	
sm_lead	Lead Time		->, >>>	10
sm_mktg_site	Marketing Site	Marketing	x(8)	
sm_part	Item Number		x(18)	
sm_pct	Supply Percent	Percent	>>9.9<%	10
sm_start	Start		99/99/99	
sm_sup_site	Supply Site	Supply	x(8)	
sm_trans	Transport Code	Transport	x(8)	
sm_type	Type		x(1)	
sm_user1	Ufld1		x(8)	
sm_user2	Ufld2		x(8)	
sm__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sm_mstr	yes	oid_sm_mstr	yes	no
△* sm_mstr	yes	sm_domain	yes	no
		sm_part	yes	no
		sm_sup_site	yes	no
		sm_mktg_site	yes	no
		sm_start	yes	no
		sm_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_socc_mstr	yes	oid_socc_mstr	yes	no
△* socc_nbr	yes	socc_domain	yes	no
		socc_nbr	yes	no
		socc_cc_nbr	yes	no

soc_ctrl Sales Order Control

Field Name	Label	Col-Label	Format	Dec
soc_crn_next	Next Correction Invoice Nbr		>>>>>>9	
soc_crn_pre	Correction Invoice Prefix		x(3)	
soc_crtacc_acct	SO Interest Accrued Acct		X(8)	
soc_crtacc_cc	SO Interest Accrued CC	CC	X(4)	
soc_crtacc_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_crtapp_acct	SO Interest Applied Account		X(8)	
soc_crtapp_cc	SO Interest Applied Cost Center	CC	X(4)	
soc_crtapp_sub	SO Int Accrued Sub	Sub-Acct	x(8)	
soc_cr_hold	Hold Orders Over Credit Limit		yes/no	
soc_det_all	Detail Allocations		yes/no	
◇ soc_domain	Domain		x(8)	
soc_due_calc	Calculate Due Date	Calc Due Date	yes/no	
soc_dum_loc	Direct Shipment Location		x(8)	
soc_edit_isb	SO Edit ISB Defaults		yes/no	
soc_ex_ratetype	Rate Type		x(8)	
soc_fcst_bck	Consume Back	Fcst Back	->,>>>,>>9	
soc_fcst_fwd	Consume Fwd	Fcst Fwd	->,>>>,>>9	
soc_fob	F.O.B.		x(20)	
soc_frc_returns	Sales Returns Freight Calculation		X(1)	0
soc_fr_by_site	Calculate Freight by Site		yes/no	
soc_fr_shp_calc	Recalc Freight at Ship Time		yes/no	
soc_fysm	Fiscal Start Month		>9	
soc_hcmmts	Sales Order Header Comments		yes/no	
soc_horizon	ATP Horizon		->,>>>,>>9	
soc_index1	Index		>>>>>9	
soc_inv	Next Invoice		>>>>>>9	
soc_inv_hist	Keep Invoice History	Inv! Hst	yes/no	
soc_inv_min	Minimum Invoice Amount		>,>>>,>>9.	10
soc_inv_pre	Invoice Prefix	Pre	x(3)	
soc_jrnl	Next Journal		999999	
soc_lcmmts	Sales Order Line Comments		yes/no	
soc_ln_fmt	Ln Format S/M		single/multi	
soc_ln_inv	Print Only Lines to Invoice		yes/no	
soc_margin	Comm on Margin not Sales		yes/no	
soc_min_ship	Minimum Shipment Amount		>,>>>,>>9.	0
soc_min_shpamt	Minimum Shipment Amount		>,>>>,>>9	10
soc_mlevel_btb	Multiple Level EMT	Mlevel EMT	yes/no	
soc_next_abl	Next ASN/BOL		>>>>>>9	
soc_next_cid	Next Cntr Nbr		>>>>>>9	
soc_ntaxdesc[10]	Description		x(12)	
soc_on_ord	Qty avail include qty on order		yes/no	
soc_pass_curr	Use Customer Currency on PO		yes/no	
soc_pc_line	Price by SO Line Due Date		yes/no	
soc_pick	Pick Only Allocated Lines		yes/no	
soc_pim_isb	Pend Inv Edit ISB		yes/no	
soc_pl_req	Price List Required		yes/no	
soc_print	Are Sales Orders Printed		yes/no	
soc_print_id	Confirmation Printer		X(8)	
soc_pt_req	Price Table Required		yes/no	
soc_req	Required qty reduce qty avail		yes/no	
soc_returns_isb	SO Returns Update ISB		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_soc_ctrl	yes	oid_soc_ctrl	yes	no
Δ* soc_index1	yes	soc_domain	yes	no

sodlc_det

Field Name	Label	Col-Label	Format	Dec
sodlc_trl_code	Trailer Code	Code	x(2)	
sodlc_userc01	User Field Character 1		x(24)	
sodlc_userc02	User Field Character 2		x(24)	
sodlc__qadc01			x(24)	
sodlc__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sodlc_det	yes	oid_sodlc_det	yes	no
Δ* sodlc_order	yes	sodlc_domain	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no
		sodlc_lc_line	yes	no
Δ sodlc_owned_by	no	sodlc_domain	yes	no
		sodlc_owned_by	yes	no
		sodlc_abs_shipfrom	yes	no
Δ sodlc_trl_code	no	sodlc_domain	yes	no
		sodlc_trl_code	yes	no
		sodlc_order	yes	no
		sodlc_ord_line	yes	no

sodr_det

Sales Order Relationship Detail

Field Name	Label	Col-Label	Format	Dec
oid_sodr_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sodr_div	Division		X(8)	
sodr_domain	Domain		x(8)	
sodr_group	Group		X(8)	
sodr_line	Line		>>9	
sodr_nbr	Sales Order		X(8)	
sodr_pricing	Pricing		>9	
sodr_seq	Sequence		>>9	
sodr_type	Type		>>>9	
sodr_user1	Ufld1		x(8)	
sodr_user2	Ufld2		x(8)	
sodr__qadc01			x(8)	
sodr__qadc02			x(8)	
sodr__qadc03			x(8)	
sodr__qadd01			->>>>, >>>, >>>9.9	10
sodr__qadd02			->>>>, >>>, >>>9.9	10
sodr__qadi01			->, >>>, >>9	
sodr__qadi02			->, >>>, >>9	
sodr__qadi01			yes/no	
sodr__qadi02			yes/no	
sodr__qadt01			99/99/99	
sodr__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sodr_det	yes	oid_sodr_det	yes	no
Δ* sodr_nbrln_seq	yes	sodr_domain	yes	no
		sodr_nbr	yes	no
		sodr_line	yes	no
		sodr_seq	yes	no
Δ sodr_type	no	sodr_domain	yes	no
		sodr_type	yes	no

Sales Order Detail

Field Name	Label	Col-Label	Format	Dec
oid_sod_det			>>>>>>>>>>>>>>>>>>>>>9	10
sod_abnormal	Abnormal Demand	Abnormal	.9<<<<<<<<	
sod_acct	Sales Acct	Sales	yes/no	
sod_act_price	Total List Price		x(8)	
sod_alt_pkg	Alternates		->>>>, >>>, >>9.99<<<	10
sod_auto_ins	Installation Call		yes/no	
sod_auto_replenish	Auto Replenish	Auto! Replenish	yes/no	
sod_bonus	Bonus Stock Line		yes/no	
sod_bo_chg	Qty Backord		->, >>>, >>9.9<<<<<<<<	10
sod_btb_po	EMT PO Nbr	EMT PO	x(8)	
sod_btb_pod_line	EMT PO Line	EMT PO Ln	>>9	
sod_btb_type	EMT Type		xx	
sod_btb_vend	EMT Supplier	EMT Supp	x(8)	
sod_calc_isb	Calculate Isb		yes/no	
sod_car_load	Call Act. Rec. Load		yes/no	
sod_ca_line	Call Line		>>9	
sod_ca_nbr	Call		x(8)	
sod_cc	Cost Ctr	CC	x(4)	
sod_cfg_type	Configuration	Config	x(1)	
sod_charge_type	Charge Type	Charge! Type	x(8)	
sod_cmtindx	Comment Index	Comment	>>>>>>>9	
sod_comment[5]	Comments		x(40)	
sod_comm_pct[4]	Commission	Comm%	>>9.99%	10
sod_confirm	Confirmed		yes/no	
sod_conrep	Netting Logic	C/R	x(1)	
sod_consignment	Consignment		yes/no	
sod_consign_loc	Consignment Location	Consignment! Location	x(8)	
sod_consume	Consume Forecast	Consume Fcst	yes/no	
sod_contr_id	PO Number		x(30)	
sod_covered_amt	Covered Amount		>>>>, >>>, >>9.99<<<	10
sod_crt_int	Credit Terms Int	CRT Int	->>>>9.99	10
sod_cum_date[4]	Cum Start		99/99/99	
sod_cum_qty[4]	Cum Shipped		->>>>, >>>, >>9.9<<<<<<<	10
sod_cum_time[4]	Time		>>, >>>, >>9	
sod_curr_rlse_id[3]	Active Rlse ID		x(30)	
sod_custpart	Customer Item		x(30)	
sod_custref	Customer Ref		x(30)	
sod_desc	Description		x(24)	
sod_dir_all	Allocated Direct	Alloc Dir	yes/no	
sod_disc_pct	Disc %		->>9.99%	10
sod_div	Division		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_dock	Dock		x(8)	
◇ sod_domain	Domain		x(8)	
sod_drp_ref	DRP Ref		x(8)	
sod_dsc_acct	Disc Acct		x(8)	
sod_dsc_cc	Disc CC	CC	x(4)	
sod_dsc_project	Disc Project		x(8)	
sod_dsc_sub	Disc Sub-Acct	Sub-Acct	x(8)	
sod_due_date	Due Date	Due	99/99/99	
sod_enduser	End User		x(8)	
sod_end_eff[4]	End Effective		99/99/99	
sod_expire	Expires		99/99/99	
sod_exp_del	Exp Delivery Date	Exp Date	99/99/99	
sod_fab_days	Fab Auth Days		>,>>9	
sod_fa_nbr	FAS W/O	Final Assembly W/O	x(18)	
sod_fixed_price	Fixed Price		>>>>,>>>,>>9.99<<<	10
sod_fix_pr	Fixed Price	Fix	yes/no	
sod_for	For		x(18)	
sod_for_serial	Parent Item Serial		X(18)	
sod_fr_chg	Unit Freight Charge		->>>,>>>,>>9.99	10
sod_fr_class	Freight Class		x(8)	
sod_fr_list	Freight List	Fr List	x(8)	
sod_fr_rate	Freight Rate		>>>,>>>,>>9.99<<	10
sod_fr_wt	Unit Ship Weight		->,>>>,>>9.<<<<<<	10
sod_fr_wt_um	UM		x(2)	
sod_fsm_type	FSM Type		x(8)	
sod_fst_list	FST on List		yes/no	
sod_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
sod_inv_cost	Invoice Cost		->>>,>>>,>>9.99<<<	10
sod_inv_nbr	Invoice		x(8)	
sod_isb_loc	Installed Base Location		x(22)	
sod_isb_ref	ISB Ref		>>>>>>>9	
sod_line	Line	Ln	>>9	
sod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
sod_ln_ref	Line Ref		x(8)	
sod_loc	Location		x(8)	
sod_lot	ID		x(8)	
sod_manual_fr_list	Manual Fr List		yes/no	
sod_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
sod_modelyr	Model Year		x(4)	
sod_mod_date	Modified Date	Mod Date	99/99/99	
sod_mod_userid	User ID		X(8)	
sod_nbr	Sales Order	Order	x(8)	
sod_order_category	Category		x(8)	
sod_ord_mult	Std Pack Qty	Mult	>>,>>>,>>9	0
sod_out_po	Display PO Number		x(30)	
sod_override_lmt	Override Limits	Lmt	yes/no	
sod_owner	Ownership		x(8)	
sod_part	Item Number		x(18)	
sod_partial	Partial OK	Partial	yes/no	
sod_pastdue	Past Due Logic	C/R	x(1)	
sod_per_date	Perform		99/99/99	
sod_pickdate	Pick Date		99/99/99	
sod_pkg_code	Pkg Code		x(18)	
sod_pl_priority	P/L Priority		>9	
sod_price	Price		>>>>,>>>,>>9.99<<<	10
sod_pricing_dt	Pricing Date	Price Dt	99/99/99	
sod_prig1	Pricing Group 1		x(8)	

Field Name	Label	Col-Label	Format	Dec
sod_type	Ship Type	T	x(1)	
sod_um	UM		x(2)	
sod_um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
sod_upd_isb	Update Installed Base		yes/no	
sod_user1	Ufld1		x(8)	
sod_user2	Ufld2		x(8)	
sod_warr_start	Warranty Start Date		99/99/99	
sod_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
sod_xslspsn[3]	Salesperson	Salespsn	x(8)	
sod__chr01			x(8)	
sod__chr02			x(8)	
sod__chr03			x(8)	
sod__chr04			x(8)	
sod__chr05			x(8)	
sod__chr06			x(8)	
sod__chr07			x(8)	
sod__chr08			x(8)	
sod__chr09			x(8)	
sod__chr10			x(8)	
sod__dec01			>>>, >>>, >>9.99	10
sod__dec02			>>>, >>>, >>9.99	10
sod__dte01			99/99/99	
sod__dte02			99/99/99	
sod__log01			yes/no	
sod__qad01			->>>>, >>>, >>9	
sod__qad02			yes/no	
sod__qadc01	QAD Field		X(8)	0
sod__qadc02	QAD Field		X(8)	0
sod__qadc03	QAD Field		X(8)	0
sod__qadc04	QAD Field		X(8)	0
sod__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
sod__qadd04			->, >>>, >>9.9<<<<<<<<<	10
sod__qadi01	QAD Field		->, >>>, >>9	
sod__qadi02	QAD Field		->, >>>, >>9	
sod__qadi03	QAD Field		yes/no	
sod__qadi04	QAD Field		yes/no	
sod__qadi05	QAD Field		yes/no	
sod__qadi06	QAD Field		yes/no	
sod__qadi07	QAD Field		yes/no	
sod__qadi08	QAD Field		yes/no	
sod__qadi09	QAD Field		yes/no	
sod__qadi10	QAD Field		yes/no	
sod__qadi11	QAD Field		yes/no	
sod__qadi12	QAD Field		yes/no	
sod__qadi13	QAD Field		yes/no	
sod__qadi14	QAD Field		yes/no	
sod__qadi15	QAD Field		yes/no	
sod__qadi16	QAD Field		yes/no	
sod__qadi17	QAD Field		yes/no	
sod__qadi18	QAD Field		yes/no	
sod__qadi19	QAD Field		yes/no	
sod__qadi20	QAD Field		yes/no	
sod__qadi21	QAD Field		yes/no	
sod__qadi22	QAD Field		yes/no	
sod__qadi23	QAD Field		yes/no	
sod__qadi24	QAD Field		yes/no	
sod__qadi25	QAD Field		yes/no	
sod__qadi26	QAD Field		yes/no	
sod__qadi27	QAD Field		yes/no	
sod__qadi28	QAD Field		yes/no	
sod__qadi29	QAD Field		yes/no	
sod__qadi30	QAD Field		yes/no	
sod__qadi31	QAD Field		yes/no	
sod__qadi32	QAD Field		yes/no	
sod__qadi33	QAD Field		yes/no	
sod__qadi34	QAD Field		yes/no	
sod__qadi35	QAD Field		yes/no	
sod__qadi36	QAD Field		yes/no	
sod__qadi37	QAD Field		yes/no	
sod__qadi38	QAD Field		yes/no	
sod__qadi39	QAD Field		yes/no	
sod__qadi40	QAD Field		yes/no	
sod__qadi41	QAD Field		yes/no	
sod__qadi42	QAD Field		yes/no	
sod__qadi43	QAD Field		yes/no	
sod__qadi44	QAD Field		yes/no	
sod__qadi45	QAD Field		yes/no	
sod__qadi46	QAD Field		yes/no	
sod__qadi47	QAD Field		yes/no	
sod__qadi48	QAD Field		yes/no	
sod__qadi49	QAD Field		yes/no	
sod__qadi50	QAD Field		yes/no	
sod__qadi51	QAD Field		yes/no	
sod__qadi52	QAD Field		yes/no	
sod__qadi53	QAD Field		yes/no	
sod__qadi54	QAD Field		yes/no	
sod__qadi55	QAD Field		yes/no	
sod__qadi56	QAD Field		yes/no	
sod__qadi57	QAD Field		yes/no	
sod__qadi58	QAD Field		yes/no	
sod__qadi59	QAD Field		yes/no	
sod__qadi60	QAD Field		yes/no	
sod__qadi61	QAD Field		yes/no	
sod__qadi62	QAD Field		yes/no	
sod__qadi63	QAD Field		yes/no	
sod__qadi64	QAD Field		yes/no	
sod__qadi65	QAD Field		yes/no	
sod__qadi66	QAD Field		yes/no	
sod__qadi67	QAD Field		yes/no	
sod__qadi68	QAD Field		yes/no	
sod__qadi69	QAD Field		yes/no	
sod__qadi70	QAD Field		yes/no	
sod__qadi71	QAD Field		yes/no	
sod__qadi72	QAD Field		yes/no	
sod__qadi73	QAD Field		yes/no	
sod__qadi74	QAD Field		yes/no	
sod__qadi75	QAD Field		yes/no	
sod__qadi76	QAD Field		yes/no	
sod__qadi77	QAD Field		yes/no	
sod__qadi78	QAD Field		yes/no	
sod__qadi79	QAD Field		yes/no	
sod__qadi80	QAD Field		yes/no	
sod__qadi81	QAD Field		yes/no	
sod__qadi82	QAD Field		yes/no	
sod__qadi83	QAD Field		yes/no	
sod__qadi84	QAD Field		yes/no	
sod__qadi85	QAD Field		yes/no	
sod__qadi86	QAD Field		yes/no	
sod__qadi87	QAD Field		yes/no	
sod__qadi88	QAD Field		yes/no	
sod__qadi89	QAD Field		yes/no	
sod__qadi90	QAD Field		yes/no	
sod__qadi91	QAD Field		yes/no	
sod__qadi92	QAD Field		yes/no	
sod__qadi93	QAD Field		yes/no	
sod__qadi94	QAD Field		yes/no	
sod__qadi95	QAD Field		yes/no	
sod__qadi96	QAD Field		yes/no	
sod__qadi97	QAD Field		yes/no	
sod__qadi98	QAD Field		yes/no	
sod__qadi99	QAD Field		yes/no	
sod__qadi100	QAD Field		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sod_det	yes	oid_sod_det	yes	no
Δ sod_call	no	sod_domain	yes	no
		sod_ca_nbr	yes	no
		sod_ca_line	yes	no
		sod_part	yes	no
		sod_serial	yes	no
Δ sod_fr_list	no	sod_domain	yes	no
		sod_nbr	yes	no
		sod_fr_list	yes	no
Δ sod_fsm_type	no	sod_domain	yes	no
		sod_fsm_type	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		sod_nbr	yes	no
		sod_line	yes	no
Δ* sod_nbrln	yes	sod_domain	yes	no
		sod_nbr	yes	no
		sod_line	yes	no
Δ sod_part	yes	sod_domain	yes	no
		sod_part	yes	no
		sod_nbr	yes	no
		sod_line	yes	no

Cost Simulation Operation Detail

Field Name	Label	Col-Label	Format	Dec
oid_sop_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sop_batch	Batch Qty	Batch! Qty	.9<<<<<<<<	
sop_cost	Cost		>, >>>, >>9.9<<<<<<<<	10
sop_domain	Domain		>>>>, >>>, >>9.99<<<	10
sop_element	Cost Element	Element	x(8)	
sop_elm_bdn	Burden Element	Bdn Elmt	x(8)	
sop_elm_lbr	Labor Element	Lbr Elmt	x(8)	
sop_elm_sub	Subcontract Element	Sub Elmt	x(8)	
sop_end	End Date	End	99/99/99	
sop_inv_value	Inventory Value		>>>>, >>>, >>9.99<<<	10
sop_mch_op	Machines per Op	Mach / Op	->, >>>, >>9	
sop_men_mch	Run Crew		->, >>9.99	10
sop_milestone	Milestone Operation	Milestone	yes/no	
sop_op	Operation		>>>>9	
sop_routing	Routing Code		x(18)	
sop_run	Run Time	Run	>>>, >>>, >>9.9<<<<<<<<	10
sop_setup	Setup Time	Setup	>, >>9.9<<	10
sop_setup_men	Setup Crew		->, >>9.99	10
sop_sim	Cost Set		x(8)	
sop_start	Start Date	Start	99/99/99	
sop_std_batch	Standard Batch Size	Batch	>>>, >>9.9	10
sop_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
sop_user1	Ufld1		x(8)	
sop_user2	Ufld2		x(8)	
sop_wkctr	Work Center	Work Ctr	x(8)	
sop_yield_pct	Yield%		>>9.99%	10
sop__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sop_det	yes	oid_sop_det	yes	no
△ sop_sim_elem	yes	sop_domain	yes	no
		sop_sim	yes	no
		sop_element	yes	no
		sop_routing	yes	no
		sop_op	yes	no
△* sop_sim_part	yes	sop_domain	yes	no

sosrd_det

Field Name	Label	Col-Label	Format	Dec
oid_sosrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sosrd_abs_id	Shipper		.9<<<<<<<<<	
sosrd_dataset	Dataset		x(20)	
sosrd_domain	Domain		x(12)	
sosrd_line	Line		x(8)	
sosrd_measurement_type	Type		>>9	
sosrd_mod_date	Modified Date	Mod Date	>	
sosrd_mod_userid	User ID		99/99/99	
sosrd_nbr	Order		X(8)	
sosrd_rsn_code	Reason Code		x(8)	
sosrd_shipfrom	Ship-from		x(8)	
sosrd_user1	User Field Character 1		x(24)	
sosrd_user2	User Field Character 2		X(24)	
sosrd__qadc01			X(24)	
sosrd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_sosrd_det	yes	oid_sosrd_det	yes	no
Δ^* sosrd_nbr	yes	sosrd_domain	yes	no
		sosrd_nbr	yes	no
		sosrd_line	yes	no
		sosrd_shipfrom	yes	no
		sosrd_abs_id	yes	no
		sosrd_measurement_type	yes	no
		sosrd_dataset	yes	no

sosr_mstr

Field Name	Label	Col-Label	Format	Dec
oid_sosr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sosr_abs_id	Shipper		.9<<<<<<<<	
sosr_cmtindx	Comment		x(20)	
sosr_domain	Domain		>>>>>>>9	
sosr_line	Line		x(8)	
sosr_mod_date	Modified Date	Mod Date	>>9	
sosr_mod_userid	User ID		99/99/99	
sosr_nbr	Order		X(8)	
sosr_shipfrom	Ship-From		X(8)	
sosr_user1	User Field Character 1		X(24)	
sosr_user2	User Field Character 2		X(24)	
sosr_qadc01			X(24)	
sosr_qadc02			X(24)	

Field Name	Label	Col-Label	Format	Dec
so_fcg_code	Charge Code		x(8)	0
so_firm_seq_days	Firm Days		>>9	
so_fix_pr	Fixed Price		yes/no	
so_fix_rate	Fixed Rate	Fixed	yes/no	
so_fob	FOB Point		x(20)	
so_fr_list	Freight List	Fr List	x(8)	
so_fr_min_wt	Fr Min Wt		->>>, >>>, >>9	10
so_fr_terms	Freight Terms	Fr Terms	x(8)	
so_fsacccr_acct	Accrued Revenue	Accrued	x(8)	
so_fsacccr_cc	Accrued Revenue CC		x(4)	
so_fsacccr_sub	Accrued Revenue Sub-Acct		x(8)	
so_fsdef_acct	Deferred Revenue	Deferred	x(8)	
so_fsdef_cc	Deferred Revenue CC		x(4)	
so_fsdef_sub	Deferred Revenue Sub-Acct		x(8)	
so_fsm_type	FSM Type		x(8)	
so_fst_id	FST ID		x(18)	
so_incl_iss	Include Saturday/Sunday		yes/no	
so_inc_in_rss	Include Seq in Req Ship Sched		yes/no	
so_intrans_loc	In-Transit Location	In-Transit! Location	x(8)	
so_invoiced	Invoiced		yes/no	
so_inv_cr	Invoice To Credit	Cr Invoice	x(8)	
so_inv_date	Invoice Date	Inv Date	99/99/99	
so_inv_mthd	Invoices Via		x(1)	
so_inv_nbr	Invoice Number	Invoice	x(8)	
so_lang	Language		x(2)	
so_manual_fr_terms	Manual Fr Terms		yes/no	
so_max_aging_days	Maximum Aging Days	Maximum! Aging Days	>>9	
so_merge_rss	Merge RSS		yes/no	
so_nbr	Sales Order	Order	x(8)	
so_ord_date	Order Date	Ord Date	99/99/99	
so_partial	Partial OK	Partial	yes/no	
so_po	Purchase Order		x(22)	
so_prepaid	Prepaid		-z, zzz, zzz, zz9.99	10
so_prep_tax	Prepaid Tax		->>>>, >>>, >>9.99<<<	10
so_priced_dt	Last Price Dt	Last Pri	99/99/99	
so_pricing_dt	Pricing Date	Price Dt	99/99/99	
so_primary	Primary SO	Pr SO	yes/no	
so_print_bl	Print Bill of Lading	Print BOL	yes/no	
so_print_pl	Print Pack List	Print Pack	yes/no	
so_print_so	Print Sales Order	Print SO	yes/no	
so_project	Project		x(8)	
so_pr_list	Manual	Disc Tbl	x(8)	
so_pr_list2	Price Tbl	Pr Tbl	x(8)	
so_pst	PST		yes/no	
so_pst_id	PST ID		x(18)	
so_pst_pct	PST Pct		->9.99<%	10
so_quote	Quote		x(8)	
so_req_date	Required Date	Required	99/99/99	
so_rev	Revision	Rev	>>9	
so_revenue	Revenue Type		x(1)	
so_rmks	Remarks		x(40)	
so_sa_nbr	Contract		x(8)	
so_sched	Scheduled		yes/no	
so_sch_mthd	Schedules Via		x(1)	
so_secondary	Secondary EMT Order	Sec EMT	yes/no	
so_seq_order	Sequenced	Partial	yes/no	

Field Name	Label	Col-Label	Format	Dec
so_ship	Ship-To		x(8)	
so_shipvia	Ship Via		x(20)	
so_ship_cmplt	Ship Complete		>>9	
so_ship_date	Ship Date		99/99/99	
so_ship_eng	Ship-To Engineer		yes/no	
so_ship_po	Ship To PO		x(22)	
so_site	Site		x(8)	
so_size	Size		->, >>>, >>9.9<<<<<<<<	10
so_size_um	Size UM	UM	x(2)	
so_slspsn[4]	Salesperson	Salespsn	x(8)	
so_source	Order Source	Source	x(8)	
so_stat	Action Status	St	x(2)	
so_taxable	Taxable	Tax	yes/no	
so_taxc	Tax Class	TxC	x(3)	
so_tax_date	Tax Date		99/99/99	
so_tax_env	Tax Environment	Tax Env	x(16)	
so_tax_pct[3]	Tax		->9.99<%	10
so_tax_usage	Tax Usage	TaxUsage	x(8)	
so_to_inv	Ready to Invoice	Invoice	yes/no	
so_trl1_amt	Trailer Amt 1		-zzzz,zzz,zz9.99	10
so_trl1_cd	Trailer 1	Trl1	x(2)	
so_trl2_amt	Trailer Amt 2		-zzzz,zzz,zz9.99	10
so_trl2_cd	Trailer 2	Trl2	x(2)	
so_trl3_amt	Trailer Amt 3		-zzzz,zzz,zz9.99	10
so_trl3_cd	Trailer 3	Trl3	x(2)	
so_type	Type		x(8)	
so_user1	Ufld1		x(8)	
so_user2	Ufld2		x(8)	
so_userid	User ID		x(8)	
so_weight	Weight		->>>, >>>, >>9.9999	10
so_weight_um	Weight UM	UM	x(2)	
so_xcomm_pct[2]	Commission	Comm%	>>9.99%	10
so_xslspsn[2]	Salesperson	Salespsn	x(8)	
so__chr01			x(8)	
so__chr02			x(8)	
so__chr03			x(8)	
so__chr04			x(8)	
so__chr05			x(8)	
so__chr06			x(8)	
so__chr07			x(8)	
so__chr08			x(8)	
so__chr09			x(8)	
so__chr10			x(8)	
so__dec01			>>>, >>>, >>9.99	10
so__dec02			>>>, >>>, >>9.99	10
so__dte01			99/99/99	
so__dte02			99/99/99	
so__log01			yes/no	
so__qad01			-z,zzz,zzz,zz9.99	10
so__qad02			-z,zzz,zzz,zz9.99	10
so__qad03			-z,zzz,zzz,zz9.99	10
so__qad04			>	
so__qad05[2]			>>9.9<<	10
so__qadc01	QAD Field		X(8)	0
so__qadc02	QAD Field		X(8)	0
so__qadc03	QAD Field		X(8)	0
so__qadc04	QAD Field		X(8)	0

Field Name	Label	Col-Label	Format	Dec
so__qadc05	QAD Field		X(8)	0
so__qadd01	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadd02	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadd03	QAD Field		->>>>, >>>, >>9.99<<<	10
so__qadi01	QAD Field		->, >>>, >>9	
so__qadi02	QAD Field		->, >>>, >>9	
so__qadi03	QAD Field		->, >>>, >>9	
so__qadi01	QAD Field		yes/no	
so__qadi02	Exclude Planning Data		yes/no	
so__qadi04			yes/no	
so__qadt01	QAD Field		99/99/99	
so__qadt02	QAD Field		99/99/99	
so__qadt03	QAD Field		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_so_mstr	yes	oid_so_mstr	yes	no
Δ so_bill	no	so_domain	yes	no
		so_bill	yes	no
		so_nbr	yes	no
		so_ord_date	yes	no
Δ so_ca_nbr	no	so_domain	yes	no
		so_ca_nbr	yes	no
Δ so_cust	no	so_domain	yes	no
		so_cust	yes	no
Δ so_cust_po	no	so_domain	yes	no
		so_cust_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
Δ so_fsm_type	no	so_domain	yes	no
		so_fsm_type	yes	no
		so_nbr	yes	no
Δ so_invoice	no	so_domain	yes	no
		so_inv_nbr	yes	no
Δ* so_nbr	yes	so_domain	yes	no
		so_nbr	yes	no
Δ so_po_nbr	no	so_domain	yes	no
		so_po	yes	no
		so_cust	yes	no
		so_nbr	yes	no
Δ so_quote	no	so_domain	yes	no
		so_quote	yes	no
		so_nbr	yes	no
Δ so_to_inv	yes	so_domain	yes	no
		so_to_inv	yes	no
		so_nbr	yes	no

sph_hist

Salesperson Sales History

Field Name	Label	Col-Label	Format	Dec
oid_sph_hist			>>>>>>>>>>>>>>>>>>>>>>9	10
sph_cost[12]	Cost		.g<<<<<<<<	
sph_domain	Domain		->>>, >>>, >>9	10
sph_quota[12]	Quota		->>>, >>>, >>9	10
sph_sales[12]	Sales		->>>, >>>, >>9	10
sph_slspsn1	Salespsn1		x(8)	
sph_smonth	Start Month		>9	
sph_tot_cost	YTD Cost		->, >>>, >>>, >>9	10
sph_tot_sale	YTD Sales		->, >>>, >>>, >>9	10
sph_type	Ship Type	T	x(1)	
sph_user1	Ufld1		x(8)	
sph_user2	Ufld2		x(8)	
sph_year	Year		9999	
sph__chr01			x(8)	
sph__chr02			x(8)	
sph__chr03			x(8)	
sph__chr04			x(8)	
sph__chr05			x(8)	
sph__dec01[12]			>>>>, >>>, >>9.99	10
sph__dec02[12]			>>>>, >>>, >>9.99	10
sph__dte01			99/99/99	
sph__dte02			99/99/99	
sph__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
o oid_sph_hist	yes	oid_sph_hist	yes	no
Δ sph_slspns1	yes	sph_domain	yes	no
		sph_slspns1	yes	no
		sph_year	yes	no
Δ* sph_year	yes	sph_domain	yes	no
		sph_year	yes	no
		sph_slspns1	yes	no

spt_det

Cost Simulation Item Detail

Field Name	Label	Col-Label	Format	Dec
oid_spt_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
spt_ao	Add On	A/O	.9<<<<<<<<	
spt_cst_ll	Cost LL		>>>, >>>, >>9.99<<<	10
spt_cst_tl	Cost		>>>, >>>, >>9.99<<<	10
spt_domain	Domain		x(8)	
spt_element	Cost Element	Element	x(8)	
spt_mod_date	Modified Date	Mod Date	99/99/99	
spt_part	Item Number		x(18)	
spt_pct_ll	Seq 1		>>9.99%	10
spt_pct_tl	Seq 2		>>9.99%	10
spt_sim	Cost Set		x(8)	
spt_site	Site		x(8)	

Service Request Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_src_ctrl	yes	oid_src_ctrl	yes	no
Δ* src_index1	yes	src_domain	yes	no

Service/Repair Order Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sroc_ctrl	yes	oid_sroc_ctrl	yes	no
Δ* sroc_index1	yes	sroc_domain	yes	no

Service/Repair Order Master

Field Name	Label	Col-Label	Format	Dec
sro_dspstn	Disposition	Dspstn	x(8)	
sro_due_date	Due Date		99/99/99	
sro_ent_date	Entered		99/99/99	
sro_failure1	Failure Code	Failure1	x(8)	
sro_failure2	Failure Code 2	Failure2	x(8)	
sro_failure3	Failure Code 3	Failure3	x(8)	
sro_failure4	Failure Code 4	Failure4	x(8)	
sro_failure5	Failure Code 5	Failure5	x(8)	
sro_frt	Freight		-z,zzz,zzz,zz9.99	10
sro_invoiced	Invoiced		yes/no	
sro_inv_date	Invoice Date	Inv Date	99/99/99	
sro_nbr	S/RO		x(8)	
sro_part	Item		x(18)	
sro_po	PO		x(20)	
sro_prepaid	Prepaid Amount	Prepaid	-z,zzz,zzz,zz9.99	10
sro_print_pl	Print Pack List	Print Pack	yes/no	
sro_print_rg	Print RGA		yes/no	
sro_qty	Qty		->, >>>, >>9.9<<<<<<<<<	10
sro_repair1	Repair Code	Repair1	x(8)	
sro_repair2	Repair Code 2	Repair2	x(8)	
sro_repair3	Repair Code 3	Repair3	x(8)	
sro_repair4	Repair Code 4	Repair4	x(8)	
sro_repair5	Repair Code 5	Repair5	x(8)	
sro_rev	Rev		x(2)	
sro_rga	RGA		x(8)	
sro_serial	Lot/Serial		x(18)	
sro_serv_chg	Service		-z,zzz,zzz,zz9.99	10
sro_ship	Ship-To		x(8)	
sro_shipvia	Ship Via		x(20)	
sro_shp_date	Ship Date	Shipped	99/99/99	
sro_spec_chg	Special		-z,zzz,zzz,zz9.99	10
sro_status	Status		x(8)	
sro_taken	Taken By		x(8)	
sro_tax_pct[3]	Tax		->9.99<%	10
sro_to_inv	Ready to Invoice	Invoice	yes/no	
sro_type	Type		x(8)	
sro_user1	Ufld1		x(8)	
sro_user2	Ufld2		x(8)	
sro_wrrnty	Warranty	Wrrnty	yes/no	
sro__chr01			x(8)	
sro__chr02			x(8)	
sro__chr03			x(8)	
sro__chr04			x(8)	
sro__chr05			x(8)	
sro__dec01			>>>, >>>, >>9.99	10
sro__dec02			>>>, >>>, >>9.99	10
sro__dte01			99/99/99	
sro__dte02			99/99/99	
sro__log01			yes/no	
sro__qadc05			x(8)	
sro__qadc06			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sro_mstr	yes	oid_sro_mstr	yes	no
Δ sro_assign	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_assign	yes	no
		sro_ent_date	yes	no
Δ sro_cust	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_cust	yes	no
		sro_ent_date	yes	no
Δ sro_desc	yes	sro_domain	yes	no
		sro_desc	yes	no
		sro_nbr	yes	no
Δ sro_dspstn	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_dspstn	yes	no
		sro_ent_date	yes	no
Δ sro_ent_date	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_ent_date	yes	no
		sro_nbr	yes	no
Δ sro_failure1	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_failure1	yes	no
		sro_ent_date	yes	no
Δ* sro_nbr	yes	sro_domain	yes	no
		sro_nbr	yes	no
Δ sro_part	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_part	yes	no
		sro_ent_date	yes	no
Δ sro_status	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_status	yes	no
		sro_ent_date	yes	no
Δ sro_type	no	sro_domain	yes	no
		sro_closed	yes	no
		sro_type	yes	no
		sro_ent_date	yes	no

srr_mstr

Service Request Master

Field Name	Label	Col-Label	Format	Dec
oid_srr_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
srr_act_hrs	Actual Hours	Act Hours	.9<<<<<<<<<< ->>, >>9.99	10
srr_assign	Assigned		x(8)	
srr_ca_nbr	Call		x(8)	
srr_cls_date	Close Date		99/99/99	
srr_date	Date Entered		99/99/99	
srr_desc	Description		x(60)	
srr_domain	Domain		x(8)	
srr_eco	ECO		x(8)	
srr_est_hrs	Estimated Hours	Est Hours	->>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
srr_eu_nbr	End User		x(8)	
srr_nbr	SR		x(8)	
srr_note	Note#		x(20)	
srr_part	Item		x(18)	
srr_phone	Phone		x(20)	
srr_pri	Priority		>>>9	
srr_probidx	Problem Index		>>>>>>9	
srr_problem	Problem		x(8)	
srr_que	Queue		x(8)	
srr_requestor	Requestor		x(24)	
srr_residx	Resolve Index		>>>>>>9	
srr_resolution	Resolution		x(8)	
srr_severity	Severity		x(8)	
srr_started	Started In		x(8)	
srr_status	Status		x(8)	
srr_tdate	Target Fix Date	Target	99/99/99	
srr_tfix	Target Version Fix	Target	x(8)	
srr_type	Type		x(8)	
srr_update	Fixed In		x(8)	
srr_user1	Ufld1		x(8)	
srr_user2	Ufld2		x(8)	
srr__chr01			x(8)	
srr__chr02			x(8)	
srr__chr03			x(8)	
srr__chr04			x(8)	
srr__chr05			x(8)	
srr__chr06			x(8)	
srr__chr07			x(8)	
srr__chr08			x(8)	
srr__chr09			x(8)	
srr__chr10			x(8)	
srr__dec01			>>>, >>>, >>9.99	10
srr__dec02			>>>, >>>, >>9.99	10
srr__dte01			99/99/99	
srr__dte02			99/99/99	
srr__log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_srr_mstr	yes	oid_srr_mstr	yes	no
Δ srr_assign	no	srr_domain	yes	no
		srr_assign	yes	no
Δ srr_eco	no	srr_domain	yes	no
		srr_eco	yes	no
Δ srr_eu_nbr	no	srr_domain	yes	no
		srr_eu_nbr	yes	no
Δ* srr_nbr	yes	srr_domain	yes	no
		srr_nbr	yes	no
Δ srr_part	yes	srr_domain	yes	no
		srr_part	yes	no
		srr_nbr	yes	no
Δ srr_problem	no	srr_domain	yes	no
		srr_problem	yes	no

Serial Number Work Table

Field Name	Label	Col-Label	Format	Dec
oid_sr_wkfl			>>>>>>>>>>>>>>>>>>>>>9	10
sr_assay	Assay %		.9<<<<<<<<<	
sr_domain	Domain		>>9.99%	10
sr_expire	Expire Date	Expire	x(8)	
sr_lineid			99/99/99	
sr_loc	Location		x(8)	
sr_lotser	Lot/Serial		x(8)	
sr_qty	Quantity		x(18)	
sr_ref	Ref	Reference	->, >>>, >>9.<<<<<<<<<	10
sr_rev	Rev		x(4)	
sr_site	Site		x(8)	
sr_status	Status		x(8)	
sr_to_loc	Location		x(8)	
sr_to_site	Site		x(8)	
sr_user1	Ufld1		x(8)	
sr_user2	Ufld2		x(8)	
sr_userid	User ID		x(8)	
sr_vend_lot	Supplier Lot		x(18)	
sr_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_sr_wkfl	yes	oid_sr_wkfl	yes	no
Δ* sr_id	yes	sr_domain	yes	no
		sr_userid	yes	no
		sr_lineid	yes	no
		sr_site	yes	no
		sr_loc	yes	no
		sr_lotser	yes	no
		sr_ref	yes	no

Source of Supply Detail

Field Name	Label	Col-Label	Format	Dec
oid_ssd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ssd_domain	Domain		x(8)	
ssd_end	End		99/99/99	
ssd_leadtime	Lead Time	LT	->, >>>	
ssd_network	Network Code		x(18)	
ssd_percent	Supply Percent	Percent	->>9.9<<%	10
ssd_rec_site	Receiving Site	Rec Site	x(8)	
ssd_ref	Reference		x(12)	
ssd_src_site	Supply Site	Source	x(8)	
ssd_start	Start		99/99/99	
ssd_trans	Transportation Code	Ship Via	x(8)	
ssd_user1	Ufld1		x(8)	
ssd_user2	Ufld2		x(8)	
ssd_qadc01			x(8)	
ssd_qadd01			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
sttqd_min_value	Minimum	Min	-->,>>>, >>9.<<<<<<<<	10
sttqd_mod_date	Modified Date	Mod Date	99/99/99	
sttqd_mod_userid	User ID		X(8)	
sttqd_part	Item Number		x(18)	
sttqd_receive_addr	Receive Address		x(8)	
sttqd_shipfrom	Ship-From		x(8)	
sttqd_status_code	Status Code		x(8)	
sttqd_tracking_measure	Track By		X(8)	
sttqd_user1	User Field Character 1		X(24)	
sttqd_user2	User Field Character 2		X(24)	
sttqd_use_percent	Track By Percentage		yes/no	
sttqd__qadc01			X(24)	
sttqd__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sttqd_det	yes	oid_sttqd_det	yes	no
Δ sttqd_active	no	sttqd_domain	yes	no
		sttqd_active	yes	no
		sttqd_measurement_type	yes	no
		sttqd_customer_source	yes	no
		sttqd_use_percent	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no
		sttqd_min_value	yes	no
		sttqd_max_value	yes	no
Δ* sttqd_customer_src	yes	sttqd_domain	yes	no
		sttqd_measurement_type	yes	no
		sttqd_status_code	yes	no
		sttqd_customer_source	yes	no
		sttqd_shipfrom	yes	no
		sttqd_receive_addr	yes	no
		sttqd_part	yes	no

sttq_mstr Time-Based/Quantity-Based Status Code Master

Field Name	Label	Col-Label	Format	Dec
oid_sttq_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
sttq_desc	Description		.9<<<<<<<<<	
sttq_domain	Domain		x(24)	
sttq_measurement_type	Measurement Type		x(8)	
sttq_mod_date	Modified Date	Mod Date	>	
sttq_mod_userid	User ID		99/99/99	
sttq_status_code	Status Code		X(8)	
sttq_user1	User Field Character 1		x(8)	
sttq_user2	User Field Character 2		X(24)	
sttq_qadc01			X(24)	
sttq_qadc02			X(24)	

Field Name	Label	Col-Label	Format	Dec
sufd_userc02	User Field Character 2		x(24)	
sufd_validate	Validate		x(24)	
sufd__qadc01			x(24)	
sufd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sufd_det	yes	oid_sufd_det	yes	no
Δ sufd_level	no	sufd_domain	yes	no
		sufd_level	yes	no
		sufd_fid_seq	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
Δ* sufd_shipfrom	yes	sufd_domain	yes	no
		sufd_shipfrom	yes	no
		sufd_shipto	yes	no
		sufd_level	yes	no
		sufd_fid_seq	yes	no

suf_mstr Shipper User Field Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_suf_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
suf_abs_fld_name	Shipper Field Name		.9<<<<<<<<	
◇ suf_domain	Domain		x(32)	
suf_fld_name	Field Name		x(8)	
suf_fld_prompt	Prompt for Value		x(32)	
suf_fld_seq	Field Sequence	Seq	yes/no	
suf_fld_value	Default Field Value		>>9	
suf_level	Apply to		x(30)	
suf_mod_date	Modified Date	Mod Date	>>9	
suf_mod_userid	User ID		99/99/99	
suf_userc01	User Field Character 1		x(8)	
suf_userc02	User Field Character 2		x(24)	
suf_validate	Validate		x(24)	
suf__qadc01			x(32)	
suf__qadc02			x(24)	
			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_suf_mstr	yes	oid_suf_mstr	yes	no
Δ^* suf_level	yes	suf_domain	yes	no
		suf_level	yes	no
		suf_fld_seq	yes	no

svc_ctrl

Service/Support Management Control

Field Name	Label	Col-Label	Format	Dec
oid_svc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
svc_ack_letter	Acknowledge Letter		yes/no	
svc_arears	Bill Arrears	Arrear	yes/no	
svc_assign_eng	Assign Primary Engineer	Eng	yes/no	
svc_autorenew	Auto Renew		yes/no	
svc_auto_ext	Use Calendar Days in Escalation	Cal Days for Esc	yes/no	
svc_auto_tim	Total Call Time		yes/no	
svc_avoidance	Use Call Avoidance		yes/no	
svc_bill	Use Repair Structure		yes/no	
svc_call_pdev	Call Print Device		x(8)	
svc_call_pre	Call Prefix		x(3)	
svc_canci_status	Cancel Status		x(8)	
svc_ca_allow_inv	Invoice From Recording		yes/no	
svc_ca_cor_type	Corrective Work Code		x(8)	
svc_ca_coverage	Coverage Window		yes/no	
svc_ca_est_time	Default Call Length		999:99	
svc_ca_est_trv	Travel Time		99:99	
svc_ca_ins_type	Install Work Code		x(8)	
svc_ca_inv_draft	Draft Invoice		yes/no	
svc_ca_model	Use Model		yes/no	
svc_ca_print0	Print zero dollar calls		yes/no	
svc_ca_pvm_type	PM Work Code		x(8)	
svc_ca_sys	System Level on Calls		yes/no	
svc_ca_tec_type	Technical Work Code		x(8)	
svc_ca_time_wnd	Call Time Window		yes/no	
svc_ca_upd_type	Update Work Code		x(8)	
svc_ca_wo_wnd	Call WO Window		yes/no	
svc_chg_cd	Chargeable Code		x(2)	
svc_chg_svcode	Charge Service Type		x(8)	
svc_close	Close Status	Cl Sts	x(8)	
svc_close_record	Close on Recording		yes/no	
svc_cmmts	Call Comments	Cmmt	yes/no	
svc_code	Code		x(8)	
svc_comp_status	Complete Status		x(8)	
svc_con_fsc_code	Con Service Category	Svc Cat	x(8)	
svc_corr_est_time	Corrective Call Duration		999:99	
svc_cp_causer	Copy Call User Fields		yes/no	
svc_cp_sauser	Copy Contract User Fields		yes/no	
svc_create_cus	Create Customer		yes/no	
svc_db_timezone	Database Time Zone		X(8)	
svc_dflt_cyc	Default Billing Cycle Code	Cycle Code	x(2)	
svc_dflt_pri	Default Priority	Dflt Pri	>>>9	
svc_dflt_que	Default Call Queue	Df Queue	x(8)	
svc_dflt_tm	Default Call Service Type	Svc Type	x(8)	
svc_dflt_warr	Default Warranty Type		x(8)	
svc_dispatch	Dispatcher		yes/no	
svc_domain	Domain		x(8)	
svc_eg_tax_usage	Exchange Tax Nature	Nature	x(8)	
svc_eng_lbcd	Engineer Labor Code	Eng Lbcd	x(8)	
svc_esc_dflt	Escalation Default		x(8)	
svc_esc_pause	Escalation Program Pause		>>, >>9	
svc_esc prt	Escalation Printer		x(10)	
svc esc sch	Use Escalation		yes/no	

Field Name	Label	Col-Label	Format	Dec
svc_esc_user	Esc User for Messages		x(8)	
svc_exch_um	Exchange UM		x(2)	
svc_ex_tax_usage	Expense Tax Nature		x(8)	
svc_fault_code	Fault Codes		yes/no	
svc_fixed_um	Fixed Price UM		x(2)	
svc_gen_0itm	Generate No Charge Lines		yes/no	
svc_gw_cd	Good Will CD	GW	x(2)	
svc_gw_svcode	Giveaway Service Type		x(8)	
svc_hold_call	No Calls If Customer on Hold No Calls		>>9	
svc_hold_status	Hold Status		x(8)	
svc_inst_cl	Auto Install Calls		yes/no	
svc_inst_est_time	Installation Call Duration		999:99	
svc_ins_days	Installation Days Ahead		>>9	
svc_invoice_acct	Modify Sales Accounts		yes/no	
svc_invoice_cost	Total Invoice Cost		yes/no	
svc_invoice_sts	Invoice Ready		x(8)	
svc_isb_bom	Load Available Structure		yes/no	
svc_isb_comp_bom	Component Use BOM		yes/no	
svc_isb_hist	Installed Base History		yes/no	
svc_isb_ns_bom	Load Standard BOM		yes/no	
svc_isb_repair	ISB Repair Status		x(8)	
svc_itm_data	Service Data in Item Master	Svc Itm Data	yes/no	
svc_ivc_hold	Hold Invoice to Close		yes/no	
svc_lb_tax_usage	Labor Tax Nature	Nature	x(8)	
svc_loc	Location		x(8)	
svc_mand_po	Mandatory PO		yes/no	
svc_mod_date	Modified Date	Mod Date	99/99/99	
svc_mod_userid	User ID		X(8)	
svc_multi_time_zones	Multiple Time Zones		yes/no	
svc_node	Node		x(8)	
svc_open	Open Status	Opn Sts	x(8)	
svc_pc_list_type	Pricing by List Type		yes/no	
svc_per_bill	Period Based Billing	P Bse	yes/no	
svc_plst_pct			->>, >>9.99<<<<	10
svc_pm_est_time	PM Call Duration		999:99	
svc_project_hndl	Project Code Handling		->, >>>, >>9	
svc_prorate	Prorate Partial Periods	Pro	yes/no	
svc_prt_0itm	Print No Charge Lines	Prt No chg	yes/no	
svc_pts_fsc_code	Item Svc Category	Svc Cat	x(8)	0
svc_pt_isb	Items in Installed Base	IB	yes/no	
svc_pt_mstr	Items Must Exist		yes/no	
svc_pt_prod	Use Item Prod Line		yes/no	
svc_pt_tax_usage	Item Tax Nature	Nature	x(8)	
svc_pvm_cl	PM Calls		yes/no	
svc_que_paus	Queue Manager Pause		>>9	
svc_que_prog	Queue Manager		>>9	
svc_rc_transfer	Transfer Inventory		yes/no	
svc_return_sts	Return Status		x(8)	
svc_rma_hist	Rma History		yes/no	
svc_sap_bom_type	Default BOM for PM		x(8)	
svc_sa_account	Update Accounting		yes/no	
svc_sa_accounts	Modify Sales Accounts		yes/no	
svc_sa_cd	Contract Code		x(2)	
svc_scheduler	Scheduler		>>9	
svc_schedule_ca	Schedule New Calls		yes/no	
svc_scrap_sts	Scrap Status		x(8)	
svc_serial	Installed Base Serials		x(1)	

Field Name	Label	Col-Label	Format	Dec
svc_server_timezone	Server Time Zone		X(8)	
svc_ship_isb	Ship to Installed Base	Ship To ISB	yes/no	
svc_site	Repair Site		x(8)	
svc_srr_close	SR Close Status	Cl Sts	x(8)	0
svc_srr_open	SR Open Status	Opn Sts	x(8)	0
svc_srstatus	SR Resolution		x(8)	
svc_sr_pre	Service Request Prefix		x(3)	
svc_sub_cvr	Subs Covered		yes/no	
svc_sv_cd	Service Contract Cd		x(2)	
svc_sys_type			x(2)	
svc_tax_enviroment	Tax Enviroment		x(8)	
svc_temp_close	Close Call with Temp		yes/no	
svc_temp_cus	Temporary Customer		x(8)	
svc_time_zone	Hours from GMT		>>9	
svc_tm_cd	Time and Materials CD		x(2)	
svc_trace	Enable Tracing		yes/no	
svc_travel_step	Travel Step		>>>>9	
svc_trvl_um	Travel UM		x(2)	0
svc_um	Contract UM	UM	x(2)	0
svc_upd_est_time	Update Call Duration		999:99	
svc_user1	Ufld1		x(8)	
svc_user2	Ufld2		x(8)	
svc_wait_status	Wait Status		x(8)	
svc_warr_cd	Warranty Code		x(2)	
svc_warr_st	Start from Warranty		yes/no	
svc_warr_svcode	Warranty Charge		x(8)	
svc_wkctr	Service Work Center		X(8)	0
svc__chr01	usrfld1		x(8)	
svc__chr02	usrfld2		x(8)	
svc__chr03	usrfld3		x(8)	
svc__chr04	usrfld4		x(8)	
svc__chr05	usrfld5		x(8)	
svc__chr06	usrfld6		x(8)	
svc__chr07	usrfld7		x(8)	
svc__chr08	usrfld8		x(8)	
svc__chr09	usrfld9		x(8)	
svc__chr10	usrfld10		x(8)	
svc__dec01			->>, >>9.99<<<<	10
svc__dec02			->>, >>9.99<<<<	10
svc__dec03			->>, >>9.99<<<<	10
svc__dec04			->>, >>9.99<<<<	10
svc__log01	usrlog01		yes/no	
svc__log02	usrlog02		yes/no	
svc__log03	usrlog03		yes/no	
svc__log04	usrlog04		yes/no	
svc__log05	usrlog05		yes/no	
svc__log06	usrlog06		yes/no	
svc__log07	usrlog07		yes/no	
svc__log08	usrlog08		yes/no	
svc__log09	usrlog09		yes/no	
svc__log10	usrlog10		yes/no	
svc__qadc03	QAD Character Field 3		X(8)	
svc__qadc04	QAD Character Field 4		x(8)	
svc__qadc05	QAD Character Field 5		x(8)	
svc__qadd01	QAD Decimal Field 1		->>, >>9.99	10
svc__qadd02	QAD Decimal Field 2		->>, >>9.99	10
svc__qadd03	QAD Decimal Field 3		->>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
svc__qadi02	QAD Integer Field 2		->,>>>,>>9	
svc__qadi03	QAD Integer Field 3		->,>>>,>>9	
svc__qadi04	QAD Integer Field		>>>9	
svc__qadi05	QAD Integer Field 5		->,>>>,>>9	
svc__qadi01	QAD Logical Field 1		yes/no	
svc__qadi02	QAD Logical Field 2		yes/no	
svc__qadi03	QAD Logical Field 3		yes/no	
svc__qadi04	QAD Logical Field		yes/no	
svc__qadi06	QAD Logical Field		yes/no	
svc__qadi07	QAD Logical Field		yes/no	
svc__qadt01	QAD Date Field 1		99/99/99	
svc__qadt02	QAD Date Field 2		99/99/99	
svc__qadt03	QAD Date Field 3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_svc_ctrl	yes	oid_svc_ctrl	yes	no
Δ* svc_node	yes	svc_domain	yes	no
		svc_node	yes	no

Service Agreement Terms and Conditions Master

Field Name	Label	Col-Label	Format	Dec
oid_sv_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
sv_blanket	Blanket		.9<<<<<<<<<	
sv_calls_allow	Calls Allowed		yes/no	
sv_call_price	Call Price List		>>>9	0
sv_cmtindx	Comment Index	Comment	X(8)	
sv_code	Service Type	Svc Type	>>>>>>>9	
sv_cr_prlst	Credit Price List	Cr Price	x(8)	
sv_cstmlist	Customs List	Customs	x(8)	
sv_days[7]	Days		yes/no	
sv_desc	Description		x(25)	
sv_dflt_pri	Priority		>>9	
sv_domain	Domain		x(8)	
sv_duration	Duration	Dur	>>>9	
sv_dur_um	Contract UM		x(1)	
sv_ed_time	End Time	End	99:99	
sv_es_nbr	Escalation		x(8)	
sv_etime[8]	End Time		99:99	
sv_holidays	Holidays		yes/no	
sv_labor_dur	Labor Duration		>>>9	
sv_labor_um	Labor UM		x(2)	
sv_off_hours_pt	Off Hours Item		x(18)	
sv_onsite	Onsite		yes/no	
sv_prod_line	Prod Line	Line	x(4)	
sv_pr_list	Contract Price List	CPrice List	x(8)	
sv_qo_title	Quote Title	Qo Title	x(24)	
sv_rmaonly	RMA Only		yes/no	
sv_rmaprice	RMA Price List		x(8)	0
sv_rsp_time	Response	Rsp Time	>>>>>>9	
sv_rsp_um	Response Time UM		x(1)	

Field Name	Label	Col-Label	Format	Dec
sv_rstk_pct	Restocking Charge		->>9.99%	10
sv_shp_b4rtn	Ship Before Return	Shp	yes/no	
sv_so_title	So title		x(24)	
sv_stime[8]	Start Time		99:99	
sv_st_time	Start Time	Start	99:99	
sv_svc_type	Contract Type	T	x(2)	
sv_taxable	Taxable		yes/no	
sv_taxc	Tax Class	TxC	x(3)	
sv_tax_usage	Nature of Operation	Nature	x(8)	
sv_type	End User Type		x(8)	
sv_user1	Ufld1		x(8)	
sv_user2	Ufld2		x(8)	
sv_visits	Visits Per Year		>>9	10
sv__chr01			x(8)	
sv__chr02			x(8)	
sv__chr03			x(8)	
sv__chr04			x(8)	
sv__chr05			x(8)	
sv__qadc01	Qad Field #1		x(8)	0
sv__qadc02	Qad Field #2		x(8)	0
sv__qadc03	Qad Field #3		x(8)	0
sv__qadc04	Qad Field #4		x(8)	0
sv__qadd01	Qad Decimal #1		->>>, >>>, >>9.99<<<<	10
sv__qadd02	Qad Decimal #2		->>>, >>>, >>9.99<<<<	10
sv__qadd03	Qad Decimal #3		->>>, >>>, >>9.99<<<<	10
sv__qadl01	Qad Logical #1		yes/no	
sv__qadl02	Qad Logical #2		yes/no	
sv__qadl03	Qad Logical #3		yes/no	
sv__qadt01	Qad Date #1		99/99/99	
sv__qadt02	Qad Date #2		99/99/99	
sv__qadt03	Qad Date #3		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sv_mstr	yes	oid_sv_mstr	yes	no
Δ* sv_code	yes	sv_domain	yes	no
		sv_code	yes	no
		sv_type	yes	no
Δ sv_svc_type	no	sv_domain	yes	no
		sv_code	yes	no
		sv_svc_type	yes	no

swc_det

Cost Simulation Work Center Detail

	Field Name	Label	Col-Label	Format	Dec
◇	oid_swc_det			>>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
	swc_bdn_pct	Lbr Bdn %		>>9.99%	10
	swc_bdn_rate	Lbr Bdn Rate		>>>, >9.99	10
	swc_bdn_supct	Setup Bdn %		>>9.99%	10
	swc_bdn_surate	Setup Bdn Rate		>>>, >9.99	10
	swc_cat	W/C Category		x(1)	
◇	swc_domain	Domain		x(8)	

Field Name	Label	Col-Label	Format	Dec
swc_element	Cost Element	Element	x(8)	
swc_lbr_rate	Labor Rate		>>>,>>9.99	10
swc_mch	Machine		x(8)	
swc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>,>>9.99	10
swc_mch_op	Mach/Op		>>9	
swc_mch_subdn	Mach Setup Bdn Rate	Mach Bdn	>>>,>>9.99	10
swc_mch_wkctr	Mach/Wk Ctr		>>9.999	10
swc_men_mch	Run Crew		>>9.999	10
swc_mod_date	Modified Date	Mod Date	99/99/99	
swc_pct_eff	Percent Efficiency		-,>,>>9.999	10
swc_pct_util	Percent Utilization		-,>,>>9.999	10
swc_run_rate	Lbr/Bdn Rate		-,>,>>>,>>9.99999	10
swc_setup_men	Setup Crew		->,>>9.99	10
swc_setup_rte	Setup Rate		>>>,>>9.99	10
swc_set_rate	Setup Rate		-,>,>>>,>>9.99999	10
swc_sim	Cost Set		x(8)	
swc_user1	Ufld1		x(8)	
swc_user2	Ufld2		x(8)	
swc_userid	User ID		x(8)	
swc_wkctr	Work Center		x(8)	
swc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_swc_det	yes	oid_swc_det	yes	no
Δ swc_sim_elem	yes	swc_domain	yes	no
		swc_sim	yes	no
		swc_element	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
Δ* swc_sim_wc	yes	swc_domain	yes	no
		swc_sim	yes	no
		swc_wkctr	yes	no
		swc_mch	yes	no
		swc_element	yes	no

◇ **sypd_det** Synch Profile Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
sypd_fldname	Field Name		x(21)	.9<<<<<<<<<
sypd_mod_date	Mod Date		99/99/99	
sypd_mod_userid	User ID		x(8)	
sypd_prereq_add	Prerequisite For Add		yes/no	
sypd_profl_id	Synch Profile ID		x(16)	
sypd_reqd_add	Required on Add		yes/no	
sypd_reqd_chgdel	Required on Change or Delete		yes/no	
sypd_seq	Sequence		>>9	
sypd_user1	Ufld1		x(8)	
sypd_user2	Ufld2		x(8)	
sypd_chr01			x(8)	
sypd_chr02			x(8)	

Field Name	Label	Col-Label	Format	Dec
sypd__dec01			->>>, >>>, >>9.99<	10
sypd__dec02			->>>, >>>, >>9.99<	10
sypd__dte01			99/99/99	
sypd__dte02			99/99/99	
sypd__int01			->>>, >>>, >>9	
sypd__int02			->>>, >>>, >>9	
sypd__log01			yes/no	
sypd__log02			yes/no	
sypd__qadc01			x(8)	
sypd__qadc02			x(8)	
sypd__qadc03			x(8)	
sypd__qadc04			x(8)	
sypd__qadd01			->>>, >>>, >>9.99<	10
sypd__qadd02			->>>, >>>, >>9.99<	10
sypd__qadi01			->>>, >>>, >>9	
sypd__qadi02			->>>, >>>, >>9	
sypd__qadi01			yes/no	
sypd__qadi02			yes/no	
sypd__qadt01			99/99/99	
sypd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_synd_det	yes	oid_synd_det	yes	no
◇* synd_proflid_fldname	yes	synd_profl_id	yes	no
		synd_fldname	yes	no
◇ synd_proflid_seq	no	synd_profl_id	yes	no
		synd_seq	yes	no

◇ **sypj_det** Sync Profile Join Detail

Field Name	Label	Col-Label	Format	Dec
oid_sypj_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
sypj_join_crit[4]	Join Criteria		x(255)	
sypj_join_profl	Joined Sync Profile ID		x(16)	
sypj_mod_date	Mod Date		99/99/99	
sypj_mod_userid	User ID		x(8)	
sypj_profl_id	Sync Profile ID		x(16)	
sypj_publ_joined	Publish Child On Parent Changes		yes/no	
sypj_relation	Relationship		x(1)	
sypj_reqd_join	Child Required To Publish Parent		yes/no	
sypj_seq	Sequence		>>9	
sypj_user1	Ufld1		x(8)	
sypj_user2	Ufld2		x(8)	
sypj__chr01			x(8)	
sypj__chr02			x(8)	
sypj__dec01			->>>, >>>, >>9.99<	10
sypj__dec02			->>>, >>>, >>9.99	10
sypj__dte01			99/99/99	
sypj__dte02			99/99/99	
sypj__int01			->>>, >>>, >>9	
sypj__int02			->>>, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
sypj__log01			yes/no	
sypj__log02			yes/no	
sypj__qadc01			x(8)	
sypj__qadc02			x(8)	
sypj__qadc03			x(8)	
sypj__qadc04			x(8)	
sypj__qadd01			->>>, >>>, >>9.99<	10
sypj__qadd02			->>>, >>>, >>9.99<	10
sypj__qadi01			->>>, >>>, >>9	
sypj__qadi02			->>>, >>>, >>9	
sypj__qadi01			yes/no	
sypj__qadi02			yes/no	
sypj__qadt01			99/99/99	
sypj__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_sypj_det	yes	oid_sypj_det	yes	no
◇ sypj_join_profl_rel	yes	sypj_join_profl	yes	no
		sypj_profl_id	yes	no
		sypj_relation	yes	no
◇ sypj_join_rel_seq	no	sypj_join_profl	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no
◇* sypj_profl_join_rel	yes	sypj_profl_id	yes	no
		sypj_join_profl	yes	no
		sypj_relation	yes	no
◇ sypj_profl_rel_seq	no	sypj_profl_id	yes	no
		sypj_relation	yes	no
		sypj_seq	yes	no

Synch Profile Subscription Detail

Field Name	Label	Col-Label	Format	Dec
oid_syys_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
syys_app_id	Application ID		x(12)	
syys_doc_rev	Document Revision		x(8)	
syys_doc_std	Document Standard		x(8)	
syys_doc_typ	Document Type		x(21)	
syys_im_doc	Imported Document		yes/no	
syys_mod_date	Mod Date		99/99/99	
syys_mod_userid	User ID		x(8)	
syys_profil_id	Sync Profile ID		x(16)	
syys_tradptr_id	Trading Partner ID		x(32)	
syys_trig_updt	Publish On Table Update		yes/no	
syys_user1	Ufld1		x(8)	
syys_user2	Ufld2		x(8)	
syys_chr01			x(8)	
syys__chr02			x(8)	
syys_dec01			->>>, >>>, >>9.99<	10
syys_dec02			->>>, >>>, >>9.99<	10
syys_dte01			99/99/99	
syys_dte02			99/99/99	
syys_int01			->>>, >>>, >>9	
syys_int02			->>>, >>>, >>9	
syys_log01			yes/no	
syys_log02			yes/no	
syys_qadc01			x(8)	
syys_qadc02			x(8)	
syys_qadc03			x(8)	
syys_qadc04			x(8)	
syys_qadd01			->>>, >>>, >>9.99<	10
syys_qadd02			->>>, >>>, >>9.99<	10
syys_qadi01			->>>, >>>, >>9	
syys_qadi02			->>>, >>>, >>9	
syys_qadl01			yes/no	
syys_qadl02			yes/no	
syys_qadt01			99/99/99	
syys_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
oid_syeps_det	yes	oid_syeps_det	yes	no
* syeps_subscription_id	yes	syeps_app_id	yes	no
		syeps_doc_std	yes	no
		syeps_doc_typ	yes	no
		syeps_doc_rev	yes	no
		syeps_tradptr_id	yes	no
		syeps_im_doc	yes	no
		syeps_profl_id	yes	no
syeps_subs_by_profile	no	syeps_profl_id	yes	no

◇ **syp_mstr**

Synch Profile Master

Field Name	Label	Col-Label	Format	Dec
oid_syp_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
syp_add_as_chg	Format as Change		yes/no	
syp_dbname	Database Name		x(8)	
syp_del_as_chg	Format as Change		yes/no	
syp_exp_add	Export Add		yes/no	
syp_exp_chg	Export Change		yes/no	
syp_exp_del	Export Delete		yes/no	
syp_exp_dump	Export As Record Dump		yes/no	
syp_exp_rowid_only	Export Rowid Only		yes/no	
sypflt_crit[4]	Filter Criteria		x(255)	
syp_mod_date	Mod Date		99/99/99	
syp_mod_userid	User ID		x(8)	
syp_prof_desc	Description		x(40)	
syp_prof_id	Synch Profile ID		x(16)	
syp_publ_proc	Filter Procedure Name		x(16)	
syp_tblname	Table Name		x(16)	
syp_user1	Ufld1		x(8)	
syp_user2	Ufld2		x(8)	
syp__chr01			x(8)	
syp__chr02			x(8)	
syp__dec01			->>>, >>>, >>9.99<	10
syp__dec02			->>>, >>>, >>9.99	10
syp__dte01			99/99/99	
syp__dte02			99/99/99	
syp__int01			->>>, >>>, >>9	
syp__int02			->>>, >>>, >>9	
syp__log01			yes/no	
syp__log02			yes/no	
syp__qadc01			x(8)	
syp__qadc02			x(8)	
syp__qadc03			x(8)	
syp__qadc04			x(8)	
syp__qadd01			->>>, >>>, >>9.99<	10
syp__qadd02			->>>, >>>, >>9.99<	10
syp__qadi01			->>>, >>>, >>9	
syp__qadi02			->>>, >>>, >>9	
syp__qadi01			yes/no	
syp__qadi02			yes/no	
syp__qadt01			99/99/99	
syp__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_syp_mstr	yes	oid_syp_mstr	yes	no
◇* syp_prof_l_id	yes	syp_prof_l_id	yes	no
◇ syp_tblname	no	syp_tblname	yes	no

Field Name	Label	Col-Label	Format	Dec
tag_loc	Location		x(8)	
tag_nbr	Tag Number	Tag Nbr	>>>>>>>9	
tag_part	Item Number		x(18)	
tag_posted	Posted	Post	yes/no	
tag_prt_dt	Print Date	Prt Date	99/99/99	
tag_rcnt_cnv	Recount Conv	Rcnt Conv	>>>>9.9999	10
tag_rcnt_dt	Date Recounted	RcntDate	99/99/99	
tag_rcnt_nam	Recounted By	Rcntd By	x(8)	
tag_rcnt_qty	Qty Recounted		>,>>>,>>9.9<<<<<<<<	10
tag_rcnt_um	Recount UM	UM	x(2)	
tag_ref	Ref	Reference	x(8)	
tag_rmks	Remarks		x(24)	
tag_serial	Lot/Serial		x(18)	
tag_site	Site		x(8)	
tag_type	Type	T	x(1)	
tag_user1	Ufld1		x(8)	
tag_user2	Ufld2		x(8)	
tag_void	Void		yes/no	
tag_qad01			->>>,>>>,>>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_tag_mstr	yes	oid_tag_mstr	yes	no
Δ* tag_nbr	yes	tag_domain	yes	no
		tag_nbr	yes	no
Δ tag_pslsn	yes	tag_domain	yes	no
		tag_part	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no
Δ tag_pssln	yes	tag_domain	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_nbr	yes	no
Δ tag_slpsn	yes	tag_domain	yes	no
		tag_site	yes	no
		tag_loc	yes	no
		tag_part	yes	no
		tag_serial	yes	no
		tag_ref	yes	no
		tag_nbr	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ old_tax_mstr	yes	old_tax_mstr	yes	no
* tax_state	yes	tax_state	yes	no
		tax_county	yes	no
		tax_city	yes	no
		tax_effdate	yes	no

tblcd_det

Table Change Detail

Field Name	Label	Col-Label	Format	Dec
oid_tblcd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
tblcd_active	Active		.9<<<<<<<<<<	
tblcd_desc	Description		yes/no	
tblcd_domain	Domain		x(24)	
tblcd_fld_name	Field		x(8)	
tblcd_mod_date	Modified Date	Mod Date	x(32)	
tblcd_mod_userid	User ID		x(32)	
tblcd_table	Table		99/99/99	
tblcd_user1	User Field Character 1		X(8)	
tblcd_user2	User Field Character 2		x(16)	
tblcd__qadc01			X(24)	
tblcd__qadc02			X(24)	
			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_tblcd_det	yes	oid_tblcd_det	yes	no
Δ^* tblcd_table	yes	tblcd_domain	yes	no
		tblcd_table	yes	no
		tblcd_flg_name	yes	no

tblc_mstr

Table Change Master

Field Name	Label	Col-Label	Format	Dec
oid_tblc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
tblc_active	Active		yes/no	
tblc_delete	Delete		yes/no	
tblc_desc	Description		x(24)	
tblc_domain	Domain		x(8)	
tblc_mod_date	Modified Date	Mod Date	99/99/99	
tblc_mod_userid	User ID		X(24)	
tblc_table	Table		x(16)	
tblc_user1	User Field Character 1		X(24)	
tblc_user2	User Field Character 2		X(24)	
tblc__qadc01			X(24)	
tblc__qadc02			X(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
		tbl_partype	yes	no
		tbl_parcode	yes	no
		tbl_comptype	yes	no
		tbl_compcode	yes	no

te mstr

Transaction Export Master

Field Name	Label	Col-Label	Format	Dec
oid_te_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
te_data	DATA		.9<<<<<<<<<<	
te_date	Date Created		X(255)	
te_date_deliv	Date Delivered		99/99/99	
te_date_exp	Date Exported		99/99/99	
te_dest	Dest ID		99/99/99	
te_domain	Domain		x(16)	
te_exp_type	Export Type		x(8)	
te_line	Line		x(16)	
te_nbr	Number		9999	
te_pgm	Program		99999999	
te_pgm_errs	Error Count		x(16)	
te_pgm_msgs[10]	Errors		9999	
te_pgm_warn	Warn Count		x(40)	
te_site	Site		9999	
te_time	Time Created		x(8)	
te_time_deliv	Time Delivered		x(8)	
te_time_exp	Time Exported		x(8)	
te_updt	Update Type		x(8)	
te_user1	Ufld1		x(3)	
te_user2	Ufld2		X(8)	
te_userid	User ID		X(8)	
te__chr01			x(8)	
te__chr02			X(8)	
te__dec01			9999999999.99	10
te__dec02			9999999999.99	10
te__dte01			99/99/99	
te__dte02			99/99/99	
te__log01			yes/no	
te__log02			yes/no	
te__qadc01			X(8)	
te__qadc02			X(8)	
te__qadc03			X(8)	
te__qadc04			X(8)	
te__qadd07			9999999999.99	10
te__qadd08			9999999999.99	10
te__qadi05			9999	
te__qadi06			9999	
te__qadl11			YES/NO	
te__qadl12			YES/NO	
te__qadt09			99/99/99	
te__qadt10			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_te_mstr	yes	oid_te_mstr	yes	no
Δ te_date	no	te_domain	yes	no
		te_date	yes	no
Δ te_date_deliv	no	te_domain	yes	no
		te_date_deliv	yes	no
Δ te_dest	no	te_domain	yes	no
		te_dest	yes	no
Δ te_exp_type	no	te_domain	yes	no
		te_exp_type	yes	no
Δ* te_mstr	yes	te_domain	yes	no
		te_site	yes	no
		te_nbr	yes	no
		te_line	yes	no
Δ te_nbr	yes	te_domain	yes	no
		te_nbr	yes	no
		te_line	yes	no

tm_mstr

Transportation Master

Field Name	Label	Col-Label	Format	Dec
oid_tm_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
tm_cmtindx	Comment Index	Comment	>>>>>>9 .9<<<<<<<<<	
tm_code	Transport ID	Trans ID	x(8)	
tm_cube_um	UM		x(2)	
tm_desc	Description		x(24)	
tm_domain	Domain		x(8)	
tm_gross_wt	Gross Vehicle Weight	GVW	->, >>>, >>9.9<<<	10
tm_height	Height		>>>, >>>, >>9.9<<<	10
tm_length	Length		>>>, >>>, >>9.9<<<	10
tm_load_lt	Load LT		->>9.9<	10
tm_maxcube	Max Load Volume	Max Vol	>>>, >>>, >>9.9<<<	10
tm_maxweight	Max Load Weight	Max Load	>>>, >>>, >>9.9<<<	10
tm_no_units	Available Units	Units	->, >>>, >>9	
tm_pallets	Pallet Capacity	Pallets	>>>, >>>, >>9	
tm_rate_code	Rate Table	Rate	x(8)	
tm_type	Transport Type	Type	x(8)	
tm_unload_lt	Unload LT		->>9.9<	10
tm_user1	Ufld1		x(8)	
tm_user2	Ufld2		x(8)	
tm_weight_um	UM		x(2)	
tm_width	Width		>>>, >>>, >>9.9<<<	10
tm_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_tm_mstr	yes	oid_tm_mstr	yes	no
Δ^* tm_code	yes	tm_domain	yes	no
		tm_code	yes	no
Δ tm_desc	no	tm_domain	yes	no
		tm_desc	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ tm_rate	no	tm_code	yes	no
		tm_domain	yes	no
		tm_rate_code	yes	no
		tm_code	yes	no

totd_det	Terms of Trade Detail

Field Name	Label	Col-Label	Format	Dec
oid_totd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
totd_domain	Domain		x(8)	.9<<<<<<<<<
totd_lc_charge	Logistics Charge Code	Chrg Code	x(8)	
totd_mod_date	Modified Date	Mod Date	99/99/99	
totd_mod_userid	User ID		x(8)	
totd_responsibility	Responsibility		x(2)	
totd_terms_code	Terms of Trade		x(8)	
totd_user1	User Field Character 1		x(24)	
totd_user2	User Field Character 2		x(24)	
totd__qadc01			x(24)	
totd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_totd_det	yes	oid_totd_det	yes	no
△* totld_terms_code	yes	totld_domain	yes	no
		totld_terms_code	yes	no
		totld_lc_charge	yes	no

tot_mstr	Terms of Trade Master

Field Name	Label	Col-Label	Format	Dec
oid_tot_mstr			>>>>>>>>>>>>>>>>>>>>>9	10
tot_domain	Domain		x(8)	.9<<<<<<<<<
tot_mod_date	Modified Date	Mod Date	99/99/99	
tot_mod_userid	User ID		x(8)	
tot_terms_code	Terms of Trade		x(8)	
tot_terms_desc	Description		x(24)	
tot_user1	User Field Character 1		x(24)	
tot_user2	User Field Character 2		x(24)	
tot__qadc01			x(24)	
tot__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_tot_mstr	yes	oid_tot_mstr	yes	no
△* tot_terms_code	yes	tot_domain	yes	no
		tot terms code	yes	no

Field Name	Label	Col-Label	Format	Dec
trgl_dy_num	Entry Number		x(40)	
trgl_gl_amt	Amount		->>>>>, >>9.99	10
trgl_gl_ref	GL Reference		x(14)	
trgl_sequence	Sequence		->, >>>, >>9	
trgl_trnbr	Transaction	Trans	>>>>>9	
trgl_type	Type		x(8)	
trgl_user1	Ufld1		x(8)	
trgl_user2	Ufld2		x(8)	
trgl__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
⋄ oid_trgl_det	yes	oid_trgl_det	yes	no
Δ trgl_dr_cr	no	trgl_domain	yes	no
		trgl_dr_acct	yes	no
		trgl_dr_sub	yes	no
		trgl_dr_cc	yes	no
		trgl_cr_acct	yes	no
		trgl_cr_sub	yes	no
		trgl_cr_cc	yes	no
Δ trgl_dy_code	no	trgl_domain	yes	no
		trgl_dy_code	yes	no
		trgl_dy_num	yes	no
Δ* trgl_nbr_ref	yes	trgl_domain	yes	no
		trgl_trnbr	yes	no
		trgl_gl_ref	yes	no
		trgl_sequence	yes	no
Δ trgl_ref_nbr	no	trgl_domain	yes	no
		trgl_gl_ref	yes	no
		trgl_trnbr	yes	no
Δ trgl_type_nbr_ref	no	trgl_domain	yes	no
		trgl_type	yes	no
		trgl_trnbr	yes	no
		trgl_gl_ref	yes	no

| **trld_det** | Trailer Tax Detail |

Field Name	Label	Col-Label	Format	Dec
oid_trld_det			>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
trld_code	Trailer Code	Trl! Code	x(4)	
trld_domain	Domain		x(8)	
trld_taxable	Taxable		yes/no	
trld_taxc	Tax Class	TxC	x(3)	
trld_tax_type	Tax Type		x(16)	
trld_user1	Ufld1		x(8)	
trld_user2	Ufld2		x(8)	
trld__chr01			x(8)	
trld__log01			yes/no	
trld __gad01			x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_line	Line	Ln	>>9	
tr_loc	Loc	Location	x(8)	
tr_loc_begin	Begin Loc Bal		->, >>>, >>9.9<<<<<<<<<	10
tr_lot	ID		x(8)	
tr_msg	Message Number	Msg	>>>9	
tr_mtl_std	Material		->>>, >>>, >>9.99<<<	10
tr_nbr	Order		x(18)	
tr_ord_rev	Revision	Rev	>>9	
tr_ovh_std	Overhead		>>>>, >>>, >>9.99<<<	10
tr_part	Item Number		x(18)	
tr_per_date	Performance Date	Perform	99/99/99	
tr_price	Price		->>>, >>>, >>9.99<<<	10
tr_prod_line	Product Line	Line	x(4)	
tr_program	Program		x(12)	
tr_promise_date	Promise Date	Promise	99/99/99	
tr_qty_chg	Qty Change		->, >>>, >>9.9<<<<<<<<	10
tr_qty_loc	Loc Qty Change		->, >>>, >>9.9<<<<<<<<	10
tr_qty_req	Qty Required		->, >>>, >>9.9<<<<<<<<	10
tr_qty_short	Qty Short		->, >>>, >>9.9<<<<<<<<	10
tr_ref	Ref	Reference	x(8)	
tr_ref_site	Reference Site	Ref Site	x(8)	
tr_rev	Rev		x(4)	
tr_rmks	Remarks		x(10)	
tr_rsn_code	Reason		x(8)	
tr_sa_nbr	Contract		x(8)	0
tr_serial	Lot/Serial		x(18)	
tr_ship_date	Ship Date		99/99/99	
tr_ship_id	Shipper Number		x(20)	
tr_ship_inv_mov	Inventory Movement Code	Inv Mov	x(8)	
tr_ship_type	Ship Type	T	x(1)	
tr_site	Site		x(8)	
tr_slspsn[4]	Salesperson	Salespsn	x(8)	
tr_so_job	Sales/Job		x(8)	
tr_status	Inventory Status	Status	x(8)	
tr_sub_std	Subcontract		->>>, >>>, >>9.99<<<	10
tr_svc_type			x(1)	
tr_sv_code	Contract Type		x(8)	
tr_sys_prod	System Product Line	S Prod	x(4)	
tr_time	Time		>>, >>>, >>9	
tr_trnbr	Trans		>>>>>>>>	
tr_type	Trans Type	Type	x(8)	
tr_um	UM		x(2)	
tr_upd_isb			yes/no	
tr_user1	Ufld1		x(8)	
tr_user2	Ufld2		x(8)	
tr_userid	User ID		x(8)	
tr_vend_date	Supplier Production Date	Prod Date	99/99/99	
tr_vend_lot	Supplier Lot		x(18)	
tr_wod_op	Operation	Op	>>>>>>	
tr_xcr_acct	Not Used. Cr Acct		x(8)	
tr_xcr_cc	Not Used. Cr Cost Ctr	CC	x(4)	
tr_xcr_proj	Not used. Cr Project	Project	x(8)	
tr_xdr_acct	Not used. Dr Acct		x(8)	
tr_xdr_cc	Not used. Dr Cost Ctr	CC	x(4)	
tr_xdr_proj	Not used. Dr Project	Project	x(8)	
tr_xgl_ref	Not used. GL Reference		x(14)	
tr_xslspsn1	Salesperson 1	Salespsn	x(8)	

Field Name	Label	Col-Label	Format	Dec
tr_xslspn2	Salesperson 2	Salespsn	x(8)	
tr__chr01			x(8)	
tr__chr02			x(8)	
tr__chr03			x(8)	
tr__chr04			x(8)	
tr__chr05			x(8)	
tr__chr06			x(8)	
tr__chr07			x(8)	
tr__chr08			x(8)	
tr__chr09			x(8)	
tr__chr10			x(8)	
tr__chr11			x(8)	
tr__chr12			x(8)	
tr__chr13			x(8)	
tr__chr14			x(8)	
tr__chr15			x(8)	
tr__dec01			>>>, >>>, >>9.99	10
tr__dec02			>>>, >>>, >>9.99	10
tr__dec03			>>>, >>>, >>9.99	10
tr__dec04			>>>, >>>, >>9.99	10
tr__dec05			>>>, >>>, >>9.99	10
tr__dte01			99/99/99	
tr__dte02			99/99/99	
tr__dte03			99/99/99	
tr__dte04			99/99/99	
tr__dte05			99/99/99	
tr__log01			yes/no	
tr__log02			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_tr_hist	yes	oid_tr_hist	yes	no
Δ tr_addr_eff	no	tr_domain	yes	no
		tr_addr	yes	no
		tr_effdate	yes	no
Δ tr_batch	no	tr_domain	yes	no
		tr_batch	yes	no
Δ tr_date_trn	yes	tr_domain	yes	no
		tr_date	yes	no
		tr_trnbr	yes	no
Δ tr_eff_trnbr	no	tr_domain	yes	no
		tr_effdate	yes	no
		tr_trnbr	yes	no
Δ tr_nbr_eff	no	tr_domain	yes	no
		tr_nbr	yes	no
		tr_effdate	yes	no
Δ tr_part_eff	no	tr_domain	yes	no
		tr_part	yes	no
		tr_effdate	yes	no
Δ tr_part_trn	no	tr_domain	yes	no
		tr_part	yes	no
		tr_trnbr	yes	no
Δ tr_serial	no	tr_domain	yes	no
		tr_serial	yes	no
Δ* tr_trnbr	yes	tr_domain	yes	no
		tr_trnbr	yes	no
Δ tr_type	no	tr_domain	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
o oid_tx2d_det	yes	oid_tx2d_det	yes	no
Δ tx2d_carrier	no	tx2d_domain	yes	no
		tx2d_carrier	yes	no
Δ* tx2d_ref_nbr	yes	tx2d_domain	yes	no
		tx2d_ref	yes	no
		tx2d_nbr	yes	no
		tx2d_line	yes	no
		tx2d_trl	yes	no
		tx2d_tr_type	yes	no
		tx2d_tax_code	yes	no
Δ tx2d_tax_code	no	tx2d_domain	yes	no
		tx2d_tax_code	yes	no

tx2_mstr

Field Name	Label	Col-Label	Format	Dec
oid_tx2_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<	
tx2_apr_acct	AP Retained Tax Account		x(8)	
tx2_apr_cc	CC		x(4)	
tx2_apr_sub	AP Retained Tax sub	Sub-Acct	x(8)	
tx2_apr_use			yes/no	
tx2_ap_acct	AP Tax Account		x(8)	
tx2_ap_cc	CC		x(4)	
tx2_ap_disc_acct	AP Discount Account		x(8)	
tx2_ap_disc_cc	CC		x(4)	
tx2_ap_disc_sub	AP Discount Sub-Account	Sub-Acct	x(8)	
tx2_ap_sub	AP Tax Sub-Account	Sub-Acct	x(8)	
tx2_ara_acct	AR Absorbed Tax Account		x(8)	
tx2_ara_cc	CC		x(4)	
tx2_ara_sub	AR Absorbed Tax Sub	Sub-Acct	x(8)	
tx2_ara_use			yes/no	
tx2_ar_acct	AR Sales Tax Account		x(8)	
tx2_ar_cc	CC		x(4)	
tx2_ar_disc_acct	AR Discount Account		x(8)	
tx2_ar_disc_cc	CC		x(4)	
tx2_ar_disc_sub	AR Discount Sub-Account	Sub-Acct	x(8)	
tx2_ar_sub	AR Sales Tax Sub-Acct	Sub-Acct	x(8)	
tx2_base	Taxable Base Code	Tax Base	x(8)	
tx2_by_line	Tax-By-Line	By! Line	yes/no	

Field Name	Label	Col-Label	Format	Dec
tx2_cmtindx	Comment Index	Comment	>>>>>>9	
tx2_curr	Currency	Cur	x(3)	
tx2_desc	Description		x(24)	
◊ tx2_domain	Domain		x(8)	
tx2_ec_process_work	EC Process Work		yes/no	
tx2_ec_sales_list	EC Sales List		yes/no	
tx2_effdate	Effective		99/99/99	
tx2_exp_date	Expiration Date	Expiration! Date	99/99/99	
tx2_group	Tax Group		x(8)	
tx2_inv_disc	Discount Tax at Invoice	Disc! Inv	yes/no	
tx2_max	Maximum Taxable Amount	Max Amount	>>>, >>>, >>>, >>9.99<	10
tx2_method	Tax Method	Tax! Meth	x(2)	
tx2_min	Minimum Taxable Amount	Min Taxable	>>>, >>>, >>>, >>9.99<	10
tx2_mod_date	Modified Date	Mod Date	99/99/99	
tx2_pct_rcv	Percent Recoverable	Pct Recov	->>9.99<=%	10
tx2_pmt_disc	Discount Tax at Payment	Disc! Pmt	yes/no	
tx2_pt_taxc	Item Tax Class	TxC	x(3)	
tx2_rcpt_tax_point	Accrue Tax at Receipt		yes/no	
tx2_register	Tax Register		x(2)	
tx2_stx_acct	Suspended Tax Account		x(8)	
tx2_stx_cc	CC		x(4)	
tx2_stx_sub	Suspended Tax Sub Account	Sub-Acct	x(8)	
tx2_tax_code	Tax Code		x(8)	
tx2_tax_in	Allow Tax Included		yes/no	
tx2_tax_pct	Tax Rate		->>9.99<=%	10
tx2_tax_type	Tax Type		x(16)	
tx2_tax_usage	Tax Usage	TaxUsage	x(8)	
tx2_trl_taxable	Tax Trailer Amounts	Tax Trl	yes/no	
tx2_update_tax	Update Tax Allowed	Upd! Tax	yes/no	
tx2_usage_tax_point	Accrue Tax At Usage	Accrue Tax! At Usage	yes/no	
tx2_user1	Ufld1		x(8)	
tx2_user2	Ufld2		x(8)	
tx2_userid	User ID		x(8)	
tx2__chr01			x(8)	
tx2__chr02			x(8)	
tx2__dec01			->>>, >>>, >>9.99	10
tx2__dec02			->>>, >>>, >>9.99	10
tx2__dte01			99/99/99	
tx2__log01			yes/no	
tx2__qad01			x(8)	
tx2__qad02			x(8)	
tx2__qad03			yes/no	
tx2__qad04			->>>, >>>, >>9.99	10
tx2__qad05			99/99/99	
tx2__qadc01[2]			x(8)	
tx2__qadc02[2]			x(4)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_tx2_mstr	yes	oid_tx2_mstr	yes	no
Δ tx2_register	no	tx2_domain	yes	no
		tx2_register	yes	no
Δ* tx2_tax_code	yes	tx2_domain	yes	no
		tx2_tax_code	yes	no
Δ tx2_type_taxc	yes	tx2_domain	yes	no

Tax Environment Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_txe_mstr	yes	oid_txe_mstr	yes	no
Δ txe_desc	no	txe_domain	yes	no
		txe_desc	yes	no
Δ* txe_tax_env	yes	txe_domain	yes	no
		txe_tax_env	yes	no
Δ txe_to_from	yes	txe_domain	yes	no
		txe_zone_to	yes	no
		txe_zone_from	yes	no

Tax History Detail

Field Name	Label	Col-Label	Format	Dec
oid_txhd_det			>>>>>>>>>>>>>>>>>>>>>>>9	10
txhd_chg_date	Date Last Changed	Chg Date	.9<<<<<<<<	
txhd_comm_code	Commodity Code	Com Code	x(8)	
txhd_container	Container Indicator	C	x(1)	
txhd_curr	Currency	Cur	x(3)	
txhd_cust_etry	Cust Tax Reg Ctry	Cust Country	x(3)	
txhd_cust_num	Cust Tax Reg Nbr	Customer TRN	x(15)	
txhd_db_export	Date Exported From Database	DBE Date	99/99/99	
txhd_del_terms	Terms of Delivery	T Δ	x(3)	
txhd_desdis_ctry	Destination/Dispatch Country	Δ C	x(3)	
txhd_desdis_port	Destination/Dispatch Port	Δ P	x(8)	
txhd_domain	Domain		x(8)	
txhd_edit_hist	Editible Record	E	yes/no	
txhd_effdate	Effective		99/99/99	
txhd_enter_date	Date Entered	Date Ent	99/99/99	
txhd_fiscal_class	Fiscal Class		x(18)	
txhd_flow_in	Flow Indicator	FI	yes/no	
txhd_inv_value	Invoice Value		->>>>, >>>, >>>, >>9.99	10
txhd_line	Line		>>>>9	
txhd_nbr	Number		x(8)	
txhd_net_wt	Net Weight	Net Wt	->>>>>>9	
txhd_orig_ctry	Country of Origin	C O	x(3)	
txhd_posted	Posted in Tax Book	P	yes/no	
txhd_proc_ind	Process Indicator	PI	yes/no	
txhd_program	Program		x(12)	
txhd_ref	Reference	Ref	x(8)	
txhd_site	Site		x(8)	
txhd_stat_proc	Statistical Procedure	SP	x(2)	
txhd_stat_submit	Statistical Submit Date	StatDate	99/99/99	
txhd_stat_value	Statistical Value		->>>>, >>>, >>>, >>9.99	10
txhd_suppl_unit	Supplementary Units	Sup Units	>>>>>>>9	
txhd_taric	Taric Code	T C	x(3)	
txhd_tax_code	Tax Code		x(8)	
txhd_tax_ctry	Tax Registration Country	TRC	x(3)	
txhd_tax_nbr	Tax Registration Number	TRN	x(15)	
txhd_tax_usage	Nature of Operation	Nature	x(8)	
txhd_td_stat_in	Included in Trade Statistics	S	yes/no	
txhd_transh_port	Transshipment Port	T P	x(8)	
txhd_trans_ref	Original Transaction Reference	Orig Ref	x(14)	
txhd_tran_mode	Mode of Transportation	MT	x(1)	
txhd_trl	Trailer	Trlr	x(4)	
txhd_tr_nbr	Transaction Number	Tran Nbr	>>>>>>>>>9	
txhd_tr_type	Transaction Type	TT	x(2)	
txhd_user1	Ufld1		x(8)	
txhd_user2	Ufld2		x(8)	
txhd_user_id	User ID Entered	User ID	x(8)	
txhd_usr_id_chg	Last Change User ID	Chg User	x(8)	
txhd_vat_sl_date	VAT Sales List Submit Date	VSL Date	99/99/99	
txhd_vat_sl_in	Included in VAT Sales List	V	yes/no	
txhd_vat_value	Value of Goods		->>>>, >>>, >>>, >>9.99	10
txhd_chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
txhd_chr02			x(8)	
txhd_dec01			->>>, >>>, >>9.99	10
txhd_dec02			->>>, >>>, >>9.99	10
txhd_dte01			99/99/99	
txhd_log01			yes/no	
txhd_qad01			x(8)	
txhd_qad02			x(8)	
txhd_qad03			yes/no	
txhd_qad04			->>>, >>>, >>9.99	10
txhd_qad05			->>>, >>>, >>9.99	10
txhd_qad06			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_txhd_det	yes	oid_txhd_det	yes	no
Δ txhd_fiscal_class	no	txhd_domain	yes	no
		txhd_fiscal_class	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
Δ txhd_post_type	no	txhd_domain	yes	no
		txhd_posted	yes	no
		txhd_tr_type	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
Δ txhd_ref_nbr	yes	txhd_domain	yes	no
		txhd_ref	yes	no
		txhd_nbr	yes	no
		txhd_line	yes	no
		txhd_trl	yes	no
		txhd_tr_type	yes	no
		txhd_tax_code	yes	no
Δ* txhd_tr_nbr	yes	txhd_domain	yes	no
		txhd_tr_nbr	yes	no

Tax Register Detail

Field Name	Label	Col-Label	Format	Dec
◇ oid_txrd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
txrd_code	Accounting Transaction Code		.9<<<<<<<<<<	
◇ txrd_domain	Domain		x(8)	
txrd_mod_date	Modified Date	Mod Date	99/99/99	
txrd_mod_userid	User ID		x(8)	
txrd_ref	Transaction Reference		x(8)	
txrd_register	Register		x(2)	
txrd_site	Site		x(8)	
txrd_tran_type	Transaction Type		x(8)	
txrd_user1	User Field Character 1		x(24)	
txrd_user2	User Field Character 2		x(24)	
txrd_userd01	User Field Decimal 2		->>>>, >>>, >>9.9<<<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_txr_mstr	yes	oid_txr_mstr	yes	no
Δ^* txr_register	yes	txr_domain	yes	no
		txr_register	yes	no
		txr_site	yes	no

txz_mstr	Tax Zone Master

Field Name	Label	Col-Label	Format	Dec
oid_txz_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
txz_city	City		x(20)	
txz_county	County		x(20)	
txz_ctr_y_code	Country Code	Ctry	x(3)	
txz_desc	Description		x(24)	
txz_domain	Domain		x(8)	
txz_state	State	St	x(4)	
txz_tax_zone	Tax Zone		x(16)	
txz_user1	Ufld1		x(8)	
txz_user2	Ufld2		x(8)	
txz_zip	Post		x(10)	
txz__log01			yes/no	
txz__qad01	Sums-Into Tax Zone	Sums-Into! Tax Zone	x(16)	
txz__qad02	Use Sums-Into	Use! Sums	x(4)	
txz__qad03	Subtotal This Level	Sub	yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_txz_mstr	yes	oid_txz_mstr	yes	no
Δ txz_ctry_state	yes	txz_domain	yes	no
		txz_ctry_code	yes	no
		txz_state	yes	no
		txz_county	yes	no
		txz_city	yes	no
		txz_zip	yes	no
Δ txz_desc	no	txz_domain	yes	no
		txz_desc	yes	no
Δ* txz_tax_zone	yes	txz_domain	yes	no
		txz_tax_zone	yes	no

typ_mstr	Fixed Asset Type Master

Field Name	Label	Col-Label	Format	Dec
oid_typ_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
typ_desc	Description		x(24)	
typ_method	Depreciation Method	Depr! Method	x(8)	
typ_type	Type	T	x(2)	
typ_user1	Ufld1		x(8)	

Field Name	Label	Col-Label	Format	Dec
typ_user2	Ufd2		x(8)	
typ__qad01			yes/no	
typ__qad02			x(8)	
typ__qad03			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$	oid_typ_mstr	yes	oid_typ_mstr	yes	no
*	typ_type	yes	typ_type	yes	no

tzod_det

Service/Support Time Zone Detail

Field Name	Label	Col-Label	Format	Dec
oid_tzod_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
tzod_desc	Time Zone Description		X(60)	
tzod_eday	Ending Day		>9	
tzod_eyear	End Year		9999	
tzod_hour	Hours		>9	
tzod_min	Minutes		>9	
tzod_mod_date	Modified Date	Mod Date	99/99/99	
tzod_mod_userid	User ID		X(8)	
tzod_month	Start Period Month		>9	
tzod_offset	GMT Offset		+99999	
tzod_sday	Start Period Day		>9	
tzod_std_day	Time Period		X(3)	
tzod_syear	Start Year		9999	
tzod_tzone	Time Zone		X(8)	
tzod_user1	Ufld1		X(8)	
tzod_user2	Ufld2		X(8)	
tzod_wday	Weekday		X	
tzod_chr01	Character Field 1		X(8)	
tzod_chr02	Character Field 2		X(8)	
tzod_dte01	Date Field 1		99/99/99	
tzod_dte02	Date Field 2		99/99/99	
tzod_int01	Integer Field 1		->, >>>, >>9	
tzod_int02	Integer Field 2		->, >>>, >>9	
tzod_log01	Logical Field 1		yes/no	
tzod_log02	Logical Field 2		yes/no	
tzod_qadc01	QAD Character Field 1		X(8)	
tzod_qadc02	QAD Character Field 2		X(8)	
tzod_qadi01	QAD Integer Field 1		->, >>>, >>9	
tzod_qadi02	QAD Integer Field 2		->, >>>, >>9	
tzod_qadl01	QAD Logical Field 1		yes/no	
tzod_qadl02	QAD Logical Field 2		yes/no	
tzod_qadt01	QAD Date Field 1		99/99/99	
tzod_qadt02	QAD Date Field 2		99/99/99	

◇ oid_tzod_det	yes	oid_tzod_det	yes	no
* tzod_tzond	yes	tzod_tzone	yes	no
		tzod_std_day	yes	no
		tzod_syear	yes	no
		tzod_eyear	yes	no

tzo_mstr	Service/Support Time Zone Master

Field Name	Label	Col-Label	Format	Dec
oid_tzo_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
tzo_area	Area		.9<<<<<<<<<	
tzo_auto_adj	Auto Period Adjust		X(8)	
tzo_desc	Description		yes/no	
tzo_label	Time Zone		X(40)	
tzo_mod_date	Modified Date	Mod Date	X(8)	
tzo_mod_userid	User ID		99/99/99	
tzo_tzone	Time Zone Tindex		X(8)	
tzo_user1	Ufld1		X(20)	
tzo_user2	Ufld2		X(8)	
tzo__chr01	Character Field 1		X(8)	
tzo__dte01	Date Field 1		99/99/99	
tzo__int01	Integer Field 1		->, >>>, >>9	
tzo__log01	Logical Field 1		yes/no	
tzo__qadc01	QAD Character Field 1		X(8)	
tzo__qadi01	QAD Integer Field 1		->, >>>, >>9	
tzo__qadl01	QAD Logical Field 1		yes/no	
tzo__qadt01	QAD Date Field 1		99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_tzo_mstr	yes	oid_tzo_mstr	yes	no
	tzo_area	no	tzo_area	yes	no
*	tzo_label	yes	tzo_label	yes	no
			tzo_area	yes	no

◇ **udd_det** User Domain Detail

Field Name	Label	Col-Label	Format	Dec
oid_udd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
udd_domain	Domain		.9<<<<<<<<	
udd_groups	Groups		x(8)	
udd_mod_date	Modified Date	Mod Date	x(72)	
udd_mod_userid	User ID		99/99/99	
udd_primary	Default Domain		x(8)	
udd_user1	User Field Character 1		yes/no	
			x(24)	

Field Name	Label	Col-Label	Format	Dec
umsg_exec_pgm	Execution File	Exec File	x(14)	
umsg_lang	Language		x(2)	
umsg_level	Severity		9	
umsg_nbr	Message Number	Msg	>>>9	
umsg_seq	Message Sequence		>>9	
umsg_site	Site		x(8)	
umsg_user1	Ufld1		x(8)	
umsg_user2	Ufld2		x(8)	
umsg__qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_umsg_det	yes	oid_umsg_det	yes	no
△ umsg_call	yes	umsg_domain	yes	no
		umsg_call_pgm	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no
△* umsg_cm	yes	umsg_domain	yes	no
		umsg_lang	yes	no
		umsg_site	yes	no
		umsg_addr	yes	no
		umsg_call_pgm	yes	no
		umsg_nbr	yes	no
		umsg_seq	yes	no

Unit of Measure Conversion Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_um_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
um_alt_qty	UM Qty		.9<<<<<<<<<	10
um_alt_um	Alternate UM	Alt	>>>>9.9<<<<	10
um_conv	UM Conversion	UM Conv	>>>>9.9999<<<<	10
um_decimals	Decimals		-9	
um_desc	Description		x(24)	
◇ um_domain	Domain		x(8)	
um_part	Item Number		x(18)	
um_um	Unit of Measure	UM	x(2)	
um_user1	Ufld1		x(8)	
um_user2	Ufld2		x(8)	
um__chr01			x(8)	
um__chr02			x(8)	
um__chr03			x(8)	
um__chr04			x(8)	
um__chr05			x(8)	
um__chr06			x(8)	
um__dec01			>>>, >>>, >>9.99	10
um__dec02			>>>, >>>, >>9.99	10

Field Name	Label	Col-Label	Format	Dec
url_image	GIF File Name		x(15)	
url_mod_date	Modified Date	Mod Date	99/99/99	
url_mod_userid	User ID		X(8)	
url_primary	Primary		yes/no	
url_script	URL Script		x(60)	
url_type	Type		x(8)	
url_user1	Ufld1		X(8)	
url_user2	Ufld2		X(8)	
url__qadc02			X(8)	
url__qadc03			x(8)	
url__qadd01			->>>>,>>>,>>9.99<<<	10
url__qadi01			->,>>>,>>9	
url__qadi02			>>>>>>9	
url__qadi01			yes/no	
url__qadt01			99/99/99	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_url_mstr	yes	oid_url_mstr	yes	no
	url_type_call_pgm	no	url_type	yes	no
			url_call_pgm	yes	no
			url_addr	yes	no
			url_field	yes	no
			url_field_value	yes	no
*	url_type_field	yes	url_type	yes	no
			url_field	yes	no
			url_field_value	yes	no
			url_addr	yes	no
			url_call_pgm	yes	no
			url_exec	yes	no
			url_script	yes	no

usg_det

Application Usage Detail

Field Name	Label	Col-Label	Format	Dec
oid_usg_det			>>>>>>>>>>>>>>>>>>>>>>9	10
usg_clear_date	Clear Date		.9<<<<<<<<<<	
usg_count	Access Count		>>, >>, >>9	
usg_date	Access Date		99/99/99	
usg_exec	Program		x(16)	
usg_product	Application		x(16)	
usg_user1	User Field Character 1		x(24)	
usg_user2	User Field Character 2		x(24)	
usg_userid	Last Accessed By	User ID	x(8)	
usg_qadc01			x(24)	
usg_qadc02			x(24)	
usg_qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
usg_qadt01			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_uspw_hist	yes	oid_uspw_hist	yes	no
◇* uspw_userid	yes	uspw_userid	yes	no
		uspw_date	no	no
		uspw_time	no	no

usrc_ctrl User Control

Field Name	Label	Col-Label	Format	Dec
oid_usrctl			>>>>>>>>>>>>>>>>>>>>>>>>9	10
oid_usrg_mstr_admin			.9<<<<<<<<<< >>>>>>>>>>>>>>>>>>>>>>>>9	10
usr_active_rsn_type	Active Reason Type	Active Rsn! Type	x(8)	
usr_deactivation_rsn	Auto-deactivation Reason Code	Deactivation! Reason	x(8)	
usr_em_system_id	Email System	Email! System	X(8)	
usr_expire_days	Password Expiration Days		>>>>9	
usr_index1	Index		>>>>>9	
usr_logon_hist_level	Logon History Level	Logon! History! Level	x(2)	
usr_max_access_fails	Max Access Failures	Max! Access! Failures	>>9	
usr_min_length	Minimum Password Length	Min! Passwd! Length	>9	
usr_min_non_numeric	Minimum Non-numeric Characters	Non! Num! Char	>9	
usr_min_numeric	Minimum Numeric Characters	Numeric! Char	>9	
usr_password_create	Password Creation Method	Passwd! Create	x(2)	
usr_reuse_changes	Min Password Reuse Changes	Reuse! Changes	>9	
usr_reuse_days	Min Password Reuse Days	Reuse! Days	>>>>9	
usr_right_hdr_disp	Right Header Display Mode		9	
usr_sec_opt	Security Option		x(1)	
usr_sess_id	Session ID Prefix		x(3)	
usr_timeout_min	Timeout Minutes		>>>>9	
usr_user1	Ufld1		x(8)	
usr_user2	Ufld2		x(8)	
usr_warning_days	Warning Days	Passwd! Warning! Days	>>>>9	
usr_qad01			x(8)	
usr_qad02			x(8)	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_usrc_ctrl	yes	oid_usrc_ctrl	yes	no
*	usrc_index1	yes	usrc_index1	yes	no

usrgd_det

Field Name	Label	Col-Label	Format	Dec
oid_usrgd_det			>>>>>>>>>>>>>>>>>>>>>>9	10
oid_usrg_mstr			.9<<<<<<<<<	
			>>>>>>>>>>>>>>>>>>>>>>9	10
			.9<<<<<<<<<	
usrgd_domain	Domain		x(8)	
usrgd_mod_date	Modified Date	Mod Date	99/99/99	
usrgd_mod_userid	User ID		x(8)	
usrgd_user1	User Field Character 1		x(24)	
usrgd_user2	User Field Character 2		x(24)	
usrgd_userid	User ID		x(8)	
usrgd__qadc01			x(24)	
usrgd__qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_usrgd_det	yes	oid_usrgd_det	yes	no
◇* usrgd_oid_usrgd_mstr	yes	oid_usrgd_mstr	yes	no
		usrgd_domain	yes	no
		usrgd_userid	yes	no
◇ usrgd_userid	yes	usrgd_userid	yes	no
		oid_usrgd_mstr	yes	no
		usrgd_domain	yes	no

Field Name	Label	Col-Label	Format	Dec
oid_usrgr_mstr			>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
usrgr_group_desc	Group Description		x(24)	
usrgr_group_name	Group Name	Group	x(8)	
usrgr_mod_date	Modified Date	Mod Date	99/99/99	
usrgr_mod_userid	User ID		x(8)	
usrgr_user1	User Field Character 1		x(24)	
usrgr_user2	User Field Character 2		x(24)	
usrgr_qadc01			x(24)	
usrgr_qadc02			x(24)	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_usrg_mstr	yes	oid_usrg_mstr	yes	no
◊* usrg_group_name	yes	usrg_group_name	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_usrw_wkfl	yes	oid_usrw_wkfl	yes	no
△* usrw_index1	yes	usrw_domain	yes	no
		usrw_key1	yes	no
		usrw_key2	yes	no
		usrw_domain	yes	no
△ usrw_index2	no	usrw_key3	yes	no
		usrw_key4	yes	no
		usrw_domain	yes	no
△ usrw_index3	no	usrw_key5	yes	no
		usrw_key6	yes	no

usr_mstr User Master

Field Name	Label	Col-Label	Format	Dec
◇ oid_usr_mstr			>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<	
usr_access_loc	Access Location		x(8)	
usr_access_type	Access Type		x(8)	
◇ usr_active	Active	Active	yes/no	
◇ usr_active_by	Active By	Active Changed By! User ID	x(8)	
◇ usr_active_date	Active Date	Active! Chg Date	99/99/99	
◇ usr_active_reason	Active Reason	Reason! Code	x(8)	
usr_addr	Address		x(8)	
usr_etry_code	Country Code	Ctry	x(3)	
◇ usr_failed_attempts	Password Failed Attempts	Passwd Failed! Attempts	>>>9	
◇ usr_force_change	Password Force Change	Passwd! Force! Change	yes/no	
usr_lang	Language	Lang	x(2)	
usr_last_date	Date Password Last Changed	Changed	99/99/99	
◇ usr_logon_date	Last Logon Date	Logon Date	99/99/99	
◇ usr_logon_time	Last Logon Time	Logon Time	>>>>9	
◇ usr_logon_timezone	Last Logon Time Zone	Server! Time! Zone	x(8)	
usr_mail_address	E-mail Address	E-mail	x(60)	
usr_name	User Name		x(35)	
usr_passwd	Password		x(16)	
◇ usr_remark	Remark		x(60)	
usr_restrict	Restricted		yes/no	
usr_site	Site		x(8)	
usr_timezone	Time Zone		x(8)	
usr_type	User Type		x(8)	
usr_user1	Ufld1		x(8)	
usr_user2	Ufld2		x(8)	
usr_userid	User ID		x(8)	
usr_variant_code	Variant		x(6)	
usr__qad01			x(8)	
usr__qad02			x(8)	
usr__qadc01	QAD Character Field		X(8)	
usr__qadc02	QAD Character Field		X(8)	
usr__qadc03	QAD Character Field		x(8)	
usr__qadc04	QAD Character Field		X(8)	
Δ usr__qadc05			x(24)	
usr_qadi01	QAD Integer Field		>>>9	

Field Name	Label	Col-Label	Format	Dec
usr__qadi02	QAD Integer Field		>>9	
usr__qadl01	QAD Logical Field		yes/no	
usr__qadl02	QAD Logical Field		yes/no	
usr__qadl03			yes/no	

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_usr_mstr	yes	oid_usr_mstr	yes	no
*	usr_userid	yes	usr_userid	yes	no

vdc_ctrl

Supplier Control

	Field Name	Label	Col-Label	Format	Dec
◇	oid_vdc_ctrl			>>>>>>>>>>>>>>>>>>>>>9	10
				.9<<<<<<<<<	
◇	vdc_domain	Domain		x(8)	
	vdc_nbr	Next Supplier		99999999	
	vdc_user1	Ufld1		x(8)	
	vdc_user2	Ufld2		x(8)	
	vdc__qadc01			x(8)	
Δ	vdc__qadi01			->>>>>>>9	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vdc_ctrl	yes	oid_vdc_ctrl	yes	no
Δ* vdc_index1	yes	vdc_domain	yes	no

vdf_mstr

Supplier Fiscal Data Master

Field Name	Label	Col-Label	Format	Dec
oid_vdf_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vdf_addr	Supplier		.9<<<<<<<<<	
vdf_birthcity	Birth City		x(8)	
vdf_birthday	Birth Date		x(20)	
vdf_domain	Domain		99/99/99	
vdf_fiscal_code	Fiscal Code		x(8)	
vdf_for_fiscal_code	Foreign Fiscal Code		x(16)	
vdf_mod_date	Modified Date	Mod Date	x(16)	
vdf_mod_userid	User ID		99/99/99	
vdf_rsn_code	Reason Code		x(8)	
vdf_user1	User Field Character 1		x(8)	
vdf_user2	User Field Character 2		x(24)	
vdf_userc03	User Field Character 3		x(24)	
vdf_userc04	User Field Character 4		x(24)	
vdf_userc05	User Field Character 5		x(24)	
vdf_userd01	User Field Decimal 1		-->>>, >>>, >>9.9<<<<<<<<<	10
vdf_userd02	User Field Decimal 2		-->>>, >>>, >>9.9<<<<<<<<<	10
vdf_useri01	User Field Integer 1		-->>>>>>9	
vdf_useri02	User Field Integer 2		-->>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vd__qadl01			yes/no	
vd__qadl02			yes/no	
vd__qadl03			yes/no	
vd__qadl04			yes/no	
vd__qadt01			99/99/99	
vd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vd_mstr	yes	oid_vd_mstr	yes	no
Δ* vd_addr	yes	vd_domain	yes	no
		vd_addr	yes	no
Δ vd_remit	no	vd_domain	yes	no
		vd_remit	yes	no
		vd_addr	yes	no
Δ vd_sort	no	vd_domain	yes	no
		vd_sort	yes	no

Supplier Performance Category Detail

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_vecd_det	yes	oid_vecd_det	yes	no
Δ^* vecd_category	yes	vecd_domain	yes	no
		vecd_category	yes	no
		vecd_value from	yes	no

Supplier Performance Category Master

Field Name	Label	Col-Label	Format	Dec
oid_vec_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vec_active_flag	Use Category		.9<<<<<<<<<	
vec_category	Category		yes/no	
vec_comp_method	Computation Method		x(8)	
vec_desc	Description		X(12)	
vec_discrete_type	Discrete Type		x(24)	
vec_domain	Domain		Add/Deduct	
vec_max_points	Maximum Points		x(8)	
vec_mod_date	Modified Date	Mod Date	->, >>>, >>9	
vec_mod_userid	User ID		99/99/99	
vec_name	Name		x(8)	
vec_pp_counter	Parts-Per Counter		x(12)	
vec_pp_factor	Parts-Per Factor		Events/Quantity	
vec_table_lookup_flag	Use Lookup Table		>, >>>, >>>, >>9	
			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_vee_mstr	yes	oid_vee_mstr	yes	no
Δ^* vee_event	yes	vee_domain	yes	no
		vee_event	yes	no

Supplier Performance Control

Field Name	Label	Col-Label	Format	Dec
oid_vef_ctrl			>>>>>>>>>>>>>>>>>>>>>>9 .9<<<<<<<<<	10
vef_asn_data	ASN Information		X(8)	
vef_asn_leadtime	Maximum ASN Lead-Time		99:99	
vef_days_early	Acceptable Days Early		>>9	
vef_days_late	Acceptable Days Late		>>9	
vef_domain	Domain		x(8)	
vef_do_only_flag	Include DO Orders Only		yes/no	
vef_do_receipts	DO Receipts		X(8)	
vef_dup_asn	Duplicate ASN		X(8)	
vef_early_rcpt	Early Receipt		X(8)	
vef_enable_inv_xfer	Enable Inv Transfer		yes/no	
vef_enable_po_rtn	Enable PO Return		yes/no	
vef_fifth_level_max	Maximum Value		>>>	
vef_fifth_level_title	Fifth Interval Title		x(12)	
vef_first_level_max	Maximum Value		>>>	
vef_first_level_title	First Interval Title		x(12)	
vef_fourth_level_max	Maximum Value		>>>	
vef_fourth_level_title	Fourth Interval Title		x(12)	
vef_late_asn	Late ASN		X(8)	
vef_late_rcpt	Late Receipt		X(8)	
vef_matl_quality	Material Quality		X(8)	
vef_missed_ship	Missed Shipment		X(8)	
vef_miss_ship_as_of_date	Missed Shipment As-of		99/99/99	
vef_miss_ship_run_date	Last Missed Shipment Run		99/99/99	
vef_mod_date	Modified Date	Mod Date	99/99/99	
vef_mod_userid	User ID		x(8)	
vef_overship_pct	Acceptable Over Shipment		>>9.99	10
vef_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
vef_overship_qty	Acceptable Over Shipment		>>, >>9	
vef_overship_qty_cost	Acceptable Over Shipment		>>>>, >>>, >>9.99<<<<<<<<<	10
vef_over_ship	Over Shipment		X(8)	
vef_points	Default Points		>>>>, >>9.99	10
vef_po_only_flag	Include PO Orders Only		yes/no	
vef_po_receipts	PO Receipts		X(8)	
vef_pp_counter	Parts-Per Counter		Events/Quantity	
vef_pp_factor	Parts-Per Factor		>, >>>, >>>, >>9	
vef_rts_receipts	RTS Receipts		X(8)	
vef_same_day_receipts	Net Same Day Receipts		yes/no	
vef_second_level_max	Maximum Value		>>>	
vef_second_level_title	Second Interval Title		x(12)	
vef_third_level_max	Maximum Value		>>>	
vef_third_level_title	Third Interval Title		x(12)	
vef_undership_pct	Acceptable Under Shipment		>>9.99	10
vef_undership_qty	Acceptable Under Shipment		>>, >>9	
vef_under_ship	Under Shipment		X(8)	

Field Name	Label	Col-Label	Format	Dec
vef_user1	Ufld1		x(8)	
vef_user2	Ufld2		x(8)	
vef_user3			x(8)	
vef_user4			x(8)	
vef_use_shippct	Use Shipment Percent		yes/no	
vef_use_shippct_cost	Use Shipment Percent Cost		yes/no	
vef_use_shipqty	Use Shipment Quantity		yes/no	
vef_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
vef_using_sup_perf	Use Supplier Performance		yes/no	
vef__qadc01	QAD Field		X(8)	0
vef__qadc02	QAD Field		X(8)	0
vef__qadc03	QAD Field		X(8)	0
vef__qadc04	QAD Field		X(8)	0
vef__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
vef__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
vef__qadi01			>>>>>>9	
vef__qadi02			>>>>>>9	
vef__qadi03			->>>>>>>9	
vef__qadl01			yes/no	
vef__qadl02			yes/no	
vef__qadt01			99/99/99	
vef__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_vef_ctrl	yes	oid_vef_ctrl	yes	no
Δ^* vef_index1	yes	vef_domain	yes	no

vepd_det

Supplier Performance Detail

Field Name	Label	Col-Label	Format	Dec
oid_vepd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vepd_category	Category		x(8)	
vepd_cmtindx	Comments		>>>>>>9	
vepd_doc_nbr	Doc Nbr	Doc	x(16)	
vepd_domain	Domain		x(8)	
vepd_event	Event		x(8)	
vepd_event_qty	Qty		-,>, >>, >>9.<<<<<<<<<	10
vepd_mod_date	Modified Date	Mod Date	99/99/99	
vepd_mod_userid	User ID		x(8)	
vepd_reason_code	Reason		x(8)	
vepd_seq_nbr	Sequence	Seq	>>>>>>>	
vepd_site	Site		x(8)	
vepd_temp_missed_flag	Missed		yes/no	
vepd_tran_date	Transaction Date	Tran Date	99/99/99	
vepd_tran_id	Transaction ID	Tran ID	>>>>>>>	
vepd_user1	Ufld1		x(8)	
vepd_user2	Ufld2		x(8)	
vepd_user3			x(8)	
vepd_user4			x(8)	
vepd_vendor	Supplier		x(8)	
vepd_vendor_source	Supplier Source	Source	x(3)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vepd_domain	yes	no
		vepd_temp_missed_flag	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
◇ oid_vepd_det	yes	oid_vepd_det	yes	no
Δ* transaction_order	yes	vepd_domain	yes	no
		vepd_tran_id	yes	no
		vepd_tran_date	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_site	yes	no
Δ vendor_event_order	no	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_category	yes	no
		vepd_event	yes	no
		vepd_site	yes	no
Δ veprd_vendor_order	yes	vepd_domain	yes	no
		vepd_vendor	yes	no
		vepd_vendor_source	yes	no
		vepd_vep_tran_date	yes	no
		vepd_vep_tran_id	yes	no
		vepd_category	yes	no
		vepd_seq_nbr	yes	no
		vepd_site	yes	no

vep_mstr

Field Name	Label	Col-Label	Format	Dec
oid_vep_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vep_abs_id	Shipper ID	Shipper	x(20)	
vep_acct	Pur Acct		x(8)	
vep_asn_arr_date	ASN Arrival Date	ASN! Arrival	99/99/99	

Field Name	Label	Col-Label	Format	Dec
vep_asn_arr_time	ASN Arrival Time	ASN! Arrival	>>>>>>9	
vep_asn_create_date	ASN Create Date	ASN! Create	99/99/99	
vep_asn_create_time	ASN Create Time	ASN! Create	>>>>>>9	
vep_asn_ship_date	ASN Ship Date	ASN! Ship	99/99/99	
vep_asn_ship_qty	ASN Ship Qty		->, >>>, >>9.9<<<<<<<<	10
vep_asn_ship_time	ASN Ship Time	ASN! Ship	>>>>>>9	
vep_buyer	Buyer		x(8)	
vep_cc	Cost Ctr	CC	x(4)	
vep_comm_code	Commodity Code	Commodity	x(20)	
vep_db	DB Number	DB	x(16)	
vep_disc_pct	Disc%		->9.99%	10
vep_domain	Domain		x(8)	
vep_fsm_type	FSM Type		x(1)	
vep_line	Line	Ln	>>>	
vep_loc	Loc		x(8)	
vep_lotser	Lot/Serial	L/S	x(18)	
vep_mod_date	Modified Date	Mod Date	99/99/99	
vep_mod_userid	User ID		x(8)	
vep_nbr	Order Nbr	Order	x(8)	
vep_open_qty	Open Qty	Qty! Open	->, >>>, >>9.9<<<<<<<<	10
vep_order_source	Order Source	Source	x(3)	
vep_part	Item Number	Item	x(18)	
vep_per_date	Perform Date	Perform	99/99/99	
vep_pod_sched	Scheduled	Sched	yes/no	
vep_pur_cost	Unit Cost	Unit! Cost	->>>, >>>, >>9.99	10
vep_qty_ord	Qty Ordered	Qty! Ordered	->, >>>, >>9.9<<<<<<<<	10
vep_rcp_date	Receipt Date	Receipt	99/99/99	
vep_rcp_time	Receipt Time	Receipt	>>>>>>9	
vep_rcp_type	Receipt Type	R	x(1)	
vep_rcvd_qty	Receipt Qty	Qty! Received	->, >>>, >>9.9<<<<<<<<	10
vep_receiver	Receiver		x(8)	
vep_ref	Ref		x(8)	
vep_req_nbr	Requisition	Req	x(8)	
vep_site	Site		x(8)	
vep_sub	Pur Sub-Acct	Sub-Acct	x(8)	
vep_sub_type	Subcontract Type	Sub Type	x(12)	
vep_temp_missed_flag	Missed		yes/no	
vep_tran_date	Transaction Date	Tran Date	99/99/99	
vep_tran_id	Transaction ID	Tran ID	>>>>>>>	
vep_type	Type		x(1)	
vep_um	UM		x(2)	
vep_user1	Ufld1		x(8)	
vep_user2	Ufld2		x(8)	
vep_user3			x(8)	
vep_user4			x(8)	
vep_vendor	Supplier		x(8)	
vep_vendor_source	Supplier Source	Source	x(3)	
vep__qadc01	QAD Field		X(8)	0
vep__qadc02	QAD Field		X(8)	0
vep__qadc03	QAD Field		X(8)	0
vep__qadc04	QAD Field		X(8)	0
vep__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
vep__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
vep__qadi01			>>>>>>9	
vep__qadi02			>>>>>>9	

Field Name	Label	Col-Label	Format	Dec
vep__qadl01			yes/no	
vep__qadl02			yes/no	
vep__qadt01			99/99/99	
vep__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ missed_event_order	no	vep_domain	yes	no
		vep_temp_missed_flag	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
◇ oid_vep_mstr	yes	oid_vep_mstr	yes	no
Δ vendor_date_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_line	yes	no
		vep_tran_date	yes	no
		vep_receiver	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
Δ* vendor_site_order	yes	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_tran_date	yes	no
		vep_tran_id	yes	no
		vep_site	yes	no
Δ vep_vendor_nbr_order	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_nbr	yes	no
		vep_receiver	yes	no
		vep_line	yes	no
		vep_abs_id	yes	no
		vep_part	yes	no
Δ vep_vendor_part	no	vep_domain	yes	no
		vep_vendor	yes	no
		vep_vendor_source	yes	no
		vep_site	yes	no
		vep_part	yes	no
		vep_type	yes	no
		vep_sub_type	yes	no
		vep_tran_date	yes	no

Field Name	Label	Col-Label	Format	Dec
ver_mod_userid	User ID		x(8)	
ver_overship_pct	Acceptable Over Shipment		>>9.99	10
ver_overship_pct_cost	Acceptable Over Shipment		>>9.99	10
ver_overship_qty	Acceptable Over Shipment		>>, >>9	
ver_overship_qty_cost	Acceptable Over Shipment		>>>>, >>>>, >>9.99<<<<<<<<<	10
ver_part	Item Number		x(18)	
ver_site	Site		x(8)	
ver_start	Start Effective		99/99/99	
ver_undership_pct	Acceptable Under Shipment		>>9.99	10
ver_undership_qty	Acceptable Under Shipment		>>, >>9	
ver_user1	Ufld1		x(8)	
ver_user2	Ufld2		x(8)	
ver_user3			x(8)	
ver_user4			x(8)	
ver_use_shippct	Use Shipment Percent		yes/no	
ver_use_shippct_cost	Use Shipment Percent Cost		yes/no	
ver_use_shipqty	Use Shipment Quantity		yes/no	
ver_use_shipqty_cost	Use Shipment Quantity Cost		yes/no	
ver_vendor	Supplier		x(8)	
ver_vendor_source	Supplier Source		x(3)	
ver__qadc01	QAD Field		X(8)	0
ver__qadc02	QAD Field		X(8)	0
ver__qadc03	QAD Field		X(8)	0
ver__qadc04	QAD Field		X(8)	0
ver__qadd01			->>>>, >>>>, >>9.9<<<<<<<<<	10
ver__qadd02			->>>>, >>>>, >>9.9<<<<<<<<<	10
ver__qadi01			>>>>>>9	
ver__qadi02			>>>>>>9	
ver__qadl01			yes/no	
ver__qadl02			yes/no	
ver__qadt01			99/99/99	
ver__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_ver_mstr	yes	oid_ver_mstr	yes	no
Δ ver_comm_code	no	ver_domain	yes	no
		ver_comm_code	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_part	yes	no
Δ ver_part	no	ver_domain	yes	no
		ver_part	yes	no
		ver_vendor	yes	no
		ver_vendor_source	yes	no
		ver_site	yes	no
		ver_comm_code	yes	no
Δ ver_site	no	ver_domain	yes	no
		ver_site	yes	no
		ver_part	yes	no
		ver_comm_code	yes	no
Δ* ver_vendor	yes	ver_domain	yes	no
		ver_vendor	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
		vesd_site	yes	no
		vesd_part	yes	no
		vesd_rec_type	yes	no
		vesd_type	yes	no
		vesd_sub_type	yes	no
		vesd_category	yes	no
		vesd_tran_id	yes	no

Supplier Performance Summary Master

Field Name	Label	Col-Label	Format	Dec
oid_ves_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
ves_comm_code	Commodity Code	Commodity	.9<<<<<<<<<	
ves_db	DB Number	DB	x(20)	
ves_domain	Domain		x(16)	
ves_from_date	From Date		x(8)	
ves_mod_date	Modified Date	Mod Date	99/99/99	
ves_mod_userid	User ID		99/99/99	
ves_occurance_count	Occurance		x(8)	
ves_part	Item Number	Item	>>>>, >>>, >>9	
ves_rcvd_qty	Receipt Qty	Qty! Received	x(18)	
ves_rec_type	Rec Type		>>>>, >>>, >>>, >>9.9<<<<<<<<<	10
ves_site	Site		x(8)	
ves_sub_type	Subcontract Type	Sub Type	x(8)	
ves_to_date	To Date		x(12)	
ves_type	Type		99/99/99	
ves_user1	Ufld1		x(1)	
ves_user2	Ufld2		x(8)	
ves_user3			x(8)	
ves_user4			x(8)	
ves_vendor	Supplier		x(8)	
ves_vendor_source	Supplier Source	Source	x(3)	
ves_qadc01	QAD Field		X(8)	0
ves_qadc02	QAD Field		X(8)	0
ves_qadc03	QAD Field		X(8)	0
ves_qadc04	QAD Field		X(8)	0
ves_qadd01			->>>, >>>, >>9.9<<<<<<<<	10
ves_qadd02			->>>, >>>, >>9.9<<<<<<<<	10
ves_qadi01			>>>>>>>9	
ves_qadi02			>>>>>>>9	
ves_qadl01			yes/no	
ves_qadl02			yes/no	
ves_qadt01			99/99/99	
ves_qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_ves_mstr	yes	oid_ves_mstr	yes	no
Δ^* ves_vendor_order	yes	ves_domain	yes	no
		ves_vendor	yes	no
		ves_vendor_source	yes	no
		ves_from_date	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vex_mstr	yes	oid_vex_mstr	yes	no
Δ* vex_site	yes	vex_domain	yes	no
		vex_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no
		vex_to_site	yes	no
Δ vex_to_site	no	vex_domain	yes	no
		vex_to_site	yes	no
		vex_vendor	yes	no
		vex_vendor_source	yes	no

Voucher Detail

Field Name	Label	Col-Label	Format	Dec
vod_pjs_line	Project Line		>>>>>>>9	
vod_project	Project		x(8)	
vod_ref	Voucher		x(8)	
vod_sub	Sub-Account	Sub-Acct	x(8)	
vod_tax	Tax		x(1)	
vod_taxable	Taxable	Tax	yes/no	
vod_taxc	Tax Class	TxC	x(3)	
vod_tax_at	Tax	T	x(3)	
vod_tax_env	Tax Environment	Tax Env	x(16)	
vod_tax_in	Tax In		yes/no	
vod_tax_usage	Tax Usage	Tax Usage	x(8)	
vod_type	Type	T	x(1)	
vod_user1	Ufld1		x(8)	
vod_user2	Ufld2		x(8)	
vod_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_vod_det	yes	oid_vod_det	yes	no
Δ vod_dy	no	vod_domain	yes	no
		vod_dy_code	yes	no
		vod_dy_num	yes	no
		vod_ln	yes	no
Δ^* vod_ref	yes	vod_domain	yes	no
		vod_ref	yes	no
		vod_ln	yes	no
Δ vod_tax	no	vod_domain	yes	no
		vod_ref	yes	no
		vod_tax at	yes	no

vo mstr

Voucher Master

Field Name	Label	Col-Label	Format	Dec
oid_vo_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vo_amt_chg	Amount to Pay		.9<<<<<<<<<	
vo_applied	Amount Applied		->>>>, >>>, >>9.99	10
vo_base_amt_chg	Base Amount to Pay		->>>>, >>>, >>9.99	10
vo_base_applied	Base Amount Applied		->>>>, >>>, >>9.99	10
vo_base_disc_chg	Base Disc to Take		->>>>, >>>, >>9.99	10
vo_base_hold_amt	Base Hold Amt		->>>>, >>>, >>9.99	10
vo_base_ndisc	Base Non-Disc Amt		->>>>, >>>, >>9.99	10
vo_cmtindx	Comment Index	Comment	>>>>>>>9	
vo_confirmed	Confirmed	Cnf	yes/no	
vo_conf_by	Confirmed By	Conf By	x(8)	
vo_cr_terms	Credit Terms	Terms	x(8)	
vo_curr	Currency	Cur	x(3)	
vo_disc_chg	Disc to Take		->>>>, >>>, >>9.99	10
vo_disc_date	Disc Date		99/99/99	
vo_domain	Domain		x(8)	
vo_due_date	Due Date	Due	99/99/99	
vo_exru_seq	Sequence		>>>>>>>>9	
vo_ex_rate	Exch Rate		>>>>, >>>, >>9.9<<<<<<<<<	10

Field Name	Label	Col-Label	Format	Dec
vo_ex_rate2	Exch Rate 2		>>>>,>>>,>>9.9<<<<<<<<<	10
vo_ex_ratetype	Rate Type		x(8)	
vo_hold	Hold		yes/no	
vo_hold_amt	Hold Amt		->>>>,>>>,>>9.99	10
vo_invoice	Invoice		x(20)	
vo_is_ers	ERS Voucher		yes/no	
vo_lc_amt	LC Amt		->>,>>>,>>>,>>9.99	10
vo_modok	Modification Allowed	Mod	yes/no	
vo_ndisc_amt	Non-Disc Amt		->>>>,>>>,>>9.99	10
vo_paid_date	Last Paid		99/99/99	
vo_po	PO Number	PO	x(8)	
vo_po_rcvd	Goods Received		yes/no	
vo_prepay	Prepayment Amt		->>,>>>,>>>,>>9.99	10
vo_rcycle	Interval	Int	x(1)	
vo_receiver	Receiver		x(8)	
vo_recur	Recurring Voucher	RV	yes/no	
vo_ref	Voucher		x(8)	
vo_rel_date	Last Release	Release	99/99/99	
vo_resale_amt	Resale Amount		->>>>,>>>,>>9.99<	10
vo_rexpire	Expire		99/99/99	
vo_nbr_cyc	Nbr Per Voucher	Nbr	>>9	
vo_rstart	Start		99/99/99	
vo_rv_nbr	Recur Voucher	Recur VO	x(8)	
vo_separate	Separate Check	Separate! Check	yes/no	
vo_ship	Ship-To		x(8)	
vo_taxable	Taxable	Tax	yes/no	
vo_taxc	Tax Class	TxC	x(3)	
vo_tax_date	Tax Date		99/99/99	
vo_tax_env	Tax Environment	Tax Env	x(16)	
vo_tax_pct[3]	Tax		->9.99<%	10
vo_tax_usage	Tax Usage	TaxUsage	x(8)	
vo_type	Type		x(4)	
vo_user1	Ufld1		x(8)	
vo_user2	Ufld2		x(8)	
vo_waiting_exp	Waiting Expenses	WE	yes/no	
vo_chr01			x(8)	
vo_chr02			x(8)	
vo_chr03			x(8)	
vo_chr04			x(8)	
vo_chr05			x(8)	
vo_dec01			>>>,>>>,>>9.99	10
vo_dec02			>>>,>>>,>>9.99	10
vo_dte01			99/99/99	
vo_dte02			99/99/99	
vo_log01			yes/no	
vo_qad01	Assigned-To		x(8)	
vo_qad02			x(8)	
vo_qad03			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vo_mstr	yes	oid_vo_mstr	yes	no
Δ vo_invoice	no	vo_domain	yes	no
		vo_invoice	yes	no
Δ* vo_ref	yes	vo_domain	yes	no
		vo_ref	yes	no

Voucher Purchase Order Detail

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vpo_det	yes	oid_vpo_det	yes	no
△* vpo_refpo	yes	vpo_domain	yes	no
		vpo_ref	yes	no
		vpo_po	yes	no

Supplier Item Master

Field Name	Label	Col-Label	Format	Dec
oid_vp_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
vp_appr_date	Approve Date	Approve	.9<<<<<<<<<	
vp_bkage_amt	Brokerage Amt		->, >>>, >>9.99	10
vp_comment	Comment		x(40)	
vp_curr	Currency	Cur	x(3)	
vp_domain	Domain		x(8)	
vp_duty_amt	Duty Amt		->, >>>, >>9.99	10
vp_duty_type	Duty Type	Dty	x(1)	
vp_frt_amt	Freight Amt		->, >>>, >>9.99	10
vp_ins_rqd	Inspect	Ins! Req	yes/no	
vp_mfgr	Manufacturer	Mfg	x(8)	
vp_mfgr_part	Manufacturer Item		x(18)	
vp_mod_date	Modified Date	Mod Date	99/99/99	
vp_part	Item Number		x(18)	
vp_pkg_code	Pkg Code		x(18)	
vp_pr_list	Price List	List	x(8)	
vp_q_date	Quote Date	Quote	99/99/99	
vp_q_price	Quote Price		>>>, >>>, >>9.99<<<	10
vp_q_qty	Quote Qty		->, >>>, >>9.9<<<<<<<<	10
vp_rcpt_stat	Receipt Status	Status	x(8)	
vp_sch_pct	Schedule	Sch	>>9.99%	10
vp_tp_pct	SO Price Reduction	Ext %	>>9.99%	10
vp_tp_use_pct	Use SO Reduction Price	Use Trans Price	yes/no	
vp_um	UM		x(2)	
vp_user1	Ufld1		x(8)	
vp_user2	Ufld2		x(8)	
vp_userid	User ID		x(8)	
vp_vend	Supplier		x(8)	
vp_vend_lead	Supplier Lead Time	LT	>>9	
vp_vend_part	Supplier Item		x(30)	
vp_chr01			x(8)	

Field Name	Label	Col-Label	Format	Dec
vp_chr02			x(8)	
vp_chr03			x(8)	
vp_chr04			x(8)	
vp_chr05			x(8)	
vp_dec01			>>>,>>>,>>9.99	10
vp_dec02			>>>,>>>,>>9.99	10
vp_dte01			99/99/99	
vp_dte02			99/99/99	
vp_log01			yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vp_mstr	yes	oid_vp_mstr	yes	no
Δ* vp_partvend	yes	vp_domain	yes	no
		vp_part	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no
Δ vp_vend_part	no	vp_domain	yes	no
		vp_vend	yes	no
		vp_vend_part	yes	no

vrc_ctrl

Version Control

Field Name	Label	Col-Label	Format	Dec
oid_vrc_ctrl			>>>>>>>>>>>>>>>>>>>>>>>>>	9 10
vrc_domain	Domain		.g<.<<<<<<<<<	
vrc_user1	Ufld1		x(8)	
vrc_user2	Ufld2		x(8)	
vrc_v86			x(50)	
vrc_qadc01			x(8)	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vrc_ctrl	yes	oid_vrc_ctrl	yes	no
△* vrc_id	yes	vrc_domain	yes	no
		vrc_v86	yes	no

vtc_ctrl

Value Added Tax Control

[illegible]

	Index-Name	Uni	Field-Name	Asc	Abbr
◇	oid_vtc_ctrl	yes	oid_vtc_ctrl	yes	no
*	vtc_index1	yes	vtc_index1	yes	no

vt mstr	Value Added Tax Master

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_vt_mstr	yes	oid_vt_mstr	yes	no
* vt_class	yes	vt_class	yes	no
		vt_start	yes	no

wcr_route Work Center Routing Standards



Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_wcr_route	yes	oid_wcr_route	yes	no
Δ wcr_part	yes	wcr_domain	yes	no
		wcr_part	yes	no
		wcr_op	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
Δ* wcr_route	yes	wcr_domain	yes	no
		wcr_wkctr	yes	no
		wcr_mch	yes	no
		wcr_part	yes	no
		wcr_op	yes	no

wc mstr

Work Center Master

Field Name	Label	Col-Label	Format	Dec
oid_wc_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wc_bdn_pct	Lbr Bdn %		.9<<<<<<<<<	10
wc_bdn_rate	Lbr Bdn Rate		>>9.99%	10
wc_bdn_supct	Setup Bdn %		>>,>>9.99	10
wc_bdn_surate	Setup Bdn Rate		>>9.99%	10
wc_dept	Department	Dept	>>,>>9.99	10
wc_desc	Description		x(8)	
wc_domain	Domain		x(24)	
wc_fsm_type	FSM Type		x(8)	
wc_lbr_rate	Labor Rate		x(8)	10
wc_mch	Machine		>>,>>9.99	10
wc_mch_bdn	Mach Bdn Rate	Mach Bdn	>>g	10
wc_mch_op	Mach/Op		>>,>>9.99	10
wc_mch_subbn	Mach Setup Bdn Rate	Mach Bdn	>>9	10
wc_mch_wkctr	Mach/Wk Ctr		>>,>>9.99	10
wc_men_mch	Run Crew		>>9.999	10
wc_mod_date	Modified Date	Mod Date	99/99/99	
wc_pct_eff	Percent Efficiency		->, >>9.999	10
wc_pct_util	Percent Utilization		->, >>9.999	10
wc_queue	Queue Time	Queue	>, >>9.<<	10
wc_setup_men	Setup Crew		->, >>9.99	10
wc_setup_rte	Setup Rate		>>,>>9.99	10
wc_user1	Ufld1		x(8)	
wc_user2	Ufld2		x(8)	
wc_userid	User ID		x(8)	
wc_wait	Wait Time	Wait	>, >>9.<<	10
wc_wkctr	Work Center	Work Ctr	x(8)	
wc_wk_loc	Work Location		x(4)	
wc__chr01	User Character Field 1		X(8)	
wc__chr02	User Character Field 2		X(8)	
wc__chr03	User character Field 3		X(8)	
wc__dec01	User Decimal Field 1		->>>, >>9.99<	10
wc__dec02	User Decimal Field 2		->>>, >>9.99<	10
wc__log01	User Logical Field 1		yes/no	
wc__qad01			>, >>9.g	10
wc__qad02			>>, >>9.999	10
wc_qadc01	QAD Character Field 1		X(8)	

Field Name	Label	Col-Label	Format	Dec
wc__qadc02	QAD Character Field 2		X(8)	
wc__qadc03	QAD Character Field 3		X(8)	
wc__qade01	QAD Decimal Field 1		->>>,>>9.99<<	10
wc__qade02	QAD Decimal Field 2		->>>,>>9.99<<	10
wc__qadi01	QAD Logical Field 1		yes/no	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ old_wc_mstr	yes	old_wc_mstr	yes	no
Δ wc_dept	no	wc_domain	yes	no
		wc_dept	yes	no
Δ wc_desc	yes	wc_domain	yes	no
		wc_desc	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no
Δ wc_fsm_type	no	wc_domain	yes	no
		wc_fsm_type	yes	no
		wc_wkctr	yes	no
Δ* wc_wkctr	yes	wc_domain	yes	no
		wc_wkctr	yes	no
		wc_mch	yes	no

whl_mstr Warehouse Location Master

Field Name	Label	Col-Label	Format	Dec
oid_whl_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9 10 .9<<<<<<<<<	
whl_act	Active		yes/no	
whl_cust_exp	Customer		yes/no	
whl_cust_item_nbr_exp	Cust Number	Customer! Number	yes/no	
whl_date	Date Created	Created	99/99/99	
whl_domain	Domain		x(8)	
whl_do_cmt_exp	Comments		yes/no	
whl_do_exp	Distribution Order	Distribution! Order	yes/no	
whl_do_req_cmt_exp	Comments		yes/no	
whl_do_req_exp	Intersite Request	Intersite! Request	yes/no	
whl_loc	Location		x(8)	
whl_po_cmt_exp	Comments		yes/no	
whl_po_exp	Purchase Order	Purchase! Order	yes/no	
whl_pt_exp	Item		yes/no	
whl_rps_exp	Repetitive Picklist	Repetitive! Picklist	yes/no	
whl_site	Site		x(8)	
whl_so_cmt_exp	Comments		yes/no	
whl_so_exp	Sales Order	Sales! Order	yes/no	
whl_src_dest_id	External Warehouse		X(18)	
whl_sup_exp	Supplier		yes/no	
whl_sup_item_nbr_exp	Supplier Number		yes/no	
whl_um_exp	UM		yes/no	
whl_user1	Ufld1		x(8)	
whl_user2	Ufld2		x(8)	
whl_wo_cmt_exp	Comments		yes/no	
whl_wo_exp	Work Order	Work! Order	yes/no	
whl_wo_rcpt_exp	Work Order Receipt		yes/no	

Field Name	Label	Col-Label	Format	Dec
whl__chr01	Reserved		x(8)	
whl__dec01			9.99	10
whl__dte01			99/99/99	
whl__log01			yes/no	
whl__qadc01			x(8)	
whl__qadc02			x(8)	
whl__qadd03			9.99	10
whl__qadl05			yes/no	
whl__qadt04			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_whl_mstr	yes	oid_whl_mstr	yes	no
△ whl_dest	no	whl_domain	yes	no
		whl_src_dest_id	yes	no
△* whl_site	yes	whl_domain	yes	no
		whl_site	yes	no
		whl_loc	yes	no

wlbd_det

WIP Lot Trace BOM Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlbd_det			>>>>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlbd_bom_code	BOM Code		x(18)	
wlbd_comp	Component Item		X(18)	
wlbd_comp_cmb_ok	Combine Component Lots	Combine! Component Lots	yes/no	
wlbd_domain	Domain		x(8)	
wlbd_mod_date	Modified Date	Mod Date	99/99/99	
wlbd_mod_userid	User ID		x(8)	
wlbd_start	Start Date	Start	99/99/99	
wlbd_trc_comps	Trace Components	Trace! Components	yes/no	
wlbd_trc_ref	Trace Reference	Trace! Reference	yes/no	
wlbd_user1	Ufld1		X(16)	
wlbd_user2	Ufld2		X(16)	
wlbd__chr01			X(16)	
wlbd__chr02			X(16)	
wlbd__chr03			X(16)	
wlbd__chr04			X(16)	
wlbd_dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlbd_dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlbd_dte01			99/99/99	
wlbd_dte02			99/99/99	
wlbd_int01			->, >>>, >>9	
wlbd_int02			->, >>>, >>9	
wlbd_log01			yes/no	
wlbd_log02			yes/no	
wlbd_qadc01			X(16)	
wlbd_qadc02			X(16)	
wlbd_qadc03			X(16)	
wlbd_qadc04			X(16)	
wlbd_qadd01			->>>, >>>, >>9.9<<<<<<<<	10
wlbd_qadd02			->>>, >>>, >>9.9<<<<<<<<	10

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ old_wlbd_det	yes	old_wlbd_det	yes	no
Δ^* wlbd_bom_code	yes	wlbd_domain	yes	no
		wlbd_bom_code	yes	no
		wlbd_start	yes	no
		wlbd_comp	yes	no

wlbm_mstr WIP Lot Trace BOM Control Master

Field Name	Label	Col-Label	Format	Dec
wlbn__qadl01			yes/no	
wlbn__qadl02			yes/no	
wlbn__qadt01			99/99/99	
wlbn__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_wlbn_mstr	yes	oid_wlbn_mstr	yes	no
Δ* wlbn_bom_code	yes	wlbn_domain	yes	no
		wlbn_bom_code	yes	no
		wlbn_start	yes	no

WIP Lot Trace Control

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_wlc_ctrl	yes	oid_wlc_ctrl	yes	no
Δ* wlc_index1	yes	wlc_domain	yes	no

WIP Lot Inventory Detail

Index-Name	Uni	Field-Name	Asc	Abbr
$\diamond$ oid_wld_det	yes	oid_wld_det	yes	no
Δ wld_alloc_loc	no	wld_domain	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_prodby_id	yes	no

Index-Name	Uni	Field-Name	Asc	Abbr
Δ* wld_id	yes	wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_domain	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
Δ wld_lotser	no	wld_alloc_op	yes	no
		wld_alloc_que	yes	no
		wld_domain	yes	no
		wld_lotser	yes	no
		wld_ref	yes	no
		wld_prodby_id	yes	no
		wld_prodby_op	yes	no
		wld_site	yes	no
		wld_wkctr	yes	no
		wld_mch	yes	no
		wld_alloc_id	yes	no
		wld_alloc_op	yes	no
		wld_alloc_que	yes	no

wlrd_det

WIP Lot Trace Routing Control Detail

Field Name	Label	Col-Label	Format	Dec
oid_wlrd_det			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlrd_domain	Domain		x(8)	
wlrd_mod_date	Modified Date	Mod Date	99/99/99	
wlrd_mod_userid	User ID		x(8)	
wlrd_op	Operation	Op	>>>>9	
wlrd_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrd_routing	Routing Code		x(18)	
wlrd_start	Start Date	Start	99/99/99	
wlrd_user1	Ufld1		X(16)	
wlrd_user2	Ufld2		X(16)	
wlrd_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrd_wip_split_ok	Split WIP Lots		yes/no	
wlrd_chr01			X(16)	
wlrd_chr02			X(16)	
wlrd_chr03			X(16)	
wlrd_chr04			X(16)	
wlrd_dec01			->>>, >>>, >>9,9<<<<<<<<<	10
wlrd_dec02			->>>, >>>, >>9,9<<<<<<<<<	10
wlrd_dte01			99/99/99	
wlrd_dte02			99/99/99	
wlrd_int01			->, >>>, >>9	
wlrd_int02			->, >>>, >>9	
wlrd_log01			yes/no	
wlrd_log02			yes/no	

Field Name	Label	Col-Label	Format	Dec
wlrd__qadc01			X(16)	
wlrd__qadc02			X(16)	
wlrd__qadc03			X(16)	
wlrd__qadc04			X(16)	
wlrd__qadd01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd__qadd02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrd__qadi01			->, >>>, >>9	
wlrd__qadi02			->, >>>, >>9	
wlrd__qadl01			yes/no	
wlrd__qadl02			yes/no	
wlrd__qadt01			99/99/99	
wlrd__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_wlrd_det	yes	oid_wlrd_det	yes	no
△* wlrd_routing	yes	wlrd_domain	yes	no
		wlrd_routing	yes	no
		wlrd_start	yes	no
		wlrd_op	yes	no

wlrn_mstr

WIP Lot Trace Routing Control Master

Field Name	Label	Col-Label	Format	Dec
oid_wlrm_mstr			>>>>>>>>>>>>>>>>>>>>>>9.10 .9<<<<<<<<	
wlrm_domain	Domain		x(8)	
wlrm_end	End Date	End	99/99/99	
wlrm_lt_startop	Lot Trace Start Op	Lot Trace! Start Op	>>>>9	
wlrm_maxlotsize	Max Lot Size		>>>, >>>, >>9.9	10
wlrm_mod_date	Modified Date	Mod Date	99/99/99	
wlrm_mod_userid	User ID		x(8)	
wlrm_nrm_id	WIP Lot Number Sequence ID		x(8)	
wlrm_overissue	WIP Lot Overissue	WIP Lot! Overissue	yes/no	
wlrm_routing	Routing Code		x(18)	
wlrm_ser_startop	Serialized WIP Start Op	Serialized WIP! Start Op	>>>>9	
wlrm_start	Start Date	Start	99/99/99	
wlrm_trc_parent	Trace Parents	Trace! Parents	yes/no	
wlrm_user1	Ufld1		X(16)	
wlrm_user2	Ufld2		X(16)	
wlrm_wip_cmb_ok	Combine WIP Lots	Combine! WIP Lots	yes/no	
wlrm_wip_split_ok	Split WIP Lots		yes/no	
wlrm_chr01			X(16)	
wlrm_chr02			X(16)	
wlrm_chr03			X(16)	
wlrm_chr04			X(16)	
wlrm_dec01			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm_dec02			->>>, >>>, >>9.9<<<<<<<<<	10
wlrm_dte01			99/99/99	
wlrm_dte02			99/99/99	
wlrm_int01			->, >>>, >>9	
wlrm_int02			->, >>>, >>9	
wlrm_log01			yes/no	

Field Name	Label	Col-Label	Format	Dec
wlrm__log02			yes/no	
wlrm__qadc01			X(16)	
wlrm__qadc02			X(16)	
wlrm__qadc03			X(16)	
wlrm__qadc04			X(16)	
wlrm__qadd01			->>>,>>>, >>9.9<<<<<<<<<	10
wlrm__qadd02			->>>,>>>, >>9.9<<<<<<<<<	10
wlrm__qadi01			->,>>>,>>9	
wlrm__qadi02			->,>>>,>>9	
wlrm__qadi01			yes/no	
wlrm__qadi02			yes/no	
wlrm__qadt01			99/99/99	
wlrm__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_wlrm_mstr	yes	oid_wlrm_mstr	yes	no
△* wlrm_routing	yes	wlrm_domain	yes	no
		wlrm_routing	yes	no
		wlrm_start	yes	no

WIP Lot Trace Master

Field Name	Label	Col-Label	Format	Dec
oid_wlt_mstr			>>>>>>>>>>>>>>>>>>>>>>>>>9	10
wlt_cr_date	Date Created		.9<<<<<<<<<	
wlt_cr_time	Time Created		99/99/99	
wlt_domain	Domain		>>>>>>9	
wlt_lotser	Lot/Serial		x(8)	
wlt_mod_date	Modified Date	Mod Date	x(18)	
wlt_mod_time	Time Modified		99/99/99	
wlt_mod_userid	User ID		>>>>>>>9	
wlt_mtl_type	Material Type	Type	x(8)	
wlt_part	Item Number		x(12)	
wlt_prcons_ind	Produced/Consumed	Prod/Cons	x(18)	
wlt_prodby_id	Produced By ID	Prod ID	Prod/Cons	
wlt_prodby_op	Produced By Op	Prod Op	x(8)	
wlt_qty	Qty		>>>>9	
wlt_ref	Reference	Ref	->, >>>, >>9.9<<<<<<<<<	10
wlt_trnbr	Trans		x(8)	
wlt_tr_type	Trans Type		>>>>>>>9	
wlt_user1	Ufld1		x(8)	
wlt_user2	Ufld2		X(16)	
wlt__chr01			X(16)	
wlt__chr02			X(16)	
wlt__chr03			X(16)	
wlt__chr04			X(16)	
wlt__dec01			->>>, >>>, >>9.9<<<<<<<<<<<	10
wlt__dec02			->>>, >>>, >>9.9<<<<<<<<<<<	10
wlt__dte01			99/99/99	
wlt__dte02			99/99/99	
wlt_int01			->, >>>, >>9	

Field Name	Label	Col-Label	Format	Dec
wl_prodby_id	Produced By ID	Prod ID	X(8)	
wl_prodby_op	Produced By Op	Prod Op	>>>>9	
wl_qty_cumadj	Cum Adjusted		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumcons	Cum Consumed		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumprod	Cum Produced		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumrjct	Cum Rejected		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumrwrk	Cum Reworked		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumscrap	Cum Scrapped		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumtrin	Cum Trans In		->, >>>, >>9.9<<<<<<<<	10
wl_qty_cumtrout	Cum Trans Out		->, >>>, >>9.9<<<<<<<<	10
wl_user1	Ufld1		X(16)	
wl_user2	Ufld2		X(16)	
wl__chr01			X(16)	
wl__chr02			X(16)	
wl__chr03			X(16)	
wl__chr04			X(16)	
wl__dec01			->>>, >>>, >>9.9<<<<<<<<	10
wl__dec02			->>>, >>>, >>9.9<<<<<<<<	10
wl__dte01			99/99/99	
wl__dte02			99/99/99	
wl__int01			->, >>>, >>9	
wl__int02			->, >>>, >>9	
wl__log01			yes/no	
wl__log02			yes/no	
wl__qadc01			X(16)	
wl__qadc02			X(16)	
wl__qadc03			X(16)	
wl__qadc04			X(16)	
wl__qadd01			->>>, >>>, >>9.9<<<<<<<<	10
wl__qadd02			->>>, >>>, >>9.9<<<<<<<<	10
wl__qadi01			->, >>>, >>9	
wl__qadi02			->, >>>, >>9	
wl__qadi01			yes/no	
wl__qadi02			yes/no	
wl__qadt01			99/99/99	
wl__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_wl_mstr	yes	oid_wl_mstr	yes	no
Δ wl_lotser	no	wl_domain	yes	no
		wl_lotser	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
Δ* wl_prodby_id	yes	wl_domain	yes	no
		wl_prodby_id	yes	no
		wl_prodby_op	yes	no
		wl_lotser	yes	no

Field Name	Label	Col-Label	Format	Dec
wod_fis_sort			x(18)	
wod_from_loc	Location		x(8)	
wod_from_site	Site		x(8)	
wod_fsc_code	Service Category	Svc Cat	x(8)	
wod_fsm_type	FSM Type		x(8)	
wod_isb_ref	Installed Base Reference	Ref	>>>>>>9	
wod_iss_date	Issue Date	Iss Date	99/99/99	
wod_itm_line			>>>>9	
wod_line_price	Line Total		>>>>,>>>,>>9.99<<<	10
wod_list_pr	List Price		>>>>,>>>,>>9.99<<<	10
wod_loc	Location		x(8)	
wod_lot	ID		x(8)	
wod_mtl_totx	Material		->>>,>>>,>>9.99<<<	10
wod_mvrtc_accr	Mtl Rate Accrued	Accrued	->>>>,>>9.99	10
wod_mvrtc_post	Mtl Rate Posted	Posted	->>>>,>>9.99	10
wod_mvrtc_rval	Mtl Rate Revalued	Revalued	->>>>,>>9.99	10
wod_mvuse_accr	Mtl Use Accrued	Accrued	->>>>,>>9.99	10
wod_mvuse_post	Mtl Use Posted	Posted	->>>>,>>9.99	10
wod_mvuse_rval	Mtl Use Revalue	Revalued	->>>>,>>9.99	10
wod_nbr	Work Order		x(18)	
wod_op	Operation	Op	>>>>>>	
wod_part	Item Number		x(18)	
wod_price	Price		>>>>,>>>,>>9.99<<<	10
wod_prod_line	Product Line	Line	x(4)	
wod_project	Project		x(8)	
wod_qty_all	Qty Allocated		->,>>>,>>9.9<<<<<<<<	10
wod_qty_chg	Qty to Issue		->,>>>,>>9.9<<<<<<<<	10
wod_qty_iss	Qty Issued		->,>>>,>>9.9<<<<<<<<	10
wod_qty_pick	Qty Picked		->,>>>,>>9.9<<<<<<<<	10
wod_qty_posted			->,>>>,>>9.9<	10
wod_qty_req	Qty Required		->,>>>,>>9.9<<<<<<<<	10
wod_qty_ret	Qty Returned	Qty Ret	->,>>9.9	10
wod_ref	Ref	Reference	x(8)	
wod_ret_iss			->,>>9.9	10
wod_ret_loc	Return Location		x(8)	
wod_ret_ref	Inventory Reference	Inv Ref	x(8)	
wod_ret_serial	Return Lot/Serial		x(18)	
wod_ret_site	Return Site		x(8)	
wod_seo_load	Loaded from MO		yes/no	
wod_serial	Lot/Serial		x(18)	
wod_site	Site		x(8)	
wod_sod_line	Line	Ln	>>9	
wod_sod_nbr	Sales Order	Order	x(8)	
wod_status	Status		x(8)	
wod_std_cost	Unit Cost		->>>,>>9.999	10
wod_sv_code			x(8)	
wod_tot_std	Std Cost		->>>,>>9.999	10
wod_user1	Ufld1		x(8)	
wod_user2	Ufld2		x(8)	
wod_yield_pct	Yield%		>>9.99%	10
wod__chr01			x(8)	
wod__chr02			x(8)	
wod__chr03			x(8)	
wod__chr04			x(8)	
wod__chr05			x(8)	
wod__dec01			>>>,>>>,>>9.99	10
wod__dec02			>>>,>>>,>>9.99	10

Field Name	Label	Col-Label	Format	Dec
wo_close_date	Accounting Close Date	Acctg Close	99/99/99	
wo_close_eff	Effective	Eff Date	99/99/99	
wo_cmtindx	Comment Index	Comment	>>>>>>9	
wo_date_posted			99/99/99	
◇ wo_domain	Domain		x(8)	
wo_draw	Drawing		x(18)	
wo_due_date	Due Date	Due	99/99/99	
wo_eng_code	Engineer		X(8)	
wo_expire	Expire Date	Expire	99/99/99	
wo_flr_acct	Floor Stock Account	Flr Acct	x(8)	
wo_flr_cc	Floor Stock CC	CC	x(4)	
wo_flr_sub	Floor Stock Sub-Acct	Sub-Acct	x(8)	
wo_fsm_type			x(8)	
wo_gl_bdn	Create GL for Burden Variance		yes/no	
wo_gl_lbr	Create GL for Labor Variance		yes/no	
wo_grade	Grade	Grd	x(2)	
wo_iss_site	Issue Site		x(8)	
wo_itm_line	Item Line		>>>>>>9	
wo_joint_type	Co/By Type	CT	x(1)	
wo_lbr_tot	Labor Cost		->>>,>>9.99	10
wo_lbr_totx	Labor Cost		->>>,>>9.99	10
wo_lbr_up	Update Current Labor Cost		yes/no	
wo_lbr_var	Lbr Variance		->>>,>>9.99	10
wo_lead_time	W/O Lead Time	W/O Lead	->,>>>,>>9	
wo_line	Production Line	Line	x(8)	
wo_loc	Location		x(8)	
wo_lot	ID		x(8)	
wo_lot_next	Lot/Serial		x(18)	
wo_lot_prev	Previous ID	Prev ID	x(8)	
wo_lot_rcpt	Single Lot		yes/no	
wo_mix_var	Mix Variance		->>>,>>9.99	10
wo_mthd_var	Mthd Chg Var		->>>,>>9.99	10
wo_mtl_tot	Material Cost		->>>,>>,>>9.99<<<	10
wo_mtl_totx	Material Cost		->>>,>>,>>9.99<<<	10
wo_mtl_var	Mtl Variance		->>>,>>9.99	10
wo_mvar_acct	Material Usage Var	Mtl Use	x(8)	
wo_mvar_cc	Material Usage Variance CC	CC	x(4)	
wo_mvar_sub	Mtl Usage Var Sub	Sub-Acct	x(8)	
wo_mvrr_acct	Material Rate Var	Mtl Rate	x(8)	
wo_mvrr_cc	Material Rate Variance CC	CC	x(4)	
wo_mvrr_sub	Mtl Rate Var Sub	Sub-Acct	x(8)	
wo_myld_var	Mix & Yield Var	M&Y Var	->>>,>>9.99	10
wo_nbr	Work Order		x(18)	
wo_ord_date	Order Date		99/99/99	
wo_ovh_tot	Ovhead Cost		->>>,>>9.999	10
wo_ovh_totx	Ovhead Cost		->>>,>>9.999	10
wo_part	Item Number		x(18)	
wo_per_date	Performance Date	Perform	99/99/99	
wo_prod_pct	Process		>>9.99%	10
wo_project	Project		x(8)	
wo_qty_chg	Receipt Qty		->,>>>,>>9.9<<<<<<<<	10
wo_qty_comp	Qty Completed		->,>>>,>>9.9<<<<<<<<	10
wo_qty_ord	Qty Ordered		->,>>>,>>9.9<<<<<<<<	10
wo_qty_rjct	Qty Reject		->,>>>,>>9.9<<<<<<<<	10
wo_qty_type	Qty Type	QT	x(1)	

Field Name	Label	Col-Label	Format	Dec
wo_queue_eff	Queue Pct		>>9.9<	10
wo_rctstat	Receipt Status	Status	x(8)	
wo_rctstat_active	Active	Act	yes/no	
wo_record_date	Last Record Date		99/99/99	
wo_ref	Reference		x(8)	
wo_rel_date	Release Date	Release	99/99/99	
wo_rev	Rev		x(4)	
wo_rjct_chg	Reject Qty		->,>>>,>>9.9<<<<<<<<	10
wo_rjct_tot	Rejected Cost		->>>,>>>,>>9.99<<<	10
wo_rmks	Remarks		x(40)	
wo_routing	Routing Code		x(18)	
wo_rval_tot	Revalued Total		->>>,>>>,>>9.99<<<	10
wo_schd_type	Schedule Code		x(1)	
wo_serial	Lot/Serial		x(18)	
wo_site	Site		x(8)	
wo_so_job	Sales/Job	SO/Job	x(8)	
wo_status	Status	St	x(1)	
wo_stat_close_date	WO Close Date	WO Close	99/99/99	
wo_stat_close_userid	WO Close UserID		x(8)	
wo_sub	Sub-Account	Sub-Acct	x(8)	
wo_sub_tot	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_totx	Subcontract Cost		->>>,>>>,>>9.99<<<	10
wo_sub_var	Sub Variance		->>>>,>>9.99	10
wo_svar_acct	Subcontract Usage Var	Sub Use	x(8)	
wo_svar_cc	Subcontract Usage Variance CC		x(4)	
wo_svar_sub	Sub Usage Var Sub	Sub-Acct	x(8)	
wo_svrr_acct	Subcontract Rate Var	Sub Rate	x(8)	
wo_svrr_cc	Subcontract Rate Variance CC		x(4)	
wo_svrr_sub	Sub Rate Var Sub	Sub-Acct	x(8)	
wo_type	Type	T	x(1)	
wo_unit_cost	Unit Cost		->>>,>>>,>>9.99<<<	10
wo_user1	Ufld1		x(8)	
wo_user2	Ufld2		x(8)	
wo_var	Post variances at SFC		yes/no	
wo_vend	Supplier		x(8)	
wo_wip_tot	Wip Cost		->>>,>>>,>>9.99<<<	10
wo_xvar_acct	Mix Variance	Mix	x(8)	
wo_xvar_cc	Mix Variance CC	CC	x(4)	
wo_xvar_sub	Mix Variance Sub-Acct	Sub-Acct	x(8)	
wo_yield_pct	Yield		>>9.99%	10
wo__chr01			x(8)	
wo__chr02			x(8)	
wo__chr03			x(8)	
wo__chr04			x(8)	
wo__chr05			x(8)	
wo__dec01			>>>,>>>,>>9.99	10
wo__dec02			>>>,>>>,>>9.99	10
wo__dec03			->>>,>>>,>>9.99	10
wo__dec04			->>>,>>>,>>9.99	10
wo__dte01			99/99/99	
wo__dte02			99/99/99	
wo__log01			yes/no	
wo__qad01			x(8)	
wo__qadc01	QAD Character Field 1		X(8)	
wo__qadc02	QAD Character Field 2		X(8)	

Field Name	Label	Col-Label	Format	Dec
wo__qadc03	QAD Character Field 3		X(8)	
wo__qade01	QAD Decimal Field 1		->,>>>,>>9.9<<<	10
wo__qade02	QAD Decimal Field 2		->,>>>,>>9.9<<<	10
wo__qade03	QAD Decimal Field 3		->,>>>,>>9.9<<<	10
wo__qadi01	QAD Integer Field 1		->,>>>,>>9	
wo__qadi02	QAD Integer Field 2		->,>>>,>>9	
wo__qadi01	QAD Logical Field 1		yes/no	
wo__qadi02	QAD Logical Field 2		yes/no	
wo__qadt01	QAD Date Field 1		99/99/99	
wo__qadt02	QAD Date Field 2		99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_wo_mstr	yes	oid_wo_mstr	yes	no
Δ wo_due_part	no	wo_domain	yes	no
		wo_due_date	yes	no
		wo_part	yes	no
		wo_site	yes	no
Δ wo_fsm_type	no	wo_domain	yes	no
		wo_fsm_type	yes	no
		wo_nbr	yes	no
		wo_itm_line	yes	no
Δ wo_lot	yes	wo_domain	yes	no
		wo_lot	yes	no
Δ* wo_nbr	yes	wo_domain	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
Δ wo_part	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no
Δ wo_part_rel	no	wo_domain	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_rel_date	yes	no
Δ wo_site	no	wo_domain	yes	no
		wo_site	yes	no
		wo_nbr	yes	no
		wo_part	yes	no
Δ wo_type_nbr	yes	wo_domain	yes	no
		wo_type	yes	no
		wo_nbr	yes	no
		wo_lot	yes	no
Δ wo_type_part	no	wo_domain	yes	no
		wo_type	yes	no
		wo_part	yes	no
		wo_site	yes	no
		wo_due_date	yes	no

Work Order Routing

[illegible]

Field Name	Label	Col-Label	Format	Dec
wr_mch	Machine		x(8)	
wr_mch_bdn	Mach Bdn Rate	Mach Bdn	>>>, >>9.99	10
wr_mch_op	Machines per Operation	Mach/ Op	>>9.999	10
wr_men_mch	Run Crew		->, >>9.99	10
wr_milestone	Milestone Operation	Milestone	yes/no	
wr_move	Std Move Time	Move	>, >>9.9<<	10
wr_mtl_act	Mtl Act	Act Material	->>>>, >>9.99	10
wr_mtl_ll_act	Mtl LL Act		->>>>, >>9.99	10
wr_mtl_ll_totx	Material		->>>, >>>, >>9.99<<<	10
wr_mtl_totx	Material		->>>, >>>, >>9.99<<<	10
wr_mv_nxt_op	Move Next Op		yes/no	
wr_nbr	Work Order		x(18)	
wr_op	Operation	Op	>>>>>9	
wr_ovh_act	Ovh Act		->>>>, >>9.99	10
wr_ovh_ll_act	Ovh LL Act		->>>>, >>9.99	10
wr_ovh_ll_totx	Overhead		->>>, >>>, >>9.99<<<	10
wr_ovh_totx	Overhead		>>>>, >>>, >>9.99<<<	10
wr_part	Item Number		x(18)	
wr_posted_run			>>>, >>>, >>9.9<<<<<<<<	10
wr_po_line	Line	Ln	>>9	
wr_po_nbr	Purchase Order	PO	x(8)	
wr_price	Price		>>>>, >>>, >>9.99<<<	10
wr_prod_line	Product Line	Line	x(4)	
wr_project	Project		x(8)	
wr_qty_comp	Qty Complete		->, >>>, >>9.9<<<<<<<<	10
wr_qty_cummove	Cum Moved Out	Cum! Moved Out Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumoadj	Cum Out Adjust	Cum Out Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumoscrap	Cum Out Scrap	Cum Out Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumproc	Cum Processed	Cum! Processed Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumradj	Cum Rjct Adjust	Cum Reject Queue! Adjusted Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumrjct	Cum Rejected	Cum! Rejected Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumrscrap	Cum Rjct Scrap	Cum Reject Queue! Scrapped Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_cumrwrk	Cum Reworked	Cum! Reworked Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_inque	In Queue	Input! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_inqueb	Begin In Queue	Begin Input! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_move	Qty Moved		->, >>>, >>9.9<<<<<<<<	10
wr_qty_ord	Qty Ordered		->, >>>, >>9.9<<<<<<<<	10
wr_qty_outque	Out Queue	Output! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_outqueb	Begin Out Queue	Begin Output! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rejque	Rjct Queue	Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rejqueb	Begin Rjct Queue	Begin Reject! Queue Qty	->, >>>, >>9.9<<<<<<<<	10
wr_qty_rjct	Qty Reject		->, >>>, >>9.9<<<<<<<<	10
wr_qty_rwrk	Qty Rework		->, >>>, >>9.9<<<<<<<<	10
wr_qty_wip	Qty WIP		->, >>>, >>9.9<<<<<<<<	10
wr_queue	Queue Time	Queue	>, >>9.9<<	10
wr_run	Std Run Time	Std Run	>>>, >>>, >>9.9<<<<<<<<	10
wr_sbvuse_post	Setup Bdn Usage Posted	Posted	->>>>, >>9.99	10
wr_setup	Std Setup Time	Std Setup	>, >>9.9<<	10
wr_setup_men	Setup Crew		->, >>9.99	10
wr_setup_rte	Setup Rate		>>>, >>9.99	10
wr_slvuse_post	Setup Lbr Usage Posted	Posted	->>>>, >>9.99	10
wr_start	Start Date	Start	99/99/99	
wr_status	Status	St	x(1)	

Field Name	Label	Col-Label	Format	Dec
wr_std_op	Standard Operation	Std Op	x(8)	
wr_st_time	Start		99:99	
wr_sub_act	Subcontract Act	Act Sub	->>>>, >>9.99	10
wr_sub_comp	Sub Qty Comp		->, >>>, >>9.9<<<<<<<<	10
wr_sub_cost	Subcontract Cost	Subcontract	>>>>, >>>, >>9.99<<<	10
wr_sub_lead	Subcontract LT	Sub! LT	>>9	
wr_sub_ll_act	Subcontract LL Act		->>>>, >>9.99	10
wr_sub_ll_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_sub_std	Subcontract Std	Std Sub	->>>>, >>9.99	10
wr_sub_totx	Subcontract		->>>, >>>, >>9.99<<<	10
wr_svrte_accr	Sub Rate Accrued	Accrued	->>>>, >>9.99	10
wr_svrte_post	Sub Rate Posted	Posted	->>>>, >>9.99	10
wr_svrte_rval	Sub Rate Revalued	Revalued	->>>>, >>9.99	10
wr_svuse_accr	Sub Use Accrued	Accrued	->>>>, >>9.99	10
wr_svuse_post	Sub Usage Posted	Posted	->>>>, >>9.99	10
wr_svuse_rval	Sub Use Revalued	Revalued	->>>>, >>9.99	10
wr_sv_code			x(8)	
wr_tool	Tool Code	Tool	x(8)	
wr_tran_qty	Overlap Units	Overlap	->, >>>, >>9	
wr_um	UM		x(2)	
wr_unprocessed_amt	Unprocessed Hours		->, >>9.9<<	10
wr_user1	Ufld1		x(8)	
wr_user2	Ufld2		x(8)	
wr_vend	Supplier		x(8)	
wr_wait	Wait Time	Wait	>, >>9.9<<	10
wr_wipmtl_part	WIP Item		x(18)	
wr_wkctr	Work Center	Work Ctr	x(8)	
wr_yield_pct	Yield		>>9.9%	10
wr__chr01			x(8)	
wr__chr02			x(8)	
wr__chr03			x(8)	
wr__chr04			x(8)	
wr__chr05			x(8)	
wr__dec01			>>>, >>>, >>9.99	10
wr__dec02			>>>, >>>, >>9.99	10
wr__dte01			99/99/99	
wr__dte02			99/99/99	
wr__log01			yes/no	
wr__qadc01	QAD Character Field 1		X(8)	
wr__qadc02	QAD Character Field 2		X(8)	
wr__qadc03	QAD Character Field 3		X(8)	
wr__qadc04	QAD Character Field 4		X(8)	
wr__qadd05	QAD Decimal Field 5		->, >>>, >>9.99<<<	10
wr__qade01	QAD Decimal Field 1		->, >>>, >>9.99<<<	10
wr__qade02	QAD Decimal Field 2		->, >>>, >>9.99<<<	10
wr__qade03	QAD Decimal Field 3		->, >>>, >>9.99<<<	10
wr__qade04	QAD Decimal Field 4		->, >>>, >>9.99<<<	10
wr__qadi01	QAD Integer Field 1		->, >>>, >>9	
wr__qadi02	QAD Integer Field 2		->, >>>, >>9	
wr__qadi01	QAD Logical Field 1		yes/no	
wr__qadi02	QAD Logical Field 2		yes/no	


Index-Name	Uni	Field-Name	Asc	Abbr
◇ oid_wr_route	yes	oid_wr_route	yes	no
Δ wr_lot	yes	wr_domain	yes	no
		wr_lot	yes	no
		wr_op	yes	no
Δ* wr_nbropp	yes	wr_domain	yes	no
		wr_nbr	yes	no
		wr_lot	yes	no
		wr_op	yes	no
Δ wr_part	no	wr_domain	yes	no
		wr_part	yes	no
		wr_op	yes	no
Δ wr_wkctr	no	wr_domain	yes	no
		wr_wkctr	yes	no
		wr_mch	yes	no
		wr_start	yes	no

Withholding Tax Master

Field Name	Label	Col-Label	Format	Dec
oid_wtx_mstr			>>>>>>>>>>>>>>>>>>>>>>9	10
wtx_acct	Withholding Tax Account		x(8)	
wtx_addr	Supplier		x(8)	
wtx_cc	Withholding Tax Cost Center		x(4)	
wtx_charge_amt	Charge Amount		->>>>, >>>, >>9.99<	10
wtx_charge_type	Charge Type		Expense/Fee	
wtx_check	Payment Reference		x(10)	
wtx_domain	Domain		x(8)	
wtx_invoice	Supplier's Invoice Number		x(12)	
wtx_ln	Voucher Line		>>9	
wtx_mod_date	Modified Date	Mod Date	99/99/99	
wtx_mod_userid	User ID		x(8)	
wtx_paid_date	Voucher Payment Date		99/99/99	
wtx_printed	Certificate Printed		yes/no	
wtx_ref	Voucher Number		x(8)	
wtx_ret_amt	Retained Amount		->>>>, >>>, >>9.99<	10
wtx_rsn_code	Reason Code		x(8)	
wtx_set_date	Settlement Date		99/99/99	
wtx_sub	Withholding Tax Sub Account		x(8)	
wtx_taxable_amt	Taxable Fee Amount		->>>>, >>>, >>9.99<	10
wtx_tax_pct	Withholding Tax Rate		->>9.9<%	10
wtx_tot_amt	Total Amount		->>>>, >>>, >>9.99<	10
wtx_tot_paid	Total Paid		->>>>, >>>, >>9.99<	10
wtx_user1	User Field Character 1		x(24)	
wtx_user2	User Field Character 2		x(24)	
wtx_userc03	User Field Character 3		x(24)	
wtx_userc04	User Field Character 4		x(24)	
wtx_userc05	User Field Character 5		x(24)	
wtx_userd01	User Field Decimal 1		->>>>, >>>, >>9.9<=====	10
wtx_userd02	User Field Decimal 2		->>>>, >>>, >>9.9<=====	10
wtx_useri01	User Field Integer 1		->>>>>>>9	
wtx_useri02	User Field Integer 2		->>>>>>9	

Field Name	Label	Col-Label	Format	Dec
wtx_userl01	User Field Logical 1		yes/no	
wtx_userl02	User Field Logical 2		yes/no	
wtx_userd01	User Field Date 1		99/99/99	
wtx_userd02	User Field Date 2		99/99/99	
wtx_vat_amt	Value Added Tax Amount		->>>>, >>>, >>9.99<	10
wtx_vo_date	Voucher Effective Date		99/99/99	
wtx_wt_amt	Withholding Tax Amount		->>>>, >>>, >>9.99<	10
wtx__qadc01			x(24)	
wtx__qadc02			x(24)	
wtx__qadc03			x(24)	
wtx__qadc04			x(24)	
wtx__qadc05			x(24)	
wtx__qadd01			->>>>, >>>, >>9.9<<<<<<<<<	10
wtx__qadd02			->>>>, >>>, >>9.9<<<<<<<<<	10
wtx__qadi01			->>>>>>>9	
wtx__qadi02			->>>>>>>9	
wtx__qadi01			yes/no	
wtx__qadi02			yes/no	
wtx__qadt01			99/99/99	
wtx__qadt02			99/99/99	

Index-Name	Uni	Field-Name	Asc	Abbr
◊ oid_wtx_mstr	yes	oid_wtx_mstr	yes	no
Δ* wtx_advln	yes	wtx_domain	yes	no
		wtx_addr	yes	no
		wtx_ref	yes	no
		wtx_ln	yes	no
		wtx_check	yes	no
Δ wtx_vo_date	no	wtx_domain	yes	no
		wtx_vo_date	yes	no



Section 2

Summary of Changes

This section contains a summary of fields and indexes that have changed since the last published version of this book.

Changed Fields **686**

Deleted Fields **687**

New Fields **690**

Changed Indexes **715**

Deleted Indexes **716**

New Indexes for Existing Tables **717**

Deleted Tables **731**

New Tables **732**

Changed Fields

The top line for each field lists the current values of the various items. Underneath in italics are the old values.

Field Name	Label	Col-Label	Format	Dec
si_db	Domain	?	x(8)	?
	<i>Database</i>			

Deleted Fields

Table Name	Field Name	Label
adc_ctrl	adc_index1	Index
apc_ctrl	apc_index1	Index
apm_ctrl	apm_index1	Index
arc_ctrl	arc_index1	Index
bic_ctrl	bic_index1	Index
cac_ctrl	cac_index1	Index
ccc_ctrl	ccc_index1	Index
ccl_ctrl	ccl_index1	Index
cfc_ctrl	cfc_index1	Index
clc_ctrl	clc_index1	Index
cmc_ctrl	cmc_index1	Index
cnc_ctrl	cnc_index1	Index
cns_ctrl	cns_index1	Index
co_ctrl	co_index1	Index
crc_ctrl	crc_index1	?
cu_mstr	cu_ex_rnd_acct	Exchange Rounding Account
	cu_ex_rnd_cc	Exchange Rounding CC
	cu_ex_rnd_sub	Exchange Rounding Sub
	cu_rgain_acct	Realized Exchange Gain Acct
	cu_rgain_cc	Realized Exchange Gain CC
	cu_rgain_sub	Realized Exchange Gain
	cu_rloss_acct	Realized Exchange Loss Acct
	cu_rloss_cc	Realized Exchange Loss CC
	cu_rloss_sub	Realized Exchange Loss
	cu_ugain_acct	Unrealized Exchange Gain Acct
	cu_ugain_cc	Unrealized Exchange Gain CC
	cu_ugain_sub	Unrealized Exchange Gain Sub
	cu_uloss_acct	Unrealized Exchange Loss Acct
	cu_uloss_cc	Unrealized Exchange Loss CC
	cu_uloss_sub	Unrealized Exchange Loss Sub
drp_ctrl	drp_index1	Index
emc_ctrl	emc_index1	Index
et_ctrl	et_index1	Index
euc_ctrl	euc_index1	Index
fac_ctrl	fac_index1	Index
icc_ctrl	icc_index1	Index
iec_ctrl	iec_index1	Index
kbc_ctrl	kbc_index1	Index
knb_mstr	knb_cons_ref	Consuming Reference
	knb_cons_source	Consuming Destination
	knb_loop	One/Two Card
	knb_part	Item Number
	knb_rep_time	Replenishment Time
	knb_supp_ref	Supplying Reference
	knb_supp_source	Supplying Source
	knb_qadc03	?
	knb_qadd02	?
	knb_qadi03	?
	knb_qadi04	?
	knb_qadi05	?
	knb_qadi06	?

Table Name	Field Name	Label
knbd_det	knbd_calc_date	Calculate Date
	knbd_card_nbr	Card Number
	knbd_cards	Number of Cards
	knbd_cons_ref	Consuming Reference
	knbd_cons_source	Consuming Destination
	knbd_demand_hr	Max Demand per Hour
	knbd_loop	One/Two Card
	knbd_max_cycle_time	Maximum Cycle Time
	knbd_mod_date	Modified Date
	knbd_mod_userid	User ID
	knbd_part	Item Number
	knbd_pattern	Demand Pattern
	knbd_print_date	Print Date
	knbd_production_line	Production Line
	knbd_rep_time	Replenishment Time
	knbd_supp_ref	Supplying Reference
	knbd_supp_source	Supplying Source
	knbd_user1	Ufld1
	knbd_user2	Ufld2
	knbd_var_factor	Variability Factor
	knbd__chr01	?
	knbd__dec01	?
	knbd__dte01	?
	knbd__int01	?
	knbd__log01	?
	knbd__qadc01	?
	knbd__qadd01	?
	knbd__qadi02	?
	knbd__qadi03	?
	knbd__qadi04	?
	knbd__qadi05	?
	knbd__qadi01	?
	knbd__qadi02	?
	knbd__qadi01	?
knbl_det	knbl_backflush	Backflush
	knbl_batch_size	Batch Size
	knbl_blanket_po	Release Blanket PO
	knbl_calc_mode	Calculate Cards/Qty
	knbl_card_type	Card Type
	knbl_cards	Number of Cards
	knbl_cons_ref	Consuming Reference
	knbl_cons_source	Consuming Destination
	knbl_cont_type	Container Type
	knbl_destination_email	Destination Email
	knbl_destination_fax	Destination Fax
	knbl_destination_fax2	Destination Fax 2
	knbl_dispatch_list	Dispatch List
	knbl_email_disp_list	Email Dispatch List
	knbl_fax_dispatch_list	Fax Disp List
	knbl_id_barcode	Print ID Barcode
	knbl_impact_inventory	Impact Inventory
	knbl_item_barcode	Print Item Barcode
	knbl_kanban_quantity	Kanban Quantity
	knbl_max_cycle_time	Maximum Cycle Time
	knbl_min_cycle_check	Minimum Cycle Check
	knbl_min_cycle_time	Minimum Cycle Time
	knbl_mod_date	Modified Date

Table Name	Field Name	Label
	knbl_mod_userid	User ID
	knbl_part	Item Number
	knbl_print_quantity	Print Quantity
	knbl_safety_stock	Safety Stock
	knbl_source_email	Source Email
	knbl_source_fax	Source Fax
	knbl_source_fax2	Source Fax 2
	knbl_supp_ref	Supplying Reference
	knbl_supp_source	Supplying Source
	knbl_type	Kanban Type
	knbl_user1	User Field Character 1
	knbl_user2	User Field Character 2
	knbl_userc03	User Field Character 3
	knbl_userd01	User Field Decimal 1
	knbl_useri01	User Field Integer 1
	knbl_userl01	User Field Logical 1
	knbl_usert01	User Field Date 1
	knbl_var_factor	Variability Factor
	knbl__qadc01	?
	knbl__qadc02	?
	knbl__qadd01	?
	knbl__qadi01	?
	knbl__qadi01	?
	knbl__qadt01	?
lac_ctrl	lac_index1	Index
mrpc_ctrl	mrpc_index1	Index
ncc_ctrl	ncc_index1	Index
opc_ctrl	opc_index1	Index
ops_ctrl	ops_index1	Index
pcc_ctrl	pcc_index1	Index
pic_ctrl	pic_index1	Index
pjc_ctrl	pjc_index1	Index
poc_ctrl	poc_index1	Index
pshc_ctrl	pshc_index1	Index
qcc_ctrl	qcc_index1	Index
qoc_ctrl	qoc_index1	Index
qqc_ctrl	qqc_index1	Index
rcf_ctrl	rcf_index1	Index
rmc_ctrl	rmc_index1	Index
rpc_ctrl	rpc_index1	Index
rqf_ctrl	rqf_index1	Index
rsc_ctrl	rsc_index1	Index
shc_ctrl	shc_index1	?
shpc_ctrl	shpc_index1	Index
spc_ctrl	spc_index1	Index
src_ctrl	src_index1	Index
sroc_ctrl	sroc_index1	Index
usr_mstr	usr_groups	Groups
vdc_ctrl	vdc_index1	Index
vef_ctrl	vef_index1	Index
wlc_ctrl	wlc_index1	Index
woc_ctrl	woc_index1	Index

New Fields

Table Name	Field Name	Label
abd_det	oid_abd_det	?
absc_det	absc_domain	Domain
	oid_absc_det	?
absc_det	absc_domain	Domain
	oid_absc_det	?
absd_det	absd_domain	Domain
	oid_absd_det	?
absi_mstr	absi_domain	Domain
	oid_absi_mstr	?
absl_det	absl_domain	Domain
	oid_absl_det	?
absr_det	absr_domain	Domain
	oid_absr_det	?
abss_det	abss_domain	Domain
	oid_abss_det	?
abs_mstr	abs_domain	Domain
	oid_abs_mstr	?
accd_det	oid_accd_det	?
acdf_mstr	acdf_domain	Domain
	oid_acdf_mstr	?
acd_det	acd_domain	Domain
	oid_acd_det	?
acm_mstr	acm_domain	Domain
	oid_acm_mstr	?
acod_mstr	acod_domain	Domain
	oid_acod_mstr	?
act_mstr	act_domain	Domain
	oid_act_mstr	?
acx_mstr	acx_domain	Domain
	acx_to_domain	To Domain
	oid_acx_mstr	?
ac_mstr	ac_domain	Domain
	oid_ac_mstr	?
adc_ctrl	adc_domain	Domain
	oid_adc_ctrl	?
adx_det	adx_domain	Domain
	oid_adx_det	?
ad_mstr	ad_domain	Domain
	oid_ad_mstr	?
ald_det	ald_domain	Domain
	oid_ald_det	?
alm_mstr	alm_domain	Domain
	oid_alm_mstr	?
al_mstr	al_domain	Domain
	oid_al_mstr	?
anl_det	anl_domain	Domain
	oid_anl_det	?
ans_det	ans_domain	Domain
	oid_ans_det	?
anx_det	anx_domain	Domain
	oid_anx_det	?

Table Name	Field Name	Label
an_mstr	an_domain	Domain
	oid_an_mstr	?
apc_ctrl	apc_domain	Domain
	oid_apc_ctrl	?
apmr_mstr	apmr_domain	Domain
	oid_apmr_mstr	?
apm_ctrl	apm_domain	Domain
	oid_apm_ctrl	?
aprm_mstr	aprm_domain	Domain
	oid_aprm_mstr	?
apr_mstr	apr_domain	Domain
	oid_apr_mstr	?
ap_mstr	ap_domain	Domain
	oid_ap_mstr	?
arc_ctrl	arc_domain	Domain
	oid_arc_ctrl	?
ard_det	ard_domain	Domain
	oid_ard_det	?
arsd_det	arsd_domain	Domain
	oid_arsd_det	?
art_mstr	art_domain	Domain
	oid_art_mstr	?
ar_mstr	ar_domain	Domain
	oid_ar_mstr	?
asc_mstr	asc_domain	Domain
	oid_asc_mstr	?
ast_mstr	oid_ast_mstr	?
atd_mstr	atd_domain	Domain
	oid_atd_mstr	?
atp_det	atp_domain	Domain
	oid_atp_det	?
aud_det	aud_domain	Domain
	oid_aud_det	?
ba_mstr	ba_domain	Domain
	oid_ba_mstr	?
bcd_det	bcd_domain	Domain
	oid_bcd_det	?
bc_mstr	bc_domain	Domain
	oid_bc_mstr	?
bdld_det	bdld_domain	Domain
	oid_bdld_det	?
bdl_mstr	bdl_domain	Domain
	oid_bdl_mstr	?
bdp_det	bdp_domain	Domain
	oid_bdp_det	?
bgd_det	bgd_domain	Domain
	oid_bgd_det	?
bg_mstr	bg_domain	Domain
	oid_bg_mstr	?
bic_ctrl	bic_domain	Domain
	oid_bic_ctrl	?
bkad_det	bkad_domain	Domain
	oid_bkad_det	?
bkd_det	bkd_domain	Domain
	oid_bkd_det	?
bkfm_mstr	oid_bkfm_mstr	?
bkpd_det	bkpd_domain	Domain

Table Name	Field Name	Label
bkpm_mstr	oid_bkpd_det	?
	bkpm_domain	Domain
bk_mstr	oid_bkpm_mstr	?
	bk_domain	Domain
bl_ctrl	oid_bk_mstr	?
	bl_domain	Domain
bom_mstr	oid_bl_ctrl	?
	bom_domain	Domain
btb_det	oid_bom_mstr	?
	btb_domain	Domain
cac_ctrl	oid_btb_det	?
	cac_domain	Domain
cah_hist	oid_cac_ctrl	?
	cah_domain	Domain
cal_det	oid_cah_hist	?
	cal_domain	Domain
caq_mstr	oid_cal_det	?
	caq_domain	Domain
cas_mstr	oid_caq_mstr	?
	cas_domain	Domain
ca_mstr	oid_cas_mstr	?
	ca_domain	Domain
cb_mstr	oid_ca_mstr	?
	cb_domain	Domain
ccc_ctrl	oid_cb_mstr	?
	ccc_domain	Domain
ccd1_det	oid_ccc_ctrl	?
	oid_ccd1_det	?
ccd2_det	oid_ccd2_det	?
	ccd_domain	Domain
ccd_mstr	oid_ccd_mstr	?
	cclscd_domain	Domain
cclscd_det	oid_cclscd_det	?
	cclsc_domain	Domain
cclsc_mstr	oid_cclsc_mstr	?
	ccls_domain	Domain
ccls_mstr	oid_ccls_mstr	?
	ccl_domain	Domain
ccl_ctrl	oid_ccl_ctrl	?
	cctr_domain	Domain
cctr_hist	oid_cctr_hist	?
	cct_domain	Domain
cct_mstr	oid_cct_mstr	?
	cc_domain	Domain
cc_mstr	oid_cc_mstr	?
	cdf_domain	Domain
cdf_mstr	oid_cdf_mstr	?
	cd_domain	Domain
cd_det	oid_cd_det	?
	cfc_domain	Domain
cfc_ctrl	oid_cfc_ctrl	?
	cf_domain	Domain
cf_mstr	oid_cf_mstr	?
	chg_domain	Domain
chg_mstr	oid_chg_mstr	?
	chm_domain	Domain
chm_mstr	oid_chm_mstr	?

Table Name	Field Name	Label
cild_det	cild_domain	Domain
	oid_cild_det	?
cil_mstr	cil_domain	Domain
	oid_cil_mstr	?
ckd_det	ckd_domain	Domain
	oid_ckd_det	?
cksd_det	cksd_domain	Domain
	oid_cksd_det	?
ck_mstr	ck_domain	Domain
	oid_ck_mstr	?
clc_ctrl	clc_domain	Domain
	oid_clc_ctrl	?
cls_mstr	oid_cls_mstr	?
cmc_ctrl	cmc_domain	Domain
	oid_cmc_ctrl	?
cmd_det	cmd_domain	Domain
	oid_cmd_det	?
cmf_mstr	cmf_domain	Domain
	oid_cmf_mstr	?
cmh_hist	cmh_domain	Domain
	oid_cmh_hist	?
cmt_det	cmt_domain	Domain
	oid_cmt_det	?
cm_mstr	cm_domain	Domain
	oid_cm_mstr	?
cncix_mstr	cncix_domain	Domain
	oid_cncix_mstr	?
cncs_mstr	cncs_domain	Domain
	oid_cncs_mstr	?
cncud_det	cncud_domain	Domain
	oid_cncud_det	?
cncu_mstr	cncu_domain	Domain
	oid_cncu_mstr	?
cnc_ctrl	cnc_domain	Domain
	oid_cnc_ctrl	?
cnsix_mstr	cnsix_domain	Domain
	oid_cnsix_mstr	?
cnss_mstr	cnss_domain	Domain
	oid_cnss_mstr	?
cnsud_det	cnsud_domain	Domain
	oid_cnsud_det	?
cnsu_mstr	cnsu_domain	Domain
	oid_cnsu_mstr	?
cns_ctrl	cns_domain	Domain
	oid_cns_ctrl	?
cnt_mstr	oid_cnt_mstr	?
code_mstr	code_domain	Domain
	oid_code_mstr	?
comd_det	comd_domain	Domain
	oid_comd_det	?
com_mstr	com_domain	Domain
	oid_com_mstr	?
cost_cal	cost_domain	Domain
	oid_cost_cal	?
co_ctrl	co_domain	Domain
	oid_co_ctrl	?
cpcd_det	cpcd_domain	Domain

Table Name	Field Name	Label
cpc_mstr	oid_cpcd_det	?
	cpc_domain	Domain
cph_hist	oid_cpc_mstr	?
	cph_domain	Domain
cp_mstr	oid_cph_hist	?
	cp_domain	Domain
crc_ctrl	oid_cp_mstr	?
	crc_domain	Domain
cref_mstr	oid_crc_ctrl	?
	cref_domain	Domain
cr_mstr	oid_cref_mstr	?
	cr_domain	Domain
csa_mstr	oid_cr_mstr	?
	csa_domain	Domain
csbd_det	oid_csa_mstr	?
	csbd_domain	Domain
csc_mstr	oid_csbd_det	?
	csc_domain	Domain
csid_det	oid_csc_mstr	?
	csid_domain	Domain
csil_mstr	oid_csid_det	?
	csil_domain	Domain
csim_mstr	oid_csil_mstr	?
	csim_domain	Domain
csld_det	oid_csim_mstr	?
	csld_domain	Domain
cslm_mstr	oid_csld_det	?
	cslm_domain	Domain
cssi_det	oid_cslm_mstr	?
	cssi_domain	Domain
css_mstr	oid_cssi_det	?
	css_domain	Domain
cst_mstr	oid_css_mstr	?
	oid_cst_mstr	?
cs_mstr	cs_domain	Domain
	oid_cs_mstr	?
ctd_det	ctd_domain	Domain
	oid_ctd_det	?
ctry_mstr	oid_ctd_det	?
	oid_ctry_mstr	?
ct_mstr	ct_domain	Domain
	oid_ct_mstr	?
cu_mstr	oid_cu_mstr	?
	oid_dbk_mstr	?
dbk_mstr	oid_dbs_mstr	?
	oid_dc_mstr	?
dc_mstr	decl_domain	Domain
	oid_decl_mstr	?
decl_mstr	defr_domain	Domain
	oid_defr_det	?
defr_det	delt_domain	Domain
	oid_delt_mstr	?
delt_mstr	df_domain	Domain
	oid_df_mstr	?
df_mstr	djrc_domain	Domain
	oid_djrc_det	?
djrc_det	djr_domain	Domain
	oid_djr_mstr	?

Table Name	Field Name	Label
dmw_wkfl	oid_dmw_wkfl	?
dpc_mstr	oid_dpc_mstr	?
dprd_det	oid_dprd_det	?
dprt_det	oid_dprt_det	?
dpr_mstr	oid_dpr_mstr	?
dpt_mstr	dpt_domain	Domain
	oid_dpt_mstr	?
drp_ctrl	drp_domain	Domain
	oid_drp_ctrl	?
dsd_det	dsd_domain	Domain
	oid_dsd_det	?
dsr_mstr	dsr_domain	Domain
	oid_dsr_mstr	?
dss_mstr	dss_domain	Domain
	oid_dss_mstr	?
ds_det	ds_domain	Domain
	oid_ds_det	?
dyd_mstr	dyd_domain	Domain
	oid_dyd_mstr	?
dy_mstr	dy_domain	Domain
	oid_dy_mstr	?
ea_mstr	ea_domain	Domain
	oid_ea_mstr	?
eca_mstr	eca_domain	Domain
	oid_eca_mstr	?
ecd1_det	ecd1_domain	Domain
	oid_ecd1_det	?
ecd2_det	ecd2_domain	Domain
	oid_ecd2_det	?
ecd3_det	ecd3_domain	Domain
	oid_ecd3_det	?
ecd4_det	ecd4_domain	Domain
	oid_ecd4_det	?
ecd5_det	ecd5_domain	Domain
	oid_ecd5_det	?
ecd9_det	ecd9_domain	Domain
	oid_ecd9_det	?
ecd_det	ecd_domain	Domain
	oid_ecd_det	?
ecl_list	ecl_domain	Domain
	oid_ecl_list	?
ecm_mstr	ecm_domain	Domain
	oid_ecm_mstr	?
ect_mstr	ect_domain	Domain
	oid_ect_mstr	?
ecx_ref	ecx_domain	Domain
	oid_ecx_ref	?
ega_mstr	ega_domain	Domain
	oid_ega_mstr	?
egc_ctrl	egc_domain	Domain
	oid_egc_ctrl	?
egd_det	egd_domain	Domain
	oid_egd_det	?
egs_det	egs_domain	Domain
	oid_egs_det	?
egt_mstr	egt_domain	Domain
	oid egt_mstr	?

Table Name	Field Name	Label
egw_wkfl	egw_domain	Domain
	oid_egw_wkfl	?
elg_hist	elg_domain	Domain
	oid_elg_hist	?
emap_det	emap_domain	Domain
	oid_emap_det	?
emc_ctrl	emc_domain	Domain
	oid_emc_ctrl	?
emg_msg	emg_domain	Domain
	oid_emg_msg	?
emp_mstr	emp_domain	Domain
	oid_emp_mstr	?
emsg_mstr	emsg_domain	Domain
	oid_emsg_mstr	?
em_mstr	oid_em_mstr	?
eng_mstr	eng_domain	Domain
	oid_eng_mstr	?
en_mstr	en_consolidation	Consolidation Entity
	en_domain	Domain
	en_type	Entity Type
	oid_en_mstr	?
eraw_det	eraw_domain	Domain
	oid_eraw_det	?
ers_mstr	ers_domain	Domain
	oid_ers_mstr	?
esc_ctrl	esc_domain	Domain
	oid_esc_ctrl	?
esh_mstr	esh_domain	Domain
	oid_esh_mstr	?
esp_mstr	esp_domain	Domain
	oid_esp_mstr	?
ess_mstr	ess_domain	Domain
	oid_ess_mstr	?
es_mstr	es_domain	Domain
	oid_es_mstr	?
	et_ctrl	Domain
et_ctrl	oid_et_ctrl	?
	euc_domain	Domain
euc_ctrl	oid_euc_ctrl	?
eud_det	eud_domain	Domain
	oid_eud_det	?
eu_mstr	eu_domain	Domain
	oid_eu_mstr	?
excd_det	excd_domain	Domain
	oid_excd_det	?
exc_mstr	exc_domain	Domain
	oid_exc_mstr	?
exru_usage	oid_exru_usage	?
exr_rate	exr_domain	Domain
	oid_exr_rate	?
faadj_mstr	faadj_domain	Domain
	oid_faadj_mstr	?
faba_det	faba_domain	Domain
	oid_faba_det	?
fabchd_det	fabchd_domain	Domain
	oid_fabchd_det	?
fabch_mstr	fabch_domain	Domain

Table Name	Field Name	Label
fabd_det	oid_fabch_mstr	?
	fabd_domain	Domain
fabk_mstr	oid_fabd_det	?
	fabk_domain	Domain
fab_det	oid_fabk_mstr	?
	fab_domain	Domain
facd_det	oid_fab_det	?
	facd_domain	Domain
facld_det	oid_facd_det	?
	facld_domain	Domain
facls_mstr	oid_facld_det	?
	facld_domain	Domain
facld_cal	oid_facld_mstr	?
	facld_domain	Domain
fact_ctrl	oid_facl_cal	?
	fact_domain	Domain
fac_ctrl	oid_fact_ctrl	?
	fac_domain	Domain
fadf_mstr	oid_fac_ctrl	?
	fadf_domain	Domain
fad_det	oid_fadf_mstr	?
	fad_domain	Domain
faloc_mstr	oid_fad_det	?
	faloc_domain	Domain
fal_mstr	oid_faloc_mstr	?
	oid_fal_mstr	?
famtd_det	famtd_domain	Domain
	oid_famtd_det	?
famtrd_det	famtrd_domain	Domain
	oid_famtrd_det	?
famtr_mstr	famtr_domain	Domain
	oid_famtr_mstr	?
famt_mstr	famt_domain	Domain
	oid_famt_mstr	?
fas_ctrl	oid_fas_ctrl	?
	fauop_domain	Domain
fauop_det	oid_fauop_det	?
	fa_domain	Domain
fa_mstr	oid_fa_mstr	?
	fcc_domain	Domain
fcc_mstr	oid_fcc_mstr	?
	fcd_domain	Domain
fcd_mstr	oid_fcd_mstr	?
	fcg_domain	Domain
fcg_mstr	oid_fcg_mstr	?
	fcs_domain	Domain
fcs_sum	oid_fcs_sum	?
	fct_domain	Domain
fct_mstr	oid_fct_mstr	?
	fc_domain	Domain
fc_det	oid_fc_det	?
	ff_domain	Domain
ff_mstr	oid_ff_mstr	?
	fh_domain	Domain
fh_mstr	oid_fh_mstr	?
	fis_domain	Domain
fis_mstr	oid_fis_mstr	?

Table Name	Field Name	Label
fkt_mstr	fkt_domain	Domain
	oid_fkt_mstr	?
flcrh_hist	flcrh_domain	Domain
	oid_flcrh_hist	?
flcr_mstr	flcr_domain	Domain
	oid_flcr_mstr	?
fldf_mstr	oid_fldf_mstr	?
flff_mstr	flff_domain	Domain
	oid_flff_mstr	?
flh_mstr	oid_flh_mstr	?
flpw_mstr	flpw_domain	Domain
	oid_flpw_mstr	?
flp_plan	flp_domain	Domain
	oid_flp_plan	?
flscd_det	flscd_domain	Domain
	oid_flscd_det	?
flsc_mstr	flsc_domain	Domain
	oid_flsc_mstr	?
flsd_det	flsd_domain	Domain
	flsd_knpp_keyid	Process Detail Key ID
	flsd_shift	Shift
	oid_flsd_det	?
fm_mstr	fm_domain	Domain
	oid_fm_mstr	?
fnd_det	fnd_domain	Domain
	oid_fnd_det	?
fnh_hist	fnh_domain	Domain
	oid_fnh_hist	?
fn_mstr	fn_domain	Domain
	oid_fn_mstr	?
fp1_plan	fp1_domain	Domain
	oid_fp1_plan	?
fp2_plan	fp2_domain	Domain
	oid_fp2_plan	?
fp3_plan	fp3_domain	Domain
	oid_fp3_plan	?
fpci_mstr	fpci_domain	Domain
	oid_fpci_mstr	?
fpc_mstr	fpc_domain	Domain
	oid_fpc_mstr	?
fpd_cost	fpd_domain	Domain
	oid_fpd_cost	?
fpst_mstr	fpst_domain	Domain
	oid_fpst_mstr	?
frcd_det	frcd_domain	Domain
	oid_frcd_det	?
frd_det	frd_domain	Domain
	oid_frd_det	?
frm_mstr	frm_domain	Domain
	oid_frm_mstr	?
frzd_det	frzd_domain	Domain
	oid_frzd_det	?
fr_mstr	fr_domain	Domain
	oid_fr_mstr	?
fsc_mstr	fsc_domain	Domain
	oid_fsc_mstr	?
fsd_det	fsd_domain	Domain

Table Name	Field Name	Label
fsh_mstr	oid_fsd_det	?
	fsh_domain	Domain
fslp_pln	oid_fsh_mstr	?
	fslp_domain	Domain
fsp1_pln	oid_fslp_pln	?
	fsp1_domain	Domain
fsp2_pln	oid_fsp1_pln	?
	fsp2_domain	Domain
fsp3_pln	oid_fsp2_pln	?
	fsp3_domain	Domain
fsu_mstr	oid_fsp3_pln	?
	fsu_domain	Domain
ftch_hist	oid_fsu_mstr	?
	ftch_domain	Domain
ft_mstr	oid_ftch_hist	?
	ft_domain	Domain
fwk_mstr	oid_ft_mstr	?
	fwk_domain	Domain
giap_mstr	oid_fw_k_mstr	?
	giap_domain	Domain
gimd_mstr	oid_giap_mstr	?
	gimd_domain	Domain
gip_det	oid_gimd_mstr	?
	gip_domain	Domain
gisi_mstr	oid_gip_det	?
	gisi_domain	Domain
glcd_det	oid_gisi_mstr	?
	glcd_domain	Domain
glc_cal	oid_glcd_det	?
	glc_domain	Domain
glptr_hist	oid_glc_cal	?
	glptr_domain	Domain
glrd_det	oid_glptr_hist	?
	glrd_domain	Domain
glr_mstr	oid_glrd_det	?
	glr_domain	Domain
glsd_mstr	oid_glr_mstr	?
	glsd_domain	Domain
gltnmd_det	oid_glsd_mstr	?
	gltnmd_domain	Domain
gltn_mstr	oid_gltnmd_det	?
	gltn_domain	Domain
gltr_hist	oid_gltn_mstr	?
	gltr_domain	Domain
gltw_wkfl	oid_gltr_hist	?
	gltw_domain	Domain
glt_det	oid_gltw_wkfl	?
	glt_domain	Domain
gl_ctrl	oid_glt_det	?
	gl_domain	Domain
grac_det	oid_gl_ctrl	?
	grac_domain	Domain
grad_det	oid_grac_det	?
	grad_domain	Domain
gral_det	oid_grad_det	?
	gral_domain	Domain
	oid_gral_det	?

Table Name	Field Name	Label
gras_det	gras_domain	Domain
	oid_gras_det	?
gra_mstr	gra_domain	Domain
	oid_gra_mstr	?
grbg_det	grbg_domain	Domain
	oid_grbg_det	?
grcd_det	grcd_domain	Domain
	oid_grcd_det	?
grc_mstr	grc_domain	Domain
	oid_grc_mstr	?
grdf_mtx	grdf_domain	Domain
	oid_grdf_mtx	?
grhd_det	grhd_domain	Domain
	oid_grhd_det	?
grib_det	grib_domain	Domain
	oid_grib_det	?
gric_det	gric_domain	Domain
	oid_gric_det	?
grid_det	grid_domain	Domain
	oid_grid_det	?
grig_mtx	grig_domain	Domain
	oid_grig_mtx	?
grit_wkf	grit_domain	Domain
	oid_grit_wkf	?
gri_mstr	gri_domain	Domain
	oid_gri_mstr	?
grqd_det	grqd_domain	Domain
	oid_grqd_det	?
grrd_det	grrd_domain	Domain
	oid_grrd_det	?
grr_mstr	grr_domain	Domain
	oid_grr_mstr	?
grtx_det	grtx_domain	Domain
	oid_grtx_det	?
grv_det	grv_domain	Domain
	oid_grv_det	?
grx1_wkfl	grx1_domain	Domain
	oid_grx1_wkfl	?
grx2_wkfl	grx2_domain	Domain
	oid_grx2_wkfl	?
grx3_wkfl	grx3_domain	Domain
	oid_grx3_wkfl	?
grx_mstr	grx_domain	Domain
	oid_grx_mstr	?
gr_ctrl	gr_domain	Domain
	oid_gr_ctrl	?
hd_mstr	hd_domain	Domain
	oid_hd_mstr	?
hlp_mstr	oid_hlp_mstr	?
	oid_hwm_det	?
ibh_hist	ibh_domain	Domain
	oid_ibh_hist	?
ib_det	ib_domain	Domain
	oid_ib_det	?
icc_ctrl	icc_domain	Domain
	oid_icc_ctrl	?
idhlc_hist	idhlc_domain	Domain

Table Name	Field Name	Label
idhr_hist	oid_idhlc_hist	?
	idhr_domain	Domain
idh_hist	oid_idhr_hist	?
	idh_domain	Domain
iec_ctrl	oid_idh_hist	?
	iec_domain	Domain
ied_det	oid_iec_ctrl	?
	ied_domain	Domain
ieh_hist	oid_ied_det	?
	ieh_domain	Domain
ie_mstr	oid_ieh_hist	?
	ie_domain	Domain
ifs_mstr	oid_ie_mstr	?
	ifs_domain	Domain
ihcc_hist	oid_ifs_mstr	?
	ihcc_domain	Domain
ihr_hist	oid_ihcc_hist	?
	ihr_domain	Domain
ih_hist	oid_ihr_hist	?
	ih_domain	Domain
ild_det	oid_ih_hist	?
	ild_domain	Domain
ilg_hist	oid_ild_det	?
	ilg_domain	Domain
imap_det	oid_ilg_hist	?
	imap_domain	Domain
img_msg	oid_imap_det	?
	img_domain	Domain
im_mstr	oid_img_msg	?
	im_domain	Domain
ind_det	oid_im_mstr	?
	ind_domain	Domain
insd_det	oid_ind_det	?
	insd_domain	Domain
ins_mstr	oid_insd_det	?
	ins_domain	Domain
in_mstr	oid_ins_mstr	?
	in_domain	Domain
ipd_det	oid_in_mstr	?
	ipd_domain	Domain
iph_hist	oid_ipd_det	?
	iph_domain	Domain
ip_mstr	oid_iph_hist	?
	ip_domain	Domain
iraw_det	oid_ip_mstr	?
	iraw_domain	Domain
iro_det	oid_iraw_det	?
	iro_domain	Domain
isb_mstr	oid_iro_det	?
	isb_domain	Domain
isd_det	oid_isb_mstr	?
	isd_domain	Domain
isp_mstr	oid_isd_det	?
	isp_domain	Domain
iss_mstr	oid_isp_mstr	?
	iss_domain	Domain
	oid_iss_mstr	?

Table Name	Field Name	Label
isvc_mstr	isvc_domain	Domain
	oid_isvc_mstr	?
is_mstr	is_domain	Domain
	oid_is_mstr	?
itmh_hist	itmh_domain	Domain
	oid_itmh_hist	?
itm_det	itm_domain	Domain
	oid_itm_det	?
itsd_det	itsd_domain	Domain
	oid_itsd_det	?
its_mstr	its_domain	Domain
	oid_its_mstr	?
ivs_ctrl	ivs_domain	Domain
	oid_ivs_ctrl	?
kbc_ctrl	kbc_card_reporting	Card Reporting
	kbc_cost_set	Cost Set
	kbc_domain	Domain
	kbc_export_directory	Export Directory
	kbc_fifo_entry	Allow Entry of FIFO Process
	kbc_fractional_kanban	Fractional Kanban
	kbc_import_directory	Import Directory
	kbc_lead_time_method	Lead Time Method
	kbc_load_limit	Load Limit
	kbc_min_epe_interval	Min EPE Interval
	kbc_print_consume_ref	Print Consuming Reference
	kbc_ss_template	Safety Stock Template
	kbc_template	Demand Template
	kbc_time_adj	Time Adjustment
	kbc_time_fence	Time Fence
	kbc_tolerance_pct	Tolerance Pct
	oid_kbc_ctrl	?
kbmd_mstr	kbmd_domain	Domain
	oid_kbmd_mstr	?
kbpp_mstr	kbpp_domain	Domain
	oid_kbpp_mstr	?
kbtrd_det	kbtrd_dataset	Table Name
	kbtrd_domain	Domain
	oid_kbtrd_det	?
kbtr_hist	kbtr_curr_process_id	Process Code
	kbtr_daily_demand	Daily Demand
	kbtr_domain	Domain
	kbtr_lead_time	Replenishment Time
	kbtr_loop_type	Loop Type
	kbtr_number_of_cards	Number of Cards
	kbtr_order_qty	Order Quantity
	kbtr_pou_ref	POU Reference
	kbtr_pou_site	POU Site
	kbtr_source_app	Source Application
	kbtr_source_ref1	Source Ref1
	kbtr_source_ref2	Source Ref2
	kbtr_source_ref3	Source Ref3
	kbtr_source_ref4	Source Ref4
	kbtr_source_ref5	Source Ref5
	kbtr_source_type	Source Type
	kbtr_step	Step
	kbtr_supermarket_id	Supermarket
	kbtr_supermarket_site	Supermarket Site

Table Name	Field Name	Label
	kbtr_transaction_event	Event
	kbtr_type_user_ref	Kanban Type
	oid_kbtr_hist	?
lacd_det	lacd_domain	Domain
	oid_lacd_det	?
lac_ctrl	lac_domain	Domain
	oid_lac_ctrl	?
lad_det	lad_domain	Domain
	oid_lad_det	?
lblc_ctrl	oid_lblc_ctrl	?
lcap_hist	oid_lcap_hist	?
lc_mstr	lc_domain	Domain
	oid_lc_mstr	?
ld_det	ld_domain	Domain
	oid_ld_det	?
lgsi_det	lgsi_domain	Domain
	oid_lgsi_det	?
lgs_mstr	lgs_domain	Domain
	oid_lgs_mstr	?
lna_det	lna_domain	Domain
	oid_lna_det	?
lnd_det	lnd_domain	Domain
	oid_lnd_det	?
lnf_det	lnf_domain	Domain
	oid_lnf_det	?
lngd_det	oid_lngd_det	?
lng_mstr	oid_lng_mstr	?
ln_mstr	ln_domain	Domain
	oid_ln_mstr	?
locc_det	locc_domain	Domain
	oid_locc_det	?
loc_mstr	loc_domain	Domain
	oid_loc_mstr	?
lotw_wkfl	lotw_domain	Domain
	oid_lotw_wkfl	?
lot_mstr	lot_domain	Domain
	oid_lot_mstr	?
lpmd_det	oid_lpmd_det	?
lpm_mstr	oid_lpm_mstr	?
ls_mstr	ls_domain	Domain
	oid_ls_mstr	?
lua_det	oid_lua_det	?
lvr_det	oid_lvr_det	?
maxt_det	oid_maxt_det	?
max_mstr	oid_max_mstr	?
ma_mstr	ma_domain	Domain
	oid_ma_mstr	?
mfc_ctrl	mfc_domain	Domain
	oid_mfc_ctrl	?
mnd_det	oid_mnd_det	?
mnp_det	mnp_domain	Domain
	oid_mnp_det	?
mnt_det	oid_mnt_det	?
mof_mstr	oid_mof_mstr	?
mon_mstr	oid_mon_mstr	?
mpd_det	mpd_domain	Domain
	oid_mpd_det	?

Table Name	Field Name	Label
mph_hist	mph_domain	Domain
	oid_mph_hist	?
mpp_det	mpp_domain	Domain
	oid_mpp_det	?
mps_mstr	mps_domain	Domain
	oid_mps_mstr	?
mp_mstr	mp_domain	Domain
	oid_mp_mstr	?
mrpc_ctrl	mrpc_domain	Domain
	oid_mrpc_ctrl	?
mrpp_det	mrpp_domain	Domain
	oid_mrpp_det	?
mrp_det	mrp_domain	Domain
	oid_mrp_det	?
msg_mstr	oid_msg_mstr	?
mu_mstr	mu_domain	Domain
	oid_mu_mstr	?
ncc_ctrl	ncc_domain	Domain
	oid_ncc_ctrl	?
nrh_hist	nrh_domain	Domain
	oid_nrh_hist	?
nr_mstr	nr_domain	Domain
	oid_nr_mstr	?
oa_det	oa_domain	Domain
	oid_oa_det	?
ocm_mstr	ocm_domain	Domain
	oid_ocm_mstr	?
opc_ctrl	oid_opc_ctrl	?
	opc_domain	Domain
opgl_det	oid_opgl_det	?
	opgl_domain	Domain
opm_mstr	oid_opm_mstr	?
	opm_domain	Domain
ops_ctrl	oid_ops_ctrl	?
	ops_domain	Domain
op_hist	oid_op_hist	?
	op_domain	Domain
pac_mstr	oid_pac_mstr	?
	pac_domain	Domain
pald_det	oid_pald_det	?
	pald_domain	Domain
pal_mstr	oid_pal_mstr	?
	pal_domain	Domain
pcc_ctrl	oid_pcc_ctrl	?
	pcc_domain	Domain
pcd_det	oid_pcd_det	?
	pcd_domain	Domain
pcld_det	oid_pcld_det	?
	pcld_domain	Domain
pcl_mstr	oid_pcl_mstr	?
	pcl_domain	Domain
pct_mstr	oid_pct_mstr	?
	pct_domain	Domain
pc_mstr	oid_pc_mstr	?
	pc_domain	Domain
pex_mstr	oid_pex_mstr	?
pfc_det	oid_pfc_det	?

Table Name	Field Name	Label
pfd_det	pfc_domain	Domain
	oid_pfd_det	?
pgc_ctrl	pfd_domain	Domain
	oid_pgc_ctrl	?
pgh_hist	pgc_domain	Domain
	oid_pgh_hist	?
pgm_det	pgh_domain	Domain
	oid_pgm_det	?
pic_ctrl	pgm_domain	Domain
	oid_pic_ctrl	?
pid_det	pic_domain	Domain
	oid_pid_det	?
pigc_det	pid_domain	Domain
	oid_pigc_det	?
pigp_det	pigc_domain	Domain
	oid_pigp_det	?
pig_mstr	pigp_domain	Domain
	oid_pig_mstr	?
pih_hist	pig_domain	Domain
	oid_pih_hist	?
pin_mstr	pih_domain	Domain
	oid_pin_mstr	?
pi_mstr	oid_pi_mstr	?
	pi_domain	Domain
pjc_ctrl	oid_pjc_ctrl	?
	pjc_domain	Domain
pjd_det	oid_pjd_det	?
	pjd_domain	Domain
pjsh_hist	oid_pjsh_hist	?
	pjsh_domain	Domain
pjsx_det	oid_pjsx_det	?
	pjsx_domain	Domain
pjs_mstr	oid_pjs_mstr	?
	pjs_domain	Domain
pjt_mstr	oid_pjt_mstr	?
	pjt_domain	Domain
pj_mstr	oid_pj_mstr	?
	pj_domain	Domain
pk_det	oid_pk_det	?
	pk_domain	Domain
pld_det	oid_pld_det	?
	pld_domain	Domain
plid_det	oid_plid_det	?
	plid_domain	Domain
pli_mstr	oid_pli_mstr	?
	pli_domain	Domain
plsd_det	oid_plsd_det	?
	plsd_domain	Domain
plt_det	oid_plt_det	?
	plt_domain	Domain
pl_mstr	oid_pl_mstr	?
	pl_domain	Domain
poc_ctrl	oid_poc_ctrl	?
	poc_domain	Domain
pod_det	oid_pod_det	?
	pod_domain	Domain
pould_det	oid_pould_det	?

Table Name	Field Name	Label
poul_mstr	pould_domain	Domain
	oid_poul_mstr	?
pou_mstr	poul_domain	Domain
	oid_pou_mstr	?
po_mstr	pou_domain	Domain
	oid_po_mstr	?
pp_plan	po_domain	Domain
	oid_pp_plan	?
pq_mstr	pp_domain	Domain
	oid_pq_mstr	?
prd_det	pq_domain	Domain
	oid_prd_det	?
prh_hist	oid_prh_hist	?
	prh_domain	Domain
prj_mstr	oid_prj_mstr	?
	prj_domain	Domain
pr_mstr	oid_pr_mstr	?
	oid_pshc_ctrl	?
pshc_ctrl	pshc_domain	Domain
	oid_ps_mstr	?
ps_mstr	ps_domain	Domain
	oid_pta_det	?
pta_det	pta_domain	Domain
	oid_ptc_det	?
ptc_det	ptc_domain	Domain
	oid_ptl_hist	?
pth_hist	pth_domain	Domain
	oid_ptls_det	?
ptls_det	ptls_domain	Domain
	oid_ptp_det	?
ptp_det	ptp_domain	Domain
	oid_ptqa_det	?
ptqa_det	ptqa_domain	Domain
	oid_ptr_det	?
ptr_det	ptr_domain	Domain
	oid_pts_det	?
pts_det	pts_domain	Domain
	oid_ptt_det	?
ptt_det	ptt_domain	Domain
	oid_ptv_det	?
ptv_det	ptv_domain	Domain
	oid_pt_mstr	?
pt_mstr	pt_domain	Domain
	oid_pvod_det	?
pvod_det	pvod_domain	Domain
	oid_pvo_mstr	?
pvo_mstr	pvo_domain	Domain
	oid_qad_wkfl	?
qad_wkfl	qad_domain	Domain
	oid_qcc_ctrl	?
qcc_ctrl	qcc_domain	Domain
	oid_qcd_det	?
qcd_det	qcd_domain	Domain
	oid_qcs_mstr	?
qcs_mstr	qcs_domain	Domain
	oid_qc_mstr	?
qc_mstr	qc_domain	Domain

Table Name	Field Name	Label
qob_det	oid_qob_det	?
	qob_domain	Domain
qoc_ctrl	oid_qoc_ctrl	?
	qoc_domain	Domain
qodr_det	oid_qodr_det	?
	qodr_domain	Domain
qod_det	oid_qod_det	?
	qod_domain	Domain
qor_mstr	oid_qor_mstr	?
	qor_domain	Domain
qo_mstr	oid_qo_mstr	?
	qo_domain	Domain
qps_det	oid_qps_det	?
	qps_domain	Domain
qqc_ctrl	oid_qqc_ctrl	?
	qqc_domain	Domain
qro_det	oid_qro_det	?
	qro_domain	Domain
qr_test	oid_qr_test	?
	qr_domain	Domain
qtbl_ext	oid_qtbl_ext	?
	oid_rbm_mstr	?
rbm_mstr	rbm_domain	Domain
	oid_rcc_mstr	?
rcc_mstr	rcc_domain	Domain
	oid_rcf_ctrl	?
rcf_ctrl	rcf_domain	Domain
	oid_rcsd_det	?
rcsd_det	rcsd_domain	Domain
	oid_rcsx_ref	?
rcsx_ref	rcsx_domain	Domain
	oid_rcs_mstr	?
rcs_mstr	rcs_domain	Domain
	oid_rdf_mstr	?
rdf_mstr	rdf_domain	Domain
	oid_reg_mstr	?
reg_mstr	reg_domain	Domain
	oid_req_det	?
req_det	req_domain	Domain
	oid_rhd_hist	?
rhd_hist	rhd_domain	Domain
	oid_rma_mstr	?
rma_mstr	rma_domain	Domain
	oid_rmc_ctrl	?
rmc_ctrl	rmc_domain	Domain
	oid_rmd_det	?
rmd_det	rmd_domain	Domain
	oid_rnd_mstr	?
rnd_mstr	rnd_domain	Domain
	oid_ro_det	?
ro_det	ro_domain	Domain
	oid_rpc_ctrl	?
rpc_ctrl	rpc_domain	Domain
	oid_rps_mstr	?
rps_mstr	rps_domain	Domain
	oid_rqa_mstr	?
rqa_mstr	rqa_domain	Domain

Table Name	Field Name	Label
rqcd_det	oid_rqcd_det	?
	rqcd_domain	Domain
rqc_mstr	oid_rqc_mstr	?
	rqc_domain	Domain
rqda_det	oid_rqda_det	?
	rqda_domain	Domain
rqd_det	oid_rqd_det	?
	rqd_domain	Domain
rqf_ctrl	oid_rqf_ctrl	?
	rqf_domain	Domain
rqh_hist	oid_rqh_hist	?
	rqh_domain	Domain
rqj_mstr	oid_rqj_mstr	?
	rqj_domain	Domain
rql_mstr	oid_rql_mstr	?
	rql_domain	Domain
rqm_det	oid_rqm_det	?
	rqm_domain	Domain
rqm_mstr	oid_rqm_mstr	?
	rqm_domain	Domain
rqpo_ref	oid_rqpo_ref	?
	rqpo_domain	Domain
rqr_mstr	oid_rqr_mstr	?
	rqr_domain	Domain
rq_mstr	oid_rq_mstr	?
	rq_domain	Domain
rsc_ctrl	oid_rsc_ctrl	?
	rsc_domain	Domain
rsd_det	oid_rsd_det	?
	rsd_domain	Domain
rsn_ref	oid_rsn_ref	?
	rsn_domain	Domain
rstd_det	oid_rstd_det	?
	rstd_domain	Domain
rst_mstr	oid_rst_mstr	?
	rst_domain	Domain
rsud_det	oid_rsud_det	?
	rsud_domain	Domain
rsu_mstr	oid_rsu_mstr	?
	rsu_domain	Domain
rs_mstr	oid_rs_mstr	?
	rs_domain	Domain
sab_det	oid_sab_det	?
	sab_domain	Domain
sac_ctrl	oid_sac_ctrl	?
	sac_domain	Domain
sadh_hist	oid_sadh_hist	?
	sadh_domain	Domain
sad_det	oid_sad_det	?
	sad_domain	Domain
sah_hist	oid_sah_hist	?
	sah_domain	Domain
salh_hist	oid_salh_hist	?
	salh_domain	Domain
sal_mstr	oid_sal_mstr	?
	sal_domain	Domain
sap_det	oid_sap_det	?

Table Name	Field Name	Label
sar_mstr	sap_domain	Domain
	oid_sar_mstr	?
sa_mstr	sar_domain	Domain
	oid_sa_mstr	?
sbc_mstr	sa_domain	Domain
	oid_sbc_mstr	?
sbd_det	sbc_domain	Domain
	oid_sbd_det	?
sbic_ctl	oid_sbic_ctl	?
	sbic_domain	Domain
sbid_det	oid_sbid_det	?
	sbid_domain	Domain
sbi_mstr	oid_sbi_mstr	?
	sbi_domain	Domain
sb_mstr	oid_sb_mstr	?
	sb_domain	Domain
sca_mstr	oid_sca_mstr	?
	sca_domain	Domain
scc_mstr	oid_scc_mstr	?
	scc_domain	Domain
schd_det	oid_schd_det	?
	schd_domain	Domain
sch_mstr	oid_sch_mstr	?
	sch_domain	Domain
sct_det	oid_sct_det	?
	sct_domain	Domain
scx_ref	oid_scx_ref	?
	scx_domain	Domain
sc_mstr	oid_sc_mstr	?
	sc_domain	Domain
sdttd_det	oid_sdttd_det	?
	sdttd_domain	Domain
sdt_mstr	oid_sdt_mstr	?
	sdt_domain	Domain
sd_mstr	oid_sd_mstr	?
	sd_domain	Domain
seoc_ctl	oid_seoc_ctl	?
	seoc_domain	Domain
seq_mstr	oid_seq_mstr	?
	seq_domain	Domain
sfb_det	oid_sfb_det	?
	sfb_domain	Domain
sfh_hist	oid_sfh_hist	?
	sfh_domain	Domain
sgad_det	oid_sgad_det	?
	sgad_domain	Domain
sgcd_det	oid_sgcd_det	?
	sgcd_domain	Domain
sgid_det	oid_sgid_det	?
	sgid_domain	Domain
sg_mstr	oid_sg_mstr	?
	sg_domain	Domain
shc_ctl	oid_shc_ctl	?
	shc_domain	Domain
shd_det	oid_shd_det	?
	shd_domain	Domain
shft_det	oid_shft_det	?

Table Name	Field Name	Label
shm_mstr	shft_domain	Domain
	oid_shm_mstr	?
shop_cal	shm_domain	Domain
	oid_shop_cal	?
shpc_ctrl	shop_domain	Domain
	oid_shpc_ctrl	?
shpd_hist	shpc_domain	Domain
	oid_shpd_hist	?
shp_hist	shpd_domain	Domain
	oid_shp_hist	?
shtr_det	shp_domain	Domain
	oid_shtr_det	?
shv_mstr	shtr_domain	Domain
	oid_shv_mstr	?
sim_det	shv_domain	Domain
	oid_sim_det	?
six_ref	sim_domain	Domain
	oid_six_ref	?
si_mstr	six_domain	Domain
	oid_si_mstr	?
	si_domain	Domain
slrd_det	si_type	Type
	oid_slrd_det	?
slr_mstr	slrd_domain	Domain
	oid_slr_mstr	?
sm_mstr	slr_domain	Domain
	oid_sm_mstr	?
sob_det	sm_domain	Domain
	oid_sob_det	?
socc_mstr	sob_domain	Domain
	oid_socc_mstr	?
soc_ctrl	socc_domain	Domain
	oid_soc_ctrl	?
sodlc_det	soc_domain	Domain
	oid_sodlc_det	?
sodr_det	sodlc_domain	Domain
	oid_sodr_det	?
sod_det	sodr_domain	Domain
	oid_sod_det	?
sop_det	sod_domain	Domain
	oid_sop_det	?
sor_mstr	sop_domain	Domain
	oid_sor_mstr	?
sosrd_det	sor_domain	Domain
	oid_sosrd_det	?
sosr_mstr	sosrd_domain	Domain
	oid_sosr_mstr	?
so_mstr	sosr_domain	Domain
	oid_so_mstr	?
spc_ctrl	so_domain	Domain
	oid_spc_ctrl	?
spd_det	spc_domain	Domain
	oid_spd_det	?
sph_hist	spd_domain	Domain
	oid_sph_hist	?
spt_det	sph_domain	Domain
	oid_spt_det	?

Table Name	Field Name	Label
sp_mstr	spt_domain	Domain
	oid_sp_mstr	?
src_ctrl	sp_domain	Domain
	oid_src_ctrl	?
sroc_ctrl	src_domain	Domain
	oid_sroc_ctrl	?
sro_mstr	sroc_domain	Domain
	oid_sro_mstr	?
srr_mstr	sro_domain	Domain
	oid_srr_mstr	?
sr_wkfl	srr_domain	Domain
	oid_sr_wkfl	?
ssd_det	sr_domain	Domain
	oid_ssd_det	?
ssm_mstr	ssd_domain	Domain
	oid_ssm_mstr	?
sttqd_det	ssm_domain	Domain
	oid_sttqd_det	?
sttq_mstr	sttqd_domain	Domain
	oid_sttq_mstr	?
stx_mstr	sttq_domain	Domain
	oid_stx_mstr	?
sufd_det	stx_domain	Domain
	oid_sufd_det	?
suf_mstr	sufd_domain	Domain
	oid_suf_mstr	?
svc_ctrl	suf_domain	Domain
	oid_svc_ctrl	?
sv_mstr	svc_domain	Domain
	oid_sv_mstr	?
swc_det	sv_domain	Domain
	oid_swc_det	?
tag_mstr	swc_domain	Domain
	oid_tag_mstr	?
taxd_det	tag_domain	Domain
	oid_taxd_det	?
tax_mstr	oid_tax_mstr	?
	oid_tblcd_det	?
tblcd_det	tblcd_domain	Domain
	oid_tblc_mstr	?
tblc_mstr	tblc_domain	Domain
	oid_tbl_mstr	?
tbl_mstr	tbl_domain	Domain
	oid_te_mstr	?
te_mstr	te_domain	Domain
	oid_tm_mstr	?
tm_mstr	tm_domain	Domain
	oid_totd_det	?
totd_det	totd_domain	Domain
	oid_tot_mstr	?
tot_mstr	tot_domain	Domain
	oid_trcs_det	?
trcs_det	trcs_domain	Domain
	oid_trgl_det	?
trgl_det	trgl_domain	Domain
	oid_trld_det	?
trld_det	trld_domain	Domain

Table Name	Field Name	Label
trl_mstr	oid_trl_mstr	?
	trl_domain	Domain
trq_mstr	oid_trq_mstr	?
	trq_domain	Domain
tr_hist	oid_tr_hist	?
	tr_domain	Domain
tx2d_det	oid_tx2d_det	?
	tx2d_domain	Domain
tx2_mstr	oid_tx2_mstr	?
	tx2_domain	Domain
txbd_det	oid_txbd_det	?
	txbd_domain	Domain
txc_ctrl	oid_txc_ctrl	?
	txc_domain	Domain
txed_det	oid_txed_det	?
	txed_domain	Domain
txe_mstr	oid_txe_mstr	?
	txe_domain	Domain
txhd_det	oid_txhd_det	?
	txhd_domain	Domain
txrd_det	oid_txrd_det	?
	txrd_domain	Domain
txr_mstr	oid_txr_mstr	?
	txr_domain	Domain
txz_mstr	oid_txz_mstr	?
	txz_domain	Domain
typ_mstr	oid_typ_mstr	?
tzod_det	oid_tzod_det	?
tzo_mstr	oid_tzo_mstr	?
ufd_det	oid_ufd_det	?
umsg_det	oid_umsg_det	?
	umsg_domain	Domain
um_mstr	oid_um_mstr	?
	um_domain	Domain
upd_det	oid_upd_det	?
url_mstr	oid_url_mstr	?
usg_det	oid_usg_det	?
usrc_ctrl	oid_usrc_ctrl	?
	oid_usrg_mstr_admin	?
	usrc_active_rsn_type	Active Reason Type
	usrc_deactivation_rsn	Auto-deactivation Reason Code
	usrc_em_system_id	Email System
	usrc_logon_hist_level	Logon History Level
	usrc_max_access_fails	Max Access Failures
	usrc_min_length	Minimum Password Length
	usrc_min_non_numeric	Minimum Non-numeric Characters
	usrc_min_numeric	Minimum Numeric Characters
	usrc_password_create	Password Creation Method
	usrc_reuse_changes	Min Password Reuse Changes
	usrc_reuse_days	Min Password Reuse Days
	usrc_right_hdr_disp	Right Header Display Mode
	usrc_warning_days	Warning Days
usrl_det	oid_usrl_det	?
usrw_wkfl	oid_usrw_wkfl	?
	usrw_domain	Domain
usr_mstr	oid_usr_mstr	?
	usr_active	Active

Table Name	Field Name	Label
	usr_active_by	Active By
	usr_active_date	Active Date
	usr_active_reason	Active Reason
	usr_failed_attempts	Password Failed Attempts
	usr_force_change	Password Force Change
	usr_logon_date	Last Logon Date
	usr_logon_time	Last Logon Time
	usr_logon_timezone	Last Logon Time Zone
	usr_remark	Remark
vdc_ctrl	oid_vdc_ctrl	?
	vdc_domain	Domain
vdf_mstr	oid_vdf_mstr	?
	vdf_domain	Domain
vd_mstr	oid_vd_mstr	?
	vd_domain	Domain
vecd_det	oid_vecd_det	?
	vecd_domain	Domain
vec_mstr	oid_vec_mstr	?
	vec_domain	Domain
vee_mstr	oid_vee_mstr	?
	vee_domain	Domain
vef_ctrl	oid_vef_ctrl	?
	vef_domain	Domain
vepd_det	oid_vepd_det	?
	vepd_domain	Domain
vep_mstr	oid_vep_mstr	?
	vep_domain	Domain
verd_det	oid_verd_det	?
	verd_domain	Domain
ver_mstr	oid_ver_mstr	?
	ver_domain	Domain
vesd_det	oid_vesd_det	?
	vesd_domain	Domain
ves_mstr	oid_ves_mstr	?
	ves_domain	Domain
vew_mstr	oid_vew_mstr	?
	vew_domain	Domain
vex_mstr	oid_vex_mstr	?
	vex_domain	Domain
vod_det	oid_vod_det	?
	vod_domain	Domain
vo_mstr	oid_vo_mstr	?
	vo_domain	Domain
vph_hist	oid_vph_hist	?
	vph_domain	Domain
vpo_det	oid_vpo_det	?
	vpo_domain	Domain
vp_mstr	oid_vp_mstr	?
	vp_domain	Domain
vrc_ctrl	oid_vrc_ctrl	?
	vrc_domain	Domain
vtc_ctrl	oid_vtc_ctrl	?
vt_mstr	oid_vt_mstr	?
wcr_route	oid_wcr_route	?
	wcr_domain	Domain
wc_mstr	oid_wc_mstr	?
	wc_domain	Domain

Table Name	Field Name	Label
whl_mstr	oid_whl_mstr	?
	whl_domain	Domain
wlbd_det	oid_wlbd_det	?
	wlbd_domain	Domain
wlbm_mstr	oid_wlbm_mstr	?
	wlbm_domain	Domain
wlc_ctrl	oid_wlc_ctrl	?
	wlc_domain	Domain
wld_det	oid_wld_det	?
	wld_domain	Domain
wlrd_det	oid_wlrd_det	?
	wlrd_domain	Domain
wlrm_mstr	oid_wlrm_mstr	?
	wlrm_domain	Domain
wlt_mstr	oid_wlt_mstr	?
	wlt_domain	Domain
wl_mstr	oid_wl_mstr	?
	wl_domain	Domain
woc_ctrl	oid_woc_ctrl	?
	woc_domain	Domain
wod_det	oid_wod_det	?
	wod_domain	Domain
wo_mstr	oid_wo_mstr	?
	wo_domain	Domain
wr_route	oid_wr_route	?
	wr_domain	Domain
wtx_mstr	oid_wtx_mstr	?
	wtx_domain	Domain

Changed Indexes

The Domain field has been added as the first element in each index associated with a table to which it was added. Refer to section on New Fields starting on page 690 for a list of these tables.

Deleted Indexes

Index	Table
AppID	apr_mstr
AppID	ilg_hist
AppID	elg_hist
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
ExtDocKey	ilg_hist
ExtDocKey	elg_hist
GroupID	ilg_hist
GroupID	elg_hist
kbtrd_kbtr_trans	kbtrd_det
kbtrd_tr_trnbr	kbtrd_det
kbtr_card_nbr	kbtr_hist
kbtr_cons_source	kbtr_hist
kbtr_part_supp	kbtr_hist
kbtr_supp_source	kbtr_hist
kbtr_trans_type	kbtr_hist
knbd_cons_source	knbd_det
knbd_part	knbd_det
knbl_part	knbl_det
knb_cons_source	knb_mstr
knb_part	knb_mstr
MfgProKey	ilg_hist
MfgProKey	elg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
Site	ilg_hist
Site	elg_hist

New Indexes for Existing Tables

Index	Table
AppID	apr_mstr
AppID	elg_hist
AppID	ilg_hist
DocIDSufx	ilg_hist
DocIDSufx	elg_hist
elg_date_time_publ	elg_hist
elg_date_time_sent	elg_hist
elg_orig_doc_id	elg_hist
elg_receiver_id	elg_hist
en_type	en_mstr
ExtDocKey	elg_hist
ExtDocKey	ilg_hist
GroupID	elg_hist
GroupID	ilg_hist
ilg_date_time_proc	ilg_hist
ilg_date_time_rcvd	ilg_hist
ilg_orig_doc_id	ilg_hist
ilg_sender_id	ilg_hist
kbtrd_dataset_kbtr	kbtrd_det
kbtrd_dataset_tr	kbtrd_det
kbtr_part_date	kbtr_hist
kbtr_source	kbtr_hist
kbtr_supermarket	kbtr_hist
kbtr_user_time	kbtr_hist
knbd_keyid	knbd_det
knbd_knbl_keyid	knbd_det
knbd_status_disp	knbd_det
knbl_keyid	knbl_det
knbl_knb_keyid	knbl_det
knbl_next_date_time	knbl_det
knb_keyid	knb_mstr
knb_knbi_knbs	knb_mstr
knb_knbi_knbsm	knb_mstr
knb_knbsm_keyid	knb_mstr
knb_knbs_keyid	knb_mstr
MfgProKey	elg_hist
MfgProKey	ilg_hist
missed_event_order	vep_mstr
missed_event_order	vepd_det
oid_abd_det	abd_det
oid_absc_det	absc_det
oid_absc_det	absc_det
oid_absd_det	absd_det
oid_absi_mstr	absi_mstr
oid_absi_det	absi_det
oid_absr_det	absr_det
oid_abss_det	abss_det
oid_abs_mstr	abs_mstr
oid_accd_det	accd_det
oid_acdf_mstr	acdf_mstr
oid_acd_det	acd_det

Index	Table
oid_acm_mstr	acm_mstr
oid_acod_mstr	acod_mstr
oid_act_mstr	act_mstr
oid_acx_mstr	acx_mstr
oid_ac_mstr	ac_mstr
oid_adc_ctrl	adc_ctrl
oid_adx_det	adx_det
oid_ad_mstr	ad_mstr
oid_ald_det	ald_det
oid_alm_mstr	alm_mstr
oid_al_mstr	al_mstr
oid_anl_det	anl_det
oid_ans_det	ans_det
oid_anx_det	anx_det
oid_an_mstr	an_mstr
oid_apc_ctrl	apc_ctrl
oid_apmr_mstr	apmr_mstr
oid_apm_ctrl	apm_ctrl
oid_aprm_mstr	aprm_mstr
oid_apr_mstr	apr_mstr
oid_ap_mstr	ap_mstr
oid_arc_ctrl	arc_ctrl
oid_ard_det	ard_det
oid_arsd_det	arsd_det
oid_art_mstr	art_mstr
oid_ar_mstr	ar_mstr
oid_asc_mstr	asc_mstr
oid_ast_mstr	ast_mstr
oid_atd_mstr	atd_mstr
oid_atp_det	atp_det
oid_aud_det	aud_det
oid_ba_mstr	ba_mstr
oid_bcd_det	bcd_det
oid_bc_mstr	bc_mstr
oid_bdld_det	bdld_det
oid_bdl_mstr	bdl_mstr
oid_bdp_det	bdp_det
oid_bgd_det	bgd_det
oid_bg_mstr	bg_mstr
oid_bic_ctrl	bic_ctrl
oid_bkad_det	bkad_det
oid_bkd_det	bkd_det
oid_bkfm_mstr	bkfm_mstr
oid_bkpd_det	bkpd_det
oid_bkpm_mstr	bkpm_mstr
oid_bk_mstr	bk_mstr
oid_bl_ctrl	bl_ctrl
oid_bom_mstr	bom_mstr
oid_btb_det	btb_det
oid_cac_ctrl	cac_ctrl
oid_cah_hist	cah_hist
oid_cal_det	cal_det
oid_caq_mstr	caq_mstr
oid_cas_mstr	cas_mstr
oid_ca_mstr	ca_mstr
oid_cb_mstr	cb_mstr
oid_ccc_ctrl	ccc_ctrl

Index	Table
oid_ccd1_det	ccd1_det
oid_ccd2_det	ccd2_det
oid_ccd_mstr	ccd_mstr
oid_cclscd_det	cclscd_det
oid_cclsc_mstr	cclsc_mstr
oid_ccls_mstr	ccls_mstr
oid_ccl_ctrl	ccl_ctrl
oid_cctr_hist	cctr_hist
oid_cct_mstr	cct_mstr
oid_cc_mstr	cc_mstr
oid_cdf_mstr	cdf_mstr
oid_cd_det	cd_det
oid_cfc_ctrl	cfc_ctrl
oid_cf_mstr	cf_mstr
oid_chg_mstr	chg_mstr
oid_chm_mstr	chm_mstr
oid_cild_det	cild_det
oid_cil_mstr	cil_mstr
oid_ckd_det	ckd_det
oid_ksd_det	ksd_det
oid_ck_mstr	ck_mstr
oid_clc_ctrl	clc_ctrl
oid_cls_mstr	cls_mstr
oid_cmc_ctrl	cmc_ctrl
oid_cmd_det	cmd_det
oid_cmf_mstr	cmf_mstr
oid_cmh_hist	cmh_hist
oid_cmt_det	cmt_det
oid_cm_mstr	cm_mstr
oid_cncix_mstr	cncix_mstr
oid_cnccs_mstr	cnccs_mstr
oid_cncud_det	cncud_det
oid_cncu_mstr	cncu_mstr
oid_cnc_ctrl	cnc_ctrl
oid_cnsix_mstr	cnsix_mstr
oid_cnss_mstr	cnss_mstr
oid_cnsud_det	cnsud_det
oid_cnsu_mstr	cnsu_mstr
oid_cns_ctrl	cns_ctrl
oid_cnt_mstr	cnt_mstr
oid_code_mstr	code_mstr
oid_comd_det	comd_det
oid_com_mstr	com_mstr
oid_cost_cal	cost_cal
oid_co_ctrl	co_ctrl
oid_cpcd_det	cpcd_det
oid_cpc_mstr	cpc_mstr
oid_cph_hist	cph_hist
oid_cp_mstr	cp_mstr
oid_crc_ctrl	crc_ctrl
oid_cref_mstr	cref_mstr
oid_cr_mstr	cr_mstr
oid_csa_mstr	csa_mstr
oid_csbdd_det	csbdd_det
oid_csc_mstr	csc_mstr
oid_csid_det	csid_det
oid_csil_mstr	csil_mstr

Index	Table
oid_csim_mstr	csim_mstr
oid_csl_d_det	csl_d_det
oid_cslm_mstr	cslm_mstr
oid_cssi_det	cssi_det
oid_css_mstr	css_mstr
oid_cst_mstr	cst_mstr
oid_cs_mstr	cs_mstr
oid_ctd_det	ctd_det
oid_ctry_mstr	ctry_mstr
oid_ct_mstr	ct_mstr
oid_cu_mstr	cu_mstr
oid_dbk_mstr	dbk_mstr
oid_dbs_mstr	dbs_mstr
oid_dc_mstr	dc_mstr
oid_decl_mstr	decl_mstr
oid_defr_det	defr_det
oid_delt_mstr	delt_mstr
oid_df_mstr	df_mstr
oid_djrc_det	djrc_det
oid_djr_mstr	djr_mstr
oid_dmw_wkfl	dmw_wkfl
oid_dpc_mstr	dpc_mstr
oid_dprd_det	dprd_det
oid_dpdt_det	dpdt_det
oid_dpr_mstr	dpr_mstr
oid_dpt_mstr	dpt_mstr
oid_drp_ctrl	drp_ctrl
oid_dsd_det	dsd_det
oid_dsr_mstr	dsr_mstr
oid_dss_mstr	dss_mstr
oid_ds_det	ds_det
oid_dyd_mstr	dyd_mstr
oid_dy_mstr	dy_mstr
oid_ea_mstr	ea_mstr
oid_ea_mstr	eca_mstr
oid_ecd1_det	ecd1_det
oid_ecd2_det	ecd2_det
oid_ecd3_det	ecd3_det
oid_ecd4_det	ecd4_det
oid_ecd5_det	ecd5_det
oid_ecd9_det	ecd9_det
oid_ecd_det	ecd_det
oid_ecl_list	ecl_list
oid_ecm_mstr	ecm_mstr
oid_ect_mstr	ect_mstr
oid_ecx_ref	ecx_ref
oid_ega_mstr	ega_mstr
oid_egc_ctrl	egc_ctrl
oid_egd_det	egd_det
oid_egs_det	egs_det
oid egt_mstr	egt_mstr
oid_egw_wkfl	egw_wkfl
oid_elg_hist	elg_hist
oid_emap_det	emap_det
oid_emc_ctrl	emc_ctrl
oid_emg_msg	emg_msg
oid_emp_mstr	emp_mstr

Index	Table
oid_emsg_mstr	emsg_mstr
oid_em_mstr	em_mstr
oid_eng_mstr	eng_mstr
oid_en_mstr	en_mstr
oid_eraw_det	eraw_det
oid_ers_mstr	ers_mstr
oid_esc_ctrl	esc_ctrl
oid_esh_mstr	esh_mstr
oid_esp_mstr	esp_mstr
oid_ess_mstr	ess_mstr
oid_es_mstr	es_mstr
oid_et_ctrl	et_ctrl
oid_euc_ctrl	euc_ctrl
oid_eud_det	eud_det
oid_eu_mstr	eu_mstr
oid_excd_det	excd_det
oid_exc_mstr	exc_mstr
oid_exru_usage	exru_usage
oid_exr_rate	exr_rate
oid_faadj_mstr	faadj_mstr
oid_faba_det	faba_det
oid_fabchd_det	fabchd_det
oid_fabch_mstr	fabch_mstr
oid_fabd_det	fabd_det
oid_fabk_mstr	fabk_mstr
oid_fab_det	fab_det
oid_facd_det	facd_det
oid_facld_det	facld_det
oid_facls_mstr	facls_mstr
oid_fac_cal	fac_cal
oid_fact_ctrl	fact_ctrl
oid_fac_ctrl	fac_ctrl
oid_fadf_mstr	fadf_mstr
oid_fad_det	fad_det
oid_faloc_mstr	faloc_mstr
oid_fal_mstr	fal_mstr
oid_famtd_det	famtd_det
oid_famtrd_det	famtrd_det
oid_famtr_mstr	famtr_mstr
oid_famt_mstr	famt_mstr
oid_fas_ctrl	fas_ctrl
oid_fauop_det	fauop_det
oid_fa_mstr	fa_mstr
oid_fcc_mstr	fcc_mstr
oid_fcd_mstr	fcd_mstr
oid_fcg_mstr	fcg_mstr
oid_fcs_sum	fcs_sum
oid_fct_mstr	fct_mstr
oid_fc_det	fc_det
oid_ff_mstr	ff_mstr
oid_fh_mstr	fh_mstr
oid_fis_mstr	fis_mstr
oid_fkt_mstr	fkt_mstr
oid_flcrh_hist	flcrh_hist
oid_flcr_mstr	flcr_mstr
oid fldf_mstr	fldf_mstr
oid flff_mstr	flff_mstr

Index	Table
oid_flh_mstr	flh_mstr
oid_flpw_mstr	flpw_mstr
oid_flp_plan	flp_plan
oid_flscd_det	flscd_det
oid_flsc_mstr	flsc_mstr
oid_flsd_det	flsd_det
oid_fm_mstr	fm_mstr
oid_fnd_det	fnd_det
oid_fnh_hist	fnh_hist
oid_fn_mstr	fn_mstr
oid_fp1_plan	fp1_plan
oid_fp2_plan	fp2_plan
oid_fp3_plan	fp3_plan
oid_fpci_mstr	fpci_mstr
oid_fpc_mstr	fpc_mstr
oid_fpd_cost	fpd_cost
oid_fpst_mstr	fpst_mstr
oid_frcd_det	frcd_det
oid_frd_det	frd_det
oid_frm_mstr	frm_mstr
oid_frzd_det	frzd_det
oid_fr_mstr	fr_mstr
oid_fsc_mstr	fsc_mstr
oid_fsd_det	fsd_det
oid_fsh_mstr	fsh_mstr
oid_fslp_pln	fslp_pln
oid_fsp1_pln	fsp1_pln
oid_fsp2_pln	fsp2_pln
oid_fsp3_pln	fsp3_pln
oid_fsu_mstr	fsu_mstr
oid_ftch_hist	ftch_hist
oid_ft_mstr	ft_mstr
oid_fwkc_mstr	fwkc_mstr
oid_giap_mstr	giap_mstr
oid_gimd_mstr	gimd_mstr
oid_gip_det	gip_det
oid_gisi_mstr	gisi_mstr
oid_glcd_det	glcd_det
oid_glc_cal	glc_cal
oid_glptr_hist	glptr_hist
oid_glr_det	glr_det
oid_glr_mstr	glr_mstr
oid_glsd_mstr	glsd_mstr
oid_gltmd_det	gltmd_det
oid_gltm_mstr	gltm_mstr
oid_gltr_hist	gltr_hist
oid_gltw_wkfl	gltw_wkfl
oid_glt_det	glt_det
oid_gl_ctrl	gl_ctrl
oid_grac_det	grac_det
oid_grad_det	grad_det
oid_gral_det	gral_det
oid_gras_det	gras_det
oid_gra_mstr	gra_mstr
oid_grbg_det	grbg_det
oid_grcd_det	grcd_det
oid_grc_mstr	grc_mstr

Index	Table
oid_grdf_mtx	grdf_mtx
oid_grhd_det	grhd_det
oid_grib_det	grib_det
oid_gric_det	gric_det
oid_grid_det	grid_det
oid_grig_mtx	grig_mtx
oid_grit_wkf	grit_wkf
oid_gri_mstr	gri_mstr
oid_grqd_det	grqd_det
oid_grrd_det	grrd_det
oid_grr_mstr	grr_mstr
oid_grtx_det	grtx_det
oid_grv_det	grv_det
oid_grx1_wkfl	grx1_wkfl
oid_grx2_wkfl	grx2_wkfl
oid_grx3_wkfl	grx3_wkfl
oid_grx_mstr	grx_mstr
oid_gr_ctrl	gr_ctrl
oid_hd_mstr	hd_mstr
oid_hlp_mstr	hlp_mstr
oid_hwm_det	hwm_det
oid_ibh_hist	ibh_hist
oid_ib_det	ib_det
oid_icc_ctrl	icc_ctrl
oid_idhlc_hist	idhlc_hist
oid_idhr_hist	idhr_hist
oid_idh_hist	idh_hist
oid_iec_ctrl	iec_ctrl
oid_ied_det	ied_det
oid_ieh_hist	ieh_hist
oid_ie_mstr	ie_mstr
oid_ifs_mstr	ifs_mstr
oid_ihcc_hist	ihcc_hist
oid_ihr_hist	ihr_hist
oid_ih_hist	ih_hist
oid_ild_det	ild_det
oid_ilg_hist	ilg_hist
oid_imap_det	imap_det
oid_img_msg	img_msg
oid_im_mstr	im_mstr
oid_ind_det	ind_det
oid_insd_det	insd_det
oid_ins_mstr	ins_mstr
oid_in_mstr	in_mstr
oid_ipd_det	ipd_det
oid_iph_hist	iph_hist
oid_ip_mstr	ip_mstr
oid_iraw_det	iraw_det
oid_iro_det	iro_det
oid_isb_mstr	isb_mstr
oid_isd_det	isd_det
oid_isp_mstr	isp_mstr
oid_iss_mstr	iss_mstr
oid_isvc_mstr	isvc_mstr
oid_is_mstr	is_mstr
oid_itmh_hist	itmhist
oid_itm_det	itm_det

Index	Table
oid_itsd_det	itsd_det
oid_its_mstr	its_mstr
oid_ivs_ctrl	ivs_ctrl
oid_kbc_ctrl	kbc_ctrl
oid_kbmd_mstr	kbmd_mstr
oid_kbpp_mstr	kbpp_mstr
oid_kbtrd_det	kbtrd_det
oid_kbtr_hist	kbtr_hist
oid_knbd_det	knbd_det
oid_knbl_det	knbl_det
oid_knb_mstr	knb_mstr
oid_lacd_det	lacd_det
oid_lac_ctrl	lac_ctrl
oid_lad_det	lad_det
oid_lbld_ctrl	lbld_ctrl
oid_lcap_hist	lcap_hist
oid_lc_mstr	lc_mstr
oid_ld_det	ld_det
oid_lgsi_det	lgsi_det
oid_lgs_mstr	lgs_mstr
oid_lna_det	lna_det
oid_lnd_det	lnd_det
oid_lnf_det	lnf_det
oid_lngd_det	lngd_det
oid_lng_mstr	lng_mstr
oid_ln_mstr	ln_mstr
oid_locc_det	locc_det
oid_loc_mstr	loc_mstr
oid_lotw_wkfl	lotw_wkfl
oid_lot_mstr	lot_mstr
oid_lpm_d_det	lpm_d_det
oid_lpm_mstr	lpm_mstr
oid_ls_mstr	ls_mstr
oid_lua_det	lua_det
oid_lvr_det	lvr_det
oid_maxt_det	maxt_det
oid_max_mstr	max_mstr
oid_ma_mstr	ma_mstr
oid_mfc_ctrl	mfc_ctrl
oid_mnd_det	mnd_det
oid_mnp_det	mnp_det
oid_mnt_det	mnt_det
oid_mof_mstr	mof_mstr
oid_mon_mstr	mon_mstr
oid_mpd_det	mpd_det
oid_mph_hist	mph_hist
oid_mpp_det	mpp_det
oid_mps_mstr	mps_mstr
oid_mp_mstr	mp_mstr
oid_mrpd_ctrl	mrpd_ctrl
oid_mrpp_det	mrpp_det
oid_mrp_det	mrp_det
oid_msg_mstr	msg_mstr
oid_mu_mstr	mu_mstr
oid_ncc_ctrl	ncc_ctrl
oid_nrh_hist	nrh_hist
oid_nr_mstr	nr_mstr

Index	Table
oid_oa_det	oa_det
oid_ocm_mstr	ocm_mstr
oid_opc_ctrl	opc_ctrl
oid_opgl_det	opgl_det
oid_opm_mstr	opm_mstr
oid_ops_ctrl	ops_ctrl
oid_op_hist	op_hist
oid_pac_mstr	pac_mstr
oid_pald_det	pald_det
oid_pal_mstr	pal_mstr
oid_pcc_ctrl	pcc_ctrl
oid_pcd_det	pcd_det
oid_pcl_det	pcl_det
oid_pcl_mstr	pcl_mstr
oid_pct_mstr	pct_mstr
oid_pc_mstr	pc_mstr
oid_pex_mstr	pex_mstr
oid_pfc_det	pfc_det
oid_pfd_det	pf_d_det
oid_pgc_ctrl	pgc_ctrl
oid_pgh_hist	pgh_hist
oid_pgm_det	pgm_det
oid_pic_ctrl	pic_ctrl
oid_pid_det	pid_det
oid_pigc_det	pigc_det
oid_pigp_det	pigp_det
oid_pig_mstr	pig_mstr
oid_pih_hist	pih_hist
oid_pin_mstr	pin_mstr
oid_pi_mstr	pi_mstr
oid_pjc_ctrl	pjc_ctrl
oid_pjd_det	pjd_det
oid_pjsh_hist	pjsh_hist
oid_pjsx_det	pjsx_det
oid_pjs_mstr	pjs_mstr
oid_pjt_mstr	pjt_mstr
oid_pj_mstr	pj_mstr
oid_pk_det	pk_det
oid_pld_det	pld_det
oid_plid_det	plid_det
oid_pli_mstr	pli_mstr
oid_plsd_det	plsd_det
oid_plt_det	plt_det
oid_pl_mstr	pl_mstr
oid_poc_ctrl	poc_ctrl
oid_pod_det	pod_det
oid_pould_det	pould_det
oid_poul_mstr	poul_mstr
oid_pou_mstr	pou_mstr
oid_po_mstr	po_mstr
oid_pp_plan	pp_plan
oid_pq_mstr	pq_mstr
oid_prd_det	prd_det
oid_prh_hist	prh_hist
oid_prj_mstr	prj_mstr
oid_pr_mstr	pr_mstr
oid_pshc_ctrl	pshc_ctrl

Index	Table
oid_ps_mstr	ps_mstr
oid_pta_det	pta_det
oid_ptc_det	ptc_det
oid_pth_hist	pth_hist
oid_ptls_det	ptls_det
oid_ptp_det	ptp_det
oid_ptqa_det	ptqa_det
oid_ptr_det	ptr_det
oid_pts_det	pts_det
oid_ptt_det	ptt_det
oid_ptv_det	ptv_det
oid_pt_mstr	pt_mstr
oid_pvod_det	pvod_det
oid_pvo_mstr	pvo_mstr
oid_qad_wkfl	qad_wkfl
oid_qcc_ctrl	qcc_ctrl
oid_qcd_det	qcd_det
oid_qcs_mstr	qcs_mstr
oid_qc_mstr	qc_mstr
oid_qob_det	qob_det
oid_qoc_ctrl	qoc_ctrl
oid_qodr_det	qodr_det
oid_qod_det	qod_det
oid_qor_mstr	qor_mstr
oid_qo_mstr	qo_mstr
oid_qps_det	qps_det
oid_qqc_ctrl	qqc_ctrl
oid_qro_det	qro_det
oid_qr_test	qr_test
oid_qtbl_ext	qtbl_ext
oid_rbm_mstr	rbm_mstr
oid_rcc_mstr	rcc_mstr
oid_rcf_ctrl	rcf_ctrl
oid_rcsd_det	rcsd_det
oid_rcsx_ref	rcsx_ref
oid_rcs_mstr	rcs_mstr
oid_rdf_mstr	rdf_mstr
oid_reg_mstr	reg_mstr
oid_req_det	req_det
oid_rhd_hist	rhd_hist
oid_rma_mstr	rma_mstr
oid_rmc_ctrl	rmc_ctrl
oid_rmd_det	rmd_det
oid_rnd_mstr	rnd_mstr
oid_ro_det	ro_det
oid_rpc_ctrl	rpc_ctrl
oid_rps_mstr	rps_mstr
oid_rqa_mstr	rqa_mstr
oid_rqcd_det	rqcd_det
oid_rqc_mstr	rqc_mstr
oid_rqda_det	rqda_det
oid_rqd_det	rqd_det
oid_rqf_ctrl	rqf_ctrl
oid_rqh_hist	rqh_hist
oid_rqj_mstr	rqj_mstr
oid_rql_mstr	rql_mstr
oid_rqm_det	rqm_det

Index	Table
oid_rqm_mstr	rqm_mstr
oid_rqpo_ref	rqpo_ref
oid_rqr_mstr	rqr_mstr
oid_rq_mstr	rq_mstr
oid_rsc_ctrl	rsc_ctrl
oid_rsd_det	rsd_det
oid_rsn_ref	rsn_ref
oid_rstd_det	rstd_det
oid_rst_mstr	rst_mstr
oid_rsud_det	rsud_det
oid_rsu_mstr	rsu_mstr
oid_rs_mstr	rs_mstr
oid_sab_det	sab_det
oid_sac_ctrl	sac_ctrl
oid_sadh_hist	sadh_hist
oid_sad_det	sad_det
oid_sah_hist	sah_hist
oid_salh_hist	salh_hist
oid_sal_mstr	sal_mstr
oid_sap_det	sap_det
oid_sar_mstr	sar_mstr
oid_sa_mstr	sa_mstr
oid_sbc_mstr	sbc_mstr
oid_sbd_det	sbd_det
oid_sbic_ctl	sbic_ctl
oid_sbid_det	sbid_det
oid_sbi_mstr	sbi_mstr
oid_sb_mstr	sb_mstr
oid_sca_mstr	sca_mstr
oid_scc_mstr	scc_mstr
oid_schd_det	schd_det
oid_sch_mstr	sch_mstr
oid_sct_det	sct_det
oid_scx_ref	scx_ref
oid_sc_mstr	sc_mstr
oid_sdt_dtd	sdt_dtd
oid_sdt_mstr	sdt_mstr
oid_sd_mstr	sd_mstr
oid_seoc_ctrl	seoc_ctrl
oid_seq_mstr	seq_mstr
oid_sfb_det	sfb_det
oid_sfh_hist	sfh_hist
oid_sgad_det	sgad_det
oid_sgcd_det	sgcd_det
oid_sgid_det	sgid_det
oid_sg_mstr	sg_mstr
oid_shc_ctrl	shc_ctrl
oid_shd_det	shd_det
oid_shft_det	shft_det
oid_shm_mstr	shm_mstr
oid_shop_cal	shop_cal
oid_shpc_ctrl	shpc_ctrl
oid_shpd_hist	shpd_hist
oid_shp_hist	shp_hist
oid_shtr_det	shtr_det
oid_shv_mstr	shv_mstr
oid_sim_det	sim_det

Index	Table
oid_six_ref	six_ref
oid_si_mstr	si_mstr
oid_slrd_det	slrd_det
oid_slr_mstr	slr_mstr
oid_sm_mstr	sm_mstr
oid_sob_det	sob_det
oid_socc_mstr	socc_mstr
oid_soc_ctrl	soc_ctrl
oid_sodlc_det	sodlc_det
oid_sodr_det	sodr_det
oid_sod_det	sod_det
oid_sop_det	sop_det
oid_sor_mstr	sor_mstr
oid_sosrd_det	sosrd_det
oid_sosr_mstr	sosr_mstr
oid_so_mstr	so_mstr
oid_spc_ctrl	spc_ctrl
oid_spd_det	spd_det
oid_sph_hist	sph_hist
oid_spt_det	spt_det
oid_sp_mstr	sp_mstr
oid_src_ctrl	src_ctrl
oid_sroc_ctrl	sroc_ctrl
oid_sro_mstr	sro_mstr
oid_srr_mstr	srr_mstr
oid_sr_wkfl	sr_wkfl
oid_ssd_det	ssd_det
oid_ssm_mstr	ssm_mstr
oid_sttqd_det	sttqd_det
oid_sttq_mstr	sttq_mstr
oid_stx_mstr	stx_mstr
oid_sufd_det	sufd_det
oid_suf_mstr	suf_mstr
oid_svc_ctrl	svc_ctrl
oid_sv_mstr	sv_mstr
oid_swc_det	swc_det
oid_tag_mstr	tag_mstr
oid_taxd_det	taxd_det
oid_tax_mstr	tax_mstr
oid_tblcd_det	tblcd_det
oid_tblc_mstr	tblc_mstr
oid_tbl_mstr	tbl_mstr
oid_te_mstr	te_mstr
oid_tm_mstr	tm_mstr
oid_totd_det	totd_det
oid_tot_mstr	tot_mstr
oid_trcs_det	trcs_det
oid_trgl_det	trgl_det
oid_trld_det	trld_det
oid_trl_mstr	trl_mstr
oid_trq_mstr	trq_mstr
oid_tr_hist	tr_hist
oid_tx2d_det	tx2d_det
oid_tx2_mstr	tx2_mstr
oid_txbd_det	txbd_det
oid_txc_ctrl	txc_ctrl
oid_txed_det	txed_det

Index	Table
oid_txe_mstr	txe_mstr
oid_txhd_det	txhd_det
oid_txrd_det	txrd_det
oid_txr_mstr	txr_mstr
oid_txz_mstr	txz_mstr
oid_typ_mstr	typ_mstr
oid_tzod_det	tzod_det
oid_tzo_mstr	tzo_mstr
oid_ufd_det	ufd_det
oid_umsq_det	umsq_det
oid_um_mstr	um_mstr
oid_upd_det	upd_det
oid_url_mstr	url_mstr
oid_usg_det	usg_det
oid_usrc_ctrl	usrc_ctrl
oid_usrl_det	usrl_det
oid_usrw_wkfl	usrw_wkfl
oid_usr_mstr	usr_mstr
oid_vdc_ctrl	vdc_ctrl
oid_vdf_mstr	vdf_mstr
oid_vd_mstr	vd_mstr
oid_vecd_det	vecd_det
oid_vec_mstr	vec_mstr
oid_vee_mstr	vee_mstr
oid_vef_ctrl	vef_ctrl
oid_vepd_det	vepd_det
oid_vep_mstr	vep_mstr
oid_verd_det	verd_det
oid_ver_mstr	ver_mstr
oid_vesd_det	vesd_det
oid_ves_mstr	ves_mstr
oid_vew_mstr	vew_mstr
oid_vex_mstr	vex_mstr
oid_vod_det	vod_det
oid_vo_mstr	vo_mstr
oid_vph_hist	vph_hist
oid_vpo_det	vpo_det
oid_vp_mstr	vp_mstr
oid_vrc_ctrl	vrc_ctrl
oid_vtc_ctrl	vtc_ctrl
oid_vt_mstr	vt_mstr
oid_wcr_route	wcr_route
oid_wc_mstr	wc_mstr
oid_whl_mstr	whl_mstr
oid_wlbd_det	wlbd_det
oid_wlbm_mstr	wlbm_mstr
oid_wlc_ctrl	wlc_ctrl
oid_wld_det	wld_det
oid_wlrd_det	wlrd_det
oid_wlrm_mstr	wlrm_mstr
oid_wlt_mstr	wlt_mstr
oid_wl_mstr	wl_mstr
oid_woc_ctrl	woc_ctrl
oid_wod_det	wod_det
oid_wo_mstr	wo_mstr
oid_wr_route	wr_route
oid_wtx_mstr	wtx_mstr

Index	Table
Site	elg_hist
Site	ilg_hist
si_type	si_mstr
txrd_type_ref	txrd_det

Deleted Tables

There were no deleted tables in this release of MFG/PRO.

New Tables

Table Name	Table Description
atak_det	Audit Trail Activated Key Detail
atap_mstr	Audit Trail Activated Profile Master
atc_ctrl	Audit Trail Control
atdc_mstr	Audit Trail Database Connection Master
aterr_mstr	Audit Trail Error Master
atgt_ref	Audit Trail Group – Table Cross-Reference
atg_mstr	Audit Trail Group Master
attmp_mstr	Audit Trail Temporary Master
att_mstr	Audit Trail Table Master
atwk_det	Audit Trail Workbench Key Detail
atwp_mstr	Audit Trail Workbench Profile Master
cont_mstr	Container Type Master
dald_det	Destination Application List Detail
dal_mstr	Destination Application List Master
dom_mstr	Domain Master
edlg_hist	Export Delivery Log
encl_det	Entity Consolidation Detail
glct_det	General Ledger Currency Total Detail
glec_det	GL Entity Consolidation Detail
kbdt_mstr	Kanban Demand Template Master
knbadc_hist	Kanban Average Demand Calculation History
knbfd_det	Kanban FIFO Process Detail
knbism_det	Kanban Item Supermarket Detail
knbi_mstr	Kanban Item Master
knbsm_mstr	Kanban Supermarket Master
knbs_det	Kanban Source Detail
knpd_det	Kanban Process Item Detail
knp_mstr	Kanban Process Master
mfrel_mstr	Master Table Relationships
qaddb_ctrl	Database Control for QADDB
sypd_det	Synch Profile Detail
sypj_det	Sync Profile Join Detail
syps_det	Synch Profile Subscription Detail
syp_mstr	Synch Profile Master
sytf_mstr	Synchronization Table-Field Master
udd_det	User Domain Detail
uslh_hist	User Logon History
uspw_hist	User Password History
usrgd_det	User Group Detail
usrg_mstr	User Group Master

Index of Table Descriptions

A

Account Cross-Reference Master 22
Account Default Master 18
Account Master 23
Account Total Detail 19
Account/Sub-Account/Cost Center Master 43
Accounting Transaction Description Master 48
Accounts Payable Check Detail 93
Accounts Payable Check Master 95
Accounts Payable Control 31
Accounts Payable Master 36
Accounts Receivable Control 37
Accounts Receivable Detail 38
Accounts Receivable Master 40
Accounts Receivable Payment Status Detail 39
Action Message Detail 381
Address Control 24
Address List Detail 366
Address Master 25
Advanced Pricing Management Control 32
Advanced Pricing Management Customer Relationship
Master 32
Allocation Account Detail 27
Allocation Account Master 28
Alternate Container Master 21
Analysis Code Exploded Detail 30
Analysis Code Link Detail 28
Analysis Code Master 30
Analysis Code Selection Detail 29
Application Code Master 20
Application Definition Master 249
Application Parameter Master 33
Application Registry 34
Application Return Code Master 40
Application Usage Detail 633

ASN/BOL/Shipper Master 15
Asset Book Detail 8
Asset Cost Change Detail 17
Asset Master 44
Associated Item Detail 440
Audit Detail 53
Audit Trail Activated Key Detail 46
Audit Trail Activated Profile Master 46
Audit Trail Control 47
Audit Trail Database Connection Master 47
Audit Trail Error Master 48
Audit Trail Group – Table Cross Reference 49
Audit Trail Group Master 49
Audit Trail Table Master 52
Audit Trail Temporary Master 50
Audit Trail Workbench Key Detail 52
Audit Trail Workbench Profile Master 52
Automatic Lot Master 27
Available-to-Promise Detail 50

B

Bank Account Format Master 62
Bank Driver Payment Detail 56
Bank Master 65
Batch Control Detail 54
Batch Control Master 55
Batch Data Load Detail 55
Batch Data Load Master 56
Batch Master 54
Budget Detail 57
Budget Master 58

C

Calendar Detail 71
Carrier Control 117

Cash Book Master 77
 Cash Flow Control 86
 Cash Flow Master 87
 Check Status Detail 94
 Class Master 96
 Code Range Master 118
 Commodity Code Detail 111
 Commodity Code Master 111
 Compliance Control 95
 Consigned Shipment Inventory Cross-Reference
 Master 102
 Consolidated Exchange Rate Detail 189
 Consolidation Currency Exchange Master 190
 Container Charge Type Master 83
 Container Item Detail 441
 Container Type Master 112
 Container/Line Charge Control 82
 Container/Line Charge Ship-From/Ship-To Control
 Master 81
 Control Work Table 369
 Controlled Substance Authority Master 119
 Controlled Substance Customer Master 120
 Controlled Substance General License Master 124
 Controlled Substance Individual License Detail 123
 Controlled Substance Individual License Master 122
 Controlled Substance Item Detail 121
 Controlled Substance Item Master 122
 Controlled Substance Site Master 125
 Co-product/By-product Average Cost Master 20
 Correction Invoice Link Detail 92
 Correction Invoice Link Master 92
 Cost Center Master 84
 Cost Center/Account Validation Detail 78
 Cost Center/Sub-Account Validation Detail 79
 Cost Set Calendar 113
 Cost Set Master 126
 Cost Simulation Item Detail 583
 Cost Simulation Master 542
 Cost Simulation Operation Detail 575
 Cost Simulation Total Detail 541
 Cost Simulation Work Center Detail 598
 Country Master 127
 Credit Card Control 78
 Credit Card Transaction History 82
 Credit Terms Detail 126
 Credit Terms Master 128
 Currency Master 128

Customer Consignment Control 106
 Customer Consignment Shipment Usage Detail 104
 Customer Consignment Shipment Usage Master 105
 Customer Consignment Ship-To/Item Master 103
 Customer Control 96
 Customer Item Master 117
 Customer Master 99
 Customer Period Calendar Detail 115
 Customer Period Calendar Master 115
 Customer Sales History 98
 Customer Schedule Master 477
 Customer Sequence Schedule Control 473
 Customer Sequence Schedule Cross-Reference 476
 Customer Sequence Schedule Detail 474
 Customer Sequence Schedule Master 473
 Customer/Item Sales History 116
 Customer/Ship-To Shipment Controls Master 537
 Customer/Supplier Bank Detail 119

D

Database Connection Master 132
 Database Control for QADDB 456
 Database Revision Control Master 132
 Daybook Journal Report Detail 136
 Daybook Journal Report Master 137
 Declarant Master 133
 Delivery Time Master 135
 Department Master 142
 Depreciation Book Master 131
 Depreciation Convention Master 139
 Depreciation Detail 140
 Depreciation Method Detail 141
 Depreciation Method Master 141
 Destination Application List Detail 129
 Destination Application List Master 131
 Distributed Site Order Detail 147
 Distributed Site Order Master 146
 Distributed Site Requisition Detail 143
 Distributed Site Requisition Master 145
 Distribution Requirements Planning Control 143
 Document Print Format Master 136
 Domain Master 139
 Draft Management Work Table 138

E

Earnings Master 149
 E-mail Master 175

Employee Control 170
Employee Master 171
EMU Control 185
Engineering Change Approval Detail 155
Engineering Change Approval Master 151
Engineering Change Item Detail 156
Engineering Change Master 158
Engineering Change Master Lists 157
Engineering Change Product Structure Detail 151
Engineering Change Routing Detail 152
Engineering Change Text File Detail 153
Engineering Change Type Master 159
Enterprise Material Transfer Change Management
Detail 97
Enterprise Material Transfer Change Management
Master 97
Enterprise Material Transfer Primary Business Unit
Detail 68
Entity Consolidation Detail 175
Entity Master 177
Evaluated Receipts Settlement Master 179
Exchange Rate Master 191
Exchange Rate Usage 190
Export Delivery Log 160
Export Document Log 167
Export Document Message 170
Export Document Specification Master 181
External Address Cross-Reference Detail 24
External Order Cross-Reference 160

F

Family Hierarchy Master 216
Family Item Cost Detail 235
Family Line Plan 222
Family Production and Shipment Plan 232
Family Production Backlog and Cost Plan 231
Family Production Inventory and Order Plan 231
Family Simulation Backlog and Cost Plan 243
Family Simulation Inventory and Order Plan 244
Family Simulation Production and Shipment Plan 245
Field Default Master 220
Field Help Program Master 221
Field Security Master 222
Final Assembly Control 201
Fixed Asset Account Detail 192
Fixed Asset Adjustment Master 191
Fixed Asset Batch Detail 193

Fixed Asset Batch Master 194
Fixed Asset Book Default Master 201
Fixed Asset Book Depreciation Detail 194
Fixed Asset Book Detail 197
Fixed Asset Book Master 196
Fixed Asset Calendar Detail 198
Fixed Asset Calendar Master 200
Fixed Asset Class Account Detail 198
Fixed Asset Class Master 199
Fixed Asset Component Detail 202
Fixed Asset Control 200
Fixed Asset Custodian Master 126
Fixed Asset Custom Table Detail 204
Fixed Asset Location Code Master 203
Fixed Asset Location Master 203
Fixed Asset Master 208
Fixed Asset Meter Detail 205
Fixed Asset Meter Master 205
Fixed Asset Method Master 206
Fixed Asset System Control 207
Fixed Asset Type Master 627
Fixed Assets UOP Forecast Detail 207
Flow Flex Fence Master 220
Flow Line Capacity Rate History 218
Flow Line Capacity Rate Master 219
Flow Production Line Preference Detail 360
Flow Schedule Code Detail 223
Flow Schedule Code Master 223
Flow Schedule Detail 224
Forecast Summary 213
Format Position Master 226
Freight Charge Detail 237
Freight List Master 239
Freight Rate Detail 238
Freight Rate Master 238
Freight Terms Master 247
Freight Zone Detail 238

G

General Ledger (Company) Control 114
General Ledger Calendar 252
General Ledger Calendar Detail 251
General Ledger Currency Total Detail 252
General Ledger Daybook Master 149
General Ledger Default Daybook Master 148
General Ledger Description Source Master 256
General Ledger Protocol History 254

General Ledger Report Detail 254
 General Ledger Report Master 256
 General Ledger Transaction History 258
 General Ledger Transaction Matching Detail 257
 General Ledger Transaction Matching Master 257
 General Ledger Unposted Transaction Detail 261
 General Ledger Work Table 260
 Generalized Code Master 110
 GL Entity Consolidation Detail 253
 GL Report Writer Account Balance Detail 284
 GL Report Writer Account Balances 268
 GL Report Writer Analysis Code and Item Type Work Table 279
 GL Report Writer Analysis Code Detail 270
 GL Report Writer Analysis Code Explosion Work Table 285
 GL Report Writer Analysis Code Link-File Detail 270
 GL Report Writer Analysis Code Master 271
 GL Report Writer Break Group Detail 277
 GL Report Writer Budgeted Account Balance Detail 272
 GL Report Writer Column Group Detail 274
 GL Report Writer Column Group Master 274
 GL Report Writer Control 288
 GL Report Writer Definition Matrix 275
 GL Report Writer Fiscal Quarter Calendar 281
 GL Report Writer Group Row/Column Sequence Detail 276
 GL Report Writer Image Column Detail 277
 GL Report Writer Report Content Master 287
 GL Report Writer Report Image Detail 278
 GL Report Writer Report Image Master 280
 GL Report Writer Report Image Matrix 279
 GL Report Writer Row Group Detail 282
 GL Report Writer Row Group Master 282
 GL Report Writer Row/Column Explosion (Hierarchical) Work Table 286
 GL Report Writer Row/Column Explosion (Separate) Work Table 285
 GL Report Writer Selection Detail 271
 GL Report Writer Text String Detail 283

H

Help Master 289
 Holiday Master 288

I

Import Document Log 310
 Import Document Map Detail 313
 Import Document Message 313
 Import Document Specification Master 326
 Import/Export Control 298
 Import/Export Detail 299
 Import/Export History 301
 Import/Export Master 303
 Independent Demand Detail 315
 Interface Session Master 304
 Inventory Control 291
 Inventory Master 318
 Inventory Movement Code Master 314
 Inventory Movement Site Detail 560
 Inventory Status Detail 326
 Inventory Status Master 330
 Inventory Transaction and General Ledger Cross-Reference 612
 Inventory Transaction History 615
 Invoice History Credit Card Master 305
 Invoice History Detail 294
 Invoice History Line Charge Detail 292
 Invoice History Master 307
 Invoice History Relationship Detail 293
 Invoice History Relationship Master 306
 Invoice Schedule Control 337
 Invoice Schedule Detail 316
 Invoice Schedule Master 317
 Invoice Sort Master 216
 Item Location Detail 310
 Item Lot/Serial Detail 442
 Item Master 448
 Item Planning Detail 443
 Item Quantitative Analysis Detail 445
 Item Routing Cost Detail 323
 Item Routing Detail 446
 Item Site Load Detail 336
 Item Site Load Master 336
 Item Specification Detail 319
 Item Statistical Value Detail 448
 Item Substitute Detail 447
 Item Tax Detail 447

K

Kanban Average Demand Calculation History 343
 Kanban Card Detail 344

Kanban Control 337
Kanban Demand Template Master 338
Kanban FIFO Process Detail 345
Kanban Item Master 346
Kanban Item Supermarket Detail 345
Kanban Loop Detail 347
Kanban Master 349
Kanban Maximum Demand Master 339
Kanban Planning Period Master 340
Kanban Process Item Detail 350
Kanban Process Master 351
Kanban Source Detail 349
Kanban Supermarket Master 348
Kanban Transaction History 341
Kanban Transaction History Detail 340

L

Label Control 354
Language Detail 361
Language Master 362
Line Changeover Master 88
Line Master 362
Location Allocation Detail 353
Location Detail 355
Location Master 364
Logistics Accounting Charge Code Master 354
Logistics Accounting Charge Detail 352
Logistics Accounting Control 353
Logistics Master 357
Logistics Site Detail 357
Lot Master 365
Lot Number Work Table 364

M

Mapped Export Document Detail 169
Master Bill of Lading Control 66
Master Comments 86
Master Production Schedule 375
Master Specification 375
Master Specification Detail 373
Master Specification Test History 373
Master Specification Test Results 321
Master Table Relationships 369
Material Order Control 545
Material Requirements Planning Control 376
Material Requirements Planning Detail 377
Material Requirements Planning Pegging Detail 376

Maximum Table Detail 367
Maximums Master 367
Menu Detail 370
Menu Title Detail 371
Message Master 378
Mirror Account Master 368
Model Definition Master 249
Monetary Union Master 378

N

Net Commerce Control 379
Number Range History 380
Number Range Master 381

O

Operation Transaction History 386
Operations Plan Control 385

P

Pallet Detail 389
Pallet Master 390
Payment Method Detail 61
Payment Selection Allocation Detail 60
Payment Selection Detail 62
Payment Selection Master 64
Pending Voucher Detail 453
Pending Voucher Master 454
Physical Inventory Tag Master 604
Pick List Work Table 415
Point of Use Code Master 428
Point of Use Location Detail 427
Point of Use Location Master 428
Price List Detail 399
Price List Group Customer Detail 400
Price List Group Item Detail 401
Price List Group Master 402
Price List Master 394, 405
Pricing Control 399
Pricing History 320, 403
Printer Detail 432
Printer Master 437
Printer/User Detail 632
Product Change Control 391
Product Change Control Group Detail 392
Product Change Control Group Master 392
Product Change Control Item Routing Detail 154
Product Change Control Routing Slip Detail 508

Product Change Control Routing Slip Master 508
 Product Change Control Routing Slip Template
 Detail 507
 Product Change Control Routing Slip Template
 Master 507
 Product Change Control Test Results Detail 154
 Product Change Control Type Master 393
 Product Line Detail 415
 Product Line Master 419
 Product Line Plan 431
 Product Line Requirements Master 432
 Product Line Sales Detail 418
 Product Line Tax Detail 419
 Product Structure (Bill of Material) Master 67
 Product Structure Master 438
 Production Forecast Detail 395
 Production Line Allocation Detail 358
 Production Line Detail 359
 Production Line Schedule Sequence Master 546
 Products Sales History 442
 Program Detail 398
 Project Master 414
 Project Realization Control 407
 Project Realization Project Master 436
 Project Realization Project Type Master 414
 Project Realization Structure Master 411
 Project Realization Subproject Detail 408
 Project Realization Transaction History 409
 Project Structure Cross-Reference Detail 410
 Purchase Approval Code Master 389
 Purchase Ledger Invoice Detail 416
 Purchase Ledger Invoice Master 417
 Purchase Order Control 422
 Purchase Order Detail 424
 Purchase Order Line Cost Element Detail 391
 Purchase Order Master 429
 Purchase Order Receipt History 433
 Purchase Shipper Control 438

Q

Q/LinQ Control 467
 QAD Table Extension 471
 QAD Work Table 456
 Quality Control Order Detail 457
 Quality Control Order Master 458
 Quality Inspection Routing Detail 470
 Quality Order Control 457

Quality Order Test Steps 470
 Quality Sampling Pattern Master 458
 Quality Test Bill Detail 467

R

Raw Export Document Detail 178
 Raw Import Document Detail 322
 Reason Code Master 506
 Release Management Schedule Detail 538
 Release Management Schedule Master 539
 Repetitive Control 491
 Repetitive Production Schedule Master 492
 Requirement Detail 500
 Requirement Master 504
 Requisition Approval Detail 495
 Requisition Approval Level Master 500
 Requisition Approver Master 493
 Requisition Category Detail 494
 Requisition Category Master 495
 Requisition Control 498
 Requisition Detail 481, 496
 Requisition History 498
 Requisition Job Master 499
 Requisition Master 501
 Requisition/PO Cross-Reference 503
 Reserved Locations Detail 363
 Resource Master 509
 Resource Requirements Detail 506
 Retrobill Master 472
 Return Material Authorization Control 485
 Return Material Authorization Detail 487
 Return Material Authorization Detail History 482
 Return Material Authorization Master 484
 Return Status Master 236
 Role Master 504
 Rounding Method Master 489
 Routing Operation Detail 490

S

Sales Order Configuration Bill Detail 566
 Sales Order Configuration Bill History 289
 Sales Order Control 567
 Sales Order Credit Card Master 566
 Sales Order Detail 571
 Sales Order Detail Container Charges 9
 Sales Order Detail Line Charges 569
 Sales Order Discount Master 544

Sales Order Master	578	Service/Support Call Item History	330
Sales Order Relationship Detail	570	Service/Support Call Master	73
Sales Order Relationship Master	576	Service/Support Call Master Control	68
Sales Order Shipment Reason Detail	577	Service/Support Call Queue Master	72
Sales Order Shipment Reason Master	577	Service/Support Call Status Master	72
Sales Quotation Configuration Bill Detail	460	Service/Support Call Type Master	213
Sales Quotation Control	460	Service/Support Charge Code Master	212
Sales Quotation Detail	462	Service/Support Charge Code Product Line	
Sales Quotation Master	464	Master	210
Sales Quotation Relationship Detail	461	Service/Support Contract Billing Control	59
Sales Quotation Relationship Master	464	Service/Support Contract Limits History	521
Salesperson Commission Detail	582	Service/Support Contract Limits Master	523
Salesperson Control	582	Service/Support Cross-Reference Master	118
Salesperson Master	584	Service/Support Custom Program Detail	371
Salesperson Sales History	583	Service/Support Custom Program Parameter	
Scheduled Order Cross-Reference	542	Detail	374
Seasonal Build Detail	214	Service/Support Default Charge Code Master	211
Self-Bill Control	532	Service/Support End User Control	186
Self-Bill Detail	533	Service/Support End User Detail	186
Self-Bill Master	535	Service/Support End User Master	187
Serial Number Work Table	589	Service/Support Engineer Availability Master	161
Service Agreement Terms and Conditions Master	597	Service/Support Engineer Master	176
Service Category Master	240	Service/Support Engineer Message Master	173
Service Contract Additional Charge Master	536	Service/Support Engineer Problem/Skills Detail	164
Service Contract Billing Detail	509	Service/Support Engineer Schedule Control	162
Service Contract Control	511	Service/Support Engineer Schedule Detail	163
Service Contract Deferred/Accrued Revenue		Service/Support Engineer Schedule Master	180
Detail	134	Service/Support Engineer Selection Work Table	166
Service Contract Detail	515	Service/Support Engineer Status Master	183
Service Contract Detail History	512	Service/Support Engineer Tracking Master	165
Service Contract History	518	Service/Support Escalation and Repair Master	183
Service Contract Master	528	Service/Support Escalation Control	179
Service Contract Preventive Maintenance Detail	525	Service/Support Field Notification Detail	226
Service Contract Serial Number Master	527	Service/Support Field Notification History	227
Service Request Control	585	Service/Support Field Notification Master	229
Service Request Master	587	Service/Support Holiday Master	242
Service/Repair Order Control	585	Service/Support Installed Base Item Master	324
Service/Repair Order Master	585	Service/Support Installed Base Structure	328
Service/Support Billing Cycle Master	531	Service/Support Installed Configuration Detail	290
Service/Support Billing Detail	547	Service/Support Item-Site Detail	395
Service/Support Billing History	549	Service/Support Kit Master	217
Service/Support Call Activity Detail	241	Service/Support Management Control	594
Service/Support Call Default Master	84	Service/Support On Call Master	382
Service/Support Call Fault Code Master	79	Service/Support Paging Control	397
Service/Support Call History	69	Service/Support Paging History	397
Service/Support Call History Master	88	Service/Support Parent/Child Relationship Master	608
Service/Support Call Item Detail	333	Service/Support Price Indexing Master	233

Service/Support Pricing Master 234
 Service/Support Region Master 480
 Service/Support Return Defaults Master 478
 Service/Support Time Zone Detail 628
 Service/Support Time Zone Master 629
 Service/Support Trace History 246
 Service/Support User Preference Master 245
 Service/Support Work Code Master 248
 Shift Detail 554
 Ship Via Master 560
 Shipment Carrier Detail 10
 Shipment Detail Line Charges 11
 Shipment Detail/Invoice Number Cross-
 Reference 561
 Shipment Line Item Detail 10
 Shipment Performance Control 556
 Shipment Performance Detail History 557
 Shipment Performance History 558
 Shipment Requirement Detail 12
 Shipment Sequence Detail 13
 Shipment Trailer Detail 559
 Shipper Control 553
 Shipper Information Master 11
 Shipper User Field Detail 592
 Shipper User Field Master 593
 Shipping Delivery Time Detail 543
 Shipping Delivery Time Master 544
 Shipping Group Address Detail 551
 Shipping Group and Inventory Movement Code
 Detail 552
 Shipping Group Carrier Detail 551
 Shipping Group Master 553
 Shipping Schedule Control 505
 Shipping Schedule Detail 554
 Shipping Schedule Master 555
 Ship-To/Container Master 81
 Ship-To/Container Price List Detail 80
 Shop Calendar 556
 Shop Floor Operation General Ledger Detail 383
 Shop Floor Operation History Control 383
 Simulated Forecast Master 214
 Simulation Line Plan 243
 Site Cost Detail 124
 Site Linking Rules Detail 564
 Site Linking Rules Master 564
 Site Master 563
 Site/Item Model Definition Master 250

Source Matrix Master 565
 Source of Supply Detail 589
 Source of Supply Master 590
 Standard Operation Master 384
 Statistical Value Calculation Master 329
 Sub-Account Master 536
 Sub-Account/Account Validation Detail 532
 Supplier Consignment Control 110
 Supplier Consignment Receipt Inventory Master 107
 Supplier Consignment Receipt Usage Detail 108
 Supplier Consignment Receipt Usage Master 109
 Supplier Consignment Supplier/Item Master 108
 Supplier Control 639
 Supplier Fiscal Data Master 639
 Supplier Item Master 659
 Supplier Master 640
 Supplier Performance Category Detail 643
 Supplier Performance Category Master 643
 Supplier Performance Control 645
 Supplier Performance Cross-Reference Master 654
 Supplier Performance Detail 646
 Supplier Performance Event Master 644
 Supplier Performance Master 647
 Supplier Performance Registration Detail 650
 Supplier Performance Registration Master 650
 Supplier Performance Summary Detail 652
 Supplier Performance Summary Master 653
 Supplier Performance Weighting Factor Master 654
 Suspended Tax Master 592
 Sync Profile Join Detail 600
 Synch Profile Detail 599
 Synch Profile Master 603
 Synch Profile Subscription Detail 602
 Synchronization Table-Field Master 604
 System/Account Control 263

T

Table Attribute Detail 250
 Table Change Detail 607
 Table Change Master 607
 Tax Base Detail 621
 Tax Control 621
 Tax Detail 606, 618
 Tax Environment Detail 622
 Tax Environment Master 623
 Tax History Detail 624
 Tax Master 606, 619

Tax Register Detail 625
Tax Register Master 626
Tax Zone Master 627
Terms of Trade Detail 611
Terms of Trade Master 611
Time-Based/Quantity-Based Status Code Detail 590
Time-Based/Quantity-Based Status Code Master 591
Trailer Master 614
Trailer Tax Detail 613
Transaction Comments 99
Transaction Cost Detail 612
Transaction Export Master 609
Transmission Date Reference Master 614
Transportation Master 610

U

Unit of Measure Conversion Master 631
URL Master 632
User Control 635
User Domain Detail 629
User Function Key Detail 630
User Group Detail 636
User Group Master 636
User Licensed Application Detail 637
User Logon History 634
User Master 638
User Message Detail 630
User Password History 634

User Work Table 637

V

Value Added Tax Control 660
Value Added Tax Master 661
Version Control 660
Voucher Detail 655
Voucher Invoice History 658
Voucher Master 656
Voucher Purchase Order Detail 659

W

Warehouse Location Master 663
WIP Lot Inventory Detail 668
WIP Lot Master 672
WIP Lot Trace BOM Control Detail 664
WIP Lot Trace BOM Control Master 665
WIP Lot Trace Control 667
WIP Lot Trace Master 671
WIP Lot Trace Routing Control Detail 669
WIP Lot Trace Routing Control Master 670
Withholding Tax Master 683
Work Center Master 662
Work Center Routing Standards 661
Work Order Control 674
Work Order Detail 674
Work Order Master 676
Work Order Routing 680

